

## **ABSTRACT**

This material provides documentation for users of the 2010 National Ambulatory Medical Care Survey (NAMCS) public use micro-data file. NAMCS is a national probability sample survey of visits to office-based physicians conducted by the National Center for Health Statistics, Centers for Disease Control and Prevention. It is a component of the National Health Care Surveys which measure health care utilization across a variety of health care providers. Section I, "Description of the National Ambulatory Medical Care Survey," includes information on the scope of the survey, the sample, field activities, data collection procedures, medical coding procedures, population estimates, and sampling errors. Section II provides technical information, including a detailed description of the contents of each data record by location, and a list of physician specialties represented in the survey. Section III contains marginal data and estimates for selected items on the data record. The appendixes contain sampling errors, instructions and definitions for completing the Patient Record form, and lists of codes used in the survey.

## SUMMARY OF CHANGES FOR 2010

The 2010 NAMCS public use micro-data file is, for the most part, similar to the 2009 file, but there are some important changes. These are described in more detail below and reflect changes to the survey instruments, the Patient Record form and the Physician Induction Interview form. There are also new injury-related items on the public use file, but these are simply recoded data from existing items on the Patient Record form and are described in a separate section below.

### 1. New or Modified Items

- a. In Item 1. Patient Information, sub-item g) Expected source(s) of payment for this visit, checkbox 3, "Medicaid/SCHIP", was changed to "Medicaid or CHIP/SCHIP".
- b. In item 5, Provider's Diagnosis for this Visit, sub-item b) "Regardless of the diagnoses written in 5a, does the patient now have", under the checkbox for cancer, there are now 6 checkboxes to specify the stage. Stage of cancer was last included on the Patient Record Form in 2006-2008.
- c. In item 7, Diagnostic/Screening Services, the Pregnancy checkbox was changed to Pregnancy/HCG Test.
- d. In item 9, Non-Medication Treatment, a checkbox was added for radiation therapy. This checkbox was previously asked in 2006-2008.
- e. Item 14, Laboratory Test Results, is new for 2010. To better understand the extent to which ambulatory health care providers identify and control abnormal values of lipoproteins, blood sugar, and glycohemoglobin before and after diagnoses of cardiovascular disease, up to six laboratory values were collected. These include total cholesterol, high density lipoprotein, low density lipoprotein, triglycerides, glycohemoglobin A1c, and fasting blood glucose. Physician specialty and type of office setting for the visit were used to determine if the lab data were collected. Data included on the public use file for each of the tests listed above include:
  - Was the test drawn within 12 months of this visit?
  - Most recent test result
  - Difference in days from date of most recent test result was drawn to current visit

The addition of these items represents a partnership between the CDC's National Center for Health Statistics and the Division for Heart Disease and Stroke Prevention of the National Center for Chronic Disease Prevention and Health Promotion.

**NOTE:** Laboratory Test Results were not available at the time of the initial release of this file (June 2012). They will be added to a second release of the file expected in July 2012.

**From the Physician Induction Interview, modifications were made to several items related to Electronic Medical Records (EMR)/Electronic Health Records (EHR) and several new items were added.**

- f. "Does your practice have a computerized system for patient demographic information?" was changed to "Does your practice have a computerized system for patient history & demographic information?"
- g. "Does your practice have a computerized system for clinical notes, and, if yes, do they include medical history and follow up notes?" was changed to "Does your practice have a computerized system for clinical notes, and, if yes, 1) do they include a list of medications that the patient is taking? and 2) do they include a comprehensive list of the patient's allergies (including allergies to medication)?"

- h. “Does your practice have a computerized system for orders for tests?” was changed to “Does your practice have a computerized system for lab tests?”
- i. “Does your practice have a computerized system for viewing lab results?” – a sub-question was added: “If yes, are results incorporated in EMR/EHR?”
- j. “Does your practice have a computerized system for electronic reporting to immunization registries?” was added.
- k. “At your practice, if orders for prescriptions or lab tests are submitted electronically, who submits them?” was added. Note that this item, on the Physician Induction Interview Form, does NOT immediately follow the two questions about whether the practice has a computerized system for orders for prescriptions or for lab tests, but was added as a separate item following that entire section. Therefore, there was no skip pattern to link responses to this question with the previous two questions. Because of the independence of these items, inconsistencies were noted during data processing between responses to the earlier items about whether the practice had a computerized system for orders for prescriptions or lab tests and responses to the later item about who submits such orders. A decision was made in consultation with branch staff to present both versions of the “who submits them?” item – the first version is as reported and will sometimes conflict with responses to the previous two questions. The second version has been recoded to take into account both previous questions. Researchers may make their own decisions about how to use these data.
- l. “Does your practice have plans to apply for Medicare or Medicaid incentive payments for meaningful use of Health IT?” (Yes/Uncertain/No) was added.
- m. “What year does your practice expect to apply for the meaningful use payments? (2011/2012/After 2012/Unknown)” was added.
- n. “What incentive payment does your practice plan to apply for?” (Medicare/Medicaid/Unknown) was added.
- o. “Are there plans for installing a new EMR/EHR system or replacing the current system within the next 3 years?” was changed to “At your practice, are there plans for installing a new EMR/EHR system within the next 18 months?”

## 2. Deleted Items

- a. From the Physician Induction Interview form, the EMR question: “Does your practice have a computerized system for viewing imaging results?” – the sub-question, “If yes, are electronic images returned?” was deleted.
- b. From the Physician Induction Interview form, the EMR question: “Does your practice have a computerized system for public health reporting?” was deleted.

## Injury-Related Data

In item 2 of the NAMCS Patient Record Form, data are collected on whether the sampled visit is related to an injury, poisoning, or adverse effect of medical/surgical care or adverse effect of medicinal drug. In past years, responses to this item were combined with data on the patient’s reason for the visit (item 3 in 2010) and physician’s diagnosis (item 5 in 2010) to derive a yes/no indicator of whether the visit was injury related. However, the definition of what constituted an injury visit, chosen by senior branch staff many years ago, was fairly broad and has been subject to debate over the years.

For 2010, in collaboration with injury experts at NCHS’s Office of Analysis and Epidemiology (OAE), an effort has been made to provide alternative injury variables that are more conservative and better reflect the OAE definition of an injury visit. The OAE definition is more closely aligned with the global injury community, thus bringing NAMCS data closer to a more widely held definition, while still retaining the original injury items for those who may prefer the broader definition. Two new injury indicators have been added to the file: INJR1 and INJR2. In addition, the editing of item 2 has been refined to add two new recoded versions of the original INJDET data -- INJDETR1 and INJDETR2.

What are the differences between these items?

**INJURY** – The historical NAMCS yes/no indicator, it uses a broad definition based on **first-, second-, and third-listed** reason for visit and diagnosis codes to determine whether a visit is injury related. In addition to injury, poisoning, and adverse effects and complications codes from the NCHS Reason for Visit Classification and the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), a selection of other reason and diagnosis codes relating to various conditions (for example, carpal tunnel syndrome, allergic reactions, alcohol and drug abuse, birth trauma, and others) was used to indicate an injury-related visit.

**INJR1** – Uses a definition of injury developed with OAE subject matter experts which includes only **first-listed** reason for visit and diagnosis codes related to injury and poisoning and which **does not include adverse effects and complications codes**. No additional codes outside of the strictly injury and poisoning codes from the RVC and ICD-9-CM are used.

**INJR2** – Similar to INJR1, but expands the definition to include **first-, second- and third-listed** reason for visit and diagnosis codes. Again, no additional codes outside of the strictly injury and poisoning codes from the RVC and ICD-9-CM are used.

**INJDET** – The historical NAMCS variable reflecting item 2 on the Patient Record form, it uses a broad definition of injury based on **first-, second-, and third-listed** reason for visit and diagnosis codes in conjunction with item 2 entries to determine whether a visit is related to injury, poisoning, or adverse effect of medical/surgical care or adverse effect of medicinal drug.

**INJDETR1** – Uses item 2 entries in conjunction with 1) the injury definition used in INJR1 and 2) an additional review of **first-listed** reason for visit and diagnosis codes to determine whether the visit is related to adverse effects of medical or surgical care or adverse effects of medicinal drugs.

**INJDETR2** – Uses item 2 entries in conjunction with 1) the injury definition used in INJR2 and 2) an additional review of **first-, second-, and third-listed** reason for visit and diagnosis codes to determine whether the visit is related to adverse effects of medical or surgical care or adverse effects of medicinal drugs.

Researchers can also choose to recode injury data using their own preferences. It is hoped that these additional injury items will provide a better picture of injury visits in NAMCS. For more information, contact the Ambulatory and Hospital Care Statistics Branch at 301-458-4600.

### **Community Health Centers**

The sample design for 2010 continued to include a panel of Community Health Centers. As in every year since 2006, a sample of 104 Community Health Centers was selected based on information from the Health Resources Services Administration's Bureau of Primary Health Care and the Indian Health Service. From each sampled CHC, a list of physicians and non-physician practitioners was obtained, which became the sampling frame for a selection of up to 3 health providers per CHC. Data on physicians working at CHCs are included in this public use data file; non-physician practitioners are not included. Due to confidentiality concerns, the planned CHC data file will not be released as a public use data file but may researchers may apply to use the data at the NCHS Research Data Center. The RDC website is <http://www.cdc.gov/rdc/>.

### **Oncology Stratum**

The sampling stratum of oncologists, which had been included in 2006 and 2007, was added back for the 2010 NAMCS.

### **Race and Ethnicity**

Race and ethnicity non-response rates continued to improve for 2010, dropping to 23 and 22 percent respectively, compared with the 2009 levels of 24 percent. These improvements are primarily due to

increased training and hard work on the part of our data collection agents at the U.S. Census Bureau to collect race and ethnicity data. Such efforts will continue in the future.

Starting with 2009 data, NAMCS adopted the technique of model-based single imputation as described in more detail in Section I, and will continue to review and reassess imputation techniques in the future. Furthermore, the imputation for race is restricted to three categories starting in 2009 – white, black, and other. This decision was based on quality concerns with imputed estimates for race categories other than white and black, based on research by the imputation work group.

Users should still be aware that high percentages of item non-response may lead to biased estimates, particularly if our imputation algorithm omitted a variable of importance, and that the single imputation algorithm may underestimate some standard errors. Because NAMCS data are highly clustered, we anticipate this underestimate to be fairly small for most estimates, particularly those with design effects of 5 or greater. However, standard errors may be underestimated more substantially for those domains with design effects under 5.

For more information about the decision to adopt a model-based single imputation methodology, see the 2009 NAMCS Public Use Data File Documentation ([ftp://ftp.cdc.gov/pub/Health\\_Statistics/NCHS/Dataset\\_Documentation/NAMCS/doc09.pdf](ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/NAMCS/doc09.pdf)).

## Table of Contents

	Page
Abstract .....	1
Summary of Changes for 2010 .....	2
I. Description of the National Ambulatory Medical Care Survey .....	8-32
A. Introduction .....	8
B. Scope of the survey .....	8
C. Sampling frame and size of sample .....	9
D. Sample design .....	9
E. Population figures .....	11
F. Field activities .....	18
G. Data collection .....	18
H. Confidentiality .....	19
I. Data processing .....	22
J. Medical coding .....	23
K. Estimation procedures .....	28
L. Sampling errors .....	30
M. Patient visit weight .....	30
N. Physician code and patient code .....	30
O. Use of the physician-level weight .....	30
References .....	32
II. Record Format and Physician Specialty List .....	33-91
A. Record format .....	33
B. Physician specialty list .....	87
C. AMA specialties regrouped into primary, medical and surgical .....	89
III. Marginal Data .....	92-97
A. Patient visits .....	92
B. Drug mentions .....	95
C. Physicians .....	97
<b>Appendixes</b>	
Appendix I .....	98-118
A. Relative standard errors .....	98
B. 2009 NAMCS Patient Record Form - Instructions and definitions .....	102
C. Definitions of certain terms used in the NAMCS .....	116
Appendix II .....	119-156
A. Reason for Visit Classification .....	119
Appendix III .....	157-242
A. Generic codes and names in numeric order .....	157
B. Drug entry codes and names in numeric order .....	183
C. Multum Lexicon end-user license agreement .....	225
D. Multum classification of therapeutic classes (drug categories) .....	229

**Table of Contents (cont.)**

List of Tables and Figures	Page
Table I. Number of physicians in the universe, total sample, sample response categories, and response rates by physician stratum.....	10
Table II. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by selected characteristics: July 1, 2010 .....	12
Table III. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by ethnicity, age, race, and sex: July 1, 2010 .....	14
Table IV. Coefficients appropriate for determining approximate relative standard errors by type of estimate and physician specialty: 2010 NAMCS .....	101
Figure 1. 2010 NAMCS Patient Record Form .....	20

## I. DESCRIPTION OF THE NATIONAL AMBULATORY MEDICAL CARE SURVEY

### A. INTRODUCTION

This micro-data file contains data collected in the 2010 National Ambulatory Medical Care Survey (NAMCS). NAMCS is a national probability sample survey conducted by the Division of Health Care Statistics, National Center for Health Statistics (NCHS), Centers for Disease Control and Prevention (CDC). For 2010, a national sample of office-based and community health center (CHC)-based physicians provided data on patients' office and CHC visits. These data were weighted to produce national estimates that describe the utilization of ambulatory medical care services in the United States.

In 2010, a total of 31,229 Patient Record forms (PRFs) were received from the physicians who participated in NAMCS. For a brief description of the survey design and data collection procedures, see below. A more detailed description of the survey design, data collection procedures, and the estimation process has been published (1,2).

Please note the following important points concerning analysis of NAMCS data on this micro-data file:

#### ► PATIENT VISIT WEIGHT

Micro-data file users should be fully aware of the importance of the "patient visit weight" and how it must be used. Information about the patient visit weight is presented on page 28. If more information is needed, the staff of the Ambulatory and Hospital Care Statistics Branch can be consulted by calling (301) 458-4600 during regular working hours.

#### ► RELIABILITY OF ESTIMATES

Users should also be aware of the reliability or unreliability of certain estimates, particularly the smaller estimates. The National Center for Health Statistics considers an estimate to be reliable if it has a relative standard error of 30 percent or less (i.e., the standard error is no more than 30 percent of the estimate). Therefore, it is important to know the value of the lowest possible estimate in this survey that is considered reliable, so as not to present data in a journal article or paper that may be unreliable. Most data file users can obtain an adequate working knowledge of relative standard errors from the information presented in Appendix I. It should be noted that estimates based on fewer than 30 records are also considered unreliable, regardless of the magnitude of the relative standard error. If you would like more information, do not hesitate to consult the staff of the Ambulatory and Hospital Care Statistics Branch.

### B. SCOPE OF THE SURVEY

The basic sampling unit for NAMCS is the physician-patient encounter or visit. Traditionally, only visits to the offices of nonfederally employed physicians classified by the American Medical Association (AMA) or the American Osteopathic Association (AOA) as "office-based, patient care" are included in NAMCS. Physicians in the specialties of anesthesiology, pathology, and radiology are excluded from the physician universe. However, starting in 2006, in addition to the traditional sample, NAMCS included a sample of community health centers, using information from the Health Resources Services Administration and the Indian Health Service to construct a sampling frame. From each sampled community health center, an additional sample of health care providers was selected, which could include physicians as well as non-physician practitioners -- physician assistants, nurse practitioners, and nurse midwives. Only visits to physicians are included on the 2010 public use file. Non-physician practitioner data from 2006 through



2010 are available in the NCHS Research Data Center but are not being released as public use data files at this time due to confidentiality concerns.

Types of contacts not included in the 2010 NAMCS were those made by telephone, those made outside the physician's office (for example, house calls), visits made in hospital settings (unless the physician has a private office in a hospital and that office meets the NAMCS definition of "office"), visits made in institutional settings by patients for whom the institution has primary responsibility over time (for example, nursing homes), and visits to doctors' offices that are made for administrative purposes only (for example, to leave a specimen, pay a bill, or pick up insurance forms).

### **C. SAMPLING FRAME AND SIZE OF SAMPLE**

The sampling frame for the 2010 NAMCS was composed of all physicians contained in the master files maintained by the AMA and AOA, at a point roughly 6 months prior to the start of the survey year, who met the following criteria:

- Office-based, as defined by the AMA and AOA;
- Principally engaged in patient care activities;
- Nonfederally employed;
- Not in specialties of anesthesiology, pathology, and radiology.

In addition, a sampling frame of community health centers (CHCs) was developed using data from the Health Resources and Services Administration's Bureau of Primary Health Care and the Indian Health Service. Each participating CHC provided a list of physicians and non-physician practitioners who would be available during the reporting period. This list became the frame for selection of a sample of physicians and non-physician practitioners in each CHC (see below for more details).

The 2010 NAMCS sample included 3,525 physicians: 3,299 Medical Doctors and 226 Doctors of Osteopathy. Sample physicians were screened at the time of the survey to assure that they met the above-mentioned criteria. A total of 1,119 physicians did not meet all of the criteria and were ruled out of scope (ineligible) for the study. The most frequent reasons for being out of scope were that the physician was employed in a hospital emergency department, outpatient department, retired or employed in an institutional setting. Of the 2,406 in-scope (eligible) physicians, 1,482 participated in the study. Of these, 1,292 completed a total of 31,229 Patient Record forms (PRFs), while 190 saw no patients during their assigned reporting period because of vacations, illness, or other reasons for being temporarily not in practice and hence did not submit PRFs. Of the 1,292 physicians who completed PRFs, 1,228 participated fully or adequately (i.e. at least half of the PRFs expected, based on the total number of visits during the reporting week, were submitted), and 64 participated minimally (i.e. fewer than half of the expected number of PRFs were submitted). The unweighted response rate was 58.3 percent (57.3 weighted), based on the number of full participants only.

### **D. SAMPLE DESIGN**

The 2010 NAMCS utilized a multistage probability design that involved probability samples of primary sampling units (PSUs), physicians within PSUs, and patient visits within practices. The first-stage sample included 112 PSUs. A PSU consists of a county, a group of counties, county equivalents (such as parishes and independent cities), towns, townships, minor civil divisions (for some PSUs in New England), or a metropolitan statistical area (MSA). MSAs were defined by the U.S. Office of Management and Budget on the basis of the 1980 Census. The first-stage sample consisted of 112 PSUs that comprised a probability subsample of the PSUs used in the 1985-94 National Health Interview Survey (NHIS). The

Table I. Number of physicians in the universe, total sample, sample response categories, and response rate by physician strata: National Ambulatory Medical Care Survey, 2010

Physician stratum	Universe (1)	Sample					Unweighted response rate (2)
		Total	Out of Scope	In Scope	Nonrespondents	Respondents	
Total	511,517	3,525	1,119	2,406	988	1,418	58.3
General and family practice	74,560	356	131	225	102	123	54.7
Osteopathy	29,010	226	85	141	57	84	59.6
Internal medicine	76,694	218	81	137	69	68	49.6
Pediatrics	51,797	246	90	156	48	108	69.2
General surgery	18,045	199	61	138	51	87	63.0
Obstetrics and gynecology	33,075	204	50	154	63	91	59.1
Orthopedic surgery	19,095	137	28	109	55	54	49.5
Cardiovascular diseases	17,220	208	50	158	63	95	60.1
Dermatology	9,115	117	20	97	37	60	61.9
Urology	8,473	153	34	119	47	72	60.5
Psychiatry	30,298	281	124	157	73	84	53.5
Neurology	10,433	252	90	162	81	81	50.0
Ophthalmology	15,524	126	24	102	47	55	53.9
Otolaryngology	7,881	147	29	118	52	66	55.9
Oncology	9,108	200	69	131	63	68	51.9
All other specialties	101,189	308	153	155	66	89	57.4
Community Health Center physicians(3) (added in 2006)	1,086	147	0	147	14	133	77.3

(1) Data are derived from the American Medical Association and the American Osteopathic Association and represent the total number of physicians who are eligible for NAMCS.

(2) Response rate is the number of respondents divided by the number of in-scope physicians for traditional physicians. For CHC physicians the rate is adjusted for response by the CHC facility.

(3) A sample of community health centers was selected (see text for details), and lists of physicians and non-physician practitioners who would be available during the reporting period were obtained from sampled facilities. A selection of physicians was taken from these lists; therefore it does not reflect the universe of all community health center physicians. Mid-level providers (non-physician practitioners) were also sampled, but these data are not included on the 2010 NAMCS Public Use File.

NOTE: An additional 64 physicians participated at a minimal level and are not included in the number of responding physicians or the response rate.

NAMCS PSU sample included with certainty the 26 NHIS PSUs with the largest populations. In addition, the NAMCS sample included one-half of the next 26 largest PSUs, and one PSU from each of the 73 PSU strata formed from the remaining PSUs for the NHIS sample.

The NHIS PSU sample was selected from approximately 1,900 geographically defined PSUs that covered the 50 States and the District of Columbia. The 1,900 PSUs were stratified by socioeconomic and demographic variables and then selected with a probability proportional to their size. Stratification was done within four geographical regions by MSA or non-MSA status. A detailed description of the 1985-94 NHIS PSU sample design is available (3).

Typically, the second stage consists of a probability sample of practicing physicians selected from the master files maintained by the American Medical Association (AMA) and American Osteopathic Association (AOA). Within each PSU, all eligible physicians are stratified into fifteen specialty groups: general and family practice, osteopathy, internal medicine, pediatrics, general surgery, obstetrics and gynecology, orthopedic surgery, cardiovascular diseases, dermatology, urology, psychiatry, neurology, ophthalmology, otolaryngology, and "all other" specialties. The NAMCS sample for 2010 included an additional 200 primary care physicians (general/family practice, internal medicine, obstetrics/gynecology, and pediatricians, sponsored by CDC's National Center for Chronic Disease and Prevention and Health Promotion. In addition, a stratum of oncologists was included in 2010, for the first time since 2007.

This sample design typically includes too few community health center physicians for the estimates to be reliably presented. In order to improve the precision of CHC physician estimates, starting in 2006, a dual-sampling procedure was used to select CHC physicians and other providers. First, the "traditional" NAMCS sample of physicians was selected using established methods and sources. Second, a sample of 104 CHCs was selected, and within each center, up to three physicians, physician assistants, nurse midwives, or nurse practitioners were selected for survey participation. After selection, CHC providers followed the sampling procedure used by "traditional" NAMCS physicians in selecting patient visits. The list of CHCs is from the Health Resources and Services Administration and the Indian Health Service. To ensure that CHC physicians are included only once, all CHC physicians selected in the "traditional" NAMCS sample were omitted from the survey response and subsequent weighting. Only sample CHC physicians were included. Sampled non-physician practitioners were excluded as well, but 2006-2010 data for these providers are available in the NCHS Research Data Center.

The final stage was the selection of patient visits within the annual practices of sample physicians. This involved two steps. First, the total physician sample was divided into 52 random subsamples of approximately equal size, and each subsample was randomly assigned to 1 of the 52 weeks in the survey year. Second, a systematic random sample of visits was selected by the physician during the assigned week. The sampling rate varied for this final step from a 100-percent sample for very small practices to a 10-percent sample for very large practices as determined in a presurvey interview. The method by which the sampling rate was determined is available (4).

## **E. POPULATION FIGURES**

The base population used in computing annual visit rates is presented in tables II and III. The denominators used in calculating 2010 visit rates for age, sex, race, ethnicity, and geographic region are Census 2000-based postcensal estimates of the civilian noninstitutional population of the United States. The population estimates are special tabulations developed by the Population Division, U.S. Census Bureau, from the July 1, 2010 set of state population estimates by age, sex, race, and ethnicity.

Population estimates by metropolitan statistical area status are based on estimates of the civilian noninstitutionalized population as of July 1, 2010 from the 2010 National Health Interview Survey (NHIS), National Center for Health Statistics, compiled according to the December 2009 Office of Management and Budget definitions of core-based statistical areas. See <http://www.census.gov/population/www/metroareas/metrodef.html> for more information about metropolitan statistical area definitions.

Table II. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by selected characteristics: July 1, 2010

Race and sex	Age in years					
	All ages	Under 1	1-4	5-14	15-24	25-34
All races	303,627,880	4,143,409	17,112,952	40,692,618	42,287,436	40,748,206
Male	148,996,703	2,118,444	8,745,418	20,805,042	21,516,935	20,356,886
Female	154,631,177	2,024,965	8,367,534	19,887,576	20,770,501	20,391,320
White Only	241,589,629	3,062,411	12,708,859	30,882,023	32,552,787	31,680,709
Male	119,605,862	1,567,042	6,507,300	15,828,312	16,722,635	16,075,310
Female	121,983,767	1,495,369	6,201,559	15,053,711	15,830,152	15,605,399
Black Only	38,612,382	639,392	2,608,281	5,996,347	6,379,758	5,485,220
Male	17,979,151	325,607	1,323,590	3,039,054	3,103,890	2,537,584
Female	20,633,231	313,785	1,284,691	2,957,293	3,275,868	2,947,636
Asian Only	14,257,664	194,283	821,303	1,840,374	1,758,178	2,316,772
Male	6,875,418	99,498	417,467	932,706	890,124	1,116,854
Female	7,382,246	94,785	403,836	907,668	868,054	1,199,918
NHOPI* Only	580,140	10,222	41,853	94,120	92,451	96,551
Male	292,245	5,254	21,507	48,341	46,612	49,548
Female	287,895	4,968	20,346	45,779	45,839	47,003
AIAN* Only	3,153,877	63,602	248,226	501,364	527,018	477,870
Male	1,567,696	32,377	125,930	254,848	264,648	243,574
Female	1,586,181	31,225	122,296	246,516	262,370	234,296
Multiple Races	5,434,188	173,499	684,430	1,378,390	977,244	691,084
Male	2,676,331	88,666	349,624	701,781	489,026	334,016
Female	2,757,857	84,833	334,806	676,609	488,218	357,068

\*NHOPI is Native Hawaiian/Other Pacific Islander. AIAN is American Indian/Alaska Native.

Geographic Region totals		Metropolitan Statistical Area totals	
Northeast	54,581,911	MSA	256,865,184
Midwest	65,894,750	Non-MSA	46,762,696
South	112,027,614		
West	71,123,605		

SOURCE: These are U.S. Bureau of the Census postcensal estimates of the civilian noninstitutionalized population of the United States as of July 1, 2010. The estimates of age, sex, race and region are from special tabulations developed by the Population Division, U.S. Census Bureau using the July 1, 2010 set of state population estimates, and reflect Census 2000 data. More information may be obtained from the Census website at [www.census.gov](http://www.census.gov). The 2010 MSA population estimates are based on data from the 2010 National Health Interview Survey (NHIS), National Center for Health Statistics, compiled according to the Office of Management and Budget's definition of core-based statistical areas as of December 2009. See [www.census.gov/population/www/estimates/metrodef.html](http://www.census.gov/population/www/estimates/metrodef.html) for more about MSA definitions.

Table II. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by selected characteristics: July 1, 2010 - con.

---

Race and sex	Age in years				
	35-44	45-54	55-64	65-74	75 and over
All races	39,837,315	44,058,729	35,836,894	21,190,077	17,720,244
Male	19,603,284	21,546,241	17,258,658	9,844,099	7,201,696
Female	20,234,031	22,512,488	18,578,236	11,345,978	10,518,548
White Only	31,396,791	35,791,642	29,919,092	18,092,370	15,502,945
Male	15,714,254	17,723,363	14,588,626	8,502,801	6,376,219
Female	15,682,537	18,068,279	15,330,466	9,589,569	9,126,726
Black Only	5,032,968	5,349,816	3,780,546	1,950,095	1,389,959
Male	2,237,511	2,431,213	1,680,279	812,262	488,161
Female	2,795,457	2,918,603	2,100,267	1,137,833	901,798
Asian Only	2,435,901	1,992,757	1,480,682	811,191	606,223
Male	1,174,768	946,483	678,491	372,320	246,707
Female	1,261,133	1,046,274	802,191	438,871	359,516
NHOPI* Only	83,595	72,917	47,866	24,622	15,943
Male	42,433	36,439	23,447	11,796	6,868
Female	41,162	36,478	24,419	12,826	9,075
AIAN* Only	401,158	407,730	290,190	146,525	90,194
Male	201,971	198,399	139,466	69,120	37,363
Female	199,187	209,331	150,724	77,405	52,831
Multiple Races	486,902	443,867	318,518	165,274	114,980
Male	232,347	210,344	148,349	75,800	46,378
Female	254,555	233,523	170,169	89,474	68,602

---

Table III. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by ethnicity, age, race, and sex: July 1, 2010

---

HISPANIC	Age in years					
	Race and sex	All ages	Under 1	1-4	5-14	15-24
All races	48,984,363	1,073,320	4,448,080	9,139,432	8,239,554	8,007,928
Male	25,179,227	548,388	2,270,859	4,677,661	4,416,051	4,320,669
Female	23,805,136	524,932	2,177,221	4,461,771	3,823,503	3,687,259
White Only	44,947,997	948,344	3,943,744	8,299,812	7,567,912	7,406,795
Male	23,162,380	484,611	2,013,708	4,249,868	4,077,158	4,011,677
Female	21,785,617	463,733	1,930,036	4,049,944	3,490,754	3,395,118
Black Only	1,969,836	59,874	251,657	390,265	319,032	285,548
Male	961,936	30,593	128,220	198,441	159,315	141,677
Female	1,007,900	29,281	123,437	191,824	159,717	143,871
Asian Only	332,374	8,919	36,126	69,178	54,925	51,344
Male	165,581	4,567	18,674	35,542	27,551	26,124
Female	166,793	4,352	17,452	33,636	27,374	25,220
NHOPI* Only	130,902	2,848	11,697	25,914	23,191	23,343
Male	68,782	1,458	6,003	13,270	12,078	13,361
Female	62,120	1,390	5,694	12,644	11,113	9,982
AIAN* Only	814,966	24,563	90,223	148,251	137,548	134,325
Male	427,402	12,461	45,646	75,824	71,199	74,489
Female	387,564	12,102	44,577	72,427	66,349	59,836
Multiple Races	788,288	28,772	114,633	206,012	136,946	106,573
Male	393,146	14,698	58,608	104,716	68,750	53,341
Female	395,142	14,074	56,025	101,296	68,196	53,232

---

SOURCE: These are U.S. Bureau of the Census postcensal estimates of the civilian noninstitutionalized population of the United States as of July 1, 2010. They were developed by the Population Division, U.S. Census Bureau using the July 1, 2010 set of state population estimates, and reflect Census 2000 data. More information may be obtained from the Census website at [www.census.gov](http://www.census.gov).

Table III. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by ethnicity, age, race, and sex: July 1, 2010 - con.

---

HISPANIC	Age in years				
	Race and sex	35-44	45-54	55-64	65-74
All races	6,947,094	5,225,960	3,137,937	1,610,133	1,154,925
Male	3,615,686	2,621,351	1,517,254	729,207	462,101
Female	3,331,408	2,604,609	1,620,683	880,926	692,824
White Only	6,442,199	4,836,976	2,908,138	1,506,048	1,088,029
Male	3,365,501	2,432,546	1,408,577	682,508	436,226
Female	3,076,698	2,404,430	1,499,561	823,540	651,803
Black Only	254,276	196,943	118,519	56,159	37,563
Male	118,372	92,084	54,624	24,585	14,025
Female	135,904	104,859	63,895	31,574	23,538
Asian Only	43,556	33,793	20,206	8,930	5,397
Male	21,448	16,366	9,319	3,955	2,035
Female	22,108	17,427	10,887	4,975	3,362
NHOPI* Only	18,964	13,068	6,973	3,028	1,876
Male	10,373	6,617	3,445	1,411	766
Female	8,591	6,451	3,528	1,617	1,110
AIAN* Only	109,910	87,472	49,385	20,599	12,690
Male	61,137	46,176	25,207	9,950	5,313
Female	48,773	41,296	24,178	10,649	7,377
Multiple Races	78,189	57,708	34,716	15,369	9,370
Male	38,855	27,562	16,082	6,798	3,736
Female	39,334	30,146	18,634	8,571	5,634

---

Table III. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by ethnicity, age, race, and sex: July 1, 2010 – con.

---

NON- HISPANIC	Age in years					
	Race and sex	All ages	Under 1	1-4	5-14	15-24
All races	254,643,517	3,070,089	12,664,872	31,553,186	34,047,882	32,740,278
Male	123,817,476	1,570,056	6,474,559	16,127,381	17,100,884	16,036,217
Female	130,826,041	1,500,033	6,190,313	15,425,805	16,946,998	16,704,061
White Only	196,641,632	2,114,067	8,765,115	22,582,211	24,984,875	24,273,914
Male	96,443,482	1,082,431	4,493,592	11,578,444	12,645,477	12,063,633
Female	100,198,150	1,031,636	4,271,523	11,003,767	12,339,398	12,210,281
Black Only	36,642,546	579,518	2,356,624	5,606,082	6,060,726	5,199,672
Male	17,017,215	295,014	1,195,370	2,840,613	2,944,575	2,395,907
Female	19,625,331	284,504	1,161,254	2,765,469	3,116,151	2,803,765
Asian Only	13,925,290	185,364	785,177	1,771,196	1,703,253	2,265,428
Male	6,709,837	94,931	398,793	897,164	862,573	1,090,730
Female	7,215,453	90,433	386,384	874,032	840,680	1,174,698
NHOPI* Only	449,238	7,374	30,156	68,206	69,260	73,208
Male	223,463	3,796	15,504	35,071	34,534	36,187
Female	225,775	3,578	14,652	33,135	34,726	37,021
AIAN* Only	2,338,911	39,039	158,003	353,113	389,470	343,545
Male	1,140,294	19,916	80,284	179,024	193,449	169,085
Female	1,198,617	19,123	77,719	174,089	196,021	174,460
Multiple Races	4,645,900	144,727	569,797	1,172,378	840,298	584,511
Male	2,283,185	73,968	291,016	597,065	420,276	280,675
Female	2,362,715	70,759	278,781	575,313	420,022	303,836

---



Table III. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by ethnicity, age, race, and sex: July 1, 2010 - con.

---

NON- HISPANIC	Age in years				
	Race and sex	35-44	45-54	55-64	65-74
All races	32,890,221	38,832,769	32,698,957	19,579,944	16,565,319
Male	15,987,598	18,924,890	15,741,404	9,114,892	6,739,595
Female	16,902,623	19,907,879	16,957,553	10,465,052	9,825,724
White Only	24,954,592	30,954,666	27,010,954	16,586,322	14,414,916
Male	12,348,753	15,290,817	13,180,049	7,820,293	5,939,993
Female	12,605,839	15,663,849	13,830,905	8,766,029	8,474,923
Black Only	4,778,692	5,152,873	3,662,027	1,893,936	1,352,396
Male	2,119,139	2,339,129	1,625,655	787,677	474,136
Female	2,659,553	2,813,744	2,036,372	1,106,259	878,260
Asian Only	2,392,345	1,958,964	1,460,476	802,261	600,826
Male	1,153,320	930,117	669,172	368,365	244,672
Female	1,239,025	1,028,847	791,304	433,896	356,154
NHOPI* Only	64,631	59,849	40,893	21,594	14,067
Male	32,060	29,822	20,002	10,385	6,102
Female	32,571	30,027	20,891	11,209	7,965
AIAN* Only	291,248	320,258	240,805	125,926	77,504
Male	140,834	152,223	114,259	59,170	32,050
Female	150,414	168,035	126,546	66,756	45,454
Multiple Races	408,713	386,159	283,802	149,905	105,610
Male	193,492	182,782	132,267	69,002	42,642
Female	215,221	203,377	151,535	80,903	62,968

---

Estimates of visit rates for metropolitan and non-metropolitan statistical areas from 2003 on may differ somewhat from those reported in 2002 and previous years because of methodological differences in how the denominators were calculated. In survey years 1995-2005, the NHIS used metropolitan areas as defined by the Office of Management and Budget, June 30, 1993. In survey years 1994-2002, the NHIS used 1990-based Census estimates as controls. Because NAMCS used Census 2000-based population estimates beginning in 2001, adjustments needed to be made to the MSA figures obtained from the NHIS in 2001 and 2002. For 2010, special tabulations were obtained from the Office of Analysis and Epidemiology, NCHS, where 2010 NHIS data were compiled according to the December 2009 OMB definition of core-based statistical areas. These estimates were further adjusted based on the 2010 population estimates obtained from the Census Bureau.

Population estimates for race groups in the 2010 NAMCS are based on the 2000 U.S. Census in which respondents were able to indicate more than one race category. The multiple race indicator was adopted starting in the 1999 NAMCS but the population estimates that were available for calculating rates in 1999 and 2000 were based on estimates from the 1990 census, which used only single response race categories. NAMCS had very few records for multiple race persons in those years, so rates for single race groups were calculated by dividing estimates by denominators that included some unidentifiable number of multiple race persons. Starting with 2001, the denominators used for calculating race-specific visit rates in NAMCS reports reflect the transition to multiple-race reporting. Specific race denominators reflect persons with a single race identification, and a separate denominator is now available for persons with more than one race designation.

Data indicate that multiple races are recorded for a patient less frequently in medical records compared to their numbers in the general population. The 2010 population estimates indicate that 1.8 percent of the total population identify themselves as being of multiple races. In contrast, multiple race patients account for 0.2 percent of weighted NAMCS visits (based on known race data only). (REMINDER: As of the 2009 NAMCS, NAMCS data only include imputed values for the race categories White, Black, and Other; see Summary of Changes on page 4 for more information.) This difference may exist partly because office staff are less likely to know and record the multiple race preference of the patient. It suggests that the race population rates calculated for 2010 may be slight overestimates for the single race categories and slight underestimates for the multiple race category.

## **F. FIELD ACTIVITIES**

The first contact with the sample physician is through a letter from the Director, NCHS. After the physician receives the introductory letter (along with letters from professional medical societies which endorse NAMCS), the Field Representative (FR) telephones the physician to establish basic eligibility and to schedule an appointment. At the appointment, the FR explains the survey to the physician and to any staff who may be involved in completing the forms. The FR also obtains the practice characteristics of up to four office locations where the physician sees patients during the reporting week. Typically, the FR will contact the physician's office just before, during and after the reporting week to remind him or her about the survey and to answer any questions that may arise. After the reporting period, the FR makes another visit to the practice to collect the forms and reviews them briefly to ensure that there are no large errors or information gaps. During this last visit, the physician is given a certificate of appreciation for her or his participation.

## **G. DATA COLLECTION**

The data collection for NAMCS is expected to be carried out by the physician or the physician's staff, but it is often performed by Census field representatives. More than half of the NAMCS Patient Record forms submitted in 2010 (54.6 percent) were abstracted by Census Bureau staff rather than by the physician or medical office personnel.

Physicians were instructed to keep a daily listing of all patient visits during the assigned reporting week using an arrival log, optional worksheet, or similar method. This list was the sampling frame to indicate the

visits for which data were to be recorded. It was to include both scheduled and unscheduled patients, but not cancellations or no-shows. Visits were selected from the list using a random start and a predetermined sampling interval based on the physician's estimated visits for the week and the number of days the physician was expected to see patients that week. In this way, a systematic random sample of visits was obtained. The sampling procedures were designed so that about 30 Patient Record forms were completed during the assigned reporting week. This minimized the data collection workload and maintained about equal reporting levels among sample physicians regardless of practice size.

Data for sampled visits were recorded on Patient Record forms. For 2010, two versions of the Patient Record form were used. The A form was printed on one side of an 8 x 14 inch sheet and was administered to physicians in the specialties of general surgery, orthopedic surgery, dermatology, urology, psychiatry, neurology, otolaryngology, and ophthalmology. The B form was printed on two sides of an 8 x 14 inch sheet (Figure 1). The top page was identical to the A form; the back page included a new item on Laboratory Test Results, which collected data on 6 laboratory tests. It was administered to physicians in the specialties of general and family practice, internal medicine, pediatrics, obstetrics and gynecology, cardiovascular diseases, oncology, and the "all other" sampling stratum. At the top of each form (A and B), physicians could record the patient's name and record number. However, this information was detached by the physician prior to submitting the completed forms and was never given to Census personnel. It was used only to assist physicians in clarifying missing or ambiguous responses that may have been found during the data editing process.

Terms and definitions relating to the Patient Record form are included in Appendix I.

## **H. CONFIDENTIALITY**

In April 2003, the Privacy Rule of the Health Insurance Portability and Accountability Act (HIPAA) was implemented to establish minimum Federal standards for safeguarding the privacy of individually identifiable health information. No personally identifying information, such as patient's name or address or Social Security number, is collected in NAMCS. Data collection is authorized by Section 306 of the Public Health Service Act (Title 42, U.S. Code, 242k). All information collected is held in the strictest confidence according to law [Section 308(d) of the Public Health Service Act (42, U.S. Code, 242m(d))] and the Confidential Information Protection and Statistical Efficiency Act (Title 5 of PL 107-347). The NAMCS protocol has been approved by the NCHS Research Ethics Review Board annually starting in February 2003. Waivers of the requirements to obtain informed consent of patients and patient authorization for release of patient medical record data by health care providers were granted.

In the Spring of 2003, NAMCS implemented additional data collection procedures to help providers assure patient confidentiality. Census Bureau Field Representatives were trained on how the Privacy Rule allows physicians to make disclosures of protected health information without patient authorization for public health purposes and for research that has been approved by a Research Ethics Review Board. Physicians were encouraged to accept a data use agreement between themselves and CDC/NCHS, since the Privacy Rule allows physicians to disclose limited data sets (i.e., data sets with no direct patient identifiers) for research and public health purposes if such an agreement exists.

Assurance of confidentiality was provided to all physicians according to Section 308 (d) of the Public Health Service Act (42 USC 242m). Strict procedures were utilized to prevent disclosure of NAMCS data. All information which could identify the physician was confidential and was seen only by persons engaged in NAMCS, and was not disclosed or released to others for any other purpose. Names or other identifying information for individual patients were not removed from the physician's office.

[Figure 1 (page 1) omitted]

Please note: Figure 1 has been omitted from this version of the documentation in order to minimize file size and download time. You may view or download the 2010 NAMCS Patient Record form from this web address:

[http://www.cdc.gov/nchs/ahcd/ahcd\\_survey\\_instruments.htm#namcs](http://www.cdc.gov/nchs/ahcd/ahcd_survey_instruments.htm#namcs)

[Figure 1 (page 2) omitted]

Please note: Figure 1 has been omitted from this version of the documentation in order to minimize file size and download time. You may view or download the 2010 NAMCS Patient Record form from this web address:

[http://www.cdc.gov/nchs/ahcd/ahcd\\_survey\\_instruments.htm#namcs](http://www.cdc.gov/nchs/ahcd/ahcd_survey_instruments.htm#namcs)

## I. DATA PROCESSING

### 1. Edits

In addition to the completeness checks made by the field staff, clerical edits were performed upon receipt of the data for central processing. Detailed editing instructions were provided to manually review the patient records and to reclassify or recode ambiguous entries. Computer edits for code ranges and inconsistencies were also performed. Data processing and medical coding were performed by SRA International, Inc., Durham, North Carolina.

### 2. Quality Control

All medical and drug coding and keying operations were subject to quality control procedures. Quality control for the medical and drug coding operation, as well as straight-key items, involved a two-way 10-percent independent verification procedure. As an additional quality control, all Patient Record forms with differences between coders or illegible entries for the reason for visit, diagnosis, procedures, diagnosis, and medication items were reviewed and adjudicated at NCHS. For nonmedical coding items, the error rate was 0.1 percent. For items which required medical coding, coding error rates ranged between 0.0 and 0.1 percent.

### 3. Adjustments for Item Nonresponse

Unweighted item nonresponse rates were 5.0 percent or less for all data items with the following exceptions: ethnicity (21.9 percent), race (23.0 percent), does patient use tobacco? (31.0 percent), was patient referred for this visit? (17.5 percent of visits not made to patient's primary care physician), how many past visits in last 12 months? (8.7 percent of visits, 10.2 percent of visits by established patients [Note: "Have you or anyone in your practice seen patient before?" or SENBEFOR is imputed for some records, and, when this occurs, "Number of visits in past 12 months" or PASTVIS is imputed together with it; this means that records can be imputed as SENBEFOR=No, in which case PASTVIS would be imputed to -7 or Not Applicable], time spent with physician (20.3 percent of visits where a physician was seen), if practice has computerized system for patient demographic information, does it include patient problem lists (8.3 percent); if practice has computerized system for orders for prescriptions, are there warnings of drug interactions/contraindications provided (7.9 percent); if practice has computerized system for viewing lab results, are out of range values highlighted (8.5 percent); does practice have computerized system for reminders for guideline-based interventions or screening tests (6.1 percent); does practice have computerized system for electronic reporting to immunization registries (11.0 percent); at your practice, if orders for prescriptions or lab tests are submitted electronically, who submits them (6.4 percent, unedited version; 9.4 percent edited version); at your practice, are there plans for installing a new EMR/EHR system within the next 18 months (8.0 percent); what year does your practice expect to apply for the meaningful use payments (11.3 percent), what incentive payment does your practice plan to apply for (20.6 percent), what percent of physician's practice revenue from patient care comes from -- managed care (10.7 percent); usual, customary and reasonable fee-for-service (9.0 percent), discounted fee for service (9.0 percent), case rates (8.7 percent), other (8.9 percent); for new patients, does physician accept the following types of payment: private insurance - capitated (8.2 percent), private insurance - non-capitated (8.5 percent), no charge (8.3 percent), percent of poverty in patient's ZIP Code (5.9 percent), median household income in patient's ZIP Code (5.9 percent), and percent of persons with Bachelor's Degree or higher in patient's ZIP code (5.9 percent).

Denominators for the above rates were adjusted to account for skip patterns on the data collection forms. For example, only visits to physicians who accepted new patients were included in the calculation of whether the physician accepted new patients with Medicaid, etc. If there is physician nonresponse to the initial item and this is also taken into account, nonresponse rates for the secondary item will be somewhat higher.

Some missing data items were imputed by randomly assigning a value from a Patient Record form with similar characteristics. Imputations, in general, were based on physician specialty, geographic region, and 3-digit ICD-9-CM codes for primary diagnosis. As described more fully in the 2007 NAMCS

documentation, the method used to impute race and ethnicity was refined for use with 2006 data, and this method was also used for 2007 and 2008 data. A new method was adopted for 2009 data as described in the 2009 documentation. For 2010, the same methods were used as for 2009. Race and ethnicity were imputed using a model-based, single, sequential regression imputation method. The model for imputing race and ethnicity included the following: Census variables for zip code level race and ethnicity population estimates with an interaction term for whether the visit occurred in a community health center, duration of visit, patient age, year of visit (2009 or 2010), patient sex, whether the visit occurred in an MSA, physician specialty recode, whether the visit included hypertension as a current diagnosis/chronic condition, diagnosis group, provider type, major reason for visit, who completed the Patient Record form, and an indicator for patient ZIP code or provider ZIP (the latter was used for the Census variables if patient ZIP was not available). Also in 2010, time spent with physician was imputed using a similar model-based, single, sequential regression imputation method.

The following variables were imputed: birth year (1.7 percent), sex (0.6 percent), ethnicity (21.9 percent), race (23.0 percent), have you or anyone in your practice seen patient before? (0.8 percent), if yes, how many past visits in last 12 months? (10.2 percent of visits by established patients), and time spent with physician (20.3 percent of visits where a physician was seen). Blank or otherwise missing responses are so noted in the data.

## J. MEDICAL CODING

The Patient Record form contains several medical items requiring three separate coding systems. The three coding systems are described briefly below. Quality control for NAMCS medical and drug coding operations involved a two-way 10 percent independent verification procedure. A dependent verification procedure was used to review and adjudicate all records with coding discrepancies. Definitions of the medical items can be found in Appendix I.

1. Patient's Complaint(s), Symptoms(s) or Other Reason(s) for this Visit: Information collected in item 3 of the Patient Record form was coded according to A Reason for Visit Classification for Ambulatory Care (RVC) (5). The updated classification is available (6), and the list of codes is shown in Appendix II. The classification was updated to incorporate several new codes as well as changes to existing codes. The system continues to utilize a modular structure. The digits 1 through 8 precede the 3-digit RVC codes to identify the various modules as follows:

<u>Prefix</u>	<u>Module</u>
"1" =	Symptom module
"2" =	Disease module
"3" =	Diagnostic, screening, and preventive module
"4" =	Treatment module
"5" =	Injuries and adverse effects module
"6" =	Test results module
"7" =	Administrative module
"8" =	Uncodable entries
"-9" =	Special code = blank

Up to three reasons for visit were coded from item 3 in sequence; coding instructions for this item are contained in the Reason for Visit Classification and Coding Manual (6).

2. Provider's Diagnosis for this Visit: Diagnostic information in item 5 of the Patient Record form was coded according to the International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM) (7). The ICD-9-CM codes are provided in two formats, character and numeric. Please see page 77 in the Record Format section for information on the background, purpose, and appearance of the numeric recodes. The rest of this paragraph describes the format of the character version.

The character version ICD-9-CM codes are not prefixed or zero-filled on the public use file. For example, 38100 = 381.00 = Acute nonsuppurative otitis media, unspecified.

There is an implied decimal between the third and fourth digits. For inapplicable fourth or fifth digits, a dash has been inserted. For example, 4011- = 401.1 = Essential hypertension, benign.

Supplementary classification codes are not prefixed or zero-filled.

For example, V700- = V70.0 = Routine general medical examination at a health care facility

In addition to the diagnostic codes from the ICD-9-CM the following unique codes in the diagnostic fields were developed by AHCSB staff:

- V990- = noncodable diagnosis, insufficient information for coding, illegible diagnosis
- V991- = left before being seen, patient walked out, not seen by doctor, left against medical advice
- V992- = transferred to another facility, sent to see specialist
- V993- = HMO will not authorize treatment
- V997- = entry of "none," "no diagnosis," "no disease," "healthy"
- 9 = blank

A maximum of three diagnoses were coded in sequence. Coding instructions concerning diagnoses are contained in the NAMCS Coding Requirements Manual, volume 1 (8).

**3. Diagnostic/Screening Services and Non-Medication Treatment:** Open-ended responses for "Scope procedure", "Biopsy: specify site", and "Other exam/test/service" from item 7 on the Patient Record form (Diagnostic/Screening Services) as well as open-ended responses for "Procedures" from item 9 (Non-Medication Treatment) were coded according to the International Classification of Diseases (ICD-9-CM) using the procedure codes in Volume III. Up to 2 scope procedures, a biopsy site, 2 other diagnostic/screening tests/services, and up to 4 procedures in the non-medication treatment item could be coded for each office visit.

Character format codes have an implied decimal between the second and third position and do not use prefixes or zero-fills. Codes without an applicable 4th digit have a dash inserted. Please note that, as with the diagnosis codes described above, the file also contains numeric recodes for procedures at the end of the record format. These are described in the Record Format section.

It should be noted that some respondents reported procedures in item 7, while others may have reported the same procedure in item 9. For this reason, when analyzing procedures, it is recommended that all of the possible procedure fields be taken into account regardless of item location.

**IMPORTANT:** Starting in 2009, the Ambulatory and Hospital Care Statistics Branch has attempted to facilitate the use and interpretation of procedure data in the NAMCS. Because of the issue noted in the preceding paragraph, where respondents would enter the same procedures in either item 7 or item 9 of the Patient Record form, it became increasingly difficult to edit these data in a meaningful way. In order to improve data quality and streamline processing time, starting in 2009, data from items 7 and 9 have been considered as one item for editing. Diagnostic/screening services, and non-medication treatment services have been combined to form a recoded section called "Services Ordered or Provided" on the public use file. All of the write-in procedures have been grouped into one section of up to 9 procedures following the checkbox categories.

As in previous years, if a procedure was entered for which a checkbox was also present, the procedure was deleted and only the checkbox was retained, if there was no additional information to be gained from the inclusion of the procedure. For example, if "EKG" was written in as a procedure, the EKG checkbox was checked and the procedure was not coded. If, however, the procedure provided additional detail, it was retained along with the checkbox. For example, if "diagnostic ultrasound of the eye" was reported, it was coded using the ICD-9-CM as a procedure, and the ultrasound checkbox was also checked. Therefore, the ultrasound checkbox will always give the



maximum estimate for the number of visits with ultrasound ordered or provided, and the write-in procedures will provide additional detail about the type of ultrasound, where available. They should not be added together, in order to avoid doublecounting. The variable, Total Number of Services Ordered or Provided (TOTSERV) takes such doublecounting into account to provide an unduplicated number of services across all possible fields.

**4. Medications & Immunizations:** The NAMCS drug data collected in item 10 have been classified and coded using the entry name (the entry made on the Patient Record form) according to a unique classification scheme developed at NCHS (9). The medical classification system of drugs by entry name uses a five-digit coding scheme which is updated regularly to include new products. It includes the following special codes:

-9 = blank  
99980 = unknown entry, other  
99999 = illegible entry

Up to 8 medications could be recorded for each visit. A list of drug codes by entry name is included in Appendix III.

In addition to drugs coded by entry name, this file contains the following drug information:

a. Generic drug code: Beginning with the 2006 data release, NAMCS no longer uses the NCHS 5-digit code which had been assigned to each official generic name assigned to every drug entity by the United States Pharmacopeia or other responsible authority. Instead, drugs are coded in terms of their generic components and therapeutic classifications using Lexicon Plus<sup>®</sup>, a proprietary database of Cerner Multum, Inc., also used by the National Health and Nutrition Examination Survey, NCHS. The Lexicon Plus is a comprehensive database of all prescription and some nonprescription drug products available in the U.S. drug market.

In accordance with the license agreement, NCHS publications, tabulations, and software applications should cite the Multum Lexicon as the source and basis for the coding and classification of NAMCS drug data. For additional information on the Multum Lexicon Drug Database, please refer to the following Web site: <http://www.multum.com/Lexicon.htm>.

Starting with the 2006 data release, all drug codes based on entry name (using NCHS' classification system as cited above) were also assigned a unique generic drug code from Multum's Lexicon Drug Database where possible. The structure of the Multum database is such that multiple ingredient drugs are assigned a single generic drug code encompassing all of a drug's ingredients rather than being assigned generic drug codes for each ingredient, as in past years of NAMCS drug data.

For example, prior to 2006, if Tylenol No. 3 was reported in NAMCS, it was assigned a drug entry code of 32920 to reflect the entry of Tylenol No. 3. Using the NCHS generic classification, it was also given a code of 51380 in the generic code field to represent a combination product, and then received separate ingredient codes for acetaminophen and codeine. Under Multum, there is a single generic code that reflects the combination of acetaminophen with codeine.

The format of the generic drug code (now called DRUGID rather than GEN) also changed starting in 2006. Rather than the 5 digit numeric code used prior to 2006, the generic drug code is 6 digits, beginning with the letters "a", "c" or "d". Codes beginning with the letter "n" were also used starting with 2009 data. All Multum codes begin with the letter "d", but there were some drug names reported by NAMCS participants that were not found in the Lexicon Drug Database. These were assigned unique drug codes beginning with an "a" where a drug's ingredients could be determined, or a "c" in the case where a drug's ingredients could not be determined for 2006-2007. Beginning with 2008 data, "n" codes have been used to code all drugs newly appearing in the NAMCS data for which a code could not be found in Multum. The variables DRUGID1 through DRUGID8 reflect the generic codes for each drug reported.

- b. Prescription status code: A code designed to identify the legal status (prescription or nonprescription) of the drug entry.
- c. Controlled substance status code: A code used to denote the degree of potential abuse and federal control of a drug entry.
- d. Composition status code: A code used to distinguish between single-ingredient and combination drugs.
- e. Therapeutic category code: In data years prior to 2006, a 4-digit code was used to identify up to three therapeutic classes to which the drug entry might belong. (Prior to 2002 only a single therapeutic class was listed, but additional classes can be added for those years using tools available at the NAMCS website.) These were based on the standard drug classifications used in the National Drug Code Directory, 1995 edition (10).

However, beginning with the 2006 data year, Multum's therapeutic classification system is being used. The Multum Lexicon provides a 3-level nested category system that assigns a therapeutic classification to each drug and each ingredient of the drug (e.g., for naproxen: the broadest category is central nervous system agents [level 1]; the more detailed category is analgesics [level 2]; and the most detailed category is nonsteroidal anti-inflammatory agents [level 3]). Not all drugs have three classification levels; some may only have two [e.g. for digoxin: cardiovascular agents [level 1]; inotropic agents [level 2]], others only have one. See Appendix III for the complete Multum category scheme.

Each drug may have up to four therapeutic categories on the public use file. The variables RX1CAT1 through RX8CAT4 reflect the unique Multum drug categories for a particular drug; these are character values with codes from '001' through '341'. **This variable will always show the most detailed therapeutic level available of a particular drug.** For example, psychotherapeutic agents in Multum are further classified into a second more detailed level as antidepressants or antipsychotics. Antidepressants are further classified into seven subcategories (miscellaneous antidepressants, SSRI antidepressants, tricyclic antidepressants, monoamine oxidase inhibitors, phenylpiperazine antidepressants, tetracyclic antidepressants, and SSNRI antidepressants); antipsychotics are further classified into five subcategories. For a drug categorized as a tricyclic antidepressant, it would have a drug category code of '209', reflecting the Level 3 code. Other drugs may have only two levels available, such as immunologic agents. There are seven level 2 categories of immunologic agents, and no further breakdowns into a third level in the Multum system. Therefore, RX1CAT1 would reflect only a second level code in that case. So, using RX1CAT1-RX8CAT4 will allow one to identify the most specific level of a drug, but **will not, by itself, identify whether that code reflects the first, second, or third level.**

In order to understand each level in terms of the Multum hierarchy, we have also placed on the file additional variables that show the full first, second, and third levels, if applicable, for each drug category for each drug. For example, in the case of the tricyclic antidepressant mentioned earlier, RX1CAT1='307'. But there are three additional variables corresponding to that drug's first therapeutic category. RX1V1C1 (meaning Drug 1, Level 1 of Therapeutic Category 1) would be '242' (psychotherapeutic agents), RX1V2C1 (Drug 1, Level 2 of Therapeutic Category 1) would be '249' (antidepressants), and RX1V3C1 (Drug 1, Level 3 of Therapeutic Category 1) would be '307' (tricyclic antidepressants). If there were no second or third level for a particular category, the entry would be blank (' '). This is repeated for each of the drug's maximum of four therapeutic categories. The three levels can easily be concatenated by data users if they wish to obtain a complete code showing the full level structure applicable to each drug's therapeutic categories. An advantage of having separate levels is that it allows data users to aggregate drugs at any level desired. SAS code is provided at the website for micro-data users who wish to group therapeutic categories in various ways.

All drugs were coded using Multum drug categories, even those drugs not found in Multum's drug database. "Unspecified" drugs were assigned to their respective therapeutic category (e.g., hormones – unspecified: category id=97, category name=hormones). Drugs that could not be assigned to any drug entry name (MED1-8 = 99980, 99999) were not assigned a therapeutic drug category.

In some cases, NCHS was able to categorize a drug's therapeutic class at the first or second Multum level, but not at the more detailed level. When this occurred, the undetermined levels are designated as '999' in the data.

Multum uses a "combination" category for some multiple ingredient drugs. These include antihypertensive combinations, antiasthmatic combinations, upper respiratory combinations, psychotherapeutic combinations, bronchodilator combinations, sex hormone combinations, skeletal muscle relaxant combinations, and narcotic analgesic combinations. This categorization may be sufficient for certain analyses but not for others because it lacks information about the therapeutic effect of the individual ingredients that make up the combination. For example, the drug HYDROCHLOROTHIAZIDE; LOSARTAN is identified as an antihypertensive combination. Therefore, we know that this drug has an antihypertensive drug effect. However, based on this combination category we do not know that the drug's single ingredients have the therapeutic effects of a diuretic and angiotensin II inhibitor, which is relevant for some analyses.

As a result, NCHS decided that, in addition to assigning therapeutic categories to each drug, a separate file would be provided listing the ingredients for each drug along with the therapeutic classes for each ingredient. In the case of single ingredient drugs, the ingredient therapeutic categories would be the same as the drug therapeutic categories. This separate downloadable file (the current version is DRUG\_INGREDIENTS\_2010 and can be found under the "DRUGS" folder in the Downloadable Documentation section of the website:

[ftp://ftp.cdc.gov/pub/Health\\_Statistics/NCHS/Dataset\\_Documentation/NAMCS/drugs/](ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/NAMCS/drugs/))

can be matched to the main file using the DRUGID code. For each DRUGID on the main file, the supplemental file contains up to 5 ingredients and up to 3 therapeutic category codes for each ingredient. In past years, codes used to identify the active generic ingredients of combination drugs were included on the public use file.

**IMPORTANT:** In 2010, we have continued to update and revise the drug characteristics in our ambulatory care drug database, which underwent substantial revision in 2002. In 2002, many drugs had ingredient lists reviewed, and non-active ingredients were removed. Duplicate codes caused by misspellings or other variant entries were eliminated, and incorrect codes (for example, for non-medications) were removed. From 2002-2005, each drug entry had up to three therapeutic classes associated with it, compared with a single therapeutic class in prior years. These factors made trend analysis more problematic, and the solution was to provide researchers with our Drug Characteristics file, which is updated annually, at our Ambulatory Health Care Data website. The characteristics from this file could be applied by matching on drug codes to previous years of data in order to get the most accurate results when doing analysis of drug trends. A SAS program for applying drug characteristics from the current drug database to previous years of public use data was also available for downloading.

Starting with the 2006 dataset, however, with the adoption of the Multum Lexicon for coding drugs according to generic ingredients and therapeutic categories, a new solution for trend analysis was necessary. Therefore, along with the 2006 public use file release, we provided a separate downloadable mapping file (MEDCODE\_DRUGID\_MAP\_2006), which allows data users to match all of the drug codes used in previous years (for example, MED1-MED8 in 2005) with the corresponding Multum DRUGID code for generic composition of the drug and its corresponding therapeutic categories. Once that has been accomplished, users can also, if they wish, match to the drug ingredient file as described above. **The mapping file is updated each year.** Researchers should keep in mind, however, that in cases where drug characteristics have legitimately changed over the years (e.g., moving from prescription to non-prescription status), using the current updated version of the drug characteristics will overwrite all of the previous characteristics with current ones.

For users who are interested in analyzing drug data, one method involves the isolation of those records with drugs, or drug mentions, and the creation of a separate data file of drug mentions. Each Patient Record form for 2010 can have up to eight drug mentions recorded in item 10, so whatever file is created would need to include all of them. This method can be used for obtaining estimates of drug mentions, but is not recommended for variance estimation. Rather, the structure of the visit file should be kept intact when estimating variance. In order to do this, estimates of drug mentions can be obtained by creating a new weight variable (called DRUGWT in this example). This variable is created by multiplying PATWT (the patient visit weight) by NUMMED (the number of medications recorded at the sampled visit) or  $DRUGWT = PATWT * NUMMED$ . DRUGWT can then be used in place of PATWT to weight one's data; it produces the estimated number of drug mentions rather than visits. (See Record Format for more on PATWT and NUMMED.)

This documentation contains some marginal data for drug mentions. Also provided are drug coding lists in Appendix III. To facilitate searching for drugs in Appendix III, it is recommended that researchers utilize the online search function in Adobe Acrobat with the pdf document, or visit the survey website and use the online drug database under Research Tools ([http://www.cdc.gov/nchs/ahcd/ahcd\\_database.htm](http://www.cdc.gov/nchs/ahcd/ahcd_database.htm)). Should the data user need additional assistance in analyzing data on drug mentions, the staff of the Ambulatory and Hospital Care Statistics Branch is available by calling (301) 458-4600. Our website can be accessed at: <http://www.cdc.gov/nchs/namcs.htm>

## K. ESTIMATION PROCEDURES

Statistics produced from the 2010 NAMCS were derived by a multistage estimation procedure. The procedure produces essentially unbiased national estimates and has four components: 1) inflation by reciprocals of the probabilities of selection, 2) adjustment for nonresponse, 3) a ratio adjustment to fixed totals, and 4) weight smoothing. Each of these components is described below.

### 1. Inflation of Reciprocals by Sampling Probabilities

Since the survey utilized a three-stage sample design, there were three probabilities:

- a) the probability of selecting the PSU;
- b) the probability of selecting a physician within the PSU; and
- c) the probability of selecting a patient visit within the physician's practice.

The last probability was defined to be the exact number of office visits during the physician's specified reporting week divided by the number of Patient Record forms completed. All weekly estimates were inflated by a factor of 52 to derive annual estimates.

### 2. Adjustment for Nonresponse

Estimates from NAMCS data were adjusted to account for in-scope physicians who did not provide PRFs (non-PRF physicians) either because they saw no patients during their sample week or failed to provide PRFs for visits by patients they did see during their sample week.

Beginning with 2004 data, changes were made to the nonresponse adjustment factor to account for the seasonality of the reporting period. Extra weights for nonresponding physicians were shifted to responding physicians in reporting periods within the same quarter of the year. The shift in nonresponse adjustment did not significantly affect any of the overall annual estimates.

Beginning with 2003 data, the adjustment for non-PRF physicians differs from the adjustment used in prior years. Previously the adjustment accounted for non-response by physician specialty, geographic region, and metropolitan statistical area status. The revised non-response adjustment also accounts for non-response from physicians by practice size, as measured by number of weekly visits, and for variability in number of weeks that participating physicians saw patients during the year.

Previously, these characteristics were assumed to be the same for physicians providing patient encounter information and those not providing such information. However, research done for the first time with 2003 data showed that these two assumptions are not always true. In general, the weekly visit volume for non-PRF physicians was larger than for PRF physicians. Also, physicians who saw no patients during their sample week tended to see patients fewer weeks annually than did physicians who saw patients during their week. To minimize understatement (and in some cases, overstatement) of visits, the non-response adjustment factor was revised to include information on the number of weeks physicians actually practiced during a typical year and the number of visits physicians reported during a week. Both data items were collected for responding and nonresponding physicians during the induction interview starting with the 2001 survey.

The 2003 weight with the revised non-response adjustment increased the overall visit estimate by 12 percent over the same estimate obtained using the original weight. For this reason, 2003 and subsequent year visit estimates are not entirely comparable to visit estimates computed using the previous weighting strategy. If researchers are presenting data with estimates or rates across these years, we recommend including a footnote such as the following: "The weights for 2003 and later years include adjustments for variation in the typical number of weeks worked annually and for variation in visit volume in a work week, whereas the weights for earlier years do not. The revised weighting algorithm increased visit estimates."

### 3. Ratio Adjustment

A post-ratio adjustment was made within each of the sixteen physician specialty groups. The ratio adjustment is a multiplication factor which had as its numerator the number of physicians in the universe in each physician specialty group and as its denominator the estimated number of physicians in that particular specialty group. The numerator was based on figures obtained from the AMA and AOA master files, and the denominator was based on data from the sample.

A post-ratio adjustment was also made within each type of community health center. (For sampling purposes, CHCs were divided into federally funded facilities, "look-alike" facilities [i.e., facilities that receive cost-based reimbursement for their Medicaid services, but do not receive malpractice coverage under the Federal Tort Claims Act or a cash grant], and urban Indian Health Centers [IHCs].) For visit level estimates, the ratio adjustment for the IHCs and the "look-alikes" is a multiplication factor which had as its numerator the number of CHCs in each region, per CHC type and as its denominator the estimated number of CHCs in each region per CHC type. The ratio adjustment for the federally funded CHCs is a multiplication factor which has as its numerator the number of visits in each region and as its denominator the estimated number of visits to CHCs in each region.

### 4. Weight Smoothing

Each year there are a few sample physicians whose final visit weights are large relative to those for the rest of the sample. There is a concern that those few may adversely affect the ability of the resulting statistics to reflect the universe, especially if the sampled patient visits to some of those few physicians should be unusual relative to the universe. Extremes in final weights also increase the resulting variances. Extreme weights can be truncated, but this leads to an understatement of the total visit count. The technique of weight smoothing is used instead, because it preserves the total estimated visit count within each specialty by shifting the "excess" from visits with the largest weights to visits with smaller weights.

Excessively large visit weights were truncated, and a ratio adjustment was performed. For non-CHC physicians, the ratio adjustment is a multiplication factor that uses as its numerator the total visit count in each physician specialty group before the largest weights are truncated, and, as its denominator, the total visit count in the same specialty group after the largest weights are truncated. The ratio adjustment was made within each of the fifteen physician specialty groups and yields the same estimated total visit count as the unsmoothed weights.

For CHC physicians, the ratio adjustment is a multiplication factor that uses as its numerator the estimated total visit count for each type of CHC (federally funded, urban Indian Health Centers, and look-alikes) within geographic region before the largest weights are truncated, and, as its denominator, the total visit count for each group after the largest weights are truncated. The ratio adjustment was made within each of the CHC types within each region and yields the same estimated total visit count as the unsmoothed weights.

#### **L. SAMPLING ERRORS**

Procedures for calculating sampling errors as well as estimates of standard errors of statistics derived from NAMCS are described elsewhere (2) as well as in Appendix I of this document.

#### **M. PATIENT VISIT WEIGHT**

The "patient visit weight" is a vital component in the process of producing national estimates from sample data, and its use should be clearly understood by all micro-data file users. The statistics contained on the micro-data file reflect data concerning only a sample of patient visits, not a complete count of all the visits that occurred in the United States. Each record on the data file represents one visit in the sample of 31,229 visits. In order to obtain national estimates from the sample, each record is assigned an inflation factor called the "patient visit weight." By aggregating the patient visit weights on the 31,229 sample records for 2010, the user can obtain the estimated total of 1,008,802,005 office visits made in the United States.

The marginal tables on pages 92-97 contain data on numbers of records for selected variables as well as the corresponding national estimated number of visits and drug mentions obtained by aggregating the "patient visit weights" on those records. Similar tables are also provided for physician-level estimates.

#### **N. PHYSICIAN CODE and PATIENT CODE**

The purpose of these codes is to allow for greater analytical depth by permitting the user to link individual Patient Record forms on the public use file with individual physicians' practices. This linkage will enable users to conduct more comprehensive analysis without violating the confidentiality of patients or physicians.

To uniquely identify a record, both the physician code and the patient code must be used. Patient codes are merely a sequential numbering of the visits recorded by the physician and alone will not uniquely identify visit records. In order to do so, both the unique 4-digit physician code and the 3-digit patient code must be used.

#### **O. USE OF THE PHYSICIAN-LEVEL WEIGHT**

A physician-level weight (PHYSWT) was first added to the 2005 NAMCS public use file. These weights allow data users to calculate physician-level estimates. There is one weight for each physician which appears on the first visit record only for that physician. When running an analysis of physician-level characteristics using PHYSWT, it is recommended to select only those records where PHYSWT is greater than 0. This will result in correct sample counts of variables, which is useful for assessing reliability. Weighted estimates will be correct either way, because of the one weight per physician format.

It should be kept in mind, however, that estimates at the physician level generated using PHYSWT only reflect those physicians who saw patients in their sample week. There were 199 physicians who participated in the NAMCS during 2009 but did not see any patients during their sampled week, due to being on vacation or other reasons. The physician estimates produced using NAMCS public use data do not include such physicians, nor do they include data for physicians who did see patients in their sample

week but who refused to participate in the survey. Therefore, estimates made with PHYSWT could be biased due to the omission of such physicians, if such physicians were to have different characteristics than those who responded. Physician-level estimates from the public use file are better for analyzing visit characteristics at the physician level, because such characteristics would not be biased by the omission of physicians who didn't see patients. For example, one could examine average time spent with physicians across physicians rather than simply across visits. This type of analysis is slightly complicated; a description along with sample SAS code is available at the Ambulatory Health Care Data website.

For more information, contact the Ambulatory and Hospital Care Statistics Branch at 301-458-4600.

**REFERENCES**

1. Tenney JB, White KL, Williamson JW. National Ambulatory Medical Care Survey: Background and Methodology. National Center for Health Statistics. Vital Health Stat 2(61). 1974.
2. Schappert SM., Nelson CR. National Ambulatory Medical Care Survey, 1995-96 Summary. National Center for Health Statistics. Vital Health Stat 13(142). 2000.
3. Massey JT, Moore TF, Parsons VL, Tadros W. Design and estimation for the National Health Interview Survey, 1985-94. National Center for Health Statistics. Vital Health Stat 2(110). 1989.
4. Physician Induction Interview Form. National Ambulatory Medical Care Survey. OMB No. 0920-0234.
5. Schneider D, Appleton L, McLemore T. A Reason for Visit Classification for Ambulatory Care. National Center for Health Statistics. Vital Health Stat 2(78). 1979.
6. National Ambulatory Medical Care Survey and National Hospital Ambulatory Medical Care Survey Reason for Visit Classification and Coding Manual: (updated annually). Ambulatory and Hospital Care Statistics Branch, Division of Health Care Statistics, National Center for Health Statistics.
7. U.S. Department of Health and Human Services. Centers for Disease Control and Prevention, Centers for Medicare and Medicaid Services. Official version: International Classification of Diseases, Ninth Revision, Clinical Modification, Sixth Edition. DHHS Pub No. (PHS) 06-1260.
8. National Ambulatory Medical Care Survey: Coding Requirements (updated annually). Ambulatory and Hospital Care Statistics Branch, Division of Health Care Statistics, National Center for Health Statistics.
9. Koch H, Campbell W. The Collection and Processing of Drug Information. National Ambulatory Medical Care Survey, 1980. National Center for Health Statistics. Vital Health Stat 2(90). 1982.
10. Food and Drug Administration. National Drug Code Directory, 1995 edition. Washington: Public Health Service. 1995.



## II. RECORD FORMAT AND PHYSICIAN SPECIALTY LIST

### A. RECORD FORMAT

Number of records = 31,229

This section consists of a detailed breakdown of each data record. For each item on the record, the user is provided with a sequential item number, field length, file location, and brief description of the item, along with valid codes. Most data are from the Patient Record form (PRF). Such items are so noted in the description below. The American Medical Association (AMA), the American Osteopathic Association (AOA) and the induction interview (reference 3) are alternate sources of data. Some information is obtained by recoding selected data from these sources.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DATE OF VISIT (from PRF Q1.a)
1	2	1-2	[VMONTH] MONTH OF VISIT 01-12: January-December
2	4	3-6	[VYEAR] YEAR OF VISIT 2009, 2010 (Survey dates were 12/28/2009-12/26/2010.)
3	1	7	[VDAYR] DAY OF WEEK OF VISIT 1 = Sunday 2 = Monday 3 = Tuesday 4 = Wednesday 5 = Thursday 6 = Friday 7 = Saturday
4	3	8-10	[AGE] PATIENT AGE (IN YEARS; DERIVED FROM DATE OF BIRTH) (from PRF Q1.c) 000 = Under 1 year 001-099 100 = 100 years or over
5	1	11	[SEX] SEX (from PRF Q1.d) 1 = Female 2 = Male

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
6	2	12-13	[ETHUN] ETHNICITY (from PRF Q1.e) This variable is NOT imputed. Ethnicity data were missing on 22 percent of NAMCS records. An imputed ethnicity variable can be found in column 909. -9 = Blank 1 = Hispanic or Latino 2 = Not Hispanic or Latino
7	2	14-15	[RACEUN] RACE (from PRF Q1.f) This variable is NOT imputed. Race data were missing on 23 percent of NAMCS records. An imputed race variable can be found in column 910. -9 = Blank 1 = White 2 = Black or African American 3 = Asian 4 = Native Hawaiian or Other Pacific Islander 5 = American Indian or Alaska Native 6 = More than one race reported
8	1	16	[PAYPRIV] EXPECTED SOURCE OF PAYMENT: PRIVATE INSURANCE (from PRF Q1.g) 0 = No 1 = Yes
9	1	17	[PAYMCARE] EXPECTED SOURCE OF PAYMENT: MEDICARE (from PRF Q1.g) 0 = No 1 = Yes
10	1	18	[PAYMCAID] EXPECTED SOURCE OF PAYMENT: MEDICAID or CHIP/SCHIP (from PRF Q1.g) 0 = No 1 = Yes
11	1	19	[PAYWKCMP] EXPECTED SOURCE OF PAYMENT: WORKER'S COMPENSATION (from PRF Q1.g) 0 = No 1 = Yes
12	1	20	[PAYSELF] EXPECTED SOURCE OF PAYMENT: SELF-PAY (from PRF Q1.g) 0 = No 1 = Yes

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
13	1	21	[PAYNOCHG] EXPECTED SOURCE OF PAYMENT: NO CHARGE/CHARITY (from PRF Q1.g) 0 = No 1 = Yes
14	1	22	[PAYOTH] EXPECTED SOURCE OF PAYMENT: OTHER (from PRF Q1.g) 0 = No 1 = Yes
15	1	23	[PAYDK] EXPECTED SOURCE OF PAYMENT: UNKNOWN (from PRF Q1.g) 0 = No 1 = Yes
16	2	24-25	[PAYTYPER] RECODED PRIMARY EXPECTED SOURCE OF PAYMENT FOR THIS VISIT (Recoded from PRF Q1.g using this hierarchy of payment categories: Medicare, Medicaid or CHIP/SCHIP, Private Insurance, Worker's Compensation, Self-Pay, No Charge/Charity, Other, Unknown)  IMPORTANT: For more information about earlier versions of the variable PAYTYPE and variable PAYTYPER, please see the 2009 NAMCS Public Use Data File Documentation.  -9 = Blank -8 = Unknown 1 = Private insurance 2 = Medicare 3 = Medicaid or CHIP/SCHIP 4 = Worker's Compensation 5 = Self-pay 6 = No charge/charity 7 = Other
17	2	26-27	[USETOBAC] TOBACCO USE (from PRF Q1.h) -9 = Blank -8 = Unknown 1 = Not current 2 = Current

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
18	2	28-29	[INJDET] (INJURY/POISONING/ADVERSE EFFECT) Is this visit related to any of the following: (from PRF Q2) <b>Please see important discussion of Injury Data on page 4 and related injury variables in columns 1064 and 1065.</b> -9 = Blank 1 = Unintentional injury/poisoning 2 = Intentional injury/poisoning 3 = Injury/poisoning – unknown intent 4 = Adverse effect of medical/surgical care or adverse effect of medicinal drug 5 = None of the above 8 = More than one box is marked
19	1	30	[INJURY] Is this visit related to an injury, poisoning, or adverse effect of medical treatment? (recoded from PRF Q2, PRF Q3 and PRF Q5) <b>Please see important discussion of Injury Data on page 4 and related injury variables in columns 1062 and 1063.</b> 0 = No 1 = Yes  PATIENT'S REASON(S) FOR VISIT (See page 23 in Section I and Coding List in Appendix II.) (from PRF Q3)
20	5	31-35	[RFV1] REASON # 1 -9 = Blank 10050-89990 = 1005.0-8999.0
21	5	36-40	[RFV2] REASON # 2 -9 = Blank 10050-89990 = 1005.0-8999.0
22	5	41-45	[RFV3] REASON # 3 -9 = Blank 10050-89990 = 1005.0-8999.0
23	2	46-47	[PRIMCARE] ARE YOU THE PATIENT'S PRIMARY CARE PHYSICIAN? (from PRF Q4.a) -9 = Blank -8 = Unknown 1 = Yes 2 = No
24	1	48-49	[REFER] WAS PATIENT REFERRED FOR THIS VISIT? (from PRF Q4.a) -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
25	1	50	[SENEFOR] HAS THE PATIENT BEEN SEEN IN YOUR PRACTICE BEFORE? (from PRF Q4.b) 1 = Yes, established patient 2 = No, new patient
26	2	51-52	[PASTVIS] HOW MANY PAST VISITS IN THE LAST 12 MONTHS? (from PRF Q4.b) -7 = Not applicable 0-98 99 = 99 visits or more
27	2	53-54	[MAJOR] MAJOR REASON FOR THIS VISIT (from PRF Q4.c) -9 = Blank 1 = New problem (<3 mos. onset) 2 = Chronic problem, routine 3 = Chronic problem, flare-up 4 = Pre-/Post-surgery 5 = Preventive care (e.g. routine prenatal, well-baby, screening, insurance, general exams)  PHYSICIAN'S DIAGNOSES (See page 24, Section 1 for explanation of coding.) (from PRF Q5a)
28	5	55-59	[DIAG1] DIAGNOSIS # 1 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted.  -9 = Blank 0010[-] - V829[-] = 001.0[0]-V82.9[0] V990- = Noncodable, insufficient information for coding, illegible V991- = Left before being seen; patient walked out; not seen by doctor; left against medical advice V992- = Transferred to another facility; sent to see specialist V993- = HMO will not authorize treatment V997- = Entry of "none," "no diagnosis," "no disease," or "healthy"
29	5	60-64	[DIAG2] DIAGNOSIS # 2 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted. See DIAGNOSIS #1 for details.
30	5	65-69	[DIAG3] DIAGNOSIS # 3 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted. See DIAGNOSIS #1 for details.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			PROBABLE, QUESTIONABLE, AND RULE OUT DIAGNOSES
31	2	70-71	[PRDIAG1] IS DIAGNOSIS #1 PROBABLE, QUESTIONABLE, OR RULE OUT? (derived from PRF Q5.a) -7 = Not applicable 0 = No 1 = Yes
32	2	72-73	[PRDIAG2] IS DIAGNOSIS #2 PROBABLE, QUESTIONABLE, OR RULE OUT? (derived from PRF Q5.a) -7 = Not applicable 0 = No 1 = Yes
33	2	74-75	[PRDIAG3] IS DIAGNOSIS #3 PROBABLE, QUESTIONABLE, OR RULE OUT? (derived from PRF Q5.a) -7 = Not applicable 0 = No 1 = Yes
			REGARDLESS OF THE DIAGNOSES WRITTEN IN 5A, DOES THE PATIENT NOW HAVE: (from PRF Q5.b) 0 = No 1 = Yes
34	1	76	[ARTHRTIS] Arthritis
35	1	77	[ASTHMA] Asthma
36	1	78	[CANCER] Cancer
37	2	79-80	[CASTAGE] Stage of patient's cancer -9 = 'No box is marked' -8 = 'Unknown stage' -7 = 'Not applicable' 0 = 'In situ' 1 = 'Stage1' 2 = 'StageII' 3 = 'StageIII' 4 = 'StageIV' 6 = 'More than one stage is marked'
38	1	81	[CEBVD] Cerebrovascular disease
39	1	82	[CRF] Chronic renal failure
40	1	83	[CHF] Congestive heart failure
41	1	84	[COPD] Chronic obstructive pulmonary disease
42	1	85	[DEPRN] Depression
43	1	86	[DIABETES] Diabetes
44	1	87	[HYPLIPID] Hyperlipidemia
45	1	88	[HTN] Hypertension
46	1	89	[IHD] Ischemic heart disease
47	1	90	[OBESITY] Obesity
48	1	91	[OSTPRSIS] Osteoporosis

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
49	1	92	[NOCHRON] None of the above 0 = "None" not checked 1 = "None" checked 2 = Entire item blank
50	2	93-94	[TOTCHRON] TOTAL NUMBER OF CHRONIC CONDITIONS (derived from PRF Q5.b) -9 = Entire item blank 0-14  VITAL SIGNS (from PRF Q6)
51	2	95-96	[HTIN] PATIENT'S HEIGHT (inches) -9 = Blank 14-83 inches
52	3	97-99	[WTLB] PATIENT'S WEIGHT (pounds) -9 = Blank 4-500 500 = 500 lbs. or more
53	6	100-105	[BMI] Body-Mass Index This was calculated from Patient's Height and Weight during data processing. It contains a decimal point and up to 2 decimal places. BMI was not calculated for pregnant females or patients under age 2. -9 = Missing data -7 = Not calculated 10.58-92.76
54	4	106-109	[TEMPF] Temperature (Fahrenheit) There is an implied decimal between the third and fourth digits. -9 = Blank 900 – 1070 = 90.0-107.0 Fahrenheit
55	3	110-112	[BPSYS] Blood pressure - systolic -9 = Blank 66 - 254
56	3	113-115	[BPDIAS] Blood pressure – diastolic -9 = Blank 19-160 998 = P, Palp, DOP, or DOPPLER  SERVICES (from PRF Q7 and Q9)

NOTE: The Services section reflects responses to both item 7, Diagnostic/Screening Services, and item 9, Non-Medication

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			<p>Treatment. Each year, it is often the case that different respondents will report the same procedure in either item 7 or item 9, and that a distinction between diagnostic/screening and therapeutic services can be difficult to make. Space issues, too, affect where write-in responses are entered on the form. Therefore, such responses may not always be entered in the appropriate item.</p> <p>In recent years, efforts were made to address these problems through the data editing process, but this approach was time-consuming and did not totally solve the problems.</p> <p>Beginning with 2009 data, it was decided to consider the responses to item 7 and item 9 as one unit, as services ordered or provided. The checkboxes for both items are presented in sequence, followed by the write-in procedure fields, identified as simply procedures 1-9. As in past years, whenever procedures are entered that also apply to a checkbox, the checkbox has been checked, but the procedure is retained if it provides further detail. For example, if "x-ray of the knee" is written in, the procedure is coded to the ICD-9-CM, but the x-ray checkbox is checked to provide a summary statistic of x-rays. Therefore, in order to avoid doublecounting, results from the write-in fields for x-rays should not be added to results for the x-ray checkbox, etc.</p>
57	1	116	<p>[SERVICES] Were any diagnostic/screening or non-medication treatment services ordered or provided at this visit?  0 = No services were reported  1 = At least one service was reported</p> <p>0 = No, 1 = Yes</p>
58	1	117	[BREAST] Breast exam
59	1	118	[FOOT] Foot exam
60	1	119	[PELVIC] Pelvic exam
61	1	120	[RECTAL] Rectal exam
62	1	121	[RETINAL] Retinal exam
63	1	122	[SKIN] Skin exam
64	1	123	[DEPRESS] Depression screening exam
65	1	124	<p>[ANYIMAGE] (derived from PRF Q7, boxes 9-16)  This item was created during data processing and indicates whether any of the imaging boxes were checked.</p>
66	1	125	[XRAY] X-ray
67	1	126	[BONEDENS] Bone mineral density
68	1	127	[CATSCAN] CT Scan
69	1	128	[ECHOCARD] Echocardiogram
70	1	129	[OTHULTRA] Other ultrasound



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
71	1	130	[MAMMO] Mammography
72	1	131	[MRI] MRI
73	1	132	[OTHIMAGE] Other imaging
74	1	133	[CBC] Complete blood count
75	1	134	[GLUCOSE] Glucose
76	1	135	[HGBA] HgbA1C (glycohemoglobin)
77	1	136	[CHOLEST] Lipids/Cholesterol
78	1	137	[PSA] PSA (Prostate specific antigen)
79	1	138	[OTHERBLD] Other blood test
80	1	139	[BIOPSY] Biopsy
81	1	140	[CHLAMYD] Chlamydia test
82	1	141	[EKG] EKG/ECG
83	1	142	[HIVTEST] HIV Test
84	1	143	[HPVDNA] HPV DNA test
85	1	144	[PAPCONV] PAP test - conventional
86	1	145	[PAPLIQ] PAP test - liquid-based
87	1	146	[PAPUNSP] PAP test – unspecified
88	1	147	[PREGTEST] Pregnancy/HCG test
89	1	148	[URINE] Urinalysis
90	1	149	[SIGCOLON] (derived from PRF Q7, box 23, 24 and 34 and PRF Q9, box 14 and 15.) This item was created during data processing and indicates whether any type of sigmoidoscopy/colonoscopy was ordered or performed at the visit, based on write-in procedure entries. It is a summary variable only and should not be added to results from the write-in procedure fields.
91	1	150	[EXAM] Examination This item was created during data processing and indicates whether any of the write-in procedures reflect an ICD-9-CM code indexed specifically to Examinations. It is a summary variable only and should not be added to results from the write-in procedure fields.
92	1	151	[HTTAKE] Height taken (derived from PRF Q6)
93	1	152	[WTTAKE] Weight taken (derived from PRF Q6)
94	1	153	[TEMPTAKE] Temperature taken (derived from PRF Q6)
95	1	154	[BLODPRES] Blood pressure taken (derived from PRF Q6)
96	1	155	[CAM] Complementary alternative medicine
97	1	156	[DME] Durable medical equipment
98	1	157	[HOMEHLTH] Home health care
99	1	158	[PT] Physical therapy
100	1	159	[RADTHER] Radiation therapy
101	1	160	[SPOCTHER] Speech/Occupational therapy
102	1	161	[PSYCHOTH] Psychotherapy
103	1	162	[OTHMNTL] Other mental health counseling
104	1	163	[EXCISION] Excision

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
105	1	164	[WOUND] Wound care
106	1	165	[CAST] Cast
107	1	166	[SPLINT] Splint or wrap
108	1	167	[OTHSERV] Other diagnostic/screening service or non-medication treatment
			This created checkbox reflects the presence of at least one write-in procedure, combining data from items 7 and 9.
			Procedures 1-9 are derived from the write-in fields in items 7 and 9. To get a complete picture of the number and type of procedures reported at a visit, data users should include results from all of the procedure fields.
109	4	168-171	[PROC1] Procedure #1 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0101-999 = 01.01-99.99
110	4	172-175	[PROC2] Procedure # 2 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0101-999 = 01.01-99.99
111	4	176-179	[PROC3] Procedure # 3 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0101-999 = 01.01-99.99
112	4	180-183	[PROC4] Procedure #4 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0101-999 = 01.01-99.99

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
113	4	184-187	[PROC5] Procedure #5 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0101-999 = 01.01-99.99
114	4	188-191	[PROC6] Procedure #6 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0101-999 = 01.01-99.99
115	4	192-195	[PROC7] Procedure #7 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0101-999 = 01.01-99.99
116	4	196-199	[PROC8] Procedure #8 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0101-999 = 01.01-99.99
117	4	200-203	[PROC9] Procedure #9 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0101-999 = 01.01-99.99
118	2	204-205	[TOTSERV] Total number of diagnostic/screening services and non-medication treatment checkboxes and write-in entries (adjusted to avoid doublecounting between procedures that could be reported as both a checkbox and with more detail in the write-in field) 0-23 (23 was the highest number reported in 2010)

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			HEALTH EDUCATION (from PRF Q8)
119	1	206	[HLTHED] Was any health education ordered or provided at this visit? 0 = No 1 = Yes 2 = No answer (Entire item blank, including "None" box.)  0 = No, 1 = Yes
120	1	207	[ASTHMAED] Asthma education
121	1	208	[DIETNUTR] Diet/Nutrition
122	1	209	[EXERCISE] Exercise
123	1	210	[FAMPLAN] Family planning/Contraception
124	1	211	[GRWTHDEV] Growth/Development
125	1	212	[INJPREV] Injury prevention
126	1	213	[STRESMGT] Stress management
127	1	214	[TOBACED] Tobacco use/Exposure
128	1	215	[WTREDUC] Weight reduction
129	1	216	[OTHLTHED] Other health education
130	2	217-218	[TOTHLTED] Total health education ordered or provided -9 = Entire item blank 0-9  MEDICATIONS & IMMUNIZATIONS (See page 25 for more information. See Appendix III for Code List.) (from PRF Q10)
131	1	219	[MED] WERE MEDICATIONS OR IMMUNIZATIONS ORDERED OR PROVIDED AT THIS VISIT? 0 = No 1 = Yes 2 = Entire item blank, including "None" box
132	5	220-224	[MED1] MEDICATION #1 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
133	5	225-229	[MED2] MEDICATION #2 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
134	5	230-234	[MED3] MEDICATION #3 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
135	5	235-239	[MED4] MEDICATION #4 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
136	5	240-244	[MED5] MEDICATION #5 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
137	5	245-249	[MED6] MEDICATION #6 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
138	5	250-254	[MED7] MEDICATION #7 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
139	5	255-259	[MED8] MEDICATION #8 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
140	2	260-261	[NCMED1] Was medication #1 new or continued? -9 = Blank -7 = Not applicable (no drug listed) 1 = New 2 = Continued 3 = Both "New" and "Continued" were checked
141	2	262-263	[NCMED2] Was medication #2 new or continued? See NCMED1.
142	2	264-265	[NCMED3] Was medication #3 new or continued? See NCMED1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
143	2	266-267	[NCMED4] Was medication #4 new or continued? See NCMED1.
144	2	268-269	[NCMED5] Was medication #5 new or continued? See NCMED1.
145	2	270-271	[NCMED6] Was medication #6 new or continued? See NCMED1.
146	2	272-273	[NCMED7] Was medication #7 new or continued? See NCMED1.
147	2	274-275	[NCMED8] Was medication #8 new or continued? See NCMED1
148	1	276	[NUMNEW] NUMBER OF NEW MEDICATIONS CODED 0 – 8
149	1	277	[NUMCONT] NUMBER OF CONTINUED MEDICATIONS CODED 0 – 8
			NOTE: For NUMNEW and NUMCONT, the value '0' can reflect the following situations: for NUMNEW, a) no drug listed; b) drug listed as continued medication only; or c) drug listed but unknown whether new or continued; for NUMCONT, a) no drug listed; b) drug listed as new medication only, or c) drug listed but unknown whether new or continued
150	1	278	[NUMMED] NUMBER OF MEDICATIONS CODED 0 – 8
			PROVIDERS SEEN (from PRF Q11)
			0 = No, 1 = Yes
151	1	279	[NOPROVID] No answer to item
152	1	280	[PHYS] Physician
153	1	281	[PHYSASST] Physician assistant
154	1	282	[NPNMW] Nurse practitioner/Midwife
155	1	283	[RNLPN] RN/LPN
156	1	284	[MHP] Mental health provider
157	1	285	[OTHPROV] Other provider
			VISIT DISPOSITION (from PRF Q12)
			0 = No, 1 = Yes
158	1	286	[NODISP] No answer to item
159	1	287	[REFOTHMD] Refer to other physician
160	1	288	[RETAPPT] Return at specified time

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
161	1	289	[REFERED] Refer to emergency department/Admit to hospital
162	1	290	[OTHDISP] Other visit disposition
163	3	291-293	[TIMEMD] TIME SPENT WITH MD (in minutes) (from PRF Q13) 0-239 240 = 240 or more
164	6	294-299	[PATWT] PATIENT VISIT WEIGHT (See page 30 in Section I) A right-justified integer developed by NCHS staff for the purpose of producing national estimates from sample data.
165	1	300	[REGION] GEOGRAPHIC REGION (Based on actual location of the practice.)  1= Northeast 2= Midwest 3= South 4= West
166	1	301	[MSA] METROPOLITAN/NON-METROPOLITAN STATUS  (Based on actual location in conjunction with the definition of the Bureau of the Census and the U.S. Office of Management and Budget.)  1 = MSA (Metropolitan Statistical Area) 2 = Non-MSA (includes micropolitan statistical areas)
167	3	302-304	[BLANK3] These columns are reserved for possible future use.
168	1	305	[MDDO] TYPE OF DOCTOR 1 = M.D. - Doctor of Medicine 2 = D.O. - Doctor of Osteopathy
169	4	306-309	[PHYCODE] PHYSICIAN CODE - A unique code assigned to all records from a particular physician. 15-7035. Some codes may have been modified as part of the disclosure avoidance process.
170	3	310-312	[PATCODE] PATIENT CODE - A number assigned to identify each individual record from a particular physician. 1-66

---

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

---

\*\*\*\* THE FOLLOWING FIELDS SHOW WHETHER DATA WERE IMPUTED TO REPLACE BLANKS \*\*\*\*

IMPUTED FIELDS

0 = Not imputed

1 = Imputed

171	1	313	[BDATEFL] Patient birth date
172	1	314	[SEXFL] Patient sex
173	1	315	[ETHNICFL] Patient ethnicity
174	1	316	[RACERFL] Patient race
175	1	317	[SENBEFL] Has patient been seen in your practice before?
176	1	318	[PASTFL] If yes, how many past visits in last 12 months?
177	1	319	[TIMEMDFL] Time spent with physician (minutes)

CONTINUED ON NEXT PAGE.



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

## DRUG-RELATED INFO FOR MEDICATION #1

NOTE: Starting with the 2006 data release, all drug codes based on entry name (using NCHS' standard classification system) were also assigned a unique generic drug code from Multum's Lexicon Drug Database, where possible. The structure of the Multum database is such that multiple ingredient drugs are assigned a single generic drug code encompassing all of a drug's ingredients rather than being assigned generic drug codes for each ingredient, as in past years of NAMCS drug data. All Multum codes start with the letter "d" but there were some drugs reported in NAMCS that could not be assigned a code in Multum. For 2006 and 2007, these received a prefix of either "a" (when ingredients could be determined) or "c" (when ingredients could not be determined). Beginning with 2008, the use of "a" and "c" codes was replaced with "n" codes. For more on the structure of the drug data (including information on therapeutic class and drug ingredients, please see page 25.)

178	6	320-325	[DRUGID1] DRUG ID (See p. 157 for more information.)  a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007) c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients) d00001-d07757 = Multum code n0000-n11008 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)
179	1	326	[PRESCR1] PRESCRIPTION STATUS CODE 1 = Prescription Drug      4 = Illicit [not used in NAMCS] 2 = Nonprescription Drug    5 = Both Prescription and Over-the-Counter 3 = Undetermined
180	1	327	[CONTSUB1] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II              5 = Schedule V    8 = Multiple Schedules 3 = Schedule III              6 = No Control 4 = Schedule IV              7 = Undetermined
181	1	328	[COMSTAT1] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
182	3	329-331	[RX1CAT1] MULTUM DRUG CATEGORY # 1 Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 25. The complete Multum classification is shown in Appendix III.  " " = Blank/Not applicable 001 - 899 = Drug category 999 = Undetermined category
183	3	332-334	[RX1CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
184	3	335-337	[RX1CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
185	3	338-340	[RX1CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.
DRUG CATEGORY LEVELS			
See RX1CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.			
186	3	341-343	[RX1V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
187	3	344-346	[RX1V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
188	3	347-349	[RX1V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
189	3	350-352	[RX1V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
190	3	353-355	[RX1V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
191	3	356-358	[RX1V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
192	3	359-361	[RX1V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
193	3	362-364	[RX1V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
194	3	365-367	[RX1V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
195	3	368-370	[RX1V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
196	3	371-373	[RX1V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
197	3	374-376	[RX1V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DRUG-RELATED INFO FOR MEDICATION #2
198	6	377-382	[DRUGID2] Drug ID (See p. 157 for more information.) a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007) c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients) d00001-d07757 = Multum code n0000-n11008 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)
199	1	383	[PRESCR2] PRESCRIPTION STATUS CODE 1 = Prescription Drug    4 = Illicit [not used in NAMCS] 2 = Nonprescription Drug    5 = Both Prescription and 3 = Undetermined            Over-the-Counter
200	1	384	[CONTSUB2] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II    5 = Schedule V    8 = Multiple Schedules 3 = Schedule III    6 = No Control 4 = Schedule IV    7 = Undetermined
201	1	385	[COMSTAT2] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
202	3	386-388	[RX2CAT1] MULTUM DRUG CATEGORY # 1 Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 25. The complete Multum classification is shown in Appendix III.  “ ” = Blank/Not applicable 001 - 899 = Drug category 999 = Undetermined category
203	3	389-391	[RX2CAT2] MULTUM DRUG CATEGORY # 2 See RX2CAT1.
204	3	392-394	[RX2CAT3] MULTUM DRUG CATEGORY # 3 See RX2CAT1.
205	3	395-397	[RX2CAT4] MULTUM DRUG CATEGORY # 4 See RX2CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
DRUG CATEGORY LEVELS			
See RX2CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.			
206	3	398-400	[RX2V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
207	3	401-403	[RX2V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
208	3	404-406	[RX2V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
209	3	407-409	[RX2V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
210	3	410-412	[RX2V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
211	3	413-415	[RX2V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
212	3	416-418	[RX2V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
213	3	419-421	[RX2V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
214	3	422-424	[RX2V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
215	3	425-427	[RX2V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
216	3	428-430	[RX2V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
217	3	431-433	[RX2V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DRUG-RELATED INFO FOR MEDICATION #3
218	6	434-439	[DRUGID3] Drug ID (See p. 157 for more information.) a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007) c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients) d00001-d07757 = Multum code n0000-n11008 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)
219	1	440	[PRESCR3] PRESCRIPTION STATUS CODE 1 = Prescription Drug    4 = Illicit [not used in NAMCS] 2 = Nonprescription Drug    5 = Both Prescription and 3 = Undetermined            Over-the-Counter
220	1	441	[CONTSUB3] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II    5 = Schedule V    8 = Multiple Schedules 3 = Schedule III    6 = No Control 4 = Schedule IV    7 = Undetermined
221	1	442	[COMSTAT3] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
222	3	443-445	[RX3CAT1] MULTUM DRUG CATEGORY # 1 Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 25. The complete Multum classification is shown in Appendix III.  " " = Blank/Not applicable 001 - 899 = Drug category 999 = Undetermined category
223	3	446-448	[RX3CAT2] MULTUM DRUG CATEGORY # 2 See RX3CAT1.
224	3	449-451	[RX3CAT3] MULTUM DRUG CATEGORY # 3 See RX3CAT1.
225	3	452-454	[RX3CAT4] MULTUM DRUG CATEGORY # 4 See RX3CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

## DRUG CATEGORY LEVELS

See RX3CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

226	3	456-457	[RX3V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
227	3	458-460	[RX3V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
228	3	461-463	[RX3V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
229	3	464-466	[RX3V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
230	3	467-469	[RX3V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
231	3	470-472	[RX3V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
232	3	473-475	[RX3V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
233	3	476-478	[RX3V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
234	3	479-481	[RX3V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
235	3	482-484	[RX3V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
236	3	485-487	[RX3V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
237	3	488-490	[RX3V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DRUG-RELATED INFO FOR MEDICATION #4
238	6	491-496	[DRUGID4] Drug ID (See p. 157 for more information.) a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007) c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients) d00001-d07757 = Multum code n0000-n11008 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)
239	1	497	[PRESCR4] PRESCRIPTION STATUS CODE 1 = Prescription Drug    4 = Illicit [not used in NAMCS] 2 = Nonprescription Drug    5 = Both Prescription and 3 = Undetermined            Over-the-Counter
240	1	498	[CONTSUB4] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II    5 = Schedule V    8 = Multiple Schedules 3 = Schedule III    6 = No Control 4 = Schedule IV    7 = Undetermined
241	1	499	[COMSTAT4] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
242	3	500-502	[RX4CAT1] MULTUM DRUG CATEGORY # 1 Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 25. The complete Multum classification is shown in Appendix III.  “ ” = Blank/Not applicable 001 - 899 = Drug category 999 = Undetermined category
243	3	503-505	[RX4CAT2] MULTUM DRUG CATEGORY # 2 See RX4CAT1.
244	3	506-508	[RX4CAT3] MULTUM DRUG CATEGORY # 3 See RX4CAT1.
245	3	509-511	[RX4CAT4] MULTUM DRUG CATEGORY # 4 See RX4CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

#### DRUG CATEGORY LEVELS

See RX4CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

246	3	512-514	[RX4V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
247	3	515-517	[RX4V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
248	3	518-520	[RX4V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
249	3	521-523	[RX4V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
250	3	524-526	[RX4V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
251	3	527-529	[RX4V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
252	3	530-532	[RX4V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
253	3	533-535	[RX4V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
254	3	536-538	[RX4V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
255	3	539-541	[RX4V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
256	3	542-544	[RX4V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
257	3	545-547	[RX4V3C4] Level 3 of MULTUM DRUG CATEGORY # 4



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DRUG-RELATED INFO FOR MEDICATION #5
258	6	548-553	[DRUGID5] Drug ID (See p. 157 for more information.) a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007) c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients) d00001-d07757 = Multum code n0000-n11008 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)
259	1	554	[PRESCR5] PRESCRIPTION STATUS CODE 1 = Prescription Drug    4 = Illicit [not used in NAMCS] 2 = Nonprescription Drug    5 = Both Prescription and 3 = Undetermined            Over-the-Counter
260	1	555	[CONTSUB5] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II    5 = Schedule V    8 = Multiple Schedules 3 = Schedule III    6 = No Control 4 = Schedule IV    7 = Undetermined
261	1	556	[COMSTAT5] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
262	3	557-559	[RX5CAT1] MULTUM DRUG CATEGORY # 1 Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 25. The complete Multum classification is shown in Appendix III.  " " = Blank/Not applicable 001 - 899 = Drug category 999 = Undetermined category
263	3	560-562	[RX5CAT2] MULTUM DRUG CATEGORY # 2 See RX3CAT1.
264	3	563-565	[RX5CAT3] MULTUM DRUG CATEGORY # 3 See RX3CAT1.
265	3	566-568	[RX5CAT4] MULTUM DRUG CATEGORY # 4 See RX3CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

#### DRUG CATEGORY LEVELS

See RX5CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

266	3	569-571	[RX5V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
267	3	572-574	[RX5V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
268	3	575-577	[RX5V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
269	3	578-580	[RX5V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
270	3	581-583	[RX5V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
271	3	584-586	[RX5V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
272	3	587-589	[RX5V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
273	3	590-592	[RX5V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
274	3	593-595	[RX5V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
275	3	596-598	[RX5V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
276	3	599-601	[RX5V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
277	3	602-604	[RX5V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DRUG-RELATED INFO FOR MEDICATION #6
278	6	605-610	[DRUGID6] Drug ID (See p. 157 for more information.) a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007) c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients) d00001-d07757 = Multum code n0000-n11008 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)
279	1	611	[PRESCR6] PRESCRIPTION STATUS CODE 1 = Prescription Drug    4 = Illicit [not used in NAMCS] 2 = Nonprescription Drug    5 = Both Prescription and 3 = Undetermined            Over-the-Counter
280	1	612	[CONTSUB6] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II    5 = Schedule V    8 = Multiple Schedules 3 = Schedule III    6 = No Control 4 = Schedule IV    7 = Undetermined
281	1	613	[COMSTAT6] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
282	3	614-616	[RX6CAT1] MULTUM DRUG CATEGORY # 1 Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 25. The complete Multum classification is shown in Appendix III.  " " = Blank/Not applicable 001 - 899 = Drug category 999 = Undetermined category
283	3	617-619	[RX6CAT2] MULTUM DRUG CATEGORY # 2 See RX6CAT1.
284	3	620-622	[RX6CAT3] MULTUM DRUG CATEGORY # 3 See RX6CAT1.
285	3	623-625	[RX6CAT4] MULTUM DRUG CATEGORY # 4 See RX6CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
DRUG CATEGORY LEVELS			
See RX6CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.			
286	3	626-628	[RX6V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
287	3	629-631	[RX6V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
288	3	632-634	[RX6V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
289	3	635-637	[RX6V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
290	3	638-640	[RX6V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
291	3	641-643	[RX6V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
292	3	644-646	[RX6V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
293	3	647-649	[RX6V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
294	3	650-652	[RX6V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
295	3	653-655	[RX6V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
296	3	656-658	[RX6V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
297	3	659-661	[RX6V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DRUG-RELATED INFO FOR MEDICATION #7
298	6	662-667	<p>DRUGID7] Drug ID (See p. 157 for more information.)  a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007)  c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients)  d00001-d07757 = Multum code  n0000-n11008 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)</p>
299	1	668	<p>[PRESCR7] PRESCRIPTION STATUS CODE  1 = Prescription Drug    4 = Illicit [not used in NAMCS]  2 = Nonprescription Drug    5 = Both Prescription and  3 = Undetermined            Over-the-Counter</p>
300	1	669	<p>[CONTSUB7] CONTROLLED SUBSTANCE STATUS CODE  1 = Schedule I (Research Only)  2 = Schedule II    5 = Schedule V    8 = Multiple Schedules  3 = Schedule III    6 = No Control  4 = Schedule IV    7 = Undetermined</p>
301	1	670	<p>[COMSTAT7] COMPOSITION STATUS CODE  1 = Single Entity Drug  2 = Combination Drug  3 = Undetermined</p>
302	3	671-673	<p>[RX7CAT1] MULTUM DRUG CATEGORY # 1  Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 25. The complete Multum classification is shown in Appendix III.</p> <p>“ ” = Blank/Not applicable  001 - 899 = Drug category  999 = Undetermined category</p>
303	3	674-676	<p>[RX7CAT2] MULTUM DRUG CATEGORY # 2  See RX7CAT1.</p>
304	3	677-679	<p>[RX7CAT3] MULTUM DRUG CATEGORY # 3  See RX7CAT1.</p>
305	3	680-682	<p>[RX7CAT4] MULTUM DRUG CATEGORY # 4  See RX7CAT1.</p>

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
DRUG CATEGORY LEVELS			
See RX7CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.			
306	3	683-685	[RX7V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
307	3	686-688	[RX7V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
308	3	689-691	[RX7V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
309	3	692-694	[RX7V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
310	3	695-697	[RX7V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
311	3	698-700	[RX7V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
312	3	701-703	[RX7V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
313	3	704-706	[RX7V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
314	3	707-709	[RX7V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
315	3	710-712	[RX7V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
316	3	713-715	[RX7V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
317	3	716-718	[RX7V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DRUG-RELATED INFO FOR MEDICATION #8
318	6	719-724	[DRUGID8] Drug ID (See p. 157 for more information.) a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007) c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients) d00001-d07757 = Multum code n0000-n11008 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)
319	1	725	[PRESCR8] PRESCRIPTION STATUS CODE 1 = Prescription Drug    4 = Illicit [not used in NAMCS] 2 = Nonprescription Drug    5 = Both Prescription and 3 = Undetermined            Over-the-Counter
320	1	726	[CONTSUB8] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II    5 = Schedule V    8 = Multiple Schedules 3 = Schedule III    6 = No Control 4 = Schedule IV    7 = Undetermined
321	1	727	[COMSTAT8] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
322	3	728-730	[RX8CAT1] MULTUM DRUG CATEGORY # 1 Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 25. The complete Multum classification is shown in Appendix III.  " " = Blank/Not applicable 001 - 899 = Drug category 999 = Undetermined category
323	3	731-733	[RX8CAT2] MULTUM DRUG CATEGORY # 2 See RX8CAT1.
324	3	734-736	[RX8CAT3] MULTUM DRUG CATEGORY # 3 See RX8CAT1.
325	3	737-739	[RX8CAT4] MULTUM DRUG CATEGORY # 4 See RX8CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
DRUG CATEGORY LEVELS			
See RX8CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.			
326	3	740-742	[RX8V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
327	3	743-745	[RX8V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
328	3	746-748	[RX8V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
329	3	749-751	[RX8V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
330	3	752-754	[RX8V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
331	3	755-757	[RX8V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
332	3	758-760	[RX8V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
333	3	761-763	[RX8V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
334	3	764-766	[RX8V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
335	3	767-769	[RX8V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
336	3	770-772	[RX8V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
337	3	773-775	[RX8V3C4] Level 3 of MULTUM DRUG CATEGORY # 4



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

The following items were collected using the Physician Induction Interview form at the start of the survey process. All of them pertain to aspects of the physician's practice.

338	1	776	[RETYPOFF] TYPE OF OFFICE SETTING FOR THIS VISIT 1 = Private solo or group practice 2 = Free standing clinic/urgicenter (not part of hospital emergency department or outpatient department) 3 = Community health center 4 = Mental health center 5 = Non-Federal government clinic 6 = Family planning clinic 7 = Health maintenance organization (HMO) or other prepaid practice 8 = Faculty Practice Plan 9 = Other
339	2	777-778	[SOLO] IS THIS A SOLO PRACTICE? -9 = Blank 1 = Yes 2 = No
340	2	779-780	[EMPSTAT] EMPLOYMENT STATUS OF PHYSICIAN -9 = Blank 1 = Owner 2 = Employee 3 = Contractor
341	2	781-782	[OWNS] WHO OWNS THE PRACTICE? -9 = Blank 1 = Physician or physician group 2 = Health Maintenance Organization (HMO) 3 = Community health center 4 = Medical/Academic health center 5 = Other hospital 6 = Other health care corporation 7 = Other
342	2	783-784	[PATEVEN] DOES PHYSICIAN SEE PATIENTS IN THE OFFICE DURING THE EVENING OR ON WEEKENDS? -9 = Blank -8 = Don't know 1 = Yes 2 = No

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
343-347			DURING LAST NORMAL WEEK OF PRACTICE, DID PHYSICIAN MAKE ENCOUNTERS OF THE FOLLOWING TYPES WITH PATIENTS:
343	2	785-786	[NHVISR] NURSING HOME VISITS -9 = Blank 0 = No 1 = Yes
344	2	787-788	[HOMVISR] OTHER HOME VISITS -9 = Blank 0 = No 1 = Yes
345	2	789-790	[HOSVISR] HOSPITAL VISITS -9 = Blank 0 = No 1 = Yes
346	2	791-792	[TELCONR] TELEPHONE CONSULTS -9 = Blank 0 = No 1 = Yes
347	2	793-794	[ECONR] INTERNET/EMAIL CONSULTS -9 = Blank 0 = No 1 = Yes
348	2	795-796	[EBILLREC] DOES YOUR PRACTICE SUBMIT CLAIMS ELECTRONICALLY (ELECTRONIC BILLING)? -9 = Blank -8 = Don't know 1 = Yes, all electronic 2 = Yes, part paper and part electronic 3 = No
349	2	797-798	[EMEDREC] DOES YOUR PRACTICE USE AN ELECTRONIC MEDICAL RECORD OR HEALTH RECORD [EMR/HER] SYSTEM? (NOT INCLUDING BILLING RECORDS SYSTEMS) -9 = Blank -8 = Don't know 1 = Yes, all electronic 2 = Yes, part paper and part electronic 3 = No

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

NOTE: The items EDEMOG through EIMMREG were recoded from the format used in the 2010 Physician Induction Interview in order to be consistent with the 2009 Induction Interview format. In 2010, the order of the checkboxes on the interview form was 1=Yes, 2=Yes but turned off or not used, and 3=No. Responses were recoded as shown below (to match the format used on the 2009 Induction Interview form), to make analysis across years easier.

350	2	799-800	<p>[EDEMOG] DOES YOUR PRACTICE HAVE A COMPUTERIZED SYSTEM FOR PATIENT HISTORY &amp; DEMOGRAPHIC INFORMATION?</p> <p>-9= Blank -8= Unknown 1= Yes 2= No 4= Turned off</p> <p>(Note: In the 2009 format of the Physician Induction Interview (which is being used to recode 2010 data as discussed above), category 3 was used for responses of "Unknown." Since the "Unknown" response was standardized to a value of -8 to during data processing, category 3 is not used here.)</p>
351	2	801-802	<p>[EPROLST] IF PRACTICE HAS A COMPUTERIZED SYSTEM FOR PATIENT HISTORY &amp; DEMOGRAPHIC INFORMATION, DOES IT INCLUDE A PATIENT PROBLEM LIST?</p> <p>-9= Blank -8= Unknown -7= Not applicable 1= Yes 2= No 4= Turned off</p>
352	2	803-804	<p>[EPNOTES] DOES YOUR PRACTICE HAVE A COMPUTERIZED SYSTEM FOR CLINICAL NOTES?</p> <p>-9= Blank -8= Unknown 1= Yes 2= No 4= Turned off</p>
353	2	805-806	<p>[EMEDS] IF PRACTICE HAS A COMPUTERIZED SYSTEM FOR CLINICAL NOTES, DO THEY INCLUDE A LIST OF MEDICATIONS THAT THE PATIENT IS TAKING?</p> <p>-9= Blank -8= Unknown -7= Not applicable 1= Yes 2= No 4= Turned off</p>

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
354	2	807-808	<p>[EALLERG] IF PRACTICE HAS A COMPUTERIZED SYSTEM FOR CLINICAL NOTES, DO THEY INCLUDE A COMPREHENSIVE LIST OF THE PATIENT'S ALLERGIES (INCLUDING ALLERGIES TO MEDICATION)?</p> <p>-9= Blank  -8= Unknown  -7= Not applicable  1= Yes  2= No  4= Turned off</p>
355	2	809-810	<p>[ECPOE] DOES YOUR PRACTICE HAVE A COMPUTERIZED SYSTEM FOR ORDERS FOR PRESCRIPTIONS?</p> <p>-9= Blank  -8= Unknown  1= Yes  2= No  4= Turned off</p>
356	2	811-812	<p>[EWARN] IF PRACTICE HAS A COMPUTERIZED SYSTEM FOR ORDERS FOR PRESCRIPTIONS, ARE THERE WARNINGS OF DRUG INTERACTIONS OR CONTRAINDICATIONS PROVIDED?</p> <p>-9= Blank  -8= Unknown  -7= Not applicable  1= Yes  2= No  4= Turned off</p>
357	2	813-814	<p>[ESCRIP] IF PRACTICE HAS A COMPUTERIZED SYSTEM FOR ORDERS FOR PRESCRIPTIONS, ARE PRESCRIPTIONS SENT ELECTRONICALLY TO THE PHARMACY?</p> <p>-9= Blank  -8= Unknown  -7= Not applicable  1= Yes  2= No  4= Turned off</p>
358	2	815-816	<p>[ECTOE] DOES YOUR PRACTICE HAVE A COMPUTERIZED SYSTEM FOR ORDERS FOR LAB TESTS?</p> <p>-9= Blank  -8= Unknown  1= Yes  2= No  4= Turned off</p>

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
359	2	817-818	[EORDER] IF YOUR PRACTICE HAS A COMPUTERIZED SYSTEM FOR ORDERS FOR TESTS, ARE ORDERS SENT ELECTRONICALLY? -9= Blank -8= Unknown -7= Not applicable 1= Yes 2= No 4= Turned off
360	2	819-820	[ERESULT] DOES YOUR PRACTICE HAVE A COMPUTERIZED SYSTEM FOR VIEWING LAB RESULTS? -9= Blank -8= Unknown 1= Yes 2= No 4= Turned off
361	2	821-822	[ERESEHR] IF YOUR PRACTICE HAS A COMPUTERIZED SYSTEM FOR VIEWING LAB RESULTS, ARE RESULTS INCORPORATED IN EMR/EHR? -9= Blank -8= Unknown -7= Not applicable 1= Yes 2= No 4= Turned off
362	2	823-824	[ERANGE] IF YOUR PRACTICE HAS A COMPUTERIZED SYSTEM FOR VIEWING LAB RESULTS, ARE OUT OF RANGE LEVELS HIGHLIGHTED? -9= Blank -8= Unknown -7= Not applicable 1= Yes 2= No 4= Turned off
363	2	825-826	[EIMGRES] DOES YOUR PRACTICE HAVE A COMPUTERIZED SYSTEM FOR VIEWING IMAGING RESULTS? -9= Blank -8= Unknown 1= Yes 2= No 4= Turned off

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
364	2	827-828	[EREMIND] DOES YOUR PRACTICE HAVE A COMPUTERIZED SYSTEM FOR REMINDERS FOR GUIDELINE-BASED INTERVENTIONS AND/OR SCREENING TESTS? -9= Blank -8= Unknown 1= Yes 2= No 4= Turned off
365	2	829-830	[EIMMREG] DOES YOUR PRACTICE HAVE A COMPUTERIZED SYSTEM FOR ELECTRONIC REPORTING TO IMMUNIZATION REGISTRIES? -9= Blank -8= Unknown 1= Yes 2= No 4= Turned off
366-370			AT YOUR PRACTICE, IF ORDERS FOR PRESCRIPTIONS OR LAB TESTS ARE SUBMITTED ELECTRONICALLY, WHO SUBMITS THEM? (Unedited, see section k on page 3 for more information.)  0 = No 1 = Yes
366	1	831	[EHRWHO1] Prescribing practitioner
367	1	832	[EHRWHO2] Other clinician (including RN)
368	1	833	[EHRWHO3] Lab technician
369	1	834	[EHRWHO4] Administrative personnel
370	1	835	[EHRWHO5] Other
371	1	836	[EHRWHO6] Prescriptions and lab tests not submitted electronically
372	1	837	[EHRWHO7] Unknown
373-379			AT YOUR PRACTICE, IF ORDERS FOR PRESCRIPTIONS OR LAB TESTS ARE SUBMITTED ELECTRONICALLY, WHO SUBMITS THEM? (Edited in conjunction with ECTOE and ECPOE. See section k on page 3 for more information.)  0 = No 1 = Yes -7 = Not applicable (prescriptions and lab tests not submitted electronically)
373	1	838-839	[EHRWHO1R] Prescribing practitioner
374	1	840-841	[EHRWHO2R] Other clinician (including RN)
375	1	842-843	[EHRWHO3R] Lab technician

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
376	1	844-845	[EHRWHO4R] Administrative personnel
377	1	846-847	[EHRWHO5R] Other
378	1	848-849	[EHRWHO6R] Prescriptions and lab tests not submitted electronically
379	1	850-851	[EHRWHO7R] Unknown
380	2	852-853	[PAYHIT] DOES YOUR PRACTICE HAVE PLANS TO APPLY FOR MEDICARE OR MEDICAID INCENTIVE PAYMENTS FOR MEANINGFUL USE OF HEALTH IT? -9 = Blank 1 = Yes, intend to apply 2 = Uncertain whether will apply 3 = No, will not apply
381	2	854-855	[PAYYR] WHAT YEAR DOES YOUR PRACTICE EXPECT TO APPLY FOR THE MEANINGFUL USE PAYMENTS? -9 = Blank -8 = Unknown 1 = 2011 2 = 2012 3 = After 2012
382	2	856-857	[PAYINC] WHAT INCENTIVE PAYMENT DOES YOUR PRACTICE PLAN TO APPLY FOR? -9 = Blank -8 = Unknown 1 = Medicare 2 = Medicaid
383	2	858-859	[EMRINS] AT YOUR PRACTICE, ARE THERE PLANS FOR INSTALLING A NEW EMR/EHR SYSTEM WITHIN THE NEXT 18 MONTHS? -9= Blank -8= Unknown 1 = Yes 2 = No 3 = Maybe
384	2	860-861	[PRMCARER] Roughly, what percent of your patient care revenue comes from Medicare? -9 = Blank 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
385	2	862-863	[PRMAIDR] Roughly, what percent of your patient care revenue comes from Medicaid? -9 = Blank 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent
386	2	864-865	[PRPRVTR] Roughly, what percent of your patient care revenue comes from private insurance? -9 = Blank 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent
387	2	866-867	[PRPATR] Roughly, what percent of your patient care revenue comes from patient payments? -9 = Blank 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent
388	2	868-869	[PROTHR] Roughly, what percent of your patient care revenue comes from other sources? (including charity, research, Champus, VA, etc.) -9 = Blank 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent
389	2	870-871	[MANCAREC] Roughly, how many managed care contracts does this practice have, such as HMOs, PPOs, IPAs, and point-of-service plans? -9 = Blank 1 = None 2 = Less than 3 3 = 3-10 4 = More than 10
390	2	872-873	[PRMANR] Roughly, what percentage of the patient care revenue received by this practice comes from (these) managed care contracts? -9 = Blank 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
391	2	874-875	[REVFFSR] Roughly, what percent of your patient care revenue comes from usual, customary, and reasonable fee-for-service? -9 = Blank 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent
392	2	876-877	[REVDISCR] Roughly, what percent of your patient care revenue comes from discounted fee-for-service? -9 = Blank 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent
393	2	878-879	[REVCAPR] Roughly, what percent of your patient care revenue comes from capitation? -9 = Blank 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent
394	2	880-881	[REVCASER] Roughly, what percent of your patient care revenue comes from case rates? -9 = Blank 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent
395	2	882-883	[REVOTHR] Roughly, what percent of your patient care revenue comes from other sources? -9 = Blank 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent
396	2	884-885	[ACETPNEW] Are you currently accepting "new" patients into your practice? -9 = Blank -8 = Don't know 1 = Yes 2 = No

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
397	2	886-887	[CAPITATE] From those "new" patients, which of the following types of payment do you accept? - Capitated private insurance -9 = Blank -8 = Don't know -7 = Not applicable 1 = Yes 2 = No
398	2	888-889	[NOCAP] From those "new" patients, which of the following types of payment do you accept? – Non-capitated private insurance -9 = Blank -8 = Don't know -7 = Not applicable 1 = Yes 2 = No
399	2	890-891	[NMEDCARE] From those "new" patients, which of the following types of payment do you accept? – Medicare -9 = Blank -8 = Don't know -7 = Not applicable 1 = Yes 2 = No
400	2	892-893	[NMEDCAID] From those "new" patients, which of the following types of payment do you accept? – Medicaid -9 = Blank -8 = Don't know -7 = Not applicable 1 = Yes 2 = No
401	2	894-895	[NWORKCMP] From those "new" patients, which of the following types of payment do you accept? – Workers compensation -9 = Blank -8 = Don't know -7 = Not applicable 1 = Yes 2 = No
402	2	896-897	[NSELFPAY] From those "new" patients, which of the following types of payment do you accept? – Self-pay -9 = Blank -8 = Don't know -7 = Not applicable 1 = Yes 2 = No

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
403	2	898-899	[NNOCHRG] From those "new" patients, which of the following types of payment do you accept? – No charge -9 = Blank -8 = Don't know -7 = Not applicable 1 = Yes 2 = No
404	3	900-902	[SDAPPT] Roughly, what percent of your daily visits are same day appointments? -9 = Blank 0-100
405	2	903-904	[SASDAPPT] Does your practice set aside time for same day appointments? -9 = Blank -8 = Don't know 1 = Yes 2 = No
406	2	905-906	[APPTTIME] On average, about how long does it take to get an appointment for a routine medical exam? -9=Blank -8=Don't Know 1=Within 1 week 2=1-2 weeks 3=3-4 weeks 4=1-2 months 5=3 or more months 6=Do not provide routine exams
407	2	907-908	[CCS] Do you offer any type of cervical cancer screening?  -9 = Blank -8 = Don't know 1 = Yes 2 = No
408	1	909	[ETHIM] ETHNICITY (missing data were imputed) 1 = Hispanic 2 = Not Hispanic

NOTE: The CCS data are not available as of June 2012. They will be added to the public use file as soon as they become available. Currently, this item is set to -9.



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

\*\*\* THE FOLLOWING ITEM WAS ADDED TO ENABLE USERS TO CREATE SUBSETS OF VISITS BY PATIENTS UNDER ONE YEAR OF AGE \*\*\*

413	3	915-917	[AGEDAYS] AGE IN DAYS 001-365 = 001-365 days 999 = More than 365 days
-----	---	---------	---

\*\*\* THE FOLLOWING ITEM WAS ADDED TO FACILITATE ANALYSIS OF AGE DATA, USING THE CATEGORIES FOUND IN NAMCS REPORTS.

414	1	918	[AGER] AGE RECODE 1 = Under 15 years 2 = 15-24 years 3 = 25-44 years 4 = 45-64 years 5 = 65-74 years 6 = 75 years and over
-----	---	-----	--

#### NUMERIC RECODES FOR DIAGNOSIS AND PROCEDURES

The following items were included on the public use file to facilitate analysis of visits using ICD-9-CM codes. Prior to the 1995 public use file, all ICD-9-CM diagnosis codes on the NAMCS micro-data file were converted from alphanumeric to numeric fields according to the following coding conventions: A prefix of '1' was added to ICD-9-CM codes in the range of 001.0[-] through 999.9[-]. A prefix of '20' was substituted for the letter 'V' for codes in the range of V01.0[-] through V82.9[-]. Inapplicable fourth or fifth digits were zero-filled. This conversion was done to facilitate analysis of ICD-9-CM data using Ambulatory Care Statistics software systems. Similar conversions were made for ICD-9-CM procedure codes and external cause of injury codes. Specific coding conventions are discussed in the public use documentation for each data year.

In 1995, however, the decision was made to use actual ICD-9-CM codes on the public use data file. Codes were not prefixed, and a dash was inserted for inapplicable fourth or fifth digits. For specific details pertaining to each type of code (diagnosis, procedure, cause of injury), refer to the documentation for the survey year of interest. This had the advantage of preserving actual codes and avoiding possible confusion over the creation of some artificial codes due to zero-filling.

It had come to our attention that some users of NAMCS data find it preferable to use the numeric field recodes rather than the alphanumeric fields in certain data applications. Therefore, since data year 1997, we have included numeric recodes for any ICD-9-CM codes on our datasets. These are in addition to the actual codes for these variables which appear earlier on the public use file. Users can make their own choice about which format best suits their needs.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
415	6	919-924	[DIAG1R] DIAGNOSIS # 1 (Recode to Numeric Field) -9 = Blank 100100-208290 = 001.0[0]-V82.9[0] 209900 = Noncodable, insufficient information for coding, illegible 209910 = Left before being seen; patient walked out; not seen by doctor; left against medical advice 209920 = Transferred to another facility; sent to see specialist 209930 = HMO will not authorize treatment 209970 = Entry of "none," "no diagnosis," "no disease," or "healthy"
416	6	925-930	[DIAG2R] DIAGNOSIS # 2 (Recode to Numeric Field) -9 = Blank 00100-208290 = 001.0[0]-V82.9[0] 09900 = Noncodable, insufficient information for coding, illegible 09910 = Left before being seen; patient walked out; not seen by doctor; left against medical advice 09920 = Transferred to another facility; sent to see specialist 09930 = HMO will not authorize treatment 09970 = Entry of "none," "no diagnosis," "no disease," or "healthy"
417	6	931-936	[DIAG3R] DIAGNOSIS # 3 (Recode to Numeric Field) -9 = Blank 100100-208290 = 001.0[0]-V82.9[0] 209900 = Noncodable, insufficient information for coding, illegible 209910 = Left before being seen; patient walked out; not seen by doctor; left against medical advice 209920 = Transferred to another facility; sent to see specialist 209930 = HMO will not authorize treatment 209970 = Entry of "none," "no diagnosis," "no disease," or "healthy"
418	4	937-940	[PROC1R] WRITE-IN PROCEDURE #1 (Recode to Numeric Field) -9 = Blank 0101-9999 = 01.01 - 99.99
419	4	941-944	[PROC2R] WRITE-IN PROCEDURE #2 (Recode to Numeric Field) -9 = Blank 0101-9999 = 01.01 - 99.99

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
420	4	945-948	[PROC3R] WRITE-IN PROCEDURE #3 (Recode to Numeric Field) -9 = Blank 0101-9999 = 01.01 - 99.99
421	4	949-952	[PROC4R] WRITE-IN PROCEDURE #4 (Recode to Numeric Field) -9 = Blank 0101-9999 = 01.01 - 99.99
422	4	953-956	[PROC5R] WRITE-IN PROCEDURE #5 (Recode to Numeric Field) -9 = Blank 0101-9999 = 01.01 - 99.99
423	4	957-960	[PROC6R] WRITE-IN PROCEDURE #6 (Recode to Numeric Field) -9 = Blank 0101-9999 = 01.01 - 99.99
424	4	961-964	[PROC7R] WRITE-IN PROCEDURE #7 (Recode to Numeric Field) -9 = Blank 0101-9999 = 01.01 - 99.99
425	4	965-968	[PROC8R] WRITE-IN PROCEDURE #8 (Recode to Numeric Field) -9 = Blank 0101-9999 = 01.01 - 99.99
426	4	969-972	[PROC9R] WRITE-IN PROCEDURE #9 (Recode to Numeric Field) -9 = Blank 0101-9999 = 01.01 - 99.99
		*****	END OF NUMERIC RECODES *****
427	2	973-974	[WHOCOMP] WHO COMPLETED THE PATIENT RECORD FORMS? -9 = Blank 1 = Physician 2 = Office Staff 3 = Census Field Representative (abstraction from record) 4 = Other 5 = Multiple categories checked

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
428	1	975	[SETTYPE] SETTING TYPE This item is intended for use when combining data from the NAMCS and NHAMCS. 1 = Physician office (NAMCS) 2 = Hospital outpatient department (NHAMCS) 3 = Hospital emergency departments (NHAMCS)
429	4	976-979	[YEAR] SURVEY YEAR 2010

#### NAMCS DESIGN VARIABLES

NAMCS sampling design variables (in masked format) were first added to the 2000 public use file, and data years from 1993-1999 were re-released to include them. These variables were for use with statistical software such as SUDAAN that takes into account the complex sampling design of the survey. However, for those running versions of SAS, Stata, SPSS and other software that assumes a single stage of sampling, the multi-stage design variables provided on the public use files could not be used without modification. Therefore, in 2002, two new variables, CSTRATM and CPSUM, were developed, that could be used in such programs instead of the multi-stage variables. In 2003, the decision was made to include on the public use file just these two variables and not the multi-stage design variables that appeared in the past.

Until such time as the older public use files may be re-released to include these variables, data users wishing to combine data from 2003 and later years with data from earlier years will find it necessary to create CSTRATM and CPSUM for the earlier files. A technical paper, *Using Ultimate Cluster Models with NAMCS and NHAMCS Public Use Files*, is available for downloading at the Ambulatory Health Care Data website: [http://www.cdc.gov/nchs/ahcd/ahcd\\_questionnaires.htm](http://www.cdc.gov/nchs/ahcd/ahcd_questionnaires.htm). This paper gives instructions on how to configure data files prior to 2002 for variance estimation based on 1-stage sampling models, such as those used in SAS proc surveymeans, Stata, SPSS, and the SUDAAN with-replacement option, and how to handle instances of single-case strata in the data on the older files. Please also see the section on Relative Standard Errors in the current document for more information on these variables and how to use them. PSU is primary sampling unit.

430	8	980-987	[CSTRATM] CLUSTERED PSU STRATUM MARKER (masked) 20109101-40400000
431	6	988-993	[CPSUM] CLUSTERED PSU MARKER (masked) 5-106980
432	6	994-999	[PHYSWT] PHYSICIAN WEIGHT Physician weight enables data users to make physician-level estimates. See also "Description of the NAMCS," Marginal Data, and Appendix I.



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
433	2	1000-1001	[PCTPOVR] PERCENT POVERTY IN PATIENT'S ZIP CODE -9 = Missing data 1 = Less than 5.00 percent 2 = 5.00-9.99 percent 3 = 10.00-19.99 percent 4 = 20.00 percent or more
434	2	1002-1003	[HINCOMER] MEDIAN HOUSEHOLD INCOME IN PATIENT'S ZIP CODE -9 = Missing data 1 = Quartile 1 (\$32,793 or less) 2 = Quartile 2 (\$32,794-\$40,626) 3 = Quartile 3 (\$40,627-\$52,387) 4 = Quartile 4 (\$52,388 or more)
435	2	1004-1005	[PBAMORER] PERCENT OF ADULTS WITH BACHELOR'S DEGREE OR HIGHER IN PATIENT'S ZIP CODE -9 = Missing data 1 = Quartile 1 (Less than 12.84 percent) 2 = Quartile 2 (12.84-19.66 percent) 3 = Quartile 3 (19.67-31.68 percent) 4 = Quartile 4 (31.69 percent or more)
436	2	1006-1007	[URBANRUR] URBAN-RURAL CLASSIFICATION OF PATIENT'S ZIP CODE -9 = Missing data 1 = Large central metro 2 = Large fringe metro 3 = Medium metro 4 = Small metro 5 = Non-metro (micropolitan and non-core)

#### LABORATORY TEST RESULTS

In 2010, questions about 6 lab tests were added to the back of the NAMCS Patient Record form. All physicians working in Community Health Centers and selected physicians working in other settings were asked to complete these questions. Physicians not asked to complete the questions included those in the specialties of general surgery, orthopedic surgery, dermatology, urology, neurology, psychiatry, ophthalmology, and otolaryngology.

**NOTE:** LABORATORY TEST RESULTS WERE NOT AVAILABLE AT THE TIME OF THE INITIAL RELEASE OF THIS FILE (JUNE 2012). THEY WILL BE ADDED TO A SECOND RELEASE OF THE FILE EXPECTED IN JULY 2012.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
437	2	1008-1009	[CHOL] WAS TOTAL CHOLESTEROL DRAWN WITHIN 12 MONTHS OF THIS VISIT? -9 = Blank -7 = Not applicable, provider not sampled 1 = Yes 2 = None found within 12 months
438	3	1010-1012	[CHOLRES] MOST RECENT RESULT FOR TOTAL CHOLESTEROL -9 = Blank -7 = Not applicable, provider not sampled
439	3	1013-1015	[DAYDCHOL] DIFFERENCE IN DAYS BETWEEN VISIT DATE AND DATE OF CHOLESTEROL LAB RESULT -900 = Blank -800 = Unknown -700 = Not applicable, provider not sampled -365 to 365 = Up to 365 days before to 365 days after the sampled visit
440	2	1017-1018	[HDL] WAS HIGH DENSITY LIPOPROTEIN (HDL) DRAWN WITHIN 12 MONTHS OF THIS VISIT? -9 = Blank -7 = Not applicable, provider not sampled 1 = Yes 2 = None found within 12 months
441	3	1019-1021	[HDLRES] MOST RECENT RESULT FOR HDL -9 = Blank -7 = Not applicable, provider not sampled
442	4	1022-1025	[DAYDHDL] DIFFERENCE IN DAYS BETWEEN VISIT DATE AND DATE OF HDL LAB RESULT -900 = Blank -800 = Unknown -700 = Not applicable, provider not sampled -365 to 365 = Up to 365 days before to 365 days after the sampled visit
443	2	1026-1027	[LDL] WAS LOW DENSITY LIPOPROTEIN (LDL) DRAWN WITHIN 12 MONTHS OF THIS VISIT? -9 = Blank -7 = Not applicable, provider not sampled 1 = Yes 2 = None found within 12 months

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
444	3	1028-1030	[LDLRES] MOST RECENT RESULT FOR LDL -9 = Blank -7 = Not applicable, provider not sampled
445	4	1031-1034	[DAYDLDL] DIFFERENCE IN DAYS BETWEEN VISIT DATE AND DATE OF LDL LAB RESULT -900 = Blank -800 = Unknown -700 = Not applicable, provider not sampled -365 to 365 = Up to 365 days before to 365 days after the sampled visit
446	2	1035-1036	[TGS] WAS TRIGLYCERIDES DRAWN WITHIN 12 MONTHS OF THIS VISIT? -9 = Blank -7 = Not applicable, provider not sampled 1 = Yes 2 = None found within 12 months
447	3	1037-1039	[TGSRES] MOST RECENT RESULT FOR TRIGLYCERIDES -9 = Blank -7 = Not applicable, provider not sampled
448	4	1040-1043	[DAYDTGS] DIFFERENCE IN DAYS BETWEEN VISIT DATE AND DATE OF TRIGLYCERIDES LAB RESULT -900 = Blank -800 = Unknown -700 = Not applicable, provider not sampled -365 to 365 = Up to 365 days before to 365 days after the sampled visit
449	2	1044-1045	[A1C] WAS GLYCOHEMOGOLBIN A1c (HgbA1c) DRAWN WITHIN 12 MONTHS OF THIS VISIT? -9 = Blank -7 = Not applicable, provider not sampled 1 = Yes 2 = None found within 12 months
450	3	1046-1048	[A1CRES] MOST RECENT RESULT FOR GLYCOHEMOGLOBIN A1c (HgbA1c) -9 = Blank -7 = Not applicable, provider not sampled

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
451	4	1049-1052	[DAYDA1C] DIFFERENCE IN DAYS BETWEEN VISIT DATE AND DATE OF GLYCOHEMOGLOBIN A1c (HgbA1c) LAB RESULT -900 = Blank -800 = Unknown -700 = Not applicable, provider not sampled -365 to 365 = Up to 365 days before to 365 days after the sampled visit
452	2	1053-1054	[FBG] WAS FASTING BLOOD GLUCOSE (FBG) DRAWN WITHIN 12 MONTHS OF THIS VISIT? -9 = Blank -7 = Not applicable, provider not sampled 1 = Yes 2 = None found within 12 months
453	3	1055-1057	[FBGRES] MOST RECENT RESULT FOR FASTING BLOOD GLUCOSE (FBG) -9 = Blank -7 = Not applicable, provider not sampled
454	4	1058-1061	[DAYDFBG] DIFFERENCE IN DAYS BETWEEN VISIT DATE AND DATE OF FASTING BLOOD GLUCOSE (FBG) LAB RESULT -900 = Blank -800 = Unknown -700 = Not applicable, provider not sampled -365 to 365 = Up to 365 days before to 365 days after the sampled visit
455	1	1062	[INJR1] Is this visit related to an injury or poisoning? Recoded version #1 (recoded from PRF Q2, PRF Q3 and PRF Q5).

**Please see important discussion of Injury Data on page 4.**

This variable uses a definition of injury developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on **first-listed reason for visit and first-listed diagnosis** only. Note that adverse effects of medicinal drugs and adverse effects or complications of medical and surgical care are not included in this definition. However, that information, based on **first-listed reason for visit and first-listed diagnosis**, can be found in category 4 of the INJDETR1 item.

0 = No  
1 = Yes

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
456	1	1063	<p>[INJR2] Is this visit related to an injury or poisoning? Recoded version #2 (recoded from PRF Q2, PRF Q3 and PRF Q5).</p> <p><b>Please see important discussion of Injury Data on page 4.</b></p> <p>This variable uses a definition of injury developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on <b>any-listed reason for visit and any-listed diagnosis</b>. Note that adverse effects of medicinal drugs and adverse effects or complications of medical and surgical care are not included in this definition. However, that information, based on <b>any-listed reason for visit and any-listed diagnosis</b>, can be found in category 4 of the INJDETR2 item.</p> <p>0 = No 1 = Yes</p>
457	1	1064	<p>[INJDETR1] (INJURY/POISONING/ADVERSE EFFECT – Recoded version #1).</p> <p>Is this visit related to any of the following: (from PRF Q2 and edited in conjunction with PRF Q3 and PRF Q5)</p> <p><b>Please see important discussion of Injury Data on page 4.</b></p> <p>This variable uses a definition of injury developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on <b>first-listed reason for visit and first-listed diagnosis</b> only. In addition, <b>first-listed reason for visit and first-listed diagnosis</b> codes were used to edit checkbox 4.</p> <p>1 = Unintentional injury/poisoning 2 = Intentional injury/poisoning 3 = Injury/poisoning – unknown intent 4 = Adverse effect of medical/surgical care or adverse effect of medicinal drug 5 = None of the above 8 = More than one box is marked</p>

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

458	1	1065	[INJDETR2] (INJURY/POISONING/ADVERSE EFFECT – Recoded version #2). Is this visit related to any of the following: (from PRF Q2 and edited in conjunction with PRF Q3 and PRF Q5)
-----	---	------	--

**Please see important discussion of Injury Data on page 4.**

This variable uses a definition of injury developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on **any-listed reason for visit and any-listed diagnosis**. In addition, **any-listed reason for visit and any-listed diagnosis** codes were used to edit checkbox 4.

- 1 = Unintentional injury/poisoning
- 2 = Intentional injury/poisoning
- 3 = Injury/poisoning – unknown intent
- 4 = Adverse effect of medical/surgical care or adverse effect of medicinal drug
- 5 = None of the above
- 8 = More than one box is marked

**B. PHYSICIAN SPECIALTY LIST**

The 2010 NAMCS survey design grouped physicians into 16 strata, or specialty groups, for sampling purposes. One stratum, doctors of osteopathy, was based on information from the American Osteopathic Association. The other groups were developed based on information from the American Medical Association (AMA). Below is a list of the AMA physician specialties that were eligible for selection within each of the sample strata.

**GENERAL AND FAMILY PRACTICE**

AMF – Adolescent Medicine (Family Practice)  
 EFM – Emergency Medicine/Family Medicine  
 FMP -- Family Medicine/Preventive Medicine (FMP)  
 FP - Family Practice  
 FPG - Family Practice, Geriatric Medicine  
 FPP - Family Practice, Psychiatry  
 FSM - Sports Medicine (Family Practice)  
 GP - General Practice  
 HPF – Hospice & Palliative Medicine (Family Medicine)

**INTERNAL MEDICINE**

IM - Internal Medicine

**PEDIATRICS**

ADL - Adolescent Medicine (Pediatrics)  
 CAP - Child Abuse Pediatrics  
 CCP - Critical Care Pediatrics  
 DBP - Developmental - Behavioral Pediatrics  
 EMP – Pediatrics/Emergency Medicine  
 MPD - Internal Medicine/Pediatrics  
 NDN – Neurodevelopmental Disabilities  
 NDP - Neurodevelopmental Disabilities (Pediatrics)  
 NPM - Neonatal-Perinatal Medicine  
 PD - Pediatrics  
 PDA - Pediatric Allergy  
 PDC - Pediatric Cardiology  
 PDE - Pediatric Endocrinology  
 PDI - Pediatric Infectious Diseases  
 PDP - Pediatric Pulmonology  
 PDT - Medical Toxicology  
 PEM - Pediatric Emergency Medicine  
 PG - Pediatric Gastroenterology  
 PMG – Pediatrics/Medical Genetics  
 PN - Pediatric Nephrology  
 PPR - Pediatric Rheumatology  
 PSM - Sports Medicine (Pediatrics)

**GENERAL SURGERY**

GS - General Surgery

**OBSTETRICS AND GYNECOLOGY**

GYN – Gynecology  
 HPO -- Hospice & Palliative Med (Obstetrics & Gynecology)  
 MFM - Maternal & Fetal Medicine  
 OBG - Obstetrics & Gynecology  
 OBS - Obstetrics  
 OCC - Critical Care Medicine (Obstetrics & Gynecology)  
 REN - Reproductive Endocrinology

**ORTHOPEDIC SURGERY**

HSO - Hand Surgery  
 OAR - Adult Reconstructive Orthopedics  
 OFA - Foot and Ankle Orthopedics  
 OP - Pediatric Orthopedics  
 ORS - Orthopedic Surgery  
 OSM - Sports Medicine (Orthopedic Surgery)  
 OSS - Orthopedic Surgery of the Spine  
 OTR - Orthopedic Trauma

**CARDIOVASCULAR DISEASES**

CD - Cardiovascular Diseases

**DERMATOLOGY**

D - Dermatology

**UROLOGY**

U - Urology  
 UP - Pediatric Urology

**PSYCHIATRY**

ADP - Addiction Psychiatry  
 CHP - Child Psychiatry  
 CPP – Child and Adolescent Psychiatry  
 NUP - Neuropsychiatry  
 P - Psychiatry  
 PFP - Forensic Psychiatry  
 PYA - Psychoanalysis  
 PYG - Geriatric Psychiatry  
 PYM – Psychosomatic Medicine

**NEUROLOGY**

CHN - Child Neurology  
 CN -Clinical Neurophysiology  
 N - Neurology  
 NRN - Neurology (Diagnostic Radiology)  
 VN – Vascular Neurology

**OPHTHALMOLOGY**

OPH – Ophthalmology  
 OPR -- Ophthalmic Plastic and Reconstructive  
 Surgery  
 PO - Pediatric Ophthalmology

**OTOLARYNGOLOGY**

NO - Otology - Neurotology  
 OTO - Otolaryngology  
 PDO - Pediatric Otolaryngology  
 PSO – Plastic Surgery within the Head & Neck  
 (ENT)  
 SMO – Sleep Medicine (Otolaryngology)

**ALL OTHER**

A - Allergy  
 ADM - Addiction Medicine  
 AI - Allergy and Immunology  
 ALI - Allergy & Immunology/  
 Diagnostic Lab. Immunology  
 AM - Aerospace Medicine  
 AMI - Adolescent Medicine (Internal Medicine)  
 AS - Abdominal Surgery  
 CBG - Clinical Biochemical Genetics  
 CCG - Clinical Cytogenetics  
 CCM - Critical Care Medicine  
 CCS - Critical Care Surgery  
 CFS - Craniofacial Surgery  
 CG - Clinical Genetics  
 CHS -- Congenital Cardiac Surgery (Thoracic  
 Surgery)  
 CMG - Clinical Molecular Genetics  
 CRS - Colon and Rectal Surgery  
 CS – Cosmetic Surgery  
 DIA - Diabetes  
 DS - Dermatologic Surgery  
 EM - Emergency Medicine  
 END - Endocrinology  
 EP - Epidemiology  
 ESM - Sports Medicine (Emergency Medicine)  
 ETX - Medical Toxicology (Emergency  
 Medicine)  
 FPS - Facial Plastic Surgery  
 GE - Gastroenterology  
 GPM - General Preventive Medicine  
 HEM - Hematology

**ALL OTHER (cont.)**

HEP - Hepatology  
 HNS - Head and Neck Surgery  
 HPE – Hospice & Palliative Medicine  
 (Emergency Medicine)  
 HPI – Hospice & Palliative Medicine (Internal  
 Medicine)  
 HPM - Hospice & Palliative Medicine  
 HPR-- Hospice & Palliative Med (Physical Med &  
 Rehab)  
 HS - Hand Surgery  
 HSP - Hand Surgery (Plastic Surgery)  
 HSS - Hand Surgery (Surgery)  
 IC - Interventional Cardiology  
 ICE - Cardiac Electrophysiology  
 ID - Infectious Diseases  
 IEC – Internal Medicine Emergency Medicine  
 IFP – Internal Medicine Family Practice  
 IG - Immunology  
 ILI - Internal Medicine/Diagnostic Lab.  
 Immunology  
 IMD – Internal Medicine/Dermatology  
 IMG - Geriatric Medicine (Internal Medicine)  
 IPM – Internal Medicine/Preventive Medicine  
 ISM - Sports Medicine (Internal Medicine)  
 LM - Legal Medicine  
 MDM - Medical Management  
 MEM – Internal Medicine/Emergency Medicine  
 MG - Medical Genetics  
 MN – Internal Medicine/Neurology  
 MP – Internal Medicine/Psychiatry  
 MPM – Internal Medicine/Physical Medicine and  
 Rehabilitation  
 NC – Nuclear Cardiology  
 NEP – Nephrology  
 NMN – Neuromuscular medicine  
 NMP -- Neuromuscular Medicine (Physical Med  
 & Rehab)  
 NS - Neurological Surgery  
 NSP - Pediatric Surgery (Neurology)  
 NTR - Nutrition  
 OM - Occupational Medicine  
 OMF – Oral & Maxillofacial Surgery  
 OMM - Osteopathic Manipulative Medicine  
 PA - Clinical Pharmacology  
 PCC - Pulmonary Critical Care Medicine  
 PCS - Pediatric Cardiothoracic Surgery  
 PDD – Pediatric Dermatology  
 PDM – Pediatrics/Dermatology  
 PDS - Pediatric Surgery  
 PE - Pediatric Emergency Medicine  
 (Emergency Medicine)  
 PHL - Phlebology  
 PHM - Pharmaceutical Medicine  
 PHP - Public Health/General Preventive  
 Medicine  
 PLI - Pediatric/Diagnostic Lab. Immunology



**ALL OTHER (cont.)**

PLM - Palliative Medicine  
 PM - Physical Medicine and Rehabilitation  
 PMM – Pain Medicine  
 PMN – Pain Management (Neurology)  
 PMP – Pain Medicine (Physical Medicine and Rehabilitation)  
 PPM - Pediatrics/Physical Medicine & Rehabilitation  
 PPN – Pain Medicine (Psychiatry)  
 PRD – Procedural Dermatology  
 PRO – Proctology  
 PRS – Sports Medicine (Physical Medicine and Rehabilitation)  
 PS - Plastic Surgery  
 PSH -- Plastic Surgery - Head & Neck  
 PSP -- Plastic Surgery within the Head & Neck (Plastic Surgery)  
 PTX - Medical Toxicology (Preventive Medicine)  
 PUD - Pulmonary Diseases  
 PYN – Psychiatry (Neurology)  
 RHU - Rheumatology  
 RPM – Pediatric Rehabilitation Medicine  
 SCI - Spinal Cord Injury  
 SME - Sleep Medicine  
 SMI – Sleep Medicine (Internal Medicine)

**ALL OTHER (cont.)**

SMN – Sleep Medicine (Psychiatry & Neurology)  
 THP – Transplant Hepatology (Internal Medicine)  
 TRS - Traumatic Surgery  
 TS - Thoracic Surgery  
 TTS - Transplant Surgery  
 UCM – Urgent Care Medicine  
 UM - Undersea Medicine  
 UME – Underseas Medicine (Emergency Medicine)  
 VM - Vascular Medicine  
 VS - Vascular Surgery  
 OS - Other Specialty  
 US – Unspecified

**ONCOLOGY (new stratum for 2010)**

GO - Gynecological Oncology  
 HO - Hematology/Oncology  
 OMO - Musculoskeletal Oncology  
 ON - Medical Oncology  
 PHO - Pediatric Hematology/Oncology  
 SO - Surgical Oncology

**C. AMA SPECIALTIES REGROUPED INTO PRIMARY CARE, SURGICAL, AND MEDICAL SPECIALTIES**

Below is a list of the AMA physician specialties comprising the NAMCS sample strata, regrouped into primary care, surgical, and medical specialties for analytic purposes (see SPECCAT variable on file layout).

**PRIMARY CARE SPECIALTIES**

ADL - Adolescent medicine (pediatrics)  
 AMF - Adolescent medicine (family practice)  
 AMI - Adolescent medicine (internal medicine)  
 EFM – Emergency medicine (family medicine)  
 FMP -- Family Medicine/Preventive Medicine (FMP)  
 FP - Family practice  
 FPG - Geriatric medicine (family practice)  
 FPP - Psychiatry/family medicine  
 FSM - Sports Medicine (Family Practice)  
 GP - General practice  
 GYN - Gynecology  
 HPF – Hospice & palliative Care (internal medicine)  
 IFP - Internal medicine/family practice  
 IM - Internal medicine  
 IMG - Geriatric medicine (internal medicine)  
 IPM – Internal medicine/preventive medicine  
 ISM - Sports medicine (internal medicine)  
 MFM -Maternal & fetal medicine  
 MP - Internal medicine/psychiatry  
 MPD -Internal medicine/pediatrics

OBG -Obstetrics & gynecology  
 OBS - Obstetrics  
 PD - Pediatrics  
 PSM -Sports medicine (pediatrics)

**SURGICAL SPECIALTIES**

AS - Abdominal Surgery  
 CCS -Surgical critical care (surgery)  
 CFS -Craniofacial Surgery  
 CHS -- Congenital Cardiac Surgery (Thoracic Surgery)  
 CRS -Colon & Rectal Surgery  
 CS - Cosmetic Surgery  
 DS - Dermatologic surgery  
 FPS - Facial plastic surgery  
 GO - Gynecological oncology  
 GS - General surgery  
 HNS - Head and Neck Surgery  
 HPO -- Hospice & Palliative Med (Obstetrics & Gynecology)  
 HS - Hand surgery  
 HSP - Hand surgery (plastic surgery)  
 HSO -Hand surgery (orthopedics)

**SURGICAL SPECIALTIES (cont.)**

HSS - Hand surgery (surgery)  
 NO - Otology/neurotology  
 NS - Neurological surgery  
 NSP - Pediatric surgery (neurology)  
 OMF - Oral & maxillofacial surgery  
 OMO - Musculoskeletal oncology  
 OP - Pediatric orthopedics  
 OPH - Ophthalmology  
 OPR -- Ophthalmic Plastic and Reconstructive Surgery  
 ORS - Orthopedic surgery  
 OSM - Sports medicine (orthopedic surgery)  
 OSS - Orthopedic surgery of the spine  
 OTO - Otolaryngology  
 OTR - Orthopedic trauma  
 PCS - Pediatric cardiothoracic surgery  
 PDO - Pediatric otolaryngology  
 PDS - Pediatric surgery (surgery)  
 PO - Pediatric ophthalmology  
 PRD - Procedural dermatology  
 PS - Plastic surgery  
 PSH - Plastic surgery within the head & neck  
 SO - Surgical oncology  
 TRS - Trauma surgery  
 TS - Thoracic surgery  
 TTS - Transplant surgery  
 U - Urology  
 UP - Pediatric urology  
 VS - Vascular surgery

**MEDICAL SPECIALTIES**

A - Allergy  
 ADM - Addiction medicine  
 ADP - Addiction psychiatry  
 AI - Allergy & immunology  
 ALI - Clinical laboratory immunology (allergy & immunology)  
 AM - Aerospace medicine  
 CBG - Clinical biochemical genetics  
 CCG - Clinical cytogenetics  
 CCM - Critical care medicine (internal medicine)  
 CCP - Pediatric critical care medicine  
 CD - Cardiovascular disease  
 CG - Clinical genetics  
 CHN - Child neurology  
 CHP - Child and adolescent psychiatry  
 CMG - Clinical molecular genetics  
 CN - Clinical neurophysiology  
 CPP - Pediatrics/psychiatry/child & adolescent psychiatry

**MEDICAL SPECIALTIES (cont.)**

D - Dermatology  
 DBP - Developmental-behavioral pediatrics  
 DIA - Diabetes  
 EM - Emergency medicine  
 EMP - Pediatrics/emergency medicine  
 END - Endocrinology, diabetes and metabolism  
 EP - Epidemiology  
 ESM - Sports medicine (emergency medicine)  
 ETX - Medical toxicology (emergency medicine)  
 GE - Gastroenterology  
 GPM - General preventive medicine  
 HEM - Hematology (internal medicine)  
 HEP - Hepatology  
 HO - Hematology/oncology  
 HPE - Hospice & palliative medicine (emergency medicine)  
 HPI - Hospice & palliative medicine (internal medicine)  
 HPM - Hospice & palliative medicine  
 IC - Interventional cardiology  
 ICE - Clinical cardiac electrophysiology  
 ID - Infectious disease  
 IEC - Internal medicine / emergency medicine / critical care medicine  
 IG - Immunology  
 ILI - Clinical and laboratory immunology (internal medicine)  
 IMD - Internal medicine/dermatology  
 LM - Legal medicine  
 MDM - Medical management  
 MEM - Internal medicine/emergency medicine  
 MG - Medical genetics  
 MN - Internal medicine/neurology  
 MPM - Internal medicine/physical medicine and rehabilitation  
 N - Neurology  
 NC - Nuclear cardiology  
 NDN - Neurodevelopmental disabilities (psychiatry & neurology)  
 NDP - Neurodevelopmental disabilities (pediatrics)  
 NEP - Nephrology  
 NMN - Neuromuscular medicine  
 NPM - Neonatal-perinatal medicine  
 NRN - Neurology/diagnostic radiology/neuroradiology  
 NTR - Nutrition  
 NUP - Neuropsychiatry  
 OAR - Adult Reconstructive Orthopedics  
 OCC - Critical care medicine (obstetrics & Gynecology)

**MEDICAL SPECIALTIES (cont.)**

OFA - Foot and ankle, orthopedics  
OM - Occupational medicine  
OMM - Osteopathic manipulative medicine  
ON - Medical oncology  
P - Psychiatry  
PA - Clinical pharmacology  
PCC - Pulmonary critical care medicine  
PDA - Pediatric allergy  
PDC - Pediatric cardiology  
PDD - Pediatric dermatology  
PDE - Pediatric endocrinology  
PDI - Pediatric infectious disease  
PDM - Pediatrics/dermatology  
PDP - Pediatric pulmonology  
PDT - Medical toxicology (pediatrics)  
PE - Pediatric emergency medicine (emergency medicine)  
PEM - Pediatric emergency medicine (pediatrics)  
PFP - Forensic psychiatry  
PG - Pediatric gastroenterology  
PHL - Phlebology  
PHM - Pharmaceutical medicine  
PHO - Pediatric hematology/oncology  
PHP - Public health and general preventive medicine  
PLI - Clinical and laboratory immunology (pediatrics)  
PLM - Palliative medicine  
PM - Physical medicine & rehabilitation  
PMM - Pain medicine  
PMN - Pain medicine (neurology)

**MEDICAL SPECIALTIES (cont.)**

PMP - Pain management (physical medicine & rehabilitation)  
PN - Pediatric nephrology  
PPM - Pediatrics/physical medicine & rehabilitation  
PPN - Pain medicine (psychiatry)  
PPR - Pediatric rheumatology  
PRO - Proctology  
PRS - Sports medicine (physical medicine & rehabilitation)  
PTX - Medical toxicology (preventive medicine)  
PYA - Psychoanalysis  
PYG - Geriatric psychiatry  
PYM - Psychosomatic medicine  
PYN - Psychiatry/neurology  
PUD - Pulmonary disease  
REN - Reproductive endocrinology  
RPM - Pediatric rehabilitation medicine  
RHU - Rheumatology  
SCI - Spinal cord injury medicine  
SME - Sleep medicine  
SMI - Sleep medicine (internal medicine)  
SMN - Sleep medicine (psychiatry & neurology)  
THP - Transplant hepatology (internal medicine)  
UME - Underseas medicine (emergency medicine)  
UCM - Urgent care medicine  
UM - Underseas medicine (preventive medicine)  
VM - Vascular medicine  
VN - Vascular neurology  
OS - Other specialty  
US - Unspecified specialty

### III. MARGINAL DATA

#### A. PATIENT VISITS

---

##### PATIENT AGE

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	31,229	1,008,802,005	100.000
1 - Under 15 years	4,712	166,042,794	16.459
2 - 15-24 years	2,443	81,262,890	8.055
3 - 25-44 year	6,490	206,135,135	20.434
4 - 45-64 years	9,428	296,385,176	29.380
5 - 65-74 years	4,137	132,201,271	13.105
6 - 75 years and over	4,019	126,774,739	12.567

---

##### PATIENT SEX

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	31,229	1,008,802,005	100.000
Female	17,752	586,670,843	58.155
Male	13,477	422,131,162	41.845

---

##### PATIENT RACE RECODE (WITH MISSING DATA IMPUTED)

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	31,229	1,008,802,005	100.000
1 - White	26,011	842,861,930	83.551
2 - Black	3,450	116,933,072	11.591
3 - Other	1,768	49,007,003	4.858

---

EXPECTED PRIMARY SOURCE OF PAYMENT [based on PAYTYPER, a recoded variable, see more about this variable on page 35]

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	31,229	1,008,802,005	100.000
-9 - All sources of payment are blank	279	8,540,192	0.847
-8 - Unknown	847	23,167,377	2.297
1 - Private insurance	14,858	530,555,751	52.593
2 - Medicare	7,789	248,244,603	24.608
3 - Medicaid	4,446	124,290,892	12.321
4 - Worker's compensation	324	12,392,053	1.228
5 - Self-pay	1,620	37,462,097	3.714
6 - No charge	255	5,678,778	0.563
7 - Other	811	18,470,262	1.831

MAJOR REASON FOR VISIT

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	31,229	1,008,802,005	100.000
-9 - Blank	499	16,886,282	1.674
1 - New problem (less than 3 mos. onset)	9,813	344,466,406	34.146
2 - Chronic problem, routine	9,997	290,611,085	28.808
3 - Chronic problem, flare-up	2,687	83,540,696	8.281
4 - Pre-/Post-surgery	2,282	65,568,651	6.500
5 - Preventive care	5,951	207,728,885	20.592

HAS THE PATIENT BEEN SEEN IN YOUR PRACTICE BEFORE?

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	31,229	1,008,802,005	100.000
1 - Yes, established patient	26,192	862,878,992	85.535
2 - No, new patient	5,037	145,923,013	14.465

## NUMBER OF MEDICATION CODES THIS VISIT

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	31,229	1,008,802,005	100.000
0	8,248	251,274,996	24.908
1	6,699	226,745,103	22.477
2	4,406	144,558,751	14.330
3	2,940	99,280,910	9.841
4	2,154	70,645,683	7.003
5	1,546	50,681,427	5.024
6	1,200	38,986,586	3.865
7	1,077	34,571,128	3.427
8	2,959	92,057,421	9.125

---

## PHYSICIAN SPECIALTY

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	31,229	1,008,802,005	100.000
1 - General/family practice	6,237	213,770,403	21.191
3 - Internal medicine	2,217	139,843,147	13.862
4 - Pediatrics	3,501	132,247,267	13.109
5 - General surgery	1,161	19,200,881	1.903
6 - Obstetrics and gynecology	2,461	80,076,190	7.938
7 - Orthopedic surgery	1,460	63,390,646	6.284
8 - Cardiovascular diseases	1,793	29,016,181	2.876
9 - Dermatology	1,510	39,697,776	3.935
10 - Urology	1,614	19,763,310	1.959
11 - Psychiatry	1,352	26,164,142	2.594
12 - Neurology	1,556	13,995,094	1.387
13 - Ophthalmology	1,368	55,530,207	5.505
14 - Otolaryngology	1,471	20,762,087	2.058
15 - Other specialties	2,050	130,148,444	12.901
16 - Oncology	1,478	25,196,230	2.498

**B. DRUG MENTIONS**-----  
PATIENT AGE

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	79,088	2,562,071,982	100.000
1 - Under 15 years	6,753	247,644,727	9.666
2 - 15-24 years	3,537	121,715,138	4.751
3 - 25-44 years	11,938	383,534,068	14.970
4 - 45-64 years	27,124	849,717,941	33.165
5 - 65-74 years	14,670	466,798,676	18.220
6 - 75 years and over	15,066	492,661,432	19.229

-----  
PATIENT SEX

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	79,088	2,562,071,982	100.000
1 - Female	44,628	1,497,804,364	58.461
2 - Male	34,460	1,064,267,618	41.539

-----  
PHYSICIAN SPECIALTY

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	79,088	2,562,071,982	100.000
1 - General/family practice	18,692	654,541,360	25.547
3 - Internal medicine	7,644	483,509,309	18.872
4 - Pediatrics	5,449	206,706,077	8.068
5 - General surgery	2,103	37,658,870	1.470
6 - Obstetrics and gynecology	3,237	107,206,320	4.184
7 - Orthopedic surgery	1,856	79,092,726	3.087
8 - Cardiovascular diseases	9,210	143,537,117	5.602
9 - Dermatology	2,719	71,441,269	2.788
10 - Urology	4,101	52,244,017	2.039
11 - Psychiatry	2,852	57,263,488	2.235
12 - Neurology	4,538	40,968,644	1.599
13 - Ophthalmology	2,727	119,053,252	4.647
14 - Otolaryngology	2,220	31,132,474	1.215
15 - Other specialties	5,896	387,715,509	15.133
16 - Oncology	5,844	90,001,550	3.513

-----  
 DRUG THERAPEUTIC CATEGORIES (USING LEVEL 1 CODES)

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	85,507	2,766,078,018	100.000
'001'=Anti-infectives	4,793	174,467,342	6.307
'020'=Antineoplastics	1,266	29,722,276	1.075
'028'=Biologicals	78	2,109,943	0.076
'040'=Cardiovascular agents	13,199	415,281,504	15.013
'057'=Central nervous system agents	16,339	498,456,558	18.020
'081'=Coagulation modifiers	3,882	114,021,775	4.122
'087'=Gastrointestinal agents	4,076	134,920,820	4.878
'097'=Hormones	4,076	134,920,820	4.878
'105'=Miscellaneous agents	1,885	62,482,127	2.259
'113'=Genitourinary tract agents	826	22,877,752	0.827
'115'=Nutritional products	5,878	193,452,670	6.994
'122'=Respiratory agents	6,091	223,205,971	8.069
'133'=Topical agents	4,956	167,598,260	6.059
'153'=Plasma expanders	1	5,732	0.000
'218'=Alternative medicines	1,177	35,671,948	1.290
'242'=Psychotherapeutic agents	4,730	129,893,873	4.696
'254'=Immunological agents	3,232	120,563,815	4.359
'331'=Radiologic agents	41	1,607,277	0.058
'358'=Metabolic agents	8,202	277,070,875	10.017
'365'=Medical gases	79	3,564,431	0.129
'899'=Pharmaceutical aids	124	3,666,455	0.133

Therapeutic categories are based on Lexicon Plus®, a proprietary database of Cerner Multum, Inc. The Lexicon Plus is a comprehensive database of all prescription and some nonprescription drug products available in the U.S. drug market. For additional information on the Multum Lexicon Drug Database, please refer to the following Web site: <http://www.multum.com/Lexicon.htm>. For more information on coding therapeutic categories in NAMCS, see page 25.



-----

**C. PHYSICIAN ESTIMATES**

-----

PHYSICIAN SPECIALTY

CATEGORY	RECORDS	WEIGHTED PHYSICIANS	PERCENT
Total	1,288	329,907	100.000
1 - General/family practice	232	57,803	17.521
3 - Internal medicine	85	44,882	13.604
4 - Pediatrics	128	35,642	10.804
5 - General surgery	66	12,197	3.697
6 - Obstetrics and gynecology	103	26,361	7.990
7 - Orthopedic surgery	55	16,816	5.097
8 - Cardiovascular diseases	83	13,123	3.978
9 - Dermatology	50	7,032	2.132
10 - Urology	63	6,709	2.034
11 - Psychiatry	78	17,772	5.387
12 - Neurology	73	7,300	2.213
13 - Ophthalmology	52	13,020	3.947
14 - Otolaryngology	60	6,395	1.938
15 - Other specialties	96	57,081	17.302
16 - Oncology	64	7,774	2.356

-----

IS THIS A SOLO PRACTICE?

CATEGORY	RECORDS	WEIGHTED PHYSICIANS	PERCENT
Total	1,288	329,907	100.000
Blank	2	799	0.242
Yes	381	105,020	31.833
No	905	224,088	67.925

-----

SPECIALTY TYPE

CATEGORY	RECORDS	WEIGHTED PHYSICIANS	PERCENT
Total	1,288	329,907	100.000
Primary care specialty	543	164,007	49.713
Surgical care specialty	328	71,744	21.747
Medical care specialty	417	94,156	28.540

## APPENDIX I

### A. RELATIVE STANDARD ERRORS

The standard error is primarily a measure of the sampling variability that occurs by chance because only a sample is surveyed, rather than the entire universe. The relative standard error (RSE) of an estimate is obtained by dividing the standard error of the estimate by the estimate itself and is expressed as a percentage of the estimate. Standard errors and other measures of sampling variability are best determined by using a statistical software package that takes into account the sample designs of surveys to produce such measures.

Using computer software like SUDAAN to produce standard errors will, in general, yield results that are more accurate than those produced using the generalized variance curve described below. This is especially true for clustered variables like race, provider seen, or expected source of payment. The standard errors produced with such software using masked design variables, while improving substantially over the generalized variance curve results, will not always be as accurate as those produced using unmasked data. However, data files containing unmasked variables are confidential and are only available through the NCHS Research Data Center.

NAMCS (and NHAMCS) public use files for 1993-2002 included masked multi-stage design variables used to estimate variance with software such as SUDAAN's full sample without replacement design option. In 2002, two new sample design variables (CSTRATM and CPSUM) were added to the file for use with software utilizing a "between PSU" variance estimator or "ultimate cluster" sampling design.

Ultimate cluster variance estimates depend only on the first stage of the sample design, so that only first-stage cluster and first-stage stratum identification are required. Starting with 2003 data, the NAMCS public use files include only these first-stage design variables, CSTRATM and CPSUM. They differ from the STRATM and PSUM variables on 1993-2002 files in that providers are the first-stage sampling units in certainty areas (geographic areas selected with certainty), while geographic areas are the first-stage sampling units in non-certainty areas.

Examples using CSTRATM and CPSUM in Stata, SUDAAN's 1-stage WR (with replacement) design option, and SAS's PROC surveymeans applications are presented below:

#### Stata

The pweight (PATWT), strata (CSTRATM), and PSU (CPSUM) are set with the svyset command as follows:

#### Stata 8:

```
svyset [pweight=patwt], psu(cpsum) strata(cstratm)
```

#### Stata 9 and Stata 10:

```
svyset cpsum [pweight=patwt], strata(cstratm)
```

#### SUDAAN 1-stage WR Option

The program below provides a with replacement ultimate cluster (1-stage) estimate of standard errors for a cross-tabulation.

```
PROC CROSSTAB DATA=COMB1 DESIGN=WR FILETYPE=SAS;  
NEST CSTRATM CPSUM/MISSUNIT;
```

### SAS - PROC SURVEYMEANS

```
PROC SURVEYMEANS DATA=COMB1;  
CLUSTER CPSUM;  
STRATA CSTRATM;
```

### SPSS

This code pertains to SPSS Inc.'s Complex Samples 12.0 module. It would be used with the "Analysis Preparation Wizard" component of that module. The PLAN FILE statement would be invoked in statistical runs, as in the example for CSTABULATE shown below.

```
CSPLAN ANALYSIS  
/PLAN FILE='DIRECTORY\PLANNAME.CSAPLAN'  
/PLAN VARS ANALYSISWEIGHT=PATWT  
/PRINT PLAN  
/DESIGN STAGELABEL= 'ANY LABEL' STRATA=CSTRATM CLUSTER=CPSUM  
/ESTIMATOR TYPE=WR.
```

```
CSTABULATE  
/PLAN FILE='DIRECTORY\PLANNAME.CSAPLAN'  
/TABLES VARIABLES = var1 var2  
/CELLS POPSIZE  
/STATISTICS SE  
/MISSING SCOPE = TABLE CLASSMISSING = EXCLUDE.
```

If researchers wish to combine data from 2003 and later years of NAMCS public use files with earlier years, it will be necessary to create the CSTRATM and CPSUM variables and to consider the possibility of single case strata in the data, in order to estimate variances. A technical paper, *Using Ultimate Cluster Models with NAMCS and NHAMCS Public Use Files*, is available for downloading at the Ambulatory Health Care Data website: <http://www.cdc.gov/nchs/namcs.htm>. This paper gives instructions on how to configure data files prior to 2002 for variance estimation based on 1-stage sampling models and how to handle instances of single-case strata in the data on the older files.

**IMPORTANT NOTE REGARDING PHYSICIAN-LEVEL ESTIMATES:** These examples can be used when producing visit or drug estimates. For physician-level estimates, the statements are the same, but replace PATWT with PHYSWT. The PHYSWT variable is only placed on the first record for each physician. When running purely physician level analysis, it is recommended that only records with PHYSWT > 0 be selected; this will give the correct sample counts and will not affect estimation of variance. Weighted estimates will be correct either way.

In addition to generating estimates for physician characteristics at the physician level, the addition of PHYSWT also means that one can link visit data with physician data. For example, one could examine average time spent with physicians across physicians rather than simply across visits. This type of analysis is slightly complicated; a description along with sample SAS code is available at the Ambulatory Health Care Data website. For more information, contact the Ambulatory and Hospital Care Statistics Branch at 301-458-4600.

For data users who do not wish to use SUDAAN or similar programs to produce measures of sampling variability, we may make available upon request tables which contain relative standard errors based on generalized variance curves for a wide range of visit estimates and drug mention estimates by physician

specialty. (Estimates with a relative standard error greater than 30 percent are considered unreliable by the standards of the National Center for Health Statistics. It should also be noted here that estimates based on fewer than 30 sample records are considered unreliable, regardless of the magnitude of the relative standard error.) The following formulas may be used to calculate approximate relative standard errors for visit estimates and drug mention estimates.

For aggregate estimates, approximate relative standard errors can be calculated using the following general formula, where "x" is the aggregate of patient visits or drug mentions in thousands, and coefficients "A" and "B" are obtained from Table IV:

$$RSE(x) = 100 \cdot \sqrt{A + \frac{B}{x}}$$

For estimates of percents, approximate relative standard errors can be calculated using the following general formula, where "p" is the percent of visits or mentions, "x" is the denominator of the percent in thousands, and coefficient "B" is obtained from Table IV:

$$RSE(p) = 100 \cdot \sqrt{\frac{B \cdot (1 - p)}{p \cdot x}}$$

For estimates of visit rates in which the numerator is the number of visits for a particular characteristic and the denominator is the total U.S. population or one of the age-sex-race groups of the total population, the relative standard error is equivalent to the relative standard error of the numerator, as shown above in the paragraph on aggregate estimates. For additional information, contact the Ambulatory and Hospital Care Statistics Branch at (301) 458-4600.

Table IV. Coefficients appropriate for determining approximate relative standard errors by type of estimate and physician specialty: National Ambulatory Medical Care Survey, 2010

Type of estimate and physician specialty	Coefficient for use with estimates in thousands		Lowest reliable estimate (in thousands)
	A	B	
Visits			
Overall totals	0.00212	54.72	624
General and family practice	0.00788	52.95	645
Internal medicine	0.01207	96.19	1,234
Pediatrics	0.00689	56.39	679
General surgery	0.02033	20.05	289
Obstetrics and gynecology	0.01407	39.61	522
Orthopedic surgery	0.01410	50.75	670
Cardiovascular diseases	0.00944	21.02	261
Dermatology	0.01479	28.67	382
Urology	0.02075	15.56	225
Psychiatry	0.02171	23.00	337
Neurology	0.01468	11.69	155
Ophthalmology	0.02129	43.70	637
Otolaryngology	0.01538	16.51	221
Oncology (added in 2010)	0.03613	23.26	433
All other specialties	0.01470	78.02	1,036
Drug mentions			
Overall totals	0.00357	297.88	3,447
General and family practice	0.00999	269.55	3,369
Internal medicine	0.01487	448.70	5,973
Pediatrics	0.01137	148.35	1,887
General surgery	0.0471	86.97	2,028
Obstetrics and gynecology	0.03565	94.53	1,740
Orthopedic surgery	0.04644	146.36	3,361
Cardiovascular diseases	0.01192	127.93	1,638
Dermatology	0.03678	101.42	1,906
Urology	0.06738	69.39	3,069
Psychiatry	0.03386	75.64	1,348
Neurology	0.03067	51.73	873
Ophthalmology	0.06733	209.79	9,254
Otolaryngology	0.04081	44.91	913
Oncology (added in 2010)	0.04442	92.67	2,034
All other specialties	0.02081	441.86	6,387

(NOTE: FOOTNOTE is on next page.)

NOTE: These coefficients apply to NAMCS data where doctors of osteopathy (D.O.'s) have been aggregated with doctors of medicine (M.D.'s) according to their self-designated practice specialty. For those who wish to conduct a separate analysis on doctors of osteopathy, the A and B coefficients for use with visit estimates in thousands are 0.00865 and 38.69, respectively. The coefficients for estimates of drug mentions in thousands are 0.01854 and 152.70. To perform analyses of NAMCS data on visits to M.D.'s only, excluding all D.O.'s, please contact the Ambulatory and Hospital Care Statistics Branch for more information.

-----

## B. 2010 NAMCS PATIENT RECORD FORM - INSTRUCTIONS AND DEFINITIONS

---

### 1. PATIENT INFORMATION

---

#### ITEM 1a. DATE OF VISIT

Record the month, day, and 2-digit year of arrival in figures, for example, 05/17/10 for May 17, 2010.

#### ITEM 1b. ZIP CODE

Enter 5-digit ZIP code from patient's mailing address.

#### ITEM 1c. DATE OF BIRTH

Record the month, day, and 4-digit year of the patient's birth in figures, for example, 06/26/2007 for June 26, 2007. In the rare event the date of birth is unknown, the year of birth should be estimated as closely as possible.

#### ITEM 1d. SEX

Check the appropriate category based on observation or your knowledge of the patient or from information on the medical record.

#### ITEM 1e. ETHNICITY

Ethnicity refers to a person's national or cultural group. The Patient Record form has two categories for ethnicity, Hispanic or Latino and Not Hispanic or Latino.

Mark the appropriate category according to your usual practice, based on your knowledge of the patient, or from information in the medical record. You are not expected to ask the patient for this information. If the patient's ethnicity is not known and is not obvious, mark the box which in your judgment is most appropriate. The definitions of the categories are listed below. Do not determine the patient's ethnicity from their last name.

<b>Ethnicity</b>	<b>Definition</b>
1 Hispanic or Latino	A person of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race.
2 Not Hispanic or Latino	All other persons.

**ITEM 1f. RACE**

Mark *all* appropriate categories based on observation, or your knowledge of the patient, or from information in the medical record. You are not expected to ask the patient for this information. If the patient's race is not known or not obvious, mark the box(es) which in your judgment is (are) most appropriate. Do not determine the patient's race from their last name.

**Race**

- 1 White
- 2 Black or African American
- 3 Asian
- 4 Native Hawaiian/  
Other Pacific Islander
- 5 American Indian/ Alaska Native

**Definition**

A person having origins in any of the original peoples of Europe, the Middle East or North Africa.

A person having origins in any of the black racial groups of Africa.

A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent including, for example, Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.

A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

A person having origins in any of the original peoples of North America, and who maintains cultural identification through tribal affiliation or community recognition.

**ITEM 1g. EXPECTED SOURCE OF PAYMENT FOR THIS VISIT**

Mark (X) ALL appropriate expected source(s) of payment.

<b>Expected Source of Payment</b>	<b>Definition</b>
1 Private insurance	Charges paid in-part or in-full by a private insurer (e.g., Blue Cross/Blue Shield) either directly to the physician/CHC provider or reimbursed to the patient. Include charges covered under a private insurance sponsored prepaid plan.
2 Medicare	Charges paid in-part or in-full by a Medicare plan. Includes payments directly to the physician/CHC provider as well as payments reimbursed to the patient. Include charges covered under a Medicare sponsored prepaid plan.
3 Medicaid/SCHIP	Charges paid in-part or in-full by a Medicaid plan. Includes payments made directly to the physician/CHC provider as well as payments reimbursed to the patient. Include charges covered under a Medicaid sponsored prepaid plan or the State Children's Health Insurance Program (SCHIP).
4 Worker's compensation	Includes programs designed to enable employees injured on the job to receive financial compensation regardless of fault.
5 Self-pay	Charges, to be paid by the patient or patient's family, which will not be reimbursed by a third party. "Self-pay" include visits for which the patient is expected to be ultimately responsible for most of the bill, even though the patient never actually pays it. DO NOT check this box for a copayment or deductible.
6 No charge/Charity	Visits for which no fee is charged (e.g., charity, special research, or teaching). Do not include visits paid for as part of a total package (e.g., prepaid plan visits, post-operative visits included in a surgical fee, and pregnancy visits included in a flat fee charged for the entire pregnancy). Mark the box or boxes that indicate how the services were originally paid.
7 Other	Any other sources of payment not covered by the above categories, such as CHAMPUS, state and local governments, private charitable organizations, and other liability insurance (e.g., automobile collision policy coverage).
8 Unknown	The primary source of payment is not known.

**ITEM 1h. TOBACCO USE**

Tobacco use is defined as smoking cigarettes/cigars, using snuff, or chewing tobacco. Mark "Not current" if the patient does not currently use tobacco. Mark "Current" if the patient uses tobacco. Mark "Unknown" if it cannot be determined whether the patient currently uses or does not use tobacco.



---

**2. INJURY/POISONING/ADVERSE EFFECT**


---

**ITEM 2. IS THIS VISIT RELATED TO ANY OF THE FOLLOWING?**

If ANY PART of this visit was related to an injury or poisoning or adverse effect of medical or surgical care (e.g., unintentional cut during a surgical procedure, foreign object left in body during procedure) or an adverse effect of a medicinal drug, then mark the appropriate box. The injury/poisoning/adverse effect does not need to be recent. It can include those visits for follow-up of previously treated injuries and visits for flare-ups of problems due to old injuries. This item not only includes injuries or poisonings, but also adverse effects of medical treatment or surgical procedures. Include any prescription or over-the-counter medication involved in an adverse drug event (e.g., allergies, overdose, medication error, drug interactions).

<b>Injury/Poisoning/ Adverse effect</b>	<b>Definition</b>
1 Unintentional injury/poisoning	Visit related to an injury or poisoning that was unintentional, such as an insect bite.
2 Intentional injury/poisoning	Visit was related to an injury or poisoning that was intentional, such as a suicide attempt or assault.
3 Injury/poisoning – unknown intent	Visit related to an injury or poisoning, but the intent is unknown.
4 Adverse effect of medical/surgical care or adverse effect of medicinal drug	Visit due to adverse reactions to drugs, adverse effects of medical treatment or surgical procedures.
5 None of the above	Visit not related to an injury, poisoning, or adverse effect of medical or surgical care or an adverse effect of a medicinal drug.

---

**3. REASON FOR VISIT**


---

**ITEM 3. PATIENT'S COMPLAINT(S), SYMPTOM(S), OR OTHER REASON(S) FOR THIS VISIT (use patient's own words.)**

Enter the patient's complaint(s), symptom(s), or other reason(s) for this visit *in the patient's own words*. Space has been allotted for the "most important" and two "other" complaints, symptoms, and reasons as indicated below.

- (1) Most important
- (2) Other
- (3) Other

The **most important** reason should be entered in (1). Space is available for two other reasons in (2) and (3). By “most important” we mean the problem or symptom which, in the physician's/CHC provider's judgment, was most responsible for the patient making this visit. Since we are interested only in the patient's **most important complaints/ symptoms/reasons**, it is not necessary to record more than three.

**This is one of the most important items on the Patient Record form.** No similar data on office-based visits are available in any other survey and there is tremendous interest in the findings. Please take the time to be sure you understand what is wanted--especially the following three points:

- We want the patient's principal complaint(s), symptom(s) or other reason(s) in the patient's own words. The physician/CHC provider may recognize right away, or may find out after the examination, that the real problem is something entirely different. In item 3 we are interested in how the patient defines the reason for the visit (e.g., “cramps after eating,” or “fell and twisted my ankle”).
- The item refers to the patient's complaint, symptom, or other reason for **this visit**. Conceivably, the patient may be undergoing a course of treatment for a serious illness, but if his/her principal reason for this visit is a cut finger or a twisted ankle, that is the information we want.
- There will be visits by patients for reasons other than some complaint or symptom. Examples might be well baby check-up or routine prenatal care. In such cases, simply record the **reason for the visit**.

Reminder: If the reason for a patient's visit is to pay a bill, ask the physician to complete an insurance form, or drop off a specimen, then the patient is not eligible for the sample. A Patient Record form should not be completed for this patient.

---

#### 4. CONTINUITY OF CARE

---

##### ITEM 4a. ARE YOU THE PATIENT'S PRIMARY CARE PHYSICIAN/PROVIDER?

The primary care physician/provider plans and provides the comprehensive primary health care of the patient. Mark “Yes” if the health care provided to the patient during this visit was from his/her primary care physician/provider and skip to item 4b. If the provider seen at this visit was substituting for the primary care physician/provider, also check “Yes.” Mark “No” if care was not from the primary care physician/provider or “Unknown” if it is not known.

If “No” or “Unknown” is checked, also indicate whether the **patient was referred for this visit by another health care provider**. This item provides an idea of the “flow” of ambulatory patients from one provider to another. Mark the “Yes,” “No,” or “Unknown” category, as appropriate.

Notice that this item concerns referrals to the sample physician/CHC provider by a *different* physician, provider, or office. The interest is in referrals for **this** visit and not in referrals for any prior visit.

Referrals are any visits that are made because of the advice or direction of a physician/provider other than the physician/provider being visited.

**ITEM 4b. HAS THE PATIENT BEEN SEEN IN YOUR PRACTICE BEFORE?**

“Seen” means “provided care for” at any time in the past. Mark “Yes, established patient” if the patient was seen before by any provider or staff member in the office/CHC. Exclude this visit.

Mark “No, new patient” if the patient has not been seen in the office/CHC before.

If “Yes” is checked, also indicate approximately **how many past visits the patient has made to this office/CHC within the last 12 months** using the write-in box provided. **Do not include the current visit in your total.** If you cannot determine how many past visits were made, then mark “Unknown.” Include all visits to other physicians/CHC providers or health care providers in this office/CHC.

**ITEM 4c. MAJOR REASON FOR THIS VISIT**

Mark the major reason for the patient’s current visit. Be sure to *check only one* of the following “Major Reasons:”

	<b>Problem</b>	<b>Definition</b>
1	New problem (<3 mos. onset)	A visit for a condition, illness, or injury having a relatively sudden or recent onset (within three months of this visit).
2	Chronic problem, routine	A visit primarily to receive care or examination for a pre-existing chronic condition, illness, or injury (onset of condition was three months or more before this visit).
3	Chronic problem, flare-up	A visit primarily due to sudden exacerbation of a pre-existing chronic condition.
4	Pre-/Post-surgery	A visit scheduled primarily for care required prior to or following surgery (e.g., pre-surgery tests, removing sutures).
5	Preventive care	General medical examinations and routine periodic examinations. Includes prenatal and postnatal care, annual physicals, well-child exams, screening, and insurance examinations.

---

**5. PROVIDER'S DIAGNOSIS FOR THIS VISIT**


---

**ITEM 5a. AS SPECIFICALLY AS POSSIBLE, LIST DIAGNOSES RELATED TO THIS VISIT INCLUDING CHRONIC CONDITIONS.**

- (1) Primary diagnosis
- (2) Other
- (3) Other

This is one of the most important items on the Patient Record form. Item 5a(1) refers to the provider's primary diagnosis for this visit. While the diagnosis may be tentative, provisional, or definitive it should represent the provider's best judgment at this time, expressed in acceptable medical terminology including "problem" terms. If the patient was not seen by a physician, then the diagnosis by the main health care provider should be recorded (this includes diagnoses made by mid-level providers at CHCs).

If a patient appears for **postoperative** care (follow-up visit after surgery), record the postoperative diagnosis as well as any other. The postoperative diagnosis should be indicated with the letters "P.O."

Space has been allotted for two "other" diagnoses. In Items 5a(2) and 5a(3) list the diagnosis of **other conditions related to this visit**. Include chronic conditions (e.g., hypertension, depression, etc.), if related to this visit.

**ITEM 5b. REGARDLESS OF THE DIAGNOSES WRITTEN IN 5a, DOES PATIENT NOW HAVE:**

The intent of this item is to supplement the diagnosis reported in item 5a(1), 5a(2), and 5a(3). Mark all of the selected condition(s) regardless of whether it is already reported in item 5a. Even if the condition is judged to be not clinically significant for this visit, it should still be checked. General descriptions for each condition are listed below.

Condition	Description
1 Arthritis	Includes those types of rheumatic diseases in which there is an inflammation involving joints (e.g., osteoarthritis, rheumatoid arthritis, acute arthritis, juvenile chronic arthritis, hypertrophic arthritis, Lyme arthritis, and psoriatic arthritis).
2 Asthma	Includes extrinsic, intrinsic, and chronic obstructive asthma.
3 Cancer	Includes any type of cancer (ca), such as, carcinoma, sarcoma, leukemia, and lymphoma.
0 In situ	
1 Stage I	
2 Stage II	
3 Stage III	
4 Stage IV	
5 Unknown stage	
4 Cerebrovascular disease	Includes stroke and transient ischemic attacks (TIAs).

5	Chronic renal failure	Includes end-stage renal disease (ESRD) and chronic kidney failure due to diabetes or hypertension.
6	Congestive heart failure	Congestive heart failure (CHF).
7	COPD	Chronic obstructive pulmonary disease. Includes chronic bronchitis and emphysema. Excludes asthma.
8	Depression	Includes affective disorders and major depressive disorders, such as episodes of depression reaction, psychogenic depression, and reactive depression.
9	Diabetes	Includes both diabetes mellitus and diabetes insipidus.
10	Hyperlipidemia	Includes hyperlipidemia and hypercholesterolemia.
11	Hypertension	Includes essential (primary or idiopathic) and secondary hypertension.
12	Ischemic heart disease	Includes angina pectoris, coronary atherosclerosis, acute myocardial infarction, and other forms of ischemic heart disease.
13	Obesity	Includes body weight 20% over the standard optimum weight.
14	Osteoporosis	Reduction in the amount of bone mass, leading to fractures after minimal trauma.
15	None of the above	Mark (X) if none of the conditions above exist.

Several cancer staging systems exist. A cancer patient's prognosis and treatment is determined using the American Joint Committee on Cancer (AJCC) *Cancer Staging Handbook*. For comparability of stage and treatment results over time, the Surveillance, Epidemiology and End Results (SEER) Summary Stage is still collected and used. Below is a scheme of how the staging systems compare. The stage should be derived from the medical record using information from the treating physician (medical oncologist or surgeon) seeing the cancer patient. This information can usually be found in the last section of the written or dictated notes from the patient's visit (usually in the section labeled Impression and Plan).

**Comparability between AJCC staging system and SEER Summary Stage  
with the exception of prostate cancer**

AJCC Stage	SEER Summary Stage	In item 5b(3), mark box
0 (In situ)	In situ	0 – In situ
I	Localized	1 – Stage I
II	Regional (by direct extension or positive lymph nodes)	2 – Stage II
III	Regional (by direct extension or positive lymph nodes)	3 – Stage III

IV	Distant (cancer found in other organs)	4 – Stage IV
Unknown	Unknown	5 – Unknown stage

NOTE: Whether a cancer is designated as Stage II or Stage III can depend on the specific type of cancer.

Prostate cancer represents a special situation as most patients do not undergo surgery. The table below provides a summary of the equivalent correlations between the staging systems.

**Comparability between AJCC staging system and SEER Summary Stage for prostate cancer**

<b>Prostate (AJCC)</b>	<b>Prostate Cancer (SEER)</b>	<b>In item 5b(3), mark box</b>
0 (In situ)	In situ	0 – In situ
I (T1a) no extension (Stage A)	Localized (confined to prostate gland)	1 – Stage I
II (T2b, T1c, T2) no extension, negative lymph nodes (Stage B)	Localized (confined to prostate gland)	2 – Stage II
III (T3) negative lymph nodes (Stage C)	Regional (extends to other organs, no lymph nodes involved)	3 – Stage III
IV (T4) positive lymph nodes (Stage D) Distant metastases	Regional (extends to other organs; lymph nodes involved) Distant metastases	4 – Stage IV
Unknown	Unknown	5 – Unknown stage

---

**6. VITAL SIGNS**

---

- (1) Height                      Record the patient's height if measured at this visit and enter the value in the box indicating the type of measurement (ft/in or cm). If it was not measured at this visit and the patient is 21 years of age or over, then review the chart for the last time that height was recorded and enter that value. Only review visits back 1 year.
- (2) Weight                      Record the patient's weight if measured at this visit and enter the value in the box indicating the type of measurement (lb/oz or kg/gm). If it was not measured at this visit and the patient is 21 years of age or over, then review the chart for the last time that weight was recorded and enter that value. Only review visits back 1 year.

- |     |                |  |
|-----|----------------|--|
| (3) | Temperature    | Record the patient's initial temperature if measured at this visit. Mark the appropriate box, indicating the type of measurement (degrees C or F). |
| (4) | Blood pressure | Record the patient's initial blood pressure if measured at this visit. Enter the systolic and diastolic values in the appropriate box.             |
- 

## 7. DIAGNOSTIC/SCREENING SERVICES

---

Mark all services that were ordered or provided during this visit for the purpose of screening (i.e., early detection of health problems in asymptomatic individuals) or diagnosis (i.e., identification of health problems causing individuals to be symptomatic). EACH SERVICE ORDERED OR PROVIDED SHOULD BE MARKED. At visits for a complete physical exam, several tests may be ordered prior to the visit, so that the results can be reviewed during the visit. Since these services are related to the visit, the appropriate box(es) should be marked.

Mark the "NONE" box, if no examinations, imaging, blood tests, scope procedures, or other tests were ordered or provided.

Services meriting special attention are as follows:

Answer Box	Service	Special Instruction
3	Foot exam	Includes visual inspection, sensory exam, and pulse exam.
6	Retinal exam	Includes ophthalmoscopy, fundoscopic exam, and dilated retinal exam (DRE).
20	Lipids/ Cholesterol	Include any of the following tests - cholesterol, LDL, HDL, cholesterol/HDL ratio, triglycerides, coronary risk profile, lipid profile.
23	Scope Procedure - <i>Specify</i>	Mark (X) for scope procedures ordered or provided. Write in the type of procedure in the space provided.
24	Biopsy - <i>Specify</i>	Include any form of open or closed biopsy of lesions or tissues. Specify the site of the biopsy.
25	Chlamydia test	Only include the following tests if chlamydia is specifically mentioned: enzyme-linked immunosorbent assay (ELISA, EIA), direct fluorescent antibody test (DFA), nucleic acid amplification test (NAAT), nucleic acid hybridization test (DNA probe testing), or chlamydia culture.
27	HPV/DNA test	Detects the presence in women of human papillomavirus and is performed by collecting cells from the cervix.

Answer Box	Service	Special Instruction
28	Pap Test - conventional	Refers to a smear spread on a glass slide and fixed.
29	Pap Test – liquid-based	Refers to a specimen suspended in liquid solution.
34	Other exam/ test/service - Specify	Mark (X) for services ordered and provided that are not listed. Write in the service(s) in the space provided.

## 8. HEALTH EDUCATION

Mark all appropriate boxes for any of the following types of health education **ordered or provided** to the patient during the visit. Exclude medications.

	Health Education	Definition
1	NONE	No health education was provided.
2	Asthma education	Information regarding the elimination of allergens that may exacerbate asthma, or other activities that could lead to an asthma attack or instruction on the use of medication, such as an inhaler.
3	Diet/Nutrition	Any topic related to the foods and/or beverages consumed by the patient. Examples include general dietary guidelines for health promotion and disease prevention, dietary restrictions to treat or control a specific medical problem or condition, and dietary instructions related to medications. Includes referrals to other health professionals, for example, dietitians and nutritionists.
4	Exercise	Any topics related to the patient's physical conditioning or fitness. Examples include information aimed at general health promotion and disease prevention and information given to treat or control a specific medical condition. Includes referrals to other health and fitness professionals. Does not include referrals for physical therapy. Physical therapy ordered or provided at the visit is listed as a separate check box in Item 9.
5	Family planning/Contraception	Information given to the patient to assist in conception or intended to help the patient understand how to prevent conception.
5	Growth/Development	Any topics related to human growth and development.
6	Injury Prevention	Any topic aimed at minimizing the chances of injury in one's daily life. May include issues as diverse as drinking and driving, seat belt use, child safety, avoidance of injury during various physical activities, and use of smoke detectors.



<b>Health Education</b>		<b>Definition</b>
7	Stress management	Information intended to help patients reduce stress through exercise, biofeedback, yoga, etc. Includes referrals to other health professionals for the purpose of coping with stress.
8	Tobacco use/exposure	Information given to the patient on issues related to tobacco use in any form, including cigarettes, cigars, snuff, and chewing tobacco, and on the exposure to tobacco in the form of "secondhand smoke." Includes information on smoking cessation as well as prevention of tobacco use. Includes referrals to other health professionals for smoking cessation programs.
9	Weight reduction	Information given to the patient to assist in the goal of weight reduction. Includes referrals to other health professionals for the purpose of weight reduction.
10	Other	Check if there were other types of health education ordered or provided that were not listed above.

---

## 9. NON-MEDICATION TREATMENT

---

Mark (X) all non-medication treatments ordered or provided at this visit.

<b>Non-Medication Treatment</b>		<b>Definition</b>
1	NONE	No non-medication treatments were ordered, scheduled, or performed at this visit.
2	Complementary alternative medicine (CAM)	Includes medical interventions neither widely taught in medical schools nor generally available in physician offices or hospitals (e.g., acupuncture, chiropractic, homeopathy, massage, or herbal therapies).
3	Durable medical equipment	Equipment which can withstand repeated use ( i.e., could normally be rented and used by successive patients); is primarily used to serve a medical purpose; generally is not useful to a person in the absence of illness or injury; and is appropriate for use in the patient's home (e.g., cane, crutch, walker, wheelchair.)
4	Home health care	Includes services provided to individuals and families in their places of residence for the purpose of promoting, maintaining, or restoring health or for maximizing the level of independence while minimizing the effects of disability and illness, including terminal illness. Services may include skilled nursing care; help with bathing, using the toilet, or dressing provided by home health aides; and physical therapy, speech language pathology services, and occupational therapy.
5	Physical therapy	Physical therapy includes treatments using heat, light, sound, or physical pressure or movement, (e.g., ultrasonic, ultraviolet, infrared, whirlpool, diathermy, cold, or manipulative therapy).

6	Speech/ Occupational therapy	Speech therapy includes the treatment of defects and disorders of the voice and of spoken and written communication. Occupational therapy includes the therapeutic use of work, self-care, and play activities to increase independent function, enhance development, and prevent disability.
7	Psychotherapy	All treatments involving the intentional use of verbal techniques to explore or alter the patient's emotional life in order to effect symptom reduction or behavior change.
8	Other mental health counseling	General advice and counseling about mental health issues and education about mental disorders. Includes referrals to other mental health professionals for mental health counseling.
9	Excision of tissue	Includes any excision of tissue. Excludes wound care and biopsy.
10	Wound care	Includes cleaning, debridement, and dressing of burns; repair of lacerations with skin tape or sutures. Include removal of foreign bodies only if a wound exists. If an object is removed from an orifice, mark (X) the "Other non-surgical procedures" box and specify the procedure.
11	Cast	Application of a rigid dressing made of plaster or fiberglass molded to the body while pliable and hardening as it dries, to give firm support.
12	Splint or wrap	Application of a rigid or flexible appliance used to maintain in position a displaced or moveable part, or to keep in place and protect an injured part. May also be made of plaster, but is not circumferential.
13	Other non-surgical procedures - <i>Specify</i>	Write-in any non-surgical procedure ordered or performed at this visit that was not previously recorded.
14	Other surgical procedures - <i>Specify</i>	Write-in any surgical procedure ordered or performed at this visit that was not previously recorded. Surgical procedures may be simple (e.g., insertion of intrauterine contraceptive device) or complex (e.g., cataract extraction, hernia repair, hip replacement, etc.).

[NOTE: Item 9 instructions were copied from the source document for the public use file documentation. However, it was noticed that these instructions do not include the addition of checkbox 6, radiation therapy.]

---

## 10. MEDICATIONS & IMMUNIZATIONS

---

If medications or immunizations were ordered, supplied, administered, or continued at this visit, please list up to 8 in the space provided using either the brand or generic names. Record the exact drug name (brand or generic) written on any prescription or on the medical record. Do not enter broad drug classes, such as "laxative," "cough preparation," "analgesic," "antacid," "birth control pill," or "antibiotic." The one exception is "allergy shot." If no medication was prescribed, provided, or continued, then mark the "NONE" box and continue.

Medication, broadly defined, includes the specific name of any:

- prescription **and** over-the-counter medications, anesthetics, hormones, vitamins, immunizations, allergy shots, and dietary supplements.

- medications and immunizations which the physician/CHC provider ordered or provided **prior to this visit** and **instructs or expects** the patient to continue taking regardless of whether a "refill" is provided at the time of visit.

For each medication, record if it was new or continued.

If more than eight drugs are listed, then record according to the following level of priority:

1. All medications (including OTC drugs)/immunizations associated with the listed diagnoses
2. All **new** medications (including OTC drugs)/immunizations, excluding vitamins and dietary supplements
3. All **continued** medications (including OTC drugs)/immunizations, excluding vitamins and dietary supplements
4. Vitamins and dietary supplements

## 11. PROVIDERS

Mark all providers seen during this visit. If care was provided, at least in part, by a person not represented in the four categories, mark the "Other" box.

For mental health provider, include psychologists, counselors, social workers, and therapists who provide mental health counseling. Exclude psychiatrists.

## 12. VISIT DISPOSITION

Mark all that apply.

	<b>Visit Disposition</b>	<b>Definition</b>
1	No show/Left without being seen	The patient made an appointment at the office/CHC, but did not keep it, or the patient registered at the office/CHC but left without being seen by a health care provider.
2	Refer to other physician	The patient was instructed to consult or seek care from another physician/provider. The patient may or may not return to this office/CHC at a later date.
3	Return at specified time	The patient was told to schedule an appointment or was given an appointment to return to the office/CHC at a particular time.
4	Refer to ER/Admit to hospital	The patient was instructed to go to the emergency room/department for further evaluation and care immediately or the patient was admitted as an inpatient in the hospital.
5	Other	Any other disposition not included in the above list.

As mentioned in the "Eligible Visits" section, "No show" and "Left without being seen" should only be marked in those cases when the patient was scheduled to see the sampled physician/CHC provider and

the Patient Record form was completed ahead of time, but for one of the two reasons the visit did not take place. Optimally, visits that fall into these categories should not be sampled.

---

### 13. TIME SPENT WITH PROVIDER

---

Include here the length of time the physician/CHC provider spent with the patient. DO NOT include the time the patient spent waiting to see the physician/CHC provider or receiving care from someone other than the physician/CHC provider. For example, DO NOT include the time someone other than the sampled provider spent giving the patient an inoculation or the time a technician spent administering an electrocardiogram. It is entirely possible that for visits such as these, the patient would not see the physician/CHC provider at all. In that case, "0" minutes should be recorded. DO NOT include physician's/CHC provider's time spent preparing for a patient such as reviewing the patient's medical records or test results before seeing the patient.

**If more than one patient is seen by the physician/CHC provider at the same time, apply the following rule:**

If the physician/CHC provider can easily separate the time spent with each (e.g., 3 minutes with one and 27 minutes with the other), he/she should record that on the Patient Record forms. If the physician/CHC provider cannot easily estimate how much time was spent with each, he/she should divide the total time equally among the patients seen together.

---

### 14. LABORATORY TEST RESULTS

---

**If you received a NAMCS-30A, please disregard this section; however, if you were given a NAMCS-30B, this item instruction applies to you. Please pay particular attention to these instructions.**

The biggest NAMCS change for 2010 is the addition of an A & B PRF folio. The A folio contains the same questions as 2009; however, the B folio, the one which you received, has additional items that capture laboratory values associated with cardiovascular risk factors. The American Heart Association recently released a scientific statement that recommended collecting lipoproteins, blood glucose, and glycohemoglobin to track the progress in meeting national goals for heart disease and stroke prevention and management. The American Heart Association specified in its guidelines that adding these data elements to the NAMCS would represent a low-cost approach to enhance national surveillance for cardiovascular disease.

Because your primary specialty indicated that you are likely to perform certain cardiovascular tests, you were been selected to receive the NAMCS 30B. The new lab questions (item 14) appear on the back of the PRF and include space to enter if six laboratory tests were drawn, the most recent result, and the date the lab was drawn. Please remember that the values should be from the **current** visit or values obtained **within the past 12 months** from the sampled visit. If any of these tests were ordered at the current or recent visit, but are not included in the medical record, do not follow-up and obtain the information at a later date.

### C. DEFINITIONS OF CERTAIN TERMS USED IN THE NAMCS

Ambulatory patient -- An individual presenting for personal health services, neither bedridden nor currently admitted to any health care institution on the premises.

Continuity of care -- Continuity of care is a goal of health care achieved through an interdisciplinary process involving patients, families, health care professionals, and providers in the management of a coordinated plan of care. Based on changing needs and available resources, the process optimizes quality outcomes in the health status of patients. It may involve professionals from many different disciplines within multiple systems.

Drug mention(s) --The physician's entry of a pharmaceutical agent ordered or provided--by any route of administration--for prevention, diagnosis, or treatment. Generic as well as brand-name drugs are included. Along with all new drugs, the physician also records continued medications if the patient was specifically instructed or expected to continue the medication.

Drug visit -- A drug visit is a visit at which medication was prescribed or provided by the physician.

Office(s) --Premises that the physician identifies as locations for his or her ambulatory practice. Responsibility over time for patient care and professional services rendered there generally resides with the individual physician rather than with any institution.

Visit --A direct, personal exchange between ambulatory patient and the physician (or members of his/her staff) for the purpose of seeking care and rendering health services.

## PATIENTS

In-scope -- All patients seen by the physician or members of his/her staff in the physician's office(s).

Out-of-scope -- Patients seen by the physician in a hospital, nursing home, or other extended care institution, or the patient's home. Note: If the doctor has a private office (which fits definition of "office") located in a hospital, the ambulatory patients seen there would be considered "in-scope." The following types of patients are also considered out-of-scope:

- patients seen by the physician in any institution (including outpatient clinics of hospitals) for which the institution has the primary responsibility for the care of the patient over time;
- patients who telephone and receive advice from the physician;  
patients who come to the office only to leave a specimen, pick up insurance forms, or pay their bills;
- patients who come to the office only to pick up medications previously prescribed by the physician.

## PHYSICIANS

In-Scope -- All duly licensed doctors of medicine and doctors of osteopathy currently in practice who have regularly scheduled time for seeing ambulatory patients at an office location.

Out-of-Scope -- Those physicians who treat patients only indirectly, including specialists in anesthesiology, pathology, forensic pathology, radiology, therapeutic radiology, and diagnostic radiology, and the following physicians:

- physicians who are federally employed or who are in military service;
- physicians who treat patients only in an institutional setting (e.g., patients in nursing homes and hospitals);

- physicians employed full time by an industry or institution and having no private practice (e.g., physicians who work for the VA, the Ford Motor Company, etc.);
- physicians who spend no time seeing ambulatory patients.

Physician specialty -- Principal specialty (including general practice) as designated by the physician at the time of the survey. Those physicians for whom a specialty was not obtained were assigned the principal specialty recorded in the Master Physician files maintained by the AMA or AOA.

Metropolitan status — Physicians are classified by their location in metropolitan statistical area as follows:

Metropolitan statistical area (MSA)—As defined by the U.S. Office of Management and Budget, the definition of an individual MSA involves two considerations: first, a city or cities of specified population, that constitute the central city and identify the county in which it is located as the central county; second, economic and social relationships with “contiguous” counties that are metropolitan in character so that the periphery of the specific metropolitan area may be determined. MSAs may cross state lines. In New England, MSAs consist of cities and towns rather than counties.

Non-MSA—Non-MSA areas are those not defined as MSAs, including rural and micropolitan areas.

Region of practice location -- The four geographic regions which correspond to those used by the U.S. Bureau of the Census, are as follows:

<u>Region</u>	<u>States Included</u>
Northeast.....	Connecticut, Maine, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont
Midwest.....	Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, Wisconsin
South.....	Alabama, Arkansas, Delaware, District of Columbia, Florida, Georgia, Kentucky, Louisiana, Maryland, Mississippi, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, Virginia, West Virginia
West.....	Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, Wyoming, Alaska, Hawaii

**APPENDIX II  
REASON FOR VISIT CLASSIFICATION**

**A. SUMMARY OF CODES**

<b>MODULE</b>	<b>CODE NUMBER</b>
<b>SYMPTOM MODULE</b>	
General Symptoms	1001-1099
Symptoms Referable to Psychological and Mental Disorders	1100-1199
Symptoms Referable to the Nervous System (Excluding Sense Organs)	1200-1259
Symptoms Referable to the Cardiovascular and Lymphatic Systems	1260-1299
Symptoms Referable to the Eyes and Ears	1300-1399
Symptoms Referable to the Respiratory System	1400-1499
Symptoms Referable to the Digestive System	1500-1639
Symptoms Referable to the Genitourinary System	1640-1829
Symptoms Referable to the Skin, Nails, and Hair	1830-1899
Symptoms Referable to the Musculoskeletal System	1900-1999
<b>DISEASE MODULE</b>	
Infective and Parasitic Diseases	2001-2099
Neoplasms	2100-2199
Endocrine, Nutritional, Metabolic, and Immunity Diseases	2200-2249
Diseases of the Blood and Blood-forming Organs	2250-2299
Mental Disorders	2300-2349
Diseases of the Nervous System	2350-2399
Diseases of the Eye	2400-2449
Diseases of the Ear	2450-2499
Diseases of the Circulatory System	2500-2599
Diseases of the Respiratory System	2600-2649
Diseases of the Digestive System	2650-2699
Diseases of the Genitourinary System	2700-2799
Diseases of the Skin and Subcutaneous Tissue	2800-2899
Diseases of the Musculoskeletal System and Connective Tissue	2900-2949
Congenital Anomalies	2950-2979
Perinatal Morbidity and Mortality Conditions	2980-2999
<b>DIAGNOSTIC, SCREENING AND PREVENTIVE MODULE</b>	
General Examinations	3100-3199
Special Examinations	3200-3299
Diagnostic Tests	3300-3399
Other Screening and Preventive Procedures	3400-3499
Family Planning	3500-3599
<b>TREATMENT MODULE</b>	
Medications	4100-4199
Preoperative and Postoperative Care	4200-4299
Specific Types of Therapy	4400-4499
Specific Therapeutic Procedures	4500-4599
Medical Counseling	4600-4699
Social Problem Counseling	4700-4799
Progress Visit, NEC	4800-4899

<b>MODULE</b>	<b>CODE NUMBER</b>
<b>INJURIES AND ADVERSE EFFECTS MODULE</b>	
Injury by Type and/or Location	5001-5799
Injury, NOS	5800-5899
Poisoning and Adverse Effects	5900-5999
<b>TEST RESULTS MODULE</b>	6100-6700
<b>ADMINISTRATIVE MODULE</b>	7100-7140
<b>UNCODABLE ENTRIES</b>	8990-8999
<b>BLANK</b>	-9

NOTE: NOS = Not otherwise specified; NEC = not elsewhere classified



**B. REASON FOR VISIT CLASSIFICATION TABULAR LISTING****SYMPTOM MODULE****GENERAL SYMPTOMS (1001-1099)**

1005.0	Chills		
1010.0	Fever		
	Includes:		
	High temperature		
1012.0	Other symptoms of body temperature		
	Excludes:		
	Chills (1005.0)		
	Fever (1010.0)		
	1012.1 Feeling cold		
	1012.2 Feeling hot		
	1012.3 Feeling hot and cold		
1015.0	Tiredness, exhaustion		
	Includes:		
	Exercise intolerance		
	Fatigue		
	Lack of energy		
	No energy		
	Run down		
	Worn out		
1020.0	General weakness		
1025.0	General ill feeling		
	Includes:		
	Diffuse Cx		
	Feeling bad all over		
	Illness, NOS		
	Malaise		
	Not feeling well		
	Multiple complaints		
	Multiple medical problems		
	Sick, NOS		
	Excludes:		
	General symptoms of infants (10800)		
1030.0	Fainting (syncope)		
	Includes:		
	Blacking out		
	Fainting spells		
	Passing out		
	Excludes:		
	Unconsciousness (5840.0)		
		1035.0	Symptoms of fluid abnormalities
			Includes:
			Fluid imbalance
			Fluid retention
			Holding water
		1035.1	Edema
			Includes:
			Ankles swelling (both)
			Bloated
			Dropsy
			Legs (both)
			Peripheral
			Swollen with water
			Excludes:
			Swelling of one ankle (1930.5)
			Swelling of one leg (1920.5)
		1035.2	Excessive sweating, perspiration
			Includes:
			Cold sweats
			Diaphoresis
		1035.3	Excessive thirst
		1040.0	Weight gain
			Includes:
			Fat pads (localized)
			Fatty deposits
			Obesity
			Overweight
			Too fat
			Excludes:
			Counseling for weight problem (4600.0)
		1045.0	Weight loss
			1045.1 Recent weight loss
			1045.2 Underweight
		1046.0	Symptoms of face, NEC
			Includes:
			Mass
			Excludes:
			Facial pain 1055.4
			Facial paralysis 1230.0

1050.0	Chest pain and related symptoms (not referable to a specific body system)	1066.0	Lesion, Internal NOS (excludes brain and skin)
	1050.1 Chest pain, soreness	1070.0	Bleeding, multiple or unspecified sites
	Excludes: Heart pain (1265.0)	1075.0	Symptoms of growth and developmental disorders
	1050.2 Chest discomfort, pressure, tightness, heaviness		Includes: Developmental regression
	Includes: C - pressure	1075.1	Lack of growth
	1050.3 Burning sensation in the chest		Includes: Failure to thrive Immaturity, physical Poor weight gain Slowness, physical Too short
1055.0	Pain, specified site not referable to a specific body system	1075.2	Excessive growth
	Includes: Buttock pain Gluteal pain Perineal pain		Includes: Development, early (physical) Too big for age Too tall
	Excludes: Abdominal pain (see 1545.1-1545.3) Chest pain (1050.1) Phantom leg/limb (2307.0)	1080.0	General symptoms of infants (under 1 year of age), NEC
1055.1	Rib pain		Excludes: General ill feeling (1025.0)
1055.2	Side pain, flank pain	1080.1	Cranky, crying too much, fussy, fidgety, irritable
1055.3	Groin pain	1080.2	Regurgitation, spitting up
	Includes: Pubic pain		Excludes: Vomiting (1530.0)
1055.4	Facial pain	1080.3	Feeding problem, eating difficulty
	Includes: Jaw pain Pain over eye	1085.0	General or unspecified nonviral infection Code also symptoms of specified joint (hip, shoulder, etc.)
1060.0	Pain and related symptoms, NEC		Includes: Infection, NOS
	1060.1 Pain, unspecified	1090.0	Allergy, NOS
	Includes: Ache all over (generalized) Incisions (postopcode 4205.0 also)		Includes: Angioedema Allergic reaction, NOS Food allergy, NOS Milk allergy, NOS
	1060.2 Cramps, spasms, site unspecified		Excludes: Allergic skin reaction (2825.0) Allergy to medications (5905.0) Nasal allergy (2635.0)
	Excludes: Menstrual cramps (1745.2)		
	1060.3 Stiffness, site unspecified		
1065.0	Tumor or mass, site unspecified		
	1065.1 Internal mass, NOS		

1095.0 Disorders of motor functions

- Includes:
- Ataxia
- Clumsiness
- Difficulty in walking
- Dyskinesia
- Fall, NOS
- Limping
- Staggering
- Stumbling
- Uncoordinated
- Unsteady gait

1096.0 Dyslexia, NOS

**SYMPTOMS REFERABLE TO PSYCHOLOGICAL AND MENTAL DISORDERS (1100-1199)**

1100.0 Anxiety and nervousness

- Includes:
- Apprehension
- Bad nerves
- Jittery
- Panicky feeling
- Stress
- Tension
- Upset
- Worried

1105.0 Fears and phobias

- Includes:
- General fearfulness
- Agoraphobia

1110.0 Depression

- Includes:
- Crying excessively
- Dejected
- Distress (NOS)
- Feeling down
- Feeling low
- Grief
- Hopelessness
- Sadness
- Tension
- Tension headache  
(also code 1210.0)
- Unhappy

1115.0 Anger

- Includes:
- Bitterness
- Hostile feelings
- Excludes:
- Temper problems (1130.4)

1120.0 Problems with identity and self-esteem

- Includes:
- Co-dependency
- Dependency
- Don't like myself
- Guilt
- Helpless
- Identity crisis
- Insecurity, emotional
- Lack of motivation
- Loss of identity
- No confidence
- No goals
- Poor boundaries
- Too much is expected of me

1125.0 Restlessness

- Includes:
- Can't rest
- Hyperactivity
- Overactivity

1130.0 Behavioral disturbances

- Includes:
- Agitated
- Behavior problem
- Gambling problem
- Lack of self control
- Out of control

1130.1 Antisocial behavior

- Includes:
- Avoiding people
- Excessive shyness
- Lying
- Social isolation
- Withdrawal

1130.2 Hostile behavior

- Includes:
- Aggressiveness
- Child abuser
- Child neglecter
- Combative
- Criminality
- Cruelty
- Destructiveness
- Elder abuser
- Homicidal
- Negativism
- Parent abuser
- Quarrelsome
- Spouse abuser
- Spouse batterer

1130.0	Behavioral disturbances (cont.)		
	1130.3	Hysterical behavior	
	1130.4	Temper problems	
		Includes:	
		Blowing up	
		Fussy	
		Irritability	
		Losing temper	
		Temper tantrums	
		Excludes:	
		Fussy infants (1080.1)	
	1130.5	Obsessions and compulsions	
1135.0	Disturbances of sleep		
		Includes:	
		Night terrors	
	1135.1	Insomnia	
		Includes:	
		Can't sleep	
		Sleeplessness	
		Trouble falling asleep	
	1135.2	Sleepiness (hypersomnia)	
		Includes:	
		Can't stay awake	
		Drowsiness	
		Groggy	
	1135.3	Nightmares	
	1135.4	Sleepwalking	
	1135.5	Apnea	
		Includes:	
		Sleep apnea (use additional code 1420.0 if breathing problem)	
1140.0	Smoking problems		
		Includes:	
		Can't quit smoking	
		Smoking too much	
		Excludes:	
		Physical symptoms of smoking (see particular symptom)	
		Smoker's cough (1440.0)	
1145.0	Alcohol-related problems		
		Includes:	
		Alcohol abuse	
		Drinking problem	
		Excludes:	
		Adverse effects of alcohol (5915.0)	
		Alcoholism (2320.0)	
1150.0	Abnormal drug usage		
		Includes:	
		Drug abuse	
		Frequent or excessive use of stimulants, hallucinogens, depressants, etc.	
		Excludes:	
		Drug addiction (2321.0)	
		Drug dependence (2321.0)	
		Intoxication with drugs (5910.0)	
		Overdose, intentional (5820.1)	
		Overdose, unintentional, NOS (5910.0)	
1155.0	Delusions or hallucinations		
		Includes:	
		Flashback	
		Grandiosity	
		Hearing voices	
		Ideas of reference	
		Medicine is poisoned	
		Seeing things	
1160.0	Psychosexual disorders		
	1160.1	Frigidity, loss of sex drive, lack of response, lack of libido	
	1160.2	Homosexuality, concerns with	
	1160.3	Impotence, Erectile dysfunction	
	1160.4	Premature ejaculation	
	1160.5	Masturbation excessive, concerns about	
	1160.6	Orgasm, problem with	
	1160.7	Preoccupation with sex	
1165.0	Other symptoms or problems relating to psychological and mental disorders, NEC		
		Includes:	
		Bad attitude	
		Blunted affect	
		Can't cope	
		Change in mental status	
		Chemical imbalance	
		Constricted affect	
		Danger to self	
		Deja vu feelings	
		Disoriented	
		Difficulty concentrating	
		Feeling heavy	
		Frantic	
		Frustration	
		Going crazy	
		Guarded	
		Hate everybody	
		Inhibited	
		Learning disability	
		Losing my mind	
		Mood fluctuation	

1165.0	Other symptoms or problems relating to psychological and mental disorders, NEC (cont.)		
	<ul style="list-style-type: none"> <li>Mood swings</li> <li>Non-communicative</li> <li>Overwhelmed</li> <li>Peculiar thinking</li> <li>Psychological problems, NOS</li> <li>Racing thoughts</li> <li>Reserved</li> <li>Rumination</li> <li>Sundown syndrome</li> <li>Trouble concentrating</li> <li>Wandering around</li> </ul>		
	Excludes:		
	Character disorder (2315.0)		
	Personality disorder (2315.0)		
1165.1	Nailbiting		
1165.2	Thumbsucking		
<b>SYMPTOMS REFERABLE TO THE NERVOUS SYSTEM (EXCLUDING SENSE ORGANS) (1200 - 1259)</b>			
1200.0	Abnormal involuntary movements		
	Includes:		
	Jerking		
	Shaking		
	Tics		
	Tremors		
	Twitch		
	Excludes:		
	Eye movements (see 1325.0-1325.4)		
	Eyelid twitch (1340.4)		
1205.0	Convulsions		
	Includes:		
	Febrile convulsions (Code fever also)		
	Fits		
	Seizures		
	Spells		
	Excludes:		
	Fainting (1030.0)		
1207.0	Symptoms of head, NEC		
	Excludes:		
	Headache, pain in head (1210.0)		
1210.0	Headache, pain in head		
	Includes:		
	Post-traumatic (also code 5575.0)		
	Excludes:		
	Migraine (2365.0)		
	Sinus headache (1410.1)		
	Symptoms of head, NEC (1207.0)		
1215.0	Memory, disturbances of		
	Includes:		
	Amnesia		
	Forgetfulness		
	Lack or loss of memory		
	Temporary loss of memory		
1220.0	Disturbances of sensation		
1220.1	Loss of feeling (anesthesia)		
	Includes:		
	Lack of sensation		
	No response to pain		
	Numbness		
	Stunned		
	Excludes:		
	Post-op complications of anesthesia		
	Note: Use additional code to identify body part.		
1220.2	Increased sensation (hyperesthesia)		
1220.3	Abnormal sensation (paresthesia)		
	Includes:		
	Burning legs		
	Burning, tingling sensation		
	Needles and pins		
	Prickly feeling		
	Stinging		
1220.4	Other disturbances of sense, including smell and taste		
1225.0	Vertigo - dizziness		
	Includes:		
	Falling sensation		
	Giddiness (dizziness)		
	Lightheadedness		
	Loss of sense of equilibrium or balance		
	Room spinning		
1230.0	Weakness (neurologic)		
	Includes:		
	Drooping, facial or NOS		
	Right- or left-sided weakness		
	Excludes:		
	General weakness (1020.0)		

1235.0 Disorders of speech, speech disturbance  
Includes:  
Groping for words  
Speech/verbal apraxia  
Unable to speak

1235.1 Stuttering, stammering

1235.2 Slurring

1240.0 Other symptoms referable to the nervous system  
Includes:  
Brain lesion  
Confusion  
Cognitive decline  
Damaged nerves  
Neuralgia  
Neurovegetative  
Pinched nerve  
Posticinal

Excludes:  
Nerve block 4560.0

1240.1 Apraxia

Excludes:  
Speech/verbal apraxia 1235.0

**SYMPTOMS REFERABLE TO THE CARDIOVASCULAR AND LYMPHATIC SYSTEMS (1260-1299)**

1260.0 Abnormal pulsations and palpitations

1260.1 Increased heartbeat

Includes:  
Pulse too fast  
Rapid heartbeat

1260.2 Decreased heartbeat

Includes:  
Pulse too slow  
Slow heart

1260.3 Irregular heartbeat

Includes:  
Fluttering  
Jumping  
Racing  
Skipped beat

1265.0 Heart pain

Includes:  
Anginal pain  
Heart distress  
Pain over heart

Excludes:  
Angina pectoris (2515.0)  
Chest pain (1050.1)

1270.0 Other symptoms of the heart

Includes:  
Bad heart  
Heart condition  
Poor heart  
Weak heart

1275.0 Symptoms of lymph glands (or nodes)

1275.1 Swollen or enlarged glands

1275.2 Sore glands

1280.0 Other symptoms referable to the cardiovascular/lymphatic system, NEC (blocked blood vessel, spider vein)

Includes:  
Telangiectasia

1280.1 Poor circulation

Includes:  
Cold feet, hands

1280.2 Pallor, paleness

1280.3 Flushed, blushing

**SYMPTOMS REFERABLE TO THE EYES AND EARS (1300-1399)**

1305.0 Vision dysfunctions

Excludes:  
Refractive errors (2405.0)

1305.1 Blindness and half vision

Includes:  
Visual field deficit

1305.2 Diminished vision

Includes:  
Blurred vision  
Can't see distances  
Difficulty reading  
Focus, Eyes won't (other than Infant 1335.0)  
Obstruction, Vision  
Poor vision  
Scotoma  
Trouble seeing  
Weak eyes

1305.3 Extraneous vision

Includes:  
Cloudy vision  
Fuzzy vision  
Spots in front of eyes (floaters)

1305.4 Double vision (diplopia)

1310.0	Discharge from eye		1335.0	Other and unspecified symptoms referable to eye, NEC (cont.)	
	1310.1	Bleeding		1335.1	Contact lens problems
	1310.2	Tearing, watering (lacrimation)		1335.2	Allergy
	1310.3	Pus, matter, white discharge, matted		1335.3	Swelling
1315.0	Eye infection and inflammation				Excludes: Foreign body (5600.0) Injury (5510.0) Abrasion (5410.0)
	1315.1	Pinkeye			
1320.0	Abnormal sensations of the eye		1340.0	Symptoms of eyelids	
		Includes: Foreign body sensation			Includes: Can't close eye Lesion Rash
	1320.1	Pain		1340.1	Infection, inflammation, swelling
		Includes: Irritation		1340.2	Itching
	1320.2	Itching		1340.3	Mass or growth
	1320.3	Burning, stinging		1340.4	Abnormal movement
	1320.4	Strain			Includes: Blinking Drooping Squinting Twitching
1325.0	Abnormal eye movements		1345.0	Hearing dysfunctions	
	1325.1	Abnormal retraction		1345.1	Diminished hearing
	1325.2	Cross-eyed			Includes: Deafness Hearing loss Trouble hearing
	1325.3	Pupils unequal		1345.2	Heightened or acute hearing
	1325.4	Deviation		1345.3	Extraneous hearing
		Includes: Drifting Lazy eye Turns in			Includes: Ringing (tinnitus) Excludes: Hearing things (1155.0)
1330.0	Abnormal appearance of eyes		1350.0	Discharge from ear	
	1330.1	Abnormal color			Includes: Fluid in ear
		Includes: Bloodshot Red		1350.1	Bleeding
		Excludes: Yellow (1610.2)		1350.2	Pus (purulent drainage), otorrhea
	1330.2	Protrusion (exophthalmos)		1350.3	Swimmer's ear
	1330.3	Cloudy, dull, hazy appearance, cloudy capsule			
1335.0	Other and unspecified symptoms referable to eye, NEC				
		Includes: Defect, NOS Eyes not focusing (infant)			

1355.0	Earache, or ear infection		
	1355.1	Earache, pain	
	1355.2	Ear infection	
1360.0	Plugged feeling in ear		
		Includes:	
		Blocked	
		Congestion in ear	
		Cracking	
		Ear feels full	
		Ears need cleaning	
		Ear wax	
		Popping	
1365.0	Other and unspecified symptoms referable to the ears, NEC		
		Includes:	
		Ear problem	
		Eustachian tube dysfunction	
		Pressure	
		Red, redness	
	1365.1	Itching	
	1365.2	Growths or mass	
	1365.3	Pulling at ears, picking at ears	
	1365.4	Abnormal size or shape, "ears stick out"	
		Excludes:	
		Foreign body in ear (5620.0)	
<b>SYMPTOMS REFERABLE TO THE RESPIRATORY SYSTEM (1400-1499)</b>			
1400.0	Nasal congestion		
		Includes:	
		Drippy nose	
		Excess mucus	
		Nasal obstruction	
		Post-nasal drip	
		Runny nose	
		Sniffles	
		Stuffy nose	
1405.0	Other symptoms of nose		
		Excludes:	
		Nasal allergy (2635.0)	
	1405.1	Nosebleed (epistaxis)	
	1405.2	Sore in nose	
	1405.3	Inflammation and swelling	
		Includes:	
		Infection	
		Red nose	
		Sore nose	
1405.0	Other symptoms of nose (cont.)		
	1405.4	Problem with appearance of nose	
		Includes:	
		Bump(s)	
		Too large	
		Undesirable appearance	
	1410.0	Sinus problems	
		Includes:	
		Sinus cyst	
		Sinus drainage	
	1410.1	Pain and pressure	
		Includes:	
		Sinus headache	
	1410.2	Sinus inflammation, infection	
	1410.3	Sinus congestion	
	1415.0	Shortness of breath	
		Includes:	
		Breathlessness	
		Out of breath	
		Sensation of suffocation	
	1420.0	Labored or difficult breathing (dyspnea)	
		Includes:	
		Anoxia	
		Breathing stopped	
		Can't breathe	
		Can't catch breath	
		Heavy breathing	
		Hypoxia	
		Respiratory distress	
		Smothering	
		Trouble breathing	
	1425.0	Wheezing	
		Includes:	
		Sighing respiration	
	1430.0	Breathing problems, NEC	
		Includes:	
		Hurts to breathe	
	1430.1	Disorders of respiratory sound, NEC	
		Includes:	
		Abnormal breathing sounds	
		Snoring	
		Rales	
		Rattles	
		Stridor	
	1430.2	Rapid breathing (hyperventilation)	





1505.0	Symptoms referable to lips		1535.0	Heartburn and indigestion (dyspepsia)
	Includes:			Includes:
	Sore on lip			Acid in stomach
				Excessive belching
1505.1	Cracked, bleeding, dry, chapped		1540.0	Gastrointestinal infection
1505.2	Abnormal color			Includes:
1505.3	Cold sore			Intestinal virus
				Stomach flu
1510.0	Symptoms referable to mouth			Stomach virus
	Includes:			Viral gastroenteritis
	Blister in mouth		1545.0	Stomach and abdominal pain, cramps and spasms
	Foaming at the mouth			Includes:
	Infection of mouth			Gastric pain
	Saliva too thick			Excludes:
	White spots			Groin pain (1055.3)
1510.1	Pain, burning, soreness		1545.1	Abdominal pain, cramps, spasms, NOS
1510.2	Bleeding			Includes:
1510.3	Dryness			Abdominal discomfort, NO
1510.4	Ulcer, sore			Gas pains
				Intestinal colic
1515.0	Symptoms referable to tongue		1545.2	Lower abdominal pain, cramps, spasms,
	Includes:			spasms,
	Ulcer on tongue			Includes:
	Sore on tongue			Right lower quadrant (RLQ) pain
1515.1	Pain			Left lower quadrant (LLQ) pain
1515.2	Bleeding			Inguinal pain
1515.3	Inflammation, infection, swelling		1545.3	Upper abdominal pain, cramps, spasms
1515.4	Abnormal color, ridges, coated			Includes:
				Epigastric pain
1520.0	Difficulty in swallowing (dysphagia)			Left upper quadrant (LUQ) pain
	Includes:			Pain in umbilical region
	Choking			Right upper quadrant (RUQ) pain
	Inability to swallow			
1525.0	Nausea		1565.0	Change in abdominal size
	Includes:			1565.1
	Feel like throwing up			Distention, fullness, NOS
	Nervous stomach			Includes:
	Sick to stomach			Abdominal bloating
	Upset stomach			Stomach fullness
1530.0	Vomiting		1565.2	Mass or tumor
	Includes:			Includes:
	Can't keep food down			Mass in groin
	Dry heaves			Mass, inguinal
	Retching		1565.3	Abdominal swelling, NOS
	Throwing up			
	Excludes:			
	Regurgitation, infants (1080.2)			
	Vomiting blood (1580.2)			



1650.0	Painful urination		1680.0	Other symptoms referable to urinary tract
	Includes: Burning, discomfort			Includes: Passed stones Urethral bleeding Urinary irritation
1655.0	Incontinence of urine (enuresis)			Excludes: Kidney stones or bladder stones (2705.0)
	1655.1 Involuntary urination, can't hold urine, dribbling, wetting pants		1700.0	Symptoms of penis
	1655.2 Bedwetting		1700.1	Pain, aching, soreness, tenderness, painful erection
1660.0	Other urinary dysfunctions		1700.2	Infection, inflammation, swelling
	Includes: Trouble going Urinary pressure Weak Stream		1700.3	Lumps, bumps, growths, warts
	1660.1 Retention of urine		1705.0	Penile discharge
	Includes: Can't urinate		1710.0	Symptoms of prostate
	1660.2 Hesitancy			Includes: Prostate trouble
	Includes: Difficulty in starting stream		1710.1	Swelling
	1660.3 Large volume		1710.2	Infection
	Includes: Polyuria		1715.0	Symptoms of the scrotum and testes
	1660.4 Small volume		1715.1	Pain, aching, tenderness
1665.0	Symptoms of bladder		1715.2	Swelling, inflammation
	Includes: Bladder trouble		1715.3	Growths, warts, lumps, bumps
	1665.1 Pain		1715.4	Itching, jock itch
	1665.2 Infection		1720.0	Other symptoms of male reproductive system
	1665.3 Mass			Includes: Blood in semen Early sexual development, males Painful ejaculation
1670.0	Symptoms of the kidneys			Excludes: Psychosexual problems (1160.0-1160.6)
	Includes: Kidney trouble		1730.0	Absence of menstruation (amenorrhea)
	1670.1 Pain			Excludes: Suspected pregnancy (3200.0) Missed a period (3200.0) Period late (3200.0)
	1670.2 Infection		1735.0	Irregularity of menstrual interval
	1670.3 Mass		1735.1	Frequent
1675.0	Urinary tract infection, NOS		1735.2	Infrequent
	Includes: Genitourinary infection Urine infection		1735.3	Unpredictable

1740.0	Irregularity of menstrual flow	1765.0	Other vaginal symptoms
	1740.1 Excessively heavy (menorrhagia)		1765.1 Pain
	1740.2 Scanty flow (oligomenorrhea)		1765.2 Infection
	1740.3 Abnormal material, including clots		1765.3 Itching, burning
1745.0	Menstrual symptoms, other and unspecified		1765.4 Vaginal dryness
	Includes: Long periods	1770.0	Vulvar disorders
	1745.1 Premenstrual symptoms, PMS		1770.1 Itching and irritation, swelling
	Includes: Bloating before periods Premenstrual tension or irritability		1770.2 Mass, lump
	1745.2 Painful menstruation (dysmenorrhea)		1770.3 Growth, wart, cyst, ulcer, sore
	Includes: Menstrual cramps Pain in legs and back during menstruation	1775.0	Pelvic symptoms
			1775.1 Pain
			1775.2 Pressure or dropping sensation
			Includes: Feeling of uterus falling out
			1775.3 Infection, inflammation
1750.0	Menopausal symptoms	1790.0	Problems of pregnancy
	1750.1 Early or late onset of menopause		Includes: Fetal movement
	1750.2 Vasomotor symptoms-hot flashes		Excludes: Routine prenatal visits (3205.0)
	1750.3 Emotional symptoms, change of life problems		1790.1 Pain during pregnancy
1755.0	Uterine and vaginal bleeding		1790.2 Spotting, bleeding during pregnancy
	Excludes: Bleeding during pregnancy (1790.2)		1790.3 Symptoms of onset of labor
	1755.1 Intermenstrual bleeding (metrorrhagia)		Includes: Water broke Ruptured membranes Labor pain, contractions Labor, NOS
	Includes: Bleeding between periods Breakthrough bleeding	1791.0	Postpartum problems
	1755.2 Postmenopausal bleeding		Includes: Bleeding Pain
	1755.3 Postcoital bleeding, female		Excludes: Postpartum examination, routine (3215.0)
1760.0	Vaginal discharge	1795.0	Other symptoms referable to the female reproductive system
	Includes: Bloody, brown, white (leukorrhea), excessive		Includes: Early sexual development, female Frequent miscarriage

1800.0	Pain or soreness of breast Includes: Tenderness	1835.0	Discoloration or abnormal pigmentation  Includes: Birthmark Blotches Circles under eyes Freckles Redness Spots  Excludes: Blushing (1280.3) Bruise (see 5405.0-5430.0) Flushing (1280.3) Jaundice (1610.2)
1805.0	Lump or mass of breast  Includes: Bump Knot Nodule Cyst	1840.0	Infections of skin, NOS  Includes: Draining wound Infected blister Infected wound  Excludes: Athlete's foot (2025.0) Wound drainage (as treatment)
1810.0	Other symptoms referable to breast	1840.1	Infection of skin of head or neck area
1810.1	Bleeding or discharge from nipple or breast	1840.2	Infection of skin of arm, hand, or finger
1810.2	Postpartum problems  Includes: Engorgement Postpartum infection Nursing difficulties	1840.3	Infection of skin of leg, foot, or toe
1810.3	Problems with shape or size  Includes: Too large Too small Sagging Uneven development	1845.0	Symptoms of skin moles  Includes: Skin mole, NOS
1815.0	Symptoms of infertility  Includes: Can't get pregnant Inability to conceive Sterility	1845.1	Change in size or color
1820.0	Hormone deficiency or problem	1845.2	Bleeding mole
1825.0	Symptoms of sexual dysfunction  Includes: Dyspareunia Painful intercourse  Excludes: Psychological disorders (see 1160.0-1160.6)	1850.0	Warts, NOS  Includes: Condyloma Condyloma acuminatum  Excludes: Plantar's warts (2015.0)
<b>SYMPTOMS REFERABLE TO THE SKIN, NAILS, AND HAIR (1830-1899)</b>			
1830.0	Acne or pimples  Includes: Bad complexion Blackheads Blemishes Breaking out Complexion, NOS Whiteheads	1855.0	Other growths of skin  Includes: Callus Corns Cysts, NOS Cyst, scalp Skin growth, NOS Skin tag

1860.0 Skin rash  
 Includes:  
 Rash  
 Skin eruption  
 Excludes:  
 Poison ivy (2825.0)  
 Poison oak (2825.0)  
 1860.1 Diaper rash

1865.0 Skin lesion, NOS  
 Includes:  
 Blister  
 Face  
 Papule  
 Pustule  
 Raw area  
 Sore  
 Ulcer

1870.0 Skin irritations, NEC  
 1870.1 Pain  
 1870.2 Itching

1875.0 Swelling of skin  
 Includes:  
 Bumps, lumps  
 Nodules  
 Welts, except hives (2825.0)  
 Tumor, skin

1880.0 Other symptoms referable to skin  
 Excludes:  
 Navel problems (1895.0)  
 1880.1 Oiliness  
 1880.2 Dryness, peeling, scaliness,  
 roughness  
 1880.3 Wrinkles

1885.0 Symptoms referable to nails  
 1885.1 Infected  
 1885.2 Ingrown  
 1885.3 Brittle, breaking, splitting, cracked,  
 ridged

1890.0 Symptoms referable to hair and scalp  
 Includes:  
 Scalp lesion  
 1890.1 Too little hair  
 Includes:  
 Alopecia  
 Baldness  
 Falling out  
 Losing hair  
 1890.2 Unwanted hair  
 Includes:  
 Abnormal hairiness  
 Hirsutism  
 Superfluous hair  
 1890.3 Dryness, flaky scalp, dry scalp  
 1890.4 Itching

1895.0 Navel problems  
 Includes:  
 Umbilicus not healing  
 Protrusion

**SYMPTOMS REFERABLE TO THE MUSCULOSKELETAL SYSTEM (1900-1999)**

These codes exclude all injuries (See Injuries and Adverse Effects Module.)

The following fifth digits should be used with categories 1900-1970 in place of the zero when there is adequate information given:

- .1 pain, ache, soreness, discomfort
- .2 cramps, contractures, spasms
- .3 limitation of movement, stiffness, tightness
- .4 weakness
- .5 swelling (for example, one leg/one ankle; if both legs/ankles code to 1035.1)
- .6 lump, mass, tumor

1900.0 Neck symptoms  
 1905.0 Back symptoms  
 1910.0 Low back symptoms  
 1915.0 Hip symptoms  
 1920.0 Leg symptoms  
 1925.0 Knee symptoms  
 1930.0 Ankle symptoms  
 1935.0 Foot and toe symptoms

1940.0	Shoulder symptoms	2015.0	Viral diseases
1945.0	Arm symptoms		Includes:
1950.0	Elbow symptoms		Chickenpox
1955.0	Wrist symptoms		Genital warts
1960.0	Hand and finger symptoms		German measles (rubella)
	Includes:		Hepatitis (infectious and NOS)
	Ring stuck on finger		Herpes simplex
1965.0	Symptoms of unspecified muscles		Infectious mononucleosis
1970.0	Symptoms of unspecified joints		Measles
1975.0	Musculoskeletal deformities		Meningitis, Viral
	Includes:		Mumps
	Crooked back		Plantar's warts
	Hammer toe		Poliomyelitis
	Excludes:		PPS
	Clubfoot (2960.0)		Rabies
	Curvature of spine (2910.0)		Respiratory syncytial virus (RSV)
1975.1	Bowlegged, knock-kneed	2015.1	Human immunodeficiency virus (HIV) with or without associated conditions
1975.2	Posture problems		Includes:
1975.3	Pigeon-toed, feet turn in		Acquired immunodeficiency syndrome
1980.0	Other musculoskeletal symptoms		AIDS
	Includes:		AIDS-like syndrome
	Bone pain		AIDS-related complex
	Stump pain		ARC
			HIV positive
			Excludes:
			Results, follow-up of test for HIV (6106.0)
	<b>DISEASE MODULE</b>	2015.2	Hemorrhagic fevers
			Includes:
			Botulism
			Ebola
			Fever, Hemorrhagic
			Marburg
	<b>INFECTIVE AND PARASITIC DISEASES (2001-2009)</b>		
2005.0	Intestinal infectious diseases	2020.0	Sexually transmitted diseases
	Includes:		Includes:
	Cholera		Chlamydia
	Dysentery		Gonorrhea
	Enteritis		Syphilis
	Gastroenteritis		
	Giardia		
	Salmonella		
2010.0	Streptococcal infection	2025.0	Fungus infections (mycoses)
	Includes:		Includes:
	Streptococcal tonsillitis		Athlete's foot
	Scarlet fever		Candidiasis monilia
			Dermatophytoses
			Moniliasis
			Ringworm
			Thrush
			Tinea
			Yeast infection



2030.0	Parasitic diseases Includes: Ascaris Leeches Lice Maggots Pinworms Scabies	2120.0	Cancer, female genital tract  Includes: Cervix Endometrium Fallopian tube(s) Ovary(ies) Uterus Vagina Vulva
2031.0	Sepsis, septicemia		
2035.0	Other and unspecified infectious and parasitic diseases  Includes: Bacterial infection Behcet's syndrome Cattleman's disease E. Coli Lyme disease PCP (pneumocystis carinii) Plague Staphylococcal infections Trichomonas vaginitis Tuberculosis Tularemia	2125.0	Cancer, male genital tract  Includes: Epididymitis Penis Prepuce (foreskin) Prostate Scrotum Spermatic Cord Testes
		2126.0	Cancer of urinary tract  Includes: Bladder Kidney Renal pelvis Ureter Urethra
<b>NEOPLASMS (2100-2199)</b>			
<u>Malignant neoplasms:</u>			
2100.0	Cancer, gastrointestinal tract  Includes: Colon Esophagus Liver Small intestine Stomach	2130.0	Other malignant neoplasms  Includes: Bone cancer Metastatic carcinoma Brain tumor Carcinoma-in-situ, NOS
2105.0	Cancer, respiratory tract  Includes: Bronchus Larynx Lung Throat Trachea	2135.0	Hodgkin's disease, lymphomas, leukemias  Includes: Cancer of blood Lymphosarcoma Multiple myeloma Polycythemia vera
<u>Benign and uncertain nature neoplasms:</u>			
2110.0	Cancer, skin and subcutaneous tissues  Includes: Basal cell carcinoma Melanoma Squamous cell carcinoma	2140.0	Fibroids and other uterine neoplasms  Includes: Cervical polyp Leiomyomata Myoma Nabothian cyst
2115.0	Cancer, breast		

2145.0 Other benign neoplasms  
Includes:  
Bartholin's cyst  
Dermoid cyst (ovary)  
Hemangioma  
Lipoma  
Nasal polyp  
Nevus  
Ovarian cyst  
Rectal polyp  
Vaginal inclusion  
Vocal cord

Excludes:  
Cyst, NOS (1855.0)  
Epidermoid cyst (2825.0)  
Pilonidal cyst (2825.0)  
Sebaceous cyst (2825.0)

2150.0 Neoplasm of uncertain nature  
Includes:  
Myelodysplasia  
Plasmacytoma

Excludes:  
Brain tumor (2130.0)

**ENDOCRINE, NUTRITIONAL, METABOLIC AND IMMUNITY DISEASES (2200-2249)**

2200.0 Diseases of the thyroid gland

Includes:  
Goiter  
Hyperthyroidism  
Hypothyroidism  
Myxedema  
Thyroid nodule  
Thyrotoxicosis

2205.0 Diabetes mellitus

2210.0 Gout, hyperuricemia

2215.0 Other endocrine, nutritional, metabolic and immunity diseases  
Includes:  
Amyloidosis  
Barter's Syndrome  
Calcium deficiency  
Cystinosis  
Disorders of intestinal absorption  
Electrolyte imbalance  
Female hormone deficiency  
Hematochromatosis  
HL, elevated  
Hormone imbalance  
Hypercholesterolemia  
Hyperlipidemia  
Hypoglycemia  
Impaired immune system  
Iron deficiency  
Low blood sugar  
Malnutrition

2215.0 Other endocrine, nutritional, metabolic and immunity Diseases (cont.)  
Ovarian dysfunction  
Poor nutrition  
Sugar reaction (if due to drug, code also 59050)  
Wilson's syndrome

**DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS (2250-2299)**

2250.0 Anemia

Includes:  
Anemia, NOS  
Iron deficiency anemia  
Pernicious anemia  
Sickle cell anemia

2255.0 Other diseases of blood and blood-forming organs  
Includes:  
Hemophilia  
HS Purpura  
Pancytopenia  
Thrombocytopenia  
von Willebrand's disease

**MENTAL DISORDERS (2300-2349)**

2300.0 Organic psychoses  
Includes:  
Alcoholic psychoses  
Drug withdrawal  
Organic brain syndromes  
Senile dementia

2305.0 Functional psychoses  
Includes:  
Autism  
Bipolar disease  
Depression, Major  
Manic-depressive psychoses  
Paranoid states  
Psychosis, NOS  
Schizophrenia, all types

2310.0 Neuroses  
Includes:  
Anxiety reaction  
Depressive neurosis  
Depressive reaction  
Neurosis, NOS  
Obsessive compulsive neurosis

Excludes:  
Anxiety (1100.0)  
Depression (1110.0)

2315.0 Personality and character disorders

2320.0 Alcoholism  
     Includes:  
         Alcohol dependence  
     Excludes:  
         Adverse effect of alcohol (5915.0)  
         Alcohol abuse (1145.0)  
         Alcohol-related problems (1145.0)

2321.0 Drug dependence  
     Includes:  
         Drug addiction  
         Nicorette dependency  
     Excludes:  
         Abnormal drug usage (1150.0)  
         Adverse effect of drug abuse (5910.0)  
         Overdose, intentional (5820.1)

2325.0 Mental retardation

2330.0 Other and unspecified mental disorders  
     Includes:  
         Adolescent adjustment reaction  
         Attention deficit disorder (ADD)  
         Attention deficit hyperactivity disorder (ADHD)  
         Note: Use additional code (1125.0) for hyperactivity.  
         Bruxism  
         Dyslexia, Mental  
         Eating disorder  
         Grief reaction  
         Sexual deviations  
         Transient situational disturbances

**DISEASES OF THE NERVOUS SYSTEM (2350-2399)**

2350.0 Multiple sclerosis  
 2355.0 Parkinson's disease (paralysis agitans)  
 2360.0 Epilepsy  
 2365.0 Migraine headache  
 2370.0 Other and unspecified diseases of the nervous system  
     Includes:  
         Acute lateral sclerosis  
         Alzheimer's disease  
         Bell's palsy  
         Carpal tunnel syndrome  
         Cerebral palsy  
         Demyelinating disease  
         Guillain-Barre  
         Meningitis  
         Morton's neuroma  
         Muscular dystrophy  
         Myasthenia gravis  
         Neurofibromatosis  
         Neuropathy  
         Paralysis, NEC  
         Phantom leg/limb pain  
         Thoracic outlet syndrome  
         Tourette's syndrome

**DISEASES OF THE EYE (2400-2449)**

2400.0 Inflammatory diseases of the eye  
     Includes:  
         Blepharitis  
         Conjunctivitis  
         Ophthalmia  
         Iritis  
         Keratitis (includes sicca)  
         Sty  
         Ulcer  
     Excludes:  
         Infection, NOS (1315.0)

2405.0 Refractive error  
     Includes:  
         Anisometropia  
         Astigmatism  
         Hyperopia, farsightedness  
         Myopia, nearsightedness  
         Presbyopia

2405.0 Refractive error (continued)  
     Excludes:  
         Test for refractive errors (3230.0)

2410.0 Cataract

2415.0 Glaucoma  
     Includes:  
         Glaucoma suspect  
         Hypertensive ocular disease  
         Increased ocular pressure

2420.0 Other diseases of the eye  
     Includes:  
         Amaurosis fugax  
         Amblyopia  
         Aphakia  
         Color blindness  
         Esotropia  
         Exotropia  
         Krukenberg's spindle  
         Macular degeneration  
         Pterygium  
         Retinal detachment  
         Strabismus

**DISEASES OF THE EAR (2450-2499)**

2450.0 Otitis media

<p>2455.0    Other diseases of the ear</p> <p style="padding-left: 40px;">Includes:</p> <p style="padding-left: 80px;">Abscess Labyrinthitis Meniere's disease Ruptured tympanic membrane</p> <p style="padding-left: 40px;">Excludes:</p> <p style="padding-left: 80px;">Deafness (1345.1) Infection, NOS (1355.2)</p>	<p>2525.0    Cerebrovascular disease</p> <p style="padding-left: 40px;">Includes:</p> <p style="padding-left: 80px;">Carotid stenosis Cerebral arteriosclerosis Cerebral hemorrhage Cerebral stenosis Cerebrovascular accident (CVA) Stroke TIA</p>
<b>DISEASES OF THE CIRCULATORY SYSTEM (2500-2599)</b>	
<p>2500.0    Rheumatic fever and chronic rheumatic heart disease</p> <p style="padding-left: 40px;">Includes:</p> <p style="padding-left: 80px;">Chorea</p>	<p>2530.0    Atherosclerosis</p> <p style="padding-left: 40px;">Includes:</p> <p style="padding-left: 80px;">Arteriosclerosis Hardening of the arteries</p> <p style="padding-left: 40px;">Excludes:</p> <p style="padding-left: 80px;">Cerebral arteriosclerosis (2525.0)</p>
<p>2505.0    Hypertension with involvement of target organs</p> <p style="padding-left: 40px;">Includes:</p> <p style="padding-left: 80px;">HCD HCVD Hypertensive cardiovascular disease Hypertensive heart disease Pulmonary hypertension Renal hypertension</p>	<p>2535.0    Phlebitis, thrombophlebitis</p> <p style="padding-left: 40px;">Includes:</p> <p style="padding-left: 80px;">Phlebothrombosis</p>
<p>2510.0    Hypertension, hypertensive</p> <p style="padding-left: 40px;">Includes:</p> <p style="padding-left: 80px;">High blood pressure</p>	<p>2540.0    Varicose veins</p>
<p>2515.0    Ischemic heart disease</p> <p style="padding-left: 40px;">Includes:</p> <p style="padding-left: 80px;">Angina pectoris Arteriosclerotic cardiovascular disease (ACVD) Arteriosclerotic heart disease (ASHD) Coronary Coronary artery disease Heart attack Myocardial infarction</p>	<p>2545.0    Hemorrhoids</p> <p style="padding-left: 40px;">Includes:</p> <p style="padding-left: 80px;">Perineal tags</p>
<p>2520.0    Other heart disease</p> <p style="padding-left: 40px;">Includes:</p> <p style="padding-left: 80px;">Aortic valve stenosis Arrhythmia, NOS Atrial fibrillation Cardiac arrhythmia Cardiac dysrhythmias Cardiomyopathy Cardiomyopathy (congestive) Congestive heart failure Cor pulmonale Heart failure Heart murmur Mitral valve prolapse Mitral valve regurgitation Paroxysmal tachycardia Premature ventricular contractions (PVCs) Ventricular tachycardia</p>	<p>2550.0    Other disease of circulatory system</p> <p style="padding-left: 40px;">Includes:</p> <p style="padding-left: 80px;">Aneurysm Artery diseases Blood clots Pulmonary embolism Heart disease, NOS Infarct(s), NOS Lymphadenitis Lymphadenopathy Postphlebotic syndrome Raynaud's disease Stasis dermatitis Temporal arteritis Vasculitis Venous insufficiency</p>
<b>DISEASES OF THE RESPIRATORY SYSTEM (2600-2649)</b>	
	<p>2600.0    Upper respiratory infections except tonsillitis</p> <p style="padding-left: 40px;">Includes:</p> <p style="padding-left: 80px;">Croup Laryngitis Pharyngitis Rhinitis Sinusitis</p> <p style="padding-left: 40px;">Excludes:</p> <p style="padding-left: 80px;">Allergic rhinitis (2635.0) Cold (1445.0) Nose infection, NOS (1405.3) Sinus infection, NOS (1410.2) Throat infection, NOS (1455.3)</p>

2605.0 Tonsillitis

2610.0 Bronchitis

Includes:  
Acute bronchitis  
Bronchitis, NOS  
Chronic bronchitis

2620.0 Emphysema  
2625.0 Asthma  
2630.0 Pneumonia

Includes:  
Bacterial pneumonia  
Bronchopneumonia  
Pneumonitis  
Viral pneumonia

2635.0 Hay fever

Includes:  
Allergic rhinitis  
Allergy to:  
Dust  
Pollen  
Animals  
Ragweed  
Nasal allergy  
Pollenosis

2640.0 Other respiratory diseases

Includes:  
Bronchiolitis  
Bronchospasm  
Chronic obstructive pulmonary disease  
Deviated nasal septum  
Hemothorax  
Other respiratory problems  
Pleurisy  
Pneumothorax  
Pulmonary edema  
Respiratory failure  
SARS

**DISEASES OF THE DIGESTIVE SYSTEM (2650-2699)**

2650.0 Diseases of the esophagus, stomach, and duodenum

Includes:  
Barrett’s esophagus  
Duodenal ulcer  
Esophageal ulcer  
Esophagitis  
Gastritis  
GERD  
Peptic ulcer  
Reflux  
Stomach ulcer

Excludes:  
Gastroenteritis (2005.0)  
Stomach flu (1540.0)

2655.0 Appendicitis, all types

2660.0 Hernia of abdominal cavity

Includes:  
Abdominal  
Femoral  
Hiatus  
Inguinal  
Umbilical  
Ventral

2665.0 Diseases of the intestine and peritoneum

Includes:  
Abscess, rectal  
Adhesions (abdominal or NOS; if states post-op, code 42050 also)  
Crohn’s disease  
Diverticulitis  
Diverticulosis  
Fissure - rectal, anal  
Fistula - rectal, anal  
Ileitis  
Irritable bowel syndrome  
Proctitis  
Small bowel obstruction  
Spastic colitis  
Ulcerative colitis

Excludes:  
Intestinal virus (1540.0)

2670.0 Diseases of the liver, gallbladder, and pancreas

Includes:  
Biliary colic  
Cholecystitis  
Cholelithiasis (gallstones)  
Cirrhosis  
Liver diseases  
Pancreatitis

2675.0 Other diseases of digestive system, NEC

Includes:  
Mandibular cyst

2675.1 Dental abscess  
2675.2 Dental cavities  
2675.3 Canker sore  
2675.4 Stomatitis  
2675.5 Temperomandibular joint (TMJ) pain, Temperomandibular joint (TMJ) syndrome

**DISEASES OF THE GENITOURINARY SYSTEM (2700-2799)**

2700.0 Cystitis

Excludes:  
Bladder infection (1665.2)

2705.0	Urinary tract disease except cystitis		2730.0	Other diseases of female reproductive system
	Includes:			Includes:
	Bladder stones			Cervical dysplasia
	Glomerulonephritis			Cystocele
	Glomerulonephrosis			Dysfunctional uterine bleeding
	Kidney cyst			Endometriosis
	Kidney stones			Polycystic ovaries
	Neurogenic bladder			Procidentia uteri
	Pyelonephritis			Prolapse of uterus
	Renal failure			Rectal-vaginal fistula
	Ureteral calculus			Rectocele
	Urethritis			Vulvitis
	Urolithiasis			
	Excludes:		2735.0	Diagnosed complications of pregnancy and puerperium (Double code when possible, for example Htn 2510.0 and pregnant 2735.0) Do not code with 3205.0
	Bladder infection (1665.2)			Includes:
	Kidney infection, NOS (1670.2)			Advanced maternal age (if age<35, use 3205.0)
	Passed stones (1680.0)			Diabetes during pregnancy
	Urinary tract infection (1675.0)			Ectopic pregnancy
2710.0	Diseases of the male genital organs			Edema of pregnancy
	Includes:			Fetal death in utero
	Benign prostatic hypertrophy (BPH)			Gallstones
	Epididymitis			High blood pressure during pregnancy
	Hydrocele			High risk pregnancy
	Peyronie's disease			Hyperemesis
	Phimosis			Intrauterine growth retardation (IUGR)
	Prostatitis			Miscarriage (if patient is pregnant)
	Excludes:			Multiple pregnancy
	Prostate infection (1710.2)			Placenta previa
2715.0	Fibrocystic and other diseases of breast			Post dates
	Includes:			Previous C-Section
	Abscess			RH sensitization
	Mastitis			Spontaneous abortion
	Excludes:			Threatened abortion
	Cancer (2115.0)			Toxemia, Adolescent
	Infection (1810.0)			Twins
				Young maternal age
				Excludes:
2720.0	Pelvic inflammatory disease (PID)			Abortion induced (3520.0)
	Includes:		2736.0	Other diseases of the genitourinary system, NEC
	Oophoritis			<b>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (2800-2899)</b>
	Pelvic peritonitis		2800.0	Carbuncle, furuncle, boil, cellulitis, abscess, NEC
	Salpingitis		2805.0	Impetigo
	Excludes:		2810.0	Seborrheic dermatitis
	Pelvic infection, NOS (1775.3)			Includes:
2725.0	Cervicitis, vaginitis			Dandruff
	Includes:		2815.0	Eczema and dermatitis, NOS
	Cervical erosion			Includes:
	Vulvovaginitis			Allergic dermatitis
			2820.0	Psoriasis

2825.0 Other diseases of the skin

Includes:  
 Allergic skin reactions  
 Epidermal inclusion cyst  
 Folliculitis  
 Hidradenitis  
 Hives  
 Keloid  
 Keratosis  
 Lupus erythematosus, NOS  
 Paronychia  
 Pilonidal cyst  
 Poison ivy  
 Poison oak  
 Rosacea  
 Sebaceous cyst  
 Urticaria

Excludes:  
 Acne (1830.0)  
 Cyst, NOS (1855.0)

**DISEASES OF THE MUSCULOSKELETAL SYSTEM AND  
 CONNECTIVE TISSUE (2900-2949)**

2900.0 Arthritis

Includes:  
 Osteoarthritis  
 Rheumatism, NOS  
 Rheumatoid arthritis  
 Septic

2905.0 Nonarticular rheumatism

Includes:  
 Bursitis  
 Ganglion cyst  
 Lumbago  
 Myositis  
 Polymyalgia rheumatica  
 Radiculitis/Radiculopathy  
 Synovitis  
 Tendinitis  
 Tenosynovitis

Excludes:  
 Rheumatism, NOS (2900.0)

2910.0 Other musculoskeletal or connective tissue disease

Includes:  
 Baker's cyst  
 Bone cysts  
 Bone spur  
 Bunions  
 Cervical myelopathy  
 Curvatures of spine  
 Degenerative disc diseases  
 Dupuytren's contracture  
 Exostosis  
 Kyphoscoliosis  
 Kyphosis

2910.0 Other musculoskeletal or connective tissue disease (cont.)

Osteomyelitis  
 Osteoporosis  
 Paget's  
 Plantar fistula  
 Scleroderma  
 Scoliosis  
 Sjogren's  
 Slipped disc  
 Spondylosis  
 Spur, NOS  
 Systemic lupus erythematosus

**CONGENITAL ANOMALIES (2950-2979)**

2950.0 Congenital anomalies of heart and circulatory system

2955.0 Undescended testicles

Includes:  
 Hypospadias

2960.0 Other and unspecified congenital anomalies

Includes:  
 Absence of organs  
 Blocked tear duct  
 Cleft palate  
 Cleft lip  
 Clubfoot  
 Congenital dislocation of hip  
 Deformed earlobe  
 Down syndrome  
 Duplication of organs  
 Dysmorphic  
 Harelip  
 Mitochondrial disorders  
 Turner's Syndrome

**PERINATAL MORBIDITY AND MORTALITY CONDITIONS  
 (2980-2999)**

2980.0 Prematurity

Includes:  
 Late effects of prematurity  
 Premature infant

2990.0 All other perinatal conditions

**DIAGNOSTIC, SCREENING, AND PREVENTIVE  
 MODULE**

**GENERAL EXAMINATIONS (3100-3199)**

3100.0 General medical examination

Includes:  
 Annual exam  
 Checkup, NOS  
 Checkup, routine

3100.0	General medical examination (cont.)		
	Evaluation, NOS		
	General exam		
	Healthy adult		
	Healthy child (includes 1 year and older)		
	History and physical (H&P)		
	Multiphasic screening exam		
	Physical exam		
	Preventive		
	Regular exam		
	Routine exam		
	Excludes:		
	Administrative exam (7100.0-7140.0)		
	Followup visit (4800.0)		
	Gynecological exam (3225.0)		
	Health care maintenance (under 1 year)		
	Pre-op exam (4200.0)		
	Prenatal exam (3205.0)		
	Progress visit (4800.0)		
3105.0	Well baby examination (any child under 1 year of age)		
3130.0	General psychiatric or psychological examination (mental health)		
	Includes:		
	Psychological testing		
	Excludes:		
	Court- or school-ordered examination (7140.0)		
<b>SPECIAL EXAMINATIONS (3200-3299)</b>			
3200.0	Pregnancy, unconfirmed		
	Includes:		
	HCG		
	Late menses Icode 4800.0 if followup indicated)		
	Late menstruation		
	Might be pregnant		
	Missed period		
	Period late		
	Possible pregnancy		
	Pregnancy test		
3205.0	Prenatal examination, routine		
	Includes:		
	Normal antepartum visit		
	Pregnancy, NOS		
	Routine obstetrical care		
3215.0	Postpartum examination, routine		
3220.0	Breast examination		
	Excludes:		
	Breast thermography (3340.0)		
	Mammography (3340.0)		
	Xerography (3340.0)		
3225.0	Gynecological examination		
	Includes:		
	Pelvic exam		
	Excludes:		
	Examination for birth control medication (3505.0)		
	Examination for birth control, NOS (3500.0)		
	Examination involving IUD (3510.0)		
	Repeat or abnormal Pap smear (6300.0)		
3230.0	Eye examination		
	Includes:		
	Check contacts		
	Check glasses		
	For contacts		
	For glasses		
	Glasses, NOS		
	Grid		
	Need new glasses		
	No change in vision		
	Routine ophthalmologic exam		
	Test for nearsightedness, farsightedness		
	To test my eyes		
	Vision about the same		
	Vision stable		
	Vision test		
	Visual field test		
	Excludes:		
	Fitting glasses or contacts (4515.0)		
3235.0	Heart examination		
	Includes:		
	Cardiac care		
	Cardiac checkup		
	Heart checkup		
3240.0	Other special examination		
	Includes:		
	AICD check		
	Check tubes		
	Examination of functioning internal prosthetic devices: implants, stents,shunts, etc.		
	Hearing aid		
	ICD check		
	Neurological exam		
	Pacemaker check		
	Thyroid		
<b>DIAGNOSTIC TESTS (3300-3399)</b>			
3300.0	Sensitization test		
	Includes:		
	Allergy test		
	Excludes:		
	To check results of skin tests (6600.0)		



3305.0	Skin immunity test Includes: PPD test Tuberculin test  Excludes: To check results of skin tests (6600.0)	3330.0	Diagnostic endoscopies  Includes: Arthroscopy Cystoscopy Laparoscopy Proctoscopy Sigmoidoscopy
3310.0	Glucose level determination (Hgb A1C-glycosolated hemoglobin)  Includes: Blood sugar test Check sugar Glucose tolerance test Test for diabetes	3335.0	Biopsies
3314.0	Human immunodeficiency virus (HIV) test  Includes: AIDS test  Excludes: To check results of human immunodeficiency virus test (6106.0)	3340.0	Mammography, xerography, breast thermography  Excludes: Breast examination (3220.0)
3315.0	Other blood test Includes: Blood alcohol Blood count Blood culture Blood test, NOS Blood thinning test CBC Check cholesterol Prothrombin time PSA Sickle cell anemia test  Excludes: Premarital blood test (7135.1)  3315.1 Blood test for sexually transmitted disease	3345.0	Diagnostic radiology  Includes: Angiogram/angiography Bone density Bone scan CT scan Hysterosalpingogram IVP MRI Myelogram Radioisotope scanning Venogram X-ray
3320.0	Blood pressure test Includes: Blood pressure check Check blood pressure	3350.0	EKG, ECG, electrocardiogram, treadmill, stress testing, holter monitor
3325.0	Urine test  Includes: Estriol for fetal evaluation Test urine for sugar Urinalysis Urine culture	3355.0	EEG, electroencephalogram
		3360.0	Hearing test  Includes: Hearing exam
		3365.0	Pap smear
		3366.0	Nasal swab
		3370.0	Other and unspecified diagnostic tests Includes: Amniocentesis Centesis Cervicitis Drug screening Echocardiogram Electronic fetal monitoring Exposure to PID Lab test, NOS Pulmonary function test Spinal tap Ultrasound
		3370.1	Glaucoma test Includes: ATN check Check intraocular pressure

3370.0 Other and unspecified diagnostic tests (cont.)

3370.2 Throat culture

3370.3 Heart catheterization

3370.4 Other cultures

Includes:  
Skin**OTHER SCREENING AND PREVENTIVE PROCEDURES  
(3400-3499)**

3400.0 Prophylactic inoculations

Includes:

Flu shot  
F/U vaccine  
Immunization  
Influenza shot  
Rhogam  
Tetanus shot  
Vaccination

3405.0 Exposure to sexually transmitted disease (STD)

Includes:

Check for STD  
May have STD

3408.0 Possible HIV

3409.0 Exposure to human immunodeficiency virus (HIV)

Includes:

Exposed to AIDS

3410.0 Exposure to other infectious diseases

Includes:

Chickenpox  
Infectious hepatitis  
Measles  
Mumps  
Pathogens  
Tuberculosis

3415.0 Exposure to bodily fluids of another person, NOS

Includes:

Blood exposure  
Exposure to another's secretions**FAMILY PLANNING (3500-3599)**

3500.0 Family Planning, NOS

Includes:

Birth control, NOS

Counseling, examinations,  
and general advice  
regarding:  
GeneticsPreop/counseling for vasectomy  
Sterilization

Fertility, NOS

Unwanted pregnancy, contraceptive, NOS

Excludes:

Procedures performed [See Counseling  
and examinations for pregnancy  
interruption (3515.0) through Artificial  
insemination (3530.0)]

Specified types of birth control:

Birth control medication  
(3505.0)  
IUD (3510.0)

3505.0 Contraceptive medication

Includes:

Depo Provera

Examinations, instructions, and advice  
regarding:Birth control pills  
Contraceptive implants  
Foams, jellies  
Oral contraceptives  
Renewing pill prescription

Norplant checkup

Norplant insertion/removal (also code  
4520.0)

3510.0 Contraceptive device

Includes:

Diaphragm insertion, removal, checkup  
IUD insertion, removal, checkup3515.0 Counseling and examinations for pregnancy  
interruption

Includes:

Evaluation for an arrangement for  
abortion

Wants abortion

3520.0 Abortion to be performed (at this visit)

3525.0 Sterilization and sterilization reversal to be performed  
(at this visit)

Includes:

Male - vasectomy

Female - tubal ligation

3530.0	Artificial insemination (at this visit) Includes: Assisted reproductive technologies Fetal reduction Intrauterine insemination In vitro fertilization	4115.0	Medication, other and unspecified kinds  Includes: Antibiotics, NOS Check medication Drug studies For medication Hormone refill Medication for pain Oral Placebo effect Prescribe medication Renew prescription Renew scripts Request prescription Request scripts Scripts  Excludes: Antibiotic medication injections (4110.0) Birth control medication (3505.0) Eyeglass prescription (see Eye examination (3230.0) and Fitting glasses and contact lenses (4515.0))
3535.0	Preconception counseling and education Includes: Counseling, examinations, and general advice regarding: Artificial insemination Desires pregnancy Egg donor Infertility Monitoring cycles Semen analysis Sperm donor Sperm washing Tubal reversal		
<b>TREATMENT MODULE</b>			
<b>MEDICATIONS (4100-4199)</b>			
4100.0	Allergy medication  Includes: Allergy shots Allergy treatments  Excludes: Allergy testing (3300.0)		
4110.0	Injections  Includes: Antibiotics Fat Hormones Injections, NOS Iron Lupron Depot Shots, NOS Steroid Vitamins  Excludes: Allergy shots (4100.0) Immunizations (3400.0) Inoculations (3400.0) Vaccinations (3400.0)		
4111.0	Noncompliance with medication therapy		
			<b>PREOPERATIVE AND POSTOPERATIVE CARE (4200-4299)</b>
		4200.0	Preoperative visit for specified and unspecified types of surgery  Includes: Discuss any surgery Discussion of cosmetic surgery Pre-op examination Surgical consultation
		4205.0	Postoperative visit  Includes: Check graft Check implant Check shunt Check stoma Check surgical wound Clotted graft/shunt Endoscopy follow-up F/U Endoscopy (immediate post-op care) Postop care Postop pain (code 1060.1 first) Postop suture removal (code suture removal first) Suture removal follow-up  Excludes: Complications of surgical or medical procedures and treatments (5930.0)

**SPECIFIC TYPES OF THERAPY (4400-4499)**

4400.0 Physical medicine and rehabilitation

## Includes:

Back adjustment  
 Cardiac rehabilitation  
 Heat therapy  
 Hydrotherapy  
 Occupational therapy  
 Physical therapy  
 Pulmonary rehabilitation  
 Recreational therapy  
 Speech therapy  
 Therapeutic exercises  
 Vocational rehabilitation

4401.0 Cardiopulmonary resuscitation (CPR)

4405.0 Respiratory therapy

## Includes:

Asthma treatment  
 Inhalation therapy  
 Inhaler/breathing treatment

4410.0 Psychotherapy

## Includes:

Group counseling  
 Includes:  
 12 Step programs (e.g. AA,  
 Overeaters Anonymous, etc.)  
 Family therapy  
 Group therapy  
 Psychoanalysis

4415.0 Radiation therapy

Includes treatment of s/p

4420.0 Acupuncture

4425.0 Chemotherapy

**SPECIFIC THERAPEUTIC PROCEDURES (4500-4599)**

4500.0 Tube insertion

## Includes:

Chest tube  
 Flushed catheter  
 G-tube  
 PEG, Replacement  
 PICC  
 Port-a-cath placement  
 Trach replacement

## Excludes:

Flushed urinary catheter 4510.0

4505.0 Cauterization, all sites

4507.0 IV therapy, infusion

4510.0 Urinary tract instrumentation and catheterization

## Includes:

Flushed urinary catheter  
 Urethral dilation  
 Urinary catheterization

## Excludes:

Cystoscopy [see Diagnostic endoscopies (3330.0)]

4515.0 Fitting glasses and contact lenses

## Includes:

Broken or lost glasses or contacts  
 Clean glasses or contacts  
 Pick up glasses or contacts  
 Prescription renewal

## Excludes:

Eye examination (3230.0)

4518.0 Detoxification

4518.1 Alcohol

4518.2 Drug

4520.0 Minor surgery

## Includes:

Ear tube removal  
 Ears pierced  
 Joint manipulation  
 Norplant insertion/removal (also code 3505.0)  
 Ring removal  
 Tattoo removal  
 Tube removal

4520.1 Wart removed

4521.0 Major surgery

## Includes:

Aspiration bone marrow  
 Balloon angiogram  
 Cervical conization  
 Cholecystectomy  
 Laser surgery, eye  
 Lens extraction  
 Liver biopsy  
 Percutaneous transluminal angiogram  
 Polypectomy  
 PTCA (balloon)

4525.0 Kidney dialysis

4529.0	Internal prosthetic devices (fit, adjust, remove) Includes: Breast implants Cardiac pacemaker Joint prostheses VNS  Excludes: Complications of surgical or medical procedures and treatments (5930.0)	4560.0	Other specific therapeutic procedures, NEC (cont.) Sclerotherapy Skin rejuvenation TENS unit, NOS Ultraviolet treatment Wound care, NOS  Excludes: Pinched nerve (1240.0)
4530.0	External prosthetic devices, artificial body parts (fit, adjust, remove)  Excludes: Prosthetic complications (5930.0)	4565.0	Transplants, NOS  Includes: Stem cell  4565.1 Failure  Includes: Bone marrow  4565.2 Rejection
4535.0	Corrective appliances  Includes: Fitting and adjusting: Back brace Dental cap, crown Earplugs Eye patch Hearing aid Jobst or ted stockings Leg brace Neck brace Orthopedic shoes Walking cane	<b>MEDICAL COUNSELING (4600-4699)</b>	
4540.0	Cast, splint - application, removal	4600.0	Diet and nutritional counseling  Includes: Check weight Counseling for weight reduction
4545.0	Dressing, bandage - application, change, packing	4604.0	Human immunodeficiency virus (HIV) counseling  Includes: AIDS counseling AIDS information, education ARC counseling Worried, concerned about getting, transmitting AIDS
4550.0	Irrigation, lavage	4605.0	Medical Counseling, NOS  Includes: Alcohol Disease counseling Drug Drug rehabilitation Locate advocate Medical consultation New patient Open house Patient education Personal problem Questions about condition Referral Relapse prevention Schedule test or study Second opinion To learn about a condition To meet doctor Trouble toilet training Wants to talk to doctor
4555.0	Suture - insertion, removal		
4556.0	Cosmetic injection, NOS  4556.1 Botox injection 4556.2 Collagen injection		
4560.0	Other specific therapeutic procedures, NEC Includes: Adjust device Apheresis Cardioversion Cryotherapy Cut toe nails Debridement Earwick ECT Enema Epidural Eye exercises Insulin pump Joint injection Nerve block Pessary, Change/Clean Phototherapy		

4605.0	Medical Counseling, NOS (cont.)	4725.0	Occupational problems
	4605.1 Family history of cardiovascular disease		Includes: Job dissatisfaction Out of work Problem with boss or coworkers Unable to work Unemployment
	4605.2 Family history of cancer		
	4605.3 Family history of diabetes		
	4605.4 Family history of other disease or condition	4730.0	Social adjustment problems
			Includes: Discrimination problems Don't have any friends Loneliness Neighborhood and community relations problems Social isolation
<b>SOCIAL PROBLEM COUNSELING (4700-4799)</b>			
4700.0	Economic problem		
	Includes: Can't pay bills Too little income		
4702.0	Problem with access to medical care	4735.0	Legal problems
	Includes: Blocked access to medical care Care not covered by insurance Insurance problem Limited access to medical care		Includes: Imprisonment, prosecution Lawsuits, litigation
4705.0	Marital problems	4735.1	Police involvement in outpatient visit circumstances
	Includes:  Alcoholic spouse Custody battle Divorce, desertion, separation Marriage counseling, NOS Premarital counseling Problem with husband, wife		Includes: Brought in by police Police called
4710.0	Parent-child problems	4740.0	Other social problems
	Includes: Adopted or foster child Concern about childhood behavior Discipline Maturation problems Oppositional defiance Working mother		Includes: Disabled Disappointment in others Disasters [Other person] is drunk Homeless Housing and clothing problems Pregnancy out-of-wedlock Problem with boyfriend or girlfriend Problems of aging Relationship problems
4715.0	Other problems of family relationship	<b>PROGRESS VISIT, NEC (4800-4899)</b>	
	Includes: Aged parents or in-laws Brother sister difficulty Divorced parents Family fights and disruptions Problems with relatives	4800.0	Progress visit, NOS (Use only when the only information given is progress or followup)
4720.0	Educational problems		Includes: Chronic, NOS Followup, NOS Getting better I'm better I'm the same I'm worse Monthly visit Ongoing treatment, NOS Recheck Revisit Routine followup Same problems, NOS Touching base
	Includes: Absenteeism, truancy Hates school Problems with teachers School behavior problems		

4800.0 Progress visit, NOS (Use only when the only information given is progress or followup) (cont.)

Excludes:

Followup, disease (Code to disease)  
Followup, injury (Code to injury)  
Followup, symptom (Code to symptom)  
Followup, test results (Code to 6100.0-6700.0)  
General checkup (3100.0)  
Postoperative followup (4205.0)  
Preventive medicine (3100.0)

**INJURIES AND ADVERSE EFFECTS MODULE**

**INJURY BY TYPE AND/OR LOCATION (5001-5799)**

Fractures and dislocations:

5005.0 Head and face

Includes:

Facial bones  
Jaw  
Nose  
Skull

5010.0 Spinal column

Includes:

Back  
Neck  
Vertebrae

5015.0 Trunk area, except spinal column

Includes:

Clavicle  
Collarbone  
Pelvic scapula  
Rib

5020.0 Leg

Includes:

Femur  
Fibula  
Hip  
Knee  
Tibia

5025.0 Ankle

5030.0 Foot and toes

5035.0 Arm

Includes:

Elbow  
Humerus  
Radius  
Shoulder  
Ulna

5040.0 Wrist

5045.0 Hand and fingers

5050.0 Fracture, other and unspecified

Sprains and strains:

5105.0 Cervical spine, neck

Includes:

Whiplash

5110.0 Back

5115.0 Knee

5120.0 Ankle

5125.0 Wrist

5130.0 Sprain or strain, other and unspecified

Lacerations and cuts:

5205.0 Head and neck area

Excludes:

Face (5210.0)

5210.0 Facial area

Includes:

Eye  
Ear  
Forehead  
Lip  
Nose

5215.0 Trunk area

Includes:

Perineum

5220.0 Lower extremity

Includes:

Ankle  
Foot

5225.0 Upper extremity

Includes:

Arm  
Fingers  
Hand  
Wrist

5230.0 Laceration and cuts, site unspecified

Puncture wounds:

5305.0 Head, neck and facial area

5310.0 Trunk area

5315.0 Lower extremity

5320.0	Upper extremity		5550.0	Shoulder
5325.0	Puncture wound, site unspecified		5555.0	Arm
	Includes:		5560.0	Elbow
	Needlestick, NOS		5565.0	Wrist
	<u>Contusions, abrasions, and bruises:</u>		5570.0	Hand and finger(s)
5405.0	Head, neck, and face		5575.0	Injury, multiple or unspecified Includes post-traumatic (NOS) headache (and 1210.0)
	Excludes:		<u>Foreign body:</u>	
	Eye (5410.0)		5600.0	Eye
5410.0	Eye		5605.0	Nose
	Includes:		5610.0	Skin
	Black eye		5615.0	Digestive tract (if choking present, code 15200 first)
	Contusion			Includes:
	Corneal abrasion			Mouth
5415.0	Trunk area			Rectum
	Includes:			Throat
	Injury to scrotum		5616.0	Respiratory tract
5420.0	Lower extremity		5620.0	Other and unspecified sites
5425.0	Upper extremity			
5430.0	Contusion, abrasion, bruise, site unspecified			
	<u>Injury, other and unspecified type:</u>			
5505.0	Head, neck, and face			
	Includes:			
	Post concussive syndrome		5705.0	Head, neck, and face Includes eyes
	Tooth fracture		5710.0	Trunk area
	Tooth knocked out		5715.0	Extremities
	Traumatic brain injury (TBI)			Includes:
	Excludes:			Lower
	Loose tooth (no injury) 1500.0			Upper
5510.0	Eye		5720.0	Burn, site unspecified
5515.0	Back		5750.0	Sunburn, windburn
	Includes:			Excludes:
	Tail bone			Sun poisoning 5920.0
5520.0	Chest and abdomen		<u>Bites:</u>	
	Includes:		5755.0	Insect
	Internal injuries			Includes:
5525.0	Hip			Sting
5530.0	Leg			Tick
5535.0	Knee		5760.0	Animal ,snake, human
5540.0	Ankle			
5545.0	Foot and toe(s)			



INJURY, NOS (5800-5899)		5830.0	Rape	
5800.0	Late effects of an old injury			Includes: Sexual assault
	Includes: Deformities Scars			5830.1 Sexual abuse
5805.0	Motor vehicle accident, type of injury unspecified			Includes: Molestation
	Includes: Auto accident Car accident Motorcycle accident	5835.0	Dead on arrival (DOA)	Includes: Death
5810.0	Accident, NOS			Excludes: Cardiac arrest (5837.0) Cardiopulmonary arrest (5839.0) Respiratory arrest (5836.0)
	Includes: Fall, type or location of injury unspecified			
5815.0	Violence, NOS			
	Includes: Abuse Beat up In a fight Stabbing	5836.0	Respiratory arrest	Excludes: Cardiac arrest (5837.0) Cardiopulmonary arrest (5839.0) Dead on arrival (5835.0) Drowning (5838.0) Near drowning (5838.0)
	Excludes: Violence against oneself (5818.0, 5820.0)			
5815.1	Child abuse or neglect	5837.0	Cardiac arrest	Includes: Code blue
	Excludes: Child sexual abuse (5830.1)			Excludes: Cardiopulmonary arrest (5839.0) CPR (4401.0) Dead on arrival (5835.0) Respiratory arrest (5836.0)
5815.2	Battered spouse			
5815.3	Elder abuse			
5815.4	Gunshot wound	5838.0	Drowning	Includes: Near drowning
5818.0	Intentional self-mutilation	5839.0	Cardiopulmonary arrest	Excludes: Cardiac arrest (5837.0) Respiratory arrest (5836.0)
	Includes: Self-abuse Tried to hurt self			
	Excludes: Suicide attempt (5820.0)	5840.0	Unconscious on arrival	
5820.0	Suicide attempt			Includes: Coma Found unconscious Knocked out Shock Stupor Unresponsive
	Includes: Found in car with motor running Hanging oneself Slashed wrists Code also: Laceration of wrists (5225.0) Stabbed oneself			
5820.1	Overdose, intentional	5841.0	State of consciousness not specified	Includes: Brought in by ambulance Found on floor Verbally unresponsive
	Excludes: Unintentional overdose (5910.0)			

5842.0	Altered level of consciousness, NOS	5920.0	Adverse effects of environment
	Excludes: Adverse effect of alcohol 5915.0 Adverse effect of drug abuse 5910.0		Includes: Air pollution Frostbite Hypothermia Noise pollution Sun damage Sun poisoning Too hot Water pollution
<b>POISONING AND ADVERSE EFFECTS (5900-5999)</b>			
5900.0	Unintentional poisoning	5921.0	Adverse effects of second-hand smoke (Code also symptomatic conditions related to second-hand smoke exposure, for example, bronchitis, emphysema)
	5900.1 Food poisoning		Includes: Persons living with heavy smoker Exposure in public buildings Work environment exposure
	5900.2 Ingestion, inhalation, or exposure to potentially poisonous products	5922.0	Adverse effects of terrorism and bioterrorism
	Includes: Heavy metal toxicity Household products Chemicals Drugs Gas Smoke Lead Mace in eyes		Includes: Anthrax, skin Anthrax, respiratory (inhalation) Bombing Food/water contamination Smallpox
5905.0	Adverse effect of medication		Note: Use an additional code to identify the complaint, symptom, or disease, if any.
	Includes: Allergy to medication Anaphylactic shock Bad reaction to prescribed medication Penicillin allergy Sugar too low (insulin reaction) (Code 2215.0 also)	5925.0	Adverse effects, other and unspecified
			Includes: Seasickness
5910.0	Adverse effect of drug abuse	5930.0	Complications of surgical or medical procedures and treatments
	Includes: Bad trip Combination of drugs and alcohol (nonsuicidal) Drug-induced hallucinations Freaked out on drugs Ingestion of drugs for nonmedicinal purposes Unintentional overdose		Includes: Artificial openings (ostomies, stoma) Catheter Foreign body (accidentally left during surgery e.g. sponge, instrument) Medical complication, NOS Non-healing surgical wound Post-op fever Post-op hemorrhage (bleeding) Post-op infection or inflammation Post-op sepsis (septicemia) Shunt Tubes Wound dehiscence
	Excludes: Intentional overdose (5820.1)		Use additional code to identify condition Such as: UTI (1675.0) Fever (1010.0)
5915.0	Adverse effect of alcohol		Excludes: Postpartum conditions (1791.0 and 1810.2) Complication of transplant organs (4565.1-4565.2)
	Includes: Acute intoxication Drunk Intoxication		

**TEST RESULTS MODULE**

		6600.0	For results of skin tests
	(Includes all abnormal test results and followups for test results)	6700.0	For other and unspecified test results
6100.0	For results of blood glucose tests		Includes: Abnormal EEG Abnormal lab test results, NOS Abnormal scans Abnormal pulmonary function test Colonoscopy results CT scans Failed hearing, vision MRI Results of biopsy
	Includes: Abnormal glucose tolerance test Elevated blood sugar Glucose control High blood sugar Hyperglycemia Sugar in blood		Results of fetal evaluation tests To discuss test results with physician Ultrasonography results
6105.0	For results of cholesterol and triglyceride tests		
	Includes: High cholesterol		

**ADMINISTRATIVE MODULE**

6106.0	For results of test for human immunodeficiency virus (HIV)	7100.0	Physical examination required for school or employment
	Includes: Results of AIDS test	7100.1	Physical examination required for employment
	Excludes: History of positive HIV test findings (2015.1)		Includes: Preemployment examination Required company physical Return to work checkup Teacher's certificate physical
6110.0	For other findings of blood tests	7100.2	Executive physical examination
	Includes: Elevated sed rate Low potassium Positive blood culture Positive serology, VDRL PSA results	7100.3	Physical examination required for school
6200.0	For results of urine tests		Includes: College Day care center Grade school High school Nursery school
	Includes: Abnormal urinalysis Positive urine culture Sugar in urine	7100.4	Physical examination for extracurricular activities
6300.0	For cytology findings		Includes: Athletics Boy Scouts or Girl Scouts Camp Little League
	Includes: Abnormal Pap smear Atypical Pap smear For results of Pap smear of cervix or other area Positive Pap smear Repeat Pap smear	7120.0	Driver's license examination, DOT
6400.0	For radiological findings	7125.0	Insurance examination
	Includes: Abnormal X-ray X-ray results Xeromammography results	7130.0	Disability examination
			Includes: Evaluation of disability Social Security examination
6500.0	For results of EKG, Holter monitor review	7131.0	Worker's comp exam

- 7135.0 Premarital examination
- 7135.1 Premarital blood test
- 7137.0 Direct admission to hospital
- Includes:
    - Admit to hospital
    - Direct admit
    - For admission
    - Here for admission
    - Involuntary commitment
    - Pre admission evaluation
    - Pre admission exam
    - Voluntary commitment
- 7140.0 Other reason for visit required by party other than the patient or the health care provider
- Includes:
    - Medical certificate
    - Physical certificate
    - Physical examination for adoption
    - Psychiatric examination required by court
    - Travel
    - WIC medical clearance

**UNCODABLE ENTRIES**

- 8990.0 Problems, complaints, NEC
- 8991.0 Patient unable to speak English
- 8993.0 Patient (or patient's spokesperson) refused care
- Includes:
    - Left AMA
    - Walked out
- 8997.0 Entry of "none" or "no complaint"
- Includes:
    - Asymptomatic, NOS
    - Doing well
    - Feeling good

- 8998.0 Insufficient information
- 8999.0 Illegible entry

**SPECIAL CODE**

- 9 Blank

## APPENDIX III

## A. GENERIC CODES AND NAMES IN NUMERIC ORDER

This list reflects the new classification being used to code drugs reported in NAMCS. Starting with 2006 data, the Multum Lexicon Plus system was used to classify drugs in NAMCS. Drugs starting with a "d" prefix are those for which a match was found in the Multum Lexicon Plus®, a proprietary database of Cerner Multum, Inc., and the code reflects the Multum code for the drug. Drugs starting with an "a" prefix are those which were added to the NCHS database in 2006 and 2007 for which a match could not be found in Multum but for which ingredients could be identified. Drugs starting with a "c" prefix are those drugs added to the NCHS database in 2006 and 2007 for which ingredients could not be determined. Drugs starting with "a" or "c" were assigned codes by NCHS. As of 2008 data, the "a" and "c" codes are no longer being used to code drugs in the NCHS database. Starting in 2008, drugs which were added to the NCHS database for which no match could be found in Multum use an "n" prefix. Ingredients are separated by semi-colons.

a07001 FOLIC ACID;NIACIN; VITAMIN E;PYRIDOXINE; CYANOCOBALAMIN	a10001 ACACIA GUM; HYDROCORTISONE; LEVONORGESTREL; NEOMYCIN;POLYMYXIN B SULFATE	a10036 AMMONIUM CHLORIDE;ANTIMONY POTASSIUM;POTASSIUM GUAIACOLSULFONATE; WHITE PINE SYRUP; WILD CHERRY SYRUP
a07002 CHOLECALCIFEROL- CALCIUM CITRATE	a10002 ACETONE;BORIC ACID TOPICAL;CARBOL- FUCHSIN;RESORCINOL TOPICAL	a10046 BENZETHONIUM CHLORIDE-ISOPROPYL ALCOHOL TOPICAL
a07003 MULTIVITAMIN-LUTEIN	a10004 ACETONE; ETHANOL;FUCHSIN; PHENOL TOPICAL;RESORCINOL TOPICAL	a10047 BENZOPHENONE; LANOLIN TOPICAL; MINERAL OIL;PEG-4 DILAURATE
a07009 PASSIFLORA EXTRACT;MAGNESIUM CITRATE;CALCIUM LACTATE;VALERIAN	a10007 ACETONE;ISOPROPYL ALCOHOL TOPICAL;POVIDONE IODINE TOPICAL	a10051 BENZYL ALCOHOL; SOYBEAN OIL;STARCH TOPICAL
a07010 ASCORBIC ACID- GLYCERIN	a10009 ACETONE-BENZOYL PEROXIDE TOPICAL	a10054 BENZYL ALCOHOL- LIDOCAINE
a07018 CAYENNE PEPPER- GARLIC	a10017 ALLANTOIN TOPICAL;AMINACRINE; SULFANILAMIDE TOPICAL	a10055 BENZOCAINE TOPICAL- BENZYL ALCOHOL
a07019 VITAMIN A; RIBOFLAVIN; PYRIDOXINE; CHOLECALCIFEROL; THIAMINE	a10022 AMINOACETIC ACID- CALCIUM CARBONATE	a10068 ASCORBIC ACID; BIOTIN;VITAMIN B COMPLEX
a07026 BIOTIN;VITAMIN B COMPLEX;FOLIC ACID;ASCORBIC ACID	a10030 AMMONIUM PHOSPHATE;SODIUM PHOSPHATE;SODIUM PYROPHOSPHATE	a10078 BISMUTH ANTI- DIARRHEA;KAOLIN; OPIUM;PECTIN;ZINC TOPICAL AGENTS, EXTERNAL USE
a07027 CALCIUM; MAGNESIUM; CHOLECALCIFEROL	a10032 ANETHOLE;BENZOCAINE TOPICAL; DEXTROMETHORPHAN; MENTHOL;PEPPERMINT	a10096 ASPIRIN-BUFFERS a10103 CALCIUM REPLACEMENT; ERGOALCIFEROL;IRON PREPARATIONS
a07033 HIV VACCINE	a10035 ANTIMONY POTASSIUM; ETHANOL; GLYCYRRHIZA; OPIUM	a10112 CALCIUM REPLACEMENT; GUAIFENESIN; HYOSCYAMINE; PHENOBARBITAL; TERPIN HYDRATE
a07035 ANALGESICS;DIETARY SUPPLEMENT; ANTIOXIDANTS		a10115 CALCIUM REPLACEMENT- NIACIN
a07047 MUSHROOM EXTRACT		
a07049 CARRASYN		
a07050 ANGIOTENSIN II RECEPTOR BLOCKERS		
a07056 OAK EXTRACT		
a07061 XANTHAN GUM		
a07065 CURCUMIN		
a07069 CYANOACRYLATE		
a07071 TYROSINE		
a07073 TICILIMUMAB		
a07074 SOLUBLE FIBER		

a10124 CALCIUM REPLACEMENT-SODIUM PROPIONATE	a10168 BETA-CAROTENE; CERESIN WAX;MINERAL OIL;PETROLATUM TOPICAL	a10251 ASCORBIC ACID; DEXTROSE; VITAMIN B COMPLEX
a10125 CALCIUM REPLACEMENT-ERGOCALCIFEROL		a10252 DEXTROSE-NORMAL SALINE
a10127 CALCIUM REPLACEMENT-CHOLECALCIFEROL	a10171 BENZOCAINE TOPICAL-CETALKONIUM CHLORIDE	a10253 DEXTROSE-LACTATED RINGERS
a10133 CALCIUM ION;CHLORIDE ION;MAGNESIUM ANTACIDS;POTASSIUM ION;SODIUM ION	a10172 CETEARETH; PETROLATUM TOPICAL;PROPYLENE GLYCOL;SORBITOL	a10255 DEXTROSE-NUTRITIONAL PRODUCTS
a10135 CALCIUM ION;CHLORIDE ION;POTASSIUM ION;SODIUM ACETATE;SODIUM ION	a10176 AMMONIUM LACTATE TOPICAL;CETYL ALCOHOL;GLYCERYL; MINERAL OIL;PARABENS	a10263 DEXTROSE-NITROGLYCERIN
a10140 CALCIUM ION; MAGNESIUM CHLORIDE;POTASSIUM ION;SODIUM CHLORIDE	a10179 CETYL ALCOHOL; PROPYLENE GLYCOL;SODIUM LAURYL SULFATE;STEARYL ALCOHOL	a10264 DEXTROSE; POTASSIUM CHLORIDE; SODIUM CHLORIDE
a10142 ALUMINUM HYDROXIDE;CALCIUM PANTOTHENATE; MAGNESIUM ANTACIDS	a10184 CETYL ALCOHOL; COLFOSCERIL; TYLOXAPOL OPHTHALMIC	a10266 DEXTROSE; POTASSIUM CHLORIDE; STERILE WATER
a10146 CALCIUM PANTOTHENATE; NIACIN;PYRIDOXINE; RIBOFLAVIN	a10200 BORIC ACID TOPICAL; CHLOROTHYMOL; EUCALYPTUS OIL; MENTHOL TOPICAL; THYMOL	a10267 DEXTROSE-SODIUM CHLORIDE
a10147 CALCIUM PANTOTHENATE;NIACIN; PYRIDOXINE; RIBOFLAVIN;THIAMINE	a10207 CINOXATE; GLYCERYL;METHYL ANTHRANILATE; MINERAL OIL;SORBITOL	a10268 DEXTROSE; SODIUM CHLORIDE; THIAMINE
a10148 ASCORBIC ACID;CALCIUM PANTOTHENATE;NIACIN; RIBOFLAVIN	a10208 CINOXATE;MINERAL OIL; OXYBENZONE; TRETINOIN TOPICAL	a10271 CASANTHRANOL; DEXTROSE; PSYLLIUM
a10150 CANTHARIDIN; PODOPHYLLUM RESIN TOPICAL;SALICYLIC ACID TOPICAL	a10217 COCOA BUTTER; PARABENS; ZINC TOPICAL AGENTS, EXTERNAL USE	a10277 DEXTROSE; POTASSIUM ACETATE; POTASSIUM PHOSPHATE; STERILE WATER
a10156 ALGINIC ACID;BORIC ACID TOPICAL; CARMELLOSE;GLYCERIN TOPICAL;PROPYLENE GLYCOL	a10223 COLIFORM VACCINE-PHENOL TOPICAL	a10279 DEXTROSE-STERILE WATER
a10160 CASEIN;COCONUT OIL;MAGNESIUM AMINO ACIDS CHELATE; SUCROSE;TAPIOCA	a10227 CAJEPUT; COTTONSEED OIL; EUCALYPTUS OIL; PEPPERMINT; PINE OIL	a10285 DIMETHICONE; GLYCERIN; METHYLPARABEN; PETROLATUM TOPICAL
a10162 CASEIN;CORN OIL; LECITHIN; MULTIVITAMIN; SODIUM ION	a10230 CYSTINE; METHIONINE; UREA TOPICAL	a10288 CHOLECALCIFEROL; DIMETHICONE; VITAMIN A; VITAMIN E TOPICAL; ZINC OXIDE TOPICAL
a10163 CASEIN; MULTIVITAMIN; SAFFLOWER OIL;SOYBEAN OIL;SUCROSE	a10237 DETERGENT-LANOLIN TOPICAL	a10290 ALOE VERA TOPICAL; DIMETHICONE; ETHANOL; GLYCERIN TOPICAL; PETROLATUM TOPICAL
a10166 CERESIN WAX;MINERAL OIL;PETROLATUM TOPICAL;WOOLWAX ALCOHOL	a10242 DEXTROSE; FRUCTOSE; PHOSPHORIC ACID	a10299 ELECTROLYTES-MINERALS
	a10244 DEXTROSE; MAGNESIUM ACETATE; POTASSIUM REPLACEMENT SOLUTIONS; SODIUM CHLORIDE	a10300 ASCORBIC ACID; ELECTROLYTES; MINERALS; VITAMIN B COMPLEX
	a10249 DEXTROSE-RINGERS LACTATED	a10304 ELECTROLYTES-POLYETHYLENE GLYCOL 3350
		a10312 ETHANOL; EUCALYPTUS OIL; MENTHOL TOPICAL; METHYL SALICYLATE TOPICAL; THYMOL
		a10313 BENZOIN TOPICAL; CAMPHOR TOPICAL; EUCALYPTUS OIL; MENTHOL TOPICAL; THYMOL

a10315 BORIC ACID TOPICAL; EUCALYPTUS OIL; PETROLATUM TOPICAL; ZINC TOPICAL AGENTS, EXTERNAL USE	a10385 ETHINYL ESTRADIOL; IRON PREPARATIONS; NORETHINDRONE	a10442 IRON PREPARATIONS- MULTIVITAMIN
a10317 BENZOCAINE TOPICAL; CAMPHOR TOPICAL; CETYLPYRIDINIUM TOPICAL; EUCALYPTUS OIL; MENTHOL TOPICAL	a10386 FOLIC ACID-IRON PREPARATIONS	a10443 BREWER'S YEAST-IRON PREPARATIONS
a10319 CAMPHOR TOPICAL; CLOVE; EUCALYPTUS OIL; MENTHOL TOPICAL; PHENOL TOPICAL	a10387 CALCIUM CARBONATE; FOLIC ACID; IRON PREPARATIONS; MULTIVITAMIN; NIACIN	a10445 CHLORPHENIRAMINE; ISOPROPAMIDE; PHENYLPRO- PANOLAMINE
a10324 BENZOYL PEROXIDE TOPICAL; EUGENOL; MENTHOL TOPICAL; METHYL SALICYLATE TOPICAL	a10388 ASCORBIC ACID; FOLIC ACID; IRON PREPARATIONS; PYRIDOXINE; VITAMIN A	a10450 JUNIPER; RESORCINOL TOPICAL; SULFUR TOPICAL; THYMOL; ZINC TOPICAL AGENTS, EXTERNAL USE
a10327 FIBRINOLYSIN- FIBRINOLYSIN AND DESOXYRIBONUCLEASE TOPICAL	a10390 ASCORBIC ACID; FOLIC ACID; IRON PREPARATIONS; RIBOFLAVIN; THIAMINE	a10452 LACTOSE- NORETHINDRONE
a10331 ASPIRIN; CAFFEINE; GELSEMIUM; PHENACETIN	a10394 ASCORBIC ACID; CYANOCOBALAMIN; FOLIC ACID; IRON PREPARATIONS; LIVER DERIVATIVE COMPLEX	a10453 LACTOSE-MOMETASONE NASAL
a10336 CALCIUM CARBONATE; CITRIC ACID; GLUCONIC ACID; MAGNESIUM CARBONATE; MAGNESIUM CITRATE	a10399 FOLIC ACID; IRON PREPARATIONS; MULTIVITAMIN	a10454 EPLERENONE-LACTOSE a10455 LACTOSE-TROSPIMUM
a10338 GLYCINE-IMMUNE GLOBULIN INTRAMUSCULAR	a10409 ERGOCALCIFEROL; IRON PREPARATIONS; NIACIN; RIBOFLAVIN; THIAMINE	a10463 ALUMINUM HYDROXIDE; DIPHENHYDRAMINE TOPICAL; LIDOCAINE; MAGNESIUM ANTACIDS
a10339 GLYCYRRHIZA-MENTHOL	a10411 CYANOCOBALAMIN; IRON PREPARATIONS; NIACIN; PYRIDOXINE	a10464 ASPIRIN; CALCIUM CARBONATE; MAGNESIUM ANTACIDS
a10340 FENNEL; GLYCYRRHIZA; SENNA; SUCROSE; SULFUR TOPICAL	a10414 ASCORBIC ACID; CHOLECALCIFEROL; IRON PREPARATIONS; VITAMIN A; VITAMIN E	a10465 ALUMINUM HYDROXIDE; ASPIRIN; MAGNESIUM ANTACIDS
a10351 HOMOSALATE; LANOLIN TOPICAL; PARAFFIN; PETROLATUM TOPICAL; WAX	a10420 CYANOCOBALAMIN; IRON PREPARATIONS; PYRIDOXINE; RIBOFLAVIN	a10466 ATROPINE; MAGNESIUM ANTACIDS; PHENOBARBITAL
a10362 HYDROCORTISONE TOPICAL; IDOCHLOR- HYDROXYQUIN; PRAMOXINE TOPICAL	a10421 CYANOCOBALAMIN; IRON PREPARATIONS; PYRIDOXINE; RIBOFLAVIN; THIAMINE	a10467 ALUMINUM HYDROXIDE; ATROPINE; MAGNESIUM ANTACIDS; PHENOBARBITAL
a10363 HYDROCORTISONE TOPICAL-IDOCHLOR- HYDROXYQUIN	a10423 ASCORBIC ACID; CYANOCOBALAMIN; IRON PREPARATIONS; RIBOFLAVIN	a10471 CALCIUM CARBONATE- MAGNESIUM ANTACIDS
a10366 IRON PREPARATIONS; MINERALS; MULTIVITAMIN	a10425 CYANOCOBALAMIN; IRON PREPARATIONS; LIVER DERIVATIVE COMPLEX; RIBOFLAVIN; THIAMINE	a10474 ALUMINUM HYDROXIDE- MAGNESIUM ANTACIDS
a10379 IRON PREPARATIONS- VITAMIN B COMPLEX	a10427 IRON PREPARATIONS; RIBOFLAVIN; THIAMINE	a10475 ALUMINUM HYDROXIDE; MAGNESIUM ANTACIDS; SIMETHICONE
a10383 IRON PREPARATIONS- VITAMINS	a10430 ASCORBIC ACID; CYANOCOBALAMIN; IRON PREPARATIONS	a10477 CASCARA SAGRADA- MAGNESIUM ANTACIDS
	a10435 ASCORBIC ACID-IRON PREPARATIONS	a10497 ASPARTAME; DEXTROMETHORPHAN; GUAIFENESIN; METHYLPARABEN; PHENYLALANINE
		a10500 ALLANTOIN TOPICAL; ALLIUM CEPA; METHYLPARABEN; POLYETHYLENE GLYCOL 3350; SORBIC ACID

a10502 GLYCERIN TOPICAL; METHYLPARABEN; MINERAL OIL; STERILE WATER	a10548 CALCIUM CASEINATE; DIGLYCERIDE; MONOGLYCERIDE; OLEIC ACID; ZINC SULFATE	a10625 LIVE YEAST CELL; PHENYLMERCURIC NITRATE; SHARK LIVER OIL
a10504 LANOLIN TOPICAL; METHYLPARABEN; MULTIVITAMIN; PETROLATUM TOPICAL; ZINC OXIDE TOPICAL	a10549 DEHYDROCHOLIC ACID; HOMATROPINE; OX BILE EXTRACT; PHENOBARBITAL	a10632 PHENOBARBITAL; POTASSIUM BROMIDE; SODIUM BROMIDE
a10509 CALCIUM CASEINATE; CARBOHYDRATES; MINERALS; MULTIVITAMIN; WATER	a10557 MISCELLANEOUS TOPICAL AGENTS- OXYBENZONE	a10638 PHOSPHORUS; POTASSIUM REPLACEMENT SOLUTIONS; SODIUM CHLORIDE
a10510 CARBOHYDRATES; MINERALS; MULTIVITAMIN; WATER	a10569 ACETAMINOPHEN; PAMABRON; PYRIDOXINE	a10640 POTASSIUM REPLACEMENT SOLUTIONS-SODIUM CHLORIDE
a10520 LECITHIN; MALTODEXTRIN; MINERALS; MULTIVITAMIN; WATER	a10571 ASCORBIC ACID; PANTHENOL; VITAMIN B COMPLEX	a10651 POTASSIUM ION-SODIUM CHLORIDE
a10522 MINERALS; MULTIVITAMIN; SOY FIBER; SOY PROTEIN	a10578 ASCORBIC ACID; NIACIN; PANTOTHENIC ACID; PYRIDOXINE; RIBOFLAVIN	a10655 POTASSIUM ACIDIFYING- SODIUM ACID PHOSPHATE
a10525 ANTIOXIDANTS; MINERALS; MULTIVITAMIN	a10579 NIACIN; PANTOTHENIC ACID; PYRIDOXINE; RIBOFLAVIN; THIAMINE	a10660 ISOPROPYL ALCOHOL TOPICAL; PROPYLENE GLYCOL; SODIUM LAURYL SULFATE; SORBITOL; STEARYL ALCOHOL
a10529 MINERALS; MULTIVITAMIN; PYRIDOXINE; RIBOFLAVIN	a10582 BENZALKONIUM CHLORIDE TOPICAL; HYDROCORTISONE TOPICAL; PARACHOLORO- METAXYLENOL; PRAMOXINE TOPICAL	a10664 HP GUAR; POLYETHYLENE GLYCOL 3350; PROPYLENE GLYCOL; SODIUM BORATE TOPICAL
a10530 MINERALS-MULTIVITAMIN	a10583 GLYCERIN TOPICAL; MINERAL OIL; PARAFFIN; PETROLATUM TOPICAL; WOOL ALCOHOLS	a10667 LACTIC ACID TOPICAL; MINERAL OIL; PETROLATUM TOPICAL; PROPYLENE GLYCOL; UREA TOPICAL
a10531 MINERALS; DIGESTIVE ENZYMES; LECITHIN; MULTIVITAMIN	a10588 MINERAL OIL-PEANUT OIL	a10675 GLYCERIN TOPICAL- PROPYLENE GLYCOL
a10533 CAMPHOR TOPICAL; ISOPROPYL ALCOHOL TOPICAL; MENTHOL TOPICAL; METHYL SALICYLATE TOPICAL; MUSTARD OIL	a10597 DIMENHYDRINATE; NIACIN; PENTYLENETETRAZOL	a10678 CARBOHYDRATES; MULTIVITAMIN; PROTEIN SUPPLEMENT
a10534 ETHANOL; METHYL SALICYLATE TOPICAL; MYRRH; ZINC TOPICAL AGENTS, EXTERNAL USE	a10599 DIPHThERIA TOXOID; HAEMOPHILUS B CONJUGATE VACCINE (OBSOLETE); PERTUSSIS IMMUNE GLOBULIN; TETANUS TOXOID	a10680 AMYLASE; BELLADONNA; BUTABARBITAL; CELLULASE; PROTEINASE
a10536 GUAIFENESIN- NOSCAPINE	a10603 ASPIRIN; CAFFEINE; CODEINE; PHENACETIN	a10681 AMYLASE; CELLULASE; HYOSCYAMINE; LIPASE; PROTEINASE
a10537 BENZOCAINE TOPICAL; NUTMEG OIL; PETROLATUM TOPICAL; ZINC TOPICAL AGENTS, EXTERNAL USE	a10611 ASPIRIN; CAFFEINE; PHENACETIN	a10685 PEG-150; QUATERNIUM; SODIUM LAURETH-13 CARBOX; SODIUM TRIDECETH SULFATE
a10543 ALOE VERA TOPICAL; CALENDULA; OLIVE OIL; OREGON GRAPE	a10612 ASPIRIN; CAFFEINE; CAMPHOR TOPICAL; OPIUM; PHENACETIN	a10687 CHOLINE; INOSITOL; RACEMETHIONINE; THIMEROSAL
a10545 COLLOIDAL OATMEAL TOPICAL; OLIVE OIL; PETROLATUM TOPICAL	a10623 ASPARTAME; MANNITOL; NICOTINE; PHENYLALANINE	



a10697 GINSENG; MEADOWFOAM OIL; PETROLATUM TOPICAL; SAFFLOWER OIL; SESAME OIL	a10771 ASCORBIC ACID; ERGOCALCIFEROL; RIBOFLAVIN; THIMEROSAL; VITAMIN A	a10836 ASCORBIC ACID; VITAMIN B; VITAMIN E
a10701 MINERAL OIL; PETROLATUM TOPICAL; PHENYLEPHRINE TOPICAL; SHARK LIVER OIL	a10777 BENZOCAINE TOPICAL; EPHEDRINE; PHENOL TOPICAL; TANNIC ACID TOPICAL; THYMOL	a10840 ASCORBIC ACID; FOLIC ACID; VITAMIN B COMPLEX; VITAMIN E; ZINC
a10703 GLYCERIN TOPICAL; PETROLATUM TOPICAL; PHENYLEPHRINE TOPICAL; SHARK LIVER OIL	a10783 GLYCERIN TOPICAL; MINERAL OIL; TRIETHANOLAMINE; UREA TOPICAL; WHEAT GERM	a10842 ASCORBIC ACID; D- BIOTIN; FOLIC ACID; VITAMIN B COMPLEX
a10704 BALSAM PERU TOPICAL; MINERAL OIL; SILICONE; ZINC TOPICAL AGENTS, EXTERNAL USE	a10785 CALCIUM CARBONATE; CHOLECALCIFEROL; VITAMIN K	a10843 D-BIOTIN; FOLIC ACID; INOSITOL; VITAMIN B COMPLEX
a10707 SOAP-WATER	a10800 DIPERODON TOPICAL; PHENYLEPHRINE; PYRILAMINE; ZINC TOPICAL AGENTS, EXTERNAL USE	a10846 FOLIC ACID-VITAMIN B COMPLEX
a10715 MULTIVITAMIN-SODIUM FLUORIDE	a10802 BENZOCAINE TOPICAL; CALAMINE TOPICAL; ZINC TOPICAL AGENTS, EXTERNAL USE	a10848 ASCORBIC ACID; CALCIUM ACETATE; FOLIC ACID; VITAMIN A; VITAMIN B COMPLEX
a10716 ERTAPENEM; SODIUM BICARBONATE; SODIUM HYDROXIDE	a10813 DIPERODON TOPICAL; HYDROCORTISONE TOPICAL; ZINC TOPICAL AGENTS, EXTERNAL USE	a10849 ASCORBIC ACID; FOLIC ACID; VITAMIN B COMPLEX
a10717 CITRIC ACID; SODIUM CITRATE; SODIUM ION	a10816 BALSAM PERU TOPICAL; BENZYL BENZOATE TOPICAL; BISMUTH RESORCIN TOPICAL; BISMUTH SUBGALLATE; ZINC TOPICAL AGENTS, EXTERNAL USE	a10850 CALCIUM ACETATE; FOLIC ACID; VITAMIN B COMPLEX
a10721 PHENOBARBITAL- SODIUM NITRATE	a10821 CALAMINE TOPICAL-ZINC TOPICAL AGENTS, EXTERNAL USE	a10855 ASCORBIC ACID; CALCIUM ACETATE; CHOLECALCIFEROL; VITAMIN B COMPLEX; VITAMIN E
a10726 POLYETHYLENE GLYCOL 3350; POTASSIUM CHLORIDE; SODIUM BICARBONATE; SODIUM CHLORIDE; SODIUM SULFATE	a10824 CALAMINE TOPICAL; CAMPHOR TOPICAL; LANOLIN TOPICAL; PHENOL TOPICAL; ZINC TOPICAL AGENTS, EXTERNAL USE	a10856 CYANOCOBALAMIN- VITAMIN B COMPLEX
a10730 HORSETAIL; MANGANESE SULFATE; STEARIC ACID	a10826 CALAMINE TOPICAL; RESORCINOL TOPICAL; ZINC TOPICAL AGENTS, EXTERNAL USE	a10857 ASCORBIC ACID-VITAMIN B COMPLEX
a10734 ALOE VERA TOPICAL; BENZOIN TOPICAL; ETHANOL; STORAX; TOLU BALSAM	a10829 BALSAM PERU TOPICAL; BENZYL BENZOATE TOPICAL; ZINC TOPICAL AGENTS, EXTERNAL USE	a10859 ASCORBIC ACID; LIVER DERIVATIVE COMPLEX; VITAMIN B COMPLEX
a10738 AMPICILLIN-SULBACTIN SODIUM	a10834 CYANOCOBALAMIN; FOLIC ACID; VITAMIN B	a10864 CARBOHYDRATES; FAT SUPPLEMENT, ORAL; MAGNESIUM AMINO ACIDS CHELATE; MULTIVITAMIN; PROTEIN
a10739 SULFADIAZINE; SULFAMERAZINE; SULFAMETHAZINE	a10835 VITAMIN B-VITAMIN E	a10865 CARBOHYDRATES; FAT SUPPLEMENT, ORAL; MULTIVITAMIN; PROTEIN
a10749 TALC-ZINC TOPICAL AGENTS, EXTERNAL USE		a10866 CARBOHYDRATES; FAT SUPPLEMENT, ORAL; PROTEIN
a10757 DEXTROMETHORPHAN- TERPIN HYDRATE		a10873 FOLLICLE STIMULATING HORMONE-LEUTENIZING HORMONE
a10759 ACETAMINOPHEN; CAFFEINE; PHENYLEPHRINE; THENYLDIAMINE		a10874 CHONDROITIN; GLUCOSAMINE; HYALURONIC ACID; METHYLSULFONYL- METHANE
		a10875 GLUCOSAMINE- METHYLSULFONYL- METHANE

a10876 MINERAL OIL- PETROLEUM	a10927 EDETATE DISODIUM; METRONIDAZOLE TOPICAL; PARABENS	a10985 CALCIUM CASEINATE- WHEY
a10878 HYDROXYQUINOLINE TOPICAL; LANOLIN TOPICAL; PETROLEUM	a10928 BENZONATATE- PARABENS	a10986 MULTIVITAMIN-WHEY
a10879 PENICILLIN (OBSOLETE)- PENICILLIN G BENZATHINE	a10937 ADRENALINE; LIDOCAINE; TETRACAINE TOPICAL	a10988 L-METHYLFOLATE; METHYLCOBALAMIN; PYRIDOXINE
a10880 ADENOSYL- TRIPHOSPHATE- METHIONINE	a10941 CITRIC ACID; COLLAGEN PROTEIN; POTASSIUM SORBATE; TRYPTOPHAN; WATER	a10991 CHICORY ROOT EXTRACT- LACTOBACILLUS GG
a10881 DOCOSAHEXAENOIC ACID- EICOSAPENTAENOIC ACID	a10944 CADEXOMER IODINE- POLYETHYLENE GLYCOL 3350	a10995 CALCIUM ACETATE- MAGNESIUM
a10882 DOCOSAHEXAENOIC ACID; EICOSAPENTAENOIC ACID; VITAMIN E	a10950 CHORIOGONADOTROPIN ALFA; MANNITOL; ORTHOPHOSPHORIC ACID	a11004 ALOE VERA TOPICAL; BLACK WALNUT; CASCARA SAGRADA; RHUBARB; SENNA
a10890 CLINDAMYCIN TOPICAL- METHYL PARABEN	a10956 CHLORPHENIRAMINE- HYDROCODONE POLISTIREX	a11006 FLAVOCOXYD- MALTODEXTRIN
a10897 HOMATROPINE METHYL BROMIDE- HYDROCODONE	a10961 BUROW'S SOLUTION; CAMPHOR TOPICAL; MENTHOL TOPICAL; PHENOL TOPICAL	a11007 ASCORBIC ACID- MALTODEXTRIN
a10900 ESTRADIOL-ESTRIOL	a10962 BENZOCAINE TOPICAL; BUTYL AMINOBENZOATE; TETRACAINE TOPICAL	a11010 ASCORBIC ACID; CYANOCOBALAMIN; FOLIC ACID; IRON
a10902 ASCORBIC ACID; CALCIUM ACETATE; LUTEIN; VITAMIN E; ZINC	a10963 ALOE VERA TOPICAL; MENTHOL TOPICAL; SALICYLIC ACID TOPICAL; TEA TREE OIL; VITAMIN E TOPICAL	a11014 ELEUTHEROSIDE E- GINSENG
a10903 ASCORBIC ACID; COPPER GLUCONATE; LUTEIN; VITAMIN E; ZINC	a10968 MINERAL OIL; MINERAL WAX; PETROLATUM TOPICAL; WOOLWAX ALCOHOL	a11015 ILEX-MENTHOL TOPICAL
a10904 BETA-CAROTENE; BILBERRY; LUTEIN; LYCOPENE; VITAMIN E	a10969 DEODORIZED KEROSENE; PIPERONYL BUTOXIDE TOPICAL; PYRETHRINS TOPICAL	a11020 ASCORBIC ACID; CALCIUM SULFATE; CHOLECALCIFEROL; VITAMIN A; VITAMIN E
a10907 BILBERRY-LUTEIN	a10972 ACETIC ACID TOPICAL; HYDROCORTISONE OTIC; PROPYLENE GLYCOL DIACETATE; SODIUM ACETATE	a11022 AMYLASE; CELLULASE; GLUCOAMYLASE; LIPASE; PROTEASE
a10909 ADRENALINE; TETRACAINE TOPICAL; XYLOCAINE	a10973 ALUMINUM HYDROXIDE; DONNATAL; LIDOCAINE; MAGNESIUM HYDROXIDE; SIMETHICONE	a11026 ANTIOXIDANTS; BILBERRY; GRAPE SEED OIL; PYCNOGENOL; UBIQUINONE
a10910 BUPIVACAINE- XYLOCAINE	a10978 DIPHTHERIA TOXOID; FILAMENTOUS HEMAGGLUTININ; PERTACTIN; PERTUSSIS, ACELLULAR; TETANUS TOXOID	a11027 ACETAMINOPHEN- MISCELLANEOUS ANALGESICS
a10911 TRIAMCINOLONE- XYLOCAINE	a10982 ZINC CITRATE-ZINC GLUCONATE	a11029 LAXATIVES-SENNA
a10912 HYALURONIDASE- XYLOCAINE		a11030 CONTRACEPTIVES- NORETHINDRONE
a10913 MULTIVITAMIN-NORMAL SALINE		a11031 MISCELLANEOUS UNCATEGORIZED AGENTS- PHENTOLAMINE
a10915 CALCIUM ACETATE; CHOLECALCIFEROL; COPPER GLUCONATE; MAGNESIUM; ZINC		a11033 ANTISEPTIC AND GERMICIDES-ETHANOL
a10916 CALCIUM ACETATE; COPPER GLUCONATE; IRON; MULTIVITAMIN; ZINC		a11034 MISCELLANEOUS TOPICAL AGENTS- PETROLATUM TOPICAL
a10919 PYRIDOXINE-ZINC		a11036 COAL TAR TOPICAL- MISCELLANEOUS TOPICAL AGENTS
a10921 MULTIVITAMIN-ZINC		a11039 HYDROXYPROPYL METHYLCELLULOSE OPHTHALMIC- MISCELLANEOUS OPHTHALMIC AGENTS
a10925 ISOPROTERENOL- PHENYLEPHRINE BITARTRATE		

a11041 CIPROFLOXACIN- DEXAMETHASONE	a11131 BACITRACIN; LIDOCAINE; NEOMYCIN; POLYMYXIN B SULFATE	a11169 EPHEDRINE; GUAIFENESIN; PHENOBARBITAL; THEOPHYLLINE
a11042 CIPROFLOXACIN- HYDROCORTISONE	a11133 GLUCOSE-LIDOCAINE	a11179 IODINATED GLYCEROL- THEOPHYLLINE
a11046 ACETAMINOPHEN; CODEINE; GUAIFENESIN; PHENYLPRO- PANOLAMINE	a11134 LIDOCAINE- TRIAMCINOLONE	a11183 ASPIRIN- CHLORPHENIRAMINE
a11055 CHLORPHENIRAMINE; CODEINE; PHENYLEPHRINE	a11135 LIDOCAINE- METHYLPREDNISOLONE TOPICAL	a11185 ASPIRIN- PHENOBARBITAL
a11064 CODEINE-PAPAVERINE	a11136 LIDOCAINE-PROPOFOL	a11186 ASPIRIN- PROPOXYPHENE
a11068 CODEINE; GUAIFENESIN; PSEUDOEPHEDRINE; TRIPROLIDINE	a11137 ALUMINUM HYDROXIDE; LIDOCAINE; MAGNESIUM HYDROXIDE; SIMETHICONE	a11190 ASPIRIN; CAFFEINE; CINNAMEDRINE
a11071 CODEINE-PYRILAMINE	a11138 EPINEPHRINE TOPICAL; LIDOCAINE; TETRACAINE TOPICAL	a11198 ATROPINE; CHLORPHENIRAMINE; HYOSCYAMINE; PHENYLEPHRINE; PHENYLPRO- PANOLAMINE
a11080 HYDROXYZINE- MEPERIDINE	a11139 BENZALKONIUM CHLORIDE TOPICAL; ETHANOL; LIDOCAINE	a11206 ALUMINUM HYDROXIDE; ATROPINE; HYOSCYAMINE; PHENOBARBITAL; SCOPOLAMINE
a11082 ABACAVIR; AMPRENAVIR; LAMIVUDINE; ZIDOVUDINE	a11141 NEOMYCIN; POLYMYXIN B SULFATE; PREDNISOLONE	a11216 BUPIVACAINE- TRIAMCINOLONE
a11087 CYCLOPHOSPHAMIDE; DOXORUBICIN; MITOMYCIN	a11146 GENTAMICIN OPHTHALMIC- PREDNISOLONE	a11231 ASCORBIC ACID; CHLORPHENIRAMINE; PHENYLEPHRINE
a11088 CYCLOPHOSPHAMIDE; DOXORUBICIN; PREDNISONE; VINCRISTINE	a11151 ATROPINE; HYOSCYAMINE; METHENAMINE; METHYLENE BLUE; PHENYL SALICYLATE	a11237 CHLORPHENIRAMINE; PHENYLEPHRINE; PHENYLPRO- PANOLAMINE; TRIPLENNAMINE
a11089 CYCLOPHOSPHAMIDE; PREDNISONE; VINCRISTINE	a11152 ATROPINE; BENZOIC ACID; HYOSCYAMINE; METHENAMINE; PHENYL SALICYLATE	a11243 CAFFEINE; CHLORPHENIRAMINE; PHENYLEPHRINE; SALICYLAMIDE
a11091 PHENAZOPYRIDINE; SULFAMETHIZOLE; TETRACYCLINE	a11154 ATROPINE; BENZOIC ACID; METHENAMINE; METHYLENE BLUE; PHENYL SALICYLATE	a11245 ALUMINUM HYDROXIDE; AMINOPHYLLINE; BUTABARBITAL; CHLORPHENIRAMINE; PHENYLPRO- PANOLAMINE
a11092 ERYTHROMYCIN- NEOMYCIN	a11156 HYOSCYAMINE; METHENAMINE; METHYLENE BLUE; PHENYL SALICYLATE; SODIUM PHOSPHATE	a11250 BELLADONNA; CHLORPHENIRAMINE; PHENYLPRO- PANOLAMINE
a11102 ACETAMINOPHEN; CAFFEINE; CHLORPHENIRAMINE; PHENYLEPHRINE; SALICYLAMIDE	a11157 METHENAMINE-SODIUM SALICYLATE	a11257 CYTARABINE- DAUNORUBICIN
a11114 ACETAMINOPHEN- PHENYLPRO- PANOLAMINE	a11159 HYOSCYAMINE; METHENAMINE; METHYLENE BLUE; PHENYL SALICYLATE; SODIUM BIPHOSPHATE	a11258 DEXAMETHASONE- TRIAMCINOLONE
a11116 ACETAMINOPHEN; GUAIFENESIN; PHENYLPRO- PANOLAMINE	a11163 POLYMYXIN B SULFATE- TRIMETHOPRIM	a11259 AMMONIUM CHLORIDE- DXTROMETHORPHAN
a11125 ATROPINE; HYOSCYAMINE; LIDOCAINE; PHENOBARBITAL; SCOPOLAMINE	a11166 DORZOLAMIDE OPHTHALMIC-TIMOLOL	a11271 BROMPHENIRAMINE; DXTROMETHORPHAN; GUAIFENESIN
a11126 BUPIVACAINE-LIDOCAINE		
a11129 DIPHENHYDRAMINE- LIDOCAINE		
a11130 HYDROCORTISONE- LIDOCAINE		

a11273 DEXTROMETHORPHAN- IODINATED GLYCEROL	a11325 NEOMYCIN-POLYMYXIN B SULFATE	a11367 ASCORBIC ACID-NIACIN
a11276 DIPHENHYDRAMINE- EPHEDRINE	a11328 BACITRACIN TOPICAL; NEOMYCIN; POLYMYXIN B SULFATE	a11375 BUTABARBITAL; PHENOBARBITAL; SECOBARBITAL
a11278 ALUMINUM HYDROXIDE; DIPHENHYDRAMINE; MAGNESIUM HYDROXIDE; SIMETHICONE	a11329 BACITRACIN OPHTHALMIC; NEOMYCIN; POLYMYXIN B SULFATE	a11383 BELLADONNA- PHENOBARBITAL
a11284 ETHINYL ESTRADIOL; FERROUS FUMARATE; NORETHINDRONE	a11330 BACITRACIN OPHTHALMIC; HYDROCORTISONE	a11387 DICYCLOMINE- PHENOBARBITAL
a11285 FLUOROURACIL; IRINOTECAN; LEUCOVORIN	a11331 DEXAMETHASONE OPHTHALMIC; NEOMYCIN; POLYMYXIN B SULFATE	a11391 HOMATROPINE- PHENOBARBITAL
a11286 FLUOROURACIL; LEUCOVORIN; OXALIPLATIN	a11332 HYDROCORTISONE OTIC; NEOMYCIN; POLYMYXIN B SULFATE	a11392 DEXAMETHASONE TOPICAL; NEOMYCIN TOPICAL; POLYMYXIN B SULFATE
a11290 FOLIC ACID; NIACINAMIDE; PANTOTHENATE; RIBOFLAVIN; THIAMINE	a11333 CHLOROXYLENOL TOPICAL; HYDROCORTISONE OTIC; NEOMYCIN; POLYMYXIN B SULFATE	a11394 BACITRACIN TOPICAL- POLYMYXIN B SULFATE
a11291 CYANOCOBALAMIN; FOLIC ACID; PYRIDOXINE	a11343 DEXAMETHASONE OPHTHALMIC- NEOMYCIN	a11396 DEXAMETHASONE OPHTHALMIC; NEOMYCIN OPHTHALMIC; POLYMYXIN B SULFATE
a11294 CYANOCOBALAMIN- FOLIC ACID	a11344 HYDROCORTISONE OTIC; NEOMYCIN; POLYMYXIN B OPHTHALMIC	a11399 POLYMYXIN B OPHTHALMIC- POLYMYXIN B SULFATE
a11298 FOLIC ACID; MULTIVITAMIN; SODIUM CHLORIDE; THIAMINE	a11345 NEOMYCIN-POLYMYXIN B OPHTHALMIC	a11403 DEXTRAN, HIGH MOLECULAR WEIGHT; HYDROXYPROPYL METHYLCELLULOSE OPHTHALMIC; POTASSIUM CHLORIDE; SODIUM BORATE TOPICAL; SODIUM CHLORIDE
a11299 FOLIC ACID; MAGNESIUM SULFATE; MULTIVITAMIN; THIAMINE	a11350 ERGOCALCIFEROL; NIACIN; RIBOFLAVIN; THIAMINE; VITAMIN A	a11405 CALCIUM CHLORIDE; MAGNESIUM CHLORIDE; POTASSIUM CHLORIDE; SODIUM CHLORIDE
a11300 FOLIC ACID- MULTIVITAMIN	a11351 ASCORBIC ACID; ERGOCALCIFEROL; NIACIN; PYRIDOXINE; VITAMIN A	a11408 PREDNISONE- VINCRIStINE
a11301 CALCIUM ACETATE; FERROUS GLUCONATE; FOLIC ACID; MULTIVITAMIN	a11354 ASCORBIC ACID; NIACIN; RIBOFLAVIN; THIAMINE; VITAMIN E	a11413 VITAMIN A-VITAMIN E
a11303 FOLIC ACID-IRON POLYSACCHARIDE	a11355 CYANOCOBALAMIN; NIACIN; PYRIDOXINE; RIBOFLAVIN	a11415 ERGOCALCIFEROL; RIBOFLAVIN; THIAMINE; VITAMIN A; VITAMIN E
a11306 COLISTIN SULFATE OTIC; HYDROCORTISONE; NEOMYCIN; THONZONIUM BROMIDE OTIC	a11357 CYANOCOBALAMIN; NIACIN; PYRIDOXINE; RIBOFLAVIN; THIAMINE	a11416 ASCORBIC ACID; VITAMIN A; VITAMIN E
a11315 INSULIN-INSULIN ISOPHANE	a11358 ASCORBIC ACID; NIACIN; PYRIDOXINE; RIBOFLAVIN; THIAMINE	a11419 ASCORBIC ACID; COPPER GLUCONATE; VITAMIN A; VITAMIN E; ZINC OXIDE TOPICAL
a11316 IPRATROPIUM- LEVALBUTEROL	a11360 DEXPANTHENOL; NIACIN; PYRIDOXINE; RIBOFLAVIN; THIAMINE	a11420 CYANOCOBALAMIN; PYRIDOXINE; RIBOFLAVIN; VITAMIN A
a11318 MANNITOL-SOMATROPIN	a11361 NIACIN; PYRIDOXINE; RIBOFLAVIN; THIAMINE	a11421 CYANOCOBALAMIN; PYRIDOXINE; RIBOFLAVIN; THIAMINE; VITAMIN A
a11319 MANNITOL-PEMETREXED		a11424 ERGOCALCIFEROL; PYRIDOXINE; RIBOFLAVIN; THIAMINE; VITAMIN A
a11320 AZACITIDINE-MANNITOL		
a11322 ESTRADIOL; METHYLTESTOSTERONE ; PYRIDOXINE; RIBOFLAVIN		
a11324 DIETHYLSTILBESTROL- METHYLTESTOSTERONE		

a11426	CYANOCOBALAMIN; ERGOCALCIFEROL; RIBOFLAVIN; THIAMINE; VITAMIN A	a11472	CALCIUM CARBONATE- CHOLECALCIFEROL	a11555	DIHYDROCODEINE- PHENYLPRO- PANOLAMINE
a11428	ASCORBIC ACID; ERGOCALCIFEROL; RIBOFLAVIN; VITAMIN A	a11474	ASCORBIC ACID; CALCIUM GLUCONATE; MAGNESIUM CARBONATE	a11557	DIHYDROCODEINE- PSEUDOEPHEDRINE
a11429	ASCORBIC ACID; ERGOCALCIFEROL; RIBOFLAVIN; THIAMINE; VITAMIN A	a11476	ASCORBIC ACID- CARBONYL IRON	a11558	NAPHAZOLINE OPHTHALMIC- PHENIRAMINE
a11431	ASCORBIC ACID; CHOLECALCIFEROL; FLUORIDE; VITAMIN A	a11477	FLUORIDE-MULTIVITAMIN	a11567	BENZOCAINE TOPICAL; CHLOROXYLENOL TOPICAL; RESORCINOL TOPICAL; SALICYLIC ACID TOPICAL
a11432	ASCORBIC ACID; ERGOCALCIFEROL; VITAMIN A	a11482	SODIUM ACETATE- SODIUM CHLORIDE	a11568	BENZOCAINE TOPICAL- TRICLOSAN TOPICAL
a11436	CHOLECALCIFEROL- VITAMIN A	a11483	SODIUM PHOSPHIDE- SODIUM PHOSPHATE	a11572	BALSAM PERU TOPICAL; BENZOCAINE TOPICAL; BISMUTH SUBGALLATE; ZINC OXIDE TOPICAL
a11439	VITAMIN A-VITAMIN E TOPICAL	a11487	DEXTRAN 1; POLYCARBOPHIL; SODIUM CHLORIDE	a11576	ANTIPYRINE OTIC- BENZOCAINE TOPICAL
a11440	ASCORBIC ACID-VITAMIN E	a11493	SODIUM CHLORIDE- STERILE WATER	a11578	ANTIPYRINE OTIC; BENZOCAINE TOPICAL; PHENYLEPHRINE OTIC
a11441	CHOLECALCIFEROL- VITAMIN E	a11499	CITRIC ACID; POTASSIUM BICARBONATE; SODIUM BICARBONATE	a11579	ANTIPYRINE OTIC; BENZOCAINE TOPICAL; GLYCERIN OTIC
a11444	GINSENG-VITAMIN E	a11501	SODIUM BICARBONATE- SODIUM CHLORIDE NASAL	a11581	BENZOCAINE TOPICAL- MENTHOL TOPICAL
a11445	ASCORBIC ACID; CYANOCOBALAMIN; PYRIDOXINE; RIBOFLAVIN	a11508	AMMONIUM CHLORIDE- CAFFEINE	a11585	BENZOCAINE TOPICAL- RESORCINOL TOPICAL
a11446	ASCORBIC ACID; CYANOCOBALAMIN; PYRIDOXINE; RIBOFLAVIN; THIAMINE	a11511	ALOE VERA TOPICAL; CYSTEINE; GRAPE SEED OIL; MULTIVITAMIN; SELENIUM	a11587	KAOLIN; OPIUM; PECTIN
a11447	CYANOCOBALAMIN; L- METHYLFOLATE; PYRIDOXINE; RIBOFLAVIN	a11518	CONJUGATED ESTROGENS- PROGESTERONE	a11592	ALUMINUM HYDROXIDE- SIMETHICONE
a11452	ASCORBIC ACID; NIACINAMIDE; PANTOTHENATE; RIBOFLAVIN; THIAMINE	a11520	NYSTATIN- TRIAMCINOLONE	a11597	PANCREATIN-PEPSIN
a11456	CYANOCOBALAMIN- PYRIDOXINE	a11523	NYSTATIN TOPICAL- TRIAMCINOLONE	a11599	BORIC ACID TOPICAL; CALCIUM CITRATE; CHOLECALCIFEROL; MAGNESIUM CITRATE
a11458	PANCREATIN- PYRIDOXINE	a11524	EDETATE DISODIUM- UREA TOPICAL	a11600	CALCIUM ACETATE; CALCIUM LACTATE; MAGNESIUM CITRATE
a11459	PYRIDOXINE-THIAMINE	a11525	BENZOYL PEROXIDE TOPICAL; EDETATE DISODIUM; GLYCERIN TOPICAL; UREA TOPICAL	a11606	DEHYDROCHOLIC ACID; DOCUSATE; PHENOLPHTHALEIN
a11460	DOXYLAMINE- PYRIDOXINE	a11526	CHLOROPHYLLIN COPPER COMPLEX TOPICAL; PAPAINE TOPICAL; UREA TOPICAL	a11608	BALSAM PERU TOPICAL; BORIC ACID TOPICAL; CASTOR OIL; PETROLATUM TOPICAL; ZINC OXIDE TOPICAL
a11465	CYANOCOBALAMIN- THIAMINE	a11528	ACETYLCYSTEINE- ISOPROTERENOL	a11610	BARIUM SULFATE- BISACODYL
a11466	CYANOCOBALAMIN- MULTIVITAMIN	a11532	EPHEDRINE- PSEUDOEPHEDRINE	a11611	DOCUSATE-MINERAL OIL
a11471	CALCIUM CARBONATE; CALCIUM CITRATE; MAGNESIUM CITRATE; MAGNESIUM OXIDE	a11549	EDETATE DISODIUM- RIFAXIMIN	a11612	GLYCERIN TOPICAL; HYDROCORTISONE TOPICAL; MINERAL OIL; PETROLATUM TOPICAL
		a11551	GUAIFENESIN; PHENIRAMINE; PHENYLPRO- PANOLAMINE; PYRILAMINE		

a11613 ALLANTOIN TOPICAL; CAMPHOR TOPICAL; LANOLIN TOPICAL; MINERAL OIL; PHENOL TOPICAL	a11669 LANOLIN TOPICAL; SALICYLIC ACID TOPICAL; SULFUR TOPICAL	a11717 BETAMETHASONE TOPICAL- CLOTRIMAZOLE TOPICAL
a11614 MINERAL OIL- PETROLATUM TOPICAL	a11671 LACTIC ACID TOPICAL- SALICYLIC ACID TOPICAL	a11720 ALOE VERA TOPICAL- HYDROCORTISONE TOPICAL
a11615 LANOLIN TOPICAL; MINERAL OIL; PETROLATUM TOPICAL	a11679 BENZALKONIUM CHLORIDE TOPICAL- ETHANOL	a11723 FLUOROMETHOLONE OPHTHALMIC- NEOMYCIN TOPICAL
a11620 COLLOIDAL OATMEAL TOPICAL-MINERAL OIL	a11683 BENZALKONIUM CHLORIDE TOPICAL; OCULAR LUBRICANT; POVIDONE IODINE OPHTHALMIC	a11724 BACITRACIN TOPICAL; NEOMYCIN TOPICAL; POLYMYXIN B OPHTHALMIC
a11621 AMMONIUM LACTATE TOPICAL-MINERAL OIL	a11684 BENZALKONIUM CHLORIDE TOPICAL- BROMFENAC	a11725 LACTIC ACID TOPICAL- VITAMIN E TOPICAL
a11630 HAEMOPHILUS B CONJUGATE VACCINE (OBSOLETE)-HEPATITIS B VACCINE	a11685 BENZALKONIUM CHLORIDE TOPICAL- CYANOCOBALAMIN NASAL	a11727 ACETIC ACID TOPICAL- HYDROCORTISONE OTIC
a11631 DIPHTHERIA TOXOID; HAEMOPHILUS B CONJUGATE VACCINE (OBSOLETE); PERTUSSIS, ACELLULAR; TETANUS TOXOID	a11686 ALBUMIN HUMAN- PACLITAXEL	a11730 BUDESONIDE NASAL- FORMOTEROL
a11632 HEPATITIS A VACCINE (OBSOLETE)-HEPATITIS B VACCINE	a11687 IODINE-IOPAMIDOL	a11731 CAMPHOR TOPICAL; MENTHOL TOPICAL; PETROLATUM TOPICAL
a11633 EPINEPHRINE TOPICAL- PROCAINE	a11688 DIATRIZOATE-IODINE	a11732 LANOLIN TOPICAL- PETROLATUM TOPICAL
a11639 SULFACETAMIDE SODIUM OPHTHALMIC- SULFUR TOPICAL	a11689 DEXTRAN 1- METHYLCELLULOSE	a11738 CAMPHOR TOPICAL; MENTHOL TOPICAL; PHENOL TOPICAL
a11640 COAL TAR-SALICYLIC ACID TOPICAL-SODIUM HYALURONATE OPHTHALMIC	a11692 AMYLASE; LIPASE; PROTEASE	a11739 GLYCERIN TOPICAL; IODINE; PHENOL TOPICAL
a11646 DEXTRAN, LOW MOLECULAR WEIGHT- HYDROXYPROPYL METHYLCELLULOSE OPHTHALMIC	a11693 AMYLASE-PAPAIN TOPICAL	a11741 CAMPHOR TOPICAL; MENTHOL TOPICAL; METHYL SALICYLATE TOPICAL
a11648 CHLORHEXIDINE TOPICAL-ISOPROPYL ALCOHOL TOPICAL	a11695 GRAMICIDIN TOPICAL; NEOMYCIN TOPICAL; NYSTATIN TOPICAL; TRIAMCINOLONE TOPICAL	a11748 BACITRACIN TOPICAL- POLYMYXIN B OPHTHALMIC
a11654 FLUOCINOLONE TOPICAL; HYDROQUINONE TOPICAL; TRETINOIN	a11697 NAPHAZOLINE NASAL- PHENIRAMINE	a11750 CHLOROXYLENOL TOPICAL; HYDROCORTISONE OTIC; PRAMOXINE OTIC
a11655 FLUOCINOLONE TOPICAL-NEOMYCIN TOPICAL	a11702 CHOLECALCIFEROL- MULTIVITAMIN	a11756 CAPECITABINE- OXALIPLATIN
a11664 ALUMINUM SULFATE TOPICAL; CAMPHOR TOPICAL; LACTOBACILLUS ACIDOPHILUS; MENTHOL TOPICAL; SALICYLIC ACID TOPICAL	a11703 CALCIUM ACETATE- CHOLECALCIFEROL	a11757 ASCORBIC ACID- CRANBERRY
	a11705 CALCIUM ACETATE- MULTIVITAMIN	a11759 CETEARETH; DIMETHICONE; GLYCERIN TOPICAL; HYALURONIC ACID
	a11706 CETYLPYRIDINIUM TOPICAL-ETHANOL	a11768 ACETAMINOPHEN; ETHANOL; GLYCERIN; HYDROCODONE; PARABENS
	a11707 CETYLPYRIDINIUM TOPICAL; ETHANOL; MENTHOL TOPICAL	a11769 ASCORBIC ACID; BIOTIN; FOLIC ACID; VITAMIN B COMPLEX; ZINC
	a11710 ETHANOL; RESORCINOL TOPICAL; SULFUR TOPICAL	a50000 UNDETERMINED
	a11714 MICONAZOLE TOPICAL; PETROLATUM TOPICAL; ZINC OXIDE TOPICAL	a50004 ACACIA GUM
	a11715 MENTHOL TOPICAL-ZINC OXIDE TOPICAL	

a50035 ACETONE	a54325 PERTUSSIS IMMUNE GLOBULIN	a57034 PHOSPHORUS
a50160 ALUMINUM SUBACETATE	a54420 PHENPROCUMON	a57050 HYDROACTIVE DRESSING
a50190 AMINOACETIC ACID	a54445 PHENYLALANINE	a57052 DIDEOXYCYTIDINE
a50613 BILE SALTS	a54485 PHTHALYLSULFA- THIAZOLE	a57092 RECOMBINANT HUMAN DEOXYRIBONUCLEASE
a50770 CALCIUM REPLACEMENT	a54555 PNEUMOCOCCAL VACCINE	a57118 MONOCHLOREACETIC ACID
a50776 CALCIUM	a54575 POLIO VACCINE	a57154 CD4
a50780 CALCIUM BROMIDE	a54585 POLLEN ANTIGEN	a57158 TECHNETIUM
a50823 CALCIUM UNDECYLENATE	a54645 POTASSIUM BROMIDE	a57166 PROTEIN
a50860 CANTHARIDIN	a54655 POTASSIUM REPLACEMENT SOLUTIONS	a57194 HYPERTONIC SALINE
a50870 CAMEL	a54705 POTASSIUM HYDROXIDE	a57204 HEPATITIS C VACCINE
a51185 CHOLESTEROL	a54715 POTASSIUM NITRATE	a57210 QUERCETIN
a51209 CHROMIUM	a54720 POTASSIUM OXYQUINOLINE SULFATE	a59603 HEPATITIS VACCINE
a51375 COLLODION	a54730 POTASSIUM PERMANGANATE	a59611 THYROID STIMULATING HORMONE
a51390 CONTACT LENS SOLUTION	a54735 POTASSIUM ACIDIFYING	a59615 SOMATOSTATIN
a51630 DESOXYCORTICO- STERONE	a54760 PRAZEPAM	a59632 DEHYDROEPIANDRO- STERENE
a51675 DEXTROSE	a54922 PROTEIN SUPPLEMENT	a59717 ANDROGENS
a51740 DIETARY SUPPLEMENT	a55040 QUINETHAZONE	a59812 DOMPERIDONE
a51765 DIGALLOYL TRIOLEATE	a55061 RACEMETHIONINE	a59813 FOLLITROPIN BETA
a51817 DIMETHICONE	a55063 RACEPHEDRINE	a59814 FOLLITROPIN ALPHA
a51865 DIPHENIDOL	a55075 RESCINNAMINE	a59835 RECOMBINANT HUMAN INTERLEUKIN ELEVEN
a52023 ELECTROLYTES	a55115 RINGERS LACTATED	a59841 GRAPESEED
a52170 ETHYLNOREPINEPHRINE	a55135 RUTIN	a59842 TROVAFLOXACIN; ALTROFLOXAVIN
a52358 FOOD SUPPLEMENT	a55140 SACCHARIN	a70009 HYALURONIC ACID
a52395 GELATIN	a55145 SAFFLOWER OIL	a70010 SEROTONIN
a52535 HAMAMELIS WATER	a55218 SILICONE	a70038 PETROLEUM
a52565 HEXAFLUORENIUM	a55260 ANTIVENIN SNAKE BITE	a70048 OIL OF EVENING PRIMROSE
a52640 HYDROCHLORIC ACID	a55290 SODIUM BISULFITE	a70062 FENRETINIDE
a52691 HYDROXYETHYL CELLULOSE	a55310 SODIUM CARBONATE	a70071 DOCOSAHEXAENOIC ACID
a52755 INDIGOINDISULFONATE	a55330 SODIUM FLUORIDE	a70113 PERINDOPRIL ERBUMINE
a52775 INFANT FORMULA	a55360 SODIUM LAURYL SULFATE	a70116 SOY
a52885 IRON PREPARATIONS	a55400 SODIUM SUCCINATE	a70123 BISMUTH
a52968 KELP	a55440 SOYBEAN OIL	a70159 SILVER
a52973 L-TRYPTOPHANE	a55505 STRYCHNINE	a70199 MAGNESIUM GLYCINATE
a52990 LACTOSE	a55510 SUCCINLYCHOLINE	a70203 RACEMIC EPINEPHRINE
a53100 LINOLENIC ACID	a55635 SYRUP	a70204 ACEMANNAN
a53155 LYPRESSIN	a56198 VITAMIN K	a70223 FERRIMIN
a53175 MAGNESIUM ANTACIDS	a56265 ZINC TOPICAL AGENTS, EXTERNAL USE	a70385 SILYBUM
a53298 MEGLUMINE	a56320 SODIUM ASCORBATE	a70480 ALPHA LIPOICACID
a53315 MENINGOCOCCAL VACCINE	a56345 VITAMIN B COMPLEX	a70484 CARBOXYMETHYL- CELLULOSE SODIUM
a53380 MERCAPTOMERIN	a56580 POLOXAMER 188	a70491 HYOSCYNAMINE SULFATE
a53490 METHANDRIOL	a56615 RETINOIC ACID	a70509 EDATREXATE
a53718 MILK SOLIDS NONFAT	a56740 INTERFERON BETA	a70521 GRIFFONIA SIMPLICIFOLIA
a53723 MINERALS	a56800 SODIUM TETRABORATE DECAHYDRATE	a70550 SOLUMET
a53735 MITHRAMYCIN	a57001 BLOOD SUGAR DIAGNOSTIC	a70607 OXYQUINOLONE SULFATE
a53778 MOXALACTAM	a57014 ERYTHROPOIETIN	a70699 LYCOPENE
a53940 NITROGEN	a57024 MAGNESIUM ION	
a53990 NYLIDRIN		
a54015 OINTMENT HYDROPHILIC		
a54020 OLEANDOMYCIN		
a54030 OLIVE OIL		
a54065 OX BILE EXTRACT		
a54275 PENTAERYTHRITOL		

a70725 ASPARTAME	c00057 CENTRAL NERVOUS SYSTEM AGENTS	c00117 MINERALS AND ELECTROLYTES
a70732 EPIDURAL		
a70733 VITAMIN K5	c00059 MISCELLANEOUS ANALGESICS	c00118 ORAL NUTRITIONAL SUPPLEMENTS
a70743 CLODRONATE DISODIUM		
a70747 PROLINE	c00060 NARCOTIC ANALGESICS	c00119 VITAMINS
a70751 METOMIDATE	c00061 NONSTEROIDAL ANTI-INFLAMMATORY AGENTS	c00123 ANTIHISTAMINES
a70759 ALFALFA		c00124 ANTITUSSIVES
a70795 L-GLUTAMINE		c00127 DECONGESTANTS
a70832 OAT BRAN	c00065 ANTIEMETIC; ANTIVERTIGO AGENTS	c00129 MISCELLANEOUS RESPIRATORY AGENTS
a70841 POLOXAMER 331		
a70842 CALCIUM-SODIUM ALGINATE FIBE	c00067 ANXIOLYTICS, SEDATIVES, AND HYPNOTICS	c00131 ANTIASTHMATIC COMBINATIONS
a70886 IRON		
a70887 ALGINATE	c00070 MISCELLANEOUS ANXIOLYTICS, SEDATIVES AND HYPNOTICS	c00132 UPPER RESPIRATORY COMBINATIONS
a70973 POLYDIMETHYL-SILOXANE		
a71002 FLOXACILLIN		
a71008 TECHNETIUM TC 99M MERTIATIDE INJECTION	c00071 CNS STIMULANTS	c00133 TOPICAL AGENTS
a71012 SULFUR HEXAFLUORIDE	c00072 GENERAL ANESTHETICS	c00135 ANTISEPTIC AND GERMICIDES
a71019 GLUCAN	c00076 MISCELLANEOUS ANTIDEPRESSANTS	c00136 DERMATOLOGICAL AGENTS
a71021 HISTERLIN		
a71022 THERAPEUTICS-RADIOPHARMA-CEUTICALS	c00077 MISCELLANEOUS ANTIPSYCHOTIC AGENTS	c00138 TOPICAL STEROIDS
a71063 CODOXIME		
a71065 CLOBAZAM	c00080 MISCELLANEOUS CENTRAL NERVOUS SYSTEM AGENTS	c00139 TOPICAL ANESTHETICS
a71066 DEFLAZACORT		
c00002 AMEBICIDES	c00082 ANTICOAGULANTS	c00140 MISCELLANEOUS TOPICAL AGENTS
c00007 ANTIVIRAL AGENTS	c00085 MISCELLANEOUS COAGULATION MODIFIERS	c00143 TOPICAL ACNE AGENTS
c00009 CEPHALOSPORINS		
c00012 MISCELLANEOUS ANTIBIOTICS	c00087 GASTROINTESTINAL AGENTS	c00147 OPHTHALMIC PREPARATIONS
c00014 QUINOLONES		
c00015 SULFONAMIDES	c00088 ANTACIDS	c00156 THIAZIDE DIURETICS
c00024 ANTINEOPLASTIC HORMONES	c00089 ANTICHOLINERGICS; ANTISPASMODICS	c00163 OPHTHALMIC ANTI-INFECTIVES
c00025 MISCELLANEOUS ANTINEOPLASTICS		
c00027 RADIOPHARMA-CEUTICALS	c00090 ANTIDIARRHEALS	c00164 OPHTHALMIC GLAUCOMA AGENTS
c00028 BIOLOGICALS	c00091 DIGESTIVE ENZYMES	
c00033 IMMUNE GLOBULINS	c00095 LAXATIVES	c00168 OPHTHALMIC LUBRICANTS AND IRRIGATIONS
c00039 MISCELLANEOUS BIOLOGICALS	c00096 MISCELLANEOUS GI AGENTS	c00169 MISCELLANEOUS OPHTHALMIC AGENTS
c00040 CARDIOVASCULAR AGENTS	c00097 HORMONES; HORMONE MODIFIERS	c00172 MISCELLANEOUS OTIC AGENTS
c00042 ANGIOTENSIN CONVERTING ENZYME INHIBITORS	c00098 ADRENAL CORTICAL STEROIDS	c00174 MISCELLANEOUS ANTIHYPERLIPIDEMIC AGENTS
c00045 ANTIANGINAL AGENTS	c00099 ANTIDIABETIC AGENTS	c00178 SKELETAL MUSCLE RELAXANTS
c00048 CALCIUM CHANNEL BLOCKING AGENTS	c00100 MISCELLANEOUS HORMONES	c00187 MISCELLANEOUS SEX HORMONES
c00049 DIURETICS	c00102 CONTRACEPTIVES	c00193 ANTIMIGRAINE AGENTS
c00051 MISCELLANEOUS CARDIOVASCULAR AGENTS	c00105 MISCELLANEOUS AGENTS	c00198 MISCELLANEOUS ANTIEMETICS
c00054 VASOPRESSORS	c00107 CHELATING AGENTS	c00204 MISCELLANEOUS ANTICONVULSANTS
c00055 ANTIHYPERTENSIVE COMBINATIONS	c00109 LOCAL INJECTABLE ANESTHETICS	c00208 SSRI ANTIDEPRESSANTS
	c00110 MISCELLANEOUS UNCATEGORIZED AGENTS	c00209 TRICYCLIC ANTIDEPRESSANTS
	c00112 RADIOCONTRAST AGENTS	c00219 NUTRACEUTICAL PRODUCTS
	c00115 NUTRITIONAL PRODUCTS	c00220 HERBAL PRODUCTS
		c00243 LEUKOTRIENE MODIFIERS
		c00248 TOPICAL EMOLLIENTS
		c00251 ANTIPSYCHOTICS



c00254 IMMUNOLOGIC AGENTS	d00039 INDOMETHACIN	d00102 ITRACONAZOLE
c00269 MISCELLANEOUS VAGINAL AGENTS	d00040 OXAZEPAM	d00103 KETOCONAZOLE
c00286 MYDRIATICS	d00041 TETRACYCLINE	d00104 LOMEFLOXACIN
c00290 TOPICAL ANTIBIOTICS	d00042 CHLORPROPAMIDE	d00106 METHENAMINE
c00292 TOPICAL ANTIFUNGALS	d00043 CLINDAMYCIN	d00107 METHICILLIN
c00296 INHALED CORTICOSTEROIDS	d00044 CLONIDINE	d00108 METRONIDAZOLE
c00301 GLUCOCORTICOIDS	d00045 DILTIAZEM	d00110 MINOCYCLINE
c00309 MISCELLANEOUS ANTIDIABETIC AGENTS	d00046 ERYTHROMYCIN	d00112 NITROFURANTOIN
c00331 RADIOLOGIC AGENTS	d00047 RIFAMPIN	d00113 NORFLOXACIN
c00333 IODINATED CONTRAST MEDIA	d00048 VERAPAMIL	d00114 OFLOXACIN
c00344 NASAL ANTI-INFECTIVES	d00049 ACETAMINOPHEN	d00115 OXACILLIN
c00361 MISCELLANEOUS METABOLIC AGENTS	d00050 METHADONE	d00116 PENICILLIN (OBSOLETE)
c00899 PHARMACEUTICAL AID	d00051 NIFEDIPINE	d00117 PYRAZINAMIDE
c07002 ANTIFUNGALS- ANTISEPTIC AND GERMICIDES	d00052 CEFTRIAZONE	d00118 SULFADIAZINE
d00001 ACYCLOVIR	d00053 CEPHRADINE	d00119 SULFAMETHOXAZOLE
d00002 AMIODARONE	d00054 TOLMETIN	d00122 TICARCILLIN- CLAVULANATE
d00003 AMPICILLIN	d00055 CEFOTETAN	d00123 TRIMETHOPRIM
d00004 ATENOLOL	d00056 CEFUROXIME	d00124 SULFAMETHOXAZOLE- TRIMETHOPRIM
d00005 BRETILIUM	d00057 PIPERACILLIN	d00125 VANCOMYCIN
d00006 CAPTOPRIL	d00058 CARBAMAZEPINE	d00128 ACEBUTOLOL
d00007 CEFAZOLIN	d00059 LIDOCAINE	d00131 GUANETHIDINE
d00008 CEFOTAXIME	d00060 METHOTREXATE	d00132 HYDRALAZINE
d00009 CEFTAZIDIME	d00061 LITHIUM	d00133 METHYLDOPA
d00010 CEFTIZOXIME	d00064 CHLORPROMAZINE	d00134 METOPROLOL
d00011 CIPROFLOXACIN	d00065 FOSCARNET	d00135 MINOXIDIL
d00012 CODEINE	d00067 AZTREONAM	d00136 NITROPRUSSIDE
d00013 ENALAPRIL	d00068 ETHAMBUTOL	d00137 PINDOLOL
d00014 GENTAMICIN	d00069 TOBRAMYCIN	d00138 PRAZOSIN
d00015 IBUPROFEN	d00070 FUROSEMIDE	d00139 TIMOLOL
d00016 LABETALOL	d00071 FLUCONAZOLE	d00140 CIMETIDINE
d00017 MEPERIDINE	d00072 CEFIXIME	d00141 FAMOTIDINE
d00018 NADOLOL	d00073 CEFPROZIL	d00142 THEOPHYLLINE
d00019 NAPROXEN	d00075 PROCAINAMIDE	d00143 PHENYTOIN
d00020 QUINIDINE	d00077 AMPHOTERICIN B	d00144 NORTRIPTYLINE
d00021 RANITIDINE	d00078 DIDANOSINE	d00145 DESIPRAMINE
d00022 WARFARIN	d00079 CYCLOSPORINE	d00146 AMITRIPTYLINE
d00023 ALLOPURINOL	d00080 CEFADROXIL	d00147 CHLORAL HYDRATE
d00024 AZATHIOPRINE	d00081 CEFACLOR	d00148 DIAZEPAM
d00025 CHLORAMPHENICOL	d00082 IMIPENEM-CILASTATIN	d00149 LORAZEPAM
d00026 FENOPROFEN	d00083 VALPROIC ACID	d00150 COLCHICINE
d00027 HALOPERIDOL	d00084 PREDNISOLONE	d00152 CLOXACILLIN
d00028 KETOPROFEN	d00085 RIBAVIRIN	d00153 DICLOXACILLIN
d00029 NAFCILLIN	d00086 AMANTADINE	d00154 MEBENDAZOLE
d00030 PENTAMIDINE	d00087 AMIKACIN	d00161 ACETAZOLAMIDE
d00031 PROBENECID	d00088 AMOXICILLIN	d00164 ADENOSINE
d00032 PROPRANOLOL	d00089 AMOXICILLIN- CLAVULANATE	d00167 ALFENTANIL
d00033 SULINDAC	d00091 AZITHROMYCIN	d00168 ALPRAZOLAM
d00034 ZIDOVUDINE	d00092 CARBENICILLIN	d00169 AMILORIDE
d00035 CHLOROQUINE	d00093 CEFMETAZOLE	d00170 ASPIRIN
d00036 CYCLOPHOSPHAMIDE	d00094 CEFOXITIN	d00171 AMOBARBITAL
d00037 DOXYCYCLINE	d00095 CEFPODOXIME	d00172 INAMRINONE
	d00096 CEPHALEXIN	d00173 ATRACURIUM
	d00097 CLARITHROMYCIN	d00174 ATROPINE
	d00098 DAPSONE	d00175 BENZTROPINE
	d00099 ENOXACIN	d00176 BETAXOLOL
	d00100 GRISEOFULVIN	d00177 BLEOMYCIN
	d00101 ISONIAZID	

d00178 BROMOCRIPTINE	d00251 HALOTHANE	d00325 OMEPRAZOLE
d00179 BUMETANIDE	d00252 HEPARIN	d00328 OXYBUTYNIN
d00180 BUPIVACAINE	d00253 HYDROCHLOROTHIAZIDE	d00329 OXYCODONE
d00181 BUPROPION	d00254 HYDROCORTISONE	d00330 PANCURONIUM
d00182 BUSPIRONE	d00255 HYDROMORPHONE	d00332 PENBUTOLOL
d00183 BUSULFAN	d00257 IFOSFAMIDE	d00334 PENTAZOCINE
d00184 CARBIDOPA	d00259 IMIPRAMINE	d00335 PENTOBARBITAL
d00185 CARBOPLATIN	d00260 INDAPAMIDE	d00336 PENTOXIFYLLINE
d00186 CEPHALOTHIN	d00262 INSULIN	d00337 PHENAZOPYRIDINE
d00187 CEPHAPIRIN	d00265 IPRATROPIUM	d00340 PHENOBARBITAL
d00188 CHLORAMBUCIL	d00267 ISOFLURANE	d00343 PIROXICAM
d00189 CHLORDIAZEPOXIDE	d00268 ISOSORBIDE DINITRATE	d00344 POLYMYXIN B SULFATE
d00190 CHLOROTHIAZIDE	d00269 ISOSORBIDE	d00345 POTASSIUM CHLORIDE
d00191 CHLORPHENIRAMINE	MONONITRATE	d00346 POVIDONE IODINE
d00192 CHLORTHALIDONE	d00270 ISRADIPINE	TOPICAL
d00193 CHOLESTYRAMINE	d00271 KANAMYCIN	d00348 PRAVASTATIN
d00195 CISPLATIN	d00272 KETAMINE	d00350 PREDNISONE
d00197 CLONAZEPAM	d00273 KETOROLAC	d00352 PRIMIDONE
d00198 CLORAZEPATE	d00275 LEUCOVORIN	d00353 PROBUCOL
d00199 CLOZAPINE	d00276 LEVAMISOLE	d00354 PROCARBAZINE
d00200 CROMOLYN	d00277 LEVODOPA	d00355 PROCHLORPERAZINE
d00201 CYTARABINE	d00278 LEVOTHYROXINE	d00356 PROMAZINE
d00202 DACARBAZINE	d00279 LINCOMYCIN	d00358 PROPAFENONE
d00203 DACTINOMYCIN	d00280 LOVASTATIN	d00359 PROPANTHELINE
d00204 DANAZOL	d00282 MANNITOL	d00360 PROPOXYPHENE
d00206 DEXAMETHASONE	d00283 MECLOFENAMATE	d00361 PROPYLTHIOURACIL
d00207 DEXTROMETHORPHAN	d00284 MEDROXY-	d00362 PROTAMINE
d00208 DIFLUNISAL	PROGESTERONE	d00363 PYRIDOSTIGMINE
d00210 DIGOXIN	d00285 MEFENAMIC ACID	d00364 PYRIMETHAMINE
d00211 DIHYDROERGOTAMINE	d00286 MEFLOQUINE	d00365 QUINAPRIL
d00212 DIPHENHYDRAMINE	d00287 MELPHALAN	d00366 QUININE
d00213 DIPYRIDAMOLE	d00288 MEPROBAMATE	d00367 RESERPINE
d00214 DISOPYRAMIDE	d00289 MERCAPTOPURINE	d00368 SECOBARBITAL
d00215 DOBUTAMINE	d00290 METHIMAZOLE	d00370 OCTREOTIDE
d00216 DOPAMINE	d00292 METHSUXIMIDE	d00371 SOTALOL
d00217 DOXEPIN	d00293 METHYLPREDNISOLONE	d00372 SPECTINOMYCIN
d00218 DOXORUBICIN	d00295 METHYLTESTOSTERONE	d00373 SPIRONOLACTONE
d00219 DROPERIDOL	d00297 METIPRANOLOL	d00376 SUCCINYLCHOLINE
d00220 EDROPHONIUM	OPHTHALMIC	d00377 SUCRALFATE
d00222 ERGOTAMINE	d00298 METOCLOPRAMIDE	d00378 SUFENTANIL
d00223 EPOETIN ALFA	d00299 METOLAZONE	d00379 SULFASALAZINE
d00224 ESMOLOL	d00300 MEXILETINE	d00381 TAMOXIFEN
d00227 ETHOSUXIMIDE	d00301 MIDAZOLAM	d00384 TEMAZEPAM
d00230 ETOPOSIDE	d00302 MILRINONE	d00386 TERAZOSIN
d00231 FELODIPINE	d00303 MISOPROSTOL	d00387 TERFENADINE
d00233 FENTANYL	d00305 MITOMYCIN	d00388 THIOPIENTAL
d00234 FLECAINIDE	d00306 MITOXANTRONE	d00389 THIORIDAZINE
d00235 FLUOROURACIL	d00307 MORICIZINE	d00391 THIOTHIXENE
d00236 FLUOXETINE	d00308 MORPHINE	d00393 TOLAZAMIDE
d00237 FLUPHENAZINE	d00310 NABUMETONE	d00394 TOLBUTAMIDE
d00238 FLURAZEPAM	d00311 NALOXONE	d00395 TRAZODONE
d00239 FLURBIPROFEN	d00312 NEOMYCIN	d00396 TRIAMTERENE
d00240 FLUTAMIDE	d00313 NEOSTIGMINE	d00397 TRIAZOLAM
d00241 FOLIC ACID	d00314 NIACIN	d00399 VECURONIUM
d00242 FOSINOPRIL	d00315 NICARDIPINE	d00400 VINBLASTINE
d00245 GEMFIBROZIL	d00316 NICOTINE	d00401 VINCRISTINE
d00246 GLIPIZIDE	d00318 NIMODIPINE	d00402 VITAMIN A
d00248 GLYBURIDE	d00321 NITROGLYCERIN	d00405 VITAMIN E
d00250 GOLD SODIUM	d00322 NIZATIDINE	d00409 RIBOFLAVIN
THIOMALATE	d00323 NOREPINEPHRINE	d00412 PYRIDOXINE

d00413 CYANOCOBALAMIN	d00583 DESMOPRESSIN	d00754 BITOLTEROL
d00425 CALCIUM CARBONATE	d00584 OXYTOCIN	d00755 PIRBUTEROL
d00426 ASCORBIC ACID	d00586 ERGONOVINE	d00758 AMINOPHYLLINE
d00428 FLUORIDE	d00587 METHYLERGONOVINE	d00759 DYPHYLLINE
d00434 MANGANESE SULFATE	d00588 CARBOPROST	d00760 BECLOMETHASONE
d00438 SODIUM CHLORIDE	d00589 DINOPROSTONE	d00762 ACETYLCYSTEINE
d00439 CITRIC ACID-POTASSIUM CITRATE	TOPICAL	d00767 PHENYLPRO- PANOLAMINE
d00440 SODIUM BICARBONATE	d00593 GLUCAGON	d00769 PSEUDOEPHEDRINE
d00468 MAGNESIUM SULFATE	d00595 GLUCOSE	d00771 NAPHAZOLINE
d00472 TROMETHAMINE	d00598 CALCITONIN	OPHTHALMIC
d00475 SODIUM PHOSPHATE	d00599 ETIDRONATE	d00772 OXYMETAZOLINE NASAL
d00476 AMMONIUM CHLORIDE	d00601 PAMIDRONATE	d00773 TETRAHYDROZOLINE
d00485 IODINE TOPICAL	d00604 CORTICOTROPIN	OPHTHALMIC
d00488 LYSINE	d00607 COSYNTROPIN	d00775 ALPHA 1-PROTEINASE
d00491 LEVOCARNITINE	d00608 FLUDROCORTISONE	INHIBITOR
d00492 CHOLINE SALICYLATE	d00609 CORTISONE	d00777 BERACTANT
d00496 INOSITOL	d00620 TRIAMCINOLONE	d00780 CLEMASTINE
d00497 OMEGA-3 POLYUNSATURATED FATTY ACIDS	d00623 METHYLPREDNISOLONE TOPICAL	d00782 PYRILAMINE
d00512 FILGRASTIM	d00626 DEXAMETHASONE TOPICAL	d00785 BROMPHENIRAMINE
d00513 SARGRAMOSTIM	d00628 BETAMETHASONE	d00787 PROMETHAZINE
d00514 TICLOPIDINE	d00640 METHAZOLAMIDE	d00790 CYPROHEPTADINE
d00521 ALTEPLASE	d00643 METHYCLOTHIAZIDE	d00791 AZATADINE
d00524 ANTITHROMBIN III	d00645 HYDROFLUMETHIAZIDE	d00796 BENZONATATE
d00525 ANTIHEMOPHILIC FACTOR (OBSOLETE)	d00649 ETHACRYNIC ACID	d00797 GUAIFENESIN
d00527 FACTOR IX COMPLEX (OBSOLETE)	d00651 UREA TOPICAL	d00801 CAFFEINE
d00528 AMINOCAPROIC ACID	d00652 GLYCERIN	d00802 DOXAPRAM
d00529 TRANEXAMIC ACID	d00653 ISOSORBIDE	d00803 AMPHETAMINE
d00534 ESTRONE	d00655 THYROID DESICCATED	d00804 DEXTROAMPHETAMINE
d00537 ESTRADIOL	d00658 LIOTHYRONINE	d00805 METHAMPHETAMINE
d00541 CONJUGATED ESTROGENS	d00683 LIDOCAINE TOPICAL	d00806 PHENTERMINE
d00543 ESTROPIPATE	d00688 BEPRIDIL	d00807 BENZPHETAMINE
d00546 DIETHYLSTILBESTROL	d00689 AMLODIPINE	d00809 PHENDIMETRAZINE
d00550 PROGESTERONE	d00693 ISOXSUPRINE	d00810 DIETHYLPROPION
d00554 HYDROXY- PROGESTERONE	d00695 PAPAVERINE	d00811 MAZINDOL
d00555 NORETHINDRONE	d00696 ETHAVERINE	d00812 FENFLURAMINE
d00557 LEVONORGESTREL	d00697 ISOPROTERENOL	d00813 BENZOCAINE TOPICAL
d00558 TESTOSTERONE	d00699 EPINEPHRINE	d00814 METHOTRIMEPRAZINE
d00563 FINASTERIDE	d00700 EPHEDRINE	d00817 HYDROXYCHLOROQUINE
d00565 STANZOLOL	d00704 PHENYLEPHRINE	d00821 METHYSERGIDE MALEATE
d00566 OXANDROLONE	d00709 BISOPROLOL	d00824 OPIUM
d00569 CLOMIPHENE	d00717 GUANFACINE	d00833 OXYMORPHONE
d00570 UROFOLLITROPIN	d00726 DOXAZOSIN	d00837 DEZOCINE
d00571 MENOTROPINS	d00728 RAMIPRIL	d00838 BUTORPHANOL
d00572 CHORIONIC GONADOTROPIN (HCG)	d00730 BENAZEPRIL	d00839 NALBUPHINE
d00573 GONADORELIN	d00732 LISINOPRIL	d00840 BUPRENORPHINE
d00574 NAFARELIN	d00733 PHENTOLAMINE	d00842 SALSALATE
d00575 HISTRELIN	d00741 TOLAZOLINE	d00843 SODIUM SALICYLATE
d00576 SOMATREM	d00742 EDETATE DISODIUM	d00844 SODIUM THIOSALICYLATE
d00577 SOMATROPIN	d00743 SODIUM POLYSTYRENE SULFONATE	d00848 DICLOFENAC
d00578 ARGININE	d00744 COLESTIPOL	d00851 ETODOLAC
	d00746 SIMVASTATIN	d00853 OXAPROZIN
	d00749 ALBUTEROL	d00855 PERPHENAZINE
	d00750 METAPROTERENOL	d00858 CYCLIZINE
	d00751 ISOETHARINE	d00859 MECLIZINE
	d00752 TERBUTALINE	d00861 DIMENHYDRINATE

d00862 TRIMETHOBENZAMIDE	d01016 BULK PRODUCING LAXATIVES	d01166 HEPATITIS B VACCINE (OBSOLETE)
d00866 DRONABINOL	d01017 POLYCARBOPHIL	d01168 TETANUS TOXOID
d00867 ONDANSETRON	d01018 PSYLLIUM	d01171 TUBERCULIN PURIFIED PROTEIN DERIVATIVE
d00874 AMOXAPINE	d01019 MINERAL OIL	d01184 DIPIVEFRIN OPHTHALMIC
d00875 PROTRIPTYLINE	d01021 DOCUSATE	d01185 APRACLONIDINE OPHTHALMIC
d00876 CLOMIPRAMINE	d01023 POLYETHYLENE GLYCOL 3350 WITH ELECTROLYTES	d01187 LEVOBUNOLOL OPHTHALMIC
d00877 MAPROTILINE	d01024 LACTULOSE	d01188 ACETYLCHOLINE OPHTHALMIC
d00880 SERTRALINE	d01025 LOPERAMIDE	d01189 CARBACHOL OPHTHALMIC
d00882 ISOCARBOXAZID	d01026 BISMUTH SUBSALICYLATE	d01191 PILOCARPINE OPHTHALMIC
d00883 PHENELZINE	d01027 SIMETHICONE	d01198 DAPIPRAZOLE OPHTHALMIC
d00884 TRANLYCYPROMINE	d01028 CHARCOAL	d01199 HOMATROPINE OPHTHALMIC
d00890 TRIFLUOPERAZINE	d01030 DEHYDROCHOLIC ACID	d01200 TROPICAMIDE OPHTHALMIC
d00896 MOLINDONE	d01031 MESALAMINE	d01201 CYCLOPENTOLATE OPHTHALMIC
d00897 LOXAPINE	d01032 OLSALAZINE	d01202 CHYMOTRYPSIN OPHTHALMIC
d00898 PIMOZIDE	d01068 DEMECLOCYCLINE	d01204 SUPROFEN OPHTHALMIC
d00900 METHYLPHENIDATE	d01070 OXYTETRACYCLINE	d01208 SULFACETAMIDE SODIUM OPHTHALMIC
d00902 ERGOLOID MESYLATES	d01100 ETHIONAMIDE	d01210 YELLOW MERCURIC OXIDE OPHTHALMIC
d00907 HYDROXYZINE	d01104 PAROMOMYCIN	d01215 TRIFLURIDINE OPHTHALMIC
d00910 ZOLPIDEM	d01105 IODOQUINOL	d01217 TETRACAINE
d00915 ESTAZOLAM	d01113 COLISTIMETHATE	d01218 PROPARACAINE OPHTHALMIC
d00917 QUAZEPAM	d01115 BACITRACIN	d01219 FLUORESCEIN OPHTHALMIC
d00923 BUTABARBITAL	d01120 ATOVAQUONE	d01222 SODIUM HYALURONATE OPHTHALMIC
d00929 METHOHEXITAL	d01123 PYRANTEL	d01225 BORIC ACID TOPICAL
d00931 ETOMIDATE	d01124 PIPERAZINE	d01226 HYDROXYPROPYL METHYLCELLULOSE OPHTHALMIC
d00933 PROPOFOL	d01128 METHYLENE BLUE	d01227 BOTULINUM TOXIN TYPE A (OBSOLETE)
d00934 NITROUS OXIDE	d01133 IMMUNE GLOBULIN INTRAVENOUS	d01231 CHLORHEXIDINE TOPICAL
d00937 ENFLURANE	d01135 IMMUNE GLOBULIN INTRAMUSCULAR	d01232 CARBAMIDE PEROXIDE TOPICAL
d00945 TRIMETHADIONE	d01136 HEPATITIS B IMMUNE GLOBULIN	d01233 NYSTATIN
d00960 CARISOPRODOL	d01137 TETANUS IMMUNE GLOBULIN	d01234 BUTOCONAZOLE TOPICAL
d00962 CHLORZOXAZONE	d01138 VARICELLA ZOSTER IMMUNE GLOBULIN	d01236 CLOTRIMAZOLE
d00963 CYCLOBENZAPRINE	d01139 RHO (D) IMMUNE GLOBULIN	d01238 TERCONAZOLE TOPICAL
d00964 METAXALONE	d01147 RABIES VACCINE (OBSOLETE)	d01239 GENTIAN VIOLET TOPICAL
d00965 METHOCARBAMOL	d01148 RABIES IMMUNE GLOBULIN, HUMAN	d01241 CLINDAMYCIN TOPICAL
d00966 ORPHENADRINE	d01150 BCG	d01242 NONOXYNOL 9 TOPICAL
d00967 BACLOFEN	d01156 TYPHOID VACCINE, INACTIVATED	d01244 TRETINOIN TOPICAL
d00968 DANTROLENE	d01158 HAEMOPHILUS B CONJUGATE VACCINE (OBSOLETE)	
d00969 PROCYCLIDINE	d01159 MEASLES VIRUS VACCINE	
d00970 TRIHEXYPHENIDYL	d01160 RUBELLA VIRUS VACCINE	
d00976 SELEGILINE	d01161 MUMPS VIRUS VACCINE	
d00977 PERGOLIDE	d01163 POLIOVIRUS VACCINE, INACTIVATED	
d00978 ALUMINUM HYDROXIDE	d01164 INFLUENZA VIRUS VACCINE, INACTIVATED	
d00982 MAGNESIUM HYDROXIDE	d01165 YELLOW FEVER VACCINE	
d00984 MAGALDRATE		
d00985 HYOSCYAMINE		
d00986 SCOPOLAMINE		
d00988 BELLADONNA		
d00989 METHSCOPOLAMINE		
d00991 CLIDINIUM		
d00992 GLYCOPYRROLATE		
d00999 DICYCLOMINE		
d01002 PANCRELIPASE		
d01003 PANCREATIN		
d01005 URSODIOL		
d01008 MAGNESIUM CITRATE		
d01010 CASCARA SAGRADA		
d01012 PHENOLPHTHALEIN		
d01013 SENNA		
d01014 CASTOR OIL		
d01015 BISACODYL		

d01245 ISOTRETINOIN	d01323 MONOBENZONE TOPICAL	d01469 IOVERSOL
d01246 BENZOYL PEROXIDE TOPICAL	d01332 HEXACHLOROPHENE TOPICAL	d01473 DIATRIZOATE
d01254 ANTHRALIN TOPICAL	d01333 BENZALKONIUM CHLORIDE TOPICAL	d01475 IOTHALAMATE
d01257 NITROFURAZONE TOPICAL	d01335 SODIUM HYPOCHLORITE TOPICAL	d01482 ISOSULFAN BLUE
d01258 MAFENIDE TOPICAL	d01336 OXYCHLOROSENE SODIUM TOPICAL	d02374 DESFLURANE
d01259 SILVER SULFADIAZINE TOPICAL	d01340 URACIL MUSTARD	d02375 PLASMA PROTEIN FRACTION
d01263 PYRITHIONE ZINC TOPICAL	d01341 LOMUSTINE	d02376 ALBUMIN HUMAN
d01265 SULFACETAMIDE SODIUM TOPICAL	d01342 CARMUSTINE	d02377 DEXTRAN 1
d01267 MUPIROCIIN TOPICAL	d01344 FLOXURIDINE	d02378 HETASTARCH
d01271 ECONAZOLE TOPICAL	d01345 THIOGUANINE	d03007 MEASLES; MUMPS; RUBELLA VIRUS VACCINE
d01272 CICLOPIROX TOPICAL	d01346 FLUDARABINE	d03041 ENOXAPARIN
d01274 TOLNAFTATE TOPICAL	d01348 MEGESTROL	d03050 LORATADINE
d01275 SULCONAZOLE TOPICAL	d01353 LEUPROLIDE	d03052 HYDROCHLORO- THIAZIDE-TRIAMTERENE
d01276 HALOPROGIN TOPICAL	d01354 GOSERELIN	d03054 AMYLASE
d01277 NAFTIFINE TOPICAL	d01356 PENTOSTATIN	d03056 ATTAPULGITE
d01278 LINDANE TOPICAL	d01368 INTERFERON ALFA-2A	d03061 BUTALBITAL
d01279 PERMETHRIN TOPICAL	d01370 INTERFERON ALFA-N3	d03066 CITRIC ACID
d01282 ALCLOMETASONE TOPICAL	d01373 HYDROXYUREA	d03071 DIPHENOXYLATE
d01283 AMCINONIDE TOPICAL	d01375 ALDESLEUKIN	d03073 ETHYNODIOL
d01288 CLOBETASOL TOPICAL	d01376 PACLITAXEL	d03075 HYDROCODONE
d01289 CLOCORTOLONE TOPICAL	d01378 MITOTANE	d03077 ISOMETHEPTENE MUCATE
d01290 DESONIDE TOPICAL	d01379 ASPARAGINASE	d03080 LIPASE
d01291 DESOXIMETASONE TOPICAL	d01383 SODIUM TETRADECYL SULFATE	d03085 PEPSIN
d01292 DIFLORASONE TOPICAL	d01384 MORRHUATE SODIUM	d03096 SODIUM BENZOATE
d01293 FLUOCINOLONE TOPICAL	d01385 BETA-CAROTENE	d03097 SODIUM BORATE TOPICAL
d01294 FLUOCINONIDE TOPICAL	d01386 YOHIMBINE	d03098 SODIUM CITRATE
d01295 FLURANDRENOLIDE TOPICAL	d01387 ALPROSTADIL	d03110 DIPHTH; PERTUSSIS, ACEL; TETANUS (OBSOLETE)
d01296 FLUTICASONE	d01389 DISULFIRAM	d03112 NEDOCROMIL
d01297 HALCINONIDE TOPICAL	d01393 HYALURONIDASE	d03126 CALCITRIOL
d01298 HALOBETASOL TOPICAL	d01394 PROCAINE	d03127 CALCIFEDIOL
d01301 DIBUCAINE TOPICAL	d01395 CHLOROPROCAINE	d03128 ERGOCALCIFEROL
d01303 PRAMOXINE TOPICAL	d01396 PRILOCAINE	d03129 CHOLECALCIFEROL
d01305 DYCLONINE TOPICAL	d01398 MEPIVACAINE	d03130 THIAMINE
d01306 COCAINE TOPICAL	d01402 DEFEROXAMINE	d03133 HYDROXOCOBALAMIN
d01307 SALICYLIC ACID TOPICAL	d01403 EDETATE CALCIUM DISODIUM	d03135 PHYTONADIONE
d01308 PODOPHYLLUM RESIN TOPICAL	d01406 NALTREXONE	d03137 CALCIUM-VITAMIN D
d01309 PODOFILOX TOPICAL	d01407 FLUMAZENIL	d03140 MULTIVITAMIN
d01313 TRICHLOROACETIC ACID TOPICAL	d01409 PRALIDOXIME	d03141 MULTIVITAMIN WITH IRON
d01315 COLLAGENASE TOPICAL	d01411 MESNA	d03143 MULTIVITAMIN WITH FLUORIDE
d01316 MASOPROCOL TOPICAL	d01416 TRIENTINE	d03145 MULTIVITAMIN WITH MINERALS
d01319 HYDROQUINONE TOPICAL	d01417 SUCCIMER	d03148 MULTIVITAMIN, PRENATAL
d01320 FORMALDEHYDE TOPICAL	d01420 AMBENONIUM	d03154 DOXYLAMINE
d01321 CAPSAICIN TOPICAL	d01423 POTASSIUM CITRATE	d03157 PAROXETINE
d01322 ALUMINUM CHLORIDE HEXAHYDRATE TOPICAL	d01425 FLAVOXATE	d03158 RIMANTADINE
	d01427 BETHANECHOL	d03160 SUMATRIPTAN
	d01431 DIMETHYL SULFOXIDE	d03162 ETHANOL
	d01445 BARIUM SULFATE	
	d01451 GADOPENTETATE DIMEGLUMINE	
	d01452 IODAMIDE	
	d01456 IOHEXOL	
	d01461 IOPAMIDOL	

d03165 PIPERACILLIN-TAZOBACTAM	d03242 ETHINYL ESTRADIOL-LEVONORGESTREL	d03298 CHLORPHENIRAMINE-PSEUDOEPHEDRINE
d03166 CISAPRIDE	d03244 CONJUGATED ESTROGENS-METHYLTESTOSTERONE	d03299 CHLORPHENIRAMINE-PHENYLPRO-PANOLAMINE
d03168 DIHYDROCODEINE	d03245 ESTERIFIED ESTROGENS-METHYLTESTOSTERONE	d03300 CHLORPHENIRAMINE-PHENYLEPHRINE
d03170 FELBAMATE	d03247 HYDROCHLORO-THIAZIDE-SPIRONOLACTONE	d03301 BROMPHENIRAMINE-PSEUDOEPHEDRINE
d03171 GRANISETRON	d03249 CHLORLORALIDONE-RESERPINE	d03302 BROMPHENIRAMINE-PHENYLPRO-PANOLAMINE
d03176 TACRINE	d03251 HYDROCHLORO-THIAZIDE-RESERPINE	d03306 CHLORPHENIRAMINE; PE; PHENYLTOLOXAMINE
d03180 RISPERIDONE	d03257 HYDRALAZINE-HYDROCHLORO-THIAZIDE	d03309 BROMPHENIRAMINE; PHENYLEPHRINE; PPA
d03181 VENLAFAXINE	d03258 ATENOLOL-CHLORLORALIDONE	d03311 BROMPHENIRAMINE-PHENYLEPHRINE
d03182 GABAPENTIN	d03259 BENDROFLUMETHIAZIDE-NADOLOL	d03312 DIPHENHYDRAMINE-PSEUDOEPHEDRINE
d03183 FLUVASTATIN	d03261 HYDROCHLORO-THIAZIDE-PROPRANOLOL	d03313 CHLORPHENIRAMINE; PHENYLEPHRINE; PYRILAMINE
d03189 TORSEMIDE	d03263 HYDROCHLORO-THIAZIDE-METHYLDOPA	d03314 CHLORPHENIRAMINE; PHENYLEPHRINE; PPA
d03190 OXICONAZOLE TOPICAL	d03264 HYDROCHLORO-THIAZIDE-METOPROLOL	d03315 CHLORPHENIRAMINE; PHENYLEPHRINE; PPA; PYRILAMINE
d03191 TERBINAFINE TOPICAL	d03265 BENAZEPRIL-HYDROCHLORO-THIAZIDE	d03316 PSEUDOEPHEDRINE-TRIPROLODINE
d03192 ZINC OXIDE TOPICAL	d03266 HYDROCHLORO-THIAZIDE-LISINOPRIL	d03317 PHENYLEPHRINE-PROMETHAZINE
d03193 AMILORIDE-HYDROCHLORO-THIAZIDE	d03267 CHLORLORALIDONE-CLONIDINE	d03318 PHENIRAMINE; PPA; PYRILAMINE
d03195 MICONAZOLE TOPICAL	d03269 GUANETHIDINE-HYDROCHLORO-THIAZIDE	d03320 APAP; CHLORPHENIRAMINE; PSEUDOEPHEDRINE
d03197 BETAMETHASONE TOPICAL	d03273 GUAIFENESIN-THEOPHYLLINE	d03331 APAP; CHLORPHENIRAMINE; PHENYLEPHRINE
d03200 ERYTHROMYCIN TOPICAL	d03276 DYPHYLLINE-GUAIFENESIN	d03338 CHLORPHENIRAMINE; METHSCOPOLAMINE; PE
d03202 KETOCONAZOLE TOPICAL	d03277 POTASSIUM IODIDE-THEOPHYLLINE	d03340 HOMATROPINE-HYDROCODONE
d03203 MINOXIDIL TOPICAL	d03280 EPHEDRINE; PHENOBARBITAL; THEOPHYLLINE	d03344 CHLORPHENIRAMINE; DEXTROMETHORPHAN; PPA
d03204 FLUOROURACIL TOPICAL	d03283 EPHEDRINE; HYDROXYZINE; THEOPHYLLINE	d03347 APAP; CHLORPHENIRAMINE; DEXTROMETHORPHAN; PSE
d03205 HYDROCORTISONE TOPICAL	d03289 ACETAMINOPHEN-PSEUDOEPHEDRINE	d03353 HYDROCODONE-PHENYLPRO-PANOLAMINE
d03206 TRIAMCINOLONE TOPICAL	d03292 IBUPROFEN-PSEUDOEPHEDRINE	d03354 DEXTROMETHORPHAN-PSEUDOEPHEDRINE
d03208 METRONIDAZOLE TOPICAL	d03296 ACETAMINOPHEN-CHLORPHENIRAMINE	d03355 DEXTROMETHORPHAN-PHENYLPRO-PANOLAMINE
d03210 SELENIUM SULFIDE TOPICAL	d03297 ACETAMINOPHEN-PHENYLTOLOXAMINE	
d03211 CIPROFLOXACIN OPHTHALMIC		
d03214 KETOROLAC OPHTHALMIC		
d03219 HYDROXYAMPHETAMINE OPHTHALMIC		
d03220 FLURBIPROFEN OPHTHALMIC		
d03221 PREDNISOLONE OPHTHALMIC		
d03222 TOBRAMYCIN OPHTHALMIC		
d03225 PREDNICARBATE TOPICAL		
d03227 FLUOROMETHOLONE OPHTHALMIC		
d03228 LODOXAMIDE OPHTHALMIC		
d03229 LEVOCABASTINE OPHTHALMIC		
d03238 ETHINYL ESTRADIOL-NORETHINDRONE		
d03241 ETHINYL ESTRADIOL-NORGESTREL		

d03356 CHLORPHENIRAMINE- HYDROCODONE	d03408 DEXTROMETHORPHAN; GUAIFENESIN; PHENYLEPHRINE	d03468 ASPIRIN- METHOCARBAMOL
d03357 CODEINE- PROMETHAZINE	d03409 DEXTROMETHORPHAN; GUAIFENESIN; PSEUDOEPHEDRINE	d03469 ASPIRIN-CARISOPRODOL
d03359 CHLORPHENIRAMINE- DEXTROMETHORPHAN	d03411 DEXTROMETHORPHAN; GUAIFENESIN; PPA	d03472 ASA; CAFFEINE; ORPHENADRINE
d03360 DEXTROMETHORPHAN- PROMETHAZINE	d03416 CHLORPHENIRAMINE; HYDROCODONE; PSE	d03473 CARBIDOPA-LEVODOPA
d03361 CHLORPHENIRAMINE; HYDROCODONE; PHENYLEPHRINE	d03419 CHLORPHENIRAMINE; DM; GUAIFENESIN; PHENYLEPHRINE	d03474 ALUMINUM HYDROXIDE- MAGNESIUM HYDROXIDE
d03364 CODEINE; PHENYLEPHRINE; PROMETHAZINE	d03423 ACETAMINOPHEN- CODEINE	d03478 AL HYDROXIDE; MG HYDROXIDE; SIMETHICONE
d03368 BROMPHENIRAMINE; DEXTROMETHORPHAN; PSE	d03424 ASPIRIN-CODEINE	d03485 ATROPINE; HYOSCYAMINE; PB; SCOPOLAMINE
d03369 CHLORPHENIRAMINE; DEXTROMETHORP; PHENYLEPHRINE	d03425 APAP; BUTALBITAL; CAFFEINE; CODEINE	d03486 BELLADONNA- BUTABARBITAL
d03370 CHLORPHENIRAMINE; DEXTROMETHORPHAN; PSE	d03426 ASA; BUTALBITAL; CAFFEINE; CODEINE	d03490 ATROPINE- PHENOBARBITAL
d03371 DEXTROMETHORPHAN; PHENYLEPHRINE; PYRILAMINE	d03428 ACETAMINOPHEN- HYDROCODONE	d03492 CHLORDIAZEPOXIDE- CLIDINIUM
d03379 GUAIFENESIN- PSEUDOEPHEDRINE	d03429 ASPIRIN-HYDROCODONE	d03494 HYOSCYAMINE- PHENOBARBITAL
d03381 GUAIFENESIN- PHENYLEPHRINE	d03431 ACETAMINOPHEN- OXYCODONE	d03495 BELLADONNA; ERGOTAMINE; PHENOBARBITAL
d03382 GUAIFENESIN- PHENYLPRO- PANOLAMINE	d03432 ASPIRIN-OXYCODONE	d03496 DOCUSATE-SENNA
d03383 GUAIFENESIN; PHENYLEPHRINE; PPA	d03433 MEPERIDINE- PROMETHAZINE	d03497 DOCUSATE- PHENOLPHTHALEIN
d03388 ETHINYL ESTRADIOL- ETHYNODIOL	d03434 ACETAMINOPHEN- PROPOXYPHENE	d03498 CASANTHRANOL- DOCUSATE
d03389 ESTRADIOL- TESTOSTERONE	d03436 BELLADONNA-OPIUM	d03503 MINERAL OIL- PHENOLPHTHALEIN
d03392 CHLORPHENIRAMINE; GUAIFENESIN; PHENYLEPHRINE	d03437 APAP; ASA; CAFFEINE; SALICYLAMIDE	d03506 ATROPINE- DIPHENOXYLATE
d03393 CODEINE-GUAIFENESIN	d03439 APAP; ASA; CAFFEINE	d03509 ERYTHROMYCIN- SULFISOXAZOLE
d03394 CODEINE-IODINATED GLYCEROL	d03445 ACETAMINOPHEN- DIPHENHYDRAMINE	d03510 OXYTETRACYCLINE; PHENAZOPYRIDINE; SULFAMETHIZOL
d03396 GUAIFENESIN- HYDROCODONE	d03447 ASA; CAFFEINE; SALICYLAMIDE	d03511 PHENAZOPYRIDINE- SULFAMETHOXAZOLE
d03397 GUAIFENESIN- HYDROMORPHONE	d03448 ASPIRIN-MEPROBAMATE	d03521 CYCLOPENTOLATE- PHENYLEPHRINE OPHTHALMIC
d03398 CODEINE; GUAIFENESIN; PSE	d03449 ASPIRIN-CAFFEINE	d03522 PHENYLEPHRINE- SCOPOLAMINE OPHTHALMIC
d03400 DEXTROMETHORPHAN- GUAIFENESIN	d03454 MAGNESIUM SALICYLATE- PHENYLTOLOXAMINE	d03524 BACITRACIN; NEOMYCIN; POLYMYXIN B TOPICAL
d03403 GUAIFENESIN; HYDROCODONE; PHENYLEPHRINE	d03455 APAP; BUTALBITAL; CAFFEINE	d03525 GRAMICIDIN; NEOMYCIN; POLYMYXIN B OPHTHALMIC
	d03456 ACETAMINOPHEN- BUTALBITAL	d03536 DEXAMETHASONE- TOBRAMYCIN OPHTHALMIC
	d03457 ASA; BUTALBITAL; CAFFEINE	
	d03458 ASPIRIN-BUTALBITAL	
	d03459 APAP; DICHLORALPHENAZONE; ISOMETHEPTENE	
	d03462 AMITRIPTYLINE- CHLORDIAZEPOXIDE	
	d03463 AMITRIPTYLINE- PERPHENAZINE	

d03541 PREDNISOLONE-SULFACETAMIDE SODIUM OPTHALMIC	d03649 BENZOIN TOPICAL	d03768 OCULAR LUBRICANT
d03542 FLUORESCEIN-PROPARACAINE OPTHALMIC	d03650 CANDIDA ALBICANS EXTRACT	d03770 EMOLLIENTS, TOPICAL
d03546 HYDROCORTISONE-PRAMOXINE TOPICAL	d03653 CALAMINE TOPICAL	d03773 STAVUDINE
d03561 BETAMETHASONE-CLOTRIMAZOLE TOPICAL	d03655 LIDOCAINE-PRILOCAINE TOPICAL	d03774 DOXEPIN TOPICAL
d03562 NYSTATIN-TRIAMCINOLONE TOPICAL	d03656 ETHYL CHLORIDE TOPICAL	d03775 FAMCICLOVIR
d03566 CAPTOPRIL-HYDROCHLOROTHIAZIDE	d03663 LECITHIN	d03778 CHLOROTHIAZIDE-METHYLDOPA
d03569 CARBINOXAMINE	d03664 PHENOL TOPICAL	d03780 DESOGESTREL
d03570 CARBINOXAMINE-PSEUDOEPHEDRINE	d03665 MENTHOL TOPICAL	d03781 ETHINYL ESTRADIOL-NORGESTIMATE
d03576 BROMODIPHEN-HYDRAMINE-CODEINE	d03667 METHACHOLINE	d03782 DESOGESTREL-ETHINYL ESTRADIOL
d03577 CARBINOXAMINE; DEXTROMETHORPHAN; PSE	d03668 METHYL SALICYLATE TOPICAL	d03783 BUPIVACAINE-EPINEPHRINE
d03591 ALGINIC ACID; AL HYDROXIDE; MG CARBONATE	d03669 METHYL SALICYLATE-MENTHOL TOPICAL	d03784 EPINEPHRINE-LIDOCAINE
d03600 POTASSIUM BICARBONATE	d03680 ASA; CITRIC ACID; NA BICARB	d03786 DIATRIZOATE-IODIPAMIDE
d03613 PSYLLIUM-SENNA	d03682 ACETAMINOPHEN-PENTAZOCINE	d03788 CALCIPOTRIENE TOPICAL
d03618 HYOSCYAMINE; METHENAM; M-BLUE; PHENYL SALICYL	d03684 THROMBIN TOPICAL	d03790 POTASSIUM PHOSPHATE
d03620 ANTAZOLINE-NAPHAZOLINE OPTHALMIC	d03686 UNDECYLENIC ACID TOPICAL	d03796 MAGNESIUM CHLORIDE
d03622 BENOXINATE-FLUORESCEIN OPTHALMIC	d03687 ALUMINUM ACETATE TOPICAL	d03797 MAGNESIUM OXIDE
d03623 ACETIC ACID TOPICAL	d03688 ALUMINUM SULFATE TOPICAL	d03798 MAGNESIUM GLUCONATE
d03624 ANTIPYRINE OTIC	d03689 CALCIUM ACETATE	d03804 FLUVOXAMINE
d03625 ACETIC ACID-HYDROCORTISONE OTIC	d03690 ALUMINUM SULFATE-CALCIUM ACETATE TOPICAL	d03805 DORZOLAMIDE OPTHALMIC
d03627 ANTIPYRINE-BENZOCAINE OTIC	d03692 BENZYL PENICILLOYL-POLYLYSINE	d03807 METFORMIN
d03632 CETYLPYRIDINIUM TOPICAL	d03693 ICHTHAMMOL TOPICAL	d03808 NEFAZODONE
d03640 BUDESONIDE NASAL	d03701 CORN STARCH TOPICAL	d03809 LAMOTRIGINE
d03641 PETROLATUM TOPICAL	d03702 SULFUR TOPICAL	d03810 VINOELBINE
d03644 LACTOBACILLUS ACIDOPHILUS	d03703 COAL TAR TOPICAL	d03811 ABCIXIMAB
d03646 LACTOBACILLUS ACIDOPHILUS AND BULGARICUS	d03705 SALICYLIC ACID-SULFUR TOPICAL	d03812 DALTEPARIN
d03647 ISOPROPYL ALCOHOL TOPICAL	d03707 ALOE VERA TOPICAL	d03818 LORATADINE-PSEUDOEPHEDRINE
d03648 OPTHALMIC IRRIGATION, INTRAOCULAR	d03708 LANOLIN-MINERAL OIL TOPICAL	d03819 CONJUGATED ESTROGENS-MEDROXY-PROGESTERONE
	d03724 FAT EMULSION, INTRAVENOUS	d03820 HEPATITIS A VACCINE (OBSOLETE)
	d03735 TRIETHANOLAMINE POLYPEPTIDE OLEATE OTIC	d03821 LOSARTAN
	d03740 ENALAPRIL-HYDROCHLOROTHIAZIDE	d03822 FERROUS GLUCONATE
	d03744 BISOPROLOL-HYDROCHLOROTHIAZIDE	d03823 IRON POLYSACCHARIDE
	d03751 DEXBROMPHENIRAMINE-PSEUDOEPHEDRINE	d03824 FERROUS SULFATE
	d03752 TACROLIMUS	d03825 NISOLDIPINE
	d03756 BACITRACIN TOPICAL	d03826 TRAMADOL
	d03759 SALMETEROL	d03827 CETIRIZINE
	d03761 LANOLIN TOPICAL	d03828 LANSOPRAZOLE
	d03766 ROCURONIUM	d03829 AMLODIPINE-BENAZEPRIL
		d03830 HYDROCHLOROTHIAZIDE-LOSARTAN
		d03831 NILUTAMIDE
		d03832 VARICELLA VIRUS VACCINE
		d03833 DIVALPROEX SODIUM
		d03835 MOEXIPRIL
		d03836 ACITRETIN
		d03838 VALACYCLOVIR
		d03839 MYCOPHENOLATE MOFETIL



d03840 IOPROMIDE	d03922 ACETAMINOPHEN- CAFFEINE	d04010 GEMCITABINE
d03843 GADOTERIDOL	d03927 BACITRACIN OPHTHALMIC	d04011 INTERFERON BETA-1A
d03844 DIRITHROMYCIN	d03940 BENZOCAINE- DEXTROMETHORPHAN	d04012 TERBINAFINE
d03845 SEVOFLURANE	d03952 CITRIC ACID-SODIUM CITRATE	d04014 TOPOTECAN
d03846 ACARBOSE	d03953 ELECTROLYTE REPLACEMENT SOLUTIONS, ORAL	d04015 ADAPALENE TOPICAL
d03847 CARVEDILOL	d03957 CALCIUM CARBONATE; CHOLECALCIFEROL; FERROUS FUMARATE	d04016 IODIXANOL
d03848 AZELAIC ACID TOPICAL	d03962 POTASSIUM CITRATE- POTASSIUM BICARBONATE	d04017 LATANOPROST OPHTHALMIC
d03849 ALENDRONATE	d03964 BACITRACIN; NEOMYCIN; POLYMYXIN B OPHTHALMIC	d04021 BENZOIC ACID-SALICYLIC ACID TOPICAL
d03850 BICALUTAMIDE	d03965 BACITRACIN-POLYMYXIN B OPHTHALMIC	d04025 MIRTAZAPINE
d03857 BENZOYL PEROXIDE- ERYTHROMYCIN TOPICAL	d03966 BENZOYL PEROXIDE- SULFUR TOPICAL	d04026 IRINOTECAN
d03858 LAMIVUDINE	d03968 DEXAMETHASONE OPHTHALMIC	d04027 MEROPENEM
d03860 SAQUINAVIR	d03973 ERYTHROMYCIN OPHTHALMIC	d04028 CIDOFOVIR
d03862 MAGNESIUM AMINO ACIDS CHELATE	d03974 GENTAMICIN OPHTHALMIC	d04029 NEVIRAPINE
d03863 TRETINOIN	d03975 GLYCERIN OPHTHALMIC	d04032 SULFACETAMIDE SODIUM-SULFUR TOPICAL
d03864 GLIMEPIRIDE	d03977 OFLOXACIN OPHTHALMIC	d04034 REMIFENTANIL
d03866 CALCIUM CITRATE	d03979 SCOPOLAMINE OPHTHALMIC	d04035 AMPHETAMINE- DEXTROAMPHETAMINE
d03868 AMIFOSTINE	d03981 TETRACAINE OPHTHALMIC	d04036 CAFFEINE-SODIUM BENZOATE
d03869 RILUZOLE	d03982 TETRACAINE TOPICAL	d04037 TIMOLOL OPHTHALMIC
d03871 IBUTILIDE	d03984 RITONAVIR	d04038 BETAXOLOL OPHTHALMIC
d03873 ANASTROZOLE	d03985 INDINAVIR	d04040 FEXOFENADINE
d03874 CEFTIBUTEN	d03986 GANCICLOVIR OPHTHALMIC	d04041 FOSPHENYTOIN
d03875 CISATRACURIUM	d03987 BENZOCAINE OTIC	d04044 RESORCINOL TOPICAL
d03879 CANNABIS (SCHEDULE I SUBSTANCE)	d03990 CARBAMIDE PEROXIDE OTIC	d04047 MIDODRINE
d03882 CEFEPIME	d03994 COLLOIDAL OATMEAL TOPICAL	d04048 BRIMONIDINE OPHTHALMIC
d03884 TROLAMINE SALICYLATE TOPICAL	d03995 D-XYLOSE	d04049 AMMONIUM LACTATE TOPICAL
d03888 BENZOCAINE; BUTAMBEN; TETRACAINE TOPICAL	d03996 DIENESTROL TOPICAL	d04050 OLANZAPINE
d03894 KAOLIN-PECTIN	d03998 STERILE WATER	d04051 ROPIVACAINE
d03895 SINCALIDE	d03999 PHYSOSTIGMINE OPHTHALMIC	d04052 PENTOSAN POLYSULFATE SODIUM
d03897 LACTASE	d04002 PIPERONYL BUTOXIDE- PYRETHRINS TOPICAL	d04054 PENCICLOVIR TOPICAL
d03898 SODIUM CHLORIDE, HYPERTONIC, OPHTHALMIC	d04003 HYDROGEN PEROXIDE TOPICAL	d04056 ZINC GLUCONATE
d03902 SODIUM CHONDROITIN- HYALURONATE OPHTHALMIC	d04006 DEXFENFLURAMINE	d04057 ZINC SULFATE
d03904 BALSAM PERU; CASTOR OIL; TRYPSIN TOPICAL	d04008 TRANDOLAPRIL	d04058 MELATONIN
d03906 PHENIRAMINE; PHENYLTOLOXAMINE; PYRILAMINE	d04009 DOCETAXEL	d04061 BISMUTH SUBSALICYLATE; METRONIDAZOLE; TCN
d03908 APAP; CHLORPHENIRAMINE; DEXTROMETHORPHAN; PPA		d04063 BUTENAFINE TOPICAL
d03911 CHLORPHENIRAMINE; METHSCOPOLAMINE; PSE		d04065 TRANDOLAPRIL- VERAPAMIL
d03915 HYDROCODONE- POTASSIUM GUAIACOLSULFONATE		d04066 ALBUTEROL- IPRATROPIUM
		d04068 AZELASTINE NASAL
		d04075 CHLOROXYLENOL TOPICAL
		d04076 CHLOROXYLENOL; HYDROCORTISONE; PRAMOXINE OTIC
		d04079 CHLORPHENIRAMINE- EPINEPHRINE

d04081 BENZOYL PEROXIDE- HYDROCORTISONE TOPICAL	d04186 PHENYLEPHRINE NASAL	d04272 AMOXICILLIN; CLARITHROMYCIN; LANSOPRAZOLE
d04083 GADODIAMIDE	d04190 PAPAIN TOPICAL	d04274 FOMEPIZOLE
d04090 LACTIC ACID TOPICAL	d04191 PAPAIN-UREA TOPICAL	d04275 BECLOMETHASONE NASAL
d04093 HYDROCORTISONE- IODOQUINOL TOPICAL	d04192 COLISTIN; HC; NEOMYCIN; THONZONIUM OTIC	d04276 BUDESONIDE
d04098 INDOCYANINE GREEN	d04195 CHLOROPHYLLIN	d04279 FLUNISOLIDE NASAL
d04099 DONEPEZIL	d04197 HYDROCORTISONE TOPICAL; NEOMYCIN TOPICAL; POLYMYXIN B TOPICAL	d04282 TOLCAPONE
d04101 IVERMECTIN	d04205 POVIDONE IODINE OPHTHALMIC	d04283 FLUTICASONE NASAL
d04102 TIZANIDINE	d04207 UREA	d04284 FLUTICASONE TOPICAL
d04103 ZILEUTON	d04208 SILVER NITRATE TOPICAL	d04285 NARATRIPTAN
d04105 ATORVASTATIN	d04209 METHOXSALEN TOPICAL	d04286 FENOFIBRATE
d04106 FOSFOMYCIN	d04212 GLYCERIN TOPICAL	d04287 CIPROFLOXACIN OTIC
d04108 SPARFLOXACIN	d04214 DOLASETRON	d04288 CIPROFLOXACIN- HYDROCORTISONE OTIC
d04109 LEVOFLOXACIN	d04215 ROPINIROLE	d04289 MONTELUKAST
d04110 MIGLITOL	d04219 LAMIVUDINE-ZIDOVUDINE	d04292 LOTEPRDNOL OPHTHALMIC
d04111 GLATIRAMER	d04220 QUETIAPINE	d04293 HYDROCHLORO- THIAZIDE-VALSARTAN
d04112 CABERGOLINE	d04221 TIAGABINE	d04294 TOLTERODINE
d04113 VALSARTAN	d04222 IRBESARTAN	d04295 OXYMETHOLONE
d04114 DANAPAROID	d04223 MOMETASONE NASAL	d04299 SILDENAFIL
d04115 TOPIRAMATE	d04224 INTERFERON ALFACON-1	d04300 RISEDRONATE
d04117 OLOPATADINE OPHTHALMIC	d04225 HYDROCODONE- IBUPROFEN	d04301 BRINZOLAMIDE OPHTHALMIC
d04118 NELFINAVIR	d04228 ACETIC ACID OTIC	d04311 CAPECITABINE
d04119 DELAVIRDINE	d04233 TRIAMCINOLONE NASAL	d04312 PARICALCITOL
d04120 CAFFEINE-ERGOTAMINE	d04234 DEXAMETHASONE NASAL	d04316 EPTIFIBATIDE
d04121 TAMSULOSIN	d04237 DEXAMETHASONE- LIDOCAINE	d04317 DIPHTHERIA TOXOID
d04122 TROGLITAZONE	d04240 HYLAN G-F 20	d04318 PERTUSSIS, ACELLULAR
d04125 IMIQUIMOD TOPICAL	d04242 SODIUM CHLORIDE NASAL	d04322 CANDESARTAN
d04126 ANAGRELIDE	d04244 CHARCOAL- SIMETHICONE	d04323 PALIVIZUMAB
d04128 LVP SOLUTION	d04245 HYDROCHLORO- THIAZIDE-IRBESARTAN	d04328 RIZATRIPTAN
d04131 PARENTERAL NUTRITION SOLUTION	d04247 PEGASPARGASE	d04329 SODIUM HYALURONATE
d04134 POLYMYXIN B OPHTHALMIC	d04248 METHYLCELLULOSE	d04331 THALIDOMIDE
d04137 TOREMIFENE	d04249 CELLULOSE	d04332 CITALOPRAM
d04138 TAZAROTENE TOPICAL	d04253 ZOLMITRIPTAN	d04333 ACETAMINOPHEN- SALICYLAMIDE
d04139 MIBEFRAZIL	d04255 RITUXIMAB	d04337 PRAMOXINE OTIC
d04141 HYDROCHLORO- THIAZIDE-MOEXIPRIL	d04256 CEFDINIR	d04342 INFLIXIMAB
d04142 CHROMIUM PICOLINATE	d04258 CLOPIDOGREL	d04344 ROTAVIRUS VACCINE
d04145 PRAMIPEXOLE	d04260 SIBUTRAMINE	d04349 LEFLUNOMIDE
d04150 BROMFENAC	d04261 RALOXIFENE	d04355 EFAVIRENZ
d04153 PHENAZOPYRIDINE- SULFISOXAZOLE	d04264 BECAPLERMIN TOPICAL	d04357 TRASTUZUMAB
d04156 LETROZOLE	d04266 EPROSARTAN	d04362 COPPER GLUCONATE
d04159 SORBITOL	d04267 REPAGLINIDE	d04363 SEVELAMER
d04160 SODIUM BIPHOSPHATE- SODIUM PHOSPHATE	d04269 APAP; CAFFEINE; DIHYDROCODEINE	d04364 TELMISARTAN
d04168 APAP; DIPHENHYDRAMINE; PSEUDOEPHEDRINE	d04270 FEXOFENADINE- PSEUDOEPHEDRINE	d04365 ETANERCEPT
d04172 CALAMINE-PRAMOXINE TOPICAL	d04271 DICLOFENAC- MISOPROSTOL	d04369 INSULIN REGULAR
d04175 DIPHENHYDRAMINE- MAGNESIUM SALICYLATE		d04370 INSULIN ISOPHANE
d04184 POTASSIUM AMINOBENZOATE		d04374 INSULIN ISOPHANE- INSULIN REGULAR
		d04375 ESTRADIOL- NORETHINDRONE
		d04376 ABACAVIR
		d04377 THYROTROPIN ALPHA
		d04378 MODAFINIL
		d04380 CELECOXIB

d04382 CILOSTAZOL	d04499 LEVETIRACETAM	d04696 TRIPTORELIN
d04387 SODIUM FERRIC GLUCONATE COMPLEX	d04500 MOXIFLOXACIN	d04697 INSULIN ASPART
d04395 CLOTRIMAZOLE TOPICAL	d04503 NEDOCROMIL OPHTHALMIC	d04698 ARGATROBAN
d04397 FLUORIDE TOPICAL	d04504 GATIFLOXACIN	d04700 BALSALAZIDE
d04399 NYSTATIN TOPICAL	d04505 DEXMEDETOMIDINE	d04702 DOCOSANOL TOPICAL
d04400 DIMETHYL SULFOXIDE TOPICAL	d04506 ESTRADIOL- NORGESTIMATE	d04703 GLYBURIDE-METFORMIN
d04401 IMIPENEM	d04508 NITRIC OXIDE	d04704 EFLORNITHINE TOPICAL
d04405 CLAVULANATE	d04509 HYDROCHLORO- THIAZIDE-QUINAPRIL	d04705 FLUDEOXYGLUCOSE F18
d04407 ECHINACEA	d04510 INSULIN LISPRO-INSULIN LISPRO PROTAMINE	d04707 LEVOFLOXACIN OPHTHALMIC
d04411 GARLIC	d04511 INSULIN LISPRO PROTAMINE	d04708 ZOLEDRONIC ACID
d04412 GINSENG	d04512 CEVIMELINE	d04711 CANDESARTAN- HYDROCHLORO- THIAZIDE
d04413 GINKGO	d04513 OXCARBAZEPINE	d04716 LOPINAVIR
d04414 GINGER	d04514 PANTOPRAZOLE	d04717 LOPINAVIR-RITONAVIR
d04415 SAW PALMETTO	d04516 ALOSETRON	d04719 COAGULATION FACTOR VIIA
d04416 VALERIAN	d04519 MEQUINOL-TRETINOIN TOPICAL	d04721 ESTRADIOL- MEDROXY- PROGESTERONE
d04417 CREATINE	d04523 UBIQUINONE	d04722 DICLOFENAC TOPICAL
d04418 GLUCOSAMINE	d04527 ZONISAMIDE	d04723 CALCIUM CARBONATE; FAMOTIDINE; MG HYDROXIDE
d04419 CHONDROITIN	d04531 SAMARIUM SM 153 LEXIDRONAM	d04725 IRON SUCROSE
d04420 CHONDROITIN- GLUCOSAMINE	d04532 MELOXICAM	d04726 5-HYDROXYTRYPTOPHAN
d04423 GOLDENSEAL	d04533 VERTEPORFIN	d04727 ABACAVIR; LAMIVUDINE; ZIDOVUDINE
d04425 DEHYDROEPIANDRO- STERONE	d04534 LINEZOLID	d04737 HYDROCHLORO- THIAZIDE-TELMISARTAN
d04427 LEVALBUTEROL	d04535 ARTICAINE-EPINEPHRINE	d04739 BOTULINUM TOXIN TYPE B
d04429 ORLISTAT	d04537 RIVASTIGMINE	d04740 TACROLIMUS TOPICAL
d04432 CARBONYL IRON	d04538 INSULIN GLARGINE	d04742 BENZOYL PEROXIDE- CLINDAMYCIN TOPICAL
d04433 ROFECOXIB	d04539 FOSINOPRIL- HYDROCHLORO- THIAZIDE	d04743 NATEGLINIDE
d04434 ROSIGLITAZONE	d04541 AZELASTINE OPHTHALMIC	d04744 BIVALIRUDIN
d04435 DOXERCALCIFEROL	d04547 ATOVAQUONE- PROGUANIL	d04746 PEGINTERFERON ALFA- 2B
d04436 MALATHION TOPICAL	d04572 FORMOTEROL	d04747 ZIPRASIDONE
d04441 KETOTIFEN OPHTHALMIC	d04597 TETRABENAZINE	d04748 CASPOFUNGIN
d04442 PIOGLITAZONE	d04611 FLUTICASON- SALMETEROL	d04749 ESOMEPRAZOLE
d04443 ZANAMIVIR	d04659 TINZAPARIN	d04750 GALANTAMINE
d04445 CARBETAPENTANE; CHLORPHENIRAMINE; PHENYLEPHRINE	d04661 LIDOCAINE OPHTHALMIC	d04753 TRAVOPROST OPHTHALMIC
d04446 PHENYLEPHRINE- PYRILAMINE	d04669 VIGABATRIN	d04754 BIMATOPROST OPHTHALMIC
d04447 GANIRELIX	d04674 DIPHTH; HAEMOPHILUS; PERTUSSIS; TETANUS; POLIO	d04755 VALGANCICLOVIR
d04448 RABEPRAZOLE	d04675 DIPHTHERIA; PERTUSSIS;ACEL; TETANUS; POLIO	d04756 ALEMTUZUMAB
d04450 RAPACURONIUM	d04685 HEPATITIS A-HEPATITIS B VACCINE	d04757 ALMOTRIPTAN
d04451 TEMOZOLOMIDE	d04689 CALAMINE- DIPHENHYDRAMINE TOPICAL	d04758 IMATINIB
d04452 ZALEPLON	d04694 TENECTEPLASE	d04760 DROSPIRENONE-ETHINYL ESTRADIOL
d04453 SIROLIMUS	d04695 COLESEVELAM	d04763 NESIRITIDE
d04454 EPIRUBICIN		d04764 CETIRIZINE- PSEUDOEPHEDRINE
d04459 DOFETILIDE		
d04460 ENTACAPONE		
d04461 EXEMESTANE		
d04462 OSELTAMIVIR		
d04468 CLOVE		
d04469 BEE POLLEN		
d04472 BLACK COHOSH		
d04476 BILBERRY		
d04481 ROYAL JELLY		
d04487 PEPPERMINT		
d04497 ASPIRIN-DIPYRIDAMOLE		

d04766 ACETAMINOPHEN- TRAMADOL	d04832 DIPHTHERIA; HEPB; PERTUSSIS,ACEL; POLIO; TETANUS	d04935 TINIDAZOLE
d04767 CEFDITOREN	d04835 ADALIMUMAB	d04986 ACAMPROSATE
d04770 CARBETAPENTANE- CHLORPHENIRAMINE	d04836 CYCLOSPORINE OPHTHALMIC	d04991 APOMORPHINE
d04771 DARBEPOETIN ALFA	d04839 INSULIN ASPART-INSULIN ASPART PROTAMINE	d05029 LUTROPIN ALFA
d04772 ETONOGESTREL	d04841 THROMBIN TOPICAL; FIBRINOGEN TOPICAL; APROTININ TOPICAL; CALCIUM CHLORIDE TOPICAL	d05044 BETAMETHASONE- CALCIPOTRIENE TOPICAL
d04773 ETHINYL ESTRADIOL- ETONOGESTREL	d04844 CAMPHOR-MENTHOL TOPICAL	d05047 PEMETREXED
d04774 TENOFOVIR	d04848 INULIN	d05048 AMLODIPINE- ATORVASTATIN
d04776 FROVATRIPTAN	d04849 ELETRIPTAN	d05049 CALCITRIOL TOPICAL
d04777 DEXMETHYLPHENIDATE	d04851 ROSUVASTATIN	d05101 CETUXIMAB
d04778 VALDECOXIB	d04853 ENFUVIRTIDE	d05214 BEVACIZUMAB
d04779 ETHINYL ESTRADIOL- NORELGESTROMIN	d04855 APREPITANT	d05217 MYCOPHENOLIC ACID
d04782 BOSENTAN	d04856 BOTULISM ANTITOXIN	d05218 CINACALCET
d04783 ERTAPENEM	d04857 GATIFLOXACIN OPHTHALMIC	d05232 ILOPROST
d04784 PIMECROLIMUS TOPICAL	d04871 BORTEZOMIB	d05234 HYALURONAN
d04785 DESLORATADINE	d04877 CARBIDOPA; ENTACAPONE; LEVODOPA	d05265 NEBIVOLOL
d04786 FONDAPARINUX	d04878 HYDROCHLORO- THIAZIDE-OLMESARTAN	d05269 CADEXOMER IODINE TOPICAL
d04787 LOVASTATIN-NIACIN	d04880 BROMPHENIRAMINE; HYDROCODONE; PSEUDOEPHEDRINE	d05278 INSULIN GLULISINE
d04788 DUTASTERIDE	d04881 OMALIZUMAB	d05283 BRIMONIDINE-TIMOLOL OPHTHALMIC
d04790 PEGFILGRASTIM	d04882 ATAZANAVIR	d05293 AZACITIDINE
d04791 FLUOCINOLONE; HYDROQUINONE; TRETINOIN TOPICAL	d04884 EMTRICITABINE	d05294 RIFAXIMIN
d04794 CARBINOXAMINE; METHSCOPOLAMINE; PSEUDOEPHEDRINE	d04887 BUPIVACAINE- HYDROMORPHONE	d05332 PITCHER PLANT
d04796 PERFLUTREN	d04888 PALONOSETRON	d05337 PNEUMOCOCCAL 23- POLYVALENT VACCINE
d04797 ALFUZOSIN	d04890 CIPROFLOXACIN OTIC- DEXAMETHASONE OTIC	d05338 DIPHTHERIA-TETANUS TOXOIDS (DT) PED
d04798 TEGASEROD	d04893 VARDENAFIL	d05343 HAEMOPHILUS B CONJUGATE (PRP-T) VACCINE
d04799 FULVESTRANT	d04894 DAPTOMYCIN	d05348 EZETIMIBE-SIMVASTATIN
d04801 OLMESARTAN	d04896 TADALAFIL	d05350 POLYETHYLENE GLYCOL 3350
d04802 TREPSTONINIL	d04898 EPINASTINE OPHTHALMIC	d05351 APAP; PHENYLTOLOXAMINE; SALICYLAMIDE
d04803 VORICONAZOLE	d04899 MEMANTINE	d05352 EMTRICITABINE- TENOFOVIR
d04804 CHARCOAL-SORBITOL	d04901 FOSAMPRENAVIR	d05354 ABACAVIR-LAMIVUDINE
d04806 SODIUM OXYBATE	d04905 BROMPHENIRAMINE; DEXTROMETHORPH; PHENYLEPHRINE	d05355 DULOXETINE
d04811 OXALIPLATIN	d04914 ESTRADIOL- LEVONORGESTREL	d05357 IBANDRONATE
d04812 ESCITALOPRAM	d04915 SERTACONAZOLE TOPICAL	d05361 CARBETAPENTANE- GUAIFENESIN
d04813 HORSE CHESTNUT	d04917 FLUOXETINE- OLANZAPINE	d05366 APAP; DEXTROMETHORPHAN; DOXYLAMINE
d04814 ADEFOVIR	d04920 PNEUMOCOCCAL 7- VALENT CONJUGATE VACCINE	d05370 MEPIVACAINE- LEVONORDEFIN
d04815 EPLERENONE	d04929 TROSPIMUM	d05383 APAP; CHLORPHENIRAMINE; DEXTROMETHORPHAN
d04818 DEXCHLORPHEN- IRAMINE; DEXTROMETHORPHAN; PSE		d05395 LANTHANUM CARBONATE
d04819 BUPRENORPHINE- NALOXONE		d05412 ERLOTINIB
d04820 METFORMIN- ROSIGLITAZONE		d05413 SOLIFENACIN
d04823 GLIPIZIDE-METFORMIN		d05414 NATALIZUMAB
d04824 EZETIMIBE		d05415 IBUPROFEN-OXYCODONE
d04825 ARIPIPRAZOLE		
d04826 NITAZOXANIDE		
d04827 ATOMOXETINE		
d04828 TERIPARATIDE		
d04829 TIOTROPIUM		

d05420 ALOH; DIPHENHYD; LIDOCAINE; MGOH; SIMETH TOPICAL	d05646 SACCHAROMYCES BOULARDII LYO	d05856 GLIMEPIRIDE- PIOGLITAZONE
d05421 ESZOPICLONE	d05647 FERRIC SUBSULFATE TOPICAL	d05866 GUAR GUM
d05422 DARIFENACIN	d05659 DEFERASIROX	d05874 VON WILLEBRAND FACTOR- ANTIHEMOPHILIC FACTOR
d05424 ZICONOTIDE	d05674 GLIMEPIRIDE- ROSIGLITAZONE	d05879 PANITUMUMAB
d05425 LOTEPRDNOL- TOBRAMYCIN OPHTHALMIC	d05690 IRON POLYSACCHARIDE- FERROUS FUMARATE	d05891 VORINOSTAT
d05426 BROMPHENIRAMINE; HYDROCODONE; PHENYLEPHRINE	d05691 SORAFENIB	d05893 ARFORMOTEROL
d05432 MENINGOCOCCAL CONJUGATE VACCINE	d05694 ABATACEPT	d05896 SITAGLIPTIN
d05433 DIGESTIVE ENZYMES; HYOSCYAMINE; PHENYLTOLOXAMIN	d05696 LENALIDOMIDE	d05899 CICLESONIDE NASAL
d05434 BROMPHENIRAMINE; CARBETAPENTANE; PHENYLEPHRINE	d05701 APAP; CAFFEINE; PHENYLTOLOXAMINE	d05912 TELBIVUDINE
d05436 INSULIN DETEMIR	d05702 METHYLSULFONYL- METHANE	d05963 COAGULATION FACTOR IX
d05465 CICLESONIDE	d05703 CHONDROITIN; GLUCOSAMINE; METHYLSULFONYL- METHANE	d05965 FACTOR IX COMPLEX
d05471 ALPHA-D- GALACTOSIDASE	d05704 IMMUNE GLOBULIN SUBCUTANEOUS	d05973 CLINDAMYCIN-TRETINOIN TOPICAL
d05473 DESLORATADINE- PSEUDOEPHEDRINE	d05717 SUNITINIB	d05974 ANTIHEMOPHILIC FACTOR
d05487 MICAFUNGIN	d05719 RANOLAZINE	d05982 SINECATECHINS TOPICAL
d05488 PRAMLINTIDE	d05736 LUBIPROSTONE	d06032 FLUOCINOLONE OTIC
d05508 PREGABALIN	d05771 BENZALKONIUM CHLORIDE-LIDOCAINE TOPICAL	d06214 COLLAGEN
d05518 BROMFENAC OPHTHALMIC	d05773 L-METHYLFOLATE	d06227 IOXILAN
d05525 ENTECAVIR	d05776 IODINE	d06297 PALIPERIDONE
d05526 ALENDRONATE- CHOLECALCIFEROL	d05781 TETANUS; DIPHTH; PERTUSS (TDAP) ADULT; ADOL	d06370 TURMERIC
d05529 EXENATIDE	d05782 DIPHTHERIA; TETANUS; PERTUSSIS (DTAP) PED	d06507 CINNAMON
d05530 DROSPIRENONE- ESTRADIOL	d05787 ALGLUCOSIDASE ALFA	d06619 TRIAMCINOLONE OPHTHALMIC
d05534 TRYSPAN BLUE OPHTHALMIC	d05788 DECITABINE	d06635 MILNACIPRAN
d05537 TIGECYCLINE	d05806 FERROUS FUMARATE; FA; IRON POLYSACCHARIDE	d06662 AMLODIPINE-VALSARTAN
d05538 TIPRANAVIR	d05807 VARENICLINE	d06663 LISDEXAMFETAMINE
d05540 HYDRALAZINE- ISOSORBIDE DINITRATE	d05813 ZOSTER VACCINE LIVE	d06665 ALISKIREN
d05541 LIDOCAINE-TETRACAINE TOPICAL	d05814 DEXTROMETHORPHAN- PHENYLEPHRINE	d06672 LAPATINIB
d05543 DAPSONE TOPICAL	d05815 FLUORESCEIN	d06673 ECULIZUMAB
d05578 RAMELTEON	d05817 HUMAN PAPILLOMAVIRUS VACCINE	d06720 METFORMIN-SITAGLIPTIN
d05612 RASAGILINE	d05819 DIPHENHYDRAMINE- IBUPROFEN	d06831 RETAPAMULIN TOPICAL
d05626 EVEROLIMUS	d05825 DARUNAVIR	d06834 TETRACYCLINE; METRONIDAZOLE; BISMUTH SUBCITRATE POTASSIUM
d05630 CALCIUM CARBONATE- RISEDRONATE	d05835 RANIBIZUMAB OPHTHALMIC	d06836 TEMSIROLIMUS
d05633 NEPAFENAC OPHTHALMIC	d05842 LEVOLEUCOVORIN	d06841 AMBRISENTAN
d05635 METFORMIN- PIOGLITAZONE	d05847 EFAVIRENZ; EMTRICITABINE; TENOFVIR	d06842 ARMODAFINIL
d05645 MEASLES; MUMPS; RUBELLA; VARICELLA VIRUS VACCINE	d05851 LEVOCETIRIZINE	d06848 LUTEIN
	d05853 POSACONAZOLE	d06851 AZITHROMYCIN OPHTHALMIC
		d06852 MARAVIROC
		d06857 ACETIC; ANTIPYRINE; BENZOCAINE; POLYCOS OTIC
		d06860 OXYGEN
		d06861 CARBON DIOXIDE
		d06864 HELIUM-OXYGEN
		d06867 BIOTIN

d06891 CHLOROPHYLLIN COPPER COM; PAPAN; UREA TOPICAL	d07440 AMLODIPINE; HYDROCHLORO- THIAZIDE; VALSARTAN	n00008 LIDOCAINE; BUPIVACAINE; EPINEPHRINE
d06900 COLLAGEN TOPICAL	d07448 BESIFLOXACIN OPHTHALMIC	n00009 ROCURONIUM- VECURONIUM
d06905 AMLODIPINE- OLMESARTAN	d07453 TAPENTADOL	n00010 LIDOCAINE; BUPIVACAINE; METHYLPREDNISOLONE
d07048 RALTEGRAVIR	d07458 DRONEDARONE	n00011 LIDOCAINE; BELLADONNA; ALUMINIUM HYDROXIDE- MAGNESIUM HYDROXIDE
d07049 DORIPENEM	d07459 FERUMOXYTOL	n08002 FURAZOLIDONE; KAOLIN; PECTIN
d07051 IXABEPILONE	d07464 INFLUENZA VIRUS VACCINE, H1N1, INACTIVATED	n08004 BIRTH CONTROL PILLS
d07057 NILOTINIB	d07466 LIRAGLUTIDE	n08009 N,N-DIMETHYLGLYCINE
d07064 BROMPHENIRAMINE; DIPHENHYDRAMINE; PHENYLEPHRINE	d07467 SAXAGLIPTIN	n08010 MESALT
d07069 RUFINAMIDE	d07473 ASENAPINE	n08012 PACKED RED BLOOD CELLS
d07075 PERMETHRIN; PIPERONYL BUTOXIDE; PYRETHR TOPICAL	d07482 BEPOTASTINE OPHTHALMIC	n08013 CALCIUM HYDROXYLAPATITE
d07076 ETRAVIRINE	d07486 ALISKIREN-VALSARTAN	n08014 MASTISOL
d07077 HYDROCHLORO- THIAZIDE-ALISKIREN	d07492 PRALATREXATE	n08017 COLLAGEN; OXIDISED REGENERATED CELLULOSE
d07110 NIACIN-SIMVASTATIN	d07496 TOCILIZUMAB	n08021 ADRIAMYCIN-CYTOXAN
d07113 DESVENLAFAXINE	d07506 LACTOBACILLUS REUTERI	n08022 BOSWELLIC ACID
d07121 BENDAMUSTINE	d07517 ACETAMINOPHEN; DEXTROMETHORPHAN; DIPHENHYDRAMINE; PHENYLEPHRINE	n08028 CHLORINE BLEACH
d07130 NAPROXEN- SUMATRIPTAN	d07518 SILVER TOPICAL	n08029 CODEINE; ACETAMINOPHEN; CAFFEINE; BUTALBITAL
d07131 REGADENOSON	d07546 DALFAMPRIDINE	n08031 AROMATASE INHIBITOR
d07132 OLOPATADINE NASAL	d07586 PNEUMOCOCCAL 13- VALENT CONJUGATE VACCINE	n08034 BROMPHENIRAMINE; DEXAMETHASONE; DIPHENHYDRAMINE
d07134 CERTOLIZUMAB	d07588 VELAGLUCERASE ALFA	n08038 CHASTE BERRY
d07135 METHYLNALTREXONE	d07631 NAPROXEN- ESOMEPRAZOLE	n08039 ADHD MEDS
d07137 DABIGATRAN	d07634 TAMSULOSIN- DUTASTERIDE	n08049 OMEGA-3 POLYUNSATURATED FATTY ACIDS-VITAMIN AND MINERAL COMBINATIONS
d07141 ALVIMOPAN	d07645 ONABOTULINUMTOXINA	n08051 GLYCOLIC ACID- HYDROQUINONE TOPICAL
d07162 FESOTERODINE	d07646 ABOBOTULINUMTOXINA	n08053 ECZEMA CREAM
d07268 CHENODEOXYCHOLIC ACID	d07658 CABAZITAXEL	n08058 POMEGRANATE JUICE
d07297 DEXTROMETHORPHAN; PSEUDOEPHEDRINE; PYRILAMINE	d07660 FORMOTEROL- MOMETASONE	n08059 PROMETHAZINE; HYDROMORPHONE HYDROCHLORIDE
d07298 DIFLUPREDNATE OPHTHALMIC	d07668 HYDROCHLORO- THIAZIDE; AMLODIPINE; OLMESARTAN	n08060 MINERALS; PROTEIN; CARBOHYDRATES; LINOLEIC ACID; MULTIVITAMIN
d07315 GLUTAMINE	d07685 CARBOXYMETHYL- CELLULOSE	n08061 PYRIDINE
d07320 ROMIPLOSTIM	d07727 PENICILLIN G BENZATHINE	n08063 TROPONIN
d07347 BIFIDOBACTERIUM INFANTIS	d07757 LIDOCAINE-SODIUM BICARBONATE	n08064 APPLE JUICE
d07349 LACOSAMIDE	n00000 HSV VACCINE	
d07351 CARBETAPENTANE; PSEUDOEPHEDRINE; PYRILAMINE	n00002 RED YEAST RICE- UBIQUINONE	
d07354 SILODOSIN	n00003 CEDIRANIB	
d07370 FOSPROFOL	n00004 MORPHINE-LIDOCAINE	
d07371 FENOFIBRIC ACID	n00005 LIDOCAINE- SIMETHICONE	
d07382 ADAPALENE-BENZOYL PEROXIDE TOPICAL	n00006 BUPIVACAINE-MORPHINE	
d07395 DEXLANSOPRAZOLE	n00007 BUPIVACAINE- HYALURONIDASE	
d07396 USTEKINUMAB		
d07397 FEBUXOSTAT		
d07400 BIFIDOBACTERIUM- LACTOBACILLUS		
d07409 PRASUGREL		

n08067 VITAMIN B; VITAMIN E; ASCORBIC ACID; ERGOCALCIFEROL	n08239 GRANULOCYTE COLONY- STIMULATING FACTOR	n09061 ZINC GLUCONATE; SELENIUM; COPPER SULFATE; MANGANESE SULFATE; METHYLSULFONYL- METHANE; GLUCOSAMINE; CHONDROITIN
n08069 IDOFORM	n08240 SILICONE	
n08073 HELICOBACTER PYLORI VACCINE	n08247 METHYLENE BLUE- GENTIAN VIOLET TOPICAL	
n08074 FLUCLOXACILLIN	n08248 SILVER	
n08078 EMPIRIC ANTIBIOTICS	n08258 TETROFOSMIN	
n08079 PROSTATE MEDICATION	n08259 HONEY-BANDAGE	n09070 GLUCOSE-INSULIN
n08083 AMINO ACIDS	n08261 BISMUTH	n09081 DIMETHYL SULFOXIDE; HEPARIN; CORTISONE; POTASSIUM BICARBONATE
n08084 MUSHROOM EXTRACT- ASCORBIC ACID	n08263 HUMAN FIBROBLAST- DERIVED	n09089 NEOSTIGMINE- GLYCOPYRROLATE
n08089 INFERTILITY MEDS	n09000 PETROLATUM TOPICAL; SORBITAN SESQUIOLEATE; METHYL PARABEN	n09095 DOXORUBICIN; STREPTOZOCIN; FLUOROURACIL
n08094 MISCELLANEOUS TOPICAL AGENTS	n09001 RADIOCONTRAST AGENTS	n09098 HYDROXYPROPYL- METHYLCELLULOSE
n08096 GROUP B STREP VACCINE	n09006 HYDROXYDIONE	n09099 VANCOMYCIN- GENTAMICIN
n08099 VITAMIN AND MINERAL COMBINATIONS	n09011 PAPAVERINE- PHENTOLAMINE	n09100 CAPRYLIDENE
n08105 RESVERATROL	n09012 BUPIVACAINE- METHYLPREDNISOLONE	n09109 POTASSIUM CHLORIDE- MAGNESIUM SULFATE
n08112 NICOBAN	n09013 SUCCINYLCHOLINE- ROCURONIUM	n09114 CHERRY EXTRACT
n08114 WOUND GEL	n09014 NEOSTIGMINE- GLYCOPYRROLATE	n09115 TRIAMCINOLONE- POLYMYXIN B SULFATE
n08116 AMLODIPINE-ATENOLOL	n09015 DEXAMETHASONE- ONDANSETRON	n09119 ERGOCALCIFEROL- CYANOCOBALAMIN
n08118 PINE BARK	n09016 ACETAMINOPHEN; CAFFEINE; PROPOXYPHENE	n09122 POLYSACCHARIDE
n08119 VITAMIN E; SELENIUM; LYCOPENE; CHOLECALCIFEROL; ISOFLAVONES	n09027 MAGNESIUM HYDROXIDE- BELLADONNA; ERGOTAMINE; PHENOBARBITAL	n09127 ACETAMINOPHEN- ISOMETHEPTENE MUCATE
n08120 KETOCONAZOLE- SELENIUM SULFIDE TOPICAL	n09033 OLIVE LEAF EXTRACT	n09128 CORDYCEPS MYCELIIUM
n08127 ADRENALINE; LIDOCAINE; TETRACAINE	n09035 LIDOCAINE; ATROPINE; HYOSCYAMINE; PB; SCOPOLAMINE; CALCIUM CARBONATE	n09132 MULTIVITAMIN- PHYTONADIONE
n08137 BLOOD	n09039 GANODERMA LUCIDUM	n09134 THIAMINE-FOLIC ACID
n08138 LIDOCAINE- CEFTRIAZONE	n09040 DILTIAZEM-LIDOCAINE	n09135 LIDOCAINE; EPINEPHRINE; TETRACAINE
n08140 OMEGA 6 FATTY ACID	n09041 DIPHENYLCYCLO- PROPENONE	n09138 SILICONE
n08152 CALCIUM; ZINC; MAGNESIUM; VITAMIN D; BORON; MANGANESE; COPPER	n09044 PSORALENS	n09140 SILVER NITRATE TOPICAL-POTASSIUM NITRATE
n08191 PRUNE JUICE	n09046 ACAI	n09148 OMEGA-3 POLYUNSATURATED FATTY ACIDS; OMEGA-6 POLYUNSATURATED FATTY ACIDS; OMEGA-9 POLYUNSATURATED FATTY ACIDS
n08197 CLOTRIMAZOLE- HYDROCORTISONE	n09051 CUTICERIN	n09150 SODIUM CHLORIDE- SODIUM BICARBONATE
n08201 POLYETHYLENE GLYCOL 400	n09059 GADOLINIUM	n09153 TECHNIUM TC 99M GLUCEPTATE
n08202 BACTERIAL VACCINE		
n08203 PENTAVALENT ROTAVIRUS VACCINE		
n08207 THALLIUM		
n08208 H2O		
n08212 MANGOSTEEN		
n08216 TOPICAL C		
n08223 FLUOROQUINOLONES		
n08228 PYRIDOXINE-VITAMIN D		
n08236 BISPHOSPHONATES		
n08237 N-ACETYL-CYSTEINE		

n09155 ALUMINUM HYDROXIDE- MAGNESIUM HYDROXIDE-LIDOCAINE	n09205 ASCORBIC ACID-FERULIC ACID-PHLORETIN	n10012 OPHTHALMIC IRRIGATION, INTRAOCULAR;
n09156 MOXIFLOXACIN OPHTHALMIC- CYCLOPENTOLATE- PHENYLEPHRINE OPHTHALMIC	n10000 ELDERBERRY JUICE n10001 DESOXIMETASONE TOPICAL; COAL TAR TOPICAL; SALICYLIC ACID TOPICAL	EPINEPHRINE; VANCOMYCIN; GENTAMICIN
n09159 PHENYLEPHRINE OPHTHALMIC- TROPICAMIDE OPHTHALMIC	n10002 FLUDARABINE; CYCLOPHOSPHAMIDE; RITUXIMAB	n10013 TRIAMCINOLONE TOPICAL- CLOTRIMAZOLE TOPICAL
n09160 BUPIVACAINE; LIDOCAINE; HYALURONIDASE	n10003 DOCETAXEL- CYCLOPHOSPHAMIDE	n10014 PACLITAXEL- CARBOPLATIN
n09162 LIDOCAINE- HYALURONIDASE	n10004 KETOCONAZOLE- CLOTRIMAZOLE	n10015 GLUTATHIONE
n09165 PHYSIOLOGICAL IRRIGATING SOLUTION- EPINEPHRINE	n10005 CYCLOPHOSPHAMIDE- DOXORUBICIN	n10016 CYCLOPHOSPHAMIDE; DOXORUBICIN; VINCRIStINE; PREDNISONE; RITUXIMAB
n09172 LIDOCAINE- HYALURONIDASE	n10006 PACLITAXEL; DOXACURIUM; CYCLOPHOSPHAMIDE	n10017 TRYPTOPHAN- MELATONIN
n09178 MENINGOCOCCAL CONJUGATE VACCINE- TETETANUS; DIPHTH; PERTUSS (TDAP) ADULT; ADOL	n10007 PHENYLEPHRINE; MOXIFLOXACIN; CYCLOPENTOLATE OPHTHALMIC; FLURBIPROFEN OPHTHALMIC	n10018 CELLULOSE; CHROMIUM PICOLINATE; BENZOCAINE TOPICAL
n09179 CHOLECALCIFEROL- FERROUS GLUCONATE	n10008 HYALURONIDASE; EPINEPHRINE; BUPIVACAINE	n10019 VICRIVIROC n10020 STIRIPENTOL n10021 METAMIZOLE n10022 BETAMETHASONE- BUPIVACAINE
n09181 ORAL NUTRITIONAL SUPPLEMENTS	n10009 FORMOCRESOL n10010 BUPIVACAINE- SUFENTANIL	n10023 CHLORHEXIDINE TOPICAL-NEOMYCIN TOPICAL
n09185 MISCELLANEOUS ANTIBIOTICS	n10011 POVIDONE IODINE TOPICAL-EPINEPHRINE TOPICAL	n10024 SODIUM FUSIDATE n10025 BUPIVACAINE; TRIAMCINOLONE; EPINEPHRINE
n09193 CODEINE; GUAIFENESIN; PROMETHAZINE		n11008 CANNABIS (MEDICAL MARIJUANA)
n09199 RHODIOLA ROOT		



**B. DRUG ENTRY CODES AND NAMES IN NUMERIC ORDER**

00001 RYZOLT	00091 ACT	00187 OPHTHALMIC DROPS
00002 TAMIFLU	00092 ESTROSTEP FE	00193 ALOSETRON HCL
00004 LIDODERM PATCH	00096 OSTEO-BIFLEX	00195 TEMOZOLOMIDE
00005 A & D VITAMIN	00098 BANALG LOTION	00198 ENOXAPARIN SODIUM
00007 TMP-SMZ DS	00099 ALOCRIL	00200 MEPERIDINE HCL
00008 VIActiv	00101 ISOSORBIDE DINITRATE	00202 PENCICLOVIR
00009 BICILLIN L-A	00102 ISOSORBIDE	00203 SALINEX
00012 IPOL	MONONITRATE	00205 VAPONEPHRINE
00013 MYCOPHENOLATE	00104 HAART	00206 ACTONEL
MOFETIL	00106 ORLISTAT	00208 CELECOXIB
00017 SIROLIMUS	00107 ROSIGLITAZONE	00209 GLUCOVANCE
00020 A.C.A.	MALEATE	00213 PANTOPRAZOLE SODIUM
00022 PREVNAr	00109 URSODIOL	00217 TEMODAR
00025 A.D.C. VITAMIN DROPS	00111 MAXILIFE	00218 CARBAMIDE PEROXIDE
00026 NOXZEMA MEDICATED	00112 MEDERMA	00222 DANAPAROID SODIUM
SKIN CREAM	00113 ANDROGEL	00223 ACCUTANE
00027 SYNAGIS	00114 DILTIA XT	00224 MILK AND MOLASSES
00028 TEQUIN	00115 EDEX	ENEMA
00029 DOSTINEX	00116 MEN'S FORMULA VITAMIN	00226 PEDIACARE INFANTS
00032 EXCEDRIN MIGRAINE	00117 CRANBERRY	DECONGESTA
00034 INTERLEUKIN-2	00118 DURADRIN	00232 KOGENATE
00036 MAALOX PLUS	00120 URIMAX	00233 CONCERTA
00037 ACEON	00122 GATORADE	00236 SBE PROPHALAXIS
00038 GLYSET	00123 NICOTINE	00237 VANIQA
00039 SONATA	00124 POLY-TUSSIN	00238 ZOLMITRIPTAN
00040 SOY	00125 AVELOX	00239 FEMHRT
00042 PROTONIX	00130 A-CAINE	00240 ACEPHEN
00043 D-50-W	00131 URISTAT	00244 GLUTAMINE
00044 PANLOR DC	00133 CANDESARTAN	00245 ACETA
00046 ANTITHROMBIN III	00134 CUREL LOTION	00246 LEUKINE
00047 DONNATAL ELIXIR	00141 VITAMIN E & D	00251 VICODIN ES
00048 MOBIC	00142 ANTIANXIETY	00253 LISPRO
00052 SILDENAFIL CITRATE	MEDICATION	00254 CARTIA XT
00053 TAMSULOSIN	00144 ESKALITH CR	00257 DECONSAL II
HYDROCHLORIDE	00145 A-HYDROCORT	00258 ETHYOL
00054 COMTAN	00147 PRETZ	00259 FML
00056 ENTEX PSE	00148 PROLIXIN D	00260 ACETAMINOPHEN
00058 MINERAL SUPPLEMENT	00149 D51/2 NS	00261 GRANISETRON HCL
00059 RHO IMMUNE GLOBULIN	00150 NICODERM CQ PATCH	00262 INDOCYANINE GREEN
00060 THERMAZENE	00151 TUSSIN	00265 ACETAMINOPHEN NO. 2
00061 BISMUTH	00154 CHILDREN'S IBUPROFEN	00267 LIQUID TEARS
00062 CHILDREN'S BACTRIM	00155 A-METHAPRED	00268 MOMETASONE FUROATE
00064 D5 1/2 NS WITH KCL	00159 KALETRA	00269 SUCCINYLCHOLINE
00066 EPIRUBICIN HCL	00161 BISOPROLOL	CHLORIDE
00067 INTEGRILIN	00163 A/T/S	00270 ACETAMINOPHEN NO. 3
00068 CLEOMYCIN	00164 FIBRINOGEN (HUMAN)	00272 PREMESISRX
00069 AURODEX	00165 BIER BLOCK	00273 PROVIGIL
00071 CERTAVITE	00167 NOVOLIN N	00274 QVAR
00073 LUXIQ	00168 TRIMO-SAN	00280 ACETAMINOPHEN
00076 TRILEPTAL	00169 KETOROLAC	W/CODEINE
00078 AGGRENOX	TROMETHAMINE	00281 VERTEPORFIN
00080 CARBIDOPA-LEVODOPA	00172 OPHTHALMIC OINTMENT	00283 ACETAMINOPHEN
00081 EXELON	00173 ELA-MAX	W/OXYCODONE
00084 PREGABALIN	00176 PREDNISOLONE ACETATE	00287 CENESTIN
00085 ORAMORPH	00177 SALT WATER	00288 ACETASOL
00086 HISTOFREEZER	00184 KEPBRA	00289 AH-CHEW

00290 ACETATED RINGER'S	00376 TYZEKA	00725 ALAMAG
00292 TEVETEN	00383 FOLACIN	00780 ALBUTEIN
00293 AMLACTIN	00384 CEDIRANIB	00785 ALCAINE
00295 ACETAZOLAMIDE	00386 PROSTATE SR	00790 ALCOHOL
00296 PENLAC	00387 JOLESSA	00805 ALCOHOL RUBBING
00297 PLEXION	00388 LISPRO PROTAMINE	00810 ALCON
00303 ZICAM	00389 OXYCODONE WITH IBUPROFEN	00823 ALCO-RUB
00305 ACETIC ACID	00391 CEFADIN	00825 ALDACTAZIDE
00307 METADATE ER	00392 CHOLETEC	00830 ALDACTONE
00311 BUPAP	00393 18 F-FDG	00845 ALDOMET
00312 COMBIPATCH	00394 FLUDEOXYGLUCOSE	00850 ALDORIL
00313 DIGITEK	00396 BUPIVACAINE/XYLOCAINE	00866 ALFENTA
00314 DILATING DROPS	00397 BUPIVACAINE/ DEPOMEDROL	00880 ALKA-SELTZER
00316 LEFLUNOMIDE	00398 ACOVA	00905 ALKALOL
00317 NICOTROL INHALER	00399 TOLAZOLINE	00915 ALKERAN
00318 SARAFEM	00401 XYLOCAINE-MPF WITH DURAMORPH	00935 ALLBEE W/C
00320 ACETONE	00402 XYLOCAINE WITH ADRENALIN	00960 ALLEREST
00321 JUICE PLUS+	00403 CARBOPROST TROMETHAMINE	00976 ALLERGAN
00326 ACNE-CLEAR	00404 LIDOCAINE WITH MYLICAN	00978 ALLERGESIC
00327 RID COMPLETE	00406 MARCAINE WITH DURAMORPH	00980 ALLERGY RELIEF OR SHOTS
00328 REHMANNIA VITALIZER	00407 FOLNATE	01000 ALLERPHED C EXPECTORANT
00329 DTAP-HEPB-IPV	00408 MARCAINE WITH WYDASE	01001 CLARITIN D
00331 PERATIVE	00409 XYLOCAINE/MARCAINE/ WYOASE	01002 NEXIUM
00332 XOPENEX HFA	00411 XYLOCAINE/MARCAINE/ EPINEPHRINE	01003 ANAPROX DS
00333 LODRANE 24D	00412 SENSORCAINE/LIDOCAINE	01006 FERRIMIN
00334 SLIMFAST	00413 ZEMURON/VECURONIUM	01007 TIKOSYN
00335 ACETYLCHOLINE	00414 DOXAPRAM	01008 ZONEGRAN
00336 BIIDENTICAL HORMONE	00416 MARCAINE/XYLOCAINE/ DEPRO-MEDROL	01009 LIMBITROL DS 10-25
00337 DTAP/IPV/HIB	00417 RADIOISTOPE	01010 ALLERPROP T.D.
00338 ACETYLCYSTEINE	00418 MVD COCKTAIL	01011 PANCOF HC
00339 FEROCON	00419 ACETIC ACID/ANTIPYRINE/ BENZOCAINE/POLYC	01012 BUDESONIDE
00341 TDAP	00421 LAPATINIB	01014 CORVERT
00342 TRICYCLICS	00440 ACONITE	01015 ALLERSONE
00343 TYCO	00460 ACTHAR	01016 ADVIL MIGRAINE
00344 APIDRA SOLOSTAR	00475 ACTIFED	01017 BACTRIM DS
00346 CHOLEAST	00485 ACTOL	01018 MONSEL'S SOLUTION
00347 VASOPRIL PLUS	00486 ACTIVASE	01019 NIFEDICAL XL
00348 PRP	00515 ADAPT	01020 OPTIVAR
00349 CEFTRON	00535 ADENOSINE	01021 BUTORPHANOL TARTRATE
00350 RENATABS	00540 ADIPEX	01022 METOPROLOL TARTRATE
00351 VALTURNA	00560 ADRENALIN	01023 PHOSPHENYTOIN
00352 HEALTHY COLON	00570 ADRIAMYCIN	01024 RABAVERT
00354 BUCKWHEAT HONEY	00580 ADRUCIL	01026 HUMIBID LA
00356 COMPOUND HORMONES	00583 ADSORBENT	01027 STROMEKTOL
00357 ETHYNODIOL DIACETATE	00597 ADVIL	01028 CODEINE COUGH SYRUP
00358 FLORINEF	00598 AEROBID	01029 EFFEXOR XR
00359 HBPV	00620 AEROSPORIN	01030 ALLOPURINOL
00361 FLOVENT HFA	00645 AFRIN	01032 TPA
00362 SUDAFED CHILDRENS	00650 AFRINOL REPETAB	01033 ALL-VIMS
00363 KID KARE		01034 ADVAIR DISKUS
00364 PRP-T		01035 D-2
00365 ACETYL-L-CARNITINE		01036 GEODON
00366 CITRANATAL DHA		01037 GLUCOTROL XL
00367 CONCEPT OB		01038 HALDOL DECANOATE
00368 HSV VACCINE		01041 RABEPRAZOLE SODIUM
00369 PREFERA OB		01042 REPAGLINIDE
00371 PHENERGAN SUPPOSITORIES		01043 ZIPRASIDONE HCL
00373 GLUCAFFECT		
00374 TYLENOL SINUS		

01044 Z-PAK	01160 D5NS	01250 ALUMINUM-MAGNESIUM
01046 QUINOLONONES	01161 ACCURETIC	HYDROX W/SIMETHICONE
01047 IRBESARTAN	01162 MULTIVITAMIN W/ZINC	01253 ALUM/MAG
01048 ROFECOXIB	01163 PRIMOSOL	HYDROX/SIMETHI
01050 TOLTERODINE TARTRATE	01166 WELCHOL	01254 ALUMINUM SULFATE USP
01051 VISICOL	01167 KRISTALOSE	01255 ALUPENT
01053 AMPICILLIN AND SULBACTAM	01169 AGRYLIN	01256 BENEFIX
01054 TICARCILLIN AND CLAVULANATE POTASSIUM	01171 AROMASIN	01257 BARRIER OINTMENT
01055 ORAPRED	01173 D5 LR	01258 ALUPRIN
01056 ACTIVELLA	01174 PROACTIVE	01259 MILK THISTLE
01057 DETROL LA	01176 GENGRAF	01262 CORICIDIN HBP COUGH & COLD
01058 AL/MG HYDROXIDE- SIMETHICONE	01178 PODOFILOX	01264 DEPACON
01060 ALMOCARPINE	01184 TICE BCG	01266 INSULIN GLARGINE
01062 RHINOCORT AQUA	01187 SUFENTANIL CITRATE	01267 HUMALOG MIX 75/25
01063 TEGRETOL XR	01189 BIAXIN XL	01268 LORCET PLUS
01064 WELLBUTRIN SR	01190 ALUM AMMONIUM POWDER	01271 POSACONAZOLE
01066 ZEBUTAL	01193 HALOPERIDOL DECONATE	01272 RAPAMYCIN
01067 ALLERX	01196 MOXIFLOXACIN	01274 TRIZIVIR
01071 LUNELLE	01197 AMBISOME	01275 ZONISAMIDE
01073 MAXALT-MLT	01199 NEOSURE	01278 METROLOTION
01076 STARLIX	01203 BACILLIN C-R	01280 XYLOCAINE W/WYDASE
01081 RESPAHIST	01204 CARRINGTON GEL	01281 ADDERALL XR
01082 BENZACLIN	01206 COENZYME Q10	01282 LATANOPROST
01083 BIESTROGEN	01207 LITHIUM CARBONATE	01284 NOREL DM
01084 LUMIGAN	01209 MOTRIN DROPS	01285 ZOMETA
01085 ALPHA CHYMAR	01211 PULMICORT RESPULES	01286 ANTIMICROBIAL
01086 MSM	01213 ALUMINA W/MAGNESIUM CARBONATE	01287 ASP
01087 PROTOPIC	01214 LANTUS	01288 OXYFAST
01093 BOTOX	01216 OXCARBAZEPINE	01290 AMANTADINE
01094 CARDIZEM CD	01217 BIDEX DM	01292 CALCIUM POLYCARBOPHIL
01096 CLINDAGEL	01219 FARESTON	01295 AMARIL D
01098 DEMEROL/PHEN	01221 ALUMINUM ACETATE	01297 NICOTINE GUM
01099 ENDODAN	01222 NORDITROPIN	01299 BABY POWDER
01101 ESTRIOL CREAM	01223 ALUMINUM CHLORIDE	01302 NICOTINE INHALER
01102 GYNAZOLE I	01224 ACUVITE	01307 DORZOLAMIDE AND TIMOLOL
01104 LOESTRIN FE	01225 ALUMINUM HYDROXIDE	01308 METHYLERGONOVINE MALEATE
01106 LUTEIN	01228 BECLOMETHASONE DIPROPIONATE	01310 PARICALCITOL
01107 NEOFRIN	01229 PEG-INTRON	01312 CETYLPIRIDINIUM CHLORIDE
01108 QUIXIN	01233 RAPAMUNE	01318 EPTIFIBATIDE
01111 TRAVATAN	01234 RITALIN-SR	01319 TIAGABINE
01116 ZYVOX	01235 ALUMINUM MAGNESIUM HYDROXIDE	01375 AMICAR
01117 AXERT	01236 VERAPAMIL SR	01378 AMIDATE
01119 INDERAL LA	01237 5-FLUOROURACIL	01385 AMIDE V.C. VAGINAL
01121 LESCOL XL	01238 AMIFOSTINE	01405 AMIKACIN
01124 ULTRACET	01241 EDETATE CALCIUM DISODIUM	01420 AMINO-CERV
01125 ALPHAPRODINE	01242 CEFAZOLIN SODIUM	01440 AMINODYNE ELIXIR
01127 CARAC	01245 ALUMINUM SUBACETATE SOLUTION USP	01450 AMINOPHYLLINE
01134 UTROPHIN PMG	01246 RIZATRIPTAN BENZOATE	01525 AMITRIL
01144 OLUX	01248 METERED DOSE INHALER	01530 AMITRIPTYLINE
01146 CHROMIUM PICOLINATE	01249 METADATE CD	01532 AMITRIPTYLINE/ CHLORDIAZEPoxide
01151 ALBOLENE		01570 AMMONIUM CHLORIDE
01153 VAGIFEM		01595 AMOBARBITAL
01154 XYLOCAINE/MARCAINE		
01156 MARCAINE/KENALOG		

01628 AMOXAPINE	02056 XAP	02145 REBIF
01630 AMOXICILLIN	02059 AZMACORT	02146 ADOXA
01635 AMOXICILLIN TRIHYDRATE	02060 DIAMOX SEQUELS	02147 METHYLIN
01640 AMOXIL	02061 GUAIFENESIN/ PSEUDOEPHEDRINE	02148 SOLARAZE
01660 AMPHETAMINE	02062 TRILUMA	02149 DECADRON/KENALOG
01665 AMPHICOL	02064 INVANZ	02150 ANTI-TUSS
01670 AMPHOJEL	02065 TNKASE	02151 ESCLIM
01678 AMPHOTERICIN	02067 ACTIQ	02152 KENALOG/LIDOCAINE
01680 AMPI-CO	02071 BETASEPT	02153 VITAMIN B12/FOLIC ACID
01685 AMPICILLIN	02074 LUPRON	02154 ENTOCORT EC
01690 AMPICILLIN TRIHYDRATE	02075 ANTABUSE	02156 GLEEVEC
01730 ANA EMERGENCY INSECT STING KIT	02076 MAPAP	02158 ANTIBIOTIC AGENT
01755 ANACIN	02077 MEROPENEM	02159 ANTIBIOTIC EAR DROPS
01775 ANALGESIC	02079 NITROGLYCERIN SUBLINGUAL	02160 ANTIBIOPRO
01780 ANALGESIC BALM	02080 ANTACID	02161 PRINCIPEN
01785 ANALGESIC COMPOUND	02081 PONARIS	02163 K+ CARE
01838 ANAPROX	02082 MAXIDONE	02164 VITAMIN E & A
01840 ANASPAZ	02083 UNITHROID	02165 ANTICOAGULANT
01853 ANATUSS W/CODEINE	02085 ANTACID #6	02168 BLACK COHOSH
01860 ANBESOL	02086 Z-COF DM SYRUP	02169 ICAR
01865 ANCEF	02087 SOAPSUDS ENEMA	02170 ANTIHEMOPHILIC FACTOR HUMAN
01890 ANDRO CYP	02092 MUPIROCIN CALCIUM OINTMENT	02174 CLARIPEL
01930 ANDROLAN AQUEOUS	02093 OATMEAL BATH	02176 ALPHA LIPOIC ACID
01960 ANDRYL 200	02096 GREEN COCKTAIL	02181 DRIXOMED
01970 ANECAL	02097 GASTROCROM	02184 OGESTREL 0.5/50
01975 ANECTINE	02099 DEPAKOTE ER	02185 ANTIPHLOGISTINE
01983 ANESTHETIC	02102 GATIFLOXACIN	02186 ORTHO EVRA
01990 ANEXSIA W/CODEINE	02103 LEVALBUTEROL HCL	02187 ALPHAGAN P
01995 ANEXSIA	02104 MAGNESIUM HYDROXIDE	02188 DEXEDRINE SPANSULES
02011 RONDEC-DM ORAL DROPS	02107 ZALEPLON	02189 GLUCOPHAGE XR
02013 BENICAR	02108 COLAZAL	02191 ZYRTEC-D 12 HOUR TABLETS
02014 BEXTRA	02109 MIOCHOL-E	02193 HIB/HEP B
02016 CLARINEX	02110 ANTEPAR	02194 IODOSORB
02018 FOCALIN	02112 DIAPER RASH	02195 ANTIPYRINE
02019 FORADIL AEROLIZER	02117 PLAN B	02196 LIQUIGEL
02022 PEDIACARE COUGH-COLD LIQUID	02119 LEXAPRO	02197 NOVASAL
02023 SUPARTZ	02120 ANTHRALIN	02198 VITAMIN A & C & E
02024 VITAMIN B & E	02124 EPHEDRA	02199 PREPARATION H OINTMENT
02026 YASMIN	02127 BANANA BAG	02203 ABILIFY
02027 GLUCAGEN	02128 BENZONATATE	02204 BILBERRY EXTRACT
02029 ADVICOR	02129 CLORAZEPATE DIPOTASSIUM	02205 ANTISEPTIC MOUTHWASH
02031 ELIDEL CREAM	02131 ESOMEPRAZOLE MAGNESIUM	02206 ECONOPRED PLUS
02036 EXTRA STRENGTH TYLENOL	02133 NITROGLYCERIN TRANSLINGUAL	02209 NOVOLOG
02037 LEVETIRACETAM	02135 ANTI-ITCH	02213 ELIDEL
02038 LO-OGESTREL	02136 VISTIDE	02214 NULEV
02039 DTAP-HIB	02137 ZYPREXA ZYDIS	02217 ARANESP
02040 ANODYNOS FORTE	02138 MAALOX W/ VISCIOUS LIDOCAINE	02219 ULTRA-FREEDA
02041 D5W W/K ACET & K PHOS	02139 CARBOFED DM SYRUP	02221 VITAMIN C & E & B
02042 DUONEB	02140 THIAMINE HCL	02223 ZETIA
02044 NATRECOR	02141 HRT	02226 FROVA
02046 LAT	02142 ANTAGON	02227 LACTINOL E
02047 AUGMENTIN ES	02143 FOLTX	02228 MALARONE
02050 ANOQUAN	02144 ORTHO-EVRA	02231 ADALAT CC
02054 TRIMETHOPRIM SULFATE/POLYMYXIN B SULFAT		02232 BENEFIBER
		02233 EMERGEN-C
		02234 TAZTIA XT
		02239 DOVE SOAP

02241 FINEVIN	02354 CALMAX	02935 ATROPINE &
02242 HISTEX SR	02358 PROCTOSOL	PHENOBARBITAL
02243 BICALUTAMIDE	02359 VIREAD	02940 ATROPINE
02244 CALAN SR	02362 PROPOFOL W/LIDOCAINE	02950 ATROPINE SULFATE
02247 FLOXIN OTIC	02364 CALCITRATE	02960 ATROPINE SULFATE HT
02249 PEPICID AC	02366 PURALUBE	02982 ATROVENT
02250 ANTIVERT	02367 NUVARING	02985 ATTENUVAX
02254 ANAGRELIDE	02368 BAG BALM	02995 AURALGAN
02256 ESCITALOPRAM OXALATE	02369 KENALOG/XYLOCAINE	03001 VAQTA
02259 NEULASTA	02370 APLISOL	03002 AVODART
02260 U-LACTIN	02371 SCALPICIN SOLUTION	03003 CORTISPORIN OINTMENT
02261 VORICONAZOLE	02373 ZELNORM	03006 GI COCKTAIL
02263 EDATREXATE	02374 REBETOL	W/DONNATAL
02268 RETIN-A MICRO GEL	02376 MULTIVITAMIN W/D	03007 HEPSERA
02271 RITALIN LA	02377 DROXIA	03012 DEPAKOTE SPRINKLE
02273 LIDEX-E	02382 PERIOSTAT	03013 DILANTIN INFATABS
02274 NIACOR	02384 DOC-Q-LACE	03017 TIGER BALM
02279 PULMICORT	02387 REMIFENTANIL	03018 NORMAL SALINE/ MULTIVITAMIN
02280 APRI	02391 NITRIC OXIDE	03019 REYATAZ
02281 CHICKEN POX VACCINE	02394 NESIRITIDE	03021 MOTRIN CHILDREN'S COLD SUSP
02282 5-HYDROXYTRYPTOPHAN	02395 APRESAZIDE	03028 NITROSPRAY
02289 HUMULIN N PREFILLED	02396 VARICELLA VIRUS VACCINE	03039 IMODIUM A-D
02290 CERVIDIL	02397 PLATELET INHIBITOR	03041 OVIDE
02292 VENOFER	02405 APRESOLINE	03044 RENAL CAPS
02293 VALCYTE	02465 AQUAMEPHYTON	03048 RELPAX
02297 CHEWABLE VITAMINS	02470 AQUAPHOR	03049 HYDROGEN BLOCKER
02298 CYCLESSA	02485 AQUASOL A	03050 AVEENO
02299 SENNA-GEN	02555 ARGININE	03051 LITTLE NOSES GENTLE FORMULA
02303 REMIFEMIN	02575 ARISTOCORT	03053 CITRA PH
02304 TWINRIX	02580 ARISTOCORT A	03054 RYNATAN PEDIATRIC SUSPENSION
02309 AXILLERY BLOCK	02585 ARISTOCORT FORTE	03055 AVEENO LOTION
02310 ANUSOL	02600 ARISTOCORT LP	03056 CITROMA
02311 PIOGLITAZONE HCL	02615 ARISTOSPAN	03057 MEGESTROL ACETATE
02312 CABERGOLINE	02626 ARM-A-MED	03060 AVEENO OILATED
02314 LORTAB ELIXIR	02627 ARMOUR THYROID	03068 LEXAPRIL
02315 ANUSOL-HC	02645 ARTANE	03069 NYSTOP
02316 PAXIL CR	02660 ARTHRITIS PAIN FORMULA	03070 AVENTYL HCL
02321 TENOFOVIR DISOPROXIL FUMARATE	02705 ASCORBIC ACID	03071 OXYTROL
02322 THALOMID	02725 ASCRIPTIN	03072 A+D OINTMENT
02323 ALKA-SELTZER GOLD	02748 ASENDIN	03073 GENFIBER
02324 B-STRESS	02750 ASMA SYRUP	03075 AVITENE
02329 IMMUNOMAX	02765 ASMACOL	03080 STRATTERA
02331 NEOMYCIN/POLYMYXIN B SULFATES/ HYDROCORT	02775 ASMALIX ELIXIR	03081 AMOXICILLIN AND CLAVULANATE POTASSIUM
02332 PANCRECARB MS-8	02800 ASPIRBAR	03084 SYSTANE
02333 ROXICODONE	02803 ASPIRIN W/CODEINE	03089 ATACAND HCT
02335 APAP	02805 ASPIRIN	03091 AZELASTINE HCL
02336 FIBER-LAX	02810 ASPIRIN COMPOUND	03093 MSM W/GLUCOSAMINE
02339 SOLUMET	02815 ASPIRIN COMPOUND #2	03095 AVP-NATAL-FA
02340 APAP W/CODEINE	02830 ASPIRIN W/PHENOBARBITAL	03098 VOLTAREN XR
02341 ARA-C	02852 ASTRAMORPH	03099 CILOSTAZOL
02344 LACTINOL	02855 ASTRING-O-SOL	03101 AXID
02347 CALMOSEPTINE	02875 ATARAX	03104 METROCREAM
02348 APAP W/OXYCODONE HCL	02900 ATIVAN	
02349 LIDOCAINE W/MARCAINE	02905 ATOKA	
02351 FEMARA	02920 ATROCHOLIN	

03105 AVANDAMET	03198 CLENIA	03301 SOLAGE
03106 ONE A DAY VITAMIN	03201 MEMANTINE	03302 VANAMIDE
03108 ZYMAR	03203 RYNA-12	03303 RESCON
03109 AUGMENTIN XR	03204 ALACOL DM	03305 B VITAMINS W/C
03110 AXOTAL	03207 PHENYTEK	03306 NOVALOG
03113 AYGESTIN	03208 ALAVERT	03309 PROVENTIL HFA
03114 LYMPHAZURIN	03209 ATAZANAVIR SULFATE	03312 CORAL CALCIUM DAILY
03115 AYR SALINE MIST	03211 CIALIS	03313 EPIDURAL ANESTHESIA TRAY
03116 URSO	03213 ROSANIL	03315 VITAMIN K5
03117 AZACTAM	03214 STALEVO	03317 XYLOCAINE W/ BICARBONATE
03118 XTRAMINS	03219 ELIGARD	03318 HEPARIN SODIUM
03119 ZOLEDRONATE	03220 AZOTREX	03319 TRAMADOL HCL
03120 AZAPEN	03222 MICARDIS HCT	03320 B.P.P.-LEMMON
03121 ALLERCON	03225 AZULFIDINE	03321 TRIMETHOPRIM SULFATE
03122 GINGER	03226 ENALAPRIL MALEATE	03327 BIMATOPROST
03123 AZATHIOPRINE	03227 EVOXAC	03328 ENALAPRIL/HCTZ
03126 BOWEL PREP	03228 AVINZA	03329 FERRLECIT
03127 CARDIZEM LA	03229 RED YEAST RICE	03330 B-C-BID
03129 DIPROLENE AF	03232 PORTIA	03331 AMOXICOT
03130 AZMA-AID	03234 TERAZOL 3	03332 BENADRYL ALLERGY
03131 DUAC	03236 TERAZOL 7	03333 BENADRYL ALLERGY & COLD
03132 FINACEA	03237 ATOMOXETINE HCL	03335 B-C-E & ZINC
03134 RESTASIS	03238 BONTRIL SR	03336 CORN STARCH
03136 ACTALIN	03239 CLOBEX LOTION	03337 LANTISEPTIC ALL BODY WASH
03137 BROVEX	03241 TESTIM	03341 NITROCOT
03139 HECTOROL	03243 VERELAN PM	03347 DERMAGRAN TRI-ZINC INCONTINENT WASH
03140 AZO GANTRISIN	03245 B & O SUPPRETTE	03353 TRITAN
03141 LISINOPRIL/HCTZ	03247 COLESEVELAM HCI	03354 L-LYSINE
03142 NIFEDIPINE ER	03250 B COMPLEX	03355 B-12
03148 AVIANE	03251 RANITIDINE HCI	03358 ZINC LOZENGES
03151 STERAPRED DS	03253 GREEN TEA EXTRACT	03359 MODAFINIL
03153 AVAGE	03254 HIBTITER	03362 TREXALL
03156 BUPROPION SR	03255 B COMPLEX #100	03366 VALDECOXIB
03157 EPA/DHA ESSENTIALS	03256 PREFEST	03368 LINEZOLID
03159 ONE A DAY VITAMINS MEN	03257 PRIMACARE	03371 ALTEPLASE
03161 MICROGESTIN FE	03261 ALTINAC	03372 DYNACIRC CR
03162 PEGASYS	03262 FE-TINIC	03374 ISOVUE-M 300
03168 AZO-SULFA-METHOXAZOLE	03264 FIBER CHOICE	03375 ATROPINE-CARE
03169 FEVERFEW	03265 B COMPLEX FORTE	03377 CLODRONATE DISODIUM
03172 NEVACOR	03267 INDOCIN SR	03381 MELOXICAM
03174 CARBONYL IRON	03269 SEASONALE	03386 AQUAPHILIC
03175 CYTRA-2	03272 METOPROLOL SUCCINATE	03387 PRALIDOXIME CHLORIDE
03177 CALCARB 600	03273 NOVOLIN R	03391 MOISTURE EYE PM LUBRICANT EYE OINTMENT
03178 HYLAGEN	03276 SUBOXONE	03392 TYLENOL ELIXIR
03179 PEDIARIX	03277 XYREM	03395 BACID
03180 LEVITRA	03279 AMPHETAMINE SALT COMBO	03397 SOY MILK
03181 METAGLIP	03282 CANASA	03400 BACIGUENT
03182 NEOPOLYDEX	03283 CEFDINIR	03404 PROLINE
03184 WELLBUTRIN XL	03285 B COMPLEX W/B-12	03405 SYPRINE
03185 XANAX XR	03286 KARIVA	03409 ELOXATIN
03187 CRESTOR	03287 OVACE	03410 BACITRACIN
03188 MUCINEX	03290 B COMPLEX W/B-12 VITAMIN C & LIVER	03411 FLAX SEED
03189 ORTHO-TRICYCLEN LO	03291 TRI-MIX	03412 LODINE XL
03192 VIGAMOX	03294 ASPARTAME	
03193 ABELCET	03295 B COMPLEX W/VITAMIN C	
03194 AVAR	03296 IVERMECTIN	
03195 AVAR GEL	03300 B O F	
03197 CIPRODEX		

03414 METOMIDATE	04019 BENEALORIE	04128 MYLANTA/BENADRYL
03415 BACITRACIN-NEOMYCIN- POLYMYXIN	04020 BENZAC	TOPICAL SOLUTION
03418 GONAK	04021 BENICAR HCT	04129 MYCELEX TROCHES
03420 BACITRACIN-POLYMYXIN	04022 BENEPROTEIN INSTANT PROTEIN POWDER	04133 PROBIOTICA
03421 DARBEPOETIN ALFA	04023 BISOPROLOL/HCTZ	04136 NOVOLOG MIX 70/30
03422 DESFERRIOXAMINE	04030 BENZAGEL	04138 UROXATRAL
03423 BACLOFEN	04031 CERTAGEN	04141 ANTICHOLINERGIC
03426 DIATX	04037 LODOXAMIDE	04143 CATAPRES-TTS-1
03427 HUMIRA	04038 SNURON	04144 POLY-IRON 150 CAPSULES
03428 EMTRICITABINE	04041 ALBUTEROL/ATROVENT	04146 EZETIMIBE
03430 BACTRIM	04042 SPIRIVA	04148 PROSOURCE PROTEIN SUPPLEMENT
03432 SULFAMETIN	04043 SYMBYAX	04151 PROSTAT 64
03434 HYOSCYAMINE	04044 CIPROFLOXACIN EYE SOLUTION	04154 SILVER NITRATE STICK
03435 FUZEON	04045 CLEMASTINE FUMARATE	04156 SPECTRACEF
03437 POLYETHYLENE GLYCOL- ELECTROLYTE SOLUTION	04048 RONDEC ORAL DROPS	04158 LACTASE ENZYME
03438 BACTROBAN	04049 CULTURELLE	04162 FLUMIST
03439 EMEND	04050 BENZO MENTH	04164 PRUNE JUICE
03442 SILVASORB	04051 CYMBALTA	04168 REFRESH TEARS
03443 AQUACEL AG	04055 DESLORATADINE	04170 BETAMETHASONE
03477 BALANCED SALT SOLUTION	04057 RESOURCE DIABETIC	04171 EMTRIVA
03528 BANFLEX	04058 DIALYVITE	04174 ROBAFEN
03590 BARIUM	04059 DOCUSATE -SENNA	04175 METFORMIN HYDROCHLORIDE ER
03635 BASALJEL	04062 ED-FLEX	04176 SENNA-S
03640 BASIC DROPS	04063 FERREX	04178 TESSALON
03675 BC	04065 BENZODENT	04179 THERAPEUTIC M
03685 BCG VACCINE	04066 FIBER SOURCE	04180 BETAPEN-VK
03690 BE-CE-PLEX FORTE	04067 FIBER TABLETS	04185 VIADUR
03700 BECLOMETHASONE	04068 XOLAIR	04187 XENADERM
03709 BECONASE	04069 FLAVOXATE HCL	04188 BETA-VAL
03715 BECOTIN	04070 BENZOIN	04190 BETHANECHOL
03741 BEEPEN VK	04071 FORTEO	04191 PROTOX
03800 BELLADONNA	04072 NASAL SALINE	04193 PROSIGHT LUTEIN
03805 BELLADONNA ALKALOIDS W/PHENOBARBITAL	04075 BENZOIN COMPOUND	04194 BUFFERED ASPIRIN
03825 BELLADONNA W/PHENOBARBITAL	04077 GERI-LANTA	04196 CADUET
03845 BELLERGAL	04079 GLYCOLAX	04198 KALTOSTAT
03900 BEN-GAY	04085 BENZOYL	04199 CALCIUM MAGNESIUM CHELATED
03905 BENADRYL	04086 HERBAVISION	04200 CALCIUM ZINC MAGNESIUM
03910 BENADRYL W/EPHEDRINE SULFATE	04087 ICAR-C	04201 CALTRATE PLUS
03915 BENADRYNE DROPS	04088 BENZOYL PEROXIDE	04204 CARMEX
03950 BENEGYN	04091 INZO ZINC OXIDE BARRIER CREAM	04206 CANCIDAS
03970 BENOQUIN	04092 EYE-VITE	04209 CHOLINE MAGNESIUM TRISALICYLATE
03980 BENOXYL	04094 LACLOTION	04210 BEXOMAL-C
03985 BENSULFOID	04095 BENZYL	04212 COENZYME (UNSPECIFIED)
04000 BENTYL	04097 LEXIVA	04213 COLON CLENZ
04002 CALCIUM-MAGNESIUM- ZINC SUPPLEMENT	04098 L-GLUTAMINE	04214 DACODYL
04005 BENTYL W/PHENOBARBITAL	04099 MAGNA PAC FOR DAILY BASICS	04219 CENTRAL VITE
04011 NAMENDA	04102 MED PASS 2.0	04221 CEREFOLIN
04012 ALTOPREV	04110 ISOSOURCE VHN	04222 CEROVITE LIQUID
04014 ARIPIPRAZOLE	04113 FORTAMET	04224 CORTIZONE-5
	04114 VYTORIN	04225 BICARBONATE OF SODA
	04120 BETADINE	04226 DECONAMINE
	04121 NOVAREL	
	04122 AFEDITAB CR	
	04124 CENTANY	

04230 BICHLORACETIC ACID	04367 NASCOBAL	04494 IMIQUIMOD
04231 VP-16	04368 CONTRACEPTIVE AGENT	04499 FOLBEE
04233 DAILY VITE W/IRON & MINERALS TABLETS	04370 BISACODYL	04501 MESNEX
04235 BICILLIN	04375 BISACODYL PATIENT PACK	04503 PEDIATEX
04237 DILEX -G	04379 POLYSACCHARIDE-IRON COMPLEX	04504 ADVANCED NATALCARE
04238 ELESTAT	04381 PENTOXIL	04510 BLISTIK BALM
04240 BICILLIN C-R	04383 PROCTOZONE HC CREAM	04512 TRINESSA
04241 EXCEL	04386 ACULAR LS	04514 TRISPRINTEC
04242 FERREX 150 FORTE	04388 PANGESTYME	04517 ANAMANTLE HC
04243 FIBER TAB	04389 PROANGENOL	04523 CALNA
04245 FLORANEX TABS	04391 PROACTAZYME	04529 METHYLPREDNISOLONE SODIUM SUCCINATE
04246 FLORASTOR	04393 TRUVADA	04533 IMIPENEM
04247 FORMULA B	04398 MASANTI DOUBLE STRENGTH	04535 BARIUM SULFATE
04248 TEARS NATURALE FREE	04400 ANGIOMAX	04536 ABX OINTMENT
04249 ALOXI	04406 ABREVA	04541 TYLENOL INFANT'S
04250 BICITRA	04407 CAPTOPRIL/HCTZ	04544 HYDROCORTISONE VALERATE
04255 BICNU	04413 SOTRET	04546 MYERS COCKTAIL
04256 HYDROCODONE GF	04414 VITAMIN/FLUORIDE	04556 SEVELAMER HYDROCHLORIDE
04257 GARLIQUE	04421 ERTAPENEM	04558 CALCIUM CHANNEL BLOCKER
04264 ZAGAM	04423 LETROZOLE	04559 APO-LEVOCARB
04265 BILAMIDE	04424 TRIFLURIDINE	04561 RAZADYNE
04266 GARLIC OIL	04428 SUDODRIN	04562 CALCIPOTRIENE
04273 VOSPIRE ER	04429 ZOCAL	04564 DIABETES MEDICATION
04275 BILE SALTS	04431 BROMHIST DM PEDIATRIC SYRUP	04567 HELIXATE
04278 RISPERDAL CONSTA	04434 BI-EST	04571 ISTALOL
04282 ZEMPLAR	04437 URELLE	04573 PEVEVA
04284 VITA-BEE WITH C	04440 BISMUTH SUBSALICYLATE	04575 BONATE
04288 SENNALAX	04443 ALENOL	04576 DULOXETINE
04289 SAF GEL	04444 GENASAL	04577 HORSE CHESTNUT
04291 SIBERIAN ELEUTHERO	04446 LYCOPENE	04578 L-ARGININE
04292 SENSIPAR	04448 AMMONIUM LACTATE	04585 BONTRIL PDM
04294 SYMAX SR	04451 CANDIDA ALBICANS SKIN TEST ANTIGEN	04589 TIOTROPIUM BROMIDE
04299 TURMERIC	04454 NASAL STEROID	04593 VITEYES
04305 REFRESH LIQUIGEL	04456 CLINDAMAX	04594 COPEGUS
04307 SENNOSIDES	04461 KERALAC LOTION	04595 BORIC ACID
04308 EPIDRIN	04464 CHAMOMILE	04602 MIGRATINE
04310 Z-GEN	04468 CELAPRO	04603 APEXICON
04311 Q-TUSSIN	04469 CHILDREN'S BENADRYL ALLERGY FASTMELT	04605 BOULTON'S SOLUTION
04312 REFRESH ENDURA	04470 BLEACHING PEROXIDE 20 VOLUME	04606 RESTYLANE
04316 ARIXTRA	04471 FASLODEX	04607 ERTACZO
04317 ALMACONE TABLETS	04473 IOPAMIDOL	04608 SODIUM HYALURONATE
04320 ATENOLOL/ CHLORTHALIDONE	04477 N-ACETYLCYSTEINE	04611 DOCETAXEL
04321 ATROVENT/XOPENEX	04478 BLEOMYCIN	04612 IRON SUCROSE
04322 BIOFREEZE	04479 NORMASOL R	04614 CRYSELLE
04324 BISAC-EVAC	04480 BLEPH	04617 ACCUNEB
04327 BOUDREAU'S BUTT PASTE	04485 BLEPHAMIDE	04621 ASTRAGALUS
04329 ASPIRIN/DIPYRIDAMOLE	04486 VELCADE	04622 EXEMESTANE
04339 HERBAL DRUG (UNSPECIFIED)	04488 ELETRIPTAN HYDROBROMIDE	04626 SILICONE OIL
04340 BIOTIC-O	04489 METABDATE	04627 TRAVOPROST
04345 BIOTIN	04491 SYMBICORT	04631 EPZICOM
04351 JANTOVEN	04492 CHOP	04632 FOSAMPRENAVIR CALCIUM
04356 MEGA OMEGA FISH OIL SOFTGELS	04493 MAXOLON	04633 B6-PYRIDOXINE
04357 L-TONIC		04642 OYST-CAL
04362 LIQUID CALCIUM- MAGNESIUM		04646 ATRA
		04649 MYFORTIC



04650 BRETHINE	05063 FLUORABON	05172 SULFUR HEXAFLUORIDE
04652 RISEDRONATE SODIUM	05066 CAMPRAL	05173 CLARAVIS
04654 TRACLEER	05067 MOVE FREE MSM	05174 ANTARA
04656 BOSENTAN	05070 BUTABARBITAL	05176 AVASTIN
04657 BREVIBLOC	05071 TARCEVA	05178 FOSRENOL
04659 GALANTAMINE	05072 BONIVA	05180 ELECARE
04662 ROSAVASTATIN CALCIUM	05074 ENABLEX	05184 DUET DHA
04664 MIRENA	05075 BUTABARBITAL- BELLADONNA ELIXIR	05187 ORTHOVISC
04665 BREVITAL	05077 RIMANTADINE	05192 ABSORBASE
04667 BUTENAFINE HYDROCHLORIDE	05081 OXYIR	05194 DUTASTERIDE
04669 B2-RIBOFLAVIN	05083 PROLACTIN RIA	05197 LOSARTAN-HCTZ
04673 LOPINAVIR	05087 DIABETIC TUSSIN DM	05199 NITROTAB
04674 NATEGLINIDE	05088 LIPITROL	05206 GOODY'S POWDER
04676 CAMPATH	05090 NEVANAC	05207 CEFUROXIME AXETIL
04677 DALTEPARIN SODIUM	05091 OXYDOSE	05208 DOCUSIL
04679 STATINS	05092 NOVANATAL	05212 FROVATRIPTAN
04680 MAGNOX	05093 NOVACORT	05213 READICAT
04682 UTIRA	05095 BUTALBITAL	05218 CICLOPIROX
04683 NARATRIPTAN HYDROCHLORIDE	05097 LYRICA	05219 L-M-X4
04803 BROMFED	05099 CLOTRIMAZOLE- BETAMETHASONE DIPROPRIONAT	05222 PYRANTEL
04808 BROMOCRIPTINE	05102 CHOLEST-OFF	05223 HOMATROPINE- HYDROCODONE
04845 BROMPHENIRAMINE	05104 GICOCKTAIL	05224 FLUORETS
04850 BROMPHENIRAMINE MALEATE ELIXIR	05106 GLIPIZIDE ER	05229 AQUA TEARS
04873 BRONCHODILATOR	05108 BUTATRAN	05234 BROMTAPP
04890 BRONITIN MIST	05109 ALDEX	05237 VANTAS
04905 BRONKEPHRINE	05117 FLOXACILLIN	05239 THERAPEUTICS- RADIOPHARMA- CEUTICALS
04925 BRONKOSOL	05122 METHYLIN ER	05240 ISOTRETINOIN
04940 BROWN MIXTURE	05123 PRENATE ELITE	05242 VANOS
04950 BSS	05124 ENPRESSE	05244 ROZEREM
05001 CLOBEX SHAMPOO	05126 OVIDREL	05245 ZMAX
05004 PROTOMAX	05127 MONONESSA	05247 RESPA-DM
05005 BUFFERED SOLUTUON ISOTONIC	05128 ALOE VESTA	05250 CAFERGOT
05006 ZYFLAMEND	05130 BUTIBEL-ZYME	05252 DIGESTIVE ADVANTAGE
05007 CLINDESSE	05132 CARBOFLEX	05258 CHLORAPREP
05008 EVOCLIN	05133 RENAX	05259 OMACOR
05009 HALFLYTELY	05138 NORVAL	05261 SOLIFENACIN
05010 BUFFERIN	05141 AVASTATIN	05263 PROCERIN
05012 PRESERVISION	05142 ERBITUX	05264 ASMANEX TWISTHALER
05014 SALEX	05143 ROSE HIP VITAMIN C	05265 CAFFEINE
05021 SIMILASON	05145 BUTISOL	05266 SANCTURA
05024 BUMEX	05147 PROTON-PUMP INHIBITOR	05269 INSPRA
05026 ASCENSIA ELITE	05149 ULTRA VITAMIN A & D	05270 CAFFEINE & SODIUM BENZOATE
05032 MUCOLYTICS	05152 SYNTEROL	05271 METANX
05033 LUNESTA	05153 FOLBIC TABLETS	05272 FORMOTEROL
05035 BUPIVACAINE	05156 ERYTHROMYCIN BASE- NEOMYCIN	05273 ANTIZOL
05037 OCUSOFT	05157 ESTRATEST H.S.	05274 FLUTUSS HC
05038 SINUS RINSE KIT	05161 XELOX	05277 DEPO-MEDROL W/ LIDOCAINE
05041 DURALEX	05162 BYETTA	05278 OCUVITE LUTEIN
05051 VESICARE	05164 NIRAVAM	05279 ALIMTA
05053 BURROW'S OTIC	05166 RADIOPAQUE DYE	05283 COLISTIMETHATE
05054 SUBUTEX	05168 PENTOSTATIN	05284 COLISTIN
05056 ZEGERID	05169 POLYVENT	05291 LIDOCAINE/PRILOCAINE
05059 BENACOL	05171 PRAMOTIC OTIC DROPS	05296 PEGFILGRASTIM
05061 AMIDRINE		

05299	VINORELBINE	05648	CAPOTEN	06074	ZOLEDRONIC ACID
05301	ESTRAGEL	05663	CARAFATE	06077	IVIG
05302	TEV-TROPIN	05665	CARAMEL	06078	VIGABATRIN
05304	ACTICOAT ABSORBENT	05670	CARBACEL	06081	GANIRELIX
05305	CAL-ZO	05675	CARBACHOL	06082	MENOPUR
05306	POLYMEM SILVER	05680	CARBAMAZEPINE	06083	REPLIVA
05308	MUCINEX DM	05690	CARBENICILLIN	06084	TRIGLIDE
05310	CALADRYL	05695	CARBOCAINE	06086	VANDAZOLE
05312	BEVACIZUMAB	05710	CARBON DIOXIDE	06089	XIFAXAN
05316	CETUXIMAB	05750	CARDEC-DM	06091	RALLY PACK
05317	PALONOSETRON	05758	CARDIAC AGENT	06092	ACETADOTE
05320	CALAMINE	05789	CARDIZEM	06093	TACLONEX
05321	TRASTUZUMAB	05810	CARISOPRODOL	06094	XIBROM
05324	EPLERENONE	05818	CARISOPRODOL W/ASPIRIN	06100	CENTRUM
05326	INFLIXIMAB			06101	TYLENOL COLD
05327	SPRINTEC	05820	CARMOL	06102	BIDIL
05328	BALANCED B	05860	CASCARA	06103	PARCOPA
05329	CAMILA	05880	CASTADERM	06104	DARIFENACIN
05331	COMMIT	05883	CASTELLANI'S PAINT	06106	PERINDOPRIL
05332	ESTROGEL	05885	CASTOR OIL	06107	ZODERM
05333	NORTREL	05888	CASTORIA FLETCHERS	06108	GARDASIL
05335	CALAMINE LOTION	05895	CATAPRES	06109	YAZ
05336	VFEND	05955	CECLOR	06110	CEPACOL
05337	LOFIBRA	05960	CECON DROPS	06114	OASIS
05338	FLUTICASON- SALMETEROL	05983	CEFADROXIL	06116	ZYLET
05339	APAP/DICHLORAL- PHENAZONE/ ISOMETHEPTENE	05985	CEFADYL	06118	AZILECT
		05990	CEFOL	06121	RANEXA
05342	ETANERCEPT	05993	CEFTIN	06122	RIFAXIMIN
05344	FLUOR-A-DAY	05995	CEFAZOLIN	06124	VINATE GT
05347	CALAN	06002	AMBIEN CR	06125	CEPHALEXIN
05348	NATALCARE PLUS	06004	FOCALIN XR	06126	AVANDARYL
05349	NEOMYCIN SULFATE	06005	CELESTONE	06128	CEPHALOSPORINS
05351	ORTHO MICRONOR	06008	EXJADE	06129	ADACEL
05355	CALCET	06009	FOLFOX	06130	CEPHALOTHIN
05375	CALCIFEROL	06011	FOLFIRI	06133	CEPHRADINE
05393	CALCITONIN	06014	ERRIN	06135	CEPHULAC
05394	CALCITREL	06015	CELESTONE SOLUSPAN	06136	GOLDENSEAL
05395	CALCIUM ACETATE	06017	AMLODIPINE/BENAZEPRIL	06138	BOOSTRIX
05400	CALCIUM BROMIDE	06018	NOREL SR	06142	CALOTRIM
05405	CALCIUM CARBONATE	06019	SYMLIN	06144	PROQUAD
05415	CALCIUM	06021	ABRAXANE	06147	TYGACIL
05418	CALCIUM CHLORIDE	06024	R-CHOP	06151	VITAMIN B-6 & B-12
05430	CALCIUM GLUCONATE	06027	NITIDINE	06156	PANTOLOC
05435	CALCIUM GLUCONATE W/VITAMIN D	06030	CELONTIN	06159	ACTOSPLUS MET
		06035	CEN-E	06160	CEROSE
05445	CALCIUM LACTATE	06037	RELACORE	06161	EZETIMIBE & SIMVASTATIN
05460	CALCIUM-AMINO	06038	AMITIZA		
05465	CALCIUM-D	06040	CENA K 10% SUGAR-FREE	06162	CEFUROXIME
05480	CALDECORT	06042	TEDRIGEN	06163	CAPTIQUE
05483	CALDEROL	06045	FEMRING	06164	LEVEMIR
05510	CALMOL 4	06048	PEMETREXED	06166	ALFUZOSIN
05541	CALTRATE W/VITAMIN D	06053	COMBGEN	06167	APREPITANT
05590	CANDEX	06054	FORTICAL	06168	NEXAVAR
05593	CANKAID	06059	XODOL	06169	PRASTERONE
05595	CANTHARIDIN	06061	ACTOPLUS MET	06170	CERUMENEX
05630	CAPEX	06062	CEPHADYN	06171	TRELSTAR
05635	CAPITAL	06064	GLYBURIDE/METFORMIN	06172	DAYTRANA
05640	CAPITAL W/CODEINE	06068	ANASTROZOLE	06173	ROTATEQ
		06071	IMATINIB	06176	OLOPATADINE
		06073	VIDAZA	06180	CETACAINE

06181 LIMBREL	06314 EXPECTA	07000 CLORPACTIN
06182 TYSABRI	06315 CHERALIN W/CODEINE	07001 OSELTAMIVIR
06183 FEG-L	06318 CHERATUSSIN	07002 FONDAPARINUX
06184 VUSION	06319 HYLIRA	07003 CLOTRIMAZOLE
06185 CETACORT	06324 CLOBAZAM	07005 CLOVE OIL
06186 TOBRAMYCIN	06326 DEFLAZACORT	07006 VAZOBID
W/DEXAMETHASONE	06374 CHILDREN'S TYLENOL	07007 VAZOTAN
06190 CETAMIDE	06400 CHLOR-TRIMETON	07009 DUETACT
06191 ATOPICLAIR	06420 CHLOR-TRIMETON SYRUP	07014 KEROL
06192 CHANTIX	06440 CHLORAL HYDRATE	07016 MENACTRA
06193 JANUVIA	06445 CHLORAL-METHYLOL	07018 ORENCIA
06194 REVATIO	06455 CHLORAMBUCIL	07021 BARIATRIC ADVANTAGE
06196 SOLODYN	06465 CHLORAMPHENICOL	07022 APTIVUS
06202 RIVASTIGMINE	06470 CHLORASEPTIC	07023 PROBIOTIC ACIDAPHILES
06203 TANDEM-OB	06475 CHLORASEPTIC	07024 VECTIBIX
06207 PROPIMEX	CHILDREN'S	07031 SULFAZINE
06209 EXCEDRIN TENSION	06495 CHLORDIAZEPOXIDE	07032 VITAL CALCIUM
HEADACHE	06565 CHLOROPHYLL	07035 ENDUR-ACIN
06210 CETAPHIL	06580 CHLOROQUINE	07036 ENTORTCORT EC
06212 CLARINEX-D	06590 CHLOROTHIAZIDE	07037 HIV VACCIN
06213 DILT-XR	06605 CHLORPHENIRAMINE	07039 VERDESO
06216 LENALIDOMIDE	06613 CHLORPHENIRAMINE/	07041 GENATON
06219 DESOGESTREL	ASPIRIN	07043 XOLEGEL
06221 DECAVAC	06620 CHLORPROMAZINE	07044 VASOPRESSORS
06223 ACAMPROSATE	06625 CHLORPROPAMIDE	07046 ABHR
06226 CVP	06645 CHLORTHALIDONE	07049 APIDRA
06227 GAMUNEX	06661 CHLORZOXAZONE	07051 ACTAMIN
06229 DAPTOMYCIN	06705 CHOLESTEROL	07058 ESTROVEN
06232 BALACET	06735 CHOLINOL	07061 REVLIMID
06236 ATRIPLA	06765 CHORIONIC	07065 NONI JUICE
06237 CERAVE	GONADOTROPIN	07067 CO-TRIMOXAZOLE
06238 ORACEA	06780 CHROMAGEN	07068 DUOVISC
06242 LEVSIN/SL	06798 CHROMIUM	07069 ENJUVA
06245 CEVITA	06800 CHRONULAC SYRUP	07072 TEA TREE OIL
06247 FLECAINIDE	06815 CIMETIDINE	07074 EXACTACAIN
06248 EQUETRO	06839 CIPRO	07076 INVEGA
06253 JUNEL FE	06860 CITRATE OF MAGNESIA	07079 BROVANA
06254 DUOMAX	06865 CITRIC ACID	07081 BUDEPRION SR
06256 Q-DRYL	06883 CLAFORAN	07084 CYTRA-K
06258 ZOSTER VACCINE LIVE	06895 CLEAR EYES	07093 DESONATE
06260 CHARCOAL	06900 CLEARASIL	07096 FLUTICASONE
06261 LESSINA	06905 CLEOCIN	PROPIONATE
06262 NEO-BENZ-ALL	06910 CLEOCIN PHOSPHATE	07098 CALAZIME
06263 OBAGI BLENDER	06913 CLEOCIN T	PROTECTANT PASTE
06267 TENCET	06920 CLINDAMYCIN	07099 CALCIUM CITRATE
06278 FAZACLO	06925 CLINDAMYCIN	W/VITAMIN D
06281 MD-GASTROVIEW	(PHOSPHATE)	07100 CARRASYN
06284 HYCET	06935 CLINORIL	07103 CITRUS CALCIUM WITH
06290 CODOXIME	06963 CLOXACILLIN	VITAMIN D
06291 TELMISARTAN	06968 CLODERM	07105 COBALPHAMEAD
06294 CHEMOTHERAPY	06975 CLOMID	07106 CINNAMON
06302 OLMESARTAN	06980 CLONAZEPAM	07110 COCAINE
06303 HYDROXYCUT	06985 CLONIDINE	07113 FETRIN
06304 NEPHPLEX RX	06988 CLONIDINE HCL	07117 OPANA
06308 FENUGREEK	W/CHLORTHALIDONE	07119 FOLTABS 800
06309 QUINARETIC	06990 CLONOPIN	07133 LUCENTIS
06311 SUTENT	06993 CLORAZEPATE	07137 EXFORGE
06312 EMSAM	06995 CLORAZINE	07141 ZOSTAVAX

07144 PROAIR HFA	07315 COLESTID	07454 AZOR
07150 COD LIVER OIL	07318 HYDROPHOR	07455 BOYETTE'S SOLUTION
07152 EUFLEXA	07320 COLLAGENASE ABC	07457 ORAL REHYDRATION
07153 ARB	07324 METAFIBER	SALTS
07159 FOSAMAX PLUS D	07325 COLLODION	07465 COMHIST
07162 SORAFENIB	07326 PEARL BIOTIC	07468 FERROCITE PLUS
07166 DERMOTIC OIL	07328 OYSCO 500 WITH D	07470 COMPAZINE
07167 SEASONIQUE	07332 POLYVINYL ALCOHOL	07472 GARLIC AND CAYENNE
07170 BENAZEPRIL- HYDROCHLORO- THIAZIDE	07333 PROCEL	COMPLEX
07173 SELSEB	07334 PROSTATE HEALTH	07473 BENADRYL CREAM
07177 FLORA-Q	07337 RACEPINEPHRINE	07474 INFANRIX
07180 CODEINE	07343 SENTRY	07476 SIMPLY THICK
07182 PATADAY	07348 SUPER B-50 COMPLEX	07477 NEEVO
07183 JANUMET	07349 TEKTURNA	07478 COMPOUND W
07185 CODEINE PHOSPHATE	07351 TOTAL PARENTERAL	07479 TRIANT-HC
07187 LODRANE 12 HOUR	NUTRITION	07480 COMTREX
07188 ATUSS DS	07352 TRAVATAN Z	07481 XYZAL
07190 CODEINE SULFATE	07358 NIFEDIAC CC	07483 GREER'S GOO
07194 MIGQUIN	07362 CADEXOMER IODINE	COMPOUND
07197 FENTORA	07366 VITAMIN D3	07485 INFUVITE ADULT
07198 GINGERMAX	07367 ZEAXANTHIN W/LUTEIN	07486 J-MAX
07199 SILICONE GEL	07369 BREATH EZ	07491 LEVACET
07203 GUMMIVITES	07370 COLREX DECONGESTANT	07492 LIDOCAINE/MAALOX/ BENADRYL COMPOUND
07205 CODIMAL DM SYRUP	07371 CARBOXYMETHYL- CELLULOSE	07494 LOVAZA
07206 PEPCID COMPLETE	07376 AMERIGEL	07497 TAC/SA/LCD CREAM
07207 FEMCON FE	07378 AB-PLO	07499 CATAPRES-TTS-3
07209 VIVITROL	07381 CHROMAX	07504 PROFERRIN-FORTE
07212 TINDAMAX	07383 C-PHEN	07507 ARGATROBAN
07213 TYKERB	07386 BARACLUDGE	07517 VITA-LEA
07218 GLUMETZA	07387 CINACALCET	07523 ZIOX
07223 OPANA ER	07388 ENDOMENTRIN	07527 SILVER DRESSING
07229 BUDEPRION XL	07389 ENTECAVIR	07533 CLIMARA PRO
07232 LUTERA	07390 COLSALIDE	07534 ETONOGESTREL
07233 MIMYX	07391 URSO FORTE	07539 OPTIVE
07235 SYMAX DUOTAB	07392 VALGANICLOVIR	07543 CONJUGATED ESTROGENS
07237 DEPLIN	07393 CLINDAMYCIN TOPICAL	07545 CONRAY
07239 ICAPS AREDS	07394 PRISM TOPICAL GEL	07546 MENOSTAR
07243 ED-CHLOR-TAN	07396 PRISMA	07547 MUSHROOM EXTRACT
07250 COGENTIN	07398 ALTABAX	07549 CURCUMIN
07251 PERCOCET 10	07401 HUMAN PAPILLOMAVIRUS VACCINE	07551 ERLOTINIB
07252 PERCOCET 7.5	07406 VYVANSE	07552 ISOMETHEPTENE
07256 PINXAV	07407 AZASAN	07562 CHENODIOL
07257 VERAMYST	07409 COBAL-1000	07567 HYDROCERIN
07263 QUALAQUIN	07410 COLY-MYCIN S	07571 FLULAVAL
07265 COLACE	07411 DACOGEN	07572 HYALURONIC ACID
07266 RENA-VITE	07412 ASA	07573 MMR VACCINE
07267 ROYAL JELLY	07417 MYO CALM	07576 ALIGN
07268 COLAX LAXATIVE	07419 PROGESTERONE- BIESTROGEN	07591 NUOX
07272 SENSI-CARE	07420 PROPO-N	07601 POLYMYCIN
07274 SOLIA	07426 ACTIVE C EYES	07607 SARAPIN
07275 COLCHICINE	07428 ETHEDENT	07608 ALLI
07283 TANDEM PLUS	07431 AMRIX	07609 ADVATE
07289 ZIANA	07436 HYDROCHLOROTHIAZIDE- ATENOLOL	07610 CONVERSPAZ IMPROVED
07293 COLD RELIEF	07437 TECHNICARE ANTISEPTIC	07614 PHANATUSS DM
07299 VISION FORMULA	07450 PREZISTA	07616 DERMABOND
07307 COMPRO	07451 INTAMAX	07620 COPAVIN
07309 CRANBERRY EXTRACT WITH VITAMIN C		07622 FLUARIX
		07623 COPPER

07625 COPPERTONE	08020 CRUEX	08133 CYCLOCEN
07627 CPM PSE	08023 JUVEDERM	08134 ADHD MEDS
07633 QUASENSE	08026 FURADIL	08135 CYCLOCORT
07634 TYROSINE	08027 DMG	08137 BALSALAZIDE
07635 PRENATAL PLUS	08031 BALZIVA	08138 TWINJECT
07636 INDERMIL	08032 BYSTOLIC	08140 CYCLOGYL
07639 IMPLANON	08033 LYBREL	08141 DELTA D3
07642 SULFAC	08035 CRYSTIMIN	08145 CYCLOMYDRIL
07643 TROMETHAMINE	08037 COLLOIDAL OATMEAL	08147 MICRO-K
07645 MAG PLUS	08038 SYSTEM SHAMPOO	08148 CYCLONIL
07646 QUADRAMET	08039 RADIESSE	08149 ADVAIR
07649 TICILIMUMAB	08043 SERUM	08151 FLECTOR
07652 ETHINYL ESTRADIOL- NORETHINDRONE	08044 SUNITINIB	08153 CYCLOPHOSPHAMIDE
07659 QUARTUSS	08045 MVI	08156 DIVIGEL
07660 CORDRAN	08046 LOHIST	08157 COMBIGAN
07661 SILVERGEL	08047 LIALDA	08158 TERIPARATIDE
07662 ALLERTAN	08054 PROMOGRAN	08159 VARDENAFIL
07663 DYTAN	08056 IODOFLEX	08161 ROSUVASTATIN
07664 J-TAN	08057 CURASALT	08163 CYCRIN
07667 SAIZEN	08058 PRENATAL	08165 ACULAR
07668 DIATEX	08061 TENOFOVIR	08166 ZYDIS
07670 CORGARD	08066 IOHEXOL	08167 SULFACET-R
07676 HYFIBER	08067 BICARB	08169 CORTISPORIN TC OTIC
07680 CORICIDIN	08069 LOVERSOL	08174 ERYTHROMYCIN BENZOYL PEROXIDE
07686 AIRET	08074 PIPERACILLIN TAZOBACTAM	08177 ONE A DAY WOMENS FORMULA
07687 ALLANDERM-T	08076 NORGESTIMATE EE	08179 SANCTURA XR
07688 INSULIN ASPART	08077 ESOMEPRAZOLE	08180 CYPROHEPTADINE
07693 CALCIUM, MAGNESIUM AND VITAMIN D	08078 MESALT	08181 DILTIAZEM CD
07697 IMMUNOTIX 3-6	08079 EMBEDA	08185 DICLOFENAC XR
07702 PERFOROMIST	08080 CYANO	08186 PRENATAL VITIMINS W/OMEGA 3
07704 FENAGEL	08082 BOSWELLIN	08187 CHILDREN CLARITIN
07755 CORTAID	08084 LIDOGEL	08189 NONOXYNOL
07760 CORTEF	08086 BLEACH BATH	08190 CYSTEX
07775 CORTICAINE	08089 METOPROLOL/ HYDRO- CHLOROTHIAZIDE	08191 GLIPIZIDE/METFORMIN
07778 CORTICOTROPIN	08090 CYANOCOBALAMIN	08192 NEOSTRATA LIGHTENING GEL
07793 CORTISOL	08096 BABY VITAMIN W IRON	08194 ALLERTEC
07795 CORTISONE	08097 EMTRICITABINE/ TENOFOVIR	08196 ECZEMA CREAM
07805 CORTONE	08099 PALIVIZUMAB	08197 TREXIMET
07820 CORTROSYN	08102 IODOQUINOL	08200 CYSTOGRAFIN
07840 CORYZA BRENGLE	08103 PANITUMUMAB	08201 RAZADYNE ER
07845 CORYZAID	08104 TORISEL	08202 ALBUTEROL/ IPRATROPIUM
07888 COTRIM	08108 AROMATASE INHIBITOR	08203 OMNARIS
07913 COUGH FORMULA	08111 SINUS COCKTAIL	08204 TADALAFIL
07915 COUGH SILENCERS	08116 SIMCOR	08208 SALINE GARGLES
07920 COUGH SYRUP	08118 NEOCIN LOTION	08209 MUCINEX D
07930 COUMADIN	08121 AVOSIL	08212 SEROQUEL XR
07983 CPI	08122 ALA-HIST D	08214 TYLENOL CHILDRENS COUGH
07995 CREO-TERPIN COMPOUND	08123 TYLENOL SINUS MAXIMUM STRENGTH	08216 EXTINA
07997 CREON	08124 FIBER CAPSULES	08217 POMEGRANATE JUICE
08002 NORA-BE	08128 IBUTILIDE	08218 CYTARABINE
08006 TAMSULOSIN	08129 ALPHA E	08219 SUDOGEST
08007 BCP	08131 CERON-DM	08220 DILAUDID W/PHENERGAN
08008 OB COMPLETE DHA	08132 LEVA-PAK	
08009 INSULIN N		
08015 CROMOLYN		

08222 SALINE LOCK	08335 D-5	08435 IXEMPRA
08223 SIMILAC ALIMENTUM	08337 RESVERATROL	08437 OMNIPRED
08224 CITRANATAL	08340 D-50	08439 FLORICET
08226 PYRIDINE	08341 CALCIUM CARBONATE	08440 DAPSONE
08227 SALINE EYE DROPS	W/VIT D	08447 LAT GEL
08230 CYTOMEL	08342 DACARBAZINE	08448 PEDIATRIC
08231 TROPONIN	08343 OCEAN NASAL SPRAY	MULTIVITAMINS
08232 GERBER APPLE JUICE	08345 DACRIOSE	08450 DARAPRIM
08234 PRISTIQ	08346 DIET PILLS	08451 MOISTURIZING CREAM
08235 CITRICAL PRENATAL	08347 ADVIL PM	OTC
08237 HEART HEALTH	08348 TENUATE DOSPAN	08452 TUSSIONEX PENNKINETIC
SUPPLEMENT	08350 DAILY MULTIPLE VITAMIN	08453 MYOZYME
08241 VITAMINS E, C, D, B, B12	08351 IRON SULFATE	08462 AQUADEKS
08244 PRBCS	08354 VICODIN HP	08464 ENSURE PLUS
08245 CYTOXAN	08358 NATELLE-EZ	08467 BLOOD PATCH
08246 OXYCODONE ER	08360 DAILY VITAMIN FLAVORED	08468 ROCEPHIN W/LIDOCAINE
08247 IODOFORM	SYRUP	08469 BACTRAMYCIN
08248 NARVOX	08371 VZV VACCINE	08470 DARVOCET-N
08249 PATANASE	08372 NICOBAN	08472 VAZOTAB
08251 MASTISOL	08375 ZEMERON	08473 CLINDA-DERM
08254 SUDAFED PE	08377 H2O2 DOUCHE	08474 OMEGA 6
08255 NIACIN SR	08378 VARENICLINE	08475 DARVON
08258 NIASPAN ER	08380 ULTRADEX WOUND	08476 DHA
08260 EVAMIST	SCRUB	08478 COREG CR
08261 ALVESCO	08381 WOUND GEL	08479 PHENCHLOR TANNATE
08264 FLURA DROPS	08383 TENOCHECK	08481 ADIPEX-P
08267 HELICOBACTER PYLORI	08384 BLOOD PRESSURE	08482 LMX CREAM
VACCINE	MEDICATION	08489 BRAT DIET
08268 FLOXAPEN	08385 DALLERGY	08490 DARVON-N
08273 KYOLIC	08386 PINE BARK	08492 NETIPOT
08276 EMPIRIC ANTIBIOTICS	08387 THERALOGIX PROSTATE	08494 PERIDIEM
08277 TERSI FOAM	2.2	08495 DARVON-N W/A.S.A.
08278 ROMYCIN OINTMENT	08388 CLOBEX SPRAY	08509 LOTRIMIN
08279 PROSTATE MEDICATION	08390 DALMANE	W/HYDROCORTISONE
08281 DEHYDRATED ETHANOL	08391 IDE-CET	08513 OPHTHALMIC SOLUTION
08283 ATRALIN GEL	08392 NIZORAL & SELSUN	08517 BLINK TEARS
08289 MAITAKE	SHAMPOO	08518 BACTERIAL VACCINE
08293 SITAGLIPTIN	08394 LOPRESSOR HCT	08519 LIVE ORAL PRV
08297 HYALGAN	08395 DALOLONE	08521 RECLIPSEN
08298 INFERTILITY MEDS	08396 5 FU CREAM	08522 RECLAST
08300 D-S-S PLUS	08397 DAMASON-P	08527 DARUNAVIR
08303 BACITRACIN ZINC	08399 OLUX E FOAM	08528 NEO DM
08306 PHENYTOIN SODIUM	08400 DANAZOL	08531 SYNERA
EXTENDED	08401 OSTEOMATRIX	08534 YEAST CREAM
08307 ATROPINE/	08410 DANOCRINE	08535 DDAVP
HYOSCYAMINE/	08412 HEP A+B COMBO	08536 THALLIUM
PB/SCOPOL	08413 LACTAID	08537 H2O
08308 SENNA PLUS	08414 ANTI REFLUX	08538 PCM
08311 IOPROMIDE	08417 TRIAC	08544 MANGOSTEEN
08313 APLIGRAF	08418 POLYMYXIN B SULFATE	08546 ESTER-C
08314 BLACK FOAM	DROPS	08547 PCV
08315 D-10	08419 IQUIX	08551 A/B OTIC
08319 GROUP B STREP	08420 DANTRIUM	08552 PEG 3350
VACCINE	08423 PENTACEL	08553 HIB-PRP-T
08324 CHOLESTACARE	08425 DANTROLENE	08558 CENTURY-VITE
08326 EXCEDRIN EXTRA	08426 DOXYLAMINE	08559 AHAVA
STRENGTH	08428 ADJUVANT BRCA AC	08561 CENTURY
08329 ULTRAM ER	08429 RHOPHYLAC	08562 TOPICAL C
08331 PENTAMIDINE	08432 NOVOLOG FLEXPEN	08565 DEBROX
08334 SSZ	08433 FEXMID	08572 HYDROFIBER

08574 FLUOROQUINOLONES	08835 DEPAKENE	SODIUM
08575 DECADERM	08836 DEPAKOTE	09092 D50W INSULIN
08580 DECADROL	08860 DEPO-ESTRADIOL	09093 WOUND CLEANSER
08585 DECADRON	08865 DEPO-MEDROL	09095 DEXAMETHASONE
08586 DENZAPINE	08870 DEPO-PROVERA	SODIUM PHOSPHATE
08587 MYCAMINE	08880 DEPO-TESTOSTERONE	09098 OCP
08588 FLEXPEN	08885 DEPOGEN	09099 MICROCYN
08591 ISENTRESS	08895 DEPOTEST	09105 DMSO COCKTAIL
08592 NEBIVOLOL	08977 DERMOCAINE	09108 DTAP-POLIO
08593 VITAMIN D/B6	08985 DERMOLATE	09109 PREVIDENT
08595 DECADRON PHOSPHATE	08995 DERMOLIN	09115 DEXASONE
08597 SUPPRELIN	09001 HYDROLATUM	09119 ALAHIST DM
08598 NEPAFENAC	09002 CONTRAST	09120 DEXEDRINE
08599 CHELATION	09006 HYDROXYDIONE	09122 ULORIC
08602 SKIN LOTION	09010 DESENX	09124 HYDROSAL
08603 SKIN CREAM	09013 PAPAVERINE/ PHENTOLAMINE	09126 SKINCEUTICALS PHLORETIN
08605 DECADRON-LA	09014 MARCAINE/DEPO- MEDROL	09128 BIAFINE
08607 BISPHOSPHONATES	09015 DESFERAL	09129 LOCOID LIPOCREAM
08609 NAC	09016 SUCCINYLCHOLINE/ ROCURONIUM	09131 COSMETIC FILLER
08614 LEVOTIN	09017 NEOSTIGMINE/ GLYCOPYRROLATE	09132 PACNEX
08616 GCSF	09018 DECADRON/ZOFRAN	09133 PROMISEB
08617 PEGASPARGASE	09019 PROPOFAN	09134 APPEAREX
08619 RALTEGRAVIR	09020 DESIPRAMINE	09137 PIMECROLIMUS
08620 THYROGEN	09022 COAPTITE	09138 PROCENTRA
08621 NATURE-THROID	09025 DESITIN	09139 ARANELLE
08622 VITAFOL PN	09029 BAKING SODA BATHS	09140 APPLE CIDER VINEGAR
08624 CETRAXAL	09033 DESOWEN	09141 GELNIQUE
08627 PRENAFIRST	09034 MAALOX/DONNATAL	09142 PRE NATAL VITAMINS W/DHA
08628 KELO-COTE	09038 TOPICAL SKIN CREAM	09146 MULTIVITAMIN FOR HER
08633 ANGELIQ	09039 HYDROFERA BLUE	09149 INSULIN R
08637 IODIXANOL	09042 OLIVE LEAF EXTRACT	09151 STEROID
08639 FULVESTRANT	09046 LIDOCAINE/ MAALOX/DONNATAL	09152 VERIPRED
08640 DECLOMYCIN	09050 DESQUAM-X WASH	09156 COVARYX
08653 THYROTROPIN	09051 REISHI	09157 CELLULOSE OXIDIDE
08656 ARGLASE	09052 DILTIAZEM/LIDOCAINE OINT	09159 ISOSULFAN BLUE
08661 OMALIZUMAB	09053 DPCP	09160 NEOSTIGMIN/ROBINUL
08663 TAZAROTENE	09054 PREVISCAN	09162 EPI-SHUGARCAINE
08665 DECONEX	09056 PUVA	09167 COMPOUND MEDICATION
08666 CHILDRENS VITAMINS	09059 ACAI	09168 TRIESENCE
08667 IBANDRONATE	09065 DEX-SALT	09170 DEXTROAMPHETAMINE
08670 DECONGESTANT	09067 CUTICERIN	09171 ATREZA
08678 BRINZOLAMIDE	09070 DEXACEN	09174 PRECEDEX
08679 GLATIRAMER	09074 FLYNNS COCKTAIL	09175 DEXTROSE
08681 ETRAVIRINE	09075 DEXAMETHASONE	09176 VITRASE
08691 MYOVIEW	09077 GADOLINIUM	09177 BIVALIRUDIN
08692 MEDIHONEY	09079 CHONDROCARE	09180 DEXTROSE W/ELECTROLYTE
08696 XEROFLO	09080 DEXAMETHASONE ACETATE	09181 TOPICAL ANESTHETIC
08697 ELTA	09084 RESEARCH DRUG	09182 ENOXACIN
08701 ARGLAES	09088 DEXAMETHASONE OPHTH	09183 6-MP
08702 MITRAZOL	09089 COLOXIN	09185 DSF
08703 DERMAGRAFT	09090 DEXAMETHASONE	09186 TISSEEL GLUE
08707 SEBA-GEL		09188 SODIUM CHONDROITIN SULFATE/SODIUM HYALU
08730 DELATESTRYL		09190 DEZONE
08745 DELESTROGEN		09197 CORNEA COAT
08753 DELSYM		
08770 DELTASONE		
08775 DEMAZIN		
08805 DEMULEN		

09198 VANCOMYCIN/ GENTAMICIN	09302 DEFLUX	09397 SILICA
09199 LACOSAMIDE	09305 DIAMOX	09398 PRENATAL DHA TABS
09201 AXONA	09307 IODINATED CONTRAST	09407 TASIGNA
09202 ACUVAIL	09308 MUROCOLL 2	09408 FOSINOPRIL/HCTZ
09207 SELZENTRY	09309 BSS + EPINEPHRINE	09409 VITAMIN B & D
09209 DURAPREP	09311 INTEGRA F	09411 SILVER NITRATE/ POTASSIUM NITRATE
09211 H1N1 INFLUENZA VACCINE	09312 AMVISC PLUS	09412 OCU-CAINE
09213 ESZOPICLONE	09313 DISCOVISC	09424 DICLOX
09215 CHOLESTEROL MED	09314 AMVISC	09426 MULTIVITAMIN SENIOR
09216 BESIVANCE	09315 AMPHADASE	09430 DICEN
09219 DILATRATE SR	09316 SPERMICIDE	09431 EEMT HS
09221 CALCIMATE	09318 MYCOLOG II	09432 EFLORNITHINE
09223 EFFIENT	09319 DOCOSAHEXAENOIC	09433 DICLOXACILLIN
09224 HEMATOMA BLOCK	09326 METFORMIN ER	09437 EEMT
09226 POTASSIUM CHLORIDE W/MAGNESIUM SULFATE	09327 LEXISCAN	09438 OMEGA 3/6/9
09229 SULFONAMIDE	09329 URO-JET	09439 VASOLEX
09234 INFERGEN	09332 BROMFENAC OPHTHALMIC	09441 TUMS ULTRA
09235 SYMPATHETIC NERVE BLOCK	09333 SEPTA	09444 ONGLYZA
09237 DEXLANSOPRAZOLE	09337 CICLESONIDE	09446 EES
09239 ED CHLORPED	09339 ANESTHETIC THROAT LOZENGES	09447 OSMOPREP
09241 POLY HIST PD	09341 IOCM	09449 VECTICAL
09242 NUCORT	09344 PACKED RED BLOOD CELLS	09450 NEILMED SINUS RINSE
09248 CHILDREN ZYRTEC	09347 SODIUM SULAMYD	09451 MUCINEX MAX STRENGTH
09249 BANZEL	09353 MULTAQ	09452 NOVOLIN NPH
09251 MITOTANE	09354 MAGNEVIST	09453 FELODIPINE ER
09252 APLENZIN	09356 NEUTROGENA NORWEGIAN FORMULA	09455 DICYCLOMINE
09253 EPIPEN JR	09358 ADRENAL TINCTURE	09457 OCULAR PROTECT
09254 MYDRAL	09359 RACEMIC NEB	09458 VITAMIN B-6/C
09257 NILOTINIB	09360 ACETAMINOPHEN/ ISOMETHEPTENE	09461 FLINTSTONES PLUS IRON CHEW
09263 POLYMIX/TRIAM	09361 PRENATAL AD	09465 DIDREX
09265 MILLIPRED	09362 CENTRUM CARDIO	09466 GLUCOSCAN
09266 POLY-VENT DM	09364 DROSPIRENONE/ ETHINYL ESTRADIOL	09467 EES OPHTHALMIC
09268 DEXAMETHASONE/ LIDOCAINE	09365 DIATRIZOATE	09470 DIDRONEL
09269 ATRAC-TAIN CREAM	09366 ANTIBACTERIAL SOAP	09472 MAALOX EXTRA STRENGTH
09270 SILVER ALGINATE	09367 SIMILAC ADVANCE	09473 MYLANTA/VISCOUS XYLOCAINE
09279 DUREZOL	09368 KRILL OIL	09477 VAZOL
09280 REVITAL EYES	09370 DIAZEPAM	09480 HEPARIN/D5W
09281 SALMON OIL	09371 PEDIA-LAX	09481 MENTHOL/METHYL SALICYLATE
09282 SALT TABLETS	09376 MULTIVITAMIN W/THIAMINE/FOLATE	09482 D10 NACL
09284 ACID REDUCER	09377 Z-PACK	09483 CYCLOGYL/NEO- SYNEPHRINE
09286 NUCYNTA	09378 MAALOX MAX	09484 VIGAMOX/CYCLOGYL/ NEO-SYNEPHRINE
09287 HUMALOG MIX 50/50	09379 BETHAPRIM DS	09491 NEO-SYNEPHRINE/ MYDRIACYL
09290 DIALOSE	09381 C-PHEN DM	09494 LIDOCAINE/WYDASE
09291 DALLERGY PE	09382 MULTIVITAMIN W/ VITAMIN K	09495 DIETHYLPROPION
09292 MAXIFED-G	09384 DEXMETHYLPHENIDATE	09497 D5 1/3 NS
09293 DIVALPROEX ER	09386 PROMETHEGAN	09498 BSS PLUS
09294 VITAMIN D/B12	09389 THIAMINE/FOLATE	09499 MEPIVACAINE
09296 KEPBRA XR	09390 DIBUCAINE	09500 DIETHYLSTILBESTROL
09297 VALSARTAN/ HYDROCHLORO- THIAZIDE	09391 SAPHRIS	09502 FUSILEV
09299 CALCIUM- CHOLECALCIFEROL	09392 LET GEL	09503 UTIRA-C
09301 ANXIOLYTIC	09393 OPHTHALMIC ABX	09504 THROMBIN
	09394 SSRI	09505 TRI-SPRINTEC
	09396 INTUNIV	



09508 NEO-FENTANYL	09606 KAPIDEX	09706 TRIVITA
09509 CLOPRAMIDE	09608 ALLERCLEAR	09716 KETOCONAZOLE
09516 BUPIVACAINE/ HYDROMORPHONE	09613 CAPMIST DM	SHAMPOO
09518 SEPTOCAINE	09614 ZOLPIDEM	09717 GAS RELIEF DROPS
09521 LACTATED RINGERS W/ EPINEPHRINE	09615 DILOCAINE	09718 EXENATIDE
09522 TOPEX	09616 VOSOL	09721 UBIDECARENONE
09524 VISION BLUE	09618 ASTEPRO	09722 CHOLECALCIFEROL
09527 FIBRIN SEALANT	09620 DILOCOL	09723 INTELENCE
09533 VISCOELASTIC GEL	09621 NIFEDIPINE XL	09724 GI LAVAGE SOLUTION
09536 NATAZIA	09622 CORDAN	09728 MOTRIN PM
09537 TUMESCENT SOLUTION	09623 TRYPAN BLUE	09732 INSULIN PUMP
09541 ENTEREG	09624 CLOBETASOL PROPIONATE	09733 CORVITE
09542 XYLOCAINE W/VITRASE	09626 JUNEL	09734 ASPIRIN/ ACETAMINOPHEN/ CAFFEINE
09544 MIOCHOL	09627 AZURETTE	09737 IBUDONE
09545 DIGOXIN	09628 JOLIVETTE	09738 MILRINONE
09547 SUXMETHONIUM	09634 STAVZOR	09739 BORTEZOMIB
09553 BACTERIOSTATIC	09636 ALDEX DM	09741 FEROSUL
09554 TETRAVISC	09637 NECON 777	09742 STROVITE ADVANCE
09556 PRILOCAINE	09639 LATISSE	09744 RELAGARD
09557 MICAFUNGIN	09640 DIMENHYDRINATE	09751 HYDROCODONE/ IBUPROFEN
09561 HONEY	09643 EPICERAM CREAM	09752 SULFAMETHAZOLE TRIMETHOPRIM
09562 DEXTROMETHORPHAN/ GUAIFENSIN	09644 PREVIFEM	09753 THYROID STIMULATING HORMONE
09563 NASAL BULLETS	09645 EPIDUO	09756 WAL-ZYR
09565 DOXERCALCIFEROL	09647 OCELLA	09757 ACZONE
09569 SMZ TMP DS	09648 RELISTOR	09758 EFA OIL
09571 NIACIN CR	09650 DIMENTABS	09760 KETOTIFEN FUMARATE
09574 DIHYDROCODEINE	09651 ACETAMINOPHEN- TRAMADOL	09761 ALKA-SELTZER COUGH AND COLD
09576 POTASSIUM CITRATE	09652 TRILIPIX	09772 TOVIAZ
09577 NYQUIL	09654 FENOGLIDE	09773 PROSED EC
09578 PEDIATRIC IBUPROFEN SUSP	09655 IV FLUIDS	09774 CIPRO/HYDRO- CORTISONE
09579 DESOGESTREL ETHINYL- ESTRADIOL	09656 PRIVIGEN	09781 ACANYA GEL
09580 DIIDOHYDROXYQUIN	09657 LIDOCAINE/TETRACAINE	09783 INSULIN 70/30
09582 OXYCODONE CR	09661 HEPARINIZED SALINE	09784 NASOGEL
09583 LANTUS SOLOSTAR	09663 IOTHALAMATE	09788 GRAMICIDIN/NEOMYCIN/- POLYMYXIN B
09585 DILANTIN	09664 CRYSTALLOID	09789 PERFLUTREN
09587 BUPROPION XL	09666 SODIUM PENTATHOL	09791 VENTOLIN/ATROVENT
09588 CONJUGATED ESTROGENS/ METHYL- TESTOSTERONE	09667 DEXMEDETOMIDINE	09795 EXFORGE HCT
09589 PROPRANOLOL ER	09668 FLOSEAL	09796 TRELSTAR LA
09591 TANDEM DHA	09669 XYLOCAINE-MPF	09797 RAPAFLU
09592 TANDEM F	09672 INTERFERON ALPHA 2B	09798 OS-CAL ULTRA
09595 DILAUDID COUGH SYRUP	09674 ZEM	09799 NITRO-DERM
09597 KINRIX	09675 DIMETANE EXPECTORANT-DC	09801 AZASITE
09598 EYE LUBRICANT	09676 VECURON	09803 TRIACTIN
09599 RANIBIZUMAB	09679 COLLAGENASE OINTMENT	09804 HYOMAX
09600 DILAUDID	09687 TESTOSTERONE CYPIONATE	09806 LETAIRIS
09601 RENVELA	09689 HUMALOG INSULIN PUMP	09808 VIRAVAN-PDM
09602 VITAMIN C AND VITAMIN D3	09690 DIMETAPP	09809 ASPIR-LOW
09604 FIBRACOL	09691 CIMZIA	09811 ACETASOL HC
09605 DILAX	09694 APROVEL	09813 MOVIPREP
	09701 DIGESTIVE ENZYMES	09814 PURACOL AG
	09702 AZO	
	09703 THYROID DESICCATED	
	09705 DIOCTALOSE	

09815	DIPH TET TOXIODS	09893	SKIN REPAIR CREAM	10013	TOPICORT WITH SALACID AND LCD
09816	PHYSIOLOGICAL SALINE SOLUTION	09899	MEPILEX AG	10014	TRI-LUMA
09820	DIPH TET TOXIODS PERTUSSIS	09900	DIPHTHERIA TETANUS TOXIODS	10016	TRI-PREVIFEM
09821	PHENERGAN VC	09905	DIPHTHERIA TOXOID ADULT	10017	BENZEFOAM
09823	DIPHENADRIL	09906	AMEROL	10018	VEREGEN
09825	WILSONS SOLUTION	09909	DECITABINE	10019	NEOSALUS
09826	OMNISCAN	09910	VIMPAT	10020	DIURETIC
09829	SANCUSO	09911	SINUS MEDICATION	10021	MACUVITE TAB
09833	DOLGIC PLUS	09912	NEUROPATHY CREAM	10022	CLINIQUE REDNESS SOLUTION
09834	DITROPAN XL	09913	ZOVIA	10023	OCULAR NUTRITION
09836	NOVARIN	09914	EAR WAX REMOVAL	10024	BIOGAIA
09837	LIPOFEN	09915	DIPROSONE	10025	DIURIL
09839	DIPHENHIST	09917	SLEEP AID	10026	GLUCOSAMINE AND CHONDROITIN W MSM
09840	DIPHENHYDRAMINE COMPOUND EXPECTORANT	09920	DIPYRIDAMOLE	10027	CEREFOLIN NAC
09841	DMPA INJECTION	09921	TRIMEDAL	10028	INVEGA SUSTENNA
09843	FERROSOL	09924	DRONEDARONE	10029	GENICIL
09846	CLAVULANATE	09926	VITAMIN D WITH IRON	10031	MULTIVITAMIN WITH OMEGA-3
09847	SITZ BATH	09927	MENINGOCOCCAL/TDAP	10032	FS SCALP OIL
09848	ACELLULAR PERTUSSIS	09929	TRIGOSAMINE	10033	MULTIVITAMIN W/ LUTEIN
09849	ENALAPRILAT	09932	PEPTAMEN JR	10034	SUPER ADRENAL STRESS FORMULA
09850	DIPHENHYDRAMINE	09936	DILTAIZEM ER	10036	OTIRX
09852	IVERSOL	09937	SRONYX	10037	HISTAEZE
09853	GLIPIZIDE XL	09938	CENTRUM WOMENS	10038	ESTROVERA
09854	SAVELLA	09939	METOZOLV ODT	10039	IMMUNE-RX
09855	DIPHENHYDRAMINE HCL COUGH SYRUP	09946	LOTEPREDNOL ETABONATE	10041	SLIM & DRAIN SUPPLEMENT
09856	ROTARIX	09951	IV ANTIBIOTICS	10042	PMS SOOTHE
09857	NITROPATCH	09954	DIVALPROEX	10043	OSSOPAN
09858	VITAL-D RX	09957	ALAWAY EYE DROPS	10044	L-THEANINE
09860	DIPHENHYDRAMINE HCL ELIXIR	09964	DIASTAT ACUDIAL	10046	VIVELLE-DOT
09861	NUVIGIL	09968	APRISO	10047	NEXCEDE
09862	GAS RELIEF	09970	DISPATABS	10049	DENTAL NERVE BLOCK
09863	MIACALCIN NASAL	09972	HBIG	10051	SUGAR FREE COUGH DROPS
09864	MEDAZINE	09973	GUAFENESIN/ PROMETHAZINE/ CODEINE	10052	HEMOGEN
09867	POTASSIUM BICARBONATE	09974	BOTULINUM	10053	SE-NATAL
09869	AMLODIPINE/ ATORVASTATIN	09975	DISULFIRAM	10054	BENADRYL-D
09870	DIPHENHYDRAMINE HCL SYRUP	09978	LUVOX CR	10056	RELIV POWDER
09871	ESTRADIOL PATCH	09979	SODIUM POLYSTYRENE SULFONATE	10057	MERCUCROCLEAR
09872	FACET INJECTION	09980	DITAN	10058	ASPIRIN/ SALICYLAMIDE/ CAFFEINE
09875	DIPHENHYDRAMINE HCL 22 GA	09982	BMX SOLUTION	10059	SINECCH
09876	POWERADE	09986	RHODIOLA	10061	ZENPEP
09880	DIPHENOXYLATE HCL & ATROPINE SULFATE	09990	DIPHTHERIA TETNUS TOXIODS PERTUSSIS	10062	PENTOSAN
09882	DEXTROMETHORPHAN	09993	DIPHTHERIA TOXOID	10063	AG PRO VITAMINS
09886	REFRESH PLUS	09995	DITROPAN	10064	UBIQUINONE
09887	LOTION	10001	MULTIGRAM	10065	FCR
09888	INSULIN DETEMIR	10002	OSTEO-PORETICAL	10066	TAXOTERE W/CYTOXAN
09889	CALCIUM ALGINATE	10003	ELDERBERRY JUICE	10067	KETOCONAZOLE AND CLOTRIMAZOLE
09891	COLLAGENASE SANTYL OINTMENT	10004	LUBRICANT DROPS	10068	ADRIAMYCIN W/CYTOXAN
09892	MOXATAG	10006	DYSPORT	10069	HEMATOGEN
		10007	BLUE EMU CREAM	10070	BUDEPRION
		10008	RENAL GEL	10071	EQUATE
		10009	HYDRA CAPSULES		
		10011	CERVARIX		
		10012	ACTONEL W/ CALCIUM		

10072 TICLID	10136 TUSSIDEX	10193 BETADINE WITH EPINEPHRINE
10073 INSULIN SLIDING SCALE	10137 TEBS	10194 MYFERON 150
10074 GM-CSF	10138 E-CREAM	10195 DONNA-SED ELIXIR
10075 EVICEL	10139 ABATACEPT	10196 DYNA-HEX
10076 ORDRINE	10140 DOME-PASTE BANDAGE	10197 PHICON
10077 DIMETHICONE	10141 LISIR	10198 BSS PLUS WITH EPI VANCOMYCIN AND GENTAM
10078 DIGITAL NERVE BLOCK	10142 NEOCIDIN	10199 TRIAMCINOLONE/ CLOTRIMAZOLE
10079 QUTENZA	10143 BAYCADRON	10201 ANTINEOPLASTIC HORMONES
10081 LUTROPIN ALFA	10144 SALT SOLUTION	10202 BEPREVE
10082 INFANTS NON ASPIRIN SUSP DROP	10145 DOMEBORO	10203 TRIPTORELIN PAMOATE
10083 MYLANTA DS	10146 ZORCAINE	10204 BUTALBITAL- ACETAMINOPHEN
10084 SALT WATER NASAL SPRAY	10147 CYCLIZINE	10206 GAVILYTE-N
10087 DOCUSATE	10148 DILATING COCKTAIL	10207 TRI-LO-SPRINTEC
10088 HERBAL PATCH	10149 LIDOCAINE/EPINEPHRINE/ MARCAINE	10208 MULTIGEN PLUS
10089 DOCUSATE CALCIUM	10151 HYALURONIDASE/ MARCAINE/ EPINEPHRINE	10209 MAXARON FORTE
10091 HUA TUO PLASTER	10152 AK-POLY-BAC	10210 DONNATAL
10092 IPV	10153 IODOPHOR	10211 HELIUM OXGEN MIX
10093 BIO-STATIN	10154 VISCOCEL	10212 ORALGAM
10094 CARBETAPENTANE/ CHLORPHENIRAMINE	10155 D5 NS W/KCL	10214 ESTRADIOL/ MEDROXY- PROGESTERONE
10096 FERAHEME	10156 D5 NS W/KCL	10216 HPV VACCINE
10097 DIGESTIVE AIDS	10157 MINERAL OIL ENEMA	10217 NPLATE
10098 BENDAMUSTINE	10158 MVI-12	10218 RELCOF
10099 SYMPT-X	10159 CERON	10219 VITEX
10101 VINEGAR WASH	10161 ETHANOL	10221 CHERRY JUICE
10102 ALGIDEX	10162 SURE CREAM	10222 ILOPROST
10103 HIBERIX	10163 PENTREXYL	10223 REPREXAIN
10104 CHEMOTHERAPY PRE- TREATMENT	10164 DOSEPAK	10224 RUFINAMIDE
10106 RECTAL ROCKET SUPPOSITORY	10165 DOMMANATE	10225 DOPAMINE
10107 CORZALL PLUS	10166 BUPRENORPHINE- NALOXONE	10226 MOOD STABILIZER
10108 SUMAVEL	10167 MOTILIUM	10227 DOCOSANOL
10109 ZIPSOR	10168 SUDAHIST	10228 CEVIMELINE
10111 BENPROX	10169 MCV4	10229 VORINOSTAT
10112 SILVERLON CA	10171 CHLOR-MES D	10231 NEOMYCIN/ POLYMYXIN B/HYDROCORTISONE
10113 NERVE BLOCK	10172 RED WINE- POMEGRANATE	10232 ZYCLARA
10114 ELTROXIN	10173 GETA ANESTHESIA	10233 USTEKINUMAB
10116 BEBULIN VH	10174 TRIVARIS	10235 DOPRAM
10117 NOVA 7	10175 BURSA INJECTION	10236 ABACAVIR-LAMIVUDINE
10118 OPC-3	10176 AR FORMULA	10237 WHITE WILLOW
10119 SINGLE DONOR PLATELETS PACK	10177 SOLOTRON	10238 BUTALBITAL-ASA- CAFFEINE-CODEINE
10121 DULERA	10178 RESOURCE OPTISOURCE	10239 BPM-PSEUDO
10123 VICTOZA	10179 CLINDAMYCIN/BENZOYL GEL	10241 GADOTERIDOL
10124 CEROVITE SILVER	10180 DONATUSSIN	10242 D-VI-SOL
10125 EVEROLIMUS	10181 LISDEXAMFETAMINE	10243 TRIMECAINE
10126 DOLOBID	10182 FORMOCRESOL	10244 TRIBENZOR
10129 CABAZITAXEL	10183 DONATUSSIN DC	10246 INSULIN LISPRO MIX
10130 DOLOPHINE	10184 PROTECTOL	10247 PENTOSAN POLYSULFATE
10131 OCTAGAM	10186 SENSORCAINE WITH WYDASE	
10132 ADRIAMYCIN/ CYTOXAN/TAXOL	10187 SENSORCAINE WITH SUFENTANIL	
10133 PCV 7	10189 RETROBULBAR BLOCK	
10134 PPV 23	10191 INFUSION THERAPY	
10135 DEXILANT	10192 SALINE FLUSH	

10248 FEXOFENADINE- PSEUDOEPHEDRINE	10329 AERODINE	10392 OMEDIA
10249 ALBICORT	10330 DOXIDAN	10393 LORATADINE- PSEUDOEPHEDRINE
10251 TROSPIUM	10331 POLYCITRA-K	10394 PENBUTOLOL
10256 NICOTINE POLACRILEX	10332 NORDITROPIN NORDIFLEX	10395 DRAMOCEN
10258 NAFTIFINE	10333 MOISTURE DROPS	10396 DIAPER OINTMENT
10259 CASOPLITANT	10334 HEART PILL	10397 POTASSIUM BICARBONATE/ POTASSIUM CITRATE
10260 CARBOPLATIN/ PACLITAXEL	10337 ADALIMUMAB	10398 SUDAFED LA
10261 LYSTEDA	10338 OLEPTRO	10399 CIPROFLOXACIN- DEXAMETHASONE
10262 HYDROCORTISONE- PRAMOXINE	10339 BIRTH CONTROL SHOTS	10401 SINCALIDE
10263 INVAREST	10341 ACNEVIR	10402 UNISERTS
10264 SETRON	10342 STERILID	10403 BUPIVACAINE W/MORPHINE
10266 GLUTATHIONE	10343 DOXY-CAPS	10404 HETASTARCH
10267 ADDAPRIN	10344 BROMDAY	10406 FLIXOTIDE
10268 HYLATOPIC FOAM	10345 DOXY 6	10408 LIRAGLUTIDE
10269 CLARIFOAM	10346 BUTTERBUR	10409 PSEUDOX M
10270 VENACURA	10347 VITAMIN B3	10410 DREST GEL
10271 VALORIN	10348 ARTICAIN W/ EPI	10411 LOPINAVIR/RITONAVIR
10272 STELARA	10349 CARBOCAINE W/ NEO- COBEFRIN	10412 AMYLASE/LIPASE/ PROTEASE
10274 NEEVO DHA	10350 DOXYCHEL	10413 AFINITOR
10277 TANDEM	10351 CENTRUM ULTRA MENS	10414 KIONEX
10279 PRENEXA	10352 NYSTATIN MOUTH/THROAT SUSPENSION	10415 MILNACIPRAN
10281 TREANDA	10353 BENCORT	10416 FRISIUM
10282 TIROSINT	10354 TEKTURN HCT	10417 FORMALAZ
10284 COP PLUS RITUXAN	10355 DOXYCYCLINE	10418 TREPROSTINIL
10286 ATELVIA	10356 PRADAXA	10419 STIRIPENTOL
10287 TEMOVATE E	10357 CALTRATE W/IRON	10420 ALTARUSSIN
10290 ECASA	10359 ACTEMRA	10421 ALER-TAB
10299 IMMUNOGLOBULIN	10361 LIPOPLEX	10422 OMEGA FATTY ACIDS
10301 VITAMIN D2	10362 CORDYCEPS	10423 SALINE CLEANSER
10303 DERMICIDE	10365 40 WINKS	10424 VAGINAL MOISTURIZER
10304 JALYN	10366 ARTHRICREAM	10425 DISC-GARD
10306 GIANVI	10367 NEXT CHOICE	10426 APOMORPHINE
10307 NASAL IRRIGATION	10368 LEVOCETIRIZINE DIHYDROCHLORIDE	10427 CALOMIST
10308 ALTERIL	10369 FLEX-A-MIN	10428 CATECHOLAMINES
10309 AMPYRA	10370 SILODOSIN	10429 PYLERA
10310 DOVOSAL	10371 DMP	10431 MENOPAUSE ONE
10311 ZIRGAN	10372 OCULAR ESSENTIALS	10432 NEOTRIN
10312 CELADRIN	10373 THERAPIN	10434 BACI-IM
10313 NATURAL CARE LUNG SAVER	10374 TOCILIZUMAB	10435 ORBIVAN
10314 STEM ENHANCE	10375 TRI VITAMIN WITH FLOURIDE	10436 HYLAN
10316 PCV 13	10376 NITAZOXANIDE	10437 PRASUGREL
10317 RESPA C&C	10380 DRAMAMINE	10438 TINCTURE OF BENZOIN
10318 CAL-NATE	10381 G-CSF	10439 DARCALMA
10319 PRASCION	10384 IOXILAN	10440 DRISDOL
10320 IRON SUCCINYL-PROTEIN COMPLEX	10385 DRAMAMINE SUPPOSICONE	10441 AKTEN
10321 CELL PRESS	10386 BUTRANS	10442 ONSOLIS
10322 HYDROCHLORO- THIAZIDE/ TRIAMTERENE	10387 TOPICAL PHARYNGEAL SPRAY	10443 ELON DUAL
10323 VICRIVIROC	10388 BCAA ORAL	10444 DORIPENEM
10324 NUCLEAR RX	10389 DEXTRO- AMPHETAMINE/ AMPHETAMINE	10446 BUTAMBEN-TETRACAINE- BENZOCAINE
10325 DOXEPIN	10391 GENAMIN	10447 PRODIUM
10326 IVP DYE		10448 AZO-GESIC
10327 LIDOCAINE/BUPIVACAINE		10449 ULTRAVIST
10328 BRIMONIDINE-TIMOLOL		10451 ONABOTULINUMTOXINA

10452 ANTIHYPERGLYCEMICS	10514 SALACYN LOTION	11395 ENTEX
10453 ARZOL	10515 THEROBEC PLUS	11433 ENZYME
10456 COMPOUNDED OPHTHALMIC MEDICATION	10516 VIVAGLOBIN	11450 EPHEDRINE
10457 EZ III	10518 DRY SOL	11480 EPHEDRINE SULFATE
10458 FOSPROPOFOL	10519 NATTOZIMES	11505 EPHENYLLIN
10459 LUSEDRA	10520 FERUMOXYTOL	11540 EPINEPHRINE
10461 GENEXA LA	10521 PHILLIPS COLON HEALTH	11545 EPINEPHRINE MUROCOLL
10462 TRITAL DM	10522 LURIDE CHEWABLE	11548 EPIPEN
10463 ALGINATE AG	10523 LIQUACEL PROTEIN SUPPLEMENT	11549 EPITOL
10464 EMU OIL	10524 ONE A DAY ENERGY FORMULA	11575 EPSOM SALT
10466 AZELAIC ACID	10525 DSS	11580 EQUAGESIC
10467 DEX 4	10526 INSULIN ISOPHANE AND REGULAR	11615 ERGOCALCIFEROL
10468 ZICONOTIDE	10527 NATURAL SUPPLEMENT	11640 ERGOTAMINE
10469 FLEBOGAMMA	10528 PRORENAL	11645 ERGOTRATE
10471 ZYMAXID	10529 ARTHROZYME	11651 ERYC
10472 NASEPTIN NASAL CREAM	10531 VPRIV	11657 ERYPED
10473 FUCIDIN	10532 DUTASTERIDE/ TAMSULOSIN	11658 ERY-TAB
10474 ORAQIX	10575 DULCOLAX	11660 ERYTHROCIN
10476 INTEGRA PLUS	10620 DUO-MEDIHALER	11665 ERYTHROMYCIN
10477 ECULIZUMAB	10630 DUOFILM	11668 ERYTHROMYCIN OPHTHALMIC
10478 VIMOVO	10650 DUOLUBE	11669 ERYTHROMYCIN W/SULFISOXAZOLE
10479 SAXAGLIPTIN	10743 DURAMORPH	11680 ESERINE
10481 EXALL	10758 DURASIL	11688 ESGIC
10482 FOLOTYN	10800 DURICEF	11690 ESIDRIX
10483 GLAXAL	10810 DV	11695 ESIMIL
10484 THORNE MERIVA	10815 DYAZIDE	11700 ESKALITH
10486 BIO-GEST	10820 DYCILL	11740 ESTRACE
10487 EUPATORIUM	10830 DYLLINE	11745 ESTRADIOL
10488 LEUKOTRIENE	10840 DYMENATE	11765 ESTRATEST
10489 PHENYLEPHRINE/ CYCLOPENTOLATE	10845 DYNAPEN	11770 ESTRAVAL
10491 BETADINE OPHTHALMIC	10855 DYPAP ELIXIR	11800 ESTROGEN
10492 MICHOL	10860 DYPHYLLINE	11850 ETHAMBUTOL
10493 RADIONUCLIDE	10865 DYRENIUM	11880 ETHINYL ESTRADIOL
10494 ASTRAMORPH PF	10905 E-MYCIN	11898 ETHOSUXAMIDE
10496 PROHANCE	10925 EAR DROPS	11900 ETHRANE
10497 STAMMBERGER SIMU- FOAM GEL	10930 EAR DROPS FORMULA #2	11915 ETHYL CHLORIDE
10498 MARCAINE/KENALOG/ EPINEPHRINE	10970 ECONOPRED	11945 EUCERIN
10499 MARCAINE/CELESTONE SOLUSPAN	10975 ECOTRIN	11965 EUTHROID
10500 DROPERIDOL	10985 EDECRIN	12025 EX-LAX
10501 PROPOVEN	10995 EFEDRON	12035 EXCEDRIN
10502 ZYPRAM	11025 EFUDEX	12078 EYE PREPARATION
10503 ALL DAY ENERGY TAB	11045 ELASE	12140 FASTIN
10504 TINZAPARIN	11065 ELAVIL	12143 FAT EMULSION
10505 DROTIC	11130 ELECTROLYTE	12150 FEBRINOL
10506 FEBUXOSTAT	11152 ELOCON	12193 FELDENE
10507 CLOBEVATE	11155 ELSPAR	12225 FEMIRON
10508 ZENCHENT	11190 EMETROL	12245 FENOPROFEN
10509 COLCRYS	11252 ALUM MAG SIMETHICONE	12255 FEOSOL
10510 CALCITRENE	11267 MEDICAL MARIJUANA	12265 FEOSOL PLUS
10511 ALPHANATE	11295 EN-CEBRIN	12285 FER-IN-SOL
10512 GLUCOMANNAN	11340 ENDURON	12300 FERGON
10513 GLUCOSE ESSENTIALS	11355 ENFAMIL	12345 FERO-GRAD-500
	11383 ENOVIL	12365 FERRALET
	11390 ENSURE	12380 FERRIC AMMONIUM
		12385 FERRIC AMMONIUM SULFATE

12400 FERRITRINSIC	13320 GENTAMICIN	14645 HOMATROPINE
12465 FERROUS FUMARATE	13325 GENTIAN VIOLET	14648 HOMATROPINE HYDROBROMIDE
12480 FERROUS GLUCONATE	13395 GERIATRIC FORMULA	14683 HORMONE
12485 FERROUS PLUS	13400 GERIATRIC VITAMINS	14713 HUMAN CHORIONIC GONADOTROPIN
12490 FERROUS SULFATE	13455 GERITOL	14714 HUMATE-P
12495 FERROUS SULFATE W/BREWER'S YEAST	13515 GINSENG	14715 HUMATIN
12510 FESTAL	13535 GLUCAGON	14717 HUMATROPE
12521 FIBERCON	13540 GLUCOLA	14727 HUMULIN
12550 FIORINAL	13550 GLUCOSE	14730 HURRICAIN
12565 FIORINAL NO. 3	13553 GLUCOTROL	14750 HYALURONIDASE
12570 FIORINAL W/CODEINE	13615 GLYCEROL	14770 HYCODAN
12585 FLAGYL	13640 GLYCINE	14795 HYCOMINE
12620 FLEET ENEMA	13655 GLYCOPYRROLATE	14805 HYCOTUSS
12622 FLEET GLYCERIN SUPPOSITORY	13675 GLYCOTUSS	14840 HYDRALAZINE
12623 FLEET RELIEF	13765 GONIOSOL	14875 HYDREA
12635 FLEXERIL	13785 GRIFULVIN	14895 HYDRO-CHLOR
12650 FLEXON	13790 GRIS-PEG	14903 HYDROCORT
12665 FLORINEF ACETATE	13800 GRISEOFULVIN	14920 HYDROCHLORIC ACID
12670 FLORONE	13810 GUAIACOL	14930 HYDROCHLOROTHIAZIDE
12678 FLOXURIDINE	13830 GUAIFENESIN & DEXTROMETHORPHAN HBR	14940 HYDROCHLORULAN
12690 FLUOCINOLONE	13835 GUAIFENESIN	14950 HYDROCIL FORTIFIED
12710 FLUOR-I-STRIP	13838 GUAIFENESIN W/CODEINE	14955 HYDROCODONE
12715 FLUORESCEIN	13845 GUANETHIDINE	14965 HYDROCORTISONE
12735 FLUORIDE	13875 GUIATUSS	14970 HYDROCORTISONE IODOCHLOR- HYDROXYQUIN
12755 FLUORITAB	13880 GUIATUSS A.C. SYRUP	14980 HYDROCORTONE
12760 FLUORODEX	13885 GUIATUSSIN	14985 HYDRODIURIL
12765 FLUOROPLEX	13920 GYLANPHEN	14990 HYDROGEN PEROXIDE
12770 FLUOROURACIL	13930 GYNE-LOTRIMIN	15000 HYDROMAL
12780 FLUPHENAZINE	13999 HALCION	15002 HYDROMINE
12790 FLURA-LOZ	14000 HALDOL	15005 HYDROMORPHONE
12800 FLURA-TABLETS	14035 HALOG	15010 HYDROMOX
12805 FLURA-VITE	14040 HALOPERIDOL	15025 HYDROPHILIC OINTMENT
12810 FLURAZEPAM	14050 HALOTEX	15040 HYDROQUINONE
12825 FLUROSYN	14055 HALOTHANE	15045 HYDROSERPINE
12830 FLUZONE	14080 HC	15055 HYDROTENSIN
12835 FLUZONE-TRIVALENT TYPE A,B	14091 HEALON	15065 HYDROXY- PROGESTERONE
12855 FOILLE	14135 HEMATINIC	15070 HYDROXYCHLOROQUINE
12865 FOLIC ACID	14165 HEMOCAINE	15090 HYDROXYUREA
12875 FOLLUTEIN	14180 HEMORRHOIDAL OINTMENT	15095 HYDROXYZINE COMPOUND SYRUP
12878 FOLTRIN	14195 HEMORRHOIDAL SUPPOSITORY	15100 HYDROXYZINE
12880 FOLVITE	14203 HEMOSTATIC AGENT	15105 HYDROXYZINE PAMOATE
12893 FORANE ANESTHETIC	14217 HEP-FLUSH	15115 HYGROTON
12920 FORMALIN	14225 HEP-LOCK	15165 HYPAQUE
12940 FORMULA 2	14240 HEPARIN	15195 HYPERAB
12963 FORTA	14245 HEPARIN LOCK FLUSH SOLUTION	15215 HYPERSAL
12967 FORTAZ	14293 HESPAN	15240 HYPOTEAR
13035 FUL-GLO	14320 HEXACHLOROPHENE	15305 HYTONE
13055 FUMASORB	14340 HEXADROL	15307 HYTRIN
13118 FUROSEMIDE	14370 HEXAVITAMIN	15320 HYZINE
13142 G-TUSSIN	14390 HI BEECO	15370 IBERET
13158 GAMIMUNE	14412 HI-610 HUMULIN U ULTRALENTE	15380 IBERET-500
13205 GARAMYCIN	14415 HIBICLENS	15390 IBEROL-F
13209 GASTRIC AGENT	14440 HIPREX	15395 IBUPROFEN
13215 GASTROGRAFIN	14635 HOMALYN	15400 ICHTHAMMOL
13220 GAVISCON		
13275 GELFOAM		
13310 GENOPTIC		

15455 ICY HOT ANALGESIC BALM	16290 KALCINATE	17345 LEVODOPA
15495 ILOTYCIN	16305 KANAMYCIN	17355 LEVOPHED
15508 IMOGAM RABIES	16365 KAOPECTATE	17360 LEVOPROME
15520 IMIPRAMINE	16420 KARIGEL	17365 LEVOTHROID
15535 IMMUGLOBIN	16440 KAY CIEL	17370 LEVOTHYROXINE
15540 IMMUNE SERUM GLOBULIN	16455 KAYEXALATE	17375 LEVSIN
15545 IMODIUM	16465 KAYTRATE-30 KAYKAP	17390 LEVSINEX
15548 IMOVAX RABIES	16475 KEFLEX	17395 LEVSINEX/ PHENOBARBITAL
15555 IMURAN	16480 KEFLIN	17440 LIBRAX
15560 INAPSINE	16485 KEFZOL	17450 LIBRIUM
15575 INDERAL	16495 KEMADRIN	17455 LICOPLEX DS
15580 INDERIDE	16505 KENALOG	17460 LICORICE COMPOUND
15585 INDIGO CARMINE	16523 KERASOL	17465 LIDA-MANTLE
15590 INDOCIN	16535 KERODEX	17475 LIDEX
15600 INDOMETHACIN	16570 KESTRIN	17480 LIDIUM
15630 INH	16575 KESTRONE	17485 LIDOCAINE
15653 INOCOR	16585 KETALAR	17490 LIDOCAINE HCL
15655 INOSITOL	16590 KETAMINE	17495 LIDOCAINE HCL W/EPINEPHRINE
15670 INSTA GLUCOSE	16605 KESTOSTIX	17530 LIMBITROL
15680 INSULIN	16650 KLARON	17540 LINCOCIN
15685 INTAL	16655 KLEBCIL	17548 LINDANE
15695 INTRALIPID	16665 KLEER COMPOUND	17560 LIORESAL
15730 IODINE	16710 KLOR-CON	17563 LIOTHYRONINE SODIUM
15733 IODINE SOLUTION STRONG	16720 KLORVASS	17595 LIPODERM
15774 IODOPEN	16728 KLOTRIX	17600 LIPOFLAVONOID
15790 IONIL	16785 KONDREMUL	17625 LIPOSYN
15805 IOPIDINE	16795 KONDREMUL W/PHENOLPHTHALEIN	17650 LIQUAMAR
15835 IRCON	16800 KONSYL	17705 LISTERINE
15840 IRCON-FA	16855 KUDROX	17715 LITHIUM
15860 IROMIN-G	16887 L-EPINEPHRINE	17720 LITHIUM CITRATE SYRUP
15870 IRON PREPARATION	16895 L-THYROXINE	17725 LITHOBID
15875 IRON DEXTRAN	16915 LACRI-LUBE	17825 LO/OVRAL
15885 IRON W/VITAMIN C	16940 LACTIC ACID	17833 LOCAL ANESTHETIC
15890 IRONATE-B PLUS	16950 LACTINEX	17834 LOCID
15895 IRONCO B	16955 LACTOBACILLUS ACIDOPHILUS	17838 LODRANE
15910 IRRIGATING SOLUTION	16965 LACTOCAL-F	17840 LOESTRIN
15925 ISMOTIC	16970 LACTOSE	17845 LOFENALAC
15930 ISO-BID	16975 LACTULOSE	17865 LOMOTIL
15985 ISOLYTE	17070 LANOLIN	17868 LOMUSTINE
15990 ISONIAZID	17075 LANOLINE	17875 LONITEN
16003 ISOPHANE INSULIN SUSPENSION	17085 LANOPHYLLIN	17878 LONOX
16025 ISOPROTERENOL	17115 LANOXIN	17880 LOPERAMIDE
16030 ISOPTO ALKALINE	17155 LARYLGAN (D/C)	17883 LOPID
16075 ISOPTO HYOSCINE	17165 LASIX	17885 LOPRESSOR
16095 ISORDIL	17205 LAVATAR	17888 LORAZEPAM
16105 ISOSORBIDE	17240 LAXINATE 100	17925 LOTRIMIN
16115 ISOXSUPRINE	17243 LAXATIVE	17930 LOTUSATE
16130 ISUPREL	17265 LECITHIN	17945 LOXITANE
16210 K-LOR	17270 LEDERCILLIN VK	17970 LUBRICATING JELLY
16245 K-PHOS	17295 LENSINE	17975 LUBRIDERM
16255 K-PHOS NEUTRAL	17304 LENTE INSULIN SUSPENSION	18000 LUFYLLIN-GG
16268 K-TAB	17320 LEUCOVORIN	18010 LUGOL'S SOLUTION
16270 K-Y STERILE LUBRICATING JELLY	17322 LEUKOVORIN CALCIUM	18018 LUMINUM HYDROXIDE
	17325 LEUKERAN	18020 LURIDE DROPS
	17333 LEVATOL	18050 LYSINE
		18125 MAALOX

18130 MACRODANTIN	18930 METAMUCIL	19575 MOBAN
18160 MAGNAGEL	18935 METANDREN	19590 MOBISYL
18165 MAGNALOX	18940 METAPREL	19600 MODERIL
18185 MAGNESIA & ALUMINA	18945 METAPROTERENOL	19605 MODICON
18189 MAGNESIUM CARBONATE	18980 METHACHOLINE	19615 MODIFIED PROTEIN HYDROLYSATE
18190 MAGNESIUM CHLORIDE	18985 METHADONE	19618 MODURETIC
18195 MAGNESIUM CITRATE	18995 METHALATE	19630 MOL-IRON W/VITAMIN C
18200 MAGNESIUM GLUCONATE	19000 METHAMPEX	19635 MICONAZOLE NITRATE
18205 MAGNESIUM OXIDE	19005 METHAMPHETAMINE	19640 MONISTAT 7
18210 MAGNESIUM PHOSPHATE TRIBASIC	19008 METHANDRIOL	19650 MORPHINE
18215 MAGNESIUM SULFATE	19025 METHAZOLAMIDE	19670 MOTIC SOLUTION
18221 MAGNESIUM/ALUMINUM HYDROXIDE	19035 METHENAMINE	19675 MOTRIN
18345 MANNITOL	19040 METHENAMINE MANDELATE	19680 MOUTHWASH
18373 MAPROTILINE	19045 METHERGINE	19685 MOUTHWASH & GARGLE
18385 MARBAXIN	19055 METHIONINE	19698 MOXAM
18390 MARBLIN	19070 METHOCARBAMOL	19699 MS CONTIN
18395 MARCAINE	19075 METHOCARBAMOL W/ASA	19705 MUCI LAX
18400 MARCAINE HCL W/EPINEPHRN	19090 METHOTREXATE	19715 MUCOMYST
18445 MARPLAN	19105 METHOSALEN	19720 MUCOMYST W/ISOPROTERENOL
18495 MAXAFIL	19110 METHSCOPOLAMINE	19725 MUCOMYST-10
18498 MAXAIR	19130 METHYL SALICYLATE	19760 MULTI-CHEWZ
18515 MAXIDEX	19140 METHYLCELLULOSE	19765 MULTI-HEMA
18520 MAXITROL	19150 METHYLCELLULOSE 4000 CPS	19785 MULTI-VITAMIN
18523 MAXZIDE	19155 METHYLDOPA	19800 MULTIFUGE SYRUP
18540 MEASLES VIRUS VACCINE	19160 METHYLENE BLUE	19815 MULTIPLE VITAMIN
18552 MEBENDAZOLE	19175 METHYLPHENIDATE	19825 MULTIPLE VITAMINS
18555 MECLIZINE	19178 METHYLPRED-40	19830 MULTIPLE VITAMINS W/IRON
18556 MECLOFENAMATE SODIUM	19180 METHYLPREDNISOLONE	19835 MULTIPLE VITAMINS W/MINERALS
18585 MEDI-QUIK SPRAY	19185 METHYLTESTOSTERONE	19840 MULTIVITAMIN
18590 MEDI-TRATING	19200 METICORTEN	19853 MULTIVITAMIN/FLUORIDE
18605 MEDICATED FOOT POWDER	19205 METIMYD	19865 MULTIVITAMIN/ MULTIMINERAL
18620 MEDIHALER-EPI	19208 METOCLOPRAMIDE	19870 MULTIVITAMINS & MINERALS
18640 MEDROL	19210 METOLAZONE	19885 MULVIDREN
18643 MEDROXY- PROGESTERONE	19218 METOPROLOL	19905 MUMPS VIRUS VACCINE LIVE
18644 MEFENAMIC ACID	19231 METRO	19940 MUROCEL
18645 MEFOXIN	19233 METRONIDAZOLE	19948 MUSCLE RELAXANT
18650 MEGA-B	19242 MEVACOR	19960 MUTAMYCIN
18655 MEGACE	19290 MICONAZOLE	19995 MYADEC
18663 MEGESTROL	19300 MICRHOGAM	20010 MYCELEX
18664 MELANEX	19320 MICRONOR	20055 MYCOLOG
18670 MELLARIL	19343 MIDAMOR	20060 MYCOSTATIN
18685 MELPHALAN	19350 MIDOL	20065 MYDFRIN
18695 MENEST	19360 MIDRIN	20075 MYDRIACYL
18745 MENTHOL	19375 MILK OF MAGNESIA	20078 MYDRIATIC AGENT
18750 MENTHOLATUM	19380 MILK OF MAGNESIA- CASCARA SAGRADA	20080 MYLANTA
18755 MEPERGAN	19395 MILKINOL	20085 MYLAXEN
18760 MEPERIDINE	19430 MIN-HEMA	20090 MYLERAN
18775 MEPHYTON	19445 MINERAL OIL	20095 MYLICON
18781 ME-PREDNISOLONE	19455 MINIPRESS	20110 MYOFLEX
18795 MEPROBAMATE	19460 MINOCIN	20135 MYSOLENE
18818 MERCAPTOMERIN	19465 MINOCYCLINE	20145 MYTELASE
18820 MERCAPTOPURINE	19478 MINOXIDIL	20153 MYTREX
18865 MERCURY OXIDE	19480 MINRO-PLEX	20175 NAFACILLIN
18920 MESTINON	19505 MIOSTAT	
	19515 MISSION PRENATAL	
	19520 MISSION PRENATAL F.A.	
	19550 MITHRAMYCIN	



20185	NAFTIN	21185	NITROSTAT	22030	ORINASE
20210	NALFON	21195	NITROUS OXIDE	22050	ORNACOL
20225	NAMIDE-C	21200	NIVEA	22060	ORNEX
20255	NAPHAZOLINE	21203	NIZORAL	22065	ORPHENADRINE
20260	NAPHCN	21225	NOLVADEX	22090	ORTHO-NOVUM
20270	NAPHCN-A	21228	NORDETTE	22110	OS-CAL
20285	NAPROSYN	21230	NOR LIEF	22120	OS-CAL 500
20290	NAPROXEN	21245	NOR-Q.D.	22160	OTIC DROPS
20295	NAPTRATE	21278	NORETHIN	22210	OVCON
20305	NAQUIVAL	21280	NORFLEX	22215	OVRAL
20310	NARCAN	21300	NORINYL	22230	OX BILE EXTRACT
20313	NARCOTIC ANTAGONIST	21330	NORLESTRIN	22233	OXACILLIN
20315	NARDIL	21373	NORMODYNE	22242	OXAZEPAM
20320	NASAHIST	21380	NORMOSOL	22287	OXYBUTYNIN CHLORIDE
20325	NASAL DECONGESTANT	21385	NOROXIN	22300	OXYCHINOL
20338	NASALIDE	21390	NORPACE	22303	OXYCODONE HCL
20405	NATURAL VEGETABLE LAXATIVE	21400	NORPRAMIN	22305	OXYCODONE HCL & ACETAMINOPHEN
20435	NAVANE	21403	NORTRIPTYLINE	22306	OXYCODONE W/APAP
20575	NEO-OXYLONE	21413	NOSTRILLA	22307	OXYCODONE W/ASA
20580	NEO-POLYCIN	21493	NOVENE DH	22315	OXYGEN
20585	NEO-SYNALAR	21494	NOVANTRONE	22322	OXYMETA-12
20590	NEO-SYNEPHRINE COMPOUND COLD	21500	NOVOCAIN	22323	OXYMETAZOLINE HCL
20595	NEO-SYNEPHRINE	21513	NTG	22323	OXYMETAZOLINE HCL
20690	NEOMYCIN	21530	NU-IRON	22325	OXYMETHOLONE
20693	NEOMYCIN-POLYMYXIN B	21550	NUBAIN	22340	OXYTETRACYCLINE
20730	NEOSPORIN	21570	NUM ZIT	22345	OXYTOCIN
20735	NEOSTIGMINE	21585	NUPERCAINAL	22348	OYSCO 500
20740	NEOSTIGMINE METHYLSULFATE	21605	NUTRACORT	22350	OYSTER SHELL & VITAMIN D
20755	NEOTEP	21620	NUTRAMIGEN	22520	PAMELOR
20760	NEOTHYLLINE	21645	NYDRAZID	22525	PAMINE
20798	NEPHROCAPS	21650	NYLIDRIN	22578	PANADOL
20805	NEPTAZANE	21680	NYSOLONE	22585	PANAFIL
20815	NESACAINE	21685	NYST-OLONE	22630	PANCREASE
20825	NEUROVAL ELIXIR	21695	NYSTATIN	22643	PANCRELIPASE
20830	NEUT	21701	NYSTATIN W/TRIAMCINOLONE	22644	PANCURONIUM BROMIDE
20835	NEUTRA-PHOS	21730	OBEPHEN	22675	PANOXYL
20880	NIACAL	21750	OCEAN MIST	22755	PAPASE
20885	NIACIN	21752	OCTAMIDE	22770	PAPAVERINE
20890	NIACINAMIDE	21753	OCUCLEAR	22810	PARAFON FORTE
20970	NICOTINAMIDE	21754	OCUFEN	22840	PAREDRIE W/BORIC ACID
21010	NIFEREX	21765	OGEN	22845	PAREGORIC
21015	NIFEREX W/VITAMIN C	21785	OLIVE OIL	22860	PAREPECTOLIN
21025	NIFEREX-150	21795	OMNIPEN	22875	PARLODEL
21035	NIGROIDS	21800	ONCOVIN	22885	PARNATE
21090	NIPRIDE	21802	ONE-A-DAY-ESSENTIAL	22975	PAVARINE
21110	NITREX	21803	ONE-A-DAY PLUS IRON	23005	PAVULON
21125	NITRO T.D.	21840	OPHTHALGAN	23120	PEDIALYTE
21130	NITRO-BID	21845	OPHTHETIC	23150	PEDIAZOLE
21143	NITRO-DUR	21860	OPIUM	23159	PEDIOTIC
21145	NITROFURANTOIN	21865	OPIUM AND BELLADONNA	23165	PEECE
21150	NITROFUZZONE	21900	OPTIMINE	23185	PEN-VEE K
21155	NITROGEN	21958	ORAP	23215	PENICILLIN
21160	NITROGLYCERIN	21965	ORAPHEN-PD	23220	PENICILLIN G
21170	NITROL	21970	ORASONE	23221	PENICILLIN G POTASSIUM
21176	NITROLINGUAL	21995	ORETIC	23225	PENICILLIN V
		22025	ORIMUNE POLIOVIRUS VAC LIVE ORAL	23228	PENICILLIN V POTASSIUM

23230	PENICILLIN VK	24058	PHILLIPS MILK OF MAGNESIA	24760	POVIDINE
23245	PENTAERYTHRITOL TETRANIT-PHENOBARB	24065	PHISOAC	24765	POVIDONE
23285	PENTAZOCINE	24075	PHISODERM	24795	PRAMOSONE
23305	PENTIDS	24080	PHISOHEX	24798	PRAMOXINE HC
23310	PENTOBARBITAL	24090	PHOS-CAL W/VITAMIN D	24804	PRAZEPAM
23315	PENTOTHAL	24095	PHOS-CAL W/VITAMIN D & IRON	24805	PRAZOSIN
23325	PENTRAX	24105	PHOS-PHAID	24830	PRE-NATAL VITAMINS
23340	PEPPERMINT OIL	24120	PHOSPHATE ENEMA	24835	PRE-PEN
23345	PEPPERMINT SPIRIT	24140	PHRENILIN	24850	PRED FORTE
23355	PEPSIN	24175	PHYTONADIONE	24855	PRED MILD
23358	PEPSIN & PANCREATIN	24185	PILO	24885	PREDNISOLONE
23370	PEPTO-BISMOL	24188	PILO-40	24890	PREDNISONE
23385	PERCOCET-5	24190	PILOCAR	24895	PREDOXINE
23390	PERCODAN	24195	PILOCARPINE	24905	PREFLEX
23400	PERCOGESIC	24255	PITOCIN	24930	PRELAN
23410	PERCORTEN PIVALATE	24260	PITRESSIN	24950	PREMARIN
23415	PERDIEM GRANULE	24300	PLAQUENIL	24960	PREMARIN VAGINAL
23425	PERGONAL	24310	PLASMA-LYTE	24965	PREMARIN W/METHYL- TESTOSTERONE
23430	PERI-COLACE	24330	PLATINOL	24975	PRENATAL FORMULA (VITAMINS)
23440	PERIACTIN	24355	PNEUMOVAX	24980	PRENATAL STUART
23523	PERPHENAZINE	24365	PODOPHYLLIN	24985	PRENATAL W/FOLIC ACID
23524	PERPHENAZINE W/AMITRIPTYLINE	24405	POLIOMYELITIS VACCINE	24988	PRENATAL W/FOLIC ACID & IRON
23535	PERSANTINE	24411	POLOCAINE	24990	PRENATAMIN
23555	PERTROPIN	24415	POLY-VI-FLOR	24995	PREPARATION H CREAM
23585	PETROLATUM	24420	POLY-VI-SOL	25005	PREPRO
23610	PHAZYME	24422	POLY-VITAMIN FLUORIDE	25040	PRIMATENE MIST
23658	PHENAGESIC	24445	POLYCITRA	25055	PRIMIDONE
23710	PHENAZODINE	24465	POLYMOX	25060	PRIMOLINE
23715	PHENAZOPYRIDINE	24470	POLYMYXIN	25078	PRINIVIL
23720	PHENAZOPYRIDINE- SULFISOXAZOLE	24478	POLY-PRED	25150	PROBENECID
23745	PHENDIMETRAZINE	24510	POLYSPORIN	25180	PROCAINAMIDE
23753	PHENELZINE	24520	POLYTRACIN	25185	PROCAINE
23755	PHENERGAN	24525	POLYVITAMIN	25190	PROCAINE HCL W/EPINEPHRINE
23770	PHENERGAN EXPECTORANT W/CODEINE	24530	POLYVITAMIN DROPS	25195	PROCAMIDE
23785	PHENERGAN VC EXPECTORANT PLAIN	24535	POLYVITAMIN FLUORIDE	25210	PROCARBAZINE
23790	PHENERGAN VC EXPECTORANT W/CODEINE	24543	POLYVITAMIN W/IRON	25213	PROCARDIA
23792	PHENERGEN W/DEXTROMETHORPHAN	24545	PONDIMIN	25220	PROCHLORPERAZINE
23798	PHENERGAN W/CODEINE	24550	PONSTEL	25240	PROCTOCORT
23845	PHENOBARBITAL	24555	PONTOCAINE	25243	PROCTOCREAM-HC
23850	PHENOBARBITAL & ATROPINE	24585	POSTERISAN	25250	PROCTOFOAM
23855	PHENOBARBITAL & BELLADONNA	24590	POT CHLOR	25255	PROCTOFOAM-HC
23905	PHENOBARBITAL SODIUM	24595	POTABA	25291	PROGEST-50
23920	PHENOBELLA	24640	POTASSIUM BROMIDE	25305	PROGESTERONE
23935	PHENOL	24650	POTASSIUM	25328	PROLASTIN
23970	PHENTERMINE	24653	POTASSIUM CHLORIDE	25330	PROLIXIN
23995	PHENYLALANINE	24655	POTASSIUM CHLORIDE & SOD CHLOR	25358	PROMETH
24015	PHENYLEPHRINE	24660	POTASSIUM CHLORIDE MEQ D5-W	25359	PROMETH W/COD
24025	PHENYLPROPANOLAMINE	24665	POTASSIUM CHLORIDE W/DEXTROSE	25365	PROMETHAZINE
24045	PHENYTOIN	24685	UROCIT-K	25375	PROMETHAZINE COMPOUND W/CODEINE
		24695	POTASSIUM GLUCONATE	25395	PROMETHAZINE HCL EXPECTORANT
		24705	POTASSIUM HYDROXIDE	25400	PROMETHAZINE HCL EXPECTORANT W/CODEINE
		24715	POTASSIUM NITRATE		
		24725	POTASSIUM PERMANGANATE		
		24730	POTASSIUM PHOSPHATE		

25405	PROMETHAZINE HCL SYRUP	26260	REGONOL	27445	SANTYL
25430	PROMETHAZINE VC W/CODEINE	26265	REGROTON	27455	SARATOGA
25432	PROMETHAZINE W/CODEINE	26305	RELAXADON	27459	SARNA
25433	PROMETHAZINE W/DM	26320	RENACIDIN	27480	SAROLAX
25475	PROPANTHELINE	26350	RENOGRAFIN	27512	SCABENE
25485	PROPARACAINE	26365	RENOVUE	27530	SCLAVOTEST PPD
25493	PROPINE	26425	RESERPINE	27545	SCOPOLAMINE
25495	PROPION GEL	26433	RESOLVE GEL	27550	SCOPOLAMINE HYDROBROMIDE
25510	PROPOXYPHENE	26435	RESORCINOL	27615	SEBEX SHAMPOO
25530	PROPOXYPHENE HCL W/ACETAMINOPHEN	26445	RESPIROL	27635	SEBULEX
25545	PROPOXYPHENE W/APAP	26453	RESTORIL	27708	SEDATIVE
25560	PROPYLTHIOURACIL	26475	RETIN-A	27725	SELENIUM
25570	PROSOBEE	26477	RETROVIR	27730	SELSUN
25580	PROSTIGMIN	26495	RHEABAN	27735	SELSUN BLUE
25595	PROTAMINE SULFATE	26510	RHEUMATREX	27749	SENEXON
25638	PROVENTIL	26685	RIBOFLAVIN	27770	SENNA
25640	PROVERA	26695	RID	27785	SENOKOT
25645	PROVIGAN	26705	RIFADIN	27795	SENOKOT S
25660	PROXENE	26715	RIFAMPIN	27816	SENSORCAINE
25673	PROXINE HEMORRHOIDAL	26730	RIFMO-50	27817	SENSORCAINE S-D W/EPINEPHRINE
25674	PROZAC	26735	RINGER'S	27835	SEPTRA
25675	PROZEX	26755	RIOPAN SWALLOW	27840	SEPTRA DS
25680	PROZINE 50	26760	RITALIN	27855	SERAX
25695	PSEUDOEPHEDRINE	26785	ROBAXIN	27885	SERPANRAY
25696	PSEUDOEPHEDRINE W/TRIPROLIDINE	26795	ROBICILLIN VK	27890	SERPASIL
25750	PURINETHOL	26800	ROBIMYCIN	27895	SERPASIL ELIXIR
25800	PYRAZINAMIDE	26805	ROBINUL	27960	SIGTAB
25805	PYRIDATE	26810	ROBINUL FORTE	27985	SILVADENE
25810	PYRIDIDIUM	26830	ROBITUSSIN	27995	SILVER NITRATE
25820	PYRIDOSTIGMINE	26835	ROBITUSSIN A-C SYRUP	28015	SILVER SULFADIAZINE
25825	PYRIDOXINE HCL	26840	ROBITUSSIN-CF	28030	SIMETHICONE
25845	PYRINYL	26850	ROBITUSSIN-DAC SYRUP	28035	SIMILAC
25865	PYROXINE	26860	ROBITUSSIN-DM SYRUP	28040	SIMPLE SYRUP
25950	QUELICIN	26870	ROCALROL	28080	SINEMET
25965	QUESTRAN	26883	ROGAINE	28085	SINEQUAN
26030	QUINIDEX EXTENTAB	26890	ROLAIDS	28100	SINGLET
26035	QUINIDINE	26930	RONDEC SYRUP	28115	SINOGRAFIN
26040	QUINIDINE SULFATE	26935	RONDEC-DM SYRUP	28156	SINUS EXCEDRIN
26045	QUININE SULFATE	26958	ROXICET	28250	SK-DIPHENHYDRAMINE
26055	QUINOLOR COMPOUND	27045	RU-TUSS	28263	SK-FUROSEMIDE
26073	QUIPHILE	27070	RUBBING ALCOHOL	28272	SK-OXYCODONE W/ACETAMINOPHEN
26090	RABIES VACCINE	27075	RUBELLA VIRUS VACCINE LIVE	28273	SK-METRONIDAZOLE
26095	RACEPHEDRINE	27120	RULOX	28285	SK-PENICILLIN VK
26105	RAGWEED & RELATED POLLENS ALLERGENIC	27130	RUTIN	28350	SKELAXIN
26113	RAMSES CONTRACEPTIVE VAGINAL	27170	RYNA	28363	SLEEP EZE
26199	RECOMBIVAX-HB	27190	RYNATAN	28366	SLO-NIACIN
26220	RECTAL OINTMENT	27300	SALAGEN	28390	SLOW-K
26245	REDUCETS	27340	SALICYLATE	28391	SLOW-MAG
26250	REGITINE	27345	SALICYLIC ACID	28430	SODESTRIN
26255	REGLAN	27355	SALICYLIC ACID SOAP	28445	SODIUM ASCORBATE
		27365	SALIMEPH FORTE	28450	SODIUM BENZOATE
		27368	SALINE	28455	SODIUM BICARBONATE
		27405	SALSALATE	28460	SODIUM BIPHOSPHATE
		27407	SALSITAB	28470	SODIUM BISULFITE REAGENT
		27415	SALURON		
		27435	SANOREX		
		27440	SANSERT		

28475 SODIUM BORATE	29498 STEROID(S)	30735 TEGRIN
28490 SODIUM CARBONATE	29513 STIMATE	30756 TEMAZEPAM
28495 SODIUM CHLORIDE	29518 STIMULANT	30760 TEMPRA
28505 SODIUM CHLORIDE (PARABEN PRESERVED)	29533 STOOL SOFTENER	30775 TENAX
28515 SODIUM CHLORIDE & DEXTROSE	29575 STRESS-VITES	30777 TENEX
28520 SODIUM CHLORIDE BACTERIOSTATIC	29581 STRESS TABLETS	30780 TENOL
28525 SODIUM CHLORIDE CONCENTRATE	29600 STRYCHNINE POWDER	30781 TENORETIC
28545 SODIUM CHLORIDE FOR IRRIGATION	29645 SUBLIMAZE	30782 TENORMIN
28555 SODIUM CHLORIDE INFLEX UNIT	29660 SUCCINYLCHOLINE	30790 TENUATE
28560 SODIUM CHLORIDE IRRIGATION	29705 SUDAFED	30800 TERAZOL
28575 SODIUM CITRATE	29760 SUFEDRIN	30805 TERBUTALINE
28585 SODIUM DEHYDROCHOLATE	29770 SUL TRIO-MM NO. 2	30855 TERRAMYCIN W/POLYMYXIN B SULFATE
28595 SODIUM FLUORIDE	29785 SULAMYD SODIUM	30880 TESSALON PERLE
28610 SODIUM HYPOCHLORITE	29795 SULF-10	30915 TESTOSTERONE
28615 SODIUM INDIGOTIN- DISULFONATE	29810 SULFACET-R LOTION	30925 TESTOSTERONE DEPOT
28630 SODIUM LAURYL SULFATE	29815 SULFACETAMID	30930 TESTOSTERONE ENANTHATE
28640 SODIUM MORRHUATE	29825 SULFADIAZINE	30950 TESTOSTERONE PROPIONATE
28665 SODIUM PHOSPHATE	29840 SULFAMETHOXAZOLE	30980 TESTRED
28670 SODIUM PHOSPHATE & BIPHOSPHATE	29843 SULFAMETHOX W/TRIMETHOPRIM	31000 TETANUS ANTITOXIN
28680 SODIUM SUCCINATE	29845 SULFAMYLON	31005 TETANUS DIPHTHERIA TOXOID
28683 SODIUM SULFACETAMIDE OPHTH	29865 SULFASALAZINE	31010 TETANUS IMMUNE GLOBULIN
28715 SOFNER	29880 SULFATHALIDINE	31015 TETANUS TOXOID
28740 SOLARCAINE	29888 SULFATRIM	31020 TETRA
28750 SOLBAR	29955 SULFUR	31025 TETRACAINE
28790 SOLU-CORTEF	29960 SULFUR & RESORCIN COMPOUND	31030 TETRACAINE HCL
28800 SOLU-MEDROL	30010 SULPHUR	31045 TETRACYCLINE
28803 SOLU-SONE	30018 SUMACAL	31050 TETRACYCLINE HCL
28825 SOMA	30030 SUNSCREEN	31055 TETRACYN
28860 SONIPHEN	30065 SUNSTICK LIP PROTECTANT	31058 TETRAHYDROZOLINE HCL
28865 SOOTHE EYE	30100 SUPER B COMPLEX W/C LIVER IRON & B-12	31068 TETRASINE
28885 SOPRODOL	30195 SURFAK	31095 THAM
28910 SORBITOL	30215 SURGICEL	31110 THEELIN AQUEOUS SUSPENSION
28920 SORBITRATE	30220 SURGILUBE	31120 THEO-DUR
28940 SOTRADECOL	30255 SUSTAIRE	31140 THEO-ORGANIDIN
29015 SPARINE	30265 SUX-CERT	31180 THEOFED
29250 SPIRONOLACTONE	30302 SYMADINE	31205 THEOLATE
29255 SPIRONOLACTONE W/HYDROCHLORO- THIAZIDE	30330 SYNALAR	31218 THEOPHEDRIZINE
29277 ST JOSEPH ASPIRIN CHILDREN	30395 SYNTHROID	31219 THEOPHENYLLINE
29285 STADOL	30410 SYRACOL	31235 THEOPHYLLINE
29290 STANBACK ANALGESIC	30468 T-STAT	31250 THEOPHYLLINE KI ELIXIR
29300 STANDARD DROPS	30472 T/SAL	31295 THERA-COMBEX
29365 STELAZINE	30495 TAGAMET	31325 THERAGRAN
29435 STERAPRED	30513 TALACEN	31335 THERAGRAN-M
	30520 TALOIN	31345 THERALAX
	30535 TALWIN	31375 THERAPEUTIC B COMPLEX W/VITAMIN C
	30545 TAMINE	31390 THERAPEUTIC MULTIVITAMIN
	30553 TAMOXIFEN	31418 THERI-CARE
	30575 TAO	31445 THIAHEP
	30585 TAPAZOLE	31455 THIAMINE
	30630 TAVIST	31490 THIOGUANINE
	30635 TAXOL	31505 THIOPENTAL
	30655 TEARS NATURALE	
	30660 TEARS PLUS	
	30705 TEEBACONIN	
	30730 TEGRETOL	

31542 THIOTHIXENE	32395 TRILAFON	33625 VAPONEFRIN
31543 THIORIDAZINE	32400 TRILION	33665 VASCORAY
31550 THORAZINE	32405 TRILISATE	33670 VASELINE
31560 THREAMINE	32423 TRIMETHOPRIM	33675 VASELINE GAUZE
31565 THREE BROMIDES ELIXIR	W/SULFASOXAZOLE	33677 VASERETIC
31590 THROMBIN TOPICAL	32430 TRIMOX	33685 VASOCIDIN
31598 THROMBOLYTIC AGENT	32433 TRIMPEX	33700 VASOCON
31625 THYROGLOBULIN	32438 TRIMETHOPRIM	33705 VASOCON-A
31630 THYROID	32515 TRIPLE ANTIBIOTIC	33735 VASOPRESSIN
31655 TIGAN	32543 TRIPLEX	33740 VASOPRINE
31658 TIMOLOL	32615 TROBICIN	33780 VEETIDS
31660 TIMOPTIC	32625 TROCAL	33800 VELBAN
31670 TINACTIN	32655 TROPHITE	33805 VELOSEF
31720 TITRALAC	32658 TROPICAMIDE	33810 VELTANE
31723 TOBRADEX	32695 TUBERSOL	33825 VELVACHOL
31725 TOBRAMYCIN	32710 TUCKS	33843 VENTOLIN
31728 TOBREX OPHTHALMIC	32735 TUMS	33858 VERAPAMIL
31735 TOCOPHERYL	32765 TUSAL	33895 VERMOX
31740 TOFRANIL	32830 TUSSEND EXPECTORANT	33905 VERSAL
31760 TOLECTIN	32845 TUSSI-ORGANIDIN	33940 VESPRIN
31780 TOLMETIN	32855 TUSSIONEX	34085 VIBRA
31830 TOPICORT EMOLLIENT	32905 TYLENOL	34090 VIBRAMYCIN
31895 TPN ELECTROLYTES	32915 TYLENOL NO. 2	34100 VICAM
31927 TRANDATE	32920 TYLENOL NO. 3	34103 VICKS VAPORUB
31933 TRANQUILIZER	32925 TYLENOL NO. 4	34110 VICODIN
31938 TRANSDERM-NITRO	32930 TYLENOL W/CODEINE	34115 VICON
31939 TRANSDERM-SCOP	32935 TYLENOL W/CODEINE	34120 VICON FORTE
31945 TRANXENE	ELIXIR	34125 VICON-C
31975 TRAVASOL	32940 TYLOSTERONE	34140 VIFEX
31997 TRAZODONE	32945 TYLOX	34155 VIMAH
32000 TRECATOR-SC	32950 TYMATRO	34158 VINBLASTINE
32005 TREMIN	32955 TYMPAGESIC	34160 VINCRISTINE
32013 TRENTAL	32960 TYPHOID VACCINE	34220 VIOKASE
32020 TREXIN	32970 TYROBENZ	34248 VIROPTIC
32052 TRI-CLEAR	33092 UNASYN	34250 VISALENS WETTING
32090 TRI-MINE	33170 UNISOM	34260 VISINE
32095 TRI-MINE EXPECTORANT	33180 UNNA'S GELATIN PASTE	34263 VISKEN
32135 TRI-VERT	33195 URACIL MUSTARD	34270 VISTARIL
32140 TRI-VI-FLOR	33215 UREA	34275 VISTAZINE
32145 TRI-VI-SOL	33225 URECHOLINE	34360 VITAMIN A
32190 TRIAM	33240 UREX	34370 VITAMIN A & D
32195 TRIAMCINOLONE	33265 URIHAB	34410 VITAMIN A SOLUBLE NEO-
32200 TRIAMCINOLONE	33280 URISED	VADRIN
ACETONIDE	33290 URISEP	34425 VITAMIN B COMPLEX
32210 TRIAMCINOLONE	33300 URISPAS	34440 VITAMIN B COMPLEX HI
NYSTATIN	33355 UROBIOTIC-250	POTENCY
32245 TRIAMINIC	33370 UROLENE BLUE	34450 VITAMIN B COMPLEX
32273 TRIAMTERENE	33448 VACCINATION	W/VITAMIN C
32285 TRIATROPHENE	33530 VALERIAN	34455 VITAMIN B-1
32290 TRIAVIL	33550 VALISONE	34460 VITAMIN B-1 & B-12
32295 TRIBARB	33555 VALIUM	34475 VITAMIN B-1 ELIXIR
32310 TRICHLOROACETIC ACID	33568 VALOPHEN	34485 VITAMIN B-1 W/B-6
32340 TRICONOL	33573 VALPROIC ACID	34495 VITAMIN B-12
32345 TRIDESILON	33580 VANCOCIN	34505 VITAMIN B-2
32353 TRIDIL	33585 VANCOCIN HCL	34510 VITAMIN B-6
32355 TRIDIONE	33588 VANCOMICIN	34520 VITAMIN C
32363 TRIFLUOPERAZINE	33590 VANCOR	34525 VITAMIN C & E
32390 TRIHEXYPHENIDYL	33620 VAPO-ISO	34545 VITAMIN C PLUS E

34560 VITAMIN CHEWABLE CHILDREN'S	35455 ANTIINFECTIVE AGENT	41240 PALLACE
34565 VITAMIN D	35460 ANTIINFLAMMATORY AGENT	41310 POLY-VI-SOL W/IRON
34570 VITAMIN D-2 IN OIL	35465 ANTILIPEMIC AGENT	41315 POLYETHYLENE GLYCOL
34575 VITAMIN E	35470 ANTIMALARIAL AGENT	41405 RESPAIRE
34580 VITAMIN E & C	35475 ANTINAUSEANT AGENT	41420 ROXANOL
34585 VITAMIN E NATURAL	35495 ANTIPYRETIC AGENT	41470 SLOW FE
34623 VITAMIN K	35505 ANTITUBERCULAR AGENT	41490 SODIUM NITROPRUSSIDE
34625 VITAMIN(S)	35510 ANTIVIRAL AGENT	41495 SODIUM POLYSTYRENE SULFON
34628 VITAMINS AND MINERALS	35530 BACTINE	41500 SPECT-T COUGH SUPPRESSANT
34675 VITRON-C	35555 MAXIMUM STRENGTH ASPIRIN	41505 SPECTAZOLE
34685 VIVACTIL	35575 PURIFIED BEEF INSULIN	41610 THEO-24
34725 VOLTAREN	35576 PURIFIED PORK INSULIN	41645 TRACRIUM
34730 VONTROL	35595 TRIMETHOPRIM/ SULFAMETHOXAZOLE	41715 TRONOLANE
34745 VOSOL HC	40035 ACACIA	41745 UNIPHYL
34755 VYTONE	40045 ADC W/FLUORIDE	41750 URITABS
34775 WARFARIN	40150 ASPIR-10	41775 XYLOCAINE W/GLUCOSE
34820 WEHGEN	40185 BAYER ASPIRIN	41780 ZANTAC
34830 WEHVERT	40230 BLANEX	41785 ZINACEF
34855 WESTCORT	40235 BLOOD CULTURE PREP KIT	41790 ZINC CHLORIDE
34856 WESTHROID	40250 BUTALBITAL/ ASPIRIN/CAFFEINE	41800 HCTZ
34885 WHITFIELD S	40280 CALCIUM PHOSPHATE	41810 OSMOLYTE
34890 WIGRAINE	40285 CALTRATE	41820 GLYCERIN SUPPOSITORIES
34910 WINSTROL	40445 CORZIDE	41830 PSYLLIUM
34920 WITCH HAZEL	40455 CYCLOPENTOLATE	41840 HYOSCINE
34980 WYDASE	40460 CYTOTEC	41845 PTU
34985 WYGESIC	40465 DAILY MULTIVITAMIN	41850 KCL
35020 X-PREP BOWEL EVACUANT KIT	40520 DESYREL	41855 NPH INSULIN
35023 XANAX	40540 DEXTROSE SODIUM CHLORIDE	41860 FOLATE
35030 XERAC BP10	40545 DEXTROSE IN ASCOR-B- SOL	41865 MOM
35050 XEROFOAM DRESSING	40580 DIABETA	41875 CAPTOPRIL
35055 XYLO-PFAN	40585 DIHYDROERGOTOXINE MESYLATE	41880 ZORPRIN
35060 XYLOCAINE	40590 DILATAIR	41890 L/DOPA
35065 XYLOCAINE FLAVORED	40595 DILONE	41895 HUMULIN INSULIN
35070 XYLOCAINE HCL	40605 DIPHENOXY/ATROP	41905 THYROXINE
35080 XYLOCAINE HCL W/EPINEPHRINE	40610 DIPHENOXYLATE	41910 ALUMID
35085 XYLOCAINE VISCOUS	40615 DIPROLENE	41915 K-LYTE
35110 YELLOW FEVER VACCINE	40635 DOCUSATE SOD & CASANTHRANOL	41920 MULTIVITAMIN W/B12
35150 ZARONTIN	40775 GENTACIDIN	41928 PSEUDOEPHED/DM
35155 ZAROXOLYN	40830 HYDRALAZINE W/HCTZ	42040 BAXIMIN TRIPLE ANTIBIOTIC
35205 ZENTRON	40890 IOPHYLLINE	42178 TRIPLE ANTIBIOTIC OPHTH
35210 ZEPHIRAN CHLORIDE	40905 ISOPTIN	42265 DILUENT ORAL
35224 ZESTRIL	40950 LOPROX	42273 CHLOROPROCAINE
35240 ZINC	40955 LOZOL	42425 GOLYTELY
35245 ZINC GLUCONATE	40960 MANGANESE	42715 MONISTAT VAGINAL
35250 ZINC OXIDE	40970 MD	42780 NEOSPORIN OPHTHALMIC
35260 ZINC SULFATE	40990 MG-AL HYDROX W/SIMETH	42800 NORMAL SALINE
35283 ZINC 15	41115 MULTI VIT	42815 NS W/KCL
35310 ZINCON	41150 NASALCROM	42880 PALADINE
35341 ZOVIRAX	41185 NORCURON	42985 PROPRANOLOL
35344 ZWOLFE	41215 OCUTRICIN	42990 PROPRANOLOL W/HCTZ
35350 ZYLOPRIM		50000 BRETHAIRE
35357 ZYMASE		50035 MICRONASE
35415 ANTIDEPRESSANT AGENT		50040 SUFENTA
35425 ANTIARRHEAL AGENT		60025 ACETIC ACID OTIC
35430 ANTIEMETIC AGENT		60035 ACLOVATE
35445 ANTIFUNGAL AGENT		
35450 ANTIHISTAMINE		

60040 ADALAT	60705 HIGH POTENCY VITAMINS/MINERALS	61495 TOPICORT
60080 AMINOCAPROIC ACID	60720 I-TRYPTOPHANE	61505 TORNALATE
60095 ANTIVENIN CROTALIDAE POLYVALENT	60725 ILETIN & PROTAMINE ZINC	61515 TRI-LEVLEN
60115 AUGMENTIN	60730 ILETIN II	61565 VASOTEC
60120 AUGMENTIN 250	60735 INFLUENZA VIRUS VACC	61570 VERSED
60145 B.P.P.	60755 IOPHEN DM	61575 VIBRAMYCIN CALCIUM SYRUP
60150 BACITRACIN OPHTHALMIC	60760 IRIGATE ISOTONIC BUFFERED	61580 VINCASAR
60175 BENZAMYCIN	60765 ISOVUE	61595 VITEC
60180 BENZTROPINE MESYLATE	60775 K-DUR	61605 WELLBUTRIN
60185 BETAGAN LIQUIFILM	60780 KEFUROX	61610 ZYDONE
60195 BETAMETHASONE SOD PHOSPHATE	60790 KLONOPIN	61625 TRIAMTERENE W/HCTZ
60200 BETAMETHASONE VALERATE	60795 LACHYDRIN	70078 CANNABIS
60205 BETOPTIC	60800 LACTATED RINGER'S	89004 AMILORIDE HCL W/HCTZ
60235 BRETHANCER	60815 LEVLEN	89005 AMINOSYN II
60240 BRETYLIUM TOSYLATE	60835 LOTRISONE	89009 ANUCORT-HC
60250 BSS OPHTHALMIC	60870 MARINOL	89010 BETAMETHASONE DIPROPIONATE
60265 BUPRENEX	60920 MEXITIL	89011 BLEM-DERM
60270 BUSPAR	60940 MSIR	89012 BROMFED-DM
60295 CEFOTAN	60955 MURO TEARS	89014 BUPIVACAINE W/EPINEPHRINE
60310 CHLORPHENIRAMINE W/PHENYL- PROPANOLAMINE	60990 NALBUPHINE HCL	89016 CHARCOAL, ACTIVATED W/ SORBITOL
60325 CITRUCEL	60995 NALOXONE HCL	89017 CHILDREN'S ADVIL
60340 CO-GESIC	61015 NEODEXAIR	89018 CLINDAMYCIN HCL
60355 COLYTE	61025 NICORETTE	89019 CLONIDINE HCL
60370 CORDARONE	61035 NIX	89020 CYCLOBENZAPRINE HCL
60375 CORTAID W/ALOE	61045 NOVOLIN	89025 DOXEPIN HCL
60385 CORTISPORIN OPHTHALMIC	61060 NUPRIN	89028 ERYTHROMYCIN ETHYLSUCCINATE
60395 CVC HEPARIN FLUSH KIT	61080 OMNIPAQUE	89033 FENOPROFEN CALCIUM
60405 DEXACIDIN	61085 OMNIPEN-N	89035 FLUOCINONIDE
60410 DEXACIDIN OPHTHALMIC	61095 OPHTHAINE	89037 HUMULIN 70/30
60415 DEXAMETHASONE/ NEOMYCIN/POLYMIX	61100 ORUDIS	89038 HYDROCODONE BITARTRATE W/APAP
60435 DHS ZINC	61115 P.H. PLUS	89039 HYDROCODONE W/ACETAMINOPHEN
60470 DISOPYRAMIDE PHOSPHATE	61130 PAIN RELIEVER	89040 HYDROCORTISONE ACETATE
60485 DORYX	61135 PEDIACARE	89041 HYDROCORTISONE SOD SUCCINATE
60520 ED-B12	61140 PEDIAPRED	89043 INFLAMASE FORTE
60545 ESTRADERM	61160 PEPCID	89044 INSPIREASE
60550 EYE DROPS	61185 PIPERACILLIN	89045 LIDOCAINE HCL VISCOUS
60555 EYE WASH	61205 POVIDONE-IODINE	89048 MEPIVACAINE HCL
60565 FENTANYL CITRATE	61215 PRIMAXIN	89049 METHYLPREDNISOLONE ACETATE
60595 FIORICET	61245 PROPRANOLOL HCL	89050 MOTRIN IB
60605 FLUOR-OP	61250 PROTHAR	89051 NEBUPENT
60615 GAMMAGARD	61260 PSORCON	89053 NITROFURANTOIN MACROCRYSTALS
60625 GASTROVIST	61270 PYLORA	89056 OS-CAL 500+D
60630 GELFILM,OPHTHALMIC	61285 RESPINOL LA	89058 PERMAX
60640 GENTAMICIN OPHTHALMIC	61295 ROCEPHIN	89061 POLYTRIM
60665 GLYCERIN	61330 SECTRAL	89062 PRAZOSIN HCL
60680 HALTRAN	61340 SELDANE	89063 PRED-G
60695 HIB-IMUNE	61385 SULFACETAMIDE SODIUM	89066 PRELONE
60700 HIB-VAX	61395 SUPROL	
	61405 TAMBOCOR	
	61410 TAZICEF	
	61415 TAZIDIME	
	61440 TEMOVATE	
	61445 TEN-K	
	61470 TIMENTIN	
	61475 TOLAZAMIDE	
	61480 TOLNAFTATE	

89067	PROCARDIA XL	91079	FLUOXETINE	92071	PEDIA-PROFEN
89068	PROCHLORPERAZINE EDISYLATE	91080	FLUTAMIDE	92073	PLENDIL
89069	PROCHLORPERAZINE MALEATE	91081	GLIPIZIDE	92074	PODOCON-25
89070	PROFENAL	91084	IPRATROPIUM BROMIDE	92076	PRAVACHOL
89071	PROPOXYPHENE HCL W/APAP	91085	KETOCONAZOLE	92078	PROCRIT
89072	PROPOXYPHENE NAPSYLATE W/APAP	91086	LEUPROLIDE ACETATE	92079	PROSED/DS
89074	ROWASA	91088	LOVASTATIN	92080	PROSOM
89076	SUPRAX	91089	METHIMAZOLE	92081	PSEUD/APAP/CPM
89080	TIMOLOL MALEATE	91090	MEXILETINE	92085	ROBITUSSIN PEDIATRIC
89081	TOBRAMYCIN SULFATE	91091	MISOPROSTOL	92087	STERILE WATER
91000	ALBUTEROL SULFATE	91092	MITOMYCIN-C	92088	SULFACETAMIDE W/PREDNISOLONE
91001	ALFERON N	91093	MORICIZINE HCL	92091	THEOCHRON
91002	AMILORIDE HCL	91095	OLSALAZINE	92092	THEOX
91003	ANTIPYRINE W/BENZOCAINE	91096	OMEPRAZOLE	92095	TROPHAMINE
91008	BROMATANE DX	91098	PROCYCLIDINE	92100	ULTRAVATE
91009	BUTALBITAL/APAP/ CAFFAINE	91099	RANITIDINE	92101	VELOSULIN HUMAN R
91014	DOXORUBICIN HCL	91101	TRANLYCYPROMINE	92102	VELOSULIN R
91015	DOXYCYCLINE HYCLATE	91102	TRETINOIN	92103	VIDEX
91016	ERGAMISOL	92000	ACCUPRIL	92104	ZEASORB-AF
91020	EXOSURF	92001	ACETIC ACID W/HC	92105	ZOFRAN
91022	FOLEX PFS	92002	ACTIDOSE-AQUA	92106	AZT
91025	GENAPAP	92003	ALTACE	92107	BENAZEPRIL
91027	GUAIFENESIN AC	92004	AMPICILLIN SODIUM	92108	BERACTANT
91028	HALOPERIDOL LACTATE	92005	BENYLIN	92109	CEFACTOR
91029	HYDROXYZINE HCL	92006	BIAXIN	92110	CEFIXIME
91034	LOTRIMIN AF	92007	BREVOXYL	92111	CIPROFLOXACIN
91035	LUPRON DEPOT	92011	CALCIUM ANTACID	92112	CLARITHROMYCIN
91036	LUTREPULSE	92012	CARDURA	92114	CLOMIPHENE
91039	NIFEDIPINE	92015	CILOXAN	92115	CLOZAPINE
91040	ONE TOUCH TEST STRIPS	92016	CLOZARIL	92116	DICLOFENAC
91041	OTITRICIN OTIC	92017	CUTIVATE	92117	DIDANOSINE
91042	PHENYLPHENESIN LA	92018	DESOXIMETASONE	92120	DOXAZOSIN MESYLATE
91043	PRILOSEC	92019	DEXTRAN	92122	EPOETIN ALFA
91045	RETIN-A REGIMEN	92020	DEXTROSE 5%-LACTATED RINGERS	92123	ESTAZOLAM
91046	ROXANOL RESCUDOSE	92022	DORAL	92124	ETODOLAC
91049	RU-TUSS DE	92024	DURAGESIC	92125	FELODIPINE
91052	SSD	92025	DYNACIRC	92126	FLUTICASONE
91057	VENOGLOBULIN	92026	EDTA	92127	FOSCARNET
91058	VERELAN	92027	EMGEL	92128	FOSINOPRIL
91061	ACYCLOVIR	92030	FLAREX	92130	HALOBETASOL
91062	ALPRAZOLAM	92031	FLOXIN	92131	HEPATITIS B VACCINE
91063	ATENOLOL	92033	FLUPHENAZINE DECANOATE	92132	ISRADIPINE
91064	AZTREONAM	92038	GENTAMICIN SULFATE	92134	LEVONORGESTREL
91065	BENZPHETAMINE	92041	HYDROCODONE COMPOUND	92135	MESALAMINE
91066	BUSPIRONE HCL	92042	HYDROMET	92136	METIPRANOLOL
91067	CEFMETAZOLE	92043	HYOSCYAMINE SULFATE	92137	METROGEL
91068	CEFTAZIDIME	92049	JENEST	92138	NADOLOL
91069	CEFTRIAZONE	92051	LODINE	92140	OFLOXACIN
91070	CEFUROXIME SODIUM	92052	LOTENSIN	92141	ONDANSETRON
91071	DEZOCINE	92055	MIACALCIN	92142	PENTAMIDINE ISETHIONATE
91072	DILTIAZEM HCL	92057	MONOPRIL	92143	PENTOXIFYLLINE
91073	DIMETHYL SULFOXIDE	92059	MURO 128	92144	PIMOZIDE
91074	ENALAPRIL	92061	NASACORT	92145	PIROXICAM
91078	FLECAINIDE ACETATE	92062	NATURAL FIBER	92146	PRAVASTAN
		92063	NEOMYCIN/ POLYMYXIN/DEXAMETH	92148	QUAZEPAM
		92064	NITROGLYCERIN IN D5W	92149	QUINAPRIL
				92150	RAMIPRIL
				92151	SUPROFEN



92152	TERCONAZOLE	93064	FLEXALL	93154	THEREMS
92153	TRANEXAMIC ACID	93065	GAS-X	93156	TOPROL XL
92154	ANAFRANIL	93066	GENASOFT	93158	TRANS-VER-SAL
92155	ANSAID	93067	GENTAK	93160	TROPICACYL
92156	DIFLUCAN	93068	GLYCOLIC ACID	93164	VAGISIL
92157	ELIMITE	93069	GLYNASE	93166	VANTIN
92159	MINITRAN	93070	GROWTH HORMONE	93167	VARICELLA-ZOSTER IMMUNE GLOBULIN
92160	PRINZIDE	93071	HABITROL	93169	VERRUSOL
92161	TORADOL	93073	HEMORRHOID PREPARATION	93170	VIRANOL
92162	TRIPHASIL	93074	HEMOCYTE	93171	VISCOAT
92163	ZESTORETIC	93078	INFED	93173	WORTH TREATMENT
92164	LISINAPRIL	93082	ISOMIL	93175	YOHIMEX
92165	CODICLEAR-DH	93083	KWELCOF	93177	ZEROXIN
92167	DECONSAL SPRINKLE	93089	LORCET	93178	ZILACTIN
92174	ENDAL-HD	93090	MACROBID	93179	ZITHROMAX
92176	EXELDERM	93091	MAGSAL	93181	ZOCOR
92178	HUMIBID	93092	MAX-EPA	93182	ZOLADEX
92179	HUMIBID DM	93093	MAXAQUIN	93183	ZOLOFT
92180	LORTAB	93094	ROMAZICON (MAZICON)	93185	ZOSTRIX
92181	LORTAB-ASA	93098	MONODOX	93186	ANTIHYPERTENSIVE AGENT
92182	OCCLUSAL	93099	MYCOGEN	93187	NORVASC
92183	POLYHISTINE	93101	NASAL SPRAY	93188	NALTREXONE
92187	PRENATE	93103	NESTREX	93189	ACTINEX
93004	AK-PRED	93104	NEUPOGEN	93190	FLUOROCAINE
93009	ALBUMIN	93105	NICODERM	93193	SERTRALINE
93010	ALIMENTUM	93106	NICOTINE TRANSDERMAL SYSTEM	93197	RYTHMOL
93014	ALLERGY MEDICATION	93107	NICOTROL	93199	ASTHMA MEDICATION
93016	ANALPRAM HC	93108	NOVA-DEC	93200	ACTIGALL
93017	ANDROGYN	93109	NUTRITIONAL SUPPLEMENT	93202	CYCLOSPORINE
93018	ANTIMETABOLITE	93113	OCUVITE	93203	LABETALOL
93022	ARTIFICIAL TEAR SOLUTION	93115	OPTIVITE	93204	SELEGILINE
93023	ASACOL	93116	ORAGEL	93205	TURBINAIRE DECADRON PHOSPHATE
93024	ASPERCREME	93117	ORTH-CYCLEN	93208	JEVITY
93026	AXSAIN	93118	OXY CLEAN FACIAL	93209	ANTIPSYCHOTIC MEDICATION
93029	BETA CAROTENE	93120	PEDIASURE	93210	FIBER SUPPLEMENT
93030	BLEPH-10	93121	PERIDEX	93211	AMIODARONE
93032	BRONCHO SALINE	93123	PHOS-EX	93212	PAXIL
93035	CARBIDOPA	93124	PINDOLOL	93213	GEMFIBROZIL
93036	CARDENE	93126	PREDICORT	93214	AZITHROMYCIN
93037	CARNITINE	93127	PROSCAR	93215	FLUCONAZOLE
93038	CEFZIL	93129	Q-VEL	93218	ORTHO-CEPT
93039	CELLUFRESH	93131	REFRESH	93220	KETOROLAC
93040	CELLUVISC	93132	RELAFEN	93221	FELBAMATE
93041	CITRACAL	93133	REPLENS	93222	SPORANOX
93042	CONDYLOX	93134	RESCON-ED	93223	CISPLATIN
93043	COPHENE-B	93135	RETINOIC ACID	93224	CLARITIN
93045	DEPO PREDATE	93136	RHOGAM	93225	ETOPOSIDE
93046	DERMA-SMOOTHIE	93138	SALACID	93226	ERYTHROPOIETIN
93048	DILACOR-XR	93141	SEROPHENE	93227	GUAIMAX-D
93050	DML	93143	SHUR-CLENS	93229	XANTHINES
93054	ELDEPRYL	93144	SLEEPING PILL	93231	IMITREX
93056	ENLON	93147	STAHIST	93232	BOTULISM TOXIN
93057	ENULOSE	93151	SUPPOSITORY	93233	ACULAR II
93059	EPOGEN	93152	TAC	93234	KERLONE
93060	EQUALACTIN	93153	THERAPLEX T		
93062	FISH OIL				
93063	FLATULEX				

93236 DRY EYE THERAPY	93358 SCLEROSING AGENT	93980 MEDICATION(S) –
93237 SIMVASTATIN	93360 PENETREX	CONTINUE/MONITOR/
93238 BETAPACE	93362 TICLOPIDINE	REVIEW
93239 FLURBIPROFEN	93363 DESOGEN	93981 MEDICATION(S) –
93243 LAMISIL	93365 MITOXANTRONE	PRESCRIBED/
93244 PEN-KERA	93368 DUODERM	PROVIDED/OTC
93248 SUMATRIPTAN	93371 MIDODRINE	93982 MEDICATION(S) - IV
93249 VALPROATE	93372 BETASERON	94001 SOTALOL
93250 ROXIPRIN	93373 UROCIT K	94002 BENZONATE
93251 VANEX-FORTE	93383 IMMUNIZATION	94004 PAROXETINE
93252 PHENTOLAMINE	93385 LOGEN	94005 TUBERCULIN
93253 TETRAMUNE	93386 GI COCKTAIL	MEDICATION
93254 TILADE	93387 CEFOXITIN	94007 ENEMA
93256 PNEUMOCOCCAL	93389 IFOSFAMIDE	94010 PENTASA
VACCINE	93392 TAXOTERE	94011 CATAFLAM
93257 LORATADINE	93394 AEROSOL THERAPY	94012 ORTHO-EST
93258 CARBOPLATIN	93395 INHALER	94014 VENLAFAXINE
93259 PARAPLATIN	93396 AMLODIPINE	94016 ZIAC
93260 CARMUSTINE	93397 BALMEX	94018 BABY OIL
93261 CISAPRIDE	93399 OXAPROZIN	94019 BROMODIPHEN-
93262 MIDAZOLAM HCL	93400 NEBULIZER	HYDRAMINE W/
93303 CEFOTAXIME	93403 ITCH-X	CODEINE
93304 NEPHRO-VITE	93404 SUCRALFATE	94020 ALOMIDE
93305 GLYBURIDE	93405 SANDOSTATIN	94021 AQUASITE
93306 ADENOCARD	93408 THALIDOMIDE	94022 BREWERS YEAST
93307 ENGERIX-B	93411 PROPOXYPHENE/	94025 DERMATOP
93308 DAKIN'S SOLUTION	ACETAMINOPHEN	94027 SHAMPOO
93309 BENZODIAZEPINES	93412 BACMIN	94028 MONOCHLORACETIC
93311 PEDVAX HIB	93416 CALVULANIC	ACID
93312 KETOPROFEN	ACID/AMOXICILLIN	94029 NULYTELY
93313 DOBUTAMINE	93417 CEFPROZIL	94031 IMDUR
93315 PROPAFENONE	93418 FILGRASTIM	94032 NEUTRODERM CLEANSER
93316 MEFLOQUINE	93419 TRIAZOLAM	94034 ORTHO-TRICYCLEN
93317 PILOPINE	93420 NEVIRAPINE	94035 ZOLPIDEM TARTRATE
93320 PROTROPIN	93421 SELENIUM SULFIDE	94038 FACTOR VIII
93322 RICELYTE	SHAMPOO	94041 PINK COCKTAIL
93324 DIDEOXYCYTIDINE	93422 FLUNISOLIDE	94042 TEBAMIDE
93325 EMLA	93424 FLUDROCORTISONE	94043 TYLENOL ALLERGY SINUS
93326 INJECTION	ACETATE	94045 BEANO
93327 ITRACONAZOLE	93429 INJECTION (EPIDURAL)	94047 MESNA
93330 ASPARAGINASE	93430 INJECTION	94048 METROGEL VAGINAL
93331 VP	(GANGLION/NERVE BLOCK)	94049 OYSTER SHELL CALCIUM
93334 CLEMASTINE	93432 ORUVAIL	94051 SOLAQUIN FORTE
93335 APRACLONIDINE	93433 ALPROSTADIL	94052 TRIAMETERNE
93337 PROPOFOL	93437 THIAZIDE	94053 BETA BLOCKER
93338 DEMECLOCYCLINE	93440 CONDOMS	94054 ACE INHIBITOR
93339 DOAN'S PM EXTRA	93441 PEG	94055 ACEI-IMUNE
STRENGTH	93442 HAEMOPHILUS B	94056 AK DILATE
93340 B 50	CONJUGATE VACCINE	94058 COLLAGEN
93341 FELBATOL	93443 NIMODIPINE	94059 DOVONEX
93344 SOAP	93446 BETAXOLOL	94061 ISOVEX
93345 DIPRIVAN	93447 EMOLLIENT / LOTION /	94062 MONOKET
93347 AMBIEN	CREAM /MOISTURIZER	94064 NOVACET
93348 PHOSLO	93448 VECURONIUM	94065 PROSTAGLANDIN(S)
93351 DHC PLUS	93449 RABIES IMMUNE	94070 EFFEXOR
93352 FAMOTIDINE	GLOBULIN	94071 INDAPAMIDE
93353 PROGESTIN	93451 CLOMIPRAMINE	94072 NSAID
93355 BUPROPION	93453 RH IMMUNE GLOBUIN	94073 OCUFLOX
93356 ANTIGEN	93455 PERTUSSIS IMMUNE	94074 PULMOZYME
93357 COGNEX	GLOBULIN	94075 SEREVENT

94076	ALPHA HYDROXY	94160	KYTRIL	95051	VASCOR
94079	CORTICOSTEROID(S)	94161	DACTINOMYCIN	95052	OPTIRAY
94080	DESMOPRESSIN	94162	AZACITIDINE	95053	REGULAR
94081	DIVALPROEX SODIUM	94163	ALOE VERA	95054	ACTHIB
94082	GLAUCOMA MEDICATION	94167	ED A-HIST	95055	DESFLURANE
94086	ATUSS HD	94171	METHYLDOPA/ CHLOROTHIAZIDE	95057	DTAP
94089	ICAPS			95058	ISOFLURANE
94091	VAGINAL LUBRICANT	94172	IMMUNOSUPPRESIVE DRUG	95060	LIPISORB
94092	ADEKS			95061	PAPAYA ENZYME
94093	DORNASE ALFA	94173	ACEBUTOLOL	95062	STROVITE
94097	MEPRON	94174	RHINOCORT	95063	SUPRANE
94099	NEURONTIN	94175	ANTIBACTERIAL AGENT	95064	ZIDOVUDINE
94100	NIZATIDINE	94177	AREDIA	95065	ZEMURON
94101	OXISTAT	94179	NABUMETONE	95066	GASTROINTESTINAL AGENT
94102	PYRIMETHAMINE	94181	SORBSAN		
94103	QUININE	94183	FUNGI NAIL	95067	INTERFERON
94104	RISPERIDONE	94185	SEIZURE MEDICATION	95072	BENZTROPINE
94105	VANCENASE AQ	94187	ERCAF	95077	EXSEL SHAMPOO
94108	TECHNETIUM	94188	FENTANYL	95078	PANCREASE MT
94110	LOZENGES	94189	FLUMAZENIL	95080	SERZONE
94113	DIFLUNISAL	94190	MG	95081	VICKS FORMULA 44
94114	GABAPENTIN	94191	MONISTAT	95082	PAMIDRONATE
94116	HUMULIN R	94192	HIV MEDICATION	95083	RECOMBINATE
94117	LOVENOX	94195	RECEPTIN	95084	STAVUDINE
94118	NAPHAZOLINE/ PHENIRAMINE	94196	OCTREOTIDE	95085	DEMEROL W/ VISTARIL
94119	NORETHINDRONE ACETATE	95001	INTERFERON-BETA	95086	LIQUID NITROGEN
		95002	BETAGEN	95087	PROPHYLAXIS
94120	OTOMYCIN	95003	ECONAZOLE	95088	ESTROPIPATE
94121	RINGWORM MEDICINE	95005	FLONASE	95089	METAXALONE
94122	BECONASE AQ	95007	LUBRIN	95090	TAR PREPARATION SHAMPOO
94123	BECONASE AQ	95009	DECONAMINE SR		
94124	CHOLESTYRAMINE	95011	DEXACORT	95091	TRIPEDIA
94125	ALEVE	95012	GONIOSCOPIE	95092	PRAVASTATIN
94126	DEMADEX	95015	TESTODERM	95095	LARIAM
94127	DAYPRO	95016	ADDERALL	95097	CARDIOLITE
94128	DAYQUIL	95017	FAMVIR	95100	PROTEIN SUPPLEMENT
94129	DOXY	95018	NASAL WASH	95101	T-GEL SHAMPOO
94131	GARLIC PILL	95020	NICARDIPINE	95103	OCUSERT
94133	TERAZOSIN	95021	ARTHRITIS MEDICATION	95105	ANTIOX
94134	DESONIDE	95022	FEVERALL	95106	DANDRUFF SHAMPOO
94136	LAMIVUDINE	95023	CHILDRENS MOTRIN	95108	CETAPHIL MOISTURIZER
94137	SULFA	95024	FLUVOXAMINE	95109	CROLOM
94139	CEFPODOXIME	95025	LUVOX	95111	GLUCOPHAGE
94140	SYNAREL	95027	ALTRACIN	95112	HYPERTONIC SALINE
94141	BACTIGEN	95028	CEFTIZOXIME	95113	LACTICARE HC
94142	EXIDINE	95029	DOK	95114	TRUSOPT
94143	DEPO INJECTION	95032	NITRATES	95115	NUTROPIN
94145	OINTMENT	95033	MAC	95116	CAPSAICIN
94146	PENICILLIN G BENZATHINE	95035	ATRACURIUM	95118	HEPATITIS A VACCINE
		95036	BUPRENORPHINE	95119	MULTIVITAMIN W/ IRON
94149	ESGIC PLUS	95038	FACTOR IX COMPLEX	95122	PREVACID
94150	FLUDARA	95041	NITROPRUSSIDE	95126	METHYLENE DIPHOSPHONATE
94151	FLUDARABINE	95042	NOREPINEPHRINE		
94153	ZONALON	95044	ROBITUSSIN W/ CODEINE	95130	ULTRASE
94154	LESCOL	95045	TYLENOL PM	95133	METFORMIN
94155	MEDIPLAST	95046	AMYLASE	95135	PRECARE
94156	LURLINE PMS	95047	ATOVAQUONE	95137	ALFALFA
94158	RISPERDAL	95050	ULTRAM	95138	AK-FLUOR

95140 FLUVASTATIN	96038 MUPIROCIN	96137 DHEA
95141 NEFAZODONE	96040 SENSODYNE	96138 AMARYL
95142 PREMPRO	TOOTHPASTE	96139 OTOCAIN
95144 LOTREL	96041 TRAMADOL	96141 VIVELLE
95145 MENINGOCOCCAL VACCINE	96042 NEORAL	96144 ACCOLATE
95147 VAGINAL CREAM	96043 VALTREX	96145 ALFENTANIL
95148 HEPATITIS C VACCINE	96044 NASAREL	96147 CELLCEPT
95149 ZOSYN	96045 DEMEROL	96149 IMIPENEM-CILASTATIN SODIUM
95150 ADVERA	96049 HEPATITIS VACCINE	96151 PEPTAMEN
95151 RADIOACTIVE IODINE	96050 HOMEOPATHICS	96152 RILUTEK
95152 COZAAR	96054 NAVELBINE	96154 SOMATROPIN
95154 QUERCETIN	96055 LEVOTHYROID	96155 TRIAMINIC ALLERGY
95155 FLAX SEED OIL	96058 PRECOSE	96156 VITAFOL
95156 MYCOCIDE	96059 PRENAVITE	96157 AEROCHAMBER
95157 COLESTIPOL	96060 SEVOFLURANE	96161 DIFLORASONE DIACETATE
95158 AQUA-BAN	96061 SOMATOSTATIN	96162 PROVISC
95160 CLIMARA	96062 ULTANE	96163 VITRAX
95164 DORZOLAMIDE	96063 PROBUCOL	96164 BETIMOL
95170 OCUSULF-10	96065 GEMCITABINE	96165 ELMIRON
95171 HYZAAR	96066 NORVIR	96166 RENOVA
95173 LEVBIID	96067 ANTIOXIDANTS	96167 XALATAN
95174 PROGRAF	96068 TRIAZ	96168 MAVIK
95177 FINASTERIDE	96072 TIAZAC	96169 ACIDOPHILUS
95178 FIORICET/ CODEINE	96074 BARIUM ENEMA	96170 CIDOFOVIR
95180 GLUCERNA	96075 HYDROGEL	96171 MENTAX
95181 LAMICTAL	96080 CRIXIVAN	96172 OXANDROLONE
95182 VARIVAX	96081 DECOFED	96173 ZYPREXA
95183 FOSAMAX	96083 NAPRELAN	96174 ALLEGRA
95184 CLIDINIUM BROMIDE	96084 OPCON-A	96175 TRITEC
95186 ESMOLOL	96085 REDUX	96176 DIFFERIN
95187 DYNABAC	96086 SULAR	96177 IMMUNO THERAPY
95188 PREMPHASE	96087 VIBRA-TABS	97001 CEFTIBUTEN
95189 UNIVASC	96091 FLOVENT	97002 OLANZAPINE
95190 OCUCOAT	96093 RITONAVIR	97004 CEFOTETAN
95191 EPIVIR	96094 ACARBOSE	97005 CEREBYX
95192 CASODEX	96095 ETOMIDATE	97006 FEIBA VH IMMUNO
96002 DEFEN-LA	96096 SECOBARBITAL	97009 AUROLATE
96003 PERMETHRIN	96097 COSYNTROPIN	97010 GAMMA GLOBULIN
96005 ALENDRONATE SODIUM	96099 MOLINDONE	97011 MIGRAINE AGENT
96006 AZELEX	96102 EC-NAPROSYN	97012 PACLITAXEL
96007 CETIRIZINE	96103 MAXITUSSIN	97013 PREVALITE
96008 HUMULIN N	96105 TEGADERM	97015 TOPOTECAN
96009 BENZOCAINE	96106 ADRENALINE CHLORIDE	97016 ARICEPT
96010 VAPORIZER	96107 BUMETANIDE	97017 HUMALOG
96012 MEPEGAN FORTIS	96109 OXYCONTIN	97019 SAW PALMETTO
96013 PALGIC	96110 CARNITOR	97020 LIPITOR
96015 EFLONE	96111 AYR NASAL GEL	97021 MUSE
96016 PROXACOL	96115 SALMETEROL	97024 ZYFLO
96020 LEVOXYL	96117 SPINAL	97026 BENADRYL W LIDOCAINE
96021 TSH	96121 DIMETAPP	97027 FLINTSTONES VITAMINS
96022 ZYRTEC	COLD/ALLERGY	97028 ALPHAGAN
96024 CLOBETASOL	96122 REMERON	97029 ATUSS DM
96027 DOCUSATE SODIUM	96123 ZEBETA	97030 NEOCATE
96028 ACETAMINOPHEN- HYDROCODONE	96124 HAVRIX	97034 ZYBAN
96031 DRONABINOL	96125 MELATONIN	97035 ASTELIN
96032 INVIRASE	96128 AVONEX	97036 DIOVAN
96033 LEVOBUNOLOL	96130 LANSOPRAZOLE	97037 PATANOL
96035 SAQUINAVIR	96133 ADAPALENE	97038 GEMZAR
	96135 PHENERGAN DM	
	96136 CORMAX	

97040 TRIM-SULFA	97132 MAXIPIME	98043 VICOPROFEN
97041 ANTITUSSIVE	97133 NIMBEX	98045 PROTUSS DM
97045 LEVAQUIN	97134 PLASMA	98046 MICROZIDE
97046 OMNIHIST	97135 VALACYCLOVIR	98047 NORITATE
97047 MAGNESIUM	97136 LAMOTRIGINE	98049 DONEPEZIL HCL
97049 TOPAMAX	97138 TUSSIN DM	98050 LODOSYN
97050 VISIPAQUE	97141 COMBIVIR	98051 OS-CAL +D
97051 VIRACEPT	97142 COREG	98053 PREVPAC
97052 VIRAMUNE	97145 AVAPRO	98054 TAZORAC
97054 DELAVIRDINE	97146 ESTRING	98055 FOLLISTIM
97055 ESTROSTEP	97148 MITOMYCIN	98056 GONAL-F
97056 MIRTAZAPINE	97149 NILUTAMIDE	98058 OXANDRIN
97057 NELFINAVIR	97150 EQUIP	98062 REPRONEX
97059 TROGLITAZONE	97151 CHONDROITIN SULFATE	98063 RESCON DM
97060 FAMCICLOVIR	97152 MIRAPEX	98065 DETROL
97061 NAROPIN	97154 VINEGAR	98067 ANALGESIC-NARCOTIC
97062 ULTIVA	97155 TIMOPTIC XE	98071 THERAFLU
97063 CLAVULANIC ACID	97157 ATORVASTATIN	98073 DOMPERIDONE
97065 MULTIPLE VITAMIN WITH CALCIUM	97159 CALCITRIOL	98074 ANDROID
97068 DEXTROSTAT	97160 CRINONE	98075 CALCIUM CITRATE
97072 HYDROXPROPYL METHYCELLULOSE	97161 PROMOD	98076 TUBERCULOSIS VACCINE
97073 LOSARTAN	97162 FOSPHENYTOIN	98077 TRI-TANNATE
97075 GENTEAL	97163 LEVOFLOXACIN	98078 ADVIL COLD AND SINUS
97078 ANDRODERM PATCHES	97164 WATER PILL	98080 RESINOL
97079 CAMPTOSAR	97165 HEMABATE	98082 TROVAFLOXACIN
97081 FRAGMIN	97167 BEROCCA PLUS	98083 AZOPT
97083 TOMOCAT	97168 SEROQUEL	98085 NIASPAN
97084 ROCURONIUM	97170 CENTRUM SILVER	98086 PLAVIX
97085 TORSEMIDE	97172 PREPIDIL	98087 SULFOIL
97086 ALESSE	97174 BABY ASPIRIN	98088 TASMAR
97087 CORTANE B OTIC DROPS	97178 PULMICORT TURBUHALER	98089 TERBINAFINE
97089 GUANFACINE	97179 DENAVIR	98090 ARIMIDEX
97092 TRANDOLAPRIL	97181 OXY IR	98091 CHEMET
97094 ZOTO	98001 MAG-OX	98092 DOXIL
97096 FERTINEX	98005 ANAPLEX HD	98093 MONTELUKAST
97097 LIQUIBID-D	98006 ARTHROTEC	98094 REGRANEX
97098 PRAMIPEXOLE	98008 CARVEDILOL	98095 SUSTIVA
97099 GENERAL ANESTHESIC	98009 MUCO-FEN	98096 TOBI
97101 NIFEREX FORTE	98010 NASONEX	98097 AMERGE
97103 ALA-CORT	98011 CONSTULOSE	98098 COSOPT
97105 COMBIVENT	98013 BEE POLLEN	98099 GINKGO
97106 DAPIPRAZOLE	98016 NEUTROGENA T/GEL	98100 MIGRANAL
97107 DURACT	98017 PROPECIA	98101 PRANDIN
97108 HELIDAC	98018 VANICREAM	98103 XELODA
97109 REVIA	98022 ZOMIG	98104 VICODIN TUSS
97111 TARKA	98023 MERIDIA	98106 ANZEMET
97112 SUDAL	98025 MONUROL	98107 IRINOTECAN
97113 ZANAFLEX	98026 ACNE MEDICATION	98108 HI-COR
97114 TAURINE	98028 PANCOF	98109 CHLORHEXIDINE GLUCONATE
97118 FLEET PHOSPHO-SODA	98030 ECHINACEA	98110 PROTRIPTYLINE
97120 NISOLDIPINE	98032 LEVOCABASTINE	98111 SORIATANE
97121 POSICOR	98033 ALDARA	98112 AVITA
97126 FLOMAX	98036 NORCO	98114 CARBATROL
97127 PANDEL	98037 RHO VACCINE	98115 CELEXA
97129 ST JOHNS WORT	98038 SINGULAIR	98116 GABITRIL
97130 TACROLIMUS	98039 SINUVENT	98117 FENOFIBRATE
	98041 VIAGRA	

98122 ACTIDOSE WITH SORBITOL	99037 HUMULIN 50/50	99128 LIPASE
98123 ANTIRETROVIRAL AGENT	99038 VANEX-HD	99129 Q-PAP
98125 MYCOPHENLATE	99039 LOTENSIN HCT	99130 SINEX
98126 FLUVIRIN	99041 MAXIFED	99131 TRIBIOTIC
98130 BOOST	99042 PACERONE	99132 EVISTA
98131 TOPIRAMATE	99043 PROAMATINE	99133 ALBUTEROL
98132 OXALIPLATIN	99046 RITUXAN	99136 HELIOX
98135 NEUMEGA	99048 SODIUM SULFACETAMIDE AND SULFUR	99137 HERBS
98136 PROMETRIUM	99049 XENICAL	99138 KELP
98139 TIZANIDINE	99051 AVALIDE	99139 MAGIC MOUTHWASH
98141 VALSARTAN	99052 ACTIVATED CHARCOAL	99141 PIN-X
98142 ALREX	99054 FERATAB	99142 PRENATAL VITAMINS W/ IRON
98143 COPAXONE	99055 FLUROX	99144 RACEMIC EPINEPHRINE
98144 KADIAN	99056 GLIMEPIRIDE	99146 VITAPLEX
98145 FACTOR VII-A	99057 HEMOCYTE PLUS	99147 ACCUZYME
98146 EFAVIRENZ	99059 MICARDIS	99148 ARMIDEX
98150 DEHYDROEPI- ANDROSTERONE	99060 MICRO-K 10	99149 A & E CREAM
98151 GENOTROPIN	99061 PRENATE ULTRA	99150 B-50
98156 MAXALT	99062 PRIMACOR	99151 ADENOSINE TRIPHOSPHATE
98158 TRICOR	99066 SINEMET CR	99152 EVENING PRIMROSE OIL
98160 ARAVA	99067 VIOXX	99153 FLEXTRA-DS
98161 CAPECITABINE	99072 PROMETH W/ CODEINE	99154 ISOCAINE HCL
98164 LOTEMAX	99073 CIPRO HC	99155 L-CARNITINE
98165 MARCOF EXPECTORANT	99074 CITALOPRAM	99156 LIPID LOWERING AGENT
98166 RONDEC TR	99075 ENBREL	99157 LOPIDINE
98167 GRAPESEED EXTRACT	99076 GLUCOSAMINE SULFATE	99159 PROCUREN
99001 CEFEPIME	99080 MIRALAX	99161 ROPINIROLE HCL
99002 CELEBREX	99081 MULTIVITAMINS W/ FOLIC ACID	99163 ANAPLEX DM
99003 LUSTRA CREAM	99085 RELENZA	99165 CHILDRENS NYQUIL
99005 REMICADE	99086 T/SCALP	99167 COQ-10
99006 RENAGEL	99087 TRICODENE	99168 CREATINE
99007 ROPIVACAINE HCL	99088 ZIAGEN	99169 DEPO-MEDROXY- PROGESTERONE
99008 ALLEGRA D	99089 ACIPHEX	99172 NOVOLIN 70/30
99009 BIOHIST-LA	99090 ACTOS	99174 PHOSPHORUS
99010 MIRCETTE	99095 HERCEPTIN	99179 PREVEN
99013 NASACORT AQ	99096 HYDRATED PETROLEUM	99180 PROBALANCE
99014 OMNICEF	99098 NITROQUICK	99183 THERAVITE
99015 ORTHO-NOVUM 7/7/7	99099 PLETAL	99184 TRIVORA
99016 PRIMROSE OIL	99100 PREDNICARBATE	99185 UNIRECTIC
99017 RIBAVIRIN	99101 QUETIAPINE FUMARATE	99187 ACTICIN
99018 ROTAVIRUS VACCINE	99102 THERATEARS	99188 BOOST PLUS
99019 SYNVISC	99103 TUBEX	99189 CALCIUM W/ VITAMIN D
99020 SEROTONIN	99104 TUSSI-12	99191 MULTIDEX
99021 TYCOLENE P.M.	99106 XOPENEX	99192 NORGESIC FORTE
99022 CECLOR CD	99107 ZADITOR	99193 SAM-E
99023 CORTISPORIN OTIC	99109 BUFFERED LIDOCAINE	99194 ABACAVIR SULFATE
99024 C/T/S	99112 D-5-W	99196 CISATRACURIUM BESYLATE
99025 ACITRETIN	99114 ENDOCET	99197 DOLASETRON MESYLATE
99026 GLUCOSAMINE	99117 LIDOCAINE BICARBONATE	99199 FENRETINIDE
99027 LID SCRUB	99118 NECON	99200 METHOHEXITAL
99028 TYLENOL ARTHRITIS	99119 NITROPASTE	99201 ORTHO-CYCLEN
99029 PREDNISOLONE ACETATE OPHTHALMIC	99123 MORPHINE SULFATE	99202 PRENATAL VITAMINS W/ CALCIUM
99030 AVANDIA	99124 NASAL DROPS	99203 RITUXIMAB
99031 ATACAND	99125 NITRODRIP	99204 REOPRO
99033 CLOPIDOGREL	99126 KARO	99205 TETRABENAZINE
99036 GLUCOSAMINE CHONDROITIN	99127 LIDOCAINE/ EPINEPHRINE/ TETRACAINE	

99207 BRIMONIDINE  
99209 CALENDULA CREAM  
99210 CARTIA  
99211 CITRACAL + D  
99213 DIASTAT  
99214 DIOVAN HCT  
99215 ENTEX LA  
99216 FEXOFENADINE  
99219 GINKGO BILOBA  
99222 IV SEDATION  
99223 LEVORA  
99224 OMEGA-3  
99225 RALOXIFENE  
99227 UNIRETIC  
99980 OTHER  
99999 ILLEGIBLE

THIS PAGE HAS BEEN LEFT BLANK INTENTIONALLY



### **Appendix III Multum Lexicon End-User License Agreement**

#### 1. Introduction

A. This License Agreement (the "License") applies to the Multum Lexicon database (the "Database"). This License does not apply to any other products or services of Cerner Multum, Inc. ("Multum"). A "work based on the Database" means either the Database or any derivative work under copyright law; i.e., a work containing the Database or a substantial portion of it, either verbatim or with modifications. A translation of the Database is included without limitation in the term "modification". Each end-user/licensee is addressed herein as "you".

B. Your use of the Database acknowledges acceptance of these restrictions, disclaimers, and limitations. You expressly acknowledge and agree that Multum is not responsible for the results of your decisions resulting from the use of the Database, including, but not limited to, your choosing to seek or not to seek professional medical care, or from choosing or not choosing specific treatment based on the Database.

C. Every effort has been made to ensure that the information provided in the Database is accurate, up-to-date, and complete, but no guarantee is made to that effect. In addition, the drug information contained herein may be time sensitive.

D. Multum does not assume any responsibility for any aspect of healthcare administered or not administered with the aid of information the Database provides.

#### 2. Terms and Conditions for Copying, Distribution and Modification

A. You may copy and distribute verbatim copies of the Database as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Database a copy of this License (the readme.txt file) along with the Database and anything else that is part of the package, which should be identified.

B. You may modify your copy or copies of the Database or any portion of it to form a derivative work, and copy and distribute such modifications or work under the terms of Section 2.A. above, provided that you also meet all of these conditions:

i) You must cause the modified files to carry prominent notices stating that they are derived from the Multum Lexicon database from Cerner Multum, Inc. and that you changed the files and the date of any change(s).

ii) If you incorporate modified files into a computer program, you must cause it, when started running for interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice, a notice that you have modified the Multum Lexicon database from Cerner Multum, Inc., and a notice that there is no warranty (or that you provide the warranty) and telling the user how to view a copy of this License.

C. It is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Database.

D. You may copy and distribute the Database (or a work based on it, under Section 2.B.) in an encoded form under the terms of Sections 2.A. and 2.B. above provided that you also do one of the following:

i) Accompany it with the complete corresponding machine-readable plain text, which must be distributed under the terms of Sections 2.A and 2.B. above on a medium customarily used for software interchange; or,

ii) Accompany it with a written offer to give any third party, for no charge, a complete machine-readable copy of the Database (and the entirety of your derivative work based on it, under Section 2.B.), to be distributed under the terms of Sections 2.A. and 2.B. above on a medium customarily used for software interchange.

E. You may not copy, modify, sublicense, or distribute the Database except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Database will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

F. You are not required to accept this License. However, nothing else grants you permission to copy, modify or distribute the Database or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by copying, modifying or distributing the Database (or any work based on the Database), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Database or works based on it.

G. Each time you redistribute the Database (or any work based on the Database), the recipient automatically receives a license from Multum to copy, distribute or modify the Database subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

### 3. Disclaimer of Warranties; Limitation of Damages

A. BECAUSE THE DATABASE IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM OR DATA, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING. MULTUM AND/OR OTHER PARTIES PROVIDE THE DATABASE "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED, STATUTORY OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE DATABASE IS WITH YOU. SHOULD THE DATABASE PROVE DEFECTIVE, INCOMPLETE, OR INACCURATE, YOU ASSUME THE RESPONSIBILITY AND COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

B. IN NO EVENT (UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING) WILL MULTUM, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE DATABASE AS PERMITTED ABOVE, BE LIABLE FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR INDIRECT DAMAGES, INCLUDING DAMAGES FOR LOSS OF PROFITS, LOSS OF BUSINESS, OR DOWN TIME, EVEN IF MULTUM OR ANY OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

C. IN ADDITION, WITHOUT LIMITING THE FOREGOING, THE DATABASE HAS BEEN DESIGNED FOR USE IN THE UNITED STATES ONLY AND COVERS THE DRUG PRODUCTS USED IN PRACTICE IN THE UNITED STATES. MULTUM PROVIDES NO CLINICAL INFORMATION OR CHECKS FOR DRUGS NOT AVAILABLE FOR SALE IN THE UNITED STATES AND CLINICAL PRACTICE PATTERNS OUTSIDE THE UNITED STATES MAY DIFFER SUBSTANTIALLY FROM INFORMATION SUPPLIED BY THE DATABASE. MULTUM DOES NOT WARRANT THAT USES OUTSIDE THE UNITED STATES ARE APPROPRIATE.

D. You acknowledge that updates to the Database are at the sole discretion of Multum. Multum makes no representations or warranties whatsoever, express or implied, with respect to the compatibility of the Database, or future releases thereof, with any computer hardware or software, nor does Multum represent or warrant the continuity of the features or the facilities provided by or through the Database as between various releases thereof.

E. Any warranties expressly provided herein do not apply if: (i) the end-user alters, mishandles or improperly uses, stores or installs all, or any part, of the Database, (ii) the end-user uses, stores or installs the Database on a computer system which fails to meet the specifications provided by Multum, or (iii) the breach of warranty arises out of or in connection with acts or omissions of persons other than Multum.

#### 4. Assumption of Risk, Disclaimer of Liability, Indemnity

A. THE END-USER ASSUMES ALL RISK FOR SELECTION AND USE OF THE DATABASE AND CONTENT PROVIDED THEREON. MULTUM SHALL NOT BE RESPONSIBLE FOR ANY ERRORS, MISSTATEMENTS, INACCURACIES OR OMISSIONS REGARDING CONTENT DELIVERED THROUGH THE DATABASE OR ANY DELAYS IN OR INTERRUPTIONS OF SUCH DELIVERY.

B. THE END-USER ACKNOWLEDGES THAT MULTUM: (A) HAS NO CONTROL OF OR RESPONSIBILITY FOR THE END-USER'S USE OF THE DATABASE OR CONTENT PROVIDED THEREON, (B) HAS NO KNOWLEDGE OF THE SPECIFIC OR UNIQUE CIRCUMSTANCES UNDER WHICH THE DATABASE OR CONTENT PROVIDED THEREON MAY BE USED BY THE END-USER, (C) UNDERTAKES NO OBLIGATION TO SUPPLEMENT OR UPDATE CONTENT OF THE DATABASE, AND (D) HAS NO LIABILITY TO ANY PERSON FOR ANY DATA OR INFORMATION INPUT ON THE DATABASE BY PERSONS OTHER THAN MULTUM.

C. MULTUM SHALL NOT BE LIABLE TO ANY PERSON (INCLUDING BUT NOT LIMITED TO THE END-USER AND PERSONS TREATED BY OR ON BEHALF OF THE END-USER) FOR, AND THE END-USER AGREES TO INDEMNIFY AND HOLD MULTUM HARMLESS FROM ANY CLAIMS, LAWSUITS, PROCEEDINGS, COSTS, ATTORNEYS' FEES, DAMAGES OR OTHER LOSSES (COLLECTIVELY, "LOSSES") ARISING OUT OF OR RELATING TO (A) THE END-USER'S USE OF THE DATABASE OR CONTENT PROVIDED THEREON OR ANY EQUIPMENT FURNISHED IN CONNECTION THEREWITH AND (B) ANY DATA OR INFORMATION INPUT ON THE DATABASE BY END-USER, IN ALL CASES INCLUDING BUT NOT LIMITED TO LOSSES FOR TORT, PERSONAL INJURY, MEDICAL MALPRACTICE OR PRODUCT LIABILITY.

#### 5. Miscellaneous

A. You warrant that you have authority within the organization you identified during registration for the Database to enter into license agreements with other organizations including Multum.

B. You agree that Multum may identify you and/or your organization by name as a "licensee", "licensed user", or "licensing organization" of the Database or a "client" of Multum in Multum's external market communications. You also agree that Multum may issue, if it desires, a press release stating that you and/or your organization have licensed the Database.

C. If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other obligations, then as a consequence you may not distribute the Database at all.

D. If any portion of this License is held invalid or unenforceable under any particular circumstance, the balance of this License is intended to apply and the License as a whole is intended to apply in other circumstances.

E. If the distribution and/or use of the Database is or becomes restricted in certain countries either by patents or by copyrighted interfaces, Multum may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

Multum Lexicon

Copyright (c) 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2008

Cerner Multum, Inc.

2000 South Colorado Blvd, Suite 11000

Denver, Colorado 80222

## APPENDIX III. MULTUM CLASSIFICATION OF THERAPEUTIC CLASSES (DRUG CATEGORIES)

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
001	anti-infectives	002	amebicides		
001	anti-infectives	003	anthelmintics		
001	anti-infectives	004	antifungals	235	polyenes
001	anti-infectives	004	antifungals	236	azole antifungals
001	anti-infectives	004	antifungals	237	miscellaneous antifungals
001	anti-infectives	004	antifungals	310	echinocandins
001	anti-infectives	005	antimalarial agents	238	antimalarial quinolines
001	anti-infectives	005	antimalarial agents	239	miscellaneous antimalarials
001	anti-infectives	005	antimalarial agents	328	antimalarial combinations
001	anti-infectives	006	antituberculosis agents	230	aminosalicylates
001	anti-infectives	006	antituberculosis agents	231	nicotinic acid derivatives
001	anti-infectives	006	antituberculosis agents	232	rifamycin derivatives
001	anti-infectives	006	antituberculosis agents	233	streptomyces derivatives
001	anti-infectives	006	antituberculosis agents	234	miscellaneous antituberculosis agents
001	anti-infectives	006	antituberculosis agents	329	antituberculosis combinations
001	anti-infectives	007	antiviral agents	175	protease inhibitors
001	anti-infectives	007	antiviral agents	176	NRTIs
001	anti-infectives	007	antiviral agents	177	miscellaneous antivirals
001	anti-infectives	007	antiviral agents	227	NNRTIs
001	anti-infectives	007	antiviral agents	228	adamantane antivirals
001	anti-infectives	007	antiviral agents	229	purine nucleosides
001	anti-infectives	007	antiviral agents	281	neuraminidase inhibitors
001	anti-infectives	007	antiviral agents	327	antiviral combinations
001	anti-infectives	007	antiviral agents	330	antiviral interferons
001	anti-infectives	007	antiviral agents	364	antiviral chemokine receptor antagonist

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
001	anti-infectives	007	antiviral agents	366	integrase strand transfer inhibitor
001	anti-infectives	008	carbapenems		
001	anti-infectives	009	cephalosporins	159	first generation cephalosporins
001	anti-infectives	009	cephalosporins	160	second generation cephalosporins
001	anti-infectives	009	cephalosporins	161	third generation cephalosporins
001	anti-infectives	009	cephalosporins	162	fourth generation cephalosporins
001	anti-infectives	009	cephalosporins	379	next generation cephalosporins
001	anti-infectives	010	leprostatics		
001	anti-infectives	011	macrolide derivatives	304	macrolides
001	anti-infectives	011	macrolide derivatives	305	ketolides
001	anti-infectives	012	miscellaneous antibiotics		
001	anti-infectives	013	penicillins	222	penicillinase resistant penicillins
001	anti-infectives	013	penicillins	223	antipseudomonal penicillins
001	anti-infectives	013	penicillins	224	aminopenicillins
001	anti-infectives	013	penicillins	225	beta-lactamase inhibitors
001	anti-infectives	013	penicillins	226	natural penicillins
001	anti-infectives	014	quinolones		
001	anti-infectives	015	sulfonamides		
001	anti-infectives	016	tetracyclines		
001	anti-infectives	017	urinary anti-infectives		
001	anti-infectives	018	aminoglycosides		
001	anti-infectives	240	lincomycin derivatives		
001	anti-infectives	315	glycylcyclines		
001	anti-infectives	406	glycopeptide antibiotics		
020	antineoplastics	021	alkylating agents		
020	antineoplastics	022	antibiotics/antineoplastics		
020	antineoplastics	023	antimetabolites		
020	antineoplastics	024	hormones/antineoplastics		

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
020	antineoplastics	025	miscellaneous antineoplastics		
020	antineoplastics	026	mitotic inhibitors		
020	antineoplastics	323	antineoplastic monoclonal antibodies		
020	antineoplastics	324	antineoplastic interferons		
020	antineoplastics	343	tyrosine kinase inhibitors		
020	antineoplastics	383	antineoplastic detoxifying agents		
020	antineoplastics	391	MTOR kinase inhibitors		
020	antineoplastics	397	multikinase inhibitors		
020	antineoplastics	398	BCR-ABL tyrosine kinase inhibitors		
020	antineoplastics	399	CD52 monoclonal antibodies		
020	antineoplastics	400	CD33 monoclonal antibodies		
020	antineoplastics	401	CD20 monoclonal antibodies		
020	antineoplastics	402	VEFG/VEGFR inhibitors		
020	antineoplastics	403	MTOR inhibitors		
020	antineoplastics	404	EGFR inhibitors		
020	antineoplastics	405	HER2 inhibitors		
020	antineoplastics	408	histone deacetylase inhibitors		
020	antineoplastics	429	trifunctional monoclonal antibodies		
020	antineoplastics	431	anti-CTLA-4 monoclonal antibodies		
028	biological	030	antitoxins and antivenins		
028	biological	034	in vivo diagnostic biologicals		
028	biological	036	recombinant human erythropoietins		
028	biological	390	hematopoietic stem cell mobilizer		
040	cardiovascular agents	041	agents for hypertensive emergencies		
040	cardiovascular agents	042	angiotensin converting enzyme inhibitors		
040	cardiovascular agents	043	antiadrenergic agents, peripherally acting		
040	cardiovascular agents	044	antiadrenergic agents, centrally acting		
040	cardiovascular agents	045	antianginal agents		

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
040	cardiovascular agents	046	antiarrhythmic agents	385	group I antiarrhythmics
040	cardiovascular agents	046	antiarrhythmic agents	386	group II antiarrhythmics
040	cardiovascular agents	046	antiarrhythmic agents	387	group III antiarrhythmics
040	cardiovascular agents	046	antiarrhythmic agents	388	group IV antiarrhythmics
040	cardiovascular agents	046	antiarrhythmic agents	389	group V antiarrhythmics
040	cardiovascular agents	047	beta-adrenergic blocking agents	274	cardioselective beta blockers
040	cardiovascular agents	047	beta-adrenergic blocking agents	275	non-cardioselective beta blockers
040	cardiovascular agents	048	calcium channel blocking agents		
040	cardiovascular agents	049	diuretics	154	loop diuretics
040	cardiovascular agents	049	diuretics	155	potassium-sparing diuretics
040	cardiovascular agents	049	diuretics	156	thiazide diuretics
040	cardiovascular agents	049	diuretics	157	carbonic anhydrase inhibitors
040	cardiovascular agents	049	diuretics	158	miscellaneous diuretics
040	cardiovascular agents	050	inotropic agents		
040	cardiovascular agents	051	miscellaneous cardiovascular agents		
040	cardiovascular agents	052	peripheral vasodilators		
040	cardiovascular agents	053	vasodilators		
040	cardiovascular agents	054	vasopressors		
040	cardiovascular agents	055	antihypertensive combinations		
040	cardiovascular agents	056	angiotensin II inhibitors		
040	cardiovascular agents	303	agents for pulmonary hypertension		
040	cardiovascular agents	319	vasopressin antagonists		
040	cardiovascular agents	325	sclerosing agents		
040	cardiovascular agents	340	aldosterone receptor agonists		
040	cardiovascular agents	342	renin inhibitors		
040	cardiovascular agents	396	Prostaglandin D2 antagonists		
040	cardiovascular agents	430	anticholinergic chronotropic agents		
040	cardiovascular agents	433	catecholamines		



Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
057	central nervous system agents	058	analgesics	059	miscellaneous analgesics
057	central nervous system agents	058	analgesics	060	narcotic analgesics
057	central nervous system agents	058	analgesics	061	nonsteroidal anti-inflammatory agents
057	central nervous system agents	058	analgesics	062	salicylates
057	central nervous system agents	058	analgesics	063	analgesic combinations
057	central nervous system agents	058	analgesics	191	narcotic analgesic combinations
057	central nervous system agents	058	analgesics	193	antimigraine agents
057	central nervous system agents	058	analgesics	278	cox-2 inhibitors
057	central nervous system agents	064	anticonvulsants	199	hydantoin anticonvulsants
057	central nervous system agents	064	anticonvulsants	200	succinimide anticonvulsants
057	central nervous system agents	064	anticonvulsants	201	barbiturate anticonvulsants
057	central nervous system agents	064	anticonvulsants	202	oxazolidinedione anticonvulsants
057	central nervous system agents	064	anticonvulsants	203	benzodiazepine anticonvulsants
057	central nervous system agents	064	anticonvulsants	204	miscellaneous anticonvulsants
057	central nervous system agents	064	anticonvulsants	311	dibenzazepine anticonvulsants
057	central nervous system agents	064	anticonvulsants	345	fatty acid derivative anticonvulsants
057	central nervous system agents	064	anticonvulsants	346	gamma-aminobutyric acid reuptake inhibitors
057	central nervous system agents	064	anticonvulsants	347	gamma-aminobutyric acid analogs
057	central nervous system agents	064	anticonvulsants	348	triazine anticonvulsants
057	central nervous system agents	064	anticonvulsants	349	carbamate anticonvulsants
057	central nervous system agents	064	anticonvulsants	350	pyrrolidine anticonvulsants
057	central nervous system agents	064	anticonvulsants	351	carbonic anhydrase inhibitor anticonvulsants
057	central nervous system agents	064	anticonvulsants	352	urea anticonvulsants
057	central nervous system agents	064	anticonvulsants	496	Neuronal potassium channel openers
057	central nervous system agents	065	antiemetic/antivertigo agents	195	5HT3 receptor antagonists
057	central nervous system agents	065	antiemetic/antivertigo agents	196	phenothiazine antiemetics
057	central nervous system agents	065	antiemetic/antivertigo agents	197	anticholinergic antiemetics
057	central nervous system agents	065	antiemetic/antivertigo agents	198	miscellaneous antiemetics

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
057	central nervous system agents	066	antiparkinson agents	205	anticholinergic antiparkinson agents
057	central nervous system agents	066	antiparkinson agents	206	miscellaneous antiparkinson agents
057	central nervous system agents	066	antiparkinson agents	276	dopaminergic antiparkinson agents
057	central nervous system agents	067	anxiolytics, sedatives, and hypnotics	068	Barbiturates
057	central nervous system agents	067	anxiolytics, sedatives, and hypnotics	069	Benzodiazepines
057	central nervous system agents	067	anxiolytics, sedatives, and hypnotics	070	miscellaneous anxiolytics, sedatives and hypnotics
057	central nervous system agents	071	CNS stimulants		
057	central nervous system agents	072	general anesthetics		
057	central nervous system agents	073	muscle relaxants	074	neuromuscular blocking agents
057	central nervous system agents	073	muscle relaxants	178	skeletal muscle relaxants
057	central nervous system agents	073	muscle relaxants	179	skeletal muscle relaxant combinations
057	central nervous system agents	080	miscellaneous central nervous system agts		
057	central nervous system agents	253	anorexiant		
057	central nervous system agents	312	cholinergic agonists		
057	central nervous system agents	313	cholinesterase inhibitors		
057	central nervous system agents	378	drugs used in alcohol dependence		
081	coagulation modifiers	082	anticoagulants	261	Heparins
081	coagulation modifiers	082	anticoagulants	262	coumarins and indandiones
081	coagulation modifiers	082	anticoagulants	283	thrombin inhibitors
081	coagulation modifiers	082	anticoagulants	285	factor Xa inhibitors
081	coagulation modifiers	083	antiplatelet agents	211	platelet aggregation inhibitors
081	coagulation modifiers	083	antiplatelet agents	212	glycoprotein platelet inhibitors
081	coagulation modifiers	084	heparin antagonists		
081	coagulation modifiers	085	miscellaneous coagulation modifiers		
081	coagulation modifiers	086	thrombolytics		
081	coagulation modifiers	384	platelet-stimulating agents		
087	gastrointestinal agents	088	antacids		

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
087	gastrointestinal agents	090	antidiarrheals		
087	gastrointestinal agents	091	digestive enzymes		
087	gastrointestinal agents	092	gallstone solubilizing agents		
087	gastrointestinal agents	093	GI stimulants		
087	gastrointestinal agents	094	H2 antagonists		
087	gastrointestinal agents	095	laxatives		
087	gastrointestinal agents	096	miscellaneous GI agents		
087	gastrointestinal agents	272	proton pump inhibitors		
087	gastrointestinal agents	277	5-aminosalicylates		
087	gastrointestinal agents	354	H. pylori eradication agents		
087	gastrointestinal agents	355	functional bowel disorder agents	089	anticholinergics/antispasmodics
087	gastrointestinal agents	355	functional bowel disorder agents	356	serotonergic neuroenteric modulators
087	gastrointestinal agents	355	functional bowel disorder agents	362	chloride channel activators
087	gastrointestinal agents	355	functional bowel disorder agents	375	peripheral opioid receptor antagonists
097	hormones	098	adrenal cortical steroids	300	Corticotrophin
097	hormones	098	adrenal cortical steroids	301	Glucocorticoids
097	hormones	098	adrenal cortical steroids	302	Mineralocorticoids
097	hormones	100	miscellaneous hormones		
097	hormones	101	sex hormones	102	Contraceptives
097	hormones	101	sex hormones	182	androgens and anabolic steroids
097	hormones	101	sex hormones	183	Estrogens
097	hormones	101	sex hormones	184	gonadotropins
097	hormones	101	sex hormones	185	progestins
097	hormones	101	sex hormones	186	sex hormone combinations
097	hormones	101	sex hormones	187	miscellaneous sex hormones
097	hormones	101	sex hormones	279	gonadotropin releasing hormones
097	hormones	103	thyroid drugs		
097	hormones	288	5-alpha-reductase inhibitors		

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
097	hormones	295	growth hormones		
097	hormones	318	insulin-like growth factor		
097	hormones	357	growth hormone receptor blockers		
097	hormones	377	prolactin hormones		
097	hormones	410	adrenal corticosteroid inhibitors		
097	hormones	411	calcitonin		
097	Hormones	413	antigonadotropic agents		
097	Hormones	414	antidiuretic hormones		
097	Hormones	416	somatostatin and somatostatin analogs		
097	Hormones	417	selective estrogen receptor modulators		
097	Hormones	418	parathyroid hormone and analogs		
097	Hormones	419	gonadotropin-releasing hormone antagonists		
097	Hormones	420	antiandrogens		
097	Hormones	422	antithyroid agents		
097	Hormones	423	aromatase inhibitors		
097	Hormones	424	estrogen receptor antagonists		
097	Hormones	426	synthetic ovulation stimulants		
097	Hormones	428	progesterone receptor modulators		
105	miscellaneous agents	106	antidotes		
105	miscellaneous agents	107	chelating agents		
105	miscellaneous agents	108	cholinergic muscle stimulants		
105	miscellaneous agents	109	local injectable anesthetics		
105	miscellaneous agents	110	miscellaneous uncategorized agents		
105	miscellaneous agents	111	psoralens		
105	miscellaneous agents	114	illicit (street) drugs		
105	miscellaneous agents	192	antirheumatics		
105	miscellaneous agents	270	antipsoriatics		
105	miscellaneous agents	284	viscosupplementation agents		

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
105	miscellaneous agents	320	smoking cessation agents		
113	Genitourinary tract agents	263	impotence agents		
113	Genitourinary tract agents	264	urinary antispasmodics		
113	Genitourinary tract agents	265	urinary pH modifiers		
113	Genitourinary tract agents	266	miscellaneous genitourinary tract agents		
113	Genitourinary tract agents	412	uterotonic agents		
113	Genitourinary tract agents	427	tocolytic agents		
115	nutritional products	116	iron products		
115	nutritional products	117	minerals and electrolytes		
115	nutritional products	118	oral nutritional supplements		
115	nutritional products	119	vitamins		
115	nutritional products	120	vitamin and mineral combinations		
115	nutritional products	121	intravenous nutritional products		
122	respiratory agents	123	antihistamines		
122	respiratory agents	124	antitussives		
122	respiratory agents	125	bronchodilators	126	methylxanthines
122	respiratory agents	125	bronchodilators	180	adrenergic bronchodilators
122	respiratory agents	125	bronchodilators	181	bronchodilator combinations
122	respiratory agents	125	bronchodilators	299	anticholinergic bronchodilators
122	respiratory agents	127	decongestants		
122	respiratory agents	128	expectorants		
122	respiratory agents	129	miscellaneous respiratory agents		
122	respiratory agents	130	respiratory inhalant products	296	inhaled corticosteroids
122	respiratory agents	130	respiratory inhalant products	297	mucoytics
122	respiratory agents	130	respiratory inhalant products	298	mast cell stabilizers
122	respiratory agents	130	respiratory inhalant products	407	inhaled anti-infectives
122	respiratory agents	131	antiasthmatic combinations		
122	respiratory agents	132	upper respiratory combinations		

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
122	respiratory agents	243	leukotriene modifiers		
122	respiratory agents	273	lung surfactants		
133	topical agents	134	anorectal preparations		
133	topical agents	135	antiseptic and germicides		
133	topical agents	136	dermatological agents	137	topical anti-infectives
133	topical agents	136	dermatological agents	138	topical steroids
133	topical agents	136	dermatological agents	139	topical anesthetics
133	topical agents	136	dermatological agents	140	miscellaneous topical agents
133	topical agents	136	dermatological agents	141	topical steroids with anti-infectives
133	topical agents	136	dermatological agents	143	topical acne agents
133	topical agents	136	dermatological agents	144	topical antipsoriatics
133	topical agents	136	dermatological agents	248	topical emollients
133	topical agents	136	dermatological agents	290	topical antibiotics
133	topical agents	136	dermatological agents	291	topical antivirals
133	topical agents	136	dermatological agents	292	topical antifungals
133	topical agents	136	dermatological agents	380	topic debriding agents
133	topical agents	136	dermatological agents	381	topical depigmenting agents
133	topical agents	136	dermatological agents	382	topical antihistamines
133	topical agents	136	dermatological agents	394	topical astringents
133	topical agents	136	dermatological agents	395	topical keratolytics
133	topical agents	146	mouth and throat products		
133	topical agents	147	ophthalmic preparations	163	ophthalmic anti-infectives
133	topical agents	147	ophthalmic preparations	164	ophthalmic glaucoma agents
133	topical agents	147	ophthalmic preparations	165	ophthalmic steroids
133	topical agents	147	ophthalmic preparations	166	ophthalmic steroids with anti-infectives
133	topical agents	147	ophthalmic preparations	167	ophthalmic anti-inflammatory agents
133	topical agents	147	ophthalmic preparations	168	ophthalmic lubricants and irrigations

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
133	topical agents	147	ophthalmic preparations	169	miscellaneous ophthalmic agents
133	topical agents	147	ophthalmic preparations	267	ophthalmic antihistamines and decongestants
133	topical agents	147	ophthalmic preparations	286	Mydriatics
133	topical agents	147	ophthalmic preparations	287	ophthalmic anesthetics
133	topical agents	147	ophthalmic preparations	321	ophthalmic diagnostic agents
133	topical agents	147	ophthalmic preparations	322	ophthalmic surgical agents
133	topical agents	147	ophthalmic preparations	353	anti-angiogenic ophthalmic agents
133	topical agents	148	otic preparations	170	otic anti-infectives
133	topical agents	148	otic preparations	171	otic steroids with anti-infectives
133	topical agents	148	otic preparations	172	miscellaneous otic agents
133	topical agents	148	otic preparations	370	otic steroids
133	topical agents	148	otic preparations	392	otic anesthetics
133	topical agents	148	otic preparations	393	cerumenolytics
133	topical agents	150	sterile irrigating solutions		
133	topical agents	151	vaginal preparations	149	spermicides
133	topical agents	151	vaginal preparations	268	vaginal anti-infectives
133	topical agents	151	vaginal preparations	269	miscellaneous vaginal agents
133	topical agents	247	nasal preparations	244	nasal lubricants and irrigations
133	topical agents	247	nasal preparations	245	nasal steroids
133	topical agents	247	nasal preparations	246	nasal antihistamines and decongestants
133	topical agents	247	nasal preparations	344	nasal anti-infectives
153	plasma expanders				
218	alternative medicines	219	nutraceutical products		
218	alternative medicines	220	herbal products		
218	alternative medicines	363	probiotics		
242	psychotherapeutic agents	249	antidepressants	076	miscellaneous antidepressants
242	psychotherapeutic agents	249	antidepressants	208	SSRI antidepressants

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
242	psychotherapeutic agents	249	antidepressants	209	tricyclic antidepressants
242	psychotherapeutic agents	249	antidepressants	250	monoamine oxidase inhibitors
242	psychotherapeutic agents	249	antidepressants	306	phenylpiperazine antidepressants
242	psychotherapeutic agents	249	antidepressants	307	tetracyclic antidepressants
242	psychotherapeutic agents	249	antidepressants	308	SSNRI antidepressants
242	psychotherapeutic agents	251	antipsychotics	077	miscellaneous antipsychotic agents
242	psychotherapeutic agents	251	antipsychotics	079	psychotherapeutic combinations
242	psychotherapeutic agents	251	antipsychotics	210	phenothiazine antipsychotics
242	psychotherapeutic agents	251	antipsychotics	280	Thioxanthenes
242	psychotherapeutic agents	251	antipsychotics	341	atypical antipsychotics
254	immunologic agents	033	immune globulins		
254	immunologic agents	037	toxoids		
254	immunologic agents	039	miscellaneous biologicals		
254	immunologic agents	104	immunosuppressive agents	441	Calcineurin inhibitors
254	immunologic agents	104	immunosuppressive agents	442	TNF alfa inhibitors
254	immunologic agents	104	immunosuppressive agents	443	Interleukin inhibitors
254	immunologic agents	104	immunosuppressive agents	444	Selective immunosuppressants
254	immunologic agents	104	immunosuppressive agents	445	Other immunosuppressants
254	immunologic agents	104	immunosuppressive agents		
254	immunologic agents	257	immunosuppressive monoclonal antibodies		
254	immunologic agents	436	BLyS-specific inhibitors		
254	immunologic agents	437	Immunostimulants	031	Bacterial vaccines
254	immunologic agents	437	Immunostimulants	032	Colony stimulating factors
254	immunologic agents	437	Immunostimulants	038	Viral vaccines
254	immunologic agents	437	Immunostimulants	256	Interferons
254	immunologic agents	437	Immunostimulants	432	Vaccine combinations
254	immunologic agents	437	Immunostimulants	438	Interleukins
254	immunologic agents	437	Immunostimulants	439	Other immunostimulants



Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
254	immunologic agents	437	Immunostimulants	440	Therapeutic vaccines
331	radiologic agents	027	radiopharmaceuticals	338	diagnostic radiopharmaceuticals
331	radiologic agents	027	radiopharmaceuticals	339	therapeutic radiopharmaceuticals
331	radiologic agents	112	radiocontrast agents	333	miscellaneous iodinated contrast media
331	radiologic agents	112	radiocontrast agents	334	lymphatic staining agents
331	radiologic agents	112	radiocontrast agents	335	magnetic resonance imaging contrast media
331	radiologic agents	112	radiocontrast agents	336	non-iodinated contrast media
331	radiologic agents	112	radiocontrast agents	337	ultrasound contrast media
331	radiologic agents	112	radiocontrast agents	368	non-ionic iodinated contrast media
331	radiologic agents	112	radiocontrast agents	369	ionic iodinated contrast media
331	radiologic agents	332	radiologic adjuncts	374	cardiac stressing agents
331	radiologic agents	332	radiologic adjuncts	376	radiologic conjugating agents
358	metabolic agents	019	antihyperlipidemic agents	173	HMG-CoA reductase inhibitors
358	metabolic agents	019	antihyperlipidemic agents	174	miscellaneous antihyperlipidemic agents
358	metabolic agents	019	antihyperlipidemic agents	241	fibric acid derivatives
358	metabolic agents	019	antihyperlipidemic agents	252	bile acid sequestrants
358	metabolic agents	019	antihyperlipidemic agents	316	cholesterol absorption inhibitors
358	metabolic agents	019	antihyperlipidemic agents	317	antihyperlipidemic combinations
358	metabolic agents	099	antidiabetic agents	213	sulfonylureas
358	metabolic agents	099	antidiabetic agents	214	biquanides
358	metabolic agents	099	antidiabetic agents	215	insulin
358	metabolic agents	099	antidiabetic agents	216	alpha-glucosidase inhibitors
358	metabolic agents	099	antidiabetic agents	271	thiazolidinediones
358	metabolic agents	099	antidiabetic agents	282	meglitinides
358	metabolic agents	099	antidiabetic agents	309	miscellaneous antidiabetic agents
358	metabolic agents	099	antidiabetic agents	314	antidiabetic combinations

Level 1		Level 2		Level 2	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
358	metabolic agents	099	antidiabetic agents	371	dipeptidyl peptidase 4 inhibitors
358	metabolic agents	099	antidiabetic agents	372	amylin analogs
358	metabolic agents	099	antidiabetic agents	373	incretin mimetics
358	metabolics agents	194	antigout agents		
358	metabolic agents	289	antihyperuricemic agents		
358	metabolic agents	293	glucose elevating agents		
358	metabolic agents	359	peripherally acting antiobesity agents		
358	metabolic agents	360	lysosomal enzymes		
358	metabolic agents	361	miscellaneous metabolic agents		
358	metabolic agents	409	bone resorption inhibitors	217	bisphosphonates
358	metabolic agents	409	bone resorption inhibitors	415	miscellaneous bone resorption inhibitors
365	medical gas				