

2011 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 IDN Variables Tuesday, May 22, 2012  
 Unweighted Frequencies

1

Continuous variables in the frequency  
 report only show the range of valid numbers

IDN.000\_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
25 Income Imputation	0	0.00
30 Sample Adult	0	0.00
31 Sample Adult Cancer	0	0.00
38 Functioning and Disability	0	0.00
39 Adult Disability Questions Test	0	0.00
40 Sample Child	0	0.00
49 Child Disability Questions Test	0	0.00
60 Family	0	0.00
63 Family Disability Questions Test	0	0.00
65 Paradata	0	0.00
70 Injury/Poisoning Episode	2807	100.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000\_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
Survey Year	2807	100.00

IDN.000\_04.000: Household Number

HHX	Frequency	Percent
Range of Values	2807	100.00

IDN.000\_35.000: Family Number

FMX	Frequency	Percent
01-25 Family number 1 - 25	2807	100.00

IDN.000\_40.000: Person Number (Within family)

FPX	Frequency	Percent
01-25 Person number 1 thru 25	2807	100.00

2011 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 IDN Variables                      Tuesday, May 22, 2012  
 Unweighted Frequencies

IDN.000\_55.000: Injury/Poisoning Episode Number

IPEPNO	Frequency	Percent
<hr style="border-top: 1px dashed black;"/>		
01 First injury or poisoning	2607	92.87
02 Second injury or poisoning	154	5.49
03 Third injury or poisoning	33	1.18
04 Fourth injury or poisoning	8	0.29
05 Fifth injury or poisoning	5	0.18
06 Sixth injury or poisoning	0	0.00
07 Seventh injury or poisoning	0	0.00
08 Eighth injury or poisoning	0	0.00
09 Ninth injury or poisoning	0	0.00
10 Tenth injury or poisoning	0	0.00

IDN.000\_70.000: Weight - Final Annual

WTFA	Frequency	Percent
<hr style="border-top: 1px dashed black;"/>		
Range of Values	2807	100.00

2011 National Health Interview Survey (NHIS)  
 Episode Public Use File (injpoiep)  
 FIJ Variables                      Tuesday, May 22, 2012  
 Unweighted Frequencies

FIJ.050\_01.000: Month of injury/poisoning episode

IPDATEM	Frequency	Percent
01 January	228	8.12
02 February	230	8.19
03 March	224	7.98
04 April	238	8.48
05 May	227	8.09
06 June	216	7.70
07 July	266	9.48
08 August	228	8.12
09 September	248	8.84
10 October	231	8.23
11 November	197	7.02
12 December	216	7.70
97 Refused	8	0.29
98 Not ascertained	5	0.18
99 Don't know	45	1.60

FIJ.050\_03.000: Year of injury/poisoning episode

IPDATEY	Frequency	Percent
Year	2742	99.96
9997 Refused	0	0.00
9998 Not ascertained	0	0.00
9999 Don't know	1	0.04

Frequency Missing = 64

FIJ.051\_01.000: Approximate time since injury/poisoning episode: Number of units

IPDATENO	Frequency	Percent
001-096 1-96	13	28.89
200	1	2.22
997 Refused	0	0.00
998 Not ascertained	0	0.00
999 Don't know	31	68.89

Frequency Missing = 2762

## Episode Public Use File (injpoiep)

FIJ Variables

Tuesday, May 22, 2012

Unweighted Frequencies

FIJ.051\_02.000: Approximate time since injury/poisoning episode: Time period

IPDATETP	Frequency	Percent
1 Days	2	4.44
2 Weeks	0	0.00
3 Months	11	24.44
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	32	71.11

Frequency Missing = 2762

FIJ.052\_00.000: Approximate point in month of injury/poisoning episode

IPDATEMT	Frequency	Percent
1 Beginning	232	34.07
2 Middle	225	33.04
3 End	157	23.05
7 Refused	1	0.15
8 Not ascertained	0	0.00
9 Don't know	66	9.69

Frequency Missing = 2126

FIJ.052\_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPCKDMR

000-499 0-499 days  
 500 Same month as month the injury/poisoning questions were asked  
 501 Month before the month the injury/poisoning questions were asked  
 502-524 2-24 months before the month the injury/poisoning questions were asked  
 998 Not ascertained

FIJ.052\_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

Frequency	Percent
2057	73.28
20	0.71
221	7.87
451	16.07
58	2.07

2011 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables                      Tuesday, May 22, 2012  
 Unweighted Frequencies

FIJ.052\_02.000: Days between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPD	Frequency	Percent
000-999 0-999 days	2807	100.00

FIJ.052\_00.000: Lower boundary of elapsed time interval in days

BIETD

-----  
 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052\_00.000: Lower boundary of elapsed time interval in days

Frequency	Percent
2807	100.00

FIJ.052\_00.000: Upper boundary of elapsed time interval in days

EIETD

-----  
 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052\_00.000: Upper boundary of elapsed time interval in days

Frequency	Percent
2807	100.00

FIJ.052\_00.000: Episode date information reported by the respondent

EDIPBR	Frequency	Percent
1 Month, day, and year	2057	73.28
2 Month, beginning of month, and year	231	8.23
3 Month, middle of month, and year	225	8.02
4 Month, end of month, and year	157	5.59
5 Month and year	67	2.39
6 Elapsed time in days	2	0.07
7 Elapsed time in weeks	0	0.00
8 Elapsed time in months	11	0.39
9 No information	57	2.03

FIJ.052\_00.000: Imputed part of I/P date or elapsed time interval

IMPMETH	Frequency	Percent
0 No imputation necessary (month, day, and year reported; or elapsed time interval width = 0)	2057	73.28
1 Imputed day based on reported beginning, middle, or end of month	611	21.77
2 Imputed day of the month (no day of month information reported)	67	2.39
3 No imputation necessary (elapsed time reported in days)	2	0.07
4 Imputed time interval based on elapsed time reported in weeks	0	0.00
5 Imputed time interval based on elapsed time reported in months	11	0.39
6 Imputed elapsed time & elapsed time interval using hot deck imputation (no date or valid date information reported)	59	2.10

FIJ.052\_00.000: Imputed month

MUMON	Frequency	Percent
01 January	236	8.41
02 February	237	8.44
03 March	230	8.19
04 April	243	8.66
05 May	234	8.34
06 June	224	7.98
07 July	272	9.69
08 August	232	8.27
09 September	252	8.98
10 October	232	8.27
11 November	198	7.05
12 December	217	7.73

FIJ.052\_00.000: Imputed year

MUYEAR	Frequency	Percent
Year	2807	100.00

FIJ.052\_00.000: Elapsed time flag

ETFLG	Frequency	Percent
1 Elapsed time is > 91 days	152	5.42
2 Elapsed time is <= 91 days	2655	94.58

2011 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables Tuesday, May 22, 2012  
 Unweighted Frequencies

FIJ.052\_00.000: Elapsed time interval boundary flag

BEIFLG

- 
- 1 Only the upper boundary of the interval for elapsed time is > 91 days
  - 2 Upper and lower boundary of the interval for elapsed time is > 91 days
  - 3 Upper and lower boundary of the interval for elapsed time is <= 91 days

FIJ.052\_00.000: Elapsed time interval boundary flag

Frequency	Percent
-----	
106	3.78
106	3.78
2595	92.45

FIJ.065\_00.000: Cause of injury episode

ICAUS	Frequency	Percent
-----		
01 In a motor vehicle	201	7.28
02 On a bike, scooter, skateboard, skates, skis, horse, etc	99	3.59
03 Pedestrian who was struck by a vehicle such as a car or bicycle	20	0.72
04 In a boat, train, or plane	6	0.22
05 Fall	977	35.39
06 Burned or scalded by substances such as hot objects or liquids, fire, or chemicals	37	1.34
07 Other	1381	50.02
97 Refused	11	0.40
98 Not ascertained	0	0.00
99 Don't know	29	1.05

Frequency Missing = 46

FIJ.065\_00.000: Cause of injury/poisoning based on E codes

ECAUS	Frequency	Percent
-----		
01 Transportation	301	10.72
02 Fire/burn/scald related	43	1.53
03 Fall	1039	37.01
04 Poisoning	39	1.39
05 Overexertion/strenuous movements	363	12.93
06 Struck by object or person	303	10.79
07 Animal or insect bite	84	2.99
08 Cut/pierce	194	6.91
09 Machinery	24	0.86
10 Other	417	14.86
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

2011 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables Tuesday, May 22, 2012  
 Unweighted Frequencies

FIJ.070\_01.000: Parts of body hurt: 1st body part

IJBODY1	Frequency	Percent
01 Ankle	281	10.18
02 Back	297	10.76
03 Buttocks	22	0.80
04 Chest	39	1.41
05 Ear	12	0.43
06 Elbow	54	1.96
07 Eye	37	1.34
08 Face	98	3.55
09 Finger/thumb	204	7.39
10 Foot	141	5.11
11 Forearm	96	3.48
12 Groin	13	0.47
13 Hand	151	5.47
14 Head (not face)	175	6.34
15 Hip	68	2.46
16 Jaw	7	0.25
17 Knee	263	9.53
18 Lower leg	123	4.45
19 Mouth	21	0.76
20 Neck	66	2.39
21 Nose	15	0.54
22 Shoulder	141	5.11
23 Stomach	16	0.58
24 Teeth	7	0.25
25 Thigh	32	1.16
26 Toe	75	2.72
27 Upper arm	37	1.34
28 Wrist	116	4.20
29 Other	132	4.78
97 Refused	10	0.36
98 Not ascertained	0	0.00
99 Don't know	12	0.43

Frequency Missing = 46

2011 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables Tuesday, May 22, 2012  
 Unweighted Frequencies

FIJ.070\_02.000: Parts of body hurt: 2nd body part

IJBODY2	Frequency	Percent
00 No second response	2311	83.70
01 Ankle	10	0.36
02 Back	42	1.52
03 Buttocks	8	0.29
04 Chest	7	0.25
05 Ear	1	0.04
06 Elbow	19	0.69
07 Eye	2	0.07
08 Face	20	0.72
09 Finger/thumb	6	0.22
10 Foot	13	0.47
11 Forearm	13	0.47
12 Groin	2	0.07
13 Hand	20	0.72
14 Head (not face)	35	1.27
15 Hip	24	0.87
16 Jaw	4	0.14
17 Knee	39	1.41
18 Lower leg	29	1.05
19 Mouth	3	0.11
20 Neck	35	1.27
21 Nose	5	0.18
22 Shoulder	50	1.81
23 Stomach	3	0.11
24 Teeth	3	0.11
25 Thigh	6	0.22
26 Toe	5	0.18
27 Upper arm	10	0.36
28 Wrist	17	0.62
29 Other	19	0.69
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 46

FIJ.070\_03.000: Parts of body hurt: 3rd body part

IJBODY3	Frequency	Percent
00 No third response	2597	94.06
01 Ankle	4	0.14
02 Back	10	0.36
03 Buttocks	1	0.04
04 Chest	4	0.14
05 Ear	0	0.00
06 Elbow	3	0.11
07 Eye	1	0.04
08 Face	3	0.11
09 Finger/thumb	1	0.04
10 Foot	3	0.11
11 Forearm	9	0.33
12 Groin	1	0.04
13 Hand	8	0.29
14 Head (not face)	11	0.40
15 Hip	8	0.29
16 Jaw	1	0.04
17 Knee	14	0.51
18 Lower leg	11	0.40
19 Mouth	2	0.07
20 Neck	18	0.65
21 Nose	4	0.14
22 Shoulder	14	0.51
23 Stomach	3	0.11
24 Teeth	1	0.04
25 Thigh	7	0.25
26 Toe	1	0.04
27 Upper arm	4	0.14
28 Wrist	7	0.25
29 Other	10	0.36
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 46

2011 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables Tuesday, May 22, 2012  
 Unweighted Frequencies

11

FIJ.070\_04.000: Parts of body hurt: 4th body part

IJBODY4	Frequency	Percent
00 No fourth response	2696	97.65
01 Ankle	2	0.07
02 Back	1	0.04
03 Buttocks	1	0.04
04 Chest	0	0.00
05 Ear	1	0.04
06 Elbow	4	0.14
07 Eye	0	0.00
08 Face	2	0.07
09 Finger/thumb	1	0.04
10 Foot	0	0.00
11 Forearm	4	0.14
12 Groin	0	0.00
13 Hand	0	0.00
14 Head (not face)	3	0.11
15 Hip	6	0.22
16 Jaw	0	0.00
17 Knee	7	0.25
18 Lower leg	3	0.11
19 Mouth	1	0.04
20 Neck	2	0.07
21 Nose	1	0.04
22 Shoulder	8	0.29
23 Stomach	0	0.00
24 Teeth	2	0.07
25 Thigh	5	0.18
26 Toe	0	0.00
27 Upper arm	6	0.22
28 Wrist	1	0.04
29 Other	4	0.14
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 46

## Unweighted Frequencies

FIJ.072\_01.000: How body part 1 was hurt: First response

IJTYPE1A	Frequency	Percent
01 Broken bone or fracture	507	18.51
02 Sprain, strain, or twist	902	32.93
03 Cut	410	14.97
04 Scrape	64	2.34
05 Bruise	362	13.22
06 Burn	42	1.53
07 Insect bite	54	1.97
08 Animal bite	22	0.80
09 Other	367	13.40
97 Refused	1	0.04
98 Not ascertained	0	0.00
99 Don't know	8	0.29

Frequency Missing = 68

FIJ.072\_02.000: How body part 1 was hurt: Second response

IJTYPE1B	Frequency	Percent
00 No second response	2576	94.05
01 Broken bone or fracture	2	0.07
02 Sprain, strain, or twist	18	0.66
03 Cut	13	0.47
04 Scrape	22	0.80
05 Bruise	66	2.41
06 Burn	1	0.04
07 Insect bite	1	0.04
08 Animal bite	1	0.04
09 Other	39	1.42
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 68

FIJ.074\_01.000: How body part 2 was hurt: First response

IJTYPE2A	Frequency	Percent
01 Broken bone or fracture	46	10.22
02 Sprain, strain, or twist	146	32.44
03 Cut	31	6.89
04 Scrape	27	6.00
05 Bruise	125	27.78
06 Burn	4	0.89
07 Insect bite	3	0.67
08 Animal bite	4	0.89
09 Other	61	13.56
97 Refused	1	0.22
98 Not ascertained	0	0.00
99 Don't know	2	0.44

Frequency Missing = 2357

FIJ.074\_02.000: How body part 2 was hurt: Second response

IJTYPE2B	Frequency	Percent
00 No second response	406	90.22
01 Broken bone or fracture	3	0.67
02 Sprain, strain, or twist	0	0.00
03 Cut	2	0.44
04 Scrape	13	2.89
05 Bruise	22	4.89
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	1	0.22
09 Other	3	0.67
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2357

2011 National Health Interview Survey (NHIS)  
 Episode Public Use File (injpoiep)  
 FIJ Variables Tuesday, May 22, 2012  
 Unweighted Frequencies

FIJ.076\_01.000: How body part 3 was hurt: First response

IJTYPE3A	Frequency	Percent
01 Broken bone or fracture	9	5.49
02 Sprain, strain, or twist	55	33.54
03 Cut	9	5.49
04 Scrape	15	9.15
05 Bruise	57	34.76
06 Burn	1	0.61
07 Insect bite	2	1.22
08 Animal bite	0	0.00
09 Other	14	8.54
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	2	1.22

Frequency Missing = 2643

FIJ.076\_02.000: How body part 3 was hurt: Second response

IJTYPE3B	Frequency	Percent
00 No second response	140	85.37
01 Broken bone or fracture	1	0.61
02 Sprain, strain, or twist	1	0.61
03 Cut	1	0.61
04 Scrape	4	2.44
05 Bruise	16	9.76
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	1	0.61
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2643

2011 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables Tuesday, May 22, 2012  
 Unweighted Frequencies

FIJ.078\_01.000: How body part 4 was hurt: First response

IJTYPE4A	Frequency	Percent
01 Broken bone or fracture	6	9.23
02 Sprain, strain, or twist	17	26.15
03 Cut	4	6.15
04 Scrape	8	12.31
05 Bruise	22	33.85
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	8	12.31
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2742

FIJ.078\_02.000: How body part 4 was hurt: Second response

IJTYPE4B	Frequency	Percent
00 No second response	55	84.62
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	1	1.54
03 Cut	1	1.54
04 Scrape	1	1.54
05 Bruise	6	9.23
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	1	1.54
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2742

FIJ.080\_01.000: Where received medical care: Call to PCC

PPCC	Frequency	Percent
1 Yes	12	26.09
2 No	33	71.74
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	2.17

Frequency Missing = 2761

2011 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables Tuesday, May 22, 2012  
 Unweighted Frequencies

FIJ.080\_02.000: Where received medical care: Emergency vehicle

IPEV	Frequency	Percent
1 Yes	601	21.41
2 No	2184	77.81
7 Refused	10	0.36
8 Not ascertained	0	0.00
9 Don't know	12	0.43

FIJ.080\_03.000: Where received medical care: Emergency room

IPER	Frequency	Percent
1 Yes	1390	49.52
2 No	1394	49.66
7 Refused	10	0.36
8 Not ascertained	0	0.00
9 Don't know	13	0.46

FIJ.080\_04.000: Where received medical care: Doctor's office/clinic

IPDO	Frequency	Percent
1 Yes	2017	71.86
2 No	768	27.36
7 Refused	10	0.36
8 Not ascertained	0	0.00
9 Don't know	12	0.43

FIJ.080\_05.000: Where received medical care: Call to medical prof

IPPCHCP	Frequency	Percent
1 Yes	1002	35.70
2 No	1781	63.45
7 Refused	10	0.36
8 Not ascertained	0	0.00
9 Don't know	14	0.50

FIJ.080\_06.000: Where received medical care: Any place else

IPTH	Frequency	Percent
1 Yes	349	12.43
2 No	2436	86.78
7 Refused	10	0.36
8 Not ascertained	0	0.00
9 Don't know	12	0.43

FIJ.090\_00.000: Hospitalized overnight due to injury/poisoning episode

IPHOSP	Frequency	Percent
1 Yes	208	7.41
2 No	2579	91.88
7 Refused	8	0.29
8 Not ascertained	0	0.00
9 Don't know	12	0.43

FIJ.091\_00.000: Number of nights in the hospital

IPIHNO	Frequency	Percent
01-94 1-94 nights	203	97.60
95 95+ nights	2	0.96
97 Refused	1	0.48
98 Not ascertained	0	0.00
99 Don't know	2	0.96

Frequency Missing = 2599

FIJ.109\_00.000: Traffic-related injury

IMTRAF	Frequency	Percent
1 Yes	217	67.81
2 No	101	31.56
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	1	0.31

Frequency Missing = 2487

FIJ.110\_00.000: Injured as . . .

IMVWHO

- 
- 1 The driver of a motor vehicle
  - 2 A passenger in a motor vehicle
  - 3 A pedestrian
  - 4 A bicycle rider or tricycle rider
  - 5 The rider of a scooter, skateboard, skates, or other non-motorized vehicle
  - 7 Refused
  - 8 Not ascertained
  - 9 Don't know

FIJ.110\_00.000: Injured as . . .

Frequency	Percent
147	45.94
59	18.44
26	8.13
52	16.25

Episode Public Use File (injqoiep)

FIJ Variables

Tuesday, May 22, 2012

Unweighted Frequencies

FIJ.110\_00.000: Injured as . . .

Frequency	Percent
32	10.00
1	0.31
0	0.00
3	0.94

Frequency Missing = 2487

FIJ.111\_00.000: Type of vehicle injured person was in

IMVTYP

01	Passenger car
02	Passenger truck, such as a pickup truck, van, or SUV
03	Bus
04	Large commercial truck, such as a semi-truck, big rig, or 18 wheeler
05	Motorcycle (including mopeds and minibikes)
06	All terrain vehicle or ski/snow-mobile
07	Farm equipment (such as a tractor)
08	Industrial or construction vehicle
09	Other
97	Refused
98	Not ascertained
99	Don't know

FIJ.111\_00.000: Type of vehicle injured person was in

Frequency	Percent
134	65.05
37	17.96
2	0.97
3	1.46
13	6.31
9	4.37
1	0.49
0	0.00
7	3.40
0	0.00
0	0.00
0	0.00

Frequency Missing = 2601

2011 National Health Interview Survey (NHIS) 19  
 Episode Public Use File (injqoiep)  
 FIJ Variables Tuesday, May 22, 2012  
 Unweighted Frequencies

FIJ.112\_00.000: Restrained at time of accident

ISBELT	Frequency	Percent
1 Yes	136	78.16
2 No	36	20.69
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	1.15

Frequency Missing = 2633

FIJ.113\_00.000: Wearing a helmet at the time of the accident

IHELMT	Frequency	Percent
1 Yes	52	49.06
2 No	53	50.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.94

Frequency Missing = 2701

FIJ.130\_01.000: How person fell: First response

IFALL1	Frequency	Percent
01 Stairs, steps, or escalator	159	16.27
02 Floor or level ground	289	29.58
03 Curb (including sidewalk)	44	4.50
04 Ladder or scaffolding	26	2.66
05 Playground equipment	24	2.46
06 Sports field, court, or rink	78	7.98
07 Building or other structure	15	1.54
08 Chair, bed, sofa, or other furniture	78	7.98
09 Bathtub, shower, toilet, or commode	31	3.17
10 Hole or other opening	13	1.33
11 Other	214	21.90
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	6	0.61

Frequency Missing = 1830

2011 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables                      Tuesday, May 22, 2012  
 Unweighted Frequencies

FIJ.130\_02.000: How person fell: Second response

IFALL2	Frequency	Percent
00 No second response	963	98.57
01 Stairs, steps, or escalator	2	0.20
02 Floor or level ground	0	0.00
03 Curb (including sidewalk)	1	0.10
04 Ladder or scaffolding	0	0.00
05 Playground equipment	0	0.00
06 Sports field, court, or rink	0	0.00
07 Building or other structure	1	0.10
08 Chair, bed, sofa, or other furniture	3	0.31
09 Bathtub, shower, toilet, or commode	0	0.00
10 Hole or other opening	0	0.00
11 Other	7	0.72
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1830

FIJ.131\_00.000: Cause of fall

IFALLWHY

- 1 Slipping or tripping
- 2 Jumping or diving
- 3 Bumping into an object or another person
- 4 Being shoved or pushed by another person
- 5 Losing balance or having dizziness (becoming faint or having a seizure)
- 6 Other
- 7 Refused
- 8 Not ascertained
- 9 Don't know

FIJ.131\_00.000: Cause of fall

Frequency	Percent
479	49.03
62	6.35
30	3.07
34	3.48
177	18.12
183	18.73
0	0.00
0	0.00
12	1.23

Frequency Missing = 1830

FIJ.140\_00.000: Cause of poisoning episode

PPOIS	Frequency
1 Swallowing a drug or medical substance mistakenly or in overdose	13
2 Swallowing or touching a harmful solid or liquid substance	3
3 Inhaling harmful gases or vapors	22
4 Eating a poisonous plant or other substance mistaken for food	0
5 Being bitten by a poisonous animal	2
6 Other, please specify	5
7 Refused	0
8 Not ascertained	0
9 Don't know	1

FIJ.140\_00.000: Cause of poisoning episode

PPOIS	Percent
1 Swallowing a drug or medical substance mistakenly or in overdose	28.26
2 Swallowing or touching a harmful solid or liquid substance	6.52
3 Inhaling harmful gases or vapors	47.83
4 Eating a poisonous plant or other substance mistaken for food	0.00
5 Being bitten by a poisonous animal	4.35
6 Other, please specify	10.87
7 Refused	0.00
8 Not ascertained	0.00
9 Don't know	2.17

Frequency Missing = 2761

FIJ.150\_01.000: Activity at time of inj/pois episode: First response

IPWHAT1	Frequency	Percent
01 Driving or riding in a motor vehicle	182	6.48
02 Working at a paid job	351	12.50
03 Working around the house or yard	391	13.93
04 Attending school	71	2.53
05 Unpaid work (such as volunteer work)	20	0.71
06 Sports and exercise	436	15.53
07 Leisure activity (excluding sports)	516	18.38
08 Sleeping, resting, eating, or drinking	123	4.38
09 Cooking	48	1.71
10 Being cared for (hands-on care from other person)	22	0.78
11 Other	606	21.59
97 Refused	12	0.43
98 Not ascertained	0	0.00
99 Don't know	29	1.03

## Episode Public Use File (injpoiep)

FIJ Variables

Tuesday, May 22, 2012

## Unweighted Frequencies

FIJ.150\_02.000: Activity at time of inj/pois episode: Second response

IPWHAT2	Frequency	Percent
00 No second response	2786	99.25
01 Driving or riding in a motor vehicle	0	0.00
02 Working at a paid job	0	0.00
03 Working around the house or yard	1	0.04
04 Attending school	0	0.00
05 Unpaid work (such as volunteer work)	0	0.00
06 Sports and exercise	7	0.25
07 Leisure activity	4	0.14
08 Sleeping, resting, eating, or drinking	2	0.07
09 Cooking	1	0.04
10 Being cared for (hands on care from other person)	0	0.00
11 Other	6	0.21
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.160\_01.000: Location at time of inj/pois episode: First response

IPWHERE1	Frequency	Percent
01 Home (inside)	891	31.74
02 Home (outside)	520	18.53
03 School (not residential)	197	7.02
04 Child care center or preschool	11	0.39
05 Residential institution (exclude hospital)	12	0.43
06 Health care facility (include hospital)	41	1.46
07 Street or highway	216	7.70
08 Sidewalk	50	1.78
09 Parking lot	44	1.57
10 Sport facility, athletic field, or playground	245	8.73
11 Shopping center, restaurant, store, bank, gas station, or other place of business	88	3.14
12 Farm	21	0.75
13 Park or recreation area (include bike or jog path)	73	2.60
14 River, lake, stream, or ocean	26	0.93
15 Industrial or construction area	68	2.42
16 Other public building	75	2.67
17 Other	193	6.88
97 Refused	13	0.46
98 Not ascertained	0	0.00
99 Don't know	23	0.82

## Episode Public Use File (injpoiep)

FIJ Variables

Tuesday, May 22, 2012

Unweighted Frequencies

FIJ.160\_02.000: Location at time of inj/pois episode: Second response

IPWHER2	Frequency	Percent
00 No second response	2768	98.61
01 Home (inside)	3	0.11
02 Home (outside)	5	0.18
03 School (not residential)	0	0.00
04 Child care center or preschool	0	0.00
05 Residential institution (exclude hospital)	0	0.00
06 Health care facility (include hospital)	1	0.04
07 Street or highway	9	0.32
08 Sidewalk	3	0.11
09 Parking lot	2	0.07
10 Sport facility, athletic field, or playground	5	0.18
11 Shopping center, restaurant, store, bank, gas station, or other place of business	1	0.04
12 Farm	1	0.04
13 Park or recreation area (include bike or jog path)	0	0.00
14 River, lake, stream, or ocean	1	0.04
15 Industrial or construction area	0	0.00
16 Other public building	3	0.11
17 Other	5	0.18
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.170\_00.000: Employed at the time of the injury/poisoning episode

IPEMP	Frequency	Percent
1 Full-time	963	39.99
2 Part-time	207	8.60
3 Not employed	1224	50.83
7 Refused	8	0.33
8 Not ascertained	0	0.00
9 Don't know	6	0.25

Frequency Missing = 399

FIJ.171\_00.000: Days of work missed

IPWKLS	Frequency	Percent
1 None	561	47.95
2 Less than one day	67	5.73
3 One to five days	297	25.38
4 Six or more days	239	20.43
7 Refused	1	0.09
8 Not ascertained	0	0.00
9 Don't know	5	0.43

Frequency Missing = 1637

FIJ.180\_00.000: Student at the time of the injury/poisoning episode

IPSTU	Frequency	Percent
1 Full-time	659	24.51
2 Part-time	60	2.23
3 Not a student	1960	72.89
7 Refused	7	0.26
8 Not ascertained	0	0.00
9 Don't know	3	0.11

Frequency Missing = 118

FIJ.181\_00.000: Days of school missed

IPSCLS	Frequency	Percent
1 None	445	61.89
2 Less than one day	51	7.09
3 One to five days	189	26.29
4 Six or more days	34	4.73
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 2088

FIJ.181\_01.000: ICD-9-CM diagnosis code

ICD9_1	Frequency	Percent
ICD-9-CM codes	2807	100.00

FIJ.181\_02.000: ICD-9-CM diagnosis code

ICD9_2	Frequency	Percent
ICD-9-CM codes	782	100.00

Frequency Missing = 2025

FIJ.181\_03.000: ICD-9-CM diagnosis code

ICD9_3	Frequency	Percent
ICD-9-CM codes	264	100.00

Frequency Missing = 2543

## Episode Public Use File (injqoiep)

FIJ Variables

Tuesday, May 22, 2012

## Unweighted Frequencies

FIJ.181\_04.000: ICD-9-CM diagnosis code

ICD9_4	Frequency	Percent
ICD-9-CM codes	117	100.00

Frequency Missing = 2690

FIJ.181\_05.000: ICD-9-CM diagnosis code

ICD9_5	Frequency	Percent
ICD-9-CM codes	42	100.00

Frequency Missing = 2765

FIJ.181\_06.000: ICD-9-CM diagnosis code

ICD9_6	Frequency	Percent
ICD-9-CM codes	15	100.00

Frequency Missing = 2792

FIJ.181\_07.000: ICD-9-CM diagnosis code

ICD9_7	Frequency	Percent
ICD-9-CM codes	4	100.00

Frequency Missing = 2803

FIJ.181\_08.000: ICD-9-CM diagnosis code

ICD9_8	Frequency	Percent
--------	-----------	---------

Frequency Missing = 2807

FIJ.181\_10.000: ICD-9-CM external cause code

ECODE_1T	Frequency	Percent
E800-E999 E codes	2807	100.00

FIJ.181\_20.000: ICD-9-CM external cause code

ECODE_2T	Frequency	Percent
-----		
E800-E999 E codes	43	100.00

Frequency Missing = 2764

FIJ.181\_30.000: ICD-9-CM external cause code

ECODE_3T	Frequency	Percent
-----		
E800-E999 E codes	1	100.00

Frequency Missing = 2806