

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC HISP	WHITE	BLACK	TOTAL	QUESTION TEXT AND CODE CATEGORIES
---------------	-----------------	-------------------	-------	-------	-------	-----------------------------------

[CASEID] 1-8 Case Identification Number.  
 Non-blank for all sample women.

[PREGORDR] 9-10 Pregnancy order (number)  
 Non-blank for all pregnancies.

1208	4383	1935	7761	01	= First pregnancy
967	3345	1496	5984	02	= Second pregnancy
646	1943	994	3692	03	= Third pregnancy
382	961	582	1989	04	= Fourth pregnancy
191	441	314	973	05	= Fifth pregnancy
95	202	154	466	06	= Sixth pregnancy
52	92	79	230	07	= Seventh pregnancy
25	44	34	107	08	= Eighth pregnancy
12	29	17	61	09	= Ninth pregnancy
8	14	9	33	10	= Tenth pregnancy
6	6	3	16	11	= Eleventh pregnancy
3	3	3	10	12	= Twelfth pregnancy
1	1	3	6	13	= Thirteenth pregnancy
1	1	1	3	14	= Fourteenth pregnancy
0	1	0	1	15	= Fifteenth pregnancy

[PREGXEN1] 11-11 Now I would like to ask some questions specifically about your (Nth) pregnancy. In which of the ways shown on Card B-1 did the pregnancy end? (1st OUTCOME MENTIONED)

**Inapplicable:**

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES).

81	236	102	428	Blank	= Blank, inapplicable
398	1646	589	2713	1	= Miscarriage
26	72	63	171	2	= Stillbirth
405	1402	907	2788	3	= Abortion
38	134	98	275	4	= Ectopic Pregnancy
527	1519	767	2890	5	= Livebirth by Cesarean section
2122	6455	3095	12061	6	= Livebirth by vaginal delivery
0	0	1	1	7	= Not Ascertained
0	2	2	4	8	= Refused
0	0	0	1	9	= Don't Know

[PREGXEN2] 12-12 Now I would like to ask some questions specifically about your (Nth) pregnancy. In which of the ways shown on Card B-1 did the pregnancy end? (2nd OUTCOME MENTIONED)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); or R mentioned fewer than 2 pregnancy outcomes for this pregnancy.

3594	11442	5616	21295	Blank	= Blank, inapplicable
2	5	1	8	1	= Miscarriage
1	2	1	4	2	= Stillbirth
0	0	0	0	3	= Abortion
0	1	0	1	4	= Ectopic Pregnancy
0	0	0	0	5	= Livebirth by Cesarean section
0	14	3	18	6	= Livebirth by vaginal delivery
0	0	1	1	7	= Not Ascertained
0	2	2	4	8	= Refused
0	0	0	1	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC							
NAME	LOCATION	HISP	WHITE	BLACK					

[PREGXEN3] 13-13      Now I would like to ask some questions specifically about your (Nth) pregnancy. In which of the ways shown on Card B-1 did the pregnancy end? (3rd OUTCOME MENTIONED)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); or R mentioned fewer than 3 pregnancy outcomes for this pregnancy.

3597	11463	5620	21324	Blank	= Blank, inapplicable
0	0	0	0	1	= Miscarriage
0	0	1	1	2	= Stillbirth
0	0	0	0	3	= Abortion
0	0	0	0	4	= Ectopic Pregnancy
0	0	0	0	5	= Livebirth by Cesarean section
0	1	0	1	6	= Livebirth by vaginal delivery
0	0	1	1	7	= Not Ascertained
0	2	2	4	8	= Refused
0	0	0	1	9	= Don't Know

[NBRNLV] 14-14      (With your (Nth) pregnancy,) How many babies did you have that were born alive? Please include babies that may have died shortly after birth and babies that you placed for adoption.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); or R did not report a live birth from this pregnancy (all responses for BC-1 PREGXENn coded 1, 2, 3, or 4).

948	3486	1762	6374	Blank	= Blank, inapplicable
2626	7897	3817	14804	1	= 1 baby
23	80	44	150	2	= 2 babies
0	1	1	2	3	= 3 babies
0	2	0	2	4	= 4 babies
0	0	0	0	5	= 5 babies
0	0	0	0	6	= 6 babies
0	0	0	0	7	= Not ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't know

[MULTBRTH] 15-15      Did you have (twins/triplets/all of these babies) with this (Nth) pregnancy)?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); R did not report a live birth from this pregnancy (all responses for BC-1 PREGXENn coded 1, 2, 3, or 4); only one baby was born from this pregnancy (BC-2 NBRNLV coded 01); or answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99).

3574	11383	5579	21178	Blank	= Blank, inapplicable
23	82	45	153	1	= YES
0	1	0	1	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[DATPRGEN] 16-19

On what date did this pregnancy end?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or pregnancy resulted in a livebirth (BC-1 PREGXENN coded 5 or 6).

2730	8216	3964	15386	Blank	= Blank, inapplicable
608	2499	1208	4434	0792-1092	= Before 1991
229	638	388	1302	1093-1149	= 1991 or later
1	2	0	3	9997	= Not Ascertained
0	3	10	13	9998	= Refused
29	108	54	194	9999	= Don't Know

[MON\_PREG] 20-21

How many months or weeks had you been pregnant when (the baby was born/the twins were born/the triplets were born/the babies were born/that pregnancy ended)?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); or answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99).

81	236	102	428	Blank	= Blank, inapplicable
555	3107	977	4747	00	= Answer not reported in months (SEE WKS_PREG)
133	288	172	615	01	= 1 month
157	506	309	998	02	= 2 months
104	375	194	695	03	= 3 months
53	147	100	303	04	= 4 months
27	62	76	168	05	= 5 months
18	45	67	134	06	= 6 months
60	170	155	400	07	= 7 months
226	728	289	1291	08	= 8 months
2155	5548	3104	11184	09	= 9 months
16	187	41	250	10	= 10 months
1	1	1	3	11	= 11 months
0	7	3	10	97	= Not Ascertained
0	2	10	12	98	= Refused
11	57	24	94	99	= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[DK2GEST]	24-24					A preterm delivery is one that occurs at 36 weeks or earlier in pregnancy. As far as you know, did you have a preterm delivery?
-----------	-------	--	--	--	--	---

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R knew how many months or weeks pregnant she was when the pregnancy ended/baby was born (BC-5 MON\_PREG and BC-5 WKS\_PREG not both coded 99); or R did not know how many months or weeks pregnant she was when the pregnancy ended/baby was born (BC-5 MON\_PREG and BC-5 WKS\_PREG both coded 99) but no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6).

	3597	11465	5624	21331	Blank	= Blank, inapplicable
	0	0	0	0	1	= YES
	0	1	0	1	2	= NO
	0	0	0	0	7	= Not Ascertained
	0	0	0	0	8	= Refused
	0	0	0	0	9	= Don't Know

[DK1GEST]	25-25					Was it less than 6 months, or 6 months or more?
-----------	-------	--	--	--	--	---

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R knew how many months or weeks pregnant she was when the pregnancy ended/baby was born (BC-5 MON\_PREG and BC-5 WKS\_PREG not both coded 99); or R did not know how many months or weeks pregnant she was when the pregnancy ended/baby was born (BC-5 MON\_PREG and BC-5 WKS\_PREG both coded 99) but the pregnancy ended in some way other than stillbirth (BC-1 PREGXENn coded 1, 3, 4, 5, or 6).

	3597	11465	5624	21331	Blank	= Blank, inapplicable
	0	0	0	0	1	= Less than 6 months
	0	0	0	0	2	= 6 months or more
	0	0	0	0	7	= Not Ascertained
	0	1	0	1	8	= Refused
	0	0	0	0	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[DK3GEST]	26-26				Was it less than 3 months, 3 months or more, but less than 6 months, or 6 months or more?		
<b>Inapplicable:</b> This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R knew how many months or weeks pregnant she was when the pregnancy ended/baby was born (BC-5 MON_PREG and BC-5 WKS_PREG not both coded 99); or R did not know how many months or weeks pregnant she was when the pregnancy ended/baby was born (BC-5 MON_PREG and BC-5 WKS_PREG both coded 99) but the pregnancy outcome(s) included stillbirth or livebirth (BC-1 PREGXENn coded 2, 5, or 6).							
		3587	11402	5586	21218	Blank	= Blank, inapplicable
		7	49	26	83	1	= Less than 3 months
		1	3	0	5	2	= 3 months or more, but less than 6 months
		0	0	0	0	3	= 6 months or more
		1	7	3	11	7	= Not Ascertained
		0	0	8	8	8	= Refused
		1	5	1	7	9	= Don't Know

[BABDOB]	27-30				On what date (was (NAME OF BABY)/was she/was he/were the (twins/triplets/babies)) born?		
<b>Inapplicable:</b> This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); or no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6).							
		948	3486	1762	6374	Blank	= Blank, inapplicable
		1956	6205	3060	11573	0770-1092	= Before 1991
		686	1764	796	3360	1093-1148	= 1991 or later
		0	0	0	0	9997	= Not Ascertained
		5	8	5	18	9998	= Refused
		2	3	1	7	9999	= Don't Know

[DIFDOBMB]	31-31				Babies from a multiple birth born on different days. (Computed)		
<b>Inapplicable:</b> This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or R only had one baby from this pregnancy (BC-2 NBRNLV coded 01).							
		3574	11383	5579	21178	Blank	= Blank, inapplicable
		1	0	1	2	1	= YES
		22	83	44	152	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	0	0	0	8	= Refused
		0	0	0	0	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[HLPGETPR]	32-32				<p>(Before you became pregnant (the first time)/Between your (Nth-1) pregnancy and your (Nth) pregnancy,) did you or the father receive any medical help to get pregnant? By medical help, I mean the types of services listed on Card B-3.</p> <p><b>Inapplicable:</b> This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn coded only 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA').</p>	
		487	1676	1012	3260	Blank = Blank, inapplicable
		86	466	74	643	1 = YES
		3023	9313	4535	17414	2 = NO
		0	9	1	10	7 = Not Ascertained
		1	1	2	4	8 = Refused
		0	1	0	1	9 = Don't Know

[HLPMISCR]	33-33				<p>Some women receive special medical help beyond routine prenatal care to prevent miscarriage. During your (Nth) pregnancy, did you receive any medical advice, testing or treatment to prevent miscarriage?</p> <p><b>Inapplicable:</b> This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA').</p>	
		487	1676	1012	3260	Blank = Blank, inapplicable
		217	888	382	1519	1 = YES
		2892	8890	4226	16536	2 = NO
		0	9	1	10	7 = Not Ascertained
		1	1	3	5	8 = Refused
		0	2	0	2	9 = Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE COLUMN NON-HISPANIC  
 NAME LOCATION HISP WHITE BLACK TOTAL QUESTION TEXT AND CODE CATEGORIES

[PRIORSMK] 34-35

In the 6 months before you found out you were pregnant this (Nth) time, how many cigarettes did you smoke a day, on the average?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); or R is not currently a smoker (AX-3 SMKNOW not coded 1 and AX-5 SMKWHEN not coded 2 (some days)) and R did not smoke at all within 1 year of this pregnancy's end date (AX-6 LASTSMK coded more than 12 months earlier than PREGEND).

3437	10596	5375	20033	Blank	
60	110	57	231	00	= NONE
16	49	14	79	01	= ABOUT ONE A DAY OR LESS
24	97	49	177	02	= JUST A FEW (2-4)
35	242	78	363	03	= ABOUT HALF A PACK (5-14)
21	297	42	360	04	= ABOUT A PACK (15-24)
3	42	7	52	05	= ABOUT 1 1/2 PACKS (25-34)
1	17	0	19	06	= ABOUT 2 PACKS(35-44)
0	11	2	13	07	= MORE THAN 2 PACKS (35-44)
0	5	0	5	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

[POSTSMKS] 36-36

After you found out you were pregnant this (Nth) time, did you smoke at all during the pregnancy?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); or R is not currently a smoker (AX-3 SMKNOW not coded 1 and AX-5 SMKWHEN not coded 2 (some days)) and R did not smoke at all within 1 year of this pregnancy's end date (AX-6 LASTSMK coded more than 12 months earlier than PREGEND).

3437	10596	5375	20033	Blank	
40	475	148	673	1	= YES
120	390	101	621	2	= NO
0	5	0	5	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[NPOSTSMK] 37-38

On the average, how many cigarettes did you smoke per day after you found out that you were pregnant this (Nth) time?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENN only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R is not currently a smoker (AX-3 SMKNOW not coded 1 and AX-5 SMKWHEN not coded 2 (some days)) and R did not smoke at all within 1 year of this pregnancy's end date (AX-6 LASTSMK coded more than 12 months earlier than PREGEND); or R did not smoke at all during the pregnancy after she found out she was pregnant (BG-2 POSTSMKS coded 2).

3557	10991	5476	20659	Blank	= Blank, inapplicable
7	38	17	63	01	= ABOUT ONE A DAY OR LESS
14	92	44	152	02	= JUST A FEW (2-4)
12	199	57	275	03	= ABOUT HALF A PACK (5-14)
5	117	24	146	04	= ABOUT A PACK (15-24)
1	18	3	22	05	= ABOUT 1 1/2 PACKS (25-34)
1	7	3	11	06	= ABOUT 2 PACKS (35-44)
0	3	0	3	07	= MORE THAN 2 PACKS (35-44)
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	1	0	1	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[KNEWPREG]	39-40				How many weeks pregnant were you when you learned that you were pregnant this (Nth) time?
------------	-------	--	--	--	---

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093).

2786	9276	4645	17218	Blank	= Blank, inapplicable
0	0	0	0	00	= Less than 1 week
25	82	46	156	01	= 1 week
70	262	88	432	02	= 2 weeks
79	252	75	420	03	= 3 weeks
225	529	233	1026	04	= 4 weeks
48	236	37	333	05	= 5 weeks
135	352	121	629	06	= 6 weeks
17	84	29	130	07	= 7 weeks
113	202	137	464	08	= 8 weeks
7	24	13	49	09	= 9 weeks
12	33	21	71	10	= 10 weeks
4	4	10	19	11	= 11 weeks
49	65	84	201	12	= 12 weeks
2	8	8	19	13	= 13 weeks
3	9	5	17	14	= 14 weeks
0	2	1	3	15	= 15 weeks
9	15	34	59	16	= 16 weeks
1	1	1	3	17	= 17 weeks
0	1	3	5	18	= 18 weeks
0	1	0	1	19	= 19 weeks
7	7	14	29	20	= 20 weeks
0	1	1	2	21	= 21 weeks
0	2	2	4	22	= 22 weeks
0	0	0	0	23	= 23 weeks
1	4	5	11	24	= 24 weeks
3	3	3	9	25-42	= 25 weeks or later
0	5	0	5	97	= Not Ascertained
0	0	0	0	98	= Refused
1	6	8	17	99	= Don't Know

[LTRIMEST]	41-41				Was it less than 3 months or more than 3 months?
------------	-------	--	--	--	--

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); or R knew how many weeks pregnant she was when she learned she was pregnant with this pregnancy (BG-4 KNEWPREG not coded 99); R was less than 3 months pregnant when this pregnancy ended (BC-5 MON\_PREG + BC-5 WKS\_PREG coded less than 3 months or BC-8 DK3GEST coded 1); or R was 6 or more months pregnant when this pregnancy ended (BC-5 MON\_PREG + BC-5 WKS\_PREG coded 6 or more months or BC-8 DK3GEST coded 3).

3597	11466	5624	21332	Blank	= Blank, inapplicable
0	0	0	0	1	= Less than 3 months
0	0	0	0	2	= 3 months or more
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[TRIMESTR] 42-42

Was it less than 3 months, at least 3 months but less than 6 months, or 6 months or more?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R knew how many weeks pregnant she was when she learned she was pregnant with this pregnancy (BG-4 KNEWPREG not coded 99); R was less than 3 months pregnant when this pregnancy ended (BC-5 MON\_PREG + BC-5 WKS\_PREG coded less than 3 months or BC-8 DK3GEST coded 1); or R was more than 3 months but less than 6 months pregnant when this pregnancy ended (BC-5 MON\_PREG + BC-5 WKS\_PREG coded less than 6 months or BC-8 DK3GEST coded 2).

3597	11463	5621	21324	Blank	= Blank, inapplicable
0	2	3	7	1	= Less than 3 months
0	0	0	0	2	= At least 3 months but less than 6 months
0	1	0	1	3	= 6 months or more
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

[GETPRENA] 43-43

During this (Nth) pregnancy, did you ever visit a doctor or other medical care provider for prenatal care, that is, for one or more pregnancy check-ups?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093).

2786	9276	4645	17218	Blank	= Blank, inapplicable
729	1988	864	3707	1	= YES
82	197	114	401	2	= NO
0	5	0	5	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	1	1	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[BGNPRENA]	44-45					How many weeks pregnant were you at the time of your first prenatal care visit?
------------	-------	--	--	--	--	---

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093 1093); R never had any prenatal care (BH-1 GETPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any prenatal care (BH-1 GETPRENA coded 7, 8, or 9).

2868	9478	4760	17625	Blank		= Blank, inapplicable
0	0	0	0	00		= Less than 1 week
4	14	10	28	01		= 1 week
30	46	34	116	02		= 2 weeks
20	76	44	146	03		= 3 weeks
128	291	140	584	04		= 4 weeks
40	165	36	246	05		= 5 weeks
116	389	104	632	06		= 6 weeks
27	107	23	160	07		= 7 weeks
141	380	162	700	08		= 8 weeks
12	72	17	111	09		= 9 weeks
22	126	28	181	10		= 10 weeks
8	23	19	52	11		= 11 weeks
94	179	108	391	12		= 12 weeks
7	15	12	35	13		= 13 weeks
10	17	4	32	14		= 14 weeks
4	6	7	17	15		= 15 weeks
24	32	52	110	16		= 16 weeks
1	5	1	7	17		= 17 weeks
2	4	3	10	18		= 18 weeks
0	0	0	0	19		= 19 weeks
21	17	29	70	20		= 20 weeks
1	1	1	3	21		= 21 weeks
1	3	3	8	22		= 22 weeks
0	0	0	0	23		= 23 weeks
6	10	16	33	24		= 24 weeks
10	7	10	29	25-44		= 25 weeks or later
0	0	0	0	97		= Not Ascertained
0	0	0	0	98		= Refused
0	3	1	6	99		= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC HISP	WHITE	BLACK	TOTAL	QUESTION TEXT AND CODE CATEGORIES
------------------	--------------------	----------------------	-------	-------	-------	-----------------------------------

[PLCPRENA] 48-49

Please look at Card B-4. Where did you go for most of your prenatal care visits?

Note: responses coded in categories 4 through 8 were volunteered by some respondents; they did not appear on Card B-4. If R mentioned "hospital," interviewer probed whether or not it was the emergency room.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R never had any prenatal care (BH-1 GETPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any prenatal care (BH-1 GETPRENA coded 7, 8, or 9).

2868	9478	4760	17625	Blank	= Blank, inapplicable
301	287	351	978	01	= Clinic
400	1648	457	2584	02	= Private doctor's office or HMO
0	1	1	3	03	= Other place-not shown separately
2	1	2	5	04	= HOSPITAL-EMERGENCY ROOM
22	15	48	92	05	= HOSPITAL-NOT EMERGENCY ROOM
3	21	0	24	06	= Midwife/Birthing Center
0	2	0	2	07	= Health Department
1	13	5	19	08	= Military facility
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK TOTAL	

[PAYPREN1] 50-51

When you made visits for prenatal care, in which of the ways on Card B -5 was the bill paid? (If R volunteered that the bill has not yet been paid, she was asked "How do you think that the bill will be paid?") (1st MENTIONED)

Note: responses coded in categories 5 through 11 were volunteered by some respondents; they did not appear on Card B-5.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R never had any prenatal care (BH-1 GETPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any prenatal care (BH-1 GETPRENA coded 7, 8, or 9).

2868	9478	4760	17625	Blank	= Blank, inapplicable
275	1321	296	1967	01	= Insurance
91	246	46	396	02	= Co-payment or out-of-pocket payment
343	381	507	1267	03	= Medicaid
0	0	0	0	04	= Other payment-not shown separately
3	15	4	22	05	= CHAMPUS/CHAMPVA
13	13	2	29	06	= Other government assistance
0	3	2	5	07	= Family/partner/friends
0	0	0	0	08	= Charity
1	0	0	2	09	= National health insurance
2	5	4	11	10	= No charge
0	3	2	5	11	= Not yet paid
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
1	1	1	3	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[PAYPREN2] 52-53

When you made visits for prenatal care, in which of the ways on Card B-5 was the bill paid? (If R volunteered that the bill has not yet been paid, she was asked "How do you think that the bill will be paid?") (2nd MENTIONED)

Note: responses coded in categories 5 through 11 were volunteered by some respondents; they did not appear on Card B-5.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R never had any prenatal care (BH-1 GETPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any prenatal care (BH-1 GETPRENA coded 7, 8, or 9); or R mentioned fewer than 2 ways her prenatal visit bills were paid.

3524	10905	5541	20578	Blank		= Blank, inapplicable
2	6	0	8	01		= Insurance
63	531	71	701	02		= Co-payment or out-of-pocket payment
7	22	11	41	03		= Medicaid
0	0	0	0	04		= Other payment-not shown separately
0	0	0	0	05		= CHAMPUS/CHAMPVA
0	1	0	1	06		= Other government assistance
0	0	0	0	07		= Family/partner/friends
0	0	0	0	08		= Charity
0	0	0	0	09		= National health insurance
0	0	0	0	10		= No charge
0	0	0	0	11		= Not yet paid
0	0	0	0	97		= Not Ascertained
0	0	0	0	98		= Refused
1	1	1	3	99		= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[PAYPREN3] 54-55

When you made visits for prenatal care, in which of the ways on Card B -5 was the bill paid? (If R volunteered that the bill has not yet been paid, she was asked "How do you think that the bill will be paid?") (3rd MENTIONED)

Note: responses coded in categories 5 through 11 were volunteered by some respondents; they did not appear on Card B-5.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENN only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R never had any prenatal care (BH-1 GETPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any prenatal care (BH-1 GETPRENA coded 7, 8, or 9); or R mentioned fewer than 3 ways her prenatal visit bills were paid.

3596	11465	5623	21329	Blank	= Blank, inapplicable
0	0	0	0	01	= Insurance
0	0	0	0	02	= Co-payment or out-of-pocket payment
0	0	0	0	03	= Medicaid
0	0	0	0	04	= Other payment-not shown separately
0	0	0	0	05	= CHAMPUS/CHAMPVA
0	0	0	0	06	= Other government assistance
0	0	0	0	07	= Family/partner/friends
0	0	0	0	08	= Charity
0	0	0	0	09	= National health insurance
0	0	0	0	10	= No charge
0	0	0	0	11	= Not yet paid
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
1	1	1	3	99	= Don't Know

[PRBPRENA] 56-56

During your (Nth) pregnancy, did you have any problems that required medical attention beyond routine prenatal care?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENN only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); or this pregnancy did not result in a live birth (BC-1 PREGXENN not coded 5 or 6).

2911	9705	4829	17976	Blank	= Blank, inapplicable
144	545	173	882	1	= YES
542	1216	621	2473	2	= NO
0	0	1	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE COLUMN NON-HISPANIC  
 NAME LOCATION HISP WHITE BLACK TOTAL QUESTION TEXT AND CODE CATEGORIES

[VGBLDFST] 57-57

Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy. bleeding or spotting during first 6 months of pregnancy (that is, a threatened miscarriage)?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPREENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPREENA coded 7, 8, or 9).

3328	10492	5267	19692	Blank	= Blank, inapplicable
144	483	177	822	1	= YES
125	485	180	812	2	= NO
0	5	0	5	7	= Not Ascertained
0	1	0	1	8	= Refused
0	0	0	0	9	= Don't Know

[VGBLDLST] 58-58

(Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy.) bleeding or spotting at 6 months or more of pregnancy?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPREENA coded 2); answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPREENA coded 7, 8, or 9); or this pregnancy ended prior to 6 months (BC-5 MON\_PREG + BC-5 WKS\_PREG coded less than 6 months or BC-8 DK3GEST coded 1 or 2).

3448	10910	5438	20421	Blank	= Blank, inapplicable
30	80	32	144	1	= YES
119	476	153	766	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	1	1	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[GESTDBTS] 59-59 (Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy.) related to pregnancy?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENN only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPRENA coded 7, 8, or 9).

3328	10492	5267	19692	Blank	= Blank, inapplicable
27	84	31	150	1	= YES
242	883	326	1483	2	= NO
0	5	0	5	7	= Not Ascertained
0	1	0	1	8	= Refused
0	1	0	1	9	= Don't Know

[ANEMIA] 60-60 (Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy.) related to pregnancy (that is, low iron level in blood during pregnancy)?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENN only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy as prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPRENA coded 7, 8, or 9).

3328	10492	5267	19692	Blank	= Blank, inapplicable
60	150	79	296	1	= YES
209	817	278	1337	2	= NO
0	5	0	5	7	= Not Ascertained
0	1	0	1	8	= Refused
0	1	0	1	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[PREECLMP] 61-61 (Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy.)-related high blood pressure, also known as pre-eclampsia?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENN only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPREENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPREENA coded 7, 8, or 9).

3328	10492	5267	19692	Blank	= Blank, inapplicable
47	137	83	269	1	= YES
222	831	274	1365	2	= NO
0	5	0	5	7	= Not Ascertained
0	1	0	1	8	= Refused
0	0	0	0	9	= Don't Know

[TOXEMIA] 62-62 (Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy.) or serious infection?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENN only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPREENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPREENA coded 7, 8, or 9).

3328	10492	5267	19692	Blank	= Blank, inapplicable
23	75	32	131	1	= YES
246	892	323	1500	2	= NO
0	5	0	5	7	= Not Ascertained
0	1	0	1	8	= Refused
0	1	2	3	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION HISP WHITE BLACK TOTAL      QUESTION TEXT AND CODE CATEGORIES

[WEAKCRVX] 63-63      (Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy.) or "incompetent" cervix?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPRENA coded 7, 8, or 9).

3328	10492	5267	19692	Blank	= Blank, inapplicable
31	62	47	142	1	= YES
238	905	308	1488	2	= NO
0	5	0	5	7	= Not Ascertained
0	1	0	1	8	= Refused
0	1	2	4	9	= Don't Know

[SWLNANKL] 64-64      (Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy.) retention or edema?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPRENA coded 7, 8, or 9).

3328	10492	5267	19692	Blank	= Blank, inapplicable
53	172	56	287	1	= YES
216	796	301	1347	2	= NO
0	5	0	5	7	= Not Ascertained
0	1	0	1	8	= Refused
0	0	0	0	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[OTHRPROB] 65-65

(Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy.) other problem?

Note: See NEWPR for responses volunteered by respondents who answered YES.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPRENA coded 7, 8, or 9).

3328	10492	5267	19692	Blank	= Blank, inapplicable
90	348	89	540	1	= YES
179	619	268	1093	2	= NO
0	5	0	5	7	= Not Ascertained
0	1	0	1	8	= Refused
0	1	0	1	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE COLUMN NON-HISPANIC  
 NAME LOCATION HISP WHITE BLACK TOTAL QUESTION TEXT AND CODE CATEGORIES

[NEWPR] 66-67 CODE FOR RESPONSE TO: "Any other problem during your pregnancy"

Note: All responses were volunteered by respondents. They were not read aloud by the interviewer nor did they appear on Card B-6.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENN only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPRENA coded 7, 8, or 9); or R reported no other problems during pregnancy (BH-7 OTHRPROB NE 1).

3507	11119	5535	20793	Blank		
1	1	2	4	01	=	Blank, inapplicable
					=	Bleeding or spotting-unstated gestational age
1	8	0	9	02	=	Rh factor incompatibility
12	68	11	92	03	=	Premature, early, or false labor
11	42	11	67	04	=	Baby had a health problem
3	5	4	12	05	=	Asthma
6	26	6	38	06	=	Severe morning sickness
5	14	1	20	07	=	Placenta previa
0	1	0	1	08	=	DES exposure
4	7	8	20	09	=	Cramping or pain in pelvis/abdomen
6	8	2	17	10	=	Cardiovascular problems including blood clots
1	10	2	13	11	=	Cyst
2	8	4	15	12	=	Ectopic or tubal pregnancy
19	85	20	127	13	=	Other health problem for woman
0	5	2	7	14	=	Baby died in utero
18	54	14	88	66	=	Other problem-not shown separately
1	2	1	5	97	=	Not ascertained
0	0	0	0	98	=	Refused
0	3	1	4	99	=	Don't know

[HSPBIRTH] 68-68

Did you give birth in a hospital?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); or answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99).

948	3486	1762	6374	Blank		
2544	7876	3802	14675	1	=	Blank, inapplicable
102	102	59	277	2	=	YES
2	0	1	3	7	=	NO
1	1	0	2	8	=	Not Ascertained
0	1	0	1	9	=	Refused
					=	Don't Know





NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE COLUMN NON-HISPANIC  
 NAME LOCATION HISP WHITE BLACK TOTAL QUESTION TEXT AND CODE CATEGORIES

[PAYBIRT1] 72-73

(When (NAME OF BABY) was/your babies were) born), in which of the ways on Card B-2 was the delivery bill paid? (If R volunteered that the bill has not yet been paid, she was asked "How do you think that the bill will be paid?") (1st MENTIONED)

Note: responses coded in categories 5 through 11 were volunteered by some respondents; they did not appear on Card B-2.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or R did not have any expenses for the non-hospital delivery (BE-1 BIRTHEXP coded 2).

969	3510	1776	6440	Blank	= Blank, inapplicable
1043	5408	1400	8097	01	= Insurance
534	1151	303	2040	02	= Co-payment or out-of-pocket payment
927	1101	2036	4146	03	= Medicaid
2	10	6	18	04	= Other payment-not shown separately
31	147	31	226	05	= CHAMPUS/CHAMPVA
25	65	18	152	06	= Other government assistance
2	29	9	41	07	= Family/partner/friends
10	9	6	27	08	= Charity
24	11	13	58	09	= National health insurance
16	10	4	33	10	= No charge
3	7	9	19	11	= Not yet paid
2	0	1	3	97	= Not Ascertained
1	1	0	2	98	= Refused
8	7	12	30	99	= Don't Know

[PAYBIRT2] 74-75

(When (NAME OF BABY) was/your babies were) born), in which of the ways on Card B-2 was the delivery bill paid? (If R volunteered that the bill has not yet been paid, she was asked "How do you think that the bill will be paid?") (2nd MENTIONED)

Note: responses coded in categories 5 through 11 were volunteered by some respondents; they did not appear on Card B-2.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or R did not have any expenses for the non-hospital delivery (BE-1 BIRTHEXP coded 2); or R mentioned fewer than 2 ways her delivery bills were paid.

3364	9484	5354	18759	Blank	= Blank, inapplicable
1	10	4	16	01	= Insurance
195	1879	223	2378	02	= Co-payment or out-of-pocket payment
24	55	28	110	03	= Medicaid
2	2	0	4	04	= Other payment-not shown separately
1	10	3	14	05	= CHAMPUS/CHAMPVA
2	8	1	12	06	= Other government assistance
0	0	0	0	07	= Family/partner/friends
0	4	0	4	08	= Charity
0	0	1	1	09	= National health insurance
0	4	0	4	10	= No charge
0	2	0	2	11	= Not yet paid
2	0	1	3	97	= Not Ascertained
1	1	0	2	98	= Refused
5	7	9	23	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION HISP WHITE BLACK TOTAL      QUESTION TEXT AND CODE CATEGORIES

[PAYBIRT3] 76-77

(When (NAME OF BABY) was/your babies were) born), in which of the ways on Card B-2 was the delivery bill paid? (If R volunteered that the bill has not yet been paid, she was asked "How do you think that the bill will be paid?") (3rd MENTIONED)

Note: responses coded in categories 5 through 11 were volunteered by some respondents; they did not appear on Card B-2.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or R did not have any expenses for the non-hospital delivery (BE-1 BIRTHEXP coded 2); or R mentioned fewer than 3 ways her delivery bills were paid.

3589	11450	5610	21292	Blank	= Blank, inapplicable
0	0	0	0	01	= Insurance
0	2	1	3	02	= Co-payment or out-of-pocket payment
0	4	3	7	03	= Medicaid
0	0	0	0	04	= Other payment-not shown separately
0	0	0	0	05	= CHAMPUS/CHAMPVA
0	1	0	1	06	= Other government assistance
0	0	0	0	07	= Family/partner/friends
0	1	0	1	08	= Charity
0	0	0	0	09	= National health insurance
0	0	0	0	10	= No charge
0	0	0	0	11	= Not yet paid
2	0	1	3	97	= Not Ascertained
1	1	0	2	98	= Refused
5	7	9	23	99	= Don't Know

[WORKBORN] 78-78

Did you ever take maternity leave, paid or unpaid, from a job you held (when you were pregnant with ((NAME OF BABY)/your babies/during this pregnancy)?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); R was never employed (AG-2 CATEG coded 2 and AG-3 EVERCHNG coded 2); R reported that a baby from this pregnancy died shortly after birth (Any baby's name coded 'BDS'); or no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6).

1377	3725	2191	7522	Blank	= Blank, inapplicable
611	2802	1073	4623	1	= YES
1601	4914	2354	9148	2	= NO
7	24	6	37	7	= Not Ascertained
1	1	0	2	8	= Refused
0	0	0	0	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC HISP	WHITE	BLACK	TOTAL	QUESTION TEXT AND CODE CATEGORIES
------------------	--------------------	----------------------	-------	-------	-------	-----------------------------------

[DIDWORK]	79-80					Was this because you were not employed during this pregnancy, were employed but quit before you delivered, or some other reason?
-----------	-------	--	--	--	--	--

Note: responses coded in categories 4 through 11 were volunteered by some respondents; they were not read aloud by the interviewer.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); R was never employed (AG-2 CATEG coded 2 and AG-3 EVERCHNG coded 2); R reported that a baby from this pregnancy died shortly after birth (Any baby's name coded 'BDS'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); or R reported that she took maternity leave during this pregnancy (BH-8 WORKBORN coded 1).

1991	6537	3266	12160	Blank	= Blank, inapplicable
1237	3458	1885	6795	01	= Not employed during this pregnancy
276	1060	374	1751	02	= Employed but quit before you delivered
7	25	11	46	03	= Other reason-not shown separately
10	35	16	63	04	= Lost job while pregnant
9	118	6	138	05	= Self-employed
12	108	15	137	06	= Employed but did not need to take leave
21	49	19	92	07	= Employed but employer did not offer maternity leave
3	11	1	15	08	= Employed but could not afford to take leave
7	8	2	17	09	= On disability leave
5	6	1	12	10	= Quit AFTER delivery
19	41	21	84	11	= Continued to work
0	3	0	8	97	= Not Ascertained
0	0	2	2	98	= Refused
0	7	5	12	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MATWEEKS] 81-82

In total, how many weeks of maternity leave, paid or unpaid, did you take?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); R was never employed (AG-2 CATEG coded 2 and AG-3 EVERCHNG coded 2); R reported that a baby from this pregnancy died shortly after birth (Any baby's name coded 'BDS'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); R did not take maternity leave during this pregnancy (BH-8 WORKBORN coded 2); or answer not ascertained, R refused to report, or R did not know whether she took maternity leave during this pregnancy (BH-8 WORKBORN coded 7, 8, or 9).

2986	8664	4551	16709	Blank	= Blank, inapplicable
2	8	3	14	00	= Less than 1 week
18	76	23	126	01-02	= 1-2 weeks
64	208	80	364	03-04	= 3-4 weeks
142	771	282	1231	05-06	= 5-6 weeks
95	451	213	783	07-08	= 7-8 weeks
52	214	48	324	09-10	= 9-10 weeks
98	408	166	693	11-12	= 11-12 weeks
12	74	20	107	13-14	= 13-14 weeks
34	166	50	259	15-16	= 15-16 weeks
9	22	11	43	17-18	= 17-18 weeks
24	65	34	127	19-20	= 19-20 weeks
3	17	3	23	21-22	= 21-22 weeks
13	92	46	156	23-24	= 23-24 weeks
9	20	13	43	25-26	= 25-26 weeks
2	28	9	39	27-28	= 27-28 weeks
2	6	4	12	29-30	= 29-30 weeks
6	23	8	37	31-32	= 31-32 weeks
0	5	1	6	33-34	= 33-34 weeks
4	22	15	41	35-36	= 35-36 weeks
14	94	34	144	37-52	= 37-52 weeks
6	28	8	43	97	= Not Ascertained
0	0	0	0	98	= Refused
2	4	2	8	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE COLUMN NON-HISPANIC  
 NAME LOCATION HISP WHITE BLACK TOTAL QUESTION TEXT AND CODE CATEGORIES

[WEEKSDK] 83-83 Did you take 4 weeks or less, or longer than 4 weeks?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); R was never employed (AG-2 CATEG coded 2 and AG-3 EVERCHNG coded 2); R reported that a baby from this pregnancy died shortly after birth (Any baby's name coded 'BDS'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); R did not take maternity leave during this pregnancy (BH-8 WORKBORN coded 2); answer not ascertained, R refused to report, or R did not know whether she took maternity leave during this pregnancy (BH-8 WORKBORN coded 7, 8, or 9); or R reported an exact number of weeks she took maternity leave during this pregnancy, answer was not ascertained, or R refused to report her duration of maternity leave (BH-9 MATWEEKS not coded 99).

3589	11434	5614	21281	Blank	= Blank, inapplicable
0	0	0	0	1	= 4 weeks or less
2	3	2	7	2	= Longer than 4 weeks
6	28	8	43	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

[MATSTART] 84-87 Please tell me the beginning and ending dates of your maternity leave. (START DATE)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); R was never employed (AG-2 CATEG coded 2 and AG-3 EVERCHNG coded 2); R reported that a baby from this pregnancy died shortly after birth (Any baby's name coded 'BDS'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); R did not take maternity leave during this pregnancy (BH-8 WORKBORN coded 2); or answer not ascertained, R refused to report, or R did not know whether she took maternity leave during this pregnancy (BH-8 WORKBORN coded 7, 8, or 9).

2986	8664	4551	16709	Blank	= Blank, inapplicable
406	1939	789	3229	0794-1092	= Before 1991
191	835	269	1335	1093-1147	= 1991 or later
9	21	9	40	9997	= Not Ascertained
0	0	0	0	9998	= Refused
5	7	6	19	9999	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	

[MATEND]	88-91				Please tell me the beginning and ending dates of your maternity leave. (END DATE)
----------	-------	--	--	--	---

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); R was never employed (AG-2 CATEG coded 2 and AG-3 EVERCHNG coded 2); R reported that a baby from this pregnancy died shortly after birth (Any baby's name coded 'BDS'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); R did not take maternity leave during this pregnancy (BH-8 WORKBORN coded 2); or answer not ascertained, R refused to report, or R did not know whether she took maternity leave during this pregnancy (BH-8 WORKBORN coded 7, 8, or 9).

2986	8664	4551	16709	Blank	= Blank, inapplicable
387	1841	755	3073	0799-1092	= Before 1991
192	829	276	1336	1093-1150	= 1991 or later
6	34	11	55	1189	= Still on maternity leave at time of interview
12	59	15	88	1196	= Quit job after beginning maternity leave
9	32	11	53	9997	= Not Ascertained
0	0	0	0	9998	= Refused
5	7	5	18	9999	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE COLUMN NON-HISPANIC  
 NAME LOCATION HISP WHITE BLACK TOTAL QUESTION TEXT AND CODE CATEGORIES

[MATLEAVE] 92-93

Some women receive pay from their jobs during their maternity leave, through vacation pay, sick pay, maternity benefits, and other kinds of paid leave. In total, how many weeks of paid leave did you receive from your job while you were on maternity leave?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); R was never employed (AG-2 CATEG coded 2 and AG-3 EVERCHNG coded 2); R reported that a baby from this pregnancy died shortly after birth (Any baby's name coded 'BDS'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); R did not take maternity leave during this pregnancy (BH-8 WORKBORN coded 2); or answer not ascertained, R refused to report, or R did not know whether she took maternity leave during this pregnancy (BH-8 WORKBORN coded 7, 8, or 9).

2985	8657	4550	16700	Blank	= Blank, inapplicable
162	896	304	1387	00	= Less than 1 week
46	168	71	303	01-02	= 1-2 weeks
50	202	85	347	03-04	= 3-4 weeks
125	599	238	995	05-06	= 5-6 weeks
83	323	140	569	07-08	= 7-8 weeks
39	148	35	228	09-10	= 9-10 weeks
49	191	94	346	11-12	= 11-12 weeks
6	45	20	71	13-14	= 13-14 weeks
13	68	18	104	15-16	= 15-16 weeks
4	13	6	24	17-18	= 17-18 weeks
6	26	8	42	19-20	= 19-20 weeks
0	11	1	12	21-22	= 21-22 weeks
5	28	10	44	23-24	= 23-24 weeks
5	5	8	18	25-26	= 25-26 weeks
1	7	4	12	27-28	= 27-28 weeks
0	2	1	3	29-30	= 29-30 weeks
2	6	6	14	31-32	= 31-32 weeks
0	0	1	1	33-34	= 33-34 weeks
0	4	1	5	35-36	= 35-36 weeks
3	13	6	22	37-52	= 37-52 weeks
12	44	12	69	97	= Not Ascertained
0	0	0	0	98	= Refused
1	10	5	16	99	= Don't Know

[VAGORCE1] 94-94

Was (NAME OF BABY/the baby you placed for adoption/the baby that died) delivered vaginally or by Cesarean section?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); only one baby was born (BC-2 NBRNLV coded 01); or more than one baby was born but either all babies were born vaginally or all were born by cesarean section (BC-1 PREGXENn is only coded 5 or only coded 6 for that pregnancy).

3597	11460	5624	21326	Blank	= Blank, inapplicable
0	5	0	5	1	= VAGINALLY
0	1	0	1	2	= CESAREAN SECTION
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC						
NAME	LOCATION	HISP	WHITE	BLACK				

[KIDSSEX1] 95-95

(ASKED ONLY IF NECESSARY): (Is (NAME OF BABY)/Was the baby you placed for adoption/Was the baby that died) male or female?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6).

948	3486	1762	6374	Blank	= Blank, inapplicable
1407	4134	2090	7877	1	= MALE
1240	3845	1772	7078	2	= FEMALE
1	0	0	1	7	= Not Ascertained
1	0	0	1	8	= Refused
0	1	0	1	9	= Don't Know

[LBS\_BOR1] 96-97

How much did ((NAME OF BABY)/this (Nth) baby) weigh at birth? (POUNDS)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6).

948	3486	1762	6374	Blank	= Blank, inapplicable
0	3	5	8	00	= Answer not reported in pounds (SEE OZS_BOR1)
6	20	26	52	01	= 1 pound
13	37	35	86	02	= 2 pounds
15	40	58	115	03	= 3 pounds
54	127	134	327	04	= 4 pounds
174	499	438	1142	05	= 5 pounds
598	1565	1074	3353	06	= 6 pounds
934	2824	1282	5205	07	= 7 pounds
562	2026	580	3263	08	= 8 pounds
203	657	180	1072	09	= 9 pounds
46	142	40	233	10	= 10 pounds
17	21	6	46	11-14	= 11 pounds or more
1	0	1	2	97	= Not Ascertained
1	1	0	2	98	= Refused
25	18	3	52	99	= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION HISP WHITE BLACK TOTAL      QUESTION TEXT AND CODE CATEGORIES

[OZS\_BOR1] 98-99      How much did ((NAME OF BABY)/this (Nth) baby) weigh at birth? (OUNCES)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6).

948	3486	1762	6374	Blank	= Blank, inapplicable
462	634	419	1592	00	= Answer not reported in ounces (SEE LBS_BOR1)
111	447	163	736	01	= 1 ounce
153	571	257	998	02	= 2 ounces
119	473	222	838	03	= 3 ounces
142	515	241	930	04	= 4 ounces
139	415	243	828	05	= 5 ounces
210	665	328	1238	06	= 6 ounces
126	445	224	824	07	= 7 ounces
302	666	289	1303	08	= 8 ounces
130	409	222	784	09	= 9 ounces
115	469	155	762	10	= 10 ounces
149	470	222	871	11	= 11 ounces
116	508	272	924	12	= 12 ounces
116	458	232	822	13	= 13 ounces
117	439	199	764	14	= 14 ounces
100	371	160	655	15	= 15 ounces
1	0	1	2	97	= Not Ascertained
1	1	0	2	98	= Refused
40	24	13	85	99	= Don't Know

[LOBTHWT1] 100-100      Did (she/he) weigh 5 1/2 pounds or more, or less than 5 1/2 pounds?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); or R provided an exact weight (BD-4 LBS\_BORn not coded 99 and BD-4 OZS\_BORn not coded 99).

3571	11446	5615	21271	Blank	= Blank, inapplicable
19	13	2	38	1	= 5 1/2 POUNDS OR MORE
2	4	6	14	2	= LESS THAN 5 1/2 POUNDS
1	0	1	2	7	= Not Ascertained
0	0	0	0	8	= Refused
4	3	0	7	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC						
NAME	LOCATION	HISP	WHITE	BLACK				

[LIVEHER1] 101-101      Earlier I don't think you mentioned (NAME OF BABY) when you told me who lives with you. Does (NAME OF BABY) still live with you? (If the baby's name is listed in the household roster, this variable is set to yes (1) without asking).

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); or child's name matches name listed in household roster and relationship is natural child (AH-6 RELARnn coded 4).

	954	3531	1777	6442	Blank	= Blank, inapplicable
	2350	6948	3251	12942	1	= YES
	293	986	595	1946	2	= NO
	0	0	0	0	7	= Not Ascertained
	0	1	1	2	8	= Refused
	0	0	0	0	9	= Don't Know

[ALIVENW1] 102-102      Is (she/he) still living?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); child's name matches name listed in household roster and relationship is natural child (AH-6 RELARnn coded 4); or child is still living with R (BI-1 LIVEHERn coded 1).

	3304	10482	5028	19387	Blank	= Blank, inapplicable
	265	894	532	1755	1	= YES
	27	85	63	183	2	= NO
	1	0	0	1	7	= Not Ascertained
	0	0	0	0	8	= Refused
	0	5	1	6	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[WHENDIE1] 103-106

When did (NAME OF BABY) die?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); child's name matches name listed in household roster and relationship is natural child (AH-6 RELARnn coded 4); child is still living with R (BI-1 LIVEHERn coded 1); child is still living (BI-2 ALIVENWn coded 1); or answer was not ascertained, R refused to report, or R did not know whether the child is still living (BI-2 ALIVENWn coded 7, 8, or 9).

3570	11381	5561	21149	Blank	= Blank, inapplicable
23	54	53	135	0810-1092	= Before 1991
3	28	10	44	1093-1148	= 1991 or later
0	0	0	0	9997	= Not Ascertained
1	3	0	4	9998	= Refused
0	0	0	0	9999	= Don't Know

[WHENLEF1] 107-110

When did (NAME OF BABY) stop living with you?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); child's name matches name listed in household roster and relationship is natural child (AH-6 RELARnn coded 4); child is still living with R (BI-1 LIVEHERn coded 1); or child is deceased (BI-2 ALIVENWn coded 2).

3331	10567	5091	19570	Blank	= Blank, inapplicable
119	325	244	707	0843-1092	= Before 1991
143	572	285	1045	1093-1150	= 1991 or later
1	0	0	1	9997	= Not Ascertained
0	1	1	2	9998	= Refused
3	1	3	7	9999	= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP WHITE BLACK TOTAL				

[RNONUR12] 114-115

Please look at Card B-7. What were your reasons for not breastfeeding (NAME OF BABY)? (2nd REASON MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-7.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIE n or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); or answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); or R mentioned fewer than 2 reasons for not breastfeeding this baby.

3566	11272	5564	21037	Blank		= Blank, inapplicable
2	8	5	15	01		= Job or schedule difficulties
5	26	11	43	02		= Physical or medical difficulties
8	116	30	159	03		= R preferred to bottle-feed
13	28	10	54	04		= R did not know how to breastfeed
2	6	2	11	05		= Other reason-not shown separately
0	5	0	5	06		= Baby refused or did not accept breast milk
1	3	0	4	07		= Baby's father did not want her to breastfeed
0	2	0	2	08		= Discouraged by someone other than baby's father
0	0	1	1	09		= Fears about breastfeeding
0	0	0	0	97		= Not Ascertained
0	0	0	0	98		= Refused
0	0	1	1	99		= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION HISP WHITE BLACK TOTAL      QUESTION TEXT AND CODE CATEGORIES

[RNONUR13] 116-117

Please look at Card B-7. What were your reasons for not breastfeeding (NAME OF BABY)? (3rd REASON MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-7.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIE n or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); or answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); or R mentioned fewer than 3 reasons for not breastfeeding this baby.

3593	11449	5620	21307	Blank	= Blank, inapplicable
0	1	0	1	01	= Job or schedule difficulties
1	2	2	5	02	= Physical or medical difficulties
1	8	1	10	03	= R preferred to bottle-feed
1	2	0	3	04	= R did not know how to breastfeed
1	2	0	3	05	= Other reason-not shown separately
0	0	0	0	06	= Baby refused or did not accept breast milk
0	1	0	1	07	= Baby's father did not want her to breastfeed
0	0	0	0	08	= Discouraged by someone other than baby's father
0	1	0	1	09	= Fears about breastfeeding
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	1	1	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP WHITE BLACK TOTAL				

[DIFNUR11] 118-119

Which of the physical or medical difficulties on Card B-8 did you have with breastfeeding? (1<sup>st</sup> MENTIONED)

Note: responses coded in category 7 were volunteered by some respondents; this category did not appear on Card B-8.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); or R did not report having any physical or medical difficulties breastfeeding this baby (BJ-2 RNONURN1, BJ-2 RNONURN2, AND BJ-2 RNONURN3 not coded 2).

3377	10878	5404	20273	Blank	= Blank, inapplicable
38	111	46	202	01	= Baby was ill or weak
55	113	40	211	02	= R were ill or weak
52	166	31	255	03	= R produced insufficient milk
37	83	56	188	04	= R had a nipple or breast problem (such as pain or dryness)
33	89	42	166	05	= R did not want to pass dangerous things through breast milk
3	17	4	25	06	= Other reason-not shown separately
2	8	1	11	07	= Baby had allergies to breast milk
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	1	0	1	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	

[DIFNUR12] 120-121

Which of the physical or medical difficulties on Card B-8 did you have with breastfeeding? (2<sup>nd</sup> MENTIONED)

Note: responses coded in category 7 were volunteered by some respondents; this category did not appear on Card B-8.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not report having any physical or medical difficulties breastfeeding this baby (BJ-2 RNONURN1, BJ-2 RNONURN2, AND BJ-2 RNONURN3 not coded 2); or R mentioned fewer than 2 physical or medical difficulties as reasons for not breastfeeding this baby.

3592	11427	5608	21270	Blank	= Blank, inapplicable
0	5	0	5	01	= Baby was ill or weak
0	9	6	16	02	= R were ill or weak
2	7	1	10	03	= R produced insufficient milk
2	12	2	17	04	= R had a nipple or breast problem (such as pain or dryness)
1	5	7	13	05	= R did not want to pass dangerous things through breast milk
0	1	0	1	06	= Other reason-not shown separately
0	0	0	0	07	= Baby had allergies to breast milk
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[DIFNUR13] 122-123

Which of the physical or medical difficulties on Card B-8 did you have with breastfeeding? (3<sup>rd</sup> MENTIONED)

Note: responses coded in category 7 were volunteered by some respondents; this category did not appear on Card B-8.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEF<sub>n</sub>-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not report having any physical or medical difficulties breastfeeding this baby (BJ-2 RNONURN1, BJ-2 RNONURN2, AND BJ-2 RNONURN3 not coded 2); or R mentioned fewer than 3 physical or medical difficulties as reasons for not breastfeeding this baby.

3595	11464	5622	21326	Blank	= Blank, inapplicable
0	0	0	0	01	= Baby was ill or weak
0	0	0	0	02	= R were ill or weak
0	0	0	0	03	= R produced insufficient milk
0	0	0	0	04	= R had a nipple or breast problem (such as pain or dryness)
2	2	2	6	05	= R did not want to pass dangerous things through breast milk
0	0	0	0	06	= Other reason-not shown separately
0	0	0	0	07	= Baby had allergies to breast milk
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP WHITE BLACK TOTAL				

[FEDSOLI1]	124-124				(Have you fed/Did you feed) (NAME OF BABY) something other than breastmilk yet?
------------	---------	--	--	--	---

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); or this baby is alive and over the age of 2 years (BI-3 WHENDIEn is blank and BD-6 BABDOB is greater than 2 years prior to interview date).

3383	10955	5528	20471	Blank	= Blank, inapplicable
193	476	92	797	1	= YES
21	35	4	64	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[MON\_EAT1] 125-126

How old was (she/he) when you first fed (her/him) something other than breast milk? (MONTHS)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); or R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2).

2167	7131	4763	14410	Blank	= Blank, inapplicable
289	1349	280	1985	00	= Answer not reported in months (SEE WKS_EAT1 or DAY_EAT1)
129	423	102	682	01	= 1 month
173	412	79	684	02	= 2 months
272	677	154	1149	03	= 3 months
180	546	78	856	04	= 4 months
73	251	37	369	05	= 5 months
155	464	72	742	06	= 6 months
32	53	8	98	07	= 7 months
35	46	10	98	08	= 8 months
28	47	11	90	09	= 9 months
6	17	8	31	10	= 10 months
5	4	2	11	11	= 11 months
48	31	17	103	12	= 12 months
3	5	3	12	13-24	= 13 months or longer
1	2	0	3	97	= Not Ascertained
0	0	0	0	98	= Refused
1	8	0	9	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[WKS\_EAT1] 127-128

How old was (she/he) when you first fed (her/him) something other than breast milk? (WEEKS)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); or R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2).

2167	7131	4763	14410	Blank	= Blank, inapplicable
1188	3137	653	5216	00	= Answer not reported in weeks (SEE MON_EAT1 or DAY_EAT1)
61	168	47	292	01	= 1 week
96	473	85	679	02	= 2 weeks
29	165	27	227	03	= 3 weeks
21	103	15	139	04	= 4 weeks
4	23	5	32	05	= 5 weeks
22	183	20	236	06	= 6 weeks
1	16	1	18	07	= 7 weeks
2	29	5	36	08	= 8 weeks
4	28	3	35	09-20	= 9 weeks or longer
1	2	0	3	97	= Not Ascertained
0	0	0	0	98	= Refused
1	8	0	9	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[DAY\_EAT1] 129-130

How old was (she/he) when you first fed (her/him) something other than breast milk? (DAYS)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); or R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2).

2167	7131	4763	14410	Blank	= Blank, inapplicable
1271	3936	734	6209	00	= Answer not reported in days (SEE MON_EAT1 or WKS_EAT1)
71	132	54	265	01	= 1 day
34	75	28	148	02	= 2 days
21	66	15	108	03	= 3 days
8	35	6	49	04	= 4 days
6	34	3	44	05	= 5 days
2	7	3	13	06	= 6 days
6	14	5	25	07	= 7 days
9	25	13	48	08-30	= 8 days or longer
1	2	0	3	97	= Not Ascertained
0	0	0	0	98	= Refused
1	9	0	10	99	= Don't Know

[QUITNUR1] 131-131

Have you stopped breastfeeding (her/him) altogether?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); this baby is alive and over the age of 4 years (BI-3 WHENDIEN is blank and BD-6 BABDOB is greater than 4 years prior to interview date); or this baby died (BI-3 WHENDIEN is not blank).

3214	10480	5431	19700	Blank	= Blank, inapplicable
337	850	175	1416	1	= YES
46	136	18	216	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION HISP WHITE BLACK TOTAL      QUESTION TEXT AND CODE CATEGORIES

[MON\_QNU1] 132-133      How old was (she/he) when you stopped breastfeeding  
 (her/him) altogether? (MONTHS)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); or R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R has not stopped breastfeeding this baby yet (BJ-6 QUITNURN coded 2).

2213	7267	4781	14626	Blank	= Blank, inapplicable
169	799	173	1185	00	= Answer not reported in months (SEE WKS_QNU1 or DAY_QNU1)
116	235	68	441	01	= 1 month
135	246	60	456	02	= 2 months
153	385	122	680	03	= 3 months
106	301	59	494	04	= 4 months
72	197	46	325	05	= 5 months
121	449	97	703	06	= 6 months
52	149	28	236	07	= 7 months
63	190	29	289	08	= 8 months
67	235	35	348	09	= 9 months
30	140	19	195	10	= 10 months
27	87	10	127	11	= 11 months
122	281	47	485	12	= 12 months
64	316	23	421	13-18	= 13-18 months
54	106	17	190	19-24	= 19-24 months
14	42	2	61	25-30	= 25-30 months
14	28	4	47	31-36	= 31-36 months
2	12	1	16	37-48	= 37 months or longer
1	0	0	1	97	= Not Ascertained
0	0	0	0	98	= Refused
2	1	3	6	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP WHITE BLACK TOTAL				

[WKS\_QNU1] 134-135

How old was (she/he) when you stopped breastfeeding (her/him) altogether? (WEEKS)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); or R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R has not stopped breastfeeding this baby yet (BJ-6 QUITNURn coded 2).

2213	7267	4781	14626	Blank	= Blank, inapplicable
1156	3323	670	5386	00	= Answer not reported in weeks (SEE MON_QNU1 or DAY_QNU1)
46	102	31	186	01	= 1 week
99	332	70	520	02	= 2 weeks
24	106	21	157	03	= 3 weeks
14	50	12	76	04	= 4 weeks
6	26	5	38	05	= 5 weeks
20	147	17	194	06	= 6 weeks
3	23	1	27	07	= 7 weeks
6	48	7	61	08	= 8 weeks
7	40	6	53	09-44	= 9 weeks or longer
1	0	0	1	97	= Not Ascertained
0	0	0	0	98	= Refused
2	2	3	7	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP WHITE BLACK TOTAL				

[DAY\_QNU1] 136-137

How old was (she/he) when you stopped breastfeeding  
 (her/him) altogether? (DAYS)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); or R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R has not stopped breastfeeding this baby yet (BJ-6 QUITNURn coded 2).

2213	7267	4781	14626	Blank	= Blank, inapplicable
1306	4025	785	6379	00	= Answer not reported in days (SEE MON_QNU1 or WKS_QNU1)
16	20	11	50	01	= 1 day
18	42	16	83	02	= 2 days
12	39	9	65	03	= 3 days
8	20	6	34	04	= 4 days
2	23	4	29	05	= 5 days
3	3	0	8	06	= 6 days
4	6	2	12	07	= 7 days
12	19	7	38	08-30	= 8 days or longer
1	0	0	1	97	= Not Ascertained
0	0	0	0	98	= Refused
2	2	3	7	99	= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION    HISP    WHITE    BLACK    TOTAL      QUESTION TEXT AND CODE CATEGORIES

[YSTPNU11] 138-139

Please look at Card B-9. Why did you stop breastfeeding (her/him) when you did? (1st REASON MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-9.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFm-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R has not stopped breastfeeding this baby yet (BJ-6 QUITNURN coded 2).

2213	7267	4781	14626	Blank	= Blank, inapplicable
202	745	142	1129	01	= Job or schedule difficulties
325	1029	166	1588	02	= Physical or medical difficulties
289	541	208	1086	03	= R preferred to bottle-feed
520	1753	302	2689	04	= Baby was old enough to wean
5	36	6	48	05	= Other reason-not shown separately
35	64	10	114	06	= Baby refused or did not accept breast milk
3	9	1	15	07	= Baby's father did not want her to breastfeed
2	13	1	17	08	= Discouraged by someone other than baby's father
2	5	4	12	09	= Fears about breastfeeding
1	1	0	2	97	= Not Ascertained
0	0	0	0	98	= Refused
0	3	3	6	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC HISP WHITE BLACK TOTAL	QUESTION TEXT AND CODE CATEGORIES
------------------	--------------------	--	-----------------------------------

[YSTPNU12] 140-141

Please look at Card B-9. Why did you stop breastfeeding (her/him) when you did? (2nd REASON MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-9.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R has not stopped breastfeeding this baby yet (BJ-6 QUITNURn coded 2); or R mentioned fewer than 2 reasons for stopping her breastfeeding of this baby.

3557	11237	5598	21025	Blank	= Blank, inapplicable
1	13	5	20	01	= Job or schedule difficulties
9	52	5	71	02	= Physical or medical difficulties
9	72	13	95	03	= R preferred to bottle-feed
18	78	2	100	04	= Baby was old enough to wean
2	3	1	8	05	= Other reason-not shown separately
0	7	0	8	06	= Baby refused or did not accept breast milk
1	0	0	1	07	= Baby's father did not want her to breastfeed
0	2	0	2	08	= Discouraged by someone other than baby's father
0	0	0	0	09	= Fears about breastfeeding
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	2	0	2	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[YSTPNU13] 142-143

Please look at Card B-9. Why did you stop breastfeeding (her/him) when you did? (3rd REASON MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-9.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R has not stopped breastfeeding this baby yet (BJ-6 QUITNURn coded 2); or R mentioned fewer than 3 reasons for stopping her breastfeeding of this baby.

3596	11440	5620	21297	Blank		
0	2	0	2	01	=	Blank, inapplicable
0	0	0	0	02	=	Job or schedule difficulties
1	6	2	13	03	=	Physical or medical difficulties
0	16	2	18	04	=	R preferred to bottle-feed
0	0	0	0	05	=	Baby was old enough to wean
0	0	0	0	06	=	Other reason-not shown separately
					=	Baby refused or did not accept breast milk
0	0	0	0	07	=	Baby's father did not want her to breastfeed
0	0	0	0	08	=	Discouraged by someone other than baby's father
0	0	0	0	09	=	Fears about breastfeeding
0	0	0	0	97	=	Not Ascertained
0	0	0	0	98	=	Refused
0	2	0	2	99	=	Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[DIFSTN11] 144-145

Which of the physical or medical difficulties on Card B-10 did you have with breastfeeding? (1<sup>st</sup> MENTIONED)

Note: responses coded in category 7 were volunteered by some respondents; this category did not appear on Card B-10.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFm-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); R has not stopped breastfeeding this baby yet (BJ-6 QUITNURN coded 2); or R did not report having physical or medical difficulties with breastfeeding this baby (BJ-8 YSTPNUn1, BJ-8 YSTPNUn2 and BJ-8 YSTPNUn3 not coded 2).

3261	10376	5453	19662	Blank	= Blank, inapplicable
28	149	15	198	01	= Baby was ill or weak
42	128	20	197	02	= R were ill or weak
194	530	58	826	03	= R produced insufficient milk
50	191	62	315	04	= R had a nipple or breast problem (such as pain or dryness)
17	52	9	80	05	= R did not want to pass dangerous things through breast milk
4	13	5	23	06	= Other reason-not shown separately
1	25	2	29	07	= Baby had allergies to breast milk
0	1	0	1	97	= Not Ascertained
0	0	0	0	98	= Refused
0	1	0	1	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[DIFSTN12] 146-147

Which of the physical or medical difficulties on Card B-10 did you have with breastfeeding? (2<sup>nd</sup> MENTIONED)

Note: responses coded in category 7 were volunteered by some respondents; this category did not appear on Card B-10.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFm-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); R has not stopped breastfeeding this baby yet (BJ-6 QUITNURN coded 2); or R did not report having physical or medical difficulties with breastfeeding this baby (BJ-8 YSTPNUn1, BJ-8 YSTPNUn2 and BJ-8 YSTPNUn3 not coded 2); or R mentioned fewer than 2 physical or medical difficulties as reasons for quitting her breastfeeding of this baby.

3582	11385	5615	21223	Blank	= Blank, inapplicable
0	1	0	1	01	= Baby was ill or weak
1	14	1	16	02	= R were ill or weak
3	24	1	28	03	= R produced insufficient milk
10	33	5	51	04	= R had a nipple or breast problem (such as pain or dryness)
0	5	2	8	05	= R did not want to pass dangerous things through breast milk
0	2	0	2	06	= Other reason-not shown separately
1	1	0	2	07	= Baby had allergies to breast milk
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	1	0	1	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE COLUMN NON-HISPANIC  
 NAME LOCATION HISP WHITE BLACK TOTAL QUESTION TEXT AND CODE CATEGORIES

[DIFSTN13] 148-149 Which of the physical or medical difficulties on Card B-10 did you have with breastfeeding? (3<sup>rd</sup> MENTIONED)

Note: responses coded in category 7 were were volunteered by some respondents; this category did not appear on Card B-10.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFfn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); R has not stopped breastfeeding this baby yet (BJ-6 QUITNURN coded 2); or R did not report having physical or medical difficulties with breastfeeding this baby (BJ-8 YSTPNUn1, BJ-8 YSTPNUn2 and BJ-8 YSTPNUn3 not coded 2); or R mentioned fewer than 3 physical or medical difficulties as reasons for quitting her breastfeeding of this baby.

3597	11462	5624	21327	Blank	
0	1	0	1	01	= Blank, inapplicable
0	0	0	0	02	= Baby was ill or weak
0	2	0	2	03	= R were ill or weak
0	0	0	0	04	= R produced insufficient milk
0	0	0	0	04	= R had a nipple or breast problem (such as pain or dryness)
0	0	0	1	05	= R did not want to pass dangerous things through breast milk
0	0	0	0	06	= Other reason-not shown separately
0	0	0	0	07	= Baby had allergies to breast milk
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	1	0	1	99	= Don't Know

[VAGORCE2] 150-150 Was (NAME OF 2ND BABY/the baby you placed for adoption/the baby that died) delivered vaginally or by Cesarean section?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); only one baby was born (BC-2 NBRNLV coded 01); or more than one baby was born but either all babies were born vaginally or all were born by cesarean section (BC-1 PREGXENn is only coded 5 or only coded 6 for that pregnancy); or R had only one baby with this pregnancy.

3597	11460	5624	21326	Blank	
0	1	0	1	1	= Blank, inapplicable
0	5	0	5	2	= VAGINALLY
0	0	0	0	7	= CESAREAN SECTION
0	0	0	0	8	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		

[KIDSSEX2] 151-151 (ASKED ONLY IF NECESSARY): (Is (NAME OF 2ND BABY)/Was the baby you placed for adoption/Was the baby that died) male or female?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); or R had only one baby with this pregnancy.

3574	11383	5579	21178	Blank	= Blank, inapplicable
10	44	21	76	1	= MALE
13	39	24	78	2	= FEMALE
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

[LBS\_BOR2] 152-153 How much did ((NAME OF 2<sup>ND</sup> BABY)/this (Nth) baby) weigh at birth? (POUNDS)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); or R had only one baby with this pregnancy.

3574	11383	5579	21178	Blank	= Blank, inapplicable
0	0	0	0	00	= Answer not reported in pounds (SEE OZS_BOR2)
2	1	2	5	01	= 1 pound
4	6	2	12	02	= 2 pounds
1	12	5	18	03	= 3 pounds
3	14	13	30	04	= 4 pounds
5	23	12	43	05	= 5 pounds
7	18	7	32	06	= 6 pounds
1	8	4	13	07	= 7 pounds
0	0	0	0	08	= 8 pounds
0	0	0	0	09	= 9 pounds
0	0	0	0	10	= 10 pounds
0	0	0	0	11-14	= 11 pounds or more
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	1	0	1	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[OZS_BOR2]	154-155				How much did ((NAME OF 2 <sup>ND</sup> BABY)/this (Nth) baby) weigh at birth? (OUNCES)
					<b>Inapplicable:</b> This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); or R had only one baby with this pregnancy.
		3574	11383	5579 21178	Blank = Blank, inapplicable
		3	3	3 10	00 = Answer not reported in ounces (SEE LBS_BOR2)
		2	10	1 13	01 = 1 ounce
		2	3	3 8	02 = 2 ounces
		2	6	4 12	03 = 3 ounces
		0	3	4 8	04 = 4 ounces
		1	3	4 8	05 = 5 ounces
		0	8	0 9	06 = 6 ounces
		4	5	2 11	07 = 7 ounces
		0	9	3 12	08 = 8 ounces
		2	1	1 4	09 = 9 ounces
		0	5	2 7	10 = 10 ounces
		2	4	4 10	11 = 11 ounces
		2	8	4 14	12 = 12 ounces
		1	3	2 6	13 = 13 ounces
		1	5	4 10	14 = 14 ounces
		1	6	3 10	15 = 15 ounces
		0	0	0 0	97 = Not Ascertained
		0	0	0 0	98 = Refused
		0	1	1 2	99 = Don't Know

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[LOBTHWT2]	156-156				Did (she/he) weigh 5 1/2 pounds or more, or less than 5 1/2 pounds? (BABY 2)
					<b>Inapplicable:</b> This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); or R provided an exact weight (BD-4 LBS_BORN not coded 99 and BD-4 OZS_BORN not coded 99); or R had only one baby with this pregnancy.
		3597	11465	5624 21331	Blank = Blank, inapplicable
		0	0	0 0	1 = 5 1/2 POUNDS OR MORE
		0	1	0 1	2 = LESS THAN 5 ½ POUNDS
		0	0	0 0	7 = Not Ascertained
		0	0	0 0	8 = Refused
		0	0	0 0	9 = Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[LIVEHER2] 157-157      Earlier I don't think you mentioned (NAME OF 2ND BABY) when you told me who lives with you. Does (NAME OF 2ND BABY) still live with you? (If the baby's name is listed in the household roster, this variable is set to yes (1) without asking).

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); or child's name matches name listed in household roster and relationship is natural child (AH-6 RELARnn coded 4); or R had only one baby with this pregnancy.

3575	11384	5580	21181	Blank	= Blank, inapplicable
20	66	40	128	1	= YES
2	16	4	23	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

[ALIVENW2] 158-158      Is (she/he) still living? (BABY 2)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); child's name matches name listed in household roster and relationship is natural child (AH-6 RELARnn coded 4); or child is still living with R (BI-1 LIVEHERn coded 1); or R had only one baby with this pregnancy.

3595	11450	5620	21309	Blank	= Blank, inapplicable
0	8	1	10	1	= YES
2	8	3	13	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP WHITE BLACK TOTAL				

[WHENDIE2] 159-162

When did (NAME OF 2ND BABY) die?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); child's name matches name listed in household roster and relationship is natural child (AH-6 RELARnn coded 4); child is still living with R (BI-1 LIVEHERn coded 1); child is still living (BI-2 ALIVENWn coded 1); or answer was not scertained, R refused to report, or R did not know whether the child is still living (BI-2 ALIVENWn coded 7, 8, or 9); or R had only one baby with this pregnancy.

3595	11458	5621	21319	Blank	= Blank, inapplicable
1	7	3	11	0810-1092	= Before 1991
1	1	0	2	1093-1148	= 1991 or later
0	0	0	0	9997	= Not Ascertained
0	0	0	0	9998	= Refused
0	0	0	0	9999	= Don't Know

[WHENLEF2] 163-166

When did (NAME OF 2ND BABY) stop living with you?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died hortly after birth (Baby's name coded 'BDS'); child's name matches name listed in household roster and relationship is natural child (AH-6 RELARnn coded 4); child is still living with R (BI-1 LIVEHERn coded 1); or child is deceased (BI-2 ALIVENWn coded 2); or R had only one baby with this pregnancy.

3597	11458	5623	21322	Blank	= Blank, inapplicable
0	5	0	5	0843-1092	= Before 1991
0	3	1	5	1093-1150	= 1991 or later
0	0	0	0	9997	= Not Ascertained
0	0	0	0	9998	= Refused
0	0	0	0	9999	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION    HISP    WHITE    BLACK    TOTAL      QUESTION TEXT AND CODE CATEGORIES

[ANYNURS2] 167-167      (When (NAME OF 2ND BABY) was an infant,) (have you  
 breastfed/did you breastfeed) (her/him) at all?

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); or R had only one baby with this pregnancy.

3576	11392	5583	21193	Blank	= Blank, inapplicable
8	34	7	50	1	= YES
13	40	34	89	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

[RNONUR21] 168-169      Please look at Card B-7. What were your reasons for  
 not breastfeeding (NAME OF 2ND BABY)? (1st REASON  
 MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-7.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); or answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); or R had only one baby with this pregnancy.

3584	11426	5590	21243	Blank	= Blank, inapplicable
0	4	1	5	01	= Job or schedule difficulties
6	12	3	22	02	= Physical or medical difficulties
5	23	29	58	03	= R preferred to bottle-feed
0	1	0	1	04	= R did not know how to breastfeed
0	0	0	0	05	= Other reason-not shown separately
1	0	1	2	06	= Baby refused or did not accept breast milk
0	0	0	0	07	= Baby's father did not want her to breastfeed
1	0	0	1	08	= Discouraged by someone other than baby's father
0	0	0	0	09	= Fears about breastfeeding
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC HISP	WHITE	BLACK	TOTAL	QUESTION TEXT AND CODE CATEGORIES
------------------	--------------------	----------------------	-------	-------	-------	-----------------------------------

[RNONUR22] 170-171

Please look at Card B-7. What were your reasons for not breastfeeding (NAME OF 2ND BABY)? (2nd REASON MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-7.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIE n or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); or answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); or R had only one baby with this pregnancy; or R mentioned fewer than 2 reasons for not breastfeeding this baby.

3596	11464	5624	21328	Blank	= Blank, inapplicable
0	0	0	0	01	= Job or schedule difficulties
0	0	0	1	02	= Physical or medical difficulties
1	2	0	3	03	= R preferred to bottle-feed
0	0	0	0	04	= R did not know how to breastfeed
0	0	0	0	05	= Other reason-not shown separately
0	0	0	0	06	= Baby refused or did not accept breast milk
0	0	0	0	07	= Baby's father did not want her to breastfeed
0	0	0	0	08	= Discouraged by someone other than baby's father
0	0	0	0	09	= Fears about breastfeeding
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION HISP WHITE BLACK TOTAL      QUESTION TEXT AND CODE CATEGORIES

[DIFNUR21] 174-175

Which of the physical or medical difficulties on Card B-8 did you have with breastfeeding? (2nd BABY) (1st MENTIONED)

Note: responses coded in category 7 were volunteered by some respondents; this category did not appear on Card B-8.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIE n or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not report having any physical or medical difficulties breastfeeding this baby (BJ-2 RNONURN1, BJ-2 RNONURN2, AND BJ-2 RNONURN3 not coded 2); or R had only one baby with this pregnancy.

3591	11454	5621	21309	Blank	= Blank, inapplicable
2	5	0	8	01	= Baby was ill or weak
0	1	1	2	02	= R were ill or weak
3	1	2	6	03	= R produced insufficient milk
0	0	0	1	04	= R had a nipple or breast problem (such as pain or dryness)
1	1	0	2	05	= R did not want to pass dangerous things through breast milk
0	3	0	3	06	= Other reason-not shown separately
0	1	0	1	07	= Baby had allergies to breast milk
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[DIFNUR22] 176-177

Which of the physical or medical difficulties on Card B-8 did you have with breastfeeding? (2nd BABY) (2nd MENTIONED)

Note: responses coded in category 7 were volunteered by some respondents; this category did not appear on Card B-8.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIE n or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not report having any physical or medical difficulties breastfeeding this baby (BJ-2 RNONURN1, BJ-2 RNONURN2, AND BJ-2 RNONURN3 not coded 2); R had only one baby with this pregnancy; or R mentioned fewer than 2 physical or medical difficulties as reasons for not breastfeeding this baby.

3597	11465	5624	21331	Blank	= Blank, inapplicable
0	0	0	0	01	= Baby was ill or weak
0	0	0	0	02	= R were ill or weak
0	0	0	0	03	= R produced insufficient milk
0	0	0	0	04	= R had a nipple or breast problem (such as pain or dryness)
0	0	0	0	05	= R did not want to pass dangerous things through breast milk
0	1	0	1	06	= Other reason-not shown separately
0	0	0	0	07	= Baby had allergies to breast milk
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[DIFNUR23] 178-179

Which of the physical or medical difficulties on Card B-8 did you have with breastfeeding? (2nd BABY) (3rd MENTIONED)

Note: responses coded in category 7 were volunteered by some respondents; this category did not appear on Card B-8.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIE n or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not report having any physical or medical difficulties breastfeeding this baby (BJ-2 RNONURN1, BJ-2 RNONURN2, AND BJ-2 RNONURN3 not coded 2); R had only one baby with this pregnancy; or R mentioned fewer than 3 physical or medical difficulties as reasons for not breastfeeding this baby.

3597	11466	5624	21332	Blank	= Blank, inapplicable
0	0	0	0	01	= Baby was ill or weak
0	0	0	0	02	= R were ill or weak
0	0	0	0	03	= R produced insufficient milk
0	0	0	0	04	= R had a nipple or breast problem (such as pain or dryness)
0	0	0	0	05	= R did not want to pass dangerous things through breast milk
0	0	0	0	06	= Other reason-not shown separately
0	0	0	0	07	= Baby had allergies to breast milk
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[FEDSOLI2]	180-180				(Have you fed/Did you feed) (NAME OF 2ND BABY) something other than breastmilk yet?
------------	---------	--	--	--	--

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); or this baby is alive and over the age of 2 years (BI-3 WHENDIEn is blank and BD-6 BABDOB is greater than 2 years prior to interview date); or R had only one baby with this pregnancy.

3595	11463	5623	21326	Blank	= Blank, inapplicable
2	3	1	6	1	= YES
0	0	0	0	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[MON\_EAT2] 181-182

How old was (she/he) when you first fed (her/him) something other than breast milk? (MONTHS) (2nd BABY)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); or R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R had only one baby with this pregnancy.

3589	11432	5617	21282	Blank	= Blank, inapplicable
4	11	1	16	00	= Answer not reported in months (SEE WKS_EAT2 or DAY_EAT2)
0	5	0	5	01	= 1 month
0	2	0	2	02	= 2 months
1	6	1	9	03	= 3 months
2	6	3	11	04	= 4 months
0	0	1	1	05	= 5 months
1	3	0	4	06	= 6 months
0	0	0	0	07	= 7 months
0	0	0	0	08	= 8 months
0	0	1	1	09	= 9 months
0	0	0	0	10	= 10 months
0	0	0	0	11	= 11 months
0	1	0	1	12	= 12 months
0	0	0	0	13-24	= 13 months or longer
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[WKS\_EAT2] 183-184

How old was (she/he) when you first fed (her/him) something other than breast milk? (WEEKS) (2nd BABY)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); or R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R had only one baby with this pregnancy.

3589	11432	5617	21282	Blank	= Blank, inapplicable
5	29	4	38	00	= Answer not reported in weeks (SEE MON_EAT2 OR DAY_EAT2)
0	2	1	4	01	= 1 week
3	3	2	8	02	= 2 weeks
0	0	0	0	03	= 3 weeks
0	0	0	0	04	= 4 weeks
0	0	0	0	05	= 5 weeks
0	0	0	0	06	= 6 weeks
0	0	0	0	07	= 7 weeks
0	0	0	0	08	= 8 weeks
0	0	0	0	09-20	= 9 weeks or longer
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE COLUMN NON-HISPANIC  
 NAME LOCATION HISP WHITE BLACK TOTAL QUESTION TEXT AND CODE CATEGORIES

[DAY\_EAT2] 185-186 How old was (she/he) when you first fed (her/him) something other than breast milk? (DAYS) (2nd BABY)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); or R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R had only one baby with this pregnancy.

	3589	11432	5617	21282	Blank	
	7	25	6	38	00	= Blank, inapplicable
						= Answer not reported in days (SEE MON_EAT2 or WKS_EAT2)
	0	7	1	9	01	= 1 day
	1	1	0	2	02	= 2 days
	0	0	0	0	03	= 3 days
	0	0	0	0	04	= 4 days
	0	1	0	1	05	= 5 days
	0	0	0	0	06	= 6 days
	0	0	0	0	07	= 7 days
	0	0	0	0	08-30	= 8 days or longer
	0	0	0	0	97	= Not Ascertained
	0	0	0	0	98	= Refused
	0	0	0	0	99	= Don't Know

[QUITNUR2] 187-187 Have you stopped breastfeeding (her/him) altogether? (2nd BABY)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); this baby is alive and over the age of 4 years (BI-3 WHENDIEN is blank and BD-6 BABDOB is greater than 4 years prior to interview date); or this baby died (BI-3 WHENDIEN is not blank); or R had only one baby with this pregnancy.

	3593	11454	5621	21313	Blank	
	4	12	3	19	1	= Blank, inapplicable
	0	0	0	0	2	= YES
	0	0	0	0	7	= NO
	0	0	0	0	8	= Not Ascertained
	0	0	0	0	9	= Refused
	0	0	0	0	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP WHITE BLACK TOTAL				

[MON\_QNU2] 188-189

How old was (she/he) when you stopped breastfeeding (her/him) altogether? (MONTHS) (2nd BABY)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); R has not stopped breastfeeding this baby yet (BJ-6 QUITNURN coded 2); or R had only one baby with this pregnancy.

3589	11432	5617	21282	Blank	= Blank, inapplicable
3	6	1	10	00	= Answer not reported in months (SEE WKS_QNU2 or DAY_QNU2)
0	1	0	1	01	= 1 month
1	5	0	6	02	= 2 months
1	5	0	6	03	= 3 months
1	3	1	5	04	= 4 months
0	4	0	5	05	= 5 months
1	0	1	2	06	= 6 months
0	1	0	1	07	= 7 months
1	3	1	5	08	= 8 months
0	1	2	3	09	= 9 months
0	1	0	1	10	= 10 months
0	1	0	1	11	= 11 months
0	1	1	2	12	= 12 months
0	2	0	2	13-18	= 13-18 months
0	0	0	0	19-24	= 19-24 months
0	0	0	0	25-30	= 25-30 months
0	0	0	0	31-36	= 31-36 months
0	0	0	0	37-48	= 37 months or longer
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	

[WKS\_QNU2] 190-191

How old was (she/he) when you stopped breastfeeding (her/him) altogether? (WEEKS) (2nd BABY)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies'names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); R has not stopped reastfeeding this baby yet (BJ-6 QUITNURn coded 2); or R had only one baby with this pregnancy.

3589	11432	5617	21282	Blank	= Blank, inapplicable
5	28	4	37	00	= Answer not reported in weeks (SEE MON_QNU2 or DAY_QNU2)
0	1	1	3	01	= 1 week
3	2	2	7	02	= 2 weeks
0	0	0	0	03	= 3 weeks
0	1	0	1	04	= 4 weeks
0	0	0	0	05	= 5 weeks
0	2	0	2	06	= 6 weeks
0	0	0	0	07	= 7 weeks
0	0	0	0	08	= 8 weeks
0	0	0	0	09-44	= 9 weeks or longer
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[DAY\_QNU2] 192-193

How old was (she/he) when you stopped breastfeeding (her/him) altogether? (DAYS) (2nd BABY)

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFN-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); R has not stopped reastfeeding this baby yet (BJ-6 QUITNURn coded 2); or R had only one baby with this pregnancy.

3589	11432	5617	21282	Blank	= Blank, inapplicable
6	31	6	44	00	= Answer not reported in days (SEE MON_QNU2 or WKS_QNU2)
0	2	1	3	01	= 1 day
1	0	0	1	02	= 2 days
1	0	0	1	03	= 3 days
0	0	0	0	04	= 4 days
0	0	0	0	05	= 5 days
0	0	0	0	06	= 6 days
0	0	0	0	07	= 7 days
0	1	0	1	08-30	= 8 days or longer
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		

[YSTPNU21] 194-195

Please look at Card B-9. Why did you stop breastfeeding (her/him) when you did? (2nd BABY) (1<sup>st</sup> MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-9.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIE n or BI-4 WHENLEF n-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R has not stopped breastfeeding this baby yet (BJ-6 QUITNURN coded 2); or R had only one baby with this pregnancy.

3589	11432	5617	21282	Blank	= Blank, inapplicable
0	7	1	8	01	= Job or schedule difficulties
2	13	1	17	02	= Physical or medical difficulties
3	5	1	9	03	= R preferred to bottle-feed
3	7	4	14	04	= Baby was old enough to wean
0	1	0	1	05	= Other reason-not shown separately
0	0	0	0	06	= Baby refused or did not accept breast milk
0	0	0	0	07	= Baby's father did not want her to breastfeed
0	0	0	0	08	= Discouraged by someone other than baby's father
0	0	0	0	09	= Fears about breastfeeding
0	1	0	1	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[YSTPNU22] 196-197

Please look at Card B-9. Why did you stop breastfeeding (her/him) when you did? (2nd BABY) (2<sup>nd</sup> MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-9.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R has not stopped breastfeeding this baby yet (BJ-6 QUITNURn coded 2); or R had only one baby with this pregnancy; or R mentioned fewer than 2 reasons for stopping her breastfeeding of this baby.

3597	11464	5624	21330	Blank	= Blank, inapplicable
0	0	0	0	01	= Job or schedule difficulties
0	0	0	0	02	= Physical or medical difficulties
0	1	0	1	03	= R preferred to bottle-feed
0	1	0	1	04	= Baby was old enough to wean
0	0	0	0	05	= Other reason-not shown separately
0	0	0	0	06	= Baby refused or did not accept breast milk
0	0	0	0	07	= Baby's father did not want her to breastfeed
0	0	0	0	08	= Discouraged by someone other than baby's father
0	0	0	0	09	= Fears about breastfeeding
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		

[DIFSTN21] 200-201

Which of the physical or medical difficulties on Card B-10 did you have with breastfeeding? (2nd BABY) (1st MENTIONED)

Note: responses coded in category 7 were volunteered by some respondents; this category did not appear on Card B-10.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFfn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); R has not stopped breastfeeding this baby yet (BJ-6 QUITNURn coded 2); or R did not report having physical or medical difficulties with breastfeeding this baby (BJ-8 YSTPNUn1, BJ-8 YSTPNUn2 and BJ-8 YSTPNUn3 not coded 2); or R had only one baby with this pregnancy.

	3595	11453	5623	21315	Blank		
	0	2	0	3	01	=	Blank, inapplicable
	0	1	0	1	02	=	Baby was ill or weak
	1	6	1	8	03	=	R were ill or weak
	0	3	0	3	04	=	R produced insufficient milk
						=	R had a nipple or breast problem (such as pain or dryness)
	1	1	0	2	05	=	R did not want to pass dangerous things through breast milk
	0	0	0	0	06	=	Other reason-not shown separately
	0	0	0	0	07	=	Baby had allergies to breast milk
	0	0	0	0	97	=	Not Ascertained
	0	0	0	0	98	=	Refused
	0	0	0	0	99	=	Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION    HISP    WHITE    BLACK    TOTAL      QUESTION TEXT AND CODE CATEGORIES

[DIFSTN23] 204-205      Which of the physical or medical difficulties on Card B-10 did you have with breastfeeding? (2nd BABY) (3rd MENTIONED)

Note: responses coded in category 7 were volunteered by some respondents; this category did not appear on Card B-10.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFm-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); R has not stopped breastfeeding this baby yet (BJ-6 QUITNURN coded 2); or R did not report having physical or medical difficulties with breastfeeding this baby (BJ-8 YSTPNUn1, BJ-8 YSTPNUn2 and BJ-8 YSTPNUn3 not coded 2); or R had only one baby with this pregnancy; or R mentioned fewer than 3 physical or medical difficulties as reasons for quitting her breastfeeding of this baby.

3597	11466	5624	21332	Blank	= Blank, inapplicable
0	0	0	0	01	= Baby was ill or weak
0	0	0	0	02	= R were ill or weak
0	0	0	0	03	= R produced insufficient milk
0	0	0	0	04	= R had a nipple or breast problem (such as pain or dryness)
0	0	0	0	05	= R did not want to pass dangerous things through breast milk
0	0	0	0	06	= Other reason-not shown separately
0	0	0	0	07	= Baby had allergies to breast milk
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

[PREGEND] 206-209      COMPUTED: Pregnancy end date.

**Inapplicable:**  
 This is a current pregnancy  
 (PREGORDR EQ BB-1 NUMPREGS and  
 CURRPREG = YES.)

81	236	102	428	Blank	= Blank, inapplicable
2565	8706	4268	16010	0770-1092	= Before 1991
915	2402	1184	4662	1093-1149	= 1991 or later
0	0	0	0	9997	= Not Ascertained
5	11	15	31	9998	= Refused
31	111	55	201	9999	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION HISP WHITE BLACK TOTAL      QUESTION TEXT AND CODE CATEGORIES

[GEST\_WKS] 210-211

COMPUTED: Weeks of gestation.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG = YES.)

81	236	102	428	Blank	= Blank, inapplicable
1	2	2	5	00	= Less than 1 week
1	3	5	9	01	= 1 week
18	51	39	111	02	= 2 weeks
46	94	61	210	03	= 3 weeks
103	313	182	616	04	= 4 weeks
42	104	35	187	05	= 5 weeks
126	496	228	876	06	= 6 weeks
35	169	37	245	07	= 7 weeks
52	314	121	498	08	= 8 weeks
138	462	278	903	09	= 9 weeks
32	184	82	310	10	= 10 weeks
25	140	52	219	11	= 11 weeks
21	144	68	240	12	= 12 weeks
91	339	175	621	13	= 13 weeks
4	36	8	53	14	= 14 weeks
13	48	21	86	15	= 15 weeks
8	32	10	53	16	= 16 weeks
45	116	90	254	17	= 17 weeks
3	10	5	20	18	= 18 weeks
8	28	7	43	19	= 19 weeks
0	19	11	30	20	= 20 weeks
2	6	4	12	21	= 21 weeks
25	54	71	154	22	= 22 weeks
3	7	4	14	23	= 23 weeks
5	17	10	32	24	= 24 weeks
0	2	2	4	25	= 25 weeks
9	35	43	88	26	= 26 weeks
0	4	3	7	27	= 27 weeks
5	16	21	43	28	= 28 weeks
5	9	9	24	29	= 29 weeks
39	77	108	232	30	= 30 weeks
1	14	1	16	31	= 31 weeks
20	76	40	143	32	= 32 weeks
7	34	16	58	33	= 33 weeks
5	30	11	46	34	= 34 weeks
83	221	163	479	35	= 35 weeks
51	213	44	313	36	= 36 weeks
85	401	94	602	37	= 37 weeks
64	303	70	455	38	= 38 weeks
2039	4734	2960	10070	39	= 39 weeks
104	643	133	902	40	= 40 weeks
100	692	103	927	41	= 41 weeks
25	286	44	357	42	= 42 weeks
25	219	42	293	43	= 43 weeks
2	33	9	44	44	= 44 weeks
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

[CONCEPT] 212-215

COMPUTED: Estimated conception date.

**Inapplicable:** This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG = YES.)

90	246	113	459	Blank	= Blank, inapplicable
2688	9063	4436	16682	0761-1092	= Before 1991
783	2035	1005	3959	1093-1147	= 1991 or later
0	0	0	0	9997	= Not Ascertained
5	11	15	31	9998	= Refused
31	111	55	201	9999	= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[DATESTOP]	219-222		<p>The computer calculates that you became pregnant with (your (Nth) pregnancy which ended in (Computed variable PREGEND)/(BABY NAME)) around (PREGNANCY BEGIN DATE). In what month and year had you stopped using all methods of birth control?</p>
------------	---------	--	--

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R first had sex after 1/91 (CH-1 WNFSTSEX GE 1093); R is currently pregnant for the first time (BB-1 Numpregs = 1 and CURRPREG = 1); R's pregnancy interval began after 1/91; R did not use a birth control method in the interval (coded 2 in ED-1 EVUSEINT); or R's pregnancy began after 1/91 (computed variable CONCEPT GE 1093).

2514	6416	4012	13395	Blank	= Blank, inapplicable
6	91	45	142	0781-0852	= 1970 or earlier
240	1584	466	2340	0853-0972	= 1971-1980
659	2690	879	4340	0973-1092	= 1981-1990
153	574	141	894	1093-1150	= 1991 or later
4	5	4	13	9997	= Not ascertained
0	0	0	0	9998	= Refused
21	106	77	208	9999	= Don't know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK TOTAL	

[METHUSE1] 223-224

Before you became pregnant with (your (Nth) pregnancy which ended in (Computed variable PREGEND)/(BABY NAME)), which of the methods on Card E-6 was the last method of birth control that you were using? If you were using two or more methods at the same time, please tell me about this. (For example, a woman might use the pill and the man might use a condom on the same occasion.) (1<sup>st</sup> MENTIONED)

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R first had sex after 1/91 (CH-1 WNFSTSEX GE 1093); R is currently pregnant for the first time (BB-1 NUMPREGS = 1 and CURRPREG = 1); R's pregnancy interval began after 1/91; or R did not use a birth control method in the interval (coded 2 in ED-1 EVUSEINT); R's pregnancy began after 1/91 (computed variable CONCEPT GE 1093); R's pregnancy began on or after 1/91 and the date she stopped using a birth control method was on or after 1/91 (computed variable CONCEPT GE 1093 and ED-3 DATESTOP GE 1093).

2218	4918	3236	10767	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
681	2991	1411	5181	03	= BIRTH CONTROL PILLS
273	1411	481	2238	04	= CONDOM
3	13	0	16	05	= PARTNER S VASECTOMY
59	668	98	832	06	= DIAPHRAGM
24	222	48	298	07	= FOAM
5	33	13	51	08	= JELLY OR CREAM
0	6	1	7	09	= CERVICAL CAP
20	95	29	146	10	= SUPPOSITORY, INSERT
20	86	24	132	11	= TODAY (TM) SPONGE
0	0	1	2	12	= FEMALE CONDOM, VAGINAL POUCH
113	249	111	483	13	= IUD, COIL, LOOP
1	1	0	2	14	= NORPLANT (TM)
17	1	3	21	15	= DEPO-PROVERA, INJECTABLES
0	2	0	2	16	= MORNING AFTER PILLS
78	327	54	481	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	47	0	50	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
78	353	92	548	19	= WITHDRAWAL
2	11	3	16	20	= RESPONDENT STERILE
0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
2	14	6	23	22	= OTHER METHOD-NOT SHOWN SEPARATELY
0	2	5	7	97	= Not Ascertained
0	1	2	3	98	= Refused
1	14	6	25	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION    HISP    WHITE    BLACK    TOTAL      QUESTION TEXT AND CODE CATEGORIES

[METHUSE2] 225-226

Before you became pregnant with (your (Nth) pregnancy which ended in (Computed variable PREGEND)/(BABY NAME)), which of the methods on Card E-6 was the last method of birth control that you were using? If you were using two or more methods at the same time, please tell me about this. (For example, a woman might use the pill and the man might use a condom on the same occasion.) (2<sup>nd</sup> MENTIONED)

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R first had sex after 1/91 (CH-1 WNFSTSEX GE 1093); R is currently pregnant for the first time (BB-1 NUMPREGS = 1 and CURRPREG = 1); R's pregnancy interval began after 1/91; or R did not use a birth control method in the interval (coded 2 in ED-1 EVUSEINT); R's pregnancy began after 1/91 (computed variable CONCEPT GE 1093); R's pregnancy began on or after 1/91 and the date she stopped using a birth control method was on or after 1/91 (computed variable CONCEPT GE 1093 and ED-3 DATESTOP GE 1093); or R mentioned fewer than 2 methods used prior to this pregnancy.

3489	10963	5493	20570	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
2	4	3	10	03	= BIRTH CONTROL PILLS
16	95	44	163	04	= CONDOM
0	1	0	1	05	= PARTNER S VASECTOMY
3	39	4	46	06	= DIAPHRAGM
20	102	20	144	07	= FOAM
11	43	12	66	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
7	17	7	32	10	= SUPPOSITORY, INSERT
2	15	4	21	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	1	2	3	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
1	1	0	2	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
13	61	9	84	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
1	8	0	9	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
31	98	13	145	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	1	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
0	4	6	10	97	= Not Ascertained
0	1	2	3	98	= Refused
1	12	5	22	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE COLUMN NON-HISPANIC  
 NAME LOCATION HISP WHITE BLACK TOTAL QUESTION TEXT AND CODE CATEGORIES

[METHUSE3] 227-228

Before you became pregnant with (your (Nth) pregnancy which ended in (Computed variable PREGEND)/(BABY NAME)), which of the methods on Card E-6 was the last method of birth control that you were using? If you were using two or more methods at the same time, please tell me about this. (For example, a woman might use the pill and the man might use a condom on the same occasion.) (3<sup>rd</sup> MENTIONED)

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R first had sex after 1/91 (CH-1 WNFSTSEX GE 1093); R is currently pregnant for the first time (BB-1 NUMPREGS = 1 and CURRPREG = 1); R's pregnancy interval began after 1/91; or R did not use a birth control method in the interval (coded 2 in ED-1 EVUSEINT); R's pregnancy began after 1/91 (computed variable CONCEPT GE 1093); R's pregnancy began on or after 1/91 and the date she stopped using a birth control method was on or after 1/91 (computed variable CONCEPT GE 1093 and ED-3 DATESTOP GE 1093); or R mentioned fewer than 3 methods used prior to this pregnancy.

	3584	11378	5595	21197	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= OFFICE USE ONLY
	0	0	0	0	03	= OFFICE USE ONLY
	0	4	1	5	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	2	1	3	06	= PARTNER S VASECTOMY
	2	10	4	17	07	= DIAPHRAGM
	0	9	2	11	08	= FOAM
	0	1	0	1	09	= JELLY OR CREAM
	1	6	3	10	10	= CERVICAL CAP
	0	5	3	8	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	1	1	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	4	12	0	16	17	= MORNING AFTER PILLS
	0	4	0	4	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	5	18	1	24	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	20	= WITHDRAWAL
	0	0	0	0	21	= RESPONDENT STERILE
	0	0	0	0	22	= PARTNER STERILE (NOT ON CARD)
	0	4	6	10	97	= OTHER METHOD-NOT SHOWN SEPARATELY
	0	1	2	3	98	= Not Ascertained
	1	12	5	22	99	= Refused
						= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION HISP WHITE BLACK TOTAL      QUESTION TEXT AND CODE CATEGORIES

[METHUSE4] 229-230

Before you became pregnant with (your (Nth) pregnancy which ended in (Computed variable PREGEND)/(BABY NAME)), which of the methods on Card E-6 was the last method of birth control that you were using? If you were using two or more methods at the same time, please tell me about this. (For example, a woman might use the pill and the man might use a condom on the same occasion.) (4<sup>th</sup> MENTIONED)

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R first had sex after 1/91 (CH-1 WNFSTSEX GE 1093); R is currently pregnant for the first time (BB-1 NUMPREGS = 1 and CURRPREG = 1); R's pregnancy interval began after 1/91; or R did not use a birth control method in the interval (coded 2 in ED-1 EVUSEINT); R's pregnancy began after 1/91 (computed variable CONCEPT GE 1093); R's pregnancy began on or after 1/91 and the date she stopped using a birth control method was on or after 1/91 (computed variable CONCEPT GE 1093 and ED-3 DATESTOP GE 1093); or R mentioned fewer than 4 methods used prior to this pregnancy.

	3596	11430	5606	21273	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= OFFICE USE ONLY
	0	1	0	1	03	= OFFICE USE ONLY
	0	2	0	2	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER S VASECTOMY
	0	1	1	2	07	= DIAPHRAGM
	0	2	1	3	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	5	1	6	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	3	2	5	17	= MORNING AFTER PILLS
	0	3	0	3	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	2	0	2	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	20	= WITHDRAWAL
	0	0	0	0	21	= RESPONDENT STERILE
	0	0	0	0	22	= PARTNER STERILE (NOT ON CARD)
	0	4	6	10	97	= OTHER METHOD-NOT SHOWN SEPARATELY
	0	1	2	3	98	= Not Ascertained
	1	12	5	22	99	= Refused
						= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION    HISP    WHITE    BLACK    TOTAL      QUESTION TEXT AND CODE CATEGORIES

[METHUSE5] 231-232

Before you became pregnant with (your (Nth) pregnancy which ended in (Computed variable PREGEND)/(BABY NAME)), which of the methods on Card E-6 was the last method of birth control that you were using? If you were using two or more methods at the same time, please tell me about this. (For example, a woman might use the pill and the man might use a condom on the same occasion.) (5<sup>th</sup> MENTIONED)

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R first had sex after 1/91 (CH-1 WNFSTSEX GE 1093); R is currently pregnant for the first time (BB-1 NUMPREGS = 1 and CURRPREG = 1); R's pregnancy interval began after 1/91; or R did not use a birth control method in the interval (coded 2 in ED-1 EVUSEINT); R's pregnancy began after 1/91 (computed variable CONCEPT GE 1093); R's pregnancy began on or after 1/91 and the date she stopped using a birth control method was on or after 1/91 (computed variable CONCEPT GE 1093 and ED-3 DATESTOP GE 1093); or R mentioned fewer than 5 methods used prior to this pregnancy.

3596	11443	5610	21290	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
0	4	6	10	97	= Not Ascertained
0	1	2	3	98	= Refused
1	12	5	22	99	= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP WHITE BLACK TOTAL				

[WHYSTOPD] 238-238

Was the reason you stopped using all methods of birth control because you yourself wanted to become pregnant?

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R's pregnancy interval began prior to 1/91 and she used a birth control method in the interval (beginning of interval was before 1/91 and computed variable EVERUSED = 1 and ED-1 EVUSEINT = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); R's pregnancy interval began after 1/91 and she used a birth control method in the month her pregnancy began and the month after her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn NE 1 and EF-1 METHHnnn NE blank for both Computed variable CONCEPT and computed variable CONCEPT+1); or R did not stop using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 2).

3519	11216	5519	20888	Blank	= Blank, inapplicable
50	199	42	300	1	= YES
28	50	63	142	2	= NO
0	0	0	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION HISP WHITE BLACK TOTAL      QUESTION TEXT AND CODE CATEGORIES

[WHATMET1] 239-240

You may have already told me, but looking at Card E-6, what methods were you using at the time you became pregnant (this time/with your Nth pregnancy which ended in (computed variable PREGEND))? (1<sup>st</sup> MENTIONED)

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1 R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R has used a birth control method in the interval, and R stopped using it before she became pregnant (beginning of interval was before 1/91, computed variable EVERUSED = 1, ED-1 EVUSEINT = 1, and ED-2 EVERSTOP = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); or R had stopped using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 1).

2782	8324	4147	15748	Blank	= Blank, inapplicable
78	218	118	423	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
262	923	661	1877	03	= BIRTH CONTROL PILLS
212	769	406	1447	04	= CONDOM
1	2	0	3	05	= PARTNER S VASECTOMY
38	312	54	407	06	= DIAPHRAGM
16	120	27	165	07	= FOAM
4	21	8	33	08	= JELLY OR CREAM
2	4	1	7	09	= CERVICAL CAP
8	45	17	73	10	= SUPPOSITORY, INSERT
11	62	16	89	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
34	80	38	154	13	= IUD, COIL, LOOP
2	5	1	8	14	= NORPLANT (TM)
7	4	2	13	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
70	250	42	379	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
5	54	0	60	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
57	252	77	405	19	= WITHDRAWAL
1	8	4	13	20	= RESPONDENT STERILE
1	0	0	1	21	= PARTNER STERILE (NOT ON CARD)
2	1	0	3	22	= OTHER METHOD-NOT SHOWN SEPARATELY
2	2	5	9	97	= Not Ascertained
0	3	0	4	98	= Refused
1	6	0	9	99	= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION    HISP    WHITE    BLACK    TOTAL      QUESTION TEXT AND CODE CATEGORIES

[WHATMET2] 241-242

You may have already told me, but looking at Card E-6, what methods were you using at the time you became pregnant (this time/with your Nth pregnancy which ended in (computed variable PREGEND))? (2<sup>nd</sup> MENTIONED)

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R has used a birth control method in the interval, and R stopped using it before she became pregnant (beginning of interval was before 1/91, computed variable EVERUSED = 1, ED-1 EVUSEINT = 1, and ED-2 EVERSTOP = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); or R had stopped using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 1); or R mentioned fewer than 2 methods used around the time of conception.

3468	11022	5470	20577	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	4	1	7	03	= BIRTH CONTROL PILLS
23	54	50	131	04	= CONDOM
0	0	0	0	05	= PARTNER S VASECTOMY
2	31	5	38	06	= DIAPHRAGM
19	67	21	110	07	= FOAM
2	41	17	61	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	13	11	29	10	= SUPPOSITORY, INSERT
5	16	5	27	11	= TODAY (TM) SPONGE
0	0	1	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	1	2	3	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
2	0	1	3	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
23	73	7	109	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
1	3	1	6	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
42	130	27	208	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
2	2	5	9	97	= Not Ascertained
0	3	0	4	98	= Refused
1	6	0	9	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE COLUMN NON-HISPANIC  
 NAME LOCATION HISP WHITE BLACK TOTAL QUESTION TEXT AND CODE CATEGORIES

[WHATMET3] 243-244

You may have already told me, but looking at Card E-6, what methods were you using at the time you became pregnant (this time/with your Nth pregnancy which ended in (computed variable PREGEND))? (3<sup>rd</sup> MENTIONED)

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R has used a birth control method in the interval, and R stopped using it before she became pregnant (beginning of interval was before 1/91, computed variable EVERUSED = 1, ED-1 EVUSEINT = 1, and ED-2 EVERSTOP = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); or R had stopped using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 1); or R mentioned fewer than 3 methods used around the time of conception.

3580	11372	5601	21194	Blank	
0	0	0	0	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	2	0	2	03	= OFFICE USE ONLY
0	13	0	13	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	06	= PARTNER S VASECTOMY
0	0	1	1	07	= DIAPHRAGM
2	8	1	12	08	= FOAM
0	11	0	11	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
1	8	4	13	11	= SUPPOSITORY, INSERT
0	2	2	4	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	1	1	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	2	0	2	17	= MORNING AFTER PILLS
1	8	4	13	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	4	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
9	25	5	39	20	= WITHDRAWAL
0	0	0	0	21	= RESPONDENT STERILE
0	0	0	0	22	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	23	= OTHER METHOD-NOT SHOWN SEPARATELY
2	2	5	9	24	= Not Ascertained
0	3	0	4	25	= Refused
1	6	0	9	26	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION HISP WHITE BLACK TOTAL      QUESTION TEXT AND CODE CATEGORIES

[WHATMET4] 245-246

You may have already told me, but looking at Card E-6, what methods were you using at the time you became pregnant (this time/with your Nth pregnancy which ended in (computed variable PREGEND))? (4<sup>th</sup> MENTIONED)

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R has used a birth control method in the interval, and R stopped using it before she became pregnant (beginning of interval was before 1/91, computed variable EVERUSED = 1, ED-1 EVUSEINT = 1, and ED-2 EVERSTOP = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); or R had stopped using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 1); or R mentioned fewer than 4 methods used around the time of conception.

3594	11436	5616	21288	Blank	
0	0	0	0	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	1	0	1	03	= OFFICE USE ONLY
0	0	0	0	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	06	= PARTNER S VASECTOMY
0	0	0	0	07	= DIAPHRAGM
0	1	0	1	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	2	0	2	11	= SUPPOSITORY, INSERT
0	3	0	3	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	1	0	1	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	4	0	4	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	4	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	3	6	20	= WITHDRAWAL
0	0	0	0	21	= RESPONDENT STERILE
0	0	0	0	22	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	97	= OTHER METHOD-NOT SHOWN SEPARATELY
2	2	5	9	98	= Not Ascertained
0	3	0	4	99	= Refused
1	6	0	9	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION HISP WHITE BLACK TOTAL      QUESTION TEXT AND CODE CATEGORIES

[WHATMET5] 247-248

You may have already told me, but looking at Card E-6, what methods were you using at the time you became pregnant (this time/with your Nth pregnancy which ended in (computed variable PREGEND))? (5<sup>th</sup> MENTIONED)

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R has used a birth control method in the interval, and R stopped using it before she became pregnant (beginning of interval was before 1/91, computed variable EVERUSED = 1, ED-1 EVUSEINT = 1, and ED-2 EVERSTOP = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); or R had stopped using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 1); or R mentioned fewer than 5 methods used around the time of conception.

	3594	11450	5619	21305	Blank	
	0	0	0	0	01	= NONE
	0	0	0	0	02	= OFFICE USE ONLY
	0	0	0	0	03	= BIRTH CONTROL PILLS
	0	0	0	0	04	= CONDOM
	0	0	0	0	05	= PARTNER S VASECTOMY
	0	0	0	0	06	= DIAPHRAGM
	0	0	0	0	07	= FOAM
	0	0	0	0	08	= JELLY OR CREAM
	0	0	0	0	09	= CERVICAL CAP
	0	0	0	0	10	= SUPPOSITORY, INSERT
	0	0	0	0	11	= TODAY (TM) SPONGE
	0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	16	= MORNING AFTER PILLS
	0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	4	0	4	19	= WITHDRAWAL
	0	0	0	0	20	= RESPONDENT STERILE
	0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
	0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
	2	2	5	9	97	= Not Ascertained
	0	3	0	4	98	= Refused
	1	6	0	9	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[EVERMISS] 249-249

In the month before you became pregnant (this time/with your Nth pregnancy (which ended (computed variable PREGEND)), how many pills that you were supposed to take did you miss? Would you say you never missed a pill, missed only one pill, or missed two or more pills?

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R has used a birth control method in the interval, and R stopped using it before she became pregnant (beginning of interval was before 1/91, computed variable EVERUSED = 1, ED-1 EVUSEINT = 1, and ED-2 EVERSTOP = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was before 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); R had stopped using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 1); or R was not using the pill at the time she became pregnant (EG-3a WHATMET1--EG-3e WHATMET5 NE 3).

3333	10536	4962	19445	Blank	= Blank, inapplicable
89	501	201	804	1	= Never missed a pill
37	117	79	236	2	= Missed only one pill
135	304	372	826	3	= Missed two or more pills
1	4	1	6	7	= Not Ascertained
0	1	0	1	8	= Refused
2	3	9	14	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[USENSAFE] 250-250

In the month before you became pregnant (this time/with your Nth pregnancy (which ended in (computed variable PREGEND)), did you have intercourse during your "safe time only," during your "safe time" and at other times, or during other times only?

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R has used a birth control method in the interval, and R stopped using it before she became pregnant (beginning of interval was before 1/91, computed variable EVERUSED = 1, ED-1 EVUSEINT = 1, and ED-2 EVERSTOP = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); R had stopped using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 1); R was using the pill and nothing else as her method of birth control when she became pregnant (EG-3a WHATMET1--EG-3e WHATMET5 only = 3); or R was not using rhythm or safe period by temperature as a method of birth control in the month before she became pregnant (EG-3a WHATMET1--EG-3e WHATMET5 NE 17 or 18).

3497	11076	5571	20765	Blank	= Blank, inapplicable
24	143	19	193	1	= Safe times only
69	233	29	343	2	= Safe times and other times
7	10	5	24	3	= Other times only
0	1	0	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	3	0	6	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION      HISP      WHITE      BLACK      TOTAL      QUESTION TEXT AND CODE CATEGORIES

[EVERSKIP] 251-251

You mentioned you were still using a method in the month before you became pregnant (this time/with your Nth pregnancy (which ended in (computed variable PREGEND)). How often did you and your partner usually use a method of birth control for any reason? Would you say you used a method less than half the time, about half the time, more than half the time, or every time you had intercourse?

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R has used a birth control method in the interval, and R stopped using it before she became pregnant (beginning of interval was before 1/91, computed ne blank' then inapplicable for RESNOUSE are the same as ARESNOUSE. If BRESNOUS variable EVERUSED = 1, ED-1 EVUSEINT = 1, and ED-2 EVERSTOP = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); R had stopped using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 1); R was using the pill and nothing else as her method of birth control when she became pregnant (EG-3a WHATMET1-EG-3e WHATMET5 only = 3); or R was only using the pill, rhythm, or safe period by temperature for birth control when she became pregnant (EG-3a WHATMET1--EG-3e WHATMET5 only = 3, 17, or 18).

3093	9494	4826	17959	Blank	= Blank, inapplicable
108	236	155	512	1	= Less than half the time
52	241	142	449	2	= About half the time
123	649	246	1050	3	= More than half the time
217	834	251	1340	4	= Every time you had intercourse
0	1	2	3	7	= Not Ascertained
0	2	1	3	8	= Refused
4	9	1	16	9	= Don't Know

[ARESNOUS] 252-252

Before you became pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)), was the reason you did not use any birth control methods because you yourself wanted to become pregnant?

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R was using the pill and nothing else as her method of birth control when she became pregnant (EG-3a WHATMET1--EG-3e WHATMET5 only = 3); R was only using the pill, rhythm, or safe period by temperature for birth control when she became pregnant (EG-3a WHATMET1--EG-3e WHATMET5 only = 3, 17, or 18); or R was still using a birth control method when she became pregnant (EG-6 EVERSKIP NE blank).

3376	11341	5452	20743	Blank	= Blank, inapplicable
99	80	79	306	1	= YES
121	42	93	272	2	= NO
1	0	0	8	7	= Not Ascertained
0	3	0	3	8	= Refused
0	0	0	0	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[BRESNOUS] 253-253

You told me you stopped using a birth control method (before you became pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). Was the reason you had stopped using any methods because you yourself wanted to become pregnant?

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R has never had voluntary sex (CH-8 EVRHDVOL NE 1); or R did not use a method of birth control in the interval before she became pregnant (EVUSEINT = NO or ANYUSEINT=NO).

2412	6223	3859	12933	Blank	= Blank, inapplicable
812	3955	796	5699	1	= YES
370	1278	965	2681	2	= NO
2	7	2	11	7	= Not Ascertained
1	1	1	5	8	= Refused
0	2	1	3	9	= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION    HISP    WHITE    BLACK    TOTAL      QUESTION TEXT AND CODE CATEGORIES

[CRESNOUS] 254-254      You did not use any method of birth control from (BEGINNING OF PREGNANCY INTERVAL) until you became pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). Was the reason you were not using any methods because you yourself wanted to become pregnant?

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); or R used a method of birth control in the interval before she became pregnant (EVUSEINT = YES AND ANYUSEINT=YES).

2506	9157	3904	16036	Blank	= Blank, inapplicable
550	1228	496	2343	1	= YES
533	1032	1181	2840	2	= NO
7	41	25	78	7	= Not Ascertained
0	3	13	24	8	= Refused
1	5	5	11	9	= Don't Know

[RESNOUSE] 255-255      COMPUTED. If ARESNOUS NE BLANK then asked "Before you became pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)), was the reason you did not use any birth control methods because you yourself wanted to become pregnant?"; if BRESNOUS NE BLANK then asked "You told me you stopped using a birth control method (before you became pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND))). Was the reason you had stopped using any methods because you yourself wanted to become pregnant?"; if CRESNOUS NE BLANK then asked "You did not use any method of birth control from (BEGINNING OF PREGNANCY INTERVAL) until you became pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). Was the reason you were not using any method because you yourself wanted to become pregnant?"

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** If ARESNOUS NE BLANK then inapplicable specs. for RESNOUSE are the same as for ARESNOUS; if BRESNOUS NE BLANK then inapplicable specs. for RESNOUSE are the same as for BRESNOUS; if CRESNOUS NE BLANK then inapplicable specs. For RESNOUSE are the same as for CRESNOUS.

1096	3769	1953	7008	Blank	= Blank, inapplicable
1462	5269	1375	8359	1	= YES
1027	2366	2247	5820	2	= NO
7	41	27	87	7	= Not Ascertained
1	7	14	32	8	= Refused
4	14	8	26	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK TOTAL	

[WANTBOLD] 256-256

At the time you became pregnant (this time/with your (Nth) pregnancy which ended in (Computed variable PREGEND)), did you yourself actually want to have a(nother) baby at some time?

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R had stopped using all methods of birth control before she became pregnant because she wanted to become pregnant (EG-1 STOPDUSE = 1 and EG-2 WHYSTOPD = 1); or R was not using any method of birth control because she wanted to become pregnant (EG-7d RESNOUSE = 1).

1720	5857	1800	9670	Blank	= Blank, inapplicable
1287	4450	2468	8443	1	= YES
518	893	1152	2641	2	= NO
62	239	172	488	3	= NOT SURE, DON'T KNOW
0	0	0	0	4	= DIDN T CARE
10	23	22	64	7	= Not Ascertained
0	4	7	23	8	= Refused
0	0	3	3	9	= Don't Know

[PROBABE] 257-257

It is sometimes difficult to recall these things but, just before that pregnancy began, would you say you probably wanted a(nother) baby or probably not?

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R had stopped using all methods of birth control before she became pregnant because she wanted to become pregnant (EG-1 STOPDUSE = 1 and EG-2 WHYSTOPD = 1); R was not using any method of birth control because she wanted to become pregnant (EG-7d RESNOUSE = 1); or R knew whether or not she actually wanted to have a(nother) baby at some time (EG-8 WANTBOLD = 1 or 2).

3525	11200	5420	20754	Blank	= Blank, inapplicable
20	65	48	138	1	= PROBABLY YES
38	134	98	276	2	= PROBABLY NOT
4	37	28	73	3	= DIDN T CARE
10	23	22	64	7	= Not Ascertained
0	4	6	22	8	= Refused
0	3	2	5	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[CNFRMNO]	258-258					So when you became pregnant (this/that) time, you thought you did not want to have (any children/a (Nth NUMBER OF LIVE BIRTHS BEFORE THAT PREGNANCY +1) child) at any time in your life, is that correct?
-----------	---------	--	--	--	--	---

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R had stopped using all methods of birth control before she became pregnant because she wanted to become pregnant (EG-1 STOPDUSE = 1 and EG-2 WHYSTOPD = 1); R was not using any method of birth control because she wanted to become pregnant (EG-7d RESNOUSE = 1); R wanted to have a(nother) baby at some time (EG-8 WANTBOLD = 1); R was not sure whether she actually wanted to have a(nother) baby at some time (EG-8 WANTBOLD = 3); or the answer was not ascertained, R refused to report or R did not know whether she actually wanted to have a(nother) baby at some time (EG-8 WANTBOLD = 7, 8, or 9).

3079	10573	4472	18691	Blank	= Blank, inapplicable
405	724	944	2130	1	= CORRECT
113	167	208	509	2	= INCORRECT
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	2	0	2	9	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP WHITE BLACK TOTAL				

[WANTBLD2] 259-259

At the time you became pregnant (this time/with your (Nth) pregnancy which ended in (Computed variable PREGEND)), did you yourself actually want to have a(nother) baby at some time?

Note: Text introducing this question reads "I must have gotten something wrong."

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R had stopped using all methods of birth control before she became pregnant because she wanted to become pregnant (EG-1 STOPDUSE = 1 and EG-2 WHYSTOPD = 1); R was not using any method of birth control because she wanted to become pregnant (EG-7d RESNOUSE = 1); R wanted to have a(nother) baby at some time (EG-8 WANTBOLD = 1); R was not sure whether she actually wanted to have a(nother) baby at some time (EG-8 WANTBOLD = 3); the answer was not ascertained, R refused to report or R did not know whether she actually wanted to have a(nother) baby at some time (EG-8 WANTBOLD = 7, 8, or 9); or when she became pregnant (this time), R did not want to have any (more) children at any time in her life (EG-10 CNFRMNO = 1).

3484	11297	5416	20821	Blank	= Blank, inapplicable
99	125	162	404	1	= YES
10	16	17	43	2	= NO
4	26	27	59	3	= NOT SURE, DON'T KNOW
0	1	2	4	4	= DIDN T CARE
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

[TIMINGOK] 260-260

So would you say you became pregnant too soon, at about the right time, or later than you wanted?

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHDVOL NE 1); when she became pregnant (this time), R did not want to have any (more) children at any time in her life (EG-10 CNFRMNO = 1); R didn't care whether she had a(nother) baby at some time or not (EG-11 WANTBLD2 = 4); or R did not actually want a(nother) baby at the time she became pregnant (EG-9 PROBABE NE 1, EG-8 WANTBOLD NE 1, and EG-11 WANTBLD2 NE 1).

681	1359	1531	3693	Blank	= Blank, inapplicable
933	3203	1872	6174	1	= TOO SOON
1751	5882	1949	9896	2	= RIGHT TIME
142	734	146	1045	3	= LATER
86	270	118	494	4	= DIDN T CARE
0	1	1	2	7	= Not Ascertained
0	3	5	8	8	= Refused
4	14	2	20	9	= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[FEELING] 265-266

Please look at the scale on Card E-7 and tell me which number on the card best describes how you felt when you found out you were pregnant. On this scale, a one means that you were very unhappy to be pregnant and a ten means that you were very happy to be pregnant.

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); or R's pregnancy ended prior to 1/91 (PREGEND < 1093).

2620	8839	4359	16298	Blank	= Blank, inapplicable
105	246	293	671	01	= Scale value of 1(very unhappy)
27	56	59	146	02	= Scale value of 2
30	92	44	172	03	= Scale value of 3
27	71	83	182	04	= Scale value of 4
79	197	157	444	05	= Scale value of 5
34	73	61	174	06	= Scale value of 6
44	118	75	244	07	= Scale value of 7
79	181	81	355	08	= Scale value of 8
46	156	30	238	09	= Scale value of 9
505	1425	374	2381	10	= Scale value of 10 (very happy)
0	5	1	9	97	= Not ascertained
0	2	2	7	98	= Refused
1	5	5	11	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	

[WORRIED]	267-268				<p>You were worried that you did not know enough about how to take care of a baby. (Which number on the scale best describes your opinion about this statement?)</p>
-----------	---------	--	--	--	--

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank	= Blank, inapplicable
131	277	239	666	01	= Scale value of 1 (strongly disagree)
29	43	34	109	02	= Scale value of 2
18	44	23	91	03	= Scale value of 3
17	15	20	52	04	= Scale value of 4
12	57	35	106	05	= Scale value of 5
17	27	17	62	06	= Scale value of 6
18	27	18	65	07	= Scale value of 7
19	18	21	58	08	= Scale value of 8
4	11	7	22	09	= Scale value of 9
45	67	58	174	10	= Scale value of 10 (strongly agree)
0	0	0	0	97	= Not ascertained
0	0	0	0	98	= Refused
0	1	1	2	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[INTEFERE] 269-270

You thought that a new baby would keep you from doing the things that you were used to doing like working, going to school, going out and so on. (Which number on the scale best describes your opinion about this statement?)

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank	= Blank, inapplicable
78	195	142	424	01	= Scale value of 1(strongly disagree)
23	45	28	97	02	= Scale value of 2
25	36	20	83	03	= Scale value of 3
16	21	19	57	04	= Scale value of 4
30	54	38	126	05	= Scale value of 5
15	23	18	58	06	= Scale value of 6
20	39	22	82	07	= Scale value of 7
17	39	28	87	08	= Scale value of 8
13	34	20	67	09	= Scale value of 9
73	100	136	323	10	= Scale value of 10 (strongly agree)
0	0	0	0	97	= Not ascertained
0	0	0	0	98	= Refused
0	1	2	3	99	= Don't Know



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP WHITE BLACK TOTAL				

[CONFIDNT] 271-272

You looked forward to teaching and caring for a new baby. (Which number on the scale best describes your opinion about this statement?)

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank	= Blank, inapplicable
35	54	100	197	01	= Scale value of 1 (strongly disagree)
13	14	14	41	02	= Scale value of 2
7	21	16	45	03	= Scale value of 3
7	13	14	34	04	= Scale value of 4
19	51	55	127	05	= Scale value of 5
10	12	22	46	06	= Scale value of 6
13	25	25	63	07	= Scale value of 7
25	60	37	124	08	= Scale value of 8
32	49	26	110	09	= Scale value of 9
149	287	162	617	10	= Scale value of 10 (strongly agree)
0	0	0	0	97	= Not ascertained
0	0	0	0	98	= Refused
0	1	2	3	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	

[BABYFUN]	273-274				<p>You looked forward to the new experiences that having a baby would bring. (Which number on the scale best describes your opinion about this statement?)</p>
-----------	---------	--	--	--	--

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank	= Blank, inapplicable
31	63	112	213	01	= Scale value of 1 (strongly disagree)
14	17	19	50	02	= Scale value of 2
11	21	12	45	03	= Scale value of 3
11	16	13	42	04	= Scale value of 4
13	45	51	111	05	= Scale value of 5
15	17	26	58	06	= Scale value of 6
11	26	25	63	07	= Scale value of 7
31	58	32	124	08	= Scale value of 8
30	49	29	110	09	= Scale value of 9
143	274	152	588	10	= Scale value of 10 (strongly agree)
0	0	0	0	97	= Not ascertained
0	0	0	0	98	= Refused
0	1	2	3	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[CARRYFUN] 275-276

You looked forward to experiencing the changes in your body that come with carrying a baby. (Which number on the scale best describes your opinion about this statement?)

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank	= Blank, inapplicable
72	193	179	456	01	= Scale value of 1 (strongly disagree)
25	55	37	118	02	= Scale value of 2
21	28	27	77	03	= Scale value of 3
14	34	20	68	04	= Scale value of 4
22	61	46	133	05	= Scale value of 5
22	35	23	83	06	= Scale value of 6
21	33	22	77	07	= Scale value of 7
21	39	21	83	08	= Scale value of 8
16	23	10	50	09	= Scale value of 9
76	84	85	257	10	= Scale value of 10 (strongly agree)
0	0	0	0	97	= Not ascertained
0	0	0	0	98	= Refused
0	2	3	5	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC HISP WHITE BLACK TOTAL	QUESTION TEXT AND CODE CATEGORIES
------------------	--------------------	--	-----------------------------------

[BRAG]	277-278		You looked forward to telling your friends that you were pregnant. (Which number on the scale best describes your opinion about this statement?)
--------	---------	--	--

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable REGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank	= Blank, inapplicable
54	113	161	343	01	= Scale value of 1 (strongly disagree)
14	31	31	78	02	= Scale value of 2
17	29	27	73	03	= Scale value of 3
15	24	29	68	04	= Scale value of 4
22	49	59	133	05	= Scale value of 5
9	28	30	68	06	= Scale value of 6
18	37	12	68	07	= Scale value of 7
17	48	14	83	08	= Scale value of 8
27	35	14	78	09	= Scale value of 9
117	192	94	412	10	= Scale value of 10 (strongly agree)
0	0	0	0	97	= Not ascertained
0	0	0	0	98	= Refused
0	1	2	3	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP WHITE BLACK TOTAL				

[BODYBAD]	279-280					You were worried about what being pregnant would do to your body. (Which number on the scale best describes your opinion about this statement?)
-----------	---------	--	--	--	--	---

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank		= Blank, inapplicable
92	158	173	434	01		= Scale value of 1 (strongly disagree)
28	47	32	111	02		= Scale value of 2
24	38	22	85	03		= Scale value of 3
21	26	20	67	04		= Scale value of 4
27	56	58	141	05		= Scale value of 5
11	34	20	65	06		= Scale value of 6
12	47	23	83	07		= Scale value of 7
17	29	24	76	08		= Scale value of 8
14	30	24	72	09		= Scale value of 9
64	121	74	269	10		= Scale value of 10 (strongly agree)
0	0	0	0	97		= Not ascertained
0	0	0	0	98		= Refused
0	1	3	4	99		= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC HISP WHITE BLACK TOTAL	QUESTION TEXT AND CODE CATEGORIES
------------------	--------------------	--	-----------------------------------

[GETPOOR]	281-282		<p>Your were worried that you did not have enough money to take care of a baby. (Which number on the scale best describes your opinion about this statement?)</p>
-----------	---------	--	---

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:**

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

	3287	10879	5151	19925	Blank	= Blank, inapplicable
	58	99	103	270	01	= Scale value of
						1(strongly disagree)
	20	30	23	76	02	= Scale value of 2
	14	13	14	41	03	= Scale value of 3
	14	15	15	44	04	= Scale value of 4
	20	44	46	112	05	= Scale value of 5
	13	29	24	66	06	= Scale value of 6
	15	35	22	73	07	= Scale value of 7
	28	51	22	102	08	= Scale value of 8
	25	44	21	94	09	= Scale value of 9
	103	226	181	526	10	= Scale value of 10
						(strongly agree)
	0	0	0	0	97	= Not ascertained
	0	0	0	0	98	= Refused
	0	1	2	3	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[HIDIT]	283-284				<p>You dreaded telling your friends that you were pregnant. (Which number on the scale best describes your opinion about this statement?)</p>
---------	---------	--	--	--	---

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:**

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank	= Blank, inapplicable
146	276	189	628	01	= Scale value of
					1(strongly disagree)
32	54	31	120	02	= Scale value of 2
25	36	33	94	03	= Scale value of 3
16	26	30	73	04	= Scale value of 4
20	37	52	113	05	= Scale value of 5
5	19	22	46	06	= Scale value of 6
12	20	17	52	07	= Scale value of 7
14	18	17	50	08	= Scale value of 8
9	22	9	42	09	= Scale value of 9
31	78	71	186	10	= Scale value of 10
					(strongly agree)
0	0	0	0	97	= Not ascertained
0	0	0	0	98	= Refused
0	1	2	3	99	= Don't Know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP WHITE BLACK TOTAL				

[BUYBABE] 285-286      You looked forward to buying things for a new baby.  
 (Which number on the scale best describes your opinion  
 about this statement?)

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank		= Blank, inapplicable
36	52	97	191	01		= Scale value of 1 (strongly disagree)
8	14	20	45	02		= Scale value of 2
6	12	9	28	03		= Scale value of 3
4	11	11	27	04		= Scale value of 4
14	30	29	73	05		= Scale value of 5
6	17	16	39	06		= Scale value of 6
10	30	27	68	07		= Scale value of 7
25	44	30	101	08		= Scale value of 8
33	59	31	125	09		= Scale value of 9
168	317	201	707	10		= Scale value of 10 (strongly agree)
0	0	0	0	97		= Not ascertained
0	0	0	0	98		= Refused
0	1	2	3	99		= Don't Know

[HPWNOLD] 287-287      At the time you became pregnant with (this/that)  
 pregnancy, did the father want you to have a(nother)  
 baby at some time?

Note: See section on "data quality" for discussion pertaining to the EG series.

**Inapplicable:** R never used a birth control method (computed variable EVERUSED = 2); or R has never had voluntary sex (CH-8 EVRHDVOL NE 1).

201	364	370	964	Blank		= Blank, inapplicable
2651	8931	3469	15517	1		= YES
566	1557	1207	3423	2		= NO
171	573	530	1310	3		= NOT SURE, DON'T KNOW
2	13	20	43	7		= Not Ascertained
2	6	13	33	8		= Refused
4	22	15	42	9		= Don't Know







NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL		

[YRPREG] 298-299 VAR228: Year pregnancy ended

**Inapplicable:**  
This is a current pregnancy.

81	236	102	428	Blank	= Blank, inapplicable
41	186	170	406	64-70	= 1970 or earlier
30	121	74	234	71	= 1971
40	172	100	319	72	= 1972
55	200	109	370	73	= 1973
70	233	131	449	74	= 1974
66	250	117	449	75	= 1975
71	332	122	538	76	= 1976
78	370	150	615	77	= 1977
104	448	176	747	78	= 1978
114	464	184	790	79	= 1979
140	552	214	928	80	= 1980
146	482	218	865	81	= 1981
164	533	285	1004	82	= 1982
156	545	242	975	83	= 1983
165	542	281	1013	84	= 1984
160	527	261	984	85	= 1985
199	560	276	1071	86	= 1986
172	567	294	1067	87	= 1987
208	594	305	1144	88	= 1988
222	568	302	1128	89	= 1989
198	556	311	1101	90	= 1990
212	589	294	1133	91	= 1991
221	566	301	1131	92	= 1992
227	574	268	1102	93	= 1993
201	542	276	1055	94	= 1994
56	157	61	286	95	= 1995

[AGEPREG] 300-303 VAR229: Age at pregnancy outcome

**Inapplicable:**  
This is a current pregnancy.

81	236	102	428	Blank	= Blank, inapplicable
26	72	112	214	1100-1499	= Under 15 years
57	103	159	328	1500-1599	= 15 years
92	246	259	607	1600-1699	= 16 years
164	409	339	928	1700-1799	= 17 years
212	542	417	1200	1800-1899	= 18 years
258	677	445	1415	1900-1999	= 19 years
273	717	440	1472	2000-2099	= 20 years
262	751	426	1479	2100-2199	= 21 years
256	746	390	1428	2200-2299	= 22 years
248	781	367	1439	2300-2399	= 23 years
221	785	331	1365	2400-2499	= 24 years
207	710	298	1260	2500-2599	= 25 years
199	710	287	1230	2600-2699	= 26 years
166	654	216	1074	2700-2799	= 27 years
157	603	229	1024	2800-2899	= 28 years
145	545	173	888	2900-2999	= 29 years
130	448	143	753	3000-3099	= 30 years
98	393	109	628	3100-3199	= 31 years
91	336	97	545	3200-3299	= 32 years
67	268	62	424	3300-3399	= 33 years
53	201	65	335	3400-3499	= 34 years
32	175	55	268	3500-3599	= 35 years
36	119	31	200	3600-3699	= 36 years
26	90	31	154	3700-3799	= 37 years
12	58	13	92	3800-3899	= 38 years
9	33	13	57	3900-3999	= 39 years
7	31	8	48	4000-4099	= 40 years
8	19	3	32	4100-4199	= 41 years
3	7	3	13	4200-4299	= 42 years
1	1	0	3	4300-4399	= 43 years
0	0	1	1	4400-4499	= 44 years

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL	
[FMAROUT5]	304-304					VAR230: Formal marital status at pregnancy outcome-- 5 categories
						<b>Inapplicable:</b> This is a current pregnancy.
		81	236	102	428	Blank = Blank, inapplicable
		2217	8359	1659	12688	1 = Married
		224	625	293	1182	2 = Divorced
		16	27	21	68	3 = Widowed
		51	31	91	178	4 = Separated
		1008	2188	3458	6788	5 = Never Married
[FMAROUT2]	305-305					VAR231: Marital status at pregnancy outcome-- 2 categories
						<b>Inapplicable:</b> This is a current pregnancy.
		81	236	102	428	Blank = Blank, inapplicable
		1008	2188	3458	6788	1 = Never Married
		2508	9042	2064	14116	2 = Ever Married
[DATECON]	306-309					VAR232: Date of conception
						<b>Inapplicable:</b> This is a current pregnancy.
		81	236	102	428	Blank = Blank, inapplicable
		2723	9160	4497	16878	0761-1092 = Before 1991
		793	2070	1025	4026	1093-1147 = 1991 or later
[AGECON]	310-313					VAR233: Age at time of conception
						<b>Inapplicable:</b> This is a current pregnancy.
		81	236	102	428	Blank = Blank, inapplicable
		53	105	198	362	1100-1499 = Under 15 years
		87	165	210	471	1500-1599 = 15 years
		128	342	324	810	1600-1699 = 16 years
		195	494	372	1088	1700-1799 = 17 years
		243	626	430	1327	1800-1899 = 18 years
		267	717	459	1487	1900-1999 = 19 years
		265	729	421	1452	2000-2099 = 20 years
		275	769	415	1501	2100-2199 = 21 years
		243	785	370	1435	2200-2299 = 22 years
		234	801	347	1419	2300-2399 = 23 years
		210	738	322	1305	2400-2499 = 24 years
		204	726	283	1253	2500-2599 = 25 years
		170	657	249	1112	2600-2699 = 26 years
		167	631	219	1057	2700-2799 = 27 years
		136	570	186	920	2800-2899 = 28 years
		148	482	167	826	2900-2999 = 29 years
		108	420	126	685	3000-3099 = 30 years
		95	350	102	569	3100-3199 = 31 years
		69	282	77	457	3200-3299 = 32 years
		66	233	57	369	3300-3399 = 33 years
		34	180	62	285	3400-3499 = 34 years
		39	134	37	223	3500-3599 = 35 years
		32	111	35	186	3600-3699 = 36 years
		16	65	23	115	3700-3799 = 37 years
		8	45	8	64	3800-3899 = 38 years
		11	31	11	55	3900-3999 = 39 years
		4	22	7	34	4000-4099 = 40 years
		5	15	1	23	4100-4199 = 41 years
		4	5	3	12	4200-4299 = 42 years
		0	0	0	1	4300-4399 = 43 years
		0	0	1	1	4400-4499 = 44 years

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[FMARCON5]	314-314					VAR234: Formal marital status at time of conception-- 5 categories
						<b>Inapplicable:</b> This is a current pregnancy.
		81	236	102	428	Blank = Blank, inapplicable
		2023	7601	1453	11493	1 = Married
		220	680	274	1215	2 = Divorced
		13	28	19	63	3 = Widowed
		35	21	80	141	4 = Separated
		1225	2900	3696	7992	5 = Never Married
[FMARCON2]	315-315					VAR235: Formal marital status at time of conception-- 2 categories
						<b>Inapplicable:</b> This is a current pregnancy.
		81	236	102	428	Blank = Blank, inapplicable
		1225	2900	3696	7992	1 = Never Married
		2291	8330	1826	12912	2 = Ever Married
[DELIVERY]	316-316					VAR236: Mode of delivery
						<b>Inapplicable:</b> There was no live birth from this pregnancy, or this is a current pregnancy.
		951	3498	1763	6391	Blank = Blank, inapplicable
		2120	6451	3094	12054	1 = Vaginal Delivery
		526	1509	764	2876	2 = Cesarean Delivery
		0	8	3	11	3 = Both Vaginal & Cesarean

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION HISP WHITE BLACK TOTAL      QUESTION TEXT AND CODE CATEGORIES

[LEARNPRG] 317-318      VAR237: Number of weeks pregnant when R learned she was pregnant

**Inapplicable:** This is a current pregnancy, the pregnancy ended before January 1991, the pregnancy ended in induced abortion, or the baby was never named and placed for adoption soon after birth.

2787	9279	4650	17227	Blank	= Blank, inapplicable
0	0	0	0	00	= Less than 1 week
25	82	46	156	01	= 1 week
70	262	88	432	02	= 2 weeks
79	253	75	421	03	= 3 weeks
225	532	233	1029	04	= 4 weeks
48	236	37	333	05	= 5 weeks
135	353	121	630	06	= 6 weeks
17	84	29	130	07	= 7 weeks
113	202	137	464	08	= 8 weeks
7	24	13	49	09	= 9 weeks
12	35	24	78	10	= 10 weeks
4	4	10	19	11	= 11 weeks
49	65	84	201	12	= 12 weeks
2	8	8	19	13	= 13 weeks
3	9	5	17	14	= 14 weeks
0	2	1	3	15	= 15 weeks
9	15	34	59	16	= 16 weeks
1	1	1	3	17	= 17 weeks
0	1	3	5	18	= 18 weeks
0	1	0	1	19	= 19 weeks
7	7	14	29	20	= 20 weeks
0	1	1	2	21	= 21 weeks
0	2	2	4	22	= 22 weeks
0	0	0	0	23	= 23 weeks
1	4	5	11	24	= 24 weeks
2	0	0	2	25	= 25 weeks
0	0	1	1	26	= 26 weeks
0	0	0	0	27	= 27 weeks
0	0	0	0	28	= 28 weeks
0	0	0	0	29	= 29 weeks
0	1	0	1	30	= 30 weeks
0	0	0	0	31	= 31 weeks
0	0	2	2	32	= 32 weeks
0	1	0	1	33	= 33 weeks
0	0	0	0	34	= 34 weeks
0	0	0	0	35	= 35 weeks
0	1	0	1	36	= 36 weeks
0	0	0	0	37	= 37 weeks
0	0	0	0	38	= 38 weeks
0	0	0	0	39	= 39 weeks
1	0	0	1	40	= 40 weeks
0	0	0	0	41	= 41 weeks
0	1	0	1	42	= 42 weeks



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK TOTAL			
[PAYPNC]	321-321				VAR239: Payment for prenatal care  <b>Inapplicable:</b> This is a current pregnancy, the pregnancy ended before January 1991, the pregnancy ended in induced abortion, the baby was never named and placed for adoption soon after birth, or R received no prenatal care for this pregnancy.		
		2868	9478	4760	17625	Blank	= Blank, inapplicable
		86	233	43	374	1	= Own income only
		213	793	223	1269	2	= Insurance only
		64	534	70	704	3	= Own income & insurance only
		351	403	518	1309	4	= Medicaid mentioned at all
		13	14	2	30	5	= Government assistance other than Medicaid
		2	11	8	21	6	= All other combinations of payment methods
[PAYDELIV]	322-322						VAR240: Payment for delivery  <b>Inapplicable:</b> This is a current pregnancy, or there was no live birth.
		948	3486	1762	6374	Blank	= Blank, inapplicable
		522	1098	289	1960	1	= Own income only
		900	3658	1212	5960	2	= Insurance only
		192	1887	221	2383	3	= Own income & insurance only
		953	1161	2073	4272	4	= Medicaid mentioned at all
		27	74	19	165	5	= Government assistance other than Medicaid
		55	102	48	218	6	= All other combinations of payment methods
[LBW1]	323-323						VAR241: Low birthweight--Baby 1  <b>Inapplicable:</b> This is a current pregnancy, or there was no live birth.
		948	3486	1762	6374	Blank	= Blank, inapplicable
		186	447	481	1144	1	= Yes, Low Birth Weight
		2463	7533	3381	13814	2	= No, Not Low Birth Weight
[LBW2]	324-324						VAR242: Low birthweight--Baby 2  <b>Inapplicable:</b> This is a current pregnancy, there was no live birth, or there was only 1 baby born alive.
		3574	11383	5579	21178	Blank	= Blank, inapplicable
		14	42	27	86	1	= Yes, Low Birth Weight
		9	41	18	68	2	= No, Not Low Birth Weight
[SEX1]	325-325						VAR243: Sex of Baby 1  <b>Inapplicable:</b> This is a current pregnancy, or there was no live birth.
		948	3486	1762	6374	Blank	= Blank, inapplicable
		1407	4135	2090	7878	1	= Male
		1242	3845	1772	7080	2	= Female
[SEX2]	326-326						VAR244: Sex of Baby 2  <b>Inapplicable:</b> This is a current pregnancy, there was no live birth, or there was only 1 baby born alive.
		3574	11383	5579	21178	Blank	= Blank, inapplicable
		10	44	21	76	1	= Male
		13	39	24	78	2	= Female



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE      COLUMN      NON-HISPANIC  
 NAME          LOCATION HISP WHITE BLACK TOTAL      QUESTION TEXT AND CODE CATEGORIES

[BFEEWKS] 327-329

VAR245: Duration of breastfeeding in weeks

**Inapplicable:** This is a current pregnancy, there was no live birth, there was more than 1 baby born alive, or the breastfeeding series was not asked (because the baby died shortly after birth or was given up for adoption soon after birth).

1002	3672	1875	6736	Blank	= Blank, inapplicable
20	75	31	139	000	= Breastfed for less than 1 week
46	133	37	223	001	= Breastfed for 1 week
39	170	42	261	002	= Breastfed for 2 weeks
23	94	18	140	003	= Breastfed for 3 weeks
93	205	68	385	004	= Breastfed for 4 weeks
5	36	7	49	005	= Breastfed for 5 weeks
41	198	24	274	006	= Breastfed for 6 weeks
4	30	1	35	007	= Breastfed for 7 weeks
125	261	59	460	008	= Breastfed for 8 weeks
3	9	3	15	009	= Breastfed for 9 weeks
14	33	5	52	010	= Breastfed for 10 weeks
1	5	1	7	011	= Breastfed for 11 weeks
147	369	118	654	012	= Breastfed for 12 weeks
4	24	8	36	013-014	= Breastfed for 13-14 weeks
1	3	0	4	015-016	= Breastfed for 15-16 weeks
97	278	54	455	017-018	= Breastfed for 17-18 weeks
6	21	4	33	019-020	= Breastfed for 19-20 weeks
70	182	42	304	021-022	= Breastfed for 21-22 weeks
3	12	3	18	023-024	= Breastfed for 23-24 weeks
118	441	95	688	025-026	= Breastfed for 25-26 weeks
3	6	1	11	027-028	= Breastfed for 27-28 weeks
52	140	28	227	029-030	= Breastfed for 29-30 weeks
2	7	0	10	031-032	= Breastfed for 31-32 weeks
61	182	27	276	033-034	= Breastfed for 33-34 weeks
1	5	0	6	035-036	= Breastfed for 35-36 weeks
66	224	32	333	037-038	= Breastfed for 37-38 weeks
1	10	0	11	039-040	= Breastfed for 39-40 weeks
0	0	1	1	041-042	= Breastfed for 41-42 weeks
28	139	20	193	043-044	= Breastfed for 43-44 weeks
2	0	0	2	045-046	= Breastfed for 45-46 weeks
25	80	11	119	047-048	= Breastfed for 47-48 weeks
2	6	0	8	049-050	= Breastfed for 49-50 weeks
113	278	46	470	051-052	= Breastfed for 51-52 weeks
75	317	24	434	053-078	= Breastfed for 53-78 weeks (1-1 ½ years)
51	103	17	185	079-104	= Breastfed for 79-104 weeks (1 1/2-2 years)
33	85	6	130	105-207	= Breastfed for 105 weeks or longer (2+ years)
67	171	22	280	994	= Still breastfeeding this child
1153	3462	2894	7668	995	= Never breastfed this child

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	

[MATERNLV]	330-330					VAR246: Use of maternity leave
<b>Inapplicable:</b> This is a current pregnancy, or there was no live birth.						
		948	3486	1762	6374	Blank = Blank, inapplicable
		1669	3711	2322	7973	0 = Not employed during this pregnancy
		618	2812	1075	4642	1 = Took maternity leave from a job
		26	234	22	289	2 = Did not take--Not needed due to job schedule or self-employment
		31	84	35	155	3 = Did not take--Not offered by employer or lost job
		305	1139	408	1899	4 = Did not take--Other reasons
[OLDWANTR] Version	331-331					VAR431: Wantedness of Pregnancy--Respondent-- Cycle 4
Note: See section on "data quality" for discussion pertaining to this item.						
<b>Inapplicable:</b> R has never had voluntary intercourse.						
		2	3	12	19	Blank = Blank, inapplicable
		151	745	155	1074	1 = Later, Overdue
		1838	6027	2046	10251	2 = Right Time
		921	3291	1923	6302	3 = Too Soon, Mistimed
		93	281	123	518	4 = Didn't Care, Indifferent
		587	1078	1335	3088	5 = Unwanted
		5	41	30	80	6 = Don't know, not sure
[OLDWANTR] Version	332-332					VAR432: Wantedness of Pregnancy--Respondent's Partner-- Cycle 4
Note: See section on "data quality" for discussion pertaining to this item.						
<b>Inapplicable:</b> R has never had voluntary intercourse.						
		2	3	12	19	Blank = Blank, inapplicable
		128	601	135	894	1 = Later, Overdue
		1989	5983	2405	10714	2 = Right Time
		560	2198	930	3792	3 = Too Soon, Mistimed
		107	390	223	750	4 = Didn't Care, Indifferent
		607	1662	1336	3704	5 = Unwanted
		204	629	583	1459	6 = Don't know, not sure
[WANTRESP]	333-333					VAR433: Wantedness of pregnancy--Respondent
Note: See section on "data quality" for discussion pertaining to this item.						
<b>Inapplicable:</b> R has never had voluntary intercourse.						
		2	3	12	19	Blank = Blank, inapplicable
		152	748	158	1081	1 = Later, Overdue
		1841	6032	2052	10266	2 = Right Time
		1023	3412	2089	6708	3 = Too Soon, Mistimed
		94	283	123	521	4 = Didn't Care, Indifferent
		480	947	1158	2655	5 = Unwanted
		5	41	32	82	6 = Don't know, not sure



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[HISPANIC]	340-340				VAR707: Hispanic origin
					Non-blank for all Rs.
		3597	0	0	3597 1 = Hispanic
		0	11466	5624	17735 2 = Non-Hispanic
[HISPRACE]	341-341				Race and Hispanic origin-computed variable
					Non-blank for all Rs.
		3597	0	0	3597 1 = Hispanic
		0	11466	0	11466 2 = Non-Hispanic White
		0	0	5624	5624 3 = Non-Hispanic Black
		0	0	0	645 4 = Non-Hispanic Other
[EDUCAT]	342-343				VAR104: Education (completed years of schooling)
					Non-blank for all Rs.
		28	6	0	41 00 = No Formal Education
		41	2	5	48 01 = 1st Grade
		23	1	5	29 02 = 2nd Grade
		46	5	7	58 03 = 3rd Grade
		57	6	4	71 04 = 4th Grade
		97	4	3	107 05 = 5th Grade
		320	35	20	382 06 = 6th Grade
		134	56	47	246 07 = 7th Grade
		223	239	166	642 08 = 8th Grade
		305	449	309	1093 09 = 9th Grade
		292	603	569	1504 10 = 10th Grade
		291	585	627	1530 11 = 11th Grade
		826	4329	2029	7402 12 = 12th Grade
		311	1020	625	2006 13 = 1 Year of College, University
		212	1267	516	2038 14 = 2 Years of College, University
		97	514	175	830 15 = 3 Years of College, University
		161	1367	297	1902 16 = 4 Years of College, University
		57	354	100	532 17 = 5 Years of College, University
		23	356	72	476 18 = 6 Years of College, University
		53	268	48	395 19 = 7 Or More Years of College, University
[HIEDUC]	344-345				VAR107: Highest completed year of school or highest degree received
					Non-blank for all Rs.
		28	4	0	39 01 = Less than 1st Grade
		167	5	16	192 02 = 1st, 2nd,3rd,Or 4 <sup>th</sup> Grade
		368	22	20	420 03 = 5th or 6th Grade
		299	221	180	717 04 = 7th or 8th Grade
		210	296	256	779 05 = 9th Grade
		220	384	472	1099 06 = 10th Grade
		221	356	466	1066 07 = 11th Grade
		13	31	57	107 08 = 12th Grade, No Diploma (nor GED)
		1157	4997	2324	8730 09 = High School Graduate (H.S. diploma or GED)
		528	1990	1059	3681 10 = Some College But No Degree
		120	885	289	1331 11 = Associate Degree In College
		214	1756	385	2458 12 = Bachelor's Degree
		39	443	77	592 13 = Master's Degree
		7	54	16	79 14 = Professional Degree
		6	22	7	42 15 = Doctorate Degree

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL	
[POVERTY]	346-348					VAR712: Poverty level of income Non-blank for all Rs.
		1303	1140	2047	4654	000-099 = 0-99 percent of poverty level
		1039	2590	1596	5359	100-199 = 100-199 percent of poverty level
		538	2445	876	3987	200-299 = 200-299 percent of poverty level
		290	1733	438	2535	300-399 = 300-399 percent of poverty level
		196	1598	274	2120	400-499 = 400-499 percent of poverty level
		88	616	140	873	500-599 = 500-599 percent of poverty level
		62	467	103	656	600-699 = 600-699 percent of poverty level
		51	520	71	659	700-799 = 700-799 percent of poverty level
		5	125	37	171	800-899 = 800-899 percent of poverty level
		19	161	35	234	900-997 = 900-997 percent of poverty level
		6	71	7	84	998 = 998 percent of poverty level or greater
[LABORFOR]	349-350					VAR711: Labor force status Non-blank for all Rs.
		1283	4586	2484	8600	01 = Working Full-Time
		446	2201	499	3251	02 = Working Part-Time
		60	322	105	497	03 = Working, but on Vacation, Strike, or temporary illness
		14	55	17	88	04 = Working, but on Maternity Leave
		30	120	180	336	05 = Unemployed, laid off, looking for work
		76	204	192	487	06 = In School
		1525	2939	1719	6415	07 = Keeping House
		88	707	243	1055	08 = Working 2 or more Part-Time Jobs
		11	40	64	115	09 = On permanent disability
		1	32	19	52	10 = Doing Nothing; taking it easy; hanging out
		63	260	102	436	11 = Other
[REGION]	351-351					VAR703: Geographic region of residence Non-blank for all Rs.
		559	2299	1059	4009	1 = Northeast
		214	3166	1291	4769	2 = Midwest
		1020	3388	2699	7239	3 = South
		1804	2613	575	5315	4 = West
[METRO]	352-352					VAR701: Place of residence (metropolitan-nonmetropolitan) Non-blank for all Rs.
		1801	2348	3425	7800	1 = SMSA, Central City
		1482	6093	1552	9412	2 = SMSA, Other
		314	3025	647	4120	3 = Not SMSA
[RURAL]	353-353					VAR702: Urban-rural residence Non-blank for all Rs.
		3447	9282	5270	18568	1 = Urban
		150	2184	354	2764	2 = Rural
[RELIGION]	354-354					VAR705: Current religious affiliation Non-blank for all Rs.
		240	1375	471	2189	0 = None
		747	6340	4561	11866	1 = Protestant
		2533	3124	384	6204	2 = Roman Catholic
		12	213	12	237	3 = Jewish
		28	103	55	320	4 = Other
		37	311	141	516	5 = No specific denomination

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL	
[OCCCD0]	355-357					R What (is/was) your (last) occupation? That is, what (is/was) your (primary) job called? / Please tell me about the (NTH: IF-2 NUMJOBS) job you worked (last week/during the last week you worked). What is your occupation on that job? That what is that job called? What (are/were) your most important activities or duties on this job? (NUMERIC OCCUPATION CODE-1ST/ONLY JOB)
						<b>Inapplicable:</b> The answer was not ascertained, R refused to report, or R did not know what she was doing most of the time the previous week (IF-1 DOLASTWK coded 97, 98, or 99); answer was not ascertained, R refused to report, or R did not know whether she has ever worked for pay (IF-1a WKPAYEVX coded 7, 8, or 9); or R has never worked (IF-1a WKPAYEVX coded 2).
		411	157	420	1025	Blank = Blank, inapplicable
		1958	7929	3436	13714	003-909 = Occupation code-see User's Guide: "Occupation and Industry Codes"
		5	4	13	22	995 = Other (some occupation, not listed) or Insufficient information to code
		1223	3376	1755	6571	997 = Not ascertained
[MEDICAID]	358-358					During the last 12 months, were you covered by MEDICAID, MEDICAL ASSISTANCE, or another public assistance program that pays for medical care?
						Asked of all Rs.
		0	0	0	0	Blank = Blank, inapplicable
		1215	1644	2632	5628	1 = YES
		2377	9801	2984	15667	2 = NO
		0	0	0	0	7 = Not Ascertained
		5	18	8	31	8 = Refused
		0	3	0	6	9 = Don't Know
[BRNOUT]	359-359					Were you born outside of the United States?
						<b>Inapplicable:</b> R stated that she had lived at the same address her whole life (IA-3 STRTADD coded 1189); or R had lived at her April 1990 address since she was born (IA-8 YEARS_S coded 99 and IA-8 MONTHS_S coded 99).
		97	179	329	636	Blank = Blank, inapplicable
		1640	414	331	2714	1 = YES
		1857	10872	4964	17978	2 = NO
		0	0	0	0	7 = Not Ascertained
		3	1	0	4	8 = Refused
		0	0	0	0	9 = Don't Know
[STRUS]	360-363					In what month and year did you come to the United States to stay?
						<b>Inapplicable:</b> R stated that she had lived at the same address her whole life (IA-3 STRTADD coded 1189); R had lived at her 1990 address since she was born (IA-8 YEARS_S coded 99 and IA-8 MONTHS_S coded 99); or R was not born outside the United States (IA-9 BRNOUT coded 2).
		1755	11047	5292	18397	Blank = Blank, inapplicable
		1701	381	306	2702	0623-1084 = April, 1990 or before
		114	33	21	196	1085-1150 = After April, 1990
		21	0	0	21	9997 = Not ascertained
		0	0	0	0	9998 = Refused
		6	5	5	16	9999 = Don't know

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK		TOTAL	
[OUTCOMEI]	364-364				OUTCOME (VAR225) Imputation Flag		
					Non-blank for all Rs.		
		3597	11464	5621	21326	0	= Questionnaire data
		0	0	3	4	1	= Stochastic imputation
		0	2	0	2	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)
[PRGLNGTI]	365-365						PRGLNGTH (VAR226) Imputation Flag
							Non-blank for all Rs.
		3594	11452	5611	21301	0	= Questionnaire data
		3	14	13	31	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)
[DATEND_I]	366-366						DATEND (VAR227) Imputation Flag
							Non-blank for all Rs.
		3561	11344	5553	21099	0	= Questionnaire data
		23	65	41	129	1	= Stochastic imputation
		13	57	30	104	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)
[YRPREG_I]	367-367						YRPREG (VAR228) Imputation Flag
							Non-blank for all Rs.
		3561	11344	5553	21099	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		36	122	71	233	3	= Computed based on imputed value(s) of other recode(s)
[AGEPREGI]	368-368						AGEPREG (VAR229) Imputation Flag
							Non-blank for all Rs.
		3561	11344	5553	21099	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		36	122	71	233	3	= Computed based on imputed value(s) of other recode(s)
[FMAROU5I]	369-369						FMAROUT5 (VAR230) Imputation Flag
							Non-blank for all Rs.
		3537	11304	5488	20961	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		60	162	136	371	3	= Computed based on imputed value(s) of other recode(s)

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL	
[FMAROU2I]	370-370					FMAROUT2 (VAR231) Imputation Flag Non-blank for all Rs.
		3551	11350	5563	21103	0 = Questionnaire data
		0	0	0	0	1 = Stochastic imputation
		0	0	0	0	2 = Logical imputation
		46	116	61	229	3 = Computed based on imputed value(s) of other recode(s)
[DATECONI]	371-371					DATECON (VAR232) Imputation Flag Non-blank for all Rs.
		3559	11336	5548	21084	0 = Questionnaire data
		0	0	0	0	1 = Stochastic imputation
		0	0	0	0	2 = Logical imputation
		38	130	76	248	3 = Computed based on imputed value(s) of other recode(s)
[AGECONI]	372-372					AGECON (VAR233) Imputation Flag Non-blank for all Rs.
		3559	11336	5548	21084	0 = Questionnaire data
		0	0	0	0	1 = Stochastic imputation
		0	0	0	0	2 = Logical imputation
		38	130	76	248	3 = Computed based on imputed value(s) of other recode(s)
[FMARCO5I]	373-373					FMARCON5 (VAR234) Imputation Flag Non-blank for all Rs.
		3536	11299	5485	20952	0 = Questionnaire data
		0	0	0	0	1 = Stochastic imputation
		0	0	0	0	2 = Logical imputation
		61	167	139	380	3 = Computed based on imputed value(s) of other recode(s)
[FMARCO2I]	374-374					FMARCON2 (VAR235) Imputation Flag Non-blank for all Rs.
		3549	11347	5562	21097	0 = Questionnaire data
		0	0	0	0	1 = Stochastic imputation
		0	0	0	0	2 = Logical imputation
		48	119	62	235	3 = Computed based on imputed value(s) of other recode(s)
[DELIVERI]	375-375					DELIVERY (VAR236) Imputation Flag Non-blank for all Rs.
		3597	11466	5624	21332	0 = Questionnaire data
		0	0	0	0	1 = Stochastic imputation
		0	0	0	0	2 = Logical imputation
		0	0	0	0	3 = Computed based on imputed value(s) of other recode(s)
[LEARNPRI]	376-376					LEARNPRG (VAR237) Imputation Flag Non-blank for all Rs.
		3597	11461	5624	21327	0 = Questionnaire data
		0	5	0	5	1 = Stochastic imputation
		0	0	0	0	2 = Logical imputation
		0	0	0	0	3 = Computed based on imputed value(s) of other recode(s)



NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[PNCAREWI]	377-377				PNCAREWK (VAR238) Imputation Flag
					Non-blank for all Rs.
		3597	11465	5624 21331	0 = Questionnaire data
		0	1	0 1	1 = Stochastic imputation
		0	0	0 0	2 = Logical imputation
		0	0	0 0	3 = Computed based on imputed value(s) of other recode(s)
[PAYPNC_I]	378-378				PAYPNC (VAR239) Imputation Flag
					Non-blank for all Rs.
		3596	11465	5623 21329	0 = Questionnaire data
		1	1	1 3	1 = Stochastic imputation
		0	0	0 0	2 = Logical imputation
		0	0	0 0	3 = Computed based on imputed value(s) of other recode(s)
[PAYDELII]	379-379				PAYDELIV (VAR240) Imputation Flag
					Non-blank for all Rs.
		3586	11458	5611 21297	0 = Questionnaire data
		11	8	13 35	1 = Stochastic imputation
		0	0	0 0	2 = Logical imputation
		0	0	0 0	3 = Computed based on imputed value(s) of other recode(s)
[LBW1_I]	380-380				LBW1 (VAR241) Imputation Flag
					Non-blank for all Rs.
		3591	11461	5623 21320	0 = Questionnaire data
		6	5	1 12	1 = Stochastic imputation
		0	0	0 0	2 = Logical imputation
		0	0	0 0	3 = Computed based on imputed value(s) of other recode(s)
[LBW2_I]	381-381				LBW2 (VAR242) Imputation Flag
					Non-blank for all Rs.
		3597	11466	5624 21332	0 = Questionnaire data
		0	0	0 0	1 = Stochastic imputation
		0	0	0 0	2 = Logical imputation
		0	0	0 0	3 = Computed based on imputed value(s) of other recode(s)
[SEX1_I]	382-382				SEX1 (VAR243) Imputation Flag
					Non-blank for all Rs.
		3595	11465	5624 21329	0 = Questionnaire data
		2	1	0 3	1 = Stochastic imputation
		0	0	0 0	2 = Logical imputation
		0	0	0 0	3 = Computed based on imputed value(s) of other recode(s)
[SEX2_I]	383-383				SEX2 (VAR244) Imputation Flag
					Non-blank for all Rs.
		3597	11466	5624 21332	0 = Questionnaire data
		0	0	0 0	1 = Stochastic imputation
		0	0	0 0	2 = Logical imputation
		0	0	0 0	3 = Computed based on imputed value(s) of other recode(s)

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL		
[BFEEWKI]	384-384						BFEEWKI (VAR245) Imputation Flag
							Non-blank for all Rs.
		3594	11465	5621	21325	0	= Questionnaire data
		3	1	3	7	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)
[MATERNLI]	385-385						MATERNLI (VAR246) Imputation Flag
							Non-blank for all Rs.
		3594	11446	5615	21295	0	= Questionnaire data
		3	20	9	37	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)
[OLDWR_I]	386-386						OLDWR_I (VAR431) Imputation Flag
							Non-blank for all Rs.
		3376	11035	5212	20218	0	= Questionnaire data
		3	18	10	31	1	= Stochastic imputation--all other missing data
		44	51	63	164	2	= Stochastic imputation--conception date 1 mo prior to first vol sex
		37	132	78	256	3	= Stochastic imputation--missing first vol sex date, or missing preg end date
		81	135	185	419	4	= Stochastic imputation--conception date 2 or more mos prior to first vol sex
		56	95	76	244	5	= Stochastic imputation-- R had preg end date, but other timing data missing
[OLDWP_I]	387-387						OLDWP_I (VAR432) Imputation Flag
							Non-blank for all Rs.
		3392	11071	5222	20282	0	= Questionnaire data
		6	35	47	109	1	= Stochastic imputation-- all other missing data
		44	51	63	164	2	= Stochastic imputation--conception date 1 moprior to first vol sex
		35	121	64	221	3	= Stochastic imputation--missing first vol sex date, or missing preg end date
		80	134	185	417	4	= Stochastic imputation--conception date 2 or more mos prior to first vol sex
		40	54	43	139	5	= Stochastic imputation-- R had preg end date, but other timing data missing

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL		
[WANTRP_I]	388-388					WANTRESP (VAR433) Imputation Flag	
Non-blank for all Rs.							
		3376	11035	5215	20221	0	= Questionnaire data
		2	11	9	22	1	= Stochastic imputation-- all other missing data
		44	51	63	164	2	= Stochastic imputation--conception date mo prior to first vol sex
		37	132	78	256	3	= Stochastic imputation-- missing first vol sex date, or missing preg end date
		81	135	185	419	4	= Stochastic imputation--conception date 2 or more mos prior to first vol sex
		57	102	74	250	5	= Stochastic imputation-- R had preg end date, but other timing data missing
[WANTPT_I]	389-389					WANTPART (VAR434) Imputation Flag	
Non-blank for all Rs.							
		3388	11049	5207	20240	0	= Questionnaire data
		6	32	31	70	1	= Stochastic imputation--all other missing data
		44	51	63	164	2	= Stochastic imputation--conception date 1 mo prior to first vol sex
		35	122	76	241	3	= Stochastic imputation-- missing first vol sex date, or missing preg end date
		81	135	185	419	4	= Stochastic imputation--conception date 2 or more mos prior to first vol sex
		43	77	62	198	5	= Stochastic imputation-- R had preg end date, but other timing data missing
[AGEAPR_I]	390-390					AGEAPR1 (VAR101) Imputation Flag	
Non-blank for all Rs.							
		3597	11466	5624	21332	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)
[RACE_I]	391-391					RACE (VAR708) Imputation Flag	
Non-blank for all Rs.							
		3589	11466	5624	21324	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		8	0	0	8	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)
[HISPAN_I]	392-392					HISPANIC (VAR707) Imputation Flag	
Non-blank for all Rs.							
		3597	11453	5624	21318	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	13	0	14	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QUESTION TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[HISPRA_I]	393-393				HISPRACE Imputation Flag
					Non-blank for all Rs.
		3589	11453	5624 21310	0 = Questionnaire data
		0	0	0	0 1 = Stochastic imputation
		0	0	0	0 2 = Logical imputation
		8	13	0 22	3 = Computed based on imputed value(s) of other recode(s)
[EDUCAT_I]	394-394				EDUCAT (VAR104) Imputation Flag
					Non-blank for all Rs.
		3597	11466	5623 21331	0 = Questionnaire data
		0	0	1 1	1 = Stochastic imputation
		0	0	0 0	2 = Logical imputation
		0	0	0 0	3 = Computed based on imputed value(s) of other recode(s)
[HIEDUC_I]	395-395				HIEDUC (VAR107) Imputation Flag
					Non-blank for all Rs.
		3566	11367	5589 21159	0 = Questionnaire data
		0	0	0 0	1 = Stochastic imputation
		31	99	35 173	2 = Logical imputation
		0	0	0 0	3 = Computed based on imputed value(s) of other recode(s)
[POVERT_I]	396-396				POVERTY (VAR712) Imputation Flag
					Non-blank for all Rs.
		3336	10716	5108 19750	0 = Questionnaire data
		0	0	0 0	1 = Stochastic imputation
		0	0	0 0	2 = Logical imputation
		261	750	516 1582	3 = Computed based on imputed value(s) of other recode(s)
[LABORF_I]	397-397				LABORFOR (VAR711) Imputation Flag
					Non-blank for all Rs.
		3588	11440	5585 21258	0 = Questionnaire data
		9	26	39 74	1 = Stochastic imputation
		0	0	0 0	2 = Logical imputation
		0	0	0 0	3 = Computed based on imputed value(s) of other recode(s)
[REGION_I]	398-398				REGION (VAR703) Imputation Flag
					Non-blank for all Rs.
		3596	11436	5618 21295	0 = Questionnaire data
		0	0	0 0	1 = Stochastic imputation
		1	30	6 37	2 = Logical imputation
		0	0	0 0	3 = Computed based on imputed value(s) of other recode(s)

NATIONAL SURVEY OF FAMILY GROWTH - CYCLE V (1995)  
 CODEBOOK DOCUMENTATION  
 PREGNANCY FILE

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QUESTION TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL	
[RELIGI_I]	399-399					RELIGION (VAR705) Imputation Flag  Non-blank for all Rs.
		3595	11435	5604	21279	0 = Questionnaire data
		2	31	20	53	1 = Stochastic imputation
		0	0	0	0	2 = Logical imputation
		0	0	0	0	3 = Computed based on imputed value(s) of other recode(s)
[COL_STR]	400-401					NHIS collapsed strata-values 1-62  Non-blank for all Rs.
		3597	11466	5624	21332	01-62 = Strata 1-62
[PANEL]	402-402					NHIS panel identifier- values 1-4  Non-blank for all Rs.
		767	2752	1372	5054	1 = Panel 1
		882	3055	1361	5438	2 = Panel 2
		909	2709	1507	5286	3 = Panel 3
		1039	2950	1384	5554	4 = Panel 4
[POST_WT]	403-412					Post-adjusted weight.  Non-blank for all Rs. 00349.8761-33549.8227 = Adjusted weight
[A_DOI]	413-416					Date Section A began.  Non-blank for all Rs.
		3597	11466	5624	21332	1141-1150 = January-October, 1995