

Healthy People 2010 Operational Definition

13-6. Increase the proportion of sexually active persons who use condoms.

13-6b. Unmarried males aged 18 to 44 years.

National Data Source	National Survey of Family Growth (NSFG), CDC, NCHS.
State Data Source	Behavioral Risk Factor Surveillance System (BRFSS), CDC, NCCDPHP. (See State Operational Definition, below.)
Healthy People 2000 Objective	Adapted from 19.10 (Sexually Transmitted Diseases) (also 18.4).
Changes since the 2000 Publication	None.
Leading Health Indicator	Responsible Sexual Behavior.
Measure	Percent.
Baseline (Year)	42 (2002)
Target	54
Target-Setting Method	Better than the best racial/ethnic subgroup. For a discussion of target-setting methods, see Part A, section 4.
Numerator	Number of sexually active, unmarried males aged 18 to 44 years who reported using a condom at last sexual intercourse.
Denominator	Number of sexually active, unmarried males aged 18 to 44 years.
Population Targeted	U.S. civilian, noninstitutionalized population.
Questions Used To Obtain the National Baseline Data	From the 2002 National Survey of Family Growth: <ul style="list-style-type: none">➤ <i>What is your current marital status? Are you...</i><ol style="list-style-type: none">1) <i>Married</i>2) <i>Not married, but living together with a partner</i>

- of the opposite sex*
- 3) *Widowed*
- 4) *Divorced*
- 5) *Separated, because you and your spouse are not getting along*
- 6) *Never been married*

➤ *The last time you and your partner had intercourse, did you or she use any method to prevent pregnancy or sexually transmitted diseases?*

[If yes:]

Which methods?

- 1) *Condom or rubber*
- 2) *Withdrawal, pulling out*
- 3) *Vasectomy or male sterilization*
- 4) *Pill*
- 5) *Tubal ligation (tubes tied) or female sterilization*
- 6) *Injection (Depo-Provera or Lunelle)*
- 7) *Spermicidal foam/jelly/cream/film/suppository*
- 8) *Hormonal implant (Norplant)*
- 9) *Rhythm or safe period*
- 10) *Something else*

Expected Periodicity Periodic.

Comments

Unmarried males are considered to have used a condom at last intercourse if they reported they were either not married, but living together with a partner of the opposite sex; widowed; divorced; separated; or had never been married; were sexually active, and either used a condom (rubber) or whose partner used a female condom (vaginal pouch) at their last intercourse.

Sexually active refers to males who have had intercourse in the 3 months prior to interview.

Objective 13-6 is one of the measures used to track the Responsible Sexual Behavior Leading Health Indicator. See Appendix H for a complete list.

This subobjective moved from developmental to measurable at the Healthy People 2010 Midcourse Review.

This subobjective is adapted from a measure in Healthy People 2000 objective 19.10, which tracked the proportion of sexually active, unmarried people aged 15 to 44 years who report their partner used a condom at last intercourse.

For some measures, data do not meet the criteria for statistical reliability, data quality, or confidentiality and have been suppressed. Information on suppression of data for the major Healthy People 2010 data systems has been published in a *Healthy People Statistical Note*.¹

See Part C for a description of NSFG and Appendix A for focus area contact information.

References

1. Klein, R.J.; Proctor, S.E.; Boudreault, M.A.; Turczyn, K.M. Healthy People 2010 Criteria for Data Suppression. *Statistical Notes* No. 24. Hyattsville, MD: National Center for Health Statistics. 2002.

State Operational Definition

13-6. Increase the proportion of sexually active persons who use condoms.

13-6a. Unmarried males aged 18 to 44 years.

State Data Source Behavioral Risk Factor Surveillance System (BRFSS), CDC, NCCDPHP.

National Data Source National Survey of Family Growth (NSFG), CDC, NCHS.

Measure Percent.

Numerator	Number of sexually active, unmarried males aged 18 to 44 years who reported using a condom at last sexual intercourse.
Denominator	Number of sexually active, unmarried males aged 18 to 44 years.
Population Targeted	State-specific civilian, non-institutionalized adult population residing in households with telephones (see Comments).
Questions Used To Obtain the State Baseline Data	<p>From the 1998 Behavioral Risk Factor Surveillance System:</p> <ul style="list-style-type: none"> ➤ <i>What is your current marital status? Are you...</i> <ul style="list-style-type: none"> a) <i>Married</i> b) <i>Widowed</i> c) <i>Divorced</i> d) <i>Separated</i> e) <i>Never been married</i> f) <i>Member of an unmarried couple</i> g) <i>Refused</i> ➤ <i>Was a condom used that last time you had sexual intercourse?</i>
Expected Periodicity	Periodic.
Comments	<p>Data for this objective are collected using an optional module of the BRFSS, which is made available to States for administration annually. The number of States that select the Sexual Behavior module varies every year. In 1998, 8 States used the optional Sexual Behaviors module.</p> <p>National data from the NHIS and state data from the BRFSS may not be comparable for a number of reasons, including mode of question administration, context of questions, question wording, and survey sampling frame.</p> <p>For some measures, data do not meet the criteria for statistical reliability, data quality, or confidentiality and have been suppressed. Information on suppression of data for the major Healthy People 2010 data systems has been published in a <i>Healthy People Statistical Note</i>.¹</p> <p>See www.cdc.gov/brfss for a description of BRFSS and Appendix A for focus area contact information.</p>

References

1. Klein, R.J.; Proctor, S.E.; Boudreault, M.A.; Turczyn, K.M. Healthy People 2010 Criteria for Data Suppression. *Statistical Notes* No. 24. Hyattsville, MD: National Center for Health Statistics. 2002.