

Table P-7a. Age-adjusted annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by activity engaged in at the time of the episode and selected characteristics: United States, 2014

Selected characteristic	Driving ¹	Working at paid job ¹	Working around house or yard ¹	Attending school ¹	Sports ¹	Leisure activities (excluding sports) ¹	Other ¹
Total	6.45 (0.96)	14.49 (1.48)	16.05 (1.43)	6.56 (1.41)	21.52 (1.86)	23.13 (1.78)	38.12 (2.46)
Sex							
Male	5.65 (1.33)	19.37 (2.56)	14.69 (1.93)	6.06 (1.21)	27.54 (2.95)	23.31 (2.42)	36.44 (3.56)
Female	7.27 (1.36)	9.73 (1.51)	17.18 (2.04)	*7.07 (2.59)	15.43 (2.12)	22.62 (2.57)	40.34 (3.36)
Age							
Under 12 years	*	-	*	12.16 (3.08)	17.21 (3.57)	33.69 (5.31)	35.48 (5.92)
12-17 years	*	*	*	*40.04 (14.77)	83.41 (11.96)	36.58 (7.49)	27.85 (6.42)
18-44 years	9.48 (1.84)	23.60 (3.20)	10.57 (1.85)	*1.52 (0.61)	21.94 (3.17)	15.33 (2.33)	25.92 (3.37)
45-64 years	*6.13 (1.94)	20.17 (3.28)	27.94 (4.03)	*	8.29 (2.18)	17.86 (3.20)	39.79 (4.83)
65-74 years	*	*	34.29 (6.98)	-	*	23.37 (6.38)	64.75 (11.31)
75 years and over	*	*	42.81 (9.74)	-	*12.02 (5.87)	43.98 (10.52)	104.68 (16.28)
Race							
One race ²	6.40 (0.97)	14.14 (1.47)	16.18 (1.45)	6.62 (1.46)	21.49 (1.90)	23.39 (1.82)	37.59 (2.49)
White	5.77 (1.06)	15.25 (1.76)	17.80 (1.70)	6.53 (1.80)	21.67 (2.19)	25.26 (2.12)	39.07 (2.80)
Black or African American	11.07 (3.22)	12.01 (3.46)	*9.72 (3.38)	*7.48 (2.41)	16.10 (3.76)	16.76 (4.21)	32.06 (5.72)
American Indian or Alaska Native	*	-	*	*	*94.06 (32.11)	*	*41.37 (13.26)
Asian	*	*7.88 (3.52)	*13.24 (5.69)	*	*13.47 (5.25)	*15.84 (5.31)	*22.32 (9.58)
Native Hawaiian or Other Pacific Islander	-	-	*	-	-	-	*
Two or more races ³	*	*	*	*	*28.72 (11.86)	*8.84 (3.52)	*56.33 (17.29)
Black or African American, white	*	*	-	*	*	*	*
American Indian or Alaska Native, white	-	-	*	*	*	*	*
Hispanic or Latino origin ⁴ and race							
Hispanic or Latino	*2.57 (1.18)	9.79 (2.32)	*11.51 (3.47)	*3.26 (1.13)	9.28 (1.99)	13.59 (2.66)	21.86 (4.56)
Mexican or Mexican American	*	*8.60 (2.76)	*8.25 (3.00)	*3.50 (1.42)	8.38 (2.19)	10.96 (3.14)	25.52 (7.34)
Not Hispanic or Latino	7.29 (1.15)	15.49 (1.73)	16.97 (1.58)	7.52 (1.80)	24.64 (2.27)	25.23 (2.11)	41.70 (2.86)
White, single race	6.52 (1.30)	16.98 (2.17)	19.25 (1.94)	*7.68 (2.42)	25.51 (2.78)	28.89 (2.66)	43.62 (3.43)
Black or African American, single race	11.78 (3.42)	12.31 (3.64)	*10.03 (3.47)	*7.65 (2.59)	17.27 (4.03)	16.21 (4.33)	33.45 (6.03)
Education ⁵							
Less than a high school diploma	*9.05 (3.34)	17.63 (5.27)	25.12 (6.04)	-	-	*15.83 (5.35)	30.42 (6.49)
High school diploma or GED ⁶	*7.09 (2.46)	24.47 (4.59)	19.81 (3.38)	-	*4.39 (1.77)	17.06 (3.67)	47.20 (6.53)
Some college	*8.59 (2.83)	26.13 (4.58)	25.69 (4.31)	*	17.95 (4.27)	18.65 (3.48)	52.56 (6.81)
Bachelor's degree or higher	*5.08 (1.72)	13.05 (3.45)	24.36 (4.03)	*	20.31 (4.20)	25.56 (4.53)	39.68 (5.70)
Family income ⁷							
Less than \$35,000	8.62 (2.27)	15.66 (3.01)	18.49 (3.01)	5.85 (1.59)	12.74 (2.54)	23.55 (3.02)	56.24 (5.42)
\$35,000 or more	5.85 (1.32)	14.76 (1.98)	16.74 (1.98)	5.74 (1.14)	26.48 (2.87)	22.49 (2.43)	34.01 (3.17)
\$35,000-\$49,999	*8.31 (3.07)	23.00 (5.58)	15.59 (4.34)	*6.31 (2.74)	16.72 (4.54)	24.95 (5.71)	47.19 (7.64)
\$50,000-\$74,999	*7.33 (3.24)	*9.09 (3.08)	20.44 (3.97)	*4.29 (1.94)	20.84 (4.80)	17.03 (3.86)	29.78 (5.79)
\$75,000-\$99,999	*	13.98 (4.11)	13.61 (3.63)	*7.16 (3.42)	27.07 (5.97)	*12.74 (4.16)	42.44 (8.69)
\$100,000 or more	*5.93 (2.02)	15.59 (3.80)	16.44 (3.88)	*5.93 (1.80)	34.50 (6.20)	29.91 (5.12)	28.00 (5.26)
Poverty status ⁸							
Poor	*9.40 (3.28)	13.53 (3.83)	16.49 (3.68)	*7.40 (2.40)	11.18 (2.76)	23.79 (5.43)	55.49 (8.55)
Near poor	*6.64 (2.23)	16.71 (3.80)	22.37 (4.33)	*4.19 (1.47)	11.61 (3.35)	29.77 (4.25)	48.61 (5.79)
Not poor	6.56 (1.32)	14.70 (1.99)	15.63 (1.81)	5.84 (1.24)	28.98 (3.01)	22.06 (2.40)	33.33 (3.05)

Table P-7a. Age-adjusted annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by activity engaged in at the time of the episode and selected characteristics: United States, 2014

Selected characteristic	Driving ¹	Working at paid job ¹	Working around house or yard ¹	Attending school ¹	Sports ¹	Leisure activities (excluding sports) ¹	Other ¹
Health insurance coverage ⁹							
Under 65 years:							
Private	5.71 (1.29)	16.99 (2.15)	12.20 (1.71)	*7.16 (2.55)	30.98 (3.09)	22.61 (2.48)	26.57 (2.97)
Medicaid	*12.03 (3.87)	11.59 (3.38)	19.08 (4.46)	*7.78 (2.39)	11.90 (2.65)	26.70 (5.21)	65.43 (9.51)
Other	-	-	17.98 (5.31)	*	*	*25.39 (10.97)	*54.97 (18.05)
Uninsured	8.79 (2.61)	17.34 (4.19)	*9.00 (2.81)	*	*	*16.38 (5.40)	*22.26 (7.38)
65 years and over:							
Private	*	*	23.50 (6.77)	-	*	34.06 (9.06)	75.62 (13.38)
Medicare and Medicaid	-	-	*108.07 (35.17)	-	-	*88.94 (40.64)	*87.02 (39.03)
Medicare only	*	*	37.84 (10.02)	-	*	*22.75 (7.94)	95.08 (19.59)
Other	-	-	*88.61 (36.35)	-	-	*	*97.57 (37.97)
Uninsured	-	*	-	-	-	-	-
Place of residence ¹⁰							
Large MSA	4.89 (1.13)	13.43 (1.97)	12.32 (1.75)	*6.88 (2.31)	22.12 (2.67)	20.27 (2.38)	33.29 (3.23)
Small MSA	7.83 (1.87)	15.03 (2.65)	19.09 (2.84)	6.82 (1.80)	21.00 (2.90)	27.50 (3.33)	42.56 (4.43)
Not in MSA	*9.59 (3.06)	18.34 (4.01)	21.91 (4.08)	*4.60 (1.76)	19.93 (5.12)	24.75 (4.74)	44.17 (6.67)
Region							
Northeast	*7.29 (2.66)	12.89 (3.51)	12.43 (2.89)	*4.59 (1.70)	27.81 (5.88)	18.54 (4.39)	37.61 (6.26)
Midwest	8.15 (2.41)	17.29 (3.50)	15.59 (2.93)	*11.71 (5.33)	24.54 (4.00)	23.61 (4.12)	46.81 (6.07)
South	6.48 (1.55)	14.69 (2.40)	16.88 (2.40)	5.48 (1.41)	18.96 (2.75)	23.52 (2.81)	35.11 (3.91)
West	*3.93 (1.22)	12.55 (2.73)	17.77 (3.21)	*4.46 (1.53)	17.68 (3.28)	25.92 (3.69)	35.41 (4.30)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on the question, "What activity was [person] involved in at the time of the injury/poisoning?" Respondents could indicate up to two activities. "Driving" includes both drivers and passengers. "Other" includes unpaid work such as volunteer work, sleeping, resting, eating, drinking, cooking, hands-on care from another person, and other unspecified activities. Rates of episodes have been annualized in this table. Estimates from this report should not be compared with estimates from 2003 or earlier.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 25-44, 45-64, 65-74, and 75 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and the Injury and Poisoning Episode file and were weighted using the Person weight. Unknowns for the columns were excluded from the denominator when calculating rates. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age adjusted using the projected 2000 U.S. population as the standard population and using six age groups: 0-11, 12-17, 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2014 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

Table P-7b. Annualized frequency (number in thousands) of medically consulted injury and poisoning episodes, by activity engaged in at the time of the episode and by selected characteristics: United States, 2014

Selected characteristic	Driving ¹	Working at paid job ¹	Working around house or yard ¹	Attending school ¹	Sports ¹	Leisure activities (excluding sports) ¹	Other ¹
Total	2,009	4,556	5,431	1,920	6,358	7,175	12,263
Sex							
Male	832	2,993	2,416	891	4,057	3,538	5,552
Female	1,177	1,562	3,015	*1,030	2,301	3,637	6,711
Age							
Under 12 years	*	-	*	589	834	1,632	1,718
12-17 years	*	*	*	*1,000	2,082	913	695
18-44 years	1,063	2,647	1,185	*171	2,461	1,719	2,906
45-64 years	*506	1,665	2,307	*	685	1,475	3,286
65-74 years	*	*	899	-	*	612	1,697
75 years and over	*	*	802	-	*225	823	1,960
Race							
One race ²	1,953	4,386	5,393	1,863	6,155	7,071	11,872
White	1,434	3,740	4,845	1,442	4,903	6,130	10,065
Black or African American	433	505	*325	*310	663	648	1,310
American Indian or Alaska Native	*	-	*	*	*342	*	127
Asian	*	*141	*202	*	*247	*262	*351
Native Hawaiian or Other Pacific Islander	-	-	*	-	-	-	*
Two or more races ³	*	*	*	*	*203	*104	390
Black or African American, white	*	*	-	*	*	*	*126
American Indian or Alaska Native, white	-	-	*	*	*	*	*
Hispanic or Latino origin⁴ and race							
Hispanic or Latino	*139	526	*496	*214	573	769	1,035
Mexican or Mexican American	*	*310	*174	*159	334	356	676
Not Hispanic or Latino	1,870	4,030	4,935	1,707	5,785	6,406	11,228
White, single race	1,294	3,317	4,368	*1,248	4,385	5,509	9,157
Black or African American, single race	433	490	*325	*294	663	587	1,290
Education⁵							
Less than a high school diploma	*217	*433	818	-	-	*508	894
High school diploma or GED ⁶	*399	1,214	1,195	-	*255	967	2,827
Some college	*482	1,471	1,506	*	974	1,071	2,958
Bachelor's degree or higher	*352	876	1,576	*	1,219	1,611	2,470
Family income⁷							
Less than \$35,000	691	1,256	1,690	473	1,038	2,120	4,986
\$35,000 or more	1,013	2,760	2,999	1,018	4,634	4,010	5,778
\$35,000-\$49,999	*300	776	542	*201	545	827	1,616
\$50,000-\$74,999	*300	*417	983	*172	860	715	1,344
\$75,000-\$99,999	*	513	421	*229	878	381	1,249
\$100,000 or more	*410	1,055	1,053	*416	2,351	2,086	1,568
Poverty status⁸							
Poor	*371	547	596	*389	526	975	2,305
Near poor	*359	889	1,294	*252	679	1,772	2,844
Not poor	1,191	2,810	3,209	910	4,747	3,910	6,151

Table P-7b. Annualized frequency (number in thousands) of medically consulted injury and poisoning episodes, by activity engaged in at the time of the episode and by selected characteristics: United States, 2014

Selected characteristic	Driving ¹	Working at paid job ¹	Working around house or yard ¹	Attending school ¹	Sports ¹	Leisure activities (excluding sports) ¹	Other ¹
Health insurance coverage ⁹							
Under 65 years:							
Private	946	3,135	2,331	*1,052	4,800	3,599	4,438
Medicaid	*383	396	639	548	792	1,441	2,737
Other	-	-	*384	*	*	*241	715
Uninsured	395	829	*378	*	*377	458	716
65 years and over:							
Private	*	*	499	-	*160	695	1,595
Medicare and Medicaid	-	-	*325	-	-	*254	*266
Medicare only	*	*	604	-	*	*364	1,468
Other	-	-	*272	-	-	*	*328
Uninsured	-	*	-	-	-	-	-
Place of residence ¹⁰							
Large MSA	850	2,356	2,217	*1,092	3,592	3,366	5,685
Small MSA	733	1,458	1,965	647	1,963	2,676	4,423
Not in MSA	*426	742	1,248	*181	803	1,133	2,155
Region							
Northeast	*395	713	782	*210	1,378	950	2,082
Midwest	591	1,229	1,224	*799	1,626	1,635	3,428
South	745	1,711	2,102	606	2,122	2,752	4,160
West	*278	902	1,323	*305	1,232	1,838	2,593

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on the question, "What activity was [person] involved in at the time of the injury/poisoning?" Respondents could indicate up to two activities. "Driving" includes both drivers and passengers. "Other" includes unpaid work such as volunteer work, sleeping, resting, eating, drinking, cooking, hands-on care from another person, and other unspecified activities. Counts of episodes have been annualized in this table. Estimates from this report should not be compared with estimates from 2003 or earlier.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and the Injury and Poisoning Episode file and were weighted using the Person weight. Unknowns for the columns were excluded from the frequencies. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2014 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

Table P-7c. Crude annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by activity engaged in at the time of the episode and selected characteristics: United States, 2014

Selected characteristic	Driving ¹	Working at paid job ¹	Working around house or yard ¹	Attending school ¹	Sports ¹	Leisure activities (excluding sports) ¹	Other ¹
Total	6.42 (0.96)	14.55 (1.46)	17.35 (1.55)	6.13 (1.32)	20.31 (1.76)	22.92 (1.77)	39.17 (2.52)
Sex							
Male	5.44 (1.26)	19.56 (2.56)	15.79 (2.07)	5.82 (1.16)	26.51 (2.84)	23.12 (2.38)	36.28 (3.53)
Female	7.35 (1.37)	9.76 (1.49)	18.84 (2.24)	*6.43 (2.35)	14.38 (1.97)	22.73 (2.57)	41.93 (3.47)
Age							
Under 12 years	*	-	*	12.16 (3.08)	17.21 (3.57)	33.69 (5.31)	35.48 (5.92)
12-17 years	*	*	*	*40.04 (14.77)	83.41 (11.96)	36.58 (7.49)	27.85 (6.42)
18-44 years	9.48 (1.84)	23.60 (3.20)	10.57 (1.85)	*1.52 (0.61)	21.94 (3.17)	15.33 (2.33)	25.92 (3.37)
45-64 years	*6.13 (1.94)	20.17 (3.28)	27.94 (4.03)	*	8.29 (2.18)	17.86 (3.20)	39.79 (4.83)
65-74 years	*	*	34.29 (6.98)	-	*	23.37 (6.38)	64.75 (11.31)
75 years and over	*	*	42.81 (9.74)	-	*12.02 (5.87)	43.98 (10.52)	104.68 (16.28)
Race							
One race ²	6.38 (0.97)	14.33 (1.47)	17.63 (1.58)	6.09 (1.35)	20.11 (1.79)	23.11 (1.80)	38.80 (2.56)
White	5.86 (1.06)	15.28 (1.73)	19.80 (1.90)	5.89 (1.62)	20.03 (2.04)	25.05 (2.10)	41.13 (2.95)
Black or African American	10.74 (3.12)	12.53 (3.59)	*8.07 (2.48)	*7.69 (2.48)	16.44 (3.77)	16.06 (4.07)	32.48 (5.71)
American Indian or Alaska Native	*	-	*	*	*114.20 (44.35)	*	42.47 (11.62)
Asian	*	*8.07 (3.58)	*11.57 (4.88)	*	*14.15 (5.60)	*14.99 (5.14)	*20.08 (8.41)
Native Hawaiian or Other Pacific Islander	-	-	*	-	-	-	*
Two or more races ³	*	*	*	*	*28.75 (11.31)	*14.75 (6.21)	55.30 (15.21)
Black or African American, white	*	*	-	*	*	*	*54.42 (25.70)
American Indian or Alaska Native, white	-	-	*	*	*	*	*
Hispanic or Latino origin⁴ and race							
Hispanic or Latino	*2.55 (1.14)	9.66 (2.33)	*9.10 (2.80)	*3.93 (1.36)	10.52 (2.27)	14.12 (2.74)	19.00 (3.49)
Mexican or Mexican American	*	*8.90 (2.87)	*4.98 (1.71)	*4.56 (1.85)	9.59 (2.55)	10.21 (2.78)	19.39 (4.68)
Not Hispanic or Latino	7.23 (1.13)	15.58 (1.70)	19.09 (1.77)	6.60 (1.58)	22.37 (2.06)	24.77 (2.06)	43.42 (2.94)
White, single race	6.61 (1.29)	16.93 (2.09)	22.30 (2.23)	*6.37 (1.98)	22.39 (2.44)	28.12 (2.55)	46.75 (3.58)
Black or African American, single race	11.41 (3.31)	12.91 (3.79)	*8.58 (2.63)	*7.74 (2.60)	17.47 (4.00)	15.46 (4.17)	34.00 (6.04)
Education⁵							
Less than a high school diploma	*7.98 (2.90)	*15.96 (4.98)	30.11 (7.01)	-	-	*18.70 (5.82)	32.90 (6.92)
High school diploma or GED ⁶	*7.29 (2.54)	22.21 (4.09)	21.85 (3.78)	-	*4.66 (1.84)	17.69 (3.74)	51.70 (7.25)
Some college	*8.36 (2.72)	25.50 (4.42)	26.09 (4.36)	*	16.88 (3.99)	18.57 (3.55)	51.26 (6.53)
Bachelor's degree or higher	*5.34 (1.83)	13.28 (3.42)	23.89 (3.97)	*	18.48 (3.67)	24.42 (4.23)	37.45 (5.24)
Family income⁷							
Less than \$35,000	8.06 (2.13)	14.65 (2.82)	19.73 (3.12)	5.51 (1.51)	12.11 (2.38)	24.74 (3.21)	58.18 (5.62)
\$35,000 or more	5.57 (1.20)	15.17 (1.97)	16.48 (1.85)	5.59 (1.12)	25.47 (2.70)	22.04 (2.39)	31.76 (2.90)
\$35,000-\$49,999	*8.86 (3.27)	22.90 (5.56)	16.01 (4.44)	*5.94 (2.60)	16.08 (4.38)	24.42 (5.54)	47.72 (7.70)
\$50,000-\$74,999	*6.78 (2.85)	*9.43 (3.09)	22.26 (4.27)	*3.90 (1.77)	19.46 (4.49)	16.18 (3.54)	30.44 (5.96)
\$75,000-\$99,999	*	15.19 (4.48)	12.46 (3.27)	*6.77 (3.24)	26.01 (5.72)	11.29 (3.33)	36.98 (7.11)
\$100,000 or more	*5.85 (1.98)	15.04 (3.28)	15.02 (3.01)	*5.93 (1.79)	33.54 (5.27)	29.76 (4.93)	22.37 (3.77)
Poverty status⁸							
Poor	*8.29 (2.89)	12.23 (3.38)	13.31 (2.94)	*8.70 (2.65)	11.74 (2.76)	21.79 (4.40)	51.49 (7.59)
Near poor	*6.28 (2.12)	15.53 (3.53)	22.60 (4.26)	*4.40 (1.56)	11.86 (3.44)	30.95 (4.39)	49.69 (5.97)
Not poor	6.49 (1.27)	15.31 (2.00)	17.48 (1.99)	4.96 (1.06)	25.87 (2.70)	21.30 (2.29)	33.52 (3.01)

Table P-7c. Crude annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by activity engaged in at the time of the episode and selected characteristics: United States, 2014

Selected characteristic	Driving ¹	Working at paid job ¹	Working around house or yard ¹	Attending school ¹	Sports ¹	Leisure activities (excluding sports) ¹	Other ¹
Health insurance coverage⁹							
Under 65 years:							
Private	5.61 (1.25)	18.58 (2.30)	13.81 (1.92)	*6.24 (2.20)	28.45 (2.85)	21.33 (2.30)	26.30 (2.79)
Medicaid	*7.58 (2.43)	7.84 (2.26)	12.65 (2.86)	10.84 (2.56)	15.68 (3.03)	28.53 (4.75)	54.19 (6.85)
Other	-	-	*36.48 (11.13)	*	*	*22.89 (9.11)	67.96 (18.48)
Uninsured	11.19 (3.32)	23.51 (5.73)	*10.71 (3.30)	*	*10.68 (4.90)	12.99 (3.72)	20.31 (4.88)
65 years and over:							
Private	*	*	22.68 (6.54)	-	*7.26 (3.50)	31.57 (8.30)	72.42 (12.86)
Medicare and Medicaid	-	-	*110.28 (35.80)	-	-	*86.48 (39.60)	*90.35 (41.27)
Medicare only	*	*	38.07 (9.96)	-	*	*22.96 (8.04)	92.55 (18.88)
Other	-	-	*78.21 (30.33)	-	-	*	*94.22 (34.41)
Uninsured	-	*	-	-	-	-	-
Place of residence¹⁰							
Large MSA	4.99 (1.15)	13.83 (1.99)	13.02 (1.85)	*6.41 (2.17)	21.09 (2.54)	19.76 (2.30)	33.38 (3.22)
Small MSA	7.51 (1.82)	14.94 (2.61)	20.15 (3.03)	6.63 (1.76)	20.12 (2.77)	27.43 (3.41)	45.33 (4.82)
Not in MSA	*9.43 (3.10)	16.43 (3.77)	27.64 (5.16)	*4.01 (1.56)	17.78 (4.64)	25.08 (4.54)	47.71 (6.79)
Region							
Northeast	*7.45 (2.66)	13.44 (3.62)	14.74 (3.39)	*3.97 (1.47)	25.98 (5.49)	17.90 (4.08)	39.25 (6.31)
Midwest	8.36 (2.44)	17.39 (3.52)	17.31 (3.33)	*11.31 (5.06)	23.00 (3.75)	23.13 (4.12)	48.48 (6.27)
South	6.33 (1.53)	14.54 (2.29)	17.86 (2.53)	5.15 (1.32)	18.02 (2.63)	23.38 (2.76)	35.34 (3.92)
West	*3.88 (1.20)	12.60 (2.72)	18.48 (3.37)	*4.26 (1.47)	17.21 (3.20)	25.67 (3.68)	36.21 (4.42)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on the question, "What activity was [person] involved in at the time of the injury/poisoning?" Respondents could indicate up to two activities. "Driving" includes both drivers and passengers. "Other" includes unpaid work such as volunteer work, sleeping, resting, eating, drinking, cooking, hands-on care from another person, and other unspecified activities. Rates of episodes have been annualized in this table. Estimates from this report should not be compared with estimates from 2003 or earlier.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and the Injury and Poisoning Episode file and were weighted using the Person weight. Unknowns for the columns were excluded from the denominator when calculating rates. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2014 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.