

**Table A-20a. Age-adjusted percent distribution (with standard errors) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2015**

Selected characteristic	All adults aged 18 and over	Ever tested for HIV <sup>1</sup>	Never tested for HIV <sup>1</sup>
Total	100.0	39.4 (0.42)	60.6 (0.42)
Sex			
Male	100.0	36.3 (0.60)	63.7 (0.60)
Female	100.0	42.4 (0.53)	57.6 (0.53)
Age (years)			
18–44	100.0	46.7 (0.64)	53.3 (0.64)
45–64	100.0	39.3 (0.68)	60.7 (0.68)
65–74	100.0	22.6 (0.82)	77.4 (0.82)
75 and over	100.0	10.4 (0.67)	89.6 (0.67)
Race			
One race <sup>2</sup>	100.0	39.3 (0.42)	60.7 (0.42)
White	100.0	36.5 (0.47)	63.5 (0.47)
Black or African American	100.0	58.2 (1.04)	41.8 (1.04)
American Indian or Alaska Native	100.0	42.3 (3.03)	57.7 (3.03)
Asian	100.0	33.5 (1.41)	66.5 (1.41)
Native Hawaiian or Other Pacific Islander	100.0	56.9 (8.01)	43.1 (8.01)
Two or more races <sup>3</sup>	100.0	46.7 (2.99)	53.3 (2.99)
Black or African American, white	100.0	48.6 (5.46)	51.4 (5.46)
American Indian or Alaska Native, white	100.0	46.2 (4.78)	53.8 (4.78)
Hispanic or Latino origin <sup>4</sup> and race			
Hispanic or Latino	100.0	41.8 (0.89)	58.2 (0.89)
Mexican or Mexican American	100.0	39.0 (1.10)	61.0 (1.10)
Not Hispanic or Latino	100.0	39.0 (0.47)	61.0 (0.47)
White, single race	100.0	35.5 (0.54)	64.5 (0.54)
Black or African American, single race	100.0	58.3 (1.07)	41.7 (1.07)
Education <sup>5</sup>			
Less than a high school diploma	100.0	38.0 (1.15)	62.0 (1.15)
High school diploma or GED <sup>6</sup>	100.0	38.1 (0.86)	61.9 (0.86)
Some college	100.0	45.2 (0.76)	54.8 (0.76)
Bachelor's degree or higher	100.0	41.3 (0.67)	58.7 (0.67)
Current employment status <sup>7</sup>			
Employed	100.0	39.6 (0.54)	60.4 (0.54)
Full-time	100.0	39.9 (0.64)	60.1 (0.64)
Part-time	100.0	38.8 (1.25)	61.2 (1.25)
Not employed but has worked previously	100.0	43.2 (0.86)	56.8 (0.86)
Not employed and has never worked	100.0	27.5 (1.50)	72.5 (1.50)

**Table A-20a. Age-adjusted percent distribution (with standard errors) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2015**

Selected characteristic	All adults aged 18 and over	Ever tested for HIV <sup>1</sup>	Never tested for HIV <sup>1</sup>
Family income <sup>8</sup>			
Less than \$35,000	100.0	42.9 (0.69)	57.1 (0.69)
\$35,000 or more	100.0	38.4 (0.54)	61.6 (0.54)
\$35,000–\$49,999	100.0	38.5 (1.11)	61.5 (1.11)
\$50,000–\$74,999	100.0	38.0 (0.98)	62.0 (0.98)
\$75,000–\$99,999	100.0	38.4 (1.19)	61.6 (1.19)
\$100,000 or more	100.0	38.6 (0.85)	61.4 (0.85)
Poverty status <sup>9</sup>			
Poor	100.0	46.8 (1.04)	53.2 (1.04)
Near poor	100.0	39.1 (0.91)	60.9 (0.91)
Not poor	100.0	38.4 (0.52)	61.6 (0.52)
Health insurance coverage <sup>10</sup>			
Under 65:			
Private	100.0	41.4 (0.59)	58.6 (0.59)
Medicaid	100.0	54.7 (1.22)	45.3 (1.22)
Other coverage	100.0	54.2 (2.31)	45.8 (2.31)
Uninsured	100.0	44.4 (1.23)	55.6 (1.23)
65 and over:			
Private	100.0	14.7 (0.81)	85.3 (0.81)
Medicare and Medicaid	100.0	23.8 (2.23)	76.2 (2.23)
Medicare Advantage	100.0	16.3 (1.15)	83.7 (1.15)
Medicare only	100.0	15.3 (1.17)	84.7 (1.17)
Other coverage	100.0	26.4 (2.27)	73.6 (2.27)
Uninsured	100.0	*23.2 (7.20)	76.8 (7.20)
Marital status			
Married	100.0	39.3 (0.58)	60.7 (0.58)
Widowed	100.0	50.6 (4.94)	49.4 (4.94)
Divorced or separated	100.0	52.6 (1.18)	47.4 (1.18)
Never married	100.0	37.3 (0.89)	62.7 (0.89)
Living with a partner	100.0	48.1 (1.62)	51.9 (1.62)
Place of residence <sup>11</sup>			
Large MSA	100.0	41.8 (0.56)	58.2 (0.56)
Small MSA	100.0	37.4 (0.79)	62.6 (0.79)
Not in MSA	100.0	33.5 (1.25)	66.5 (1.25)
Region			
Northeast	100.0	38.9 (1.09)	61.1 (1.09)
Midwest	100.0	33.7 (0.80)	66.3 (0.80)
South	100.0	41.0 (0.72)	59.0 (0.72)
West	100.0	42.6 (0.83)	57.4 (0.83)

**Table A-20a. Age-adjusted percent distribution (with standard errors) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2015**

Selected characteristic	All adults aged 18 and over	Ever tested for HIV <sup>1</sup>	Never tested for HIV <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex			
Hispanic or Latino, male	100.0	38.2 (1.33)	61.8 (1.33)
Hispanic or Latina, female	100.0	45.8 (1.19)	54.2 (1.19)
Not Hispanic or Latino:			
White, single race, male	100.0	32.8 (0.77)	67.2 (0.77)
White, single race, female	100.0	38.2 (0.70)	61.8 (0.70)
Black or African American, single race, male	100.0	55.3 (1.59)	44.7 (1.59)
Black or African American, single race, female	100.0	60.9 (1.33)	39.1 (1.33)

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

<sup>1</sup>Based on a survey question that asked respondents, "Except for tests you may have had as part of blood donations, have you ever been tested for HIV?" HIV is human immunodeficiency virus. Estimates of HIV testing for 2015 may not be comparable with estimates based on 1997-2010 NHIS data due to modifications of the location and wording of the question in the 2011 NHIS survey. The weighted percentage of unknown with respect to HIV testing among adults aged 18 and over was 5.5%.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for adults aged 25 and over. Estimates are age adjusted to the projected 2000 U.S. population as the standard population using four age groups: 25-44, 45-64, 65-74, and 75 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

<sup>8</sup>Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

<sup>9</sup>"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

<sup>10</sup>Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>11</sup>MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarreal MA. Tables of Summary Health Statistics for U.S. Adults: 2015 National Health Interview Survey. National Center for Health Statistics. 2016. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2015.

**Table A-20b. Frequencies (in thousands) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2015**

Selected characteristic	All adults aged 18 and over	Ever tested for HIV <sup>1</sup>	Never tested for HIV <sup>1</sup>
Total	242,501	88,457	140,756
Sex			
Male	116,875	40,266	70,151
Female	125,625	48,191	70,605
Age (years)			
18–44	112,760	49,834	56,965
45–64	83,239	30,922	47,754
65–74	27,297	5,840	20,011
75 and over	19,204	1,861	16,027
Race			
One race <sup>2</sup>	238,301	86,560	138,637
White	191,218	64,158	116,927
Black or African American	29,796	16,524	11,354
American Indian or Alaska Native	2,307	958	1,223
Asian	14,360	4,588	8,875
Native Hawaiian or Other Pacific Islander	619	332	*258
Two or more races <sup>3</sup>	4,200	1,897	2,119
Black or African American, white	851	401	378
American Indian or Alaska Native, white	1,647	715	868
Hispanic or Latino origin <sup>4</sup> and race			
Hispanic or Latino	37,755	15,852	20,123
Mexican or Mexican American	22,992	9,153	12,894
Not Hispanic or Latino	204,746	72,605	120,633
White, single race	157,410	50,236	98,692
Black or African American, single race	28,418	15,728	10,823
Education <sup>5</sup>			
Less than a high school diploma	26,648	8,555	16,211
High school diploma or GED <sup>6</sup>	50,847	16,558	31,315
Some college	61,605	26,124	32,353
Bachelor's degree or higher	72,373	28,612	40,022
Current employment status <sup>7</sup>			
Employed	148,914	60,043	80,978
Full-time	121,609	49,484	65,627
Part-time	25,508	9,854	14,419
Not employed but has worked previously	79,530	24,817	50,166
Not employed and has never worked	13,899	3,553	9,549

**Table A-20b. Frequencies (in thousands) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2015**

Selected characteristic	All adults aged 18 and over	Ever tested for HIV <sup>1</sup>	Never tested for HIV <sup>1</sup>
Family income <sup>8</sup>			
Less than \$35,000	66,342	25,472	37,037
\$35,000 or more	148,656	54,731	87,260
\$35,000–\$49,999	25,114	8,970	14,761
\$50,000–\$74,999	37,018	13,212	22,113
\$75,000–\$99,999	27,607	10,259	16,263
\$100,000 or more	58,917	22,289	34,123
Poverty status <sup>9</sup>			
Poor	28,022	12,742	13,587
Near poor	42,375	15,229	24,851
Not poor	159,450	56,826	94,963
Health insurance coverage <sup>10</sup>			
Under 65:			
Private	135,220	52,244	76,095
Medicaid	25,313	12,936	10,643
Other coverage	9,086	4,498	4,073
Uninsured	24,896	10,580	12,963
65 and over:			
Private	19,581	2,816	15,662
Medicare and Medicaid	3,267	729	2,323
Medicare Advantage	11,634	1,862	9,080
Medicare only	7,890	1,203	6,238
Other coverage	3,808	1,011	2,512
Uninsured	249	*62	179
Marital status			
Married	128,583	45,151	76,788
Widowed	14,720	2,392	11,411
Divorced or separated	27,858	12,510	13,722
Never married	53,374	19,708	30,589
Living with a partner	17,665	8,567	8,122
Place of residence <sup>11</sup>			
Large MSA	134,062	52,526	73,968
Small MSA	74,299	25,672	44,517
Not in MSA	34,140	10,259	22,271
Region			
Northeast	42,320	14,798	24,973
Midwest	54,367	16,867	34,465
South	90,015	34,036	50,931
West	55,798	22,756	30,387

**Table A-20b. Frequencies (in thousands) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2015**

Selected characteristic	All adults aged 18 and over	Ever tested for HIV <sup>1</sup>	Never tested for HIV <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex			
Hispanic or Latino, male	18,798	7,119	10,817
Hispanic or Latina, female	18,957	8,733	9,306
Not Hispanic or Latino:			
White, single race, male	76,483	23,473	48,762
White, single race, female	80,927	26,762	49,930
Black or African American, single race, male	12,771	6,774	5,186
Black or African American, single race, female	15,647	8,955	5,638

<sup>1</sup> Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

<sup>1</sup>Based on a survey question that asked respondents, "Except for tests you may have had as part of blood donations, have you ever been tested for HIV?" HIV is human immunodeficiency virus. Estimates of HIV testing for 2015 may not be comparable with estimates based on 1997-2010 NHIS data due to modifications of the location and wording of the question in the 2011 NHIS survey. The weighted percentage of unknown with respect to HIV testing among adults aged 18 and over was 5.5%.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for adults aged 25 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

<sup>8</sup>Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

<sup>9</sup>"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

<sup>10</sup>Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>11</sup>MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All adults aged 18 and over" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarreal MA. Tables of Summary Health Statistics for U.S. Adults: 2015 National Health Interview Survey. National Center for Health Statistics. 2016. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2015.

**Table A-20c Crude percentages (with standard errors) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2015**

Selected characteristic	All adults aged 18 and over	Ever tested for HIV <sup>1</sup>	Never tested for HIV <sup>1</sup>
Total	100.0	38.6 (0.42)	61.4 (0.42)
Sex			
Male	100.0	36.5 (0.60)	63.5 (0.60)
Female	100.0	40.6 (0.54)	59.4 (0.54)
Age (years)			
18–44	100.0	46.7 (0.64)	53.3 (0.64)
45–64	100.0	39.3 (0.68)	60.7 (0.68)
65–74	100.0	22.6 (0.82)	77.4 (0.82)
75 and over	100.0	10.4 (0.67)	89.6 (0.67)
Race			
One race <sup>2</sup>	100.0	38.4 (0.42)	61.6 (0.42)
White	100.0	35.4 (0.46)	64.6 (0.46)
Black or African American	100.0	59.3 (1.09)	40.7 (1.09)
American Indian or Alaska Native	100.0	43.9 (3.35)	56.1 (3.35)
Asian	100.0	34.1 (1.41)	65.9 (1.41)
Native Hawaiian or Other Pacific Islander	100.0	56.3 (8.47)	43.7 (8.47)
Two or more races <sup>3</sup>	100.0	47.2 (3.00)	52.8 (3.00)
Black or African American, white	100.0	51.5 (7.31)	48.5 (7.31)
American Indian or Alaska Native, white	100.0	45.2 (4.81)	54.8 (4.81)
Hispanic or Latino origin <sup>4</sup> and race			
Hispanic or Latino	100.0	44.1 (0.94)	55.9 (0.94)
Mexican or Mexican American	100.0	41.5 (1.14)	58.5 (1.14)
Not Hispanic or Latino	100.0	37.6 (0.46)	62.4 (0.46)
White, single race	100.0	33.7 (0.51)	66.3 (0.51)
Black or African American, single race	100.0	59.2 (1.12)	40.8 (1.12)
Education <sup>5</sup>			
Less than a high school diploma	100.0	34.5 (1.10)	65.5 (1.10)
High school diploma or GED <sup>6</sup>	100.0	34.6 (0.82)	65.4 (0.82)
Some college	100.0	44.7 (0.77)	55.3 (0.77)
Bachelor's degree or higher	100.0	41.7 (0.68)	58.3 (0.68)
Current employment status <sup>7</sup>			
Employed	100.0	42.6 (0.53)	57.4 (0.53)
Full-time	100.0	43.0 (0.58)	57.0 (0.58)
Part-time	100.0	40.6 (1.29)	59.4 (1.29)
Not employed but has worked previously	100.0	33.1 (0.63)	66.9 (0.63)
Not employed and has never worked	100.0	27.1 (1.46)	72.9 (1.46)

**Table A-20c Crude percentages (with standard errors) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2015**

Selected characteristic	All adults aged 18 and over	Ever tested for HIV <sup>1</sup>	Never tested for HIV <sup>1</sup>
Family income <sup>8</sup>			
Less than \$35,000	100.0	40.7 (0.68)	59.3 (0.68)
\$35,000 or more	100.0	38.5 (0.54)	61.5 (0.54)
\$35,000–\$49,999	100.0	37.8 (1.10)	62.2 (1.10)
\$50,000–\$74,999	100.0	37.4 (0.99)	62.6 (0.99)
\$75,000–\$99,999	100.0	38.7 (1.19)	61.3 (1.19)
\$100,000 or more	100.0	39.5 (0.84)	60.5 (0.84)
Poverty status <sup>9</sup>			
Poor	100.0	48.4 (1.09)	51.6 (1.09)
Near poor	100.0	38.0 (0.90)	62.0 (0.90)
Not poor	100.0	37.4 (0.51)	62.6 (0.51)
Health insurance coverage <sup>10</sup>			
Under 65:			
Private	100.0	40.7 (0.56)	59.3 (0.56)
Medicaid	100.0	54.9 (1.23)	45.1 (1.23)
Other coverage	100.0	52.5 (1.99)	47.5 (1.99)
Uninsured	100.0	44.9 (1.24)	55.1 (1.24)
65 and over:			
Private	100.0	15.2 (0.82)	84.8 (0.82)
Medicare and Medicaid	100.0	23.9 (2.31)	76.1 (2.31)
Medicare Advantage	100.0	17.0 (1.21)	83.0 (1.21)
Medicare only	100.0	16.2 (1.27)	83.8 (1.27)
Other coverage	100.0	28.7 (2.64)	71.3 (2.64)
Uninsured	100.0	25.9 (7.49)	74.1 (7.49)
Marital status			
Married	100.0	37.0 (0.56)	63.0 (0.56)
Widowed	100.0	17.3 (0.93)	82.7 (0.93)
Divorced or separated	100.0	47.7 (0.95)	52.3 (0.95)
Never married	100.0	39.2 (0.90)	60.8 (0.90)
Living with a partner	100.0	51.3 (1.49)	48.7 (1.49)
Place of residence <sup>11</sup>			
Large MSA	100.0	41.5 (0.57)	58.5 (0.57)
Small MSA	100.0	36.6 (0.76)	63.4 (0.76)
Not in MSA	100.0	31.5 (1.24)	68.5 (1.24)
Region			
Northeast	100.0	37.2 (1.06)	62.8 (1.06)
Midwest	100.0	32.9 (0.80)	67.1 (0.80)
South	100.0	40.1 (0.72)	59.9 (0.72)
West	100.0	42.8 (0.85)	57.2 (0.85)



**Table A-20c Crude percentages (with standard errors) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2015**

Selected characteristic	All adults aged 18 and over	Ever tested for HIV <sup>1</sup>	Never tested for HIV <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex			
Hispanic or Latino, male	100.0	39.7 (1.37)	60.3 (1.37)
Hispanic or Latina, female	100.0	48.4 (1.26)	51.6 (1.26)
Not Hispanic or Latino:			
White, single race, male	100.0	32.5 (0.74)	67.5 (0.74)
White, single race, female	100.0	34.9 (0.67)	65.1 (0.67)
Black or African American, single race, male	100.0	56.6 (1.66)	43.4 (1.66)
Black or African American, single race, female	100.0	61.4 (1.40)	38.6 (1.40)

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

<sup>1</sup>Based on a survey question that asked respondents, "Except for tests you may have had as part of blood donations, have you ever been tested for HIV?" HIV is human immunodeficiency virus. Estimates of HIV testing for 2015 may not be comparable with estimates based on 1997-2010 NHIS data due to modifications of the location and wording of the question in the 2011 NHIS survey. The weighted percentage of unknown with respect to HIV testing among adults aged 18 and over was 5.5%.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for adults aged 25 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

<sup>8</sup>Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

<sup>9</sup>"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

<sup>10</sup>Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>11</sup>MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarroe MA. Tables of Summary Health Statistics for U.S. Adults: 2015 National Health Interview Survey. National Center for Health Statistics. 2016. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2015.