

Table P-10a. Age-adjusted percent distribution (with standard errors) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2017

Selected characteristic	All persons	None ¹	One ¹	Two ¹	Three or more ¹
Total	100.0	92.8 (0.11)	5.4 (0.10)	1.0 (0.04)	0.7 (0.03)
Sex					
Male	100.0	94.0 (0.13)	4.5 (0.12)	0.9 (0.05)	0.7 (0.05)
Female	100.0	91.7 (0.18)	6.4 (0.15)	1.1 (0.05)	0.8 (0.05)
Age					
Under 12 years	100.0	93.9 (0.24)	5.3 (0.23)	0.4 (0.06)	0.3 (0.06)
12-17 years	100.0	98.3 (0.19)	1.3 (0.16)	0.3 (0.09)	0.1 (0.04)
18-44 years	100.0	94.2 (0.16)	4.7 (0.15)	0.6 (0.05)	0.5 (0.05)
45-64 years	100.0	92.1 (0.21)	5.5 (0.18)	1.4 (0.09)	1.0 (0.07)
65 years and over	100.0	84.7 (0.34)	10.7 (0.29)	2.7 (0.16)	1.9 (0.13)
Race					
One race ²	100.0	92.9 (0.11)	5.4 (0.10)	1.0 (0.04)	0.7 (0.03)
White	100.0	92.8 (0.13)	5.6 (0.11)	1.0 (0.04)	0.6 (0.03)
Black or African American	100.0	92.2 (0.33)	5.3 (0.27)	1.4 (0.14)	1.2 (0.13)
American Indian or Alaska Native	100.0	90.6 (1.40)	6.8 (1.07)	1.1 (0.51)	1.5 (0.53)
Asian	100.0	95.6 (0.35)	3.4 (0.31)	0.4 (0.10)	0.5 (0.11)
Native Hawaiian or Other Pacific Islander	100.0	**92.0 (2.68)	*	0.3 (0.27)	0.9 (0.59)
Two or more races ³	100.0	91.0 (0.75)	6.4 (0.60)	1.3 (0.31)	1.3 (0.33)
Black or African American, white	100.0	85.9 (2.49)	10.4 (2.04)	0.4 (0.22)	*
American Indian or Alaska Native, white	100.0	90.8 (1.26)	6.3 (1.12)	1.4 (0.45)	1.5 (0.50)
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	100.0	93.4 (0.27)	4.7 (0.24)	1.0 (0.11)	0.9 (0.11)
Mexican or Mexican American	100.0	94.0 (0.37)	4.4 (0.33)	0.9 (0.13)	0.7 (0.12)
Not Hispanic or Latino	100.0	92.7 (0.13)	5.6 (0.11)	1.0 (0.04)	0.7 (0.04)
White, single race	100.0	92.6 (0.15)	5.8 (0.13)	1.0 (0.04)	0.6 (0.03)
Black or African American, single race	100.0	92.2 (0.34)	5.3 (0.28)	1.3 (0.14)	1.2 (0.14)
Education ⁵					
Less than a high school diploma	100.0	88.9 (0.43)	7.7 (0.37)	1.8 (0.18)	1.6 (0.19)
High school diploma or GED ⁶	100.0	91.1 (0.26)	6.4 (0.23)	1.5 (0.11)	1.0 (0.09)
Some college	100.0	90.3 (0.25)	6.8 (0.21)	1.6 (0.11)	1.3 (0.10)
Bachelor's degree or higher	100.0	93.2 (0.20)	5.4 (0.19)	0.8 (0.07)	0.5 (0.05)

Table P-10a. Age-adjusted percent distribution (with standard errors) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2017

Selected characteristic	All persons	None ¹	One ¹	Two ¹	Three or more ¹
Family income ⁷					
Less than \$35,000	100.0	90.4 (0.25)	6.6 (0.20)	1.6 (0.10)	1.4 (0.10)
\$35,000 or more	100.0	93.6 (0.14)	5.1 (0.13)	0.8 (0.04)	0.5 (0.03)
\$35,000–\$49,999	100.0	92.9 (0.34)	5.4 (0.29)	1.0 (0.12)	0.7 (0.11)
\$50,000–\$74,999	100.0	93.0 (0.28)	5.5 (0.25)	1.0 (0.09)	0.5 (0.08)
\$75,000–\$99,999	100.0	93.3 (0.33)	5.4 (0.30)	0.8 (0.10)	0.5 (0.08)
\$100,000 or more	100.0	94.2 (0.21)	4.7 (0.20)	0.7 (0.07)	0.3 (0.04)
Poverty status ⁸					
Poor	100.0	89.6 (0.37)	6.8 (0.31)	1.8 (0.17)	1.8 (0.18)
Near poor	100.0	91.5 (0.28)	6.2 (0.24)	1.3 (0.10)	1.0 (0.10)
Not poor	100.0	93.6 (0.14)	5.1 (0.13)	0.8 (0.04)	0.5 (0.03)
Health insurance coverage ⁹					
Under 65:					
Private	100.0	94.8 (0.14)	4.3 (0.13)	0.5 (0.04)	0.3 (0.03)
Medicaid or other public	100.0	89.7 (0.35)	7.1 (0.30)	1.7 (0.15)	1.6 (0.14)
Other	100.0	92.0 (0.68)	5.3 (0.53)	1.6 (0.28)	1.1 (0.27)
Uninsured	100.0	95.3 (0.29)	3.5 (0.27)	0.6 (0.08)	0.5 (0.09)
65 and over:					
Private	100.0	84.1 (0.56)	11.6 (0.51)	2.8 (0.26)	1.5 (0.17)
Dual eligible	100.0	78.7 (1.38)	12.1 (1.10)	4.8 (0.78)	4.3 (0.74)
Medicare Advantage	100.0	86.1 (0.63)	9.7 (0.55)	2.8 (0.29)	1.4 (0.24)
Medicare only	100.0	84.9 (0.82)	10.8 (0.75)	2.0 (0.33)	2.2 (0.34)
Other coverage	100.0	81.0 (1.45)	13.2 (1.34)	3.5 (0.64)	2.3 (0.59)
Uninsured	100.0	**86.4 (6.04)	*	*	0.6 (0.64)
Place of residence ¹⁰					
Large MSA	100.0	93.3 (0.15)	5.1 (0.13)	0.9 (0.05)	0.7 (0.05)
Small MSA	100.0	92.6 (0.19)	5.6 (0.17)	1.0 (0.06)	0.7 (0.06)
Not in MSA	100.0	91.2 (0.39)	6.6 (0.32)	1.3 (0.13)	0.8 (0.08)
Region					
Northeast	100.0	93.3 (0.26)	5.1 (0.24)	1.0 (0.09)	0.7 (0.09)
Midwest	100.0	91.8 (0.27)	6.2 (0.24)	1.1 (0.08)	0.8 (0.07)
South	100.0	92.5 (0.18)	5.6 (0.16)	1.2 (0.06)	0.7 (0.06)
West	100.0	94.0 (0.21)	4.7 (0.19)	0.7 (0.06)	0.6 (0.06)

Table P-10a. Age-adjusted percent distribution (with standard errors) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2017

Selected characteristic	All persons	None ¹	One ¹	Two ¹	Three or more ¹
Hispanic or Latino origin ⁴ , race, and sex					
Hispanic or Latino, male	100.0	94.5 (0.38)	3.9 (0.33)	0.7 (0.13)	0.8 (0.17)
Hispanic or Latina, female	100.0	92.2 (0.37)	5.6 (0.33)	1.2 (0.16)	1.0 (0.14)
Not Hispanic or Latino:					
White, single race, male	100.0	93.8 (0.16)	4.7 (0.14)	0.9 (0.06)	0.6 (0.05)
White, single race, female	100.0	91.4 (0.23)	6.9 (0.21)	1.1 (0.07)	0.6 (0.05)
Black or African American, single race, male	100.0	93.1 (0.45)	4.6 (0.39)	1.3 (0.18)	1.0 (0.17)
Black or African American, single race, female	100.0	91.5 (0.47)	5.9 (0.41)	1.3 (0.18)	1.4 (0.21)
Hispanic or Latino origin ⁴ , race, and poverty status					
Hispanic or Latino:					
Poor	100.0	91.7 (0.67)	5.9 (0.57)	1.1 (0.25)	1.3 (0.33)
Near poor	100.0	93.3 (0.52)	4.7 (0.42)	1.3 (0.23)	0.7 (0.17)
Not Poor	100.0	94.3 (0.39)	4.3 (0.33)	0.7 (0.13)	0.8 (0.15)
Not Hispanic or Latino:					
White, single race:					
Poor	100.0	88.3 (0.62)	7.8 (0.51)	2.0 (0.28)	2.0 (0.24)
Near poor	100.0	89.9 (0.42)	7.7 (0.39)	1.4 (0.15)	1.0 (0.13)
Not poor	100.0	93.4 (0.17)	5.3 (0.15)	0.9 (0.05)	0.4 (0.03)
Black or African American, single race:					
Poor	100.0	89.0 (0.88)	6.3 (0.67)	2.7 (0.48)	2.0 (0.45)
Near poor	100.0	91.4 (0.68)	5.4 (0.55)	1.5 (0.29)	1.7 (0.38)
Not poor	100.0	93.7 (0.49)	4.8 (0.43)	0.9 (0.15)	0.6 (0.13)

^{*} Estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), and is not shown.

^{**} Complement of the estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf).

¹Based on the questions: "During the past 12 months was [person] a patient in a hospital overnight?" and "How many different times did [person] stay in any hospital overnight or longer during the past 12 months?" Hospital stays due to childbirth for both the mother and the child are included, but overnight stays in an emergency room are excluded.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using three age groups: 25-44, 45-64, and 65 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using five age groups: 0-11, 12-17, 18-44, 45-64, and 65 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2017 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2017.

Table P-10b. Frequency distribution (number in thousands) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2017

Selected characteristic	All persons	None ¹	One ¹	Two ¹	Three or more ¹
Total	320,182	295,664	18,105	3,512	2,521
Sex					
Male	156,508	146,353	7,326	1,546	1,105
Female	163,674	149,310	10,779	1,966	1,416
Age					
Under 12 years	48,697	45,699	2,591	214	164
12-17 years	24,832	24,397	323	85	23
18-44 years	113,635	106,898	5,339	700	577
45-64 years	83,511	76,814	4,556	1,166	842
65 years and over	49,509	41,856	5,295	1,347	915
Race					
One race ²	311,780	287,967	17,579	3,427	2,436
White	245,791	226,515	14,433	2,741	1,789
Black or African American	41,464	38,233	2,159	551	484
American Indian or Alaska Native	4,014	3,638	270	43	63
Asian	19,723	18,851	668	90	93
Native Hawaiian or Other Pacific Islander	788	**730	*	2	7
Two or more races ³	8,403	7,696	526	84	85
Black or African American, white	2,755	2,500	210	17	27
American Indian or Alaska Native, white	2,481	2,237	158	38	39
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	57,905	54,417	2,528	481	429
Mexican or Mexican American	35,438	33,500	1,418	281	196
Not Hispanic or Latino	262,277	241,246	15,577	3,031	2,092
White, single race	195,264	178,953	12,267	2,348	1,433
Black or African American, single race	38,912	35,846	2,051	507	473
Education ⁵					
Less than a high school diploma	24,986	21,929	2,066	531	428
High school diploma or GED ⁶	53,901	48,565	3,727	929	591
Some college	60,184	54,188	4,156	993	793
Bachelor's degree or higher	75,018	69,909	4,058	610	390

Table P-10b. Frequency distribution (number in thousands) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2017

Selected characteristic	All persons	None ¹	One ¹	Two ¹	Three or more ¹
Family income ⁷					
Less than \$35,000	75,059	67,079	5,337	1,336	1,180
\$35,000 or more	201,053	187,972	10,343	1,697	948
\$35,000–\$49,999	30,625	28,319	1,729	317	242
\$50,000–\$74,999	46,897	43,442	2,674	482	265
\$75,000–\$99,999	35,427	32,994	1,948	300	182
\$100,000 or more	88,104	83,217	3,992	596	260
Poverty status ⁸					
Poor	37,696	33,965	2,426	619	608
Near poor	54,966	50,152	3,469	717	569
Not poor	204,395	190,350	10,913	1,907	1,095
Health insurance coverage ⁹					
Under 65:					
Private	175,732	166,301	7,667	1,032	608
Medicaid or other public	52,393	47,696	3,304	684	644
Other	10,946	9,833	687	248	165
Uninsured	28,591	27,127	1,084	195	180
65 and over:					
Private	20,089	17,021	2,231	518	296
Dual eligible	3,579	2,800	432	172	155
Medicare Advantage	13,054	11,268	1,242	351	189
Medicare only	8,684	7,374	918	171	186
Other coverage	3,462	2,811	446	121	79
Uninsured	391	**355	*	*	*
Place of residence ¹⁰					
Large MSA	183,604	170,769	9,564	1,781	1,347
Small MSA	95,729	88,039	5,635	1,096	782
Not in MSA	40,849	36,856	2,907	635	392
Region					
Northeast	58,454	54,191	3,138	631	458
Midwest	70,076	63,975	4,542	850	623
South	116,629	107,278	6,809	1,456	928
West	75,024	70,219	3,616	575	513

Table P-10b. Frequency distribution (number in thousands) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2017

Selected characteristic	All persons	None ¹	One ¹	Two ¹	Three or more ¹
Hispanic or Latino origin ⁴ , race, and sex					
Hispanic or Latino, male	28,995	27,650	969	175	179
Hispanic or Latina, female	28,910	26,767	1,559	306	249
Not Hispanic or Latino:					
White, single race, male	95,868	88,925	5,029	1,091	676
White, single race, female	99,396	90,028	7,238	1,257	757
Black or African American, single race, male	18,139	16,904	819	226	180
Black or African American, single race, female	20,773	18,942	1,231	281	293
Hispanic or Latino origin ⁴ , race, and poverty status					
Hispanic or Latino:					
Poor	11,836	10,984	609	112	114
Near poor	15,802	14,872	675	148	101
Not poor	25,984	24,579	1,050	165	182
Not Hispanic or Latino:					
White, single race:					
Poor	14,100	12,407	1,098	274	274
Near poor	25,827	22,935	2,145	417	293
Not poor	142,156	131,646	8,193	1,484	728
Black or African American, single race:					
Poor	8,261	7,426	480	183	158
Near poor	8,637	7,904	463	122	143
Not poor	18,434	17,230	903	166	121

^{*} Corresponding crude percentage for the frequency is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), so the frequency is not shown.

^{**} Complement of the corresponding crude percentage for the frequency is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf).

¹Based on the questions: "During the past 12 months was [person] a patient in a hospital overnight?" and "How many different times did [person] stay in any hospital overnight or longer during the past 12 months?" Hospital stays due to childbirth for both the mother and the child are included, but overnight stays in an emergency room are excluded.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the frequencies, but they were included in the "All persons" column. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2017 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2017

Table P-10c. Crude percent distribution (with standard errors) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2017

Selected characteristic	All persons	None ¹	One ¹	Two ¹	Three or more ¹
Total	100.0	92.5 (0.12)	5.7 (0.10)	1.1 (0.04)	0.8 (0.04)
Sex					
Male	100.0	93.6 (0.14)	4.7 (0.12)	1.0 (0.05)	0.7 (0.05)
Female	100.0	91.3 (0.18)	6.6 (0.15)	1.2 (0.06)	0.9 (0.05)
Age					
Under 12 years	100.0	93.9 (0.24)	5.3 (0.23)	0.4 (0.06)	0.3 (0.06)
12-17 years	100.0	98.3 (0.19)	1.3 (0.16)	0.3 (0.09)	0.1 (0.04)
18-44 years	100.0	94.2 (0.16)	4.7 (0.15)	0.6 (0.05)	0.5 (0.05)
45-64 years	100.0	92.1 (0.21)	5.5 (0.18)	1.4 (0.09)	1.0 (0.07)
65 years and over	100.0	84.7 (0.34)	10.7 (0.29)	2.7 (0.16)	1.9 (0.13)
Race					
One race ²	100.0	92.5 (0.12)	5.6 (0.10)	1.1 (0.04)	0.8 (0.04)
White	100.0	92.3 (0.13)	5.9 (0.11)	1.1 (0.04)	0.7 (0.04)
Black or African American	100.0	92.3 (0.33)	5.2 (0.27)	1.3 (0.13)	1.2 (0.13)
American Indian or Alaska Native	100.0	90.6 (1.34)	6.7 (1.02)	1.1 (0.50)	1.6 (0.57)
Asian	100.0	95.7 (0.35)	3.4 (0.30)	0.5 (0.10)	0.5 (0.11)
Native Hawaiian or Other Pacific Islander	100.0	**92.7 (2.48)	*	0.3 (0.31)	0.8 (0.60)
Two or more races ³	100.0	91.7 (0.69)	6.3 (0.58)	1.0 (0.24)	1.0 (0.25)
Black or African American, white	100.0	90.7 (1.26)	7.6 (1.10)	0.6 (0.32)	1.0 (0.40)
American Indian or Alaska Native, white	100.0	90.5 (1.29)	6.4 (1.10)	1.5 (0.48)	1.6 (0.56)
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	100.0	94.1 (0.25)	4.4 (0.22)	0.8 (0.09)	0.7 (0.09)
Mexican or Mexican American	100.0	94.6 (0.32)	4.0 (0.29)	0.8 (0.11)	0.6 (0.09)
Not Hispanic or Latino	100.0	92.1 (0.13)	5.9 (0.11)	1.2 (0.04)	0.8 (0.04)
White, single race	100.0	91.8 (0.15)	6.3 (0.13)	1.2 (0.05)	0.7 (0.04)
Black or African American, single race	100.0	92.2 (0.35)	5.3 (0.28)	1.3 (0.14)	1.2 (0.14)
Education ⁵					
Less than a high school diploma	100.0	87.9 (0.45)	8.3 (0.37)	2.1 (0.20)	1.7 (0.20)
High school diploma or GED ⁶	100.0	90.2 (0.28)	6.9 (0.24)	1.7 (0.12)	1.1 (0.10)
Some college	100.0	90.1 (0.25)	6.9 (0.21)	1.7 (0.11)	1.3 (0.10)
Bachelor's degree or higher	100.0	93.3 (0.21)	5.4 (0.19)	0.8 (0.07)	0.5 (0.05)

Table P-10c. Crude percent distribution (with standard errors) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2017

Selected characteristic	All persons	None ¹	One ¹	Two ¹	Three or more ¹
Family income ⁷					
Less than \$35,000	100.0	89.5 (0.26)	7.1 (0.21)	1.8 (0.11)	1.6 (0.10)
\$35,000 or more	100.0	93.5 (0.14)	5.1 (0.13)	0.8 (0.04)	0.5 (0.04)
\$35,000–\$49,999	100.0	92.5 (0.35)	5.6 (0.31)	1.0 (0.12)	0.8 (0.12)
\$50,000–\$74,999	100.0	92.7 (0.29)	5.7 (0.26)	1.0 (0.10)	0.6 (0.08)
\$75,000–\$99,999	100.0	93.1 (0.33)	5.5 (0.30)	0.8 (0.10)	0.5 (0.08)
\$100,000 or more	100.0	94.5 (0.20)	4.5 (0.18)	0.7 (0.07)	0.3 (0.04)
Poverty status ⁸					
Poor	100.0	90.3 (0.37)	6.4 (0.30)	1.6 (0.16)	1.6 (0.16)
Near poor	100.0	91.3 (0.29)	6.3 (0.24)	1.3 (0.10)	1.0 (0.10)
Not poor	100.0	93.2 (0.14)	5.3 (0.12)	0.9 (0.05)	0.5 (0.04)
Health insurance coverage ⁹					
Under 65:					
Private	100.0	94.7 (0.14)	4.4 (0.12)	0.6 (0.04)	0.3 (0.03)
Medicaid or other public	100.0	91.1 (0.30)	6.3 (0.26)	1.3 (0.11)	1.2 (0.11)
Other	100.0	89.9 (0.69)	6.3 (0.53)	2.3 (0.34)	1.5 (0.28)
Uninsured	100.0	94.9 (0.29)	3.8 (0.26)	0.7 (0.10)	0.6 (0.11)
65 and over:					
Private	100.0	84.8 (0.54)	11.1 (0.48)	2.6 (0.24)	1.5 (0.17)
Dual eligible	100.0	78.7 (1.38)	12.1 (1.10)	4.8 (0.78)	4.3 (0.74)
Medicare Advantage	100.0	86.3 (0.62)	9.5 (0.53)	2.7 (0.28)	1.4 (0.24)
Medicare only	100.0	85.3 (0.79)	10.6 (0.71)	2.0 (0.32)	2.1 (0.32)
Other coverage	100.0	81.3 (1.44)	12.9 (1.33)	3.5 (0.64)	2.3 (0.55)
Uninsured	100.0	**90.8 (3.56)	*	*	*
Place of residence ¹⁰					
Large MSA	100.0	93.1 (0.15)	5.2 (0.13)	1.0 (0.05)	0.7 (0.05)
Small MSA	100.0	92.1 (0.20)	5.9 (0.17)	1.1 (0.07)	0.8 (0.06)
Not in MSA	100.0	90.4 (0.39)	7.1 (0.32)	1.6 (0.15)	1.0 (0.09)
Region					
Northeast	100.0	92.8 (0.27)	5.4 (0.24)	1.1 (0.10)	0.8 (0.09)
Midwest	100.0	91.4 (0.28)	6.5 (0.23)	1.2 (0.09)	0.9 (0.07)
South	100.0	92.1 (0.19)	5.8 (0.16)	1.3 (0.07)	0.8 (0.06)
West	100.0	93.7 (0.21)	4.8 (0.19)	0.8 (0.06)	0.7 (0.07)

Table P-10c. Crude percent distribution (with standard errors) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2017

Selected characteristic	All persons	None ¹	One ¹	Two ¹	Three or more ¹
Hispanic or Latino origin ⁴ , race, and sex					
Hispanic or Latino, male	100.0	95.4 (0.31)	3.3 (0.27)	0.6 (0.10)	0.6 (0.12)
Hispanic or Latina, female	100.0	92.7 (0.36)	5.4 (0.32)	1.1 (0.14)	0.9 (0.12)
Not Hispanic or Latino:					
White, single race, male	100.0	92.9 (0.19)	5.3 (0.16)	1.1 (0.07)	0.7 (0.06)
White, single race, female	100.0	90.7 (0.23)	7.3 (0.20)	1.3 (0.07)	0.8 (0.06)
Black or African American, single race, male	100.0	93.2 (0.45)	4.5 (0.39)	1.2 (0.17)	1.0 (0.17)
Black or African American, single race, female	100.0	91.3 (0.48)	5.9 (0.41)	1.4 (0.19)	1.4 (0.22)
Hispanic or Latino origin ⁴ , race, and poverty status					
Hispanic or Latino:					
Poor	100.0	92.9 (0.59)	5.1 (0.49)	0.9 (0.22)	1.0 (0.25)
Near poor	100.0	94.1 (0.48)	4.3 (0.39)	0.9 (0.17)	0.6 (0.15)
Not poor	100.0	94.6 (0.36)	4.0 (0.32)	0.6 (0.12)	0.7 (0.13)
Not Hispanic or Latino:					
White, single race:					
Poor	100.0	88.3 (0.63)	7.8 (0.52)	1.9 (0.28)	1.9 (0.25)
Near poor	100.0	88.9 (0.43)	8.3 (0.39)	1.6 (0.16)	1.1 (0.14)
Not poor	100.0	92.7 (0.16)	5.8 (0.15)	1.0 (0.06)	0.5 (0.04)
Black or African American, single race:					
Poor	100.0	90.0 (0.81)	5.8 (0.64)	2.2 (0.40)	1.9 (0.43)
Near poor	100.0	91.6 (0.70)	5.4 (0.55)	1.4 (0.29)	1.7 (0.37)
Not poor	100.0	93.5 (0.49)	4.9 (0.43)	0.9 (0.15)	0.7 (0.13)

¹ Estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), and is not shown.

² Complement of the estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf).

³ Based on the questions: "During the past 12 months was [person] a patient in a hospital overnight?" and "How many different times did [person] stay in any hospital overnight or longer during the past 12 months?" Hospital stays due to childbirth for both the mother and the child are included, but overnight stays in an emergency room are excluded.

⁴ Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

⁵ Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁶ Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁷ Shown only for persons aged 25 and over.

⁸ GED is General Educational Development high school equivalency diploma.

⁹ Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

¹⁰ "Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

¹¹ Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹² MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2017 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2017.