

Table P-2a. Age-adjusted percent distribution (with standard errors) of limitation in usual activities, and age-adjusted percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2017

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Total	100.0	86.6 (0.18)	13.4 (0.18)	13.1 (0.18)
Sex				
Male	100.0	86.4 (0.21)	13.6 (0.21)	13.3 (0.21)
Female	100.0	86.9 (0.22)	13.1 (0.22)	12.7 (0.22)
Age				
Under 12 years	100.0	90.9 (0.32)	9.1 (0.32)	8.9 (0.32)
12-17 years	100.0	89.0 (0.49)	11.0 (0.49)	10.7 (0.49)
18-44 years	100.0	93.3 (0.20)	6.7 (0.20)	6.4 (0.20)
45-64 years	100.0	82.4 (0.36)	17.6 (0.36)	17.1 (0.36)
65-74 years	100.0	74.7 (0.59)	25.3 (0.59)	24.8 (0.58)
75 years and over	100.0	54.6 (0.84)	45.4 (0.84)	44.3 (0.84)
Race				
One race ²	100.0	86.7 (0.18)	13.3 (0.18)	12.9 (0.18)
White	100.0	86.8 (0.20)	13.2 (0.20)	12.9 (0.20)
Black or African American	100.0	83.8 (0.47)	16.2 (0.47)	15.8 (0.46)
American Indian or Alaska Native	100.0	81.8 (1.19)	18.2 (1.19)	17.7 (1.20)
Asian	100.0	92.3 (0.47)	7.7 (0.47)	7.3 (0.47)
Native Hawaiian or Other Pacific Islander	100.0	86.4 (3.25)	13.6 (3.25)	13.6 (3.25)
Two or more races ³	100.0	78.6 (1.00)	21.4 (1.00)	21.2 (1.00)
Black or African American, white	100.0	75.5 (3.29)	24.5 (3.29)	23.9 (3.37)
American Indian or Alaska Native, white	100.0	77.2 (1.82)	22.8 (1.82)	22.7 (1.80)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	100.0	87.9 (0.47)	12.1 (0.47)	11.9 (0.47)
Mexican or Mexican American	100.0	87.8 (0.62)	12.2 (0.62)	12.0 (0.63)
Not Hispanic or Latino	100.0	86.2 (0.20)	13.8 (0.20)	13.4 (0.19)
White, single race	100.0	86.2 (0.23)	13.8 (0.23)	13.4 (0.22)
Black or African American, single race	100.0	83.8 (0.48)	16.2 (0.48)	15.7 (0.47)
Education ⁵				
Less than a high school diploma	100.0	73.9 (0.68)	26.1 (0.68)	25.6 (0.68)
High school diploma or GED ⁶	100.0	81.0 (0.38)	19.0 (0.38)	18.5 (0.38)
Some college	100.0	82.8 (0.37)	17.2 (0.37)	16.8 (0.36)
Bachelor's degree or higher	100.0	90.5 (0.24)	9.5 (0.24)	9.2 (0.24)

Table P-2a. Age-adjusted percent distribution (with standard errors) of limitation in usual activities, and age-adjusted percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2017

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Family income⁷				
Less than \$35,000	100.0	75.9 (0.40)	24.1 (0.40)	23.6 (0.40)
\$35,000 or more	100.0	89.9 (0.20)	10.1 (0.20)	9.9 (0.19)
\$35,000–\$49,999	100.0	85.3 (0.52)	14.7 (0.52)	14.5 (0.52)
\$50,000–\$74,999	100.0	87.9 (0.43)	12.1 (0.43)	11.8 (0.42)
\$75,000–\$99,999	100.0	89.8 (0.42)	10.2 (0.42)	9.9 (0.41)
\$100,000 or more	100.0	92.3 (0.25)	7.7 (0.25)	7.4 (0.25)
Poverty status⁸				
Poor	100.0	72.9 (0.61)	27.1 (0.61)	26.7 (0.61)
Near poor	100.0	79.9 (0.42)	20.1 (0.42)	19.6 (0.42)
Not poor	100.0	89.9 (0.18)	10.1 (0.18)	9.9 (0.18)
Health insurance coverage⁹				
Under 65:				
Private	100.0	93.6 (0.17)	6.4 (0.17)	6.2 (0.16)
Medicaid or other public	100.0	74.7 (0.56)	25.3 (0.56)	24.8 (0.55)
Other	100.0	72.5 (1.13)	27.5 (1.13)	27.0 (1.14)
Uninsured	100.0	92.0 (0.41)	8.0 (0.41)	7.9 (0.40)
65 and over:				
Private	100.0	69.1 (0.75)	30.9 (0.75)	30.1 (0.75)
Dual eligible	100.0	37.3 (1.94)	62.7 (1.94)	62.1 (1.95)
Medicare Advantage	100.0	67.1 (0.92)	32.9 (0.92)	32.3 (0.92)
Medicare only	100.0	67.1 (1.13)	32.9 (1.13)	32.0 (1.13)
Other coverage	100.0	56.8 (1.89)	43.2 (1.89)	42.5 (1.89)
Uninsured	100.0	73.9 (6.49)	26.1 (6.49)	26.1 (6.49)
Place of residence¹⁰				
Large MSA	100.0	87.8 (0.24)	12.2 (0.24)	11.9 (0.23)
Small MSA	100.0	85.5 (0.32)	14.5 (0.32)	14.2 (0.32)
Not in MSA	100.0	83.6 (0.52)	16.4 (0.52)	16.0 (0.51)
Region				
Northeast	100.0	87.2 (0.42)	12.8 (0.42)	12.4 (0.42)
Midwest	100.0	86.0 (0.39)	14.0 (0.39)	13.6 (0.38)
South	100.0	86.5 (0.30)	13.5 (0.30)	13.1 (0.30)
West	100.0	86.6 (0.37)	13.4 (0.37)	13.1 (0.37)

Table P-2a. Age-adjusted percent distribution (with standard errors) of limitation in usual activities, and age-adjusted percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2017

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	100.0	88.0 (0.55)	12.0 (0.55)	11.8 (0.55)
Hispanic or Latina, female	100.0	87.9 (0.53)	12.1 (0.53)	11.8 (0.53)
Not Hispanic or Latino:				
White, single race, male	100.0	86.1 (0.28)	13.9 (0.28)	13.6 (0.27)
White, single race, female	100.0	86.5 (0.27)	13.5 (0.27)	13.1 (0.27)
Black or African American, single race, male	100.0	83.0 (0.64)	17.0 (0.64)	16.6 (0.65)
Black or African American, single race, female	100.0	84.6 (0.64)	15.4 (0.64)	14.8 (0.62)
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	100.0	80.3 (1.19)	19.7 (1.19)	19.6 (1.19)
Near poor	100.0	86.5 (0.81)	13.5 (0.81)	13.2 (0.81)
Not poor	100.0	91.1 (0.52)	8.9 (0.52)	8.7 (0.52)
Not Hispanic or Latino:				
White, single race				
Poor	100.0	66.9 (0.97)	33.1 (0.97)	32.5 (0.97)
Near poor	100.0	75.7 (0.59)	24.3 (0.59)	23.6 (0.58)
Not poor	100.0	89.5 (0.21)	10.5 (0.21)	10.2 (0.21)
Black or African American, single race				
Poor	100.0	73.0 (1.22)	27.0 (1.22)	26.6 (1.22)
Near poor	100.0	78.5 (0.98)	21.5 (0.98)	20.8 (0.98)
Not poor	100.0	89.2 (0.67)	10.8 (0.67)	10.4 (0.61)

¹Based on a series of questions concerning: (a) limitation (s) in a person's ability to engage in work, school, play, or other activities such as needing the help of another person with personal care needs (e.g., eating, bathing, and dressing) or help in handling routine needs (e.g., shopping and household chores) due to a physical, mental, or emotional problem; (b) the specific conditions causing the limitation (s); and (c) the duration of these condition (s). Conditions lasting more than 3 months are classified as chronic; selected conditions (e.g., arthritis, diabetes, cancer, and heart conditions) are considered chronic regardless of duration. "Limited due to one or more chronic conditions" is a subset of the category "Limited."

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 25-44, 45-64, 65-74, and 75 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using six age groups: 0-11, 12-17, 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2017 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2017.

Table P-2b. Frequency distribution (number in thousands) of limitation in usual activities, and frequency (number in thousands) of limitations due to one or more chronic conditions, by selected characteristics: United States, 2017

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Total	320,182	273,933	45,890	44,604
Sex				
Male	156,508	134,365	22,013	21,472
Female	163,674	139,568	23,877	23,132
Age				
Under 12 years	48,697	44,192	4,409	4,320
12-17 years	24,832	22,042	2,730	2,647
18-44 years	113,635	106,010	7,577	7,296
45-64 years	83,511	68,771	14,649	14,240
65-74 years	29,432	21,965	7,430	7,272
75 years and over	20,077	10,953	9,095	8,829
Race				
One race ²	311,780	267,051	44,398	43,128
White	245,791	209,843	35,686	34,727
Black or African American	41,464	34,866	6,545	6,331
American Indian or Alaska Native	4,014	3,350	664	643
Asian	19,723	18,290	1,417	1,340
Native Hawaiian or Other Pacific Islander	788	701	86	86
Two or more races ³	8,403	6,882	1,492	1,476
Black or African American, white	2,755	2,308	418	410
American Indian or Alaska Native, white	2,481	1,874	607	603
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	57,905	51,961	5,913	5,788
Mexican or Mexican American	35,438	31,929	3,483	3,424
Not Hispanic or Latino	262,277	221,972	39,976	38,816
White, single race	195,264	164,324	30,710	29,840
Black or African American, single race	38,912	32,655	6,205	6,006
Education ⁵				
Less than a high school diploma	24,986	17,380	7,603	7,408
High school diploma or GED ⁶	53,901	42,445	11,436	11,118
Some college	60,184	49,383	10,741	10,445
Bachelor's degree or higher	75,018	68,183	6,786	6,566

Table P-2b. Frequency distribution (number in thousands) of limitation in usual activities, and frequency (number in thousands) of limitations due to one or more chronic conditions, by selected characteristics: United States, 2017

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Family income⁷				
Less than \$35,000	75,059	55,074	19,910	19,386
\$35,000 or more	201,053	180,829	20,079	19,554
\$35,000–\$49,999	30,625	25,863	4,763	4,689
\$50,000–\$74,999	46,897	41,049	5,834	5,705
\$75,000–\$99,999	35,427	31,841	3,521	3,417
\$100,000 or more	88,104	82,077	5,961	5,743
Poverty status⁸				
Poor	37,696	28,442	9,217	9,050
Near poor	54,966	43,679	11,249	10,894
Not poor	204,395	182,218	22,004	21,415
Health insurance coverage⁹				
Under 65:				
Private	175,732	163,984	11,595	11,185
Medicaid or other public	52,393	41,177	11,171	10,921
Other	10,946	6,890	4,035	3,940
Uninsured	28,591	26,234	2,343	2,279
65 and over:				
Private	20,089	14,331	5,755	5,591
Dual eligible	3,579	1,334	2,240	2,206
Medicare Advantage	13,054	8,869	4,169	4,084
Medicare only	8,684	5,900	2,748	2,647
Other coverage	3,462	1,986	1,477	1,444
Uninsured	391	320	72	72
Place of residence¹⁰				
Large MSA	183,604	160,353	23,009	22,356
Small MSA	95,729	80,439	15,200	14,799
Not in MSA	40,849	33,140	7,681	7,449
Region				
Northeast	58,454	50,308	8,110	7,882
Midwest	70,076	59,508	10,516	10,201
South	116,629	99,674	16,784	16,314
West	75,024	64,442	10,480	10,207

Table P-2b. Frequency distribution (number in thousands) of limitation in usual activities, and frequency (number in thousands) of limitations due to one or more chronic conditions, by selected characteristics: United States, 2017

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	28,995	26,011	2,974	2,925
Hispanic or Latina, female	28,910	25,950	2,939	2,863
Not Hispanic or Latino:				
White, single race, male	95,868	81,141	14,632	14,243
White, single race, female	99,396	83,183	16,078	15,597
Black or African American, single race, male	18,139	15,186	2,932	2,861
Black or African American, single race, female	20,773	17,469	3,273	3,144
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	11,836	9,920	1,916	1,904
Near poor	15,802	14,079	1,723	1,684
Not poor	25,984	24,087	1,871	1,820
Not Hispanic or Latino:				
White, single race				
Poor	14,100	9,476	4,606	4,492
Near poor	25,827	18,783	7,021	6,803
Not poor	142,156	125,191	16,866	16,432
Black or African American, single race				
Poor	8,261	6,320	1,939	1,903
Near poor	8,637	6,834	1,790	1,729
Not poor	18,434	16,500	1,905	1,842

¹Based on a series of questions concerning: (a) limitation(s) in a person's ability to engage in work, school, play, or other activities such as needing the help of another person with personal care needs (e.g., eating, bathing, and dressing) or help in handling routine needs (e.g., shopping and household chores) due to a physical, mental, or emotional problem; (b) the specific conditions causing the limitation(s); and (c) the duration of these condition(s). Conditions lasting more than 3 months are classified as chronic; selected conditions (e.g., arthritis, diabetes, cancer, and heart conditions) are considered chronic regardless of duration. "Limited due to one or more chronic conditions" is a subset of the category "Limited."

²Refers to persons who indicated only a single race, group including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race, group including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTE: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the frequencies, but they were included in the "All persons" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2017 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2017.

Table P-2c. Crude percent distribution (with standard errors) of limitation in usual activities, and crude percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2017

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Total	100.0	85.7 (0.20)	14.3 (0.20)	14.0 (0.20)
Sex				
Male	100.0	85.9 (0.23)	14.1 (0.23)	13.8 (0.23)
Female	100.0	85.4 (0.25)	14.6 (0.25)	14.2 (0.24)
Age				
Under 12 years	100.0	90.9 (0.32)	9.1 (0.32)	8.9 (0.32)
12-17 years	100.0	89.0 (0.49)	11.0 (0.49)	10.7 (0.49)
18-44 years	100.0	93.3 (0.20)	6.7 (0.20)	6.4 (0.20)
45-64 years	100.0	82.4 (0.36)	17.6 (0.36)	17.1 (0.36)
65-74 years	100.0	74.7 (0.59)	25.3 (0.59)	24.8 (0.58)
75 years and over	100.0	54.6 (0.84)	45.4 (0.84)	44.3 (0.84)
Race				
One race ²	100.0	85.7 (0.20)	14.3 (0.20)	13.9 (0.20)
White	100.0	85.5 (0.23)	14.5 (0.23)	14.2 (0.22)
Black or African American	100.0	84.2 (0.49)	15.8 (0.49)	15.3 (0.48)
American Indian or Alaska Native	100.0	83.5 (1.31)	16.5 (1.31)	16.1 (1.30)
Asian	100.0	92.8 (0.51)	7.2 (0.51)	6.8 (0.50)
Native Hawaiian or Other Pacific Islander	100.0	89.0 (3.10)	11.0 (3.10)	11.0 (3.10)
Two or more races ³	100.0	82.2 (0.97)	17.8 (0.97)	17.7 (0.97)
Black or African American, white	100.0	84.7 (1.47)	15.3 (1.47)	15.1 (1.48)
American Indian or Alaska Native, white	100.0	75.5 (1.98)	24.5 (1.98)	24.3 (1.96)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	100.0	89.8 (0.44)	10.2 (0.44)	10.0 (0.44)
Mexican or Mexican American	100.0	90.2 (0.55)	9.8 (0.55)	9.7 (0.55)
Not Hispanic or Latino	100.0	84.7 (0.22)	15.3 (0.22)	14.9 (0.22)
White, single race	100.0	84.3 (0.25)	15.7 (0.25)	15.3 (0.25)
Black or African American, single race	100.0	84.0 (0.51)	16.0 (0.51)	15.5 (0.50)
Education ⁵				
Less than a high school diploma	100.0	69.6 (0.76)	30.4 (0.76)	29.8 (0.76)
High school diploma or GED ⁶	100.0	78.8 (0.42)	21.2 (0.42)	20.7 (0.42)
Some college	100.0	82.1 (0.39)	17.9 (0.39)	17.4 (0.38)
Bachelor's degree or higher	100.0	90.9 (0.25)	9.1 (0.25)	8.8 (0.24)

Table P-2c. Crude percent distribution (with standard errors) of limitation in usual activities, and crude percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2017

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Family income⁷				
Less than \$35,000	100.0	73.4 (0.49)	26.6 (0.49)	26.0 (0.48)
\$35,000 or more	100.0	90.0 (0.20)	10.0 (0.20)	9.7 (0.19)
\$35,000–\$49,999	100.0	84.4 (0.55)	15.6 (0.55)	15.3 (0.55)
\$50,000–\$74,999	100.0	87.6 (0.44)	12.4 (0.44)	12.2 (0.43)
\$75,000–\$99,999	100.0	90.0 (0.42)	10.0 (0.42)	9.7 (0.41)
\$100,000 or more	100.0	93.2 (0.22)	6.8 (0.22)	6.5 (0.21)
Poverty status⁸				
Poor	100.0	75.5 (0.69)	24.5 (0.69)	24.1 (0.69)
Near poor	100.0	79.5 (0.49)	20.5 (0.49)	19.9 (0.49)
Not poor	100.0	89.2 (0.19)	10.8 (0.19)	10.5 (0.19)
Health insurance coverage⁹				
Under 65:				
Private	100.0	93.4 (0.17)	6.6 (0.17)	6.4 (0.16)
Medicaid and other public	100.0	78.7 (0.50)	21.3 (0.50)	20.9 (0.50)
Other	100.0	63.1 (1.38)	36.9 (1.38)	36.3 (1.38)
Uninsured	100.0	91.8 (0.39)	8.2 (0.39)	8.0 (0.39)
65 and over:				
Private	100.0	71.3 (0.75)	28.7 (0.75)	27.9 (0.74)
Dual eligible	100.0	37.3 (1.96)	62.7 (1.96)	62.1 (1.97)
Medicare Advantage	100.0	68.0 (0.95)	32.0 (0.95)	31.4 (0.95)
Medicare only	100.0	68.2 (1.10)	31.8 (1.10)	30.9 (1.10)
Other coverage	100.0	57.4 (1.85)	42.6 (1.85)	42.0 (1.86)
Uninsured	100.0	81.7 (4.54)	18.3 (4.54)	18.3 (4.54)
Place of residence¹⁰				
Large MSA	100.0	87.5 (0.25)	12.5 (0.25)	12.2 (0.25)
Small MSA	100.0	84.1 (0.37)	15.9 (0.37)	15.5 (0.37)
Not in MSA	100.0	81.2 (0.65)	18.8 (0.65)	18.3 (0.65)
Region				
Northeast	100.0	86.1 (0.45)	13.9 (0.45)	13.5 (0.44)
Midwest	100.0	85.0 (0.44)	15.0 (0.44)	14.6 (0.43)
South	100.0	85.6 (0.34)	14.4 (0.34)	14.0 (0.34)
West	100.0	86.0 (0.41)	14.0 (0.41)	13.7 (0.40)

Table P-2c. Crude percent distribution (with standard errors) of limitation in usual activities, and crude percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2017

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	100.0	89.7 (0.50)	10.3 (0.50)	10.1 (0.50)
Hispanic or Latina, female	100.0	89.8 (0.51)	10.2 (0.51)	9.9 (0.51)
Not Hispanic or Latino:				
White, single race, male	100.0	84.7 (0.30)	15.3 (0.30)	14.9 (0.29)
White, single race, female	100.0	83.8 (0.31)	16.2 (0.31)	15.8 (0.30)
Black or African American, single race, male	100.0	83.8 (0.65)	16.2 (0.65)	15.8 (0.66)
Black or African American, single race, female	100.0	84.2 (0.67)	15.8 (0.67)	15.2 (0.65)
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	100.0	83.8 (1.14)	16.2 (1.14)	16.1 (1.14)
Near poor	100.0	89.1 (0.76)	10.9 (0.76)	10.7 (0.75)
Not poor	100.0	92.8 (0.41)	7.2 (0.41)	7.0 (0.41)
Not Hispanic or Latino:				
White, single race				
Poor	100.0	67.3 (1.18)	32.7 (1.18)	32.0 (1.17)
Near poor	100.0	72.8 (0.72)	27.2 (0.72)	26.5 (0.72)
Not poor	100.0	88.1 (0.23)	11.9 (0.23)	11.6 (0.23)
Black or African American, single race				
Poor	100.0	76.5 (1.31)	23.5 (1.31)	23.1 (1.30)
Near poor	100.0	79.2 (1.14)	20.8 (1.14)	20.1 (1.13)
Not poor	100.0	89.6 (0.62)	10.4 (0.62)	10.0 (0.58)

¹Based on a series of questions concerning: (a) limitation(s) in a person's ability to engage in work, school, play, or other activities such as needing the help of another person with personal care needs (e.g., eating, bathing, and dressing) or help in handling routine needs (e.g., shopping and household chores) due to a physical, mental, or emotional problem; (b) the specific conditions causing the limitation(s); and (c) the duration of these condition(s). Conditions lasting more than 3 months are classified as chronic; selected conditions (e.g., arthritis, diabetes, cancer, and heart conditions) are considered chronic regardless of duration. "Limited due to one or more chronic conditions" is a subset of the category "Limited."

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2017 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2017.