

REF,  
HA201  
1900  
.B1  
v.4

# CENSUS REPORTS

## VOLUME IV

TWELFTH CENSUS OF THE UNITED STATES,  
TAKEN IN THE YEAR 1900



WILLIAM R. MERRIAM, DIRECTOR

# VITAL STATISTICS

PART II

STATISTICS OF DEATHS

PREPARED UNDER THE SUPERVISION OF WILLIAM A. KING,  
CHIEF STATISTICIAN FOR VITAL STATISTICS



WASHINGTON  
UNITED STATES CENSUS OFFICE  
1902

## CONTENTS—PART II.

---

	Page.
Letter of transmittal of the Chief Statistician for Vital Statistics to the Director of the Census.....	v
Table 1. Population and deaths, by states and territories, at each census: 1850 to 1900.....	1
Table 2. Deaths in each state and territory, by sex, at each census: 1870 to 1900.....	3
Table 3. Deaths in each state and territory, during the census year ending May 31, 1900, by color and race.....	5
Table 4. Deaths in the United States, each state and territory, and each registration city, during the census year ending May 31, 1900, by color, general nativity, parent nativity, and sex.....	7
Table 5. Deaths in the United States, each state and territory, and each registration city, during the census year ending May 31, 1900, at each age, by sex.....	21
Table 6. Deaths in the United States, the registration area and its subdivisions and in each state and territory, during the census year ending May 31, 1900, at each age, by sex, color, general nativity, parent nativity, and birthplaces of mothers.....	55
Table 7. Deaths in the United States, each state, state group, and registration city, during the census year ending May 31, 1900, from each reported cause.....	115
Table 8. Deaths in the United States, the registration area and its subdivisions, and in each state and territory, during the census year ending May 31, 1900, from each specified disease and class of diseases, by sex and age.....	227
Table 9. Deaths in the United States, during the census year ending May 31, 1900, from each specified disease and class of diseases, by color and race.....	669
Table 10. Deaths in the registration area, during the census year ending May 31, 1900, from each specified disease and class of diseases, by color and race.....	703
Table 11. Deaths of white persons in the registration area, during the census year ending May 31, 1900, from each specified disease and class of diseases, by birthplaces of mothers.....	729
Table 12. Deaths in each registration state, during the census year ending May 31, 1900, from each specified disease and class of diseases, by birthplaces of mothers.....	843
Table 13. Deaths in the United States, the registration area and its subdivisions and in each grand group, during the census year ending May 31, 1900, at certain ages and from certain specified diseases and classes of diseases, by months.....	881



## LETTER OF TRANSMITTAL.

---

DEPARTMENT OF THE INTERIOR,  
CENSUS OFFICE,  
WASHINGTON, D. C., *January 22, 1902.*

SIR:

I have the honor to transmit for publication Part II of the Report on Vital Statistics.

This part of the report on this subject constitutes Volume IV of the Census Reports, and contains general tables giving the statistics of deaths by cause, sex, and age, in relation to color, general nativity, parent nativity, birthplaces of mothers, and month of death in various combinations.

Part I of this report, which constitutes Volume III of the Census Reports, will contain the tables showing the relation of conjugal condition and occupation to cause of death, and the analysis and ratio tables.

Very respectfully,

WILLIAM A. KING,  
*Chief Statistician for Vital Statistics.*

Hon. WILLIAM R. MERRIAM,  
*Director of the Census.*

---

TABLE 1.

---

POPULATION AND DEATHS, BY STATES AND TERRITORIES, AT EACH CENSUS: 1850 TO 1900.

---

## POPULATION AND DEATHS.

TABLE I.—POPULATION AND DEATHS, BY STATES AND TERRITORIES, AT EACH CENSUS: 1850 TO 1900.

STATES AND TERRITORIES.	1900		1890		1880		1870		1860		1850	
	Population.	Deaths.	Population.	Deaths.	Population.	Deaths.	Population.	Deaths.	Population.	Deaths.	Population.	Deaths.
The United States	1 75,994,575	1,039,094	1 62,947,714	841,419	50,155,783	732,017	38,558,371	483,203	31,443,321	392,613	23,191,876	322,721
Alabama	1,828,697	25,699	1,513,401	19,833	1,262,505	17,355	996,992	10,569	964,201	12,700	771,623	9,084
Arizona	122,931	1,223	88,243	649	40,440	289	9,658	252				
Arkansas	1,311,564	22,513	1,128,211	14,033	802,525	14,496	484,471	6,033	435,450	8,336	209,897	3,014
California	1,485,053	22,506	1,213,393	17,161	864,694	11,115	560,247	8,699	379,994	3,663	92,597	905
Colorado	539,700	7,428	413,249	5,298	194,327	2,515	39,864	372	34,277			
Connecticut	908,420	15,422	746,258	13,863	622,700	8,977	537,454	6,731	460,147	6,113	370,792	5,774
Dakota					135,177	1,270	14,181	98	4,837	4		
Delaware	184,735	3,075	168,493	3,073	146,608	2,190	125,015	1,550	112,216	1,246	91,532	1,209
District of Columbia	278,718	6,364	230,392	5,449	177,624	4,192	131,700	1,993	75,080	1,285	51,687	846
Florida	528,542	6,482	391,422	4,057	269,493	3,103	187,748	2,243	140,424	1,762	37,445	929
Georgia	2,216,331	26,941	1,837,353	20,424	1,542,180	20,777	1,184,109	13,051	1,057,286	12,758	906,185	9,896
Idaho	161,772	1,242	83,543	719	32,610	321	14,999	50				
Illinois	4,821,550	61,229	3,826,352	50,213	3,077,871	43,416	2,539,891	32,560	1,711,951	19,205	851,470	11,755
Indiana	2,516,462	33,536	2,192,404	23,296	1,978,301	30,102	1,680,637	17,405	1,350,423	15,280	938,416	12,675
Indian Territory	392,030	5,286	180,132	145								
Iowa	2,231,853	19,573	1,912,297	17,124	1,624,615	18,375	1,194,020	9,461	674,913	7,227	192,214	2,043
Kansas	1,470,495	16,261	1,423,103	11,647	996,096	14,749	364,399	4,492	107,206	1,553		
Kentucky	2,147,174	27,091	1,858,635	23,019	1,648,690	22,336	1,321,011	14,064	1,155,634	16,347	932,405	15,016
Louisiana	1,331,625	20,955	1,118,533	15,634	939,946	14,161	726,915	13,969	708,002	12,303	517,762	11,941
Maine	694,466	12,143	661,036	9,974	643,936	9,334	626,915	7,699	623,279	7,613	533,169	7,534
Maryland	1,133,044	20,422	1,042,390	17,090	934,943	16,113	780,394	9,636	637,049	7,359	533,034	9,604
Massachusetts	2,305,346	49,756	2,233,947	43,102	1,733,035	31,752	1,457,351	25,532	1,231,066	21,206	994,514	19,330
Michigan	2,420,932	33,572	2,093,890	24,118	1,636,937	19,144	1,184,059	11,020	749,113	7,391	397,654	4,511
Minnesota	1,751,394	17,005	1,310,233	14,376	730,773	3,790	439,706	3,435	172,023	1,109	6,077	29
Mississippi	1,551,270	20,251	1,239,600	14,549	1,131,597	14,136	827,922	9,042	791,305	12,151	606,526	8,711
Missouri	3,106,665	38,034	2,679,135	30,730	2,163,330	35,314	1,721,295	27,232	1,132,012	17,607	632,044	12,235
Montana	243,329	2,133	142,924	1,302	39,159	331	20,595	135				
Nebraska	1,066,300	8,264	1,022,666	8,307	452,402	5,776	122,933	991	23,841	331		
Nevada	42,335	433	47,355	450	62,266	717	42,491	614	6,857			
New Hampshire	411,533	7,400	376,530	6,356	346,991	5,603	313,300	4,235	326,073	4,437	317,976	4,231
New Jersey	1,333,669	32,735	1,444,933	23,455	1,131,116	13,434	906,096	10,532	672,035	7,516	439,555	6,461
New Mexico	195,310	2,674	160,232	2,766	119,565	2,417	91,374	1,173	93,516	1,301	61,547	1,157
New York	7,263,394	130,263	6,003,174	117,837	5,032,371	84,450	4,332,759	63,479	3,330,735	46,736	3,097,394	45,549
North Carolina	1,333,310	21,063	1,117,949	13,001	1,399,750	20,915	1,071,361	10,496	932,622	12,562	369,039	10,145
North Dakota	313,146	2,237	190,933	1,327								
Ohio	4,157,545	53,362	3,672,329	47,347	3,193,062	40,972	2,655,260	28,777	2,339,511	24,613	1,930,329	23,951
Oklahoma	393,331	3,131	78,475	456								
Oregon	413,536	3,396	317,704	2,643	174,763	1,314	90,923	614	52,465	300	13,294	47
Pennsylvania	6,302,115	90,199	5,253,113	70,612	4,232,391	62,055	3,521,951	51,303	2,906,215	30,133	2,311,736	23,513
Rhode Island	423,556	8,176	345,506	7,234	276,531	4,507	217,353	2,701	174,620	2,475	147,545	2,224
South Carolina	1,340,316	17,166	1,151,149	15,017	995,577	15,173	705,606	7,343	703,703	9,700	663,507	8,036
South Dakota	401,570	3,033	343,600	3,332								
Tennessee	2,020,616	30,572	1,767,513	23,060	1,542,359	24,937	1,253,320	13,974	1,109,301	15,064	1,002,717	11,346
Texas	3,043,710	34,160	2,235,527	25,720	1,591,749	23,396	813,579	11,057	604,215	9,342	212,592	3,051
Utah	276,749	3,079	210,779	2,113	143,963	2,360	86,736	834	40,273	374	11,330	239
Vermont	343,641	5,329	332,422	5,261	332,236	4,337	330,551	3,511	315,093	3,351	314,120	3,123
Virginia	1,354,134	25,252	1,655,930	22,454	1,512,565	23,340	1,225,163	14,930	1,596,313	22,355	1,421,661	19,044
Washington	513,103	4,910	357,232	2,763	75,116	734	23,955	213	11,594	50		
West Virginia	953,300	9,533	762,794	7,997	613,457	7,159	442,014	3,953				
Wisconsin	2,069,042	24,923	1,693,330	13,330	1,315,497	15,529	1,054,670	9,761	775,331	7,120	305,331	2,903
Wyoming	92,531	767	62,555	433	20,739	139	9,113	74				

<sup>1</sup> Inclusive of Indian Territory and Indian reservations.

---

TABLE 2.

---

DEATHS IN EACH STATE AND TERRITORY, BY SEX, AT EACH CENSUS: 1870 TO 1900.

---

## DEATHS BY SEX.

TABLE 2.—DEATHS IN EACH STATE AND TERRITORY, BY SEX, AT EACH CENSUS: 1870 TO 1900.

STATES AND TERRITORIES.	1900			1890			1880			1870		
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
The United States .....	1,039,094	551,611	487,483	841,419	444,855	397,064	732,017	377,370	354,647	483,203	255,391	227,812
Alabama .....	25,699	12,970	12,729	19,883	10,046	9,837	17,355	8,504	8,851	10,569	5,506	5,063
Arizona .....	1,223	750	473	649	419	230	289	206	83	252	168	84
Arkansas .....	22,518	11,813	10,705	14,033	7,512	6,521	14,496	7,555	6,941	6,033	3,150	2,883
California .....	22,506	13,998	8,508	17,161	10,843	6,318	11,115	7,169	3,946	3,699	5,506	3,193
Colorado .....	7,428	4,471	2,957	5,298	3,151	2,147	2,515	1,589	926	372	231	141
Connecticut .....	15,422	7,902	7,520	13,863	7,183	6,680	8,977	4,508	4,469	6,731	3,513	3,218
Dakota .....							1,270	720	550	98	69	29
Delaware .....	3,075	1,644	1,431	3,073	1,635	1,438	2,190	1,100	1,090	1,550	818	732
District of Columbia .....	6,364	3,274	3,090	5,449	2,372	2,577	4,192	2,110	2,082	1,993	1,055	998
Florida .....	6,482	3,520	2,962	4,057	2,171	1,886	3,103	1,586	1,517	2,248	1,219	1,029
Georgia .....	26,941	13,321	13,620	20,424	10,258	10,166	20,777	10,342	10,435	13,051	6,686	6,365
Idaho .....	1,242	762	480	719	420	299	321	200	121	50	39	11
Illinois .....	61,229	33,641	27,588	50,213	27,139	23,074	43,416	22,774	20,642	32,560	17,549	15,011
Indiana .....	33,586	17,454	16,132	23,296	11,981	11,315	30,102	15,304	14,798	17,405	9,076	8,329
Indian Territory .....	5,286	2,795	2,491	145	79	66						
Iowa .....	19,573	10,612	8,961	17,124	9,016	8,108	18,375	9,890	8,985	9,461	5,035	4,426
Kansas .....	16,261	8,978	7,283	11,647	6,146	5,501	14,749	7,688	7,061	4,492	2,403	2,089
Kentucky .....	27,091	13,843	13,248	23,019	12,061	10,958	22,836	11,413	11,423	14,064	7,230	6,834
Louisiana .....	20,955	10,971	9,984	15,634	8,492	7,142	14,161	7,652	6,509	13,969	7,905	6,064
Maine .....	12,148	6,292	5,856	9,974	5,276	4,698	9,384	4,647	4,737	7,699	3,977	3,722
Maryland .....	20,422	10,526	9,896	17,090	8,737	8,353	16,113	8,147	7,966	9,686	5,054	4,632
Massachusetts .....	49,756	25,332	24,404	43,102	21,545	21,557	31,732	15,560	16,132	25,532	12,733	12,849
Michigan .....	33,572	18,084	15,488	24,118	12,313	11,305	19,144	10,065	9,079	11,020	5,655	5,355
Minnesota .....	17,005	9,354	7,651	14,876	8,010	6,866	8,790	4,708	4,082	3,485	1,925	1,560
Mississippi .....	20,251	10,299	9,952	14,549	7,530	7,019	14,136	7,258	6,878	9,042	4,713	4,329
Missouri .....	33,084	20,480	17,604	30,730	16,490	14,240	35,314	18,474	16,340	27,232	15,201	13,031
Montana .....	2,138	1,387	801	1,302	840	462	331	223	108	135	137	48
Nebraska .....	3,264	4,480	3,784	3,307	4,458	3,849	5,776	3,016	2,760	991	540	451
Nevada .....	438	290	143	450	337	113	717	530	187	614	422	192
New Hampshire .....	7,400	3,663	3,737	6,856	3,431	3,425	5,503	2,726	2,777	4,285	2,037	2,198
New Jersey .....	32,735	17,462	15,273	28,455	14,954	13,501	18,434	9,499	8,935	10,532	5,633	4,849
New Mexico .....	2,674	1,455	1,219	2,766	1,463	1,303	2,417	1,339	1,078	1,178	621	557
New York .....	130,268	68,648	61,620	117,837	62,206	55,631	84,450	43,742	40,708	68,479	36,366	32,113
North Carolina .....	21,068	10,427	10,641	18,001	8,968	9,033	20,915	10,215	10,700	10,496	5,087	5,409
North Dakota .....	2,237	1,159	1,128	1,827	998	829						
Ohio .....	53,362	28,648	24,714	47,847	25,214	22,633	40,972	21,099	19,873	28,777	15,292	13,485
Oklahoma .....	3,131	1,741	1,440	456	262	194						
Oregon .....	3,396	2,019	1,377	2,643	1,566	1,077	1,314	1,005	809	614	334	230
Pennsylvania .....	90,199	49,150	41,049	70,612	37,867	32,745	62,055	32,528	29,527	51,303	27,192	24,111
Rhode Island .....	3,176	4,132	4,044	7,234	3,633	3,601	4,507	2,228	2,279	2,701	1,403	1,298
South Carolina .....	17,166	8,461	8,705	15,017	7,507	7,510	15,173	7,298	7,875	7,343	3,737	3,606
South Dakota .....	3,088	1,654	1,434	3,392	1,736	1,656						
Tennessee .....	30,572	15,354	15,218	23,060	11,788	11,272	24,987	12,243	12,744	13,974	6,819	7,155
Texas .....	34,160	18,045	16,115	25,720	14,168	11,552	23,896	12,619	11,277	11,057	6,171	4,886
Utah .....	3,079	1,821	1,253	2,113	1,138	980	2,360	1,233	1,122	384	443	436
Vermont .....	5,829	2,986	2,893	5,261	2,568	2,693	4,387	2,428	2,459	3,511	1,781	1,730
Virginia .....	25,252	13,112	12,140	22,454	11,527	10,927	23,340	11,720	12,120	14,930	7,414	7,516
Washington .....	4,910	3,143	1,762	2,768	1,596	1,172		454	280	218	129	89
West Virginia .....	9,588	5,046	4,542	7,997	4,129	3,868	7,159	3,629	3,530	3,953	2,019	1,934
Wisconsin .....	24,928	13,315	11,113	18,330	9,367	8,513	15,529	8,303	7,226	9,761	5,224	4,537
Wyoming .....	767	452	315	433	309	174	139	119	70	74	59	15

---

---

TABLE 3.

---

DEATHS IN EACH STATE AND TERRITORY DURING THE CENSUS YEAR ENDING MAY 31, 1900,  
BY COLOR AND RACE.

---

---

## DEATHS BY COLOR AND RACE.

TABLE 3.—DEATHS IN EACH STATE AND TERRITORY, BY COLOR AND RACE: CENSUS YEAR 1900.

STATES AND TERRITORIES.	Aggregate.	White.	COLORED.				
			Total.	Black.	Indian.	Chinese.	Japanese.
The United States.....	1,039,094	892,092	147,002	140,984	4,801	1,150	117
Alabama.....	25,699	12,937	12,762	12,758	4		
Arizona.....	1,223	947	276	8	266	2	
Arkansas.....	22,518	16,372	6,146	6,142	3	1	
California.....	22,506	21,081	1,425	266	266	811	82
Colorado.....	7,428	7,210	218	179	34	5	
Connecticut.....	15,422	15,048	374	367	5	2	
Delaware.....	3,075	2,490	585	585			
District of Columbia.....	6,864	3,660	2,704	2,701		3	
Florida.....	6,482	3,408	3,074	3,074			
Georgia.....	26,941	13,094	13,847	13,841	1	5	
Idaho.....	1,242	1,075	167	8	146	18	
Illinois.....	61,229	59,618	1,611	1,600	1	10	
Indiana.....	33,586	32,312	1,274	1,267	7		
Indian Territory.....	5,286	3,936	1,350	426	924		
Iowa.....	19,573	19,362	211	187	28	1	
Kansas.....	16,261	15,209	1,052	1,017	35		
Kentucky.....	27,091	22,035	5,056	5,056			
Louisiana.....	20,955	10,250	10,705	10,675	20	10	
Maine.....	12,148	12,112	36	25	10	1	
Maryland.....	20,422	15,341	5,081	5,080		1	
Massachusetts.....	49,756	49,061	695	660	7	28	
Michigan.....	33,572	33,205	367	247	120		
Minnesota.....	17,005	16,816	189	62	126	1	
Mississippi.....	20,251	7,444	12,807	12,747	58	2	
Missouri.....	38,084	34,959	3,125	3,117	1	7	
Montana.....	2,188	1,930	258	17	223	15	3
Nebraska.....	8,264	8,015	249	110	138	1	
Nevada.....	438	349	89	6	78	5	
New Hampshire.....	7,400	7,388	12	12			
New Jersey.....	32,785	31,069	1,666	1,662	1	3	
New Mexico.....	2,674	2,398	276	31	245		
New York.....	130,268	127,382	2,986	2,715	127	91	3
North Carolina.....	21,068	13,217	7,851	7,813	38		
North Dakota.....	2,287	2,046	241	7	234		
Ohio.....	53,362	51,481	1,881	1,877		4	
Oklahoma.....	3,181	2,704	477	161	316		
Oregon.....	3,896	3,176	220	11	146	53	10
Pennsylvania.....	90,199	86,653	3,546	3,519	10	17	
Rhode Island.....	8,176	7,939	237	236		1	
South Carolina.....	17,166	5,808	11,358	11,357	1		
South Dakota.....	3,088	2,448	640	3	636	1	
Tennessee.....	30,572	21,029	9,543	9,539	3	1	
Texas.....	34,160	26,216	7,944	7,938	4	2	
Utah.....	3,079	2,972	107	11	80	15	1
Vermont.....	5,829	5,804	25	25			
Virginia.....	25,252	14,070	11,182	11,174	7	1	
Washington.....	4,910	4,594	316	42	237	22	15
West Virginia.....	9,588	9,074	514	513		1	
Wisconsin.....	24,928	24,747	181	58	123		
Wyoming.....	767	651	116	7	97	9	3

---

TABLE 4.

---

DEATHS IN THE UNITED STATES, EACH STATE AND TERRITORY, AND EACH REGISTRATION CITY, DURING THE CENSUS YEAR ENDING MAY 31, 1900, BY COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND SEX.

---



## VITAL STATISTICS.

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,  
STATES AND TERRITORIES.

STATES AND TERRITORIES.	AGGREGATE.			WHITE.					
	Total.	Male.	Female.	Total.			Native.		
				Total.	Male.	Female.	Total.		
							Total.	Male.	Female.
1 The United States -----	1,089,094	551,611	487,483	892,092	477,080	415,012	694,382	366,122	328,260
2 Alabama -----	25,699	12,970	12,729	12,937	6,541	6,396	12,308	6,164	6,144
3 Arizona -----	1,223	750	473	947	616	331	651	434	247
4 Arkansas -----	22,518	11,813	10,705	16,372	8,689	7,683	15,804	8,281	7,523
5 California -----	22,506	13,998	8,508	21,081	12,912	8,169	13,687	8,049	5,638
6 Colorado -----	7,428	4,471	2,957	7,210	4,351	2,869	4,856	2,779	2,077
7 Connecticut -----	15,422	7,902	7,520	15,048	7,717	7,331	10,800	5,580	5,220
8 Delaware -----	3,075	1,644	1,431	2,490	1,348	1,142	2,134	1,148	986
9 District of Columbia -----	6,364	3,274	3,090	3,660	1,967	1,693	2,989	1,574	1,415
10 Florida -----	6,482	3,520	2,962	3,408	1,933	1,475	2,943	1,623	1,315
11 Georgia -----	26,941	13,321	13,620	13,094	6,547	6,547	12,637	6,276	6,361
12 Idaho -----	1,242	762	480	1,075	674	401	850	505	345
13 Illinois -----	61,229	33,641	27,588	59,618	32,752	26,866	42,545	22,798	19,747
14 Indiana -----	33,586	17,454	16,132	32,312	16,789	15,523	28,307	14,480	13,827
15 Indian Territory -----	5,286	2,795	2,491	3,986	2,119	1,817	3,863	2,083	1,780
16 Iowa -----	19,573	10,612	8,961	19,362	10,490	8,872	14,089	7,511	6,578
17 Kansas -----	16,261	8,978	7,283	15,209	8,444	6,765	11,337	6,174	5,163
18 Kentucky -----	27,091	13,843	13,248	22,035	11,337	10,698	19,947	10,151	9,796
19 Louisiana -----	20,955	10,971	9,984	10,250	5,590	4,660	8,465	4,566	3,909
20 Maine -----	12,148	6,292	5,856	12,112	6,263	5,844	10,497	5,438	5,059
21 Maryland -----	20,422	10,526	9,896	18,341	8,054	7,287	12,177	6,383	5,794
22 Massachusetts -----	49,756	25,352	24,404	49,061	24,985	24,076	34,952	18,207	16,745
23 Michigan -----	33,572	18,084	15,488	33,205	17,893	15,312	24,068	12,742	11,326
24 Minnesota -----	17,005	9,354	7,651	16,316	9,250	7,566	10,318	5,456	4,862
25 Mississippi -----	20,251	10,299	9,952	7,444	3,880	3,564	7,120	3,680	3,440
26 Missouri -----	38,084	20,480	17,604	34,959	18,833	16,126	29,333	15,525	13,858
27 Montana -----	2,188	1,387	801	1,930	1,256	674	1,069	624	445
28 Nebraska -----	8,264	4,480	3,784	8,015	4,355	3,660	6,042	3,239	2,805
29 Nevada -----	438	290	148	349	240	109	201	128	78
30 New Hampshire -----	7,400	3,663	3,737	7,388	3,660	3,723	5,348	2,904	2,944
31 New Jersey -----	32,735	17,462	15,273	31,069	16,617	14,452	22,829	12,137	10,642
32 New Mexico -----	2,674	1,455	1,219	2,398	1,290	1,103	2,228	1,171	1,057
33 New York -----	130,268	68,648	61,620	127,332	67,135	60,197	88,479	46,814	41,665
34 North Carolina -----	21,068	10,427	10,641	13,217	6,434	6,733	12,305	6,265	6,540
35 North Dakota -----	2,287	1,159	1,128	2,046	1,050	996	1,291	635	656
36 Ohio -----	53,362	28,648	24,714	51,481	27,612	23,869	40,219	21,134	19,035
37 Oklahoma -----	8,181	1,741	1,440	2,704	1,508	1,196	2,563	1,423	1,135
38 Oregon -----	3,396	2,019	1,377	3,176	1,880	1,296	2,412	1,364	1,043
39 Pennsylvania -----	90,199	49,150	41,049	86,653	47,300	39,353	67,229	36,217	31,012
40 Rhode Island -----	8,176	4,132	4,044	7,939	4,021	3,913	5,571	2,922	2,649
41 South Carolina -----	17,166	8,461	8,705	5,808	2,919	2,889	5,605	2,796	2,809
42 South Dakota -----	3,088	1,654	1,434	2,448	1,349	1,099	1,672	894	778
43 Tennessee -----	30,572	15,354	15,218	21,029	10,563	10,461	20,257	10,093	10,164
44 Texas -----	34,160	18,045	16,115	26,216	14,041	12,175	23,526	12,409	11,117
45 Utah -----	3,079	1,821	1,258	2,972	1,764	1,203	1,934	1,067	867
46 Vermont -----	5,829	2,936	2,893	5,804	2,920	2,884	4,835	2,455	2,430
47 Virginia -----	25,252	13,112	12,140	14,070	7,302	6,768	13,472	6,899	6,573
48 Washington -----	4,910	3,148	1,762	4,594	2,955	1,639	3,065	1,312	1,253
49 West Virginia -----	9,588	5,046	4,542	9,074	4,756	4,313	8,651	4,507	4,144
50 Wisconsin -----	24,928	13,815	11,113	24,747	13,724	11,023	15,298	8,225	7,073
51 Wyoming -----	767	452	315	651	395	256	474	281	193

COLOR AND NATIVITY.

PARENT NATIVITY, AND SEX : CENSUS YEAR 1900.

STATES AND TERRITORIES.

WHITE—continued.									COLORED.			
Native—Continued.						Foreign.			Total.	Male.	Female.	
Both parents native.			One or both parents foreign.			Total.	Male.	Female.				
Total.	Male.	Female.	Total.	Male.	Female.				Total.	Male.	Female.	Total.
406,104	209,670	196,484	143,214	77,472	65,742	175,252	97,309	77,943	147,002	74,531	72,471	1
10,089	5,034	5,005	215	105	110	341	228	113	12,762	6,429	6,333	2
279	168	111	250	155	95	219	146	73	276	134	142	3
14,224	7,864	6,860	366	210	156	280	204	76	6,146	3,124	3,022	4
2,968	1,730	1,238	1,431	797	634	6,874	4,480	2,394	1,425	1,086	339	5
2,098	1,185	913	711	405	306	1,233	842	391	213	120	98	6
5,020	2,482	2,538	4,057	2,190	1,867	3,941	1,955	1,986	374	185	189	7
352	192	160	29	12	17	286	125	111	585	296	289	8
2,198	1,145	1,053	522	270	252	616	359	257	2,704	1,307	1,397	9
2,120	1,156	964	178	95	83	381	245	136	3,074	1,587	1,487	10
10,075	4,899	5,176	108	63	45	257	160	97	13,847	6,774	7,073	11
533	303	230	219	125	94	189	138	51	167	88	79	12
16,744	8,319	7,925	4,409	2,434	1,975	16,052	9,297	6,755	1,611	889	722	13
21,836	11,089	10,747	3,205	1,624	1,581	3,247	1,876	1,371	1,274	665	609	14
3,548	1,903	1,645	84	49	35	37	23	14	1,350	676	674	15
8,056	4,254	3,802	3,025	1,608	1,417	4,240	2,401	1,839	211	122	89	16
7,106	3,776	3,330	1,677	918	759	1,720	1,064	656	1,052	534	518	17
16,295	8,200	8,095	570	306	264	1,221	699	522	5,056	2,506	2,550	18
6,039	3,173	2,866	1,098	607	491	1,670	955	715	10,705	5,381	5,324	19
7,954	4,073	3,881	2,009	1,091	918	1,487	762	725	36	24	12	20
4,056	2,160	1,896	353	196	157	2,391	1,258	1,133	5,081	2,472	2,609	21
15,357	7,748	7,609	16,194	8,788	7,406	13,645	6,517	7,128	695	367	328	22
13,036	6,789	6,249	9,125	4,904	4,221	8,752	4,858	3,894	367	191	176	23
4,221	2,229	1,992	5,513	2,896	2,617	6,285	3,634	2,651	189	104	85	24
6,677	3,433	3,244	160	87	73	150	95	55	12,807	6,419	6,388	25
19,236	9,962	9,274	1,824	994	830	4,771	2,824	1,947	3,125	1,647	1,478	26
494	289	205	342	193	149	534	394	140	253	131	127	27
2,976	1,561	1,415	1,442	770	672	1,737	987	750	249	125	124	28
89	51	38	71	42	29	137	107	30	89	50	39	29
3,051	1,502	1,549	1,651	855	796	1,077	529	548	12	3	9	30
12,309	6,370	5,939	8,334	4,565	3,769	7,915	4,202	3,713	1,666	845	821	31
1,985	1,031	954	204	110	94	116	78	38	276	165	111	32
42,006	21,581	20,425	33,071	20,694	17,377	37,505	19,428	18,077	2,936	1,513	1,423	33
12,166	5,945	6,221	53	28	25	63	38	25	7,851	3,943	3,908	34
345	171	174	894	432	462	715	391	324	241	109	132	35
25,885	13,383	12,502	8,695	4,668	4,027	9,356	5,294	4,062	1,881	1,036	845	36
2,126	1,169	957	223	124	99	113	62	51	477	233	244	37
1,218	686	532	331	192	139	632	409	223	220	139	81	38
23,823	15,531	13,292	9,257	5,121	4,136	16,354	9,313	7,041	3,546	1,850	1,696	39
2,726	1,342	1,384	2,694	1,438	1,206	2,295	1,054	1,241	237	111	126	40
5,235	2,626	2,659	142	62	80	144	85	59	11,358	5,542	5,816	41
728	400	323	866	454	412	751	432	319	640	305	335	42
17,729	8,755	8,974	252	122	130	511	330	181	9,543	4,736	4,757	43
18,323	9,543	8,780	2,228	1,178	1,050	2,136	1,292	844	7,944	4,004	3,940	44
961	509	452	782	424	353	933	645	338	107	57	50	45
						844	424	420	25	16	9	46
10,639	5,384	5,305	165	102	63	439	319	120	11,132	5,810	5,372	47
1,676	975	701	877	500	377	1,211	895	316	316	193	123	48
7,858	4,060	3,798	337	186	151	338	201	137	514	290	224	49
6,340	3,332	2,948	7,802	4,137	3,665	8,974	5,173	3,801	131	91	90	50
247	143	99	169	96	73	137	82	55	116	57	59	51

VITAL STATISTICS.

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,

REGISTRATION CITIES.

REGISTRATION CITIES.	AGGREGATE.			WHITE.					
	Total.	Male.	Female.	Total.			Native.		
				Total.	Male.	Female.	Total.		
							Total.	Male.	Female.
1 Total	402,666	215,115	187,551	367,430	196,694	170,736	250,506	133,654	116,852
2 Adams town, Mass	179	93	86	179	93	86	127	69	58
3 Alameda, Cal	224	122	102	220	121	99	137	76	61
4 Albany, N. Y	1,813	897	916	1,787	881	906	1,212	612	600
5 Alexandria, Va	351	179	172	180	97	83	165	90	75
6 Allegheny, Pa	2,385	1,326	1,059	2,341	1,300	1,041	1,652	901	751
7 Allentown, Pa	646	346	300	645	345	300	564	291	273
8 Altoona, Pa	752	440	312	741	432	309	645	373	272
9 Amesbury town, Mass	144	77	67	143	77	66	117	62	55
10 Amsterdam, N. Y	336	168	168	334	166	168	251	120	131
11 Annapolis, Md	170	87	83	83	47	36	67	39	28
12 Ann Arbor, Mich	185	101	84	180	98	82	124	64	60
13 Ansonia town, Conn	227	122	105	212	115	97	136	75	61
14 Appleton, Wis	175	107	68	175	107	68	110	68	44
15 Arlington town, Mass	133	64	69	133	64	69	96	46	50
16 Ashtabula, Ohio	219	134	85	216	132	84	140	87	58
17 Atlanta, Ga	2,387	1,255	1,132	1,250	668	582	1,210	642	568
18 Atlantic City, N. J	466	244	222	384	199	185	306	148	158
19 Attleboro town, Mass	160	76	84	157	75	82	113	59	54
20 Auburn, N. Y	521	265	256	511	261	250	395	207	188
21 Augusta, Me	308	147	161	308	147	161	238	116	142
22 Aurora, Ill	362	197	165	352	194	158	246	131	115
23 Baltimore, Md	10,679	5,414	5,265	8,193	4,230	3,963	6,365	3,297	3,068
24 Bangor, Me	354	188	166	352	187	165	270	146	124
25 Barre, Vt	153	80	73	157	78	78	117	60	57
26 Bath, Me	146	70	76	143	68	75	114	54	60
27 Battle Creek, Mich	250	135	115	243	132	111	196	111	85
28 Bay City, Mich	351	206	145	350	206	144	220	128	92
29 Bayonne, N. J	545	286	259	535	281	254	377	202	175
30 Bellaire, Ohio	167	94	73	160	90	70	123	65	58
31 Belleville, Ill	269	150	119	263	146	117	162	89	73
32 Beloit, Wis	152	74	78	151	74	77	123	60	63
33 Bennington town, Vt	127	61	66	126	61	65	102	54	48
34 Berlin, N. H	149	79	70	149	79	70	106	54	52
35 Beverly, Mass	205	98	112	205	98	112	153	77	81
36 Biddeford, Me	375	206	169	375	206	169	271	158	113
37 Binghamton, N. Y	698	350	348	689	346	343	566	275	291
38 Boston, Mass	11,277	5,726	5,551	10,950	5,396	5,554	7,088	3,735	3,353
39 Bridgeport, Conn	1,226	658	568	1,195	643	552	812	445	367
40 Bridgeton, N. J	200	102	98	182	96	86	172	90	82
41 Bristol town, Conn	149	63	86	147	63	84	115	47	68
42 Brockton, Mass	529	285	244	527	283	244	420	224	196
43 Brockline town, Mass	260	133	127	258	132	126	189	102	87
44 Buffalo, N. Y	5,207	2,779	2,428	5,157	2,747	2,410	3,254	1,798	1,456
45 Burlington, Iowa	384	222	162	371	212	159	237	138	99
46 Burlington, Vt	347	169	178	339	163	176	261	136	125
47 Cambridge, Mass	1,699	841	858	1,598	790	808	1,074	535	539
48 Camden, N. J	1,235	684	601	1,069	553	516	837	446	441
49 Canton, Ohio	408	212	196	405	210	195	302	157	145
50 Carbondale, Pa	295	166	129	295	166	129	201	113	88
51 Carlisle, Pa	207	113	94	181	98	83	177	95	82
52 Central Falls, R. I	290	148	142	289	148	141	172	101	71
53 Charleston, S. C	2,094	1,081	1,013	2,021	1,013	981	1,481	747	734
54 Chelsea, Mass	636	330	306	629	325	304	449	243	206
55 Chicago, Ill	27,533	15,135	12,398	26,854	14,752	12,102	16,997	9,084	7,913
56 Chicopee, Mass	399	203	196	399	203	196	281	150	131
57 Chillicothe, Ohio	277	131	146	252	123	129	192	94	98
58 Chippewa Falls, Wis	100	54	46	100	54	46	60	29	31
59 Cincinnati, Ohio	6,214	3,383	2,831	5,786	3,153	2,633	3,573	1,939	1,634
60 Cleveland, Ohio	6,521	3,599	2,922	6,411	3,526	2,885	4,377	2,386	1,991
61 Clinton town, Mass	224	113	111	224	113	111	136	75	61
62 Cohoes, N. Y	484	238	246	484	238	246	329	166	163
63 Columbia, Pa	239	119	120	229	115	114	208	102	106
64 Columbus, Ind	162	76	86	158	72	81	140	64	76
65 Columbus, Ohio	1,933	1,085	898	1,809	986	823	1,450	790	660
66 Concord, N. H	357	171	186	356	171	185	308	144	164
67 Corning, N. Y	199	106	93	196	105	91	163	89	74
68 Cortland, N. Y	120	56	64	119	56	63	103	45	60
69 Covington, Ky	369	477	392	314	454	360	588	340	248
70 Danbury town, Conn	320	163	157	317	161	156	229	117	112
71 Danvers town, Mass	152	67	85	151	67	84	101	46	55
72 Danville, Ill	312	190	122	293	177	116	210	124	86
73 Davenport, Iowa	562	307	255	553	302	251	284	159	125
74 Dayton, Ohio	1,405	726	679	1,333	690	643	1,008	503	505
75 Decatur, Ill	355	191	164	345	186	159	279	140	139
76 Denver, Colo	2,484	1,431	1,053	2,391	1,377	1,014	1,555	869	686
77 Detroit, Mich	4,893	2,522	2,371	4,790	2,465	2,325	3,113	1,639	1,474
78 District of Columbia	6,364	3,274	3,090	3,660	1,987	1,673	2,939	1,574	1,415
79 Dover, N. H	257	129	128	256	129	127	192	102	90
80 Dubois, Pa	131	68	63	130	67	63	103	54	49
81 Duluth, Minn	698	436	262	696	435	261	369	199	170

COLOR AND NATIVITY.

PARENT NATIVITY, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES.

WHITE—continued.						COLORED.						
Native—Continued.						Foreign.			Total.	Male.	Female.	
Both parents native.			One or both parents foreign.			Total.	Male.	Female.				
Total.	Male.	Female.	Total.	Male.	Female.				Total.	Male.	Female.	
70,281	36,297	33,984	80,595	43,763	36,832	106,484	56,683	49,801	35,236	18,421	16,815	1
31	18	13	86	48	38	50	24	26				2
521	270	251	423	213	210	76	39	37	4	1	3	3
99	57	42	4	3	1	541	251	290	26	16	10	4
1,001	536	465	605	341	264	15	7	8	171	82	89	5
						670	384	286	44	26	18	6
						64	38	26	1	1		7
62	34	28	48	25	23	82	53	29	11	8	3	8
125	59	66	110	53	57	26	15	11	1		1	9
30	18	12	3	2	1	82	45	37	2	2		10
						7	4	3	87	40	47	11
71	39	32	34	14	20	52	30	22	5	3	2	12
37	20	17	90	51	39	74	39	35	15	7	8	13
43	26	17	60	35	25	64	41	23				14
48	18	30	44	26	18	37	18	19				15
89	27	12	34	18	16	61	38	28	3	2	1	16
						38	24	14	1,137	587	550	17
179	87	92	60	30	30	74	47	27	82	45	37	18
60	26	34	46	29	17	43	16	27	3	1	2	19
240	119	121	109	62	47	115	54	61	10	4	6	20
170	69	101	31	11	20	46	28	18				21
172	97	75	72	32	40	106	63	43	10	3	7	22
199	106	93	56	32	24	1,800	913	887	2,486	1,184	1,302	23
						75	37	38	2	1	1	24
91	38	53	23	16	7	39	19	20	1	1		25
						29	14	15	3	2	1	26
144	77	67	23	14	9	40	19	21	7	3	4	27
68	41	27	141	83	58	124	74	50	1		1	28
126	65	61	235	126	109	154	76	78	10	5	5	29
75	39	36	35	17	18	94	52	42	6	4	2	30
												31
78	38	40	33	16	17	26	12	14				32
						22	6	16	1		1	33
8	4	4	85	46	39	21	17	14				34
108	50	58	41	22	19	46	15	31				35
81	45	36	180	109	71	101	47	54				36
325	156	169	123	60	63	111	65	46	9	4	5	37
2,342	1,197	1,145	4,138	2,233	1,905	3,765	1,756	2,009	327	172	155	38
290	147	143	441	254	187	357	181	176	31	15	16	39
133	66	67	10	6	4	9	6	3	18	6	12	40
49	21	23	50	23	27	28	14	14	2	2	2	41
213	108	105	166	95	71	105	58	47	2	2		42
100	51	49	73	42	31	68	30	38	2	1	1	43
1,117	584	533	1,824	1,034	790	1,884	940	944	50	32	18	44
						110	62	48	13	10	3	45
						74	24	50	8	6	2	46
417	198	219	602	315	287	514	248	266	101	51	50	47
613	308	305	199	101	98	171	99	72	166	81	85	48
						70	36	34	3	2	1	49
						92	51	41				50
						2	1	1	26	15	11	51
45	25	20	126	76	50	112	45	67	1		1	52
340	176	164	75	32	43	107	62	45	1,473	751	722	53
182	94	88	203	113	95	178	82	96	7	5	2	54
						9,658	5,513	4,145	679	383	296	55
57	26	31	218	121	97	118	58	65				56
17	7	10	40	20	20	56	27	29	25	8	17	57
1,574	832	742	1,373	742	631	35	21	14				58
1,511	762	749	2,245	1,266	979	1,730	916	814	428	230	198	59
37	20	17	93	52	41	1,940	1,075	865	110	73	37	60
						86	37	49				61
126	70	56	191	89	102	152	69	83				62
						18	12	6	10	5	5	63
94	43	51	19	9	10	9	5	4	9	4	5	64
982	533	449	318	164	154	330	177	153	174	99	75	65
172	86	86	32	35	47	42	23	19	1		1	66
93	58	35	52	24	28	33	16	17	3	1	2	67
80	36	44	10	7	7	10	8	2	1		1	68
374	217	157	147	87	60	208	102	106	55	23	32	69
111	53	53	66	31	35	80	40	40	3	2	1	70
71	32	39	17	6	11	48	20	28	1		1	71
						49	31	18	19	13	6	72
						234	121	113	9	5	4	73
						275	152	123	72	36	36	74
						52	35	16	10	5	5	75
						467	300	167	93	54	39	76
814	420	394	1,771	941	830	1,649	803	846	103	57	46	77
2,198	1,145	1,053	522	270	252	616	359	257	2,704	1,307	1,397	78
91	47	44	65	40	25	53	23	30	1	1	1	79
55	27	23	35	19	16	23	10	13	1	1	1	80
79	39	40	242	132	110	300	213	87	2	1	1	81

VITAL STATISTICS.

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,

REGISTRATION CITIES—Continued.

REGISTRATION CITIES.	AGGREGATE.			WHITE.					
	Total.	Male.	Female.	Total.			Native.		
				Total.	Male.	Female.	Total.		
							Total.	Male.	Female.
1 Dunkirk, N. Y	172	91	81	172	91	81	114	66	48
2 Easton, Pa	421	231	190	414	228	186			
3 Eau Claire, Wis	257	138	119	256	137	119	163	82	81
4 Elizabeth, N. J	911	502	409	886	490	396	595	218	277
5 Elmira, N. Y	550	294	256	537	287	250	424	229	195
6 Erie, Pa	801	460	341	796	457	339	502	283	219
7 Escanaba, Mich	188	125	63	187	125	62	111	65	46
8 Evansville, Ind	1,045	572	473	875	483	392	652	345	307
9 Everett, Mass	386	178	208	376	173	203	287	133	154
10 Fall River, Mass	2,345	1,196	1,149	2,341	1,195	1,146	1,601	861	740
11 Findlay, Ohio	275	142	133	272	141	131	243	125	118
12 Fitchburg, Mass	428	237	191	427	236	191	312	172	140
13 Flint, Mich	185	98	92	180	91	89	144	71	73
14 Framingham town, Mass	190	95	95	190	95	95	136	63	73
15 Frederick, Md	185	91	94	141	67	74	126	61	65
16 Fresno, Cal	187	110	77	157	85	72	134	68	66
17 Galesburg, Ill	270	149	121	259	143	116	163	85	78
18 Gardiner town, Mass	205	90	115	205	90	115	165	70	95
19 Geneva, N. Y	153	72	81	145	69	76	103	52	51
20 Glens Falls, N. Y	242	106	136	241	106	135	188	85	103
21 Gloucester, Mass	388	205	183	387	205	182	286	154	132
22 Gloversville, N. Y	217	103	114	216	103	113	185	89	96
23 Grand Rapids, Mich	1,258	685	573	1,258	685	573	901	485	416
24 Green Bay, Wis	315	173	142	315	173	142	213	118	95
25 Greenwich town, Conn	206	109	97	200	105	95	145	81	64
26 Hamilton, Ohio	349	189	160	342	184	158	252	129	123
27 Harrisburg, Pa	895	495	400	798	442	356	648	357	291
28 Harrison town, N. J	234	114	120	232	113	119	148	79	69
29 Hartford, Conn	1,546	779	767	1,507	755	752	1,055	540	513
30 Haverhill, Mass	561	283	278	557	280	277	434	216	218
31 Hazleton, Pa	205	109	96	205	109	96	144	67	77
32 Helena, Mont	154	86	68	149	82	67	75	44	31
33 Hoboken, N. J	1,253	719	534	1,252	718	534	754	422	332
34 Holyoke, Mass	820	394	426	820	394	426	518	268	250
35 Hudson, N. Y	208	117	91	188	108	80	156	89	67
36 Hutchinson, Kans	189	95	94	185	95	90	180	91	89
37 Hyde Park town, Mass	215	113	102	215	113	102	138	76	62
38 Indianapolis, Ind	2,817	1,434	1,383	2,437	1,254	1,183	1,973	1,017	956
39 Iron Mountain, Mich	122	73	49	122	73	49	88	48	40
40 Ironton, Ohio	221	118	103	201	104	97	153	77	81
41 Ironwood, Mich	126	81	45	126	81	45	77	46	31
42 Ishpeming, Mich	196	114	82	196	114	82	118	73	78
43 Ithaca, N. Y	214	86	128	208	81	127	174	69	105
44 Jackson, Mich	333	177	161	323	171	157	249	126	123
45 Jacksonville, Fla	825	457	368	811	435	376	586	287	249
46 Jacksonville, Ill	329	179	150	309	167	142	154	80	74
47 Jamestown, N. Y	288	144	144	288	144	144	185	89	96
48 Jeffersonville, Ind	227	117	110	169	81	88	140	65	75
49 Jersey City, N. J	4,277	2,285	1,992	4,177	2,234	1,943	2,789	1,518	1,271
50 Johnstown, N. Y	185	79	56	133	77	56	109	63	46
51 Johnstown, Pa	710	414	296	704	409	295	541	304	237
52 Kalamazoo, Mich	416	229	187	405	222	183	332	158	134
53 Kansas City, Mo	2,852	1,558	1,294	2,388	1,340	1,048	1,707	931	776
54 Keene, N. H	125	61	64	125	61	64	104	51	53
55 Keokuk, Iowa	279	143	136	257	132	125	173	88	85
56 Key West, Fla	486	280	206	329	205	124	204	130	74
57 Kingston, N. Y	442	206	236	420	197	223	315	141	174
58 Leconia, N. H	163	86	77	162	86	76	136	68	68
59 Laayette, Ind	236	139	137	222	157	135	183	108	75
60 Lancaster, Pa	724	338	336	707	376	331	536	287	249
61 Lansing, Mich	232	114	118	222	106	116	174	79	95
62 Lansingburg, N. Y	248	122	126	242	119	123	188	95	93
63 Lawrence, Kans	179	85	94	130	64	66	94	48	46
64 Lawrence, Mass	1,262	644	618	1,261	643	618	763	408	355
65 Leadville, Colo	351	237	114	351	237	114			
66 Leavenworth, Kans	419	218	201	322	172	150	213	115	103
67 Lebanon, Pa	326	161	165	326	161	165	305	149	156
68 Leominster town, Mass	176	79	97	174	77	97	146	70	76
69 Lima, Ohio	377	204	173	364	198	166			
70 Lincoln, Nebr	476	262	214	455	252	203	327	172	155
71 Lockport, N. Y	259	131	128	258	131	127	190	99	91
72 Los Angeles, Cal	1,857	1,121	736	1,752	1,047	705	1,277	745	532
73 Louisville, Ky	4,092	2,106	1,986	2,970	1,573	1,397	2,292	1,211	1,081
74 Lowell, Mass	1,876	934	942	1,872	931	941	1,252	660	592
75 Lynchburg, Va	523	248	275	223	105	118	176	82	94
76 Lynn, Mass	1,124	582	542	1,108	576	532	829	440	389
77 McKeesport, Pa	592	311	281	574	300	274	461	240	221
78 Madison, Wis	216	118	98	215	118	97	134	79	65
79 Mahanoy, Pa	360	212	148	359	212	147	226	124	102
80 Malden, Mass	486	222	264	480	221	259	352	166	186

COLOR AND NATIVITY.

PARENT NATIVITY, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

WHITE—continued.						COLORED.						
Native—Continued.						Foreign.			Total.	Male.	Female.	
Both parents native.			One or both parents foreign.			Total.	Male.	Female.				
Total.	Male.	Female.	Total.	Male.	Female.				Total.	Male.	Female.	Total.
35	18	17	71	43	28	58	25	38	7	3	4	1
67	30	37	84	44	40	88	50	38	1	1	3	2
226	119	107	315	165	150	237	170	117	25	12	18	3
282	147	135	120	72	48	110	55	55	13	7	6	5
						246	141	105	5	3	2	6
33	20	13	71	40	31	71	56	15	1	1	1	7
391	208	183	132	94	88	202	125	77	170	89	81	8
139	66	73	123	59	69	83	39	49	10	5	5	9
297	157	140	1,264	684	580	737	331	406	4	1	3	10
						27	15	12	3	1	2	11
209	109	100	82	16	16	112	62	50	1	1	2	12
124	72	52	172	92	80	112	62	50	5	2	3	13
97	51	46	88	17	21	32	17	15	1	1	3	14
66	27	39	55	29	26	51	31	20	4	2	20	15
118	54	59	1		1	11	5	6	44	24	20	15
						21	15	6	30	25	5	16
						76	46	30	11	6	5	17
67	22	45	91	46	45	39	20	19	8	3	5	18
60	28	32	37	21	16	40	15	25	1	3	5	19
116	54	62	62	29	33	51	21	30	1	1	1	20
143	75	68	122	65	57	100	50	50	1		1	21
129	61	68	32	17	15	30	14	16	1		1	22
397	204	193	433	240	198	344	194	150				23
92	63	29	111	52	59	94	49	45				24
69	39	30	67	35	32	52	23	29	6	4	2	25
						78	49	29	7	5	2	26
150	76	74	69	36	33	57	28	29	97	53	44	27
						81	32	49	2	1	1	28
43	24	19	87	51	36	81	32	49	2	1	1	29
288	141	147	371	190	181	416	195	221	39	24	15	30
251	124	127	129	71	58	117	60	57	4	3	1	30
						61	42	19				31
						41	23	18	5	4	1	32
229	121	108	484	279	205	494	292	202	1	1		33
105	58	52	380	196	184	295	123	172				34
112	62	50	29	18	11	28	16	12	20	9	11	35
						3	2	1	4		4	36
70	41	29	63	34	29	76	36	40				37
1,227	648	579	362	179	183	410	211	199	380	180	200	38
6	4	2	79	42	37	34	25	9				39
118	57	61	21	11	10	29	14	15	20	14	6	40
3	1	2	73	44	29	49	35	14				41
13	9	4	104	64	40	37	38	37				42
131	52	79	20	11	9	29	11	18	6	5	1	43
145	72	73	67	37	30	71	38	33	10	6	4	44
						45	31	14	514	272	242	45
						64	40	24	20	12	8	46
124	62	62	56	23	33	101	55	46				47
						29	16	13	58	36	22	48
1,027	526	501	1,622	891	731	1,354	689	665	100	51	49	49
79	49	30	25	13	12	22	14	8	2	2		50
						160	102	58	6	5	1	51
166	89	77	94	50	44	103	57	46	11	7	4	52
999	537	462	373	216	157	360	232	128	464	218	246	53
68	35	33	21	11	10	20	9	11				54
						62	33	29	22	11	11	55
						116	68	48	157	75	82	56
194	80	114	87	40	47	100	51	49	22	9	13	57
74	36	38	40	21	19	24	17	7	1	1	1	58
						50	22	28	4	2	2	59
						104	61	43	17	12	5	60
122	51	71	36	22	14	46	25	21	10	8	2	61
98	44	54	59	38	21	52	24	28	6	3	3	62
						21	12	9	49	21	28	63
172	89	83	573	312	261	486	230	256	1	1		64
												65
						93	50	43	97	46	51	66
293	143	150	3	1	2	18	10	8				67
69	26	43	48	32	16	26	6	20	2	2		68
									13	6	7	69
						84	51	33	21	10	11	70
114	62	52	60	30	30	64	29	35	1	1	1	71
						423	268	155	105	74	31	72
						595	313	282	1,122	533	589	73
288	142	146	826	457	369	593	260	333	4	3	1	74
						4	3	1	800	143	157	75
415	219	196	292	163	129	269	132	137	16	6	10	76
73	38	35	49	34	15	103	57	51	18	11	7	77
81	44	37	123	65	58	75	35	40	1	1	1	78
184	81	103	186	72	64	110	58	35	1	1	1	79
						124	53	71	6	1	5	80

VITAL STATISTICS.

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,

REGISTRATION CITIES—Continued.

REGISTRATION CITIES.	AGGREGATE.			WHITE.					
	Total.	Male.	Female.	Total.			Native.		
				Total.	Male.	Female.	Total.		
							Total.	Male.	Female.
1 Manchester, N. H.	1,092	519	573	1,091	519	572	735	358	377
2 Manchester town, Conn.	126	68	58	126	68	58	86	45	41
3 Manitowoc, Wis.	168	90	78	168	90	78	104	50	54
4 Mankato, Minn.	159	98	61	159	98	61	110	66	44
5 Marietta, Ohio	182	101	81	179	99	80			
6 Marinette, Wis.	232	122	110	228	121	107	146	76	70
7 Marlboro, Mass.	219	110	109	219	110	109	163	86	77
8 Marquette, Mich.	167	99	68	164	97	67	105	60	45
9 Marshalltown, Iowa	181	106	75	180	106	74			
10 Massillon, Ohio	197	109	88	196	108	88	121	64	57
11 Meadville, Pa.	185	96	89	173	91	82	96	61	67
12 Medford, Mass.	262	125	137	259	124	135	208	103	103
13 Melrose, Mass.	191	98	93	188	97	91	151	77	74
14 Memphis, Tenn.	2,572	1,486	1,186	1,145	671	474	951	543	408
15 Menominee, Mich.	179	101	78	179	101	78	120	63	57
16 Meriden town, Conn.	409	218	196	406	212	194	248	129	119
17 Michigan City, Ind.	210	118	92	208	116	92	147	83	64
18 Middletown, N. Y.	258	117	138	248	110	133	197	89	108
19 Middletown, Ohio	145	84	61	139	81	58	100	57	43
20 Middletown town, Conn.	290	138	152	282	134	148	183	90	93
21 Millford town, Mass.	207	116	91	207	116	91	148	77	71
22 Millville, N. J.	176	81	95	174	80	94	167	77	90
23 Milwaukee, Wis.	4,550	2,496	2,054	4,537	2,488	2,049	2,914	1,560	1,354
24 Minneapolis, Minn.	2,183	1,154	1,029	2,156	1,140	1,016	1,404	712	692
25 Mobile, Ala.	995	548	447	995	548	447	854	202	152
26 Montclair, N. J.	217	98	119	188	82	106	149	68	81
27 Morristown, N. J.	191	103	88	162	88	74	129	77	52
28 Mount Carmel, Pa.	295	163	132	294	162	132	226	123	103
29 Mount Vernon, N. Y.	411	203	208	372	183	189	308	147	161
30 Muncie, Ind.	286	146	140	273	142	131	252	123	129
31 Muscatine, Iowa	240	147	93	240	147	93	166	101	65
32 Muskegon, Mich.	255	139	116	253	137	116	178	95	83
33 Nashua, N. H.	479	287	242	479	287	242	350	175	175
34 Nashville, Tenn.	2,042	1,039	1,003	1,055	545	510	925	464	461
35 Natchez, Miss.	485	270	215	139	76	63			
36 Natick town, Mass.	133	80	53	133	80	53	96	59	37
37 Naugatuck town, Conn.	179	86	93	179	86	93	126	67	59
38 Newark, N. J.	4,866	2,622	2,244	4,659	2,515	2,144	3,155	1,718	1,437
39 Newark, Ohio	269	153	116	261	147	114	209	119	90
40 New Bedford, Mass.	1,154	601	553	1,127	586	541	796	429	367
41 New Britain town, Conn.	483	247	236	483	247	236	317	159	158
42 New Brunswick, N. J.	425	215	210	395	203	192	285	141	144
43 Newburg, N. Y.	500	226	274	481	222	259	355	166	189
44 Newburyport, Mass.	312	147	165	308	144	164	243	111	132
45 Newcastle, Pa.	487	259	178	429	256	173	316	179	137
46 New Haven town, Conn.	1,862	953	909	1,767	907	860	1,165	615	550
47 New London, Conn.	345	179	166	337	175	162	251	127	124
48 New Orleans, La.	8,287	4,524	3,763	4,977	2,798	2,179	3,462	1,942	1,520
49 Newport, Ky.	572	312	260	559	307	252			
50 Newport, R. I.	421	223	198	382	205	177	261	150	111
51 New Rochelle, N. Y.	246	132	114	224	121	103	158	89	69
52 Newton, Mass.	479	240	239	472	237	235	371	191	180
53 New York city, N. Y.	70,229	37,499	32,730	68,259	36,498	31,766	43,393	23,439	19,904
54 Bronx borough	3,624	1,972	1,652	3,534	1,931	1,603	2,307	1,260	1,047
55 Brooklyn borough	23,263	12,063	11,200	22,722	11,797	10,925	15,312	8,089	7,223
56 Manhattan borough	39,331	21,254	18,077	38,086	20,609	17,477	28,178	12,727	10,451
57 Queens borough	2,642	1,416	1,226	2,578	1,377	1,201	1,704	906	798
58 Richmond borough	1,369	794	575	1,339	779	560	892	507	385
59 Niagara Falls, N. Y.	297	152	145	287	146	141	183	95	88
60 Norfolk, Va.	1,173	610	563	486	261	225	446	235	211
61 Norristown, Pa.	524	262	262	504	257	247	367	188	179
62 North Adams, Mass.	334	163	171	333	163	170	247	121	126
63 Northampton, Mass.	281	144	137	280	143	137	207	107	100
64 Norwalk town, Conn.	299	143	156	290	139	151	225	106	119
65 Norwich town, Conn.	405	189	216	392	185	207	261	126	135
66 Oakland, Cal.	1,121	597	524	1,086	584	502	693	370	323
67 Ogdensburg, N. Y.	204	101	103	204	101	103	121	58	63
68 Oil City, Pa.	199	117	82	198	116	82	121	68	53
69 Olean, N. Y.	119	51	68	116	51	65	83	35	48
70 Omaha, Nebr.	1,382	793	589	1,310	743	562	918	514	404
71 Orange, N. J.	490	272	218	424	235	189	294	163	131
72 Oskaloosa, Iowa	167	86	81	163	86	80	111	56	55
73 Ottawa, Ill.	150	84	66	147	84	63	102	54	48
74 Ottumwa, Iowa	317	182	135	298	170	128	231	127	104
75 Owosso, Mich.	121	66	55	121	66	55	99	52	47
76 Paducah, Ky.	541	297	244	542	137	155	283	155	133
77 Passaic, N. J.	563	286	277	547	278	269	385	204	181
78 Paterson, N. J.	2,000	1,081	919	1,956	1,060	896	1,273	688	585

COLOR AND NATIVITY.

PARENT NATIVITY, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

WHITE—continued.						COLORED.		
Native—Continued.			Foreign.			Total.	Male.	Female.
Both parents native.			One or both parents foreign.					
Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
200	90	110	472	241	231	346	154	192
23	10	13	48	29	19	35	21	14
34	17	17	58	25	33	56	35	21
55	32	23	48	31	17	46	29	17
34	17	17	106	56	50	80	43	37
82	39	43	72	41	31	56	24	32
24	13	11	74	42	32	53	36	22
93	49	44	22	11	11	66	40	26
125	61	64	72	39	33	27	20	7
96	42	54	41	24	17	52	20	32
23	6	17	83	55	28	34	19	15
96	47	49	105	60	45	187	122	65
64	37	27	81	44	37	56	35	21
110	48	62	34	16	18	27	20	7
65	35	30	27	16	11	28	17	11
108	57	51	56	26	30	91	42	49
68	29	39	65	42	23	58	38	20
144	72	72	17	2	15	6	3	3
794	422	372	1,963	1,034	929	1,585	891	694
633	316	317	629	317	312	718	404	314
71	33	38	54	27	27	100	61	39
90	50	40	38	27	11	39	14	25
101	59	42	104	56	48	32	10	22
138	73	65	151	67	84	67	39	28
210	106	104	21	9	12	62	36	26
75	42	33	89	46	43	71	46	25
106	48	58	205	112	93	74	41	33
678	336	342	49	24	25	112	55	57
63	41	22	25	11	14	119	72	47
38	13	25	86	54	32	46	33	13
1,218	640	578	1,408	770	638	112	55	57
267	138	129	453	253	200	47	22	25
107	56	51	186	94	92	119	72	47
141	67	74	70	34	34	74	41	33
174	81	93	71	36	35	112	55	57
150	63	82	73	36	37	47	22	25
483	230	253	541	310	231	65	49	16
123	62	61	92	48	44	583	281	307
1,669	920	749	864	486	378	1,449	811	638
158	81	77	99	65	34	113	48	65
68	37	31	83	48	35	66	32	34
163	67	101	155	102	53	98	44	54
13,642	7,140	6,502	26,623	14,542	12,081	24,279	12,563	11,716
811	430	381	1,370	761	609	1,193	645	548
5,770	2,999	2,771	8,903	4,750	4,153	7,269	3,603	3,666
6,005	3,167	2,838	14,977	8,234	6,693	14,523	7,594	6,929
654	337	317	984	526	458	859	460	399
402	207	195	389	221	168	435	261	174
71	35	36	96	51	45	99	47	52
217	108	109	73	36	37	31	23	8
96	46	50	125	66	59	109	54	55
114	52	62	73	47	31	82	40	42
126	62	64	71	28	43	61	31	30
131	62	69	106	52	54	131	59	72
51	24	27	50	27	23	387	211	176
47	15	32	23	14	9	78	39	39
107	56	51	155	88	67	28	19	9
112	61	51	20	15	5	55	33	17
68	35	33	23	17	12	22	14	8
201	112	89	25	13	12	18	12	6
71	34	37	231	151	130	153	69	84
376	196	180	661	362	299	660	358	302

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78



## VITAL STATISTICS.

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,  
REGISTRATION CITIES—Continued.

REGISTRATION CITIES.	AGGREGATE.			WHITE.					
	Total.	Male.	Female.	Total.			Native.		
				Total.	Male.	Female.	Total.		
							Total.	Male.	Female.
1 Pawtucket, R. I.	723	846	377	721	345	376	460	232	228
2 Peabody town, Mass.	185	95	90	181	92	89	137	70	67
3 Peekskill, N. Y.	206	102	104	205	101	104	164	77	87
4 Perth Amboy, N. J.	250	143	107	245	140	105	185	105	80
5 Peru, Ind.	186	69	67	184	67	67	120	57	63
6 Petersburg, Va.	678	359	319	308	162	146	290	153	137
7 Philadelphia, Pa.	27,456	14,381	13,075	25,468	13,358	12,110	18,575	9,832	8,743
8 Phillipsburg, N. J.	161	87	74	161	87	74	130	73	57
9 Phoenixville, Pa.	208	110	98	193	104	89	141	75	66
10 Pittsburg, Pa.	6,436	3,668	2,768	5,991	3,435	2,556	4,119	2,261	1,858
11 Pittsfield, Mass.	338	164	174	332	159	173	236	119	123
12 Pittston, Pa.	274	159	115	274	159	115	187	101	86
13 Plainfield, N. J.	242	138	104	213	121	92	159	96	63
14 Plymouth, Pa.	286	167	119	283	167	119	163	93	70
15 Plymouth town, Mass.	173	83	90	173	83	90	138	69	69
16 Pontiac, Mich.	183	77	61	187	76	61	103	56	47
17 Port Huron, Mich.	238	131	107	237	131	106	136	69	67
18 Port Jervis, N. Y.	149	83	66	142	78	64	103	61	42
19 Portland, Me.	1,100	580	520	1,093	575	518	860	466	394
20 Portland, Oreg.	856	495	361	803	453	350	545	283	262
21 Portsmouth, N. H.	180	92	88	173	91	87	143	79	69
22 Portsmouth, Ohio.	323	173	155	300	160	140	252	135	117
23 Pottstown, Pa.	240	118	122	237	116	121	221	103	118
24 Pottsville, Pa.	244	133	111	243	132	111	192	103	89
25 Poughkeepsie, N. Y.	496	220	276	471	209	262	328	143	180
26 Providence, R. I.	3,491	1,772	1,719	3,358	1,705	1,653	2,335	1,220	1,115
27 Pueblo, Colo.	648	392	256	617	370	247	473	273	200
28 Quincy, Ill.	556	297	259	519	281	238	358	193	165
29 Quincy, Mass.	366	197	169	366	197	169	258	129	129
30 Raleigh, N. C.	371	184	187	371	91	88	156	77	79
31 Reading, Pa.	1,401	755	646	1,384	743	641	1,229	641	583
32 Revere town, Mass.	162	81	81	162	81	81	116	57	59
33 Richmond, Ind.	292	141	151	266	129	137	213	101	117
34 Richmond, Va.	2,523	1,339	1,184	1,294	685	609	1,108	577	531
35 Rochester, N. H.	188	99	89	188	99	89	153	80	78
36 Rochester, N. Y.	2,446	1,225	1,221	2,430	1,215	1,215	1,526	789	737
37 Rockland, Me.	146	88	58	146	88	58	141	86	55
38 Rome, N. Y.	267	154	113	265	112	112	200	112	88
39 Rutland, Vt.	190	98	92	188	97	91	138	72	66
40 Sacramento, Cal.	724	460	264	642	338	254	443	262	191
41 Saginaw, Mich.	560	319	241	556	318	238	343	194	149
42 St. Joseph, Mo.	933	497	436	834	447	387	641	330	311
43 St. Louis, Mo.	10,320	5,776	4,544	9,165	5,135	4,030	6,082	3,338	2,744
44 St. Paul, Minn.	1,574	828	746	1,550	813	737	957	488	469
45 Salem, Mass.	787	391	393	782	391	391	606	315	291
46 Salt Lake, Utah.	854	486	368	835	470	365	520	288	232
47 San Antonio, Tex.	1,257	724	533	1,087	628	459	724	398	326
48 San Diego, Cal.	399	234	165	382	220	162	287	161	126
49 San Francisco, Cal.	7,040	4,867	2,673	6,416	3,848	2,568	3,500	1,988	1,512
50 San Jose, Cal.	334	190	144	318	174	141	241	129	112
51 Saratoga Springs, N. Y.	265	120	145	249	114	135	202	97	105
52 Sault Ste. Marie, Mich.	163	94	69	163	94	69	97	53	44
53 Savannah, Ga.	1,862	1,000	862	1,645	867	778	523	293	230
54 Schenectady, N. Y.	479	247	232	477	245	232	321	167	154
55 Scranton, Pa.	2,111	1,114	997	2,103	1,110	993	1,331	707	631
56 Seattle, Wash.	898	621	277	870	599	271	464	301	163
57 Shreveport, La.	728	422	306	244	157	87	213	131	82
58 Sioux City, Iowa.	435	241	194	432	238	194	304	163	141
59 Somerville, Mass.	946	447	499	946	447	499	647	323	324
60 South Bethlehem, Pa.	256	138	118	251	135	116	195	105	90
61 Southbridge town, Mass.	204	107	97	203	107	96	152	81	71
62 Spokane, Wash.	511	306	205	507	302	205	361	199	162
63 Springfield, Ill.	642	349	293	590	325	265	486	227	209
64 Springfield, Mass.	1,057	513	544	1,043	507	536	769	389	380
65 Stamford town, Conn.	319	178	141	309	174	135	206	123	83
66 Steelton, Pa.	213	117	96	189	108	81	152	83	69
67 Stonington town, Conn.	144	74	70	137	71	66	101	48	53
68 Superior, Wis.	352	209	143	350	207	143	203	111	92
69 Syracuse, N. Y.	1,494	779	715	1,476	770	706	1,046	546	500
70 Tacoma, Wash.	425	265	160	412	237	175	256	156	100
71 Taunton, Mass.	615	343	272	613	342	271	435	257	178
72 Terre Haute, Ind.	587	300	287	555	283	272	434	210	224
73 Tiffin, Ohio.	139	60	79	139	60	79	112	49	63
74 Toledo, Ohio.	2,112	1,091	1,021	2,083	1,074	1,009	1,511	775	736
75 Torrington town, Conn.	182	88	94	179	87	92	137	66	71
76 Town of Union, N. J.	207	107	100	207	107	100	129	69	60
77 Traverse City, Mich.	143	77	71	143	77	71	106	58	53
78 Trenton, N. J.	1,174	615	559	1,124	580	544	804	419	385
79 Troy, N. Y.	1,393	745	648	1,378	739	639	927	506	421
80 Utica, N. Y.	990	530	460	984	526	458	696	331	315

COLOR AND NATIVITY.

PARENT NATIVITY, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

WHITE—continued.						COLORED.						
Native—Continued.						Foreign.						
Both parents native.			One or both parents foreign.			Total.	Male.	Female.	Total.	Male.	Female.	
Total.	Male.	Female.	Total.	Male.	Female.							Total.
198	98	105	254	137	117	255	111	144	2	1	1	1
83	39	44	47	27	20	43	22	21	4	3	1	2
105	50	55	38	16	17	39	23	16	1	1	1	3
37	18	19	186	79	57	58	34	24	5	3	2	4
78	36	42	24	11	13	13	9	4	2	2	2	5
95	51	44	24	15	9	7	4	3	370	197	173	6
92	48	44	46	26	20	6,434	3,240	3,194	1,988	1,023	965	7
1,773	981	792	2,244	1,212	1,032	80	17	22	10	6	4	8
110	48	62	86	46	40	51	29	22	445	233	212	9
61	32	29	101	54	47	84	37	47	6	5	1	11
110	70	20	39	20	19	74	47	27	29	17	12	12
80	43	37	44	22	22	54	25	29	29	17	12	13
67	34	33	26	15	11	46	30	16	16		14	14
56	27	29	69	39	30	34	18	21	21		15	15
63	31	32	17	14	3	33	19	14	1	1	1	16
564	304	260	224	125	99	98	59	39	7	5	2	17
90	48	42	33	18	15	33	14	19	19	42	11	18
168	86	82	38	22	16	98	59	39	7	5	2	18
119	61	58	35	19	16	33	14	19	7	5	2	19
195	83	112	95	48	47	214	101	113	7	5	2	20
1,024	508	516	1,252	676	576	249	162	87	53	42	2	21
835	223	162	74	39	35	25	12	13	2	1	1	21
193	107	86	99	51	48	48	25	23	28	13	15	22
92	50	42	154	73	81	15	12	3	3	2	1	23
54	26	28	52	24	28	44	26	18	1	1	1	24
165	75	90	88	18	20	186	57	79	25	11	14	25
96	47	49	39	20	19	139	90	49	17	12	5	31
737	375	362	676	357	319	45	24	21	26	12	14	32
127	78	49	13	7	6	30	19	11	11	12	14	33
116	62	54	57	35	22	181	76	55	1,229	654	575	34
126	70	56	168	100	68	13	13	5				35
830	190	200	473	245	223	884	416	468	16	10	6	36
277	130	147	239	163	121	5	2	3	2	1	1	37
244	128	116	201	104	97	65	41	24	2	1	1	38
188	74	64	87	47	40	45	24	21	2	1	1	39
144	68	76	36	19	17	185	124	61	82	72	10	40
19	6	70	70	39	31	202	117	85	4	1	3	41
157	78	79	131	70	61	122	71	51	99	50	49	42
206	133	73	148	97	51	2,931	1,694	1,237	1,155	641	514	43
291	133	158	297	163	134	572	310	262	24	15	9	44
125	66	59	70	39	31	174	74	100	5	3	2	45
37	20	17	111	60	51	302	171	131	19	16	3	46
174	89	85	115	61	54	335	211	124	170	96	74	47
311	154	157	90	53	37	84	59	35	17	14	3	48
324	160	164	313	167	151	2,825	1,777	1,048	624	519	105	49
111	66	45	71	43	28	76	47	29	16	13	3	50
104	59	45	38	21	17	47	17	30	16	6	10	51
59	31	27	27	12	15	34	34	23	2	1	1	52
54	30	24	113	62	51	112	66	46	1,217	633	584	53
567	234	233	355	194	161	142	70	72	2	2	2	54
139	81	58	80	48	32	436	269	217	8	4	4	55
188	120	68	201	111	90	265	192	73	28	22	6	56
278	139	73	73	35	38	17	14	3	484	265	219	57
70	35	18	8	10	10	91	54	37	3	3	3	58
742	379	363	728	370	358	122	122	87	171	171	15	59
52	26	26	73	36	37	56	30	26	5	3	2	60
50	30	20	76	38	38	48	24	24	1	1	1	61
65	31	14	29	15	15	131	91	40	4	4	4	62
398	203	190	292	143	149	143	92	51	52	24	28	63
403	205	195	466	271	195	264	111	153	9	6	3	64
331	186	145	300	162	138	98	49	49	10	4	6	65
						30	22	8	24	9	15	66
						33	21	12	7	3	4	67
						104	65	39	2	2	2	68
						408	212	196	18	9	9	69
						146	93	53	13	8	5	70
						170	82	88	2	1	1	71
						139	52	87	32	17	15	72
						25	10	15	15	15	15	73
						539	275	264	29	17	12	74
						42	21	21	3	1	2	75
						76	37	39				76
						39	22	17				77
						300	149	151	50	35	15	78
						443	226	217	15	6	6	79
						280	139	141	6	4	2	80

## VITAL STATISTICS.

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,  
REGISTRATION CITIES—Continued.

REGISTRATION CITIES.	AGGREGATE.			WHITE.					
	Total.	Male.	Female.	Total.			Native.		
				Total.	Male.	Female.	Total.		
							Total.	Male.	Female.
1 Vernon town, Conn.....	127	48	79	125	46	79	76	30	46
2 Vincennes, Ind.....	196	85	111	184	80	104	152	68	89
3 Wakefield town, Mass.....	135	72	63	134	71	63	106	58	48
4 Wallingford town, Conn.....	138	81	57	137	80	57	102	63	39
5 Waltham, Mass.....	829	148	181	828	148	180	249	115	134
6 Ware town, Mass.....	112	54	58	112	54	58	72	31	41
7 Warren, Ohio.....	143	79	64	139	77	62	111	57	54
8 Waterbury town, Conn.....	869	411	428	852	430	422	599	313	286
9 Watertown, N. Y.....	356	179	177	351	177	174	259	126	133
10 Watertown town, Mass.....	143	77	66	142	77	65	92	54	38
11 Watervliet, N. Y.....	275	144	131	275	144	131	195	104	91
12 Webster town, Mass.....	146	67	79	146	67	79	100	46	54
13 West Bay City, Mich.....	196	114	82	196	114	82	128	79	49
14 Westfield town, Mass.....	236	121	115	232	118	114	191	98	93
15 Weymouth town, Mass.....	208	102	101	201	100	101	162	75	87
16 Wheeling, W. Va.....	554	300	254	527	285	242	386	206	180
17 Wichita, Kans.....	390	212	178	354	198	161	.....	.....	.....
18 Wilkesbarre, Pa.....	857	482	375	842	473	369	.....	.....	.....
19 Williamsport, Pa.....	345	173	172	324	165	159	274	146	123
20 Wilmington, Del.....	1,595	854	741	1,341	710	631	1,121	591	530
21 Wilmington, N. C.....	565	292	273	208	108	100	186	95	91
22 Windham town, Conn.....	173	79	94	169	75	94	114	52	62
23 Winona, Minn.....	276	143	128	276	148	128	195	109	86
24 Woburn, Mass.....	241	128	113	232	124	108	155	83	72
25 Woonsocket, R. I.....	516	257	259	516	257	259	344	192	152
26 Worcester, Mass.....	1,838	945	893	1,816	936	880	1,268	659	609
27 Yonkers, N. Y.....	781	422	359	755	408	347	518	289	229
28 Youngstown, Ohio.....	745	417	328	733	413	320	509	280	229

COLOR AND NATIVITY.

PARENT NATIVITY, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

WHITE—continued.						COLORED.					
Native—Continued.			Foreign.			Total.	Male.	Female.			
Both parents native.			One or both parents foreign.								
Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.			
19	6	13	47	19	28	46	14	32	2	2	1
107	42	65	19	11	8	22	12	10	12	5	2
58	27	31	30	15	15	27	13	14	1	1	3
48	34	14	39	22	17	33	15	18	1	1	4
114	49	65	115	56	59	79	33	46	1	1	5
31	11	20	41	20	21	40	23	17	4	2	6
180	89	91	383	206	177	249	115	134	17	11	7
142	66	76	81	43	38	46	23	23	5	2	8
44	22	22	39	25	14	50	23	27	1	2	9
96	53	43	88	45	43	80	40	40	4	3	10
29	16	13	63	28	35	43	19	24	2	2	11
36	22	14	86	53	33	67	34	33	4	3	12
111	60	51	56	29	27	34	16	18	2	2	13
97	50	47	46	21	25	39	25	14	2	2	14
206	103	103	112	64	48	137	75	62	27	15	15
208	113	95	36	13	23	46	18	28	36	19	16
						178	91	87	15	9	17
									21	8	18
									21	8	19
									254	144	20
						13	8	5			
56	26	30	42	18	24	49	20	29	357	184	21
79	43	36	106	59	47	80	33	42	4	4	22
63	35	28	83	43	40	75	39	36	9	4	23
89	48	41	254	143	111	171	65	106			24
509	247	262	626	342	284	540	272	268			25
188	108	80	306	165	141	232	118	114	22	9	26
181	95	86	272	154	118	209	121	88	26	14	27
									12	4	28

---

TABLE 5.

---

DEATHS IN THE UNITED STATES, EACH STATE AND TERRITORY AND EACH REGISTRATION CITY, DURING THE CENSUS YEAR ENDING MAY 31, 1900, AT EACH AGE, BY SEX.

---



AGE AND SEX.

AND SEX: CENSUS YEAR 1900.

STATES AND TERRITORIES.

AGES—continued.														Unknown.	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.		
43,857 23,949 21,508	44,867 23,296 21,071	41,439 22,428 19,011	40,201 22,529 17,672	42,666 23,915 18,761	43,169 24,024 19,145	48,178 26,269 21,909	52,190 28,563 23,627	53,073 28,761 24,312	46,039 24,627 21,412	33,786 17,525 16,261	17,247 8,457 8,790	6,135 2,616 3,519	2,721 1,045 1,676	7,440 4,385 3,055	1 2 3
1,128 584 594	1,011 456 555	889 428 461	982 503 479	899 447 452	702 342 360	893 465 433	926 461 465	862 441 421	719 382 337	569 289 280	287 141 146	153 76 77	136 52 84	265 151 114	4 5 6
58 40 18	70 48 22	61 44 17	71 45 26	55 35 20	33 22 11	45 34 11	15 8 7	27 16 11	12 7 6	13 7 6	4 3 1	4 3 1	2 3 2	34 26 8	7 8 9
969 471 498	888 431 457	881 453 428	886 494 392	811 471 340	619 371 248	660 393 267	558 319 239	495 293 202	360 217 143	263 143 120	110 57 53	43 19 24	42 17 25	281 181 100	10 11 12
1,238 767 471	1,358 872 486	1,231 824 407	1,230 831 399	1,296 879 417	1,205 795 410	1,559 1,036 523	1,553 1,065 488	1,497 1,021 476	1,114 730 384	665 398 267	332 201 131	94 52 42	44 18 26	285 171 14	13 14 15
473 293 180	479 301 178	435 307 128	391 257 134	378 272 106	317 206 111	279 186 93	312 192 120	227 145 82	194 120 74	113 53 60	44 18 26	12 7 5	5 8 2	159 119 40	16 17 18
606 312 294	633 363 275	554 296 258	600 319 281	704 375 329	754 377 377	844 400 444	933 480 458	995 483 512	915 461 454	767 352 415	428 186 242	172 62 110	47 10 37	120 63 57	19 20 21
112 59 53	123 62 61	123 68 55	123 81 42	116 64 52	131 88 43	157 79 78	179 100 79	176 86 90	166 89 77	117 55 62	56 22 34	22 9 13	5 1 5	29 19 10	22 23 24
267 149 118	244 125 119	275 180 145	254 129 125	310 174 136	356 208 153	349 178 171	348 197 151	313 156 157	238 117 121	185 82 103	83 40 43	24 7 17	21 6 15	7 7 4	25 26 27
306 155 161	305 159 146	261 147 114	245 152 93	243 139 109	232 119 113	224 134 90	226 140 86	227 129 98	155 99 56	115 62 53	58 28 30	21 11 10	28 8 20	68 38 30	28 29 30
1,064 490 574	1,126 492 634	991 451 540	955 472 483	1,020 512 508	717 372 345	966 497 469	885 455 430	910 475 435	711 358 353	545 281 264	234 140 144	140 62 78	120 47 73	242 125 117	31 32 33
53 31 22	54 31 23	55 33 22	48 37 11	48 35 13	64 48 16	59 45 14	63 48 15	52 41 11	41 33 8	17 8 9	-7 4 3	3 1 2	6 5 1	26 22 4	34 35 36
2,806 1,513 1,293	2,942 1,639 1,303	2,719 1,643 1,076	2,519 1,545 974	2,655 1,620 1,035	2,699 1,617 1,082	2,926 1,680 1,246	3,258 1,817 1,441	3,122 1,780 1,342	2,623 1,403 1,220	1,875 1,003 872	885 423 462	295 137 158	116 61 65	425 265 160	37 38 39
1,898 663 735	1,335 610 720	1,244 603 636	1,282 658 624	1,260 695 565	1,532 329 703	1,619 833 736	1,899 1,055 844	2,151 1,211 940	1,849 1,015 834	1,343 674 669	661 342 319	216 104 112	69 31 38	231 116 115	40 41 42
206 106 100	162 82 80	165 100 89	176 100 76	147 91 56	114 69 45	128 85 43	80 46 34	71 28 31	58 20 30	30 20 10	16 9 7	3 2 1	8 5 3	49 29 20	43 44 45
741 385 406	756 387 369	692 359 333	650 361 289	765 394 371	859 461 398	973 520 453	1,332 813 569	1,367 800 567	1,321 789 532	918 546 372	449 253 196	145 65 80	40 22 18	155 98 57	46 47 48
593 257 336	590 309 281	588 315 273	598 313 280	615 346 269	789 500 289	789 484 305	913 589 324	904 537 367	777 472 305	520 307 213	254 138 116	68 38 30	33 16 17	232 147 85	49 50 51
1,110 525 585	1,185 533 627	1,044 521 523	989 516 473	1,023 549 474	990 545 445	1,097 577 520	1,187 614 565	1,198 633 565	1,041 565 476	719 389 330	377 206 171	110 57 53	77 27 50	342 169 173	52 53 54
1,028 577 451	977 531 446	904 435 419	865 471 394	861 436 365	713 391 322	838 423 415	752 401 351	640 342 298	510 241 269	405 214 191	200 91 109	106 47 59	111 43 68	168 72 96	55 56 57
393 172 221	374 183 191	403 192 211	412 183 229	443 219 224	610 313 292	736 393 343	890 493 397	924 500 424	929 504 425	324 433 386	487 264 223	192 75 117	57 19 33	45 22 23	58 59 60
780 387 393	830 423 407	805 443 392	778 420 358	887 453 404	866 465 401	1,066 552 514	1,105 600 505	1,144 599 545	915 438 477	652 309 343	348 151 197	111 28 33	63 21 42	233 154 129	61 62 63
2,061 1,077 984	1,999 1,056 943	1,861 931 930	1,926 1,019 907	2,232 1,129 1,103	2,412 1,213 1,199	2,639 1,313 1,326	2,892 1,405 1,487	2,926 1,395 1,531	2,761 1,304 1,457	2,074 982 1,142	1,140 459 681	427 142 285	126 37 89	119 70 65	64 65 66
1,133 539 644	1,268 640 628	1,239 639 600	1,281 710 571	1,294 722 572	1,540 906 634	1,780 995 785	2,001 1,097 904	2,187 1,266 921	2,104 1,212 892	1,560 811 749	807 450 357	279 128 151	85 37 48	95 71 24	67 68 69
769 415 354	732 393 339	712 399 313	594 350 244	660 390 270	633 386 247	724 415 309	870 512 353	960 573 337	843 457 386	629 363 261	238 150 138	97 43 54	42 22 20	81 52 29	70 71 72
932 426 506	774 373 401	750 352 398	650 309 341	693 353 335	550 233 267	703 365 338	535 326 259	640 349 291	487 265 222	391 216 175	190 101 89	118 61 57	118 43 70	193 96 97	73 74 75
1,768 833 885	1,719 922 797	1,545 833 712	1,523 897 626	1,557 914 643	1,700 972 728	1,726 1,003 723	1,899 1,072 827	1,708 935 723	1,370 773 597	974 572 402	448 241 207	128 45 83	65 32 33	241 143 93	76 77 78







VITAL STATISTICS.

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES.

REGISTRATION CITIES.		AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Total	402,606	35,334	22,388	10,337	6,686	4,784	129,579	12,525	6,791	10,539	17,633	20,005
2	Males	215,115	47,769	11,847	5,898	3,410	2,372	70,796	6,431	3,427	5,218	8,976	10,519
3	Females	187,551	37,615	10,541	4,939	3,276	2,412	58,783	6,094	3,364	5,321	8,657	9,486
4	Adams town, Mass.	179	65	7	3	2		77	5	4	5	7	8
5	Males	93	34	3	3	1		41	3		2	3	4
6	Females	86	31	4		1		36	2	4	3	4	4
7	Alameda, Cal.	224	19	2	3	2	4	30	5	1	6	15	12
8	Males	122	13		3	1	2	19	2		9	11	6
9	Females	102	6	2		1	2	11	3	1	3	4	6
10	Albany, N. Y.	1,813	311	53	39	31	20	454	47	28	49	75	93
11	Males	897	177	25	22	17	12	253	23	10	24	38	48
12	Females	916	134	28	17	14	8	201	24	18	25	37	45
13	Alexandria, Va.	351	75	16	10	8	8	117	17	14	12	25	17
14	Males	179	42	10	5	6	3	66	6	5	5	16	10
15	Females	172	33	6	5	2	5	51	11	9	7	9	7
16	Allegheny, Pa.	2,385	585	145	72	34	32	821	73	43	68	131	133
17	Males	1,326	303	82	36	19	21	461	47	22	34	70	81
18	Females	1,059	282	66	36	15	11	360	26	21	34	61	52
19	Allentown, Pa.	646	143	27	20	12	16	223	23	10	20	35	20
20	Males	346	89	19	10	10	8	136	11	5	11	15	12
21	Females	300	59	8	10	2	8	87	12	5	9	20	8
22	Altoona, Pa.	752	195	36	20	14	16	281	21	16	29	42	22
23	Males	440	110	25	12	9	8	164	9	12	16	32	14
24	Females	312	85	11	8	5	8	117	12	4	13	10	8
25	Amesbury town, Mass.	144	35	6	3	2	1	47	3	2	4	6	5
26	Males	77	20	3	3	2		28	3	1	3	3	2
27	Females	67	15	3			1	19		1	1	3	3
28	Amsterdam, N. Y.	336	63	11	7	2	4	92	11	6	12	14	10
29	Males	168	39	6	3	2	2	50	1	5	7	7	5
30	Females	168	29	5	4	2	2	42	10	1	5	7	5
31	Annapolis, Md.	170	39	11	6	2	3	61	9	3	5	10	3
32	Males	87	25	6	6	1	1	38	5	2	5	5	1
33	Females	83	14	5		2	2	23	4	3	3	5	2
34	Ann Arbor, Mich.	185	17	3	1			21	2	1	9	10	16
35	Males	101	11	1				12	2	1	3	8	5
36	Females	84	6	2	1			9			6	2	11
37	Ansonia town, Conn.	227	67	15	3	7	2	94	7	5	8	9	7
38	Males	122	39	10	1	6	1	57	3	2	2	1	5
39	Females	105	28	5	2	1	1	37	4	3	6	8	2
40	Appleton, Wis.	175	39	8	5		2	54	6	1	10	4	11
41	Males	107	26	5	2		1	34	5	1	1	2	7
42	Females	68	13	3	3		1	20	1		9	2	4
43	Arlington town, Mass.	133	23	6	2	2	1	84	1	6	3	2	4
44	Males	64	12	5	2	2	1	22	1	2	1	1	1
45	Females	69	11	1				12		4	2	1	3
46	Ashtabula, Ohio	219	51	14	1	2	4	72	5	6	1	8	17
47	Males	134	28	6	1	1	2	38	3	3		5	9
48	Females	85	23	8		1	2	34	2	3	1	3	8
49	Atlanta, Ga.	2,337	523	189	80	39	27	858	56	43	100	166	138
50	Males	1,255	272	106	47	23	17	465	29	22	50	85	69
51	Females	1,132	251	83	33	16	10	393	27	21	50	81	69
52	Atlantic City, N. J.	466	112	20	3	7	6	153	10	6	13	7	24
53	Males	244	63	9	5	4	2	83	4	3	5	2	13
54	Females	222	49	11	3	3	4	70	6	3	8	5	11
55	Attleboro town, Mass.	160	35	7	7	5	5	59	5	2	6	8	3
56	Males	76	19	4	6	5	2	31	2	2	1	7	2
57	Females	84	16	3	1	5	3	28	3		5	1	1
58	Auburn, N. Y.	521	89	15	8	8	6	126	21	9	17	24	26
59	Males	265	53	9	3	4	3	72	11	4	7	13	13
60	Females	256	36	6	5	4	3	54	10	5	10	6	13
61	Augusta, Me.	308	52	3	3	2	1	61	7	3	4	13	10
62	Males	147	18	2	1	2		23	3	1	2	8	3
63	Females	161	34	1	2		1	38	4	2	2	5	7
64	Aurora, Ill.	362	61	13	4	7	5	90	15	8	8	18	12
65	Males	197	36	5	1	4		46	9	5	7	11	5
66	Females	165	25	8	3	3	5	44	6	3	1	7	7
67	Baltimore, Md.	10,679	2,549	513	262	187	135	3,646	346	191	313	427	482
68	Males	5,414	1,393	257	143	91	63	1,947	153	95	154	210	245
69	Females	5,265	1,156	256	119	96	72	1,699	193	96	159	217	237
70	Bangor, Me.	354	43	12	4	2	2	63	8	7	12	10	10
71	Males	188	30	3	3	1	1	38	5	3	7	6	5
72	Females	166	13	9	1	1	1	25	3	4	5	4	5
73	Barre, Vt.	158	37	7	9	5	4	62	13	4	1	5	6
74	Males	80	20	4	5	3		32	7	2		2	3
75	Females	78	17	3	4	2	4	30	6	2	1	3	3
76	Bath, Me.	146	26	5	3	2	1	37	1	1		7	4
77	Males	70	16	1	1	1		19	1			3	2
78	Females	76	10	4	2	1	1	18		1		4	2

AGE AND SEX.

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
19,633 10,881 8,752	20,551 11,627 8,924	18,538 10,743 7,795	17,983 10,442 7,641	18,742 10,751 7,991	18,760 10,372 8,388	19,710 10,388 9,322	19,788 10,138 9,600	18,460 9,185 9,275	14,664 6,994 7,670	10,053 4,515 5,538	5,014 2,074 2,940	1,686 560 1,126	678 225 453	1,334 803 581
7 3 4	4 1 3	4 2 2	9 7 2	8 4 4	6 5 1	6 4 2	12 6 6	4 1 3	3 3 5		3 3		1 1	1 1 1
12 8 4	19 8 11	8 5 3	13 5 3	14 6 8	7 4 3	14 10 4	17 8 9	19 10 9	16 9 7	11 4 7	2 2	2 1		1 1
99 50 49	93 55 38	87 39 45	91 43 48	95 49 49	106 50 56	118 52 66	109 46 63	94 43 51	70 35 35	58 22 36	27 13 14	7 2 5	5 5	5 2 3
8 6 2	14 6 8	6 3 3	9 4 5	13 7 6	18 7 11	14 7 7	20 8 12	15 7 8	9 5 4	14 6 8	3 1 2	3 2 1	2 1 1	1 1 1
108 69 39	112 68 44	114 73 41	112 68 44	114 63 51	113 63 50	82 44 38	106 47 59	92 44 48	84 43 41	53 20 33	17 8 9	4 4 4	3 3 3	2 1 1
32 11 21	26 14 12	16 6 10	24 13 11	23 12 11	31 19 12	18 9 9	33 17 16	48 20 28	25 18 7	22 12 10	8 2 6	1 2 1	3 3	5 3 2
31 22 9	18 14 4	30 15 15	29 13 16	33 19 14	28 16 12	34 17 17	32 20 12	37 19 18	34 19 15	17 7 10	9 6 3	6 4 2	1 1	2 2 2
6 2 4	4 1 3	6 2 4	2 1 1	8 3 5	5 3 2	7 6 1	6 3 3	10 6 4	11 5 6	7 2 5	5 3 2			25 26 27
8 4 4	19 10 9	20 12 8	14 10 4	12 4 8	21 15 13	24 15 9	15 8 7	24 9 15	9 4 5	9 3 6	11 3 8	2 2		3 1 2
5 1 4	1 1	4 2 2	3 2 1	6 4 4	6 4 2	7 5 2	5 4 1	12 7 5	10 2 8	6 3 3	5 1 4	3 1 2	1 1	5 3 3
11 6 5	9 4 5	10 6 4	10 4 6	9 5 4	15 11 4	14 11 3	13 6 7	9 6 3	16 6 10	6 3 3	3 2 1	1 1		34 35 36
8 6 2	9 5 4	4 2 2	3 3 5	8 6 2	11 5 6	10 4 6	16 8 8	12 7 5	3 1 2	3 3 1	2 1 1			37 38 39
5 2 3	3 1 2	5 3 2	7 5 2	7 5 2	8 5 3	8 3 5	13 11 2	5 3 2	13 10 3	10 7 3	2 1 2		1 1	40 41 42
5 3 2	4 2 2	11 5 6	4 2 2	6 3 3	8 4 4	8 5 4	8 4 4	4 4 4	11 4 7	8 1 7	3 2 1			43 44 45
6 4 2	17 11 6	5 6 4	10 6 4	13 11 2	12 7 5	13 6 3	13 5 5	9 8 1	5 3 2	6 6 3	3 3 3	2 1 1		46 47 48
104 47 57	117 60 57	101 53 48	103 66 37	111 62 49	87 48 39	102 53 49	97 51 46	73 42 31	65 26 39	29 10 11	19 8 11	5 3 2	10 4 6	3 2 1
21 10 11	25 11 14	34 19 15	16 8 8	27 14 13	21 12 9	21 13 8	26 13 13	20 11 9	21 17 4	15 4 11	4 2 2	2 2		52 53 54
2 2	10 7 3	5 3 2	8 3 5	2 1 1	3 1 2	6 1 5	6 3 3	10 3 7	13 5 8	7 3 4	5 1 4			55 56 57
14 11 3	27 13 14	17 13 4	23 14 9	13 7 6	30 14 16	27 9 18	31 14 17	42 17 25	28 12 16	21 12 9	16 4 12	8 8	1 1	58 59 60
21 11 10	17 9 8	16 8 8	21 9 12	19 10 9	14 7 7	25 17 8	18 8 10	19 8 11	13 4 9	17 11 6	5 3 2	4 2 2		61 62 63
13 8 5	12 7 5	10 6 4	20 10 10	14 5 9	16 12 4	23 11 12	19 12 7	32 19 13	23 12 11	19 8 11	8 2 6	2 2 2		64 65 66
455 229 226	503 269 234	473 271 202	458 250 208	495 268 227	474 244 230	540 257 283	547 270 277	500 237 263	369 150 219	269 111 158	116 41 75	46 2 44	25 9 16	4 2 2
15 8 7	14 7 7	15 10 5	10 5 5	15 10 5	19 9 10	17 9 8	35 18 17	29 13 16	25 11 14	25 11 14	18 10 8	4 2 2	1 1	70 71 72
6 4 2	5 1 4	12 7 5	8 2 6	2 1 1	10 7 3	4 1 3	5 2 3	5 4 2	3 1 2	2 1 1	3 1 1	2 1 1		73 74 75
3 1 2	4 3 1	7 3 4	8 3 5	6 2 1	6 2 4	11 7 4	9 5 4	11 9 2	15 6 9	7 3 4	6 2 4	2 2 2	1 1	76 77 78

VITAL STATISTICS.

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Battle Creek, Mich	250	27	9	4	2	2	44	7	3	5	7	9
2	Males	135	18	3	2	2	1	26	4	2	1	2	5
3	Females	115	9	6	2		1	18	3	1	4	5	4
4	Bay City, Mich	351	72	17	11	6	2	108	13	12	16	14	12
5	Males	206	49	9	7	3	1	69	4	5	9	4	5
6	Females	145	23	8	4	3	1	39	9	7	7	10	7
7	Bayonne, N. J.	545	156	49	21	8	3	237	28	10	9	22	30
8	Males	286	85	26	12	5	2	130	16	6	5	10	18
9	Females	259	71	23	9	3	1	107	12	4	4	12	12
10	Bellaire, Ohio	167	38	10	6	5	3	62	5	7	4	8	6
11	Males	94	24	5	4	1	1	35	4	5	2	4	2
12	Females	73	14	5	2	4	2	27	1	2	2	4	4
13	Belleville, Ill	269	51	18	7	2	5	78	9	7	8	9	20
14	Males	150	29	6	4	1	4	44	4	4	5	3	13
15	Females	119	22	7	3	1	1	34	5	3	3	6	7
16	Beloit, Wis	152	33	3	5	2		43	5	6	1	6	7
17	Males	74	19	2	1			22	3	4		3	5
18	Females	78	14	1	4	2		21	2	2	1	3	2
19	Bennington town, Vt.	127	18	2	1		1	22	1		3	7	7
20	Males	61	12	1				13			1	4	2
21	Females	66	6	1	1		1	9	1		2	3	5
22	Berlin, N. H	149	57	14	3	3		32	6	2	3	3	9
23	Males	79	33	7	1	5		46	5			3	5
24	Females	70	24	7	2	3		36	1	1	3		4
25	Beverly, Mass	205	40	6	4	3	2	55	3	2	4	6	8
26	Males	93	15	2	2	1	2	22	2		1	1	3
27	Females	112	25	4	2	2		33	1	2	3	5	5
28	Biddeford, Me	375	134	24	12	10	6	136	12	2	13	15	11
29	Males	206	86	17	6	6	4	119	9		9	5	4
30	Females	169	48	7	6	4	2	67	3	2	4	10	7
31	Binghamton, N. Y	698	116	17	11	8	13	165	26	17	18	38	28
32	Males	350	63	6	6	3	8	37	12	9	8	20	15
33	Females	348	53	10	5	5	5	78	14	8	10	18	13
34	Boston, Mass	11,277	2,421	620	310	226	137	3,714	277	121	229	432	596
35	Males	5,726	1,352	317	159	130	66	2,024	125	54	109	222	302
36	Females	5,551	1,069	303	151	96	71	1,690	152	67	120	210	294
37	Bridgeport, Conn	1,226	298	72	36	12	14	432	28	20	33	42	53
38	Males	658	172	36	24	7	5	244	12	11	16	19	33
39	Females	568	123	36	12	5	9	188	16	9	17	23	20
40	Bridgeton, N. J	200	49	5	3	2		59	3	6	8	9	8
41	Males	102	26	4	3			34	2	4	2	3	5
42	Females	98	23	1	1			25	1	2	6	6	3
43	Bristol town, Conn	149	34	12	7	1		54	2	1	3	4	3
44	Males	63	20	3				23		1		3	2
45	Females	86	14	9	7	1		31	2		3	1	1
46	Brockton, Mass	529	98	19	16	3	6	142	21	11	16	26	21
47	Males	285	68	12	5	1	3	84	14	6	8	10	8
48	Females	244	35	7	11	2	3	58	7	5	8	16	13
49	Brookline town, Mass	260	38	5	5	4	2	54	8	1	6	7	15
50	Males	133	26	4	3	3	2	33	6		3	3	4
51	Females	127	12	1	2	1		16	2	1	3	4	11
52	Buffalo, N. Y	5,207	1,268	342	139	69	52	1,870	152	86	115	176	190
53	Males	2,779	745	189	71	40	18	1,063	36	42	67	92	99
54	Females	2,428	523	153	68	29	34	1,807	66	44	48	84	91
55	Burlington, Iowa	334	49	6	4	3	1	63	11	8	17	18	27
56	Males	222	31	3	1	1		36	4	5	14	15	15
57	Females	162	18	3	3	2	1	27	7	3	3	9	12
58	Burlington, Vt.	347	91	16	1	1	4	113	11	6	13	12	17
59	Males	169	54	7	1		3	65	4	4	8	5	8
60	Females	178	37	9		1	1	48	7	2	5	4	12
61	Cambridge, Mass	1,699	396	96	48	39	23	602	56	31	47	56	63
62	Males	841	211	54	30	22	8	325	22	19	19	28	33
63	Females	858	185	42	18	17	15	277	34	12	28	28	30
64	Camden, N. J	1,235	289	70	40	27	18	444	78	21	28	35	43
65	Males	634	155	36	17	13	8	229	43	8	14	21	19
66	Females	601	134	34	23	14	10	215	35	13	14	14	24
67	Canton, Ohio	408	78	8	8	4	7	105	23	9	8	19	23
68	Males	212	47	6	2	2	7	64	13	4	3	9	9
69	Females	196	31	2	6	2		41	10	5	5	10	14
70	Carbondale, Pa	295	51	17	7	5	9	89	18	12	5	11	8
71	Males	166	31	9	2	1	5	48	10	7	4	6	6
72	Females	129	20	8	5	4	4	41	8	5	1	5	2
73	Carlisle, Pa	207	40	7	3	2		52	7	5	6	7	9
74	Males	113	26	5	1	2		34	3	4	5	5	4
75	Females	94	14	2	2			18	4	1	1	2	5
76	Central Falls, R. I	290	90	24	10	4	3	131	11	4	6	8	6
77	Males	148	52	15	5	3	1	76	7	2	3	2	5
78	Females	142	38	9	5	1	2	55	4	2	3	6	1

AGE AND SEX.

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														Unknown.
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	
9	17	17	11	13	14	17	15	21	17	13	8	1	2	1
3	10	12	5	7	8	8	12	10	7	7	5		1	2
6	7	5	6	6	6	9	3	11	10	6	3	1	1	3
15	13	12	15	17	19	17	18	21	13	9	7			4
7	7	9	11	9	15	7	11	17	8	6	3			5
8	6	3	4	8	4	10	7	4	5	3	4			6
26	31	23	17	24	15	24	23	8	12	4	1	1		7
16	15	10	8	13	5	12	12	5	4			1		8
10	16	13	9	11	10	12	11	3	8	4	1	1		9
8	10	2	4	5	6	9	9	10	4	5	1			10
2	7	2	2	3	2	4	7	5	3	2				11
6	3		2	2	3	5	2	5	1	3	1			12
11	11	6	5	12	10	20	15	13	20	9	3	1		13
5	6	4	4	7	7	13	8	9	9	2	1			14
6	5	2	1	5	3	7	7	4	11	7	2			15
2	6	3	3	2	11	7	6	8	7	8	5	3		16
3	2	6	5	2	5	2	2	5	2	4	1	3		17
4	4	4	1	2	6	5	4	3	5	4	4	1		18
7	4	7	3	5	8	16	7	9	8	6	4	1	2	19
3	3	2	1	2	4	9	4	4	3	4	2			20
4	1	5	2	3	4	7	5	5	5	2			2	21
1	7	2	3	3	2	2	3	2	3	2				22
1	3	1	2	1	1	1	1	2	2	2				23
	4	1	1	3	1	1	2		1	2				24
9	8	10	7	8	5	10	18	16	18	10	5	2	1	25
4	4	5	5	3	2	8	10	5	9	7	1	1		26
5	4	5	2	5	3	2	8	11	8	3	1	1		27
11	15	14	11	10	15	18	7	10	8	3	5	2	2	28
4	7	5	7	4	6	9	4	3	3	3	2			29
7	8	9	4	6	9	9	3	7	5	5				30
32	35	26	30	42	36	40	38	36	35	28	20	6	1	31
14	18	13	17	21	23	23	21	18	13	6	11	1		32
18	17	13	13	21	13	17	17	18	22	22	9	5	1	33
629	581	500	498	548	526	568	571	542	412	296	157	58	20	2
356	314	263	272	280	271	279	256	234	173	116	54	16	6	34
273	267	237	226	268	255	289	315	303	239	180	103	42	14	35
57	60	61	57	69	68	54	51	44	36	30	9	4	2	36
30	38	33	37	43	37	24	20	15	19	12	5	1	2	37
27	22	28	20	26	31	30	31	29	17	18	4	3		38
9	4	2	6	11	17	8	14	9	12	11	4			39
4		1	1	6	7	5	8	5	6	6	3			40
5	4	1	5	5	10	3	6	4	6	5	1			41
6		2	12	6	7	7	5	8	9	7	6			42
2		1	8	3	4	3	1	3	3	3	2			43
4		1	4	3	3	4	4	5	6	4	4	4		44
22	29	19	26	12	31	24	35	27	27	19	14	4		45
11	15	6	20	7	19	14	17	13	17	7	4			46
11	14	13	6	5	12	10	18	14	10	12	10			47
12	7	8	15	12	21	15	15	14	22	18	10	3		48
8	1	2	9	7	12	5	6	7	10	6	4	1		49
4	6	6	6	5	9	10	9	7	12	7	6	2		50
243	258	233	226	221	221	253	230	263	208	148	76	22	6	5
127	129	133	124	127	114	140	116	135	89	55	33	6	1	52
116	129	105	102	94	107	113	114	123	119	93	43	16	5	53
20	14	17	18	22	18	17	32	24	30	21	5	2		54
13	12	14	12	9	9	6	21	14	13	11	4	1		55
7	2	3	6	13	9	11	11	10	17	10	1	1		56
11	16	14	12	17	17	17	10	21	15	8	4	10	3	57
4	4	5	4	10	8	7	4	9	7	4	3	1	2	58
7	12	9	8	7	9	7	6	12	8	4	1	9	1	59
67	58	70	63	73	75	74	98	84	75	54	24	16	4	60
35	26	35	30	37	41	36	37	40	33	21	9	6	2	61
32	32	35	33	36	34	38	61	44	42	33	15	10	2	62
52	57	41	52	49	50	75	54	53	55	21	12	5	3	63
27	21	26	27	27	30	40	26	31	26	9	5	3	1	64
25	36	15	25	22	20	35	28	27	29	12	7	2	2	65
12	17	18	19	23	19	17	23	24	18	17	7	2		66
7	12	6	11	14	8	7	11	12	6	8	3	1		67
5	5	12	8	9	11	10	12	12	12	9	4	1		68
15	11	16	11	10	18	19	16	14	6	7	5	3		69
8	10	10	6	5	5	11	9	6	3	1	2	1		70
7	1	6	5	5	6	8	7	8	3	6	3	2		71
3	7	8	7	8	11	12	12	16	13	8	7	5	1	72
3	3	4	5	3	3	6	5	10	3	5	4	3		73
	4	4	2	3	8	6	7	6	3	3	3	2	1	74
13	8	9	15	11	17	13	11	8	7	5	3	2		75
7	4	4	6	4	10	8	7	7	4	2	2	2		76
6	4	5	9	7	7	10	4	5	3	2	1	2		77
	4	5	9	7	7	10	4	5	3	2	1	2		78



AGE AND SEX.

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
85	100	119	97	112	87	95	75	65	49	28	12	9	9	13	1
36	52	64	60	62	44	44	34	31	25	9	4	1	5	10	2
49	48	55	37	50	43	51	41	34	24	19	8	8	4	3	3
19	28	23	20	39	29	46	34	40	41	18	10	2		2	4
13	16	10	10	21	19	24	22	21	23	8	4				5
6	12	13	10	18	10	22	12	19	18	10	6	2		2	6
1,446	1,537	1,387	1,309	1,283	1,201	1,198	1,218	996	792	514	228	71	33	11	7
796	904	831	815	813	733	667	649	515	389	247	100	25	17	7	8
650	633	506	494	470	468	531	569	481	403	267	128	46	16	4	9
8	17	12	14	6	14	16	16	10	12	12	2	2			10
3	11	6	7	5	8	3	3	7	7	2					11
5	6	6	7	1	6	10	13	3	5	10	2	2			12
16	6	9	9	12	12	17	23	22	23	12	10	3	2	2	13
4	2	4	5	9	8	9	8	8	7	8	5	1		1	14
12	4	5	4	3	4	8	15	14	16	4	5	2	2	1	15
4	5	3	8	3	5	5	3	5	2	1	2	2		1	16
3	2	1	6		5	2	2	2	1	1	1			1	17
1	3	2	2	3	3	3	2	3	1		1	2		1	18
308	384	308	314	319	311	320	325	332	317	178	74	15	9	33	19
168	231	194	187	186	179	169	159	195	173	81	32	3		3	20
135	153	114	127	133	132	151	166	187	144	97	42	12	9	13	21
312	352	313	289	262	287	289	264	252	213	161	72	26	13	15	22
166	192	193	188	150	148	168	146	149	101	73	23	9	3	9	23
146	160	120	101	112	139	101	118	103	112	88	49	17	10	6	24
6	6	10	8	9	10	10	14	14	9	7	3	1			25
2	4	5	4	4	2	4	3	3	3	3	2				26
4	2	5	4	5	4	6	6	11	5	4	1				27
18	16	26	14	15	25	23	22	18	15	7	3	1		7	28
9	8	13	5	6	11	15	9	7	7	5	1			3	29
9	8	13	9	9	14	8	13	11	8	2	2	1		4	30
2	10	5	5	13	9	14	17	10	11	8	2	2	1	2	31
1	6		3	6	10	4	10	3	5	4	4	2	1	1	32
1	4	5	2	7	4	4	7	7	6	4	2	2		1	33
6	11	4	5	7	8	12	10	8	5	7				3	34
4	5	2	2	4	5	6	2	4	3	3	4	1	3	1	35
2	6	2	3	3	3	6	8	4	2	4	1	1	2	2	36
122	121	114	94	86	109	100	105	106	77	58	26	10	2	16	37
87	62	63	56	56	66	58	61	47	46	19	14	5	1	1	38
55	59	51	42	30	43	42	44	59	31	39	12	5	1	4	39
8	22	17	10	16	15	15	31	37	22	19	16	8	1	1	40
5	9	7	4	7	8	8	15	14	12	10	4	4		1	41
3	13	10	6	9	7	7	16	23	10	9	12	4	1	1	42
8	12	13	6	5	11	2	12	11	15	10	3	1	1		43
4	7	7	1	2	6	1	6	7	6	6	1	1			44
4	5	6	5	3	5	1	6	4	9	4	2		1		45
4	4	5	6	6	8	14	5	6	12	6	5	1			46
2	2	3	2	1	3	5	4	4	4	5	3	1			47
2	2	3	2	5	5	9	1	2	8	1	2				48
33	41	41	37	37	32	50	72	47	44	33	9	2	3	5	49
26	25	20	27	27	23	29	32	15	20	13	6	1	3	2	50
7	16	21	10	10	9	21	40	32	24	20	3	1	3	3	51
12	13	11	12	22	21	22	21	26	23	11	5	3	2	2	52
5	7	7	6	10	12	8	12	11	11	3	1	2		2	53
7	8	4	6	12	9	14	9	13	12	8	4	1	2	2	54
9	5	7	12	7	7	10	7	16	14	18	4	1		2	55
6	2	3	4	2	4	3	2	7	5	3	2			1	56
3	3	4	4	5	3	2	5	9	9	15	2	1		1	57
13	20	10	14	14	14	12	17	21	16	5	7	3	1	10	58
10	14	9	10	11	11	6	11	12	7	3	2	1		5	59
3	6	1	4	3	3	6	6	9	9	2	5	2	1	5	60
25	19	18	24	17	29	29	59	42	35	38	13	7	1	2	61
10	12	8	13	9	13	14	35	23	22	23	5	3		1	62
15	7	10	11	8	16	15	24	19	13	15	8	4	1	1	63
77	68	63	79	50	78	83	80	106	96	59	30	6	2	5	64
34	35	35	49	35	40	46	40	49	56	25	12	2	1	5	65
43	33	28	30	15	38	37	40	57	40	34	18	4	1	5	66
17	15	17	11	15	20	20	22	20	13	17	3	3	1	6	67
10	6	8	7	9	11	11	14	14	7	13	1	1		6	68
7	9	9	4	6	9	8	8	6	6	4	2	2		5	69
185	178	143	141	137	123	106	127	84	66	46	18	7	2	16	70
119	100	94	83	92	75	65	74	51	42	23	6	4	1	9	71
66	78	49	58	45	48	41	53	33	24	23	12	3	1	7	72
180	208	175	177	199	203	231	246	247	194	133	61	25	9	15	73
93	105	91	111	110	119	133	124	110	104	58	28	13	4	11	74
87	103	84	66	39	84	98	122	137	90	75	33	12	5	4	75
267	244	275	254	310	356	349	348	313	238	185	83	24	21	7	76
149	125	130	129	174	203	178	197	156	117	82	40	7	6	7	77
118	119	145	125	136	153	171	151	157	121	103	43	17	15	7	78

VITAL STATISTICS.

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

REGISTRATION CITIES.	AGES.											
	All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1 Dover, N. H.	257	45	6	4	6	3	64	3	5	5	8	8
2 Males	129	25	6	1	5	2	39	1	3	3	5	5
3 Females	128	20		3	1	1	25	2	2	2	3	3
4 Dubois, Pa.	181	40	11	5	2	2	60	3	2	5	3	10
5 Males	68	24	7	1	1	1	33	1	2		2	4
6 Females	63	16	4	4	2	1	27			5	1	6
7 Duluth, Minn.	698	150	27	13	4	9	203	16	23	18	43	49
8 Males	436	78	18	6	1	8	111	7	14	9	23	31
9 Females	262	72	9	7	3	1	92	9	9	9	20	18
10 Dunkirk, N. Y.	172	31	9	7	4	2	53	5	3	6	5	8
11 Males	91	21	6	4	2		33	3	3	3	1	5
12 Females	81	10	3	3	2	2	20	2		3	4	3
13 Easton, Pa.	421	85	10	5	5	4	109	12	6	14	21	22
14 Males	231	42	6	5	4	3	60	8	3	9	14	13
15 Females	190	43	4		1	1	49	4	3	5	7	9
16 Eau Claire, Wis.	257	57	10	2	2	1	72	11	11	7	24	13
17 Males	133	28	2	2	1		38	6	9	4	11	5
18 Females	119	29	8		1	1	39	5	2	3	13	8
19 Elizabeth, N. J.	911	261	52	22	15	7	357	22	8	15	30	31
20 Males	502	149	19	12	9	4	193	16	5	7	17	17
21 Females	409	112	33	10	6	3	164	6	3	8	13	14
22 Elmira, N. Y.	550	72	16	3	3	5	99	10	12	16	37	25
23 Males	294	40	11	1	2	4	58	5	6	10	21	10
24 Females	256	32	5	2	1	1	41	5	6	6	16	15
25 Erie, Pa.	801	172	23	17	7	11	235	22	15	18	32	37
26 Males	460	97	18	8	4	5	132	9	9	7	20	18
27 Females	341	75	10	9	3	6	103	13	6	11	12	19
28 Escanaba, Mich.	188	45	10	2	4	1	62	5	6	9	15	14
29 Males	125	25	5	2		1	33	3	3	5	10	13
30 Females	63	20	5		4		29	2	3	4	5	1
31 Evansville, Ind.	1,045	217	47	17	11	6	293	33	22	36	49	57
32 Males	572	131	27	9	6	5	173	16	9	16	21	25
33 Females	473	86	20	8	5	1	120	17	13	20	28	32
34 Everett, Mass.	386	96	15	9	7	3	130	7	6	6	17	23
35 Males	178	46	10	3	3	2	64	6	2	1	6	7
36 Females	208	50	5	6	4	1	66	1	4	5	11	16
37 Fall River, Mass.	2,345	916	209	56	32	22	1,235	41	34	42	69	90
38 Males	1,196	514	113	33	17	11	688	23	13	18	35	46
39 Females	1,149	402	96	23	15	11	547	18	21	24	34	44
40 Findlay, Ohio	275	53	8	3	2	2	68	6	6	8	25	11
41 Males	142	27	4	2	1	2	36	4	2	3	8	4
42 Females	133	26	4	1	1		32	2	4	5	17	7
43 Fitchburg, Mass.	428	119	21	8	4	7	159	18	6	10	13	19
44 Males	237	63	16	5	3	4	91	12	2	5	6	9
45 Females	191	56	5	3	1	3	68	6	4	5	7	10
46 Flint, Mich.	185	22	5	3	2	1	33	6	8	1	7	6
47 Males	93	12	2	3	2		19	2	5		5	2
48 Females	92	10	3			1	14	4	3	1	2	4
49 Framingham town, Mass.	190	29	4	2		1	86	5	7	8	10	8
50 Males	95	16	4	2		1	23	4	1	2	4	6
51 Females	95	13					13	1	6	6	6	2
52 Frederick, Md.	185	32	9	1	1	4	47	8	3	2	7	5
53 Males	91	21	3	1		3	28	2	2	2	2	1
54 Females	94	11	6		1		19	6	1	2	5	4
55 Fresno, Cal.	187	38	11	5	5	2	61	8	8	10	12	9
56 Males	110	19	7	3	2	1	32	5	3	5	4	6
57 Females	77	19	4	2	3	1	29	3	5	5	8	3
58 Galesburg, Ill.	270	32	7	3	4	1	47	5	7	6	14	11
59 Males	149	23	3	2	3	1	32	3	3	3	8	5
60 Females	121	9	4	1	1		15	2	4	3	6	6
61 Gardiner town, Mass.	205	68	12	6	4	1	91	7	3	4	6	6
62 Males	90	34	3	3	2		42	3	3	3	3	3
63 Females	115	34	9	3	2	1	49	4	3	1	3	3
64 Geneva, N. Y.	153	23	3	2	1	2	31	3	2	4	4	6
65 Males	72	11	1	1	1	1	14		2	2	2	3
66 Females	81	12	2	2		1	17	3		2	2	3
67 Glens Falls, N. Y.	242	34	8	4	4	5	55	8	6	6	11	15
68 Males	106	20	4	3	2	3	32	4	3	1	5	6
69 Females	136	14	4	1	2	2	23	4	3	5	6	9
70 Gloucester, Mass.	388	80	13	7	3	6	109	12	9	8	21	17
71 Males	205	42	6	4	1	3	56	9	4	3	12	11
72 Females	183	38	7	3	2	3	53	3	5	5	9	6
73 Gloversville, N. Y.	217	44	2	2		1	49	4	2	5	13	10
74 Males	108	25	2	2			27	3	1	4	7	4
75 Females	114	19	2			1	22	1	1	1	6	6
76 Grand Rapids, Mich.	1,258	274	67	35	19	14	409	53	24	32	54	52
77 Males	685	163	31	21	8	10	233	27	11	16	22	23
78 Females	573	111	36	14	11	4	176	26	13	16	32	29



# AGE AND SEX.

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
11	18	8	8	10	16	15	17	19	19	12	9	8	1	3
5	6	5	3	5	11	11	9	11	9	4	2	1	1	1
6	7	3	5	5	5	14	8	8	10	8	7	2	1	2
3	5	7		2	5	3	6	7	5			1		4
1	4	5		2	2	3	2	2	3			1		4
2	1	2			2		4	5	2					6
66	46	46	28	30	27	24	24	15	15	11	3	1	1	9
46	31	32	21	22	20	15	17	11	7	10	1	1	1	8
20	15	14	7	8	7	9	7	4	8	1	2	1	1	9
3	8	6	7	7	9	9	7	16	10	5	3	2		10
3	5	3	4	4	4	7	3	5	4	3	1			11
	3	3	3	3	5	2	4	11	6	2	2	2		12
13	17	11	23	21	12	24	27	20	21	25	12	3	1	7
4	8	7	19	12	8	10	10	16	9	10	4	1	1	6
9	9	4	4	9	4	14	17	4	12	15	8	3		14
14	8	4	16	9	6	15	10	13	10	6	4	1		16
9	6	3	12	6	6	8	3	6	2	4	3	1		17
5	2	1	4	3	6	7	7	7	8	2	1	1		18
32	52	30	42	39	40	41	52	41	39	19	18		1	2
21	23	22	25	21	25	26	27	19	19	8	7			20
11	29	8	14	18	15	15	25	22	20	11	11		1	21
28	32	26	19	32	32	39	26	32	38	27	14	3		22
19	19	15	12	12	18	23	12	13	18	15	6	1		23
9	13	11	7	20	14	16	14	19	20	12	8	2	2	24
28	39	40	39	31	37	41	45	46	42	31	16	5		25
12	21	24	26	18	28	24	31	28	23	20	7	1		26
16	18	16	13	13	9	17	14	18	19	11	9	4		27
8	15	12	10	10	5	7	4	1	2	2				28
7	13	7	8	8	3	6	2	2	2	2				29
1	2	5	2	2	2	1	2	1						30
44	61	48	48	56	44	59	50	53	53	23	6	3	2	31
25	35	23	25	38	32	32	25	27	30	14	1	1		32
19	26	25	23	18	12	27	25	26	23	9	6	2	2	33
13	24	19	22	18	14	16	21	15	15	11	4	5		34
6	14	8	10	13	7	8	9	7	4	4	1	1		35
7	10	11	12	5	7	8	12	8	11	7	3	4		36
60	69	61	74	92	102	96	82	78	55	33	16	8	2	37
31	37	31	31	34	44	47	32	32	24	16	7	4	2	38
29	32	30	43	58	58	49	50	46	31	17	9	4		39
19	11	16	13	10	15	15	14	17	6	8	6	1		40
10	6	8	10	6	7	13	6	10	5	3	3	1		41
9	5	8	3	4	8	2	8	7	6	3	3	1		42
11	11	12	17	18	28	21	19	23	14	16	6	5	1	43
6	8	8	11	10	16	10	12	12	7	7	4	4	1	44
5	3	4	6	8	12	11	7	11	7	9	2	5	1	45
2	9	12	8	9	11	17	12	6	17	8	7	2	1	46
3	4	6	5	4	5	5	6	3	2	2	3	1		47
5	5	3	3	4	6	5	6	3	11	6	4	2		48
16	9	5	8	7	8	14	10	7	16	8	3	2	1	49
5	6	3	3	3	7	10	3	4	5	2	3	2		50
11	3	5	2	4	1	4	7	3	11	6	3	1		51
3	3	3	8	8	9	15	10	11	25	9	8	1		52
1	1	2	3	3	3	6	1	6	9	6	4			53
2	2	5	5	3	6	6	6	6	16	3	4	1		54
4	13	9	12	16	7	6	2	6	1	2	1			55
3	8	5	9	14	5	2	1	5	1	2				56
1	5	4	3	2	2	4	4	1						57
12	12	11	13	12	18	21	17	25	12	13	3	2		58
7	5	7	6	6	10	11	10	17	7	4	1	1		59
5	7	4	7	6	8	10	7	8	5	9	2	1		60
11	6	2	5	9	6	7	5	10	13	6	5	2		61
5	1		3	4	1	3	3	3	4	1	3	1		62
6	5	2	2	5	5	4	2	7	9	5	2	1		63
9	11	5	4	5	12	7	16	16	8	4	3	3		64
4	4	3	2	2	6	2	10	7	3	3	1	2		65
5	7	2	2	3	6	5	6	9	5	1	2	1		66
13	10	11	11	12	10	16	19	9	11	12	5	2		67
4	2	7	6	5	4	8	6	4	2	6	1			68
9	3	4	5	7	6	3	13	5	9	6	4	2		69
13	13	17	17	20	14	16	16	19	30	19	15	1		70
6	5	9	15	15	7	7	7	8	16	7	6			71
7	8	2	2	5	7	9	9	11	14	12	9	1		72
4	13	11	8	3	11	13	19	16	19	11	5	1		73
1	6	2	2	1	3	5	8	11	8	3	2	1		74
3	7	5	6	2	8	8	11	5	11	3	3			75
54	50	62	62	49	55	53	58	54	48	43	23	16	4	76
29	22	31	35	29	33	31	33	41	28	21	12	6	1	77
25	28	31	27	20	22	22	25	13	20	22	11	10	3	78

## VITAL STATISTICS.

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

REGISTRATION CITIES.		AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Green Bay, Wis.	315	86	19	7	6	2	120	12	8	11	13	8
2	Males	173	49	9	2	4	1	65	4	7	7	9	3
3	Females	142	37	10	5	2	1	55	8	1	4	4	5
4	Greenwich town, Conn.	206	51	6	7	4	2	70	5	3	7	6	7
5	Males	109	35	1	4	1	1	42	3	1	4	1	1
6	Females	97	16	5	3	3	1	28	2	2	3	5	6
7	Hamilton, Ohio	349	72	6	6	6	3	98	7	3	7	15	26
8	Males	189	43	2	6	2	2	54	4	2	5	9	13
9	Females	160	29	4	4	4	1	39	3	1	2	6	13
10	Harrisburg, Pa.	895	153	42	21	14	11	241	29	20	33	45	29
11	Males	495	84	25	15	6	6	136	12	7	25	26	17
12	Females	400	69	17	6	8	5	105	17	13	8	19	12
13	Harrison town, N. J.	234	53	15	8		6	82	8	5	3	5	16
14	Males	114	33	9	1		3	46	5	2	2	2	7
15	Females	120	20	6	7		3	36	3	3	1	3	9
16	Hartford, Conn.	1,546	319	65	36	26	20	466	49	24	36	72	66
17	Males	779	173	32	17	11	8	246	23	12	11	36	30
18	Females	767	141	33	19	15	12	220	26	12	25	36	36
19	Haverhill, Mass.	581	104	17	6	9	12	148	15	8	9	14	24
20	Males	283	53	10	2	2	8	80	10	5	5	9	13
21	Females	278	46	7	4	7	4	68	5	3	4	5	11
22	Hazleton, Pa.	205	49	12	10	2	5	78	6	3	6	4	6
23	Males	109	16	6	5	2	2	31	3	2	2	3	3
24	Females	96	33	6	5	2	3	47	3	1	4	1	3
25	Helena, Mont.	154	10	7	3	1	1	22	4	2	7	12	12
26	Males	86	5	5	2			12	1	2	2	4	4
27	Females	68	5	2	1	1	1	10	3	2	5	8	8
28	Hoboken, N. J.	1,253	301	102	46	13	18	480	28	15	25	43	63
29	Males	719	179	50	30	6	8	273	14	6	12	21	37
30	Females	534	122	52	16	7	10	207	14	9	13	22	26
31	Holyoke, Mass.	820	251	44	22	12	11	340	29	9	17	38	40
32	Males	394	142	22	9	6	6	185	16	6	4	15	16
33	Females	426	109	22	13	6	5	155	13	3	13	23	24
34	Hudson, N. Y.	208	29	14	5	1	1	50	3	3	3	9	4
35	Males	117	20	9	3	1		33	2		1	6	2
36	Females	91	9	5	2		1	17	1	3	2	3	2
37	Hutchinson, Kans.	189	22	17	5	1	1	46	4	7	11	9	8
38	Males	95	11	12		1		24	3	2	5	4	3
39	Females	94	11	5			1	22	1	5	6	5	5
40	Hyde Park town, Mass.	215	45	9	2	3	1	60	2	2	5	2	12
41	Males	113	27	5	2	2	1	36	1	1	2	1	8
42	Females	102	18	4	1	1		24	1	1	3	1	4
43	Indianapolis, Ind.	2,817	532	97	77	36	27	769	97	52	109	135	133
44	Males	1,434	317	49	38	20	15	439	52	29	45	57	62
45	Females	1,383	215	48	39	16	12	330	45	23	64	78	76
46	Iron Mountain, Mich.	122	54	7	4	3	3	71	4	5	3	2	4
47	Males	73	29	4	2	3	3	41	1	2	1	2	3
48	Females	49	25	3	2			30	3	3	2		1
49	Ironton, Ohio	221	31	15	10	4	1	61	5	4	7	14	13
50	Males	118	19	9	7	2		37	3	2	5	8	5
51	Females	103	12	6	3	2	1	24	2	2	2	6	8
52	Ironwood, Mich.	126	43	11	1	5	3	63	3	1	5	8	5
53	Males	81	30	6	1		3	40		1	3	8	5
54	Females	45	13	5		5		23	3		2		
55	Ishpeming, Mich.	196	68	17	4	5	2	96	13	2	2	8	11
56	Males	114	47	8	2	3	1	61	8		2	3	6
57	Females	82	21	9	2	2	1	35	5	2		5	5
58	Ithaca, N. Y.	214	22	2	2		3	29	8	3	2	6	8
59	Males	86	13		1		1	15	3	1	1	3	1
60	Females	128	9	2	1		2	14	5	2	1	3	7
61	Jackson, Mich.	338	43	3	4		2	52	4	4	9	17	16
62	Males	177	24	2	4		1	31	1	1	6	7	10
63	Females	161	19	1			1	21	3	3	3	10	6
64	Jacksonville, Fla.	825	172	62	14	10	16	274	32	14	30	58	47
65	Males	457	101	30	6	4	9	150	16	8	10	34	19
66	Females	368	71	32	8	6	7	124	16	6	20	24	28
67	Jacksonville, Ill.	329	31	9	2	3	3	48	6	13	13	16	20
68	Males	179	18	5	1	1	2	27	3	7	7	7	11
69	Females	150	13	4	1	2	1	21	3	6	6	9	9
70	Jamestown, N. Y.	288	47	8	2	2	2	61	5	9	9	9	12
71	Males	144	20	3	1	2	1	27	2	1	4	4	10
72	Females	144	27	5	1		1	34	3	8	5	5	2
73	Jeffersonville, Ind.	227	27	12	2	4	3	48	6	5	6	13	16
74	Males	117	15	6	1	2	2	26	4	3	4	8	11
75	Females	110	12	6	1	2	1	22	2	2	2	5	5
76	Jersey City, N. J.	4,277	983	306	115	99	63	1,571	135	69	79	139	220
77	Males	2,285	551	147	58	52	26	834	73	42	42	102	117
78	Females	1,992	437	159	57	47	37	737	62	27	37	87	103

# AGE AND SEX.

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
10	12	13	13	9	9	16	12	18	15	8	5	1	1	1
7	6	9	9	7	7	6	8	7	8	5	1		1	2
3	6	4	4	2	5	10	4	11	7	3	4	1		3
8	5	5	10	7	4	11	12	11	16	11	6	1	1	4
4	3	1	3	4	3	6	8	6	10	5	2	1	1	5
4	2	4	7	3	1	5	4	5	6	6	4			6
19	17	21	15	14	20	17	19	25	16	9	4	1	1	7
8	9	10	6	10	10	12	14	11	6	5			1	8
11	8	11	9	4	10	5	5	14	10	4	4	1		9
36	34	37	48	48	52	49	56	54	34	25	8	5	2	10
20	19	25	32	27	31	24	32	30	13	12	1			11
16	15	12	16	21	21	25	24	24	21	18	7	5	2	12
14	17	12	13	14	12	10	10	5	5	3				13
4	9	7	6	3	7	3	5	1	2	1				14
10	8	5	7	11	5	7	5	4	3	2				15
76	87	69	57	76	60	81	78	98	67	35	29	10	2	16
45	44	39	34	44	30	38	40	42	31	12	14	4	1	17
31	43	30	23	32	30	43	38	56	36	23	15	6	1	18
25	27	29	23	31	36	37	37	33	25	25	10	4	1	19
14	12	14	13	11	22	15	17	18	10	10	4	1		20
11	15	15	10	20	14	22	20	15	15	15	6	3	1	21
9	14	7	7	10	11	6	9	17	6	5		1		22
6	8	6	4	5	9	4	5	12	3	3				23
3	6	1	3	5	2	2	4	5	2	2		1		24
13	11	8	16	7	10	4	7	7	5	3				25
10	5	5	10	6	5	3	5	2	4	1				26
3	6	3	6	1	5	1	2	5	1	2				27
70	82	61	71	62	55	49	45	41	28	22	9	2		28
41	58	42	49	35	29	33	21	26	11	9	2			29
29	29	19	22	24	26	16	24	15	17	13	7	2		30
35	37	24	38	23	29	44	37	27	21	15	4	3	1	31
16	12	8	18	13	15	20	17	13	6	10	1	1		32
19	25	16	20	15	14	24	20	14	15	5	3	2	1	33
13	5	5	9	11	8	14	12	19	12	18	7	1	1	34
6	2	1	7	6	4	9	8	11	4	10	4			35
7	3	4	2	5	4	5	4	8	8	8	3	1		36
11	9	7	13	12	7	6	6	13	8	3	4		1	37
3	4	1	7	7	5	5	3	8	5	2	2			38
8	5	6	6	5	2	1	3	5	3	1	2		1	39
6	8	8	6	10	14	19	12	16	13	10	6	3		40
3	6	3	3	6	7	8	3	11	6	3	3	1		41
3	2	5	3	4	7	11	9	5	7	7	3	2		42
155	147	133	133	119	128	139	152	147	91	92	44	15	7	43
78	61	72	62	66	59	77	74	70	55	41	17	6	3	44
77	86	61	71	53	69	62	78	77	36	51	27	9	4	45
3	5	3	3	3	3	5	3		1	2	1	1		46
2	3	3	2	3	3	2	2		1					47
1	2		1			3	1			2		1		48
13	10	9	4	9	7	11	8	17	14	6	2			49
4	6	2	2	6	4	7	4	11	4	2				50
9	4	7	2	3	3	4	4	6	10	4	1			51
8	10	6	5	3	1	2		1	5					52
5	4	3	4	3		2			3					53
3	6	3	1	3	1			1	2					54
7	4	5	6	9	7	6	5	8	3		2			55
1	2	3	4	6	2	3	3	3	1		1			56
3	2	2	2	3	5	3	2	5	2		1			57
9	11	15	6	10	8	12	15	24	20	13	9	6		58
4	2	8	3	5	4	4	4	11	6	4	4	3		59
5	9	7	3	5	4	8	11	13	14	9	5	3		60
18	19	22	13	19	18	23	24	19	28	20	11	1	1	61
8	11	10	9	10	9	15	15	3	14	10	6	6	1	62
10	8	12	4	9	9	8	9	16	14	10	5	1	1	63
50	56	37	42	30	25	31	29	24	15	9	6	4	3	64
29	35	20	25	9	9	19	21	19	7	6	3	2		65
21	21	17	17	14	16	12	8	5	8	3	3	2	3	66
19	16	12	12	13	22	15	22	19	26	15	9	2		67
7	7	7	7	7	10	8	12	10	18	10	4	1	3	68
12	7	5	5	10	10	7	10	9	8	5	5	1	1	69
22	16	13	13	20	19	11	14	21	14	12	6		1	70
11	8	5	5	12	10	6	8	9	7	9	2			71
11	8	8	8	8	9	5	6	12	7	3	4		1	72
9	4	1	8	16	14	24	17	11	13	7	2			73
4	2		5	9	5	6	10	7	7	2				74
5	2		3	7	9	18	7	4	6	5				75
228	204	207	183	201	228	192	185	160	120	68	29	5	3	76
118	110	129	104	110	112	103	105	76	56	39	11		1	77
110	94	78	79	91	116	89	80	84	64	29	18	5	2	78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Johnstown, N. Y	135	25	2	2		1	30	1	1	4	6	4
2	Males	79	17	2	2		1	22			1	5	
3	Females	56	8					8	1	1	3	1	4
4	Johnstown, Pa	710	198	50	25	18	7	298	27	17	30	33	42
5	Males	414	111	26	14	12	4	167	16	8	21	21	28
6	Females	296	87	24	11	6	3	131	11	9	9	12	14
7	Kalamazoo, Mich	416	59	11	7	3	1	81	5	7	14	14	13
8	Males	229	36	8	4	1	1	50	2	5	5	6	6
9	Females	187	23	3	3	2		31	3	2	9	8	7
10	Kansas City, Mo	2,852	514	169	51	43	33	810	75	62	101	185	176
11	Males	1,558	289	89	25	25	16	444	41	31	42	90	80
12	Females	1,294	225	80	26	18	17	366	34	31	59	95	96
13	Keene, N. H.	125	20	1	2			23	3	2	5	7	2
14	Males	61	13	1	1			15	1	1	2	2	
15	Females	64	7		1			8	2	1	3	5	2
16	Keokuk, Iowa	279	34	11	6	5		56	5	1	6	13	18
17	Males	148	22	7	3	1		33	1	1	3	10	7
18	Females	136	12	4	3	4		23	4		3	3	11
19	Key West, Fla	486	159	30	12	4	1	206	16	6	13	22	28
20	Males	280	90	14	7	2		113	9	3	6	15	18
21	Females	206	69	16	5	2	1	93	7	3	7	7	10
22	Kingston, N. Y	442	76	16	8	7	6	113	9	5	14	21	23
23	Males	206	35	7	1	5	4	52	3	2	6	10	13
24	Females	236	41	9	7	2	2	61	6	3	8	11	10
25	Laconia, N. H.	163	33	6	6	1	3	49	5	2	1	8	3
26	Males	86	17	5	3			26	1	1		4	
27	Females	77	16	1	3	1	2	23	4	1	1	4	3
28	Lafayette, Ind	296	45	10	4	2	2	63	10	9	11	16	8
29	Males	159	29	8	3	1	2	43	4	6	6	10	4
30	Females	137	16	2	1	1		20	6	3	5	6	4
31	Lancaster, Pa.	724	130	34	19	17	10	210	32	21	28	20	20
32	Males	388	78	21	11	7	3	120	17	6	12	8	12
33	Females	336	52	13	8	10	7	90	15	15	16	12	8
34	Lansing, Mich	232	31	5	4		3	43	9	4	8	10	3
35	Males	114	20	3			2	25	4		5	3	8
36	Females	118	11	2	4		1	18	5	4	3	7	5
37	Lansingburg, N. Y	248	45	8	11	2	2	68	11	3	7	11	16
38	Males	122	23	6	5	2	1	37	7	2	5	3	7
39	Females	126	22	2	6		1	31	4	1	2	8	9
40	Lawrence, Kans	179	27	12	5	1	1	46	6	1	6	8	11
41	Males	85	13	7	1			21	4	1	3	4	4
42	Females	94	14	5	4	1	1	25	2		3	4	7
43	Lawrence, Mass	1,262	385	83	31	23	14	536	38	19	27	49	43
44	Males	644	224	40	12	8	4	233	22	8	15	23	19
45	Females	618	161	43	19	15	10	248	16	11	12	26	24
46	Leadville, Colo	351	58	15	5	2	6	86	15	2	12	22	27
47	Males	237	26	7	1	1	3	38	11	2	8	15	22
48	Females	114	32	8	4	1	3	48	4		4	7	5
49	Leavenworth, Kans	419	78	21	9	7	3	118	10	6	7	21	16
50	Males	218	40	6	7	4	1	58	5	5	1	13	9
51	Females	201	38	15	2	3	2	60	5	1	6	8	7
52	Lebanon, Pa	326	62	16	3	10	4	100	10	8	11	9	13
53	Males	161	40	9	2	6	2	59	3	4	6	3	4
54	Females	165	22	7	6	4	2	41	7	4	5	6	9
55	Leominster town, Mass	176	37	7	5	4		53	6	3	3	5	5
56	Males	79	23	4	4	3		34	4	3	1	4	
57	Females	97	14	3	1	1		19	2	2	2	1	5
58	Lima, Ohio	377	77	16	12	3	2	110	9	10	17	18	22
59	Males	204	49	7	7	3	1	67	7	2	5	4	13
60	Females	173	28	9	5		1	43	2	8	12	14	9
61	Lincoln, Nebr	476	80	30	9	9	1	129	9	6	12	22	28
62	Males	262	46	13	2	4	1	66	4	4	5	12	18
63	Females	214	34	17	7	5		63	5	2	7	10	10
64	Lockport, N. Y	259	36	15	1	4	4	60	6	3	12	7	4
65	Males	131	24	7		2	2	35	5	2	4	5	2
66	Females	128	12	8	1	2	2	25	1	1	8	2	2
67	Los Angeles, Cal	1,857	253	89	21	24	17	354	62	37	53	80	121
68	Males	1,121	159	26	11	16	7	219	30	17	22	43	68
69	Females	736	94	13	10	8	10	135	32	20	31	37	53
70	Louisville, Ky	4,092	685	204	102	57	46	1,094	106	70	168	238	255
71	Males	2,106	386	110	51	23	18	538	56	35	79	118	120
72	Females	1,986	299	94	51	34	28	506	50	35	89	120	135
73	Lowell, Mass	1,876	372	105	35	29	17	758	44	20	42	80	78
74	Males	934	384	48	19	16	5	422	23	9	22	40	40
75	Females	942	288	57	16	13	12	336	21	11	20	40	38
76	Lynchburg, Va	523	127	32	14	15	7	195	16	14	25	34	17
77	Males	248	61	15	7	8	3	94	12	5	7	12	8
78	Females	275	66	17	7	7	4	101	4	9	18	22	9



TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Lynn, Mass .....	1, 124	213	39	19	13	6	290	29	20	33	41	51
2	Males .....	582	125	25	10	5	3	168	23	10	14	25	32
3	Females .....	542	88	14	9	8	3	122	6	10	19	16	19
4	McKeesport, Pa.....	592	192	47	18	9	11	277	30	9	14	31	31
5	Males .....	311	99	23	9	4	6	141	12	6	11	19	19
6	Females .....	281	93	24	9	5	5	136	18	3	3	12	12
7	Madison, Wis.....	216	33	5	5	5	2	50	8	6	3	11	13
8	Males .....	118	21	4	3	3	2	33	6	3	2	5	4
9	Females .....	98	12	1	2	2	2	17	2	3	1	6	9
10	Mahanoy, Pa.....	360	100	31	13	8	1	153	8	7	9	11	15
11	Males .....	212	58	11	9	6	2	84	5	5	7	8	10
12	Females .....	148	42	20	4	2	1	69	3	2	2	3	5
13	Malden, Mass.....	486	100	17	9	5	4	135	11	5	15	13	22
14	Males .....	222	57	8	1	4	2	72	6	2	9	5	10
15	Females .....	264	43	9	8	1	2	63	5	3	6	8	12
16	Manchester, N. H.....	1, 092	328	89	33	21	10	481	17	15	28	45	47
17	Males .....	519	171	48	13	10	5	247	8	6	16	17	24
18	Females .....	573	157	41	20	11	5	234	9	9	12	28	23
19	Manchester town, Conn.....	126	35	4	3	2	2	44	1	2	6	5	9
20	Males .....	68	22	3	2	2	2	25	2	1	5	2	7
21	Females .....	58	13	1	3	2	2	19	1	1	1	3	2
22	Manitowoc, Wis.....	168	41	6	4	3	4	54	8	5	7	9	6
23	Males .....	90	20	2	2	1	1	24	4	3	4	4	4
24	Females .....	78	21	4	2	2	3	30	4	2	3	5	2
25	Mankato, Minn.....	159	24	8	4	2	2	40	9	8	4	6	4
26	Males .....	98	10	7	4	1	1	22	7	5	1	4	4
27	Females .....	61	14	1	2	2	1	18	2	3	3	2	4
28	Marietta, Ohio.....	182	28	6	2	2	2	36	4	1	11	7	10
29	Males .....	101	18	3	2	2	2	21	4	1	6	5	6
30	Females .....	81	10	3	2	2	2	15	5	2	5	2	4
31	Marinette, Wis.....	232	71	24	3	3	4	105	13	3	3	12	13
32	Males .....	122	41	13	3	2	2	61	3	2	1	5	8
33	Females .....	110	30	11	2	1	2	44	10	1	2	7	5
34	Marlboro, Mass.....	219	55	14	4	4	4	77	6	3	7	9	10
35	Males .....	110	37	3	2	3	3	45	2	2	4	3	6
36	Females .....	109	18	11	2	1	1	32	4	1	3	6	4
37	Marquette, Mich.....	167	43	10	3	2	2	60	9	1	6	6	16
38	Males .....	99	28	3	1	2	1	33	5	2	4	5	10
39	Females .....	68	15	7	2	2	1	27	4	1	2	1	6
40	Marshalltown, Iowa.....	181	27	9	6	1	1	44	5	3	10	15	11
41	Males .....	106	15	7	3	1	1	26	1	1	2	8	8
42	Females .....	75	12	2	3	1	1	18	4	2	8	7	3
43	Massillon, Ohio.....	197	20	4	3	2	2	27	6	2	6	7	9
44	Males .....	109	11	2	2	2	2	15	4	1	3	3	2
45	Females .....	88	9	2	1	2	2	12	2	1	3	4	7
46	Meadville, Pa.....	185	18	4	1	1	1	25	5	2	6	7	12
47	Males .....	96	8	2	1	1	1	11	1	2	2	4	8
48	Females .....	89	10	2	2	1	1	14	4	2	4	3	4
49	Medford, Mass.....	262	49	8	5	3	4	69	7	4	5	8	11
50	Males .....	125	28	5	1	1	1	35	7	3	4	4	5
51	Females .....	137	21	3	5	2	3	34	2	1	1	4	6
52	Melrose, Mass.....	191	29	5	2	2	2	40	2	4	3	8	11
53	Males .....	98	15	4	1	1	1	21	1	3	2	5	6
54	Females .....	93	14	1	1	1	2	19	1	1	1	3	5
55	Memphis, Tenn.....	2, 572	378	151	61	45	30	665	117	65	115	199	214
56	Males .....	1, 436	207	79	25	22	17	350	51	31	55	108	126
57	Females .....	1, 136	171	72	36	23	13	315	66	34	60	91	88
58	Menominee, Mich.....	179	44	14	7	3	3	71	5	5	6	13	13
59	Males .....	101	26	11	5	1	2	45	1	1	4	8	8
60	Females .....	78	18	3	2	2	1	26	4	4	2	5	5
61	Meriden town, Conn.....	409	72	10	8	4	4	98	9	5	10	11	12
62	Males .....	213	37	5	4	2	2	50	6	3	6	4	6
63	Females .....	196	35	5	4	2	2	48	3	2	4	7	6
64	Michigan City, Ind.....	210	58	6	3	2	2	73	14	6	5	3	7
65	Males .....	118	27	3	3	1	2	36	10	3	2	1	3
66	Females .....	92	31	3	2	1	2	37	4	3	3	2	4
67	Middletown, N. Y.....	253	41	6	1	2	2	52	4	2	6	14	13
68	Males .....	117	24	2	1	1	2	28	1	2	4	6	7
69	Females .....	136	17	4	2	1	2	24	3	2	2	8	6
70	Middletown, Ohio.....	145	20	7	4	2	2	33	4	2	6	5	8
71	Males .....	84	15	4	2	2	2	23	3	2	4	4	4
72	Females .....	61	5	3	2	2	2	10	1	2	6	1	4
73	Middletown town, Conn.....	290	36	7	2	1	3	49	11	2	7	7	15
74	Males .....	138	20	3	1	1	2	24	3	1	4	4	8
75	Females .....	152	16	4	1	1	3	25	8	1	3	3	7
76	Milford town, Mass.....	207	38	8	3	3	1	53	2	3	4	10	12
77	Males .....	116	23	7	1	2	1	34	2	2	3	7	7
78	Females .....	91	15	1	2	1	2	19	2	1	1	3	5

AGE AND SEX.

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
51	60	54	49	51	52	68	75	77	44	39	27	8	3	2
29	28	21	20	25	28	34	40	37	16	14	12	2	2	2
22	32	38	29	26	24	34	35	40	28	25	15	6	1	3
30	19	26	24	20	18	13	22	9	10	8	1			4
15	9	16	19	12	7	4	10	5	2	4				5
15	10	10	5	8	11	9	12	4	8	4	1			6
8	9	8	7	6	12	14	15	15	11	12	4	3	1	7
6	7	6	3	3	7	7	9	3	7	6	4	1		8
2	2	2	4	3	5	7	6	12	4	6	4	2	1	9
15	22	13	13	12	23	14	17	11	11	1	1			4
8	17	9	10	8	14	11	6	4	5					10
7	5	4	3	4	9	3	11	7	6	1	1			11
22	23	24	22	18	19	28	41	23	22	22	12	7	1	13
8	8	10	10	11	8	11	20	9	4	13	6	6		14
14	15	14	12	7	11	17	21	14	18	9	6	7	1	15
46	36	36	31	39	49	46	54	36	36	23	14	6	2	16
26	16	16	19	14	22	22	21	16	7	15	4	2		17
20	20	20	12	25	27	24	33	20	29	8	10	4	2	18
5	5	4	4	5	3	3	6	7	8	2	2	4		19
2	2	2	1	2	1	1	5	5	4	2				20
3	3	2	3	3	2	2	1	2	4		2			21
8	10	2	2	9	4	5	7	9	6	6	4	2		22
4	7	2	1	6	1	3	2	2	4	4	2			23
4	3		1	3	3	2	5	3	2	2	2			24
6	6	11	10	3	4	11	10	10	7	4	5		1	25
4	5	7	3	2	3	3	3	6	3	3	3			26
2	1	4	2	1	1	3	7	4	4	1	2		1	27
7	10	6	6	3	11	8	14	16	9	13	9	1		28
4	4	4	3	1	5	5	9	6	6	7	5			29
3	6	2	3	2	6	3	3	7	3	6	4			30
14	9	8	5	7	6	6	6	5	10	2	4			31
8	5	5	3	5	3	5	2	2	6	1	1			32
6	4	3	2	2	3	5	4	3	4	1	3			33
12	7	5	5	4	9	12	14	12	12	10	4	1		34
6	4	2	3	1	3	7	5	6	7	4	1			35
6	3	3	2	3	6	5	9	6	5	6	3			36
6	15	1	8	4	10	7	4	5	6	2		1		37
4	10	1	5	1	5	7	1	2	2					38
2	5		3	1	5		1	3	4	2		1		39
11	6	9	8	5	6	11	5	12	10	6	3	1		40
8	4	5	6	4	4	6	4	7	4	5	2			41
3	2	4	2	1	2	5	5	5	6	1	1	1		42
17	6	12	7	11	11	15	9	23	15	10	3		1	43
8	3	3	5	6	7	10	4	13	8	8	1			44
9	3	4	2	5	4	5	5	10	7	2	2		1	45
9	11	4	10	8	10	14	18	14	20	9	1			46
7	6	3	4	6	6	10	7	5	12	4				47
2	5	1	6	2	4	4	11	9	8	5	1			48
6	7	10	15	15	14	13	16	15	22	13	12			49
3	3	9	5	9	6	5	6	7	7	5	4			50
3	4	1	10	6	8	8	10	10	15	8	3			51
9	7	9	5	6	5	14	13	14	23	12	3	3		52
5	4	3	2	3	3	8	7	9	6	9	2	1		53
4	3	6	3	3	2	6	6	7	14	6	1	2		54
158	175	138	133	147	107	94	87	61	36	24	10	9	5	55
101	110	95	84	93	67	53	46	23	17	10	3	3	2	56
57	65	43	54	54	40	41	41	33	19	14	7	6	3	57
5	9	9	5	9	10	3	4	3	3	2	1		2	58
1	6	2	3	6	6	1	4	1	1				1	59
4	3	7	2	3	4	2	2	2	2	2	1		1	60
16	16	19	19	27	23	33	26	26	28	17	10	1		61
10	10	10	9	14	13	16	14	11	14	10	4	1		62
6	6	9	10	13	10	17	12	15	14	7	6			63
4	4	12	9	10	9	8	12	12	12	4	4		1	64
2	3	9	6	6	5	6	6	6	6	4	3		1	65
2	1	3	3	4	4	2	6	6	6	1	1			66
13	14	10	7	5	12	23	23	18	18	11	8			67
9	9	2	1	3	7	7	8	8	7	4	4			68
4	5	8	6	2	5	16	15	10	11	7	4			69
5	8	7	9	6	8	12	10	12	6	2	1			70
2	3	3	4	4	4	8	8	4	6	1	1			71
3	5	3	5	4	4	4	2	2	6					72
16	14	14	8	20	20	13	23	28	20	20	6	2	1	73
8	11	7	5	10	10	6	10	14	4	8	2	1		74
8	3	7	3	8	10	7	13	14	16	12	4	1		75
5	8	2	3	12	19	11	14	17	21	8	2			76
3	5		2	10	10	5	5	6	11	6		1		77
2	3	2	1	2	9	6	9	11	10	2	2		1	78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29.
1	Millville, N. J.	176	38	6	1	3	3	51	11	7	7	7	8
2	Males	81	25	4		1		30	6	4	3	1	2
3	Females	95	13	2	1	2	3	21	5	3	4	6	6
4	Milwaukee, Wis.	4,550	1,347	240	111	89	65	1,852	171	72	133	175	150
5	Males	2,496	729	120	57	51	34	991	91	32	69	76	71
6	Females	2,054	618	120	54	38	31	861	80	40	64	99	79
7	Minneapolis, Minn.	2,183	429	79	47	31	21	607	80	56	74	119	103
8	Males	1,154	230	42	20	18	10	320	43	24	34	52	41
9	Females	1,029	199	37	27	13	11	287	37	32	40	67	62
10	Mobile, Ala.	995	227	35	13	10	4	289	19	22	28	62	56
11	Males	548	126	16	9	2	2	155	6	11	16	37	31
12	Females	447	101	19	4	8	2	134	13	11	12	25	25
13	Montclair, N. J.	217	56	13	7	2	5	83	4	1	8	6	13
14	Males	98	33	4	4	1	3	45	1		3	4	6
15	Females	119	23	9	3	1	2	38	3	1	5	1	7
16	Morristown, N. J.	191	34	10	5		1	50	4	3	3	12	12
17	Males	103	21	8	5		1	35	2	3	2	8	6
18	Females	88	13	2				15	2		1	4	6
19	Mt. Carmel, Pa.	295	95	42	19	10	9	175	4	3	8	8	12
20	Males	163	57	13	9	4	3	91	2	1	5	8	9
21	Females	132	38	24	10	6	6	84	2	2	3		3
22	Mt. Vernon, N. Y.	411	145	51	15	6	4	221	13	8	9	9	5
23	Males	203	76	29	8		1	114	6	2	3	2	4
24	Females	208	69	22	7	6	3	107	7	6	6	7	1
25	Muncie, Ind.	286	67	10	7	2	2	88	4	10	18	18	22
26	Males	146	42	4	3	2	1	52	2	6	8	6	7
27	Females	140	25	6	4		1	36	2	4	10	12	15
28	Muscatine, Iowa	240	35	7		1		43	2	3	7	10	9
29	Males	147	19	4				23	2	2	4	4	6
30	Females	93	16	3		1		20		1	3	6	3
31	Muskegon, Mich.	255	57	15	8	8	1	89	7	4	9	7	12
32	Males	139	36	10	3	4	1	54	2	1	5	2	6
33	Females	116	21	5	5	4		35	5	3	4	5	6
34	Nashua, N. H.	479	140	28	24	19	4	215	15	9	12	15	14
35	Males	237	76	13	15	4	3	111	9	4	7	8	7
36	Females	242	64	15	9	15	1	104	6	5	5	7	7
37	Nashville, Tenn.	2,042	364	144	54	35	26	623	82	53	102	138	127
38	Males	1,039	183	82	33	18	15	336	47	15	49	70	57
39	Females	1,003	176	62	21	17	11	287	35	38	53	68	70
40	Natchez, Miss.	485	61	15	12		2	90	15	9	23	48	50
41	Males	270	32	9	6			47	9	1	15	28	27
42	Females	215	29	6	6		2	43	6	8	8	20	23
43	Natick town, Mass.	133	13	4	2			20	2	1	5	1	4
44	Males	80	7	3		1		11	2		3	1	2
45	Females	53	6	1	2			9			2		2
46	Naugatuck town, Conn.	179	54	10	4	1	2	71	4	3	3	6	12
47	Males	86	32	8	3	1	1	45	3	1	1	2	3
48	Females	93	22	2	1		1	26	1	2	2	4	4
49	Newark, N. J.	4,866	1,120	350	150	88	87	1,795	145	69	114	162	200
50	Males	2,622	660	176	80	38	42	996	73	37	68	85	121
51	Females	2,244	460	174	70	50	45	799	72	32	46	77	79
52	Newark, Ohio	269	52	9	1	4	1	67	5		8	12	17
53	Males	153	34	5		3	1	43	3		4	7	7
54	Females	116	18	4	1	1		24	2		4	5	10
55	New Bedford, Mass.	1,154	346	51	29	19	12	457	21	21	38	50	37
56	Males	601	204	31	16	10	8	269	13	11	21	22	17
57	Females	553	142	20	13	9	4	188	8	10	17	28	20
58	New Britain town, Conn.	483	145	19	12	9	5	190	19	4	7	18	15
59	Males	247	75	11	6	7	3	102	3	2	2	11	7
60	Females	236	70	8	6	2	2	88	16	2	5	7	8
61	New Brunswick, N. J.	425	90	13	8	5	1	117	12	6	11	9	17
62	Males	215	48	10	4			63	6	3	5	4	9
63	Females	210	42	3	4	4	1	54	6	3	6	5	8
64	Newburg, N. Y.	500	70	18	10	9	9	116	16	9	14	21	24
65	Males	226	37	11	5	3	5	61	7	2	7	7	10
66	Females	274	33	7	5	6	4	55	9	7	7	14	14
67	Newburyport, Mass.	312	38	11	10	5	4	63	3	5	7	9	11
68	Males	147	20	3	6	1	1	34	1	1	4	6	7
69	Females	165	18	8	4	1	3	34	2	4	3	3	4
70	Newcastle, Pa.	487	93	20	7	7	5	132	11	6	20	26	34
71	Males	259	57	7	3	3	2	72	8	4	9	12	19
72	Females	178	36	13	4	4	3	60	3	2	11	14	15
73	New Haven town, Conn.	1,862	376	73	26	23	13	511	34	19	36	77	86
74	Males	953	215	38	13	17	7	290	18	6	19	43	49
75	Females	909	161	35	13	6	6	221	16	13	17	34	37
76	New London, Conn.	345	72	6	6	3	2	89	12	7	6	11	9
77	Males	179	35	6	5	1		47	7	5	4	6	2
78	Females	166	37		1	2	2	42	5	2	2	5	7



AGE AND SEX.

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
8	8	5	1	4	12	9	10	13	6	6		2		1
2	3	3			6	2	4	9	3	2				2
6	5	2	1	4	6	7	6	4	3	4		2		3
160	167	191	134	146	178	189	196	230	184	125	69	20	5	3
94	101	120	80	93	117	105	109	139	93	66	36	9	2	4
66	66	71	54	53	61	84	37	91	91	59	33	11	3	5
108	128	126	98	110	83	98	108	107	73	64	29	10	2	7
54	67	67	57	62	59	56	58	61	37	39	15	4	1	8
54	61	59	41	48	24	37	50	46	36	25	14	6	1	9
63	65	45	61	37	41	58	47	34	24	15	17	5	3	10
34	42	31	33	24	24	33	23	25	12	6	5	1	1	11
29	23	14	28	16	17	25	24	9	12	9	12	4	2	12
8	10	9	6	9	11	7	7	11	9	8	4	2	1	13
1	4	5	3	4	6	2	4	4	4	1	1			14
7	6	4	3	5	5	5	3	7	5	7	3	2	1	15
6	7	6	8	8	10	11	13	11	11	7	4	3		16
4	4	3	3	3	3	4	7	6	4	6	4	1		17
2	3	3	5	3	7	7	6	5	7	6	4	2		18
10	4	12	9	5	7	9	11	6	5	4	2			19
8	3	7	6	3	4	1	6	3	2	3	1			20
2	1	5	3	2	3	8	5	3	3	1	1			21
11	14	12	9	13	7	20	9	14	14	16	6		1	22
4	6	6	3	8	5	14	1	8	5	9	3			23
7	8	6	6	5	2	6	8	6	9	7	3		1	24
13	9	18	9	3	11	6	18	7	16	10	4	1		25
8	3	10	4	2	2	3	13	5	7	3	1			26
5	6	8	5	1	5	3	5	2	9	7	3	1		27
11	6	14	7	10	19	10	21	25	20	13	7	2		28
3	5	7	4	5	7	8	17	19	10	8	5	2		29
3	1	7	3	5	12	2	4	6	10	5	2			30
8	7	10	8	6	12	16	22	13	12	11	2			31
4	4	6	4	2	9	6	13	7	6	6	2			32
4	3	4	4	4	3	10	9	6	6	5	2			33
13	15	18	13	6	18	16	28	21	16	17	9	2		34
5	8	10	6	5	8	5	7	7	8	8	3			35
8	7	8	7	1	10	11	15	14	9	9	6	2		36
105	83	86	75	98	90	79	94	77	48	41	16	9	9	37
53	36	40	43	41	55	42	56	43	19	20	7	2	2	38
52	47	46	32	57	35	37	38	34	29	21	9	7	7	39
28	19	22	26	30	21	20	13	24	21	11	7	3	3	40
19	12	12	16	18	15	10	4	15	9	6	1	1	3	41
9	7	10	10	12	6	10	9	9	12	5	6	2		42
5	2	6	10	8	9	14	13	11	12	10				43
5	2	5	7	6	6	9	9	6	8	4				44
6	4	8	7	5	8	11	13	6	1	5				45
3	2	5	3	2	1	4	5	5	4	6				46
3	2	8	4	3	7	7	8	6	1	5	3			47
											2			48
216	279	240	216	223	259	221	221	181	164	109	37	10	5	49
115	136	146	132	119	135	122	83	74	68	39	14	6	3	50
101	93	94	84	104	124	99	133	107	96	70	28	4	2	51
11	17	11	13	19	9	16	20	13	10	11	8	1		52
9	9	4	7	12	3	10	14	7	5	3	4	1		53
2	8	7	6	7	6	6	6	6	5	8	4	1		54
28	36	34	34	45	50	51	51	48	66	41	26	14	2	55
11	22	16	15	19	20	23	30	24	27	23	9	5		56
17	14	18	19	26	30	23	21	24	39	21	17	9	2	57
21	15	15	17	17	21	26	29	18	15	13	7	11	1	58
12	9	9	13	9	9	11	17	7	9	6	4	3	1	59
9	6	6	4	8	12	15	12	11	6	7	3	8		60
19	15	16	17	17	17	28	33	28	30	19	7	4	2	61
9	9	5	9	11	11	20	17	12	9	8	5			62
10	6	11	8	6	6	8	16	16	21	11	2	4	2	63
26	19	20	19	28	27	38	30	29	32	17	8	5	1	64
9	12	12	11	14	17	17	17	10	11	8	5	1		65
17	7	8	11	14	14	21	19	19	21	9	3	4	1	66
7	8	13	14	11	9	13	25	34	34	20	13	4		67
3	5	8	5	8	4	7	10	13	13	9	7	2		68
4	3	5	9	3	5	6	15	21	21	11	4	2		69
23	25	24	13	15	14	15	18	21	13	7	4	4		70
16	14	18	9	13	8	4	14	15	6	9	1	2		71
7	11	6	4	2	6	11	4	6	7	3	3	2		72
86	95	78	103	116	111	133	95	97	73	52	40	16	4	73
49	50	45	49	53	56	59	49	45	33	17	16	6	1	74
37	45	33	54	63	55	74	46	52	40	35	24	10	3	75
27	18	17	13	15	14	13	24	19	19	8	8		1	76
13	14	8	8	9	7	7	7	13	12	3	4			77
14	4	9	5	6	7	6	17	6	7	16	4		1	78





TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Ottumwa, Iowa.....	317	54	22	3	5	1	85	9	9	10	16	13
2	Males.....	182	30	12	2	5	49	5	6	4	8	5	8
3	Females.....	185	24	10	1	1	36	4	3	6	8	8	5
4	Owosso, Mich.....	121	28	2	1	2	3	36	3	5	5	5	4
5	Males.....	66	15	1	1	2	2	18	2	4	3	3	3
6	Females.....	55	13	1	1	2	1	18	1	1	2	2	1
7	Paducah, Ky.....	541	74	40	34	13	6	167	21	17	19	43	37
8	Males.....	297	44	23	14	7	1	89	15	10	10	21	24
9	Females.....	244	30	17	20	6	5	78	6	7	9	22	13
10	Passaic, N. J.....	563	217	58	17	5	5	302	16	15	13	28	14
11	Males.....	286	116	29	12	2	3	162	3	9	2	11	7
12	Females.....	277	101	29	5	3	2	140	13	6	11	17	7
13	Paterson, N. J.....	2,000	479	124	62	35	27	727	97	28	51	86	97
14	Males.....	1,081	266	74	34	22	18	414	50	19	32	43	51
15	Females.....	919	213	50	28	13	9	313	47	9	19	43	46
16	Pawtucket, R. I.....	723	166	37	11	13	10	237	19	10	7	31	38
17	Males.....	346	100	14	9	6	4	133	11	6	3	15	15
18	Females.....	377	66	23	2	7	6	104	8	4	4	16	23
19	Peabody town, Mass.....	185	30	7	3	2	-----	42	5	2	6	6	6
20	Males.....	95	20	3	2	2	-----	24	3	2	3	2	3
21	Females.....	90	10	4	1	2	-----	18	2	-----	3	4	3
22	Peekskill, N. Y.....	206	30	11	10	4	3	58	12	5	6	3	8
23	Males.....	102	17	7	3	2	1	30	3	1	2	2	5
24	Females.....	104	13	4	7	2	2	28	9	4	4	1	3
25	Perth Amboy, N. J.....	250	87	21	10	3	4	125	10	5	5	8	9
26	Males.....	143	58	12	5	2	2	74	4	3	3	3	3
27	Females.....	107	34	9	5	1	2	51	6	2	2	5	6
28	Peru, Ind.....	136	27	9	2	-----	1	39	-----	4	4	6	13
29	Males.....	69	16	3	-----	-----	1	20	-----	1	-----	3	9
30	Females.....	67	11	6	2	-----	-----	19	-----	3	4	3	4
31	Petersburg, Va.....	678	132	45	16	3	5	201	22	21	27	33	29
32	Males.....	359	81	26	10	2	3	122	5	7	13	17	15
33	Females.....	319	51	19	6	1	2	79	17	14	14	16	14
34	Philadelphia, Pa.....	27,456	5,657	1,592	774	543	398	8,964	950	418	608	1,056	1,231
35	Males.....	14,381	3,167	884	413	272	206	4,942	489	231	300	549	634
36	Females.....	13,075	2,490	708	361	271	192	4,022	461	187	308	507	597
37	Phillipsburg, N. J.....	161	36	5	3	-----	2	46	4	3	4	8	8
38	Males.....	87	27	3	1	-----	2	33	2	1	5	3	3
39	Females.....	74	9	2	2	-----	-----	13	2	2	4	5	5
40	Phoenixville, Pa.....	203	43	12	8	-----	3	66	4	3	2	4	7
41	Males.....	110	25	8	6	-----	1	40	2	2	1	2	6
42	Females.....	93	18	4	2	-----	2	26	2	1	1	2	1
43	Pittsburg, Pa.....	6,436	1,470	533	236	99	71	2,409	208	137	228	333	335
44	Males.....	3,663	824	281	115	47	38	1,305	112	75	129	221	246
45	Females.....	2,768	646	252	121	52	33	1,104	96	62	99	162	139
46	Pittsfield, Mass.....	338	63	10	5	5	3	86	4	7	12	13	9
47	Males.....	164	26	5	2	1	1	35	5	4	4	9	7
48	Females.....	174	37	5	3	4	2	51	4	2	8	4	2
49	Pittston, Pa.....	274	80	15	12	4	9	120	15	4	3	5	12
50	Males.....	159	54	7	5	2	7	75	6	1	7	2	5
51	Females.....	115	26	8	7	2	2	45	9	3	1	3	7
52	Plainfield, N. J.....	242	47	15	2	2	2	68	6	5	5	5	11
53	Males.....	138	32	9	1	1	1	44	3	1	2	3	7
54	Females.....	104	15	6	1	1	1	24	3	4	3	2	4
55	Plymouth, Pa.....	236	38	29	10	11	10	148	23	7	7	6	4
56	Males.....	167	54	17	6	6	3	86	11	6	4	5	2
57	Females.....	119	34	12	4	5	7	62	12	1	3	1	2
58	Plymouth town, Mass.....	173	39	5	3	1	2	50	4	4	3	6	3
59	Males.....	83	23	3	3	-----	1	30	3	-----	3	3	2
60	Females.....	90	16	2	-----	-----	1	20	1	4	-----	3	1
61	Pontiac, Mich.....	138	16	4	1	1	1	23	1	-----	5	5	5
62	Males.....	77	11	1	1	1	1	14	-----	-----	1	4	3
63	Females.....	61	5	3	1	-----	-----	9	1	-----	4	1	2
64	Port Huron, Mich.....	238	50	6	1	3	4	64	9	2	6	12	15
65	Males.....	131	30	3	1	1	3	38	5	-----	3	6	6
66	Females.....	107	20	3	-----	-----	1	26	4	2	3	6	9
67	Port Jervis, N. Y.....	149	17	5	2	2	-----	26	3	3	7	3	7
68	Males.....	83	11	2	1	-----	-----	15	3	2	5	-----	7
69	Females.....	66	6	3	1	1	-----	11	-----	1	2	3	-----
70	Portland, Me.....	1,100	181	38	12	16	7	254	20	10	23	54	57
71	Males.....	580	112	21	5	8	3	149	10	6	15	28	31
72	Females.....	520	69	17	7	8	4	105	10	4	8	26	26
73	Portland, Oreg.....	856	106	20	18	12	11	167	32	24	32	47	42
74	Males.....	495	48	10	10	8	7	83	19	16	14	26	27
75	Females.....	361	58	10	8	4	4	84	13	8	18	21	15
76	Portsmouth, N. H.....	180	33	11	-----	3	1	48	2	1	-----	8	2
77	Males.....	92	20	6	-----	1	1	28	1	1	-----	4	-----
78	Females.....	88	13	5	-----	2	-----	20	1	-----	-----	4	2

# AGE AND SEX.

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
18	15	6	12	13	11	18	23	21	16	12	3	2	1	4
13	8	3	4	8	5	10	15	13	9	3	1	2	1	4
5	7	3	8	5	6	8	8	8	7	4	2			3
2	3	5	7	2	11	11	5	5	7	3	2			4
2	1	4	4	1	8	4	2	4	3	1	1			5
	2	1	8	1	3	7	2	4	4	2	1			6
27	29	31	18	30	20	26	16	14	10	5	3	2		6
17	18	17	9	17	6	15	7	7	7	3	1	1		7
10	11	14	9	13	14	11	9	7	3	2	2	1		8
21	19	24	22	17	17	11	11	7	11	8	5			10
13	7	18	15	11	6	2	9	2	4	3	3			11
8	12	11	7	6	11	9	2	2	7	5	2			12
82	98	73	78	82	107	102	68	87	78	36	17	5		13
36	55	37	39	42	52	56	39	46	41	17	10	1		14
46	43	36	39	40	55	46	29	41	37	19	7	4		15
32	21	18	24	36	34	48	37	45	40	24	12	1		16
17	7	9	8	17	17	19	17	22	15	8	2			17
15	14	9	16	19	17	29	20	23	25	16	10	1		18
5	9	6	8	11	11	8	16	15	14	8	6	1		19
2	6	4	2	7	7	2	11	6	5	2	4			20
3	3	2	6	4	4	6	5	9	9	6	2	1		21
11	6	11	7	9	9	7	14	13	8	14	4			22
5	3	5	3	4	4	5	5	7	7	3	2			23
6	3	6	4	5	5	2	9	6	1	6	2			24
13	7	3	6	7	8	10	8	12	3	5	5	1		25
4	3	1	5	5	5	3	5	7	2	2	3			26
9	4	2	1	2	3	2	3	5	1	3	2	1		27
7	5	9	2	2	6	7	11	6	9	5	1			28
4	5	3	1	1	4	3	4	4	3	2	1			29
3	3	3	1	1		4	7	1	6	3	1			30
36	27	41	29	40	33	41	33	23	18	12	3	1		31
21	15	14	16	21	18	19	17	12	11	8	2	1		32
15	12	27	13	19	15	22	16	11	7	4	1	1		33
1,231	1,321	1,232	1,240	1,249	1,264	1,386	1,449	1,356	1,042	772	423	127	52	35
654	712	681	707	710	717	687	693	634	446	340	151	35	14	34
577	609	551	533	539	547	699	756	722	596	432	272	92	38	36
9	2	3	9	7	11	9	12	12	5	6	1	1		37
8	1	3	1	1	5	6	8	7	2	2				38
1	2	3	8	6	6	3	4	5	3	4	1	1		39
6	14	6	6	12	12	14	15	15	9	6	1		1	40
3	4	4	3	7	7	5	5	3	7	3	1			41
3	10	2	3	5	5	9	10	7	2	3	1			42
325	322	279	289	256	233	254	217	208	147	90	41	14		43
208	198	181	185	158	145	151	119	97	73	36	23	5	4	44
122	124	98	101	98	88	103	98	111	74	54	18	9	4	45
21	10	15	9	12	18	19	21	25	20	16	12	7		46
11	4	8	4	9	9	10	14	9	11	7	4	2		47
10	6	7	5	3	9	9	7	16	9	9	8	5		48
14	12	7	10	17	9	8	10	8	6	4	3			49
8	7	2	5	10	5	6	6	4	5	2	1		1	50
6	5	5	5	7	4	2	4	4	1	2	2		1	51
12	13	13	8	14	6	16	17	20	13	4	3	2		52
7	3	8	7	10	2	10	9	10	7	1	3	1		53
5	10	5	1	4	4	6	8	10	6	3	1	1		54
10	11	12	8	11	11	8	8	3	4	4				55
4	6	7	5	3	6	6	4	3	2	2	1			56
4	5	7	2	5	5	2	4	3	2	2				57
1	2	3	2	3	9	10	8	16	13	11	7	3		58
3	3	5	2	3	2	5	5	11	6	5	4	1		59
10	7	6	8	15	8	13	6	9	8	6	3			60
3	7	4	6	10	3	5	3	3	6	2	2	1		61
7	7	2	2	5	5	8	3	6	2	4	1			62
6	7	14	11	10	14	13	8	15	9	13	4			63
3	4	5	7	8	9	8	5	8	6	6	1			64
3	3	9	4	2	5	5	3	7	3	7	3			65
4	11	5	4	6	9	9	17	11	5	5	2			66
4	10	2	4	3	2	4	8	8	1	1	2			67
	1	3	4	3	7	5	9	3	4	1	2			68
52	42	40	48	55	59	77	77	84	54	56	24	13		70
28	24	26	21	26	34	33	39	48	30	17	11			71
24	18	14	27	29	25	44	38	36	24	39	13	4		72
51	54	55	48	45	50	45	52	49	31	8	11	5	2	73
28	35	32	33	22	30	25	33	32	21	6	4	2	2	74
23	19	23	15	23	20	20	19	17	10	2	7	3		75
4	7	6	5	8	4	11	12	15	14	15	11	5	1	76
3	2	3	3	7	2	7	7	4	3	8	7	2		77
1	5	3	2	1	2	4	5	11	11	7	4	3	1	78

## VITAL STATISTICS.

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

REGISTRATION CITIES.		AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Portsmouth, Ohio	328	66	13	10	8	4	101	10	7	9	29	20
2	Males	173	35	8	4	2	3	52	3	5	3	14	8
3	Females	155	31	5	6	6	1	49	7	2	6	15	12
4	Pottstown, Pa.	240	45	15	3	9	-----	72	10	2	10	10	13
5	Males	118	25	9	2	4	-----	40	3	2	7	7	5
6	Females	122	20	6	1	5	-----	32	7	-----	3	3	8
7	Pottsville, Pa.	244	48	7	5	2	3	65	4	3	6	10	12
8	Males	133	34	1	2	-----	2	39	3	-----	2	7	6
9	Females	111	14	6	3	2	1	26	1	3	4	3	6
10	Poughkeepsie, N. Y.	496	77	14	7	10	2	110	8	5	12	19	21
11	Males	220	41	9	3	3	1	57	2	2	6	11	9
12	Females	276	36	5	4	7	1	53	6	3	6	8	12
13	Providence, R. I.	3,491	784	241	99	56	33	1,213	74	41	91	130	158
14	Males	1,772	429	125	50	27	16	647	35	16	45	69	78
15	Females	1,719	355	116	49	29	17	566	39	25	46	61	80
16	Pueblo, Colo.	648	109	35	11	17	4	176	31	21	13	43	51
17	Males	392	48	21	8	8	1	36	17	10	8	25	20
18	Females	256	61	14	3	9	3	90	14	11	5	18	22
19	Quincy, Ill.	556	81	17	13	5	6	122	26	19	15	29	32
20	Males	297	45	13	5	3	1	67	12	3	12	14	19
21	Females	259	36	4	8	2	5	55	14	16	3	15	13
22	Quincy, Mass.	366	98	19	10	9	5	141	11	10	8	11	15
23	Males	197	50	7	5	6	2	70	5	6	5	4	7
24	Females	169	48	12	5	3	3	71	6	4	3	7	8
25	Raleigh, N. C.	371	67	34	12	6	4	123	9	5	13	15	19
26	Males	184	41	18	5	3	2	69	5	3	7	4	8
27	Females	187	26	16	7	3	2	54	4	2	6	11	11
28	Reading, Pa.	1,401	335	54	28	27	19	463	50	21	25	54	60
29	Males	755	190	29	14	15	7	255	27	10	14	29	33
30	Females	646	145	25	14	12	12	208	23	11	11	25	22
31	Revere town, Mass.	162	40	7	3	4	2	56	6	10	5	4	6
32	Males	81	20	5	-----	2	-----	27	1	4	3	3	3
33	Females	81	20	2	3	2	2	29	5	6	2	1	2
34	Richmond, Ind.	292	38	3	7	2	2	52	14	5	10	12	9
35	Males	141	16	1	4	1	-----	22	5	3	6	8	6
36	Females	151	22	2	3	1	2	30	9	2	4	4	3
37	Richmond, Va.	2,523	516	132	44	18	21	731	50	36	87	151	137
38	Males	1,389	297	73	26	8	11	415	24	16	46	77	65
39	Females	1,184	219	59	18	10	10	316	26	20	41	74	69
40	Rochester, N. H.	188	23	13	8	4	4	52	6	4	2	3	6
41	Males	99	12	7	2	1	3	25	4	3	1	-----	1
42	Females	89	11	6	6	3	1	27	2	1	1	3	5
43	Rochester, N. Y.	2,446	340	70	40	26	21	497	71	43	59	101	118
44	Males	1,225	187	37	23	15	5	287	46	25	30	53	42
45	Females	1,221	153	33	17	11	16	230	25	18	29	48	76
46	Rockland, Me.	146	18	2	1	1	-----	22	5	1	1	3	6
47	Males	88	13	1	1	1	-----	16	3	-----	1	2	4
48	Females	58	5	1	-----	-----	-----	6	2	1	-----	1	2
49	Rome, N. Y.	267	29	7	3	1	3	43	7	3	6	15	8
50	Males	154	14	4	1	1	2	22	3	2	5	9	2
51	Females	113	15	3	2	-----	1	21	4	1	1	6	6
52	Rutland, Vt.	190	25	10	3	1	2	41	5	4	5	12	6
53	Males	98	12	7	2	1	1	23	3	3	2	4	3
54	Females	92	13	3	1	-----	1	18	2	1	3	8	3
55	Sacramento, Cal.	724	75	13	6	9	1	104	15	13	25	38	45
56	Males	460	45	3	3	4	-----	60	7	9	15	15	31
57	Females	264	30	5	3	5	1	44	8	4	10	23	14
58	Saginaw, Mich.	560	99	12	5	4	4	124	15	15	19	36	27
59	Males	319	61	10	2	3	4	80	10	7	10	19	10
60	Females	241	38	2	3	1	-----	44	5	8	9	17	17
61	St. Joseph, Mo.	933	142	56	30	13	14	255	33	24	30	42	52
62	Males	497	83	27	9	6	5	130	15	11	11	20	25
63	Females	436	59	29	21	7	9	125	18	13	19	22	27
64	St. Louis, Mo.	10,320	1,896	429	213	185	119	2,842	322	168	294	540	579
65	Males	5,776	1,051	227	122	89	57	1,546	179	83	142	278	339
66	Females	4,544	845	202	91	96	62	1,296	143	85	152	262	240
67	St. Paul, Minn.	1,574	337	58	31	29	15	470	57	40	46	59	70
68	Males	828	179	26	20	16	6	247	31	14	22	24	35
69	Females	746	158	32	11	13	9	223	26	26	24	35	35
70	Salem, Mass.	787	211	53	24	11	8	307	12	8	17	23	20
71	Males	394	123	31	13	6	2	130	8	5	7	13	9
72	Females	393	88	22	11	5	6	127	4	3	10	10	11
73	Salt Lake City, Utah	854	122	44	18	8	5	197	26	21	27	45	51
74	Males	486	68	25	8	3	-----	104	15	10	20	29	29
75	Females	368	54	19	10	5	5	93	11	11	15	25	22
76	San Antonio, Tex.	1,257	231	35	29	20	10	375	41	32	31	67	96
77	Males	724	133	41	14	11	6	205	18	16	14	30	51
78	Females	533	98	44	15	9	4	170	23	16	17	37	45

# AGE AND SEX.

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
12	14	12	10	13	10	10	15	15	19	10	5	5	1	1
9	8	7	7	9	4	6	8	6	9	9	3	2	1	2
3	6	5	3	4	6	4	7	9	10	1	2	3	1	3
11	8	8	5	11	10	9	10	15	14	14	4	1	1	2
8	4	4	5	7	2	5	6	3	4	3	3	1	1	4
3	4	4	5	4	8	4	4	6	10	11	1	1	1	5
22	11	12	5	10	4	15	20	18	11	12	8			7
14	5	8	4	5	3	2	10	4	4	7	2			8
8	6	4	1	5	1	6	10	9	7	5	6			9
17	20	15	18	33	24	33	41	39	29	27	16	7	1	10
6	5	6	8	18	11	10	17	17	13	12	6	2	1	11
11	15	9	10	15	13	23	24	22	16	15	10	5	1	12
154	169	156	152	169	166	185	162	157	149	93	48	19	5	13
78	95	87	86	85	89	89	70	69	72	36	22	2	2	14
76	74	69	66	54	77	96	92	88	77	57	26	17	3	15
46	44	47	33	28	18	28	26	15	13	8	3			16
27	31	34	24	20	14	23	17	11	3	7	1			17
19	13	13	9	8	4	9	9	4	5	1	2			18
23	21	24	30	26	24	30	37	31	37	19	5	3	2	19
8	10	15	19	15	15	21	18	16	21	8	2	2	1	20
15	11	9	11	11	9	9	19	15	16	11	3	1	2	21
9	11	15	8	15	13	16	17	24	19	14	6	2		22
9	5	8	6	11	7	8	12	16	8	8	2	2		23
	6	7	2	4	6	8	5	8	6	6	4	2		24
18	12	11	12	16	12	17	23	19	12	14	2	3	2	25
13	4	3	6	6	4	11	12	9	9	3	2	1	1	26
5	8	8	6	10	8	6	11	10	3	11	2	2	1	27
60	51	52	59	59	59	71	73	92	65	48	27	8		28
32	32	31	32	34	35	43	29	52	30	17	10	2		29
28	19	21	27	25	24	28	44	40	35	31	17	6		30
5	8	10	4	5	7	5	5	12	5	2	3	2		31
2	5	3	3	3	4	3	3	5	4	1	1	1		32
3	3	7	1	2	3	2	2	7	1	1	3	1		33
13	16	19	10	13	12	10	21	20	15	25	13	3		34
5	6	12	5	3	9	6	12	8	7	9	8	1		35
8	10	7	5	10	3	4	9	12	8	16	5	2		36
121	145	125	105	156	134	127	129	90	81	49	24	12	6	24
65	71	66	62	85	68	72	64	52	42	18	6	3	2	38
56	74	59	43	71	66	55	65	38	42	31	18	9	4	39
5	6	10	9	12	10	7	7	19	9	12	3	2	1	40
3	5	3	5	9	5	3	6	10	5	7	3	1		41
2	1	7	4	3	5	4	1	9	4	5	1	1		42
119	126	114	134	111	127	147	161	180	149	114	50	15	7	43
67	64	67	68	50	66	77	69	87	67	43	24	7	4	44
52	62	47	66	61	61	70	92	93	82	71	26	8	3	45
6	5	4	3	6	10	12	13	11	16	16	3	3		46
4	3	1	1	3	7	6	7	7	9	12	3			47
2	2	3	3	3	3	6	6	4	7	4		3		48
7	11	14	17	16	11	10	20	25	24	20	6	4		49
3	8	9	9	10	6	8	10	15	14	12	5	2		50
4	3	5	8	6	5	5	10	10	10	8	1	2		51
3	9	10	5	8	7	14	9	13	15	11	6	4	2	52
3	3	7	4	2	2	5	5	9	10	5	3	1	1	53
	6	3	1	6	5	9	4	4	5	6	3	4	1	54
59	36	47	42	39	37	45	58	48	30	19	13	4		7
34	26	32	32	29	22	29	42	36	16	10	7	4		4
25	10	15	10	10	15	16	16	12	14	9	6			5
30	18	18	29	26	31	22	42	38	26	23	17	1	1	58
15	6	8	18	15	24	15	26	20	14	12	7	1	1	59
15	12	10	11	11	7	7	16	18	12	11	10			60
47	62	37	39	37	52	35	52	32	30	25	9	3	2	35
20	35	22	21	23	32	17	35	16	16	17	4	1		26
27	27	15	18	14	20	13	17	16	14	8	5	2	2	9
574	605	483	521	524	546	553	569	464	344	219	102	30	14	27
352	361	290	388	318	320	310	319	252	165	99	50	10	4	64
222	244	193	188	206	226	243	250	212	179	120	52	20	10	65
88	89	91	64	65	59	80	71	95	61	39	17	5	5	3
47	50	52	38	38	36	44	41	49	23	18	8	1	3	2
41	39	39	26	27	23	36	30	46	33	21	9	4	2	1
12	23	20	24	37	35	39	45	51	45	36	20	12	1	70
9	11	8	12	22	16	19	20	20	18	8	4	5		71
3	12	12	12	15	19	20	25	31	27	28	16	7	1	72
45	47	44	34	32	48	42	51	48	38	31	10	4		73
29	28	32	19	20	32	29	33	27	23	12	2	2		74
16	19	12	15	12	13	18	18	21	15	19	8	2		75
86	77	71	47	65	38	61	37	41	39	18	12	4	8	76
52	51	51	30	40	27	43	26	29	22	5	4	1	2	7
34	26	20	17	25	11	18	11	12	17	13	8	3	6	77

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	San Diego, Cal.	399	41	12	3	1	3	60	6	6	10	25	26
2	Males	234	29	7	1		2	39	2	4	7	10	11
3	Females	165	12	5	2	1	1	21	4	2	3	15	15
4	San Francisco, Cal.	7,040	827	153	75	78	60	1,188	170	71	150	350	435
5	Males	4,367	459	94	43	32	32	660	83	37	74	204	253
6	Females	2,673	368	59	32	41	28	528	87	34	76	146	182
7	San Jose, Cal.	334	28	9	3	6	2	48	7	9	10	19	13
8	Males	190	18	4	3	6	2	33	4	4	5	7	6
9	Females	144	10	5				15	3	5	5	12	7
10	Saratoga Springs, N. Y.	265	48	3	3	3	2	59	5	2	10	18	9
11	Males	120	18		2	3	2	25	2	2	3	8	4
12	Females	145	30	3	1			34	3		7	5	5
13	Sault Ste. Marie, Mich.	163	51	7	4	3	1	66	5	2	6	11	10
14	Males	94	24	3	2	2		31	3	2	5	7	8
15	Females	69	27	4	2	1	1	35	2		1	4	2
16	Savannah, Ga.	1,862	398	117	53	30	18	616	54	30	82	107	113
17	Males	1,000	209	47	23	16	12	307	28	22	48	53	58
18	Females	862	189	70	30	14	6	309	26	8	34	54	55
19	Schenectady, N. Y.	479	106	13	11	6	10	146	15	6	10	14	22
20	Males	247	57	9	7	2	7	82	8	3	5	5	11
21	Females	232	49	4	4	4	3	64	7	3	5	9	11
22	Scranton, Pa.	2,111	446	131	104	92	56	829	163	67	60	71	95
23	Males	1,114	241	72	47	49	28	437	71	32	39	50	46
24	Females	997	205	59	57	43	28	392	92	35	21	41	49
25	Seattle, Wash.	898	107	21	9	8	3	153	27	14	29	54	58
26	Males	621	78	13	6	4	3	104	17	5	14	33	37
27	Females	277	29	8	3	4	5	49	10	9	15	21	21
28	Shreveport, La.	728	91	46	17	12	2	168	23	17	32	90	56
29	Males	422	55	24	7	8	1	95	15	9	16	52	27
30	Females	306	36	22	10	4	1	73	8	8	16	38	29
31	Sioux City, Iowa	435	97	14	6	9	7	133	23	12	15	22	22
32	Males	241	57	8	4	4	5	78	12	10	4	8	9
33	Females	194	40	6	2	5	2	55	11	2	11	14	13
34	Somerville, Mass.	946	187	48	19	10	13	277	25	13	19	37	37
35	Males	447	117	24	9	3	9	162	12	4	9	18	15
36	Females	499	70	24	10	7	4	115	13	9	10	19	22
37	South Bethlehem, Pa.	256	67	16	9	5	2	99	15	9	7	13	9
38	Males	138	39	8	6	4		57	7	5	4	6	6
39	Females	118	28	8	3	1	2	42	8	4	3	7	3
40	Southbridge town, Mass.	204	60	14	8	4	8	94	2	2	2	9	13
41	Males	107	32	7	5	1	3	48	1	1	2	5	9
42	Females	97	28	7	3	3	5	46	1	1		4	4
43	Spokane, Wash.	511	86	27	15	6	12	146	11	15	13	23	29
44	Males	306	62	16	6	1	3	78	8	6	6	15	14
45	Females	205	34	11	9	5	9	68	3	9	7	8	15
46	Springfield, Ill.	642	113	27	13	14	5	172	24	15	28	37	30
47	Males	349	57	15	7	9	3	91	14	9	14	23	18
48	Females	293	56	12	6	5	2	81	10	6	14	14	12
49	Springfield, Mass.	1,037	184	55	29	12	16	296	45	13	17	33	45
50	Males	513	87	27	13	6	3	141	25	5	7	21	22
51	Females	544	97	28	16	6	3	155	20	8	10	12	23
52	Stamford town, Conn.	319	54	7	6	1	3	71		5	6	7	12
53	Males	178	34	3	4		2	43		4	4	3	8
54	Females	141	20	4	2	1	1	28		1	2	4	4
55	Steelton, Pa.	213	68	20	7	2	3	100	4	4	5	12	11
56	Males	117	35	10	5	2	1	53	3	4	3	11	7
57	Females	96	33	10	2		2	47	1		2	1	4
58	Stonington town, Conn.	144	23	4			2	29	2	1	1	3	5
59	Males	74	11	1			1	13	1	1		1	4
60	Females	70	12	3			1	16	1		1	2	1
61	Superior, Wis.	352	91	19	7	8	3	128	13	9	8	18	31
62	Males	209	47	13	2	4	1	67	8	5	1	10	19
63	Females	143	44	6	5	4	2	61	5	4	7	8	12
64	Syracuse, N. Y.	1,494	251	54	22	20	10	357	36	29	40	63	62
65	Males	779	139	31	12	15	6	203	16	20	23	30	27
66	Females	715	112	23	10	5	4	154	20	9	17	33	35
67	Tacoma, Wash.	425	62	11	5	5	3	86	14	12	18	22	22
68	Males	265	39	9	3	3	1	55	11	6	10	7	14
69	Females	160	23	2	2	2	2	31	3	6	8	15	8
70	Taunton, Mass.	615	131	25	8	6	3	173	10	8	16	22	21
71	Males	343	82	15	2	4	3	106	6	3	7	12	10
72	Females	272	49	10	6	2		67	4	5	9	10	11
73	Terre Haute, Ind.	587	119	24	7	9	5	164	26	16	23	34	34
74	Males	300	57	14	4	5	3	83	10	7	6	19	19
75	Females	287	62	10	3	4	2	81	16	9	17	15	15
76	Tiffin, Ohio	139	15	3	3	4	2	27	3	4	3	3	3
77	Males	60	9	1	2	2	2	16		1	1	1	
78	Females	79	6	2	1	2		11	3	3	2	2	3



# AGE AND SEX.

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
23	23	15	15	23	19	33	38	25	27	14	7	2	1	1
14	10	5	8	17	15	20	20	17	16	8	7	2	1	1
9	13	10	7	6	4	13	18	8	11	6				3
496	490	452	469	467	437	520	433	404	270	150	80	18	8	52
237	335	322	327	313	279	335	280	264	160	32	39	9	5	48
169	154	130	142	154	158	185	153	140	110	68	41	9	3	4
17	17	17	24	18	15	27	20	18	26	11	13	1	2	2
12	10	10	10	12	4	19	13	11	15	7	7			7
5	7	7	14	6	11	8	7	7	11	4	6	1	2	8
15	11	10	10	18	12	8	20	26	10	9	12	3		9
10	7	2	3	8	6	3	11	14	3	2	4	1		10
5	4	8	7	10	6	5	9	12	7	7	8	1		11
4	5	8	3	6	7	8	6	6	4	2			1	12
3	1	5	3	6	5	4	3	3	1	1		1		13
1	4	3	3	6	2	4	3	3	3	1		1		14
													1	15
116	117	78	92	96	55	73	50	59	45	25	13	12	4	25
78	71	43	54	53	32	45	23	23	19	14	5	4		16
38	46	35	38	38	23	28	27	36	26	11	8	8	4	17
17	17	10	21	19	28	31	32	26	23	16	10	4	1	18
12	10	6	8	7	17	17	14	14	9	5	6	3		19
5	7	4	13	12	11	14	18	12	14	11	4	1	1	20
77	93	70	73	92	76	95	75	65	42	24	14	2	1	21
42	68	38	48	52	37	50	37	26	25	10	8			22
35	25	32	25	40	39	45	38	39	17	14	6	2	1	23
66	74	70	76	48	55	48	42	39	15	15	3	1		24
51	60	53	59	34	41	41	25	23	5	10	1			25
15	14	17	17	14	14	7	17	16	10	5	2			26
57	59	34	35	36	17	25	21	20	13	11	6	3	2	27
35	39	26	22	20	9	15	15	14	5	4	2	1		28
22	20	8	13	16	8	10	6	6	8	7	4	2	2	29
21	28	19	19	22	14	19	16	20	16	6	3	1		30
9	13	16	10	10	9	13	9	15	9	4	1			31
12	15	3	9	12	5	6	7	5	7	2	2	1		32
38	36	27	30	55	35	63	67	56	50	42	26	12	1	33
16	19	14	14	26	15	26	24	22	22	14	12	2	1	34
22	17	13	16	29	20	37	43	34	23	28	14	10		35
10	7	6	5	19	11	4	11	13	11	6	1			36
6	2	3	5	11	3	3	4	5	6	5				37
4	5	3	3	8	8	1	7	8	5	1	1			38
4	2	4	5	7	7	6	8	8	10	8	4		2	39
1	3	1	2	4	4	4	4	5	8	3				40
3	3	3	2	4	3	2	4	3	2	5	4		2	41
26	48	31	32	30	31	14	18	21	12	5	4			42
17	24	23	23	21	22	13	11	10	7	4	3	1		43
9	24	8	9	9	9	1	7	11	5	1	1			44
23	31	20	26	37	29	35	35	33	33	12	12	4		45
15	16	12	16	25	15	18	14	16	16	4	7	3		46
8	15	8	10	12	14	17	21	19	17	8	5	1		47
46	38	45	47	58	63	53	56	68	56	44	23	8	1	48
27	20	24	25	22	28	30	26	36	30	17	8	3		49
19	18	21	22	36	35	23	30	32	31	27	15	5	1	50
13	15	12	16	19	19	23	24	18	25	20	7	6		51
7	8	8	9	8	10	11	13	7	16	11	3	4		52
6	7	4	7	11	9	12	11	11	9	9	4	2		53
9	7	9	6	7	9	4	7	5	6	6	1			54
2	5	1	1	2	7	3	5	3	2	2	1			55
7	2	6	5	5	2	1	2	2	4	4				56
5	7	3	4	15	8	9	11	11	12	12	5			57
3	4	2	4	10	3	4	4	6	5	7	3	1		58
30	29	14	10	9	11	4	9	9	8	8	1			59
18	19	12	8	6	7	2	2	7	8	5	1			60
12	10	2	2	3	4	2	5	2	3	3				61
69	79	63	89	81	88	31	111	83	69	54	28	9	3	62
40	40	38	44	44	44	39	54	47	33	24	9	3	1	63
29	39	25	45	37	44	42	57	36	36	30	19	6	2	64
29	29	29	22	24	25	24	21	24	6	8	3	2		65
18	15	19	16	16	17	15	14	19	3	4	2	2		66
11	14	10	6	8	8	9	7	5	3	4	1			67
31	25	20	22	31	31	35	39	41	29	31	17	9	2	68
22	12	14	14	19	17	15	21	23	19	13	5	4	1	69
9	13	6	8	12	14	20	18	18	10	18	12	5	1	70
24	30	24	18	23	21	28	31	30	24	23	6	3	1	71
10	16	15	6	13	16	14	19	19	9	9	1	2	1	72
14	14	9	12	8	5	14	12	11	14	14	5	1		73
9	4	12	2	5	2	5	12	16	10	6	1		1	74
3	4	7	1	2	2	2	6	5	6	1	3			75
6		5	1	3	7	3	6	11	4	5	2	1		76

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Toledo, Ohio.....	2,112	461	89	66	50	41	707	100	46	72	87	97
2	Males.....	1,091	254	38	32	30	15	369	37	20	37	32	43
3	Females.....	1,021	207	51	34	20	26	338	63	26	35	55	54
4	Torrington town, Conn.....	182	63	13	6	3	2	87	1	4	5	8	7
5	Males.....	88	32	6	3	3	1	45	2	2	3	2	5
6	Females.....	94	31	7	3		1	42	1	2	2	6	2
7	Town of Union, N. J.....	207	45	18	7	4	1	75	12	6	5	6	5
8	Males.....	107	27	11	3	2	1	44	5	5		3	2
9	Females.....	100	18	7	4	2		31	7	1	5	3	3
10	Traverse City, Mich.....	148	32		2			34	6	3	1	5	10
11	Males.....	77	15		1			16	2	1	1	2	4
12	Females.....	71	17		1			18	4	2		3	6
13	Trenton, N. J.....	1,174	271	56	23	14	11	375	24	24	24	41	70
14	Males.....	615	150	27	14	8	4	203	15	10	14	24	43
15	Females.....	559	121	29	9	6	7	172	9	14	10	17	27
16	Troy, N. Y.....	1,393	246	51	32	25	14	368	37	22	31	54	75
17	Males.....	745	132	29	23	11	10	205	24	11	11	31	46
18	Females.....	648	114	22	9	14	4	163	13	11	20	23	29
19	Utica, N. Y.....	990	158	24	19	7	6	214	47	17	25	39	40
20	Males.....	530	96	15	10	2	5	123	32	8	14	16	23
21	Females.....	460	62	9	9	5	1	86	15	9	11	23	17
22	Vernon town, Conn.....	127	21	4	2	1	3	31	1	4	6	6	6
23	Males.....	48	12				1	13	1	1	4	1	1
24	Females.....	79	9	4	2	1	2	18		3	2	6	5
25	Vincennes, Ind.....	196	39	9	8	3	4	63	6	6	8	12	11
26	Males.....	85	19	6	5	1	2	33	2	2	1	6	7
27	Females.....	111	20	3	3	2	2	30	4	4	7	6	4
28	Wakefield town, Mass.....	135	20	7	1	1	1	30	4	2	2	4	7
29	Males.....	72	11	4			1	16	1	1	1	1	1
30	Females.....	63	9	3	1	1		14	4	1	1	3	6
31	Wallingford town, Conn.....	138	42	2	2			46	1	3	1	4	6
32	Males.....	81	29	1	1			31	1	3		4	4
33	Females.....	57	13	1	1			15			1	4	2
34	Waltham, Mass.....	329	60	11	4	3	2	80	8	12	5	13	12
35	Males.....	148	31	6	1	1	1	40	5	6	3	8	4
36	Females.....	181	29	5	3	2	1	40	3	6	2	10	8
37	Ware town, Mass.....	112	34	2	2		2	40	1	1	3	1	5
38	Males.....	54	17	1	1			19			3	3	3
39	Females.....	58	17	1	1		2	21	1	1	1	2	2
40	Warren, Ohio.....	143	22	7	4	1	1	35	7	2	3	10	6
41	Males.....	79	11	5	2			18	3	2	2	7	3
42	Females.....	64	11	2	2	1	1	17	4		1	3	3
43	Waterbury town, Conn.....	869	259	54	24	14	6	357	20	15	21	29	56
44	Males.....	441	144	29	12	7	4	196	11	12	13	16	26
45	Females.....	428	115	25	12	7	2	161	9	3	8	13	30
46	Watertown, N. Y.....	356	79	14	3	2	2	105	10	5	10	11	20
47	Males.....	179	46	7	5	2	1	59	8	3	5	5	8
48	Females.....	177	33	7	3	2	1	46	2	2	5	6	12
49	Watertown town, Mass.....	143	22	4	4	1	1	32	4		1	7	5
50	Males.....	77	16	1	3	1	1	22	2		1	4	4
51	Females.....	66	6	3	1			10	2			3	1
52	Watervliet, N. Y.....	275	55	11	7	4	3	80	7	8	7	8	17
53	Males.....	144	29	7	6	1	1	44	4	5	4	3	8
54	Females.....	131	26	4	1	3	2	36	3	3	3	5	9
55	Webster town, Mass.....	146	47	7	3			57	4	2	3	14	6
56	Males.....	67	20	4	3			27	2	2		6	4
57	Females.....	79	27	3				30	2		3	8	2
58	West Bay City, Mich.....	196	46	11	4	3	3	67	11	3	14	9	9
59	Males.....	114	28	3	3	2	2	41	10	1	4	5	5
60	Females.....	82	18	8	1		3	26	1	2	10	4	4
61	Westfield town, Mass.....	236	58	8	9	3	2	80	7	1	4	7	3
62	Males.....	121	34	6	3	3	1	47	4		2	3	1
63	Females.....	115	24	2	6		1	33	3	1	2	4	2
64	Weymouth town, Mass.....	203	31	2	2	2	2	39	4	1	3	6	12
65	Males.....	102	14	1	1	1	1	17			3	5	5
66	Females.....	101	17	2	1	1		22	4	1		1	7
67	Wheeling, W. Va.....	554	79	28	10	5	3	125	14	11	16	36	34
68	Males.....	300	50	14	8	3	1	76	9	6	6	20	16
69	Females.....	254	29	14	2	2	2	49	5	5	10	16	18
70	Wichita, Kans.....	390	60	21	4	6	3	94	11	13	12	27	14
71	Males.....	212	37	13	1	2	1	54	3	4	7	15	7
72	Females.....	178	23	8	3	4	2	40	8	9	5	12	7
73	Wilkesbarre, Pa.....	357	216	33	29	20	15	313	19	17	27	36	31
74	Males.....	432	124	20	18	9	7	173	13	12	12	17	20
75	Females.....	375	92	18	11	11	8	140	6	5	15	19	11
76	Williamsport, Pa.....	345	61	9	9	5	4	88	6	4	10	18	17
77	Males.....	173	39	4	4	1	2	50	3	4	4	8	8
78	Females.....	172	22	5	5	4	2	38	3		6	10	9

# AGE AND SEX.

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
87	80	88	107	84	84	106	111	97	70	83	27	5	4	15
49	44	47	59	46	45	65	64	47	35	21	15	2	2	12
38	36	41	48	38	39	41	47	50	35	17	12	3	2	3
7	6	6	1	8	7	5	5	6	9	4	5			1
3	5	2		4	4	3	2	1	2	1	4			5
4	1	4	1	4	3	2	3	5	7	3	1			6
10	11	9		10	11	7	14	5	3	5				7
5	4	6	12	4	8		8	1		3				8
5	7	3	5	6	3	7	6	4	3	2				9
2	8	7	9	15	9	6	9	9	8	4	2			10
1	4	6	6	7	6	3	3	3	6	2	1	1		11
1	4	1	8	3	3	3	3	6	2	2	1			12
46	51	48	40	51	56	53	67	74	52	34	20			13
21	31	24	22	30	29	25	38	27	23	20	5	8	4	12
25	20	24	18	21	27	28	29	47	29	14	15	6	1	6
														14
35	98	60	64	91	73	90	76	64	56	32	10	4	1	2
54	50	35	39	46	34	58	32	25	24	14	6	3	1	1
31	43	25	25	45	39	37	44	39	32	18	4	1		18
48	44	46	54	48	56	50	72	61	63	47	10		1	19
31	23	23	32	28	25	26	31	24	30	20	8	3		20
17	16	23	22	20	31	24	41	37	33	27	2	5	1	21
4	8	3	8	4	10	8	5	9	5	5	4			22
2	3	2	1	2	5	4	3	2	1	2	1			23
2	5	1	7	2	5	4	2	7	4	3				24
6	9	7	3	9	8	10	12	7	6	5	1			7
2	1	2	1	6	3	5	7	2	2	2				1
4	8	5	2	3	5	5	5	5	4	3				26
														27
8	3	5	5	4	8	9	11	10	4	13				28
5	2	3	4	3	5	3	8	6	4	3	4	2		29
3	1	2	1	1	3	6	3	4		5				30
6	9	7	3	3	6	9	8	8		5	2			31
4	5	4	2	1	3	7	3	5	6	1	1			32
2	4	3	1	2	3	2	5	3	5	4	1			33
13	12	14	13	16	14	25	16	23	23	12	9	4		34
6	5	7	6	8	9	10	8	6	9	3	5			35
7	7	7	7	8	5	15	8	17	14	9	4	4		36
3	3	4	6	8	5	10	6	4	4	5	3			37
1	1	4	4	3	3	6	3	3	2	2	1			38
2	2			5	2	4	3	1	2	3	2			39
7	7	6	6	7	5	5	11	8	10	3	3			40
4	3	2	3	4	2	1	8	6	9	1	1			41
3	4	4	3	4	3	4	3	2	1	2	3			42
37	41	30	25	23	40	33	47	32	23	21	9	4		43
19	23	14	12	16	16	12	17	13	8	7	4			44
18	18	16	13	12	24	21	30	14	15	14	5	4		45
19	16	11	12	13	18	24	20	17	19	16	8	1		46
11	6	4	2	7	9	12	12	6	9	9	4			47
8	10	7	10	6	9	12	8	11	10	7	4	1		48
9	5	8	5	13	7	11	7	9	8	7	3		1	49
3	2	5	4	8	2	5	3	4	4	3	1			50
6	3	3	1	5	5	6	4	5	4	2	2		1	51
10	17	17	9	8	13	19	13	17	13	8	3	1		52
6	10	9	7	3	7	11	7	8	4	1	2	1		53
4	7	8	2	5	6	8	6	9	9	7	1			54
8	4	5	2	6	2	8	7	4	5	5	2	1		55
2	4	3	1	3	3	3	4	1	2	2	1		1	56
6		2	1	3	2	5	3	3	5	3	1		1	57
12	10	4	7	7	7	9	5	9	4	5	4			58
8	6	1	3	3	6	4	3	2	2	3	4			59
4	4	3	4	4	1	5	2	3	3	2	1			60
10	13	3	7	11	13	12	11	13	11	19	5	4	1	61
7	6	3	3	5	5	4	8	3	7	9	3	1		62
3	7	3	4	6	8	8	3	10	4	10	2	3	1	63
9	6	3	10	11	13	19	16	14	15	8	8	3	2	64
5	1	1	6	6	5	12	11	6	8	4	2	1	1	65
4		2	4	5	8	7	5	8	7	4	6			66
30	19	31	31	28	33	24	31	27	38	17	7	1		67
18	11	19	20	19	19	10	15	12	20	3	1			68
12	8	12	11	9	14	14	16	15	18	14	6			69
19	24	16	26	13	25	14	14	25	17	14	6	1		70
9	15	8	9	9	15	8	10	15	11	4	4			71
10	9	8	17	4	10	6	4	10	6	10	2			72
39	30	34	35	47	48	36	45	33	26	27	4			73
21	12	19	15	32	33	20	25	19	13	13	3	1		74
18	18	15	20	15	10	16	20	14	13	14	1			75
7	12	15	13	20	23	20	20	26	24	13	5	4		76
5	7	7	6	9	12	7	7	15	12	6	1			77
2	1	8	7	11	11	16	13	11	12	7	4			78

## VITAL STATISTICS.

TABLE 5.—DEATHS BY AGE.

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Wilmington, Del.	1,595	345	71	50	22	21	509	80	40	47	75	62
2	Males	854	200	42	33	12	9	236	39	20	19	32	37
3	Females	741	145	29	17	10	12	213	41	20	28	43	25
4	Wilmington, N. C.	565	114	39	11	7	4	175	14	3	16	43	31
5	Males	292	65	19	4	4	2	92	9	3	8	24	12
6	Females	273	51	20	7	3	2	83	5	3	8	19	19
7	Windham town, Conn.	173	28	4	3			35	2	2	5	12	6
8	Males	79	15	2	2			19		2	3	3	3
9	Females	94	13	2	1			16	2		2	9	3
10	Winona, Minn.	276	68	12	3	3	1	87	8	6	7	13	10
11	Males	148	44	5	2	3		54	8	3	3	3	5
12	Females	128	24	7	1		1	33		3	4	10	5
13	Woburn, Mass.	241	54	11	7	3	4	79	5	4	4	12	11
14	Males	128	33	5	2		3	43	1	2	1	4	5
15	Females	113	21	6	5	3	1	36	4	2	3	8	6
16	Woonsocket, R. I.	516	187	29	16	16	6	254	12	10	14	23	23
17	Males	257	110	15	9	7	3	144	7	6	5	7	10
18	Females	259	77	14	7	9	3	110	5	4	9	16	13
19	Worcester, Mass.	1,838	444	85	44	26	22	621	42	18	46	60	96
20	Males	945	243	53	28	14	9	347	17	8	22	30	49
21	Females	893	201	32	16	12	13	274	25	10	24	30	47
22	Yonkers, N. Y.	781	205	50	14	13	4	236	18	21	18	23	49
23	Males	422	120	26	6	8	2	162	8	10	13	12	22
24	Females	359	85	24	8	5	2	124	10	11	5	11	27
25	Youngstown, Ohio	745	191	38	21	9	6	265	27	13	30	36	31
26	Males	417	105	18	14	4	4	145	10	8	18	17	16
27	Females	328	86	20	7	5	2	120	17	5	12	19	15

AGE AND SEX.

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.															
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.	
68	57	74	70	63	65	77	82	74	64	49	19	8	2	10	1
40	30	49	43	34	48	30	41	36	31	17	5	2		5	2
28	27	25	27	29	17	47	41	38	33	32	14	6	2	5	3
30	26	35	24	27	23	24	19	17	12	16	8	1	2	19	4
17	16	15	12	15	11	12	11	9	6	6	6			11	5
13	10	20	12	12	12	12	8	8	6	10	2	1	2	8	6
10	6	5	9	8	13	8	9	13	13	9	7	1			7
3	2	2	3	6	5	4	5	5	7	5	1	1			8
7	4	3	6	2	8	4	4	8	6	4	6				9
15	12	9	9	10	12	7	18	19	11	12	5	4		2	10
6	4	6	4	7	9	3	10	8	7	4	1	1		2	11
9	8	3	5	3	3	4	8	11	4	8	4	3			12
16	12	4	8	10	15	9	9	12	15	12	3	1			13
8	5	2	4	6	11	6	6	7	8	8	1	1			14
8	7	2	4	4	4	3	3	5	7	4	3				15
13	11	9	16	16	24	12	22	21	17	11	5	3			16
4	6	6	6	5	13	5	8	11	9	3	1	1			17
9	5	3	10	11	11	7	14	10	8	8	4	2			18
32	30	61	33	79	113	96	98	70	78	62	37	7	3	6	19
43	48	29	39	47	64	47	48	28	33	25	14	2		5	20
39	32	32	44	32	49	49	50	42	45	37	23	5	3	1	21
55	31	26	30	39	32	29	33	37	27	16	5	2	1	3	22
32	16	14	16	27	21	15	14	15	14	8	1	2			23
23	15	12	14	12	11	14	19	22	13	8	4		1	3	24
43	46	28	21	31	37	21	41	29	17	12	10	1	1	5	25
30	27	21	12	17	24	12	21	21	8	4	4			2	26
13	19	7	9	14	13	9	20	8	9	8	6	1	1	3	27

---

---

## TABLE 6.

---

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS, AND IN EACH STATE AND TERRITORY, DURING THE CENSUS YEAR ENDING MAY 31, 1900, AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND BIRTHPLACES OF MOTHERS.

[NOTE.—Nativity, parent nativity, and birthplaces of mothers, was not supplied in the registration returns for certain areas.]







VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>REGISTRATION CITIES.</b>													
1	Total	402,666	85,384	22,388	10,337	6,686	4,784	129,579	12,525	6,791	10,539	17,633	20,005
2	Males	215,115	47,769	11,847	5,398	3,410	2,372	70,796	6,431	3,427	5,218	8,976	10,519
3	Females	187,551	37,615	10,541	4,939	3,276	2,412	58,783	6,094	3,364	5,321	8,657	9,486
4	White	367,480	77,867	20,250	9,341	6,159	4,432	118,049	11,499	5,924	8,960	15,054	17,590
5	Males	196,694	43,782	10,721	4,885	3,152	2,209	64,699	5,952	3,043	4,520	7,627	9,249
6	Females	170,786	34,135	9,529	4,456	3,007	2,223	53,350	5,547	2,881	4,440	7,427	8,341
7	Native	250,506	76,519	19,681	9,020	5,919	4,241	115,380	10,814	5,266	7,200	11,128	12,060
8	Both parents native	36,297	10,979	2,377	1,143	711	530	15,740	1,438	752	920	1,313	1,213
9	One or both parents foreign	36,892	8,677	2,136	1,041	677	515	18,046	1,335	747	939	1,355	1,293
10	Foreign	106,484	17,625	4,683	1,997	1,219	771	26,295	1,910	864	1,206	1,904	2,321
11	Males	56,688	197	174	74	85	57	587	258	258	738	1,732	2,612
12	Females	49,801	154	136	98	69	58	515	227	270	756	1,701	2,361
13	Colored	35,236	7,517	2,138	996	527	352	11,530	1,026	867	1,579	2,579	2,415
14	Males	18,421	4,037	1,126	513	258	163	6,097	479	384	698	1,349	1,270
15	Females	16,815	3,480	1,012	483	269	189	5,433	547	483	881	1,230	1,145
<b>Birthplaces of mothers (white).</b>													
16	United States	42,624	13,632	2,915	1,391	877	642	19,457	1,732	928	1,162	1,591	1,474
17	Ireland	24,914	2,993	861	379	261	169	4,663	413	212	435	1,108	1,816
18	Germany	19,126	2,852	721	333	222	164	4,292	446	239	364	589	770
19	England and Wales	15,874	2,200	668	279	225	165	3,537	407	232	332	620	783
20	Canada	6,069	2,215	421	189	121	82	3,023	196	116	178	303	245
21	Scandinavia	2,749	651	184	89	54	33	1,011	103	39	78	115	162
22	Scotland	2,114	480	167	59	43	28	791	101	62	69	137	134
23	Italy	1,710	188	44	22	18	10	282	35	14	26	46	61
24	France	8,777	1,442	681	251	126	86	2,586	149	62	112	161	187
25	Russia and Poland	4,740	1,371	564	232	125	70	2,862	165	66	94	152	170
26	Other foreign countries	4,371	1,377	447	163	99	60	2,151	168	79	125	215	202
27	Unknown	8,763	1,439	266	128	83	56	1,972	133	95	180	384	450
<b>REGISTRATION STATES.</b>													
28	Total	301,670	60,524	15,101	6,797	4,385	2,933	89,740	7,909	4,576	7,118	11,090	12,898
29	Males	157,745	33,924	8,021	3,547	2,227	1,468	49,187	4,047	2,274	3,534	5,484	6,519
30	Females	143,925	26,600	7,080	3,250	2,158	1,465	40,553	3,862	2,302	3,584	5,606	6,374
31	White	292,618	58,250	14,521	6,533	4,247	2,836	86,387	7,669	4,341	6,781	10,547	12,367
32	Males	153,133	32,713	7,720	3,421	2,166	1,435	47,455	3,933	2,178	3,405	5,223	6,255
33	Females	139,485	25,537	6,801	3,112	2,081	1,401	38,932	3,731	2,163	3,376	5,324	6,112
34	Native	210,918	57,735	14,177	6,331	4,036	2,724	85,053	7,176	3,900	5,519	7,820	8,564
35	Both parents native	53,092	12,391	2,575	1,202	772	559	17,499	1,599	955	1,308	1,630	1,581
36	One or both parents foreign	37,812	9,381	2,272	1,119	753	519	14,644	1,348	932	1,362	1,719	1,724
37	Foreign	78,077	13,766	4,099	1,761	1,190	772	21,533	1,811	892	1,243	1,896	2,358
38	Males	40,088	189	164	81	82	51	567	243	193	599	1,259	1,302
39	Females	37,989	164	187	94	66	51	512	204	217	612	1,348	1,340
40	Colored	9,052	2,274	580	264	138	97	3,353	240	235	337	543	526
41	Males	4,562	1,211	301	126	61	33	1,732	109	96	129	261	264
42	Females	4,490	1,063	279	138	77	64	1,621	131	139	208	282	262
<b>Birthplaces of mothers (white).</b>													
43	United States	60,580	15,305	3,170	1,465	930	681	21,551	1,931	1,142	1,565	1,955	1,820
44	Ireland	26,554	3,093	857	383	277	166	4,776	427	213	462	1,136	1,881
45	Germany	16,048	2,370	749	367	248	166	3,900	411	230	406	1,151	1,687
46	England and Wales	13,173	1,845	586	220	133	80	3,601	378	186	304	472	643
47	Canada	6,453	2,217	421	193	130	83	2,927	339	187	252	511	656
48	Scandinavia	2,363	645	176	79	53	30	1,217	142	67	108	175	226
49	Scotland	1,830	439	169	52	48	41	1,025	104	75	92	169	199
50	Italy	9,257	3,193	613	238	152	123	4,414	301	203	321	417	362
51	France	8,909	1,444	40	19	17	12	232	35	13	42	42	73
52	Russia and Poland	4,909	1,872	776	281	154	77	3,160	167	61	105	156	164
53	Other foreign countries	3,765	1,450	679	251	136	85	2,601	151	59	90	126	112
54	Unknown	689	111	29	7	5	5	157	11	7	9	23	21
		508	83	21	7	1	2	114	7	5	3	13	26
		3,899	1,522	476	184	106	55	2,343	136	53	85	127	137
		3,007	1,113	394	139	81	54	1,831	108	45	72	109	110
		5,459	1,793	503	166	90	65	2,622	142	62	116	188	245
		4,244	1,333	411	165	107	60	2,076	164	76	123	194	178
		12,095	1,245	206	114	77	44	1,686	137	99	167	342	476
		9,335	1,085	210	102	60	41	1,493	106	72	132	290	342





COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.			
9,078	9,360	8,394	8,176	8,882	9,184	9,588	9,404	8,871	7,214	4,967	2,580	881	281	326	1		
4,923 4,155	5,168 4,192	4,663 3,731	4,515 3,661	4,863 4,019	4,807 4,377	4,828 4,760	4,647 4,757	4,149 4,722	3,314 3,900	2,132 2,835	1,056 1,524	291 590	85 196	169 157	2 3		
8,739	9,000	8,017	7,815	8,589	8,891	9,350	9,208	8,673	7,097	4,870	2,522	859	253	316	4		
4,723 4,011 5,016	4,979 4,021 4,647	4,478 3,539 4,078	4,327 3,438 3,592	4,701 3,888 3,200	4,653 4,238 3,216	4,713 4,637 3,309	4,546 4,637 3,422	4,052 4,621 3,443	3,255 3,842 3,332	2,090 2,780 2,667	1,033 1,439 1,473	285 574 524	76 177 107	163 153 133	5 6 7		
727 685 1,715 1,314 3,600	703 667 1,501 1,180 4,173	732 673 1,164 936 3,762	801 729 820 492 397 4,079	908 820 482 397 5,266	1,028 910 361 267 5,568	1,053 1,032 294 331 5,923	1,232 1,125 185 182 5,695	1,109 1,296 117 177 5,149	1,045 1,304 119 101 3,697	799 1,033 80 101 2,143	370 620 29 76 1,014	109 260 8 32 318	15 52 8 8 143	19 20 31 42 84	8 9 10		
1,882 1,718 339	2,265 1,908 360	2,130 1,632 377	2,264 1,815 361	2,884 2,382 293	2,845 2,723 293	2,918 3,005 238	2,710 2,985 201	2,375 2,774 198	1,697 2,000 117	911 1,232 97	453 561 58	125 193 22	54 89 28	37 47 10	11 12 13		
195 144	189 171	185 192	188 173	162 131	154 139	115 122	101 100	97 101	59 58	42 55	23 35	6 16	9 19	6 4	14 15		
891 816 1,734 1,407 661 563 180 173 204 256 105 90 76 59 27 17 123 95 179 128 402 287	816 769 1,707 1,459 796 539 245 186 221 233 110 78 91 70 157 89 27 17 194 110 197 126 509 314	826 778 1,407 1,189 796 501 202 208 158 189 87 55 85 75 125 77 33 18 111 59 184 97 444 271	833 818 1,247 1,246 773 439 237 133 164 164 104 47 81 79 113 50 38 23 90 46 182 77 411 267	989 887 1,462 1,502 746 506 253 194 169 177 76 34 102 84 93 61 54 36 19 82 71 185 106 395 242	1,098 998 1,403 1,632 825 603 313 235 174 143 61 23 85 88 66 32 28 30 67 57 124 97 424 301	1,139 1,095 1,399 1,857 825 627 298 244 159 169 21 40 86 88 81 29 28 30 33 62 99 83 397 340	1,306 1,201 936 1,649 831 724 301 238 159 157 26 29 94 101 37 29 22 31 42 35 94 73 397 340	1,184 1,400 627 1,427 773 847 581 604 214 240 93 108 21 29 67 81 23 11 11 22 33 26 70 70 56 278 373	863 1,165 601 563 288 131 115 145 83 71 23 9 59 29 57 14 11 6 5 12 22 13 41 19 169 326	388 679 159 265 127 102 70 19 83 30 33 29 29 5 23 29 5 4 6 19 25 7 169 211	113 286 57 255 207 55 6 11 4 2 13 1 2 1 3 4 6 6 19 42 71	6 16	9 19	4 1 3 2	16 59 30 45 5 6 4 8 11 17 2 1 4 3 4 5 3 5 24 41	27 26 26 45 5 6 6 9 11 17 2 1 1 3 2 3 4 5 3 73 41	16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54





VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>ALABAMA.</b>													
1	Total	25,699	5,142	2,071	843	488	308	8,852	1,059	783	1,388	1,816	1,375
2	Males	12,970	2,756	1,096	457	240	161	4,710	528	405	618	893	648
3	Females	12,729	2,386	975	386	248	147	4,142	531	378	770	923	727
4	White	12,937	2,684	1,094	436	256	156	4,626	512	333	561	726	591
5	Males	6,541	1,448	575	230	139	85	2,477	267	181	251	358	294
6	Females	6,396	1,236	519	206	117	71	2,149	245	149	310	368	297
7	Native	12,308	2,658	1,089	433	250	154	4,584	505	328	548	698	567
8	Both parents native	5,034	1,240	498	193	119	70	2,120	231	149	205	268	202
		5,005	1,035	443	173	99	65	1,815	209	128	266	280	227
9	One or both parents foreign	105	24	8	5	3	1	41	5	3	3	3	7
		110	24	11	7	3		45	5	3	3	4	8
10	Foreign	341	1				1	2	2		5	12	16
11	Males	228	1				1	2	2		4	9	13
12	Females	118									1	3	3
13	Colored	12,762	2,458	977	407	232	152	4,226	547	450	827	1,090	784
14	Males	6,429	1,308	521	227	101	76	2,233	261	221	367	535	354
15	Females	6,333	1,150	456	180	131	76	1,993	286	229	460	555	430
Birthplaces of mothers (white).													
16	United States	5,095	1,254	501	194	119	71	2,139	235	151	206	274	203
		5,072	1,045	451	177	101	65	1,839	211	129	267	283	229
17	Ireland	41	1	1				1	1				4
		36						2					2
18	Germany	71	1		1			3		1	1	1	3
		49	3	2	2			7		1		4	1
19	England and Wales	47	4	1				5	1		1	1	1
		20	3	3		1		7	2			1	1
20	Canada	4	2										1
		4	1										
21	Scandinavia	9	1		1			2					2
		3				1		1					
22	Scotland	19	2	2	1	1		6					
		8	1	1	1			2					
23	Italy	8	1		1	1		3					1
		4	2		1			3	2		1		1
24	France	9										1	1
		3											
25	Russia and Poland												
26	Other foreign countries	17	3	2				5			1	1	3
		7	1					1					
27	Unknown	951	134	63	28	16	12	253	25	28	30	69	56
		994	146	54	25	13	4	242	29	16	39	68	52
<b>ARIZONA.</b>													
28	Total	1,223	192	106	51	26	21	396	81	49	49	64	80
29	Males	750	109	63	22	18	9	221	44	15	27	44	62
30	Females	473	83	43	29	8	12	175	37	34	22	20	18
31	White	947	152	80	40	23	14	309	46	21	34	51	71
32	Males	616	88	48	18	16	6	176	28	5	20	34	53
33	Females	331	64	32	22	7	8	133	18	16	14	17	13
34	Native	681	148	76	38	23	13	298	45	20	29	31	49
35	Both parents native	168	37	18	6	11	1	78	9	1	7	6	9
		111	29	12	5	2	1	49	8	6	7	5	3
36	One or both parents foreign	155	44	27	11	4	4	90	16	4	8	4	9
		95	23	15	15	4	6	63	7	7	3	4	2
37	Foreign	219	4	4	1		1	10		1	5	18	19
38	Males	146	1	1			1	3			1	16	16
39	Females	73	3	3	1			7		1	4	2	3
40	Colored	276	40	26	11	3	7	87	35	28	15	13	9
41	Males	134	21	15	4	2	3	45	16	10	7	10	4
42	Females	142	19	11	7	1	4	42	19	18	8	3	5
Birthplaces of mothers (white).													
43	United States	195	45	26	8	11	1	91	13	1	8	6	12
		132	32	14	9	2	3	60	9	7	8	7	4
44	Ireland	22								2			3
		4											1
45	Germany	15	1					1				1	
		9		1				1	1	2			1
46	England and Wales	17	3	2	1			6		1	1	1	1
		10	1					1	1	1			1
47	Canada	12	1				2	3	1			1	1
		3			1			1				1	
48	Scandinavia	3									1		
		2		1									
49	Scotland	6	1		1			1				2	
		2						2					
50	Italy	9	2	2				4			1		1
		3		1	1		1	2					
51	France	2											
52	Russia and Poland	2											1
53	Other foreign countries	136	30	15	7	4	3	59	12	3	5	15	15
		116	21	14	10	4	3	52	5	2	6	3	1
54	Unknown	147	6	2	1	1		10	2		4	8	24
		50	9	1	1	1	1	13	3	2	6	6	5

COLOR, NATIVITY. AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

Table with 15 columns representing age groups (30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59, 60 to 64, 65 to 69, 70 to 74, 75 to 79, 80 to 84, 85 to 89, 90 to 94, 95 and over) and 1 column for Unknown. The table contains numerical data for each cell, with some rows having a vertical index on the right side (1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54). Brackets on the right group rows 8-10, 16-27, 35-37, and 43-45.



TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>ARKANSAS.</b>													
1	Total	22,518	4,076	1,911	988	603	486	8,064	1,382	983	1,451	1,583	1,289
2	Males	11,813	2,165	1,014	510	279	242	4,210	723	468	715	795	622
3	Females	10,705	1,911	897	478	324	244	3,854	659	465	736	788	667
4	White	16,872	3,027	1,438	738	427	365	5,990	1,002	671	952	1,000	903
5	Males	8,689	1,605	757	371	200	181	3,114	580	345	494	501	442
6	Females	7,683	1,422	681	362	227	184	2,876	472	326	458	499	461
7	Native	15,804	3,015	1,480	727	426	368	5,961	995	671	936	974	885
8	Both parents native	M 7,364 F 6,860	1,540 1,369	726 655	358 352	193 219	178 179	2,990 2,774	506 450	332 307	452 435	444 434	362 407
9	One or both parents foreign	M 210 F 156	28 22	15 11	4 4	5 2	2 2	54 41	9 11	4 10	12 5	12 9	10 10
10	Foreign	280	2	1				3	2		7	8	10
11	Males	204	1					1	1		4	5	6
12	Females	76	1	1				2	1		3	3	4
13	Colored	6,146	1,049	473	255	176	121	2,074	380	262	499	583	386
14	Males	3,124	560	257	139	79	61	1,096	193	123	221	294	180
15	Females	3,022	489	216	116	97	60	978	187	139	278	289	206
<b>Birthplaces of mothers (white).</b>													
16	United States	M 7,495 F 6,990	1,556 1,382	730 664	360 355	196 222	175 181	3,017 2,804	509 456	333 311	465 441	454 447	374 416
17	Ireland	M 32 F 33	1 1	1				1	1			1	1
18	Germany	M 129 F 77	9 6	8 3	1	1		19 10	4 6	3 5	4 1	5 4	7 7
19	England and Wales	M 42 F 23	2 1					2 1	1			2	1
20	Canada	M 3 F 8										1	1
21	Scandinavia	M 10 F 2	1					1		1	1	2	
22	Scotland	M 14 F 7								1			
23	Italy	M 4 F 2		1				1					
24	France	M 9 F 1										1	
25	Russia and Poland	M 12 F 6	2 3	3 1				6 4			1		
26	Other foreign countries	M 23 F 13	5 1	1	1	1		8 3	3 1		2 2		2 1
27	Unknown	M 858 F 526	29 27	15 12	9 6	2 3	5 2	60 50	12 8	3 8	21 13	37 46	56 35
<b>CALIFORNIA.</b>													
28	Total	22,506	2,514	555	297	239	183	3,788	623	402	655	1,118	1,264
29	Males	13,998	1,481	306	160	131	94	2,122	328	203	335	617	733
30	Females	8,508	1,033	249	137	108	89	1,666	300	199	320	501	531
31	White	21,081	2,404	525	272	223	169	3,593	587	364	604	1,060	1,195
32	Males	12,912	1,369	289	148	123	85	2,014	309	183	308	575	682
33	Females	8,169	1,035	236	124	100	84	1,579	278	181	296	485	513
34	Native	13,687	2,380	513	269	216	164	3,542	563	341	544	899	896
35	Both parents native	M 1,730 F 1,233	243 200	65 59	36 45	30 15	16 13	390 332	78 56	37 39	71 56	90 89	78 58
36	One or both parents foreign	M 797 F 694	164 142	37 37	21 11	17 8	13 13	252 211	48 51	41 37	60 51	43 47	64 47
37	Foreign	6,874	7	7		3	2	19	17	20	53	146	272
38	Males	4,480	3	2		2	2	9	9	11	23	95	157
39	Females	2,394	4	5		1		10	8	9	25	51	115
40	Colored	1,425	140	30	25	16	14	195	41	38	51	58	69
41	Males	1,036	62	17	12	8	9	108	19	20	27	42	51
42	Females	339	23	13	13	8	5	87	22	18	24	16	18
<b>Birthplaces of mothers (white).</b>													
43	United States	M 1,963 F 1,443	294 241	76 75	44 48	35 19	26 14	475 397	95 76	49 51	88 78	100 108	89 71
44	Ireland	M 524 F 354	7 9	1		1		11 9	1	3	9	9	28
45	Germany	M 485 F 231	11 18	3 1	3	2		19 25	5 10	7 4	6 8	10 6	23 10
46	England and Wales	M 369 F 183	8 9	5 4	2			15 15	4 4	4	10	12	14
47	Canada	M 175 F 94	9 6	3	2			16 7	3	3	4	12	8
48	Scandinavia	M 151 F 86	13 10	3 5	1			20 17	4 5	2	4	6	7
49	Scotland	M 115 F 57	3 1					8 2	1	2	2	2	4
50	Italy	M 150 F 33	17 3			2		20 2	5		5	3	5
51	France	M 113 F 35	5 1		1	1		7 7	1	1	2	2	3
52	Russia and Poland	M 18 F 11	2 2	2				4 4			1	1	3
53	Other foreign countries	M 458 F 246	41 42	11 6	4 5	4 2	2	60 59	11 8	12	11	20	26
54	Unknown	M 2,098 F 1,054	193 142	38 36	24 17	17 13	11 12	283 220	143 136	22 28	41 45	115 83	117 64

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Unknown.	
969	888	881	886	811	619	660	558	495	360	263	110	43	42	231	1
471	431	453	494	471	371	393	319	293	217	143	57	19	17	181	2
498	457	428	392	340	248	267	239	202	143	120	53	24	25	100	3
696	688	684	657	606	504	496	440	368	286	198	76	21	9	125	4
339	340	359	383	356	297	300	250	231	168	112	39	9	2	78	5
387	348	325	274	250	207	196	190	137	118	86	37	12	7	47	6
675	641	643	606	560	460	453	407	338	257	179	70	19	9	65	7
267	250	267	282	253	209	198	164	150	116	76	24	4	1	17	8
294	279	266	228	216	171	144	151	103	82	59	29	6	5	20	9
15	4	12	10	7	10	9	9	9	8	7	5	2	2	2	
9	10	8	4	6	4	6	6	2	4	6	3	2			
6	26	17	27	25	29	30	25	16	21	16	4	2		6	10
5	18	12	19	22	22	21	22	13	14	9	3	1		6	11
1	8	5	8	3	7	9	8	8	7	7	1	1			12
273	200	197	229	205	115	164	118	127	74	65	34	22	33	106	13
132	91	94	111	115	74	93	69	62	49	31	18	10	15	58	14
141	109	103	118	90	41	71	49	65	25	34	16	12	18	53	15
276	254	275	289	258	216	204	169	155	119	78	25	5	1	19	16
304	291	275	232	219	176	148	156	107	84	59	32	6	5	21	17
3	3	9	5	7	9	8	10	12	6	3	3	2	1	2	18
4	7	4	2	10	2	4	3	3	2	4	2	2		2	19
3	7	7	9	11	7	11	11	10	10	3	3	1			20
2	1	4	5	4	3	6	3	2	2	5	3				21
2	1	4	3	4	5	4	3	2	2	2	2				22
2	1	2	3	1	2	4	1	1	1	4	3				23
1	1	1	1	1	1	1	1	1	1	3	2			1	24
1	1	1	1	1	1	1	1	1	1	2					25
1	2											1		1	26
3	1		4	2					1	3					27
50	65	64	70	71	53	69	55	57	28	20	7	2	1	52	28
43	42	38	31	24	22	34	28	26	25	14	3	3	2	26	29
1,238	1,358	1,231	1,230	1,296	1,205	1,559	1,553	1,497	1,114	665	332	94	44	265	30
767	872	824	881	879	795	1,086	1,065	1,021	780	398	201	52	18	171	31
471	486	407	399	417	410	523	488	476	384	267	131	42	26	64	32
1,142	1,233	1,075	1,083	1,170	1,135	1,489	1,498	1,463	1,098	650	323	89	36	194	33
691	761	689	695	765	732	975	1,021	1,000	722	390	194	49	16	141	34
451	472	386	388	405	403	514	477	463	376	260	129	40	20	53	35
789	786	614	519	520	460	626	710	709	545	339	170	52	17	46	36
70	70	61	47	74	67	106	142	149	108	61	25	8		3	37
61	62	56	46	49	44	55	45	67	52	40	18	7	3	3	38
42	47	26	23	23	11	22	20	20	24	11	7	3	1	4	39
37	30	15	17	11	9	6	11	11	8	6	6	1	2		40
328	415	490	532	611	650	827	759	725	533	299	149	34	18	37	41
214	275	304	358	407	439	536	491	483	338	178	95	18	10	25	42
114	140	126	174	204	211	291	268	242	195	121	54	16	8	13	39
96	125	156	147	126	70	70	55	34	16	15	9	5	8	41	40
76	111	135	136	114	63	61	44	21	8	8	7	3	2	30	41
20	14	21	11	12	7	9	11	13	8	7	2	2	6	11	42
80	79	70	51	84	69	110	152	158	113	64	26	8		3	43
69	71	60	48	55	48	57	47	75	58	41	19	7	4	3	44
22	26	24	27	40	44	61	63	62	42	29	11	3		3	45
14	12	14	13	24	29	42	44	32	22	18	12	2	1	3	46
19	38	23	33	31	42	47	55	47	46	18	10			6	47
9	14	14	16	10	7	15	23	20	21	12	5	1		1	48
15	11	17	24	22	30	43	44	39	36	14	10	1	1	3	49
12	6	4	12	10	18	11	19	22	11	12	1	2		1	50
10	6	11	10	13	13	19	17	14	8	4	4			1	51
6	7	3	4	6	4	6	3	9	7	1	3				52
13	11	5	9	11	15	9	11	10	10	2	1			1	53
3	5	4	6	4	7	1	4	2	4	5	1				54
1	6	5	8	10	8	10	4	19	12	7	7	2		1	
4	14	11	22	13	15	10	1	10	8	4	1			1	
8	1	1	3	4	4	4	1	7	1	1	2			1	
5	2	9	4	7	8	15	10	11	13	11	3	2		1	
3	2	1	3	4	4	5	5	3	1	1				1	
2	1	1	1	1	1	3	1	1						1	
1	1	1	1	1	1	1	1	1						1	
23	25	35	27	26	20	37	26	33	33	16	14	3	3	7	58
16	17	11	13	8	9	10	8	7	6	5	8		5	1	59
123	121	111	92	117	93	151	185	173	128	71	33	13	4	62	60
55	77	39	40	48	43	57	59	49	41	31	19	8	5	27	61

VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>COLORADO.</b>													
1	Total	7,428	1,208	331	171	135	104	1,949	296	185	268	420	492
2	Males	4,471	651	169	94	69	54	1,037	172	107	145	243	288
3	Females	2,957	557	162	77	66	50	912	124	78	123	177	204
4	White	7,210	1,182	326	168	128	102	1,906	286	173	263	404	470
5	Males	4,351	642	168	91	67	54	1,022	167	99	142	236	273
6	Females	2,859	540	158	77	61	48	884	119	74	121	168	197
7	Native	4,356	1,074	294	153	120	86	1,727	254	149	207	297	288
8	Both parents native	(M) 1,185 (F) 913	244 208	84 68	44 28	30 32	21 19	423 350	78 57	46 39	56 55	69 57	51 60
9	One or both parents foreign	(M) 405 (F) 306	134 110	28 31	19 14	12 10	10 3	203 163	39 22	16 12	17 11	27 14	16 21
10	Foreign	1,233	3	2		2	3	10	2	6	25	45	98
11	Males	842	1	1		1		3	1	5	17	29	63
12	Females	391	2	1		1	3	7	1	1	8	16	35
13	Colored	218	26	5	3	7	2	43	10	12	5	16	22
14	Males	120	9	1	3	2		15	5	8	3	7	15
15	Females	98	17	4		5	2	28	5	4	2	9	7
Birthplaces of mothers (white).													
16	United States	(M) 1,296 (F) 1,001	284 234	91 74	48 31	31 35	23 19	477 393	89 64	52 43	64 60	74 62	54 65
17	Ireland	(M) 143 (F) 50	4 2	1 2	1 1	1 1		7 5		1 1	4 4	3 1	7 3
18	Germany	(M) 119 (F) 89	9 8	2 1	1 1	3 2	1	16 11	5 3	2 1	3 1	5 4	9 8
19	England and Wales	(M) 181 (F) 99	17 18	3 2	2 3	4 1		26 24	5 5	3 3	6 2	13 6	8 4
20	Canada	(M) 49 (F) 29	11 5	2			1	14 7	5		2	1	6
21	Scandinavia	(M) 98 (F) 43	18 3	5 3	3 1	1 2	3	30 9	3 3	4 1	2 2	5 2	10 4
22	Scotland	(M) 59 (F) 30	2 6		4 1			6 9	1	5	1	2	2
23	Italy	(M) 78 (F) 36	15 11	1 6	3 1	1 1	3	23 22	5	1	2	3	8
24	France	(M) 13 (F) 11				1	1	3 5			1		1
25	Russia and Poland	(M) 15 (F) 12	4 7	1				7 4					
26	Other foreign countries	(M) 99 (F) 53	22 25	7 6	2 2	2	1	34 35	2 2			3 1	11 6
27	Unknown	(M) 587 (F) 278	37 26	4 5	3 5	2 3	5 6	51 45	5 3	3	7	14	26
<b>CONNECTICUT.</b>													
28	Total	15,422	3,101	569	280	175	137	4,262	369	218	348	539	604
29	Males	7,902	1,725	294	145	91	62	2,317	174	115	173	258	326
30	Females	7,520	1,376	275	135	84	75	1,945	195	103	175	281	278
31	White	15,048	3,004	552	272	171	131	4,130	359	204	330	524	577
32	Males	7,717	1,675	283	143	87	61	2,249	172	109	168	253	310
33	Females	7,331	1,329	269	129	84	70	1,881	187	95	162	271	267
34	Native	10,800	2,978	535	261	164	125	4,063	330	177	261	387	380
35	Both parents native	(M) 2,482 (F) 2,538	587 441	86 80	46 42	34 27	21 13	724 608	59 68	42 38	56 44	62 84	59 61
36	One or both parents foreign	(M) 2,190 (F) 1,867	1,046 788	180 170	82 75	41 46	35 41	1,884 1,120	83 97	44 37	67 70	101 95	123 97
37	Foreign	3,941	16	13	10	7	5	51	25	23	66	130	184
38	Males	1,955	8	7	4	2	2	23	15	14	23	53	98
39	Females	1,986	8	6	6	5	3	28	10	9	38	72	86
40	Colored	374	97	17	8	4	6	132	10	14	18	15	27
41	Males	185	50	11	2	4	1	68	2	6	5	5	16
42	Females	189	47	6	6	4	5	64	8	8	13	10	11
Birthplaces of mothers (white).													
43	United States	(M) 2,789 (F) 2,917	671 579	99 109	55 51	39 33	23 27	887 799	71 83	48 41	66 57	75 97	67 73
44	Ireland	(M) 1,720 (F) 1,732	241 166	45 23	19 23	12 15	10 7	327 234	26 32	16 16	16 35	88 74	127 104
45	Germany	(M) 491 (F) 420	100 66	17 15	7 7	4 4	5 4	137 96	11 7	8 6	10 14	10 26	15 17
46	England and Wales	(M) 333 (F) 329	46 49	4 14	11 2	2 1	3 3	66 69	13 10	5 5	6 4	11 13	17 8
47	Canada	(M) 308 (F) 272	116 83	15 13	2 7	3 3	3	139 108	4 10	12 6	10 16	12 13	8 18
48	Scandinavia	(M) 206 (F) 156	60 44	20 11	8 6	10 6	5 9	108 76	8 9	2 2	5 5	9 8	12 5
49	Scotland	(M) 98 (F) 70	14 9	5	2			21 7	7 2		4 1	1 2	2 3
50	Italy	(M) 229 (F) 167	75 70	25 23	6 11		3	129 116	9 2	4 2	6 7	9 4	13 7
51	France	(M) 33 (F) 27	6 10		1 7			6 8		1		1	1
52	Russia and Poland	(M) 202 (F) 174	105 98	17 19	7 7	2 2	4 3	135 129	10 4	2 3	4 3	8 6	9 7
53	Other foreign countries	(M) 265 (F) 199	133 86	27 29	11 7	6 4	2 3	179 129	5 9	3 2	3 2	1 9	11 7
54	Unknown	(M) 1,048 (F) 868	88 75	9 12	11 7	9 9	3 7	120 110	14 12	9 11	13 15	34 18	23 18

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.				
478	479	435	391	378	317	279	312	227	194	113	44	12	5	159	1			
293	301	307	257	272	206	186	192	145	120	53	18	7	3	119	2			
180	178	128	134	106	111	93	120	82	74	60	26	5	2	40	3			
453	402	418	377	372	310	275	304	225	190	109	43	12	5	153	4			
279	292	293	249	267	201	184	188	145	118	52	18	7	3	116	5			
174	170	125	128	105	109	91	116	80	72	37	25	5	2	37	6			
258	241	216	192	169	161	157	179	136	114	60	27	5	3	21	7			
48	53	57	36	44	42	52	37	40	36	9	2	1	2	3	8			
36	37	33	34	19	24	16	29	24	19	14	5	1		4		9		
11	16	14	10	8	3	7	4	3	6	3				2			10	
18	3	7	8	4	8	4		3	3					1				11
111	138	123	102	125	107	69	33	57	56	35	12	5	2	22				
76	98	92	73	93	75	42	53	33	33	22	7	2	1	19	13			
35	40	31	29	32	32	27	30	19	23	13	5	3	1	3		14		
20	17	17	14	6	7	4	8	2	4	4	1			6			15	
14	9	14	8	5	5	2	4		2	1				3				16
6	8	3	6	1	2	2	4	2	2	3				3				
51	57	57	38	45	45	56	38	42	39	9	3	1	2	3	18			
41	41	34	37	20	26	16	29	24	20	14	5	1	1	5		19		
7	9	19	18	22	6	5	10	5	6	2	1			7			20	
5	7	1	2	1	7	14	5	1	1	1	1			1				21
7	10	7	6	7	8	6	10	5	5	2	1			2				
12	6	9	5	4	4	5	4	4	3	2	1			1	23			
16	20	12	9	17	14	5	8	9	5	5	1			2		24		
6	3	6	9	5	10	2	4	3	4	2	1			3			25	
2	6	5	3	4	1	1	3	1	1	1	1			1				26
5	11	11	7	3	2	2	1	1	1	1	1			1				
4	1	3	3	5	2	2	3	2	2	2				1	28			
3	4	4	4	5	4	1	4	2	1	2	2			2		29		
1	8	3	7	3	1	2	1	2	4	1	2			1			30	
1	1	6	1	1	2	2	2	2	1	1				2				31
2	2	2	1	2	3	1	1	1	1					2				
1	2	2	1	1	1	3	3	1	1	2	1			1	33			
7	7	7	8	6	2	3	3	1	1	1	1			1		34		
2	2	1	1	1	1	1	1	1	1	1				1			35	
45	45	52	51	33	27	30	31	22	15	6	4	1		77				36
29	24	17	13	11	3	14	16	12	6	13	3			19				
606	638	554	600	704	754	844	933	995	915	767	423	172	47	120	38			
312	363	296	319	375	377	400	430	433	461	352	186	62	10	63		39		
294	275	258	231	329	377	444	453	512	454	415	242	110	37	57			40	
598	628	543	584	633	739	831	922	979	904	753	420	169	46	115				41
309	357	290	311	369	365	394	472	474	455	346	133	60	10	61				
239	271	253	273	319	374	437	450	505	449	412	237	109	36	54	43			
371	352	314	331	298	326	379	490	596	639	564	327	143	33	39		44		
63	60	62	36	91	97	127	180	191	227	163	95	31	2	5			45	
74	65	64	87	92	113	135	153	204	206	217	124	66	17	13				46
100	104	63	45	13	17	9	9	6	6	6	2	2		4				
90	64	56	36	18	15	15	4	13	15	9	6	5	1	7	48			
211	259	214	237	372	397	436	419	363	242	160	77	20	11	39		49		
110	149	113	130	206	192	195	193	161	116	79	39	9	3	19			50	
101	110	101	107	166	205	241	221	207	126	81	33	11	8	20				51
8	10	11	16	16	15	13	16	16	11	9	8	3	1	5				
3	6	6	8	6	12	6	8	9	6	6	3	2		3	53			
5	4	5	8	10	3	7	8	7	5	3	5	1	1	2		54		
71	71	66	96	95	100	134	190	200	240	172	99	33	2	6			55	
83	72	74	94	98	120	146	170	220	225	230	180	72	17	16				56
123	123	83	85	111	111	125	103	93	57	31	16	6	3	11				
100	85	83	91	113	143	177	155	123	64	43	27	6	7	14	58			
19	29	20	27	21	25	31	48	29	23	18	7	1		2		59		
20	26	18	14	20	30	31	27	24	20	12	3	1		2			60	
9	24	16	22	19	28	15	28	21	15	14	7	2		1				61
19	13	8	16	20	23	23	17	30	29	15	8	2		5				
12	16	11	6	13	18	8	11	10	6	8	3			1	63			
13	13	16	7	11	5	7	7	10	5	4		2		1		64		
11	11	9	10	8	3	7	2	2	4	1	1			2			65	
3	4	3	3	4	3	3	5	6	8	5	4			1				66
4	4	7	3	4	5	5	7	11	5	5	2			2				
11	10	5	5	11	8	2	3	1	3	1				2	68			
9	2	3	1	3	3	3	5	3	2					2		69		
2	4	2	1	3	3	3	7	5	2					2			70	
3	7	2	5	3	3	1	2	5	3					2				71
8	7	6	5	3	2	2	2	1	1					1				
37	10	10	4	3	6	6	1	2	4					3	73			
7	5	5	2	2	4	4	4	3						1		74		
37	4	51	47	55	53	58	77	109	93	3	1			5			75	
22	36	28	41	45	37	33	53	73	92	99	66	13	11	13				76

VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	DELAWARE.												
2	Total	3,075	597	139	88	39	32	895	133	79	94	139	100
3	Males	1,644	346	76	51	21	15	509	65	35	37	57	60
3	Females	1,431	251	63	37	18	17	386	68	44	57	82	40
4	White	2,490	456	104	66	32	26	684	115	58	70	106	84
5	Males	1,348	266	61	41	18	10	396	54	27	32	47	50
6	Females	1,142	190	43	25	14	16	288	61	26	38	59	34
7	Native	2,134	451	102	66	31	26	676	109	53	64	94	75
8	Both parents native	(M) 192	36	10	6	3	3	53	5	3	6	5	4
8		(F) 160	27	8	8	3	2	48	8	7	4	7	5
9	One or both parents foreign	(M) 12	5					5					
9		(F) 17	3	1				4		1	1	2	1
10	Foreign	236		1				1			3	5	5
11	Males	125									2	2	3
12	Females	111		1				1			1	3	2
13	Colored	585	141	35	22	7	6	211	18	26	24	33	16
14	Males	296	80	15	10	3	5	113	11	8	5	10	10
15	Females	289	61	20	12	4	1	98	7	13	19	23	6
16	Birthplaces of mothers (white).												
16	United States	(M) 196	38	10	6	3	3	60	5	3	6	5	4
16		(F) 162	27	8	8	3	2	43	8	3	4	7	5
17	Ireland	(M) 21		1				1				2	1
17		(F) 20											1
18	Germany	(M) 4											
18		(F) 6	1					1			1		
19	England and Wales	(M) 7											
19		(F) 5											
20	Canada	(M) 2											
20		(F) 2											1
21	Scandinavia	(M) 2											
21		(F) 2											
22	Scotland	(M) 2											
22		(F) 2	1					1					
23	Italy	(M) 5		2				2					
23		(F) 1		1				1					
24	France	(M) 1											
24		(F) 1											
25	Russia and Poland	(M) 2											
25		(F) 1		1				1					
26	Other foreign countries	(M) 1		1				1					
26		(F) 2											
27	Unknown	(M) 399	63	14	9	5	1	92	17	8	7	16	16
27		(F) 310	45	11	3	3	2	64	14	6	14	16	5
28	DISTRICT OF COLUMBIA.												
28	Total	6,364	1,306	268	129	105	67	1,875	184	140	189	358	344
29	Males	3,274	687	135	66	45	34	967	98	68	78	183	185
30	Females	3,090	619	133	63	60	33	908	86	77	111	175	159
31	White	3,660	573	112	51	53	37	826	114	59	73	163	191
32	Males	1,967	312	61	24	27	22	446	60	29	35	88	102
33	Females	1,693	261	51	27	26	15	380	54	30	38	75	89
34	Native	2,989	571	112	51	53	37	824	111	57	71	153	172
35	Both parents native	(M) 1,145	250	47	18	18	19	352	49	24	29	64	62
35		(F) 1,053	197	41	18	22	12	290	45	24	23	54	46
36	One or both parents foreign	(M) 270	47	13	6	7	3	76	7	3	4	14	17
36		(F) 252	49	9	6	4	3	71	7	4	5	14	25
37	Foreign	616							1	2	2	8	17
38	Males	359											10
39	Females	257							1	1		4	7
40	Colored	2,704	733	156	78	52	30	1,049	70	81	116	195	153
41	Males	1,307	375	74	42	18	12	521	38	34	43	95	83
42	Females	1,397	358	82	36	34	18	528	32	47	73	100	70
43	Birthplaces of mothers (white).												
43	United States	(M) 1,223	268	50	21	22	20	381	51	26	31	67	65
43		(F) 1,147	216	44	22	23	12	317	45	24	31	59	55
44	Ireland	(M) 225	8	2	1	1	1	13	1			9	15
44		(F) 203	10	1	2	1		14	1	1	1	9	14
45	Germany	(M) 173	7	3	1	1	1	13	2	1	1	1	7
45		(F) 114	13	2	1	1	1	18	1	2	1	2	7
46	England and Wales	(M) 65	3	1				4	1		1		1
46		(F) 40	1	1				2	1				2
47	Canada	(M) 10		1				1		1			1
47		(F) 10										1	2
48	Scandinavia	(M) 5											
48		(F) 1							1				
49	Scotland	(M) 17			1			1					
49		(F) 19				1		1					
50	Italy	(M) 13	6	1				7				1	
50		(F) 15	5	2			2	9	1		1		
51	France	(M) 10	1					1				2	
51		(F) 8											
52	Russia and Poland	(M) 13	4	1		1		6	1			1	
52		(F) 7	3	1				4	1				
53	Other foreign countries	(M) 23	2	1				3				1	1
53		(F) 11							1	1		1	1
54	Unknown	(M) 190	13	1		2		16	4	1	2	6	12
54		(F) 118	13		2			15	2	1	3	3	9

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
112	123	123	123	116	131	157	179	176	166	117	56	22	5	29	1
59	62	68	81	64	88	79	100	86	89	55	22	9		19	2
53	61	55	42	52	43	78	79	90	77	62	34	13	5	10	3
91	105	99	100	95	103	129	152	156	150	106	51	17	4	20	4
50	52	57	64	50	69	67	86	77	80	48	20	8		14	5
41	53	42	36	45	34	62	66	79	70	58	31	9		6	6
76	84	74	80	74	82	88	114	122	118	80	89	15	3	14	7
3	5	6	11	7	7	14	15	7	18	14	3	1			8
5	3	4		6	5	7	8	21	8	10	4		1		9
1	1	2	1	1	1	1	7	1	2						10
12	14	19	15	18	14	32	26	28	19	14	1	1	1		11
9	6	10	10	9	12	15	17	15	7	6	2				12
3	8	9	5	9	2	17	9	13	12	8	7	1	1		13
21	18	24	23	21	28	28	27	20	16	11	5	5	1	9	14
9	10	11	17	14	19	12	14	9	9	7	2	1		5	15
12	8	13	6	7	9	16	13	11	7	4	3	4	1	4	16
3	6	6	11	7	7	14	15	7	19	14	3	1			17
5	3	5		6	5	7	7	21	8	10	4		1		18
	2	2	2	1	1	4	3	2	1	1	1				19
3	2	1		3	1		1		3	2	1				20
	1	1		1		1			2		2				21
		1				2	2	1	1						22
							1								23
		1													24
1						1		1							25
1		1			1										26
								1							27
	2														28
									1	1				14	29
11	15	7	15	15	22	19	30	31	29	19	11	5		3	30
11	21	11	10	10	17	11	19	21	26	15	10	5	1	8	31
267	244	275	254	310	356	349	348	313	238	185	83	24	21	7	32
149	125	130	129	174	203	178	197	156	117	82	40	7	6	7	33
118	119	145	125	136	153	171	151	157	121	103	43	17	15	7	34
167	141	140	142	207	252	256	265	229	197	153	58	15	6	6	35
98	78	72	79	124	152	137	153	120	96	70	27	4	1	6	36
74	68	68	63	88	100	119	112	109	101	83	31	11	5	3	37
141	115	115	118	156	180	163	173	150	129	104	43	11	3	3	38
45	31	38	42	59	71	54	73	57	41	39	12	2	1		39
39	34	38	38	43	62	64	60	60	55	45	22	4	2		40
19	21	10	13	20	15	12	15	9	7	7	1				41
21	17	17	8	9	7	8	7	13	8	6	2	3			42
25	20	20	21	46	70	86	88	76	65	49	14	3	3		43
20	12	14	10	27	43	51	50	47	37	22	9	1			44
5	8	6	11	19	27	35	38	29	28	27	5	2	3		45
100	103	135	112	103	104	93	83	84	41	32	25	9	15	1	46
56	52	58	50	50	51	41	44	36	21	12	13	3	5	1	47
44	51	77	62	53	53	52	39	48	20	20	12	6	10		48
47	35	39	44	65	74	57	30	61	44	41	12	2	1		49
43	36	42	41	43	67	65	62	68	63	48	25	6	2		50
15	12	12	10	16	24	23	25	22	18	8	2				51
8	10	10	8	11	17	24	25	18	11	16	3		2		52
11	10	3	6	15	17	19	20	21	12	10	3	1			53
3	6	4	4	6	9	6	8	5	13	5	1	1	1		54
3	4	3	3	5	4	4	5	4	5	5	2				55
	1	2	2	1	1	1	1		4	3					56
															57
		1	1	2	2	1	4	2	1	2					58
					1	2	3	3	3	4		1			59
															60
1	1			2	2	1	1	2	3	1					61
															62
															63
6	2				3	1	2	2			1				64
3															65
9	9	10	14	17	23	20	15	6	11	2	6	1		6	66
8	10	6	5	11	4	12	7	7	7	4	2	2			67

VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>FLORIDA.</b>													
1	Total	6,482	1,360	475	220	122	99	2,276	298	199	278	379	383
2	Males	3,520	734	259	120	60	43	1,216	153	118	143	208	162
3	Females	2,962	626	216	100	62	56	1,060	145	81	135	171	171
4	White	3,408	670	233	109	72	54	1,133	170	113	133	163	138
5	Males	1,933	371	131	64	36	26	623	91	76	65	96	64
6	Females	1,475	299	102	45	36	28	510	79	37	68	67	74
7	Native	2,943	658	231	108	70	53	1,120	166	107	120	142	113
8	Both parents native	M 1,156 F 964	229 191	104 69	49 33	30 26	19 19	431 333	67 62	62 32	49 52	59 46	35 48
9	One or both parents foreign	M 95 F 83	29 36	9 8	3 3	2 6	2 3	45 56	4 4	4 1	3 1	2 3	3 3
10	Foreign	381	6					6	3	4	11	15	18
11	Males	245	3					3	2	3	6	8	8
12	Females	136	3					3	1	1	5	7	10
13	Colored	3,074	690	242	111	50	45	1,133	123	86	145	216	195
14	Males	1,587	363	128	56	24	17	533	62	42	78	112	98
15	Females	1,487	327	114	53	26	28	500	66	44	67	104	97
Birthplaces of mothers (white).													
16	United States	M 1,190 F 1,005	236 209	107 73	50 36	30 27	19 20	442 365	68 64	63 33	51 52	61 47	35 49
17	Ireland	M 16 F 6											
18	Germany	M 29 F 18	1		1			1				1	-1
19	England and Wales	M 30 F 13	1	1				2	1			1	1
20	Canada	M 6 F 6	1	1					1	1			
21	Scandinavia	M 11 F 3						2			2		1
22	Scotland	M 14 F 1											1
23	Italy	M 13 F 11	3 6	3		2		6 8	2		1		
24	France	M 9 F 6					1	1					1
25	Russia and Poland	M 5 F 1		1				1			1		1
26	Other foreign countries	M 79 F 56	21 12	1 3	2 3	2 1	1 2	27 20	2 1	3 3	4 1	3 3	2 2
27	Unknown	M 141 F 99	17 12	4 3	3 3	3 1	1	25 20	3 2	3 2	2 2	3 6	5 3
<b>GEORGIA.</b>													
28	Total	26,941	5,786	2,285	1,032	552	351	10,006	998	757	1,232	1,771	1,451
29	Males	13,321	3,035	1,175	533	305	168	5,216	432	355	567	826	646
30	Females	13,620	2,751	1,110	499	247	183	4,790	516	402	715	945	805
31	White	13,094	2,720	1,075	453	259	166	4,673	465	313	510	744	647
32	Males	6,547	1,446	555	242	133	78	2,459	232	168	236	371	284
33	Females	6,547	1,274	520	216	121	88	2,219	233	150	274	373	363
34	Native	12,637	2,711	1,066	450	254	165	4,646	458	313	501	723	626
35	Both parents native	M 4,899 F 5,176	1,161 1,036	469 431	201 178	116 108	65 79	2,012 1,832	194 205	141 140	193 238	274 302	209 275
36	One or both parents foreign	M 63 F 45	8 6	3 1	3 1			11 8	1 2	1 1	3 1	5 1	7 7
37	Foreign	257							1	1	2	11	8
38	Males	160							1	1	2	6	3
39	Females	97										5	5
40	Colored	13,847	3,066	1,210	574	293	185	5,333	533	439	722	1,027	804
41	Males	6,774	1,589	620	291	167	90	2,757	250	187	331	455	362
42	Females	7,073	1,477	590	283	126	95	2,571	283	252	441	572	442
Birthplaces of mothers (white):													
43	United States	M 4,936 F 5,203	1,167 1,039	472 431	201 178	116 108	65 79	2,021 1,835	194 207	142 141	136 238	277 302	210 273
44	Ireland	M 27 F 29	1 2		1			2				1	2
45	Germany	M 11 F 13										1	2
46	England and Wales	M 11 F 2										1	1
47	Canada	M 1 F 2	1 1					1 1					
48	Scandinavia	M 2 F 7		1				1			1	1	1
49	Scotland	M 3 F 1											
50	Italy	M 2 F 4											
51	France	M 1 F 2											
52	Russia and Poland	M 5 F 3		1				1				2	
53	Other foreign countries	M 472 F 420	77 50	21 23	9 12	9 4	1 2	117 91	11 7	5 5	6 8	31 20	20 23

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
306	305	261	245	248	232	224	226	227	155	115	58	21	28	68	1
155 151	159 146	147 114	152 93	139 109	119 113	131 90	140 86	129 98	99 56	62 53	28 30	11 10	8 20	38 30	2 3
159	152	142	141	139	143	142	150	142	108	61	31	10	4	29	4
84 75 127	79 73 112	81 61 110	97 44 108	86 53 100	74 69 112	88 54 99	96 54 120	82 60 106	71 37 84	36 25 50	13 18 19	7 3 7	2 2 1	17 12 15	5 6 7
44 55 2 1 27	33 39 2 3 32	41 35 4 2 28	48 25 4 2 26	38 30 6 2 35	43 45 4 1 28	45 23 2 2 39	51 37 2 2 26	43 41 1 1 32	37 21 5 1 22	18 17 1 1 11	5 5 2 2 11	3 2 1 3 3	1 1 1 3 3	4 5 1 1 1	8 9 10
17 10 147	17 15 153	19 9 119	21 5 104	26 9 109	18 10 89	26 13 82	18 8 76	19 13 85	17 5 47	7 4 54	4 7 27	3 1 11	2 1 24	1 1 39	11 12 13
71 76	80 73	66 58	55 49	53 56	45 44	46 36	44 32	47 38	28 19	26 28	15 12	4 7	18	21 18	14 15
46 56 2	33 41 3	43 35	49 25	42 32 1 1 1	44 46 1 1 1	45 29 2 1 1	54 35 2 2 1	43 41 1 1 1	38 22 2 1 2	19 17 1 1 1	6 5 2 1 1	3 2 1 1 1	1 2 1 1 1	5 5 1 1 1	16 17 18 19 20 21
1 3 1 1	1 3 1 1	2 2 1 2	3 2 1 2	5 1 4 1	5 2 1 1	4 2 1 1	2 1 1 1	3 1 1 1	1 1 1 1	3 1 1 1	2 1 2 1	1 1 1 1	1 1 1 1	1 1 1 1	22 23 24 25 26 27
1 1	1 1	1 2	1 1	1 1	1 1	2 1	1 1	1 2	2 1	1 1	1 1	1 1	1 1	1 1	28 29 30 31
1 1	1 1	2 2	2 1 11 9	4 3 11 9	3 3 8 2	3 2 4 6	3 2 11 4	2 1 8 5	4 1 7 5	1 1 5 3	2 1 2 1	1 1 1 1	1 1 1 1	9 6	26 27
1,064	1,126	991	955	1,020	717	966	885	910	711	545	284	140	120	242	28
490 574	492 634	451 510	472 433	512 508	372 345	497 469	455 430	475 435	358 353	281 204	140 144	62 78	47 73	125 117	29 30
483	501	511	490	512	430	521	585	573	459	334	147	62	27	97	31
216 267 461	220 281 485	237 274 491	255 235 459	265 247 481	223 207 394	266 255 488	292 293 543	275 238 530	221 238 432	170 164 307	74 73 136	29 33 53	9 18 26	45 52 79	32 33 34
147 202 5 2 10	150 210 1	160 218	158 179 3 1	165 194 3	134 143 4	179 185 1	202 217 6 2	189 216 1 5	163 109 13 6	128 124 6 3	56 56 1 1	24 23 1 3	9 14 1 1	17 38 1 1	35 36 37
7 3 581	6 2 625	5 3 480	14 4 465	9 4 508	22 8 287	17 11 445	14 18 300	21 15 337	8 10 252	14 6 211	7 1 137	2 1 78	1 1 93	1 1 145	38 39 40
274 307	272 353	214 266	217 248	247 261	149 138	231 214	163 137	200 137	137 115	111 100	66 71	33 45	33 55	80 65	41 42
148 204 3 2 3	150 212 1	161 218	156 179 2 1 2 2 3	167 195 1 1 2 2 1	136 145 7 6 3 1 2	179 185 2 2 2 2 1	203 213 4 2 5 1 3	189 220 6 3 5 1 3	170 164 2 2 4 1 3	131 125 5 3 2 1 1	56 57 4 1 1	24 23 1 1	9 14 1 1	17 38 1 1	43 44 45 46 47 48 49 50 51 52 53 54
21 18	16 30	26 22	34 21	30 22	18 21	27 24	27 21	28 30	15 21	13 17	6 6	2 2	1 1	21 10	



VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	IDAHO.												
2	Total	1,242	214	72	26	28	21	361	73	60	57	47	48
3	Males	762	121	32	17	10	16	196	38	26	31	22	27
3	Females	480	93	40	9	18	5	165	35	34	26	25	21
4	White	1,075	194	54	25	21	15	309	58	50	48	42	41
5	Males	674	109	25	16	7	11	163	30	23	28	19	23
6	Females	401	85	29	9	14	4	141	28	27	20	23	18
7	Native	850	194	53	25	21	15	308	56	49	43	38	31
8	Both parents native	(M) 303 (F) 230	69 66	16 22	10 4	5 12	9 3	109 107	22 20	12 14	16 11	10 12	9 7
9	One or both parents foreign	(M) 125 (F) 94	33 18	9 6	5 4	2 2	2 1	56 31	7 7	9 12	8 8	5 9	7 3
10	Foreign	189								1	3	3	9
11	Males	138								1	3	1	5
12	Females	51										2	4
13	Colored	167	20	18	1	7	6	52	15	10	9	5	7
14	Males	88	12	7	1	3	5	23	8	3	3	3	4
15	Females	79	8	11		4	1	24	7	7	6	2	3
16	Birthplaces of mothers (white).												
16	United States	(M) 342 (F) 265	81 72	20 23	13 8	7 14	9 3	130 120	23 24	16 19	18 13	11 15	9 9
17	Ireland	(M) 37 (F) 9										1	2
18	Germany	(M) 32 (F) 10								1	1	1	1
19	England and Wales	(M) 57 (F) 40	4 4	2 2			1	6 7	3 2	1 1	4 3	3 3	3 2
20	Canada	(M) 17 (F) 7	5 2					5 2			1	1	2
21	Scandinavia	(M) 38 (F) 28	11 3		1			12 5	3	2	2	1	2
22	Scotland	(M) 13 (F) 7	3 1	2				5		4	3	2	3
23	Italy	(M) 1 (F) 1	1 1					1	1	1			
24	France	(M) 1 (F) 7	1 7					1					
25	Russia and Poland	(M) 1 (F) 1	1 1					1					
26	Other foreign countries	(M) 25 (F) 9	7 2	3	2		1	13 3		2			1
27	Unknown	(M) 105 (F) 25	1 1	1				1 2	1 1	1 1	1 1	3 3	2 4
28	ILLINOIS.												
28	Total	61,229	11,169	3,386	1,596	1,038	834	18,023	2,385	1,413	2,014	2,705	2,824
29	Males	33,641	6,234	1,760	800	506	401	9,751	1,247	730	980	1,387	1,430
30	Females	27,588	4,835	1,626	796	532	433	8,272	1,138	683	1,034	1,318	1,394
31	White	59,618	10,944	3,320	1,553	1,019	813	17,649	2,343	1,361	1,980	2,561	2,704
32	Males	32,752	6,167	1,727	772	494	390	9,550	1,224	710	938	1,295	1,360
33	Females	26,866	4,777	1,593	781	525	423	8,099	1,119	651	992	1,266	1,344
34	Native	42,545	10,905	3,281	1,533	1,003	801	17,523	2,290	1,261	1,665	2,049	2,080
35	Both parents native	(M) 8,819 (F) 7,925	1,933 1,539	596 539	244 241	161 175	110 100	3,094 2,594	395 359	281 262	362 405	385 435	323 392
36	One or both parents foreign	(M) 2,434 (F) 1,975	564 408	145 120	73 65	51 38	41 45	874 676	112 96	88 66	113 132	179 145	147 160
37	Foreign	16,052	30	27	15	10	8	90	41	34	225	464	618
38	Males	9,297	18	15	5	6	4	48	21	43	110	247	337
39	Females	6,755	12	12	10	4	4	42	20	41	115	217	281
40	Colored	1,611	225	66	43	19	21	374	42	52	34	144	120
41	Males	889	117	33	23	12	11	201	23	20	42	72	70
42	Females	722	108	33	15	7	10	173	19	32	42	72	50
43	Birthplaces of mothers (white).												
43	United States	(M) 9,435 (F) 8,490	2,152 1,671	628 569	263 262	178 187	126 113	3,347 2,802	423 391	307 286	400 444	439 436	349 480
44	Ireland	(M) 1,037 (F) 727	21 16	6 5	2 2	2 2	1 2	32 30	7 5	9 8	15 15	39 22	41 36
45	Germany	(M) 2,395 (F) 1,779	167 120	55 44	27 19	13 9	13 17	281 209	43 25	26 27	59 58	72 79	83 85
46	England and Wales	(M) 616 (F) 418	26 16	7 6	4 3	4 3	3 3	44 31	5 7	8 3	9 9	15 18	17 20
47	Canada	(M) 161 (F) 140	16 13	1 1	2 1	2 2	3 5	19 19	2 5	4 2	7 14	10 17	11 29
48	Scandinavia	(M) 548 (F) 400	74 45	23 20	10 9	5 2	2 5	117 87	14 17	11 8	14 20	27 25	29 28
49	Scotland	(M) 163 (F) 124	8 9					18 15	4 1	4 1	4 2	5 4	1
50	Italy	(M) 49 (F) 28	14 13	3 3		1		21 17				2	5
51	France	(M) 85 (F) 64	2 1					4 3				2	2
52	Russia and Poland	(M) 104 (F) 71	33 30	10 4	5 2		2	50 36	2 3	5 2	3 4	6 3	4
53	Other foreign countries	(M) 256 (F) 177	48 25	11 6	6 4	2 4	2	68 41	8 8	4 5	5 3	10 3	7
54	Unknown	(M) 2,248 (F) 1,633	285 220	68 52	22 35	20 16	12 14	407 337	48 37	35 30	49 60	91 86	133 116



VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>INDIANA.</b>													
1	Total.....	38, 586	5, 850	1, 562	782	439	337	8, 970	1, 054	887	1, 430	1, 669	1, 537
2	Males.....	17, 454	3, 294	826	378	221	179	4, 898	520	407	652	797	681
3	Females.....	16, 132	2, 556	736	404	218	158	4, 072	534	480	778	872	856
4	White.....	32, 312	5, 635	1, 505	753	423	323	8, 649	1, 012	785	1, 327	1, 579	1, 463
5	Males.....	16, 739	3, 170	797	363	215	174	4, 719	495	387	597	755	648
6	Females.....	15, 573	2, 465	708	390	213	154	3, 930	517	398	730	824	815
7	Native.....	28, 307	5, 606	1, 489	743	424	323	8, 585	997	770	1, 292	1, 495	1, 375
8	Both parents native.....	M 11, 089 F 10, 747	2, 654 2, 059	711 603	314 336	181 176	136 129	3, 996 3, 303	396 423	322 324	481 597	534 617	421 566
9	One or both parents foreign.....	M 1, 624 F 1, 581	300 257	48 61	24 34	21 27	26 17	419 396	60 67	36 46	67 72	116 113	110 124
10	Foreign.....	3, 247	4	3	5	3	1	16	2	9	23	46	56
11	Males.....	1, 876	2	3	1	3	1	10	1	6	12	27	32
12	Females.....	1, 371	2	4	4	1	1	6	1	3	11	19	24
13	Colored.....	1, 274	215	57	29	11	9	321	42	52	103	90	74
14	Males.....	665	124	29	15	6	5	179	25	20	55	42	33
15	Females.....	609	91	28	14	5	4	142	17	32	48	48	41
<b>Birthplaces of mothers (white).</b>													
16	United States.....	M 11, 704 F 11, 394	2, 776 2, 165	735 637	320 353	188 190	147 137	4, 166 3, 482	419 450	335 340	515 627	574 672	409 597
17	Ireland.....	M 501 F 450	10 14	3 8	2 4	1 1	1 9	13 22	3 4	3 2	7 12	19 13	19 24
18	Germany.....	M 1, 671 F 1, 340	111 87	13 11	11 6	9 7	9 7	153 118	26 21	16 23	24 39	57 53	60 70
19	England and Wales.....	M 261 F 187	22 19	4 3	4 4	1 1	1	28 26	4 2	3 5	3 1	9 3	4 11
20	Canada.....	M 49 F 61	4 8	1 2	2 2	2 1	2	7 12	2 2	1 1	1 4	2 3	2 4
21	Scandinavia.....	M 65 F 48	4 6	1 5	1 1	1	2	9 12	3 3	2 2	1 2	1 2	4 2
22	Scotland.....	M 76 F 51	5 2	1	1	1	1	6 3	1	1	1	1	2
23	Italy.....	M 10 F 9	4 3	1	1	1	1	6 4					1
24	France.....	M 59 F 47	1	1				1					1
25	Russia and Poland.....	M 76 F 68	23 20	5 6	4 2	3 3	2 1	37 35	1 5	3 3	1 3	1 7	3 8
26	Other foreign countries.....	M 174 F 123	30 21	5 6	3 2	3 4	1 2	42 34	2 3	2 3	6 3	6 2	8 6
27	Unknown.....	M 1, 905 F 1, 622	143 94	19 27	13 14	5 3	6 5	191 143	27 20	14 20	28 33	60 61	65 87
<b>INDIAN TERRITORY.</b>													
28	Total.....	5, 286	1, 220	699	269	168	111	2, 467	364	216	305	273	248
29	Males.....	2, 795	668	345	146	79	60	1, 298	190	112	155	136	116
30	Females.....	2, 491	552	354	123	89	51	1, 169	174	104	150	137	132
31	White.....	3, 936	957	535	199	127	84	1, 902	263	161	213	184	174
32	Males.....	2, 119	519	278	111	63	45	1, 016	147	79	116	86	74
33	Females.....	1, 817	438	257	88	64	39	886	116	82	97	98	100
34	Native.....	3, 863	956	535	198	126	83	1, 898	263	161	213	178	170
35	Both parents native.....	M 1, 903 F 1, 645	498 425	266 250	109 85	61 63	42 37	976 860	141 112	75 79	107 89	77 74	67 84
36	One or both parents foreign.....	M 49 F 35	14 7	7 5	1 2	1 1	1	24 15	4 4	2 1	2 1	2 1	3 1
37	Foreign.....	37										2	1
38	Males.....	23										1	1
39	Females.....	14										1	1
40	Colored.....	1, 350	263	164	70	41	27	565	101	55	92	89	74
41	Males.....	676	149	67	35	16	15	282	43	33	39	50	42
42	Females.....	674	114	97	35	25	12	283	58	22	53	39	32
<b>Birthplaces of mothers (white).</b>													
43	United States.....	M 1, 836 F 1, 677	508 428	270 252	110 87	62 64	43 37	993 868	143 115	77 80	109 92	78 78	67 88
44	Ireland.....	M 11 F 4							1 1				1
45	Germany.....	M 10 F 4	2					2		1			
46	England and Wales.....	M 10 F 3	1	1	1			3				1	
47	Canada.....	M 1 F 3											
48	Scandinavia.....	M 1 F 1											
49	Scotland.....	M 8 F 2		2				2	1			1	
50	Italy.....	M 6 F 6	1	4				1 5				1	
51	France.....	M 3 F 1	1					1					
52	Russia and Poland.....	M 2 F 2	1					1 1					1
53	Other foreign countries.....	M 4 F 4	2 2	1				3 2					
54	Unknown.....	M 131 F 110	3 6	4 1		1	2	10 10	2	1	7	6	5

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,398	1,335	1,244	1,282	1,260	1,532	1,619	1,899	2,151	1,849	1,843	661	216	69	231	1
663 735	615 720	608 636	658 624	695 565	829 703	883 786	1,055 844	1,211 940	1,015 834	674 669	342 319	104 112	31 38	116 115	2 3
1,342	1,266	1,206	1,222	1,187	1,468	1,577	1,856	2,099	1,829	1,816	643	208	60	218	4
636 706	577 689	591 615	628 594	657 530	793 675	857 720	1,032 824	1,184 915	1,003 826	659 657	335 308	101 107	26 34	109 109	5 6
1,216	1,127	1,040	1,093	971	1,175	1,176	1,356	1,556	1,353	994	477	150	40	129	7
403 488 99 98 82	303 436 118 108 87	330 384 95 99 125	352 369 79 81 150	369 338 52 41 176	420 433 63 57 234	456 422 50 42 345	557 443 50 42 453	637 527 53 58 495	499 474 69 48 427	369 333 42 24 283	158 149 27 48 150	43 48 7 9 48	11 12 3 6 19	32 56 4 6 16	8 9 10
42 40 56	45 42 69	75 50 38	94 56 60	114 62 73	144 90 64	212 133 42	250 203 43	293 202 52	249 178 20	149 139 27	81 69 18	24 24 8	6 13 9	10 6 13	11 12 13
27 29	33 31	17 21	30 30	33 35	36 28	26 16	23 20	27 25	12 8	15 12	7 11	3 5	5 4	7 6	14 15
436 522 20 23 64 66 5 6	336 478 28 21 78 63 7 10	346 409 21 23 97 77 12 9	375 393 21 17 89 78 14 7	394 356 22 11 83 57 17 8	439 447 38 28 117 80 14 7	475 446 52 39 129 80 25 16	579 465 59 54 147 118 29 20	663 565 58 49 194 124 31 22	527 504 50 35 171 115 25 16	383 357 33 42 98 82 15 9	170 160 19 20 48 46 10 5	47 57 9 9 13 13 4 1	14 12 3 2 3 13 4 2	37 60 4 4 4 13 2	16 17 18 19 20
2 3 1 1 2 1 1 1 2 3 2 11 4 32 65	2 5 4 4 2 3 9 3	2 5 4 1 4 1	3 6 7 5 94 78	1 2 4 2 7 6 106 70	1 3 4 2 7 5 143 84	5 2 1 4 5 7 184 90	8 6 1 2 8 6 167 122	5 3 1 2 16 8 174 116	9 4 2 1 11 3 8 116	5 4 4 2 6 6 101 129	4 1 1 3 3 2	2 2 2 3	1 1 2 5 5	1 1 1 1 1 1 5 5	21 22 23 24 25 26 27
206	162	165	176	147	114	128	80	71	58	30	16	3	8	49	28
106 100	82 80	76 89	100 76	91 56	69 45	85 43	46 34	40 31	23 30	20 10	9 7	2 1	5 3	29 20	29 30
153	122	113	143	118	81	96	59	52	43	21	11	1	1	25	31
85 68 146	59 63 120	54 59 112	81 62 138	78 40 112	51 30 78	67 29 88	35 24 52	34 18 45	21 22 41	15 6 17	6 5 10	1 1	1 1	13 12 19	32 33 34
77 56 3 1 2	46 52 1	43 51 3	65 56 2	67 30 1	36 27 1	41 17 3 3	24 15 1	23 11 1	15 20 2	8 2 1	5 2 1	2 1	1	9 8 8	35 36
1 1 58	1 1 40	3 52	3 33	2 29	2 83	4 2 32	3 3 21	3 3 19	2 15	1 9	5 2	2 7	7 24	38 39 40	
21 32	23 17	22 30	19 14	13 16	13 15	18 14	11 10	6 13	7 8	5 4	3 2	1 1	4 3	16 8	41 42
73 57 1	43 53	43 53	66 56	67 32 1	37 27 1	42 18 2 1	25 17 1	24 11 1	16 20 3	8 2	5 2	1	9 8	43 44	
1 2			2 3	1	1	2 1	2 1	1 1	1 1					45 46	
		2				1 1 1		1						47	
	1 1					1 1	1 1	1		1				48 49	
					1	1		1						50	
1								1						51	
										1				52	
					1					1				53	
3 10	10 9	11 4	10 6	10 6	11 2	18 7	7 3	7 3	2 2	5 4	1 2	1 4	4 4	54	

VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>IOWA.</b>													
1	Total .....	19, 573	3, 256	753	382	246	174	4, 811	597	471	754	876	851
2	Males .....	10, 612	1, 884	425	212	133	84	2, 738	305	247	333	411	375
3	Females .....	8, 961	1, 372	328	170	113	90	2, 073	292	224	421	465	476
4	White .....	19, 362	3, 225	744	378	242	174	4, 763	592	468	741	858	834
5	Males .....	10, 490	1, 866	418	210	130	84	2, 708	302	246	329	402	366
6	Females .....	8, 872	1, 359	326	168	112	90	2, 055	290	222	412	456	468
7	Native .....	14, 089	3, 138	702	364	231	167	4, 602	562	444	666	743	681
8	Both parents native .....	M 4, 254 F 3, 802	1, 045 790	241 185	114 97	74 59	44 52	1, 518 1, 183	163 155	131 120	146 210	162 209	116 167
9	One or both parents foreign .....	M 1, 608 F 1, 417	417 286	89 80	56 41	32 27	26 23	620 457	85 77	68 63	103 109	112 114	106 135
10	Foreign .....	4, 240	4	2	1	2		9	4	11	31	58	94
11	Males .....	2, 401	3	1		1		5	1	10	14	23	42
12	Females .....	1, 839	1	1	1			4	3	1	17	35	52
13	Colored .....	211	31	9	4	4		48	5	3	13	18	17
14	Males .....	122	18	7	2	3		30	3	1	4	9	9
15	Females .....	89	13	2	2	1		18	2	2	9	9	8
Birthplaces of mothers (white).													
16	United States .....	M 4, 740 F 4, 225	1, 198 894	268 210	136 105	88 67	57 60	1, 747 1, 336	194 191	151 142	175 239	193 235	182 189
17	Ireland .....	M 592 F 490	14 3	1	1	1		15 7	1	4	9	13	22
18	Germany .....	M 1, 265 F 940	121 81	22 31	11 9	10 9	8 7	172 137	24 21	18 17	45 36	37 42	39 48
19	England and Wales .....	M 337 F 283	13 12	3 5	3 3	1 1		21 21	2 6	3 4	5 5	7 19	13 9
20	Canada .....	M 104 F 94	5 8	2 3	2 1			9 13	5	3	3	9	10
21	Scandinavia .....	M 539 F 483	82 49	23 13	11 16	5 6	4 5	127 89	17 12	20 14	31 34	24 29	30 35
22	Scotland .....	M 112 F 81	3 4	1 1				5 6		2	1	4	5
23	Italy .....	M 7 F 1	3 1		1			4 1				1	1
24	France .....	M 31 F 24	1 2	1				2 3		1			1
25	Russia and Poland .....	M 8 F 12	4 1	1 1	1			6 5					3
26	Other foreign countries .....	M 245 F 200	34 26	8 2	4 3	1 2	1 1	48 34	6 2	7 6	9 10	9 13	12 12
27	Unknown .....	M 1, 290 F 1, 063	179 130	51 32	18 12	12 8	4 9	264 191	26 22	14 23	30 39	58 43	42 64
<b>KANSAS.</b>													
28	Total .....	16, 261	2, 939	1, 009	420	255	183	4, 309	631	476	627	796	659
29	Males .....	8, 978	1, 653	517	208	133	97	2, 608	335	239	315	383	325
30	Females .....	7, 283	1, 286	492	212	122	89	2, 201	296	237	312	413	334
31	White .....	15, 209	2, 735	952	395	240	178	4, 550	602	433	553	714	586
32	Males .....	8, 444	1, 592	490	193	124	93	2, 492	319	222	279	338	290
33	Females .....	6, 765	1, 193	462	202	116	85	2, 058	283	211	274	376	296
34	Native .....	11, 337	2, 574	850	345	206	160	4, 135	527	365	469	551	449
35	Both parents native .....	M 3, 776 F 3, 330	926 708	306 283	116 110	66 68	53 53	1, 467 1, 227	172 174	127 119	149 144	169 180	148 151
36	One or both parents foreign .....	M 918 F 759	260 186	73 72	34 34	20 23	16 17	408 332	59 50	33 34	46 56	53 51	36 31
37	Foreign .....	1, 720	6	8	1	2		17	13	11	21	32	41
38	Males .....	1, 064	5	4	1	1		11	9	8	15	15	20
39	Females .....	656	1	4		1		6	4	3	6	17	21
40	Colored .....	1, 052	154	57	25	15	8	259	29	43	74	82	73
41	Males .....	534	61	27	15	9	4	116	16	17	36	45	35
42	Females .....	518	93	30	10	6	4	143	13	26	38	37	38
Birthplaces of mothers (white).													
43	United States .....	M 4, 049 F 3, 598	1, 012 781	321 313	125 119	75 74	59 57	1, 592 1, 349	193 191	139 123	161 157	180 191	160 162
44	Ireland .....	M 253 F 178	7 5	1 3	2	2		12 11	6	1	4	9	8
45	Germany .....	M 552 F 331	53 32	15 11	6 4	7		76 57	21	15	16	16	15
46	England and Wales .....	M 259 F 185	17 6	3 3	3 5	1		28 16	1	6	6	7	4
47	Canada .....	M 76 F 39	10 5	1 3	3			14 11		1	2	4	2
48	Scandinavia .....	M 175 F 187	32 13	11 4	3 2	2		48 29	2 2	7 1	4 5	8	3
49	Scotland .....	M 68 F 52	3 3	2	2			5 5		2	2	5	3
50	Italy .....	M 16 F 10	4 3		1			8 8					
51	France .....	M 30 F 18	2 2	1				3 3					
52	Russia and Poland .....	M 121 F 114	43 35	20 13	9 7	5 3	5	62 59	7	2	5	3	2
53	Other foreign countries .....	M 126 F 102	16 10	5 5	2 2	2		23 16	6	6	6	6	5
54	Unknown .....	M 2, 195 F 1, 584	301 223	75 74	37 46	35 18	20 10	468 371	41 44	41 45	58 53	71 105	70 72

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
741	756	692	650	765	859	978	1,382	1,367	1,321	918	449	145	40	155	1
385 406	387 369	359 333	361 239	394 371	461 398	520 453	813 569	800 567	789 532	546 372	253 196	65 80	22 18	98 57	2 3
730	745	682	641	756	849	967	1,372	1,364	1,311	915	448	144	38	144	4
328 402 556	381 364 519	353 329 467	356 285 407	389 367 443	457 392 476	516 451 518	806 566 712	798 566 692	781 530 703	545 370 504	253 195 251	64 80 82	21 17 15	89 55 46	5 6 7
95 157 70 85 124	118 188 56 74 174	109 106 60 66 169	123 102 48 33 187	131 123 33 36 257	153 143 41 20 324	170 171 22 27 400	288 200 37 19 596	249 207 40 27 602	267 183 52 26 544	184 126 35 26 370	92 66 20 13 176	20 29 3 7 53	8 4 2 2 22	11 3 2 2 35	8 9 10
56 68 11	90 84 11	90 79 10	102 85 9	142 115 9	185 139 10	228 172 6	337 259 10	374 223 3	324 220 10	222 148 3	94 82 1	26 27 1	13 9 2	23 12 11	11 12 13
7 4	6 5	6 4	5 4	5 4	4 6	4 2	7 3	2 1	8 2	1 2	1	1	1 1	9 2	14 15
106 176 25 30 33 42 12 7 5 8 28 30 1 1 1	129 151 22 28 45 51 9 3 6 6 26 31 4 2	116 117 25 25 58 51 17 16 6 6 15 25 4 5	132 105 22 21 58 28 15 13 9 9 19 23 4 3	134 136 26 20 65 54 21 14 4 20 23 8 4	162 150 39 25 76 57 15 19 9 30 13 8 6	176 184 48 37 85 60 34 25 2 6 23 22 5 3	301 210 75 56 123 84 35 34 6 4 28 27 11	271 221 74 57 145 72 45 25 8 5 42 24 11 8	287 198 74 46 122 74 55 31 25 3 2 30 20 13 6	194 133 56 31 77 55 13 12 1 1 18 16 2 8	99 72 24 22 32 15 13 16 5	21 31 5 9 6 1 5	8 5 3 3 6 4 2	12 3 8 3 6 4 2	16 17 18 19 20 21 22 23
2	2 1	1	2 3	1	1	2 3 1	3	3 2	5 1	2 3	4	1	1 1	24 25	
2 6 56 53	11 10 71 41	7 11 47 50	7 7 54 38	11 9 52 56	12 9 57 57	15 10 68 54	20 13 100 69	26 16 94 75	21 17 94 65	1 4 71 53	6 33 25	3 14 11	1 2	46 32	26 27
593	590	588	598	615	789	789	913	904	777	520	254	68	33	232	28
257 336	309 281	315 273	318 280	346 269	500 289	484 305	589 334	537 367	472 305	307 213	138 116	38 30	16 17	147 85	29 30
551	543	547	549	581	744	746	867	866	754	499	235	62	22	205	31
233 318 392	233 260 375	299 248 366	292 257 376	323 253 362	472 272 455	456 290 462	562 505 542	516 350 503	460 294 455	295 204 300	130 105 151	35 27 33	14 3 10	129 76 59	32 33 34
112 133 18 37 58	103 105 29 26 63	108 108 32 27 66	113 138 32 15 83	112 130 22 10 118	165 127 18 9 177	161 112 16 16 183	183 135 37 14 221	183 116 20 18 232	151 102 30 16 190	87 80 24 8 121	40 43 12 7 45	12 3 3 2 14	2 3 3 3	7 5 11	35 36 37
28 80 42	34 29 47	39 27 41	58 25 49	73 45 34	120 57 45	117 66 43	147 74 46	132 100 38	121 69 23	74 47 21	24 21 19	9 5 6	3 3 11	7 4 27	38 39 40
24 18	26 21	16 25	26 23	18 16	28 17	28 15	27 19	21 17	12 11	12 9	8 11	3 3	2 9	18 9	41 42
117 145 5 11 13 18 5 7 5 2 5 7 2	112 111 12 8 15 11 6 10 3 1 7 7 2 2	115 116 13 9 19 14 14 2 3 1 7 10 3	118 143 11 8 24 8 10 5 4 6 1 1	119 130 13 12 30 19 18 3 5 5 2 1	170 131 23 15 46 17 20 10 7 4 9 4 2	167 124 25 21 42 26 32 14 3 4 17 7 2 4	197 141 31 14 58 39 26 8 6 3 13 5 9 7 2	188 125 30 21 48 39 26 19 3 9 10 7 8 3	165 107 25 11 53 24 22 10 3 15 13 6 8 1	91 85 10 9 32 11 23 10 1 8 3 2 8 8	43 45 7 6 8 7 9 3 2 5 6 2 3	12 9 5 1 1 2 1 1 1 1 1 1 1	2 3 1 1 1 1 1 1 1 1 1 1 1	8 5 2 1 1 1 1 1 1 1 1 1 1 1	43 44 45 46 47 48 49 50 51 52 53 54
1 1 1 2 6 6 58 89	1 1 3 7 6 90 78	2 116 13 9 24 8 10 3 1 7 10 3	1 2 1 1 5 5 6 1 1	2 1 1 1 7 7 9 4 2	2 3 2 7 7 136 60	1 3 8 4 74	4 6 9 6 74	2 3 3 2 9 3 95	1 1 3 2 5 6 130 90	3 1 4 3 3 101 53	8 11 7 6 8 2 3	3 3 1 1 1 9 9	2 9 5 8	18 9 8 5 2 1 1 106 64	41 42 43 44 45 46 47 48 49 50 51 52 53 54

VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>KENTUCKY.</b>													
1	Total	27,091	5,059	1,727	829	486	307	8,408	987	759	1,317	1,721	1,460
2	Males	13,843	2,809	892	428	251	158	4,588	448	391	564	768	683
3	Females	13,248	2,250	835	401	235	149	3,870	489	368	753	953	777
4	White	22,035	4,256	1,436	656	408	255	7,006	754	537	971	1,291	1,187
5	Males	11,337	2,365	740	343	212	139	3,799	376	288	428	564	530
6	Females	10,698	1,891	696	313	191	116	3,207	378	249	543	727	607
7	Native	19,947	4,140	1,399	640	392	247	6,818	737	523	944	1,237	1,080
8	Both parents native	M 8,200 F 8,095	1,899 1,567	625 591	284 264	176 158	114 90	3,098 2,670	309 315	240 219	346 436	423 595	373 453
9	One or both parents foreign	M 306 F 264	54 29	13 13	11 6	7 4	1 5	56 57	5 9	8 6	9 28	23 42	31 25
10	Foreign	1,221	1	2				3	1	2	2	11	15
11	Males	699	1	2				3		1	2	8	10
12	Females	522							1	1	2	3	5
13	Colored	5,056	803	291	173	88	52	1,402	183	222	346	430	323
14	Males	2,506	444	152	85	39	19	739	72	103	136	204	153
15	Females	2,550	359	139	88	44	33	663	111	119	210	226	170
Birthplaces of mothers (white).													
16	United States	M 8,315 F 8,197	1,929 1,582	629 595	291 268	179 160	114 94	3,142 2,699	313 320	243 221	350 447	433 606	380 459
17	Ireland	M 192 F 127	4 3	1 2	1			6 5	1	1	2	4	13
18	Germany	M 299 F 234	16 12	7 8	2	2	1	28 24	3	2	6	9	12
19	England and Wales	M 52 F 28	4 2	2	1	2	2	7 3	2	3	8	9	16
20	Canada	M 8 F 1	2		1			3	2	1	2	1	1
21	Scandinavia	M 1 F 1						3				2	
22	Scotland	M 18 F 13			1					1			
23	Italy	M 2 F 2		1				1 1					1
24	France	M 11 F 7									1		
25	Russia and Poland	M 2 F 1									1		
26	Other foreign countries	M 14 F 10	4 1		1	1		6 2				1	1
27	Unknown	M 543 F 429	51 38	4 13	5 5	3 3	4 1	67 60	8 6	5 4	7 11	20 24	30 24
<b>LOUISIANA.</b>													
28	Total	20,955	3,785	1,389	668	400	288	6,530	373	634	1,067	1,463	1,305
29	Males	10,971	2,048	697	341	190	146	3,417	446	338	509	732	704
30	Females	9,984	1,742	692	327	210	142	3,113	427	296	558	736	601
31	White	10,250	1,920	678	311	196	115	3,220	387	261	349	539	536
32	Males	5,590	1,078	332	167	96	65	1,733	209	150	174	286	294
33	Females	4,660	842	346	144	100	50	1,482	178	111	175	253	242
34	Native	8,465	1,914	676	308	194	111	3,203	382	249	381	512	478
35	Both parents native	M 3,173 F 2,866	913 727	291 290	145 126	81 87	54 41	1,434 1,271	176 146	112 96	126 135	178 156	143 134
36	One or both parents foreign	M 607 F 491	84 54	18 34	11 9	5 6	4 4	122 107	17 16	12 7	20 19	42 44	55 45
37	Foreign	1,670	2	2	2	2	4	12	2	8	12	23	53
38	Males	955	2	2	2	2	2	10	2	4	5	18	37
39	Females	715						2		4	7	10	16
40	Colored	10,705	1,865	711	357	204	173	3,310	486	373	718	929	769
41	Males	5,381	965	365	174	94	81	1,679	237	188	335	446	410
42	Females	5,324	900	346	183	110	92	1,631	249	185	383	483	359
Birthplaces of mothers (white).													
43	United States	M 3,316 F 3,006	998 744	297 304	149 128	83 91	56 43	1,523 1,310	179 150	118 101	193 145	188 173	156 143
44	Ireland	M 323 F 358	3 1	1	1			4 1	1	1	2	11	22
45	Germany	M 423 F 335	5 2	2	1		1	8 4	2	1	4	12	17
46	England and Wales	M 53 F 50	2 1	1	1			4 3	1		1	3	5
47	Canada	M 19 F 14	2 1					2 1			1	2	2
48	Scandinavia	M 28 F 15						3 2		2		2	1
49	Scotland	M 9 F 9						2 2			1	1	1
50	Italy	M 204 F 128	33 27	10 17	7 5	5 1	2 3	57 53	10 6	6 3	9 7	3 7	13 5
51	France	M 214 F 131	8 3	2	1		1	9 3	2	1	1	5	14
52	Russia and Poland	M 14 F 3	2 2					2 2		1		1	2
53	Other foreign countries	M 111 F 47	4 5	1	1	1	1	6 8		2	1	5	7
54	Unknown	M 707 F 492	60 44	14 16	9 8	4 7	4 2	91 77	9 11	18 2	19 13	44 32	50 39

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,110	1,185	1,044	989	1,023	990	1,097	1,187	1,198	1,041	719	377	110	77	342	1
525 585	553 627	521 523	516 473	549 474	545 445	577 520	614 573	633 565	565 476	339 330	206 171	57 53	27 50	169 173	2 3
893	928	823	802	818	833	915	1,042	1,064	920	622	342	88	85	214	4
418 475 848	427 501 852	414 409 751	422 380 707	434 384 693	461 372 690	477 438 718	531 511 795	555 509 825	505 415 717	346 276 486	194 148 290	47 41 72	12 23 27	109 105 137	5 6 7
230 379 26 18 16	267 373 18 12 30	265 306 23 14 28	281 273 13 18 59	274 254 13 12 100	232 245 14 8 101	299 234 6 3 151	326 327 3 6 186	373 323 5 10 134	342 265 9 3 155	228 182 5 5 106	125 111 6 3 39	33 28 2 2 10	7 16 1 7	29 41 2 7	8 9 10
12 4 217	16 14 257	18 10 221	37 22 187	53 42 205	64 37 157	87 64 182	104 82 145	93 91 134	84 71 121	56 .50 97	27 12 35	6 4 22	4 3 42	9 4 128	11 12 13
107 110	131 126	107 114	94 93	115 90	84 73	100 82	83 62	78 56	60 61	43 54	12 23	10 12	15 27	60 68	14 15
285 384 11 4 10 7	271 376 7 4 14 7	265 310 11 6 18 9 4	282 277 9 7 13 16 5 1	280 257 8 11 26 8 5 1	285 248 12 6 20 8 2	302 286 21 9 32 16 2	330 330 17 20 31 19 5 4	377 326 21 12 23 33 3	345 266 19 7 27 24 5 2	232 186 13 7 15 21 1	130 113 9 3 7	33 25 3 2 2 1	7 16 1 2 2 1	30 42 4 3 2 1	16 17 18 19
1	2	4	1	1	1	2	4	3	2	2					20
	1									1					21
1	2	1	2	1	3	1	2	1	4	2	1	1			22
															23
2	1			2	1		2	1		1		1			24
			1		1										25
	1		1	1		2	3	1		1					26
27 15	33 25	28 29	34 14	31 19	31 27	36 23	41 36	33 30	33 30	19 11	18 7	3 2	1 1	33 26	27
1,028	977	904	865	861	713	838	752	640	510	405	200	106	111	168	28
577 451	581 446	485 419	471 394	496 365	391 322	423 415	401 351	342 298	241 269	214 191	91 109	47 59	43 68	72 96	29 30
529	522	488	485	476	412	455	469	391	301	209	107	29	20	65	31
311 218 476	306 216 449	271 217 411	284 201 372	293 183 337	234 178 248	242 213 212	255 214 232	215 176 184	134 167 155	106 103 106	41 66 62	11 18 15	8 12 7	23 37 44	32 33 34
125 111 78 39 43	97 103 59 47 62	97 109 64 35 71	90 94 41 34 106	117 89 32 23 131	78 79 24 14 159	73 68 11 12 238	82 81 10 17 233	75 50 7 7 201	48 64 4 6 143	33 29 6 8 93	20 26 1 6 45	2 6 3 2 14	1 3 1 1 11	11 16 1 1 5	35 36 37
28 15 499	47 15 455	49 22 416	72 34 330	86 45 385	99 60 301	123 110 333	134 99 233	101 100 249	64 79 209	45 53 196	16 29 93	7 7 77	4 1 91	4 1 103	38 39 40
266 233	225 230	214 202	187 193	203 182	157 144	181 202	146 137	127 122	107 102	103 88	50 43	36 41	35 56	44 59	41 42
136 122 37 10 30 23 3 3 1	106 113 32 15 27 20 4 1 2	107 112 25 16 30 15 4 5 2	99 88 21 22 35 21 5 3 3	120 91 30 27 33 21 2 6 2	83 81 23 31 35 19 4 3 2	77 71 34 60 40 36 3 3 3	87 91 37 37 49 36 4 8	79 52 17 37 47 37 2 6 1	49 67 16 25 26 39 3 5 3	40 33 11 18 16 21 3 2	20 27 2 15 5 9 4 1	4 1 5 1 2 1	1 4 1 5 1 1	11 16 1 1 1	43 44 45 46 47
1	4	2	2	5	1	3	1	2	1	1				1	48
	2	1			1	3	2	3		3	1				49
12 5 3 2 2	8 6 10 9	11 4 17 9	15 7 9 13 1	12 1 14 10 2	14 9 24 12	9 5 28 13 2	9 5 26 15	3 7 21 14 1	2 1 15 9	6 2 5 9	2 6 4	1 2 3		2	50
6 1 63 46	5 2 78 46	12 3 56 47	9 2 73 35	9 1 48 23	14 5 28 21	14 4 25 21	11 5 26 14	6 1 28 16	2 4 16 13	4 3 16 11	2 4 4		3 1	12 19	53 54





COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
398	374	408	412	443	610	786	890	924	929	824	487	192	57	45	1
172	183	192	183	219	318	393	493	500	504	438	264	75	19	22	2
221	191	211	229	224	292	343	397	424	425	386	223	117	38	23	3
391	372	402	410	442	608	735	838	923	928	821	486	192	57	44	4
170	182	191	182	218	316	398	491	499	503	436	263	75	19	21	5
221	190	211	228	224	292	342	397	424	425	385	223	117	38	23	6
324	300	332	326	348	498	591	740	772	793	717	427	176	46	23	7
106	108	125	120	149	223	271	351	364	389	331	199	59	14	6	8
135	120	153	159	141	214	265	289	309	324	291	166	88	26	4	9
84	22	27	11	17	17	13	26	21	11	18	7	4	1	1	10
31	34	15	10	12	16	9	21	13	11	11	4	10	1	10	9
61	68	65	78	89	105	136	141	144	122	89	53	11	11	7	10
19	39	31	37	31	58	89	79	78	66	42	33	4	3	3	11
42	29	34	41	58	47	47	62	66	56	47	20	7	8	4	12
2	2	1	2	1	2	1	2	1	1	3	1			1	13
2	1	1	1	1	2		2	1	1	2	1			1	14
	1		1			1				1					15
113	112	129	128	157	229	278	368	377	401	349	205	64	15	6	16
144	127	159	169	142	217	271	363	326	334	302	179	96	29	8	17
18	19	17	14	17	25	37	30	36	33	19	11		1	4	18
13	18	15	8	20	20	23	24	32	21	23	5	2	3	4	19
1	3	1		1	2	1	4	2	2	1	1				20
2	1	2	4	5	7	13	8	13	12	6	9	1	1	2	21
3	5	2	4	5	7	4	8	5	7	2	1		1	1	22
23	21	26	21	21	30	39	41	31	25	12	10		3	3	23
48	29	26	29	35	28	28	36	15	23	19	10		1	7	24
2	2	1		2	1	3		2	2	2	6		1		25
	2	3	1	1	3	2	1	3	1	2	3				26
	2	1	1	2	4	3	4	4	4	2	2	1	2		27
1	1	1						1		1					28
								1							29
	2			2						1					30
	3	1	1	1	1	1	2	1	1						31
1	16	11	13	20	19	19	33	37	36	43	24	8	2	10	32
11	8	6	16	17	14	18	21	33	35	34	25	9	2	4	33
780	830	805	778	887	866	1,066	1,105	1,144	915	652	348	111	63	283	34
387	423	443	420	483	465	552	600	599	438	309	151	28	21	154	35
393	407	362	358	404	401	514	505	545	477	343	197	83	42	129	36
571	637	613	586	667	687	880	955	999	793	548	293	82	31	188	37
297	339	352	326	371	373	448	517	511	396	260	133	20	14	107	38
274	298	261	260	296	314	432	438	488	397	238	160	62	17	81	39
468	514	497	444	472	444	537	556	603	499	356	193	53	19	54	40
59	66	72	57	88	79	122	136	171	144	81	52	7	6	16	41
67	62	66	57	74	78	90	92	116	111	79	42	15	2	12	42
14	9	17	11	9	2	4	5	7	5	5	2	1	1		43
7	11	9	7	6	5	4	4	5	3	4	5	1	1		44
80	103	97	121	169	207	298	337	338	248	149	69	21	9	8	45
48	66	61	69	112	112	128	187	162	126	75	34	2	2	5	46
32	37	36	52	67	95	170	150	176	122	74	35	19	7	3	47
209	193	192	192	220	179	186	150	145	122	104	55	29	32	95	48
90	84	91	94	112	92	104	83	88	42	49	18	8	7	47	49
119	109	101	98	108	87	82	67	57	80	55	37	21	25	48	50
62	67	76	61	91	80	124	137	174	145	81	53	8	6	16	51
69	63	69	58	75	79	91	92	113	113	79	45	16	2	12	52
5	3	3	4	10	6	12	20	16	8	8	4	2	2	2	53
4	5	3	6	3	9	10	13	18	11	7	5	2	1	2	54
11	7	16	11	15	14	21	31	24	37	17	5	5	1	1	55
7	14	6	7	8	8	21	13	19	15	13	7	7	1	1	56
4	4		2	4	3	1	7	5	5	5	1	1			57
1	1	1	2	2	2	1	4	2	2	2	1				58
					1		1							1	59
	1														60
1	2		1	2	2	3	2	3	1	2	2			1	61
1		1	1	1	1		1	1	5		1				62
															63
	2	1													64
	2		1	1	2		1				1				65
1		2		1		1	1	2	3		1				66
88	37	43	48	32	63	63	71	72	58	45	29	9	1	85	67
32	47	30	28	40	35	57	65	86	62	45	36	9	7	65	68

VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>MASSACHUSETTS.</b>													
1	Total	49,756	10,754	2,331	1,058	714	499	15,356	1,184	674	1,100	1,779	2,068
2	Males	25,352	6,023	1,246	542	385	240	8,441	614	307	533	930	1,045
3	Females	24,404	4,726	1,085	516	329	259	6,915	570	367	567	849	1,023
4	White	49,061	10,623	2,290	1,032	700	489	15,134	1,161	660	1,078	1,736	2,020
5	Males	24,985	5,960	1,222	529	377	236	8,324	601	302	521	912	1,021
6	Females	24,076	4,663	1,068	503	323	253	6,810	560	358	557	824	999
7	Native	34,952	10,496	2,229	991	673	467	14,856	1,064	570	805	1,132	1,255
8	Both parents native	M 7,748 F 7,609	1,587 1,285	311 283	115 130	100 85	81 71	2,194 1,854	185 156	107 124	152 155	209 188	219 211
9	One or both parents foreign	M 8,788 F 7,408	4,113 3,166	858 741	388 345	260 223	141 168	5,760 4,643	348 366	149 178	230 243	378 312	421 342
10	Foreign	13,645	99	57	35	25	21	237	91	85	267	588	743
11	Males	6,517	61	30	15	15	12	133	57	36	123	291	333
12	Females	7,128	38	27	20	10	9	104	34	49	144	297	410
13	Colored	695	131	41	26	14	10	222	23	14	22	43	48
14	Males	367	63	24	13	8	4	117	13	5	12	18	24
15	Females	328	63	17	13	6	6	105	10	9	10	25	24
Birthplaces of mothers (white).													
16	United States	M 9,149 F 8,965	2,214 1,798	408 379	166 184	125 107	102 92	3,012 2,560	237 208	132 153	188 194	256 231	267 252
17	Ireland	M 6,396 F 6,528	943 708	281 205	106 96	81 75	46 45	1,407 1,129	117 123	46 78	122 157	308 284	414 398
18	Germany	M 498 F 413	81 74	14 17	8 5	5 10	4 8	112 114	11 16	6 5	7 5	10 10	24 26
19	England and Wales	M 1,160 F 1,094	248 207	51 44	18 24	15 12	5 8	337 295	38 20	19 19	28 25	41 34	41 33
20	Canada	M 3,662 F 3,376	1,499 1,135	278 213	121 96	83 72	46 63	2,027 1,584	119 115	68 69	110 111	173 170	132 161
21	Scandinavia	M 372 F 325	108 77	29 32	18 15	9 8	5 3	169 141	15 16	5 6	14 8	15 14	13 19
22	Scotland	M 395 F 413	60 35	10 6	7 9	10 5	3 2	90 57	8 11	3 3	6 10	15 9	15 14
23	Italy	M 454 F 305	173 127	56 52	32 18	15 9	9 5	285 211	15 11	3 2	8 2	16 8	22 13
24	France	M 47 F 37	12 4	2				15 5	1				1
25	Russia and Poland	M 436 F 349	183 142	52 35	22 24	20 7	6 6	233 214	12 13	5 5	12 11	14 9	18 20
26	Other foreign countries	M 765 F 630	339 275	81 65	19 23	10 13	8 11	457 387	25 22	7 12	20 23	34 29	30 31
27	Unknown	M 1,651 F 1,641	100 81	15 14	9 9	4 5	2 4	130 113	4 5	7 5	15 11	33 26	45 31
<b>MICHIGAN.</b>													
28	Total	33,572	6,570	1,434	668	431	275	9,378	934	633	1,033	1,347	1,444
29	Males	18,084	3,743	763	359	212	153	5,230	435	344	543	627	632
30	Females	15,488	2,827	671	309	219	122	4,148	449	339	540	720	812
31	White	33,205	6,510	1,415	663	423	274	9,285	924	663	1,061	1,323	1,430
32	Males	17,893	3,712	759	357	208	153	5,189	479	339	534	616	624
33	Females	15,312	2,798	656	306	215	121	4,096	445	330	527	707	806
34	Native	24,068	6,467	1,393	649	418	269	9,196	876	630	903	1,001	1,044
35	Both parents native	M 6,789 F 6,249	1,561 1,217	315 259	143 125	89 84	46 50	2,174 1,735	210 186	155 143	200 230	205 233	192 238
36	One or both parents foreign	M 4,904 F 4,221	1,921 1,366	425 374	198 171	109 124	105 68	2,758 2,108	236 229	153 164	234 210	227 215	216 282
37	Foreign	8,752	30	20	13	3	5	71	44	33	152	302	369
38	Males	4,858	17	6	8	2	2	35	22	19	76	152	177
39	Females	3,894	13	14	5	1	3	36	22	19	76	150	192
40	Colored	367	60	19	5	8	1	93	10	14	22	24	14
41	Males	191	31	4	2	4		41	6	5	9	11	8
42	Females	176	29	15	3	4	1	52	4	9	13	13	6
Birthplaces of mothers (white).													
43	United States	M 8,021 F 7,348	2,017 1,542	401 330	176 165	109 109	70 66	2,773 2,212	271 242	198 165	252 231	257 327	230 256
44	Ireland	M 1,060 F 941	32 24	4 9	3 3	5	2	46 39	9 3	6	14	39	54
45	Germany	M 2,444 F 2,088	449 320	81 76	49 37	30 24	24 19	633 476	63 62	34 40	72 55	93 102	77 125
46	England and Wales	M 355 F 703	18 37	5 13	7 5	3 3	2	38 60	7 3	17 13	21 14	21 23	31 25
47	Canada	M 1,711 F 1,530	332 294	93 80	51 36	26 29	25 15	557 454	49 52	49 46	102 98	97 121	83 125
48	Scandinavia	M 505 F 378	135 88	30 30	13 10	6 3	6	194 139	16 22	9 16	15 16	11 19	25 24
49	Scotland	M 329 F 245	5 5	2				7	1	3	5	9	14
50	Italy	M 85 F 40	37 14	9 5	5		1	52	2	2	1	3	4
51	France	M 61 F 61	7 4	4 1	1	1		13	1	2	2	2	3
52	Russia and Poland	M 337 F 232	130 91	23 25	13 14	6 5	7	179 141	19 13	8 6	7 6	11 5	10 5
53	Other foreign countries	M 1,002 F 770	254 187	76 60	31 29	10 22	13	334 304	26 29	13 13	27 21	42 34	53 27
54	Unknown	M 1,359 F 976	193 192	18 23	8 8	8	1	233 234	14 9	7	25 12	31 35	40 42

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,061	1,999	1,861	1,926	2,232	2,412	2,639	2,892	2,926	2,761	2,074	1,140	427	126	119	1
1,077 984	1,056 943	931 930	1,019 907	1,129 1,103	1,213 1,199	1,313 1,326	1,405 1,487	1,395 1,581	1,304 1,457	932 1,142	459 681	142 285	37 89	70 49	2 3
2,014	1,960	1,826	1,884	2,196	2,383	2,620	2,872	2,908	2,750	2,062	1,135	423	124	115	4
1,047 967	1,032 928	914 912	1,001 883	1,107 1,089	1,196 1,187	1,298 1,322	1,396 1,476	1,385 1,523	1,299 1,451	928 1,134	457 678	142 281	36 88	66 49	5 6
1,084	1,002	1,011	1,052	1,055	1,094	1,258	1,494	1,656	1,794	1,452	851	317	69	81	7
202 183 339 284 903	190 171 816 234 983	202 221 260 233 778	307 276 185 151 798	347 339 105 99 1,120	384 389 72 60 1,274	470 424 57 64 1,331	575 519 56 50 1,344	591 613 28 34 1,220	600 670 88 33 923	489 549 17 30 578	295 360 6 19 269	71 160 4 8 96	11 33 4 8 54	18 14 19 23 13	8 9 10
451 452 47	462 471 39	386 392 35	422 376 42	557 563 36	643 631 29	634 697 19	601 743 20	543 677 18	413 510 11	244 334 12	121 148 5	36 60 4	22 32 2	9 4 4	11 12 13
30 17	24 15	17 15	18 24	22 14	17 12	15 4	9 11	8 10	5 6	4 8	2 3	4 1	1 1	4 1	14 15
239 216 438 398 33 17 49 48 127 161 24 23 25 17 17 7 5 1 15 12 25 19 50 48	214 191 444 373 23 17 55 46 122 152 20 26 18 21 19 12 5 1 17 13 36 18 63 59	230 255 397 329 23 23 39 47 55 92 117 19 11 10 28 12 5 4 12 10 17 24 8 9 68 64	337 305 376 305 26 14 72 41 96 103 93 17 4 23 33 7 11 2 4 6 26 10 18 76 77	369 423 376 399 40 15 72 56 103 86 12 5 23 28 10 7 4 6 8 16 13 10 87 73	404 408 447 447 37 19 76 85 103 86 9 5 33 28 8 7 2 7 8 10 13 90 123 85	505 447 393 491 37 18 76 85 80 102 83 95 3 2 13 22 31 8 1 5 6 7 16 13 10 148 125	613 561 366 502 25 31 85 69 83 83 4 7 30 39 1 1 3 3 3 9 8 200 172	629 657 308 447 42 33 73 69 60 79 5 7 25 33 3 2 9 8 6 7 3 9 212 207	653 721 240 289 27 29 58 29 41 26 47 10 4 21 2 1 3 3 3 4 6 2 190	518 600 150 208 12 7 14 16 19 20 1 2 5 12 1 1 2 1 1 1 2 2 99 134	237 386 72 96 6 7 4 8 16 4 5 1 5 2 2 1 1 1 1 1 2 1 29 42	75 176 22 40 4 4 8 4 4 1 5 2 2 1 1 2 1 1 1 2 2 29 42	11 37 17 22 4 1 2 1 1 1 2 1 3 1 1 1 1 1 1 1 1 1 1 1 22	23 16 12 13 6 6 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 19 8	16 17 18 19 20 21 22 23 24 25 26 27
1,183	1,268	1,239	1,281	1,294	1,540	1,780	2,001	2,187	2,104	1,560	807	279	85	95	28
539 644	640 628	639 600	710 571	722 572	906 634	995 785	1,097 904	1,266 921	1,212 892	811 749	450 357	128 151	37 48	71 24	29 30
1,174	1,246	1,215	1,259	1,277	1,518	1,768	1,987	2,177	2,090	1,547	804	278	81	92	31
532 642 772	623 618 747	625 590 764	700 559 730	713 564 706	895 623 836	987 781 962	1,087 900 1,081	1,259 918 1,158	1,204 886 1,162	801 746 845	448 356 463	127 151 176	37 44 40	69 23 26	32 33 34
161 245 146 160 381	181 200 145 158 481	204 224 137 133 425	236 237 99 83 506	234 222 84 77 549	313 268 92 75 658	372 328 78 63 773	433 345 55 60 933	491 370 82 45 988	486 379 61 56 908	312 303 47 46 634	163 151 38 22 329	53 78 7 11 99	8 14 2 5 39	6 5 4 2 23	35 36 37
174 207 9	257 224 22	230 195 24	306 200 22	324 225 17	410 248 22	443 330 12	500 433 14	565 423 10	534 374 14	358 326 13	182 147 3	56 43 1	22 17 4	16 7 3	38 39 40
7 2	12 10	14 10	10 12	9 8	11 11	8 4	10 4	7 3	8 6	10 3	2 1	1 4	2 1	2 1	41 42
198 290 46 46 75 91 29 28 47 88 27 20 12 13 1 2	208 231 63 46 81 101 32 40 87 80 33 22 22 11 1 5 3 4 9 5 38 30 51 29	225 251 68 57 101 99 33 31 59 55 23 11 9 11 2 1 3 13 7 36 28 51 36	262 265 49 45 118 67 46 66 51 28 12 9 18 10 5 4 4 11 31 25 16 62 35	253 250 65 59 107 71 54 39 74 52 16 9 33 14 4 4 6 8 30 16 70 79 44	357 296 82 55 124 94 73 33 69 58 25 10 27 15 1 5 7 9 44 31 79 36	402 357 100 81 154 109 69 60 70 47 12 6 28 22 1 7 7 31 98 58	469 384 89 111 157 144 87 57 77 61 21 11 33 29 1 11 5 10 36 29 101 59	539 402 101 95 181 158 118 64 76 48 15 7 35 23 1 9 3 4 53 47 118 83	530 417 89 73 178 134 105 60 57 47 21 14 38 19 1 3 5 7 8 47 35 122 80	341 333 68 37 122 107 37 74 31 24 6 7 23 23 1 3 5 7 8 34 38 92 66	184 165 45 37 58 35 37 36 16 17 7 5 10 9 1 6 3 22 13 65 36	56 81 19 17 14 10 11 6 8 8 2 4 2 4 1 1 1 3 3 3 11 6 21	9 17 6 3 3 6 6 6 6 2 1 2 2 4 4 4 4 4 4 4 4 4 4 8	7 6 3 1 4 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 9	43 44 45 46 47 48 49 50 51 52 53 54

## VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
MINNESOTA.													
1	Total	17,005	3,569	692	367	239	192	5,059	624	471	634	813	770
2	Males	9,354	1,998	387	187	134	101	2,787	346	218	311	391	381
3	Females	7,651	1,571	325	180	105	91	2,272	278	253	323	422	389
4	White	16,816	3,551	682	361	232	186	5,012	613	462	619	807	757
5	Males	9,250	1,987	362	183	128	98	2,758	340	211	306	388	378
6	Females	7,566	1,564	320	178	104	88	2,254	273	251	313	419	384
7	Native	10,318	3,537	680	356	231	184	4,988	597	417	493	555	480
8	Both parents native	2,229	739	128	57	46	34	1,004	99	52	76	73	73
		1,992	570	125	66	34	26	821	80	72	66	96	74
9	One or both parents foreign	2,896	1,161	225	124	77	59	1,646	224	135	162	178	127
		2,617	942	190	100	70	60	1,362	182	151	179	182	177
10	Foreign	6,285	9	2	3	1	1	16	15	41	122	232	260
11	Males	3,634	7	2		1		10	9	18	61	107	145
12	Females	2,651	2		3		1	6	6	23	61	125	115
13	Colored	189	18	10	6	7	6	47	11	9	15	6	13
14	Males	104	11	5	4	6	3	29	6	2	5	3	8
15	Females	85	7	5	2	1	3	18	5	7	10	3	5
Birthplaces of mothers (white).													
16	United States	2,733	981	166	77	59	40	1,323	141	68	98	94	90
		2,409	757	168	79	46	35	1,085	112	96	81	121	89
17	Ireland	592	15	7	1	1	2	26	5	5	9	16	26
		470	13	6	1	2	1	23	5	7	10	22	34
18	Germany	1,620	249	50	37	19	9	364	56	36	38	57	42
		1,326	215	38	25	19	11	308	46	39	48	58	68
19	England and Wales	202	14	1	1			16	1	4	5	6	5
		172	10	3	2	1	1	17	3	2	12	5	9
20	Canada	409	71	12	7	6	3	104	15	13	5	20	26
		296	63	9	6	3	4	85	17	14	18	19	23
21	Scandinavia	2,433	421	91	45	30	24	611	87	62	119	140	125
		2,014	321	65	44	23	31	484	69	70	126	150	118
22	Scotland	104	11	1				12	1	2	1	3	4
		65	4	1		1		6			3	1	3
23	Italy	25	3	1				4	3		1	1	3
		15	6	1	2			9			1	1	1
24	France	36	2	1			1	4		2	1	3	1
		27	6	1				7		1	1	3	5
25	Russia and Poland	182	62	8	4	4	5	83	12	7	6	7	7
		140	49	10	3	5	4	70	5	3	7	3	3
26	Other foreign countries	422	78	17	9	6	4	113	11	8	14	15	13
		336	75	14	7	3	2	101	11	12	13	17	17
27	Unknown	492	80	7	2	4	5	98	9	5	7	30	29
		298	45	4	9		1	59	5	5	7	15	17
MISSISSIPPI.													
28	Total	20,251	3,542	1,450	731	444	316	6,483	1,029	827	1,363	1,539	1,236
29	Males	10,299	1,906	733	339	203	160	3,446	517	422	638	774	574
30	Females	9,952	1,636	667	342	236	156	3,037	512	405	725	765	662
31	White	7,444	1,262	515	251	142	110	2,280	367	273	380	443	392
32	Males	3,880	630	259	142	77	59	1,247	173	146	204	235	187
33	Females	3,564	582	226	109	65	51	1,033	189	132	176	213	205
34	Native	7,120	1,237	510	247	142	109	2,245	356	275	369	432	379
35	Both parents native	3,433	655	279	133	75	59	1,206	168	140	182	209	165
		3,244	560	217	106	65	50	998	183	125	167	196	189
36	One or both parents foreign	87	5	2	2			17	4	3	5	8	7
		73	9	3	1			18		3	4	6	5
37	Foreign	150							4		1	2	4
38	Males	95							1		1		1
39	Females	55							3			2	3
40	Colored	12,807	2,280	935	480	302	206	4,203	662	549	933	1,091	844
41	Males	6,419	1,226	494	247	131	101	2,199	339	276	434	539	387
42	Females	6,388	1,054	441	233	171	105	2,004	323	273	549	552	457
Birthplaces of mothers (white).													
43	United States	3,488	660	234	140	75	59	1,213	170	142	136	215	167
		3,289	568	222	107	65	50	1,012	184	126	171	203	191
44	Ireland	41										1	4
		32								1		1	3
45	Germany	29										1	1
		19	1					1				1	1
46	England and Wales	21							1	1	1		
		13											
47	Canada	3		1				1					
		4											
48	Scandinavia	6			1			1	1		1		1
		2											
49	Scotland	5											
		4											
50	Italy	8	2					2		2	1		2
		6											
51	France	7							1				
		7											
52	Russia and Poland	3	1		1			2	2	1		1	
		3		2									
53	Other foreign countries	14									1	1	1
		2											
54	Unknown	179	3	1	1			4		3	10	10	10
		120	2	1				3		1	3	2	4

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

80 to 84	85 to 89	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
769	782	712	594	660	633	724	870	960	843	629	288	97	42	81	1
415 354	393 339	399 313	350 244	390 270	386 247	415 309	512 358	578 387	457 386	368 261	150 138	43 54	22 20	52 29	2 3
756	722	704	585	648	631	720	866	957	836	625	285	94	40	77	4
408 348 357	387 335 320	394 310 271	344 241 208	384 264 217	384 247 175	412 308 203	511 355 246	570 387 240	454 332 228	364 261 170	148 137 83	42 52 33	21 19 7	51 26 30	5 6 7
60 57 103 102 381	58 59 81 91 383	52 66 62 55 414	54 61 38 28 364	71 64 33 19 420	71 52 20 13 443	79 71 13 14 508	113 75 14 15 612	104 79 19 13 709	97 75 17 11 600	57 65 9 10 450	23 31 7 6 198	8 17 1 2 60	1 5 — — 33	4 6 7 5 24	8 9 10
216 165 18	213 170 10	243 171 8	230 184 9	254 166 12	270 173 2	300 208 4	365 247 4	424 285 8	320 280 7	276 174 4	104 94 3	30 30 3	20 13 2	19 5 4	11 12 13
7 6	6 4	5 3	6 3	6 6	2	3 1	1 3	3	3 4	4	2 1	1 2	1 1	1 3	14 15
68 65 37 26 65 71 9 10 28 20 133 108 9	67 59 34 33 61 62 5 6 19 16 125 117 6 4 1	59 71 34 19 69 63 14 4 26 15 118 99 9 2	63 64 32 22 66 46 12 4 17 14 99 53 4 4 1	79 65 34 17 63 57 16 13 17 11 116 62 5 5 1	77 53 37 23 92 40 12 13 17 8 98 74 5 3 1	82 72 36 35 100 63 12 13 20 6 104 84 11 4	116 83 39 55 146 78 20 12 25 3 107 86 7 5	108 81 61 50 150 86 19 18 11 8 138 105 12 6	105 79 61 50 98 92 20 18 11 8 109 94 8 7	58 70 58 21 79 64 15 7 5 89 61 5 4 1	24 35 21 11 28 23 10 7 4 30 41 1 3	8 17 9 5 — 8 2 — 1 14 11 3	1 5 3 1 6 2 — — — 3 4 1	4 6 4 1 6 4 — — — 6 3 2	16 17 18 19 20 21 22
982	774	750	650	693	550	708	585	640	487	391	190	118	118	193	28
426 506	373 401	352 398	309 341	358 335	283 267	365 338	326 259	349 291	265 222	216 175	101 89	61 57	48 70	96 97	29 30
329	270	319	284	297	277	327	272	308	254	179	89	23	13	58	31
153 176 319	121 149 259	156 163 307	145 139 261	154 143 272	140 137 254	168 159 299	152 120 247	168 140 282	139 115 238	95 84 163	50 39 83	10 13 21	4 9 13	28 30 46	32 33 34
181 159 3 2 2	96 136 4 3 6	129 152 5 2 5	119 122 4 4 12	123 123 1 2 14	106 127 5 — 14	138 141 3 2 22	124 97 2 2 19	139 113 6 5 18	122 98 2 4 8	76 68 4 3 11	42 28 1 6 4	8 10 2 1 1	4 7 — — —	6 10 1 1 3	35 36 37
1 1 603	3 3 504	5 — 481	10 2 366	10 4 396	11 3 273	13 9 376	14 5 313	11 7 332	5 3 233	5 6 212	1 3 101	1 — 95	— — 105	— — 135	38 39 40
273 330	252 252	196 235	164 202	204 192	143 130	197 179	174 139	181 151	126 107	121 91	51 50	51 44	44 61	68 67	41 42
134 159 2	98 138 1 1 2 2	134 153 2 1 1 1	121 124 4 1 4	124 123 4 5 2 1	109 127 3 — 4 1 3	141 142 2 6 5 2 1	125 93 5 4 6 2 3	140 116 7 2 3 3 5 3 2	123 96 2 1 2	79 63 2 3	42 30 1 1	8 10 — —	4 7 — —	8 11 1	43 44
1	2	3	1 3	1	1	1	1	1	1	1	2 1	1	1	1	45 46
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	47
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	48
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	49
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	50
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	51
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	52
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	53
12 12	17 4	12 7	9 5	14 9	12 6	10 5	12 9	8 11	8 10	6 6	6 2	—	—	16 19	54

# VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	<b>MISSOURI.</b>												
2	Total	38,084	6,806	2,898	1,063	712	493	11,472	1,494	1,058	1,650	2,133	1,906
3	Males	20,480	3,742	1,232	561	352	241	6,128	768	527	775	1,032	968
	Females	17,604	3,064	1,166	502	360	252	5,344	731	581	875	1,101	938
4	White	34,959	6,294	2,226	969	664	469	10,622	1,389	957	1,450	1,867	1,678
5	Males	18,833	3,472	1,142	514	329	231	5,688	711	490	680	884	849
6	Females	16,126	2,822	1,084	455	335	238	4,934	678	467	770	983	829
7	Native	29,383	6,273	2,216	965	661	462	10,577	1,374	938	1,407	1,756	1,582
8	Both parents native	M 9,962 F 9,274	2,176 1,809	897 818	368 338	225 217	149 149	3,755 3,351	480 473	346 352	487 538	523 622	413 448
9	One or both parents foreign	M 994 F 880	156 120	55 43	24 18	17 16	18 16	265 213	89 46	40 19	52 55	54 56	60 68
10	Foreign	4,771	2	2	1	2	5	5	5	10	21	68	95
11	Males	2,824					1	1	4	5	15	40	43
12	Females	1,947		2			1	4	1	5	6	28	47
13	Colored	3,125	512	172	94	48	24	850	105	101	200	266	228
14	Males	1,647	270	90	47	23	10	440	52	37	95	148	119
15	Females	1,478	242	82	47	25	14	410	53	64	105	118	109
	Birthplaces of mothers (white).												
16	United States	M 10,350 F 9,650	2,250 1,868	859 846	379 344	229 226	154 157	3,871 3,441	500 497	366 366	506 568	550 648	423 482
17	Ireland	M 234 F 873	10 36	1 14	2 9	1 9	2 5	15 73	2 13	1 12	5 19	11 27	16 20
18	Germany	M 603 F 194	31 8	4 4	1 1	2 2	1 1	46 16	18 1	4 3	16 3	20 5	23 5
19	England and Wales	M 113 F 35	4 3	1 1	2 3	1 1	1 1	11 4	3 2	1 2	3 4	3 2	5 2
20	Canada	M 89 F 65	7 5	1 8	1 2	2 1	2 1	12 18	1 1	1 4	2 3	2 3	4 6
21	Scandinavia	M 53 F 42	2 3	4 3	1 1	1 1	1 1	9 3	2 3	1 1	1 1	4 3	4 1
22	Scotland	M 32 F 28	1 6	1 3				2 9			1 1		3
23	Italy	M 16 F 36	6	2	1	1	1	11					
24	France	M 34 F 15	12 3	3 2				15 6	1	1	1	2	3
25	Russia and Poland	M 88 F 55	10 4	2 3	2 1	1 1	1 7	14 9	4 3	2 1	2 1	2 4	2 6
26	Other foreign countries	M 1,173 F 878	96 81	24 15	6 2	6 6	7 6	134 110	14 11	12 9	18 29	45 53	55 56
27	Unknown												
28	<b>MONTANA.</b>												
29	Total	2,188	306	95	45	44	22	512	84	38	76	119	120
30	Males	1,387	178	48	21	21	11	279	34	25	36	66	69
31	Females	801	128	47	24	23	11	233	50	13	40	53	51
32	White	1,930	277	71	33	35	15	436	68	33	57	110	112
33	Males	1,256	156	35	19	20	8	288	29	23	31	62	64
34	Females	674	121	36	19	15	7	198	39	10	26	48	48
35	Native	1,069	271	68	37	32	13	421	59	30	44	61	46
36	Both parents native	M 289 F 205	79 49	11 15	8 8	8 5	4 4	110 81	12 13	9 6	13 11	12 13	7 8
37	One or both parents foreign	M 193 F 149	62 48	15 15	7 9	10 8	3 2	98 32	13 3	7 3	5 3	11 10	13 6
38	Foreign	534	2	2	2	2	1	5	4	1	6	29	40
39	Males	394		2		1	1	4	1	1	2	21	24
40	Females	140				1		1	3		4	8	16
41	Colored	258	29	24	7	9	7	76	16	5	19	9	8
42	Males	181	22	13	2	1	3	41	5	2	5	4	5
43	Females	127	7	11	5	8	4	35	11	3	14	5	3
	Birthplaces of mothers (white).												
44	United States	M 280 F 282	92 57	15 13	10 9	11 7	5 4	133 95	15 17	10 7	14 11	15 16	8 8
45	Ireland	M 129 F 58	14 6	1		1		16 10				5	15
46	Germany	M 54 F 23	1 3	2	1			3 6	1		1	3	2
47	England and Wales	M 131 F 67	7 11	1 3	1 2	2 2		10 17	1	1		8	8
48	Canada	M 77 F 38	9 3	4 1	2 4	2 2		19 8	6	2	1	6	4
49	Scandinavia	M 51 F 22	3 6	2 3	2		1	8 11	4		2	1	2
50	Scotland	M 21 F 14	1 3	1	1		1	1 5	1	1			1
51	Italy	M 12 F 5	1 1	2 1				3 3				1	1
52	France	M 6 F 4	1 1					1 1					1
53	Russia and Poland	M 88 F 18	11 7	4 1	1			16 9		2		2	2
54	Other foreign countries	M 322 F 129	13 18	1 4	2 1	1	1	17 23	2 7	4 1	10 5	15 12	18 12

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,768	1,719	1,545	1,523	1,557	1,700	1,726	1,899	1,708	1,370	974	448	128	65	241	1
883 885	922 797	833 712	897 626	914 643	972 723	1,003 723	1,072 827	985 723	773 597	572 402	241 207	45 83	32 33	143 98	2 3
1,583	1,535	1,398	1,390	1,426	1,585	1,632	1,804	1,624	1,314	933	422	108	44	198	4
781 802	813 722	758 640	827 563	846 580	904 681	952 680	1,015 789	943 681	743 571	547 386	226 196	35 73	21 23	120 78	5 6
1,976	1,264	1,143	1,024	959	1,018	1,025	1,082	1,011	818	612	280	73	81	83	7
301 444 61 67 150	329 342 61 52	315 331 55 52	341 274 46 31	355 283 34 25	350 316 49 28	420 293 37 29	409 367 34 17	390 297 37 23	331 253 35 20	261 157 23 8	111 92 7 10	19 27 2 3	8 5 3 6	18 24 2	8 9 10
99 51 185	129 87	139 75	196 115	270 143	321 193	325 237	387 285	345 222	245 210	158 140	71 55	8 24	4 6	14 8	11 12
102 83	109 75	75 72	70 63	68 63	68 47	51 43	57 38	42 42	30 26	25 16	15 11	10 10	11 10	23 20	14 15
325 466 15 14 27 35 12 8 2 2 3 7	348 361 22 13 36 40 6 4 3 7	332 345 17 10 48 39 10 6 3	350 286 10 8 62 30 6 8 2 1 1 1 3	366 296 22 11 60 30 13 10	361 325 38 14 66 33 24 14	438 307 27 18 63 46 18 9	420 372 43 28 94 64 19 10	406 307 37 29 94 56 27 4	345 285 29 15 68 42 14 8	273 163 17 7 59 33 12 4	117 95 4 7 19 14 4 5	21 27 4 9 33 4 2	9 8 3 3 1	18 26 7 2 3 4 1	16 17 18 19 20
2 2 3	3 2 3 2	3 2 1	4 3 1 1 1	1 1 4 1	1 1 3 2 1	2 2 3 5	3 4 5 4	4 5 4	6 1 3	2 1 4	1 1 6	1 1	1	23	21 22 23 24 25 26 27
2 2	3 2 3	1 2	3 3 1	1 1 1	6 4 1	7 2 2	1 1	3 1	6 2	2 1	1 1	1 1	1	24	24 25
1 4 2 71 57	1 2 2 49 52	1 4 62 44	3 3 62 46	3 3 69 41	4 3 77 59	8 1 80 49	9 1 85 49	9 5 104 69	11 4 84 43	6 4 68 38	2 4 23 16	3 12	4 4	54 31	26 27
154	180	133	133	112	102	78	77	67	41	17	8	5		127	28
92 62	131 49	96 37	98 40	83 29	75 26	59 19	56 21	44 23	24 17	6 11	3 5	2 3		103 19	29 30
140	170	118	126	94	93	73	69	53	34	10	7	3		124	31
86 54 62	123 47 62	90 23 45	90 36 44	70 24 23	70 23 39	55 18 27	52 17 33	37 16 25	22 12 15	5 5 5	3 4 2	1 2 3		105 19 13	32 33 34
13 15 8 7 7	18 9 7 4	14 9 9 1	6 7 6 5	11 4 3 4	19 7 3 3	10 7 2 1	18 6 3 2	7 3 2 1	4 4 2 3	2 2 2	2 2	1 1		2 1 1 1	35 36 37
53	73	50	56	54	44	32	24	18	16	5	4			15	37
40 13 14	53 20 10	39 11 15	45 11 12	40 14 18	34 10 9	28 4 5	18 6 8	12 6 14	13 3 7	1 4 7	4 4 1	2 2		13 2 3	38 39 40
6 8	8 2	6 9	8 4	13 5	6 3	4 1	4 4	7 7	2 5	1 6	1 1	1 1		3	41 42
13 16 10 2 2 2 11 4 5 3 11 4 2 1 1	22 10 17 13 1 1 12 7 10 2 4 3 3 2	15 9 13 4 4 16 3 3 4 3	7 7 10 3 3 15 5 4 1 3	12 4 5 3 2 14 6 4	20 8 10 4 6 1 8 1 4 2	10 7 10 2 6 1 7 1	18 7 7 3 3 8 2 1	7 4 5 2 3 5 2	5 4 1 5 4	2 2 1 1	2 2	1 1		2 2 3 2 2 1 6 1	43 44 45 46 47 48
1 1	1 1	1	2 1	2 2	2 1	1	1	1	1		1				49 50
1 2 19 17	5 2 36 8	2 24 4	2 26 9	3 13 2	2 13	1 14 5	1 9 2	1 11 6	1	2 1	1 1	1		87 14	51 52 53 54



VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>NEBRASKA.</b>													
1	Total	8,264	1,642	479	252	135	91	2,599	322	237	318	363	337
2	Males	4,480	929	242	122	69	44	1,406	173	124	170	165	170
3	Females	3,784	713	237	130	66	47	1,193	149	113	148	198	167
4	White	8,015	1,600	465	245	131	85	2,526	309	234	304	350	319
5	Males	4,355	908	236	120	68	42	1,374	168	122	161	157	164
6	Females	3,660	692	229	125	63	43	1,152	141	112	143	193	155
7	Native	6,042	1,584	455	238	125	85	2,487	297	218	273	282	247
8	Both parents native	(M) 1,561 (F) 1,415	408 311	109 120	66 68	24 27	21 26	623 552	78 52	62 45	79 69	56 66	45 49
9	One or both parents foreign	(M) 770 (F) 672	271 196	75 60	35 31	24 18	16 10	421 315	59 56	39 40	40 35	34 49	34 33
10	Foreign	1,737	2	5	3	4		14	5	15	24	55	57
11	Males	987	1	3	1	1		6	2	6	13	22	24
12	Females	750	1	2	2	3		8	3	9	11	33	33
13	Colored	249	42	14	7	4	6	73	13	3	14	13	18
14	Males	125	21	6	2	1	2	32	5	2	9	8	6
15	Females	124	21	8	5	3	4	41	8	1	5	5	12
Birthplaces of mothers (white).													
16	United States	(M) 1,782 (F) 1,338	489 367	131 140	75 74	33 31	26 31	754 643	100 63	68 51	90 75	68 77	56 59
17	Ireland	(M) 104 (F) 529	4 91	2 29	2 13	1 7	1 3	10 143	1 18	3 12	4 16	1 18	3 17
18	Germany	(M) 429 (F) 123	58 6	24 4	8	5	1	96 13	22 1	17 3	14 2	20 2	19 9
19	England and Wales	(M) 73 (F) 44	2 6	2 2	1	1		6 10	3 1	3 2	2 2	5 2	3 2
20	Canada	(M) 36 (F) 206	1 28	1 9	1	1	1	5 52	1	1	1	2	1
21	Scandinavia	(M) 217 (F) 30	32 2	6	3	4	1	46 3	10	11	10	19	4
22	Scotland	(M) 31 (F) 2	4		1			4		1		1	1
23	Italy	(M) 18 (F) 7	1					1					
24	France	(M) 64 (F) 52	20 18	3 5	1 4	1	3	27 29	6 3	4	3	1	1
25	Russia and Poland	(M) 146 (F) 147	32 23	7 2	2 8	2	1	44 36	2 9	4 6	3 6	4 4	3 10
26	Other foreign countries	(M) 273 (F) 204	28 22	5 3	5 2	2	1	40 30	5 6	2	3	10	14
27	Unknown												
<b>NEVADA.</b>													
28	Total	438	46	20	3	8	2	79	10	12	7	27	20
29	Males	290	23	11	2	4	2	42	3	6	5	11	9
30	Females	148	23	9	1	4		37	7	6	2	16	11
31	White	349	34	10		3	1	48	7	9	5	23	18
32	Males	240	20	5		1	1	27	2	4	5	9	8
33	Females	109	14	5		2		21	5	5		14	10
34	Native	201	34	10		3	1	48	6	8	5	18	11
35	Both parents native	(M) 51 (F) 38	11 10	3 2		1 2		15 14	1 1	1 2	1	2 6	2 3
36	One or both parents foreign	(M) 42 (F) 29	8 4	2 3			1	11 7	2 3	2 3	4	4 6	3 2
37	Foreign	137							1	1		4	5
38	Males	107								1		3	3
39	Females	30										1	2
40	Colored	89	12	10	3	5	1	31	3	3	2	4	2
41	Males	50	3	6	2	3	1	15	1	2		2	1
42	Females	39	9	4	1	2		16	2	1	2	2	1
Birthplaces of mothers (white).													
43	United States	(M) 66 (F) 48	15 11	5 4		1 2		21 17	1 2	2	4	2	2
44	Ireland	(M) 47 (F) 20	1 1	4				1 1		1		3	2
45	Germany	(M) 21 (F) 8	1 1	1				1 1		1	1	2	
46	England and Wales	(M) 30 (F) 6	1 6				1	2				1	3
47	Canada	(M) 5 (F) 2								1		1	2
48	Scandinavia	(M) 5 (F) 5	1 1					1 1		1			
49	Scotland	(M) 9 (F) 2											
50	Italy	(M) 6 (F) 2		1				1	1				1
51	France	(M) 4 (F) 3											2
52	Russia and Poland	(M) 2 (F) 4											
53	Other foreign countries	(M) 2 (F) 41										1	
54	Unknown	(M) 41 (F) 11	1					1	1			1	4



VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
NEW HAMPSHIRE.													
1	Total	7,400	1,384	306	137	101	53	1,981	156	108	156	233	218
2	Males	3,663	759	161	65	43	30	1,053	77	51	63	111	101
3	Females	3,737	625	145	72	58	23	928	79	57	93	127	117
4	White	7,388	1,382	306	136	101	53	1,978	156	107	156	233	216
5	Males	3,660	759	161	65	43	30	1,058	77	51	63	111	101
6	Females	3,728	623	145	71	58	23	920	79	56	98	127	115
7	Native	5,848	1,336	272	127	93	47	1,875	133	79	107	153	133
8	Both parents native	M 1,502 F 1,549	247 189	48 40	18 19	11 22	12 7	336 277	34 36	19 18	21 41	52 45	23 38
9	One or both parents foreign	M 355 F 796	476 382	92 89	39 44	24 33	15 12	646 560	28 37	19 17	12 22	18 26	27 19
10	Foreign	1,077	19	26	5	7	4	61	13	22	41	70	67
11	Males	529	6	13	3	6	2	30	9	9	22	30	29
12	Females	543	13	13	2	1	2	31	4	13	19	40	38
13	Colored	12	2		1			3		1			2
14	Males	3											
15	Females	9	2		1			3		1			2
Birthplaces of mothers (white).													
16	United States	M 1,724 F 1,779	299 241	65 49	24 24	13 27	16 9	414 350	42 42	26 22	22 45	56 52	35 41
17	Ireland	M 302 F 384	46 42	8 15	3 5	3 5	3	68 67	4 6	4 1	8 3	17 20	25 21
18	Germany	M 24 F 26	6 8	1 2	1			7 11	1		1	2	1
19	England and Wales	M 35 F 69	16 11	3 3	2			17 16	1		2	3	1
20	Canada	M 786 F 770	342 276	74 70	33 33	24 24	11 11	484 414	24 24	17 28	24 34	23 35	24 33
21	Scandinavia	M 21 F 13	7 5	4 1				11 7				1	1
22	Scotland	M 27 F 25	4 3					4 4					1
23	Italy	M 9 F 2	2 2					2 1	1	1	1		1
24	France	M 4 F 3	1 3					1 6					
25	Russia and Poland	M 7 F 6	3 3	3				6 6					
26	Other foreign countries	M 19 F 16	9 6	1 3	1 1	1	1	12 10			1	1	1
27	Unknown	M 652 F 685	24 25	4 1	2 4	2	1	32 32	4 2	3 5	7 5	8 13	10 18
NEW JERSEY.													
28	Total	32,735	7,292	1,873	830	505	370	10,370	1,032	520	745	1,150	1,419
29	Males	17,462	4,202	968	450	245	179	6,044	542	275	393	588	743
30	Females	15,273	3,090	905	380	260	191	4,326	490	245	352	562	676
31	White	31,069	6,786	1,756	775	486	354	10,157	981	479	690	1,069	1,318
32	Males	16,617	3,911	900	424	236	174	5,645	521	260	372	549	697
33	Females	14,452	2,875	856	351	250	180	4,512	460	219	318	520	621
34	Native	22,829	6,758	1,739	769	474	345	10,085	944	435	613	823	950
35	Both parents native	M 6,370 F 5,939	1,795 1,380	377 341	189 160	93 102	72 77	2,526 2,060	247 213	133 104	165 173	181 186	185 194
36	One or both parents foreign	M 4,565 F 3,769	1,953 1,366	494 485	216 180	128 137	91 91	2,882 2,259	233 208	90 86	138 96	191 133	224 216
37	Foreign	7,915	14	16	6	9	8	53	36	39	69	229	337
38	Males	4,202	6	8	3	6	1	24	17	22	40	122	189
39	Females	3,713	8	8	3	3	7	29	19	17	29	107	163
40	Colored	1,666	506	117	55	19	16	713	51	41	55	81	101
41	Males	845	291	68	26	9	5	399	21	15	21	39	46
42	Females	821	215	49	29	10	11	314	30	26	34	42	55
Birthplaces of mothers (white).													
43	United States	M 7,081 F 6,513	2,115 1,578	423 410	220 185	106 126	80 84	2,944 2,383	275 248	153 119	199 201	215 217	222 223
44	Ireland	M 2,563 F 2,550	353 265	92 90	37 36	32 26	21 20	535 437	52 43	23 24	50 40	109 109	190 187
45	Germany	M 2,352 F 1,866	383 263	102 90	36 37	38 36	24 22	533 443	78 58	33 22	44 26	54 58	80 85
46	England and Wales	M 774 F 640	112 74	24 20	17 10	9 8	6 6	163 118	15 18	7 7	13 7	21 24	28 27
47	Canada	M 59 F 65	11 10	3	1		2	12 13	5		1	2	2
48	Scandinavia	M 174 F 127	48 25	11 16	4	3	1	67 45	5 8	4 6	1	4	3
49	Scotland	M 218 F 200	32 35	9	4	3	3	51 48	6		4	4	6
50	Italy	M 697 F 514	257 180	100 95	52 23	14 20	12 21	435 339	25 24	8 5	15	25	26
51	France	M 84 F 56	12 9	1	1		1	14 12	1	1		5	3
52	Russia and Poland	M 394 F 278	165 103	49 45	20 22	11 10	3	243 195	15 7	4 5	8	24	15
53	Other foreign countries	M 768 F 623	286 213	67 60	16 24	12 10	6	393 313	24 27	11 14	11	31	30
54	Unknown	M 1,433 F 1,020	137 110	22 20	17 7	8	11	195 151	20 20	16 10	26 15	55 48	87 48

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

Table with columns for age groups (80 to 84, 85 to 89, 90 to 94, 95 and over, Unknown) and rows of numerical data representing counts. Includes marginal totals on the right side of the table.

VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>NEW MEXICO.</b>													
1	Total	2,674	562	250	118	106	76	1,112	202	95	108	112	112
2	Males	1,455	326	120	60	58	42	601	96	43	37	46	61
3	Females	1,219	236	130	58	58	34	511	106	52	71	66	51
4	White	2,398	519	233	110	101	73	1,036	185	80	94	94	98
5	Males	1,290	297	112	54	49	39	551	87	36	34	40	53
6	Females	1,108	222	121	56	52	34	485	98	44	60	54	45
7	Native	2,228	517	229	108	100	73	1,027	183	79	91	89	82
8	Both parents native	M 1,031 F 954	259 200	99 103	46 49	39 44	38 32	481 428	81 89	32 39	26 54	32 38	29 36
9	One or both parents foreign	M 110 F 94	34 21	12 15	7 6	9 8	1 1	63 51	4 9	4 3	3 5	4 11	8 6
10	Foreign	116	3	2	1	1	1	6	2	2	2	4	13
11	Males	78			1	1		2	2		2	2	11
12	Females	38		3	1			4				2	2
13	Colored	276	48	17	8	5	3	76	17	15	14	18	14
14	Males	165	29	8	6	4	3	50	9	7	3	6	8
15	Females	111	14	9	2	1		26	8	8	11	12	6
Birthplaces of mothers (white).													
16	United States	M 1,068 F 1,000	272 207	105 111	48 53	40 51	39 32	504 454	82 94	33 41	26 55	35 43	30 40
17	Ireland	M 16 F 3											5
18	Germany	M 13 F 7	1			1		2		1			
19	England and Wales	M 15 F 11	3 2		2			5 3				3	1
20	Canada	M 3 F 4									1		
21	Scandinavia	M 3 F 2									1	1	
22	Scotland	M 2 F 7	2	1	1	1		4 3		1			
23	Italy	M 7 F 1	2 1	1		1		3 3	1			1	1
24	France	M 2 F 2	1					2 1					
25	Russia and Poland	M 4 F 2	1			1		2			1		
26	Other foreign countries	M 85 F 51	12 8	5 8	3 2	5 1		25 20	4 2	1 2	3 3	1 4	9 2
27	Unknown	M 69 F 19	4 1	1				5 2			3 1	2 2	5 1
<b>NEW YORK.</b>													
28	Total	130,268	25,492	7,248	3,240	2,065	1,336	39,331	3,474	1,860	2,736	4,735	5,813
29	Males	68,648	14,169	3,889	1,690	1,056	674	21,478	1,765	929	1,336	2,336	3,037
30	Females	61,620	11,323	3,359	1,550	1,009	662	17,903	1,709	931	1,400	2,399	2,776
31	White	127,332	24,798	7,049	3,151	2,028	1,305	38,331	3,402	1,796	2,696	4,565	5,644
32	Males	67,135	13,799	3,787	1,650	1,040	663	20,939	1,738	902	1,351	2,250	2,955
33	Females	60,197	10,999	3,262	1,501	988	642	17,392	1,664	894	1,345	2,315	2,689
34	Native	88,479	24,627	6,897	3,055	1,950	1,247	37,776	3,206	1,626	2,178	3,441	3,876
35	Both parents native	M 21,581 F 20,425	5,547 4,573	1,221 1,065	607 545	381 360	272 250	8,028 6,793	712 743	413	528	694	637
36	One or both parents foreign	M 20,694 F 17,377	7,453 5,748	2,356 1,997	938 845	573 563	331 345	11,654 9,501	855 772	358 371	488	878	1,210
37	Foreign	37,505	112	132	84	74	58	455	185	165	502	1,080	1,701
38	Males	19,428	63	76	37	39	29	244	96	79	259	510	371
39	Females	18,077	49	56	47	35	24	211	89	86	243	570	330
40	Colored	2,936	694	199	89	37	31	1,050	72	64	90	170	169
41	Males	1,513	370	102	40	16	11	539	27	27	35	86	82
42	Females	1,423	324	97	49	21	20	511	45	37	55	84	87
Birthplaces of mothers (white).													
43	United States	M 24,711 F 23,211	6,704 5,456	1,514 1,308	727 660	459 455	327 297	9,731 8,176	867 887	488	632	843	775
44	Ireland	M 12,994 F 13,242	1,325 1,037	446 368	188 182	130 112	76 85	2,165 1,784	194 185	103	199	517	965
45	Germany	M 9,975 F 8,185	1,037 1,083	364 330	182 181	111 117	75 75	1,784 1,746	185 187	97	107	216	357
46	England and Wales	M 2,682 F 2,211	285 228	71 62	42 35	24 17	13 13	1,746 1,408	187 182	112	148	307	391
47	Canada	M 1,227 F 1,071	251 181	35 35	19 16	14 13	14 13	366 336	33 23	23	32	60	86
48	Scandinavia	M 1,971 F 971	237 182	73 61	32 23	18 18	13 16	260 300	28 34	19	29	59	86
49	Scotland	M 769 F 688	65 45	16 25	7 7	5 5	2 5	100 87	13 12	2	12	14	27
50	Italy	M 3,256 F 2,600	1,239 993	554 483	176 189	119 95	50 52	2,133 1,812	101 105	40	71	98	67
51	France	M 352 F 264	37 32	14 9	3 1	3 1	3 1	60 44	3 3	1	5	12	13
52	Russia and Poland	M 2,457 F 1,922	912 649	326 263	119 120	64 56	35 29	1,456 1,117	85 69	31	52	65	82
53	Other foreign countries	M 2,499 F 1,912	726 530	241 183	83 75	49 58	28 34	1,127 880	60 71	26	52	76	114
54	Unknown	M 5,292 F 4,167	662 573	133 135	66 62	44 29	27 21	932 820	74 52	52	74	167	239
										84	63	136	166

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
99	106	84	72	73	84	90	65	65	48	32	21	14	8	72	1
54 45	56 50	46 38	44 28	46 27	54 30	57 33	44 21	42 23	31 17	19 13	16 5	9 5	4 4	49 23	2 3
90	89	69	57	63	73	77	57	59	43	29	18	13	5	69	4
49 41	42 47	36 33	36 21	37 26	47 26	48 29	40 17	39 20	27 16	16 13	14 4	9 4	2 3	47 22	5 6
78	75	61	48	48	62	67	51	47	40	25	14	13	5	43	7
33 37 3 1 8	27 40 2 2 6	28 27 3 2 4	27 17 2 1 7	22 18 3 1 12	37 24 1 4 10	38 24 4 1 9	36 14 1 6 6	26 16 3 11 3	21 15 1 3 3	12 11 1 3 3	9 4 1 4 4	9 4 4 1 1	2 3 3 1 1	23 16 6 4 2	8 9 10 11 12
6 2 9	5 1 17	3 1 15	4 3 15	6 6 10	8 2 11	5 4 13	3 3 8	7 4 6	3 4 5	1 2 3	4 3 3	1 1 1	3 3 3	4 2 3	11 12 13
5 4	14 8	10 5	8 7	9 1	7 4	9 4	4 4	3 3	4 1	3 1	2 1	1 1	2 1	2 1	14 15
84 38 1 1	27 40 1 1 2	30 27	27 18 1	24 18 1	37 24 1	39 25	36 14	27 16	22 15 1	12 11	9 4	9 4	2 3	23 16 2	16 17
1 1	1 2	1	1 1	2 3 1	1 1	2 1	1	2 1	1 1	1	1	1	1	1	18 19
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	20
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	21
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	22
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	23
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	24
5 7	3 1 8 4	2 1 2 3	3 1 3	4 4 5 1	6 1 1	4 2 1	3 1 1	6 3 2	2 1 2	4 1 2	4 1	4 1	2 2	2 20 4	25 26 27
6,081	6,372	5,706	5,602	6,004	6,280	6,856	7,200	7,250	6,492	4,623	2,449	830	231	243	28
3,323 2,758	3,551 2,821	3,229 2,477	3,124 2,478	3,309 2,695	3,298 2,982	3,456 3,400	3,618 3,582	3,559 3,691	3,284 3,208	2,250 2,373	1,144 1,305	356 474	77 154	139 104	29 30
5,917	6,210	5,555	5,450	5,882	6,152	6,748	7,119	7,163	6,428	4,570	2,423	821	224	236	31
3,222 2,695 3,729	3,469 2,741 3,554	3,150 2,405 3,048	3,034 2,416 2,773	3,233 2,649 2,493	3,236 2,916 2,621	3,404 3,344 2,867	3,575 3,544 3,214	3,508 3,655 3,408	3,249 3,179 3,579	2,223 2,347 2,806	1,136 1,287 1,557	351 470 541	76 148 106	134 102 80	32 33 34
602 625 1,208 928 2,108	609 615 1,094 801	619 541 849 678	669 706 789 786 604 377 161 149	731 754 901 892 590 397 147 112	888 791 859 964 514 485 188 138	955 974 246 207	955 974 246 207	1,188 1,127 161 169	1,281 1,260 115 151	1,313 1,300 152 112	995 1,030 107 106	520 618 48 73	166 219 14 24	18 45 3 10	15 19 9 11
2,108	2,529	2,380	2,590	3,308	3,441	3,811	3,824	3,679	2,773	1,706	829	268	115	56	37
1,145 963 164	1,402 1,127 162	1,384 996 151	1,464 1,126 152	1,894 1,414 122	1,778 1,663 128	1,888 1,923 108	1,870 1,954 81	1,755 1,924 87	1,382 1,391 64	814 892 53	406 423 26	116 152 9	46 69 7	25 31 7	38 39 40
101 63	82 80	79 72	90 62	76 46	62 66	52 56	43 38	51 36	35 29	27 26	8 18	5 4	1 6	5 2	41 42
730 723 1,098 828 583 474 105 96 54 64 61 58 32 25 105 81 18 14 97 74 122 79 267 179	703 697 1,078 924 623 416 153 117 76 67 65 40 52 35 117 62 18 20 90 76 128 89 366 198	702 612 888 736 658 417 119 149 54 51 48 33 53 34 94 55 25 17 79 45 128 62 302 194	720 706 789 786 604 377 161 149 62 47 66 27 48 50 43 93 36 21 16 67 35 112 69 291 164	794 801 901 892 590 397 147 112 60 53 50 24 56 43 95 36 23 16 79 54 133 52 257 164	940 871 859 964 514 485 188 138 55 39 35 13 37 43 63 41 34 15 65 56 102 67 277 187	1,013 1,029 868 1,170 1,670 630 638 202 190 69 55 50 20 64 55 38 25 27 19 55 49 69 346 230	1,257 1,179 738 1,027 673 638 218 174 65 52 20 19 67 59 34 20 27 24 29 27 60 58 346 291	1,329 1,335 636 930 561 546 638 212 190 65 52 20 19 64 55 38 25 27 24 29 27 60 58 349 302	1,386 1,362 498 561 546 638 212 174 65 52 20 19 64 55 38 25 27 24 29 27 60 58 346 291	1,048 1,080 278 405 285 288 138 111 35 36 17 5 49 50 8 4 6 10 8 15 31 299 315	546 659 148 183 235 134 73 68 24 35 36 18 33 22 4 1 3 10 8 15 10 158 168	172 231 47 75 125 134 29 24 26 24 18 8 13 1 1 3 4 3 5 5 5 55 75	18 50 21 42 25 11 10 6 6 6 4 2 3 1 1 2 1 1 1 1 1 9 23	17 20 13 25 5 5 5 2 2 2 1 1 2 1 1 1 1 1 1 1 1 88 41	43 44 45 46 47 48 49 50 51 52 53 54

VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>NORTH CAROLINA.</b>													
1	Total	21,068	4,200	1,647	723	400	249	7,219	754	642	1,039	1,335	945
2	Males	10,427	2,310	854	375	217	113	3,869	344	297	465	622	414
3	Females	10,641	1,890	793	348	183	136	3,350	410	345	574	713	531
4	White	13,217	2,586	978	413	225	135	4,337	421	379	553	724	584
5	Males	6,484	1,392	509	211	119	62	2,293	198	180	260	347	277
6	Females	6,733	1,194	469	202	106	73	2,044	223	199	293	377	307
7	Native	12,805	2,536	954	408	216	133	4,242	412	372	539	705	570
8	Both parents native	(M) 5,945 (F) 6,221	1,309 1,119	475 439	197 191	109 98	55 69	2,145 1,916	177 221	169 189	250 278	330 347	254 278
9	One or both parents foreign	(M) 28 (F) 25	1	2	1	2	1	6 2	2	1	1	1	1
10	Foreign	63							1				2
11	Males	88											1
12	Females	25							1				1
13	Colored	7,851	1,614	669	310	175	114	2,882	333	263	486	611	361
14	Males	3,943	918	345	164	98	51	1,576	151	117	205	275	137
15	Females	3,908	696	324	146	77	63	1,306	182	146	281	336	224
<b>Birthplaces of mothers (white).</b>													
16	United States	(M) 5,959 (F) 6,239	1,310 1,119	476 439	197 192	110 99	56 69	2,149 1,918	177 221	171 189	250 279	330 347	254 278
17	Ireland	(M) 10 (F) 4							1 2			1 1	1 1
18	Germany	(M) 14 (F) 9	1					1 1				1 1	
19	England and Wales	(M) 10 (F) 5		1	1			2					1
20	Canada	(M) 1 (F) 2											
21	Scandinavia	(M) 1 (F) 7											
22	Scotland	(M) 7 (F) 7											
23	Italy	(M) 2 (F) 1											
24	France	(M) 1 (F) 1											
25	Russia and Poland	(M) 2 (F) 1											
26	Other foreign countries	(M) 1 (F) 1											
27	Unknown	(M) 279 (F) 275	49 39	16 15	9 5	6 4	4 2	84 65	6 4	7 6	6 18	10 22	13 16
<b>NORTH DAKOTA.</b>													
28	Total	2,287	506	144	78	46	49	823	152	99	106	124	98
29	Males	1,159	272	70	39	20	25	426	62	43	52	63	47
30	Females	1,128	234	74	39	26	24	397	90	56	54	61	51
31	White	2,046	473	122	67	40	42	744	132	85	92	114	91
32	Males	1,050	254	61	31	18	22	386	56	37	45	59	43
33	Females	996	219	61	36	22	20	358	76	48	47	55	48
34	Native	1,291	464	118	63	38	38	721	120	77	63	65	44
35	Both parents native	(M) 171 (F) 174	47 44	15 15	7 7	7 6	3 7	79 79	7 6	10 11	5 12	8 7	4 12
36	One or both parents foreign	(M) 432 (F) 462	197 164	42 46	23 26	10 15	17 11	289 262	40 66	24 30	23 22	16 25	9 14
37	Foreign	715	9	4	4	2	4	23	11	8	29	46	44
38	Males	391	4	4	1	1	2	12	3	2	16	27	25
39	Females	324	5	4	3	1	2	11	8	6	13	19	19
40	Colored	241	33	22	11	6	7	79	20	14	14	10	7
41	Males	109	18	9	8	2	3	40	6	6	7	4	4
42	Females	132	15	13	3	4	4	39	14	8	7	6	3
<b>Birthplaces of mothers (white).</b>													
43	United States	(M) 237 (F) 237	81 71	19 21	11 7	8 9	5 7	124 115	13 10	13 15	9 14	9 11	4 16
44	Ireland	(M) 41 (F) 39			1	1	1	3 3	1 1			2 3	2 1
45	Germany	(M) 111 (F) 77	22 7	4 4	2 5	1 2		29 18	7 11	3 3	5 4	5 5	8 1
46	England and Wales	(M) 28 (F) 25	4 2					4 4			2 2	1 2	2 1
47	Canada	(M) 112 (F) 134	32 33	8 8	2 5	2 3	4 1	48 50	9 11	4 8	7 6	8 10	8 9
48	Scandinavia	(M) 274 (F) 294	53 52	8 13	5 5	3 3	6 4	75 77	10 21	9 14	16 19	23 18	20 17
49	Scotland	(M) 34 (F) 11	1					1	1				1
50	Italy	(M) 2 (F) 1											
51	France	(M) 2 (F) 1											
52	Russia and Poland	(M) 116 (F) 104	48 31	16 10	9 12	3 5	6 5	82 68	9 19	6 4	5	2	1
53	Other foreign countries	(M) 38 (F) 40	8 12	6 4	1 2			15 19	3 2	1 1	2	1	2
54	Unknown	(M) 55 (F) 34	5 7					8 8	1 1	1 1	1	8 4	5 1

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
802	789	746	692	777	643	765	811	895	787	620	820	136	96	255	1
345	332	330	351	396	332	383	431	437	403	308	158	60	32	118	2
457	457	416	341	381	311	382	380	458	384	312	162	76	64	137	3
497	499	511	458	505	410	530	603	659	605	439	228	86	37	122	4
218	225	227	240	250	211	244	313	297	297	211	100	38	12	51	5
279	274	284	218	255	229	286	290	362	308	228	128	48	25	71	6
481	473	491	442	492	423	511	583	638	586	427	223	83	35	72	7
194	200	201	210	229	183	225	281	271	285	195	95	33	12	26	8
250	244	259	197	236	210	267	268	339	239	206	119	44	22	42	9
2			1	2	1	1	3	3	5	3		1			10
1	5	4	6	5	5	6	4	9	6	6	3	2		1	11
	4	2	3	2	3	3	3	7	4	4	1			1	12
1	1	2	3	3	2	3	1	2	2	1	1			1	13
305	290	235	234	272	203	235	208	236	182	181	92	50	59	133	14
127	107	103	111	146	121	139	118	140	106	97	58	22	20	67	15
178	183	132	123	126	82	96	90	96	76	84	34	28	39	66	16
194	200	202	210	229	183	226	281	272	267	198	95	33	12	26	17
250	244	259	198	236	210	268	269	341	293	210	121	44	22	42	18
	1		1	2	1	1	1	2	2	1					19
	1		1	2	2					3					20
1	1	1	1	1	1	1	1	1		1	1				21
	1		1	1	1										22
1		1					2	1	3	1			1		23
			2		1										24
	1						1								25
				1											26
1															27
11	13	14	15	10	17	7	14	8	13	6	2	3		20	28
17	22	16	8	10	7	10	11	9	5	4	5	2	2	21	29
106	113	96	83	70	56	67	82	60	57	44	16	4	1	80	30
42	55	52	47	37	31	34	50	35	30	25	7	2		19	31
64	58	44	36	33	25	33	32	25	27	19	9	2	1	11	32
92	104	89	74	62	52	59	71	52	51	37	16	4		25	33
36	51	49	42	33	29	32	45	31	29	22	7	2		16	34
56	53	40	32	29	23	27	26	21	22	15	9	2		9	35
84	30	21	14	13	11	21	19	13	7	9	2	2		5	36
9	6	3	3	3	3	6	11	7	3	3				1	37
7	4	4	4	3	6	7	4	3	1	3	1	2		1	38
6	6	8	2	3	3	2	1	1	1	1				1	39
10	12	4	4	4	1	3	1	2	1	1	1			1	40
55	69	63	60	46	40	37	51	39	44	26	14	2		8	41
20	33	35	36	25	25	21	31	23	23	16	7	2		4	42
35	36	28	24	21	15	16	20	16	21	10	7			4	43
14	9	7	9	8	4	8	11	8	6	7			1	5	44
6	4	3	5	4	2	2	5	4	1	3				3	45
8	5	4	4	4	2	6	6	4	5	4			1	2	46
9	6	3	3	3	4	8	11	7	4	5				2	47
7	4	5	6	3	4	3	5	4	1	3				2	48
4	3	6	2	2	4	2	2	2	2	3	1	2		2	49
4	7	3	7	5	1	3	1	4	3	2	3			2	50
5	4	5	7	4	2	2	2	4	5	3	1			1	51
1	1	1	1	3	2	2	2	3	1	1	1			1	52
4	9	8	4	4	3	5	4	1						1	53
13	16	16	14	13	7	3	10	7	10	5	5	1		1	54
19	24	17	8	8	7	3	13	7	8	6	4			1	55
1	1	3	3	5	1	1	4	4	3	1				1	56
1		1	1		2	1	1	2	2					1	57
		1				1									58
1	4	3	1	3		1	1	1						10	59
4	2	3	1	3		1	3	1		1				5	60
3	1	4	2		3		1	1	2						61
3		1	1												62
1	6	8	1	2						1					63
4	2	4	1	1		3	1	1	2	1					64



VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>OHIO.</b>													
1	Total.....	53,862	8,819	2,190	1,123	711	515	13,358	1,563	1,034	1,733	2,419	2,358
2	Males.....	23,648	4,913	1,137	596	363	281	7,295	834	507	806	1,211	1,137
3	Females.....	24,714	3,906	1,053	527	343	234	6,063	749	527	927	1,208	1,251
4	White.....	51,481	8,551	2,102	1,074	690	504	12,901	1,522	978	1,629	2,303	2,255
5	Males.....	27,612	4,748	1,092	574	362	274	7,050	801	484	761	1,140	1,064
6	Females.....	23,869	3,783	1,010	500	328	230	5,851	721	494	868	1,163	1,191
7	Native.....	40,219	8,341	2,049	1,043	669	490	12,592	1,470	984	1,513	2,057	1,905
8	Both parents native.....	13,383	2,922	712	374	219	179	4,406	516	314	475	598	463
9	One or both parents foreign.....	4,668	1,194	278	155	102	68	1,797	185	110	161	277	258
10	Foreign.....	4,027	905	263	126	87	60	1,441	179	107	184	256	295
11	Males.....	5,294	5	6	4	4	2	21	5	15	29	98	139
12	Females.....	4,062	8	3	2	1	3	17	17	9	32	72	124
13	Colored.....	1,881	288	88	49	21	11	457	61	56	104	116	133
14	Males.....	1,038	165	45	22	6	7	245	33	23	45	71	73
15	Females.....	843	123	43	27	15	4	212	28	33	59	45	60
Birthplaces of mothers (white).													
16	United States.....	14,343	3,162	771	401	240	197	4,771	562	345	523	658	506
17	Ireland.....	1,750	71	20	15	6	6	118	19	12	28	36	73
18	Germany.....	4,152	390	86	42	34	30	582	62	46	61	120	150
19	England and Wales.....	1,021	66	20	14	10	4	114	15	12	22	33	35
20	Canada.....	147	23	5	3	2	2	35	9	1	8	14	9
21	Scandinavia.....	55	5	5	3			13	2	1	4	2	3
22	Scotland.....	39	11	3				16	2	2	2		9
23	Italy.....	132	13	4	2			18	3			10	3
24	France.....	121	6	2	2			10	1	4	3	3	5
25	Russia and Poland.....	285	24	9	6	3		42	1	4	2	2	4
26	Other foreign countries.....	85	35	12	4	2	2	55	2	1	1	1	3
27	Unknown.....	121	1					2	1				1
28	<b>OKLAHOMA.</b>												
29	Total.....	3,181	744	333	107	82	53	1,319	182	120	157	170	132
30	Males.....	1,741	421	173	53	39	23	714	95	67	82	89	58
31	Females.....	1,440	323	160	54	43	25	605	87	53	75	81	74
32	White.....	2,704	668	268	87	63	47	1,133	143	98	122	133	116
33	Males.....	1,503	333	144	44	30	25	626	82	55	68	69	49
34	Females.....	1,196	285	124	43	33	22	512	66	43	54	69	67
35	Native.....	2,563	666	266	86	68	47	1,133	147	98	118	134	110
36	Both parents native.....	1,169	338	138	43	28	22	569	73	47	52	61	37
37	One or both parents foreign.....	957	251	110	40	38	21	460	57	42	39	57	46
38	Foreign.....	124	37	5	1	2	3	48	8	8	6	3	2
39	Males.....	99	31	11	1		1	44	3	1	6	7	9
40	Females.....	118	1					1	1		2	3	4
41	Males.....	62	1					1	1		1	2	
42	Females.....	51									1	1	4
43	Colored.....	477	76	65	20	14	6	181	34	22	35	32	16
44	Males.....	233	38	29	9	9	3	88	13	12	14	20	9
45	Females.....	244	38	36	11	5	3	93	21	10	21	12	7
Birthplaces of mothers (white).													
46	United States.....	1,224	354	140	44	29	23	590	77	49	54	63	41
47	Ireland.....	994	264	40	38	21		474	59	42	42	59	43
48	Germany.....	18						1			1		2
49	England and Wales.....	8						1					
50	Canada.....	45	6	1			1	8	1	3	1	3	6
51	Scandinavia.....	43	9	3				12	2			3	
52	Scotland.....	16	2			1		3					
53	Italy.....	10	1					1					
54	France.....	11	4					4			1		1
55	Russia and Poland.....	11	1	2				3			4		
56	Other foreign countries.....	9	1					1	1				
57	Unknown.....	7	2					4					
58	Males.....	10						4			1		1
59	Females.....	3											
60	Males.....	4											
61	Females.....	3											
62	Males.....	17	7	1			1	9	3	3		1	1
63	Females.....	15	3	2				5	1	1		1	1
64	Males.....	12	4	1				5	7		2	1	1
65	Females.....	22	4	1	1		1	6	4		1	1	1
66	Males.....	142	5	1				6			9	2	7
67	Females.....	80	1	2	2			5			6	4	7





COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTEPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
153	180	163	149	176	154	191	223	227	173	90	64	20	8	45	1
82 71	106 74	101 62	96 53	108 68	96 53	124 67	153 65	146 81	116 57	60 30	36 28	8 12	5 3	37 8	2 3
143	164	148	136	165	146	186	213	221	164	86	63	18	7	36	4
74 69	92 72	91 57	84 52	99 66	90 58	120 66	156 62	141 80	111 53	59 27	35 28	8 10	5 2	31 5	5 6
111	111	91	86	98	85	108	141	153	106	62	45	10	3	9	7
19 26 9 6	22 23 5 8	22 12 6 8	18 19 9 3	27 18 11 3	31 15 1 2	37 20 2 6	52 24 6 4	50 28 10 7	31 19 8 5	26 9 1 4	15 10 1	1 3 1	2 1	2	8 9
29	42	53	41	53	54	65	67	55	49	23	17	7	4	6	10
17 12 10	27 15 16	35 18 15	25 16 13	31 27 11	31 23 8	45 20 5	46 21 5	35 20 6	36 13 9	16 7 4	13 4 1	3 4 2	3 1 1	4 2 9	11 12 13
8 2	14 2	10 5	12 1	9 2	6 2	4 1	2 3	5 1	5 4	1 3	1	2	1	6 3	14 15
23 29 1 1 7 3 2 2 1	24 23 1 3 3 2 2 2	23 14 7 1 2 7 2 2 2	22 20 2 1 5 4 1 1	30 21 4 5 6 4 2 2	31 16 4 5 5 3 1	38 21 7 3 8 3 4 2	53 25 6 12 4 4	53 30 7 5 10 3 7 1	32 20 1 2 18 6 5 2	26 9 4	15 10 2	1 3 1	2 1 1	2	16 17 18 19
1 1 2 2 1	3 2 2	3 2 2	1 1	2 2	1 1	1 1	1 1	3 2	1 1	1 1	2	1	1	21	20
2	1	1	1	1	1	1	1	1	1	1	2	1	1	22	21
2	2	1	1	1	1	1	1	1	1	1	2	1	1	23	22
4	2 5	3 1	2 2	5 2	4	2 2	4	1 2	3	1	3	3	3	2	24
9 9	22 14	14 5	19 7	24 5	14 8	23 10	30 6	30 12	23 10	8 6	6 8	3 2	3 2	21 2	25
3,632	3,639	3,521	3,518	3,762	3,933	4,363	4,845	4,960	4,073	3,031	1,504	441	144	442	26
1,963 1,669	2,014 1,625	1,969 1,552	2,066 1,452	2,170 1,592	2,253 1,675	2,360 2,003	2,576 2,269	2,600 2,360	2,115 1,963	1,545 1,486	674 830	170 271	50 94	274 168	27
3,465	3,457	3,356	3,370	3,621	3,828	4,257	4,746	4,872	4,004	2,976	1,474	422	122	423	28
1,865 1,600 2,415	1,925 1,532 2,302	1,879 1,477 2,276	1,989 1,381 2,125	2,083 1,533 2,153	2,191 1,637 2,245	2,305 1,952 2,403	2,530 2,216 2,733	2,553 2,319 3,015	2,033 1,921 2,559	1,518 1,458 2,022	660 814 1,007	161 261 275	42 80 77	258 165 175	29
468 498 182 143 896	415 425 161 141 1,001	423 447 173 127 917	462 407 132 102 1,079	537 473 106 86 1,289	632 519 92 80 1,416	716 590 94 76 1,671	902 707 75 63 1,737	963 800 88 89 1,701	867 698 76 77 1,324	615 541 35 60 840	253 295 40 49 417	69 84 11 11 134	15 19 3 5 43	34 37 4 5 89	30 31
544 352 167	625 376 182	567 350 165	701 378 143	799 490 141	829 537 105	908 763 106	909 843 99	882 319 88	712 612 74	423 412 55	221 196 30	56 78 19	13 30 22	56 33 19	32 33 34
98 69	89 93	90 75	77 71	82 59	67 38	55 51	46 53	47 41	32 42	27 23	14 16	9 10	8 14	16 3	35 36 37
504 531 120 146 89 90 69 55 48 4 2 12 9 9 6 5 24 6 1 2 51 17 75 23 61 43	437 449 146 116 94 68 50 24 7 1 11 8 13 8 24 5 4 5 59 14 64 27 72 56	461 464 123 96 104 71 47 8 2 5 10 10 24 7 3 3 37 14 64 27 72 60	480 435 144 86 130 72 46 5 2 6 1 16 6 18 4 4 6 34 7 85 44	560 498 183 98 136 83 79 50 5 3 4 15 13 14 5 5 25 6 36 76 62	655 548 200 173 165 87 99 102 73 3 2 4 1 10 10 17 5 78 46	747 605 214 173 165 89 102 73 3 2 5 12 4 4 6 5 10 9 7 78 47	932 724 202 166 171 132 84 84 1 5 6 3 21 9 1 2 8 3 12 7 103 59	1,005 331 192 150 103 183 130 86 44 5 1 6 3 11 12 2 8 5 11 9 88	895 732 150 103 183 130 76 57 3 4 2 11 15 2 3 6 7 1 3 8 66 58	643 567 102 57 51 101 124 66 38 39 1 2 1 1 1 1 1 1 3 2 6 7 3 3 86 40	266 309 67 13 23 51 64 43 19 15 3 4 1 1 1 1 1 1 1 2 6 7 3 32 40	72 87 13 13 23 51 64 11 6 2 3 4 1 3 1 1 1 1 1 6 6 7 7 6 10	15 20 6 10 10 11 3 6 2 1 1 1 1 1 1 1 1 1 1 1 1 1 10	35 37 10 14 15 3 4 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 10	41 42 43 44 45 46 47 48 49 50 51 52 53 54

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>RHODE ISLAND.</b>													
1	Total	8,176	1,854	495	195	133	75	2,752	192	117	197	288	319
2	Males	4,132	1,036	260	102	63	41	1,502	99	63	94	133	159
3	Females	4,044	818	235	93	70	34	1,250	93	54	103	150	160
4	White	7,939	1,813	470	193	129	73	2,678	189	113	186	275	308
5	Males	4,021	1,016	246	101	61	41	1,465	97	61	91	131	154
6	Females	3,918	797	224	92	68	32	1,213	92	52	95	144	154
7	Native	5,571	1,780	452	183	116	70	2,601	161	93	133	184	194
8	Both parents native	M 1,342	283	68	22	15	14	402	28	14	29	33	35
	F 1,384	237	69	26	20	13	365	23	21	26	36	40	
9	One or both parents foreign	M 1,488	703	161	75	38	24	1,001	51	36	40	55	63
	F 1,206	529	145	60	42	18	794	57	18	34	56	54	
10	Foreign	2,295	29	17	8	12	3	69	26	20	52	90	108
11	Males	1,054	12	11	2	7	3	35	15	9	20	41	50
12	Females	1,241	17	6	6	5		34	11	11	32	49	58
13	Colored	237	41	25	2	4	2	74	3	4	11	13	11
14	Males	111	20	14	1	2		37	2	2	3	7	5
15	Females	126	21	11	1	2	2	37	1	2	8	6	6
<b>Birthplaces of mothers (white).</b>													
16	United States	M 1,517	359	85	28	22	20	514	33	17	35	46	38
	F 1,523	303	79	28	23	14	14	447	32	23	31	43	46
17	Ireland	M 948	126	26	20	11	7	190	19	18	19	38	68
	F 1,022	94	81	19	12	3		159	15	7	17	38	55
18	Germany	M 68	17	3				20	1	2	2	2	3
	F 48	7	2	1	1	1		12	2		1	5	1
19	England and Wales	M 329	77	20	7	7	1	112	8	5	6	15	6
	F 305	58	13	4	4	2		86	12	7	7	12	15
20	Canada	M 511	235	46	23	10	7	321	17	11	15	10	12
	F 500	170	39	19	22	7		257	14	9	15	26	19
21	Scandinavia	M 79	25	8	3			36	1	1	1	5	5
	F 84	17	11	3	2			35	4	1	3	6	3
22	Scotland	M 88	16	3	1			21	4	3	1	4	3
	F 93	12	2	1				16	2	1	6	4	6
23	Italy	M 162	60	31	10	6	2	109	4	3	4	4	7
	F 116	56	18	7	4			85	5	4	4	4	3
24	France	M 72	35	8	2	1		47	2	2	2	2	1
	F 50	27	7	3	3			38	4		2	1	1
25	Russia and Poland	M 34	11	4	3	2		20	3	1	2	2	1
	F 31	15	4	1				20			2	2	2
26	Other foreign countries	M 99	42	9	4	2		59	1	1	2	2	5
	F 71	26	10	6				42	3	3	4	2	2
27	Unknown	M 114	13	3				16	2	2	3	2	5
	F 75	12	3				1	16	1	1	3	3	2
<b>SOUTH CAROLINA.</b>													
28	Total	17,166	3,477	1,436	666	378	241	6,198	722	554	943	1,177	920
29	Males	8,461	1,824	754	368	191	119	3,256	364	259	417	505	420
30	Females	8,705	1,653	682	298	187	122	2,942	358	295	526	672	500
31	White	5,808	1,108	499	184	112	61	1,964	195	138	244	265	278
32	Males	2,919	594	252	105	50	26	1,027	101	70	121	125	143
33	Females	2,889	514	247	79	62	35	937	94	68	123	140	135
34	Native	5,605	1,103	496	184	112	60	1,955	192	136	242	261	270
35	Both parents native	M 2,626	579	243	102	50	26	1,000	98	65	114	116	120
	F 2,659	497	243	79	60	34		913	89	65	118	134	122
36	One or both parents foreign	M 62	6	5	1			12	1	3	2	7	7
	F 80	11	3		1			15	4	2	3	4	4
37	Foreign	144									3	2	4
38	Males	85									2		3
39	Females	59											1
40	Colored	11,358	2,369	937	482	266	180	4,234	527	416	699	912	642
41	Males	5,542	1,280	502	263	141	93	2,229	263	189	296	380	277
42	Females	5,816	1,139	435	219	125	87	2,005	264	227	403	532	365
<b>Birthplaces of mothers (white).</b>													
43	United States	M 2,644	580	247	102	50	26	1,005	98	66	114	116	121
	F 2,691	502	244	79	61	34		920	92	66	120	135	123
44	Ireland	M 40						1					2
	F 53	1						3			1		1
45	Germany	M 50	2	1				1	1	2	1	1	4
	F 33	3						3		1		2	
46	England and Wales	M 15	2					2			1	1	2
	F 7		1					1	1				
47	Canada	M											
	F												
48	Scandinavia	M 2											1
	F												
49	Scotland	M 6											
	F 3												
50	Italy	M 3		1				1					1
	F 2												
51	France	M 4											
	F 3												
52	Russia and Poland	M 3	1					1					2
	F 3	2						2					
53	Other foreign countries	M 5			1								
	F 3							2					
54	Unknown	M 147	9	3	2			14	2	2	5	7	13
	F 91	5	1			1	1	8	1	1	2	3	8

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
308	317	309	330	379	404	426	432	449	428	275	163	53	16	27
157	161	168	162	189	213	199	209	268	198	117	61	16	5	14
146	156	141	168	190	191	227	223	241	230	158	102	37	11	13
298	306	295	321	362	393	414	426	437	422	271	159	49	15	27
153	155	162	159	179	206	192	208	204	194	116	59	16	5	14
140	151	138	162	183	187	222	218	233	228	155	100	33	10	13
174	141	164	158	155	158	179	198	240	275	192	126	86	11	8
32	31	38	44	52	63	82	88	115	117	79	45	8	2	2
32	34	40	44	41	47	70	90	111	134	103	73	24	8	8
64	36	48	25	15	18	13	5	5	6	2	1	1	3	3
40	34	30	32	18	8	8	6	4	5	1	3	3	1	1
115	157	126	163	206	234	230	224	191	145	75	32	13	4	15
51	80	67	81	107	108	39	105	78	61	30	11	7	2	7
64	77	59	82	99	126	141	119	113	84	45	21	6	2	8
10	11	14	9	17	11	12	6	12	6	4	4	4	1	13
4	6	6	3	10	7	7	1	4	4	1	2			14
6	5	8	6	7	4	5	5	8	2	3	2	4	1	15
34	34	42	48	54	71	86	91	116	121	80	46	8	2	1
36	36	42	48	64	48	73	91	113	137	105	74	24	8	2
68	60	60	54	69	69	60	69	48	24	15	6	3	1	6
50	55	53	55	72	75	106	76	82	52	29	14	3	2	5
1	2	2	5	4	3	5	5	4	5	2				
4	5	1	1	2	2	2	3	3	3	1				
16	12	19	7	13	19	26	18	19	17	6	1	1	1	2
17	12	7	15	17	22	18	16	15	16	6	4	1		
12	15	9	20	14	7	13	13	7	11	4	2	4		
16	23	18	22	9	18	17	9	2	8	5	2	2		3
1	6	5	4	1	3	3	3	3						
4	6	1	3	4	2	4	2	2		2	1			
5	4	6	6	10	5	8	4	3	1	2	1			
5	2	5	10	5	7	5	7	5	6	2	2			
1	8	3	3	4	4	2	2	1	1	1				
1	2	2	2	1	1	3	2							
1		2	1	2	2	6	6		1		1			
2		1	1	1	1					1				
9	1		1	3	3	1			2					1
5	1		2	2	3	1	1		9			1		4
1	9		9	6	10	4	8	5	1	5	2		1	2
4	6	2	3	5	7	3	2	4	4	4	3			
676	718	661	571	636	490	599	536	576	440	319	166	74	70	120
272	302	315	291	341	261	292	270	203	241	157	77	23	23	64
404	416	346	280	292	229	307	266	273	199	162	89	51	42	56
187	235	230	221	230	190	268	283	278	247	170	85	25	15	51
82	109	118	115	120	95	129	130	134	126	74	43	10	5	33
105	126	121	106	101	95	139	153	144	121	96	42	15	10	18
182	230	229	215	212	181	243	265	252	225	156	79	24	15	41
67	89	99	97	106	82	109	116	105	111	63	38	9	4	18
95	118	109	96	89	84	120	128	129	102	81	32	13	8	14
7	8	3	1	1	2	2	6	6	2	2	2			1
4	4	5	4	4	2	5	5	5	5	4	4	1	2	
2	5	5	5	12	8	25	16	23	19	11	6	1		
1	4	3	5	10	5	14	7	15	9	4	2	1		
1	1	2		2	3	11	9	8	10	7	4			
489	483	422	350	406	300	331	253	298	193	149	81	49	55	69
190	193	197	176	215	166	163	140	169	115	83	34	13	23	31
299	290	225	174	191	134	168	113	129	78	66	47	36	32	38
69	90	99	97	107	83	110	116	108	112	64	38	9	4	18
95	118	111	96	90	84	122	133	130	105	33	33	13	8	14
3	2	3	1	7	3	7	3	7	2	1	1	1		
4	3	3		3	2	4	5	4	8	5	5			
1	8	1	2	2	2	4	2	7	3	1	2			
2	1		1	1	2	2	6	8	4	4	2			
1		1		1	1	2	5		1	1	2			
							1			1	1			
	1													
		1				2		2	1	1	1			
				1										
	1		1					1	1	1				
					1						1			
		2												
				1									1	1
7	8	13	12	12	6	4	7	9	4	5	2		1	14
5	3	5	10	6	6	4	9	6	4	3	2	1		4

VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>SOUTH DAKOTA.</b>													
1	Total	3,088	616	187	98	78	45	1,024	197	126	158	161	120
2	Males	1,654	360	99	51	41	23	574	98	58	77	77	59
3	Females	1,434	256	88	47	37	22	450	104	73	81	84	61
4	White	2,448	500	121	58	45	30	749	132	84	108	118	100
5	Males	1,349	292	64	31	25	17	429	68	39	55	53	49
6	Females	1,099	208	57	22	20	13	320	64	45	53	65	51
7	Native	1,672	498	120	53	44	30	745	127	75	91	92	64
8	Both parents native	M 400 F 328	M 112 F 77	M 33 F 16	M 11 F 5	M 5 F 9	M 5 F 5	M 166 F 112	M 17 F 20	M 13 F 17	M 19 F 13	M 16 F 23	M 12 F 15
9	One or both parents foreign	M 454 F 412	M 174 F 128	M 31 F 40	M 18 F 17	M 19 F 11	M 11 F 8	M 253 F 204	M 50 F 40	M 20 F 25	M 24 F 31	M 24 F 29	M 17 F 18
10	Foreign	751	1	1		1		3	5	9	17	26	35
11	Males	432	1			1		2	1	6	10	13	19
12	Females	319		1				1	4	3	7	13	16
13	Colored	640	116	66	45	33	15	275	65	42	50	43	20
14	Males	305	68	35	20	16	6	145	25	14	22	24	10
15	Females	335	48	31	25	17	9	130	40	28	28	19	10
Birthplaces of mothers (white).													
16	United States	M 497 F 418	M 163 F 103	M 38 F 27	M 12 F 7	M 8 F 11	M 7 F 5	M 228 F 153	M 24 F 27	M 15 F 23	M 30 F 21	M 18 F 28	M 15 F 17
17	Ireland	M 75 F 44	M 3 F 2					M 3 F 2			M 3 F 1	M 1 F 3	M 1 F 3
18	Germany	M 175 F 122	M 25 F 17	M 7 F 3	M 3 F 2	M 3 F 2		M 38 F 24	M 13 F 8	M 7 F 5	M 4 F 3	M 9 F 9	M 6 F 8
19	England and Wales	M 47 F 39	M 2 F 5	M 2 F 1				M 4 F 6	M 2 F 1		M 1 F 1	M 2 F 1	M 1 F 1
20	Canada	M 44 F 31	M 8 F 7	M 1 F 1	M 1 F 1	M 1 F 1		M 11 F 8	M 3 F 1	M 4 F 1	M 3 F 3	M 5 F 3	M 3 F 1
21	Scandinavia	M 227 F 232	M 30 F 32	M 10 F 13	M 5 F 6	M 1 F 2	M 3 F 2	M 49 F 53	M 5 F 13	M 3 F 9	M 10 F 12	M 7 F 16	M 13 F 14
22	Scotland	M 17 F 9	M 1 F 2					M 1 F 1			M 1 F 1		M 1 F 1
23	Italy	M 5 F 1	M 2 F 1					M 2 F 1					
24	France	M 4 F 4	M 1 F 1				1	M 1 F 1					M 1 F 1
25	Russia and Poland	M 145 F 120	M 48 F 32	M 6 F 12	M 8 F 7	M 12 F 4	M 5 F 8	M 79 F 63	M 20 F 11	M 7 F 5	M 5 F 6	M 3 F 4	M 4 F 2
26	Other foreign countries	M 49 F 46	M 8 F 5	M 1 F 1		M 1 F 1		M 9 F 6	M 1 F 4	M 2 F 1	M 1 F 2	M 3 F 1	M 3 F 2
27	Unknown	M 64 F 33	M 3 F 2		2			M 5 F 2			M 2 F 2		M 1 F 3
<b>TENNESSEE.</b>													
28	Total	30,572	5,546	2,134	1,023	603	423	9,729	1,285	1,018	1,734	2,061	1,743
29	Males	15,354	2,977	1,136	509	313	221	5,156	607	462	794	981	787
30	Females	15,218	2,569	998	514	290	202	4,573	678	556	940	1,080	956
31	White	21,029	3,935	1,479	705	384	280	6,733	809	574	960	1,219	1,150
32	Males	10,563	2,103	789	351	191	155	3,539	398	273	443	571	505
33	Females	10,461	1,832	690	354	193	125	3,194	411	301	517	648	645
34	Native	20,257	3,919	1,474	704	351	280	6,758	799	568	952	1,203	1,113
35	Both parents native	M 8,755 F 8,974	M 1,905 F 1,638	M 718 F 624	M 332 F 315	M 167 F 175	M 141 F 117	M 3,263 F 2,869	M 345 F 359	M 249 F 264	M 395 F 478	M 490 F 563	M 399 F 545
36	One or both parents foreign	M 122 F 130	M 15 F 17	M 3 F 6	M 1 F 7	M 3 F 3	M 3 F 2	M 25 F 35	M 6 F 5	M 3 F 2	M 4 F 7	M 5 F 4	M 10 F 8
37	Foreign	511	1	1				1	2	2	2	5	20
38	Males	330		1				1	1	1	1	4	11
39	Females	181						1	1	1	1	1	9
40	Colored	9,543	1,611	655	313	219	143	2,946	476	444	774	842	593
41	Males	4,786	874	347	158	122	66	1,567	209	179	351	410	282
42	Females	4,757	737	308	160	97	77	1,379	267	265	423	432	311
Birthplaces of mothers (white).													
43	United States	M 8,303 F 9,050	M 1,913 F 1,645	M 719 F 628	M 332 F 319	M 169 F 175	M 142 F 117	M 3,275 F 2,884	M 349 F 359	M 251 F 267	M 395 F 483	M 493 F 569	M 402 F 550
44	Ireland	M 113 F 76	M 2 F 1				1	M 2 F 4				M 2 F 2	M 6 F 3
45	Germany	M 64 F 55	M 1 F 1		2	1		M 1 F 4				M 1 F 1	M 3 F 3
46	England and Wales	M 30 F 19	M 1 F 3			1		M 2 F 5				M 1 F 1	M 1 F 4
47	Canada	M 8 F 6		1				M 1 F 1				M 1 F 1	M 1 F 1
48	Scandinavia	M 4 F 3	M 1 F 1		1			M 1 F 1					
49	Scotland	M 19 F 10	M 1 F 1					M 1 F 1			1		
50	Italy	M 6 F 2	M 1 F 1		1			M 1 F 2					
51	France	M 3 F 4										1	1
52	Russia and Poland	M 13 F 7	M 2 F 2	M 1 F 1			1	M 2 F 4	M 1 F 1				2
53	Other foreign countries	M 28 F 9	M 1 F 1	M 1 F 1	1	1	1	M 6 F 1			1		1
54	Unknown	M 801 F 746	M 99 F 104	M 39 F 27	M 11 F 17	M 9 F 9	M 4 F 3	M 162 F 160	M 25 F 21	M 9 F 23	M 27 F 19	M 44 F 44	M 37 F 41

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
105	103	134	111	86	126	120	139	122	110	80	24	10	3	29	1
46	46	63	61	50	77	71	87	70	62	49	15	4	1	19	2
59	57	71	50	36	49	49	52	52	48	31	9	6	2	10	3
87	88	121	101	80	115	110	125	108	96	66	20	9	2	29	4
34	38	56	57	47	71	66	79	65	58	46	15	4	1	19	5
53	50	65	44	33	44	44	46	43	38	20	5	5	1	10	6
50	43	50	50	25	41	45	52	48	37	18	10	3	1	10	7
9	11	9	13	4	22	19	25	18	15	5	4	2		1	8
8	9	11	16	7	9	15	17	16	11	4	3	1		1	9
15	7	10	9	5	2	1	3	3	4	4	2			1	10
14	12	16	7	5	1	1	2	3	1	2				4	11
37	44	71	51	55	73	64	70	64	59	47	10	6	1	4	12
7	18	36	32	36	41	41	45	42	37	33	8	2	1	2	13
30	26	35	19	19	32	23	25	22	22	14	2	4		2	14
18	15	13	10	6	11	10	14	14	14	14	4	1	1	2	15
12	8	7	4	3	6	5	8	5	4	3					16
6	7	6	6	3	5	5	6	9	10	11	4	1	1		17
10	11	9	15	5	22	21	25	20	15	7	4	2		1	18
12	10	15	20	9	10	16	18	18	11	4	3	2	1		19
3	2	6	5	6	2	9	8	9	4	8	3	1		1	20
4	4	5	4	2	2	3	5	6	6	3	1				21
5	5	7	10	7	10	11	9	1	12	12	1	1		2	22
10	7	5	6	3	8	6	7	5	5	1	1	1		1	23
2	2	5	1	3	6	4	4	1	1	2	3			1	24
3	3	2	2	5	2	2	1	2	2	2	1				25
1	1	2	2	1	2	2	2	2	2	2	1				26
2	4	11	12	14	17	12	18	2	10	2	2		1	1	27
9	9	23	8	4	16	10	8	7	10	5					28
16	8	2	3	1	2	2	3	4	10	1					29
		3	2		2		2		2	1					30
		2		1											31
				1				1		1					32
				1											33
1	2	8	2	4	3		2	1	3	1					34
5	6	4	3	3	3	1	1	1	1	1				1	35
3	3	3	4	3	1	4	3	4	3	2					36
5	5	3	3	5	5	2	2	5	1	1		1			37
4	3	1	3	1	6	5	6	2	4	4				15	38
	3	2	1	1	1	4	2	2	4					7	39
															40
1,236	1,233	1,121	1,106	1,232	1,050	1,131	1,179	1,182	926	701	357	133	99	316	41
577	568	546	577	648	566	575	619	624	481	333	201	54	31	152	42
659	665	575	529	384	484	556	560	558	445	343	156	79	63	104	43
836	836	776	792	855	806	842	964	936	758	554	275	91	40	173	44
387	381	372	422	442	423	428	497	482	337	290	153	39	11	75	45
449	455	404	370	413	383	414	467	454	371	264	122	52	29	98	46
798	795	735	754	794	748	760	866	867	708	518	272	86	37	131	47
270	278	267	320	337	304	321	366	387	310	243	129	33	9	40	48
390	378	335	303	331	318	347	369	381	308	213	108	39	18	53	49
4	3	6	7	6	6	1	6	6	3	6	8	2			50
5	9	6	4	4	3	7	8	5	7	6	1	3			51
22	27	27	25	45	51	68	78	60	41	23	2	3		7	52
16	15	20	19	26	36	49	49	39	28	10	1			3	53
6	12	7	6	19	15	19	29	21	13	13	1	3		4	54
400	397	345	314	377	244	289	215	246	168	147	82	42	59	143	55
190	187	174	155	206	113	147	122	142	94	68	48	15	20	77	56
210	210	171	159	171	101	142	93	104	74	79	34	27	39	66	57
272	279	268	324	341	306	323	368	392	312	244	130	34	9	41	58
392	382	337	304	333	321	333	379	387	311	219	108	41	18	53	59
5	3	4	3	5	10	9	24	15	14	7	3	3	1	1	60
3	5	2	4	6	4	6	12	8	6	7	1	2	1	1	61
2	6	3	4	3	3	5	4	5	5	3	3				62
1	5	4	4	4	3	6	4	9	2	2		1			63
2		1	2	1	3	4	4	2	3	2	1			1	64
			1	1	1	1	3		1						65
	1				1	1				2					66
		2		1						1					67
		1	1	1	4	2	5	1	1	1	1				68
			1	1			2	3	2						69
					1					1					70
															71
1			1	1		3	1								72
	1			1		7									73
2			2	2	2		1	2							74
1	2		37	41	47	40	57	33	36	26	15		1	30	75
49	31	45	37	41	47	40	57	33	36	26	15		1	30	76
31	36	37	33	34	30	35	43	30	36	25	11		7	40	77



VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1 -	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>TEXAS.</b>													
1	Total	34,160	7,604	3,204	1,525	877	678	13,888	1,794	1,192	1,615	2,011	1,742
2	Males	18,045	4,086	1,729	782	435	364	7,396	887	586	802	991	783
3	Females	16,115	3,518	1,475	743	442	314	6,492	907	606	813	1,020	959
4	White	26,216	5,912	2,509	1,162	679	531	10,793	1,361	867	1,108	1,386	1,284
5	Males	14,041	3,196	1,345	599	340	283	5,763	672	441	558	693	581
6	Females	12,175	2,716	1,164	563	339	248	5,030	689	426	545	693	703
7	Native	23,526	5,839	2,461	1,145	667	523	10,635	1,322	835	1,081	1,243	1,143
8	Both parents native	(M) 9,543 (F) 8,780	2,582 2,103	1,098 943	472 463	269 263	222 199	4,593 3,971	519 546	345 329	441 411	457 493	355 477
9	One or both parents foreign	(M) 1,178 (F) 1,050	358 347	123 111	65 51	39 41	34 33	619 583	77 74	52 48	54 51	72 68	52 59
10	Foreign	2,136	16	17	7	5	4	49	24	24	63	111	113
11	Males	1,292	10	8	2	2	3	25	16	13	30	57	63
12	Females	844	6	9	5	3	1	24	8	11	33	54	50
13	Colored	7,944	1,692	695	363	198	147	3,095	433	325	512	625	458
14	Males	4,004	890	384	183	95	81	1,633	215	145	244	298	202
15	Females	3,940	802	311	180	103	66	1,462	218	180	268	327	256
Birthplaces of mothers (white).													
16	United States	(M) 9,938 (F) 9,110	2,637 2,211	1,145 977	491 485	282 277	233 209	4,788 4,159	545 566	368 339	456 426	478 508	372 494
17	Ireland	(M) 144 (F) 63	3 3	2 2	2 2	2 2	1 1	8 7	3 3	1 1	2 2	4 4	6 9
18	Germany	(M) 571 (F) 460	79 59	22 22	6 12	8 10	6 4	121 107	13 19	13 9	19 15	26 27	20 20
19	England and Wales	(M) 103 (F) 59	8 8	2 2	1 2	1 1	1 1	12 8	2 2	2 1	2 1	5 4	1 2
20	Canada	(M) 20 (F) 12	3 2	2 2	2 2	2 2	3 3	3 3	3 3	3 3	3 3	3 3	3 3
21	Scandinavia	(M) 64 (F) 41	10 11	5 5	1 1	1 2	2 1	19 20	1 3	1 4	1 1	2 2	5 2
22	Scotland	(M) 31 (F) 20	1 1	1 1	2 2	2 2	2 2	11 8	4 1	2 1	2 1	1 1	1 1
23	Italy	(M) 27 (F) 20	7 1	3 3	2 2	2 2	2 2	11 8	4 1	2 1	2 1	1 1	1 1
24	France	(M) 34 (F) 25	2 2	2 2	2 2	2 2	2 2	2 2	1 1	2 1	1 1	1 1	3 2
25	Russia and Poland	(M) 39 (F) 34	4 12	6 2	4 1	1 1	3 3	15 19	1 4	1 2	3 2	2 2	2 2
26	Other foreign countries	(M) 898 (F) 762	155 162	53 53	36 16	19 12	19 17	282 260	45 35	25 31	39 48	61 62	54 46
27	Unknown	(M) 1,549 (F) 1,110	179 164	71 60	45 29	19 24	14 9	323 286	44 34	19 26	25 38	85 53	85 85
<b>UTAH.</b>													
28	Total	3,079	580	183	77	53	41	934	145	92	142	158	171
29	Males	1,821	324	104	39	27	14	508	64	52	88	86	108
30	Females	1,258	256	79	38	26	27	426	81	40	54	72	63
31	White	2,972	571	173	72	52	38	906	132	86	133	153	169
32	Males	1,764	319	101	36	26	13	495	59	50	86	81	108
33	Females	1,208	252	72	36	26	25	411	73	36	47	72	61
34	Native	1,934	570	169	71	52	38	900	127	81	105	112	109
35	Both parents native	(M) 509 (F) 452	134 144	49 42	21 24	13 12	7 16	274 233	27 40	21 14	19 11	11 33	18 12
36	One or both parents foreign	(M) 424 (F) 358	118 99	44 27	14 11	12 14	4 7	192 153	29 29	24 20	43 25	31 26	29 34
37	Foreign	983	4	1	1	1	1	5	4	5	28	38	58
38	Males	645	3	1	1	1	1	3	1	4	19	23	47
39	Females	333	1	1	1	1	1	2	3	1	9	10	11
40	Colored	107	9	10	5	1	3	28	13	6	9	5	2
41	Males	57	5	3	3	1	1	13	5	2	2	5	2
42	Females	50	4	7	2	1	2	15	8	4	7	5	2
Birthplaces of mothers (white).													
43	United States	(M) 637 (F) 556	227 178	63 49	27 26	18 18	9 21	344 292	38 51	26 25	27 16	18 33	25 21
44	Ireland	(M) 50 (F) 19	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	4 3
45	Germany	(M) 42 (F) 17	5 1	4 3	4 4	4 4	4 4	9 4	2 2	2 2	1 1	1 1	2 1
46	England and Wales	(M) 419 (F) 299	83 30	12 9	4 7	3 4	1 1	53 51	7 10	7 5	26 19	25 13	26 16
47	Canada	(M) 9 (F) 15	3 3	1 1	1 1	1 1	1 1	4 4	1 1	1 1	1 1	1 1	1 1
48	Scandinavia	(M) 194 (F) 170	26 22	13 5	4 3	1 3	2 3	46 36	7 8	10 3	9 5	15 12	6 10
49	Scotland	(M) 92 (F) 39	3 3	1 1	1 1	1 1	1 1	5 4	1 1	6 1	12 1	4 3	7 3
50	Italy	(M) 17 (F) 1	3 1	1 1	1 1	1 1	1 1	4 4	4 4	4 4	4 4	4 4	3 3
51	France	(M) 8 (F) 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3	3 3
52	Russia and Poland	(M) 3 (F) 1	3 1	3 1	3 1	3 1	3 1	3 1	3 1	3 1	3 1	3 1	3 1
53	Other foreign countries	(M) 109 (F) 31	5 5	1 2	1 1	1 1	1 1	7 8	1 2	2 1	6 2	5 11	19 13
54	Unknown	(M) 184 (F) 57	17 9	5 2	1 1	1 1	1 1	25 11	2 1	1 1	2 2	3 3	4 4

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,410	1,269	1,207	1,152	1,142	877	978	951	893	694	511	266	102	89	377	1
651	634	623	687	682	515	588	562	534	410	263	134	57	38	222	2
759	635	554	405	460	362	390	339	359	284	248	132	45	51	155	3
1,075	989	991	918	916	727	783	788	735	568	399	212	65	28	228	4
500	502	517	558	560	446	481	472	449	336	210	109	40	9	144	5
575	487	474	360	356	281	302	316	286	232	189	103	25	19	84	6
897	824	805	749	780	554	567	590	559	434	300	153	45	8	102	7
302	270	277	325	314	232	232	254	289	181	117	51	20	1	18	8
387	322	315	239	237	186	186	186	176	130	106	46	6	6	25	9
23	39	29	21	25	26	14	14	20	18	10	5	1		7	
30	15	26	21	14	10	7	11	8	8	5	6	2		4	
139	139	155	145	169	156	187	172	157	122	86	52	19	19	35	10
73	69	92	95	113	107	125	123	108	72	43	25	12	8	28	11
66	70	68	50	56	49	62	49	54	50	43	27	7	11	7	12
335	280	216	234	226	150	195	163	158	126	112	54	37	61	149	13
151	132	106	129	122	69	107	90	85	74	53	25	17	29	78	14
134	148	110	105	104	81	88	73	78	52	59	29	20	32	71	15
307	281	284	334	323	242	243	259	251	188	121	53	21	1	18	16
401	328	324	245	240	191	190	192	173	133	109	47	6	6	28	17
2	6	5	12	13	20	18	13	10	9	4	4			3	18
1	2	8	3	6	3	5	3		1	3				7	19
23	29	32	27	33	31	34	48	38	28	14	5	7	1	1	20
23	27	21	20	19	19	22	21	26	21	19	15	6	3	1	21
1	4	2	4	11	9	14	11	7	6	5	4	1		2	22
5	3	4	3	3	1	3	3	4	2	5	4				23
2	5	2	2	1	1	1	1	2	1	2	1				24
3	5		7	1	5	3	2		1	1					25
1	2		1	3	1	3	6		1						26
1	1		1	1	1	1	3		2						27
2	2	1	4	7	3	2	1	1	1	1					28
1	1	3	2	1	1	1	4	1	5	1					29
40	35	44	41	36	38	29	26	22	19	18	12	5	6	21	30
43	41	36	20	25	19	18	16	17	13	12	6	2	4	8	31
71	92	88	99	91	72	88	71	76	58	39	26	6	9	36	32
64	61	54	42	35	32	44	65	45	41	29	22		2	43	33
131	157	136	103	92	107	115	131	146	119	88	39	17	1	55	34
89	105	94	64	64	74	78	85	83	64	45	16	5		49	35
42	52	42	39	28	33	37	46	63	55	43	23	12	1	6	36
129	153	130	96	86	105	109	121	146	118	88	39	17	1	55	37
83	102	90	61	62	72	73	76	83	63	45	16	5		49	38
41	51	40	35	24	33	36	45	63	55	43	23	12	1	6	39
72	90	52	43	31	30	33	31	35	26	27	10	6		14	40
13	21	3	11	7	18	16	11	12	8	11	3	2		3	41
13	13	8	16	4	1	3	7	13	8	10	3	2		3	42
18	18	13	5	5	1	4	4	3	2					5	43
17	21	11	3	3	2	2	2	1	1					2	44
52	55	74	47	52	71	74	39	109	91	60	29	11	1	30	45
43	42	55	35	37	43	46	55	61	51	32	11	3		29	46
9	13	19	12	15	28	28	34	48	40	28	13	8	1	1	47
2	4	6	7	6	2	6	10		1						48
1	3	4	3	2	2	5	9		1						49
1	1	2	4	4	4	1	1								50
16	26	6	14	8	18	17	11	14	9	11	3	2		4	51
16	15	8	16	5	1	3	8	13	10	10	3	2		3	52
3	4	9	2	6	6	4	2	3	3		1				53
1	1		1	1	3	5	2	5	1		1				54
2	4		1	1	2	2	4	3							
1	1		1	1	2	2	27	36	34	1	7	3		11	
17	26	30	14	17	17	16	21	23	21	13	11	3			
11	13	13	12	11	14	19	21								
		2	1	1	1	1	1	1	1						
3	1	6	6	12	9	8	13	10	1	9	2			1	
9	5	10	4	1	8	6	9	17	12	6	6	3		1	
4	9	9	5	2	6	7	7	5	1	3				4	
7	3	3	1	2	1	2	1	4		6		2		1	
2	4														
3			1			1								1	
1	1					2			1	1					
14	10	7	4	1	2	6	3	6	3		1			13	
1	2	2	1	2	2	1	1	4	1				1		
13	21	20	12	13	10	7	7	6	2	2				12	
2	4	3	2	2	2	3	2	2	4	5	2	2			

VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>VERMONT.</b>													
1	Total	5,829	825	169	73	31	33	1,131	119	94	150	211	225
2	Males	2,936	490	90	35	17	14	646	55	47	85	104	91
3	Females	2,893	335	79	38	14	19	485	64	47	65	107	134
4	White	5,804	821	167	73	31	32	1,124	119	94	149	210	224
5	Males	2,920	487	89	35	17	14	642	55	47	84	104	91
6	Females	2,884	334	78	38	14	18	482	64	47	65	106	133
7	Native	4,885	818	164	71	29	32	1,114	107	83	135	181	196
8	Both parents native	(M)											
9	One or both parents foreign	(M)											
10	Foreign	844	2	2	2	2		8	9	11	14	25	26
11	Males	424		2		1		5	5		5	13	11
12	Females	420		2		1		3	4	6	9	12	15
13	Colored	25	4	2			1	7			1	1	1
14	Males	16	3	1				4			1		
15	Females	9	1	1			1	3				1	1
Birthplaces of mothers (white).													
16	United States	(M)											
17	Ireland	(M)											
18	Germany	(M)											
19	England and Wales	(M)											
20	Canada	(M)											
21	Scandinavia	(M)											
22	Scotland	(M)											
23	Italy	(M)											
24	France	(M)											
25	Russia and Poland	(M)											
26	Other foreign countries	(M)											
27	Unknown	(M)											
<b>VIRGINIA.</b>													
28	Total	25,252	4,921	1,402	677	392	296	7,748	943	639	1,189	1,565	1,147
29	Males	13,112	2,717	746	366	207	148	4,184	472	294	573	811	529
30	Females	12,140	2,204	716	311	185	148	3,564	471	345	616	754	618
31	White	14,070	2,607	769	329	201	157	4,063	481	300	504	690	599
32	Males	7,302	1,433	396	177	98	76	2,180	255	147	235	343	273
33	Females	6,768	1,174	373	152	103	81	1,883	226	153	269	347	326
34	Native	13,472	2,599	767	327	200	157	4,050	478	300	499	678	533
35	Both parents native	(M)	5,384	1,139	314	157	83	1,757	216	133	196	278	192
36	One or both parents foreign	(M)	5,305	948	299	125	96	1,539	193	130	228	274	252
37	Foreign	(M)	102	24	4	1	1	31	8	1	2	4	6
38	Males	63	14	5	2	1		22	1	1	3	5	4
39	Females	439		2				2	1			4	12
40	Colored	11,182	2,314	693	345	191	139	3,685	462	339	685	875	548
41	Males	5,810	1,284	350	189	109	72	2,004	217	147	338	468	256
42	Females	5,372	1,030	343	159	82	67	1,681	245	192	347	407	292
Birthplaces of mothers (white).													
43	United States	(M)	5,440	1,151	315	153	83	1,772	219	134	198	279	194
44	Ireland	(M)	5,340	957	302	126	96	1,552	194	131	229	276	254
45	Germany	(M)	96	3				3	2		1	1	2
46	England and Wales	(M)	34	1				1				1	1
47	Canada	(M)	74	4	1			5	1			2	1
48	Scandinavia	(M)	20	3				4				2	1
49	Scotland	(M)	52	6				7	1			1	2
50	Italy	(M)	20	3				3					
51	France	(M)	8	2				2					
52	Russia and Poland	(M)	3										
53	Other foreign countries	(M)	8										
54	Unknown	(M)	377	39	15	4	2	62	3	1	8	11	13
		(F)	241	26	13	5	2	46	8	3	6	10	16

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
164	197	217	177	225	292	361	382	475	539	450	231	121	34	34	1
73 91	81 116	114 103	86 91	94 131	147 145	174 187	192 190	271 204	273 266	242 208	90 141	43 78	13 21	15 19	2 3
164	196	215	176	225	290	356	381	474	539	450	231	121	34	32	4
73 91	81 115	112 103	85 91	94 131	146 144	170 186	191 190	270 204	273 266	242 208	90 141	43 78	13 21	14 18	5 6
180	159	169	145	158	231	279	303	380	435	361	181	98	22	18	7
															8
															9
33	33	42	30	61	55	72	76	90	95	81	46	21	12	4	10
18 15	14 19	24 18	14 16	28 33	28 27	38 34	36 40	52 38	41 54	50 31	21 25	8 13	5 7	2 2	11 12
	1	2	1		2	5	1	1						2	13
		2	1		1	4	1	1						1	14
	1				1	1								1	15
															16
															17
															18
															19
															20
															21
															22
															23
															24
															25
															26
															27
1,004	943	953	879	1,009	920	1,163	1,165	1,239	951	778	417	173	121	306	28
473 581	444 499	457 496	463 416	544 465	489 431	608 555	635 530	680 559	516 435	420 353	215 202	76 97	47 74	182 124	29 30
527	524	516	509	579	606	747	805	870	701	538	305	97	30	79	31
258 269 507	240 284 499	249 267 488	279 230 489	315 264 537	322 284 550	393 354 691	439 366 721	461 409 739	369 332 641	281 257 500	156 149 293	45 52 93	16 14 23	46 33 58	32 33 34
173 205 2 4 10	149 211 2 3 18	163 206 5 2 21	178 173 6 2 13	211 189 1 2 34	211 195 3 2 41	186 195 4 2 49	243 272 8 3 67	284 260 5 2 65	277 256 4 2 52	218 195 5 5 31	184 124 5 5 12	42 43 6 2 2	13 12 5 2 2	25 22 3 3 3	35 36 37
9 1 477	15 3 419	15 6 437	9 4 370	25 9 430	27 14 314	40 9 416	47 20 360	49 16 369	38 14 260	21 10 240	6 6 112	1 1 76	2 2 91	3 3 227	38 39 40
215 262	204 215	208 229	184 186	229 201	167 147	215 201	196 164	219 150	147 108	139 101	59 53	31 45	31 60	136 91	41 42
174 207 4	150 211 1	163 207 2 2 3	181 173 2 2 1	212 191 7 2 3	188 197 10 3 5	245 273 13 2 7	289 262 12 6 13	321 327 12 4 15	279 257 12 5 6	220 198 9 3 3	137 124 3 1 1	42 43 1 1 1	13 12 2 2 2	25 22 3 3 3	43 44 45 46 47
2 1 1 1 2	5 1 1 3	3 1 1	1 1 1	2 2 4	2 2 1	4 1 1	8 8 3	1 1 1	5 5 1	3 3 3	1 1 1				48 49 50 51 52
	1	1	1		1	1	5			4			1		53
				1	1			1	1	1				3	54
8 10	12 13	11 11	21 10	19 13	44 18	43 10	47 16	34 18	14 10	16 11	3 3	1 1	1 1	5 7	

VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
WASHINGTON.													
1	Total	4,910	629	178	89	81	73	1,050	177	154	214	293	251
2	Males	3,148	379	105	48	39	38	609	113	72	104	166	145
3	Females	1,762	250	73	41	42	35	441	64	82	110	127	106
4	White	4,594	595	160	78	72	64	969	167	132	203	268	228
5	Males	2,955	363	95	41	33	33	565	107	64	100	153	130
6	Females	1,639	232	65	37	39	31	404	60	68	103	115	98
7	Native	3,065	588	155	76	70	62	951	159	113	175	202	147
8	Both parents native	M 975 F 701	180 131	51 34	23 22	17 23	21 14	292 224	45 22	29 23	48 56	71 50	27 45
9	One or both parents foreign	M 500 F 377	145 88	39 24	15 13	13 12	7 15	219 152	50 34	25 28	32 29	19 33	20 21
10	Foreign	1,211	6	2	2	2	2	14	4	13	24	47	63
11	Males	895	5	1	2		1	9	2	5	15	35	46
12	Females	316	1				1	5	2	8	9	12	17
13	Colored	316	34	13	11	9	9	81	10	22	11	25	23
14	Males	193	16	10	7	6	5	44	6	8	4	13	15
15	Females	123	18	8	4	3	4	37	4	14	7	12	8
Birthplaces of mothers (white).													
16	United States	M 1,115 F 834	234 160	64 43	24 28	24 26	21 21	367 278	54 29	36 31	56 68	77 57	30 54
17	Ireland	M 191 F 62	5 2			2		7	1	2	6	6	8
18	Germany	M 226 F 102	20 10	7 2	4 1	2	1	34 16	10 5	4 5	7 4	10 8	9 8
19	England and Wales	M 160 F 90	10 8	3 3	2	2		13 15	4 1	2	4	6	11
20	Canada	M 147 F 77	15 12	4 4	4	2	1	24 23	6 6	3	3	11	5
21	Scandinavia	M 252 F 122	25 16	8 2	2	3	2	40 23	15 7	5	6	7	10
22	Scotland	M 69 F 36	2	1		1	4	3	2	9	5	11	7
23	Italy	M 34 F 9	3 1	2	1			4	2	2		3	2
24	France	M 20 F 10	1 5	1	1			1	1		1	1	5
25	Russia and Poland	M 30 F 14	2 2	1	1		1	8	3	3			
26	Other foreign countries	M 104 F 38	12 9	3	4	1	1	20 13	4 2	1	5	8	8
27	Unknown	M 607 F 245	32 11	4	2	2	1	44 20	10 2	5 9	5	28	38
WEST VIRGINIA.													
28	Total	9,588	1,956	610	311	180	130	3,187	373	267	509	601	430
29	Males	5,046	1,095	319	167	95	59	1,783	183	128	261	279	243
30	Females	4,542	858	291	144	85	71	1,449	190	139	248	322	237
31	White	9,074	1,853	573	298	167	125	3,016	348	246	475	552	447
32	Males	4,756	1,043	299	160	87	58	1,617	171	115	239	253	223
33	Females	4,318	810	274	138	80	67	1,399	177	131	236	299	224
34	Native	8,651	1,852	570	296	166	124	3,008	348	242	471	538	435
35	Both parents native	M 4,060 F 3,798	988 773	283 264	149 151	84 78	56 64	1,560 1,310	165 165	104 118	217 214	218 282	200 197
36	One or both parents foreign	M 186 F 151	21 15	7 6	3 2	3 1		34 25	5 7	6 4	13 7	15 4	10 12
37	Foreign	338		2				2		3	1	11	7
38	Males	201		1				1		1	1	9	4
39	Females	137		1				1		2		2	3
40	Colored	514	103	37	13	13	5	171	25	21	34	49	33
41	Males	290	55	20	7	8	1	91	12	13	22	26	20
42	Females	224	48	17	6	5	4	80	13	8	12	23	13
Birthplaces of mothers (white).													
43	United States	M 4,113 F 3,858	991 782	286 261	149 132	85 79	56 65	1,567 1,322	165 166	107 121	222 216	224 282	203 201
44	Ireland	M 99 F 67	1 1		1			2	1	1	1	9	4
45	Germany	M 146 F 109	4 4	2 1	1	1		8 6	2 1	3 2	7 2	4 3	3 6
46	England and Wales	M 53 F 35	9 2	2	1			12 4	1 2	1		1	2
47	Canada	M 3 F 1								1		1	
48	Scandinavia	M 3 F 3				1		1					
49	Scotland	M 10 F 9		1 1				1 1			1	1	1
50	Italy	M 1 F 1						1					1
51	France	M 2 F 2										1	
52	Russia and Poland	M 4 F 4	2	2				2	1	1	1		1
53	Other foreign countries	M 17 F 10	3					3	1	1	1	2	1
54	Unknown	M 305 F 223	33 22	8 3	8 5	1	2	51 33	1 5	3 6	7 15	10 11	9 10

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
261	349	312	284	270	239	245	228	235	122	101	28	19	6	72	1
166 93	239 110	218 94	215 69	194 76	174 65	185 60	157 71	151 84	75 47	74 27	15 13	15 4	4 2	57 15	2 3
240	332	292	274	257	224	233	220	226	116	93	27	17	5	71	4
152 88 122	227 105 153	204 88 154	207 67 122	188 69 115	161 63 105	176 57 121	150 70 128	145 81 139	71 45 65	68 25 47	14 13 16	13 4 12	4 1 3	56 15 16	5 6 7
33 27 16 16 96	43 28 19 16 143	47 22 22 15 119	47 22 19 6 119	46 22 12 4 126	33 22 13 5 96	55 30 9 7 89	51 25 9 7 80	50 42 6 6 67	29 13 3 1 47	17 12 3 2 40	3 4 3 2 11	4 3 2 2 4	1 1 2 2	4 2 2 1 7	8 9 10
68 28 21	108 35 17	90 29 20	94 25 10	96 30 13	71 25 15	71 18 12	58 22 8	54 13 9	24 28 6	31 9 8	6 5 1	3 1 2	2 1 1	7 1 1	11 12 13
14 7	12 5	14 6	8 2	6 7	13 2	9 3	7 1	6 3	4 2	6 2	1	2	1	1	14 15
34 37 11 4 4 7 13 8 12 4 19 5 2 1 8	48 33 26 7 14 5 16 12 16 2 27 12 2 1 7	54 33 26 6 21 9 6 14 1 26 10 2 1 1	48 23 16 2 19 7 12 6 4 32 7 10 3	49 23 16 4 15 5 12 5 4 22 6 9 3	34 23 10 4 11 5 17 3 3 1 8 5 12 3 2	58 31 15 5 22 3 12 3 1 1 2 3 2	57 20 8 1 15 8 11 7 4 1 2 3 3	53 45 18 2 14 3 7 5 2 9 2 4 3	31 15 4 8 7 3 4 2 1 3 5 2 3	17 12 7 2 6 3 3 1 1 3 5 1	3 5 3 2	4 3 3 1	1 1 1 1	4 4 2 2 1 1 1 1 41 11	16 17 18 19 20 21 22 23 24 25 26 27
368	324	353	302	300	349	309	403	444	392	292	139	47	31	118	28
189 179	165 159	171 182	164 138	154 146	183 166	168 141	230 173	232 212	228 164	159 133	65 74	22 25	15 16	69 49	29 30
347	302	332	288	292	333	296	391	434	352	286	135	46	29	97	31
178 169 334	153 149 285	160 172 320	157 131 265	148 144 271	176 137 302	158 138 267	221 170 345	227 207 393	221 161 320	157 129 260	63 72 115	22 24 33	14 15 24	53 44 70	32 33 34
143 145 11 11 10	123 132 6 4 9	128 146 9 12 8	116 111 10 8 18	117 122 4 4 20	134 122 9 12 26	122 108 7 5 27	169 135 8 5 42	184 165 12 6 38	151 120 9 9 58	120 98 8 7 23	43 50 6 6 18	13 20 3 3 6	8 12 1 1	25 26 3 2 9	35 36 37
7 3 21	7 2 22	6 2 21	12 6 14	14 6 8	16 10 16	14 13 13	25 17 12	21 17 10	36 22 10	11 12 6	6 12 4	2 4 1	2 2	6 3 21	38 39 40
11 10	12 10	11 10	7 7	6 2	7 9	10 3	9 3	5 5	7 3	2 4	2 2	1	1	16 5	41 42
147 148 3 5 7 4 3 1	125 134 5 4 5 2	130 148 4 4 7 5 2 3 1	120 114 4 3 9 6 2 4 1	117 123 5 2 9 5 2 1	138 131 5 6 6 7 6 1	123 109 5 6 10 7 2 2	172 139 7 8 17 9 3 2	187 168 12 6 13 11 4 3	154 126 17 4 19 13 4 5	121 100 4 7 9 3 2 1	43 52 7 7 3 7 2	13 20 2 1 3 1 2	8 12 1 1	25 26 3 2 1 2	43 44 45 46 47 48 49 50 51 52
2 1 16 10	1 16 10	1 16 11	19 5	13 12	19 11	16 12	20 12	10 17	2 9	18 12	8 4	4	3 3	22 15	53 54

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>WISCONSIN.</b>													
1	Total	24,928	5,213	970	485	333	240	7,241	824	546	732	1,060	958
2	Males	13,815	2,950	513	240	178	128	4,009	433	274	341	508	481
3	Females	11,113	2,263	457	245	155	112	3,232	391	272	391	557	477
4	White	24,747	5,187	961	480	330	233	7,196	810	538	719	1,052	954
5	Males	13,724	2,933	508	239	177	126	3,983	426	273	339	499	478
6	Females	11,023	2,249	453	241	153	112	3,208	384	265	380	553	476
7	Native	15,298	5,156	950	471	326	230	7,133	785	508	621	826	713
8	Both parents native	M 3,392 F 2,948	1,258 904	203 178	93 102	66 72	51 44	1,671 1,300	155 137	93 87	96 110	103 135	77 110
9	One or both parents foreign	M 4,137 F 3,665	1,539 1,233	283 268	134 132	105 75	68 62	2,129 1,770	249 221	154 153	185 200	256 290	252 236
10	Foreign	8,974	20	6	2	3	6	37	20	30	88	202	214
11	Males	5,173	8	4	2	2	4	20	11	15	39	101	112
12	Females	3,801	12	2	1	1	2	17	9	15	49	101	102
13	Colored	181	26	9	5	3	2	45	14	8	13	8	4
14	Males	91	12	5	1	1	2	21	7	1	2	4	3
15	Females	90	14	4	4	2	2	24	7	7	11	4	1
Birthplaces of mothers (white).													
16	United States	M 4,395 F 8,818	1,666 1,270	277 242	125 138	97 88	65 64	2,230 1,802	213 189	136 119	142 153	171 191	116 142
17	Ireland	M 910 F 687	11 10	7 1	2	4	1	25 12	3	4	6	19	36
18	Germany	M 4,106 F 3,292	619 488	111 97	56 59	39 32	29 29	854 705	115 86	65 75	95 106	123 173	152 144
19	England and Wales	M 520 F 363	16 18	3 1	3	2	2	24 22	2	3	3	6	17
20	Canada	M 365 F 296	53 50	15 6	8	8	2	84 67	16	9	7	10	19
21	Scandinavia	M 1,157 F 941	148 124	40 45	15 14	9 10	7	219 198	28	30	23	70	59
22	Scotland	M 131 F 106	2 3	1	1	2	2	5	1	1	1	4	50
23	Italy	M 32 F 6	3 2	3	1	1	1	15	1	1	2	3	2
24	France	M 36 F 34	2 1	1				3	1	1	1	3	2
25	Russia and Poland	M 454 F 361	196 128	22 34	11 10	10 9	9	251 135	21	11	9	12	6
26	Other foreign countries	M 622 F 540	108 79	14 18	5 4	8 4	6	136 107	13	3	22	35	26
27	Unknown	M 996 F 579	112 79	15 4	9 7	3 4	3	142 99	12	10	19	37	39
<b>WYOMING.</b>													
28	Total	767	142	37	31	12	10	232	53	37	34	37	53
29	Males	452	76	22	13	9	4	124	27	21	25	19	34
30	Females	315	66	15	18	3	6	108	26	16	9	18	19
31	White	651	122	32	25	7	6	192	38	29	28	33	45
32	Males	395	67	18	12	6	3	106	20	18	23	18	30
33	Females	256	55	14	13	1	3	86	18	11	5	15	15
34	Native	474	122	31	25	7	6	191	37	28	23	23	30
35	Both parents native	M 148 F 99	30 28	8 5	8 9	5 1	3	54 44	12 12	7 3	10 1	4 5	8 6
36	One or both parents foreign	M 96 F 73	31 23	8 8	4 3	1	2	44 36	6 5	11 5	8 3	3 7	4 5
37	Foreign	187	1	1				1	1	1	3	5	11
38	Males	82	1	1				1	1	2	2	10	1
39	Females	55								1	1	3	1
40	Colored	116	20	5	6	5	4	40	15	8	6	4	8
41	Males	57	9	4	1	3	1	18	7	3	2	1	4
42	Females	59	11	1	5	2	3	22	8	5	4	3	4
Birthplaces of mothers (white).													
43	United States	M 164 F 121	36 35	9 10	9 9	5 1	3	62 57	15 13	8 6	11 1	5 5	10 7
44	Ireland	M 26 F 16	3 1					3 1		1	2	2	2
45	Germany	M 27 F 13	2 3	1	2			5 3		3		2	2
46	England and Wales	M 28 F 24	4 4	2				6 5	1	2	2	1	1
47	Canada	M 11 F 8	3 1		1		1	4 2	1	1	1	1	1
48	Scandinavia	M 23 F 17	3 1		1		1	3 3	1	1	3	2	3
49	Scotland	M 14 F 12	3 3		2			3 5	3	1	2	1	1
50	Italy	M 4 F 3	1 1	1				2 2		1			
51	France	M 3 F 2	3 2							1			
52	Russia and Poland	M 1 F 2	1 2							1			
53	Other foreign countries	M 24 F 9	6 3	4		1		11 3	1			1	3
54	Unknown	M 70 F 29	6 4	1 1				7 6	1	2	4	9	8

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

80 to 84	85 to 89	90 to 94	95 and over.	Unknown.											
848	987	986	802	894	999	1,122	1,394	1,677	1,688	1,212	682	211	79	186	1
455	489	534	476	534	604	624	813	990	957	711	350	104	87	96	2
393	448	402	826	860	395	498	581	637	731	501	282	107	42	40	3
845	981	927	795	892	989	1,114	1,386	1,670	1,682	1,200	681	206	78	132	4
453	487	528	471	533	598	618	807	986	953	701	349	102	87	95	5
392	444	399	324	359	391	496	579	684	729	496	282	104	41	37	6
527	519	466	388	305	324	819	372	458	491	300	174	68	21	30	7
64	45	73	58	75	92	96	147	168	162	127	52	26	5	7	8
59	74	66	55	68	89	110	108	112	159	86	51	19	8	5	
184	200	151	99	59	87	27	34	30	41	15	18	6	1	10	9
175	160	137	88	54	34	33	14	31	29	15	15	2	4	4	
286	382	428	434	569	642	774	985	1,184	1,157	869	443	136	56	38	10
152	197	254	276	355	400	450	554	692	672	507	249	66	29	22	11
134	185	174	158	214	242	324	431	492	485	332	194	70	27	16	12
3	6	9	7	2	10	8	8	7	6	12	1	5	1	4	13
2	2	6	5	1	6	6	6	4	4	7	1	2	1	1	14
1	4	3	2	1	4	2	2	3	2	5	3	3	1	3	15
91	65	92	74	89	102	114	158	180	182	136	59	30	5	10	16
81	90	81	63	74	101	116	114	121	182	98	59	22	10	5	17
42	64	45	45	46	61	67	73	94	108	84	52	20	10	6	18
29	37	44	32	37	27	52	70	91	69	56	33	15	7	5	19
139	177	183	175	187	211	231	303	371	349	221	104	33	9	9	20
138	166	136	102	122	141	185	201	253	248	176	92	34	10	9	21
18	22	22	24	25	22	24	42	67	87	66	35	4	1	2	22
13	15	19	17	25	18	22	26	35	47	37	19	4	1	1	23
23	10	19	13	21	18	17	22	24	15	12	8	2	2	3	24
20	19	19	12	4	6	15	13	26	7	7	4	1	1	1	25
59	59	62	55	74	58	59	67	73	63	61	21	4	2	6	26
43	48	46	33	44	34	37	54	46	54	35	28	8	1	3	27
4	4	6	3	5	11	10	16	20	17	18	6	2	1	1	28
2	4	1	7	4	5	5	12	13	9	10	7	2	1	1	29
1					1	1	1	2		1					30
10	10	20	21	11	10	13	9	12	7	9	10	2	1	1	31
18	13	13	7	3	10	4	15	7	9	9	4	2	1	1	32
17	26	26	20	26	35	37	43	39	43	39	23	4	4	2	33
18	27	12	12	20	23	32	46	44	44	31	15	5	7	1	34
51	46	51	38	44	68	43	73	93	78	56	30	3	2	56	35
26	31	21	25	22	24	27	25	48	53	33	21	11	2	12	36
46	61	26	36	30	20	26	24	15	5	8	3	2		19	37
39	38	20	25	19	13	14	10	6	2	5	1	1		14	38
7	28	6	11	11	7	12	14	9	3	3	2	1		5	39
41	58	23	30	25	19	24	20	14	4	7	2			19	40
36	31	18	20	15	12	14	8	5	1	5	1			14	41
5	27	5	10	10	7	10	12	9	3	2	1			5	42
23	34	16	12	14	9	9	11	7	1	3				3	43
11	8	9	6	5	4	4	2	2	1	1					44
1	9	1	2	3	2	3	2	3		1				1	45
6	6	1	1	1	1	1	1	3		1					46
1	3	3	2	2	1	1	2	1			1				47
1	3	3	2	2	1	1	1	1		1					48
1	2	3	2	2	1	3	3	1		1					49
1	1	1	1	1	1	1	1	1		1					50
1	1														51
1															52
2	2	1	1	1	1	1	1	1						1	53
7	4	2	3	4	3	1	3	1		1				12	54
1	5	1	1	1	1	1	2	3						3	



---

TABLE 7.

---

DEATHS IN THE UNITED STATES, EACH STATE, STATE GROUP AND REGISTRATION CITY,  
DURING THE CENSUS YEAR ENDING MAY 31, 1900, FROM EACH REPORTED CAUSE.

---

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	The United States.	ALABAMA.					Arizona.	ARKANSAS.		
		Total.	Group 1, rural.	Mobile.	Group 2.	Group 3.		Total.	Group 1.	Group 2.
1 All causes.....	1,039,094	25,699	507	995	10,241	13,956	1,223	22,518	3,831	18,687
2 Abortion.....	578	21			8	18	2	20	7	13
3 Abscess, lumbar and psoas.....	1,053	19	1		7	11	1	27	4	23
4 Abscess, lumbar and psoas.....	98	1			1			2		2
5 Absorbent system, disease of.....	185	5			4	1		2		2
6 Accidents and injuries (not specified).....	8,126	188	6	1	60	71	22	118	22	96
7 Addison's disease.....	173	1						1		1
8 Adenitis.....	109	1				1		3		3
9 Alcoholism.....	2,811	20		3	9		6	16	7	9
10 Anemia.....	2,235	20			12	8		13	2	11
11 Aneurism.....	754	11			4	7		5		5
12 Angina.....	1,412	57	3		17	37	1	69	9	60
13 Angina pectoris.....	2,785	20	1		7	12		15	2	13
14 Aphthae.....	908	52			15	37		42	9	33
15 Apoplexy.....	26,901	176	7	18	55	96	10	98	5	88
16 Appendicitis.....	5,111	50	4	1	19	26	5	46	4	42
17 Arteries, disease of.....	1,268							1		1
18 Ascites.....	1,305	33	1		28	54	2	51	6	45
19 Asthma.....	3,006	58		1	17	40	3	29	8	21
20 Atrophy.....	320									
21 Bile passages, disease of.....	141							3		3
22 Birth, causes incident to.....	1,546	13	1		7	5		10	1	9
23 Bites.....	95	7			3	4		4		4
24 Bladder, disease of.....	2,463	29	4		11	14	3	20	4	16
25 Bones, disease of.....	625	9			5	4		5	1	4
26 Bowels, disease of.....	3,302	180		2	55	73	1	124	24	100
27 Bowels, obstruction of.....	3,745	42	2	3	18	19	2	27	4	23
28 Brain, disease of.....	11,141	285	4	22	99	160	4	466	58	408
29 Breast, disease of (puerperal).....	6									
30 Bright's disease.....	32,170	371	17	56	103	195	25	201	26	175
31 Bronchitis.....	20,223	275	9	17	131	118	8	263	24	239
32 Burns and scalds.....	6,772	328	7	10	85	226	5	159	27	132
33 Calculus biliary.....	804	13		1	6	6		4		4
34 Calculus urinary.....	431	27			10	17		11	3	8
35 Cancer (not specified).....	7,539	81	1	1	24	55	6	59	4	55
36 of abdomen.....	1,584	8			3	5	1	4		4
37 bladder.....	241	2		1	1					
38 brain.....	41	1				1				
39 breast.....	2,278	36	1	1	11	23		15	3	12
40 eye.....	56									
41 genitals.....	122	2			1	1				
42 head, face, and neck.....	1,733	25	1	2	11	11		16	2	14
43 kidneys.....	144	1			1			2		2
44 larynx.....	76									
45 liver.....	2,533	21	1	7	8	5		3		3
46 lower extremities.....	79	1				1				
47 lungs.....	111							1		1
48 mouth, tongue, and throat.....	984	11			1	10		8	1	7
49 ovaries.....	100									
50 penis.....	37	2			1	1				
51 rectum.....	746	7			3	4				
52 stomach.....	7,423	48	1	7	11	29	5	31	2	29
53 testicle.....	13									
54 upper extremities.....	59	2				2				
55 uterus.....	3,526	92	1	8	28	55		32	5	27
56 Carbuncle.....	268	8			2	6		6		6
57 Catalepsy.....	8									
58 Cerebro-spinal fever.....	4,174	50	3	6	26	15	4	180	20	160
59 Chicken pox.....	97	2			1	1		8	3	5
60 Childbirth.....	4,527	181	4	3	52	122	10	142	29	113
61 Cholera infantum.....	25,376	423	12	11	213	192	24	319	30	289
62 Cholera morbus.....	6,409	137	4	1	66	66	14	132	29	103
63 Chorea.....	179	2			2		1	3		3
64 Circulatory system, disease of.....	165	2				2				
65 Colic.....	1,776	60		2	20	38	2	32	10	22
66 Colitis.....	1,421	56		7	26	23	2	15	3	12
67 Constipation.....	408	18	1		11	6		10	3	7
68 Consumption.....	109,750	2,666	46	159	1,136	1,325	152	1,889	335	1,554
69 Convulsions.....	15,505	221	7	31	32	101	9	99	25	74
70 Croup.....	12,484	579	3	1	206	279	10	561	67	494
71 Cyanosis.....	1,059	9		1	5	3	3	5		5
72 Debility.....	16,962	199	13	44	85	57	7	83	12	71
73 Dentition.....	2,643	205		6	58	141	4	69	21	48
74 Diabetes.....	4,672	30	2	3	8	17	2	21	1	20
75 Diarrhea.....	7,710	286	4	8	143	126	11	167	31	136
76 Digestive system, disease of.....	3,200	110	1	2	57	50	4	76	10	66

CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900.

CALIFORNIA.											COLORADO.					
Total.	Group 1, rural.	Fresno.	Sacramento.	Group 2, rural.	Alameda.	Los Angeles.	Oakland.	San Diego.	San Francisco.	San Jose.	Total.	Group 1, rural.	Denver.	Pueblo.	Group 2, rural.	Leadville.
22,506	5,049	187	724	5,571	224	1,857	1,121	399	7,040	334	7,428	1,956	2,484	648	1,989	351
27	4		1	2	1	1	1	1	15	1	11	5	4	1	1	
18	9			2			2		4	1	11	1	9		1	
5	1			2		2										
271	105	1	2	92	2	27	12	1	23	6	132	20	42	13	57	20
9				3	1	1	2		2							
1	1															
207	51	2	5	27		17	3	1	98	3	61	12	29	2	18	
53	16		1	14		3	4		15		7		3	1	3	
54	8		1	14	1	6	2	1	21		2		2			
27	3	1		12		3			8		10	2	1		6	1
87	12		3	22		9	4		32	5	25	3	9		5	3
3	5			1					1		1				1	
766	145	5	23	159	9	70	40	14	286	10	118	24	64	9	16	5
153	36	1	10	34	3	9	9	2	46	3	70	22	20	1	25	2
75	4		3	14		1	5		48		3		3			
11	6			5							4				1	
75	28	1		21		3	4	2	14	2	31	3	15	4	5	
3		2				1						7				
5	1		1	3	2		1		2							
13	3			1		4			1		6	1	1		4	
1											3	2				
67	18		1	21	1	1	6	2	17		12	3	3	1	5	
10	1		1	2		1			4	1	3	1	1		1	
46	15		2	14		5		1	9		19	4	10	1	4	
92	19	1	5	22	1	3	3	1	34	3	42	6	26	1	9	
304	72	1	9	88	2	12	28	8	85	4	75	16	30	8	20	1
849	180	2	25	183	17	91	83	19	336	13	1	44	1	7	60	11
397	49	2	14	63	2	22	25	8	202	10	297	7	34	3	22	4
83	22	1	4	26	1	11	2	2	13	1	20	6	4	5	5	31
19	7		2	4			1		5		12	2	5		4	1
10	3		1	2			1		3		2	1			1	
199	50	3	6	73	2	23	4	5	23	5	52	14	22	3	12	1
72	10		3	11	2	4	4	2	35	1	6		4	1	1	
13	2		1	3		1	1		5		1		1			
1						1										
56	6	1		13	1	3	9		21	2	9	3	2		3	1
2	1								1							
7	1			1			1	1	3							
60	12			16	1	4	1	7	19		10	4	3		3	
9	1				1		2		5		1		1			
5	1		1			1			2							
38	10	1	2	20	2	7	4	1	39	2	22	1	15	1	5	
2	2															
6				1					5		1		1			
46	12			6		3			25		1			1		
2				1					1							
54	4		2	8	1		2		36	1	4		4			
295	67	2	9	85	6	24	16	1	88	2	56	9	19		25	3
1									1							
3				1					2							
105	18	1	3	13	3	2	13	1	48	3	21	3	15		3	
4	1			1			1		1							
101	19	2	5	25		10	10	2	27	1	27	11	4	1	11	
2	1			1												
43	10	1		20		4	3	2	3		29	14	3	1	11	
201	59	6	8	80		15	3	2	25	3	153	45	51	22	23	7
121	51		1	48		3	3	3	11	1	67	32	5	4	24	2
1						1					1					
2				1		1					2					
7	1			6					1		9	2	1			
15	1		1	4		2		2	4	1	9	2	4		3	
9	4			5							1					
3,480	705	26	108	906	28	380	141	63	1,059	64	874	210	436	91	133	4
172	26	2	10	48	2	16	21	2	44	1	82	13	41	15	12	1
95	31	1		29		17	1	1	14	1	58	16	10	7	22	3
13	1			4	1	2			5		12	3	4	2	3	
223	74	4	10	52	2	18	4		57	2	91	12	50	17	12	
20	2			11		2	1		4		8	4	1	1	2	
143	25		6	43	1	11	12	5	38	2	38	8	15	3	12	
82	16	2		34		5	5		18		25	13	3		8	1
44	8		5	16	1	2		1	10	1	14	2	6		6	





VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	The United States.	ALABAMA.					Arizona.	ARKANSAS.		
		Total.	Group 1, rural.	Mobile.	Group 2.	Group 3.		Total.	Group 1.	Group 2.
149 Obesity	9									
150 Old age	29,222	505	28	32	139	306	9	193	48	145
151 Ovarian tumor	478	6			3	3		1		1
152 Ovaries, disease of	145	1			1					
153 Pancreas, disease of	45									
154 Paralysis	22,562	466	9	16	162	279	12	242	33	209
155 Paralysis general (of insane)	1,303	15		1		14	5	4		4
156 Parasites	17	1				1		1		1
157 Pelvic abscess (female)	362	5			2	3		1	1	
158 Pericarditis	876	11	1		6	4	1	7	1	6
159 Peritonitis	7,501	78	2	5	43	23	2	60	6	54
160 Pharyngeal abscess	61							1		1
161 Pharynx, disease of (not specified)	1									
162 Phlebitis	154						1	2	2	
163 Phlegmasia dolens	46	1				1				
164 Pleurisy	2,806	69		1	21	47	4	45	9	36
165 Pneumonia	105,971	2,459	35	68	1,030	1,326	105	2,683	514	2,174
166 Poisons (not specified)	3,390	74		5	32	37	4	81	13	68
167 Pregnancy, affections connected with	237	3	1			2		5		5
168 Premature birth	14,720	243	2	16	122	103	6	187	22	165
169 Prostate, disease of	710	12	2	1	3	6		6	1	6
170 Puerperal convulsions	825	24	2		14	8		3	2	6
171 Puerperal mania	55	2	1			1				
172 Puerperal septicemia	3,207	100	2	1	39	58		82	9	73
173 Purpura	269	4			2	2		1		1
174 Railroad accidents	6,930	106	5	9	58	34	9	50	7	43
175 Respiratory system, disease of	100	4			2	2		1		1
176 Rheumatism	5,067	125	2	4	48	71	6	115	16	99
177 Rickets	351	4			2	2		2		2
178 Roseola	77	1				1		7	1	6
179 Rupture of bladder	77	2			1	1				
180 Sarcoma	1,058	4			1	3		1		1
181 Scarlet fever	6,333	34			21	13	18	59	4	55
182 Scrofula	1,410	81	1		41	39		49	6	43
183 Septicemia	6,776	155	2	12	53	88	6	132	21	111
184 Skin, disease of	819	21			11	10		38	2	36
185 Smallpox	3,484	224	1	1	79	143	5	195	75	120
186 Spinal cord, disease of	1,577	22		5	10	7		29		29
187 Spine, disease of	1,771	43		1	23	14	1	51	4	47
188 Spleen, disease of	174	5			1	4		6		6
189 Stomach, disease of	5,142	104		1	53	50	5	333	43	295
190 Suffocation	2,448	83		3	27	53		36	7	29
191 Suicide by cutting throat	206	1			1			1		1
192 drowning	241	1			1			2		2
193 hanging	879	3	1		2			5	1	4
194 poison	1,225	9		3	4	2				
195 shooting	1,293	10		3	5	2	4	4		4
196 (not specified)	1,654	6			3	3	4	14	1	13
197 Sunstroke	731	9		1	2	6	1	12	3	9
198 Surgical operations	704	9		1	3	5	4	2	1	1
199 Tabes mesenterica	2,079	80	2		54	22	2	44	9	35
200 Tetanus	1,664	61	6	21	10	24	3	10	2	8
201 Trismus nascentium	595	23	3	17	2	1		1		1
202 Tuberculosis (unclassified)	1,309	16		3	3	5		9	1	8
203 Tubes, disease of	352	3			2	1				
204 Tumor	2,369	56		3	17	36	3	39	4	35
205 Tumor of uterus	657	3			3	5	1	8		8
206 Typhoid fever	35,379	1,713	12	31	662	1,008	41	1,172	127	1,045
207 Typhus fever	110	5		1	2	2		1		1
208 Unknown	40,539	2,173	43	9	725	1,396	171	2,604	511	2,093
209 Uremia	4,135	62		15	23	24	1	17		17
210 Urethra, stricture of	63	3				3		2		2
211 Urinary organs, disease of	342	7		1	3	3		38	22	16
212 Uterine hemorrhage	203	7	1		1	5		3	2	1
213 Uterus, disease of	406	25		1	3	21		7	4	3
214 Venereal disease	1,591	99	3	8	21	67	2	29	7	22
215 Vomiting in pregnancy	76	2	1			1				
216 Whooping cough	9,958	494	7	13	219	255	22	316	54	262
217 Worms	534	42	1		11	30	1	36	15	21
218 Wounds	752	9			6	3	2	8		8
219 Yellow fever	181	3				3		2		2



## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	CONNECTICUT.										
	Total.	Group 1, rural.	Ansonia town.	Bridgeport.	Danbury town.	Greenwich town.	Meriden town.	Middle-town town.	Naugatuck town.	New Haven town.	New London.
1 All causes	15,422	2,487	227	1,226	320	206	409	290	179	1,862	345
2 Abortion	9	1		1						3	
3 Abscess	19			2	1			1		2	
4 Abscess, lumbar and psoas	3	2									
5 Absorbent system, disease of	3	2								1	
6 Accidents and injuries (not specified)	93	15	1	5	1		4	3		14	4
7 Addison's disease	4				1					2	
8 Adenitis											
9 Alcoholism	68	9	1	4	1		3	3		3	1
10 Anemia	35	5			2	1	3		1	5	1
11 Aneurism	12		2	1		1			1	2	
12 Angina	18	5			1			2		3	
13 Angina pectoris	60	12	2	2		1	3			5	1
14 Aphthae	10	4			1						
15 Apoplexy	823	156	9	43	23	11	29	27	11	75	18
16 Appendicitis	66	6		6	1	1			1	9	1
17 Arteries, disease of	27	4		2	1			2	2	8	
18 Ascites	5	1								2	
19 Asthma	38	6	1		2		1			11	1
20 Atrophy	8									1	
21 Bile passages, disease of	2							1			
22 Birth, causes incident to	49	4	1	3			1		1	6	
23 Bites											
24 Bladder, disease of	78	21		7	2	3	3	1	1	4	
25 Bones, disease of	16			2			1			3	
26 Bowels, disease of	9	1					1			3	
27 Bowels, obstruction of	74	14	2	9	3	2			3	10	2
28 Brain, disease of	145	23	2	10	2		5	1	1	14	5
29 Breast, disease of (puerperal)											
30 Bright's disease	767	143	10	74	14	15	12	18	5	106	15
31 Bronchitis	444	64	7	33	9	9	6	9	3	71	8
32 Burns and scalds	80	8	2	7		3	4		2	3	5
33 Calculus biliary	10	2			1		1			2	
34 Calculus urinary	3			1							
35 Cancer (not specified)	111	23	1	6	1	2	3	1	1	16	3
36 of abdomen	47	6		2	4		1		1	10	1
37 of bladder	6	1					2				1
38 brain											
39 breast	57	8	1	5	1	2	2	2		8	
40 eye											
41 genitals	4				1						
42 head, face, and neck	31	6		3	1			1		5	
43 kidneys	2	1									
44 larynx											
45 liver	70	4		3			7	1		6	
46 lower extremities											
47 lungs	2	1									
48 mouth, tongue, and throat	19	2		1	1					4	3
49 ovaries	3	2					1				
50 penis											
51 rectum	14	4		1						4	
52 stomach	95	20		8	5	1	4	2		15	
53 testicle	1										
54 upper extremities	1									1	
55 uterus	92	22		6	6	2	3		1	9	1
56 Carbuncle	1										
57 Catalepsy											
58 Cerebro-spinal fever	67	5	1	5	5		2		1	4	4
59 Chicken pox	2						1				
60 Childbirth	21	3		1	1	1	1			3	
61 Cholera infantum	501	73	10	57	5	7	14	3	10	49	9
62 Cholera morbus	39	13	1	6	2		2	1			
63 Chorea	4	3									
64 Circulatory system, disease of											
65 Colic	6		1								
66 Colitis	22	5		1						3	4
67 Constipation	7	1		2						1	
68 Consumption	1,529	196	22	144	39	17	48	32	15	204	38
69 Convulsions	200	18	4	28	4	2	8			39	2
70 Croup	73	10	1	9	1	6	2		1	4	
71 Cyanosis	24	2		2			1			5	
72 Debility	236	30	3	16	6	5	7	6		37	6
73 Dentition	22			3			2			5	
74 Diabetes	121	18	3	7	4	1	3	4		20	5
75 Diarrhea	176	29	3	5		2	4	6	4	23	3
76 Digestive system, disease of	58	13	1	4		1	1	1	2	7	2



CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

CONNECTICUT—continued.														DELAWARE.			
Norwalk town.	Norwich town.	Stamford town.	Stonington town.	Wallingford town.	Waterbury town.	Group 2, rural.	Bristol town.	Hartford.	Manchester town.	New Britain town.	Torrington town.	Vernon town.	Windham town.	Total.	Rural.	Wilmington.	
299	405	319	144	138	869	2,911	149	1,546	126	488	182	127	178	3,075	1,480	1,595	1
					1	2					1						2
1						5		4		2			1	7	2	5	3
1	1				6	28	2	5		2	1			21	8	13	4
	1																5
2	3			1	4	16		14		1	2			6	1	5	6
1	2			1	1	8		2		1	2			6	4	2	7
						4								2	1	1	8
2	1				2	3		1						6	5	1	9
	3			1	2	17		1	1				2	10	3	7	10
20	22	30	9	1	8	2		1		1	1			2	2	2	11
2		2	1	1	5	12	3	79	7	15	10	8	10	94	42	52	12
1	1						1	13		2	2			10	3	7	13
																	14
	1							2					1	2	1	1	15
	1	2			5	3		2		2	1			8	3	5	16
	1					1		2	1				2				17
								2									18
								2	1								19
								2									20
			1	2	10	10	1	2		4	2	1		4	1	3	21
1	4	3	3		1	15	1	5		2			1	1	1	2	22
																	23
																	24
																	25
																	26
																	27
2	2	1	2	3	1	8	1	9				1	1	7	3	4	28
	5	4	1	3	4	38	3	10		6	1	5		12	12	19	29
														31			30
18	18	19	6	2	37	130	3	30	3	13	9	9	3	100	42	58	31
5	17	3	6	2	46	84	1	33	2	13	4	1	1	48	26	22	32
5	4				4	20	1	8		3	2	1	1	22	11	11	33
			1			2					1						34
5	1	6			2	23		1		4				4	4	25	35
	2				2	9	1	4	1	3				3	3		36
	1									1							37
1	5	2	2		4	10		3			1			4	3	1	38
																	39
1			2		1	2		2									40
																	41
																	42
2	1	5		1	2	20		16		1	1			2	2	1	43
														1			44
														5	2	3	45
														1		1	46
																	47
1																	48
																	49
																	50
2	5	2	3		2	14		8		1		4		9	3	6	51
																	52
																	53
7	3	5	1	2	2	7		11		1	1	1	1	1	1		54
																	55
																	56
																	57
2		3		3	3	12		10		4	2		1	14	7	7	58
																	59
8	1	10	5	1	1	6		2						13	9	4	60
	14		1	5	50	86	11	33	5	18	11	3	5	94	55	39	61
	1				3	6	1		1		1			9	6	3	62
												1					63
																	64
	1	2			1		1	1		1	1			1	1	1	65
																	66
																	67
																	68
25	41	26	20	25	94	257	7	164	24	42	14	12	23	382	188	194	69
6	6	5	3	1	10	22	1	17	3	11	6	3	1	70	20	50	70
	2				4	15		8	3	3	2	2	1	33	16	17	71
			1		2	4		4	4	1	1			10	4	6	72
1	1	6	3	3	11	32		50	3	7	1		2	163	101	62	73
														5	5	4	74
3	8	3			1	4		9	1	1	1	2	1	8	4	4	75
3	2	2		4	10	43		19	1	5		7		5	3	2	76
	2	1	1		2	11	1	4	3	1				3	1	2	









## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	District of Columbia.	FLORIDA.				GEORGIA.					
		Total.	Rural.	Jacksonville.	Key West.	Total.	Group 1, rural.	Savannah.	Group 2, rural.	Atlanta.	Group 3.
1 All causes.....	6,864	6,482	5,171	825	486	26,941	2,207	1,862	5,386	2,387	15,099
2 Abortion.....	7	5	5			19	2	1	2		14
3 Abscess.....	2	9	9			25	4	1	4	2	14
4 Abscess, lumbar and psoas.....	4					1				1	
5 Absorbent system, disease of.....	1					1			1		
6 Accidents and injuries (not specified).....	14	49	41	6	2	126	12	9	16	9	80
7 Addison's disease.....						1					1
8 Adenitis.....	3					4			2		2
9 Alcoholism.....	20	7	5	2		28	3	5	1	6	18
10 Anemia.....	14	11	9	1	1	38		2	2	24	10
11 Aneurism.....	5	4	3	1		17	2	2	2	4	7
12 Angina.....	1	11	10	1		60	6	2	10	8	34
13 Angina pectoris.....	18	11	4	1	6	26		3	4	7	12
14 Aphthae.....	17	15	15	1	1	92	11	3	10	3	60
15 Apoplexy.....	292	86	67	12	7	252	8	33	22	59	130
16 Appendicitis.....	25	10	8	2		56	5	6	7	8	30
17 Arteries, disease of.....	7	4	3		1	9	1	6			
18 Ascites.....	2	14	14			82	7	2	23	2	45
19 Asthma.....	5	15	11	3	1	84	10	18	15	5	36
20 Atrophy.....		1		1							
21 Bile passages, disease of.....	1					1					1
22 Birth, causes incident to.....	13	7	5		2	26	3		7		16
23 Bites.....		4	4			7		1	4		2
24 Bladder, disease of.....	19	9	7	2		45	5	2	15	1	22
25 Bones, disease of.....	5	1	1			11		1	4	2	4
26 Bowels, disease of.....	3	30	27	3		134	9	3	46	7	69
27 Bowels, obstruction of.....	27	18	14	3	1	44	5	2	6	7	24
28 Brain, disease of.....	101	107	83	17	7	341	19	19	59	57	187
29 Breast, disease of (puerperal).....											
30 Bright's disease.....	275	102	75	22	5	382	17	57	54	75	179
31 Bronchitis.....	141	50	29	19	2	274	5	37	32	36	114
32 Burns and scalds.....	35	73	63	5	5	371	39	19	56	10	247
33 Calculus biliary.....	6					9			1	3	5
34 Calculus urinary.....	3	6	4		2	26	1	1	4	1	19
35 Cancer (not specified).....	21	34	24	4	6	130	9	2	24	14	81
36 of abdomen.....	11	4	4			11	9	2	3	1	5
37 bladder.....	7	1			1			2			
38 brain.....	1										
39 breast.....	26	1	1			48	5	2	14	4	23
40 eye.....						2					2
41 genitals.....	1										
42 head, face, and neck.....	9	4	4			25	1	1	13		10
43 kidneys.....	3										
44 larynx.....	1										
45 liver.....	20	1	1			13	2		2		7
46 lower extremities.....	1					1			1		
47 lungs.....	1										
48 mouth, tongue, and throat.....	10	2	2			17	1	4	2	1	9
49 ovaries.....	1										
50 penis.....						1					1
51 rectum.....	7					5		4			1
52 stomach.....	40	19	16	2	1	30	1	4	6	2	17
53 testicle.....											
54 upper extremities.....						2			1		1
55 uterus.....	40	17	11	4	2	88	7	5	11	11	54
56 Carbuncle.....	4	1	1			17	1	1	2	1	12
57 Catalepsy.....											
58 Cerebro-spinal fever.....	24	13	10	2	1	45	3	1	17	1	23
59 Chicken pox.....		1	1			4			1		3
60 Childbirth.....	13	70	68		2	242	37	3	37	10	155
61 Cholera infantum.....	180	123	97	10	16	580	55	14	105	96	310
62 Cholera morbus.....	10	54	43	11		174	15	6	51	10	92
63 Chorea.....	2					2	1		1		
64 Circulatory system, disease of.....	2	1				2	2				
65 Colic.....	1	30	28	1	1	76	6	4	10	3	53
66 Colitis.....	8	11	7	3	1	26	1		5	5	15
67 Constipation.....		2	2			21	2	1	8		10
68 Consumption.....	851	557	381	119	57	2,651	181	213	543	300	1,414
69 Convulsions.....	134	66	46	18	2	264	26	31	38	31	138
70 Croup.....	17	56	52	4		686	29	1	295	31	330
71 Cyanosis.....	1					5	1		1	1	2
72 Debility.....	213	101	41	33	27	292	14	98	14	30	136
73 Dentition.....	25	46	35	11		393	33	5	62	24	269
74 Diabetes.....	15	8	5	2	1	49	3	1	13	8	24
75 Diarrhea.....	85	52	43	3	6	232	12	5	61	28	126
76 Digestive system, disease of.....	29	17	16	1		170	12	17	43	12	86

CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

Idaho.	ILLINOIS.														
	Total.	Group 1, rural.	Chicago.	Group 2, rural.	Belle-ville.	Quincy.	Group 3, rural.	Aurora.	Danville.	Decatur.	Gales-burg.	Jackson-ville.	Ottawa.		Spring-field.
1,242	61,229	1,818	27,533	7,410	269	556	21,223	362	312	355	270	329	150	612	1
2	57		46	5			6								2
3	74	2	35	6		1	27		1			1			3
4	4		1	1			2								4
11	11		6	1			4								5
32	458	14	109	62	1	7	238	1	8	4	3	4	2	5	6
	13	1	4	1			5			1	1				7
	4	1	2	1			1								8
5	245	5	133	13	1	1	33	2		2	2	1	1	1	9
	148	8	59	10	1		61	1	1	1	2	1	2	1	10
3	64	5	41	3			14				1				11
1	86	2	24	19		1	35	2	1					2	12
	190	3	103	16		1	59	3	1			1			13
	30		17	6			7								14
11	1,249	42	572	126	12	18	402	17	6	5	16	10	8	15	15
8	478	12	276	40		3	135	2		3		1		6	16
	131	5	96	3			22	2				1		2	17
3	51	3	3	9		2	28		1						18
6	183	4	50	26	1	4	86	5	1			1		5	19
	4		1				2	1							20
	13		3	1	1		7			1					21
5	88	3	50	8			22	3			1	1			22
	1						1								23
7	185	11	40	12	1		63	1		1	2	2		2	24
1	45	3	21	5			14		1					1	25
5	175	4	32	35		2	99	2	1						26
	287	3	149	37	2	4	72		1		3	4	3	5	27
8	570	6	164	91	4	8	269	6	4	4	1	4	1	8	28
															29
24	1,916	55	1,114	143	9	18	490	13	12	12	14	13	3	20	30
8	1,619	30	1,151	115	1	16	263	8	3	5	7	5	2	13	31
6	315	6	136	38	1	13	108	2	1	3		2	1	4	32
1	110		52	12			44					2			33
	22		12	1		1	6								34
5	414	17	33	65	2	9	206	3	5	3	4	4	4	9	35
	123	3	68	9			42	2		2		1		1	36
	22		14	3			3	1						1	37
	4		2				2								38
	137	4	65	8	1		55	1	1	1	1				39
	5		1	1			2			1					40
	11		10					1							41
2	119	1	53	11	1	1	48	1		1		2			42
	18		8				8	1		1					43
4	179	2	98	16	1	2	52	3		1					44
1	6		1				4				1				45
	8	2	3	1			2								46
2	107	3	64	8	1		27		1	1			1	1	48
	9		8				2		1						49
	4		2				2								50
1	41	1	22	1		1	15		1						51
9	676	26	320	71	3	6	222	4	2	7	6	2	1	6	52
	1		1												53
1	2	1					1								54
3	211	3	146	15		2	39	2	1	1	2				55
	15		4	2			9								56
															57
12	177	1	14	36		1	115	1	1	2		3		3	58
	6			2			3			1					59
14	209	8	50	44	1		100				2		1	3	60
22	1,707	31	881	174	6	14	527	16	8	12	5	4	3	26	61
22	367	22	47	33		5	198	3		5	1	1	1	1	62
1	14		6				7	1							63
1	16		5				9		1						64
2	91	5	36	13			37								65
	57	5	32	4		2	13					1			66
3	6	1		2			2				1				67
86	6,786	417	3,034	700	27	64	2,231	29	36	43	28	38	16	73	68
8	1,162	19	711	109	5	14	263	13	3	3	4	3	4	11	69
15	563	8	88	100	4	9	329	5	2	2	6	3	1	6	70
	28		10	2		1	11		3			1			71
18	378	9	41	77	14	5	178	6	8	9	2	7	2	20	72
1	34	4	4	5			19				2				73
6	291	6	110	29	1	6	127	3	3		1	2		3	74
4	250	10	69	48	1	1	111	1	2	2		3		2	75
2	104	6	9	21	2		58		2	2		2		2	76

## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	District of Columbia.	FLORIDA.				GEORGIA.					
		Total.	Rural.	Jacksonville.	Key West.	Total.	Group 1, rural.	Savannah.	Group 2, rural.	Atlanta.	Group 3.
77 Diphtheria.....	193	27	16	3	8	133	19	10	33	9	62
78 Dislocations.....		2	2			7	1		2	1	3
79 Dropsy.....	12	154	131	17	6	758	37	45	145	37	444
80 Drowning.....	30	60	48	12		84	19	19	6	4	36
81 Dysentery.....	88	112	88	13	11	781	59	22	187	81	482
82 Ear, disease of.....	1	1	1			12	2		2		8
83 Electricity.....	2	1	1			1				1	
84 Elephantiasis.....											
85 Embolism.....	7	1	1			5				2	3
86 Enteritis.....	218	127	91	14	22	366	16	72	32	72	174
87 Epilepsy.....	18	21	17	3	1	109	3	1	20	4	81
88 Erysipelas.....	7	11	11			41	6	5	9	1	20
89 Esophagus, obstruction and stricture of.....											
90 Execution.....	1					14	2	1	1	1	9
91 Explosion.....						16			9	1	6
92 Exposure and neglect.....	1	11	11			45	3	7	3	4	28
93 Extra-uterine pregnancy.....	3	2	2			4				3	1
94 Eye, disease of.....						1				1	
95 Falling bodies.....	1	5	5			24	2			3	19
96 Falls.....	21	22	20	1	1	65	9		11	7	38
97 Female organs of generation, disease of.....	3	9	9			40	5	2	10	1	22
98 Fever.....		55	55			296	49	1	30	4	212
99 Foreign bodies in esophagus.....		2	1	1		9	1	1	3	1	3
100 Fractures.....	29	10	6	4		35	4	6	4	9	12
101 Frozen.....						4					4
102 Gangrene.....	8	7	3	3	1	9	1		1	1	6
103 Gastritis.....	55	45	33	11	1	223	5	7	74	23	119
104 General disease (not specified).....											
105 Goiter.....						3			1	1	1
106 Goiter, exophthalmic.....		1	1			1			1		
107 Gout.....											
108 Gunshot wounds.....	12	84	74	7	3	208	29	16	34	12	117
109 Heart disease.....	557	380	302	56	22	1,350	98	81	245	131	795
110 Hemophilia.....						1					1
111 Hemorrhage.....	17	17	17			56	7	3	6	1	39
112 Hernia.....	10	8	7	1		36	5	4	7	2	18
113 Hip joint, disease of.....	1					2		1	1		
114 Homicide.....	14	36	33	2	1	109	11	3	19	5	71
115 Hydrocephalus.....	39	9	6	2	1	29	3	3	4	3	16
116 Hydrophobia.....						4	2		2		
117 Inanition.....	28	142	54	64	24	178	14	16	12	57	79
118 Infanticide.....	1					3					3
119 Inflammation and abscess of liver.....	18	27	15	9	3	64	4		16	15	29
120 Inflammation of brain.....	4	30	26	3	1	138	8	4	46	11	69
121 Influenza.....	115	265	247	14	4	667	79	37	113	35	403
122 Injuries by machinery.....		1	1			12	1		3	2	6
123 Jaundice.....	12	18	18			90	4	5	18	9	54
124 Joints, disease of.....	4					9	2		2		5
125 Kidneys, disease of.....	24	30	23	5	2	82	7	5	22	6	42
126 Laryngitis.....	5	4	4			9			3	1	5
127 Larynx, disease of.....	3	1	1			1					1
128 Lead poison.....						2	1				1
129 Leprosy.....											
130 Leucocythemia.....	2	1	1			2				2	
131 Lightning.....		4	4			13	3		3		7
132 Liver, disease of.....	38	46	41	3	2	90	8	12	22	7	41
133 Locomotor ataxia.....	5	4	3		1	2	1			1	
134 Lost at sea.....											
135 Lungs, disease of.....	92	41	30	9	2	137	8	14	22	19	74
136 Lymphangitis.....											
137 Malarial fever.....	63	366	315	39	12	1,011	122	110	89	39	651
138 Male organs of generation, disease of.....						1					1
139 Malformation.....	15	7	5	2		33	3	3	6	5	16
140 Malignant pustule.....											
141 Measles.....	38	50	49		1	201	11	3	78	9	100
142 Meningitis.....	88	89	46	16	27	258	8	16	85	27	122
143 Mental disease.....	37	8	6		2	48	1	7	5	4	31
144 Mining accidents.....		1	1			3			1	1	1
145 Mumps.....		1	1			6				2	4
146 Nervous system, disease of.....	9	10	9		1	88	5	4	22	9	48
147 Noma.....						4		1			3
148 Nose, disease of.....	1	1	1			1					1



CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

Idaho.	ILLINOIS.													
	Total.	Group 1, rural.	Chicago.	Group 2, rural.	Belle- ville.	Quincy.	Group 3, rural.	Aurora.	Danville.	Decatur.	Gales- burg.	Jackson- ville.	Ottawa.	Spring- field.
30	1,504	32	1,013	107	3	5	300	5	6	2	5	1	1	24
14	474	21	1	27	115	1	7	288	1	2	1	1	1	10
18	303	8	148	48	1	7	83	1	2		1	1	1	5
18	357	7	75	66	1	3	195	1		2		5		2
18			6	7			5							
8			6			1	1							
44		1	29	1		1	8		1			1	2	
4	1,751	25	1,451	66	9	7	155	4	6		5	1	1	11
4	185	7	55	37		1	76			1		5	1	2
1	172	6	61	22		2	69	2	1	1		5	1	2
	8		5	1		3	2							
			2											1
1	33		10	3	1	1	17							1
3	25	3	7	5		1	9							
	18		14	1			3							
	1		1											
	81		14	1		1	14							1
5	313	3	232	24	2	2	46	1	1	1				1
2	30	1	9	5			14					1		
4	34		4	13			16		1					
	4		1	1			2							
4	97	4	22	10	2	4	44		2	1	1		1	6
2	10	1	3	3			6							
1	95	6	24	9		1	49	3	2				1	
9	478	9	215	52	3	8	170	2	4	1	2	2	2	8
	2		1					1						
	6						6							
	19		4	3		1	11							
	3			3										
14	170	3	32	42		3	77	1	1		1	2		8
64	3,905	144	1,635	438	12	33	1,461	28	11	32	23	27	12	44
	4		3				1							
2	107	2	33	15	2	2	46	3		1		2		1
4	146	3	62	23	1	2	48		1		2	2		2
	9		4	3			2							
1	152	4	104	12	2		29		1					
5	226	5	149	14	2	2	48		1	2		2		1
	14	1	11				2							
8	938	14	716	47	10	6	166	3	2	2	4	2	2	14
	1						1							
6	189	6	69	40	3	5	59	2		1	4			
13	452	13	40	130		3	257	1	2	3	1			2
11	454	15	149	65	1	2	195	6		2	2	6		11
	30		20	4			4						1	1
	158	1	69	27	1		51			1	3	1	1	3
	10	1	6				3							
6	380	7	109	40			167	1	1		1	1		3
1	44		25	4		1	9		1			2		2
	15		7	2		1	5							
	2						2							
	36	3	13	4	1		14			1				
1	34		3	6			23					2		
9	464	7	225	53	1	2	158	5	2	1	1	1	2	6
	54	1	29	7			16						1	
9	421	8	174	41		10	173	3	2	3	3		3	1
	1		1											
4	497	6	37	193	5	1	250	1	3		1			
3	184	2	114	14			50			2	1			1
	2		2											
10	481	4	276	51		1	139		1	2	7			
7	1,318	22	703	131	11	11	388	12	1	8	5	5	3	18
2	366	27	173	27	1	5	116		1	1		11		4
5	46		9		4		19		4					10
	10	2	3		1		4							
6	139	2	37	15	1		76	1	1	2		4		
2	4		1	1		1	2							

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	District of Columbia.	FLORIDA.				GEORGIA.					
		Total.	Rural.	Jacksonville.	Key West.	Total.	Group 1, rural.	Savannah.	Group 2, rural.	Atlanta.	Group 3.
149 Obesity											
150 Old age	154	140	110	19	11	459	38	51	52	24	294
151 Ovarian tumor	7					7			4		3
152 Ovaries, disease of	2	1	1			5	1			1	3
153 Pancreas, disease of											
154 Paralysis	61	116	100	12	4	695	53	54	169	66	348
155 Paralysis general (of insane)	11	2	2			16				2	14
156 Parasites						1			1		
157 Pelvic abscess (female)	7					2			1		1
158 Pericarditis	7	1		1		19	1	1	1	10	6
159 Peritonitis	50	26	13	9	4	116	5	10	16	36	49
160 Pharyngeal abscess	2	1	1								
161 Pharynx, disease of (not specified)											
162 Phlebitis						3	1			2	
163 Phlegmasia dolens											
164 Pleurisy	18	23	22	1		97	8	3	23	7	56
165 Pneumonia	518	407	352	42	13	2,598	188	148	536	189	1,537
166 Poisons (not specified)	19	31	27	3	1	102	10	9	19	12	52
167 Pregnancy, affections connected with	3					5			2		3
168 Premature birth	147	56	49	4	3	383	16	78	69	76	149
169 Prostate, disease of	3	1				6			4		2
170 Puerperal convulsions	2	11	8	2	1	15	2	3	2		8
171 Puerperal mania											
172 Puerperal septicemia	14	17	15	2		87	8	1	14	6	58
173 Purpura	4	1			1	2		1	1		
174 Railroad accidents	25	32	27	5		89	3	11	13	17	45
175 Respiratory system, disease of											
176 Rheumatism	30	28	24	3	1	125	15	5	30	9	66
177 Rickets	2	4	2		2	10			2	2	5
178 Roseola						7			2		5
179 Rupture of bladder	1					1		1			
180 Sarcoma	10					9		1	3	3	2
181 Scarlet fever	25	8	8			44	2	3	17	14	8
182 Scrofula	2	6	5	1		56	2	1	15	3	35
183 Septicemia	16	31	20	6	5	141	13	19	20	8	76
184 Skin, disease of	3	16	15		1	31	3	2	8	1	17
185 Smallpox	5	16	16			46	6	3	5		32
186 Spinal cord, disease of	11	4	4			12	1	1	3	1	6
187 Spine, disease of	3	4	4			33	2	1	15	2	18
188 Spleen, disease of	1	1	1			2			2		
189 Stomach, disease of	25	17	13	4		73	3	1	21	11	37
190 Suffocation	12	13	10	3		112	2	4	16	15	75
191 Suicide by cutting throat	3					2					2
192       drowning	1			1		1					1
193       hanging	4	1			1	4			1		1
194       poison	3	2	1		1	8			2		5
195       shooting	6	1	1			12		2	3	1	6
196       (not specified)	7	6	3	3		21	2	1	3	1	17
197 Sunstroke	9	2	2			18	3	3	2		10
198 Surgical operations	2	1	1			9	2		2		5
199 Tabes mesenterica	12	19	14	3	2	65	3	8	20	5	29
200 Tetanus	3	74	46	10	18	46	7	15	2	6	16
201 Trismus nascentium	9	26	10	1	15	19		12		1	6
202 Tuberculosis (unclassified)	20	2	2			17		2	1	9	5
203 Tubes, disease of	10					2					2
204 Tumor	6	20	18	2		69	6	3	22	4	34
205 Tumor of uterus	3	1	1			13		1	4	3	5
206 Typhoid fever	225	290	264	19	7	1,585	107	21	439	98	920
207 Typhus fever	1	5	4		1	9					3
208 Unknown	26	454	445	5	4	2,209	273	134	363	41	1,378
209 Uremia	19	21	13	8		59		6	5	20	28
210 Urethra, stricture of	1					3			1		1
211 Urinary organs, disease of	4	5	5			3	1	1			7
212 Uterine hemorrhage	1	2	2			10			3		1
213 Uterus, disease of	1	3	3			24			2		22
214 Venereal disease	24	19	13	6		85	4	12	8	8	53
215 Vomiting in pregnancy	1	1	1			2					2
216 Whooping cough	38	90	83	5	2	222	22	10	70	16	104
217 Worms	1	15	14	1		51	7	1	12		31
218 Wounds	4	2	2			17	3	4	2	2	6
219 Yellow fever		80	20		60	2	1				1



## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	INDIANA.										
	Total.	Group 1, rural.	Michigan City.	Group 2, rural.	Evans- ville.	Jefferson- ville.	Group 3, rural.	Colum- bus.	Indian- apolis.	Lafay- ette.	Muncie.
1 All causes	33,586	957	210	5,679	1,045	227	20,696	162	2,817	296	286
2 Abortion	26	1		5			18		1		
3 Abscess	27	2		2			20			1	
4 Abscess, lumbar and psoas	6	1		2			3				
5 Absorbent system, disease of	5						4		1		
6 Accidents and injuries (not specified)	296	16	1	43	9		208		7	7	1
7 Addison's disease	7			1			5		1		
8 Adenitis	2						2				
9 Alcoholism	55	1		7	4		37		2		1
10 Anemia	96	7		15	2	1	58		8	1	2
11 Aneurism	13	2		1			7		3		
12 Angina	67			7			54		4		
13 Angina pectoris	132	9	1	19	5		81	1	10	1	1
14 Aphthae	30			5			17		4	1	
15 Apoplexy	743	15	6	91	22	10	467	5	38	8	8
16 Appendicitis	145	2	1	21	9	2	88		15	2	
17 Arteries, disease of	43	1		3	3		26		6	1	
18 Ascites	33	2		4			22		4		1
19 Asthma	114	7	1	24	13	1	52	1	8	3	1
20 Atrophy	6						6				
21 Bile passages, disease of	7						7				
22 Birth, causes incident to	25			5	1		15		1		2
23 Bites											
24 Bladder, disease of	100	3	2	23	4		54		9	1	
25 Bones, disease of	19	2		1		1	14				
26 Bowels, disease of	109	5		18	3		78		4		1
27 Bowels, obstruction of	164	2	2	37	8	1	88	2	18		2
28 Brain, disease of	432	9		62	10	2	277	3	39	2	6
29 Breast, disease of (puerperal)											
30 Bright's disease	928	33	11	136	36	8	566	2	30	4	9
31 Bronchitis	551	35	3	96	30	5	312	4	44	2	5
32 Burns and scalds	173	4	1	33		1	104	1	14		3
33 Calculus biliary	52			8		2	36		3	1	
34 Calculus urinary	4	1		2			1				
35 Cancer (not specified)	399	24	3	63	18	2	225	1	56	5	
36 of abdomen	42	2	2	4	1		26		3	1	1
37 bladder	5						3		1		
38 brain	1						1				
39 breast	59	2		11	1	1	34		7		
40 eye	2	1					1				
41 genitals	2						2				
42 head, face, and neck	57	3		14			37			2	
43 kidneys	9						6		2		
44 larynx	3		1				2				
45 liver	101	1		14	2	1	66		11	1	1
46 lower extremities	1			1							
47 lungs	3						2				
48 mouth, tongue, and throat	21	1	1	2	1		12				1
49 ovaries	1						1				
50 penis	1						1				
51 rectum	24			1			17		5		
52 stomach	214	12	2	30	4	2	140	2	10	1	
53 testicle											
54 upper extremities	1						1				
55 uterus	90	2	1	15	2		53		11		1
56 Carbuncle	7	1		1			3		2		
57 Catalepsy											
58 Cerebro-spinal fever	192	3		41	8		126	1	6	1	
59 Chicken pox	2			1			1				
60 Childbirth	75	2		18	1		46		3		1
61 Cholera infantum	762	18	10	120	21	8	517	1	34	7	9
62 Cholera morbus	272	11	4	63	8	1	169		9	2	
63 Chorea	7	2		2			3				
64 Circulatory system, disease of	19			1			13			1	
65 Colic	11	1		3			7				
66 Colitis	60		1	10			38	1	7	1	1
67 Constipation	10	1		2			6		1		
68 Consumption	4,232	88	11	795	143	39	2,563	21	342	39	42
69 Convulsions	404	32	20	84	23	3	194		33	3	3
70 Croup	318	6	3	67	6		199	2	18	7	1
71 Cyanosis	60			5	3		31		7		1
72 Debility	477	10	10	70	27	1	260	4	56	6	4
73 Dentition	20	2		6			10		1		
74 Diabetes	197	5	3	29	4	4	128		17		1
75 Diarrhea	214	3	1	46	10	1	127	4	12	3	1
76 Digestive system, disease of	92	1		12			70		4		1

CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

INDIANA—continued.					IOWA.											
Peru.	Richmond.	Terre Haute.	Vincennes.	Indian Territory.	Total.	Group 1, rural.	Burlington.	Davenport.	Keokuk.	Muscatine.	Group 2, rural.	Marshalltown.	Oskaloosa.	Ottumwa.	Group 3, rural.	Sioux City.
136	292	587	196	5,286	19,573	2,573	884	562	279	240	12,698	181	167	317	1,737	485
		1	1	8	7						7					
				7	26	3				2	20					1
				1	1						1					4
1	2	1		5	251	1	6	1	6		3	5	7	14	17	3
				21	7	2	1	3			167					
					2	1					4					
1		1	1	2	25	2	2				19			1	1	
1	1	3	2	56	3	4					42			1	4	
				16	1					1	10			2	2	
		2		17	40	5			1		26				5	3
	2	2		5	60	9		6	1		38		1		4	1
				18	9	1					5				2	
4	10	11	3	12	503	78	15	32	5	1	313	9	5	10	23	7
		5		6	160	19	1	6	3	1	101	2		2	19	6
1	2			9	34	5	1	3		3	19			1	1	1
		3		7	29	4					21				4	1
					66	10					46	2	1		7	
				1	1										1	
		1		2	4	1	1								2	2
				24	2	2					16		2	1	1	
2	1	1		1	1						1					
				3	68	15	3	3	2		87	1			1	1
			1	4	15		1				13					1
1		2		45	91	11	1	1	1		69	1	1		5	1
	2	3		4	103	18	3	7	2	1	59			1	8	4
2			5	105	213	31	6	4		2	146	3	1		13	7
4	15	21	3	29	574	82	17	19	4	4	375	4	5	5	44	15
4	1	7	3	49	262	44	5	24	5	2	143		1	1	28	9
2	1	8	1	35	91	9	1	1	1	1	57	5			13	3
1		1		1	38	5	1	2		1	22	1		2	4	
1	5	4	2	3	9	1					6				1	1
		2		13	212	25	6	5	3	1	138	5	3	5	15	6
				1	41	9	1	4	1		20	1		1	3	1
				6	6	2					4					
1		1	1	1	1			1		1	1			2	3	
				60	60	10	2			1	41					
				3	3	1					2					
	1			2	58	6					42			1	4	
					1											
		4		1	3		3									
				2	55	9	1	1		1	37			1	5	
				6	2		1									
	1	2		17	2	2		1			12				2	
				2	2						2					
		1		1	1						1					
1	2	8		5	273	39	1	5	3	5	193			2	21	1
				6	1										4	
				1	2										1	
1		3	1	4	58	1	1	4	1	1	27	2	1	3	7	1
				1	4						3				1	
				60	98	16	3	2	2	1	54		3	2	9	1
	1	2		54	1						1					
2	2	2	8	183	471	50	1	15	1	2	68	1			13	2
2		2	1	48	254	25	1	4	8	1	301	3	7	7	63	14
					4						192	4	3	1	20	3
		4		11	4						4					
				37	1	1		3			9		1			
		1		10	3			2			21				3	
				24	4				1		14	1		2	1	
				6	4				1		1					
14	37	70	28	345	1,805	209	41	51	23	15	1,205	13	15	34	160	39
3	1	4	1	24	242	50	7	16	1	7	137	3	2	1	13	5
	3	4	2	161	162	29	3			1	95	1	3		20	10
	2		1	14	14	1	1				11	1				7
2	8	15	4	14	168	33	3	3	3	5	107		1	4	6	3
1	1	1	1	23	11	4					5				2	
		3		7	150	22	2	3			107	1		1	10	1
		4		47	79	13	3		4		50			2	6	6
		3		15	66	4		1			52	1		6	2	2

## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	INDIANA.										
	Total.	Group 1, rural.	Michigan City.	Group 2, rural.	Evans- ville.	Jefferson- ville.	Group 3, rural.	Colum- bus.	Indian- apolis.	Lafay- ette.	Muncie.
77 Diphtheria	523	30	10	51	7		342	1	46	9	2
78 Dislocations	2						2				
79 Dropsy	377	14		79	6		254	1	16	2	2
80 Drowning	127	5	1	36	12	1	54	2	10	4	
81 Dysentery	479	6	4	80	13		337	2	25	3	3
82 Ear, disease of	13			3			10				
83 Electricity	6						4	1	1		
84 Elephantiasis	2						1		1		
85 Embolism	10	1			1		7				
86 Enteritis	480	11		65	32	6	244	2	89	3	7
87 Epilepsy	131	3		22	2		91	1	9		
88 Erysipelas	101		1	15	2	1	67	2	11		
89 Esophagus, obstruction and stricture of	6				1		1		3	1	
90 Execution	4		1	1			2				
91 Explosion	37	6		1	1		28				
92 Exposure and neglect	19	1		3	1		13				
93 Extra-uterine pregnancy	5						4		1		
94 Eye, disease of	4	2			1		1				
95 Falling bodies	22			6			15		1		
96 Falls	49	1		8	3		36				
97 Female organs of generation, disease of	28	2		7			15		2		
98 Fever	13	1		4	1		4		2		
99 Foreign bodies in esophagus	8	1		3			3				
100 Fractures	84	4		11	1		51		11	1	3
101 Frozen	6			1	1		3		1		
102 Gangrene	67	3	1	8	1	1	41		6		4
103 Gastritis	313	9	4	54	8	6	194		20	2	4
104 General disease (not specified)	1						1				
105 Goiter	4						3		1		
106 Goiter, exophthalmic	14			2	1		10		1		
107 Gout	1						1				
108 Gunshot wounds	131	3	2	24	1	1	89		7	2	
109 Heart disease	2,150	48	20	347	48	12	1,378	11	159	28	25
110 Hemophilia	1						1				
111 Hemorrhage	87	2		11	1	1	59		11	2	
112 Hernia	55	2		5	1	3	35		2	1	1
113 Hip joint, disease of	11			1			10				
114 Homicide	43			5	6		23		8		1
115 Hydrocephalus	162			35	5	1	97	1	13	3	2
116 Hydrophobia	4					1	2				
117 Inanition	652	19	1	94	29	8	343	1	110	7	9
118 Infanticide	2						2				
119 Inflammation and abscess of liver	133	2	1	15	3		91	1	12	3	1
120 Inflammation of brain	295	9	2	56	4		202	2	13	1	1
121 Influenza	456	15		75	9		288	5	47	5	1
122 Injuries by machinery	7	1					6				
123 Jaundice	31	2		7	2		61		7		
124 Joints, disease of	7			3			4				
125 Kidneys, disease of	141	5	1	28	2		85	2	7	4	2
126 Laryngitis	39			3	1		29		6		
127 Larynx, disease of	9			1			5		3		
128 Lead poison	1			1							
129 Leprosy	1						1				
130 Leucocythemia	15			1			11		2		
131 Lightning	20			4			16				
132 Liver, disease of	245	9	2	44	8		140		23	5	4
133 Locomotor ataxia	35			4	3	2	22		3		
134 Lost at sea											
135 Lungs, disease of	315	17	1	31	6	3	223	3	18	3	1
136 Lymphangitis	3	1		1			1				
137 Malarial fever	340	9	1	78	22	6	198		14	4	1
138 Male organs of generation, disease of	2						2				
139 Malformation	122	4	1	17			89	1	4	1	1
140 Malignant pustule	1								1		
141 Measles	107			12	10	3	72		5	1	2
142 Meningitis	619	11	4	95	22	3	354	9	81	6	9
143 Mental disease	102	1	1	12	12	1	62		10	1	
144 Mining accidents	12				1		11				
145 Mumps	4			1					2		
146 Nervous system, disease of	100	1		10	1		70		9		1
147 Noma	1						1				
148 Nose, disease of	2			1			1				



## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	INDIANA.										
	Total.	Group 1, rural.	Michigan City.	Group 2, rural.	Evans- ville.	Jefferson- ville.	Group 3, rural.	Colum- bus.	Indian- apolis.	Lafay- ette.	Muncie.
149 Obesity	1						1				
150 Old age	1,004	84	4	159	12	6	627	2	100	10	5
151 Ovarian tumor	23			4			15	1	2		
152 Ovaries, disease of	11			2	1		4		8		
158 Pancreas, disease of											
154 Paralysis	1,065	81	6	164	19	8	727	3	71	6	6
155 Paralysis general (of insane)	36	1		2	1		30		2		
156 Parasites	1						1				
157 Pelvic abscess (female)	22						14		7		
158 Pericarditis	41	1		4	1		28		5	2	
159 Peritonitis	312	7	1	44	22	1	159	2	46	2	9
160 Pharyngeal abscess	3						3				
161 Pharynx, disease of (not specified)											
162 Phlebitis	3				1		2				
163 Phlegmasia dolens											
164 Pleurisy	59			7	2		38		5	1	1
165 Pneumonia	2,919	81	9	603	89	26	1,696	28	234	22	18
166 Poisons (not specified)	121	6	1	20	3	1	70		16		2
167 Pregnancy, affections connected with	3						3				
168 Premature birth	705	8	5	109	42	3	370	2	117	4	9
169 Prostate, disease of	27			5	1		20		1		
170 Puerperal convulsions	29			2			20		3		
171 Puerperal mania											
172 Puerperal septicemia	124	5		20	3		84		4		4
173 Purpura	10	1					8		1		
174 Railroad accidents	266	11	2	21	5		151	2	40	4	4
175 Respiratory system, disease of	6	1					4				
176 Rheumatism	221	6	1	43	6	1	145		9	3	1
177 Rickets	12			2			7		3		
178 Roscola	5	1		1			3				
179 Rupture of bladder	2						2				
180 Sarcoma	25	1		4	2	1	13		3		
181 Scarlet fever	164	10	3	14	1		105		24		1
182 Scrofula	44			7	1		34		2		
183 Septicemia	279	11		39	8	1	173		34		3
184 Skin, disease of	18			3		1	14				
185 Smallpox	19	2		8			8		1		
186 Spinal cord, disease of	69	2		10			46		6		1
187 Spine, disease of	68			7	1		56	1	2	1	
188 Spleen, disease of	11	1		1			9				
189 Stomach, disease of	252	4		46	4		185	1	7		1
190 Suffocation	138	7	1	24	1		87	1	9	1	
191 Suicide by cutting throat	13			2			10				
192     drowning	6			2	1		2		1		
193     hanging	17	1	3	1			10				
194     poison	49	5	1	1	1		24		12		3
195     shooting	47	1		4	1	1	30		5		1
196     (not specified)	54	3	1	6	3	1	30		6		
197 Sunstroke	16	1		3			10		2		
198 Surgical operations	25	1		4	1		16		2		
199 Tabes mesenterica	105		1	20	3	3	64		4	1	3
200 Tetanus	56	5	1	7	4		26		6		
201 Trismus nascentium	11			2	1		2	1	3		
202 Tuberculosis (unclassified)	51	1		12	1	1	31		3		1
203 Tubes, disease of	4			1			3				
204 Tumor	70	2		7	1		49		3	2	1
205 Tumor of uterus	24		1	1	1		11		9		
206 Typhoid fever	1,496	21	3	363	45	10	908	1	77	6	10
207 Typhus fever	4			1			2		1		
208 Unknown	621	21		109	3	3	444	2	20	10	1
209 Uremia	161		3	23	8	1	82	3	27	2	
210 Urethra, stricture of	1						1				
211 Urinary organs, disease of	14			2	1		11				
212 Uterine hemorrhage	4		2				2				
213 Uterus, disease of	15			1			12		1		
214 Venereal disease	51	1		9	2		26	1	8		
215 Vomiting in pregnancy	5			2			3				
216 Whooping cough	201	4		38	6	1	133	1	7		2
217 Worms	6			3			3				
218 Wounds	19	2		4			11	1			
219 Yellow fever	3			1			2				



CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

INDIANA—continued.					IOWA.												
Peru.	Richmond.	Terre Haute.	Vincennes.	Indian Territory.	Total.	Group 1, rural.	Burlington.	Davenport.	Keokuk.	Muscataine.	Group 2, rural.	Marshalltown.	Oskaloosa.	Ottumwa.	Group 3, rural.	Sioux City.	
2	23	18	2	30	862	152	30	47	20	30	491	12	8	11	70	11	149
1		1		1	7	1					6	1					150
					6						6						151
					1						1						152
	10	12	2	42	723	102	10	16	11	1	505	9	4	4	45	16	153
					57	2		1	1	1	47	1	1		3	1	154
					1	1											155
1					17		1				3			1	2		156
1	2	2		2	14	2	1	1			7			2	1		158
2	3	11	3	10	171	21	5	10	8	2	93	2	3	2	16	9	159
					2						1			1			160
																	161
				1	4						4						162
				3	3						3						163
				5	51	8			1		33		1	3	4	1	164
8	23	56	26	612	1,826	225	33	37	30	34	1,189	12	14	41	182	29	165
1		1		20	72	8	2	1	1		45	1		1	9	4	166
					5		1				2				1	1	167
2	2	24	8	70	230	21	5	11	1	4	186	12	3	3	25	9	168
				1	24	3				1	17			1	1	1	169
1	1	1	1	2	12	3					6				2	1	170
					1	1											171
	1	1	2	19	55	9		1			38		2		2	3	172
				1	7	1					4				1	1	173
4	5	16	1	7	153	19	9	3	2	1	88	3		2	22	4	174
		1		1	2						2						175
	1	5		20	141	14	4	6	3		92		3	2	15	2	176
					1	1											177
					1	1											178
					1	1					1						179
		1	2	26	18	4	1	2			10				1		180
1	1	2		15	99	14	1	1			69				11	3	181
				14	14	4					9						182
1	2	5	2	39	198	23		2			187	3			28	5	183
				7	11			1	1		8				1		184
					33	17	1				12	1			3		185
		4		2	47	4	1	1			35		1	2	3		186
				16	51	2					43				6		187
				1	4						4						188
1			3	80	147	18	1		3	2	107	4	1		10	1	189
		5	2	5	42	5	2			1	28			1	3	2	190
		1			7	1				1	4						191
					8	1		1			5				1		192
	1	1	1	1	19	3		1		1	12				2		193
					18	4					9		1		4		194
		2	1	2	26	6	1	1		1	13				4		195
		1	2	3	41	3	2	1		1	25			2	7		196
				2	22	2	2	1			14				2		197
				1	27	3			1		17				4	2	198
1	2	2	1	14	41	4		1			26		1	2	6	1	199
	2	5		3	38	3		2			28				3	2	200
	1	1															201
					36	4	1		1		23			1	5	1	202
				2	2			1							1		203
1	2	2		4	82	9		2			57		1		12	1	204
					10	1					7			1	1		205
10	10	22	8	321	549	60	14	23	15	13	338	18	4	13	33	13	206
																	207
1	2	4	2	587	720	85		7	19	2	527	2	2	3	67	6	208
	5	6		4	66	7	9	3	1	1	43			1	1		209
					1	1											210
				2	9			2			7						211
				3	2						1			1			212
	1				6	1					4						213
1	1	1	1	2	10	1				1	5		1	1		1	214
					1			1									215
2	1	5	1	113	103	6	5	1	3	1	59		3	7	18		216
				5	4	1					3						217
				1	16	1			1		9				2	3	218
				1	1						1						219

## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES; STATE

CAUSE OF DEATH.	KANSAS.							KENTUCKY.			
	Total.	Group 1, rural.	Hutchinson.	Lawrence.	Leavenworth.	Wichita.	Group 2.	Total.	Group 1.	Group 2, rural.	Covington.
1 All causes .....	16,261	13,268	189	179	419	390	1,816	27,091	4,080	4,083	869
2 Abortion .....	11	10					1	13	4	2	
3 Abscess .....	20	19				1		27	4	4	
4 Abscess, lumbar and psoas .....	1	1						1		1	
5 Absorbent system, disease of .....	2					1	1	3			
6 Accidents and injuries (notspecified) .....	187	147	3	2	2	4	29	178	23	28	11
7 Addison's disease .....	2	1					1	4			
8 Adenitis .....	1	1						4			
9 Alcoholism .....	17	15			1		1	36	7	2	1
10 Anemia .....	15	10			1	1	3	33	1	9	3
11 Aneurism .....	10	9					1	18	3	5	
12 Angina .....	25	20					5	44	10	9	
13 Angina pectoris .....	34	30		1			3	58	4	9	1
14 Aphthae .....	16	13					3	34	8	7	
15 Apoplexy .....	246	196	4	4	7	12	23	312	11	48	25
16 Appendicitis .....	109	94		2		2	11	92	6	12	2
17 Arteries, disease of .....	5	4					1	18		2	4
18 Ascites .....	35	30					5	34	9	2	
19 Asthma .....	67	54				4	3	116	9	17	4
20 Atrophy .....	1	1						3			1
21 Bile passages, disease of .....								1			
22 Birth, causes incident to .....	15	15						14	2	4	2
23 Bites .....	6	2					4	2	1		
24 Bladder, disease of .....	35	30	1	2	1	1		41	3	7	2
25 Bones, disease of .....	9	8				1		23	6	3	
26 Bowels, disease of .....	59	49	2		1	1	6	153	32	26	2
27 Bowels, obstruction of .....	70	54	1	2	2	3	8	57	4	10	1
28 Brain, disease of .....	118	100		2	2	2	12	278	18	53	7
29 Breast, disease of (puerperal) .....											
30 Bright's disease .....	376	316	5	4	9	10	32	591	19	101	53
31 Bronchitis .....	163	130	1	1	15	4	12	420	57	54	17
32 Burns and scalds .....	73	58		2	4	1	8	212	51	28	7
33 Calculus biliary .....	28	22	2		1		3	20	2	3	
34 Calculus urinary .....	7	5				1		8	3	1	
35 Cancer (not specified) .....	180	145	5	3	2	5	20	185	16	23	7
36 - of abdomen .....	19	16		1	1		1	20	2	4	1
37 - of bladder .....	4	3		1				2	1		
38 - of brain .....	1	1									
39 - of breast .....	33	28					5	47	6	9	
40 - of eye .....	3	3						3		1	
41 - of genitals .....											
42 - of head, face, and neck .....	40	33					7	33	1	9	1
43 - of kidneys .....	1	1						3		1	
44 - of larynx .....								1		1	
45 - of liver .....	34	27		1	1	2	3	45	1	8	1
46 - of lower extremities .....	2	2						3	1	1	
47 - of lungs .....	3	3						4			
48 - of mouth, tongue, and throat .....	7	7						10		3	
49 - of ovaries .....	2	1					1	1			
50 - of penis .....	2	2									
51 - of rectum .....	8	7		1				4	1		
52 - of stomach .....	143	122	1	2	3	2	13	126	11	26	6
53 - of testicle .....											
54 - of upper extremities .....	2	2						1			
55 - of uterus .....	38	31		1		1	5	60	10	3	1
56 Carbuncle .....	4	4						7	1	1	
57 Catalepsy .....								2	1		
58 Cerebro-spinal fever .....	82	64				6	3	121	15	27	
59 Chicken pox .....	4	4						3	1		
60 Childbirth .....	81	67		1		1	11	120	25	10	1
61 Cholera infantum .....	603	468	9		9	21	96	424	40	95	17
62 Cholera morbus .....	220	161	2	2	5	8	42	162	23	36	8
63 Chorea .....	6	5					1	5	1	1	
64 Circulatory system, disease of .....	10	8	2					3			
65 Colic .....	23	16					7	28	4	4	
66 Colitis .....	24	20	1	1			2	24	3	3	1
67 Constipation .....	9	8					1	32	3	3	
68 Consumption .....	1,414	1,160		23	41	45	125	3,916	523	565	100
69 Convulsions .....	149	121	1	1	10	3	13	296	8	42	33
70 Croup .....	234	200	1	3	1	4	25	768	359	74	5
71 Cyanosis .....	6	5	1					6			
72 Debility .....	124	96		1	2	13	12	298	8	33	66
73 Dentition .....	13	8					5	45	5	4	1
74 Diabetes .....	84	73		1	1	1	8	65	4	7	4
75 Diarrhea .....	121	106	1	2	2	1	9	195	45	23	1
76 Digestive system, disease of .....	56	49	1		1	1	4	62	7	7	

CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

KENTUCKY—continued.					LOUISIANA.						MAINE.					
Louisville.	Newport.	Paducah.	Group 3.	Group 4.	Total.	Group 1, rural.	New Orleans.	Group 2.	Group 3, rural.	Shreveport.	Total.	Group 1, rural.	Augusta.	Bath.	Biddeford.	Portland.
4,092	572	541	675	12,179	20,955	5,481	8,287	1,648	4,811	728	12,148	6,864	308	146	375	1,100
			1	6	10	5	2	1	2		5	2				
3		1	2	13	14	3	2		8	1	15	6	1			
1	1			1	88	29	22	8	22	7	96	50	1	1		12
24	1	3	8	80												
1				3							4	2		1		
		1	1	1	4	1	2		1		2					
10	1	1	1	14	46	8	33	2	1	2	15	9	1			3
5		2	1	12	18	1	12	4	1		57	20	2	1	7	5
5	1	1		3	21	1	17		3		6	4				10
3	1	2		19	27	18	1		8		8	1		1		12
24	2	1	1	16	21	6	12		2		80	52	2		3	13
				19	27	15	3	2	6	1	2	2			8	14
88	16	5	2	117	300	55	194	15	26	10	602	343	12	10	12	15
21		2	3	46	36	6	20	1	9		45	19	1	1	1	5
5	4			3	36	1	34	1			10	6				17
3		1		19	48	20	9	4	14	1	9	5	1			18
36		5		45	56	17	24	6	9		20	9				19
2					2		2				2	2				20
1				5	2		2									21
1				1	16	6	2	4	2	2	17	10				22
12	2	2		18	2	1	7	3	7	2	55	31				23
					23	4										24
	1			18	8	2	5		1		9	5				25
5	1			77	75	43	7	5	19	1	17	8	2			26
20	4	1	10	17	55	15	33		7		52	30		1	1	27
61	9	6	9	115	285	56	132	20	65	12	172	87	4	1	2	28
184	15	15	6	248	637	65	478	14	58	22	486	293	8	8	12	29
112	14	6	8	152	335	64	217	5	40	9	228	143	3	2	11	30
23	1	2	8	92	163	44	38	17	62	2	41	17	1		6	31
							1				7	3		1		32
9				6	12	2	3	4	3		5	3				33
			1	3	78	31	27	3	10	7	67	38	2			34
51	6	2	2	78	12	3	6	1	1	1	58	32	1	1	4	35
3	1			10	1						2	2				36
																37
																38
4	2			26	33	10	19		4		56	31	1	1	1	38
				2	1	1					2	1				39
					1						5	3				40
3	1		1	17	23	5	14	2	2		34	26				41
											1	1				42
2					1		1				1	1				43
					1		1				1	1				44
18	4			13	14	1	13				69	42	1	1	3	45
				1	1		1				1	1				46
	2			2	1		1				3	1				47
4				3	20	5	11		4		23	15	1			48
				1	1		1				3					49
1				2	1		1				1					50
17	4	2		60	64	8	36	2	15	3	14	10				51
											158	82	2	1	3	52
				1	1		1									53
		1		28	52	14	27	2	8	1	1	1				54
17				4	16	8	7		1		88	49	1	3		55
	1				1						2	1				56
																57
12	5		9	53	77	12	44	3	12	6	44	21	2			58
2					6	4			2		1	1				59
9			4	71	175	70	9	28	67	1	34	15				60
34	14	15	9	200	363	92	200	4	59	8	440	198	14	3	35	61
12	5	5	6	62	151	69	27	10	36	9	51	25			1	62
				3							1					63
2				1	4	2	2									64
2			2	16	59	14		14	28	3	8	2				65
7		1	1	8	12	1	8		3		14	7		3		66
			4	22	3		2		1		10	2				67
478	52	53	68	2,072	2,016	430	1,027	143	333	83	1,145	618	23	11	33	116
108	13	7	2	83	193	35	82	21	35	20	115	65	2	2	6	5
18	6	7	13	236	201	72	10	8	109	2	65	46		1	3	5
2				3	14	1	12		1		18	5				1
105	17	14	3	52	377	59	279	7	18	14	205	92	4		25	28
5		1	1	23	130	59	37	3	17	9	2	1				73
15		2	2	28	27	4	13		8	2	99	62			1	9
30	1	6	2	87	314	96	137	23	34	24	75	37	3	1	7	74
4	2		3	39	24	8	7	2	5	2	27	10			4	75





## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	KANSAS.							KENTUCKY.			
	Total.	Group 1, rural.	Hutchinson.	Lawrence.	Leavenworth.	Wichita.	Group 2.	Total.	Group 1.	Group 2, rural.	Covington.
149 Obesity.....	1		1								
150 Old age.....	497	391	12	9	25	17	43	699	37	96	19
151 Ovarian tumor.....	7	7						9			
152 Ovaries, disease of.....	4	1	3					1			
153 Pancreas, disease of.....	1	1									
154 Paralysis.....	478	399	8	1	13	5	57	588	62	97	15
155 Paralysis general (of insane).....	80	29					1	23		15	
156 Parasites.....											
157 Pelvic abscess (female).....	2	2						5			
158 Pericarditis.....	7	7						10		2	1
159 Peritonitis.....	106	78	3	1	7	7	10	151	5	20	11
160 Pharyngeal abscess.....								1	1		
161 Pharynx, disease of (not specified).....											
162 Phlebitis.....	1	1						2			
163 Phlegmasia dolens.....	3	2					1	2	1		
164 Pleurisy.....	23	23		1			3	54	14	4	3
165 Pneumonia.....	1,436	1,164	13	19	73	27	140	2,427	209	416	57
166 Poisons (not specified).....	63	45	2		2	5	9	72	9	13	3
167 Pregnancy, affections connected with.....								1	1		
168 Premature birth.....	139	114			3	7	15	284	36	51	27
169 Prostate, disease of.....	8	7					1	9		2	4
170 Puerperal convulsions.....	11	10					1	11	2	1	
171 Puerperal mania.....	1						1	1			
172 Puerperal septicemia.....	59	46				2	11	64	15	5	
173 Purpura.....	6	4		1		1		8			
174 Railroad accidents.....	119	102	2	1	7	5	2	113	14	12	4
175 Respiratory system, disease of.....	2	2						6	4	1	
176 Rheumatism.....	96	80	1	1	2	1	11	160	30	24	2
177 Rickets.....	1	1						8		1	
178 Roseola.....	1					1					
179 Rupture of bladder.....								1			
180 Sarcoma.....	11	7			1	2	1	19		2	
181 Scarlet fever.....	68	58				1	9	47	9	7	1
182 Scrofula.....	16	13				1	2	101	20	13	1
183 Septicemia.....	166	136	1	2	4	5	18	170	20	31	6
184 Skin, disease of.....	11	8		1			2	22	7	7	
185 Smallpox.....	73	68		1		2	2	52	2	18	2
186 Spinal cord, disease of.....	27	24				1	2	20	6	2	
187 Spine, disease of.....	31	23	1				7	155	63	7	
188 Spleen, disease of.....	5	4					1	5	1	2	
189 Stomach, disease of.....	164	139	1	1	1	2	10	178	27	23	1
190 Suffocation.....	36	30			1	1	4	61	7	11	5
191 Suicide by cutting throat.....								2			
192     drowning.....	6	5			1			5			
193     hanging.....	17	15				1	1	14		2	
194     poison.....	11	8				3		22	2	4	2
195     shooting.....	21	15		1		1	4	25	1	3	2
196     (not specified).....	68	58	2		1		7	43	5	8	2
197 Sunstroke.....	11	10			1			13	1	2	
198 Surgical operations.....	17	14	1				2	19	1	2	2
199 Tabes mesenterica.....	34	30			1	3		99	9	21	
200 Tetanus.....	23	19	1			2	1	33	1	4	
201 Trismus nascentium.....	3	3						11	1		
202 Tuberculosis (unclassified).....	13	11					2	18	1	3	
203 Tubes, disease of.....	1										
204 Tumor.....	59	47			1		11	61	8	8	4
205 Tumor of uterus.....	5	4			1			9			
206 Typhoid fever.....	688	578	11	3	8	17	71	1,669	229	260	17
207 Typhus fever.....	2	2						8			
208 Unknown.....	897	740	11	2	5	6	133	1,733	464	193	19
209 Uremia.....	49	33		1		7	8	85		12	14
210 Urethra, stricture of.....								2	1		
211 Urinary organs, disease of.....	5	4					1	7	1	2	
212 Uterine hemorrhage.....	2	1					1	3	1	1	
213 Uterus, disease of.....	2	2						10	4	1	
214 Venereal disease.....	9	8			1			32	2	4	
215 Vomiting in pregnancy.....											
216 Whooping cough.....	243	194	4	8	12	2	23	279	44	79	2
217 Worms.....	4	3					1	13	5		
218 Wounds.....	2	2						16	5		
219 Yellow fever.....								3			

CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

KENTUCKY—continued.					LOUISIANA.						MAINE.						
Louisville.	Newport.	Paducah.	Group 3.	Group 4.	Total.	Group 1, rural.	New Orleans.	Group 2.	Group 3, rural.	Shreveport.	Total.	Group 1, rural.	Augusta.	Bath.	Biddeford.	Portland.	
209	30	3	5	300	522	91	301	58	57	15	653	367	6	3	2	41	149
2		1		6	10	2	4		4		9	5				1	150
				1							2	1			1		151
					1		1				1						152
90	19	7	10	288	1	47	92	12	33	5	1	174	4	5	8	28	153
5				3	189	1	13	6	1		23	8	8				154
					21												155
3				2	3		2		1		3	1			1	1	156
5	1			1	19	2	16			1	15	10					157
44	3	4	3	61	89	10	54	5	9	11	107	53	3		1	15	158
											1						159
																	160
																	161
2				1	4		4										162
				2	2		2										163
11	1			21	65	30	20	7	8		27	19				6	164
388	57	57	136	1,107	1,945	494	693	187	508	63	1,139	603	23	11	54	106	165
12	1	7	1	26	56	18	19	2	14	3	24	8	1			3	166
					2	1	1				2	1	1				167
46	11	11	4	98	184	22	95	7	53	7	198	92	4	4	14	22	168
				3	11	1	8	1		1	14	7				1	169
				8	21	4	11		5	1	6	3					170
				1	2		1				1	1					171
4	1		1	33	74	14	36		18	6	35	14			2	3	172
				3	2		2				3	1		1		1	173
37	1	6	3	36	69	9	52	1	4	3	38	16		4	1	9	174
				1	5	1	1	1	3								175
11	3	1	4	85	89	40	14	8	24	3	34	24				2	176
4				3	7		7				2						177
				1	2				2		1	1					178
																	179
12	2	1		2	14	1	10			3	11	4		1	1	2	180
3			1	26	97	45	4		43	5	54	19	4		2		181
		1		66	23	5	8	2	8		17	14					182
33	5	3	9	63	95	15	36	11	28	5	85	45	2			14	183
2				6	15	5	7	2	2	1	5	3		1		1	184
		2	7	21	708	216	387	41	29	35	5					2	185
3	1			8	29	3	20		4	2	25	12			1	4	186
4	1			80	10	4	2		4		14	7	2		1		187
				2	2				2		2	1					188
10	4	2	13	98	59	14	12	8	22	3	39	13				5	189
13	2	1		22	54	11	9	7	25	2	23	13	1			2	190
1				1	4		3		1		8	3					191
3				2	6	1	4	1			8	5					192
4				8	3		1	2			18	10		1	1	1	193
7				7	14	1	13				16	7			1	1	194
5		1	1	12	25	4	17		4		17	11	1	1		2	195
2	4	1	2	19	11	4	4			1	8	3		1			196
6				4	39	9	21	3	4	2	4	4					197
10				4	12	4	5	1	1	1	8	4				2	198
6			3	60	26	10	15		1		29	13	1	1	1	1	199
12	1		2	13	185	54	96	16	19		9	9					200
5	1			4	106	4	101	1			42	24	1				201
7				7	27		26		1							4	202
					9		6			1							203
13				28	27	15	6	1	5		22	15	1			2	204
3		1		5	13	2	10	1			8	5	1			1	205
150	15	31	53	914	1,077	417	191	44	395	30	200	86	5		13	21	206
				8	4				4		2		2				207
124	29	16	43	340	1,281	478	38	165	589	11	220	100	7		3	8	208
34	3	4	2	16	38	7	24	2	1	4	96	42	4	4		22	209
				1	12		12										210
				4	9	4	1	3	1		2						211
				1	5	2	2		1		1						212
1				4	17	3	3	3	3		3	2					213
19				7	36	2	16	4	9	5	3	2					214
				2	2		2				4	1				1	215
44	3	10	16	31	180	62	8	26	33	1	97	46	5		8	11	216
				8	43	18	3	12	10		1						217
2				9	20	4	12		2	2	4	3					218
2				1	36	11	25				2	1				1	219

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	MAINE—continued.			MARYLAND.						MASSACHUSETTS.		
	Rock-land.	Group 2, rural.	Bangor.	Total.	Group 1, rural.	Annapolis.	Balti-more.	Group 2, rural.	Fred-erick.	Total.	Group 1, rural.	Ames-bury town.
1 All causes	146	3,355	354	20,422	7,354	170	10,679	2,034	185	49,756	6,813	144
2 Abortion	1	2		15	4		11			13	1	
3 Abscess		7	1	23	6		14	3		48	5	
4 Abscess, lumbar and psoas				2			2			7	1	
5 Absorbent system, disease of				5			4	1		6	2	
6 Accidents and injuries (not specified)	3	25	4	124	69	2	27	25	1	248	34	1
7 Addison's disease	1			1			1			13	2	
8 Adenitis		1		2			1	1		6	1	
9 Alcoholism			2	51	12	2	31	6		191	17	
10 Anemia		19	3	36	8		24	4		195	33	
11 Aneurism		2		24	3		20	1		33	5	
12 Angina		5		13	6		6	1		35	4	
13 Angina pectoris	2	18	2	54	17		30	6	1	181	42	
14 Aphthae				15	11		4			12	1	1
15 Apoplexy	8	133	14	548	156	4	345	36	7	2,190	332	11
16 Appendicitis	1	16	2	95	20	2	67	6		229	24	
17 Arteries, disease of		2	1	49	1		47		1	155	21	
18 Ascites		2	1	24	15		5			21	4	
19 Asthma		10	1	61	20		32	9		59	11	
20 Atrophy				8	1		4	3		71	4	
21 Bile passages, disease of				1			1			12		
22 Birth, causes incident to		2		44	6		35	3		140	6	
23 Bites												
24 Bladder, disease of		14	4	30	7	1	16	6		180	36	1
25 Bones, disease of	1	3		11	3		7		1	41	4	1
26 Bowels, disease of		6		21	14		6	1		58	12	
27 Bowels, obstruction of		14		55	9		40	5	1	213	31	
28 Brain, disease of	3	54	4	146	71	1	57	16	1	450	67	
29 Breast, disease of (puerperal)												
30 Bright's disease	4	100	7	1,008	308	3	626	55	16	1,755	253	9
31 Bronchitis	1	51	1	403	68	4	301	28	2	1,424	150	4
32 Burns and scalds	1	15	1	139	42	1	81	14	1	218	20	
33 Calculus biliary		3		10	2		8			41	2	
34 Calculus urinary		1	1	7	2		5			8		
35 Cancer (not specified)		19	1	100	45	2	38	12	3	590	134	3
36 of abdomen		18	2	25	7		14	3	1	148	23	
37 of bladder				2			2			16	5	
38 brain				1	1					1		
39 breast	1	16		49	14		31	4		113	16	
40 eye				1	1					3		
41 genitals		2		4	2		2			16	2	
42 head, face, and neck		8		40	15		19	6		68	13	
43 kidneys				2	1			1		5	1	
44 larynx		1		1						3	1	
45 liver		10	4	37	8		28	1		209	36	3
46 lower extremities		1		2	1		1			4		
47 lungs		1	1	1	1					9	2	
48 mouth, tongue, and throat		4	2	19	6		13			71	8	
49 ovaries		2		6			6			10	2	
50 penis										4	1	
51 rectum		2	1	12	2		10			54	9	
52 stomach	2	50	9	164	41	2	102	19		347	52	
53 testicle				1			1			2		
54 upper extremities												
55 uterus	1	17	4	82	15		62	4	1	191	27	
56 Carbuncle				3			3			11	2	
57 Catalcpsy										1		
58 Cerebro-spinal fever	1	16	4	74	24		46	4		211	23	2
59 Chicken pox										1	1	
60 Childbirth		17	1	83	51		18	13	1	78	7	
61 Cholera infantum	3	172	6	695	250	5	370	65	5	1,964	133	7
62 Cholera morbus	1	24		48	19		20	9		113	11	
63 Chorea			1	3	2		1			8	1	
64 Circulatory system, disease of				7	2		3	2		3		
65 Colic		6		24	14		6	4		8	1	
66 Colitis		4		17	3		8	1		71	10	
67 Constipation	1	7		3	1		1	1		5	2	
68 Consumption	10	300	34	2,318	975	23	1,121	189	10	5,224	713	16
69 Convulsions	3	26	6	105	47	6	281	78	8	697	81	1
70 Croup		10		162	81		59	17	5	204	21	
71 Cyanosis	1	10	1	17	4	2	9	1	1	48	3	
72 Debility	1	47	8	609	159	10	331	50	9	1,464	189	7
73 Dentition	1			38	19		19			39	5	
74 Diabetes		23	4	74	26		40	6	2	313	64	
75 Diarrhea		19	4	133	61	1	87	9		316	29	
76 Digestive system, disease of		12	1	63	21		30	11	1	136	13	



CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—continued.																
Arlington town.	Attleboro town.	Beverly.	Boston.	Brockton.	Brookline town.	Cambridge.	Chelsea.	Danvers town.	Everett.	Fall River.	Framingham town.	Gloucester.	Haverhill.	Hyde Park town.	Lawrence.	
183	160	205	11,277	529	260	1,699	636	152	386	2,345	190	383	561	215	1,262	1
		1	4	1									1			2
			19					1				1	1			3
			1													4
			67	3	1	10	3			1	5	2	2	3	4	5
			3													6
			3							1						7
			30	3		1	1	1	1	7	1	1	5		3	8
2	1	3	40			4	2	1	1	2	2	3	3		6	9
			12			1	1			1	1	1		1	1	10
			2	2						3						11
1			33	1	2	3		2	5	3		1	5	1	2	12
			3													13
			485	26	16	73	23	6	11	51	6	16	17	9	25	14
9	9	5	60	3	1	11	3		2	2	3	1	2		4	15
1		1														16
			51	2	2	2	2	3		1		1	3		5	17
			1	1	1	1	1			3						18
1	1		7	1	1	1	2			6		1	1		4	19
			39	1	1	4	5			2	1	1				20
			6	1												21
			68	2		6				2					5	22
			1	3	1	6			1	7		2	3	1	4	23
			19													24
			22	1	2	1						1			1	25
			12	2		2				1					1	26
1	2	2	53	2		12	2		4	6	1	1	1	5	27	
4		4	69	2	4	13	5	3	3	15	1	8	10	1	4	28
																29
6	7	13	348	22	12	46	21	4	14	54	5	10	19	10	35	30
5	2	6	312	7	3	61	18	4	7	122	7	7	8	5	45	31
1			45	1	1	7	5	2	2	13	1	1	3		7	32
			15		1	1	1			1		1	3			33
			2	8	4	17	8	4	6	16		6	2	6	1	34
2	4	3	68	1	1	6	2	2	2	3	1	1	1		4	35
1		1	41			1				1						36
			6													37
																38
			35	4	1	4	1			1	2	1	3	1		39
			1													40
			10													41
			18							1			2		1	42
								1								43
			1	1	2	6	4	1		1		1	5	1	5	44
	1	5	41							8						45
			2						1							46
			3													47
1			20			5			1	1			4	1	3	48
			3					1								49
			15		1	2							1			50
1		1	76	3		6	10		5	13	1	4	2	1	8	51
																52
			1													53
1		1	47	1		11	5	1		6		3	4	2	2	54
			2												2	55
															2	56
																57
1	1	1	72	3		5	5		3	2		1	3		2	58
																59
			20	1	1	2		2		1	1		4	1	1	60
3	14	9	282	14	6	69	17	1	12	231	3	16	19	8	118	61
			22	1		4		1		5					5	62
			2													63
			1						1							64
			1			1				1						65
1		1	21			1						2	2		1	66
			3													67
																68
13	14	18	1,374	63	25	193	76	14	42	206	19	44	53	22	125	68
4	1	2	85	10	3	20	12		9	72	2	6	10	4	28	69
	1		33	1	1	8	4		4	6		2	2	1	7	70
			7	1		2	1		1	2		3	1			71
																72
4	7	8	260	7	2	46	33	2	18	153	7	10	11	9	47	73
			13			1	1			3					5	74
1	1	4	67	4	3	8	5	3	1	14		3	4	3	2	75
			82	1	2	9	5	1	3	22		5	3	2	7	76
	1	2	41		1	6	1		2	4	1	3	3		3	76





VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	MAINE—continued.			MARYLAND.						MASSACHUSETTS.		
	Rock-land.	Group 2, rural.	Bangor.	Total.	Group 1, rural.	Annapolis.	Balti-more.	Group 2, rural.	Fred-erick.	Total.	Group 1, rural.	Ames-bury town.
149 Obesity				1	1					1		
150 Old age	13	202	19	744	232	7	416	78	11	1,703	368	2
151 Ovarian tumor		3		10	3		4	3		21	1	
152 Ovaries, disease of				1			1			5	1	
153 Pancreas, disease of		1		1			1			6	1	
154 Paralysis	8	118	13	624	280	7	213	111	13	842	202	5
155 Paralysis general (of insane)		7		25	20		2	3		47	14	
156 Parasites										1		
157 Pelvic abscess (female)				3			3			17	1	
158 Pericarditis		5		10	1		8	1		56	6	1
159 Peritonitis		31	4	153	40	2	94	15	2	470	50	1
160 Pharyngeal abscess		1		1			1			1		
161 Pharynx, disease of (not specified)												
162 Phlebitis				1			1			11		
163 Phlegmasia dolens				1	1							
164 Pleurisy	1		1	55	16		36	3		128	18	
165 Pneumonia	14	294	34	2,167	730	10	1,221	198	8	5,268	626	8
166 Poisons (not specified)	1	11		46	15		26	5		118	7	
167 Pregnancy, affections connected with				2	1		1	1		21	3	
168 Premature birth	3	53	6	297	53	5	216	17	6	1,164	72	7
169 Prostate, disease of		6		7	4		2		1	74	11	
170 Puerperal convulsions		2	1	25	8		16	1		44	3	
171 Puerperal mania		1		1			1			1		
172 Puerperal septicemia		16		25	7		12	6		92	6	
173 Purpura				7	3		4			16	2	
174 Railroad accidents	1	6	1	91	29		37	25		265	46	
175 Respiratory system, disease of				2	1		1			1		
176 Rheumatism		8		129	35	2	80	10	2	177	25	2
177 Rickets		1		9	2		6		1	16		
178 Roseola												
179 Rupture of bladder				10	1		9			5		
180 Sarcoma		3		10	1		9			78	22	
181 Scarlet fever		28	1	39	19		17	3		384	26	2
182 Scrofula		3		15	8		5	2		14		
183 Septicemia		21	3	145	45	1	88	11		256	44	1
184 Skin, disease of				12	3		8	1		35	8	
185 Smallpox	1	2		1				1		15		
186 Spinal cord, disease of	1	6	1	17	2		12	1	2	83	20	
187 Spine, disease of		3	1	24	11		5	7	1	36	7	
188 Spleen, disease of		1		2			1	1		6	1	
189 Stomach, disease of		19	2	78	29	1	29	19		133	26	1
190 Suffocation		5	2	50	20	1	24	4	1	114	13	
191 Suicide by cutting throat	1	3		1			1			11	1	
192     drowning	1	2		3			3			29	12	
193     hanging		5		15	8		6	1		65	15	
194     poison		8		20	1		19			34	3	
195     shooting		2		17	2		15			75	9	
196     (not specified)		3	1	35	11		17	7		48	5	
197 Sunstroke		4		23	4		19			9	2	
198 Surgical operations		2		10	1		8	1		29	4	
199 Tabes mesenterica		11	1	27	12		11	3	1	50	11	
200 Tetanus				48	14	1	28	5		28	3	
201 Trismus nascentium				16	3		12		1	3		
202 Tuberculosis (unclassified)		11	2	35	11	1	20	3		156	28	1
203 Tubes, disease of				7			7			33	1	
204 Tumor:		3	1	34	17		12	4	1	89	19	
205 Tumor of uterus		1		9			8	1		40	8	
206 Typhoid fever	1	61	13	510	264	2	177	63	4	625	74	5
207 Typhus fever				2				2				
208 Unknown	1	92	9	806	646	5	36	117	2	350	81	1
209 Uremia		23	1	60	10		44	4	2	218	32	1
210 Urethra, stricture of				1			1			3		
211 Urinary organs, disease of		2		4	1	1	2			12	1	1
212 Uterine hemorrhage		1		3			2	1		8	1	
213 Uterus, disease of		1		2			1	1		8		
214 Venereal disease		1		48	9		37	2		49	13	
215 Vomiting in pregnancy		2		1			1			2		
216 Whooping cough		26	1	102	54	8	35	5		375	25	
217 Worms		1		4	4					1		
218 Wounds		1		21			20	1		31	4	
219 Yellow fever				1			1					



VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	MASSACHUSETTS—continued.											
	Lowell.	Lynn.	Malden.	Marlboro.	Medford.	Melrose.	Natick town.	New Bedford.	Newburyport.	Newton.	Peabody town.	Plymouth town.
1 All causes .....	1,876	1,124	486	219	262	191	183	1,154	812	479	185	178
2 Abortion .....			1									
3 Abscess .....	1	3		1				1				
4 Abscess, lumbar and psoas .....	1	1								1		
5 Absorbent system, disease of .....												
6 Accidents and injuries (not specified) .....	5	1	4		2	1	3	3	2	1		
7 Addison's disease .....		1						1		1		
8 Adenitis .....												
9 Alcoholism .....	2	14	1					4	2			
10 Anemia .....	13	5	2	4	3		1	4	1	3	1	1
11 Aneurism .....	4	1							1			
12 Angina .....					2	1				1	1	
13 Angina pectoris .....	2	3	1	1		1	1	1	1	5	2	
14 Aphthae .....				1								
15 Apoplexy .....	67	49	21	2	16	9	9	46	11	26	12	5
16 Appendicitis .....	7	12		1		1	1	2	2	2		2
17 Arteries, disease of .....	2		3		1			3	1		3	
18 Ascites .....												1
19 Asthma .....	2	1						2			1	
20 Atrophy .....	2									4	2	
21 Bile passages, disease of .....					1							
22 Birth, causes incident to .....		7					2	3	2	3		
23 Bites .....												
24 Bladder, disease of .....	6	5	3	1	3	2	2	3	2	1	1	1
25 Bones, disease of .....				1				1				
26 Bowels, disease of .....		2		1						1		
27 Bowels, obstruction of .....	8	6	2	1		2	1	5	2	5		
28 Brain, disease of .....	22	16	5	1	1	1	2	13	1	5		4
29 Breast, disease of (puerperal) .....												
30 Bright's disease .....	46	41	23	6	12	11	5	52	13	13	1	5
31 Bronchitis .....	81	26	14	4	7	5	2	37	4	13	7	3
32 Burns and scalds .....	10	6					2	2	1	6	1	1
33 Calculus biliary .....	1	2	1				1					
34 Calculus urinary .....												
35 Cancer (not specified) .....	24	20	8	2	2	4	1	11	1	9	2	5
36 of abdomen .....	1	2			1	1		5	1	2	4	1
37 of bladder .....												
38 brain .....								1				
39 breast .....	1	6	1	3	1							
40 eye .....					1							
41 genitals .....		1										
42 head, face, and neck .....	2	3						2	2		1	
43 kidneys .....												
44 larynx .....												
45 liver .....	4	3	2	1	1	2	1	6	4	2	1	
46 lower extremities .....												
47 lungs .....												
48 mouth, tongue, and throat .....			2		1			2				
49 ovaries .....												
50 penis .....												
51 rectum .....	5	1	2	1	1			3		1		
52 stomach .....	9	11	3		3		1	13	1	2	3	1
53 testicle .....												
54 upper extremities .....												
55 uterus .....	2	11	2	1		2		5	3	1		
56 Carbuncle .....												
57 Catalepsy .....							1					
58 Cerebro-spinal fever .....	4			3				6	1	8	1	1
59 Chicken pox .....												
60 Childbirth .....	5	1		1	1			2	1			
61 Cholera infantum .....	172	50	17	11	6		2	74	6	14	5	3
62 Cholera morbus .....	6	3	6					1	2			
63 Chorea .....												
64 Circulatory system, disease of .....												
65 Colic .....												
66 Colitis .....	4							1	1	5		1
67 Constipation .....												
68 Consumption .....	181	133	56	21	20	17	12	118	25	33	33	16
69 Convulsions .....	37	9	15	1	4			23	3	8	4	3
70 Croup .....	13	6	4	1				5	1			2
71 Cyanosis .....	6			3	2				1	1		
72 Debility .....	73	17	17	4	3	7	2	23	8	9	6	5
73 Dentition .....	1											
74 Diabetes .....	7	3	3	1	2			3	1	3	1	1
75 Diarrhea .....	4	7			2			2		1		
76 Digestive system, disease of .....	2				1			1	1	3		

CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—continued.															
Quincy.	Revere town.	Salem.	Somerville.	Taunton.	Wakefield town.	Waltham.	Watertown town.	Weymouth town.	Woburn.	Group 2, rural.	Adams town.	Clinton town.	Chicopee.	Fitchburg.	Gardner town.
366	162	787	946	615	135	329	143	203	241	4,696	179	224	399	428	205
				1	1					2		1			
				1						8					
1		2	4	4	1	1				29	1	2		7	1
		1												1	
3		1	2	2	2		1			12	1	1	1	2	1
1		2	1	1	1	1		1	3	19	1	1	1	2	1
										1					
2		6	2	3		1		1	2	12		1			
	1									23	2				1
15	9	31	56	28	6	13	10	11	10	3	7	9	15	8	8
3	1	5	7	3		3		1	1	251		2		2	
5			2	5		6				22					
1										13				2	
										5		1			
			2	1		1			2	5	1	2	1		
			1						1						
2	1					1				5	1		1	4	
2	1	1	5	2	1	2	1			26	2	1	2	1	
		1	2			1	1		1	1				1	
1	2	3	1	1	1		1		2	3		1	1		
4	1	5	10	18	4	2	5	4	1	23		1	1	2	2
										48	2		5		
6	3	28	34	21	8	13	7	7	6	209	4	4	10	11	6
17	5	30	34	16	4	4	2	5	5	118	1	5	22	7	10
2	1	3	4	2	2	1	1	2	2	22	1		1	2	1
			1							6					
3	2	18	3	3	2	3	1	2	2	88	2	1	3	5	2
		2	3	1	1	1	3		1	13		1	1	3	1
										1					
	1	2	6							12		1			
				1	1					1					
1			2	1			1			6	1				
										2					
1		7	2	1		5	3	2		17			1		
										1					
	1	1	3		1	1				4		1		1	
		1	1						1						
3	1	6	10	1	1	1	3	3	1	3		1		1	
										42	1		1	4	
										1					
	2	2	4			2				11		1	2		
						1				2					
5	1		3		1	1	1			17			1	2	1
1			1		1					9	1		1		1
17	4	53	24	23		5	2	3	11	133	10	14	37	19	12
1		3	3	1		1	1		1	14	1	2		1	4
										2				1	
1						1				2					
									1	7	4			1	
48	17	56	110	66	20	38	11	26	28	375	18	18	39	34	14
2	1	17	14	16				2	6	58	8	5	9	2	6
1	1	7	3	1			1	3	1	22	4	2	2	6	2
		2	1							6					1
9	15	65	22	35	5	9	3	5	18	92	4	6	11	6	14
				1						6			1		
2	1	3	6	3	1	3	1	1	2	25		1	1	1	1
2		18	6	1	1	1		1	1	28		7	7	4	
		6	3	1			1		1	16	6				

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76





CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—continued.																
Quincy.	Revere town.	Salem.	Somerville.	Taunton.	Wakefield town.	Wal-tham.	Water-town.	Wey-mouth town.	Woburn.	Group 2, rural.	Adams town.	Clinton town.	Chic-opee.	Fitch-burg.	Gardner town.	
18	6	9	23	4	1	12	3	4	1	71	3	4	6	6	77	
4	1	5	5	2	1	2		1	4	12	1	1	1	1	78	
3		7	5	2		1		1	2	31	1	1	3	2	79	
										27		3	1	3	80	
			1				1	1		2					81	
															82	
1			2	1						3					83	
18	3	8	16	26	2	6	1	3	4	58	3	2	14	10	84	
1	1	4	3	3	2	2				24				2	85	
4		3		2		1			2	11	1	1		1	86	
										1					87	
1		1				1				5					88	
			2							1					89	
						1									90	
1	1		3	1						19			1	2	91	
		1		1											92	
															93	
2	1	2	4	2	1	4	4			24				2	94	
3		2	4	1		3		1	4	21			1		95	
			5	3				2	3	29	2	6	1	1	96	
			1							1					97	
										1					98	
										1					99	
										1					100	
										1					101	
										1					102	
										1					103	
										1					104	
										1					105	
										1					106	
										1					107	
										6					108	
32	19	57	90	52	20	28	14	31	15	455	16	9	15	34	9	109
	1	2	1							14	1		2	2		110
			2	2		2				10		1		1		111
									1	2						112
										4						113
8	3	6	6	1		3		3	4	30			4	5	1	114
1	1	10	16	6	1	4	1		1	62	9	7	10	28	1	115
				1			1		2	2	1		2			116
										12						117
6	4	3	30	8	4	11	4	6	7	12			2		2	118
										120			8	4	7	119
																120
	1	1	1	1					2	10		3				121
										1				1		122
3	1	2	1		1					16		1		2		123
																124
										4						125
										1						126
																127
																128
																129
																130
1										1						131
2	1	7	3	1		3	1	5	1	2	1	1	1	4	2	132
	1	1								34			3			133
										6						134
5	2	12	5	10		1	1	1	1	51	1	1	6	4	1	135
																136
																137
										14						138
1		8	4	1		4			1	15		1		1		139
										1						140
1	3	1	2	6		2				27		2	1	2	6	141
																142
9	5	22	20	9	10	6	7	7	7	92	2	12	29	11	22	143
		2	4	20		3			1	41			1	1	1	144
										1						145
																146
1		2	2		1	1				16			2			147
										1						148





## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.		MASSACHUSETTS—continued.											
		Holyoke.	Leominster town.	Milford town.	North Adams.	Northampton.	Pittsfield.	Southbridge town.	Springfield.	Ware town.	Webster town.	Westfield town.	Worcester.
1	All causes .....	820	176	207	334	281	338	204	1,057	112	146	286	1,838
2	Abortion .....								1				
3	Abscess .....			1			1						
4	Abscess, lumbar and psoas .....	1											
5	Absorbent system, disease of .....								2		2	2	9
6	Accidents and injuries (not specified) .....	7	1	2	1	2							
7	Addison's disease .....					1							1
8	Adenitis .....										1		
9	Alcoholism .....	2		1			2		5			1	6
10	Anemia .....	3		1	1			2	2	1			5
11	Aneurism .....	1					1						1
12	Angina .....	3							1				
13	Angina pectoris .....	3	1		1		1		6			3	5
14	Apthae .....									1			
15	Apoplexy .....	25	9	17	15	17	21	6	43	5	3	12	77
16	Appendicitis .....	4	2						14				11
17	Arteries, disease of .....								5			1	8
18	Ascites .....		1		1								1
19	Asthma .....			2		1							3
20	Atrophy .....								1				
21	Bile passages, disease of .....												2
22	Birth, causes incident to .....	1			2	1	3		1			1	9
23	Bites .....												
24	Bladder, disease of .....	2			1		2		4	1		2	6
25	Bones, disease of .....								1		1		
26	Bowels, disease of .....	4			2				1				
27	Bowels, obstruction of .....	3			1	1	1		3		3	2	6
28	Brain, disease of .....	12	3	2	2	4	3	2	6	2	1	2	8
29	Breast, disease of (puerperal) .....												
30	Bright's disease .....	21	7	11	10	11	14	13	36	5	7	8	71
31	Bronchitis .....	37	6	3	7	13	8	5	21	3	5	5	50
32	Burns and scalds .....	2	1	3	1	1	3	1	3		3	2	8
33	Calculus biliary .....												1
34	Calculus urinary .....		1							1			1
35	Cancer (not specified) .....		5	2	1	4	2	3	13	1			22
36	of abdomen .....						1		4				6
37	bladder .....												1
38	brain .....												
39	breast .....	1				1	1		1	1			4
40	eye .....											1	
41	genitals .....												
42	head, face, and neck .....	2	1		1		1		4				
43	kidneys .....												
44	larynx .....												
45	liver .....	4	2	1	3		1		6			1	5
46	lower extremities .....								1				
47	lungs .....		1										1
48	mouth, tongue, and throat .....			1	1		1		2			1	2
49	ovaries .....				1		1	1	1				
50	penis .....	1											
51	rectum .....					1			1				2
52	stomach .....	7		1			4	1	7	1	1		17
53	testicle .....												
54	upper extremities .....												
55	uterus .....	5	1		2	1		1	5			3	11
56	Carbuncle .....	1											
57	Catalepsy .....	1											
58	Cerebro-spinal fever .....	6	2	5	2	2	1		6	1			5
59	Chicken pox .....												
60	Childbirth .....	3	1				2		2	1	1		1
61	Cholera infantum .....	53	3	9	16	6	24	16	24	10	19	12	33
62	Cholera morbus .....		1		2		2				1	1	6
63	Chorea .....					1							
64	Circulatory system, disease of .....	1											
65	Colic .....								1				
66	Colitis .....		1				1		2			1	
67	Constipation .....												
68	Consumption .....	88	21	22	36	34	25	13	103	5	17	24	218
69	Convulsions .....	10	4	6	3	6	3	2	6	2	5	6	21
70	Croup .....	5				1	2	2	10		2	2	3
71	Cyanosis .....	1						2	1				
72	Debility .....	23	4	1	16	5	7	16	13	1	6	8	36
73	Dentition .....								2				
74	Diabetes .....	7		2	4	4	3	1	6	1		2	19
75	Diarrhea .....	13	1		6		5		5	1	1		16
76	Digestive system, disease of .....	3			4		5		2	1			6

CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MICHIGAN.																
Total.	Group 1, rural.	Bay City.	Detroit.	Esca-naba.	Iron Moun-tain.	Iron-wood.	Ishpem-ing.	Mar-quette.	Menom-inee.	Muske-gon.	Port Huron.	Saginaw.	Sault Ste. Marie.	Traverse City.	West Bay City.	
33,572	11,788	351	4,893	188	122	126	196	167	179	255	238	560	163	148	196	1
19	6		1	1												2
42	9		5	1						1				1		3
6	2										1					4
10	3		1								1					5
322	114	10	24	9	4	8	6		2	4	5	3	3		3	6
13	6															7
6	2		3													8
85	35	3	18	4								1	2		2	9
171	62	1	22				1				1	3		1	1	10
19	7		4					1								11
30	12	1	2									1				12
178	47	2	28	1	2				1							13
24	12		3								1	3				14
1,149	350	11	146	3		1	4	4	2	11	10	17	3	9	4	15
242	85	1	33	5	2		1	1				5	1		2	16
77	24	1	10							1	2					17
20	5		3													18
107	38		23									3		1		19
4	4															20
13	4		3													21
72	31		14		2			3		1		1			2	22
2	2		1													23
141	40		19				2					4		1		24
34	12	2	6		1							2				25
83	29	2	2				1			1				1		26
184	71	1	26	2		1		1			4	3			2	27
385	115		39				1		1	4	4	8	1	2	5	28
1,054	307	10	151	5	4	3	4	8	3	11	10	18	2	6	7	29
834	298	18	191	7	1	4	14	8	2	6	5	10	11	3	3	30
161	58	1	25	3		2				5	1	4	2	1		31
45	19	1	4						1							33
23	7		5							1						34
246	68	3	26	1	1					2	2	2		2	3	35
92	29		11							2	1	3				36
16	4		3									2				37
1	1															38
132	30	1	20	1			1		1					2		39
3																40
6	2		1													41
85	29	2	6		1					2	2	2				42
4	1		1													43
3	1		2													44
108	43		15					1				1				45
5	1															46
3	2															47
59	22	1	6									1		1		48
4	1											1				49
3	1		1									1				50
44	13	2	6					1		1						51
411	164	6	63	2	1		3	4	2	1	4	6	1	1	1	52
2																53
3																54
174	47	5	24					2	1		1	8		1		55
6	1	1	2													56
																57
294	122	2	29	2		2	2	3	7	2	1	6		1	5	58
3	2		1													59
109	42	1	21	2		1	1		1			2	1		1	60
1,114	431	8	223	2	12	6	4	13	18	3	7	10	13	4	5	61
233	96	2	27	2		2	2	3		1	4	2	1		1	62
16	10		1							1						63
10	2									1		1				64
66	34	2	13	1		2			2			1				65
79	80		12				1	1		2	1	1		2		66
9	4		2													67
2,438	827	19	357	18	8	6	11	14	14	22	21	41	15	13	20	68
568	218	9	148	4	6	3	4	3	4	5	4	15	8	2		69
161	48	2	21	1	1	2				1	1	4	3		5	70
35	8		8	1				1				2				71
527	153	9	155	5	1	4		6	2	6	3	8	2	3	1	72
21	8		10			1									1	73
246	69		24			1				2	2	8	2	1	1	74
325	137	1	45	1	2	2		2	3	2	2	6	1		3	75
153	58	5	14		1	2				1	3	3	4	2	2	76



CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MICHIGAN.															
Total.	Group 1, rural.	Bay City.	Detroit.	Escanaba.	Iron Mountain.	Ironwood.	Ishpeming.	Marquette.	Menominee.	Muskegon.	Port Huron.	Saginaw.	Sault Ste. Marie.	Traverse City.	West Bay City.
378	120	19	113	1	4	1	6	1		3	2	3	4	1	3
6	3							1							
249	89	5	30	1		2			1	2	1	8			1
231	102	7	21		2	2	1	2	1	1	4	11	5		4
201	66		19	1				1		6	2				
13	4			1								1			
8	3		2									2			
20	8		1					1		1					
560	242	2	106	4	3		22	8	6	8		4	2	5	6
152	64		23									3		5	1
123	44	1	27	1				1	2	1		4	1		1
9	5		1									1			
4	1		2					1							
84	14		6					1							
22	15							1							
8	1		1							1		1			
1															
62	30		1			2	2	1							
117	46	1	18			3	1	1	1	2		1			
19	8		2									2			
9	5		2												
11	4	1	1												
165	56	2	22					2	1	1		5			
5	4														
115	40		13				1			1			1	2	
339	122	4	44	3	1		1			2	3	2	2	4	2
1															
8	5														
17	4		4												
1	1														
97	34		10	1						1	1	1			
2,740	818	45	306	8	7	6	14	5	6	9	18	65	10	12	9
3	2														
74	32		12	2						1			1		
74	35		6						1		1	2	1		1
10	4													1	
17	6		2				2				1				
163	59	2	26		1		2	2	3	3	2	2	1		3
1															
880	189	3	76		2	3	4			2	4	10	1	3	3
123	39		10					1	1	1	2		1		1
144	56	2	14			2	1		3	5		3			1
419	157	3	23		2	4				2	2	3	2	1	1
16	5										1	1			1
97	36		15	1			1			1				1	2
13	7		1												
150	56		15							1		6			
38	14	1	3								1				
14	3		4												1
2			1												
1															
29	12		5					1							
21	12														
344	122	3	43	1			1	2	2	3	3	4	3	2	2
37	13	1	4						1	1		2			
309	110	4	23		1	1	4	1	2	2	2	8		1	2
5	2	1	1							1					
163	57	2	9							2		2			3
1	1														
186	77	1	35		2				3	1		1			
1	1														
373	151	3	31				5	1			1	4			4
464	153	5	30	1		1	2	6	6	2	1	4	1	1	4
125	45		25					1		1	4	3		3	1
57	49				1	1	4				1	2			
4	2	1													
86	25	1	11					1		1					1
5	3														
2	1														





CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MICHIGAN.															
Total.	Group 1, rural.	Bay City.	Detroit.	Esca-naba.	Iron Moun-tain.	Iron-wood.	Ishpem-ing.	Mar-quette.	Menom-inee.	Muske-gon.	Port Huron.	Saginaw.	Sault Ste. Marie.	Traverse City.	West Bay City.
1,229	454	6	164		1	1	3	4	4	6	8	17	3	6	2
31	8		3									1			
6	2														
9	1		1												
950	266	7	93	1					2	8	8	17	3	3	4
64	8		5											5	
22	8	1	3	1								2			
45	20		6									1			
389	124	5	75	1	1		3	5	2	4		7		3	2
2	1	1					1								
5	1		2												
4															
68	24		14			1					2	3			
2,647	941	13	465	20	9	15	13	11	22	34	27	50	14	9	14
142	47	4	25	2				2	1	1		2			
19	8						1				1	1			
694	255	11	127	3	10	7	7	4	3	6		13	2	2	10
68	16	1	6								1	3			
43	14		8	1											2
4	1		1									1			170
200	76		84	1			5	1	2					1	171
11	5		2	1											172
270	85	4	43	15	4	2	1	2	2						173
193	59		27	1	2						1	5	2		174
7	4		1									3	1		175
															176
															177
															178
															179
48	20	1	4						1	1			1		180
220	126	10	16	6	5	1	2	1							2
22	3		2			1									181
213	70	2	27	1			2	3	1	3	1	3		1	182
37	10	1	3											1	183
8	3		1												184
104	36		7					2							185
42	16		4			1					1		1		186
7	5		1												187
156	60	1	21											2	188
86	30		12					1		1	1	1	1		189
7	2	1	1												190
12	7	1	1												191
54	19	1	10												192
50	13	1	13												193
56	15		6	1					2	1					194
82	11		3			1			1						195
8	2		6												196
81	5		7									1			197
81	5		7												198
81	5		7												199
81	5		7												200
81	5		7												201
26	8		4	1		1						1	1	1	202
7	4											1			203
77	27		6		1				2	1	1	1		2	204
15	4		6												205
78	25	2	6						1		2	3			206
41	5	1	9	1							1	1			207
680	239	8	54	9	1	4		8	15	4	7	17	1	3	208
2	2														209
632	322		89	11	6	9	10		5	9	1	3	17	4	210
123	55		16			1			1	1		3			211
2		1	1												212
6	1		3												213
15	4		2				2				1				214
15	4	1	2												215
64	7		38		1				1	1	1	3			216
5	2														217
273	118		23		3		8	4	2	1	1	1	3	1	218
6	5														219
42	20		10	1	1			1	1				1		219

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	MICHIGAN—continued.										MINNESOTA.		
	Group 2, rural.	Ann Arbor.	Battle Creek.	Flint.	Grand Rapids.	Jack-son.	Kala-mazoo.	Lan-sing.	Owo-so.	Pon-tiac.	Total.	Group 1, rural.	Minne-apolis.
1 All causes	10,879	185	250	185	1,258	338	416	232	121	138	17,005	3,092	2,183
2 Abortion	10					1					10		2
3 Abscess	22				3						16	1	4
4 Abscess, lumbar and psoas	3										2		
5 Absorbent system, disease of	3				2						5		
6 Accidents and injuries (not specified)	106	2	5	8	4	2	3	1	1		187	41	18
7 Addison's disease	5		2								3		1
8 Adenitis	1										2		
9 Alcoholism	9		1		7	3					46	5	15
10 Anemia	57	2	4	1	7	3	2	1	2		55	3	14
11 Aneurism	5				2						15	3	6
12 Angina	12			1	1						25	1	3
13 Angina pectoris	82			5	2	2	3		2	1	20	2	4
14 Aphthae	4				1						8	3	
15 Apoplexy	447	3	8	7	47	14	33	7	3	5	886	77	63
16 Appendicitis	51	3	2	3	7	1	6	3			157	32	19
17 Arteries, disease of	27	3		3	3		2				13	1	5
18 Ascites	10		1				1				10	2	1
19 Asthma	28			1	3		5				67	16	
20 Atrophy											2		
21 Bile passages, disease of	5									1	2		1
22 Birth, causes incident to	14	1			1	1	1				21	6	1
23 Bites											1		
24 Bladder, disease of	63	1	1	1	4	2			1	2	54	9	16
25 Bones, disease of	6	1			1	1			2		7	1	
26 Bowels, disease of	37		1		2	1	2				41	9	3
27 Bowels, obstruction of	54	3		2	8	2	1	1	2	1	85	20	10
28 Brain, disease of	161	1	1	3	13	5	12	3	2	4	131	20	28
29 Breast, disease of (puerperal)													
30 Bright's disease	386	5	15	6	44	11	16	8	3	6	579	74	89
31 Bronchitis	190	6	1	2	31	2	11	2	5	3	274	56	38
32 Burns and scalds	42		2		6	3	2			1	100	17	14
33 Calculus biliary	16				3			1			14	1	5
34 Calculus urinary	8	1				3					2		
35 Cancer (not specified)	109	7	1		10	1	2	2	2		138	32	5
36 of abdomen	32	3	1	2	3	1	2	1		1	26	7	3
37 of bladder	4		1		2						2		
38 brain													
39 breast	67				5		2		1		45	6	9
40 eye	3												
41 genitals	3												
42 head, face, and neck	37				2				1	1	39	5	8
43 kidneys	1				1						2		
44 larynx											2		
45 liver	38		2		1	3		1	2	1	64	15	8
46 lower extremities	3				1		1				1		1
47 lungs	1										6	1	1
48 mouth, tongue, and throat	18	2	3		2	1	1			1	18	4	3
49 ovaries	1				1						2		1
50 penis													
51 rectum	16	1			2				1		18	3	2
52 stomach	110	9	8	2	10	8	3	1	2		251	43	36
53 testicle	1	1											
54 upper extremities	1												
55 uterus	61		4	1	9	6	2	2			50	2	9
56 Carbuncle	1										4		1
57 Catalepsy													
58 Cerebro-spinal fever	90		2	1	9	3	1	3	1		83	11	15
59 Chicken pox											3	1	2
60 Childbirth	32	1			2				1		104	20	2
61 Cholera infantum	291	5	4	5	33	2	5	5	1	4	377	57	47
62 Cholera morbus	77	1	2		6	5		5	1		212	42	5
63 Chorea	2						1				1		1
64 Circulatory system, disease of	4				1	1					2		
65 Colic	10				1						201	45	3
66 Colitis	24			1	3						8	2	1
67 Constipation	2								1		6		
68 Consumption	781	18	20	20	94	31	33	19	8	8	1,844	296	264
69 Convulsions	94	2	1	1	21	3	7	2	3		823	57	58
70 Croup	40		1	1	25	2		1			131	23	4
71 Cyanosis	11				2	1		1			14	2	4
72 Debility	111		7	3	22	9	8	3	1	3	187	22	70
73 Dentition	1										24	6	
74 Diabetes	112		3	3	8	5	4				125	34	11
75 Diarrhea	101	1	3	4	4	1	3	2			83	19	5
76 Digestive system, disease of	48		1	1	11		1	1			25	4	1

CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MINNESOTA—continued.						MISSISSIPPI.					MISSOURI.				
St. Paul.	Winona.	Group 2, rural.	Mankato.	Group 3, rural.	Duluth.	Total.	Group 1.	Group 2.	Group 3, rural.	Natchez.	Total.	Group 1, rural.	St. Louis.	Group 2.	
1,574	276	6,092	159	2,931	698	20,251	412	13,630	5,724	485	38,084	4,970	10,320	10,198	1
		3		4	1	19		13	6		14	3	1	6	2
	1	9		1		15		6	8	1	36	5	12	10	3
1		2		1							9	1	4	1	4
2		1		88	18	96	5	57	32	2	487	32	264	97	5
8		63	1								1				6
					1						4	1	2		7
		2				1		1			8	1	4	2	8
1		11		9	5	6	1	1			5	5	24	3	9
9	2	10	1	8	3	7		4			78	7	34	12	10
1		1	1	2	2	4		6	1		34	2	17	4	11
					1										
		11		9	1	28	2	23	3		70	7	11	27	12
4		7	1	2		7		5	2		67	3	15	14	13
						43		26	17		47	6	2	23	14
56		118	5	49	12	94	9	62	15		543	51	225	70	15
12	6	62	1	20	9	38	2	25	6	8	204	25	68	34	16
3		4									26	1	19	2	17
		7				34		15	17	2	62	10	10	22	18
	1	32		15	3	56	3	28	23	2	144	13	66	32	19
		2									5		3		20
					1						5			1	21
1		7		6		1		1			27	4	1	9	22
		1		3		3		2	4		1			1	23
3		15	3	6	2	28		15	11	2	68	6	21	18	24
		5		1		7		6	1		20	3	4	6	25
3		16		8	2	107	5	77	25		171	15	14	92	26
6		34		12	2	37		9	6	2	150	20	42	20	27
19	1	42	4	14	3	244	8	181	49	6	516	66	158	144	28
						1		1							29
83	7	218	3	69	36	238	9	136	73	20	1,058	79	500	184	30
28	5	95	3	30	19	205	4	158	34	9	713	74	324	120	31
7		35		21	6	242	3	170	64	5	158	12	27	63	32
2	1	4			1	3		1	2		31	1	12	6	33
		1				21		17	4		10	1	3	2	34
9		63	1	23	5	94	4	73	15	2	213	26	66	84	35
4		6		5	1	10	1	7	1	1	88	1	17	7	36
		1		1							7	1	3	1	37
7	1	9	2	10	1	15		11	3	1	61	2	15		38
											3	8		11	39
											2				40
1	2	15		6	2	27		17	8	2	70	7	13	27	42
1		1									6	1		2	43
9	1	18	2	6	5	9		5	1	3	78	4	38	11	44
1						1				1	4				45
8		1									5		2	1	46
2		3			1	8	1	6		1	41	5	13	13	48
		1									3		2		49
											3		1	1	50
1		4	1	2		3		1	1	1	29	2	10	5	51
25	7	99	1	20	15	39	2	22	6	9	229	22	72	47	52
											4		1	3	53
12		19	3	3	2	52		41	8	3	107	6	47	22	54
		2		1		7		7			16	1	4	6	55
20	1	23	3	8	2	35		26	7	2	261	47	36	103	58
		1				5		4	1		5		1	3	59
2	1	54		24	1	187	3	116	68		160	42	18	52	60
25	8	142	2	64	32	170	29	116	23	2	855	124	120	285	61
8	2	113		45	2	114	1	83	30		271	52	19	79	62
						3		3							
											9	2	1	4	63
											5	1	1	1	64
	1	105		46	1	61		29	82		83	6	3	6	65
2		3				10	1	5	3	1	48	2	10	10	66
		8				7		7			18	1		7	67
206	24	609	12	384	49	2,129	52	1,435	562	30	4,107	399	1,168	993	68
67	12	88	4	20	17	188		108	77	3	410	40	204	62	69
14	1	46		35	3	409	3	331	71	4	630	100	60	277	70
		5			3						61	1	44	5	71
37	1	30	3	18	6	63	5	37	19	2	476	31	332	44	72
		11		7		107	1	73	29	4	78	16	33	16	73
10	2	49		17	2	13		14	3		121	14	25	32	74
5	10	33		9	2	214	6	101	94	13	252	56	44	74	75
1		14		4	1	71		36	34	1	104	17	8	45	76



CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR, 1900—Continued.

MINNESOTA—continued.						MISSISSIPPI.					MISSOURI.				
St. Paul.	Winona.	Group 2, rural.	Mankato.	Group 3, rural.	Duluth.	Total.	Group 1.	Group 2.	Group 3, rural.	Natchez.	Total.	Group 1, rural.	St. Louis.	Group 2.	
37	1	77	3	98	5	85	2	57	23	3	494	43	243	41	77
		1				3		2	1		5			3	78
2	3	80		21		427	3	253	158	8	373	61	25	136	79
3	3	23	4	39	11	63		31	31	1	108	12	55	19	80
3		17		15	1	380	3	233	84	10	390	63	30	167	81
		2				6	-1	1	4		15	5		3	82
						2			2		7		2	1	83
1	1	4				1			1		14	2	6		84
47		31	4	24	20	168	11	121	30	6	650	45	401	58	85
															86
4		49		15	1	71	4	45	20	2	118	25	21	30	87
5		23	1	10	6	29		21	7	1	120	12	32	38	88
3		2									3		2	1	89
						2		2			4	1	1		90
		3		6		3		3			16	3	1	8	91
		8		9	1	47	1	27	11	8	16	1	2	8	92
											3		1	1	93
													1		94
		3		5	2	18		12	6		21	5			95
3	1	19		5	1	73	1	43	23	1	68	10	3	13	96
1	1	1				25		18	7		30	3	4	12	97
		4		7		144	3	95	46		62	10	2	32	98
		2		2		11		10	1		7	1		1	99
3		15	1	11	12	23	2	16	4	1	60	4	16	11	100
		1		2		3		1	2		7	2		4	101
		3		.1	1	8		3	1	4	56	9	16	7	102
4	3	47	5	26	7	107	1	81	19	6	369	46	96	96	103
10						1			1		1			2	104
						1					3				105
		3	1			1		1			4	1	1		106
															107
1		26	1	18	1	185	3	87	38	7	162	16	32	55	108
117	10	439	9	180	41	876	23	590	218	45	2,061	209	604	429	109
1		13		6	1	42		26	16		3				110
2		20		6		25		14	11		88	-10	25	16	111
											86	6	27	20	112
		1		1		3		3			7	2	2	2	113
2		10		5		86		63	23		111	13	70	13	114
20	1	26	1	13	6	11		7	4		109	6	46	25	115
1						2		2			3			1	116
50	23	72	3	53	21	33	5	14	11	8	640	33	352	59	117
						2		2							118
3	1	10	1	9		61		43	18		140	11	42	38	119
5	1	53		44	2	140	3	98	33	1	449	76	44	133	120
5	2	64		33	1	587	11	457	119		355	54	51	123	121
		3		4		12		8	4		8	2			122
4		14		3	2	31	1	25	5		93	12	22	24	123
1		1		1		14		12	2		3		1		124
3	2	35	1	19	2	74		58	16		215	23	24	85	125
2		3		1	4	4		4			29	3	15	5	126
1		3		1		1		1			9	1	5	1	127
											5	1	1	2	128
															129
		1		1	1						3		4	2	130
1		16	1	10		10		7	3		13	3		5	131
13	1	37		16	6	72	2	46	21	3	233	10	113	39	132
3	1	4		1	1	3		1	2		21	2	7	3	133
14	2	56	1	23	6	59	2	33	17	2	306	29	106	61	134
															135
															136
						983	14	516	442	11	965	219	124	425	137
											1				138
4		16		12		26		21	1	4	66	8	11	35	139
															140
1		32		19	3	950	18	717	211	4	494	147	21	236	141
41	11	95	6	37	13	211	2	140	66	3	327	149	156	248	142
1		19		3		12		8	2		87	7	31	21	143
				9		1		1	4		7			1	144
		3				6					8		4	3	145
1	1	16		2		30	3	19	8		30	6	8	29	146
				1							11	4		5	147
						1				1					148



CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MINNESOTA—continued.						MISSISSIPPI.					MISSOURI.				
St. Paul.	Winona.	Group 2, rural.	Mankato.	Group 3, rural.	Duluth.	Total.	Group 1.	Group 2.	Group 3, rural.	Natchez.	Total.	Group 1, rural.	St. Louis.	Group 2.	
35	30	371	5	135	12	329	15	190	110	14	1,038	97	503	129	149
	1	3		1		2		1	1		17	1	11	1	150
						3		3			8				151
1															152
15	6	154	2	38	8	236	9	180	42	5	824	88	132	229	153
1		11		2		5		5			33	2	15	5	154
						1		1			1	1			155
2		6		1	2	2		2			16	1	8		156
															157
1		3		2	1	7	1	2	2	2	38	4	20	1	158
36	4	61	3	27	17	44	4	23	10	7	288	14	106	48	159
1						1		1			3	1		1	160
															161
		3		2	1	2		2			2			1	162
											2	1		1	163
2		13		10	2	48		32	16		88	6	33	20	164
183	23	407	19	214	82	2,168	29	1,456	644	39	4,442	795	1,106	1,142	165
															166
6		25	2	10	5	37	1	23	13		145	13	24	38	167
						2		1	1		2		1		168
7	5	73	1	34	12	97	5	67	21	4	423	34	123	104	169
		8		1		6		4	1	1	22		3	5	170
4	2	4		4		10		10			29	4	10	5	171
		1									2				172
4	1	25		10	1	40	1	28	11		144	28	87	48	173
1		1		2							10		3	1	174
9	8	32	4	20	7	57	1	45	11		188	25	9	44	175
		4				4		3	1		3		1	2	176
5		42		19	2	124		83	39	2	196	23	83	66	177
															178
		5				1		5	2		13	2	6	2	179
		5				1		1			2		1	1	180
6		4	1	2	4	1		25			25	1	14	3	181
9	1	15	2	26	8	44		1	18		134	9	54	24	182
		2		2		84			20		42	7	5	14	183
12	1	74	2	25	5	89		69	16	4	310	41	60	72	184
1		5		1	1	20		12	8		80	2	6	12	185
															186
1		13				782		462	316	4	66	5	2	26	187
3	1	5	1	2	2	4		2	2		89	22	21	37	188
1		15		5	1	21		20	1		138	25	3	68	189
1		3				7		4	3		11	1	2	4	190
7		43		13	4	110		89	20	1	311	57	24	123	191
															192
6		21		6	3	71		59	12		59	8	8	19	193
				1	2						10	2	2	2	194
				1		2		1			6	2	2	2	195
2	1	8		5		1		2			22	2	4	4	196
2	3	9	2	1	1	2		1	1		26	1	10	5	197
															198
2		6	1	5	3	8		7	1		42	7	4	8	199
2	1	20	1	5		8		4	4		148	9	88	13	200
2		1				10		6	3		29	3	19	1	201
		7		2		5	1	2	2		69	2	29	1	202
															203
2		8		1	3	47	1	37	9		51	6	9	9	204
5	2	11		3		20	1	16	3		43	7	17	6	205
						2		2			57	1	53		206
9		11	1	12	3	1		1			16	3	1	3	207
1	1	4									13		10		208
															209
5		17		8	2	52	3	35	13	1	86	14	9	34	210
2		1	1	1	1	3		2			24	1	11	7	211
36	5	102	6	76	23	1,370	23	1,016	314	17	1,790	268	190	723	212
		3		1		8		5	3		6			1	213
9	6	361	2	238	8	1,989	26	1,346	590	27	1,382	334	36	625	214
16	2	20	1	5	4	12		11	1		223	4	150	13	215
						1		1			4	4	4		216
															217
1		2		2		52		32	20		2	1		1	218
						5		5			5		3	4	219
		1		1		11		5	6		15		3		220
3		2	1	3		36	1	19	9	7	47	2	27	8	221
											1				222
18		69		27	6	175	6	117	46	6	380	60	30	182	223
						46		29	17		17	5	1	11	224
		3		4	2	14		6	6	2	17	1	1	3	225
															226
						13	1	12			1		1		227

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	MISSOURI—continued.				MONTANA.				NEBRASKA.		
	Group 3.	Group 4, rural.	Kansas City.	St. Joseph.	Total.	Group 1.	Group 2, rural.	Helena.	Total.	Group 1, rural.	Lincoln.
1 All causes	4,062	4,749	2,852	983	2,188	200	1,834	154	8,264	3,883	476
2 Abortion	1	2	1		2			2	6	4	
3 Abscess	4	3	3		6		6		9	6	
4 Abscess, lumbar and psoas		1							1		
5 Absorbent system, disease of		1							1		
6 Accidents and injuries (not specified)	26	31	30	7	47	5	39	3	109	51	4
7 Addison's disease		1							3		2
8 Adenitis		1							1		
9 Alcoholism	4	1	13	3	23		25	3	16	3	
10 Anemia	5	12	6	2	1	1			17	8	1
11 Aneurism	2	3	4	2	2		2		7	4	
12 Angina	13	8	3	1	2	1	1		17	11	1
13 Angina pectoris	10	13	8	4	2		2		18	6	
14 Aphthae	6	8		2					6	3	
15 Apoplexy	54	60	64	24	37		30	7	144	65	15
16 Appendicitis	35	18	13	11	14		14		93	53	6
17 Arteries, disease of		1	2	1	2		2		1		
18 Ascites	2	13	4	1	4	1	2	1	12	9	
19 Asthma	9	12	8	4	9	3	6		30	12	1
20 Atrophy	1		1								
21 Bile passages, disease of	1	1		2					1		1
22 Birth, causes incident to	4	2	5	2	4		4		6	2	
23 Bites									3	1	
24 Bladder, disease of	7	7	6	3	1		1		15	8	1
25 Bones, disease of	4	1	2		1	1			6	3	
26 Bowels, disease of	16	21	5	8	7	3	4		37	16	13
27 Bowels, obstruction of	12	16	12	8	10	2	6	2	36	12	1
28 Brain, disease of	34	68	37	14	25	1	23	1	81	38	10
29 Breast, disease of (puerperal)											
30 Bright's disease	103	100	74	18	47	2	40	5	212	97	15
31 Bronchitis	49	56	60	30	34	2	32		99	33	6
32 Burns and scalds	24	18	10	4	11	1	9	1	54	18	1
33 Calculus biliary	5	6		1	1	1			10	8	
34 Calculus urinary	2		2						4	1	
35 Cancer (not specified)	24	29	29	5	7		6	1	72	40	5
36 of abdomen	1	3	8	1					9	6	1
37 bladder	2				1			1			
38 brain									1		
39 breast	10	12	4	1	3		3		18	8	2
40 eye		3									
41 genitals	2								1		
42 head, face, and neck	9	12	1	1	2		1	1	18	12	
43 kidneys	1	2							3	2	
44 larynx											
45 liver	4	13	6	2	7		5	2	17	9	2
46 lower extremities	1	1									
47 lungs			1	1					2		1
48 mouth, tongue, and throat	6	2	2		2	1	1		12	8	
49 ovaries		1			1		1		2		
50 penis	1										
51 rectum	2	2	6	2	1		1		8	7	1
52 stomach	35	37	15	1	22	2	18	2	82	45	3
53 testicle											
54 upper extremities											
55 uterus		9	10	8	9		9		15	7	3
56 Carbuncle	5								1	1	
57 Catalepsy											
58 Cerebro-spinal fever	26	25	18	6	22		22		36	20	1
59 Chicken pox		1							4	2	
60 Childbirth	20	28	5		16		14	2	53	29	1
61 Cholera infantum	119	114	61	32	47	7	40		314	161	24
62 Cholera morbus	42	56	15	8	24	2	20	2	121	55	5
63 Chorea	1								2	1	
64 Circulatory system, disease of	1	1							2	1	
65 Colic	5	13			3		3		38	21	2
66 Colitis	5	4	9	3	1		1		10	5	
67 Constipation	5	2							3	3	
68 Consumption	521	601	334	91	164	16	134	14	592	255	51
69 Convulsions	23	34	35	12	22		20	2	106	44	1
70 Croup	72	72	32	17	27	1	26		66	37	3
71 Cyanosis	1	5	5		2		1	1	12	3	
72 Debility	13	22	24	10	32		31	1	68	20	6
73 Dentition	4	6	1	2	5	1	2	2	6	3	
74 Diabetes	22	16	7	5	12		6	6	62	37	4
75 Diarrhea	25	33	10	10	20	1	18	1	54	28	3
76 Digestive system, disease of	13	16	6	1	5	2	3		32	18	1



CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEBRASKA—continued.				NEW HAMPSHIRE.												
Group 2, rural.	Omaha.	Group 3.	Nevada.	Total.	Group 1, rural.	Concord.	Dover.	Laconia.	Manchester.	Nashua.	Portsmouth.	Rochester.	Group 2, rural.	Berlin.	Keene.	
1,524	1,382	999	438	7,400	2,515	357	257	163	1,092	479	180	188	1,895	149	125	1
2				1					1							2
1	2		1	2	1			1								3
				1									1			4
1				1									1			5
29	6	19	18	76	26	6	6	1	7	4		1	22	3		6
	1			1	1											7
2	10	1	2	9	2		1		2	1		1	2			8
2	4	2		50	20	3			6	2		2	13		4	9
				1				1								10
3	1	1	1	4	1					1			2			11
5	3	4	1	40	16	2	1	1	3	1			16			12
2		1														13
12	42	10	7	367	153	20	9	3	31	13	11	5	111	4	7	14
6	19	9	8	21	7			3	2	2			5		2	15
	1			7	2					1			3			16
3				3	1					1					1	17
6	5	6	1	9	5			1	1	1			3			18
				1						1						19
										1						20
	3			2												21
		1														22
1	4	1	1	32	15	3		1		2	1		10			23
																24
1		1		2	1								1			25
7	1	3		7	4				2				1			26
7	13	3	2	28	8				4	1	1	2	1		1	27
6	17	10	4	88	44	7	6		11	4	1	3	8	2	2	28
																29
26	45	29	8	233	91	14	11	6	27	7	5	4	65	2	1	30
20	25	10	4	213	63	17	3	3	59	15	2	2	46		5	31
15	15	6	2	16	4				3			1	4		2	32
				7	2				1				3		1	33
1	1	2														34
12	8	7	3	132	43	5	5	1	7	4	4		59	2	2	35
1		1	1	24	6	3	3	1	1				10			36
			1	4	2						1		1			37
																38
2	1	4		14	3			1	1	2			7			39
																40
2	1	2		1	1	1	1						1			41
				4												42
	1															43
2		4	1	21	7	2			3	1		1	6		1	44
																45
	1															46
2																47
																48
2	2			10	2				3				5			49
				1												50
				4	1	1			1				1			51
15	11	8	4	46	16	2	1	1	2	2	2	1	18		1	52
			1													53
																54
1	3	1	3	14	6	2	1			1	2		2			55
			1	3	2				1							56
																57
5	2	8	3	39	8	1	1	3	6	3	1	1	14		1	58
1	1			1					1							59
8	3	12	1	10	4								4	1	1	60
42	36	51	4	293	39	4	11	7	75	36	6	7	39	16	3	61
33	11	17	10	34	15	1	1		3	1	2	1	8	1	1	62
	1															63
1																64
6	1	3		8		3			3				2			65
1				1				1								66
																67
114	110	62	56	627	194	25	21		117	39	16	20	153	7	13	68
18	33	10	8	104	23	4	2	2	39	8	5	3	10	3		69
15	3	8	5	42	9	1	2		6	8	3	2	8	3		70
2				6	3								2			71
																72
5	26	6	3	239	62	7	5	3	54	37	5	5	51	7	3	73
	1	2	1	15	2				11	1			1			74
4	5	12	5	55	23	2	1	2	4	3		1	17	1	1	75
11	5	7	3	43	3	3	4		7		1	3	4			76
8	4	1		16	3				3	2		1	6			77





## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	MISSOURI—continued.				MONTANA.				NEBRASKA.		
	Group 3.	Group 4, rural.	Kansas City.	St. Joseph.	Total.	Group 1.	Group 2, rural.	Helena.	Total.	Group 1, rural.	Lincoln.
149 Obesity											
150 Old age	103	118	62	26	36	1	33	2	261	112	15
151 Ovarian tumor	1	3	1		1		1		4		
152 Ovaries, disease of		1							2		
153 Pancreas, disease of											
154 Paralysis	148	145	63	19	27	2	22	3	229	117	14
155 Paralysis general (of insane)	1	10			1		1		45	39	4
156 Parasites											
157 Pelvic abscess (female)	1	2	3	1	3		3		4	3	
158 Pericarditis	2	4	6	1	1		1		4	1	2
159 Peritonitis	23	34	48	15	22	4	15	3	79	29	4
160 Pharyngeal abscess				1					1		
161 Pharynx, disease of (not specified)											
162 Phlebitis		1							2	1	
163 Phlegmasia dolens											
164 Pleurisy	11	6	5	2	5	1	4		20	11	1
165 Pneumonia	450	560	316	78	407	28	359	20	823	360	48
166 Poisons (not specified)	10	15	37	8	19	1	16	2	51	19	2
167 Pregnancy, affections connected with					1		1		1	1	
168 Premature birth	44	48	68	7	27	8	18	1	95	25	9
169 Prostate, disease of	4	7	3						8	3	
170 Puerperal convulsions	4	2	4		2		2		4	3	
171 Puerperal mania			2								
172 Puerperal septicemia	16	10	8	2	10		10		25	15	2
173 Purpura	2	1	2	1	1	1			2	1	
174 Railroad accidents	29	25	46	10	23	2	20	1	55	15	6
175 Respiratory system, disease of									1	1	
176 Rheumatism	27	31	10	6	11	1	10		52	28	
177 Rickets		2	1						1		
178 Roseola					1		1				
179 Rupture of bladder									1	1	
180 Sarcoma		1	6		1			1	7	3	1
181 Scarlet fever	19	23	5		26	6	18	2	33	54	6
182 Scrofula	2	10	2	2	3		3		5	1	
183 Septicemia	43	44	39	11	27	2	22	3	90	45	2
184 Skin, disease of	6	3		1	1		1		3	1	
185 Smallpox	8	6	8	1	4		4		5	3	1
186 Spinal cord, disease of	3	6	6	4					17	7	2
187 Spine, disease of	21	19		2	2	2			22	7	
188 Spleen, disease of	3	1							6	3	
189 Stomach, disease of	51	42	6	3	11	2	8	1	56	32	1
190 Suffocation	9	6	7	2	2	1	1		11	7	
191 Suicide by cutting throat	1	1	3	1					5	1	
192     "      drowning									2		
193     "      hanging	4	7	1						9	5	1
194     "      poison	2	3	4	1	8		7	1	16	6	
195     "      shooting	8	11	1	3	7	2	5		18	3	
196     "      (not specified)	14	19	1	4	17	2	15		24	14	3
197 Sunstroke	1	3	1	1	1		1		5	1	
198 Surgical operations	3		33	1	7		6	1	26	3	2
199 Tabes mesenterica	9	7	7	4	2		2		20	8	3
200 Tetanus	3	7	3		1		1		13	4	2
201 Trismus nascentium		3							3	1	
202 Tuberculosis (unclassified)	4	2	1	2	2		2		12	3	
203 Tubes, disease of		1	1	1	1		1		4	1	
204 Tumor	15	12	1	1	5	1	4		38	21	2
205 Tumor of uterus		2		3					7	3	1
206 Typhoid fever	213	287	67	37	42	2	36	4	260	125	14
207 Typhus fever	2	3									
208 Unknown	141	210	29	7	101	12	80	9	458	229	12
209 Uremia	9	13	30	9	6		5	1	22	7	4
210 Urethra, stricture of											
211 Urinary organs, disease of				1					4	4	
212 Uterine hemorrhage	1								3	1	
213 Uterus, disease of	1	1	2	4	1		1				
214 Venereal disease	2	4	4		4		4		9		
215 Vomiting in pregnancy	1										
216 Whooping cough	38	38	23	9	19	3	16		105	47	7
217 Worms											
218 Wounds	2	4	5	1	1		1		7	3	
219 Yellow fever									1	1	



## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	NEW JERSEY.										
	Total.	Group 1, rural.	Atlantic City.	Bayonne.	Bridge-ton.	Camden.	Eliza-beth.	Harrison town.	Hobo-ken.	Jersey City.	Mill-ville.
1 All causes	82,735	9,358	466	545	200	1,235	911	234	1,253	4,277	176
2 Abortion	6	1		1						1	
3 Abscess	17	5				1			1		
4 Abscess, lumbar and psoas	1										
5 Absorbent system, disease of	4	1									
6 Accidents and injuries (not specified)	146	31	2		1	9	2		11	33	2
7 Addison's disease	4				1					1	
8 Adenitis	3										
9 Alcoholism	101	21	1			5	2		6	17	
10 Anemia	79	31	1			2	3		1	5	
11 Aneurism	15	4			2	2					
12 Angina	27	19	2			2					1
13 Angina pectoris	127	38				3					
14 Aphthae	7	5									
15 Apoplexy	1,470	447	21	26	9	46	43	10	30	173	5
16 Appendicitis	129	41	1			6			6	9	
17 Arteries, disease of	59	25	1			1	2		2	9	1
18 Ascites	7	3				1					
19 Asthma	35	11	1			3			1	4	
20 Atrophy	21	5	4	4						2	
21 Bile passages, disease of	7	2			1		1				1
22 Birth, causes incident to	115	21	3	4			4		1	19	
23 Bites	1										
24 Bladder, disease of	80	31			3		3		6	9	1
25 Bones, disease of	26	5				1	2		1	2	
26 Bowels, disease of	49	14				1	3	1	2	5	3
27 Bowels, obstruction of	136	34	6	2		2	7		3	13	2
28 Brain, disease of	348	115	9	1	7	19	5	1	10	41	5
29 Breast, disease of (puerperal)											
30 Bright's disease	1,583	400	26	27	14	73	41	6	42	181	7
31 Bronchitis	881	202	19	10	1	8	18	6	59	138	2
32 Burns and scalds	188	47	1	3	2	9	5		5	25	
33 Calculus biliary	11	7		1						1	
34 Calculus urinary	7	1		1							
35 Cancer (not specified)	176	71	2	2	3	5	5		4	12	
36 of abdomen	67	25	1	1	1	6	2		3	2	
37 of bladder	11	5					1			2	
38 brain	2	1									1
39 breast	63	22			2	4	1			5	
40 eye	3	2									
41 genitals	8	2							2		
42 head, face, and neck	46	16		1		2			2	2	
43 kidneys	6										
44 larynx	5	1								1	
45 liver	102	29	1	2	1	3	6	1	3	13	
46 lower extremities	2	1									
47 lungs	5	2			1						
48 mouth, tongue, and throat	30	10	1				1		4	3	
49 ovaries	2										
50 penis											
51 rectum	34	4				2			1	3	
52 stomach	260	74	5	4	3	6	3	1	8	25	3
53 testicle											
54 upper extremities	2	1									
55 uterus	125	37	2	2		4	3	2	2	11	
56 Carbuncle	9	2				1				1	
57 Catalepsy											
58 Cerebro-spinal fever	142	36	2	6		4	7		3	18	
59 Chicken pox	1							1		7	1
60 Childbirth	61	33			1	1	2	1		7	3
61 Cholera infantum	842	279	6	9	4	24	33	2	29	87	10
62 Cholera morbus	93	37	2	1	2	1	5		2	10	2
63 Chorea	6	1									
64 Circulatory system, disease of	3	1								1	
65 Colic	13	5	1							2	
66 Colitis	70	30	3	2		1	2			12	1
67 Constipation	6	1			2						
68 Consumption	3,392	917	40	53	23	120	90	26	133	490	26
69 Convulsions	885	217	15	18	4	33	33	7	47	124	6
70 Croup	241	62	2	6	1	21	3	1	18	38	7
71 Cyanosis	49	22	1			3		5		2	1
72 Debility	1,033	260	20	7	7	47	33	12	53	127	3
73 Dentition	30	13				1			2	4	
74 Diabetes	156	42	2	2	1	4	2		4	17	
75 Diarrhea	189	64	4	7	1	5		1	4	7	1
76 Digestive system, disease of	66	23		1			2		2	15	

CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEW JERSEY—continued.													NEW MEXICO.			
Montclair town.	Newark.	New Brunswick.	Orange.	Perth Amboy.	Plainfield.	Town of Union.	Group 2, rural.	Morris-town town.	Passaic.	Pater-son.	Phillips-burg.	Trenton.	Total.	Group 1.	Group 2.	
217	4,866	425	490	250	242	207	3,294	191	563	2,000	161	1,174	2,674	739	1,935	1
	2	1	1							2	1	1	8	4	4	2
	2	1	1										1	1		3
2	2	1	2	1			21	1	1	13		5	37	7	30	4
																5
																6
																7
	15	3	2				1			1		1				8
	11	1	1	2			9	1	5	10	2	2	2		2	9
	1		2				2	1	3	2		4	1			10
						1				1						11
1	21		3	1	2	1	17	2	2	5	1	6	6	1	6	12
		1											1			13
14	243	22	13	4	12	12	163	17	13	70	14	58	9	1	8	14
1	12	1	3	2	3	2	11	4	1	18		7				15
		1			1		5	1		1		5				16
	4						1						19	9	10	17
	5						1						8	3	5	18
	2		1				3									19
																20
2	23	2	1	2	2	1	7	1	3	1		11	1			21
										8		11	1			22
	10	2		1			8	1				1	1			23
										3		2	3	1	2	24
	4	1	2	1			2		1	2		1				25
	10	1			1		3	1		1		2	20	9	11	26
2	22		3	1	1		8	2	4	11	2	6	11	1		27
2	38	5	1	1	2	1	55	2	5	17	2	9	9	5	4	28
																29
7	267	27	33	12	14	9	155	13	8	99	10	62	22	8	14	30
6	178	8	14	12	2	6	38	2	11	56	4	36	17	4	13	31
2	85	3	5	3	1	1	13		5	18		5	6	1	5	32
	2															33
1	13	2	1		3		1	1	1	9	2	2	2		2	34
1	8		1	1			7	1	1	3		4	1	1		35
	2									1						36
																37
1	12		1		2	2	8	1	1			1	11	2	9	38
							1									39
	2						1									40
	5	1	4				9		1	1		2	7		7	41
																42
	2						2					2				43
	1		1				1									44
	13		1	2	1	1	15		2	6		2	1		1	45
												1				46
							1									47
	6		1				2		1	1			2	1	1	48
	1															49
	10		1		1		2		1	2		2				50
2	48	3	2	1	2	4	30	2	4	16	3	11	4	2	2	51
																52
							1									53
1	30		1			2	10	2		7		9	3	1	2	54
	2		1	1			1						1		1	55
																56
	19		3	1			8		3	22	1	9	3	2	1	58
													1		1	59
1	4		1		2	1	2		1	1		3	48	11	37	60
4	143	15	6	5	4	6	72	5	13	61	1	21	28	8	20	61
	9	1	1	1			15		1	1	1	2	19	5	14	62
																63
							2		1			1				64
							3			1			7	1	6	65
	5		1		1		4	1	2	1			2		2	66
	1			1			1			5						67
26	576	42	66	12	22	23	313	23	42	193	10	121	152	52	100	68
2	134	22	10	8	3	4	65	6	30	57	7	28	8		8	69
1	33	2	3	2		3	16	1	1	11	1	8	45	12	33	70
					1	1	3			5		2				71
7	181	9	17	14	3	5	58	3	40	72	10	40	6		6	72
			1				2		3	1	1		1		1	73
	28	1	3	1	1	1	26		2	8		10	2		2	74
1	33	3	3	1		2	26	1	9	6		2	19	1	18	75
	9				1		8			4			1	1		76

## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	NEW JERSEY.										
	Total.	Group 1, rural.	Atlantic City.	Bayonne.	Bridge- ton.	Camden.	Eliza- beth.	Harrison town.	Hobo- ken.	Jersey City.	Mill- ville.
77 Diphtheria	678	172	14	7		69	15	10	15	74	3
78 Dislocations	1										
79 Dropsy	77	38	2	1		2	2			5	
80 Drowning	228	94	4	9	3	7	5	4	15	29	
81 Dysentery	172	65	4	2		1	10		8	15	1
82 Ear, disease of	2			1							
83 Electricity	9	3		1					1		
84 Elephantiasis	1	1									
85 Embolism	7	5									
86 Enteritis	1,141	259	7	23	2	24	42	6	40	244	4
87 Epilepsy	61	21	2			1		1		5	1
88 Erysipelas	121	26	1	3	1	3		1	12	15	
89 Esophagus, obstruction and stricture of	7	2					2				
90 Execution	5	1								2	
91 Explosion	9				1						
92 Exposure and neglect	11	4				2		1		1	
93 Extra-uterine pregnancy	5									1	
94 Eye, disease of											
95 Falling bodies	1	1									
96 Falls	103	37		6			5		5	16	1
97 Female organs of generation, disease of	6	1								1	1
98 Fever	4									3	
99 Foreign bodies in esophagus	4	1					1				
100 Fractures	168	54	4	2		12	6	2	3	4	1
101 Frozen	5	2				1				1	
102 Gangrene	91	20	3	1	1	3	1		3	11	
103 Gastritis	316	118	4	2	1	17	6	1	10	42	1
104 General disease (not specified)	1	1									
105 Goiter	1										1
106 Goiter, exophthalmic	7	4									
107 Gout	1			1							
108 Gunshot wounds	50	18	2			1	1		1	2	
109 Heart disease	2,519	834	36	34	19	99	54	11	87	312	12
110 Hemophilia	6	1					1		1	2	
111 Hemorrhage	50	18	1			3	2		2	4	
112 Hernia	80	21	1		1	4			1	8	
113 Hip joint, disease of	9	3	1								
114 Homicide	16	1				1				4	
115 Hydrocephalus	230	49	7	4	1	3	13	5	11	41	1
116 Hydrophobia	7	1								2	
117 Inanition	334	115	7	3	2	42	9	5	5	48	
118 Infanticide	2	1									
119 Inflammation and abscess of liver	41	13	2			3	1	3	1	3	1
120 Inflammation of brain	60	23	3		1	7				4	1
121 Influenza	443	150	10	5		14	7	10	7	29	
122 Injuries by machinery	3	2									
123 Jaundice	62	13	2	1	2	2	2	2	3	11	
124 Joints, disease of	9	5					1				
125 Kidneys, disease of	126	31		4	2	6	2	1	4	17	3
126 Laryngitis	53	17	2	4		1				8	1
127 Larynx, disease of	10								2		
128 Lead poison	5	1							1	2	
129 Leprosy											
130 Leucocythemia	6	1				2					
131 Lightning	3	1								1	
132 Liver, disease of	281	83	5	6	1	9	7	3	20	41	5
133 Locomotor ataxia	32	11	1						1	6	
134 Lost at sea	1	1									
135 Lungs, disease of	392	90	8	17	2	20	13	3	21	42	1
136 Lymphangitis											
137 Malarial fever	110	46				1	2	6	1	19	
138 Male organs of generation, disease of	2	1	1								
139 Malformation	151	34	2	3		11	1	3	10	36	2
140 Malignant pustule	1										
141 Measles	206	42	2	6	3	8	2	2	14	24	
142 Meningitis	909	201	13	21	3	34	16	3	64	147	
143 Mental disease	106	30				1	3	1	1	3	
144 Mining accidents	10										
145 Mumps	2										
146 Nervous system, disease of	41	13	1		2				1	8	
147 Noma	3	1									
148 Nose, disease of	2				1						







CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEW JERSEY—continued.													NEW MEXICO.			
Montclair town.	Newark.	New Brunswick.	Orange.	Perth Amboy.	Plainfield.	Town of Union.	Group 2, rural.	Morristown town.	Passaic.	Pater-son.	Phillips-burg.	Trenton.	Total.	Group 1.	Group 2.	
3	48	5	6	4	3	1	100	6	2	39	5	24	39	10	29	149
	2				1				1			1				150
									1							151
																152
4	1															153
	39	16	8	4	4	3	93	3	3	27	3	31	40	11	29	154
	16						80			1						155
		1					1			2						156
																157
6	6	1					2			1			1		1	158
	41	7	6	2	1	2	31		6	26	1	14	6	5	1	159
	1															160
																161
	2												1		1	162
																163
41	28	2	3				4		9	7		1	14	7	7	164
	627	35	52	25	39	37	314	18	73	233	13	116	232	70	162	165
1	18		1	1	1	1	11		2	5		8	9	5	4	166
	4		1													167
3	68	7	7	8	5	7	36	3	15	59	1	3	29	3	3	168
	2	1					5				1					169
	6			1			2					1				170
							1						1		1	171
4	14	2		1	2	1	10		3	13	1	4	8	4	4	172
	1	1					2			1						173
2	27	8	2	2	2		50		3	24	5	13	12	5	7	174
1	5	1	2			2	20	1		3	1	4	16	3	13	175
	3						5			1						176
																177
													1	1		178
																179
1	8		1		3		7		3	5		2				180
	59	2	13		3	1	16		3	14	2	7	44	10	34	181
		2					1			1		1				182
1	26	1	4	1	2	1	14	2	6	20		2	5	3	2	183
	2					1	1		1	1			9	5	4	184
																185
1	2						2	1					287	56	231	186
	13	3		2			6		2	2		3				187
	1						4						5	1	4	188
							2		1							189
	16	2					4		1		1	3	12	3	9	190
1	19	1	2				5	1	4	16	1	1				191
							1									192
	1						1			2			1		1	193
	3						2			2						194
	20		1			1	5			3			1			195
																196
1	8	1		1		2	4		1	1			2	1	1	197
	2					1	1	2	1			2	6	1	5	198
	7		1	1	2		1		1	4	1		2		2	199
																200
	4		2	3			1		3				3	3		201
	4	1	1				1			6		3				202
3	6	1	1	2		1	2	1		1			2			203
	1		2		1	1				1		1				204
	7	1	2	1		1	8	1	1	4		1	16	7	9	205
	4						1			1			2	2	2	206
1	26	4	5	2	2	1	40	3	10	31	2	25	102	35	67	207
																208
	9	1	4		1	3	28	2		9		5	404	89	315	209
	23	1	1	5	3		14	2	1	11	1	3	3	3	3	210
																211
			1					1				1	2	1	1	212
1	1	1					1						1	1		213
																214
1	10		1									2	3	1	2	215
																216
1	47	5	13		4		44	4	12	7	1	20	29	21	8	217
									2							218
	5						4					1	3	1	2	219
													3	2	1	219

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	NEW YORK.											Peeks-kill.	Yonk-ers.
	Total.	Group 1, rural.	Mount Vernon.	New Rochelle.	New York.								
					Total.	Bronx borough.	Brooklyn borough.	Manhattan borough.	Queens borough.	Richmond borough.			
1 All causes -----	180,268	4,207	411	246	70,229	3,624	23,263	39,331	2,642	1,369	206	781	
2 Abortion -----	55	2		1	41	1	14	25	1				
3 Abscess -----	117	4			67	1	12	48	6				
4 Abscess, lumbar and psoas -----	14				4		2	2					
5 Absorbent system, disease of -----	20				8	2	1	5					
6 Accidents and injuries (not specified) -----	488	18	4		120	11	31	70	4	4		5	
7 Addison's disease -----	41		1		12		3	9					
8 Adenitis -----	17				11		2	8		1			
9 Alcoholism -----	609	12		1	450	21	97	323	7	2	1	1	
10 Anemia -----	349	14	1	1	94	6	27	47	10	4	1	1	
11 Aneurism -----	111	6		1	70	6	10	52	1	1			
12 Angina -----	82	3			26	2	10	13		1			
13 Angina pectoris -----	442	11		1	141	4	40	87	4	6	1	3	
14 Aphthae -----	42	2			19	2	9	5	3				
15 Apoplexy -----	5,712	283	12	12	2,442	167	869	1,241	121	44	9	29	
16 Appendicitis -----	736	16	3	2	429	14	117	272	13	13	3	3	
17 Arteries, disease of -----	186	6			96	4	15	77				1	
18 Ascites -----	21	1			1			1					
19 Asthma -----	169	2		2	92	2	51	29	9	1		2	
20 Atrophy -----	39	2			19		12	7				2	
21 Bile passages, disease of -----	24	2			13	2	4	6		1			
22 Birth, causes incident to -----	350	10	1	6	154	4	67	71	7	5	1	6	
23 Bites -----													
24 Bladder, disease of -----	364	14	1	1	92	2	40	39	3	8		3	
25 Bones, disease of -----	94	1			68	1	19	46	1	1		2	
26 Bowels, disease of -----	150	4	1		44		17	24	3			6	
27 Bowels, obstruction of -----	596	20		2	264	16	100	137	8	3	2	6	
28 Brain, disease of -----	1,068	54	5	3	385	27	145	189	19	5	2	2	
29 Breast, disease of (puerperal) -----	1				1			1					
30 Bright's disease -----	7,446	180	21	8	4,847	227	1,592	2,760	166	102	14	30	
31 Bronchitis -----	4,072	101	10	9	2,700	91	974	1,524	78	33	9	21	
32 Burns and scalds -----	561	15	2	2	342	16	104	196	20	6		5	
33 Calculus biliary -----	86	3		1	38		11	27			1	1	
34 Calculus urinary -----	28	3			14	1	4	8		1			
35 Cancer (not specified) -----	911	37	3	1	285	6	69	155	6	49	1	1	
36 of abdomen -----	265	9			130	7	39	81	2	1	3	1	
37 of bladder -----	40	1			23	2	9	10		2		1	
38 brain -----	14				6		1	5					
39 breast -----	401	12	2		201	14	71	111	5		1	3	
40 eye -----	3				2		1	1					
41 genitals -----	28	2			19	2	4	13					
42 head, face, and neck -----	185	2	2		77	3	26	44	3	1		2	
43 kidneys -----	30	1		1	15	1	3	11					
44 larynx -----	27				24		9	13		1			
45 liver -----	471	10	1	1	239	12	95	128	4			1	
46 lower extremities -----	7				4		2	2					
47 lungs -----	22				12		2	10				1	
48 mouth, tongue, and throat -----	149	5			86	2	20	61	3		1		
49 ovaries -----	13				8	1		7					
50 penis -----	5				4		1	2		1			
51 rectum -----	174	5	1		105	3	31	66	4	1	1		
52 stomach -----	1,097	30	1	2	505	26	187	273	18	1		6	
53 testicle -----	1												
54 upper extremities -----	9				5		4	1					
55 uterus -----	596	14	4	2	310	21	89	183	16	1	1	5	
56 Carbuncle -----	18				11		3	5	3			1	
57 Catalepsy -----													
58 Cerebro-spinal fever -----	517	7	1	1	289	23	82	176	4	4		1	
59 Chicken pox -----	4	1			2			2					
60 Childbirth -----	235	3			130	10	36	78	4	2	1		
61 Cholera infantum -----	3,016	124	2	3	1,653	79	747	697	88	42	5	20	
62 Cholera morbus -----	334	7			93	5	49	34	3	2		2	
63 Chorea -----	20	2			6		3	2	1				
64 Circulatory system, disease of -----	15				5		1	4					
65 Colic -----	51	2			22		13	7	2				
66 Colitis -----	297	14	2		171	1	50	97	4	19		1	
67 Constipation -----	27	1			22	6	12	4					
68 Consumption -----	14,110	447	30	14	8,349	504	2,613	4,842	245	145	22	102	
69 Convulsions -----	1,464	50	10	3	670	34	168	405	48	15	3	6	
70 Croup -----	619	17			356	11	172	157	12	4			
71 Cyanosis -----	264	4	2		189	9	142	36	2			1	
72 Debility -----	3,232	145	30	8	2,033	75	725	1,100	95	38		13	
73 Dentition -----	192	3			157	2	101	52	1	1			
74 Diabetes -----	761	26	4	1	353	24	96	215	9	9	1	2	
75 Diarrhea -----	1,063	53	2	1	591	7	260	300	15	9	3	2	
76 Digestive system, disease of -----	384	17			165	2	88	77	1	2		3	

CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEW YORK—continued.															
Group 2, rural.	Glens Falls.	Ogdensburg.	Group 3, rural.	Kingston.	Middletown.	Newburg.	Port Jervis.	Group 4, rural.	Buffalo.	Dunkirk.	James-town.	Lockport.	Niagara Falls.	Rochester.	Watertown.
4,062	242	204	3,556	442	253	500	149	6,958	5,207	172	288	259	297	2,446	356
2			2					1							
6			6	1		1		3	6	1				4	
2			1					3							
28	1	1	19	4		2		51	18	1	2	1	4	14	1
2			1					6	2						1
1	1		9	3				1	1					1	7
28	1	2	16	1		4		15	28		1	1	1	6	8
3			1					33	15	1	2	3		13	9
5		1	6	1				3	2					4	10
20	2		26	2		4	1	8	4			1	3	1	12
3			1					49	20	2	1	4	1	7	13
182	18	8	225	17	24	27	9	3	382					1	14
25	1	1	12	3		1	3	41	185	6	11	7	5	181	15
2			6					12	31			1	1	16	16
2			2					1	12	1				15	17
4	1		5			1	1	10	1	1				4	18
1								3	9						19
12	2	4	7		1			1	1					2	20
19	1		8	4		1		21	81				1	2	21
2			1	2				2			1			2	22
9	1		8			1	1	11	3	1				3	23
21	1	2	9	1	1		1	33	9				1	20	25
56	3	4	41	5	2	5	1	68	36	6	1	4	2	11	27
									39	3					28
169	5	17	136	15	15	30	11	269	227	8	11	10	14	131	29
69	6	5	99	14	1	14	1	101	231	6	7	10	5	84	30
13	1		10	1	1	3		30	24	3				2	31
2			3					4	2			1		4	33
2			1		1			2	1						34
53			34	4		5		86	30	2	6	6	4	15	35
14	2	3	7	2				10	12			1		9	36
								3			1			1	37
13			12	1		3	1	1	14			1		1	38
1								1							39
10			12	2		1	1	15	5					7	40
1	1				1				4					1	41
11			12	1		2		27	18	3	1	1		19	42
								1	1					3	43
4			3			2		10	11						44
								2							45
4			5			1		11	1			1	1	7	46
34	3	1	48	2	2	2	1	76	49		3	6	4	21	47
															48
18	2	1	1	1	1	3	2	37	1			1	4	14	49
1			8					1	30					1	50
								1	1						51
26	1		25	5	1	2		23	32			1		3	52
															53
8	1		7	1				12	4			2	1	4	54
110	9	12	76	13	6	7	1	130	192	5	4	10	6	58	55
30	3		14	2		1		41	15		1	7	3	9	56
															57
3			1				1	2	1					1	58
3			9	1				3	5						59
5			1					21	12	1	1		1	8	60
															61
398	29	27	370	52	28	63	17	624	464	12	34	18	23	250	40
38	2	1	48	6	2	11	2	78	75	3	7	3	12	52	68
24	2		18		1	3	1	26	23	2	1	2		9	69
10			4	4	1			4	7	1	1			4	70
															71
69	3	1	55	10	5	12	3	75	72		6	3	16	66	72
6			3			1		13	13				1	1	73
24			26					57	46	2	4	1		21	74
38	1	3	21	1				48	62	2	1	1	2	13	75
16		1	11		2		1	47	21	1	1	1	1	6	76

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	NEW YORK.											
	Total.	Group 1, rural.	Mount Vernon.	New Rochelle.	New York.						Peekskill.	Yonkers.
					Total.	Bronx borough.	Brooklyn borough.	Manhattan borough.	Queens borough.	Richmond borough.		
77 Diphtheria	2,673	47	3	4	1,922	97	670	1,058	61	36	8	6
78 Dislocations	21				3		1	2				
79 Dropsy	383	7	1		18		9	9				
80 Drowning	846	50		1	373	21	115	179	34	24	2	2
81 Dysentery	676	57			304	21	119	139	22	3		3
82 Ear, disease of	35	1			25	1	5	18		1		
83 Electricity	24				11		6	4	1			
84 Elephantiasis	2				2		1	1				
85 Embolism	92	2			37	2	9	22	2	2	1	2
86 Enteritis	4,664	139	35	8	3,623	193	1,224	1,929	199	78	9	68
87 Epilepsy	322	30	1		110	4	28	71	6	1		2
88 Erysipelas	475	12		1	272	9	66	133	12	2	1	
89 Esophagus, obstruction and stricture of	27	1			8		1	6	1			3
90 Execution	19	4			3		1			2		
91 Explosion	27	6			9		1	8				1
92 Exposure and neglect	44				13	2	3	4	2	2		
93 Extra-uterine pregnancy	36		1		26		8	18				
94 Eye, disease of	5				3	1	1	1				
95 Falling bodies	38	1			15	2	2	11				
96 Falls	552	10			426	27	67	323	1	3		1
97 Female organs of generation, disease of	34	2			10		1	9				
98 Fever	18				2		1	1			1	
99 Foreign bodies in esophagus	16				13		4	9				
100 Fractures	842	15	1	1	510	13	164	271	49	13	3	5
101 Frozen	9	1			1			1				
102 Gangrene	379	18	1		105	4	40	57	3	1	1	2
103 Gastritis	1,045	42	10	2	461	21	134	233	17	6	2	12
104 General disease (not specified)	2				1			1				
105 Goiter	13	2			1		1					
106 Goiter, exophthalmic	27	1			11		1	10				
107 Gout	5				1			1				
108 Gunshot wounds	225	16	2	2	101	8	50	36	6	1		8
109 Heart disease	9,668	362	15	17	4,339	239	1,535	2,340	140	85	10	72
110 Hemophilia	13				8		3	5				1
111 Hemorrhage	331	17	4	1	69	3	27	32	6	1		2
112 Hernia	302	6			167	8	55	94	4	6		2
113 Hip joint, disease of	30				18	2	5	11				
114 Homicide	91				72	4	7	55	4	2		
115 Hydrocephalus	1,013	22	5		764	36	217	473	28	10	2	16
116 Hydrophobia	8	1			2			2				
117 Inanition	985	27	2	2	401	33	128	197	20	23		4
118 Infanticide	2				1			1				
119 Inflammation and abscess of liver	287	6			143	8	53	79	7	1	1	1
120 Inflammation of brain	148	6			26	1	11	12	1	1		
121 Influenza	1,453	72	1	2	535	16	199	291	20	9	3	9
122 Injuries by machinery	10				2			2				
123 Jaundice	215	14	1		84	2	29	47	5	1		5
124 Joints, disease of	46	1		1	29	1	6	21	1	1		
125 Kidneys, disease of	499	16	3		281	12	97	163	5	4	1	3
126 Laryngitis	171	6		1	87	5	39	39	4		1	2
127 Larynx, disease of	37	4	1		13		11	2			1	
128 Lead poison	20	1			13	6	5	1	1		1	1
129 Leprosy	3				3			1				
130 Leucocythemia	55	4			30	3	6	17	2	2		
131 Lightning	13				13							
132 Liver, disease of	1,220	39	1	1	690	39	222	376	40	13	2	5
133 Locomotor ataxia	113	2	1		42	6	11	22		3		3
134 Lost at sea	1	1			1							
135 Lungs, disease of	1,433	52	8	7	662	24	246	350	24	18	5	19
136 Lymphangitis	3				1				1			
137 Malarial fever	308	23		6	168	30	56	53	27	2	1	2
138 Male organs of generation, disease of	3				2		1	1				
139 Malformation	447	16	1		218	13	91	106	6	2		4
140 Malignant pustule	4				2		2					
141 Measles	1,174	13	8	11	801	73	258	443	12	15	8	1
142 Meningitis	2,602	89	5	4	1,407	66	497	767	50	27	7	27
143 Mental disease	445	18		1	168	7	54	93	7	2		3
144 Mining accidents	2											
145 Mumps	10				5		2	3				
146 Nervous system, disease of	191	7			46	6	13	25	1	1		1
147 Noma	14	1	1		9	1	4	4				
148 Nose, disease of	1				1			1				



## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	NEW YORK.												
	Total.	Group 1, rural.	Mount Vernon.	New Rochelle.	New York.						Peeks- kill.	Yonk- ers.	
					Total.	Bronx borough.	Brooklyn borough.	Manhat- tan borough.	Queens borough.	Rich- mond borough.			
149 Obesity	1												
150 Old age	3,658	141	7	7	878	51	291	444	41	51		2	7
151 Ovarian tumor	80				44		12	31	1				1
152 Ovaries, disease of	32				24		9	13	2				
153 Pancreas, disease of	9				5		1	4					
154 Paralysis	2,053	113	4	2	469	20	158	249	26	16			8
155 Paralysis general (of insane)	131	11			55	3	29	21	1	1			1
156 Parasites													
157 Pelvic abscess (female)	60				32		9	23					
158 Pericarditis	168	6		1	80	2	38	38	4	3		1	2
159 Peritonitis	1,111	40	5	1	876	16	102	224	22	12		1	12
160 Pharyngeal abscess	14				11	1	4	6					
161 Pharynx, disease of (not specified)	1												
162 Phlebitis	31				24	1	5	16	2				
163 Phlegmasia dolens	1				1	1							
164 Pleurisy	405	6	1	1	259	12	73	166	6	2		1	2
165 Pneumonia	16,604	386	89	30	11,182	539	3,371	6,697	359	166		20	78
166 Poisons (not specified)	528	10		5	361	7	144	196	11	3		1	5
167 Pregnancy, affections connected with	56	4	1		26	1	13	11	1				
168 Premature birth	2,263	65	6	5	1,287	69	318	830	45	25		5	18
169 Prostate, disease of	110	4			82	1	9	22					
170 Puerperal convulsions	140	2			75	5	16	50	3	1			
171 Puerperal mania	7	1			4		3	1					
172 Puerperal septicemia	452	6	1		323	18	127	167	8	3			4
173 Purpura	43	2			23	1	8	13	1				
174 Railroad accidents	615	30		1	124	26	25	64	3	6		2	2
175 Respiratory system, disease of	4												
176 Rheumatism	493	14	2		204	21	60	109	10	4		2	4
177 Rickets	44	1			27	3	5	18	1				1
178 Roseola	1				1			1					
179 Rupture of bladder	8				5		3	2					
180 Sarcoma	205	4			97	6	24	61	4	2			3
181 Scarlet fever	812	13		4	572	25	192	331	24				2
182 Scrofula	86	1			15	1	2	10	2				
183 Septicemia	572	20	7	1	161	10	48	95	2	6			2
184 Skin, disease of	77	2			36		16	20					1
185 Smallpox	16	1			13	4	1	8					
186 Spinal cord, disease of	245	3	1		103	6	41	48	4	4			
187 Spine, disease of	87	3			46	2	9	30	4	1			
188 Spleen, disease of	11				1			1					
189 Stomach, disease of	362	13	1	1	149	6	46	91	4	2		2	1
190 Suffocation	282	19	3		111	4	20	66	7	14			
191 Suicide by cutting throat	37	1			18	1	3	13	1				
192     drowning	27	2		1	4			3					
193     hanging	165	5			69	2	24	33	10				
194     poison	258	2			191	16	7	156	11	1			
195     shooting	157	1			99	8	5	76	7	3			1
196     (not specified)	127	5			72	1	2	66	1	2			
197 Sunstroke	112	3			88	4	33	42	6	3			3
198 Surgical operations	71	1			21	1	3	16		1			
199 Tabes mesenterica	158	5			65	4	42	18	1				
200 Tetanus	147	9	1	1	63	8	20	29	5	1		2	5
201 Trismus nascentium	57	9			42		27	13	1	1			
202 Tuberculosis (unclassified)	196	4	1		133	20	35	76	2				3
203 Tubes, disease of	84			1	70	1	19	49	1				
204 Tumor	199	2			72	3	21	48					2
205 Tumor of uterus	131	3	1		66	1	27	37	1				2
206 Typhoid fever	1,776	40	1	1	594	21	245	275	36	17			6
207 Typhus fever													
208 Unknown	530	48	3	10	89	1	24	56		8		3	1
209 Uremia	638	23	3	1	196	10	60	111	12	3		1	6
210 Urethra, stricture of	9				8			8					
211 Urinary organs, disease of	35				14	1	3	9	1				
212 Uterine hemorrhage	16				6	1	1	3		1			1
213 Uterus, disease of	31				18	1	4	12	1				
214 Venereal disease	208	2			152	11	30	104	4	3			
215 Vomiting in pregnancy	7				5		1	4					
216 Whooping cough	988	19	2	8	666	52	287	291	26	10		5	1
217 Worms	6	1			2			2					
218 Wounds	80	1			54		21	38					
219 Yellow fever	1				1			1					





## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	NEW YORK—continued.											
	Group 5, rural.	Albany.	Amster- dam.	Auburn.	Bing- hamton.	Cohoes.	Corning.	Cortland.	Elmira.	Geneva.	Glovers- ville.	Hudson.
1 All causes	17,123	1,813	336	521	698	484	199	120	550	153	217	208
2 Abortion	2		2		1							
3 Abscess	7	3							1			
4 Abscess, lumbar and psoas	2											
5 Absorbent system, disease of	3											
6 Accidents and injuries (not specified)	128	10	4	1	3	1	1	1	3		1	
7 Addison's disease	11	1										
8 Adenitis	2	1										
9 Alcoholism	42	11		2	2				2	2		
10 Anemia	79	6		1					3	1	2	
11 Aneurism	14							1				1
12 Angina	14	1		2				1			1	
13 Angina pectoris	104	10	2	2	3		2		2			
14 Aphthae	7				2							
15 Apoplexy	1,112	82	14	35	44	1	12	10	25	9	8	14
16 Appendicitis	78	9	5	2	10	2			2		2	1
17 Arteries, disease of	27	2										
18 Ascites	10											
19 Asthma	28	2			2							
20 Atrophy	2	2										
21 Bile passages, disease of	2								1			
22 Birth, causes incident to	42	3				1	10	1	3		2	1
23 Bites												
24 Bladder, disease of	110	6	1		3	2	1	1	1			1
25 Bones, disease of	8		1									
26 Bowels, disease of	41	1		1	3	1				1		1
27 Bowels, obstruction of	107	5	1	1	4		1	2	5	3		2
28 Brain, disease of	238	36	2	9	7	3		2	2	2	3	2
29 Breast, disease of (puerperal)												
30 Bright's disease	752	92	7	14	26	16	6	1	32	7	14	6
31 Bronchitis	292	38	7	14	26	9	1	2	19	4	7	8
32 Burns and scalds	62	6	2	4		7			4		1	
33 Calculus biliary	19	1										
34 Calculus urinary	3											
35 Cancer (not specified)	234	12	9	1	3	1	1		4	3	4	2
36 of abdomen	40	5		2	2			1		1	1	
37 of bladder	5	1				1						
38 brain	4								1			
39 breast	57	4	1	2	4	1			2	1	1	
40 eye												
41 genitals	2	1		1								
42 head, face, and neck	31	3	1		1				1			
43 kidneys	5											
44 larynx												
45 liver	68	4	1	5	1	4	1	1	4	2	1	1
46 lower extremities	1											
47 lungs	3	1										
48 mouth, tongue, and throat	14	3			1	1						
49 ovaries	2											
50 penis												
51 rectum	15	3		1			1		1	1		
52 stomach	201	17	4	11	5	2	2	1	2		1	1
53 testicle		1										
54 upper extremities	1			2	1	1	1		3	1	2	2
55 uterus	76	8										
56 Carbuncle	2											
57 Catalepsy												
58 Cerebro-spinal fever	48	12		3		2	2		1	1		
59 Chicken pox	1	1										
60 Childbirth	39	2	1	2	1		1					
61 Cholera infantum	275	22	14	15	14	31	6	2	2	1	8	2
62 Cholera morbus	65	5	1	1	6	1	1		2	1	1	
63 Chorea	8			1								
64 Circulatory system, disease of	2	1										
65 Colic	10							1	1		1	
66 Colitis	21	5	1			1						1
67 Constipation	3											
68 Consumption	1,402	236	39	46	68	57	19	10	63	11	18	15
69 Convulsions	162	46	10	6	11	8	1	1	12	2	2	4
70 Croup	68	6	1	4	3	5	2		3	1	1	2
71 Cyanosis	22	1			1				1			
72 Debility	255	90	5	6	22	30	2		9	3	9	7
73 Denutition	3			1								
74 Diabetes	125	9	3	1	3	2	2	1	3	2	1	3
75 Diarrhea	122	10	3	2	6	1		3	3			6
76 Digestive system, disease of	52	7	2		2		2		1		2	1

CAUSE OF DEATH.

189

GROUPS, AND REGISTRATION CITIES : CENSUS YEAR 1900—Continued.

NEW YORK—continued.												NORTH CAROLINA.		
Ithaca.	Johns-town.	Lansing-burg.	Olean.	Pough-keepsie.	Rome.	Saratoga Springs.	Schenec-tady.	Syracuse.	Troy.	Utica.	Water-vliet.	Total.	Group 1, rural.	Wilming-ton.
214	135	248	119	496	267	265	479	1,494	1,393	990	275	21,068	5,313	565
1	1											12	2	2
					1							24	5	3
						1						2	1	4
1	2		2	3	2	3	3	10	5	7	1	89	17	6
								1	2	1		2	1	7
1			1	1	2	1		4	2	6		31	6	8
		1	1	2	2	1		6	5	1	2	19	4	10
								2	1	2		8	1	11
			1	1				7	2	1		22	5	12
3			1	1	2			1	6			28	6	13
								1	1			54	18	14
12	13	9	10	36	12	18	30	73	60	52	1	187	51	15
	1	2		1	2	1	8	8	2	6	10	52	14	16
									4			2		17
			1					1	1	1		51	14	18
								1				61	26	19
														20
1		4		6		1	2	4	2	1	3	1		21
												13		22
3	3		1	4		3	1	6	1	6		28	1	23
													6	24
1		1						2	4			6	1	25
								4	1			149	49	26
2			2	1			2	10	1			37	9	27
1	1	1	2	14	2	1	6	19	6	11	1	148	45	28
														29
10	8	20	1	11	4	24	17	70	56	58	13	243	61	30
5		7	5	9	7	4	14	39	26	15	4	290	54	31
2				1	2	3	3	5	3	2		281	81	32
						1			2			7	2	33
									1			43	11	34
4	1	1	2	10	2	4	2	9	13	12	3	118	23	35
				1				3	1	1		6		36
								2				1		37
														38
														39
														40
														41
														42
1			1					5	2	2		38	12	43
														44
														45
														46
														47
														48
														49
														50
2	1	1	1	3	2		1	1	8	8	1	1		51
								24				47	9	52
														53
														54
														55
														56
														57
														58
1		2		2	3	2		9	6	1		46	14	59
														60
1	2	6	2	5	5	7	17	2	4	2	11	167	72	61
		1	2	5	1	1		35	53	10		439	140	62
								7				124	20	63
														64
														65
														66
														67
														68
24	10	29	7	60	22	29	35	143	203	119	27	2,350	520	54
2	5	4	4	16	3	1	12	22	24	14	3	157	36	69
		4					2	3	13	2	7	503	41	70
								3	1			2		71
														72
4	4	6	1	18	2	11	27	19	72	37	11	126	15	73
				1								92	23	74
				2								55	3	75
				2								257	65	76
2	2	1	1	1	8			11	4	8	2	120	38	3
				1				6	1	2	1			







CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEW YORK—continued.												NORTH CAROLINA.		
Ithaca.	Johns- town.	Lansing- burg.	Olean.	Pough- keepsie.	Rome.	Saratoga Springs.	Schenec- tady.	Syracuse.	Troy.	Utica.	Water- vliet.	Total.	Group 1, rural.	Wilmington.
5	12	6	3	25	18	13	8	62	33	29	8	393	114	11
		1						5		1		7	1	
								1						
6	1	8		14	9	4	7	29	27	13	5	552	148	11
1				3					2			2	1	
			1			1		3		1		4		
4		1	1	1	1	1	1	3	4	2		6	2	
		5		3	3	2	8	20	11	19	1	43	4	5
										2				
				1	1	1		6	8	2		3	2	
16	5	27	7	48	21	29	37	136	179	107	38	2,127	524	42
				1				4	4	3	1	44	11	3
2	3	5	3	11	2	5	11	40	24	19	4	8	3	1
1					1					1		144	17	3
			1				1	1				8	3	2
												20	4	2
1		2			1		2	1	1			1		1
								1	1		2	62	15	2
								1		1		2		
3	1		3	3	3	2	2	11	4	5		66	11	2
												4	3	
2	2	1		2	1		3	12	9	3		111	32	3
								2	1			8	2	1
												1		
										1		3		
						1	2	3	3			2	1	
1					1	1	2	4	3	1		24	3	1
								4		1	1	79	10	1
6	4		1	2	3	1	4	12	10	12	1	109	25	2
1			1					1	1	1		28	6	
1				2		1	2	4		2		51	10	
1								1		1		5		
												41	12	
1		2		3	2		3	6	2	2		1		
												55	8	3
		1	1	2	1		1	2	8	6		55	20	4
1				1	2		1	1	2	2		2	1	
												2		
1				1			1	1	2	3		6		1
1	1					1			1	2		5		
												12	1	
1								1	1	2		11	4	
												2		
1								5				93	40	2
								4	4	1		38	22	10
								1				8	4	2
								4				4		2
												1		
1	1				1		1	2	2			58	14	1
1								5	1	3		5	1	
4	3	3	3	7	6	6	10	25	53	8	12	1,250	239	10
												3		
3	4	1		1	9		1	16	7	5	1	2,105	645	20
2		1	3	3	3	1	4	17	12	13	1	27	8	2
												2	1	1
				1				2		1		6	1	
								1				3		
				1			1	1				25	11	
								1	2	2		20	6	
								1				2		1
	1	2		4	2	3		14	2	1	1	270	87	1
												42	20	
										1		12	1	
												2		

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	NORTH CAROLINA—continued.			NORTH DAKOTA.			OHIO.					
	Group 2, rural.	Raleigh.	Group 3.	Total.	Group 1.	Group 2.	Total.	Group 1, rural.	Ashta-bula.	Cleve-land.	Toledo.	Group 2, rural.
1 All causes	11,051	371	3,768	2,287	2,002	285	53,362	3,300	219	6,521	2,112	10,957
2 Abortion	6		4	1	1		22			2	6	1
3 Abscess	14	1	3	4	4		53	9	1	3	3	9
4 Abscess, lumbar and psoas	1						4			1		
5 Absorbent system, disease of	2			1		1	7					
6 Accidents and injuries (not specified)	56	3	10	31	29	2	479	65	6	76	9	77
7 Addison's disease	1						4					2
8 Adenitis	1						1					
9 Alcoholism	17	2	5	3	1	2	119	1		10	4	16
10 Anemia	10	8	2	3	3		120	8		14	4	18
11 Aneurism	3		1	1	1		41			3	3	6
12 Angina	9	1	7	6	4	2	63	10		4	2	18
13 Angina pectoris	14	1	3	1	1		192	11	1	15	9	32
14 Aphthae	29		5				94	2		1	1	11
15 Apoplexy	97	4	19	26	24	2	1,523	102	7	191	70	232
16 Appendicitis	26		12	25	24	1	281	24	2	89	11	44
17 Arteries, disease of	2						66	5		20	3	7
18 Ascites	24	2	9	3	3		102	14		5	1	31
19 Asthma	24	1	5	12	12		224	6	1	88	3	50
20 Atrophy							57			4		48
21 Bile passages, disease of	1						11				1	2
22 Birth, causes incident to	9		4	2	2		74	6		3	6	12
23 Bites	3		1				2					
24 Bladder, disease of	16		6	2	2		193	13		9	9	48
25 Bones, disease of	4		1	2	1	1	29	2			2	4
26 Bowels, disease of	81	1	16	10	10		176	11	3	6	4	49
27 Bowels, obstruction of	17	1	7	13	12	1	232	11		16	8	49
28 Brain, disease of	63	6	30	9	7	2	613	53	8	62	20	127
29 Breast, disease of (puerperal)												
30 Bright's disease	121	6	45	37	30	7	1,539	105	2	139	43	299
31 Bronchitis	167	11	50	23	21	2	839	34	1	135	42	116
32 Burns and scalds	161	3	29	10	8	2	289	13	3	39	15	65
33 Calculus biliary	5			3	1	2	69	5		4	1	20
34 Calculus urinary	25		7	2	1	1	14			2	2	5
35 Cancer (not specified)	61	2	32	17	14	3	633	48	6	107	25	115
36 of abdomen	4		2	2	2		107	9		4	8	19
37 of bladder			1				12	1			1	2
38 brain			1				1					1
39 breast	22	1	4	3	3		118	11		5	3	23
40 eye	2		1				1					1
41 genitals	1		1				3				2	
42 head, face, and neck	17		9	5	4	1	109	10		3	2	38
43 kidneys	1						8					4
44 larynx							6					1
45 liver	5		1	4	4		175	14		10	8	24
46 lower extremities	3		1				2					1
47 lungs	1		1				4					1
48 mouth, tongue, and throat	5			2	2		65	2		4	1	16
49 ovaries							4			1		
50 penis	1						1					1
51 rectum							34	2		3		9
52 stomach	30	1	5	15	14	1	490	60		39	13	81
53 testicle												
54 upper extremities	1		1				2					2
55 uterus	26	2	10	2	2		163	3		9	6	25
56 Carbuncle	4		1				20	3		2	2	2
57 Catalepsy							1					1
58 Cerebro-spinal fever	21		11	2	1	1	249	9		18	11	59
59 Chicken pox							5	1		1		1
60 Childbirth	67	1	24	33	27	6	154	20		10	4	35
61 Cholera infantum	223	2	51	50	44	6	1,260	109	8	170	62	243
62 Cholera morbus	61	1	39	35	34	1	357	44	3	29	15	65
63 Chorea			1	1	1		16	1		1		5
64 Circulatory system, disease of	1						13			2	1	2
65 Colic	39		11	21	19	2	78	6		50	4	7
66 Colitis	21	1					59	2		3	10	7
67 Constipation	14		4	2	2		5	1			1	
68 Consumption	1,317	34	425	246	224	22	5,789	334	20	503	134	1,362
69 Convulsions	37	8	11	60	39	21	1,085	59	7	334	53	126
70 Croup	211		250	29	24	5	554	34	1	74	49	166
71 Cyanosis			1				53	3		6		6
72 Debility	38	42	8	9	9		950	38	3	333	13	99
73 Dentition	59		10	6	6		1		1	7	3	10
74 Diabetes	34	1	16	12	12		263	22		15	4	48
75 Diarrhea	132	7	46	22	18	4	271	15		12	20	55
76 Digestive system, disease of	61		18	9	8	1	161	9		13	6	42



CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

OHIO—continued.															
Bellaire.	Chilli-cothe.	Cincin-nati.	Dayton.	Hamil- ton.	Ironton.	Marietta.	Middle- town.	Ports- mouth.	Group 3, rural.	Canton.	Colum- bus.	Findlay.	Lima.	Massil- lon.	Newark.
167	277	6,214	1,405	349	221	182	145	328	15,929	408	1,988	275	377	197	269
		2	1	1					6	1		1		1	
	1	7	1						15		1	1			
		1							2						
4	2	31	15	7				2	5	4	12	1	2	1	2
									146						
									2						
2		23	8	2	1				35	1	4		2	2	1
		13	1	1					53		7				
		18	3		1				8		2				
		4	2						26				1		
	1	21	7	2	1	2			79	1	4				1
		3							5						
4	14	184	63	8	3	9	12	1	467	16	67	18	7	6	9
		26	9	1			3		87	6	17	1	4	1	
		20	1						6		2				
		5	3						39		1	1			
	1	27	8	1	1	1	1	1	57	4	10		1	1	
		3							1		1				
		4	1						2						
		27	4	1					8						
										3	1				1
	4	31	4		1	1			58	1	1	2		3	
		9	2						9		1				
1	2	5							73		2	2	9		1
		38	13	2		1		1	70	2	10	1	1	2	1
2	1	77	16	5	5	3	1	5	173	6	24	2	6	4	6
4	10	262	55	10	7	4	4	9	457	10	66	7	10	6	7
1	6	253	22	9	12	4	5	12	167	4	18	5	3	3	5
2	1	20	10	2	1	4	3	5	69	2	24	4	2	1	1
		8			1				24	1	4	1			
		1							3						
	5	49	15	5	3	7	2	2	201	5	15	1	4	5	4
		7	11	3	1	1		1	35		5		1		2
		3							4		1				
1		15	2	2					47	1	5	1		1	
		7	2	2					1				2		
									46		2				
		1	1						1		1				
		4	1												
		27	12	1			2		60	1	12	1			3
		1													
									3						
		10	4						25		1				1
		1	1						1						
2		7	2	1					6	1	3				
		48	15	2	2	2	4	1	177	4	29		4	3	
1	3	32	7	1					46	3	15		1		3
		8	1						1						
4	3	22	23	3	1				76	1	13		1	3	1
		1							1						
		8			2				67						
	2	58	18	3	1	3	1	5	447	1	4		1	1	
1	2	23	5	4	3	2			136	6	15	9	12	2	9
												1	1	1	3
		1													
			1	1					5		1				
			2						7			1			
									9						
									16		1		1		
									2		7				
22	37	767	172	42	20	16	19	48	1,743	43	269	33	37	15	27
3	6	141	19	6	4	2	2	9	221	20	31	4	1	3	2
1	1	38	2	1				5	153	9	10	2	1	1	1
		11	2						14	2	3	1	1		70
5	3	152	20	1	2	1		2	159	1	19	5	9	5	11
		15		1					3					1	1
		34	10	2	2	2		2	105	3	7		2		2
1	3	48	2		7				79	1	26				74
		4	3	2		1		1	62	2	4		3		75

## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	NORTH CAROLINA—continued.			NORTH DAKOTA.			OHIO.					
	Group 2, rural.	Raleigh.	Group 3.	Total.	Group 1.	Group 2.	Total.	Group 1, rural.	Ashta- bula.	Cleve- land.	Toledo.	Group 2, rural.
77 Diphtheria	42	3	49	120	86	34	698	55	4	123	104	110
78 Dislocations							18	1		2		3
79 Dropsy	245	3	84	13	10	3	677	61	3	46	10	178
80 Drowning	26	2	12	10	6	4	231	17	4	32	20	43
81 Dysentery	305	3	79	6	6		399	30	6	22	7	109
82 Ear, disease of	1		2	1	1		15	1		2	3	1
83 Electricity							5	1	1	1		1
84 Elephantiasis	1		1				2					
85 Embolism	1						22			4	4	3
86 Enteritis	59	20	17	12	12		792	22		189	63	78
87 Epilepsy	66		23	14	13	1	197	14		3	11	77
88 Erysipelas	27		17	1	1		140	3	1	19	11	29
89 Esophagus, obstruction and stricture of							15			2		3
90 Execution	2						4	1				
91 Explosion			2				24					11
92 Exposure and neglect	18	3	5	6	6		20		1	6		3
93 Extra-uterine pregnancy				2	2		6			1		
94 Eye, disease of							1					1
95 Falling bodies	4		4				19		2			5
96 Falls	28	1	9	8	7	1	145	9	2	2	5	40
97 Female organs of generation, disease of	4		6	3	2	1	22	1	1	2		6
98 Fever	61		21	7	7		15	3	2	2		3
99 Foreign bodies in esophagus	5			2	2		28				1	7
100 Fractures	13		6	10	3	2	164	9		40	5	33
101 Frozen	1		1				8	2			1	1
102 Gangrene	5		2				142	9	3	8	9	34
103 Gastritis	79	3	33	14	11	3	497	41	1	67	15	92
104 General disease (not specified)							5	1			1	
105 Goiter	3						5					2
106 Goiter, exophthalmic				1	1		10	1		1	2	3
107 Gout							1					
108 Gunshot wounds	40		18	6	5	1	125	7		6	3	27
109 Heart disease	620	29	164	114	101	13	4,210	363	14	443	109	1,004
110 Hemophilia							1			1		
111 Hemorrhage	31	1	7	11	10	1	165	12		49	13	18
112 Hernia	18	1	5	8	7	1	128	13		10	2	22
113 Hip joint, disease of	1		2	1	1		11				2	2
114 Homicide	13	1	15	4	1	3	66	5		8	1	16
115 Hydrocephalus	16		4	11	10	1	157	3		7	14	33
116 Hydrophobia	2		2				10			4		
117 Inanition	33	3	10	15	11	4	875	32	8	298	70	76
118 Infanticide			1				2					
119 Inflammation and abscess of liver	24		17	6	5	1	139	10		17	7	26
120 Inflammation of brain	76		47	42	41	1	411	31	2	18	12	127
121 Influenza	405	8	139	25	24	1	605	56	3	26	34	144
122 Injuries by machinery	5		5				6	2			1	2
123 Jaundice	46	1	13	8	8		123	5		10	3	26
124 Joints, disease of	3		1				12					4
125 Kidneys, disease of	52	1	17	10	9	1	276	22		13	5	73
126 Laryngitis	1		3	3	3		54	1		15	2	13
127 Larynx, disease of	1		1				9					3
128 Lead poison	2			1	1		8	1				2
129 Leprosy												
130 Leucocythemia	1			1	1		14	1		2	2	2
131 Lightning	5	1	3	3	2	1	19	2		1		2
132 Liver, disease of	44	2	17	18	13	5	419	21	3	36	28	33
133 Locomotor ataxia	3		1	1	1		42	2		2		9
134 Lost at sea	1											
135 Lungs, disease of	31	1	22	20	18	2	424	19	3	57	18	80
136 Lymphangitis							3					1
137 Malarial fever	234	6	9	4	4		156	16		6	11	36
138 Male organs of generation, disease of							3			2		1
139 Malformation	17	1	5	4	3	1	110	9		8	14	17
140 Malignant pustule				1	1		4					1
141 Measles	134		31	16	10	6	166	11	1	7	7	53
142 Meningitis	188	8	58	36	29	7	1,189	45	2	174	48	194
143 Mental disease	18		10	14	12	2	232	14		20	34	43
144 Mining accidents	3						52					30
145 Mumps	2			1			7	1		1	1	1
146 Nervous system, disease of	30		14	1		1	203	12		12	8	52
147 Noma							2					1
148 Nose, disease of							1			1		



VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	NORTH CAROLINA—continued.			NORTH DAKOTA.			OHIO.					
	Group 2, rural.	Raleigh.	Group 3.	Total.	Group 1.	Group 2.	Total.	Group 1, rural.	Ashta-bula.	Cleve-land.	Toledo.	Group 2, rural.
149 Obesity							1					1
150 Old age	215	9	44	46	41	5	1,953	197	6	210	49	399
151 Ovarian tumor	4		2	2	2		29	1		2	2	4
152 Ovaries, disease of							8			1		1
153 Pancreas, disease of							1					
154 Paralysis	308	6	79	27	25	2	1,939	155	5	104	33	554
155 Paralysis general (of insane)	1			1	1		72	1	7		23	19
156 Parasites				1	1		1					
157 Pelvic abscess (female)	4						23			5	2	
158 Pericarditis	1	3					34			10	2	3
159 Peritonitis	20	5	9	19	18	1	524	29	2	96	22	71
160 Pharyngeal abscess							2					1
161 Pharynx, disease of (not specified)												
162 Phlebitis			1				7	1		2		1
163 Phlegmasia dolens				1			1					
164 Pleurisy	44	1	32	8	7	1	194	13		13	4	24
165 Pneumonia	1,230	20	311	212	193	19	4,606	369	19	709	148	907
166 Poisons (not specified)	23	1	6	9	8	1	131	12		10	7	14
167 Pregnancy, affections connected with	1		1	1	1		9	1		2	2	
168 Premature birth	87		37	25	25		677	19		97	49	97
169 Prostate, disease of	1		2	1	1		32	1			2	9
170 Puerperal convulsions	11	1	2	2	2		27	3		5	2	3
171 Puerperal mania			1				4	1				1
172 Puerperal septicemia	32		13	5	5		134	15	1	15	16	14
173 Purpura	2		1	1	1		19	2		2		2
174 Railroad accidents	33	5	15	5	3	2	558	44	9	68	28	71
175 Respiratory system, disease of	1						6	1				1
176 Rheumatism	55		21	17	17		307	27		22	6	70
177 Rickets	5			1	1		12	1			2	1
178 Roseola			1									
179 Rupture of bladder	3						2			1		
180 Sarcoma	1						71	2		12	4	5
181 Scarlet fever	10		10	17	14	3	334	43	2	45	24	50
182 Scrofula	45	1	22	5	5		43	3		3	1	21
183 Septicemia	59	5	18	31	28	3	466	35	1	71	20	39
184 Skin, disease of	13		9	2	2		30		1	3	6	9
185 Smallpox	33		3	4	4		35	4		10		3
186 Spinal cord, disease of	3		2	2	2		100	18	1	7	7	16
187 Spine, disease of	14		15	5	3	2	135	13	1	2		48
188 Spleen, disease of			1				9				2	3
189 Stomach, disease of	30	2	12	9	7	2	279	29		12	7	68
190 Suffocation	21		10	2	2		119	10	1	25	1	15
191 Suicide by cutting throat				4	3	1	15	4		2		3
192       drowning			1				13	2		1	1	4
193       hanging	1		1	3	3		59	8		4	1	10
194       poison	4		1				74	6	2	8	4	6
195       shooting	5			1		1	86	4		7	3	20
196       (not specified)	9		2	9	8	1	115	17		20		16
197 Sunstroke	5		2				32			2	1	6
198 Surgical operations	1		1	1		1	34	5		6		2
199 Tabes mesenterica	41		10	5	5		157	9	2	9	3	46
200 Tetanus	4	1	1	1	1		76	5		12	4	17
201 Trismus nascentium	1	1		1	1		10			1		1
202 Tuberculosis (unclassified)	2		5	5	4	1	54	3		1	7	20
203 Tubes, disease of	1			1	1		23				4	1
204 Tumor	29		14	11	10	1	155	25		9	3	35
205 Tumor of uterus	1		3	1	1		34			6	1	2
206 Typhoid fever	730	6	265	65	62	3	1,795	121	5	134	53	424
207 Typhus fever			3	3	1	2	6				1	2
208 Unknown	1,037	50	353	252	227	25	1,269	116	8	65	10	359
209 Uremia	9	2	6	4	4		298	11		59	8	51
210 Urethra, stricture of							2					
211 Urinary organs, disease of	4		1				9	2				3
212 Uterine hemorrhage	3	1		1			9			1	1	2
213 Uterus, disease of	10		4				13	1			1	4
214 Venereal disease	11		3				63	2		9	3	19
215 Vomiting in pregnancy	1						3					3
216 Whooping cough	125		57	25	22	3	401	22	1	32	3	101
217 Worms	14		8	2	2		6			1		4
218 Wounds	7		4	1	1		53	2		18		6
219 Yellow fever	1		1				4	2		1		

CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

OHIO—continued.															
Bellaire.	Chilli-cothe.	Cincinnati.	Dayton.	Hamil-ton.	Iron-ton.	Marietta.	Middle-town.	Ports-mouth.	Group 3, rural.	Canton.	Colum-bus.	Findlay.	Lima.	Massil-lon.	Newark.
															149
8	25	227	64	14	8	15	1	18	576	18	50	11	16	5	7
		6	1	1					8	1	2				
		1			1				1	1	1	1			
			1												153
4	7	79	34	9	2	4	2	9	806	17	45	14	16	13	6
		5	1	1					15			1			
					1				1		1		1		
		10		1					7						155
5	3	86	20	3	5	1	5	4	6	5	1	4	2	2	3
									113		39				
											1				156
		2							1						157
									1						162
		14	4		1		1	1	1						163
16	11	512	66	29	10	14	15	20	51	26	6	1	1	15	13
		8	15	1	2	2	1		1,364		159	27	36		
		3							38		11	1	4		
5	6	143	37	13	2	3		11	115	1					166
1		3							11	3			14		9
										2	17				
		5	1		1				4	1					1
									1						170
		29	1	2					28		4	1	1	1	
		3	1				1		6			1			171
3	4	56	6	8	6		2	4	162	10	26	2	9	6	13
1	2	1	4	1				1	2						174
		16							133	4	14		3	1	1
		1			1				5						175
															176
									1						177
		18	3			1			11		12				1
2	1	27	5			2			120		6		2		2
		1	1			1			10		2				180
	1	27	13			2		2	151	7	18	2	6	1	3
			1						9		1				181
		6		1					11						182
		7	2						35		2	1	1		1
		8	1			1			61	1	1				185
				1					3						186
2		17	4			2	1		115	4	10	2	1		2
1		18	4	2			1		35	1	2	1			1
		2							3						190
		6	1						3				1		191
1		5	3			3			18	1	3		1	1	192
		21		1		1			16		7			1	193
1		16	1			2		1	16		1				194
		10							43	2	1	5	2		3
	1	10		1	1	1			11		1		1		195
		2							8		4				196
															197
		11		1	5		1	2	57	1	8	2			198
		15				1			15		1	1			2
1		4		2			1		12	1	4				199
		2	2						1		4			1	200
		12		1					1		4				201
															202
		9	4	1					64		2				203
		15		1					6	1	2				204
7	9	106	45	4	12	8	1	9	622	19	68	19	8	5	5
									3						205
1		68	10	3	9	2	2	4	540	13	15	6	17	2	7
8	2	65	17	2	2	1			56	2	11	1	3		1
		1							1						208
															209
		1	1						3		1				210
		2							2		1				211
									4						212
															213
		11	2						15		1				214
		2							2		1				215
7	7	23	1	8	3			3	162	5	13	4	3		1
												1			216
		2	5						13		8		1		217
															218
									1						219

## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES (STAT)

CAUSE OF DEATH.	OHIO—continued.			Okla- homa.	OREGON.				PENNSYLVANIA.		
	Tiffin.	Warren.	Youngs- town.		Total.	Group 1.	Group 2, rural.	Port- land.	Total.	Group 1, rural.	Altoona.
1 All causes .....	139	143	745	3,181	3,396	778	1,762	856	90,199	20,001	752
2 Abortion .....				1	4	1	3		25	2	
3 Abscess .....			1	3	5		4	1	86	23	4
4 Abscess, lumbar and psoas .....									7	2	
5 Absorbent system, disease of .....					2		1	1	11	2	
6 Accidents and injuries (not specified) .....		4	13	32	34	10	15	9	1,144	224	25
7 Addison's disease .....									13	1	
8 Adenitis .....	1								12		1
9 Alcoholism .....		1	6	2	5		2	3	256	30	3
10 Anemia .....	1			2	10		3	7	175	25	4
11 Aneurism .....			2	2	5	3	2		82	16	
12 Angina .....			1	14	6	4	2		99	28	
13 Angina pectoris .....		2	3	15	7	4	4		287	49	2
14 Aphthae .....				5	3	7	2	1	33	6	
15 Apoplexy .....	4	4	18	18	95	15	50	30	3,035	612	26
16 Appendicitis .....	1		5	10	46	9	19	18	413	94	6
17 Arteries, disease of .....			1		2	1	1		131	6	
18 Ascites .....			1	4	4	1	3		92	37	
19 Asthma .....			6	7	6		3	3	438	169	
20 Atrophy .....									44	6	
21 Bile passages, disease of .....			1	1	3	1	2		11	1	
22 Birth, causes incident to .....			1	1	4	1	4		117	83	
23 Bites .....				2	2				3		
24 Bladder, disease of .....	3		3	4	8		5	3	157	31	
25 Bones, disease of .....				1	4		2	2	47	9	
26 Bowels, disease of .....		1	8	17	10	3	4	3	203	53	1
27 Bowels, obstruction of .....			4	5	23	2	14	7	311	49	9
28 Brain, disease of .....	1	1	5	41	37	9	19	9	940	197	7
29 Breast, disease of (puerperal) .....											
30 Bright's disease .....	4	6	13	43	84	10	50	24	2,774	477	16
31 Bronchitis .....	4	7	21	30	28	9	6	13	1,513	255	12
32 Burns and scalds .....	1	1	6	18	17	5	9	3	641	165	3
33 Calculus biliary .....				2	3		3		39	8	1
34 Calculus urinary .....				1					21	7	
35 Cancer (not specified) .....	2	2	10	12	30	7	12	11	610	189	14
36 of abdomen .....					6	1	3	2	136	30	
37 bladder .....									27	3	
38 brain .....					1		1		3	1	
39 breast .....			1	6	8	1	6	1	212	43	1
40 eye .....									6	2	
41 genitals .....									8		
42 head, face, and neck .....				7	12	3	7	2	169	47	2
43 kidneys .....				1	2	1		1	9	3	
44 larynx .....									6		
45 liver .....				1	12	1	6	5	263	44	3
46 lower extremities .....					1		1		6	1	
47 lungs .....				2					4	1	
48 mouth, tongue, and throat .....			1	1	6		5	1	59	16	
49 ovaries .....									16	3	
50 penis .....									4	1	
51 rectum .....					1			1	59	6	
52 stomach .....	1	1	2	14	52	7	29	16	688	166	3
53 testicle .....									2	1	
54 upper extremities .....									6		
55 uterus .....			2	5	12		4	8	314	38	1
56 Carbuncle .....				1					23	7	
57 Catalepsy .....											
58 Cerebro-spinal fever .....			1	21	14	3	9	2	250	75	2
59 Chicken pox .....									3	2	
60 Childbirth .....			1	37	11	7	4		306	121	
61 Cholera infantum .....	3	2	40	145	51	13	23	15	2,503	713	31
62 Cholera morbus .....	1		3	51	82	7	19	6	638	201	3
63 Chorea .....			1		1		1		16	4	
64 Circulatory system, disease of .....									10	1	
65 Colic .....				7	9	3	6		94	45	2
66 Colitis .....			1	4	7	5	2		98	9	
67 Constipation .....				5					10	3	
68 Consumption .....	11	11	54	288	433	97	236	100	7,791	1,441	56
69 Convulsions .....	1		26	25	12	4	5	3	2,727	595	38
70 Croup .....	1	3	1	66	13	7	8	3	1,064	360	12
71 Cyanosis .....			3		2			2	200	23	
72 Debility .....	2	2	10	11	13	2	6	5	2,432	283	27
73 Dentition .....				9					127	24	
74 Diabetes .....			2	7	31		19	12	427	103	5
75 Diarrhea .....		1	3	37	16	9	4	3	517	137	2
76 Digestive system, disease of .....		1	4	7	3	1		2	231	50	4



## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	OHIO—continued.				Okla- homa.	OREGON.				PENNSYLVANIA.		
	Tiffin.	Warren.	Youngs- town.			Total.	Group 1.	Group 2, rural.	Port- land.	Total.	Group 1, rural.	Altoona.
77 Diphtheria	4	4	12	46	29	8	11	10	2,805	558	26	
78 Dislocations					21				6			
79 Dropsy	1	1	3	46	37	7	24	6	1,033	434	8	
80 Drowning		2	2	13	53	11	25	17	347	66		
81 Dysentery	2		6	68	17	1	12	4	455	140	1	
82 Ear, disease of			1	1	2		1	1	15	2		
83 Electricity			1		4		2	2	19	1		
84 Elephantiasis									96	5	1	
85 Embolism									1,498	84	6	
86 Enteritis	5	2	25	15	45	6	3	36				
87 Epilepsy		1	2	19	7		7		253	62	2	
88 Erysipelas		2		10	8	2	5	1	247	60	1	
89 Esophagus, obstruction and stricture of				1					14	1		
90 Execution					1		1		21	5		
91 Explosion				1	2		2		67	16	1	
92 Exposure and neglect				1	1		1		51	19	3	
93 Extra-uterine pregnancy									23	2		
94 Eye, disease of									3	2		
95 Falling bodies				2	10	1	9		65	14		
96 Falls			4	6	13	3	7	3	216	62		
97 Female organs of generation, disease of				7	3	1	1	1	22	8		
98 Fever				24	7	4	3		16	7		
99 Foreign bodies in esophagus				1	1		1		13	1		
100 Fractures	3	1	4	7	14	2	2	10	315	68	2	
101 Frozen			2		2				12	3	2	
102 Gangrene		1		1	11	2	5	4	251	67	2	
103 Gastritis	2	4	8	27	32	7	17	8	350	168	5	
104 General disease (not specified)									4	1		
105 Goiter					1			1	6	1		
106 Goiter, exophthalmic					1		1		14	2		
107 Gout									1			
108 Gunshot wounds	1	1	4	23	24	8	13	3	144	56	2	
109 Heart disease	13	13	50	140	305	64	172	69	6,488	1,512	42	
110 Hemophilia									12		1	
111 Hemorrhage	1		3	6	7	3	2	2	214	63	1	
112 Hernia			4	4	12	3	5	4	182	56	2	
113 Hip joint, disease of			1		6	2	3	1	31	9		
114 Homicide			2	3	7	2	3	2	77	35		
115 Hydrocephalus			2	5	20	5	6	9	293	40		
116 Hydrophobia									6			
117 Inanition	3	3	16	9	21	2	3	16	1,196	165	3	
118 Infanticide									4			
119 Inflammation and abscess of liver			1	10	11		9	2	194	55	1	
120 Inflammation of brain			2	40	18	6	9	3	444	171	2	
121 Influenza	1	2	2	23	66	19	43	4	978	245	2	
122 Injuries by machinery				1	1		1		67	12		
123 Jaundice		1	2	13	9	2	6	1	237	57	1	
124 Joints, disease of				1	2	1		1	27	3		
125 Kidneys, disease of		1	2	12	13	3	6	4	399	116	4	
126 Laryngitis			1	2	3	1	1	1	76	9	2	
127 Larynx, disease of				1					17	2		
128 Lead poison									13	3		
129 Leprosy									2			
130 Leucocythemia									28	4		
131 Lightning				8					29	10		
132 Liver, disease of		1	10	16	9	1	5	3	617	111	3	
133 Locomotor ataxia	1		1	1	4	1	3		91	6		
134 Lost at sea					1		1		1			
135 Lungs, disease of	3	4	1	19	26	12	5	9	892	123	10	
136 Lymphangitis									3	1		
137 Malarial fever		2	1	134	23	4	16	3	140	41		
138 Male organs of generation, disease of									1			
139 Malformation		1	4	13	5	2	3		221	46		
140 Malignant pustule									6	4		
141 Measles			1	48	14	9	3	2	815	219	2	
142 Meningitis	5	2	13	85	67	7	28	32	1,613	312	15	
143 Mental disease			1	14	15		14	1	846	87	2	
144 Mining accidents					1		1		368	253		
145 Mumps									10	3		
146 Nervous system, disease of	1		1	3	6	1	3	2	244	76	1	
147 Noma				1	1		1		9	2		
148 Nose, disease of									2			





## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	OHIO—continued.				Okla- homa.	OREGON.				PENNSYLVANIA.		
	Tiffin.	Warren.	Youngs- town.			Total.	Group 1.	Group 2, rural.	Port- land.	Total.	Group 1, rural.	Altoona.
149 Obesity												
150 Old age	9		21	49	96	15	64	17	2,710	566	33	
151 Ovarian tumor		1		1	3		2	1	46	8	1	
152 Ovaries, disease of					1		1		13	1	1	
153 Pancreas, disease of									8	1		
154 Paralysis	11	2	8	47	119	9	86	24	2,239	766	20	
155 Paralysis general (of insane)				7	11		9	2	127	16		
156 Parasites									1	1		
157 Pelvic abscess (female)				1	2	1		1	28	1	1	
158 Pericarditis	1				4		1	8	77	9	1	
159 Peritonitis		1	3	7	37	5	15	17	739	111	6	
160 Pharyngeal abscess									8			
161 Pharynx, disease of (not specified)												
162 Phlebitis					1				16			
163 Phlegmasia dolens					3	1			2			
164 Pleurisy				1	8	2	1		815	77		
165 Pneumonia	14	16	91	313	305	119	144	42	9,807	2,097	63	
166 Poisons (not specified)		1	4	7	20	7	6	7	205	37	2	
167 Pregnancy, affections connected with				2	2				14	3		
168 Premature birth		1	31	50	16		14	2	1,496	156	23	
169 Prostate, disease of				2	6		2	4	87	9		
170 Puerperal convulsions				1	2		2		66	14	1	
171 Puerperal mania									5	1		
172 Puerperal septicemia			5	14	7	4	4	1	195	41		
173 Purpura			1		4	1	2	1	22	8		
174 Railroad accidents	3	1	17	6	23	5	9	9	1,110	324	25	
175 Respiratory system, disease of					1			1	5	1		
176 Rheumatism		1		16	16	2	11	3	388	118	4	
177 Rickets				2	1		1		32	6		
178 Roseola				1					2			
179 Rupture of bladder									10	4		
180 Sarcoma	1		1	1	3		1	2	112	11		
181 Scarlet fever	3			11	10	1	3	6	894	239	8	
182 Scrofula				9	8	6		2	47	11		
183 Septicemia	1	3	13	20	34	7	20	7	580	180	2	
184 Skin, disease of				3	3	1	1	1	65	22		
185 Smallpox				24	12	7	5		21	5	1	
186 Spinal cord, disease of				5	5	4		1	130	28	1	
187 Spine, disease of			1	7	12	2	9	1	117	55		
188 Spleen, disease of				1	2		2		16	5		
189 Stomach, disease of			3	42	27	1	22	4	310	78	3	
190 Suffocation	1			5	5	1	1	3	147	27	2	
191 Suicide by cutting throat									22	5		
192     drowning				1	1	1			14	2		
193     hanging					4		1	3	72	14		
194     poison				3	10	1	6	3	56	6		
195     shooting				5	7		2	5	91	17		
196     (not specified)		1	1	4	12	5	5	2	148	16	2	
197 Sunstroke				1	1		1		90	3		
198 Surgical operations					3		2	1	52	10		
199 Tabes mesenterica				6	6		3	3	141	23	2	
200 Tetanus		2	1	1	1		1		147	21	2	
201 Trismus nascentium									21			
202 Tuberculosis (unclassified)				2	7		3	4	68	12		
203 Tubes, disease of					2	1	1		20	1		
204 Tumor			1	4	15	4	8	3	205	62	2	
205 Tumor of uterus				3	1			1	45	7	1	
206 Typhoid fever	4	6	51	201	106	35	49	22	2,779	557	19	
207 Typhus fever				1					1	1		
208 Unknown	2	2	8	271	108	38	64	6	1,870	787	32	
209 Uremia			8	3	14		3	6	759	32		
210 Urethra, stricture of												
211 Urinary organs, disease of					1			1	22	4		
212 Uterine hemorrhage				1	1		1		21	6		
213 Uterus, disease of									13	5		
214 Venereal disease	1			5	2		1	1	71	10		
215 Vomiting in pregnancy				1	1			1	5	2		
216 Whooping cough		2	5	50	32	8	14	10	702	195	6	
217 Worms				1					10	5		
218 Wounds				2	5	2	1	2	94	12	1	
219 Yellow fever									3	3		



## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	PENNSYLVANIA—continued.											
	Group 2, rural.	Alle- gheny.	Allen- town.	Colum- bia.	Easton.	Erie.	Lancas- ter.	McKees- port.	Mead- ville.	New- castle.	Norris- town.	Oil City.
1 All causes .....	18,547	2,385	646	239	421	801	724	592	185	437	524	199
2 Abortion .....	4	4	1							2		
3 Abscess .....	16	3			2			1				
4 Abscess, lumbar and psoas .....	2											
5 Absorbent system, disease of .....	3											
6 Accidents and injuries (not specified) .....	164	16	8	4	8	1	3		4	6	5	
7 Addison's disease .....	5											
8 Adenitis .....	5									1		
9 Alcoholism .....	81	12		1	1	1	2	2		1	2	
10 Anemia .....	36	2			1	3	2		1	1	1	
11 Aneurism .....	11	1				1			1			
12 Angina .....	25	3		2				1			2	
13 Angina pectoris .....	63	7	1	1	5	2	8		2		2	3
14 Aphthae .....	2							1				
15 Apoplexy .....	724	64	41	8	18	35	36	12	8	7	30	13
16 Appendicitis .....	94	4	3	1	3	2	6	1		3		1
17 Arteries, disease of .....	14	2				1		2			2	
18 Ascites .....	34	1						2			2	1
19 Asthma .....	83	13		1	1	2	1	1		2		
20 Atrophy .....	2											
21 Bile passages, disease of .....	4											
22 Birth, causes incident to .....	19	2				1		2		1		
23 Bites .....	1	1					1					
24 Bladder, disease of .....	39	2			1		2		3		1	
25 Bones, disease of .....	10	1										
26 Bowels, disease of .....	63	3	2	1		1	1		1	2	1	
27 Bowels, obstruction of .....	51	6	1			6	3	3		2	3	2
28 Brain, disease of .....	186	21	2	2	6	5	20	7	1	4	6	2
29 Breast, disease of (puerperal) .....												
30 Bright's disease .....	471	36	15	7	11	32	37	15	12	6	20	2
31 Bronchitis .....	198	65	4	1	7	21	13	15	5	16	4	7
32 Burns and scalds .....	140	20	3	4	2	2	2	6	1	4	3	
33 Calculus biliary .....	7		2			1					1	
34 Calculus urinary .....	9	1										
35 Cancer (not specified) .....	165	11	7	1	5	2	4	1	3	4	3	2
36 of abdomen .....	26	1					1	1			1	1
37 bladder .....	4											
38 brain .....												
39 breast .....	53	4		1	1	2					1	
40 eye .....	3						1					
41 genitals .....	1											
42 head, face, and neck .....	52	2	1			1	1	1				1
43 kidneys .....										1		
44 larynx .....												
45 liver .....	69	4	1		1		2	2		3	3	
46 lower extremities .....	3					1						
47 lungs .....												
48 mouth, tongue, and throat .....	13					1						
49 ovaries .....	3	1				1						
50 penis .....												
51 rectum .....	11	1			1	1				1	1	
52 stomach .....	184	11	3	1	4	5	6	2	1	2	6	2
53 testicle .....	1											
54 upper extremities .....	3											
55 uterus .....	60	8		1		5	2	1	1		2	
56 Carbuncle .....	9											
57 Catalepsy .....												
58 Cerebro-spinal fever .....	67	5			2	1	7	5		1	1	2
59 Chicken pox .....	3		1								1	
60 Childbirth .....	65	4	2			4	1	4	1	1	3	
61 Cholera infantum .....	492	103	27	9	12	23	14	25	7	10	7	8
62 Cholera morbus .....	173	13	4	1	7	3	8	4	2	1	1	
63 Chorea .....	4					2						
64 Circulatory system, disease of .....	5											
65 Colic .....	26	1			2			1		1		
66 Colitis .....	7	3			1	2	1			1		1
67 Constipation .....	3											
68 Consumption .....	1,533	209	49	15	41	77	56	36	12	20	72	21
69 Convulsions .....	452	77	17	11	21	21	12	40		5	3	5
70 Croup .....	230	7	5	9	2	4	4	9		4	1	
71 Cyanosis .....	9	3	4	1		1				1	4	
72 Debility .....	264	87	26	16	21	19	42	11	2	10	13	2
73 Dentition .....	19	2	1		1		5	1				
74 Diabetes .....	108	5	3		2	2	1		2	4	2	1
75 Diarrhea .....	100	16	1				2			5		
76 Digestive system, disease of .....	63	13				6	3	1		7		

CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—continued.						RHODE ISLAND.							SOUTH CAROLINA.		
Phila- delphia.	Phoeni- ville.	Pitts- burg.	Potts- town.	Reading.	South Bethle- hem.	Total.	Rural.	Central Falls.	Newport.	Paw- tucket.	Provi- dence.	Woon- socket.	Total.	Group 1, rural.	Charles- ton.
27,456	203	6,486	240	1,401	256	8,176	2,785	290	421	723	3,491	516	17,166	4,416	2,094
8		7				8	1				2		8	2	
20		6	1	1		7	2				5		26	9	5
2						2							2		
481	8	32	3	7	3	16	6	1			8	1	70	15	8
3		4				2							3		
103	6	45	2	3		45	19		1		1		13	5	1
62	1	3	1	4	2	26	13		1	1	23		12	2	6
47		2				7				1	6	4	10	2	2
18		9		2		2	1				1		15	6	
81		11	1	5		32	14		2	2	12	2	12	5	4
14		7				2							59	18	1
974	11	110	14	86	9	356	142	8	24	35	139	8	190	31	53
135	1	24		2	1	35	11		5		19		40	6	11
89		5		1		14	7			1	6		3		3
15		1				1							53	16	
73	1	49	1	2	1	13	2			3	5	3	48	21	2
20		7				3	1			2					
2		2		1		2	1				1				
24		26		2		22	10		2	1	7	2	15	5	
						3							3	1	
50	1	13		5		25	6	1	2	4	12		23	7	4
20		3		2		8	3	1		1	3		8	2	2
39		12		3		10	5				4	1	36	28	
106	1	26	2	1	2	30	6	3		3	15	3	27	4	4
326	1	54	7	13	1	69	30	4	6	4	18	7	121	31	20
1,219	5	143	6	40	6	455	164	13	17	27	209	25	425	36	281
481	8	208		12	3	286	76	26	14	31	124	15	160	21	34
142		49	1	8	1	38	16		2	3	14	3	284	56	18
12		2				9	1		1	1	6		6		33
3						5	1			1	3		7	3	34
89	3	15	3	11	1	15	5			3	6	1	76	12	16
54		6	1	1		29	9			4	16		5	2	36
16		1		1		4	1		1		2		2		37
2						1									
77		10		2		36	17	2	3	1	12	1	20	2	5
5		1		1		1	1						1		40
47		6		1		22	9		2	1	10		18	7	2
2		1				1	1						1		43
4		1				1					1				44
93	1	15		6		32	13		3	3	11	2	8		3
1						1	1						5	1	46
3						2					2				47
25		2				9	3			1	5		9	3	1
7		1				3					3		3		48
3						2		1					2		50
26		5		2		13	5				8		2		51
209	1	34	1	8	1	57	26		2	5	23	1	18	3	5
8						1	1						3	3	53
140		19	2	8		37	14	2		4	15	2	63	6	10
4		1		1		1		1					4	1	56
44		17		1		34	13		1	8	10	2	42	7	12
1						1					1		1		58
48		28	1	2	1	13	3	1	1	4	4		193	68	9
486	8	162	4	33	11	448	139	31	13	40	132	93	347	64	25
113	1	25	1	9	6	21	9	3	1	2	6		87	16	15
3		1				1					1		1		63
2						1							1		64
4		4				1				1			78	44	1
45	1	18				5	3				2		18	3	4
3				1		4	2				2		10	4	67
2,990	12	436	26	186	26	837	247	23	47	71	398	51	2,133	440	259
786	8	175	8	49	24	46	10	2	3	3	22	6	198	61	35
215	2	28	5	33	5	54	25	1	4	3	18	3	214	36	70
125		8	1	14		15	5	5			5		5	1	71
1,106	7	161	8	70	13	208	50	15	31	20	78	14	144	23	86
43		24	1	3		7					6	1	240	37	24
129	3	15		8		41	21	1	4	4	9	2	42	19	5
119		84	1	8	1	86	29	3	1	3	35	15	157	39	26
37		37	1	1		83	7	10		13	49	4	82	28	1



CAUSE OF DEATH.

209

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—continued.						RHODE ISLAND.							SOUTH CAROLINA.				
Phila- delphia.	Phoenix- ville.	Pitts- burg.	Potts- town.	Reading.	South Bethle- hem.	Total.	Rural.	Central Falls.	Newport.	Paw- tucket.	Provi- dence.	Woon- socket.	Total.	Group 1, rural.	Charles- ton.		
1,040	3	102	3	48	18	73	21	2	4	6	33	7	83	16	1	77	
88		25	4	10	5	5	4					1	3	1		78	
116	1	42	1	7		47	27		3	5	9	3	461	203	6	79	
80		9		8		46	12		6	3	12	13	74	49	6	80	
													578	126	25	81	
2		7				1					1		4	1	1	82	
5		7														83	
1																84	
17		2		1		4	2	1			1		4		2	85	
687		337	8	17	3	187	58	5	4	4	100	16	233	17	122	86	
49		10		1		22	16	1	1		4		58	15	1	87	
79		17	1	1		22	8		3		8	3	20	4	2	88	
8													4		1	89	
3		2			1								4		4	90	
8		14				3	2					1	3	1		91	
10		2		2		4	2				2		59	23	1	92	
13		2				3					3					93	
						1					1		1			94	
		13				8	4		1	1	2		8	1		95	
10		47	1	4		71	15	3	2	4	42	5	48	11	4	96	
3		3				5	2				3		12	3		97	
		4				1	1				3		308	199	2	98	
1		5		1		3				1	2		4	1		99	
57		47	1	7		11	5		1	2	3		20	3	5	100	
2													5			101	
59		5	1	11		21	10			2	8	1	9	1	3	102	
236	4	95	2	10	6	42	19	2	2	7	9	3	109	26	15	103	
2																104	
2		1				1					1		1			105	
		1		1		3	1		1	1						106	
17		7	1	2		3			1	1	1		134	28	15	107	
																108	
1,938	19	292	21	119	16	571	211	14	39	67	218	22	843	189	115	109	
5		1											1			110	
41	1	9	2	1	2	14	5		1	2	5	1	44	18	5	111	
43	1	9	1	1		21	9	1	2	2	7		23	4	5	112	
		2				4	1				3					113	
13		12				7	4				3		48	10	6	114	
13		21				7	4				3		36	11	3	115	
132	1	1		2	2	36	18	1	4	10	41	12	5		1	116	
				2													
515	7	99	7	9		18	5		2	1	9	1	65	21	4	117	
		2				4	1				3					118	
39	1	23	1	1		15	3			1	10	1	36	8	3	119	
59		11	3	2		6	3				2	1	110	32		120	
233	6	66	2	16	1	324	100	9	12	70	127	6	492	163	66	121	
2		14			1	3	1				2		6	1		122	
64	1	20	2	4		24	12	1	1	1	7	2	72	18	7	123	
13		2				3	1				2		4	2		124	
108		16		2	2	32	15	1	1	2	10	3	79	21	14	125	
23		13		1		16	6	1	1	1	6	1	7		1	126	
7		2				3					3		2			127	
11		1				3	1	1		1						128	
		1														129	
8		1	1														
													2	1	1	130	
228	4	50		4	2	59	19	1	10		25	2	20	10		131	
37		6		2		9	3			2	5		47	17	10	132	
										1			1			133	
394	4	59	1	13	2	45	20	4		4	14	3	59	11	20	134	
																	135
																	136
24	1	10	1	1		24	5	2	1	1	12	3	749	362	50	137	
1																	138
69	1	14		3		37	17	1	2	2	13	2	80	2	60	139	
1		1															140
290	3	87	7			204	67	4		12	119	2	102	68	6	141	
538	3	123	2	37	7	156	43	12	16	15	50	15	112	15	7	142	
67		25	1	2		22	14		1		7		35	5	5	143	
1		5															144
5		1															145
													5				
33		8		9	2	11	6		1	1	3		37	6	3	146	
7						3					3		3		1	147	
1																	148







## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	SOUTH CAROLINA— continued.		SOUTH DAKOTA.				TENNESSEE.						
	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3, rural.	Mem-phis.	Group 4, rural.	Nash-ville.
1 All causes.....	375	10,231	3,088	1,694	845	549	30,572	10,625	4,638	2,843	2,572	7,852	2,042
2 Abortion.....	1	5	1	1			15	6	8	1		4	1
3 Abscess.....	1	11	9	7	1	1	25	8	8	2		4	3
4 Abscess, lumbar and psoas.....							1						1
5 Absorbent system, disease of.....			2	2			1						1
6 Accidents and injuries (not specified).....	1	46	60	37	12	11	162	37	19	17	17	45	17
7 Addison's disease.....							4	3				1	
8 Adenitis.....		2					3	2				1	
9 Alcoholism.....		2	5	3	2		39	7	5		14	4	7
10 Anemia.....		9	3	3			32	21		1	6	2	2
11 Aneurism.....	2	4	1	1			9	1				5	3
12 Angina.....		4	4	4			49	22	3	4	3	15	2
13 Angina pectoris.....		3	2	1		1	34	15	1	2	2	8	6
14 Aphthae.....		40	3	2	1		38	10	7	2	1	13	3
15 Apoplexy.....	4	102	37	23	10	4	227	71	24	11	31	55	35
16 Appendicitis.....		23	15	10	3	2	70	24	9	4	10	17	6
17 Arteries, disease of.....							2	1					1
18 Ascites.....	2	35	5	3		2	39	35	17	6	4	24	3
19 Asthma.....		25	16	9	7		53	18	7	4	8	12	4
20 Atrophy.....			1	1									
21 Bile passages, disease of.....			1	1			1						1
22 Birth, causes incident to.....		10	4	2	2		17	9			1	5	2
23 Bites.....		2	1	1			2	2					
24 Bladder, disease of.....		12	4	1	2	1	26	11	2	3	1	6	3
25 Bones, disease of.....		4	5	1		4	14	4	2	5		2	1
26 Bowels, disease of.....	4	54	10	7	2	1	173	66	29	15	7	53	3
27 Bowels, obstruction of.....	2	17	8	3	5		48	10	5	4	12	7	10
28 Brain, disease of.....	3	67	23	16	5	2	371	88	60	48	26	97	52
29 Breast, disease of (puerperal).....													
30 Bright's disease.....	2	156	63	46	12	5	385	127	32	11	87	46	32
31 Bronchitis.....	4	101	22	13	4	5	433	166	55	61	38	87	31
32 Burns and scalds.....	6	204	16	9	6	1	226	79	30	22	12	66	17
33 Calculus biliary.....	1	5	2	2			11	7	1			2	1
34 Calculus urinary.....		4	1	1			18	11	2			3	3
35 Cancer (not specified).....	2	46	24	20	4		148	62	28	7	8	40	3
36 of abdomen.....		3	1	1			13	4	2	1	2	3	1
37 bladder.....	1	1					2	1					1
38 brain.....													
39 breast.....	1	12	6	4		2	48	24	4	1	1	15	3
40 eye.....		1					1	1					
41 genitals.....							2					1	1
42 head, face, and neck.....		9	7	3	1	3	45	26	8	1		9	1
43 kidneys.....		1					2	2					
44 larynx.....							1	1					
45 liver.....		5	6	6			23	13		1	2	2	5
46 lower extremities.....		4											
47 lungs.....							1	1					
48 mouth, tongue, and throat.....		5	1			1	12	4	2			5	1
49 ovaries.....							1					1	
50 penis.....													
51 rectum.....		1	1	1			17	4			7	4	2
52 stomach.....	2	8	24	19	5		66	23	8	7	5	18	5
53 testicle.....													
54 upper extremities.....													
55 uterus.....	1	46	7	5	2		65	28	5	3	3	13	13
56 Carbuncle.....	1	2					8	3	1	1		1	2
57 Catalepsy.....													
58 Cerebro-spinal fever.....		23	10	7	2	1	102	42	7	10	7	31	5
59 Chicken pox.....		1					1	1					
60 Childbirth.....	6	110	33	12	15	6	153	49	31	20	6	42	5
61 Cholera infantum.....	7	251	53	30	16	12	433	180	64	29	34	122	24
62 Cholera morbus.....	3	53	64	41	12	11	169	63	22	13	10	49	12
63 Chorea.....		1					7	3	1	2		1	
64 Circulatory system, disease of.....		1	2	1		1	1					1	
65 Colic.....	1	32	40	18	15	7	40	17	7			15	1
66 Colitis.....		11	3	3			57	4	5	2	13	13	15
67 Constipation.....		6					38	12	2	2	18	18	4
68 Consumption.....	40	1,394	425	171	138	116	4,451	1,588	667	361	278	1,252	305
69 Convulsions.....	2	100	57	26	21	10	240	42	28	19	26	67	58
70 Croup.....	20	168	39	23	12	4	958	521	124	48	8	238	19
71 Cyanosis.....		3					11	3	2		1	1	4
72 Debility.....		35	20	16	3	1	165	48	11	9	11	23	63
73 Dentition.....	6	173	13	3	9	1	100	36	12	8	3	32	4
74 Diabetes.....	1	17	22	18	3		52	32	7	1	6	5	1
75 Diarrhea.....	3	89	25	8	9	3	311	166	21	29	29	45	21
76 Digestive system, disease of.....	3	50	7	5	1	1	116	41	25	16	4	25	4

CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

TEXAS.					UTAH.			VERMONT.						
Total.	Group 1.	Group 2, rural.	San Antonio.	Group 3.	Total.	Rural.	Salt Lake.	Total.	Rural.	Barre.	Bennington town.	Burlington.	Rutland.	
34,160	3,781	27,576	1,257	1,546	3,079	2,225	854	5,829	5,007	158	127	347	190	1
18	1	16		1				4	4					2
45	4	40		1	3	2	1	3	2					3
3		3						1	1					4
1		1						1	1					5
214	26	160	6	22	39	25	14	68	63		2	2	1	6
1		1			1		1	4	3	1				7
3		2	1					1	1					8
40	10	27	1	2	7	5	2	11	6	3	1	1		9
21	2	13	3	3	8	3	5	39	36		1	2		10
16	3	12		1				4	3			1		11
142	14	119	3	6	3	3		3	3					12
33	3	24	6		9	3	6	33	31	2				13
33	7	25		1				1	1					14
240	42	165	23	10	47	34	13	319	293	2	7	7	10	15
133	14	101	3	15	42	27	15	42	37			1	4	16
4	2		2		2		2	9	7			2		17
53	7	42	2	2	6	6		2	2					18
80	8	69	1	2	20	14	6	8	8					19
								2	2					20
1		1						2	2					21
15	5	5	2	3	7	7		16	14			2		22
23	5	16	1											23
46	5	33	5	3	9	6	3	31	29			1	1	24
20		15	2	3				3	3					25
227	12	210	3	2	12	10	2	8	8			1		26
82	5	69	3	5	12	3	9	29	21		2	4	2	27
631	52	552	10	17	14	9	5	71	64	1		5	1	28
								2	2					29
448	98	291	41	18	94	59	35	210	181	3	7	10	9	30
477	37	395	26	19	51	37	14	139	108	5	2	12	12	31
271	30	225	7	9	6	4	2	18	11	1	2	3	1	32
15	3	12			1		1	7	6		1			33
19	1	17	1		2	1	1							34
153	16	122	6	9	22	11	11	105	96	5	1	2	1	35
12	2	8	1	1	5	5		10	9			1		36
1		1			2	2		4	4					37
1		1												38
24	2	19	2	1	2	2		18	16		1	1		39
3	1	2												40
1	1													41
40	2	34	3	1	6	5	1	9	8				1	42
					1	1		1	1					43
					6	2	4	29	24			3	2	44
18	4	11	3		6									45
1		1												46
17	4	10	1	2	1		1	8	7			1		48
3	1		2					2	2					49
9	1	5	1	2				7	6	1				50
108	14	84	6	4	20	11	9	60	54	2		3	1	51
					1	1								52
87	10	70	4	3	2		2	26	18	1	1	6		53
10	2	7	1					1	1					54
82	6	69	1	6	34	25	9	19	13	3		2	1	58
6	1	5			1	1		1	1					59
271	29	221	4	17	19	15	4	16	14	2				60
801	72	654	38	37	64	34	30	111	82	3	3	20	3	61
361	51	286	10	14	45	40	5	26	24			1	1	62
3		2		1	1	1		1	1					63
3		3			3	2	1	2	2					64
92	14	77		1	2	2		3	1			2		65
57	10	39	5	3	4	2	2	7	5	1		1		66
49	2	41		6	2	2								67
2,951	339	2,200	246	166	143	86	57	524	449	16	12	33	14	68
281	51	225	3	2	57	42	15	67	56	9	1	1		69
649	48	567	2	32	21	20	1	21	19	1	1	1		70
7	1	6			1		1	13	12	1				71
175	44	111	7	13	37	22	15	70	51	5	1	11	2	72
119	15	100	2	2	7	3	4							73
79	3	70	4	2	14	8	6	39	34	1		4		74
326	29	238	29	30	17	7	10	27	20	1	1	4	1	75
117	16	89	2	10	7	7		14	14					76

## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	SOUTH CAROLINA— continued.		SOUTH DAKOTA.				TENNESSEE.						
	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3, rural.	Memphis.	Group 4, rural.	Nashville.
77 Diphtheria.....	3	63	89	60	27	2	198	74	66	2	10	25	21
78 Dislocations.....		2					2				1		1
79 Dropsy.....	14	238	39	26	8	5	561	189	97	58	27	172	23
80 Drowning.....	1	18	21	14	6	1	54	18	2	5	10	12	7
81 Dysentery.....	6	421	17	9	6	2	663	220	96	82	58	178	29
82 Ear, disease of.....		2					13	2	3	2	1	3	2
83 Electricity.....							2	1					
84 Elephantiasis.....							1						1
85 Embolism.....		2	1			1	7	3		1	2	1	
86 Enteritis.....	3	91	9	5	3	1	300	71	39	24	83	84	49
87 Epilepsy.....		42	13	6	4	3	87	40	17	8	3	17	2
88 Erysipelas.....	1	13	12	8	1	3	79	36	15	5	5	18	
89 Esophagus, obstruction and stricture of.....		3					2						2
90 Execution.....			1		1		5	5					
91 Explosion.....	1	1	4	2		2	14	4	1	5		4	
92 Exposure and neglect.....	2	33	6	4	1	1	35	12	7	3	3	8	2
93 Extra-uterine pregnancy.....							1						1
94 Eye, disease of.....		1											
95 Falling bodies.....		7					20	10	4	3		2	1
96 Falls.....	2	31	15	9	1	5	79	35	6	4	7	23	4
97 Female organs of generation, disease of.....		4	4	4			48	16	12	4	2	13	1
98 Fever.....	1	106	11	2	9		133	55	15	14	2	66	1
99 Foreign bodies in esophagus.....	1	2					7	3				3	1
100 Fractures.....	1	11	5	2	3		45	16	3	1	9	9	7
101 Frozen.....		5	1				9	5	2			2	
102 Gangrene.....		5	4		2	2	20	3		1	6	4	6
103 Gastritis.....	2	66	23	13	7	3	206	75	17	12	12	73	17
104 General disease (not specified).....													
105 Goiter.....		1					5	1		1		3	
106 Goiter, exophthalmic.....			1	1			3	1	1		1		
107 Gout.....							1		1				
108 Gunshot wounds.....	3	88	13	10	3		170	63	10	15	25	36	21
109 Heart disease.....	17	522	166	108	44	14	1,245	501	126	100	103	306	109
110 Hemophilia.....		1											
111 Hemorrhage.....	1	20	9	6	1	2	44	14	3	5	4	13	5
112 Hernia.....	1	13	12	9	1	2	26	11	4	3		6	2
113 Hip joint, disease of.....							5	2		1		2	
114 Homicide.....	1	31					92	28	12	6	18	24	4
115 Hydrocephalus.....		22	13	9	4		61	25	2	2	4	15	13
116 Hydrophobia.....		4					1		1				
117 Inanition.....	4	36	18	9	7	2	187	55	8	7	49	24	44
118 Infanticide.....							2		1	1			
119 Inflammation and abscess of liver.....	1	24	8	4		4	92	31	16	6	10	22	7
120 Inflammation of brain.....	9	69	24	11	10	3	256	95	47	25	8	67	14
121 Influenza.....	15	248	26	13	10	3	1,049	489	158	71	33	254	44
122 Injuries by machinery.....		5	2			2	6	2	1	1		2	
123 Jaundice.....	3	44	2		2		85	37	13	4	5	20	6
124 Joints, disease of.....	2	2	1			1	10	2	3	2		3	
125 Kidneys, disease of.....	1	43	27	23	3	1	127	39	24	12	7	40	5
126 Laryngitis.....		6	3	3			10	7			1	1	1
127 Larynx, disease of.....		2					2				2		
128 Lead poison.....							2	1					1
129 Leprosy.....													
130 Leucocythemia.....							3	1	1				1
131 Lightning.....		10	14	10	4		11	3	6			2	
132 Liver, disease of.....		20	3	2	1		132	52	14	9	23	23	11
133 Locomotor ataxia.....		1	3	3			5	1		1	1	1	1
134 Lost at sea.....													
135 Lungs, disease of.....	1	27	24	15	8	1	189	53	20	13	23	54	21
136 Lymphangitis.....													
137 Malarial fever.....	1	336	2	2			987	132	163	183	272	196	41
138 Male organs of generation, disease of.....													
139 Malformation.....	2	16	5	3	1	1	39	15	9		2	12	1
140 Malignant pustule.....							1			1			
141 Measles.....		28	39	8	14	17	794	226	161	112	45	240	10
142 Meningitis.....	3	87	40	28	3	9	595	279	71	48	42	127	28
143 Mental disease.....		25	7	1	6		31	17	5		2	7	
144 Mining accidents.....		1	1			1	14	13				1	
145 Mumps.....		5	1	1			4	2		1		1	
146 Nervous system, disease of.....	1	27	13	7	3	3	87	35	10	3	4	27	8
147 Noma.....		2					4			3			
148 Nose, disease of.....			1	1			2	1				2	



## VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE.

CAUSE OF DEATH.	SOUTH CAROLINA— continued.		SOUTH DAKOTA.				TENNESSEE.						
	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3, rural.	Memphis.	Group 4, rural.	Nashville.
149 Obesity													
150 Old age	1	180	87	47	29	11	525	149	55	38	48	160	75
151 Ovarian tumor		2	1	1			10	5	1			3	1
152 Ovaries, disease of							1				1		
153 Pancreas, disease of													
154 Paralysis	10	255	49	32	12	5	496	195	83	28	22	141	27
155 Paralysis general (of insane)	1	15	3		3		28	3	6	9		10	
156 Parasites													
157 Pelvic abscess (female)			1	1			5	1			2		2
158 Pericarditis		5	2	1	1		9	3			3	2	1
159 Peritonitis	1	32	20	15	4	1	110	22	6	2	47	14	19
160 Pharyngeal abscess													
161 Pharynx, disease of (not specified)													
162 Phlebitis		1					2						2
163 Phlegmasia dolens		1					2						1
164 Pleurisy	1	53	5	3	2		62	25	1	1	10	15	9
165 Pneumonia	37	884	280	169	71	40	3,185	825	629	383	373	740	235
166 Poisons (not specified)		34	18	10	3	5	74	24	8	7	17	16	2
167 Pregnancy, affections connected with		2	2	2			6	2	2			1	1
168 Premature birth	4	90	23	19	1	3	249	118	26	9	29	44	23
169 Prostate, disease of		2	1	1			8	4	2			2	
170 Puerperal convulsions		11	2	1	1		21	9	2		5	5	
171 Puerperal mania		2	1	1									
172 Puerperal septicemia	2	39	15	10	5		39	33	13	8	9	25	1
173 Purpura		1	1	1			6	2				2	2
174 Railroad accidents	1	42	8	4	2	2	116	57	16	3	17	17	6
175 Respiratory system, disease of		3					4			1		3	
176 Rheumatism	4	37	21	14	5	2	195	77	21	15	15	57	10
177 Rickets		3	2	2			9	5				3	1
178 Roseola		5					1		1				
179 Rupture of bladder			2	2			2	1				1	
180 Sarcoma		1					6				4		
181 Scarlet fever		4	21	15	6		37	18	6	1	3	2	9
182 Scrotula	2	42	8		1	7	208	76	33	15	4	77	3
183 Septicemia	3	58	37	25	9	3	197	63	19	6	32	49	28
184 Skin, disease of	1	10	2		2		23	9	7	2	2	3	
185 Smallpox	1	20	1		1		94	11	21	39	4	18	1
186 Spinal cord, disease of		1	1		1		21	6	4		4	5	2
187 Spine, disease of	3	6	4	1	1	3	104	49	18	1	1	34	1
188 Spleen, disease of		2	2	2			3	2				1	
189 Stomach, disease of		26	16	9	3	4	213	64	53	19	13	51	13
190 Suffocation	1	25	9	3	5	1	68	27	9	8	4	17	3
191 Suicide by cutting throat			1	1			9	3			2	2	2
192 drowning		1					1	1					
193 hanging			1	1			9	2	2			4	1
194 poison		4	3	1	1	1	13	4	1	1	2	3	2
195 shooting	1	5	8	5		3	9	3	3	1	1	3	1
196 (not specified)		7	6	1	5		16	3	2		1	4	1
197 Sunstroke		6	4	2	2		9	1	1	3		2	2
198 Surgical operations		4	1	1			9	3		1	1		4
199 Tabes mesenterica	1	30	5	2	3		146	67	27	8	5	30	9
200 Tetanus		10	2	2			41	10	7		10	7	7
201 Trismus nascentium							6				4	2	2
202 Tuberculosis (unclassified)		25	2	2			18	11	2		2	1	2
203 Tubes, disease of							5				4		1
204 Tumor		33	10	6	2	2	60	19	6	6	3	24	2
205 Tumor of uterus		4					10	3			3	2	2
206 Typhoid fever	21	701	73	53	15	5	1,709	550	326	147	51	593	42
207 Typhus fever		6	3				2	1		1			
208 Unknown	33	327	284	95	74	115	2,279	769	463	322	93	593	39
209 Uremia	1	15	7				37	19	3	2	24	15	24
210 Urethra, stricture of		2					2			1			1
211 Urinary organs, disease of			3	1	2		9	5	1	2		1	
212 Uterine, hemorrhage	1	5	4	3		1	4	3		1			
213 Uterus, disease of		19					16	11		1		2	2
214 Venereal disease		24	2		2		63	29	3	15	6	9	1
215 Vomiting in pregnancy		3											
216 Whooping cough	1	109	53	19	25	9	425	174	31	42	15	139	24
217 Worms	3	20	1	1			30	13	5	6	1	5	
218 Wounds		3					13	1	3	1		6	2
219 Yellow fever							1					1	

CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

TEXAS.					UTAH.			VERMONT.					
Total.	Group 1.	Group 2, rural.	San Antonio.	Group 3.	Total.	Rural.	Salt Lake.	Total.	Rural.	Barre.	Bennington town.	Burlington.	Rutland.
590	105	430	37	18	127	85	42	347	309	4	4	23	7
17	2	14	1		1	1		5	5				
3		2	1					1	1				
423	44	348	13	18	57	41	16	116	103	1	1	9	2
15	4	10	1		4	3	1	1	1				
1		1											
6	1	4	1		5	2	3	3	2	1			
15	2	13			8	1	2	7	6				
122	15	84	16	7	41	22	19	72	56	2	2	11	1
1			1										
4		4			2		2	2	2				
4		4			1	1							
47	2	42	2	1	7	6	1	11	10		1		
2,832	249	2,838	43	142	347	246	101	631	531	16	16	39	29
148	25	109	7	7	15	11	4	15	14				1
2		2			2	2		5	5				
497	43	397	29	28	74	51	23	106	82	4	4	10	6
11	1	10			1	1		6	6				
19	1	16	2		6	4	2	6	6				
1		1			2	1	1						
144	21	106	8	9	10	8	2	16	10		3	1	2
4	2	2			3	3	3	5	5				
133	30	80	12	11	27	20	7	20	19				1
10		9		1	1	1							
148	15	121	6	6	22	19	3	19	16			2	1
4		3	1					2	1			1	
24	2	21		1									
1													
14	4	8	2		1		1	9	9				
707	115	553	11	28	62	47	15	14	10			1	2
52	3	46	2	1				2	1	1			
293	31	244	2	16	31	22	9	33	29	3		1	
24	3	19	1	1	1	1		7	5		1	1	
146	29	93	2	22	3	3							
19	2	15			2	2		16	16				
49	6	42	1		13	13		8	6		2		
10	1	9						1	1				
314	15	278	2	19	11	7	4	23	20		2	1	
91	8	81	2		3	3	5	9	8				1
3		3			1	1		2	1		1		
3		3						1	1				
14	1	12	1		4	4		7	7				
35	4	28		3	4	3	1	2	2				
36	2	28	4	2	4	2	2	11	8	1		1	1
41	4	31	3	3	6	6		11	10				1
35	2	30	1	2	2	1	1	1	1				
20	4	14		2	3	1	2	2	1			1	
47	6	37	3		1	1							
125	41	67	12	5	3	2	1	15	15				
11	3	8			1	1	1	3	1			1	1
15	2	6	7		2	1		9	9				
8	3	3	2		1	1	1						
77	7	65		5	5	5		20	18			1	1
14	2	12			1		1	5	4		1		
5,014	147	1,756	44	67	73	57	16	107	94	3	2	4	4
10		10											
2,941	302	2,489	59	91	125	120	5	95	90		3	2	
65	9	53	1	2	10	3	7	40	33		4	1	2
1		1											
12	1	10	1					4	4				
10		10						3	3				
29	6	20		3									
32	4	19	5	4				3	2			1	
8		2		1	1		1	2	2				
576	43	489	2	42	61	54	7	40	36	1		2	1
18	7	10		1									
26	5	13	2	6	1	1		3	3				
3	2	1						1	1				

149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	VIRGINIA.									WASHINGTON.		
	Total.	Group 1, rural.	Norfolk.	Group 2, rural.	Alexandria.	Lynchburg.	Petersburg.	Richmond.	Group 3.	Total.	Group 1, rural.	Spokane.
1 All causes	25,252	5,073	1,173	7,459	851	523	678	2,523	7,472	4,910	1,234	511
2 Abortion	11	4		2					5	4	3	
3 Abscess	21	3		7	1	1	1	2	6	7	4	2
4 Abscess, lumbar and psoas	5	2		1		1			1	2		
5 Absorbent system, disease of	5	3	1					1		1		
6 Accidents and injuries (not specified)	96	18	1	31	2		2	8	34	99	19	22
7 Addison's disease										3		
8 Adenitis	2			1					1			
9 Alcoholism	46	7	7	10	1	1	3	3	14	26	1	2
10 Anemia	21	2		6	1		1	6	5	12	2	1
11 Aneurism	10	3	2	1			1	1	2	10	1	
12 Angina	28	1		10	1			1	15	12	4	1
13 Angina pectoris	48	4	3	9	1			11	11	11	4	2
14 Aphthae	58	26	2	13			4	3	14	2		
15 Apoplexy	383	74	26	87	7	9	23	87	70	92	11	8
16 Appendicitis	80	13	4	20		1		18	29	51	15	7
17 Arteries, disease of	8		1		1			2	4			
18 Ascites	47	7	3	17			1	5	14	5	1	1
19 Asthma	109	27	3	39	3	1	2	16	18	12	2	2
20 Atrophy	12			4			2	6		3		3
21 Bile passages, disease of												
22 Birth, causes incident to	14	2	3	3		3	2		1	6	1	2
23 Bites												
24 Bladder, disease of	45	18	1	7	1		2	7	9	15	4	4
25 Bones, disease of	10	2		3					3	4		
26 Bowels, disease of	100	24		33		1	2	6	34	14	7	1
27 Bowels, obstruction of	53	8	11	9	1	2	1	10	11	25	6	5
28 Brain, disease of	209	47	10	47	3	4	10	50	38	54	15	2
29 Breast, disease of (puerperal)												
30 Bright's disease	492	86	39	96	23	12	38	81	117	140	35	16
31 Bronchitis	361	42	28	95	6	11	4	61	114	50	11	8
32 Burns and scalds	271	69	10	94	1	1	6	12	78	30	8	1
33 Calculus biliary	6			2				1	3	2		
34 Calculus urinary	14			9					5			
35 Cancer (not specified)	133	17	7	36	5	7	4	12	45	63	18	5
36 of abdomen	15	3	1	5					6	4	1	
37 of bladder	4							3	1	4	1	
38 brain	1											
39 breast	57	9	3	20	1	1	3	6	15	6	1	
40 eye										8	2	
41 genitals												
42 head, face, and neck	40	7	2	9			1	8	18	7	4	1
43 kidneys	2			1					1	1		
44 larynx												
45 liver	15	4	2	3		1		2	3	16	3	
46 lower extremities	5	1		2					2	1	1	
47 lungs	2	1						1				
48 mouth, tongue, and throat	10	3		3			1		3	5	1	
49 ovaries												
50 penis	2			2								
51 rectum	7	1	2	2				1	1	7	2	2
52 stomach	91	10	2	23	1	1	1	8	45	47	8	5
53 testicle												
54 upper extremities	3								3			
55 uterus	74	6	2	25	1	2	4	10	24	21	3	2
56 Carbuncle	10	1		6			1		2	1		
57 Catalepsy												
58 Cerebro-spinal fever	82	15	6	16		1	2	9	33	16	3	1
59 Chicken pox												
60 Childbirth	162	55	2	61		1	4	6	33	23	13	
61 Cholera infantum	570	172	37	120	10	4	17	64	146	84	35	29
62 Cholera morbus	105	19	6	34	1	2	4	5	34	45	21	2
63 Chorea	1	1								1		1
64 Circulatory system, disease of												
65 Colic	69	18	5	32		1		2	11	4	3	
66 Colitis	36	12	2	8	1	1	1	10	1	3		2
67 Constipation	14	1		3					10	2	1	
68 Consumption	3,223	588	165	1,019	36	59	71	308	977	563	135	48
69 Convulsions	355	42	31	128	5	18	17	64	50	42	5	9
70 Croup	362	43	3	74	4	4	1	4	229	45	13	1
71 Cyanosis	10	1	3	2	1			1	2	1		
72 Debility	385	27	21	72	12	12	49	126	16	38	5	6
73 Dentition	200	44	25	79		7	7	24	14	2		
74 Diabetes	66	8	2	21	1		1	3	30	30	6	3
75 Diarrhea	241	62	18	71	1		10	44	35	20	2	2
76 Digestive system, disease of	82	14	7	23		5	2	8	23	7	2	



CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

WASHINGTON—continued.			WEST VIRGINIA.				WISCONSIN.										
Group 2, rural.	Seattle.	Tacoma.	Total.	Group 1.	Group 2, rural.	Wheeling.	Total.	Group 1, rural.	Green Bay.	Manitowoc.	Milwaukee.	Group 2.	Group 3, rural.	Beloit.		Madison.	
1,842	898	425	9,588	5,082	3,952	554	24,928	3,679	315	168	4,550	2,389	7,414	152	216	1	
1			6	3	2	1	17	4			7	2	1			2	
1			10	6	3	1	35	7			5	7	7			3	
1	1		1			1										4	
85	21	1	81	52	27	2	3	39	4	5	63	86	3	5	1	5	
2		1					5					1	2			6	
			1	1			4						2			7	
10	9	4	16	7	3	6	59	11	1		26	1	6			8	
3	5	1	16	11	3	2	55	3	3		9	2	12			9	
4	5		7	5	2		12	3	1	1	1	1	24		1	10	
							24	2		1	2	2	4			12	
6	1		5	4	1		58	3	1		17	6	20			13	
8	1	1	19	5	11	3	7	1			1	1	3			14	
1		1	8	3	5		7	3			1	1	3			15	
36	26	11	96	50	31	15	679	138	10	3	105	64	235	5	4	16	
14	9	6	20	8	8	4	217	21	5	1	45	21	69	1	5	16	
			2	1	1		45	6	1	1	13	4	15			17	
3			29	16	13		13	3			2		3			18	
5	3		34	16	13	5	127	24		1	26	11	43	1	1	19	
							16	3			7		1			20	
							2									21	
2		1	15	3	12		65	15			13	10	14		1	22	
1			1	1												23	
4	2	1	16	9	6	1	87	17	1	1	18	6	24		2	24	
																	25
2	2		5	2	3		17	5			2		3			26	
5	1		49	19	30		59	11			2	5	17	2		26	
2	9	3	25	9	12	4	113	13	3		12	13	47	1	1	27	
18	16	3	58	28	28	2	194	24	1	1	26	25	73			28	
																	29
53	20	16	173	82	68	22	575	88	1	5	97	73	199	4	7	30	
19	6	6	82	39	27	16	578	107	3	3	182	33	148	5	2	31	
13	5	3	93	45	42	6	123	13	3		25	12	28			32	
	1	1	10	3	2	5	22	3		1	3	3	6			33	
			6	2	2		6	1				1	3			34	
20	13	7	43	22	19	2	358	42	11	2	59	32	125	5	6	35	
1	1	1	7	2	4	1	32	3			5	3	9			36	
1	2		1			1	5				1					37	
																	38
3	2		15	6	5	4	48	8	1		4	6	19	1	2	39	
1			2				2					1	1			40	
							2					1	1			41	
2			20	9	10	1	38	6	1	1	7	3	13			42	
																	43
1			2	1	1		1					1				44	
																	45
4	7	2	14	7	7		82	9	2	1	17	4	37	3		46	
			3	2			1									47	
																	48
1	3		2	1	1	1	20	2	2		3		7			49	
																	50
1	1	1	2	1	1		12	1	1		3	2	2			51	
18	10	6	54	26	23	5	313	42	2	2	61	35	102	1	3	52	
																	53
							1	1									54
							2	9			15	2			1		55
8	5	3	23	8	12	3	61	9				8	16			56	
1			2		2		1						2			57	
																	58
9	3		25	15	8	2	40	16	4		2	5	7			59	
			1		1		2										60
8	1	1	49	33	13	3	107	8			12	9	31			61	
15	5		254	136	110	8	675	107	18	3	131	54	131	2	6	62	
17	5		55	28	24	3	247	24	3		11	37	84		1	62	
																	63
			5	3	2		1	1					1			64	
1	1		1	1			3						36			65	
1			2	2		1	169	29		2	12	15	9			66	
1			3				19	1			5		4			67	
			5	4	1		5										68
225	99	56	1,273	620	596	57	2,350	368	24	23	426	205	759	14	17	68	
12	10	6	83	43	34	6	334	146	15	7	261	57	137	4	4	69	
27	4		326	169	155	2	159	18			30	20	36	1		70	
	1		4	1	3		9				3		2			71	
																	72
11	11	5	53	23	25	5	471	75	6	4	110	13	166	6	6	73	
1			11	7	4		84	9			5	3	6			74	
12	4	5	23	13	8	2	149	14	3		14	16	60	1	3	74	
11	3	2	66	27	30	9	153	21	1		45	18	29		3	75	
2	1	2	29	19	10		95	11	1	2	22	11	25	1	1	76	



CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

WASHINGTON—continued.			WEST VIRGINIA.				WISCONSIN.								
Group 2, rural.	Seattle.	Tacoma.	Total.	Group 1.	Group 2, rural.	Wheeling.	Total.	Group 1, rural.	Green Bay.	Manitowoc.	Milwaukee.	Group 2.	Group 3, rural.	Beloit.	Madison.
87	10		162	83	74	5	352	44	6	8	93	12	73	3	77
1	1						1						1		78
14	4	7	176	106	69	1	331	42	4	1	41	63	103		79
54	27	4	35	17	17	1	192	28	6	5	29	18	43	3	80
10	5	1	126	65	58	3	116	16	2	2	8	14	43		81
			5	1	2	2	2				1	1			82
1	2						1						1		83
1			1				17	6	1		2	2	5		84
7	11	3	39	13	13	13	409	57	4	7	193	9	71	6	85
4	2		51	20	29	2	82	9	1		5	5	43		86
3		1	27	9	17	1	50	7		1	10	5	13		87
							2		1						88
		1	3		3										89
1	2		18	4	7	2	18	1			1	5	6		91
5			10	8	2	2	32	5			3	1	12		92
			3		1	2	1				1				93
							1								94
9	1	1	14	10	3	1	21					1	6		95
13	1	2	23	10	11	2	45	6			5	9	16		96
1			9	6	3		8				1	3			97
5		1	30	16	14		18	4			2	1	4		98
			2	1	1		3	1				1			99
6	5	1	20	8	7	5	87	13	2		12	8	23	1	100
			2	1	1		3				1				101
2	2		16	11	2	3	32	7			5	5	8		102
15	5		114	70	39	5	231	37	3		52	18	78	1	103
															104
			3		2	1	5					2	1		105
			1		1		2				1				106
							1								107
25	6	3	46	28	17	1	58	6		1	2	10	14		108
144	83	39	479	240	202	37	2,105	324	11	8	282	217	758	13	109
	1						2						1	1	110
5	1		23	15	7	1	176	18	3	1	47	9	64	1	111
6	2	1	16	9	5	2	54	6	1		10	4	17	1	112
							4	1					1		113
1	1	6	17	9	7	1	24	5	1		6	2	4		114
7	13	2	14	7	7		68	14	3		21	4	12		115
			2		2										116
16	18	15	34	13	13	8	379	48	9	1	139	23	72	3	117
							1								118
8			32	15	16	1	33	3			5	6	10		119
7	2	1	150	78	72		151	32	2		15	16	36		120
28	6	6	185	118	60	8	241	26	2		5	26	101	5	121
1			5	2	8		6	2							122
5	2		22	14	8		50	7			8	3	17		123
			1	1			5	1			1	1	1		124
6		3	61	31	29	1	123	18	1		25	15	38		125
															126
	3	1	2	2			26	1			9	4	5		127
			1	1			2						2		128
	1		1				1	1							129
															130
1	1		1	4	1	1	11	1			1	1	5		131
10	8	6	51	18	20	13	135	24			18	11	60		132
2		1	3	2		1	16	2			2	3	8		133
															134
21	3	4	59	25	30	4	209	28	2	1	36	16	72		135
							1				1				136
2	1	1	34	17	17		37	5			3	7	14		137
6	2	3	22	6	9	7	67	12	2		6	6	27		138
2	1						1								139
7			228	143	82	3	103	10			18	4	22		140
															141
28	13	10	133	90	75	18	449	58	13	6	114	42	85	6	142
40	3		51	26	25		103	24			18	7	46		143
40	1		46	38	6	2	2				1	2			144
			3	2	1		7								145
6			38	17	20	1	44	9			3	3	24		146
							1						1		147
							2	2							148



CAUSE OF DEATH.

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

WASHINGTON—continued.			WEST VIRGINIA.				WISCONSIN.									
Group 2, rural.	Seattle.	Tacoma.	Total.	Group 1.	Group 2, rural.	Wheeling.	Total.	Group 1, rural.	Green Bay.	Manitowoc.	Milwaukee.	Group 2.	Group 3, rural.	Beloit.	Madison.	
60	19	14	184	108	67	14	1	1	23	7	130	160	433	8	12	149
2	1	1	1	1			1,316	272			1		8			150
							5									151
43	13	8	278	151	116	11	2				2					153
5			4	3	1		567	62	4		37	77	262	3	5	154
							7	4					3			155
			2		2			1					1			156
1	1		4	1	2	1	5				1					157
12	14	13	29	11	12	6	13				6		3	1		158
							253	26	1		58	16	75	3		159
																160
1	1		1			1	2	1					1			161
			3	2	1											162
5	3	2	32	21	11		58	6	2		18	2	14			163
116	117	26	722	413	255	54	2,022	240	17	14	432	164	596	10	18	164
																165
5	8	5	27	14	13		73	10	1		15	3	20			166
			1	1	1		3				2	1				167
18	7	14	114	54	51	9	426	60	13	2	154	23	65	7	6	168
2			2	1	1	1	18	2	2		4	1	8			169
																170
1	1		7	1	4	2	13			1	1		3			171
																172
8		1	33	19	9	5	48	4			11	8	6			173
	1		4	4	4		4			1		1	1			174
21	13	7	103	63	29	11	219	44	4		42	19	45	1	2	175
1			2	1	1		1	1								176
5	1	4	67	29	34	4	152	19		1	18	23	58		1	177
																178
2	1		2	1	1		19	7		2	3	1	2			179
							1									180
							6	1			1	1	2			181
2	5		5	1	1	3	31	2		2	9		9	1		182
24	4	7	60	43	16	1	200	35	2	4	76	14	43	1	8	183
1			38	24	14		10	2					6			184
16	11	5	55	30	23	2	203	31	1	1	20	32	59	2		185
2			9	6	2	1	27	2			9	1	11		1	186
																187
1		1	4	3	1		7	1			1	1	1			188
3	3	1	26	11	15		51	11			7	5	22			189
3	1	1	72	29	43		39	3			3	8	16	1		190
			1	1	1		4	1			1		1			191
4	2	2	73	31	41	1	116	18	1		8	21	44	2	2	192
																193
5	3	1	19	13	6		77	13	1	1	29	4	13			194
2							2									195
3	1		3	2		1	13	4			6	1	8			196
6	4	1	4	3	1	1	32	3		1	8	3	11			197
4			3				17	1					3			198
6	2	3	3	2	1		32	6		1	13	1	5			199
7	2	4	8	3			72	10	1		25	2	20	1	1	200
1			3	2	1		15	1			3		7			201
1			1	1			24	9	1	1	3	3	4			202
																203
3	2	2	17	7	9	1	22	2			4	2	8			204
1			5	2	3		21	5		1	2	2	7		1	205
							7				3	1	2			206
							11	2			1	1	4			207
							5	1					1	1		208
																209
4		1	24	10	13	1	89	21			7	14	22		4	210
			6		5	1	10	1			3	2			1	211
47	31	7	536	328	232	26	365	40	1	3	52	46	75		3	212
			3	3	3		1	1	6	3						213
																214
65	10	7	671	433	233	5	916	120	14	5	38	124	239	2	8	215
11	5	1	22	7	13	2	61	8		1	13	4	23	1	3	216
																217
1			2		2		4	2					2			218
				1	1		2			1	1	1				219
			6	3	3		9	2	1				1			220
																221
2	3		9	4	5		18	1			11		4			222
			3			3	1								1	223
18	7		152	90	54	8	218	26	6		9	14	45			224
			13	7	6		2				1		1			225
13	9	2	11	6	5		25	6		1	3	1	2		1	226

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE GROUPS, AND REGISTRATION CITIES:  
CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.	WISCONSIN—continued.						WYOMING.		
	Group 4, rural.	Appleton.	Chippewa Falls.	Eau Claire.	Marinette.	Superior.	Total.	Group 1.	Group 2.
All causes	4,929	175	100	257	232	352	767	103	664
Abortion	1					2	2		2
Abscess	9						2		2
Abscess, lumbar and psoas									
Absorbent system, disease of									
Accidents and injuries (not specified)	109	4	2	2	3	11	15	3	12
Addison's disease	2								
Adenitis		1							
Alcoholism	6				1	1	4		4
Anemia	10	1	1		1		3		3
Aneurism	1				1				
Angina	12			1					
Angina pectoris	5					1	2		2
Aphthae	1								
Apoplexy	94	3	1	8	4	5	7	2	5
Appendicitis	35	1	2	3	4	4	8	3	5
Arteries, disease of	2				2				
Ascites	4				1		3		3
Asthma	19			1			2		2
Atrophy									
Bile passages, disease of									
Birth, causes incident to	10		1			1			
Bites									
Bladder, disease of	16			1		1			
Bones, disease of	5	1			1				
Bowels, disease of	17	1		2		2	6	1	5
Bowels, obstruction of	17			1	1	3	7		7
Brain, disease of	38	1		2	1	3	3		3
Breast, disease of (puerperal)									
Bright's disease	31	4	1	4	4	7	8	1	7
Bronchitis	72	3	2	4	7	7	33	7	26
Burns and scalds	37	1		1		2	4	1	3
Calculus biliary	5		1						
Calculus urinary	1								
Cancer (not specified)	53	1	2	6	1	13	5		5
of abdomen	11								
bladder	4								
brain									
breast	6				1		1	1	
eye									
genitals									
head, face, and neck	4	1		2			1		1
kidneys									
larynx	1								
liver	3					1	1		1
lower extremities	1								
lungs									
mouth, tongue, and throat	5		1						
ovaries									
penis									
rectum	2		1				1		
stomach	56	2	2	2	3		6	2	4
testicle									
upper extremities									
uterus	11	1					1		1
Carbuncle									
Catalepsy									
Cerebro-spinal fever	6						3		3
Chicken pox	2								
Childbirth	39	3		2	1	2	12	1	11
Cholera infantum	166	9	1	9	7	31	11	1	10
Cholera morbus	78	1		2	2	4	12		12
Chorea									
Circulatory system, disease of	2								
Colic	70	1	1	1	2				
Colitis	4								
Constipation	1								
Consumption	408	18	8	28	21	31	51	4	47
Convulsions	126	4	4	4	2	3	13	3	10
Croup	45	2			5	2	5	2	3
Cyanosis	4								
Debility	63	6	1	8	6	1	4	2	2
Dentition	10					1			
Diabetes	31	2	2	1		2	1		1
Diarrhea	34	1			1		2		2
Digestive system, disease of	18	1		2			2		2

CAUSE OF DEATH.

225

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE GROUPS, AND REGISTRATION CITIES:  
CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.	WISCONSIN—continued.						WYOMING.		
	Group 4, rural.	Appleton.	Chippewa Falls.	Eau Claire.	Marinette.	Superior.	Total.	Group 1.	Group 2.
Diphtheria	103	1	1	3		5	23	8	15
Dislocations									
Dropsy	58	5	2	6	1		10	3	7
Drowning	46		1	8	1		5	1	4
Dysentery	26	1		2		1	4		4
Ear, disease of							1		1
Electricity									
Elephantiasis									
Embolism	1								
Enteritis	44		1	5	8	1	2		2
Epilepsy	14				1				
Erysipelas	9	1	1	1	1	1	2		2
Esophagus, obstruction and stricture of	1								
Execution									
Explosion	3	2					2		2
Exposure and neglect	10	1					5		5
Extra-uterine pregnancy									
Eye, disease of						1			
Falling bodies	12								
Falls	3				1		1		1
Female organs of generation, disease of	4						2	1	1
Fever	6						1		1
Foreign bodies in esophagus	1								
Fractures	15	1	1	2			1		1
Frozen	2						1		1
Gangrene	4	1	1						
Gastritis	35		1	2			1		5
General disease (not specified)									
Goiter	2								
Goiter, exophthalmic	1								
Gout	1								
Gunshot wounds	23			1	1		10	1	9
Heart disease	396	16	14	20	14	16	39	6	33
Hemophilia									
Hemorrhage	25		2		1	2	3		3
Hernia	11		1		2		1		1
Hip joint, disease of	1								
Homicide	4					1	1		1
Hydrocephalus	4					1	3		3
Hydrophobia	11	2		1					
Inanition	53	4	5	2	11	8	9		9
Infanticide	1						1	1	
Inflammation and abscess of liver	8						2		1
Inflammation of brain	43			2		4	7	3	4
Influenza	66	1			1	7	20	1	19
Injuries by machinery	4								
Jaundice	13			1	1		1		1
Joints, disease of				1					
Kidneys, disease of	21	2				3	3		3
Laryngitis	4		1				1		1
Larynx, disease of									
Lead poison									
Leprosy									
Leucocythemia	3								
Lightning	2			2					
Liver, disease of	18			3		1	4		4
Locomotor ataxia				1					
Lost at sea									
Lungs, disease of	41	2		1	3	2	8	1	7
Lymphangitis									
Malarial fever	6					1			
Male organs of generation, disease of									
Malformation	12								
Malignant pustule	1				1	1	1		1
Measles	37		1		10		20	4	16
Meningitis	96	3	3	2	3	12	11	1	10
Mental disease	7						1		1
Mining accidents	2						24		24
Mumps	1				1				
Nervous system, disease of	3	1				1	1		1
Noma									
Nose, disease of									





---

---

## TABLE 8.

---

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS, AND  
IN EACH STATE AND TERRITORY, DURING THE CENSUS YEAR ENDING MAY 31, 1900,  
FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE.

NOTE.—This table is presented with full details of age for the United States and the registration summaries, states and state groups,  
and with a more condensed statement of age for the nonregistration states.

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
UNITED STATES.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	1,039,094	199,325	59,879	28,186	17,638	12,554	317,532	36,748	24,500	33,109	51,004	48,693
2	Males.....	551,611	110,673	31,599	14,658	8,942	6,340	172,212	18,660	12,196	18,329	25,252	24,173
3	Females.....	487,483	88,652	28,280	13,478	8,696	6,214	145,320	18,088	12,304	19,780	25,752	24,520
4	Unknown cause.....	40,539	18,998	2,380	1,126	633	493	23,630	1,302	820	953	1,080	952
5	Males.....	21,813	10,421	1,260	599	337	244	12,861	671	389	442	469	397
6	Females.....	19,221	8,577	1,120	527	296	249	10,769	631	431	511	611	555
7	1. General diseases.												
8	General diseases—A.....	209,819	55,756	25,388	11,449	7,277	5,369	105,234	15,235	7,929	9,471	9,860	7,660
9	Males.....	107,704	30,044	13,190	5,770	3,539	2,671	55,214	7,355	3,585	4,482	5,338	4,031
10	Females.....	102,115	25,712	12,198	5,679	3,738	2,698	50,020	7,880	4,344	4,989	4,522	3,629
11	Measles.....	6,231	1,592	1,492	688	359	222	4,353	541	256	258	243	119
12	Scarlet fever.....	3,198	246	417	455	454	374	1,946	821	197	98	43	25
13	Diphtheria.....	8,405	648	1,107	1,168	1,048	872	4,343	2,210	563	189	86	35
14	Whooping cough.....	4,601	2,688	1,009	372	186	107	4,362	154	26	15	4	5
15	Malarial fever.....	7,497	910	620	345	238	215	2,328	710	452	538	533	426
16	Influenza.....	7,718	1,066	269	116	66	48	1,565	145	79	130	171	157
17	Typhoid fever.....	8,927	815	238	126	70	54	1,300	145	114	174	180	215
18	Cholera morbus.....	3,370	993	401	238	86	55	1,773	185	126	86	85	61
19	Colitis.....	770	323	127	42	27	8	527	13	2	4	8	13
20	Diarrhea.....	4,272	1,356	520	190	46	33	2,145	182	60	40	46	57
21	Dysentery.....	5,598	1,038	1,032	417	157	86	2,730	194	103	67	139	113
22	Enteritis.....	9,399	4,829	1,396	374	165	107	6,871	234	97	90	89	100
23	Cholera infantum.....	13,662	9,922	3,068	455	125	55	13,655					
24	Fever.....	1,392	333	215	88	50	39	775	108	47	63	79	49
25	Cerebro-spinal fever.....	1,852	475	244	131	108	61	1,019	235	158	102	70	68
26	Smallpox.....	2,116	219	60	54	25	33	396	97	72	167	281	230
27	Erysipelas.....	1,582	422	46	20	12	6	506	24	27	35	41	58
28	Septicemia.....	3,093	341	64	51	29	36	521	143	123	121	174	152
29	Venereal diseases.....	934	369	33	12	7	1	422	5	5	20	41	57
30	Others of this group.....	1,748	120	51	37	18	19	245	67	33	36	59	55
31	General diseases—B.....	1,355	100	34	24	16	19	193	45	26	27	43	39
32	Males.....	11,048	5,709	413	211	121	79	6,538	130	48	87	211	317
33	Females.....	7,199	4,622	359	184	105	49	5,319	138	41	110	173	200
34	Alcoholism.....	2,333	2	1	1	1	2	5	6	1	4	46	164
35	Parasitic diseases.....	265	29	56	53	36	31	205	41	2	2	3	1
36	Lead poison.....	85	2	1	1	1	1	5	1	3	3	3	6
37	Other poisons.....	2,102	111	156	106	58	25	456	62	37	74	151	137
38	Inanition.....	1,288	78	94	32	33	20	307	55	26	97	142	134
39	General diseases—C.....	65,484	29,434	1,169	287	106	61	31,057	119	71	79	123	127
40	Males.....	33,230	16,553	568	150	64	28	17,363	56	33	46	56	47
41	Females.....	32,254	12,881	601	137	42	33	13,694	63	38	33	67	80
42	Old age.....	13,362											
43	Premature birth.....	8,390	8,390					8,390					
44	Malformation.....	6,330	6,330					6,330					
45	Debility and atrophy.....	1,478	1,414	19	9	4	2	1,448	8	5	3	2	1
46	Others of this group.....	1,227	1,170	25	7	6	3	1,211	5	5	1	1	1
47	Males.....	9,097	5,850	549	141	59	26	6,625	48	33	43	54	47
48	Females.....	8,185	4,733	576	130	36	30	5,505	58	28	32	66	79
49	Others of this group.....	903	899					900					
50	Females.....	652	648					648					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
UNITED STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—continued.												
	General diseases—D.	176,072	5,171	2,891	1,599	1,018	704	11,833	2,986	3,663	10,647	17,765	17,606
2	Males	83,600	2,788	1,537	858	519	371	6,073	1,438	1,384	4,016	7,629	7,904
3	Females	92,472	2,383	1,354	741	499	333	5,310	1,548	2,279	6,631	10,136	9,702
4	Anemia	948 (M) 1,287 (F)	138 121	23 31	8 14	10 14	6 8	190 188	29 25	18 31	27 76	30 98	81 90
5	Diabetes	2,650 (M) 2,022 (F)	15 9	22 15	18 14	14 22	13 8	82 68	90 69	119 96	133 76	109 79	112 77
6	Rheumatism	2,669 (M) 2,398 (F)	38 37	22 18	18 11	15 18	21 18	114 97	127 111	153 139	145 124	106 103	104 84
7	Scrofula and tabes	1,707 (M) 1,782 (F)	230 221	154 142	83 64	45 41	32 31	594 499	113 112	58 101	91 115	113 129	91 114
8	Hydrocephalus	2,356 (M) 1,946 (F)	854 707	466 376	223 169	122 128	77 74	1,742 1,454	220 186	74 67	62 71	50 35	34 36
9	Tuberculosis, general	712 (M) 597 (F)	42 53	25 26	16 9	11 8	10 4	104 100	23 26	20 35	42 39	69 68	88 57
10	Consumption	53,626 (M) 56,124 (F)	1,042 969	604 564	326 296	189 186	149 129	2,310 2,144	525 762	719 1,591	3,274 5,830	6,839 9,132	7,154 8,637
11	Cancer	11,436 (M) 18,089 (F)	36 34	12 12	16 16	10 8	10 9	84 79	33 33	35 30	48 58	82 120	134 272
12	Tumor	1,305 (M) 2,122 (F)	70 50	19 19	26 19	19 18	10 9	144 115	48 29	29 31	50 51	47 77	43 91
13	Dropsy	5,600 (M) 5,664 (F)	92 66	124 105	93 93	69 46	35 30	413 340	196 173	133 133	117 172	163 210	98 204
14	Others of this group	591 (M) 491 (F)	131 116	61 51	31 29	15 17	8 18	296 226	29 22	21 20	27 19	21 25	15 20
15	2. Diseases of the nervous system	117,579	24,155	6,778	2,985	1,846	1,299	37,063	3,820	2,883	2,505	2,373	2,442
16	Males	64,189	13,833	3,612	1,583	961	667	20,706	2,074	1,269	1,327	1,254	1,287
17	Females	53,390	10,272	3,166	1,402	885	632	16,357	1,746	1,114	1,178	1,119	1,155
18	Inflammation of the brain	3,493 (M) 2,748 (F)	1,143 881	500 416	243 169	127 112	90 86	2,103 1,664	277 216	136 136	135 123	121 91	69 78
19	Meningitis	10,787 (M) 8,636 (F)	3,573 2,660	1,630 1,416	737 686	462 415	293 313	6,695 5,490	983 845	475 466	442 320	336 260	287 221
20	Apoplexy	14,312 (M) 12,589 (F)	163 131	32 42	17 20	11 19	12 6	235 218	38 35	29 42	67 74	125 102	185 147
21	Paralysis	11,800 (M) 10,762 (F)	133 97	54 33	36 37	32 25	19 19	274 231	95 77	61 48	80 87	74 112	110 115
22	Paralysis, general (of insane)	947 (M) 356 (F)							1 1	2 1	1 1	4 3	22 11
23	Tetanus and trismus nascentium	1,516 (M) 743 (F)	685 477	18 12	8 3	15 5	12 6	738 503	116 33	195 27	92 25	62 22	59 20
24	Chorea	63 (M) 116 (F)	3 3		3 1	3 2	1 3	10 10	9 7	3 33	7 32	3 7	3 1
25	Epilepsy	1,915 (M) 1,411 (F)	194 169	31 26	15 22	16 14	6 10	262 241	70 52	106 78	214 137	180 131	190 120
26	Convulsions	8,548 (M) 6,957 (F)	6,662 4,896	857 783	316 285	145 167	92 85	3,072 6,216	148 146	57 42	21 90	23 86	25 94
27	Mental diseases	1,910 (M) 1,707 (F)							3 2	6 6	25 25	72 64	85 89
28	Diseases of the brain	6,479 (M) 4,990 (F)	1,181 844	438 361	182 160	129 113	129 89	2,059 1,567	282 279	166 193	190 192	198 157	182 160
29	Diseases of the spinal chord	870 (M) 707 (F)	97 74	39 44	20 16	13 11	12 10	181 155	36 33	26 24	28 24	28 15	26 16
30	Locomotor ataxia	537 (M) 175 (F)	1 1		2 1			3 2		2 1		5 4	9 2
31	Others of this class	1,012 (M) 1,493 (F)	48 40	13 11	4 2	8 2	1 5	74 60	16 19	5 13	23 49	23 65	35 81
32	3. Diseases of the circulatory system	75,791	4,172	306	194	170	219	5,061	1,184	1,378	1,535	2,009	2,151
33	Males	40,804	2,404	170	105	100	120	2,899	565	579	697	830	967
34	Females	34,987	1,768	136	89	70	99	2,162	619	799	838	1,179	1,184
35	Pericarditis	457 (M) 419 (F)	12 11	5 2	1 1	4 5	3 10	25 30	20 27	31 35	31 32	27 26	24 16
36	Diseases of the heart	36,500 (M) 31,939 (F)	1,639 1,302	157 129	100 85	89 63	111 84	2,146 1,663	531 531	530 747	646 780	772 1,064	881 1,074
37	Angina pectoris	1,595 (M) 1,190 (F)							4 5	4 9	13 14	15 48	30 44
38	Diseases of the arteries	317 (M) 451 (F)	2 1						2 2				5 2
39	Aneurism	515 (M) 239 (F)							2 3	7 5	3 5	12 12	23 20
40	Embolism	192 (M) 253 (F)	18 2		1 1	1 1	1 1	21 4	5 5	5 6	3 6	4 26	3 24
41	Others of this class	723 (M) 496 (F)	633 452	8 4	3 1	6 2	5 4	705 463	2 2	2 2			1 4

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
15,053	13,706	12,209	11,216	10,911	10,263	9,955	9,515	7,965	5,445	2,960	1,143	291	181	1,259	1
7,139 7,914	6,682 7,024	5,921 6,238	5,487 5,729	5,889 5,522	5,025 5,238	4,889 5,066	4,819 4,696	4,105 3,860	2,763 2,632	1,536 1,424	574 569	129 162	61 70	637 622	2 3
31 72	32 82	52 88	56 76	78 94	75 83	82 79	82 74	47 61	49 39	27 15	6 6	2	1 1	5 7	4
116 65	115 84	152 96	150 111	189 186	188 246	259 247	285 209	248 158	177 90	80 44	23 12	9 3	2 1	12 5	5
100 90	114 112	114 104	150 121	152 156	204 154	199 197	234 229	255 219	189 176	126 100	46 49	8 13	9 7	20 13	6
75 112	69 36	55 72	67 69	62 80	64 59	74 58	69 50	47 47	26 35	17 20	1 7	2 1	2 2	17 14	7
51 25	31 17	27 17	22 11	11 6	6 6	5 4	5 3	4 4	4 2	1				7 2	8
60 62	63 40	48 31	50 37	43 28	37 19	16 19	23 15	12 8	7 8	2 3				4	9
6,285 6,520	5,686 5,147	4,547 3,829	3,736 2,720	3,216 2,249	2,608 1,816	2,066 1,586	1,753 1,440	1,291 1,105	755 704	308 307	99 115	25 24	11 12	419 374	10
229 573	361 1,056	615 1,559	897 2,046	1,188 2,179	1,864 2,288	1,572 2,174	1,607 1,973	1,388 1,524	955 1,082	502 680	203 225	52 67	13 17	74 104	11
62 123	63 149	96 211	95 193	104 181	106 193	111 205	115 170	90 145	58 89	30 32	6 14	1 1	1 1	6 16	12
113 244	131 237	182 265	244 320	330 355	356 357	493 494	630 514	533 577	437 454	188 321	32 51	21 29	21 29	75 82	13
17 28	17 14	33 16	20 20	16 13	17 17	12 13	16 19	13 12	10 3	6 2	2 1		1	2 1	14
2,622	3,221	3,654	4,385	5,250	5,945	7,182	8,582	9,169	8,045	5,285	2,202	599	170	682	15
1,460 1,162	1,848 1,373	2,102 1,552	2,392 1,993	2,872 2,373	3,291 2,654	3,831 3,351	4,740 3,842	4,928 4,241	4,238 3,807	2,772 2,513	1,065 1,137	245 354	65 105	423 259	16 17
70 54	63 47	64 50	68 47	65 44	61 39	46 33	58 37	58 27	36 23	24 17	16 7	2 4	1	16 5	18
250 167	260 136	188 136	191 135	169 87	118 79	80 84	96 62	79 53	60 40	24 26	9 8	4 3	3	41 15	19
270 198	398 309	603 470	785 768	1,108 1,002	1,390 1,193	1,692 1,461	2,003 1,632	2,022 1,769	1,665 1,511	1,092 973	405 452	89 142	16 40	95 51	20
189 143	321 199	401 306	494 414	665 591	844 757	1,118 1,082	1,588 1,378	1,879 1,673	1,723 1,649	1,177 1,111	471 519	103 153	37 47	96 70	21
79 30	113 24	148 38	146 24	109 31	85 26	72 31	55 38	44 39	23 31	13 14	11 6	2 3	6	17 5	22
54 23	27 20	29 20	30 6	27 2	26 15	21 10	14 3	11 4	8 2	1	1		1	6	23
3	2	3	3	6	2	2	2	2	2	1		1		1	24
133 89	130 113	109 63	91 70	64 61	69 47	72 54	58 36	57 45	49 27	26 16	10 5	2 4	1 3	22 19	25
24 67	24 51	15 32	15 17	23 13	11 9	8 15	8 16	17 10	5 9	7 8	1 1	1 2	1	36 33	26
96 111	147 139	140 149	122 134	143 132	156 111	164 148	211 144	179 142	169 135	104 96	40 40	12 17	2	36 21	27
223 160	250 181	263 161	263 204	302 220	308 190	332 232	368 275	330 275	339 239	228 170	78 65	20 20	5 5	43 24	28
21 26	42 41	52 30	52 42	73 44	63 56	66 50	77 48	40 44	37 31	17 17	2 3		1	2 5	29
20 4	34 14	38 10	70 15	62 22	72 29	70 25	71 15	39 14	24 8	10 6	1 2		1	5 1	30
28 90	34 97	49 87	56 111	56 121	86 102	88 122	131 133	121 145	98 94	49 56	20 28	9 3	4 2	7 10	31
2,588	3,226	3,588	3,966	5,158	5,934	7,423	8,475	8,517	6,863	4,038	1,653	412	123	504	32
1,203 1,385	1,572 1,654	1,738 1,850	2,073 1,893	2,826 2,332	3,357 2,577	4,194 3,229	4,824 3,651	4,896 3,621	3,955 2,908	2,237 1,801	855 798	190 222	50 78	297 207	33 34
20 28	35 18	27 29	17 24	39 16	35 27	24 25	37 34	25 18	26 11	7 15	3 4	2 2		2 2	35
1,099 1,255	1,396 1,546	1,549 1,711	1,880 1,734	2,532 2,183	3,020 2,371	3,779 3,006	4,353 3,364	4,490 3,343	3,600 2,684	2,024 1,632	779 739	173 197	45 70	275 195	36
38 47	65 52	76 57	84 93	145 90	162 112	233 135	248 161	192 139	159 94	86 66	25 15	2 6		9 3	37
3 2	6 4	14 6	18 6	36 13	66 27	87 35	126 55	140 39	136 80	105 70	47 32	13 16	5 7	6 3	38
34 23	62 15	63 25	60 23	56 15	58 18	50 15	34 16	25 14	18 16	3 7				5 1	39
8 27	8 17	8 21	12 12	15 18	16 22	12 12	12 18	24 17	14 20	9 7	1 4			2	40
1 8		1	2	3	2	4	1	3	2	3				1	41

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
UNITED STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	154,085	34,841	14,650	7,087	4,001	2,492	63,071	5,558	2,555	4,070	5,107	4,846
2	Males	83,672	19,678	7,884	3,741	2,061	1,249	34,608	2,816	1,258	2,271	2,972	2,755
3	Females	70,363	15,168	6,766	3,346	1,940	1,243	28,463	2,737	1,302	1,799	2,135	2,091
4	Croup	{M. 6,808 F. 5,876}	{2,960 2,454}	{1,092 845}	{880 689}	{651 556}	{412 358}	{5,995 4,902}	{714 643}	{54 56}	{9 11}	{7 10}	{6 3}
5	Pneumonia	{M. 58,340 F. 47,681}	{11,143 8,419}	{5,249 4,547}	{2,270 2,079}	{1,120 1,069}	{650 660}	{20,432 16,774}	{1,671 1,651}	{998 1,044}	{1,985 1,489}	{2,625 1,701}	{2,368 1,709}
6	Laryngitis	{M. 467 F. 393}	{76 82}	{58 61}	{34 36}	{44 49}	{30 24}	{242 222}	{71 68}	{16 13}	{5 11}	{6 8}	{8 11}
7	Bronchitis	{M. 10,081 F. 10,192}	{4,043 3,212}	{1,214 1,087}	{419 430}	{169 182}	{110 134}	{5,955 5,045}	{192 224}	{65 81}	{74 113}	{105 140}	{114 123}
8	Pleurisy	{M. 1,579 F. 1,227}	{50 38}	{50 37}	{36 26}	{26 13}	{11 10}	{173 124}	{47 47}	{41 26}	{65 41}	{76 80}	{87 77}
9	Asthma	{M. 1,679 F. 1,327}	{56 38}	{15 14}	{9 6}	{3 7}	{3 3}	{86 68}	{15 13}	{7 7}	{16 9}	{12 24}	{21 30}
10	Others of this class	{M. 4,768 F. 3,917}	{1,345 955}	{206 175}	{93 80}	{48 64}	{33 54}	{1,725 1,323}	{106 96}	{72 75}	{117 125}	{141 172}	{151 138}
11	5. Diseases of the digestive system	60,229	10,455	3,534	1,245	783	570	16,537	2,194	1,968	2,301	2,792	2,837
12	Males	31,457	5,849	1,855	632	366	287	8,989	1,148	1,083	1,172	1,306	1,257
13	Females	28,772	4,606	1,679	613	367	283	7,548	1,046	885	1,129	1,486	1,580
14	Dentition	{M. 1,369 F. 1,274}	{615 576}	{665 599}	{68 87}	{16 9}	{3 3}	{1,367 1,274}					
15	Angina	{M. 703 F. 709}	{133 102}	{78 72}	{67 60}	{55 46}	{48 31}	{381 331}	{98 143}	{33 56}	{16 28}	{26 13}	{17 20}
16	Gastritis	{M. 4,052 F. 4,290}	{692 556}	{222 238}	{80 94}	{52 61}	{33 38}	{1,079 987}	{115 116}	{40 54}	{48 89}	{87 146}	{95 207}
17	Diseases of the stomach	{M. 2,699 F. 2,443}	{407 343}	{149 133}	{64 66}	{40 36}	{39 37}	{699 615}	{107 107}	{65 63}	{55 30}	{66 116}	{86 121}
18	Obstruction of the bowels	{M. 1,894 F. 1,851}	{340 201}	{41 34}	{40 23}	{22 40}	{17 15}	{460 313}	{90 61}	{63 40}	{94 55}	{84 77}	{96 104}
19	Appendicitis	{M. 3,282 F. 1,829}	{22 14}	{10 13}	{13 11}	{23 10}	{26 16}	{94 64}	{215 190}	{439 230}	{466 282}	{463 204}	{365 185}
20	Hernia	{M. 1,157 F. 822}	{132 47}	{17 6}	{4 2}	{5 1}	{2 3}	{160 59}	{11 4}	{11 2}	{30 6}	{32 2}	{30 5}
21	Other diseases of the bowels	{M. 1,810 F. 1,492}	{513 395}	{202 158}	{67 54}	{31 38}	{15 12}	{323 652}	{61 49}	{40 42}	{55 46}	{65 42}	{46 64}
22	Jaundice	{M. 1,358 F. 1,127}	{676 443}	{28 14}	{14 19}	{6 6}	{4 10}	{728 492}	{37 27}	{16 18}	{36 27}	{32 42}	{40 85}
23	Inflammation and abscess of the liver	{M. 1,550 F. 1,363}	{91 71}	{20 27}	{18 14}	{7 13}	{14 13}	{150 143}	{37 20}	{31 25}	{29 35}	{74 66}	{85 60}
24	Other diseases of the liver	{M. 4,226 F. 2,625}	{156 125}	{35 27}	{27 19}	{15 8}	{12 7}	{245 186}	{39 38}	{33 23}	{34 21}	{61 52}	{105 70}
25	Peritonitis	{M. 2,845 F. 4,656}	{203 162}	{70 63}	{59 49}	{34 39}	{30 32}	{396 345}	{225 188}	{223 222}	{259 401}	{240 637}	{209 618}
26	Ascites	{M. 628 F. 677}	{16 16}	{15 10}	{10 7}	{6 4}	{11 4}	{58 44}	{17 20}	{27 18}	{8 23}	{21 30}	{16 25}
27	Others of this class	{M. 3,834 F. 3,614}	{1,848 1,555}	{303 235}	{101 104}	{54 57}	{38 42}	{2,344 2,043}	{96 88}	{52 42}	{42 36}	{50 59}	{67 66}
28	6. Diseases of the urinary system and male organs of generation.	44,941	868	293	236	207	179	1,783	677	583	805	1,439	1,754
29	Males	27,869	518	159	117	119	95	1,008	368	273	367	645	822
30	Females	17,072	350	134	119	88	84	775	309	310	438	794	932
31	Bright's disease	{M. 18,997 F. 13,173}							{275 244}	{197 254}	{281 327}	{486 602}	{639 678}
32	Calculus, urinary	{M. 342 F. 89}	{12 12}	{2 2}	{2 2}	{1 3}	{1 1}	{18 17}	{9 17}	{5 5}	{4 5}	{8 5}	{8 3}
33	Diseases of the kidney	{M. 2,947 F. 1,607}	{345 255}	{140 117}	{109 102}	{104 78}	{83 78}	{781 630}	{42 31}	{28 23}	{39 37}	{55 57}	{56 58}
34	Diseases of the bladder	{M. 2,172 F. 291}	{18 18}	{7 2}		{1 1}	{3 1}	{29 21}	{4 2}	{6 5}	{6 5}	{24 6}	{22 11}
35	Others of this class	{M. 3,411 F. 1,912}	{143 65}	{10 17}	{6 13}	{13 7}	{8 5}	{180 107}	{38 32}	{37 33}	{37 69}	{72 124}	{97 182}
36	7. Diseases of the female organs of generation.	3,253	14	2		1	2	19	2	35	174	328	410
37	Ovarian tumors	478		1				1	2	1	13	29	37
38	Ovarian diseases	145	1					1		1	5	17	24
39	Diseases of the tubes	352	1					1			21	58	84
40	Uterine tumors	657					1	1		1	4	17	33
41	Uterine diseases	406								3	30	56	66
42	Others of this class	1,215	12	1		1	1	15		29	101	151	100

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,804	5,360	5,280	5,375	5,889	6,033	6,976	7,508	7,586	6,301	4,227	1,967	566	208	758	1
2,704	3,139	3,203	3,293	3,480	3,372	3,627	3,794	3,781	3,053	1,955	896	203	80	467	2
2,100	2,221	2,077	2,082	2,409	2,661	3,349	3,714	3,855	3,248	2,272	1,071	363	123	291	3
1	3	1	4	1	4	2	1	2	1	2	1	1	1	8	} 4
7	5	5	4	5	4	4	4	1	1	8	1	1	1	8	
2,333	2,710	2,738	2,745	2,823	2,581	2,720	2,700	2,567	2,029	1,252	567	124	52	370	} 5
1,732	1,822	1,693	1,655	1,877	2,035	2,478	2,625	2,589	2,141	1,473	662	212	63	206	
15	7	17	15	13	11	12	9	4	6	6	2	2	2	2	} 6
14	5	5	1	3	8	5	2	8	7	3	2	2	2	2	
84	108	121	156	211	313	311	444	544	537	403	198	54	16	26	} 7
119	102	117	172	214	302	428	607	728	691	510	299	103	42	27	
88	93	88	86	90	96	113	116	122	103	53	25	4	2	11	} 8
61	70	63	67	66	57	87	85	109	77	50	20	12	2	6	
28	28	53	82	126	168	207	232	245	166	111	42	8	6	10	} 9
26	47	50	57	88	90	162	176	177	141	92	34	13	10	13	
155	190	185	209	216	253	262	292	247	212	128	61	13	3	30	} 10
141	170	144	126	156	165	185	215	243	190	141	54	18	6	29	
2,549	2,771	2,890	2,827	3,007	3,202	3,308	3,427	3,041	2,317	1,276	536	136	38	275	11
1,153	1,266	1,515	1,558	1,633	1,776	1,819	1,798	1,597	1,232	665	259	63	23	145	12
1,396	1,505	1,375	1,269	1,374	1,426	1,489	1,629	1,444	1,085	611	277	73	15	130	13
														2	} 14
24	10	14	11	12	6	10	13	14	8	7	1	1	1	1	
17	8	9	15	13	16	3	11	7	6	8	3			2	
120	129	170	206	243	282	304	320	322	258	144	49	15	7	14	} 15
159	200	181	173	232	249	296	327	324	256	179	75	23	3	14	
71	103	134	152	159	182	185	203	170	146	70	29	2	3	12	} 16
93	123	91	107	121	126	147	159	163	106	54	27	9	10	10	
72	72	68	94	100	102	97	107	123	99	33	19	6	6	10	} 17
80	93	129	107	100	126	118	141	120	91	49	27	4	2	14	
245	217	197	151	106	86	76	56	47	30	14	2			8	} 18
127	112	85	76	53	48	36	35	19	17	9			1	6	
36	47	52	61	53	91	95	100	110	113	70	31	7	4	13	} 19
25	41	58	69	90	87	89	98	54	56	21	20	2	2	4	
49	50	48	40	61	80	64	74	87	72	51	23	8	8	8	} 20
58	57	41	41	35	49	48	65	65	56	33	21	6	6	13	
34	27	29	32	45	67	43	50	55	43	27	12	2	3	8	} 21
32	34	28	29	46	51	50	70	61	35	26	11	5	2	3	
99	96	113	122	140	113	138	104	92	66	38	8	2	2	11	} 22
63	82	98	103	87	102	121	127	101	74	40	15	2	4	4	
173	280	378	398	427	479	475	467	309	207	69	21	7	1	18	} 23
112	163	196	209	256	259	270	262	239	162	73	28	1	1	10	
164	152	173	162	105	124	113	93	84	53	30	12	3	20	25	} 24
535	478	327	186	147	185	117	118	87	54	17	14	5	5	25	
11	13	38	28	40	47	56	68	59	53	36	20	3	3	6	} 25
25	30	32	36	41	48	52	61	70	60	36	14	2	1	9	
55	70	101	101	137	117	163	143	125	84	76	33	7	2	19	} 26
70	79	105	118	150	180	142	155	104	112	66	22	14	2	11	
1,931	2,383	2,604	2,846	3,427	3,748	4,365	4,683	4,690	3,729	2,084	920	180	61	249	28
953	1,189	1,445	1,613	2,097	2,357	2,330	3,196	3,332	2,760	1,592	690	128	39	165	29
978	1,194	1,159	1,233	1,330	1,391	1,535	1,487	1,358	969	492	230	52	22	84	30
747	965	1,165	1,299	1,684	1,854	2,135	2,225	2,137	1,635	803	301	50	13	106	} 31
751	923	952	1,035	1,130	1,179	1,309	1,217	1,130	769	383	133	86	17	54	
5	8	9	11	14	23	34	53	50	34	26	11	7	2	3	} 32
4	3	7	6	5	3	5	8	3	7	6	1	1	1	3	
72	65	89	92	121	139	193	263	286	309	190	84	20	4	19	} 33
70	72	65	65	72	62	63	95	72	68	40	13	5	2	7	
18	26	34	46	75	99	188	292	436	373	281	167	22	11	13	} 34
6	19	7	10	8	26	31	24	37	39	18	13	7	1	13	
111	125	148	165	203	242	280	363	423	409	292	127	29	9	24	} 35
147	177	128	117	115	121	127	143	111	86	45	20	4	1	23	
393	406	411	355	215	132	121	99	61	45	16	6	3	2	20	36
45	47	51	61	48	33	30	34	20	14	6	1	1	1	3	37
31	23	14	10	4	7	2	4	2	2					3	38
72	61	33	14	4	1		1	2							39
50	85	131	101	76	46	45	29	18	12	4	1			3	40
51	59	29	22	16	10	20	11	10	9	4		1		9	41
144	131	153	147	67	35	24	20	9	10	2	4	1	1	5	42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
UNITED STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	9,699								32	1,041	2,185	2,147
2	Abortion	578								1	51	113	150
3	Childbirth	4,527								22	515	924	872
4	Puerperal septicemia	3,207								7	299	810	808
5	Extra-uterine pregnancy	188									2	27	58
6	Others of this class	1,199								2	174	311	264
7	9. Diseases of the bones and joints	3,021	623	204	121	71	75	1,094	238	201	191	155	114
8	Males	1,717	333	113	67	41	47	601	132	126	116	93	73
9	Females	1,304	290	91	54	30	28	493	106	75	75	62	41
10	Diseases of the spine	958 813	282 251	88 80	61 48	23 26	29 19	488 419	80 59	59 35	51 39	36 35	29 17
11	Abscess, lumbar and psoas	63 35	2 2	1	1			3 3	1 4	1 1	1 1	12 3	8 2
12	Diseases of the bones	395 230	86 19	16 10	4 4	7 3	13 7	76 43	22 21	34 23	35 16	25 15	22 9
13	Diseases of the hip-joint	149 82	4 8	1	3	4	3	12 13	21 15	24 10	20 13	12 4	12 7
14	Others of this class	152 144	9 10	7	2 3	2 1	2 1	22 15	8 7	6 6	9 6	8 5	2 6
15	10. Diseases of the skin	2,158	581	118	42	26	15	782	52	45	47	64	73
16	Males	1,204	318	63	26	12	9	428	30	24	21	32	36
17	Females	954	263	55	16	14	6	354	22	21	26	32	37
18	Abscess	582 471	111 104	28 15	10 6	6 6	7 3	162 134	25 19	19 13	16 15	23 24	25 27
19	Carbuncle	180 88	8 4	1	1 3			10 7	1	4 1	2 1	4 3	6 5
20	Others of this class	442 395	199 155	34 40	15 7	6 8	2 3	256 213	4 3	1 7	3 10	5 5	5 5
21	11. Diseases of the absorbent system	714	56	26	9	9	7	107	28	22	25	38	43
22	Males	385	38	15	5	9	4	71	19	14	15	16	22
23	Females	329	18	11	4	3	3	36	9	8	10	22	21
24	Addison's disease	94 79							2	2	4	4	7
25	Diseases of the spleen	98 76	8 4	3 2	1	5	1	17 9	3 2	3 2	4 1	5 7	7 6
26	Others of this class	193 174	30 14	12 9	5 3	4	3	54 27	14 7	9 5	7 6	7 9	8 10
27	12. Accidents and injuries	57,513	3,870	1,368	1,361	1,314	941	8,854	3,090	2,726	4,068	5,302	5,014
28	Males	43,414	2,142	755	794	693	469	4,853	1,858	2,181	3,270	4,401	4,258
29	Females	14,099	1,728	613	567	621	472	4,001	1,232	595	798	901	756
30	Burns and scalds	2,750 4,022	186 141	377 312	481 364	414 435	191 341	1,649 1,593	239 729	74 229	53 197	37 176	79 147
31	Drowning	4,723 664	29 14	111 73	39 41	60 23	64 14	353 170	501 71	620 57	568 88	518 42	401 31
32	Exposure and neglect	500 422	224 239	25 23	9 13	2 8	7 7	237 290	6 8	9 3	8 15	9 17	9 9
33	Gunshot wounds	3,571 489	8 9	10 7	14 10	15 11	18 8	65 45	114 50	301 58	553 80	596 36	490 45
34	Homicide	1,533 296		1	7	3	3	11 14	22 15	35 9	110 32	248 51	256 43
35	Infanticide	23 24	23 24					23 24					
36	Injuries by machinery	320 13		1	1	1		2 2	7 3	10 1	46 2	51 1	33 1
37	Railroad accidents	6,376 554	13 5	11 9	21 10	15 13	25 13	85 50	211 64	263 36	519 45	899 47	880 29
38	Suffocation	1,454 994	347 690	39 47	22 18	9 12	10 13	927 730	19 26	25 11	34 16	51 18	41 18
39	Suicide by shooting	1,190 103								3 1	23 12	127 23	124 11
40	Suicide by drowning	157 34									4 6	9 12	9 11
41	Suicide by poison	761 464								3 6	22 77	73 91	33 67
42	Other suicides	2,205 534							1	10 5	58 44	129 67	165 64
43	Sunstroke	535 196	43 41	11 10	4 5	2 4	4 2	69 62	14 6	3 7	15 4	33 7	33 5
44	Surgical operations	241 463	16 7	4	3	2	1	26 11	10 5	2 5	12 13	16 63	24 63
45	Wounds	690 62	5 10	4 2	4 1	12 1	4	29 14	25 9	13 3	65 8	35 4	33 4
46	Others of this class	16,385 4,715	743 547	162 129	143 95	162 105	137 70	1,347 946	689 246	745 164	1,130 164	1,470 201	1,593 208



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,745	1,523	788	121	17	9	4	3	1	5					88	1
112	100	39	2	1	1				1					7	2
807	791	448	74	11	7	3	1	1	1					50	3
597	436	197	30	5		1	1		3					13	4
50	41	11	1											2	5
179	155	88	14		1									11	6
108	121	105	112	103	92	98	92	93	55	26	15	4	1	3	7
52	75	68	62	57	44	59	55	44	36	10	9	2	1	2	8
56	46	37	50	46	48	39	37	49	19	16	6	2		1	9
13	32	27	22	20	18	21	19	15	17	6	4			1	10
25	31	14	27	22	24	21	15	12	10	3	3	1		1	
8	7		3	3	2	4	2	3	2					1	11
2	1	3	3	6	3			3							
20	20	18	18	20	13	20	21	12	12	4	3				12
16	6	10	10	11	7	9	7	14	3	8	2				
8	9	11	5	5	4	2	2	1	1						13
6	5	1	2	1		1	1	2		2					
3	7	12	14	9	7	12	11	13	4		2	2	1		14
7	3	9	8	6	14	9	14	18	6	3	1	1			
71	94	91	89	106	108	113	121	100	83	66	27	7	4	15	15
30	51	48	53	67	68	58	76	61	52	41	15	3		10	16
41	43	43	36	39	40	55	45	39	31	25	12	4	4	5	17
22	35	32	27	42	34	24	30	25	16	16	3	2		4	18
25	30	25	20	16	22	26	28	14	13	11	4	2		3	
5	7	8	15	13	21	20	21	18	12	9	2			2	19
1	4	9	6	11	5	11	3	10	3	6			1	1	
3	9	8	11	12	13	14	25	18	24	16	10	1		4	20
15	9	9	10	12	13	18	14	15	15	8	8	2	3	1	
52	47	54	55	49	50	43	33	30	17	7				4	21
29	22	27	32	22	23	23	20	13	7	3				2	22
23	25	27	23	27	27	20	18	10	10	4				2	23
6	9	10	13	10	10	9	3	2	2					1	24
6	10	8	4	9	9	6	5	3	3	1				1	
8	7	7	3	4	3	10	6	3	2	1				1	25
8	8	7	2	6	6	2	4	3	2	1				1	
15	6	10	11	8	10	9	11	8	3	2				1	26
9	7	12	17	12	12	12	9	12	5	2				1	
4,385	4,350	3,478	3,024	2,631	2,068	1,957	1,620	1,317	1,139	838	432	168	62	990	27
3,706	3,656	2,983	2,580	2,213	1,688	1,561	1,192	878	690	423	179	68	19	847	28
679	694	540	444	418	330	396	428	439	449	410	253	100	43	143	29
85	77	71	52	47	34	39	30	28	25	31	11	3	5	31	30
142	120	81	75	65	63	80	64	72	70	55	21	12	9	22	
302	319	272	187	156	131	100	74	48	32	10	4	2	1	124	31
41	31	21	19	18	14	14	15	8	10	1				13	
16	14	13	22	15	13	22	19	10	18	10	7	3	1	9	32
6	11	5	2	3	10	3	6	5	10	7	4	3		5	
349	307	200	175	110	80	74	27	18	12	6	3	3		88	33
51	34	15	11	10	8	3	2		2	1	1			7	
201	191	119	90	81	45	42	15	18	5	4	1			39	34
29	29	21	14	8	5	1	4	2	3	3				13	35
40	37	26	18	20	6	6	9	1	2					1	36
1	1	1													
721	629	454	379	353	238	233	126	100	74	47	14		3	193	37
28	27	33	29	31	24	21	25	24	21	8	1	1	1	9	
45	57	46	34	21	28	30	26	12	17	4	3	1		33	38
11	12	7	8	8	10	11	8	9	9	6	1			30	
123	152	143	126	109	75	53	45	32	19	7	3			21	39
15	12	7	11	3	4	1	1	1	1		1				
12	13	13	11	21	14	14	11	6	14	4				2	40
8	7	5	5	9	7	6	2	4	2						
91	79	94	77	81	39	46	31	21	3	2	1			10	41
49	51	35	24	15	14	10	7	8	3	1				5	
203	221	242	243	217	188	164	130	92	64	23	5	3		37	42
54	59	56	40	35	30	21	26	11	6	7	4	1		4	
42	55	36	38	46	32	24	25	29	17	5	3		1	1	43
4	9	10	9	14	7	15	10	14	9	3				1	
12	22	17	12	12	21	16	18	8	2	5				6	44
62	68	54	34	30	21	21	9	3	3	2	1			3	
69	59	42	47	38	30	33	19	11	8	5		1		20	45
3	2	1	2		2	4	3	3	1	1		1		1	
1,395	1,424	1,145	1,064	886	714	665	587	444	373	260	121	49	8	226	46
195	221	188	161	169	161	194	246	275	299	315	218	81	33	30	

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
REGISTRATION RECORD.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	512,669	102,220	25,986	12,020	7,825	5,520	153,571	15,045	8,585	13,420	21,360	23,986
2	Males.....	272,819	57,251	13,768	6,275	3,972	2,762	84,028	7,707	4,339	6,658	10,831	12,418
3	Females.....	239,850	44,969	12,218	5,745	3,853	2,758	69,543	7,338	4,246	6,762	10,529	11,518
4	Unknown cause.....	4,849	1,678	166	72	56	31	2,003	103	65	96	120	161
5	Males.....	2,677	940	87	37	30	16	1,110	55	30	47	55	79
6	Females.....	2,172	738	79	35	26	15	893	48	35	49	65	82
7	1. General diseases.												
7	General diseases—A.....	88,227	29,298	9,888	4,667	3,273	2,421	49,547	6,041	2,167	2,308	3,043	2,704
8	Males.....	45,525	15,913	5,117	2,343	1,642	1,195	26,210	2,915	994	1,124	1,661	1,470
9	Females.....	42,702	13,385	4,771	2,324	1,681	1,226	23,337	3,126	1,173	1,184	1,382	1,234
10	Measles.....	M 1,872 F 1,929	498 446	620 612	272 280	124 130	79 77	1,598 1,545	143 177	36 49	16 35	80 23	14 25
11	Scarlet fever.....	M 1,688 F 1,639	111 73	216 191	268 258	238 260	179 219	1,062 1,001	457 464	79 79	29 35	20 20	14 13
12	Diphtheria.....	M 5,022 F 5,179	344 252	749 703	796 762	707 705	594 602	3,190 3,014	1,857 1,559	270 334	71 99	40 54	23 33
13	Whooping cough.....	M 1,718 F 1,951	1,005 985	400 470	149 211	72 112	30 58	1,656 1,836	86 77	2 9	3 4	2 1	2 7
14	Malarial fever.....	M 1,803 F 1,223	117 99	58 62	30 57	36 36	80 24	271 278	77 93	40 52	72 79	117 105	98 72
15	Influenza.....	M 2,950 F 3,932	256 218	60 54	22 38	23 19	13 21	374 350	43 41	23 36	39 51	64 66	67 93
16	Typhoid fever.....	M 5,620 F 4,129	45 42	36 47	41 45	48 62	59 45	229 241	283 277	291 378	629 620	996 643	845 468
17	Cholera morbus.....	M 914 F 879	197 166	65 66	72 64	30 18	12 9	376 323	46 30	29 24	17 23	24 24	20 23
18	Colitis.....	M 483 F 438	243 189	56 66	18 17	16 6	4 2	337 280	10 7	2 4	2 3	4 6	10 7
19	Diarrhea.....	M 1,965 F 1,712	822 697	170 142	57 40	12 12	13 7	1,074 898	61 59	13 23	15 8	22 14	17 25
20	Dysentery.....	M 1,497 F 1,509	247 213	153 112	64 47	41 31	28 13	533 416	50 23	21 10	21 10	50 27	44 27
21	Enteritis.....	M 7,887 F 7,230	5,050 4,021	1,112 1,031	253 236	92 95	65 64	6,572 5,447	113 123	45 44	39 43	50 72	66 103
22	Cholera infantum.....	M 7,381 F 6,377	5,956 5,102	1,166 1,033	168 159	58 50	27 28	7,375 6,372					
23	Fever.....	M 61 F 52	15 18	5 3	1 3	1 2	1 1	22 27	2 5	1 2	4 3	4 3	1 3
24	Cerebro-spinal fever.....	M 1,127 F 912	297 227	175 112	82 72	65 58	38 33	657 502	135 114	75 81	62 55	45 27	36 23
25	Smallpox.....	M 363 F 230	14 14	7 11	7 6	3 4	1 2	32 37	8 12	11 12	26 19	66 49	58 32
26	Erysipelas.....	M 847 F 629	217 206	17 17	3 6	4 4	3 2	244 235	5 3	7 4	17 10	17 18	35 24
27	Septicemia.....	M 1,316 F 1,551	140 122	22 19	17 15	12 17	13 12	204 185	61 45	35 22	41 66	78 200	72 219
28	Venereal diseases.....	M 529 F 418	300 264	19 11	6 8	5 5	1 2	331 290	2 1	2 2	5 9	8 17	24 16
29	Others of this group.....	M 982 F 738	89 31	11 9	17 10	6 5	5 5	78 60	26 16	12 8	16 7	24 13	31 21
30	General diseases—B.....	11,823	7,108	364	115	81	31	7,699	76	25	94	225	368
31	Males.....	7,158	3,911	204	82	38	22	4,237	38	14	33	115	229
32	Females.....	4,665	3,197	160	53	43	9	3,462	38	11	61	110	139
33	Alcoholism.....	M 1,693 F 368				1		1	1	1	1	1	32 49
34	Parasitic diseases.....	M 21 F 21	3 2	6 3	3 3		2 1	14 18	2 3				
35	Lead poison.....	M 46 F 23	1 5	1 1	1 1			2 7	1			2	2 1
36	Other poisons.....	M 1,138 F 654	45 24	57 27	35 21	20 14	10 6	167 92	21 15	8 5	29 53	78 37	92 79
37	Inanition.....	M 4,260 F 3,599	3,862 3,166	141 129	23 27	18 20	10 2	4,054 3,344	14 19	5 6	3 7	3 9	5 10
38	General diseases—C.....	41,145	21,441	903	205	76	47	22,672	78	38	41	68	78
39	Males.....	20,691	12,096	443	110	43	20	12,717	36	19	22	29	27
40	Females.....	20,454	9,345	460	95	23	27	9,955	42	19	19	39	51
41	Old age.....	M 6,673 F 8,885											
42	Premature birth.....	M 5,556 F 4,134	5,556 4,134					5,556 4,134					
43	Malformation.....	M 946 F 764	919 742	7 11	5 2	1 1		932 757	4 2	2 2	1	1	
44	Debility and atrophy.....	M 6,885 F 6,223	4,992 4,023	436 449	105 93	46 27	20 26	5,599 4,618	32 40	17 17	21 19	29 38	27 51
45	Others of this group.....	M 631 F 448	629 446			1		630 446					

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION RECORD.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
23,185	24,333	22,286	21,919	23,122	24,107	26,155	27,769	27,392	23,917	17,391	9,000	3,212	1,100	1,864	1
12,559 10,626	13,540 10,793	12,650 9,636	12,495 9,424	13,004 10,118	13,197 10,910	13,787 12,368	14,414 13,355	14,032 13,360	12,055 11,862	8,350 9,041	4,041 4,959	1,216 1,996	371 729	1,127 737	2 3
139	202	192	196	199	212	221	220	206	166	118	54	19	2	155	4
79 60	110 92	115 77	125 71	109 90	123 84	133 88	128 92	111 95	83 88	58 60	24 30	9 10	1 1	88 67	5 6
2,237	2,056	1,727	1,597	1,605	1,666	1,931	2,201	2,279	2,078	1,654	847	270	78	191	7
1,211 1,026	1,111 945	947 780	905 692	871 734	846 820	922 1,009	1,016 1,185	1,059 1,220	918 1,160	732	378 469	94 176	32 46	109 82	8 9
11 18	7 19	3 9	2 10	8 2	1 7	2 1	2 2	1 1	3 1	2 1	1 1			3	10
11 8	6 8	5 5	5 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1			1 1	11
25 24	11 15	1 7	11 9	7 10	5 5	3 2	2 2	1 2	3 3	1 2	1 1	1 1		3 2	12
2 6	2 2	3 3	1 3	1 1	1 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1		5 7	13
67 72	70 50	64 42	76 48	57 39	55 49	51 54	54 57	49 58	44 30	22 29	12 13	3 1	2	9 5	14
90 98	89 101	127 117	118 122	119 178	145 221	226 336	264 400	334 452	315 498	300 423	152 219	42 98	11 21	8 11	15
642 345	511 231	323 223	259 142	197 127	143 108	109 92	63 74	51 61	19 21	6 12	5 4	3 3	3 2	19 12	16
22 31	19 40	31 26	38 19	40 35	40 32	36 43	51 44	50 51	35 41	18 36	12 17	3 3	3 2	4 2	17
6 8	6 9	15 8	10 10	10 11	8 15	8 15	12 20	14 12	15 11	7 6	4 4	2 3		1 1	18
20 27	26 22	26 24	24 27	49 29	78 52	81 65	105 79	112 95	102 102	75 87	36 47	10 15	6 6	13 8	19
45 35	48 33	42 42	51 63	61 59	44 76	89 91	92 141	94 139	77 141	76 95	38 58	7 17	4 3	10 3	20
53 87	71 89	65 89	88 93	79 98	92 99	109 135	116 202	110 181	101 155	66 101	35 49	5 9	4 5	8 6	21
														6 5	22
	2	6	5	5	1	1	4	1	1	1	1	1			23
3			1	10	9	6	5	4	2	1		1		1	24
18 20	24 18	18 20	19 19	5 5	7 7	4 4	2 2	4 3	3 3	1 1		1		1	25
38 18	38 13	22 13	21 6	15 7	12 7	5 2	4 3	3 3	3 3					1	26
41 12	40 41	55 22	41 19	54 30	64 35	48 44	54 32	46 35	40 31	24 21	8 8	4 3	1 1	2 1	27
80 177	92 167	89 100	80 69	93 54	88 67	72 48	93 32	49 37	45 27	31 13	9 10	4 4		4 9	28
20 19	24 16	23 15	19 10	21 9	17 3	13 1	4 2	3 3	4 1	1 1				8 3	29
20 18	25 21	29 15	41 24	46 39	43 44	60 74	91 91	136 92	112 94	102 91	65 37	16 15	3 6	6 2	30
470	576	452	409	351	285	196	188	114	111	45	27	7	6	99	31
351 119	450 126	353 99	323 86	272 79	213 72	147 49	135 53	71 43	66 45	23 22	17 10	4 3	1 5	66 33	32
223 44	319 66	233 60	217 43	189 32	130 21	69 15	77 8	23 5	19 4	4 1	4 4			21 4	33
		1	1	1	1		1								34
5 4	11 2	5	6	5 1	1 3	3 1	3	2	1				1		35
119 64	115 53	107 33	93 31	64 36	69 31	61 17	39 26	29 11	25 10	7 9	4			11 2	36
4 7	5 5	7 6	6 12	13 10	12 17	14 16	15 19	19 25	21 31	12 12	9 10	4 3	1 4	34 27	37
84	103	94	92	150	253	534	1,061	2,288	3,372	4,507	3,256	1,604	662	110	38
38 46	48 55	40 54	46 46	65 85	107 146	224 310	478 583	1,019 1,269	1,528 1,844	2,018 2,494	1,375 1,881	596 1,008	212 450	52 58	39
						101 190	329 417	872 1,074	1,362 1,667	1,896 2,318	1,316 1,755	573 970	207 438	17 31	41
															42
1							1							6 1	43
37 46	48 55	40 54	46 46	65 85	107 145	123 120	149 165	147 194	165 177	117 176	59 96	28 38	5 17	29 26	44
						1		1	1						45

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
REGISTRATION RECORD—Continued.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1. General diseases—continued.												
General diseases—D.....	86,919	2,839	1,386	712	497	324	5,758	1,237	1,845	4,315	8,085	9,087
2 Males.....	43,342	1,586	734	399	236	166	3,121	601	499	1,776	3,843	4,520
3 Females.....	43,577	1,253	652	313	261	158	2,637	636	846	2,539	4,192	4,567
4 Anemia.....	M 618 F 390	78 75	16 23	4 11	6 11	2 6	106 126	17 13	9 16	13 52	22 68	21 54
5 Diabetes.....	M 1,404 F 1,289	7 4	5 4	5 2	2 10	5 3	24 23	33 33	57 41	56 32	50 47	67 44
6 Rheumatism.....	M 966 F 985	11 19	6 7	7 4	6 6	6 4	36 40	53 48	42 53	37 54	35 36	47 34
7 Scrofula and tubercles.....	M 491 F 549	127 83	35 31	15 16	4 7	4 10	185 152	23 18	7 20	21 43	38 40	30 42
8 Hydrocephalus.....	M 1,747 F 1,426	624 505	349 297	174 128	94 104	65 61	1,306 1,095	164 137	51 39	38 47	37 22	25 23
9 Tuberculosis, general.....	M 513 F 423	40 46	20 20	15 7	8 6	9 4	92 83	25 19	17 25	24 32	50 44	66 38
10 Consumption.....	M 29,192 F 24,770	518 402	256 221	140 113	89 94	58 52	1,061 832	216 313	265 596	1,520 2,208	3,498 3,318	4,147 4,116
11 Cancer.....	M 6,838 F 10,908	8 10	4 1	3 1	3 3	4 3	22 16	10 12	9 12	16 18	48 47	67 145
12 Tumor.....	M 694 F 973	19 14	5 6	10 9	10 9	4 5	48 43	19 12	11 14	24 22	29 37	30 36
13 Dropsy.....	M 948 F 1,081	22 11	8 7	7 4	5 3	2 3	44 28	21 17	18 18	13 20	25 24	12 19
14 Others of this group.....	M 381 F 333	132 79	30 35	19 18	9 8	7 9	197 149	20 14	13 12	14 11	11 14	8 16
15 2. Diseases of the nervous system.....	62,563	13,112	3,341	1,452	857	590	19,352	1,514	905	891	971	1,234
16 Males.....	33,680	7,557	1,827	782	444	296	10,906	824	501	482	509	662
17 Females.....	28,883	5,555	1,514	670	413	294	8,446	690	404	409	462	572
18 Inflammation of the brain.....	M 617 F 464	162 110	74 46	51 29	15 16	13 13	315 214	45 26	15 23	16 18	20 20	15 22
19 Meningitis.....	M 6,113 F 4,832	2,125 1,604	974 796	443 384	263 241	159 176	3,964 3,201	481 431	202 209	172 129	164 123	178 120
20 Apoplexy.....	M 9,809 F 9,364	125 95	26 21	7 11	8 9	8 4	174 140	19 17	15 17	38 33	65 58	124 98
21 Paralysis.....	M 4,566 F 4,295	53 33	10 21	11 12	12 7	5 8	91 81	28 17	20 8	24 27	23 40	48 50
22 Paralysis, general (of insane).....	M 413 F 176							1	2	1	1	15 5
23 Tetanus and trismus nascentium.....	M 907 F 411	435 292	9 5	5	7 2	6 2	462 301	60 7	125 12	52 8	31 9	34 9
24 Chorea.....	M 32 F 54	2	1	1	2	2	4 6	3 3	1 13	6 15	2 4	1
25 Epilepsy.....	M 680 F 542	44 32	10 6	4 8	3 5	2 1	63 52	19 20	30 32	68 40	45 38	65 54
26 Convulsions.....	M 5,275 F 4,247	4,108 3,030	559 500	208 175	89 105	55 58	5,019 3,868	81 87	26 16	7 27	13 38	15 53
27 Mental diseases.....	M 981 F 992							2	2	7	36	35
28 Diseases of the brain.....	M 2,991 F 2,366	458 325	153 106	43 24	39 25	36 25	729 523	72 61	55 60	64 71	83 71	97 68
29 Diseases of the spinal cord.....	M 504 F 430	37 20	11 10	5 7	5 4	10 4	63 45	8 16	5 6	19 11	12 10	14 15
30 Locomotor ataxia.....	M 371 F 122	1	1				2		1	1	3	4
31 Others of this class.....	M 421 F 588	9 12	1 2	3	1	1	15 15	5 4	2 5	7 18	11 22	17 36
32 3. Diseases of the circulatory system.....	43,233	2,243	121	86	91	120	2,661	702	805	882	1,061	1,248
33 Males.....	22,884	1,294	68	50	50	58	1,520	324	310	389	464	602
34 Females.....	20,349	949	53	36	41	62	1,141	378	495	443	597	646
35 Pericarditis.....	M 335 F 329	9 10	5 1	2	4 3	2 9	20 25	18 20	27 24	26 24	18 19	21 11
36 Diseases of the heart.....	M 19,783 F 18,161	757 599	58 49	46 32	41 37	52 49	954 766	300 351	277 460	354 405	427 533	535 569
37 Angina pectoris.....	M 1,055 F 784							2 3	1 5	6 8	8 27	22 30
38 Diseases of the arteries.....	M 658 F 400	2 1	1				2	1		1	1	2
39 Aneurism.....	M 369 F 119							2	3	1	8	18
40 Embolism.....	M 144 F 188	13 2		1		1	15 4	2 1	1 4	2 4	3 14	3 20
41 Others of this class.....	M 540 F 368	513 337	5 2	3 1	5 1	3 3	529 344	1 1	1 1	1	2	1



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
REGISTRATION RECORD—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	80,504	18,166	8,286	3,739	2,084	1,246	33,471	2,582	846	1,344	2,103	2,422
2	Males	42,872	10,351	4,486	1,958	1,021	607	18,418	1,301	392	733	1,210	1,410
3	Females	37,632	7,815	3,800	1,786	1,013	639	15,053	1,281	454	611	893	1,012
4	Croup	1,527 1,303	230 172	814 258	309 218	227 208	143 137	1,223 988	277 278	12 21	3 3	3 1	3 1
5	Pneumonia	29,898 25,398	6,183 4,689	3,180 2,697	1,272 1,192	615 599	343 369	11,593 9,546	777 764	295 346	594 470	1,019 677	1,193 788
6	Laryngitis	324 273	49 32	49 45	24 29	35 40	20 18	177 164	53 43	9 7	1 6	4 4	3 8
7	Bronchitis	6,844 7,059	2,948 2,274	807 689	272 294	102 115	69 78	4,198 3,450	109 114	37 32	39 62	54 77	64 77
8	Pleurisy	793 621	26 19	38 25	20 17	18 8	3 7	110 76	27 29	15 10	44 18	49 49	46 44
9	Asthma	650 582	26 19	3 5	1	1		81 25	8 7	1 2	8 1	9 9	11 12
10	Others of this class	2,836 2,396	889 610	95 86	55 36	23 42	24 30	1,086 804	50 46	23 36	44 51	72 76	90 83
11	5. Diseases of the digestive system	28,379	3,950	857	331	215	194	5,547	885	864	1,075	1,410	1,604
12	Males	14,459	2,265	446	174	99	94	3,078	426	479	532	613	635
13	Females	13,920	1,685	411	157	116	100	2,469	409	385	543	792	919
14	Dentition	392 363	225 211	151 137	12 12	2 1	2 2	392 363					
15	Angina	203 184	20 16	26 17	16 14	16 7	8 15	86 69	31 42	9 19	4 4	13 4	7 7
16	Gastritis	1,992 2,263	397 296	77 93	22 32	22 33	8 19	526 473	31 42	14 15	21 31	29 68	53 95
17	Diseases of the stomach	823 665	64 44	10 13	3	3	6 4	86 64	8 7	6 5	10 19	16 39	33 40
18	Obstruction of the bowels	1,130 1,208	218 129	20 15	16 11	7 17	11 8	272 180	48 38	31 16	41 27	46 48	63 74
19	Appendicitis	1,791 1,067	9 7	5 5	4 5	10 4	12 8	40 29	110 104	286 142	244 158	255 120	206 129
20	Hernia	570 501	69 20	6			1 2	76 24	3 4	5	2 3	13 1	16 2
21	Other diseases of the bowels	380 355	108 81	15 14	4 2	2 4	1 3	180 104	5 6	5 8	10 14	15 9	17 26
22	Jaundice	526 460	293 186	3 3	7 8	2 1	1 5	306 203	4 5	2 3	4 4	5 8	13 9
23	Inflammation and abscess of the liver	679 591	37 26	5 1	2 2	2 6	8 4	54 39	11 7	10 18	9 9	31 23	40 28
24	Other diseases of the liver	2,632 1,606	37 31	5 7	6 5	1 2	2 2	51 47	8 10	11 7	12 7	28 27	69 45
25	Peritonitis	1,838 3,190	136 95	39 39	46 30	19 22	17 19	257 205	141 122	142 144	155 266	150 428	145 426
26	Ascites	91 121	2 3					3 3		5 1	2 1	2 1	2 8
27	Others of this class	1,362 1,346	650 540	83 65	36 33	13 19	17 9	799 666	25 22	3 13	5 10	15 14	21 30
28	6. Diseases of the urinary system and male organs of generation.	29,447	497	159	136	134	122	1,043	450	325	460	911	1,234
29	Males	17,159	296	82	61	75	65	579	240	151	208	390	579
30	Females	12,288	201	77	75	59	57	469	210	174	252	521	655
31	Bright's disease	12,335 9,891							204 186	120 158	173 203	320 414	461 487
32	Calculus, urinary	101 38	2 7					2 7		3	2	5 2	2 2
33	Diseases of the kidney	1,075 773	195 150	74 68	60 64	67 53	58 54	454 389	12 4	4 3	9 9	16 21	28 27
34	Diseases of the bladder	1,277 179	10 5	2	2		1	13 7	3 1	5	4 1	6 3	16 6
35	Others of this class	2,321 1,407	89 39	6 9	1 9	8 6	6 3	110 66	21 19	19 13	15 34	43 81	72 133
36	7. Diseases of the female organs of generation	1,312	9	1		1	1	12	1	9	63	188	253
37	Ovarian tumors	254							1	1	8	16	26
38	Ovarian diseases	100									2	12	18
39	Diseases of the tubes	308									17	51	76
40	Uterine tumors	479					1	1		1	2	8	24
41	Uterine diseases	117									11	21	27
42	Others of this class	524	9	1		1		11		7	23	80	87

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,539	2,957	2,755	2,835	3,201	3,431	3,881	4,223	4,194	3,494	2,437	1,152	353	102	177	1
1,474 1,065	1,733 1,169	1,704 1,051	1,728 1,107	1,831 1,370	1,826 1,605	1,872 2,009	1,962 2,265	1,919 2,275	1,557 1,937	1,022 1,415	473 674	121 232	31 71	95 32	2 3
1	1 3	1 2	1	1	2	1	1	1	1	1	1	1	1	1	4
1,242 853	1,510 946	1,413 831	1,426 848	1,460 1,030	1,332 1,198	1,372 1,448	1,353 1,532	1,283 1,471	991 1,206	617 855	277 378	67 125	17 35	67 51	5
11 9	6 4	12 2	10 1	10 3	6 7	7 3	6 1	2 4	3 5	4 1	1	1	1	1	6
50 76	71 63	81 67	95 116	129 143	219 220	215 324	239 458	368 519	352 495	275 396	140 232	40 89	11 31	8 13	7
56 45	65 40	55 37	53 37	48 34	48 25	41 44	42 32	38 40	30 33	16 17	7 8	1 2	1	2 1	8
13 11	16 17	25 24	33 24	53 46	71 43	88 74	94 96	79 73	50 66	37 36	14 13	3 3	1	5	9
102 70	119 96	117 88	111 80	131 108	150 110	148 116	177 147	149 167	131 132	72 110	40 42	10 13	2 5	12 16	10
1,501	1,645	1,713	1,631	1,664	1,747	1,732	1,735	1,506	1,146	593	262	75	13	81	11
666 835	749 896	911 802	911 720	885 779	963 784	921 811	872 863	743 763	567 579	270 323	113 149	32 43	6 7	32 49	12 13
12 6	2 1	7 5	5 5	6 5	2 4	4 1	2 4	5	3 4	4 1	1	1	1	1	14
66 83	77 120	93 101	109 95	119 134	148 136	141 165	165 168	152 194	124 151	77 120	31 46	10 18	3 2	3 6	15
35 46	56 49	57 24	84 53	73 42	79 42	74 55	70 51	56 55	50 32	14 15	11 11	3	2	5 2	16
52 58	44 67	38 86	63 79	67 65	71 87	52 73	68 101	72 80	65 60	17 35	12 21	4 1	2	4 10	17
157 82	123 75	118 50	86 47	63 30	50 26	33 20	25 25	21 10	10 9	6 7	1	1	1	2 3	18
20 14	28 28	32 36	38 35	29 52	47 53	48 64	43 52	57 53	29 16	13 11	3 2	1	1	1 1	19
16 21	12 22	19 17	12 11	18 9	23 18	18 11	21 24	26 21	17 16	11 4	3 9	1	1	1 3	20
12 13	5 13	11 9	13 15	15 18	26 23	22 24	24 35	26 38	19 19	11 10	5 4	1	1	2 4	21
50 23	53 34	57 49	59 40	68 42	45 56	48 56	42 58	25 47	15 36	15 20	1 8	1	1	1	22
113 79	200 116	295 151	290 145	302 179	329 162	324 163	282 185	183 105	128 105	36 41	14 18	5 1	1	1 5	23
114 379	106 383	129 223	109 136	65 111	88 102	76 90	63 68	43 40	29 12	14 8	7 8	3 5	1	8 9	24
4	7 3	9 6	5 8	9 6	8 11	9 16	10 18	8 12	5 7	5 7	1 1	1	1	3	25
19 27	31 35	46 40	38 51	51 75	47 64	66 66	51 70	39 51	31 35	16 11	2 6	1	1	5 2	26
1,385	1,752	1,923	2,091	2,445	2,655	2,936	2,925	2,767	2,142	1,221	548	106	34	89	27
682 703	873 879	1,052 871	1,149 942	1,459 936	1,532 1,073	1,763 1,173	1,844 1,031	1,764 1,003	1,459 683	864 357	377 171	69 37	18 16	57 32	28
565 550	719 710	863 736	946 805	1,203 847	1,290 923	1,395 1,027	1,345 907	1,179 869	908 565	447 298	167 143	30 28	7 13	38 17	29
2 3	5 1	6 2	4 2	10 2	10 3	9 3	11 4	12 3	11 3	3 3	2 1	1	1	1	30
23 36	36 34	39 33	35 31	46 35	44 31	48 24	76 36	67 21	68 20	40 13	25 3	2	1	3 2	31
9 4	14 11	22 4	26 5	50 4	56 17	113 23	180 16	236 24	216 25	181 11	100 11	18 5	7 1	2	32
33 110	99 123	122 96	138 99	150 98	132 102	198 96	232 118	270 86	256 70	193 32	83 13	19 4	3 1	13 13	33
255	239	244	183	112	65	56	47	32	23	11	2	2	1	4	34
26	23	31	37	29	20	17	21	14	7	5	1	1	1	1	35
24	18	10	6	4	1	1	3	2	2	2	2	2	2	2	36
63	53	30	13	3	1	1	1	1	1	1	1	1	1	1	37
40	64	102	77	57	30	29	15	13	11	4	4	4	4	1	38
18	12	9	6	2	2	2	2	2	2	2	2	2	2	1	39
34	69	62	44	17	12	8	4	3	3	2	2	1	1	3	40

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
REGISTRATION RECORD—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	3,772								5	259	813	926
2	Abortion	258									15	48	73
3	Childbirth	996								1	49	156	210
4	Puerperal septicemia	1,619								4	114	400	426
5	Extra-uterine pregnancy	140									2	22	36
6	Others of this class	759									79	187	181
7	9. Diseases of the bones and joints	1,050	75	28	12	26	19	160	96	82	81	76	46
8	Males	600	40	14	6	18	16	94	45	47	56	49	30
9	Females	450	35	14	6	8	3	66	51	35	25	27	16
10	Diseases of the spine	{M- 192 F- 149	20 16	5 6	2 3	7 6	6	40 31	19 20	16 12	18 5	16 11	11 4
11	Abscess, lumbar and psoas	{M- 36 F- 24	1 2					1 2		2 4	1	8	5
12	Diseases of the bones	{M- 209 F- 146	16 11	4 8	3 2	7 1	8 3	38 25	11 14	14 13	20 8	12 10	9 7
13	Diseases of the hip-joint	{M- 90 F- 42	1 3	1		3	1	6 4	12 11	13 5	15 11	9 1	5 1
14	Others of this class	{M- 78 F- 89	2 3	4	1	1	1	9 4	3 2	2 4	2 1	4 3	4 4
15	10. Diseases of the skin	920	261	31	16	10	4	322	22	11	9	28	26
16	Males	512	138	17	10	4	1	170	16	6	5	13	15
17	Females	408	123	14	6	6	3	152	6	5	4	15	11
18	Abscess	{M- 274 F- 204	55 53	12 6	6 3	3 3	1	77 67	15 6	6 3	4 2	9 9	11 9
19	Carbuncle	{M- 72 F- 35	2 1		1			3 2			1	1	1
20	Others of this class	{M- 166 F- 169	81 69	5 8	3 2	1 3	1	90 83	1	2	1	3	3 1
21	11. Diseases of the absorbent system	377	33	17	1	6	2	59	10	9	11	15	23
22	Males	198	20	10	1	6	2	39	8	4	7	8	10
23	Females	184	13	7				20	2	5	4	7	13
24	Addison's disease	{M- 61 F- 55							1	2	2	1	3
25	Diseases of the spleen	{M- 29 F- 28	4 2	1		2		6 3		1		2	3
26	Others of this class	{M- 103 F- 101	16 11	10 6	1	4	2	33 17	7 2	2 4	5 2	5 3	4 5
27	12. Accidents and injuries	27,649	1,510	438	476	468	368	3,260	1,298	1,084	1,536	2,293	2,517
28	Males	21,067	844	233	287	261	204	1,829	878	893	1,244	1,867	2,100
29	Females	6,582	666	205	189	207	164	1,431	420	191	292	426	417
30	Burns and scalds	{M- 1,075 F- 1,470	48 44	108 106	164 102	135 124	68 106	523 482	32 212	27 69	19 63	45 59	47 33
31	Drowning	{M- 2,857 F- 295	16 9	28 19	23 11	27 13	34 4	123 56	309 25	358 24	277 35	286 21	244 11
32	Exposure and neglect	{M- 158 F- 93	44 44	1 6	1		2	48 52	4	2	1	5	3
33	Gunshot wounds	{M- 965 F- 138	3 2	1	1	2	1	8 13	18 9	75 8	132 11	150 31	190 13
34	Homicide	{M- 499 F- 134			1	2	3	4 7	8 9	10 5	30 7	80 18	92 23
35	Infanticide	{M- 12 F- 12	12 12					12 12					
36	Injuries by machinery	{M- 107 F- 5		1				1 1		1	12	15	16
37	Railroad accidents	{M- 3,443 F- 349	6 5	8 6	10 8	14 7	21 12	59 38	140 46	147 19	228 28	405 24	429 18
38	Suffocation	{M- 747 F- 472	357 289	16 17	12 8	6 5	6 8	397 327	10 17	11 3	20 11	32 9	26 12
39	Suicide by shooting	{M- 764 F- 53									10 5	63 7	38 6
40	Suicide by drowning	{M- 112 F- 52									3 2	6 7	7 6
41	Suicide by poison	{M- 551 F- 364									13 54	45 72	62 58
42	Other suicides	{M- 1,203 F- 301								4 2	3 16	23 35	34 34
43	Sunstroke	{M- 298 F- 144	42 35	6 9	4 4		2	54 49	9 4	1 1	8 2	17 4	19 3
44	Surgical operations	{M- 129 F- 285	7 3	1	1		1	10 5	6 2	3	5 6	9 38	15 36
45	Wounds	{M- 404 F- 34	2 1	1	3	4	4	14 2	11 6	10 2	37 3	44 3	61 3
46	Others of this class	{M- 7,743 F- 2,381	307 221	62 40	67 46	73 51	62 29	571 387	281 90	249 49	426 48	600 92	777 111



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
790	621	308	28	4	1	1	1		3					17	1
50	52	17			1				1					1	2
227	213	119	11	2					1					7	3
337	220	97	12	2		1			1					5	4
37	32	9	1											1	5
139	104	61	4					1						3	6
53	55	63	53	55	45	39	46	47	24	15	6	3			7
33	34	40	32	32	22	19	26	18	16	3	3	1			8
25	21	23	21	23	23	20	20	29	8	12	3	2			9
6	11	11	8	8	7	3	6	5	6	1					}10
7	11	6	6	11	5	7	5	3	1	2	1	1			
5	2		2	2	2	2	1	2	1						}11
2	1	2	2	3	2			3							
13	12	12	11	13	7	8	11	6	8	2	2	2			}12
10	4	6	8	4	6	6	4	10	2	7	2				
8	4	8	1	4	3	1	1								}13
2	4	1						1		1					
1	5	9	10	5	3	5	7	5	1		1	1			}14
4	1	8	5	5	10	7	11	12	5	2		1			
37	48	49	43	44	54	59	53	36	41	19	12	4		3	15
16	26	23	26	28	36	29	29	19	25	15	7	1		2	16
21	22	21	17	16	18	30	24	17	16	4	5	3		1	17
11	20	18	14	16	19	15	13	9	8	7		1		1	}18
14	13	12	10	7	11	11	14	5	6	2	1	2			
4	2	4	8	6	8	8	9	5	7	2	2			1	}19
	1	3	2	5	2	5	2	5	2	1					
1	4	6	4	6	9	6	7	5	10	6	5				}20
7	8	6	5	4	5	14	8	7	8	1	4	1		1	
28	21	32	33	22	28	28	25	17	12	2				2	21
16	11	16	16	11	12	13	10	7	3	1				1	22
12	10	16	17	11	16	15	15	10	9	1				1	23
3	7	6	8	7	7	8	3	2	1						}24
4	7	6	2	4	7	6	5	2	3					1	
4	2	3	3	1		1	1	1	1	1					}25
4	1	2	2	2	1	1	2	1	2						
9	2	7	5	3	5	4	6	4	1					1	}26
4	2	8	13	5	8	8	8	7	4	1					
2,401	2,516	1,962	1,739	1,455	1,174	1,087	907	713	590	396	225	84	24	388	27
1,994	2,088	1,639	1,446	1,197	946	843	645	464	344	198	85	31	6	330	28
407	428	323	293	258	228	244	262	249	246	198	140	53	18	53	29
51	52	51	33	27	21	27	20	16	11	9	3			3	}30
78	72	51	51	33	38	47	34	37	29	17	8	4		3	
214	240	198	141	115	92	68	48	31	21	7	3			77	}31
24	21	14	12	12	8	7	9	5	2					9	
10	9	9	11	8	7	11	7	4	10	3	2		1	3	}32
2	4	2	2	1	4	2	2	1	4	5	3	1		3	
110	91	60	48	36	30	24	11	9	6	1	1	2		23	}33
17	17	7	4	3		2		2	2	1					
79	71	34	30	19	12	10	5	4	1	2				8	}34
19	14	10	5	5	3	1	2							6	
															}35
16	14	11	6	6	2	3	5								}36
1															
377	399	274	222	192	154	130	70	57	34	19	9		1	97	}37
20	17	17	20	17	17	12	15	15	16	5	1	1		3	
31	44	30	27	15	20	22	19	8	8	2	2			23	}38
8	8	3	6	6	9	8	6	7	4	4	1			23	
37	96	94	90	71	51	34	33	18	12	6	2			9	}39
12	7	3	5	3	2		1	1	1						
9	10	10	10	15	10	8	7	5	9	2				1	}40
6	3	3	4	6	5	4	1	3	2						
65	66	65	52	59	33	31	26	17	7	1				9	}41
36	46	26	20	12	10	6	5	7	3			1		3	
103	125	136	143	130	112	89	65	53	37	15	3	2		10	}42
30	39	37	29	18	14	12	14	7	5	5	3			1	
24	39	22	23	24	17	9	6	10	10	3	1			2	}43
2	7	6	6	10	7	13	8	12	7	3					
11	13	10	9	8	11	9	8	2	1	1				1	}44
41	39	35	24	19	17	6	8	2	2	2					
48	40	24	32	21	17	19	9	2	2	4	1	1		7	}45
1	2	1	2	2	2	3	1	1	1						
754	779	611	569	451	357	349	306	228	175	123	58	26	4	49	}46
110	182	107	103	113	92	121	158	151	168	154	124	46	18	7	

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
REGISTRATION CITIES.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	402,666	85,384	22,388	10,337	6,686	4,784	129,579	12,525	6,791	10,539	17,633	20,005
2	Males	215,115	47,769	11,847	5,398	3,410	2,372	70,796	6,431	3,427	5,213	8,976	10,519
3	Females	187,551	37,615	10,541	4,939	3,276	2,412	58,783	6,094	3,364	5,321	8,657	9,486
4	Unknown cause	3,396	1,061	126	56	42	26	1,311	80	43	64	94	182
5	Males	1,885	596	66	30	25	13	730	42	21	32	41	69
6	Females	1,511	465	60	26	17	13	581	38	22	32	53	63
7	1. General diseases.												
	General diseases—A	71,339	24,407	8,464	4,047	2,782	2,125	41,825	5,104	1,676	1,791	2,485	2,280
8	Males	36,907	13,269	4,360	2,041	1,399	1,030	22,099	2,456	771	873	1,355	1,253
9	Females	34,432	11,138	4,104	2,006	1,383	1,095	19,726	2,648	905	918	1,130	1,027
10	Measles	{M 1,539 F 1,552}	{M 407 F 366}	{M 546 F 532}	{M 245 F 242}	{M 110 F 115}	{M 65 F 68}	{M 1,373 F 1,323}	{M 111 F 138}	{M 18 F 26}	{M 4 F 18}	{M 16 F 12}	{M 5 F 11}
11	Scarlet fever	{M 1,415 F 1,381}	{M 94 F 60}	{M 185 F 160}	{M 239 F 233}	{M 242 F 219}	{M 156 F 196}	{M 916 F 868}	{M 374 F 386}	{M 64 F 57}	{M 15 F 27}	{M 14 F 15}	{M 12 F 10}
12	Diphtheria	{M 4,483 F 4,631}	{M 313 F 230}	{M 707 F 665}	{M 738 F 638}	{M 648 F 645}	{M 523 F 558}	{M 2,934 F 2,736}	{M 1,194 F 1,375}	{M 212 F 264}	{M 46 F 78}	{M 24 F 41}	{M 15 F 27}
13	Whooping cough	{M 1,357 F 1,555}	{M 760 F 754}	{M 338 F 400}	{M 131 F 178}	{M 60 F 92}	{M 27 F 51}	{M 1,314 F 1,475}	{M 29 F 55}	{M 1 F 6}	{M 3 F 4}	{M 1 F 1}	{M 2 F 2}
14	Malarial fever	{M 1,108 F 1,031}	{M 99 F 87}	{M 52 F 59}	{M 27 F 53}	{M 32 F 34}	{M 26 F 22}	{M 236 F 255}	{M 75 F 81}	{M 34 F 43}	{M 61 F 69}	{M 103 F 89}	{M 84 F 63}
15	Influenza	{M 1,861 F 2,550}	{M 185 F 147}	{M 35 F 40}	{M 16 F 28}	{M 13 F 14}	{M 10 F 18}	{M 259 F 247}	{M 25 F 25}	{M 17 F 22}	{M 28 F 35}	{M 52 F 56}	{M 54 F 75}
16	Typhoid fever	{M 4,604 F 3,321}	{M 35 F 39}	{M 33 F 38}	{M 39 F 36}	{M 41 F 50}	{M 52 F 37}	{M 200 F 200}	{M 237 F 234}	{M 232 F 301}	{M 503 F 497}	{M 321 F 533}	{M 715 F 392}
17	Cholera morbus	{M 623 F 634}	{M 136 F 121}	{M 37 F 48}	{M 57 F 51}	{M 17 F 13}	{M 7 F 6}	{M 254 F 239}	{M 32 F 16}	{M 20 F 16}	{M 13 F 19}	{M 14 F 19}	{M 18 F 21}
18	Colitis	{M 373 F 339}	{M 194 F 159}	{M 47 F 54}	{M 13 F 12}	{M 11 F 5}	{M 3 F 2}	{M 268 F 232}	{M 8 F 5}	{M 2 F 4}	{M 1 F 3}	{M 3 F 4}	{M 8 F 6}
19	Diarrhea	{M 1,483 F 1,320}	{M 674 F 565}	{M 145 F 118}	{M 52 F 38}	{M 7 F 8}	{M 13 F 6}	{M 891 F 735}	{M 49 F 49}	{M 6 F 21}	{M 14 F 5}	{M 16 F 13}	{M 14 F 19}
20	Dysentery	{M 1,151 F 1,065}	{M 188 F 148}	{M 117 F 70}	{M 51 F 27}	{M 27 F 15}	{M 15 F 10}	{M 398 F 270}	{M 41 F 15}	{M 15 F 8}	{M 18 F 7}	{M 48 F 25}	{M 39 F 25}
21	Enteritis	{M 7,067 F 6,435}	{M 4,612 F 3,660}	{M 1,013 F 933}	{M 219 F 212}	{M 79 F 77}	{M 58 F 58}	{M 5,931 F 4,940}	{M 97 F 109}	{M 41 F 40}	{M 35 F 35}	{M 38 F 62}	{M 62 F 94}
22	Cholera infantum	{M 5,737 F 5,039}	{M 4,708 F 4,044}	{M 915 F 839}	{M 106 F 111}	{M 37 F 24}	{M 19 F 19}	{M 5,785 F 5,037}					
23	Fever	{M 47 F 39}	{M 12 F 12}	{M 3 F 3}					{M 1 F 5}			{M 3 F 2}	{M 1 F 3}
24	Cerebro-spinal fever	{M 833 F 679}	{M 221 F 178}	{M 120 F 86}	{M 63 F 56}	{M 49 F 44}	{M 29 F 24}	{M 482 F 388}	{M 105 F 85}	{M 55 F 55}	{M 42 F 34}	{M 36 F 18}	{M 27 F 20}
25	Smallpox	{M 353 F 225}	{M 14 F 11}	{M 7 F 6}		{M 3 F 4}	{M 1 F 2}	{M 32 F 37}	{M 8 F 12}	{M 11 F 11}	{M 24 F 19}	{M 65 F 48}	{M 58 F 32}
26	Erysipelas	{M 670 F 507}	{M 186 F 180}	{M 16 F 15}	{M 3 F 4}	{M 2 F 3}	{M 3 F 1}	{M 210 F 203}	{M 4 F 3}	{M 7 F 3}	{M 14 F 9}	{M 14 F 11}	{M 30 F 20}
27	Septicemia	{M 1,020 F 1,136}	{M 118 F 100}	{M 21 F 15}	{M 13 F 11}	{M 10 F 11}	{M 12 F 10}	{M 174 F 147}	{M 50 F 39}	{M 26 F 16}	{M 31 F 49}	{M 58 F 154}	{M 63 F 178}
28	Venereal diseases	{M 490 F 388}	{M 287 F 253}	{M 18 F 9}	{M 6 F 8}	{M 5 F 4}	{M 5 F 2}	{M 317 F 276}	{M 2 F 1}	{M 2 F 2}	{M 5 F 7}	{M 3 F 16}	{M 21 F 15}
29	Others of this group	{M 638 F 555}	{M 26 F 21}	{M 7 F 9}	{M 15 F 10}	{M 6 F 5}	{M 4 F 4}	{M 58 F 49}	{M 21 F 13}	{M 8 F 8}	{M 13 F 6}	{M 21 F 11}	{M 27 F 14}
30	General diseases—B	10,258	6,249	313	90	65	25	6,742	67	17	37	202	321
31	Males	6,194	3,430	173	45	35	19	3,702	32	8	31	101	197
32	Females	4,064	2,819	140	45	30	6	3,040	35	9	56	101	124
33	Alcoholism	{M 1,485 F 331}				{M 1 F 1}					{M 1 F 1}	{M 1 F 14}	{M 26 F 47}
34	Parasitic diseases	{M 13 F 16}	{M 2 F 2}	{M 3 F 3}		{M 1 F 5}	{M 2 F 1}	{M 8 F 13}	{M 1 F 3}				
35	Lead poison	{M 42 F 20}	{M 1 F 5}			{M 1 F 1}		{M 2 F 6}				{M 2 F 1}	{M 2 F 1}
36	Other poisons	{M 943 F 545}	{M 33 F 14}	{M 45 F 20}	{M 22 F 16}	{M 17 F 7}	{M 7 F 4}	{M 124 F 61}	{M 19 F 13}	{M 5 F 4}	{M 27 F 51}	{M 70 F 79}	{M 74 F 69}
37	Inanition	{M 3,711 F 3,152}	{M 3,394 F 2,798}	{M 125 F 117}	{M 21 F 25}	{M 18 F 18}	{M 10 F 1}	{M 3,568 F 2,959}	{M 12 F 18}	{M 2 F 5}	{M 3 F 4}	{M 3 F 8}	{M 2 F 7}
38	General diseases—C	31,545	17,960	823	182	69	41	19,075	66	33	37	59	67
39	Males	15,802	10,110	405	97	45	16	10,673	29	19	21	26	25
40	Females	15,743	7,850	418	85	24	25	8,402	37	14	16	33	42
41	Old age	{M 4,147 F 6,095}											
42	Premature birth	{M 4,569 F 3,415}						{M 4,569 F 3,415}					
43	Malformation	{M 702 F 564}	{M 686 F 550}	{M 2 F 7}	{M 4 F 2}		{M 1 F 1}	{M 692 F 561}	{M 1 F 1}	{M 2 F 1}	{M 1 F 1}		
44	Debility and atrophy	{M 5,891 F 5,313}	{M 4,363 F 3,530}	{M 403 F 411}	{M 93 F 83}	{M 44 F 23}	{M 16 F 24}	{M 4,919 F 4,071}	{M 28 F 36}	{M 17 F 13}	{M 20 F 16}	{M 26 F 32}	{M 25 F 42}
45	Others of this group	{M 493 F 356}	{M 492 F 355}					{M 493 F 355}					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
REGISTRATION CITIES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	68,597	2,312	1,155	607	428	267	4,769	1,027	1,076	3,442	6,671	7,589
2	Males	35,113	1,293	614	356	209	141	2,613	505	404	1,442	3,246	3,858
3	Females	33,484	1,019	541	251	219	126	2,156	522	672	2,000	3,425	3,731
4	Anemia	M. 412 F. 581	M. 53 F. 38	M. 10 F. 12	M. 2 F. 8	M. 5 F. 8	M. 2 F. 4	M. 72 F. 70	M. 12 F. 10	M. 8 F. 11	M. 10 F. 36	M. 15 F. 44	M. 17 F. 41
5	Diabetes	M. 946 F. 982	M. 3 F. 2	M. 5 F. 2	M. 2 F. 5	M. 2 F. 5	M. 3 F. 1	M. 15 F. 10	M. 17 F. 19	M. 32 F. 21	M. 34 F. 37	M. 28 F. 30	M. 46 F. 29
6	Rheumatism	M. 690 F. 789	M. 8 F. 17	M. 4 F. 6	M. 5 F. 8	M. 6 F. 4	M. 4 F. 4	M. 27 F. 34	M. 41 F. 35	M. 33 F. 39	M. 26 F. 49	M. 32 F. 27	M. 36 F. 30
7	Scrofula and tabes	M. 370 F. 392	M. 103 F. 68	M. 27 F. 26	M. 14 F. 13	M. 4 F. 6	M. 2 F. 9	M. 150 F. 122	M. 19 F. 13	M. 6 F. 15	M. 17 F. 28	M. 30 F. 26	M. 21 F. 30
8	Hydrocephalus	M. 1,492 F. 1,191	M. 505 F. 430	M. 300 F. 252	M. 160 F. 104	M. 83 F. 91	M. 59 F. 48	M. 1,107 F. 925	M. 148 F. 117	M. 44 F. 28	M. 33 F. 37	M. 32 F. 21	M. 20 F. 18
9	Tuberculosis, general	M. 416 F. 304	M. 34 F. 38	M. 16 F. 19	M. 14 F. 5	M. 7 F. 5	M. 9 F. 4	M. 80 F. 71	M. 19 F. 14	M. 14 F. 22	M. 20 F. 18	M. 44 F. 32	M. 48 F. 26
10	Consumption	M. 24,635 F. 19,741	M. 439 F. 332	M. 216 F. 183	M. 125 F. 94	M. 77 F. 79	M. 52 F. 43	M. 909 F. 736	M. 185 F. 265	M. 223 F. 494	M. 1,248 F. 1,765	M. 2,965 F. 3,146	M. 3,574 F. 3,379
11	Cancer	M. 4,647 F. 7,983	M. 3 F. 8	M. 1 F. 3	M. 3 F. 2	M. 2 F. 1	M. 2 F. 1	M. 11 F. 11	M. 9 F. 11	M. 6 F. 10	M. 12 F. 12	M. 46 F. 38	M. 58 F. 121
12	Tumor	M. 543 F. 690	M. 16 F. 10	M. 3 F. 4	M. 9 F. 7	M. 9 F. 9	M. 2 F. 3	M. 39 F. 33	M. 18 F. 12	M. 10 F. 12	M. 20 F. 14	M. 22 F. 29	M. 22 F. 29
13	Dropsy	M. 652 F. 671	M. 17 F. 7	M. 5 F. 4	M. 7 F. 2	M. 5 F. 3	M. 1 F. 3	M. 35 F. 19	M. 21 F. 14	M. 16 F. 12	M. 11 F. 17	M. 22 F. 21	M. 11 F. 18
14	Others of this group	M. 310 F. 260	M. 112 F. 69	M. 27 F. 30	M. 15 F. 13	M. 9 F. 7	M. 5 F. 6	M. 163 F. 125	M. 16 F. 12	M. 12 F. 8	M. 11 F. 7	M. 10 F. 11	M. 5 F. 10
15	2. Diseases of the nervous system	46,673	11,101	2,312	1,206	722	494	16,335	1,235	696	693	785	975
16	Males	25,211	6,359	1,531	647	376	239	9,152	680	387	373	422	534
17	Females	21,462	4,742	1,281	559	346	255	7,183	555	309	320	363	441
18	Inflammation of the brain	M. 450 F. 329	M. 113 F. 83	M. 60 F. 36	M. 39 F. 22	M. 13 F. 14	M. 8 F. 10	M. 233 F. 165	M. 34 F. 17	M. 13 F. 12	M. 11 F. 11	M. 16 F. 13	M. 11 F. 15
19	Meningitis	M. 5,088 F. 4,010	M. 1,770 F. 1,357	M. 824 F. 675	M. 374 F. 321	M. 233 F. 201	M. 130 F. 156	M. 3,331 F. 2,710	M. 395 F. 358	M. 157 F. 170	M. 136 F. 106	M. 143 F. 108	M. 153 F. 93
20	Apoplexy	M. 6,907 F. 6,586	M. 107 F. 71	M. 21 F. 14	M. 7 F. 10	M. 6 F. 8	M. 6 F. 4	M. 147 F. 107	M. 18 F. 13	M. 13 F. 14	M. 29 F. 24	M. 50 F. 41	M. 103 F. 78
21	Paralysis	M. 2,859 F. 2,752	M. 36 F. 28	M. 7 F. 16	M. 8 F. 9	M. 10 F. 6	M. 3 F. 6	M. 64 F. 65	M. 23 F. 14	M. 16 F. 7	M. 22 F. 24	M. 21 F. 32	M. 35 F. 40
22	Paralysis, general (of insane)	M. 298 F. 114							M. 1 F. 1			M. 1 F. 1	M. 9 F. 3
23	Tetanus and trismus nascentium	M. 811 F. 374	M. 409 F. 274	M. 7 F. 4	M. 5 F. 1	M. 4 F. 2	M. 5 F. 2	M. 430 F. 281	M. 53 F. 6	M. 107 F. 10	M. 45 F. 7	M. 29 F. 7	M. 31 F. 8
24	Chorea	M. 21 F. 31	M. 2 F. 2	M. 1 F. 1	M. 2 F. 2	M. 2 F. 2	M. 1 F. 2	M. 3 F. 5	M. 3 F. 1	M. 1 F. 9	M. 4 F. 8	M. 1 F. 3	M. 1 F. 3
25	Epilepsy	M. 430 F. 353	M. 22 F. 15	M. 7 F. 1	M. 2 F. 4	M. 2 F. 2	M. 1 F. 1	M. 34 F. 23	M. 14 F. 12	M. 12 F. 22	M. 44 F. 31	M. 31 F. 29	M. 40 F. 37
26	Convulsions	M. 4,508 F. 3,660	M. 3,526 F. 2,624	M. 475 F. 444	M. 171 F. 150	M. 71 F. 91	M. 48 F. 53	M. 4,291 F. 3,362	M. 22 F. 70	M. 6 F. 14	M. 10 F. 21	M. 15 F. 29	M. 37 F. 42
27	Mental diseases	M. 713 F. 727							M. 1 F. 2	M. 2 F. 2	M. 6 F. 11	M. 30 F. 22	M. 30 F. 31
28	Diseases of the brain	M. 2,220 F. 1,741	M. 346 F. 269	M. 120 F. 84	M. 33 F. 37	M. 30 F. 21	M. 30 F. 19	M. 559 F. 430	M. 58 F. 47	M. 39 F. 44	M. 52 F. 55	M. 71 F. 54	M. 78 F. 55
29	Diseases of the spinal cord	M. 344 F. 299	M. 22 F. 9	M. 9 F. 6	M. 4 F. 5	M. 4 F. 2	M. 7 F. 1	M. 46 F. 23	M. 4 F. 11	M. 2 F. 1	M. 14 F. 9	M. 9 F. 7	M. 13 F. 14
30	Locomotor ataxia	M. 279 F. 94	M. 1 F. 1	M. 1 F. 1				M. 2 F. 2		M. 1 F. 1		M. 2 F. 2	M. 4 F. 4
31	Others of this class	M. 283 F. 387	M. 7 F. 10	M. 1 F. 1	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 12 F. 12	M. 4 F. 2	M. 1 F. 4	M. 4 F. 12	M. 9 F. 15	M. 12 F. 25
32	3. Diseases of the circulatory system	31,538	1,666	95	67	74	111	2,013	616	689	678	893	1,083
33	Males	16,413	955	50	40	43	54	1,142	288	262	312	390	533
34	Females	15,120	711	45	27	31	57	871	328	427	366	503	550
35	Pericarditis	M. 270 F. 263	M. 9 F. 9	M. 3 F. 1	M. 2 F. 2	M. 4 F. 2	M. 2 F. 9	M. 18 F. 23	M. 16 F. 17	M. 24 F. 20	M. 21 F. 22	M. 14 F. 17	M. 18 F. 10
36	Diseases of the heart	M. 14,060 F. 13,465	M. 513 F. 419	M. 43 F. 41	M. 36 F. 23	M. 35 F. 29	M. 48 F. 45	M. 675 F. 557	M. 267 F. 305	M. 233 F. 401	M. 285 F. 334	M. 361 F. 451	M. 474 F. 488
37	Angina pectoris	M. 689 F. 515							M. 2 F. 1	M. 1 F. 3	M. 3 F. 5	M. 6 F. 22	M. 18 F. 24
38	Diseases of the arteries	M. 525 F. 331	M. 1 F. 1					M. 1 F. 1	M. 1 F. 1		M. 1 F. 1		M. 2 F. 1
39	Aneurism	M. 329 F. 95							M. 2 F. 1	M. 1 F. 1		M. 6 F. 1	M. 18 F. 9
40	Embolism	M. 98 F. 147	M. 9 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 11 F. 4	M. 2 F. 1	M. 1 F. 1	M. 2 F. 4	M. 3 F. 11	M. 2 F. 17
41	Others of this class	M. 447 F. 304	M. 423 F. 281	M. 4 F. 2	M. 3 F. 1	M. 4 F. 1	M. 3 F. 2	M. 437 F. 286	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1



## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
REGISTRATION CITIES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	66,288	15,608	7,328	3,306	1,792	1,111	29,145	2,158	674	1,052	1,766	2,105
2	Males	35,573	8,894	3,973	1,715	902	543	16,032	1,105	315	572	1,014	1,250
3	Females	30,710	6,714	3,355	1,591	890	563	13,113	1,053	359	480	752	855
4	Croup	M 1,259 F 1,067	M 180 F 133	M 255 F 211	M 261 F 185	M 184 F 176	M 127 F 115	M 1,007 F 820	M 232 F 220	M 10 F 14	M 1 F 3	M 2 F 1	M 2 F 2
5	Pneumonia	M 24,902 F 20,684	M 5,365 F 4,064	M 2,861 F 2,422	M 1,134 F 1,066	M 564 F 534	M 315 F 331	M 10,239 F 8,417	M 674 F 630	M 235 F 279	M 468 F 365	M 858 F 579	M 1,051 F 667
6	Laryngitis	M 253 F 214	M 42 F 23	M 39 F 37	M 18 F 27	M 27 F 33	M 17 F 14	M 143 F 134	M 36 F 37	M 7 F 5	M 1 F 5	M 3 F 3	M 2 F 4
7	Bronchitis	M 5,702 F 5,363	M 2,558 F 1,947	M 707 F 597	M 235 F 266	M 89 F 105	M 62 F 71	M 3,646 F 2,386	M 91 F 101	M 31 F 27	M 31 F 51	M 47 F 63	M 61 F 63
8	Pleurisy	M 659 F 522	M 23 F 18	M 34 F 22	M 17 F 17	M 6 F 7	M 7 F 7	M 98 F 70	M 25 F 23	M 13 F 7	M 32 F 15	M 40 F 44	M 43 F 40
9	Asthma	M 550 F 491	M 17 F 11	M 2 F 5	M 1 F 1	M 1 F 1	M 1 F 1	M 21 F 16	M 7 F 5	M 1 F 1	M 6 F 1	M 8 F 7	M 10 F 12
10	Others of this class	M 2,248 F 1,869	M 714 F 518	M 75 F 61	M 49 F 30	M 20 F 36	M 20 F 25	M 878 F 670	M 40 F 37	M 18 F 27	M 35 F 40	M 61 F 56	M 81 F 69
11	5. Diseases of the digestive system	21,905	3,169	719	263	174	153	4,473	636	671	326	1,178	1,320
12	Males	11,177	1,829	386	133	78	75	2,506	322	367	406	512	562
13	Females	10,728	1,340	333	125	96	78	1,972	314	304	420	666	758
14	Dentition	M 366 F 331	M 212 F 197	M 133 F 121	M 12 F 11	M 2 F 2	M 2 F 2	M 366 F 331	M 2 F 2	M 2 F 2	M 2 F 2	M 2 F 2	M 2 F 2
15	Angina	M 133 F 133	M 15 F 12	M 19 F 14	M 12 F 11	M 5 F 5	M 5 F 13	M 63 F 55	M 24 F 27	M 6 F 14	M 1 F 4	M 10 F 6	M 5 F 2
16	Gastritis	M 1,494 F 1,706	M 331 F 245	M 69 F 77	M 19 F 24	M 19 F 29	M 7 F 14	M 445 F 389	M 24 F 40	M 12 F 13	M 15 F 26	M 23 F 59	M 35 F 73
17	Diseases of the stomach	M 599 F 466	M 53 F 32	M 10 F 9	M 2 F 2	M 2 F 4	M 3 F 4	M 71 F 46	M 8 F 7	M 4 F 4	M 7 F 14	M 14 F 31	M 25 F 34
18	Obstruction of the bowels	M 864 F 953	M 187 F 97	M 14 F 9	M 13 F 9	M 5 F 14	M 10 F 6	M 229 F 135	M 29 F 29	M 24 F 13	M 31 F 23	M 42 F 42	M 55 F 64
19	Appendicitis	M 1,448 F 861	M 6 F 5	M 5 F 3	M 2 F 4	M 9 F 4	M 8 F 5	M 30 F 21	M 90 F 87	M 132 F 117	M 194 F 121	M 217 F 101	M 167 F 108
20	Hernia	M 423 F 384	M 50 F 14	M 6 F 2	M 1 F 1	M 1 F 1	M 1 F 2	M 57 F 18	M 3 F 3	M 5 F 2	M 12 F 2	M 12 F 1	M 15 F 2
21	Other diseases of the bowels	M 267 F 264	M 78 F 60	M 11 F 11	M 1 F 2	M 1 F 1	M 1 F 3	M 91 F 77	M 4 F 5	M 3 F 7	M 8 F 11	M 13 F 9	M 16 F 24
22	Jaundice	M 396 F 340	M 234 F 153	M 3 F 2	M 4 F 6	M 2 F 4	M 1 F 4	M 244 F 165	M 5 F 5	M 1 F 2	M 4 F 2	M 3 F 6	M 10 F 6
23	Inflammation and abscess of the liver	M 559 F 442	M 32 F 24	M 4 F 2	M 2 F 5	M 1 F 3	M 7 F 3	M 46 F 34	M 9 F 7	M 6 F 10	M 9 F 7	M 27 F 22	M 36 F 20
24	Other diseases of the liver	M 2,118 F 1,232	M 26 F 24	M 4 F 6	M 3 F 2	M 1 F 2	M 2 F 2	M 36 F 36	M 7 F 7	M 9 F 4	M 9 F 6	M 22 F 25	M 56 F 38
25	Peritonitis	M 1,427 F 2,535	M 110 F 73	M 33 F 27	M 39 F 23	M 15 F 18	M 12 F 15	M 209 F 156	M 105 F 87	M 107 F 112	M 112 F 197	M 114 F 350	M 125 F 352
26	Ascites	M 66 F 90	M 1 F 3	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 3	M 1 F 1	M 5 F 2	M 2 F 2	M 2 F 1	M 2 F 8
27	Others of this class	M 1,012 F 991	M 494 F 401	M 69 F 52	M 29 F 29	M 10 F 18	M 15 F 6	M 617 F 506	M 17 F 13	M 3 F 10	M 2 F 7	M 13 F 13	M 15 F 27
28	6. Diseases of the urinary system and male organs of generation.	23,232	407	137	112	125	96	377	376	266	366	772	1,048
29	Males	13,272	239	72	51	68	51	481	204	118	165	343	498
30	Females	9,960	168	65	61	57	45	396	172	148	201	429	550
31	Bright's disease	M 9,834 F 8,049	M 171 F 158	M 98 F 135	M 143 F 166	M 283 F 341	M 399 F 413	M 171 F 158	M 98 F 135	M 143 F 166	M 283 F 341	M 399 F 413	M 498 F 550
32	Calculus, urinary	M 75 F 31	M 2 F 7	M 2 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 7	M 2 F 3	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2
33	Diseases of the kidney	M 804 F 605	M 157 F 124	M 65 F 57	M 51 F 53	M 62 F 51	M 46 F 43	M 381 F 323	M 11 F 3	M 3 F 2	M 6 F 9	M 15 F 18	M 22 F 21
34	Diseases of the bladder	M 792 F 125	M 6 F 4	M 2 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 9 F 5	M 3 F 1	M 2 F 1	M 3 F 1	M 5 F 2	M 14 F 4
35	Others of this class	M 1,767 F 1,150	M 74 F 33	M 5 F 8	M 7 F 7	M 6 F 6	M 4 F 2	M 89 F 56	M 19 F 15	M 12 F 11	M 12 F 25	M 35 F 67	M 61 F 110
36	7. Diseases of the female organs of generation.	1,507	8	1	1	1	1	11	1	7	53	163	227
37	Ovarian tumors	215							1	1	8	15	22
38	Ovarian diseases	39									2	10	17
39	Diseases of the tubes	292									17	48	75
40	Uterine tumors	389					1	1		1	1	5	19
41	Uterine diseases	93									6	17	22
42	Others of this class	429	8	1		1		10		5	24	68	72

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

30 to 34.	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,197	2,588	2,816	2,868	2,670	2,784	3,101	3,298	3,063	2,399	1,547	708	209	72	128	1
1,302 895	1,543 995	1,460 856	1,472 891	1,561 1,109	1,492 1,292	1,496 1,605	1,506 1,787	1,363 1,700	1,036 1,363	613 934	283 420	63 146	21 51	74 54	2 3
1	1 2	1 2	1	1	2	1	1	1	1	1	1	1	1	1	4
1,096 715	1,302 806	1,205 682	1,220 680	1,241 823	1,077 953	1,096 1,147	1,010 1,179	901 1,078	631 797	350 582	158 218	32 81	12 24	58 32	5
9 5	6 2	10 1	8 1	7 1	5 5	5 2	4 1	2 3	2 4	3 1	3 1	3 1	3 1	3 1	6
45 65	62 59	72 56	79 101	112 132	187 189	184 267	235 385	272 410	255 382	175 282	84 157	22 55	6 23	5 9	7
50 38	59 34	51 30	43 29	41 28	39 20	32 32	32 28	20 33	22 30	12 13	4 7	1	2 1	2 1	8
12 8	15 16	22 22	30 20	52 37	67 38	72 63	80 86	68 61	39 56	26 29	7 11	3 3	1	3	9
90 63	98 76	99 63	92 59	108 88	117 85	107 94	144 108	100 114	87 94	46 77	30 27	5 7	2 4	10 11	10
1,281	1,403	1,423	1,325	1,330	1,354	1,277	1,209	975	656	317	137	37	8	59	11
570 711	651 752	778 650	744 581	731 599	748 606	672 605	601 608	479 496	304 352	129 188	52 85	15 22	4 4	24 35	12 13
9 5	2 1	5 4	3 3	3 4	2 3	1 3	1	1	2	2	1	1	1	1	14
58 70	63 99	78 86	83 75	97 97	116 101	101 121	111 125	105 133	71 90	36 70	14 26	4 9	2 1	1 3	15
31 34	48 42	47 17	68 44	55 36	55 26	52 33	45 36	30 29	20 15	6 8	8 7	1	5 2	5 2	17
43 52	40 61	33 70	53 67	52 71	54 55	37 55	54 74	42 50	29 44	8 26	4 15	2 1	3 1	3 8	18
134 70	109 61	90 36	66 39	54 24	39 21	27 16	21 15	14 9	7 8	5 4	1	1	1	1	19
18 13	26 23	30 32	31 29	21 47	34 41	37 53	30 43	43 38	29 23	13 9	5 8	1 2	1	1	20
12 18	10 16	18 14	7 9	16 7	16 15	9 9	14 16	6 6	5 3	5 3	2 1	1	1	1	21
9 13	4 12	11 7	12 12	13 11	20 15	15 18	15 24	16 20	8 12	8 6	3 3	1	1	2	22
47 17	48 27	52 40	54 29	59 31	40 45	44 42	35 42	24 36	15 19	7 8	1 4	1	1	1	23
98 68	183 103	259 127	245 121	256 142	262 181	244 124	201 111	120 91	79 59	20 25	7 9	3 1	1	1	24
97 326	85 275	109 182	90 109	52 87	66 81	72	40 60	29 43	14 27	7 6	5 3	1 2	8 8	8 8	25
4	7 3	8 5	4 5	9 6	7 8	6 13	6 13	1 6	4 10	3	3	2	2	2	26
14 21	26 29	38 30	28 39	44 55	37 48	49 48	28 46	38 31	22 37	12 20	5 5	1 3	1	3 1	27
1,212	1,535	1,673	1,823	2,082	2,188	2,323	2,194	1,964	1,367	729	302	56	24	70	28
609 603	780 755	924 749	1,012 811	1,246 836	1,300 833	1,383 940	1,361 830	1,212 752	878 479	482 247	188 114	31 25	13 11	41 29	29 30
503 474	643 612	760 639	832 701	1,024 723	1,070 762	1,112 829	996 694	833 647	562 402	260 213	95 101	17 20	5 9	28 15	31
2 3	4	5 2	3 2	9 1	8	8 3	9 3	6 2	3 2	2 2	1 1	1	1	1	32
19 25	29 29	33 25	32 20	36 26	33 22	32 18	55 25	41 18	32 8	16 6	5	1	1	3 1	33
9 4	11 9	19 4	22 4	42 4	35 11	79 15	121 15	144 18	124 16	91 4	48 5	7 2	4 1	4 1	34
76 97	93 105	107 79	123 84	135 82	154 88	152 75	183 98	188 67	157 51	113 22	39 7	7 3	3	9 13	35
233	200	217	147	84	43	36	32	18	18	8				4	36
23	16	25	29	21	13	9	16	7	5	4					37
23	17	10	3	3	1		1	2							38
59	49	30	11	2			1								39
39	50	93	69	43	19	20	9	8	9	2				1	40
15	10	8	5	2	2	2	2	1	2						41
74	58	51	30	13	8	5	4		2					3	42

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
REGISTRATION CITIES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	2,917								4	193	634	725
2	Abortion	221									12	43	63
3	Childbirth	736								1	39	111	155
4	Puerperal septicemia	1,271								3	84	314	341
5	Extra-uterine pregnancy	131									1	20	35
6	Others of this class	558									57	146	131
7	9. Diseases of the bones and joints	733	53	23	9	21	16	122	79	69	61	56	35
8	Males	451	27	10	4	15	13	69	38	40	41	35	23
9	Females	332	26	13	5	6	3	53	41	29	20	21	12
10	Diseases of the spine	132 98	8 9	3 5	1 2	5 4	6	23 20	16 18	12 9	13 3	9 10	10 2
11	Abscess, lumbar and psoas	25 15	1					1 1		2 3	1	5	1
12	Diseases of the bones	175 116	15 10	4 8	2	6 1	6 3	33 24	10 9	12 12	14 7	11 8	8 6
13	Diseases of the hip-joint	67 38	1 3		1	3	1	5 4	10 10	12 4	12 9	7 1	4 1
14	Others of this class	52 65	2 3	3	1	1	1	7 4	2 1	2 3	1 1	3 2	3 3
15	10. Diseases of the skin	715	223	19	14	9	3	263	19	7	7	25	19
16	Males	395	114	11	9	4	1	139	13	5	4	11	10
17	Females	320	109	8	5	5	2	129	6	2	3	14	9
18	Abscess	218 157	51 50	10 2	5 3	3 2	1 1	70 58	12 6	5 1	3 1	7 3	7 8
19	Carbuncle	58 32	1 1		1			2 2			1 1	1 3	1 1
20	Others of this class	119 131	62 53	1 6	3 1	1 3	1	67 69	1		1	3 3	2 2
21	11. Diseases of the absorbent system	260	23	15	1	4	1	49	6	6	9	8	22
22	Males	134	16	9	1	4	1	31	4	3	6	5	9
23	Females	126	12	6				18	2	3	3	3	13
24	Addison's disease	44 33							1	1	2	1	3
25	Diseases of the spleen	16 18	4 2			1		5 2		1		1	3
26	Others of this class	74 75	12 10	9 6	1	3	1	26 16	3 2	2 2	4 1	3 2	3 5
27	12. Accidents and injuries	21,718	1,132	358	377	378	314	2,559	1,055	857	1,175	1,342	2,057
28	Males	16,533	638	187	224	207	171	1,427	713	707	940	1,475	1,698
29	Females	5,185	494	171	153	171	143	1,132	342	150	235	367	359
30	Burns and scalds	880 1,238	37 33	85 90	133 33	110 105	62 94	427 405	68 174	22 62	16 55	38 52	39 73
31	Drowning	2,063 191	10 8	15 11	9 6	18 8	24 2	76 35	228 14	267 12	184 22	181 14	166 8
32	Exposure and neglect	101 71	30 36	1 4	1 2		1	33 42	8	1	1	4 3	2
33	Gunshot wounds	756 108	2 1	1	3	1	1	5 7	13 7	57 6	87 6	124 25	115 12
34	Homicide	468 122		1	2	2	1	6 2	7 8	10 4	29 6	75 17	89 21
35	Infanticide	11 8	11 8					11 8					
36	Injuries by machinery	82 4		1				1		1	5	14 1	16
37	Railroad accidents	2,680 261	5 2	8 5	8 7	11 7	20 11	52 32	129 41	126 14	176 19	314 15	339 12
38	Suffocation	595 353	270 211	14 14	11 6	4 4	5 4	304 239	9 12	7 3	16 10	30 8	21 10
39	Suicide by shooting	630 39									9 2	54 5	73 5
40	Suicide by drowning	81 33									2 2	4 5	5 6
41	Suicide by poison	486 314									12 49	38 68	56 56
42	Other suicides	994 239								2	15 15	57 32	71 28
43	Sunstroke	270 134	39 31	5 8	4 4	1	2	50 44	7 4		5 2	16 4	17 3
44	Surgical operations	112 247	7 3	1	1		1	10 4	4 2	2	2 5	8 38	12 29
45	Wounds	341 31		1 1	3	4	4	12 2	8 6	8 2	32 3	36 3	50 2
46	Others of this class	6,098 1,742	227 160	55 37	54 39	59 43	49 29	444 308	237 74	207 39	349 38	482 77	627 94



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
625	482	215	21	3	1	1			2					11	1
42	43	15			1				1					1	2
171	166	78	8	2										5	3
270	173	72	9	1		1			1					2	4
36	28	9	1											1	5
106	72	41	3											2	6
48	45	48	38	36	31	26	31	34	16	5	2	1			7
30	29	29	25	22	14	13	19	12	10	1	1				8
18	16	19	13	14	17	13	12	22	6	4	1	1			9
6	8	9	7	5	2	4	4	4	4						}10
5	8	4	2	4	4	4	2	1	1	1		1			
4	2		2	1	2	1	1	1	1						}11
2		2	1	2	1			2	2						
13	11	11	9	10	6	7	9	4	5	1	1				}12
6	4	5	6	4	4	5	4	7	2	2	1				
6	3	4		1	2	1									}13
2	4	1						1		1					
1	5	5	7	5	2	4	5								}14
3		7	4	4	8	4	6	3	11	4					
28	36	46	32	38	43	44	37	28	18	10	8	1		1	15
13	20	28	18	25	29	22	21	14	11	8	4				16
15	16	18	14	13	14	22	16	14	7	2	4	1		1	17
9	17	18	8	15	15	10	11	4	3	4					}18
8	10	10	8	5	9	8	10	3	2	1	1				
3		4	7	6	8	7	6	5	4	2	2				}19
	1	3	2	5	2	3	1	5	2	1	1				
1	3	6	3	4	6	5	4	5	4	3	2				}20
7	5	5	4	3	3	11	5	6	4	3	3	1		1	
21	13	20	19	18	22	22	10	9	4					2	21
12	7	8	8	8	11	11	4	6						1	22
9	6	12	11	10	11	11	6	3	4					1	23
3	5	4	4	4	6	7	2	1							}24
3	4	5		4	4	3	1		1					1	
2			1	1	1	1	1	1							}25
2		1	1	1	1	2		2	2						
7	2	4	3	3	5	3	1	4							}26
4	2	6	10	5	6	7	3	3	1					1	
2,024	2,081	1,614	1,422	1,180	942	806	615	466	347	225	116	38	14	258	27
1,689	1,715	1,353	1,183	986	759	625	450	288	183	116	45	10		215	28
335	366	261	289	194	183	151	195	178	164	109	71	23	6	43	29
47	47	47	28	23	16	15	13	12	6	6	2			8	}30
68	66	49	45	26	36	34	27	26	23	8	4	3		2	
166	188	153	119	88	74	53	34	18	12	4	1			51	}31
13	16	11	9	4	7	6	6	2	3					7	
7	6	6	5	4	6	9	6	1	3	1				1	}32
2	3	1	2		3	2	2	2	4	4	3			2	
88	76	48	44	23	24	17	7	5	5		1			17	}33
14	16	6	2	2	2	2	2	2	2	1					
74	67	33	29	18	11	8	3	3	1	1				8	}34
17	12	9	5	5	3	1	2							6	
															}35
13	9	8	5	5	2	2	2								}36
1		1													
313	298	219	171	154	123	95	48	40	17	12	6		1	47	}37
17	14	13	13	11	13	5	11	12	12	4	1			2	
29	42	23	22	11	16	16	14	5	4	2	2			17	}38
7	8	3	5	4	8	6	4	6	2	3				15	
75	51	51	76	57	40	24	24	13	9	3	2			9	}39
11	5	2	3	3	1			1	1						
8	8	8	9	11	6	5	5	4	3	2				1	}40
6	2	2	2	3		1	1	1	2						
65	63	58	46	54	27	27	20	10	3					7	}41
32	39	19	15	10	6	4	3	4	2	1		1		2	
92	106	115	108	110	85	67	43	26	20	9	1			6	}42
23	32	32	22	15	12	7	7	5	4	2	2	1		1	
22	38	20	21	23	17	8	4	9	8	2	1			2	}43
2	7	4	6	10	7	13	7	11	6	3					
11	11	9	9	8	9	8	6	2	1	1				1	}44
35	35	29	22	15	15	5	5	2	2	2					
45	38	20	25	20	12	16	7	2	1					6	}45
1	2	1			2	2	1	1		1					
634	637	500	466	377	291	255	214	138	90	71	28	9	4	33	}46
86	109	79	86	82	70	93	121	107	105	80	61	19	8	6	

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
REGISTRATION STATES.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	301,670	60,524	15,101	6,797	4,885	2,933	89,740	7,909	4,576	7,113	11,090	12,893
2	Males	157,745	33,924	8,021	3,547	2,227	1,468	49,187	4,047	2,274	3,584	5,484	6,519
3	Females	143,925	26,600	7,080	3,250	2,158	1,465	40,553	3,862	2,302	3,529	5,606	6,374
4	Unknown cause	2,326	903	70	25	25	11	1,084	44	37	44	47	60
5	Males	1,269	511	37	13	14	6	581	23	15	22	24	27
6	Females	1,057	392	33	12	11	5	453	21	22	22	23	33
7	1. General diseases.												
8	General diseases—A	51,379	18,622	5,696	2,620	1,842	1,273	30,053	3,086	1,103	1,075	1,335	1,193
9	Males	26,286	10,143	2,971	1,300	931	631	15,976	1,509	500	516	724	644
10	Females	25,093	8,479	2,725	1,320	911	642	14,077	1,577	603	559	611	549
11	Measles	M 1,272 F 1,311	351 308	431 418	160 169	84 82	51 53	1,077 1,080	97 115	24 40	13 26	17 18	10 18
12	Scarlet fever	M 967 F 899	68 45	134 110	156 139	160 150	97 108	615 552	250 244	39 42	21 19	15 15	10 7
13	Diphtheria	M 2,748 F 2,782	201 158	425 401	460 443	378 380	310 303	1,764 1,685	701 783	145 166	53 58	27 34	17 18
14	Whooping cough	M 1,140 F 1,308	673 672	265 306	93 149	52 69	17 36	1,100 1,232	21 46	1 7		1	1
15	Malarial fever	M 432 F 464	42 33	17 13	13 15	14 8	11 8	97 87	12 32	3 16	18 26	37 34	21 24
16	Influenza	M 2,120 F 2,957	162 155	40 37	16 23	18 13	6 12	242 240	28 27	14 27	23 29	43 39	42 62
17	Typhoid fever	M 2,547 F 1,884	19 11	11 21	15 19	20 22	18 18	83 91	108 102	135 176	273 271	438 271	373 207
18	Cholera morbus	M 498 F 461	111 85	33 35	25 24	17 7	6 3	197 154	27 18	17 12	6 16	14 11	9 10
19	Colitis	M 299 F 282	157 125	31 37	11 12	8 4	2 1	209 179	8 4		2 2	4 5	3 3
20	Diarrhea	M 1,262 F 1,123	598 499	102 87	22 11	7 7	8 3	737 607	39 41	10 15	4 5	9 4	9 14
21	Dysentery	M 782 F 919	142 127	80 70	35 33	28 22	19 11	304 263	32 16	16 8	6 4	12 15	14 12
22	Enteritis	M 4,455 F 4,135	3,004 2,427	546 529	119 101	48 49	28 33	3,745 3,139	59 63	24 21	14 15	22 30	35 41
23	Cholera infantum	M 4,384 F 4,025	3,984 3,308	676 554	113 102	38 36	19 22	4,330 4,022					
24	Fever	M 22 F 23	3 8	2 2	1 1	1 1	1 1	7 14	2 1	1 1	2 1	1 2	2 2
25	Cerebro-spinal fever	M 780 F 611	225 165	135 75	58 55	43 36	26 21	487 352	85 74	45 53	42 34	27 17	22 15
26	Smallpox	M 35 F 24	2 2	1 1		1 1		4 4	1 1	2 2	4 2	5 6	3 3
27	Erysipelas	M 543 F 408	151 138	11 11	2 5	3 3	2 2	167 159	2 2	2 2	10 7	6 10	22 12
28	Septicemia	M 699 F 792	75 65	10 11	4 8	6 11	9 4	104 99	22 23	14 13	17 34	41 91	33 39
29	Veneral diseases	M 231 F 188	146 132	8 5	1 4	3 3	1 1	158 145			2 4	5 5	11 4
30	Others of this group	M 620 F 497	29 16	8 1	6 3	3 1	3 2	49 23	15 6	5 2	6 3	5 4	10 12
31	General diseases—B	5,207	2,702	121	51	32	16	2,922	30	15	46	118	218
32	Males	3,238	1,504	76	29	14	10	1,633	17	9	14	63	142
33	Females	1,969	1,198	45	22	18	6	1,289	13	6	32	55	76
34	Alcoholism	M 922 F 232			1			1			1	16	78
35	Parasitic diseases	M 18 F 10	2 1	5 3		6		9 10	1				
36	Lead poison	M 27 F 16	1 1	1 1				3 3					1 1
37	Other poisons	M 656 F 373	27 18	30 14	21 11	11 10	7 5	96 58	10 9	6 2	12 23	47 45	59 42
38	Inanition	M 1,620 F 1,338	1,475 1,173	41 30	5 6	3 2	3 1	1,527 1,217	5 4	3 4	1 3	4 4	4 3
39	General diseases—C	24,674	13,493	463	86	34	26	14,102	30	17	14	25	27
40	Males	12,608	7,663	224	47	23	10	7,967	17	8	9	10	10
41	Females	12,066	5,830	239	39	11	16	6,135	13	9	5	15	17
42	Old age	M 4,069 F 5,196											
43	Premature birth	M 3,361 F 2,468	3,361 2,468					3,361 2,468					
44	Malformation	M 642 F 510	623 494	6 9	3	1		633 504	3 2	1	1	1	
45	Debility and atrophy	M 4,068 F 3,560	3,212 2,538	218 230	44 39	22 11	10 15	3,506 2,833	14 11	8 8	8 5	10 14	10 17
46	Others of this group	M 468 F 332	467 330					467 330					

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION STATES.

.30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
12,630	13,142	12,142	12,112	13,262	14,531	16,033	17,385	17,803	16,467	12,305	6,566	2,407	708	856	1
6,601 6,029	7,081 6,061	6,570 5,572	6,568 5,544	7,116 6,146	7,632 6,899	8,227 7,806	8,873 8,512	8,996 8,807	8,375 8,092	5,967 6,338	3,023 3,543	947 1,460	231 472	493 363	2 3
58	86	81	73	91	97	97	105	96	95	81	33	16		51	4
33 25	44 42	45 36	43 30	48 43	55 42	64 38	62 43	47 49	48 47	38 43	12 21	8 8		30 21	5 6
1,100	973	853	828	830	960	1,173	1,402	1,579	1,547	1,255	667	235	56	76	7
555 545	504 469	440 413	450 378	435 395	474 486	527 646	640 762	730 849	666 881	545 710	307 360	85 150	23 33	36 40	8 9
10 15	5 15	3 7	2 10	5 2	1 7	2 2	2 2	1 1	3 1	2 2	1 1			1 1	10
9 5	3 6	2 5	1 1	5 6	4 5	1 4	2 2	1 1						1 1	11
15 15	6 10	1 4	7 6	5 6	4 5	1 4	2 2	2 2	1 1	2 2				1 1	12
2 5	2 1	3 3	1 1	1 1	1 2	2 2	1 1	1 1						3 7	13
21 21	14 18	19 16	26 21	11 12	20 19	25 27	22 27	30 31	25 23	13 19	9 8	2 1	1 1	2 2	14
51 64	54 70	80 83	83 85	79 128	103 161	160 241	194 297	249 345	247 415	248 349	130 180	40 88	6 17	4 10	15
300 194	236 134	146 104	133 76	102 57	70 55	56 54	37 36	32 30	12 14	3 6	3 3			3 3	16
10 16	8 14	15 14	19 7	23 10	22 19	23 26	26 25	34 38	23 21	11 28	8 13	2 3	2 1	2 2	17
2 6	2 3	9 5	5 8	8 8	4 4	2 13	6 13	11 8	12 8	6 6	3 4	2 3		1 1	18
9 15	11 8	7 11	12 12	22 17	37 29	44 33	67 48	77 64	71 83	55 68	26 31	9 13	5 2	2 3	19
18 19	16 19	13 25	19 25	23 24	17 39	39 58	48 82	58 89	50 100	53 66	31 44	6 13	4 3	3 3	20
24 43	28 44	35 49	39 53	38 52	56 56	78 78	116 116	72 120	61 103	46 68	25 31	5 7	3 3	2 3	21
														4 3	22
		2	1	2			1	1	1	1	1	1			23
11 14	14 10	12 10	13 12	5 2	6 4	2 3	4 2	3 3	2 3	1 1				1 1	24
3 4	2 1	1 1	3 2	5 2	3 1		1 1								25
23 6	28 27	35 10	22 13	27 17	45 25	34 31	28 23	33 21	31 20	18 16	7 3	3 2	1 1	1 1	26
32 91	55 75	38 48	41 31	50 32	49 37	44 31	59 23	36 29	39 21	19 12	6 8	2 2		3 3	27
6 4	13 6	8 9	7 4	7 1	8 1	3 3	3 2	2 3	1 3					2 2	28
9 7	7 8	11 9	17 14	23 25	28 24	35 52	78 62	90 68	88 67	71 66	57 33	15 11	3 5	3 1	29
279	316	231	216	188	172	115	106	72	71	33	19	4	3	33	30
199 80	244 72	174 57	169 47	145 43	125 47	85 30	73 33	40 32	48 23	19 14	13 6	2 2		24 9	31 32
135 35	184 40	112 37	102 27	100 17	70 18	36 10	41 2	13 3	16 2	4 1	4 4			9 2	33
				1			1								34
4 3	4 2	5 5	4 4	4 1	3 3	2 1	1 1	2 2	1 1						35
58 39	55 27	55 17	62 17	36 22	47 19	41 8	22 17	21 10	18 6	6 7	4 4			1 1	36
2 3	1 3	2 3	1 3	4 3	7 7	6 11	8 14	6 17	13 15	9 6	5 6	2 2		14 7	37
26	40	29	30	60	102	211	465	1,090	1,870	2,311	2,166	1,111	393	55	38
12 14	14 26	15 14	15 15	26 34	37 65	91 120	196 269	455 605	860 1,010	1,306 1,505	951 1,215	429 682	126 267	24 31	39 40
						50 78	135 194	420 513	769 914	1,239 1,404	908 1,162	413 657	126 257	9 17	41
															42
							1							5 1	43
12 14	14 26	15 14	15 15	26 34	37 64	41 42	61 74	65 91	90 96	67 101	43 53	16 25	10	10 13	44
					1			1	1						45

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
REGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	51,158	1,852	895	449	295	197	3,688	650	732	2,416	4,374	5,151
2	Males	24,954	1,026	435	250	136	96	1,993	311	265	1,018	2,068	2,556
3	Females	26,204	826	410	199	159	101	1,695	339	467	1,398	2,306	2,595
4	Anemia	(M) 403 (F) 612	58 50	12 17	2 6	4 5	2 3	73 84	9 6	4 9	8 31	15 40	10 36
5	Diabetes	(M) 972 (F) 879	5 3	4 4	5 1	2 7	3 3	19 18	25 23	43 32	38 22	33 27	43 28
6	Rheumatism	(M) 554 (F) 596	6 15	4 1	2 2	1 3	3 2	16 23	29 29	18 29	22 26	14 18	25 17
7	Scrofula and tabes	(M) 260 (F) 286	36 54	16 18	5 9	2 3	2 4	111 88	7 7	3 8	7 23	17 21	16 21
8	Hydrocephalus	(M) 1,192 (F) 1,000	442 371	260 206	123 96	66 69	45 40	936 782	101 88	28 29	21 16	22 16	13 16
9	Tuberculosis, general	(M) 327 (F) 289	33 37	14 11	11 6	7 5	4 2	69 61	12 13	10 16	14 24	29 31	43 24
10	Consumption	(M) 16,395 (F) 14,282	305 233	151 127	80 64	42 56	27 34	605 514	100 157	136 312	879 1,203	1,894 2,097	2,346 2,329
11	Cancer	(M) 3,847 (F) 6,977	6 6	3 1	2 1	2 2	3 1	16 11	7 3	8 10	8 11	19 25	35 90
12	Tumor	(M) 387 (F) 591	8 10	3 3	8 5	3 4	3 4	25 26	9 8	6 6	11 15	13 14	18 20
13	Dropsy	(M) 417 (F) 494	10 7	6 3	1 3	1 3	1 1	19 13	5 4	3 7	3 7	6 7	2 4
14	Others of this group	(M) 200 (F) 198	72 40	12 19	11 6	6 5	3 5	104 75	7 6	6 9	7 8	6 10	5 10
15	2. Diseases of the nervous system	37,335	6,469	1,782	773	457	307	9,788	776	484	463	490	682
16	Males	19,646	3,762	967	427	222	157	5,535	405	269	263	238	353
17	Females	17,689	2,707	815	346	235	150	4,253	371	215	200	252	329
18	Inflammation of the brain	(M) 300 (F) 225	79 43	29 18	23 11	4 3	9 3	144 83	17 16	8 16	8 8	8 9	8 10
19	Meningitis	(M) 3,562 (F) 2,827	1,292 970	561 485	281 216	137 151	83 97	2,354 1,919	256 238	103 114	93 62	71 63	96 63
20	Apoplexy	(M) 6,620 (F) 6,660	81 72	17 14	3 7	6 6	6 1	113 100	10 11	7 8	25 22	32 23	72 62
21	Paralysis	(M) 2,337 (F) 2,697	31 15	6 9	5 3	4 3	2 4	48 39	11 10	10 6	11 6	12 22	24 29
22	Paralysis, general (of insane)	(M) 253 (F) 133								1	1	1	11
23	Tetanus and trismus nascentium	(M) 314 (F) 109	102 67	5 2	2 2	3 2	1 1	113 72	22 3	65 3	26 1	13 8	11 2
24	Chorea	(M) 25 (F) 34		1	1	2	1	4 3	2 2	1 8	4 10	1 1	1
25	Epilepsy	(M) 438 (F) 367	36 26	9 6	4 8	2 4	1	52 44	10 13	25 17	41 25	27 23	39 34
26	Convulsions	(M) 2,384 (F) 1,396	1,359 217	263 79	84 47	39 47	25 26	2,270 1,710	35 34	12 5	3 11	6 23	3 29
27	Mental diseases	(M) 573 (F) 656							1	1	5	21	20
28	Diseases of the brain	(M) 1,633 (F) 1,359	256 148	70 55	18 14	22 10	20 13	386 240	34 32	30 27	29 34	32 38	51 35
29	Diseases of the spinal cord	(M) 304 (F) 298	21 16	7 6	3 3	2 4	8 4	41 33	5 9	4 5	11 6	7 6	7 11
30	Locomotor ataxia	(M) 213 (F) 73	1		1			2		1	1	2	1
31	Others of this class	(M) 250 (F) 355	4 8		2	1	1	8 10	2 2	1 4	5 9	5 11	9 21
32	3. Diseases of the circulatory system	26,962	1,391	72	44	50	67	1,624	394	443	482	593	672
33	Males	14,044	777	44	21	26	32	900	179	165	213	253	313
34	Females	12,918	614	28	23	24	35	724	215	278	269	340	354
35	Pericarditis	(M) 177 (F) 177	5 5	4 1	1 1	1 7	1	11 15	8 13	15 11	14 13	10 8	10 4
36	Diseases of the heart	(M) 12,319 (F) 11,626	488 401	39 26	19 22	24 22	28 26	598 497	167 199	146 263	191 248	234 310	287 319
37	Angina pectoris	(M) 674 (F) 517							1 2		6 5	2 12	15 15
38	Diseases of the arteries	(M) 337 (F) 214	1 1					1 1	1			1	1
39	Aneurism	(M) 152 (F) 61								3 2	1	6	4
40	Embolism	(M) 95 (F) 104	6 1				1	7 2	1 1	1	2	1	1
41	Others of this class	(M) 290 (F) 219	277 206	1 1	2	1	2	283 209	1			2	3



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
REGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	48,727	11,301	5,189	2,188	1,153	633	20,464	1,388	482	721	1,108	1,313
2	Males	25,311	6,390	2,794	1,148	576	296	11,204	690	212	399	632	780
3	Females	23,416	4,911	2,395	1,040	577	337	9,260	698	270	322	476	533
4	Croup	M 806 F 691	M 124 F 87	M 175 F 147	M 171 F 122	M 127 F 117	M 63 F 72	M 660 F 545	M 135 F 127	M 4 F 11	M 2 F 1	M 2 F 1	M 1 F 1
5	Pneumonia	M 17,744 F 15,972	M 3,757 F 2,907	M 2,008 F 1,717	M 751 F 701	M 345 F 338	M 167 F 193	M 7,028 F 5,856	M 425 F 444	M 160 F 206	M 329 F 248	M 539 F 361	M 633 F 478
6	Laryngitis	M 206 F 178	M 31 F 25	M 34 F 29	M 13 F 21	M 22 F 26	M 11 F 7	M 111 F 108	M 41 F 26	M 6 F 4	M 3 F 3	M 3 F 2	M 1 F 6
7	Bronchitis	M 4,181 F 4,481	M 1,846 F 1,476	M 500 F 433	M 171 F 164	M 55 F 67	M 36 F 43	M 2,608 F 2,183	M 50 F 57	M 22 F 16	M 30 F 20	M 24 F 41	M 30 F 38
8	Pleurisy	M 464 F 375	M 22 F 14	M 22 F 18	M 16 F 12	M 12 F 7	M 5 F 4	M 77 F 55	M 14 F 17	M 8 F 6	M 27 F 9	M 26 F 25	M 25 F 22
9	Asthma	M 230 F 233	M 14 F 15	M 2 F 1	M 1 F 1	M 1 F 1	M 17 F 16	M 2 F 3	M 2 F 2	M 2 F 2	M 2 F 3	M 3 F 3	M 2 F 1
10	Others of this class	M 1,680 F 1,486	M 596 F 387	M 53 F 51	M 26 F 20	M 14 F 21	M 14 F 18	M 708 F 497	M 23 F 24	M 12 F 25	M 19 F 31	M 35 F 43	M 38 F 43
11	5. Diseases of the digestive system	16,215	2,297	427	185	111	122	3,142	484	449	587	715	879
12	Males	8,131	1,302	211	95	56	63	1,727	246	254	292	325	374
13	Females	8,084	995	216	90	55	59	1,415	238	195	295	390	505
14	Dentition	M 173 F 180	M 106 F 110	M 62 F 64	M 3 F 4	M 1 F 1	M 1 F 1	M 173 F 180					
15	Angina	M 112 F 98	M 9 F 9	M 15 F 11	M 9 F 8	M 7 F 6	M 6 F 8	M 46 F 42	M 14 F 21	M 5 F 8	M 3 F 2	M 5 F 1	M 3 F 5
16	Gastritis	M 1,105 F 1,342	M 224 F 184	M 37 F 47	M 8 F 15	M 12 F 12	M 5 F 10	M 286 F 268	M 15 F 18	M 7 F 8	M 10 F 12	M 13 F 33	M 38 F 55
17	Diseases of the stomach	M 479 F 418	M 26 F 22	M 2 F 5	M 1 F 1	M 1 F 1	M 6 F 6	M 36 F 29	M 4 F 3	M 3 F 2	M 6 F 12	M 9 F 24	M 24 F 27
18	Obstruction of the bowels	M 661 F 708	M 130 F 83	M 11 F 11	M 11 F 10	M 5 F 7	M 6 F 6	M 163 F 117	M 31 F 23	M 18 F 8	M 20 F 16	M 18 F 17	M 35 F 36
19	Appendicitis	M 971 F 599	M 4 F 4	M 2 F 4	M 2 F 3	M 6 F 1	M 10 F 7	M 24 F 19	M 62 F 56	M 124 F 71	M 139 F 98	M 140 F 64	M 109 F 71
20	Hernia	M 354 F 307	M 42 F 10	M 2 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 45 F 11	M 2 F 4	M 1 F 1	M 10 F 2	M 6 F 1	M 9 F 1
21	Other diseases of the bowels	M 209 F 185	M 63 F 47	M 7 F 7	M 3 F 3	M 2 F 3	M 2 F 3	M 75 F 57	M 3 F 4	M 4 F 1	M 5 F 6	M 5 F 2	M 6 F 8
22	Jaundice	M 290 F 251	M 158 F 93	M 1 F 3	M 5 F 1	M 1 F 2	M 2 F 2	M 165 F 102	M 4 F 4	M 1 F 3	M 4 F 2	M 3 F 2	M 6 F 7
23	Inflammation and abscess of the liver.	M 333 F 346	M 17 F 11	M 3 F 1	M 1 F 2	M 1 F 2	M 3 F 2	M 25 F 18	M 5 F 4	M 5 F 6	M 6 F 3	M 15 F 11	M 17 F 19
24	Other diseases of the liver	M 1,562 F 1,000	M 24 F 13	M 4 F 3	M 4 F 3	M 1 F 1	M 1 F 1	M 34 F 20	M 6 F 4	M 5 F 4	M 6 F 3	M 19 F 11	M 42 F 31
25	Peritonitis	M 1,008 F 1,739	M 83 F 54	M 19 F 22	M 28 F 20	M 14 F 15	M 12 F 13	M 156 F 124	M 86 F 83	M 79 F 78	M 78 F 130	M 86 F 216	M 73 F 230
26	Ascites	M 84 F 56	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 3
27	Others of this class	M 840 F 855	M 414 F 353	M 47 F 40	M 19 F 19	M 6 F 7	M 11 F 7	M 497 F 426	M 14 F 14	M 2 F 6	M 5 F 8	M 6 F 8	M 11 F 15
28	6. Diseases of the urinary system and male organs of generation.	18,287	307	88	81	81	77	634	235	191	283	557	738
29	Males	10,525	181	51	39	51	42	364	128	90	126	228	325
30	Females	7,762	126	37	42	30	35	270	107	101	157	329	413
31	Bright's disease	M 7,744 F 6,470							M 108 F 98	M 69 F 95	M 110 F 131	M 196 F 272	M 278 F 326
32	Calculus, urinary	M 57 F 25	M 1 F 5					M 1 F 5		M 3 F 2	M 2 F 1	M 1 F 1	M 1 F 1
33	Diseases of the kidney	M 683 F 450	M 129 F 93	M 46 F 31	M 38 F 35	M 47 F 28	M 39 F 33	M 299 F 220	M 8 F 1	M 3 F 1	M 5 F 5	M 6 F 9	M 13 F 18
34	Diseases of the bladder	M 890 F 115	M 6 F 2		M 1 F 1			M 7 F 3	M 2 F 2	M 5 F 5	M 2 F 2	M 3 F 2	M 6 F 2
35	Others of this class	M 1,151 F 702	M 45 F 26	M 5 F 6	M 1 F 6	M 4 F 2	M 2 F 2	M 57 F 42	M 10 F 8	M 10 F 5	M 7 F 21	M 22 F 45	M 28 F 67
36	7. Diseases of the female organs of generation	1,026	5	1			1	7		3	30	103	142
37	Ovarian tumors	181									1	13	15
38	Ovarian diseases	51									1	7	12
39	Diseases of the tubes	159									7	27	37
40	Uterine tumors	234					1	1			2	5	11
41	Uterine diseases	71									8	14	19
42	Others of this class	280	5	1				6		3	11	42	48

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,438	1,672	1,561	1,643	1,888	2,145	2,382	2,535	2,658	2,323	1,707	866	274	71	88	1
794 644	982 690	923 638	951 692	1,015 873	1,071 1,074	1,105 1,277	1,176 1,359	1,191 1,467	1,024 1,299	706 1,001	352 514	96 178	19 52	39 49	2 3
	1		1	1	2	1	1	1							4
675 513	853 568	787 506	779 525	825 663	800 818	826 938	845 941	823 1,010	679 838	443 621	202 294	55 94	11 23	27 32	5
4 7	1 3	7 5	5 2	5 2	3 6	6 3	6 1	1 1	3 3	3 1	1				6
28 49	38 38	41 43	51 76	71 99	133 140	125 204	161 277	226 315	224 321	176 280	109 172	30 71	8 24	3 7	7
33 27	28 26	23 23	36 23	31 20	29 18	23 26	24 17	30 17	15 23	9 12	4 7	2		1	8
6 5	1 4	7 8	14 8	13 23	20 19	33 29	34 37	26 25	20 18	18 7	7	2		3	9
48 43	61 50	58 57	63 59	70 65	86 71	91 77	105 86	85 98	83 89	57 69	30 38	8 11	5 5	10 10	10
744	838	916	905	945	985	1,035	1,064	970	801	448	199	63	10	36	11
821 423	369 409	472 444	491 414	474 471	522 468	589 496	522 542	455 515	417 384	198 250	91 108	26 37	5 5	11 25	12 13
															14
6 1	2	4 2	3 4	4 2	2 2	4 1	1 3	5	3 2	2 1					15
30 36	39 65	44 59	56 54	58 84	68 79	80 106	94 101	88 122	88 102	53 89	24 32	9 15	3 1	2 3	16
17 32	27 26	32 17	42 26	45 33	52 31	42 34	47 30	37 46	39 28	10 11	7 9				17
29 31	20 33	17 43	32 45	41 40	40 51	36 41	37 65	44 58	50 38	14 27	10 13	4 1	2	2 3	18
73 43	67 33	69 28	51 30	35 18	24 15	15 15	16 19	14 7	6 6	2 4				1 2	19
13 7	11 11	14 22	21 24	19 27	29 37	33 40	30 43	36 26	38 13	22 13	12 6	2 1	1	1	20
6 7	6 13	8 7	7 8	7 5	10 6	12 7	15 14	15 16	15 12	11 2	1 6	2 1	1	1	21
4 4	2 7	4 5	6 10	5 14	10 11	13 14	14 17	19 27	15 8	8 3	4 2	1 1		2 4	22
21 14	22 22	23 29	27 20	38 22	19 25	33 35	21 35	18 25	12 19	1 7	1	1			23
65 48	106 78	164 94	164 85	165 113	189 98	192 96	171 104	108 98	87 75	25 32	10 14	3 1	1	1	24
46 188	53 169	69 116	52 75	31 67	53 62	40 58	38 53	24 40	23 24	10 9	7 7	3 5	2 5	1 5	25
		3 2	2 5	2 3	1 7	3 5	5 7	7 8	2 4	5 5	1 1	1		2	26
11 12	14 17	21 20	28 28	24 43	25 39	33 44	36 51	34 36	33 39	24 31	14 9	1 6	1	2 2	27
794	1,041	1,103	1,200	1,453	1,646	1,845	1,811	1,821	1,500	888	408	81	21	37	28
381 413	500 541	576 527	620 580	827 626	952 694	1,106 789	1,108 703	1,147 674	1,030 470	636 252	292 116	56 25	8 13	25 12	29 30
331 337	421 450	506 457	536 516	716 558	803 617	891 659	836 618	792 600	649 396	339 211	120 94	23 18	3 10	17 8	31
1 1	3 1	3 1	1 1	6 1	6	4 2	5 1	7 3	11 3	1 3	2 1				32
13 22	20 19	18 24	18 16	30 18	25 16	31 16	50 23	44 11	52 16	29 10	22 3	2		1	33
4 2	6 7	10 1	15 8	26 3	36 11	78 17	118 8	162 16	155 15	144 10	88 10	17 4	4 1	2	34
32 51	50 64	39 44	55 44	49 46	82 50	102 45	99 53	142 44	163 40	123 18	60 8	14 3	1 1	6 3	35
121	128	130	118	72	46	41	30	25	15	8	2	2	1	2	36
14	18	18	24	19	15	14	13	11	5	4		1	1		37
13	7	1	5	2			2	1							38
29	29	18	8	2			1	1							39
16	33	54	48	39	22	21	10	11	6	4				1	40
11	5	4	3	1	1		2	1	2						41
38	41	35	25	9	8	6	2	2	2	2	2	1	1	1	42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
REGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	2,301								2	137	500	558
2	Abortion	118									7	18	31
3	Childbirth	590									17	95	125
4	Puerperal septicemia	1,026								2	67	259	262
5	Extra-uterine pregnancy	77									1	13	18
6	Others of this class	490									45	115	122
7	9. Diseases of the bones and joints	693	57	18	5	18	14	112	55	57	54	49	30
8	Males	405	33	8	4	11	12	68	27	35	37	33	18
9	Females	288	24	10	1	7	2	44	28	22	17	16	12
10	Diseases of the spine	(M) 131 (F) 101	(M) 17 (F) 11	(M) 2 (F) 4	(M) 1 (F) 1	(M) 5 (F) 5	(M) 4	(M) 29 (F) 21	(M) 13 (F) 10	(M) 16 (F) 8	(M) 13 (F) 4	(M) 12 (F) 5	(M) 4 (F) 2
11	Abscess, lumbar and psoas	(M) 24 (F) 15	(M) 1 (F) 1					(M) 1 (F) 1		2		2	4
12	Diseases of the bones	(M) 149 (F) 89	(M) 12 (F) 9	(M) 3 (F) 6	(M) 2 (F) 1	(M) 5 (F) 1	(M) 7 (F) 2	(M) 29 (F) 18	(M) 6 (F) 8	(M) 8 (F) 8	(M) 15 (F) 6	(M) 7 (F) 6	(M) 8 (F) 6
13	Diseases of the hip-joint	(M) 52 (F) 21	(M) 1 (F) 1	(M) 1				(M) 2 (F) 1	(M) 7 (F) 6	(M) 8 (F) 3	(M) 8 (F) 7	(M) 5	(M) 2
14	Others of this class	(M) 49 (F) 62	(M) 2 (F) 2	(M) 2 (F) 2	(M) 1 (F) 1	(M) 1 (F) 1	(M) 1 (F) 3	(M) 7 (F) 3	(M) 1 (F) 2	(M) 1 (F) 3	(M) 1 (F) 3	(M) 2 (F) 3	(M) 4
15	10. Diseases of the skin	529	141	21	6	4	2	174	14	4	7	16	14
16	Males	295	78	11	3	2		94	11	1	5	7	10
17	Females	234	63	10	3	2	2	80	3	3	2	9	4
18	Abscess	(M) 159 (F) 114	(M) 34 (F) 24	(M) 6 (F) 5	(M) 3 (F) 1	(M) 2 (F) 1	(M) 2	(M) 45 (F) 33	(M) 11 (F) 3	(M) 1 (F) 2	(M) 4 (F) 2	(M) 4 (F) 7	(M) 7 (F) 3
19	Carbuncle	(M) 40 (F) 16	(M) 1 (F) 1					(M) 1 (F) 1			1	1	1
20	Others of this class	(M) 96 (F) 104	(M) 43 (F) 38	(M) 5 (F) 5	(M) 2 (F) 2	(M) 1 (F) 1		(M) 48 (F) 46		1		2	3
21	11. Diseases of the absorbent system	251	24	11	1	3	1	40	5	4	5	11	11
22	Males	125	13	6	1	3	1	24	4	2	3	6	6
23	Females	126	11	5				16	1	2	2	5	5
24	Addison's disease	(M) 40 (F) 44								1	1	2	1
25	Diseases of the spleen	(M) 15 (F) 19	(M) 1 (F) 2	(M) 1		1		(M) 2 (F) 3				1	1
26	Others of this class	(M) 70 (F) 68	(M) 12 (F) 9	(M) 6 (F) 4	(M) 1 (F) 4	(M) 2 (F) 1	(M) 1	(M) 22 (F) 18	(M) 4 (F) 1	(M) 1 (F) 2	(M) 2 (F) 1	(M) 4 (F) 1	(M) 4 (F) 3
27	12. Accidents and injuries	14,600	960	247	283	280	186	1,956	718	553	754	1,044	1,205
28	Males	10,908	541	136	170	162	112	1,121	480	449	617	873	1,006
29	Females	3,692	419	111	113	118	74	835	238	104	137	171	199
30	Burns and scalds	(M) 576 (F) 780	(M) 27 (F) 25	(M) 70 (F) 60	(M) 94 (F) 62	(M) 80 (F) 69	(M) 33 (F) 47	(M) 304 (F) 263	(M) 38 (F) 119	(M) 12 (F) 35	(M) 9 (F) 23	(M) 17 (F) 18	(M) 22 (F) 40
31	Drowning	(M) 1,776 (F) 196	(M) 13 (F) 7	(M) 19 (F) 13	(M) 17 (F) 6	(M) 19 (F) 8	(M) 24 (F) 2	(M) 92 (F) 36	(M) 200 (F) 22	(M) 200 (F) 18	(M) 157 (F) 19	(M) 179 (F) 12	(M) 160 (F) 6
32	Exposure and neglect	(M) 86 (F) 42	(M) 23 (F) 18	(M) 1 (F) 2			1	(M) 25 (F) 20	(M) 1	(M) 1		(M) 4 (F) 3	(M) 1
33	Gunshot wounds	(M) 419 (F) 64	(M) 2 (F) 2	(M) 1 (F) 2	(M) 1 (F) 2	(M) 1 (F) 3	(M) 1	(M) 5 (F) 8	(M) 7 (F) 5	(M) 36 (F) 6	(M) 66 (F) 7	(M) 51 (F) 10	(M) 40 (F) 4
34	Homicide	(M) 128 (F) 52			(M) 1 (F) 2	(M) 1 (F) 1	(M) 1 (F) 2	(M) 2 (F) 5	(M) 2 (F) 3	(M) 2 (F) 2	(M) 3 (F) 3	(M) 4 (F) 4	(M) 19 (F) 10
35	Infanticide	(M) 10 (F) 7	(M) 10 (F) 7					(M) 10 (F) 7					
36	Injuries by machinery	(M) 40 (F) 1	(M) 1 (F) 1					(M) 1 (F) 1			9	5	1
37	Railroad accidents	(M) 1,616 (F) 177	(M) 3 (F) 4	(M) 1 (F) 2	(M) 5 (F) 4	(M) 8 (F) 3	(M) 8 (F) 2	(M) 25 (F) 15	(M) 51 (F) 17	(M) 64 (F) 7	(M) 107 (F) 18	(M) 196 (F) 11	(M) 186 (F) 11
38	Suffocation	(M) 418 (F) 292	(M) 233 (F) 190	(M) 7 (F) 8	(M) 10 (F) 5	(M) 4 (F) 3	(M) 4 (F) 6	(M) 258 (F) 212	(M) 5 (F) 12	(M) 9 (F) 3	(M) 9 (F) 3	(M) 12 (F) 2	(M) 12 (F) 8
39	Suicide by shooting	(M) 375 (F) 31									6	25	41
40	Suicide by drowning	(M) 60 (F) 36									1	3	4
41	Suicide by poison	(M) 284 (F) 192								3	11	28	32
42	Other suicides	(M) 594 (F) 156								3	12	25	35
43	Sunstroke	(M) 132 (F) 68	(M) 31 (F) 22	(M) 2 (F) 4	(M) 3 (F) 3		1	(M) 36 (F) 29	(M) 5 (F) 2	(M) 1 (F) 1	(M) 6 (F) 2	(M) 5 (F) 2	(M) 11 (F) 1
44	Surgical operations	(M) 50 (F) 118	(M) 2 (F) 1		(M) 1			(M) 2 (F) 2	(M) 2	(M) 2	(M) 4 (F) 3	(M) 2 (F) 10	(M) 5 (F) 20
45	Wounds	(M) 177 (F) 21	(M) 2 (F) 1	(M) 1 (F) 1	(M) 2 (F) 1	(M) 1 (F) 2	(M) 2	(M) 8 (F) 1	(M) 6 (F) 3	(M) 5 (F) 1	(M) 12 (F) 2	(M) 19 (F) 2	(M) 28 (F) 2
46	Others of this class	(M) 4,167 (F) 1,459	(M) 195 (F) 142	(M) 34 (F) 21	(M) 38 (F) 28	(M) 49 (F) 31	(M) 38 (F) 14	(M) 354 (F) 236	(M) 163 (F) 55	(M) 115 (F) 27	(M) 200 (F) 25	(M) 278 (F) 38	(M) 409 (F) 51



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
489	388	194	17	3	1	1	1		2					8	1
26	23	11			1				1						2
181	129	81	7	1					1					3	3
222	139	63	6	2		1								3	4
18	21	5	1												5
92	76	34	3				1							2	6
35	39	39	33	37	26	23	36	30	16	14	5	3			7
18	27	25	20	22	15	11	20	12	10	3	3	1			8
17	12	14	13	15	11	12	16	18	6	11	2	2			9
1	8	5	4	6	6	3	4	2	4	1					10
5	7	4	6	9	3	4	5	3	1	2	1				11
2	1	1	1	1	1	1	1	2							12
2	1	1	1	2	1	1	1	2							13
9	11	8	9	9	5	4	7	5	5	2	2				14
7	1	3	4	3	3	3	2	5	2	6	1				15
5	2	5	1	3	2	1	1	1							16
1	5	7	5	3	1	2	7	3	1		1	1			17
3	1	6	2	4	4	5	9	7	3	2		1			18
24	24	23	28	23	27	33	37	21	32	14	9	3		2	19
11	12	12	17	14	17	16	19	12	18	11	5	1		2	20
13	12	11	11	9	10	17	18	9	14	3	4	2		2	21
7	8	11	9	7	10	8	7	7	6	5		1		1	22
8	7	5	4	4	5	7	10	4	6	2		2		1	23
3	2	1	2	4	3	5	5	2	1	1				1	24
1	2	2	5	2	1	3	1	2	7	1					25
5	5	4	5	3	4	3	7	3	7	5	5				26
16	14	26	22	13	17	19	21	18	12	2					27
9	8	13	13	7	7	7	9	3	3	1					28
7	6	13	9	6	10	12	12	10	9	1					29
1	5	5	6	5	5	4	3	1	1						30
3	5	5	2	3	6	6	5	2	3						31
2	2	3	2	2	1	1	1	1	1	1					32
3	1	2	1	1	1	1	3	2	2	2					33
6	1	5	5	2	2	3	6	1	1						34
1	6	6	6	2	3	5	7	2	4	1					35
1,129	1,252	1,001	845	759	626	610	557	457	400	264	173	75	18	204	36
987	1,082	833	688	592	501	459	387	300	241	123	60	31	2	171	37
192	220	163	137	167	125	131	170	157	159	136	113	44	16	33	38
19	23	27	18	15	13	16	13	13	9	7	2			4	39
37	38	27	26	22	15	28	22	28	15	13	7	2		2	40
131	159	133	83	72	60	34	31	25	12	4	2			42	41
13	15	9	7	10	6	4	6	4	2					7	42
3	5	5	7	5	3	5	3	3	8	3	2			2	43
1	2	1	2	1	1	2	1	1	2	2				3	44
48	41	28	14	23	13	15	8	6	5	1				10	45
6	6	4	3	3		1			1	1					46
25	18	8	5	4	2	3	2	2	1						47
4	11	5	1	3	1										48
5	7	3	2	2		3	3								49
164	189	116	101	96	77	68	40	33	22	10	6			65	50
14	9	7	10	11	9	11	7	7	8	3		1		1	51
12	18	10	11	9	11	11	10	4	4	1				12	52
5	3	1	5	4	5	5	5	3	2	1	1			15	53
41	46	44	45	34	34	21	17	11	5	3	2				54
7	5	1	4	1	1		1	1							55
6	6	3	3	9	5	4	6	3	7						56
2	3	2	4	4	5	4	1	2	1						57
27	27	32	25	23	19	15	19	10	6	1				4	58
17	24	17	13	6	9	3	4	5	3					2	59
49	55	67	81	53	56	47	36	37	21	9	2			4	60
14	15	23	17	13	7	9	7	4	1	3	2				61
7	17	10	8	5	4	4	3	1	8	1					62
	4	4	1	5		5	5	6	3						63
3	6	6	4	1	5	3	3	1							64
16	17	12	9	9	6	5	4		1	2				1	65
22	14	11	13	8	10	8	5	1	2	2				2	66
1	1	1	2	2	2	1	1	1	1			1			67
375	401	330	273	223	189	202	186	150	131	85	44	26	2	25	68
55	67	54	38	75	58	73	105	95	120	110	103	40	16	3	69

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
CITIES IN REGISTRATION STATES.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
All causes.....	191,667	48,688	11,503	5,114	3,246	2,197	65,748	5,389	2,782	4,237	7,363	8,962
Males.....	100,041	24,442	6,100	2,670	1,685	1,078	35,955	2,771	1,362	2,094	3,629	4,620
Females.....	91,626	19,246	5,403	2,444	1,561	1,119	29,793	2,618	1,420	2,143	3,734	4,342
Unknown cause.....	873	286	30	9	11	6	342	21	.15	12	21	31
Males.....	477	167	16	6	9	3	201	10	6	7	10	17
Females.....	396	119	14	3	2	3	141	11	9	5	11	14
1. General diseases.												
General diseases—A.....	34,491	13,731	4,272	2,000	1,351	977	22,331	2,149	612	558	777	769
Males.....	17,668	7,499	2,214	998	688	466	11,865	1,050	277	265	418	427
Females.....	16,823	6,232	2,058	1,002	663	511	10,466	1,099	335	293	359	342
Measles.....	M. 989 F. 984	260 228	357 333	133 131	70 67	37 44	857 808	65 76	6 17	1 9	3 7	1 4
Scarlet fever.....	M. 694 F. 641	51 32	103 79	127 114	114 109	74 85	469 419	167 166	24 20	7 11	9 10	8 4
Diphtheria.....	M. 2,209 F. 2,284	170 186	383 363	392 379	244 320	244 259	1,508 1,457	538 579	87 96	28 32	11 21	9 12
Whooping cough.....	M. 779 F. 912	423 441	201 236	75 116	40 49	14 29	758 871	14 24	4	3		1
Malarial fever.....	M. 237 F. 272	24 21	11 10	10 14	10 13	7 6	62 64	10 20	2 7	7 16	23 18	12 15
Influenza.....	M. 1,031 F. 1,575	91 84	15 23	10 13	8 8	3 9	127 137	10 11	8 13	12 13	31 29	29 44
Typhoid fever.....	M. 1,531 F. 1,076	9 8	8 12	13 10	13 10	11 10	54 50	62 59	76 99	147 148	263 161	243 131
Cholera morbus.....	M. 212 F. 216	50 40	10 17	10 11	4 2	1	75 70	13 6	8 4	2 7	4 6	7 8
Colitis.....	M. 189 F. 188	103 95	22 25	6 7	3 3	1	140 131	6		1 2	3 3	1 2
Diarrhea.....	M. 780 F. 731	450 367	77 63	17 9	2 3	8 2	554 444	20 31	3 13	3 2	3 3	6 8
Dysentery.....	M. 436 F. 475	33 62	44 28	22 13	14 6	6 8	169 117	23 8	10 6	3 1	10 13	9 10
Enteritis.....	M. 3,635 F. 3,340	2,566 2,066	447 431	85 77	35 31	21 27	3,154 2,632	43 49	20 17	10 7	10 20	31 32
Cholera infantum.....	M. 3,240 F. 2,687	2,736 2,250	425 360	51 54	17 10	11 13	3,240 2,687					
Fever.....	M. 8 F. 10	2	2	1	1	1	2 6	1		1	1	
Cerebro-spinal fever.....	M. 486 F. 378	149 116	80 49	39 39	27 22	17 12	312 238	55 45	25 27	22 13	18 8	13 7
Smallpox.....	M. 25 F. 19	2 2			1		4 4	1 1	1	2 2	4 5	3 3
Erysipelas.....	M. 366 F. 286	120 112	10 9	2 3	1 2	1	133 127	1 2	2 1	7 6	3 3	17 8
Septicemia.....	M. 403 F. 427	53 43	9 7	4 5	4 2	8 5	74 61	11 17	5 7	7 17	21 45	24 48
Venereal diseases.....	M. 192 F. 158	133 121	7 3	1 4	3 2	1	144 131		2	2	4	8 8
Others of this group.....	M. 276 F. 264	16 6	4 1	4 3	3 1	2 1	29 12	10 3	1 2	3 2	2 2	6 5
General diseases—B.....	3,642	1,843	70	26	16	10	1,965	21	7	39	95	171
Males.....	2,274	1,023	45	12	11	7	1,098	11	3	12	49	110
Females.....	1,368	820	25	14	5	3	867	10	4	27	46	61
Alcoholism.....	M. 714 F. 195			1			1			1	10	67
Parasitic diseases.....	M. 5 F. 5	1 1	2	2			3 5					
Lead poison.....	M. 23 F. 13	1	1	1			1 2					1 1
Other poisons.....	M. 461 F. 264	15 8	18 7	8 6	8 3	4 3	53 27	8 7	3 1	10 26	39 37	41 32
Inanition.....	M. 1,071 F. 891	1,007 810	25 18	3 4	3 1	3	1,041 832	3 3	3	1	3	1
General diseases—C.....	15,074	10,012	383	63	27	20	10,505	18	12	10	16	16
Males.....	7,719	5,677	186	34	20	6	5,923	10	8	8	7	8
Females.....	7,355	4,335	197	29	7	14	4,582	8	4	2	9	8
Old age.....	M. 1,543 F. 2,406											
Premature birth.....	M. 2,374 F. 1,749	2,374 1,749					2,374 1,749					
Malformation.....	M. 398 F. 310	390 302	1 5	2			393 308	1		1	1	
Debility and atrophy.....	M. 3,074 F. 2,650	2,583 2,045	185 192	32 29	20 7	6 13	2,826 2,286	10 7	8 4	7 2	7 8	8 8
Others of this group.....	M. 330 F. 240	330 239					330 239					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
CITIES IN REGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	32, 836	1, 325	664	344	226	140	2, 699	440	463	1, 543	3, 010	3, 653
2	Males	16, 725	783	365	207	109	71	1, 485	215	170	684	1, 471	1, 894
3	Females	16, 111	592	299	187	117	69	1, 214	225	293	859	1, 539	1, 759
4	Anemia	M 197 F 308	M 23 F 13	M 6 F 6	M 3 F 3	M 2 F 2	M 2 F 4	M 39 F 28	M 4 F 3	M 3 F 4	M 5 F 15	M 8 F 21	M 6 F 23
5	Diabetes	M 514 F 522	M 1 F 1	M 4 F 1	M 2 F 1	M 2 F 1	M 1 F 1	M 10 F 5	M 9 F 9	M 18 F 12	M 16 F 7	M 11 F 10	M 22 F 18
6	Rheumatism	M 278 F 350	M 3 F 13	M 2 F 2	M 1 F 1	M 1 F 2	M 1 F 2	M 7 F 17	M 17 F 16	M 9 F 15	M 11 F 21	M 11 F 9	M 14 F 13
7	Scrofula and tabes	M 139 F 129	M 62 F 34	M 8 F 13	M 4 F 6	M 2 F 2	M 3 F 3	M 76 F 58	M 3 F 2	M 2 F 3	M 3 F 8	M 9 F 7	M 7 F 9
8	Hydrocephalus	M 937 F 765	M 323 F 296	M 211 F 161	M 109 F 72	M 55 F 56	M 39 F 27	M 737 F 612	M 85 F 68	M 21 F 18	M 16 F 18	M 17 F 15	M 8 F 11
9	Tuberculosis, general	M 230 F 170	M 27 F 29	M 10 F 10	M 10 F 4	M 6 F 4	M 4 F 2	M 57 F 49	M 6 F 8	M 7 F 13	M 10 F 10	M 23 F 19	M 25 F 12
10	Consumption	M 11, 838 F 9, 253	M 226 F 163	M 111 F 94	M 65 F 45	M 30 F 41	M 21 F 25	M 453 F 368	M 69 F 109	M 94 F 210	M 607 F 760	M 1, 361 F 1, 425	M 1, 773 F 1, 592
11	Cancer	M 2, 106 F 4, 052	M 1 F 4	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 5 F 6	M 6 F 2	M 5 F 8	M 4 F 5	M 17 F 16	M 26 F 66
12	Tumor	M 236 F 308	M 5 F 6	M 1 F 1	M 7 F 3	M 2 F 4	M 1 F 2	M 16 F 16	M 8 F 3	M 5 F 4	M 7 F 7	M 6 F 6	M 10 F 13
13	Dropsy	M 121 F 134	M 5 F 3	M 3 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 10 F 4	M 5 F 1	M 1 F 1	M 1 F 4	M 3 F 4	M 1 F 3
14	Others of this group	M 129 F 125	M 52 F 30	M 9 F 14	M 7 F 1	M 6 F 4	M 1 F 2	M 75 F 51	M 3 F 4	M 5 F 5	M 4 F 4	M 5 F 7	M 2 F 4
15	2. Diseases of the nervous system	21, 445	4, 458	1, 253	527	322	211	6, 771	497	275	265	304	423
16	Males	11, 177	2, 564	671	292	154	100	3, 781	261	155	154	151	225
17	Females	10, 268	1, 894	582	235	168	111	2, 990	236	120	111	153	198
18	Inflammation of the brain	M 133 F 90	M 30 F 16	M 15 F 8	M 11 F 4	M 2 F 6	M 4 F 2	M 62 F 34	M 6 F 7	M 5 F 5	M 3 F 2	M 4 F 2	M 4 F 3
19	Meningitis	M 2, 477 F 2, 005	M 987 F 723	M 411 F 364	M 212 F 153	M 107 F 111	M 54 F 77	M 1, 721 F 1, 428	M 170 F 165	M 58 F 75	M 57 F 39	M 50 F 43	M 71 F 36
20	Apoplexy	M 3, 718 F 3, 882	M 63 F 48	M 12 F 7	M 3 F 6	M 4 F 5	M 4 F 1	M 86 F 67	M 9 F 9	M 5 F 5	M 16 F 13	M 17 F 16	M 51 F 42
21	Paralysis	M 1, 130 F 1, 154	M 14 F 10	M 3 F 4	M 2 F 5	M 2 F 2	M 2 F 2	M 21 F 23	M 6 F 7	M 5 F 5	M 9 F 3	M 10 F 14	M 11 F 19
22	Paralysis, general (of insane)	M 138 F 71	M 76 F 49	M 3 F 1	M 2 F 1	M 1 F 1	M 1 F 1	M 81 F 52	M 15 F 2	M 47 F 1	M 19 F 1	M 11 F 1	M 8 F 1
23	Tetanus and trismus nascentium	M 218 F 72	M 14 F 11	M 6 F 1	M 2 F 4	M 1 F 1	M 1 F 1	M 23 F 15	M 5 F 7	M 7 F 7	M 17 F 16	M 13 F 19	M 14 F 17
24	Chorea	M 183 F 183	M 14 F 11	M 6 F 9	M 2 F 4	M 1 F 1	M 1 F 1	M 3 F 2	M 2 F 2	M 1 F 4	M 2 F 3	M 13 F 19	M 14 F 17
25	Epilepsy	M 1, 617 F 1, 309	M 1, 277 F 935	M 179 F 161	M 47 F 54	M 21 F 33	M 18 F 21	M 1, 542 F 1, 204	M 26 F 17	M 3 F 3	M 5 F 5	M 3 F 14	M 3 F 18
27	Mental diseases	M 805 F 391	M 144 F 92	M 37 F 33	M 8 F 8	M 13 F 7	M 14 F 7	M 216 F 147	M 20 F 18	M 14 F 11	M 17 F 18	M 20 F 21	M 32 F 22
28	Diseases of the brain	M 144 F 167	M 6 F 5	M 5 F 2	M 2 F 1	M 1 F 2	M 1 F 5	M 19 F 11	M 1 F 4	M 1 F 4	M 6 F 4	M 4 F 3	M 6 F 10
29	Diseases of the spinal cord	M 121 F 45	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
30	Locomotor ataxia	M 112 F 154	M 2 F 6	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 5 F 7	M 1 F 1	M 3 F 3	M 2 F 3	M 3 F 4	M 4 F 10
31	Others of this class	M 112 F 154	M 2 F 6	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 5 F 7	M 1 F 1	M 3 F 3	M 2 F 3	M 3 F 4	M 4 F 10
32	3. Diseases of the circulatory system	15, 267	814	46	25	33	53	976	308	327	323	425	507
33	Males	7, 578	438	26	11	19	23	522	143	117	136	179	249
34	Females	7, 689	376	20	14	14	30	454	165	210	192	246	258
35	Pericarditis	M 112 F 111	M 5 F 4	M 2 F 1	M 1 F 1	M 1 F 1	M 1 F 7	M 9 F 13	M 6 F 10	M 12 F 5	M 9 F 11	M 6 F 6	M 7 F 3
36	Diseases of the heart	M 6, 596 F 6, 930	M 244 F 221	M 24 F 18	M 9 F 13	M 18 F 14	M 24 F 22	M 319 F 238	M 134 F 153	M 102 F 204	M 122 F 177	M 168 F 228	M 226 F 238
37	Angina pectoris	M 308 F 248	M 308 F 248	M 308 F 248	M 308 F 248	M 308 F 248	M 308 F 248	M 308 F 248	M 308 F 248	M 308 F 248	M 308 F 248	M 308 F 248	M 308 F 248
38	Diseases of the arteries	M 204 F 145	M 204 F 145	M 204 F 145	M 204 F 145	M 204 F 145	M 204 F 145	M 204 F 145	M 204 F 145	M 204 F 145	M 204 F 145	M 204 F 145	M 204 F 145
39	Aneurism	M 112 F 37	M 112 F 37	M 112 F 37	M 112 F 37	M 112 F 37	M 112 F 37	M 112 F 37	M 112 F 37	M 112 F 37	M 112 F 37	M 112 F 37	M 112 F 37
40	Embolism	M 49 F 63	M 2 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 3 F 2	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 4	M 7 F 7
41	Others of this class	M 197 F 155	M 187 F 150	M 187 F 150	M 187 F 150	M 187 F 150	M 187 F 150	M 191 F 151	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3,473	3,119	2,562	2,268	2,206	1,931	1,685	1,475	1,091	704	321	129	23	6	35	1
1,940	1,753	1,386	1,199	1,139	902	803	704	467	294	137	54	10	4	14	2
1,533	1,366	1,176	1,069	1,067	1,029	882	771	624	410	184	75	13	2	21	3
11	6	15	12	16	20	16	15	6	9	3	2	1	1		4
23	18	26	16	24	35	19	17	17	9	3	1	1			5
30	19	34	38	48	41	75	68	40	26	4	3	1	1		6
14	18	27	31	57	79	80	65	51	30	10	3			1	7
16	21	13	20	16	27	18	25	20	15	15	2	1			8
14	20	14	21	24	26	21	35	36	28	12	6	2			9
6	7	3	3	1	2	6	3	4	2	1			1		10
8	5	3	4	6	2	3	5	4		2					11
19	10	10	5	3	3	2								1	12
6	5	5	1	2	1		1	2							13
12	24	11	14	20	5	4	4	3	5						14
15	8	9	10	4	3	4	5		1						15
1,774	1,576	1,135	888	717	479	354	253	182	65	33	14	2		9	16
1,278	1,020	668	449	376	295	248	166	135	82	40	18	3	1	10	17
44	71	136	185	287	294	299	300	181	143	65	27	6	1	4	18
140	243	392	489	532	540	469	419	345	227	101	39	4	1	8	19
19	10	19	25	22	21	19	19	15	11	4	3			2	20
20	20	23	30	30	37	23	30	17	16	8					21
5	4	7	5	4	7	9	13	14	16	11	5				22
5	3	4	10	10	9	11	21	14	15	7	5	3			23
4	5	3	4	5	3	1	4	2	2	1	1				24
10	6	5	8	2	2	4	7	3	2	1					25
515	630	742	957	1,141	1,342	1,602	1,614	1,642	1,366	339	373	64	30	33	26
286	353	415	510	589	702	783	803	802	643	373	140	28	8	15	27
229	277	327	447	552	640	819	811	840	723	466	233	56	22	18	28
7	8	3	2	5	3	4	3	8	1	4				1	29
6	3	4	4	8	2	3	3	1	1	1					30
57	50	41	60	39	26	17	14	7	6	3				4	31
33	22	24	32	19	19	22	19	10	11	1	1	3	1	2	32
83	108	177	233	334	417	459	493	513	392	220	80	17	2	6	33
50	94	171	254	335	424	511	498	521	432	250	138	30	14	3	34
29	60	65	79	86	100	133	122	139	140	72	28	5	5	1	35
22	18	28	46	66	93	123	139	172	164	133	56	15	4	4	36
17	17	21	19	18	13	8	6	7	6	1	1	1			37
9	7	5	3	10	5	4	7	7	4	5					38
11	6	4	7	3	5	5			1						39
1	3	2	1	1	3	2	1	1							40
1		1		1	1	1	1	1	1						41
15	11	16	12	8	14	9	7	6	5	5	1				42
14	17	8	12	10	7	14	3	6	7	3	1				43
3	2	3	3		1	3	3	5	2	4					44
13	10	6	2	3	4	3	1	3	2					4	45
16	25	9	15	14	21	35	47	23	25	18	15	2			46
21	24	25	24	22	44	39	46	31	31	31	15	2	2		47
33	33	46	37	49	56	62	64	52	49	36	11	4			48
34	46	26	47	36	29	57	69	41	52	33	19	5	1	2	49
3	14	12	15	14	11	13	12	7	3	3					50
8	15	13	9	18	18	18	15	16	7	2	1				51
2	10	12	15	10	22	19	15	7	4						52
1	5	3	4	6	5	6	6	3	1	3					53
4	4	5	13	8	13	11	11	15	7	4	2				54
17	13	12	9	17	9	12	10	13	10	4	1				55
612	767	810	889	1,141	1,393	1,544	1,603	1,509	1,133	618	274	64	19	20	56
321	378	381	431	624	736	803	809	786	575	278	121	22	5	12	57
291	389	429	458	517	657	741	794	773	558	340	153	42	14	8	58
6	12	6	5	5	10	4	5	2	7					1	59
9	7	8	6	4	5	6	4	5	3	4	1	1			60
286	323	340	382	562	655	708	724	664	498	244	104	19	5	8	61
261	359	400	417	475	612	689	722	709	510	296	140	32	9	8	62
17	16	14	24	30	33	53	36	24	29	11	6				63
7	16	12	24	26	21	28	34	21	20	13	5	2		1	64
		4	3	8	22	23	36	39	33	18	11				65
		2	1	5	8	14	21	32	17	26	6	3	7	2	66
8	22	16	15	12	10	9	3	3	3	1					67
3	3	4	5	3	4	2	7	1	2	1					68
4	5	1	2	6	3	3	5	4	5	3					69
7	4	2	5	2	2	2	6	5	6		1				70
1		1		1	2	3				1					71

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
CITIES IN REGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	34,506	8,743	4,231	1,755	911	498	16,138	964	310	429	771	996
2	Males.....	18,012	4,933	2,281	910	457	237	8,818	494	135	238	436	570
3	Females.....	16,494	3,810	1,950	845	454	261	7,320	470	175	191	335	426
4	Croup.....	{M. 538 F. 455	{74 48	{116 105	{123 89	{84 85	{47 50	{444 377	{90 69	{2 4	{1 1	{1 1	
5	Pneumonia.....	{M. 12,748 F. 11,258	{2,939 2,282	{1,689 1,442	{613 575	{294 273	{139 155	{5,674 4,727	{322 310	{100 139	{201 143	{373 263	{491 352
6	Laryngitis.....	{M. 135 F. 119	{24 16	{24 21	{7 19	{14 19	{3 3	{77 78	{24 20	{4 2	{2 2	{2 2	
7	Bronchitis.....	{M. 3,039 F. 3,285	{1,451 1,149	{400 341	{134 136	{42 57	{29 36	{2,056 1,719	{32 44	{16 11	{12 19	{17 27	{27 24
8	Pleurisy.....	{M. 330 F. 276	{19 13	{18 15	{13 12	{11 5	{4 4	{65 49	{12 11	{6 3	{15 6	{17 20	{22 18
9	Asthma.....	{M. 130 F. 142	{5 7	{1 1		{1 1		{7 7	{1 1			{2 1	{1 1
10	Others of this class.....	{M. 1,092 F. 959	{421 295	{33 26	{20 14	{11 15	{10 13	{495 363	{13 15	{7 16	{10 20	{24 23	{29 29
11	5. Diseases of the digestive system.....	9,741	1,516	289	117	70	81	2,073	285	256	338	433	595
12	Males.....	4,849	866	151	59	35	44	1,155	142	142	166	219	251
13	Females.....	4,892	650	138	58	35	37	918	143	114	172	264	344
14	Dentition.....	{M. 147 F. 148	{93 96	{49 43	{3 3	{1 1	{1 1	{147 148					
15	Angina.....	{M. 47 F. 47	{4 5	{8 8	{5 5	{3 4	{3 6	{23 28	{7 6	{2 3		{2 1	{1 1
16	Gastritis.....	{M. 607 F. 785	{158 133	{29 31	{5 7	{9 8	{4 5	{205 184	{8 16	{5 6	{4 7	{7 24	{20 33
17	Diseases of the stomach.....	{M. 255 F. 219	{15 10	{2 1			{4 4	{21 11	{4 3	{1 1	{3 7	{7 16	{16 21
18	Obstruction of the bowels.....	{M. 395 F. 458	{99 51	{5 5	{8 8	{3 4	{5 4	{120 72	{12 14	{11 5	{10 12	{14 11	{27 26
19	Appendicitis.....	{M. 628 F. 393	{1 2	{2 2		{5 1	{6 4	{14 11	{42 39	{70 46	{89 61	{102 45	{70 50
20	Hernia.....	{M. 207 F. 190	{23 4	{2 2			{1 1	{26 5	{2 1		{7 1	{5 1	{8 1
21	Other diseases of the bowels.....	{M. 96 F. 94	{33 26	{3 4				{36 30	{2 3	{2 3		{3 3	{5 6
22	Jaundice.....	{M. 160 F. 131	{99 60		{3 3		{1 1	{103 64			{4 4	{1 1	{3 2
23	Inflammation and abscess of the liver.....	{M. 213 F. 197	{12 9	{2 2	{1 1		{2 1	{17 13	{3 4	{1 3	{6 1	{11 10	{13 11
24	Other diseases of the liver.....	{M. 998 F. 626	{13 6	{3 2	{1 1		{1 1	{19 9	{5 1	{3 1	{3 2	{13 9	{29 24
25	Peritonitis.....	{M. 597 F. 1,084	{57 32	{13 10	{21 13	{10 11	{7 9	{108 75	{51 48	{44 46	{35 71	{50 138	{53 156
26	Ascites.....	{M. 9 F. 25	{1 2					{1 2					{1 3
27	Others of this class.....	{M. 490 F. 500	{258 214	{33 27	{12 15	{3 6	{9 4	{315 266	{6 5	{2 3	{2 5	{4 7	{5 12
28	6. Diseases of the urinary system and male organs of generation.....	12,072	217	66	57	72	51	463	161	132	189	413	552
29	Males.....	6,638	124	41	29	44	28	266	92	57	83	131	244
30	Females.....	5,434	93	25	28	28	23	197	69	75	106	237	308
31	Bright's disease.....	{M. 5,193 F. 4,628							{75 65	{47 72	{75 89	{159 199	{216 251
32	Calculus, urinary.....	{M. 31 F. 18	{1 5					{1 5		{3 3	{1 1	{1 1	{1 1
33	Diseases of the kidney.....	{M. 412 F. 282	{91 67	{37 20	{29 24	{42 26	{27 22	{226 159	{7 7	{2 2	{2 5	{5 6	{7 12
34	Diseases of the bladder.....	{M. 405 F. 61	{2 1				{1 1	{3 1	{2 2	{2 2		{2 1	{4 4
35	Others of this class.....	{M. 597 F. 445	{30 20	{4 5		{2 2		{36 32	{8 4	{3 3	{4 12	{14 31	{17 44
36	7. Diseases of the female organs of generation.....	721	4	1			1	6		1	20	33	111
37	Ovarian tumors.....	112									1	12	11
38	Ovarian diseases.....	40									1	5	11
39	Diseases of the tubes.....	143									7	24	36
40	Uterine tumors.....	194					1	1			1	2	6
41	Uterine diseases.....	47									3	10	14
42	Others of this class.....	185	4	1				5		1	7	30	33

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,096	1,253	1,122	1,171	1,357	1,498	1,602	1,600	1,527	1,228	817	417	180	41	39	1
622	737	679	695	745	737	729	720	635	503	297	157	38	9	18	2
474	516	443	476	612	761	878	880	892	725	520	260	92	32	21	3
			1		2		1	1							4
529	645	579	573	606	545	550	502	441	319	176	83	20	6	13	5
375	428	357	357	456	573	637	588	617	429	298	134	50	12	13	
2	1	5	3	2	2	4	4	1	2	2					6
3	1				4	2	1		2	1					
23	29	32	33	54	101	94	107	130	127	76	53	12	3		7
38	34	32	61	83	109	147	204	206	208	166	97	37	16	3	
27	22	19	26	24	20	14	14	12	7	5	1	1		1	8
20	20	16	15	14	13	14	13	10	20	8	6				
5		4	11	12	16	17	20	15	9	7		2		1	9
2	3	6	4	14	14	18	27	18	15	11	5				
36	40	40	44	47	53	50	72	36	39	31	20	3		3	10
36	30	32	38	45	46	55	47	45	51	36	18	5	4	5	
524	596	631	599	611	592	580	538	439	311	172	74	25	5	14	11
225	271	339	324	320	307	290	251	191	154	57	30	9	3	3	12
299	325	292	275	291	285	290	287	248	157	115	44	16	2	11	13
															14
3	2	2	1	1	2			1							
		1	2	1	1		2								15
22	25	29	30	36	36	40	40	41	35	12	7	3	2		16
23	44	44	34	47	44	62	58	61	41	39	12	6			
18	19	22	26	27	28	20	22	11	9	2	4				17
20	19	10	17	16	15	12	15	20	6	4	5	1			
20	16	12	22	26	23	21	23	14	14	5	2	2		1	18
25	27	27	33	27	35	23	38	28	22	18	7	1	1	1	
50	48	41	31	13	13	9	12	7	3	1					19
31	19	14	22	12	10	11	9	6	5	1				1	
11	9	12	14	11	16	22	17	22	14	6	4				20
6	6	18	18	22	25	28	22	17	11	6	3	1			
2	4	7	2	5	3	1	5	5	4	5	2	1		1	21
4	7	4	6	3	3	5	6	5	2	1				1	
1	1	4	5	3	4	6	5	9	4	5	2			1	22
4	6	3	7	7	3	3	6	6	1	3	2			2	
18	17	18	22	29	14	17	8	6	8	4		1			23
8	15	20	9	11	14	21	19	20	8	7	3				
50	39	128	119	119	122	112	90	45	38	9	3		1		24
37	60	70	61	76	67	57	52	49	29	16	5	1	1		
29	32	49	33	18	31	21	15	10	8	3	5	1		1	25
135	111	70	43	43	41	34	31	15	11	3	2	2		4	
		2	1	2		1	1	2	1						26
		1	2	3	4	2	2	2	2	1				1	
6	9	13	18	17	15	21	13	20	16	5	3			1	27
6	11	10	16	23	23	27	27	16	19	16	3	3	1	1	
621	824	853	932	1,090	1,174	1,232	1,080	1,018	715	396	162	31	11	18	28
308	407	448	433	614	670	726	628	595	449	254	103	18	3	9	29
313	417	405	449	476	504	506	432	423	266	142	59	13	3	9	30
269	345	403	422	537	533	608	487	446	303	152	43	10	1	7	31
261	352	360	412	434	456	461	405	373	233	126	52	10	6	6	
1	2	2	1	5	4	3	3	1	3		1				32
1		1	1		2	2	2	2	2	2	1				
9	13	12	10	20	14	15	29	18	16	5	2				33
11	14	16	5	9	7	10	12	8	4	3			1		
4	3	7	11	18	15	44	59	70	63	54	36	6			34
2	5	1	2	3	5	9	7	10	6	3	4	1	1		
25	44	24	40	34	54	56	50	60	64	43	16	2	1	2	35
38	46	27	29	30	36	24	28	25	21	8	2	2		3	
99	89	103	77	44	24	21	15	11	10	5				2	36
11	6	12	16	11	8	6	8	4	3	3					37
12	6	1	2	1				1							38
25	25	18	6	1											39
15	19	45	40	25	11	12	4	6	4	2				1	40
8	3	3	2	1	1				2						41
28	30	24	11	5	4	3	2		1					1	42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
CITIES IN REGISTRATION STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1 S. Affections connected with pregnancy	1,446								1	71	321	357
2     Abortion	81									4	13	21
3     Childbirth	330									7	50	70
4     Puerperal septicemia	678								1	37	173	177
5     Extra-uterine pregnancy	68										11	17
6     Others of this class	289									23	74	72
7 9. Diseases of the bones and joints	426	35	13	2	13	11	74	38	44	34	29	19
8     Males	256	20	4	2	8	9	43	20	28	22	19	11
9     Females	170	15	9		5	2	31	18	16	12	10	8
10     Diseases of the spine	M 71 F 50	5 4	3		3	4	12 16	10 8	12 5	8 2	5 4	3 3
11     Abscess, lumbar and psoas	M 13 F 6	1					1		2		4	
12     Diseases of the bones	M 115 F 59	11 8	3 6	1	4 1	5 2	24 17	5 3	6 7	9 5	6 4	7 5
13     Diseases of the hip-joint	M 29 F 17	1 1					1 1	5 5	7 2	5 5	3	1
14     Others of this class	M 28 F 38	2 2	1	1	1 1		5 3		1 2		1 2	3 3
15 10. Diseases of the skin	324	103	9	4	3	1	120	11		5	13	7
16     Males	178	54	5	2	2		63	8		4	5	5
17     Females	146	49	4	2	1	1	57	3		1	8	2
18     Abscess	M 103 F 67	30 21	4 1	2 1	2	1	38 24	8 3		3 1	2 6	3 2
19     Carbuncle	M 26 F 13	1					1			1	1	1
20     Others of this class	M 49 F 66	24 27	1 3	1	1		25 32				2 1	2 2
21 11. Diseases of the absorbent system	134	19	9	1	1		30	1	1	3	4	10
22     Males	66	9	5	1	1		16		1	2	3	5
23     Females	68	10	4				14	1		1	1	5
24     Addison's disease	M 23 F 22									1 1	1 1	1 1
25     Diseases of the spleen	M 2 F 9	1 2					1 2					1 1
26     Others of this class	M 41 F 37	8 8	5 4	1	1		15 12		1	1	2	3 3
27 12. Accidents and injuries	8,699	582	167	184	190	132	1,255	475	326	393	593	745
28     Males	6,424	335	90	107	108	79	719	315	263	313	451	604
29     Females	2,245	247	77	77	82	53	536	160	63	80	112	141
30     Burns and scalds	M 381 F 548	16 14	47 44	63 43	55 50	27 35	208 186	24 81	7 28	6 15	10 11	14 30
31     Drowning	M 982 F 92	7 6	6 5	3 1	10 3	14	40 15	119 11	109 6	64 6	74 5	82 3
32     Exposure and neglect	M 29 F 20	9 10	1				10 10				3 1	
33     Gunshot wounds	M 210 F 34	1 1	1	1			2 2	2 3	18 4	21 2	25 4	25 3
34     Homicide	M 97 F 40			2	1	1	4	1 2	2 1	2 7	19 3	16 8
35     Infanticide	M 9 F 3	9 3					9 3					
36     Injuries by machinery	M 15									2	4	1
37     Railroad accidents	M 353 F 89	2 1	1 1	3 3	5 3	7 1	18 9	40 12	43 2	55 9	105 2	96 5
38     Suffocation	M 266 F 173	146 112	5 5	9 3	2 2	3 2	165 124	4 7	5	5 2	10 1	7 6
39     Suicide by shooting	M 241 F 17									5	16	26
40     Suicide by drowning	M 29 F 17										1 3	2 2
41     Suicide by poison	M 219 F 142									10 19	21 33	26 22
42     Other suicides	M 325 F 94								2	4 3	17 10	22 11
43     Sunstroke	M 104 F 58	28 18	1 3	2 3		1	32 24	3 2		3 2	4 2	9 1
44     Surgical operations	M 38 F 80	2 1					2 1		1	1 2	1 10	2 13
45     Wounds	M 114 F 18		1 1	2	1	2	6 1	3 3	3 1	7 2	11 2	17 1
46     Others of this class	M 2,517 F 820	115 81	27 18	25 21	35 23	25 14	227 157	119 39	74 17	123 15	160 23	259 34



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
324	249	106	10	2	1	1			1					2	1
18	14	9							1						2
75	82	40	4	1										1	3
155	92	38	3	1		1									4
17	17	5	1												5
59	44	14	2											1	6
25	29	24	18	18	12	10	21	17	8	4	1	1			7
15	22	14	13	12	7	5	13	6	4	1	1				8
10	7	10	5	6	5	5	8	11	4	3		1			9
1	5	3	3	3	1		2	1	2						10
3	4	2	2	2	2	1	2	1	2	1		1			11
1	1		1		1		1	1							12
2		1		1				1							13
9	10	7	7	6	4	3	5	3	2	1	1				14
3	1	2	2		1	2	2	2	2	1					15
3	2	1			1	1				1					16
1	5	3	2	3		1	5	1		1					17
2		5	1	3	2	2	4	6	2						18
15	12	20	17	17	16	18	21	13	9	5	5				19
8	6	12	9	11	10	9	11	7	4	4	2				20
7	6	8	8	6	6	9	10	6	5	1	3				21
5	5	11	3	6	6	3	5	2	1	2					22
2	4	3	2	2	3	4	6	2	2	1					23
2		1	4	4	3	4	2	2	2	1					24
1	1	2	2	1	1	1	1	2	1						25
5	2	3	4	2	2	4	4	3	2	2	2				26
9	6	14	8	9	11	13	6	5	4						27
5	4	5	5	4	6	5	3	2							28
4	2	9	3	5	5	8	3	3	4						29
1	3	3	2	2	4	3	2		1						30
2	2	4		3	3	3	1								31
1		1		1	1	1		2	2						32
4	1	2	3	2	2	1	1	2	1						33
1		4	3	2	1	4	2	3		1					34
752	817	653	528	484	394	329	295	210	157	93	64	24	8	74	35
632	659	547	425	381	314	241	192	124	80	46	20	10	2	56	36
120	158	106	103	103	80	88	103	86	77	47	44	14	6	18	37
15	18	23	8	11	8	4	6	9	4	4	1			1	38
27	32	25	20	15	13	15	15	17	9	4	3	1		1	39
88	107	88	61	45	42	19	17	12	3	1				16	40
2	10	6	4	6	5	3	3	1	1					5	41
1	2	2	1	1	2	3	2		1	1				1	42
1	1		2	2	2	2	2		1	1				2	43
26	26	16	10	10	7	8	4	2	4					4	44
8	5	3	1	2	1	1				1					45
20	14	7	4	3	1	1		1	1						46
2	9	4	1	3	1										47
															48
2	2		1	1		2									49
															50
100	88	61	50	58	46	33	18	16	5	3	3			15	51
11	6	3	3	5	5	4	3	4	4	2					52
10	16	8	6	5	7	5	5	1		1				6	53
4	3	1	4	2	4	3	3	2						7	54
29	31	31	31	20	23	11	8	6	2		2				55
6	3		2	1				1							56
5	4	1	2	5	1	1	4	2	1						57
2	2	1	2	1	1	1	1	1	1						58
27	24	25	19	23	13	11	13	3	2					2	59
13	17	10	8	4	5	1	2	2	2	1				1	60
33	36	46	46	33	29	25	14	10	4	3		1			61
7	8	18	10	10	5	4	5	2			1				62
5	16	8	6	4	4	3	1		6						63
	4	2	1	5	5	2	2	5	2						64
3	4	5	4	1	3	2	3							1	65
10	13	6	7	5	4	4	1		1	2					66
19	12	7	6	7	5	5	3		1					1	67
1	1	1	2	2	2			1	1						68
255	259	219	170	154	123	108	94	60	46	33	14	9	2	9	69
31	44	26	36	44	36	45	68	51	57	36	40	13	6	2	70

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
RURAL PART OF REGISTRATION STATES.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	110,003	16,836	3,598	1,688	1,189	736	23,992	2,520	1,794	2,881	3,727	3,981
2	Males.....	57,704	9,482	1,921	877	562	390	13,232	1,276	912	1,440	1,855	1,899
3	Females.....	52,299	7,354	1,677	806	577	346	10,760	1,244	882	1,441	1,872	2,082
4	Unknown cause.....	1,458	617	40	16	14	5	692	23	22	32	26	29
5	Males.....	792	344	21	7	5	3	380	13	9	15	14	10
6	Females.....	661	273	19	9	9	2	312	10	13	17	12	19
7	I. General diseases.												
	General diseases—A.....	16,888	4,891	1,424	620	491	296	7,722	937	491	517	558	424
8	Males.....	8,618	2,644	757	302	243	165	4,111	459	223	251	306	217
9	Females.....	8,270	2,247	667	318	248	131	3,611	478	265	266	252	207
10	Measles.....	383	91	74	27	14	14	220	32	18	12	14	9
	M.....	377	80	80	33	15	9	222	39	23	17	11	14
11	Scarlet fever.....	273	17	31	29	46	23	146	83	15	14	6	2
	M.....	258	13	31	25	41	23	133	78	22	8	5	3
12	Diphtheria.....	589	31	42	58	59	66	256	163	58	25	16	8
	M.....	548	22	38	64	60	44	223	134	70	26	13	6
13	Whooping cough.....	361	245	64	18	12	3	342	7	1		1	
	M.....	396	231	70	33	20	7	361	22	3			
14	Malarial fever.....	195	18	6	3	4	4	35	2	6	11	14	9
	M.....	192	12	3	4	2	2	23	12	9	10	16	9
15	Influenza.....	1,089	71	25	6	10	3	115	18	6	11	12	13
	M.....	1,382	71	14	10	5	3	103	16	14	16	10	18
16	Typhoid fever.....	1,016	10	3	2	7	7	29	46	59	126	175	130
	M.....	808	3	9	9	12	8	41	43	77	123	110	76
17	Cholera morbus.....	286	61	28	15	13	5	122	14	9	4	10	2
	M.....	245	45	18	13	5	3	84	12	8	9	5	2
18	Colitis.....	110	49	9	5	5	1	69	2		1	1	2
	M.....	94	30	12	5	1		48	2			2	1
19	Diarrhea.....	482	148	25	5	5		183	19	7	1	6	3
	M.....	392	132	24	2	4	1	163	10	2	3	1	6
20	Dysentery.....	346	59	36	13	14	13	135	9	6	3	2	5
	M.....	444	65	42	20	16	3	146	8	2	3	2	2
21	Enteritis.....	820	438	99	34	13	7	591	16	4	4	12	4
	M.....	795	361	98	24	13	6	507	14	4	3	10	9
22	Cholera infantum.....	1,594	1,248	251	62	21	8	1,590					
	M.....	1,338	1,058	194	48	26	9	1,335					
23	Fever.....	14	3	2				5	1	1	1	1	
	M.....	13			1	1		8					
24	Cerebro-spinal fever.....	294	76	55	19	16	9	175	30	20	20	9	9
	M.....	233	49	26	16	14	9	114	29	26	21	9	8
25	Smallpox.....	10								1	2	1	
	M.....	5										1	
26	Erysipelas.....	177	31	1		2		34	1		3	3	5
	M.....	122	26	2	2	1	1	32		1	1	7	4
27	Septicemia.....	296	22	1	4	2	1	30	11	9	10	20	9
	M.....	365	22	4	4	6	2	38	6	6	17	46	41
28	Venereal diseases.....	39	13	1				14					3
	M.....	30	11	2		1		14					1
29	Others of this group.....	344	13	4	2		1	20	5	4	3	3	4
	M.....	233	10				1	11	3		1	2	7
30	General diseases—B.....	1,565	859	51	25	16	6	957	9	8	7	23	47
31	Males.....	964	481	31	17	3	3	535	6	6	2	14	32
32	Females.....	601	378	20	8	13	3	422	3	2	5	9	15
33	Alcoholism.....	208							1			6	11
	M.....	37											2
34	Parasitic diseases.....	8	1	3	2			6	1				
	M.....	5			1	4		5					
35	Lead poison.....	4		1				1					
	M.....	3											
36	Other poisons.....	195	12	12	13	3	3	43	2	3	2	8	18
	M.....	109	10	7	5	7	2	31	2	1	2	8	10
37	Inanition.....	549	468	16	2			486	2	3			3
	M.....	447	368	12	2	2	1	385	1	1	3	1	3
38	General diseases—C.....	9,600	3,481	80	23	7	6	3,597	12	5	4	9	11
39	Males.....	4,889	1,986	38	13	3	4	2,044	7		1	3	2
40	Females.....	4,711	1,495	42	10	4	2	1,553	5	5	3	6	9
41	Old age.....	2,526											
	M.....	2,790											
42	Premature birth.....	987	987					987					
	M.....	719						719					
43	Malformation.....	244	233	5	1	1		240	3				
	M.....	200	192	4				196	1	1			
44	Debility and atrophy.....	994	629	33	12	2	4	680	4		1	3	2
	M.....	910	493	38	10	4	2	547	4	4	3	6	9
45	Others of this group.....	138	137					137					
	M.....	92	91					91					

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3,552	3,782	3,743	3,986	4,380	5,347	6,445	7,981	8,932	9,253	7,338	3,986	1,526	422	580	1
1,678 1,874	1,913 1,869	1,907 1,841	2,053 1,883	2,253 2,127	2,825 2,522	3,399 3,046	4,226 3,755	4,847 4,085	5,061 4,192	3,885 3,503	1,967 2,019	656 870	146 276	324 206	2 3
24	34	41	37	42	55	65	66	67	75	57	27	11		23	4
15 9	17 17	24 17	19 18	23 19	32 23	42 23	40 26	33 34	42 33	26 31	11 16	7 4		20 8	5 6
372	350	332	329	284	378	475	639	836	875	729	411	143	33	53	7
182 180	176 174	169 163	177 152	154 130	186 192	233 242	305 334	415 421	420 455	345 384	190 221	58 85	13 20	28 25	8 9
7 11	5 12	2 6	1 8	5 2	6	2	2	1 1	3 1	1	1				10
1 3	1 2	2 1	1					1 1			1			1 1	11
6 4	1 3	1 3	4 3	1 3	2	1	1 2		1	1					12
1 1	1 1	2 1	1			1		1		1				2 5	13
11 7	3 6	5 10	12 10	5 5	9 6	14 11	10 14	18 15	14 14	10 10	4 4	1		2 1	14
15 22	16 27	28 33	36 33	30 40	43 67	71 87	89 188	148 173	160 218	156 191	86 109	29 51	4 11	3 5	15
97 67	85 53	65 43	52 38	37 27	30 28	31 25	22 23	17 18	8 10	2 5	1 1			4 2	16
7 10	4 3	6 7	11 4	9 2	10 9	14 14	13 11	19 26	17 9	11 20	2 5	2 5		2 2	17
1 2	1 1	3	2	3 3	1	2 11	3 5	6 4	3 5	3 3	1 2				18
2 4	1 3	3 4	5 3	10 7	18 10	26 11	41 23	46 35	47 48	37 31	18 21	4 8	3 1	2 3	19
7 5	4 6	4 10	4 11	9 11	7 10	11 19	15 34	26 46	33 56	35 35	21 30	4 7	3 1	3 1	20
6 8	10 13	10 15	12 11	5 14	15 13	18 16	24 30	34 40	22 34	20 30	8 14	3 2	1 1	1 2	21
		1					1		1	1	1	1		4 3	22
4 5	7 3	5 5	5 6	3 1	3 1	1	3 2	2 1	1 1		1 1	1			23
1	1	1	2	2 1	1							1			24
6 2	8 5	13 2	8 2	9 5	15 12	9 14	13 8	21 8	17 7	6 8	4 2	2	1	1	25
8 35	20 31	14 18	21 18	17 5	18 19	19 16	31 15	22 20	22 17	11 8	4 6	2		1	26
1 2	5 1	2 4	1 4	1 1	2	2	3 2	2 1	1					2	27
2 1	3 3	3 3	2 3	9 4	12 8	13 16	34 24	51 32	66 38	52 41	39 25	15 5	2 5	2 1	28
38	42	54	65	58	58	32	41	39	39	18	14	3	2	16	29
35 3	31 11	37 17	51 14	37 16	40 18	22 10	24 17	20 19	34 5	13 5	10 4	2 1	2	13 3	30
20	22 5	24 6	31 7	24 8	20 2	10 3	15 1	5 1	12	2	1			4 1	31
							1							1	32
1			2	1											33
13 3	9 5	11 10	18 5	9 6	15 10	10 1	5 8	11 6	10 1	3	4			1	34
1	1	2 1	2 2	3 2	5 6	2 6	3 8	4 10	12 4	8 4	5 4	2 1	2	8 2	35
16	20	18	14	28	44	73	196	506	1,026	1,679	1,352	710	256	29	36
6 10	4 16	7 6	9 5	16 12	17 27	36 37	89 107	250 256	518 508	839 840	644 708	301 409	85 171	11 18	37
						14 18	53 69	213 209	454 459	797 782	614 679	289 398	85 165	7 11	38
															39
															40
															41
															42
							1							1 1	43
6 10	4 16	7 6	9 5	16 12	17 27	22 19	36 37	37 46	63 49	42 58	30 29	12 11	6	3 6	44
								1	1						45

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
RURAL PART OF REGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	18,322	527	231	105	69	57	989	210	269	873	1,364	1,498
2	Males	8,229	293	120	43	27	25	508	96	95	334	597	662
3	Females	10,093	234	111	62	42	32	481	114	174	539	767	836
4	Anemia	(M) 206 (F) 309	25 37	6 11	2 3	1 3	2	34 56	5 3	1 5	3 16	7 19	4 13
5	Diabetes	(M) 458 (F) 357	4 4	4	3	5	2	9 13	16 14	25 20	22 15	22 17	21 15
6	Rheumatism	(M) 276 (F) 246	3 2	2 1	2 1	2	2	9 6	12 13	9 14	11 5	3 9	11 4
7	Scrofula and tabes	(M) 121 (F) 157	24 20	8 5	1 3	1	1	35 30	4 5	1 5	4 15	8 14	9 12
8	Hydrocephalus	(M) 255 (F) 235	119 75	49 45	14 24	11 13	6 13	199 170	16 20	7 11	5 10	5 1	5 5
9	Tuberculosis, general	(M) 97 (F) 119	6 8	4 1	1 2	1	1	12 12	6 5	3 3	4 14	6 12	18 12
10	Consumption	(M) 4,557 (F) 5,029	79 70	40 33	15 19	12 15	6 9	152 146	31 48	42 102	272 443	533 672	573 737
11	Cancer	(M) 1,741 (F) 2,925	5 2	3 1	1	1	2	11 5	1	3	4 6	2 9	9 24
12	Tumor	(M) 151 (F) 283	3 4	2 2	1 2	1	2	9 10	1	1	4 8	7 8	8 7
13	Dropsy	(M) 296 (F) 360	5 4	3 3	2	1	1	9 9	3	6	3	3	1
14	Others of this group	(M) 71 (F) 73	20 10	3 5	4 5	1	3	29 24	4 2	1 4	3 4	1 3	3 6
15	2. Diseases of the nervous system	15,890	2,011	529	246	135	96	3,017	279	209	198	186	259
16	Males	8,469	1,198	296	135	68	57	1,754	144	114	109	87	128
17	Females	7,421	813	233	111	67	39	1,263	135	95	89	99	131
18	Inflammation of the brain	(M) 167 (F) 135	49 27	14 10	12 7	2 2	5 3	82 49	11 9	2 11	5 6	4 7	4 7
19	Meningitis	(M) 1,025 (F) 822	355 247	150 121	69 68	30 40	29 20	633 491	86 73	45 39	36 23	21 20	25 27
20	Apoplexy	(M) 2,902 (F) 2,778	18 24	5 7	1	2	2	27 33	1 2	2 3	9 9	15 12	21 20
21	Paralysis	(M) 1,707 (F) 1,543	17 5	3 5	3 3	2 1	2	27 16	5 3	4 1	2 3	2 8	13 10
22	Paralysis, general (of insane)	(M) 115 (F) 62								1	1	1	6
23	Tetanus and trismus nascentium	(M) 96 (F) 37	26 18	2 1	3	1	1	32 20	7 1	18 2	7 1	2 2	3 1
24	Chorea	(M) 11 (F) 23		1				1	2	4	7	1	1
25	Epilepsy	(M) 250 (F) 184	22 17	3 5	2 4	1 3	1	29 29	5 6	18 10	24 9	14 9	25 17
26	Convulsions	(M) 767 (F) 587	582 406	84 56	37 25	18 14	7 5	723 506	9 17	4 2	3 6	9 9	11
27	Mental diseases	(M) 268 (F) 265							1	1	1	6	5
28	Diseases of the brain	(M) 771 (F) 625	112 56	33 22	10 6	9 3	6 6	170 93	14 14	16 16	12 16	12 17	19 13
29	Diseases of the spinal cord	(M) 160 (F) 131	15 11	2 4	1 2	1 2	3 3	22 22	4 5	3 5	5 2	3 3	1 1
30	Locomotor ataxia	(M) 92 (F) 28							1		1	1	
31	Others of this class	(M) 138 (F) 201	2 2	1	1			3 3	1 2	1 1	3 6	2 7	5 11
32	3. Diseases of the circulatory system	11,695	577	26	19	17	9	648	86	116	154	168	165
33	Males	6,466	339	18	10	7	4	378	36	48	77	74	69
34	Females	5,229	238	8	9	10	5	270	50	68	77	94	96
35	Pericarditis	(M) 65 (F) 66	2 1	2		1		2 2	2 3	3 6	5 2	4 2	3 1
36	Diseases of the heart	(M) 5,723 (F) 4,696	244 180	15 8	10 9	6 8	4 4	279 209	33 46	44 59	69 71	66 82	61 81
37	Angina pectoris	(M) 366 (F) 269							1 1	2	3 3	2 5	4 6
38	Diseases of the arteries	(M) 133 (F) 69	1 1					1 1					1
39	Aneurism	(M) 40 (F) 24								1 1	1	2	1
40	Embolism	(M) 46 (F) 41	4					4				3	3
41	Others of this class	(M) 93 (F) 64	90 56	1		1	1	92 58				2	3



## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
RURAL PART OF REGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	14,221	2,558	958	433	242	185	4,326	424	172	292	387	317
2	Males.....	7,299	1,457	513	238	119	59	2,386	196	77	161	196	160
3	Females.....	6,922	1,101	445	195	123	76	1,940	228	95	131	141	157
4	Croup.....	268 236	50 39	59 42	48 33	43 32	16 22	216 168	45 58	2 7	2	1	1
5	Pneumonia.....	4,996 4,714	818 625	319 275	138 126	51 65	28 38	1,354 1,129	103 184	60 67	128 105	166 98	142 121
6	Laryngitis.....	71 59	7 9	10 8	6 2	8 7	3 4	34 30	17 6	2	1	1	4
7	Bronchitis.....	1,142 1,196	395 327	100 92	37 28	13 10	7 7	552 464	18 13	6 5	8 11	7 14	3 14
8	Pleurisy.....	134 99	3 1	4 3	3	1	1	12 6	2 6	2 3	12 3	9 5	3 4
9	Asthma.....	100 91	9 8	1				10 9	1 2		2	1	1
10	Others of this class.....	588 527	175 92	20 25	6 6	3 6	4 5	208 134	10 9	5 9	9 11	11 20	9 14
11	5. Diseases of the digestive system.....	6,474	781	138	68	41	41	1,069	199	193	249	282	284
12	Males.....	3,282	486	60	36	21	19	572	104	112	126	106	123
13	Females.....	3,192	345	78	32	20	22	497	95	81	123	126	161
14	Dentition.....	26 32	13 14	13 16	1	1		26 32					
15	Angina.....	65 51	5 4	7 3	4 3	4 2	3 2	23 14	7 15	3 5	3	3	2 5
16	Gastritis.....	498 537	66 51	8 16	3 8	3 4	1 5	81 84	7 2	2 2	6 5	6 9	18 22
17	Diseases of the stomach.....	224 199	11 12	1 4	1	1	2	15 18	2 1	2 5	3 8	2 8	8 6
18	Obstruction of the bowels.....	266 285	31 32	6 6	3 2	2 3	1 2	43 45	19 9	7 3	10 4	4 6	8 10
19	Appendicitis.....	343 206	3 2	2	2	1	4 3	10 8	20 17	54 25	50 37	38 19	39 21
20	Hernia.....	147 117	19 6					19 6			3	1	1
21	Other diseases of the bowels.....	113 91	30 21	4 3	3	2		39 27	1 1	2 1	2 3	2	1 2
22	Jaundice.....	130 120	59 33	1	3	1	1	62 38	4	1 3	2	2	3 3
23	Inflammation and abscess of the liver.....	120 149	5 2	1 1		1 1	1	8 5	2	4 3	2	4 1	4 8
24	Other diseases of the liver.....	564 374	11 7	1 1	3 3			15 11	1 3	2 3	3 1	6 2	13 7
25	Peritonitis.....	411 655	26 22	6 12	7 7	4 4	5 4	48 49	35 35	35 32	43 59	36 78	20 74
26	Ascites.....	25 31	1					1			1		
27	Others of this class.....	350 355	156 189	14 13	7 4	3 1	2 3	182 160	8 9	3	3 3	2 1	6 3
28	6. Diseases of the urinary system and male organs of generation.....	6,215	90	22	24	9	26	171	74	59	94	139	186
29	Males.....	3,887	57	10	10	7	14	98	36	33	43	47	81
30	Females.....	2,328	33	12	14	2	12	73	38	26	51	92	105
31	Bright's disease.....	2,551 1,842							33 33	22 23	35 42	37 73	62 74
32	Calculus, urinary.....	26 7									1		
33	Diseases of the kidney.....	271 168	38 26	9 11	9 11	5 2	12 11	73 61	1 1	1 1	3	3	6 6
34	Diseases of the bladder.....	485 54	4 1		1			4 2		3	1	1	2 2
35	Others of this class.....	554 257	15 6	1 1	1 2	2	2 1	21 10	2 4	7 2	3 9	8 14	11 23
36	7. Diseases of the female organs of generation.....	305	1					1		2	10	25	31
37	Ovarian tumors.....	69										1	4
38	Ovarian diseases.....	11										2	1
39	Diseases of the tubes.....	16										3	1
40	Uterine tumors.....	90									1	3	5
41	Uterine diseases.....	24									5	4	5
42	Others of this class.....	95	1					1		2	4	12	15

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
342	419	439	472	531	647	780	935	1,131	1,095	890	449	144	30	49	1
172	245	244	256	270	334	376	456	556	521	409	195	58	10	21	2
170	174	195	216	261	313	404	479	575	574	481	254	86	20	28	3
						1									4
146	208	208	206	219	255	276	343	382	360	267	119	35	5	14	5
138	140	149	168	207	245	301	353	393	409	323	160	44	11	19	6
2		2	2	3	1	2	2	1	1	1					7
4	2	1		2	2	1		1	1		1				8
5	9	9	16	17	32	31	54	96	97	100	56	18	5	3	9
11	4	11	15	16	31	57	73	109	113	114	75	34	8	4	10
6	6	4	10	7	9	9	10	18	8	4	3				11
7	6	7	8	6	5	12	4	7	3	4	1	2			12
1	1	3	3	1	4	16	14	11	11	11	7				13
3	1	2	4	9	5	11	10	12	10	7	2				14
12	21	18	19	23	33	41	33	49	44	26	10	5		2	15
7	20	25	21	20	25	22	39	53	38	33	15	6	1	5	16
220	242	285	306	334	393	455	526	531	490	276	125	88	5	22	17
96	98	133	167	154	215	249	271	264	263	141	61	17	2	8	18
124	144	152	139	180	178	206	255	267	227	135	64	21	3	14	19
															20
3		2	2	3		4	1		3	2					21
1		1	2	1	1	1	1	4	2	1	1				22
8	14	15	26	22	32	40	54	47	53	41	17	6	1	2	23
13	21	15	20	37	35	44	43	61	61	50	20	9	1	3	24
4	8	10	16	18	24	22	25	26	30	8	3				25
12	7	7	9	17	16	22	15	26	17	7	4	2			26
9	4	5	10	15	17	15	14	30	36	9	8			1	27
6	6	16	12	13	16	18	27	30	16	9	6	2		2	28
23	19	28	20	9	11	6	4	7	3	1			1	1	29
12	14	14	8	6	5	4	10	1	1	3	1			1	30
2	2	2	7	8	13	11	13	14	24	16	8	2	1		31
1	5	4	6	5	12	12	21	14	15	7	3			1	32
4	2	1	5	2	7	9	7	10	11	6	1	1			33
3	6	3	2	2	3	2	8	11	10	10	4				34
3	1		1	2	6	7	9	10	11	3	2	1		2	35
6	5	2	3	7	8	6	11	18	7	4	1	2		2	36
15	7	5	5	9	5	16	13	18	10	8	1				37
11	17	9	11	11	11	14	16	11	17	12	4	1			38
17	13	36	45	46	67	80	81	63	49	16	7	2		1	39
53	58	24	24	37	31	39	52	44	46	16	9				40
	21	20	19	13	22	19	23	14	15	7	2	2			41
	58	46	27	24	21	24	22	25	13	6	5	3		1	42
		1	1		1	3	4	7	1	5	1				
		1	3		3	3	5	6	2	4	1	1		1	
5	5	8	10	7	10	17	23	14	17	19	11	1		2	
6	6	10	12	20	16	17	24	20	20	15	6	3		1	
173	217	250	263	363	472	613	731	803	785	492	246	50	10	19	28
78	93	128	137	213	282	380	480	552	581	382	189	38	5	16	29
100	124	122	131	150	190	233	251	251	204	110	57	12	5	3	30
62	76	103	114	179	220	283	349	346	346	187	72	13	2	10	31
76	98	97	104	124	161	198	213	222	163	85	42	3	4	2	32
	1	1	1	1	2	1	2	6	8	1	1				33
4	7	6	3	10	11	16	21	26	36	24	20	2			34
11	5	3	11	9	9	6	11	3	12	7	3			1	35
	3	3	4	8	21	34	59	92	92	90	52	11	3	2	36
	2	1	1	6	6	8	1	6	9	7	6	3			37
7	6	15	15	15	23	46	49	82	99	80	44	12		4	38
13	18	17	15	16	14	21	25	19	19	10	6	1	1		39
22	39	27	36	28	22	20	15	14	5	3	2	2	1		40
3	7	6	8	8	7	8	5	7	2	1		1	1		41
1			3	1			2								42
4	4		2	1				1							43
1	14	9	8	14	11	9	6	5	2	2					44
3	2	1	1				2	1							45
10	11	11	14	4	4	3			1		2	1			46

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
RURAL PART OF REGISTRATION STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1 8. Affections connected with pregnancy.....	855								1	66	179	201
2     Abortion.....	87									8	5	10
3     Childbirth.....	260									10	45	55
4     Puerperal septicemia.....	348								1	30	86	85
5     Extra-uterine pregnancy.....	9									1	2	1
6     Others of this class.....	201									22	41	50
7 9. Diseases of the bones and joints.....	267	22	5	3	5	3	38	17	13	20	20	11
8     Males.....	149	13	4	2	3	3	25	7	7	15	14	7
9     Females.....	118	9	1	1	2		13	10	6	5	6	4
10    Diseases of the spine.....	60	12	2	1	2		17	3	4	5	7	1
{M.....	51	7	1	1	2		11	2	3	2	1	2
{F.....	11										3	4
11    Abscess, lumbar and psoas.....	9	1					1	1			2	
{M.....	34			1	1	2	5	1	2	6	1	1
{F.....	30	1					1	5	1	1	2	1
12    Diseases of the bones.....	23		1				1	2	1	3	2	1
{M.....	4							1	1	2		
{F.....	21		1			1	2	1	1	1	1	
13    Diseases of the hip-joint.....	24							1	1		1	1
{M.....	21							1	1		1	
{F.....	24							1	1		1	1
14    Others of this class.....	205	38	12	2	1	1	54	3	4	2	3	7
15 10. Diseases of the skin.....	205	38	12	2	1	1	54	3	4	2	3	7
16     Males.....	117	24	6	1			31	3	1	1	2	5
17     Females.....	88	14	6	1	1	1	23		3	1	1	2
18    Abscess.....	56	4	2	1			7	3	1	1	2	4
{M.....	47	3	4		1	1	9		2	1	1	1
{F.....	14	1					1					
19    Carbuncle.....	3											
{M.....	47	19	4				23					1
{F.....	38	11	2	1			14		1			1
20    Others of this class.....	117	5	2		2	1	10	4	3	2	7	1
21 11. Diseases of the absorbent system.....	117	5	2		2	1	10	4	3	2	7	1
22     Males.....	59	4	1		2	1	8	4	1	1	3	1
23     Females.....	58	1	1				2		2	1	4	
24    Addison's disease.....	17								1			
{M.....	22										1	
{F.....	13				1		1				1	
25    Diseases of the spleen.....	10		1				1				2	
{M.....	29	4	1		1	1	7	4		1	2	1
{F.....	26	1					1		2	1	1	
26    Others of this class.....	5,981	378	80	99	90	54	701	243	227	361	451	460
27 12. Accidents and injuries.....	5,981	378	80	99	90	54	701	243	227	361	451	460
28     Males.....	4,484	206	46	63	54	33	402	165	186	304	392	402
29     Females.....	1,447	172	34	36	36	21	299	78	41	57	59	58
30    Burns and scalds.....	195	11	23	31	25	6	96	14	5	3	7	8
{M.....	232	11	16	19	19	12	77	33	7	8	7	10
{F.....	794	6	13	14	9	10	52	81	91	98	105	78
31    Drowning.....	104	1	8	5	5	2	21	11	12	13	7	3
{M.....	57	14				1	15	1	1		1	1
{F.....	22	8	2				10				2	
32    Exposure and neglect.....	209	1		1	1		3	5	13	45	26	15
{M.....	30	1		1	3	1	6	2	2	5	6	1
{F.....	31			1		1	2	1	1	1	5	3
34    Homicide.....	12					1	1	1	1	1	1	2
{M.....	1	1					1					
{F.....	4	4					4					
35    Infanticide.....	25									7	1	
{M.....	1	1					1					
{F.....	763	1		2	3	1	7	11	21	52	91	90
37    Railroad accidents.....	88	3	1	1		1	6	5	5	9	9	6
{M.....	152	87	2	1	2	1	93	1	4	4	2	5
{F.....	119	78	3	2	1	4	88	5		1	1	2
38    Suffocation.....	134									1	9	15
{M.....	14									3	2	1
{F.....	31									1	2	2
40    Suicide by drowning.....	19										2	
{M.....	65									1	7	6
{F.....	50								1	5	4	2
42    Other suicides.....	269								1	8	8	13
{M.....	62								2	1	3	6
{F.....	28	3	1				4	2	1	3	1	2
43    Sunstroke.....	10	4	1				5					
{M.....	17							2			1	3
{F.....	38			1			1		1	3	1	7
44    Surgical operations.....	63	2					2	3	2	5	8	11
{M.....	3											1
{F.....	1,650	80	7	13	14	13	127	44	42	77	118	150
46    Others of this class.....	639	61	3	7	8		79	16	10	10	15	17



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
165	139	88	7	1			1		1					6	1
8	9	2													2
56	47	41	3						1					2	3
67	47	25	3	1										3	4
1	4														5
33	32	20	1				1							1	6
10	10	15	15	19	14	13	15	13	8	10	4	2			7
3	5	11	7	10	8	6	7	6	6	2	2	1			8
7	5	4	8	9	6	7	8	7	2	8	2	1			9
	3	2	1	3	5	3	2	1	2	1	1				10
2	3	2	4	7	1	3	3	2	1	1	1				11
1				1		1		1							12
	1	1	1	1	1	1	2	2	3	1	1				13
4		1	2	3	2	1		3		5	1				14
2	1	4	1	3	1		1								15
1	1	4	3	1	1	1	2	2	1	2	1	1			16
9	12	3	11	6	11	15	16	8	23	9	4	3		2	17
3	6		8	3	7	7	8	5	14	7	3	1		2	18
6	6	3	3	3	4	8	8	3	9	2	1	2		1	19
2	3		6	1	4	5	2	5	5	3		1			20
6	3	2	2	2	2	3	4	2	4	1		2			21
1	2		1			1	3		3	1				1	22
	1		1	2	3	1	3		6	3	3				23
	3		1	1	2	3	3	1	5	1	1				24
7	8	12	14	4	6	6	15	8	8	2					25
4	4	8	8	3	1	2	6	1	3	1					26
3	4	4	6	1	5	4	9	7	5	1					27
	2	2	4	3	1	1	1	1	1						28
1	3	1	2		3	3	4	2	2						29
2	2	3	2							1					30
2	1	1	1	1											31
2		3	2			1	5	1	1						32
		2	3		2	1	5	4	3	1					33
377	435	348	317	275	232	281	262	247	243	171	109	51	10	130	34
805	373	286	263	211	137	218	195	176	161	82	40	21		115	35
72	62	62	54	64	45	63	67	71	82	89	69	30	10	15	36
4	5	4	5	4	5	12	7	4	5	3	1			3	37
10	6	2	6	7	2	13	7	11	6	9	4	1		1	38
48	52	45	22	27	18	15	14	13	9	3	2			26	39
11	5	3	5	4	1	1	3	3	1					2	40
3	3	3	6	4	1	2	1	3	7	2	2			1	41
	1	1	1	1	1	1	1	1	2	1	1	1		1	42
22	15	12	4	13	6	7	4	4	1	1		2		6	43
3	1	1	2	1	1										44
5	4	1	1	1	1	2	2	1		1					45
2	2	1	1												46
															47
3	5	3	1	1		1	3								48
															49
64	101	55	51	38	31	35	22	17	17	7	3			50	50
3	3	4	7	6	4	7	4	3	4	1		1		1	51
2	2	2	5	4	4	6	5	3	4					6	52
1		1	1	2	1	2	2	1	2	1	1			8	53
12	15	13	14	14	11	10	9	5	3	3					54
1	2	1	2	1	1	1	1	1	3						55
1	2	2	1	4	4	3	2	1	6						56
	1	1	2	3	5	3	3	2	2						57
	3	7	6	5	6	4	6	7	4	1					58
4	7	7	5	2	4	2	2	3	1						59
16	19	21	35	20	27	22	22	27	17	6	2	1		4	60
7	7	5	7	3	2	5	7	2	1	3	1				61
2	1	2	2	1		1	2	1	2	1					62
		2				1	1	1	1						63
		1				1									64
6	4	6	2	4	2	1	3								65
3	2	4	7	1	5	3	2			1	2	1		1	66
						1				1					67
120	142	111	103	74	66	94	92	90	35	52	30	17		16	68
24	23	28	17	31	22	23	37	44	63	74	63	27	10	1	69

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
REGISTRATION CITIES IN NONREGISTRATION STATES.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	210,999	41,696	10,885	5,223	3,440	2,587	63,881	7,136	4,009	6,302	10,270	11,043
2	Males.....	115,074	23,327	5,747	2,728	1,745	1,294	34,841	3,660	2,065	3,124	5,347	5,899
3	Females.....	95,925	18,369	5,138	2,495	1,695	1,293	28,990	3,476	1,944	3,178	4,923	5,144
4	Unknown cause.....	2,523	775	96	47	31	20	969	59	28	52	73	101
5	Males.....	1,408	429	50	24	16	10	529	32	15	25	31	52
6	Females.....	1,115	346	46	23	15	10	440	27	13	27	42	49
7	1. General diseases.												
	General diseases—A.....	36,848	10,676	4,192	2,047	1,431	1,148	19,494	2,955	1,064	1,233	1,708	1,511
8	Males.....	19,229	5,770	2,146	1,043	711	564	10,234	1,406	494	608	987	826
9	Females.....	17,609	4,906	2,046	1,004	720	584	9,260	1,549	570	625	771	685
10	Measles.....	M 600 F 618	M 147 F 138	M 189 F 194	M 112 F 111	M 40 F 48	M 28 F 24	M 516 F 515	M 46 F 62	M 12 F 9	M 3 F 9	M 13 F 5	M 4 F 7
11	Scarlet fever.....	M 721 F 740	M 48 F 28	M 82 F 81	M 112 F 119	M 128 F 110	M 82 F 111	M 447 F 449	M 207 F 220	M 40 F 37	M 8 F 16	M 5 F 5	M 4 F 6
12	Diphtheria.....	M 2,274 F 2,397	M 143 F 94	M 324 F 302	M 346 F 309	M 329 F 325	M 284 F 299	M 1,426 F 1,329	M 656 F 796	M 125 F 168	M 18 F 41	M 13 F 20	M 6 F 15
13	Whooping cough.....	M 578 F 643	M 332 F 313	M 135 F 164	M 56 F 62	M 20 F 43	M 18 F 22	M 556 F 604	M 15 F 31	M 1 F 2	M 1 F 1	M 1 F 1	M 1 F 1
14	Malarial fever.....	M 871 F 759	M 75 F 66	M 41 F 49	M 17 F 39	M 22 F 21	M 19 F 16	M 174 F 191	M 65 F 61	M 32 F 36	M 54 F 53	M 80 F 71	M 72 F 48
15	Influenza.....	M 880 F 975	M 94 F 63	M 20 F 17	M 6 F 15	M 5 F 6	M 7 F 9	M 122 F 110	M 15 F 14	M 9 F 9	M 16 F 22	M 21 F 27	M 25 F 31
16	Typhoid fever.....	M 3,073 F 2,245	M 26 F 31	M 25 F 26	M 26 F 40	M 28 F 40	M 41 F 27	M 146 F 150	M 175 F 175	M 156 F 202	M 356 F 349	M 558 F 372	M 472 F 261
17	Cholera morbus.....	M 416 F 418	M 86 F 81	M 27 F 31	M 47 F 40	M 13 F 11	M 6 F 6	M 179 F 169	M 19 F 12	M 12 F 12	M 11 F 12	M 10 F 13	M 11 F 13
18	Colitis.....	M 184 F 151	M 86 F 64	M 25 F 29	M 7 F 5	M 8 F 2	M 2 F 1	M 128 F 101	M 2 F 3	M 2 F 4	M 1 F 1	M 1 F 1	M 4 F 4
19	Diarrhea.....	M 703 F 589	M 224 F 198	M 68 F 55	M 35 F 29	M 5 F 5	M 5 F 4	M 337 F 291	M 22 F 18	M 3 F 8	M 11 F 3	M 18 F 10	M 8 F 11
20	Dysentery.....	M 715 F 590	M 105 F 86	M 78 F 42	M 29 F 14	M 13 F 9	M 9 F 2	M 229 F 153	M 18 F 7	M 5 F 2	M 15 F 6	M 38 F 12	M 30 F 15
21	Enteritis.....	M 3,432 F 3,095	M 2,046 F 1,594	M 566 F 502	M 134 F 135	M 44 F 46	M 37 F 31	M 2,827 F 2,308	M 54 F 60	M 21 F 23	M 25 F 23	M 23 F 42	M 31 F 62
22	Cholera infantum.....	M 2,547 F 2,352	M 1,972 F 1,794	M 490 F 479	M 55 F 57	M 20 F 14	M 8 F 6	M 2,545 F 2,350					
23	Fever.....	M 39 F 29	M 12 F 10	M 3 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 15 F 13	M 5 F 1	M 1 F 1	M 2 F 2	M 3 F 1	M 1 F 3
24	Cerebro-spinal fever.....	M 347 F 301	M 72 F 62	M 40 F 37	M 24 F 17	M 22 F 22	M 12 F 12	M 170 F 150	M 50 F 40	M 30 F 28	M 20 F 21	M 18 F 10	M 14 F 13
25	Smallpox.....	M 328 F 206	M 12 F 12	M 6 F 9	M 7 F 6	M 2 F 4	M 1 F 2	M 28 F 33	M 7 F 11	M 11 F 10	M 22 F 17	M 61 F 43	M 55 F 32
26	Erysipelas.....	M 304 F 221	M 66 F 68	M 6 F 6	M 1 F 1	M 1 F 1	M 3 F 76	M 77 F 76	M 3 F 1	M 5 F 2	M 7 F 3	M 11 F 8	M 13 F 12
27	Septicemia.....	M 617 F 759	M 65 F 57	M 12 F 8	M 13 F 7	M 6 F 6	M 4 F 8	M 100 F 86	M 39 F 22	M 21 F 9	M 24 F 32	M 37 F 109	M 39 F 130
28	Venereal diseases.....	M 298 F 230	M 154 F 132	M 11 F 6	M 5 F 4	M 2 F 2	M 1 F 1	M 173 F 145	M 2 F 2	M 2 F 2	M 3 F 5	M 8 F 12	M 13 F 12
29	Others of this group.....	M 362 F 291	M 10 F 15	M 3 F 8	M 11 F 7	M 3 F 4	M 2 F 3	M 29 F 37	M 11 F 10	M 7 F 6	M 10 F 4	M 19 F 9	M 21 F 9
30	General diseases—B.....	6,616	4,406	243	64	49	15	4,777	46	10	48	107	150
31	Males.....	3,920	2,407	128	38	24	12	2,604	21	5	19	52	87
32	Females.....	2,696	1,999	115	31	25	3	2,173	25	5	29	55	63
33	Alcoholism.....	M 771 F 136								M 1 F 1		M 16 F 8	M 52 F 19
34	Parasitic diseases.....	M 8 F 11	M 1 F 1	M 1 F 3	M 1 F 3	M 2 F 3	M 2 F 1	M 5 F 8	M 1 F 3				
35	Lead poison.....	M 19 F 7	M 1 F 4					M 1 F 4	M 1 F 1			M 2 F 9	M 1 F 1
36	Other poisons.....	M 482 F 281	M 18 F 6	M 27 F 13	M 14 F 10	M 9 F 4	M 3 F 1	M 71 F 34	M 11 F 6	M 2 F 3	M 17 F 25	M 31 F 42	M 33 F 37
37	Inanition.....	M 2,640 F 2,261	M 2,387 F 1,983	M 100 F 99	M 18 F 21	M 15 F 18	M 7 F 1	M 2,527 F 2,127	M 9 F 15	M 2 F 2	M 2 F 4	M 3 F 5	M 1 F 7
38	General diseases—C.....	16,471	7,948	440	119	42	21	8,570	48	21	27	43	51
39	Males.....	8,033	4,433	219	63	25	10	4,750	19	11	13	19	17
40	Females.....	8,388	3,515	221	56	17	11	3,820	29	10	14	24	34
41	Old age.....	M 2,604 F 3,689											
42	Premature birth.....	M 2,195 F 1,666	M 2,195 F 1,666					M 2,195 F 1,666					
43	Malformation.....	M 304 F 254	M 296 F 243	M 1 F 2	M 2 F 2	M 1 F 1	M 1 F 1	M 299 F 253	M 1 F 1	M 2 F 1			
44	Debility and atrophy.....	M 2,817 F 2,663	M 1,780 F 1,485	M 218 F 219	M 61 F 54	M 24 F 16	M 10 F 11	M 2,093 F 1,785	M 18 F 29	M 9 F 9	M 13 F 14	M 19 F 24	M 17 F 34
45	Others of this group.....	M 163 F 116	M 162 F 116					M 163 F 116					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.	35,761	987	491	263	202	127	2,070	537	613	1,899	3,661	3,986
2	General diseases—D	18,888	560	249	149	100	70	1,128	290	234	758	1,775	1,964
3	Males	17,373	427	242	114	102	57	942	297	379	1,141	1,886	1,972
4	Females	215	25	4	2	2	2	33	8	5	5	7	11
5	Anemia	278	25	6	5	6	6	42	7	7	21	23	18
6	Males	432	2	1	1	3	2	5	8	14	18	17	24
7	Females	410	1	1	1	2	2	5	10	9	10	20	16
8	Diabetes	412	5	2	5	5	3	20	24	24	15	21	22
9	Males	389	4	6	2	3	2	17	19	24	28	18	17
10	Females	231	41	19	10	2	2	74	16	4	14	21	14
11	Rheumatism	263	34	13	7	4	6	64	11	12	20	19	21
12	Males	555	182	89	51	28	20	370	63	23	17	15	12
13	Females	426	134	91	32	35	21	313	49	10	19	6	7
14	Hydrocephalus	186	7	6	4	1	5	23	13	7	10	21	23
15	Males	134	9	9	1	1	2	22	6	9	8	13	14
16	Females	12,797	213	105	60	47	31	456	116	129	641	1,604	1,801
17	Consumption	10,438	169	94	49	38	18	368	156	284	1,005	1,721	1,737
18	Males	2,541	2	1	1	1	1	6	3	1	8	29	32
19	Females	3,981	4	1	1	1	1	5	9	2	7	22	55
20	Cancer	307	11	2	2	7	1	23	10	5	13	16	12
21	Males	382	4	3	4	5	1	17	9	8	7	23	16
22	Females	581	12	2	6	4	1	25	16	15	10	19	10
23	Tumor	587	4	4	1	3	3	15	13	11	13	17	15
24	Males	181	60	18	8	3	4	93	13	7	7	5	3
25	Females	135	89	16	12	3	4	74	8	3	3	4	6
26	Others of this group	25,228	6,643	1,559	679	400	283	9,564	738	421	423	481	552
27	2. Diseases of the nervous system	14,034	3,795	860	355	222	139	5,371	419	232	219	271	309
28	Males	11,194	2,843	699	324	178	144	4,193	319	189	209	210	243
29	Females	317	83	45	28	11	4	171	28	7	8	12	7
30	Inflammation of the brain	289	67	28	18	8	10	131	10	7	10	11	12
31	Males	2,611	833	413	162	126	76	1,610	225	99	79	93	82
32	Females	2,005	634	311	168	90	79	1,282	193	95	67	65	57
33	Meningitis	3,189	44	9	4	2	2	61	9	8	13	33	52
34	Males	2,704	23	7	4	3	3	40	6	9	11	25	36
35	Females	3,189	21	4	6	3	3	43	17	10	13	11	24
36	Apoplexy	1,729	22	4	6	4	3	43	17	10	13	11	24
37	Males	1,598	18	12	4	4	4	42	7	2	21	18	21
38	Females	160	43	1	1	1	1	1	1	1	1	1	4
39	Paralysis, general (of insane)	598	333	4	3	4	5	349	38	60	26	18	23
40	Males	302	225	3	1	1	1	229	4	9	7	6	7
41	Females	7	1	1	1	1	1	3	1	5	2	1	3
42	Chorea	242	8	1	1	1	1	11	9	5	27	18	28
43	Males	175	6	1	1	1	1	8	7	15	15	10	20
44	Females	242	8	1	1	1	1	11	9	5	27	18	28
45	Epilepsy	2,891	2,249	296	124	50	30	2,749	46	14	4	7	12
46	Males	2,351	1,689	233	96	58	32	2,158	53	11	16	15	24
47	Females	408	560	296	124	50	30	2,749	46	14	4	7	12
48	Convulsions	336	1,689	233	96	58	32	2,158	53	11	16	15	24
49	Males	408	1	1	1	1	1	1	1	1	2	15	15
50	Females	336	1	1	1	1	1	1	1	1	6	8	14
51	Mental diseases	1,358	202	83	25	17	16	343	38	25	35	51	46
52	Males	1,007	177	51	29	14	12	233	29	33	37	33	33
53	Females	200	16	4	2	3	2	27	8	1	8	5	7
54	Diseases of the brain	182	4	4	4	4	4	12	7	1	5	4	4
55	Males	158	49	1	1	1	1	7	3	1	2	1	3
56	Females	171	5	1	1	1	1	5	2	1	9	11	15
57	Others of this class	283	4	1	1	1	1	5	2	1	9	11	15
58	3. Diseases of the circulatory system	16,271	852	49	42	41	53	1,037	308	362	350	463	576
59	Males	8,840	517	24	29	24	26	620	145	145	176	211	284
60	Females	7,431	335	25	13	17	27	417	163	217	174	257	292
61	Males	153	4	1	1	3	1	9	10	12	8	11	7
62	Females	152	5	1	1	2	2	10	7	15	11	11	7
63	Pericarditis	7,464	269	19	27	17	24	356	133	131	163	193	248
64	Males	6,535	198	23	10	15	23	269	152	197	157	223	250
65	Females	381	171	1	1	1	1	1	1	1	3	6	7
66	Angina pectoris	267	171	1	1	1	1	1	1	1	3	15	15
67	Males	321	1	1	1	1	1	1	1	1	1	1	1
68	Females	186	1	1	1	1	1	1	1	1	1	1	1
69	Diseases of the arteries	217	1	1	1	1	1	1	1	1	1	1	1
70	Males	58	1	1	1	1	1	1	1	1	1	1	1
71	Females	217	1	1	1	1	1	1	1	1	1	1	1
72	Aneurism	58	1	1	1	1	1	1	1	1	1	1	1
73	Males	49	7	1	1	1	1	8	1	1	2	2	2
74	Females	84	1	1	1	1	1	2	1	1	2	2	10
75	Embolism	250	236	4	1	4	1	246	1	1	1	1	1
76	Males	149	131	1	1	1	2	135	1	1	1	1	1
77	Females	250	236	4	1	4	1	246	1	1	1	1	1

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3,547	3,414	2,913	2,625	2,378	2,163	1,968	1,619	1,149	682	295	89	19	16	118	1
1,912	1,864	1,600	1,450	1,295	1,156	990	815	589	339	125	28	8	5	63	2
1,635	1,550	1,313	1,175	1,033	1,007	978	804	560	343	170	61	11	11	55	3
6	11	17	14	20	21	20	15	11	8	2				1	4
16	22	19	17	22	11	16	18	9	4	3	1		1	1	5
22	35	33	24	46	40	43	46	29	19	7	1			1	6
14	22	23	21	40	53	59	46	31	20	8	1	1		1	7
23	20	28	34	34	37	32	30	20	15	6	3			2	8
27	18	21	26	30	18	39	33	19	12	16	2	1	2	4	9
13	13	9	12	9	7	12	5	3	2	1				2	10
20	18	15	17	14	9	8	8	3	4					3	11
14	6	9	9	6	2	2	1	2	2	1				3	12
4	5	4	5	5	2	2	1	1	1					2	13
25	14	12	16	5	5	5	5	1	1					2	14
14	12	9	9	7	2	2	3	2	1					2	15
1,705	1,596	1,262	1,013	783	584	442	315	164	102	27	5	2	2	43	16
1,344	1,098	765	482	396	315	254	232	126	81	30	14	2	2	36	17
68	114	156	244	331	370	350	314	233	150	57	11	5	3	6	18
139	291	393	510	502	522	509	386	274	172	83	28	5	3	9	19
14	21	25	31	28	34	26	23	18	3	5				1	20
23	39	40	38	32	31	33	22	25	7	3				2	21
17	29	35	42	29	51	53	57	58	35	19		1		3	22
25	20	29	47	37	38	52	53	68	42	22	12	2	3	3	23
5	5	14	6	4	5	5	4	2	2					1	24
9	5	5	3	3	6	1	3	2						1	25
632	880	904	1,058	1,223	1,268	1,461	1,645	1,533	1,205	754	286	81	17	97	26
394	524	571	603	705	717	796	898	823	596	374	119	27	6	60	27
238	356	333	455	518	551	665	747	710	609	380	167	54	11	37	28
8	9	12	8	10	9	7	7	9	1	3				2	29
6	5	9	10	7	6	2	5	3	1	2	1			2	30
74	80	60	55	43	27	20	25	13	15	4				5	31
38	44	26	33	26	16	16	18	10	5	9	2			3	32
77	123	188	197	297	331	396	456	392	267	205	53	15	2	11	33
44	91	104	202	247	283	321	360	339	292	171	85	22	5	14	34
59	73	104	111	151	151	172	210	224	192	101	38	7	4	14	35
26	52	58	78	94	120	172	222	234	203	145	51	23	4	5	36
11	22	26	30	12	15	15	8	8	2	2				1	37
3	4	8		1	7	4	3	4	7	1	2			1	38
19	9	11	11	9	3	4	5	4	2					2	39
11	8	8	3	1	4	5								2	40
1			1	1	1	2								2	41
22	30	21	19	8	7	13	7	7	6	2	2	1		1	42
10	19	13	11	11	6	14	8	6	1		1			1	43
6	8	4	9	10	1	4	3	4						10	44
16	11	10	4	3	2	8	3	2						9	45
26	45	37	26	35	38	40	47	35	25	9	5	1		5	46
25	35	33	28	21	21	34	27	26	34	10	7	5		1	47
65	88	67	87	74	83	77	74	85	61	33	13	2		6	48
37	57	41	51	53	41	54	67	59	38	33	17	1	1	4	49
11	13	17	13	20	16	17	18	13	8	2	1			1	50
5	12	5	12	11	15	6	10	7	10	3	1	1		1	51
10	11	11	26	23	23	16	14	9	6	3	1			1	52
1	2	2	6	10	12	6	2	2	4	1	1			1	53
5	13	13	10	12	13	15	24	20	11	5	1	1		1	54
16	16	16	17	27	18	21	22	18	11	4	1			1	55
705	917	1,005	1,147	1,314	1,379	1,577	1,653	1,540	1,045	544	215	45	15	69	56
362	519	592	644	733	787	898	895	852	544	276	100	11	5	41	57
343	393	413	503	531	592	679	753	638	501	263	115	34	10	28	58
10	11	14	6	19	10	9	9	5	3						59
11	8	12	11	7	9	12	12	6	2						60
324	452	505	570	629	665	753	774	737	468	229	81	7	4	37	61
305	364	371	444	537	536	624	631	603	435	228	100	24	9	26	62
9	21	31	19	40	47	66	42	52	23	11	4			1	63
13	14	11	26	24	29	25	34	26	14	11	1	2		1	64
3	4	7	12	18	33	41	56	46	43	34	15	4	1	1	65
	4	2	5	5	9	13	24	42	34	24	13	7	1	1	66
14	30	33	32	21	28	20	11	7	3					2	67
2	4	8	11	2	3	2	4	3	6	2				2	68
1	1	2	5	5	4	4	3	5	4					2	69
10	3	9	5	6	6	3	2	8	7	1				2	70
1			1	1											71
2	1		1						3	2					72

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	31,777	6,865	3,097	1,551	881	613	13,007	1,194	364	623	995	1,109
2	Males	17,561	3,961	1,692	805	445	311	7,214	611	180	334	578	680
3	Females	14,216	2,904	1,405	746	436	302	5,793	583	184	289	417	429
4	Croup	{M 721 F 612}	{106 88}	{139 106}	{138 96}	{100 91}	{80 65}	{563 443}	{142 151}	{8 10}	{1 2}	{1 2}	{2 2}
5	Pneumonia	{M 12,154 F 9,426}	{2,426 1,782}	{1,172 980}	{521 491}	{270 261}	{176 176}	{4,565 3,690}	{352 320}	{185 140}	{265 222}	{480 316}	{580 315}
6	Laryngitis	{M 118 F 95}	{18 7}	{15 16}	{11 8}	{13 14}	{9 11}	{66 56}	{12 17}	{3 3}	{1 3}	{1 2}	{2 2}
7	Bronchitis	{M 2,663 F 2,578}	{1,102 798}	{307 256}	{101 130}	{47 48}	{33 35}	{1,580 1,267}	{59 57}	{15 16}	{19 32}	{30 36}	{34 39}
8	Pleurisy	{M 329 F 246}	{4 5}	{16 7}	{4 5}	{6 1}	{3 3}	{33 21}	{13 12}	{7 4}	{17 9}	{23 24}	{21 22}
9	Asthma	{M 420 F 349}	{12 4}	{1 5}				{14 9}	{6 4}	{1 1}	{6 1}	{6 6}	{11 11}
10	Others of this class	{M 1,156 F 910}	{293 223}	{42 35}	{29 16}	{9 21}	{10 12}	{333 307}	{27 22}	{11 11}	{25 20}	{37 33}	{52 40}
11	5. Diseases of the digestive system	12,164	1,653	480	146	104	72	2,405	351	415	488	695	725
12	Males	6,323	963	235	79	43	31	1,351	180	225	240	298	311
13	Females	5,836	690	195	67	61	41	1,054	171	190	248	402	414
14	Dentition	{M 219 F 183}	{119 101}	{89 73}	{9 8}	{1 1}	{1 1}	{219 183}					
15	Angina	{M 91 F 86}	{11 7}	{11 6}	{7 6}	{9 1}	{2 7}	{40 27}	{17 21}	{4 11}	{1 2}	{8 5}	{4 2}
16	Gastritis	{M 887 F 921}	{173 112}	{40 46}	{14 17}	{10 21}	{3 9}	{240 205}	{16 24}	{7 7}	{11 19}	{16 35}	{15 40}
17	Diseases of the stomach	{M 344 F 247}	{38 22}	{8 8}	{2 2}	{2 3}	{3 3}	{50 35}	{4 4}	{3 3}	{4 7}	{7 15}	{9 13}
18	Obstruction of the bowels	{M 469 F 500}	{88 46}	{9 4}	{5 1}	{2 10}	{5 2}	{109 63}	{17 15}	{13 8}	{21 11}	{23 31}	{23 33}
19	Appendicitis	{M 820 F 463}	{5 3}	{3 1}	{2 2}	{4 3}	{2 1}	{16 10}	{43 48}	{112 71}	{105 60}	{115 56}	{97 58}
20	Hernia	{M 216 F 194}	{27 10}	{4 2}			{1 1}	{31 13}	{1 1}	{4 1}	{5 1}	{7 2}	{7 2}
21	Other diseases of the bowels	{M 171 F 170}	{45 34}	{8 7}	{2 2}	{1 1}	{3 3}	{55 47}	{2 2}	{1 7}	{5 8}	{10 7}	{11 18}
22	Jaundice	{M 236 F 209}	{135 93}	{3 2}	{1 3}	{2 3}	{3 3}	{141 101}		{1 1}		{2 2}	{6 4}
23	Inflammation and abscess of the liver.	{M 346 F 245}	{20 15}	{2 1}	{1 4}	{1 4}	{5 2}	{29 21}	{6 3}	{5 7}	{3 6}	{16 12}	{23 9}
24	Other diseases of the liver	{M 1,120 F 606}	{13 18}	{1 4}	{2 2}		{1 1}	{17 27}	{2 6}	{6 3}	{6 4}	{9 16}	{27 14}
25	Peritonitis	{M 830 F 1,451}	{53 41}	{20 17}	{18 10}	{5 7}	{5 6}	{101 81}	{55 39}	{63 66}	{77 126}	{64 212}	{72 196}
26	Ascites	{M 57 F 65}		{1 1}				{1 1}	{1 1}	{5 2}		{2 1}	{1 5}
27	Others of this class	{M 522 F 491}	{236 137}	{36 25}	{17 14}	{7 12}	{6 2}	{302 240}	{11 8}	{1 7}		{9 6}	{10 15}
28	6. Diseases of the urinary system and male organs of generation.	11,160	190	71	55	53	45	414	215	134	177	354	496
29	Males	6,634	115	31	22	24	23	215	112	61	82	162	254
30	Females	4,526	75	40	33	29	22	199	103	73	95	192	242
31	Bright's disease	{M 4,641 F 3,421}							{96 88}	{51 63}	{63 77}	{124 142}	{183 162}
32	Calculus, urinary	{M 44 F 13}	{1 2}					{1 2}				{4 1}	{2 1}
33	Diseases of the kidney	{M 392 F 323}	{66 57}	{23 37}	{22 29}	{20 25}	{19 21}	{155 169}	{4 3}	{1 2}	{4 4}	{10 12}	{15 9}
34	Diseases of the bladder	{M 387 F 64}	{4 3}	{2 1}				{6 4}	{1 1}		{1 1}	{1 1}	{10 4}
35	Others of this class	{M 1,170 F 705}	{44 13}	{1 3}		{4 3}	{4 1}	{53 24}	{11 11}	{9 8}	{8 13}	{21 36}	{44 66}
36	7. Diseases of the female organs of generation	786	4			1		3	1	6	33	80	116
37	Ovarian tumors	103							1	1	7	3	11
38	Ovarian diseases	49									1	5	6
39	Diseases of the tubes	149									10	24	39
40	Uterine tumors	195								1		3	13
41	Uterine diseases	46									3	7	8
42	Others of this class	244	4			1		5		4	17	38	39



## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	1,471								3	122	313	368
2	Abortion	140									8	80	42
3	Childbirth	406								1	32	61	85
4	Puerperal septicemia	593								2	47	141	164
5	Extra-uterine pregnancy	63									1	9	18
6	Others of this class	269									34	72	59
7	9. Diseases of the bones and joints	357	18	10	7	8	5	48	41	25	27	27	16
8	Males	195	7	6	2	7	4	26	18	12	19	16	12
9	Females	162	11	4	5	1	1	22	23	13	8	11	4
10	Diseases of the spine	{M 61 F 48}	{3 5 3 2}	{4 2 3 2}	{1 2 1 1}	{2 1 2 1}	{2 2 1 1}	{11 10 6 10}	{6 10 4 4}		{5 1 4 1}	{4 6 1 2}	{7 2 4 2}
11	Abscess, lumbar and psoas	{M 12 F 9}	{1 1 1 1}					{1 1 2 2}	{2 1 1 1}		{1 1 1 1}		{1 1 1 1}
12	Diseases of the bones	{M 60 F 57}	{4 2 2 2}	{1 1 2 2}	{1 2 2 2}	{2 1 1 1}	{1 1 1 1}	{9 7 5 6}	{5 6 5 5}	{6 5 5 5}	{5 2 4 2}	{5 4 1 1}	{1 1 1 1}
13	Diseases of the hip-joint	{M 33 F 21}				{3 1 1 1}	{1 1 3 3}	{4 3 5 5}	{5 2 5 2}	{5 4 7 4}	{7 1 4 1}	{4 1 1 1}	{3 1 1 1}
14	Others of this class	{M 24 F 27}	{2 1 1 1}	{2 2 2 2}				{2 1 2 1}	{2 1 1 1}		{1 1 1 1}		
15	10. Diseases of the skin	391	120	10	10	6	2	148	8	7	2	12	12
16	Males	217	60	6	7	2	1	76	5	5		6	5
17	Females	174	60	4	3	4	1	72	3	2	2	6	7
18	Abscess	{M 115 F 90}	{21 29 1 1}	{6 1 3 2}	{3 2 2 2}	{1 1 2 2}	{1 1 1 1}	{32 34 4 3}	{4 3 1 1}	{5 1 5 1}		{5 2 2 2}	{4 6 1 1}
19	Carbuncle	{M 32 F 19}	{1 1 1 1}		{1 1 1 1}			{2 1 1 1}			{1 1 1 1}		{1 1 1 1}
20	Others of this class	{M 70 F 65}	{38 31 3 3}	{3 3 3 3}		{1 2 2 1}	{1 1 1 1}	{42 37 1 1}	{1 1 1 1}		{1 1 1 1}		
21	11. Diseases of the absorbent system	126	9	6		3	1	19	5	5	6	4	12
22	Males	68	7	4		3	1	15	4	2	4	2	4
23	Females	58	2	2				4	1	3	2	2	3
24	Addison's disease	{M 21 F 11}							{1 1 1 1}				{2 3 2 3}
25	Diseases of the spleen	{M 14 F 9}	{3 3 3 3}			{1 1 1 1}		{4 4 4 4}		{1 1 1 1}		{1 1 1 1}	{2 3 2 3}
26	Others of this class	{M 33 F 38}	{4 2 2 2}	{4 2 2 2}		{2 2 1 1}	{1 1 1 1}	{11 4 4 4}	{3 1 1 1}	{1 2 1 2}	{3 1 1 1}	{1 2 1 2}	{2 2 2 2}
27	12. Accidents and injuries	13,049	550	191	193	188	182	1,304	580	531	782	1,249	1,312
28	Males	10,159	303	97	117	99	92	708	398	444	627	994	1,094
29	Females	2,890	247	94	76	89	90	596	182	87	155	255	218
30	Burns and scalds	{M 499 F 690}	{21 19 38 46}	{38 46 70 40}	{55 55 35 59}	{35 59 35 59}		{219 219 44 93}	{15 34 10 40}	{15 34 10 40}	{10 40 23 41}	{23 41 25 43}	
31	Drowning	{M 1,081 F 99}	{3 2 9 6}	{6 5 8 5}		{8 5 10 2}		{36 20 109 3}	{158 6 120 16}		{107 9 84 5}		
32	Exposure and neglect	{M 72 F 51}	{21 26 4 4}					{23 32 3 1}			{1 1 1 1}		{1 2 1 2}
33	Gunshot wounds	{M 546 F 74}	{1 1 1 1}		{2 2 1 1}		{1 2 3 5}	{3 5 11 4}	{11 4 39 2}		{66 4 99 21}		{90 9 80 9}
34	Homicide	{M 371 F 82}		{1 1 1 1}				{2 2 2 2}	{6 6 6 6}	{8 3 8 3}	{22 4 56 14}		{73 13 73 13}
35	Infanticide	{M 2 F 5}	{2 5 2 5}					{2 5 1 1}					
36	Injuries by machinery	{M 67 F 4}		{1 1 1 1}							{3 3 1 1}		{10 15 1 1}
37	Railroad accidents	{M 1,827 F 172}	{3 1 7 4}	{7 4 5 4}	{6 4 18 10}			{34 23 89 29}	{83 12 121 10}		{209 13 248 7}		
38	Suffocation	{M 329 F 180}	{124 99 9 9}	{9 9 2 3}	{2 2 2 2}			{139 115 5 5}	{5 3 5 3}		{11 8 20 7}		{14 4 14 4}
39	Suicide by shooting	{M 389 F 22}									{4 2 2 2}		{47 3 3 3}
40	Suicide by drowning	{M 52 F 16}									{2 1 2 1}		{3 4 3 4}
41	Suicide by poison	{M 267 F 172}									{2 1 17 30}		{30 34 30 34}
42	Other suicides	{M 609 F 145}									{11 12 11 12}		{49 17 49 17}
43	Sunstroke	{M 166 F 76}	{11 13 4 5}	{4 5 2 1}				{18 20 4 2}			{2 2 12 2}		{8 2 8 2}
44	Surgical operations	{M 79 F 167}	{5 2 1 1}					{8 3 3 2}	{4 2 1 1}		{1 3 25 3}		{10 16 10 16}
45	Wounds	{M 227 F 13}	{1 1 1 1}			{3 2 3 2}		{6 1 5 3}	{5 1 5 1}		{25 1 1 1}		{33 1 33 1}
46	Others of this class	{M 3,576 F 922}	{112 79 28 19}	{28 19 29 18}	{24 20 24 15}			{217 151 118 35}	{133 22 133 22}		{226 23 226 23}		{368 60 368 60}



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
801	233	109	11	1					1					9	1
24	29	6												1	2
96	84	38	4	1										4	3
115	81	34	6						1					2	4
19	11	4												1	5
47	28	27	1											1	6
23	16	24	20	18	19	16	10	17	8	1	1				7
15	7	15	12	10	7	8	6	6	6						8
8	9	9	8	8	12	8	4	11	2	1	1				9
5	3	6	4	2	1		2	3	2						10
2	4	2		2	2	3									11
3	1		1	1	1	1		1	1						12
4	1	1	1	1	1	1		1							13
3	3	3	4	4	2	3	4	1	3						14
3	2	3		1	1					1	1				15
2	2	2													16
1		2	5	2	2	3		2	2						17
13	24	26	15	21	27	26	16	15	9	5	3	1		1	18
5	14	16	9	14	19	13	10	7	7	4	2				19
8	10	10	6	7	8	13	6	8	2	1	1	1		1	20
4	12	7	5	9	9	7	6	2	2	2					21
6	6	7	6	3	6	4	4	1			1				22
1		3	3	2	5	3	4	3	2	1	2				23
	1	1	1	3	1	2	1	3	1	1					24
2	2	2	1	3	5	3		2	3	1				1	25
2	3	2		1	1	7	1	4	1			1			26
12	7	6	11	9	11	9	4	4						2	27
7	3	3	3	4	5	6	1	4						1	28
5	4	3	8	5	6	3	3							1	29
2	2	1	2	2	2	4		1							30
1	2	1		1	1			1							31
2		1	1	1		1	1	2							32
3	1	2	7	1	3	3	1	2						1	33
3	2	2		3	5	3									34
1,272	1,264	961	894	696	548	477	350	256	190	132	52	9	6	184	35
1,057	1,056	806	758	605	445	334	253	164	103	70	25		4	159	36
215	208	155	136	91	103	93	92	92	87	62	27	9	2	25	37
32	29	24	20	12	8	11	7	3	2	2	1			7	38
41	34	24	25	11	23	19	12	9	14	4	1	2		1	39
33	31	65	53	43	32	34	17	6	9	3	1			35	40
11	6	5	5	2	2	3	3	1						2	41
7	4	4	4	3	4	6	4	1	2				1	1	42
1	2			3	3				2	3	3				43
2															44
62	50	32	34	13	17	9	3	3	1		1			13	45
11	11	3	1			1		2	2						46
54	53	26	25	15	10	7	3	2		1				8	47
15	3	5	4	2	2	1	2							6	48
11	7	8	4	4	2		2								49
1		1													50
213	210	153	121	96	77	62	30	24	12	9	3		1	32	51
6	8	10	10	6	8	1	8	8	8	2	1			2	52
19	26	20	16	6	9	11	9	4	4	1				11	53
3	5	2	1	2	4	3	1	4	2	3	2			8	54
46	50	50	45	37	17	13	16	7	7	3				9	55
5	2	2	1	2	1				1						56
3	4	7	7	6	5	4	1	2	2	2				1	57
4		1		2				1	1						58
38	39	33	27	31	14	16	7	7	1					5	59
19	22	9	7	6	1	3	1	2				1		1	60
59	70	69	62	77	56	42	29	16	16	6	1			6	61
16	24	14	12	5	7	3	2	3	4	2	1			1	62
17	22	12	15	19	13	5	3	9	2	2				2	63
2	3	2	5	5	7	8	5	6	4	3	1				64
8	7	4	5	7	6	6	3	1	1						65
25	22	23	15	10	11	1	4	2	1	1					66
26	26	13	19	13	7	11	4	1							67
1	1					2	1			1	1			5	68
379	378	281	296	223	168	147	120	78	44	38	14		2	24	69
55	65	53	50	38	34	48	58	56	48	44	21	6	2	4	70

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NONREGISTRATION RECORD.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	526,425	97,105	33,893	16,116	9,813	7,034	163,961	21,703	15,915	24,689	29,644	24,757
2	Males	278,792	53,422	17,831	8,383	4,970	3,573	88,184	10,953	7,857	11,671	14,421	11,755
3	Females	247,633	43,683	16,062	7,733	4,843	3,461	75,777	10,750	8,058	13,018	15,223	13,002
4	Unknown cause	35,690	17,320	2,214	1,054	577	462	21,627	1,199	755	857	960	791
5	Males	18,641	9,481	1,173	562	307	228	11,751	616	359	395	414	318
6	Females	17,049	7,839	1,041	492	270	234	9,876	583	396	462	546	473
7	1. General diseases. General diseases—A	121,592	26,458	15,495	6,782	4,004	2,948	55,687	9,194	5,762	7,163	6,817	4,956
8	Males	62,179	14,131	8,073	3,427	1,897	1,476	29,004	4,440	2,591	3,358	3,677	2,561
9	Females	59,413	12,327	7,422	3,355	2,107	1,472	26,683	4,754	3,171	3,805	3,140	2,395
10	Measles	M 4,359 F 4,706	1,094 974	872 764	416 408	235 273	143 148	2,760 2,567	398 392	220 246	242 316	213 213	105 180
11	Scarlet fever	M 1,447 F 1,559	214 173	231 226	198 197	170 155	155 165	968 945	325 357	70 118	29 58	17 23	8 12
12	Diphtheria	M 3,048 F 3,226	304 289	353 294	372 334	341 342	273 318	1,653 1,527	353 1,029	293 395	118 121	46 32	12 35
13	Whooping cough	M 2,833 F 3,406	1,683 1,814	609 787	223 347	114 160	77 91	2,706 3,199	118 145	32 32	11 11	2 2	3
14	Malarial fever	M 6,194 F 6,134	793 786	562 555	315 323	202 242	185 196	2,057 2,052	633 684	412 421	486 511	472 423	333 338
15	Influenza	M 4,768 F 4,995	810 597	209 181	94 88	43 51	35 33	1,191 950	102 104	56 78	91 123	107 114	90 122
16	Typhoid fever	M 13,261 F 12,869	519 483	486 458	314 347	256 279	198 192	1,773 1,759	943 1,069	921 1,394	1,732 2,050	2,069 1,522	1,396 984
17	Cholera morbus	M 2,456 F 2,160	796 578	336 279	166 123	56 67	43 37	1,397 1,084	139 127	97 67	69 63	61 77	41 78
18	Colitis	M 287 F 218	80 66	71 52	24 18	11 3	4 1	190 140	3 5	1	2	4	3
19	Diarrhea	M 2,307 F 1,726	534 422	350 322	133 116	84 46	20 13	1,071 919	121 122	47 36	25 19	24 22	40 29
20	Dysentery	M 4,615 F 4,089	966 825	1,107 920	406 370	160 126	98 73	2,737 2,314	220 171	32 56	72 57	89 64	69 77
21	Enteritis	M 2,371 F 2,169	929 808	453 365	158 133	57 70	49 43	1,646 1,424	110 111	52 40	51 47	39 46	34 44
22	Cholera infantum	M 6,281 F 5,537	3,966 3,365	1,902 1,721	317 330	67 79	28 41	6,280 5,536					
23	Fever	M 1,331 F 1,373	368 363	210 179	87 65	50 51	33 38	753 696	106 114	46 64	59 77	75 74	48 71
24	Cerebro-spinal fever	M 1,195 F 940	314 248	139 132	80 59	40 50	48 28	621 517	135 121	73 77	96 47	51 43	50 40
25	Smallpox	M 1,753 F 1,138	205 166	53 64	47 30	22 35	37 26	364 321	89 93	61 52	141 98	215 116	172 84
26	Erysipelas	M 735 F 650	205 193	29 34	17 5	3 5	3 4	262 241	19 18	20 16	18 30	24 17	23 21
27	Septicemia	M 1,717 F 2,192	201 166	42 51	34 37	20 20	23 20	317 294	82 59	93 58	146	96	290
28	Venereal diseases	M 405 F 239	69 42	14 18	6 6	2 3	1	91 65	3 4	3 2	15 11	33 22	33 18
29	Others of this group	M 768 F 567	81 69	40 25	20 14	12 11	14 14	167 133	41 29	21 18	20 20	35 30	24 18
30	General diseases—B	6,424	3,223	413	280	145	97	4,153	192	64	103	159	149
31	Males	3,890	1,793	214	149	83	57	2,301	92	34	54	96	88
32	Females	2,534	1,422	199	131	62	40	1,857	100	30	49	63	61
33	Alcoholism	M 695 F 55	2	1			2	5 2	5		3 2	14 4	34 3
34	Parasitic diseases	M 244 F 265	26 26	50 60	50 52	36 34	29 19	191 191	39 55	2 5	2 3	3 1	1 1
35	Lead poison	M 39 F 5	1 2	1			1	3 3			3	1	4
36	Other poisons	M 964 F 634	66 54	99 67	71 61	38 19	15 14	289 215	41 40	29 21	45 44	73 55	45 55
37	Inanition	M 1,948 F 1,575	1,703 1,343	63 72	28 18	9 8	10 5	1,813 1,446	7 5	3 4	1	5 4	4 2
38	General diseases—C	24,339	7,993	266	82	30	14	8,385	41	83	38	55	49
39	Males	12,539	4,457	125	40	16	8	4,646	20	19	24	27	20
40	Females	11,800	3,536	141	42	14	6	3,739	21	14	14	28	29
41	Old age	M 6,689 F 6,975											
42	Premature birth	M 2,334 F 2,196	2,334 2,196					2,334 2,196					
43	Malformation	M 532 F 463	495 428	12 14	4 5	3 5	2 2	516 454	4 3	3 3	2 1	2	1
44	Debility and atrophy	M 2,212 F 1,962	858 710	113 127	36 37	13 9	6 4	1,026 887	16 18	16 11	22 13	25 28	20 28
45	Others of this group	M 272 F 204	270 202					270 202					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NONREGISTRATION RECORD—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	<b>1. General diseases—Continued.</b>												
	General diseases—D.....	89,153	2,332	1,505	887	521	380	5,625	1,749	2,318	6,332	9,780	8,519
2	Males.....	40,258	1,202	803	459	283	205	2,952	837	885	2,240	3,786	3,384
3	Females.....	48,895	1,130	702	428	238	175	2,673	912	1,433	4,092	5,944	5,135
4	Anemia.....	M 330 F 397	M 60 F 46	M 12 F 8	M 4 F 3	M 4 F 3	M 4 F 2	M 34 F 62	M 12 F 12	M 9 F 15	M 14 F 24	M 8 F 35	M 10 F 36
5	Diabetes.....	M 1,246 F 733	M 8 F 5	M 17 F 11	M 13 F 12	M 12 F 6	M 8 F 6	M 53 F 45	M 57 F 36	M 62 F 55	M 77 F 44	M 59 F 32	M 45 F 33
6	Rheumatism.....	M 1,703 F 1,413	M 27 F 18	M 16 F 6	M 11 F 14	M 9 F 5	M 15 F 14	M 78 F 57	M 74 F 63	M 111 F 86	M 108 F 70	M 71 F 67	M 57 F 50
7	Scrofula and tabes.....	M 1,216 F 1,233	M 153 F 133	M 119 F 111	M 68 F 43	M 41 F 34	M 28 F 21	M 409 F 347	M 90 F 94	M 51 F 81	M 70 F 72	M 75 F 89	M 61 F 72
8	Hydrocephalus.....	M 609 F 520	M 230 F 202	M 117 F 79	M 49 F 41	M 28 F 24	M 12 F 13	M 436 F 359	M 56 F 49	M 23 F 28	M 24 F 24	M 13 F 18	M 9 F 13
9	Tuberculosis, general.....	M 199 F 174	M 2 F 7	M 5 F 6	M 1 F 2	M 3 F 2	M 1 F 2	M 12 F 17	M 3 F 7	M 3 F 10	M 18 F 7	M 19 F 24	M 22 F 19
10	Consumption.....	M 24,434 F 31,334	M 524 F 567	M 348 F 343	M 186 F 133	M 100 F 92	M 91 F 77	M 1,249 F 1,262	M 309 F 449	M 454 F 995	M 1,754 F 3,622	M 3,341 F 5,374	M 3,007 F 4,541
11	Cancer.....	M 5,048 F 7,181	M 23 F 24	M 8 F 11	M 13 F 15	M 7 F 5	M 6 F 8	M 23 F 63	M 28 F 21	M 26 F 18	M 32 F 40	M 34 F 73	M 67 F 127
12	Tumor.....	M 611 F 1,149	M 51 F 36	M 14 F 13	M 16 F 10	M 9 F 9	M 6 F 4	M 96 F 72	M 29 F 17	M 18 F 17	M 26 F 29	M 18 F 40	M 13 F 55
13	Dropsy.....	M 4,652 F 4,633	M 70 F 55	M 116 F 98	M 86 F 89	M 64 F 43	M 33 F 27	M 389 F 312	M 175 F 156	M 120 F 120	M 104 F 152	M 138 F 186	M 86 F 185
14	Others of this group.....	M 210 F 158	M 49 F 37	M 31 F 16	M 12 F 11	M 6 F 9	M 1 F 4	M 99 F 77	M 9 F 8	M 8 F 8	M 13 F 8	M 10 F 11	M 7 F 4
15	<b>2. Diseases of the nervous system</b>	55,016	11,043	3,437	1,533	989	709	17,711	2,306	1,478	1,614	1,402	1,208
16	Males.....	30,509	6,326	1,785	801	517	371	9,800	1,250	768	845	745	625
17	Females.....	24,507	4,717	1,652	732	472	338	7,911	1,056	710	769	657	583
18	Inflammation of the brain.....	M 2,876 F 2,284	M 981 F 771	M 426 F 370	M 192 F 140	M 112 F 96	M 77 F 73	M 1,738 F 1,450	M 232 F 190	M 121 F 113	M 119 F 105	M 101 F 71	M 54 F 56
19	Meningitis.....	M 4,674 F 3,804	M 1,448 F 1,056	M 656 F 620	M 294 F 302	M 199 F 174	M 134 F 137	M 2,731 F 2,239	M 502 F 414	M 273 F 257	M 270 F 191	M 172 F 132	M 109 F 101
20	Apoplexy.....	M 4,503 F 3,225	M 33 F 36	M 6 F 21	M 10 F 9	M 3 F 10	M 4 F 2	M 61 F 78	M 19 F 18	M 14 F 25	M 29 F 41	M 60 F 49	M 61 F 49
21	Paralysis.....	M 7,234 F 6,467	M 80 F 64	M 44 F 32	M 25 F 25	M 20 F 18	M 14 F 11	M 183 F 150	M 67 F 60	M 41 F 40	M 56 F 60	M 51 F 72	M 62 F 65
22	Paralysis, general (of insane).....	M 584 F 180							M 1 F 1			M 3 F 2	M 7 F 6
23	Tetanus and trismus nascentium.....	M 609 F 332	M 250 F 185	M 9 F 7	M 3 F 3	M 8 F 3	M 6 F 4	M 276 F 202	M 56 F 26	M 70 F 15	M 40 F 17	M 31 F 13	M 25 F 11
24	Chorea.....	M 31 F 62	M 3 F 1		M 2 F 2	M 1 F 1		M 6 F 4	M 6 F 4	M 2 F 20	M 1 F 17	M 1 F 3	M 2 F 1
25	Epilepsy.....	M 1,235 F 869	M 150 F 137	M 21 F 20	M 11 F 14	M 13 F 9	M 4 F 9	M 199 F 189	M 51 F 32	M 76 F 46	M 146 F 97	M 135 F 93	M 125 F 66
26	Convulsions.....	M 3,273 F 2,710	M 2,554 F 1,866	M 298 F 233	M 103 F 110	M 56 F 62	M 37 F 27	M 3,053 F 2,348	M 67 F 59	M 31 F 26	M 14 F 63	M 10 F 43	M 10 F 41
27	Mental diseases.....	M 923 F 715							M 2 F 3	M 4 F 3	M 13 F 13	M 38 F 38	M 50 F 47
28	Diseases of the brain.....	M 3,488 F 2,624	M 723 F 519	M 235 F 255	M 139 F 117	M 90 F 89	M 93 F 64	M 1,330 F 1,044	M 210 F 213	M 111 F 133	M 126 F 121	M 115 F 86	M 85 F 92
29	Diseases of the spinal cord.....	M 366 F 277	M 60 F 54	M 28 F 34	M 15 F 9	M 8 F 7	M 2 F 6	M 113 F 110	M 28 F 17	M 21 F 18	M 9 F 13	M 16 F 5	M 12 F 1
30	Locomotor ataxia.....	M 166 F 53		M 1 F 1				M 1 F 2		M 1 F 1		M 2 F 2	M 5 F 2
31	Others of this class.....	M 591 F 905	M 39 F 28	M 12 F 9	M 1 F 2	M 7 F 2	M 4 F 4	M 59 F 45	M 11 F 15	M 3 F 13	M 16 F 31	M 12 F 43	M 18 F 45
32	<b>3. Diseases of the circulatory system</b>	32,558	1,929	185	103	79	99	2,400	482	573	703	948	908
33	Males.....	17,920	1,110	102	55	50	62	1,379	241	269	308	366	365
34	Females.....	14,638	819	83	48	29	37	1,021	241	304	395	582	533
35	Pericarditis.....	M 122 F 90	M 3 F 1	M 1 F 1	M 1 F 2	M 1 F 2	M 1 F 1	M 5 F 5	M 2 F 7	M 4 F 9	M 5 F 8	M 9 F 7	M 3 F 5
36	Diseases of the heart.....	M 16,717 F 13,778	M 932 F 703	M 99 F 80	M 54 F 53	M 43 F 26	M 59 F 35	M 1,192 F 897	M 231 F 230	M 253 F 287	M 292 F 375	M 345 F 531	M 346 F 505
37	Angina pectoris.....	M 540 F 406							M 2 F 2	M 3 F 4	M 7 F 6	M 7 F 21	M 14 F 3
38	Diseases of the arteries.....	M 159 F 51											
39	Aneurism.....	M 146 F 120							M 2 F 1	M 4 F 3	M 3 F 4	M 4 F 11	M 5 F 10
40	Embolism.....	M 43 F 65	M 5 F 5			M 1 F 1		M 6 F 6	M 3 F 3	M 4 F 4	M 1 F 2	M 1 F 12	M 4 F 4
41	Others of this class.....	M 188 F 128	M 170 F 115	M 3 F 2		M 1 F 1	M 2 F 1	M 176 F 119	M 1 F 1	M 1 F 1			



## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NONREGISTRATION RECORD—Continued.

	CAUSE OF DEATH.	All ages.	AGE GROUPS											
			Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	
1	4. Diseases of the respiratory system	73,531	16,675	6,364	3,348	1,967	1,246	29,600	2,971	1,709	2,726	3,004	2,424	
2	Males	40,800	9,322	3,398	1,788	1,040	642	16,190	1,515	861	1,538	1,762	1,345	
3	Females	32,731	7,353	2,966	1,560	927	604	13,410	1,456	848	1,188	1,242	1,079	
4	Croup	{M 5,281 F 4,373}	{M 2,730 F 2,282}	{M 778 F 592}	{M 571 F 471}	{M 424 F 348}	{M 269 F 221}	{M 4,772 F 3,914}	{M 437 F 365}	{M 42 F 35}	{M 6 F 8}	{M 4 F 9}	{M 3 F 3}	
5	Pneumonia	{M 28,442 F 22,233}	{M 4,960 F 3,780}	{M 2,069 F 1,850}	{M 998 F 887}	{M 505 F 470}	{M 307 F 291}	{M 8,839 F 7,228}	{M 894 F 887}	{M 703 F 698}	{M 1,391 F 1,019}	{M 1,606 F 1,024}	{M 1,175 F 921}	
6	Laryngitis	{M 143 F 120}	{M 27 F 20}	{M 9 F 16}	{M 10 F 7}	{M 9 F 6}	{M 10 F 6}	{M 65 F 58}	{M 18 F 20}	{M 7 F 6}	{M 4 F 5}	{M 2 F 4}	{M 5 F 3}	
7	Bronchitis	{M 3,187 F 3,133}	{M 1,095 F 983}	{M 407 F 398}	{M 147 F 136}	{M 67 F 67}	{M 41 F 56}	{M 1,757 F 1,595}	{M 33 F 110}	{M 28 F 49}	{M 35 F 51}	{M 51 F 63}	{M 50 F 46}	
8	Pleurisy	{M 786 F 606}	{M 24 F 19}	{M 12 F 12}	{M 16 F 9}	{M 8 F 5}	{M 3 F 3}	{M 68 F 48}	{M 20 F 18}	{M 26 F 16}	{M 21 F 21}	{M 27 F 31}	{M 41 F 33}	
9	Asthma	{M 1,029 F 745}	{M 30 F 19}	{M 12 F 9}	{M 8 F 6}	{M 2 F 3}	{M 3 F 3}	{M 55 F 43}	{M 7 F 6}	{M 6 F 5}	{M 8 F 8}	{M 3 F 15}	{M 10 F 18}	
10	Others of this class	{M 1,932 F 1,521}	{M 456 F 345}	{M 111 F 89}	{M 38 F 44}	{M 25 F 22}	{M 9 F 24}	{M 639 F 524}	{M 56 F 50}	{M 49 F 39}	{M 73 F 74}	{M 69 F 96}	{M 61 F 55}	
11	5. Diseases of the digestive system	31,850	6,505	2,677	914	518	376	10,990	1,359	1,104	1,226	1,382	1,233	
12	Males	16,998	3,584	1,409	458	267	193	5,911	722	604	640	688	572	
13	Females	14,852	2,921	1,268	456	251	183	5,079	637	500	586	694	661	
14	Dentition	{M 977 F 911}	{M 390 F 365}	{M 514 F 462}	{M 56 F 75}	{M 14 F 8}	{M 1 F 1}	{M 975 F 911}						
15	Angina	{M 500 F 525}	{M 113 F 86}	{M 52 F 55}	{M 51 F 46}	{M 39 F 39}	{M 35 F 36}	{M 295 F 262}	{M 67 F 101}	{M 24 F 37}	{M 12 F 24}	{M 13 F 7}	{M 10 F 18}	
16	Gastritis	{M 2,060 F 2,027}	{M 295 F 260}	{M 145 F 145}	{M 58 F 62}	{M 30 F 28}	{M 25 F 19}	{M 553 F 514}	{M 84 F 74}	{M 26 F 39}	{M 27 F 58}	{M 58 F 78}	{M 42 F 112}	
17	Diseases of the stomach	{M 1,876 F 1,778}	{M 343 F 299}	{M 139 F 120}	{M 61 F 63}	{M 37 F 36}	{M 33 F 33}	{M 613 F 551}	{M 99 F 100}	{M 59 F 58}	{M 45 F 61}	{M 50 F 77}	{M 53 F 81}	
18	Obstruction of the bowels	{M 764 F 643}	{M 122 F 72}	{M 21 F 19}	{M 24 F 12}	{M 15 F 23}	{M 6 F 7}	{M 188 F 133}	{M 42 F 23}	{M 37 F 24}	{M 53 F 28}	{M 38 F 29}	{M 33 F 30}	
19	Appendicitis	{M 1,491 F 762}	{M 13 F 7}	{M 5 F 8}	{M 9 F 6}	{M 13 F 6}	{M 14 F 8}	{M 54 F 35}	{M 105 F 86}	{M 203 F 138}	{M 222 F 124}	{M 213 F 84}	{M 159 F 56}	
20	Hernia	{M 587 F 321}	{M 63 F 27}	{M 11 F 4}	{M 2 F 1}	{M 5 F 1}	{M 1 F 1}	{M 84 F 35}	{M 8 F 2}	{M 6 F 2}	{M 15 F 3}	{M 19 F 1}	{M 14 F 3}	
21	Other diseases of the bowels	{M 1,430 F 1,137}	{M 405 F 314}	{M 187 F 144}	{M 63 F 52}	{M 29 F 29}	{M 14 F 9}	{M 698 F 548}	{M 56 F 48}	{M 35 F 34}	{M 45 F 32}	{M 50 F 33}	{M 29 F 33}	
22	Jaundice	{M 832 F 687}	{M 383 F 257}	{M 25 F 11}	{M 7 F 11}	{M 4 F 5}	{M 3 F 5}	{M 422 F 289}	{M 33 F 22}	{M 14 F 15}	{M 32 F 23}	{M 27 F 34}	{M 27 F 26}	
23	Inflammation and abscess of the liver	{M 871 F 772}	{M 54 F 45}	{M 15 F 26}	{M 16 F 16}	{M 5 F 8}	{M 6 F 9}	{M 96 F 104}	{M 26 F 13}	{M 21 F 12}	{M 20 F 26}	{M 43 F 48}	{M 45 F 32}	
24	Other diseases of the liver	{M 1,544 F 1,019}	{M 119 F 94}	{M 30 F 20}	{M 21 F 14}	{M 14 F 6}	{M 10 F 5}	{M 194 F 139}	{M 31 F 23}	{M 22 F 16}	{M 22 F 14}	{M 33 F 25}	{M 36 F 25}	
25	Peritonitis	{M 1,007 F 1,466}	{M 67 F 67}	{M 31 F 24}	{M 18 F 19}	{M 15 F 17}	{M 13 F 13}	{M 139 F 140}	{M 84 F 66}	{M 86 F 78}	{M 104 F 145}	{M 90 F 209}	{M 64 F 192}	
26	Ascites	{M 537 F 556}	{M 14 F 13}	{M 14 F 10}	{M 10 F 7}	{M 6 F 4}	{M 11 F 4}	{M 55 F 41}	{M 16 F 20}	{M 22 F 18}	{M 6 F 22}	{M 19 F 29}	{M 14 F 17}	
27	Others of this class	{M 2,522 F 2,268}	{M 1,198 F 1,015}	{M 220 F 220}	{M 65 F 71}	{M 41 F 38}	{M 21 F 33}	{M 1,545 F 1,377}	{M 71 F 66}	{M 49 F 29}	{M 37 F 26}	{M 35 F 45}	{M 46 F 36}	
28	6. Diseases of the urinary system and male organs of generation.	15,494	371	134	100	73	57	735	227	258	345	528	520	
29	Males	10,710	222	77	56	44	30	429	128	122	159	255	243	
30	Females	4,784	149	57	44	29	27	306	99	136	186	273	277	
31	Bright's disease	{M 6,612 F 8,282}							{M 71 F 58}	{M 77 F 96}	{M 103 F 119}	{M 166 F 183}	{M 173 F 191}	
32	Calculus, urinary	{M 241 F 51}	{M 10 F 5}	{M 2 F 2}	{M 2 F 3}	{M 1 F 3}	{M 1 F 1}	{M 16 F 10}	{M 9 F 2}	{M 2 F 2}		{M 3 F 3}	{M 6 F 1}	
33	Diseases of the kidney	{M 1,872 F 834}	{M 150 F 105}	{M 66 F 49}	{M 49 F 38}	{M 37 F 25}	{M 25 F 24}	{M 327 F 241}	{M 30 F 27}	{M 24 F 20}	{M 30 F 28}	{M 39 F 36}	{M 23 F 31}	
34	Diseases of the bladder	{M 895 F 112}	{M 8 F 13}	{M 5 F 5}		{M 1 F 1}	{M 2 F 1}	{M 16 F 14}	{M 1 F 1}	{M 1 F 4}	{M 2 F 4}	{M 18 F 3}	{M 6 F 5}	
35	Others of this class	{M 1,090 F 505}	{M 54 F 26}	{M 4 F 8}	{M 5 F 4}	{M 5 F 1}	{M 2 F 2}	{M 70 F 41}	{M 17 F 13}	{M 18 F 20}	{M 22 F 35}	{M 29 F 43}	{M 25 F 49}	
36	7. Diseases of the female organs of generation	1,441	5	1			1	7	1	26	106	140	152	
37	Ovarian tumors	194		1				1	1		5	13	11	
38	Ovarian diseases	45	1					1		1	3	5	6	
39	Diseases of the tubes	44	1					1			4	7	8	
40	Uterine tumors	178									2	9	9	
41	Uterine diseases	289								3	19	35	39	
42	Others of this class	691	3				1	4		22	73	71	79	

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,265	2,408	2,525	2,540	2,688	2,602	3,095	3,280	3,392	2,807	1,790	815	213	101	581	1
1,280 1,085	1,851 1,052	1,499 1,026	1,565 975	1,649 1,089	1,546 1,056	1,755 1,340	1,832 1,448	1,812 1,580	1,496 1,311	938 857	418 397	82 181	49 52	372 209	2 3
1 6	2 2	3	3	1 4	2	1 4	4	2	1	1 3	1		1	7 7	4
1,091 879	1,200 876	1,325 862	1,319 807	1,368 847	1,199 837	1,348 1,030	1,347 1,093	1,284 1,118	1,098 935	635 618	290 284	57 87	35 28	303 155	5
4 5	1 1	5 3	5	3	5 1	5 2	3 1	2 4	3 2	2 2	2 1	2	2	2 2	6
34 43	37 39	40 50	61 56	82 66	94 82	96 104	155 149	176 209	185 196	128 114	58 67	14 19	5 11	18 14	7
32 16	28 30	33 26	33 30	42 32	48 32	72 43	74 53	84 69	73 44	37 33	13 12	3 10	2 2	9 5	8
15 15	12 30	28 26	49 33	73 42	97 47	119 88	133 80	166 104	116 75	74 56	23 21	5 10	5 10	15 13	9
53 71	71 74	63 56	98 46	85 48	103 55	114 69	115 68	98 76	81 58	56 31	21 12	3 5	1 1	18 13	10
1,048	1,126	1,177	1,196	1,343	1,455	1,576	1,692	1,535	1,171	683	274	61	25	194	11
487 561	517 609	604 573	647 549	748 595	813 642	898 678	926 766	854 681	665 506	395 288	146 128	31 30	17 8	113 81	12 13
														2	14
12 11	8 7	7 4	6 10	6 8	4 12	6 2	11 7	9 7	5 2	3 7		1		1 2	15
54 76	52 80	77 80	97 78	129 98	134 113	163 131	155 159	170 180	194 105	67 59	18 29	5 5	4 1	11 8	16
36 47	47 79	77 67	68 54	86 68	103 84	111 92	133 108	114 108	96 74	56 39	18 16	2 6	3	7 8	17
20 22	28 26	30 43	31 28	33 35	31 39	45 45	39 40	51 40	34 31	16 14	7 6	2 3		6 4	18
88 45	89 37	79 35	65 29	43 23	36 22	43 16	31 10	26 9	20 8	8 2	1			6 3	19
16 11	19 13	20 22	23 34	24 38	44 34	47 24	57 84	53 82	60 18	41 5	18 9	4	3	12 3	20
33 37	38 35	29 24	28 30	43 29	57 31	46 37	53 41	61 44	55 40	40 29	22 12	5 5	5	7 10	21
22 19	22 21	18 19	19 14	30 28	41 28	21 26	26 35	29 23	24 16	16 16	7 7	1 2		1 4	22
49 60	43 48	56 44	63 63	72 45	68 46	78 65	56 69	50 54	41 38	23 20	7 7	1	2	11 3	23
40 33	80 47	83 45	103 64	125 77	150 97	151 107	185 99	126 104	79 57	33 32	7 10	2		17 5	24
50 156	46 145	44 99	53 50	40 36	36 33	43 21	30 36	41 19	24 14	16 5	5 6			12 16	25
11 21	6 27	29 25	23 28	31 35	39 37	47 36	53 43	51 58	48 48	31 29	19 13	3 1	3 1	6 6	26
36 43	39 44	55 65	63 67	86 75	70 66	97 76	92 85	73 53	45 55	45 31	17 11	5 8	2 1	14 9	27
546	631	681	755	982	1,093	1,429	1,758	1,923	1,537	863	372	74	27	160	28
271 275	316 315	393 288	464 291	638 344	775 318	1,067 362	1,352 406	1,568 355	1,301 286	723 135	313 59	59 15	21 6	108 52	29 30
182 201	246 213	302 216	353 230	431 283	564 256	740 282	880 310	953 261	727 204	356 85	134 40	20 3	6 4	63 37	31
3 1	3 2	3 5	7 4	4 3	13 3	25 2	42 4	38 5	23 4	23 3	9	7	1 1	2 3	32
49 34	29 38	50 32	57 34	75 37	95 31	145 39	187 59	219 51	241 48	150 27	59 10	18 5	4 1	16 5	33
9 2	12 8	12 3	20 5	25 4	43 9	75 8	112 8	200 13	137 14	100 7	67 2	4 2	4	11	34
28 37	26 54	26 32	27 18	53 17	60 19	82 31	131 25	153 25	153 16	99 13	44 7	10	6	11 10	35
138	167	167	172	103	67	65	52	29	22	5	4	1	1	16	36
19 7	24 5	20 4	24 4	19	13	13	13	6	7	1	1			8	37
9	8	3	1	1	1			1							38
10	21	29	24	19	16	16	14	5	1		1			2	40
33	47	20	16	14	8	18	8	8	7	4		1		9	41
60	62	91	103	50	23	16	16	9	7		2		1	2	42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NONREGISTRATION RECORD—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	5,927								27	782	1,372	1,221
2	Abortion	320								1	86	65	77
3	Childbirth	3,581								21	466	768	662
4	Puerperal septicemia	1,588								3	185	410	382
5	Extra-uterine pregnancy	48										5	17
6	Others of this class	440								2	95	124	83
7	9. Diseases of the bones and joints	1,971	548	176	109	45	56	984	142	119	110	79	68
8	Males	1,117	293	99	61	23	31	507	87	79	60	44	43
9	Females	854	255	77	48	22	25	427	55	40	50	35	25
10	Diseases of the spine	M 766 F 664	M 262 F 285	M 83 F 74	M 59 F 40	M 21 F 20	M 23 F 19	M 448 F 388	M 61 F 39	M 43 F 23	M 33 F 34	M 20 F 24	M 18 F 13
11	Abscess, lumbar and psoas	M 27 F 11	M 1 F	M 1 F	M F	M F	M F	M 2 F 1	M 1 F	M F	M 1 F	M 4 F 1	M 3 F 2
12	Diseases of the bones	M 186 F 84	M 20 F 8	M 12 F 2	M 1 F 2	M 2 F 2	M 5 F 4	M 38 F 18	M 11 F 7	M 20 F 10	M 15 F 8	M 13 F 5	M 13 F 2
13	Diseases of the hip-joint	M 59 F 40	M 3 F 5	M 1 F	M 2 F	M 1 F	M 2 F 1	M 6 F 9	M 9 F 4	M 11 F 5	M 5 F 2	M 3 F 3	M 7 F 6
14	Others of this class	M 79 F 55	M 7 F 7	M 3 F	M 1 F	M 1 F	M 1 F	M 13 F 11	M 5 F 5	M 4 F 2	M 7 F 5	M 4 F 2	M 2 F 2
15	10. Diseases of the skin	1,238	320	87	26	16	11	460	30	34	38	36	47
16	Males	692	180	46	16	8	8	258	14	18	16	19	21
17	Females	546	140	41	10	8	3	202	16	16	22	17	26
18	Abscess	M 308 F 267	M 56 F 51	M 16 F 9	M 4 F 3	M 3 F 3	M 6 F 1	M 85 F 67	M 10 F 18	M 13 F 10	M 12 F 18	M 14 F 15	M 14 F 18
19	Carbuncle	M 108 F 53	M 6 F 3	M 1 F	M 2 F	M F	M F	M 7 F 5	M 1 F	M 4 F 1	M 1 F	M 3 F	M 5 F 4
20	Others of this class	M 276 F 226	M 118 F 86	M 29 F 32	M 12 F 5	M 5 F 5	M 2 F 2	M 166 F 130	M 3 F 3	M 1 F 5	M 3 F 9	M 2 F 2	M 4 F 4
21	11. Diseases of the absorbent system	337	23	9	8	3	5	48	18	13	14	23	20
22	Males	192	18	5	4	3	2	32	11	10	8	8	12
23	Females	145	5	4	4	4	3	16	7	3	6	15	8
24	Addison's disease	M 33 F 24	M F	M F	M F	M F	M F	M F	M 1 F	M F	M 2 F 1	M 3 F 4	M 4 F 1
25	Diseases of the spleen	M 69 F 48	M 4 F 2	M 3 F 1	M F	M 3 F	M 1 F 2	M 11 F 6	M 3 F 2	M 3 F 1	M 4 F 1	M 3 F 5	M 4 F 2
26	Others of this class	M 90 F 73	M 14 F 3	M 2 F 3	M 4 F 3	M F	M 1 F	M 21 F 10	M 7 F 5	M 7 F 1	M 2 F 4	M 2 F 6	M 4 F 5
27	12. Accidents and injuries	29,864	2,360	930	885	846	573	5,594	1,792	1,642	2,532	3,009	2,497
28	Males	22,347	1,298	522	507	432	265	3,024	980	1,288	2,026	2,534	2,158
29	Females	7,517	1,062	408	378	414	308	2,570	812	404	506	475	339
30	Burns and scalds	M 1,675 F 2,552	M 138 F 97	M 269 F 206	M 317 F 262	M 279 F 311	M 123 F 235	M 1,126 F 1,111	M 167 F 517	M 47 F 160	M 84 F 184	M 42 F 117	M 32 F 64
31	Drowning	M 1,866 F 869	M 13 F 5	M 83 F 54	M 66 F 30	M 33 F 15	M 30 F 10	M 225 F 114	M 192 F 46	M 262 F 33	M 231 F 58	M 232 F 21	M 157 F 20
32	Exposure and neglect	M 342 F 329	M 180 F 195	M 24 F 17	M 8 F 11	M 2 F 8	M 5 F 7	M 219 F 238	M 2 F 8	M 7 F 2	M 14 F 14	M 4 F 12	M 6 F 9
33	Gunshot wounds	M 2,606 F 351	M 5 F 7	M 9 F 7	M 13 F 6	M 13 F 7	M 17 F 5	M 57 F 32	M 96 F 41	M 225 F 50	M 421 F 69	M 446 F 55	M 360 F 32
34	Homicide	M 1,084 F 162	M F	M 3 F 5	M 1 F 1	M 3 F 1	M 7 F 1	M 14 F 7	M 14 F 6	M 25 F 4	M 80 F 25	M 168 F 33	M 164 F 20
35	Infanticide	M 11 F 12	M 11 F 12	M F	M F	M F	M F	M 11 F 12	M F	M F	M F	M F	M F
36	Injuries by machinery	M 213 F 8	M F	M F	M 1 F	M F	M F	M 1 F 1	M 7 F 3	M 10 F	M 34 F 2	M 36 F	M 22 F 1
37	Railroad accidents	M 2,938 F 205	M 7 F	M 3 F 3	M 11 F 2	M 1 F 6	M 4 F 1	M 26 F 12	M 71 F 18	M 121 F 17	M 291 F 17	M 494 F 23	M 401 F 11
38	Suffocation	M 707 F 522	M 490 F 401	M 23 F 30	M 10 F 10	M 3 F 7	M 4 F 5	M 530 F 453	M 9 F 9	M 14 F 8	M 14 F 5	M 19 F 4	M 15 F 6
39	Suicide by shooting	M 426 F 50	M F	M F	M F	M F	M F	M F	M F	M 3 F 1	M 13 F 7	M 64 F 16	M 36 F 5
40	Suicide by drowning	M 45 F 32	M F	M F	M F	M F	M F	M F	M F	M F	M 1 F 4	M 3 F 5	M 2 F 5
41	Suicide by poison	M 210 F 100	M F	M F	M F	M F	M F	M F	M F	M 3 F 2	M 9 F 23	M 28 F 19	M 21 F 9
42	Other suicides	M 1,002 F 233	M F	M F	M F	M F	M F	M F	M 1 F	M 7 F 3	M 35 F 28	M 64 F 32	M 31 F 30
43	Sunstroke	M 237 F 52	M 6 F 6	M 5 F 1	M F	M 2 F 3	M 2 F 2	M 15 F 13	M 5 F 2	M 7 F 6	M 7 F 2	M 16 F 3	M 14 F 2
44	Surgical operations	M 112 F 178	M 9 F 4	M 3 F	M 2 F	M F	M 2 F 1	M 16 F 6	M 4 F 3	M 2 F 2	M 7 F 7	M 25 F 25	M 9 F 27
45	Wounds	M 286 F 28	M 3 F 9	M 3 F 1	M 1 F	M 8 F	M F	M 15 F 12	M 14 F 3	M 8 F 1	M 28 F	M 41 F 1	M 22 F 1
46	Others of this class	M 8,642 F 2,334	M 436 F 326	M 100 F 89	M 76 F 49	M 89 F 54	M 75 F 41	M 776 F 559	M 408 F 156	M 496 F 115	M 754 F 116	M 870 F 109	M 816 F 97



CAUSE, SEX, AND AGE.

OF DISEASES, BY AGE AND SEX: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
955	902	480	93	13	8	3	2	1	2					66	1
62	48	22	2	1										6	2
580	578	329	63	9	7	3	1	1						43	3
260	216	100	18	3			1		2					8	4
13	9	2			1									1	5
40	51	27	10											8	6
50	66	42	59	48	47	59	46	46	31	11	9	1	1	3	7
19	41	28	30	25	22	40	29	26	20	7	6	1	1	2	8
31	25	14	29	23	25	19	17	20	11	4	3			1	9
7	21	16	14	12	11	18	13	10	11	5	4			1	10
18	20	8	21	11	19	14	10	9	9	1	2			1	
3	5		1	1	1	2	1	1	1					1	11
7	8	1	1	3	1										12
6	2	4	2	7	1	12	10	6	4	2	1				
	5	3	4	1	1	1	1	1	1	1					13
4	1	2	2	1											
2	2	3	4	4	4	7	4	8	3		1	1	1		14
3	2	1	3	1	4	2	3	6	1	1					
34	46	42	46	62	54	54	68	64	42	47	15	3	4	12	15
14	25	20	27	39	32	29	47	42	27	26	8	2		8	16
20	21	22	19	23	22	25	21	22	15	21	7	1	4	4	17
11	15	14	13	26	15	9	17	16	8	9	3	1		3	18
11	17	13	10	9	11	15	14	9	7	9	3			3	
1	5	4	7	7	13	12	12	13	5	7				1	19
1	3	6	4	6	3	6	1	5	1	5			1	1	
2	5	2	7	6	4	8	18	13	14	10	5	1		4	20
8	1	3	5	8	8	4	6	8	7	7	4	1	3	4	
24	26	22	22	27	22	20	13	13	5	5				2	21
13	11	11	16	11	11	10	3	6	4	2				1	22
11	15	11	6	16	11	5	7	7	1	3				1	23
3	2	4	5	3	3	1			1					1	24
2	3	2	2	5	2					1					
4	5	4	5	3	3	9	5	2	1						25
4	7	5	4	4	5	1	2	2		1					
6	4	3	6	5	5	5	5	4	2	2					26
5	5	4	4	7	4	4	1	5	1	1				1	
1,984	1,834	1,516	1,285	1,176	894	870	713	604	549	442	207	84	38	602	27
1,712	1,568	1,299	1,134	1,016	742	718	547	414	346	230	94	37	13	517	28
272	266	217	151	160	152	152	166	190	203	212	113	47	25	35	29
34	25	20	19	20	13	12	10	12	14	22	8	3	5	20	30
64	48	30	24	32	25	33	30	35	41	33	13	8	9	19	
88	79	74	46	41	39	32	26	17	11	3	1	2	1	47	31
17	10	7	7	6	6	7	6	3	8	1				4	
6	5	4	11	7	6	11	12	6	8	7	5	3		6	32
4	7	3		2	6	1	6	4	6	2	1	3		2	
239	216	140	127	74	50	50	16	9	6	5	2	1		65	33
14	17	8	7	7	8	1	2				1			7	34
122	120	85	60	62	33	32	10	14	4	2	1			31	
10	15	11	9	3	2		2	2	3	3				7	35
24	23	15	12	14	4	3	4	1	2					1	36
344	230	180	157	161	84	103	56	43	40	28	5		2	96	37
8	10	16	9	14	7	9	10	9	5	3			1	6	
14	13	16	7	6	8	7	7	4	9	2	1	1		10	38
3	4	4	2	2	1	3	2	2	5	2				7	
36	56	54	36	38	24	19	12	14	7	1	1			12	39
3	5	4	6	2	2					1					
3	3	3	1	6	4	6	4	1	5	2				1	40
2	4	2	1	3	2	2	1	1							
26	13	29	25	22	6	15	5	4	1	1	1			1	41
13	5	9	4	3	4	4	2	1						2	
95	96	106	105	87	76	75	65	39	27	13	2	1		27	42
24	20	19	11	17	16	9	12	4	1	2	1	1		3	
18	16	14	15	22	15	15	19	19	7	2	2	3	1	5	43
2	2	4	3	4		2	2	2	2					1	
1	9	7	3	4	10	7	10	6	1	4				5	44
21	29	19	10	11	4	7	1	1	1		1		3		
21	19	18	15	17	13	14	10	9	6	1	2			13	45
2					1	1	2	2		1	1	1		1	
641	645	534	495	435	357	316	231	216	198	137	63	23	4	177	46
85	89	81	68	56	69	73	88	124	131	161	94	35	15	23	

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS CONNECTICUT.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	15,422	3,101	569	280	175	137	4,262	369	213	343	539	604
2	Males.....	7,902	1,725	294	145	91	62	2,317	174	115	173	258	326
3	Females.....	7,520	1,376	275	135	84	75	1,945	195	103	175	281	278
4	Unknown cause.....	54	23		1			24	1			3	1
5	Males.....	31	13		1			14	1			1	1
6	Females.....	23	10					10				2	
7	1. General diseases.												
8	General diseases—A.....	3,138	1,050	233	112	77	68	1,540	164	45	58	79	74
9	Males.....	1,525	547	109	56	44	32	738	76	23	26	43	38
10	Females.....	1,613	503	124	56	33	36	752	88	22	32	36	36
11	Measles.....	79	20	16	12	3	5	56	7	1		4	2
12	Scarlet fever.....	30	1	1	5	7	2	15	10	2	1		1
13	Diphtheria.....	31	1	2	5	1	5	14	14	2	1		
14	Whooping cough.....	45	30	8	2	2		42	2				1
15	Malarial fever.....	74	38	18	8	2	3	69	1				
16	Influenza.....	45	1	4	1	4	3	13		2	3	1	1
17	Typhoid fever.....	65	4	4	1	1	2	12	3		1	2	3
18	Cholera morbus.....	281	24	6	1	1	1	33	3	1	4	7	4
19	Colitis.....	363	15	7	3	2	2	27	2	4	5	5	10
20	Diarrhea.....	140	3		1	2	2	8	5	1	11	22	23
21	Dysentery.....	109	1		2	2	1	6	6	2	13	20	9
22	Enteritis.....	18	4			1		5				1	1
23	Cholera infantum.....	21	4				2	6	1			1	1
24	Fever.....	5	3					4					
25	Cerebro-spinal fever.....	17	6	1				7	1				
26	Smallpox.....	81	48	6				54	3				
27	Erysipelas.....	95	49	8	1			58					1
28	Septicemia.....	30	14	1	4	5	2	26	4	2	1	1	1
29	Venereal diseases.....	86	11	7	2	3		21	2	1	1	1	1
30	Others of this group.....	193	133	15	3	1		154	4	2	1	2	1
31	Cholera infantum.....	175	101	16	5	1		123	3	1	3		1
32	Fever.....	258	223	25	6	3		257					
33	Cerebro-spinal fever.....	243	213	22	6		2	243					
34	Smallpox.....	2											
35	Erysipelas.....	1											
36	Septicemia.....	33	14	6	4		1	25	1	1	2	1	
37	Others of this group.....	34	12	5	3	1	1	22	3				
38	Smallpox.....												
39	Erysipelas.....	26	8	2				10					1
40	Septicemia.....	19	5	1				6		1		1	
41	Venereal diseases.....	43	7			1	1	9	1	2	1	2	2
42	Others of this group.....	27	1					1		1	1	4	3
43	General diseases—B.....	16	8	1				8			1		
44	Males.....	8	5	1				6					
45	Females.....	29	1	1				2					
46	General diseases—C.....	31	1					1					
47	Males.....	214	77	8	3	3	1	92		1	1	5	7
48	Females.....	142	46	6	2	1		55		1		2	4
49	Alcoholism.....	72	31	2	1	2	1	37			1	3	3
50	Parasitic diseases.....	53										2	3
51	Lead poison.....	15										1	1
52	Other poisons.....	1											
53	Inanition.....	3											
54	General diseases—C.....												
55	Males.....	36	4	4	1			9		1			1
56	Females.....	18			1	1		2			1	2	2
57	Old age.....	49	42	2	1	1		46					
58	Premature birth.....	38	31	2			1	34					
59	Malformation.....												
60	Debility and atrophy.....	132	106	5				111	1	1			
61	Others of this group.....	112	72	3	2			77					1
62	Males.....	35	34					34					
63	Females.....	15	15					15					



TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
CONNECTICUT—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	2,520	92	45	19	12	5	173	34	35	117	212	258
2	Males	1,206	51	24	7	7	2	91	12	16	52	100	135
3	Females	1,314	41	21	12	5	3	82	22	19	65	112	123
4	Anemia	M 12 F 23	1 3	1			1 1	2 5	2		1 2	1	1 1
5	Diabetes	M 74 F 47							2 1	5	3 1	1	2 2
6	Rheumatism	M 33 F 38		1				1 1	1 2	2 1	1	1	2 1
7	Scrofula and tabes	M 15 F 11	6 3	3	1			9 4	1	1	1		1
8	Hydrocephalus	M 41 F 41	19 16	8 12	4 5	2		33 34	1 3	3	1 1		
9	Tuberculosis, general	M 8 F 5				2		2 1				1	2 2
10	Consumption	M 803 F 726	19 16	11 6	3 6	2 1	1	36 30	5 13	5 18	46 57	96 104	125 114
11	Cancer	M 186 F 369									1	1	1 2
12	Tumor	M 12 F 33							1		1	1	1
13	Dropsy	M 12 F 8		1				1 1				2	
14	Others of this group	M 10 F 13	6 1	2		1		7 4	1		1		1
15	2. Diseases of the nervous system	1,958	359	62	28	17	16	482	41	16	22	29	29
16	Males	1,012	206	30	14	7	5	262	20	11	14	14	18
17	Females	946	153	32	14	10	11	220	21	5	8	15	11
18	Inflammation of the brain	M 13 F 10	4	1	1	1	1	5 4	1	1	1		
19	Meningitis	M 132 F 145	83 66	23 18	11 9	7 6	4 7	123 106	12 17	1 2	5 1	3 4	9
20	Apoplexy	M 413 F 410	3 3					3 3	1		2 1	3 3	4 3
21	Paralysis	M 107 F 114		1			1	1 2	1 1			1	2 1
22	Paralysis, general (of insane)	M 4 F 7								1			
23	Tetanus and trismus nascentium	M 17 F 8	2 3					2 8	3	6	2		1
24	Chorea	M 2 F 2							1		1		
25	Epilepsy	M 17 F 17	2 2					2 2		1 1	2 2	2 1	1 2
26	Convulsions	M 113 F 87	102 65	5 6	3 4	3	3	110 81	1			2	2
27	Mental diseases	M 32 F 33									1	2	2
28	Diseases of the brain	M 74 F 82	9 8	1 4				10 12	2 1	1 1	1 2	3 5	1
29	Diseases of the spinal cord	M 7 F 9		1				1			1		1
30	Locomotor ataxia	M 15 F 4											
31	Others of this class	M 16 F 18	1	1				1 1					
32	3. Diseases of the circulatory system	1,293	53	4		1		58	11	17	21	22	24
33	Males	634	25	4				29	2	5	10	11	13
34	Females	659	28			1		29	9	12	11	11	11
35	Pericarditis	M 4 F 7		1				1	1	1			
36	Diseases of the heart	M 561 F 592	14 16	4				18 17	2 8	4 11	10 11	11 10	12 10
37	Angina pectoris	M 36 F 24											1 1
38	Diseases of the arteries	M 11 F 16											
39	Aneurism	M 7 F 5											
40	Embolism	M 3 F 3										1	
41	Others of this class	M 12 F 12	11 11					11 11					



## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
CONNECTICUT—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	2,212	533	169	80	43	26	851	35	29	28	41	55
2	Males	1,129	301	91	46	19	10	467	19	11	14	22	33
3	Females	1,083	232	78	34	24	16	384	16	18	14	19	22
4	Croup	34 39	5 5	9 8	12 9	8 9	6	34 37	2				
5	Pneumonia	751 718	167 134	63 58	23 20	7 12	7 9	266 233	15 11	6 14	12 12	15 15	27 17
6	Laryngitis	9 11	1 3	1 2	1		1	4 5	1 2	1	1		
7	Bronchitis	229 215	106 70	17 8	7 5	2 2	2 1	134 86	3	2 1		3 2	3 3
8	Pleurisy	25 24	1	1	1	1		2 2		1 1	1	2 2	3 1
9	Asthma	20 18	4 1					4 1					
10	Others of this class	61 58	18 18	1 1	3	1 1		23 20	1	1 2	1 1	2	1
11	5. Diseases of the digestive system	817	129	25	6	6	4	170	30	26	29	27	37
12	Males	396	72	16	2	4	3	97	17	18	15	10	17
13	Females	421	57	9	4	2	1	73	13	8	14	17	20
14	Dentition	10 12	3 10	7 2				10 12					
15	Angina	9 9	1 1	3		1		2 4	1 3	1			1
16	Gastritis	58 92	16 9	3 1		1 1		20 12	2		3	2	
17	Diseases of the stomach	22 23	3 1					3 1					1
18	Obstruction of the bowels	35 39	5 4	1		1		6 5	3 3	4	1		3 1
19	Appendicitis	36 30	1	1				1 1	5 2	3 5	6 2	5 5	3 5
20	Hernia	19 11	4					4	1	1			1
21	Other diseases of the bowels	7 2	2					2					1
22	Jaundice	7 7	2 2					2 2					1
23	Inflammation and abscess of the liver.	23 17	1	1			2	4	2		2		1
24	Other diseases of the liver	81 47	2 1			1		3 1	2	1		1	1
25	Peritonitis	42 72	6 3	2	1 3	1		10 6	5 3	4 2	5 8	4 7	6 11
26	Ascites	1 4	1					1					
27	Others of this class	41 56	25 26	2 2	1 1		1	29 29					1
28	6. Diseases of the urinary system and male organs of generation.	985	22	3	5	4	4	38	8	6	13	33	32
29	Males	576	13	2	3	4	2	24	4	3	9	15	13
30	Females	409	9	1	2		2	14	4	3	9	23	14
31	Bright's disease	421 346							4 4	3 2	7 8	13 20	17 14
32	Calculus, urinary	1 2											
33	Diseases of the kidney	40 28	10 9	2 1	3 2	4	1 2	20 14				1 2	
34	Diseases of the bladder	66 12	2				1	3					
35	Others of this class	48 21	1					1		1	2 1	1 1	1
36	7. Diseases of the female organs of generation	50									3	4	5
37	Ovarian tumors	11										1	1
38	Ovarian diseases	1											
39	Diseases of the tubes	1											
40	Uterine tumors	15											
41	Uterine diseases	5									2		
42	Others of this class	17								1	3		4

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
59	72	67	82	94	117	123	121	123	119	105	57	22	4	8	1
32	48	47	49	53	51	58	58	42	54	43	18	7		3	2
27	24	20	33	41	66	65	63	81	65	62	39	15	4	5	3
															4
28	40	42	39	37	40	46	45	29	34	17	7	4		2	5
19	22	17	24	29	44	48	44	57	39	36	22	7	3	5	6
	1		1	1	1	1			1						7
1	2	5	3	4	4	4	9	9	11	20	9	3			8
2	1		4	8	10	10	13	17	16	24	11	6	1		9
1	1		2	2	2	2	1	2	2	2	1				10
4		1		1	3	1	1	2	4			1			11
1	1			3	2	2	1	2	2	1	1				12
			1	3	3	3	1	3	2		2				13
1	4		4	6	6	3	2	5	3	3	4	1			14
2		2	4	1	5	3	4	2	3	2		1			15
22	42	36	34	56	55	44	52	48	49	32	16	6	2	4	16
10	20	17	16	23	32	20	21	23	21	9	4	3	2	1	17
12	22	19	18	33	23	24	31	25	28	23	12	3	3	3	18
															19
1	1	1							1						20
				1											21
1	2	2	3	3	7	4	6	3	2	3	1		1		22
5	5	5	5	8	8	8	7	5	7	10	6	2		1	23
1	1	2		1	1	3	3	1	2	2					24
1	1		2	3	4	3	3	1	3	2	1				25
1	2	1	3	1	3			2	3						26
1	1	2	1	4	2			7	5	2					27
1	1	1	1	1	2	2		1	2	2	2	1			28
1	2	1	1	2	3	1	3	2	1						29
				1					1	2		1			30
				2		1				1					31
4	3	1	1	2	1	2	1	3	2	4	1				32
1	1	2		1	1	3		1	3						33
1	7	7	5	10	12	7	5	8	6			1	1		34
2	2	2	5	8	5	8	4	5	2	2	2				35
4	2	1	3	1	1	1	1	2	3		1	1			36
	5	7	3	4	3		2								37
				2		1		1							38
	1	1				1									39
	2					3									40
32	46	50	64	75	85	85	104	105	87	65	30	6	2	9	41
18	27	28	30	45	41	47	67	60	67	45	19	4		5	42
14	19	22	34	30	44	38	37	45	20	20	11	2	2	4	29
17	26	24	25	38	35	35	54	40	46	25	7	1		4	30
13	17	17	32	23	37	34	33	39	17	17	9	1	1	3	31
		1						2							32
1	1	1		1	2	1	2	3	3	2	2				33
	2	3		2	2	1	2	1	1	1					34
		2	2	3	1	7	7	9	9	13	7	3			35
		1		2	2	3	3	1	1	1	2		1		36
1		3	3	3	8	4	4	8	9	5	3			1	37
4	4	7	6	2	3		2	2	2	1		1		1	38
															39
1	1	2	2			1		1	1						40
	1														41
1	1	1	2	1	1	3	2	1	2						42
2		2	2	1	1	1			1						43

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
CONNECTICUT—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	115									7	25	28
2	Abortion	9									2	1	1
3	Childbirth	21									1	6	3
4	Puerperal septicemia	55									3	13	16
5	Extra-uterine pregnancy	3											1
6	Others of this class	27									1	5	7
7	9. Diseases of the bones and joints	40				1		1	1	4	4	1	2
8	Males	24				1		1	1	2	3		2
9	Females	16								2	1	1	
10	Diseases of the spine	M 4 F 5							1	1	1		2
11	Abscess, lumbar and psoas	M 3 F											
12	Diseases of the bones	M 14 F 2				1		1		2	2	1	
13	Diseases of the hip-joint	M 2 F											
14	Others of this class	M 4 F 6								1			
15	10. Diseases of the skin	30	7	2	1			10	1		2	2	
16	Males	14	5	1				6			1		
17	Females	16	2	1	1			4	1		1	2	
18	Abscess	M 8 F 11	1	1				2			1	2	
19	Carbuncle	M 1 F						3	1		1		
20	Others of this class	M 5 F 5	4		1			4					
21	11. Diseases of the absorbent system	10		1		1		2					
22	Males	5				1		1					
23	Females	5		1				1					
24	Addison's disease	M 1 F 3											
25	Diseases of the spleen	M 2 F		1				1					
26	Others of this class	M 4 F				1		1					
27	12. Accidents and injuries	870	71	9	23	10	13	126	42	38	38	51	51
28	Males	612	38	6	14	8	8	69	21	24	29	40	47
29	Females	258	33	3	9	7	5	57	21	14	9	11	4
30	Burns and scalds	M 31 F 49	2	4	8	4	4	18		1			1
31	Drowning	M 98 F 27	1		2	1	1	4	12	12	8	6	8
32	Exposure and neglect	M 6 F 2	2	1				3	6	6	1	1	1
33	Gunshot wounds	M 18 F 4	1			1		2	1	5	6	2	
34	Homicide	M 3 F 2								1		1	
35	Infanticide	M F											
36	Injuries by machinery	M F											
37	Railroad accidents	M 116 F 20	1			1		2	2	3	2	12	17
38	Suffocation	M 24 F 18	20		2		1	22					
39	Suicide by shooting	M 12 F 1						15	1				1
40	Suicide by drowning	M 3 F 4									1		1
41	Suicide by poison	M 22 F 15								1	2	3	1
42	Other suicides	M 31 F 7								1		1	1
43	Sunstroke	M 6 F 2	1					1					
44	Surgical operations	M 4 F 1							1				
45	Wounds	M 11 F									1	2	2
46	Others of this class	M 227 F 106	11	1	2	2	3	19	5	3	10	14	15



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
23	21	7		1										3	1
2	3														2
2	4	4												1	3
13	6	1		1										2	4
	2														5
6	6	2													6
1	2	4	1	4	1	1	2	6		1	3	1			7
1	2	2	1	1	1	1	1	4			2				8
		2		3	1		1	2		1	1	1			9
				2							1				10
				1	1			1							11
1	1	2		1				3			1				12
			1			1		1							13
	1						1	1			1				14
1	1	1	2	2	1	2		2		2	1				15
	1		1	1	1	1		1		1					16
1		1	1	1	1	1		1		1	1				17
	1			1	1	1		1		1					18
			1	1	1	1		1		1					19
						1									20
1		1								1	1				21
2		2		1		3									22
1		1		1		1									23
1		1		1		2									24
						1									25
1		1				1									26
77	72	44	46	35	34	41	41	38	20	18	19	7	1	31	27
62	61	37	35	29	27	27	29	23	12	5	5	4		26	28
15	11	7	11	6	7	14	12	15	8	13	14	3	1	5	29
	1	2	4	1	2	1	2	2			1			1	30
4	3	2				2		1		2	2				31
5	9	10	8	2	4	1	2	2						5	32
1	1		1	1	1	2								2	33
1	1	1													34
	1			1				1							35
															36
16	15	3	6	6	7	4	4	2	3					12	37
3		1	1	1	1	2	2								38
	1		1			1								1	39
1	3	2	1	1	1		1			1					40
	1		1					1							41
4	1	1	2	2	1	2	2	2	1					3	42
2		2					1							1	43
6	4	2	5	2	1	1	3	4	1						44
	1			3		2		1							45
	1				1			1							46
1															47
2	1		1			2									48
26	20	15	14	11	10	13	12	10	8	4	4	4		5	49
4	4	1	1	4	2	5	9	12	7	11	12	3	1	1	50

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
CONNECTICUT—GROUP 1.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	9,725	1,943	357	170	102	85	2,657	220	137	204	330	394
2	Males.....	5,021	1,092	190	94	57	39	1,472	115	78	107	155	224
3	Females.....	4,704	851	167	76	45	46	1,185	105	59	97	175	170
4	Unknown cause.....	22	9		1			10	1				1
5	Males.....	14	6		1			7	1				1
6	Females.....	8	3					3					
7	1. General diseases.												
	General diseases—A.....	1,877	650	144	61	43	40	938	87	29	31	37	41
8	Males.....	933	350	65	30	25	19	439	45	18	15	15	20
9	Females.....	944	300	79	31	18	21	449	42	11	16	22	21
10	Measles.....	46 55	13 13	12 15	7 3	2 5	3 3	37 39	7 9		1	1	1
11	Scarlet fever.....	22 16		1 1	5 2	4 1	1 3	11 7	8 7	1 1	1		1
12	Diphtheria.....	54 51	3 2	7 6	5 7	6 8	5 4	26 27	13 16	8 6	2 1	3	1
13	Whooping cough.....	20 38	10 19	6 9		2 5		18 35	2				1
14	Malarial fever.....	27 51		3 3	1 1		2 2	3 10	8 2	2	2	1	2
15	Influenza.....	170 203	15 7	3 4	1 1	1 1	1 2	21 14	1	1 1	2 3	4 2	2 5
16	Typhoid fever.....	77 57	2		1	1	2 1	6 2	3 2	1 2	7 5	4 13	18 6
17	Cholera morbus.....	14 16	3 4			1		4 5	1			1	1
18	Colitis.....	5 11	3 3	1				4 4	1				
19	Diarrhea.....	54 46	32 23	5 5				37 28	3				
20	Dysentery.....	51 51	6 9		3 2	4 1	1	14 16	2 1	2			
21	Enteritis.....	114 125	81 69	8 15	1 3			90 88	3 2	1 1	1 2		1
22	Cholera infantum.....	176 153	156 132	14 13	4 6	1		175 153					
23	Fever.....	2											
24	Cerebro-spinal fever.....	21 17	9 8	4 2	3 1		1 1	17 12	1 1	1	1	1	
25	Smallpox.....												
26	Erysipelas.....	22 13	8 5	2 1				10 6					1
27	Septicemia.....	31 17	6			1	1	8	1	1		1	1 5
28	Venereal diseases.....	5 3	3 2					3 2			1		
29	Others of this group.....	22 21	1					1					
30	General diseases—B.....	137	58	5	2	1		66		1	1	4	4
31	Males.....	80	37	4	2			43		1		1	2
32	Females.....	47	21	1		1		23			1	3	2
33	Alcoholism.....	24 11										1	2 1
34	Parasitic diseases.....	1 1				1		1					
35	Lead poison.....	3											
36	Other poisons.....	23 13	3	2	1			6		1		1	1
37	Inanition.....	39 22	34 21	2 1	1			37 22					
38	General diseases—C.....	676	424	5				429	1	1			
39	Males.....	363	252	4				256	1	1			
40	Females.....	313	172	1				173					
41	Old age.....	94 117											
42	Premature birth.....	149 107	149 107					149 107					
43	Malformation.....	23 14	23 14					23 14					
44	Debility and atrophy.....	73 70	56 46	4 1				60 47	1	1			
45	Others of this group.....	24 5	24 5					24 5					

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
395	419	365	394	477	512	556	598	613	560	457	247	89	32	69	1
206	242	200	201	248	250	255	300	308	272	205	102	38	5	38	2
189	177	165	193	229	262	301	298	305	288	252	145	51	27	31	3
	1	1		1		1	2	1	1					2	4
	1	1						1						2	5
				1		1	2		1						6
51	39	35	30	47	52	59	92	83	91	78	35	15	3	4	7
24	21	15	17	27	25	23	44	41	39	32	15	5		3	8
27	18	20	13	20	27	36	48	42	52	46	20	10	3	1	9
1	1	1	2		1										10
1															11
1			1												12
												1		1	13
1			2		3		2	3	2	1					14
4	1	1	1	4	4	2	6	5	5	3	3				15
4	5	5	7	5	8	7	13	19	20	16	6	5			16
5	5	5	5	2	11	12	16	22	23	26	13	6	3		17
14	9	2	6	5	3		3		1					1	18
7	5	6	2	1	1		1	2	1						19
1		1		2	1	1	1	1	2	1		1			20
				1	1		1	1	1						21
			2			1	3								22
				2			4		5	1					23
		1		2	2	1	5		2	4	2				24
			3	3	3	4	4	4	3	6	1				25
2	2	1	1	2	3	6	3	3	3	5		2			26
2		1	1	1	1	1	2	2	3	3	1			1	27
3		1	4	4	1	3	3	7	6	4	1				28
															29
			1												30
				1					1						31
															32
2	1				2	1	2	3	1	1					33
					2	1	1	1	2	1					34
					2	1	1	1	1	1					35
															36
															37
															38
															39
															40
															41
															42
															43
															44
2	2	1	1		1	1	3	2	3	4	1	1	1		45

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
CONNECTICUT—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	1,628	58	27	11	7	2	105	23	19	69	125	170
2	Males	791	32	13	4	6	1	56	10	12	31	58	95
3	Females	837	26	14	7	1	1	49	13	7	38	67	75
4	Anemia (M)	9					1	1					1
	(F)	13		1				2			2	1	
5	Diabetes (M)	49							2	4	2		1
	(F)	33						1	1		1		1
6	Rheumatism (M)	15		1				1		1			1
	(F)	25							1	1		1	1
7	Scrofula and tabes (M)	7	3	1				4		1			
	(F)	3	1					1					
8	Hydrocephalus (M)	25	12	4	4	1		21	1	2			
	(F)	31	13	8	4	1		26	2		1		
9	Tuberculosis, general (M)	7				2		2				1	1
	(F)	3											2
10	Consumption (M)	544	15	6		2		23	5	4	29	56	90
	(F)	442	11	4	3			18	9	6	32	64	71
11	Cancer (M)	113											
	(F)	259											
12	Tumor (M)	7							1			1	1
	(F)	19											
13	Dropsy (M)	9		1				1				1	
	(F)	2											
14	Others of this group (M)	6	2			1		3					
	(F)	7	1	1				2			1		
15	2. Diseases of the nervous system	1,235	228	39	13	11	10	306	23	11	13	20	20
16	Males	637	130	22	10	4	3	169	12	8	9	10	13
17	Females	598	98	17	3	7	7	137	11	3	4	10	7
18	Inflammation of the brain (M)	5		1				2		1			
	(F)	6				1		1		1	1		
19	Meningitis (M)	115	45	16	7	4	3	75	7		4	2	8
	(F)	95	44	9	7	4	5	69	9	1	1	3	
20	Apoplexy (M)	260	3					3			1	1	2
	(F)	261	1					1			1	2	2
21	Paralysis (M)	65										1	
	(F)	76											1
22	Paralysis, general (of insane) (M)	1											
	(F)	4											
23	Tetanus and trismus nascentium (M)	14	2					2	2	6	1		1
	(F)	6	6					6					
24	Chorea (M)	2											
	(F)	1							1				
25	Epilepsy (M)	10	2					2			1	2	1
	(F)	7	1					1			1		
26	Convulsions (M)	81	72	4	3			79	1			1	2
	(F)	55	41	5	1	2	2	51					
27	Mental diseases (M)	16									1	1	
	(F)	22											1
28	Diseases of the brain (M)	43	4	1				5	2	1		3	
	(F)	44	5	2				7	1	1		4	1
29	Diseases of the spinal cord (M)	5									1		1
	(F)	6		1				1					
30	Locomotor ataxia (M)	11											
	(F)	2											
31	Others of this class (M)	9	1					1					
	(F)	13											
32	3. Diseases of the circulatory system	840	32	3		1		36	8	15	13	17	16
33	Males	393	14	3				17	1	5	7	9	9
34	Females	447	18			1		19	7	10	6	8	7
35	Pericarditis (M)	4								1			
	(F)	6		1				1	1	1			
36	Diseases of the heart (M)	241	9	3				12	1	4	7	9	8
	(F)	404	11			1		12	6	9	6	7	6
37	Angina pectoris (M)	25											1
	(F)	13											1
38	Diseases of the arteries (M)	9											
	(F)	12											
39	Aneurism (M)	5											
	(F)	3											
40	Embolism (M)	3										1	
	(F)	2											
41	Others of this class (M)	6	5					5					
	(F)	7	6					6					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
CONNECTICUT—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	1,418	337	113	55	22	18	545	27	16	14	28	39
2	Males.....	735	186	66	34	9	7	302	15	7	5	13	26
3	Females.....	683	151	47	21	13	11	243	12	9	9	15	13
4	Croup.....	22 18	4 1	4 6	10 3	4 2	4	22 16	2				
5	Pneumonia.....	484 445	89 86	47 31	14 13	5 9	5 6	160 145	12 8	3 8	5 7	10 11	22 10
6	Laryngitis.....	6 9	1 2	2	1		1	3 4	1 1	1	1		
7	Bronchitis.....	156 147	76 48	14 7	6 5	2	1	97 63	2	1 1		3 2	2 2
8	Pleurisy.....	13 14	1		1			1 1		1		2	2
9	Asthma.....	17 13	4 1					4 1					
10	Others of this class.....	37 37	12 12	1 1	2			15 13	1	1			1
11	5. Diseases of the digestive system.....	538	83	14	3	4	3	107	15	15	18	15	25
12	Males.....	256	48	9	1	4	3	65	9	9	9	6	13
13	Females.....	282	35	5	2			42	6	6	9	9	12
14	Dentition.....	4 8	1 7	3 1				4 8					
15	Angina.....	7 7	1 1	2		1		2 3	1 2				1
16	Gastritis.....	42 65	9 4	2 1		1		12 5				3 1	
17	Diseases of the stomach.....	15 17	3 1					3 1					1
18	Obstruction of the bowels.....	27 27	5 3	1				6 3		3	1 1	1	3
19	Appendicitis.....	18 18		1				1 1	3	3	4 1	2 3	2 3
20	Hernia.....	10 7	2					2	1				
21	Other diseases of the bowels.....	5 1	2					2					
22	Jaundice.....	5 2	1					1					1
23	Inflammation and abscess of the liver.....	17 12	1				2	3	2				1
24	Other diseases of the liver.....	53 29	2			1		3	1				1
25	Peritonitis.....	29 47	6 2	2	1	1		9 3	1 2	3 2	4 4	4 4	4 7
26	Ascites.....	3											
27	Others of this class.....	24 39	15 17	1 1	1		1	18 18					1
28	6. Diseases of the urinary system and male organs of generation.....	640	10	1	4	4	2	21	5	3	12	27	22
29	Males.....	370	6	1	2	4	1	14	3	2	6	12	12
30	Females.....	270	4		2		1	7	2	1	6	15	10
31	Bright's disease.....	276 236							3 2	2 1	5 5	11 13	12 10
32	Calculus, urinary.....	1 1											
33	Diseases of the kidney.....	23 13	5 4	1	2 2	4		12 7				1 1	
34	Diseases of the bladder.....	45 9					1	1					
35	Others of this class.....	25 11	1					1			1 1	1	
36	7. Diseases of the female organs of generation.....	33									2	1	4
37	Ovarian tumors.....	6										1	1
38	Ovarian diseases.....	1											
39	Diseases of the tubes.....	1											
40	Uterine tumors.....	11											
41	Uterine diseases.....	3									1		
42	Others of this class.....	11									1		3

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
40	48	48	54	67	82	85	78	72	67	56	35	11	4	2	1
28	33	32	31	43	35	40	36	24	27	26	12	4		1	2
17	15	16	28	24	47	45	42	48	40	30	23	7	4	1	3
															4
20	27	29	25	29	28	34	28	17	18	11	5	1			5
9	13	14	16	15	28	33	29	33	23	21	13	5	3	1	6
	1			1	1				1						7
1	2	3	2	3	2	3	6	4	5	11	6	3			8
2	1		4	7	8	8	10	11	11	8	6	2	1		9
1		1	1	1	3		1	1	2	2					10
4					3		1	2	2						11
1	1			3	2	2	1	2	2	1	1				12
				2	1	1	1	2	2	1	2				13
2	3	1	3	6	4	1	1	2	2	1	2				14
					5	3	1	1	1	1					15
14	35	27	24	40	33	33	31	33	30	21	15	4	2	1	16
															17
6	16	14	10	14	20	15	11	14	12	6	3	2	2		18
8	19	13	14	26	13	18	20	19	18	15	12	2		1	19
															20
	1	1		1					1						21
															22
1	2	2	2	3	6	3	4	2	2	1	1		1		23
3	5	5	4	7	1	3	7	3	3	7	6	1		1	24
1		1	1	1	3	2	1	1	1	1					25
	1		2	2	2	2	2	1	3		1				26
1	1	1	3	1	1	1	2	2	2	2	2	1			27
1	1	1	1	1	2			1	2						28
			1	1	2	2	1	1	2						29
	1				3	1									30
															31
															32
															33
															34
															35
															36
															37
															38
															39
															40
															41
2		2	1	1	1				1						42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
CONNECTICUT—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	72									3	17	17
2	Abortion	6											1
3	Childbirth	18									1	2	2
4	Puerperal septicemia	38									2	11	10
5	Extra-uterine pregnancy	2											1
6	Others of this class	13										4	3
7	9. Diseases of the bones and joints	22				1		1	1	2	2		2
8	Males	16				1		1	1	2	2		2
9	Females	6											
10	Diseases of the spine	4 2							1		1		2
11	Abscess, lumbar and psoas	3 3											
12	Diseases of the bones	8 8				1		1		2	1		
13	Diseases of the hip-joint	2 2											
14	Others of this class	2 1											
15	10. Diseases of the skin	18	4		1			5	1		1	1	
16	Males	7	3					3			1		
17	Females	6	1		1			2	1			1	
18	Abscess	4 3	1 1					1 1	1		1		1
19	Carbuncle	3 3											
20	Others of this class	3 3	2		1			2 1					
21	11. Diseases of the absorbent system	9		1		1		2					
22	Males	5				1		1					
23	Females	4		1				1					
24	Addison's disease	1 3											
25	Diseases of the spleen	1 1		1				1					
26	Others of this class	4 4				1		1					
27	12. Accidents and injuries	565	50	5	14	7	10	86	28	25	25	38	33
28	Males	411	28	3	10	3	5	49	17	13	22	31	31
29	Females	154	22	2	4	4	5	37	11	12	3	7	2
30	Burns and scalds	18 26	1	1	6		2	10 8		3	4		
31	Drowning	62 17	1		1		1	2 2	10 5	5 5	7	2	4
32	Exposure and neglect	5 1	1 1	1				2 1					
33	Gunshot wounds	11							1	4	1	2	
34	Homicide	3 1										1	1
35	Infanticide	1											
36	Injuries by machinery	1											
37	Railroad accidents	81 13	1			1		2	2 2	2	2	11 1	14 1
38	Suffocation	18 14	14 10		2 1		1	16 12		1			
39	Suicide by shooting	9 1											1 1
40	Suicide by drowning	3 4									1		1
41	Suicide by poison	20 9								1	1	2 2	1
42	Other suicides	21 5										1	1
43	Sunstroke	2 1	1 1					1 1					
44	Surgical operations	3 1							1				
45	Wounds	8									1	2	1
46	Others of this class	147 61	10 9	1 1	1 2	2	2 1	16 13	3	2 2	9	10 2	8



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
14	15	2		1										3	1
2	3														2
1	4	2												1	3
8	4			1										2	4
1	1														5
3	3														6
1		3	1	2	1	1		3			2				7
1		2	1	2	1	1		2			1				8
		1		1				1			1				9
				1							1				10
				1	1			1							11
1		2						1							12
			1			1									13
								1			1				14
		1			1	1		1			1				15
					1	1		1							16
		1			1			1			1				17
					1			1							18
															19
		1				1					1				20
1		2		1		3									21
1		1		1		1									22
		1			1	2									23
				1		2									24
															25
1		1				1									26
46	50	31	33	24	22	24	26	22	10	12	8	2	1	19	27
37	43	28	24	19	17	17	17	13	7	3	4	2		17	28
9	7	3	9	5	5	7	9	9	3	9	4		1	2	29
	1	2		1	1	1	1				1				30
3	1		3					1		1	1				31
4	5	7	6	2	3			2						3	32
1	1		1											1	33
1	1														34
															35
															36
8	12	3	3	2	5	4	2	1	2					6	37
2			1	1	1	2	1								38
	1		1											1	39
1	1	1	1	1	1		1			1					40
															41
4	1	1	1	2	1		2	1	1					2	42
1															43
4	4	2	3	2		1		3							44
	1			1				1							45
1					1										46
2	1					1									47
12	12	10	11	8	5	10	9	6	4	2	3	2		5	48
1	3	1	1	4	2	3	7	7	3	3	3		1		49

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
CONNECTICUT—GROUP 2.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	5,697	1,158	212	110	73	52	1,605	149	81	144	209	210
2	Males.....	2,881	633	104	51	34	23	845	59	37	66	103	102
3	Females.....	2,816	525	108	59	39	29	760	90	44	78	106	108
4	Unknown cause.....	32	14					14				3	
5	Males.....	17	7					7				1	
6	Females.....	15	7					7				2	
7	1. General diseases.												
	General diseases—A.....	1,261	400	89	51	34	28	602	77	16	27	42	33
8	Males.....	592	197	44	26	19	13	299	31	5	11	28	18
9	Females.....	669	203	45	25	15	15	303	46	11	16	14	15
10	Measles.....	33 {M F}	7 10	4 2	5 3	1 1	2 2	19 18	8	1	1	4	2
11	Scarlet fever.....	8 {M F}	1	1	3	3	1	4 7	2 7	1 1	1		
12	Diphtheria.....	67 {M F}	3 11	11 9	12 7	6 10	9 9	41 46	22 24	1 4	3	1	1
13	Whooping cough.....	25 {M F}	20 19	2 9	2 3	2	1	24 34	1				
14	Malarial fever.....	18 {M F}	1 1	1 1	1	2		5 2	1		1		1 1
15	Influenza.....	111 {M F}	9 8	3 3	2			12 13	2 2	3	2 2	3 3	2 5
16	Typhoid fever.....	63 {M F}	1 52		2	1	1	2 4	2 4		4 8	18 7	10 3
17	Cholera morbus.....	4 {M F}	1				1	1 1					1
18	Colitis.....	6 {M F}	3					3					
19	Diarrhea.....	27 {M F}	16 26	1 3	1			17 30					1
20	Dysentery.....	29 {M F}	8 2	1 3	1	1	1	12 5	2 1	1	1	1	1
21	Enteritis.....	79 {M F}	52 82	7 1	2 2	3		64 35	1 1	1	1	2	1
22	Cholera infantum.....	82 {M F}	67 81	11 9	2	2		82 90					
23	Fever.....	1 {M F}											
24	Cerebro-spinal fever.....	12 {M F}	5 4	2 3	1 2	1		8 10	2		1		
25	Smallpox.....	6 {M F}											
26	Erysipelas.....	4 {M F}							1				
27	Septicemia.....	12 {M F}	1 10					1 1		1	1	1	1 3
28	Venereal diseases.....	11 {M F}	5 3	1				5 4					
29	Others of this group.....	7 {M F}	1	1				2					
30	General diseases—B.....	77	19	3	1	2	1	26				1	3
31	Males.....	52	9	2		1		12				1	2
32	Females.....	25	10	1	1	1	1	14					1
33	Alcoholism.....	29 {M F}	4									1	1
34	Parasitic diseases.....	6 {M F}											
35	Lead poison.....	6 {M F}											
36	Other poisons.....	13 {M F}	1 5	2	1	1		3 2					1 1
37	Inanition.....	10 {M F}	8 10	1		1	1	9 12					
38	General diseases—C.....	440	261	3	2			266					1
39	Males.....	233	156	1				157					
40	Females.....	207	105	2	2			109					1
41	Old age.....	67 {M F}	86										
42	Premature birth.....	83 {M F}	83 61					83 61					
43	Malformation.....	13 {M F}	13 8					13 8					
44	Debility and atrophy.....	59 {M F}	50 42	1 2	2			51 30					1
45	Others of this group.....	11 {M F}	10 10					10 10					

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
211	219	189	206	227	242	283	340	382	355	310	181	83	15	51	1
106 105	121 93	96 93	118 88	127 100	127 115	145 143	180 160	175 207	189 166	147 163	84 97	24 59	5 10	25 26	2 3
	1	1	1	2		3	2	2	1	1				1	4
	1	1	1	1		2	2	1	1	1				1	5
				1		1		1							6
34	27	27	24	26	24	31	38	69	54	50	32	17	5	6	7
15 19	13 14	11 16	15 9	15 11	11 13	15 16	16 22	28 41	24 30	17 33	14 18	5 12	1 4	8 6	8 9
3 8	1			1		1			1						10
					1										11
1	1				1										12
												1			13
	3 1	2 2	1				1		3 1		1				14
2 5 6 6	2 3 5 6	5 3 2 5	6 5 7 2	5 8 2 1	6 8 2 1	9 7 2	8 14	17 20 1 4	10 20	10 17	7 13	3 7	2		15
															16
						1			1						17
							1			2			1		18
							3 1	1 3	1 2	2 4	3 2	1			19
1 1	1			1	1	1 3	1 5	3 5	3 4	5	3	1			20
		2 1 1	1	2		1 3	1	1 2	2 2	3			1		21
															22
															23
1		2	1	1			1	1			1				24
															25
2	1			1			1		1						26
	1			1	1		1	2		1			1		27
1 1		1 1	1	2	1			1 1					1		28
									2 2	1 2	1			1	29
3	11	8	5	7	4	3	1	1	1		1				30
3	8 3	6 2	5	6 1	4	2 1	1	1						1 1	31 32
2	7 2	4 1	3	6 1	2	1	1		1		1			1	33
															34
															35
1	1 1	2 1	2		1	1		1							36
					1				1		1				37
		2	1	1	1	4	15	17	24	39	37	24	6	2	38
		2	1	1	1	1	6	10	10	22	16	6	1	1	39
						3	9	7	14	17	21	18	5	1	40
						3	5	9	8	21	16	5	1	1	41
							7	6	13	16	18	17	5	1	42
															43
		2	1	1	1		1	1	1	1	3	1			44
							2	1	1			1			45



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
72	75	56	51	50	56	56	41	44	35	19	8	4	1	6	1
36 36	38 37	25 31	26 25	24 26	29 27	20 36	17 24	17 27	20 15	9 10	6 2	1 3	1	2 4	2 3
1				1	1	3									4
2		4	1	1	2	3	2	2	1	4	1				5
2	2	1	1	1	1	1	1	2	2				1		6
1	1	1	1	1	1	1	1	1	1			2			7
1	2				1					1					8
1		1							1						9
28 31	30 31	18 22	19 11	10 9	14 3	8 18	8 8	6 11	7 3	1 5	2			2 1	10
3 2	4 5	1 6	4 9	12 13	12 15	8 14	5 12	6 15	10 7	3 4	2 1	1 1		1 2	11
		2	2	1	2	1	1	1	2						12
						1	1	1	1	1	1				13
			1				1								14
11	11	11	24	29	41	47	73	69	73	60	34	8	2	4	15
5 6	6 5	8 3	9 15	16 13	19 22	28 19	44 29	30 39	36 37	32 28	18 16	1 7	1 1	4 1	16 17
				1	1	1	3								18
1	1		1	1	1	1	1		1			1			19
2	1	5	4	11	9	21	25	19	22	18	7		1	3	20
1	1	3	11	9	10	9	23	27	18	18	11	2	1		21
1	1		3	1	3	3	2	5	6	8	6	3			22
			1	2	5	5	3	3	5	6	1				23
			1	1			1	1		1					24
	2					1	1							1	25
								1		2		1			26
	1	1		1	1	1	5	1	1	1	3				27
	1			1	2	1		2	1	2	2				28
2 3		2	2	1	2	1	4	2	4	4	1				29
	1		1	1	5	3	2	2	10	2	1				30
						1	1	1	1						31
					1	1	1	1	1	1	1				32
1					1	1	1	2	2						33
12	12	19	18	28	24	41	56	49	58	58	19	9	1	6	34
5 7	6 6	8 11	10 8	17 11	15 9	23 18	32 24	24 25	33 20	31 27	8 11	4 5	1	2 4	35
1															36
5 5	5 6	8 9	9 7	15 11	15 7	21 17	30 22	21 23	32 17	28 25	8 10	4 4	1	2 4	37
	1		1	2		1	1	2	1	2	1	1			38
		2	1			1	2	1	1	1					39
					1			1	2	1					40
1						1		1							41





VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
CONNECTICUT—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	48									4	8	11
2	Abortion	3									2	1	
3	Childbirth	8										4	1
4	Puerperal septicemia	17									1	2	6
5	Extra-uterine pregnancy	1										1	
6	Others of this class	14									1	1	4
7	9. Diseases of the bones and joints	18								2	2	1	
8	Males	8									1		
9	Females	10								2	1	1	
10	Diseases of the spine	3								1	1		
11	Abscess, lumbar and psoas	1											
12	Diseases of the bones	6									1		
13	Diseases of the hip-joint	2										1	
14	Others of this class	2								1			
15	10. Diseases of the skin	17	3	2				5			1	1	
16	Males	7	2	1				3					
17	Females	10	1	1				2			1	1	
18	Abscess	4		1				1					
19	Carbuncle	1									1	1	
20	Others of this class	2	2					2					
21	11. Diseases of the absorbent system	1											
22	Males												
23	Females	1											
24	Addison's disease	1											
25	Diseases of the spleen	1											
26	Others of this class												
27	12. Accidents and injuries	305	21	4	9	3	3	40	14	13	13	13	18
28	Males	201	10	3	4		3	20	4	11	7	9	16
29	Females	104	11	1	5	3		20	10	2	6	4	2
30	Burns and scalds	13	1	3	2		2	8					1
31	Drowning	23	1	1	5			7	5				1
32	Exposure and neglect	36	1		1			2	2	7	1	4	4
33	Gunshot wounds	10				1		1	1	1	1		1
34	Homicide	1	1					1					
35	Infanticide									1			
36	Injuries by machinery												
37	Railroad accidents	7							1	1		1	3
38	Suffocation	6	6					6					
39	Suicide by shooting	4	3					3					
40	Suicide by drowning	3											
41	Suicide by poison	2										1	
42	Other suicides	6								1			
43	Sunstroke	10										1	
44	Surgical operations	2											
45	Wounds	4											1
46	Others of this class	1	1		1		1	3	2	1	1	4	7
		80	6			1		7	2	1	3		



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	6	5													1
															2
1		2													3
5	2	1													4
	1														5
3	3	2													6
	2	1		2			2	3		1	1	1			7
	2			1			1	2			1				8
		1		1			1	1		1		1			9
				1											10
															11
	1			1				2			1				12
								1							13
	1						1								14
		1								1		1			15
1	1		2	2		1		1		2					16
	1		1	1						1					17
1			1	1		1		1		1					18
	1			1		1		1							19
			1	1											20
1										1					21
1															22
															23
															24
															25
1															26
															27
31	22	13	13	11	12	17	15	16	10	6	11	5		12	27
25	18	9	11	10	10	10	12	10	5	2	1	2		9	28
6	4	4	2	1	2	7	3	6	5	4	10	3		3	29
					1		1	2							30
1	2	2	1			2				1	1				31
1	4	3	2		1	1	2							2	32
														1	33
				1											34
	1														35
															36
															37
8	3		3	4	2		2	1	1					6	38
1		1					1								39
	2	1													40
															41
															42
1		1	1		1			1						1	43
2			2		1		3	1							44
									1						45
									1						46
			1			1									47
14	8	5	3	3	5	3	3	4	4	2	1	2			48
3	1					2	2	5	4	3	9	3		1	49











CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24	18	24	23	28	34	52	33	34	33	25	16	2	2		1
12	11	13	10	17	17	18	16	13	9	8	10				2
12	7	11	13	11	17	34	17	21	24	17	6	2	2		3
															4
8	10	11	9	11	11	11	12	10	4	6	6				5
6	5	9	9	10	12	19	12	11	12	11			1		6
															7
1			1	5	1	1	7	2	3	1	1				8
2	1		2	1	1	1	3	7	6	4	4	1			9
1					2	1									10
1	1	1			1	2					1				11
							1								12
2	1	2		1	2	5	3	1	2	1	2				13
3		1	2	1	3	6	1	3	6	2	1	1	1	1	14
14	14	20	16	18	18	22	19	18	8	1	2	2			15
7	8	13	7	7	9	13	9	10	4		1	1			16
7	6	7	9	11	9	9	10	8	4	1	1	1			17
															18
															19
															20
															21
															22
															23
1		2	2	2	3	4	1	2	1						24
1	5	2	2	1	3	4	3								25
	1	1	1	1	2	2	2	1	1						26
		2	2	2	1	1	1	1	1						27
															28
															29
															30
															31
															32
															33
															34
															35
															36
															37
															38
															39
															40
															41
															42

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	43								1	3	12	9
2	Abortion	7										3	1
3	Childbirth	13									2	2	3
4	Puerperal septicemia	14								1	1	5	3
5	Extra-uterine pregnancy	3										1	
6	Others of this class	6										1	2
7	9. Diseases of the bones and joints	17							1	2		1	1
8	Males	8								1		1	1
9	Females	9							1	1			
10	Diseases of the spine	2								1		1	
11	Abscess, lumbar and psoas	1							1				
12	Diseases of the bones	4											1
13	Diseases of the hip-joint	1											
14	Others of this class	1											
15	10. Diseases of the skin	9	1					1					
16	Males	4											
17	Females	5	1					1					
18	Abscess	1						1					
19	Carbuncle	3											
20	Others of this class	1											
21	11. Diseases of the absorbent system	4	2					2					1
22	Males	2	1					1					
23	Females	2	1					1					1
24	Addison's disease												
25	Diseases of the spleen												
26	Others of this class	2	1					1					1
27	12. Accidents and injuries	259	23	6	6	7	5	47	12	8	12	30	22
28	Males	179	11	5	5	1	1	23	9	5	10	26	20
29	Females	80	12	1	1	6	4	24	3	3	2	4	2
30	Burns and scalds	11	1	3	4			8	2			1	1
31	Drowning	24		1	1	5	4	11	2	1	1		5
32	Exposure and neglect	29							3	2	4	9	
33	Gunshot wounds	1	1					1					
34	Homicide	10										4	1
35	Infanticide	2										3	3
36	Injuries by machinery	8											
37	Railroad accidents	6				1		1		1			
38	Suffocation	1											
39	Suicide by shooting	23						1	1	1	2	4	3
40	Suicide by drowning	2											
41	Suicide by poison	5										1	1
42	Other suicides	7										2	1
43	Sunstroke	7										1	1
44	Surgical operations	2											
45	Wounds	2	2					2					
46	Others of this class	4										1	1
		66	4	1	1		1	7	3	2	4	3	6
		20	5					5					



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
7	9	2												1
1	2													2
4	2													3
2	1	1												4
	2													5
	2	1												6
1		2	1	1	2			1	3	1				7
1		1	1		2									8
		1		1				1	3	1				9
					1									10
		1		1										11
1		1			1				1					12
										1				13
			1					1	2					14
		1		1	2	1	1	1	1					15
		1		1	1	1	1	1	1					16
		1			1	1	1		1					17
				1	1			1						18
									1					19
					1	1	1							20
							1							21
								1						22
														23
														24
							1							25
														26
18	16	14	11	13	8	12	9	11	7	3	2			4
15	12	8	8	6	6	8	7	6	4	2				4
3	4	6	3	7	2	4	2	5	3	1	2			28
1		1	1		2	1		1	1					30
2		2	1	1										1
														31
1		1		1		1								3
	1		1	1										33
	2	1		1										34
														35
2	3		2			2		2						36
				1				1						37
									1					38
	1	3		1	1									39
					1			1						40
3		1				1				1				41
1	1	2	1	1										42
	1	1	2		1			1	1					43
1														44
2														45
5	6	1	3	5	3	4	5	4	4	1				46
	1	1		2		3	2	2	1	1	2			

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MAINE.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	12,148	1,946	408	187	125	88	2,754	265	162	364	445	489
2	Males	6,292	1,085	215	93	70	41	1,504	138	80	186	209	200
3	Females	5,856	861	193	94	55	47	1,250	127	82	178	236	289
4	Unknown cause	220	103	6	5	2	1	117	4	2	10	2	5
5	Males	131	59	3	3	1	1	67	2	2	8	1	3
6	Females	89	44	3	2	1		50	2		2	1	2
7	1. General diseases.												
	General diseases—A	1,788	659	142	65	52	36	954	87	39	56	59	46
8	Males	973	362	76	33	33	21	525	50	17	34	34	32
9	Females	815	297	66	32	19	15	429	37	22	22	25	14
10	Measles	M 23 F 27	9 5	6 9	2 2	1 1	1 1	19 17	2 1		1 1		1 1
11	Scarlet fever	M 37 F 17	5 1	3 3	1 3	8 1	5 1	22 9	10 7	1 1	2		
12	Diphtheria	M 55 F 48	4 2	8 8	8 11	8 5	9 2	37 28	13 10	2 6	3 1	2	
13	Whooping cough	M 47 F 50	32 30	5 8	4 3	3 4	3 2	44 47					
14	Malarial fever	M 11 F 5	1					1			1		
15	Influenza	M 116 F 129	14 13	5 2	3 1	1 1	1 1	24 18	3 2	1 1	1 2	3 1	3 1
16	Typhoid fever	M 128 F 72	1	1		1 1	1 1	3 3	9 3	7 9	20 11	24 10	26 7
17	Cholera morbus	M 33 F 18	7 4	8	1 2	2		18 6	4 3	2 1		1	
18	Colitis	M 5 F 9	3 4	1				3 5				1	
19	Diarrhea	M 44 F 31	16 10	2 1			1	17 13	3 2	2 1		1	
20	Dysentery	M 32 F 42	13 14	4 9	1 3	3 1	1 1	22 27	3	1			1 1
21	Enteritis	M 67 F 70	35 37	9 5	2 1	1 1	1	48 43	3 1		1 1	1 1	1 1
22	Cholera infantum	M 246 F 194	211 165	23 16	7 4	3 5	1 3	245 193					
23	Fever	M 1 F 2	2					2			1		
24	Cerebro-spinal fever	M 25 F 19	7 2	4 1	2 2	2 2	1 1	14 8	1 4		1 3	2 1	1 1
25	Smallpox	M 5 F									1		
26	Erysipelas	M 16 F 10	1 4			2		3 4			1		
27	Septicemia	M 43 F 42	2	1	2		1	4 2	1 1	1	2 1	2 6	2 4
28	Venereal diseases	M 1 F 2									1		1
29	Others of this group	M 38 F 28	1 4					1 4	1			1	
30	General diseases—B	118	57	4	1	2	1	65	2			3	4
31	Males	71	32	3			1	36				2	1
32	Females	47	25	1	1	2		29	2			1	3
33	Alcoholism	M 12 F 3										1	
34	Parasitic diseases	M 1 F				1		1					
35	Lead poison	M 1 F											
36	Other poisons	M 17 F 7		2		1	1	2 2		2		1 1	1 2
37	Inanition	M 42 F 36	32 25	1 1			1	34 26					1
38	General diseases—C	1,097	361	10	2			373			1	1	1
39	Males	556	198	6	1			205			1		1
40	Females	541	163	4	1			168				1	
41	Old age	M 313 F 340											
42	Premature birth	M 104 F 94	104 94					104 94					
43	Malformation	M 12 F 10	12 10					12 10					
44	Debility and atrophy	M 118 F 89	78 51	6 4	1 1			80 56			1		1
45	Others of this group	M 9 F 8	9 8					9 8					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	2,193	83	28	10	8	10	139	28	39	141	187	191
2	Males	965	43	16	5	2	3	69	14	11	59	75	77
3	Females	1,228	40	12	5	6	7	70	14	28	82	112	114
4	Anemia	M 24 F 33	7 7					7 7			1 2	2 1	3 3
5	Diabetes	M 50 F 49					1	1	2	3	5	1	3
6	Rheumatism	M 20 F 14	1 1					1 1		1			1
7	Scrofula and tabes	M 21 F 25	10 5	2				12 5			6		1 2
8	Hydrocephalus	M 35 F 43	10 18	7 7	3 2	1	1	22 31	5 2	3 2	1 2	1 1	1 2
9	Tuberculosis, general	M 25 F 17		1				1 1	1 1	2 2	2 3	1 1	6 1
10	Consumption	M 524 F 621	10 6	5 4	1 3	1	2	17 19	5 8	3 18	49 66	70 102	62 96
11	Cancer	M 219 F 362	1			1	1	2 1	1			1 2	2 6
12	Tumor	M 8 F 25			1			1 2			1		1
13	Dropsy	M 33 F 35	1	1				2 1	1	2		1	
14	Others of this group	M 6 F 4	3 1				1	4 1				1	1
15	2. Diseases of the nervous system	1,827	219	67	32	15	14	347	33	18	21	29	37
16	Males	939	131	34	17	8	7	197	18	10	11	14	17
17	Females	888	88	33	15	7	7	150	15	8	10	15	20
18	Inflammation of the brain	M 27 F 11	5 3	2 2	2	1	2	12 5	1 2	1	1	1	1 2
19	Meningitis	M 146 F 130	62 41	15 17	8 12	4	2	91 82	13 12	5 4	7 5	4 5	6 4
20	Apoplexy	M 289 F 313	4 3	1 3		1		6 6			1	1	4 4
21	Paralysis	M 182 F 176	2 2	1	1		1	5 2	1		1		3
22	Paralysis, general (of insane)	M 18 F 5											
23	Tetanus and trismus nascentium	M 8 F 1	1	1			1	3				1	1
24	Chorea	M 1 F 1					1	1					
25	Epilepsy	M 17 F 9	1 1	1				1 2			1		1 1
26	Convulsions	M 67 F 48	47 29	10 9	6 1	1		64 39	1	1		1	1 1
27	Mental diseases	M 53 F 78							1		1	7 4	1 2
28	Diseases of the brain	M 96 F 77	9 9	4 1		1	1	15 13	1	2 3		1 2	3 1
29	Diseases of the spinal cord	M 13 F 12								1		1	
30	Locomotor ataxia	M 8 F 4											
31	Others of this class	M 15 F 23											2
32	3. Diseases of the circulatory system	1,267	52	1	1	1	2	57	10	9	17	20	5
33	Males	708	22	1	1		1	35	5	4	7	5	1
34	Females	559	20			1	1	22	5	5	10	15	4
35	Pericarditis	M 9 F 6				1		1	1		1		
36	Diseases of the heart	M 625 F 503	20 15	1	1		1	23 16	4 5	4 5	6 9	4 13	4 4
37	Angina pectoris	M 45 F 35											1
38	Diseases of the arteries	M 5 F 5											
39	Aneurism	M 5 F 1									1	1	
40	Embolism	M 6 F 4										1	
41	Others of this class	M 13 F 5	12 5					12 5					





CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
38	48	49	42	39	74	94	89	138	118	110	63	12	4	4	1
22	25	29	22	16	36	45	53	63	65	53	24	2	2	2	2
16	23	20	20	23	38	49	36	75	53	57	39	10	2	2	3
															4
19	22	25	17	14	32	36	39	50	48	39	19	1	1		5
9	17	19	16	15	33	40	29	58	38	45	26	6	1		6
															7
4		1	2	3	1	2	4	8	11	9	4	1	1	2	8
		1	2	3	3	5	2	9	9	6	11	2	1		9
1	1			2	2	1	1	1	2	2					10
			1		1	3	5	1	1	1	1				11
8	8	8	2	2	1	4	4	4	6	3	3	1		2	12
2	5		2	2	1	3	5	6	3	3	1				13
15	19	27	26	28	31	45	72	45	38	26	11	3		1	14
8	7	11	11	14	15	20	38	19	17	16	8	2			15
7	12	16	15	14	16	25	34	26	21	10	3	1		1	16
															17
															18
2	1	1	1	1	1	2	6	6	5	2	1	1			19
	1	5	1	2	4	3	7	8	6	3	1				20
	1	1	1	1	3	3	5	1	2	1	1				21
	1			1	1	1	2	2	2	1					22
2	2	1		5	4	1	2	2	4	2					23
		2		2	2	1	1	1	1	2					24
	1	2	2	1	1	1	3		1	1					25
1		1	1	1	2	1	2	2	2	2	4				26
1				2	2	2	2	1	1						27
		1		1	1	1	1			2					28
						1	1	1	2		1				29
	1			3	1	1	3	1	2	2	1				30
			2	2	1	4	4	2	2	2	1				31
	4	4	4	3	2	7	13	7	2	3	1				32
	2	2	1	4	4	5	6	4	3	1					33
2	3	5	1	1	1	2	2	1	1	1					34
6		6	7	3	2	6	4					1		1	35
															36
			1		1	2	2	1							37
						1	1	4	1	1					38
1	1	1	1	2	1	1	2	1	3	1	1				39
25	22	35	32	39	62	65	88	89	84	45	33	9	1	4	40
9	4	13	12	25	37	38	58	69	67	34	27	6		4	41
16	18	22	20	14	25	27	30	20	17	11	6	3	1		42
8	2	11	8	20	28	31	44	38	46	15	9	2		2	
13	12	16	15	11	22	20	25	15	13	11	4	2	1		
					1			1	2						
1	1				1		3	5	5	2	5				
2		1		1	2		2	1	2						
		1		1	1	1	9	10	8	8	5	2		1	
				1	1	2		1		1	1				
1	1	1	4	4	6	5	2	15	6	9	8	2		1	
	6	5	5	2	2	3	3	3	2	1	1	1			
3	2	1	3	3	4	2	1	1		1		1			
1			1	1	2	2		1							
	1														
1	1			2	2					1					
1															
		1	2				1					1			

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MAINE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	88								1	8	22	19
2	Abortion	5										2	1
3	Childbirth	34									2	8	7
4	Puerperal septicemia	35								1	5	9	6
5	Extra-uterine pregnancy												
6	Others of this class	14									1	3	5
7	9. Diseases of the bones and joints	30		1	1	1	1	4	1		4	5	1
8	Males	18		1		1	1	3			3	4	1
9	Females	12			1			1	1		1	1	
10	Diseases of the spine	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 7 7		1		1		$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 2 1				2	1
11	Abscess, lumbar and psoas	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$											
12	Diseases of the bones	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 5 4					1	1		1		1	
13	Diseases of the hip-joint	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 5 1									1	1	
14	Others of this class	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 1										1	
15	10. Diseases of the skin	22	3					3		1		2	2
16	Males	15	1					1		1		2	2
17	Females	7	2					2					
18	Abscess	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 10 5	1					1		1		1	2
19	Carbuncle	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 2											
20	Others of this class	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 3 2		2				2				1	
21	11. Diseases of the absorbent system	11											
22	Males	4											
23	Females	7											
24	Addison's disease	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 3 1											
25	Diseases of the spleen	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 2											
26	Others of this class	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 1 4											
27	12. Accidents and injuries	560	36	9	6	9	2	62	23	22	39	38	50
28	Males	394	27	4	4	6		41	19	19	31	32	38
29	Females	166	9	5	2	3	2	21	4	3	8	6	12
30	Burns and scalds	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 17 24	1	1	3	2		7	2	2	2	2	2
31	Drowning	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 95 17		1	1	1		3	12	12	12	11	9
32	Exposure and neglect	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 2 2		1				1					
33	Gunshot wounds	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 17 2					1	1	1	1	5	2	1
34	Homicide	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 4 4					1	1	1			1	1
35	Infanticide	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$											
36	Injuries by machinery	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 4									1		
37	Railroad accidents	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 34 4								2	4	5	7
38	Suffocation	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 15 8	13					13			1		1
39	Suicide by shooting	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 17										2	2
40	Suicide by drowning	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 3 5											
41	Suicide by poison	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 8 8									1		1 2
42	Other suicides	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 28 6										4	1
43	Sunstroke	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 2 2		1				1		1			
44	Surgical operations	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 1 7										1	1
45	Wounds	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 4										1	
46	Others of this class	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 143 77	13 6	1 1		3		17 7	3 1	3 2	9	6 1	16 2



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
20	6	10	1	1											1
2															2
6	3	8													3
9	3	1		1											4
3		1	1												5
1		3	1	1		3	2	1	2			1			6
1		2		1		1	2		2						7
		1	1			2	2	1				1			8
						1			1						9
		1				1	2	1				1			10
				1					1						11
			1			1									12
1		2													13
															14
1	2	2	1	2	1		2	1	2						15
	1	1	1	2	1		1	1	1						16
	1	1	1		1		1		1						17
1	1	1	1		1		1	1	1						18
	1			1											19
				1			1								20
3		1			1		1	5							21
2					1			1							22
1		1					1	4							23
1					1			1							24
								1							25
1							1	2							26
29	33	37	24	23	23	26	32	17	28	17	13	8	1	5	27
21	30	31	16	20	15	15	22	12	15	4	6	4		3	28
3	8	6	3	8	8	11	10	5	13	13	7	4	1	2	29
	1	1					2		2						30
3	2					1	1			1	1				31
5	8	6	1	3	6	1	2	2						2	32
1	1	2	1	1			1								33
3				1								1			34
	4														35
	1	1													36
								2							37
2	4	2	1		1	4			1		1				38
							1		1	2					39
	2													2	40
	1	3	2	2	2	2	1								41
			1	1		1	1	1							42
	1	1		1	1	1		2						1	43
	1	1			1	1			1						44
2	2	3	6	5	1		3		1		1				45
1			2			1	1								46
9	5	15	5	9	3	7	11	5	9	4	4	3			47
2	3		2	6	5	7	6	3	10	10	6	3	1		48

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MAINE—GROUP 1.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	8,439	1,310	271	122	93	59	1,855	182	98	223	807	302
2	Males.....	4,425	748	147	57	51	26	1,029	97	51	124	148	142
3	Females.....	4,014	562	124	65	42	33	826	85	47	99	159	160
4	Unknown cause.....	119	51	5	3		1	60	1	1	1	2	3
5	Males.....	71	29	2	2		1	34		1	1	1	3
6	Females.....	48	22	3	1			26	1			1	
7	1. General diseases.												
8	General diseases—A.....	1,189	400	78	38	33	23	577	55	24	28	98	38
9	Males.....	621	226	41	19	23	12	321	31	12	18	25	23
10	Females.....	518	174	37	19	15	11	256	24	12	10	13	10
11	Measles.....	M 9 F 8	M 4 F 1	M 1 F 5	M 1 F 1	M 1 F 1	M 1 F 1	M 6 F 7	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
12	Scarlet fever.....	M 19 F 6	M 2 F 2	M 2 F 1	M 1 F 1	M 5 F 5	M 2 F 2	M 12 F 2	M 4 F 3	M 1 F 1	M 2 F 2	M 1 F 1	M 1 F 1
13	Diphtheria.....	M 48 F 38	M 3 F 1	M 8 F 7	M 6 F 8	M 8 F 4	M 8 F 2	M 33 F 22	M 12 F 9	M 2 F 4	M 1 F 1	M 1 F 1	M 1 F 1
14	Whooping cough.....	M 35 F 35	M 26 F 21	M 1 F 5	M 3 F 3	M 2 F 4	M 1 F 1	M 32 F 34	M 1 F 1				
15	Malarial fever.....	M 6 F 3	M 1 F 1					M 1 F 1					M 1 F 1
16	Influenza.....	M 78 F 85	M 4 F 5	M 2 F 1	M 1 F 1	M 1 F 1		M 8 F 6	M 2 F 2		M 1 F 1	M 2 F 1	M 2 F 5
17	Typhoid fever.....	M 82 F 44					M 1 F 1	M 1 F 2	M 4 F 5	M 7 F 5	M 10 F 6	M 16 F 5	M 19 F 5
18	Cholera morbus.....	M 17 F 10	M 6 F 1	M 1 F 1	M 1 F 1			M 8 F 1	M 2 F 2	M 1 F 1			
19	Colitis.....	M 3 F 7	M 2 F 3	M 1 F 1				M 2 F 4				M 1 F 1	
20	Diarrhea.....	M 29 F 23	M 14 F 9	M 1 F 1			M 1 F 1	M 15 F 11	M 2 F 1	M 2 F 1		M 1 F 1	
21	Dysentery.....	M 15 F 14	M 6 F 2	M 1 F 1		M 2 F 2	M 1 F 1	M 9 F 4	M 2 F 2				M 1 F 1
22	Enteritis.....	M 50 F 59	M 23 F 33	M 4 F 4	M 1 F 1	M 1 F 1	M 1 F 1	M 35 F 38	M 2 F 1		M 1 F 1	M 1 F 1	M 1 F 1
23	Cholera infantum.....	M 151 F 111	M 125 F 92	M 20 F 10	M 3 F 2	M 2 F 4	M 3 F 3	M 150 F 111					
24	Fever.....	M 12 F 12	M 4 F 4		M 2 F 2	M 2 F 2	M 1 F 1	M 6 F 5	M 4 F 4		M 1 F 1	M 2 F 2	
25	Cerebro-spinal fever.....	M 12 F 12	M 4 F 4					M 6 F 5	M 4 F 4		M 1 F 1		
26	Smallpox.....	M 3 F 3									M 1 F 1		
27	Erysipelas.....	M 7 F 7	M 3 F 3			M 1 F 1		M 1 F 3					
28	Septicemia.....	M 30 F 31	M 1 F 1	M 1 F 1	M 1 F 1		M 1 F 1	M 2 F 2	M 1 F 1		M 2 F 2	M 2 F 3	M 2 F 3
29	Venereal diseases.....	M 1 F 1											M 1 F 1
30	Others of this group.....	M 26 F 24	M 4 F 4					M 4 F 4	M 1 F 1			M 1 F 1	
31	General diseases—B.....	88	47	4		1	1	53	1			3	2
32	Males.....	55	29	3			1	33				2	
33	Females.....	33	18	1		1		20	1			1	2
34	Alcoholism.....	M 10 F 3										M 1 F 1	
35	Parasitic diseases.....	M 7 F 7											
36	Lead poison.....	M 1 F 1											
37	Other poisons.....	M 9 F 4		M 2 F 2				M 2 F 1	M 1 F 1			M 1 F 1	M 1 F 1
38	Inanition.....	M 36 F 26	M 29 F 18	M 1 F 1			M 1 F 1	M 31 F 19					M 1 F 1
39	General diseases—C.....	751	264	7	1			272			1		
40	Males.....	384	144	4	1			149			1		
41	Females.....	367	120	3				123					
42	Old age.....	M 211 F 221											
43	Premature birth.....	M 73 F 66	M 73 F 66					M 73 F 66					
44	Malformation.....	M 6 F 7	M 6 F 7					M 6 F 7					
45	Debility and atrophy.....	M 85 F 67	M 56 F 41	M 4 F 3	M 1 F 1			M 61 F 44			M 1 F 1		
46	Others of this group.....	M 9 F 6	M 9 F 6					M 9 F 6					

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
265	278	289	300	337	426	531	602	667	673	574	331	135	39	30	1
121	135	139	138	171	225	279	335	377	361	299	178	49	14	12	2
144	143	150	162	166	201	252	266	290	312	275	153	86	25	18	3
2	2	4	4	4	5	3	4	6	3	5	3	3		3	4
2	1	3	1	4	3	3	2	4	2	2	2	2		2	5
	1	1	3		2		2	2	1	3	3	1		1	6
18	20	22	25	16	23	24	45	42	40	56	31	16	1	5	7
10	12	8	14	11	14	7	29	20	15	25	16	7		3	8
8	8	14	11	5	9	17	16	22	25	31	15	9	1	2	9
		1													10
	1														11
									1						12
		1	1					1							13
				1	2	1	1								14
		2													15
1	2	1	1	1	3	1	10	9	10	15	11	2		1	15
	3		1	2	2	5	6	12	12	17	7	7	1		16
5	6	4	3	4	1		1	1						1	17
5	3	2	4	4	2	1	2	2			1				18
	1		2												19
										1					20
															21
															22
															23
															24
															25
1															26
															27
															28
															29
															30
															31
															32
															33
															34
															35
															36
															37
															38
															39
															40
															41
															42
															43
															44
2	1	1		1	1		5	2	6	5	1	2	1	2	45
				2	2		1		3	5	2				

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MAINE—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	1,584	64	19	6	6	7	102	21	23	98	183	184
2	Males	696	34	9	3	1	2	49	11	10	47	53	55
3	Females	888	30	10	3	5	5	53	10	13	51	80	79
4	Anemia	(M) 15 (F) 20	7					7			1	1	2
5	Diabetes	(M) 34 (F) 38							1	2	4	3	3
6	Rheumatism	(M) 14 (F) 12	1					1		1			1
7	Scrofula and tabes	(M) 16 (F) 15	9	2				11					
8	Hydrocephalus	(M) 21 (F) 32	5	4	1	1	1	12	5	2	1	1	1
9	Tuberculosis, general	(M) 19 (F) 10		1				1	1	2	1	1	3
10	Consumption	(M) 386 (F) 425	8	2	1	4	2	11	3	3	40	52	47
11	Cancer	(M) 159 (F) 247	1			1	1	2	1				1
12	Tumor	(M) 8 (F) 18		2	1			1			1		1
13	Dropsy	(M) 19 (F) 18			1			1				1	
14	Others of this group	(M) 5 (F) 3	3					3				1	1
15	2. Diseases of the nervous system	1,830	165	51	26	11	10	263	26	9	15	23	24
16	Males	696	106	26	12	6	5	155	14	4	7	11	14
17	Females	634	59	25	14	5	5	108	12	5	8	12	10
18	Inflammation of the brain	(M) 24 (F) 8	4	2	2	1	1	10	1		1	1	1
19	Meningitis	(M) 111 (F) 100	51	11	5	4	2	73	10	2	5	2	5
20	Apoplexy	(M) 224 (F) 231	4	1				5					3
21	Paralysis	(M) 118 (F) 109	1		1			2	1				1
22	Paralysis, general (of insane)	(M) 13 (F) 3									1		
23	Tetanus and trismus nascentium	(M) 8 (F) 1	1	1			1	3				1	1
24	Chorea	(M) 1 (F) 1											
25	Epilepsy	(M) 11 (F) 7	1	1				1					1
26	Convulsions	(M) 53 (F) 30	37	8	4	1		50	1	1		1	1
27	Mental diseases	(M) 43 (F) 67									1	6	2
28	Diseases of the brain	(M) 67 (F) 48	7	3		1	1	11	1	1	1	1	3
29	Diseases of the spinal cord	(M) 10 (F) 8						7		2			1
30	Locomotor ataxia	(M) 6 (F) 3											
31	Others of this class	(M) 8 (F) 19											2
32	3. Diseases of the circulatory system	893	29			1	1	31	8	3	15	10	5
33	Males	493	15				1	16	3	1	5	3	1
34	Females	400	14			1		15	5	2	10	7	4
35	Pericarditis	(M) 6 (F) 4				1		1			1		
36	Diseases of the heart	(M) 438 (F) 361	10				1	11	3	1	4	3	4
37	Angina pectoris	(M) 34 (F) 26						12	5	2	9	6	1
38	Diseases of the arteries	(M) 3 (F) 4											
39	Aneurism	(M) 3 (F) 1									1		
40	Embolism	(M) 4 (F) 2										1	
41	Others of this class	(M) 5 (F) 2	5					5					2





CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
28	40	33	29	28	52	66	60	98	91	80	52	5	3	3	1
15 13	22 18	20 13	18 11	11 17	24 28	31 35	38 22	42 56	47 44	38 42	19 33	5	2 1	1 2	2 3
14 6	19 12	18 13	14 9	9 10	21 26	25 28	29 18	33 42	34 33	29 33	15 23	3	1		4
4			1	2	1	1	3	5	8	6	3		1	1	5
1	1		2	2	2		1	1	1	2					6
						2	2								7
1 2	3 5	2	2 1	2		3 3	3 2	3 5	5 2	1 2	1 1				8
7	16	20	16	23	25	29	44	32	28	18	8	1		1	9
3 4	6 10	8 12	7 9	12 11	14 11	13 16	22 22	14 18	14 14	11 7	5 3	1		1	10
															11
	1 1	1 4	1 1	1 2		1 2	5 3	5 4	5 5	1 2	1 1				12
	1 1				2	1	3	1	2	1	1				13
1	1	1 2		4 2	4 2	1 1	2 1	2 3	2	1					14
	1	1 1	1 1	1		1			1	1 1					15
		1		1	2		2			2	3				16
	1				1		1	1	2		1				17
															18
															19
															20
															21
															22
	1				1	1	1	1	2		1				23
			2 2	3 3	1	1 3	2 3	1 2	1	2 1					24
	1 3 1		3 3	3	2 3	6 4	5 4	5 4	2 2	3					25
2 4	3	5 4	2	1 2	1 2	2 3	1 4	1	1			1		1	26
			1			1	1	1		1					27
	1		1	2	1		1 2	1	1	1	1				28
19	15	29	25	34	46	52	66	69	68	32	24	9	1	1	29
7 12	2 13	11 18	10 15	21 13	28 18	33 19	44 22	53 16	49 14	22 10	20 4	6 3	1	1	30
6 9	1 8	9 14	7 11	16 10	21 16	26 16	39 20	30 11	37 11	10 10	6 3	2 2	1		31
								1	2						32
1 2		1		1		1	2	4 1	3 2	2	4				33
		1		1	1	2	3	7 1	5	5	5	2		1	34
1	1 5	1 3	3 4	4 2	5 1	5 2	1	11 3	2 1	5	5 1	2 1			35
3	1	1	3	2	4	1	1			1		1			36
1			1		2	1									37
	1														38
															39
1				2	2					1					40
1															41
		1	2				1					1			42

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MAINE—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	46									8	13	10
2	Abortion	8										2	
3	Childbirth	16										8	4
4	Puerperal septicemia	19									2	6	8
5	Extra-uterine pregnancy												
6	Others of this class	8									1	2	3
7	9. Diseases of the bones and joints	22		1	1	1		3			3	4	1
8	Males	14		1		1		2			2	3	1
9	Females	8			1			1			1	1	
10	Diseases of the spine	{M- F- 5 5		1		1		2 1 1				1	1
11	Abscess, lumbar and psoas	{M- F-											
12	Diseases of the bones	{M- F- 4 2									2	1	
13	Diseases of the hip-joint	{M- F- 4 1									1	1	
14	Others of this class	{M- F- 1 1										1	
15	10. Diseases of the skin	14	2					2				1	
16	Males	9										1	
17	Females	5	2					2					
18	Abscess	{M- F- 4 3											
19	Carbuncle	{M- F- 2 2											
20	Others of this class	{M- F- 3 2						2				1	
21	11. Diseases of the absorbent system	7											
22	Males	4											
23	Females	3											
24	Addison's disease	{M- F- 3 1											
25	Diseases of the spleen	{M- F- 1 1											
26	Others of this class	{M- F- 1 1											
27	12. Accidents and injuries	383	27	6	2	6	1	42	15	12	21	26	34
28	Males	267	20	3	1	5		29	12	10	19	23	24
29	Females	116	7	3	1	1	1	13	3	2	2	3	10
30	Burns and scalds	{M- F- 10 15			1	1		2 3	2 2				2
31	Drowning	{M- F- 61 11		1		1		2 1	7 1	7 1	8 1	7 1	6 1
32	Exposure and neglect	{M- F- 1 1											
33	Gunshot wounds	{M- F- 11 1								1	4	1	
34	Homicide	{M- F- 2 4					1	1	1			1	1
35	Infanticide	{M- F-											
36	Injuries by machinery	{M- F- 1 1											
37	Railroad accidents	{M- F- 28 3									4	4	7
38	Suffocation	{M- F- 11 5	9					9			1		
39	Suicide by shooting	{M- F- 15 1										2	1
40	Suicide by drowning	{M- F- 2 4											
41	Suicide by poison	{M- F- 6 2											1 1
42	Other suicides	{M- F- 18 4										2	1
43	Sunstroke	{M- F- 2 2		1				1		1			
44	Surgical operations	{M- F- 6 6										1	1
45	Wounds	{M- F- 3 3										1	
46	Others of this class	{M- F- 96 59	11 6	1 1		3		15 7	2	1 1	3	5 1	9 2



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
9	5	5	1											1
1														2
1	3	5												3
6	2													4
1			1											5
1		3	1	1		1	1	1	1			1		7
1		2	1	1		1	1	1	1			1		8
		1				1	1	1				1		9
		1					1	1				1		10
			1	1					1					11
1		2												12
														13
														14
1	1	1	1	2	1		2	1	1					15
	1	1	1	2	1		1	1						16
		1	1		1		1	1	1					17
1							1	1	1					18
	1			1										19
				1			1							20
2					1		1	3						21
2					1		1	2						22
1					1			1	1					23
								1						24
1														25
							1							26
20	22	28	21	23	19	19	23	14	13	11	12	4	1	3
15	16	22	15	16	13	10	16	10	7	1	6	2		1
5	6	6	6	7	6	9	7	4	6	10	6	2	1	2
	1	1					2		2					
2	2					1	1			1	1			
2	3	4	1	3	6	1	1	2						1
1		2	1	1										
								1						
3	2													
	1	1												
							1							
2	3	1	1		1	4	1		1	1	1			
	2													
	1	3	1	2	2	2	1							2
			1	1		1	1	1						
		1			1			2	1					
	2	1	6	3	1		2				1			
			2			1								
								1	1					
1		2			1									
			1									1		
8	2	11	5	8	2	3	8	4	4	1	4	1		
1	3		1	5	5	6	5	2	4	8	5	2	1	

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MAINE—GROUP 2.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	3,709	686	187	65	82	29	899	83	69	141	138	137
2	Males .....	1,867	337	68	36	19	15	475	41	29	62	61	58
3	Females .....	1,812	299	69	29	13	14	424	42	40	79	77	79
4	Unknown cause .....	101	52	1	2	2		57	3	1	9		2
5	Males .....	60	30	1	1	1		33	2	1	7		
6	Females .....	41	22		1	1		24	1		2		2
7	<b>I. General diseases.</b>												
	General diseases—A .....	649	259	64	27	14	13	377	32	15	28	21	13
8	Males .....	352	136	35	14	10	9	204	19	5	16	9	9
9	Females .....	297	123	29	13	4	4	173	13	10	12	12	4
10	Measles (M) .....	14	5	5	2			13	1				
	(F) .....	19	4	4	1			10	1	3	1	1	
11	Scarlet fever (M) .....	18	3	1		3	3	10	6	1			
	(F) .....	11	1	2	2	1	1	7	4				
12	Diphtheria (M) .....	7	1		2		1	4	1		2		
	(F) .....	10	1	1	3	1		6	1	2		1	
13	Whooping cough (M) .....	12	6	4	1	1		12					
	(F) .....	15	9	3			1	13	2				
14	Malarial fever (M) .....	5									1		
	(F) .....	2											
15	Influenza (M) .....	38	10	3	2		1	16	1	1	1	1	
	(F) .....	44	8	1	1	1	1	12	2	1	1		
16	Typhoid fever (M) .....	46	1			1		2	5		10	8	7
	(F) .....	28		1				1		4	5	5	2
17	Cholera morbus (M) .....	16	1	7		2		10	2	1			
	(F) .....	8	4		1			5	1			1	
18	Colitis (M) .....	2	1					1					
	(F) .....	2	1					1					
19	Diarrhea (M) .....	15	2					2	1				
	(F) .....	8	1	1				2	1				
20	Dysentery (M) .....	17	7	3	1	1	1	13		1			1
	(F) .....	28	12	8	3			23	1				
21	Enteritis (M) .....	17	7	5	1			13	1				1
	(F) .....	11	4	1				5					
22	Cholera infantum (M) .....	95	86	3	4	1	1	95					
	(F) .....	83	73	6	2	1		82					
23	Fever (M) .....	1									1		
	(F) .....	2	2					2					
24	Cerebro-spinal fever (M) .....	13	3	4			1	3	1		1	1	1
	(F) .....	7	2	1				3			2		
25	Smallpox (M) .....	2											
	(F) .....	2											
26	Erysipelas (M) .....	9	1			1		2					
	(F) .....	3	1					1			1		
27	Septicemia (M) .....	13	1		1			2		1		3	1
	(F) .....	11						2					
28	Venereal diseases (M) .....	1									1		
	(F) .....	1											
29	Others of this group (M) .....	12	1					1					
	(F) .....	4											
30	General diseases—B .....	30	10		1	1		12	1				2
31	Males .....	16	3					3					1
32	Females .....	14	7		1	1		9	1				1
33	Alcoholism (M) .....	2											
	(F) .....	2											
34	Parasitic diseases (M) .....	1				1		1					
	(F) .....	1											
35	Lead poison (M) .....												
	(F) .....												
36	Other poisons (M) .....	8			1			1					1
	(F) .....	3						3	1				1
37	Inanition (M) .....	6	3					3					
	(F) .....	10	7					7					
38	General diseases—C .....	346	97	3	1			101				1	1
39	Males .....	172	54	2				56					1
40	Females .....	174	43	1	1			45				1	
41	Old age (M) .....	102											
	(F) .....	119											
42	Premature birth (M) .....	31	31					31					
	(F) .....	28	28					28					
43	Malformation (M) .....	6	6					6					
	(F) .....	3	3					3					
44	Debility and atrophy (M) .....	33	17	2				19					1
	(F) .....	22	10	1	1			12				1	
45	Others of this group (M) .....												
	(F) .....	2	2					2					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MAINE—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	659	19	9	4	2	3	37	7	16	43	54	57
2	Males	269	9	7	2	1	1	20	3	1	12	22	22
3	Females	390	10	2	2	1	2	17	4	15	31	32	35
4	Anemia	9									1	2	1
		13	2					2	1				
5	Diabetes	16							1		1	1	2
		11					1	1		1			
6	Rheumatism	6											
		2											
7	Scrofula and tabes	5	1					1					1
		10	2					2			2		1
8	Hydrocephalus	14	5	3	2			10		1			
		11	4	1	1		1	7		1			2
9	Tuberculosis, general	6									1		3
		7				1		1		1		1	
10	Consumption	188	2	3		1		6	2		9	18	15
		196	1	1	1			3	2	10	26	29	26
11	Cancer	60										1	1
		115									2	1	5
12	Tumor												
		7										1	
13	Dropsy	14	1	1				2					
		17							1	2			
14	Others of this group	1					1	1					
		1	1					1					
15	2. Diseases of the nervous system	497	54	16	6	4	4	84	7	9	6	6	18
16	Males	243	25	8	5	2	2	42	4	6	4	3	3
17	Females	254	29	8	1	2	2	42	3	3	2	3	10
18	Inflammation of the brain	3	1					2		1			1
		3									1		
19	Meningitis	35	11	4	3			18	3	3	2	2	1
		30	11	3	1	2	1	18	3	1	1		3
20	Apoplexy	65				1		1			1		1
		82	1	1				2					3
21	Paralysis	64	1	1				3					
		67								1			2
22	Paralysis, general (of insane)	5											
		2											
23	Tetanus and trismus nascentium												
24	Chorea												
		1					1	1					
25	Epilepsy	6									1		
		2	1					1					
26	Convulsions	14	10	2	2			14					
		18	10	4				14					1
27	Mental diseases	10							1			1	1
		11										1	
28	Diseases of the brain	29	2	1		1		4		1			
		29	6					6		1		1	
29	Diseases of the spinal cord	3								1			
		4											
30	Locomotor ataxia	2											
		1											
31	Others of this class	7											
		4											
32	3. Diseases of the circulatory system	374	23	1	1		1	26	2	6	2	10	
33	Males	215	17	1	1			19	2	3	2	2	
34	Females	159	6				1	7		3		8	
35	Pericarditis	3							1				
		2										1	
36	Diseases of the heart	137	10	1	1			12	1	3	2	1	
		142	3				1	4		3		7	
37	Angina pectoris	11											
		9											
38	Diseases of the arteries	2											
		1											
39	Aneurism	2										1	
40	Embolism	2											
		2											
41	Others of this class	8	7					7					
		3	3					3					







VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MAINE—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	42								1	5	9	9
2	Abortion	2											1
3	Childbirth	18											3
4	Puerperal septicemia	16								1	3	3	3
5	Extra-uterine pregnancy												
6	Others of this class	6										1	2
7	9. Diseases of the bones and joints	8					1	1	1		1	1	
8	Males	4					1	1			1	1	
9	Females	4							1				
10	Diseases of the spine	2 2										1	
11	Abscess, lumbar and psoas	2											
12	Diseases of the bones	1 2					1	1	1				
13	Diseases of the hip-joint	1									1		
14	Others of this class	2											
15	10. Diseases of the skin	8	1					1		1		1	2
16	Males	6	1					1		1		1	2
17	Females	2											
18	Abscess	6 2	1					1		1		1	2
19	Carbuncle	2											
20	Others of this class	2											
21	11. Diseases of the absorbent system	4											
22	Males												
23	Females	4											
24	Addison's disease	2											
25	Diseases of the spleen	1											
26	Others of this class	3											
27	12. Accidents and injuries	177	9	3	4	3	1	20	8	10	18	12	16
28	Males	127	7	1	3	1		12	7	9	12	9	14
29	Females	50	2	2	1	2	1	8	1	1	6	3	2
30	Burns and scalds	7 9	1	1	2	1		5 4			2	2	2
31	Drowning	34 6			1			1	5	5	4	4	3
32	Exposure and neglect	1 2		1				1					
33	Gunshot wounds	6 1					1	1	1		1	1	
34	Homicide	2											1
35	Infanticide	2											
36	Injuries by machinery	3									1		
37	Railroad accidents	6 1								2		1	
38	Suffocation	4 3	4					4					1
39	Suicide by shooting	2											1
40	Suicide by drowning	1 1											
41	Suicide by poison	2 6									1		1
42	Other suicides	10 2										2	
43	Sunstroke	2											
44	Surgical operations	1 1											
45	Wounds	1											
46	Others of this class	47 18	2					2	1 1	2 1	6	1	7



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
11	1	5		1											1
1															2
5		3													3
3	1	1		1											4
															5
2		1													6
						2	1		1						7
						2	1		1						8
						1	1		1						9
															10
						1									11
															12
						1									13
															14
	1	1							1						15
	1	1							1						16
	1	1							1						17
															18
															19
1		1						2							20
															21
1		1						2							22
															23
1															24
		1						2							25
															26
9	16	9	3	5	4	7	9	3	15	6	1	4		2	27
6	14	9	1	4	2	5	6	2	8	3		2		2	28
3	2	2	2	1	2	2	3	1	7	3	1	2			29
1															30
3	5	2					1							1	31
	1						1								32
								1				1			33
	2			1											34
	1														35
															36
	1						1								37
	1	1							1	1					38
															39
			1												40
						1									41
	1					1			1					1	42
2		2		2			1		1						43
1							1								44
															45
									1						46
1	3	4		1	1	4	3	1	5	3		2			47
1			1	1		1	1	1	6	2	1	1			48



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,061	1,999	1,861	1,926	2,232	2,412	2,639	2,892	2,926	2,761	2,074	1,140	427	126	119	1
1,077 984	1,056 948	931 930	1,019 907	1,199 1,103	1,213 1,199	1,313 1,326	1,405 1,487	1,395 1,531	1,304 1,457	982 1,142	459 681	142 235	37 89	70 49	2 3
15	22	21	15	19	18	14	15	13	8	10	5	1		14	4
8 7	11 11	15 6	9 6	6 13	11 7	12 2	9 6	7 6	3 5	5 5	5	1		6 8	5 6
182	152	133	131	140	134	217	240	269	291	234	108	49	8	4	7
91 91	81 71	64 69	59 72	62 78	62 72	90 127	92 143	121 148	112 179	89 145	49 59	17 32	2 6	2 2	8 9
2 1 3 2 2 1	1 1 2 1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	10 11 12 13 14
7 11 52 38	11 14 39 16	13 24 25 9	16 25 20 17	16 29 19 9	12 26 10 5	31 72 11 8	37 78 3 3	52 86 3 5	56 97 3 1	50 94	21 33	11 27	1 5	1	15
1 2 1 1 2 1 2 5 2 5	6 4 4 3 3	2 2 3 5 6 5	3 1 1 2 7	1 3 1 4 11	1 1 1 7 7	3 1 1 10 8	2 4 5 18 6	5 3 11 15 23	2 4 14 11 23	2 1 10 8 4 16	3 3 4 2 6 3	1 1 3 3	1 1	1	17 18 19 20 21 22
		1													23
2 2 1	4 1	3 1	1	1				1	1						24
7 1 7 23 1 2	4 3 4 17 1	3 8 5 8	4 6 5 5	2 4 6 11	5 7 8 3	3 3 5 7	3 3 12 3	6 1 10 1	4 8 4 3	1 3 2 3	1 1 2	2		1	25
		2	3	3	3	6	6	13	11	16	16				26
38	51	32	28	25	24	15	17	8	14	4	1	1	1	15	27
27 11 22 5	37 14 33 11	22 10 13 8	21 7 14 6	17 8 14 3	17 7 11 6	10 5 6 1	13 4 6 1	5 3 2	9 5 4	2 2 1	1	1	1	10 5 1	28 29 30
1 3 4 3	4 3	7 2	6 1	3 4	4 1	3 2	6 2	2 3	4 1	1 1	1				31
				1	1	2	1	1	1						32
2	6	2	7	8	21	49	89	191	389	511	428	206	79	9	33
1 1	2 4	1 1	2 5	4 4	9 12	22 27	40 49	79 112	136 203	205 306	171 257	64 142	20 59	5 4	34
						9 16	23 35	68 81	122 188	195 283	164 242	60 138	20 57	2	35
															36
1 1	2 4	1 1	2 5	4 4	9 12	13 11	17 14	11 30	14 15	10 23	7 15	4 4	2	2 2	37
								1							38

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MASSACHUSETTS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	8,737	351	187	96	61	34	729	110	134	458	796	918
2	Males	4,168	206	110	47	25	16	404	48	41	189	406	454
3	Females	4,569	145	77	49	36	18	325	62	93	269	390	464
4	Anemia	M 76 F 119	M 11 F 7	M 1 F 5	M 1 F 2	M 1 F 1	M 1 F 1	M 13 F 15	M 1 F 1	M 1 F 1	M 3 F 8	M 6 F 6	M 8 F 7
5	Diabetes	M 150 F 168	M 1 F 1	M 2 F 2	M 2 F 2	M 2 F 1	M 4 F 4	M 2 F 5	M 5 F 11	M 4 F 7	M 4 F 7	M 8 F 4	M 7 F 5
6	Rheumatism	M 84 F 98	M 2 F 2	M 1 F 1	M 1 F 1	M 2 F 2	M 5 F 4	M 6 F 6	M 4 F 6	M 3 F 8	M 4 F 8	M 4 F 2	M 5 F 4
7	Scrofula and tabes	M 31 F 33	M 9 F 5	M 3 F 1	M 3 F 1	M 1 F 1	M 12 F 7	M 2 F 2	M 3 F 3	M 2 F 2	M 3 F 2	M 2 F 2	M 2 F 2
8	Hydrocephalus	M 249 F 196	M 91 F 66	M 67 F 39	M 22 F 26	M 15 F 13	M 10 F 8	M 205 F 152	M 16 F 15	M 4 F 7	M 2 F 7	M 4 F 7	M 6 F 2
9	Tuberculosis, general	M 77 F 79	M 8 F 10	M 3 F 3	M 1 F 3	M 1 F 1	M 2 F 2	M 12 F 19	M 2 F 5	M 5 F 3	M 1 F 6	M 6 F 7	M 12 F 7
10	Consumption	M 2,769 F 2,455	M 72 F 50	M 31 F 24	M 16 F 16	M 5 F 13	M 3 F 6	M 127 F 109	M 14 F 30	M 20 F 54	M 172 F 230	M 375 F 359	M 413 F 421
11	Cancer	M 605 F 1,259	M 2 F 1	M 1 F 1	M 2 F 1	M 1 F 1	M 2 F 1	M 1 F 1	M 1 F 2	M 1 F 2	M 2 F 2	M 3 F 3	M 4 F 12
12	Tumor	M 69 F 98	M 2 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 3 F 3	M 2 F 1	M 2 F 2	M 2 F 1	M 3 F 2	M 2 F 4
13	Dropsy	M 20 F 36	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
14	Others of this group	M 38 F 33	M 11 F 7	M 2 F 1	M 3 F 1	M 3 F 1	M 3 F 1	M 19 F 10	M 1 F 4	M 2 F 2	M 2 F 2	M 1 F 1	M 1 F 1
15	2. Diseases of the nervous system	6,156	1,087	338	129	86	64	1,704	124	82	67	78	114
16	Males	3,139	636	188	77	44	33	978	71	34	40	35	66
17	Females	3,017	451	150	52	42	31	726	53	48	27	43	48
18	Inflammation of the brain	M 46 F 23	M 18 F 6	M 3 F 1	M 5 F 2	M 2 F 1	M 1 F 1	M 29 F 10	M 2 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
19	Meningitis	M 656 F 550	M 294 F 221	M 114 F 100	M 48 F 31	M 23 F 32	M 18 F 20	M 497 F 404	M 45 F 44	M 11 F 27	M 14 F 10	M 10 F 9	M 16 F 4
20	Apoplexy	M 1,007 F 1,133	M 16 F 7	M 3 F 1	M 1 F 1	M 2 F 1	M 1 F 1	M 22 F 11	M 3 F 3	M 2 F 3	M 3 F 4	M 5 F 1	M 14 F 14
21	Paralysis	M 432 F 410	M 3 F 3	M 1 F 1	M 2 F 2	M 2 F 2	M 2 F 1	M 4 F 5	M 1 F 1	M 3 F 1	M 1 F 1	M 4 F 4	M 3 F 2
22	Paralysis, general (of insane)	M 25 F 22	M 3 F 1	M 3 F 1	M 3 F 1	M 3 F 1	M 3 F 1	M 3 F 1	M 2 F 1	M 5 F 1	M 5 F 1	M 2 F 1	M 1 F 1
23	Tetanus and trismus nascentium	M 26 F 5	M 3 F 1	M 3 F 1	M 3 F 1	M 3 F 1	M 3 F 1	M 3 F 1	M 2 F 1	M 5 F 1	M 5 F 1	M 2 F 1	M 1 F 1
24	Chorea	M 4 F 4	M 4 F 4	M 4 F 4	M 4 F 4	M 4 F 4	M 4 F 4	M 4 F 4	M 1 F 3	M 1 F 3	M 1 F 3	M 1 F 3	M 1 F 3
25	Epilepsy	M 66 F 67	M 2 F 3	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 4 F 4	M 1 F 1	M 5 F 4	M 8 F 5	M 2 F 9	M 7 F 7
26	Convulsions	M 390 F 307	M 265 F 185	M 56 F 44	M 19 F 15	M 8 F 8	M 9 F 7	M 357 F 259	M 10 F 3	M 3 F 3	M 8 F 8	M 8 F 8	M 2 F 8
27	Mental diseases	M 107 F 133	M 107 F 133	M 107 F 133	M 107 F 133	M 107 F 133	M 107 F 133	M 107 F 133	M 2 F 2	M 2 F 2	M 2 F 2	M 2 F 2	M 5 F 3
28	Diseases of the brain	M 264 F 206	M 32 F 20	M 9 F 4	M 3 F 1	M 6 F 1	M 4 F 1	M 54 F 25	M 6 F 3	M 3 F 4	M 4 F 6	M 6 F 7	M 13 F 3
29	Diseases of the spinal cord	M 42 F 41	M 3 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 4 F 4	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 1	M 3 F 2
30	Locomotor ataxia	M 37 F 10	M 37 F 10	M 37 F 10	M 37 F 10	M 37 F 10	M 37 F 10	M 37 F 10	M 2 F 3	M 2 F 3	M 2 F 3	M 2 F 3	M 4 F 4
31	Others of this class	M 37 F 56	M 3 F 3	M 3 F 3	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 3	M 2 F 3	M 2 F 3	M 1 F 1	M 2 F 1	M 4 F 4
32	3. Diseases of the circulatory system	4,784	207	13	8	10	10	248	62	72	73	112	123
33	Males	2,426	115	6	3	6	6	136	30	33	25	45	60
34	Females	2,358	92	7	5	4	4	112	32	39	48	67	63
35	Pericarditis	M 28 F 23	M 2 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 3 F 3	M 1 F 2	M 3 F 2	M 1 F 1	M 1 F 1	M 2 F 2
36	Diseases of the heart	M 2,143 F 2,123	M 85 F 69	M 5 F 6	M 3 F 4	M 6 F 3	M 5 F 3	M 104 F 85	M 28 F 29	M 30 F 35	M 20 F 46	M 43 F 62	M 56 F 56
37	Angina pectoris	M 95 F 86	M 95 F 86	M 95 F 86	M 95 F 86	M 95 F 86	M 95 F 86	M 95 F 86	M 1 F 1	M 1 F 1	M 2 F 1	M 1 F 2	M 2 F 2
38	Diseases of the arteries	M 91 F 64	M 91 F 64	M 91 F 64	M 91 F 64	M 91 F 64	M 91 F 64	M 91 F 64	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
39	Aneurism	M 23 F 10	M 23 F 10	M 23 F 10	M 23 F 10	M 23 F 10	M 23 F 10	M 23 F 10	M 2 F 3	M 2 F 3	M 2 F 3	M 2 F 3	M 1 F 1
40	Embolism	M 17 F 25	M 17 F 25	M 17 F 25	M 17 F 25	M 17 F 25	M 17 F 25	M 17 F 25	M 1 F 1	M 1 F 1	M 2 F 2	M 2 F 2	M 4 F 4
41	Others of this class	M 29 F 22	M 28 F 21	M 28 F 21	M 28 F 21	M 28 F 21	M 28 F 21	M 29 F 22	M 1 F 2	M 1 F 2	M 1 F 2	M 2 F 1	M 4 F 4



TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MASSACHUSETTS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	7,596	1,624	674	267	158	82	2,805	168	63	82	152	197
2	Males.....	3,827	900	351	141	86	41	1,519	87	28	54	90	107
3	Females.....	3,769	724	323	126	72	41	1,286	81	35	28	62	90
4	Croup.....	108	15	27	20	17	9	88	18	1		1	
	{M.....	96	9	29	20	16	7	81	13	2			
	{F.....												
5	Pneumonia.....	2,676	500	252	87	50	26	915	52	20	46	77	90
	{M.....	2,592	418	231	77	41	25	792	51	27	15	52	71
	{F.....												
6	Laryngitis.....	31	5	6	2	5	2	20	6				
	{M.....	22	3	3	1	4	2	13	4	1			1
	{F.....												
7	Bronchitis.....	673	298	55	28	11	3	395	6	5	4	2	7
	{M.....	751	283	52	25	6	5	321	9	4	8	3	6
	{F.....												
8	Pleurisy.....	79	1	3	1	1	1	7	2	2	4	6	3
	{M.....	49	2	2	1	1		6	2	1	1	4	3
	{F.....												
9	Asthma.....	37	2					2	1				
	{M.....	22	2					2					
	{F.....												
10	Others of this class.....	228	79	8	3	2		92	2			4	7
	{M.....	237	57	6	2	4	2	71	2		4	3	9
	{F.....												
11	5. Diseases of the digestive system.....	2,805	294	64	32	13	22	425	61	65	82	124	129
12	Males.....	1,131	163	36	20	7	11	237	33	34	46	64	52
13	Females.....	1,174	131	28	12	6	11	188	28	31	36	60	77
14	Dentition.....	25	12	13				25					
	{M.....	14	9	5				14					
	{F.....												
15	Angina.....	17	2	2	2		2	8	1	1		1	
	{M.....	18	1	4	1		2	8	1	1		1	
	{F.....												
16	Gastritis.....	137	29	7				36			1	1	3
	{M.....	154	21	6	2	2	1	32	2	1	2	4	9
	{F.....												
17	Diseases of the stomach.....	59	3					3		1	1	2	3
	{M.....	74	1	1				2			1	5	5
	{F.....												
18	Obstruction of the bowels.....	101	21	2	4		1	23	4	2	3	2	8
	{M.....	112	15	3				19	2		4	2	5
	{F.....												
19	Appendicitis.....	167		1		4	2	7	11	17	25	34	13
	{M.....	62			1		1	2	5	8	10	7	9
	{F.....												
20	Hernia.....	40	6				1	7			1	1	
	{M.....	52											
	{F.....												
21	Other diseases of the bowels.....	25	8					8					2
	{M.....	33	7	1		1		9	1				1
	{F.....												
22	Jaundice.....	38	23		1		1	25					1
	{M.....	34	14		3			17					2
	{F.....												
23	Inflammation and abscess of the liver.....	41	2				1	3			1	1	1
	{M.....	43	1				1	2		1		3	1
	{F.....												
24	Other diseases of the liver.....	192	1		1			2	1		1		8
	{M.....	146	2				1	3	1			1	3
	{F.....												
25	Peritonitis.....	169	12	3	9	2	2	23	15	12	13	19	12
	{M.....	301	15	5	2	2	4	23	14	20	17	35	33
	{F.....												
26	Ascites.....	6											
	{M.....	15	2					2					
	{F.....												
27	Others of this class.....	114	44	8	3	1	1	57	1	1		3	
	{M.....	116	43	3	3		1	50	2		1	2	5
	{F.....												
28	6. Diseases of the urinary system and male organs of generation.....	2,401	40	3	10	13	9	75	26	16	47	88	97
29	Males.....	1,389	24	2	5	6	2	39	13	12	24	42	41
30	Females.....	1,012	16	1	5	7	7	36	13	4	23	46	56
31	Bright's disease.....	946							10	9	23	33	34
	{M.....	809							10	4	20	39	45
	{F.....												
32	Calculus, urinary.....	7								1			
	{M.....	1											
	{F.....												
33	Diseases of the kidney.....	87	16	2	5	6	2	31	1	2			2
	{M.....	64	12	1	4	7	7	31			1	3	3
	{F.....												
34	Diseases of the bladder.....	163									1		2
	{M.....	17											
	{F.....												
35	Others of this class.....	186	8					8	2			4	3
	{M.....	121	4		1			5	3		2	4	8
	{F.....												
36	7. Diseases of the female organs of generation.....	189	1					1		1	7	10	21
37	Ovarian tumors.....	21											3
38	Ovarian diseases.....	5											
39	Diseases of the tubes.....	33									3	6	9
40	Uterine tumors.....	40											1
41	Uterine diseases.....	8										2	3
42	Others of this class.....	32	1					1		1	4	2	5

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
226	264	251	282	364	398	453	498	477	383	292	149	53	18	21	1
126	146	137	162	183	189	213	227	195	152	120	55	22	5	10	2
100	118	114	120	181	209	240	271	282	231	172	94	31	13	11	3
															4
106	127	116	133	146	147	160	168	143	101	79	33	10	3	4	5
85	95	90	94	130	161	192	195	200	156	99	57	21	6	3	6
1		2					1		1					4	5
	1			1										3	6
3	9	8	11	13	24	24	33	34	36	29	18	9	2	1	7
5	7	9	12	28	30	33	61	59	51	54	34	9	6	2	7
9	3	4	8	7	6	6	1	6	3	1				1	8
2	4	4	4	4	2	1	5	5	2						8
1		1	2	5	3	7	6	1	3	4		1			9
		1		3	3	2	3	1	4	3					9
6	7	6	8	12	9	16	18	11	8	7	4	2		4	10
8	11	10	10	15	13	12	10	17	18	13	3	1	1	6	10
123	104	137	111	149	153	139	155	130	120	51	31	9		7	11
52	38	77	53	74	74	58	68	58	71	21	16	4		1	12
71	66	60	58	75	79	81	87	72	49	30	15	5		6	13
															14
	1			1	1	1		2							15
		4	4	1					1	1					16
4	4	10	6	8	6	14	10	6	15	5	5	3			16
4	6	6	4	10	14	20	14	13	6	5	2				17
2	1	4	2	7	6	5	3	6	9	2	2				17
11	4	2	2	5	10	5	3	7	6	3	3	1			17
3	4	3	5	7	3	4	8	8	7	1	1				18
3	7	5	11	2	7	10	12	11	5	3	4				18
18	9	12	7	4	5	1	1	2	1						19
5	4	3	4	2	2	1	1	1	1						19
1	1	2		4	5		1	4	9	1	3				20
2		3	2	5	12	6	12	4	3	2		1			20
1	2	2		1	2		2	1	3					1	21
1	1		1	3	1	2	2	2	2	2					21
			1	2		1	3	3	4	2					22
1	1		2				3	3			1			3	22
4	2	4		5	4	4	1	6	3			1			23
3	1	4	3	3	1	7	7	3	3	1					23
6	8	21	14	28	29	19	27	9	13	6					24
7	10	15	10	18	11	11	14	18	16	5	3				24
10	5	14	10	3	11	3	4	4	4	1	1				25
31	28	20	8	19	11	10	6	5	4	3	1	2		1	25
		1	1	1	3	1	2	2	1	1					26
		1	1	1	3	3	3	2	1						26
3	1	4	6	5	4	5	9	7	3	2	3				27
2	4	1	4	8	6	9	9	4	1	6		1		1	27
110	118	105	137	198	207	251	254	257	215	128	54	10	3	5	28
45	58	49	77	101	119	146	159	167	151	96	39	5	3	3	29
65	60	56	60	97	88	105	95	90	64	32	15	5		2	30
35	42	41	67	79	95	107	105	110	91	44	13	1		2	31
42	44	50	51	82	74	91	85	77	53	25	14	3			31
		1		1	2		1								32
									1		1				32
2	4	1		7	4	3	10	6	5	4	5				33
6	3	2	1	1	3	4	1	3	2						33
	1		3	6	6	22	22	26	26	27	16	3	2		34
2	2		1	1	2	3	1	2		2		2			34
8	11	6	7	8	12	14	21	25	29	21	4	1	1	1	35
15	11	4	8	13	9	7	8	8	8	5	1			2	35
16	15	18	23	5	8	2	3	2	6	1					36
															37
3		2	6	1	1	1	2		2						37
3	1							1							38
5	2	4	3	1											39
1	5	7	10	3	7	1	1	1		1					40
2									1						41
2	7	5	4						1						42





CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
59	52	29		1	1									1	1
2	8	2			1										2
17	19	18		1											3
21	11	7													4
8	8	1													5
16	11	6												1	6
6	6	7	6	4	2	4	8	4	2	2	1	1			7
3	6	5	5	2	2	1	4	1	2	1	1	1			8
3		2	1	2		3	4	3		1	1				9
	4	1	1	1	1	1	1	1	1						10
			1				1	1							11
1			1				1	1							12
8	1		2	1	1	1	2		1	1					13
		1					1				1				14
		1													15
2	1	3	1	1			1	2	2		1		1		16
3	4	8	5	4	3	4	4	4	6	2	1				17
1	2	3	3	3	3	2	3	3	2	1	1				18
2	2	5	2	1	2	2	1	1	4	1					19
1	1	3	1	2	2	1	3	1	2	1					20
	1	2	2	1		1	1	1	1						21
		2	1		1										22
2	1	3	1		1	1		2	1	1	1				23
3	2	5	1		4	3	4	2	4						24
1	1	2	1	2	2	3	1	1	3						25
2	1	3		2	2	2	3	1	1						26
	1	1		1	1	2	1								27
	1														28
178	159	141	115	132	108	92	81	77	64	38	27	11	4	21	29
140	131	111	98	102	83	68	47	41	32	22	5	1	2	16	30
88	28	30	17	30	25	24	34	36	32	16	22	10	2	5	31
2	7	4	3	3	2	3	1	4	2	2					32
7	5	5	3	5	5	6	7	8	6	2	2				33
25	27	14	15	8	14	2	2	1	1						34
1		1		1	1	1									35
2		1	2	1	1	1			3						36
						2			1						37
5	2	3	2	1					2						38
1	1			1											39
7				2						1					40
1	1	1		1	1										41
															42
1			1	1											43
															44
															45
															46
26	25	21	14	19	10	11	8	4	2	2				5	47
1	2	1		1		1	1	1	2						48
5	1	1	1	2	1	1	1	1		1				5	49
3														4	50
5	10	6	8	7	8	3	4	3	1	1	1				51
3															52
2	1	2	1	5	1	2	1	1	3						53
	1		1	1	2	2			1						54
2	3	4	1	1	1	1	1	1	1						55
3		1													56
13	9	11	9	8	9	9	5	3	2	1				1	57
3	3	8		2	1		4	1			1				58
	1					1			2						59
															60
2	3	5	1	1	1	3	1			1					61
5	3	1	1	4	3	1	1			1					62
															63
40	42	48	39	38	34	32	24	25	14	14	4	1	2	2	64
13	12	8	11	16	12	10	20	24	20	12	19	10	2	1	65

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MASSACHUSETTS—GROUP 1.

CAUSE OF DEATH.		All ages.	Under 1	1'	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	37,876	8,185	1,823	804	579	376	11,767	870	513	894	1,344	1,592
2	Males	19,282	4,634	959	416	310	180	6,499	458	232	406	698	798
3	Females	18,594	3,551	864	388	269	196	5,268	412	281	428	646	796
4	Unknown cause	274	84	9	2	3		98	6	7	3	2	8
5	Males	145	47	5	2	2		56	3	3	1	1	3
6	Females	129	37	4		1		42	3	4	2	1	5
7	1. General diseases.												
	General diseases—A	6,672	2,559	699	360	262	187	4,067	359	127	114	146	129
8	Males	3,238	1,419	342	164	133	82	2,140	174	51	50	81	62
9	Females	3,394	1,140	357	196	129	105	1,927	185	76	64	65	67
10	Measles	M 114 F 99	34 27	41 31	14 16	12 7	2 3	103 84	7 4	1 6		2 2	1 1
11	Scarlet fever	M 133 F 157	8 13	19 17	24 25	24 31	16 21	91 107	32 36	4 7	4 1	1 1	2 1
12	Diphtheria	M 408 F 450	30 29	75 74	76 78	67 54	41 54	239 239	81 110	15 28	7 10	5 6	2 1
13	Whooping cough	M 181 F 176	77 83	32 43	9 26	5 13	4 3	127 168	2 6				
14	Malarial fever	M 21 F 14	1 2		1		1	3 4	1 1	1 1	1	1	
15	Influenza	M 307 F 568	29 27	5 8	2 5	2 5	3	38 48	4 4	4 5	2 5	7 3	5 13
16	Typhoid fever	M 278 F 188	1 1	2 2	1	2	1	7 6	12 4	12 15	22 35	48 25	36 24
17	Cholera morbus	M 34 F 44	3 4		4 5	1	1	9 12	4 1	2 1	1 1	1 1	2
18	Colitis	M 23 F 31	15 17	2 4		1		18 22	1 1			1 1	
19	Diarrhea	M 110 F 106	55 50	10 3	2			67 53	2 3	1		1	1 2
20	Dysentery	M 96 F 112	19 6	9 3	4 5	1 2	4 3	37 19	3 2	3 2	2 1	1 3	2 2
21	Enteritis	M 498 F 450	377 259	47 72	9 12	4 5	4 3	441 351	5 5	3 3	2	1	2 1
22	Cholera infantum	M 800 F 664	697 564	87 78	11 11	4 5	1 6	800 664					
23	Fever	M 1 F 3		2				3					
24	Cerebro-spinal fever	M 90 F 70	23 13	9 9	6 3	6 5	4 5	48 45	11 6	5 5	6 4	8 3	3 2
25	Smallpox	M 5 F 9		2		1		1 2			1	3	1
26	Erysipelas	M 64 F 58	24 16	2	1			24 19			2	1	1
27	Septicemia	M 85 F 109	8 10	2 3	1	2	2	15 14	6 1	1	1	5 11	5 15
28	Venereal diseases	M 27 F 19	16 12	1 1			1	17 14			2		1 1
29	Others of this group	M 63 F 57	2 1	1 1	1		1	5 3	3	1			2
30	General diseases—B	900	606	20	3	4	3	636	6	1	4	10	27
31	Males	550	350	14	2	1	2	369	4		2	4	20
32	Females	350	256	6	1	3	1	267	2	1	2	6	7
33	Alcoholism	M 116 F 40										1 1	13 3
34	Parasitic diseases	M 1 F 1				1		1					
35	Lead poison	M 5 F 3			1			1					
36	Other poisons	M 61 F 33	4 2	2 2	1 1	2	2	9 6	1 1		2 2	3 4	7 4
37	Inanition	M 368 F 273	346 254	12 6		1		359 260	3 1	1		1	
38	General diseases—C	3,571	2,057	73	11	5	4	2,150	3	4	3	6	2
39	Males	1,784	1,182	40	7	4	1	1,234	1	2	2	4	
40	Females	1,787	875	33	4	1	3	916	2	2	1	2	2
41	Old age	M 474 F 763											
42	Premature birth	M 433 F 333	433 333					433 333					
43	Malformation	M 75 F 77	73 76	1				73 77					
44	Debility and atrophy	M 683 F 572	557 424	40 32	7 4	4 1	1 3	609 464	1 2	2 2	2 1	4 2	2
45	Others of this group	M 69 F 42	69 42					69 42					

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,603	1,590	1,471	1,498	1,735	1,807	2,029	2,194	2,190	2,006	1,501	847	317	87	81	1
848 755	888 752	738 733	798 700	886 849	909 898	1,005 1,024	1,059 1,135	1,025 1,165	928 1,078	657 844	330 517	105 212	24 63	43 38	2 3
13	19	18	15	15	12	8	11	9	6	9	4	1		10	4
7 6	10 9	13 5	9 6	4 11	7 5	6 2	6 5	6 3	2 4	5 4		1		3 7	5 6
140	120	102	96	110	98	164	194	195	210	178	81	40	6	1	7
73 67	64 56	51 51	44 52	47 63	40 53	62 102	71 123	84 111	78 132	65 113	35 46	15 25	1 5	1	8 9
1		1				1									10
3	1						1								11
1	1		1	1											12
1	2		1	1	1										13
	1									1					14
	2				2		3	3	2		1	1			15
	2				1		2	1		1					16
6 8	7 12	11 15	13 17	11 25	7 18	20 57	30 65	37 73	41 73	37 74	17 28	10 21	4		17
42 24	35 12	21 9	11 15	15 6	5 3	8 5	1 3	2 2	2 2		1				18
1		1	3	1				2	4	2	2				19
1	5	1	1	2	1	1	4	2	4	1	2	1			20
2															21
1		2	1	1			1	1	1						22
2	1	1	1	3	2	6	3	6	8	6	1	2			23
1		4	1	1		5	4	5	9	6	3				24
2	1	1	1	2	3	10	8	6	10	3	2	3			25
4	4	4	3	2	5	8	14	9	15	8	4				26
3	2	5	2	3	7	7	7	4	5	2	1		1		27
		3	4	9	4	8	12	11	15	12	3		1		28
															29
		1													30
2	4	2	1	1			1	1							31
1	1	1		1											32
2				1	1										33
1				1											34
6	3	2	3	1	5	2	3	5	3	1		2			35
1	3	3	5	3	7	1	3	1	6	3					36
7	4	4	5	4	6	5	9	5	3	1					37
17	12	5	4	3	3	5	2	1	2	2	2				38
1	1	1		2				1	1						39
1		1	3	3	2	4	5	10	4	12	10				40
		1	1	2	3	11	11	6	7	6	4				41
32	43	29	24	20	17	14	10	5	10	3				9	42
22	32	20	19	13	11	9	9	4	6	1				5	43
10	11	9	5	7	6	5	1	1	4	2				4	44
17	29	12	13	11	6	5	4	2	2					1	45
5	10	7	5	2	5	1				1					46
															47
1		1	1			1									48
3															49
4	3	7	5	2	4	3	5	2	3	1					50
2	1	2		4	1	2	1	1	1	1					51
				1	1										52
						2			1						53
1	4	2	5	5	12	39	70	143	242	356	313	148	56	7	54
	2	1	1	4	4	16	31	56	97	140	126	46	14	3	55
1	2	1	4	1	8	23	39	87	145	216	187	102	42	4	56
						8	19	50	86	138	121	43	14		57
						15	28	66	137	201	174	99	41	2	58
															59
															60
															61
															62
															63
															64
1	2	1	1	4	4	8	12	6	11	7	5	3		1	65
	2	1	4	1	8	8	11	21	8	15	13	3	1	2	66

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MASSACHUSETTS—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	6,826	268	154	69	52	23	566	38	107	357	607	731
2	Males	3,255	151	90	37	20	9	307	41	31	147	307	364
3	Females	3,571	117	64	32	32	14	259	47	76	210	300	367
4	Anemia	M 64 F 92	7 6	1 5		1 2		9 13				2 4	3 5
5	Diabetes	M 111 F 129		2	2	1		4 1	1 5	2 9	2 6	1 4	4 4
6	Rheumatism	M 65 F 63	1		1		1	3 3	6 2	3 3	3 3	1 1	5 4
7	Scrofula and tabes	M 19 F 22	6	2		1		8 5			1		2 2
8	Hydrocephalus	M 197 F 158	69 54	54 33	19 17	12 13	8 7	162 124	14 10	3 6	2 7	3 6	3 2
9	Tuberculosis, general	M 59 F 67	5 10	3 3		1 3	2	8 19	2 4	3 1	1 6	5 5	10 5
10	Consumption	M 2,184 F 1,986	53 38	25 18	11 10	5 11	5	94 82	12 25	17 47	134 178	237 278	331 334
11	Cancer	M 457 F 974			1			1 1	1	1	1	1	4 8
12	Tumor	M 56 F 76	2					2 1	2 1	2	1	3 1	2 3
13	Dropsy	M 13 F 23		1				1	1		1		
14	Others of this group	M 30 F 31	8 7	2 1	3 1	2 1		15 10	1	2 4	2	1	
15	2. Diseases of the nervous system	4,584	800	265	90	63	46	1,264	89	48	49	55	83
16	Males	2,342	467	152	54	37	26	736	57	23	29	26	46
17	Females	2,242	333	113	36	26	20	528	32	25	20	29	37
18	Inflammation of the brain	M 29 F 13	10 2	2 1	3 1	1 1	1	17 5	2	1	1	1	1 1
19	Meningitis	M 503 F 377	226 156	91 75	34 20	21 11	15	337 232	36 27	7 14	8 8	8 6	10 2
20	Apoplexy	M 746 F 896	11 2	3 1		2 1	1	16 6	2	1	2	4	1 9
21	Paralysis	M 328 F 320	2 3	1				3 4		3	1	4	1 2
22	Paralysis, general (of insane)	M 21 F 14											1
23	Tetanus and trismus nascentium	M 23 F 2	1 1					1 1	2	5	5	1	1
24	Chorea	M 2 F 1				1		1		1			
25	Epilepsy	M 46 F 45	1 2	1		1		3 3	1	2	5	1	5 5
26	Convulsions	M 292 F 243	193 148	45 33	13 12	6 4	8 6	265 203	10 2	1		6	2 7
27	Mental diseases	M 76 F 91									2	1	4 3
28	Diseases of the brain	M 194 F 164	20 16	8 3	3	4	2	37 20	3 1	2 2	3 4	3 3	7 2
29	Diseases of the spinal cord	M 32 F 28	3 1	1				4 2	1 1		2	1	3 2
30	Locomotor ataxia	M 27 F 6											
31	Others of this class	M 23 F 42			1	1		2 2		2		2	4
32	3. Diseases of the circulatory system	3,709	159	11	7	5	6	188	45	60	58	82	99
33	Males	1,859	88	6	3	4	3	104	20	26	20	35	48
34	Females	1,850	71	5	4	1	3	84	25	34	38	47	51
35	Pericarditis	M 19 F 21	1 1	1	1			2 3	1 1	2	1		2
36	Diseases of the heart	M 1,635 F 1,677	63 56	5 4	3 3	4 1	2	77 66	19 23	24 30	17 36	33 43	44 47
37	Angina pectoris	M 76 F 53									1	1	2 1
38	Diseases of the arteries	M 71 F 52										1	
39	Aneurism	M 21 F 8								2			
40	Embolism	M 12 F 20					1	1	1			2	3
41	Others of this class	M 25 F 14	24 14				1	25 14					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MASSACHUSETTS—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	5,864	1,272	505	200	132	58	2,167	127	47	60	122	157
2	Males.....	2,970	715	258	109	78	28	1,183	68	20	39	71	84
3	Females.....	2,894	557	247	91	59	30	984	59	27	21	51	78
4	Croup.....	M 75 F 66	M 10 F 8	M 14 F 16	M 16 F 18	M 13 F 13	M 6 F 5	M 59 F 55	M 14 F 9	M 1 F 2		M 1	
5	Pneumonia.....	M 2,079 F 2,007	M 401 F 327	M 196 F 188	M 68 F 58	M 48 F 33	M 17 F 18	M 725 F 619	M 40 F 35	M 14 F 19	M 31 F 12	M 59 F 44	M 71 F 59
6	Laryngitis.....	M 25 F 20	M 4 F 3	M 4 F 2	M 2 F 1	M 4 F 4	M 2 F 2	M 16 F 12	M 5 F 4				
7	Bronchitis.....	M 528 F 570	M 286 F 175	M 87 F 42	M 22 F 17	M 11 F 5	M 3 F 4	M 309 F 243	M 4 F 7	M 4 F 4	M 4 F 5	M 2 F 3	M 6 F 4
8	Pleurisy.....	M 66 F 37	M 1 F 2	M 1 F 1	M 1 F 1	M 1 F 1		M 4 F 5	M 2 F 2	M 1 F 1	M 4 F 1	M 6 F 2	M 3 F 3
9	Asthma.....	M 26 F 18	M 1 F 1					M 1 F 1	M 1 F 1				
10	Others of this class.....	M 171 F 176	M 62 F 41	M 6 F 3	M 1 F 1	M 1 F 3	M 1 F 1	M 69 F 49	M 2 F 2		M 3 F 3	M 3 F 2	M 4 F 7
11	5. Diseases of the digestive system.....	1,718	215	50	24	12	15	316	43	43	61	91	102
12	Males.....	835	123	27	15	7	7	179	22	25	34	45	40
13	Females.....	883	92	23	9	5	8	137	21	23	27	46	62
14	Dentition.....	M 19 F 11	M 10 F 8	M 9 F 3				M 19 F 11					
15	Angina.....	M 8 F 11	M 1 F 1	M 1 F 4	M 2 F 2		M 1 F 1	M 4 F 6	M 1 F 1			M 1	
16	Gastritis.....	M 97 F 118	M 22 F 14	M 5 F 4	M 1 F 1	M 1 F 1	M 1 F 1	M 27 F 21	M 1 F 1	M 1 F 1	M 1 F 2	M 1 F 3	M 2 F 7
17	Diseases of the stomach.....	M 46 F 55	M 2 F 1	M 1 F 1				M 2 F 1		M 1 F 1	M 1 F 1	M 1 F 3	M 3 F 4
18	Obstruction of the bowels.....	M 78 F 88	M 17 F 12	M 1 F 3	M 4 F 1	M 1 F 1	M 1 F 1	M 23 F 16	M 2 F 2		M 2 F 3	M 1 F 2	M 7 F 5
19	Appendicitis.....	M 122 F 50	M 1 F 1	M 1 F 1	M 4 F 1	M 1 F 1	M 1 F 1	M 6 F 2	M 6 F 4	M 16 F 5	M 17 F 9	M 26 F 6	M 10 F 7
20	Hernia.....	M 24 F 47	M 5 F 1				M 1 F 1	M 6 F 6			M 1 F 1	M 1 F 1	
21	Other diseases of the bowels.....	M 20 F 26	M 6 F 4	M 1 F 1	M 1 F 1	M 1 F 1		M 6 F 6	M 1 F 1		M 1 F 1		M 1 F 1
22	Jaundice.....	M 27 F 20	M 15 F 6	M 1 F 2	M 1 F 2		M 1 F 1	M 17 F 8					M 1 F 1
23	Inflammation and abscess of the liver.....	M 34 F 27	M 2 F 1					M 2 F 1		M 1 F 1	M 1 F 1	M 1 F 2	M 2 F 1
24	Other diseases of the liver.....	M 146 F 111	M 1 F 1	M 1 F 1	M 1 F 1		M 1 F 1	M 2 F 2	M 1 F 1		M 1 F 1	M 1 F 1	M 3 F 8
25	Peritonitis.....	M 125 F 218	M 10 F 18	M 2 F 5	M 6 F 2	M 2 F 2	M 1 F 3	M 21 F 25	M 12 F 10	M 8 F 16	M 10 F 10	M 11 F 26	M 8 F 28
26	Ascites.....	M 3 F 9	M 2 F 2					M 2 F 2					
27	Others of this class.....	M 86 F 92	M 33 F 30	M 8 F 2	M 1 F 3	M 1 F 1	M 1 F 1	M 44 F 36	M 2 F 2		M 1 F 1	M 3 F 2	M 5 F 5
28	6. Diseases of the urinary system and male organs of generation.....	1,723	31	1	5	10	6	53	14	10	38	67	71
29	Males.....	1,006	17		4	5	2	28	5	9	19	34	28
30	Females.....	717	14	1	1	5	4	25	9	1	19	33	43
31	Bright's disease.....	M 681 F 566							M 3 F 6	M 6 F 1	M 19 F 16	M 31 F 27	M 23 F 35
32	Calculus, urinary.....	M 4 F 4								M 1 F 1			
33	Diseases of the kidney.....	M 72 F 48	M 12 F 10	M 1 F 1	M 4 F 1	M 5 F 5	M 2 F 4	M 23 F 21	M 1 F 1	M 2 F 2	M 1 F 1	M 2 F 2	M 2 F 2
34	Diseases of the bladder.....	M 118 F 12											M 2
35	Others of this class.....	M 181 F 91	M 5 F 4					M 5 F 4	M 1 F 3		M 2 F 2	M 3 F 4	M 1 F 6
36	7. Diseases of the female organs of generation.....	109								1	6	8	17
37	Ovarian tumors.....	17											3
38	Ovarian diseases.....	3											
39	Diseases of the tubes.....	26									3	5	6
40	Uterine tumors.....	30											
41	Uterine diseases.....	6										1	3
42	Others of this class.....	27								1	3	2	5

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
182	205	199	217	281	301	345	383	365	295	221	116	41	15	18	1
104	115	107	124	145	140	172	173	154	114	86	43	16	4	8	2
78	90	92	93	136	161	173	210	211	181	135	73	25	11	10	3
															4
90	98	89	102	120	110	125	127	113	74	54	26	6	2	3	5
63	74	74	76	95	126	135	153	150	124	81	44	17	5	2	6
1		1					1		1						7
	1			1			1								8
1	7	7	7	11	16	20	27	28	30	22	13	8	2	2	9
5	4	6	10	22	22	25	45	42	39	42	26	8	6	1	10
8	8	4	7	4	6	5	1	3	3	1					11
2	3	3	2	4	1	1	1	5	2						12
1		1	1	1	2	6	5	1	1	4		1			13
		1		2	3	1	3	1	4						14
3	7	5	7	9	6	16	12	9	5	5	4	1			15
8	8	8	5	12	9	11	8	13	12	10	3				16
94	79	110	86	105	114	103	116	95	81	39	22	7			17
88	29	65	40	53	54	45	50	41	46	17	8	3		1	18
56	50	45	46	52	60	58	66	54	35	22	14	4		5	19
															20
	1				1	1									21
			3						1						22
3	2	8	6	5	3	8	8	5	10	3	3	2			23
4	6	3	3	7	13	15	11	10	6	3	2				24
2	1	3	2	6	6	4	1	3	7	2	1				25
7	3	2	2	4	7	4	1	7	4	2	2	1			26
2	4	2	5	4	3	4	7	5	6	1					27
3	5	4	11	2	4	5	11	8	1	2	4				28
11	8	8	5	3	3	1		1	1						29
5	4	2	3	1	1	1		1	1						30
1		2		3	3			3	2	1	1				31
1		3	2	5	11	3	12	4	3	2		1			32
1	1	2	1	1	2	2	3	2	3	2	1			1	33
1	1		1	1	2	1	2	3	2	2					34
			1	1				2			1				35
1			2	1				2							36
2	2	4		5	3	4	1	5	1			1			37
2	1			1				2							38
6	6	19	10	20	21	14	22	6	8	4					39
6	8	15	7	11	8	7	10	11	13	5	3				40
7	3	13	6	2	9	2	3	4	4	1	1				41
24	18	14	7	13	8	6	3	4	2	1	1	1			42
		1				1									
8	1	3	4	4	2	5	6	5	2	2	2				
2	4	1	3	7	3	9	7	3	1	4		1			
71	93	71	101	153	156	182	177	132	142	92	38	6	1	5	
31	45	35	53	73	93	107	113	116	99	63	28	3	1	3	
40	48	36	43	75	58	75	64	66	43	24	10	3		2	
26	31	32	50	66	80	76	69	71	56	27	12	1		2	
26	38	32	35	63	47	65	56	53	36	20	9	1			
		1			1						1				
2	3	1		5	4	3	10	5	4	3	4				
4	2	2	1	1	2	4	1	8	2						
			3	3	4	15	20	22	17	20	9	2			
2	1			1	1	1	1	2		1		2			
3	10	1	5	4	9	13	14	18	22	18	2		1	1	
8	7	2	7	10	8	5	6	8	5	3	1			2	
11	13	15	13	4	5	1		1	6	1					
2		2	5	1			2		2						
2	1														
4	2	3	2	1						1					
	5	5	8	2	5	1		1							
1									1						
2	5	5	3						1						

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MASSACHUSETTS—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	188									4	39	44
2	Abortion	9											4
3	Childbirth	55										9	7
4	Puerperal septicemia	66									2	16	24
5	Extra-uterine pregnancy	15										3	3
6	Others of this class	43									2	11	6
7	9. Diseases of the bones and joints	93	6	2		4		12	12	8	4	7	5
8	Males	59	5	2		4		11	8	3	1	5	3
9	Females	34	1					1	4	5	3	2	2
10	Diseases of the spine	21 6	1	1		1		3	6	2		2	1
11	Abscess, lumbar and psoas	4 2	1					1					
12	Diseases of the bones	24 13	3	1		2		6	2	2	1	2	1
13	Diseases of the hip-joint	4 2							1	1		1	1
14	Others of this class	6 11				1		1		1			2
15	10. Diseases of the skin	76	24	4	1	1		30	4		1	1	
16	Males	41	12	2	1			15	2		1		
17	Females	35	12	2		1		15	2			1	
18	Abscess	26 12	7 4	2	1			10 4	2 2		1		
19	Carbuncle	5 3										1	
20	Others of this class	10 20	5 8	2		1		5 11					
21	11. Diseases of the absorbent system	34	3	3				6			1	1	3
22	Males	18	3	2				5			1		2
23	Females	16		1				1				1	1
24	Addison's disease	5 5									1	1	
25	Diseases of the spleen	1 4											
26	Others of this class	12 7	3	2				5 1					2 1
27	12. Accidents and injuries	1,585	101	27	32	26	28	214	74	45	71	100	114
28	Males	1,130	55	19	18	20	20	132	53	39	60	85	96
29	Females	405	46	8	14	6	8	82	21	6	11	15	18
30	Burns and scalds	68 90	4 2	10 3	7 8	7 4	6 5	34 22	3 12	2 2	2 4	1 2	1 7
31	Drowning	211 13	1 2	2	2	2	7 1	14 4	25	20	16	20	23
32	Exposure and neglect	9 4		2				2				2	
33	Gunshot wounds	20 6	1					1	1	2	3	2	1
34	Homicide	8 4									1	1	
35	Infanticide	4	4					4					
36	Injuries by machinery	5										2	
37	Railroad accidents	162 11			1	1	2	2 2	10 2	2	11	19	16
38	Suffocation	48 33	27 23	3	2	1	1	32 25		2	2	2	
39	Suicide by shooting	48 2									1	2	5
40	Suicide by drowning	14 7										1	
41	Suicide by poison	18 11									1	3	4 1
42	Other suicides	70 23									1	3	7 2
43	Sunstroke	5 2	1	2				1 2				1	
44	Surgical operations	4 20							1	1		2	1
45	Wounds	25 1			1	1		2		1		2	4
46	Others of this class	411 178	17 17	4 3	6 4	10	5 1	42 25	13 6	10 2	23 1	26 6	35 7



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
40	39	19		1	1									1	1
1	3				1										2
12	16	10		1											3
13	5	6													4
2	7														5
12	8	8												1	6
6	5	5	5	2	2	4	7	3	2	2	1	1			7
8	5	4	4	1	2	1	3	1	2	1		1			8
8		1	1	1		3	4	2		1	1				9
	3	1	1		1	1	1	1	1						10
			1				1	1							11
1			1												12
3	1	1	2	1	1	1	1	1	1	1					13
		1													14
2	1	2		1			1	1		1		1			15
3	3	8	2	4	3	3	4	2	6	1	1				16
1	1	3	2	3	3	2	3	1	2	1	1				17
2	2	5	1	1	1	1	1	1	4						18
1		3	1	2	2	1	3		2						19
	1		1	1		1	1	1	1						20
	1	2													21
2	1	3			1	1		1	1	1	1				22
3	2	3	1		3	2	4	2	3						23
1	1	1	1		1	2	1	1	1						24
2	1	2			1	1	3	1	2						25
	1	1			1										26
1		1	1						1						27
1		1				1	1	1	1						28
1		1					1	1	1						29
137	123	113	87	97	75	69	64	54	36	20	19	8		10	30
106	105	88	74	77	58	51	36	26	21	11	4			8	31
31	23	25	13	20	17	18	23	28	15	9	15	8		2	32
1	6	3	3	2	1	2	1	4	2						33
5	4	5	3	2	3	4	5	4	4	1	1				34
20	23	11	14	8	13		1	1	1						35
1		1	1	1	1		1	1							36
1		1	2			1			2						37
3	1	3		1					2						38
1	1			1											39
5		1		1	1										40
															41
1			1	1											42
20	17	13	9	10	7	10	7	3	1	2				3	43
1	1	1				1	1	1	1						44
3	1			2			1	1							45
3				2	1					1					46
3	10	5	5	4	4	2	2	2	1	1	1				47
2															48
2	1	1	1	2	1	2		1	2						49
1	1		1	1	1	2	1								50
2	3	3	1	2		1	1	1							51
3		1	1		1										52
10	7	10	8	3	4	5	4	1	2			1			53
3	3	5		2	1		3	1							54
	1					1			1						55
															56
2	3	5	1	1	1	1	1			1					57
4	2	1	1	3	3	1	1								58
															59
31	33	37	23	32	25	25	13	14	7	8	3			1	60
10	9	6	7	10	7	7	17	21	10	6	13	8		1	61

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MASSACHUSETTS—GROUP 2.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	11,880	2,569	508	254	135	123	3,589	314	161	266	435	476
2	Males	6,070	1,894	237	126	75	60	1,942	156	75	127	232	249
3	Females	5,810	1,175	221	128	60	63	1,647	158	86	139	203	227
4	Unknown cause	76	24	1		1		26	2	1	1	8	3
5	Males	44	12	1		1		14	1			3	2
6	Females	32	12					12	1	1	1		1
7	1. General diseases.												
7	General diseases—A	2,043	792	189	95	59	49	1,184	129	27	40	44	57
8	Males	1,053	424	112	46	39	22	643	62	14	15	27	29
9	Females	990	368	77	49	20	27	541	67	13	25	17	28
10	Measles	M 53 F 45	12 13	15 11	5 8	6 2	2 3	40 32	7 5		1 1		1 1
11	Scarlet fever	M 42 F 47	1 2	4 7	5 8	8 4	3 4	21 25	18 17	1		2	1
12	Diphtheria	M 113 F 106	10 2	21 9	19 22	18 9	12 17	80 59	26 33	3 6	3 1	3	3
13	Whooping cough	M 31 F 37	16 19	9 12	2 3	4 1		31 35					
14	Malarial fever	M 20 F 15	2 3					2 3		1		1	1
15	Influenza	M 104 F 141	4 6	3	1	1	1	10 6	2		2	1	1
16	Typhoid fever	M 96 F 68		1	1		1	1 2		4 1	7 15	20 4	19 10
17	Cholera morbus	M 22 F 13	2 2	4 1	1 3		1	8 6	2			1	1
18	Colitis	M 9 F 8	3 3	2	1			6 5					
19	Diarrhea	M 50 F 50	28 26	3 3				31 29	2 3				1
20	Dysentery	M 22 F 36	5 4	1	2		1	8 5		1		1	1
21	Enteritis	M 124 F 97	81 58	18 10	5 1		1	105 72	1 1		1	1	1
22	Cholera infantum	M 262 F 238	232 217	26 19	2		2	262 238					
23	Fever	M 2 F 2			1		1	2					
24	Cerebro-spinal fever	M 35 F 16	19 5	5 1	2 5			26 12	2 1	3		2 1	2
25	Smallpox	M 1 F 1							1				
26	Erysipelas	M 16 F 18	6 8	1				6 9		1			2
27	Septicemia	M 24 F 33	1	1		1	1	3 1	1	1 1	2 2	1 6	1 4
28	Venereal diseases	M 2 F 1	2					2					
29	Others of this group	M 27 F 19			1			1		1			1
30	General diseases—B	322	241	8	1		1	251	1		1	2	9
31	Males	180	125	2	1		1	129	1			2	8
32	Females	142	116	6				122			1		1
33	Alcoholism	M 29 F 6							1			1	2
34	Parasitic diseases	M 1 F 1											
35	Lead poison	M 1 F 1											
36	Other poisons	M 14 F 10		1	1		1	2 2				1	6
37	Inanition	M 135 F 126	125 115	2 5				127 120			1		1
38	General diseases—C	1,163	601	6	1	1	2	611	2	1		2	8
39	Males	554	326	4		1		331					3
40	Females	609	275	2	1		2	280	2	1		2	
41	Old age	M 137 F 279											
42	Premature birth	M 200 F 148	200 148					200 148					
43	Malformation	M 20 F 19		1				19 19					
44	Debility and atrophy	M 134 F 146	95 93	3 2	1	1	1	99 97	2	1		2	3
45	Others of this group	M 18 F 17	13 16					13 16					

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
458	409	390	428	497	605	610	698	736	755	573	293	110	39	38	1
229	218	193	221	243	304	308	346	370	376	275	129	87	13	27	2
229	191	197	207	254	301	302	352	366	379	298	164	73	26	11	3
2	3	3		4	6	6	4	4	2	1	1			4	4
1	1	2		2	4	6	3	1	1					3	5
1	2	1		2	2		1	3	1	1				1	6
42	32	31	35	30	41	53	46	74	81	56	27	9	2	3	7
18	17	13	15	15	22	23	21	37	34	24	14	2	1	2	8
24	15	18	20	15	19	25	25	37	47	32	13	7	1	1	9
2	1								1						10
1	1							1							11
1			1												12
															13
	1		1		4	3	1	2	3	1	1				14
		1		1				1	1		1				15
1	4	2	3	5	5	11	7	15	15	13	4	1		1	16
3	2	9	8	4	8	15	13	13	24	20	5	6	1		17
10	4	4	9	4	5	3	2	1	3						18
9	4		2	3	2	3		3	1						19
1	1	1	1	1	1	3		1	2		1	1		1	20
1								1			1				21
					1			1							22
	3		1	1	2	2	3	2	1						23
					1	1	1	4	5	2	1	1			24
	3	2	2	1	2	1	4	6	8	4	2	2			25
1		1	2	1	2	3	3	2	2	2	2				26
2	1	2	3	2	3	3	2	2	2	4	2				27
2															28
			1												29
															30
1	1	1	1	1	1	2		1	2		1	1			31
			1	1	2	2	3	5	1	1					32
6	5	3	1	3	2	2	1	1	1	1				1	33
1															34
					1	2	1	3	7	4	6				35
		1	1	1	1	1	2	6	2	2	2				36
6	8	3	4	5	7	1	7	3	4	1	1	1	1	6	37
5	5	2	2	4	6	1	4	1	3	1	1	1		5	38
1	3	1	2	1	1	1	3	2	1			1	1	1	39
5	4	1	1	3	5	1	2	1	2		1				40
	1	1	1	1	1		1								41
															42
															43
1	2		1	1	5	5	5	5	3	3	2	1		1	44
			1	3	4	3	3	9	7	8	2	1	1		45
								1							

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MASSACHUSETTS—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	1,911	83	33	27	9	11	163	22	27	101	189	187
2	Males	913	55	20	10	5	7	97	7	10	42	99	90
3	Females	998	28	13	17	4	4	66	15	17	59	90	97
4	Anemia	M 12 F 27	4				1	4		1	1	2	2
5	Diabetes	M 39 F 39	1			1	1	3	1	3	2	2	3
6	Rheumatism	M 19 F 30	1		1		1	2		1		1	
7	Scrofula and tabes	M 12 F 11	3	1				4	2			1	2
8	Hydrocephalus	M 52 F 38	22	13	3	3	2	43	2	1		1	3
9	Tuberculosis, general	M 18 F 12	3		1			4		2		1	2
10	Consumption	M 585 F 519	19	6	5		3	33	2	3	38	88	82
11	Cancer	M 148 F 285	12	6	6	2	1	27	5	7	52	81	87
12	Tumor	M 13 F 22					1	1			1	1	1
13	Dropsy	M 7 F 13				1		1				1	
14	Others of this group	M 8 F 2	3			1		4				1	
15	2. Diseases of the nervous system	1,572	287	73	39	23	18	440	35	34	18	23	31
16	Males	797	169	36	23	7	7	242	14	11	11	9	20
17	Females	775	118	37	16	16	11	198	21	23	7	14	11
18	Inflammation of the brain	M 17 F 10	8	1	2	1		12				1	
19	Meningitis	M 153 F 173	68	23	14	2	3	110	9	4	6	2	6
20	Apoplexy	M 261 F 287	5		1			6	1	1	1		3
21	Paralysis	M 104 F 90	1		1			1	1			1	2
22	Paralysis, general (of insane)	M 4 F 8						1					
23	Tetanus and trismus nascentium	M 3 F 3	2					2				1	
24	Chorea	M 2 F 3					1	1					
25	Epilepsy	M 20 F 22	1					1		3	3	1	2
26	Convulsions	M 98 F 64	72	11	6	2	1	92	1	2		2	1
27	Mental diseases	M 31 F 42						56		2		1	1
28	Diseases of the brain	M 70 F 42	12	1		2	2	17	3	1	1	3	6
29	Diseases of the spinal cord	M 10 F 13					1	2	2	2	2	4	1
30	Locomotor ataxia	M 10 F 4											
31	Others of this class	M 14 F 14										1	
32	3. Diseases of the circulatory system	1,075	48	2	1	5	4	60	17	12	15	30	24
33	Males	567	27			2	3	32	10	7	5	10	12
34	Females	508	21	2	1	3	1	28	7	5	10	20	12
35	Pericarditis	M 9 F 7	1					1		1	1		
36	Diseases of the heart	M 508 F 446	22			2	3	27	9	6	3	10	12
37	Angina pectoris	M 19 F 28	13	2	1	2	1	19	6	5	10	19	9
38	Diseases of the arteries	M 20 F 12							1		1	1	1
39	Aneurism	M 2 F 2											1
40	Embolism	M 5 F 5											1
41	Others of this class	M 4 F 8	4			1		4					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MASSACHUSETTS—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	1,732	352	169	67	26	24	638	41	16	22	30	40
2	Males	857	185	93	32	13	13	336	19	8	15	19	23
3	Females	875	167	76	35	13	11	302	22	8	7	11	17
4	Croup	M 33 F 30	5 1	13 13	4 7	4 3	3 2	29 26	4				
5	Pneumonia	M 597 F 585	99 91	56 48	19 19	7 8	9 7	190 173	12 16	6 8	15 3	18 8	19 12
6	Laryngitis	M 6 F 2	1	2 1		1		4 1	1				1
7	Bronchitis	M 145 F 181	62 53	13 10	6 8		1	86 78	2 2	1	3		1 2
8	Pleurisy	M 13 F 12		2 1			1	3 1		1			2
9	Asthma	M 11 F 4	1 1					1 1					
10	Others of this class	M 52 F 61	17 16	2 3	3 1	1 1	1	23 22			1	1	3 2
11	5. Diseases of the digestive system	587	79	14	8	1	7	109	18	17	21	33	27
12	Males	296	40	9	5		4	53	11	9	12	19	12
13	Females	291	39	5	3	1	3	51	7	8	9	14	15
14	Dentition	M 6 F 3	2 1	4 2				6 3					
15	Angina	M 9 F 7	2	1			1	4 2		1		1	
16	Gastritis	M 40 F 36	7 7	2 2	1	1		9 11	1			1	1 2
17	Diseases of the stomach	M 13 F 19	1 1					1 1				1	2 1
18	Obstruction of the bowels	M 23 F 24	4 3	1				5 3	2	2	1	1	1 1
19	Appendicitis	M 45 F 12					1	1	5 1	1 3	8 1	8 1	3 2
20	Hernia	M 16 F 5	1					1					
21	Other diseases of the bowels	M 5 F 7	2 3					2 3					1
22	Jaundice	M 11 F 14	8 8		1			8 9					
23	Inflammation and abscess of the liver.	M 7 F 16					1	1 1				1	
24	Other diseases of the liver	M 46 F 35	1					1					2
25	Peritonitis	M 44 F 83	2 2	1	3		1	7 3	3 4	4 4	3 7	8 9	4 10
26	Ascites	M 3 F 6											
27	Others of this class	M 28 F 24	11 13		2			13 14	1	1			
28	6. Diseases of the urinary system and male organs of generation.	678	9	2	5	3	3	22	12	6	9	21	26
29	Males	333	7	2	1	1		11	8	3	5	8	13
30	Females	295	2		4	2	3	11	4	3	4	13	13
31	Bright's disease	M 265 F 243							7 4	3 3	4 4	7 12	11 10
32	Calculus, urinary	M 3 F 1											
33	Diseases of the kidney	M 15 F 16	4 2	2	1 3	1 2	3	8 10				1	1
34	Diseases of the bladder	M 45 F 5									1		
35	Others of this class	M 55 F 30	3		1			3 1	1			1	2 2
36	7. Diseases of the female organs of generation	30	1					1			1	2	4
37	Ovarian tumors	4											
38	Ovarian diseases	2											
39	Diseases of the tubes	7										1	3
40	Uterine tumors	10											1
41	Uterine diseases	2										1	
42	Others of this class	5	1								1		

CAUSE, SEX, AND AGE.

369

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
44	59	52	65	83	97	103	115	112	83	71	33	12	3	3	1
22	31	30	38	38	49	41	54	41	33	34	12	6	1	2	2
22	28	22	27	45	48	67	61	71	50	37	21	6	2	1	3
16	29	27	31	26	37	35	41	30	27	25	7	4	1	1	4
22	21	16	18	35	35	57	42	50	32	18	13	4	1	1	5
		1											1		6
2	2	1	4	2	6	8	6	6	6	7	5	1		1	7
	3	3	2	6	8	8	16	17	12	12	8	1			8
1			1	3		1		3							9
	1	1	2	1	1	1	1			3					10
			1	4	1	1			2						11
				1	1	1				1					12
3		1	1	3	3	4	6	2	3	2		1			13
	3	2	5	3	4	1	2	4	6	3		1	1		14
29	25	27	25	44	39	36	39	35	39	12	9	2		1	15
14	9	12	13	21	20	13	18	17	25	4	8	1			16
15	16	15	12	23	19	23	21	18	14	8	1	1		1	17
															18
				1				2							19
			1	1						1					20
1	2	2	1	3	3	6	2	1	5	2	2	1			21
		3	1	3	1	5	3	3	2	2					22
4	1	1		1	3	1	2	3	2		1				23
1				3			1	3	1		1				24
	2	1		3	3	5	1	3	1		1				25
7	1	4	2	1	2		1	3	4	1					26
		1	1		1		1	1	1						27
1	1			1	2		1	1	7		2				28
				1	1	3									29
1	1			1	1				2						30
											1				31
2	1			1			1	1	2						32
2		3	8	2	1	1	3	1	1						33
1		2	4	8	3	5	5	3	2						34
3	2	1	3	7	3	4	4	3	3	2					35
7	10	6	4	6	2	1	3	1	2	2		1			36
			1		1		2	1	1						37
			1	1	2		3	2	1		1				38
			1	1	3		2	1		2					39
39	25	34	36	45	51	69	77	75	73	36	16	4	2		40
14	13	14	19	23	21	39	46	51	52	23	11	2	2		41
25	12	20	17	22	30	30	31	24	21	8	5	2			42
9	11	9	17	18	15	31	36	39	35	17	1				43
16	6	18	16	19	27	26	29	24	17	5	5	2			44
				1	1		1								45
									1						46
2	1			2				1	1	1	1				47
					1										48
	1			3	2	7	2	4	9	7	7	1	2		49
5	1	5	2	4	3	1	7	7	7	3	2	1			50
7	4	2	1	3	1	2	2	2	3						51
5	2	3	5	1	3	1	1	1							52
1			1		1	1									53
1								1							54
1		1	1												55
1		2	2	1	2		1								56
1															57
2		1													58

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MASSACHUSETTS—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	82									6	14	20
2	Abortion	4										1	
3	Childbirth	23										5	7
4	Puerperal septicemia	26									1	5	5
5	Extra-uterine pregnancy	4											1
6	Others of this class	25									5	3	7
7	9. Diseases of the bones and joints	21	1	1		1		3	3	2		5	
8	Males	15	1			1		2	2	2		4	
9	Females	6		1				1	1			1	
10	Diseases of the spine	{M 5 F 4		1		1		1	1	2		1	1
11	Abscess, lumbar and psoas	{M 1 F 1										1	
12	Diseases of the bones	{M 4 F 1	1					1	1			1	
13	Diseases of the hip-joint	{M 2 F 1							1			1	
14	Others of this class	{M 3 F 2											
15	10. Diseases of the skin	18	3	1				9		1			
16	Males	8	3	1				4					
17	Females	10	5					5		1			
18	Abscess	{M 4 F 6	2					2					
19	Carbuncle	{M 2 F 1	1					1					
20	Others of this class	{M 2 F 3		1				1					
21	11. Diseases of the absorbent system	6	1					1					
22	Males	3											
23	Females	3	1					1					
24	Addison's disease	{M 3 F 1											
25	Diseases of the spleen	{M 1 F 1											
26	Others of this class	{M 2 F 1	1					1					
27	12. Accidents and injuries	564	42	9	10	6	4	71	32	17	31	37	45
28	Males	400	20	7	8	5	3	43	21	11	22	32	37
29	Females	164	22	2	2	1	1	28	11	6	9	5	8
30	Burns and scalds	{M 22 F 38	1	6	6	1	1	12	6		4	2	1
31	Drowning	{M 56 F 5			1	3	2	6	12	8	11	2	
32	Exposure and neglect	{M 6 F 4	1					1					
33	Gunshot wounds	{M 6 F 3								1	2		1
34	Homicide	{M 5 F 2					1	1	1				
35	Infanticide	{M 3 F 3						3					
36	Injuries by machinery	{M 1 F 1									1		
37	Railroad accidents	{M 88 F 4							3	1	6	12	22
38	Suffocation	{M 20 F 13	10			1		11			1		
39	Suicide by shooting	{M 23 F 2									1	2	3
40	Suicide by drowning	{M 5 F 3										1	
41	Suicide by poison	{M 2 F 3										1	
42	Other suicides	{M 24 F 7								1		1	1
43	Sunstroke	{M 2 F 1	1					1					
44	Surgical operations	{M 3 F 2									1		2
45	Wounds	{M 4 F 1											
46	Others of this class	{M 133 F 74	8	1	1	1		11	6	2	2	12	8
			5					5	3	1		1	6



• CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
19	13	10													1
1		2													2
5	3	3													3
8	6	1													4
1	1	1													5
4	3	3													6
	1	2	1	2			1	1							7
	1	1	1	1			1								8
	1	1		1				1							9
				1											10
								1							11
															12
															13
		1	1	1				1							14
	1		3			1		2		1					15
	1		1				1	2							16
	1		2				1			1					17
						1		1							18
			1							1					19
			1					1							20
		2			1	1				1					21
		1			1	1				1					22
		1			1	1									23
		1			1	1									24
										1					25
		1													26
41	31	28	28	35	33	23	17	23	28	18	8	3	4	11	27
34	26	23	24	25	25	17	11	15	11	11	1	1	2	2	28
7	6	5	4	10	8	6	6	8	17	7	7	2	2	3	29
1	1	1		1	1	1				2					30
2	1			3	2	2	2	4	2	1	1				31
5	4	3	1		1	2	1								32
									1						33
1				1	1				1						34
2	1		2												35
										1					36
2				1											37
1															38
															39
															40
															41
															42
3	2	1	1			5	4	1	2		1				43
		3													44
															45
1	1			1						1					46
9	9	6	11	6	9	7	6	11	7	6	1	1	2	1	46
3	3	2	4	6	5	3	3	3	10	6	6	2	2		

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MICHIGAN.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
All causes.....	33,572	6,570	1,484	668	431	275	9,378	984	683	1,083	1,347	1,444
Males.....	18,084	3,743	763	359	212	153	5,230	485	344	543	627	632
Females.....	15,488	2,827	671	309	219	122	4,148	449	339	540	720	812
Unknown cause.....	632	342	26	6	5	3	332	4	10	11	12	16
Males.....	335	187	11	2	3	1	204	3	4	5	5	6
Females.....	297	155	15	4	2	2	178	1	6	6	7	10
1. General diseases.												
General diseases—A.....	5,884	1,918	653	287	194	116	3,168	353	196	203	213	179
Males.....	3,088	1,065	351	147	97	61	1,721	170	76	90	113	85
Females.....	2,796	853	302	140	97	55	1,447	183	120	113	105	94
Measles.....	M 174 F 199	56 48	43 50	17 24	7 11	7 8	130 141	19 17	7 7	5 7	6 2	4 10
Scarlet fever.....	M 115 F 105	6 9	19 19	17 15	20 18	10 5	72 66	38 30	5 7		1 3	1 1
Diphtheria.....	M 167 F 211	14 10	21 22	27 27	12 17	19 21	98 97	44 61	13 27	12 15	3 4	2 2
Whooping cough.....	M 137 F 136	86 81	27 27	10 8	6 6	3 5	132 127	5 7	1			
Malarial fever.....	M 84 F 84	8 4	3 1	1 2	2 2	3 2	17 11	1 5	5	5	12 9	4 5
Influenza.....	M 204 F 215	12 18	2 1	2 3	3 1	1 1	19 24	2 3	1 2	1 3	4 3	2 5
Typhoid fever.....	M 365 F 315	1 3	3 1	2 1	4 7	4 3	14 15	16 23	30 38	38 56	52 51	51 33
Cholera morbus.....	M 129 F 109	35 31	12 10	9 5	2 3	1 1	59 50	7 5	4 1	2 7	4 4	3 2
Colitis.....	M 48 F 31	27 10	3 5	4 3	2 1		36 19			1	1	1
Diarrhea.....	M 180 F 145	62 51	13 11	3	3 2	1	82 65	4 7	2 1	1	3	2 3
Dysentery.....	M 89 F 112	14 21	11 13	3 6	5 5	2	35 45	1	1		2	2 1
Enteritis.....	M 289 F 271	165 147	46 85	8 12	4 2	4 1	227 197	5 4	1 6	2	5 4	1 5
Cholera infantum.....	M 636 F 478	487 348	107 91	28 23	14 12	3	636 477					
Fever.....	M 3 F 6	2					2	1	1		1	
Cerebro-spinal fever.....	M 175 F 119	36 24	35 11	16 8	12 7	7 2	106 52	22 16	9 20	11 10	8 6	6 4
Smallpox.....	M 8 F									2	1	1
Erysipelas.....	M 80 F 43	18 8	2 2	1		1	20 12		1	3	4 1	4 1
Septicemia.....	M 88 F 130	12 12	2	2	1 3	1	13 20	4 3	2 2	4 5	7 15	1 17
Venereal diseases.....	M 33 F 31	20 24	1 1				21 25			1	2	1
Others of this group.....	M 84 F 56	6 2	3				9 2	1	1	3	1	3 4
General diseases—B.....	615	347	26	5	8	3	339	5	2	8	6	26
Males.....	379	193	18	3	2	1	217	3		3	4	13
Females.....	236	154	8	2	6	2	172	2	2	5	2	8
Alcoholism.....	M 80 F 5											9
Parasitic diseases.....	M 3 F 3	1	1		3		2 3					
Lead poison.....	M F 2											1
Other poisons.....	M 83 F 59	7 5	9 5	3 1	2 2	2	21 15	2	1	2	4	6 6
Inanition.....	M 213 F 167	185 149	8 3	1	1	1	194 154	1 1	1	1	1	3 1
General diseases—C.....	2,712	1,283	22	7	2	2	1,316	4	1	1	1	4
Males.....	1,405	720	9	4	1	1	735	2		1		1
Females.....	1,307	563	13	3	1	1	581	2	1		1	3
Old age.....	M 594 F 635											
Premature birth.....	M 401 F 293	401 293					401 293					
Malformation.....	M 90 F 96	89 90	5				89 95	1 1				
Debility and atrophy.....	M 272 F 259	182 156	9 8	4 3	1 1	1	197 169	1 1	1	1	1	1 3
Others of this group.....	M 48 F 24	48 24					48 24					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MICHIGAN—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D	5,223	149	60	35	20	14	278	77	93	298	442	463
2	Males	2,337	82	29	20	11	8	150	42	37	105	171	181
3	Females	2,886	67	31	15	9	6	128	35	56	193	271	282
4	Anemia	M 70 F 101	M 11 F 12	M 4 F 4	M 1 F	M	M 1 F	M 16 F 17	M 1 F 2	M 2 F 1	M 4 F	M 1 F 7	M 2 F 8
5	Diabetes	M 156 F 90	M 2 F 1	M 1 F	M 1 F	M	M 1 F	M 4 F 2	M 8 F 3	M 13 F 2	M 11 F 5	M 9 F 3	M 4 F 3
6	Rheumatism	M 102 F 91	M 1 F 1	M	M 1 F	M 1 F	M	M 3 F 2	M 5 F 6	M 5 F 8	M 5 F 6	M 2 F 1	M 6 F 3
7	Scrofula and tabes	M 45 F 58	M 7 F 10	M 1 F 3	M 1 F 1	M	M	M 9 F 14	M 3 F 1	M 1 F 2	M 2 F 4	M 4 F 8	M 1 F 6
8	Hydrocephalus	M 91 F 72	M 31 F 18	M 15 F 14	M 11 F 7	M 5 F 3	M 3 F 1	M 65 F 43	M 11 F 7	M 1 F 4	M 2 F 7	M 4 F 2	M 3 F 2
9	Tuberculosis, general	M 31 F 46	M 1 F 1	M 1 F	M	M 1 F	M	M 2 F 2	M 3 F 2	M	M 2 F 3	M 3 F 8	M 2 F 7
10	Consumption	M 1,059 F 1,379	M 18 F 19	M 3 F 7	M 4 F 3	M 2 F 4	M 2 F 1	M 29 F 84	M 4 F 12	M 13 F 33	M 78 F 155	M 144 F 231	M 153 F 236
11	Cancer	M 597 F 877	M 3 F	M 3 F	M 2 F	M 1 F	M	M 9 F	M 2 F	M 1 F 1	M 1 F 3	M 2 F 4	M 6 F 12
12	Tumor	M 45 F 81	M 1 F 2	M 1 F 1	M 1 F	M 1 F	M 1 F	M 5 F 4	M 2 F	M	M 2 F 5	M 1 F 4	M 1 F 3
13	Dropsy	M 118 F 131	M 2 F 1	M 1 F	M 1 F	M	M	M 3 F 2	M 2 F 1	M 2 F	M 1 F 1	M 1 F 1	M 2 F 1
14	Others of this group	M 23 F 80	M 5 F 3	M 2 F	M 2 F	M	M 1 F	M 5 F 8	M 1 F 1	M 1 F 3	M 1 F	M 2 F	M 1 F 1
15	2. Diseases of the nervous system	4,308	777	170	65	45	32	1,089	88	71	67	52	84
16	Males	2,370	456	96	38	22	21	633	48	35	42	21	32
17	Females	1,938	321	74	27	23	11	456	40	36	25	31	52
18	Inflammation of the brain	M 88 F 61	M 25 F 17	M 13 F 6	M 7 F 2	M 1 F 1	M 3 F 1	M 49 F 27	M 5 F 5	M 8 F	M 1 F	M 1 F 1	M 3 F 4
19	Meningitis	M 261 F 203	M 79 F 53	M 36 F 28	M 17 F 10	M 8 F 13	M 14 F 5	M 154 F 109	M 20 F 18	M 14 F 15	M 9 F 8	M 9 F 6	M 7 F 9
20	Apoplexy	M 622 F 527	M 9 F 7	M 1 F	M	M 1 F	M	M 10 F 8	M 2 F 2	M 2 F 1	M 3 F 3	M 4 F 2	M 1 F 7
21	Paralysis	M 478 F 472	M 5 F	M 1 F 3	M 1 F 4	M	M	M 7 F 7	M 1 F	M 1 F 1	M 4 F 1	M 7 F	M 3 F 6
22	Paralysis, general (of insane)	M 42 F 22	M	M	M	M	M	M	M	M	M	M	M 1 F
23	Tetanus and trismus nascentium	M 26 F 7	M 5 F 3	M	M 1 F	M 1 F	M	M 6 F 3	M 3 F	M 4 F	M 3 F	M 2 F	M 1 F 1
24	Chorea	M 6 F 10	M	M 1 F	M	M	M	M 1 F	M 1 F	M 3 F	M 2 F	M 1 F	M 1 F 1
25	Epilepsy	M 86 F 66	M 8 F 11	M 3 F 2	M 1 F 3	M 2 F	M	M 12 F 18	M 6 F 3	M 8 F 1	M 10 F 2	M 3 F	M 3 F 9
26	Convulsions	M 322 F 246	M 267 F 193	M 23 F 19	M 10 F 5	M 7 F 5	M 1 F	M 312 F 228	M 1 F 4	M	M 3 F 2	M 2 F	M 3 F 3
27	Mental diseases	M 72 F 53	M	M	M	M	M	M	M	M	M	M 1 F	M 3 F 4
28	Diseases of the brain	M 238 F 161	M 49 F 25	M 14 F 11	M 1 F 3	M 5 F 1	M 2 F 3	M 71 F 43	M 7 F 5	M 7 F 5	M 5 F 4	M 1 F 5	M 3 F 3
29	Diseases of the spinal cord	M 59 F 45	M 7 F 7	M 1 F 3	M	M 1 F	M 1 F	M 9 F 12	M 1 F 1	M 1 F	M 3 F 1	M 1 F 1	M
30	Locomotor ataxia	M 28 F 9	M	M	M 1 F	M	M	M 1 F	M	M	M 1 F	M 1 F	M
31	Others of this class	M 47 F 56	M 2 F	M	M	M	M	M 2 F	M 1 F	M 1 F 1	M 3 F 2	M 2 F	M 3 F 6
32	3. Diseases of the circulatory system	3,124	192	9	3	2	3	214	37	42	47	48	63
33	Males	1,808	107	5	2	1	5	120	22	17	19	22	26
34	Females	1,316	85	4	1	1	3	94	15	25	28	26	37
35	Pericarditis	M 25 F 20	M 1 F	M 1 F	M	M	M	M 1 F 1	M 1 F 2	M 3 F 3	M 4 F 2	M 1 F 1	M 1 F 1
36	Diseases of the heart	M 1,561 F 1,179	M 76 F 68	M 4 F 4	M 2 F 1	M 1 F 1	M 4 F 3	M 87 F 77	M 21 F 18	M 13 F 22	M 14 F 25	M 19 F 24	M 22 F 29
37	Angina pectoris	M 115 F 63	M	M	M	M	M	M	M	M	M 1 F 1	M 1 F 1	M 4 F 6
38	Diseases of the arteries	M 52 F 25	M	M	M	M	M	M	M	M	M	M	M 1 F
39	Aneurism	M 15 F 4	M	M	M	M	M	M	M	M 1 F	M	M 2 F	M
40	Embolism	M 11 F 9	M 2 F	M	M	M	M 1 F	M 3 F	M 1 F	M	M	M	M
41	Others of this class	M 29 F 16	M 29 F 16	M	M	M	M	M 29 F 16	M	M	M	M	M

CAUSE, SEX, AND AGE.

OF DISEASES, BY AGE AND SEX: CENSUS YEAR 1900.—Continued.

MICHIGAN—Continued.

80 to 84	85 to 89	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
867	882	826	869	817	866	854	415	294	228	186	47	12	8	6	1
180 237	141 191	143 183	166 203	161 156	174 192	163 191	183 232	157 187	126 102	65 71	30 17	6 6	2 1	4 2	2 3
1 7	1 7	4 9	6 6	6 3	4 7	5 7	6 9	4 2	5 2	4 1	2 1	1			4
1 2	4 4	7 5	9 7	11 5	11 5	20 13	14 12	18 7	11 9	4 3		2			5
3 3	3 1	8 8	5 8	5 4	8 5	10 7	11 8	11 13	11 5	6 12					6
2 10	1 4	1 2	4 1	4 1	7 2	1 3	6 1	3		1			1		7
	3 3	1 1	1 1	1 4	2 2										8
7	3 3	3 1	1 5	4 1	5 2	1	2 2	1	1	1					9
110 175	107 128	80 86	80 66	64 35	56 48	39 42	45 37	29 23	20 21	3 10	2 2	2	1	3 2	10
8 23	14 36	35 63	50 102	65 39	72 104	70 101	81 121	67 68	58 48	32 26	20 5	3 1		1	11
5 3	5 3	11 3	3 5	2 5	5 9	6 6	3 9	6 5	2 4	2 1					12
3 2	3 1	3 2	6 7	3 7	4 8	10 10	15 30	23 18	18 12	14 16	6 8	1 2			13
3	2	3	2	1	2	1	3	1	1				1		14
91	128	127	157	195	245	301	351	431	404	254	121	25	14	13	15
46 45	30 48	68 59	77 80	103 87	137 108	148 153	202 149	252 179	233 171	114 140	67 54	13 12	7 7	7 6	16 17
1 1	5 3	6 2	1 4	3 4	2		1 1	2	4 1	1	1				18
5 6	6 5	7 6	3 8	5 1	6 3	2 2	4 2	6 2	2	1	2 1			1	19
9 12	20 8	19 22	22 32	41 33	67 49	62 62	83 56	113 75	94 74	46 53	21 21	3 6		2	20
2 7	9 9	5 10	13 15	24 26	33 32	38 51	65 58	83 68	39 68	54 68	27 25	7 5	1 6	2 2	21
4 1	5 2	5 1	6 1	4 3	4 1	5 2	3 4	3 1	4 3	1	2 1				22
3	1	1		1		1	2	1							23
1			1			1	2			1		1			24
6 5	9 3	5 2	5 5	4	2 4	4 6	1 3	6 1	3	1	2				25
1 2	1 2	3			1				1 1					2	26
4 2	8 3	6 4	6 3	3 9	1 3	8 7	12 3	7 4	10 3	2 4	3 3				27
8 6	10 6	4 5	7 5	10 2	8 9	14 10	17 12	20 16	20 12	10 8	9 3	1	1	2	28
1 1	5 2	7 2	6 3	6 4	3 1	5 6	7 2	2 3	3 2	1 1				1	29
	1 2	1	6 1	4	5 1	2	1 2	5 1	1 1			1			30
1 2	3	2 2	2 6	3 5	2 3	6 5	8 4	7 8	4 4	3	1	1			31
60	89	114	122	182	233	313	356	464	383	221	93	27	9	7	32
34 26	45 44	57 57	64 58	101 81	143 90	184 129	214 142	297 167	234 149	125 96	63 30	13 14	2 7	.6 1	33 34
1		1	1	2	1	1	1	4 1	3 3	2					35
31 24	44 40	46 51	51 56	86 80	128 80	161 113	191 126	264 156	202 130	107 84	56 29	12 14	2 5	4 1	36
2	1 2	5 4	10 1	9 1	10 6	14 9	15 8	16 7	19 11	5 6	2			1	37
		2			2	4	5	12	9	11	5	1			38
		3	2	2	2	3	6	3	3	5	1		2		39
	1	1			1	1	1								40
2	1	1	1	2	1	1	1	1	2	1					41

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MICHIGAN—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	4,180	971	362	185	97	49	1,664	152	59	98	128	110
2	Males	2,277	581	187	99	45	24	986	78	26	60	71	57
3	Females	1,903	390	175	86	52	25	728	74	33	38	57	53
4	Croup	M 94 F 67	27 10	11 14	12 12	14 12	6 1	70 49	22 15	2 3			
5	Pneumonia	M 1,469 F 1,178	320 206	117 110	64 59	27 27	12 15	535 417	40 47	17 22	46 27	56 89	46 46
6	Laryngitis	M 19 F 19	3 1	2 5	1 1	4 3	1 1	11 11	4 4		1		2
7	Bronchitis	M 429 F 405	168 135	51 38	18 14	3 7	4 7	244 201	8 4	3 2	6 4	5 8	3 2
8	Pleurisy	M 31 F 37		1 2		2		1 4	1 1	1	5 1	3 1	2
9	Asthma	M 55 F 52	2	1		1		3 3	1	2	1	1	
10	Others of this class	M 180 F 145	61 36	4 6	4	2	1	72 48	3 2	3 4	2 5	6 8	6 3
11	5. Diseases of the digestive system	2,432	385	55	27	22	16	505	76	80	107	95	133
12	Males	1,300	233	26	13	11	9	292	39	50	55	42	57
13	Females	1,132	152	29	14	11	7	213	37	30	52	53	76
14	Dentition	M 12 F 9	10 5	2 3	1			12 9					
15	Angina	M 19 F 11	1 1	3 1	1 1	2 1		7 4	2 1	1 1	1	3	2
16	Gastritis	M 159 F 180	28 27	2 7	2 2	2 2	2	29 40	3 1	2	6 1	4 1	8 7
17	Diseases of the stomach	M 90 F 66	5 4	1 2		1	1	8 7		1	4	2	4 4
18	Obstruction of the bowels	M 120 F 64	16 11	4 1	2 2		1	23 17	8 3	5 2	3	2 3	5 2
19	Appendicitis	M 150 F 92	1 2	1 2		1	1	3 4	5 10	28 12	26 17	11 10	20 10
20	Hernia	M 47 F 27	6 2					6 2	1		2	1	1
21	Other diseases of the bowels	M 48 F 35	20 15		2	2		22 17	1	1	1	1	1 2
22	Jaundice	M 50 F 47	24 11		2		1	26 12	2	1 1	1 1	1	1 1
23	Inflammation and abscess of the liver.	M 63 F 60	1	1		1	2	3 2	1	2	2	3 3	4 3
24	Other diseases of the liver	M 214 F 130	4 2	1 2	1			6 3	1 1	1	2	5 1	4 6
25	Peritonitis	M 133 F 256	16 8	2 6	2 3	3 2	3	26 19	14 16	8 10	13 22	10 32	6 36
26	Ascites	M 9 F 11	1					1					2
27	Others of this class	M 186 F 144	105 68	9 5	1 3	2	3 1	120 77	3 3	2	2	1 1	3 1
28	6. Diseases of the urinary system and male organs of generation.	1,573	31	10	6	1	6	54	38	31	26	32	52
29	Males	1,022	18	5	2	1	4	30	20	19	9	13	15
30	Females	551	13	5	4		2	24	18	12	17	19	37
31	Bright's disease	M 636 F 418							19 15	12 12	7 11	11 16	9 22
32	Calculus, urinary	M 15 F 8	1 3					1 3			1	1	1
33	Diseases of the kidney	M 94 F 56	10 8	5 3	2 4	1	4 2	22 17	1	1	1	1	2 3
34	Diseases of the bladder	M 126 F 15	3 1					3 1		4		1	
35	Others of this class	M 151 F 54	4 1	2				4 3	1 2	2	6	1 1	4 11
36	7. Diseases of the female organs of generation	164								1	5	21	25
37	Ovarian tumors	31										1	3
38	Ovarian diseases	6									1	1	1
39	Diseases of the tubes	15										2	3
40	Uterine tumors	41										3	3
41	Uterine diseases	15									1	1	4
42	Others of this class	56								1	1	13	11



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MICHIGAN—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	407									32	92	100
2	Abortion	19									1	4	5
3	Childbirth	109									3	17	27
4	Puerperal septicemia	200									16	51	54
5	Extra-uterine pregnancy	8									1	2	
6	Others of this class	71									11	18	14
7	9. Diseases of the bones and joints	105	14		1	3	3	21	7	7	9	5	3
8	Males	69	11		1		3	15	2	5	8	3	1
9	Females	36	3			3		6	5	2	1	2	2
10	Diseases of the spine	23 19	8 3			3		8 6		3	2	1	
11	Abscess, lumbar and psoas	4 2							1			1	
12	Diseases of the bones	24 10	3		1		2	6		3 1	4	1 1	1 1
13	Diseases of the hip-joint	9 1								2 1	1		
14	Others of this class	9 4					1	1			1	1	1
15	10. Diseases of the skin	85	19	2		1	2	24			1	4	2
16	Males	50	10	2				12			1	2	2
17	Females	35	9			1	2	12				2	
18	Abscess	23 19	2 1			1	2	2 4			1	2	1
19	Carbuncle	3 3											
20	Others of this class	24 13	8 8	2				10 8					1
21	11. Diseases of the absorbent system	49	3	5			1	9	1	2	2	4	1
22	Males	28	1	3			1	5	1	1	1	1	1
23	Females	21	2	2				4		1	1	3	
24	Addison's disease	7 6								1		1	
25	Diseases of the spleen	5 2	1					1				1	
26	Others of this class	16 13	1 1	3 2			1	5 3	1		1 1	1 1	1
27	12. Accidents and injuries	2,079	189	34	41	31	20	265	92	88	168	187	183
28	Males	1,615	79	21	28	18	14	160	55	74	144	159	150
29	Females	463	60	13	13	13	6	105	37	14	24	28	33
30	Burns and scalds	78 83	6 1	11 8	12 5	9 7	4 4	42 25	7 19	5	2	2	3 6
31	Drowning	200 31	1	5 4	5 1	1 3	1	13 9	22 3	36 2	29 3	25 4	19
32	Exposure and neglect	14 8	5 4				1	6 4		1		2	
33	Gunshot wounds	87 10	1		1	1		2 2	2 1	7	21	12	3 1
34	Homicide	14 3			1			1				3	1 1
35	Infanticide												
36	Injuries by machinery	14 1		1				1			3		
37	Railroad accidents	245 25			2		1	1 2	3 2	14 2	26 2	29 1	26 2
38	Suffocation	47 39	31 35	1	2			33 36		1	2	1	1
39	Suicide by shooting	47 9									1 1	4 3	5 2
40	Suicide by drowning	9 3									1	2	
41	Suicide by poison	23 27								1	1 6	2 2	1 3
42	Other suicides	79 14									3 1	3	2 3
43	Sunstroke	5 3		1	1			1 2			2 1		
44	Surgical operations	6 25	1					1			1 1	2	8
45	Wounds	38 4	2		1			3	1 1	2	4	6	8
46	Others of this class	710 178	33 17	5	6 3	8 2	6 1	53 23	20 10	13 4	45 6	71 7	82 9



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
76	66	37	2			1								1	1
3	5	1													2
26	16	18	1											1	3
29	31	17	1			1									4
2	3														5
16	11	1													6
5	5	4	9	9	4	6	2	3	3	3					7
3	2	3	5	6	3	5	2	3	1	2					8
3	3	1	4	3	1	1			2	1					9
	1	1	2	1	1	1			1	1					10
1	1	1	3	3		1			1						11
1	1			1		1									12
1	1		2	2	1	2	1	1		1					13
1	1	1	1	2											14
	1	1	1	1	1	1	1	2							15
5	3	1	9	3	4	7	4	5	1	7	4				16
2	1		6	2	4	4	2	3	3	4		1			17
3	2	1	3	1		3	2	2	4	3		1			18
2	1	1	4	1	2	2	1	2	1	2		1			19
3	1		2	1	1	1		1		2		1			20
			1	1	2	1	1	2		3	2				21
2	3	5	4	2	2	5	4	1	1	1					22
2	2	3	2	2	1	3	2	2	1	1					23
1	1	1	1	1	1	2	2		1						24
1	1	2	1		1	1									25
1		1	1	1	1	1	2	1		1					26
185	154	142	117	74	91	85	61	72	51	41	19	15	4	35	27
107	132	121	97	61	78	73	48	55	30	22	11	9		30	28
28	22	21	20	13	13	12	13	17	21	19	8	6	4	5	29
3	2	2	3		2	2			3	1	1			1	30
3	4		4		2	1		1	1	1		1			31
10	6	11	4	1	3	4	4	3	1					9	32
4	3		1											2	33
	1		1	2	1	1			1	1					34
6	4	13		5	2	4	2	2				1		1	35
2		1													36
2	2	1	2				1		1						37
1	1														38
3	3	2	1			1	1								39
22	27	22	12	14	15	10	2	7	5	1				9	40
2		1	2		2	3		1	2					1	41
1	1	2			1	2	1							1	42
2	5	4	7	6	3	2	2	4	1	1				1	43
2		1													44
1			1	1		1		1	3						45
															46
															47
															48
															49
															50
															51
															52
															53
															54
															55
															56
															57
															58
															59
															60
															61
															62
															63
															64
															65
															66
															67
															68
															69
															70
															71
															72
															73
															74
															75
															76
															77
															78
															79
															80
															81
															82
															83
															84
															85
															86
															87
															88
															89
															90
															91
															92
															93
															94
															95
															96
															97
															98
															99
															100
52	72	52	49	28	32	36	22	29	11	14	10	7		7	101
8	5	8	6	9	3	5	11	12	18	17	8	5	4		102

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MICHIGAN—GROUP 1.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	19,570	4,613	997	436	297	177	6,520	632	417	632	808	910
2	Males	10,672	2,618	544	234	141	92	3,639	324	207	328	391	406
3	Females	8,898	1,995	453	202	156	85	2,881	308	210	304	417	504
4	Unknown cause	438	263	22	5	4	2	296	2	7	7	5	10
5	Males	223	135	9	2	2	1	149	1	3	4	1	5
6	Females	215	128	13	3	2	1	147	1	4	3	4	5
7	1. General diseases.												
	General diseases—A	3,693	1,349	452	185	133	80	2,199	242	129	107	129	103
8	Males	1,951	740	256	98	62	39	1,195	106	48	46	66	48
9	Females	1,747	609	196	87	71	41	1,004	136	81	61	63	55
10	Measles	{M. 118 F. 132	{45 36	{32 40	{12 17	{5 8	{3 6	{97 107	{12 12	{5 4	{1 1	{1 1	{1 4
11	Scarlet fever	{M. 90 F. 79	{3 8	{15 13	{15 8	{18 17	{7 3	{58 49	{27 24	{5 6			
12	Diphtheria	{M. 120 F. 161	{11 7	{19 19	{21 21	{9 15	{12 18	{72 80	{28 49	{9 15	{7 12	{3 2	{2 2
13	Whooping cough	{M. 84 F. 81	{54 51	{17 12	{5 6	{5 4	{1 2	{82 75	{2 4				
14	Malarial fever	{M. 40 F. 35	{5 2	{2 1	{1 1	{1 2	{2 2	{10 7	{1 4				
15	Influenza	{M. 98 F. 102	{7 11	{1 1	{1 1	{1 1	{1 1	{10 15	{2 2	{1 1	{1 2	{3 3	{2 2
16	Typhoid fever	{M. 196 F. 180	{1 2	{2 1	{1 1	{2 4	{3 2	{9 10	{10 11	{17 26	{15 27	{31 33	{30 19
17	Cholera morbus	{M. 78 F. 63	{22 18	{8 6	{8 4		{1 3	{39 32	{5 5				
18	Colitis	{M. 31 F. 19	{20 9	{3 4	{2 3			{25 16					
19	Diarrhea	{M. 107 F. 98	{41 38	{12 7	{1 2			{56 48	{1 7	{1 1	{1 1	{1 1	{1 2
20	Dysentery	{M. 48 F. 48	{8 12	{6 6	{2 3			{20 23					
21	Enteritis	{M. 217 F. 196	{126 113	{40 25	{6 8			{177 148	{4 3	{1 5	{1 1	{5 1	{4 4
22	Cholera infantum	{M. 435 F. 324	{342 255	{74 54	{11 8			{435 323					
23	Fever	{M. 2 F. 5											
24	Cerebro-spinal fever	{M. 108 F. 78	{16 13	{21 6	{12 5	{7 6	{6 2	{62 32	{13 11	{6 14	{9 6	{6 5	{4 2
25	Smallpox	{M. 4 F. 4											
26	Erysipelas	{M. 57 F. 26	{9 4	{2 1				{11 7					
27	Septicemia	{M. 45 F. 70	{9 3					{9 4					
28	Venereal diseases	{M. 25 F. 27	{17 23					{17 24					
29	Others of this group	{M. 48 F. 25	{4 2					{6 2					
30	General diseases—B	407	232	16	3	7	2	260	4	2	3	2	16
31	Males	253	131	10	2	2	1	146	2		1	1	11
32	Females	154	101	6	1	5	1	114	2	2	2	1	5
33	Alcoholism	{M. 61 F. 4											
34	Parasitic diseases	{M. 2 F. 3											
35	Lead poison	{M. 1 F. 1											
36	Other poisons	{M. 47 F. 39	{4 4	{5 5	{2 2			{13 11	{1 1		{1 2	{1 1	{2 4
37	Inanition	{M. 143 F. 107	{126 97	{5 1				{132 100	{1 1				
38	General diseases—C	1,684	898	17	5	1	2	923	4		1	1	3
39	Males	895	511	6	3		1	521	2		1		1
40	Females	789	387	11	2		1	402	2			1	2
41	Old age	{M. 333 F. 346											
42	Premature birth	{M. 274 F. 193	{274 193					{274 193					
43	Malformation	{M. 62 F. 58	{61 58					{61 57	{1 1				
44	Debility and atrophy	{M. 189 F. 175	{139 124	{4 7	{3 2			{149 135	{1 1				
45	Others of this group	{M. 37 F. 17	{37 17					{37 17					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MICHIGAN—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	<b>1. General diseases—Continued.</b>												
	General diseases—D	2,888	87	34	27	12	10	170	51	56	164	255	291
2	Males	1,834	47	17	15	7	6	92	29	23	62	98	114
3	Females	1,554	40	17	12	5	4	78	22	33	102	157	177
4	Anemia	M 83 F 59	5 6	2 1	1		1	8 8	1 2	2 1	2	3	2 7
5	Diabetes	M 67 F 44				1		1	4 1	7 2	4	3	1 2
6	Rheumatism	M 47 F 47	1			1		1 2	3 4	3 1	4 4	1	4 3
7	Scrofula and tabes	M 19 F 29	5	1	1			7 6	2 1	1	3	3	1
8	Hydrocephalus	M 63 F 43	16 11	10 10	9 5	3	3	41 26	10 4	1 3	2 5	3 1	1
9	Tuberculosis, general	M 17 F 24	1	1				1 1	1 1		1	1	2 6
10	Consumption	M 627 F 779	12 11	2 4	3 3	2 4	2 1	21 23	2 8	8 23	45 34	85 136	98 148
11	Cancer	M 343 F 399	3					3	2	1	1	3	4 7
12	Tumor	M 27 F 42	1 2		1	1	1	4 3	1		2	1	2
13	Dropsy	M 70 F 70	2	1	1			3 1	2 1	2	1	1	1 1
14	Others of this group	M 16 F 18	3 3	2	1		1	3 7	1	1	1		1
15	<b>2. Diseases of the nervous system</b>	2,309	556	115	37	27	18	753	54	40	40	29	53
16	Males	1,298	328	65	23	13	10	439	31	19	25	15	17
17	Females	1,011	228	50	14	14	8	314	23	21	15	14	36
18	Inflammation of the brain	M 53 F 34	18 14	10 3	5 1	2 1	2	35 20	3 4	1	1	1	3 2
19	Meningitis	M 160 F 114	54 31	23 17	9 5	4 7	6	95 65	17 10	7 9	6 6	8 2	4 7
20	Apoplexy	M 316 F 259	7 5				1	8 5			1	2	1 4
21	Paralysis	M 227 F 185	4	1	1			6 4	1	1	3	3	3 4
22	Paralysis, general (of insane)	M 10 F 8											
23	Tetanus and trismus nascentium	M 14 F 5	3 2					3 2	2 1	2	3	1	
24	Chorea	M 3 F 10		1				1	1	3	2	1	
25	Epilepsy	M 55 F 41	8 9	2		1		10 12	6 1	4	6	2	6
26	Convulsions	M 241 F 192	201 152	22 16	6 2	7 4	1	236 175	4			2	3
27	Mental diseases	M 44 F 34										1	4
28	Diseases of the brain	M 115 F 74	30 12	7 7	1 3	2	1	41 23	1 2	4 4	1 1	2	2 2
29	Diseases of the spinal cord	M 23 F 25	3 3	3		1		3 7	1	1	1		
30	Locomotor ataxia	M 19 F 3			1			1			1	1	
31	Others of this class	M 21 F 27								1 1	2 1	1	2 4
32	<b>3. Diseases of the circulatory system</b>	1,530	105	6	3	2	3	119	23	26	30	26	39
33	Males	834	56	2	2	1	1	62	13	9	14	12	12
34	Females	346	49	4	1	1	2	57	10	17	16	14	27
35	Pericarditis	M 15 F 12		1				1	1	1	3	1	1
36	Diseases of the heart	M 749 F 587	39 39	2 4	2 1	1 1	1 2	45 47	12 9	8 16	10 15	10 13	10 19
37	Angina pectoris	M 59 F 22									1		2 6
38	Diseases of the arteries	M 30 F 9											1
39	Aneurism	M 9 F 3										2	
40	Embolism	M 7 F 4	2					2	1				
41	Others of this class	M 15 F 9	15 9					15 9					



## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MICHIGAN—GROUP 1—Continued.

CAUSE OF DEATH:		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	2,635	718	265	124	71	33	1,211	105	35	63	86	73
2	Males	1,458	426	144	64	32	16	682	54	18	40	50	39
3	Females	1,177	292	121	60	39	17	529	51	17	23	36	34
4	Croup	51 33	17 7	4 8	4 7	8 9	4 1	37 32	13 5	1 1			
5	Pneumonia	945 712	238 154	90 74	43 39	18 18	7 10	396 295	28 34	13 14	30 18	40 26	32 29
6	Laryngitis	9 10	1 3	2 3		3 2	1 5	7 5	2 4				1
7	Bronchitis	301 280	134 108	43 31	14 14	2 7	4 6	197 166	7 4	3 4	4 2	4 3	1 1
8	Pleurisy	18 26		1 1				1 3	1 1	1 1	4 1	1 1	1 1
9	Asthma	37 33	1 1	1 1				2 2	1 1		1 1	1 1	
10	Others of this class	97 78	35 22	3 4	3 3	1 1		42 26	3 2	2 2	1 2	4 5	5 3
11	5. Diseases of the digestive system	1,407	281	39	19	13	7	359	49	46	70	45	86
12	Males	764	169	19	9	7	4	208	29	30	37	19	39
13	Females	643	112	20	10	6	3	151	20	16	33	26	47
14	Dentition	12 8	10 4	2 3	2 1			12 8					
15	Angina	9 7	1 1	2 1	1 1			4 3	1 1	1 1		1 1	1 1
16	Gastritis	91 99	16 22	1 2	2 1	2 2	1 1	21 28	2 2	2 2	5 5	2 1	7 4
17	Diseases of the stomach	48 38	2 3	1 1		1 1		4 5			3 3	1 1	3 2
18	Obstruction of the bowels	79 31	13 5	2 1	1 1	1 1		16 8	7 1	3 1	3 1	1 1	5 1
19	Appendicitis	84 52		2 1	1 1			3 3	4 3	17 7	15 14	6 5	13 7
20	Hernia	27 20	3 1					3 1	1 1		2 1		1 1
21	Other diseases of the bowels	24 16	12 10		1 1			13 10			1 1	1 1	1 1
22	Jaundice	30 27	17 10		2 1			19 10		1 1	1 1		1 1
23	Inflammation and abscess of the liver	32 24	1 1	1 1		1 2		3 2		2 2		1 1	2 1
24	Other diseases of the liver	116 75		1 1	1 1			1 1	1 1		2 1	3 1	2 6
25	Peritonitis	87 145	13 7	2 6	2 1	2 1	1 1	20 15	11 12	4 5	9 11	5 17	3 21
26	Ascites	2 6	1 1					1 1					1 1
27	Others of this class	123 95	30 49	7 4		1 3	3 1	91 57	3 2		1 1		2 1
28	6. Diseases of the urinary system and male organs of generation.	818	20	7	3	1	3	34	24	19	15	17	30
29	Males	508	11	3	1	1	1	17	12	12	5	7	7
30	Females	310	9	4	2		2	17	12	7	10	10	23
31	Bright's disease	313 236							11 9	8 7	4 6	6 9	4 14
32	Calculus, urinary	7 6	1 3					1 3					1 1
33	Diseases of the kidney	51 27	7 6	3 2	1 2	1 1	1 2	13 12			1 1		1 2
34	Diseases of the bladder	62 4	2 1					2 1		2 2			
35	Others of this class	75 37	1 2					1 2	1 2	2 2		1 1	2 6
36	7. Diseases of the female organs of generation	89								1	1	13	18
37	Ovarian tumors	14										1	2
38	Ovarian diseases	4									1		1
39	Diseases of the tubes	10										1	2
40	Uterine tumors	18										1	2
41	Uterine diseases	7										1	3
42	Others of this class	36								1		9	8

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
62	89	69	73	88	87	113	128	137	104	68	29	10	1	4	1
33	52	36	54	51	48	57	62	68	57	26	16	7		3	2
24	37	33	19	37	39	56	66	69	47	42	13	3	1	1	3
															4
34	46	28	41	44	32	42	44	35	35	12	7	3		3	5
16	27	18	11	33	26	32	41	45	22	19	4	1		1	6
															7
2	1	2	8	1	7	5	9	16	14	9	8	3			8
	4	3	2	1	8	13	14	17	17	14	8	2	1		9
1	3		1	1	1			2		2					10
2	3	4	2		2	4	1	5		4	1				11
1	3	1	3		2	5	7	5		3					12
2	1	1	3		2	5	5	5		3					13
4	2	5	1	5	6	7	2	10	2	2		1			14
	2	7	4	3	2	2	5	1	3	4	1				15
62	55	68	70	65	67	85	82	82	65	38	7	4		2	16
29	23	33	45	29	43	44	43	44	35	25	4	3		2	17
33	32	35	25	36	24	41	39	38	30	13	3	1			18
															19
1		1													20
1		1													21
2	1	3	5	3	8	7	4	6	7	5				1	22
	4	2	3	6	7	10	7	10	9	8					23
	1	1	7	4	5	6	4	7	5	1					24
5	3	1	3	2	1	6	2	3	1						25
5	1	3	4	6	4	2	1	6	5	5	1	1		1	26
2	3	2	2	3	2	2	2	1	1	1					27
7	3	5	4	2	2	3	2	2	1	1					28
5	2	2	1	1	2	1	2	1							29
1	1	1	1	1	1	2	4	3	2	4		1			30
			3		1	3	1	1	3		2				31
1	1	1													32
2		1		1	1	1	1	1	1						33
1		1		1	2	2	4	3		1					34
	5	2	2	3	1	3	1	3		5					35
2		4	3	3	2				3						36
5	7	13	13	7	14	13	13	13	9	1		1			37
3	4	10	3	10	3	7	11	5	8		1				38
4	4	1	5	2	6	2	4	3	2	1	1				39
13	16	9	5	6	4	3	6	2							40
															41
		1			2	1				1					42
1	1	2	1			5	6	3	3	2	2				43
1	1	1	5	4	1	6	3	4	5	1		1			44
24	38	39	53	66	80	83	65	73	75	47	28	4	2	2	45
8	12	19	31	44	59	55	46	53	54	36	25	4	1	1	46
16	26	20	22	22	21	28	19	20	21	11	3		1	1	47
6	9	12	29	35	48	37	33	29	20	14	6		1	1	48
16	22	14	13	19	18	25	15	17	18	9	3		1	1	49
		1						1	2		1				50
															51
		1		4	4	7	4	3	5	2	4				52
		4	3	1	1	1	2	2	1	12	8	2			53
			1	1		3	5	9	17						54
			1			1	1	1	1						55
2		6		4	7	8	4	11	10	8	6	2			56
	2	2	5	2	2	2	2	2	2	1					57
8	12	14	8	3	1	3	1	2	1		1	1	1		58
1	3	2	1			2						1	1		59
							1								60
3	2	2													61
	1	6	3	1	1	1		2							62
	3														63
4	2	4	4	2					1		1				64

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MICHIGAN—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	248									22	58	56
2	Abortion	8									1	1	3
3	Childbirth	78									2	8	18
4	Puerperal septicemia	122									11	33	28
5	Extra-uterine pregnancy	4									1	1	
6	Others of this class	41									7	10	7
7	9. Diseases of the bones and joints	61	9		1	3	2	15	6	4	3	4	3
8	Males	41	8		1		2	11	2	3	3	2	1
9	Females	20	1			?		4	4	1	1	2	2
10	Diseases of the spine (M/F)	14/8	6/1			3		6/4	1	2	1	1	
11	Abscess, lumbar and psoas (M/F)	2/1							1			1	
12	Diseases of the bones (M/F)	16/7	2		1		2	5	2	1	2	1	1
13	Diseases of the hip-joint (M/F)	4/1							2		1		
14	Others of this class (M/F)	5/3										1	1
15	10. Diseases of the skin	37	11				1	12				3	1
16	Males	21	5					5				2	1
17	Females	16	6				1	7				1	
18	Abscess (M/F)	8/9		1				2				2	1
19	Carbuncle (M/F)	3/2											
20	Others of this class (M/F)	10/5	5					5					1
21	11. Diseases of the absorbent system	32	2	4			1	7	1	2		4	1
22	Males	17		2			1	3	1	1		1	1
23	Females	15	2	2				4		1		3	
24	Addison's disease (M/F)	3/3								1		1	
25	Diseases of the spleen (M/F)	4/2		1				1				1	
26	Others of this class (M/F)	10/10	1	2			1	3	1			1	1
27	12. Accidents and injuries	1,289	82	20	24	23	18	162	67	50	106	136	127
28	Males	1,025	51	11	14	14	9	99	42	41	90	117	110
29	Females	264	31	9	10	9	4	63	25	9	16	19	17
30	Burns and scalds (M/F)	48/54	2	7	7	8	2	26	6		2	2	5
31	Drowning (M/F)	140/23	1	2	3	1	1	7	20	22	16	18	13
32	Exposure and neglect (M/F)	12/4	5				1	6		1			
33	Gunshot wounds (M/F)	44/4	1		1			1	1	3	12	8	2
34	Homicide (M/F)	9/2			1			1				3	1
35	Infanticide (M/F)												
36	Injuries by machinery (M/F)	7/1		1				1			1		
37	Railroad accidents (M/F)	152/16			2		1	1	1	3	17	18	16
38	Suffocation (M/F)	29/18	22		1			23			2	1	1
39	Suicide by shooting (M/F)	22/3										2	4
40	Suicide by drowning (M/F)	7/2									1		
41	Suicide by poison (M/F)	11/17					1			1	3	1	1
42	Other suicides (M/F)	45/8									2	3	2
43	Sunstroke (M/F)	3/2			1		1	1			2		
44	Surgical operations (M/F)	3/10									1	2	4
45	Wounds (M/F)	31/4	2		1			3	1	1	4	5	7
46	Others of this class (M/F)	462/96	18	2	1	5	4	30	13	11	29	56	64
			12	2	2	1		15	7	1	5	5	3



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
46	46	22	1			1								1	1
1	1	1													2
17	13	13	1											1	3
18	24	7				1									4
1	1														5
9	7	1													6
2	8	2	4	5	1	3	2	2	1	1					7
1	1	2	3	4		3	2	2	1						8
1	2		1	1	1					1					9
	1	1	1	1					1						10
						1									11
1			1	2		1	1	1							12
1				2	1					1					13
		1	1			1	1	1							14
1	1	1	2	2		4	1	2	4	2		1			15
1			1	2		2	1	1	3	2		1			16
1	1	1	1	1		2	1	1	1			1			17
	1	1	1	1		1	1	1	1	2		1			18
				1		1		1							19
			1	1		2			2						20
1	2	3	2	1	2	1	2	1	1	1					21
1	1	2	1	1	1	1	1	1	1						22
	1	1	1							1					23
	1			1	1				1						24
1	1	2													25
			1			1	1								26
		1	1			1	1	1		1					27
82	114	89	72	45	50	39	32	34	23	18	10	8	1	24	27
72	99	75	60	38	44	33	26	25	12	9	6	6		21	28
10	15	14	12	7	6	6	6	9	11	9	4	2	1	3	29
2		1	3		1	1			1		1			1	30
4	4		1		2					1					31
8	5	10	4	1	1	3	1	1	1					8	32
2	3		1											2	33
				2	1				1	1					34
		1													35
		6													36
2	2	1		2		1	1	2						1	37
		1	1												38
	1	1	1				1		1						39
															40
				1											41
1	3	1				1									42
12	23	9	10	12	5	9	2	5	2	1				6	43
1		1	1			1		1	2					1	44
	1														45
1	2	1	3	4	1	1	1	1	1						46
1			1			1		1	2						47
				1											48
			1												49
	3	3	1	1				5							50
2	5	7	5	1	8	3	1	3	1	1		1			51
		2	2		1										52
															53
	1														54
	2		1							1					55
2	2		2		1					1				1	56
			1			1		1							57
41	54	39	30	16	21	12	13	12	2	5	5	5		4	58
3	2	5	5	5	2	4	6	5	9	7	4	2	1		59

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MICHIGAN—GROUP 2.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	14,002	1,957	437	232	134	98	2,858	302	266	451	539	534
2	Males.....	7,412	1,125	219	125	71	61	1,601	161	137	215	236	226
3	Females.....	6,590	832	218	107	63	37	1,257	141	129	236	303	308
4	Unknown cause.....	194	79	4	1	1	1	86	2	3	4	7	6
5	Males.....	112	52	2		1		55	2	1	1	4	1
6	Females.....	82	27	2	1		1	31		2	3	3	5
7	1. General diseases.												
	General diseases—A.....	2,186	569	201	102	61	36	969	111	67	96	89	76
8	Males.....	1,137	325	95	49	35	22	526	64	28	44	47	37
9	Females.....	1,049	244	106	53	26	14	443	47	39	52	42	39
10	Measles.....	56	11	11	5	2	4	33	7	2	5	5	3
	M.....	67	12	10	7	3	2	34	5	3	6	2	6
11	Scarlet fever.....	25	3	4	2	2	3	14	11			1	1
	M.....	26	1	6	7	1	2	17	6	1			
12	Diphtheria.....	47	3	2	6	3	7	21	16	4	5		
	M.....	50	3	3	6	2	3	17	12	12	3	2	
18	Whooping cough.....	53	32	10	5	1	2	50	3				
	M.....	55	30	15	2	2	3	52	3				
14	Malarial fever.....	44	3	1		2	1	7			2	6	2
	M.....	49	2	1	1			4	1	2	3	6	3
15	Influenza.....	106	5	1	1	2		9				1	2
	M.....	113	7		2			9	1	1	1		3
16	Typhoid fever.....	169		1	1	2	1	5	6	13	23	21	21
	M.....	135	1		3	1	1	5	12	12	29	18	14
17	Cholera morbus.....	51	13	4	1	2		20	2	2	1	4	3
	M.....	46	13	4	1			18		1	4		
18	Colitis.....	17	7		2	2		11					
	M.....	12	1	1		1		3				1	1
19	Diarrhea.....	73	21	1	2	1	1	26	3	1		2	1
	M.....	47	13	4				17					1
20	Dysentery.....	41	6	5	1	3		15	1				
	M.....	64	9	7	3	3		22	1				
21	Enteritis.....	72	39	6	2	1	2	50	1		1		1
	M.....	75	34	10	4	1		49	1	1	2	3	1
22	Cholera infantum.....	201	145	33	17	6		201					
	M.....	154	93	37	15	7	2	154					
23	Fever.....	1										1	
	M.....	1											
24	Cerebro-spinal fever.....	67	20	14	4	5	1	44	9	3	2	2	2
	M.....	43	11	5	3	1		20	5	6	4	1	2
25	Smallpox.....	4									1	1	
	M.....	23	9					9			1	1	
	F.....	17	4	1				5					1
27	Septicemia.....	43	3			1		4	4	2	2	3	1
	M.....	60	9	2	2	2	1	16				6	4
28	Venereal diseases.....	8	3	1				4				1	
	M.....	4	1					1					
29	Others of this group.....	36	2	1				3	1	1	1	1	1
	M.....	31										1	2
30	General diseases—B.....	208	115	10	2	1	1	129	1		5	4	10
31	Males.....	126	62	8	1			71	1		2	3	7
32	Females.....	82	53	2	1	1	1	58			3	1	3
33	Alcoholism.....	19											3
	M.....	1											
34	Parasitic diseases.....	1		1				1					
	M.....												
35	Lead poison.....	1											
	M.....												
36	Other poisons.....	36	3	4	1			3	1		1	3	4
	M.....	20	1	1	1	1	1	4			2	1	2
37	Inanition.....	70	59	3				62			1		1
	M.....	60	52	2				54			1		
38	General diseases—C.....	1,028	385	5	2	1		398		1			1
39	Males.....	510	209	3	1	1		214					
40	Females.....	518	176	2	1			179		1			1
41	Old age.....	261											
	M.....	289											
42	Premature birth.....	127	127					127					
	M.....	100	100					100					
43	Malformation.....	28						28					
	M.....	38	37	1				38					
44	Debility and atrophy.....	83	43	3		1		43					
	M.....	84	32	1	1			34		1			1
45	Others of this group.....	11	11					11					
	M.....	7	7					7					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MICHIGAN—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	2,385	62	26	8	8	4	108	26	37	134	187	172
2	Males	1,008	35	12	5	4	2	58	13	14	43	73	67
3	Females	1,382	27	14	3	4	2	50	13	23	91	114	105
4	Anemia	(M) 37 (F) 42	6 6	2 3				8 9			2	4	1
5	Diabetes	(M) 89 (F) 46	2	1	1		1	4 1	4 2	6	7 5	6 1	3 1
6	Rheumatism	(M) 55 (F) 44	1		1			2	2 2	2 7	1 2	1 1	2
7	Scrofula and tabes	(M) 26 (F) 29	2	3				2 8	1	1 2	1 1	1 4	1 5
8	Hydrocephalus	(M) 28 (F) 29	15 7	5 4	2	2	3	24 17	1 3	5	33 71	59 95	55 88
9	Tuberculosis, general	(M) 14 (F) 22	1			1		1 1	2 1	1 3	1 3	2 3	1
10	Consumption	(M) 482 (F) 600	6 8	1 3	1			8 11	2 4	5 10	33 71	59 95	55 88
11	Cancer	(M) 249 (F) 408		3		2	1	6		1	2	1	2 5
12	Tumor	(M) 18 (F) 39		1				1 1	1		3	3	1 1
13	Dropsy	(M) 48 (F) 61										1	1
14	Others of this group	(M) 7 (F) 12	2		1			1 1	1	2			1
15	2. Diseases of the nervous system	1,999	221	55	23	18	14	336	34	31	27	23	31
16	Males	1,072	128	31	15	9	11	194	17	16	17	6	15
17	Females	927	93	24	13	9	3	142	17	15	10	17	16
18	Inflammation of the brain	(M) 30 (F) 27	7 3	3 3	2	1	1	14 7	2 1	7	1	1	2
19	Meningitis	(M) 101 (F) 89	25 22	13 11	8	4	8	58 44	3 8	7 6	3 2	1 4	3 2
20	Apoplexy	(M) 306 (F) 268	2	1				2 3	2 2		2 2	2 1	3
21	Paralysis	(M) 251 (F) 287	1	2	1			1 3			1	4	2
22	Paralysis, general (of insane)	(M) 32 (F) 14											1
23	Tetanus and trismus nascentium	(M) 12 (F) 2	2 1			1		3 1	1 1	2		1	
24	Chorea	(M) 31 (F) 25		1	1			2 6		4 1	4 1		3 3
26	Convulsions	(M) 81 (F) 54	66 46	6 3	4 3		1	76 53	1			1 1	
27	Mental diseases	(M) 28 (F) 19											1
28	Diseases of the brain	(M) 126 (F) 87	19 13	7 4		3	1	30 20	6 3	3 1	4 3	1 3	6 1
29	Diseases of the spinal cord	(M) 36 (F) 20	4 4	1			1	6 5	1		2	1	
30	Locomotor ataxia	(M) 9 (F) 6											
31	Others of this class	(M) 26 (F) 29	2					2	1		1	1	1 2
32	3. Diseases of the circulatory system	1,594	87	3			5	95	14	16	17	22	24
33	Males	924	51	3			4	58	9	8	5	10	14
34	Females	670	36				1	37	5	8	12	12	10
35	Pericarditis	(M) 10 (F) 8		1				1	1	2	1		
36	Diseases of the heart	(M) 812 (F) 592	37 29	2			3	42 30	9 4	5 6	4 10	9 11	12 10
37	Angina pectoris	(M) 56 (F) 41									1	1	2
38	Diseases of the arteries	(M) 22 (F) 16											
39	Aneurism	(M) 6 (F) 1								1			
40	Embolism	(M) 4 (F) 5					1	1					
41	Others of this class	(M) 14 (F) 7	14 7					14 7					

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
153	145	137	171	139	181	171	200	149	117	69	28	5	3	3	1
48	58	57	73	62	79	77	86	77	62	81	17	3	2	3	2
105	87	80	98	77	102	94	114	72	55	38	11	2	1	3	3
	1	2	4	4	2	2	3	3	3	3	1				4
2	2	4		2	5	3	4	1	1	1	1				5
	3	5	5	5	8	9	7	7	7	2		1			6
1	1	2	2	2	2	2	8	8	2	5					7
1	2	2	2	2	3	8	7	2	5	2					8
2	1		1	4	1	5	4	6	3	4	1				9
2		1	2	1	6	1	5	1		4			1		10
2			1	1	2	2	2			4					11
	2			1						1					12
	2			1											13
5	1	1	3	1	1	1	2	1		1					14
	2			1	1	1	1								15
41	43	27	34	29	27	18	23	13	10	2	1			2	16
80	56	36	32	19	23	19	25	9	14	4	2	1	1	3	17
4	6	14	19	21	29	31	31	28	28	14	12	2		1	18
10	21	31	54	38	56	49	57	40	26	15	2				19
		2	2	2	1	3	1	3	1	2					20
1	2	5	2	2	7	3	3	2	3	1					21
	1	2	4	4	1	3	7	14	7	4	3				22
	1	2	3	4	4	5	11	11	3	9	5	1			23
		1	1		1	1	1						1		24
2				2	1	1	1								25
47	56	64	69	95	125	158	190	237	217	151	77	17	8	6	26
26	32	33	29	59	62	80	108	134	118	68	43	9	3	3	27
21	24	31	40	36	63	78	82	103	99	83	34	8	5	3	28
	3	4		3	1				3		1				29
1	2	1		2					1						30
3	2	3	1	3	3	1	3	5	2	1					31
2	1	6	6	1	2	1	1		1						32
3	7	10	8	22	35	35	36	60	41	28	9	3		1	33
7	5	11	16	12	26	35	26	40	37	27	10	4	1	2	34
1	4	7	3	17	11	19	39	45	51	32	20	4	2	4	35
4	4	6	3	11	21	24	41	39	45	46	17	3	4	1	36
1	2	3	5	2	3	5	3		3		2				37
1	1	1	1	1	1	1	2	1	2		1				38
2		1		1				1							39
						1						1			40
4	3	2	1	1	1	3	1	1		1	1				41
	2	1			2	2	1								42
1									1						43
3	2	1	1	1	1	2	5	3	6	2					44
1									1						45
5	5	2	2	5	6	7	8	13	10	4	8		1		46
4	3	3	3	3	5	8	4	12	6	4	3			1	47
	3	5		3		2	7	1	1	1					48
1	1		1	3		2		3	1	1		1			49
	1		2	1	1	1	1	3							50
	1			1	1		2	1	1						51
		2	2	3	1	5	5	2	2		1	1			52
	1		2	2	3	3	3	5	3	2					53
29	32	62	60	74	107	163	185	247	217	136	60	18	6	5	54
19	13	26	26	44	67	97	106	163	131	73	41	9	1	4	55
10	19	36	34	30	40	71	79	84	86	63	19	9	5	1	56
		1	1	1	1			1	1	1					57
						2		1	1						58
18	13	21	21	35	62	87	97	148	116	64	37	8	1	3	59
8	17	33	32	30	37	63	67	75	72	55	19	9	3	1	60
1		3	4	5	3	5	7	8	10	4	2			1	61
	1	2	1		2	5	7	6	10	5					62
		1			1	1	2	6	6	4	2	1			63
			1	2	1	1	5	2	2	3			2		64
						2				3					65
2	1		1	1		1			1						66
									1						67
									1						68

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MICHIGAN—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system .....	1,545	253	97	61	26	16	453	47	24	35	42	37
2	Males .....	819	155	43	35	13	8	254	24	8	20	21	18
3	Females .....	726	98	54	26	13	8	199	23	16	15	21	19
4	Croup .....	43	10	7	8	6	2	33	9	1			
	M .....	29	3	6	5	3		17	10	2			
	F .....	14	7	1	3			16					
5	Pneumonia .....	524	82	27	21	4	5	139	12	4	16	16	14
	M .....	466	52	36	20	9	5	122	13	8	9	13	17
	F .....	58	30	1	11			17					
6	Laryngitis .....	10	2		1	1		4	2				1
	M .....	9	1	2	1	1	1	6			1		1
	F .....	1											
7	Bronchitis .....	123	34	8	4	1		47	1		2	1	2
	M .....	125	27	7			1	35		2	2	5	1
	F .....												
8	Pleurisy .....	13		1				1			1		1
	M .....	11		1									
	F .....	2						1					
9	Asthma .....	18	1					1		2			
	M .....	19	1					1					
	F .....												
10	Others of this class .....	33	26	1	1	1	1	30		3	1	2	1
	M .....	67	14	2				17		2	3	3	
	F .....												
11	5. Diseases of the digestive system .....	1,025	104	16	8	9	9	146	27	34	37	50	47
12	Males .....	536	64	7	4	4	5	84	10	20	18	23	18
13	Females .....	489	40	9	4	5	4	62	17	14	19	27	29
14	Dentition .....	1	1					1					
	M .....	10		1		2		3	1		1	2	
	F .....	4				1		1		1			1
15	Angina .....	68	7	1				8	1			2	1
	M .....	81	5	5	1		1	12	1		1		3
	F .....	42	3					4		1			1
17	Diseases of the stomach .....	23	1	1				2			1	1	2
	M .....	41	3	2	1		1	7	1	2		2	
	F .....	33	6		1	1	1	9	2	1		2	1
18	Obstruction of the bowels .....	66	1	1				3	1	11	11	5	7
	M .....	40						1	7	5	3	5	3
	F .....	20	3					3				1	
20	Hernia .....	7	1					1					
	M .....	24	8		1			9		1			
	F .....	19	5			2		7	1		1		1
22	Jaundice .....	20	7					7	2			1	1
	M .....	20	1				1	2					
	F .....												
23	Inflammation and abscess of the liver .....	31							1			2	2
	M .....	36								2	1	3	2
	F .....												
24	Other diseases of the liver .....	98	4		1			5		1		2	2
	M .....	55	2					2	1				
	F .....	46	3			1	2	6	3	4	4	5	3
25	Peritonitis .....	111	1		2	1		4	4	5	11	15	15
	M .....	7											
	F .....	5											
26	Ascites .....	63	25	2	1	1		23			1	1	1
	M .....	49	19	1				20	1		1	1	
	F .....												
27	Others of this class .....	755	11	3	3		3	20	14	12	11	15	22
	M .....												
	F .....												
28	6. Diseases of the urinary system and male organs of generation.	755	11	3	3		3	20	14	12	11	15	22
29	Males .....	514	7	2	1		3	13	8	7	4	6	8
30	Females .....	241	4	1	2			7	6	5	7	9	14
31	Bright's disease .....	323							8	4	3	5	5
	M .....	182							6	5	5	7	8
	F .....												
32	Calculus, urinary .....	8									1	1	
	M .....	2											
	F .....												
33	Diseases of the kidney .....	43	3	2	1		3	9		1			1
	M .....	29	2	1	2			5				1	1
	F .....	64	1					1		2			
34	Diseases of the bladder .....	11	1					1				1	
	M .....	76	3					3					2
	F .....	17	1					1			2		5
35	Others of this class .....	75											
36	7. Diseases of the female organs of generation.	75									4	8	7
37	Ovarian tumors .....	17											1
38	Ovarian diseases .....	2											1
39	Diseases of the tubes .....	5											1
40	Uterine tumors .....	23									2	2	1
41	Uterine diseases .....	8									1		1
42	Others of this class .....	20									1	4	3



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
MICHIGAN—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	S. Affections connected with pregnancy	159									10	39	44
2	Abortion	11										3	2
3	Childbirth	36									1	9	9
4	Puerperal septicemia	78									5	18	26
5	Extra-uterine pregnancy	4										1	
6	Others of this class	30									4	8	7
7	9. Diseases of the bones and joints	44	5				1	6	1	3	6	1	
8	Males	28	3				1	4		2	5	1	
9	Females	16	2					2	1	1	1		
10	Diseases of the spine	M 9 F 11	2					2		1	1		
11	Abscess, lumbar and psoas	M 2 F 1											
12	Diseases of the bones	M 8 F 3	1					1	1	1	2	1	
13	Diseases of the hip-joint	M 5 F								1	1		
14	Others of this class	M 4 F 1					1	1			1		
15	10. Diseases of the skin	48	8	2		1	1	12			1	1	1
16	Males	29	5	2				7			1		1
17	Females	19	3			1	1	5				1	
18	Abscess	M 15 F 10	2			1	1	2			1		1
19	Carbuncle	M 1 F											
20	Others of this class	M 14 F 8	3	2				5					
21	11. Diseases of the absorbent system	17	1	1				2			2		
22	Males	11	1	1				2			1		
23	Females	6									1		
24	Addison's disease	M 4 F 3											
25	Diseases of the spleen	M 1 F											
26	Others of this class	M 6 F 3	1	1				2			1		
27	12. Accidents and injuries	790	57	14	17	8	7	103	25	38	62	51	56
28	Males	591	28	10	14	4	5	61	13	33	54	42	40
29	Females	199	29	4	3	4	2	42	12	5	8	9	16
30	Burns and scalds	M 30 F 29	4	4	5	1	2	16	1		2		2
31	Drowning	M 60 F 8	1	1	2	1	1	6	7	1	1	1	1
32	Exposure and neglect	M 2 F 4											
33	Gunshot wounds	M 43 F 6	3		1			3					
34	Homicide	M 5 F 1											
35	Infanticide	M F											
36	Injuries by machinery	M 7 F									2		
37	Railroad accidents	M 93 F 9							2	11	9	11	10
38	Suffocation	M 18 F 21	9	1	1			10		1			
39	Suicide by shooting	M 25 F 6									1	2	1
40	Suicide by drowning	M 2 F 1										1	
41	Suicide by poison	M 12 F 10									1	1	
42	Other suicides	M 34 F 6									1		1
43	Sunstroke	M 2 F 1		1				1					
44	Surgical operations	M 3 F 15		1							1	1	4
45	Wounds	M 7 F								1		1	1
46	Others of this class	M 248 F 82	15	3	5	3	2	28	7	2	16	15	18
			5		1	1	1	8	3	3	1	2	6



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
30	20	15	1											1
2	4													2
9	3	5												3
11	7	10	1											4
1	2													5
7	4													6
8	2	2	5	4	3	3		1	2	2				7
2	1	1	2	2	3	2		1		2				8
1	1	1	3	2		1			2					9
1		1	1	1	1	1			1	1				10
1			2	2		1								11
	1		1	1										12
			1		1	1				1				13
1	1	1												14
					1			1						15
									1					16
4	2		7	1	4	3	3	3	3	2		1		17
1	1		5		4	2	2	2	1	2				18
3	1		2	1		1	1	1	2			1		19
1	1		4	1	2	1								20
3			1					1				1		21
			1		2			2		2				22
	1		1			1		1						23
1	1	2	2	1		4	2							24
1	1	1	1	1		2	1							25
	1	1	1			2	1							26
	1	1	1			2	1							27
1			1			1								28
			1											29
			1											30
			1											31
1				1										32
														33
														34
														35
														36
														37
1														38
1														39
1														40
2		1	1				1							41
4	2	7		3	2	3	1					1		42
2	1		1											43
1														44
														45
														46
														47
														48
														49
														50
														51
														52
														53
														54
														55
														56
														57
														58
														59
														60
														61
														62
														63
														64
														65
														66
														67
														68
														69
														70
														71
														72
														73
														74
														75
														76
														77
														78
														79
														80
														81
														82
														83
														84
														85
														86
														87
														88
														89
														90
														91
														92
														93
														94
														95
														96
														97
														98
														99
														100
11	18	13	19	12	11	24	9	17	9	9	5	2		3
5	3	3	1	4	1	1	5	7	9	10	4	3		3

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW HAMPSHIRE.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	7,400	1,384	306	137	101	53	1,981	156	108	156	238	213
2	Males	3,663	759	161	65	43	30	1,058	77	51	63	111	101
3	Females	3,737	625	145	72	58	23	923	79	57	93	127	117
4	Unknown cause	122	40	2		4		46	4	2		3	1
5	Males	65	23	1		2		26	2			2	
6	Females	57	17	1		2		20	2	2		1	1
7	1. General diseases.												
	General diseases—A	1,146	452	92	32	29	18	623	60	25	24	30	14
8	Males	543	234	47	12	12	12	317	29	11	7	13	9
9	Females	598	218	45	20	17	6	306	31	14	17	17	5
10	Measles	M 20 F 25	7 5	7 8	2 4			16 18	2 2	1 1		1 1	
11	Scarlet fever	M 16 F 13	2 1	3 1			3 4	8 4	5 7	1 2		1 1	
12	Diphtheria	M 30 F 35	2 3	2 1	4 6	6 8	8 1	22 19	6 7	1 4	2	1	
13	Whooping cough	M 35 F 43	22 25	8 7	2 5			32 38				1	
14	Malarial fever	M 9 F 9	2					2 1	2 1		2	1	
15	Influenza	M 79 F 106	9 4	2 1		2		13 5	1		1	2	
16	Typhoid fever	M 40 F 29							2 1	2 3	4 9	5 6	7
17	Cholera morbus	M 11 F 23	5 3	2 1		1 1		7 6	2	1		1 1	1
18	Colitis	M 4 F 4	2 1	1	1			3 2				1	1
19	Diarrhea	M 21 F 22	12 11	2				12 13	1	1			
20	Dysentery	M 13 F 16	5 7	1	1			7 7	1	1			
21	Enteritis	M 45 F 53	29 24	4 2	3	1	1	35 31	1 6	1		1	
22	Cholera infantum	M 148 F 145	130 127	16 17	1		1	147 145					
23	Fever	M F											
24	Cerebro-spinal fever	M 22 F 17	5 4	2 2	1	2	2	10 10	4 3	3 2	2 1	1	
25	Smallpox	M F											
26	Erysipelas	M 4 F 7	1	1		1		3					
27	Septicemia	M 22 F 32	2 1		2			2 3	2 1		1	1 7	2 1
28	Veneral diseases	M F		1				1					
29	Others of this group	M 27 F 19		1				1	2				2
30	General diseases—B	114	75	4	1			30	1			1	2
31	Males	70	49	1				50	1			1	1
32	Females	44	26	3	1			30					1
33	Alcoholism	M 8 F 1											1
34	Parasitic diseases	M F			1			1					
35	Lead poison	M F											
36	Other poisons	M 10 F 2	1	2				1 2	1			1	1
37	Inanition	M 58 F 40	48 26	1 1				49 27					
38	General diseases—C	784	274	15	2	1		292	1			2	1
39	Males	350	153	7	1			161				2	
40	Females	384	121	8	1	1		131	1				1
41	Old age	M 152 F 197											
42	Premature birth	M 79 F 43	79 43					79 43					
43	Malformation	M 10 F 11	7 10	1	1			9 10	1				
44	Debility and atrophy	M 108 F 132	66 67	6 8	1	1		72 77				2	1
45	Others of this group	M 1 F 1	1 1					1 1					

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
207	222	231	250	274	339	364	509	575	559	502	263	122	33	93	1
100	100	112	114	136	158	190	259	295	284	256	104	46	2	46	2
107	122	119	136	138	181	174	250	280	275	246	159	76	31	47	3
3	6	1	2	2	5	5	5	7	8	10	2	3		7	4
3	2		1	1	2	3	5	3	1	5		2		3	5
	4	1	1	2	2	2	2	6	3	5	2	1		4	6
25	12	16	12	10	23	30	37	57	47	49	25	10	4	13	7
14	7	6	6	5	10	14	13	25	21	17	12	5		7	8
11	5	10	6	5	13	16	24	32	26	32	13	5	4	6	9
								1							
	1													1	10
														1	11
							1	1						1	12
														2	13
														2	13
1			1					2	1						14
1								1	2						14
2	2			1	4	7	6	11	5	10	9	4		1	15
1		2	1	2	5	7	9	21	17	19	10	4		1	15
7	2	4	3	2		1	1				1		2		16
2	1	2	2		1	1	1								16
1															17
2	1	1			1	1		1	2	1	1		1		17
			1												18
			1		2			2	1	3	1			1	18
						1		1	1	1		1	1		19
					1	2	3	1	1	1					20
1			1	1	1	2			1	1				1	21
1		1	1	1	2	1	4		2	1	2				21
														1	22
															22
					2		1								23
															23
															24
															24
	1	1				1		1		1					25
						1	1	1	1	1					25
2	2	1				2	2	3		3					26
3	2	4	1	2	2		2	1	1	1					26
					1										27
															27
				1		3	2	5	10	2	1	1			28
					1	2	2	4	1	5				1	28
															29
5		3	4	5	3	2	2	2	1	3					30
															30
3		2	3	4	3			1		1					31
2		1	1	1	2	2	2	1	1	2					31
2		1	1	2	2										32
															32
															33
															33
															34
															34
															35
1			2	1	1					1					35
															36
															36
2		1	1	1		2	2	1	1	2					37
1	5	4		2	10	8	11	22	69	109	111	58	19	9	38
															38
	1	1	1	1	4	5	5	9	26	65	45	21	1	3	39
	4	3		1	6	3	6	18	43	44	66	37	18	6	40
						1	3	6	19	60	42	20	1		41
						1	2	8	36	36	62	35	14	3	41
															42
															42
															43
															43
															44
1	4	3		1	4	4	2	3	7	5	3	1		2	44
				1	6	2	4	5	7	8	4	2	4	3	45

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.	1,157	42	15	12	8	5	82	14	17	63	94	95
2	General diseases—D												
3	Males	477	22	9	3	2	2	38	5	4	25	43	34
3	Females	680	20	6	9	6	3	44	9	13	38	51	61
4	Anemia	M 17 F 33	6		2			8	1		1	2	1
5	Diabetes	M 25 F 30	1					1	1	1		1	2
6	Rheumatism	M 8 F 11							1	1		2	
7	Scrofula and tabes	M 12 F 13	2	1	1		1	5 4			1	1	1
8	Hydrocephalus	M 18 F 16	10	4	1		2	15 10	2	3	1		
9	Tuberculosis, general	M 3 F 6									1	1	1
10	Consumption	M 292 F 335	8	4		2	1	15 17	2	2	22 35	41 41	31 57
11	Cancer	M 82 F 193										1	
12	Tumor	M 7 F 18		1	1			2			1		
13	Dropsy	M 9 F 20	1					1					
14	Others of this group	M 4 F 5	1		1			2 2		1	1		
15	2. Diseases of the nervous system	1,062	147	44	27	15	9	242	19	12	6	15	14
16	Males	524	81	28	17	9	4	139	8	7	3	7	7
17	Females	538	66	16	10	6	5	103	11	5	3	8	7
18	Inflammation of the brain	M 10 F 10	1	1	1			3 2	1	1			
19	Meningitis	M 101 F 79	38	12	12	4	3	69 54	4	3		3	4
20	Apoplexy	M 177 F 190	2	1				3 2				2	2
21	Paralysis	M 90 F 103	2					2 1		1		1	2
22	Paralysis, general (of insane)	M 2 F 2											
23	Tetanus and trismus nascentium	M 1 F 2	1					1					
24	Chorea	M F											
25	Epilepsy	M 10 F 9		1	1	1		2 2			2	2	
26	Convulsions	M 58 F 46	35	12	2	3	1	52 36	1	1	1		2
27	Mental diseases	M 20 F 19											
28	Diseases of the brain	M 41 F 50	2	2	1	1		6 6	1	1		1	3
29	Diseases of the spinal cord	M 5 F 11						1					
30	Locomotor ataxia	M 2 F 3											
31	Others of this class	M 7 F 14							1				1
32	3. Diseases of the circulatory system	799	38	1	4	1	3	47	6	14	6	12	12
33	Males	434	21			1	2	24	2	4	2	3	6
34	Females	365	17	1	4		1	23	4	10	4	9	6
35	Pericarditis	M 4 F 1							1				
36	Diseases of the heart	M 394 F 344	17	1		1	2	20 21	1	3	2	2	6 6
37	Angina pectoris	M 24 F 16										1	
38	Diseases of the arteries	M 6 F 1											
39	Aneurism	M 1 F								1			
40	Embolism	M 1 F 1										1	
41	Others of this class	M 4 F 2	4	2				4 2					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	1,286	250	114	50	36	12	462	20	13	17	24	22
2	Males	609	140	58	26	14	4	242	11	9	8	11	11
3	Females	627	110	56	24	22	8	220	9	4	9	13	11
4	Croup	(M) 20 (F) 22	6 2	3 7	3	4	2	18 21	2				
5	Pneumonia	(M) 426 (F) 447	83 61	40 35	15 21	6 10	6 5	144 132	6 5	7 4	6 9	9 11	10 9
6	Laryngitis	(M) 7 (F) 7	1 1	1 3	1		1	4 5	1 1	1			
7	Bronchitis	(M) 102 (F) 111	34 41	11 9	6 2	4	1 1	56 53			1	1	
8	Pleurisy	(M) 14 (F) 5	1					1	1 1		1	1	1 1
9	Asthma	(M) 2 (F) 7											
10	Others of this class	(M) 38 (F) 28	15 5	3 2	1 1	1		19 9	1	1		1	
11	5. Diseases of the digestive system	334	42	8	4	1	3	58	11	8	13	20	13
12	Males	160	24	5	2		3	34	5	3	3	9	7
13	Females	174	18	3	2	1		24	6	5	10	11	6
14	Dentition	(M) 8 (F) 7	6 5	2 2				8 7					
15	Angina	(M) 2 (F) 2		1		1		1 1		1			
16	Gastritis	(M) 20 (F) 39	4 4	1				4 5	1		1	1	1 1
17	Diseases of the stomach	(M) 13 (F) 14	2				1	1 2				2 1	2 1
18	Obstruction of the bowels	(M) 12 (F) 16	2 2				1	3 2	1			2	1
19	Appendicitis	(M) 11 (F) 10	1				1	1 1		1	2	4 2	2
20	Hernia	(M) 9 (F) 4	2					2					
21	Other diseases of the bowels	(M) 6 (F) 1	2					2		1			
22	Jaundice	(M) 3 (F) 3	2					2					
23	Inflammation and abscess of the liver.	(M) 11 (F) 9		1				1					1 1
24	Other diseases of the liver	(M) 28 (F) 11	1					1			1		
25	Peritonitis	(M) 21 (F) 46	2 1		2 1	1		4 3	3 3	2 3	2 7	6	2 2
26	Ascites	(M) 1 (F) 2											
27	Others of this class	(M) 15 (F) 10	5 1	1				6 1		2		1	1
28	6. Diseases of the urinary system and male organs of generation.	317	5	4	2	1	1	13	4	1	7	9	9
29	Males	188	3	3	2		1	9	1	1	2	5	5
30	Females	129	2	1		1		4	3		5	4	4
31	Bright's disease	(M) 120 (F) 113							1 3	1	2 3	5 4	4 3
32	Calculus, urinary	(M) 1 (F) 5											
33	Diseases of the kidney	(M) 15 (F) 5	1 2	3 1	2		1	7 4					
34	Diseases of the bladder	(M) 30 (F) 2											
35	Others of this class	(M) 23 (F) 9	2					2			2		1 1
36	7. Diseases of the female organs of generation.	15	1					1			1	1	4
37	Ovarian tumors	3											2
38	Ovarian diseases												
39	Diseases of the tubes	1											1
40	Uterine tumors	8											1
41	Uterine diseases												
42	Others of this class	3	1					1			1	1	

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
30	37	36	45	54	53	50	64	96	75	71	32	13	2	15	1
12	22	19	20	28	25	24	29	51	36	31	11	5		4	2
18	15	17	25	26	33	28	35	45	39	40	21	8	2	11	3
					1										4
10	15	16	16	23	18	20	23	37	26	25	8	3		4	5
10	13	15	21	21	26	24	31	33	26	31	11	5	2	3	6
					1		1								7
4	3		2	3	5	2	4	9	7	6	1	2			8
2	2	1	1	1	1	2	3	7	12	8	6	3		3	9
					1			1							10
1		1		1	1	1		2				2			11
3	2	1	1	1	1	1	1	4	3			2			12
8	2	2	2	2	2	1	1	3	1	1	1	1			13
10	15	13	16	13	19	30	21	21	25	15	9	3		1	14
4	4	8	7	6	10	17	8	11	16	6	1	1			15
6	11	5	9	7	9	13	13	10	9	9	8	2		1	16
															17
								1							18
															19
1	2	1	2	1	1	2	6	2	3	5		1			20
1	1	1	1	1	1	2	1	3	1	5	1	1			21
1	2			1	1	1	2	2			2				22
2	1	1	4		1	2	1	1	1	1					23
1		1			1	2	1		1	1					24
	2	1			1	1				2					25
	1	1			1	1			1	1	2				26
		1				1				1					27
			1				1		1						28
2	1			2	1	1	2	1		1					29
		1		1	2	1	1		1						30
1		1	4	3	4	5	2	2	3	1					31
		2	1	1	2	3	1	1	1		1				32
2	4	3	2		1	2	1	2	2	1	1			1	33
															34
			1		1		1	2		1					35
				3					1						36
				1	3		4	7	4	8	1	2			37
			1	2		4	3	2	2	3					38
1		1	1	1	1	2	1	1	5						39
		1	1	1	1	2	1			1					40
															41
			1	1	1	2	1								42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	32									4	10	5
2	Abortion	1											
3	Childbirth	10										5	1
4	Puerperal septicemia	16									3	5	2
5	Extra-uterine pregnancy												
6	Others of this class	5									1		2
7	9. Diseases of the bones and joints	15	1	1				2	1		1	1	
8	Males	8		1				1	1		1	1	
9	Females	7	1					1					
10	Diseases of the spine	M 3 F 5									1		
11	Abscess, lumbar and psoas	M 1 F 1										1	
12	Diseases of the bones	M 2 F 2											
13	Diseases of the hip-joint	M 2 F 2		1				1					
14	Others of this class	M 2 F 2							1				
15	10. Diseases of the skin	10	4	1				5					
16	Males	6	4					4					
17	Females	4		1				1					
18	Abscess	M 1 F 1	1	1				1					
19	Carbuncle	M 2 F 1											
20	Others of this class	M 3 F 2	3					3					
21	11. Diseases of the absorbent system	3											
22	Males												
23	Females	3											
24	Addison's disease	M 1 F 1											
25	Diseases of the spleen	M 1 F 1											
26	Others of this class	M 1 F 2											
27	12. Accidents and injuries	304	13	5	3	5	2	28	15	16	14	16	26
28	Males	224	5	1	2	3	2	13	12	12	12	14	21
29	Females	80	8	4	1	2		15	3	4	2	2	5
30	Burns and scalds	M 6 F 10		2	1			1	1				1
31	Drowning	M 35 F 3	1			1	1	3	7	5	3	2	4
32	Exposure and neglect	M 6 F 2											
33	Gunshot wounds	M 7 F 2							1	1	1	1	2
34	Homicide	M 1 F 1											1
35	Infanticide	M 1 F 1	1					1					
36	Injuries by machinery	M 1 F 1											
37	Railroad accidents	M 29 F 1								2	2	7	3
38	Suffocation	M 10 F 7	3	1		1	1	5					
39	Suicide by shooting	M 9 F 1											2
40	Suicide by drowning	M 1 F 1										1	
41	Suicide by poison	M 2 F 1											
42	Other suicides	M 22 F 6											
43	Sunstroke	M 1 F 1											
44	Surgical operations	M 1 F 1											
45	Wounds	M 2 F 1											
46	Others of this class	M 94 F 45	13	1	1	1	1	4	3	4	6	4	9



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—Continued.

30 to 34.	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4	6	2												1	1
	1														2
2	2														3
2	2	1												1	4
															5
	1	1													6
3	2	1		1	1			1		1					7
1		1		1	1										8
2	2							1		1					9
	2	1			1										10
								1		1					11
															12
2				1											13
															14
1															14
				1			1		1	1	1				15
							1			1					16
				1					1	1	1				17
								1							18
				1						1					19
									1		1				20
			1		1		1								21
				1											22
					1			1							23
							1								24
															25
			1		1										26
15	17	16	23	15	12	11	11	14	16	19	8	3	1	8	27
18	13	12	20	11	8	8	9	13	12	10	4			7	28
2	4	4	3	4	4	3	2	1	4	9	4	3	1	1	29
	1			1	2	1	1	1		1					30
4		1			1	1				1				3	31
			1	1		1			1		1			1	32
	1									1					33
	1														34
															35
															36
1	3	1	4	2				1		1				2	37
1		1	1				1		1					1	38
1	1	1	2		1				1						39
				1											40
			1						1						41
2	2	2	5	1	2			6	1	1		1			42
1		1	2				1								43
			1												44
		2					1								45
4	6	4	5	6	4	5	7	6	7	6	3			1	46
	2	3	1	3	2	2	1	1	4	7	3	3	1		



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
159	166	161	167	200	284	255	333	401	372	328	175	83	21	48	1
80	73	79	76	99	113	131	175	204	185	172	62	23	2	23	2
79	93	82	91	101	121	124	158	197	187	156	113	55	19	20	3
3	4	1		2	3	5	3	6	3	4	2	3		4	4
3	2			2	2	5	2	1	1	3		2		1	5
	2	1			1		1	5	2	1	2	1		3	6
17	11	12	7	8	12	17	20	37	30	36	12	6	1	6	7
11	7	4	5	4	5	9	8	13	14	12	6	4		5	8
6	4	8	2	4	7	8	12	24	16	24	6	2	1	1	9
	1														10
														1	11
								1							12
														1	13
1			1												14
1								1							15
2	2			1	2	5	5	6	4	9	4	4		1	16
1		1		2	2	5	5	16	11	13	5	1			17
4	2	3	2	2	1	1	1				1				18
		2	1												19
1	1	1			1			1	1	1					20
2															21
			1					1	1		1				22
			1	1	1	1	1		2	1	1			1	23
															24
					1		1								25
	1					1		1							26
3	2	1				1	1			1					27
2	2	3		2	1		1	2	1	3					28
															29
					1	2	1	3	6	5				1	30
4		2	3	3	2	2	2	1	1	1					31
2		1	2	2	2										32
2		1	1	1		2	2	1	1	1					33
2		1	1	1	1										34
															35
			1		1										36
2		1	1	1		2	2	1	1	1					37
	4	4		1	7	8	7	9	50	73	74	38	11	5	38
	1	1			4	5	3	3	18	43	25	11	1	2	39
	3	3		1	3	3	4	6	32	30	49	27	10	3	40
						1	2	3	13	39	24	11	1		41
						1	1	5	26	26	46	25	7	2	42
															43
	1	1			4	4	1		5	4	1			1	44
	3	3		1	3	2	3	1	6	4	3	2	3	1	45

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW HAMPSHIRE—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	796	31	12	8	7	5	63	9	13	35	72	71
2	Males	389	17	7	3	2	2	31	3	3	17	32	26
3	Females	457	14	5	5	5	3	32	6	10	18	40	45
4	Anemia	{M 10 F 23			2			6			1	1	
5	Diabetes	{M 15 F 21							1	1		1	1
6	Rheumatism	{M 4 F 5								1		2	
7	Scrofula and tabes	{M 11 F 11	2	1	1		1	5			1	1	1
8	Hydrocephalus	{M 15 F 14	8	3	1		1	12	2	1			
9	Tuberculosis, general	{M 3 F 4										1	1
10	Consumption	{M 217 F 237	5	3		2	1	11	1	2	15	30	24
11	Cancer	{M 47 F 112										1	
12	Tumor	{M 6 F 13									1		
13	Dropsy	{M 7 F 13	1					1					
14	Others of this group	{M 4 F 4	1		1		1	2		1			
15	2. Diseases of the nervous system	757	114	36	21	12	9	192	14	10	3	11	9
16	Males	374	63	23	11	9	4	110	6	6		5	4
17	Females	383	51	13	10	3	5	82	8	4	3	6	5
18	Inflammation of the brain	{M 7 F 9	1	1	1			3		1			
19	Meningitis	{M 73 F 56	28	9	7	4	3	51	4	3		2	3
20	Apoplexy	{M 119 F 126	1	1				1					1
21	Paralysis	{M 59 F 64	2					2				1	2
22	Paralysis, general (of insane)	{M 2 F 2											
23	Tetanus and trismus ascentium	{M 1 F 1	1					1					
24	Chorea	{M F}											
25	Epilepsy	{M 4 F 8		1	1	1		1				1	
26	Convulsions	{M 51 F 40	30	11	2	3		46	1	1			1
27	Mental diseases	{M 16 F 16											
28	Diseases of the brain	{M 35 F 43		2	1	1		4	1	1		1	2
29	Diseases of the spinal cord	{M 4 F 7					1	1					
30	Locomotor ataxia	{M 1 F 2											
31	Others of this class	{M 2 F 9											
32	3. Diseases of the circulatory system	551	21		3	1	2	27	3	9	6	10	9
33	Males	298	11			1	1	13	1	2	2	3	6
34	Females	253	10		3		1	14	2	7	4	7	3
35	Pericarditis	{M 2 F 1											
36	Diseases of the heart	{M 272 F 243	8			1	1	10	1	1	2	2	6
37	Angina pectoris	{M 16 F 8			3		1	13	2	7	4	7	3
38	Diseases of the arteries	{M 8 F 8											
39	Aneurism	{M 1 F 1								1			
40	Embolism	{M 1 F 1										1	
41	Others of this class	{M 3 F 1	3	3				3					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW HAMPSHIRE—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	914	191	96	45	26	9	367	15	9	11	16	18
2	Males	454	108	49	23	8	3	191	8	6	5	6	7
3	Females	460	83	47	22	18	6	176	7	3	6	10	6
4	Croup	{M 14 F 17	{M 4 F 1	{M 2 F 6	{M 8 F 1	{M 1 F 8	{M 2 F 1	{M 12 F 16	{M 2 F 2				
5	Pneumonia	{M 314 F 327	{M 62 F 47	{M 32 F 29	{M 14 F 19	{M 4 F 8	{M 4 F 4	{M 112 F 107	{M 4 F 8	{M 4 F 3	{M 4 F 6	{M 5 F 8	{M 6 F 5
6	Laryngitis	{M 5 F 5	{M 1 F 1	{M 1 F 2		{M 1 F 1		{M 2 F 4	{M 1 F 1	{M 1 F 1			
7	Bronchitis	{M 82 F 80	{M 30 F 29	{M 11 F 8	{M 6 F 2	{M 3 F 3	{M 1 F 1	{M 51 F 40				{M 1 F 1	{M 1 F 1
8	Pleurisy	{M 9 F 4							{M 1 F 1		{M 1 F 1		
9	Asthma	{M 1 F 5											
10	Others of this class	{M 29 F 22	{M 11 F 5	{M 3 F 2	{M 1 F 1			{M 14 F 9		{M 1 F 1		{M 1 F 1	
11	5. Diseases of the digestive system	242	84	6	2		3	45	7	7	7	14	8
12	Males	117	18	4	2		3	27	4	2	3	5	3
13	Females	125	16	2				18	3	5	4	9	5
14	Dentition	{M 7 F 7	{M 5 F 5	{M 2 F 2				{M 7 F 7					
15	Angina	{M 1 F 1							{M 1 F 1				
16	Gastritis	{M 13 F 27	{M 3 F 3					{M 3 F 3	{M 1 F 1	{M 1 F 1		{M 1 F 1	{M 1 F 1
17	Diseases of the stomach	{M 9 F 9		{M 2 F 2				{M 1 F 2				{M 2 F 1	
18	Obstruction of the bowels	{M 8 F 10	{M 1 F 2					{M 2 F 2	{M 1 F 1			{M 1 F 1	{M 1 F 1
19	Appendicitis	{M 6 F 8	{M 1 F 1					{M 1 F 1		{M 1 F 1	{M 1 F 1		
20	Hernia	{M 7 F 3	{M 2 F 3					{M 2 F 2					
21	Other diseases of the bowels	{M 5 F 1	{M 2 F 1					{M 2 F 1		{M 1 F 1			
22	Jaundice	{M 3 F 3		{M 2 F 2				{M 2 F 2					
23	Inflammation and abscess of the liver.	{M 10 F 8		{M 1 F 1				{M 1 F 1					{M 1 F 1
24	Other diseases of the liver	{M 21 F 7									{M 1 F 1		
25	Peritonitis	{M 15 F 35	{M 2 F 1		{M 2 F 2			{M 4 F 1	{M 2 F 2	{M 1 F 3	{M 2 F 3	{M 6 F 6	{M 2 F 2
26	Ascites	{M 1 F 2											
27	Others of this class	{M 11 F 4	{M 3 F 4	{M 1 F 1				{M 4 F 4					{M 1 F 1
28	6. Diseases of the urinary system and male organs of generation.	228	5	3	2	1	1	12	3	1	7	8	6
29	Males	181	3	2	2		1	8	1	1	2	5	4
30	Females	97	2	1		1		4	2		5	3	2
31	Bright's disease	{M 88 F 82							{M 1 F 2	{M 1 F 1	{M 2 F 3	{M 5 F 3	{M 3 F 1
32	Calculus, urinary	{M 1 F 1											
33	Diseases of the kidney	{M 13 F 5	{M 1 F 2	{M 2 F 1	{M 2 F 2		{M 1 F 1	{M 6 F 4					
34	Diseases of the bladder	{M 20 F 2											
35	Others of this class	{M 15 F 8	{M 2 F 8					{M 2 F 2			{M 2 F 2		{M 1 F 1
36	7. Diseases of the female organs of generation	11	1					1			1	1	4
37	Ovarian tumors	3											2
38	Ovarian diseases												
39	Diseases of the tubes	1											1
40	Uterine tumors	4											1
41	Uterine diseases												
42	Others of this class	3	1					1			1	1	



## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW HAMPSHIRE—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	19									1	7	4
2	Abortion	1											
3	Childbirth	4										3	
4	Puerperal septicemia	10									1	4	2
5	Extra-uterine pregnancy												
6	Others of this class	4											2
7	9. Diseases of the bones and joints	9							1		1		
8	Males	5							1		1		
9	Females	4											
10	Diseases of the spine	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 2 3									1		
11	Abscess, lumbar and psoas	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$											
12	Diseases of the bones	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 1											
13	Diseases of the hip-joint	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 1											
14	Others of this class	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 2							1				
15	10. Diseases of the skin	8	3	1				4					
16	Males	5	3					3					
17	Females	3		1				1					
18	Abscess	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 1 1	1	1				1 1					
19	Carbuncle	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 2 1											
20	Others of this class	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 2 1	2					2					
21	11. Diseases of the absorbent system	2											
22	Males												
23	Females	2											
24	Addison's disease	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 1											
25	Diseases of the spleen	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$											
26	Others of this class	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 1											
27	12. Accidents and injuries	194	7	3	1	4	1	16	9	9	10	11	13
28	Males	139	2	1		2	1	6	8	7	8	9	11
29	Females	55	5	2	1	2		10	1	2	2	2	2
30	Burns and scalds	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 3 7		2				2					1
31	Drowning	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 21 2	1				1	2	6	3	2	1	
32	Exposure and neglect	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 4 1											
33	Gunshot wounds	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 3 1								1		1	2
34	Homicide	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$											
35	Infanticide	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$											
36	Injuries by machinery	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$											
37	Railroad accidents	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 19 1									2	5	3
38	Suffocation	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 4 5	3			1		4					
39	Suicide by shooting	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 7											2
40	Suicide by drowning	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 1										1	
41	Suicide by poison	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 1											
42	Other suicides	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 18 5											
43	Sunstroke	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$											
44	Surgical operations	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 1											
45	Wounds	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$											
46	Others of this class	$\begin{matrix} \text{M} \\ \text{F} \end{matrix}$ 59 31	1 2	1		1 1		3 4	2 1	3 2	4	3	3 2



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—GROUP 1—Continued.

80 to 84	85 to 89	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2	4	1													1
	1														2
1															3
1	2														4
															5
	1	1													6
2	1	1		1				1		1					7
1		1		1											8
1	1	1						1		1					9
	1	1						1		1					10
															11
1				1											12
															13
1															14
				1			1		1	1					15
							1			1					16
				1					1						17
								1							18
				1						1					19
									1						20
			1				1								21
								1							22
			1				1								23
							1								24
															25
			1												26
10	9	11	17	8	8	9	6	11	11	18	6	1	1	5	27
9	6	7	14	7	5	6	4	10	7	8	3			4	28
1	3	4	3	1	3	3	2	1	4	5	3	1	1	1	29
	1			1	2		1	1		1					30
4						1				1				1	31
			1	1		1								1	32
	1														33
															34
															35
															36
	1		3	2				1						2	37
1															38
1		1							1					1	39
	1	1	1		1				1						40
			1												41
				1											42
2	1	2	4		2			6		1		1			43
		1	2												44
						1									45
2	3	3	4	4	2	4	3	3	5	5	3				46
	1	3	1		1	2	1		4	5	2	1	1		

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW HAMPSHIRE—GROUP 2.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	2,169	342	66	23	22	8	451	45	35	61	66	71
2	Males.....	1,070	187	31	12	11	5	246	22	17	19	36	35
3	Females.....	1,099	155	25	11	11	3	205	23	18	42	30	36
4	Unknown cause.....	44	14	1		2		17	1	2			1
5	Males.....	23	10	1		1		12					
6	Females.....	21	4			1		5	1	2			1
7	1. General diseases—A.....	331	112	16	3	4	3	133	14	10	11	13	7
8	Males.....	151	55	9	1	3	2	70	9	4	1	7	5
9	Females.....	180	57	7	2	1	1	63	5	6	10	6	2
10	Measles.....	{M 6 F 2	3	1				4		1			
11	Scarlet fever.....	{M 8 F 1		1			2	3	4	1			
12	Diphtheria.....	{M 2 F 6				1		1	1	1	1	1	
13	Whooping cough.....	{M 14 F 19	11	1		2		12				1	
14	Malarial fever.....	{M 4 F 3	1					1					
15	Influenza.....	{M 24 F 43	3	1		1		5	1			1	
16	Typhoid fever.....	{M 13 F 16							1	3	5	3	4
17	Cholera morbus.....	{M 2 F 8	1	1				1	1		1	1	
18	Colitis.....	{M 1 F 1			1			1					
19	Diarrhea.....	{M 3 F 1	1					1					
20	Dysentery.....	{M 3 F 9		2				2					
21	Enteritis.....	{M 12 F 19	8					8	1			1	
22	Cholera infantum.....	{M 27 F 31	23	4			1	27					
23	Fever.....	{M F											
24	Cerebro-spinal fever.....	{M 10 F 5	3	1		2		6	1	1	1	1	
25	Smallpox.....	{M F											
26	Erysipelas.....	{M 1 F 1											
27	Septicemia.....	{M 6 F 11	1	1				1	1			1	1
28	Venereal diseases.....	{M F											
29	Others of this group.....	{M 14 F 4											1
30	General diseases—B.....	24	14	1				15					
31	Males.....	15	7					7					
32	Females.....	9	7	1				8					
33	Alcoholism.....	{M F	2										
34	Parasitic diseases.....	{M F											
35	Lead poison.....	{M F											
36	Other poisons.....	{M 4 F 1		1				1					
37	Inanition.....	{M 9 F 8	7	7				7					
38	General diseases—C.....	217	66	2				68	1			1	
39	Males.....	113	40	2				42				1	
40	Females.....	104	26					26	1				
41	Old age.....	{M 58 F 58											
42	Premature birth.....	{M 23 F 10	23	10				23					
43	Malformation.....	{M 3 F 2	3	1				3	1				
44	Debility and atrophy.....	{M 28 F 33	13	2				15				1	
45	Others of this group.....	{M 1 F 1	1	1				1					

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
48	56	70	83	74	105	109	176	174	187	174	88	89	12	45	1
20	27	33	38	37	45	59	84	91	99	84	42	18		18	2
28	29	37	45	37	60	50	92	83	88	90	46	21	12	27	3
	2		2		2		2	1	5	6				3	4
			1		1		1		4	2				2	5
	2		1		1		1	1	1	4				1	6
8	1	4	5	2	11	13	17	20	17	13	13	4	3	7	7
3		2	1	1	5	5	5	12	7	5	6	1		2	8
5	1	2	4	1	6	8	12	8	10	8	7	3	3	5	9
								1						1	10
															11
							1							1	12
1														1	13
							2	1						2	14
		1	1		2	2	1	5	1	1	5			1	15
3		1	1		3	2	4	5	6	6	5	3	2	1	16
2	1		1			1									17
									1		1		1		18
			1												19
						1		1						1	20
					1	2	1	1	1	1					21
1				1	1		3			1		1			22
															23
					1										24
		1													25
									1						26
1		1	1		1	2	1	1	1	1					27
					1										28
				1		1	2	2	4	2	1	1			29
1		1	1	2	1			1		2					30
1		1	1	2	1			1		1					31
				1	1					1					32
															33
															34
															35
1			1	1						1					36
		1						1							37
1	1			1	3		4	13	19	36	37	20	8	4	38
1	1			1	3		2	6	8	22	20	10		1	39
							2	7	11	14	17	10	8	3	40
							1	3	6	21	18	9			41
							1	3	10	10	16	10	7	1	42
															43
				1			1	3	2	1	2	1			44
1	1				3		1	4	1	4	1		1	2	45

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW HAMPSHIRE—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	361	11	3	4	1		19	5	4	28	22	24
2	Males	138	5	2				7	2	1	8	11	8
3	Females	223	6	1	4	1		12	3	3	20	11	16
4	Anemia	M 7 F 10	2					2	1			1	1
5	Diabetes	M 10 F 9	1					1		1			1 1
6	Rheumatism	M 4 F 6							1				
7	Scrofula and tabes	M 1 F 2	1					1	1				
8	Hydrocephalus	M 3 F 2	2	1				3 1		1			
9	Tuberculosis, general	M F 2									1		
10	Consumption	M 75 F 98	3 2	1	3			4 5	1 1	2	7 18	11 10	7 14
11	Cancer	M 35 F 31											
12	Tumor	M 1 F 5		1	1			2			1		
13	Dropsy	M 2 F 7											
14	Others of this group	M F 1									1		
15	2. Diseases of the nervous system	305	33	8	6	3		50	5	2	3	4	5
16	Males	160	18	5	6			29	2	1	3	2	3
17	Females	155	15	3		3		21	3	1		2	2
18	Inflammation of the brain	M 3 F 1							1				
19	Meningitis	M 28 F 23	10 10	3 3	5	3		18 16	1	1		1	1
20	Apoplexy	M 58 F 64	1	1				2				2	1
21	Paralysis	M 31 F 39								1			
22	Paralysis, general (of insane)	M F											
23	Tetanus and trismus nascentium	M F 1											
24	Chorea	M F											
25	Epilepsy	M 6 F 1			1			1			2	1	
26	Convulsions	M 7 F 6	5 4	1				6 4		1	1		1
27	Mental diseases	M 4 F 3											
28	Diseases of the brain	M 6 F 7	2 1					2 1	1				1
29	Diseases of the spinal cord	M 1 F 4											
30	Locomotor ataxia	M 1 F 1											
31	Others of this class	M 5 F 5							1				1
32	3. Diseases of the circulatory system	248	17	1	1		1	20	3	5		2	3
33	Males	136	10				1	11	1	2			
34	Females	112	7	1	1			9	2	3		2	3
35	Pericarditis	M 2 F							1				
36	Diseases of the heart	M 122 F 101	9 6	1	1		1	10 8	2	3		1	3
37	Angina pectoris	M 8 F 8										1	
38	Diseases of the arteries	M 3 F 1											
39	Aneurism	M F											
40	Embolism	M F 1											
41	Others of this class	M 1 F 1	1 1					1 1					





CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
8	8	9	15	13	14	13	16	25	30	27	6	1		10	1
4	6	4	7	6	6	8	6	11	12	11	2	1		2	2
4	2	5	8	7	8	5	10	14	18	16	4			8	3
															4
4	5	3	5	6	4	6	5	5	8	9	2	1		2	5
2	1	5	7	6	5	5	8	10	13	13	1			6	6
					1										7
1	1		1	1	2	1		4	4	2				2	8
		1	1		1				5	2	2				9
1						1					1				10
	1			1				1	2						11
5	2	3	6	4	4	10	4	6	6	5	2				12
2	1	1	2	1	2	6	2	3	4	2					13
3	1	2	4	3	2	4	2	3	2	3	2				14
															15
				1					1						16
1	1	1		1		1	2	1	1		2				17
			1		1	1		1	1			1			18
															19
1			4			1			1						20
1						1					1				21
							1				1				22
															23
1									1						24
			1	1	1	1		2			1				25
								1							26
1															27
															28
	2	5	7	2	10	5	14	10	12	12	2	2			29
		1	5	2	6	3	9	8	10	7	2	2			30
	2	4	2	4	4	2	5	2	2	5					31
		1	4	1	5	3	7	5	6	3	1				32
	2	3	2		4	2	5	2	2	5					33
								1							34
				1	1			2	1	2	1	2			35
		1							3	2					36
			1	1		1	1								37
															38
			1	1		1	1								39
															40
															41
															42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW HAMPSHIRE—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	13									3	3	1
2	Abortion												
3	Childbirth	6										2	1
4	Puerperal septicemia	6									2	1	
5	Extra-uterine pregnancy												
6	Others of this class	1									1		
7	9. Diseases of the bones and joints	6	1	1				2				1	
8	Males	3		1				1				1	
9	Females	3	1					1					
10	Diseases of the spine	{M F	1 2					1 1					
11	Abscess, lumbar and psoas	{M F	1 1									1	
12	Diseases of the bones	{M F	1 1										
13	Diseases of the hip-joint	{M F	1 1		1			1					
14	Others of this class	{M F	1 1										
15	10. Diseases of the skin	2	1					1					
16	Males	1	1					1					
17	Females	1											
18	Abscess	{M F											
19	Carbuncle	{M F											
20	Others of this class	{M F	1 1	1				1					
21	11. Diseases of the absorbent system	1											
22	Males												
23	Females	1											
24	Addison's disease	{M F											
25	Diseases of the spleen	{M F											
26	Others of this class	{M F											
27	12. Accidents and injuries	110	6	2	2	1	1	12	6	7	4	5	13
28	Males	85	3		2	1	1	7	4	5	4	5	10
29	Females	25	3	2				5	2	2			3
30	Burns and scalds	{M F	3 3		1			1 1	1 1	1			
31	Drowning	{M F	14 1			1		1 1	1 1	2	1	1	4
32	Exposure and neglect	{M F	2 1										
33	Gunshot wounds	{M F	4 1						1	1	1	1	
34	Homicide	{M F	1 1										1
35	Infanticide	{M F	1 1	1				1					
36	Injuries by machinery	{M F											
37	Railroad accidents	{M F	10 10							2		2	
38	Suffocation	{M F	6 2	3 1	1			4 2					
39	Suicide by shooting	{M F	2 2										
40	Suicide by drowning	{M F	1 1										
41	Suicide by poison	{M F	1 1										
42	Other suicides	{M F	4 1										
43	Sunstroke	{M F	1 1										
44	Surgical operations	{M F											
45	Wounds	{M F	2 2										
46	Others of this class	{M F	35 14	1	1	1		1 2	1	1	2	1	6 2



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2	2	1												1	1
															2
1	2														3
1		1												1	4
															5
															6
1	1				1										7
					1										8
1	1				1										9
	1				1										10
															11
1															12
															13
															14
											1				15
											1				16
															17
															18
															19
												1			20
					1										21
					1										22
															23
															24
															25
					1										26
5	8	5	6	7	4	2	5	3	5	6	2	2		3	27
4	7	5	6	4	3	2	5	3	5	2	1			3	28
1	1			3	1					4	1	2			29
						1									30
		1			1					1				2	31
									1		1				32
	1									1					33
															34
															35
															36
1	2	1	1							1					37
			1				1								38
1			1												39
				1											40
									1						41
1	1		1	1					1						42
			1												43
															44
		2													45
2	3	1	1	2	2	1	4	3	2	1	1	2		1	46
	1			3	1					2					

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW JERSEY.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	32,735	7,292	1,873	830	505	370	10,370	1,032	520	745	1,150	1,419
2	Males	17,462	4,202	968	450	245	179	6,044	542	275	393	588	743
3	Females	15,273	3,090	905	380	260	191	4,326	490	245	352	562	676
4	Unknown cause	186	52	10	3	3	1	69	9	3	2	4	8
5	Males	95	31	4	2	1		38	3	1	1	3	4
6	Females	91	21	6	1	2	1	31	6	2	1	1	4
7	1. General diseases.												
	General diseases—A	5,494	2,000	625	298	198	152	3,273	410	130	89	134	121
8	Males	2,883	1,109	319	150	95	82	1,755	215	65	49	76	76
9	Females	2,611	891	306	148	103	70	1,518	195	65	40	58	45
10	Measles	{M 109 F 97	29 20	41 39	13 13	5 6	4 5	92 88	11 9	3 2		2	
11	Scarlet fever	{M 119 F 113	6 1	14 12	22 16	20 26	10 15	72 70	33 31	6 3	3 2	2 2	1 1
12	Diphtheria	{M 354 F 324	23 12	42 42	46 56	40 41	48 33	199 184	110 105	29 20	5 4	3 5	2 2
13	Whooping cough	{M 161 F 168	88 79	41 44	15 13	8 10	3 3	155 154	2 6	1 4			
14	Malarial fever	{M 59 F 51	11 4	1 2	2 5	1 1		15 13	1 3	1 4		4 4	1 4
15	Influenza	{M 199 F 244	11 11	4 2	2 1	2 2	1	18 17	6 3		3 3	3 6	8 4
16	Typhoid fever	{M 240 F 158	5		2 1	1 1	2 2	10 4	16 8	12 13	33 20	48 20	43 20
17	Cholera morbus	{M 55 F 38	13 8	3 6	5 1	1 1		22 16	3	1 1			1 1
18	Colitis	{M 35 F 35	17 10	1 8	1 2	1 2	1	20 23	2			1	
19	Diarrhea	{M 98 F 91	48 32	8 7	2 1		1	59 40	1 6			1 1	1 1
20	Dysentery	{M 77 F 95	13 11	7 13	5 2	1 4	1 1	27 31	5	2		1	1
21	Enteritis	{M 612 F 529	397 316	80 65	16 13	8 4	6 4	507 402	7 10	4 1		5 5	6 3
22	Cholera infantum	{M 446 F 396	371 323	59 58	14 12	1 1	1 2	446 396					
23	Fever	{M 3 F 1											
24	Cerebro-spinal fever	{M 81 F 61	26 16	13 5	5 4	3 3	4 1	51 29	14 11	3 8	2 4	1 1	2
25	Smallpox	{M 5 F 3	1	1				2		1		2	
26	Erysipelas	{M 68 F 58	24 25	3				27 25			1 1	3	4
27	Septicemia	{M 88 F 87	13 11	1 3		2 1	2	18 16	2 2	2 4	2 3	5 7	5 8
28	Venereal diseases	{M 13 F 13	9 10			1		10 10					1
29	Others of this group	{M 61 F 54	4 2		2	1	1	5 5	2 1	1		1	1
30	General diseases—B	537	313	16	9	5		343	1	2	5	15	13
31	Males	328	174	9	5	4		192		2	2	6	8
32	Females	209	139	7	4	1		151	1	3	3	9	5
33	Alcoholism	{M 84 F 17										1	4 1
34	Parasitic diseases	{M 3 F 3	1	1	1			3					
35	Lead poison	{M 5 F 5											
36	Other poisons	{M 54 F 40	3 5	6	2 3	4 1		15 9		1 3		5 7	4 4
37	Inanition	{M 182 F 152	170 134	2 7	2 1			174 142		1		2	
38	General diseases—C	2,528	1,693	88	17	4	6	1,808		2	1	2	3
39	Males	1,353	1,000	34	9	2	4	1,049		1	1		1
40	Females	1,175	693	54	8	2	2	759		1		2	2
41	Old age	{M 260 F 360											
42	Premature birth	{M 342 F 245						342 245					
43	Malformation	{M 94 F 57						94 57					
44	Debility and atrophy	{M 585 F 469	492 345	34 54	9 8	2 2	4 2	541 414		1 1	1	2	1 2
45	Others of this group	{M 72 F 44						72 43					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW JERSEY—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	<b>1. General diseases—Continued.</b>												
	General diseases—D	5,208	227	76	84	20	26	383	60	64	233	448	561
2	Males	2,622	183	41	24	8	14	220	29	21	105	219	280
3	Females	2,586	94	35	10	12	12	163	31	43	128	229	281
4	Anemia	(M) 35 (F) 44	4	1		1	1	4		1	1	2	1
5	Diabetes	(M) 79 (F) 77	2			1	1	4	1	3		2	4
6	Rheumatism	(M) 38 (F) 42	1	1				2	2	1	2		2
7	Scrofula and tuberc.	(M) 24 (F) 15	6	2	1	1		9			2	2	2
8	Hydrocephalus	(M) 125 (F) 105	61	20	14	5	5	105	6		4	1	2
9	Tuberculosis, general	(M) 28 (F) 19	8	1	1	1		9	2	1		1	4
10	Consumption	(M) 1,830 (F) 1,562	36	15	5	2	5	63	10	11	98	207	259
11	Cancer	(M) 350 (F) 599	2		1		1	1	2	1	1	2	5
12	Tumor	(M) 50 (F) 64	1		3		1	3	1	2	1	2	1
13	Dropsy	(M) 38 (F) 39	1	1		1		2	1	1	1	1	1
14	Others of this group	(M) 25 (F) 20	13	2			1	16	4			1	2
15	<b>2. Diseases of the nervous system</b>	4,801	1,121	330	128	71	45	1,695	112	65	54	48	85
16	Males	2,560	648	172	70	35	20	945	58	43	29	21	43
17	Females	2,241	473	158	58	36	25	750	54	22	25	27	42
18	Inflammation of the brain	(M) 25 (F) 35	4	2	3		1	10	1	1		1	1
19	Meningitis	(M) 514 (F) 395	169	95	46	17	9	336	40	14	9	3	12
20	Apoplexy	(M) 734 (F) 736	16	4		2		22	2	1	4	7	7
21	Paralysis	(M) 317 (F) 315	5	1		2		8	1	2	1	1	1
22	Paralysis, general (of insane)	(M) 52 (F) 21											3
23	Tetanus and trismus nascentium	(M) 69 (F) 25	33					33	2	17	4	2	1
24	Chorea	(M) 2 (F) 4							1	1	1		
25	Epilepsy	(M) 36 (F) 23	3	1				4		2	4	1	7
26	Convulsions	(M) 487 (F) 398	368	61	17	11	5	462	8	3	1	1	1
27	Mental diseases	(M) 44 (F) 62									1	2	3
28	Diseases of the brain	(M) 187 (F) 163	45	6	3	3	3	60	4	3	2	2	8
29	Diseases of the spinal cord	(M) 46 (F) 29	4	2	1		1	8	4	4	2	4	4
30	Locomotor ataxia	(M) 27 (F) 5	1					1	1		1	1	2
31	Others of this class	(M) 18 (F) 30	3				1	1		1		1	3
32	<b>3. Diseases of the circulatory system</b>	2,811	196	13	3	6	5	223	53	59	62	65	79
33	Males	1,433	109	9	2	3	1	124	26	20	34	27	39
34	Females	1,378	87	4	1	3	4	99	27	39	28	38	40
35	Pericarditis	(M) 12 (F) 20				1		1		2	2	1	1
36	Diseases of the heart	(M) 1,265 (F) 1,254	76	8	2	2	1	89	26	18	33	26	37
37	Angina pectoris	(M) 70 (F) 57	70	4	1	3	4	82	25	36	26	32	37
38	Diseases of the arteries	(M) 36 (F) 23								1		5	1
39	Aneurism	(M) 11 (F) 4											
40	Embolism	(M) 5 (F) 2	1					1					1
41	Others of this class	(M) 34 (F) 18	32	1				33				1	

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
500	485	391	332	365	335	302	284	224	184	67	28	6	1	5	1
265	248	215	184	175	169	144	137	103	60	31	10	3	1	3	2
235	237	176	148	190	166	158	147	121	74	36	18	3	3	2	3
1		1	2	5	3	3	4	3	3		1				4
3	7	1	2	3	6	3	3	2	2	1					5
5		7	9	10	4	10	7	5	2						6
3	3	3	3	8	11	8	14	8	5	5	3		1		7
1	1	3	2	2	3	4	4	5	2	1	1				8
2	6	1	6	6	1	3	3	2	2	1	1				9
2	1		1		1	1	1	1	1						10
4	1	1	1							1					11
1		1		1				1							12
1	2	1		5		1			1						13
2	1		1	2		2									14
246	234	170	142	108	99	66	60	35	18	6		1		2	10
194	182	112	67	75	57	59	59	40	21	6	7			1	11
4	7	24	19	39	46	52	50	48	27	16	5	2		1	12
19	34	50	67	87	80	69	60	53	35	23	4	2		1	13
	1	6	5	4	8	2	7	2	2	1					14
6	3	5	5	5	8	10	4	6	3	1					15
	1	1	2	1	5	5	4	4	4	1	3				16
3	1	1	3	3	3	3	3	2	4	3	3				17
1		1	1	1						3	3				18
						2	1	1	2						19
93	105	114	185	205	272	309	330	332	341	210	37	40	9	10	15
54	55	69	105	110	134	174	199	188	167	105	30	19	6	6	16
39	50	45	80	95	138	135	181	194	174	105	57	21	3	4	17
3	1						1	3	1						18
11	12	2		3	2	1	1	4				1			19
5	5	10	19	7	8	7	9	7	4	5		1			20
16	11	30	43	59	70	99	106	93	4	45	11	9	3	4	21
10	18	19	49	54	91	86	103	99	4	47	25	8	3	1	22
4	6	3	16	18	19	43	39	57	45	34	15	4	1		23
2	5	3	9	14	21	24	40	54	56	43	22	4		3	24
5	4	9	3	4	7		5	4	3	4		1			25
3	1		1		1		4	3	4	1	2	1			26
3	2	1		1	2	1									27
					1			1							28
									1						29
1	4	2	4	1		2	4	1		1					30
1	4			4	1	1	1	1							31
1	3		2	1			1	1				1		1	32
5	3	2	1	2			1	1		1					33
1	2	3	1	5	5	3	6	6	6	5	1	2			34
1	4	2	5	3	7	3	11	8	4	5					35
6	6	5	7	9	13	9	14	11	4	9	3	3	1	1	36
5	7	10	7	4	5	14	10	14	13	4	6	4			37
1	2	3	4	2	2	5	6	4	4	2					38
1	1	1	1	4	4	2	2	3	1	1			1		39
	2	2	5	1	5	4	5	1	1						40
2	1	1	1	2	3	1	3	3	3	2	1				41
5	2	1	1	2	3	2	2	3	3	2	1				42
92	122	134	141	193	229	266	307	281	259	154	66	14	4	8	32
40	58	54	61	110	119	147	158	143	152	77	32	6	2	4	33
52	64	80	80	83	110	119	149	138	107	77	34	8	2	4	34
	1	2	1				1	1	1						35
2	1	3			2	1	1	2	1						36
36	50	47	54	99	111	123	148	127	129	63	32	6	2	4	37
48	62	72	71	79	104	107	139	123	95	70	33	8	1	4	38
3	5	3	3	10	5	13	5	7	10	5					39
1	1	3	9	2	3	9	6	7	5	4					40
			2			5	4	7	11	6	1				41
1	1	2	1	1	1	2	1	1	1	3			1		42
		1													43
1					1			1		2					44
										1					45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW JERSEY—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	5,381	1,291	625	276	143	81	2,416	206	49	81	87	140
2	Males.....	2,864	746	386	154	65	38	1,834	104	23	45	56	82
3	Females.....	2,517	545	239	122	78	43	1,082	102	26	36	31	58
4	Group.....	M 133 F 103	7 11	32 20	34 20	21 13	10 14	104 78	28 26	3			1
5	Pneumonia.....	M 1,966 F 1,702	430 316	231 199	98 80	37 51	20 21	816 667	61 59	20 18	34 28	46 22	71 50
6	Laryngitis.....	M 25 F 28	7 5	2 4	1 4	2 5		12 18	6 4			1 1	
7	Bronchitis.....	M 432 F 449	201 160	57 56	14 13	4 6	2 9	273 244	3 7	1 1	1 2	1 3	3 2
8	Pleurisy.....	M 61 F 37	2 2	5 2	4 1			11 6			4 2	3 1	3 1
9	Asthma.....	M 16 F 19							1 1		1		1
10	Others of this class.....	M 231 F 174	99 50	9 8	3 4	1 3	1 3	113 68	5 3	1 2	5 4	5 4	4 4
11	5. Diseases of the digestive system.....	1,685	237	39	18	15	16	325	48	42	64	68	94
12	Males.....	819	145	19	8	6	8	186	24	25	25	26	38
13	Females.....	866	92	20	10	9	8	139	24	17	39	42	56
14	Dentition.....	M 11 F 19	6 8	4 2	1		1	11 19					
15	Angina.....	M 14 F 13	2 1	2	1 3		1	6 5	3 5	1			1 1
16	Gastritis.....	M 155 F 161	31 21	4 5	1	2 2	2 3	40 32	1 1	1 3	1 3	1 5	5 9
17	Diseases of the stomach.....	M 40 F 30	4 2	1			1	5 3			2 1	1 2	4 2
18	Obstruction of the bowels.....	M 54 F 32	16 10	1 1	1	1	1	19 13	1 3	1	2 2	3 2	3 4
19	Appendicitis.....	M 65 F 64							6 5	7 7	8 8	12 4	10 7
20	Hernia.....	M 45 F 35	7	1				8			4 1	1 1	
21	Other diseases of the bowels.....	M 24 F 25	7 3	1 1		1		9 9	1 2	1	2		1
22	Jaundice.....	M 39 F 23	26 8		1			26 9				1	2
23	Inflammation and abscess of the liver.....	M 16 F 25	3					3	1 1	3		1	1 1
24	Other diseases of the liver.....	M 170 F 111	7 3	2			1	10 3			1	1	4 3
25	Peritonitis.....	M 127 F 208	12 6	1 1	3 3	2 3	3 2	21 15	11 5	11 7	7 22	7 26	7 25
26	Ascites.....	M 4 F 3											
27	Others of this class.....	M 55 F 67	27 21	3 2	1 2	1	1	31 27					2 1
28	6. Diseases of the urinary system and male organs of generation.....	1,963	85	13	10	7	9	74	37	24	39	63	84
29	Males.....	1,121	22	8	6	4	5	45	20	13	18	21	45
30	Females.....	842	13	5	4	3	4	29	17	11	21	42	39
31	Bright's disease.....	M 848 F 635							17 16	9 11	15 19	20 34	39 31
32	Calculus, urinary.....	M 3 F 4								1			
33	Diseases of the kidney.....	M 76 F 50	14 10	7 5	6 4	4 3	4 4	35 26	3		2 1		1
34	Diseases of the bladder.....	M 69 F 11		1				1					
35	Others of this class.....	M 125 F 92	8 2	1			1	10 2	1	3	1 1	1 8	5 8
36	7. Diseases of the female organs of generation.....	65		1				1			1	3	6
37	Ovarian tumors.....	9										1	
38	Ovarian diseases.....	1											
39	Diseases of the tubes.....	11											2
40	Uterine tumors.....	13											
41	Uterine diseases.....	6									1	2	3
42	Others of this class.....	25		1				1			5		1



## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW JERSEY—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	238									10	52	63
2	Abortion	6										1	2
3	Childbirth	61									1	7	15
4	Puerperal septicemia	112									4	31	34
5	Extra-uterine pregnancy	5										2	
6	Others of this class	54									5	11	12
7	9. Diseases of the bones and joints	62	9	2				11	2	6	8	4	3
8	Males	37	6	1				7	1	5	6	2	2
9	Females	25	3	1				4	1	1	2	2	1
10	Diseases of the spine	M 11 F 6	3 1					3 1	1	2	1	1	
11	Abscess, lumbar and psoas	M 1 F										1	
12	Diseases of the bones	M 15 F 11	2 2	1 1				3 3		1 1	4 1		1 1
13	Diseases of the hip-joint	M 8 F 1	1					1		2	1		1
14	Others of this class	M 2 F 7										1	
15	10. Diseases of the skin	39	10	2				12	1		1		
16	Males	26	7					7	1				
17	Females	13	3	2				5			1		
18	Abscess	M 9 F 8	1 2	1				1 3	1				
19	Carbuncle	M 8 F 1											
20	Others of this class	M 9 F 4	6 1	1				6 2					
21	11. Diseases of the absorbent system	17	2	1		1		4		1		2	2
22	Males	10	2			1		3				2	1
23	Females	7		1				1		1			1
24	Addison's disease	M 3 F 1										1	
25	Diseases of the spleen	M 3 F 2				1		1				1	1
26	Others of this class	M 4 F 4	2	1				2 1		1			
27	12. Accidents and injuries	1,720	106	32	34	32	29	233	93	73	95	150	157
28	Males	1,311	70	16	20	21	12	139	61	56	78	129	124
29	Females	409	36	16	14	11	17	94	32	17	17	21	33
30	Burns and scalds	M 74 F 114	2 2	8 9	14 9	13 14	3 1	40 43	1 21	3 6	1 4	3 2	2 3
31	Drowning	M 208 F 20	4 1	4 1	2 1	2 1	1	13 3	26 2	24 2	13	21 1	18
32	Exposure and neglect	M 9 F 2	3					3					
33	Gunshot wounds	M 43 F 7								7	4	4 2	5 1
34	Homicide	M 12 F 4									1 1	3	1
35	Infanticide	M 2 F	2					2					
36	Injuries by machinery	M 3 F									2		
37	Railroad accidents	M 309 F 44		4	1	2	1	6 1	10 2	10 3	20 3	45 6	34 6
38	Suffocation	M 62 F 36	31 17	2	1		1	33 20	2 3			3 2	2 2
39	Suicide by shooting	M 52 F 1									2	6	2
40	Suicide by drowning	M 6 F 3										1 1	
41	Suicide by poison	M 43 F 21										12 4	4 5
42	Other suicides	M 39 F 7									3	1	2 3
43	Sunstroke	M 29 F 17	5 6		1			5 7	2 1		2		5 1
44	Surgical operations	M 6 F 12											4
45	Wounds	M 17 F 2		1				1	2		2	1	3
46	Others of this class	M 397 F 119	23 6	4 2	1 4	5 1	4 1	37 14	13 3	12 5	28 4	30 2	47 7



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
45	37	25	4						1					1	1
	1	1							1						2
14	13	8	2											1	3
18	12	11	2												4
2	1														5
11	10	5													6
8	1	1	5	5	1	2	4	3	2	1					7
2	1		2	3	1	2	2	1	2						8
1		1	3	2			2	2		1					9
			2	2			1								10
			1	1			1	1	2						11
1			1							1					12
2					1										13
	1		1	1		2	1	1							14
2		4	2	1	3	3	4		3	1	2				15
2		3	2		2	2	3		2	1	1				16
		1		1	1	1	1		1		1				17
1		2	1		1	1	1		1						18
1		1			1	1	2		2						19
			1							1					20
					1						1				21
	1	1		1	1	1	2		1						22
	1	1		1	1	1	1		1						23
	1				1				1						24
						1									25
		1					1								26
				1			1								27
135	148	120	107	85	68	64	60	42	33	19	16	2		20	27
111	129	107	88	64	58	48	45	28	18	6	5	1		16	28
24	19	13	19	21	10	16	15	14	15	13	11	1		4	29
2	5	5		1	2	1	4	2		2					30
6	5	2		5		5	4	3			1			1	31
13	19	18	10	8	3	3	7	4	3					5	32
8	2	2	2	3	1	3	1								33
	2	1	2	1						1					34
			1							1					35
															36
		1													37
81	39	27	22	18	16	9	6	3	3		2			8	38
3	1	2	3	3	1	2	1	1	1						39
1	5	1	3	3	4	3	1							1	40
1	1	1	1	1	1	1	1							2	41
6	5	7	7	4	6	4	3								42
	1														43
	2														44
			1			1									45
4	2	3	4	6	2	2	3	1							46
2	1	1	2	2				1		1					47
4	1	1	4	2				1							48
4	4	5	2	1	5	4	4	4			1				49
		1	1	1		1									50
6	2	2	3	3					2						51
		1	1	1											52
1	1	1	1	1	2										53
3	2	1	1	1	1										54
1	1	2	1	1		2	1								55
					1										56
32	34	32	30	16	17	19	15	14	10	3	2	1		1	57
4	6	4	5	6	5	5	7	8	11	11	10	1			58

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW JERSEY—GROUP 1.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	25,352	5,706	1,509	675	411	306	8,607	817	399	567	880	1,083
2	Males.....	13,535	3,301	771	361	200	141	4,774	435	207	289	445	562
3	Females.....	11,817	2,405	738	314	211	165	3,833	382	192	278	435	521
4	Unknown cause.....	142	38	7	3	2		50	8	3	2	2	5
5	Males.....	76	25	3	2	1		31	3	1	1	2	3
6	Females.....	66	13	4	1	1		19	5	2	1		2
7	I. General diseases.												
8	General diseases—A.....	4,210	1,561	502	233	153	127	2,576	318	90	69	93	89
9	Males.....	2,209	874	251	114	77	69	1,385	170	46	33	49	54
10	Females.....	2,001	687	251	119	76	58	1,191	148	44	36	44	35
11	Measles.....	M 91	25	35	9	5	3	77	10	3		2	
12	Scarlet fever.....	M 96	5	11	13	13	9	56	30	5	3	1	1
13	Diphtheria.....	M 268	19	35	36	30	39	159	80	19	2	2	2
14	Whooping cough.....	M 128	65	36	12	3	3	124	1				
15	Malarial fever.....	M 45	8	1	1			10	1	1		4	1
16	Influenza.....	M 139	9	3	1	1		14	6		2	1	6
17	Typhoid fever.....	M 167	3		2	1	2	8	13	9	22	31	28
18	Cholera morbus.....	M 44	11	1	3	1		16	2	1			1
19	Colitis.....	M 31	16		1	1		18	2			1	
20	Diarrhea.....	M 75	39	7	2		1	49	1			1	
21	Dysentery.....	M 62	9	6	4	1	1	32	4	3			1
22	Enteritis.....	M 479	305	61	13	8	5	392	6	4		4	6
23	Cholera infantum.....	M 358	300	46	10	1	1	358	6	1		5	1
24	Fever.....	M 2											
25	Cerebro-spinal fever.....	M 57	20	6	2	3	3	34	10	2	2	1	2
26	Smallpox.....	M 3	1	1				2				1	
27	Erysipelas.....	M 46	18	1				19			1	2	2
28	Septicemia.....	M 62	10	1	2	2		15	1		2	3	3
29	Venereal diseases.....	M 11	7			1		8	2	2	3	6	7
30	Others of this group.....	M 45	4			1	1	5	2	1			1
31	General diseases—B.....	F 34	2		1		1	4	1				1
32	Males.....	282	146	7	5	4		162		2	1	5	5
33	Females.....	159	112	5	3	1		121	1		3	7	3
34	Alcoholism.....	M 60										1	2
35	Parasitic diseases.....	F 12			1			1					1
36	Lead poison.....	M 5											
37	Other poisons.....	F 42	2	5	2	4		13		1	1	4	3
38	Inanition.....	M 26	4	2	2	1		7			3	5	2
39	General diseases—C.....	M 154	144	2	2			148		1		2	
40	Males.....	F 121	108	5	1			114	1				1
41	Females.....	1,926	1,304	77	16	4	4	1,405		2	1	2	1
42	Old age.....	M 188	786	30	9	2	3	880		1	1		
43	Premature birth.....	F 256	518	47	7	2	1	575				2	1
44	Malformation.....	M 265	265					265					
45	Debility and atrophy.....	F 177	177					177					
46	Others of this group.....	M 79	79					79					
47	Males.....	F 47	47					47					
48	Females.....	459	384	30	9	2	3	428		1	1		1
49	General diseases—D.....	369	267	47	7	2	1	324		1		2	1
50	Others of this group.....	M 58	58					58					
51	Females.....	F 28	27					27					



## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW JERSEY—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	4,062	179	59	28	16	20	302	47	50	183	350	446
2	Males	2,074	100	31	20	7	11	169	25	14	84	175	225
3	Females	1,988	79	28	8	9	9	133	22	36	99	175	221
4	Anemia	21	1					1			1	2	2
		39	1	1		1	1	4			1	3	
5	Diabetes	49	1							2			3
		60							1	1	2	1	1
6	Rheumatism	22	1					1	2		1		1
		29	2					2	1	1	2	1	1
7	Scrofula and tabes	20	5	1	1			7				2	2
		15	2	1	1		1	5			2		2
8	Hydrocephalus	104	50	16	10	4	5	85	6		4	1	2
		85	42	17	3	6		68	9	2		1	1
9	Tuberculosis, general	26	7		1			8	2	1		1	4
		18	4	1		1		6	1		1	2	
10	Consumption	1,493	27	12	5	2	2	48	10	8	75	165	209
		1,197	19	5	3	1	6	34	8	31	90	164	202
11	Cancer	262					1	1	1	1	1	1	4
		452	2		1			3				1	8
12	Tumor	35		1	3		1	4	1	1	1	2	1
		47		1				1	1	1		2	
13	Dropsy	25								1	1	1	
		30	1					1	1				1
14	Others of this group	17	8	2			1	11	3			1	
		16	6	2			1	9					2
15	2. Diseases of the nervous system	3,661	887	250	107	64	36	1,844	90	45	45	36	57
16	Males	1,939	509	125	59	29	14	736	48	32	23	14	26
17	Females	1,722	378	125	48	35	22	608	42	13	22	22	31
18	Inflammation of the brain	17	4	2	2			8	1		1	1	1
		29	2	3	3	2		10	4	1	1	1	1
19	Meningitis	397	132	69	41	15	9	266	33	9	7	3	7
		323	121	67	27	17	11	243	19	6	5	7	9
20	Apoplexy	572	15	4		2		21	2		3	5	5
		563	13	1	1	2		17	4		3	4	4
21	Paralysis	238	5	1		1		7		1			1
		234	1	1		1	3	6	2		2	1	1
22	Paralysis, general (of insane)	29											1
		13											
23	Tetanus and trismus nascentium	57	29					29	1	15	3		1
		20	16					16		1		1	1
24	Chorea	1									1		
		1											
25	Epilepsy	25		1				1		2	4	1	3
		15									3		2
26	Convulsions	376	286	43	13	9	3	354	7	2	1	1	1
		316	202	47	15	11	6	281	9		3	4	5
27	Mental diseases	19											2
		33									1		
28	Diseases of the brain	139	33	5	3	2	1	44	4	3	2	2	5
		121	20	6	2	2	2	32	3	4	2	1	2
29	Diseases of the spinal cord	37	4					4			1	1	
		25	2					2	1		1	1	1
30	Locomotor ataxia	21	1					1					
		5											
31	Others of this class	11					1	1					2
		24	1					1		1	1	2	3
32	3. Diseases of the circulatory system	2,165	162	11	2	6	4	185	43	49	49	52	59
33	Males	1,111	87	7	1	3		98	20	17	28	23	29
34	Females	1,054	75	4	1	3	4	87	23	32	21	29	30
35	Pericarditis	11				1		1		2	1	1	1
		18								2	1		1
36	Diseases of the heart	983	64	6	1	2		73	20	15	27	22	28
		958	59	4	1	3	4	71	21	29	20	24	28
37	Angina pectoris	52											
		42								1		4	
38	Diseases of the arteries	29											
		18											
39	Aneurism	8											
		4											
40	Embolism	4	1					1					1
		2											
41	Others of this class	24	22	1				23					
		17	16					16				1	





CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
143	181	131	144	142	174	193	195	173	185	128	59	19	3	4	1
79 64	122 59	81 50	86 58	76 66	98 76	93 100	86 109	66 107	85 100	54 74	27 32	2 17	3	1 3	2 3
70 51	106 50	68 42 1	68 49	59 45	72 61	69 70	58 81 3	48 65	54 65	33 53	16 18	1 7	1	1 2	4 5
1 7	6 1	4 2	6 4	7 10	12 7	11 20	13 20	12 28	17 26	15 11	6 9	1 8	2		6 7
3 1	3 2	3 1	7 4	3 3	5 1	2 1	2 3	1	2 3						8
1		2		2	2	3 2	2	1			1				9
4 5	7 5	4 3	5 1	7 4	7 7	8 6	10 3	4 13	12 5	6 9	4 4	2		1	10
81	84	90	75	68	87	76	82	67	51	49	13	4	1	1	11
21 60	33 51	43 47	41 34	40 28	42 45	48 28	38 44	27 40	18 33	21 28	4 9	3 1	1	1	12 13
		1 1	1							1					14
3 5	7 6	5 9	7 6	8 5	7 9	9 6	13 6	11 10	5 10	6 8	1 3	2 1	1		15 16
3	3 2	3 3	5 5	3	1	3		1 4	3 1	1					17
3	1 3	3 2	5	1 1	2 10	1 4	2 6	2 6	4	1 4	1				18
3 7	1 1	2 3	4	2 1	3	2 5	2 5								19
2 1	2 2	2 2	4 2	1 1	3 2	5 2	2 4	2	1 2	3 2					20
	1	2	1	3	1 2			1 2	1	4		1			21
	1	1	1	1 1	3	1	2 1	2	1	1					22
1		1 1	2 1		3	1 4	1 2	2 4	1	2					23
8 10	9 11	21 9	10 8	14 11	16 7	23 5	12 8	4 4	4 8	1 5	1 2			1	24
5 28	9 24	6 11	5 5	6 4	7 4	3 4	3 4	1 2	1 1	1 1					25
		1	1	1											26
2	1	3	1 2	2 4	2 3	1 1	1 3	3 5	2 4	3 4	1				27
66	113	120	98	117	112	155	152	143	93	60	30	3	2	1	28
28 38	57 56	70 50	58 45	73 44	58 54	104 51	89 63	91 52	62 31	39 21	22 8	2 1		1	29 30
25 33	44 87	62 45	45 38	63 41	46 49	33 44	68 54	65 46	46 27	21 14	9 5	1 1	1		31
		1				1	1			1					32
1	3 2	3 2	2 1	1	2 1	2 1	5 3	2 1	1	3	2	1			33
	2 1	1	2	4	5 1	6	9 1	13 1	6 1	5 1	4 2				34
3 4	8 16	4 2	4 6	5 3	5 3	12 6	6 5	11 4	9 3	13 2	7 1		1	1	35
10	8	5	3	5	3	1		3		1					36
			1	2	1			2							37
															38
5	3														39
	1	3	2	1	1	1		1		1					40
															41
5	4	2		2	1										42





CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
36	31	19	4						1					1	1
	1	1							1						2
13	10	6	2											1	3
12	10	8	2												4
1															5
10	10	4													6
8			4	3		2	3	1	1	1					7
2			2	2			1	1	1						8
1			2	1		2	2			1					9
			2	2											10
							1								11
			1				1	1	1						12
1										1					13
2															14
			1	1		2	1								15
1		4		1	2	3	4		2	1	1				16
															17
1		3	1	1	1	2	3		1	1					18
		2				1	1		1		1				19
		1				1	1		1						20
1				1						1					21
															22
															23
															24
															25
															26
															27
114	110	97	78	78	48	53	45	33	27	18	12	2		13	28
93	93	88	65	58	41	38	33	22	15	5	2	1		10	29
21	17	9	13	20	7	15	12	11	12	13	10	1		3	30
	5	4		1		1	3	2		2					31
	5	2		5		4	2	2	1		1				32
13	16	17	8	8	3	2	5	3	2						33
3	2		1	3			1								34
	1	1	2							1					35
			1							1					36
															37
4	3	2	2	4											38
1	1		1												39
2	2														40
1			1												41
															42
															43
															44
															45
															46
23	27	19	16	14	11	8	4	3	3		1			4	47
2			2	3		2	1	1	1						48
1	3	1	1	3	2	3	1								49
1		1		1		1	1								50
6	5	6	7	4	3	4	2								51
1	1														52
2				1											53
															54
4	2	3	3	6	2	1									55
2	1	1	2			2	3								56
4	2	5	2	1	4	2	4	3		1					57
			1	1		1					1				58
5	1	2	3	1											59
		2	1												60
1		1													61
2	1														62
															63
															64
															65
28	24	25	20	15	14	15	10	11	9	2		1			66
4	6	3	4	5	5	5	6	7	10	11	9	1			67

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW JERSEY—GROUP 2.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	7,388	1,586	364	155	94	64	2,263	215	121	178	270	836
2	Males	3,927	901	197	89	45	38	1,270	107	68	104	148	181
3	Females	3,466	685	167	66	49	26	993	108	53	74	127	155
4	Unknown cause	44	14	3		1	1	19	1			2	3
5	Males	19	6	1				7				1	1
6	Females	25	8	2		1	1	12	1			1	2
7	1. General diseases.												
	General diseases—A	1,284	489	123	65	45	25	697	92	40	20	41	32
8	Males	674	235	68	36	18	13	370	45	19	16	27	22
9	Females	610	204	55	29	27	12	327	47	21	4	14	10
10	Measles	M 18 F 13	4 2	6 3	4 2	4 2	1 1	15 10	1 3				
11	Scarlet fever	M 23 F 19	1 1	3 3	4 1	7 6	1 3	16 10	3 7	1		1	
12	Diphtheria	M 86 F 71	4 4	7 7	10 8	10 11	9 7	40 37	30 24	10 4	3	1 3	
13	Whooping cough	M 33 F 55	23 25	5 13	3 7	5		31 50	1 1	1 3			
14	Malarial fever	M 14 F 6	3		1 2	1		5 2		1		1	
15	Influenza	M 60 F 71	2 3	1	1			4 3	1		1	2	2 1
16	Typhoid fever	M 73 F 38	2					2	3 1	3 5	11 3	17 7	15 5
17	Cholera morbus	M 11 F 8	2 1	2 3	2			6 4	1	1			
18	Colitis	M 4 F 8	1 1	1 2	1	1		2 5					
19	Diarrhea	M 23 F 21	9 8	1				10 8					1 1
20	Dysentery	M 15 F 18	4 4	1	1			6 4		1			
21	Enteritis	M 133 F 121	92 69	19 15	3 5		1	115 90	1 4			1	2
22	Cholera infantum	M 88 F 90	71 77	13 12	4 1			88 90					
23	Fever	M 1 F 1											
24	Cerebro-spinal fever	M 24 F 19	6 3	7	3 1		1	17 6	4 4	1 4		1	
25	Smallpox	M 2 F 1								1		2	
26	Erysipelas	M 22 F 13	6 7	2				8 7			1	1	2
27	Septicemia	M 26 F 18	3					3	1	2 2		2 1	2 1
28	Venereal diseases	M 2 F 2	2					2					
29	Others of this group	M 16 F 20			1			1				1	
30	General diseases—B	116	55	4	1			60			1	3	5
31	Males	66	28	2				30			1	1	3
32	Females	50	27	2	1			30				2	2
33	Alcoholism	M 24 F 5											2
34	Parasitic diseases	M 2 F 2	1	1				2					
35	Lead poison	M 1 F 1											
36	Other poisons	M 12 F 14	1 1	1	1			2 2			1	1 2	1 2
37	Inanition	M 28 F 31	26 26	2				26 23					
38	General diseases—C	602	389	11	1		2	403					2
39	Males	304	214	4			1	219					1
40	Females	298	175	7	1		1	184					1
41	Old age	M 72 F 104											
42	Premature birth	M 77 F 68	77 68					77 68					
43	Malformation	M 15 F 10	15 10					15 10					
44	Debility and atrophy	M 126 F 100	108 81	4 7	1		1	113 90					1 1
45	Others of this group	M 14 F 16	14 16					14 16					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW JERSEY—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	1,146	48	17	6	4	6	81	13	14	50	98	115
2	Males	548	38	10	4	1	3	51	4	7	21	44	55
3	Females	598	15	7	2	3	3	30	9	7	29	54	60
4	Anemia	M 14 F 5	3					3		1	1		1
5	Diabetes	M 30 F 17	1					1	1	1		2	1
6	Rheumatism	M 16 F 13		1				1		1	1	2	1
7	Scrofula and tabes	M 4 F	1	1				2			2		
8	Hydrocephalus	M 21 F 20	11 10	4 5	4	1 2		20 17		2		1	
9	Tuberculosis, general	M 2 F 1	1					1					1
10	Consumption	M 337 F 365	9 4	3 1	1	1	3 1	15 8	6	3 6	18 23	42 48	50 57
11	Cancer	M 88 F 147							1			1	1
12	Tumor	M 15 F 17	1					1 1		1		1	1
13	Dropsy	M 13 F 9	1	1	1			2 1	1			1	
14	Others of this group	M 8 F 4	5 1	1			1	5 3	1				
15	2. Diseases of the nervous system	1,140	234	80	21	7	9	351	22	20	9	12	28
16	Males	621	139	47	11	6	6	209	10	11	6	7	17
17	Females	519	95	33	10	1	3	142	12	9	3	5	11
18	Inflammation of the brain	M 8 F 6			1		1	2		1	1		1
19	Meningitis	M 117 F 72	37 21	26 17	5 7	2	3	70 48	7 6	5 6	2 2		5 1
20	Apoplexy	M 162 F 173	1		1			1 1	1	1	1	2	2 2
21	Paralysis	M 79 F 81	1	1		1		1 2	1	1	1		1 2
22	Paralysis, general (of insane)	M 23 F 8											2
23	Tetanus and trismus nascentium	M 12 F 5	4 3					4 3	1	2	1	2	1
24	Chorea	M 1 F 3							1	1	1		
25	Epilepsy	M 13 F 8	3					3					4 1
26	Convulsions	M 111 F 82	82 64	18 10	4 2	2 1	2	108 77	1 1	1	1		1
27	Mental diseases	M 25 F 29										1 2	1
28	Diseases of the brain	M 46 F 42	12 5	1 5		1	2	16 10	1			3	3 2
29	Diseases of the spinal cord	M 9 F 4	1	2	1		1	4 1					1
30	Locomotor ataxia	M 6 F										1	
31	Others of this class	M 7 F 6										1	
32	3. Diseases of the circulatory system	646	34	2	1		1	38	10	10	13	13	20
33	Males	322	22	2	1		1	26	6	3	6	4	10
34	Females	324	12					12	4	7	7	9	10
35	Pericarditis	M 1 F 2									1		
36	Diseases of the heart	M 282 F 301	12 11	2	1		1	16 11	6 4	3 7	6 6	4 8	9 9
37	Angina pectoris	M 18 F 15										1	1 1
38	Diseases of the arteries	M 7 F 5											
39	Aneurism	M 3 F											
40	Embolism	M 1 F											
41	Others of this class	M 10 F 1	10 1					10 1					







## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW JERSEY—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	46									2	15	8
2	Abortion	1										1	
3	Childbirth	6											
4	Puerperal septicemia	31									2	13	5
5	Extra-uterine pregnancy	3										1	
6	Others of this class	5											3
7	9. Diseases of the bones and joints	16	2	1				3		1		1	1
8	Males	11	2	1				3		1		1	1
9	Females	5											
10	Diseases of the spine	3	1					1		1			
11	Abscess, lumbar and psoas	1										1	
12	Diseases of the bones	4		1				1					1
13	Diseases of the hip-joint	2	1					1					
14	Others of this class	1											
15	10. Diseases of the skin	10	1	2				3	1				
16	Males	7							1				
17	Females	3	1	2				3					
18	Abscess	4							1				
19	Carbuncle	1	1	1				2					
20	Others of this class	2						1					
21	11. Diseases of the absorbent system	7		1		1		2		1		1	1
22	Males	4				1		1				1	
23	Females	3		1				1		1			1
24	Addison's disease	1											
25	Diseases of the spleen	2				1		1				1	
26	Others of this class	2											1
27	12. Accidents and injuries	396	25	6	9	8	7	55	25	9	38	34	44
28	Males	319	15	3	4	7	6	35	18	6	31	30	39
29	Females	77	10	3	5	1	1	20	7	3	7	4	5
30	Burns and scalds	17		1	2	5	2	10					1
31	Drowning	29	1	1	1			3	5	3	3	3	1
32	Exposure and neglect	1											
33	Gunshot wounds	14								2	1	1	4
34	Homicide	4								1		1	
35	Infanticide												
36	Injuries by machinery	1									1		
37	Railroad accidents	85					2	2	3	1	5	14	9
38	Suffocation	21	11		1			12	2				
39	Suicide by shooting	6									1		
40	Suicide by drowning	2										1	
41	Suicide by poison	3										1	1
42	Other suicides	8									2		
43	Sunstroke	5	1					1					1
44	Surgical operations	2											1
45	Wounds	5											1
46	Others of this class	116	2	1		2	2	7	8		18	10	22
		17	3		1			4	1		2	1	1



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	6	6													1
															2
1	3	2													3
6	2	3													4
1	1														5
1		1													6
	1	1	1	2	1		1	2	1						7
	1			1	1		1		1						8
		1	1					2							9
				1			1								10
					1										11
			1					1	1						12
					1										13
	1							1							14
1		1							1		1				15
			2		1										16
1			2		1				1		1				17
1			1		1										18
									1						19
			1										1		20
		1						1							21
		1						1							22
															23
															24
		1						1							25
									1						26
21	38	23	29	7	20	11	15	9	6	1	4			7	27
18	36	19	23	6	17	10	12	6	3	1	3			6	28
8	2	4	6	1	3	1	3	3	3		1			1	29
2		1			2		1	1	2						30
1						1	2	1	2						31
	3	1	2		1	1	2	1	1					1	32
			1												33
1	2		1		1	1									34
1	1			1											35
															36
8	12	8	6	4	5	1	2				1			4	37
1	1	2	1		1		2								38
	2		2		2		1							1	39
		1			3		1								40
	1		1												41
			1					1							42
	2				1	2		1							43
1	1								1						44
		1													45
1	1		1			1	1								46
1		1													
4	10	7	10	1	3	4	5	3	1	1	2				
		1	1	1			1	1	1		1				

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	190,268	25,492	7,248	3,240	2,065	1,336	39,381	3,474	1,860	2,786	4,735	5,313
2	Males	68,648	14,169	3,889	1,690	1,056	674	21,478	1,765	929	1,386	2,336	3,037
3	Females	61,620	11,323	3,359	1,550	1,009	662	17,903	1,709	931	1,400	2,399	2,276
4	Unknown cause	580	159	11	4	4	6	184	12	10	14	16	12
5	Males	319	87	8	2	2	4	103	6	4	7	8	6
6	Females	261	72	3	2	2	2	81	6	6	7	8	6
7	<b>I. General diseases.</b>												
7	General diseases—A	21,444	7,921	2,696	1,211	859	564	13,251	1,322	399	411	498	458
8	Males	11,074	4,333	1,421	609	426	275	7,064	639	192	206	270	249
9	Females	10,370	3,588	1,275	602	433	289	6,187	683	207	205	228	209
10	Measles	M 574 F 600	152 148	222 207	74 88	39 36	21 23	508 497	36 52	8 11	5 12	4 5	2 2
11	Scarlet fever	M 426 F 386	37 14	66 47	76 66	68 65	45 52	292 244	92 92	14 18	8 13	8 8	5 2
12	Diphtheria	M 1,351 F 1,322	103 82	230 214	234 217	195 204	139 144	901 861	380 347	59 44	18 17	11 14	10 12
13	Whooping cough	M 472 F 516	276 264	112 126	42 60	28 27	6 16	459 493	8 16		3		
14	Malarial fever	M 188 F 170	11 13	8 4	8 7	5 8	2 2	34 34	6 16	4 5	8 9	15 10	9 6
15	Influenza	M 605 F 848	49 48	11 12	3 7	5 3	1 3	69 73	7 11	3 12	5 9	13 12	16 18
16	Typhoid fever	M 1,014 F 762	6 4	3 11	7 10	8 8	8 7	32 40	38 42	49 68	116 89	171 105	127 85
17	Cholera morbus	M 170 F 164	39 25	8 13	2 5	5 3	3	57 44	7 4	7 6	2 6	6 3	2 2
18	Colitis	M 157 F 140	82 71	23 15	3 7	4	1	113 93	3 2		1 2	1 2	2 1
19	Diarrhea	M 575 F 488	233 222	54 45	13 8	4 4	5 1	359 280	20 20	4 8	3 3	4 1	4 6
20	Dysentery	M 322 F 354	48 44	42 22	15 12	11 8	5 6	121 92	18 5	7 3	3 1	8 7	5 4
21	Enteritis	M 2,419 F 2,245	1,649 1,331	307 296	67 50	24 32	11 21	2,058 1,730	32 32	13 10	9 5	7 16	19 28
22	Cholera infantum	M 1,656 F 1,360	1,329 1,087	263 219	37 33	12 11	14 5	1,655 1,360					
23	Fever	M 10 F 8	2 3	2	1 1	1	1	6 5	1		1 1	1 1	
24	Cerebro-spinal fever	M 279 F 238	82 72	54 35	21 22	19 14	8 7	184 150	28 26	18 16	15 9	5 4	8 6
25	Smallpox	M 9 F 7	1 2					1 2	1		1 1	1 1	
26	Erysipelas	M 249 F 177	65 67	4 4	2 2	1 1	1 1	72 75	2 1		4 5	1 3	12 6
27	Septicemia	M 277 F 295	27 27	5 2	1 3	6 1	3	36 39	5 12	6 5	4 17	14 32	15 23
28	Venereal diseases	M 118 F 90	78 60	4 2	1 4	1 3	1	84 69			1	1	1
29	Others of this group	M 253 F 200	14 4	3 1	2 1	2 1	2	23 6	6 4	1	3 2	1 3	5 2
30	General diseases—B	2,148	893	26	22	6	7	954	11	9	25	70	121
31	Males	1,366	486	18	14	3	5	526	6	6	6	33	74
32	Females	782	407	8	8	3	2	428	5	3	19	32	47
33	Alcoholism	M 480 F 129				1					1	9	43
34	Parasitic diseases	M 4 F 2		3	1							3	23
35	Lead poison	M 10 F 10	1	1	1			3					1
36	Other poisons	M 345 F 183	7 5	5 2	11 1	2 2	4 2	29 12	5 4	4 1	5 18	29 28	29 23
37	Inanition	M 527 F 453	479 400	10 5	2 4	1 1	1	493 410	1 1	2 2	1	1	1
38	General diseases—C	10,040	5,613	219	43	18	12	5,905	18	8	8	10	11
39	Males	5,155	3,157	108	25	14	4	3,308	12	4	4	3	4
40	Females	4,885	2,456	111	18	4	8	2,597	6	4	4	7	7
41	Old age	M 1,632 F 2,026											
42	Premature birth	M 1,291 F 972	1,291 972					1,291 972					
43	Malformation	M 267 F 180	257 175	3 2	2	1		263 177	2	1	1	1	
44	Debility and atrophy	M 1,772 F 1,549	1,416 1,151	105 109	23 13	13 4	4 8	1,561 1,290	10 6	4 3	3 4	3 6	4 7
45	Others of this group	M 193 F 158	193 158					193 158					

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
6,081	6,372	5,706	5,602	6,004	6,280	6,856	7,200	7,250	6,492	4,623	2,449	880	231	243	1
3,323 2,758	3,551 2,821	3,229 2,477	3,124 2,478	3,309 2,695	3,298 2,982	3,456 3,400	3,618 3,582	3,559 3,691	3,284 3,208	2,250 2,373	1,144 1,305	356 474	77 154	139 104	2 3
12	26	22	24	33	31	39	35	32	37	19	10	6		6	4
5 7	18 13	13 9	16 8	19 14	17 14	23 16	21 14	17 15	19 18	9 10	5 5	3 3		5 1	5 6
446	416	346	346	340	387	450	511	582	538	403	229	76	13	17	7
227 219	223 193	189 157	184 162	180 160	203 184	194 256	227 284	251 331	239 299	184 224	111 118	31 45	4 9	7 10	8 9
2 3 3 7 9	1 5 1 3 3	1 2 2 3	2 3 4 2	3 1 2 5	3 3 4 1	1 3 8 2	1 1 1	1 1	1 1	1 1	1 1				10 11 12
5 6	4 7	9 4	9 12	4 6	3 7	6 13	5 9	4 15	6 6	3 3	3 2			1 1	13 14
12 26	20 28	30 28	27 28	21 40	33 46	51 65	46 73	57 88	76 122	71 94	39 53	7 17	1 2	1 3	15 16
133 80	102 61	62 46	48 30	39 26	39 22	18 26	16 18	15 12	3 5	3 4	1 2			1 1	17 18
4 6	4 3	4 4	7 5	12 4	8 8	10 15	11 15	8 17	10 7	5 7	4 5	3 8	2		19
1 4	1 2	6 2	4 4	3 4	2 1	2 7	1 5	5 4	4 3	3 3	3 1	2			20
5 8	5 3	3 3	6 6	8 9	18 12	18 19	25 15	34 26	24 34	22 19	10 6	3 7		3	21
11 7	6 8	3 10	3 11	10 10	8 15	13 21	16 36	26 31	19 38	21 27	15 17	3 4	2	1	22
16 24	18 19	20 27	22 29	21 26	25 27	23 46	33 65	41 69	26 36	17 32	13 16	5 5	1 2	1 1	23
1							1			1					24
4 5	4 5	3 2	4 4	2 2	2 3	2	1	1	1	1		1			25
2	1	1	1	1	1	1	1	1	1	1					26
8 4	11 11	16 2	10 4	19 8	20 10	18 13	13 12	12 9	16 9	11 4	3 1	1			27
9 29	25 25	18 13	20 16	23 8	24 16	18 11	24 9	17 19	17 11	5 4	5			1	28
3 1	10 4	3 5	4 2	1 1	4 1	2	2	2	37 26	22 24	15 14	10 8	3		29
4 1	6 6	7 2	8 6	11 10	11 10	13 15	32 25	39 32	27 26	22 24	15 14	10 8		3	30
173	179	112	111	91	82	59	53	37	33	15	7	1		5	31
119 54 77 2	141 38 99 21	86 26 51 20	32 29 51 17	76 15 51 4	60 22 35 7	44 15 17 6	37 16 24	23 14 9 1	22 11 7 1	9 6 3	6 1 2	1		4 1 3	32 33 34
1	2	2	2	2	3	1									35
41 28	39 13	33 6	23 10	22 9	24 7	25 4	8 8	11 4	8 4	4 4	1				36
2 1	1 2		1 2	1 1	1 5	2 4	5 8	3 9	7 6	2 2	3 1	1		1 1	37
13	16	13	18	26	39	77	192	487	739	1,113	815	401	123	13	38
8 5	6 10	6 7	8 5	9 17	13 26	30 47	78 114	205 282	354 385	516 597	353 462	183 218	46 77	5 8	39 40
						20 33	57 73	180 250	312 351	496 571	340 450	178 211	46 76	3 6	41
															42
								1						1	43
8 5	6 10	6 7	8 5	9 17	13 26	10 14	21 35	25 32	42 34	20 26	13 12	5 7	1	1 2	44 45

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.	22, 516	760	398	204	134	89	1, 535	275	298	889	1, 830	2, 316
2	Males	11, 525	404	210	126	66	45	851	133	114	399	871	1, 246
3	Females	10, 991	356	188	78	68	44	734	142	184	490	959	1, 070
4	Anemia	M 136 F 213	M 11 F 10	M 4 F 4	M 1 F 3	M 2 F 2	M 1 F 2	M 19 F 21	M 4 F 2	M 1 F 6	M 2 F 14	M 5 F 14	M 2 F 10
5	Diabetes	M 390 F 371	M 1 F 1	M 2 F 3	M 2 F 1	M 1 F 3	M 1 F 1	M 7 F 9	M 6 F 9	M 12 F 13	M 12 F 4	M 16 F 11	M 20 F 12
6	Rheumatism	M 237 F 256	M 1 F 9	M 2	M 1	M 1	M 1	M 4 F 11	M 14 F 12	M 5 F 11	M 8 F 7	M 5 F 8	M 7 F 5
7	Scrofula and tabes	M 87 F 107	M 88 F 29	M 3 F 7	M 2 F 4	M 1 F 1	M 1 F 2	M 45 F 43	M 2 F 4	M 1 F 2	M 2 F 4	M 5 F 7	M 7 F 6
8	Hydrocephalus	M 557 F 456	M 195 F 171	M 120 F 101	M 63 F 43	M 31 F 37	M 23 F 21	M 432 F 373	M 56 F 39	M 10 F 11	M 11 F 7	M 8 F 3	M 1 F 9
9	Tuberculosis, general	M 114 F 82	M 9 F 17	M 6 F 5	M 8 F 2	M 4	M 4	M 31 F 24	M 4 F 1	M 2 F 10	M 6 F 6	M 11 F 9	M 17 F 1
10	Consumption	M 8, 001 F 6, 109	M 107 F 90	M 66 F 56	M 41 F 18	M 23 F 22	M 12 F 14	M 249 F 200	M 41 F 67	M 70 F 117	M 348 F 433	M 802 F 884	M 1, 164 F 969
11	Cancer	M 1, 571 F 2, 877	M 2 F 4	M 1	M 3	M 2	M 1	M 2 F 5	M 1 F 3	M 5 F 7	M 4 F 2	M 10 F 14	M 14 F 41
12	Tumor	M 173 F 231	M 4 F 5	M 1 F 1	M 3 F 2	M 2 F 1	M 1	M 10 F 10	M 3 F 3	M 4 F 3	M 4 F 6	M 4 F 2	M 11 F 9
13	Dropsy	M 176 F 207	M 4 F 3	M 1 F 2	M 1 F 1	M 1	M 1	M 7 F 6	M 1 F 1	M 3 F 2	M 3 F 3	M 3 F 2	M 2 F 2
14	Others of this group	M 83 F 82	M 32 F 17	M 5 F 9	M 5 F 3	M 2 F 2	M 1 F 1	M 45 F 32	M 1 F 4	M 2 F 1	M 3 F 4	M 2 F 5	M 3 F 6
15	2. Diseases of the nervous system	14, 815	2, 369	675	331	186	116	3, 677	317	183	196	201	272
16	Males	7, 812	1, 371	367	175	84	62	2, 059	164	107	109	103	145
17	Females	7, 003	998	308	156	102	54	1, 618	153	76	87	98	127
18	Inflammation of the brain	M 86 F 62	M 21 F 11	M 6 F 3	M 4 F 2	M 2 F 1	M 2	M 33 F 20	M 4 F 3	M 1 F 4	M 3 F 1	M 4 F 5	M 1 F 1
19	Meningitis	M 1, 448 F 1, 154	M 496 F 360	M 239 F 202	M 125 F 102	M 64 F 65	M 30 F 38	M 954 F 767	M 110 F 96	M 43 F 42	M 45 F 27	M 33 F 25	M 33 F 33
20	Apoplexy	M 2, 873 F 2, 539	M 23 F 33	M 7 F 5	M 2 F 4	M 1 F 3	M 5	M 38 F 45	M 3 F 3	M 4 F 2	M 8 F 8	M 11 F 11	M 33 F 24
21	Paralysis	M 1, 108 F 975	M 14 F 6	M 2 F 3	M 3 F 2	M 2 F 2	M 1	M 21 F 14	M 6 F 5	M 1 F 3	M 4 F 2	M 3 F 8	M 13 F 13
22	Paralysis, general (of insane)	M 87 F 44	M 44	M 1	M 1	M 1	M 1	M 1	M 1	M 1	M 1	M 1	M 5 F 3
23	Tetanus and trismus nascentium	M 150 F 54	M 48 F 31	M 4 F 1	M 2	M 2	M 1	M 56 F 35	M 12 F 1	M 30 F 2	M 11	M 5 F 2	M 6
24	Chorea	M 8 F 12	M 1	M 1	M 1	M 1	M 1	M 2 F 1	M 1	M 1	M 2	M 1	M 17 F 11
25	Epilepsy	M 173 F 149	M 17 F 8	M 3 F 1	M 2 F 3	M 2	M 2	M 22 F 14	M 2 F 3	M 8 F 8	M 13 F 11	M 15 F 13	M 17 F 11
26	Convulsions	M 800 F 664	M 657 F 493	M 75 F 69	M 25 F 32	M 7 F 17	M 11 F 7	M 775 F 618	M 12 F 13	M 3 F 4	M 1 F 4	M 1 F 6	M 6
27	Mental diseases	M 200 F 245	M 200	M 200	M 200	M 200	M 200	M 200	M 200	M 200	M 200	M 200	M 200
28	Diseases of the brain	M 589 F 519	M 87 F 48	M 28 F 22	M 8 F 7	M 5 F 6	M 9 F 5	M 137 F 88	M 11 F 16	M 12 F 8	M 15 F 18	M 15 F 9	M 17 F 14
29	Diseases of the spinal cord	M 114 F 131	M 7 F 4	M 3 F 1	M 2 F 3	M 2 F 3	M 5 F 1	M 19 F 12	M 3 F 6	M 3 F 4	M 4 F 3	M 5 F 3	M 3 F 5
30	Locomotor ataxia	M 82 F 31	M 31	M 1	M 1	M 1	M 1	M 1	M 1	M 1	M 1	M 1	M 1
31	Others of this class	M 94 F 124	M 1 F 3	M 1	M 1	M 1	M 1	M 2 F 4	M 2	M 2	M 2	M 2 F 6	M 3 F 4
32	3. Diseases of the circulatory system	10, 946	570	28	20	28	39	685	199	205	232	271	322
33	Males	5, 591	315	17	11	14	17	374	87	67	106	125	156
34	Females	5, 355	255	11	9	14	22	311	112	138	126	146	166
35	Pericarditis	M 81 F 87	M 3 F 2	M 2	M 1	M 1	M 1	M 6 F 9	M 4 F 6	M 5 F 3	M 5 F 8	M 8 F 3	M 6 F 1
36	Diseases of the heart	M 4, 877 F 4, 791	M 166 F 132	M 15 F 10	M 9 F 9	M 14 F 14	M 15 F 14	M 219 F 179	M 81 F 104	M 61 F 134	M 98 F 114	M 115 F 137	M 139 F 151
37	Angina pectoris	M 247 F 195	M 247	M 247	M 247	M 247	M 247	M 247	M 247	M 247	M 247	M 247	M 247
38	Diseases of the arteries	M 113 F 73	M 1	M 1	M 1	M 1	M 1	M 1	M 1	M 1	M 1	M 1	M 1
39	Aneurism	M 78 F 33	M 78	M 78	M 78	M 78	M 78	M 78	M 78	M 78	M 78	M 78	M 78
40	Embolism	M 46 F 46	M 3	M 3	M 3	M 3	M 3	M 3	M 3	M 3	M 3	M 3	M 3
41	Others of this class	M 149 F 130	M 142 F 121	M 1	M 2	M 1	M 1	M 145 F 123	M 1	M 1	M 1	M 1	M 3



## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	23,515	5,636	2,844	1,165	585	325	10,555	675	216	313	568	674
2	Males.....	12,298	3,161	1,563	599	304	157	5,784	329	92	166	315	375
3	Females.....	11,217	2,475	1,281	566	281	168	4,771	346	124	152	253	299
4	Croup.....	388	50	76	72	52	29	279	55	1	1		
	M.....	281	35	53	50	49	29	216	57	2	1	1	
	F.....												
5	Pneumonia.....	8,845	1,943	1,172	425	197	90	3,827	217	74	141	278	327
	M.....	7,759	1,512	962	398	167	106	3,145	231	102	116	191	240
	F.....												
6	Laryngitis.....	100	9	21	4	11	6	51	19	2		2	1
	M.....	71	9	9	13	12	3	46	8	3	5	10	12
	F.....												
7	Bronchitis.....	1,931	371	258	79	26	20	1,254	22	7	14	21	22
	M.....	2,141	711	226	86	39	18	1,080	29	6	14	21	22
	F.....												
8	Pleurisy.....	216	17	13	8	9	3	50	6	3	9	10	13
	M.....	189	9	11	10	4	3	37	9	1	4	14	15
	F.....												
9	Asthma.....	78	3	1		1		5				1	2
	M.....	91	4					4				1	
	F.....												
10	Others of this class.....	790	263	22	11	8	9	313	10	5	10	14	20
	M.....	685	195	20	9	10	9	243	12	10	16	25	21
	F.....												
11	5. Diseases of the digestive system.....	6,984	944	185	73	47	50	1,299	203	194	223	315	373
12	Males.....	3,502	509	33	33	26	23	639	102	106	114	144	162
13	Females.....	3,482	435	97	35	21	22	610	101	88	114	171	216
14	Dentition.....	95	61	31	1	1	1	95					
	M.....	97	62	32	3			97					
	F.....												
15	Angina.....	44	3	6	5	3	3	20	5	2	1	1	1
	M.....	38	5	2	2	3	5	17	9	5	2	2	1
	F.....												
16	Gastritis.....	463	103	17	5	6	3	134	7	4	2	6	18
	M.....	577	88	23	7	4	3	125	12	3	1	16	22
	F.....												
17	Diseases of the stomach.....	203	6	1	1		3	11	3	1	2	3	11
	M.....	159	9					10		1	5	12	10
	F.....												
18	Obstruction of the bowels.....	278	62	3	4	4	3	76	13	5	6	8	10
	M.....	313	34	5	2	2	1	43	8	4	9	7	17
	F.....												
19	Appendicitis.....	453	1		2	2	6	11	23	53	64	63	48
	M.....	233	1	1	1	1	3	7	23	36	46	33	31
	F.....												
20	Hernia.....	155	12	1				13			3	3	6
	M.....	147	7					7					
	F.....												
21	Other diseases of the bowels.....	77	17	4		1		22	2	1	2	3	3
	M.....	73	11	3				14		1	2	2	3
	F.....												
22	Jaundice.....	110	56		2			53	2		3	2	1
	M.....	105	42	1	1		1	45	4	1	1	1	1
	F.....												
23	Inflammation and abscess of the liver.....	130	9		1			10	1		1	9	8
	M.....	157	7					7	2	3	2	5	10
	F.....												
24	Other diseases of the liver.....	741	6		1			7	1	2	2	12	20
	M.....	479	7	1	1			9		2	1	3	17
	F.....												
25	Peritonitis.....	419	32	8	7	6	4	57	31	33	27	32	33
	M.....	692	19	4	6	6	6	41	33	29	42	39	39
	F.....												
26	Ascites.....	11											
	M.....	10											
	F.....												
27	Others of this class.....	313	141	17	9	3	5	175	9		1	2	3
	M.....	347	143	24	8	5	3	183	5	3	3	2	5
	F.....												
28	6. Diseases of the urinary system and male organs of generation.....	9,132	153	45	42	47	42	329	99	93	115	275	393
29	Males.....	5,096	87	27	19	31	24	188	59	37	47	118	163
30	Females.....	4,036	66	18	23	16	18	141	40	56	68	157	230
31	Bright's disease.....	3,975							47	32	42	97	147
	M.....	3,471							39	53	59	131	183
	F.....												
32	Calculus, urinary.....	22									1		
	M.....	6	1					1					
	F.....												
33	Diseases of the kidney.....	296	67	24	19	27	23	160	3		2	4	7
	M.....	203	47	14	19	14	16	110			2	3	8
	F.....												
34	Diseases of the bladder.....	325							2	1	1	3	3
	M.....	39											1
	F.....												
35	Others of this class.....	473	20	3		4	1	23	7	4	1	14	11
	M.....	317	18	4		2	2	30	1	3	7	23	33
	F.....												
36	7. Diseases of the female organs of generation.....	463	2				1	3		1	10	47	63
37	Ovarian tumors.....	80									1	8	3
38	Ovarian diseases.....	32										4	9
39	Diseases of the tubes.....	84									3	15	19
40	Uterine tumors.....	131					1	1				2	5
41	Uterine diseases.....	31									3	7	9
42	Others of this class.....	110	2					2		1	3	11	13

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
745	807	791	786	890	974	1,058	1,120	1,183	1,000	675	329	95	33	23	1
418 927	468 389	487 304	462 324	486 404	483 491	476 582	516 604	542 641	437 563	275 400	133 196	34 61	9 24	11 12	2 3
	1		1		1		1		1						4
352 269	412 285	420 245	384 244	403 310	361 376	344 415	358 404	379 442	237 359	172 233	71 102	23 32	6 8	9 10	5
2 4	1 1	3 1	3 1	3 1	2 2	5 1	1 1	2 2	2 2	2 1					6
18 23	12 18	17 24	19 40	32 43	63 70	64 98	76 129	104 138	98 143	64 127	46 74	5 28	3 13	1	7
16 14	15 12	13 10	12 12	14 8	7 5	11 14	14 10	13 8	5 7	4 4	1 5				8
2 2	2 2	3 4	6 3	4 10	7 7	10 13	10 14	11 11	8 11	5 7	2 2	1		1	9
28 15	28 20	31 20	38 24	30 33	43 30	41 41	56 47	34 41	37 41	28 28	13 13	5 1	3	1 1	10
331	408	423	466	434	417	425	446	399	330	162	79	23	4	15	11
154 177	198 210	220 203	259 207	223 211	226 191	209 216	221 225	182 217	176 154	64 93	39 40	7 16	2 2	5 10	12 13
															14
3		1	1	2	1	1	1	2	2	1					15
16 13	17 28	18 25	23 23	22 37	25 28	27 48	37 39	37 51	36 41	21 39	11 11		1	1 2	16
11 9	17 9	16 8	21 13	23 14	22 9	9 12	24 15	12 18	12 8	3 3	2 1	2			17
14 15	11 18	3 21	12 20	18 26	19 23	16 19	15 28	17 24	22 17	4 8	6 4	3		2	18
27 19	41 12	31 15	29 16	20 11	11 5	5 6	8 7	8 6	4 3	1 1				1 1	19
8 4	5 6	10 12	13 14	7 16	11 13	15 23	16 14	17 14	16 13	6 8	4 2	1	1	1	20
2 4	3 5	4 3	2 3	1 2	2 2	7 4	7 8	8 5	5 8	2	1 4		1	2	21
1 1	2 3	3 4	3 6	1 5	4 2	3 7	6 7	7 10	6 1	4 4	3 1	1 1			22
7 6	7 14	6 15	15 6	19 11	9 11	10 11	9 17	6 14	9 10	4 8	4	1			23
39 20	65 42	86 49	93 46	76 51	90 48	79 49	72 48	43 47	40 30	5 12	3 3	1 1			24
21 77	24 67	29 44	27 44	16 24	18 24	22 21	14 23	11 18	10 10	3 1	4 2	1 1		1 1	25
		2			1	1	2	4	1	1					26
5 4	6 6	11 12	10 14	18 14	13 21	14 15	11 16	10 9	14 12	9 13	5 7	2	1	2	27
444	597	607	670	775	853	933	865	836	647	371	165	34	9	12	28
223 221	238 239	322 285	347 323	443 332	491 362	551 387	495 370	502 334	405 242	259 112	111 54	22 12	2 7	8 4	29 30
195 183	259 263	290 253	308 293	396 300	432 331	466 353	391 331	335 305	265 211	147 100	56 45	18 9	1 6	6 3	31
1 1	2	1		5	2	2	1	2	5						32
6 12	7 8	8 9	6 8	13 12	6 3	12 5	17 9	11 3	18 5	11 3	4 1	1		1	33
4	3	4	6	8	11	31	45	57	55	53	33	3	1	1	34
17 25	27 21	19 23	27 15	21 18	40 26	40 18	41 26	47 18	62 19	48 7	18 3	5 1		1	35
66	65	61	53	34	21	14	12	9	3	3	1			2	36
7	5	9	8	12	8	4	6	5	2	2					37
9	3	1	3	2											38
13	17	11	5				1								39
11	18	28	24	17	8	7	3	4	1	1				1	40
5	1	3	1	1	1		1								41
21	21	12	10	2	4	3					1			1	42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	989									56	208	244
2	Abortion	55									4	6	17
3	Childbirth	235									8	33	49
4	Puerperal septicemia	452									26	111	109
5	Extra-uterine pregnancy	36										5	13
6	Others of this class	211									18	58	56
7	9. Diseases of the bones and joints	271	24	8	3	7	9	51	24	26	20	16	15
8	Males	152	9	3	3	3	7	25	12	16	12	12	8
9	Females	119	15	5		4	2	26	12	10	8	4	7
10	Diseases of the spine	48 39	4 5	2	1	1	3	9 9	5 5	6 5	8 1	3 2	2 2
11	Abscess, lumbar and psoas	11 3	1					1		1		3	4
12	Diseases of the bones	56 38	3 6	1 3	1	2 1	4 2	11 12	3 2	4 4	2 2	3 1	4 4
13	Diseases of the hip-joint	16 14	1					1	4 4	4 1	2 5	2	
14	Others of this class	21 25	2 2	2	1			5 3	1	1		1 1	1
15	10. Diseases of the skin	214	57	7	3	1		65	8	2	2	7	10
16	Males	118	31	4	1	1		37	8		2	3	6
17	Females	96	26	3	2			31		2		4	4
18	Abscess	70 47	17 10	2 2	1 1	1		21 13	8	1	1	1 3	4 3
19	Carbuncle	13 5	1					1			1	1	
20	Others of this class	35 44	14 15	2 1	1			16 17		1		1 1	2 1
21	11. Diseases of the absorbent system	105	13	1	1	1		16	2		2	4	4
22	Males	47	6	1	1	1		9	1		1	3	2
23	Females	58	7					7	1		1	1	2
24	Addison's disease	16 25									1		1 1
25	Diseases of the spleen	6 5	1 1					1 1				1	
26	Others of this class	25 28	5 6	1	1	1		8 6	1 1		1	3	1 1
27	12. Accidents and injuries	6,101	378	105	118	142	76	819	309	216	260	399	515
28	Males	4,593	213	54	67	81	46	461	207	184	207	323	436
29	Females	1,508	165	51	51	61	30	358	102	32	53	76	79
30	Burns and scalds	245 316	10 15	25 25	33 27	47 30	16 15	136 112	18 47	6 14	1 6	7 8	11 18
31	Drowning	774 72	4 3	7 8	3 1	8 3	6	23 15	76 6	70 2	54 5	73 4	69 3
32	Exposure and neglect	28 16	9 7	1				9 8	1			2	1
33	Gunshot wounds	198 27		1		1		2 2	1 3	12 2	23 3	22 4	26 1
34	Homicide	69 22			2		1	3	2	2	6 1	12 2	14 5
35	Infanticide	2	2					2					
36	Injuries by machinery	10									1	3	
37	Railroad accidents	554 61	2	1	3	5	2	13 5	20 8	29 1	29 9	58 2	50 2
38	Suffocation	168 114	84 65	3 3	3 4	2 1	2	94 76	3 6	6	4 1	5 2	6 5
39	Suicide by shooting	145 12									1 2	8	20
40	Suicide by drowning	17 10											2 2
41	Suicide by poison	158 100									8 10	8 22	22 14
42	Other suicides	260 69								2	3 2	11 6	20 6
43	Sunstroke	72 40	21 14	1 1	2			24 17	3 1	1	1	4 2	5
44	Surgical operations	26 45	2					2		1	2 1	1 4	3 6
45	Wounds	67 18		1			2	3	3 1	1	5 2	6 2	8 2
46	Others of this class	1,800 591	79 61	15 12	18 13	18 24	13	148 120	31 28	53 8	69 10	103 20	179 11



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
225	173	74	9											1
15	7	6												2
51	64	26	4											3
114	67	23	2											4
8	5	4	1											5
37	30	15	2											6
13	20	15	8	12	12	5	17	11	4	2				7
5	14	10	6	8	4	3	11	3	3					8
8	6	5	2	4	8	2	6	8	1	2				9
1	2	2	1	3	1	1	3	2	1					10
4	3	2		2	3					1				11
1	1							1						12
1	1							1						13
3	8	4	4	3	2	1	3	3	1					14
2	1	2	1		1		1	3	1	1				15
	2	1			1			1						16
	2	3	1	2		1	4		1					17
1		1	1	2	4	2	5	3						18
12	13	6	9	7	11	14	20	8	9	4	2			19
6	7	4	4	4	5	7	8	3	7	3	2			20
6	6	2	5	3	3	7	12	5	2	1				21
3	5	4	2	3	3	4	3	2	3	2				22
4	3	2	1	1	4	4	6	1	1	1				23
2			2		1	2	1		2					24
			1		1			2						25
1	2		3	1	1	1	4	1	2	1	2			26
2	3		1	2	1	3	6	2	2					27
4	8	10	13	9	7	7	7	5	6	1				28
2	4	5	8	4	1	4	4	1	1					29
2	4	5	5	5	6	7	3	4	5					30
2	2	2	5	3	4	3	2	1	2					31
1	3	2	1	3	1	3	2							32
1	1	1	1	1				1	1	1				33
1	1	3	2	1	2	4	2	1	3					34
1	1	2	4	1			1	3	3					35
503	593	453	363	354	253	251	236	169	159	86	55	23	6	74
436	479	377	298	277	203	198	159	109	105	45	21	10		63
67	114	76	70	77	50	58	77	60	54	41	34	13	6	11
12	6	13	6	8	4	5	3	4	2	1				2
7	18	17	13	11	3	9	9	12	4	6	1	1		3
64	87	70	44	44	26	21	13	14	7	1	1			12
3	8	5	1	4	3	2	3	3	2					3
	1	1	1	1	1	3	2	1	3	1				3
1	1	1	1	1				1						3
27	22	10	8	11	10	9	4	3	3	1				4
2	3	2	2	1		1				1				4
12	7	6	1	1	2	3		2						4
1	5	2		1										4
1	2			1		2								
58	64	36	37	36	26	25	17	13	7	5	3			28
2	5	2	4	5	5	3	2	3	2			1		28
4	8	3	5	4	6	4	5	3	3	1				4
1	3	2	2	1	2	2	4	3	2		1			5
23	17	16	15	14	11	10	6	2	1		1			5
2	4	1	1	1	1		1	1						
1	2	1	1	1	3	1	4		1					
2	1				2									
17	20	22	14	17	8	11	5	2	3	1				
10	16	8	6	5	4	1	2	1	1					
15	23	27	39	31	24	20	16	12	13	3		1		2
7	5	9	8	8	3	2	6	2	6	3				2
	12	7	2	2	2	2	2	1	4	1				
	4	1	2	4	4	4	2	2	4					
2	3	4	2	2	1	1	4							1
7	7	2	2	7	2	1	2		1					1
10	7	6	5	3	5	1	1		1					1
1	1	1	1	1	1									1
190	198	155	118	103	74	75	77	51	57	30	16	9		9
21	83	26	27	28	24	33	46	31	41	31	32	11	6	9

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—GROUP 1.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	76,080	17,573	5,610	2,402	1,499	986	28,020	2,211	979	1,445	2,777	3,755
2	Males.....	40,611	9,740	3,002	1,234	769	463	15,208	1,120	468	713	1,356	2,005
3	Females.....	35,469	7,833	2,608	1,168	730	473	12,812	1,091	511	732	1,421	1,750
4	Unknown cause.....	154	29	6	1	2	4	42	2	3	1	5	4
5	Males.....	91	18	4	1	1	2	26	1	1		5	2
6	Females.....	63	11	2		1	2	16	1	2	1		2
7	1. General diseases.												
	General diseases—A.....	13,713	5,852	2,033	905	636	405	9,881	846	165	155	193	235
8	Males.....	7,103	3,187	1,087	446	313	188	5,226	406	86	78	100	131
9	Females.....	6,610	2,665	996	459	318	217	4,655	440	79	77	98	104
10	Measles.....	407	111	170	58	31	12	382	19	1	2		1
	M.....	495	102	171	68	28	13	387	35	3	4		1
11	Scarlet fever.....	315	27	56	60	49	39	281	65	5	4	3	3
	M.....	276	11	38	52	49	37	187	65	9	7	5	2
12	Diphtheria.....	989	87	197	185	156	95	720	217	24	4	5	3
	M.....	1,001	71	192	186	162	118	729	229	15	3	5	8
13	Whooping cough.....	323	169	90	36	17	5	317	3				
	M.....	378	183	97	49	21	13	363	10		3		
14	Malarial fever.....	88	10	7	4	5	2	28	6	2	4	6	5
	M.....	112	11	4	7	6	2	30	12	4	5	7	4
15	Influenza.....	263	20	5	2	3		30	4	2	1	10	10
	M.....	359	20	8	4	2	1	35	5	3	5	4	13
16	Typhoid fever.....	367	2	2	1	2	2	9	18	20	45	53	53
	M.....	275	1	3	2	3	2	11	17	21	28	39	39
17	Cholera morbus.....	52	16	3	1	1	1	22	2	1		1	1
	M.....	50	10	4				14	3	1	4	1	
18	Colitis.....	98	58	16	1	3	1	79	2				
	M.....	90	50	13	4			67			2	2	
19	Diarrhea.....	348	213	45	10	2	5	275	7			1	3
	M.....	309	176	34	5	1	1	217	9	3	2	1	3
20	Dysentery.....	178	26	26	11	6	3	72	16	6	1	6	4
	M.....	136	26	14	7	5	5	57	3	1		6	4
21	Enteritis.....	2,022	1,440	264	47	21	8	1,780	25	12	7	6	16
	M.....	1,860	1,186	252	43	20	14	1,515	27	10	3	11	19
22	Cholera infantum.....	995	813	157	12	6	7	995					
	M.....	812	650	141	15	5	1	812					
23	Fever.....	3			1		1	2	1				
24	Cerebro-spinal fever.....	178	55	37	12	13	4	121	19	12	3	1	6
	M.....	121	38	18	9	8	5	78	18	6	1	1	1
25	Smallpox.....	7	1					1	1		1	1	
	M.....	7	1					2			1	1	
26	Erysipelas.....	166	52	2	2	1		57	1		3		9
	M.....	120	59	3	2	1		65			4	1	4
27	Septicemia.....	116	19	3			2	24	4	1		6	8
	M.....	75	16	1	2	4		23	4	3		6	5
28	Venereal diseases.....	82	58	4	1			63				1	5
	M.....	72	52	2	4	2		60			1	1	
29	Others of this group.....	106	10	3	2	2	1	18	2		2	1	4
	M.....	72	1			1		3	2		1	2	1
30	General diseases—B.....	1,302	421	15	7	2	4	449	9	3	20	58	90
31	Males.....	860	225	13	5	2	2	247	4	2	6	33	56
32	Females.....	442	196	2	2		2	202	5	1	14	25	34
33	Alcoholism.....	366			1			1			1	7	33
	M.....	99										3	18
34	Parasitic diseases.....	2		2				2					
	M.....	1	1					1					
35	Lead poison.....	8						1					1
	M.....	8	1										
36	Other poisons.....	249	3	4	3	2	2	14	4	2	5	26	22
	M.....	133	3	1			2	6	4	1	14	22	15
37	Inanition.....	235	222	7	2			231					
	M.....	201	191	1	1			193	1				1
38	General diseases—C.....	5,097	3,700	179	29	15	9	3,932	9	6	2	2	3
39	Males.....	2,631	2,077	87	15	11	1	2,191	5	4	1	1	
40	Females.....	2,466	1,623	92	14	4	8	1,741	4	2	1	1	3
41	Old age.....	393											
	M.....	649											
42	Premature birth.....	782	782					782					
	M.....	604	604					604					
43	Malformation.....	142	137	1	2	1		141			1		
	M.....	97	96	1				97					
44	Debility and atrophy.....	1,212	1,056	86	13	10	1	1,166	5	4		1	
	M.....	1,040	847	91	14	4	8	964	4	2	1	1	3
45	Others of this group.....	102	102					102					
	M.....	76	76					76					

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,016	4,116	3,686	3,436	3,590	3,515	3,578	3,316	2,986	2,229	1,358	724	218	76	49	1
2,234 1,782	2,406 1,710	2,176 1,510	1,999 1,437	2,082 1,508	1,874 1,641	1,812 1,766	1,678 1,638	1,389 1,597	1,088 1,141	599 759	285 439	69 149	17 59	33 16	2 3
5	9	6	7	11	6	12	7	13	9	6	2	1		3	4
3 2	5 4	5 1	3 4	8 3	3 3	9 3	5 2	6 7	4 5	2 4				3	5 6
216	217	177	196	177	202	221	220	219	173	122	67	24	4	3	7
108 108	117 100	100 77	106 90	98 79	104 98	89 132	95 125	87 132	79 94	51 71	34 33	5 19	2 2	1 2	8 9
1	1		1	1						1					10
3	1														11
5 4	2 1		2 2	2 1	3 2	1 1	1								12
		1 1			1	1									13
4 3	2 6	7 2	8 9	4 3	2 6	1 3	3 3	2 6	3 2	1 1					14
7 13	17 15	19 16	18 16	13 23	16 26	25 30	20 29	19 33	18 41	18 30	14 14		1	1 1	15
47 36	41 30	19 15	20 8	15 9	16 8	5 7	8 4	2 2		1					16
3	2	1 1	2 2	5 2	6 1	1 6	4 3	3 2	2 1	1 1	1 1	1			17
1 3	2	4 2	2 3	2 1	1 1		1	3 2	2 1	1 2	1				18
2 5	2 1	1 1	2 3	5 4	6 7	6 11	8 6	14 11	7 14	4 4	3 1	1 5		1	19
8 6	4 7	3 10	5 8	6 4	3 11	9 12	7 15	7 13	7 9	9 14	4 4	1 1			20
11 18	13 14	15 20	16 25	15 18	20 21	12 35	15 45	24 41	15 15	10 11	6 9	3 2	1 1		21
															22
															23
4 4	3 2	3 1	2 3	1	2 1				1 1						24
		1	1	1	1			1		1		1			25
2	9 7	12 1	8 3	12 4	12 5	11 7	8 7	4 4	8 4	4 2	2				26
4 7	14 4	8 3	9 1	7 4	9 4	8 3	9 1	3	4 1	1					27
2 1	6 3	1 2	3 1	1	1 1			2							28
4	3 4	5 1	7 4	8 6	5 4	9 10	12 11	9 12	12 5	3 3	2 1		2		29
149	140	88	79	68	50	33	30	13	9	6	2			1	30
101 48	113 27	70 18	60 19	57 11	37 13	23 10	25 5	10 3	4 5	4 2	2			1	31
65 22	80 15	42 15	36 12	39 2	24 5	11 4	16	6 1	2 1	1	2			1	32
															33
	2 2	1	2	2 1	3	1									34
35 25	31 9	27 3	22 7	16 8	13 5	16 4	7 5	4	2 3	3 2					35
1 1	1					1 1	2								36
5	2	4	3	8	9	41	69	191	211	283	198	90	29		37
4 1	2	2 2	2 1	2 6	3 6	13 28	32 37	62 129	92 119	108 175	67 131	32 58	8 21		38
						11 23	28 31	58 121	87 107	104 166	65 126	32 54	8 21		39
															40
															41
															42
4 1	2	2 2	2 1	2 6	3 6	2 5	4 6	4 8	5 12	4 9	2 5	4			43
															44
															45

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	18,271	549	305	156	99	63	1,172	180	169	505	1,103	1,582
2	Males	7,290	286	161	101	50	33	631	86	67	244	517	866
3	Females	5,981	263	144	55	49	30	541	94	102	261	586	716
4	Anemia	M 41 F 71	7 1	1 2	1 2	1 1	1 2	10 8	2 1	1 1	1 4	2 5	1 5
5	Diabetes	M 203 F 184	1	1	1	1	1	3 3	2 2	4 1	4	4	10 4
6	Rheumatism	M 106 F 120	1 8	2	1			3 9	6 7	4 7	4 7	3 1	7 4
7	Scrofula and tuberc.	M 43 F 43	28 13	2 6	1		1	31 26		1	1	2	1 2
8	Hydrocephalus	M 444 F 365	147 133	101 87	55 32	26 30	19 15	348 299	46 32	6 9	6 6	7 3	1 6
9	Tuberculosis, general	M 89 F 52	8 15	4 5	3 1	3	3	26 21	3 1	2 8	6 5	9 5	11
10	Consumption	M 5,433 F 3,531	71 63	47 38	35 14	17 16	8 9	178 140	25 44	40 69	213 232	512 524	820 601
11	Cancer	M 732 F 1,456	3					3	1 2	3 3	3 1	6 10	8 33
12	Tumor	M 87 F 93	2 4		2	1		5 7	1	3 2	4 4	1	5 3
13	Dropsy	M 11 F 15	1 1					1 1		2			
14	Others of this group	M 51 F 51	21 14	3 6	1	1	1	26 24		2 1	3	1 4	2 3
15	2. Diseases of the nervous system	6,892	1,351	408	189	107	64	2,119	172	71	91	92	150
16	Males	3,740	777	232	102	49	34	1,194	87	38	53	48	85
17	Females	3,152	574	176	87	58	30	925	85	33	38	44	65
18	Inflammation of the brain	M 22 F 10	3 4	1 1	1			4 6	1		1	3	
19	Meningitis	M 875 F 664	307 223	165 123	85 63	41 41	18 24	616 479	60 53	15 18	20 11	17 14	24 12
20	Apoplexy	M 1,434 F 1,308	19 21	4 3	1 2	1 2	4	29 28	3 2	2 2	4 5	8 5	19 14
21	Paralysis	M 346 F 250	5 3	2 1	2 1	1		10 7	2 3	2 1	2 2	1 5	8 6
22	Paralysis, general (of insane)	M 45 F 22											3 1
23	Tetanus and trismus nascentium	M 95 F 37	43 28	2	2	1	1	47 30	6	13	6	1	5
24	Chorea	M 4 F 4	1		1	1		2 1	1		1		
25	Epilepsy	M 71 F 72	6 3	1	1			8 5	1 0	1 4	7	8 6	8 7
26	Convulsions	M 413 F 329	350 257	40 35	13	4 7	5 3	404 315	6 6	1		2	3
27	Mental diseases	M 65 F 125								1	5	2	2 7
28	Diseases of the brain	M 261 F 219	41 25	14 13	3 3	1 4	6 2	65 47	7 7	4 6	9 5	7	12 8
29	Diseases of the spinal cord	M 46 F 61	2 2	3	1	1	1	7 5			1	2	2 4
30	Locomotor ataxia	M 32 F 16								1		1	1
31	Others of this class	M 31 F 35	1 2		1			2 2	2		2	4	1 3
32	3. Diseases of the circulatory system	5,485	330	18	15	25	28	416	145	143	138	175	235
33	Males	2,748	189	12	7	13	10	231	70	43	64	81	117
34	Females	2,737	141	6	8	12	18	185	75	100	74	94	118
35	Pericarditis	M 48 F 42	3 1	2			5	6	4 4	3 1	5 3	4 2	5
36	Diseases of the heart	M 2,361 F 2,454	77 55	10 6	5 8	13 12	10 12	115 93	64 70	39 99	59 70	76 90	104 110
37	Angina pectoris	M 87 F 70							1			1	3 3
38	Diseases of the arteries	M 58 F 45							1				1
39	Aneurism	M 60 F 17										1	4
40	Embolism	M 21 F 21	2					2		1	1	1	5
41	Others of this class	M 113 F 88	107 85		2		1	109 86	1				

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,614	1,410	1,139	940	875	730	638	531	375	222	86	42	6	1	1	1
946	871	678	561	519	368	317	278	160	93	40	15	2		1	2
668	589	461	379	356	302	321	253	215	129	46	27	4	1		3
3	5	3	2	4	2	4	4	2	1	1					4
7	8	8	4	2	5	5	4	2							5
11	9	19	12	20	16	28	29	16	13		3				6
7	5	9	13	17	28	30	25	24	11	3					7
6	8	6	7	12	10	3	11	5	3	7				1	8
3	8	3	9	4	13	7	9	14	8	2	4	1			9
1	1		2				1	2	1						10
1			3	1	1		3			2					11
8	6	8	4	1	1	2									12
2	2	2		1	1			1							13
4	12	4	5	3		1	1	1							14
4	1	1	2	1		2	1	2							15
881	794	575	438	345	222	160	108	82	32	10	3				16
566	406	270	180	143	114	103	45	47	24	12	9	2		3	17
19	30	52	82	123	109	114	117	46	40	18	9	2		1	18
66	98	158	155	182	189	166	153	121	79	23	13		1		19
10	3	8	10	10	5	5	9	3	3	2					20
8	8	7	11	5	9	5	8	5	3	2	1				21
1		2	1	1	1	2	2	1	1	1		1			22
2	3	1	3	1	2		1	2		1					23
4	3	2	3	1	1	1	2								24
192	235	308	355	404	456	539	504	461	333	222	102	22	10	4	25
112	142	189	205	216	236	278	254	239	200	114	41	6		3	26
80	93	119	150	188	220	261	250	222	133	103	61	16	10	1	27
3	2			2	1	1	1	1							28
1		1	1			1	1								29
16	21	15	25	12	11	7	8	3	3	1				1	30
14	7	9	8	3	7	11	9	2	3		1				31
42	40	80	111	137	157	187	174	184	143	81	27	4		2	32
22	42	71	106	132	156	163	158	158	120	72	34	11	7		33
16	38	45	33	27	26	32	28	22	30	15	10	1		1	34
8	2	6	5	12	20	31	35	30	39	18	13	4	2		35
6	5	8	7	5	3	4	2	1	1						36
3	3	2		4	1	2	2	2		1					37
4	2	2	2	4	3										38
1	2	2	1												39
					1										40
5	7	7	5	5	5	3	1	2	2		1				41
3	6	5	5	4	2	3	2	1	5	1					42
1						1									43
					1				1						44
4	7	4	1	4	4	9	11	5	5	4	2				45
8	9	8	10	9	10	19	11	10	3	5	4				46
12	11	18	8	13	13	20	21	15	14	11	1	1			47
12	13	10	11	11	11	18	23	11	9	9	8				48
2	7	3	5	7	4	2	2	3		1					49
3	5	3	1	6	7	8	7	4	1		1				50
1	1	3	3	4	5	7	4	1	1						51
1		1	3	3	2	2	1	3		2					52
	1	2	5	2	4	5	2	3	1	1					53
4	4	1	2	4	2	4	1	1	1						54
278	325	309	360	430	465	531	514	456	319	152	63	17	6	8	55
152	166	152	181	238	242	258	254	220	165	71	31	6	3	3	56
126	159	157	179	192	223	273	260	236	154	81	32	11	3	5	57
4	4		2	3	2	3	1		3						58
4	3		3	3	2	1	3	1	4		1			1	59
131	142	136	163	216	215	230	226	200	150	59	26	4	3	3	60
114	146	150	168	177	206	259	233	216	139	75	26	8	1	4	61
10	7	7	4	8	12	8	9	9	4	4	2				62
6	7	3	4	10	7	5	12	6	3	2					63
				3	4	8	13	10	7	6	3	2			64
				1	4	6	10	7	6	4	3	2			65
4	13	8	11	5	7	4	1	1		1					66
1	2	2	3	1	2	1	1	2			1	1			67
3		1	1	2	2	3	4								68
	1	1	1	1	2	1	1	4	1	1					69
1		1		1		2			2		1				70

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	16,196	4,398	2,352	942	455	237	8,379	467	132	193	385	493
2	Males	8,574	2,464	1,281	469	238	117	4,569	229	54	96	213	269
3	Females	7,622	1,929	1,071	473	217	120	3,810	238	78	97	167	224
4	Croup	M 204 F 169	M 24 F 19	M 48 F 36	M 47 F 33	M 34 F 31	M 16 F 20	M 169 F 139	M 34 F 25	M 1 F 1	M 1 F 1		
5	Pneumonia	M 6,318 F 5,417	M 1,547 F 1,203	M 990 F 831	M 343 F 348	M 162 F 141	M 75 F 82	M 3,117 F 2,605	M 162 F 173	M 43 F 65	M 87 F 77	M 197 F 132	M 242 F 189
6	Laryngitis	M 53 F 44	M 6 F 4	M 9 F 5	M 2 F 11	M 9 F 8	M 5 F 5	M 31 F 23	M 10 F 6	M 2 F 2			M 1 F 1
7	Bronchitis	M 1,378 F 1,472	M 680 F 554	M 205 F 179	M 62 F 66	M 21 F 31	M 14 F 10	M 982 F 840	M 15 F 24	M 6 F 4	M 3 F 8	M 8 F 15	M 7 F 11
8	Pleurisy	M 141 F 129	M 16 F 9	M 13 F 11	M 8 F 10	M 7 F 3	M 3 F 3	M 47 F 36	M 5 F 6	M 2 F 1	M 2 F 2	M 6 F 10	M 9 F 11
9	Asthma	M 45 F 53	M 4 F 4	M 1 F 1		M 1 F 1		M 2 F 4				M 1 F 1	
10	Others of this class	M 435 F 338	M 191 F 136	M 15 F 9	M 7 F 5	M 4 F 3	M 4 F 5	M 221 F 153	M 3 F 4	M 3 F 5	M 4 F 9	M 6 F 10	M 10 F 12
11	5. Diseases of the digestive system	3,636	591	124	35	23	30	808	99	97	96	168	204
12	Males	1,839	316	56	21	14	13	425	51	52	46	79	93
13	Females	1,797	275	68	14	14	12	383	48	45	50	89	111
14	Dentition	M 80 F 80	M 52 F 51	M 25 F 27	M 1 F 2	M 1 F 1	M 1 F 1	M 80 F 80					
15	Angina	M 17 F 12	M 1 F 1	M 3 F 1	M 1 F 1	M 1 F 2	M 1 F 2	M 7 F 7	M 3 F 4	M 1 F 1		M 1 F 1	M 1 F 1
16	Gastritis	M 231 F 298	M 74 F 64	M 8 F 17	M 3 F 4	M 4 F 2	M 2 F 2	M 91 F 89	M 1 F 8	M 2 F 2		M 4 F 9	M 9 F 10
17	Diseases of the stomach	M 94 F 73	M 2 F 5	M 1 F 1				M 5 F 5	M 3 F 3		M 1 F 4	M 2 F 8	M 6 F 6
18	Obstruction of the bowels	M 126 F 168	M 38 F 21	M 1 F 3	M 4 F 4	M 1 F 1	M 2 F 1	M 46 F 30	M 3 F 3	M 2 F 2	M 2 F 5	M 5 F 3	M 8 F 11
19	Appendicitis	M 276 F 180	M 1 F 1	M 1 F 1				M 8 F 3	M 21 F 19	M 30 F 24	M 36 F 20	M 39 F 26	M 29 F 22
20	Hernia	M 89 F 86	M 6 F 2	M 1 F 1				M 7 F 2			M 2 F 2	M 1 F 1	M 5 F 5
21	Other diseases of the bowels	M 26 F 25	M 8 F 7	M 1 F 1				M 9 F 7	M 2 F 2		M 1 F 1	M 2 F 2	M 3 F 3
22	Jaundice	M 53 F 51	M 31 F 32		M 2 F 2			M 33 F 32	M 1 F 3		M 3 F 3	M 1 F 1	M 1 F 1
23	Inflammation and abscess of the liver.	M 68 F 38	M 5 F 4		M 1 F 1			M 6 F 4	M 1 F 1	M 2 F 2	M 1 F 1	M 3 F 3	M 4 F 8
24	Other diseases of the liver	M 462 F 276	M 3 F 3					M 3 F 3	M 1 F 1	M 2 F 2	M 1 F 1	M 6 F 3	M 16 F 11
25	Peritonitis	M 156 F 279	M 17 F 12	M 5 F 3	M 2 F 1	M 4 F 4	M 1 F 3	M 29 F 23	M 12 F 7	M 15 F 12	M 1 F 17	M 13 F 36	M 14 F 35
26	Ascites	M 1 F 1											
27	Others of this class	M 160 F 180	M 73 F 73	M 11 F 16	M 7 F 2	M 1 F 5	M 4 F 2	M 101 F 98	M 4 F 3	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 4
28	6. Diseases of the urinary system and male organs of generation.	5,332	97	33	32	36	29	227	62	60	75	186	235
29	Males	3,125	60	22	16	24	16	138	35	23	27	79	127
30	Females	2,707	37	11	16	12	13	89	27	37	48	107	158
31	Bright's disease	M 2,677 F 2,433							M 30 F 27	M 21 F 37	M 25 F 43	M 70 F 96	M 118 F 139
32	Calculus, urinary	M 12 F 5	M 1 F 1					M 1 F 1			M 1 F 1		
33	Diseases of the kidney	M 179 F 125	M 51 F 29	M 20 F 9	M 16 F 13	M 23 F 10	M 16 F 13	M 126 F 74	M 2 F 2		M 2 F 2	M 1 F 1	M 2 F 6
34	Diseases of the bladder	M 98 F 13							M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
35	Others of this class	M 159 F 131	M 9 F 7	M 2 F 2	M 3 F 3	M 1 F 2		M 12 F 14	M 2 F 2	M 1 F 1	M 3 F 3	M 7 F 10	M 6 F 13
36	7. Diseases of the female organs of generation	281	1				1	2			7	33	43
37	Ovarian tumors	45									1	6	2
38	Ovarian diseases	24										4	7
39	Diseases of the tubes	71									2	12	15
40	Uterine tumors	72					1	1				2	3
41	Uterine diseases	18									2	4	5
42	Others of this class	51	1					1			2	5	11



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	658									33	148	159
2	Abortion.....	41									4	6	13
3	Childbirth.....	134									4	20	29
4	Puerperal septicemia.....	334									16	86	75
5	Extra-uterine pregnancy.....	27										3	12
6	Others of this class.....	119									9	33	30
7	9. Diseases of the bones and joints.....	171	14	6	2	6	7	35	23	18	9	10	6
8	Males.....	90	5	2	2	2	6	17	11	10	4	6	3
9	Females.....	81	9	4		4	1	18	12	8	5	4	3
10	Diseases of the spine.....	23 26		1 2			1 2	3 5	5 5	5 4	2 1		2
11	Abscess, lumbar and psoas.....	3 1								1		1	
12	Diseases of the bones.....	43 26	3 5	1 2	1	1	4 1	10 9	3 2	3 3	2 1	2 1	3 3
13	Diseases of the hip-joint.....	6 12		1				1	3 4	1	3		
14	Others of this class.....	15 16	2	1	1			4 3	1	1		1	
15	10. Diseases of the skin.....	124	38	3	2			43	4		2	7	8
16	Males.....	69	19	3	1			23	4		2	3	5
17	Females.....	55	19		1			20				4	3
18	Abscess.....	42 29	10 9	1	1			12 10	4		1	1 3	3 2
19	Carbuncle.....	7 5		1				1			1	1	
20	Others of this class.....	20 21	9 9	2				11 9				1 1	2 1
21	11. Diseases of the absorbent system.....	37	7	1	1			9			1	1	4
22	Males.....	15	3	1	1			5				1	2
23	Females.....	22	4					4			1		2
24	Addison's disease.....	5 8									1		1 1
25	Diseases of the spleen.....	1	1					1					
26	Others of this class.....	10 13	3 3	1	1			5 3				1	1 1
27	12. Accidents and injuries.....	3,231	200	77	86	88	55	506	193	112	117	211	304
28	Males.....	2,436	114	41	47	47	36	235	131	88	92	155	249
29	Females.....	795	86	36	39	41	19	221	62	24	25	56	55
30	Burns and scalds.....	158 208	9 9	20 19	27 19	27 18	13 11	96 76	9 27	4 13		6 6	6 13
31	Drowning.....	338 30	3 1	2 5			1	6 7	37 2	24 1	12	29 1	41 2
32	Exposure and neglect.....	6 7	1 6					1 6				1	
33	Gunshot wounds.....	113 16		1				1 1		8 2	10 1	11 2	16
34	Homicide.....	53 19			1		1		1 2	2	4 1	10 2	12 4
35	Infanticide.....	1	1					1					
36	Injuries by machinery.....	2										2	
37	Railroad accidents.....	146 13		1	2 1	4 2	2	9 3	12 2	8	6	8	14 1
38	Suffocation.....	80 53	46 32	2 1	2 3	1	2	53 36	2 3	4	2 1	2	2 3
39	Suicide by shooting.....	94 7									1	3	14
40	Suicide by drowning.....	3 4											1 2
41	Suicide by poison.....	117 76									6 8	3 20	20 14
42	Other suicides.....	137 33								1	3 2	9 4	10 5
43	Sunstroke.....	61 33	20 13	1 1	1 2			22 16	3 1		1 1	3 2	3 3
44	Surgical operations.....	13 9	2					2				1 2	1 1
45	Wounds.....	45 10		1			2	3	3 1	1 1	3 1	2 2	6 1
46	Others of this class.....	1,009 277	32 25	13 10	15 12	15 20	16 7	91 74	64 22	37 6	44 6	65 15	103 9



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
161	107	46	4												1
12	4	5													2
35	30	14	2												3
88	51	17	1												4
5	4	3													5
21	18	7	1												6
9	16	8	6	9	6	1	8	5	2						7
5	10	6	4	6	1		6		1						8
4	6	2	2	3	5	1	2	5	1						9
1	2	1	1	2			1								10
2	3	1		1	2										11
1															12
1															13
3	5	3	3	2	1		2		1						14
1	1	1	1					2	1						15
1															16
2								1							17
2	2	2		2	3	1	3	2							18
6	9	4	6	5	7	7	11	4	1						19
4	6	3	2	3	3	4	5	1	1						20
2	3	1	4	2	4	3	6	3							21
2	5	3	1	2	2	2	3	1							22
1	2	1	1	1	3	2	4								23
1					1	1			1						24
1	1			1			2								25
1	1		3	1		1	2	1							26
2	3	3	3	4	1	3	2		1						27
2	2	1	2	2	1	3	2		1						28
2	1	1	1	1	1	1	1								29
2	1			1											30
	1		1	1	1	2	1		1						31
		2	1	1	1	1									32
															33
271	353	277	205	179	126	126	90	62	45	18	8	5	2	21	34
239	291	233	169	143	98	93	64	36	32	9	2	3		19	35
32	62	39	36	36	28	33	26	26	15	9	6	2	2	2	36
8	2	11	3	2	2	3	1	2	2					1	37
5	13	13	9	7	3	5	5	8		1					38
38	63	47	32	26	16	12	5	4	1	1				5	39
	4	2	1	1	3	2	1	1	1					1	40
															41
															42
															43
															44
															45
15	16	4	6	7	6	6	2	1	2					2	46
1	3	2		1	1	1									47
8	7	5		1	1	1		1							48
1	5	1		1											49
															50
															51
															52
															53
12	16	9	14	8	7	5	5	4	3					6	54
1	1	1	1		3	1									55
2	4	2			2	3		1						1	56
1	3		1		1		1	1	1					1	57
16	12	13	12	7	7	5	3		1						58
2	3		1					1							59
															60
															61
															62
															63
															64
															65
															66
															67
															68
															69
															70
															71
															72
															73
															74
															75
															76
															77
															78
															79
															80
															81
															82
															83
															84
															85
															86
															87
															88
															89
															90
															91
															92
															93
															94
															95
															96
															97
															98
															99
															100
															101
															102
															103
															104
															105
105	124	102	69	57	34	36	33	14	15	8	2	3		3	106
9	13	9	12	16	13	13	15	12	10	8	6	2	2		107

VITAL STATISTICS.

TABLE S.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—GROUP 2.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	4,508	641	188	71	57	35	937	106	78	130	196	174
2	Males.....	2,373	358	72	37	27	24	518	59	46	72	103	85
3	Females.....	2,135	283	61	34	30	11	419	47	32	58	93	89
4	Unknown cause.....	63	28					28	4	1	3	1	1
5	Males.....	31	12					12	3		2		
6	Females.....	32	16					16	1	1	1	1	1
7	1. General diseases.												
8	General diseases—A.....	675	174	54	26	27	15	296	35	25	25	36	23
9	Males.....	354	102	26	11	13	10	162	18	14	14	21	12
10	Females.....	321	72	28	15	14	5	134	17	11	11	15	11
11	Measles.....	3	1	1				2			1		
12	Scarlet fever.....	18	3	2	1	3		9	6	1		1	1
13	Diphtheria.....	29	1	1	1	6	6	15	5	6	1	1	1
14	Whooping cough.....	15	9	2	2	1		14	1				
15	Malarial fever.....	2											2
16	Influenza.....	30	1		1			2	1		1	1	1
17	Typhoid fever.....	71	1			1		4	1	1		16	6
18	Cholera morbus.....	17	6	1			1	2	3	5	2	6	4
19	Colitis.....	2		2				2					
20	Diarrhea.....	27	7	1		1		8					
21	Dysentery.....	16	4	3	1			5	2	1			1
22	Enteritis.....	18	7	4	1			9					
23	Cholera infantum.....	71	57	8	3		3	12				1	1
24	Fever.....	60	41	11	4	2	2	9					
25	Cerebro-spinal fever.....	12	5	2	1	1		7		1		1	1
26	Smallpox.....	15	4	3			1	8		1	2	2	1
27	Erysipelas.....	7	1					1					
28	Septicemia.....	10	1					1			1	1	
29	Venereal diseases.....	5				1					2	4	1
30	Others of this group.....	16	1					1					
31	General diseases—B.....	13	2					2			1		1
32	Males.....	11											
33	Females.....	2											
34	Alcoholism.....	57	35	2	1	1		39		1		1	1
35	Males.....	30	17					17		1		1	1
36	Females.....	27	18	2	1	1		22					
37	Parasitic diseases.....	1											
38	Lead poison.....	1		1				1					
39	Other poisons.....	1											
40	Inanition.....	7	1		1	1		1		1			
41	General diseases—C.....	5						2					
42	Males.....	21	16					16					1
43	Females.....	20	18	1				19					
44	Old age.....	418	132	4	2			138			1		1
45	Males.....	199	75	3	2			80					
46	Females.....	219	57	1				58			1		1
47	Premature birth.....	104											
48	Malformation.....	139											
49	Debility and atrophy.....	31	31					31					
50	Others of this group.....	29	29					29					
51	Males.....	17	15	1				16					
52	Females.....	6	6					6					
53	General diseases—D.....	35	17	2	2			21			1		1
54	Males.....	89	16	1				17					
55	Females.....	12	12					6					
56	Others of this group.....	6	6					6					



## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	797	27	13	7	5	3	55	12	9	32	84	62
2	Males	362	14	6	2	2	2	26	6	4	13	37	29
3	Females	435	13	7	5	3	1	29	6	5	19	47	33
4	Anemia	M 16 F 15		1	1	1	1	2				1	1
5	Diabetes	M 16 F 8	1					1	1	1	1	1	2
6	Rheumatism	M 8 F 6					1	1				1	
7	Scrofula and tabes	M 5 F 6	1		1		1	2	1				1
8	Hydrocephalus	M 14 F 14	4	5	1	1	2	10	1	1			1
9	Tuberculosis, general	M 2 F 2											1
10	Consumption	M 212 F 242	5	1	1			7	3	2	12	34	26
			2	3	1	1	1	8	3	4	18	42	29
11	Cancer	M 65 F 111	1					1	1				1
12	Tumor	M 10 F 14						1				1	1
18	Dropsy	M 12 F 11	1	2	1			1				1	
14	Others of this group	M 2 F 6	1		1			1				1	
15	2. Diseases of the nervous system	670	84	18	15	9	4	130	18	9	7	11	6
16	Males	358	57	11	7	3	3	51	12	7	5	6	3
17	Females	312	27	7	8	6	1	49	6	2	2	5	3
18	Inflammation of the brain	M 8 F 15	2	1			1	4	1			1	1
19	Meningitis	M 56 F 43	20	8	3	3		31	10	6	5	1	
			7	5	6	3		21	3	2	2	2	
20	Apoplexy	M 101 F 107					1	1				1	1
21	Paralysis	M 80 F 57			1			1					1
22	Paralysis, general (of insane)	M 10 F 5						1					1
23	Tetanus and trismus nascentium	M 4 F 1	1			1		2					
24	Chorea	M F											
25	Epilepsy	M 16 F 17	4			1		4		1		2	1
26	Convulsions	M 27 F 14	24	1			1	26				1	
27	Mental diseases	M 8 F 6											
28	Diseases of the brain	M 35 F 29	5	1	3	1		10				1	
29	Diseases of the spinal cord	M 6 F 7	1			1		2	1				
30	Locomotor ataxia	M 4 F 2											
31	Others of this class	M 3 F 9		1				1					
32	3. Diseases of the circulatory system	453	25	1	1			27	4	3	5	8	7
33	Males	266	13	1	1			15	1	2	3	6	3
34	Females	187	12					12	3	1	2	2	4
35	Pericarditis	M 1 F 3											
36	Diseases of the heart	M 238 F 166	5	1	1			7	1	2	2	6	2
37	Angina pectoris	M 12 F 10									1		1
38	Diseases of the arteries	M 1 F 1											
39	Aneurism	M 2 F 1											
40	Embolism	M 4 F 1											
41	Others of this class	M 8 F 5	3					3					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	572	84	29	15	8	6	142	14	9	16	14	20
2	Males.....	308	43	20	11	6	2	82	7	4	8	9	12
3	Females.....	264	41	9	4	2	4	60	7	5	8	5	8
4	Croup.....	19	2	5	4	1	1	13	4		1		
	M.....	7	1	1		1	2	5	1			1	
	F.....	12	1	4	4			8					
5	Pneumonia.....	210	26	12	5	3		46	2	3	7	9	10
	M.....	195	25	7	4		1	37	5	5	6	2	6
	F.....	15						9					
6	Laryngitis.....	2		1				1					
	M.....	1											
	F.....	1											
7	Bronchitis.....	38	7	2	2	1		12			1		1
	M.....	42	13				1	14					
	F.....	4											
8	Pleurisy.....	5								1			1
	M.....	4											
	F.....	1											
9	Asthma.....	5											
	M.....	29	8			1	1	10					2
	F.....	15	2	1		1		4	1		1	2	
10	Others of this class.....												
11	5. Diseases of the digestive system.....	251	25	5	3	1	2	36	8	12	13	13	12
12	Males.....	126	12	4	3		2	21	4	6	8	5	8
13	Females.....	125	13	1		1		15	4	6	5	8	4
14	Dentition.....	3	1	2				3					
	M.....	3	2	1				3					
	F.....	3											
15	Angina.....	3							1	1			
	M.....	3											
	F.....	3											
16	Gastritis.....	11	1	1				2					
	M.....	14				1		1					
	F.....	6	1					1					
17	Diseases of the stomach.....	6	1					1					
	M.....	7	1					1					
	F.....	14	4					4					1
18	Obstruction of the bowels.....	10										1	1
	M.....	21			1		1	2	1	2	3	1	3
	F.....	6							1		1	1	
19	Appendicitis.....	6											
	M.....	4											1
	F.....	4	1					1					
20	Hernia.....	4											1
	M.....	4											1
	F.....	4	1					1					
21	Other diseases of the bowels.....	4		1				1					1
	M.....	6	1					1					
	F.....	5											
22	Jaundice.....	5								1			
	M.....	5											
	F.....	2											
23	Inflammation and abscess of the liver.....	5								1			
	M.....	14			1			1				1	1
	F.....	19										1	
24	Other diseases of the liver.....	19											
	M.....	27	1		1		1	3	1	3	4	3	1
	F.....	26							1	2	4	5	2
25	Peritonitis.....	1											
	M.....	1											
	F.....	11	4					4			1		1
26	Ascites.....	16	8					8	1				
	M.....	11											
	F.....	279	1	2		1	3	7	2	3	3	5	12
28	6. Diseases of the urinary system and male organs of generation.....												
29	Males.....	177	1				3	4	2	2	1	3	2
30	Females.....	102		2		1		3		1	2	2	10
31	Bright's disease.....	112							2	2	1	2	1
	M.....	79								1	2	1	7
	F.....	1											
32	Calculus, urinary.....	1											
	M.....	15					2						1
	F.....	10		2		1		3					1
33	Diseases of the kidney.....	19											
	M.....	1											
	F.....	30	1				1	2				1	
34	Diseases of the bladder.....	11										1	2
	M.....	14									1	1	
	F.....												
35	Others of this class.....												
36	7. Diseases of the female organs of generation.....												
37	Ovarian tumors.....												
38	Ovarian diseases.....	1											
39	Diseases of the tubes.....	1											
40	Uterine tumors.....	4											
41	Uterine diseases.....	1											
42	Others of this class.....	7									1	1	

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
14	16	20	28	19	24	33	49	43	48	33	16	11	2	1	1
10	11	13	19	10	12	13	22	20	21	21	9	4	1		2
4	5	7	9	9	12	20	27	23	27	12	7	7	1	1	3
						1									4
8	8	11	15	9	8	9	18	13	13	14	4	2	1		5
4	3	6	8	8	8	17	22	18	22	9	5	3	1	1	6
1									1						7
	1	1	2	1		1	2	2	5	4	5	2			8
	1			1	2	2	4	4	2	3	2	4		1	9
							1	3							10
	1	1	1			1	1	2							11
1	2		2		4	1			3	3					12
					2	1	1	1	2						13
12	13	10	17	16	14	11	15	25	10	6	8				14
4	6	3	12	9	7	4	6	10	7	2	4				15
8	7	7	5	7	7	7	9	15	3	4	4				16
															17
								1							18
					1	1									19
			1	1	2	1	2			1	1				20
2	1	1		2	1	2	1	1		1	1				21
			1	1	1										22
1				2		1	1	2	1	1					23
1	1	1		2		1	1	1	1		1				24
1	1	1	1	1		1	3	1							25
1	2	1	3	1	1										26
		1							2		1				27
			1												28
1	1	1				1	2	1			1				29
					1			2	1	1					30
1	1	1	1	1				1							31
															32
															33
															34
															35
															36
															37
															38
															39
															40
															41
															42
1															43
1															44
															45
															46
															47
															48
															49
															50
															51
															52
															53
															54
															55
															56
															57
															58
															59
															60
															61
															62
															63
															64
															65
															66
															67
															68
															69
															70
															71
															72
															73
															74
															75
															76
															77
															78
															79
															80
															81
															82
															83
															84
															85
															86
															87
															88
															89
															90
															91
															92
															93
															94
															95
															96
															97
															98
															99
															100





CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
5	7	3													1
1	1														2
2	4	1													3
1															4
1	2	2													5
	1						1	2		1					6
	1						1	1		1					7
							1	1		1					8
															9
															10
															11
	1							1							12
															13
															14
	1		1		2	1			1					1	15
	1		1		2	1			1					1	16
			1		1	1								1	17
															18
									1						19
	1				1										20
	2														21
	1														22
	1														23
	1														24
	1														25
															26
14	14	9	7	4	8	9	7	13	5	4	2			4	27
13	11	6	6	4	7	7	5	9	1	2				3	28
1	3	3	1		1	2	2	4	4	2	2			1	29
						1		1							30
3	1	2	1	1		1		1							31
						1	1								32
3		2		1	1			1							33
					1										34
															35
															36
	2		1		2	1	1							1	37
	1		1											1	38
														1	39
															40
	1		1					1							41
1	1	1	1			1				1					42
															43
															44
					1										45
7	7	2	2	2	3	2	3	6	1	1	2			1	46
	1	2				2	2	1	3	1	2	2			

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—GROUP 3.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	4,900	710	161	75	65	37	1,048	108	73	133	167	207
2	Males.....	2,479	334	82	38	32	20	556	48	31	68	72	113
3	Females.....	2,421	326	79	37	33	17	492	60	42	65	95	94
4	Unknown cause.....	41	13	1			1	15	1				
5	Males.....	24	6	1			1	8	1				
6	Females.....	17	7					7					
7	1. General diseases.												
	General diseases—A.....	731	195	66	25	32	15	333	38	22	32	11	21
8	Males.....	357	106	32	10	16	10	174	17	11	18	3	11
9	Females.....	374	89	34	15	16	5	159	21	11	14	8	10
10	Measles.....	{M 25 F 25	{M 7 F 3	{M 5 F 8	{M 1 F 5	{M 3 F 1	{M 1 F 1	{M 17 F 17	{M 4 F 1	{M 1 F 2	{M 1 F 1		1
11	Scarlet fever.....	{M 11 F 12		{M 1 F 2	{M 2 F 4	{M 1 F 3	{M 1 F 1	{M 5 F 5	{M 1 F 2	{M 2 F 2	{M 2 F 2		
12	Diphtheria.....	{M 25 F 26		{M 2 F 2	{M 4 F 2	{M 2 F 3	{M 5 F 1	{M 13 F 8	{M 8 F 10	{M 4 F 4	{M 3 F 3		
13	Whooping cough.....	{M 20 F 25	{M 15 F 13	{M 4 F 5	{M 2 F 2	{M 1 F 2		{M 20 F 22	{M 2 F 2				
14	Malarial fever.....	{M 9 F 11	{M 1 F 1		{M 1 F 1			{M 2 F 1		{M 1 F 1	{M 1 F 1		1
15	Influenza.....	{M 37 F 59	{M 5 F 4	{M 1 F 1	{M 1 F 1	{M 1 F 1		{M 7 F 6			{M 2 F 1	{M 2 F 2	1
16	Typhoid fever.....	{M 43 F 39	{M 1 F 1			{M 1 F 1	{M 1 F 1	{M 2 F 1	{M 1 F 3	{M 1 F 2	{M 10 F 3	{M 3 F 3	4 7
17	Cholera morbus.....	{M 10 F 8	{M 1 F 1	{M 1 F 1				{M 2 F 1	{M 2 F 1	{M 1 F 1			
18	Colitis.....	{M 7 F 3	{M 2 F 2		{M 1 F 1			{M 3 F 2					1
19	Diarrhea.....	{M 12 F 11	{M 3 F 3	{M 1 F 1				{M 3 F 4	{M 1 F 1				
20	Dysentery.....	{M 10 F 18	{M 1 F 5	{M 3 F 2		{M 2 F 1		{M 6 F 8					
21	Enteritis.....	{M 37 F 34	{M 20 F 8	{M 3 F 3	{M 1 F 2	{M 1 F 4	{M 2 F 2	{M 25 F 19	{M 1 F 1				1
22	Cholera infantum.....	{M 51 F 52	{M 42 F 43	{M 7 F 7	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 51 F 52					
23	Fever.....	{M F											
24	Cerebro-spinal fever.....	{M 13 F 15	{M 6 F 5	{M 6 F 3		{M 4 F 4	{M 2 F 2	{M 14 F 12	{M 1 F 1		{M 3 F 1		
25	Smallpox.....	{M F											
26	Erysipelas.....	{M 11 F 10	{M 1 F 1					{M 1 F 1	{M 1 F 1				1
27	Septicemia.....	{M 21 F 17			{M 1 F 1			{M 1 F 1	{M 2 F 2	{M 2 F 2	{M 1 F 2	{M 3 F 3	3 3
28	Venereal diseases.....	{M F											1
29	Others of this group.....	{M 9 F 9	{M 2 F 2					{M 2 F 2					
30	General diseases—B.....	67	36		1	1		38		1	1	1	2
31	Males.....	40	21					21		1			1
32	Females.....	27	15		1	1		17			1	1	1
33	Alcoholism.....	{M 11 F 1											1
34	Parasitic diseases.....	{M F											
35	Lead poison.....	{M F											
36	Other poisons.....	{M 7 F 2											1
37	Inanition.....	{M 22 F 24	{M 21 F 15		{M 1 F 1	{M 1 F 1		{M 21 F 17		{M 1 F 1	{M 1 F 1		
38	General diseases—C.....	363	143	2	1	1		152	1			1	
39	Males.....	187	80	1	1	1		83					
40	Females.....	176	63	1				69	1			1	
41	Old age.....	{M 89 F 93											
42	Premature birth.....	{M 40 F 31	{M 40 F 31					{M 40 F 31					
43	Malformation.....	{M 9 F 7	{M 9 F 7					{M 9 F 7					
44	Debility and atrophy.....	{M 45 F 40	{M 27 F 25	{M 1 F 1	{M 1 F 1	{M 1 F 1		{M 30 F 26	{M 1 F 1			1	
45	Others of this group.....	{M 4 F 5	{M 4 F 5					{M 4 F 5					

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 3.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
178	189	153	175	206	256	307	372	372	405	314	154	46	11	26	1
101 77	94 95	74 79	81 94	114 92	130 126	152 155	175 197	174 198	206 199	163 151	85 69	20 26	7 4	15 11	2 3
1	1	2	2	1	1	2	2	2	3	4	2	1		1	4
1	1	1	1	1	1	1	2	2	2	2	2	1		1	5
															6
20	16	11	17	20	17	21	26	38	39	28	16	2		3	7
10 10	8 8	8 8	9 8	7 13	8 9	11 10	11 15	20 18	14 25	13 15	7 9	1 1		1 2	8 9
	2		1		1		1		1						10
1								1							11
	1														12
														1	13
1 1		1	1	1		1	2	1	1	1				1	14
	1	2	2	4	2	4	3	4	3	5	4	1		1	15
8 6	4 2	3 2	1 2	2 2	1 2	1 1	2 2	2 1	11	7	5				16
		1	1	2	2	1	1		1	1					17
					1	1			2						18
			2		2		1			1					19
				1		1		2	1	2			1		20
1 1 1	1	1	1	1	3		2 2	2 3 1	2 2 1	2 1 3	1				21
															22
															23
	1		1												24
	1 1		1	1	1		1	3 2	1	1		1			25
	2			2	1	3	2	3 1	4 1						26
		1		1	2	1									27
															28
								2	2	2	1				29
2	5	1	2	2	3	1	2	3	2					1	30
2	4 1	1	1	2	2 1	1		3						1	31
2	2 1	1		1	2		2	1	2					1	32
															33
															34
	2		1	1		1		2							35
					1		2		2						36
					2	2	6	19	36	69	39	26	10		37
															38
					2	2	4	11	18	35	19	11	6		39
							2	8	13	34	20	15	4		40
						1	1	9	14	31	17	11	6		41
							1	5	16	32	20	14	4		42
															43
							3	2	4	4	2				44
					2	1	1	3	2	2		1			45

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—GROUP 3—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.	879	17	3	2	2	2	26	9	12	33	66	87
2	General diseases—D												
3	Males	413	12	2		1	1	16	4	1	13	30	49
3	Females	466	5	1	2	1	1	10	5	11	20	36	38
4	Anemia	{M 6 F 15								1	1	3	2
5	Diabetes	{M 16 F 10							1	1	1		2
6	Rheumatism	{M 15 F 16							1	1		1	
7	Scrofula and tabes	{M 3 F 6			1	1		2		1		1	1
8	Hydrocephalus	{M 10 F 6	7 2	1		1	1	9 4	1				
9	Tuberculosis, general	{M 1 F 1											1
10	Consumption	{M 271 F 259	4 2	1 1		1		6 3	3 2	1 7	12 19	27 30	45 34
11	Cancer	{M 71 F 113											1
12	Tumor	{M 4 F 12										1 1	
13	Dropsy	{M 15 F 26		1				1				1	
14	Others of this group	{M 1 F 2	1					1					1
15	2. Diseases of the nervous system	775	88	22	15	8	6	139	13	9	10	13	15
16	Males	379	55	11	9	4	2	81	8	7	4	5	6
17	Females	396	33	11	6	4	4	58	5	2	6	8	9
18	Inflammation of the brain	{M 6 F 5	2	1				3			1	1	1
19	Meningitis	{M 41 F 37	15 7	6 5	5 3	4 2	1 2	31 19	3	1 1	3	1 2	4
20	Apoplexy	{M 137 F 165	1 1					1 1				1 1	1 1
21	Paralysis	{M 65 F 71	3					3	3 1			1	1
22	Paralysis, general (of insane)	{M 4 F 1											
23	Tetanus and trismus nascentium	{M 11 F 1	1	1				2		4		1	
24	Chorea	{M F											
25	Epilepsy	{M 9 F 11				1		1		1	3 3	1	1 1
26	Convulsions	{M 36 F 33	29 20	2 5	3 2		1 2	35 29	1 2				
27	Mental diseases	{M 27 F 30										2	1
28	Diseases of the brain	{M 28 F 27	4 5	1 1				5 6	1	1		1	1 1
29	Diseases of the spinal cord	{M 7 F 9			1 1	1		1 2	1 1			1	
30	Locomotor ataxia	{M F											
31	Others of this class	{M 7 F 6											
32	3. Diseases of the circulatory system	488	21	1	1			23	8	3	10	7	12
33	Males	248	7		1			8	3	1	6	2	9
34	Females	235	14	1				15	5	2	4	5	3
35	Pericarditis	{M 4 F 3										1	1
36	Diseases of the heart	{M 218 F 204	6 7		1			7 7	3 5	1 1	5 4	2 4	8 2
37	Angina pectoris	{M 19 F 14								1	1		
38	Diseases of the arteries	{M 4 F 2											
39	Aneurism	{M F											
40	Embolism	{M 2 F 2											
41	Others of this class	{M 1 F 9	1 7	1				1 8					1





CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 3—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
18	24	25	25	22	38	41	43	40	56	30	13	4	1	7	1
15	17	16	12	14	19	18	19	18	27	11	7	2	1	4	2
3	7	9	13	8	19	23	24	22	20	19	6	2		3	3
															4
10	14	14	12	9	13	12	15	13	19	7	4	2		4	5
2	7	8	8	6	13	19	16	16	26	1	3	1		3	6
															7
1	1			3	3	4	3	3	6	3	1		1		8
1		1	2	1	3		5	4		7	2	1			9
		1				1									10
					2	2				1					11
4	2	1		2	3	2	1	2	2	2	1				12
			3	1	1	1	2	2	3	2	1				13
9	16	9	19	15	17	16	22	19	20	10	7	1		1	14
3	5	2	10	10	9	5	9	10	12	7	5	1		1	15
6	11	7	9	5	8	11	13	9	8	3	2				16
			1												17
															18
1			1	3	2	1		2	3	4	1				19
	3	2	2	2	1	1	3	1	1	2					20
			1	2	1		2	1	1	1					21
		2													22
	1			1		1		1	2		1			1	23
									1						24
1	1					1	1	1							25
															26
															27
1	1	1		1		2		2		2	1				28
	1		1		1			1	2		1				29
													1		30
															31
															32
															33
															34
															35
															36
															37
															38
															39
															40
															41
1	1	1		1							1				42

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—GROUP 3—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	29									2	7	8
2	Abortion	2											1
3	Childbirth	8									1	2	2
4	Puerperal septicemia	11										2	3
5	Extra-uterine pregnancy												
6	Others of this class	8									1	3	2
7	9. Diseases of the bones and joints	10								1	1	1	1
8	Males	4									1	1	1
9	Females	6								1			
10	Diseases of the spine	1								1		1	
11	Abscess, lumbar and psoas	1											1
12	Diseases of the bones	1											
13	Diseases of the hip-joint	1									1		
14	Others of this class	3											
15	10. Diseases of the skin	13		2				2	1				
16	Males	7		1				1	1				
17	Females	6		1				1					
18	Abscess	5		1				1	1				
19	Carbuncle	3		1				1					
20	Others of this class	2											
21	11. Diseases of the absorbent system	2											
22	Males	1											
23	Females	1											
24	Addison's disease	1											
25	Diseases of the spleen												
26	Others of this class	1											
27	12. Accidents and injuries	236	11	3	4	2	3	23	4	4	11	18	22
28	Males	133	8	2	3	1	1	15	2	3	8	16	20
29	Females	53	3	1	1	1	2	8	2	1	3	2	2
30	Burns and scalds	7			3	1		4	1				1
31	Drowning	31		2				3		2		5	6
32	Exposure and neglect	2	1					1					
33	Gunshot wounds	11									3		2
34	Homicide	1										1	
35	Infanticide												
36	Injuries by machinery	1											
37	Railroad accidents	36											
38	Suffocation	7	3					3			1		
39	Suicide by shooting	2											
40	Suicide by drowning	1											
41	Suicide by poison	2											
42	Other suicides	7											
43	Sunstroke	3											
44	Surgical operations	2											
45	Wounds	1											
46	Others of this class	76	4					4	1	1		4	9
		19	1					1				1	1



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 3—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3	4	3	2												1
	1														2
1	1		1												3
2	2	1	1												4
		2													5
1						1	1	2	1						6
															7
1						1	1	1	1						8
															9
															10
															11
1							1								12
															13
															14
1				1			1	1							15
															16
1				1			1	1	1	1	1				17
															18
1				1				1		1					19
															20
													1		21
			2												22
			1												23
			1												24
			1												25
															26
22	15	11	13	20	8	14	10	9	10	9	6	1		6	27
20	11	9	10	14	7	14	7	4	8	4	4	1		6	28
2	4	2	3	6	1		3	5	2	5	2				29
			1	1											30
			1							1					31
3		1	2	2		4	1		1					1	32
1	1						1	1							33
															34
3	2	1													35
															36
							1								37
5	1	2	3	2	1	4								4	38
1	1	1	1			1									39
															40
															41
															42
															43
															44
															45
															46
7	7	3	3	3	3	3	5	2	6	4	4	1		1	
1			1	2	1		1	4	1	3	2				

VITAL STATISTICS.

TABLE S.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—GROUP 4.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	15,983	2,769	683	286	170	114	3,972	885	274	387	551	618
2	Males	8,344	1,580	344	151	90	43	2,208	221	143	195	272	303
3	Females	7,639	1,189	289	135	80	71	1,764	164	131	192	279	315
4	Unknown cause	98	37	1				38	2	3	4	3	4
5	Males	61	24	1				25		3	1	2	3
6	Females	37	13					13	2		3	1	1
7	1. General diseases.												
	General diseases—A	2,466	806	254	117	67	49	1,293	135	78	69	76	65
8	Males	1,311	454	142	65	34	21	716	69	32	34	47	38
9	Females	1,155	352	112	52	33	28	577	66	41	35	29	27
10	Measles	M 81 F 77	18 27	32 17	9 6	3 4	2 3	64 57	8 8	2 4	3 3	3 3	1 1
11	Scarlet fever	M 37 F 26	2 1	3 2	3 3	2 3	7 7	22 16	8 6	2 1	2 1	2 1	1 1
12	Diphtheria	M 108 F 86	7 6	15 8	17 10	12 15	9 10	60 49	27 24	9 5	2 2	2 2	4 4
13	Whooping cough	M 44 F 40	36 23	2 13	1 2	1 1	1 1	41 39	1				
14	Malarial fever	M 9 F 15	1 1		2 1			2 2			1 1	1 1	1 1
15	Influenza	M 89 F 128	14 9	2		1 2	1 3	17 12	2	2	1	1	2
16	Typhoid fever	M 189 F 138	1 2	4	2 5	1 1	2 3	7 13	8 7	8 14	18 21	32 12	26 15
17	Cholera morbus	M 39 F 41	7 8	3	1		2	9 12	2	3	1	3	1
18	Colitis	M 22 F 22	14 12	2 1	1 2	1		18 15					
19	Diarrhea	M 71 F 59	28 18	5 7	2 2		2	35 29	4 5	3 4	1	1	
20	Dysentery	M 49 F 49	12 7	7	2 2		1	22 9	1 1	2	1 1	2 1	
21	Enteritis	M 170 F 130	102 64	23 21	8 4	2 4	2 2	135 95	5 2	1	1	2	1
22	Cholera infantum	M 238 F 191	184 151	40 30	9 9	3	2 1	238 191					
23	Fever	M 3 F 7	3	2		1		2 4			1 1	1	
24	Cerebro-spinal fever	M 30 F 33	6 9	6 6	4 6	1		17 21	4 2	2 5	4	1	1
25	Smallpox	M F											
26	Erysipelas	M 20 F 9	7 1	2				9 1	1				1 1
27	Septicemia	M 48 F 62	2 4	1			1	3 5	5	2 1	1 4	3 5	1 8
28	Venereal diseases	M 20 F 11	14 5			1 1		15 6					
29	Others of this group	M 44 F 31	1					1 1	1		1		
30	General diseases—B	299	181	5	2	1	1	190	1	2	2	4	11
31	Males	173	100	3	1	1	1	106	1	1		1	7
32	Females	126	81	2	1			84	1	1	2	3	4
33	Alcoholism	M 37 F 15										1	5 2
34	Parasitic diseases	M 1 F		1				1					
35	Lead poison	M 1 F 1			1			1					
36	Other poisons	M 24 F 18	1 2	1	1			3 2			2	2	2 2
37	Inanition	M 110 F 92	99 79	1 2		1 1	1	102 81	1	1 1		1	
38	General diseases—C	1,344	589	11	6	1	1	608	8		2	3	2
39	Males	678	340	4	3	1	1	349	7		1	1	
40	Females	666	249	7	3			259	1		1	2	2
41	Old age	M 294 F 363											
42	Premature birth	M 186 F 121	186 121					186 121					
43	Malformation	M 38 F 27	35 26	1 1				36 27	2				
44	Debility and atrophy	M 131 F 126	90 73	3 6	3 3	1 1	1	98 82	5 1		1 1	1 2	2
45	Others of this group	M 29 F 29	29 29					29 29					

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 4.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
669	691	647	663	673	757	899	1,030	1,182	1,072	860	431	147	40	35	1
344 325	333 353	356 291	348 315	355 318	377 380	457 442	524 506	617 565	549 523	428 432	210 221	62 85	18 22	19 16	2 3
3	1	3	3	4	6	4	4	4	7	1	1	2		1	4
	1	2	3	2	3	2	3	2	5	1	1	1		1	5
3		1		2	3	2	1	2	2			1			6
71	64	52	45	37	49	43	33	90	93	75	40	9	4		7
43 28	32 32	30 22	23 22	23 14	22 27	21 22	36 47	43 47	46 47	30 45	21 19	4 5	1 3		8 9
2		1		1											10
	1														11
1	1														12
1	1		2												13
1		1		1		1									14
	1			1	1	1	2	2	1	1	2				15
2		2	3	2	3	7	5	9	12	15	7	2			16
4	5	2	3	3	7	4	14	15	18	19	11	3	2		17
31 16	16 8	13 9	9 6	7 4	6 2	3 5	1 4	3 2	1 1						18
3	3	2	2	1		2	2	2	4	1	1		1		19
	1	1	1		5	2	5	5		3	1				20
				1		1	1			1	1				21
	1	1	1		4	1	4	4	7	3	1				22
	1		2		2		2	1	8	3	1				23
2	1			1	1	3	3	6	5	3	2				24
				2	1	3	8	6	9	3	2		1		25
1	1	2	1	1	3	2	5	4	4	10	2				26
	2			2	2	2	4	4	5	4	1				27
															28
															29
1					1	3	10	9	9	5	4	2		1	30
10	11	12	7	10	10	6	5	5	6	3	2	1			31
7	6	8	6	6	8	5	1	1	4	2	1	1		1	32
3	5	4	1	4	2	1	4	4	2	1	1				33
3	5	5	6	3	5	1	1			1				1	34
2	3	3	1	2	1	1									35
1															36
															37
															38
3	2	3	1	6	5	10	29	77	126	217	149	71	22		39
															40
3	1	2	1	2	1	4	7	31	56	105	65	34	9		41
	1	1	1	4	4	4	22	46	70	112	84	37	13		42
						2	4	30	48	102	65	34	9		43
						4	14	39	66	108	82	37	13		44
															45
3	1	2	1	2	1	2	3	1	8	3					46
	1	1	1	4	4	2	8	7	4	4	2				47

## VITAL STATISTICS.

TABLE S.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—GROUP 4—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	<b>1. General diseases—Continued.</b>												
	General diseases—D	2,670	67	31	15	12	8	133	31	36	120	217	233
2	Males	1,211	40	16	10	5	2	73	18	13	54	79	105
3	Females	1,459	27	15	5	7	6	60	13	23	66	138	128
4	Anemia	M 26 F 44	1 2					1 2		2	2	3	1
5	Diabetes	M 64 F 69		1	1	3		1 4	2 4	3 4	4 2	2 3	2 2
6	Rheumatism	M 21 F 27	1					1			2	2	
7	Scrofula and tabes	M 15 F 26	4 4		1	1		6 5		1	2	1 3	1 1
8	Hydrocephalus	M 44 F 27	16 10	6 6	3 3	1 2	3	26 24	7	2	3	1	1
9	Tuberculosis, general	M 15 F 12	1 1	1		1	1	4 1	1			1 3	4
10	Consumption	M 717 F 748	11 8	8 8	1 1	2 1	1 1	23 19	3 7	7 10	45 55	72 120	93 117
11	Cancer	M 239 F 421					1	1		1	1	1 3	2 4
12	Tumor	M 18 F 35		1		1		1 1	1			1	2 1
13	Dropsy	M 34 F 43							1		2	1	1
14	Others of this group	M 18 F 7	7 1		4 1			11 2	1		2		1
15	<b>2. Diseases of the nervous system</b>	2,071	328	86	39	11	15	479	35	30	25	27	37
16	Males	1,087	195	41	19	4	8	267	22	15	19	15	20
17	Females	984	133	45	20	7	7	212	13	15	6	12	17
18	Inflammation of the brain	M 25 F 9	6 2	2 1	3 1		1	12 4		1 2			
19	Meningitis	M 175 F 148	65 45	16 29	10 12	4 3	3 6	98 95	15 7	7 7	8	7 1	3 4
20	Apoplexy	M 369 F 370	2 3	2	1 1			5 4			2	1 3	3 5
21	Paralysis	M 180 F 181	1					1	1	1		1 1	2 3
22	Paralysis, general (of insane)	M 15 F 5											1 1
23	Tetanus and trismus nascentium	M 11 F 7	2 2	1 1				3 3	2	1 1	3		1
24	Chorea	M 1 F 2									1	1	
25	Epilepsy	M 27 F 22	2	1 1				3 1	1 2	2 1	1 1	3 4	4
26	Convulsions	M 131 F 106	103 78	16 9	5 5	4	3	127 96	2 1			1	2 3
27	Mental diseases	M 34 F 28								1	1	1	
28	Diseases of the brain	M 81 F 55	14 1	3 3		1	1	18 6	2	3 2	3 3	1	2 1
29	Diseases of the spinal cord	M 8 F 20		1				3	1		1		1
30	Locomotor ataxia	M 14 F 6											
31	Others of this class	M 16 F 25									1	2	1
32	<b>3. Diseases of the circulatory system</b>	1,701	77	1	2	2	5	87	13	27	35	24	22
33	Males	848	40		1	1	2	44	5	6	13	10	7
34	Females	853	37	1	1	1	3	43	8	21	22	14	15
35	Pericarditis	M 12 F 17					2	2	1	2	1	2	
36	Diseases of the heart	M 748 F 760	31 27	1	1 1	1 1	2 1	35 31	5 7	6 19	13 19	8 12	6 14
37	Angina pectoris	M 42 F 42									2	1	1
38	Diseases of the arteries	M 30 F 10											
39	Aneurism	M 4 F 5											
40	Embolism	M 3 F 8										1	
41	Others of this class	M 9 F 11	9 10					9 10					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—GROUP 4—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	2,220	451	204	80	49	22	806	65	27	27	51	52
2	Males	1,147	261	118	41	25	5	450	41	14	15	29	30
3	Females	1,073	190	86	39	24	17	356	24	13	12	22	22
4	Croup	(M) 32 (F) 32	13 4	4 7	3 6	5 6	1 2	26 25	6 6				
5	Pneumonia	(M) 753 (F) 663	144 100	76 52	29 21	17 7	2 11	268 191	24 14	12 9	10 5	22 15	27 16
6	Laryngitis	(M) 14 (F) 7	1 3	6 1		2 1		7 7	5				
7	Bronchitis	(M) 210 (F) 241	79 68	29 21	7 11	2 5	1 2	118 107	4 2	1 1		1 1	1 1
8	Pleurisy	(M) 21 (F) 16									3 1	3 1	
9	Asthma	(M) 12 (F) 9	1					1					1
10	Others of this class	(M) 105 (F) 105	23 15	3 5	2 1	1 3	1 1	30 25	2 1	1 2	2 3	4 5	1 5
11	5. Diseases of the digestive system	1,081	146	25	12	7	4	194	38	29	46	44	65
12	Males	570	78	11	6	4	1	100	18	21	23	22	28
13	Females	511	68	14	6	3	3	94	20	8	23	22	37
14	Dentition	(M) 7 (F) 7	5 6	2 1				7 7					
15	Angina	(M) 8 (F) 9	1 2		1		1 2	3 4	1 1				
16	Gastritis	(M) 73 (F) 71	14 6	5 4	1 2			20 12	2 1			1 2	3 4
17	Diseases of the stomach	(M) 40 (F) 20	1					1		1			3 1
18	Obstruction of the bowels	(M) 47 (F) 53	10 5	1 2		2 1		13 9	4 1	1	2 1	1	1 1
19	Appendicitis	(M) 61 (F) 31			1			1 1	1 1	9 3	12 10	6 2	5 3
20	Hernia	(M) 19 (F) 19	1 2					1 2			1	1	
21	Other diseases of the bowels	(M) 16 (F) 9	6 1	1 1				7 2		1	1 1	1	2
22	Jaundice	(M) 26 (F) 15	5 3					5 3	1		1	1	1
23	Inflammation and abscess of the liver.	(M) 28 (F) 22	2					2	1			4 1	4 1
24	Other diseases of the liver	(M) 98 (F) 51	1 1					1 1			1	3	1
25	Peritonitis	(M) 88 (F) 141	5 5		1 2	1 2		7 10	6 15	10 2	6 9	7 14	9 27
26	Ascites	(M) 2 (F) 1											
27	Others of this class	(M) 57 (F) 62	27 37	2 5	2 1	1		32 43	3				
28	6. Diseases of the urinary system and male organs of generation.	950	19	7	4	5	3	38	17	9	8	20	39
29	Males	560	10	4	2	3	1	20	11	4	2	9	11
30	Females	390	9	3	2	2	2	18	6	5	6	11	28
31	Bright's disease	(M) 374 (F) 304							7 6	3 4	1 5	6 8	8 18
32	Calculus, urinary	(M) 3 (F) 3											
33	Diseases of the kidney	(M) 29 (F) 18	6 4	4 2	2 2	1 2	1 1	14 11			1	1	1 1
34	Diseases of the bladder	(M) 58 (F) 8										1	1
35	Others of this class	(M) 96 (F) 60	4 5	1		2	1	6 7	4	1 1	1	3	1 8
36	7. Diseases of the female organs of generation	51	1					1			1	2	9
37	Ovarian tumors	7											
38	Ovarian diseases	2											
39	Diseases of the tubes	7									1		4
40	Uterine tumors	20											1
41	Uterine diseases	4										1	2
42	Others of this class	11	1					1				1	2

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 4—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
69	73	77	82	88	81	125	123	155	126	126	52	15	4	1	1
33 36	34 39	44 33	47 35	39 44	32 49	62 63	60 63	81 74	53 73	53 73	23 29	6 9	1 3	1	2 3
25 28	27 31	38 27	35 28	30 28	27 38	40 42	33 45	54 46	31 42	34 36	12 18	3 8	1	1	4 5
4 3	1 1	2 3	3	3 8	3 5	9 10	12 7	20 21	14 23	11 26	7 13	1	2	1	6 7
2 3	2 1	1 1	2 1	2	2	1	3 2	1	1	1	1	1	1	1	8
2 2	4 6	2 2	9 2	2 4	2 6	11 8	10 7	5 6	5 7	5 10	2 3	2	2	1	9 10
48	49	61	73	64	46	76	67	64	68	28	12	8	1	1	11
18 30	26 23	39 22	41 32	33 31	24 22	40 36	40 27	33 31	41 27	12 16	8 4	2 6	1	1	12 13
2						1		1							14
2 1	2 1	3 3	5 4	1 3	1 2	3 8	8 5	9 3	6 11	3 6	3 1	4	1	1	15 16
1	1 2	5	4 1	4 2	4 3	3 4	3 1	4 2	5 1	1 1	1	1	1	1	17
2 4 3 3	2 5 8 1	5 5 1	3 5 5 2	5 2 1 1	1 3 1 1	3 3 1 1	2 2 1	2 7	4 2 1 1	2 1 1	1	1	1	1	18 19
	1		1	3 3	3	2 3	2 1	2 3	5 3	1	1				20
2	1	1	1			2		1	1						21
	1 1	1 2	2		2	3 1	2 1	2 1	3 1	2 2	2				22
1	1	1	4 1	3 1	1 1	3 3	3 3	3 3	2 1	1 1					23
4 1 4 17	4 2 6 9	12 1 10 7	14 4 3 10	11 8 4 6	11 4 2 3	10 8 7 4	15 6 1 4	4 9 3 1	7 3 1 2	4 1 1			1 1		24 25
		1	1					1							26
1	1	1 2	1 1	1 3	1 4	2 1	3 2	3 2	6 2	2	1 1				27
33	53	37	54	63	73	101	100	126	97	52	22	7	1		28
16 17 13 15	25 28 19 26	18 19 15 14	26 28 20 21	33 25 35 23	45 28 36 23	62 39 47 34	62 38 33 30	87 39 62 34	62 35 36 29	42 10 20 7	16 6 6 5	3 4 1 2	1		29 30 31
								2	1						32
1	1		2		2	2	2	2	1 1	1 1	1				33
2		1	2		1	2 1	12 1	9 1	11	11 1	5 1	1			34
1 1	5 2	2 5	4 4	3 2	6 5	11 4	10 6	12 4	13 5	10 1	4	2 1			35
5	7	5	9	2	3	3	2	2							36
			1	1	3			1	1						37
1							1								38
1	5	5	3	1		3		1							39
			1												40
3	2		2												41
															42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—GROUP 4—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy .....	88									4	16	16
2	Abortion .....	1											
3	Childbirth .....	23										1	4
4	Puerperal septicemia .....	38									3	10	7
5	Extra-uterine pregnancy .....	1											
6	Others of this class .....	20									1	5	5
7	9. Diseases of the bones and joints .....	24	3	1		1	1	6	1	1	1	1	2
8	Males .....	14	1			1		2	1		1	1	2
9	Females .....	10	2	1			1	4		1			
10	Diseases of the spine .....	{M. 6 F. 3	1					1			1		
11	Abscess, lumbar and psoas .....	{M. 2 F. 1										1	1
12	Diseases of the bones .....	{M. 3 F. 3		1			1	2		1			1
13	Diseases of the hip-joint .....	{M. 1 F. 1							1				
14	Others of this class .....	{M. 2 F. 3											
15	10. Diseases of the skin .....	26	6					6		1			
16	Males .....	16	3					3					
17	Females .....	10	3					3		1			
18	Abscess .....	{M. 7 F. 7	1	1				1		1			
19	Carbuncle .....	{M. 3 F. 3											
20	Others of this class .....	{M. 6 F. 3	2	2			2	2					
21	11. Diseases of the absorbent system .....	25	3			1		4	1				
22	Males .....	9	2			1		3					
23	Females .....	16	1					1	1				
24	Addison's disease .....	{M. 2 F. 7											
25	Diseases of the spleen .....	{M. 2 F. 2	1					1					
26	Others of this class .....	{M. 5 F. 7	1			1		2		1			
27	12. Accidents and injuries .....	874	55	7	9	13	5	89	38	36	43	63	61
28	Males .....	659	32	4	3	10	1	50	28	34	32	56	52
29	Females .....	215	23	3	6	3	4	39	10	2	11	7	9
30	Burns and scalds .....	{M. 25 F. 34	1	2	1	6	1	10	1	1	1	1	2
31	Drowning .....	{M. 106 F. 12	1	1		2	1	5	14	11	9	16	6
32	Exposure and neglect .....	{M. 4 F. 4	2					2				1	
33	Gunshot wounds .....	{M. 22 F. 3								2	3	5	1
34	Homicide .....	{M. 5 F. 2			1			1			1	1	1
35	Infanticide .....	{M. 1 F. 1	1					1					
36	Injuries by machinery .....	{M. 3 F. 3									1		
37	Railroad accidents .....	{M. 153 F. 15	1		1	1		3	5	14	6	17	11
38	Suffocation .....	{M. 19 F. 15	11			1	1	11	1			1	1
39	Suicide by shooting .....	{M. 22 F. 2										1	4
40	Suicide by drowning .....	{M. 7 F. 3											1
41	Suicide by poison .....	{M. 16 F. 10									1	3	
42	Other suicides .....	{M. 43 F. 16										2	3
43	Sunstroke .....	{M. 5 F. 1	1		1			2					1
44	Surgical operations .....	{M. 8 F. 15								1	1	1	2
45	Wounds .....	{M. 7 F. 2									1	1	1
46	Others of this class .....	{M. 213 F. 83	14	1		1	2	16	8	6	8	10	21



# CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 4—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknow.
24	18	3	2											1
		1	1											2
6	10	1	1											3
11	7													4
		1												5
7	1		1											6
		1	1	1	3	1	2	2	1					7
		1	1	1	1	1	1	1	1					8
					2		1	1						9
					1	1	1	1						10
					1				1					11
				1										12
			1											13
		1					1		1					14
3		1	2		2	2	2		4	3				15
2			1		2	2			4	2				16
1		1	1				2			1				17
1			1		1	1			2	1				18
1		1	1				1			1				19
1			1			1								20
					1		1		2	1				21
		3	3	2	5		2	2	3					22
		1	1		1		2		1					23
		2	2	2	4			2	2					24
		1	1	1	1				1	1				25
		1		1	3									26
		1		1				2						27
75	77	65	58	54	40	25	36	33	29	20	11	5	1	15
60	59	52	48	43	36	17	22	24	18	10	5	3		10
15	18	13	10	11	11	4	14	9	11	10	6	2	1	5
	2	2	1	2	1		1							1
	3	2	2	2		1	1	1		1	1			1
	6	10	8	5	2	3	2	1	2	2				4
		1	1	1	1		1							2
	1													2
	1													1
		1												1
			1											1
				2	2	1			1					2
														1
														1
														1
														1
														1
	1			1										1
	1			2	2	1			1					2
	1													1
			1											1
														1
														1
														1
														1
														1
														1
														1
														1
														1
														1
23	18	17	13	14	16	7	9	11	5	6	2	2	1	1
3	4	6	4	2	1	5	9	5	10	8	5	2		1

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—GROUP 5.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14.	15 to 19	20 to 24	25 to 29
1	All causes .....	28,797	3,799	711	406	274	214	5,404	664	456	691	1,044	1,059
2	Males.....	14,841	2,107	389	230	188	124	2,988	317	241	338	538	531
3	Females.....	13,956	1,692	322	176	186	90	2,416	347	215	353	511	528
4	Unknown cause.....	224	52	3	3	2	1	61	3	3	6	7	3
5	Males.....	112	27	2	1	1	1	32	1	.....	4	1	1
6	Females.....	112	25	1	2	1	.....	29	2	3	2	6	2
7	1. General diseases.												
8	General diseases—A.....	3,859	894	239	138	97	80	1,448	268	114	130	182	114
9	Males.....	1,949	484	134	77	45	46	786	129	49	62	99	57
10	Females.....	1,910	410	105	61	52	34	662	139	65	68	88	57
11	Measles.....	{M. 61 F. 60	{16 15 15 10	{15 10 4 4	{6 4 3 2	{2 3 6 6	{6 2 6 2	{45 34 34 8	{5 8 8 2	{4 3 4 2	{..... 3 ..... 4	{4 2 2 2	{..... 2 ..... 2
12	Scarlet fever.....	{M. 45 F. 68	{5 1 4 4	{5 7 7 7	{5 6 6 6	{3 3 3 3	{3 3 3 3	{25 23 23 15	{12 15 15 4	{4 4 4 4	{2 2 4 4	{2 2 2 2	{..... 2 ..... 4
13	Diphtheria.....	{M. 200 F. 190	{8 5 5 10	{15 17 10 17	{27 21 19 15	{19 24 21 15	{24 15 15 15	{93 68 68 76	{73 76 76 18	{16 18 18 7	{11 7 7 7	{8 7 7 7	{2 4 4 4
14	Whooping cough.....	{M. 70 F. 61	{47 39 39 8	{14 8 8 4	{3 4 4 4	{3 2 2 2	{3 2 2 2	{67 57 57 4	{3 4 4 4	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2
15	Malarial fever.....	{M. 30 F. 30	{..... 1 ..... 1	{1 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{2 1 1 1	{2 2 2 2	{..... 2 ..... 2	{3 2 2 2	{8 2 2 2	{..... 1 ..... 1
16	Influenza.....	{M. 186 F. 265	{9 12 12 2	{3 2 2 2	{..... 2 ..... 2	{1 1 ..... 1	{..... 2 ..... 2	{13 16 16 3	{2 3 3 6	{1 6 6 1	{1 2 2 2	{1 5 5 5	{2 3 3 3
17	Typhoid fever.....	{M. 344 F. 261	{2 4 4 2	{1 4 4 2	{3 3 3 4	{2 4 4 4	{2 4 4 4	{12 13 13 12	{13 12 12 26	{15 26 26 35	{33 35 35 45	{67 45 45 20	{38 20 20 20
18	Cholera morbus.....	{M. 52 F. 49	{9 4 4 4	{3 4 4 4	{1 4 4 1	{2 1 1 1	{1 1 1 1	{16 13 13 1	{3 1 1 2	{2 2 2 1	{1 1 1 1	{1 2 2 1	{..... 1 ..... 1
19	Colitis.....	{M. 28 F. 22	{8 6 6 1	{3 1 1 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{11 8 8 8	{1 1 1 1	{..... 1 ..... 1	{1 1 1 1	{1 1 1 1	{1 1 1 1
20	Diarrhea.....	{M. 117 F. 94	{32 22 22 2	{3 2 2 2	{1 1 ..... 1	{1 1 ..... 1	{..... 3 ..... 3	{37 25 25 6	{6 6 6 1	{..... 1 ..... 1	{1 1 1 1	{2 2 2 2	{1 2 2 2
21	Dysentery.....	{M. 69 F. 86	{5 6 6 4	{3 4 4 2	{1 2 2 2	{3 2 2 2	{1 1 1 1	{13 15 15 1	{1 1 1 1	{1 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{1 1 1 1
22	Enteritis.....	{M. 172 F. 208	{80 67 67 19	{13 19 19 10	{..... 3 ..... 3	{3 3 ..... 3	{3 3 ..... 3	{106 92 92 2	{2 2 ..... 2	{..... 2 ..... 2	{1 2 2 2	{1 2 2 2	{1 8 8 8
23	Cholera infantum.....	{M. 301 F. 245	{233 202 202 30	{51 30 30 12	{9 2 2 2	{4 2 2 2	{2 2 ..... 2	{300 245 245 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2
24	Fever.....	{M. 4 F. 1	{2 1 1 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{2 1 1 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1
25	Cerebro-spinal fever.....	{M. 41 F. 64	{10 16 16 5	{3 5 5 7	{4 7 7 2	{4 2 2 1	{2 1 ..... 1	{23 31 31 6	{4 6 6 4	{3 4 4 5	{5 5 5 5	{3 5 5 5	{1 4 4 4
26	Smallpox.....	{M. 2 F. 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2
27	Erysipelas.....	{M. 45 F. 28	{4 5 5 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{4 7 7 1	{..... 1 ..... 1	{..... 1 ..... 1	{1 1 1 1	{1 1 1 1	{1 1 1 1
28	Septicemia.....	{M. 87 F. 125	{6 7 7 1	{1 1 1 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{8 10 10 1	{1 1 1 1	{1 1 ..... 1	{2 6 6 14	{5 14 14 11	{6 11 11 11
29	Venereal diseases.....	{M. 14 F. 6	{6 3 3 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{6 3 3 3	{..... 3 ..... 3	{..... 3 ..... 3	{..... 3 ..... 3	{..... 3 ..... 3	{2 1 1 1
30	Others of this group.....	{M. 81 F. 77	{2 2 2 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{3 3 3 1	{3 1 1 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{1 1 1 1
31	General diseases—B.....	423	220	4	11	1	2	238	1	2	2	6	17
32	Males.....	268	128	2	8	.....	2	135	1	1	.....	3	9
33	Females.....	160	97	2	3	1	.....	103	.....	1	2	3	8
34	Alcoholism.....	{M. 65 F. 13	{..... 13 ..... 13	{..... 13 ..... 13	{..... 13 ..... 13	{..... 13 ..... 13	{..... 13 ..... 13	{..... 13 ..... 13	{..... 13 ..... 13	{..... 13 ..... 13	{..... 13 ..... 13	{..... 13 ..... 13	{..... 13 ..... 13
35	Parasitic diseases.....	{M. 1 F. 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{1 1 1 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1
36	Lead poison.....	{M. 1 F. 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1	{..... 1 ..... 1
37	Other poisons.....	{M. 58 F. 25	{2 2 2 2	{..... 2 ..... 2	{7 7 ..... 7	{..... 7 ..... 7	{2 2 ..... 2	{11 2 2 2	{1 2 2 2	{1 2 ..... 2	{..... 2 ..... 2	{2 3 3 3	{5 5 5 5
38	Inanition.....	{M. 139 F. 121	{121 97 97 1	{2 1 1 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{123 100 100 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2	{..... 2 ..... 2
39	General diseases—C.....	2,818	1,044	23	5	1	2	1,075	.....	2	3	4	5
40	Males.....	1,460	585	13	4	1	2	605	.....	.....	2	1	4
41	Females.....	1,358	459	10	1	.....	.....	470	.....	2	1	3	1
42	Old age.....	{M. 752 F. 782	{..... 752 ..... 782	{..... 752 ..... 782	{..... 752 ..... 782	{..... 752 ..... 782	{..... 752 ..... 782	{..... 752 ..... 782	{..... 752 ..... 782	{..... 752 ..... 782	{..... 752 ..... 782	{..... 752 ..... 782	{..... 752 ..... 782
43	Premature birth.....	{M. 252 F. 187	{252 187 187 187	{..... 187 ..... 187	{..... 187 ..... 187	{..... 187 ..... 187	{..... 187 ..... 187	{252 187 187 187	{..... 187 ..... 187	{..... 187 ..... 187	{..... 187 ..... 187	{..... 187 ..... 187	{..... 187 ..... 187
44	Malformation.....	{M. 61 F. 43	{61 40 40 40	{..... 40 ..... 40	{..... 40 ..... 40	{..... 40 ..... 40	{..... 40 ..... 40	{61 40 40 40	{..... 40 ..... 40	{1 1 ..... 1	{..... 1 ..... 1	{1 1 ..... 1	{..... 1 ..... 1
45	Debility and atrophy.....	{M. 349 F. 304	{226 190 190 10	{13 10 10 1	{4 1 ..... 1	{1 2 ..... 2	{2 2 ..... 2	{246 201 201 201	{..... 201 ..... 201	{..... 201 ..... 201	{..... 201 ..... 201	{..... 201 ..... 201	{..... 201 ..... 201
46	Others of this group.....	{M. 46 F. 42	{46 42 42 42	{..... 42 ..... 42	{..... 42 ..... 42	{..... 42 ..... 42	{..... 42 ..... 42	{46 42 42 42	{..... 42 ..... 42	{..... 42 ..... 42	{..... 42 ..... 42	{..... 42 ..... 42	{..... 42 ..... 42



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NEW YORK—GROUP 5—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
<b>I. General diseases—Continued.</b>													
1	General diseases—D .....	4,899	100	46	24	16	13	199	43	72	199	360	402
2	Males.....	2,249	52	25	13	8	7	105	19	29	75	178	197
3	Females.....	2,650	48	21	11	8	6	94	24	43	124	182	205
4	Anemia.....	{M.. 47 F.. 68	{ 3 6	{ 3 1	{ .. 1	{ .. 1	{ .. 1	{ 6 9	{ 2 1	{ 1 2	{ 1 7	{ 2 3	{ 1 1
5	Diabetes.....	{M.. 91 F.. 100	{ .. 2	{ 1 2	{ 1 ..	{ .. ..	{ .. ..	{ 2 2	{ .. 6	{ 4 6	{ 2 2	{ 9 4	{ 6 6
6	Rheumatism.....	{M.. 87 F.. 87	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. 1	{ .. 1	{ 6 4	{ 1 3	{ 2 ..	{ 1 3	{ .. 1
7	Scrofula and tabes.....	{M.. 21 F.. 26	{ 5 4	{ 1 1	{ .. 1	{ .. ..	{ .. ..	{ 6 6	{ 1 1	{ .. ..	{ 1 1	{ 1 2	{ 3 2
8	Hydrocephalus.....	{M.. 45 F.. 44	{ 21 18	{ 7 7	{ 5 6	{ 3 3	{ 3 2	{ 39 36	{ 2 4	{ 1 ..	{ 2 ..	{ .. ..	{ .. 1
9	Tuberculosis, general.....	{M.. 7 F.. 15	{ .. 1	{ 1 ..	{ .. 1	{ .. ..	{ .. ..	{ 1 2	{ .. ..	{ 2 ..	{ 1 1	{ 1 1	{ .. 1
10	Consumption.....	{M.. 1,368 F.. 1,329	{ 16 15	{ 9 6	{ 4 2	{ 3 4	{ 3 3	{ 35 30	{ 7 11	{ 20 27	{ 66 109	{ 157 168	{ 180 188
11	Cancer.....	{M.. 414 F.. 776	{ 1 1	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ 1 1	{ .. ..	{ 1 ..	{ 1 ..	{ 3 1	{ 3 3
12	Tumor.....	{M.. 54 F.. 77	{ 2 ..	{ 1 1	{ 1 ..	{ 1 ..	{ .. ..	{ 4 1	{ 1 ..	{ 1 1	{ 2 ..	{ .. ..	{ 3 ..
13	Dropsy.....	{M.. 104 F.. 112	{ 2 1	{ 1 ..	{ 1 ..	{ .. ..	{ 4 ..	{ 5 1	{ .. 1	{ .. 2	{ 1 1	{ .. ..	{ 3 1
14	Others of this group.....	{M.. 11 F.. 16	{ 2 2	{ 2 3	{ 1 ..	{ 1 ..	{ .. ..	{ 6 5	{ .. ..	{ .. ..	{ 1 ..	{ .. ..	{ 2 ..
15	<b>2. Diseases of the nervous system.....</b>	<b>4,407</b>	<b>518</b>	<b>141</b>	<b>73</b>	<b>51</b>	<b>27</b>	<b>810</b>	<b>79</b>	<b>64</b>	<b>63</b>	<b>58</b>	<b>64</b>
16	Males.....	2,248	287	72	38	24	15	436	35	40	28	29	31
17	Females.....	2,159	281	69	35	27	12	374	44	24	35	29	33
18	Inflammation of the brain.....	{M.. 25 F.. 23	{ 8 2	{ 1 1	{ 1 ..	{ .. 1	{ .. ..	{ 10 5	{ 2 2	{ .. 2	{ 1 1	{ .. ..	{ .. ..
19	Meningitis.....	{M.. 301 F.. 262	{ 89 73	{ 44 40	{ 22 18	{ 15 16	{ 8 6	{ 178 153	{ 22 30	{ 14 14	{ 12 11	{ 7 6	{ 11 13
20	Apoplexy.....	{M.. 832 F.. 889	{ 1 8	{ 1 2	{ .. 1	{ .. ..	{ .. ..	{ 2 11	{ .. 1	{ 2 ..	{ 2 3	{ .. 2	{ 9 4
21	Paralysis.....	{M.. 437 F.. 416	{ 5 2	{ .. 2	{ .. ..	{ 1 1	{ .. 1	{ 6 6	{ .. 1	{ 1 ..	{ .. ..	{ 1 1	{ 2 2
22	Paralysis, general (of insane).....	{M.. 13 F.. 11	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ 1 3	{ 1 ..
23	Tetanus and trismus nascentium.....	{M.. 29 F.. 8	{ 1 1	{ .. ..	{ .. ..	{ 1 1	{ .. ..	{ 2 2	{ 4 1	{ 12 1	{ 2 ..	{ 3 1	{ .. ..
24	Chorea.....	{M.. 3 F.. 6	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ 1 3	{ .. ..	{ .. ..
25	Epilepsy.....	{M.. 50 F.. 27	{ 5 2	{ 1 ..	{ 1 1	{ .. ..	{ .. ..	{ 7 3	{ .. ..	{ 3 2	{ 2 ..	{ 2 2	{ 3 3
26	Convulsions.....	{M.. 193 F.. 182	{ 151 127	{ 16 19	{ 12 10	{ 3 6	{ 1 2	{ 133 164	{ 3 4	{ 2 ..	{ 1 4	{ 3 ..	{ 1 ..
27	Mental diseases.....	{M.. 66 F.. 56	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ 5 1	{ 1 5
28	Diseases of the brain.....	{M.. 184 F.. 189	{ 23 15	{ 9 5	{ 2 3	{ 3 2	{ 2 2	{ 39 27	{ 4 4	{ 4 ..	{ 3 10	{ 6 8	{ 2 4
29	Diseases of the spinal cord.....	{M.. 47 F.. 34	{ 4 ..	{ .. ..	{ 1 ..	{ 1 ..	{ 4 1	{ 9 2	{ .. 1	{ 3 4	{ 2 2	{ 4 1	{ 1 ..
30	Locomotor ataxia.....	{M.. 31 F.. 7	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..
31	Others of this class.....	{M.. 37 F.. 49	{ .. 1	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ 1 ..	{ .. ..	{ .. ..	{ 1 ..	{ 2 ..	{ 1 1
32	<b>3. Diseases of the circulatory system.....</b>	<b>2,824</b>	<b>117</b>	<b>7</b>	<b>1</b>	<b>1</b>	<b>6</b>	<b>132</b>	<b>29</b>	<b>29</b>	<b>44</b>	<b>57</b>	<b>46</b>
33	Males.....	1,431	66	4	1	..	5	76	8	15	20	26	20
34	Females.....	1,343	51	3	..	1	1	56	21	14	24	31	26
35	Pericarditis.....	{M.. 16 F.. 22	{ .. 1	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ 1 1	{ .. 1	{ 2 ..	{ .. 4	{ 2 ..	{ .. 1
36	Diseases of the heart.....	{M.. 1,312 F.. 1,207	{ 47 36	{ 4 3	{ 1 ..	{ .. 1	{ 3 1	{ 55 41	{ 8 20	{ 13 14	{ 19 19	{ 23 29	{ 19 21
37	Angina pectoris.....	{M.. 87 F.. 59	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ 1 ..	{ 1 ..	{ 1 1
38	Diseases of the arteries.....	{M.. 20 F.. 15	{ 1 ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ 1 ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..
39	Aneurism.....	{M.. 12 F.. 9	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ 1 ..	{ .. 1
40	Embolism.....	{M.. 16 F.. 14	{ 1 ..	{ .. ..	{ .. ..	{ .. ..	{ .. ..	{ 1 ..	{ .. ..	{ .. ..	{ 1 ..	{ .. ..	{ .. ..
41	Others of this class.....	{M.. 18 F.. 17	{ 17 14	{ .. ..	{ .. ..	{ .. ..	{ 1 ..	{ 13 14	{ .. ..	{ .. ..	{ .. ..	{ 1 ..	{ 2 ..

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 5—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
341	372	322	322	356	372	335	386	332	287	125	51	8	2	13	1
176	183	153	146	153	157	142	154	156	128	60	30	5		3	2
165	189	169	176	203	215	193	232	176	159	65	21	3	2	10	3
2	3	5	2	6	5	4	3	4	2						4
2	4	6	7	9	7	7	2	4	3						5
2	4	7	5	12	14	9	13	6	4	2	1			2	6
4	6	2	2	4	6	8	11	11	9	8	4	1		1	7
3	4	4	5	6	9	5	9	9	13	4	4				8
1	1	1	1	1	1	2	1	1	2						9
1	2			5		2									10
	1	1			2		1								11
1	1	1	1	1	1	3	1			1					12
165	152	108	98	88	80	54	51	56	33	14	4				13
141	129	78	77	67	70	51	66	50	44	14	4			5	14
4	10	20	27	31	47	60	63	56	51	21	11	4			15
9	43	61	74	84	94	97	108	85	71	30	8	2		5	16
1	5	4	2	5	2	2	6	7	8	2	1				17
2	2	8	6	11	10	9	9	7	6	3					18
	1	6	5	8	7	6	10	13	18		9				19
3	2	4	4	6	9	9	22	13	16	11	4	1		2	20
1	2	1	1	2	1	1	1	1			1				21
79	93	113	163	215	244	372	390	487	527	369	162	35	8	12	22
45	56	53	77	102	136	181	205	233	273	182	76	16	2	7	23
34	37	55	86	113	108	191	185	254	254	187	86	19	6	5	24
1	1		2	2	2	4		1	1	1	1				25
2	1		2	2	2			1	2						26
11	6	5	4	4	6	5	4	2	5	1	3			1	27
4	6	4	7	2	7	7		3		1				1	28
9	16	20	33	44	66	101	105	123	149	96	42	9	1	3	29
8	9	24	41	71	58	120	98	137	129	103	48	12	6	4	30
4	15	14	19	25	35	35	57	66	76	59	16	3		2	31
4	2	9	15	13	26	36	45	79	86	55	31	4			32
	2	2	5		2										33
	1	3	3	3			1	1		2					34
1	1		2	1	1				2						35
	1	1	1	1	1	1	1	1		1		1			36
7	1	2	1	1	2	3	4	5	5	1					37
4	2		2	3	1	1	1	1	2	1		1			38
1	1	1		1	1	1	1	1							39
2	2			1			1			1					40
5	4	6	5	2	3	7	13	9	5	7	3	2			41
2	2		3	2	2	5	5	4	10	5	3				42
4	7	5	8	11	8	10	11	17	18	14	10	2	1		43
4	7	5	8	11	8	11	25	19	18	15	3	2			44
1	2	2	2	3	3	5	4	1	4	1					45
2	2		2	2	2	3	2	5	3	3					46
1	1	6	3	4	6	4	2	1	3						47
	1			1	1	2	2	1							48
1	3		1	2	5	4	3	8	5	2	1			1	49
2	3	4	5	7	4	5	5	3	4	1	1				50
62	83	91	111	152	222	279	368	387	376	227	91	26	5	7	51
26	40	41	60	74	120	148	195	224	212	116	44	14	1	1	52
36	43	50	51	78	102	131	173	163	164	111	47	12	4	6	53
	2	2	1	2	2	2	4	1	1						54
3	1		1	1	3		1			1		1			55
22	32	35	53	63	104	134	179	208	181	104	40	13	1	1	56
28	37	46	46	73	90	117	157	153	157	99	43	8	3	6	57
1	4	4	2	3	10	13	10	11	18	5	3	1			58
3	5	1	3	3	5	12	8	6	2	6	1	2			59
			1		2		3	1	4	7	1				60
2	1				1	1	2	1	2	3	3	1	1		61
		1		2	2		1	1	4	1					62
1	1		3	1	1	1	1	3	1						63
2		2	1		1	1	1	2	2	1					64

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
NEW YORK—GROUP 5—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system .....	3,817	570	203	106	58	52	989	108	37	65	99	93
2	Males.....	1,915	322	116	67	29	29	563	45	16	38	52	57
3	Females.....	1,902	248	87	39	29	23	426	63	21	27	47	36
4	Croup.....	{M.. 71 F.. 62	{8 9	{15 6	{16 10	{10 11	{11 5	{60 41	{10 20	{1 1			
5	Pneumonia.....	{M.. 1,323 F.. 1,240	{189 146	{78 55	{41 17	{11 13	{12 10	{331 241	{25 33	{13 16	{30 21	{43 33	{41 22
6	Laryngitis. §.....	{M.. 27 F.. 16	{2 2	{5 3	{2 2	{2 1	{1 1	{12 9	{2 1	{1 1		{2 1	{1 1
7	Bronchitis.....	{M.. 238 F.. 324	{79 55	{14 19	{7 7	{2 1	{2 5	{104 87	{3 3		{2 2	{2 3	{4 8
8	Pleurisy.....	{M.. 47 F.. 38	{1 1			{2 1		{3 2			{3 1	{1 3	{4 3
9	Asthma.....	{M.. 15 F.. 24	{2 1					{2 1				{1 1	
10	Others of this class.....	{M.. 194 F.. 193	{41 36	{4 4	{1 3	{2 3	{3 2	{51 48	{4 4	{1 3	{3 2	{4 7	{7 3
11	5. Diseases of the digestive system.....	1,739	144	26	20	8	13	211	50	48	64	78	88
12	Males.....	836	85	13	6	6	7	117	25	24	32	36	30
13	Females.....	903	59	13	14	2	6	94	25	24	32	42	58
14	Dentition.....	{M.. 3 F.. 5	{3 2	{3 1				{3 5					
15	Angina.....	{M.. 13 F.. 10		{3 1	{3 1	{1 1	{1 1	{8 3	{3 2	{1 1			
16	Gastritis.....	{M.. 132 F.. 167	{13 12	{3 2	{1 1	{1 1	{1 1	{19 17	{4 2	{2 1	{2 1	{1 5	{5 6
17	Diseases of the stomach.....	{M.. 54 F.. 53	{2 3	{1 1				{3 4		{1 1	{1 3	{1 3	{2 2
18	Obstruction of the bowels.....	{M.. 83 F.. 83	{8 8	{1 1	{1 1	{1 1		{11 9	{6 4	{2 2	{2 3	{3 2	{1 4
19	Appendicitis.....	{M.. 83 F.. 69			{1 1	{1 1		{2 2	{3 7	{11 7	{10 14	{15 1	{10 6
20	Hernia.....	{M.. 38 F.. 30	{5 2					{5 2				{1 1	
21	Other diseases of the bowels.....	{M.. 27 F.. 27	{2 1	{1 2		{1 1		{4 3		{1 1		{1 1	
22	Jaundice.....	{M.. 19 F.. 28	{1 5		{1 1			{13 7					
23	Inflammation and abscess of the liver.....	{M.. 31 F.. 36	{1 2					{1 2	{1 1		{1 1		{1 1
24	Other diseases of the liver.....	{M.. 140 F.. 113	{2 2	{1 1	{1 1			{2 4		{2 2		{2 2	{3 5
25	Peritonitis.....	{M.. 123 F.. 203	{7 1	{2 3	{2 3	{1 1	{2 2	{14 6	{10 7	{8 9	{14 11	{9 29	{8 33
26	Ascites.....	{M.. 6 F.. 5											
27	Others of this class.....	{M.. 79 F.. 79	{23 21	{3 3	{5 5	{1 1	{1 1	{33 30	{1 1		{2 2	{1 1	{1 1
28	6. Diseases of the urinary system and male organs of generation.....	1,802	31	3	5	4	6	49	14	19	22	53	43
29	Males.....	1,083	16	1		3	3	23	10	8	13	21	22
30	Females.....	719	15	2	5	1	3	26	4	11	9	32	26
31	Bright's disease.....	{M.. 703 F.. 557							{8 3	{6 10	{11 7	{15 22	{17 16
32	Calculus, urinary.....	{M.. 4 F.. 4											
33	Diseases of the kidney.....	{M.. 64 F.. 43	{10 10	{1 1	{4 4	{2 1	{3 2	{15 18			{1 1	{2 2	{3 3
34	Diseases of the bladder.....	{M.. 140 F.. 14							{1 1			{1 1	{1 1
35	Others of this class.....	{M.. 172 F.. 105	{6 5	{1 1	{1 1	{1 1		{8 8	{1 1	{2 1	{1 2	{3 8	{1 10
36	7. Diseases of the female organs of generation.....	107								1	1	11	11
37	Ovarian tumors.....	24										2	1
38	Ovarian diseases.....	5											2
39	Diseases of the tubes.....	5										3	
40	Uterine tumors.....	29											1
41	Uterine diseases.....	8									1	2	2
42	Others of this class.....	36								1		4	5







CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 5—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and ove	Unknown.	
32	37	19	1												1
2	1														2
7	19	10													3
12	7	5													4
3	1	1	1												5
8	9	4													6
3	3	6	1	2	2	2	4	1	1	1					7
	3	4	1	1	2	2	2	1	1						8
3	2	2	1	1			2			1					9
	1	1		1				1	1						10
2		1		1											11
	1														12
	2	1	1		1	1				1					13
		1			1		1								14
1		1				1	1								15
2	3	1		1		4	5	2	1		1			1	16
		1					2	2			1			1	17
2	3			1		4	3		1						18
1	1	1				2	1	1							19
							1							1	20
1	2			1		2	1	2	1		1				21
2	3	4	5	3	1	4	3	3	2						22
															23
2	1	3	4	2			2	1							24
	2	1	1	1	1	4	1	2	2						25
	1	1	2	1	1	2	1		1						26
1	1		1												27
1	1	2	1			2		2	1						28
121	134	91	85	97	71	77	93	52	70	35	28	12	3	28	29
104	107	72	65	73	55	62	61	36	46	20	10	3		25	30
17	27	19	20	24	18	15	32	16	24	15	18	9	3	3	31
4	2	1	1	3	1	1	1	1	4	1		1			32
	2	1	3	2		3	3	2	3	3					33
14	13	12	4	13	7	2	6	7	4		1			2	34
2	3	2		2				1							35
		1		1	1	1		1	1	1					36
		1		1											37
5	2	2	2	1	1	2	2		1	1				1	38
		1								1					39
3		1				2		1							40
		1													41
1	1					1									42
20	30	14	9	15	9	12	6	3	2	3				16	43
2	1		2	3	2	2	2	2	1			1			44
1	1	1	3	2	3		5	2	2					2	45
		1	1	1	1	1	2	1	1		1				46
3	2	2		5	2	4	2				1				47
					1		1								48
1	1				2		3								49
					1										50
1	3	4	2	2	2	1			1	1					51
2	2	3	1	2											52
1	6	2	11	9	8	9	7	3	5	2					53
		2		2	2		3	1							54
	1	1					1			1					55
		1					1								56
2	4		2	3		1	1		1						57
2	2	1	2		1									1	58
															59
48	42	31	31	22	18	27	27	18	30	10	8	3		3	60
8	15	9	10	8	9	8	19	9	17	11	17	7	3		61

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
RHODE ISLAND.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	8,176	1,854	495	195	133	75	2,752	192	117	197	288	319
2	Males .....	4,132	1,036	260	102	63	41	1,502	99	63	94	138	159
3	Females .....	4,044	818	235	93	70	34	1,250	93	54	103	150	160
4	Unknown cause .....	61	27	3				30		1	1	1	2
5	Males .....	33	18	2				20					1
6	Females .....	28	9	1				10		1	1	1	1
7	I. General diseases.												
	General diseases—A .....	1,780	712	218	98	56	33	1,112	62	37	20	37	31
8	Males .....	860	369	113	49	24	17	572	28	18	9	17	14
9	Females .....	920	343	105	44	32	16	540	34	19	11	20	17
10	Measles .....	98	26	32	16	7	8	89	4	3	1	1	
	Males .....	106	17	39	16	9	2	83	10	4	1	2	2
11	Scarlet fever .....	23	2	2	3	1	2	10	6	4	2	1	
	Males .....	12	1	1		2	1	5	3	1	1	2	
12	Diphtheria .....	34	4	2	6	6	4	22	10				
	Males .....	39	4	2	5	9	6	26	9	2		1	
13	Whooping cough .....	35	16	12	4	1	1	34	1				
	Males .....	76	36	17	12	4	4	78	2				
14	Malarial fever .....	11	3					3					1
	Males .....	13	1					1	3		1	1	
15	Influenza .....	131	9	2	2	1	1	15				3	5
	Males .....	193	8	1	1	1		8	1	1	1	7	6
16	Typhoid fever .....	61	1	2	1			4	3	7	3	11	6
	Males .....	41		3		2	1	7	2	9	3	4	5
17	Cholera morbus .....	8	2		1			3					
	Males .....	13	3	1				4	1				
18	Colitis .....	2	1					1					1
	Males .....	3	2					2					
19	Diarrhea .....	45	26	3	1			30	3	2			
	Males .....	41	20	2	1			28			1	1	
20	Dysentery .....	17	5	1		2	1	9					1
	Males .....	29	5	2	1	1		9				1	
21	Enteritis .....	94	60	12	6	3		81	1		1		
	Males .....	93	59	12	1	1	1	74	1		1	1	
22	Cholera infantum .....	246	197	42	6	1		246					
	Males .....	202	174	22	4	1		201					
23	Fever .....	1	1					1					
24	Cerebro-spinal fever .....	16	7	2	1	1		11		1	2		
	Males .....	18	6	3	1	1	1	12	2	1	1		1
25	Smallpox .....	2											
26	Erysipelas .....	11	5					5					
	Males .....	11	3		1	1		5					2
27	Septicemia .....	8										1	
	Males .....	4											
28	Venereal diseases .....	8	4	1		1		6					1
	Males .....	8	6					6					
29	Others of this group .....	11			2			2		1			
	Males .....	16	1					1		1			
30	General diseases—B .....	90	17	2	3	3		25	1		1	4	3
31	Males .....	58	9			2		11	1		1	3	2
32	Females .....	32	8	2	3	1		14				1	1
33	Alcoholism .....	32										1	1
	Males .....	13										1	1
34	Parasitic diseases .....	1							1				
35	Lead poison .....	3											
36	Other poisons .....	13				2		2			1	2	1
	Males .....	10		2	3	1		6					
37	Inanition .....	9	9					9					
	Males .....	9	8					8					
38	General diseases—C .....	606	379	13		1		398					
39	Males .....	311	220	5				225					
40	Females .....	295	159	8		1		168					
41	Old age .....	79											
	Males .....	109											
42	Premature birth .....	80	80					80					
	Males .....	68	68					68					
43	Malformation .....	22	21	1				22					
	Males .....	15	15					15					
44	Debility and atrophy .....	120	109	4				113					
	Males .....	91	64	8		1		78					
45	Others of this group .....	10	10					10					
	Males .....	12	12					12					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
RHODE ISLAND—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D .....	1,385	77	37	15	19	3	151	18	10	87	135	142
2	Males .....	689	45	21	6	9	1	82	7		33	69	65
3	Females .....	746	32	16	9	10	2	69	11	3	54	66	77
4	Anemia .....	{M. 9 F. 17	{1 4	{2 1				{3 4			{1 2	{1 1	{1 1
5	Diabetes .....	{M. 18 F. 23									{1 1	{1 1	{1 1
6	Rheumatism .....	{M. 11 F. 23		{1 1		{1 1		{2 2	{1 1		{1 1		{1 2
7	Scrofula and tabes .....	{M. 12 F. 6	{8 1		{1 1			{8 2			{1 1		{1 1
8	Hydrocephalus .....	{M. 41 F. 45	{16 17	{10 7	{3 6	{6 3	{1 2	{36 35	{1 7	{1 1		{1 2	
9	Tuberculosis, general .....	{M. 25 F. 22	{5 2	{3 2	{1 1	{1 1		{10 6			{2 2	{4 2	{3 8
10	Consumption .....	{M. 436 F. 401	{14 7	{5 4	{2 1	{2 4		{23 16	{6 3	{2 7	{28 44	{60 61	{59 68
11	Cancer .....	{M. 78 F. 189		{1 1				{1 1				{2 2	{2 2
12	Tumor .....	{M. 6 F. 13				{1 1		{1 1				{1 1	
13	Dropsy .....	{M. 1 F. 4	{1 1					{1 1			{1 1		
14	Others of this group .....	{M. 2 F. 3		{1 1				{1 2				{1 1	
15	2. Diseases of the nervous system .....	822	112	45	16	8	5	186	19	15	12	16	9
16	Males .....	423	64	24	9	6	3	106	8	11	7	10	5
17	Females .....	394	48	21	7	2	2	80	11	4	5	6	4
18	Inflammation of the brain .....	{M. 3 F. 3		{1 1				{1 1	{1 1				
19	Meningitis .....	{M. 82 F. 74	{28 31	{13 15	{7 7	{5 2	{2 2	{55 57	{6 9	{6 1	{2 2	{2 2	{2 2
20	Apoplexy .....	{M. 182 F. 174	{4 1	{1 1				{5 1			{2 1	{1 2	{1 1
21	Paralysis .....	{M. 36 F. 42								{1 1	{1 1	{1 1	
22	Paralysis, general (of insane) .....	{M. 15 F. 6									{1 1		{1 1
23	Tetanus and trismus nascentium .....	{M. 6 F. 3	{2 1	{1 1				{2 2		{2 2		{1 1	{1 1
24	Chorea .....	{M. 1 F. 1								{1 1			
25	Epilepsy .....	{M. 12 F. 10	{2 1	{1 1			{1 1	{4 4		{1 2		{4 1	
26	Convulsions .....	{M. 29 F. 17	{21 12	{5 1	{1 1			{27 13	{1 1		{1 1	{1 1	{1 1
27	Mental diseases .....	{M. 10 F. 12											
28	Diseases of the brain .....	{M. 36 F. 35	{7 4	{3 1	{1 1	{1 1		{12 5		{1 1	{1 1	{2 2	{2 2
29	Diseases of the spinal cord .....	{M. 5 F. 6		{1 1				{1 1					
30	Locomotor ataxia .....	{M. 7 F. 2											
31	Others of this class .....	{M. 5 F. 9									{1 1		
32	3. Diseases of the circulatory system .....	652	39	1		1		41	6	7	14	8	14
33	Males .....	321	24			1		25	2	5	7	3	3
34	Females .....	331	15	1				16	4	2	7	5	11
35	Pericarditis .....	{M. 4 F. 4									{2 2	{1 1	{1 1
36	Diseases of the heart .....	{M. 278 F. 293	{15 9	{1 1				{15 10	{2 4	{4 2	{5 7	{2 4	{3 10
37	Angina pectoris .....	{M. 15 F. 17											
38	Diseases of the arteries .....	{M. 10 F. 4											
39	Aneurism .....	{M. 4 F. 3								{1 1		{1 1	
40	Embolism .....	{M. 4 F. 4											
41	Others of this class .....	{M. 10 F. 6	{9 6			{1 1		{10 6					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
RHODE ISLAND—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	1,332	338	145	54	29	24	590	41	17	21	15	41
2	Males.....	683	197	81	31	16	12	337	21	8	13	8	26
3	Females.....	649	141	64	23	13	12	256	20	9	8	7	15
4	Croup.....	{M. 30 F. 24	{M. 7 F. 7	{M. 8 F. 5	{M. 4 F. 4	{M. 3 F. 1	{M. 6 F. 3	{M. 28 F. 20	{M. 2 F. 4				
5	Pneumonia.....	{M. 458 F. 441	{M. 99 F. 78	{M. 50 F. 43	{M. 19 F. 12	{M. 12 F. 9	{M. 5 F. 8	{M. 185 F. 150	{M. 12 F. 12	{M. 4 F. 5	{M. 11 F. 8	{M. 8 F. 6	{M. 24 F. 12
6	Laryngitis.....	{M. 9 F. 7	{M. 2 F. 2	{M. 1 F. 1	{M. 1 F. 1			{M. 4 F. 4	{M. 3 F. 1	{M. 1 F. 1			{M. 1 F. 1
7	Bronchitis.....	{M. 148 F. 138	{M. 78 F. 49	{M. 20 F. 14	{M. 6 F. 6	{M. 2 F. 2		{M. 104 F. 71	{M. 2 F. 2	{M. 2 F. 2	{M. 2 F. 2		{M. 2 F. 2
8	Pleurisy.....	{M. 12 F. 4	{M. 1 F. 1		{M. 1 F. 1	{M. 1 F. 1		{M. 4 F. 4	{M. 1 F. 1				
9	Asthma.....	{M. 6 F. 7							{M. 1 F. 1				
10	Others of this class.....	{M. 20 F. 28	{M. 10 F. 5	{M. 2 F. 1		{M. 1 F. 1	{M. 1 F. 1	{M. 12 F. 8	{M. 1 F. 2	{M. 2 F. 2		{M. 1 F. 1	{M. 2 F. 2
11	5. Diseases of the digestive system.....	396	104	16	9	4	1	134	15	6	20	16	15
12	Males.....	209	64	8	5			77	8	3	10	8	10
13	Females.....	187	40	8	4		1	57	7	3	10	8	5
14	Dentition.....	{M. 2 F. 5	{M. 2 F. 3	{M. 1 F. 2				{M. 2 F. 5					
15	Angina.....	{M. 1 F. 1						{M. 1 F. 1	{M. 1 F. 1				
16	Gastritis.....	{M. 16 F. 26	{M. 4 F. 4	{M. 2 F. 2				{M. 6 F. 5	{M. 1 F. 1				
17	Diseases of the stomach.....	{M. 8 F. 9			{M. 1 F. 1			{M. 1 F. 1	{M. 1 F. 1		{M. 1 F. 1		{M. 1 F. 1
18	Obstruction of the bowels.....	{M. 13 F. 17	{M. 3 F. 1		{M. 1 F. 1			{M. 3 F. 3	{M. 1 F. 1	{M. 1 F. 1	{M. 3 F. 3	{M. 1 F. 1	{M. 1 F. 1
19	Appendicitis.....	{M. 26 F. 9						{M. 3 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 4 F. 6	{M. 3 F. 1	{M. 5 F. 1
20	Hernia.....	{M. 10 F. 11	{M. 1 F. 1					{M. 1 F. 1	{M. 1 F. 1				
21	Other diseases of the bowels.....	{M. 6 F. 4	{M. 2 F. 1	{M. 2 F. 2	{M. 1 F. 1			{M. 3 F. 3					
22	Jaundice.....	{M. 12 F. 12	{M. 9 F. 7					{M. 9 F. 8					
23	Inflammation and abscess of the liver.....	{M. 10 F. 5	{M. 2 F. 5					{M. 2 F. 5			{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1
24	Other diseases of the liver.....	{M. 36 F. 23	{M. 2 F. 23					{M. 2 F. 23					{M. 1 F. 1
25	Peritonitis.....	{M. 13 F. 19	{M. 1 F. 19		{M. 2 F. 2			{M. 3 F. 2		{M. 1 F. 2		{M. 3 F. 2	
26	Ascites.....												
27	Others of this class.....	{M. 56 F. 46	{M. 38 F. 24	{M. 6 F. 2	{M. 2 F. 2	{M. 1 F. 1		{M. 46 F. 29	{M. 1 F. 1	{M. 1 F. 1	{M. 2 F. 1	{M. 2 F. 2	{M. 1 F. 1
28	6. Diseases of the urinary system and male organs of generation.....	556	4	4	1	1	4	14	5	9	8	14	25
29	Males.....	312	3	2		1	3	9	4	2	4	7	12
30	Females.....	244	1	2	1		1	5	1	7	4	7	13
31	Bright's disease.....	{M. 238 F. 217							{M. 4 F. 1	{M. 1 F. 7	{M. 4 F. 4	{M. 6 F. 7	{M. 10 F. 11
32	Calculus, urinary.....	{M. 4 F. 1											
33	Diseases of the kidney.....	{M. 21 F. 11	{M. 2 F. 1	{M. 2 F. 2		{M. 1 F. 1	{M. 3 F. 1	{M. 8 F. 5				{M. 1 F. 1	{M. 1 F. 2
34	Diseases of the bladder.....	{M. 21 F. 4											
35	Others of this class.....	{M. 28 F. 11	{M. 1 F. 11					{M. 1 F. 11		{M. 1 F. 1			{M. 1 F. 1
36	7. Diseases of the female organs of generation.....	38									1	4	3
37	Ovarian tumors.....	5											
38	Ovarian diseases.....	1											1
39	Diseases of the tubes.....	4										2	
40	Uterine tumors.....	15											
41	Uterine diseases.....	2											
42	Others of this class.....	11									1	2	2

CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RHODE ISLAND—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
31	46	35	47	60	64	60	68	54	55	44	27	10	2	4	1
22	27	20	30	36	31	19	25	18	16	13	10	2		1	2
9	19	15	17	24	38	41	43	36	39	31	17	8	2	3	3
															4
20	26	19	24	32	19	17	19	12	10	10	5			1	5
8	15	12	13	22	28	32	26	26	24	21	15	2	1	3	5
1			1												6
1	1	1	1	1	8	1	3	5	6	3	4	1			7
	3	2	2	1	4	6	11	9	9	9	2	4	1		7
			2	1	2							1			8
			1	1	1		2	1	4						9
						1	4	1							9
1	1	1	1	1	1	1	1	2		1	1				10
			2	1	1	2	2	1	2	1		2			10
18	20	11	14	24	26	23	16	19	10	5	3		1		11
7	8	7	9	14	11	11	7	12	5	2					12
11	12	4	5	10	15	12	9	7	5	3	3		1		13
															14
															15
	1			1	2		1	3	1						16
	2			5	1	2	4	3		1	1				16
1	1		1	1	1	1	1	1							17
2	1				1		1								17
1	1			2	2	2	1			1	1		1		18
2		2	2	4											18
				1		1		3	2	1					19
	1		1	1	3	2	1		1						19
								1	1						20
			1	1		1			1						20
										1					21
															21
															22
	2		1	1	1	1	1								22
1		1	1	1	1	1	1								23
3	3	3	2	5	3	7	4	3							23
4	1	2	2	2	7	2	1		1	1					24
			1		2	1									24
2	5	2			1	1					1				25
															25
															26
1			2			1		1							26
1	2				1	2	1		2						27
18	19	33	29	47	53	54	64	70	47	27	15	3	1	1	28
10	7	20	12	17	35	31	40	34	34	18	12	2	1	1	29
8	12	13	17	30	18	23	24	36	13	9	3	1			29
9	7	18	9	15	31	25	35	28	18	9	6	2		1	30
8	10	12	16	25	17	23	21	33	11	7	3	1			30
					1		1		2						31
										1					31
1			1	1	1	2		1	4						32
			1	1			1		1						32
						1	3	3	4	5	4		1		33
							2	1	1						33
						3	1	2	6	4	2				34
		2	2	1	2	1	2	2	1	1					34
		1	1	4	1										35
3	7	4	1	6	2	2	3	1	1						35
															36
	1				2	1		1							36
															37
	2														37
1	1		1	6		1	2		1						38
1															39
1		1													40
1	3	1						1							41
															42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
RHODE ISLAND—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy .....	72									1	21	10
2	Abortion .....	3											
3	Childbirth .....	13										3	1
4	Puerperal septicemia .....	34									1	12	3
5	Extra-uterine pregnancy .....	3											
6	Others of this class .....	19										6	6
7	9. Diseases of the bones and joints .....	23	2	2		1	1	6	3	1	2	1	
8	Males .....	9	1			1	1	3			2		
9	Females .....	14	1	2				3	3	1		1	
10	Diseases of the spine {M. {F.	5 6	1 1			1 1	1	1 1	2				
11	Abscess, lumbar and psoas {M. {F.												
12	Diseases of the bones {M. {F.	3 5		2				2				1	
13	Diseases of the hip-joint {M. {F.	3 1							1		2		
14	Others of this class {M. {F.	3 3								1			
15	10. Diseases of the skin .....	14	7	2		1		10					
16	Males .....	10	4	1		1		6					
17	Females .....	4	3	1				4					
18	Abscess {M. {F.	6 1	2 1	1		1		4 1					
19	Carbuncle {M. {F.	1											
20	Others of this class {M. {F.	3 3	2 2	1				2 3					
21	11. Diseases of the absorbent system .....	5							1	1			
22	Males .....	5							1	1			
23	Females .....												
24	Addison's disease {M. {F.												
25	Diseases of the spleen {M. {F.												
26	Others of this class {M. {F.	5							1	1			
27	12. Accidents and injuries .....	344	36	7	4	9	4	60	21	13	9	16	24
28	Males .....	254	18	3	2	2	4	29	19	12	8	13	21
29	Females .....	90	18	4	2	7		31	2	1	1	3	3
30	Burns and scalds {M. {F.	19 19	1 3	2 3	1 2	1 6		5 14	4 1	1 1	1	1	1
31	Drowning {M. {F.	44 3	1				4	5	5 1	7	2	4	2 1
32	Exposure and neglect {M. {F.	3 1	1					1					
33	Gunshot wounds {M. {F.	3								1		1	
34	Homicide {M. {F.	4 3									1	1	1
35	Infanticide {M. {F.	2 2	2 2					2 2					
36	Injuries by machinery {M. {F.	3									1		1
37	Railroad accidents {M. {F.	36 5							2		2	3	6
38	Suffocation {M. {F.	15 12	9	10				9 10					2
39	Suicide by shooting {M. {F.	6 3											1
40	Suicide by drowning {M. {F.	1											1
41	Suicide by poison {M. {F.	4 1											
42	Other suicides {M. {F.	17 7										1 2	
43	Sunstroke {M. {F.	2											1
44	Surgical operations {M. {F.	1											
45	Wounds {M. {F.	2											
46	Others of this class {M. {F.	93 33	4 3	1 1	1	1	1	7 5	8	3	2	3	6 1



# CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RHODE ISLAND—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
21	13	5	1												1
1	1	1													2
5	3	1													3
11	5	1	1												4
3															5
1	4	2													6
1	1	2	2		1		1			1	1				7
1	1	1	2		1		1			1	1				8
		1	1												9
			1				1								10
															11
	1	1			1					1	1				12
1															13
		1	1												14
				1			1	1			1				15
				1			1	1			1				16
				1				1							17
							1								18
								1							19
											1				20
1			1		1										21
1			1		1										22
															23
															24
															25
1			1		1										26
26	33	18	24	14	14	14	17	6	8	12	8	2	1	4	27
21	28	15	18	13	12	12	13	5	3	6	2			4	28
5	5	3	6	1	2	2	4	1	5	6	6	2	1	4	29
	1		1	1	1	1	1	1						1	30
			1												31
3	2	1	1	3	1	1	1			2	1			3	32
		1					1								33
									1						34
1	3														35
															36
	1														37
5	7	3	1	1	2	1	1	1		1					38
2	1		1			1	1			1					39
		2	1			1									40
			1					1							41
			2		1		1								42
1	1		2	1	1	2	3	1	1						43
1	3	2	2												44
1	2	1	1												45
															46
	1		1			1									47
															48
															49
															50
															51
															52
															53
															54
															55
															56
															57
															58
															59
															60
															61
															62
															63
															64
															65
															66
															67
															68
															69
															70
															71
															72
															73
															74
															75
															76
															77
															78
															79
															80
															81
															82
															83
															84
															85
															86
															87
															88
															89
															90
															91
															92
															93
															94
															95
															96
															97
															98
															99
															100
9	10	6	8	7	4	3	8	2	3	3	1				101
2		1		1	2	1	2		4	5	6	2	1		102

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
VERMONT.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	5,829	825	169	73	31	33	1,131	119	94	150	211	225
2	Males .....	2,936	490	90	35	17	14	646	55	47	85	104	91
3	Females .....	2,893	335	79	38	14	19	485	64	47	65	107	134
4	Unknown cause .....	95	42	.....	1	1	.....	44	1	1	2	1	2
5	Males .....	56	29	.....	.....	.....	.....	29	1	1	.....	.....	.....
6	Females .....	39	13	.....	1	1	.....	15	.....	.....	2	1	2
7	I. General diseases. General diseases—A .....	720	180	45	13	6	11	255	39	22	16	35	21
8	Males .....	364	100	28	6	5	5	144	17	7	8	17	12
9	Females .....	356	80	17	7	1	6	111	22	15	8	18	9
10	Measles .....	{M F} 9 12	{M F} 3 1	{M F} 3 1	.....	.....	.....	{M F} 6 3	{M F} 1 2	.....	.....	2	1
11	Scarlet fever .....	{M F} 6 8	{M F} 2 .....	{M F} 1 .....	1	1	.....	{M F} 2 4	{M F} 3 3	.....	1	1	.....
12	Diphtheria .....	{M F} 21 21	{M F} 3 .....	{M F} 3 .....	1	.....	.....	{M F} 6 7	{M F} 12 9	1	1	.....	1
13	Whooping cough .....	{M F} 24 16	{M F} 20 11	{M F} 2 1	1	.....	.....	{M F} 23 13	.....	.....	.....	.....	.....
14	Malarial fever .....	{M F} 5 4	{M F} ..... .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
15	Influenza .....	{M F} 53 76	{M F} ..... 2	{M F} 1 .....	1	.....	.....	{M F} 4 .....	{M F} 1 .....	1	2	1	.....
16	Typhoid fever .....	{M F} 50 57	{M F} 1 .....	{M F} 1 2	1	1	.....	{M F} 2 4	{M F} 3 3	4	3	10	9
17	Cholera morbus .....	{M F} 12 14	{M F} ..... 1	{M F} ..... .....	2	3	1	{M F} 6 4	{M F} ..... 1	2	1	1	.....
18	Colitis .....	{M F} 4 3	{M F} 2 .....	{M F} ..... .....	1	.....	.....	{M F} 3 .....	{M F} 1 .....	.....	.....	.....	.....
19	Diarrhea .....	{M F} 14 13	{M F} 2 6	.....	.....	.....	.....	{M F} 2 6	.....	.....	.....	.....	.....
20	Dysentery .....	{M F} 17 16	{M F} 3 2	1	.....	.....	2	{M F} 6 2	.....	.....	.....	1	.....
21	Enteritis .....	{M F} 24 24	{M F} 11 10	3	.....	.....	.....	{M F} 14 13	.....	.....	1	1	.....
22	Cholera infantum .....	{M F} 67 44	{M F} 52 40	15	4	.....	.....	{M F} 67 44	.....	.....	.....	.....	.....
23	Fever .....	{M F} 1 .....	{M F} ..... .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Cerebro-spinal fever .....	{M F} 11 8	{M F} 2 1	2	2	.....	.....	{M F} 4 4	.....	1	1	1	1
25	Smallpox .....	{M F} ..... .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Erysipelas .....	{M F} 6 8	{M F} ..... .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Septicemia .....	{M F} 13 20	{M F} 1 3	1	.....	.....	.....	{M F} 2 3	.....	.....	.....	3	3
28	Venereal diseases .....	{M F} 2 1	{M F} ..... .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	Others of this group .....	{M F} 25 11	{M F} 1 .....	.....	.....	.....	.....	{M F} 1 .....	.....	.....	.....	1	1
30	General diseases—B .....	81	49	5	1	1	.....	56	.....	.....	.....	.....	3
31	Males .....	49	27	3	1	1	.....	32	.....	.....	.....	.....	3
32	Females .....	32	22	2	.....	.....	.....	24	.....	.....	.....	.....	.....
33	Alcoholism .....	{M F} 10 1	{M F} ..... .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
34	Parasitic diseases .....	{M F} ..... .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Lead poison .....	{M F} 1 .....	{M F} ..... .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Other poisons .....	{M F} 10 5	{M F} 1 .....	1	1	1	.....	{M F} 4 2	.....	.....	.....	.....	2
37	Inanition .....	{M F} 29 25	{M F} 26 22	2	.....	.....	.....	{M F} 28 22	.....	.....	.....	.....	.....
38	General diseases—C .....	565	183	1	.....	.....	.....	184	1	.....	.....	.....	1
39	Males .....	257	103	.....	.....	.....	.....	103	1	.....	.....	.....	1
40	Females .....	308	80	1	.....	.....	.....	81	.....	.....	.....	.....	.....
41	Old age .....	{M F} 140 207	{M F} ..... .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
42	Premature birth .....	{M F} 66 40	{M F} 66 40	.....	.....	.....	.....	{M F} 66 40	.....	.....	.....	.....	.....
43	Malformation .....	{M F} 8 16	{M F} 8 14	1	.....	.....	.....	{M F} 8 15	.....	.....	.....	.....	.....
44	Debility and atrophy .....	{M F} 32 40	{M F} 18 21	.....	.....	.....	.....	{M F} 18 21	1	.....	.....	.....	1
45	Others of this group .....	{M F} 11 5	{M F} 11 5	.....	.....	.....	.....	{M F} 11 5	.....	.....	.....	.....	.....



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
VERMONT—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D .....	1,000	25	18	4	1	4	52	16	16	50	73	76
2	Males.....	425	15	8	1		1	25	11	6	22	35	25
3	Females.....	575	10	10	3	1	3	27	5	10	28	38	51
4	Anemia.....	{M 16 F 23	7		2	1		7 8				1 3	
5	Diabetes.....	{M 22 F 17							4 2	1 1	2 2	2	1
6	Rheumatism.....	{M 9 F 10										1 1	1
7	Scrofula and tabes.....	{M 6 F 11		1 1			1	1 3			1 1		1
8	Hydrocephalus.....	{M 11 F 11	4 4	2 1	2		1	7 8	2 1	2 2			
9	Tuberculosis, general.....	{M 4 F 5									1		
10	Consumption.....	{M 240 F 284	3 3	3 6	1		1	7 10	5 5	2 7	18 21	32 29	23 43
11	Cancer.....	{M 97 F 184											2
12	Tumor.....	{M 11 F 18		1				1				1	1
13	Dropsy.....	{M 5 F 7									1		
14	Others of this group.....	{M 4 F 5	1 2	1				2 3		1	1	1	
15	2. Diseases of the nervous system.....	800	108	30	12	6	3	159	14	11	10	13	15
16	Males.....	416	70	19	6	4	1	100	5	5	3	6	4
17	Females.....	384	38	11	6	2	2	59	9	6	7	7	11
18	Inflammation of the brain.....	{M 4 F 9			1			1 4	1	2		1	1
19	Meningitis.....	{M 65 F 56	28 12	10 7	4 6	2 1	1	45 27	3 7	1 3		2 3	1 2
20	Apoplexy.....	{M 160 F 159	4 3					4 3			1	1	2
21	Paralysis.....	{M 59 F 57							1			1	1
22	Paralysis, general (of insane).....	{M 1 F 3											
23	Tetanus and trismus nascentium.....	{M 3 F 1								1	1		
24	Chorea.....	{M 1 F 1											
25	Epilepsy.....	{M 11 F 7	1 1	1				1 2	1		1	1	1
26	Convulsions.....	{M 44 F 23	30 18	9 3	1	2		42 22		1			
27	Mental diseases.....	{M 10 F 9										1	1
28	Diseases of the brain.....	{M 38 F 34	7					7			1	1	3
29	Diseases of the spinal cord.....	{M 8 F 8											1
30	Locomotor ataxia.....	{M 4 F 3							1				
31	Others of this class.....	{M 9 F 18		1				1			1		1
32	3. Diseases of the circulatory system.....	682	37	1	3			41	5	8	5	16	18
33	Males.....	375	26	1	2			29		5	3	6	8
34	Females.....	307	11		1			12	5	3	2	10	10
35	Pericarditis.....	{M 6 F 1								1			1
36	Diseases of the heart.....	{M 327 F 278	16 6	1	2			19 7		4 3	3 1	6 8	6 10
37	Angina pectoris.....	{M 19 F 14									1		
38	Diseases of the arteries.....	{M 6 F 3											
39	Aneurism.....	{M 3 F 1											
40	Embolism.....	{M 4 F 5											1
41	Others of this class.....	{M 10 F 5	10 5					10 5					



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
VERMONT—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	871	151	59	27	12	9	258	21	8	26	24	20
2	Males.....	436	93	28	16	5	5	147	9	3	19	14	11
3	Females.....	435	58	31	11	7	4	111	12	5	7	10	9
4	Croup.....	M. 11 F. 10	2	1	3	2	1	8	2		1		
5	Pneumonia.....	M. 318 F. 318	53	20	7	1	3	84	4	2	16	14	11
6	Laryngitis.....	M. 1 F. 4	1					1				1	
7	Bronchitis.....	M. 65 F. 74	24	6	4	2	2	38	2	1	1		
8	Pleurisy.....	M. 5 F. 6			1			1			1		
9	Asthma.....	M. 3 F. 5	2					2					
10	Others of this class.....	M. 33 F. 23	11	1	1		1	13	1				
11	5. Diseases of the digestive system.....	344	31	3	4	1	2	41	13	8	11	10	26
12	Males.....	169	19	3				22	5	6	10	3	9
13	Females.....	175	12	4	1	2		19	8	2	1	7	17
14	Dentition.....	M. 3 F. 3											
15	Angina.....	M. 3 F. 3											
16	Gastritis.....	M. 30 F. 31	5	1				6					1
17	Diseases of the stomach.....	M. 7 F. 16	2					2					
18	Obstruction of the bowels.....	M. 11 F. 18	1					1	1		1		1
19	Appendicitis.....	M. 27 F. 15	1					1	3	5	2	3	4
20	Hernia.....	M. 8 F. 6	1					1					
21	Other diseases of the bowels.....	M. 2 F. 6	2					2					
22	Jaundice.....	M. 9 F. 6	4					4					
23	Inflammation and abscess of the liver.....	M. 4 F. 6											1
24	Other diseases of the liver.....	M. 23 F. 15								1			1
25	Peritonitis.....	M. 34 F. 38	1	2	1	1	1	3	2	1	7	6	2
26	Ascites.....	M. 2 F. 2											
27	Others of this class.....	M. 11 F. 16	6				1	6	5				2
28	6. Diseases of the urinary system and male organs of generation.....	308	2	2	1		1	6	3	2	5	10	9
29	Males.....	182	2					2	2		3	2	3
30	Females.....	126		2	1		1	4	1	2	2	8	6
31	Bright's disease.....	M. 116 F. 94							2	1	1	1	3
32	Calculus, urinary.....	M. 1 F. 1											3
33	Diseases of the kidney.....	M. 10 F. 7	1		2		1	1		1			1
34	Diseases of the bladder.....	M. 27 F. 4	1		1			1					
35	Others of this class.....	M. 29 F. 21									2	1	2
36	7. Diseases of the female organs of generation.....	17	1					1				1	
37	Ovarian tumors.....	5											
38	Ovarian diseases.....	1											
39	Diseases of the tubes.....												
40	Uterine tumors.....	5											
41	Uterine diseases.....												
42	Others of this class.....	6	1					1				1	



TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS  
VERMONT—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy .....	47									6	5	16
2	Abortion .....												
3	Childbirth .....	16											5
4	Puerperal septicemia .....	16									5	1	6
5	Extra-uterine pregnancy .....												
6	Others of this class .....	15									1	4	5
7	9. Diseases of the bones and joints .....	16		1				1		1	2	3	
8	Males .....	6								1	1	1	
9	Females .....	10		1				1			1	2	
10	Diseases of the spine .....	{M F											
		4											
		4		1				1			1		
11	Abscess, lumbar and psoas .....	{M F								1			
		1											
		2										2	
12	Diseases of the bones .....	{M F											
		3											
13	Diseases of the hip-joint .....	{M F									1		
		1											
14	Others of this class .....	{M F											
		1											
15	10. Diseases of the skin .....	12	1		1			2					
16	Males .....	3	1		1			2					
17	Females .....	9											
18	Abscess .....	{M F			1			1					
		1											
		3											
19	Carbuncle .....	{M F											
		1											
20	Others of this class .....	{M F		1				1					
		2											
		5											
21	11. Diseases of the absorbent system .....	7							1				
22	Males .....	3							1				
23	Females .....	4											
24	Addison's disease .....	{M F											
		2											
		2											
25	Diseases of the spleen .....	{M F											
		1											
26	Others of this class .....	{M F							1				
		1											
		1											
27	12. Accidents and injuries .....	264	15	4	6	3	3	31	5	17	17	20	18
28	Males .....	195	5	2	2	2	11	3	13	16	20	16	
29	Females .....	69	10	4	4	1	1	20	2	4	1	20	2
30	Burns and scalds .....	{M F				1		1					
		5						5					2
		13		2	2		1			1			
31	Drowning .....	{M F		1	1	1	3		1	4	5	6	3
		4					1						
32	Exposure and neglect .....	{M F		1				1					
		2						1					
		1		1				1					
33	Gunshot wounds .....	{M F									3	1	1
		10											
		1		1				1					
34	Homicide .....	{M F											
		1											
		1											
35	Infanticide .....	{M F											
		1											
		1											
36	Injuries by machinery .....	{M F											
		20								1	3	2	2
37	Railroad accidents .....	{M F											
		4		2				2				1	1
		5		4	1			5					
38	Suffocation .....	{M F											
		11										1	
		1										1	
39	Suicide by shooting .....	{M F											
		1											
		1											
40	Suicide by drowning .....	{M F											
		1											
		1											
41	Suicide by poison .....	{M F											
		17								1	2	1	1
		3											
42	Other suicides .....	{M F											
		1									1		
		1											
43	Sunstroke .....	{M F									1		
		1											
		1											
44	Surgical operations .....	{M F			1			1					
		2											
45	Wounds .....	{M F								1			2
		3											
		3											
46	Others of this class .....	{M F		2	1		1	4	3	6	2	6	6
		93		4	1	1	1	6	1	1	1	6	6



CAUSE, SEX, AND AGE.

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

VERMONT—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	5	3					1		1					1	1
															2
4	3	3							1						3
3	1														4
															5
2	1						1							1	6
1	2				2	2				2					7
															8
1	1				2					2					9
						2									10
	1				2		1								11
	1														12
1										2					13
															14
						1									15
	1			1	2	2			2		1	1			16
									1						17
	1				1						1	1			18
													1		19
						1									20
				1	1	1			1		1				21
1							1								22
			1												23
			1												24
			1												25
				1											26
							1								27
13	22	16	10	9	15	14	9	11	14	11	6	4		2	28
															29
11	17	14	10	9	11	7	8	8	10	6	1	2		2	30
2	5	2			4	7	1	3	4	5	5	2			31
				1		2		1							32
1				2	2	3									33
											1				34
													1		35
															36
															37
1	2	1	2			2	2		1					1	38
															39
1	3	2	2					1	1						40
															41
															42
1	1														43
	2		4	2	1	1		1							44
	1						2								45
															46
															47
8	8	7	2	5	8	3	5	4	8	6		1		1	48
1	1	2			3	2	1	3	4	5	5	2			49





VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ALABAMA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	3,562	961	1,547	105	106	151	217	148	121	123	110	143	131	92	130	438
Males.....	1,954	526	868	60	53	84	136	79	66	67	53	78	77	38	70	220
Females.....	1,608	435	679	45	53	67	81	69	55	56	52	65	54	54	60	218
Croup.....	M 301 F 278	211 215	291 270	7 6	1		1			1						1
Pneumonia.....	M 1,385 F 1,074	244 172	455 310	44 35	46 47	77 61	129 70	74 63	58 47	61 48	50 40	65 53	71 44	28 41	60 41	167 174
Laryngitis.....	M 12 F 14	7 3	10 7	1					2	1	1				1	1
Bronchitis.....	M 133 F 142	51 37	92 74	5 3	1 5	2 3	1 4	1 3	2 1	2 3	2 4	5 7	3	2	3	17 25
Pleurisy.....	M 40 F 29	1 1	1 4	1	1		2	2	1	3	1	6	1	3	3	15
Asthma.....	M 26 F 32	1 2	2			1	1	1	2	3	1	1	3	4	8	14
Others of this class.....	M 57 F 39	11 7	17 12	2	4	5	3	1	3	2	5	1	5	2	2	5
<b>5. Diseases of the digestive system.</b>	1,406	317	626	54	28	49	77	55	49	50	34	52	46	48	61	177
Males.....	744	172	319	25	16	28	45	28	27	23	14	24	24	26	34	111
Females.....	662	145	307	29	12	21	32	27	22	27	20	28	22	22	27	66
Dentition.....	M 102 F 108	40 34	102 103													
Angina.....	M 23 F 34	7 4	14 17	4		3		1		1	1	3	2	1	1	2
Gastritis.....	M 64 F 82	8 6	22 20	1	1	3	1	2	1	3	1	2	5	5	5	15
Diseases of the stomach.....	M 47 F 57	7 17	16 25	2	3	5	4	1	2	2	1	3	3	1	2	7
Obstruction of the bowels.....	M 29 F 13	7 2	9 4	3	1	1	2	2	1		1	1	1		2	5
Appendicitis.....	M 39 F 11	2 1	2 2	2	1	1	6	5	5	3	3	3	2	2	2	2
Hernia.....	M 22 F 9	1 1	1		1	1	1		2	1	1	4	4		2	8
Other diseases of the bowels.....	M 78 F 52	27 14	43 25	1	3	4	5	2	4	1	1	2	1		2	9
Jaundice.....	M 25 F 32	15 14	15			1	3	4	1	1	1	2	2	1	1	2
Inflammation and abscess of the liver.....	M 39 F 33	1 2	4		1	1	1	3	3	1	1	1	2	3	1	5
Other diseases of the liver.....	M 63 F 32	4 8	9	5	2	1	5	1	3	6	4	4	4	2	3	14
Peritonitis.....	M 33 F 45	3 3	4	2	1	3	5	7	2	2	1	5	2	1	2	3
Ascites.....	M 47 F 36		6	2	2	2	2	2	1	1	1	1	1	1	4	21
Others of this class.....	M 133 F 123	53 42	72 79	3	4	2	4	3	2	2	2	3	6	5	6	19
<b>6. Diseases of the urinary system and male organs of generation.</b>	609	18	45	6	14	16	26	31	29	26	36	45	46	33	56	200
Males.....	402	12	27	4	8	5	16	15	12	14	25	29	33	24	33	152
Females.....	207	6	18	2	6	11	10	16	17	12	11	16	13	9	18	48
Bright's disease.....	M 226 F 145			3	5	1	8	14	6	13	20	26	24	17	25	64
Calculus, urinary.....	M 23 F 4	1	1			1	2							2		17
Diseases of the kidney.....	M 70 F 28	6 4	18 15	1	1	1	3		5	1	2	1	2	1	6	28
Diseases of the bladder.....	M 28 F 1	1	2				1					1	1	1	2	20
Others of this class.....	M 55 F 29	4 2	6 2		2	2	2	1	1	2	3	1	6	3	5	23
<b>7. Diseases of the female organs of generation.</b>	96	2	2		4	8	13	6	10	6	10	6	7	6	4	14
Ovarian tumors.....	6									2		2	1			1
Ovarian diseases.....	1								1							
Diseases of the tubes.....	3	1	1						1					1		
Uterine tumors.....	8							1		1	1		2	1		2
Uterine diseases.....	25				1	4	3	1	2	1	1		2	2	4	6
Others of this class.....	53	1	1		3	4	10	4	6	2	8	4	4	2		5

### CAUSE, SEX, AND AGE.

511

TABLE S.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ALABAMA—Continued.

CAUSE OF DEATH.	All ages.	AGE GROUPS														
		Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>8. Affections connected with pregnancy.</b>	335				2	73	83	59	37	55	20	1	1		1	3
Abortion.....	21					5	3	6	2	3	2					
Childbirth.....	181				1	40	37	32	19	39	10		1		1	1
Puerperal septicemia.....	100					14	34	18	15	10	7					2
Extra-uterine pregnancy.....	2							1	1							
Others of this class.....	31				1	14	9	2		3	1	1				
<b>9. Diseases of the bones and joints.</b>	63	19	36	3	1	6		1	2	3			2	2	1	6
Males.....	35	8	18	1	1	4		1	1	1			1	1		6
Females.....	28	11	18	2		2		1	2				1	1	1	
Diseases of the spine.....	24 {M F	7 8	17 13	1 2		1		1	1				1	1		2
Abscess, lumbar and psoas.....	1												1			
Diseases of the bones.....	7 {M F	1 1	1 1			1 3 1										2
Diseases of the hip-joint.....	1 {M F		1					1	1							
Others of this class.....	2 {M F	2	3			1									1	2
<b>10. Diseases of the skin</b> .....	49	16	20		1	1	1	3	1	4	1	2	6	1	1	7
Males.....	27	7	11			1	1	2	1	1			4			7
Females.....	22	9	9		1	1		1	3	1	2		2	1	1	
Abscess.....	10 {M F	3 1	4 1		1	1	1	1	1	1	1	2	2			
Carbuncle.....	5 {M F												1			4
Others of this class.....	12 {M F	4 8	7 8			1		1		1			1		1	3
<b>11. Diseases of the absorbent system.</b>	12		1	1			1	2	1				2	2	2	
Males.....	7			1			1	2						2	2	
Females.....	5		1				1	1	1				2			
Addison's disease.....	1 {M F							1								
Diseases of the spleen.....	2 {M F		1	1			1		1						1	
Others of this class.....	4 {M F							1					2	2	1	
<b>12. Accidents and injuries</b> .....	1,505	161	361	113	80	131	176	145	105	80	57	49	29	27	26	126
Males.....	1,023	77	171	46	55	99	153	121	91	68	46	41	20	22	20	70
Females.....	482	84	190	67	25	32	23	24	14	12	11	8	9	5	6	56
Burns and scalds.....	121 {M F	9 11	77 96	15 43	5 6	2 5	4 4		4 4	6 3	3 1	3	1	3	2	8
Drowning.....	81 {M F		6 2	8 4	11 3	12 3	13	5	6	4	4	1	2	1	1	7
Exposure and neglect.....	15 {M F	13 19	15 23						1	1				1		3
Gunshot wounds.....	207 {M F		1 4	2 6	15 8	30 13	46 6	34 6	24 1	23	10	11	2	1	1	8
Homicide.....	31 {M F		1 1	1 1	3 1	6 2	12 4	15 1	11	9	5	4	5	3	3	3
Infanticide.....	1 {M F															1
Injuries by machinery.....	8 {M F			1		2	3	1		1		1				
Railroad accidents.....	96 {M F		1	1		11	19	14	18	10	8	2		1	1	10
Suffocation.....	36 {M F	27 43	29 45	2		1	1		1			1		2		1
Suicide by shooting.....	8 {M F						1	3		2	2		1			1
Suicide by drowning.....	1 {M F												1			
Suicide by poison.....	8 {M F						2	1	1	1		1	1			1
Other suicides.....	6 {M F						1	1				1	1			3
Sunstroke.....	6 {M F	1	1					1	1	1	1			1	1	2
Surgical operations.....	4 {M F				1			1	1		2			1	1	2
Wounds.....	9 {M F		1	1			2		1		1		1		1	1
Others of this class.....	337 {M F	28 10	40 18	18 9	20 6	35 5	51 5	47 4	24 6	17 1	13 4	19 2	8 3	12 3	10 2	23 29



CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARIZONA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>1. General diseases—Continued.</b>																
General diseases—D.....	188	4	11	2	4	16	25	25	14	15	14	22	13	4	10	13
Males.....	127	2	5	2	1	9	18	19	10	11	11	13	9	2	7	10
Females.....	61	2	6		3	7	7	6	4	4	3	9	4	2	3	3
Anemia.....	M															
F.....																
Diabetes.....	M	2				1							1			
F.....																
Rheumatism.....	M					1										
F.....	3											1			2	
Scrofula and tabes.....	M	1	1	1												
F.....	1									1						
Hydrocephalus.....	M	3		3												
F.....																
Tuberculosis, general.....	M															
F.....																
Consumption.....	M	107	1	1	2	1	7	17	9	11	11	11	6	1	3	8
F.....	45	1	6		3	7	7	3	4	3	2	4	3	2		2
Cancer.....	M	4							1			1		1	1	
F.....	8							3				2	1		1	1
Tumor.....	M	2										1				1
F.....	1	1	1													
Dropsy.....	M	5					1						2		1	1
F.....	3										1	2				
Others of this group.....	M															
F.....																
<b>2. Diseases of the nervous system.</b>	87	19	36	2	3	1		3	5	2	5	10	7	4	5	4
Males.....	57	13	23	2				2	2	2	4	7	4	3	5	3
Females.....	30	6	13		3	1		1	3		1	3	3	1		1
Inflammation of the brain.....	M	6	1	4	1									1		
F.....	6		3		1				1					1		
Meningitis.....	M	13	5	10						2						
F.....	6	1	3		1				1		1					
Apoplexy.....	M	8						2			2	2		1		1
F.....	2												1			1
Paralysis.....	M	7		2					1		1		1		4	1
F.....	5	1											1			
Paralysis, general (of insane).....	M	5									1	1	1			
F.....													3			
Tetanus and trismus nascentium.....	M	2										2				
F.....	1	1	1													
Chorea.....	M															
F.....	1				1											
Epilepsy.....	M	4	2	2	1							1				
F.....	1											1				
Convulsions.....	M	5	4	5												
F.....	4	3	3			1										
Mental diseases.....	M	3										1		1		1
F.....	1												1			
Diseases of the brain.....	M	2		1					1							
F.....	2		1									1				
Diseases of the spinal cord.....	M															
F.....																
Locomotor ataxia.....	M															
F.....																
Others of this class.....	M	2	1	1											1	
F.....	1							1								
<b>3. Diseases of the circulatory system.</b>	43	5	7	2	2			2	3	3	5	6	6	2	1	4
Males.....	22	2	4					2	3	1	2	3	4	1		2
Females.....	21	3	3	2	2					2	3	3	2	1	1	2
Pericarditis.....	M															
F.....	1				1											
Diseases of the heart.....	M	20	1	3				2	3	1	2	3	4	1		1
F.....	19	2	2	2	1					2	3	3	2	1	1	2
Angina pectoris.....	M															
F.....																
Diseases of the arteries.....	M															
F.....																
Aneurism.....	M															
F.....																
Embolism.....	M															
F.....																
Others of this class.....	M	2	1	1												1
F.....	1	1	1													





CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARIZONA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	12					3	2	1	2	2	1					1
Abortion	2					1					1					
Childbirth	10					2	2	1	2	2						1
Puerperal septicemia																
Extra-uterine pregnancy																
Others of this class																
9. Diseases of the bones and joints.	1				1											
Males	1				1											
Females																
Diseases of the spine	1				1											
Abscess, lumbar and psoas																
Diseases of the bones																
Diseases of the hip-joint																
Others of this class																
10. Diseases of the skin	1						1									
Males																
Females	1						1									
Abscess	1						1									
Carbuncle																
Others of this class																
11. Diseases of the absorbent system.																
Males																
Females																
Addison's disease																
Diseases of the spleen																
Others of this class																
12. Accidents and injuries.	112	2	5	4	4	6	8	23	6	12	12	10	3	4	4	11
Males	90	1	3	2	1	6	7	20	5	12	9	6	3	2	4	10
Females	22	1	2	2	3		1	3	1		3	4		2		1
Burns and scalds	1	1	1	1	1							1				
Drowning	1							1								
Exposure and neglect																
Gunshot wounds	17			1	1	1		4	1	3	1	1	1	1		3
Homicide	13			1		1		2	1	2	4	1		1		
Infanticide	1										1					
Injuries by machinery																
Railroad accidents	9						1	3		1						4
Suffocation																
Suicide by shooting	4						1	1	1			1				
Suicide by drowning																
Suicide by poison																
Other suicides	2							1				1				
Sunstroke	1															1
Surgical operations	1															1
Wounds	2		1				1									
Others of this class	40		1	1	1	4	4	9	2	6	4	2	2		3	2
	7	1	1	1	1						1	1		1		1





VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARKANSAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	3,742	717	1,214	141	111	230	257	228	198	175	202	180	182	146	128	355
Males.....	2,146	390	658	77	61	132	153	134	115	106	117	102	118	92	72	209
Females.....	1,596	327	556	64	50	98	104	94	78	69	85	78	64	54	56	146
Croup.....	M..... 312	M..... 210	M..... 300	M..... 10	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1
Pneumonia.....	M..... 1,566	M..... 116	M..... 259	M..... 56	M..... 57	M..... 115	M..... 149	M..... 121	M..... 100	M..... 98	M..... 106	M..... 96	M..... 104	M..... 84	M..... 54	M..... 167
Laryngitis.....	M..... 2	M..... 4	M..... 7	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1
Bronchitis.....	M..... 150	M..... 45	M..... 72	M..... 7	M..... 2	M..... 5	M..... 3	M..... 5	M..... 5	M..... 4	M..... 6	M..... 4	M..... 7	M..... 2	M..... 7	M..... 21
Pleurisy.....	M..... 26	M..... 1	M..... 2	M..... 1	M..... 1	M..... 2	M..... 1	M..... 3	M..... 5	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 3	M..... 7
Asthma.....	M..... 14	M..... 2	M..... 4	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1
Others of this class.....	M..... 76	M..... 16	M..... 23	M..... 2	M..... 3	M..... 10	M..... 1	M..... 5	M..... 4	M..... 1	M..... 2	M..... 2	M..... 3	M..... 5	M..... 6	M..... 12
<b>5. Diseases of the digestive system.</b>	1,288	283	518	117	61	50	48	52	52	36	51	44	44	58	29	108
Males.....	654	113	256	51	33	26	30	28	28	15	30	23	26	34	18	56
Females.....	614	120	262	66	28	24	18	24	24	21	21	21	18	24	11	52
Dentition.....	M..... 31	M..... 12	M..... 31	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1
Angina.....	M..... 24	M..... 5	M..... 15	M..... 2	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1
Gastritis.....	M..... 58	M..... 12	M..... 20	M..... 4	M..... 1	M..... 3	M..... 2	M..... 6	M..... 4	M..... 1	M..... 4	M..... 1	M..... 3	M..... 2	M..... 4	M..... 9
Diseases of the stomach.....	M..... 163	M..... 16	M..... 56	M..... 22	M..... 17	M..... 7	M..... 5	M..... 7	M..... 7	M..... 4	M..... 7	M..... 5	M..... 3	M..... 10	M..... 5	M..... 8
Obstruction of the bowels.....	M..... 19	M..... 3	M..... 7	M..... 3	M..... 1	M..... 1	M..... 1	M..... 2	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 3
Appendicitis.....	M..... 31	M..... 2	M..... 1	M..... 3	M..... 2	M..... 6	M..... 7	M..... 4	M..... 2	M..... 2	M..... 2	M..... 1	M..... 2	M..... 2	M..... 2	M..... 1
Hernia.....	M..... 9	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1
Other diseases of the bowels.....	M..... 69	M..... 14	M..... 30	M..... 6	M..... 2	M..... 2	M..... 1	M..... 4	M..... 2	M..... 2	M..... 4	M..... 3	M..... 2	M..... 2	M..... 3	M..... 8
Jaundice.....	M..... 20	M..... 8	M..... 10	M..... 1	M..... 1	M..... 1	M..... 1	M..... 4	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 2
Inflammation and abscess of the liver.....	M..... 46	M..... 4	M..... 9	M..... 2	M..... 1	M..... 2	M..... 5	M..... 4	M..... 2	M..... 2	M..... 4	M..... 3	M..... 6	M..... 3	M..... 1	M..... 4
Other diseases of the liver.....	M..... 39	M..... 3	M..... 8	M..... 4	M..... 2	M..... 1	M..... 3	M..... 1	M..... 3	M..... 1	M..... 2	M..... 3	M..... 1	M..... 4	M..... 2	M..... 5
Peritonitis.....	M..... 27	M..... 1	M..... 5	M..... 3	M..... 2	M..... 2	M..... 3	M..... 3	M..... 5	M..... 3	M..... 1	M..... 1	M..... 1	M..... 2	M..... 1	M..... 3
Ascites.....	M..... 25	M..... 1	M..... 4	M..... 1	M..... 2	M..... 1	M..... 1	M..... 2	M..... 1	M..... 3	M..... 1	M..... 2	M..... 1	M..... 2	M..... 1	M..... 7
Others of this class.....	M..... 93	M..... 36	M..... 58	M..... 2	M..... 1	M..... 3	M..... 1	M..... 2	M..... 1	M..... 1	M..... 4	M..... 3	M..... 6	M..... 5	M..... 6	M..... 6
<b>6. Diseases of the urinary system and male organs of generation.</b>	382	7	20	11	12	17	19	25	16	19	27	31	27	23	37	98
Males.....	267	3	10	6	5	12	11	14	7	9	16	24	17	21	32	33
Females.....	115	4	10	5	7	5	8	11	9	10	11	7	10	2	5	15
Bright's disease.....	M..... 140	M..... 1	M..... 1	M..... 1	M..... 3	M..... 3	M..... 7	M..... 5	M..... 5	M..... 10	M..... 17	M..... 13	M..... 12	M..... 22	M..... 41	M..... 9
Calculus, urinary.....	M..... 7	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 4
Diseases of the kidney.....	M..... 60	M..... 1	M..... 8	M..... 2	M..... 2	M..... 4	M..... 2	M..... 3	M..... 1	M..... 1	M..... 1	M..... 4	M..... 3	M..... 1	M..... 8	M..... 20
Diseases of the bladder.....	M..... 27	M..... 3	M..... 7	M..... 1	M..... 1	M..... 1	M..... 2	M..... 2	M..... 1	M..... 3	M..... 1	M..... 2	M..... 1	M..... 1	M..... 2	M..... 3
Others of this class.....	M..... 17	M..... 3	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 1	M..... 2	M..... 2	M..... 2	M..... 1	M..... 1	M..... 3	M..... 1	M..... 10
<b>7. Diseases of the female organs of generation.</b>	56	1	1	3	2	5	5	3	1	1	5	2	1	5	1	8
Ovarian tumors.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ovarian diseases.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diseases of the tubes.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Uterine tumors.....	8	1	1	3	2	5	5	3	1	1	5	2	1	5	1	2
Uterine diseases.....	7	1	1	2	3	1	2	3	1	2	1	1	1	1	1	1
Others of this class.....	40	1	2	2	3	4	7	2	3	4	5	6	3	2	1	2

CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued\*

ARKANSAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	257					38	80	55	29	29	18	3				5
Abortion.....	20					2	6	6		4	2					
Childbirth.....	142					24	41	30	17	17	8	2				3
Puerperal septicemia.....	82					11	29	17	11	7	6	1				
Extra-uterine pregnancy.....																
Others of this class.....	13					1	4	2	1	1	2					2
9. Diseases of the bones and joints.	67	27	43	4	3	3	2	2		3	2	3	1			1
Males.....	38	18	26	2	3	1	2			1	1	2				1
Females.....	29	9	17	2		2		2		2	1	1	1			
Diseases of the spine.....	23	13	21	1	1		2			1	1	1				
Abscess, lumbar and psoas.....	2	1	1		1					1	1					
Diseases of the bones.....	4	3	3			1							1			
Diseases of the hip joint.....	2				1							1				
Others of this class.....	2	1	1	1				1		1		1				1
10. Diseases of the skin.....	71	24	36	1	2	4		1	1	1	4	2	3	3	3	10
Males.....	37	10	15		1	2		1	1	1	1	1	2	2	3	7
Females.....	34	14	21	1	1	2				3	3	1	1	1	1	3
Abscess.....	17	4	5	1	1	2			1	1	1	1	1	2	1	1
Carbuncle.....	5							1							2	2
Others of this class.....	15	6	10			2					2	1	1			4
11. Diseases of the absorbent system.	12	3	4					1	3	1	1			1		1
Males.....	8	2	2					1	1	1				1		1
Females.....	4	1	2						2							
Addison's disease.....	1								1							
Diseases of the spleen.....	6	1	1					1	1	1	1					1
Others of this class.....	2	1	1											1		
12. Accidents and injuries.....	799	85	203	53	46	76	83	63	56	54	30	23	24	14	17	52
Males.....	569	52	110	30	32	55	70	60	42	46	23	25	18	13	15	30
Females.....	230	33	93	23	14	21	13	3	14	8	7	3	6	1	2	22
Burns and scalds.....	67	8	52	6	2	1	1	1	1				2		1	7
Drowning.....	27	3	46	14	7	4	5		5	1	1		2			2
Exposure and neglect.....	13	9	9			1									2	1
Gunshot wounds.....	99	1	3	4	5	16	16	17	11	8	4	6	4	1	1	5
Homicide.....	42	1	3		1	1	8	8	8	5	2	4	1	1	1	2
Infanticide.....	1	1	1													
Injuries by machinery.....	14			1	2		4	2		1	2	1		1		
Railroad accidents.....	47			1	3	6	6	7	10	6	1	2	2		1	2
Suffocation.....	23	19	20			1	1	1								
Suicide by shooting.....	13	13	13													
Suicide by drowning.....	4							1		1		1		1		
Suicide by poisoning.....	1						1									1
Suicide by other means.....	5					1	3									
Other suicides.....	13	3				2		2	1	3			2	1	1	1
Sunstroke.....	8		1			1	1				1	1		2	1	1
Surgical operations.....	4		1							1						1
Wounds.....	1					2	1			1	1		1			1
Others of this class.....	7															1
Others of this class.....	198	15	26	15	14	20	23	17	10	20	12	9	6	6	6	14
	67	9	16	6	5	6	3	1	6	3	4	3			2	12

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CALIFORNIA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes .....	22,506	2,514	3,788	623	402	655	1,118	1,264	1,238	1,358	1,231	1,230	1,296	1,205	1,559	6,584
Males .....	13,998	1,431	2,122	328	203	335	617	733	767	872	824	831	879	795	1,036	3,656
Females .....	8,508	1,083	1,666	300	199	320	501	531	471	486	407	399	417	410	523	1,878
Unknown cause .....	466	117	149	16	18	9	14	11	11	16	25	23	33	20	22	99
Males .....	296	67	80	6	6	3	13	6	7	10	21	18	24	16	17	69
Females .....	170	50	69	10	12	6	1	5	4	6	4	5	9	4	5	30
1. General diseases.																
General diseases—A .....	2,762	657	1,076	220	106	122	170	136	110	115	72	71	72	74	67	351
Males .....	1,559	351	566	101	51	61	110	84	67	70	54	51	56	39	37	212
Females .....	1,203	306	510	119	55	61	60	52	43	45	18	20	16	35	30	139
Measles .....	M. 29	4	21	1	1	1	4									
Scarlet fever .....	M. 38	19	19	13	2	2	1									
Diphtheria .....	M. 109	7	51	36	17	1										
Whooping cough .....	M. 69	43	63	4	1											
Malarial fever .....	M. 65	7	12	4	1	5	4	5	5	6	2	2	5	5	1	8
Influenza .....	M. 125	7	9	3	2	1	4	1	4	5	5	3	7	5	8	75
Typhoid fever .....	M. 347	5	20	16	12	40	56	48	32	28	24	22	17	9	3	20
Cholera morbus .....	M. 68	24	34	4	6	1	3	1	1		1		3	2	4	8
Colitis .....	M. 9	2	2					1					1		2	3
Diarrhea .....	M. 50	18	23	1	3	1	3	2			1	1	1	2		12
Dysentery .....	M. 103	9	13	1	1	4	18	13	10	7	8	4	3	2	6	13
Enteritis .....	M. 200	114	143	3	2	2	4	4	4	5	1	6	3	3	3	17
Cholera infantum .....	M. 105	83	105													
Fever .....	M. 23	6	7		1		1		1	2	2	1	4	1	1	2
Cerebro-spinal fever .....	M. 55	13	31	8	2	1	5	1	1	1	1		1	1		2
Smallpox .....	M. 7		1		1		2	1	1	2					1	
Erysipelas .....	M. 25	2	3					1			1	2	3	2	2	11
Septicemia .....	M. 75	2	3	6	1	2	4	4	4	15	4	5	5	3	3	16
Venereal diseases .....	M. 22	5	7			1		1	1	1	3	3	1	1	1	3
Others of this group .....	M. 35			1			1	1	1	3	1	1	2	3	2	19
General diseases—B .....	722	337	363	5	4	6	14	28	34	41	45	37	33	27	26	59
Males .....	477	187	205	3	1	1	3	17	25	34	40	28	28	22	20	50
Females .....	245	150	158	2	3	5	11	11	9	7	5	9	5	5	6	9
Alcoholism .....	M. 171							6	14	25	28	20	21	15	14	23
Parasitic diseases .....	M. 4	1	3					5	5	3	3					3
Lead poison .....	M. 1									1						1
Other poisons .....	M. 92	1	11	2			3	9	11	8	12	5	7	5	5	14
Inanition .....	M. 209	185	191	1	1	1		5	2	6	2	2	2	2	1	8
General diseases—C .....	1,167	326	342	3	2	2	5	1	4	2	2	5	9	7	30	753
Males .....	697	187	194	3	1	1	3	1	2	1		3	3	6	17	462
Females .....	470	139	148		1	1	2		2	1	2	2	6	1	13	291
Old age .....	M. 422														14	408
Premature birth .....	M. 104	104	104												11	266
Malformation .....	M. 25	24	24		1											
Debility and atrophy .....	M. 135	48	55	3		1	3	1	2	1		3	3	6	3	54
Others of this group .....	M. 11	11	11												2	25



TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CALIFORNIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	2,588	413	697	89	26	56	70	87	110	103	119	124	125	123	170	689
Males.....	1,622	252	413	39	14	35	43	62	75	67	85	87	89	86	117	410
Females.....	966	161	284	50	12	21	27	25	35	36	34	37	36	37	53	279
Croup.....	{M. 59 F. 36	{14 5	{46 23	{12 11	{1 1			{1 1					{1 1			
Pneumonia.....	{M. 1,103 F. 620	{155 109	{254 183	{23 29	{12 8	{29 21	{37 22	{50 16	{65 26	{54 28	{69 28	{69 27	{70 23	{56 27	{71 32	{244 150
Laryngitis.....	{M. 6 F. 10	{1 1	{3 7	{2 2	{1 1											1
Bronchitis.....	{M. 219 F. 178	{68 34	{80 54	{2 5	{1 1	{2 1	{1 1	{1 3	{3 3	{2 3	{6 2	{9 3	{4 4	{10 7	{14 12	{84 86
Pleurisy.....	{M. 31 F. 18		{1 1			{3 1		{2 1	{3 3	{2 2	{2 2	{3 1	{1 1	{2 1	{4 3	{8 4
Asthma.....	{M. 52 F. 23					{1 1	{1 1			{2 2	{2 2	{3 3	{3 2	{5 2	{8 2	{27 11
Others of this class.....	{M. 152 F. 81	{24 12	{29 17	{1 1	{1 2		{4 2	{8 4	{4 6	{7 3	{6 4	{3 3	{11 5	{13 2	{20 4	{46 28
5. Diseases of the digestive system.	1,355	134	186	33	32	37	35	81	74	80	91	81	101	76	117	281
Males.....	745	81	113	16	15	13	33	30	33	47	46	43	59	47	65	170
Females.....	610	53	73	17	17	24	47	51	36	33	45	38	42	29	52	111
Dentition.....	{M. 13 F. 7	{8 6	{13 7													
Angina.....	{M. 14 F. 13	{1 4	{5 4	{4 5		{1 3					{1 1	{2 2	{1 1			1
Gastritis.....	{M. 91 F. 87	{14 9	{17 14	{3 3	{2 2	{1 1	{4 2	{2 4	{5 4	{2 2	{6 5	{5 5	{8 8	{4 3	{10 8	{32 25
Diseases of the stomach.....	{M. 63 F. 46	{8 4	{9 4		{2 2		{4 1	{2 3	{3 1	{3 3	{2 3	{2 4	{7 4	{4 1	{6 9	{19 11
Obstruction of the bowels.....	{M. 41 F. 51	{11 5	{13 7	{1 3		{1 5			{1 2	{5 3	{2 3	{1 1	{3 4	{3 1	{4 5	{7 12
Appendicitis.....	{M. 92 F. 61	{1 4	{4 2	{3 6	{8 8	{5 8	{20 13	{13 11	{11 4	{5 5	{4 2	{8 3	{2 1	{2 2	{3 1	{4 3
Hernia.....	{M. 22 F. 21	{2 1	{3 1				{1 1	{1 1		{1 1	{1 2	{1 1	{1 4	{4 2	{2 2	{10 8
Other diseases of the bowels.....	{M. 30 F. 16	{5 2	{5 4	{2 4		{1 1	{2 1	{1 1	{1 2	{1 1	{3 1		{2 1	{5 1	{2 2	{6 4
Jaundice.....	{M. 13 F. 8	{6 3	{6 3			{1 1							{1 2	{1 2	{1 1	{4 1
Inflammation and abscess of the liver.....	{M. 54 F. 36	{1 2	{1 2	{1 1	{2 1	{1 1	{1 1	{3 3	{4 3	{2 2	{6 3	{7 2	{11 1	{1 3	{5 7	{10 12
Other diseases of the liver.....	{M. 167 F. 103	{2 2	{2 2		{1 1	{1 4		{5 7	{5 6	{17 10	{12 12	{14 9	{18 7	{17 11	{22 14	{54 20
Peritonitis.....	{M. 83 F. 110	{4 3	{8 6	{2 2	{3 3	{4 7	{7 18	{4 21	{8 15	{9 9	{6 9	{7 5	{3 7	{2 3	{8 2	{12 3
Ascites.....	{M. 8 F. 3	{1 1	{1 1									{1 1			{1 1	{4 1
Others of this class.....	{M. 54 F. 48	{17 13	{26 19	{3 1		{1 1	{1 1	{1 1	{1 2	{2 2	{3 3	{1 3	{1 5	{4 2	{3 3	{8 10
6. Diseases of the urinary system and male organs of generation.	1,133	21	29	12	8	6	43	42	43	74	62	73	93	87	138	423
Males.....	783	15	15	7	5	4	23	29	21	42	43	48	58	56	99	333
Females.....	350	6	14	5	3	2	20	13	22	32	19	25	35	31	39	90
Bright's disease.....	{M. 568 F. 281			{7 5	{4 2	{3 2	{23 17	{24 9	{17 17	{37 28	{35 18	{42 23	{46 27	{44 28	{76 34	{210 73
Calculus, urinary.....	{M. 8 F. 2		{1 1							{1 1			{1 1		{3 1	{3 1
Diseases of the kidney.....	{M. 52 F. 34	{12 4	{12 12		{1 2			{1 1	{1 4	{3 2	{3 1		{3 2	{5 1	{6 1	{17 7
Diseases of the bladder.....	{M. 60 F. 7								{1 1	{1 1	{2 2	{2 2		{3 5	{5 4	{46 5
Others of this class.....	{M. 95 F. 26	{3 1	{3 1		{1 1		{2 2	{4 1	{2 2		{3 2	{4 2	{8 5	{4 2	{9 4	{57 4
7. Diseases of the female organs of generation.	77					3	6	10	12	7	13	11	4	1	2	8
Ovarian tumors.....	10								2		2	2				4
Ovarian diseases.....	4							1			3					
Diseases of the tubes.....	12						1	3	1	1	2	3	1			
Uterine tumors.....	2								4	2	2	5	3	1		3
Uterine diseases.....	2										1				1	
Others of this class.....	29					3	5	6	5	4	3	1			1	1



CAUSE, SEX, AND AGE.

523

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CALIFORNIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>8. Affections connected with pregnancy.</b>	118					7	24	37	16	19	13	1				1
Abortion	27					1	7	9	3	5	2					
Childbirth	43					3	10	12	3	7	6	1				1
Puerperal septicemia	26					2	3	8	7	4	2					
Extra-uterine pregnancy	6						2	2	2							
Others of this class	16					1	2	6	1	3	3					
<b>9. Diseases of the bones and joints.</b>	52	4	6	2	7	1	2	1	1	3	5	2	3	4	4	11
Males	32	3	4	1	4	1	2			1	5	1	1	1	3	8
Females	20	1	2	1	3			1	1	2	1	1	2	3	1	3
Diseases of the spine	14	3	4		1	1				1	3	1			1	2
Abscess, lumbar and psoas	9	1	2		3					1			1		1	1
Diseases of the bones	7			1						1	1					5
Diseases of the hip-joint	3				3		2		1		1					
Others of this class	5												1	1	2	1
<b>10. Diseases of the skin.</b>	34	5	6	1	1		2	1		1	2	2	2	2	4	10
Males	20	2	3	1	1		1	1			1	1	2	1	1	7
Females	14	3	3				1		1	1	1	1	1	1	3	3
Abscess	10		1		1		1	1			1		2	1	1	1
Carbuncle	3	1	1				1				1				2	2
Others of this class	7	2	2	1					1					1	1	4
<b>11. Diseases of the absorbent system.</b>	20					1	1		2	2	2	1	5	2	2	2
Males	11					1			1	1	1	1	2	1	2	1
Females	9						1		1	1	1	1	3	1	1	1
Addison's disease	5									1		1	1	1	1	
Diseases of the spleen	4												3	1		
Others of this class	3												1		1	1
<b>12. Accidents and injuries.</b>	1,721	39	100	60	45	81	139	166	190	163	134	136	106	86	86	229
Males	1,405	22	61	46	37	64	100	135	152	140	110	121	97	79	74	189
Females	316	17	39	14	8	17	39	31	38	23	24	15	9	7	12	40
Burns and scalds	45	3	13	3	1	1	1	5	1	4	4	3	5	5	1	3
Drowning	168		11	15	5	12	17	14	11	14	8	13	5	10	7	26
Exposure and neglect	18		2	1			1							1	1	6
Gunshot wounds	3	1	1								1					1
Homicide	98		1	2	11	11	12	11	12	10	6	4	3	5	7	3
Infanticide	10		1	1			2	2	2	2						2
Injuries by machinery	66		1	1		1	4	10	11	9	3	9	4	5	4	4
Railroad accidents	16					1	2	3	4	2	3					1
Suffocation	1	1	1													
Suicide by shooting	5							2	2							1
Suicide by drowning	142	1	4	2	8	12	10	21	20	14	7	8	12	4	8	12
Suicide by poison	23		6		1		2	1	3		1	2	4			3
Other suicides	24	11	11			1			1	1	3	1	1	2		3
Sunstroke	12	8	9					1	1	1				1		
Surgical operations	84						8	9	9	12	14	5	5	2	6	14
Wounds	8					2	2	2	2	1	1	1				1
Others of this class	6						1	1	1	2						1
Others of this class	56						2	4	6	8	6	6	7	3	5	9
Sunstroke	34					3	13	2	6	3	3	1	2	3	2	1
Surgical operations	144					1	6	9	15	17	15	18	12	9	12	30
Wounds	26						3	6	3	4	3	3	1	2	2	2
Others of this class	3								1				1	1		
Sunstroke	1							1								
Surgical operations	17						3	3	5	1		2	3	2	1	2
Wounds	25					1	6	3	1	1	6	1			2	
Others of this class	18				1	4	1		1	1	1	2	4	1		2
Others of this class	516	6	18	23	12	21	34	50	55	53	42	47	37	29	22	73
Others of this class	98	7	14	4	4	5	4	5	10	6	6	6	2	2	5	25

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

COLORADO.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes .....	7,428	1,208	1,949	296	185	268	420	492	478	479	435	391	378	317	279	1,066
Males.....	4,471	651	1,087	172	107	145	243	288	293	301	307	257	272	206	186	657
Females.....	2,957	557	912	124	78	123	177	204	180	178	128	134	106	111	93	409
Unknown cause.....	250	97	114	4	4	5	6	12	12	11	4	9	8	6	10	45
Males.....	150	52	63	3	4	4	4	9	4	5	4	7	5	5	6	27
Females.....	100	45	51	1	1	1	2	3	8	6	1	2	3	1	4	18
1. General diseases.																
General diseases—A.....	1,285	345	680	120	47	49	54	48	43	39	28	34	27	30	19	67
Males.....	678	176	354	57	24	22	29	23	19	17	19	19	20	23	13	34
Females.....	612	169	326	63	23	27	25	25	24	22	9	15	7	7	6	33
Measles.....	{M 27 F 32	{M 11 F 6	{M 22 F 19	{M 5 F 4												3
Scarlet fever.....	{M 39 F 40	{M 5 F 2	{M 26 F 25	{M 11 F 10	{M 1 F 2	{M 1 F 1				2						1
Diphtheria.....	{M 69 F 79	{M 9 F 9	{M 43 F 44	{M 13 F 24	{M 10 F 7	{M 2 F 2			2	1						
Whooping cough.....	{M 50 F 44	{M 30 F 24	{M 47 F 44	{M 3 F 3												
Malarial fever.....	{M 14 F 7	{M 4 F 1	{M 8 F 3				2				1		8			
Influenza.....	{M 22 F 18	{M 3 F 2	{M 3 F 2			1	1	1		1	1	5	2	1	1	5
Typhoid fever.....	{M 137 F 85	{M 5 F 3	{M 19 F 12	{M 11 F 9	{M 9 F 11	{M 11 F 11	{M 21 F 9	{M 15 F 4	{M 10 F 8	{M 11 F 8	{M 11 F 1	{M 4 F 4	{M 1 F 1	{M 7 F 1	{M 4 F 1	{M 4 F 5
Cholera morbus.....	{M 26 F 41	{M 11 F 14	{M 15 F 23	{M 3 F 2	{M 1 F 1		1			1	2	1	1	2		3
Colitis.....	{M 6 F 3	{M 2 F 3	{M 5 F 3													1
Diarrhea.....	{M 13 F 12	{M 3 F 7	{M 7 F 10	{M 1 F 2			1						1		1	2
Dysentery.....	{M 14 F 14	{M 2 F 3	{M 7 F 6					1	1		1	1	1		1	2
Enteritis.....	{M 40 F 27	{M 22 F 13	{M 30 F 20	{M 1 F 1		1			2	1		1	1	2		3
Cholera infantum.....	{M 79 F 74	{M 52 F 56	{M 78 F 73													1
Fever.....	{M 16 F 17	{M 4 F 6	{M 8 F 11	{M 1 F 1	1	1	1	2				1	1		2	1
Cerebro-spinal fever.....	{M 15 F 12	{M 2 F 8	{M 8 F 9	{M 1 F 1		1					1	1	1	1	1	1
Smallpox.....	{M 34 F 20	{M 1 F 1	{M 10 F 7	{M 7 F 4	1	4	3		1	1	1	3	2	2		3
Erysipelas.....	{M 14 F 14	{M 3 F 7	{M 3 F 7			1		1	1	1	1	1	1	1	1	4
Septicemia.....	{M 39 F 66	{M 4 F 5	{M 7 F 5	3	1	7	11	13	8	2	3	4	4	5	2	4
Venereal diseases.....	{M 13 F 4	{M 5 F 2	{M 6 F 2	1				1	1			1		2	1	
Others of this group.....	{M 6 F 3	{M 1 F 3	{M 2 F 1					1		1				1	1	2
General diseases—B.....	180	64	75	2		1	9	8	9	9	15	15	7	8	4	18
Males.....	119	31	39	1			3	5	7	8	12	13	6	8	4	13
Females.....	61	33	36	1		1	6	3	2	1	3	2	1	1		5
Alcoholism.....	{M 51 F 10						3	3	3	3	4	10	5	6	1	8
Parasitic diseases.....	{M 1 F 1		1													3
Lead poison.....	{M 1 F 1												1			
Other poisons.....	{M 28 F 13		3	1			4	2	4	4	4	2		2	2	4
Inanition.....	{M 38 F 38	{M 31 F 33	{M 35 F 35				1	1				1			1	1
General diseases—C.....	360	177	182	3				1	3	1	3		2	5	8	152
Males.....	201	105	107						2		3		2	3	6	78
Females.....	159	72	75	3				1	1	1			2	2	2	74
Old age.....	{M 65 F 64														1	65
Premature birth.....	{M 72 F 50	{M 72 F 50	{M 72 F 50													63
Malformation.....	{M 7 F 5	{M 7 F 4	{M 7 F 4		1											
Debility and atrophy.....	{M 53 F 38	{M 22 F 16	{M 24 F 19		2			1	2	1	3		2	3	6	13
Others of this group.....	{M 4 F 2	{M 4 F 2	{M 4 F 2											2	1	11



## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

COLORADO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	<b>1,269</b>	<b>199</b>	<b>382</b>	<b>46</b>	<b>22</b>	<b>35</b>	<b>63</b>	<b>60</b>	<b>64</b>	<b>73</b>	<b>85</b>	<b>63</b>	<b>89</b>	<b>52</b>	<b>50</b>	<b>185</b>
Males.....	809	108	204	27	8	21	44	43	49	56	66	48	64	33	31	115
Females.....	460	91	178	19	14	14	19	17	15	17	19	15	25	19	19	70
Croup.....	{M 34 F 24	{M 6 F 5	{M 26 F 18	{M 7 F 5	{M 1 F 1	{M 1 F 1										
Pneumonia.....	{M 650 F 366	{M 76 F 68	{M 137 F 131	{M 16 F 12	{M 8 F 12	{M 18 F 12	{M 35 F 18	{M 40 F 14	{M 44 F 15	{M 51 F 15	{M 57 F 18	{M 42 F 14	{M 59 F 22	{M 27 F 15	{M 21 F 12	{M 95 F 56
Laryngitis.....	{M 4 F 2		{M 2 F 2	{M 1 F 1		{M 1 F 1										{M 1 F 1
Bronchitis.....	{M 37 F 33	{M 14 F 9	{M 21 F 18	{M 2 F 1		{M 1 F 1	{M 1 F 1		{M 1 F 1		{M 2 F 1			{M 1 F 1	{M 2 F 3	{M 6 F 6
Pleurisy.....	{M 10 F 7		{M 1 F 1	{M 1 F 1			{M 2 F 1	{M 1 F 1		{M 1 F 1		{M 1 F 1	{M 1 F 1		{M 2 F 1	{M 2 F 1
Asthma.....	{M 24 F 7	{M 1 F 1	{M 1 F 1	{M 1 F 1					{M 2 F 1		{M 3 F 1	{M 2 F 1	{M 3 F 1	{M 2 F 1	{M 4 F 1	{M 6 F 4
Others of this class.....	{M 50 F 21	{M 11 F 9	{M 16 F 11			{M 1 F 1	{M 6 F 2	{M 2 F 2	{M 1 F 1	{M 4 F 1	{M 4 F 1	{M 3 F 2	{M 1 F 2	{M 3 F 1	{M 4 F 1	{M 5 F 3
<b>5. Diseases of the digestive system.</b>	<b>468</b>	<b>65</b>	<b>98</b>	<b>21</b>	<b>20</b>	<b>22</b>	<b>30</b>	<b>38</b>	<b>25</b>	<b>39</b>	<b>19</b>	<b>24</b>	<b>22</b>	<b>27</b>	<b>17</b>	<b>66</b>
Males.....	225	29	43	12	12	8	18	20	9	16	11	15	12	10	9	35
Females.....	243	36	55	9	8	14	17	18	16	23	8	9	10	17	8	31
Dentition.....	{M 4 F 4	{M 1 F 4	{M 4 F 4													
Angina.....	{M 7 F 3	{M 1 F 1	{M 3 F 1	{M 1 F 1	{M 2 F 1	{M 1 F 1			{M 1 F 1							
Gastritis.....	{M 24 F 32	{M 4 F 8	{M 6 F 11	{M 3 F 11		{M 1 F 1	{M 2 F 3	{M 1 F 3		{M 2 F 2	{M 1 F 1	{M 1 F 1	{M 1 F 2	{M 4 F 1	{M 1 F 1	{M 8 F 6
Diseases of the stomach.....	{M 17 F 16	{M 2 F 1	{M 2 F 5	{M 1 F 5			{M 2 F 2	{M 1 F 1		{M 3 F 4	{M 2 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1		{M 3 F 4
Obstruction of the bowels.....	{M 19 F 23	{M 5 F 2	{M 7 F 4	{M 1 F 2		{M 1 F 1	{M 2 F 3	{M 3 F 3		{M 1 F 1	{M 1 F 1	{M 2 F 1		{M 2 F 6		{M 4 F 4
Appendicitis.....	{M 45 F 25	{M 1 F 1	{M 1 F 1	{M 2 F 5	{M 6 F 5	{M 3 F 5	{M 8 F 1	{M 5 F 2	{M 4 F 2	{M 5 F 2	{M 4 F 2	{M 1 F 2	{M 3 F 2	{M 1 F 2		{M 4 F 2
Hernia.....	{M 9 F 6	{M 2 F 2	{M 2 F 2	{M 1 F 1				{M 1 F 1		{M 1 F 1		{M 2 F 2	{M 2 F 3		{M 1 F 1	{M 1 F 1
Other diseases of the bowels.....	{M 7 F 12	{M 3 F 3	{M 4 F 4			{M 1 F 1			{M 1 F 2			{M 1 F 2			{M 2 F 1	{M 3 F 1
Jaundice.....	{M 11 F 10	{M 4 F 3	{M 4 F 4	{M 1 F 4				{M 2 F 2			{M 1 F 1					{M 4 F 1
Inflammation and abscess of the liver.....	{M 9 F 13	{M 1 F 2	{M 1 F 3	{M 1 F 1				{M 4 F 2		{M 2 F 2		{M 1 F 1		{M 1 F 1		{M 3 F 1
Other diseases of the liver.....	{M 25 F 14	{M 1 F 1	{M 2 F 1		{M 1 F 1	{M 1 F 1		{M 2 F 1	{M 2 F 1	{M 1 F 1		{M 3 F 3	{M 2 F 3	{M 4 F 2		{M 5 F 5
Peritonitis.....	{M 24 F 65	{M 2 F 3	{M 3 F 6	{M 2 F 2	{M 3 F 2	{M 2 F 5	{M 2 F 12	{M 7 F 7	{M 2 F 9	{M 2 F 9	{M 3 F 5	{M 2 F 1	{M 3 F 1		{M 1 F 1	{M 1 F 4
Ascites.....	{M 2 F 2				{M 1 F 1			{M 1 F 1								
Others of this class.....	{M 22 F 18	{M 9 F 7	{M 9 F 11	{M 2 F 1				{M 1 F 1		{M 1 F 1		{M 1 F 1	{M 2 F 1	{M 1 F 1		{M 4 F 1
<b>6. Diseases of the urinary system and male organs of generation.</b>	<b>282</b>	<b>7</b>	<b>10</b>	<b>5</b>	<b>9</b>	<b>8</b>	<b>19</b>	<b>18</b>	<b>11</b>	<b>14</b>	<b>21</b>	<b>13</b>	<b>31</b>	<b>26</b>	<b>22</b>	<b>75</b>
Males.....	198	5	8	3	5	5	9	7	9	9	16	8	27	21	18	53
Females.....	84	2	2	2	4	3	10	11	2	5	5	5	4	5	4	22
Bright's disease.....	{M 137 F 70			{M 3 F 2	{M 3 F 3	{M 4 F 3	{M 4 F 10	{M 5 F 6	{M 5 F 2	{M 8 F 4	{M 13 F 4	{M 7 F 5	{M 23 F 4	{M 16 F 5	{M 14 F 4	{M 32 F 18
Calculus, urinary.....	{M 2 F 2		{M 1 F 1													
Diseases of the kidney.....	{M 23 F 3	{M 3 F 2	{M 5 F 2		{M 1 F 1		{M 3 F 1	{M 1 F 1					{M 2 F 2		{M 2 F 1	{M 8 F 1
Diseases of the bladder.....	{M 11 F 1									{M 1 F 1		{M 1 F 1			{M 1 F 1	{M 7 F 1
Others of this class.....	{M 25 F 10	{M 2 F 7	{M 2 F 11		{M 1 F 1	{M 1 F 1	{M 2 F 5	{M 1 F 5	{M 2 F 1	{M 1 F 1	{M 3 F 1		{M 1 F 1	{M 4 F 1		{M 6 F 2
<b>7. Diseases of the female organs of generation.</b>	<b>26</b>					<b>1</b>	<b>5</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>1</b>	<b>4</b>		<b>1</b>		<b>2</b>
Ovarian tumors.....	4						1			1		1				1
Ovarian diseases.....	1						1									
Diseases of the tubes.....	2								1	1						
Uterine tumors.....	6								1	1	1	2		1		
Uterine diseases.....	5					1	1	1	1							1
Others of this class.....	8						2	2	1	2		1				

## CAUSE, SEX, AND AGE.

527

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

COLORADO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	64					6	14	12	11	14	4					3
Abortion .....	11						4	4	2	1						
Childbirth .....	29					4	6	4	6	7	2					
Puerperal septiemia .....	13					1	1	4	3	2	1					1
Extra-uterine pregnancy .....	2									1	1					
Others of this class .....	9					1	3			3						2
9. Diseases of the bones and joints.	11	2	3				1				1		1	1		4
Males .....	6	1	1											1		4
Females .....	5	1	2				1				1		1	1		
Diseases of the spine <small>(M)</small> .....	3	1	1											1		1
Abscess, lumbar and psoas. <small>(F)</small> .....	2	1	1													
Diseases of the bones <small>(M)</small> .....	2															2
Diseases of the hip-joint. <small>(F)</small> .....	1						1									
Others of this class <small>(M)</small> .....	1															1
Others of this class <small>(F)</small> .....	1												1			
10. Diseases of the skin .....	18	2	4		1		1		1	2	1	2		1	1	4
Males .....	9	1	2		1					1		1		1		3
Females .....	9	1	2				1		1	1	1	1			1	1
Abscess <small>(M)</small> .....	5	1	1		1		1			1	1	1				2
Abscess <small>(F)</small> .....	5	1	1				1				1	1				1
Carbuncle <small>(M)</small> .....																
Carbuncle <small>(F)</small> .....																
Others of this class <small>(M)</small> .....	3	1	1						1	1				1		1
Others of this class <small>(F)</small> .....	4		1												1	
11. Diseases of the absorbent system.	1									1						
Males .....	1															
Females .....																
Addison's disease <small>(M)</small> .....																
Addison's disease <small>(F)</small> .....																
Diseases of the spleen <small>(M)</small> .....	1									1						
Diseases of the spleen <small>(F)</small> .....																
Others of this class <small>(M)</small> .....																
Others of this class <small>(F)</small> .....																
12. Accidents and injuries.	711	27	75	35	36	41	61	80	70	72	65	48	39	23	14	57
Males .....	584	14	41	30	28	33	47	69	64	60	57	38	35	22	12	48
Females .....	127	13	34	5	8	8	14	11	6	12	8	5	4	1	2	9
Burns and scalds <small>(M)</small> .....	10	1	5	3						1						1
Burns and scalds <small>(F)</small> .....	10		3	1	2	1		1		1		1				
Drowning <small>(M)</small> .....	33	1	14	5	5	3		3	2					1		
Drowning <small>(F)</small> .....	7		6	5	1	3										
Exposure and neglect <small>(M)</small> .....	13	3	4		3	1			1	1				1	1	1
Exposure and neglect <small>(F)</small> .....	1		1													
Gunshot wounds <small>(M)</small> .....	51		1	2	2	4	6	12	9	4	6	1	1	2		1
Gunshot wounds <small>(F)</small> .....	11		1		3	3		1		2	1					
Homicide <small>(M)</small> .....	18		1		2	1		2	4	3	1	1	1			2
Homicide <small>(F)</small> .....	1				1											
Infanticide <small>(M)</small> .....																
Infanticide <small>(F)</small> .....																
Injuries by machinery <small>(M)</small> .....	8					1	1			4		1		1		
Injuries by machinery <small>(F)</small> .....																
Railroad accidents <small>(M)</small> .....	71	1	1	7	5	2	4	12	6	7	8	5	7		1	6
Railroad accidents <small>(F)</small> .....	6			3	3		2				1					
Suffocation <small>(M)</small> .....	12	3	4	1				1	1	1	1		1			2
Suffocation <small>(F)</small> .....	11	6	9				1	1								
Suicide by shooting <small>(M)</small> .....	11						2	1	3	2		1		1	1	
Suicide by shooting <small>(F)</small> .....	5						2		1		2					
Suicide by drowning <small>(M)</small> .....	1										1					
Suicide by drowning <small>(F)</small> .....																
Suicide by poison <small>(M)</small> .....	6								2	1	1	2				
Suicide by poison <small>(F)</small> .....	9					1	1	1	2	1	1	1			1	
Other suicides <small>(M)</small> .....	22				1	2	2	2	2		4	3	2	2	1	3
Other suicides <small>(F)</small> .....	4									1		1		1		
Sunstroke <small>(M)</small> .....	2															2
Sunstroke <small>(F)</small> .....																
Surgical operations <small>(M)</small> .....	2						1	1	1							1
Surgical operations <small>(F)</small> .....	5	1	1								1					
Wounds <small>(M)</small> .....	3						1		1		1	1	1	1		1
Wounds <small>(F)</small> .....	1			1					1		1					1
Others of this class <small>(M)</small> .....	316	5	11	12	11	20	31	36	32	35	33	23	22	13	8	29
Others of this class <small>(F)</small> .....	56	6	13	3		2	4	6	3	7	3	2	4		1	3



CAUSE, SEX, AND AGE.

529

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DELAWARE—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D	562	16	35	8	22	28	63	45	50	40	36	34	33	30	30	110
Males	290	10	19	4	6	10	25	24	28	15	20	24	16	20	15	64
Females	272	6	14	4	16	18	38	21	22	25	16	10	17	10	15	46
Anemia	M 1 F 5	1	1	2			1								1	1
Diabetes	M 4 F 4					1			1		1			1	1	1
Rheumatism	M 8 F 9		1	2	1		1				1	1		1	1	3
Scrofula and tabes	M 4 F 4	2	4					1								1
Hydrocephalus	M 4 F 1	2	4													
Tuberculosis, general	M F															
Consumption	M 198 F 184	4 5	9 10	4	5 15	9 17	23 34	24 20	25 21	14 23	14 10	18 3	9 3	12 4	8 2	24 22
Cancer	M 37 F 38	1	1			1			1	1	4 5	4 5	1 10	5 2	1 5	18 10
Tumor	M 4 F 9						1			1		1	1		2	2 3
Dropsy	M 29 F 18		1				1		1		1	1	5 3	1 3	5 1	15 8
Others of this group	M 1 F															1
2. Diseases of the nervous system	430	78	131	16	4	12	2	3	3	11	8	16	18	22	33	151
Males	238	47	79	9	2	6	1	3	2	7	6	9	11	15	15	73
Females	192	31	52	7	2	6	1		1	4	2	7	7	7	18	78
Inflammation of the brain	M 12 F 8	3 5	10 7			1										1
Meningitis	M 37 F 36	7 14	20 24	3 4	1	3		1	1	4 1	1	1 2	1 1			1 2
Apoplexy	M 47 F 47	1	1			1				2 2	2 3	3 3	4 2	6 2	3 9	28 26
Paralysis	M 65 F 56	1	2 2	4		1			1		3		4 2	4 3	10 7	37 40
Paralysis, general (of insane)	M F															
Tetanus and trismus nascentium	M 1 F 1	1 1	1 1													
Chorea	M F															
Epilepsy	M 2 F 3	1 1	2 1	1		1										
Convulsions	M 48 F 22	31 8	39 15	2 2	1	1	1				1	3 1		2	1	1
Mental diseases	M 2 F 1										1					1 1
Diseases of the brain	M 18 F 13	2 2	4 2		1	1		2				2 1	1 1	2	1 1	6 5
Diseases of the spinal cord	M 2 F 2				1									1	1	1
Locomotor ataxia	M 3 F									1			1	1		
Others of this class	M 1 F 3					1							1			2
3. Diseases of the circulatory system	255	24	27	8	6	3	5	4	6	5	20	9	19	14	24	105
Males	142	14	16	4	4	1	2	3	5	5	8	5	12	10	15	52
Females	113	10	11	4	2	2	3	1	1		12	4	7	4	9	53
Pericarditis	M 1 F															1
Diseases of the heart	M 122 F 105	4 9	6 10	4 4	4 2	1 2	2 2	2 1	5	5	7 11	4 3	12 7	10 3	15 9	45 51
Angina pectoris	M 5 F 5						1				1	1		1		4 2
Diseases of the arteries	M F															
Aneurism	M 2 F							1								1
Embolism	M 2 F 2											1				1
Others of this class	M 10 F 1	10 1	10 1													

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DELAWARE—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	432	102	188	20	6	9	10	10	8	17	13	13	16	16	25	86
Males.....	237	65	107	10	8	3	5	7	6	7	8	9	7	10	10	45
Females.....	195	37	76	10	8	6	5	3	2	10	5	4	9	6	15	41
Croup.....	(M.. 18 F.. 15)	(4 4)	(15 12)	(3 2)												1
Pneumonia.....	(M.. 172 F.. 132)	(50 21)	(76 46)	(5 7)	(1 2)	(3 6)	(4 2)	(4 2)	(6 1)	(6 10)	(6 5)	(6 2)	(7 7)	(7 4)	(7 11)	(34 27)
Laryngitis.....	(M.. F..)															
Bronchitis.....	(M.. 22 F.. 26)	(10 8)	(13 12)	(1 1)	(1 1)		(1 2)	(1 1)			(1 1)	(1 1)	(1 1)			(7 7)
Pleurisy.....	(M.. 3 F.. 1)				(1 1)			(1 1)						(1 1)		(1 1)
Asthma.....	(M.. 3 F.. 5)											(1 1)	(1 1)	(1 1)		(1 1)
Others of this class.....	(M.. 19 F.. 16)	(1 4)	(3 6)	(2 2)	(1 1)		(1 1)	(2 1)		(1 1)	(1 1)	(2 2)	(1 2)	(1 1)	(3 1)	(3 5)
<b>5. Diseases of the digestive system.</b>	138	32	44	5	5	5	9		8	8	6	6	7	10	2	23
Males.....	70	19	24	1	2	1	1		3	4	5	4	4	6		15
Females.....	68	13	20	4	3	4	8		5	4	1	2	3	4	2	8
Dentition.....	(M.. 4 F.. 1)	(3 1)	(4 1)													
Angina.....	(M.. 4 F.. 2)	(1 1)	(3 1)							(1 1)						(1 1)
Gastritis.....	(M.. 11 F.. 22)	(3 5)	(3 9)	(1 2)	(1 1)		(1 1)		(1 2)	(2 2)		(1 1)		(2 2)	(2 2)	(3 2)
Diseases of the stomach.....	(M.. 10 F.. 2)	(2 1)	(3 1)						(1 1)			(1 1)	(2 1)			(3 1)
Obstruction of the bowels.....	(M.. 6 F.. 6)	(1 1)	(1 1)		(1 1)	(1 1)						(2 1)	(1 1)	(1 1)		(1 2)
Appendicitis.....	(M.. 4 F.. 6)				(1 1)	(1 1)	(3 3)			(1 1)				(1 1)		(3 1)
Hernia.....	(M.. 4 F.. 2)	(2 2)	(2 2)										(1 1)	(1 1)		(1 1)
Other diseases of the bowels.....	(M.. 3 F.. 4)	(1 1)	(1 1)		(1 1)				(1 1)		(1 1)		(1 1)	(1 1)		
Jaundice.....	(M.. 4 F.. 1)	(3 1)	(3 1)													(1 1)
Inflammation and abscess of the liver.....	(M.. 2 F.. 1)		(1 1)													(2 1)
Other diseases of the liver.....	(M.. 10 F.. 5)					(1 1)	(1 1)		(2 2)	(3 3)		(2 2)	(2 2)	(3 1)		
Peritonitis.....	(M.. 4 F.. 11)	(1 2)	(1 2)			(1 1)	(3 3)		(3 3)	(1 1)	(1 1)					
Ascites.....	(M.. 1 F.. 1)					(1 1)										(1 1)
Others of this class.....	(M.. 3 F.. 4)	(3 2)	(3 2)	(2 2)												
<b>6. Diseases of the urinary system and male organs of generation.</b>	127		3	1	2	5	4	7	4	7	14	7	5	13	8	47
Males.....	78		2	1	1	2	1	5	2	3	6	4	2	9	6	34
Females.....	49		1		1	3	3	2	2	4	8	3	3	4	2	13
Bright's disease.....	(M.. 59 F.. 41)			(1 1)		(2 3)	(1 2)	(2 2)	(2 1)	(3 4)	(5 8)	(3 2)	(2 3)	(7 4)	(5 1)	(26 11)
Calculus, urinary.....	(M.. 3 F.. 1)						(1 1)									(2 1)
Diseases of the kidney.....	(M.. 3 F.. 4)		(2 1)		(1 1)			(2 1)			(1 1)	(1 1)				(1 2)
Diseases of the bladder.....	(M.. 3 F.. 1)															(3 1)
Others of this class.....	(M.. 5 F.. 3)				(1 1)			(1 1)	(1 1)			(1 1)		(1 1)	(1 1)	(2 1)
<b>7. Diseases of the female organs of generation.</b>	6					2					2	1				1
Ovarian tumors.....	2					2										
Ovarian diseases.....																
Diseases of the tubes.....																
Uterine tumors.....	1															
Uterine diseases.....	1															
Others of this class.....	2											(1 1)				(1 1)









VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

FLORIDA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	598	147	252	28	14	26	34	34	23	14	20	11	27	23	29	68
Males.....	336	80	142	16	9	11	25	18	14	5	11	6	19	8	18	34
Females.....	262	67	110	12	5	15	9	16	9	9	9	5	8	15	11	29
Croup.....	34	20	31	3												
Pneumonia.....	224	39	77	9	7	9	24	17	12	5	9	5	13	6	12	19
Laryngitis.....	2	1	1					1								
Bronchitis.....	31	7	16	1		1	1				1		4			7
Pleurisy.....	11	2	2	1	2										1	3
Asthma.....	7		1										1		2	5
Others of this class.....	27	11	14	2		1	1	1	2		1	1	1		2	3
<b>5. Diseases of the digestive system.</b>	383	102	175	17	11	12	11	17	15	22	17	15	16	14	14	27
Males.....	202	42	78	7	5	9	6	7	8	12	12	9	13	12	10	14
Females.....	181	60	97	10	6	3	5	10	7	10	5	6	3	2	4	13
Dentition.....	21	2	21													
Angina.....	2	1	2													
Gastritis.....	24	4	9	1			1	2		2	1	1	4	1	2	4
Diseases of the stomach.....	12	2	3	1		1				2	1	1	1	1	1	2
Obstruction of the bowels.....	10	2	2	1	2	1	1				1			2		2
Appendicitis.....	8					4	1	1			1	1				
Hernia.....	6							1	1	1			1	1		2
Other diseases of the bowels.....	11	5	6					1	1		1		1	1		1
Jaundice.....	7	2	2	1			1			1						2
Inflammation and abscess of the liver.....	17	1	1	1			1	2	2	1	1	2	2	1	1	2
Other diseases of the liver.....	18	2	3	2	1	1	1	2	4	5	4		2	3	2	2
Peritonitis.....	13	2	2	1	3	1	1	1		1	1	3				2
Ascites.....	8	2	3										1	1	1	1
Others of this class.....	35	19	24	1		1			1	1		1	1	1	3	1
<b>6. Diseases of the urinary system and male organs of generation.</b>	174	3	9	5	2	3	5	10	12	13	13	15	7	19	11	50
Males.....	107	2	5	3	1		1	6	5	7	4	7	5	11	7	45
Females.....	67	1	4	2	1	3	4	4	7	6	9	8	2	8	4	5
Bright's disease.....	60			2	1		1	4	2	3	3	4	4	5	4	27
Calculus, urinary.....	42			1	1	2	2	2	5	5	3	6	1	7	3	4
Diseases of the kidney.....	6							1				1		1		3
Diseases of the bladder.....	19	2	4	1					1	2		2		2	1	6
Others of this class.....	11	1	4	1			1	1	1		2		1			5
<b>7. Diseases of the female organs of generation.</b>	21					1	5	1	4	3	3	4				
Ovarian tumors.....																
Ovarian diseases.....	1						1									
Diseases of the tubes.....												1				
Uterine tumors.....	1															
Uterine diseases.....	8						3		1	3	1					
Others of this class.....	11						1	1	1	3	2	3				

CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

FLORIDA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un-known.
8. Affections connected with pregnancy.	106					20	24	19	20	16	2	2				8
Abortion	5					1	1	1	1	1						
Childbirth	70					13	14	12	15	11	2	2				1
Puerperal septicemia	17					4	5	3	3	2						
Extra-uterine pregnancy	2								1							1
Others of this class	12					2	4	3		2						1
9. Diseases of the bones and joints.	5	2	2	1					1	1						
Males	1									1						
Females	4	2	2	1					1							
Diseases of the spine	M 4	2	2	1												
Abscess, lumbar and psoas	M 1															
Diseases of the bones	M 1									1						
Diseases of the hip joint	M 1															
Others of this class	M 1															
10. Diseases of the skin	26	8	14		1				1	2	2	2	3	1		
Males	17	5	8		1				1	1	2	1	2	1		
Females	9	3	6							1	1	1	1	1		
Abscess	M 8	1	2		1				1	1	2		1			
Carbuncle	M 1									1		1				
Others of this class	M 8	4	6									1	1	1		
11. Diseases of the absorbent system.	1								1							
Males	1															
Females	1								1							
Addison's disease	M 1															
Diseases of the spleen	M 1								1							
Others of this class	M 1															
12. Accidents and injuries.	443	31	87	21	25	46	45	32	35	32	19	19	16	15	9	42
Males	344	18	52	13	17	40	35	29	33	28	16	18	12	14	8	29
Females	99	13	35	8	8	6	10	3	2	4	3	1	4	1	1	13
Burns and scalds	M 36		23	4	5	4			1	1	1	1				2
Drowning	M 53		6	2	6	5	8	4	4	5	2	3	2	2		4
Exposure and neglect	M 7		5									1				1
Gunshot wounds	M 74		1		5	9	8	6	17	9	6	3	4		2	4
Homicide	M 32					4	5	1	5	5	4	1	2	1	1	4
Infanticide	M 1															1
Injuries by machinery	M 1											1				
Railroad accidents	M 28				1	7	2	8	1			4	2	1	1	1
Suffocation	M 9		5	7			1	1								
Suicide by shooting	M 1													1		
Suicide by drowning	M 1														1	
Suicide by poison	M 1							1								
Other suicides	M 7						2	1		2		1	1			
Sunstroke	M 2							1	1							
Surgical operations	M 1														1	
Wounds	M 2						1									1
Others of this class	M 89	8	10	7	5	11	8	7	5	6	3	3	1	6	4	13
	F 28	7	10	3	2	1	3	1				1	1		1	5





## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

GEORGIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	<b>3,887</b>	<b>1,141</b>	<b>1,936</b>	<b>125</b>	<b>89</b>	<b>164</b>	<b>205</b>	<b>187</b>	<b>181</b>	<b>128</b>	<b>127</b>	<b>106</b>	<b>122</b>	<b>83</b>	<b>115</b>	<b>419</b>
Males.....	2,080	609	1,025	54	44	100	117	74	71	62	74	67	60	56	56	220
Females.....	1,807	532	911	71	45	64	88	63	60	66	53	39	62	27	59	199
Croup.....	{M. 379 F. 307	{M. 254 F. 202	{M. 363 F. 290	{M. 13 F. 10	{M. 1 F. 1			{M. 1 F. 2						{M. 1 F. 1		{M. 1 F. 2
Pneumonia.....	{M. 1,400 F. 1,198	{M. 293 F. 261	{M. 551 F. 501	{M. 37 F. 54	{M. 33 F. 40	{M. 91 F. 57	{M. 108 F. 75	{M. 63 F. 43	{M. 61 F. 51	{M. 57 F. 56	{M. 64 F. 45	{M. 53 F. 80	{M. 47 F. 49	{M. 44 F. 21	{M. 41 F. 38	{M. 150 F. 138
Laryngitis.....	{M. 6 F. 3	{M. 2 F. 2	{M. 3 F. 3						{M. 1 F. 1			{M. 1 F. 1				
Bronchitis.....	{M. 181 F. 143	{M. 41 F. 40	{M. 76 F. 78	{M. 2 F. 4	{M. 3 F. 3	{M. 3 F. 4	{M. 4 F. 4	{M. 3 F. 5	{M. 5 F. 4	{M. 1 F. 2	{M. 2 F. 2	{M. 3 F. 3	{M. 4 F. 2	{M. 1 F. 2	{M. 4 F. 7	{M. 20 F. 25
Pleurisy.....	{M. 49 F. 48	{M. 1 F. 1	{M. 4 F. 4	{M. 1 F. 1	{M. 5 F. 1	{M. 2 F. 3	{M. 1 F. 4	{M. 1 F. 5	{M. 2 F. 2	{M. 1 F. 2	{M. 1 F. 2	{M. 3 F. 3	{M. 4 F. 2	{M. 2 F. 2	{M. 4 F. 6	{M. 21 F. 13
Asthma.....	{M. 42 F. 42	{M. 4 F. 1	{M. 5 F. 3	{M. 1 F. 1	{M. 1 F. 1		{M. 1 F. 1	{M. 2 F. 3	{M. 1 F. 1	{M. 2 F. 3	{M. 2 F. 3	{M. 3 F. 4	{M. 2 F. 2	{M. 5 F. 2	{M. 5 F. 5	{M. 14 F. 14
Others of this class.....	{M. 73 F. 66	{M. 15 F. 25	{M. 23 F. 32	{M. 2 F. 2	{M. 4 F. 4	{M. 3 F. 1	{M. 5 F. 4	{M. 4 F. 5	{M. 2 F. 1	{M. 2 F. 3	{M. 2 F. 2	{M. 4 F. 3	{M. 2 F. 2	{M. 6 F. 3	{M. 2 F. 3	{M. 14 F. 7
<b>5. Diseases of the digestive system.</b>	<b>1,835</b>	<b>478</b>	<b>948</b>	<b>59</b>	<b>36</b>	<b>46</b>	<b>71</b>	<b>64</b>	<b>51</b>	<b>66</b>	<b>66</b>	<b>65</b>	<b>47</b>	<b>46</b>	<b>59</b>	<b>211</b>
Males.....	981	257	485	31	21	14	29	28	30	25	29	32	30	24	33	120
Females.....	904	221	463	28	15	32	42	36	21	41	37	33	17	22	26	91
Dentition.....	{M. 183 F. 210	{M. 69 F. 71	{M. 182 F. 210													1
Angina.....	{M. 28 F. 32	{M. 14 F. 4	{M. 24 F. 11	{M. 1 F. 6	{M. 2 F. 2			{M. 2 F. 2			{M. 3 F. 3	{M. 1 F. 1				{M. 1 F. 2
Gastritis.....	{M. 119 F. 109	{M. 23 F. 16	{M. 48 F. 29	{M. 6 F. 5	{M. 3 F. 3	{M. 2 F. 5	{M. 2 F. 10	{M. 7 F. 7		{M. 4 F. 4	{M. 6 F. 4	{M. 10 F. 7	{M. 7 F. 3	{M. 6 F. 8	{M. 8 F. 6	{M. 19 F. 13
Diseases of the stomach.....	{M. 36 F. 37	{M. 6 F. 10	{M. 13 F. 18	{M. 1 F. 1		{M. 2 F. 1	{M. 1 F. 4	{M. 1 F. 2	{M. 1 F. 2	{M. 3 F. 2	{M. 4 F. 2	{M. 1 F. 1			{M. 4 F. 1	{M. 4 F. 5
Obstruction of the bowels.....	{M. 24 F. 20	{M. 1 F. 2	{M. 4 F. 2		{M. 1 F. 2		{M. 2 F. 4	{M. 2 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 2 F. 2	{M. 2 F. 2				{M. 3 F. 4
Appendicitis.....	{M. 37 F. 19	{M. 1 F. 2	{M. 2 F. 3	{M. 3 F. 2	{M. 8 F. 2	{M. 3 F. 4	{M. 4 F. 3	{M. 5 F. 3	{M. 2 F. 1	{M. 1 F. 2	{M. 3 F. 2	{M. 1 F. 2	{M. 1 F. 2	{M. 1 F. 1		{M. 3 F. 1
Hernia.....	{M. 23 F. 13	{M. 2 F. 3							{M. 1 F. 2	{M. 2 F. 2	{M. 3 F. 2	{M. 2 F. 2				{M. 2 F. 2
Other diseases of the bowels.....	{M. 78 F. 56	{M. 22 F. 15	{M. 41 F. 23	{M. 2 F. 1		{M. 1 F. 3	{M. 3 F. 2	{M. 3 F. 1	{M. 3 F. 4	{M. 2 F. 3	{M. 1 F. 3	{M. 1 F. 2	{M. 2 F. 2			{M. 3 F. 8
Jaundice.....	{M. 49 F. 41	{M. 31 F. 21	{M. 36 F. 22		{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 3	{M. 1 F. 3	{M. 4 F. 1							{M. 1 F. 5
Inflammation and abscess of the liver.....	{M. 35 F. 29	{M. 2 F. 4	{M. 4 F. 6	{M. 1 F. 1	{M. 2 F. 1	{M. 1 F. 1	{M. 2 F. 1	{M. 2 F. 1	{M. 5 F. 4	{M. 2 F. 4	{M. 1 F. 2	{M. 2 F. 3				{M. 4 F. 7
Other diseases of the liver.....	{M. 50 F. 40	{M. 7 F. 6	{M. 10 F. 11	{M. 3 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 2 F. 2	{M. 3 F. 1	{M. 3 F. 2	{M. 2 F. 1	{M. 2 F. 5	{M. 3 F. 2	{M. 3 F. 3			{M. 9 F. 7
Peritonitis.....	{M. 46 F. 70	{M. 2 F. 4	{M. 7 F. 8	{M. 5 F. 2	{M. 3 F. 2	{M. 3 F. 9	{M. 6 F. 15	{M. 6 F. 6	{M. 1 F. 1	{M. 1 F. 9		{M. 3 F. 4				{M. 6 F. 4
Ascites.....	{M. 40 F. 42				{M. 2 F. 3	{M. 1 F. 1	{M. 4 F. 2	{M. 1 F. 2	{M. 1 F. 2	{M. 3 F. 3	{M. 2 F. 3	{M. 2 F. 3				{M. 16 F. 10
Others of this class.....	{M. 183 F. 186	{M. 77 F. 70	{M. 109 F. 113	{M. 9 F. 7	{M. 3 F. 1	{M. 1 F. 3	{M. 3 F. 6	{M. 2 F. 4	{M. 3 F. 3			{M. 3 F. 6				{M. 26 F. 21
<b>6. Diseases of the urinary system and male organs of generation.</b>	<b>607</b>	<b>17</b>	<b>42</b>	<b>13</b>	<b>6</b>	<b>16</b>	<b>26</b>	<b>26</b>	<b>30</b>	<b>36</b>	<b>29</b>	<b>46</b>	<b>42</b>	<b>53</b>	<b>50</b>	<b>192</b>
Males.....	419	12	26	9	4	8	13	17	13	19	18	31	27	38	40	156
Females.....	188	5	16	4	2	8	13	9	17	17	11	15	15	15	10	36
Bright's disease.....	{M. 252 F. 130			{M. 4 F. 3	{M. 3 F. 1	{M. 5 F. 6	{M. 8 F. 9	{M. 12 F. 7		{M. 9 F. 18	{M. 15 F. 10	{M. 14 F. 9	{M. 23 F. 13	{M. 17 F. 11	{M. 29 F. 11	{M. 22 F. 8
Calculus, urinary.....	{M. 21 F. 5	{M. 1 F. 1	{M. 2 F. 3	{M. 2 F. 1												11
Diseases of the kidney.....	{M. 59 F. 23	{M. 9 F. 2	{M. 22 F. 8	{M. 3 F. 1		{M. 2 F. 1	{M. 1 F. 3	{M. 3 F. 1	{M. 2 F. 1			{M. 1 F. 1				{M. 15 F. 3
Diseases of the bladder.....	{M. 41 F. 4					{M. 1 F. 1	{M. 1 F. 1			{M. 1 F. 1						{M. 25 F. 1
Others of this class.....	{M. 46 F. 26	{M. 2 F. 1	{M. 2 F. 4							{M. 1 F. 3	{M. 1 F. 6	{M. 3 F. 2				{M. 19 F. 3
<b>7. Diseases of the female organs of generation.</b>	<b>103</b>				<b>4</b>	<b>9</b>	<b>8</b>	<b>7</b>	<b>5</b>	<b>15</b>	<b>16</b>	<b>16</b>	<b>10</b>	<b>5</b>	<b>1</b>	<b>7</b>
Ovarian tumors.....	7									2		2	1	1		1
Ovarian diseases.....	5					1	1	1		1				1		
Diseases of the tubes.....	2					1		1								
Uterine tumors.....	13								2	3	4	2	1			1
Uterine diseases.....	24					1	1	2	2	7	2		3	2	1	3
Others of this class.....	52				4	6	6	3	1	2	10	12	5	1		2



CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

GEORGIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>8. Affections connected with pregnancy.</b>	374				2	68	108	74	49	51	22	6				4
Abortion .....	19					3	2	5	4	3	1					1
Childbirth .....	242				2	45	62	38	33	39	15	5				3
Puerperal septicemia .....	87					12	28	27	8	8	3	1				
Extra-uterine pregnancy .....	4						1	1	1		1					
Others of this class .....	22					3	10	3	3	1	2					
<b>9. Disease of the bones and joints.</b>	61	10	25	7	2	6	3	4	1	2		1	2	2	1	5
Males .....	32	4	13	4	2	3	2	3		1				1	1	2
Females .....	29	6	12	3	3	3	1	1	1			1	2	1		3
Disease of the spine .....	18	4	10	1	1	2		2		1				1		
{M. . . . .	20	6	12	2		1	1			1		1	1	1		
{F. . . . .																
Abscess, lumbar and psoas .....	1												1			
{M. . . . .	7		2	2			1	1								
{F. . . . .	4															
Diseases of the bones .....	1		1													1
{M. . . . .	1															
{F. . . . .	1															
Others of this class .....	6			1	1	1	1									2
{M. . . . .	3			1					1							1
{F. . . . .																
<b>10. Diseases of the skin.</b>	73	15	24	1	4	4	3	3	5	3	4	3	6	1	5	7
Males .....	30	7	9	1	3	1	2		3	1	2	2	3		2	2
Females .....	43	8	15		1	3	1	3	2	2	2	1	3	1	3	5
Abscess .....	13	1	1		2	1	1		2	1	1	1	1		1	1
{M. . . . .	12	3	5					1		1	1	2	1		1	
{F. . . . .	5		1		1	1				1	1		1			1
Carbuncle .....	12		1			1	1	2		1	1				1	4
{M. . . . .	12		1			1	1			1	1				1	
{F. . . . .	19	6	7	1		1			1				1		1	1
Others of this class .....	12	5	9		1	2			2				2	1	1	1
{M. . . . .	11	1	3	1			2			2		1		1		1
{F. . . . .																
<b>11. Diseases of the absorbent system.</b>	11	1	3	1			2			2		1		1		1
Males .....	7	1	2	1			1			2						1
Females .....	4		1				1					1		1		
Addison's disease .....	1						1									
{M. . . . .	2						1			1						
{F. . . . .	5	1	2	1						1						1
Diseases of the spleen .....	3		1									1		1		
{M. . . . .	3		1									1		1		
{F. . . . .																
<b>12. Accidents and injuries.</b>	1,506	207	452	109	77	123	174	187	80	54	41	60	48	24	25	102
Males .....	1,027	104	229	49	47	101	145	116	69	44	32	52	42	18	21	62
Females .....	479	103	223	60	30	22	29	21	11	10	9	8	6	6	4	40
Burns and scalds .....	155	13	106	22	3	2	7	3	2	2		1	3			6
{M. . . . .	216	8	102	48	14	7	11	6	2	4	3	2	4	2	2	9
{F. . . . .	66		4	8	4	12	13	10	4	3		2	1	1	3	1
Drowning .....	18	1	8		3	1	2	1	1		1			1		
{M. . . . .	19	10	11	1					3							4
{F. . . . .	26	18	18			2	1								1	4
Gunshot wounds .....	181	1	4	5	14	25	39	26	17	12	8	9	8	2	3	9
{M. . . . .	27	1	2	2	7	5	4	4	2		1					
{F. . . . .	98				3	8	23	23	5	8	5	4	11	1		7
Homicide .....	11			1	1	2	3	3								1
{M. . . . .	3	3	3													
{F. . . . .																
Infanticide .....																
Injuries by machinery .....	12					3	2	2	2			1	1			1
{M. . . . .	82				3	12	20	13	8	8	4	5	3	1	4	1
{F. . . . .	7			1			1			2				1	1	2
Suffocation .....	59	47	50		1		1	1		1		2			1	2
{M. . . . .	53	46	49	1				1							1	2
{F. . . . .	12						3	1			2	2	1	1	1	1
Suicide by shooting .....																
{M. . . . .	1										1					
{F. . . . .	5						3	2								
Suicide by poisoning .....	3						1	2								
{M. . . . .	23					1	3	1	4	3	2	4	1	1	1	2
{F. . . . .	4						1		1	1	1					
Sunstroke .....	14				1	1	3		4			1	1	1	1	1
{M. . . . .	4	1	1				1									2
{F. . . . .	4															
Surgical operations .....	4	1	2						1	1					1	1
{M. . . . .	5	1	1				2									
{F. . . . .	15	2	2	1		1	1		1	1	3	1				3
Wounds .....	2			1												
{M. . . . .	279	27	47	12	18	36	26	34	19	8	8	20	12	10	6	23
{F. . . . .	102	27	42	6	5	4	3	4	4	2	2	5	2	3		20





VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

IDAHO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	217	37	67	10	7	6	7	6	11	9	10	12	10	19	11	32
Males.....	159	25	43	5	2	4	6	4	8	5	10	11	9	15	11	26
Females.....	58	12	24	5	5	2	1	2	3	4	1	1	1	4	1	6
Croup.....	8	2	5	2	1											
Pneumonia.....	134	22	34	3	1	3	5	4	8	4	10	10	8	12	10	22
Laryngitis.....	1													1		
Bronchitis.....	4		2				1							1		
Pleurisy.....	1													1		
Asthma.....	3					1									1	2
Others of this class.....	8	1	2			1				1		1	1			2
5. Diseases of the digestive system.	73	13	17	6	2	5	2	3	3	5	3	3	2	4	2	16
Males.....	49	8	10	4	1	4		2	3	3	1	3	1	4	2	14
Females.....	24	5	7	2	1	1	2	1	3	2	2	1	1	1	1	2
Dentition.....	1		1													
Angina.....	1			1												
Gastritis.....	6		1	2					1	2						2
Diseases of the stomach.....	8	1	2								1			1		4
Obstruction of the bowels.....	3		2							1						
Appendicitis.....	6		1	1		3		1								
Hernia.....	4	2	2									1		1		
Other diseases of the bowels.....	2		1		1							1				
Jaundice.....																
Inflammation and abscess of the liver.....	4	1	1							1				1	1	1
Other diseases of the liver.....	8	1	1										1	1	1	4
Peritonitis.....	4			1		1						1				1
Ascites.....	2						2				1					
Others of this class.....	5	3	3					1								1
6. Diseases of the urinary system and male organs of generation.	37		2	2					2	3	4	1	3	3	5	12
Males.....	31		2	1					2	2	3	1	2	2	5	11
Females.....	6			1						1	1		1	1	1	1
Bright's disease.....	18			1					2	2	2	1	1		3	6
Calculus, urinary.....	6			1						1	1		1			1
Diseases of the kidney.....	6		2										1			3
Diseases of the bladder.....	7										1			2	2	2
Others of this class.....																
7. Diseases of the female organs of generation.	5					1			1		2	1				
Ovarian tumors.....																
Ovarian diseases.....																
Diseases of the tubes.....																
Uterine tumors.....	1										1					
Uterine diseases.....	1								1							
Others of this class.....	3					1					1	1				

# CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

IDAHO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	23					3	4	2	4	6	2	1				1
Abortion	2								1							1
Childbirth	14					2	2	1	3	3	2	1				
Puerperal septicemia	6						2	1		3						
Extra-uterine pregnancy																
Others of this class	1					1										
9. Diseases of the bones and joints.	8	2	4	1	1	1			1							
Males	4	1	3		1											
Females	4	1	1	1		1			1							
Diseases of the spine	4	1	3		1											
Abscess, lumbar and psoas	3	1	1	1		1										
Diseases of the bones									1							
Diseases of the hip-joint	1															
Others of this class																
10. Diseases of the skin	4	1	1					1								2
Males	1															1
Females	3	1	1					1								1
Abscess	3	1	1					1								1
Carbuncle																
Others of this class	1															1
11. Diseases of the absorbent system.	1															
Males	1															
Females	1													1		
Addison's disease																
Diseases of the spleen	1													1		
Others of this class																
12. Accidents and injuries.	113	3	21	9	9	5	7	8	6	9	9	6	4	4	4	12
Males	93	2	9	5	9	5	7	7	6	9	8	5	3	4	4	12
Females	20	1	12	4				1		1	1	1	1			
Burns and scalds	5		3	2	1											
Drowning	12		3	1	3		1	1				1	1			1
Exposure and neglect	2															1
Gunshot wounds	13		1		2	2	2	1		3				1	1	
Homicide	1		1													
Infanticide																
Injuries by machinery																
Railroad accidents	6						2	2	2							
Suffocation	2								1							1
Suicide by shooting	1							1								
Suicide by drowning																
Suicide by poison																
Other suicides	8									1	3		1		1	2
Sunstroke	1														1	
Surgical operations																
Wounds																
Others of this class	47	2	5	4	3	3	2	3	2	5	5	4	1	1	2	7
	5		3	1							1					



CAUSE, SEX, AND AGE.

545

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ILLINOIS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>1. General diseases—Continued.</b>																
General diseases—D.....	10,974	301	623	161	171	557	1,018	1,081	1,007	947	821	736	750	698	640	1,764
Males.....	5,627	172	348	79	60	185	471	508	518	494	457	404	429	395	320	959
Females.....	5,347	129	275	82	111	372	547	573	489	453	364	332	321	303	320	805
Anemia.....	M 68 F 80	M 7 F 2	M 7 F 6	M 1 F 2	M 1 F 2	M 1 F 3	M 1 F 5	M 1 F 4	M 4 F 7	M 2 F 5	M 8 F 7	M 6 F 5	M 7 F 11	M 5 F 4	M 11 F 3	M 13 F 15
Diabetes.....	M 171 F 120	M 1 F 4	M 5 F 4	M 7 F 3	M 9 F 4	M 7 F 5	M 11 F 8	M 4 F 2	M 7 F 5	M 14 F 6	M 8 F 4	M 8 F 4	M 11 F 13	M 15 F 11	M 13 F 15	M 52 F 36
Rheumatism.....	M 145 F 150	M 2 F 2	M 11 F 9	M 4 F 8	M 4 F 11	M 6 F 5	M 6 F 4	M 4 F 2	M 10 F 7	M 5 F 4	M 6 F 8	M 8 F 7	M 12 F 13	M 7 F 10	M 11 F 10	M 51 F 52
Scrofula and tubercles.....	M 89 F 102	M 14 F 19	M 27 F 32	M 5 F 1	M 4 F 4	M 5 F 10	M 8 F 6	M 4 F 6	M 3 F 8	M 4 F 4	M 3 F 4	M 3 F 8	M 7 F 5	M 4 F 2	M 2 F 2	M 14 F 10
Hydrocephalus.....	M 132 F 94	M 52 F 29	M 100 F 64	M 12 F 12	M 5 F 6	M 3 F 1	M 1 F 1	M 4 F 4	M 3 F 3	M 2 F 2	M 1 F 1	M 2 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
Tuberculosis, general.....	M 45 F 44	M 4 F 3	M 8 F 5	M 2 F 2	M 2 F 3	M 3 F 2	M 2 F 7	M 5 F 7	M 4 F 5	M 5 F 2	M 3 F 1	M 4 F 4	M 2 F 2	M 2 F 2	M 1 F 1	M 3 F 3
Consumption.....	M 3,607 F 3,179	M 60 F 56	M 131 F 108	M 35 F 35	M 27 F 71	M 149 F 334	M 427 F 501	M 475 F 523	M 458 F 403	M 418 F 320	M 348 F 210	M 277 F 142	M 245 F 119	M 190 F 99	M 125 F 91	M 302 F 223
Cancer.....	M 988 F 1,164	M 2 F 3	M 3 F 8	M 2 F 6	M 2 F 2	M 2 F 4	M 5 F 4	M 8 F 14	M 17 F 34	M 35 F 76	M 54 F 104	M 77 F 131	M 112 F 184	M 139 F 148	M 126 F 164	M 358 F 337
Tumor.....	M 121 F 151	M 8 F 4	M 14 F 10	M 4 F 5	M 1 F 3	M 6 F 3	M 3 F 7	M 2 F 4	M 6 F 10	M 5 F 20	M 10 F 15	M 8 F 8	M 11 F 10	M 16 F 9	M 11 F 19	M 25 F 27
Dropsy.....	M 244 F 230	M 2 F 1	M 9 F 9	M 4 F 6	M 5 F 5	M 1 F 7	M 6 F 4	M 3 F 4	M 4 F 10	M 3 F 10	M 11 F 9	M 10 F 18	M 20 F 13	M 13 F 18	M 19 F 16	M 136 F 101
Others of this group.....	M 67 F 33	M 20 F 10	M 33 F 20	M 5 F 2	M 6 F 2	M 2 F 1	M 1 F 2	M 2 F 3	M 1 F 1	M 1 F 2	M 5 F 2	M 1 F 2	M 2 F 4	M 4 F 2	M 5 F 1	M 5 F 1
<b>2. Diseases of the nervous system.</b>	7,279	1,745	2,591	242	153	151	137	134	211	259	217	251	293	301	398	1,941
Males.....	4,116	1,020	1,452	117	83	88	74	80	133	159	128	151	173	185	210	1,083
Females.....	3,163	725	1,139	125	70	63	63	54	78	100	89	100	120	116	188	858
Inflammation of the brain.....	M 247 F 205	M 94 F 76	M 166 F 147	M 11 F 15	M 9 F 11	M 8 F 4	M 6 F 6	M 5 F 4	M 8 F 2	M 4 F 1	M 3 F 2	M 4 F 6	M 4 F 1	M 4 F 1	M 2 F 1	M 12 F 6
Meningitis.....	M 735 F 583	M 257 F 175	M 465 F 364	M 70 F 77	M 33 F 28	M 29 F 16	M 20 F 18	M 15 F 14	M 14 F 20	M 24 F 12	M 12 F 7	M 12 F 5	M 8 F 5	M 7 F 5	M 6 F 3	M 20 F 9
Apoplexy.....	M 737 F 512	M 13 F 4	M 18 F 13	M 2 F 2	M 3 F 3	M 1 F 3	M 7 F 8	M 11 F 7	M 19 F 10	M 26 F 18	M 34 F 25	M 46 F 28	M 51 F 39	M 70 F 41	M 78 F 54	M 371 F 262
Paralysis.....	M 691 F 637	M 8 F 4	M 21 F 16	M 6 F 3	M 3 F 3	M 6 F 6	M 4 F 2	M 10 F 3	M 18 F 8	M 25 F 11	M 20 F 20	M 28 F 20	M 37 F 35	M 42 F 36	M 55 F 70	M 416 F 404
Paralysis, general (of insane).....	M 120 F 50	M 5 F 5	M 5 F 5	M 2 F 2	M 1 F 1	M 2 F 2	M 1 F 1	M 16 F 5	M 7 F 5	M 21 F 5	M 12 F 3	M 23 F 4	M 18 F 4	M 7 F 6	M 10 F 4	M 17 F 12
Tetanus and trismus nascentium.....	M 97 F 29	M 35 F 17	M 36 F 17	M 7 F 2	M 15 F 1	M 7 F 3	M 8 F 1	M 3 F 1	M 6 F 1	M 1 F 1	M 1 F 1	M 3 F 3	M 3 F 1	M 5 F 1	M 2 F 1	M 1 F 1
Chorea.....	M 3 F 11	M 1 F 2	M 1 F 2	M 4 F 4	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
Epilepsy.....	M 112 F 78	M 8 F 1	M 11 F 3	M 5 F 2	M 3 F 6	M 19 F 6	M 7 F 3	M 6 F 6	M 12 F 5	M 9 F 7	M 9 F 3	M 8 F 3	M 6 F 3	M 2 F 4	M 6 F 4	M 9 F 13
Convulsions.....	M 651 F 511	M 539 F 396	M 627 F 477	M 2 F 6	M 6 F 4	M 2 F 4	M 1 F 3	M 2 F 2	M 1 F 2	M 1 F 2	M 1 F 2	M 2 F 2	M 2 F 2	M 1 F 1	M 1 F 1	M 6 F 8
Mental diseases.....	M 220 F 146	M 589 F 396	M 627 F 477	M 2 F 6	M 6 F 4	M 2 F 4	M 1 F 3	M 2 F 4	M 7 F 10	M 12 F 21	M 18 F 14	M 7 F 8	M 22 F 7	M 18 F 10	M 21 F 18	M 84 F 48
Diseases of the brain.....	M 335 F 254	M 56 F 46	M 92 F 87	M 11 F 15	M 8 F 9	M 10 F 11	M 9 F 5	M 12 F 8	M 19 F 8	M 17 F 8	M 10 F 3	M 10 F 13	M 15 F 15	M 16 F 6	M 16 F 13	M 90 F 53
Diseases of the spinal cord.....	M 68 F 40	M 10 F 6	M 10 F 12	M 3 F 2	M 3 F 1	M 3 F 1	M 2 F 1	M 2 F 1	M 2 F 3	M 7 F 3	M 2 F 4	M 4 F 4	M 5 F 4	M 8 F 1	M 4 F 6	M 13 F 6
Locomotor ataxia.....	M 37 F 17	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 4 F 3	M 3 F 3	M 3 F 3	M 4 F 2	M 4 F 3	M 4 F 2	M 2 F 2	M 11 F 5
Others of this class.....	M 63 F 95	M 4 F 1	M 5 F 1	M 1 F 1	M 5 F 5	M 1 F 1	M 5 F 3	M 2 F 3	M 4 F 3	M 3 F 3	M 3 F 8	M 2 F 9	M 1 F 5	M 2 F 3	M 6 F 8	M 33 F 31
<b>3. Diseases of the circulatory system.</b>	4,468	181	240	115	112	101	125	134	170	185	241	272	318	361	421	1,673
Males.....	2,430	104	137	55	47	54	56	53	79	103	141	143	180	212	257	903
Females.....	2,038	77	103	60	65	47	69	76	91	82	100	124	138	149	164	770
Pericarditis.....	M 53 F 37	M 1 F 1	M 2 F 1	M 2 F 5	M 4 F 4	M 4 F 1	M 3 F 1	M 4 F 2	M 2 F 1	M 3 F 1	M 4 F 3	M 4 F 2	M 7 F 2	M 3 F 3	M 1 F 2	M 10 F 10
Diseases of the heart.....	M 2,091 F 1,814	M 74 F 62	M 105 F 87	M 53 F 53	M 42 F 60	M 49 F 42	M 52 F 64	M 48 F 64	M 73 F 81	M 89 F 77	M 117 F 90	M 129 F 104	M 152 F 126	M 178 F 130	M 220 F 147	M 784 F 689
Angina pectoris.....	M 99 F 91	M 1 F 1	M 1 F 1	M 1 F 2	M 1 F 1	M 1 F 1	M 1 F 3	M 3 F 5	M 3 F 4	M 5 F 3	M 10 F 4	M 6 F 13	M 13 F 7	M 8 F 9	M 21 F 8	M 31 F 32
Diseases of the arteries.....	M 96 F 35	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 1	M 1 F 2	M 2 F 1	M 4 F 3	M 2 F 3	M 2 F 2	M 9 F 3	M 11 F 3	M 65 F 27
Aneurism.....	M 46 F 18	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 2	M 2 F 1	M 4 F 1	M 5 F 1	M 7 F 1	M 7 F 1	M 11 F 1	M 2 F 2	M 6 F 4
Embolism.....	M 19 F 25	M 4 F 1	M 4 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 3 F 3	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 2	M 3 F 4	M 2 F 2	M 7 F 5
Others of this class.....	M 26 F 18	M 25 F 13	M 26 F 14	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 4	M 4 F 2	M 2 F 2	M 3 F 3

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ILLINOIS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	9,948	2,125	3,873	391	144	214	251	281	306	389	384	348	391	445	481	2,050
Males.....	5,544	1,242	2,154	208	75	124	153	171	174	231	241	228	240	265	257	1,023
Females.....	4,404	883	1,719	183	69	90	98	110	132	158	143	120	151	180	224	1,027
Croup.....	M 305 F 253	M 93 F 75	M 228 F 208	M 65 F 42	M 6 F 5	M 2 F 1	M 1 F 2				1					2
Pneumonia.....	M 3,931 F 3,011	M 721 F 480	M 1,320 F 1,005	M 105 F 112	M 57 F 55	M 104 F 73	M 136 F 77	M 144 F 93	M 151 F 111	M 202 F 128	M 207 F 124	M 197 F 101	M 191 F 125	M 201 F 141	M 203 F 171	M 713 F 695
Laryngitis.....	M 26 F 18	M 3 F 12	M 15 F 12	M 5 F 2	M 3 F 1				1		1				1	3
Bronchitis.....	M 822 F 797	M 351 F 269	M 500 F 412	M 18 F 21	M 4 F 5	M 4 F 4	M 6 F 9	M 8 F 7	M 4 F 5	M 12 F 5	M 11 F 9	M 12 F 15	M 17 F 15	M 26 F 27	M 25 F 36	M 175 F 219
Pleurisy.....	M 90 F 65	M 1 F 3	M 10 F 7	M 2 F 2	M 3 F 1	M 2 F 4	M 3 F 4	M 11 F 5	M 8 F 3	M 6 F 8	M 8 F 3	M 5 F 1	M 7 F 3	M 5 F 2	M 2 F 3	M 18 F 19
Asthma.....	M 97 F 86	M 3 F 1	M 4 F 1		M 1 F 1	M 1 F 1		1		2	2	3	9	14	10	52
Others of this class.....	M 273 F 169	M 65 F 55	M 77 F 74	M 13 F 3	M 2 F 2	M 12 F 3	M 7 F 6	M 7 F 5	M 10 F 8	M 9 F 13	M 11 F 4	M 11 F 2	M 16 F 6	M 19 F 6	M 16 F 4	M 63 F 33
<b>5. Diseases of the digestive system.</b>	3,684	591	837	133	151	144	144	167	161	182	219	195	216	235	207	693
Males.....	2,027	360	495	74	76	78	71	83	81	84	125	111	123	143	120	383
Females.....	1,657	231	342	59	75	66	73	84	80	98	94	84	93	92	87	310
Dentition.....	M 15 F 19	M 10 F 10	M 15 F 19													
Angina.....	M 47 F 39	M 12 F 4	M 29 F 14	M 7 F 11	M 1 F 5	M 1 F 3	M 1 F 1	M 1 F 1	M 5 F 1						1	2
Gastritis.....	M 261 F 217	M 53 F 40	M 80 F 55	M 7 F 9	M 3 F 6	M 5 F 4	M 4 F 7	M 7 F 2	M 7 F 9	M 7 F 11	M 10 F 11	M 19 F 11	M 16 F 10	M 25 F 12	M 17 F 14	M 54 F 61
Diseases of the stomach.....	M 222 F 197	M 47 F 27	M 63 F 48	M 9 F 4	M 6 F 7	M 3 F 6	M 7 F 9	M 6 F 10	M 5 F 5	M 8 F 11	M 9 F 7	M 21 F 9	M 10 F 10	M 15 F 10	M 10 F 14	M 50 F 47
Obstruction of the bowels.....	M 140 F 147	M 21 F 14	M 28 F 20	M 8 F 2	M 3 F 4	M 3 F 4	M 6 F 4	M 5 F 5	M 4 F 11	M 3 F 11	M 8 F 14	M 8 F 11	M 10 F 5	M 8 F 13	M 9 F 7	M 31 F 37
Appendicitis.....	M 297 F 181	M 2 F 7	M 9 F 17	M 21 F 17	M 39 F 32	M 44 F 27	M 36 F 20	M 32 F 14	M 25 F 14	M 24 F 14	M 24 F 8	M 10 F 7	M 6 F 8	M 7 F 5	M 7 F 1	M 12 F 7
Hernia.....	M 78 F 68	M 13 F 4	M 14 F 4		M 1 F 3	M 1 F 2	M 2 F 1	M 1 F 3	M 1 F 2	M 1 F 2	M 8 F 4	M 8 F 5	M 3 F 12	M 6 F 3	M 4 F 9	M 28 F 21
Other diseases of the bowels.....	M 106 F 69	M 26 F 16	M 39 F 23	M 1 F 2	M 3 F 3	M 1 F 2	M 5 F 1	M 3 F 3	M 2 F 2	M 4 F 2	M 4 F 3	M 1 F 1	M 7 F 1	M 7 F 2	M 2 F 4	M 27 F 16
Jaundice.....	M 84 F 74	M 57 F 36	M 61 F 39					1	1		5	1	2	2	4	5
Inflammation and abscess of the liver.....	M 95 F 94	M 6 F 8	M 10 F 13	M 3 F 2	M 3 F 4		M 2 F 2	M 4 F 5	M 7 F 8	M 5 F 5	M 9 F 4	M 2 F 6	M 11 F 6	M 9 F 9	M 11 F 11	M 21 F 19
Other diseases of the liver.....	M 313 F 151	M 7 F 4	M 10 F 5	M 3 F 1	M 2 F 1	M 2 F 1	M 3 F 3	M 7 F 2	M 12 F 7	M 18 F 13	M 30 F 10	M 25 F 17	M 41 F 15	M 43 F 15	M 37 F 12	M 83 F 50
Peritonitis.....	M 147 F 199	M 13 F 8	M 23 F 20	M 9 F 9	M 14 F 10	M 12 F 16	M 6 F 25	M 12 F 28	M 8 F 18	M 9 F 20	M 12 F 17	M 11 F 6	M 9 F 9	M 7 F 9	M 3 F 5	M 12 F 9
Ascites.....	M 23 F 28	M 2 F 1	M 4 F 2		M 1 F 1				1	1	1		2	1	2	7
Others of this class.....	M 199 F 174	M 91 F 59	M 110 F 78	M 4 F 2	M 3 F 3	M 1 F 1	M 2 F 2	M 5 F 6	M 3 F 4	M 4 F 4	M 5 F 12	M 5 F 7	M 6 F 16	M 13 F 9	M 10 F 6	M 32 F 29
<b>6. Diseases of the urinary system and male organs of generation.</b>	2,674	68	136	57	48	42	33	38	181	129	181	180	172	194	273	1,010
Males.....	1,714	39	65	30	28	18	37	38	73	66	83	100	113	122	184	757
Females.....	960	29	71	27	20	24	46	50	58	63	48	80	59	72	89	253
Bright's disease.....	M 1,188 F 728			M 20 F 21	M 22 F 15	M 15 F 15	M 25 F 32	M 33 F 37	M 64 F 45	M 54 F 54	M 68 F 42	M 76 F 69	M 87 F 51	M 95 F 63	M 153 F 78	M 476 F 206
Calculus, urinary.....	M 17 F 5	M 1 F 1					1						3	3	3	7
Diseases of the kidney.....	M 209 F 121	M 25 F 21	M 49 F 59	M 2 F 3	M 4 F 4	M 2 F 6	M 5 F 3	M 1 F 5	M 5 F 5	M 4 F 3	M 4 F 3	M 9 F 3	M 6 F 6	M 8 F 4	M 8 F 6	M 100 F 18
Diseases of the bladder.....	M 118 F 17	M 1 F 1	M 3 F 1	M 1 F 1		M 1 F 1	M 2 F 1	M 2 F 1	M 1 F 1	M 1 F 1	M 2 F 1	M 1 F 1	M 5 F 1	M 4 F 1	M 7 F 1	M 88 F 10
Others of this class.....	M 182 F 89	M 13 F 6	M 13 F 10	M 7 F 3	M 2 F 1		M 5 F 9	M 2 F 11	M 2 F 7	M 6 F 8	M 8 F 3	M 14 F 7	M 12 F 1	M 12 F 5	M 13 F 4	M 86 F 18
<b>7. Diseases of the female organs of generation.</b>	247			1		12	33	38	49	33	30	8	14	5	9	15
Ovarian tumors.....	31			1			2	3	8		3		2	2	3	7
Ovarian diseases.....	18					2	3	2	4	3	2	1	1			
Diseases of the tubes.....	57					5	6	13	17	9	7					
Uterine tumors.....	49						1	4	7	8	11	5	6	1	3	3
Uterine diseases.....	23						6	4	3	6	2		1			1
Others of this class.....	69					5	15	12	10	7	5	2	4	2	3	4









TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

INDIANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	4,332	847	1,584	183	96	106	121	109	123	146	116	145	155	147	229	1,072
Males.....	2,219	466	840	92	44	59	61	55	61	80	58	78	102	81	108	505
Females.....	2,113	381	744	91	52	47	60	54	62	66	58	72	53	66	121	567
Croup.....	164	29	126	35	3	2										1
M.....	164	35	117	32	2											
F.....	164	29	126	35	3	2										1
Pneumonia.....	1,518	292	502	44	36	50	53	44	49	71	50	54	79	62	89	335
M.....	1,401	220	426	41	44	34	49	45	48	52	49	61	41	51	93	367
F.....	19	2	11	3	1	1						1		1		1
Laryngitis.....	20	3	7	4	1	1	1		1					2		3
M.....	256	90	134	5		1	5	4	3	2	1	5	6	7	5	78
F.....	295	80	132	7	2	4	4	4	6	5	6	2	4	7	10	104
Pleurisy.....	33			1		3		2	2	3	4		1	1	4	12
M.....	26	1	1			1	1	1	3				3	3	2	10
F.....	59	2	3	1				2	1		1	1	6	2	2	40
Asthma.....	55	2	2		1								1	1	6	43
M.....	170	51	64	3	4	4	3	3	6	4	2	12	10	8	8	39
F.....	162	40	59	6	2	5	7	4	4	9	3	5	4	5	10	39
5. Diseases of the digestive system.	2,140	302	458	81	75	90	99	107	78	109	82	83	115	131	124	508
Males.....	1,077	174	253	51	50	41	44	34	28	31	36	38	63	68	76	264
Females.....	1,063	128	205	30	25	49	55	73	50	78	46	45	52	63	48	244
Dentition.....	13	5	12													1
M.....	7	1	7													
F.....	38	6	15	10	6	2	2								1	2
Angina.....	29	2	8	8	5	2	1		1	2			1	1		
M.....	153	27	39	6		1	4	1	4	3	4	2	7	12	20	50
F.....	160	15	25	5	1	5	5	10	6	3	3	5	7	13	8	64
Diseases of the stomach.....	129	19	30	6	2	3	2	5	3	1	3	4	9	7	9	45
M.....	123	18	33	1	3	5	6	6	2	9	6	2	7	7	4	32
F.....	91	15	18	5	5	6	3	3	4	4	2	4	6	6	2	23
Obstruction of the bowels.....	73	8	14	2	1	1	1	5	3	3	5	4	7	6	5	16
M.....	103	1	3	4	23	13	16	10	2	6	1	1	5	7	2	7
F.....	42	1	2	3	3	8	7	5	2	2	2	2	2	1	1	4
Hernia.....	30	3	3	1	1	2	3	1		2	1	1		2	3	10
M.....	25	2	2				1		2	2	2		4	4	3	7
F.....	57	16	21	2	2		2	1	1	1	1	2		4		20
Other diseases of the bowels.....	52	17	25	2			2	2	3	2	2		2	1		11
M.....	48	16	18	4		1	3		1		2		4	3	2	10
F.....	33	16	16			1			2	2	1	1	1		3	6
Inflammation and abscess of the liver.....	64	1	2	2	1	1	2	1	5	4	4	2	7	5	8	20
M.....	69	3	7				3	2	2	10	1	7	4	4	7	22
F.....	132	8	9	3		1	1	4	4	3	13	7	10	16	17	44
Other diseases of the liver.....	113	2	3	1		1	2	2	3	7	7	12	9	17	10	39
M.....	96	5	17	7	10	10	4	7	2	2	5	10	6	6	1	9
F.....	216	9	17	4	11	26	26	33	24	32	12	8	4	2	4	13
Ascites.....	15		1						1	2				1		10
M.....	18		1	1	1		2	1			2		2	2		6
F.....	108	52	65	1		1	2	1	1	3		1	6	5	6	16
Others of this class.....	103	34	45	3			6	2	4	4	3	4	2	5	3	26
6. Diseases of the urinary system and male organs of generation.	1,378	44	70	23	18	35	49	40	44	56	57	64	76	107	121	618
Males.....	860	26	37	9	7	13	16	13	20	18	36	29	40	63	81	478
Females.....	518	18	33	14	11	22	33	27	24	38	21	35	36	44	40	140
Bright's disease.....	551			4	6	9	9	8	16	13	29	23	32	44	58	300
M.....	377			11	8	17	22	19	17	31	15	31	30	37	30	109
F.....	3							1								2
Calculus, urinary.....	1	1	1													
M.....	81	11	20	4	1	2	3	1	1	1	2	1	1	6	6	32
F.....	60	9	21	1	2	1	4	1		5	2	1	5	3	3	11
Diseases of the kidney.....	84					1	1	3	1	2	2	2	2	5	8	57
M.....	16	1	1	1			1	2				1		2	1	7
F.....	141	15	17	1		1	3		2	2	3	3	5	8	9	87
Others of this class.....	64	7	10	1	1	4	7	6	5	2	4	2	1	2	6	13
7. Diseases of the female organs of generation.	131	1	2		3	12	8	18	15	18	10	15	7	7	4	12
Ovarian tumors.....	23						2	2	1	1	2	3	2	3	2	5
Ovarian diseases.....	11						2	3	2	1		1		1	1	
Diseases of the tubes.....	4					1			2	1						
Uterine tumors.....	24								3	7	5	4		2		3
Uterine diseases.....	15						3	5	1	4					1	1
Others of this class.....	54	1	2		3	11	1	8	6	4	3	7	5	1		3

CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

INDIANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39.	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	267				1	31	60	71	36	42	22					4
Abortion	26					4	3	6	6	6	1					
Childbirth	75					6	11	17	13	13	14					1
Puerperal septicemia	124					16	38	37	14	13	3					3
Extra-uterine pregnancy	5							1	1	3						
Others of this class	37				1	5	8	10	2	7	4					
9. Diseases of the bones and joints.	111	26	46	4	6	10	8	6	2	3	3	4	2	4	1	12
Males	62	18	28	3	3	5	4	4	2	2	1			1		9
Females	49	8	18	1	3	5	4	2		1	2	4	2	3	1	3
Diseases of the spine	36	17	23	1	1	2	1		1	1	1					5
M.	32	7	17	1	1	4	2	1		1	1			2		2
F.	4															
Abscess, lumbar and psoas	2						2									
M.	2															
F.	4					1					1	1	1			
Diseases of the bones	13		3	1	2	1		2	1							3
M.	6	1	1		1		1				1		1			1
F.	7									1						
Diseases of the hip-joint	4			1		2	1	2		1						
M.	4				1		1	1				1				
F.	4															
Others of this class	4	1	2											1	1	1
M.	3											1		1		
F.	3															
10. Diseases of the skin	54	12	19	4	2	1		1	4	3	3	1		4	3	9
Males	35	7	10	3	2	1			2	2	2			4	2	7
Females	19	5	9	1				1	2	1	1	1			1	2
Abscess	20	2	3	3	2	1			1	1	1			3		5
M.	7	2	3	1					1	1	1					
F.	13															
Carbuncle	5								1	1				1		2
M.	2															1
F.	3															
Others of this class	10	5	7					1	1		1				2	1
M.	10	3	6												1	
F.	10															
11. Diseases of the absorbent system.	32	2	2	4	1	3		2	1	3	1	2	3	3	2	5
Males	18	1	1	4	1	2				1		1	1	2	2	3
Females	14	1	1			1		2	1	2	1	1	2	1	2	2
Addison's disease	3					1				1						1
M.	4									1	1	1	1			
F.	4															
Diseases of the spleen	8			1	1	1						1	1	1	2	1
M.	3								1	1						
F.	5															
Others of this class	7	1	1	3										1		2
M.	7	1	1					2						1		1
F.	7															
12. Accidents and injuries	1,790	157	279	67	95	145	186	124	152	113	95	100	90	65	50	229
Males	1,359	96	169	40	82	118	152	103	125	86	79	86	79	54	41	145
Females	431	61	110	27	13	27	34	21	27	27	16	14	11	11	9	84
Burns and scalds	80	5	44	3	1	7	5	6	4	1	2		2	1	1	3
M.	93	2	32	13	4	7	4	5	5	3	4	2		1	1	12
F.	105		7	15	18	15	15	9	6	2	5	2	2	3	1	5
Drowning	22		2	1	3	5	3	2	1	1		3	1			
M.	9	2	2													4
F.	10	7	9				1					1	1		1	
Exposure and neglect	116		3	3	14	21	20	9	7	11	7	5	3	3	3	7
M.	18	1	3	4	1	1	3	3		1		1	1	1		
F.	37			1	3	2	7	4	5	6	3	2	1	1		2
Homicide	6					3	2	1								
M.	2	2	2													
F.	2															
Infanticide	2															
Injuries by machinery	6		1		1	1						2				1
M.	1															
F.	1															
Railroad accidents	245		1	5	12	17	37	29	37	26	9	16	18	9	8	22
M.	20		1	2	2	1	2	1	1		1	2	2	1	1	3
F.	20															
Suffocation	85	56	62		1	1	3	1	3	3		2	1	1	1	5
M.	53	33	36	1	1				1	2		1				7
F.	44					1	6	5	4	5	5	3	8		2	5
Suicide by shooting	3						1				1	1				
M.	4															2
F.	2						1									
Suicide by drowning	32				1	1	2	4	7	1	3	4	2	1	3	3
M.	17					5	5	1	2	1	2					1
F.	15				2	3	6	4	5	2	6	6	11	9	1	14
Other suicides	14	1	1				4		3	3		1	2	1		1
M.	2					1		2	1	2		1	1	1	3	1
F.	2															
Sunstroke	12	4	5	1			1	1	1	1	1			1		1
M.	13						1	1	2	4	1					2
F.	13						1	2	2	1	1			1		1
Surgical operations	15		1		1	2	6	1	1		2		1			1
M.	4															1
F.	11	1	1													1
Wounds	485	28	42	12	28	46	43	28	45	26	36	42	28	23	17	69
M.	150	15	24	6	2	4	8	5	10	11	4	2	5	7	6	56
F.	435	13	18	6	26	42	35	23	35	15	32	40	23	16	11	13





VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

INDIAN TERRITORY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	860	196	351	37	32	49	35	36	31	28	53	39	43	32	34	60
Males.....	497	112	191	19	18	28	22	19	19	18	28	29	28	23	20	35
Females.....	363	84	160	18	14	21	13	17	12	10	25	10	15	9	14	25
Croup.....	{M. 34 F. 77	{54 49	{80 72	{4 3	{1 1										1	
Pneumonia.....	{M. 367 F. 245	{50 26	{92 69	{13 13	{17 12	{24 19	{22 13	{19 15	{18 9	{17 9	{26 24	{27 8	{25 14	{23 7	{17 12	{27 21
Laryngitis.....	{M. F.}															
Bronchitis.....	{M. 23 F. 26	{7 6	{14 13		{1 2	{1 1			{1 2	{1 1		{1 1			{1 1	{4 3
Pleurisy.....	{M. F.}		{1								{1					
Asthma.....	{M. F.}			{1		{1			{1				{1			{2 1
Others of this class.....	{M. 16 F. 10	{1 3	{4 6	{1		{3				{1	{1	{1	{2		{1	{2
<b>5. Diseases of the digestive system.</b>	332	75	178	25	16	9	18	10	6	8	13	14	7	6	7	15
Males.....	166	44	90	16	8	4	7	5	2	5	4	5	3	4	5	8
Females.....	166	31	88	9	8	5	11	5	4	3	9	9	4	2	2	7
Dentition.....	{M. 14 F. 9	{5 7	{14 9													
Angina.....	{M. F.}	{4 1	{8 6	{1	{1											1
Gastritis.....	{M. 22 F. 30	{4 1	{13 16	{3			{1		{1			{1			{1	{2 2
Diseases of the stomach.....	{M. 40 F. 40	{14 5	{22 23	{3	{1 3	{3	{2			{2	{2	{1	{2		{2	
Obstruction of the bowels.....	{M. F.}	{1	{1	{2	{1											
Appendicitis.....	{M. F.}	{4 2			{1 1	{1			{1							
Hernia.....	{M. F.}															
Other diseases of the bowels.....	{M. 21 F. 24	{3 4	{12 9	{1 2	{1 2		{1	{1	{1		{2		{1	{1		{3 3
Jaundice.....	{M. 4 F. 6	{2 2			{1					{1						
Inflammation and abscess of the liver.....	{M. 8 F. 11		{2 1	{2 1	{1		{1	{1				{1		{1		
Other diseases of the liver.....	{M. 10 F. 4	{2 1	{3 2						{1		{1	{1				{2 1
Peritonitis.....	{M. 3 F. 7	{1	{1 1		{1 1			{1								
Ascites.....	{M. F.}	{6 3			{1		{2	{1							{1	{1
Others of this class.....	{M. 21 F. 22	{8 10	{13 17	{4			{1	{2				{1		{1	{1	
<b>6. Diseases of the urinary system and male organs of generation.</b>	56	2	4	1	1	2	2	3	3	2	3	4	7	4	3	17
Males.....	42	1	2			2	2	1	2	1	2	4	6	3	3	14
Females.....	14	1	2	1	1			2	1	1	1	1	1	1	3	3
Bright's disease.....	{M. 23 F. 6				{1		{1	{1	{1	{1	{1	{2	{4	{3	{3	{6 2
Calculus, urinary.....	{M. F.}	{3														3
Diseases of the kidney.....	{M. 10 F. 4	{1 1	{2 2	{1		{1			{1		{1	{1		{2		{2
Diseases of the bladder.....	{M. F.}	{3														2
Others of this class.....	{M. F.}	{3 4				{1	{1									{1 1
<b>7. Diseases of the female organs of generation.</b>	18	1	1		1	1	3	2	1		2	3			1	3
Ovarian tumors.....	1						1									
Ovarian diseases.....	1										1					
Diseases of the tubes.....																
Uterine tumors.....																
Uterine diseases.....	3							1	1						1	
Others of this class.....	13	1	1		1	1	2	1			1	3				3



CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

INDIAN TERRITORY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>8. Affections connected with pregnancy.</b>	84					10	24	15	16	13	1	1				4
Abortion	8					1	2	2	2	1						
Childbirth	54					5	16	9	11	8	1	1				3
Puerperal septicaemia	19					3	5	4	3	3						1
Extra-uterine pregnancy	1									1						
Others of this class	2					1	1									
<b>9. Diseases of the bones and joints.</b>	22	6	10	1	1	2		1	1	1	1				2	2
Males	12	3	5	1		2		1		1	1					1
Females	10	3	5		1				1						2	1
Diseases of the spine	8	2	4	1		1					1					1
Abscess, lumbar and psoas	8	2	4		1				1						1	1
Diseases of the bones	1															
Diseases of the hip-joint	4	1	1			1		1		1						
Others of this class	1	1	1													
<b>10. Diseases of the skin.</b>	15	8	9				1	1		2		1	1			
Males	10	7	7					1		1			1			
Females	5	1	2				1		1			1				
Abscess	4	1	1					1		1			1			
Carbuncle	3						1					1				
Others of this class	1	1	1													
<b>11. Diseases of the absorbent system.</b>	1	1	1													
Males	1	1	1													
Females	1	1	1													
Addison's disease																
Diseases of the spleen	1	1	1													
Others of this class																
<b>12. Accidents and injuries.</b>	185	11	37	21	10	21	22	17	10	9	4	11	6	6	4	7
Males	131	4	17	9	8	15	18	16	9	8	3	9	5	4	4	6
Females	54	7	20	12	2	6	4	1	1	1	1	2	1	2		1
Burns and scalds	11	1	6	2		2	1			1		1				
Drowning	24	2	11	7	1	2			1		1	1				
Drowning	8		2		2	2										
Drowning	2					1	1									
Exposure and neglect	1															1
Exposure and neglect	8		2			2		1		1			1	1		
Gunshot wounds	37		1	2	3	2	8	8	1	2	1	3	2	1	1	2
Gunshot wounds	3			3												
Homicide	11					2		2	3	2		1	1			
Homicide	1				1											
Infanticide																
Injuries by machinery	2			1		1										
Injuries by machinery	1					1										
Railroad accidents	6					2	1		1	1						1
Railroad accidents	1															1
Suffocation	2	1	2													
Suffocation	3	3	3													
Suicide by shooting	2															1
Suicide by shooting																
Suicide by drowning																
Suicide by drowning																
Suicide by poison																
Suicide by poison																
Other suicides	3						1								1	1
Other suicides	1						1									
Sunstroke	2						1		1							
Sunstroke																
Surgical operations	1							1								
Surgical operations																
Wounds	1		1													
Wounds																
Others of this class	44	2	5	4	3	6	4	5	4	1	2	4	2	1	2	1
Others of this class	10	2	4	2			2					1		1		



CAUSE, SEX, AND AGE.

TABLE S.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

IOWA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>1. General diseases—Continued.</b>																
General diseases—D.....	3,471	102	189	40	63	246	305	320	237	189	205	194	214	225	225	819
Males.....	1,575	50	96	23	27	78	101	125	90	84	94	81	101	107	108	465
Females.....	1,896	52	93	17	36	168	204	195	147	105	111	113	113	118	122	354
Anemia.....	M..... 19 F..... 37	4 4	4 4	1 1	1 1	2 4	1 1	3 3	4 4	4 4	3 3	2 2	1 1	2 2	2 3	6 4
Diabetes.....	M..... 93 F..... 57	1 1	6 5	6 2	9 4	3 2	4 2	5 1	4 2	4 1	5 5	1 1	2 7	4 4	6 5	35 16
Rheumatism.....	M..... 86 F..... 55	2 2	4 2	5 3	8 4	7 3	4 2	4 1	3 1	4 2	2 2	4 2	2 5	7 6	9 4	30 20
Scrofula and tabes.....	M..... 30 F..... 25	3 4	5 4	2 2	2 2	1 3	1 1	4 1	5 4	1 1	1 1	2 2	1 3	1 1	1 1	4 4
Hydrocephalus.....	M..... 38 F..... 31	13 15	21 22	3 2	1 1	3 3	1 1	1 1	2 1	1 1	1 1	2 2	1 1	1 1	1 1	1 1
Tuberculosis, general.....	M..... 17 F..... 19	1 1	4 4	1 1	1 1	1 2	1 1	3 1	1 1	1 1	2 3	1 2	2 2	3 2	1 1	1 3
Consumption.....	M..... 758 F..... 1,047	23 22	43 44	4 6	6 18	52 147	87 186	102 176	67 117	64 69	61 54	45 53	54 31	32 25	27 31	114 90
Cancer.....	M..... 375 F..... 426	1 1	4 2	1 1	1 1	4 2	1 5	4 5	4 7	11 20	14 34	25 38	32 48	45 61	49 61	182 141
Tumor.....	M..... 32 F..... 68	1 2	2 2	1 1	1 1	2 1	2 2	3 3	2 6	1 1	2 6	2 10	2 9	3 7	2 9	10 10
Dropsy.....	M..... 121 F..... 119	2 1	4 2	2 3	2 3	2 1	2 2	2 4	2 5	1 6	2 3	4 6	6 8	6 8	10 8	82 68
Others of this group.....	M..... 6 F..... 12	1 1	3 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 3	1 1	1 1	2 2
<b>2. Diseases of the nervous system.</b>	2,566	435	622	70	46	65	56	54	55	81	86	85	126	130	141	949
Males.....	1,414	257	349	37	24	23	31	28	27	40	51	46	64	70	73	552
Females.....	1,152	178	273	33	22	42	25	26	28	41	35	40	62	60	68	397
Inflammation of the brain.....	M..... 104 F..... 85	46 37	63 59	6 3	5 4	4 3	3 4	2 2	2 2	2 4	3 1	3 1	2 2	2 3	1 3	4 1
Meningitis.....	M..... 166 F..... 120	57 35	94 68	19 14	8 7	8 5	7 5	7 4	6 2	6 3	2 1	1 1	2 3	3 3	1 2	2 3
Apoplexy.....	M..... 279 F..... 224	1 2	1 9	1 1	1 1	1 3	1 2	5 6	4 5	8 12	14 11	11 18	25 17	23 14	22 19	162 113
Paralysis.....	M..... 384 F..... 339	5 4	9 10	3 1	1 1	2 5	6 4	7 7	2 4	3 10	3 7	11 10	18 21	19 27	33 26	270 209
Paralysis, general (of insane).....	M..... 39 F..... 18	1 1	1 1	1 1	1 2	1 1	1 1	1 2	1 1	5 2	9 2	4 3	2 1	4 1	1 1	12 8
Tetanus and trismus nascentium.....	M..... 22 F..... 16	6 1	6 1	1 4	3 2	1 1	1 1	1 2	2 1	2 1	1 1	1 1	2 1	1 1	2 2	3 3
Chorea.....	M..... 1 F..... 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
Epilepsy.....	M..... 43 F..... 36	3 2	4 3	3 4	1 2	5 6	3 4	6 1	1 3	3 2	3 1	1 2	2 4	1 4	3 2	7 4
Convulsions.....	M..... 138 F..... 104	113 77	131 95	1 3	1 1	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 2	2 2
Mental diseases.....	M..... 32 F..... 46	1 1	1 1	1 1	1 1	2 2	3 3	3 1	1 3	3 6	2 5	2 4	3 6	1 4	3 2	12 10
Diseases of the brain.....	M..... 129 F..... 86	22 17	31 22	2 2	2 2	1 8	2 2	3 2	6 4	6 3	7 5	7 1	4 6	10 4	2 2	46 23
Diseases of the spinal cord.....	M..... 28 F..... 19	3 3	6 4	2 2	2 2	1 1	4 1	1 1	1 1	1 1	1 1	2 1	1 1	3 1	2 1	6 6
Locomotor ataxia.....	M..... 9 F..... 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 2	2 2	2 2	4 1
Others of this class.....	M..... 40 F..... 51	2 2	4 2	1 1	1 5	1 2	2 1	1 1	4 4	1 3	1 2	1 1	3 3	4 4	10 10	25 13
<b>3. Diseases of the circulatory system.</b>	1,849	131	148	23	31	31	39	53	46	64	63	77	100	125	165	384
Males.....	1,068	82	88	12	14	12	15	21	17	29	35	29	42	58	92	576
Females.....	781	49	60	11	17	19	24	32	29	29	34	35	57	67	73	308
Pericarditis.....	M..... 9 F..... 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	7 1
Diseases of the heart.....	M..... 959 F..... 730	65 46	70 56	11 11	12 15	11 17	15 20	20 28	16 29	35 26	28 33	39 31	48 41	51 62	81 68	522 293
Angina pectoris.....	M..... 37 F..... 23	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	5 2	3 3	6 3	20 8
Diseases of the arteries.....	M..... 28 F..... 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 2	1 1	2 1	22 4
Aneurism.....	M..... 9 F..... 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 2	2 1	1 1	1 1	3 1
Embolism.....	M..... 6 F..... 5	1 1	1 1	1 1	1 1	1 1	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 2
Others of this class.....	M..... 20 F..... 5	17 3	17 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	1 1	1 1	1 1	1 1

## VITAL STATISTICS.

TABLE S.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

IOWA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	2,600	576	963	110	47	60	64	49	68	74	66	68	82	119	122	708
Males.....	1,425	339	566	47	27	34	38	23	33	46	31	42	36	69	66	367
Females.....	1,175	237	397	63	20	26	26	26	35	28	35	26	46	50	56	341
Croup.....	M. 98 F. 64	M. 24 F. 17	M. 80 F. 39	M. 15 F. 22	M. 3 F. 2						1					
Pneumonia.....	M. 1,004 F. 822	M. 222 F. 145	M. 359 F. 249	M. 23 F. 31	M. 20 F. 12	M. 29 F. 19	M. 35 F. 21	M. 20 F. 18	M. 29 F. 32	M. 39 F. 24	M. 28 F. 32	M. 37 F. 20	M. 31 F. 40	M. 56 F. 36	M. 46 F. 41	M. 252 F. 247
Laryngitis.....	M. 4 F. 4	M. 2 F. 1	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1											M. 1 F. 1
Bronchitis.....	M. 136 F. 126	M. 52 F. 42	M. 73 F. 62	M. 5 F. 3	M. 2 F. 1	M. 1 F. 2	M. 1 F. 1	M. 1 F. 1			1	3	3	4	4	M. 46 F. 40
Pleurisy.....	M. 27 F. 24		M. 2 F. 1	M. 1 F. 1	M. 2 F. 2			2					1	1	3	M. 16 F. 14
Asthma.....	M. 40 F. 26			1			1	1	1	2	1	2	1	2	4	M. 21 F. 13
Others of this class.....	M. 116 F. 109	M. 39 F. 32	M. 50 F. 44	M. 3 F. 5	M. 2 F. 2	M. 2 F. 4	M. 2 F. 3	M. 1 F. 6	M. 3 F. 2	M. 7 F. 2	M. 2 F. 1	M. 3 F. 1	M. 1 F. 1	M. 7 F. 5	M. 2 F. 7	M. 31 F. 26
5. Diseases of the digestive system.	1,421	231	331	56	55	54	65	63	52	66	68	45	53	73	89	351
Males.....	749	137	190	31	24	29	36	28	26	27	40	28	26	33	47	184
Females.....	672	94	141	25	31	25	29	35	26	39	28	17	27	40	42	167
Dentition.....	M. 7 F. 4	M. 3 F. 2	M. 7 F. 4													
Angina.....	M. 15 F. 25	M. 2 F. 6	M. 8 F. 13	M. 1 F. 3	M. 1 F. 4		1	1				1				M. 2 F. 2
Gastritis.....	M. 113 F. 78	M. 14 F. 7	M. 23 F. 12	M. 2 F. 2	M. 2 F. 1	M. 1 F. 3	M. 3 F. 4	M. 1 F. 3	M. 2 F. 3	M. 3 F. 5	M. 4 F. 1	M. 5 F. 2	M. 7 F. 2	M. 10 F. 3	M. 8 F. 12	M. 46 F. 21
Diseases of the stomach.....	M. 79 F. 68	M. 21 F. 9	M. 25 F. 14	M. 1 F. 1	M. 1 F. 5		1	1	1	4	3	3	3	3	3	M. 7 F. 20
Obstruction of the bowels.....	M. 49 F. 54	M. 9 F. 5	M. 12 F. 12	M. 2 F. 4	M. 1 F. 2	M. 1 F. 2	M. 4 F. 2	M. 3 F. 1	M. 1 F. 2	M. 2 F. 4	M. 1 F. 4	M. 2 F. 2	M. 1 F. 1	M. 1 F. 3	M. 4 F. 3	M. 14 F. 18
Appendicitis.....	M. 104 F. 56		M. 4 F. 2	M. 16 F. 8	M. 11 F. 14	M. 14 F. 7	M. 14 F. 5	M. 11 F. 4	M. 7 F. 3	M. 4 F. 6	M. 9 F. 1	M. 4 F. 3	M. 2 F. 3	M. 2 F. 1	M. 2 F. 3	M. 4 F. 4
Hernia.....	M. 23 F. 18	M. 4 F. 5	M. 6 F. 5			3					1	1	1	1	4	M. 11 F. 6
Other diseases of the bowels.....	M. 52 F. 39	M. 19 F. 10	M. 25 F. 16	M. 3 F. 1	M. 1 F. 1	M. 4 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 1	M. 1 F. 1			1	3	1	M. 7 F. 12
Jaundice.....	M. 24 F. 24	M. 9 F. 7	M. 10 F. 7			1	1			1			1		2	M. 9 F. 6
Inflammation and abscess of the liver.....	M. 38 F. 31	M. 2 F. 2	M. 2 F. 2			1	2	2	2	2	4	2	3	1	2	M. 10 F. 9
Other diseases of the liver.....	M. 78 F. 81	M. 5 F. 7	M. 7 F. 9		2			2	4	5	8	6	5	5	7	M. 27 F. 35
Peritonitis.....	M. 74 F. 97	M. 5 F. 1	M. 10 F. 5	M. 7 F. 4	M. 5 F. 9	M. 4 F. 8	M. 8 F. 10	M. 5 F. 11	M. 7 F. 8	M. 4 F. 13	M. 5 F. 11	M. 2 F. 2		3	4	M. 10 F. 9
Ascites.....	M. 12 F. 17						2				1			2	2	M. 8 F. 11
Others of this class.....	M. 81 F. 85	M. 44 F. 35	M. 51 F. 40	M. 1 F. 2	M. 2 F. 2		1		3	5	5	2	2	10	5	M. 10 F. 14
6. Diseases of the urinary system and male organs of generation.	871	24	35	9	15	15	20	27	33	26	35	39	42	65	73	437
Males.....	600	8	14	6	4	8	10	12	14	12	23	26	20	43	49	359
Females.....	271	16	21	3	11	7	10	15	19	14	12	13	22	22	24	78
Bright's disease.....	M. 392 F. 182			M. 3 F. 1	M. 4 F. 10	M. 7 F. 5	M. 10 F. 9	M. 8 F. 8	M. 12 F. 13	M. 7 F. 8	M. 20 F. 9	M. 16 F. 9	M. 18 F. 19	M. 32 F. 19	M. 36 F. 18	M. 219 F. 54
Calculus, urinary.....	M. 6 F. 3							1						1		M. 4 F. 2
Diseases of the kidney.....	M. 76 F. 49	M. 7 F. 11	M. 12 F. 16	M. 1 F. 2	M. 1 F. 1			4	3	2	2	3	1	1	2	M. 45 F. 13
Diseases of the bladder.....	M. 57 F. 6	M. 1 F. 6	M. 1 F. 6					1	1	1		2	1	1	4	M. 45 F. 4
Others of this class.....	M. 69 F. 31	M. 5 F. 5	M. 1 F. 5	M. 2 F. 2		1	1	3	3	4	2	1	2	2	2	M. 46 F. 5
7. Diseases of the female organs of generation.	48				1	3	1	8	7	4	8	6	2	1	3	4
Ovarian tumors.....	7					1				1	1	1			1	2
Ovarian diseases.....	6					1		2	2							
Diseases of the tubes.....	2								1	1						
Uterine tumors.....	10								1	1	4	1	1	1	1	
Uterine diseases.....	6						1	1	1				1		1	1
Others of this class.....	17				1	1		5	2	1	3	3				1





CAUSE, SEX, AND AGE.

561

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KANSAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>1. General diseases—Continued.</b>																
General diseases—D.....	2,566	68	131	30	59	130	242	238	206	154	143	164	136	201	170	562
Males.....	1,201	37	72	17	21	48	92	93	80	63	53	69	62	109	95	327
Females.....	1,365	31	59	13	38	82	150	145	126	91	90	95	74	92	75	235
Anemia.....	M. 10 F. 5	2	3		1	1		1	1					2		4
Diabetes.....	M. 51 F. 33		4	2	5	6			1	1	1	6	2	3	2	18
Rheumatism.....	M. 51 F. 45	1	2	5	3	3	1	2	1	1	1	3	2	3	6	18
Scrofula and tabes.....	M. 25 F. 25	6	12				2	2	2	2				2	1	5
Hydrocephalus.....	M. 20 F. 13	6	11	3	2	1	1		1					1		3
Tuberculosis, general.....	M. 9 F. 4				1		2	1	1		3	1	1	1		2
Consumption.....	M. 623 F. 786	18	31	3	10	29	87	85	66	49	34	31	33	51	29	90
Cancer.....	M. 233 F. 284	1	2	2	2	2	3	6	16	17	21	29	34	36	38	99
Tumor.....	M. 19 F. 51	1	2			4	2	3	5	2	1	2	1	7	3	11
Dropsy.....	M. 142 F. 113	1	2	2	1	1	1	1	2	1	3	10	6	10	17	85
Others of this group.....	M. 8 F. 6	2	4	2	1	1			1						1	1
<b>2. Diseases of the nervous system.</b>	1,798	326	534	64	54	40	35	40	34	52	60	64	85	115	129	492
Males.....	1,038	183	293	33	31	23	20	22	17	39	31	30	51	71	72	305
Females.....	760	143	241	31	23	17	15	18	17	13	29	34	34	44	57	187
Inflammation of the brain.....	M. 112 F. 83	41	71	8	7	5	1	1		6		3	2	2	1	5
Meningitis.....	M. 154 F. 123	54	101	12	14	3	4	3	1	2	1	2	2	3	1	5
Apoplexy.....	M. 148 F. 98			1	1	1	2	2	2	4	5	10	9	11	15	41
Paralysis.....	M. 281 F. 197	6	9	4	2	3	1	2	3	5	5	8	16	25	31	167
Paralysis, general (of insane). Tetanus and trismus nascentium.	M. 21 F. 9							1	1	7	5	1		3	1	2
Chorea.....	M. 3 F. 3	1	1		2				1		1		1	1		
Epilepsy.....	M. 45 F. 32	1	3	4	2	1	4	3	7	2	1	1	1	2	2	6
Convulsions.....	M. 76 F. 73	60	67	2	2	2	1		1		1		1	1	1	3
Mental diseases.....	M. 61 F. 44					1	1	4	3	7	6	4	3	4	6	22
Diseases of the brain.....	M. 79 F. 46	16	31		3	2	4	3	4		4	1	4	5	3	15
Diseases of the spinal cord.....	M. 14 F. 13	1	5	1	1	1				1		1	3	1	1	1
Locomotor ataxia.....	M. 8 F. 2							1					1	1	5	1
Others of this class.....	M. 20 F. 27	1	2			1	1	2	1	1	1	2	2	2	3	9
<b>3. Diseases of the circulatory system</b>	1,195	99	114	16	17	22	22	22	37	39	62	77	68	102	119	478
Males.....	693	58	65	8	8	7	7	9	11	16	30	37	43	68	74	310
Females.....	502	41	49	8	9	15	15	13	26	23	32	40	25	34	45	168
Pericarditis.....	M. 6 F. 1					1							2	2		2
Diseases of the heart.....	M. 649 F. 471	47	54	7	8	7	7	9	11	14	27	35	38	63	71	298
Angina pectoris.....	M. 13 F. 16				1				2	1	1	2	3	1	2	6
Diseases of the arteries.....	M. 3 F. 2													1	1	2
Aneurism.....	M. 6 F. 4			1					1		1		2	1	1	2
Embolism.....	M. 3 F. 3					1	1				1					
Others of this class.....	M. 11 F. 5	11	11													

VITAL STATISTICS.

TABLE S.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KANSAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	2,046	400	795	118	41	55	66	41	45	64	70	74	88	100	98	391
Males.....	1,153	235	434	56	20	32	37	24	24	40	41	48	51	61	68	217
Females.....	893	165	361	62	21	23	29	17	21	24	29	26	37	39	30	174
Croup.....	M..... 129	M..... 38	M..... 102	M..... 26	M..... 1	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M.....
Pneumonia.....	M..... 806	M..... 150	M..... 253	M..... 22	M..... 16	M..... 28	M..... 30	M..... 23	M..... 21	M..... 38	M..... 32	M..... 37	M..... 38	M..... 49	M..... 51	M..... 168
Laryngitis.....	M..... 3	M..... 1	M..... 1	M.....	M..... 1	M.....	M.....	M.....	M.....	M.....	M..... 1	M.....	M.....	M.....	M.....	M.....
Bronchitis.....	M..... 92	M..... 28	M..... 50	M..... 5	M.....	M..... 2	M..... 1	M.....	M..... 1	M.....	M..... 3	M..... 3	M..... 4	M..... 2	M..... 7	M..... 14
Pleurisy.....	M..... 19	M..... 26	M..... 43	M..... 1	M.....	M..... 1	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M..... 19
Asthma.....	M..... 34	M.....	M..... 1	M.....	M.....	M..... 1	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M..... 5
Others of this class.....	M..... 70	M..... 18	M..... 26	M..... 2	M..... 1	M..... 2	M..... 3	M.....	M..... 1	M..... 2	M..... 1	M..... 6	M..... 5	M..... 2	M..... 4	M..... 15
<b>5. Diseases of the digestive system.</b>	1,058	181	255	49	54	56	54	39	36	44	48	47	44	59	65	208
Males.....	560	103	186	29	29	24	29	14	12	19	31	24	19	37	39	118
Females.....	498	78	119	20	25	32	25	25	24	25	17	23	25	22	26	90
Dentition.....	M..... 5	M..... 3	M..... 5	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M.....
Angina.....	M..... 18	M..... 3	M..... 6	M..... 2	M.....	M..... 1	M.....	M..... 1	M.....	M..... 1	M.....	M.....	M.....	M.....	M.....	M..... 1
Gastritis.....	M..... 64	M..... 5	M..... 12	M..... 1	M..... 1	M..... 1	M..... 3	M..... 1	M.....	M..... 3	M..... 5	M..... 2	M..... 2	M..... 2	M..... 13	M..... 18
Diseases of the stomach.....	M..... 82	M..... 25	M..... 29	M..... 2	M..... 2	M.....	M..... 1	M.....	M..... 1	M..... 1	M..... 5	M..... 1	M..... 2	M..... 5	M..... 5	M..... 28
Obstruction of the bowels.....	M..... 42	M..... 3	M..... 5	M..... 2	M..... 2	M..... 3	M..... 2	M..... 2	M.....	M..... 3	M..... 3	M..... 4	M..... 3	M..... 3	M..... 5	M..... 8
Appendicitis.....	M..... 65	M.....	M..... 1	M..... 6	M..... 14	M..... 9	M..... 14	M..... 4	M..... 2	M..... 2	M..... 2	M..... 3	M..... 2	M..... 2	M..... 2	M..... 3
Hernia.....	M..... 22	M..... 3	M..... 3	M..... 1	M.....	M..... 4	M.....	M.....	M..... 1	M.....	M..... 1	M..... 1	M.....	M..... 4	M.....	M..... 7
Other diseases of the bowels.....	M..... 37	M..... 9	M..... 14	M.....	M..... 1	M.....	M..... 1	M.....	M.....	M..... 2	M..... 3	M.....	M..... 1	M..... 4	M.....	M..... 11
Jaundice.....	M..... 21	M..... 12	M..... 12	M..... 1	M..... 2	M.....	M.....	M..... 1	M..... 1	M..... 1	M..... 1	M.....	M..... 1	M..... 1	M..... 1	M..... 3
Inflammation and abscess of the liver.....	M..... 27	M.....	M..... 1	M.....	M..... 1	M..... 1	M..... 2	M..... 1	M.....	M..... 2	M..... 2	M..... 4	M..... 1	M..... 4	M..... 2	M..... 6
Other diseases of the liver.....	M..... 46	M..... 1	M..... 3	M..... 1	M..... 2	M..... 2	M..... 1	M..... 1	M..... 4	M..... 4	M..... 3	M..... 2	M..... 3	M..... 6	M..... 6	M..... 14
Peritonitis.....	M..... 43	M..... 4	M..... 6	M..... 6	M..... 3	M..... 5	M..... 2	M..... 3	M..... 2	M..... 2	M..... 1	M..... 2	M..... 3	M..... 3	M.....	M..... 5
Ascites.....	M..... 15	M.....	M..... 1	M.....	M.....	M..... 1	M.....	M..... 1	M.....	M..... 2	M..... 1	M..... 2	M..... 1	M..... 2	M.....	M..... 7
Others of this class.....	M..... 78	M..... 39	M..... 45	M..... 3	M..... 1	M..... 1	M..... 2	M..... 1	M..... 1	M..... 1	M..... 3	M..... 4	M..... 1	M..... 3	M..... 5	M..... 8
<b>6. Diseases of the urinary system and male organs of generation.</b>	575	17	21	6	5	10	15	15	23	26	23	29	39	44	48	271
Males.....	411	8	11	2	1	4	7	3	7	18	16	20	28	33	38	223
Females.....	164	9	10	4	4	6	8	12	16	8	7	9	11	11	10	48
Bright's disease.....	M..... 265	M.....	M.....	M..... 1	M..... 1	M..... 2	M..... 5	M..... 1	M..... 6	M..... 16	M..... 9	M..... 14	M..... 23	M..... 26	M..... 24	M..... 187
Calculus, urinary.....	M..... 6	M.....	M.....	M.....	M.....	M.....	M.....	M..... 1	M.....	M.....	M.....	M.....	M.....	M.....	M.....	M..... 4
Diseases of the kidney.....	M..... 69	M..... 6	M..... 9	M..... 1	M.....	M..... 1	M.....	M..... 1	M.....	M..... 2	M..... 3	M..... 2	M..... 3	M..... 2	M..... 6	M..... 39
Diseases of the bladder.....	M..... 25	M..... 6	M..... 7	M..... 1	M.....	M..... 1	M..... 2	M.....	M..... 1	M..... 1	M.....	M.....	M.....	M.....	M..... 2	M..... 8
Others of this class.....	M..... 30	M..... 1	M..... 1	M.....	M.....	M.....	M..... 1	M.....	M..... 1	M.....	M.....	M..... 1	M.....	M..... 3	M..... 3	M..... 20
Ovarian tumors.....	M..... 41	M..... 1	M..... 1	M.....	M.....	M..... 1	M..... 1	M.....	M.....	M.....	M..... 4	M..... 3	M..... 2	M..... 2	M..... 4	M..... 23
Ovarian diseases.....	M..... 22	M..... 2	M..... 2	M.....	M.....	M..... 1	M..... 1	M..... 1	M..... 2	M..... 1	M.....	M.....	M..... 2	M..... 3	M..... 1	M..... 8
<b>7. Diseases of the female organs of generation.</b>	34				1	1	5	1	5	5	4	4	1			6
Ovarian tumors.....	7						2		1			1				3
Ovarian diseases.....	4								3	1						
Diseases of the tubes.....	1								1							
Uterine tumors.....	5										2	1			1	1
Uterine diseases.....	2						2									
Others of this class.....	15				1	1	1	1		4	2	2	1			2









VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KENTUCKY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,967	1,028	1,841	143	67	123	135	116	111	121	114	129	122	125	153	667
Males.....	2,146	598	995	65	38	69	72	64	68	67	77	75	72	67	81	341
Females.....	1,821	435	846	78	29	54	63	52	48	54	37	54	50	58	72	326
Croup.....	485	267	407	23	2	1	1									1
Pneumonia.....	1,314	236	440	35	33	58	56	48	51	51	62	61	58	45	69	247
Laryngitis.....	10	1	4		1			2			1				1	1
Bronchitis.....	207	69	110	4		5	4	7	5	2	4	5	6	9	1	45
Pleurisy.....	28		3	1			3	1	1	4	3		3		2	7
Asthma.....	59	2	3			2					4	5	3	8	6	26
Others of this class.....	93	18	28	2	2	3	8	6	6	8	3	4	2	5	2	14
5. Diseases of the digestive system.	1,457	274	451	58	49	50	74	71	59	59	66	72	76	69	73	230
Males.....	748	155	252	25	36	22	28	26	23	23	28	46	39	44	44	112
Females.....	709	119	199	33	13	28	46	45	36	36	38	26	37	25	29	118
Dentition.....	22	7	22													
Angina.....	20	5	14	2			1			1				1		1
Gastritis.....	94	12	22	2	1	1	3	3	2	1	6	11	3	5	5	24
Diseases of the stomach.....	83	18	31	1	6	3	2	2	2	1	1	5	4	5	9	11
Obstruction of the bowels.....	28	4	5		2	6	2	2	2	1	1	1	2	1		5
Appendicitis.....	64	2	2	5	9	5	11	8	5	5	2	4	2	1	2	3
Hernia.....	24	2	3		1			2	1		3	1	2		1	10
Other diseases of the bowels.....	72	22	44	3	3		1				1		3	1	3	13
Jaundice.....	48	29	31				1	1	2	1	2	1	1	3	3	3
Inflammation and abscess of the liver.....	44	4	6		1	1	3	2	1	2	2	7	3	3	2	11
Other diseases of the liver.....	47	11	11	1	1	1	2	2	3	2	4	10	9	13	9	12
Peritonitis.....	45	1	4	4	2	6	3	4	5	1	2	3		3	4	4
Ascites.....	19		1	2	4		1				1		1	3	3	3
Others of this class.....	95	36	48	4	5			2	2	3	2	3	6	5	3	12
6. Diseases of the urinary system and male organs of generation.	896	16	36	11	6	18	20	35	36	36	53	36	57	73	94	335
Males.....	590	11	20	3	2	8	6	20	20	18	34	23	37	39	58	302
Females.....	306	5	16	8	4	10	14	15	16	18	19	13	20	34	36	33
Bright's disease.....	378			2	1	4	4	16	11	15	25	16	25	26	44	189
Calculus, urinary.....	8	1	1					1			1	1			1	3
Diseases of the kidney.....	104	4	13	1	1	3		2	4		3	3	4	6	4	60
Diseases of the bladder.....	48	5	15	3	1	2	3		1	2			2	4	2	8
Others of this class.....	37						2	1			1	2	2	2	3	24
7. Diseases of the female organs of generation.	70															
Ovarian tumors.....	9		1					1				3		2		1
Ovarian diseases.....	1										1					
Diseases of the tubes.....																
Uterine tumors.....	9							1			5		1		1	1
Uterine diseases.....	10							2	1	3	1					3
Others of this class.....	41					4	5	4	6	5	4	8	1	1	2	1

CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KENTUCKY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	214				1	32	43	45	34	34	17	4	1	1		2
Abortion	13				1	2		3	4	2	1					
Childbirth	120					15	23	27	21	22	8	2	1			1
Puerperal septicemia	64					10	16	13	8	8	7	2				
Extra-uterine pregnancy	4							1		2					1	
Others of this class	13					5	4	1	1		1					1
9. Diseases of the bones and joints.	188	63	113	11	10	10	8	5	4	4	3	2	1	3	5	9
Males	114	33	61	10	6	5	6	4	2	3	2	1	1	3	4	6
Females	74	30	52	1	4	5	2	1	2	1	1	1			1	3
Diseases of the spine	90	31	55	10	5	3	3	3	1	2	1			1	3	4
Abscess, lumbar and psoas	65	30	50	1	3	2	2	1	2	1		1			1	1
Diseases of the bones	15	2	6		1		2	1	1				1		1	2
Diseases of the hip-joint	8		2		1	2					1					2
Others of this class	7					1			1	1		1		2		
10. Diseases of the skin	56	16	24	1		2	2	2	1	1	2	2	2	4	7	6
Males	30	9	14			1	1		1		2		1	3	6	1
Females	26	7	10	1		1	1	2		1		2	1	1	1	5
Abscess	12	2	4				1	1		1				1	4	1
Carbuncle	15	4	5				1					1		1	1	2
Others of this class	3							1								
11. Diseases of the absorbent system.	18	1	3	1	1	1		1		1	1	1	1	3		4
Males	10			1	1	1							1	3		3
Females	8	1	3					1		1	1	1				1
Addison's disease	4			1									1	2		
Diseases of the spleen	1					1					1					
Others of this class	4				1									1		3
12. Accidents and injuries	1,368	99	245	72	81	99	145	158	77	100	75	63	52	44	34	123
Males	1,007	56	138	34	62	74	120	135	70	88	64	54	40	32	27	69
Females	361	43	107	38	19	25	25	23	7	12	11	9	12	12	7	54
Burns and scalds	70	6	50	8	4				1	4					1	2
Drowning	142	8	57	29	7	9	5	7	1		2	1	2	6	3	13
Exposure and neglect	84		10	6	13	13	17	8	6	3	1		1	3	2	1
Gunshot wounds	6		2		1	2										1
Homicide	18	8	9	1	1	1						1	2	1	1	1
Infanticide	12	6	8			3										
Injuries by machinery	195		5	3	11	18	32	34	17	20	20	14	6	7	4	4
Railroad accidents	27		2	1	5	6	6	3		1	1			1		1
Suffocation	51			1	3	7	8	11	2	5	10	3				
Suicide by shooting	7			1		1	1	1			1	1				
Suicide by drowning	1	1	1													
Suicide by poison	8					1	1	2		1	1	1	1			
Other suicides	104		4	3	4	6	13	28	9	10	4	8	2	3	3	7
Sunstroke	9			1							2		1			2
Surgical operations	36	23	26		1		2	1	2	2				1		1
Wounds	25	17	19					1	1	1					1	3
Others of this class	22					1	4	2	1	3	3	1	4			3
Suicide by shooting	3						1		1	1						
Suicide by drowning	5							1					2	2		
Suicide by poison	16						1	4	2		3	3			1	2
Other suicides	49			1	1	1	9	5	3	5	6	2	3	2	2	9
Sunstroke	10					1	3	2		1	1	1				1
Surgical operations	9					1			1	2	1		1			3
Wounds	4	1	1							1		1				
Others of this class	5							2			1	2				1
Suicide by shooting	14					1	1	2	2	3	1	2	1			
Suicide by drowning	16		1	1			2	2	7	2	2					
Suicide by poison	319	19	83	10	24	24	31	35	26	26	12	19	17	13	13	36
Other suicides	95	10	17	6	6	2	2	5	2	5	3	3	6	3	3	32





## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

LOUISIANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	2,684	557	1,075	90	64	124	165	143	100	110	99	116	101	84	107	306
Males.....	1,515	319	593	41	35	73	108	95	68	71	57	64	56	51	57	146
Females.....	1,169	238	482	49	29	51	57	48	32	39	42	52	45	33	50	160
Croup.....	M. 112 F. 89	63 49	101 80	10			1	1		1		1				3
Pneumonia.....	M. 1,111 F. 834	181 135	363 300	27 40	30 25	68 43	94 53	84 40	58 27	59 36	50 35	59 40	44 37	36 28	42 42	97 88
Laryngitis.....	M. 4 F. 2	1 1	2				1			1						
Bronchitis.....	M. 169 F. 166	56 44	99 84	1 4	3 3		7 2	5 4	4 1	3 1	1 1	1 7	2 3	9 4	7 6	27 41
Pleurisy.....	M. 41 F. 24	4 3	6 5	2	2	2	4	3	2	5	2	1	3	1	2	6 9
Asthma.....	M. 27 F. 29		1 4	1					2			3 3	3 3	1	4	12 14
Others of this class.....	M. 51 F. 25	14 4	21 7	1	1	3 3	2 1	2 2	2 3	3	1 1	3	4 1	4	2	4 5
<b>5. Diseases of the digestive system.</b>	1,026	195	365	37	24	35	59	43	40	45	54	55	56	51	41	121
Males.....	550	104	198	21	15	21	21	29	27	23	27	28	32	30	22	56
Females.....	476	91	167	16	9	14	38	14	13	22	27	27	24	21	19	65
Dentition.....	M. 74 F. 56	38 28	74 56													
Angina.....	M. 17 F. 10	6 3	13 7	2	1		1		1							1 1
Gastritis.....	M. 33 F. 45	8 6	12 9			3	4	1	2	1	3	4	3	4	5	3 4
Diseases of the stomach.....	M. 29 F. 30	2 4	9 7	5	1		1	1	2	2	2	3		1	2	2 5
Obstruction of the bowels.....	M. 24 F. 31	3 3	5 8	1	1	2	1	2	5	1	1	1	1	1	1	4 4
Appendicitis.....	M. 24 F. 12			3	1	6	2	5	2		1	2	2	2		1 1
Hernia.....	M. 19 F. 6	1	3			2		1		1		3	1	1	2	5 3
Other diseases of the bowels.....	M. 42 F. 33	11 11	20 14	2	1	2		3	1		3	2	2	2	2	5 5
Jaundice.....	M. 30 F. 11	7 4	11 6	1	1		2	3	2	1		1	2			6 2
Inflammation and abscess of the liver.....	M. 70 F. 55	5 1	9 6	2		4	4	5	8	7	6	8	6	3	6	7 10
Other diseases of the liver.....	M. 79 F. 41		2	2	4	1	3	4	4	9	8	4	9	13	6	11 12
Peritonitis.....	M. 29 F. 60	3 1	6 2	2	2	2	4	4	5	2	1	5	2	4	4	2 6
Ascites.....	M. 24 F. 24		3	2	1		3	1	1	1	3	1	3	4	1	7
Others of this class.....	M. 56 F. 62	20 25	32 42	4	1	3	2	1	1	1	2	4	2	1	1	2 2
<b>6. Diseases of the urinary system and male organs of generation.</b>	794	5	23	10	8	20	36	46	40	62	67	73	88	73	76	172
Males.....	458	3	15	4	4	8	10	24	27	29	38	43	55	45	44	112
Females.....	336	2	8	6	4	12	26	22	13	33	29	30	33	28	32	60
Bright's disease.....	M. 348 F. 289			2	3	7	7	22	22	23	31	33	48	39	37	74 57
Calculus, urinary.....	M. 9 F. 3			1							1					2 5
Diseases of the kidney.....	M. 34 F. 18	2	13	1	1		2	1	3		1	1	2	3		6 2
Diseases of the bladder.....	M. 22 F. 1		1				1		1		1	3	1	1	2	11
Others of this class.....	M. 45 F. 25	1	1			1	2	1	1	5	5	6	4	2	3	16
<b>7. Diseases of the female organs of generation.</b>	74			1	2	5	9	10	4	10	10	11	1	1	5	5
Ovarian tumors.....	10			1		1	1	1			2	1				1
Ovarian diseases.....																
Diseases of the tubes.....	9						3	3	1	1	1					
Uterine tumors.....	13						1	1	1	3	3	1	1			2
Uterine diseases.....	17					1	2	2	3	3	4	2			3	
Others of this class.....	25			2	3	3	3	3	1	3	7	7			1	2



CAUSE, SEX, AND AGE.

571

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

LOUISIANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	288				4	45	70	66	49	30	13	5	1		1	4
Abortion	10					1	4	2	1	1	1					
Childbirth	175				4	26	41	35	30	20	9	5	1		1	3
Puerperal septicemia	74					13	15	22	14	7	2					1
Extra-uterine pregnancy	2						2									
Others of this class	27					5	8	7	4	2	1					
9. Diseases of the bones and joints.	32	4	9	1	2	3	3	2	1	3	1	3	1	1		2
Males	21	3	6	1	1	2	1	2	1	3		1		1		2
Females	11	1	3		1	1	2				1	2	1			
Diseases of the spine	7	3	3					1		2		1				
Abscess, lumbar and psoas	3					1			1					1		
Diseases of the bones	4					1	1		1				1			1
Diseases of the hip-joint	4	1	2				1									
Diseases of the hip-joint	5		3		1			1								
Others of this class	2			1												1
Males	2															
Females	3		1		1		1									
10. Diseases of the skin	45	9	14				1	3	1		2	2	4	2	6	10
Males	32	7	11				1	2			1	2	3	2	2	8
Females	13	2	3					1	1		1	1	1		4	2
Abscess	8	4	6					1				1				
Males	6	2	2					1	1							
Females	2															
Carbuncle	13							1			1	1	3	2	1	4
Males	3										1	1	1	1	1	
Females	10												2	1	3	
Others of this class	11	3	5				1								1	4
Males	4		1												1	2
Females	7	3	4				1									2
11. Diseases of the absorbent system.	6	2	2			1	1		1	1						
Males	5	2	2			1			1	1						
Females	1						1									
Addison's disease																
Males	1															
Females	1															
Diseases of the spleen	4	2	2						1	1						
Males	1															
Females	3	2	2						1	1						
Others of this class																
Males																
Females																
12. Accidents and injuries	1,092	96	212	69	70	90	117	105	88	70	50	42	40	30	27	82
Males	790	49	105	43	48	65	97	87	80	62	44	32	29	23	23	52
Females	302	47	107	26	22	25	20	18	8	8	6	10	11	7	4	30
Burns and scalds	58	5	39	5	2	3				2		2	1	1		3
Males	105	5	42	16	8	7	7	1	3		3	2	2	2	1	11
Females	20															
Drowning	121	3	10	14	20	11	14	10	7	6	6	3	9	1	3	7
Males	20		4	2	3	5		1	1			2	1		1	1
Females	14	8	10							1	1					2
Exposure and neglect	14						2	1		1	1					
Males	173			5	12	27	40	29	22	11	10	5	3		3	2
Females	21	1	1	1	1	4	6	3	3	2	1	1	1	4	3	1
Homicide	48					4	7	10	8	5	5	1	3	3		2
Males	6		1		1	1	1	1		1						
Females	1	1	1													
Infanticide																
Injuries by machinery	5							2	1		1		1			
Males	57	1	2	6	1	7	7	5	4	8	4	2	3	2	2	4
Females	12	1	3	3	1			1				1	1			2
Suffocation	31	20	22	2		1	1	1	1					2		1
Males	23	15	17		1	1	1	1	1							3
Females	25						3	3	4	2	2	6	2	2		1
Suicide by shooting																
Males	4							1				1				2
Females	2							1	1							
Suicide by poisoning	11						3	1	6	1			1			
Males	3							2	1							
Females	8							1	5	1			1			
Other suicides	15							4	2	2	2		2	1	1	1
Males	3							1	1							1
Females	12			1	2		2	1	4	5	1	5	1	2		3
Sunstroke	27			1	2											2
Males	12		1	1	3											
Females	6															
Surgical operations	6					1	1			1	2					1
Males	6									1	1			1		
Females	17					1	1	3	2	3		1			1	5
Wounds	3							1							1	1
Males	177	11	21	10	11	11	19	17	18	14	10	6	4	5	13	18
Females	72	17	30	3	4	6	3	4	2	1	1	2	3	3	2	8

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MARYLAND.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes .....	20,422	4,227	6,249	674	433	692	874	867	780	830	805	778	887	866	1,066	4,621
Males.....	10,526	2,315	3,360	308	204	319	434	428	387	423	443	420	483	465	552	2,300
Females.....	9,896	1,912	2,889	366	229	373	440	439	393	407	362	358	404	401	514	2,321
Unknown cause .....	806	254	301	15	12	15	23	17	15	16	18	21	21	20	25	287
Males.....	393	139	163	6	4	8	7	9	5	7	10	13	11	12	12	126
Females.....	413	115	138	9	8	7	16	8	10	9	8	8	10	8	13	161
<b>1. General diseases.</b>																
General diseases—A.....	3,586	1,209	1,971	284	127	140	145	91	74	80	62	67	65	66	83	331
Males.....	1,799	620	1,004	125	53	72	78	45	38	45	34	39	36	32	42	156
Females.....	1,787	589	967	159	74	68	67	46	36	35	28	28	29	34	41	175
Measles.....	{M 48 F 54	{M 21 F 13	{M 41 F 40	{M 3 F 5	{M 1 F 1	{M 1 F 2	{M 2 F 2	{M 3 F 3	{M 1 F 1							
Scarlet fever.....	{M 18 F 21	{M 1 F 3	{M 11 F 18	{M 5 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1									
Diphtheria.....	{M 260 F 291	{M 18 F 13	{M 151 F 142	{M 76 F 110	{M 19 F 29	{M 5 F 5	{M 1 F 1		{M 1 F 1	{M 1 F 1	{M 4 F 4	{M 1 F 1	{M 2 F 2			1
Whooping cough.....	{M 42 F 60	{M 18 F 27	{M 40 F 58	{M 1 F 1	{M 1 F 1											
Malarial fever.....	{M 69 F 62	{M 8 F 9	{M 22 F 20	{M 4 F 4	{M 4 F 4	{M 6 F 7	{M 2 F 5	{M 1 F 6	{M 1 F 2	{M 2 F 3	{M 3 F 3	{M 4 F 1	{M 2 F 2	{M 2 F 3	{M 8 F 2	12 6
Influenza.....	{M 104 F 117	{M 6 F 2	{M 14 F 9	{M 3 F 3	{M 3 F 3	{M 2 F 1	{M 6 F 3	{M 2 F 3	{M 4 F 4	{M 2 F 2	{M 4 F 2	{M 2 F 4	{M 8 F 9	{M 4 F 5	{M 9 F 16	40 59
Typhoid fever.....	{M 288 F 222	{M 7 F 1	{M 17 F 16	{M 10 F 16	{M 17 F 34	{M 46 F 34	{M 50 F 32	{M 36 F 23	{M 22 F 13	{M 22 F 12	{M 12 F 7	{M 16 F 10	{M 12 F 7	{M 8 F 8	{M 4 F 6	16 13
Cholera morbus.....	{M 29 F 19	{M 5 F 3	{M 9 F 4	{M 1 F 1	{M 1 F 1		{M 1 F 1	{M 1 F 1	{M 1 F 1		{M 2 F 1	{M 1 F 1	{M 1 F 1	{M 3 F 1	{M 1 F 1	7 7
Colitis.....	{M 10 F 7	{M 1 F 4	{M 3 F 6									{M 2 F 1				4 1
Diarrhea.....	{M 76 F 82	{M 30 F 41	{M 42 F 52	{M 7 F 4	{M 1 F 1	{M 2 F 2			{M 1 F 1	{M 3 F 2			{M 1 F 1	{M 1 F 1	{M 2 F 3	16 15
Dysentery.....	{M 78 F 87	{M 21 F 16	{M 37 F 29	{M 4 F 4	{M 1 F 1	{M 3 F 3	{M 1 F 2	{M 2 F 1		{M 2 F 1	{M 1 F 3	{M 2 F 2	{M 2 F 3	{M 3 F 3	{M 6 F 4	20 31
Enteritis.....	{M 257 F 215	{M 175 F 133	{M 220 F 171	{M 6 F 3	{M 4 F 2	{M 3 F 3	{M 2 F 2		{M 2 F 2	{M 4 F 4	{M 1 F 4	{M 4 F 2	{M 1 F 1	{M 4 F 4	{M 3 F 4	14 16
Cholera infantum.....	{M 337 F 358	{M 272 F 287	{M 337 F 358													
Fever.....	{M 2 F 1		{M 1 F 1					{M 1 F 1								1
Cerebro-spinal fever.....	{M 40 F 34	{M 14 F 7	{M 23 F 18	{M 4 F 6	{M 3 F 3	{M 2 F 3	{M 3 F 3	{M 3 F 3	{M 1 F 1	{M 1 F 1	{M 2 F 2				{M 1 F 1	1 1
Smallpox.....	{M 1 F 1				{M 1 F 1											
Erysipelas.....	{M 31 F 22	{M 5 F 9	{M 6 F 10				{M 2 F 1	{M 2 F 1	{M 1 F 1	{M 1 F 2	{M 2 F 1		{M 1 F 1	{M 8 F 1	{M 1 F 1	7 4
Septicemia.....	{M 63 F 82	{M 12 F 9	{M 15 F 9	{M 4 F 2	{M 2 F 10		{M 6 F 17	{M 4 F 7	{M 4 F 9	{M 4 F 5	{M 3 F 5	{M 4 F 2	{M 3 F 2	{M 3 F 2	{M 3 F 1	7 7
Venereal diseases.....	{M 23 F 25	{M 10 F 12	{M 14 F 14		{M 1 F 1		{M 1 F 1		{M 2 F 2	{M 1 F 3	{M 1 F 2	{M 1 F 1			{M 3 F 1	
Others of this group.....	{M 24 F 24	{M 1 F 1	{M 1 F 2	{M 1 F 1		{M 1 F 1	{M 2 F 1				{M 1 F 1	{M 3 F 1	{M 1 F 1		{M 2 F 2	12 14
General diseases—B.....	370	254	278	5	1	4	8	6	7	15	12	9	8	3	4	10
Males.....	213	134	148	2		2	5	2	5	14	12	8	6	2	2	5
Females.....	157	120	130	3	1	2	3	4	2	1	1	1	2	1	2	5
Alcoholism.....	{M 44 F 7						{M 3 F 1	{M 1 F 2	{M 3 F 1	{M 9 F 1	{M 11 F 1	{M 7 F 1	{M 4 F 1	{M 1 F 1	{M 1 F 1	4 1
Parasitic diseases.....	{M 1 F 3		{M 1 F 2	{M 1 F 1												
Lead poison.....																
Other poisons.....	{M 26 F 20	{M 2 F 5	{M 8 F 5	{M 2 F 1	{M 1 F 1	{M 2 F 2	{M 2 F 2	{M 1 F 2	{M 2 F 1	{M 5 F 1	{M 1 F 1	{M 1 F 1	{M 2 F 1		{M 1 F 1	3
Inanition.....	{M 142 F 127	{M 132 F 120	{M 139 F 123											{M 1 F 1	{M 1 F 1	1 1
General diseases—C.....	1,749	779	843	6	4	2	3	2	2	2	5	1	8	5	26	840
Males.....	818	429	460	2	1	1	1	1	2		2	1	2	4	6	335
Females.....	931	350	383	4	3	1	2	1		2	3		6	1	20	505
Old age.....	{M 278 F 466														{M 3 F 12	275 454
Premature birth.....	{M 162 F 135	{M 162 F 135	{M 162 F 135													
Malformation.....	{M 29 F 17	{M 27 F 16	{M 28 F 17				{M 1 F 1									
Debility and atrophy.....	{M 317 F 300	{M 209 F 186	{M 239 F 218	{M 2 F 4	{M 1 F 3	{M 1 F 1		{M 1 F 2	{M 1 F 1		{M 2 F 3	{M 1 F 3	{M 1 F 6	{M 4 F 1	{M 3 F 8	60 51
Others of this group.....	{M 32 F 13	{M 31 F 13	{M 31 F 13										{M 1 F 1			



VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MARYLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	3,026	702	1,300	98	48	60	92	103	91	95	97	108	113	112	150	559
Males.....	1,601	400	698	46	26	32	46	54	52	56	54	66	69	68	67	272
Females.....	1,425	302	602	52	22	28	46	49	39	39	43	42	44	49	83	287
Croup.....	{M. 91 F. 71	{28 22	{83 53	{5 14	{2 1		{2 2		{1 1							
Pneumonia.....	{M. 1,144 F. 1,023	{254 193	{456 421	{32 32	{16 18	{29 21	{37 41	{41 34	{45 38	{48 32	{41 28	{54 34	{55 37	{44 34	{51 65	{195 188
Laryngitis.....	{M. 9 F. 2	{1 1	{3 1	{1 1				{1 1			{3 1					
Bronchitis.....	{M. 205 F. 198	{93 68	{127 101	{5 5	{2 2		{3 1	{5 3	{2 2	{1 2	{3 4	{5 3	{5 3	{6 7	{5 4	{86 61
Pleurisy.....	{M. 33 F. 22		{1 1		{1 1		{2 2	{1 2	{2 1	{2 3	{2 1	{2 2	{1 2	{3 1	{3 5	{14 7
Asthma.....	{M. 32 F. 29					{1 1	{2 1	{1 2	{1 1	{2 3		{2 4		{1 3	{2 3	{17 12
Others of this class.....	{M. 87 F. 80	{24 19	{28 26	{3 1	{5 1	{1 4	{2 1	{6 7	{3 2	{5 3	{4 5	{4 3	{7 2	{7 4	{6 6	{10 19
<b>5. Diseases of the digestive system.</b>	993	140	228	34	34	48	51	56	47	47	45	40	50	56	72	185
Males.....	495	83	127	16	15	25	21	17	16	22	29	19	27	29	41	92
Females.....	498	57	101	19	19	23	30	39	31	25	16	21	23	27	31	93
Dentition.....	{M. 25 F. 13	{11 6	{25 13													
Angina.....	{M. 8 F. 5	{1 1	{2 1	{2 1	{2 1						{1 1					{1 1
Gastritis.....	{M. 88 F. 83	{12 10	{26 23	{2 2	{1 1	{2 5	{3 1	{3 3	{3 6	{6 3	{6 2	{3 2	{4 5	{3 6	{9 3	{20 21
Diseases of the stomach.....	{M. 39 F. 39	{8 5	{13 6	{1 1			{1 1		{1 3	{4 4	{1 1	{4 4	{3 1	{4 1	{4 4	{7 10
Obstruction of the bowels.....	{M. 21 F. 34	{6 5	{7 7	{1 2		{2 1	{1 3	{2 7	{1 2	{1 2				{2 1	{2 1	{1 6
Appendicitis.....	{M. 51 F. 44		{2 7	{2 7	{8 6	{7 5	{9 6		{1 3	{4 1	{4 3	{1 2	{4 2	{3 2	{1 4	{4 3
Hernia.....	{M. 24 F. 19	{3 2	{3 3			{2 2			{2 2		{1 1		{1 2	{2 2	{3 4	{10 7
Other diseases of the bowels.....	{M. 11 F. 10	{4 4	{4 4		{2 1		{2 2		{2 2	{1 1						{2 2
Jaundice.....	{M. 19 F. 22	{8 6	{8 7	{1 1				{1 1		{2 1						{2 6
Inflammation and abscess of the liver.....	{M. 21 F. 16	{1 1	{2 1				{1 1			{2 1	{4 3	{1 1	{1 1	{2 2	{3 3	{4 5
Other diseases of the liver.....	{M. 65 F. 39	{3 3	{3 3	{1 1			{1 1	{3 1	{1 2	{3 3	{8 2	{9 5	{5 1	{10 5	{9 8	{18 12
Peritonitis.....	{M. 52 F. 101	{3 1	{4 4	{5 4	{5 6	{12 9	{1 16	{3 18	{3 14	{1 9	{3 4	{1 1	{3 2	{1 3	{4 3	{6 8
Ascites.....	{M. 11 F. 13		{1 1					{1 1			{2 2				{1 3	{7 6
Others of this class.....	{M. 60 F. 60	{23 18	{27 31	{2 1	{1 1		{1 1	{1 5		{1 3	{2 2	{1 3	{5 5	{2 3	{7 1	{10 9
<b>6. Diseases of the urinary system and male organs of generation.</b>	1,195	9	23	13	14	27	36	51	48	64	86	69	108	106	133	417
Males.....	716	6	16	5	5	10	18	24	24	40	48	33	65	67	78	283
Females.....	479	3	7	8	9	17	18	27	24	24	38	36	43	39	55	134
Bright's disease.....	{M. 598 F. 415			{3 7	{5 8	{10 16	{16 16	{22 21	{21 18	{35 20	{44 34	{32 32	{52 41	{63 33	{68 53	{222 116
Calculus, urinary.....	{M. 6 F. 1						{1 1				{1 1		{1 1			{1 1
Diseases of the kidney.....	{M. 47 F. 31	{3 3	{13 7		{1 1		{1 1		{2 2	{3 3	{1 2	{1 1	{5 2	{1 2	{3 1	{18 7
Diseases of the bladder.....	{M. 27 F. 3							{1 1					{3 1		{2 2	{20 2
Others of this class.....	{M. 43 F. 29	{3 3	{3 3	{2 1			{1 1	{5 5	{3 3	{2 1	{1 2		{4 4	{2 4	{5 1	{22 9
<b>7. Diseases of the female organs of generation.</b>	39				1		4	3	3	9	6	4	4		2	3
Ovarian tumors.....	10									2	2	1	3		2	
Ovarian diseases.....	1								1							
Diseases of the tubes.....	7						2	3		2						
Uterine tumors.....	9								1	2	1	2	1			2
Uterine diseases.....	2									1	1					
Others of this class.....	10				1		2		1	2	2	1				1

# CAUSE, SEX, AND AGE.

575

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MARYLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	154					23	26	23	28	36	15	1	1	1		
Abortion.....	15					1	3	4	3	4						
Childbirth.....	83					13	12	13	17	16	9	1	1	1		
Puerperal septicaemia.....	25					3	4	3	5	8	2					
Extra-uterine pregnancy.....	2								2							
Others of this class.....	29					6	7	3	3	6	4					
9. Diseases of the bones and joints.	46	10	14	2	3	4	4	1	3	2	2	1	2	2	2	4
Males.....	27	5	8	2	1	3	4	1	2		1	1	1	1	1	1
Females.....	19	5	6		2	1			1	2	1		1	1	1	3
Diseases of the spine.....	13	3	6	2	2	1	1		1			1		1		1
Abscess, lumbar and psoas.....	2										1					
Diseases of the bones.....	3	2	2		1	1	2	1							1	1
Diseases of the hip-joint.....	4	1	1			1	1		1							1
Others of this class.....	2					1							1			1
Others of this class.....	2								1							1
10. Diseases of the skin.....	38	12	16			2	1	1	1	1	2			4	3	7
Males.....	17	4	7			2	1				1			1	1	4
Females.....	21	8	9					1	1	1	1			3	2	3
Abscess.....	8		1			2	1							1		3
Males.....	15	6	6					1	1	1	1			3	1	1
Females.....	3		1								1					1
Carbuncle.....	3										1					1
Others of this class.....	6	4	5												1	2
Males.....	6	4	5												1	
Females.....	6	2	3												1	2
11. Diseases of the absorbent system.	12	1	2	2		1		1	2				1	1	1	1
Males.....	5	1	2	1		1			1							
Females.....	7			1				1	1				1	1	1	1
Addison's disease.....	1								1							
Diseases of the spleen.....	2			1												1
Others of this class.....	4	1	2	1		1		1	1				1	1	1	
Males.....	4	1	2	1		1		1	1				1	1	1	
Females.....	5															
12. Accidents and injuries.....	992	80	157	66	48	65	72	92	74	70	65	51	46	33	38	115
Males.....	724	45	84	37	35	52	62	72	63	52	51	45	42	28	31	70
Females.....	268	35	73	29	13	13	10	20	11	18	14	6	4	5	7	45
Burns and scalds.....	54	5	32	7	3			1	1	1	3		1	1		4
Males.....	85	2	26	21	5	8	3	3	1	2	4	2	1	1	1	7
Females.....	116		2	8	14	17	14	9	11	6	10	7	3	1	4	10
Drowning.....	10			1	1	1	1	2	1	2		1			1	
Males.....	6	2	2								2					2
Females.....	6	4	4													1
Exposure and neglect.....	41			3	4	11	2	8	6		2	1				2
Males.....	9		1	1	1		1	3	1	1						
Females.....	21					3	2	3	3	2		4		1	2	1
Homicide.....	3					1		1			1					
Males.....	1	1	1													
Females.....	1															
Infanticide.....	1	1	1													
Injuries by machinery.....	1								1							
Railroad accidents.....	81			9	3	3	13	13	5	5	6	5	8	3	4	4
Males.....	10		1	1	3	1					1		2			1
Females.....	25	16	17			1	1	2		1	1		1			1
Suffocation.....	25	16	19	1		1	1									2
Males.....	17						1	1	3	2	2	4	1	1	2	
Females.....	2								1			1				
Suicide by shooting.....	1															
Males.....	16							3	2	3	1	2	3			2
Females.....	4					1		3								
Suicide by poisoning.....	40					3		5	2	9	5	4	4	2	3	3
Males.....	11					1	1	1		3	3			1		1
Females.....	17	3	3				2		2	3	1		1	1	2	2
Sunstroke.....	6	2	2								1				1	2
Males.....	3										1					3
Females.....	7															1
Surgical operations.....	3							2	2		1	1				3
Males.....	20					4	2	2	2	2	1	4	1		1	1
Females.....	1			1												
Wounds.....	1															
Males.....	264	18	25	10	11	10	25	25	25	18	17	13	19	18	13	35
Females.....	90	11	20	4	3		2	5	4	9	3	3	1	3	4	29



CAUSE, SEX, AND AGE.

577

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MINNESOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.		
<b>1. General diseases—Continued.</b>																		
General diseases—D.....	3,216	118	228	63	83	218	309	301	267	234	246	171	200	184	190	522		
Males.....	1,569	67	128	33	26	84	140	120	125	118	131	91	98	95	102	283		
Females.....	1,647	51	100	30	57	134	169	181	142	121	115	80	102	89	88	239		
Anemia.....	M..... 26	F..... 5	M..... 6	F..... 1	M..... 1	F..... 1	M..... 1	F..... 2	M..... 3	F..... 3	M..... 2	F..... 3	M..... 4	F..... 3	M..... 2	F..... 1	M..... 5	F..... 3
Diabetes.....	M..... 75	F..... 1	M..... 5	F..... 5	M..... 2	F..... 3	M..... 3	F..... 2	M..... 3	F..... 7	M..... 4	F..... 5	M..... 3	F..... 6	M..... 5	F..... 4	M..... 21	F..... 13
Rheumatism.....	M..... 52	F..... 1	M..... 5	F..... 4	M..... 4	F..... 1	M..... 3	F..... 1	M..... 1	F..... 1	M..... 5	F..... 6	M..... 5	F..... 6	M..... 2	F..... 10		
Scrofula and tabes.....	M..... 14	F..... 1	M..... 2	F..... 2	M..... 1	F..... 1	M..... 4	F..... 3	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1		
Hydrocephalus.....	M..... 60	F..... 1	M..... 40	F..... 4	M..... 3	F..... 5	M..... 3	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1		
Tuberculosis, general.....	M..... 30	F..... 2	M..... 2	F..... 2	M..... 3	F..... 1	M..... 2	F..... 3	M..... 4	F..... 1	M..... 2	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1		
Consumption.....	M..... 378	F..... 30	M..... 52	F..... 12	M..... 11	F..... 66	M..... 119	F..... 104	M..... 106	F..... 87	M..... 92	F..... 51	M..... 38	F..... 34	M..... 38	F..... 68		
Cancer.....	M..... 320	F..... 4	M..... 6	F..... 1	M..... 1	F..... 3	M..... 4	F..... 9	M..... 5	F..... 14	M..... 23	F..... 23	M..... 38	F..... 41	M..... 43	F..... 116		
Tumor.....	M..... 34	F..... 2	M..... 5	F..... 1	M..... 2	F..... 1	M..... 2	F..... 2	M..... 1	F..... 3	M..... 1	F..... 3	M..... 3	F..... 2	M..... 3	F..... 9		
Dropsy.....	M..... 69	F..... 1	M..... 2	F..... 2	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 5	M..... 4	F..... 8	M..... 4	F..... 51		
Others of this group.....	M..... 11	F..... 2	M..... 4	F..... 1	M..... 2	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 3		
<b>2. Diseases of the nervous system.</b>	1,857	458	671	75	49	38	39	42	46	47	50	74	82	82	91	471		
Males.....	1,052	263	375	50	22	19	24	25	23	29	32	44	44	37	49	279		
Females.....	805	195	296	25	27	19	15	17	23	18	18	30	38	45	42	192		
Inflammation of the brain.....	M..... 81	F..... 25	M..... 46	F..... 11	M..... 1	F..... 2	M..... 4	F..... 1	M..... 3	F..... 2	M..... 2	F..... 2	M..... 3	F..... 2	M..... 1	F..... 2		
Meningitis.....	M..... 183	F..... 56	M..... 109	F..... 21	M..... 8	F..... 4	M..... 7	F..... 5	M..... 6	F..... 2	M..... 7	F..... 2	M..... 3	F..... 3	M..... 3	F..... 6		
Apoplexy.....	M..... 206	F..... 2	M..... 5	F..... 1	M..... 1	F..... 1	M..... 1	F..... 2	M..... 1	F..... 6	M..... 11	F..... 13	M..... 13	F..... 13	M..... 22	F..... 116		
Paralysis.....	M..... 180	F..... 3	M..... 4	F..... 1	M..... 2	F..... 1	M..... 3	F..... 2	M..... 2	F..... 9	M..... 6	F..... 10	M..... 8	F..... 7	M..... 17	F..... 110		
Paralysis, general (of insane).....	M..... 10	F..... 6	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 2	M..... 1	F..... 2	M..... 2	F..... 2	M..... 1	F..... 3		
Tetanus and trismus nascentium.....	M..... 26	F..... 3	M..... 4	F..... 4	M..... 4	F..... 3	M..... 3	F..... 4	M..... 4	F..... 4	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1		
Chorea.....	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1		
Epilepsy.....	M..... 49	F..... 9	M..... 13	F..... 2	M..... 6	F..... 5	M..... 3	F..... 5	M..... 5	F..... 1	M..... 1	F..... 1	M..... 2	F..... 2	M..... 1	F..... 4		
Convulsions.....	M..... 177	F..... 144	M..... 169	F..... 6	M..... 1	F..... 1	M..... 2	F..... 2	M..... 3	F..... 2	M..... 3	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1		
Mental diseases.....	M..... 13	F..... 19	M..... 1	F..... 1	M..... 1	F..... 1	M..... 2	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 5	M..... 2	F..... 7		
Diseases of the brain.....	M..... 80	F..... 17	M..... 20	F..... 2	M..... 3	F..... 3	M..... 1	F..... 2	M..... 2	F..... 6	M..... 2	F..... 7	M..... 6	F..... 7	M..... 4	F..... 21		
Diseases of the spinal cord.....	M..... 53	F..... 9	M..... 18	F..... 3	M..... 3	F..... 3	M..... 1	F..... 1	M..... 5	F..... 2	M..... 1	F..... 1	M..... 3	F..... 2	M..... 1	F..... 10		
Locomotor ataxia.....	M..... 17	F..... 2	M..... 3	F..... 2	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 3	F..... 1	M..... 1	F..... 4		
Others of this class.....	M..... 10	F..... 2	M..... 2	F..... 1	M..... 3	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 3	F..... 1	M..... 3	F..... 1	M..... 1	F..... 6		
<b>3. Diseases of the circulatory system.</b>	1,270	89	107	22	37	34	37	28	48	54	62	56	74	83	115	513		
Males.....	722	54	62	10	9	18	13	13	21	31	31	30	45	57	73	309		
Females.....	548	35	45	12	28	16	24	15	27	23	31	26	29	26	42	204		
Pericarditis.....	M..... 6	F..... 2	M..... 2	F..... 1	M..... 1	F..... 1	M..... 2	F..... 2	M..... 2	F..... 1	M..... 2	F..... 2	M..... 2	F..... 1	M..... 1	F..... 1		
Diseases of the heart.....	M..... 669	F..... 44	M..... 50	F..... 8	M..... 8	F..... 18	M..... 13	F..... 13	M..... 20	F..... 29	M..... 26	F..... 29	M..... 41	F..... 52	M..... 67	F..... 295		
Angina pectoris.....	M..... 513	F..... 30	M..... 40	F..... 10	M..... 28	F..... 15	M..... 21	F..... 14	M..... 24	F..... 22	M..... 27	F..... 26	M..... 27	F..... 25	M..... 40	F..... 194		
Diseases of the arteries.....	M..... 9	F..... 11	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 2	F..... 2	M..... 2	F..... 7		
Aneurism.....	M..... 12	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1		
Embolism.....	M..... 11	F..... 4	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 3	F..... 1	M..... 2	F..... 1	M..... 1	F..... 2		
Others of this class.....	M..... 7	F..... 10	M..... 5	F..... 1	M..... 1	F..... 1	M..... 1	F..... 1	M..... 2	F..... 2	M..... 2	F..... 2	M..... 2	F..... 1	M..... 1	F..... 1		

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MINNESOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	2,078	471	809	78	36	53	59	52	65	66	77	68	73	67	98	477
Males.....	1,153	262	432	42	16	25	38	33	42	39	47	49	46	45	46	253
Females.....	925	209	377	36	20	28	21	19	23	27	30	19	27	22	52	224
Croup.....	68	23	54	12	1	1										
M.....	63	19	53	9	1											
F.....	5		1													
Pneumonia.....	781	160	273	23	13	20	33	30	36	30	39	40	33	28	28	155
M.....	598	118	222	20	11	21	14	15	23	20	19	15	18	14	41	145
F.....	9	2	4	2								1	1		1	
Laryngitis.....	6		3	1	1			1								
M.....	141	50	70	2			2			4	1	2	4	5	4	47
F.....	133	44	66	2	4		3	1		2	2	1	1	3	4	45
Bronchitis.....	19	1	1	1	1	1										8
M.....	19	1	3	3			1	3		1	1	1		1		5
F.....	44		2			1			1			1	5	7	4	25
Asthma.....	23	2	2							2			3		4	12
M.....	91	26	30	2	1	2	2	2	4	2	7	5	3	4	8	18
F.....	88	25	28	1	3	5	2		6	6	6	3	5	4	3	17
Others of this class.....																
<b>5. Diseases of the digestive system.</b>	1,249	301	389	43	66	60	70	52	50	47	54	56	40	54	55	213
Males.....	692	159	211	24	42	32	31	24	24	30	33	32	27	30	33	119
Females.....	557	142	178	19	24	28	39	28	26	17	21	24	13	24	22	94
Dentition.....	15	9	15													
M.....	9	4	9													
F.....	17	2	6	2	3	2	1	1	1							1
Angina.....	8	3	3	1	1							1				
M.....	72	8	16	3	1		1	1	3	1	4	4	6	5	5	25
F.....	65	8	11	1	1	2	2	4	1	1	1	1	2	3	3	29
Diseases of the stomach.....	51	11	15			1		1	3	1	3	5	2	4	3	13
M.....	39	7	8	1	1		2	1	1	1	1	3	1	2	3	14
F.....	49	9	12	2	4	3			3	5	4	3	3	1	2	10
Obstruction of the bowels.....	36	8	11	3		1	1	1	1	1	3	1	2	2	3	6
M.....	105	1	2	12	17	17	10	10	7	4	4	4	2	3		9
F.....	52	3	3	4	10	10	7	5	6	1		2	2	3		1
Hernia.....	20	3	4			1	1	1	1		1	2	1		4	5
M.....	19	2	2				1	1	1		1	1	1	1	1	9
F.....	24	7	11	1		1	2	1	1	2	2		1		1	3
Other diseases of the bowels.....	17	8	9			1	1	2		1	1				1	1
M.....	17	7	7		1						1	1				4
F.....	14	12	12											2	1	
Inflammation and abscess of the liver.....	19	1	2				2	3	3	3	1	1		1	2	4
M.....	16							1	2	1	2	1		3	1	3
F.....	68	2	2	1	2		1	1	6	3	3	1	9	10	7	24
Other diseases of the liver.....	39	1	2				1	1	1	2	2	6	3	2	4	18
M.....	90	5	11	5	16	6	8	5	6	4	10	4	1	3	1	10
F.....	118	1	6	7	10	12	22	11	12	8	5	8	2	5	3	7
Ascites.....	5					1				1			1		1	2
M.....	5												1			3
F.....	140	95	110			1	1		2	4	2	3	1	1	7	9
Others of this class.....	120	87	100	2	1	1	1	2		2	2	1	1	2	2	3
<b>6. Diseases of the urinary system and male organs of generation.</b>	833	23	37	11	14	18	33	39	41	43	46	50	63	59	63	311
Males.....	528	13	20	6	7	6	17	20	17	24	20	25	45	37	45	239
Females.....	305	10	17	5	7	12	16	19	24	19	26	25	23	22	18	72
Bright's disease.....	351			5	6	4	14	15	14	17	16	17	36	31	28	148
M.....	228			4	6	9	13	14	17	16	22	18	21	20	14	54
F.....	2														1	1
Calculus, urinary.....																
M.....	66	12	18	1	1	2	2	2		1	2	3	1	3	5	25
F.....	36	6	13	1	1		1	2			2	6		1	1	8
Diseases of the kidney.....	47	2	2			1				1	1	2	3	1	5	34
M.....	7									1						3
F.....	62	1	2				1	3	3	5	1	3	5	2	6	31
Others of this class.....	34	2	2			2	2	3	7	2	2	1	2	1	3	7
<b>7. Diseases of the female organs of generation.</b>	55	1	1			3	3	6	3	9	12	3	2	3	3	7
Ovarian tumors.....	7									2		1	1	1		2
Ovarian diseases.....	1										1					
Diseases of the tubes.....	7					1	1	2	1	1	1					
Uterine tumors.....	12									1	4			2	1	4
Uterine diseases.....	3									2		1				
Others of this class.....	25	1	1			2	2	4	2	3	6	1	1		2	1



CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MINNESOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	200					12	38	48	40	36	26	1	1			3
Abortion	10						3	3	2		2					
Childbirth	104					5	14	17	22	24	18		1			3
Puerperal septicemia	66					4	15	18	13	9	6	1				
Extra-uterine pregnancy	1									1						
Others of this class	19					3	6	5	3	2						
9. Diseases of the bones and joints.	45	8	14	5	3	2	2	3	2	4	2	2	3	1	2	
Males	31	4	9	4	3	1	2	3	2	1	1	1	2	1	1	
Females	14	4	5	1	1	1				3	1	1	1		1	
Diseases of the spine	21	4	8	3	1	1	2	1		1	1	1	1		1	
M	9	3	3			1				2	1	1			1	
F	2								1				1			
Abscess, lumbar and psoas	4				1			1	1					1		
M	3		1										1			
F	1			1						1						
Diseases of the bones	2							1								
M	1															
F	1															
Diseases of the hip-joint	2							1								
M	1															
F	1															
Others of this class	2	1	1		1											
M	1															
F	1	1	1													
10. Diseases of the skin.	35	12	13				4	2		2	3	2	2	2		5
Males	22	7	8					2		1	3	2	1	2		3
Females	13	5	5				4			1			1			2
Abscess	9	4	4					2			1				1	1
M	7	3	3							1						1
F	4															
Carbuncle	4									1		1	1	1		
M	9	3	4								2	1				2
F	6	2	2				2						1			1
Others of this class	9	3	4													
M	6	2	2													
F	3	1	2													
11. Diseases of the absorbent system.	14	1	3	1	2		1	1	3				2	1		
Males	9	1	3	1	1			1	2				1			
Females	5				1		1		1				1	1		
Addison's disease	3							1	1				1			
M	2				1				1							
F	2				1								1			
Diseases of the spleen	4	1	3	1												
M	3						1		1							
F	1															
Others of this class	4	1	3	1					1				1			
M	3						1		1							
F	1															
12. Accidents and injuries.	1,066	70	157	65	46	82	88	87	101	88	67	47	48	42	34	114
Males	850	42	90	44	36	69	68	77	92	76	60	37	44	42	27	88
Females	216	28	67	21	10	13	20	10	9	12	7	10	4		7	26
Burns and scalds	46	3	22	3		3	5		2		2	1	1	1	2	4
M	54		23	14	2	2	1	2	1	2		1	1		1	5
F	105		13	14	10	23	11	11	5	8	2	1	1	1	1	4
Drowning	14		7	2		1	2					1				
M	18	3	6		1			2	1				1			1
F	9	7	7		1				1							
Exposure and neglect	1				4	7	15	4	3				1			2
M	10		1	1	1	3	3		1	5			1			
F	20		1	2		1	2	2	3	3	1			2		3
Homicide	2								1	1						
M	1	1	1													
F	7					2			2	2					1	
Railroad accidents	109			7		2	7	17	21	14	15	2	5	6	2	11
M	6		1					1	1	1	1	1				1
F	33	19	21		1			3	1	2	1				2	2
Suffocation	16		12	1				2		1						
M	26					1	1	2	4	3	2	1	5	3	1	3
F	5								1		1				1	1
Suicide by drowning																
M	16						2	1	1	2	2	1	2	1	2	2
F	10					3		1	1	1		2			1	1
Suicide by poison	52					4	1	4	6	5	5	7	3	2	4	6
M	13						3	1	2	2	2	2	1			
F	3											1				1
Sunstroke	6				1	1	1						1		1	1
M	8				1	1		1					1		2	1
F	12		1		1		2	2	2	3		1				
Wounds																
M	347	17	25	14	15	17	32	26	40	28	29	21	19	24	10	47
F	73	10	15	3	5	3	9	4	2	3	4	1	2		3	19





TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MISSISSIPPI—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	<b>2,955</b>	<b>666</b>	<b>1,138</b>	<b>90</b>	<b>98</b>	<b>175</b>	<b>188</b>	<b>135</b>	<b>110</b>	<b>114</b>	<b>135</b>	<b>97</b>	<b>104</b>	<b>94</b>	<b>120</b>	<b>357</b>
Males.....	1,611	368	610	47	57	105	101	69	63	57	72	54	61	53	62	200
Females.....	1,344	298	528	43	41	70	87	66	47	57	63	43	43	41	58	157
Croup.....	M 205 F 204	M 139 F 143	M 196 F 197	M 7 F 6	M 2 F 1											
Pneumonia.....	M 1,223 F 945	M 184 F 124	M 337 F 264	M 36 F 27	M 44 F 34	M 100 F 65	M 97 F 77	M 63 F 61	M 61 F 42	M 55 F 51	M 67 F 56	M 46 F 34	M 52 F 38	M 48 F 38	M 53 F 43	M 164 F 115
Laryngitis.....	M 1 F 3			M 1				M 1			M 1					M 1
Bronchitis.....	M 103 F 102	M 39 F 27	M 63 F 51	M 2 F 5	M 4 F 6	M 1	M 2 F 5	M 3 F 1	M 1 F 2	M 1 F 2	M 2 F 2	M 4 F 4	M 2 F 1	M 4 F 1	M 1 F 4	M 13 F 18
Pleurisy.....	M 19 F 29	M 1 F 1	M 1		M 3	M 1	M 1	M 2	M 1		M 3	M 1	M 1		M 3	M 6 F 10
Asthma.....	M 31 F 25	M 1 F 3	M 5 F 3	M 1	M 2	M 1	M 1	M 2			M 2 F 1	M 3 F 1	M 5 F 2	M 1	M 3	M 11 F 9
Others of this class.....	M 29 F 36	M 5 F 2	M 8 F 11	M 2 F 3	M 2 F 3	M 3 F 3	M 1 F 4	M 2 F 1	M 2 F 2	M 1 F 1	M 1 F 2	M 1 F 2	M 1 F 1	M 1 F 1	M 2 F 2	M 5 F 5
<b>5. Diseases of the digestive system.</b>	<b>968</b>	<b>198</b>	<b>398</b>	<b>41</b>	<b>23</b>	<b>88</b>	<b>51</b>	<b>39</b>	<b>33</b>	<b>28</b>	<b>33</b>	<b>34</b>	<b>39</b>	<b>39</b>	<b>45</b>	<b>127</b>
Males.....	525	100	215	20	15	20	25	19	15	13	19	15	18	27	26	78
Females.....	443	98	183	21	8	18	26	20	18	15	14	19	21	12	19	49
Dentition.....	M 57 F 50	M 19 F 21	M 57 F 50													
Angina.....	M 20 F 8	M 6 F 4	M 10 F 4	M 2 F 2			M 1 F 1	M 1 F 1		M 1			M 1	M 2		M 2
Gastritis.....	M 50 F 57	M 6 F 4	M 13 F 11	M 3	M 2	M 1	M 5 F 2	M 3 F 2	M 2 F 2	M 2 F 2	M 5 F 5	M 2 F 4	M 2 F 3	M 2 F 4	M 7 F 5	M 10 F 11
Diseases of the stomach.....	M 52 F 58	M 6 F 5	M 20 F 22	M 5 F 8	M 4 F 2	M 2 F 4	M 2 F 2	M 2 F 3	M 4 F 3	M 2 F 2	M 2 F 3	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 3	M 8 F 6
Obstruction of the bowels.....	M 9 F 8	M 1 F 1	M 2		M 2		M 1 F 3	M 2 F 2	M 1			M 1 F 1	M 2 F 2	M 1	M 1	M 2
Appendicitis.....	M 29 F 9	M 2	M 2	M 1	M 2	M 4 F 2	M 3 F 3	M 2 F 1	M 2 F 1	M 1 F 1	M 4 F 1	M 2 F 1	M 2	M 1	M 2	M 3 F 1
Hernia.....	M 21 F 4	M 1 F 4	M 1		M 1		M 2		M 1 F 1	M 2 F 1	M 1		M 2	M 1	M 1	M 11 F 1
Other diseases of the bowels.....	M 60 F 47	M 8 F 9	M 24 F 20	M 2 F 4	M 2 F 1	M 2 F 2	M 3 F 2	M 3 F 3	M 2 F 2	M 4 F 4	M 1 F 2	M 1	M 2 F 1	M 4 F 2	M 4 F 3	M 9 F 10
Jaundice.....	M 13 F 18	M 9 F 7	M 9 F 8		M 1 F 1	M 2	M 1	M 1 F 1	M 1 F 1							M 1 F 2
Inflammation and abscess of the liver.....	M 35 F 26	M 2 F 2	M 5	M 1		M 2	M 2 F 3	M 2	M 2	M 2	M 2 F 2	M 2 F 2	M 4 F 2	M 5 F 1	M 6	M 10 F 5
Other diseases of the liver.....	M 45 F 27	M 2 F 3	M 8 F 1	M 1	M 4	M 2	M 3 F 3	M 2 F 3	M 1 F 3	M 4 F 1	M 2 F 2	M 2 F 3	M 2 F 3	M 6 F 1	M 4 F 4	M 9 F 4
Peritonitis.....	M 20 F 24	M 1 F 3	M 2 F 4	M 2 F 4	M 1	M 3 F 4	M 2 F 4	M 2 F 2	M 1 F 2	M 1 F 2	M 1 F 1	M 1 F 1	M 1 F 2	M 1 F 1	M 1 F 1	M 3 F 1
Ascites.....	M 17 F 17	M 1 F 3	M 1		M 2	M 2	M 1 F 1	M 2 F 1	M 1 F 1	M 3 F 2	M 3 F 3	M 3 F 3	M 3 F 3	M 1 F 1	M 1	M 4 F 1
Others of this class.....	M 97 F 90	M 41 F 40	M 64 F 53	M 4 F 4	M 5 F 1	M 2	M 2 F 4	M 2 F 2	M 2 F 3	M 1 F 1	M 2 F 1	M 3 F 6	M 2 F 4	M 3 F 1	M 3 F 3	M 6 F 7
<b>6. Diseases of the urinary system and male organs of generation.</b>	<b>432</b>	<b>9</b>	<b>23</b>	<b>10</b>	<b>18</b>	<b>27</b>	<b>32</b>	<b>24</b>	<b>22</b>	<b>17</b>	<b>11</b>	<b>22</b>	<b>28</b>	<b>27</b>	<b>38</b>	<b>138</b>
Males.....	317	5	16	9	10	17	21	13	14	11	8	16	22	22	28	110
Females.....	115	4	7	1	8	10	11	11	8	6	3	6	6	5	10	28
Bright's disease.....	M 167 F 71			M 4 F 1	M 4 F 2	M 9 F 6	M 13 F 8	M 6 F 6	M 9 F 7	M 6 F 3	M 8 F 2	M 12 F 4	M 11 F 5	M 19 F 4	M 17 F 5	M 49 F 18
Calculus, urinary.....	M 20 F 1		M 1	M 1					M 1			M 1		M 1	M 3	M 10 F 1
Diseases of the kidney.....	M 53 F 21	M 2 F 2	M 10 F 4	M 2	M 2		M 3 F 1	M 3	M 1				M 6 F 1	M 2 F 1	M 2 F 3	M 25 F 3
Diseases of the bladder.....	M 25 F 3	M 1 F 2	M 1 F 2				M 1		M 1			M 2 F 1	M 3		M 3	M 14
Others of this class.....	M 52 F 19	M 2 F 1	M 4 F 1	M 2 F 6	M 4 F 2	M 8 F 2	M 4 F 2	M 7 F 2	M 2 F 1	M 4 F 1	M 4 F 1	M 1 F 6	M 1 F 4	M 1 F 1	M 3 F 3	M 12 F 1
<b>7. Diseases of the female organs of generation.</b>	<b>51</b>				<b>2</b>	<b>3</b>	<b>1</b>	<b>5</b>	<b>10</b>	<b>9</b>	<b>7</b>	<b>3</b>	<b>5</b>	<b>2</b>	<b>1</b>	<b>3</b>
Ovarian tumors.....	2								M 1							M 1
Ovarian diseases.....	3								M 1	M 1						M 1
Diseases of the tubes.....																
Uterine tumors.....	3								M 1	M 1				M 1		
Uterine diseases.....	11					M 1		M 1	M 3	M 3			M 1		M 1	M 1
Others of this class.....	32				M 2	M 2	M 1	M 4	M 4	M 4	M 7	M 3	M 4	M 1		

CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MISSISSIPPI—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	259				2	51	61	46	46	26	20	2	1		1	3
Abortion	19					5	4	4	4		2					
Childbirth	187				2	35	48	31	32	20	14	1	1		1	2
Puerperal septicemia	40					7	6	11	6	5	3	1				1
Extra-uterine pregnancy																
Others of this class	13					4	3		4	1	1					
9. Diseases of the bones and joints.	45	5	9	5	5	5	2	2	2	2	1	3	2	1	1	5
Males	24	2	3	5	4	3		1	1	1	1	2	2	1		
Females	21	3	6		1	2	2	1	1	1		1			1	5
Diseases of the spine	8	1	1	4	3											3
Abscess, lumbar and psoas	13		4		1	1	2	1				1				
Diseases of the bones	4		1			1			1			1				
Diseases of the hip-joint	3				1			1								
Others of this class	2	1	1	1		2				1	1	1	2	1		
10. Diseases of the skin.	42	5	10			1	2	4	2	4	2	3	3	1	2	8
Males	24	3	5				2	3	1	3		2	2	1		5
Females	18	2	5			1	1	1	1	1	2	1	1		2	3
Abscess	9						2	1	1	1	1	2		1		1
Carbuncle	5	1	1					2					1			1
Others of this class	2	2	4			1		1	1	2		1	1			3
11. Diseases of the absorbent system.	9						2		1	1		3			2	
Males	7						1		1	1		3			1	
Females	2						1								1	
Addison's disease																
Diseases of the spleen	5						1		1	1		1			1	
Others of this class	2						1					2				
12. Accidents and injuries	1,106	145	314	77	57	104	127	101	69	63	33	25	20	22	22	72
Males	751	67	149	38	44	75	104	89	58	52	32	23	15	16	12	44
Females	355	78	165	39	13	29	23	12	11	11	1	2	5	6	10	28
Burns and scalds	85	3	55	12	3	2	2	1	1	1				1	1	7
Drowning	157	10	75	27	4	11	11	4	6	3		1	3	2	3	7
Exposure and neglect	55		2	4	11	11	7	11	2	3	1	1	1			1
Gunshot wounds	8		1		1	1	1	1						1		1
Homicide	20	11	17									1				2
Infanticide	27	17	21	2			2									2
Injuries by machinery	166		5	3	11	20	32	35	17	12	6	10	4	4		7
Railroad accidents	19	1	2	1	3	7	1	2	1	1				1		1
Suffocation	75		1	2	1	8	16	10	13	12	4	3	2		2	1
Suicide by shooting	11		1	1		2	3	1	2	1	1					
Suicide by drowning	1	1	1													
Suicide by poison	1	1	1													
Other suicides	12					2	1	1	3	2		2		1		
Sunstroke	53				3	7	10	7	7	5	7		1	2	2	2
Surgical operations	4		1				1								1	
Wounds	1															1
Others of this class	2	2	2				2	3			1	1			2	1
	208	22	37	14	14	24	29	19	9	13	11	2	5	7	3	21
	83	16	28	6	4	6	4	4	2	4		1	1	2	5	17





TABLE S.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MISSOURI—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	6,359	1,163	2,256	270	108	211	274	245	212	256	264	279	252	319	331	1,082
Males .....	3,557	652	1,225	131	48	122	161	146	117	152	171	175	161	194	177	577
Females .....	2,802	511	1,031	139	60	89	113	99	95	104	93	104	91	125	154	505
Croup .....	(M. 331, F. 299)	(M. 132, F. 121)	(M. 300, F. 256)	(M. 30, F. 39)	(M. 1, F. 1)											
Pneumonia .....	(M. 2,539, F. 1,908)	(M. 346, F. 266)	(M. 655, F. 552)	(M. 78, F. 81)	(M. 42, F. 50)	(M. 111, F. 79)	(M. 149, F. 94)	(M. 125, F. 77)	(M. 99, F. 78)	(M. 133, F. 91)	(M. 152, F. 81)	(M. 156, F. 90)	(M. 135, F. 70)	(M. 145, F. 108)	(M. 140, F. 120)	(M. 419, F. 337)
Laryngitis .....	(M. 16, F. 13)	(M. 7, F. 2)	(M. 4, F. 9)	(M. 1, F. 1)												
Bronchitis .....	(M. 359, F. 354)	(M. 138, F. 90)	(M. 203, F. 173)	(M. 11, F. 6)	(M. 1, F. 5)	(M. 2, F. 4)	(M. 3, F. 9)	(M. 9, F. 7)	(M. 4, F. 4)	(M. 6, F. 4)	(M. 5, F. 2)	(M. 5, F. 4)	(M. 7, F. 8)	(M. 17, F. 8)	(M. 14, F. 16)	(M. 72, F. 99)
Pleurisy .....	(M. 49, F. 34)		(M. 3, F. 2)	(M. 1, F. 2)	(M. 1, F. 1)	(M. 2, F. 3)	(M. 4, F. 4)	(M. 3, F. 1)	(M. 5, F. 1)	(M. 3, F. 1)	(M. 1, F. 3)	(M. 2, F. 2)	(M. 2, F. 1)	(M. 6, F. 2)	(M. 6, F. 2)	(M. 13, F. 9)
Asthma .....	(M. 78, F. 66)	(M. 1, F. 3)	(M. 1, F. 6)	(M. 1, F. 1)												
Others of this class .....	(M. 185, F. 133)	(M. 36, F. 29)	(M. 56, F. 34)	(M. 6, F. 9)	(M. 3, F. 3)	(M. 5, F. 5)	(M. 7, F. 5)	(M. 8, F. 6)	(M. 10, F. 8)	(M. 8, F. 7)	(M. 10, F. 4)	(M. 8, F. 7)	(M. 9, F. 5)	(M. 14, F. 6)	(M. 8, F. 1)	(M. 33, F. 33)
<b>5. Diseases of the digestive system.</b>	2,479	421	684	96	92	98	123	119	125	107	113	131	132	119	140	400
Males .....	1,299	242	377	51	52	52	54	44	48	47	58	72	73	64	74	233
Females .....	1,180	179	307	45	40	46	69	75	77	60	55	59	59	55	66	167
Dentition .....	(M. 42, F. 36)	(M. 21, F. 21)	(M. 42, F. 36)													
Angina .....	(M. 30, F. 40)	(M. 1, F. 6)	(M. 17, F. 19)	(M. 7, F. 8)	(M. 1, F. 5)	(M. 1, F. 1)	(M. 2, F. 2)									
Gastritis .....	(M. 178, F. 191)	(M. 28, F. 21)	(M. 43, F. 48)	(M. 8, F. 5)	(M. 6, F. 2)	(M. 2, F. 3)	(M. 4, F. 5)	(M. 5, F. 7)	(M. 6, F. 13)	(M. 5, F. 18)	(M. 8, F. 8)	(M. 15, F. 4)	(M. 13, F. 16)	(M. 8, F. 9)	(M. 13, F. 14)	(M. 43, F. 39)
Diseases of the stomach .....	(M. 166, F. 145)	(M. 35, F. 26)	(M. 64, F. 41)	(M. 6, F. 6)	(M. 4, F. 3)	(M. 2, F. 3)	(M. 5, F. 9)	(M. 2, F. 6)	(M. 3, F. 7)	(M. 2, F. 6)	(M. 7, F. 3)	(M. 7, F. 9)	(M. 9, F. 9)	(M. 5, F. 4)	(M. 11, F. 8)	(M. 39, F. 31)
Obstruction of the bowels .....	(M. 62, F. 68)	(M. 9, F. 6)	(M. 15, F. 11)	(M. 5, F. 1)	(M. 4, F. 2)	(M. 4, F. 1)	(M. 5, F. 6)	(M. 2, F. 3)	(M. 1, F. 4)	(M. 3, F. 4)	(M. 3, F. 4)	(M. 4, F. 5)	(M. 3, F. 5)	(M. 4, F. 5)	(M. 4, F. 6)	(M. 8, F. 11)
Appendicitis .....	(M. 133, F. 71)	(M. 2, F. 1)	(M. 2, F. 1)	(M. 5, F. 9)	(M. 22, F. 12)	(M. 25, F. 10)	(M. 21, F. 8)	(M. 12, F. 10)	(M. 6, F. 5)	(M. 7, F. 4)	(M. 10, F. 1)	(M. 7, F. 4)	(M. 5, F. 1)	(M. 2, F. 2)	(M. 3, F. 2)	(M. 4, F. 1)
Hernia .....	(M. 53, F. 33)	(M. 2, F. 3)	(M. 5, F. 6)													
Other diseases of the bowels .....	(M. 97, F. 74)	(M. 26, F. 15)	(M. 43, F. 35)	(M. 3, F. 1)	(M. 1, F. 6)	(M. 7, F. 4)	(M. 5, F. 4)	(M. 4, F. 3)	(M. 4, F. 3)	(M. 3, F. 1)	(M. 3, F. 3)	(M. 1, F. 2)	(M. 5, F. 2)	(M. 4, F. 2)	(M. 4, F. 1)	(M. 10, F. 12)
Jaundice .....	(M. 53, F. 40)	(M. 30, F. 20)	(M. 31, F. 21)	(M. 2, F. 1)	(M. 1, F. 1)											
Inflammation and abscess of the liver .....	(M. 80, F. 60)	(M. 7, F. 4)	(M. 8, F. 4)	(M. 3, F. 2)	(M. 1, F. 6)	(M. 1, F. 4)	(M. 4, F. 2)	(M. 4, F. 5)	(M. 3, F. 2)	(M. 3, F. 1)	(M. 6, F. 2)	(M. 8, F. 3)	(M. 7, F. 2)	(M. 6, F. 5)	(M. 5, F. 7)	(M. 22, F. 17)
Other diseases of the liver .....	(M. 154, F. 79)	(M. 7, F. 5)	(M. 8, F. 6)	(M. 1, F. 6)	(M. 2, F. 2)	(M. 1, F. 2)	(M. 1, F. 2)	(M. 5, F. 3)	(M. 11, F. 8)	(M. 10, F. 7)	(M. 13, F. 7)	(M. 12, F. 9)	(M. 13, F. 10)	(M. 22, F. 9)	(M. 18, F. 9)	(M. 37, F. 21)
Peritonitis .....	(M. 83, F. 205)	(M. 11, F. 1)	(M. 14, F. 10)	(M. 7, F. 9)	(M. 7, F. 5)	(M. 9, F. 18)	(M. 3, F. 30)	(M. 7, F. 35)	(M. 7, F. 31)	(M. 3, F. 18)	(M. 6, F. 18)	(M. 3, F. 13)	(M. 5, F. 5)	(M. 2, F. 2)	(M. 1, F. 3)	(M. 9, F. 8)
Ascites .....	(M. 34, F. 28)	(M. 1, F. 1)	(M. 3, F. 2)	(M. 3, F. 3)												
Others of this class .....	(M. 134, F. 110)	(M. 62, F. 53)	(M. 82, F. 67)	(M. 4, F. 3)	(M. 1, F. 2)	(M. 1, F. 2)	(M. 4, F. 3)	(M. 1, F. 3)	(M. 4, F. 1)	(M. 4, F. 2)	(M. 3, F. 2)	(M. 5, F. 5)	(M. 6, F. 4)	(M. 8, F. 6)	(M. 4, F. 9)	(M. 13, F. 6)
<b>6. Diseases of the urinary system and male organs of generation.</b>	1,608	25	58	30	18	27	51	55	67	98	87	105	131	120	166	595
Males .....	1,086	18	36	20	9	12	29	30	37	58	49	78	83	81	114	450
Females .....	522	7	22	10	9	15	22	25	30	40	38	27	48	39	52	145
Bright's disease .....	(M. 700, F. 358)			(M. 18, F. 8)	(M. 5, F. 6)	(M. 8, F. 9)	(M. 19, F. 16)	(M. 23, F. 18)	(M. 26, F. 20)	(M. 41, F. 26)	(M. 37, F. 31)	(M. 61, F. 20)	(M. 56, F. 38)	(M. 59, F. 27)	(M. 38, F. 43)	(M. 264, F. 96)
Calculus, urinary .....	(M. 5, F. 5)															
Diseases of the kidney .....	(M. 156, F. 59)	(M. 16, F. 3)	(M. 30, F. 16)	(M. 2, F. 1)	(M. 2, F. 2)	(M. 3, F. 2)	(M. 2, F. 2)	(M. 1, F. 2)	(M. 4, F. 2)	(M. 7, F. 4)	(M. 4, F. 4)	(M. 6, F. 3)	(M. 10, F. 2)	(M. 5, F. 5)	(M. 4, F. 4)	(M. 71, F. 19)
Diseases of the bladder .....	(M. 59, F. 9)	(M. 3, F. 3)														
Others of this class .....	(M. 166, F. 91)	(M. 2, F. 1)	(M. 6, F. 3)	(M. 4, F. 1)	(M. 1, F. 1)	(M. 4, F. 4)	(M. 4, F. 4)	(M. 5, F. 5)	(M. 6, F. 7)	(M. 10, F. 7)	(M. 8, F. 6)	(M. 10, F. 4)	(M. 15, F. 7)	(M. 15, F. 7)	(M. 10, F. 9)	(M. 72, F. 26)
<b>7. Diseases of the female organs of generation.</b>	123	2	2		1	13	12	19	17	15	16	6	10	5	3	4
Ovarian tumors .....	17					2	1	1	3	2	1	1	3		1	2
Ovarian diseases .....	3															
Diseases of the tubes .....	13					1	2	4	1	3	1	1				
Uterine tumors .....	24					1	1	1	3	6	3	1	4	4		
Uterine diseases .....	15					2	1	4	1	2	3	1			1	
Others of this class .....	51	2	2		1	7	7	8	9	1	7	2	3	1	1	2



CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MISSOURI—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	355				2	39	85	80	60	54	32	3				
Abortion	14						3	3	4	3	1					
Childbirth	160				2	23	38	33	22	22	19	1				
Puerperal septicemia	144					13	32	31	29	27	11	1				
Extra-uterine pregnancy	3						1		1	1						
Others of this class	34					3	11	13	4	1	1					
9. Diseases of the bones and joints.	177	43	88	13	15	6	8	6	5	7	3	4	6	1	7	8
Males	102	23	42	7	10	4	5	3	3	6	2	2	4	1	7	6
Females	75	20	46	6	5	2	3	3	2	1	1	2	2			2
Diseases of the spine	M. 76	21	39	6	8	2	3		2	5	2		2	1	2	4
Abscess, lumbar and psosas	F. 62	20	48	5	3	2	2	2	2			1	1			1
Diseases of the bones	M. 13	1	2		2	2						1	2		3	1
Diseases of the hip-joint	F. 7		2		1		1		1		1					1
Others of this class	M. 2	1	1	1			2	1							2	
F. 1	1										1					
10. Diseases of the skin.	83	27	33	3	1	1	1	3	2	5	5	5	3	6	3	12
Males	46	13	15	2		1	1	3		2	4	2	3	2	3	8
Females	37	14	18	1	1			2	2	3	1	3		4		4
Abscess	M. 20	3	3	1		1		2		1	4	1	3		1	3
Carbuncle	F. 16	5	6	1						2	2	2		2		3
Others of this class	M. 12			1				1		1		1		2	2	4
F. 4	4			1	1			1	1					1		1
11. Diseases of the absorbent system.	27	1	5	1		1	4	1	3	3	1	1	1	2	1	3
Males	12		2			1	1		3					2	1	3
Females	15	1	3	1		1	3	1		3	1	1	1			
Addison's disease	M. 2					1	1		2							
Diseases of the spleen	F. 2															1
Others of this class	M. 4		1				1		1	3	1		1	1	1	2
F. 7	6	1	2	1			1	1				1				
12. Accidents and injuries.	1,972	99	231	74	92	162	225	186	177	172	116	114	102	90	58	173
Males	1,491	64	143	45	73	126	178	152	145	142	86	92	82	68	51	108
Females	481	35	88	29	19	36	47	34	32	30	30	22	20	22	7	65
Burns and scalds	M. 75	6	45	2	5	3	4	2	3	3	2	2		1	2	1
Drowning	F. 83	2	28	10	1	4	6	4	6	4	2	2	1	4	2	9
Exposure and neglect	M. 99	1	5	9	10	14	11	8	7	10	4	5	6	3	1	6
Gunshot wounds	F. 9		2	1	1	1	1	1	1	1			1	1		
Homicide	M. 11	5	6				1	1	1	1						
Infanticide	F. 5	3	4													
Injuries by machinery	M. 142	1	2	3	13	15	36	20	14	13	2	9	3	5	3	4
Railroad accidents	F. 20		1	3	2	4	5	3	1	3						1
Suffocation	M. 104			1	2	9	15	24	13	17	6	5	4	5	2	1
Suicide by shooting	F. 7				1	1	1	1	1			3				
Suicide by drowning	M. 8						1	1	3	1	2					
Suicide by poison	F. 8															
Other suicides	M. 174		3	3	5	20	26	27	29	16	9	9	9	4	3	11
Sunstroke	F. 14		2		2	2	2	1	2	1	1		2	1		2
Surgical operations	M. 38	21	23		1	3	1	1	2	2	2		1	1		1
Wounds	F. 21	16	16		1	2	2	2	1	1						
Others of this class	M. 36					2	2	2	7	3	2	1	2	5	4	
F. 6	6				1	1	3	1	2							
Sunstroke	M. 5								1	1			1	2		1
Surgical operations	F. 1															
Wounds	M. 17					1	2	2	3	3		2	2		1	1
Others of this class	F. 9					2	3	2	2			1	1			
Sunstroke	M. 132					3	12	9	18	16	12	15	16	17	7	7
Surgical operations	F. 48					7	5	6	6	2	8	1	2	5	1	5
Wounds	M. 24		1	1		1			1	2	2	4	4	2		6
Others of this class	F. 5											1	1	2	1	2
Sunstroke	M. 18						3	3	2	2	1	1	2	2	2	2
Surgical operations	F. 51				1		10	5	5	8	6	6	5	4		1
Wounds	M. 15		1			3	4	1	3	1	2					
Others of this class	F. 2				1											
Sunstroke	M. 593	30	57	26	37	52	56	51	44	47	39	38	32	24	27	63
Surgical operations	F. 200	14	34	16	11	14	9	14	8	11	13	8	10	5	3	44





VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MONTANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	493	39	94	16	6	1	27	27	40	40	35	43	37	34	22	71
Males.....	348	25	50	4	3	1	21	23	31	35	27	35	29	23	16	50
Females.....	145	14	44	12	3		6	4	9	5	8	8	8	11	6	21
Croup.....	{M. 11	1	11													
{F. 16	4	14	2													
Pneumonia.....	{M. 302	17	29	4	2	1	20	21	29	34	26	29	28	21	15	43
{F. 105	5	21	9	2	3		6	4	9	4	7	7	8	8	4	15
Laryngitis.....	{M. 1		1													
{F. 1																
Bronchitis.....	{M. 19	5	7		1				1	1		4		2		3
{F. 15	4	7								1				2		4
Pleurisy.....	{M. 2						1	1								
{F. 3											1					1
Asthma.....	{M. 5											1				3
{F. 4	1	1										1		1		1
Others of this class.....	{M. 8	2	2					1	1		1	1	1			1
{F. 2		1	1	1												
<b>5. Diseases of the digestive system.</b>	120	16	33	2		7	9	8	6	10	7	7	9	5	5	12
Males.....	63	10	19	1		3	1	3	2	6	5	5	6	3	3	6
Females.....	57	6	14	1		4	8	5	4	4	2	2	3	2	2	6
Dentition.....	{M. 2	1	2													
{F. 3	3	3														
Angina.....	{M. 1	1	1													
{F. 1							1									
Gastritis.....	{M. 6	1	1								1		3	1		
{F. 9	2	4						1	1	1				1		1
Diseases of the stomach.....	{M. 4		2				2					1				
{F. 7								2	1	1		1		1		
Obstruction of the bowels.....	{M. 6		1			1					1		1	1		1
{F. 4			1				1					1			1	
Appendicitis.....	{M. 6		1	1		1				3						
{F. 8		1	1			4	2									
Hernia.....	{M. 6	1	1					1		1		1				2
{F. 2													2			
Other diseases of the bowels.....	{M. 5	2	2					1					2			
{F. 2		1	1										2			1
Jaundice.....	{M. 1		1													
{F. 1																
Inflammation and abscess of the liver.....	{M. 5	1	1			1		1			1	1				1
{F. 2															1	
Other diseases of the liver.....	{M. 5										1	1			1	2
{F. 1																
Peritonitis.....	{M. 8	1	1				1	2	2	1	1	1		1		2
{F. 14	1	2					2	1	2	3	1	1	1			2
Ascites.....	{M. 1							1								1
{F. 3		1														1
Others of this class.....	{M. 7	2	5												2	
{F. 2		1	1								1					
<b>6. Diseases of the urinary system and male organs of generation.</b>	61		1	2	1	1	1	2	6	2	4	4	5	5	4	23
Males.....	46		1				1		5	2	2	3	5	3	4	20
Females.....	15			2	1	1		2	1		2	1		2		3
Bright's disease.....	{M. 35			1	1	1		2	5	2	2	3	5	2	4	12
{F. 12											1	1		2		3
Calculus, urinary.....	{M. 1															
{F. 1																
Diseases of the kidney.....	{M. 7		1				1							1		4
{F. 1																
Diseases of the bladder.....	{M. 1															1
{F. 1																
Others of this class.....	{M. 3			1					1		1					3
{F. 3																
<b>7. Diseases of the female organs of generation.</b>	6					1		2	2	1						
Ovarian tumors.....	1									1						
Ovarian diseases.....																
Diseases of the tubes.....	1								1							
Uterine tumors.....																
Uterine diseases.....	1					1										
Others of this class.....	3							2	1							

CAUSE, SEX, AND AGE.

591

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MONTANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	33					7	5	10	5	3	1	2				
Abortion	2					1	1									
Childbirth	16					3	2	5	3	2		1				
Puerperal septicemia	10					3		4		1	1	1				
Extra-uterine pregnancy	2						2									
Others of this class	3							1	2							
9. Diseases of the bones and joints.	4			1							1				1	1
Males	2										1				1	
Females	2			1												1
Diseases of the spine	1										1					1
Abscess, lumbar and psoas	1															
Diseases of the bones	1			1												
Diseases of the hip-joint	1														1	
Others of this class	1															
10. Diseases of the skin	7			1			1			2	1					2
Males	5						1			1	1					2
Females	2			1						1						
Abscess	4			1			1			1	1					1
Carbuncle	2									1						
Others of this class	1															1
11. Diseases of the absorbent system.	1								1							
Males	1								1							
Females	1															
Addison's disease	1															
Diseases of the spleen	1															
Others of this class	1								1							
12. Accidents and injuries.	254	7	18	8	6	6	28	25	32	35	17	11	12	15	5	36
Males	213	4	12	4	6	6	23	19	25	33	17	11	7	13	4	33
Females	41	3	6	4			5	6	7	2			5	2	1	3
Burns and scalds	6		2	2					1		2			1		1
Drowning	12		3				1		1	2		2				3
Exposure and neglect	4	2	3						2							1
Gunshot wounds	16			1	1	2	2	2	3	3			1			2
Homicide	13			1			1	1	4	2		1			1	4
Infanticide	1															1
Injuries by machinery	1															
Railroad accidents	23		1	3	2		3		1	2			1	1	1	8
Suffocation	1	1	1													
Suicide by shooting	6							1	1		2	1		2		
Suicide by drowning	1															
Suicide by poison	3						1	1			1					
Other suicides	14						1	1	1	6	3		1	2		1
Sunstroke	1															1
Surgical operations	7						2	1	2				2			
Wounds	1						1									
Others of this class	113	1	2		3	4	15	15	13	18	9	7	5	8	2	12
	10	1	2					1		1			2	1	1	2

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEBRASKA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes .....	8,264	1,642	2,599	322	237	318	363	337	358	350	349	294	359	341	421	1,616
Males .....	4,480	929	1,406	173	124	170	165	170	161	163	180	163	212	188	259	946
Females .....	3,784	713	1,193	149	113	148	198	167	197	187	169	131	147	153	162	670
Unknown cause .....	458	246	282	10	8	5	10	11	8	9	14	11	8	14	12	61
Males .....	255	143	164	7	2	4	2	6	3	2	6	6	2	7	6	38
Females .....	203	98	118	3	1	1	8	5	5	7	8	5	6	7	6	23
1. General diseases.																
General diseases—A .....	1,631	430	855	188	69	78	64	55	55	34	37	28	36	20	45	117
Males .....	827	215	430	68	31	38	31	26	19	14	20	22	21	10	28	69
Females .....	804	215	425	70	38	40	33	29	36	20	17	6	15	10	17	48
Measles .....	{M 30 F 20	{7 8	{19 18	{4 1	{1 1	{1 1	{2 1		{1 1						{1 1	{1 1
Scarlet fever .....	{M 43 F 40	{4 3	{31 22	{10 8	{1 5	{3 3	{1 1	{2 2								
Diphtheria .....	{M 83 F 79	{6 4	{34 29	{30 30	{9 9	{5 5	{1 2	{3 2	{1 1		{1 1					{1 1
Whooping cough .....	{M 47 F 58	{32 30	{46 55	{1 3												
Malarial fever .....	{M 16 F 16	{2 3	{5 4	{2 1	{1 1	{2 2	{2 2		{1 2		{1 1	{1 1	{1 1			{.2 1
Influenza .....	{M 64 F 58	{10 11	{18 15			{1 3	{2 1	{2 4		{1 1		{3 1	{2 1	{4 1	{1 2	{6 3
Typhoid fever .....	{M 145 F 115	{3 1	{10 10	{6 10	{10 14	{22 21	{21 16	{16 8	{14 13	{8 3	{10 4	{8 2	{6 4	{2 4	{2 4	{5 5
Cholera morbus .....	{M 61 F 60	{24 14	{39 25	{2 3	{4 4	{1 2	{1 1	{2 1		{5 4		{2 2		{1 2	{2 2	{5 5
Colitis .....	{M 5 F 5	{1 3	{3 4	{1 1						{1 1						{1 1
Diarrhea .....	{M 32 F 22	{6 4	{12 11	{4 4	{2 2		{1 1	{1 1				{1 1		{2 1	{3 3	{6 2
Dysentery .....	{M 35 F 37	{2 10	{18 22	{3 2		{2 1	{1 1			{1 1		{2 1		{3 1	{2 2	{3 5
Enteritis .....	{M 24 F 23	{13 9	{18 14	{1 1				{1 1	{1 1				{1 1	{1 1		{3 3
Cholera infantum .....	{M 149 F 165	{85 100	{149 165													
Fever .....	{M 4 F 9	{4 2	{4 7		{1 1						{1 1					
Cerebro-spinal fever .....	{M 19 F 17	{8 4	{13 10	{1 3	{1 3	{1 3	{1 1			{1 1		{1 1				{1 1
Smallpox .....	{M 4 F 1		{1 1			{1 1	{1 1			{1 1					{1 1	
Erysipelas .....	{M 15 F 10	{4 2	{5 5		{2 2							{3 3		{1 1	{2 2	{4 1
Septicemia .....	{M 35 F 55	{2 2	{4 2	{3 2	{2 2		{10 10	{9 9	{2 14	{2 9		{5 2	{4 4	{2 2	{1 1	{7 1
Venereal diseases .....	{M 5 F 4							{1 1	{1 1		{1 1	{1 1				{1 1
Others of this group .....	{M 11 F 10	{2 3	{2 5		{1 1			{1 1						{1 1	{3 2	{5 1
General diseases—B .....	146	66	91	4	1	2	6	4	4	10	3	5	3	3	1	9
Males .....	90	41	51	3	1		2	2	4	7	3	5	2	3	1	6
Females .....	56	25	40	1		2	4	2		3		1	1			3
Alcoholism .....	{M 14 F 2								{2 2	{3 1	{1 1	{2 2	{1 1	{2 2		{3 1
Parasitic diseases .....																
Lead poison .....	{M 3 F 1									{2 2				{1 1		
Other poisons .....	{M 31 F 20	{3 3	{11 8	{2 1	{1 1		{2 4	{2 2	{2 2	{2 2	{2 2	{3 3	{1 1		{1 1	{2 1
Inanition .....	{M 42 F 34	{38 25	{40 32	{1 1		{1 1										{1 1
General diseases—C .....	445	163	170	1				2				1	1	1	4	265
Males .....	221	101	103	1								1			2	114
Females .....	224	62	67					2					1	1	2	151
Old age .....	{M 111 F 150														{1 2	{110 148
Premature birth .....	{M 61 F 34	{61 34	{61 34													
Malformation .....	{M 14 F 6	{13 6	{13 6	{1 1												
Debility and atrophy .....	{M 33 F 30	{25 18	{27 23					2				1			1	4
Others of this group .....	{M 2 F 4	{2 4	{2 4										1	1		3

CAUSE, SEX, AND AGE.

593

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEBRASKA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>1. General diseases—Continued.</b>																
General diseases—D.....	1,206	33	68	19	36	68	97	100	98	87	86	68	90	75	75	239
Male.....	574	21	34	13	15	31	37	44	41	41	39	32	42	33	39	138
Female.....	632	12	34	6	21	37	60	56	57	46	47	36	48	42	36	106
Anemia.....	9 8	1 4	1 4		1									1 1	1 1	3 1
Diabetes.....	43 19		3	4 1	2 1	3 2	2 1	1	1 2	4		1 2	2 1	3	5 1	15 2
Rheumatism.....	26 26	1 1	1 3	2 1	4 5	2 1		1 1	2 1	3	1 1	1 1	1 2		2 2	9 2
Scrofula and tabes.....	11 14	1	1	1	2			2 3	1	1	1 2		1 1		1	3 1
Hydrocephalus.....	17 8	7 1	11 6	2	2 1	2										
Tuberculosis, general.....	11 1		2			1	1		3		1	1	1			1
Consumption.....	265 327	4 4	10 12	3 1	5 9	19 31	33 53	39 48	27 41	24 30	25 26	12 9	15 11	11 13	12 12	27 31
Cancer.....	118 142	2 1	2 4			1		1 3	4 6	9 6	7 14	12 18	12 25	12 17	15 12	43 39
Tumor.....	12 33	3 2	1 2	2	2	2		1	2	1	3	1	4	4	4	3 7
Dropsy.....	59 51	1 1	1 1		2 2	2 1	1 1		2 3	2 3	1	3 4	8 4	5 4	3 4	29 23
Others of this group.....	3 3	1 1	1	2					1					1		
<b>2. Diseases of the nervous system..</b>	965	207	308	29	22	19	21	20	23	33	42	32	51	52	64	249
Males.....	552	114	167	16	13	10	10	14	10	15	24	19	31	29	35	159
Females.....	413	93	141	13	9	9	11	6	13	18	18	13	20	23	29	90
Inflammation of the brain.....	47 49	17 17	30 31	3 3	1 2	3 2	1 3		1	1	2	1 2	1	1	1 1	3 1
Meningitis.....	75 63	23 21	47 40	7 7	4 1	3 1	5 2	2	2	2	1 3		2		1	2 2
Apoplexy.....	88 56	1 2	1 2	1		1		2	1	1	5 2	4 3	7 7	12 8	14 7	41 23
Paralysis.....	131 98	2 1	2		3 2		1	1	3 3	5 4	4 4	7 3	9 6	7 7	10 14	79 53
Paralysis, general (of insane). ..	34 11				1			1	4	2	6 2	2 1	6 2	1	4 3	7 2
Tetanus and trismus nascentium.....	11 5	6 1	6 1	1	2		1			1	2		2			
Chorea.....	2				1		1									
Epilepsy.....	14 16	4 4	5 5	1 1			1 2	3 2		1	1	1	1			1
Convulsions.....	64 42	54 36	62 42			1		1								
Mental diseases.....	9 10					1		1	1		1 3	2	1			6 1
Diseases of the brain.....	50 37	7 7	12 13	4	1 3	1 5	1 1	1	1 5	4 3	3 1	2	3	2 3	4	11 3
Diseases of the spinal cord.....	11 6		1 2	1	1	2		1			1		1		1	3 1
Locomotor ataxia.....	6 5		1								1			2 1	1	2
Others of this class.....	12 13	3	1				1	1	1	2		1	1	3 2		5 3
<b>3. Diseases of the circulatory system.</b>	612	60	71	12	16	16	20	19	24	29	24	42	42	41	73	183
Males.....	345	38	44	7	5	7	3	10	13	12	11	17	31	26	45	114
Females.....	267	22	27	5	11	9	17	9	11	17	13	25	11	15	28	69
Pericarditis.....	1 3		1				1					1				
Diseases of the heart.....	319 247	28 19	34 23	7 5	5 11	7 9	3 14	7 8	13 11	11 16	11 13	16 23	27 10	24 13	45 25	109 66
Angina pectoris.....	10 8							3 1					1 1	1 1		5 2
Diseases of the arteries.....	1											1				1
Aneurism.....	3 4						2			1			1	1	1	
Embolism.....	1 1											1				
Others of this class.....	11 3	10 3	10 3										1			

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEBRASKA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	1,113	256	467	44	17	40	34	23	27	30	43	35	40	48	56	209
Males.....	614	151	260	21	9	23	17	12	15	14	19	20	25	28	32	119
Females.....	499	105	207	23	8	17	17	11	12	16	24	15	15	20	24	90
Croup.....	M. 36 F. 30	M. 19 F. 11	M. 38 F. 24	M. 3 F. 5	M. 1											
Pneumonia.....	M. 459 F. 364	M. 92 F. 71	M. 173 F. 144	M. 15 F. 16	M. 8 F. 6	M. 20 F. 15	M. 15 F. 14	M. 10 F. 10	M. 13 F. 10	M. 12 F. 14	M. 17 F. 19	M. 17 F. 14	M. 21 F. 10	M. 20 F. 14	M. 27 F. 16	M. 91 F. 62
Laryngitis.....	M. .... F. ....															
Bronchitis.....	M. 51 F. 48	M. 21 F. 17	M. 28 F. 27	M. 1			M. 1 F. 1	M. 1			M. 1 F. 1			M. 3 F. 5	M. 4 F. 4	M. 12 F. 10
Pleurisy.....	M. 8 F. 12		M. 2 F. 1	M. 1 F. 1				M. 1 F. 1					M. 1 F. 1	M. 2 F. 1		M. 2 F. 6
Asthma.....	M. 16 F. 14	M. 2 F. 2	M. 2		M. 1 F. 1		M. 1 F. 1				M. 1 F. 1	M. 2 F. 1	M. 1 F. 3	M. 1 F. 1	M. 1 F. 1	M. 7 F. 7
Others of this class.....	M. 44 F. 31	M. 17 F. 6	M. 22 F. 12	M. 1 F. 1	M. 1 F. 1	M. 3 F. 2	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 1 F. 1	M. 1 F. 2	M. 1 F. 1	M. 3 F. 3	M. 1 F. 1	M. 1 F. 1	M. 7 F. 5
5. Diseases of the digestive system.	602	107	148	21	32	30	25	33	31	35	19	25	36	35	34	98
Males.....	332	65	86	10	16	17	12	15	13	15	8	15	23	23	21	68
Females.....	270	42	62	11	16	13	13	18	18	20	11	10	13	12	13	40
Dentition.....	M. 2 F. 4	M. 1 F. 3	M. 2 F. 4													
Angina.....	M. 5 F. 12	M. 1 F. 1	M. 2 F. 4	M. 4 F. 1	M. 1			M. 1 F. 1		M. 2 F. 2						
Gastritis.....	M. 35 F. 26	M. 4 F. 2	M. 9 F. 4	M. 4 F. 1	M. 3 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 3 F. 1	M. 3 F. 1	M. 2 F. 2	M. 2 F. 1	M. 11 F. 10
Diseases of the stomach.....	M. 26 F. 30	M. 3 F. 5	M. 4 F. 6	M. 1 F. 1	M. 1 F. 1	M. 1 F. 2	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1	M. 1 F. 3	M. 1 F. 1	M. 3 F. 1	M. 1 F. 4	M. 4 F. 1	M. 7 F. 8
Obstruction of the bowels.....	M. 24 F. 12	M. 5 F. 3	M. 7 F. 4	M. 2 F. 1			M. 1 F. 1		M. 1 F. 1	M. 2 F. 1	M. 1 F. 2	M. 1 F. 1		M. 1 F. 1	M. 1 F. 1	M. 7 F. 2
Appendicitis.....	M. 56 F. 37	M. 1 F. 1	M. 2 F. 1	M. 1 F. 5	M. 11 F. 7	M. 10 F. 6	M. 6 F. 4	M. 7 F. 7	M. 1 F. 1	M. 4 F. 3	M. 1 F. 1	M. 2 F. 1	M. 4 F. 1	M. 2 F. 1	M. 2 F. 1	M. 3
Hernia.....	M. 13 F. 7	M. 1 F. 1				M. 1 F. 1				M. 1 F. 3					M. 2 F. 2	M. 7 F. 1
Other diseases of the bowels.....	M. 18 F. 19	M. 6 F. 6	M. 8 F. 8		M. 1 F. 2	M. 1 F. 1			M. 2 F. 1	M. 1 F. 2	M. 1 F. 1		M. 1 F. 1	M. 1 F. 1		M. 3 F. 3
Jaundice.....	M. 11 F. 7	M. 3 F. 3	M. 3 F. 4	M. 1						M. 1 F. 1			M. 1 F. 2	M. 4 F. 1	M. 1	
Inflammation and abscesses of the liver.....	M. 7 F. 8	M. 1 F. 1	M. 2 F. 2		M. 1 F. 1				M. 1 F. 1	M. 2 F. 2			M. 2 F. 2	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1
Other diseases of the liver.....	M. 38 F. 25	M. 2 F. 1	M. 2 F. 2		M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 3 F. 1	M. 2 F. 2	M. 1 F. 2	M. 5 F. 2	M. 3 F. 1	M. 1 F. 4	M. 5 F. 4	M. 14 F. 7
Peritonitis.....	M. 34 F. 45	M. 2 F. 1	M. 2 F. 2	M. 1 F. 2	M. 3 F. 2	M. 3 F. 2	M. 3 F. 5	M. 6 F. 8	M. 7 F. 7	M. 3 F. 5	M. 1 F. 2	M. 1 F. 3	M. 3 F. 5	M. 4 F. 1	M. 2 F. 1	M. 1 F. 1
Ascites.....	M. 5 F. 7												M. 2 F. 2		M. 1 F. 1	M. 3 F. 5
Others of this class.....	M. 58 F. 31	M. 36 F. 15	M. 43 F. 21	M. 1 F. 1		M. 1 F. 1		M. 1 F. 1		M. 1 F. 1	M. 2 F. 3	M. 2 F. 3	M. 2 F. 1	M. 3 F. 1	M. 1 F. 1	M. 1 F. 2
6. Diseases of the urinary system and male organs of generation.	324	12	15	4	3	5	10	10	11	16	26	20	20	29	32	123
Males.....	226	9	10	1	2	3	5	7	5	10	18	8	13	17	29	98
Females.....	98	3	5	3	1	2	5	3	6	6	8	12	7	12	3	25
Bright's disease.....	M. 151 F. 61			M. 1 F. 3	M. 2 F. 1	M. 1 F. 1	M. 2 F. 3	M. 7 F. 1	M. 4 F. 3	M. 9 F. 4	M. 15 F. 5	M. 7 F. 9	M. 12 F. 5	M. 13 F. 10	M. 20 F. 3	M. 58 F. 13
Calculus, urinary.....	M. 3 F. 1								M. 1 F. 1							M. 2
Diseases of the kidney.....	M. 32 F. 27	M. 6 F. 2	M. 7 F. 4			M. 1 F. 1	M. 2 F. 2			M. 3 F. 2		M. 1 F. 2	M. 1 F. 2		M. 5 F. 2	M. 15 F. 8
Diseases of the bladder.....	M. 15 F. 9						M. 1 F. 1							M. 2 F. 2	M. 2 F. 1	M. 10 F. 4
Others of this class.....	M. 25 F. 9	M. 3 F. 1	M. 3 F. 1			M. 1 F. 1		M. 2 F. 2		M. 1 F. 2	M. 3 F. 2			M. 2 F. 1	M. 2 F. 1	M. 13 F. 4
7. Diseases of the female organs of generation.	27					1	5		4	5	3	4	2	1		2
Ovarian tumors.....	4						1		1	1						1
Ovarian diseases.....	2										1			1		
Diseases of the tubes.....	4						1			1	1	1				
Uterine tumors.....	7								1	2		2	1			1
Uterine diseases.....																
Others of this class.....	10					1	3		2	1	1	1	1			



CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEBRASKA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	93					3	18	19	23	18	12					
Abortion	6							2	2	2						
Childbirth	53					1	10	8	12	14	8					
Puerperal septicemia	25					1	7	7	6	1	3					
Extra-uterine pregnancy.	4						1		3							
Others of this class	5					1		2		1	1					
9. Diseases of the bones and joints.	29	11	15	1	1	1	2	1		1			2	1		4
Males	12	2	5			1	2	1		1				1		1
Females	17	9	10	1	1								2			3
Diseases of the spine. {M F	8 14	2 8	5 9				1	1								1 3
Abscess, lumbar and psoas. {M F																
Diseases of the bones. {M F	3 3	1	1	1	1	1				1				1		
Diseases of the hip-joint. {M F																
Others of this class. {M F	1 1						1									
10. Diseases of the skin.	14	5	6			1	1				1		2		1	2
Males	6	1	2										1		1	2
Females	8	4	4			1	1				1		1		1	1
Abscess. {M F	4 5		1 2				1	1					1 1		1	1
Carbuncle. {M F	1 1															1
Others of this class. {M F	1 3	1 2	1 2								1					
11. Diseases of the absorbent system.	13		4					1			2	1		2	2	1
Males	7		3								1	1			1	1
Females	6		1					1			1			2	1	1
Addison's disease. {M F	2 1										1 1					1
Diseases of the spleen. {M F	4 2		3 1									1			1	
Others of this class. {M F	1 3							1						1	1	1
12. Accidents and injuries.	586	46	99	39	37	49	50	39	50	43	37	22	26	19	22	54
Males	419	23	47	26	30	36	44	33	38	32	31	17	21	11	19	34
Females	167	23	52	13	7	13	6	6	12	11	6	5	5	8	3	20
Burns and scalds. {M F	21 33	3	17 15	1 7	2	1	1	1	3	2	1 1	1	1			
Drowning. {M F	35 10	1	2 4	3 1	9 1	7 2	4	1	4	1 1	1		1		2	
Exposure and neglect. {M F	9 14	7 8	9 10		2											2
Gunshot wounds. {M F	38 1	1	3		4	9 1	11	3	2	2	1	2			1	
Homicide. {M F	6 3					1	1		1	3 1	1					1
Infanticide. {M F	1	1	1													
Injuries by machinery. {M F	3							2			1					
Railroad accidents. {M F	50 5			4	1	5 1	11 1	3	8	2 1	3	5 1	2 1	1	2	3 1
Suffocation. {M F	8 3	4 2	4 3		1	1	1	1								
Suicide by shooting. {M F	13						1	1	3	2	2		2		1	1
Suicide by drowning. {M F	2							1					1			
Suicide by poison. {M F	9 7					3	2	1		2 1	4	1	1			
Other suicides. {M F	28 10				1	3 2	2	6	5 2	1	1	2 1	2	2 2		4 1
Sunstroke. {M F	3 2		1								1				1	2
Surgical operations. {M F	11 15	2 1	2 1	1	1		2	2	3	3 1	2			3	2	1 1
Wounds. {M F	7			1				3								3
Others of this class. {M F	177 62	4 11	9 18	16 2	13 4	11 3	13	10 4	15 3	17 3	15 3	7 2	13 2	7 2	11 2	20 14





## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEVADA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	67	10	19		1	1	4	1	5	1	2	2	4	6	8	13
Males.....	39	4	8		1	1	3	1	4		1	2	3	4	6	5
Females.....	28	6	11				1		1	1	1	1	1	2	2	8
Croup.....	4	3	4													
Pneumonia.....	35	3	6		1	1	3	1	4		1	2	3	3	5	5
Laryngitis.....	20	3	6				1		1	1	1		1	1	2	6
Bronchitis.....	2	1	1												1	1
Pleurisy.....	2													1		1
Asthma.....	1													1		
Others of this class.....																
5. Diseases of the digestive system.	25	1	3	1	1		2	4		1	1	1	1		3	7
Males.....	13		1				1	3				1	1			6
Females.....	12	1	2	1	1		1	1		1	1				3	1
Dentition.....	1		1													
Angina.....	1	1	1													
Gastritis.....	2							1								1
Diseases of the stomach.....	1							1								
Obstruction of the bowels.....	3		1												2	
Appendicitis.....	2							1					1			
Hernia.....	3															3
Other diseases of the bowels.....	1															1
Jaundice.....																
Inflammation and abscess of the liver.....	1			1												
Other diseases of the liver.....	1														1	1
Peritonitis.....	2						1	1								
Ascites.....	3									1	1					
Others of this class.....																
6. Diseases of the urinary system and male organs of generation.	12						1						2	1	2	6
Males.....	8												1		2	5
Females.....	4						1						1	1	1	1
Bright's disease.....	4												1	1	1	3
Calculus, urinary.....	4						1									1
Diseases of the kidney.....	2														1	1
Diseases of the bladder.....	1															1
Others of this class.....	1												1			
7. Diseases of the female organs of generation.	1								1							
Ovarian tumors.....																
Ovarian diseases.....																
Diseases of the tubes.....																
Uterine tumors.....																
Uterine diseases.....																
Others of this class.....	1								1							

CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEVADA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	3						2	1								
Abortion																
Childbirth	1						1									
Puerperal septicemia																
Extra-uterine pregnancy	1						1									
Others of this class	1							1								
9. Diseases of the bones and joints.	1	1	1													
Males	1	1	1													
Females																
Diseases of the spine	1	1	1													
Abscess, lumbar and psoas.																
Diseases of the bones																
Diseases of the hip-joint.																
Others of this class																
10. Diseases of the skin.	2										1					1
Males	2										1					1
Females																
Abscess	1										1					
Carbuncle	1															1
Others of this class																
11. Diseases of the absorbent system.																
Males																
Females																
Addison's disease																
Diseases of the spleen																
Others of this class																
12. Accidents and injuries.	38		1		1	4	4	3		2	3	1	5	2	4	8
Males	37		1		1	4	4	3		2	3	1	5	2	3	8
Females	1														1	
Burns and scalds	1														1	1
Drowning	1		1													
Exposure and neglect	2															2
Gunshot wounds	2					1								1		
Homicide																
Infanticide																
Injuries by machinery.																
Railroad accidents	3						1								2	
Suffocation																
Suicide by shooting.																
Suicide by drowning																
Suicide by poison	1														1	
Other suicides	8						1	2		1	1		1	1		1
Sunstroke																
Surgical operations																
Wounds																
Others of this class	19				1	3	2	1		1	2	1	4			4









CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW MEXICO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	65				1	13	14	13	9	6	6	2		1		
Abortion	8					2	3	1	2							
Childbirth	48				1	10	10	10	6	4	5	1		1		
Puerperal septicemia	8					1	1	2	1	2	1					
Extra-uterine pregnancy.												1				
Others of this class	1															
9. Diseases of the bones and joints.	5	1	2				1								1	1
Males	2						1									1
Females	3	1	2												1	
Diseases of the spine	2						1									1
Abscess, lumbar and psoas.	3	1	2												1	
Diseases of the bones																
Diseases of the hip-joint.																
Others of this class																
10. Diseases of the skin.	11	4	6			2										3
Males	7	3	4													3
Females	4	1	2			2										
Abscess	1					1										
Carbuncle	1	1	1													
Others of this class	7	3	4			1										3
Males	2		1													
Females	2		1													
11. Diseases of the absorbent system.																
Males																
Females																
Addison's disease																
Diseases of the spleen																
Others of this class																
12. Accidents and injuries	139	4	12	5	10	9	12	17	15	8	11	11	5	7	3	14
Males	113	1	4	3	8	7	8	16	12	8	11	11	5	6	2	12
Females	26	3	8	2	2	2	4	1	3					1	1	2
Burns and scalds	2		1					1								
Drowning	4		3				1									1
Exposure and neglect	2		1													
Gunshot wounds	4		1	2												1
Homicide	1				1	1		2	5	2	3	3				
Infanticide	6								2	2		1				1
Injuries by machinery.	2															
Railroad accidents						1	1	2	4		2			1		
Suffocation																
Suicide by shooting.	2											1		1		
Suicide by drowning																
Suicide by poison	1					1									1	
Other suicides	1									1					1	3
Sunstroke	6															
Surgical operations.							1									1
Wounds	1							1							1	1
Others of this class.	3															
Males	60	1	2	2	5	4	5	7	5	3	8	5	4	4	1	5
Females	12	2	3		2	1	1	1	3							1





TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NORTH CAROLINA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,171	729	1,324	116	78	156	165	115	91	94	134	107	114	104	105	468
Males.....	1,721	413	723	54	35	83	98	65	45	52	80	62	65	66	63	230
Females.....	1,450	316	601	62	43	73	67	50	46	42	54	45	49	38	42	238
Croup.....	276	176	264	10	1		1									2
Pneumonia.....	1,169	181	340	33	27	77	89	59	39	46	72	54	55	51	53	174
Laryngitis.....	6	1	5											1		
Bronchitis.....	133	46	92	5	3	2		2	1	1	1	3	4	3	3	13
Pleurisy.....	58	1	3	2	2	2	2	2	2	1	2	2	1	3	4	23
Asthma.....	35	4	7	1					1	1	2		2	2	3	16
Others of this class.....	26	7	18	2	2	2	2	2	1		1	4		3	2	9
5. Diseases of the digestive system.	1,191	291	511	45	43	35	59	47	38	40	30	35	47	50	55	156
Males.....	611	154	263	29	24	13	24	22	28	16	13	20	27	24	28	80
Females.....	580	137	248	16	19	22	35	25	10	24	17	15	20	26	27	76
Dentition.....	53	18	53													
Angina.....	12	3	8	1				1								3
Gastritis.....	72	10	19	3	3	1	5	1	5	2	3	6	6	3	4	11
Diseases of the stomach.....	92	8	24		3	2	3	8	5	11	3	2	3	7	5	16
Obstruction of the bowels.....	27	2	7	2	3	1	1	2		2			1	3	3	2
Appendicitis.....	28	3	10	2		1	2					2	1	1	5	3
Hernia.....	22	3	6	5	2	1		2	1		1				1	3
Other diseases of the bowels.....	15	1	1		2		3	2		1		2	1		1	1
Jaundice.....	32			1	3	3	8	6	3	2			1	1		4
Inflammation and abscesses of the liver.....	20	3	1	4	4	1	1		1	1			3	2	2	1
Other diseases of the liver.....	25	1	1					1	2	1		2	1	2	4	11
Peritonitis.....	5															2
Ascites.....	77	22	48	7	2		2	1	1	3		2	1	3	1	6
Others of this class.....	72	25	44	2	2	2	1	3		1			1	1	2	13
6. Diseases of the urinary system and male organs of generation.	454	13	35	6	6	10	16	12	14	31	23	24	34	21	37	185
Males.....	300	6	18	4	3	6	8	4	7	12	11	14	22	14	30	147
Females.....	154	7	17	2	3	4	8	8	7	19	12	10	12	7	7	38
Bright's disease.....	149			2	3	5	6	2	3	10	8	6	15	9	20	60
Calculus, urinary.....	94			1	3	3	7	3	4	11	10	7	10	5	7	23
Diseases of the kidney.....	39	2	4	1		1						2		2	3	26
Diseases of the bladder.....	4	1	1													2
Others of this class.....	62	4	13	1			1	1	3	1	3	4	6	2	6	21
7. Diseases of the female organs of generation.	35	5	13	1			1	3	2	4	1	1	1			8
Ovarian tumors.....	25						1						1		1	22
Ovarian diseases.....	3	1	1						1				1			1
Diseases of the tubes.....	25													1		18
Uterine tumors.....	3													2		5
Uterine diseases.....	25					1	6	1	1	3	2	3	1		2	5
Others of this class.....	26						4	6	3	2	2	6	2	1		





CAUSE, SEX, AND AGE.

609

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NORTH DAKOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D	381	14	35	6	17	35	48	26	37	36	29	28	20	11	17	36
Males	177	6	16	3	5	15	19	10	21	18	12	14	10	5	11	18
Females	204	8	19	3	12	20	29	16	16	18	17	14	10	6	6	18
Anemia	M. 1 F. 2							1		1					1	
Diabetes	M. 6 F. 6		1			1	1		1		1			2	1	1
Rheumatism	M. 10 F. 7		1		1			1		2		2			3	1
Scrofula and tabes	M. 6 F. 4		1		1	1		1	1		1	1				1
Hydrocephalus	M. 4 F. 7	1	4	1												
Tuberculosis, general	M. 3 F. 2		1					1				1				1
Consumption	M. 106 F. 140	5	10	2	2	13	17	8	15	15	8	6	4	1	1	4
Cancer	M. 29 F. 21				1			1	3		2	3	5	4	3	8
Tumor	M. 5 F. 6				1	1						1	1	1	2	1
Dropsy	M. 6 F. 7		1	1					1				1			2
Others of this group	M. 1 F. 2		1						1	1						
2. Diseases of the nervous system.	238	76	114	11	13	8	8	10	10	6	7	10	7	6	4	24
Males	132	39	59	4	7	2	7	3	4	4	4	8	4	3	1	22
Females	106	37	55	7	6	6	1	7	6	2	3	2	3	3	3	2
Inflammation of the brain.	M. 22 F. 20	8	15	1	3		1	1			1				1	1
Meningitis	M. 20 F. 16	6	10	2	1	1	1				1	2	1			1
Apoplexy	M. 19 F. 7		1		1		1	1	1	2	1	1	1			9
Paralysis	M. 12 F. 15		1	1	1		1		3			1	1		2	5
Paralysis, general (of insane).	M. 1 F. 1												1			
Tetanus and trismus nascentium.	M. 2 F. 1	1	1													1
Chorea	M. 1 F. 1			1												
Epilepsy	M. 6 F. 8		1		1	1			1			1		1		
Convulsions	M. 30 F. 30	23	28	1	1			2	1			1				1
Mental diseases	M. 10 F. 4						2	1	1	1	2	1	2	2		1
Diseases of the brain	M. 5 F. 5	1	2		1		1	1				1	1			
Diseases of the spinal cord.	M. 1 F. 1		1													1
Locomotor ataxia	M. 1 F. 1															1
Others of this class	M. 2 F. 1														1	1
3. Diseases of the circulatory system.	116	9	18	3	6	4	4	5	6	5	7	8	8	9	6	27
Males	54	5	10	2	2	2	2	3	2	1	4	2	5	4	2	13
Females	62	4	8	1	4	2	2	2	4	4	3	6	3	5	4	14
Pericarditis	M. 1 F. 1															
Diseases of the heart	M. 53 F. 61	5	10	2	1	2	2	3	2	1	4	2	5	4	2	13
Angina pectoris	M. 1 F. 1				1											
Diseases of the arteries	M. 1 F. 1															
Aneurism	M. 1 F. 1															1
Embolism	M. 1 F. 1															
Others of this class	M. 1 F. 1															





CAUSE, SEX, AND AGE.

611

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NORTH DAKOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	44					2	4	10	13	10	3	2				
Abortion .....	1								1							
Childbirth .....	33					1	3	7	8	10	2	2				
Puerperal septicemia .....	5						1		3		1					
Extra-uterine pregnancy .....	2							2								
Others of this class .....	3					1		1	1							
9. Diseases of the bones and joints	8	3	3	1	1						1	1			1	
Males .....	5	1	1	1	1						1					1
Females .....	3	2	2									1				
Diseases of the spine {M	2	1	1	1												
{F	3	1	2									1				
Abscess, lumbar and {M																
{F																
Diseases of the bones {M	2										1					1
{F																
Diseases of the hip {M	1				1											
{F																
Others of this class {M																
{F																
10. Diseases of the skin	6		1	1			1		1			1				1
Males .....																
Females .....	6		1	1			1		1			1				1
Abscess {M																
{F	4			1			1		1							1
Carbuncle {M																
{F																
Others of this class {M																
{F	2		1									1				
11. Diseases of the absorbent system.	1									1						
Males .....																
Females .....	1									1						
Addison's disease {M																
{F																
Diseases of the spleen {M																
{F																
Others of this class {M																
{F	1									1						
12. Accidents and injuries	127	10	22	10	11	10	12	12	5	8	12	6	2	4	2	11
Males .....	95	4	11	7	7	7	10	10	4	8	11	6	2	4	1	7
Females .....	32	6	11	3	4	3	2	2	1		1				1	4
Burns and scalds {M	4		3				1									
{F	6			2		1	1		1							1
Drowning {M	9		1	1	2		4				1					
{F	1		1													
Exposure and neglect {M	1		1				1									
{F	5	4	4													
Gunshot wounds {M	5				1	2	2									
{F	1				1											
Homicide {M	4							2	1							1
{F																
Infanticide {M																
{F																
Injuries by machinery {M																
{F																
Railroad accidents {M	5							2	1					1		1
{F																
Suffocation {M	1															
{F	1	1	1													
Suicide by shooting {M	1									1						
{F																
Suicide by drowning {M																
{F																
Suicide by poison {M																
{F																
Other suicides {M	15						1	2	1		5	3	1			2
{F	1															
Sunstroke {M																
{F																
Surgical operations {M	1															1
{F																
Wounds {M	1					1										
{F																
Others of this class {M	48	3	6	6	4	3	2	4	1	7	5	3	1	3	1	2
{F	17	1	5	1	3	3	1	2			1				1	3

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OHIO.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes .....	53,362	8,819	13,358	1,583	1,084	1,733	2,419	2,388	2,189	2,227	2,133	2,124	2,259	2,529	2,796	14,590
Males.....	28,648	4,913	7,295	854	507	806	1,211	1,137	1,068	1,182	1,180	1,188	1,237	1,418	1,629	7,956
Females.....	24,714	3,906	6,063	749	577	927	1,208	1,251	1,121	1,045	953	936	1,022	1,111	1,167	6,634
Unknown cause.....	1,269	523	580	21	9	23	28	30	27	27	35	31	41	54	44	319
Males.....	653	280	312	10	4	7	12	10	12	15	14	15	17	26	26	173
Females.....	616	243	268	11	5	16	16	20	15	12	21	16	24	28	18	146
1. General diseases.																
General diseases—A.....	8,449	2,165	3,821	568	281	405	394	379	310	250	215	161	189	181	198	1,097
Males.....	4,360	1,198	2,026	253	135	190	211	186	160	125	113	85	93	99	111	573
Females.....	4,089	967	1,795	315	146	215	183	193	150	125	102	76	96	82	87	524
Measles.....	{M 81 F 85	{29 19	{61 57	{5 11	{3 1	{3 1	{5 4	{1 1	{1 1	{1 5	{2 2	{1 1	{1 2	{1 1	{1 1	{1 1
Scarlet fever.....	{M 166 F 168	{9 12	{106 93	{44 50	{9 15	{4 3	{4 3	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1
Diphtheria.....	{M 323 F 375	{28 14	{176 158	{90 146	{29 86	{12 11	{5 5	{2 2	{3 4	{2 6	{1 2	{2 2	{1 1	{1 1	{1 1	{2 1
Whooping cough.....	{M 184 F 217	{103 107	{174 207	{6 6	{1 2	{2 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1
Malarial fever.....	{M 91 F 65	{12 5	{19 12	{5 3	{1 1	{7 5	{11 6	{2 3	{3 5	{5 4	{5 6	{5 2	{5 2	{7 4	{2 2	{14 10
Influenza.....	{M 277 F 328	{21 15	{26 28	{2 5	{4 3	{2 3	{2 3	{7 11	{15 11	{7 9	{8 4	{8 6	{11 10	{12 9	{16 18	{158 208
Typhoid fever.....	{M 962 F 833	{6 11	{40 47	{46 53	{60 63	{127 164	{151 105	{133 108	{100 63	{73 44	{64 40	{37 29	{29 39	{25 21	{30 13	{47 44
Cholera morbus.....	{M 191 F 166	{54 39	{97 73	{6 3	{6 6	{4 5	{4 12	{3 3	{5 4	{4 4	{3 4	{4 1	{6 2	{4 4	{8 9	{37 31
Colitis.....	{M 84 F 25	{18 7	{28 16	{2 2	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{2 2	{1 2
Diarrhea.....	{M 156 F 115	{31 32	{43 45	{1 5	{1 1	{1 3	{2 3	{3 2	{3 2	{3 1	{2 2	{2 4	{5 4	{14 5	{14 7	{66 34
Dysentery.....	{M 201 F 198	{28 21	{93 76	{5 3	{1 1	{4 2	{5 2	{4 1	{4 6	{4 3	{4 7	{4 4	{4 4	{6 8	{8 9	{63 78
Enteritis.....	{M 416 F 376	{252 188	{336 280	{6 4	{1 1	{5 1	{3 5	{4 9	{5 5	{5 6	{5 8	{1 6	{6 4	{8 8	{7 7	{30 32
Cholera infantum.....	{M 685 F 575	{517 427	{685 575													
Fever.....	{M 7 F 2	{3 2	{5 4					{2 2								
Cerebro-spinal fever.....	{M 136 F 113	{38 27	{73 62	{20 16	{10 8	{7 7	{4 4	{10 4	{3 1	{2 5	{2 2	{1 2	{2 1	{1 1	{1 1	{1 1
Smallpox.....	{M 18 F 17	{6 3	{7 4	{1 1	{1 1	{1 1	{3 2	{1 1	{2 1	{1 3	{1 1	{2 2	{2 2	{1 1		{1 1
Erysipelas.....	{M 78 F 62	{11 12	{12 13	{2 1	{3 1	{2 3	{2 3	{3 3	{7 8	{3 3	{4 1	{4 3	{4 9	{6 2	{3 4	{25 19
Septicemia.....	{M 208 F 258	{16 16	{27 30	{12 6	{6 4	{9 9	{11 26	{8 37	{10 37	{15 33	{12 22	{8 8	{11 7	{11 10	{12 7	{56 22
Venereal diseases.....	{M 40 F 23	{13 7	{14 9					{1 2	{1 2	{5 2	{4 4	{4 2	{4 1	{4 2	{3 2	{3 3
Others of this group.....	{M 106 F 82	{3 3	{5 6	{4 1	{1 2		{4 2	{1 1	{2 4	{2 2	{1 2	{4 3	{4 6	{4 9	{7 5	{67 39
General diseases—B.....	1,140	779	845	13	6	9	12	20	28	29	27	18	27	24	13	69
Males.....	689	442	474	7	3	5	7	10	21	22	21	17	21	19	13	49
Females.....	451	337	371	6	3	4	5	10	7	7	6	1	6	5	20	
Alcoholism.....	{M 108 F 11			{1 1			{2 2	{5 1	{14 1	{12 4	{11 2	{12 2	{13 2	{13 2	{6 1	{13 1
Parasitic diseases.....	{M 3 F 4		{2 3	{1 1												
Lead poison.....	{M 3 F 3		{1 1					{1 1					{1 1	{1 1		{3 3
Other poisons.....	{M 80 F 51	{6 5	{19 14	{3 1	{1 1	{4 4	{3 3	{4 8	{5 5	{9 3	{10 4	{4 4	{4 1	{4 3	{2 2	{8 4
Inanition.....	{M 490 F 385	{436 332	{452 354	{2 4	{1 2	{1 2	{1 2	{1 1	{2 1	{2 1	{2 1	{1 1	{3 3	{1 2	{5 2	{20 15
General diseases—C.....	3,827	1,287	1,352	5	11	8	26	24	25	22	29	17	22	42	74	2,170
Males.....	1,906	691	719	2	4	5	12	9	13	12	11	13	10	24	34	1,088
Females.....	1,921	596	633	3	7	3	14	15	12	10	18	4	12	18	40	1,132
Old age.....	{M 921 F 1,037														{10 17	{911 1,020
Premature birth.....	{M 382 F 295	{382 295	{382 295													
Malformation.....	{M 55 F 55	{50 50	{51 52		{2 1	{1 1			{1 1				{1 1			{1 1
Debility and atrophy.....	{M 503 F 504	{214 222	{241 257	{2 3	{2 6	{5 2	{12 14	{9 15	{12 12	{12 9	{11 18	{13 4	{10 11	{24 18	{24 23	{126 112
Others of this group.....	{M 45 F 30	{45 29	{45 29							{1 1						



TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OHIO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	6,901	1,247	2,490	290	117	139	167	184	189	204	212	227	210	252	342	1,878
Males.....	3,667	732	1,395	157	49	71	80	88	97	120	120	123	130	140	189	908
Females.....	3,234	515	1,095	133	68	68	87	96	92	84	92	104	80	112	153	970
Croup.....	316	51	257	52	5	5	1	1	1	1	1	1	1	1	1	1
M.....	238	28	177	45	9	2	6	1	1	1	1	1	1	1	1	1
F.....	241	475	888	88	39	57	64	69	88	82	102	102	92	102	135	573
Pneumonia.....	2,175	344	697	68	46	52	59	73	72	68	67	79	55	74	109	656
Laryngitis.....	27	5	13	3	5	1	1	1	2	1	1	2	2	2	2	2
M.....	27	5	13	3	5	1	1	1	2	1	1	2	2	2	2	2
F.....	27	5	13	3	5	1	1	1	2	1	1	2	2	2	2	2
Bronchitis.....	445	132	195	8	2	5	4	6	2	10	6	5	12	13	14	163
M.....	444	96	146	11	5	5	9	6	5	2	9	7	8	18	26	187
F.....	73	2	5	2	1	3	3	6	2	9	3	7	3	4	6	24
Pleurisy.....	61	2	5	2	1	1	7	3	2	4	1	7	3	4	3	26
M.....	133	8	11	2	2	2	1	1	3	3	1	3	12	9	13	76
F.....	91	3	3	1	1	1	2	2	3	1	3	1	5	7	6	58
Others of this class.....	242	59	76	4	2	4	9	5	5	15	7	5	9	12	20	69
M.....	198	44	57	1	7	7	9	11	9	8	11	9	12	8	7	42
F.....																
<b>5. Diseases of the digestive system.</b>	3,372	492	674	102	79	125	159	171	168	168	161	165	183	216	213	793
Males.....	1,721	269	369	57	41	61	67	67	62	75	85	102	98	99	121	417
Females.....	1,651	223	305	45	38	64	92	104	101	93	76	63	85	117	92	376
Dentition.....	23	13	23	2	2	2	2	2	2	2	2	2	2	2	2	2
M.....	20	12	20	2	2	2	2	2	2	2	2	2	2	2	2	2
F.....	29	5	13	6	4	2	4	1	1	1	1	1	1	1	1	2
Angina.....	34	4	14	3	1	1	1	1	1	1	1	1	1	1	1	3
M.....	245	33	44	3	2	3	6	7	11	13	14	22	20	20	20	82
F.....	252	28	42	6	2	5	16	11	12	5	12	11	19	16	16	57
Diseases of the stomach.....	153	16	22	1	1	1	1	1	2	6	11	9	11	13	15	86
M.....	126	18	23	2	2	7	7	3	5	5	5	5	8	12	5	42
F.....	97	15	24	1	4	4	7	1	6	4	5	7	4	5	5	21
Obstruction of the bowels.....	135	9	13	6	1	2	5	8	8	10	5	6	7	14	8	42
M.....	183	5	17	17	21	26	22	17	15	9	10	3	6	7	8	8
F.....	98	1	11	7	14	12	12	7	7	10	3	1	1	1	1	7
Hernia.....	81	5	6	4	1	5	2	3	6	8	2	3	7	7	8	31
M.....	47	2	2	1	1	2	1	2	2	2	4	2	3	9	2	15
F.....	95	34	49	4	1	4	2	1	1	5	4	2	4	2	4	16
Other diseases of the bowels.....	81	19	30	1	3	4	3	3	2	3	2	2	4	4	3	17
M.....	56	24	26	1	1	1	1	2	2	1	2	1	4	1	2	13
F.....	67	24	27	1	1	1	2	2	1	2	1	4	4	6	2	17
Inflammation and abscess of the liver.....	68	3	3	1	1	2	3	5	2	2	7	9	2	7	6	23
M.....	71	4	9	1	1	6	2	6	2	6	7	4	3	10	7	14
F.....	251	12	19	4	1	3	4	4	7	12	17	26	24	21	27	86
Other diseases of the liver.....	168	8	9	4	2	4	4	1	5	6	9	10	16	23	23	54
M.....	197	8	20	15	15	25	17	7	15	13	10	11	8	6	9	26
F.....	327	8	17	8	15	27	46	49	47	31	20	12	7	8	8	32
Ascites.....	52	2	1	1	2	1	1	1	1	1	5	5	5	7	3	20
M.....	50	2	2	1	2	1	1	1	3	2	1	4	3	6	23	
F.....	191	101	113	4	2	3	2	1	2	4	2	5	5	15	33	
Others of this class.....	175	85	96	1	1	1	2	3	6	7	5	5	10	7	9	23
M.....																
F.....																
<b>6. Diseases of the urinary system and male organs of generation.</b>	2,366	39	65	36	12	31	48	70	85	98	123	156	165	168	246	1,063
Males.....	1,571	21	39	20	5	14	27	33	34	45	66	97	107	115	162	807
Females.....	795	18	26	16	7	17	21	37	51	53	57	59	58	53	84	256
Bright's disease.....	988	14	2	12	23	28	29	38	43	43	70	88	82	104	455	
M.....	551	11	7	12	15	23	23	36	36	42	36	44	41	66	182	
F.....	10	1	1	1	1	1	1	1	1	1	1	1	1	1	3	
Calculus, urinary.....	4	1	1	1	1	1	1	1	1	1	1	1	1	1	3	
M.....	186	12	23	3	1	3	1	1	2	10	11	3	14	17	97	
F.....	90	15	22	3	2	2	2	3	4	4	8	6	8	6	25	
Diseases of the kidney.....	172	1	2	1	1	1	1	1	1	1	3	4	8	20	129	
M.....	21	1	2	1	1	1	1	1	1	1	1	1	1	2	14	
F.....	215	7	13	2	1	2	1	2	2	4	12	12	12	11	18	123
Others of this class.....	129	3	4	2	3	4	12	12	13	9	13	13	8	7	10	32
M.....																
F.....																
<b>7. Diseases of the female organs of generation.</b>	161				2	7	15	23	22	15	21	18	13	8	5	12
Ovarian tumors.....	29				1	1		3	3	2	5	4	5	1	1	3
Ovarian diseases.....	8							1	1	5			1			
Diseases of the tubes.....	23				2	6	8	3	3							1
Uterine tumors.....	34				1	1	2	5	1	8	6	3	1	2	4	
Uterine diseases.....	13						4	3		1	1		2	1	1	
Others of this class.....	54				1	3	8	5	7	4	7	7	5	3	1	3

CAUSE, SEX, AND AGE.

615

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OHIO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>8. Affections connected with pregnancy.</b>	364				1	30	75	96	70	58	24	4	1	1		4
Abortion	22						4	8	2	7						1
Childbirth	164					8	31	39	33	25	12	3		1		2
Puerperal septicemia	134				1	17	32	34	23	18	7	1	1			
Extra-uterine pregnancy	6							2	1	2						1
Others of this class	48					5	8	13	11	6	5					
<b>9. Diseases of the bones and joints.</b>	191	44	70	16	8	7	11	8	4	7	7	6	4	3	11	24
Males	92	18	34	9	2	2	4	4		4	5	1	2	5	6	14
Females	99	26	36	7	6	5	7	4	4	3	2	5	2	3	5	10
Diseases of the spine	65	17	32	6		2	1	3		2	3		1	2	4	9
M	70	26	36	4	3	2	5	2		1	2	1	3	1	3	5
F	3									1					1	1
Abscess, lumbar and psoas	1															1
M	14	1	2	2	1		2			1	1				2	1
F	15					1	2	1	2			1	1	1	1	3
Diseases of the hip-joint	4			1	1			1			1					
M	7				2			1	1							
F	4															
Others of this class	6			1	1		1					1	1	1		2
M	6														1	1
F	6															
<b>10. Diseases of the skin.</b>	105	25	31	3	3	1	4	4	3	3	5	4	2	5	5	32
Males	55	15	18	1	1	1	1	1	1		4	2	1	4	3	17
Females	50	10	13	2	2		3	3	2	3	1	2	1	1	2	15
Abscess	25	6	7	1			1	1			3	1	1	1		9
M	28	4	5	2	2		1	3		2		2	1	1		7
F	13	1	1			1					1	1				4
Carbuncle	7						1				1				1	4
M	17	8	10		1									1	1	4
F	15	6	8				1		1	1						4
Others of this class	8															
M	15															
F	15															
<b>11. Diseases of the absorbent system.</b>	29	4	4	2	1		4	2		3	2	3	2	1	1	4
Males	17	4	4				2	2		1	2	2	1		1	2
Females	12			2	1					2		1	1	1		2
Addison's disease	2						1						1			1
M	2									1						
F	2															
Diseases of the spleen	7	1	1		1			1			2	1			1	1
M	2															
F	2															
Others of this class	8	3	3				1	1		1		1	1			1
M	8						2			1		1		1		1
F	8									1		1		1		1
<b>12. Accidents and injuries.</b>	3,031	158	374	142	132	176	276	260	206	249	195	194	149	130	122	426
Males	2,332	84	215	100	106	141	236	217	173	216	165	167	130	105	97	264
Females	699	74	159	42	26	35	40	43	33	33	30	27	19	25	25	162
Burns and scalds	127	9	74	10	4	2	5	5	6	4	6	3	2	1	1	4
M	162	4	56	13	12	13	10	6	1	4	6	5	7	4	6	23
F	198		13	27	30	29	16	14	15	12	8	5	3	3	5	13
Drowning	33	2	10	5		3	4	1	2	1			1	2	1	3
Exposure and neglect	14	5	6			1	1	1			1					4
M	6			1												2
F	6															
Gunshot wounds	109	1	1	6	13	27	14	9	6	7	8	7	3	2	5	1
M	16		2		4				4	1	1	1	1	1	1	1
F	49		1		2	1	9	6	3	4		8	5	3	3	4
Homicide	17		1				3	4	3	1	2	1		1		1
Infanticide	2	2	2													
Injuries by machinery	5			1		1	1	1	1				1			
M	1															
F	1															
Railroad accidents	510		7	16	22	27	62	66	51	61	35	33	38	28	20	44
M	48		5	9	1	3	4	2	1	1	4	2	1	4	11	
F	69		32	2	1	1	5	2	3	4	4	2			1	7
Suffocation	50	33	37					1					1	3	3	4
Suicide by shooting	80						13	9	10	11	12	6	7	2	2	8
M	6						1	1	1			2				
F	9						2	2	1	1			1	2	1	1
Suicide by drowning	9												2	1	1	1
Suicide by poison	49					2	3	8	6	4	6	6	5	4	4	1
M	25					7	3	5	3	7	4		1			2
F	150				1	1	10	9	8	22	12	20	10	14	13	30
Other suicides	39					4	4	5	6	2	3		1	5	1	8
Sunstroke	24	3	5	1				1		3		2	4	2	1	5
M	8				1							1	1		1	2
F	12	1	2			1	1	3	1		1			1	1	1
Surgical operations	22	1	2				1	3	5	5	2	2	1		1	
Wounds	51		4	1	1		5	10	4	3	2	7	5	3		6
M	2															
F	2															
Others of this class	876	33	66	37	32	48	89	73	58	80	70	68	46	34	40	135
M	253	31	42	12	6	4	7	13	10	12	9	11	9	3	11	104
F	253	31	42	12	6	4	7	13	10	12	9	11	9	3	11	104





TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OKLAHOMA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	489	102	199	33	11	14	16	13	16	13	20	14	18	19	12	41
Males.....	247	55	106	17	6	11	13	5	7	8	13	7	11	12	7	24
Females.....	192	47	93	16	5	3	3	8	9	5	7	7	7	7	5	17
Croup.....	M. 26 F. 30	M. 14 F. 14	M. 31 F. 26	M. 5 F. 4												
Pneumonia.....	M. 180 F. 133	M. 31 F. 26	M. 63 F. 52	M. 12 F. 12	M. 5 F. 5	M. 8 F. 2	M. 11 F. 3	M. 5 F. 7	M. 7 F. 9	M. 8 F. 3	M. 11 F. 7	M. 5 F. 6	M. 8 F. 6	M. 8 F. 4	M. 6 F. 4	M. 23 F. 13
Laryngitis.....	M. 2 F. 1	M. 1 F. 1										M. 1 F. 1				
Bronchitis.....	M. 14 F. 16	M. 7 F. 5	M. 8 F. 10			M. 1 F. 1		M. 1 F. 1		M. 1 F. 1		M. 1 F. 2	M. 2 F. 2			M. 1 F. 1
Pleurisy.....	M. 1 F. 1															
Asthma.....	M. 2 F. 5	M. 1 F. 1	M. 1 F. 1							M. 1 F. 1	M. 1 F. 1		M. 1 F. 1	M. 1 F. 1		M. 2 F. 2
Others of this class.....	M. 12 F. 8	M. 1 F. 2	M. 2 F. 5		M. 1 F. 1	M. 3 F. 1	M. 1 F. 1				M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1
<b>5. Diseases of the digestive system.</b>	206	55	88	13	8	9	8	11	5	5	10	6	6	10	8	19
Males.....	116	35	48	7	6	5	4	4	3	1	5	6	3	8	4	12
Females.....	90	20	40	6	2	4	4	7	2	4	5	3	3	2	4	7
Dentition.....	M. 6 F. 3	M. 4 F. 3	M. 6 F. 3													
Angina.....	M. 3 F. 11	M. 2 F. 2	M. 1 F. 7	M. 1 F. 3		M. 1 F. 1										M. 1 F. 1
Gastritis.....	M. 16 F. 11	M. 4 F. 1	M. 6 F. 2	M. 1 F. 1			M. 1 F. 1	M. 4 F. 4		M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1	M. 3 F. 3		M. 2 F. 2
Diseases of the stomach.....	M. 21 F. 21	M. 3 F. 6	M. 6 F. 10	M. 2 F. 2		M. 2 F. 2	M. 2 F. 2	M. 2 F. 1	M. 1 F. 2		M. 2 F. 2	M. 3 F. 3		M. 1 F. 1	M. 1 F. 1	M. 1 F. 3
Obstruction of the bowels.....	M. 2 F. 3	M. 1 F. 1	M. 1 F. 3		M. 1 F. 1											
Appendicitis.....	M. 8 F. 2	M. 1 F. 2	M. 1 F. 2	M. 1 F. 1	M. 3 F. 3	M. 1 F. 1	M. 1 F. 2				M. 1 F. 1					
Hernia.....	M. 3 F. 1	M. 2 F. 1	M. 2 F. 1											M. 1 F. 1		M. 1 F. 1
Other diseases of the bowels.....	M. 11 F. 6	M. 2 F. 1	M. 5 F. 3			M. 1 F. 1					M. 1 F. 1		M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1
Jaundice.....	M. 9 F. 4	M. 6 F. 2	M. 6 F. 2			M. 1 F. 1	M. 1 F. 1							M. 2 F. 2		M. 1 F. 1
Inflammation and abscess of the liver.....	M. 5 F. 5	M. 1 F. 1	M. 1 F. 2				M. 1 F. 1		M. 2 F. 1		M. 1 F. 1					M. 2 F. 2
Other diseases of the liver.....	M. 11 F. 5	M. 2 F. 1	M. 3 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1				M. 1 F. 1	M. 1 F. 1	M. 1 F. 1		M. 1 F. 1	M. 1 F. 1
Peritonitis.....	M. 2 F. 5			M. 1 F. 1				M. 2 F. 2		M. 1 F. 1						M. 1 F. 1
Ascites.....	M. 2 F. 2				M. 1 F. 1								M. 1 F. 1			M. 1 F. 1
Others of this class.....	M. 17 F. 11	M. 9 F. 6	M. 10 F. 7	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1			M. 1 F. 1	M. 2 F. 2			M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
<b>6. Diseases of the urinary system and male organs of generation.</b>	65	7	7		1	3	2	6		3	1	4	4	8	5	21
Males.....	45	4	4		1		1	3		1		3	3	6	4	19
Females.....	20	3	3			3	1	3		2	1	1	1	2	1	2
Bright's disease.....	M. 23 F. 15				M. 1 F. 1	M. 3 F. 3	M. 1 F. 1	M. 2 F. 3		M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 2 F. 1	M. 4 F. 2	M. 4 F. 1	M. 12 F. 1
Calculus, urinary.....	M. 1 F. 1															M. 1 F. 1
Diseases of the kidney.....	M. 8 F. 4	M. 2 F. 3	M. 2 F. 3									M. 1 F. 1	M. 1 F. 1	M. 1 F. 1		M. 3 F. 1
Diseases of the bladder.....	M. 4 F. 4	M. 1 F. 1	M. 1 F. 1				M. 1 F. 1	M. 1 F. 1								M. 1 F. 1
Others of this class.....	M. 4 F. 1	M. 1 F. 1	M. 1 F. 1							M. 1 F. 1				M. 1 F. 1		M. 2 F. 2
<b>7. Diseases of the female organs of generation.</b>	13					1	1	1	1	1	3	3	1		1	
Ovarian tumors.....	1															1
Ovarian diseases.....																
Diseases of the tubes.....																
Uterine tumors.....	3						1	1					1			
Uterine diseases.....																
Others of this class.....	9					1			1	1	3	3				









## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OREGON—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	390	45	85	16	10	12	12	13	10	17	27	24	21	20	21	102
Males.....	252	21	44	9	6	5	7	8	8	9	19	18	18	14	18	69
Females.....	138	24	41	7	4	7	5	5	2	8	8	6	3	6	3	33
Croup.....	9	2	5	2	1											1
M.....	9	2	5	2	1											
F.....	9	5	7	2												
Pneumonia.....	204	16	32	4	5	4	6	5	8	6	19	18	17	13	15	52
M.....	101	14	25	4	3	6	3	5	1	7	6	6	3	3	3	26
F.....	101	14	25	4	3	6	3	5	1	7	6	6	3	3	3	26
Laryngitis.....	3	1	2					1								
M.....	3	1	2					1								
F.....	3	1	2					1								
Bronchitis.....	18	2	5	1				2						1	1	8
M.....	18	2	5	1				2						1	1	8
F.....	10	2	4				1		1		1			1		2
Pleurisy.....	3									1					1	1
M.....	3									1					1	1
F.....	3															
Asthma.....	3					1										8
M.....	3					1										8
F.....	3															2
Others of this class.....	12			2		1	1			2			1		1	4
M.....	15	3	5	1	1		1			1	1			2		3
F.....	15	3	5	1	1		1			1	1			2		4
5. Diseases of the digestive system.	247	32	43	12	15	23	14	13	13	6	14	8	10	11	9	56
Males.....	142	18	23	6	7	14	10	7	6	6	6	5	6	4	5	37
Females.....	105	14	20	6	8	9	4	6	7	6	8	3	4	7	4	19
Dentition.....																
M.....																
F.....																
Angina.....	1	1	1													
M.....	1	1	1													
F.....	5	1	2	1		2										
Gastritis.....	18	4	4	1					1			1	3	1		7
M.....	14	3	4	1					1						1	4
F.....	14	3	4	1		1			1							
Diseases of the stomach.....	15	2	3								1	1		2	2	10
M.....	12													2	2	5
F.....	12		3								1	1		2	2	5
Obstruction of the bowels.....	14		2			4		1			2	2			1	5
M.....	9	1	2			1		1			1		2	1		1
F.....	9	1	2			1		1			1		2	1		1
Appendicitis.....	32		1	3	5	6	7	4	1	4	1		1			
M.....	14		1	4	5	2	1	1								
F.....	14		1	4	5	2	1	1								
Hernia.....	5								1						2	2
M.....	7	1	1										2	2		2
F.....	7	1	1										2	2		2
Other diseases of the bowels.....	7	2	3								1					3
M.....	3	1	2											1		
F.....	3	1	2											1		
Jaundice.....	3	2	2					1								1
M.....	6	5	5													
F.....	6	5	5													
Inflammation and abscess of the liver.....	9			1	1		1		1	1			2		1	2
M.....	2														1	1
F.....	2														1	1
Other diseases of the liver.....	4											1		1		2
M.....	5								1			1		1		2
F.....	5								1			1		1		2
Peritonitis.....	20	3	3	1	1	4	2	1	2	1	1	1			1	2
M.....	17				2	3	3	1	3		4					1
F.....	17				2	3	3	1	3		4					1
Ascites.....	3							1			1					1
M.....	1							1								
F.....	1							1								
Others of this class.....	11	4	7					1	1		1	1			1	3
M.....	10	2	3		1			1	1		1	1				2
F.....	10	2	3		1			1	1		1	1				2
6. Diseases of the urinary system and male organs of generation.	126	5	5	3	2	2	6	2	3	4	7	3	12	5	17	55
Males.....	95	3	3	3	1	1	1	1	2	2	4	2	5	5	14	51
Females.....	31	2	2		1	1	5	1	1	2	3	1	7		3	4
Bright's disease.....	60			2	1	1	1		2	2	4	2	3	4	10	28
M.....	24				1	1	3	1		2	3	1	5		3	4
F.....	24			2	1	1	1		2	2	4	2	3	4	3	4
Calculus, urinary.....																
M.....																
F.....																
Diseases of the kidney.....	10	3	3					1							2	4
M.....	3	1	1													
F.....	3	1	1													
Diseases of the bladder.....	7												1	1	1	4
M.....	1															
F.....	1	1	1													
Others of this class.....	18			1			2		1				1		1	15
M.....	3															
F.....	3															
7. Diseases of the female organs of generation.	13	1	1			1	2	2	4		1	1	1			
Ovarian tumors.....	3								1			1	1			
Ovarian diseases.....	1	1	1													
Diseases of the tubes.....	2						1	1								
Uterine tumors.....	1							1								
Uterine diseases.....																
Others of this class.....	6					1	1		3		1					

CAUSE, SEX, AND AGE.

623

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OREGON—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>8. Affections connected with pregnancy.</b>	25					1	8	3	2	7	3	1				
Abortion .....	4							1		3						
Childbirth .....	11					1	1	3		2	3	1				
Puerperal septicemia .....	7						4		2	1						
Extra-uterine pregnancy .....																
Others of this class .....	3						2			1						
<b>9. Diseases of the bones and joints.</b>	24	1	3	4		2		1		2		1	3	2	4	2
Males .....	16	1	2	3		2		1		2		1	2	1	1	1
Females .....	8		1	1									1	1	3	1
Diseases of the spine (M/F) .....	8/4	1	2/1					1		1			2	1	1	2
Abscess, lumbar and psoas (M/F) .....																
Diseases of the bones (M/F) .....	2/2			1								1			1	
Diseases of the hip-joint (M/F) .....	5/1			2/1		2				1						
Others of this class (M/F) .....	1/1															1/1
<b>10. Diseases of the skin .....</b>	8	3	5													3
Males .....	5	1	3													2
Females .....	3	2	2													1
Abscess (M/F) .....	3/2		2/2													1
Carbuncle (M/F) .....																
Others of this class (M/F) .....	2/1	1	1													1/1
<b>11. Diseases of the absorbent system.</b>	5				1				1		2					1
Males .....	3								1		1					1
Females .....	2				1						1					
Addison's disease (M/F) .....																
Diseases of the spleen (M/F) .....	2										1					1
Others of this class (M/F) .....	1/2				1				1		1					
<b>12. Accidents and injuries .....</b>	264	7	28	22	13	15	29	20	16	20	18	15	14	12	9	33
Males .....	208	5	17	17	10	13	22	17	15	16	14	14	13	11	6	23
Females .....	56	2	11	5	3	2	7	3	1	4	4	1	1	1	3	10
Burns and scalds (M/F) .....	8/9		7/4	1/2												2
Drowning (M/F) .....	47/6		2/2	5/1	7/1	3/1	7	2	4	3	3	2	2	2	1	4
Exposure and neglect (M/F) .....	1	1	1													
Gunshot wounds (M/F) .....	23/1			1		3	3	3		5	1	1	1	1	1	3
Homicide (M/F) .....	5/2						1				1			1	1	2/1
Infanticide (M/F) .....																
Injuries by machinery (M/F) .....	1									1						
Railroad accidents (M/F) .....	22/1			2	1	3	3	3	3	1	2	1	1			2
Suffocation (M/F) .....	2/3	2	2/1	1		1										
Suicide by shooting (M/F) .....	7						1	1		2	2					1
Suicide by drowning (M/F) .....	1							1								
Suicide by poison (M/F) .....	4				1		1		1				1	2		1
Other suicides (M/F) .....	6/9						1		2	1	1	1		2		1
Sunstroke (M/F) .....	1														1	
Surgical operations (M/F) .....	1/2						1				1				1	
Wounds (M/F) .....	5	1	1					1	2							1
Others of this class (M/F) .....	73/17	2/1	5/3	8/1	2	4	7	7	4	3	4	9	8	3	1	8/7



CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>1. General diseases—Continued.</b>																
General diseases—D.....	13,388	897	750	195	232	658	1,142	1,249	1,064	1,036	962	934	919	849	892	2,506
Males.....	6,466	241	432	108	87	266	538	576	510	504	469	459	446	410	428	1,238
Females.....	6,922	156	318	87	145	392	604	673	554	532	493	475	473	439	469	1,268
Anemia.....	79	11	15	3	3	1	3	3	1	3	1	5	5	7	9	19
Diabetes.....	228	2	6	8	8	9	8	8	13	11	11	15	13	17	25	79
Rheumatism.....	199	4	9	12	14	13	10	14	5	6	13	14	10	13	13	53
Scrofula and tabes.....	95	16	31	3	1	3	4	10	8	5	5	6	3	6	5	5
Hydrocephalus.....	171	73	128	15	7	4	2	4	3	1	5	1	1	2	1	10
Tuberculosis, general.....	27	1	4	2	2	4	4	4	4	1	1	4	4	1	1	1
Consumption.....	4,007	91	168	44	40	213	483	502	439	428	353	307	267	215	182	361
Cancer.....	1,644	1	5	1	2	4	6	14	44	94	144	194	217	208	206	505
Tumor.....	122	5	12	5	2	7	4	9	9	4	11	8	10	13	11	23
Dropsy.....	513	13	20	12	6	5	5	9	4	10	13	26	31	33	43	296
Others of this group.....	62	21	32	6	1	4	2	2	1	2	5	1	1	2	2	2
.....	39	10	20	1	2	3	1	1	1	2	2	3	2	2	2	2
<b>2. Diseases of the nervous system..</b>	12,405	3,001	4,388	321	176	201	180	175	240	306	368	443	523	621	742	3,721
Males.....	6,903	1,749	2,517	192	105	101	90	89	149	180	229	253	304	348	391	1,955
Females.....	5,502	1,252	1,871	129	71	100	90	86	91	126	139	190	219	273	351	1,766
Inflammation of the brain.....	265	100	171	28	9	10	3	2	4	2	6	7	2	2	4	15
Meningitis.....	929	294	598	88	41	37	24	22	23	23	16	14	12	7	5	19
Apoplexy.....	1,632	16	21	3	2	7	15	13	29	40	68	78	116	171	185	884
Paralysis.....	1,403	12	16	2	3	5	10	10	9	24	46	85	94	141	163	795
Paralysis, general (of insane).....	1,165	14	21	9	3	2	3	3	26	28	35	47	71	83	104	726
Tetanus and trismus nascentium.....	1,074	9	17	3	3	9	5	5	13	16	18	37	40	81	121	706
Chorea.....	104	23	1	1	1	1	2	6	13	21	13	16	10	10	10	12
Epilepsy.....	185	29	34	12	29	11	7	6	6	2	6	5	5	1	6	5
Convulsions.....	33	9	11	4	5	4	3	1	4	3	1	3	1	1	1	1
Mental diseases.....	7	9	1	2	1	2	1	1	1	1	2	2	1	1	1	1
Diseases of the brain.....	152	16	13	3	5	13	13	16	15	11	4	9	13	4	11	17
Diseases of the spinal cord.....	101	9	13	4	6	5	10	9	8	11	5	3	8	4	4	11
Locomotor ataxia.....	1,529	1,163	1,462	26	9	4	2	4	3	4	2	2	1	1	2	7
Others of this class.....	1,198	842	1,086	28	4	11	13	12	8	11	5	2	3	2	2	13
.....	186	160	1	1	2	3	6	7	10	17	24	19	18	16	18	63
.....	539	107	178	14	5	8	16	8	17	30	29	34	29	23	25	123
.....	419	82	137	9	11	13	11	9	13	24	13	21	22	11	19	106
.....	77	5	7	5	2	3	2	2	3	1	6	3	5	9	7	21
.....	53	5	8	5	1	2	2	5	5	2	3	4	5	7	2	7
.....	71	20	1	1	1	1	1	1	2	5	8	12	5	9	6	23
.....	112	5	7	1	3	1	4	3	4	4	8	11	11	11	8	50
.....	146	10	11	4	3	2	6	7	15	6	9	12	4	16	42	42
<b>3. Diseases of the circulatory system.</b>	7,291	647	739	125	161	140	190	192	234	273	375	366	473	602	682	2,739
Males.....	4,021	390	443	57	72	69	87	89	115	146	203	197	268	352	374	1,549
Females.....	3,270	257	296	68	89	71	103	103	119	127	172	169	205	250	308	1,190
Pericarditis.....	89	1	2	2	8	3	3	3	1	3	3	2	2	2	1	7
Diseases of the heart.....	38	1	4	2	4	3	1	2	2	2	2	4	2	2	2	8
Angina pectoris.....	3,556	264	311	55	62	64	78	82	110	129	186	178	237	316	338	1,410
Diseases of the arteries.....	2,932	185	219	65	83	67	92	90	112	116	156	148	186	234	290	1,074
Aneurism.....	147	1	1	1	2	1	2	2	2	4	6	9	14	20	18	71
Embolism.....	120	2	2	1	2	6	4	4	2	5	7	11	8	12	11	51
Others of this class.....	76	55	1	1	1	1	1	1	1	1	2	1	6	8	11	49
.....	58	24	1	1	1	2	2	2	4	10	7	7	7	6	5	8
.....	24	13	1	1	1	1	1	1	1	1	4	3	1	1	2	6
.....	23	2	2	1	1	1	2	2	1	1	1	1	1	1	1	4
.....	13	23	1	1	1	1	1	1	1	1	3	2	5	1	5	5
.....	132	124	129	2	2	1	1	1	1	1	1	1	1	1	1	4
.....	78	71	72	1	1	1	1	1	1	1	1	1	1	1	1	5

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un-known.
<b>4. Diseases of the respiratory system.</b>	<b>14,129</b>	<b>3,252</b>	<b>6,421</b>	<b>609</b>	<b>169</b>	<b>272</b>	<b>341</b>	<b>391</b>	<b>394</b>	<b>446</b>	<b>398</b>	<b>430</b>	<b>529</b>	<b>526</b>	<b>648</b>	<b>2,555</b>
Males.....	7,763	1,850	3,577	325	88	133	190	234	222	280	246	300	314	303	363	1,188
Females.....	6,366	1,402	2,844	284	81	139	151	157	172	166	152	130	215	223	285	1,367
Croup.....	M. 581 F. 483	M. 92 F. 64	M. 457 F. 369	M. 114 F. 103	M. 6 F. 3	M. 1 F. 1		M. 1 F. 1		M. 1 F. 1						M. 1 F. 4
Pneumonia.....	M. 5,352 F. 4,455	M. 1,264 F. 982	M. 2,362 F. 1,900	M. 167 F. 139	M. 63 F. 66	M. 112 F. 115	M. 159 F. 114	M. 196 F. 120	M. 187 F. 140	M. 233 F. 131	M. 189 F. 127	M. 243 F. 102	M. 235 F. 162	M. 217 F. 171	M. 248 F. 213	M. 741 F. 955
Laryngitis.....	M. 47 F. 29	M. 4 F. 4	M. 23 F. 16	M. 3 F. 3	M. 3 F. 2		M. 1 F. 1		M. 1 F. 1		M. 3 F. 1		M. 2 F. 1	M. 2 F. 2	M. 2 F. 2	M. 4 F. 3
Bronchitis.....	M. 797 F. 716	M. 333 F. 251	M. 500 F. 394	M. 18 F. 16	M. 6 F. 4	M. 4 F. 9	M. 6 F. 7	M. 9 F. 6	M. 2 F. 9	M. 6 F. 8	M. 10 F. 4	M. 11 F. 11	M. 21 F. 18	M. 16 F. 20	M. 30 F. 26	M. 158 F. 184
Pleurisy.....	M. 177 F. 138	M. 7 F. 3	M. 21 F. 13	M. 9 F. 8	M. 2 F. 3	M. 7 F. 3	M. 10 F. 10	M. 4 F. 11	M. 6 F. 10	M. 9 F. 5	M. 18 F. 8	M. 10 F. 4	M. 7 F. 10	M. 10 F. 5	M. 16 F. 6	M. 47 F. 46
Asthma.....	M. 308 F. 130	M. 4 F. 4	M. 5 F. 5	M. 1 F. 2	M. 1 F. 1	M. 3 F. 1	M. 2 F. 2	M. 4 F. 3	M. 4 F. 2	M. 7 F. 7	M. 10 F. 3	M. 18 F. 5	M. 29 F. 9	M. 36 F. 12	M. 45 F. 19	M. 143 F. 60
Others of this class.....	M. 501 F. 415	M. 146 F. 94	M. 209 F. 147	M. 13 F. 13	M. 7 F. 3	M. 6 F. 9	M. 16 F. 17	M. 20 F. 15	M. 15 F. 14	M. 21 F. 14	M. 18 F. 9	M. 8 F. 8	M. 20 F. 15	M. 22 F. 15	M. 22 F. 21	M. 94 F. 115
<b>5. Diseases of the digestive system.</b>	<b>4,812</b>	<b>788</b>	<b>1,099</b>	<b>120</b>	<b>165</b>	<b>174</b>	<b>213</b>	<b>228</b>	<b>258</b>	<b>250</b>	<b>254</b>	<b>243</b>	<b>253</b>	<b>303</b>	<b>298</b>	<b>959</b>
Males.....	2,538	472	623	70	101	103	115	112	113	120	142	132	145	178	158	476
Females.....	2,229	316	476	50	64	71	98	116	140	130	112	111	108	130	140	483
Dentition.....	M. 59 F. 68	M. 40 F. 37	M. 59 F. 68													
Angina.....	M. 49 F. 50	M. 9 F. 8	M. 22 F. 15	M. 4 F. 12	M. 5 F. 5	M. 1 F. 3	M. 4 F. 3	M. 2 F. 1	M. 2 F. 1		M. 2 F. 2	M. 1 F. 1	M. 2 F. 2			M. 4 F. 4
Gastritis.....	M. 421 F. 429	M. 74 F. 43	M. 103 F. 88	M. 15 F. 10	M. 7 F. 2	M. 11 F. 5	M. 8 F. 15	M. 8 F. 17	M. 11 F. 17	M. 12 F. 15	M. 20 F. 21	M. 17 F. 20	M. 19 F. 28	M. 40 F. 22	M. 34 F. 30	M. 116 F. 189
Diseases of the stomach.....	M. 194 F. 116	M. 30 F. 15	M. 38 F. 20	M. 4 F. 2	M. 1 F. 1	M. 6 F. 5	M. 5 F. 5	M. 4 F. 5	M. 5 F. 4	M. 8 F. 7	M. 11 F. 4	M. 9 F. 5	M. 13 F. 5	M. 19 F. 6	M. 19 F. 13	M. 57 F. 33
Obstruction of the bowels.....	M. 160 F. 151	M. 31 F. 17	M. 40 F. 24	M. 7 F. 1	M. 6 F. 6	M. 6 F. 7	M. 14 F. 15	M. 13 F. 7	M. 5 F. 6	M. 4 F. 6	M. 5 F. 13	M. 6 F. 10	M. 7 F. 6	M. 9 F. 9	M. 10 F. 15	M. 28 F. 32
Appendicitis.....	M. 287 F. 126	M. 1 F. 1	M. 5 F. 3	M. 14 F. 9	M. 45 F. 25	M. 42 F. 14	M. 41 F. 13	M. 35 F. 10	M. 31 F. 11	M. 13 F. 10	M. 12 F. 6	M. 13 F. 4	M. 12 F. 6	M. 9 F. 4	M. 4 F. 4	M. 11 F. 7
Hernia.....	M. 90 F. 92	M. 13 F. 5	M. 15 F. 6		M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 5 F. 4	M. 4 F. 5	M. 8 F. 4	M. 4 F. 3	M. 3 F. 12	M. 9 F. 9	M. 5 F. 7	M. 6 F. 12	M. 23 F. 34
Other diseases of the bowels.....	M. 105 F. 98	M. 33 F. 28	M. 40 F. 38	M. 1 F. 1	M. 1 F. 2	M. 2 F. 4	M. 5 F. 2	M. 4 F. 7	M. 2 F. 4	M. 3 F. 2	M. 4 F. 6	M. 3 F. 2	M. 7 F. 2	M. 8 F. 6	M. 2 F. 4	M. 23 F. 18
Jaundice.....	M. 128 F. 109	M. 76 F. 35	M. 77 F. 42	M. 2 F. 2			M. 1 F. 1		M. 3 F. 5	M. 2 F. 4	M. 2 F. 3	M. 3 F. 4	M. 3 F. 2	M. 9 F. 10	M. 3 F. 9	M. 23 F. 28
Inflammation and abscess of the liver.....	M. 101 F. 98	M. 10 F. 3	M. 11 F. 5	M. 2 F. 1	M. 6 F. 3	M. 1 F. 1	M. 2 F. 3	M. 2 F. 3	M. 2 F. 4	M. 8 F. 5	M. 8 F. 5	M. 10 F. 7	M. 6 F. 10	M. 10 F. 11	M. 9 F. 10	M. 22 F. 28
Other diseases of the liver.....	M. 397 F. 220	M. 12 F. 16	M. 14 F. 24		M. 1 F. 1	M. 3 F. 1	M. 3 F. 5	M. 9 F. 8	M. 21 F. 13	M. 37 F. 18	M. 42 F. 14	M. 46 F. 18	M. 41 F. 18	M. 45 F. 25	M. 40 F. 23	M. 97 F. 68
Peritonitis.....	M. 308 F. 431	M. 21 F. 19	M. 43 F. 34	M. 17 F. 7	M. 25 F. 24	M. 34 F. 30	M. 27 F. 49	M. 23 F. 49	M. 23 F. 67	M. 17 F. 60	M. 18 F. 28	M. 18 F. 21	M. 14 F. 13	M. 12 F. 15	M. 14 F. 11	M. 23 F. 23
Ascites.....	M. 43 F. 49	M. 1 F. 2	M. 1 F. 2		M. 2 F. 2		M. 2 F. 1	M. 1 F. 2		M. 1 F. 2	M. 2 F. 1	M. 3 F. 2	M. 1 F. 1	M. 4 F. 4	M. 6 F. 2	M. 20 F. 32
Others of this class.....	M. 241 F. 197	M. 121 F. 89	M. 155 F. 107	M. 4 F. 3		M. 1 F. 2	M. 2 F. 2	M. 6 F. 3	M. 7 F. 5	M. 7 F. 4	M. 12 F. 6	M. 1 F. 5	M. 11 F. 8	M. 5 F. 8	M. 11 F. 7	M. 24 F. 37
<b>6. Diseases of the urinary system and male organs of generation.</b>	<b>4,170</b>	<b>68</b>	<b>158</b>	<b>70</b>	<b>70</b>	<b>62</b>	<b>120</b>	<b>163</b>	<b>209</b>	<b>202</b>	<b>252</b>	<b>307</b>	<b>335</b>	<b>380</b>	<b>386</b>	<b>1,456</b>
Males.....	2,476	47	90	36	29	27	56	85	100	95	130	176	208	243	233	958
Females.....	1,694	21	68	34	41	35	64	78	109	107	122	131	127	132	148	498
Bright's disease.....	M. 1,582 F. 1,192			M. 29 F. 25	M. 18 F. 33	M. 22 F. 25	M. 42 F. 44	M. 53 F. 52	M. 72 F. 76	M. 71 F. 70	M. 83 F. 93	M. 131 F. 98	M. 149 F. 92	M. 184 F. 99	M. 158 F. 113	M. 570 F. 372
Calculus, urinary.....	M. 18 F. 3	M. 3 F. 1	M. 3 F. 1		M. 1 F. 1		M. 1 F. 1		M. 1 F. 1		M. 1 F. 1					M. 7 F. 1
Diseases of the kidney.....	M. 254 F. 145	M. 29 F. 17	M. 65 F. 58	M. 2 F. 3	M. 1 F. 1	M. 2 F. 5	M. 6 F. 2	M. 8 F. 1	M. 5 F. 7	M. 4 F. 4	M. 10 F. 3	M. 9 F. 5	M. 6 F. 10	M. 10 F. 8	M. 21 F. 5	M. 105 F. 33
Diseases of the bladder.....	M. 129 F. 28	M. 2 F. 1	M. 6 F. 2	M. 1 F. 1				M. 2 F. 2	M. 1 F. 3	M. 3 F. 3	M. 3 F. 1	M. 4 F. 1	M. 8 F. 1	M. 3 F. 3	M. 9 F. 2	M. 91 F. 12
Others of this class.....	M. 493 F. 326	M. 13 F. 2	M. 16 F. 7	M. 5 F. 5	M. 9 F. 7	M. 3 F. 5	M. 7 F. 18	M. 21 F. 23	M. 23 F. 25	M. 16 F. 30	M. 33 F. 25	M. 31 F. 26	M. 45 F. 24	M. 50 F. 22	M. 49 F. 28	M. 185 F. 81
<b>7. Diseases of the female organs of generation.</b>	<b>208</b>	<b>1</b>	<b>2</b>		<b>2</b>	<b>7</b>	<b>13</b>	<b>26</b>	<b>25</b>	<b>26</b>	<b>32</b>	<b>18</b>	<b>20</b>	<b>11</b>	<b>11</b>	<b>15</b>
Ovarian tumors.....	46					1	1	5	4	5	7	6	5	4	2	6
Ovarian diseases.....	13						1		2	2	2	2	1	1		2
Diseases of the tubes.....	20					2	3	5	4	6						
Uterine tumors.....	45				1			3	1	4	9	6	6	2	9	4
Uterine diseases.....	13						3	2	3	2			1			2
Others of this class.....	71	1	2		1	4	5	11	11	7	14	4	7	4		1



CAUSE, SEX, AND AGE.

627

TABLE S.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>8. Affections connected with pregnancy.</b>	639					41	112	126	152	121	71	12	1			3
Abortion	25						9	9	6	1						
Childbirth	306					12	44	52	73	67	48	8	1			1
Puerperal septicemia	195					9	40	42	47	42	12	2				1
Extra-uterine pregnancy	23					1	1	9	9	2	1					
Others of this class	90					19	18	14	17	9	10	2				1
<b>9. Diseases of the bones and joints.</b>	229	43	64	22	15	23	9	13	12	9	5	8	8	8	6	27
Males	121	20	33	12	8	14	5	11	7	5	1	4	4	1	2	14
Females	108	23	31	10	7	9	4	2	5	4	4	4	4	7	4	13
Diseases of the spine	57	19	24	4	1	7	2	7	1	1	1	1	1	1	1	6
Abscess, lumbar and psoas	4	1	1	1			1		1				1			1
Diseases of the bones	27	1	4	2	2	3	1	3	2	2		1	3		1	3
Diseases of the hip-joint	19	1	2	5	4	3		1	1	2		1				4
Others of this class	14		2	1	1	1	1		2			1			1	4
10. Diseases of the skin	175	55	70	5	7	2	3	6	4	2	5	4	11	18	8	30
Males	97	30	37	2	4	1	2		1	2	3	3	6	12	6	18
Females	78	25	33	3	3	1	1	6	3	2	2	1	5	6	2	12
Abscess	49	11	17	2	3	1	2		1	1	1	3	6	4	2	6
Carbuncle	16	7	3	1	1	1	1	5	3	1	2	1	2	3	1	6
Others of this class	32	19	20								1			2	1	4
11. Diseases of the absorbent system	61	5	8	4	4	2	3	7	3	4	1	4	3	4	7	7
Males	36	4	7	2	2	2		3	2	2	1	2	2	2	4	5
Females	25	1	1	2	2		3	4	1	2		2	1	2	3	2
Addison's disease	8			1	1	1			2	1		1		1	1	1
Diseases of the spleen	9			1				2	2			1	1		2	4
Others of this class	19	4	7	1	1	1		1	2		1	1	1	1	1	1
12. Accidents and injuries	5,745	246	668	270	265	415	590	559	624	459	368	343	293	234	202	555
Males	4,556	121	359	162	222	365	518	498	451	397	312	295	257	196	167	357
Females	1,189	125	309	108	43	50	72	61	73	62	56	48	36	38	35	198
Burns and scalds	277	12	134	21	6	6	16	19	16	12	7	11	7	5	4	13
Drowning	310	2	22	34	59	34	18	19	16	20	14	19	13	12	12	18
Exposure and neglect	26	7	9	2				1	2		3	3		1	3	2
Gunshot wounds	127	1	6	18	17	27	16	7	6	8	8	5	9	3	3	6
Homicide	68	1	1	1	2	5	12	11	6	9	6	2	5		2	1
Infanticide	1	1	1						1	2	2	2	1			1
Injuries by machinery	65	2	1	1	1	7	13	11	8	7	8	3	4			1
Railroad accidents	1,037	2	20	34	45	92	152	150	130	87	80	62	48	37	33	67
Suffocation	93	39	49	2		3	6	1	4	4	3	2	2		3	14
Suicide by shooting	82				1	1	11	7	6	12	8	11	7	5	1	12
Suicide by drowning	10						2	1	1		1		1	1	1	3
Suicide by poison	32						3	3	3	5	5	8	2	1	1	1
Other suicides	201					4	17	11	17	20	18	21	25	22	19	27
Sunstroke	52	4	9	3		1	5	3	4	7	3	3	4	2	1	7
Surgical operations	22	2	5	2		3	1	2	2	1	5	3	1	2	1	3
Wounds	88	2	2	1	4	13	10	9	11	8	4	5	7	3	7	4
Others of this class	2,070	52	105	55	91	179	226	234	218	199	144	140	121	102	76	180
	448	46	82	27	11	10	23	19	21	22	23	22	15	22	18	133





## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

SOUTH CAROLINA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	1,926	527	900	71	49	106	101	64	49	78	44	58	70	42	58	236
Males.....	1,034	290	496	37	19	54	59	36	22	36	23	29	44	28	27	119
Females.....	892	237	404	34	30	52	42	28	27	42	16	29	26	14	31	117
Croup.....	98	58	91	4	1	1	1	1	1	1	1	1	1	1	1	1
M.....	116	80	109	4	1	2	2	2	2	2	2	2	2	2	2	2
F.....	725	174	307	26	15	51	51	31	20	30	25	23	31	20	18	77
Pneumonia.....	599	119	240	26	24	41	35	25	22	33	12	21	17	12	20	73
M.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F.....	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Laryngitis.....	87	43	70	2	1	2	3	1	2	2	2	2	1	1	2	5
M.....	73	25	36	2	1	4	1	1	2	2	2	2	1	1	2	17
F.....	64	3	7	3	2	2	2	3	2	3	1	3	7	4	5	22
Pleurisy.....	43	1	1	1	1	2	4	4	4	3	3	4	3	1	5	14
M.....	24	1	1	2	1	1	1	1	1	1	1	3	3	3	1	11
F.....	24	1	4	1	1	1	1	1	1	1	2	2	1	2	2	11
Asthma.....	33	11	19	1	1	1	1	1	1	3	2	2	2	1	1	4
M.....	33	11	13	1	2	3	5	1	2	2	1	2	2	1	2	4
F.....	38	11	18	1	1	1	1	1	1	1	1	1	1	1	1	1
Others of this class.....	1,075	288	589	40	37	29	31	31	23	30	26	34	39	30	31	105
5. Diseases of the digestive system.	571	150	315	19	20	18	18	17	3	13	13	22	27	17	16	53
Males.....	504	138	274	21	17	11	13	14	20	17	13	12	12	13	15	52
Females.....	120	42	120	1	1	1	1	1	1	1	1	1	1	1	1	1
M.....	120	46	120	1	1	1	1	1	1	1	1	1	1	1	1	1
F.....	6	4	9	1	1	1	1	1	1	1	1	1	1	1	1	1
Angina.....	55	7	21	4	2	1	3	1	2	2	1	2	3	2	3	7
M.....	54	7	16	2	2	3	2	2	2	2	2	3	3	2	5	12
F.....	16	5	9	2	1	1	1	1	1	1	1	1	1	1	1	1
Diseases of the stomach.....	22	5	8	2	2	1	2	2	3	3	1	1	1	1	1	4
M.....	16	6	7	1	1	2	1	1	1	1	1	1	1	1	1	3
F.....	11	1	2	1	1	1	1	1	2	2	1	1	1	1	1	1
Obstruction of the bowels.....	26	1	1	4	4	1	4	4	4	2	5	2	1	1	1	2
M.....	14	1	1	3	1	1	1	1	4	2	2	1	1	1	1	1
F.....	20	5	5	1	1	1	1	1	1	1	1	1	1	1	1	1
Hernia.....	44	13	28	2	3	3	3	1	1	1	1	2	1	4	1	3
M.....	42	13	23	3	2	3	2	1	1	1	1	1	1	2	1	3
F.....	39	18	21	3	1	1	2	3	3	1	2	1	3	2	2	4
Jaundice.....	38	14	16	1	1	1	2	2	1	2	1	1	3	2	2	4
M.....	20	2	4	1	1	1	1	1	2	2	1	1	3	1	1	6
F.....	16	2	3	1	1	1	1	1	2	1	1	4	1	1	1	4
Inflammation and abscess of the liver.....	29	1	5	1	1	1	1	1	1	1	2	5	2	1	2	8
M.....	18	1	3	3	1	1	1	1	1	2	2	2	2	3	2	3
F.....	21	1	4	2	1	2	2	2	1	1	1	4	1	1	1	1
Peritonitis.....	29	5	7	1	2	1	5	4	7	1	1	1	1	1	1	1
M.....	26	4	4	1	2	1	4	1	2	2	1	1	1	3	3	7
F.....	27	1	3	5	1	1	1	1	2	1	1	1	2	1	2	9
Ascites.....	129	46	78	4	7	6	3	3	3	1	2	5	9	2	3	6
M.....	110	43	68	4	5	1	1	2	3	2	6	2	2	1	3	12
F.....	572	5	34	9	15	19	35	18	19	29	47	40	48	38	58	163
6. Diseases of the urinary system and male organs of generation.	337	4	23	4	7	11	16	8	4	13	23	27	30	21	35	115
Males.....	235	1	11	5	8	8	19	10	15	16	24	13	18	17	23	48
Females.....	237	1	11	2	6	8	10	6	2	13	17	25	28	17	29	74
Bright's disease.....	188	1	5	5	6	4	15	8	15	13	22	18	16	15	17	39
M.....	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Calculus, urinary.....	55	3	22	1	3	2	2	1	2	4	4	1	2	2	2	16
M.....	24	1	11	1	2	2	2	1	2	1	1	1	2	1	1	4
F.....	18	1	11	1	1	1	1	1	1	1	1	1	1	1	1	13
Diseases of the kidney.....	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
M.....	21	1	1	1	1	2	2	1	1	3	1	2	1	2	2	8
F.....	17	1	1	1	1	2	2	1	1	3	1	2	2	2	2	3
Others of this class.....	55	1	1	1	1	3	4	7	5	11	2	10	4	1	1	6
7. Diseases of the female organs of generation.	3	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1
Ovarian tumors.....	3	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1
Ovarian diseases.....	7	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1
Diseases of the tubes.....	24	1	1	1	1	2	1	5	4	3	1	2	3	1	1	3
Uterine tumors.....	21	1	1	1	1	2	1	1	1	4	1	7	1	1	1	2
Uterine diseases.....	21	1	1	1	1	2	1	1	1	4	1	7	1	1	1	2
Others of this class.....	21	1	1	1	1	2	1	1	1	4	1	7	1	1	1	2







## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

SOUTH DAKOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	390	91	167	26	10	14	14	10	5	9	14	14	9	22	17	59
Males.....	238	53	99	12	6	11	8	6	2	7	10	11	6	17	9	29
Females.....	157	38	68	14	4	3	6	4	3	2	4	3	3	5	8	30
Croup.....	23	9	20	2	1											1
M.....	16	8	18	1					1							
F.....	7	1	2	1												
Pneumonia.....	168	34	63	9	5	11	7	4	1	6	7	9	5	15	8	18
M.....	112	25	44	9	3	8	6	4	1	2	4	1	3	8	6	23
F.....	56	9	19													
Laryngitis.....	2		1						1							
M.....	1			1												
F.....	1															
Bronchitis.....	14	3	7				1				1					5
M.....	8	1	5	1	1									1		
F.....	6	2	2													
Pleurisy.....	4			1				1				1			1	1
M.....	1															
F.....	3			1				1				1			1	1
Asthma.....	8	1	1					1			1			2		3
M.....	8	1	1						1							5
F.....																
Others of this class.....	14	6	7	1						1	1	1	1	1	2	2
M.....	11	4	5	1												1
F.....	3	2	2												1	1
<b>5. Diseases of the digestive system.</b>	192	70	90	10	5	8	10	6	8	2	12	4	2	10	2	23
Males.....	98	38	51	5	3	3	6	4	2		4	2	1	5	1	11
Females.....	94	32	39	5	2	5	4	2	6	2	8	2	1	5	1	12
Dentition.....	8	5	8													
M.....	5	4	5													
F.....	3	1	3													
Angina.....	2		1	1												
M.....	2		1	1												
F.....																
Gastritis.....	10	3	4									1	1	2	1	1
M.....	18	2	3	1			1	1				1		2		4
F.....	7	3	4													1
Diseases of the stomach.....	7	3	4	1		1	1				1			1		1
M.....	9	4	4	1												1
F.....	1															
Obstruction of the bowels.....	7	1	2	1	2		1				1					
M.....	1							1								
F.....	6	1	2	1	2		1				1					
Appendicitis.....	11			2	1	1	3	1	1					2		
M.....	4			1	1	2										
F.....	7			1			3	1	1					2		
Hernia.....	4	1	1					1						1		2
M.....	8	1	1						1		3			1		1
F.....	7	3	3				1	1								2
Other diseases of the bowels.....	3	1	2													1
M.....	1						1									
F.....	2	1	2													
Jaundice.....	1	1	1													
M.....	1															
F.....		1	1													
Inflammation and abscess of the liver.....	3		1									1				1
M.....	5					1										2
F.....	1															
Other diseases of the liver.....	1										1					
M.....	2										1			1		
F.....	1															
Peritonitis.....	5		2	1	1	1	2		3	1	2					2
M.....	16		2	1	1	1	2									2
F.....	1															
Ascites.....	2															2
M.....	3	1	1									1				1
F.....	3	1	1													1
Others of this class.....	30	23	26	1					1							2
M.....	23	18	20						1		1					
F.....	7	5	6													
<b>6. Diseases of the urinary system and male organs of generation.</b>	106	9	10	1	3	3	5	3	3	7	6	8	7	6	9	35
Males.....	75	8	8	1	2	1	3	1	2	3	3	5	5	4	6	31
Females.....	31	1	2		1	2	2	2	1	4	3	3	2	2	3	4
Bright's disease.....	45				1	1	2	1	1	3	3	2	4	3	5	19
M.....	18				1	1	2	1		3	1	1	1	2	2	3
F.....	27								1		2	1	3	1	3	
Calculus, urinary.....	1			1												
M.....																
F.....	1			1												
Diseases of the kidney.....	18	8	8									2		1	1	6
M.....	9	1	1								2	1		1	1	1
F.....	9	7	7													5
Diseases of the bladder.....	4															4
M.....																
F.....	4															4
Others of this class.....	7				1		1		1			1	1			2
M.....	4		1					1		1						
F.....	3															
<b>7. Diseases of the female organs of generation.</b>	10							2			4	3	1			
Ovarian tumors.....	1											1				
Ovarian diseases.....																
Diseases of the tubes.....																
Uterine tumors.....																
Uterine diseases.....																
Others of this class.....	9							2			4	2	1			















CAUSE, SEX, AND AGE.

641

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

TEXAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>1. General diseases—Continued.</b>																
General diseases—D.....	4,339	108	278	74	96	265	536	490	403	351	319	284	274	189	203	577
Males .....	2,060	55	150	36	37	113	221	205	188	161	132	153	126	98	106	334
Females .....	2,279	53	128	38	59	152	315	285	215	190	187	131	148	91	97	243
Anemia .....	6	1	2	1	1	1	1	3	1	1	1	1	1	1	1	2
Diabetes .....	50	1	5	1	2	3	3	2	2	2	1	2	2	4	3	19
Rheumatism .....	77	2	8	5	3	8	7	3	4	5	2	3	2	4	6	20
Scrofula and tabes .....	56	8	24	3	1	1	6	2	1	2	1	4	2	2	3	5
Hydrocephalus .....	28	9	20	2	4	2	2	2	3	3	1	2	2	2	1	3
Tuberculosis, general .....	9	1	2	1	1	1	1	2	2	2	1	1	1	1	1	2
Consumption .....	1,393	23	54	8	15	33	192	191	168	127	111	118	89	59	50	123
Cancer .....	197	1	2	3	3	2	3	6	7	10	11	18	16	18	20	78
Tumor .....	41	3	7	3	1	3	2	5	1	2	3	2	4	3	5	7
Dropsy .....	196	4	22	13	8	11	7	4	2	11	2	6	11	7	19	78
Others of this group .....	7	2	4	3	3	5	2	1	1	1	2	1	1	1	1	45
<b>2. Diseases of the nervous system..</b>	2,741	722	1,191	195	116	107	37	72	77	74	71	90	102	85	89	385
Males .....	1,480	389	645	102	58	56	45	35	33	41	43	45	67	48	57	205
Females .....	1,261	333	546	93	58	51	42	37	44	33	28	45	35	37	32	180
Inflammation of the brain .....	103	34	63	11	7	3	4	5	1	1	1	2	2	2	1	2
Meningitis .....	296	80	168	37	20	15	12	7	6	9	4	3	6	1	1	3
Apoplexy .....	188	1	3	2	3	2	2	1	3	6	9	12	18	14	12	51
Paralysis .....	225	8	21	3	2	7	3	3	2	7	8	10	17	13	31	98
Paralysis, general (of insane) .....	11	4	5	8	3	6	4	3	4	6	5	11	14	15	16	98
Tetanus and trismus nascentium .....	80	44	49	8	5	1	5	2	2	2	2	1	1	1	1	2
Chorea .....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Epilepsy .....	54	9	13	2	2	10	3	3	2	2	5	1	2	3	1	5
Convulsions .....	134	105	128	1	1	7	4	2	2	2	1	3	1	1	1	3
Mental diseases .....	43	32	32	1	1	3	3	3	2	5	4	3	7	5	2	9
Diseases of the brain .....	352	103	193	36	18	14	10	9	8	7	6	4	9	9	8	21
Diseases of the spinal cord .....	12	1	2	1	1	2	1	1	1	1	1	2	1	1	1	1
Locomotor ataxia .....	5	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1
Others of this class .....	27	4	5	1	1	2	1	1	1	1	3	1	3	1	1	6
<b>3. Diseases of the circulatory system.</b>	1,339	83	115	15	23	38	57	66	75	66	84	74	120	96	118	392
Males .....	710	42	64	8	11	15	18	26	30	26	42	38	69	58	67	238
Females .....	629	41	51	7	12	23	39	40	45	40	42	36	51	38	51	154
Pericarditis .....	9	1	1	1	1	2	1	1	1	1	2	1	2	2	1	1
Diseases of the heart .....	664	37	58	7	11	13	16	26	27	21	39	37	65	53	64	227
Angina pectoris .....	17	1	1	1	1	2	1	1	1	1	2	1	2	2	3	5
Diseases of the arteries .....	3	1	1	1	1	1	1	1	1	1	2	1	1	1	1	2
Aneurism .....	8	1	1	1	1	1	1	1	3	1	1	1	2	1	1	1
Embolism .....	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
Others of this class .....	6	5	6	4	4	4	4	4	4	4	4	4	4	4	4	4

## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

TEXAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	4,274	1,065	1,921	183	182	182	208	195	150	151	162	170	154	125	127	414
Males.....	2,450	614	1,080	108	65	105	121	99	68	82	97	124	111	79	77	234
Females.....	1,824	451	841	75	67	77	87	96	82	69	65	46	43	46	50	180
Croup.....	M.. 384 F.. 265	M.. 206 F.. 143	M.. 354 F.. 247	M.. 24 F.. 18	M.. 2 F.. 1				M.. 2 F.. 1			M.. 1 F.. 1				M.. 4 F.. 4
Pneumonia.....	M.. 1,650 F.. 1,182	M.. 284 F.. 204	M.. 512 F.. 410	M.. 69 F.. 40	M.. 60 F.. 57	M.. 97 F.. 68	M.. 108 F.. 72	M.. 89 F.. 82	M.. 64 F.. 68	M.. 72 F.. 56	M.. 89 F.. 54	M.. 106 F.. 40	M.. 95 F.. 37	M.. 55 F.. 35	M.. 62 F.. 41	M.. 172 F.. 127
Laryngitis.....	M.. 7 F.. 3		M.. 5 F.. 2	M.. 1 F.. 1							M.. 1 F.. 1					
Bronchitis.....	M.. 242 F.. 235	M.. 102 F.. 85	M.. 170 F.. 148	M.. 5 F.. 17	M.. 7 F.. 4	M.. 3 F.. 4	M.. 6 F.. 6	M.. 1 F.. 4	M.. 1 F.. 3	M.. 4 F.. 5	M.. 3 F.. 3	M.. 3 F.. 1	M.. 8 F.. 1	M.. 11 F.. 5	M.. 4 F.. 3	M.. 23 F.. 28
Pleurisy.....	M.. 28 F.. 19	M.. 1 F.. 2	M.. 4 F.. 3	M.. 2 F.. 3	M.. 1 F.. 3	M.. 1 F.. 3	M.. 2 F.. 2	M.. 4 F.. 4	M.. 2 F.. 2	M.. 1 F.. 2	M.. 1 F.. 1	M.. 2 F.. 2	M.. 2 F.. 1	M.. 1 F.. 2	M.. 1 F.. 1	M.. 7 F.. 4
Asthma.....	M.. 40 F.. 40	M.. 2 F.. 4	M.. 1 F.. 4	M.. 1 F.. 1			M.. 2 F.. 2	M.. 2 F.. 2	M.. 2 F.. 2	M.. 1 F.. 2	M.. 3 F.. 3	M.. 2 F.. 2	M.. 1 F.. 2	M.. 2 F.. 2	M.. 6 F.. 6	M.. 20 F.. 16
Others of this class.....	M.. 99 F.. 80	M.. 21 F.. 15	M.. 34 F.. 27	M.. 6 F.. 4	M.. 2 F.. 2	M.. 4 F.. 7	M.. 5 F.. 5	M.. 5 F.. 4	M.. 2 F.. 7	M.. 5 F.. 5	M.. 4 F.. 4	M.. 11 F.. 2	M.. 3 F.. 4	M.. 6 F.. 4	M.. 4 F.. 4	M.. 8 F.. 5
<b>5. Diseases of the digestive system.</b>	2,304	484	942	129	101	121	106	83	80	86	88	101	91	71	79	226
Males.....	1,289	260	505	65	50	68	62	48	49	58	42	63	58	47	48	131
Females.....	1,015	224	437	64	51	53	44	35	31	33	46	38	33	24	31	95
Dentition.....	M.. 70 F.. 49	M.. 23 F.. 19	M.. 70 F.. 49													
Angina.....	M.. 73 F.. 69	M.. 16 F.. 14	M.. 55 F.. 43	M.. 9 F.. 11	M.. 1 F.. 5	M.. 2 F.. 2	M.. 2 F.. 1	M.. 1 F.. 1	M.. 1 F.. 1	M.. 1 F.. 1	M.. 1 F.. 3	M.. 1 F.. 1	M.. 1 F.. 1			M.. 1 F.. 1
Gastritis.....	M.. 119 F.. 118	M.. 21 F.. 21	M.. 42 F.. 51	M.. 5 F.. 1	M.. 2 F.. 3	M.. 1 F.. 2	M.. 6 F.. 5	M.. 2 F.. 3	M.. 5 F.. 4	M.. 3 F.. 4	M.. 6 F.. 3	M.. 5 F.. 9	M.. 9 F.. 6	M.. 6 F.. 4	M.. 6 F.. 6	M.. 21 F.. 19
Diseases of the stomach.....	M.. 164 F.. 150	M.. 32 F.. 27	M.. 76 F.. 62	M.. 18 F.. 19	M.. 7 F.. 9	M.. 2 F.. 7	M.. 4 F.. 6	M.. 5 F.. 2	M.. 3 F.. 2	M.. 6 F.. 6	M.. 6 F.. 6	M.. 5 F.. 6	M.. 8 F.. 8	M.. 6 F.. 3	M.. 6 F.. 5	M.. 13 F.. 15
Obstruction of the bowels.....	M.. 52 F.. 30	M.. 13 F.. 6	M.. 22 F.. 9	M.. 1 F.. 3	M.. 2 F.. 1	M.. 2 F.. 1	M.. 5 F.. 1	M.. 2 F.. 2	M.. 4 F.. 3	M.. 4 F.. 3	M.. 1 F.. 5	M.. 1 F.. 1	M.. 2 F.. 2	M.. 2 F.. 1	M.. 1 F.. 1	M.. 4 F.. 1
Appendicitis.....	M.. 89 F.. 44	M.. 1 F.. 2	M.. 5 F.. 2	M.. 12 F.. 11	M.. 17 F.. 9	M.. 14 F.. 3	M.. 8 F.. 3	M.. 5 F.. 1	M.. 3 F.. 2	M.. 5 F.. 3	M.. 3 F.. 4	M.. 5 F.. 2	M.. 2 F.. 2	M.. 3 F.. 1	M.. 1 F.. 2	M.. 4 F.. 2
Hernia.....	M.. 17 F.. 9	M.. 1 F.. 2	M.. 2 F.. 2				M.. 2 F.. 1	M.. 1 F.. 2	M.. 2 F.. 2	M.. 2 F.. 2	M.. 2 F.. 2	M.. 2 F.. 1	M.. 2 F.. 1	M.. 2 F.. 1	M.. 1 F.. 1	M.. 6 F.. 2
Other diseases of the bowels.....	M.. 115 F.. 112	M.. 32 F.. 25	M.. 60 F.. 58	M.. 6 F.. 7	M.. 3 F.. 4	M.. 6 F.. 2	M.. 2 F.. 6	M.. 1 F.. 5	M.. 3 F.. 3	M.. 4 F.. 3	M.. 1 F.. 3	M.. 3 F.. 2	M.. 2 F.. 1	M.. 3 F.. 2	M.. 5 F.. 3	M.. 16 F.. 10
Jaundice.....	M.. 157 F.. 87	M.. 38 F.. 28	M.. 45 F.. 33	M.. 7 F.. 9	M.. 7 F.. 7	M.. 25 F.. 12	M.. 9 F.. 4	M.. 13 F.. 4	M.. 10 F.. 1	M.. 9 F.. 4	M.. 6 F.. 3	M.. 10 F.. 3	M.. 4 F.. 6	M.. 5 F.. 1	M.. 1 F.. 1	M.. 6 F.. 4
Inflammation and abscess of the liver.....	M.. 98 F.. 61	M.. 8 F.. 7	M.. 15 F.. 17	M.. 3 F.. 2	M.. 1 F.. 4	M.. 5 F.. 2	M.. 4 F.. 4	M.. 6 F.. 1	M.. 4 F.. 2	M.. 8 F.. 3	M.. 3 F.. 3	M.. 11 F.. 2	M.. 9 F.. 2	M.. 8 F.. 4	M.. 6 F.. 5	M.. 13 F.. 10
Other diseases of the liver.....	M.. 94 F.. 40	M.. 11 F.. 5	M.. 19 F.. 10	M.. 1 F.. 2			M.. 3 F.. 1	M.. 2 F.. 1	M.. 2 F.. 1	M.. 5 F.. 3	M.. 8 F.. 2	M.. 9 F.. 3	M.. 13 F.. 4	M.. 7 F.. 2	M.. 8 F.. 3	M.. 18 F.. 7
Peritonitis.....	M.. 51 F.. 71	M.. 3 F.. 3	M.. 7 F.. 6	M.. 6 F.. 4	M.. 6 F.. 2	M.. 4 F.. 14	M.. 7 F.. 8	M.. 3 F.. 3	M.. 1 F.. 7	M.. 2 F.. 7	M.. 2 F.. 8	M.. 5 F.. 3	M.. 3 F.. 1	M.. 1 F.. 2	M.. 1 F.. 2	M.. 3 F.. 1
Ascites.....	M.. 27 F.. 26	M.. 2 F.. 2	M.. 3 F.. 2	M.. 1 F.. 2			M.. 1 F.. 2	M.. 1 F.. 1	M.. 1 F.. 1	M.. 1 F.. 1	M.. 1 F.. 3	M.. 2 F.. 1	M.. 1 F.. 3	M.. 2 F.. 1	M.. 5 F.. 3	M.. 9 F.. 8
Others of this class.....	M.. 163 F.. 149	M.. 61 F.. 65	M.. 87 F.. 98	M.. 3 F.. 4	M.. 10 F.. 3	M.. 5 F.. 4	M.. 2 F.. 5	M.. 4 F.. 1	M.. 7 F.. 2	M.. 3 F.. 4	M.. 4 F.. 4	M.. 5 F.. 4	M.. 4 F.. 6	M.. 2 F.. 1	M.. 10 F.. 3	M.. 17 F.. 15
<b>6. Diseases of the urinary system and male organs of generation.</b>	758	28	51	16	12	19	34	33	38	37	51	42	53	62	75	285
Males.....	586	13	28	8	3	9	16	16	22	25	33	24	38	57	60	197
Females.....	222	15	23	8	9	10	18	17	16	12	18	18	15	5	15	88
Bright's disease.....	M.. 307 F.. 141		M.. 6 F.. 5	M.. 6 F.. 7	M.. 6 F.. 5	M.. 8 F.. 12	M.. 13 F.. 12	M.. 10 F.. 9	M.. 16 F.. 8	M.. 23 F.. 14	M.. 17 F.. 11	M.. 29 F.. 13	M.. 41 F.. 13	M.. 44 F.. 4	M.. 94 F.. 27	
Calculus, urinary.....	M.. 15 F.. 4	M.. 1 F.. 1	M.. 1 F.. 2							M.. 1 F.. 1			M.. 1 F.. 1		M.. 3 F.. 1	
Diseases of the kidney.....	M.. 109 F.. 45	M.. 9 F.. 12	M.. 23 F.. 19	M.. 2 F.. 2	M.. 3 F.. 1	M.. 3 F.. 2	M.. 3 F.. 2	M.. 2 F.. 2	M.. 6 F.. 3	M.. 4 F.. 2	M.. 8 F.. 2	M.. 5 F.. 3	M.. 2 F.. 1	M.. 5 F.. 1	M.. 7 F.. 7	M.. 36 F.. 8
Diseases of the bladder.....	M.. 44 F.. 2						M.. 1 F.. 1	M.. 1 F.. 1	M.. 2 F.. 2	M.. 1 F.. 1	M.. 1 F.. 1	M.. 2 F.. 1	M.. 2 F.. 1	M.. 4 F.. 1	M.. 32 F.. 3	
Others of this class.....	M.. 61 F.. 30	M.. 4 F.. 2	M.. 4 F.. 2	M.. 1 F.. 1	M.. 1 F.. 1	M.. 3 F.. 3	M.. 4 F.. 4	M.. 5 F.. 4	M.. 1 F.. 4	M.. 5 F.. 4	M.. 3 F.. 2	M.. 1 F.. 1	M.. 2 F.. 4	M.. 7 F.. 1	M.. 2 F.. 1	M.. 27 F.. 3
<b>7. Diseases of the female organs of generation.</b>	124				2	13	10	16	15	17	13	28	5	6	1	3
Ovarian tumors.....	17					1	2	2	4	4	2	1	1			
Ovarian diseases.....	3						1							2		
Diseases of the tubes.....	8						1	2	1	2	1		1			
Uterine tumors.....	14						1		2	1	2	7		1		
Uterine diseases.....	29				1	4	1	5	2	5	1	7	1			2
Others of this class.....	53				1	8	4	7	6	5	7	8	2	3	1	1



CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

TEXAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	459				1	63	116	115	77	45	30	7				5
Abortion.....	18						8	1	4	3	1	1				
Childbirth.....	271				1	40	62	68	47	29	19	2				8
Puerperal septicemia.....	144					18	39	39	28	11	9	3				2
Extra-uterine pregnancy.....	1								1							
Others of this class.....	25					5	7	7	2	2	1	1				
9. Diseases of the bones and joints	88	22	39	11	7	5	3	3	2	2	3	3	1	2	5	2
Males.....	51	10	21	6	3	2	1	3	1	2	3	2	1		4	2
Females.....	37	12	18	5	4	3	2	2	1	1	1	1		2	1	
Diseases of the spine.....	27	9	15	5	1	1		2	1			1			1	
Abscess, lumbar and psoas.....	2			1						1						
Diseases of the bones.....	14	1	5		1		1	1		1	1	1	1		1	1
Diseases of the hip-joint.....	2					1					1					
Others of this class.....	6		1		1						1				2	1
Others of this class.....	4	2	2		1		1									
10. Diseases of the skin	79	15	21	4	3	2	1	6	4	3	3	2	8	6	3	18
Males.....	46	10	15	3	1	1		2	3	3		1	5	5		8
Females.....	33	5	6	1	3	1	1	4	1	1	3	1	3	1	3	5
Abscess.....	23	3	4	2		1		2	2	2			5	2		3
Males.....	22	4	5		3	1		3	1		2	1	2	1	1	2
Females.....	8	1	1							1						4
Carbuncle.....	2										1				1	
Others of this class.....	15	6	10	1			1	1				1	1	1		1
Males.....	9	1	1	1									1	1	1	3
Females.....	6															
11. Diseases of the absorbent system.	17	1	4		3	1		2	1		2	2		1		1
Males.....	8	1	3		2			1				2				
Females.....	9		1		1	1		1	1		2	2		1		1
Addison's disease.....	1											1				
Diseases of the spleen.....	4		2					1				1				
Males.....	6					1		1	1		1			1		1
Females.....	3	1	1		2											
Others of this class.....	3		1		1						1					
Males.....	3		1		1											
Females.....	1															
12. Accidents and injuries	1,831	197	400	186	112	157	194	144	98	107	100	73	72	41	47	150
Males.....	1,331	114	216	74	87	119	153	119	83	91	82	69	62	31	40	105
Females.....	500	83	184	62	25	38	41	25	15	16	18	4	10	10	7	45
Burns and scalds.....	94	15	71	5	4		2	1	2	1		1	1		1	5
Males.....	177	5	66	35	11	15	14	5	6	3	6	2	1		2	11
Females.....	121	2	16	17	18	19	14	12	3	4	5	1	2	2	2	6
Drowning.....	28		4	7	4	5	2	3		1		1	2	1	1	
Exposure and neglect.....	15	12	12												1	2
Males.....	19	10	15	1						1	1					
Females.....	286		3	14	11	26	36	37	23	27	13	16	8	6	4	12
Gunshot wounds.....	28	1	3	4	2	2	8	3	3	1	2					
Homicide.....	98				1	6	16	18	10	8	12	8	10	4	1	4
Males.....	15		2			1	3	2			1	1	1	1		3
Females.....	2	2	2													
Infanticide.....	2															
Injuries by machinery.....	20			2	1	3	3	1	4	1	1		2			2
Railroad accidents.....	123	1	1	6	9	12	24	9	11	10	10	8	7	4	5	7
Males.....	10			3	1	1	1			1	1			1	1	3
Females.....	49	44	45		1	1								1	1	1
Suffocation.....	42	32	36	1	2	1	1				1					
Suicide by shooting.....	32					3	6	5	2	4	3	5	1	2		1
Males.....	4						1	1		1						
Females.....	3					1									2	
Suicide by drowning.....	29					2	6	1	6	2	3	4	5			
Males.....	6					3	1		1	1				1		
Females.....	52					3	3	3	4	6	8	4	4	2	5	10
Other suicides.....	6					3		1			1			1		
Sunstroke.....	28		3		1	1	3		1	4	2	2	4	2	1	5
Males.....	7	2	3										1		2	2
Females.....	8	1	1	1		1				1				1		3
Surgical operations.....	12							5	1	3	1		1			
Wounds.....	22			1	2	4	4			2	1		1	1	2	4
Males.....	4		1				1									2
Females.....	401	39	64	28	41	37	36	32	19	23	23	22	13	7	13	43
Others of this class.....	140	31	52	11	5	7	9	5	5	5	3	1	5	5	3	42





VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UTAH—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	476	122	219	21	9	19	17	9	12	13	12	7	16	11	21	90
Males.....	280	64	118	9	8	11	8	6	8	11	8	4	12	7	16	54
Females.....	196	58	101	12	1	8	9	3	4	2	4	3	4	4	5	36
Croup.....	12	2	11	1												
Pneumonia.....	205	47	85	6	5	10	8	4	8	11	6	2	11	7	11	31
Laryngitis.....	1			1												
Bronchitis.....	25	8	14	1	1										2	7
Pleurisy.....	3		1	1			1	1							1	2
Asthma.....	15							1			1	2	1		1	9
Others of this class.....	19	7	8		2	1	1	1			1			1	1	5
5. Diseases of the digestive system.	216	29	46	13	14	11	18	11	12	11	10	8	9	9	14	30
Males.....	135	18	29	6	5	5	11	5	8	11	6	5	6	6	10	22
Females.....	81	11	17	7	9	6	7	6	4		4	3	3	3	4	8
Dentition.....	7	3	7													
Angina.....	2		1							1						
Gastritis.....	14	1	5	1					1	1	1	2		1	1	1
Diseases of the stomach.....	9	1	1					1		1	1	1		1	1	3
Obstruction of the bowels.....	8	1	1				1				2		1		1	3
Appendicitis.....	27		1	3	3	3	5	3	4	1				1	1	2
Hernia.....	9	2	3				1						1	1		3
Other diseases of the bowels.....	7	1	1							1			1			4
Jaundice.....	6	4	4					1						1	1	1
Inflammation and abscess of the liver.....	4						1			3				2		
Other diseases of the liver.....	12										1	2	3	1	4	1
Peritonitis.....	21	1	1	2	2	2	3	3	3	3	1				2	2
Ascites.....	3	1	1				1								1	1
Others of this class.....	6	3	3					1					1			2
6. Diseases of the urinary system and male organs of generation.	129	1	1	2	6	3	5	6	7	13	9	6	9	10	6	46
Males.....	84	1	1	1	5	2	1	2	4	6	4	2	9	7	4	36
Females.....	45			1	1	1	4	4	3	7	5	4		3	2	10
Bright's disease.....	57			1	5	2	1	1	3	3	4	2	6	6	3	20
Calculus, urinary.....	37			1			3	3	1	7	5	4		2	2	9
Diseases of the kidney.....	2															2
Diseases of the bladder.....	8	1	1						1				2	1		3
Others of this class.....	5				1				2				1	1		1
7. Diseases of the female organs of generation.	8						1	1	1		1	3			1	1
Ovarian tumors.....	1															1
Ovarian diseases.....	1										1					
Diseases of the tubes.....	1											1				
Uterine tumors.....	1												1			
Uterine diseases.....	1															
Others of this class.....	5						1	1		1		2			1	

CAUSE, SEX, AND AGE.

647

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UTAH—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	40					3	9	8	6	5	7	2				
Abortion																
Childbirth	19					3	2	2	3	3	5	1				
Puerperal septicemia	10						3	3	2	1	1					
Extra-uterine pregnancy.																
Others of this class	11						4	3	1	1	1	1				
9. Diseases of the bones and joints.	14	7	9	2							1				1	1
Males	8	4	6	1												
Females	6	3	3	1						1						1
Diseases of the spine	8	4	6	1											1	
Abscess, lumbar and psoas.	5	3	3	1						1						
Diseases of the bones																
Diseases of the hip-joint.																
Others of this class	1															1
10. Diseases of the skin.	4										1		1	1	1	
Males	3										1		1	1	1	
Females	1															
Abscess	3										1		1	1		
Carbuncle																
Others of this class	1														1	
11. Diseases of the absorbent system.	1							1								
Males								1								
Females	1															
Addison's disease	1							1								
Diseases of the spleen																
Others of this class																
12. Accidents and injuries.	422	7	30	10	14	42	43	59	42	40	50	28	12	5	7	40
Males	392	5	17	9	13	39	39	58	40	39	50	28	11	5	6	38
Females	30	2	13	1	1	3	4	1	2	1			1		1	2
Burns and scalds	2		2			1										
Males	4		3													
Females	17		8	3			2				3		1			
Drowning	4		4													
Males	1															1
Females	10				1	3		3		2	1					
Exposure and neglect	1															
Males	10															
Females	9			1			2	1		1	2			1	1	
Homicide	1			1												
Males																
Females																
Infanticide																
Males																
Females																
Injuries by machinery																
Males	26				1	2	2		4	3	8	4	1		1	
Females	1								1							
Suffocation	6	1	1					1	1			2		1		
Males	2	1	1			1										
Females	4										2	1	1			
Suicide by shooting																
Males	3								1	2						
Females	1												1			
Other suicides	11					1	1	1	1		1	1	1			4
Males	2			1							1					
Females	9															4
Sunstroke																
Males	1										1					
Females	2															
Surgical operations	1	1	1					1								
Males	2															
Females	1						1									
Wounds							1									
Males	1															
Females	299	4	6	4	11	33	31	52	33	31	31	20	7	3	4	33
Others of this class	15		4		1	1	3	1	1	1					1	2





VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	3,560	797	1,386	130	65	141	166	122	125	116	127	113	140	120	173	636
Males.....	1,950	423	738	73	37	95	108	59	61	53	85	56	77	58	96	354
Females.....	1,610	374	648	57	28	46	58	63	64	63	42	57	63	62	77	282
Croup.....	200	103	184	14	2				1							1
Pneumonia.....	1,366	245	426	43	29	86	96	43	50	46	73	42	68	38	70	251
Laryngitis.....	7		1				1	2						1	1	1
Bronchitis.....	166	56	98	7	1	3	3	3	1	1		2	3	7	5	32
Pleurisy.....	48		3	2	1	2	3	1	4	1	2	2	2	4	3	18
Asthma.....	48		2			1	1	2	1	2	2		1	4	5	29
Others of this class.....	115	19	24	2	4	3	4	8	5	5	8	10	3	4	12	28
<b>5. Diseases of the digestive system.</b>	1,426	342	571	47	37	49	68	42	44	46	51	56	68	49	71	227
Males.....	715	177	295	20	19	23	24	14	23	17	24	28	38	24	41	125
Females.....	711	165	276	27	18	26	44	28	21	29	27	28	30	25	30	102
Dentition.....	108	52	108													
Angina.....	14	3	4	1	3		1								1	4
Gastritis.....	89	11	24	2	2	1	1	1	5	1	4	5	6	7	5	25
Diseases of the stomach.....	27	4	9		1	1		1	1	1		3	6		1	5
Obstruction of the bowels.....	24	2	3	2	2	1	1	1	2	1	1	4	1	2	2	6
Appendicitis.....	50	1	6	2	4	11	7	3	2	2	2	1	1	2	3	4
Hernia.....	36	4	5		1		1		1		5		2	3	4	14
Other diseases of the bowels.....	55	17	28	2	2	2	1		1	1	1		1	1	1	14
Jaundice.....	29	17	21		1						2		2	1	2	6
Inflammation and abscess of the liver.....	45	2	5	1			3	5	6	4	2	4	1	1	4	9
Other diseases of the liver.....	70	5	8	1		3	4		3	3	4	3	11	1	11	18
Peritonitis.....	44	5	6	3	4	4	4		3	2	1	4	2	2	4	5
Ascites.....	20	1	2	4					1		1		1	1	1	9
Others of this class.....	104	53	66	2	1	2	1	4	1	2	3	3	4	3	4	12
<b>6. Diseases of the urinary system and male organs of generation.</b>	735	11	34	8	10	12	27	22	28	33	40	35	69	67	77	273
Males.....	479	7	16	5	3	5	10	9	15	13	25	24	45	44	54	211
Females.....	256	4	18	3	7	7	17	13	13	20	15	11	24	23	23	62
Bright's disease.....	304			3	3	4	7	7	12	11	18	19	33	30	48	114
Calculus, urinary.....	12			1									1	1	1	8
Diseases of the kidney.....	81	5	14			1	1	1		2	4	2	5	8	5	38
Diseases of the bladder.....	37	1	1	1			1	1	1	1	1	2	2	5	1	23
Others of this class.....	45	1	1		1	1	1	2	1	4	2	2	4	4	4	28
<b>7. Diseases of the female organs of generation.</b>	64				1	4	7	4	5	8	7	7	5	3	5	8
Ovarian tumors.....	10					2		1		2	1	1	1	1	1	
Ovarian diseases.....	2				1				1							
Diseases of the tubes.....	1						1									
Uterine tumors.....	8									2	2	1		1	2	
Uterine diseases.....	17						2	1	2	2	2		1		1	6
Others of this class.....	26					2	4	2	2	2	2	5	3	1	1	2









## VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WASHINGTON—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	547	87	151	16	18	20	25	15	24	36	40	37	35	25	25	80
Males.....	361	49	84	9	7	11	19	12	20	27	32	26	30	18	16	50
Females.....	186	38	67	7	11	9	6	3	4	9	8	11	5	7	9	30
Croup.....	(M. 21 F. 24)	(M. 9 F. 5)	(M. 16 F. 16)	(M. 4 F. 5)	(M. 3 F. 3)											1
Pneumonia.....	(M. 269 F. 110)	(M. 27 F. 17)	(M. 49 F. 29)	(M. 5 F. 1)	(M. 7 F. 6)	(M. 10 F. 9)	(M. 18 F. 6)	(M. 11 F. 3)	(M. 14 F. 4)	(M. 22 F. 5)	(M. 27 F. 5)	(M. 25 F. 9)	(M. 21 F. 5)	(M. 15 F. 6)	(M. 10 F. 5)	(M. 35 F. 17)
Laryngitis.....	(M. 2 F. 2)	(M. 1 F. 1)	(M. 2 F. 1)	(M. 1 F. 1)												
Bronchitis.....	(M. 25 F. 25)	(M. 6 F. 10)	(M. 11 F. 15)						1	1	2		2	1	2	6 4
Pleurisy.....	(M. 11 F. 6)	(M. 1 F. 1)	(M. 1 F. 1)		2		1		1	1	2	1	3	1	1	1 1
Asthma.....	(M. 5 F. 7)								1	1			1		1	1 5
Others of this class.....	(M. 28 F. 12)	(M. 6 F. 5)	(M. 6 F. 5)			1		1	3	4	1		3	1	2	6 3
5. Diseases of the digestive system.	287	32	55	19	13	11	20	20	17	18	18	17	14	15	18	32
Males.....	160	18	30	9	7	6	9	7	7	10	18	9	7	11	17	18
Females.....	127	14	25	10	6	5	11	13	10	8	5	8	7	4	1	14
Dentition.....	(M. 2 F. 2)		2													
Angina.....	(M. 5 F. 7)		2	2			1									
Gastritis.....	(M. 14 F. 20)	(M. 1 F. 3)	(M. 2 F. 5)			1		3	1	2			1	2	5	2 7
Diseases of the stomach.....	(M. 8 F. 7)	(M. 2 F. 2)	(M. 2 F. 2)				2		1	1		1			1	2 1
Obstruction of the bowels.....	(M. 17 F. 8)	(M. 3 F. 3)	(M. 4 F. 4)	1		1	1	1	1	2		1	2	2		1
Appendicitis.....	(M. 34 F. 17)	(M. 1 F. 1)	(M. 2 F. 5)	6	4	1	5	4	2	3	3	2	1	1	1	
Hernia.....	(M. 9 F. 3)	(M. 3 F. 1)	(M. 3 F. 2)										1	2		4
Other diseases of the bowels.....	(M. 11 F. 3)	(M. 3 F. 1)	(M. 5 F. 3)	2					1			1			1	1
Jaundice.....	(M. 6 F. 4)	(M. 3 F. 2)	(M. 3 F. 2)				1				1		1			2
Inflammation and abscess of the liver.....	(M. 4 F. 4)										1				3	
Other diseases of the liver.....	(M. 24 F. 7)	(M. 1 F. 1)	(M. 1 F. 1)					1		2	4	2	3	4	2	6 2
Peritonitis.....	(M. 17 F. 38)	(M. 2 F. 3)	(M. 3 F. 3)	2	1	1	2	2	2	3	3	1	2	1	1	1 2
Ascites.....	(M. 2 F. 3)								1					1		1 1
Others of this class.....	(M. 7 F. 10)	(M. 4 F. 3)	(M. 5 F. 3)						2	2	1	1				1
6. Diseases of the urinary system and male organs of generation.	206	5	11	4	2	4	5	4	9	25	15	19	20	16	15	66
Males.....	155	5	8	4	2			2	3	15	12	8	16	12	14	59
Females.....	51		3			4	5	2	6	10	3	2	4	4	1	7
Bright's disease.....	(M. 104 F. 36)			3	2		2	2	2	13	8	7	11	10	12	34 5
Calculus, urinary.....																
Diseases of the kidney.....	(M. 15 F. 4)	(M. 2 F. 3)	(M. 4 F. 3)	1						1		1		1		7
Diseases of the bladder.....	(M. 14 F. 1)						1			1	4		2			7
Others of this class.....	(M. 22 F. 10)	(M. 3 F. 3)	(M. 4 F. 3)			2	1		2	2	1		3	1	2	11 2
7. Diseases of the female organs of generation.	10					1	1			1	2		2	3		
Ovarian tumors.....	3												1	2		
Ovarian diseases.....	2									1	1					
Diseases of the tubes.....																
Uterine tumors.....	2										1			1		
Uterine diseases.....	1						1									
Others of this class.....	2					1							1			





CAUSE, SEX, AND AGE.

657

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WEST VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>1. General diseases—Continued.</b>																
General diseases—D	1,850	53	111	31	52	149	260	189	143	105	107	101	100	99	84	319
Males	763	16	44	13	18	50	89	71	59	47	44	48	43	47	44	146
Females	1,087	37	67	18	34	99	171	118	84	58	63	53	57	52	40	173
Anemia	M 8 F 8				1		2	3			1		1		2	3
Diabetes	M 14 F 9			1	2	3	1	1	1	2	3	2	1	1	1	3
Rheumatism	M 32 F 35		1	1	2	1	2	1	1	4	1	2	1	3	1	12
Scrofula and tabes	M 22 F 33	1	5	1	3	4	1	3	2	2	3	1	2	1	2	4
Hydrocephalus	M 7 F 7	1	4		1		2									1
Tuberculosis, general	M 1 F 1		1				1									
Consumption	M 503 F 770	8	23	4	10	44	81	64	52	36	32	38	22	24	23	50
Cancer	M 73 F 115	1	3	1	2	1	1	1	1	2	1	5	11	11	6	30
Tumor	M 16 F 13	4	6	2	1		2		1		1	1	2	2	2	3
Dropsy	M 83 F 93		2	4	2	2	7	2	1	3	2	1	5	4	9	47
Others of this group	M 4 F 3	2	3		1										8	1
<b>2. Diseases of the nervous system.</b>	1,037	214	374	43	22	30	24	26	13	25	33	23	25	51	43	300
Males	538	121	192	23	13	23	13	14	13	16	19	10	16	26	21	159
Females	479	93	182	20	9	7	11	12	5	9	14	13	9	25	22	141
Inflammation of the brain	M 73 F 77	25	44	7	5	4	2	2	2	2	2	1	1	1	1	4
Meningitis	M 96 F 87	36	66	7	3	3	2	2	4	2	2	1	2	2	2	2
Apoplexy	M 57 F 39	2	2			1	2	2	2	1	2	4	5	7	2	30
Paralysis	M 135 F 143		3	1	1	1	1	1	1	5	5	2	4	11	10	93
Paralysis, general (of insane)	M 2 F 2						1	1				1	1			1
Tetanus and trismus nascentium	M 3 F 2					2		1								
Chorea	M 1 F 4		1		1	2						1				
Epilepsy	M 29 F 22	8	8	1	1	6	1	2	3	2	3	1				1
Convulsions	M 49 F 34	34	42	3	1				1				1			3
Mental diseases	M 37 F 14					3	2	3	1	3	4		1	4	5	11
Diseases of the brain	M 43 F 20	10	20	3	3	1	3	1	1		1	1	1	1	1	4
Diseases of the spinal cord	M 11 F 15	6	8			1					1		1			1
Locomotor ataxia	M 3 F									1						2
Others of this class	M 19 F 20		1	1		2	1		1	1	1	4		1	3	8
<b>3. Diseases of the circulatory system.</b>	517	40	46	4	8	13	21	19	23	15	20	21	37	34	48	208
Males	274	20	21	2	3	7	7	6	11	8	7	16	16	14	29	127
Females	243	20	25	2	5	6	14	13	12	7	13	5	21	20	19	81
Pericarditis	M 3 F 1						1		1							1
Diseases of the heart	M 255 F 224	19	20	2	3	7	4	5	10	8	6	16	16	11	23	119
Angina pectoris	M 7 F 12						1	2	1				1	3	1	2
Diseases of the arteries	M 2 F															2
Aneurism	M 4 F 3						1	1								2
Embolism	M 1 F						1				1					1
Others of this class	M 2 F 3	1	1													1

## VITAL STATISTICS.

**TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.**

WEST VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
<b>4. Diseases of the respiratory system.</b>	<b>1,260</b>	<b>368</b>	<b>643</b>	<b>78</b>	<b>32</b>	<b>41</b>	<b>35</b>	<b>29</b>	<b>25</b>	<b>25</b>	<b>24</b>	<b>24</b>	<b>25</b>	<b>37</b>	<b>32</b>	<b>215</b>
Males.....	687	206	369	34	18	22	13	16	13	12	11	16	9	28	14	112
Females.....	573	162	274	39	14	19	22	13	12	13	13	8	16	9	18	103
Croup.....	M 186 F 140	M 100 F 75	M 171 F 125	M 13 F 18	M 2 F 1	M 1 F 1										
Pneumonia.....	M 402 F 320	M 90 F 66	M 172 F 119	M 20 F 23	M 12 F 10	M 20 F 12	M 12 F 14	M 11 F 10	M 11 F 10	M 11 F 8	M 8 F 8	M 15 F 7	M 8 F 11	M 21 F 5	M 9 F 11	M 72 F 69
Laryngitis.....	M 2 F 2			M 1 F 1			M 1 F 1									
Bronchitis.....	M 37 F 45	M 11 F 14	M 16 F 21	M 1 F 1	M 1 F 1		M 1 F 1	M 2 F 1	M 1 F 1	M 1 F 1			M 2 F 2	M 2 F 2	M 2 F 2	M 13 F 13
Pleurisy.....	M 18 F 14					M 1 F 1	M 3 F 1		M 1 F 1		M 1 F 3	M 1 F 1				M 12 F 3
Asthma.....	M 17 F 17		M 1 F 1		M 1 F 1		M 1 F 1						M 1 F 1	M 2 F 1	M 3 F 1	M 10 F 12
Others of this class.....	M 27 F 35	M 5 F 7	M 9 F 8	M 1 F 1	M 2 F 3	M 2 F 4	M 2 F 2	M 2 F 2	M 2 F 2	M 2 F 2	M 2 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 4	M 5 F 6
<b>5. Diseases of the digestive system.</b>	<b>530</b>	<b>89</b>	<b>137</b>	<b>23</b>	<b>9</b>	<b>16</b>	<b>25</b>	<b>18</b>	<b>13</b>	<b>14</b>	<b>31</b>	<b>27</b>	<b>29</b>	<b>33</b>	<b>34</b>	<b>121</b>
Males.....	295	50	83	12	4	8	11	9	5	7	19	11	18	16	19	73
Females.....	235	39	54	11	5	8	14	9	8	7	12	16	11	17	15	48
Dentition.....	M 7 F 4	M 2 F 3	M 7 F 4													
Angina.....	M 3 F 2	M 1 F 1	M 1 F 1					M 1 F 1			M 1 F 1				M 1 F 1	
Gastritis.....	M 66 F 48	M 6 F 9	M 13 F 12	M 2 F 4	M 1 F 1	M 1 F 1	M 4 F 4	M 2 F 1	M 2 F 1	M 1 F 1	M 3 F 3	M 1 F 2	M 4 F 2	M 8 F 5	M 6 F 3	M 19 F 8
Diseases of the stomach.....	M 34 F 39	M 2 F 4	M 4 F 8	M 1 F 1	M 1 F 1	M 1 F 4	M 1 F 3	M 2 F 1		M 3 F 1	M 3 F 2	M 1 F 2	M 2 F 2	M 6 F 6	M 4 F 2	M 14 F 6
Obstruction of the bowels.....	M 16 F 9	M 4 F 1	M 5 F 2	M 2 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1		M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1		M 2 F 1	M 3 F 1
Appendicitis.....	M 15 F 5	M 1 F 1	M 2 F 1	M 1 F 2	M 2 F 1	M 2 F 1	M 1 F 1	M 1 F 1		M 3 F 1	M 1 F 1		M 1 F 1		M 1 F 1	M 1 F 1
Hernia.....	M 8 F 8	M 1 F 1	M 2 F 1								M 1 F 1			M 1 F 1	M 1 F 1	M 5 F 4
Other diseases of the bowels.....	M 27 F 22	M 7 F 5	M 16 F 8	M 1 F 2	M 1 F 1	M 1 F 1	M 1 F 1		M 2 F 2	M 1 F 1		M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 3 F 6
Jaundice.....	M 15 F 7	M 6 F 3	M 6 F 3	M 1 F 1							M 1 F 1		M 1 F 1		M 2 F 1	M 6 F 1
Inflammation and abscesses of the liver.....	M 19 F 13	M 2 F 1	M 2 F 1	M 1 F 1		M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 1	M 2 F 1	M 2 F 1	M 2 F 1	M 1 F 1	M 3 F 1	M 1 F 1	M 4 F 6
Other diseases of the liver.....	M 32 F 19	M 3 F 1	M 6 F 1			M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 2		M 4 F 4	M 3 F 3	M 4 F 4	M 2 F 2	M 2 F 3	M 7 F 5
Peritonitis.....	M 12 F 17	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 3	M 1 F 4	M 2 F 2	M 1 F 1	M 2 F 2	M 2 F 2	M 2 F 1		M 2 F 1	M 2 F 2
Ascites.....	M 12 F 17	M 1 F 1	M 1 F 1	M 1 F 1			M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 4	M 1 F 4		M 1 F 1	M 4 F 8
Others of this class.....	M 29 F 25	M 14 F 11	M 17 F 12	M 1 F 1	M 1 F 1					M 2 F 2	M 1 F 2	M 1 F 2	M 2 F 1	M 1 F 1	M 1 F 1	M 5 F 3
<b>6. Diseases of the urinary system and male organs of generation.</b>	<b>281</b>	<b>10</b>	<b>17</b>	<b>6</b>	<b>8</b>	<b>10</b>	<b>8</b>	<b>7</b>	<b>10</b>	<b>8</b>	<b>13</b>	<b>12</b>	<b>14</b>	<b>24</b>	<b>17</b>	<b>127</b>
Males.....	200	5	10	2	3	5	6	4	6	4	6	7	9	18	13	107
Females.....	81	5	7	4	5	5	2	3	4	4	7	5	5	6	4	20
Bright's disease.....	M 115 F 57			M 1 F 3	M 2 F 4	M 5 F 3	M 4 F 2	M 2 F 3	M 2 F 3	M 4 F 3	M 4 F 4	M 4 F 4	M 5 F 4	M 6 F 4	M 12 F 4	M 8 F 16
Calculus, urinary.....	M 6 F 6						M 1 F 1		M 1 F 1		M 1 F 1	M 1 F 1			M 1 F 1	M 1 F 1
Diseases of the kidney.....	M 46 F 16	M 4 F 2	M 8 F 4	M 1 F 4	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 1	M 1 F 1		M 3 F 3	M 1 F 1	M 2 F 1	M 3 F 1	M 3 F 1	M 24 F 2
Diseases of the bladder.....	M 16 F 16										M 1 F 1	M 1 F 1	M 1 F 1		M 1 F 1	M 12 F 12
Others of this class.....	M 17 F 9	M 1 F 3	M 2 F 3	M 1 F 1		M 1 F 1			M 2 F 2		M 1 F 1			M 3 F 1	M 1 F 1	M 10 F 2
<b>7. Diseases of the female organs of generation.</b>	<b>28</b>				<b>1</b>	<b>3</b>	<b>5</b>	<b>3</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>3</b>		<b>1</b>	<b>1</b>	<b>2</b>
Ovarian tumors.....																
Ovarian diseases.....	1														1	
Diseases of the tubes.....	2								2							
Uterine tumors.....	6						2	1			2	1				
Uterine diseases.....	6					1	1		1	1				1		1
Others of this class.....	13				1	2	2	2	1	2		2				1



CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WEST VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	102					14	18	26	21	8	12	3				
Abortion	6					1	1	1	2	1						
Childbirth	49					8	8	9	10	5	7	2				
Puerperal septicemia	33					4	5	12	7	2	2	1				
Extra-uterine pregnancy	3							2			1					
Others of this class	11					1	4	2	2		2					
9. Diseases of the bones and joints.	80	39	56	5	2	2	2		2	2		2		2		5
Males	45	22	32	3	2	1			2			1		1		3
Females	35	17	24	2	1	1	2			2		1		1		2
Diseases of the spine	39	20	30	3	1	1						1		1		3
Abscess, lumbar and psoas	38	17	24	1		1	2			2		1		1		1
Diseases of the bones	1								1							
Diseases of the hip joint	4	1	1		1									1		1
Others of this class	1															
10. Diseases of the skin	31	6	11	1				1			1	1		2	1	3
Males	14	4	8	1				1			1	1			1	1
Females	7	2	3											2		2
Abscess	6	1	1	1				1			1				1	1
Carbuncle	4	1	1									1				2
Others of this class	2	1	1													
11. Diseases of the absorbent system.	5	1	1								1	1		1	1	
Males	3	1	1									1			1	
Females	2										1			1		
Addison's disease	1															
Diseases of the spleen	3	1	1								1				1	
Others of this class	1													1		
12. Accidents and injuries.	597	41	117	43	36	72	79	63	31	22	24	16	11	13	10	60
Males	457	25	68	26	25	59	71	59	28	16	21	14	11	10	8	41
Females	140	16	49	17	11	13	8	4	3	6	3	2		3	2	19
Burns and scalds	32	1	23	5	5	6	1		2	1	1	1		1		2
Drowning	61	2	24	13	5	6	4	2		1	1	1		1		6
Exposure and neglect	25		3	4	4	6	4			1	1					
Gunshot wounds	10		3	2	1	3				1						
Homicide	5					1	1	1								
Infanticide	42		1	1	5	9	7	5	5	2	3	1		1		2
Injuries by machinery	15					3	3	2	3		1	1			1	3
Railroad accidents	2					1					1					1
Suffocation	98	3	5	4	3	13	24	12	5	6	8	3	1	1	3	10
Suicide by shooting	5		1		2		1							1		
Suicide by drowning	12	3	9					1		1						1
Suicide by poison	7	5	7													
Other suicides	3						2				1					
Sunstroke	1					1					1					
Surgical operations	2						1							1		
Wounds	10		1	1			2	2			1			1	1	1
Others of this class	1															
	194	8	21	11	13	26	29	33	14	6	2	5	6	6	2	20
	39	7	12	2	3		3	2	1	2		1		1	1	11

















CAUSE, SEX, AND AGE.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WYOMING—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	19					1	6	6		5	1					
Abortion	2									2						
Childbirth	12					1	5	3		3						
Puerperal septicemia	4						1	2			1					
Extra-uterine pregnancy																
Others of this class	1							1								
9. Diseases of the bones and joints.	3	1	2	1												
Males	3	1	2	1												
Females																
Diseases of the spine	2	1	2													
Abscess, lumbar and psoas																
Diseases of the bones																
Diseases of the hip-joint	1			1												
Others of this class																
10. Diseases of the skin	2		1				1									
Males	2		1				1									
Females																
Abscess	2		1				1									
Carbuncle																
Others of this class																
11. Diseases of the absorbent system.																
Males																
Females																
Addison's disease																
Diseases of the spleen																
Others of this class																
12. Accidents and injuries.	106	2	6	2	7	11	9	15	12	16	6	7	2	2	1	10
Males	96	1	5	2	6	11	9	13	11	14	5	7	1	2	1	9
Females	10	1	1		1			2	1	2	1		1			1
Burns and scalds	3		2					1					1			
Drowning	4		1		1	1		2								
Exposure and neglect	4				2							2				
Gunshot wounds	10	1	1			2	2	1	2	1	1					1
Homicide	3		1							1	1					
Infanticide	1	1	1													
Injuries by machinery																
Railroad accidents	22			1		4	6	3	2	2	1	1				2
Suffocation																
Suicide by shooting																
Suicide by drowning																
Suicide by poison	3										1	1			1	1
Other suicides	1									1						1
Sunstroke																
Surgical operations																
Wounds																
Others of this class	45			1	2	4	2	5	9	10	1	3	1	2		5
	4							2		1	1					

---

---

TABLE 9.

---

DEATHS IN THE UNITED STATES, DURING THE CENSUS YEAR ENDING MAY 31, 1900, FROM  
EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY COLOR AND RACE.

---

---

VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE  
WHITE.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	892,092	170,665	49,212	22,890	14,643	10,493	267,908	30,272	19,160	28,877	39,519	39,927
2	Males.....	477,080	95,844	26,033	11,988	7,458	5,840	146,113	15,570	9,780	14,242	19,661	20,008
3	Females.....	415,012	75,321	23,179	10,902	7,190	5,153	121,795	14,702	9,380	14,635	19,858	19,919
4	Unknown cause .....	28,159	13,480	1,449	656	412	314	16,311	846	496	559	628	586
5	Males.....	15,068	7,459	768	335	220	161	8,943	445	247	288	273	249
6	Females.....	13,091	6,021	681	321	192	153	7,368	401	249	276	355	337
<b>1. General diseases.</b>													
7	General diseases—A.....	175,356	48,323	21,078	9,421	6,165	4,557	89,544	12,697	6,088	7,112	7,523	6,025
8	Males.....	90,128	26,126	10,974	4,752	3,012	2,268	47,182	6,121	2,755	3,389	4,077	3,204
9	Females.....	85,228	22,197	10,104	4,669	3,153	2,289	42,412	6,576	3,333	3,723	3,446	2,821
10	Measles..... {M.. 4,946 {F.. 5,267	1,232 1,100	1,263 1,138	566 589	275 313	175 174	3,511 3,294	399 438	182 198	185 242	189 178	98 161	98 161
11	Scarlet fever..... {M.. 3,008 {F.. 3,061	296 227	427 396	452 441	450 443	332 368	1,957 1,875	768 799	188 187	58 79	32 36	20 23	20 28
12	Diphtheria..... {M.. 7,746 {F.. 8,065	587 454	1,061 966	1,120 1,045	851 886	4,630 4,371	2,144 2,482	535 694	182 210	82 88	35 62	35 62	35 62
13	Whooping cough..... {M.. 3,657 {F.. 4,261	2,221 2,289	764 978	274 441	133 203	83 110	3,475 4,021	111 164	21 27	10 12	3 2	3 4	3 4
14	Malarial fever..... {M.. 4,749 {F.. 4,536	598 542	334 358	180 199	138 162	126 134	1,376 1,395	424 470	271 259	335 308	356 309	278 240	278 240
15	Influenza..... {M.. 6,283 {F.. 7,504	754 543	165 135	69 82	44 45	26 39	1,058 844	97 105	82 74	125 135	112 173	112 173	112 173
16	Typhoid fever..... {M.. 15,606 {F.. 13,242	392 384	841 841	240 268	223 266	194 156	1,890 1,415	905 1,001	839 1,339	1,900 2,124	2,565 1,768	1,951 1,160	1,951 1,160
17	Cholera morbus..... {M.. 2,970 {F.. 2,718	886 684	341 310	206 159	75 71	43 38	1,551 1,262	164 133	106 78	72 81	70 89	50 87	50 87
18	Colitis..... {M.. 720 {F.. 589	304 232	121 106	39 29	27 9	7 2	498 378	13 11	2 3	3 7	7 11	7 11	7 11
19	Diarrhea..... {M.. 3,601 {F.. 2,852	1,171 951	394 348	134 110	28 36	13 13	1,747 1,458	141 145	50 75	25 19	35 27	46 40	46 40
20	Dysentery..... {M.. 4,809 {F.. 4,433	899 775	993 772	359 316	159 120	90 72	2,500 2,055	202 142	75 52	67 46	101 56	82 77	82 77
21	Enteritis..... {M.. 9,370 {F.. 8,529	5,598 4,476	1,887 1,240	354 311	125 140	94 97	7,558 6,264	191 192	76 67	77 68	72 93	87 123	87 123
22	Cholera infantum..... {M.. 12,544 {F.. 10,933	9,189 7,829	2,763 2,490	424 434	114 116	47 58	12,537 10,927						
23	Fever..... {M.. 767 {F.. 742	216 197	126 101	42 33	26 20	17 20	427 371	55 60	27 22	32 42	36 37	31 43	31 43
24	Cerebro-spinal fever..... {M.. 2,145 {F.. 1,705	565 447	306 231	153 124	101 100	79 56	1,204 958	247 210	130 140	144 90	84 63	76 56	76 56
25	Smallpox..... {M.. 802 {F.. 564	113 94	34 43	35 23	21 27	28 14	231 201	49 73	29 34	50 42	91 53	72 31	72 31
26	Erysipelas..... {M.. 1,502 {F.. 1,206	411 379	44 48	19 11	11 9	6 5	491 452	22 17	23 16	31 37	33 30	54 41	54 41
27	Septicemia..... {M.. 2,716 {F.. 3,371	306 265	54 63	43 45	28 33	34 31	465 437	134 93	111 69	104 179	144 439	123 447	123 447
28	Venereal diseases..... {M.. 603 {F.. 427	290 243	19 11	8 8	5 5	1 1	323 273	1 4	2 4	9 8	5 11	25 12	25 12
29	Others of this group..... {M.. 1,584 {F.. 1,223	98 81	37 29	35 21	18 15	15 15	203 161	59 87	26 20	28 18	47 34	49 35	49 35
30	General diseases—B.....	16,167	9,241	595	265	158	78	10,827	159	73	164	333	465
31	Males.....	9,917	5,120	327	141	83	50	5,721	84	42	70	178	292
32	Females.....	6,250	4,121	268	114	75	28	4,606	75	31	94	155	173
33	Alcoholism..... {M.. 2,284 {F.. 408			1	1	1	2	3	5	1	3	39	153
34	Parasitic diseases..... {M.. 113 {F.. 112	12 13	22 24	22 18	16 23	11 8	83 86	16 16	2 1	2 1	1 1	1 1	1 1
35	Lead poison..... {M.. 80 {F.. 24	2 6	1 1	1 1	1	1	4 8	1	2	3	6	6	1
36	Other poisons..... {M.. 1,875 {F.. 1,120	91 70	135 77	83 64	42 30	19 14	370 255	49 40	31 22	60 86	128 125	123 114	123 114
37	Inanition..... {M.. 5,565 {F.. 4,591	5,015 4,032	168 166	35 30	25 21	18 5	5,261 4,254	14 18	8 8	4 4	7 12	9 8	9 8
38	General diseases—C.....	58,739	26,775	958	206	72	51	28,062	93	60	57	104	112
39	Males.....	29,990	15,128	464	108	46	24	15,770	46	32	38	46	40
40	Females.....	28,749	11,647	494	98	26	27	12,292	47	28	19	58	72
41	Old age..... {M.. 12,008 {F.. 14,088												
42	Premature birth..... {M.. 7,634 {F.. 5,701							7,634 5,701					
43	Malformation..... {M.. 1,371 {F.. 1,142	1,320 1,090	16 23	6 6	3 5	2	1,345 1,126	5 5	5 5	3 1	1 1	1 1	1 1
44	Debility and atrophy..... {M.. 8,180 {F.. 7,232	5,331 4,273	443 471	102 92	42 21	24 25	5,947 4,882	41 42	27 23	35 18	45 57	40 71	40 71
45	Others of this group..... {M.. 847 {F.. 536	843 538				1	844 538						



## VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	146,124	4,378	2,209	1,118	697	502	8,899	1,923	2,322	7,471	13,312	14,190
2	Males.....	70,135	2,387	1,176	598	354	270	4,785	985	907	2,841	5,722	6,515
3	Females.....	75,989	1,991	1,033	515	343	232	4,114	938	1,415	4,630	7,590	7,675
4	Anemia.....	M.. 910	181	26	7	9	6	179	28	16	25	28	29
	F.. 1,223	112	28	11	13	8	8	172	22	27	71	92	83
5	Diabetes.....	M.. 2,571	15	18	16	14	13	76	90	114	133	108	106
	F.. 1,955	9	15	13	21	8	8	66	66	94	73	78	76
6	Rheumatism.....	M.. 2,257	31	19	15	10	21	96	115	135	125	88	89
	F.. 2,085	27	11	15	8	17	78	98	121	102	102	85	69
7	Scrofula and tabes.....	M.. 1,214	232	112	52	20	18	434	46	16	56	70	61
	F.. 1,286	176	101	39	18	18	352	35	40	72	94	90	90
8	Hydrocephalus.....	M.. 2,179	792	432	207	112	74	1,617	205	66	55	44	32
	F.. 1,786	655	345	156	114	63	468	1,338	174	62	62	33	31
9	Tuberculosis, general.....	M.. 614	39	23	13	9	10	94	25	14	33	46	79
	F.. 536	50	22	6	8	4	90	22	31	32	60	51	51
10	Consumption.....	M.. 43,670	824	410	194	109	87	1,624	271	378	2,233	5,122	5,898
	F.. 44,003	742	393	179	108	67	67	1,489	362	377	4,026	6,871	6,846
11	Cancer.....	M.. 11,072	32	12	16	8	10	78	29	29	43	69	126
	F.. 16,900	32	11	14	8	9	9	74	30	25	45	87	232
12	Tumor.....	M.. 1,203	64	16	24	13	8	130	44	23	44	43	37
	F.. 1,906	42	19	18	15	9	103	27	28	42	63	74	74
13	Dropsy.....	M.. 3,919	63	61	34	32	17	207	107	96	69	83	45
	F.. 3,919	45	51	42	19	13	13	170	83	90	86	103	104
14	Others of this group.....	M.. 526	164	47	20	13	6	250	25	20	25	21	13
	F.. 440	101	37	22	11	11	11	182	19	20	19	24	19
15	2. Diseases of the nervous system.....	106,616	21,252	6,120	2,675	1,644	1,129	32,820	3,296	2,006	2,089	1,985	2,113
16	Males.....	58,522	12,251	3,249	1,414	861	589	18,364	1,796	1,079	1,128	1,040	1,121
17	Females.....	48,094	9,001	2,871	1,261	783	540	14,456	1,500	927	961	945	932
18	Inflammation of the brain.....	M.. 3,068	1,056	450	214	115	73	1,908	224	113	100	90	55
	F.. 2,403	817	387	150	95	75	75	1,624	168	104	100	77	64
19	Meningitis.....	M.. 9,985	3,375	1,528	684	424	270	6,281	895	409	381	288	258
	F.. 7,978	2,626	1,322	637	383	281	281	5,149	762	410	274	224	200
20	Apoplexy.....	M.. 13,618	157	30	14	10	11	222	34	26	58	103	161
	F.. 11,813	124	37	19	17	4	4	201	29	35	68	90	122
21	Paralysis.....	M.. 10,786	121	43	23	23	15	230	71	51	64	54	94
	F.. 9,620	84	42	35	23	17	17	201	64	34	66	91	91
22	Paralysis, general (of insane).....	M.. 874							1	2	1	3	20
	F.. 332								1	1		3	9
23	Tetanus and trismus nascentium.....	M.. 1,152	447	13	8	14	9	491	98	172	81	53	45
	F.. 482	279	4	2	4	6	6	295	30	19	16	16	14
24	Chorea.....	M.. 60	3		3	3	1	10	9	2	7	3	2
	F.. 110	3	1	1	2	3	3	10	6	31	31	7	1
25	Epilepsy.....	M.. 1,625	153	23	10	11	5	202	53	86	184	142	164
	F.. 1,197	126	19	16	9	7	7	187	46	61	106	115	108
26	Convulsions.....	M.. 7,360	5,743	736	270	129	78	6,956	122	45	16	21	22
	F.. 5,891	4,171	679	240	135	64	64	5,289	118	33	60	65	82
27	Mental diseases.....	M.. 1,777							3	3	19	62	76
	F.. 1,574								2	5	21	55	74
28	Diseases of the brain.....	M.. 5,905	1,064	377	157	112	114	1,824	233	141	165	171	161
	F.. 4,456	755	323	144	103	69	69	1,399	224	156	155	133	132
29	Diseases of the spinal cord.....	M.. 835	93	38	20	13	12	176	33	22	27	27	25
	F.. 669	73	40	15	10	10	10	148	31	22	19	12	15
30	Locomotor ataxia.....	M.. 523	1		2			3		2	2	5	9
	F.. 170		1	1				2	1			3	2
31	Others of this class.....	M.. 949	38	11	4	7	1	61	15	5	23	18	29
	F.. 1,394	33	11	1	2	4	4	51	18	16	45	54	78
32	3. Diseases of the circulatory system.....	63,416	3,998	255	167	150	201	4,771	1,101	1,259	1,368	1,666	1,827
33	Males.....	37,206	2,309	139	95	88	109	2,740	532	524	617	701	819
34	Females.....	31,210	1,689	116	72	62	92	2,031	569	735	751	965	1,008
35	Pericarditis.....	M.. 402	11	3	1	4	3	22	18	30	26	21	18
	F.. 376	11	2	2	4	9	9	28	25	31	31	22	14
36	Diseases of the heart.....	M.. 33,157	1,617	129	90	77	100	2,013	501	479	575	651	745
	F.. 23,377	1,236	109	63	56	78	78	1,547	534	687	697	861	917
37	Angina pectoris.....	M.. 1,543							3	4	10	14	29
	F.. 1,114								5	9	13	46	35
38	Diseases of the arteries.....	M.. 773	2					2	1		1		5
	F.. 432	1	1					2		1		1	2
39	Aneurism.....	M.. 445							2	6	2	12	18
	F.. 195								2	5	4	10	14
40	Embolism.....	M.. 181	18		1	1	1	21	5	3	3	3	3
	F.. 237	2		1				4	1		5	23	22
41	Others of this class.....	M.. 705	661	7	3	6	5	682	2	2			1
	F.. 479	489	4	1	2	4	4	450	2	2	1	2	4

CAUSE, COLOR, AND RACE.

673

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
12,652	11,557	10,431	9,664	9,501	9,312	9,011	8,756	7,282	5,046	2,644	1,016	230	70	835	1
6,109	5,697	5,148	4,753	4,577	4,501	4,405	4,391	3,734	2,548	1,356	511	98	27	425	2
6,543	5,860	5,233	4,911	4,524	4,811	4,606	4,365	3,548	2,498	1,288	505	132	43	410	3
29	30	50	53	76	74	80	82	44	49	26	6	-----	1	5	4
71	80	82	73	91	82	77	72	60	39	15	6	-----	-----	6	5
113	108	146	145	181	181	250	283	244	173	80	28	6	-----	11	5
63	81	90	107	179	237	241	204	155	86	41	9	3	-----	1	5
88	101	92	123	115	177	208	215	160	106	37	3	3	-----	15	6
74	92	84	98	136	134	166	212	187	154	85	42	9	-----	1	8
58	49	49	50	52	57	64	61	41	22	15	1	-----	-----	2	7
98	65	58	59	66	54	50	46	44	30	18	7	1	-----	7	7
46	30	23	21	10	5	5	5	3	4	-----	-----	-----	-----	7	8
23	15	14	8	6	-----	4	2	-----	-----	-----	-----	-----	-----	2	8
51	52	45	47	40	34	15	19	12	7	1	-----	-----	-----	-----	9
54	37	29	35	22	18	17	15	7	-----	3	-----	-----	-----	3	9
5,383	4,835	3,920	3,170	2,730	2,285	1,797	1,543	1,158	687	261	86	17	4	263	10
5,386	4,269	3,122	2,260	1,881	1,618	1,414	1,293	1,005	641	276	103	22	7	235	10
213	342	591	859	1,146	1,325	1,538	1,570	1,364	937	493	198	49	11	62	11
507	943	1,426	1,873	2,026	2,192	2,069	1,917	1,475	1,051	557	212	59	14	86	11
55	55	86	91	93	102	108	109	88	55	23	5	1	-----	6	12
109	134	190	170	161	182	185	163	136	83	31	12	-----	1	11	12
63	79	116	174	218	244	365	495	552	445	341	153	21	5	41	13
130	130	172	209	243	272	370	422	463	402	260	110	35	19	46	13
15	16	30	20	16	17	12	16	13	9	4	2	-----	-----	1	14
28	14	16	19	13	16	13	19	12	3	2	1	-----	-----	1	14
2,350	2,909	3,300	3,943	4,704	5,522	6,672	8,141	8,722	7,704	5,043	2,086	540	120	546	15
1,323	1,691	1,926	2,194	2,599	3,078	3,587	4,523	4,712	4,074	2,668	1,009	224	45	341	16
1,027	1,218	1,374	1,749	2,105	2,444	3,085	3,618	4,010	3,630	2,330	1,077	316	75	205	17
59	60	56	59	57	54	40	55	53	32	24	14	2	-----	13	18
46	36	44	36	35	33	27	31	23	25	15	6	4	-----	4	18
226	243	179	185	157	114	76	90	76	56	23	9	4	-----	35	19
153	126	129	129	80	76	75	59	48	37	26	7	3	-----	11	19
255	368	560	717	1,020	1,322	1,612	1,937	1,964	1,626	1,062	390	80	13	88	20
173	265	427	686	911	1,113	1,376	1,567	1,708	1,454	948	434	131	36	39	20
172	275	354	441	566	772	1,010	1,487	1,759	1,635	1,121	438	93	25	74	21
118	165	247	329	488	673	964	1,262	1,547	1,549	1,029	487	128	31	56	21
68	109	136	139	97	77	68	51	41	22	13	10	2	-----	14	22
26	23	36	13	25	24	30	38	39	31	14	6	3	-----	5	22
48	20	26	26	23	23	16	10	11	5	-----	1	-----	-----	3	23
17	17	18	5	5	13	9	3	2	2	1	-----	-----	-----	-----	23
3	-----	3	3	2	2	2	2	2	1	-----	-----	-----	-----	1	24
-----	1	-----	5	2	4	4	4	1	3	2	1	-----	-----	-----	24
115	122	94	81	58	58	65	52	50	46	24	9	-----	-----	18	25
81	98	54	65	42	42	50	34	41	25	14	4	-----	-----	14	25
21	22	11	19	20	11	8	8	16	5	6	1	-----	-----	27	26
60	49	23	15	8	8	11	14	9	6	8	1	-----	-----	25	26
88	134	132	116	132	144	154	204	171	164	101	37	11	-----	26	27
97	133	128	121	124	108	143	137	132	129	93	37	16	-----	1	18
203	233	241	237	278	289	319	355	373	327	220	77	19	4	30	28
140	165	143	134	207	172	207	277	265	234	153	62	19	5	19	28
18	39	50	49	72	62	63	76	40	36	16	2	-----	-----	2	29
25	36	28	40	43	54	50	47	44	30	16	3	-----	-----	3	29
20	34	38	67	60	70	69	71	39	24	10	1	-----	-----	4	30
4	14	10	15	20	28	25	15	14	8	6	2	-----	-----	1	30
27	31	46	55	53	80	85	125	117	95	47	20	9	-----	6	31
87	90	82	103	107	99	114	130	142	87	50	27	3	-----	10	31
2,178	2,701	3,003	3,375	4,495	5,375	6,736	7,924	8,016	6,493	3,793	1,536	353	76	370	32
1,020	1,323	1,472	1,795	2,507	3,064	3,842	4,535	4,637	3,761	2,093	803	165	34	222	33
1,158	1,373	1,531	1,580	1,938	2,311	2,894	3,389	3,379	2,742	1,695	733	188	42	148	34
17	30	24	15	32	32	22	33	24	24	7	3	-----	-----	2	35
25	16	24	20	14	22	23	32	16	11	14	4	-----	-----	2	35
933	1,174	1,311	1,621	2,233	2,739	3,444	4,084	4,246	3,407	1,888	729	150	30	204	36
1,041	1,277	1,417	1,433	1,855	2,121	2,684	3,114	3,113	2,529	1,531	677	165	36	136	36
36	60	69	81	140	158	234	244	187	155	85	25	2	-----	7	37
44	50	48	86	81	108	127	154	135	86	65	14	5	-----	3	37
2	6	10	15	32	63	84	118	134	132	103	45	11	-----	5	38
2	3	4	5	12	26	35	54	86	78	68	30	15	-----	3	38
25	52	49	49	53	56	42	31	24	17	3	-----	-----	-----	4	39
19	10	17	13	13	14	13	15	12	15	7	4	-----	-----	1	39
6	6	8	12	14	16	12	23	22	14	9	1	-----	-----	-----	40
25	16	20	12	11	20	12	17	16	20	7	4	-----	-----	2	40
1	-----	1	2	-----	-----	4	-----	-----	-----	3	-----	-----	-----	-----	41
2	1	1	1	2	-----	-----	3	-----	-----	3	-----	-----	-----	1	41



CAUSE, COLOR, AND RACE.

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,049	4,575	4,570	4,707	5,128	5,468	6,319	6,999	7,081	5,975	3,970	1,845	512	147	576	1
2,226 1,823	2,702 1,873	2,780 1,790	2,887 1,820	3,006 2,122	3,021 2,447	3,264 3,055	3,494 3,505	3,417 3,664	2,873 3,102	1,820 2,150	823 1,022	180 382	56 91	356 220	2 3
1 7	3 4	1 4	2	5	3	2 4	1 4	2 1	1	2 3	1	1	1	7 6	4
1,922 1,492	2,327 1,545	2,365 1,461	2,405 1,457	2,426 1,658	2,260 1,874	2,426 2,261	2,478 2,478	2,314 2,455	1,887 2,039	1,157 1,386	513 632	107 190	84 43	286 155	5
14 13	7 5	16 4	13 1	13 3	9 8	12 4	7 2	4 7	6 7	6 3	2 1	2	2	2	6
72 106	94 85	105 109	133 153	186 197	294 289	304 405	428 589	525 712	531 671	394 499	194 291	52 108	16 39	17 20	7
70 56	79 56	83 57	74 52	76 51	79 46	94 68	97 79	106 99	91 68	43 45	19 17	2 8	1 1	7 3	8
17 21	24 28	40 32	70 38	107 68	139 72	182 136	207 149	223 152	152 131	96 78	35 30	6 9	2 3	13 11	9
130 128	168 150	170 123	192 117	198 145	240 155	244 177	281 204	243 233	206 185	122 136	59 51	13 17	2 5	24 23	10
2,282	2,509	2,643	2,554	2,733	2,960	3,073	3,226	2,887	2,216	1,196	498	120	22	215	11
1,021 1,261	1,147 1,362	1,403 1,240	1,404 1,150	1,477 1,256	1,637 1,323	1,681 1,392	1,677 1,549	1,501 1,386	1,163 1,053	614 582	233 260	55 65	12 10	108 107	12 13
22 15	7 8	12 6	10 11	10 10	5 13	10 2	12 9	11 5	7 5	7 4	2	1	1	1	15
107 141	119 183	158 167	188 155	222 210	264 280	290 280	306 317	313 319	251 253	139 174	48 72	14 21	6 2	12 12	16
64 87	90 119	129 82	143 100	173 116	178 121	196 142	151 158	162 105	141 105	66 53	25 25	2 8	2	12 7	17
63 72	68 87	63 118	86 98	97 94	91 118	89 114	104 136	117 116	97 90	32 49	19 25	6 4	2	6 13	18
231 119	208 105	187 81	147 72	102 48	79 44	50 32	46 32	28 17	13 9	18 2	2	1	7 6	19	
27 24	41 40	41 54	47 65	44 84	76 82	81 86	88 94	94 84	101 54	61 21	24 20	5 1	1	6 3	20
40 48	40 48	42 38	30 33	53 33	70 41	54 42	68 61	30 55	62 52	46 28	21 21	7 5	4	6 12	21
29 29	25 27	27 24	30 27	37 44	63 50	41 48	48 68	55 34	42 34	27 26	11 11	2 5	3 7	22	
85 54	85 73	100 80	108 98	123 81	101 96	118 110	118 118	84 97	63 70	34 37	8 13	2 2	1	6 3	23
155 102	262 158	362 181	370 196	405 242	462 249	459 263	448 256	304 234	201 158	65 72	21 25	6 1	1	10 9	24
147 497	141 429	165 296	145 170	133 133	129 129	103 109	83 115	78 85	50 54	29 17	12 14	3 5	18 21	25	
7 16	8 20	30 25	23 29	25 27	33 35	42 42	52 52	48 56	41 52	26 30	16 13	1 2	3 7	26	
44 57	53 65	87 88	82 101	113 132	101 115	145 122	126 140	109 101	79 109	69 62	31 19	6 11	1 1	16 5	27
1,732	2,136	2,333	2,521	3,079	3,464	4,019	4,394	4,410	3,572	1,985	861	159	46	200	28
860 872	1,056 1,080	1,298 1,085	1,424 1,097	1,872 1,207	2,180 1,284	2,598 1,421	2,979 1,415	3,122 1,288	2,641 931	1,521 464	652 209	111 48	26 20	135 65	29 30
681 665	860 840	1,044 847	1,149 919	1,513 1,028	1,724 1,089	1,977 1,208	2,092 1,156	2,013 1,072	1,569 737	770 361	280 163	42 32	9 15	90 40	31
5 4	5 2	9 6	7 6	13 5	18 1	22 5	32 7	36 7	23 5	19 6	7 1	3	1	32	
62 59	56 64	78 59	81 61	99 65	116 56	166 55	237 90	270 65	287 65	178 37	82 12	16 5	3 2	15 7	33
16 5	22 16	32 5	38 6	64 7	94 25	172 30	281 23	404 36	363 38	276 18	161 13	22 7	7 1	9	34
96 139	113 158	135 118	149 105	183 102	228 113	261 123	337 139	399 108	399 86	278 42	122 20	28 4	7 1	21 18	35
333	337	344	279	184	117	105	81	55	39	16	6	3	2	8	36
38	41	50	53	46	32	30	33	20	14	6	1	1	1	3	37
29	22	13	10	3	7	2	4	2	2	2	2	2	2	38	
63	56	31	12	4	1	1	1	2	2	2	2	2	2	39	
39	72	115	83	70	42	42	26	17	12	4	1	1	1	40	
41	40	19	16	9	7	11	7	8	5	4	4	1	1	41	
123	106	116	105	52	28	20	10	6	8	2	4	1	1	42	



## VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

• WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy .....	7,816								9	660	1,700	1,818
2	Abortion .....	464									30	86	120
3	Childbirth .....	3,290								3	277	628	665
4	Puerperal septicemia .....	2,824								5	222	692	735
5	Extra-uterine pregnancy .....	172									2	24	50
6	Others of this class .....	1,066								1	129	270	248
7	9. Diseases of the bones and joints .....	2,760	595	189	102	63	67	1,016	214	184	171	137	99
8	Males .....	1,565	317	103	58	38	44	560	118	114	102	84	62
9	Females .....	1,195	278	86	44	25	23	456	96	70	69	53	37
10	Diseases of the spine .....	880	272	82	52	27	26	459	71	51	44	34	21
	Males .....	751	241	77	35	22	17	392	54	31	36	30	15
11	Abscess, lumbar and psoas .....	55	2	1				3		3		11	8
	Males .....	30	2		1			3	2	1	1	2	2
12	Diseases of the bones .....	367	33	14	4	6	13	70	20	32	32	24	22
	Males .....	211	19	8	3	3	5	38	21	23	15	13	9
13	Diseases of the hip-joint .....	136	4	1		4	3	12	21	22	20	9	10
	Males .....	72	8	1	3		1	13	13	9	11	4	6
14	Others of this class .....	127	6	5	2	1	2	16	6	6	6	6	1
	Males .....	131	8		2			10	6	6	6	4	5
15	10. Diseases of the skin .....	1,855	522	93	36	18	13	632	43	32	37	55	55
16	Males .....	1,033	231	49	22	7	7	366	27	16	17	23	26
17	Females .....	822	241	44	14	11	6	316	21	16	20	32	29
18	Abscess .....	490	96	22	10	4	6	138	23	13	13	16	19
	Males .....	416	96	15	6	5	3	125	18	12	13	24	21
19	Carbuncle .....	168	8	1	1			10	1	2	2	4	4
	Males .....	74	3		3			6		1	1	3	4
20	Others of this class .....	375	177	26	11	3	1	218	3	3	2	3	3
	Males .....	332	142	29	5	6	3	135	3	3	6	5	4
21	11. Diseases of the absorbent system .....	673	52	25	9	9	7	102	27	22	21	35	40
22	Males .....	370	36	15	5	9	4	69	19	14	13	15	21
23	Females .....	308	16	10	4		3	33	8	8	8	20	19
24	Addison's disease .....	98							2	2	4	4	7
	Males .....	78								1	3	6	5
25	Diseases of the spleen .....	94	8	3		5	1	17	3	3	4	4	6
	Males .....	71	4	2	1		2	9	2	2	2	7	4
26	Others of this class .....	183	28	12	5	4	3	52	14	9	5	7	8
	Males .....	159	12	8	3		1	24	6	5	5	7	10
27	12. Accidents and injuries .....	49,218	2,761	1,051	1,049	982	718	6,561	2,513	2,296	3,298	4,397	4,279
28	Males .....	37,768	1,591	590	629	535	333	3,728	1,591	1,838	2,683	3,665	3,650
29	Females .....	11,450	1,170	461	420	447	335	2,833	922	458	615	782	629
30	Burns and scalds .....	2,067	132	278	359	283	137	1,194	155	57	41	72	72
	Males .....	2,918	95	224	251	291	228	1,089	495	166	141	134	124
31	Drowning .....	4,151	24	101	77	54	56	312	447	547	432	442	338
	Males .....	569	14	66	37	22	13	152	57	46	74	33	25
32	Exposure and neglect .....	334	133	13	5	1	4	156	3	7	3	8	5
	Males .....	229	126	10	7	3	3	149	3	2	8	10	4
33	Gunshot wounds .....	2,506	7	6	10	10	14	47	83	226	390	371	305
	Males .....	335	5	4	8	9	5	31	41	38	47	56	23
34	Homicide .....	1,042			3	1	6	10	18	22	57	145	161
	Males .....	203		1	4	3	3	11	12	6	20	29	24
35	Infanticide .....	15	15					15					
	Males .....	21	21					21					
36	Injuries by machinery .....	280		1		1		2	6	7	41	42	36
	Males .....	12						2	3	1	1	1	1
37	Railroad accidents .....	5,867	10	11	20	14	24	79	199	241	446	802	760
	Males .....	505	4	9	10	12	12	47	61	32	40	42	23
38	Suffocation .....	1,208	648	29	19	8	10	714	17	25	30	47	40
	Males .....	720	464	34	15	10	10	533	23	4	14	11	17
39	Suicide by shooting .....	1,162								3	19	121	119
	Males .....	99								1	11	22	10
40	Suicide by drowning .....	155									4	9	9
	Males .....	82									6	11	11
41	Suicide by poison .....	743								2	22	68	81
	Males .....	443								6	70	82	64
42	Other suicides .....	2,144							1	8	57	123	156
	Males .....	513								5	41	64	60
43	Sunstroke .....	447	45	10	3	1	3	62	13	6	11	23	28
	Males .....	166	36	10	5	3	2	56	4	3	4	6	4
44	Surgical operations .....	220	16	4	3		3	26	10	1	12	15	23
	Males .....	432	7		2	1	1	11	5	5	11	59	57
45	Wounds .....	617	4	4	4	12	4	23	21	17	59	72	76
	Males .....	51	6	2	1	1		10	8	3	2	2	3
46	Others of this class .....	14,310	557	133	126	145	122	1,033	613	669	1,009	1,300	1,441
	Males .....	4,147	391	101	79	92	58	721	210	140	125	170	179

CAUSE, COLOR, AND RACE.

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.		
1,489	1,291	678	90	13	6	1	1		5					55	1	
96	90	33	1	1	1				1						5	2
630	617	377	51	7	5				1						29	3
551	397	177	26	5		1			3						10	4
44	38	11	1												2	5
168	149	80	11					1							9	6
94	109	94	101	97	84	87	88	87	53	26	14	3			2	7
45	66	62	54	54	39	56	53	40	35	10	8	2			1	8
49	43	32	47	43	45	31	35	47	18	16	6	1			1	9
11	29	25	18	19	17	21	18	15	17	6	4					
21	29	12	26	20	22	18	15	12	10	3	3	1			1	10
6	6		3	2	1	4	2	3	2						1	11
2	1	2	3	5	3			3								
17	18	17	17	20	12	19	20	9	11	4	3					
16	5	9	9	11	6	5	6	18	2	8	2					
8	6	10	4	5	4	1	2	1	1							
4	5		1	1			1	2		2						
3	7	10	12	8	5	11	11	12	4		1	2				
6	3	9	8	6	14	8	13	17	6	3	1					
57	72	75	76	87	96	98	112	92	79	61	23	5	1		12	15
22	40	39	45	56	62	54	71	58	49	40	18	2			7	16
35	32	36	31	31	34	44	41	34	30	21	10	3	1		5	17
14	27	27	20	36	31	23	28	25	15	3	3				3	18
22	22	20	16	13	19	22	26	12	13	9	4	2			3	19
5	7	6	14	12	21	20	20	16	12	9	2				1	20
1	2	8	5	9	5	8	3	9	3	5					1	21
3	6	6	11	8	10	11	23	17	22	16	8	1			3	22
12	8	8	10	9	10	14	12	13	14	7	6	1	1		1	23
49	44	53	50	44	48	48	37	30	17	7					4	24
27	21	27	29	21	22	28	19	13	7	3					2	25
22	23	26	21	23	26	20	18	17	10	4					2	26
6	9	10	13	10	9	9	3	2	2						1	27
6	9	8	4	9	9	6	5	2	3	1					1	28
8	6	7	7	4	3	10	6	3	2	1						
8	7	7	2	6	5	2	4	3	2	1						
13	6	10	9	7	10	9	10	8	3	2					1	29
8	7	11	15	8	12	12	9	12	5	2					1	30
3,848	3,909	3,189	2,797	2,416	1,932	1,807	1,522	1,227	1,067	763	405	147	37	808	27	31
3,246	3,285	2,698	2,394	2,046	1,579	1,451	1,126	822	648	391	160	59	11	697	28	32
602	624	491	403	370	353	356	396	405	419	372	245	88	26	111	29	33
76	68	64	50	41	29	34	25	20	22	21	3		1	22	34	34
120	109	71	64	52	50	65	49	53	53	42	19	6		11	35	35
267	283	246	171	139	123	91	72	46	30	9	3	2	1	100	36	36
33	29	18	16	17	12	12	14	8	10	1				12	37	37
12	12	12	19	11	11	16	15	8	14	7	7	1		7	38	38
4	6	3	2	1	7	2	5	2	8	4	3	3		3	39	39
219	227	161	131	93	74	64	24	15	10	4	3	2		57	40	40
24	28	12	10	7	6	2	2	2	2	1				5	41	41
143	137	81	72	60	40	39	12	15	4	3	1			22	42	42
24	21	17	11	7	4	1	4	2	3	2				5	43	43
34	33	23	16	18	5	6	7	1	2					1	44	44
1	1	1														
666	585	426	368	337	229	218	116	91	71	42	13		2	176	45	45
26	24	29	27	26	24	18	25	24	20	6	1	1		9	46	46
43	55	44	31	20	23	28	26	12	15	4	3	1		30	47	47
9	12	5	8	6	10	10	7	9	7	5	1			29	48	48
122	149	145	124	108	73	53	45	32	19	7				21	49	49
15	11	7	11	3	4		1	1	1	1	1					
12	12	13	11	21	14	14	11	5	14	4					2	50
7	7	5	5	9	7	6	2	4	2							
86	79	92	76	79	39	46	31	21	8	2	1			10	51	51
49	50	35	24	14	14	10	7	8	3	1		1		5	52	52
193	215	233	243	213	185	162	129	91	63	28	5	3		36	53	53
52	58	55	40	34	30	21	26	11	6	7	3	1		4	54	54
31	42	33	32	37	28	21	23	24	17	4	2	2		3	55	55
2	6	8	7	11	7	14	9	13	9	3						
11	17	14	12	11	18	16	17	7	2	4				4	56	56
55	63	51	32	30	20	13	9	3	3	1	1			3	57	57
59	55	38	42	36	28	30	18	11	6	4		1		16	58	58
2	2	1	2		2	3	3	3	1	1	1	1		1	59	59
1,272	1,316	1,073	996	822	660	613	555	423	351	248	117	47	7	190	60	60
179	197	173	144	153	156	179	233	259	291	298	215	75	26	24	61	61

VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE  
TOTAL COLORED.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	147,002	28,660	10,667	5,246	2,990	2,061	49,624	6,476	5,340	9,232	11,485	8,766
2	Males .....	74,581	15,329	5,566	2,720	1,484	1,000	26,099	3,090	2,416	4,087	5,591	4,165
3	Females .....	72,471	13,331	5,101	2,526	1,506	1,061	23,525	3,386	2,924	5,145	5,894	4,601
4	Unknown cause .....	12,380	5,518	981	470	221	179	7,319	456	324	394	452	366
5	Males .....	6,250	2,962	492	264	117	88	3,918	226	142	159	196	148
6	Females .....	6,130	2,556	489	206	104	96	3,401	230	182	235	256	218
7	I. General diseases.												
	General diseases—A .....	34,463	7,433	4,305	2,023	1,112	812	15,690	2,538	1,841	2,359	2,337	1,635
8	Males .....	17,576	3,918	2,216	1,018	527	403	8,082	1,234	830	1,093	1,261	827
9	Females .....	16,887	3,515	2,089	1,010	585	409	7,608	1,304	1,011	1,266	1,076	808
10	Measles.....	{M.. 1,285	360	229	122	84	47	842	142	74	73	59	21
	.....	{F.. 1,368	320	238	119	90	51	818	181	97	109	68	44
11	Scarlet fever.....	{M.. 127	29	20	14	8	2	73	19	11	5	5	2
	.....	{F.. 137	19	21	14	11	6	71	22	10	14	7	2
12	Diphtheria.....	{M.. 324	61	46	48	37	21	213	66	28	7	4	.....
	.....	{F.. 340	37	31	41	27	34	170	106	35	10	3	6
13	Whooping cough.....	{M.. 944	467	245	98	53	24	387	43	5	5	1	.....
	.....	{F.. 1,096	510	279	117	69	39	1,014	58	14	3	1	1
14	Malarial fever.....	{M.. 2,748	312	236	165	100	89	952	286	181	223	233	148
	.....	{F.. 2,841	293	259	181	116	86	985	307	214	232	219	170
15	Influenza.....	{M.. 1,435	312	104	47	22	22	507	48	24	48	46	45
	.....	{F.. 1,423	272	100	44	25	15	456	40	40	59	53	42
16	Typhoid fever.....	{M.. 3,275	172	131	115	81	63	612	321	313	461	500	290
	.....	{F.. 3,256	141	164	124	75	81	585	345	483	546	397	242
17	Cholera morbus.....	{M.. 400	107	60	32	11	12	222	21	20	14	15	11
	.....	{F.. 321	60	35	28	14	8	145	24	13	10	12	14
18	Colitis.....	{M.. 50	19	6	3	.....	.....	29	.....	.....	1	1	3
	.....	{F.. 62	23	12	6	.....	.....	42	1	2	.....	.....	2
19	Diarrhea.....	{M.. 671	185	126	56	18	13	398	41	13	15	11	11
	.....	{F.. 586	168	116	46	22	7	359	36	9	8	9	14
20	Dysentery.....	{M.. 1,303	314	267	111	42	36	770	68	28	26	38	31
	.....	{F.. 1,165	263	260	101	37	14	675	52	14	21	35	27
21	Enteritis.....	{M.. 888	381	178	57	24	20	660	32	21	13	17	13
	.....	{F.. 870	353	156	63	25	10	607	42	17	22	25	24
22	Cholera infantum.....	{M.. 1,118	733	305	61	11	8	1,118	.....	.....	.....	.....	.....
	.....	{F.. 981	638	264	55	13	11	981	.....	.....	.....	.....	.....
23	Fever.....	{M.. 625	167	89	46	24	22	348	53	20	31	43	18
	.....	{F.. 683	184	81	35	33	19	352	59	44	38	40	31
24	Cerebro-spinal fever.....	{M.. 177	46	8	9	4	7	74	23	18	14	12	10
	.....	{F.. 147	28	13	7	8	5	61	25	18	12	7	12
25	Smallpox.....	{M.. 1,314	106	26	19	4	10	165	48	43	117	190	158
	.....	{F.. 804	86	32	13	12	14	157	32	30	75	112	85
26	Erysipelas.....	{M.. 80	11	2	1	1	.....	15	2	4	4	8	4
	.....	{F.. 73	20	3	.....	.....	.....	24	4	4	3	5	4
27	Septicemia.....	{M.. 317	35	10	8	1	2	56	9	17	17	30	24
	.....	{F.. 372	23	7	7	4	1	42	11	11	33	51	62
28	Venereal diseases.....	{M.. 231	79	14	4	2	.....	99	4	3	11	36	32
	.....	{F.. 230	53	13	6	3	2	82	1	.....	12	28	22
29	Others of this group.....	{M.. 164	22	14	2	.....	4	42	8	7	8	12	6
	.....	{F.. 132	19	5	3	1	4	32	8	6	9	9	4
30	General diseases—B .....	2,080	1,090	182	140	68	50	1,530	109	16	33	51	52
31	Males.....	1,131	589	91	70	33	29	817	46	6	17	33	25
32	Females.....	949	501	91	70	30	21	713	63	10	16	18	27
33	Alcoholism.....	{M.. 104	2	.....	.....	.....	.....	2	1	.....	2	7	11
	.....	{F.. 20	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
34	Parasitic diseases.....	{M.. 152	17	34	31	20	20	122	25	.....	.....	2	.....
	.....	{F.. 174	15	39	37	20	12	123	42	4	2	.....	1
35	Lead poison.....	{M.. 5	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....
	.....	{F.. 4	1	.....	.....	.....	1	2	.....	.....	.....	.....	.....
36	Other poisons.....	{M.. 227	20	21	23	16	6	86	13	6	14	23	14
	.....	{F.. 163	8	17	18	3	6	52	15	4	11	17	20
37	Inanition.....	{M.. 643	550	36	16	2	2	606	7	.....	.....	1	.....
	.....	{F.. 583	477	35	15	7	2	536	6	2	3	1	4
38	General diseases—C.....	6,745	2,659	211	81	34	10	2,995	26	11	22	19	15
39	Males.....	3,240	1,425	104	42	18	4	1,593	10	6	8	10	7
40	Females.....	3,505	1,234	107	39	16	6	1,402	16	5	14	9	8
41	Old age.....	{M.. 1,354	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	.....	{F.. 1,772	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
42	Premature birth.....	{M.. 756	756	.....	.....	.....	.....	756	.....	.....	.....	.....	.....
	.....	{F.. 629	629	.....	.....	.....	.....	629	.....	.....	.....	.....	.....
43	Malformation.....	{M.. 107	94	3	3	1	2	103	3	.....	.....	1	.....
	.....	{F.. 85	80	2	1	1	1	85	.....	.....	.....	.....	.....
44	Debility and atrophy.....	{M.. 967	519	101	39	17	2	678	7	6	8	9	7
	.....	{F.. 953	460	105	38	15	5	623	16	5	14	9	8
45	Others of this group.....	{M.. 56	56	.....	.....	.....	.....	56	.....	.....	.....	.....	.....
	.....	{F.. 66	65	.....	.....	.....	.....	65	.....	.....	.....	.....	.....



## VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE  
COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	29,948	793	682	486	321	202	2,484	1,063	1,341	3,176	4,453	3,416
2	Males.....	13,465	401	361	260	165	101	1,288	453	477	1,175	1,907	1,389
3	Females.....	16,483	392	321	226	156	101	1,196	610	864	2,001	2,546	2,027
4	Anemia.....	M. 38 F. 64	7 9	2 3	1 3	1 1		11 16	1 3	2 4	2 5	2 6	2 7
5	Diabetes.....	M. 79 F. 67		4	2	1	1	6 2		5		1	6
6	Rheumatism.....	M. 412 F. 363	7 10	3 2	3 3	5 3	1	18 19	12 13	18 18	20 22	18 18	15 15
7	Scrofula and tabes.....	M. 493 F. 496	48 45	42 41	31 25	25 23	14 13	160 147	67 77	42 61	35 43	43 35	30 24
8	Hydrocephalus.....	M. 177 F. 160	62 52	34 31	16 13	10 14	3 6	125 116	15 12	8 5	7 9	6 2	2 5
9	Tuberculosis, general.....	M. 98 F. 61	3 3	2 4	3 3	2		10 10	3 4	6 4	9 7	23 8	9 6
10	Consumption.....	M. 9,956 F. 12,121	218 227	194 171	132 117	80 78	62	686 655	254 400	341 714	1,041 1,804	1,717 2,321	1,256 1,811
11	Cancer.....	M. 364 F. 1,139	4	1	2	2		6	4	6	5	13	8
12	Tumor.....	M. 102 F. 216	6 8	3	2	1	2	14 12	4 2	6 3	6 9	4 14	6 17
13	Dropsy.....	M. 1,681 F. 1,745	29 21	63 54	59 51	37 27	18	206 170	89 90	42 48	48 86	80 107	58 100
14	Others of this group.....	M. 65 F. 51	17 15	14 14	11 7	2 6	2	46 44	4 3	1	2	1	2
15	2. Diseases of the nervous system.....	10,963	2,903	658	310	202	170	4,243	524	377	416	388	329
16	Males.....	5,667	1,632	363	169	100	78	2,342	278	190	199	214	166
17	Females.....	5,296	1,271	295	141	102	92	1,901	246	187	217	174	163
18	Inflammation of the brain.....	M. 425 F. 345	87 64	50 29	29 19	12 17	17	195 140	53 48	23 32	35 23	31 14	14 14
19	Meningitis.....	M. 802 F. 658	198 134	102 94	53 49	38 32	23	414 341	88 83	66 56	61 46	48 36	29 21
20	Apoplexy.....	M. 694 F. 771	6 7	2 5	3 1	1 2	1	13 17	4 6	3 7	9 6	22 12	24 25
21	Paralysis.....	M. 1,014 F. 1,142	12 13	11 11	8 2	9 2	4	44 30	24 13	10 14	16 21	20 21	16 24
22	Paralysis, general (of insane).....	M. 73 F. 24										1	2
23	Tetanus and trismus nascentium.....	M. 364 F. 261	238 198	5 8		1	3	247 208	18 8	23 8	11 9	9 6	14 6
24	Chorea.....	M. 3 F. 6							1	1			1
25	Epilepsy.....	M. 290 F. 214	41 33	8 7	5 6	5 5	1	60 54	17 6	20 17	30 31	38 16	26 12
26	Convulsions.....	M. 1,188 F. 1,066	919 725	121 104	46 45	16 32	14	1,116 927	26 28	12 9	5 30	2 21	3 12
27	Mental diseases.....	M. 133 F. 133								3	6	10	9
28	Diseases of the brain.....	M. 574 F. 534	117 89	61 33	25 16	17 10	15	285 168	44 55	25 37	25 37	27 24	21 28
29	Diseases of the spinal cord.....	M. 35 F. 38	4 1	1 4		1		5 7	3 2	4 2	1 5	1 3	1 1
30	Locomotor ataxia.....	M. 9 F. 5										1	
31	Others of this class.....	M. 63 F. 99	10 7	2		1		13 9	1 1		4	5 11	6 3
32	3. Diseases of the circulatory system.....	7,375	174	51	27	20	18	290	83	119	167	343	324
33	Males.....	3,598	95	31	10	12	11	159	33	55	80	129	148
34	Females.....	3,777	79	20	17	8	7	131	50	64	87	214	176
35	Pericarditis.....	M. 55 F. 43	1	2		1	1	3 2	2 2	1 4	5 1	6 4	6 2
36	Diseases of the heart.....	M. 3,343 F. 3,562	72 66	28 20	10 17	12 7	11	133 116	30 47	51 60	71 33	121 203	136 157
37	Angina pectoris.....	M. 52 F. 76							1		3	1	1
38	Diseases of the arteries.....	M. 44 F. 19									1	2	9
39	Aneurism.....	M. 70 F. 44								1	1	2	5
40	Embolism.....	M. 11 F. 16								2		1	2
41	Others of this class.....	M. 23 F. 17	22 13	1				23 13				3	

CAUSE, COLOR, AND RACE.

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

COLORED—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,401	2,149	1,778	1,552	1,410	951	944	759	683	399	316	127	61	61	424	1
1,080	985	773	734	712	524	484	423	371	215	180	63	31	34	212	2
1,371	1,164	1,005	818	698	427	460	381	312	184	136	64	30	27	212	3
2	2	2	3	2	1	2	2	3		1					4
1	2	6	3	3	1	2	2	1					1	1	5
3	7	6	5	8	7	9	2	4	4			3	2	1	6
2	3	6	7	7	9	6	5	3	4	3	3				7
17	13	22	27	37	27	28	26	40	29	20	9	5	6	5	8
16	20	20	23	20	20	31	17	32	22	15	7	4	6	5	9
17	20	6	17	10	7	10	8	6	4	2		1		8	10
14	21	14	10	14	5	8	4	3	5	2	2		2	7	11
5	1	4	1	1	1			1							12
2	2	3	3				1								13
9	11	3		3	3	1	4			1					14
8	3	2	2	1	1	2		1						1	15
902	851	627	566	486	323	269	210	133	68	47	13	8	7	151	16
1,134	878	707	460	368	198	172	147	100	63	31	12	2	5	139	17
16	19	24	38	42	39	34	37	24	18	9	5	3	2	12	18
66	113	133	173	153	96	105	56	49	31	23	13	8	3	18	19
7	8	10	4	11	4	3	6	2	3	2	1		1		20
14	15	21	23	20	11	20	7	9	6	1	2			5	21
50	52	66	70	112	112	123	135	158	88	96	35	11	16	34	22
114	107	93	111	112	85	114	92	114	52	61	27	16	10	36	23
2	1	3							1	2				1	24
272	312	354	442	546	423	510	441	447	341	237	116	59	50	136	25
137	157	176	198	273	213	244	217	216	164	104	56	21	20	82	26
135	155	178	244	273	210	266	224	231	177	133	60	38	30	64	27
11	8	8	9	8	7	6	3	5	4	2	2			3	28
8	11	6	11	9	6	6	6	4	3		1			6	29
24	17	9	6	12	4	4	6	3	4	1				1	30
14	10	7	6	7	3	9	3	5	3		1		3	4	31
15	30	43	68	88	68	80	66	58	39	30	15	9	3	7	32
25	44	43	82	91	80	85	65	66	47	25	18	11	4	12	33
17	46	47	53	99	72	103	101	120	88	56	33	10	12	22	34
25	34	59	85	103	84	118	116	126	100	82	32	25	16	14	35
11	4	12	7	12	8	4	4	3	1		1			3	36
4	1	2	6	6	2	1									37
6	7	3	4	4	3	5	4		3					3	38
6	3	2	1	3	2	1		2					1		39
									1						40
	1		1												41
18	8	15	10	6	11	7	6	7	3	2	1		1	4	42
8	15	9	7	11	5	4	2	4	2	2	1		3	5	43
3	1	4	2	3				1		1				9	44
7	2	4	2	5	1	4	2	1	3					8	45
8	13	8	6	11	12	10	7	8	5	3	3	1		10	46
14	6	21	13	8	3	5	7	10	6	3	3	1	1	3	47
20	17	22	26	24	19	13	13	7	12	8	1	1		13	48
20	16	18	20	13	18	25	19	10	5	12	3	1		5	49
3	3	2	3	1	1	3	1		1	1			1		50
1	5	2	2	1	2		1		1	1				2	51
			3	2	2	1								1	52
1	3	3	1	3	6	3	6	4	3	2			2	1	53
3	7	5	8	14	3	8	3	3	7	6	1		1		54
410	525	585	591	663	559	687	551	501	370	245	117	59	52	134	55
183	244	266	278	319	293	352	289	259	204	139	52	25	16	75	56
227	281	319	313	344	266	335	262	242	166	106	65	34	36	59	57
3	5	3	2	7	3	2	4	1	2						58
3	2	5	4	2	5	2	2	2		1					59
166	222	238	259	299	281	335	269	244	193	136	50	23	15	71	60
214	269	294	296	328	250	322	250	230	155	101	62	32	34	59	61
2	5	7	3	5	4	4	4	5	4	1				2	62
3	2	9	7	9	2	8	7	4	8	1	1	1			63
1		4	3	4	3	3	3	6	4	2	2	2	1	1	64
	1	2	1	1	1	1	1	3	2	2	2	1			65
9	10	14	11	3	2	8	3	1	1					1	66
4	5	8	5	2	4	2	1	1							67
2	2						1	2							68
2	1	1		2	2		1	1							69
1	1					1				1					70

## VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE  
TOTAL COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system .....	20,643	5,111	2,131	1,037	517	286	9,082	721	570	1,043	1,363	952
2	Males.....	11,485	2,757	1,096	539	262	146	4,800	343	282	578	817	573
3	Females.....	9,158	2,354	1,035	498	255	140	4,282	378	288	465	546	379
4	Croup.....	978	693	127	66	36	17	989	30	3	1	1	3
	M.....	872	633	99	52	33	13	830	23	7	2	1	2
	F.....												
5	Pneumonia.....	8,613	1,561	747	377	181	113	2,979	264	230	528	750	508
	M.....	6,445	1,301	693	348	182	95	2,624	236	235	398	451	309
	F.....												
6	Laryngitis.....	33	8	4	2	2	2	18	1	1	2	1	3
	M.....	15	2	2	1	1	1	6		1	1	1	
	F.....												
7	Bronchitis.....	975	390	184	74	35	11	694	28	15	15	24	18
	M.....	1,001	337	198	79	21	24	659	49	23	30	25	22
	F.....												
8	Pleurisy.....	242	6	2	5	3	3	16	7	9	9	16	16
	M.....	203	10	8	3	3	3	24	3	5	8	18	19
	F.....												
9	Asthma.....	249	8	7	6	1	1	22	4	4	1	2	7
	M.....	263	5	6	5	4	1	21	3	2	2	4	9
	F.....												
10	Others of this class.....	395	91	25	9	4	3	132	9	21	23	23	23
	M.....	359	66	24	10	11	7	118	13	15	24	42	18
	F.....												
11	5. Diseases of the digestive system.....	7,250	1,712	1,104	292	130	81	3,319	284	179	278	404	320
12	Males.....	3,818	912	591	147	68	41	1,759	149	88	124	183	151
13	Females.....	3,432	800	513	145	62	40	1,560	135	91	154	221	169
14	Dentition.....	657	232	370	45	9	1	657					
	M.....	598	223	312	56	6	1	598					
	F.....												
15	Angina.....	107	40	12	9	8	7	76	9	1	2	2	2
	M.....	91	17	9	10	8	3	42	10	3	4	2	4
	F.....												
16	Gastritis.....	283	47	27	10	6	3	93	12	4	3	9	11
	M.....	323	43	25	6	10	4	88	20	3	17	18	24
	F.....												
17	Diseases of the stomach.....	176	29	9	4	4	3	49	11	5	7	9	7
	M.....	182	32	16	10	3	3	64	13	11	6	8	13
	F.....												
18	Obstruction of the bowels.....	116	11	1	2	1	1	15	4	5	10	9	9
	M.....	118	8	2	1	1	2	13	2	1	8	15	14
	F.....												
19	Appendicitis.....	157	2	1	1	1	1	6	5	12	21	27	22
	M.....	96	4	1	1	1	1	6	9	5	17	10	9
	F.....												
20	Hernia.....	197	23	3	4	2	2	32	1	2	5	7	4
	M.....	41	6	1	1	1	1	7		1	1		
	F.....												
21	Other diseases of the bowels.....	316	86	43	20	8	1	158	13	11	12	16	10
	M.....	272	69	35	12	11	3	130	14	13	17	15	7
	F.....												
22	Jaundice.....	157	81	9	3	1	2	96	8	4	5	6	9
	M.....	139	72	5	1	1	1	79	4	2	8	11	7
	F.....												
23	Inflammation and abscess of the liver.....	224	14	4	6	1	4	29	8	5	7	23	17
	M.....	150	7	5	5	3	3	23	2	6	5	18	9
	F.....												
24	Other diseases of the liver.....	271	13	7	6	4	4	38	12	5	10	15	13
	M.....	143	11	7	4	4	4	26	7	3	5	11	2
	F.....												
25	Peritonitis.....	241	16	7	6	3	2	34	24	11	24	30	19
	M.....	424	14	6	3	3	3	29	13	21	47	87	56
	F.....												
26	Ascites.....	191	4	4	4	4	7	23	10	8	4	13	7
	M.....	133	5	4	4	4	2	19	11	7	10	14	11
	F.....												
27	Others of this class.....	725	314	94	27	13	5	453	32	15	16	17	21
	M.....	667	289	86	33	14	14	436	30	15	9	12	13
	F.....												
28	6. Diseases of the urinary system and male organs of generation.....	3,785	64	54	38	17	20	193	66	62	102	186	137
29	Males.....	2,317	32	32	23	11	13	111	34	27	47	86	101
30	Females.....	1,468	32	22	15	6	7	82	32	35	55	100	86
31	Bright's disease.....	1,516							22	18	33	59	78
	M.....	1,132							24	30	42	78	62
	F.....												
32	Calculus, urinary.....	105	5	1	1	1	1	7	3	2	1	1	1
	M.....	14	2	2	2	1	1	5					
	F.....												
33	Diseases of the kidney.....	322	17	29	22	9	13	90	6	4	5	10	7
	M.....	162	22	18	12	5	7	64	5	3	4	9	8
	F.....												
34	Diseases of the bladder.....	135	1	2	1	1	1	4				9	2
	M.....	25	4					4			2	1	2
	F.....												
35	Others of this class.....	239	9		1	1	1	10	3	3	8	8	13
	M.....	135	4	4	1	1	1	9	3	2	7	11	14
	F.....												
36	7. Diseases of the female organs of generation.....	592	3					3		17	57	69	70
37	Ovarian tumors.....	39								1	6	4	2
38	Ovarian diseases.....	10								1	1	1	2
39	Diseases of the tubes.....	46									3	13	12
40	Uterine tumors.....	88										2	9
41	Uterine diseases.....	128								2	18	17	15
42	Others of this class.....	281	3					3		13	34	32	30

CAUSE, COLOR, AND RACE.

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
755	785	710	668	761	565	657	509	505	326	257	122	54	56	182	1
478	487	423	406	474	351	363	300	314	180	185	73	23	24	111	2
277	348	287	262	287	214	294	209	191	146	122	49	31	32	71	3
	1	1	2	1	1									1	4
411	883	373	340	397	271	294	227	253	142	95	54	17	18	84	5
240	277	232	198	224	161	217	147	134	102	87	80	22	20	51	6
1		1	2		2		2								6
1		1				1		1			1				7
12	14	16	23	25	19	7	16	19	6	9	4	2		9	7
13	17	8	19	17	13	23	18	16	20	11	8		3	7	8
18	14	5	12	14	17	19	19	16	12	10	6	2	1	4	8
5	14	6	15	18	11	19	6	10	9	5	3	4	1	3	9
11	4	13	12	19	29	25	25	22	14	15	7	2	4	7	9
5	19	18	19	20	18	26	27	25	10	14	4	4	4	2	10
25	22	15	17	18	13	18	11	4	6	6	2		1	6	10
13	20	21	9	11	10	8	11	5	5	5	3	1	1	6	10
267	262	247	273	274	242	235	201	154	101	80	33	16	16	60	11
182	119	112	154	156	139	138	121	96	69	51	21	8	11	37	12
185	143	135	119	118	103	97	80	58	32	29	17	8	8	23	13
															14
2	3	2	1	2	1		1	3	1				1		15
2		3	4	3	3	1	2	2	4	1	1				15
13	10	12	18	26	18	14	14	9	7	5	1	1	1	2	16
18	17	14	18	20	19	16	10	5	3	5	3	2	1	2	16
7	13	5	9	9	9	7	7	8	5	4	4	1	1	3	17
6	9	9	7	5	5	5	8	5	1	1	2	1		3	17
9	4	5	8	3	11	8	3	6	2	1				4	18
8	6	11	9	6	8	4	5	4	1		2			1	18
14	9	10	4	4	7	5	6	1	2	1				1	19
8	7	4	4	5	4	4	3	1							19
9	6	11	14	9	15	14	12	16	12	9	7	2	3	7	20
1	1	4	4	6	5	3	4		2	1				1	20
9	10	6	10	3	10	10	6	7	10	5	2	1		2	21
10	9	3	8	5	8	6	4	10	4	5	1	1	2	1	21
5	2	2	2	3	4	2	2		1		1				22
3	7	4	2	2	1	2	2	3	1					1	22
14	11	13	19	17	12	20	8	8	3	4			1	5	23
9	9	13	10	6	6	11	9	4	4	3	2			1	23
18	18	16	23	22	17	16	19	5	6	4		1		8	24
10	5	15	13	14	10	7	6	5	4	1	3			1	24
17	11	8	17	9	5	10	10	6	3	1				2	25
38	49	31	16	14	6	8	3	2						4	25
4	5	8	5	15	14	14	16	11	12	10	4	2	3	3	26
9	10	7	7	14	13	10	9	14	8	6	1		1	2	26
11	17	14	19	24	16	18	17	16	5	7	2	1	1	3	27
13	14	17	17	18	15	20	15	3	3	4	3	3	1	6	27
199	247	271	325	348	284	346	289	280	137	99	59	21	15	49	28
93	133	147	189	225	177	232	217	210	119	71	38	17	13	30	29
106	114	124	136	123	107	114	72	70	38	23	21	4	2	19	30
66	105	121	150	171	130	158	133	124	66	33	21	8	4	16	31
86	83	105	116	102	90	101	61	58	32	22	20	4	2	14	31
	3		4	1	5	12	21	14	11	7	4	4	2	3	32
	1	1		2	2		1	1	2						32
10	9	11	11	22	23	27	26	16	22	12	2	4	1	4	33
11	8	6	4	7	6	8	5	7	3	3	1				33
2	4	2	8	11	5	16	11	32	10	5	6		4	4	34
1	3	2	4	1	1	1	1	1	1						34
15	12	13	16	20	14	19	26	24	10	14	5	1	2	3	35
8	19	10	12	13	8	4	4	3		3				5	35
60	69	67	76	31	15	16	18	6	6					12	36
7	6	1	8	2	1		1								37
2	1	1		1											38
9	5	2	2												39
11	13	16	18	6	4	3	3	1						2	40
10	19	10	6	7	3	9	4	2	4					7	41
21	25	37	42	15	7	4	10	5	2					3	42



## VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

TOTAL COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	1,883								23	381	485	329
2	Abortion.....	114								1	21	27	30
3	Childbirth.....	1,237								19	238	296	207
4	Puerperal septicemia.....	383								2	77	118	73
5	Extra-uterine pregnancy.....	16										3	3
6	Others of this class.....	183								1	45	41	16
7	9. Diseases of the bones and joints.....	261	28	15	19	8	8	78	24	17	20	18	15
8	Males.....	152	16	10	9	3	3	41	14	12	14	9	11
9	Females.....	109	12	5	10	5	5	37	10	5	6	9	4
10	Diseases of the spine.....	78	10	6	9	1	3	29	9	8	7	2	8
	M.....	62	10	3	8	4	2	27	5	4	3	5	2
11	Abscess, lumbar and psoas.....	8							1		1	1	
	M.....	5							2			1	
12	Diseases of the bones.....	28	3	2		1		6	2	2	3	1	
	M.....	19		2	1		2	5			1	2	
13	Diseases of the hip-joint.....	13								2	2	3	2
	M.....	10							2	1	2	1	1
14	Others of this class.....	25	3	2		1		6	2		3	2	1
	M.....	13	2		1	1	1	5	1			1	1
15	10. Diseases of the skin.....	303	59	25	6	8	2	100	4	13	10	9	18
16	Males.....	171	37	14	4	5	2	62	3	8	4	9	10
17	Females.....	132	22	11	2	3		38	1	5	6		8
18	Abscess.....	92	15	6		2	1	24	2	6	3	7	6
	M.....	55	8			1		9	1	1	2		6
19	Carbuncle.....	12								2			2
	M.....	14	1					1					1
20	Others of this class.....	67	22	8	4	3	1	38	1		1	2	2
	M.....	63	13	11	2	2		28		4	4		1
21	11. Diseases of the absorbent system.....	36	4	1				5	1		4	3	3
22	Males.....	15	2					2			2	1	1
23	Females.....	21	2	1				3	1		2	2	2
24	Addison's disease.....	1											
	M.....	1											
25	Diseases of the spleen.....	4										1	1
	M.....	5									1		2
26	Others of this class.....	10	2					2				2	
	M.....	15	2	1				3	1		1	2	
27	12. Accidents and injuries.....	8,295	1,109	317	312	332	223	2,293	577	430	770	905	735
28	Males.....	5,646	551	165	165	158	86	1,125	267	298	587	736	608
29	Females.....	2,649	558	152	147	174	137	1,168	310	137	183	169	127
30	Burns and scalds.....	683	54	99	122	126	54	455	84	17	12	15	7
	M.....	1,104	46	88	113	144	113	504	234	63	56	42	23
31	Drowning.....	572	5	10	12	6	8	41	54	73	86	76	63
	M.....	95		7	4	6	1	18	14	11	14	9	6
32	Exposure and neglect.....	166	91	12	4	1	3	111	3	2	5	1	4
	M.....	193	113	13	6	5	4	141	5	1	7	7	5
33	Gunshot wounds.....	1,065	1	4	4	5	4	18	31	75	163	225	185
	M.....	154	4	3	2	2	3	14	9	20	33	30	22
34	Homicide.....	491			1			1	4	13	53	103	95
	M.....	93			3			3	3	3	12	22	19
35	Infanticide.....	8	8					8					
	M.....	3	3					3					
36	Injuries by machinery.....	40							1	3	5	9	2
	M.....	1									1		
37	Railroad accidents.....	509	3		1	1	1	6	12	27	73	97	70
	M.....	49	1		1	1	1	3	3	4	5	5	6
38	Suffocation.....	246	199	10	3	1		213	2		4	4	1
	M.....	274	226	18	3	2	3	247	3	7	2	2	1
39	Suicide by shooting.....	28									4	6	5
	M.....	4									1	1	1
40	Suicide by drowning.....	2											
	M.....	2											
41	Suicide by poison.....	18								1		5	2
	M.....	21									7	9	3
42	Other suicides.....	61								2	1	6	9
	M.....	16									3	3	4
43	Sunstroke.....	88	3	1	1	1	1	7	1	2	4	5	5
	M.....	30	5			1		6	2	4		1	1
44	Surgical operations.....	21								1		1	1
	M.....	31									2	4	6
45	Wounds.....	73	1					1	4	1	6	13	7
	M.....	11	4					4	1		1	2	1
46	Others of this class.....	1,575	186	29	17	17	15	264	71	76	171	170	152
	M.....	568	156	28	16	13	12	225	36	24	39	31	29

CAUSE, COLOR, AND RACE.

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
256	232	105	31	4	3	3	2	1						28	1
16	10	6	1											2	2
177	174	71	23	4	2	3	1	1						21	3
46	39	20	4				1							3	4
6	3				1										5
11	6	8	3											2	6
14	12	11	11	6	8	11	4	6	2		1	1	1	1	7
7	9	6	8	3	5	3	2	4	1		1		1	1	8
7	3	5	3	3	3	8	2	2	1			1			9
2	3	2	4	1	1	1	1							1	10
4	2	2	1	2	2	3									11
2	1	1		1	1										12
3	2	1	1		1	1	1	3	1						13
	1	1	1		1	4	1	1	1						14
2	3	1	1			1									15
	1	1	1												16
1		2	2	1	2	1	1	1				1	1		17
14	22	16	13	19	12	15	9	8	4	5	4	2	3	3	18
8	11	9	8	11	6	4	5	3	3	1	2	1		3	19
6	11	7	5	8	6	11	4	5	1	4	2	1	3		20
8	8	5	7	6	3	1	2		1	1		1		1	21
3	8	5	4	3	3	4	2	2		2					22
	2	2	1	1	2		1	1		1			1		23
		1	1	2		3		2					1		24
3	3	2	1	4	3	3	2	1	2	1	2	1	2	1	25
	1	1		3	3	4	2	2	1	1	2	1			26
3	3	1	5	5	2		1								27
2	1		3	1	1		1								28
1	2	1	2	4	1										29
					1										30
	1														31
	1		1		1										32
2	1			1			1								33
1			2	2											34
587	441	289	227	215	136	150	98	90	72	75	27	21	25	182	35
460	371	240	186	167	109	110	66	56	42	37	19	9	8	150	36
77	70	49	41	48	27	40	32	34	30	38	8	12	17	32	37
9	9	7	2	6	5	5	5	8	3	10	8	3	4	9	38
22	11	10	11	13	13	15	15	14	17	13	2	6	9	11	39
35	36	26	16	17	8	2	2	2	2	1	1			24	40
8	2	3	3	1	2		1							1	41
4	2	1	3	4	2	6	4	2	4	3		2	1	2	42
2	5	2	2	2	3	1	1	3	2	3	1			1	43
130	80	39	44	17	6	10	3	3	2	2		1	1	31	44
7	6	3	1	3	2	1					1			2	45
58	54	38	18	21	5	3	3	3	1	1				17	46
5	8	4	3	1	1					1				8	47
															48
6	4	3	2	2	1		2								49
															50
55	44	28	11	16	9	15	10	9	3	5	1		1	17	51
2	3	4	2	5		8			1	2			1		52
2	2	2	3	1	5	2	2		2					3	53
2		2	2	2	1	1	1		2	1				1	54
1	3	3	2	1	2						1				55
	1							1							56
1															57
5		2	1	2											58
	1			1											59
10	6	9	5	4	3	2	1	1	1					1	60
2	1	1		1	1						1				61
11	13	3	6	9	4	3	2	5		1	1	1	1	4	62
2	3	2	2	3		1	1	1						1	63
1	5	3		1	3		1	1		1				2	64
7	5	3	2	1	1					1					65
10	4	4	5	2	2	3	1		2	1	3			4	66
1						1									67
123	108	72	68	64	54	52	32	21	22	12	4	2	1	36	68
16	24	15	17	16	5	15	13	16	8	17	3	6	7	6	69





VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

INDIANS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	1,187	38	32	32	24	22	148	98	115	170	147	88
2	Males.....	560	20	14	16	14	10	74	38	41	62	81	47
3	Females.....	627	18	18	16	10	12	74	60	74	108	66	41
4	Anemia.....	M. 1 F. 1								1			
5	Diabetes.....	M. 2 F. 2											
6	Rheumatism.....	M. 7 F. 18								1	1		1 1
7	Scrofula and tabes.....	M. 43 F. 37	6 3	1 3	3 3	4 2	1	14 12	10 7	3 3	2 2	1 3	3
8	Hydrocephalus.....	M. 5 F. 12	2 1	1 4		1	2	4 10	1 1		1		
9	Tuberculosis, general.....	M. 2 F. 2									2		
10	Consumption.....	M. 472 F. 526	9 11	11 10	13 11	9 7	9 9	51 48	25 47	34 67	60 101	77 62	43 39
11	Cancer.....	M. 6 F. 13	1					1				1	
12	Tumor.....	M. 6 F. 6	1				1	1	1	2			
13	Dropsy.....	M. 18 F. 12	2 1	1 1				3 2	2 4	1 1	1	3	1
14	Others of this group.....	M. 1 F. 1	1					1					
15	2. Diseases of the nervous system.....	192	47	21	16	6	9	99	19	11	5	13	4
16	Males.....	108	33	9	7	2	2	53	9	7	3	10	3
17	Females.....	84	14	12	9	4	7	46	10	4	2	3	1
18	Inflammation of the brain.....	M. 10 F. 14	2 3		1	1	1	5 9	2 4	1		2	
19	Meningitis.....	M. 29 F. 24	7 3	5 4	3 4		3	15 17	2 4	1 1	2	6 1	1
20	Apoplexy.....	M. 6 F. 5										1	
21	Paralysis.....	M. 13 F. 10		1	1			1 2	2	1	1		1
22	Paralysis, general (of insane).....	M. 1 F. 1											
23	Tetanus and trismus nascentium.....	M. 1 F. 1					1	1					
24	Chorea.....	M. 1 F. 1								1			
25	Epilepsy.....	M. 8 F. 7	1 2		1	1		2 4	1	3	1		1
26	Convulsions.....	M. 24 F. 12	19 5	3 2	1 2		2	23 11				1	
27	Mental diseases.....	M. 1 F. 2											
28	Diseases of the brain.....	M. 12 F. 8	4 1	1 2	1			6 3	2 2	2 1	1	1	1
29	Diseases of the spinal cord.....	M. 2 F. 1											
30	Locomotor ataxia.....	M. 2 F. 1											
31	Others of this class.....	M. 1 F. 1											
32	3. Diseases of the circulatory system.....	78	2	1		2		5	4	1	5	4	2
33	Males.....	43	1	1		2		4	2	1	3	2	2
34	Females.....	35	1					1	2		2	2	
35	Pericarditis.....	M. 2 F. 2										1	1
36	Diseases of the heart.....	M. 35 F. 33		1		2		3 1	2 2	1	3 2	1 2	1
37	Angina pectoris.....	M. 2 F. 1											
38	Diseases of the arteries.....	M. 2 F. 1											
39	Aneurism.....	M. 1 F. 1											
40	Embolism.....	M. 1 F. 1											
41	Others of this class.....	M. 1 F. 1	1					1					

CAUSE, COLOR, AND RACE.

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

INDIANS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
76	50	55	51	37	31	28	27	23	10	11	3	3	1	15	1
43 33	28 22	21 34	24 27	14 23	16 15	20 8	15 12	13 10	4 6	4 7	2 1	2 1	1	11 4	2 3
					1			1							4
															5
				1		2		2						1	6
1	2	2	3	1	2	1		1	1	1				1	7
2	1	3	1	1	1	1	1	1						1	8
															9
41 31	27 19	17 28	19 18	12 17	13 11	16 6	13 12	6 6	3 4	3 5	2 1	1 1		9 3	10
1		1	2	4	1			1				1		1	11
		2	1							1					12
		1	1	1	1	1	1	2	1	1					13
								1							14
4	1	3	2	4	2	5	4	3	3	2	1		1	6	15
2	1	3	1	2	1	2	3	2	2	1	1		1	3	16
			1						1					3	17
	1		1		1										18
		1				1	2	1						2	19
		2		1		2	1	1	1	1	1		1		20
1															21
															22
															23
			1											1	24
														1	25
1														1	26
2															27
														1	28
				1	1										29
														1	30
				1											31
9	3	6	6	6	4	4	7	4	4	3		1			32
5 4	1 2	4 2	2 4	3 3	2 2	3 1	4 3	2 2	1 3	1 2		1			33
															34
															35
5 4	1 2	3 2	2 4	3 3	1 1	3 1	4 2	2 2	1 3	1 2		1			36
		1			1		1								37
															38
					1										39
															40
															41

## VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

INDIANS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	566	113	70	30	28	13	254	46	23	21	12	20
2	Males.....	285	58	35	12	12	7	124	19	16	10	7	10
3	Females.....	281	55	35	18	16	6	130	27	7	11	5	10
4	Croup.....	(M.. 33 F.. 36)	(M.. 15 F.. 16)	(M.. 10 F.. 9)	(M.. 4 F.. 4)	(M.. 2 F.. 3)	(M.. 2 F.. 3)	(M.. 31 F.. 32)	(M.. 2 F.. 2)	(M.. 2 F.. 2)			
5	Pneumonia.....	(M.. 215 F.. 194)	(M.. 32 F.. 23)	(M.. 20 F.. 23)	(M.. 6 F.. 9)	(M.. 9 F.. 11)	(M.. 6 F.. 3)	(M.. 73 F.. 69)	(M.. 14 F.. 22)	(M.. 16 F.. 4)	(M.. 7 F.. 10)	(M.. 6 F.. 5)	(M.. 9 F.. 10)
6	Laryngitis.....	(M.. 4 F.. 4)	(M.. 2 F.. 2)					(M.. 2 F.. 2)					
7	Bronchitis.....	(M.. 23 F.. 38)	(M.. 9 F.. 15)	(M.. 5 F.. 3)	(M.. 1 F.. 4)	(M.. 1 F.. 2)	(M.. 1 F.. 3)	(M.. 17 F.. 27)	(M.. 3 F.. 1)		(M.. 1 F.. 1)		
8	Pleurisy.....	(M.. 5 F.. 4)	(M.. 5 F.. 4)		(M.. 1 F.. 1)			(M.. 1 F.. 1)				(M.. 1 F.. 1)	(M.. 1 F.. 1)
9	Asthma.....	(M.. 2 F.. 3)	(M.. 2 F.. 3)					(M.. 2 F.. 3)	(M.. 1 F.. 1)				
10	Others of this class.....	(M.. 3 F.. 6)	(M.. 3 F.. 6)					(M.. 3 F.. 6)	(M.. 1 F.. 1)		(M.. 2 F.. 1)		
11	5. Diseases of the digestive system.....	159	39	16	9	4	1	69	15	5	4	3	5
12	Males.....	83	19	10	5	1		35	11	2	1	4	2
13	Females.....	76	20	6	4	3	1	34	4	3	3	4	3
14	Dentition.....	(M.. 1 F.. 3)	(M.. 1 F.. 2)	(M.. 1 F.. 1)				(M.. 1 F.. 3)					
15	Angina.....	(M.. 4 F.. 1)	(M.. 4 F.. 1)		(M.. 1 F.. 1)			(M.. 3 F.. 1)	(M.. 1 F.. 1)				
16	Gastritis.....	(M.. 10 F.. 11)	(M.. 2 F.. 11)	(M.. 1 F.. 1)	(M.. 1 F.. 1)			(M.. 4 F.. 2)	(M.. 3 F.. 1)		(M.. 1 F.. 1)		(M.. 2 F.. 2)
17	Diseases of the stomach.....	(M.. 9 F.. 14)	(M.. 3 F.. 3)	(M.. 2 F.. 2)		(M.. 1 F.. 1)		(M.. 3 F.. 6)	(M.. 1 F.. 1)		(M.. 1 F.. 1)	(M.. 2 F.. 2)	
18	Obstruction of the bowels.....	(M.. 3 F.. 3)	(M.. 3 F.. 3)		(M.. 1 F.. 1)			(M.. 1 F.. 1)	(M.. 1 F.. 1)	(M.. 1 F.. 1)			
19	Appendicitis.....	(M.. 3 F.. 2)	(M.. 3 F.. 2)					(M.. 3 F.. 2)			(M.. 1 F.. 1)		
20	Hernia.....	(M.. 3 F.. 2)	(M.. 3 F.. 2)	(M.. 1 F.. 1)				(M.. 1 F.. 1)					
21	Other diseases of the bowels.....	(M.. 11 F.. 5)	(M.. 2 F.. 1)	(M.. 2 F.. 2)	(M.. 1 F.. 1)			(M.. 5 F.. 3)			(M.. 1 F.. 1)	(M.. 1 F.. 1)	(M.. 1 F.. 1)
22	Jaundice.....	(M.. 1 F.. 2)	(M.. 1 F.. 2)					(M.. 1 F.. 2)		(M.. 1 F.. 1)			
23	Inflammation and abscess of the liver.....	(M.. 3 F.. 5)	(M.. 3 F.. 5)	(M.. 1 F.. 1)	(M.. 2 F.. 2)			(M.. 1 F.. 2)					(M.. 1 F.. 1)
24	Other diseases of the liver.....	(M.. 4 F.. 4)	(M.. 4 F.. 4)					(M.. 4 F.. 4)					
25	Peritonitis.....	(M.. 8 F.. 9)	(M.. 8 F.. 9)			(M.. 1 F.. 1)		(M.. 3 F.. 1)	(M.. 2 F.. 2)	(M.. 2 F.. 2)			
26	Ascites.....	(M.. 3 F.. 2)	(M.. 3 F.. 2)					(M.. 3 F.. 2)		(M.. 1 F.. 1)		(M.. 1 F.. 1)	
27	Others of this class.....	(M.. 20 F.. 22)	(M.. 6 F.. 14)	(M.. 6 F.. 6)	(M.. 1 F.. 1)	(M.. 1 F.. 1)		(M.. 13 F.. 16)	(M.. 3 F.. 3)			(M.. 1 F.. 1)	(M.. 1 F.. 1)
28	6. Diseases of the urinary system and male organs of generation.....	43		1				1	1	3	3		2
29	Males.....	34		1						3	1		2
30	Females.....	9						1	1		2		
31	Bright's disease.....	(M.. 22 F.. 6)	(M.. 22 F.. 6)							(M.. 2 F.. 2)	(M.. 2 F.. 2)		(M.. 1 F.. 1)
32	Calculus, urinary.....	(M.. 2 F.. 2)	(M.. 2 F.. 2)										
33	Diseases of the kidney.....	(M.. 2 F.. 2)	(M.. 2 F.. 2)						(M.. 1 F.. 1)				
34	Diseases of the bladder.....	(M.. 3 F.. 3)	(M.. 3 F.. 3)										
35	Others of this class.....	(M.. 5 F.. 1)	(M.. 5 F.. 1)	(M.. 1 F.. 1)				(M.. 1 F.. 1)		(M.. 1 F.. 1)	(M.. 1 F.. 1)		(M.. 1 F.. 1)
36	7. Diseases of the female organs of generation.....	5	1					1					1
37	Ovarian tumors.....												
38	Ovarian diseases.....												
39	Diseases of the tubes.....												
40	Uterine tumors.....	1											
41	Uterine diseases.....												
42	Others of this class.....	4	1					1					1





VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

INDIANS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy .....	66									11	12	10
2	Abortion .....	4									2	1	1
3	Childbirth.....	50									6	9	6
4	Puerperal septicemia.....	11									3	1	3
5	Extra-uterine pregnancy.....												
6	Others of this class .....	1										1	
7	9. Diseases of the bones and joints .....	14			1	1		2	5		1	2	1
8	Males.....	7							1		1	1	1
9	Females.....	7			1	1		2	4			1	
10	Diseases of the spine.....	M 1 F 5				1	1						1
11	Abscess, lumbar and psoas.....	M 1 F 3								1		1	
12	Diseases of the bones.....	M 3 F 1									1	1	
13	Diseases of the hip-joint.....	M 2 F 1							1				
14	Others of this class .....	M 1 F 1											
15	10. Diseases of the skin .....	7	2					2					
16	Males.....	5	1					1					
17	Females.....	2	1					1					
18	Abscess.....	M 3 F 2		1				1					
19	Carbuncle.....	M 1 F 1											
20	Others of this class .....	M 2 F 1		1				1					
21	11. Diseases of the absorbent system.....	2										1	
22	Males.....												
23	Females.....	2										1	
24	Addison's disease.....	M 1 F 1											
25	Diseases of the spleen.....	M 1 F 1											
26	Others of this class .....	M 2 F 1										1	
27	12. Accidents and injuries.....	219	21	5	4	9	4	48	17	12	12	17	15
28	Males.....	140	10		2	5	1	18	8	8	10	15	11
29	Females.....	79	11	5	2	4	3	25	9	4	2	2	4
30	Burns and scalds.....	M 5 F 15		1	1	2	1	3	6	1		1	
31	Drowning.....	M 13 F 4			1	1		2	3	1	1		1
32	Exposure and neglect.....	M 14 F 17	5				1	6	1	2			1
33	Gunshot wounds.....	M 16 F 1							1	1	1	1	3
34	Homicide.....	M 12 F 2									1	1	1
35	Infanticide.....	M 1 F 1											
36	Injuries by machinery.....	M 1 F 1									1		
37	Railroad accidents.....	M 16 F 4										3	2
38	Suffocation.....	M 1 F 1	1					1					1
39	Suicide by shooting.....	M 5 F 1									1	1	1
40	Suicide by drowning.....	M 1 F 1											1
41	Suicide by poison.....	M 1 F 1											
42	Other suicides.....	M 4 F 3										2	2
43	Sunstroke.....	M 1 F 1				1		1					
44	Surgical operations.....	M 1 F 1											
45	Wounds.....	M 3 F 1									1		
46	Others of this class .....	M 49 F 38	4	3	1		1	5	4	4	4	6	3

CAUSE, COLOR, AND RACE.

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

INDIANS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
14	9	5	3				1							1	1
															2
18	9	4	2											1	3
1		1	1				1								4
															5
	1				1	1									6
															7
	1				1	1									8
															9
															10
															11
	1					1									12
					1										13
															14
	1	2					1				1				15
	1	1					1				1				16
		1													17
	1	1					1								18
		1													19
											1				20
1															21
															22
1															23
															24
															25
1															26
15	9	12	9	8	6	11	7	8	3	3	1	2	3	6	27
11	8	10	5	7	4	8	3	4	4	3	1			4	28
4	1	2	4	1	2	3	4	4	4	2	1	2	3	2	29
1		1	1			1						1		1	30
1	2	1			1										31
1	1					2	1			1					32
2	2				2	2	1		1					2	33
2	1	1	2	1	1				1						34
1		1													35
															36
1	2	4	1	1		1	1	1	1				1		37
															38
				1							1				39
															40
															41
1		1		1											42
															43
															44
				1		1									45
4		3	3	3	2	2	1	2	1	1		1		1	46
1	1		2			1	3	4		1			2	2	

## VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

CHINESE.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	1,150	48	11	7	8	7	81	18	10	12	40	57
2	Males.....	1,045	25	8	5	3	4	45	8	6	7	36	49
3	Females.....	105	23	3	2	5	3	36	10	4	5	4	8
4	Unknown cause .....	58	2					2		2			2
5	Males.....	55	1					1		1			2
6	Females.....	3	1					1		1			
7	I. General diseases. General diseases—A .....	75	8	1	1		2	12	2		2	4	3
8	Males.....	62	1	1			1	3				4	3
9	Females.....	13	7		1		1	9	2		2		
10	Measles.....	{M F											
11	Scarlet fever.....	{M F											
12	Diphtheria.....	{M F	3		1			1	2				
13	Whooping cough.....	{M F	1	1				1					
14	Malarial fever.....	{M F	2				1	2					
15	Influenza.....	{M F											
16	Typhoid fever.....	{M F	16				1	1				1	1
17	Cholera morbus.....	{M F	4										
18	Colitis.....	{M F											
19	Diarrhea.....	{M F	1	1				1					
20	Dysentery.....	{M F	6	1				1				2	1
21	Enteritis.....	{M F	14										
22	Cholera infantum.....	{M F	1	1				1					
23	Fever.....	{M F	11	1				1			2	1	
24	Cerebro-spinal fever.....	{M F											
25	Smallpox.....	{M F											
26	Erysipelas.....	{M F	1	1				1					
27	Septicemia.....	{M F	2	2				2					
28	Venereal diseases.....	{M F	3										1
29	Others of this group.....	{M F	2										
30	General diseases—B .....	9	3					3					
31	Males.....	9	3					3					
32	Females.....												
33	Alcoholism.....	{M F	1										
34	Parasitic diseases.....	{M F											
35	Lead poison.....	{M F											
36	Other poisons.....	{M F	4										
37	Inanition.....	{M F	4	3				3					
38	General diseases—C .....	32	5					5				1	
39	Males.....	24	2					2				1	
40	Females.....	8	3					3					
41	Old age.....	{M F	15										
42	Premature birth.....	{M F	1	1				1					
43	Malformation.....	{M F	1	1				1					
44	Debility and atrophy.....	{M F	8	1				1				1	
45	Others of this group.....	{M F	2	1				1					







## VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE  
CHINESE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	185	21	7	5	7	2	42	8	4	2	12	6
2	Males.....	157	14	5	4	3	2	28	4	3	2	11	4
3	Females.....	28	7	2	1	4		14	4	1		1	2
4	Croup.....	{M. F.....											
5	Pneumonia.....	{M. F.....	12 7	3 2	4 1	3 4	2	24 14	3 4	3 1	1	10 1	4 2
6	Laryngitis.....	{M. F.....											
7	Bronchitis.....	{M. F.....	12 2	2	1			3	1				
8	Pleurisy.....	{M. F.....	8								1	1	
9	Asthma.....	{M. F.....	1										
10	Others of this class.....	{M. F.....	6 1	1				1					
11	5. Diseases of the digestive system.....	58		1			1	2			1	3	1
12	Males.....	51									1	2	
13	Females.....	7		1			1	2				1	1
14	Dentition.....	{M. F.....											
15	Angina.....	{M. F.....	1										
16	Gastritis.....	{M. F.....	7 2									1	
17	Diseases of the stomach.....	{M. F.....	1										
18	Obstruction of the bowels.....	{M. F.....	2										
19	Appendicitis.....	{M. F.....	3									1	
20	Hernia.....	{M. F.....	3										
21	Other diseases of the bowels.....	{M. F.....											
22	Jaundice.....	{M. F.....	1										
23	Inflammation and abscess of the liver.....	{M. F.....	6 1									1	1
24	Other diseases of the liver.....	{M. F.....	20										
25	Peritonitis.....	{M. F.....	7 2		1			1			1		
26	Ascites.....	{M. F.....											
27	Others of this class.....	{M. F.....	2				1	1					
28	6. Diseases of the urinary system and male organs of generation.....	75							1	1			2
29	Males.....	70							1				1
30	Females.....	5								1			1
31	Bright's disease.....	{M. F.....	64 4						1				1 1
32	Calculus, urinary.....	{M. F.....											
33	Diseases of the kidney.....	{M. F.....	5 1							1			
34	Diseases of the bladder.....	{M. F.....	1										
35	Others of this class.....	{M. F.....											
36	7. Diseases of the female organs of generation.....	1									1		
37	Ovarian tumors.....												
38	Ovarian diseases.....												
39	Diseases of the tubes.....												
40	Uterine tumors.....												
41	Uterine diseases.....												
42	Others of this class.....	1									1		





VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE  
CHINESE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	3											1
2	Abortion												
3	Childbirth	1											1
4	Puerperal septicemia	2											
5	Extra-uterine pregnancy												
6	Others of this class												
7	9. Diseases of the bones and joints	1											
8	Males	1											
9	Females												
10	Diseases of the spine	{M F											
11	Abscess, lumbar and psoas	{M F											
12	Diseases of the bones	{M F	1										
13	Diseases of the hip-joint	{M F											
14	Others of this class	{M F											
15	10. Diseases of the skin	2											
16	Males	2											
17	Females												
18	Abscess	{M F	1										
19	Carbuncle	{M F	1										
20	Others of this class	{M F											
21	11. Diseases of the absorbent system												
22	Males												
23	Females												
24	Addison's disease	{M F											
25	Diseases of the spleen	{M F											
26	Others of this class	{M F											
27	12. Accidents and injuries	87	1					1	2		1	3	6
28	Males	81									1	2	6
29	Females	6	1					1	2			1	
30	Burns and scalds	{M F	3						1			1	
31	Drowning	{M F	8									1	1
32	Exposure and neglect	{M F	2										
33	Gunshot wounds	{M F	3									1	
34	Homicide	{M F	19 1										
35	Infanticide	{M F											
36	Injuries by machinery	{M F	1										1
37	Railroad accidents	{M F	2								1		
38	Suffocation	{M F	4										
39	Suicide by shooting	{M F	3										
40	Suicide by drowning	{M F											
41	Suicide by poison	{M F	4										1
42	Other suicides	{M F	15 1										3
43	Sunstroke	{M F	1	1				1					
44	Surgical operations	{M F											
45	Wounds	{M F											
46	Others of this class	{M F	17 1						1				

CAUSE, COLOR, AND RACE.

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1	1														1
															2
															3
1	1														4
															5
															6
															7
															8
															9
															10
															11
															12
															13
															14
															15
															16
															17
															18
															19
															20
															21
															22
															23
															24
															25
															26
															27
10	13	12	13	11	5	1		2	2					5	27
9	13	12	13	11	5	1		2	2					4	28
1														1	29
															30
															31
1	2	1	1	1											31
															32
															33
1															33
															34
5	5	3	2	2										2	34
														1	35
															36
															37
															38
															39
															40
															41
1															41
															42
1	2	4	1	2		1		1	1						42
															43
															44
															45
															46
1	2	2	4	4	1			1	1					1	46

---

---

TABLE 10.

---

DEATHS IN THE REGISTRATION AREA, DURING THE CENSUS YEAR ENDING MAY 31, 1900,  
FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY COLOR AND RACE.

---

---

VITAL STATISTICS.

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

WHITE.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	475,640	94,269	23,747	10,986	7,276	5,153	141,431	13,969	7,666	11,763	18,689	21,436
2	Males .....	253,491	52,972	12,593	5,746	3,708	2,596	77,615	7,205	3,931	5,931	9,443	11,112
3	Females .....	222,149	41,297	11,154	5,240	3,568	2,557	63,816	6,764	3,735	5,832	9,246	10,324
4	Unknown cause .....	4,106	1,375	120	54	45	27	1,621	90	60	75	97	128
5	Males .....	2,286	786	65	27	25	14	917	44	26	38	46	63
6	Females .....	1,820	589	55	27	20	13	704	46	34	37	51	65
7	1. General diseases.												
7	General diseases—A .....	81,864	27,470	9,204	4,352	3,111	2,300	46,437	5,684	1,928	1,997	2,615	2,342
8	Males .....	42,252	14,965	4,762	2,202	1,564	1,134	24,627	2,739	883	982	1,412	1,273
9	Females .....	39,612	12,505	4,442	2,150	1,547	1,166	21,810	2,945	1,045	1,015	1,203	1,069
10	Measles .....	M.. 1,785 F.. 1,323	477 420	600 592	259 260	119 119	74 73	1,529 1,464	133 166	29 43	14 33	28 23	13 21
11	Scarlet fever .....	M.. 1,672 F.. 1,623	111 73	215 190	265 256	285 257	177 217	1,053 993	456 461	77 79	29 32	19 20	13 12
12	Diphtheria .....	M.. 4,893 F.. 5,044	335 247	730 688	780 735	688 694	582 587	3,115 2,951	1,316 1,516	259 314	70 95	39 52	23 32
13	Whooping cough .....	M.. 1,566 F.. 1,762	937 912	354 420	130 134	60 98	29 47	1,510 1,661	32 65	2 8	2 4	2 1	2 2
14	Malarial fever .....	M.. 981 F.. 847	85 71	36 35	20 34	23 24	20 16	184 180	37 62	23 25	49 41	77 71	66 47
15	Influenza .....	M.. 2,782 F.. 3,715	234 198	49 47	19 32	23 17	10 18	335 307	39 37	18 29	33 45	58 60	58 87
16	Typhoid fever .....	M.. 5,157 F.. 3,771	42 33	30 38	35 42	45 55	53 39	205 207	248 233	257 332	568 553	838 590	774 423
17	Cholera morbus .....	M.. 846 F.. 818	184 155	60 60	67 59	28 18	8 8	347 300	43 23	28 22	12 26	21 21	17 19
18	Colitis .....	M.. 456 F.. 402	229 176	55 59	16 16	16 6	3 1	319 253	10 6	2 3	2 3	4 6	8 6
19	Diarrhea .....	M.. 1,777 F.. 1,556	750 640	144 124	42 23	9 8	11 5	956 805	55 55	11 20	10 6	17 10	17 20
20	Dysentery .....	M.. 1,341 F.. 1,374	212 195	140 98	60 43	38 31	26 13	476 330	46 23	19 9	18 8	40 20	37 22
21	Enteritis .....	M.. 7,388 F.. 3,780	4,775 3,780	1,020 943	229 208	84 86	56 63	6,164 5,080	106 103	40 39	36 37	44 61	63 88
22	Cholera infantum .....	M.. 6,983 F.. 6,005	5,652 4,804	1,088 978	156 144	55 47	26 27	6,977 6,000					
23	Fever .....	M.. 46 F.. 38	13 13	3 2	1 2	1 1	1 1	18 19	2 2	1 2	3 1	2 3	1 3
24	Cerebro-spinal fever .....	M.. 1,074 F.. 861	286 217	173 107	79 70	64 54	35 31	637 479	123 106	64 78	58 51	45 27	34 26
25	Smallpox .....	M.. 152 F.. 38	10 7	8 3	6 3	2 3	1 1	22 21	2 9	2 8	9 5	22 17	13 7
26	Erysipelas .....	M.. 822 F.. 607	215 198	17 17	3 6	4 4	3 2	242 227	5 3	7 4	15 10	15 16	21 32
27	Septicemia .....	M.. 1,230 F.. 1,443	128 116	21 19	15 13	12 17	13 12	189 177	55 44	31 21	36 54	71 182	64 196
28	Venereal diseases .....	M.. 419 F.. 334	254 225	13 9	3 6	3 3	1 1	274 244	1 1	2 2	3 5	2 10	13 11
29	Others of this group .....	M.. 932 F.. 750	36 30	11 8	17 9	6 5	5 5	75 57	25 15	11 7	15 6	18 18	23 20
30	General diseases—B .....	10,917	6,438	321	95	70	28	6,952	62	24	87	210	351
31	Males .....	6,661	3,540	184	52	34	20	3,330	31	14	31	108	221
32	Females .....	4,256	2,898	137	43	36	8	3,122	31	10	56	102	130
33	Alcoholism .....	M.. 1,652 F.. 359			1			1			1	27	125
34	Parasitic diseases .....	M.. 18 F.. 16	3 2	6 2	2 2		1	12 14	1 2				
35	Lead poison .....	M.. 44 F.. 23	1 5	1 1	1 1			2 7				2	2
36	Other poisons .....	M.. 1,097 F.. 620	40 23	55 25	31 19	17 14	9 6	152 87	19 14	8 5	28 51	76 80	89 75
37	Inanition .....	M.. 3,850 F.. 3,238	3,496 2,868	123 109	18 20	17 14	10 2	3,664 3,013	10 14	3 5	3 4	3 8	5 6
38	General diseases—C .....	38,220	19,808	755	154	49	43	20,809	62	32	31	57	69
39	Males .....	19,278	11,215	370	85	34	20	11,724	32	16	19	24	23
40	Females .....	18,947	8,593	385	69	15	23	9,085	30	16	12	33	46
41	Old age .....	M.. 6,356 F.. 8,399											
42	Premature birth .....	M.. 5,182 F.. 3,835						5,182 3,835					
43	Malformation .....	M.. 888 F.. 714	862 692	7 11	5 2	1 1	1	875 707	3 2	2 2	1	1	
44	Debility and atrophy .....	M.. 6,238 F.. 5,573	4,564 3,642	363 374	80 67	32 14	20 22	5,059 4,119	29 28	14 14	18 12	24 32	23 46
45	Others of this group .....	M.. 609 F.. 426	607 424				1	608 424					

CAUSE, COLOR, AND RACE.

705

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900.

WHITE.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
21,230	22,250	20,334	20,124	21,372	22,733	24,867	26,742	26,515	23,293	16,893	8,722	3,050	903	1,653	1
11,446 9,784	12,395 9,355	11,586 8,748	11,485 8,639	12,017 9,355	12,439 10,294	13,135 11,732	13,833 12,859	13,594 12,921	11,759 11,534	8,125 8,768	3,927 4,795	1,159 1,891	304 599	1,000 658	2 3
120	169	162	163	164	194	196	199	193	154	111	51	18	1	135	4
66 54	96 73	99 63	106 62	88 76	115 79	119 77	118 81	106 87	76 78	54 57	22 29	9 9	1	77 58	5 6
2,037	1,352	1,535	1,421	1,428	1,531	1,804	2,086	2,207	2,025	1,604	323	264	71	173	7
1,094 943	1,006 846	834 701	805 616	774 654	788 743	859 945	965 1,121	1,025 1,182	890 1,135	710 894	365 458	93 171	29 42	99 74	8 9
11 18	7 18	3 9	2 10	7 2	1 7	2 2	2 2	1 1	3 1	2 2	1 1	1 1	1 1	2 2	10
10 8	5 7	5 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	11
25 24	11 14	1 7	11 9	7 10	5 5	3 5	2 2	1 2	1 3	1 1	1 1	1 1	1 1	1 1	12
2 5	2 2	3 3	1 1	1 1	1 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	13
47 58	51 33	46 30	57 29	38 31	47 33	42 41	47 44	43 50	39 29	19 27	10 12	2 2	1 1	7 3	14
86 90	82 87	116 108	108 114	111 160	136 201	212 320	254 385	327 441	307 490	294 410	150 217	42 96	8 20	8 11	15
610 335	483 262	302 208	239 134	184 122	137 104	105 86	62 71	49 58	18 21	5 12	5 4	5 4	5 4	18 11	16
20 24	17 34	27 25	36 18	37 31	38 32	34 41	47 42	48 50	35 41	18 35	11 17	3 8	3 2	4 2	17
5 8	6 8	13 8	9 10	9 11	8 5	8 15	11 20	13 12	15 9	7 6	4 4	2 3	2 1	1 1	18
17 24	23 21	21 18	21 23	42 25	72 45	76 61	98 74	110 89	97 100	73 87	34 45	10 15	6 5	11 8	19
39 29	41 29	35 39	42 51	50 43	37 69	79 83	87 131	88 134	73 137	75 89	33 56	7 16	4 3	10 3	20
47 81	63 81	59 84	76 85	70 91	86 95	102 130	109 195	107 175	101 153	65 98	34 47	5 9	4 5	7 4	21
3		4	4	3		1	4	1	1	1	1	1	1	6 5	22
17 19	22 17	16 19	17 19	9 5	8 7	6 3	5 2	4 4	2 2	1 1	2 1	1 1	1 1	1 1	23
14 6	20 6	8 2	13 2	10 3	10 2	2 2	1 1	1 1	2 2	1 1	1 1	1 1	1 1	1 1	24
39 12	40 39	51 21	41 17	52 29	63 33	46 44	53 32	44 35	39 30	24 21	8 7	4 3	1 1	2 1	25
73 172	88 165	80 98	76 62	90 51	85 63	68 44	68 32	48 36	44 27	30 13	8 9	4 4	1 1	4 8	26
15 10	20 13	18 14	14 9	15 3	15 2	11 1	4 2	3 3	4 1	4 1	4 4	2 3	2 1	5 3	27
17 17	25 20	26 13	37 23	40 35	39 40	59 71	89 85	136 90	110 90	96 90	61 37	16 14	3 5	6 2	28
456	568	432	401	339	279	189	184	112	104	43	26	5	5	88	29
340 116	443 126	342 90	316 85	265 74	207 72	143 46	133 51	70 42	64 40	22 21	17 9	3 2	1 4	60 23	30
219 44	314 65	230 58	211 43	184 30	128 21	68 15	75 .8	23 4	18 3	4 1	4 4	4 4	4 4	20 3	31
		1	1	1	1		1							3	32
5 4	11 2	4	6	4 1	1 3	3 1	3 1	1 2	1 2	1 7	1 4	1 4	1 1	1 1	33
113 62	113 53	101 27	93 30	64 34	67 31	60 15	39 25	29 11	25 10	7 9	4 4	4 4	4 4	10 1	34
3 6	5 5	6 5	5 12	12 9	10 17	12 15	15 18	18 25	20 27	11 11	9 9	3 2	1 3	30 24	35
74	90	34	77	122	222	465	973	2,152	3,253	4,344	3,159	1,507	530	103	36
36 38	40 50	37 47	38 39	55 67	90 132	199 266	433 545	963 1,139	1,473 1,780	1,946 2,398	1,340 1,819	561 946	173 357	51 52	37
						87	294	823	1,311	1,831	1,233	540	170	17	38
						160	388	1,005	1,607	2,230	1,730	912	341	26	39
1														6 1	40
35 38	40 50	37 47	38 39	55 67	90 131	112 106	139 156	140 133	161 173	115 168	57 89	21 34	3 16	23 25	41
														1	42
														6 1	43
														1	44
														1	45

VITAL STATISTICS.

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1. General diseases—Continued.													
General diseases—D .....		79,166	2,590	1,236	606	421	283	5,136	1,020	1,058	3,653	6,930	8,063
Males .....		39,403	1,441	655	335	201	149	2,781	509	401	1,519	3,310	4,034
Females .....		39,763	1,149	581	271	220	134	2,355	511	657	2,134	3,620	4,029
Anemia .....		M. 599 F. 849	M. 78 F. 70	M. 15 F. 22	M. 4 F. 9	M. 5 F. 11	M. 2 F. 6	M. 99 F. 118	M. 16 F. 10	M. 8 F. 14	M. 12 F. 48	M. 22 F. 61	M. 21 F. 47
Diabetes .....		M. 1,384 F. 1,261	M. 7 F. 4	M. 5 F. 4	M. 5 F. 2	M. 2 F. 9	M. 5 F. 3	M. 22 F. 33	M. 49 F. 32	M. 33 F. 41	M. 56 F. 31	M. 50 F. 47	M. 65 F. 44
Rheumatism .....		M. 890 F. 907	M. 10 F. 16	M. 6 F. 6	M. 6 F. 4	M. 5 F. 5	M. 6 F. 4	M. 33 F. 35	M. 49 F. 45	M. 40 F. 48	M. 35 F. 47	M. 32 F. 35	M. 44 F. 33
Scrofula and tabes .....		M. 429 F. 479	M. 123 F. 83	M. 31 F. 26	M. 11 F. 15	M. 2 F. 4	M. 3 F. 7	M. 170 F. 135	M. 18 F. 10	M. 2 F. 11	M. 18 F. 36	M. 29 F. 35	M. 26 F. 35
Hydrocephalus .....		M. 1,652 F. 1,360	M. 586 F. 480	M. 336 F. 285	M. 166 F. 122	M. 89 F. 95	M. 63 F. 58	M. 1,240 F. 1,040	M. 156 F. 130	M. 47 F. 37	M. 35 F. 41	M. 31 F. 22	M. 24 F. 21
Tuberculosis, general .....		M. 455 F. 388	M. 37 F. 43	M. 19 F. 16	M. 12 F. 4	M. 7 F. 6	M. 9 F. 4	M. 84 F. 73	M. 24 F. 16	M. 12 F. 24	M. 22 F. 26	M. 36 F. 41	M. 60 F. 35
Consumption .....		M. 25,948 F. 21,874	M. 442 F. 348	M. 207 F. 152	M. 101 F. 88	M. 67 F. 70	M. 47 F. 37	M. 864 F. 725	M. 153 F. 217	M. 190 F. 429	M. 1,278 F. 1,339	M. 3,017 F. 3,278	M. 3,686 F. 3,617
Cancer .....		M. 6,233 F. 10,524	M. 6 F. 9	M. 4 F. 1	M. 3 F. 1	M. 2 F. 3	M. 4 F. 1	M. 19 F. 15	M. 8 F. 12	M. 9 F. 12	M. 15 F. 16	M. 41 F. 39	M. 63 F. 137
Tumor .....		M. 673 F. 936	M. 17 F. 14	M. 5 F. 6	M. 10 F. 9	M. 10 F. 9	M. 4 F. 5	M. 46 F. 43	M. 19 F. 12	M. 11 F. 14	M. 23 F. 21	M. 27 F. 32	M. 29 F. 34
Dropsy .....		M. 798 F. 885	M. 20 F. 10	M. 5 F. 5	M. 2 F. 2	M. 4 F. 1	M. 1 F. 2	M. 32 F. 20	M. 16 F. 14	M. 13 F. 15	M. 11 F. 18	M. 14 F. 16	M. 9 F. 11
Others of this group .....		M. 342 F. 310	M. 120 F. 72	M. 22 F. 28	M. 15 F. 15	M. 8 F. 7	M. 5 F. 7	M. 170 F. 129	M. 17 F. 13	M. 13 F. 12	M. 14 F. 11	M. 11 F. 14	M. 7 F. 15
2. Diseases of the nervous system .....		58,876	11,943	3,125	1,355	805	549	17,777	1,412	834	810	883	1,124
Males .....		31,788	6,904	1,693	728	416	278	10,019	771	464	447	460	602
Females .....		27,088	5,039	1,432	627	389	271	7,758	641	370	363	423	522
Inflammation of the brain .....		M. 577 F. 435	M. 157 F. 104	M. 70 F. 45	M. 46 F. 28	M. 14 F. 15	M. 12 F. 12	M. 299 F. 204	M. 42 F. 23	M. 14 F. 22	M. 16 F. 16	M. 17 F. 18	M. 9 F. 20
Meningitis .....		M. 5,825 F. 4,627	M. 2,043 F. 1,551	M. 931 F. 773	M. 422 F. 365	M. 247 F. 232	M. 148 F. 164	M. 3,791 F. 3,085	M. 459 F. 409	M. 185 F. 198	M. 161 F. 120	M. 147 F. 116	M. 166 F. 113
Apoplexy .....		M. 9,473 F. 8,944	M. 120 F. 91	M. 24 F. 20	M. 7 F. 10	M. 8 F. 9	M. 8 F. 4	M. 167 F. 134	M. 18 F. 16	M. 15 F. 16	M. 35 F. 32	M. 57 F. 51	M. 115 F. 85
Paralysis .....		M. 4,327 F. 4,028	M. 48 F. 32	M. 9 F. 19	M. 10 F. 11	M. 11 F. 7	M. 4 F. 7	M. 82 F. 76	M. 26 F. 17	M. 19 F. 8	M. 21 F. 25	M. 19 F. 35	M. 41 F. 47
Paralysis, general (of insane) .....		M. 396 F. 168							1	2	1	1	13
Tetanus and trismus nascentium .....		M. 706 F. 266	M. 290 F. 173	M. 5 F. 4	M. 5 F. 2	M. 7 F. 2	M. 6 F. 2	M. 313 F. 181	M. 53 F. 4	M. 115 F. 8	M. 46 F. 6	M. 30 F. 9	M. 27 F. 4
Chorea .....		M. 32 F. 53	M. 2 F. 1	M. 1 F. 1	M. 1 F. 2	M. 2 F. 2	M. 1 F. 4	M. 4 F. 3	M. 3 F. 13	M. 1 F. 14	M. 6 F. 4	M. 2 F. 2	M. 1 F. 1
Epilepsy .....		M. 637 F. 511	M. 39 F. 32	M. 10 F. 6	M. 4 F. 7	M. 2 F. 5	M. 2 F. 1	M. 57 F. 51	M. 18 F. 20	M. 29 F. 23	M. 65 F. 39	M. 44 F. 35	M. 60 F. 51
Convulsions .....		M. 4,796 F. 3,821	M. 3,736 F. 2,729	M. 502 F. 454	M. 185 F. 158	M. 84 F. 91	M. 53 F. 52	M. 4,560 F. 3,484	M. 75 F. 77	M. 25 F. 14	M. 6 F. 21	M. 13 F. 29	M. 13 F. 50
Mental diseases .....		M. 938 F. 945							2	2	5	32	33
Diseases of the brain .....		M. 2,823 F. 2,201	M. 427 F. 295	M. 130 F. 101	M. 39 F. 40	M. 35 F. 24	M. 33 F. 22	M. 664 F. 482	M. 61 F. 52	M. 50 F. 50	M. 59 F. 57	M. 74 F. 69	M. 92 F. 58
Diseases of the spinal cord .....		M. 488 F. 409	M. 35 F. 20	M. 11 F. 7	M. 5 F. 7	M. 5 F. 4	M. 10 F. 4	M. 66 F. 42	M. 8 F. 15	M. 4 F. 5	M. 18 F. 8	M. 12 F. 8	M. 14 F. 14
Locomotor ataxia .....		M. 366 F. 119	M. 1 F. 1		M. 1 F. 1			M. 2 F. 2		M. 1 F. 1	M. 1 F. 1	M. 3 F. 2	M. 4 F. 2
Others of this class .....		M. 404 F. 561	M. 8 F. 10	M. 1 F. 2	M. 3 F. 1	M. 1 F. 1	M. 1 F. 1	M. 14 F. 13	M. 5 F. 4	M. 2 F. 5	M. 7 F. 16	M. 9 F. 20	M. 14 F. 36
3. Diseases of the circulatory system .....		40,574	2,175	110	81	87	109	2,562	682	767	793	960	1,118
Males .....		21,510	1,255	60	48	48	51	1,462	318	294	369	414	530
Females .....		19,064	920	50	33	39	58	1,100	364	473	424	546	588
Pericarditis .....		M. 301 F. 297	M. 8 F. 10	M. 3 F. 2		M. 4 F. 3	M. 2 F. 8	M. 17 F. 24	M. 16 F. 18	M. 26 F. 22	M. 23 F. 24	M. 16 F. 17	M. 17 F. 10
Diseases of the heart .....		M. 18,583 F. 17,012	M. 733 F. 581	M. 52 F. 46	M. 44 F. 29	M. 39 F. 35	M. 45 F. 46	M. 913 F. 737	M. 296 F. 339	M. 262 F. 442	M. 337 F. 387	M. 380 F. 486	M. 473 F. 524
Angina pectoris .....		M. 1,027 F. 742							M. 2 F. 3	M. 1 F. 5	M. 6 F. 7	M. 7 F. 25	M. 21 F. 24
Diseases of the arteries .....		M. 617 F. 382	M. 2 F. 1	M. 1 F. 1				M. 2 F. 2	M. 1 F. 1		M. 1 F. 1		M. 2 F. 2
Aneurism .....		M. 316 F. 97							M. 2 F. 2	M. 2 F. 2		M. 8 F. 1	M. 13 F. 5
Embolism .....		M. 140 F. 179	M. 13 F. 2		M. 1 F. 1		M. 1 F. 3	M. 15 F. 4	M. 2 F. 1	M. 1 F. 4	M. 2 F. 4	M. 3 F. 14	M. 3 F. 19
Others of this class .....		M. 526 F. 355	M. 499 F. 326	M. 5 F. 2	M. 3 F. 1	M. 5 F. 1	M. 3 F. 3	M. 515 F. 333	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 4

CAUSE, COLOR, AND RACE.

707

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
7,582	7,012	5,995	5,582	5,315	5,126	4,771	4,418	3,331	2,343	1,150	421	100	21	189	1
4,017	3,747	3,179	2,865	2,684	2,463	2,260	2,083	1,600	1,112	521	178	44	9	87	2
3,665	3,265	2,816	2,667	2,681	2,668	2,511	2,385	1,781	1,231	629	243	56	12	102	3
19	23	39	34	56	56	54	54	29	30	19	5		1	2	4
52	60	53	53	65	69	57	58	40	26	10	4	2		2	
67	64	95	85	122	113	156	156	113	82	35	6	3		3	5
32	51	57	74	122	159	179	152	115	68	24	6	2		3	
44	44	39	54	53	83	69	81	75	57	37	12	1		7	6
44	39	44	50	60	54	77	91	70	65	42	20	5		3	
19	24	14	19	7	18	19	22	14	4	4				1	7
41	26	24	26	15	15	17	15	8	9	9				1	
36	21	19	15	10	5	4	1	1	2	1				4	8
18	12	10	8	4	4		1	4	2					1	
42	38	27	36	29	14	9	10	5	6	1				2	9
40	26	23	27	14	10	10	12	2	4					2	
3,611	3,254	2,488	1,968	1,575	1,227	949	714	489	294	100	28	6	1	56	10
2,916	2,337	1,658	1,080	909	779	655	586	418	289	120	54	10	3	55	
121	209	355	524	725	813	858	872	711	514	237	92	30	4	13	11
315	610	915	1,196	1,286	1,410	1,329	1,204	889	627	338	118	28	6	27	
32	35	51	68	59	65	51	62	49	28	16	2			3	12
56	71	86	87	85	91	88	82	63	41	19	8			3	
17	23	33	49	38	58	82	102	106	89	69	32	4		1	13
30	20	33	53	51	63	89	122	115	97	69	32	9	3	5	
9	12	19	13	10	11	9	9	8	2	1				1	14
26	13	13	13	9	9	10	12	7	6	3				1	
1,315	1,739	1,875	2,358	2,807	3,311	4,041	4,670	4,870	4,394	2,883	1,190	338	77	168	15
764	1,011	1,110	1,294	1,530	1,800	2,097	2,449	2,533	2,231	1,431	524	121	27	103	16
551	728	765	1,064	1,277	1,511	1,944	2,221	2,337	2,163	1,452	666	217	50	65	
16	20	19	11	19	13	14	17	24	13	10	4			3	18
17	10	17	14	16	14	5	14	8	7	5		1		3	
133	142	109	129	97	71	53	63	44	39	13	9	2		12	19
89	77	66	83	50	45	47	48	32	20	17	5	3		4	
191	259	405	503	729	936	1,133	1,306	1,340	1,146	754	260	57	9	38	20
116	196	308	513	688	867	1,073	1,207	1,263	1,119	741	357	111	30	21	
99	166	192	227	268	335	413	528	647	624	408	151	32	14	15	21
53	82	100	155	188	277	413	522	631	644	455	202	68	14	16	
35	47	57	56	38	36	34	26	17	15	8	6			1	22
13	12	17	4	13	13	13	21	22	18	11	3	2		2	
29	11	16	17	15	13	5	5	6	3					2	23
11	10	10	3	2	7	8	1	1	1					2	
3		1	1	4		1	2	1	1					1	24
			2	2	1	3	2	2	2					2	
46	68	44	37	22	24	31	22	28	22	10	6	2		2	25
32	48	30	32	28	20	34	20	18	14	7	2	2		2	
10	13	3	13	11	3	7	7	13	4	4	1	1		14	26
37	29	17	7	6	5	10	10	5	5	2	1	2		10	
51	74	59	50	53	70	91	127	99	91	59	28	7		5	27
50	69	62	64	63	63	102	93	92	96	67	32	12	1	1	
110	139	120	133	155	165	183	199	209	193	188	52	15	3	9	28
77	115	78	110	116	101	140	181	167	165	108	51	13	4	7	
14	30	37	34	51	38	44	52	28	26	10	1			1	29
15	31	20	25	34	43	36	37	34	25	12	2	2		1	
13	23	26	54	43	60	46	41	25	18	4	1			1	30
2	9	6	12	15	19	16	12	10	8	5	2			1	
14	19	22	29	25	36	42	54	52	36	13	5	2		3	31
39	40	34	40	55	36	44	58	54	39	21	8	1	1	2	
1,377	1,715	1,902	2,175	2,806	3,354	4,048	4,552	4,602	3,706	2,170	902	206	45	132	32
682	900	987	1,133	1,539	1,875	2,240	2,490	2,520	2,027	1,124	444	78	14	70	33
695	815	915	1,042	1,267	1,479	1,808	2,082	2,032	1,679	1,046	458	128	31	62	
15	22	20	11	25	23	16	21	14	14	4				1	35
23	13	20	15	10	18	19	25	13	10	10	3	2		1	
612	777	863	1,006	1,344	1,632	1,945	2,204	2,244	1,791	971	389	69	13	62	36
615	749	841	935	1,172	1,340	1,660	1,861	1,889	1,521	915	411	105	26	57	
27	45	51	55	94	106	170	135	125	101	57	19	1		4	37
27	35	27	61	59	77	81	105	79	57	51	13	5		1	
2	5	8	13	26	57	68	99	106	98	83	35	8		1	38
1	3	4	5	11	21	34	49	81	63	58	26	15	5	2	
19	45	40	38	35	45	27	16	15	10	1				1	39
7	7	9	14	5	8	6	10	5	8	5	1	1		1	
6	6	4	10	13	12	11	15	16	13	7	1			2	40
20	8	13	11	8	15	8	11	15	17	5	4			2	
1				2		3				1				1	41
2		1	1	2			1		3	2				1	

## VITAL STATISTICS.

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system .....	74,471	16,644	7,541	3,388	1,878	1,153	30,604	2,396	730	1,153	1,754	2,134
2	Males.....	39,589	9,532	4,111	1,770	947	565	16,925	1,221	344	633	999	1,281
3	Females.....	34,882	7,112	3,430	1,618	931	588	13,679	1,175	386	520	755	903
4	Croup.....	M. 1,461 F. 1,251	197 146	305 246	298 217	223 202	141 135	1,164 945	272 273	11 19	3 3	3 1	2
5	Pneumonia.....	M. 27,461 F. 28,467	5,664 4,229	2,919 2,442	1,140 1,072	558 539	308 331	10,589 8,613	715 689	260 292	510 398	834 566	1,042 707
6	Laryngitis.....	M. 310 F. 266	46 32	46 44	24 28	34 39	19 18	169 161	52 42	9 6	1 5	4 4	2 8
7	Bronchitis.....	M. 6,373 F. 6,569	2,738 2,098	716 596	236 253	91 104	67 69	3,848 3,120	101 98	32 26	34 49	42 65	56 63
8	Pleurisy.....	M. 751 F. 575	26 18	38 22	20 16	17 7	8 7	109 70	26 28	14 10	40 17	42 45	43 37
9	Asthma.....	M. 580 F. 510	24 16	2		1		27 19	7 5	1 2	8 1	8 7	7 9
10	Others of this class.....	M. 2,653 F. 2,244	837 574	85 78	52 32	23 39	22 28	1,019 751	48 40	17 31	37 47	66 67	79 78
11	5. Diseases of the digestive system.....	26,623	3,650	719	302	201	180	5,052	784	815	990	1,262	1,469
12	Males.....	13,601	2,094	370	159	92	89	2,304	405	456	504	552	629
13	Females.....	13,022	1,556	349	143	109	91	2,748	379	359	486	710	840
14	Dentition.....	M. 292 F. 270	183 169	100 94	6 4	1 1	2 2	292 270					
15	Angina.....	M. 189 F. 170	20 13	23 16	16 14	14 7	7 14	80 64	30 39	9 18	4 4	13 6	6 7
16	Gastritis.....	M. 1,897 F. 2,123	375 277	71 87	19 31	20 29	8 18	493 442	30 37	13 15	20 23	26 60	51 81
17	Diseases of the stomach.....	M. 782 F. 630	61 40	9 11	3 3	3	6	82 58	7 5	5 3	10 13	14 38	30 38
18	Obstruction of the bowels.....	M. 1,084 F. 1,130	212 123	20 14	16 11	7 17	10 7	265 172	43 36	29 15	40 24	41 37	59 64
19	Appendicitis.....	M. 1,723 F. 1,021	8 6	5 5	4	10	12	39 27	107 97	231 141	239 148	236 116	193 124
20	Hernia.....	M. 523 F. 480	58 17	5			1	64 21	3 4	5	13 2	11 1	15 2
21	Other diseases of the bowels.....	M. 361 F. 341	99 78	14 13	4 2	2 4	1 2	120 99	5 6	5 7	10 13	13 9	15 24
22	Jaundice.....	M. 497 F. 441	272 176	3 3	7 8	2 1	1 5	285 193	4 5	2 3	4 4	4 5	12 7
23	Inflammation and abscess of the liver.....	M. 618 F. 563	33 26	5 1	2 1	7 6	2 3	49 37	10 7	8 12	7 8	24 19	35 26
24	Other diseases of the liver.....	M. 2,588 F. 1,563	35 31	4 7	6 5	1 2	1 2	47 47	7 9	10 6	10 7	25 24	60 45
25	Peritonitis.....	M. 1,695 F. 2,924	127 91	35 36	42 28	17 21	16 17	237 193	130 113	133 123	141 224	133 382	133 387
26	Ascites.....	M. 70 F. 106	2 3	1				3 3	1	3	1	1	1 6
27	Others of this class.....	M. 1,282 F. 1,260	609 506	75 60	34 31	13 17	17 8	748 622	23 21	3 11	5 10	11 13	19 29
28	6. Diseases of the urinary system and male organs of generation.....	27,507	471	137	124	128	115	975	412	301	420	826	1,137
29	Males.....	16,088	286	68	55	71	61	541	221	143	192	357	525
30	Females.....	11,419	185	69	69	57	54	434	191	158	228	469	612
31	Bright's disease.....	M. 11,541 F. 9,156							187 169	114 143	165 186	291 370	415 453
32	Calculus, urinary.....	M. 96 F. 36	2 6					2 6		2	2	5 2	2 2
33	Diseases of the kidney.....	M. 1,012 F. 721	189 137	61 61	54 58	63 51	54 51	421 358	11 4	4 2	8 9	15 18	27 25
34	Diseases of the bladder.....	M. 1,242 F. 171	9 5	1	2		1	11 7	3 1	5	4	6 2	15 6
35	Others of this class.....	M. 2,197 F. 1,335	86 37	6 8	1 9	3 6	6 3	107 63	20 17	13 13	13 33	40 77	66 126
36	7. Diseases of the female organs of generation.....	1,636	8	1		1	1	11	1	6	54	166	227
37	Ovarian tumors.....	268							1		5	14	26
38	Ovarian diseases.....	92									1	12	16
39	Diseases of the tubes.....	270									16	41	64
40	Uterine tumors.....	427					1	1		1	2	7	18
41	Uterine diseases.....	111									11	21	26
42	Others of this class.....	468	8	1		1		10		5	19	71	77



CAUSE, COLOR, AND RACE.

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,291	2,687	2,496	2,598	2,957	3,242	3,699	4,103	4,103	3,417	2,390	1,125	348	93	151	1
1,804 987	1,637 1,050	1,549 947	1,579 1,019	1,685 1,272	1,714 1,528	1,768 1,913	1,899 2,204	1,872 2,231	1,522 1,895	997 1,898	466 659	119 229	28 65	79 72	2 3
1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	4
1,105 798	1,380 858	1,280 767	1,309 785	1,343 960	1,255 1,143	1,314 1,381	1,306 1,494	1,249 1,445	964 1,181	600 838	269 368	66 123	15 31	56 44	5
10	6	11	9	10	6	7	5	2	3	4	1	1	1	5	6
8	4	2	1	3	7	3	1	4	5	1	1	1	1	1	7
44	64	75	81	116	208	212	284	361	350	272	138	39	11	5	8
69	55	62	108	138	212	308	448	512	483	395	228	89	29	12	9
50	62	54	49	46	45	38	42	37	30	15	7	1	1	1	8
43	37	35	33	28	24	39	30	39	32	17	8	2	1	1	9
8	14	19	30	46	58	76	89	75	49	35	14	3	1	5	10
9	10	15	17	40	35	68	90	67	65	35	13	3	5	11	11
87	110	109	101	124	142	138	172	148	126	70	38	10	1	11	12
64	84	75	74	102	105	114	141	163	129	107	41	12	5	14	13
1,386	1,584	1,598	1,523	1,570	1,667	1,677	1,694	1,473	1,180	584	257	73	11	74	14
621 765	708 831	856 742	843 675	845 725	918 749	893 784	849 845	721 752	557 573	264 320	112 145	31 42	5 6	23 46	15
11 5	2 1	5 4	4 5	5 4	2 4	4 1	2 3	5 3	3 3	4 1	1	1	1	3	16
62 69	78 110	88 95	99 85	112 120	141 127	139 159	160 167	147 194	120 150	76 119	31 45	10 18	3 1	3 5	17
34 43	48 45	56 20	79 51	70 51	77 40	71 54	68 49	53 54	49 32	14 15	10 11	3	2	2	18
48 50	44 62	35 80	59 73	67 61	63 82	49 71	67 99	68 77	65 60	17 35	12 20	4 1	2	4 9	19
153 78	124 71	118 49	86 45	62 23	45 20	32 23	25 21	21 9	9 9	6 7	1	1	1	1 3	20
18 14	27 28	27 35	31 32	27 49	44 50	45 63	41 62	54 52	52 36	28 16	13 11	3 1	1	1 1	21
14 19	12 21	17 17	12 11	18 8	22 18	13 11	21 24	26 20	17 16	11 4	1 9	3 1	1	3 3	22
11 12	4 12	10 8	12 15	14 18	25 23	22 24	24 34	26 38	19 19	11 10	5 4	1 3	1	2 4	23
42 22	47 32	50 45	43 38	66 40	42 56	53 55	48 54	42 46	25 36	15 20	1 7	1 2	1	1	24
109 74	191 114	235 140	279 141	290 172	320 158	316 161	278 168	181 134	126 104	35 41	14 17	4 1	1	5 5	25
100 351	99 302	122 210	99 124	61 101	86 99	67 90	56 80	40 67	29 40	13 12	7 8	3 5	3 5	6 8	26
3	5 2	7 5	5 7	5 4	5 10	8 13	8 18	8 12	4 11	4 7	1 1	1	1	2	27
19 25	27 31	41 34	35 48	48 67	46 59	64 62	51 69	50 49	39 57	30 33	16 11	2 6	1	5 2	28
1,271	1,594	1,738	1,885	2,238	2,489	2,759	2,804	2,652	2,088	1,184	528	102	27	77	29
620 651	788 806	956 782	1,037 848	1,332 906	1,487 1,002	1,666 1,093	1,767 1,037	1,693 959	1,426 662	842 342	367 161	67 35	18 14	48 29	30
514 504	647 650	782 658	852 724	1,094 779	1,210 858	1,314 951	1,284 865	1,129 881	882 545	433 285	161 133	29 26	6 11	32 15	31
2 3	4 1	6 1	4 2	10 2	10	8 3	11 4	12 3	11 3	3 3	2 1	1	1	2	32
23 33	33 32	35 31	32 29	43 34	40 30	46 23	73 36	65 19	67 19	40 13	25 3	2	1	2	33
9 4	12 10	21 3	23 3	46 4	52 17	110 23	178 15	229 23	214 25	180 11	99 11	18 5	5 1	2	34
72 107	92 113	112 89	126 90	139 87	175 97	188 93	221 117	258 83	252 70	186 30	80 13	18 4	2 1	12 12	35
224	219	225	164	107	64	52	44	31	23	11	2	2	1	2	36
20	22	30	36	29	20	17	20	14	7	5	1	1	1	1	37
22	17	9	6	3	1	1	1	3	1	1	1	1	1	1	38
57	43	23	11	3	1	1	1	1	1	1	1	1	1	1	39
32	56	92	66	54	29	23	14	12	11	4	1	1	1	1	40
16	12	9	5	2	2	2	3	2	2	2	2	2	2	2	41
77	64	57	40	16	12	7	3	3	3	2	2	1	2	2	42

VITAL STATISTICS.

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy .....	3,585								2	212	744	874
2	Abortion .....	240									12	45	65
3	Childbirth .....	906									37	133	189
4	Puerperal septicemia .....	1,542								2	98	375	412
5	Extra-uterine pregnancy .....	130									2	19	34
6	Others of this class .....	717									68	172	174
7	9. Diseases of the bones and joints .....	973	73	27	11	22	17	150	90	79	75	69	39
8	Males .....	555	38	13	5	17	15	88	43	45	52	45	25
9	Females .....	418	35	14	6	5	2	62	47	34	23	24	14
10	Diseases of the spine .....	175 138	19 16	5 6	1 3	7 4	5	37 29	18 19	15 11	15 4	16 9	7 3
11	Abscess, lumbar and psoas .....	81 20	1 2					1 2		2 1		8 2	5
12	Diseases of the bones .....	196 135	15 11	4 8	3 2	6 1	8 2	36 24	11 14	13 13	20 8	12 9	9 7
13	Diseases of the hip-joint .....	85 38	1 3	1		3	1	6 4	12 10	13 5	15 10	6 1	4
14	Others of this class .....	68 87	2 3	3	1	1	1	8 3	2 2	2 4	2 1	3 3	4
15	10. Diseases of the skin .....	879	257	30	16	9	4	316	22	10	9	25	23
16	Males .....	439	135	16	10	3	1	165	16	6	5	10	13
17	Females .....	390	122	14	6	6	3	151	6	4	4	15	10
18	Abscess .....	263 196	53 53	11 6	6 3	3 3	1 2	74 67	15 6	6 3	4 2	8 9	10 8
19	Carbuncle .....	70 34	2 1		1			3 2			1 1	1 3	1 1
20	Others of this class .....	156 160	80 68	5 8	3 2	3	1	88 82	1		1	1 3	2 1
21	11. Diseases of the absorbent system .....	364	30	16	1	6	2	55	10	9	10	13	22
22	Males .....	188	19	10	1	6	2	38	8	4	6	8	10
23	Females .....	176	11	6				17	2	5	4	5	12
24	Addison's disease .....	61 55							1	2	2	1	3
25	Diseases of the spleen .....	28 27	4 2			2		6 3				2	3
26	Others of this class .....	99 94	15 9	10 5	1	4	2	32 14	7 2	2 4	4 2	5 1	4 5
27	12. Accidents and injuries .....	25,929	1,337	405	447	443	342	2,974	1,242	1,011	1,394	2,078	2,316
28	Males .....	19,808	762	216	269	250	197	1,694	847	335	1,134	1,698	1,933
29	Females .....	6,121	575	189	178	193	145	1,280	395	176	260	380	383
30	Burns and scalds .....	1,008 1,333	47 42	102 97	153 96	123 112	63 91	493 438	76 195	25 62	16 51	44 48	44 77
31	Drowning .....	2,688 285	15 9	27 18	22 11	27 13	34 4	125 55	300 25	334 23	258 31	268 20	224 11
32	Exposure and neglect .....	137 71	36 31	1 3	2		2	40 36	2	2	1	4	2
33	Gunshot wounds .....	782 116	3 2	1	1	2	1	8 12	16 8	64 6	104 10	109 24	96 9
34	Homicide .....	375 105		1	2		2	4 7	8 8	9 5	20 6	59 13	59 16
35	Infanticide .....	11 11	11 11					11 11					
36	Injuries by machinery .....	103 5		1				1 1			12	14	15
37	Railroad accidents .....	3,289 330	4 4	8 6	9 8	14 7	20 11	55 36	135 46	136 15	212 27	331 22	409 15
38	Suffocation .....	695 411	324 243	13 15	11 8	6 5	6 5	360 276	10 15	11 1	19 10	30 8	25 12
39	Suicide by shooting .....	755 53									10 5	62 7	85 6
40	Suicide by drowning .....	110 50									3 2	6 6	7 6
41	Suicide by poison .....	540 346									13 49	42 63	60 55
42	Other suicides .....	1,177 297									3 2	22 16	78 33
43	Sunstroke .....	285 136	39 33	6 9	3 4		2	50 47	8 4	1 1	8 2	14 4	19 3
44	Surgical operations .....	124 265	7 3	1	1		1	10 5	6 2		5 5	9 34	14 34
45	Wounds .....	375 31	2 1	1	3	4	4	14 2	11 6	9 2	35 2	39 2	58 3
46	Others of this class .....	7,374 2,276	274 195	55 39	64 42	69 49	61 29	523 354	275 36	241 47	396 44	556 89	738 103

CAUSE, COLOR, AND RACE.

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
755	598	297	28	4	1	1	1		3					15	1
49	50	16			1				1					1	2
209	202	117	11	2					1					5	3
329	213	97	12	2		1			1					5	4
34	30	9	1											1	5
134	103	58	4				1							3	6
52	48	57	48	54	42	34	46	45	22	15	6	2			7
27	29	38	28	32	20	13	26	17	15	3	3	1			8
25	19	19	20	22	22	16	20	28	7	12	3	1			9
5	9	10	7	8	7	3	6	5	6	1					}10
7	10	5	5	11	5	7	5	3	1	2	1	1			
3	1		2	2	1	2	1	2	1						}11
2	1	1	2	2	2			3							
10	11	11	10	13	6	7	11	5	7	2	2				}12
10	3	5	8	4	5	2	4	9	1	7	2				
8	3	8	1	4	3	1	1								}13
2	4							1		1					
1	5	9	8	5	3	5	7	5	1		1	1			}14
4	1	8	5	5	10	7	11	12	5	2					
35	43	45	40	42	50	55	52	35	40	19	12	3		3	15
14	24	25	24	27	34	28	29	19	25	15	7	1		2	16
21	19	20	16	15	16	27	23	16	15	4	5	2		1	17
9	19	17	13	16	18	15	13	9	8	7		1		1	}18
14	10	11	9	7	9	11	14	5	6	2	1	2		1	
4	2	3	7	6	8	8	9	5	7	2	2				}19
1	1	3	2	5	2	4	2	5	2	1					
1	3	5	4	5	8	5	7	5	10	6	5				}20
7	8	6	5	3	5	12	7	6	7	1	4			1	
27	21	32	31	21	28	28	24	17	12	2				2	21
15	11	16	15	11	12	13	9	7	3	1				1	22
12	10	16	16	10	16	15	15	10	9	1				1	23
3	7	6	8	7	7	8	3	2	1						}24
4	7	6	2	4	7	6	5	2	3					1	
4	2	3	2	1		1	1	1	1	1					}25
4	1	2	2	2	1	1	2	1	2						
8	2	7	5	3	5	4	5	4	1						}26
4	2	8	12	4	8	3	8	7	4	1				1	
2,228	2,361	1,861	1,675	1,398	1,133	1,048	887	692	579	383	220	82	21	346	27
1,846	1,960	1,558	1,397	1,150	916	814	633	448	338	195	82	31	4	295	28
332	401	303	278	248	217	234	254	244	241	188	138	51	17	51	29
46	49	49	32	27	18	25	19	15	11	7	2			10	}30
72	69	47	46	32	32	43	30	35	27	16	8	3		2	
199	222	186	135	109	88	65	48	31	21	7	2			66	}31
23	20	14	11	12	8	7	9	5	2					9	
8	9	8	11	7	7	9	6	4	10	3	2			2	}32
2	3	2	2	1	3	2		1	4	3	2	1		3	
80	78	54	41	33	30	23	11	7	6	1	1	2		18	}33
15	15	5	4	3		2		2	2	1					
64	55	22	26	13	12	10	5	4	1	2				2	}34
16	11	9	4	5	2	1	2								
															}35
15	14	11	6	5	2	3	5								}36
1		1													
861	381	266	218	187	150	126	67	51	34	18	9		1	92	}37
19	15	15	19	15	17	11	15	15	16	4	1	1		3	
30	43	29	27	14	17	20	19	8	7	2	2			22	}38
8	8	3	6	4	9	8	6	7	3	3	1			23	
87	94	92	89	71	51	34	33	18	12	6	2			9	}39
12	7	3	5	3	2		1	1	1						
9	9	10	10	15	10	8	7	4	9	2				1	}40
5	3	3	4	6	5	4	1	3	2						
61	66	65	52	57	33	31	26	17	7	1				9	}41
36	46	26	20	11	10	6	5	7	3	1		1		3	
104	123	131	142	129	112	88	65	52	37	15	3	2		10	}42
29	38	37	29	18	14	12	14	7	5	5	3			1	
20	31	20	20	21	15	8	6	9	10	3	1			1	}43
2	6	6	5	9	7	12	7	11	7	3					
10	10	10	9	8	11	9	8	2	1	1				1	}44
37	36	33	22	19	16	6	8	2	2	1					
42	37	22	29	19	17	19	8	2	2	4		1		7	}45
1	2	1	2		2	2	1	1	1	1					
710	739	583	550	435	343	336	300	224	170	123	58	26	3	45	}46
104	122	98	99	110	90	118	155	149	166	150	123	45	17	7	

## VITAL STATISTICS.

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE  
TOTAL COLORED.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	37,029	7,951	2,289	1,084	549	367	12,140	1,076	919	1,667	2,671	2,500
2	Males .....	19,328	4,279	1,175	529	264	166	6,413	502	408	727	1,388	1,306
3	Females .....	17,701	3,672	1,064	505	285	201	5,727	574	511	930	1,283	1,194
4	Unknown cause .....	743	303	46	18	11	4	382	13	5	21	23	33
5	Males .....	391	154	22	10	5	2	198	11	4	9	9	16
6	Females .....	352	149	24	8	6	2	189	2	1	12	14	17
7	1. General diseases.												
8	General diseases—A .....	6,363	1,828	684	315	162	121	3,110	357	239	311	428	362
9	Males .....	3,278	948	355	141	78	61	1,583	176	111	142	249	197
10	Females .....	3,090	880	329	174	84	60	1,527	181	128	169	179	165
11	Measles .....	87	21	20	13	5	5	64	10	7	2	2	1
12	Scarlet fever .....	16	1	3	3	2	2	8	1	2	3	1	1
13	Diphtheria .....	129	9	19	16	19	12	75	41	11	1	1	1
14	Whooping cough .....	189	68	46	19	12	11	146	4	1	1	2	1
15	Malarial fever .....	372	32	22	10	13	10	87	40	17	23	40	27
16	Influenza .....	376	28	27	23	12	8	98	81	27	38	34	25
17	Typhoid fever .....	168	22	11	3	2	3	89	4	5	6	6	9
18	Cholera morbus .....	217	25	7	6	2	3	43	4	7	6	6	6
19	Colitis .....	463	3	6	6	3	6	24	35	34	61	108	71
20	Diarrhea .....	358	9	9	3	7	6	34	39	46	67	53	40
21	Dysentery .....	68	13	5	5	2	4	29	3	1	5	3	3
22	Enteritis .....	61	11	6	5	1	1	23	2	2	2	3	4
23	Cholera infantum .....	27	14	1	2	1	1	18	1	1	1	2	2
24	Fever .....	81	13	7	1	1	1	22	1	1	1	1	1
25	Cerebro-spinal fever .....	188	72	26	15	3	2	118	6	2	5	5	5
26	Smallpox .....	156	57	18	12	4	2	93	4	3	2	4	5
27	Erysipelas .....	156	35	13	4	3	2	57	4	2	3	10	7
28	Septicemia .....	135	18	14	4	1	1	36	1	1	2	7	5
29	Venereal diseases .....	499	275	92	24	8	9	408	7	5	3	6	3
30	Others of this group .....	484	241	88	28	9	1	367	15	5	6	11	15
31	Cholera infantum .....	398	304	78	12	3	1	398	1	1	1	1	1
32	Fever .....	372	298	55	15	3	1	372	1	1	1	1	1
33	Cerebro-spinal fever .....	15	2	1	1	1	1	4	3	1	2	2	2
34	Smallpox .....	14	6	1	1	1	1	8	1	1	1	1	1
35	Erysipelas .....	53	11	2	3	1	3	20	7	11	4	4	2
36	Septicemia .....	61	10	5	2	4	2	23	8	8	4	4	2
37	Venereal diseases .....	211	4	4	1	1	1	10	6	9	17	44	45
38	Others of this group .....	142	7	3	3	1	2	16	3	4	14	32	25
39	Alcoholism .....	25	2	1	1	1	1	2	1	1	2	2	4
40	Parasitic diseases .....	22	3	1	1	1	1	3	1	1	1	2	2
41	Lead poison .....	86	12	1	2	1	1	15	6	4	5	7	8
42	Other poisons .....	108	6	2	2	1	1	8	1	1	12	18	23
43	Inanition .....	110	46	6	3	2	1	57	1	1	2	6	11
44	Others of this group .....	84	39	2	2	2	1	46	1	1	4	7	5
45	Alcoholism .....	50	3	1	1	1	1	3	1	1	1	6	3
46	Others of this group .....	38	1	1	1	1	1	3	1	1	1	1	1
47	General diseases—B .....	906	670	43	20	11	3	747	14	1	7	15	17
48	Males .....	497	371	20	10	4	2	407	7	1	2	7	8
49	Females .....	409	299	23	10	7	1	340	7	1	5	8	9
50	Alcoholism .....	41	9	1	1	1	1	1	1	1	1	5	5
51	Parasitic diseases .....	3	1	1	1	1	1	2	1	1	1	1	1
52	Lead poison .....	2	1	1	1	1	1	4	1	1	1	1	1
53	Other poisons .....	41	5	2	4	3	1	15	2	1	1	2	3
54	Inanition .....	34	1	2	2	1	1	5	1	1	2	7	4
55	Others of this group .....	410	366	18	5	1	1	390	4	1	3	1	4
56	Alcoholism .....	361	298	20	7	6	1	331	5	1	3	1	4
57	General diseases—C .....	2,925	1,633	148	51	27	4	1,863	16	6	10	11	9
58	Males .....	1,418	881	73	25	14	4	993	4	3	3	5	4
59	Females .....	1,507	752	75	26	13	4	870	12	3	7	6	5
60	Old age .....	317	1	1	1	1	1	1	1	1	1	1	1
61	Premature birth .....	486	374	1	1	1	1	374	1	1	1	1	1
62	Malformation .....	58	57	1	1	1	1	57	1	1	1	1	1
63	Debility and atrophy .....	50	50	1	1	1	1	50	1	1	1	1	1
64	Others of this group .....	647	428	73	25	14	4	540	3	3	3	5	4
65	Alcoholism .....	650	381	75	26	13	4	499	12	3	7	6	5
66	Others of this group .....	22	22	1	1	1	1	22	1	1	1	1	1
67	Alcoholism .....	22	22	1	1	1	1	22	1	1	1	1	1

CAUSE, COLOR, AND RACE.

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900.

TOTAL COLORED.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,955	2,083	1,952	1,795	1,750	1,374	1,288	1,027	877	624	498	278	162	197	206	1
1,118 842	1,145 938	1,064 888	1,010 785	987 763	768 616	652 636	531 496	438 439	296 328	225 273	114 164	57 105	67 130	127 79	2 3
19	33	30	28	35	18	25	21	13	12	7	3	1	1	20	4
13 6	14 19	16 14	19 9	21 14	13 5	14 11	10 11	5 8	7 5	4 3	2 1	1	1	11 9	5 6
200	204	192	176	177	135	127	115	72	53	50	24	6	7	18	7
117 83	105 99	113 79	100 76	97 80	53 77	63 64	51 64	34 38	28 25	22 28	13 11	1 5	3 4	10 8	8 9
1	1			1										1	10
1	1														11
	1									1					12
														1	13
1	19	18	19	19	8	9	7	6	5	3	2	1		2	14
14	17	12	19	8	16	13	13	3	1	2	1	1		2	15
4	7	11	10	18	9	14	10	7	8	6	2			3	16
3	14	9	8	18	20	16	15	11	8	18	2	2		1	17
32	23	21	20	13	6	4	1	2	1	1				1	18
10	19	20	8	5	4	6	3	3						1	19
2	2	4	2	3	2	2	4	2						1	20
7	6	1	1	4		2	2	1						1	21
1		2	1	1			1	1							22
	1			3				2							23
3	3	5	3	7	6	5	7	2	5	2				2	24
3	1	6	4	4	7	4	5	6	2					1	25
6	7	7	9	11	7	10	5	6	4	1					26
6	4	3	12	16	7	8	10	5	4	6	2	1			27
6	8	6	12	9	6	7	7	3	2	1				1	28
6	8	5	8	7	4	5	7	6	2	3	2			2	29
															30
	2	2	1	2	1										31
			1												32
1	2	2	2	1	1	1			1					1	33
1	1	1	1												34
24	18	14	8	5	2	3	3	2	1						35
12	7	11	4	4	5	4	3								36
2		4	2	2	1	2	1	2	1						37
	2	1	2	1	2	1									38
7	4	9	4	3	3	4	3	1	1	1				1	39
5	12	7	7	3	4	4		1						3	40
5	4	5	5	6	2	2				1					41
9	3	1	1	6	1	1				1					42
3		3	4	6	4	4	1	2	2	6	4			1	43
1	1	2	1	4	4	3	6	2	4	1		1	1	1	44
14	8	20	8	12	6	7	4	2	7	2	1	2	1	11	45
11	7	11	7	7	6	4	2	1	2	1		1		6	46
3	1	9	1	5		3	2	1	5	1	1	1	1	5	47
4	5	3	6	5	2	1	2		1					1	48
1	1	2		2				1	1					1	49
															50
		1		1											51
					2	1								1	52
6	2	6		2		1								1	53
2		6	1	2		2	1							1	54
1		1	1	1	2	2		1	1	1		1		4	55
1		1	1	1		1	1		4	1		1		3	56
10	13	10	15	23	31	69	83	136	119	163	97	97	132	7	57
2	8	3	8	10	17	25	45	56	55	67	35	35	39	1	58
8	5	7	7	18	14	44	38	80	64	96	62	62	93	6	59
						14	35	49	51	65	33	33	37		60
						30	29	69	60	88	55	58	92	5	61
															62
															63
															64
2	8	3	8	10	17	11	10	7	4	2	2	2	2	1	65
8	5	7	7	18	14	14	9	11	4	8	7	4	1	1	66

VITAL STATISTICS.

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

TOTAL COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	7,753	249	150	106	76	41	622	217	287	662	1,105	1,024
2	Males	3,939	145	79	64	35	17	340	92	98	257	533	486
3	Females	3,814	104	71	42	41	24	282	125	189	405	572	538
4	Anemia	M. 19 F. 41	5 5	1 1	2	1		7 8	1 3	1 2	1 4	2	7
5	Diabetes	M. 20 F. 28								1	1		2
6	Rheumatism	M. 76 F. 78	1 3	1	1	1		3 5	4 3	2 5	2 7	3 1	3 1
7	Scrofula and tabes	M. 62 F. 70	4 5	4 5	1	2 3	1 3	15 17	5 8	5 9	3 7	9 5	4 7
8	Hydrocephalus	M. 95 F. 76	38 25	13 12	8 6	5 9	2 3	66 55	8 7	4 2	3 6	6	1 2
9	Tuberculosis, general	M. 58 F. 35	3 3	1 4	3	1		8 10	1 3	5 1	2 6	14 3	6 3
10	Consumption	M. 3,244 F. 2,896	76 54	49 39	39 25	22 24	11 15	197 157	63 96	75 167	242 369	481 540	461 499
11	Cancer	M. 155 F. 384	2 1			1		3 1	2		1 2	7 8	4 8
12	Tumor	M. 21 F. 37	2					2			1	2	1
13	Dropsy	M. 150 F. 146	2 1	3 2	5 2	1 2	1 1	12 8	5 3	5 3	2 2	11 8	3 3
14	Others of this group	M. 39 F. 23	12 7	8 7	4 3	1 1	2 2	27 20	3 1				1 1
15	2. Diseases of the nervous system	3,687	1,169	216	97	52	41	1,575	102	71	81	88	110
16	Males	1,892	653	134	54	28	18	887	53	37	35	49	60
17	Females	1,795	516	82	43	24	23	688	49	34	46	39	50
18	Inflammation of the brain	M. 40 F. 29	5 6	4 1	5 1	1 1	1	16 10	3 3	1		3 2	6 2
19	Meningitis	M. 288 F. 205	82 53	43 23	21 19	16 9	11 12	173 116	22 22	17 11	11 9	17 12	12 7
20	Apoplexy	M. 336 F. 420	5 4	2 1	1			7 6	1 1		3 1	8 2	9 13
21	Paralysis	M. 239 F. 267	5 1	1 2	1 1	1	1	9 5	2	1	3 2	4 5	7 3
22	Paralysis, general (of insane)	M. 17 F. 8											2
23	Tetanus and trismus nascentium	M. 201 F. 145	145 119	4 1				149 120	7 3	10 4	6 2	1	7 5
24	Chorea	M. 1 F. 1									1		
25	Epilepsy	M. 43 F. 31	5		1	1		6 1	1	1 4	3 1	1 3	5 3
26	Convulsions	M. 479 F. 426	372 301	57 46	23 17	5 14	2 6	459 384	6 10	1 2	1 6	9 2	3 2
27	Mental diseases	M. 43 F. 47									2 3	4	2 3
28	Diseases of the brain	M. 168 F. 165	31 30	23 5	4 3	4	3	65 41	11 9	5 10	5 14	9 2	5 10
29	Diseases of the spinal cord	M. 16 F. 21	2	3				2 3	1	1 1	1 3	2	1
30	Locomotor ataxia	M. 5 F. 3											
31	Others of this class	M. 17 F. 27	1 2					1 2			2	2	3
32	3. Diseases of the circulatory system	2,659	68	11	5	4	11	99	20	38	39	101	130
33	Males	1,374	39	8	2	2	7	58	6	16	20	50	72
34	Females	1,285	29	3	3	2	4	41	14	22	19	51	58
35	Pericarditis	M. 34 F. 32	1	2				3 1	2 2	1 4	3	2 2	4 1
36	Diseases of the heart	M. 1,200 F. 1,149	24 18	6 3	2 3	2 2	7 3	41 29	4 12	15 13	17 18	47 47	62 45
37	Angina pectoris	M. 28 F. 42									1	1	1 6
38	Diseases of the arteries	M. 41 F. 18											
39	Aneurism	M. 53 F. 22											5 5
40	Embolism	M. 4 F. 9											1
41	Others of this class	M. 14 F. 13	14 11					14 11					



## VITAL STATISTICS.

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE  
TOTAL COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	6,083	1,522	745	351	156	93	2,867	186	116	191	349	288
2	Males.....	3,283	819	375	183	74	42	1,493	80	48	100	211	179
3	Females.....	2,750	708	370	168	82	51	1,374	106	68	91	138	109
4	Croup.....	{M.. 66 F.. 52	{M.. 33 F.. 27	{M.. 9 F.. 7	{M.. 11 F.. 1	{M.. 4 F.. 6	{M.. 2 F.. 2	{M.. 59 F.. 43	{M.. 5 F.. 5	{M.. 1 F.. 2			1
5	Pneumonia.....	{M.. 2,487 F.. 1,931	{M.. 519 F.. 460	{M.. 261 F.. 255	{M.. 182 F.. 120	{M.. 57 F.. 60	{M.. 95 F.. 38	{M.. 1,004 F.. 933	{M.. 62 F.. 75	{M.. 35 F.. 54	{M.. 84 F.. 72	{M.. 185 F.. 111	{M.. 151 F.. 80
6	Laryngitis.....	{M.. 14 F.. 7	{M.. 3 F.. 1	{M.. 3 F.. 1	{M.. 1 F.. 1	{M.. 1 F.. 1	{M.. 1 F.. 3	{M.. 8 F.. 1	{M.. 1 F.. 1				1
7	Bronchitis.....	{M.. 471 F.. 490	{M.. 210 F.. 176	{M.. 91 F.. 93	{M.. 36 F.. 41	{M.. 11 F.. 11	{M.. 2 F.. 9	{M.. 350 F.. 330	{M.. 8 F.. 16	{M.. 5 F.. 6	{M.. 5 F.. 13	{M.. 12 F.. 12	{M.. 8 F.. 14
8	Pleurisy.....	{M.. 42 F.. 46	{M.. 1 F.. 3	{M.. 3 F.. 1	{M.. 1 F.. 1			{M.. 1 F.. 6	{M.. 1 F.. 1	{M.. 1 F.. 1	{M.. 4 F.. 1	{M.. 7 F.. 4	{M.. 3 F.. 7
9	Asthma.....	{M.. 70 F.. 72	{M.. 2 F.. 3	{M.. 1 F.. 3				{M.. 4 F.. 6	{M.. 1 F.. 2			{M.. 1 F.. 2	{M.. 4 F.. 3
10	Others of this class.....	{M.. 183 F.. 152	{M.. 52 F.. 36	{M.. 10 F.. 8	{M.. 3 F.. 4		{M.. 2 F.. 2	{M.. 67 F.. 53	{M.. 2 F.. 6	{M.. 6 F.. 5	{M.. 7 F.. 4	{M.. 6 F.. 9	{M.. 11 F.. 5
11	5. Diseases of the digestive system.....	1,756	300	188	29	14	14	495	51	49	85	143	135
12	Males.....	858	171	76	15	7	5	274	21	23	28	66	56
13	Females.....	898	129	62	14	7	9	221	30	26	57	82	79
14	Dentition.....	{M.. 100 F.. 98	{M.. 42 F.. 42	{M.. 51 F.. 43	{M.. 6 F.. 8	{M.. 1 F.. 1		{M.. 100 F.. 93					
15	Angina.....	{M.. 14 F.. 14	{M.. 3 F.. 1			{M.. 2 F.. 1	{M.. 1 F.. 1	{M.. 6 F.. 5	{M.. 1 F.. 3				1
16	Gastritis.....	{M.. 95 F.. 140	{M.. 22 F.. 19	{M.. 6 F.. 6	{M.. 3 F.. 1	{M.. 2 F.. 4		{M.. 33 F.. 31	{M.. 1 F.. 5	{M.. 1 F.. 1	{M.. 1 F.. 8	{M.. 3 F.. 8	{M.. 2 F.. 14
17	Diseases of the stomach.....	{M.. 41 F.. 35	{M.. 3 F.. 4	{M.. 1 F.. 2				{M.. 4 F.. 6	{M.. 1 F.. 2	{M.. 1 F.. 2		{M.. 2 F.. 1	{M.. 3 F.. 2
18	Obstruction of the bowels.....	{M.. 46 F.. 78	{M.. 6 F.. 6					{M.. 7 F.. 8		{M.. 2 F.. 1		{M.. 1 F.. 3	{M.. 5 F.. 11
19	Appendicitis.....	{M.. 68 F.. 46	{M.. 1 F.. 1					{M.. 1 F.. 2	{M.. 3 F.. 7	{M.. 5 F.. 1	{M.. 5 F.. 10	{M.. 19 F.. 4	{M.. 13 F.. 5
20	Hernia.....	{M.. 47 F.. 21	{M.. 11 F.. 3	{M.. 1 F.. 1				{M.. 12 F.. 3			{M.. 2 F.. 1	{M.. 2 F.. 1	{M.. 1 F.. 1
21	Other diseases of the bowels.....	{M.. 19 F.. 14	{M.. 9 F.. 3	{M.. 1 F.. 1				{M.. 10 F.. 5			{M.. 1 F.. 1		{M.. 2 F.. 2
22	Jaundice.....	{M.. 29 F.. 19	{M.. 21 F.. 10					{M.. 21 F.. 10				{M.. 1 F.. 3	{M.. 1 F.. 2
23	Inflammation and abscess of the liver.....	{M.. 61 F.. 28	{M.. 4 F.. 1		{M.. 1 F.. 1			{M.. 5 F.. 2	{M.. 1 F.. 1	{M.. 2 F.. 1	{M.. 2 F.. 1	{M.. 7 F.. 4	{M.. 5 F.. 2
24	Other diseases of the liver.....	{M.. 94 F.. 43	{M.. 2 F.. 1					{M.. 4 F.. 1	{M.. 1 F.. 1	{M.. 1 F.. 1	{M.. 2 F.. 3	{M.. 3 F.. 3	{M.. 9 F.. 3
25	Peritonitis.....	{M.. 143 F.. 266	{M.. 9 F.. 4	{M.. 4 F.. 3	{M.. 4 F.. 2	{M.. 2 F.. 1	{M.. 1 F.. 2	{M.. 20 F.. 12	{M.. 11 F.. 9	{M.. 9 F.. 16	{M.. 14 F.. 32	{M.. 17 F.. 46	{M.. 12 F.. 39
26	Ascites.....	{M.. 21 F.. 15								{M.. 2 F.. 1		{M.. 1 F.. 1	{M.. 1 F.. 2
27	Others of this class.....	{M.. 80 F.. 86	{M.. 41 F.. 34	{M.. 8 F.. 5	{M.. 2 F.. 2		{M.. 1 F.. 1	{M.. 51 F.. 44	{M.. 2 F.. 1			{M.. 4 F.. 1	{M.. 2 F.. 1
28	6. Diseases of the urinary system and male organs of generation.....	1,940	26	22	12	6	7	73	38	24	40	85	97
29	Males.....	1,071	10	14	6	4	4	38	19	8	16	33	54
30	Females.....	869	16	8	6	2	3	35	19	16	24	52	43
31	Bright's disease.....	{M.. 844 F.. 735							{M.. 17 F.. 17	{M.. 6 F.. 15	{M.. 13 F.. 22	{M.. 29 F.. 44	{M.. 46 F.. 34
32	Calculus, urinary.....	{M.. 5 F.. 2								{M.. 1 F.. 1			
33	Diseases of the kidney.....	{M.. 63 F.. 52	{M.. 6 F.. 13	{M.. 13 F.. 7	{M.. 6 F.. 6	{M.. 4 F.. 2	{M.. 4 F.. 3	{M.. 33 F.. 31	{M.. 1 F.. 1		{M.. 1 F.. 1	{M.. 1 F.. 3	{M.. 1 F.. 2
34	Diseases of the bladder.....	{M.. 35 F.. 8	{M.. 1 F.. 1					{M.. 2 F.. 1					1
35	Others of this class.....	{M.. 124 F.. 72	{M.. 3 F.. 2					{M.. 3 F.. 3	{M.. 1 F.. 2	{M.. 1 F.. 1	{M.. 2 F.. 1	{M.. 3 F.. 4	{M.. 6 F.. 7
36	7. Diseases of the female organs of generation.....	176	1					1		3	14	22	31
37	Ovarian tumors.....	16								1	3	2	
38	Ovarian diseases.....	8									1		2
39	Diseases of the tubes.....	38									1	10	12
40	Uterine tumors.....	52										1	6
41	Uterine diseases.....	6											1
42	Others of this class.....	56	1					1		2	9	9	10





## VITAL STATISTICS

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

TOTAL COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy .....	237								3	47	69	52
2	Abortion .....	18									3	3	8
3	Childbirth .....	90								1	12	23	21
4	Puerperal septicemia .....	77								2	21	25	14
5	Extra-uterine pregnancy .....	10										3	2
6	Others of this class .....	42									11	15	7
7	9. Diseases of the bones and joints .....	77	2	1	1	4	2	10	6	3	6	7	7
8	Males .....	45	2	1	1	1	1	6	2	2	4	4	5
9	Females .....	32				3	1	4	4	1	2	3	2
10	Diseases of the spine .....	{M. 17 F. 11	1		1		1	3	1	1	3		4
11	Abscess, lumbar and psoas .....	{M. 5 F. 4							2		1		
12	Diseases of the bones .....	{M. 13 F. 11	1			1		2		1			
13	Diseases of the hip-joint .....	{M. 5 F. 4							1		1		1
14	Others of this class .....	{M. 5 F. 2		1				1	1			1	
15	10. Diseases of the skin .....	41	4	1		1		6		1		3	3
16	Males .....	23	3	1		1		5				3	2
17	Females .....	18	1					1		1			1
18	Abscess .....	{M. 11 F. 8	2	1				3				1	1
19	Carbuncle .....	{M. 2 F. 1											
20	Others of this class .....	{M. 10 F. 9	1			1		2				2	1
21	11. Diseases of the absorbent system .....	13	3	1				4			1	2	1
22	Males .....	5	1					1			1		
23	Females .....	8	2	1				3				2	1
24	Addison's disease .....	{M. 1 F. 1											
25	Diseases of the spleen .....	{M. 1 F. 1											1
26	Others of this class .....	{M. 4 F. 7	1					1			1		
27	12. Accidents and injuries .....	1,720	173	33	29	25	26	286	56	73	142	215	201
28	Males .....	1,259	82	17	18	11	7	135	31	58	110	169	167
29	Females .....	461	91	16	11	14	19	151	25	15	32	46	34
30	Burns and scalds .....	{M. 67 F. 187	1	6	11	7	5	80	6	2	3	1	3
31	Drowning .....	{M. 169 F. 10	1	1	1			3	9	24	19	18	20
32	Exposure and neglect .....	{M. 21 F. 22	8					8	2			1	1
33	Gunshot wounds .....	{M. 183 F. 22			1			1	2	11	28	41	34
34	Homicide .....	{M. 124 F. 29							1	1	10	21	38
35	Infanticide .....	{M. 1 F. 1	1	1				1					
36	Injuries by machinery .....	{M. 4 F. 4										1	1
37	Railroad accidents .....	{M. 154 F. 19	2		1		1	4	5	11	16	24	20
38	Suffocation .....	{M. 52 F. 61	33	3	1			37			1	2	1
39	Suicide by shooting .....	{M. 9 F. 9										1	3
40	Suicide by drowning .....	{M. 2 F. 2										1	
41	Suicide by poison .....	{M. 11 F. 18									5	3	2
42	Other suicides .....	{M. 26 F. 4									1	4	6
43	Sunstroke .....	{M. 33 F. 8	3		1			4	1			3	
44	Surgical operations .....	{M. 5 F. 20									1	4	1
45	Wounds .....	{M. 29 F. 3								1	2	5	3
46	Others of this class .....	{M. 369 F. 105	33	7	3	4	1	48	6	8	30	44	39
			26	1	4	2		33	4	2	4	8	8

CAUSE, COLOR, AND RACE.

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED—Continued

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
35	23	6												2
1	2	1												2
18	11	2												2
8	7													3
3	2													4
5	1	3												5
6	7	6	5	1	3	5		2	2			1		6
6	5	2	4	1	2	1		1	1					7
2	2	4	1		1	4		1	1			1		8
1	1	1	1											9
2	1	1	1		1									10
2	1	1		1										11
3	1	1	1		1	1		1	1					12
	1	1			1	4		1	1					13
		1												14
			2									1		15
2	5	4	3	2	4	4	1	1	1			1		16
2	2	3	2	1	2	1		1	1					17
2	3	1	1	1	2	3	1					1		18
	1	1	1		2									19
		1	1			1								20
1				1	1	2	1	1	1			1		21
1			1				1							22
			1	1										23
														24
			1											25
1			1	1			1							26
173	155	101	64	57	41	39	20	21	11	13	5	2	3	42
148	128	81	49	47	30	29	12	16	6	3	3		2	35
25	27	20	15	10	11	10	8	5	5	10	2	2	1	7
5	3	2	1		3	2	1	1		2	1			1
6	3	4	5	1	6	4	4	2	2	1		1		1
15	18	12	6	6	4	3					1			11
1	1	1	1											81
2		1		1		2	1						1	1
	1				1					2	1			32
30	13	6	7	3		1		2						5
2	2	2												33
15	16	12	4	6										6
3	3	1	1		1									6
														34
														35
1				1										36
16	18	8	4	5	4	4	3	6		1				5
1	2	2	1	2		1				1				37
1	1	1		1	3	2			1	1				1
			1	2					1					38
	2	2	1											39
	1							1						40
4				2										41
				1										42
4	2	5	1	1		1		1						43
1	1													44
4	8	2	3	3	2	1		1						1
1	1	1	1	1		1	1	1						45
1	3				1					1				44
4	3	2	2											45
6	3	2	3	2			1		1		1			45
44	40	28	19	16	14	1	6	4	5				1	4
6	10	9	4	3	2	3	3	2	2	4	1	1	1	46



CAUSE, COLOR, AND RACE.

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
72	114	130	143	110	55	42	29	8	2	3	1			6	1
65 7	108 6	127 3	141 2	105 5	54 1	38 4	29	8	2	1 2	1			5 1	2 3
		2	5	6	3	1	1	1							4
		2	5	6	3	1	1	1							5 6
4	8	10	6	6	3	1	1								7
4	8	10	6	6	3	1	1								8 9
															10
															11
															12
															13
	1														14
															15
2	2	2	1		1										16
1		1													17
															18
															19
															20
1	2	2	4	3	1		1								21
															22
	2	2	1	1	1										23
															24
					1										25
		1					1								26
	1	1													27
		1		1											28
		1		1											29
		1													30
		1													31
															32
															33
															34
															35
		1													36
															37
					1		4		1	2	1				38
					1		4		1		1				39
							4		1	2	1				40
										2					41
										2	1				42
															43
					1										44
															45





## VITAL STATISTICS.

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

CHINESE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system .....	163	19	7	4	7	2	39	8	3	2	11	6
2	Males.....	138	12	5	3	3	2	25	4	3	2	10	4
3	Females.....	25	7	2	1	4		14	4			1	2
4	Croup.....												
5	Pneumonia.....	114	10	3	3	3	2	21	3	3	1	9	4
6	Laryngitis.....	23	7	2	1	4		14	4			1	2
7	Bronchitis.....												
8	Pleurisy.....	12	2	1				3	1				
9	Asthma.....	1											
10	Others of this class.....	5		1				1					
11	5. Diseases of the digestive system.....	49		1			1	2			1	3	1
12	Males.....	42									1	2	
13	Females.....	7		1			1	2				1	1
14	Dentition.....												
15	Angina.....	1											
16	Gastritis.....	5											
17	Diseases of the stomach.....	2										1	
18	Obstruction of the bowels.....	1											
19	Appendicitis.....	3										1	
20	Hernia.....												
21	Other diseases of the bowels.....												
22	Jaundice.....	1											
23	Inflammation and abscess of the liver.....	6										1	
24	Other diseases of the liver.....	1											1
25	Peritonitis.....	17											
26	Ascites.....	7		1				1			1		
27	Others of this class.....	2						1					
28	6. Diseases of the urinary system and male organs of generation.....	69							1	1			2
29	Males.....	64							1				1
30	Females.....	5								1			1
31	Bright's disease.....	58							1				1
32	Calculus, urinary.....	4											1
33	Diseases of the kidney.....												
34	Diseases of the bladder.....	5								1			
35	Others of this class.....	1											
36	7. Diseases of the female organs of generation.....	1									1		
37	Ovarian tumors.....												
38	Ovarian diseases.....												
39	Diseases of the tubes.....												
40	Uterine tumors.....												
41	Uterine diseases.....												
42	Others of this class.....	1									1		





## VITAL STATISTICS.

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE  
CHINESE—Continued.

CAUSE OF DEATH.		All ages	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	3											1
2	Abortion.....												
3	Childbirth.....	1											1
4	Puerperal septicemia.....	2											
5	Extra-uterine pregnancy.....												
6	Others of this class.....												
7	9. Diseases of the bones and joints.....	1											
8	Males.....	1											
9	Females.....												
10	Diseases of the spine.....	M											
		F											
11	Abscess, lumbar and psoas.....	M											
		F											
12	Diseases of the bones.....	M	1										
		F											
13	Diseases of the hip-joint.....	M											
		F											
14	Others of this class.....	M											
		F											
15	10. Diseases of the skin.....	1											
16	Males.....	1											
17	Females.....												
18	Abscess.....	M											
		F											
19	Carbuncle.....	M	1										
		F											
20	Others of this class.....	M											
		F											
21	11. Diseases of the absorbent system.....												
22	Males.....												
23	Females.....												
24	Addison's disease.....	M											
		F											
25	Diseases of the spleen.....	M											
		F											
26	Others of this class.....	M											
		F											
27	12. Accidents and injuries.....	54	1					1	2		1	2	5
28	Males.....	48											
29	Females.....	6	1					1	2		1	1	5
30	Burns and scalds.....	M											
		F	2						1			1	
31	Drowning.....	M											1
		F	6									1	
32	Exposure and neglect.....	M											
		F											
33	Gunshot wounds.....	M											
		F	1										
34	Homicide.....	M											
		F	15										
35	Infanticide.....	M											
		F	1										
36	Injuries by machinery.....	M											1
		F	1										
37	Railroad accidents.....	M									1		
		F	2										
38	Suffocation.....	M											
		F	2										
39	Suicide by shooting.....	M											
		F	2										
40	Suicide by drowning.....	M											
		F											
41	Suicide by poison.....	M											1
		F	4										
42	Other suicides.....	M											2
		F	8										
43	Sunstroke.....	M											
		F	1	1				1					
44	Surgical operations.....	M											
		F											
45	Wounds.....	M											
		F											
46	Others of this class.....	M											
		F	5						1				



---

---

TABLE 11.

---

DEATHS OF WHITE PERSONS IN THE REGISTRATION AREA, DURING THE CENSUS YEAR  
ENDING MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS  
OF DISEASES, BY BIRTHPLACES OF MOTHERS.

---

---

VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE  
MOTHERS BORN IN THE UNITED STATES (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	143,119	34,861	7,750	3,720	2,406	1,707	50,444	4,922	2,967	4,114	5,293	4,960
2	Males .....	73,765	19,440	4,080	1,919	1,209	892	27,540	2,523	1,500	2,011	2,600	2,354
3	Females .....	69,354	15,421	3,670	1,801	1,197	815	22,904	2,399	1,467	2,103	2,693	2,606
4	Unknown cause .....	1,849	576	35	16	17	11	655	32	22	34	27	30
5	Males .....	780	329	17	9	8	5	368	17	9	19	12	11
6	Females .....	619	247	18	7	9	6	287	15	13	15	15	19
7	I. General diseases.												
	General diseases—A.....	27,168	9,740	2,991	1,464	1,021	758	15,974	1,997	783	758	854	609
8	Males .....	13,905	5,315	1,551	714	499	392	8,471	968	346	380	459	314
9	Females .....	13,263	4,425	1,440	750	522	366	7,503	1,029	437	378	395	295
10	Measles.....	538	151	164	61	29	22	427	42	17	9	14	7
	M.....	624	142	176	74	35	19	446	63	26	18	14	10
11	Scarlet fever.....	554	35	70	73	87	66	331	173	22	12	7	3
	M.....	522	18	53	73	76	75	295	157	34	10	10	5
12	Diphtheria.....	1,490	80	183	221	197	192	873	450	93	29	19	11
	M.....	1,533	65	180	216	215	163	839	485	117	35	21	6
13	Whooping cough.....	661	413	138	48	23	13	635	17	1	1		
	M.....	712	381	166	73	38	14	672	26	4	2		
14	Malarial fever.....	243	23	15	6	8	8	60	3	11	14	22	12
	M.....	271	26	14	14	9	7	70	27	12	15	28	12
15	Influenza.....	1,085	109	19	7	8	3	146	11	11	12	21	10
	M.....	1,496	102	21	18	9	12	162	17	16	17	22	28
16	Typhoid fever.....	1,583	14	6	16	18	17	71	98	105	218	299	196
	M.....	1,205	9	14	18	22	16	79	87	143	203	181	111
17	Cholera morbus.....	300	83	34	25	14	3	169	18	15	6	5	4
	M.....	267	62	19	25	6	3	115	12	11	9	9	5
18	Colitis.....	175	95	15	12	6	1	129	3		1	3	1
	M.....	160	75	19	13	2		109	5	2	2	2	3
19	Diarrhea.....	602	285	43	10	4	3	350	22	5	3	6	6
	M.....	507	246	36	10	4	1	297	21	5	2	1	7
20	Dysentery.....	377	75	66	21	16	14	192	18	7	4	6	8
	M.....	431	82	44	23	15	7	171	14	4	3	3	4
21	Enteritis.....	2,231	1,532	304	87	30	19	1,972	34	14	14	9	9
	M.....	2,052	1,228	297	74	32	18	1,649	33	15	7	10	18
22	Cholera infantum.....	2,552	2,063	386	66	22	15	2,552					
	M.....	2,141	1,697	331	69	25	16	2,138					
23	Fever.....	16	1	2	1		1	5	1	1	2	1	
	M.....	15	3		1		1	5	2	2	1	3	1
24	Cerebro-spinal fever.....	470	145	81	46	28	9	309	48	26	24	14	10
	M.....	375	107	56	35	22	7	227	51	24	21	11	12
25	Smallpox.....	48	9	3	2	1	1	16			5	7	4
	M.....	36	3	3	1	1		9	5	5	2	5	4
26	Erysipelas.....	244	30	5	1	2	1	39	2	4	2	4	6
	M.....	164	67	5	1		1	74		3	3	6	5
27	Septicemia.....	375	40	6	7	3	3	59	12	10	17	21	19
	M.....	462	47	6	8	8	4	73	16	10	24	63	55
28	Venereal diseases.....	98	64	3	1	1		69			1		5
	M.....	72	55		1	2	1	59			2	1	1
29	Others of this group.....	268	18	3	3	2	1	27	11	4	6	1	3
	M.....	218	10		2	1	1	14	8	4	4	5	8
30	General diseases—B.....	2,976	2,095	94	42	26	8	2,265	20	13	24	48	69
31	Males .....	1,702	1,131	57	25	9	6	1,223	11	9	9	27	43
32	Females .....	1,274	964	37	17	17	2	1,037	9	4	15	21	26
33	Alcoholism.....	199								1		3	22
	M.....	34										2	5
34	Parasitic diseases.....	7	2	3	1			6					
	M.....	9		2		5		9					
35	Lead poison.....	12										1	1
	M.....	4	1		1			2				1	
36	Other poisons.....	267	20	20	17	6	4	67	6	5	8	22	16
	M.....	162	10	10	10	6	1	37	4	2	12	15	19
37	Inanition.....	1,217	1,109	34	7	3	2	1,155	5	3	1	1	4
	M.....	1,065	953	25	4	6	1	989	5	2	3	3	2
38	General diseases—C.....	13,756	8,216	261	49	14	19	8,559	15	15	10	14	21
39	Males.....	7,115	4,669	136	28	9	7	4,849	10	8	5	6	6
40	Females.....	6,641	3,547	125	21	5	12	3,710	5	7	5	8	15
41	Old age.....	1,950											
	M.....	2,523											
42	Premature birth.....	2,269	2,269					2,269					
	M.....	1,676	1,676					1,676					
43	Malformation.....	420	410	1	2	1		414	3				
	M.....	356	344	5	2	1		352		2		1	
44	Debility and atrophy.....	2,240	1,755	135	26	8	7	1,931	7	8	5	6	6
	M.....	1,901	1,342	120	19	4	12	1,497	5	5	5	7	15
45	Others of this group.....	236	235					235					
	M.....	185	185					185					

# CAUSE, AND BIRTHPLACES OF MOTHERS.

AND CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

MOTHERS BORN IN THE UNITED STATES (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,400	4,147	4,185	4,491	4,900	5,614	6,474	7,629	8,223	8,339	6,590	3,588	1,340	268	231	1
2,162 2,238	2,064 2,083	2,107 2,078	2,278 2,213	2,522 2,378	2,893 2,721	3,359 3,115	3,997 3,632	4,190 4,033	4,210 4,129	3,176 3,414	1,585 2,003	511 829	75 193	108 123	2 3
26	45	41	31	38	56	52	57	63	52	38	20	10	.....	20	4
16 10	25 20	27 14	16 15	18 20	33 23	31 21	32 25	35 28	26 26	14 24	7 13	5 5	.....	9 11	5 6
497	398	404	353	354	400	442	622	711	771	671	380	138	22	30	7
266 231	210 188	206 198	188 165	189 165	208 192	203 239	302 320	342 369	348 423	278 393	161 219	45 98	8 14	13 17	8 9
5 11	4 14	3 5	..... 5	4 1	1 6	1 .....	2 .....	1 .....	2 .....	..... 1	1 .....	..... 1	..... .....	..... .....	10 11
2 5	..... .....	2 2	1 .....	1 .....	..... .....	..... .....	1 .....	..... .....	..... .....	..... .....	..... .....	..... .....	..... .....	..... .....	12 13
7 5	3 6	..... 1	3 6	..... 3	..... 3	..... 2	2 2	..... 1	..... 1	..... .....	..... .....	..... .....	..... .....	..... .....	..... .....
1 1	1 .....	..... 1	..... .....	..... .....	..... .....	..... .....	..... .....	1 .....	..... .....	..... .....	..... .....	1 1	..... .....	..... .....	..... .....
12 11	6 8	9 10	7 8	9 7	10 8	13 6	9 9	14 15	14 10	8 9	5 5	..... .....	..... .....	..... .....	..... .....
19 19	22 28	34 41	41 32	35 44	54 62	67 92	101 150	126 167	142 215	130 205	72 113	28 57	3 8	..... .....	..... .....
160 90	108 61	91 63	64 44	52 36	45 27	23 15	18 15	17 16	8 11	3 5	3 3	..... .....	..... .....	..... .....	..... .....
7 8	2 2	3 8	8 3	10 2	5 8	11 10	10 6	15 14	8 12	8 21	5 8	..... .....	..... .....	..... .....	..... .....
2	.....	2	1	3	4	2	3	5	9	4	1	.....	.....	.....	.....
3 5	3 2	3 7	3 3	7 4	22 11	19 8	33 15	36 24	41 31	17 30	14 22	4 9	2 1	..... .....	..... .....
9 8	8 4	2 8	4 11	7 9	1 13	9 22	15 25	18 33	20 37	29 28	13 26	3 7	2 .....	..... .....	..... .....
9 13	10 15	7 13	9 14	11 20	14 19	14 22	26 41	24 47	25 53	18 38	10 20	1 3	..... .....	..... .....	..... .....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	1	1	1	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....
6 7	5 6	7 4	9 5	3 1	3 1	1 2	3 1	2 1	..... 1	..... .....	..... .....	..... .....	..... .....	..... .....	..... .....
2 1	3 2	1 .....	4 .....	4 .....	2 .....	..... .....	..... .....	..... .....	..... .....	..... .....	..... .....	..... .....	..... .....	..... .....	..... .....
8 1	7 3	10 2	4 5	8 3	16 6	14 10	16 12	16 11	20 8	11 9	5 1	2 1	..... .....	..... .....	..... .....
16 41	19 35	22 24	22 19	27 16	20 21	22 17	34 13	20 12	18 13	11 6	6 3	..... .....	..... .....	..... .....	..... .....
1	.....	4	1	3	2	1	2	2	1	.....	.....	.....	.....	.....	.....
2	6	4	4	5	9	6	27	44	41	37	26	6	1	.....	.....
73	61	65	65	56	52	35	35	30	26	13	9	2	2	13	30
50 23	44 17	47 18	54 11	38 18	39 13	26 9	19 16	14 16	20 6	8 5	5 4	2 .....	..... .....	9 4	31 32
24 3	29 9	28 6	28 4	26 5	17 .....	10 .....	5 .....	2 .....	3 .....	..... .....	..... .....	..... .....	..... .....	1 .....	..... .....
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
3 1	1 .....	1 .....	3 .....	2 .....	..... .....	..... .....	..... .....	..... .....	..... .....	..... .....	..... .....	..... .....	..... .....	..... .....	..... .....
21 18	13 6	17 11	23 4	8 8	16 7	15 2	9 7	7 8	9 .....	3 2	2 .....	..... .....	..... .....	..... .....	..... .....
2 1	1 2	1 1	..... 3	2 5	6 6	1 7	4 9	5 8	8 6	5 3	3 .....	2 .....	..... .....	8 4	..... .....
19	20	24	17	23	51	71	161	445	880	1,455	1,177	617	146	16	38
7 12	6 14	5 19	6 11	10 13	17 34	31 40	73 83	221 224	392 488	671 784	500 677	235 382	41 105	11 5	39 40
.....	.....	.....	.....	.....	.....	11 19	44 46	180 170	341 438	634 730	474 646	226 372	39 101	1 1	41 42
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
7 12	6 14	5 19	6 11	10 18	17 34	20 21	34 36	41 54	50 50	37 54	26 31	9 10	2 4	7 4	44 45

## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D .....	20,772	1,087	475	228	160	107	2,007	356	415	1,282	1,899	1,815
2	Males.....	9,246	582	246	123	72	58	1,076	175	158	490	888	857
3	Females.....	11,526	455	229	105	88	54	931	181	257	742	1,016	958
4	Anemia.....	{M. 217	27	9	2	2	1	41	7	3	5	6	7
	{F. 303	34	12	3	5	1	55	2	6	20	19	11	
5	Diabetes.....	{M. 520	4	1	3	1	3	12	16	31	35	26	28
	{F. 419	2	4	.....	6	3	15	16	24	13	20	18	
6	Rheumatism.....	{M. 271	3	3	2	3	3	14	23	15	15	11	12
	{F. 277	6	2	3	1	2	14	23	20	16	12	7	
7	Scrofula and tabes.....	{M. 157	49	9	5	1	2	66	4	1	5	10	11
	{F. 190	39	10	5	2	2	58	6	5	17	13	12	
8	Hydrocephalus.....	{M. 608	246	129	59	33	25	492	53	15	14	6	6
	{F. 535	190	119	54	41	23	427	40	18	16	7	7	
9	Tuberculosis, general.....	{M. 146	17	7	4	2	1	31	9	4	10	13	22
	{F. 148	17	4	.....	3	2	26	4	10	15	19	12	
10	Consumption.....	{M. 5,287	170	74	34	23	11	312	47	70	388	780	747
	{F. 5,775	128	61	29	23	16	257	80	149	625	901	844	
11	Cancer.....	{M. 1,506	2	3	1	1	1	3	3	6	6	14	12
	{F. 3,229	2	1	1	1	.....	5	1	7	8	8	8	34
12	Tumor.....	{M. 180	5	3	6	3	3	20	4	8	6	5	8
	{F. 278	7	3	3	3	3	18	1	5	5	8	8	7
13	Dropsy.....	{M. 249	12	2	.....	1	1	16	3	4	3	7	2
	{F. 270	2	3	2	1	1	9	4	8	5	5	2	
14	Others of this group.....	{M. 105	47	6	7	2	2	64	6	1	3	5	2
	{F. 102	28	10	5	2	2	47	4	5	2	4	4	
15	2. Diseases of the nervous system.....	20,347	4,416	1,205	519	280	182	6,602	523	356	299	280	322
16	Males.....	10,749	2,504	655	268	144	98	3,669	237	202	160	140	154
17	Females.....	9,598	1,912	550	251	136	84	2,933	236	154	139	140	168
18	Inflammation of the brain.....	{M. 207	68	21	16	4	4	113	8	5	6	6	5
	{F. 170	38	18	12	4	4	76	10	11	7	7	7	
19	Meningitis.....	{M. 2,083	795	386	156	95	53	1,485	177	70	60	41	40
	{F. 1,783	653	319	148	85	46	46	1,251	141	89	42	38	37
20	Apoplexy.....	{M. 3,050	56	11	1	1	1	70	5	7	16	21	30
	{F. 2,958	38	8	2	3	.....	51	4	2	2	13	16	25
21	Paralysis.....	{M. 1,587	25	3	2	4	2	36	8	6	4	2	9
	{F. 1,546	9	6	4	3	3	25	10	1	8	14	14	20
22	Paralysis, general (of insane).....	{M. 96	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
	{F. 71	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
23	Tetanus and trismus nascentium.....	{M. 230	98	2	1	2	4	107	19	54	9	8	9
	{F. 71	49	1	.....	1	1	1	52	2	3	2	2	
24	Chorea.....	{M. 15	.....	1	.....	.....	.....	2	2	.....	2	1	1
	{F. 23	.....	.....	.....	.....	.....	1	1	8	.....	6	2	.....
25	Epilepsy.....	{M. 216	21	2	1	1	.....	25	7	18	24	16	16
	{F. 189	16	4	6	.....	.....	23	9	9	15	11	11	20
26	Convulsions.....	{M. 1,575	1,229	165	69	20	17	1,500	29	9	3	4	3
	{F. 1,298	960	141	59	28	15	15	1,203	24	7	7	11	15
27	Mental diseases.....	{M. 241	.....	.....	.....	.....	.....	.....	1	1	3	8	6
	{F. 265	.....	.....	.....	.....	.....	.....	.....	1	3	7	9	9
28	Diseases of the brain.....	{M. 995	186	60	19	16	12	293	25	28	24	23	25
	{F. 796	130	49	16	9	11	11	215	24	17	24	21	16
29	Diseases of the spinal cord.....	{M. 173	22	5	.....	1	4	32	3	3	6	6	4
	{F. 173	15	3	4	.....	1	3	26	7	4	3	2	3
30	Locomotor ataxia.....	{M. 127	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
	{F. 43	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Others of this class.....	{M. 149	4	.....	2	.....	.....	6	3	1	3	3	3
	{F. 212	4	1	.....	.....	.....	.....	5	4	2	9	9	13
32	3. Diseases of the circulatory system.....	12,428	986	47	24	27	36	1,120	219	280	266	282	248
33	Males.....	6,607	550	25	14	17	17	623	93	114	109	130	115
34	Females.....	5,821	436	22	10	10	19	497	126	166	157	152	133
35	Pericarditis.....	{M. 81	4	2	.....	1	1	8	4	9	9	6	3
	{F. 89	5	1	.....	.....	1	2	9	6	9	8	4	2
36	Diseases of the heart.....	{M. 5,684	360	22	13	15	14	424	88	103	96	115	101
	{F. 5,155	292	20	10	8	16	16	346	118	153	147	135	124
37	Angina pectoris.....	{M. 405	.....	.....	.....	.....	.....	.....	1	.....	3	4	7
	{F. 277	.....	.....	.....	.....	.....	.....	.....	.....	2	2	5	4
38	Diseases of the arteries.....	{M. 154	2	.....	.....	.....	.....	2	.....	.....	.....	1	1
	{F. 88	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
39	Aneurism.....	{M. 57	.....	.....	.....	.....	.....	.....	1	2	.....	4	4
	{F. 21	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1
40	Embolism.....	{M. 42	5	.....	1	.....	.....	6	.....	.....	1	1	.....
	{F. 51	1	.....	.....	.....	.....	.....	1	.....	.....	5	.....	1
41	Others of this class.....	{M. 184	179	1	.....	1	2	133	.....	.....	.....	.....	.....
	{F. 145	138	1	.....	.....	1	1	141	1	.....	.....	2	.....





VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system .....	20,739	5,473	2,158	1,045	580	354	9,610.	853	262	404	481	443
2	Males.....	10,588	3,076	1,145	551	296	179	5,247	439	130	219	265	230
3	Females.....	10,151	2,397	1,013	494	284	175	4,363	414	132	185	216	213
4	Croup.....	588 (M) 423 (F)	77 47	106 72	115 74	77 58	51 56	426 307	105 108	3 7	1	2	1
5	Pneumonia.....	7,132 (M) 6,816 (F)	1,754 1,375	762 717	345 320	160 168	95 82	3,116 2,662	253 288	103 99	184 138	224 157	200 165
6	Laryngitis.....	123 (M) 102 (F)	25 11	24 16	7 9	13 20	5 8	74 64	24 17	3 2	3	1	1 4
7	Bronchitis.....	1,681 (M) 1,821 (F)	826 696	219 166	65 79	29 26	15 22	1,154 988	34 30	8 7	8 16	6 19	7 15
8	Pleurisy.....	152 (M) 152 (F)	8 6	3 7	2 3	5 2	3 1	21 19	9 12	6 2	11 7	9 12	8 7
9	Asthma.....	87 (M) 89 (F)	18 10	1				18 11	3 1	1 2		3 4	1 2
10	Others of this class.....	825 (M) 748 (F)	368 252	31 35	17 9	12 10	10 6	438 312	11 13	6 13	16 20	20 24	13 20
11	5. Diseases of the digestive system.....	7,807	1,395	281	135	78	78	1,967	324	311	346	336	410
12	Males.....	3,372	775	147	71	36	41	1,070	158	162	160	168	156
13	Females.....	3,935	620	134	64	42	37	897	166	149	186	218	254
14	Dentition.....	102 (M) 98 (F)	62 60	39 36	1		1	102 98					
15	Angina.....	70 (M) 71 (F)	3 5	3 5	5 9	8 4	4 6	28 29	14 19	4 8	1	7 1	1 3
16	Gastritis.....	524 (M) 626 (F)	124 99	24 28	7 14	6 12	3 8	164 161	12 21	3 6	9 8	9 19	11 23
17	Diseases of the stomach.....	228 (M) 199 (F)	26 17	4 4	2		3	35 25	3 1	3	7 8	2 10	3 16
18	Obstruction of the bowels.....	339 (M) 320 (F)	81 49	10 7	4 4	4 5	5 3	104 68	19 11	14 7	13 8	13 7	14 18
19	Appendicitis.....	483 (M) 316 (F)	2 4	2 2	1	3	4	13 11	40 35	70 56	71 57	64 36	59 30
20	Hernia.....	110 (M) 106 (F)	20 6				1	21 7	1 3	3	1	3	3 2
21	Other diseases of the bowels.....	148 (M) 124 (F)	55 39	6 4	3 1	2 3	1	67 47	1 5	1 3	2 7	5 2	4 4
22	Jaundice.....	152 (M) 128 (F)	93 58	1 2	5 5		1	99 67	4 1	2	1	1	2 3
23	Inflammation and abscess of the liver.....	153 (M) 153 (F)	13 7	2	1	2	4	21 11	1 4	1 6	3 6	7 7	9 12
24	Other diseases of the liver.....	565 (M) 372 (F)	17 16	3 3	4 2		1	25 22	2 5	4 2	2 3	8 5	13 8
25	Peritonitis.....	517 (M) 980 (F)	39 32	12 14	23 13	6 9	9 6	89 74	51 54	57 57	49 84	44 126	34 129
26	Ascites.....	22 (M) 30 (F)							1	1			1 2
27	Others of this class.....	459 (M) 462 (F)	240 228	36 29	15 11	5 6	6 3	302 277	9 7	1 2	2 2	5 4	2 4
28	6. Diseases of the urinary system and male organs of generation.....	7,561	201	49	45	36	42	373	135	122	183	226	254
29	Males.....	4,479	108	24	23	19	23	197	74	55	83	90	113
30	Females.....	3,082	93	25	22	17	19	176	61	67	100	136	141
31	Bright's disease.....	3,076 (M) 2,367 (F)							68 53	45 62	76 76	71 103	89 97
32	Calculus, urinary.....	26 (M) 15 (F)	2					2		1		3	1
33	Diseases of the kidney.....	319 (M) 265 (F)	67 69	20 22	22 18	17 16	21 17	147 142	1 1	1	3 5	2 7	6 3
34	Diseases of the bladder.....	443 (M) 61 (F)	1 2					1 2	1	2	1	1	4 1
35	Others of this class.....	615 (M) 374 (F)	40 20	4 3	1 4	2 1	2 2	49 30	5 6	6 5	3 19	13 24	18 40
36	7. Diseases of the female organs of generation.....	477	3	1		1	1	6		2	12	51	69
37	Ovarian tumors.....	88										3	8
38	Ovarian diseases.....	21										5	5
39	Diseases of the tubes.....	52										8	11
40	Uterine tumors.....	143					1	1			2	4	9
41	Uterine diseases.....	33									4	9	9
42	Others of this class.....	135	3	1		1		5		2	4	22	27



TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1 8. Affections connected with pregnancy .....	867								1	84	221	232
2     Abortion .....	48									5	9	14
3     Childbirth.....	214									12	46	51
4     Puerperal septicemia.....	342								1	35	106	99
5     Extra-uterine pregnancy.....	35										7	7
6     Others of this class .....	228									32	53	61
7 9. Diseases of the bones and joints .....	334	36	13	5	9	5	68	20	31	29	27	12
8     Males.....	194	22	5	3	7	4	41	8	19	22	19	9
9     Females.....	140	14	8	2	2	1	27	12	12	7	8	3
10     Diseases of the spine .....	{M. 63 F. 55	12 7	2 5	1 1	3 1	2	20 14	4 4	6 5	4 1	6 3	3 1
11     Abscess, lumbar and psoas .....	{M. 12 F. 6						1	1			4	1
12     Diseases of the bones.....	{M. 66 F. 42	8 5	1 3	2 1	3 1	1	15 11	2 5	5 4	11	5 5	2 1
13     Diseases of the hip-joint .....	{M. 31 F. 12	1	1		1		3	2	6	6	2	3
14     Others of this class .....	{M. 22 F. 25	1 1	1			1	3 1		1 2	1	2	1
15 10. Diseases of the skin .....	257	74	12	4	2	2	94	8	3	3	5	3
16     Males.....	144	37	4	2	1	1	45	6		2	3	2
17     Females.....	113	37	8	2	1	1	49	2	3	1	2	1
18     Abscess.....	{M. 73 F. 60	12 17	3 4	2 1	1 1	1	19 24	6 2		2	2	2
19     Carbuncle .....	{M. 22 F. 3	1 1					1 1				1	
20     Others of this class .....	{M. 49 F. 50	24 19	1 4		1		25 24				2	
21 11. Diseases of the absorbent system .....	135	15	5			3	23	3	3	4	8	5
22     Males.....	64	9	3			3	15	1	1	2	5	2
23     Females.....	71	6	2				8	2	2	2	3	3
24     Addison's disease .....	{M. 22 F. 23								1	1	1	1
25     Diseases of the spleen .....	{M. 9 F. 11	2 2	1			1	3 3				1 1	1
26     Others of this class .....	{M. 33 F. 37	7 4	3 1		2		12 5	1 2		1 2	3 1	1 2
27 12. Accidents and injuries.....	6,146	598	123	144	152	104	1,121	417	348	426	484	418
28     Males.....	4,370	333	65	88	89	66	641	276	237	351	393	342
29     Females.....	1,776	265	58	56	63	38	480	141	61	75	91	76
30     Burns and scalds.....	{M. 256 F. 352	9 14	30 29	43 30	40 37	17 26	139 136	30 69	8 18	8 14	7 11	12 13
31     Drowning .....	{M. 664 F. 92	4 4	12 7	8 5	13 6	9 1	46 23	115 12	135 10	88 12	77 5	45 2
32     Exposure and neglect .....	{M. 30 F. 20	12 6	1				18 6	1	1		3	
33     Gunshot wounds .....	{M. 237 F. 34	1 1		1	2	1	5 3	5 3	21 2	45 3	34 6	19 2
34     Homicide .....	{M. 49 F. 20			1		2	3	2	1	5	9	5
35     Infanticide.....	{M. 2 F. 4	2 4					2 4					
36     Injuries by machinery .....	{M. 26 F. 26									7	2	2
37     Railroad accidents .....	{M. 649 F. 89	1 1	2	2	5	12	22 4	44 19	42 6	56 12	105 7	64 4
38     Suffocation .....	{M. 222 F. 170	150 116	3 6	3 4	2 1	2 3	160 130	2 6	5 1	3 3	5 1	7 2
39     Suicide by shooting .....	{M. 176 F. 17									4 1	13 2	20 4
40     Suicide by drowning.....	{M. 18 F. 19									1 2	1 2	1 1
41     Suicide by poison .....	{M. 83 F. 73								2	9 16	9 9	8 6
42     Other suicides.....	{M. 209 F. 67								2	5 1	10 8	15 6
43     Sunstroke .....	{M. 45 F. 27	16 14	1 3	2 1		2	21 18	1 1	1 1	4	2	4
44     Surgical operations.....	{M. 28 F. 75	3 2	1			1	5 3	2 1		3	1 12	1 8
45     Wounds .....	{M. 58 F. 5	2		1		1	4	3	4	6	8	5
46     Others of this class .....	{M. 1,618 F. 712	133 103	15 13	27 14	27 16	19 7	221 153	71 24	69 15	107 11	105 24	134 24

CAUSE, AND BIRTHPLACES OF MOTHERS.

737

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
144	115	59	3	1	1									6	1
7	11				1									1	2
44	30	26	2	1										2	3
49	33	17	1											1	4
9	10	2													5
35	31	14												2	6
8	13	11	14	23	13	12	16	16	7	7	5	2			7
2	8	7	8	11	7	6	10	4	6	3	3	1			8
6	5	4	6	12	6	6	6	12	1	4	2	1			9
	4		1	2	4	1	3	1	3	1					10
1	3	1	2	8	2	3	1	3		1	1	1			11
1		1	1	2	1			2							12
3	3	1	4	5	2	2	2	1	2	2	2	1			13
1	1	4		1		1	1			1					14
1	2														15
1		2	2	1		2	4	1	1		1	1			16
9	13	9	11	13	18	12	15	13	16	9	2	1			17
3	8	4	8	8	12	8	9	8	10	6	2				18
6	5	5	3	5	6	4	6	5	6	3		1			19
2	4	3	4	4	7	3	4	4	5	2					20
3	3	3	2	3	2	2	4	2	3	2		1			21
1	2		3	3	1	3	3	2	1	1					22
				1				1							23
3	2	1	1	1	4	2	2	2	4	3	2				24
9	7	9	12	3	9	11	14	7	8						25
6	4	6	5	2	3	3	7		2						26
3	3	3	7	1	6	8	7	7	6						27
1	4	2	3	2	2	2	2		1						28
2	3	1	2	1	3	3	4	1	1						29
2		1	1												30
1		1	1		1			1	2						31
3	3	3	4	1	1	1	5	5	1	3					32
1	1	1	1		2	5	3	5	3						33
410	356	303	308	247	194	222	216	175	187	142	90	41	12	29	34
320	281	227	242	177	152	171	154	117	114	62	34	13	1	15	35
90	75	76	66	70	42	51	62	58	73	80	56	28	11	14	36
6	9	3	6	3	3	5	6	4	4	2				1	37
14	12	10	9	4	2	7	5	3	9	7	3			1	38
34	22	32	15	15	11	8	6	5	5	3	1			1	39
10	2	4	2	3	1	1	2	2	2					1	40
1	2	1	2	1		1	1	1	4	1	1			1	41
									3						42
26	17	17	9	9	12	9	5		2	1					43
6	4	2	1	1	1	1									44
10	5	2	2	1	1	1				1					45
3	3	1		1	1										46
															47
2	5	2	1	1		1	3								48
															49
68	58	44	31	27	19	23	20	9	7	6	2			2	50
5	3	1	4	5	2	4	1	6	3	3					51
7	4	2	2	3	5	5	3	1	2					6	52
2	3	1	4	1		1	2	1			1			11	53
20	18	14	24	16	12	9	7	7	3	1	2			1	54
3	2	1	1		2	2	1	1							55
	1		2	1	4	2	2	1	2						56
			3	4	5	2									57
6	7	8	13	4	4	4	4	4	1	1				1	58
6	5	8	9	3	3	2	3		1						59
15	12	13	36	22	22	19	13	15	7	3	1			1	60
6	7	9	9	4	3	2	6	2		1	1				61
1	1	2	1		2	1		1	2	1					62
		1		1		1	1	2	2						63
2	3	3	1	1	1	2	2								64
6	9	9	5	10	5	1	3		1						65
4	4	1	3	3	5	3	2		1	1		1			66
1															67
118	113	84	94	70	51	78	79	68	74	41	27	11	1	2	68
28	22	28	19	33	18	29	33	36	54	67	51	27	11		69

## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN IRELAND (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	59,762	5,848	1,784	807	554	357	9,295	926	515	1,071	2,579	3,968
2	Males.....	29,995	3,294	917	411	289	184	5,095	478	253	529	1,294	2,098
3	Females.....	29,767	2,549	817	396	265	173	4,200	448	262	542	1,285	1,865
4	Unknown cause .....	302	36	3	1	1	.....	41	6	3	4	12	20
5	Males.....	160	25	2	.....	1	.....	28	3	.....	1	9	11
6	Females.....	142	11	1	1	.....	.....	13	3	3	3	3	9
7	<b>i. General diseases.</b>												
	General diseases—A .....	7,706	1,810	686	362	255	187	3,300	356	100	115	239	287
8	Males.....	3,756	1,027	371	176	129	93	1,786	177	48	55	119	148
9	Females.....	3,950	783	315	186	126	94	1,504	179	52	60	120	139
10	Measles.....	155	40	53	21	11	13	138	12	1	.....	.....	1
	M.....	136	32	42	20	8	11	113	12	4	.....	.....	3
11	Scarlet fever.....	133	5	20	23	24	15	87	30	4	3	4	1
	M.....	136	9	10	29	27	12	87	37	6	2	1	1
12	Diphtheria .....	364	19	60	65	64	41	249	78	17	3	5	1
	M.....	391	17	61	76	65	47	266	87	14	9	6	5
13	Whooping cough.....	144	77	81	19	9	4	140	3	.....	.....	.....	1
	M.....	161	70	38	20	13	9	150	7	.....	.....	.....	4
14	Malarial fever.....	68	3	1	2	2	1	9	1	.....	4	6	4
	M.....	94	2	.....	2	1	1	6	2	1	4	7	3
15	Influenza.....	410	15	3	.....	3	1	22	5	.....	5	10	15
	M.....	673	7	3	1	.....	.....	11	.....	4	4	14	21
16	Typhoid fever.....	434	1	2	1	1	3	8	11	10	30	66	78
	M.....	325	.....	4	1	.....	2	7	8	12	26	49	52
17	Cholera morbus.....	86	3	1	3	.....	1	13	2	.....	.....	2	2
	M.....	77	3	3	2	.....	.....	8	1	.....	1	1	1
18	Colitis.....	29	16	.....	.....	.....	.....	16	.....	.....	.....	1	1
	M.....	49	14	9	.....	.....	1	24	.....	.....	.....	2	1
19	Diarrhea .....	206	65	10	3	.....	.....	78	4	.....	.....	2	4
	M.....	200	30	12	1	.....	.....	48	5	1	1	3	4
20	Dysentery.....	164	15	9	5	1	.....	30	5	2	1	4	4
	M.....	257	13	8	4	.....	1	26	.....	1	.....	6	4
21	Enteritis.....	683	337	73	17	6	5	438	13	4	.....	3	15
	M.....	691	275	60	13	4	6	358	11	2	4	9	18
22	Cholera infantum.....	462	362	89	8	2	1	462	.....	.....	.....	.....	.....
	M.....	335	270	54	9	2	.....	335	.....	.....	.....	.....	.....
23	Fever.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	M.....	3	1	.....	1	.....	.....	2	.....	.....	.....	.....	.....
24	Cerebro-spinal fever.....	98	25	15	8	4	5	57	9	9	4	4	2
	M.....	63	13	7	5	5	4	34	6	6	4	5	2
25	Smallpox.....	19	.....	.....	.....	1	.....	1	.....	.....	.....	2	2
	M.....	8	1	1	.....	.....	.....	2	.....	.....	.....	1	.....
26	Erysipelas.....	101	13	1	.....	.....	1	15	.....	.....	1	.....	3
	M.....	77	14	2	1	.....	.....	17	1	.....	.....	1	.....
27	Septicemia .....	122	13	1	.....	1	2	17	2	1	2	8	5
	M.....	136	2	1	1	1	.....	5	2	1	4	14	18
28	Venereal diseases.....	26	10	2	.....	.....	.....	12	.....	.....	.....	1	2
	M.....	21	9	.....	.....	.....	.....	9	.....	.....	.....	2	1
29	Others of this group.....	101	3	.....	1	.....	.....	4	1	.....	2	1	3
	M.....	117	1	.....	.....	.....	.....	1	.....	.....	.....	2	1
30	General diseases—B .....	1,019	269	21	3	2	2	297	3	1	7	32	73
31	Males.....	685	156	14	2	1	2	175	2	1	2	23	53
32	Females.....	334	113	7	1	1	.....	122	1	.....	5	9	20
33	Alcoholism.....	386	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	38
	M.....	111	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	13
34	Parasitic diseases.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Lead poison.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	M.....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Other poisons.....	113	1	5	1	.....	2	9	2	1	2	13	15
	M.....	69	1	1	.....	.....	.....	2	.....	.....	5	6	7
37	Inanition.....	181	155	9	1	1	.....	166	.....	.....	.....	.....	.....
	M.....	148	112	6	1	1	.....	120	1	.....	.....	1	.....
38	General diseases—C .....	3,729	1,304	73	17	3	.....	1,397	4	2	1	4	10
39	Males.....	1,700	736	31	9	3	.....	779	3	1	1	2	9
40	Females.....	2,029	568	42	8	.....	.....	618	1	1	.....	2	1
41	Old age.....	767	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	M.....	1,137	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
42	Premature birth.....	284	284	.....	.....	.....	.....	284	.....	.....	.....	.....	.....
	M.....	202	202	.....	.....	.....	.....	202	.....	.....	.....	.....	.....
43	Malformation.....	52	50	.....	1	.....	.....	51	.....	.....	.....	.....	.....
	M.....	49	49	.....	.....	.....	.....	49	.....	.....	.....	.....	.....
44	Debility and atrophy.....	515	320	31	8	3	.....	362	3	1	1	2	9
	M.....	528	255	42	8	.....	.....	305	1	.....	.....	2	1
45	Others of this group.....	82	82	.....	.....	.....	.....	82	.....	.....	.....	.....	.....
	M.....	63	62	.....	.....	.....	.....	62	.....	.....	.....	.....	.....

CAUSE, AND BIRTHPLACES OF MOTHERS.

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN IRELAND (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,017	4,156	3,480	3,282	3,921	4,197	4,619	4,280	3,736	2,573	1,718	827	307	163	137	1
2,243 1,774	2,274 1,882	1,916 1,564	1,690 1,592	1,987 1,934	2,029 2,168	2,094 2,525	1,852 2,428	1,596 2,140	1,219 1,354	731 987	373 454	120 187	62 101	62 75	2 3
14	27	16	19	28	25	20	24	12	12	11	5			3	4
9 5	15 12	10 6	10 9	17 11	10 15	11 9	9 15	4 8	2 10	6 5	2 3			3	5 6
298	269	211	216	258	298	423	408	365	275	174	70	22	9	13	7
148 150	124 145	114 97	111 105	114 144	123 175	164 259	166 242	129 236	106 169	64 110	36 34	6 16	6 3	2 11	8 9
2						1									10
1	1														11
3	1	1													12
4	1		2	1	3					1					13
2					1										14
1															15
6	4	3	7	3	4	2	7	2	6	1	1				16
8	4	1	5	1	10	13	8	11	2	5					17
16	21	24	26	25	27	45	48	42	40	27	9	3			18
22	25	27	29	54	56	91	91	87	65	41	16	10	1	4	19
68	52	28	24	18	11	15	8	3	3					1	20
49	32	17	16	17	11	12	11	3	3	2				1	21
3	2	6	5	4	11	7	9	11	4	2			2		22
1	8	2	1	5	3	12	11	10	6	3	1	1	1		23
1		1	1	4	1	1	1	1	1						24
1	1	1	3	2	2	2	5	2	1						25
3	4	5	6	9	7	15	19	18	14	14	4				26
7	3	1	8	9	15	19	16	16	24	22	2	1			27
8	4	4	8	7	9	23	16	18	8	7	4	1			28
7	12	10	11	10	23	34	30	37	27	11	6	1	1		29
8	10	13	10	14	15	24	25	17	10	5	5	1	2		30
19	18	18	16	24	28	37	45	40	23	14	2	3		2	31
															32
															33
2	1	3	2	2	2	1					1				34
2	2	3	2					1							35
4	2	1	1	1	2	1	1	1							36
2	1		1	1	1										37
5	6	15	6	8	10	9	8	2	2	2	3		1		38
2	10	4	5	6	7	9	5	3	3	1					39
10	11	9	4	12	12	6	10	3	6	3	1				40
22	22	8	3	7	7	7	5	4	3	2	1			1	41
3	3		2	1	1	1									42
2	3	2		1	1			1							43
1	2	2	7	7	8	13	15	11	12	3	8		1		44
3	2	1	5	7	10	21	15	21	15	8	5				45
109	125	82	58	53	61	44	24	16	13	7	5		1	8	46
															47
80	100	56	40	40	42	26	15	11	6	3	3		1	6	48
29	25	26	18	13	19	18	9	5	7	4	2			2	49
68	86	43	32	35	28	18	13	6	3	2	2			2	50
15	15	20	12	9	10	10	2	1	1	1					51
					1										52
1		2				1									53
2	2				1			1							54
11	14	11	8	5	12	5	1	2	2						55
11	8	4	5	3	6	2	5	2	3	2					56
					1	2	1	3	1	1	1		1	4	57
1		2	1	1	2	3	5	3	3	1	2			2	58
7	18	9	15	23	44	111	210	380	421	500	311	157	94	11	59
4	10	4	9	10	12	44	80	132	181	193	121	70	32	3	60
3	8	5	6	13	32	67	130	243	240	307	190	87	62	8	61
						27	55	116	164	184	118	68	32	3	62
						47	100	206	216	284	186	84	60	4	63
															64
1															65
3	10	4	9	10	12	17	25	16	17	9	3	2			66
3	8	5	6	13	32	20	30	41	24	23	4	3	2	4	67
								1							68

## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN IRELAND (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	13,243	191	110	46	37	14	398	72	93	488	1,220	1,848
2	Males.....	6,851	100	65	25	19	8	217	32	28	204	606	969
3	Females.....	6,392	91	45	21	18	6	181	40	65	284	614	879
4	Anemia.....	{M. 57 F. 128	{M. 5 F. 3	{M. 2 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 6 F. 8	{M. 1 F. 2	{M. 2 F. 3	{M. 2 F. 3	{M. 2 F. 3	{M. 4 F. 8
5	Diabetes.....	{M. 131 F. 160	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 2 F. 1	{M. 4 F. 3	{M. 3 F. 3	{M. 1 F. 1	{M. 5 F. 1	{M. 6 F. 4
6	Rheumatism.....	{M. 109 F. 152	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 2 F. 1	{M. 3 F. 5	{M. 1 F. 1	{M. 1 F. 3	{M. 5 F. 4	{M. 6 F. 5
7	Scrofula and tabes.....	{M. 24 F. 34	{M. 4 F. 1	{M. 1 F. 1	{M. 2 F. 2	{M. 2 F. 2	{M. 2 F. 2	{M. 4 F. 4	{M. 4 F. 4	{M. 1 F. 1	{M. 1 F. 1	{M. 3 F. 2	{M. 5 F. 5
8	Hydrocephalus.....	{M. 171 F. 128	{M. 56 F. 52	{M. 45 F. 26	{M. 13 F. 12	{M. 11 F. 10	{M. 5 F. 1	{M. 130 F. 101	{M. 13 F. 6	{M. 4 F. 3	{M. 3 F. 3	{M. 5 F. 3	{M. 4 F. 4
9	Tuberculosis, general.....	{M. 56 F. 43	{M. 7 F. 1	{M. 1 F. 1	{M. 2 F. 2	{M. 2 F. 2	{M. 2 F. 2	{M. 10 F. 2	{M. 2 F. 2	{M. 2 F. 2	{M. 2 F. 2	{M. 3 F. 7	{M. 11 F. 6
10	Consumption.....	{M. 5,407 F. 4,108	{M. 24 F. 28	{M. 17 F. 14	{M. 9 F. 5	{M. 4 F. 5	{M. 2 F. 2	{M. 56 F. 54	{M. 7 F. 25	{M. 15 F. 47	{M. 193 F. 255	{M. 577 F. 582	{M. 923 F. 810
11	Cancer.....	{M. 747 F. 1,395	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 4	{M. 9 F. 22
12	Tumor.....	{M. 74 F. 137	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 2 F. 1	{M. 1 F. 1	{M. 3 F. 1	{M. 2 F. 3	{M. 2 F. 8
13	Dropsy.....	{M. 54 F. 69	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1
14	Others of this group.....	{M. 21 F. 38	{M. 3 F. 4	{M. 1 F. 2	{M. 1 F. 1	{M. 1 F. 1	{M. 2 F. 2	{M. 5 F. 9	{M. 1 F. 3	{M. 1 F. 4	{M. 1 F. 4	{M. 2 F. 2	{M. 1 F. 6
15	2. Diseases of the nervous system.....	6,362	639	198	75	68	39	1,019	97	58	65	94	161
16	Males.....	3,023	375	87	44	38	14	558	54	35	41	40	83
17	Females.....	3,339	264	111	31	30	25	461	43	23	24	54	78
18	Inflammation of the brain.....	{M. 25 F. 23	{M. 5 F. 3	{M. 1 F. 2	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 7 F. 6	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 3 F. 1
19	Meningitis.....	{M. 501 F. 379	{M. 157 F. 102	{M. 54 F. 73	{M. 31 F. 19	{M. 20 F. 21	{M. 6 F. 14	{M. 268 F. 229	{M. 38 F. 32	{M. 16 F. 11	{M. 17 F. 8	{M. 12 F. 11	{M. 26 F. 13
20	Apoplexy.....	{M. 1,219 F. 1,601	{M. 6 F. 8	{M. 1 F. 2	{M. 1 F. 2	{M. 3 F. 1	{M. 2 F. 1	{M. 13 F. 13	{M. 3 F. 2	{M. 1 F. 2	{M. 5 F. 4	{M. 5 F. 7	{M. 22 F. 15
21	Paralysis.....	{M. 397 F. 458	{M. 1 F. 1	{M. 1 F. 1	{M. 2 F. 1	{M. 2 F. 2	{M. 2 F. 2	{M. 5 F. 5	{M. 2 F. 2	{M. 1 F. 1	{M. 2 F. 1	{M. 4 F. 4	{M. 5 F. 7
22	Paralysis, general (of insane).....	{M. 36 F. 19	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1
23	Tetanus and trismus nascentium.....	{M. 19 F. 19	{M. 8 F. 9	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 9 F. 9	{M. 5 F. 1	{M. 12 F. 1	{M. 4 F. 1	{M. 4 F. 1	{M. 5 F. 1
24	Chorea.....	{M. 4 F. 4	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1
25	Epilepsy.....	{M. 68 F. 61	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 3 F. 9	{M. 9 F. 7
26	Convulsions.....	{M. 239 F. 222	{M. 179 F. 124	{M. 25 F. 29	{M. 9 F. 10	{M. 6 F. 8	{M. 3 F. 5	{M. 222 F. 176	{M. 4 F. 8	{M. 1 F. 1	{M. 1 F. 1	{M. 6 F. 6	{M. 7 F. 10
27	Mental diseases.....	{M. 103 F. 169	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 4 F. 5	{M. 3 F. 10
28	Diseases of the brain.....	{M. 270 F. 255	{M. 20 F. 17	{M. 5 F. 4	{M. 1 F. 1	{M. 5 F. 2	{M. 2 F. 2	{M. 33 F. 23	{M. 1 F. 1	{M. 2 F. 4	{M. 5 F. 6	{M. 6 F. 4	{M. 9 F. 10
29	Diseases of the spinal cord.....	{M. 38 F. 53	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1
30	Locomotor ataxia.....	{M. 36 F. 11	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1
31	Others of this class.....	{M. 37 F. 65	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 2 F. 5
32	3. Diseases of the circulatory system.....	5,759	125	9	2	9	9	154	48	54	79	157	191
33	Males.....	2,660	73	6	1	4	5	89	25	21	39	67	106
34	Females.....	3,099	52	3	1	5	4	65	23	33	40	90	85
35	Pericarditis.....	{M. 37 F. 28	{M. 2 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 2 F. 1	{M. 1 F. 1	{M. 2 F. 2	{M. 3 F. 2	{M. 1 F. 1	{M. 2 F. 1
36	Diseases of the heart.....	{M. 2,390 F. 2,861	{M. 42 F. 27	{M. 6 F. 3	{M. 1 F. 1	{M. 4 F. 5	{M. 5 F. 4	{M. 58 F. 40	{M. 24 F. 21	{M. 18 F. 33	{M. 35 F. 38	{M. 65 F. 85	{M. 100 F. 75
37	Angina pectoris.....	{M. 75 F. 73	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 3 F. 3
38	Diseases of the arteries.....	{M. 78 F. 70	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1
39	Aneurism.....	{M. 33 F. 21	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1
40	Embolism.....	{M. 17 F. 16	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 3 F. 3
41	Others of this class.....	{M. 30 F. 30	{M. 29 F. 25	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 29 F. 25	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 1 F. 1	{M. 2 F. 2

CAUSE, AND BIRTHPLACES OF MOTHERS.

741

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN IRELAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,686	1,523	1,126	894	944	807	734	589	426	217	98	38	13	3	26	1
964	864	633	479	491	391	349	252	189	104	43	19	5	1	11	2
722	659	498	415	453	416	385	337	237	113	55	19	8	2	15	3
5	2	6	2	4	5	7	7	1	3	2	2	1	1		4
10	14	13	11	12	13	11	8	3	3	1	1				5
9	11	8	6	17	13	15	16	8	4	3					6
7	5	7	13	25	27	26	19	13	7					1	7
12	9	7	4	9	12	8	10	12	6	2					8
5	12	7	11	15	14	18	20	13	10	4	3	1			9
2	3	2	1		1	2	2	1		2					10
5	2	4	6	1	2	1								1	11
3	2	3												1	12
1	2	3												1	13
6	10	2	2	3	2	2	1	1							14
5	3	4	1	1	1	6	3	1							15
909	791	552	379	340	234	180	104	87	38	13	3	1		5	16
632	520	308	201	183	144	122	93	72	28	11	5	1		5	17
8	28	40	65	106	113	119	98	67	49	22	10	4		5	18
43	78	132	156	200	191	175	168	113	55	33	9	5	2	7	19
7	4	5	9	8	8	9	7	5	3						20
11	15	16	15	12	16	13	8	11	4	1					21
2	3	5	3	2	3	6	8	7	4	3	4				22
1	4	2	2	1	9	11	12	10	6	4	1	1		1	23
1	1	4	2	1	1	1									24
2	4	3	2	1	1	2	2	1							25
223	240	233	362	470	561	708	651	565	416	238	91	23	14	18	26
135	133	151	164	201	253	295	273	233	199	109	43	9	4	10	27
93	107	132	198	269	308	413	378	332	217	129	48	14	10	8	28
4	2	1		1	2	1	2	3		1					29
2	1	1		2	2	3	3			1					30
24	23	11	23	14	8	8	5	3	3		2				31
18	8	4	10	8	4	11	7	2	2	1					32
40	46	69	83	112	148	163	167	127	109	71	23	5		6	33
20	31	75	129	176	213	242	225	204	130	70	24	10	7	4	34
11	18	24	26	26	37	55	46	58	47	17	12		1	3	35
8	8	11	25	28	43	67	74	67	52	35	14	3	2	4	36
4	2	11	2	7	2	4	2	1	1						37
1	2	3		2	2	1	3	3	2	2					38
2	4	1	2	1	1	1									39
2	4	2	1												40
1															41
9	4	5	5	4	8	6	3	3	2						42
2	4	5	5	5	2	11	2		1	3	1				43
3	2	1	1	1	1	1	1	2	1					1	44
11	6	1	1	1	2	1	1	1	1						45
5	7	4	3	4	9	19	15	9	8	8	2	3			46
8	8	4	10	12	13	33	14	25	13	10	4				47
23	19	19	10	18	19	25	25	17	21	11	4	1	2		48
14	18	14	12	19	14	32	39	24	10	5	5		1		49
4	1	1	3	5	6	7	2	1	2						50
2	8	6	1	6	8	8	2	3	2						51
3	2	3	3	5	9	3	2	3	2						52
2	2	1	3	3	1	2	1	1							53
2	3	2	3	4	3	3	3	2	3	1					54
7	7	7	3	7	7	5	5	7	4	2					55
253	334	349	374	459	612	720	673	598	365	197	88	28	11	15	56
121	150	149	160	215	273	335	294	270	191	90	44	3	4	9	57
132	184	200	214	244	339	385	379	328	174	107	44	20	7	6	58
3	4	3	4	3	4	1	1	2	1						59
4	2	3	2	1	2	4	3	1	1						60
108	133	142	147	192	248	304	267	248	173	74	36	6	3	9	61
120	175	191	200	227	314	366	350	304	162	95	41	14	4	6	62
7	4	2	4	9	8	10	10	6	3	6	2				63
4	4	5	8	11	10	9	10	4	2	2					64
				2	6	16	14	13	11	6	6	2			65
	1			1	7	4	11	18	8	7	3	6	1		66
3	9	2	4	6	4	1		1	2						67
2	1	1	3	2	2	2	4		1	1					68
			1	3	3	3			1						69
2	1		1	4	4	1	1	1		3					70
				2						1					71



## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN IRELAND (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system .....	10,236	1,121	556	243	130	72	2,122	171	60	103	278	482
2	Males.....	5,130	604	306	121	65	40	1,136	33	24	55	161	273
3	Females.....	5,106	517	250	122	65	32	986	38	36	48	117	209
4	Croup.....	M. 89	8	17	23	9	14	71	17				
	F. 75	6	16	19	13	5	59	14	1				
5	Pneumonia.....	M. 3,763	355	232	66	44	22	719	50	19	46	129	234
	F. 3,453	292	177	80	34	19	19	602	59	28	31	91	162
6	Laryngitis.....	M. 24	4	1	3	1	1	3	6			3	1
	F. 22	2	3	1	1			10	3			1	1
7	Bronchitis.....	M. 775	188	47	27	5	1	268	4	5	5	10	17
	F. 1,051	180	50	16	13	5		264	6	6	8	10	13
8	Pleurisy.....	M. 114	1	1	1	3		6	1		3	10	9
	F. 101	1	2	2			1	6	3		1	8	12
9	Asthma.....	M. 74		1		1		2					2
	F. 90	1						1					1
10	Others of this class.....	M. 291	52	7	4	2	2	67	5		1	9	11
	F. 314	33	3	2	4	2	2	44	3	1	8	7	15
11	5. Diseases of the digestive system.....	3,268	216	40	21	6	9	232	46	44	60	121	203
12	Males.....	1,483	118	19	10	3	5	155	24	21	33	41	86
13	Females.....	1,785	98	21	11	3	4	137	22	23	27	80	117
14	Dentition.....	M. 18	10	7	1			18					
	F. 20	15	5					20					
15	Angina.....	M. 13	2		1			3	1			3	1
	F. 5	1						1	1				
16	Gastritis.....	M. 253	14	4	1	1		20			2	2	17
	F. 378	13	4	2	1			20	2	4	2	11	25
17	Diseases of the stomach.....	M. 106	2				1	3				2	12
	F. 106									1	2	7	5
18	Obstruction of the bowels.....	M. 117	16		2		1	19	2	1	3	3	7
	F. 145	12	1	1	1			15	3	1	1	5	8
19	Appendicitis.....	M. 126			1		1	1	8	9	18	12	13
	F. 100				1		1	2	9	9	11	11	13
20	Hernia.....	M. 50	5	1				6					1
	F. 95	1						1					
21	Other diseases of the bowels.....	M. 24	5					5	1			1	2
	F. 26	3	1					4				1	4
22	Jaundice.....	M. 40	15		1			16			1		
	F. 49	8					1	9	1				2
23	Inflammation and abscess of the liver.....	M. 73	1	1				2	1		1	1	4
	F. 91	3						3				5	3
24	Other diseases of the liver.....	M. 395	1					1		1		4	17
	F. 324	1						1	1			5	12
25	Peritonitis.....	M. 147	7	1	2		1	11	9	10	8	12	10
	F. 290	5	4	3			1	13	5	6	11	35	41
26	Ascites.....	M. 7											
	F. 9												
27	Others of this class.....	M. 114	40	5	2	2	1	50	2			1	2
	F. 147	37	5	4	1	1	1	48		2	1		4
28	6. Diseases of the urinary system and male organs of generation.....	4,500	24	7	5	7	6	49	24	24	45	148	246
29	Males.....	2,321	18	3	3	2	3	29	14	13	23	65	107
30	Females.....	2,179	6	4	2	5	3	20	10	11	22	83	139
31	Bright's disease.....	M. 1,860							12	10	20	59	100
	F. 1,917								9	10	18	70	121
32	Calculus, urinary.....	M. 8									1		
	F. 3												
33	Diseases of the kidney.....	M. 93	16	2	3	2	3	26	1	1		1	2
	F. 50	4	4	2	5	3		18				1	4
34	Diseases of the bladder.....	M. 155								1		1	1
	F. 34											1	1
35	Others of this class.....	M. 205	2	1				3	1	1	2	5	5
	F. 175	2						2	1	1	4	11	13
36	7. Diseases of the female organs of generation.....	167	1					1			4	13	20
37	Ovarian tumors.....	28										3	1
38	Ovarian diseases.....	6										1	2
39	Diseases of the tubes.....	31									2	6	8
40	Uterine tumors.....	46											
41	Uterine diseases.....	11									2	1	2
42	Others of this class.....	45	1					1				2	7

CAUSE, AND BIRTHPLACES OF MOTHERS.

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN IRELAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
485	569	508	547	716	825	871	875	700	445	269	124	42	24	20	1
286	325	302	290	378	409	365	361	291	202	106	55	11	9	8	2
199	244	206	257	338	416	506	514	409	243	163	69	31	15	12	3
			1				1								4
251	282	253	243	290	297	264	259	194	127	55	32	6	2	6	5
154	196	174	192	236	305	350	322	258	128	96	38	18	8	10	
1	1	1	4	1	1	1	1	1	1	1					6
1	2														
12	15	17	17	40	65	58	60	69	53	31	19	4	6		7
16	17	19	29	57	71	110	133	114	77	46	32	12	5	1	
8	13	4	8	12	6	10	9	11	3	1					8
9	12	2	10	3	6	5	10	7	5		2				
1	2	2	4	12	12	9	12	5	3	5	1			2	9
2	2	2	4	11	11	15	20	7	9	5					
13	12	20	14	23	28	23	19	12	16	13	3	1	1	2	10
17	15	9	21	31	22	25	28	23	23	16	2	1	1	1	
214	250	255	231	293	310	282	260	199	121	55	20	5	2	5	11
100	111	135	105	141	140	124	108	33	54	17	7	2	1		12
114	139	120	126	162	170	158	157	116	67	38	13	3	1	5	13
															14
1	1		1		1	1	1	1							15
			1		1		1								
14	15	21	18	26	31	25	27	13	10	8	3		1		16
15	22	16	23	38	39	47	43	30	19	13	6	2		1	
6	8	7	12	16	9	7	8	9	5	2	2				17
15	8	4	9	14	13	5	5	11	3	2	2				
5	8	6	8	10	13	6	9	7	7		2	1			18
8	8	6	11	12	17	9	18	11	7	4				1	
12	9	19	9	5	2	3	3	3	3						19
9	9	4	2	6	3	6	3	1	1						
3	1	6	4	4	5	7	4	2	5	2					20
2	4	9	11	8	15	17	11	9	6	2					
	4	2		3		2	1	2		1					21
	3		2		2	3	3	2	1		1				
1	1	1	1	1	2	4	6	2	3	1					22
2	3	2	3	2	5	4	3	6	4	2				1	
11	5	8	3	8	5	10	4	6	2	2					23
4	7	14	7	5	10	9	11	9	3	1					
33	42	48	36	53	50	42	27	26	13	1		1			24
18	33	39	38	46	33	32	28	17	13	7	1				
11	12	12	9	6	16	9	3	5	4						25
36	38	24	13	14	15	13	11	8	1	2	2			2	
		2		1	1	2	2	1							26
				1	2	2	2	2							
3	5	3	5	8	5	11	9	2	2	2					27
5	3	2	6	6	15	12	18	6	9	5	1	1	1	1	
278	364	358	364	465	468	519	399	356	207	118	50	9	3	6	28
145	184	179	172	234	240	262	200	199	135	74	36	4	3	3	29
138	180	179	192	231	228	257	199	157	72	44	14	5		3	30
130	159	160	152	199	209	212	151	138	85	40	19	2	1	2	31
112	156	162	177	205	208	233	178	140	65	36	11	3		2	
1	2			1	1	2			1						32
1		1													
1	3	4	3	11	6	4	7	9	7	6	2				33
3	5	3	1	4	3	4	2	1	1	1					
2	2	2	6	9	10	23	25	25	21	17	9		2		34
1	3	1	1	2	3	6	5	4	2	1	2				
11	18	13	11	14	14	21	17	27	22	11	6	2			35
16	16	12	13	19	14	14	14	12	4	6	1	1		1	
28	22	30	14	10	6	5	5	4	1	4				1	36
2	2	5	3	3	3	2	2	1		1					37
3															38
6	4	4	1												39
5	5	10	8	6	2	3	2	3		2					40
2	2	1							1						41
10	9	10	2	1	1		1			1					42



CAUSE, AND BIRTHPLACES OF MOTHERS.

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN IRELAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
122	97	27	1	1											1
6	4	2													2
39	47	7													3
51	27	9	1	1											4
	8														5
26	16	9													6
8	9	8	5	5	3	6	7	5	4	1					7
3	6	4	4	3	1	3	6	1	2						8
5	8	4	1	2	2	3	1	4	2	1					9
2	1	1	2	2											10
1	1	1		1		1									11
1	3	1	2		1	2	3		2						12
2	1	1			1	1		2	1						13
	1							1							14
2	1	2	1	1		1	2	1	1	1					15
7	5	4	6	6	7	8	10	6	2	2	1	1			16
4	3	3	4	3	4	3	2	2		2	1	1			17
3	2	1	2	3	3	5	8	4	2						18
3	3	2	1	3	3	2	2	2	2			1			19
2	1	1		1	2	2	6	1	2						20
1		1	2	1	1	1									21
1			1	1				2							22
1	1	2	3	2	2	1		1							23
	1	1	1	2	1	1									24
															25
1		1	2	1	1	1									26
				2	1										27
279	303	212	172	186	167	165	144	104	74	44	24	7	2	12	28
244	248	174	139	138	129	112	91	52	37	24	6	4	1	7	29
35	55	38	33	48	38	53	53	52	37	20	18	3	1	5	30
5	6	7	3	4	1	7	2	6		3					31
8	14	10	6	8	6	16	9	10	4	3	1	1			32
35	41	17	17	13	24	7	14	6	4						33
2	5	3	1	3	2	2	1	1							34
3	1	3		1	1	2	3	1	1	1					35
			1	2	1	1									36
5	4	4	3	2	1	2		1							37
1	1	1	1							1					38
4	3	3		1	1	1		1							39
2	1	1		1											40
															41
3		1	2				1								42
44	45	30	32	32	34	23	11	5	7	3				4	43
3	3	1	3	2	1	3	4	2	1						44
4	4	3	4	2	2	2	2	1	1		1			1	45
1	1	1	1	2	2	2	1			1				1	46
3	2	3			1	2	1								47
															48
2	2	1		2	1			1							49
	1	1													50
5	5	8	3	4				4	1						51
3	4	2	1	1	1										52
7	8	10	6	3	5	5	3	3	3						53
3	2	3		1	2		2	1							54
															55
3	6	4	2	3	1		1								56
	4	3		4		2		2	1						57
1	1	2	1	2											58
1	2	4	2	2	1	2									59
8	6	2	5	3	2	4	2			1					60
								1	1						61
112	114	76	61	65	55	57	45	27	21	16	5	4	1	1	62
11	19	8	17	23	24	27	35	34	30	15	17	2	1	2	63

## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN GERMANY (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	41, 875	5, 794	1, 549	700	522	364	8, 929	999	548	337	1, 426	1, 835
2	Males .....	22, 666	3, 277	806	386	267	183	4, 919	525	281	438	691	906
3	Females .....	18, 709	2, 517	743	314	255	181	4, 010	474	267	399	735	929
4	Unknown cause .....	255	58	11	2	3	3	77	8	2	6	2	10
5	Males .....	137	26	5	1	1	2	35	3	—	3	1	4
6	Females .....	118	32	6	1	2	1	42	5	2	3	1	6
7	I. General diseases.												
	General diseases—A .....	6, 152	1, 939	615	267	212	158	3, 191	416	136	144	178	208
8	Males .....	3, 299	1, 076	308	152	119	78	1, 733	203	72	81	89	106
9	Females .....	2, 853	863	307	115	93	80	1, 458	213	64	63	89	97
10	Measles .....	{M. 117 F. 120	{29 32	{50 35	{15 18	{6 6	{3 6	{103 97	{7 16	{1 —	{1 1	{— 1	{— 2
11	Scarlet fever .....	{M. 94 F. 110	{2 1	{11 18	{19 14	{16 15	{14 14	{62 62	{25 35	{5 5	{1 —	{— 2	{— 2
12	Diphtheria .....	{M. 404 F. 370	{25 17	{52 54	{68 43	{59 43	{44 45	{248 202	{114 117	{27 24	{10 7	{1 4	{— 4
13	Whooping cough .....	{M. 76 F. 109	{43 49	{15 35	{10 9	{3 4	{1 2	{72 99	{1 5	{— —	{2 —	{— —	{1 —
14	Malarial fever .....	{M. 80 F. 66	{4 3	{1 2	{2 1	{— 1	{— —	{10 7	{2 5	{— 2	{— 4	{11 4	{2 3
15	Influenza .....	{M. 197 F. 204	{11 7	{— 2	{— —	{— —	{— —	{11 9	{6 3	{— —	{1 2	{4 1	{8 4
16	Typhoid fever .....	{M. 422 F. 314	{2 3	{2 —	{4 1	{4 5	{4 2	{16 11	{12 15	{22 21	{45 35	{58 50	{63 47
17	Cholera morbus .....	{M. 76 F. 77	{14 13	{6 —	{2 1	{2 —	{1 1	{18 21	{3 1	{2 2	{1 4	{1 —	{4 4
18	Colitis .....	{M. 33 F. 16	{13 3	{2 4	{— 1	{— —	{— —	{17 8	{2 —	{— —	{— —	{— —	{1 —
19	Diarrhea .....	{M. 167 F. 121	{61 56	{18 7	{3 —	{2 —	{— —	{84 66	{4 2	{2 —	{1 —	{— —	{1 5
20	Dysentery .....	{M. 101 F. 103	{10 12	{9 4	{5 4	{5 1	{— 1	{29 22	{3 1	{4 —	{1 —	{2 2	{1 —
21	Enteritis .....	{M. 641 F. 538	{393 291	{63 69	{16 12	{5 8	{3 5	{480 385	{13 8	{1 2	{3 2	{4 7	{7 5
22	Cholera infantum .....	{M. 511 F. 406	{426 331	{73 66	{5 6	{6 3	{1 —	{511 406	{— —	{— —	{— —	{— —	{— —
23	Fever .....	{M. 2 F. 3	{— 1	{1 —	{— —	{— —	{— —	{1 1	{— —	{1 —	{— —	{— —	{— —
24	Cerebro-spinal fever .....	{M. 65 F. 40	{15 10	{8 4	{2 1	{6 6	{3 2	{34 23	{5 2	{3 4	{7 2	{3 1	{4 1
25	Smallpox .....	{M. 12 F. 2	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{1 —	{2 —	{1 —
26	Erysipelas .....	{M. 88 F. 46	{16 14	{2 1	{— —	{1 —	{— —	{19 15	{1 —	{2 —	{3 1	{1 1	{5 2
27	Septicemia .....	{M. 96 F. 116	{7 9	{1 1	{1 —	{1 —	{1 2	{11 12	{3 3	{4 1	{1 3	{2 13	{4 15
28	Venereal diseases .....	{M. 14 F. 14	{3 9	{— —	{1 —	{— —	{— —	{3 10	{— —	{— —	{— —	{— —	{3 —
29	Others of this group .....	{M. 103 F. 78	{2 2	{— —	{— —	{1 —	{1 —	{4 2	{2 —	{1 —	{2 —	{2 —	{1 —
30	General diseases—B .....	665	288	10	4	5	—	307	7	—	12	18	24
31	Males .....	438	161	7	2	2	—	172	1	—	4	10	18
32	Females .....	227	127	3	2	3	—	135	6	—	8	8	6
33	Alcoholism .....	{M. 143 F. 20	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{1 —	{9 —
34	Parasitic diseases .....	{M. 1 F. —	{— —	{— —	{— —	{— —	{— —	{— —	{1 —	{— —	{— —	{— —	{— —
35	Lead poison .....	{M. 6 F. 3	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{1 —
36	Other poisons .....	{M. 111 F. 37	{2 3	{2 —	{1 —	{1 2	{— —	{6 5	{1 2	{— —	{4 8	{9 6	{9 5
37	Inanition .....	{M. 178 F. 146	{159 124	{5 3	{1 2	{1 1	{— —	{166 130	{3 —	{— —	{— —	{1 —	{— —
38	General diseases—C .....	2, 682	1, 014	48	7	4	—	1, 073	3	3	—	7	11
39	Males .....	1, 328	556	21	4	2	—	583	1	1	—	5	2
40	Females .....	1, 354	458	27	3	2	—	490	2	2	—	2	9
41	Old age .....	{M. 609 F. 725	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{— —
42	Premature birth .....	{M. 263 F. 200	{263 200	{— —	{— —	{— —	{— —	{263 200	{— —	{— —	{— —	{— —	{— —
43	Malformation .....	{M. 45 F. 28	{44 26	{1 —	{— —	{— —	{— —	{45 27	{1 —	{— —	{— —	{— —	{— —
44	Debility and atrophy .....	{M. 375 F. 378	{213 209	{20 26	{4 3	{2 2	{— —	{239 240	{1 1	{1 2	{— —	{5 2	{2 9
45	Others of this group .....	{M. 36 F. 28	{36 23	{— —	{— —	{— —	{— —	{36 23	{— —	{— —	{— —	{— —	{— —

CAUSE, AND BIRTHPLACES OF MOTHERS.

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN GERMANY (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,088	2,234	2,270	2,165	2,193	2,362	2,646	2,921	3,093	2,511	1,475	597	156	51	39	1
1,106 982	1,277 957	1,376 894	1,329 836	1,331 862	1,347 1,015	1,513 1,133	1,575 1,346	1,609 1,484	1,304 1,207	739 736	285 312	68 88	23 28	24 15	2
7	5	11	20	7	15	18	23	15	17	8	2	1		1	4
2 5	2 3	6 5	14 6	5 2	8 7	12 6	16 7	8 7	9 8	6 2	1 1	1		1	5 6
193	164	145	140	129	136	169	179	239	221	112	46	5	2	4	7
101 92	86 68	87 58	84 56	79 50	86 50	94 75	83 96	122 117	95 126	57 55	25 21	2 3	1 1	3 1	8 9
2	1		1												10
2															11
1	2	1								1					12
1	1	1	1	2		1			1						13
5	1	1	1			1									14
1						2									15
9	7	5	10	3	4	4	4	4	1	1					16
5	3	2	5	2	4	4	4	4	5	1	2				17
7	12	7	7	13	8	20	13	27	23	19	10	1			18
9	8	8	11	7	11	15	22	28	46	16	6	2	1		19
50	48	29	30	15	16	12	4	6	6					1	20
30	29	16	9	13	8	8	7	10	4					1	21
4		6	3	5	3	3	7	6	6	1	2		1		22
2	2	3	2	1	3	6	6	9	6	1	3				23
1		3	1		1	1	1	2	3	2	1				24
1	4	2	2	3	6	6	6	20	11	10	2	2			25
3	1			3	1	6	6	7	11	5	3			1	26
1	2	2	2	3	4	8	8	12	6	6	3				27
1	1	4	6	2	3	1	14	14	15	14	2				28
7	9	10	5	9	16	11	11	20	21	10	4				29
6	9	8	6	8	5	15	19	20	21	8	3	1			30
															31
		1													32
1						2			2						33
3	1	2	1							1					34
2															35
1	3	1	3		1										36
4	3	7	6	10	11	5	1	5	5						37
2	1	2	1	4	2	6	2	3	3		1				38
7	7	6	10	11	8	8	6	5	2	1					39
16	14	8	5	5	5	5	4	5	2						40
1	2	2			1	2									41
1		1	2												42
2	1	5	3	7	8	9	14	17	15	7	3	1			43
5	2	1	6	2	7	7	10	15	11	6	1				44
41	48	39	35	28	30	17	21	10	12	10	5			1	45
															31
33	41	33	30	22	22	13	15	7	7	6	4				32
8	7	6	5	6	8	4	6	3	5	4	1			1	33
24	22	21	21	15	13	2	10	2	2	1	2				34
3	4	6	2			1	1	1	1						35
															36
1	3		1	1			1								37
8	16	12	8	6	9	9	3	3	3	3	2				38
4	2		2	5	7	2	5	1	1	3					39
1					1	1	1	4	2	2					40
			1	1	1	1	1	2	3	1	1			1	41
13	10	16	10	20	23	37	93	238	356	425	234	80	26	4	42
7	8	9	6	11	12	19	39	104	173	197	103	34	12	2	43
6	2	7	4	9	11	18	54	134	183	228	131	46	14	2	44
						8	26	91	156	182	98	34	12	2	45
						6	39	114	168	211	127	44	14	2	46
															47
															48
7	8	9	6	11	12	11	13	13	17	15	5				49
6	2	7	4	9	11	12	15	20	15	17	4	2			50

## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN GERMANY (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D .....	7,843	148	62	38	18	20	286	56	74	237	530	694
2	Males .....	4,173	79	31	22	10	9	151	33	24	103	252	356
3	Females .....	3,670	69	31	16	8	11	135	23	50	134	278	338
4	Anemia .....	{M 41 F 56	{2 3	{1 1	{1 1	{1 1	{1 2	{3 6	{1 1	{1 1	{1 3	{1 3	{2 2
5	Diabetes .....	{M 152 F 174	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{4 4	{4 4	{1 2	{3 6	{4 4
6	Rheumatism .....	{M 93 F 80	{1 1	{1 1	{1 1	{1 1	{1 1	{2 2	{3 2	{1 8	{4 2	{2 3	{5 3
7	Scrofula and tubercles .....	{M 30 F 14	{11 3	{4 1	{1 1	{1 1	{1 1	{16 4	{1 1	{1 1	{1 1	{6 2	{3 1
8	Hydrocephalus .....	{M 95 F 76	{28 81	{16 15	{13 4	{5 3	{3 4	{65 57	{11 6	{1 1	{1 2	{3 2	{1 3
9	Tuberculosis, general .....	{M 26 F 20	{4 4	{1 1	{1 1	{1 1	{1 1	{3 5	{3 3	{3 3	{1 1	{3 3	{3 3
10	Consumption .....	{M 2,613 F 1,848	{28 22	{9 11	{5 6	{3 2	{5 4	{50 45	{10 8	{13 35	{87 121	{225 250	{380 299
11	Cancer .....	{M 913 F 1,174	{2 2	{1 1	{1 1	{1 1	{1 1	{2 2	{1 1	{1 1	{3 1	{4 5	{7 19
12	Tumor .....	{M 80 F 85	{2 2	{1 1	{1 3	{1 1	{1 1	{3 4	{2 1	{1 1	{2 2	{3 3	{6 4
13	Dropsy .....	{M 100 F 124	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{3 3	{2 2	{1 2	{1 3	{2 2
14	Others of this group .....	{M 30 F 19	{6 1	{1 4	{2 2	{1 1	{1 1	{7 3	{2 2	{1 1	{2 1	{1 1	{1 1
15	2. Diseases of the nervous system .....	4,776	776	194	88	59	30	1,147	94	45	63	66	89
16	Males .....	2,694	461	112	46	23	16	658	43	26	37	47	44
17	Females .....	2,082	315	82	42	36	14	489	51	19	26	19	45
18	Inflammation of the brain .....	{M 36 F 26	{6 5	{4 4	{4 1	{3 3	{1 1	{15 13	{2 4	{1 1	{1 1	{2 1	{2 2
19	Meningitis .....	{M 412 F 272	{114 68	{57 44	{27 26	{14 18	{5 12	{217 168	{24 31	{16 10	{8 9	{17 3	{10 7
20	Apoplexy .....	{M 1,002 F 869	{4 11	{4 2	{1 2	{1 2	{1 1	{9 15	{3 3	{2 2	{4 1	{6 2	{7 10
21	Paralysis .....	{M 346 F 264	{2 2	{1 1	{1 2	{1 1	{1 1	{3 5	{1 1	{1 1	{2 1	{2 2	{3 5
22	Paralysis, general (of insane) .....	{M 51 F 15	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1
23	Tetanus and trismus nascentium .....	{M 44 F 25	{18 13	{1 1	{1 1	{1 1	{1 1	{18 15	{3 1	{4 1	{7 1	{2 1	{1 1
24	Chorea .....	{M 1 F 4	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1
25	Epilepsy .....	{M 53 F 36	{2 1	{1 1	{1 1	{1 1	{1 1	{3 2	{2 2	{1 1	{6 6	{4 3	{7 2
26	Convulsions .....	{M 366 F 272	{290 202	{34 28	{12 11	{7 9	{7 2	{350 252	{3 5	{1 1	{1 1	{5 1	{2 2
27	Mental diseases .....	{M 69 F 91	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{2 2	{3 3
28	Diseases of the brain .....	{M 219 F 138	{24 11	{10 2	{1 1	{2 1	{3 1	{40 15	{6 4	{1 4	{6 3	{5 3	{11 8
29	Diseases of the spinal cord .....	{M 42 F 30	{1 1	{2 1	{1 1	{1 1	{1 1	{3 2	{1 1	{1 1	{1 1	{2 1	{1 1
30	Locomotor ataxia .....	{M 30 F 12	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1
31	Others of this class .....	{M 23 F 28	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{2 1	{1 1	{1 1
32	3. Diseases of the circulatory system .....	3,870	98	3	3	6	12	122	58	63	77	75	106
33	Males .....	2,060	55	2	1	3	5	66	30	26	26	33	44
34	Females .....	1,810	43	1	2	3	7	56	28	37	51	42	62
35	Pericarditis .....	{M 24 F 31	{1 1	{1 1	{1 1	{1 1	{1 1	{1 3	{2 3	{5 3	{1 3	{1 4	{1 1
36	Diseases of the heart .....	{M 1,820 F 1,647	{26 28	{2 2	{1 2	{3 3	{5 4	{37 37	{25 25	{21 34	{25 44	{32 36	{38 55
37	Angina pectoris .....	{M 37 F 54	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{2 1	{1 1	{3 3
38	Diseases of the arteries .....	{M 58 F 43	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1
39	Aneurism .....	{M 28 F 5	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1
40	Embolism .....	{M 14 F 12	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{2 1	{2 1	{1 2
41	Others of this class .....	{M 29 F 18	{28 16	{1 1	{1 1	{1 1	{1 1	{28 16	{1 1	{1 1	{1 1	{1 1	{1 1





## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN GERMANY (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	6,562	1,096	522	239	144	92	2,093	183	63	84	147	174
2	Males.....	3,490	686	272	131	71	45	1,155	101	24	44	78	90
3	Females.....	3,072	460	250	108	73	47	938	82	39	40	69	84
4	Croup.....	M. 114 F. 117	14 13	19 23	25 20	19 24	16 10	93 90	21 19	5	1		
5	Pneumonia.....	M. 2,321 F. 1,981	367 261	197 180	82 69	38 36	19 26	703 572	62 48	16 27	37 31	63 50	82 69
6	Laryngitis.....	M. 27 F. 25	2 4	1 5	3 4	5 2	1 2	12 17	6 2	1	1		
7	Bronchitis.....	M. 626 F. 630	193 144	47 36	17 11	6 5	7 7	270 203	10 10	4 1	1 4	6 8	2 5
8	Pleurisy.....	M. 70 F. 45	4	4	3	2		13		2	2	3	3
9	Asthma.....	M. 108 F. 89						4	1	1	2		1
10	Others of this class.....	M. 224 F. 185	56 37	4 3	1 4	1 5	2 2	64 51	2 1	1 4	2 2	6 8	2 8
11	5. Diseases of the digestive system.....	2,680	260	49	13	20	17	359	47	52	71	94	127
12	Males.....	1,471	151	27	6	8	7	199	29	32	39	40	58
13	Females.....	1,209	109	22	7	12	10	160	18	20	32	54	69
14	Dentition.....	M. 25 F. 21	17 12	7 9		1		25 21					
15	Angina.....	M. 6 F. 14	1 1	2 1	1 2		2	4 6		2	1		
16	Gastritis.....	M. 194 F. 171	22 18	9 4	1 1	2 2	2	34 27	2 2	1		3	2
17	Diseases of the stomach.....	M. 68 F. 39	2 3	2		1	1	4 5			2	4	2
18	Obstruction of the bowels.....	M. 85 F. 98	14 4		1	1	1	15 7	5 3	4	3 3	3	2
19	Appendicitis.....	M. 171 F. 89	1			1	1	2 1	5 4	17 8	19 10	23 7	21 11
20	Hernia.....	M. 74 F. 71	3 1	1				4 1	1		3		2
21	Other diseases of the bowels.....	M. 33 F. 19	5 4	1 1				6 5		1	2 1	1 1	2 2
22	Jaundice.....	M. 35 F. 28	15 6	1	1			17 7					3 1
23	Inflammation and abscess of the liver.....	M. 63 F. 53	3 1					3 1	1			2 2	3 2
24	Other diseases of the liver.....	M. 419 F. 166	3 2	1				3 3	1		3	5 3	5 4
25	Peritonitis.....	M. 172 F. 319	10 6	3 2	3 1	3 6	4 3	23 18	14 6	9 10	6 17	9 30	13 42
26	Ascites.....	M. 9 F. 6	1					1					
27	Others of this class.....	M. 117 F. 115	54 51	3 2		2	2	58 58	1 2			1	3 1
28	6. Diseases of the urinary system and male organs of generation.....	2,842	22	4	7	12	6	51	34	29	29	64	94
29	Males.....	1,690	18	2	3	8	5	36	18	14	14	27	43
30	Females.....	1,152	4	2	4	4	1	15	16	15	15	37	51
31	Bright's disease.....	M. 1,323 F. 994							13 14	13 15	12 15	23 32	32 40
32	Calculus, urinary.....	M. 9 F. 5	1 1					1 1				1	
33	Diseases of the kidney.....	M. 84 F. 51	13 1	2 2	3 3	7 4	5 1	30 11	1 1		1	1	2 4
34	Diseases of the bladder.....	M. 108 F. 16	1		1			1 1	1	1	1		3 1
35	Others of this class.....	M. 166 F. 86	3 2			1		4 2	3 1			3 4	6 6
36	7. Diseases of the female organs of generation.....	164								1	3	17	22
37	Ovarian tumors.....	28									1	4	3
38	Ovarian diseases.....	12										1	2
39	Diseases of the tubes.....	22											11
40	Uterine tumors.....	43											
41	Uterine diseases.....	13									1	2	3
42	Others of this class.....	46								1	1	10	3





CAUSE, AND BIRTHPLACES OF MOTHERS.

753

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN GERMANY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
104	84	38	5			1								1
9	4	3												2
21	27	17	2											3
55	44	15	1			1								4
6	1	1												5
13	8	2	2											6
3	5	8	7	7	4	3	2	8	3					7
2	3	5	3	5	1	1	1	4	1					8
1	2	3	4	2	3	2	1	4	2					9
1	1	2	2	1	1	1		1	1					10
		1	1											11
2	2	1	2	3				2	1					12
	1	1	1	1	1			2						13
														14
	1	1	1			2	1	1	1					14
4	2	2	3	5	5	7	10	5	3	4	1			15
2	2	2	1	4	5	4	5	3	2	3	1			16
2			2	1		3	5	2	1	1				17
1	2	1	1	2	1	2	1	1	2	2				18
2			2			2	2	1						18
1				2	2	2	1	2	2	1				19
				1		1	1	1	1	1				19
		1			2		3			1	1			20
							2							20
4	2	6	1	1	6	3		2	3					21
2		3			3	1		1						22
2	2	3	1	1	3	2		1	3					23
1	1	1		1	2									24
1	1	1			1	2		1	2					24
	1													25
2		1			1	1		1						26
1		2	1		2				1					26
180	187	193	195	154	132	134	111	88	62	44	9	6	1	27
146	154	171	162	136	120	114	82	65	39	24	2	4	1	28
34	33	27	33	18	12	20	29	23	23	20	7	2		29
4	4	4	3	4	3	2	5	1	2					30
4	2	2	4	3	3	2	5	3	5	1				30
9	14	19	16	6	6	6	8	3	2					31
1	1	1	2	1			1	1	1					31
1	1			1				1	1	1				32
4	9	5	3	6	3	4	4							33
1	1													33
1	2	1		1	1	1			1					34
1	2	1	1											34
														35
1	1			2		1								36
														36
27	16	16	17	17	22	14	4	5	8	2			1	37
2	3	3	1	1	1	2	1	3	4		1			37
2	1	4	2		3	1	1							38
2	1		1		2			1	1					38
14	16	21	17	13	10	7	3	3	3					39
2	1		1											39
2	1	1			1	1	4	1	2	1				40
1				1		1								40
10	11	10	5	10	13	9	7	6	1					41
5	8	3	2	3	1	1	1	5		1		1		41
14	13	21	24	18	17	21	12	12	7	5		1		42
4	3	3	6	5		4	2	1		1				42
1	5	1	8	6	1	1			1					43
			1			2	2	1		1				43
1		1	1		2									44
5	2	1	1	2	1				1	1				44
5	1	3	4	2		2	1	1						45
		1			1									45
51	59	64	57	50	38	44	33	32	11	15	2	3		46
6	9	12	12	2	3	8	16	8	11	15	6	1		46

VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ENGLAND AND WALES (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	14,364	1,745	438	226	132	83	2,624	305	174	265	421	554
2	Males.....	7,820	964	232	126	69	38	1,429	175	84	149	214	292
3	Females.....	6,544	781	206	100	63	45	1,195	130	90	116	207	262
4	Unknown cause.....	97	15	2			1	18		1	3	1	5
5	Males.....	51	7	1			1	9			2		2
6	Females.....	46	8	1				9		1	1	1	3
7	1. General diseases.												
	General diseases—A.....	2,085	524	175	92	58	40	889	116	44	45	57	69
8	Males.....	1,085	262	95	52	34	15	458	59	17	23	34	46
9	Females.....	1,000	262	80	40	24	25	431	57	27	22	23	23
10	Measles.....	{M. 38 F. 35	7 9	12 14	12 3	4 3	2	35 31	3 1				
11	Scarlet fever.....	{M. 32 F. 45	2 1	4 5	7 7	8 5	2	23 25	6 11	1 3	1 3	1	
12	Diphtheria.....	{M. 98 F. 84	8 6	19 7	15 14	13 8	10 13	65 48	24 24	4 6	1 2		1 1
13	Whooping cough.....	{M. 41 F. 52	23 26	9 12	4 4	3 3		39 48	2 3				
14	Malarial fever.....	{M. 20 F. 23	2 1					2 1			1	1	1
15	Influenza.....	{M. 116 F. 148	4 5	1	2	1		7 7		1	1	2	2 3
16	Typhoid fever.....	{M. 186 F. 96		1			1	2 2	10 5	9 9	18 13	23 10	36 10
17	Cholera morbus.....	{M. 25 F. 22	3 5	1	2			6 8	1			1	
18	Colitis.....	{M. 12 F. 13	3 3	1				4 4	1				
19	Diarrhea.....	{M. 51 F. 47	16 16	3 3	1 1			20 20				1	
20	Dysentery.....	{M. 44 F. 47	3 1	2	2	3		10 2	1 1				2 1
21	Enteritis.....	{M. 140 F. 140	80 70	16 18	2 2	2 1		100 91	2 6			2	
22	Cholera infantum.....	{M. 115 F. 126	90 105	22 16	3 5			115 126					
23	Fever.....	{M. 1 F. 4											2
24	Cerebro-spinal fever.....	{M. 25 F. 23	6 3	4 3	1 1	1	1	13 7	3 1	1 5		3 2	2 1
25	Smallpox.....	{M. 2 F. 2											
26	Erysipelas.....	{M. 31 F. 19	8 3					8 3			1		1 1
27	Septicemia.....	{M. 53 F. 35	2 2	2			1	3 4	4	1		1	2 2
28	Venereal diseases.....	{M. 10 F. 8	5 4					5 4					
29	Others of this group.....	{M. 45 F. 31			1			1	2			2	
30	General diseases—B.....	238	101	7	1	1		110	1		2	4	6
31	Males.....	155	58	2				60	1		2	1	5
32	Females.....	83	43	5	1	1		50				3	1
33	Alcoholism.....	{M. 60 F. 17											4 1
34	Parasitic diseases.....	{M. 2 F. 2											
35	Lead poison.....	{M. 3 F. 3											
36	Other poisons.....	{M. 32 F. 13	2	1		1		3 1	1		2	1	1
37	Inanition.....	{M. 60 F. 53	56 43	1 5	1			57 49				1	
38	General diseases—C.....	1,012	408	19	3		1	431		1	1		3
39	Males.....	512	220	9	2			231		1	1		
40	Females.....	600	188	10	1		1	200					3
41	Old age.....	{M. 246 F. 261											
42	Premature birth.....	{M. 100 F. 88	100 88					100 88					
43	Malformation.....	{M. 14 F. 11	13 11					13 11			1		
44	Debility and atrophy.....	{M. 133 F. 132	88 81	9 10	2 1		1	99 93		1			3
45	Others of this group.....	{M. 19 F. 8	19 8					19 8					



TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND  
MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1. General diseases—Continued.												
General diseases—D.....	2,414	62	25	10	5	4	106	28	23	61	140	178
2 Males.....	1,251	37	11	6	4	1	59	13	12	28	75	89
3 Females.....	1,163	25	14	4	1	3	47	15	11	33	65	89
4 Anemia.....	{M. 22 F. 28}	1		1			2	1		1	4	1
5 Diabetes.....	{M. 64 F. 48}								1	1	1	2
6 Rheumatism.....	{M. 48 F. 32}		1				1		3		1	3
7 Scrofula and tabes.....	{M. 10 F. 12}	3		1			3	1				1
8 Hydrocephalus.....	{M. 47 F. 27}	20	10	4	2	1	37	4	1		1	
9 Tuberculosis, general.....	{M. 13 F. 16}	1	2	1			4	1			1	1
10 Consumption.....	{M. 703 F. 546}	10	3	1	1	1	12	3	5	24	70	79
11 Cancer.....	{M. 274 F. 392}	1					1	2		1	1	1
12 Tumor.....	{M. 31 F. 27}	1					1	1	1	1		1
13 Dropsy.....	{M. 30 F. 24}							1			1	1
14 Others of this group.....	{M. 9 F. 11}	2			1		3		1	1		1
15 2. Diseases of the nervous system.....	1,958	206	54	28	17	7	312	25	20	21	19	23
16 Males.....	1,088	124	25	14	9	3	175	15	11	13	9	12
17 Females.....	870	82	29	14	8	4	137	10	9	8	10	11
18 Inflammation of the brain.....	{M. 16 F. 7}	3		1			4	1	2	1		
19 Meningitis.....	{M. 131 F. 99}	45	11	10	7	1	74	9	3	4	3	5
20 Apoplexy.....	{M. 425 F. 331}	5	1				5			1	1	1
21 Paralysis.....	{M. 217 F. 177}	2	1				3	1	2		1	2
22 Paralysis, general (of insane).....	{M. 24 F. 6}									1		1
23 Tetanus and trismus nascentium.....	{M. 11 F. 7}	1					1		4	3	1	1
24 Chorea.....	{M. 2 F. 4}								1	2		
25 Epilepsy.....	{M. 14 F. 16}								2		1	2
26 Convulsions.....	{M. 79 F. 78}	57	9	3	1	1	71	3			1	1
27 Mental diseases.....	{M. 31 F. 28}										2	1
28 Diseases of the brain.....	{M. 90 F. 71}	8	4	3	1	1	13	1		1	2	1
29 Diseases of the spinal cord.....	{M. 18 F. 14}	3				1	4	2		1	2	1
30 Locomotor ataxia.....	{M. 10 F. 2}											
31 Others of this class.....	{M. 15 F. 30}								1	2		
32 3. Diseases of the circulatory system.....	1,582	44	1	3		2	50	25	25	14	19	27
33 Males.....	847	28	1	2		2	33	14	5	8	8	15
34 Females.....	685	16		1			17	11	20	6	11	12
35 Pericarditis.....	{M. 14 F. 9}		1				1	1		1		1
36 Diseases of the heart.....	{M. 739 F. 609}	15	1			2	18	12	5	7	8	14
37 Angina pectoris.....	{M. 41 F. 38}									1		1
38 Diseases of the arteries.....	{M. 24 F. 11}											
39 Aneurism.....	{M. 11 F. 5}								1			
40 Embolism.....	{M. 4 F. 8}							1				
41 Others of this class.....	{M. 14 F. 5}	13		1			14					5

CAUSE, AND BIRTHPLACES OF MOTHERS.

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
187	192	184	235	178	226	184	190	133	107	39	16	4		3	1
102	103	90	118	88	115	98	99	69	54	26	10	2		1	2
85	89	94	117	90	111	86	91	64	53	13	6	2		2	3
1		2	5	2	3	1	2	1	2	1					4
2	1	2	1	4	4	3			1						5
1	3	4	7	6	8	8	5	8	8						6
2	1	8	3	4	8	5	8	4	5						7
4	1	1	1	7	7	7	6	7	3	2	1				8
			2	3	2	2	5	2	5	4	1				9
			1	1	1	1	1	1	1						10
1		1	2	2	1				1						11
1	2	1		1	1										12
1				1	1										13
1	1		1	1	1	1	1	1							14
4		1				2	1								15
88	86	65	71	55	44	26	35	22	12	5				1	16
63	60	40	47	26	38	24	25	16	10	8		1		1	17
5	10	12	21	22	45	44	45	24	25	10	6	2		1	18
10	22	42	60	45	51	40	44	34	28	5	5	1		1	19
1		3	8		5	3	4	1	1	1					20
2	4	2	3	2	4	4		2	2						21
		1	2	1	1	5	1	4	3	7	3				22
	1	1	2	2	2	4	7	5	2						23
			1	1	1	2	1	1		1					24
46	67	58	79	121	130	167	212	222	191	130	67	16	1	1	25
22	40	24	44	77	87	101	123	131	91	70	29	9			26
24	27	29	35	44	78	66	89	91	100	60	38	7	1	1	27
1			1	1	1	1	1	1	1	1	1				28
1	1	1	1	1	1	1	1	1	1	1	1				29
2	5	3	1	6	2	4	2	1	7						30
	4	8	7	1	1	3	2	3							31
6	8	7	18	39	46	61	72	62	51	33	12				32
5	7	16	9	23	42	34	38	45	50	33	19	4			33
3	10	6	9	14	21	19	25	42	22	25	9	3			34
2	3	1	5	5	18	18	28	29	27	20	14	2	1	1	35
2	4	2	3	2	2	1	3	1	1		1				36
3								1	2						37
				1				1							38
	1														39
															40
															41
1	4	1	1	1	1	1	1	2	1	1					42
2	2	2	1	1	1	1	1	1	2	1					43
1															44
1	2	2	2	2	3	1	7	3	3	2	1				45
2	2	1	2	3	1	1	1	4	3	2	3	2			46
1	3	2	6	9	11	10	7	9	8	8	3				47
5	4	4	7	5	4	1	8	3	11	4	2	1			48
		1	2	1	3	4	4	1							49
	2		1	1	4	3	2	1	1						50
1	1		1	1	1	2	1	1	1						51
2	2	1	3	3	2	3	3	3	2	1	2				52
40	48	75	80	101	148	165	185	228	168	95	31	4		4	53
15	22	30	40	54	87	83	109	141	98	61	20	1		3	54
25	26	45	40	47	61	82	76	37	70	34	11	3		1	55
1	1	2		1			1	1	3	1					56
1	1	1	1	1		1	1	1							57
14	20	26	34	48	76	78	93	129	86	50	17	1		3	58
20	22	43	38	42	52	76	65	31	61	30	7	3		1	59
			4	3	4	3	10	5	7	2	2				60
2	3		1	4	6	4	7	4	1	3	2				61
						1	2	4	2	8	1				62
		1				1	1	2	4		2				63
	1	1	2	2	5					1					64
							2								65
2					1		1	1							66
					2				4						67





CAUSE, AND BIRTHPLACES OF MOTHERS.

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
67	105	82	83	119	112	166	152	158	172	102	54	12	5	8	1
33 34	70 35	45 37	60 23	77 42	65 47	93 73	70 82	73 85	84 88	43 59	22 32	1 11	2 3	2 6	2 3
31 29	61 29	35 31	45 19	67 34	44 28	67 58	42 51	48 57	51 54	30 35	13 20	5	2 1	1 1	5
	1		1		1			1							6
	1	3	3	2	7	9	13	9	20	6	7	1			7
4	1	1	3	2	7	8	19	21	25	18	9	5	2		
1	2	2	2	2	2	3	2	2		1					8
	1	2	1	3	3	3	3	2	2	2					
	1		2	2	2	4	4	4	4						9
	1		2	2	2	4	7	1	3	2					
1	4	5	7	4	10	10	9	10	8	6	2				10
1	2	3		3	9	4	2	5	4	2	3	1		5	
40	56	68	68	59	69	73	82	64	56	29	10	3		2	11
15 25	23 33	33 30	36 32	27 32	37 32	39 34	51 31	32 32	35 21	13 16	5 5	2 1		2	12 13
															14
1															15
2	4	3	4	4	8	6	10	5	7	2	1	1			16
2	5	4	2	5	7	14	9	7	5	8	1				
1	1	5	5	3	4	5	4	5	3	1	1				17
1	2	2	3	2	2	2	2	2							
2	4	1	4	2	1	4	3		4						18
3	1	3	2	3	4	3	5	5	4		1				
3	5	6	2	1	1	4	4	4							19
2	2	1	2	1	1	1	1	1							
1	1	1	1	2	3	2	2	4	2	1					20
1		1		5	3	3	2	2	2	1					
			1	1			1	1	2						21
						1	3	1	1						
			1	1	1	3	3	3	3	2					22
			3	4	1	1	3	1	1	1					
2	3	5	1	4	2	1	2	1	1	2					23
1	1	3	2	2	3	1	1	2	2	2					
5	9	9	8	6	12	16	17	10	7	2					24
2	3	8	7	7	7	5	6	8	3	1	2			1	
2	1	5	4	4	4	4	2	2	4	1	1	1			25
11	11	8	5	2	2	1	1	2	2		1				
			1					1							26
1	1	3	3	1	1	1	3	3	2	2	1				27
2	1	2	3	4	3	4	3	4	2	2					
34	44	76	76	86	116	102	104	113	98	45	25	7		3	28
13	18	36	38	48	77	67	73	72	71	36	22	5		2	29
21	26	40	38	38	39	35	31	41	27	9	3	2		1	30
12	13	29	32	37	63	52	57	50	43	18	10			1	31
12	20	32	33	33	34	30	24	35	23	9	2	2		1	
				1	1			1	1						32
								1	1						
2	2	2	1	2	3	3	6	3	4	4	2	1			33
		2	2	3	2	2	2	1	1						
			2	4	2	4	6	11	16	7	8	3			34
	2					1	1	2	2	1	1				
1	3	5	3	4	11	8	3	7	7	7	2	1		1	35
7	4	6	3	2	5	4	3	2	3						
7	7	5	7	5	3	1	1	1	2	1					36
															37
	1		2	3				1	1						38
	1														39
2															40
		3	4	2	1	1			1						41
			1												42
5	3	2			2					1					

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	137									4	32	32
2	Abortion.....	6									1	1	1
3	Childbirth.....	35										5	8
4	Puerperal septicemia.....	58									1	19	15
5	Extra-uterine pregnancy.....	3											1
6	Others of this class.....	35									2	7	7
7	9. Diseases of the bones and joints.....	26	1				1	2	2	2	3	1	5
8	Males.....	15	1				1	2	2	2	2		3
9	Females.....	11									1	1	2
10	Diseases of the spine.....	4 2	1					1	1	1	1		
11	Abscess, lumbar and psoas.....	1											1
12	Diseases of the bones.....	7 7					1	1	1		1	1	2
13	Diseases of the hip-joint.....	1								1			
14	Others of this class.....	2 2											
15	10. Diseases of the skin.....	20	4			1		5				1	
16	Males.....	11	2					2				1	
17	Females.....	9	2			1		3					
18	Abscess.....	6 2	1					1				1	
19	Carbuncle.....	2 2											
20	Others of this class.....	3 5	1			1		1					
21	11. Diseases of the absorbent system.....	10									1		
22	Males.....	7									1		
23	Females.....	3											
24	Addison's disease.....	3									1		
25	Diseases of the spleen.....	2											
26	Others of this class.....	2 3											
27	12. Accidents and injuries.....	714	25	10	13	6	7	61	37	21	37	35	58
28	Males.....	534	14	7	8	2	6	37	26	16	28	29	48
29	Females.....	180	11	3	5	4	1	24	11	5	9	6	10
30	Burns and scalds.....	24 35		1	4	1	2	8	3	2		1	2
31	Drowning.....	67 6		3	1		2	6	9	8	3	5	5
32	Exposure and neglect.....	4											
33	Gunshot wounds.....	21 5			1		1		1	1	1	3	3
34	Homicide.....	7 3					1	1	2				
35	Infanticide.....												
36	Injuries by machinery.....	1											
37	Railroad accidents.....	80 15			1		1	2	5	2	7	6	5
38	Suffocation.....	11 7	8		1			8	4	1	2	1	1
39	Suicide by shooting.....	23 2											1
40	Suicide by drowning.....	7 2									1		1
41	Suicide by poison.....	10 10									2	1	3
42	Other suicides.....	34 8									1	1	2
43	Sunstroke.....	3 2	1					1	1				
44	Surgical operations.....	2 6											1
45	Wounds.....	11 2									2	1	2
46	Others of this class.....	229 77	5	3	2	1	1	12	5	4	13	12	25
			4		1			5	4			2	4

CAUSE, AND BIRTHPLACES OF MOTHERS.

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
28	22	18	1											1
2		1												2
4	8	9	1											3
12	6	5												4
1	1													5
9	7	3												6
2		1		1	2	1	2			2				7
1					1	1	1							8
1		1		1	1					2				9
1				1										10
						1	1							11
		1								2				12
														13
1					1		1							14
		3		2			2	1	4	1	1			15
		3		2			2	1	2	1	1			16
		1		1			1	1	1	1				17
		2		1					1					18
							1		1					19
									1					20
									1			1		21
			2		2	1	1	1	1	1				22
					1	1		1						23
			1		1									24
									1	1				25
			1			1								26
60	61	68	58	34	44	31	33	29	28	9	5	2		27
48	49	55	47	28	40	22	20	16	17	4	2			28
12	12	13	11	6	4	9	13	13	11	5	3	2		29
1	1	1		1					1	2	1			30
2	2	2	3	2	2	2	1	1						31
7	7	3	3	2	1	3	2	2	1					32
		1	1											33
1		1	2	3	1	1	1	1	1					34
1	1		1											35
														36
					1									37
9	10	10	7	1	6	1	1	5	1	1	1			38
1	1		2	1					2					39
						1		1						40
3	4	3	3	2	3	1	3							41
	2													42
1		1		2	1		1							43
														44
	1	1	5		1									45
1	2	2	5	5	5	1	1	2	1					46
		2	1		1			1		1				47
														48
3		1	1					1						49
2			1		1		1		1					50
1						1								51
22	21	30	18	12	18	13	8	5	10	1				52
3	3	5	2	3	3	6	8	11	8	4	3	2		53

VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN CANADA (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	18,605	5,742	1,155	537	386	261	8,081	628	422	690	964	906
2	Males.....	9,736	3,265	627	293	195	126	4,506	320	219	333	447	392
3	Females.....	8,869	2,477	528	244	191	135	3,575	308	203	357	517	514
4	Unknown cause.....	221	116	11	3	4	.....	134	8	6	4	3	6
5	Males.....	122	66	6	.....	4	.....	76	4	3	2	2	2
6	Females.....	99	50	5	3	.....	.....	58	4	3	2	1	4
7	1. General diseases.												
	General diseases—A.....	4,269	2,099	426	210	169	116	3,020	229	115	110	139	91
8	Males.....	2,217	1,140	225	109	86	54	1,614	118	57	47	74	49
9	Females.....	2,052	959	201	101	83	62	1,406	111	58	63	65	42
10	Measles.....	{M. 119 F. 113	{33 23	{35 38	{17 18	{10 10	{4 5	{99 89	{13 10	{4 4	{1 2	{2 3	{1 1
11	Scarlet fever.....	{M. 81 F. 73	{7 8	{10 12	{12 9	{13 15	{8 10	{50 54	{16 17	{8 1	{2 1	{..... 1	{1 1
12	Diphtheria.....	{M. 204 F. 200	{20 12	{31 23	{25 30	{30 26	{31 21	{137 112	{44 58	{13 19	{7 4	{2 5	{1 1
13	Whooping cough.....	{M. 101 F. 114	{67 72	{16 16	{7 14	{3 4	{1 2	{94 108	{2 3	{..... .....	{..... .....	{1 .....	{..... .....
14	Malarial fever.....	{M. 33 F. 18	{3 2	{1 1	{1 .....	{1 1	{1 1	{7 5	{3 2	{..... 2	{3 1	{2 2	{4 .....
15	Influenza.....	{M. 87 F. 151	{17 22	{6 3	{3 2	{4 4	{..... 1	{30 32	{2 3	{1 5	{2 4	{5 2	{2 5
16	Typhoid fever.....	{M. 205 F. 165	{1 1	{2 .....	{1 4	{3 4	{1 1	{8 10	{12 9	{16 19	{22 37	{49 30	{35 18
17	Cholera morbus.....	{M. 38 F. 39	{7 5	{2 4	{3 3	{2 2	{..... 1	{14 15	{4 3	{2 .....	{1 2	{1 1	{..... .....
18	Colitis.....	{M. 12 F. 6	{7 4	{2 .....	{..... .....	{..... .....	{..... .....	{9 5	{..... .....	{..... .....	{1 .....	{..... .....	{..... .....
19	Diarrhea.....	{M. 104 F. 94	{70 62	{8 9	{2 .....	{1 .....	{1 1	{81 73	{6 1	{2 1	{1 1	{2 1	{..... .....
20	Dysentery.....	{M. 59 F. 39	{28 17	{4 1	{5 1	{3 .....	{1 2	{41 21	{1 .....	{1 1	{1 .....	{..... .....	{1 2
21	Enteritis.....	{M. 247 F. 210	{132 140	{26 24	{8 5	{2 3	{1 3	{219 175	{3 2	{2 2	{1 3	{2 4	{1 2
22	Cholera infantum.....	{M. 757 F. 635	{661 532	{68 61	{18 10	{6 5	{2 6	{755 634	{..... .....	{..... .....	{..... .....	{..... .....	{..... .....
23	Fever.....	{M. 4 F. 4	{3 .....	{1 .....	{..... .....	{..... .....	{..... .....	{4 .....	{..... .....	{..... .....	{..... .....	{..... .....	{..... .....
24	Cerebro-spinal fever.....	{M. 68 F. 58	{17 17	{11 3	{5 7	{7 6	{4 7	{44 40	{8 2	{5 4	{2 4	{4 3	{2 3
25	Smallpox.....	{M. 2 F. 5	{..... 1	{..... .....	{..... .....	{..... .....	{..... .....	{..... 1	{..... .....	{..... .....	{1 1	{1 3	{..... .....
26	Erysipelas.....	{M. 26 F. 25	{8 5	{1 .....	{1 .....	{1 .....	{..... .....	{8 8	{..... .....	{..... .....	{..... .....	{1 .....	{1 .....
27	Septicemia.....	{M. 40 F. 64	{6 .....	{..... 1	{1 1	{1 2	{..... .....	{8 5	{3 1	{1 .....	{3 2	{2 11	{2 9
28	Venereal diseases.....	{M. 11 F. 12	{6 8	{1 2	{..... .....	{..... .....	{..... .....	{7 10	{..... .....	{..... .....	{..... 1	{..... .....	{..... .....
29	Others of this group.....	{M. 23 F. 27	{..... 4	{2 .....	{1 .....	{..... .....	{..... 1	{3 5	{1 .....	{2 .....	{..... .....	{..... .....	{1 .....
30	General diseases—B.....	422	281	11	3	2	3	300	5	2	4	7	14
31	Males.....	262	170	5	2	2	2	179	4	.....	.....	2	10
32	Females.....	160	111	6	1	2	1	121	1	2	4	5	4
33	Alcoholism.....	{M. 37 F. 12	{..... .....	{..... .....	{..... .....	{..... .....	{..... .....	{..... .....	{1 .....	{..... .....	{..... .....	{..... .....	{8 .....
34	Parasitic diseases.....	{M. 1 F. 2	{..... .....	{..... .....	{..... .....	{..... .....	{..... .....	{..... 2	{1 .....	{..... .....	{..... .....	{..... .....	{..... .....
35	Lead poison.....	{M. 2 F. 1	{..... 1	{..... .....	{..... .....	{..... .....	{..... .....	{..... 1	{..... .....	{..... .....	{..... .....	{..... .....	{..... .....
36	Other poisons.....	{M. 41 F. 24	{3 .....	{2 1	{2 1	{..... .....	{..... 1	{7 3	{..... 1	{..... .....	{..... 3	{2 4	{7 4
37	Inanition.....	{M. 181 F. 121	{167 111	{3 4	{..... .....	{..... .....	{..... 2	{172 115	{2 .....	{..... 2	{..... .....	{..... 1	{..... .....
38	General diseases—C.....	1,676	1,242	34	3	3	2	1,284	.....	1	1	9	4
39	Males.....	915	717	22	2	1	.....	742	.....	.....	.....	3	2
40	Females.....	761	525	12	1	2	2	542	.....	1	1	6	2
41	Old age.....	{M. 135 F. 166	{..... .....	{..... .....	{..... .....	{..... .....	{..... .....	{..... .....	{..... .....	{..... .....	{..... .....	{..... .....	{..... .....
42	Premature birth.....	{M. 342 F. 229	{342 229	{..... .....	{..... .....	{..... .....	{..... .....	{342 229	{..... .....	{..... .....	{..... .....	{..... .....	{..... .....
43	Malformation.....	{M. 50 F. 34	{46 32	{2 .....	{..... .....	{..... .....	{..... .....	{48 34	{..... .....	{..... .....	{..... .....	{..... .....	{..... .....
44	Debility and atrophy.....	{M. 363 F. 311	{304 243	{2 10	{2 1	{1 2	{..... 2	{327 258	{..... .....	{..... 1	{..... 1	{3 6	{2 2
45	Others of this group.....	{M. 25 F. 21	{25 21	{..... .....	{..... .....	{..... .....	{..... .....	{25 21	{..... .....	{..... .....	{..... .....	{..... .....	{..... .....



VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN CANADA (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D .....	3,074	167	62	36	25	16	306	47	53	223	385	367
2	Males.....	1,408	102	37	16	12	9	176	22	25	84	154	143
3	Females.....	1,666	65	25	20	13	7	130	25	33	139	231	224
4	Anemia.....	{M.. 30 {F.. 58	11 12	2	1			11 15		2		3 3	8 8
5	Diabetes.....	{M.. 41 {F.. 44	1	2		1		3 1	4 1	3 5		1 1	2 3
6	Rheumatism.....	{M.. 22 {F.. 29		1			1	2	1	5	2		2
7	Scrofula and tabes.....	{M.. 31 {F.. 29	16 4	5 3	1		1	23 9	1		1	2	3
8	Hydrocephalus.....	{M.. 84 {F.. 60	33 20	17 7	6 8	4 2	3 4	63 41	9 6	3 1	1 4	2 5	1
9	Tuberculosis, general.....	{M.. 15 {F.. 19	1	2	1	1		1 5		2		1	1
10	Consumption.....	{M.. 398 {F.. 1,027	29 21	11 9	6 8	6 7	2	54 47	5 10	10 24	79 123	142 210	130 197
11	Cancer.....	{M.. 215 {F.. 327	1				2	3	1			2	5
12	Tumor.....	{M.. 21 {F.. 29	1 3		1		1	2 4	1			1	2
13	Dropsy.....	{M.. 40 {F.. 32	2 3	1 1		1		4 4			1		
14	Others of this group.....	{M.. 11 {F.. 12	7 1	1 1	1 1	1		10 3			1		1
15	2. Diseases of the nervous system.....	1,966	549	172	77	42	34	874	77	46	41	49	39
16	Males.....	1,077	336	98	52	18	18	522	39	26	24	18	22
17	Females.....	889	213	74	25	24	16	352	38	20	17	31	17
18	Inflammation of the brain.....	{M.. 40 {F.. 24	12 11	5 2	7	1	2	27 13	5	1	1	1	
19	Meningitis.....	{M.. 321 {F.. 263	142 90	53 41	30 16	8 18	11 14	244 179	22 32	15 14	8 8	5 10	8 1
20	Apoplexy.....	{M.. 193 {F.. 181	6 4	1 2		1		8 6	1	1	1	4	4
21	Paralysis.....	{M.. 126 {F.. 131	3 1	1 2				4 3			2	2	1
22	Paralysis, general (of insane).....	{M.. 11 {F.. 6											1
23	Tetanus and trismus nascentium.....	{M.. 14 {F..	2			1		3	2		2	2	1
24	Chorea.....	{M.. 1 {F.. 2								1			
25	Epilepsy.....	{M.. 26 {F.. 25	3 2	2	2	1		8 3	1	4	5	2	2
26	Convulsions.....	{M.. 195 {F.. 145	140 91	30 22	10 8	3 3	1 2	184 126	5 3	2		1	1
27	Mental diseases.....	{M.. 26 {F.. 20											3
28	Diseases of the brain.....	{M.. 89 {F.. 57	28 12	6 3	3 1	3 2	3	43 18	2 1	2 2	3 2	1 6	3 2
29	Diseases of the spinal cord.....	{M.. 11 {F.. 14		2			1	1	1		1	1	
30	Locomotor ataxia.....	{M.. 6 {F.. 8									1		
31	Others of this class.....	{M.. 13 {F.. 18	1					1				1	3
32	3. Diseases of the circulatory system.....	1,216	112	2	5	4	2	125	23	38	40	42	40
33	Males.....	598	56	2	2	2	2	64	14	14	16	14	16
34	Females.....	618	56		3	2		61	14	24	24	28	24
35	Pericarditis.....	{M.. 5 {F.. 12	1		1			2	1	2			1
36	Diseases of the heart.....	{M.. 529 {F.. 540	38 37	2	2	2	2	46 41	13 13	13 22	15 23	14 25	14 22
37	Angina pectoris.....	{M.. 22 {F.. 24										3	1
38	Diseases of the arteries.....	{M.. 13 {F.. 10		1									1
39	Aneurism.....	{M.. 7 {F.. 8								1			
40	Embolism.....	{M.. 4 {F.. 7									1		
41	Others of this class.....	{M.. 18 {F.. 17	18 17					18 17					1





## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN CANADA (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	2,816	896	368	155	105	51	1,570	120	42	64	82	74
2	Males.....	1,460	510	188	84	51	21	854	52	16	37	39	31
3	Females.....	1,356	386	175	71	54	30	716	68	26	27	43	43
4	Croup.....	72	12	17	12	12	2	55	15	.....	1	.....	.....
	M.....	75	10	21	9	18	6	64	10	.....	.....	1	.....
	F.....	987	305	121	47	30	12	515	26	13	25	32	26
5	Pneumonia.....	895	224	119	47	28	16	434	45	21	21	32	33
	M.....	15	2	4	2	1	1	10	2	.....	.....	.....	.....
	F.....	13	3	3	.....	2	1	9	1	.....	.....	.....	.....
6	Laryngitis.....	286	148	48	19	8	6	224	3	2	2	1	2
	M.....	256	125	27	12	5	3	172	5	2	4	5	6
	F.....	41	2	1	1	.....	.....	4	2	.....	5	3	1
7	Bronchitis.....	17	1	.....	.....	.....	.....	1	3	.....	.....	2	1
	M.....	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.....	18	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....
8	Pleurisy.....	9	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	M.....	96	41	2	3	.....	.....	46	3	1	3	3	2
	F.....	91	28	5	3	1	4	36	3	2	2	3	3
9	Asthma.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Others of this class.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	5. Diseases of the digestive system.....	970	168	40	18	6	15	247	34	49	76	59	76
12	Males.....	502	100	23	11	4	8	146	17	29	36	35	29
13	Females.....	468	68	17	7	2	7	101	17	20	40	24	47
14	Dentition.....	18	10	8	.....	.....	.....	18	.....	.....	.....	.....	.....
	M.....	13	7	6	.....	.....	.....	13	.....	.....	.....	.....	.....
	F.....	14	2	3	1	.....	2	8	.....	1	.....	1	1
15	Angina.....	11	1	1	1	1	2	6	1	.....	1	.....	2
	M.....	60	19	2	1	.....	.....	22	.....	1	.....	2	6
	F.....	53	14	2	2	.....	.....	18	.....	.....	.....	4	4
16	Gastritis.....	21	1	1	.....	.....	1	3	.....	.....	.....	1	1
	M.....	22	3	.....	.....	.....	.....	3	.....	1	.....	1	.....
	F.....	40	7	1	2	.....	1	11	3	.....	2	2	4
17	Diseases of the stomach.....	29	4	2	1	.....	.....	7	3	.....	.....	1	2
	M.....	79	.....	.....	.....	3	1	4	4	16	15	15	4
	F.....	44	1	1	.....	.....	2	4	1	5	11	3	10
18	Obstruction of the bowels.....	22	3	.....	.....	.....	.....	3	.....	.....	.....	.....	.....
	M.....	12	3	.....	.....	.....	.....	3	.....	.....	1	.....	.....
	F.....	14	8	.....	1	.....	.....	9	.....	1	1	.....	.....
19	Appendicitis.....	14	5	1	.....	.....	.....	6	.....	.....	.....	.....	2
	M.....	19	10	.....	.....	.....	1	10	.....	1	1	1	1
	F.....	22	7	.....	.....	.....	.....	8	.....	1	.....	.....	.....
20	Hernia.....	25	2	.....	.....	.....	.....	2	2	1	1	1	2
	M.....	22	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
	F.....	62	2	.....	2	.....	.....	2	.....	.....	2	.....	2
21	Other diseases of the bowels.....	37	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	3
	M.....	74	8	1	3	1	.....	13	6	8	12	10	6
	F.....	138	4	3	.....	1	1	8	8	11	21	14	22
22	Jaundice.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1
	M.....	4	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....
	F.....	53	27	7	3	.....	3	40	2	.....	.....	1	2
23	Others of this class.....	47	20	1	1	.....	1	23	3	2	3	1	1
24	6. Diseases of the urinary system and male organs of generation.....	664	18	8	7	8	4	45	22	6	14	31	43
29	Males.....	369	13	5	2	6	1	27	11	4	7	11	10
30	Females.....	295	5	3	5	2	3	18	11	2	7	20	33
31	Bright's disease.....	245	.....	.....	.....	.....	.....	.....	8	2	7	11	7
	M.....	227	.....	.....	.....	.....	.....	.....	9	2	6	18	18
	F.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
32	Calculus, urinary.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	M.....	41	6	5	2	5	1	19	1	1	.....	.....	.....
	F.....	27	3	3	5	2	3	16	.....	.....	.....	.....	3
33	Diseases of the kidney.....	34	3	.....	.....	.....	.....	3	.....	.....	.....	.....	1
	M.....	48	4	.....	.....	1	.....	5	2	1	.....	.....	2
	F.....	40	2	.....	.....	.....	.....	2	2	.....	1	2	11
34	Diseases of the bladder.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Others of this class.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	7. Diseases of the female organs of generation.....	63	.....	.....	.....	.....	.....	.....	.....	.....	6	11	9
37	Ovarian tumors.....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
38	Ovarian diseases.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	Diseases of the tubes.....	11	.....	.....	.....	.....	.....	.....	.....	.....	1	4	1
40	Uterine tumors.....	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
41	Uterine diseases.....	9	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1
42	Others of this class.....	26	.....	.....	.....	.....	.....	.....	.....	.....	4	4	7



VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN CANADA (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	180									11	36	41
2	Abortion.....	6										1	
3	Childbirth.....	52									2	11	12
4	Puerperal septicemia.....	80									6	16	21
5	Extra-uterine pregnancy.....	6									1		1
6	Others of this class.....	36									2	8	7
7	9. Diseases of the bones and joints.....	45	3	1			2	6	4	5	7	7	1
8	Males.....	27	2				2	4	4	1	3	6	
9	Females.....	18	1	1				2		4	4	1	1
10	Diseases of the spine.....	{M 12 F 6	2 1				1	3 1	1	1	2 1	3	
11	Abscess, lumbar and psoas.....	{M 1 F 1										1	
12	Diseases of the bones.....	{M 8 F 6		1			1	1	1	1	1	1	
13	Diseases of the hip-joint.....	{M 3 F 2							1			1	
14	Others of this class.....	{M 3 F 3							1				1
15	10. Diseases of the skin.....	45	17	4				21	1	1	1	3	3
16	Males.....	26	9	3				12	1	1	1	1	2
17	Females.....	19	8	1				9				2	1
18	Abscess.....	{M 17 F 5	5 1	1				6 2	1	1	1	1	2 1
19	Carbuncle.....	{M 2 F 4										2	
20	Others of this class.....	{M 7 F 10	4 7	2				6 7					
21	11. Diseases of the absorbent system.....	16	1	1			1	3	1		1	1	
22	Males.....	9		1			1	2	1		1		
23	Females.....	7	1					1				1	
24	Addison's disease.....	{M 1 F 1											
25	Diseases of the spleen.....	{M 3 F 2										1	
26	Others of this class.....	{M 5 F 5		1			1	2 1	1		1		
27	12. Accidents and injuries.....	962	73	20	20	18	15	146	52	53	87	100	98
28	Males.....	744	44	12	13	11	8	88	33	43	75	88	76
29	Females.....	218	29	8	7	7	7	58	19	10	12	12	22
30	Burns and scalds.....	{M 37 F 50	4 1	5 5	8 3	4 4	1 4	22 17	1 8	1 4	1 2	2 3	2 5
31	Drowning.....	{M 142 F 19	2 1	1	2	2	3	10 3	21 3	25 2	18 2	18 4	15 1
32	Exposure and neglect.....	{M 4 F 3	1 1				1	2 2					
33	Gunshot wounds.....	{M 27 F 3						1	1	2	9	4	1 1
34	Homicide.....	{M 4 F 1										3	
35	Infanticide.....	{M 1 F 1											
36	Injuries by machinery.....	{M 4 F 1									1		1
37	Railroad accidents.....	{M 113 F 11			1	1	1	3	4 1	4 1	16 1	16	14 2
38	Suffocation.....	{M 34 F 21	20 15	1	1	1		23 16		1	1	2	
39	Suicide by shooting.....	{M 13 F 3										4 1	3
40	Suicide by drowning.....	{M 4 F 3										1	
41	Suicide by poison.....	{M 11 F 10									3	3	1
42	Other suicides.....	{M 30 F 13									1 1	2 1	1 4
43	Sunstroke.....	{M 3 F 2		1	1			2					1
44	Surgical operations.....	{M 2 F 10										1 2	3
45	Wounds.....	{M 11 F 1			1	2		3			4	1	
46	Others of this class.....	{M 305 F 68	17 10	5	1	2	3	23 18	6 6	10 3	24	32	37 6

CAUSE, AND BIRTHPLACES OF MOTHERS.

769

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN CANADA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
40	32	19	1												1
2	3														2
9	8	10													3
19	14	4													4
2	1	1													5
8	6	4	1												6
4	4	2	1	1			3								7
3	2	2	1				1								8
1	2			1			2								9
	1		1				1								10
	1			1			1								11
1															12
2		1					1								13
1															14
	1	1													15
1	2	2	3	1	3	2			1						16
1	2	1	1	1	3	1			1						17
1	1	1	1		2	1									18
			1		1	1			1						19
			1	1											20
2	1	4	2	1											21
1	1	1	1	1											22
1		3	1												23
				1											24
	1	1	1												25
1															26
1		2	1												27
53	87	59	45	53	38	34	27	15	5	3	2			5	27
44	76	51	38	43	27	27	18	10	3		1			3	28
9	11	8	7	10	11	7	9	5	2	3	1			2	29
2		2	1	3	1										30
2		1	1	2	2		2	1							31
4	8	7	3	5	3	4		1							32
	2		1	1			1								33
					1										34
2	3	2		1				1	1						35
	1														36
	1														37
						1									38
6	18	4	4	8	6	4	6	2	1						39
				1		1	1								40
	2	1	1		2										41
		2	1	3											42
			1												43
			1												44
1	1	1	1												45
1	2	1	1	1	2	1		1	1						46
2	4	6	7	3		3	1								47
1		3		1		1				1					48
	1														49
1		1		1	1										50
1	1				1										51
26	35	26	21	19	13	10	11	5	1		1				52
4	5	1	4	4	5	5	5	2	2	2	1				53

VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCANDINAVIA (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	6,095	1,437	449	172	125	94	2,277	254	124	180	302	356
2	Males.....	3,424	835	232	102	65	42	1,276	127	49	93	137	193
3	Females.....	2,671	602	217	70	60	52	1,001	127	75	87	165	163
4	Unknown cause .....	63	24	5	1	1	1	32	1	1	1	4	4
5	Males.....	29	8	3	1	1		13	1				3
6	Females.....	34	16	2			1	19		1		4	1
7	1. General diseases.												
8	General diseases—A.....	1,304	451	175	70	50	40	786	123	37	31	54	45
9	Males.....	692	255	88	45	28	16	432	58	14	11	24	29
10	Females.....	612	196	87	25	22	24	354	65	23	20	30	16
11	Measles.....	{M. 36 F. 30	{M. 8 F. 3	{M. 12 F. 10	{M. 4 F. 3	{M. 4 F. 4	{M. 2 F. 3	{M. 30 F. 23	{M. 6 F. 7				
12	Scarlet fever.....	{M. 39 F. 28	{M. 1 F. 2	{M. 4 F. 1	{M. 9 F. 3	{M. 5 F. 4	{M. 1 F. 4	{M. 20 F. 10	{M. 12 F. 15	{M. 4 F. 1		{M. 1 F. 1	{M. 1 F. 1
13	Diphtheria.....	{M. 85 F. 90	{M. 8 F. 5	{M. 12 F. 14	{M. 18 F. 11	{M. 12 F. 10	{M. 5 F. 13	{M. 55 F. 53	{M. 26 F. 29	{M. 2 F. 6	{M. 1 F. 1		{M. 1 F. 1
14	Whooping cough.....	{M. 37 F. 42	{M. 23 F. 20	{M. 11 F. 11	{M. 6 F. 6	{M. 2 F. 1		{M. 36 F. 38	{M. 1 F. 1	{M. 3 F. 3			
15	Malarial fever.....	{M. 3 F. 6		{M. 1 F. 1				{M. 1 F. 1			{M. 1 F. 1		{M. 1 F. 1
16	Influenza.....	{M. 22 F. 24	{M. 5 F. 6	{M. 1 F. 1	{M. 1 F. 1			{M. 7 F. 6	{M. 1 F. 1				{M. 1 F. 3
17	Typhoid fever.....	{M. 116 F. 90		{M. 1 F. 1			{M. 3 F. 2	{M. 4 F. 2	{M. 5 F. 4	{M. 6 F. 6	{M. 8 F. 13	{M. 21 F. 22	{M. 19 F. 8
18	Cholera morbus.....	{M. 10 F. 12	{M. 5 F. 3	{M. 1 F. 1	{M. 1 F. 1			{M. 7 F. 6				{M. 1 F. 1	
19	Colitis.....	{M. 2 F. 2	{M. 2 F. 1					{M. 2 F. 2					
20	Diarrhea.....	{M. 16 F. 16	{M. 6 F. 7					{M. 3 F. 7		{M. 2 F. 1			
21	Dysentery.....	{M. 18 F. 19	{M. 2 F. 1	{M. 1 F. 2	{M. 1 F. 1		{M. 1 F. 1	{M. 5 F. 5	{M. 2 F. 1				{M. 1 F. 1
22	Enteritis.....	{M. 117 F. 89	{M. 77 F. 56	{M. 21 F. 18	{M. 7 F. 2	{M. 1 F. 1	{M. 1 F. 1	{M. 107 F. 77			{M. 1 F. 1		{M. 1 F. 1
23	Cholera infantum.....	{M. 125 F. 101	{M. 102 F. 80	{M. 19 F. 18	{M. 3 F. 1		{M. 1 F. 2	{M. 125 F. 101					
24	Fever.....	{M. 1 F. 1	{M. 1 F. 1					{M. 1 F. 1					
25	Cerebro-spinal fever.....	{M. 20 F. 21	{M. 7 F. 6	{M. 2 F. 3		{M. 2 F. 1	{M. 1 F. 1	{M. 12 F. 12	{M. 3 F. 3	{M. 1 F. 3	{M. 1 F. 2		
26	Smallpox.....	{M. 2 F. 2						{M. 1 F. 1		{M. 1 F. 1			
27	Erysipelas.....	{M. 9 F. 5	{M. 4 F. 3	{M. 1 F. 1				{M. 5 F. 4			{M. 1 F. 1		
28	Septicemia.....	{M. 23 F. 22	{M. 2 F. 2	{M. 2 F. 2		{M. 1 F. 1		{M. 5 F. 2	{M. 2 F. 2			{M. 1 F. 4	{M. 4 F. 2
29	Venereal diseases.....	{M. 6 F. 5	{M. 2 F. 2	{M. 1 F. 1				{M. 3 F. 3			{M. 1 F. 1		
30	Others of this group.....	{M. 7 F. 8	{M. 1 F. 1					{M. 1 F. 1					{M. 1 F. 1
31	General diseases—B.....	132	62	4	1	2	1	70			2	2	7
32	Males.....	82	31	2	1	2		36				1	3
33	Females.....	50	31	2			1	34			2	1	4
34	Alcoholism.....	{M. 25 F. 2										{M. 1 F. 1	{M. 1 F. 1
35	Parasitic diseases.....	{M. 1 F. 1	{M. 1 F. 1					{M. 1 F. 1					
36	Lead poison.....	{M. 1 F. 1			{M. 1 F. 1			{M. 1 F. 1					
37	Other poisons.....	{M. 24 F. 16	{M. 1 F. 2	{M. 2 F. 1		{M. 2 F. 2		{M. 5 F. 3			{M. 2 F. 2	{M. 1 F. 1	{M. 2 F. 4
38	Inanition.....	{M. 32 F. 31	{M. 30 F. 28	{M. 1 F. 1				{M. 30 F. 30					
39	General diseases—C.....	381	253	8	1			262	2		1		
40	Males.....	210	156	2	1			159	1				
41	Females.....	171	97	6				103	1		1		
42	Old age.....	{M. 41 F. 61											
43	Premature birth.....	{M. 73 F. 49	{M. 73 F. 49					{M. 73 F. 49					
44	Malformation.....	{M. 13 F. 10	{M. 12 F. 9	{M. 1 F. 1				{M. 13 F. 10					
45	Debility and atrophy.....	{M. 76 F. 46	{M. 64 F. 34	{M. 1 F. 5	{M. 1 F. 1			{M. 66 F. 39	{M. 1 F. 1		{M. 1 F. 1		
46	Others of this group.....	{M. 7 F. 5	{M. 7 F. 5					{M. 7 F. 5					



## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	1,208	38	35	13	8	7	101	27	17	70	111	145
2	Males.....	625	19	14	9	4	5	51	11	4	35	38	70
3	Females.....	578	19	21	4	4	2	50	16	13	35	73	75
4	Anemia.....	M 6 F 12		1				1 1	1 1				2
5	Diabetes.....	M 11 F 5									1 1	1	
6	Rheumatism.....	M 12 F 13	1					1	2	1	1	1	
7	Scrofula and tabes.....	M 8 F 7			1			1 4		1	1	1	1
8	Hydrocephalus.....	M 41 F 35	7 12	9 12	5 3	3 2	2 1	26 30	4 4	1	4 1	1	2
9	Tuberculosis, general.....	M 9 F 8	1	1				2 1		2	2	1 1	1 1
10	Consumption.....	M 448 F 389	11 1	3 6	3 1	1 2	3 1	21 11	5 6	3 7	25 27	36 66	65 68
11	Cancer.....	M 71 F 82									1	2	3
12	Tumor.....	M 6 F 12		1				1	1		3		1
13	Dropsy.....	M 8 F 9							1				1
14	Others of this group.....	M 5 F 6		1				1	1	1	1	1	
15	2. Diseases of the nervous system.....	563	179	54	16	11	16	276	15	9	8	10	12
16	Males.....	328	103	26	7	4	8	148	9	3	6	6	8
17	Females.....	235	76	28	9	7	8	128	6	6	2	4	4
18	Inflammation of the brain.....	M 11 F 3	3	2	1		1	7 1	1 1			1	
19	Meningitis.....	M 85 F 75	32 32	14 12	5 5	1 5	4 6	56 60	4 4	2 4	5	2 1	2 2
20	Apoplexy.....	M 78 F 43	4 1	1				4 2				1	1 1
21	Paralysis.....	M 24 F 20	1		1			2	1				
22	Paralysis, general (of insane).....	M 4 F											2
23	Tetanus and trismus nascentium.....	M 5 F 7	2	2				4	2	1		1 1	
24	Chorea.....	M 1 F 1		1		1		1 1					
25	Epilepsy.....	M 6 F 3	1 2	1				2 2			1 1	1	1
26	Convulsions.....	M 74 F 54	59 36	7 9	1 3	2	1 2	70 50	1 1			1	
27	Mental diseases.....	M 5 F 7											1
28	Diseases of the brain.....	M 22 F 19	4 1	2 2			1	7 5			1	1	
29	Diseases of the spinal cord.....	M 6 F 2		1				1 1					1
30	Locomotor ataxia.....	M 3 F											
31	Others of this class.....	M 4 F 1								1			1
32	3. Diseases of the circulatory system.....	338	27	3	1	1	2	34	10	17	15	9	10
33	Males.....	188	16	1	1	1	1	20	6	5	9	5	4
34	Females.....	150	11	2				14	4	12	6	4	6
35	Pericarditis.....	M 11 F 5							2 1	1	2 1	1	
36	Diseases of the heart.....	M 161 F 134	12 8	1 2	1	1	1 1	16 11	4 3	4 12	7 5	4 4	4 4
37	Angina pectoris.....	M 4 F 1											
38	Diseases of the arteries.....	M 1 F 3											
39	Aneurism.....	M 5 F											
40	Embolism.....	M 2 F 3											2
41	Others of this class.....	M 4 F 4	4 3					4 3					





TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
4. Diseases of the respiratory system.....	1,081	312	188	53	36	21	560	27	12	12	26	39
Males.....	595	187	80	28	15	8	318	11	3	6	19	33
Females.....	486	125	58	25	21	13	242	16	9	6	7	6
Croup.....	{M. 21 F. 23	{4 2	{4 6	{3 2	{6 4	{3 1	{20 15	{1 7	{ 1	{ 	{ 	{ 
Pneumonia.....	{M. 419 F. 310	{104 81	{59 37	{19 17	{6 12	{4 11	{192 158	{10 6	{1 7	{5 5	{19 7	{30 5
Laryngitis.....	{M. 5 F. 4	{ 1	{2 1	{ 1	{ 	{ 	{4 3	{ 1	{ 	{ 	{ 	{ 
Bronchitis.....	{M. 95 F. 67	{60 31	{12 12	{6 4	{1 3	{ 	{79 50	{ 2	{ 	{ 	{ 	{ 1
Pleurisy.....	{M. 5 F. 7	{ 	{1 	{ 	{ 	{1 1	{ 3	{ 	{ 1	{ 	{ 	{ 
Asthma.....	{M. 8 F. 2	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 
Others of this class.....	{M. 42 F. 23	{19 10	{3 1	{ 1	{1 1	{ 	{23 13	{ 	{1 1	{1 1	{ 	{3 
5. Diseases of the digestive system.....	335	63	13	4	5	1	86	17	10	17	21	25
Males.....	188	41	5	3	4		53	9	7	10	10	12
Females.....	147	22	8	1	1	1	33	8	3	7	11	13
Dentition.....	{M. 6 F. 8	{4 4	{2 4	{ 	{ 	{ 	{6 8	{ 	{ 	{ 	{ 	{ 
Angina.....	{M. 3 F. 1	{1 	{1 	{ 	{ 	{ 	{2 	{ 1	{ 	{ 	{ 	{ 
Gastritis.....	{M. 24 F. 8	{10 1	{ 2	{ 	{3 	{ 	{13 3	{ 	{ 	{1 	{ 1	{2 
Diseases of the stomach.....	{M. 6 F. 2	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 
Obstruction of the bowels.....	{M. 15 F. 13	{5 1	{1 	{ 	{ 1	{ 	{6 2	{1 1	{ 1	{1 	{ 	{2 1
Appendicitis.....	{M. 27 F. 16	{ 	{ 	{ 	{ 	{ 	{ 	{1 1	{5 2	{3 2	{7 3	{4 3
Hernia.....	{M. 6 F. 3	{1 	{ 	{ 	{ 	{ 	{1 	{ 	{ 	{1 	{ 	{ 
Other diseases of the bowels.....	{M. 3 F. 2	{1 	{ 	{ 	{ 	{ 	{1 1	{ 	{ 	{ 	{ 	{ 
Jaundice.....	{M. 6 F. 2	{3 2	{ 	{ 	{ 	{ 	{3 2	{ 	{ 	{ 	{ 	{ 
Inflammation and abscess of the liver.....	{M. 5 F. 6	{1 	{ 	{ 	{ 	{ 	{1 	{ 	{ 	{2 	{1 	{1 
Other diseases of the liver.....	{M. 35 F. 7	{1 	{ 	{ 	{1 	{ 	{2 	{ 	{1 	{ 	{ 	{ 
Peritonitis.....	{M. 30 F. 61	{4 2	{1 1	{1 1	{ 	{ 1	{6 5	{4 6	{1 	{2 4	{2 6	{4 8
Ascites.....	{M. F. 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 
Others of this class.....	{M. 22 F. 18	{11 10	{1 	{2 	{ 	{ 	{13 11	{2 	{ 	{1 	{1 	{ 
6. Diseases of the urinary system and male organs of generation.....	246	6	3	6		1	16	9	7	4	10	15
Males.....	136	4	2	2		1	9	4	3	1	5	2
Females.....	110	2	1	4			7	5	4	3	5	13
Bright's disease.....	{M. 99 F. 90	{ 	{ 	{ 	{ 	{ 	{ 	{4 5	{3 4	{1 3	{4 2	{2 9
Calculus, urinary.....	{M. F. 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 
Diseases of the kidney.....	{M. 14 F. 9	{4 2	{2 1	{2 3	{ 	{1 	{9 6	{ 	{ 	{ 	{1 	{1 
Diseases of the bladder.....	{M. 15 F. 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 
Others of this class.....	{M. 8 F. 11	{ 	{ 	{1 	{ 	{ 	{1 	{ 	{ 	{ 	{3 	{3 
7. Diseases of the female organs of generation.....	18									1	1	4
Ovarian tumors.....	1											
Ovarian diseases.....	1											
Diseases of the tubes.....	4										1	1
Uterine tumors.....	4											1
Uterine diseases.....	1											1
Others of this class.....	7									1		2



VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	63									2	16	14
2	Abortion	7										3	2
3	Childbirth	13										2	3
4	Puerperal septicemia	34									2	9	8
5	Extra-uterine pregnancy												
6	Others of this class	9										2	1
7	9. Diseases of the bones and joints	20		1				1	6	3		2	
8	Males	12							4	1		2	
9	Females	8		1				1	2	2			
10	Diseases of the spine	{M. F.							2 2	1		1	
11	Abscess, lumbar and psoas	{M. F.											
12	Diseases of the bones	{M. F.		1				1	1				
13	Diseases of the hip-joint	{M. F.							1			1	
14	Others of this class	{M. F.								1			
15	10. Diseases of the skin	7	3					3				1	1
16	Males	5	3					3					1
17	Females	2										1	
18	Abscess	{M. F.	3					3					1
19	Carbuncle	{M. F.											
20	Others of this class	{M. F.	1 2									1	
21	11. Diseases of the absorbent system	2											
22	Males	2											
23	Females												
24	Addison's disease	{M. F.	1										
25	Diseases of the spleen	{M. F.	1										
26	Others of this class	{M. F.											
27	12. Accidents and injuries	389	19	10	6	11	4	50	17	11	16	35	35
28	Males	332	12	9	4	6	3	34	13	9	15	27	28
29	Females	57	7	1	2	5	1	16	4	2	1	8	7
30	Burns and scalds	{M. F.	20 2	3 1	3 2	2 5	1 1	11 9	1 2	2			2
31	Drowning	{M. F.	59 1	2		2	1	5	9	5	4	5	3 1
32	Exposure and neglect	{M. F.	1 1	1 1				1 1					
33	Gunshot wounds	{M. F.	14 2	1				1		1	2 1	4 1	1
34	Homicide	{M. F.	4 2										2 1
35	Infanticide	{M. F.											
36	Injuries by machinery	{M. F.	2								1		
37	Railroad accidents	{M. F.	45 3		1			1		2	4	4 1	1 1
38	Suffocation	{M. F.	8 5	4 3	1			5 3			1	1	
39	Suicide by shooting	{M. F.	12 1									2	1
40	Suicide by drowning	{M. F.	1										
41	Suicide by poison	{M. F.	3 1									1	1
42	Other suicides	{M. F.	25 5									1	1 1
43	Sunstroke	{M. F.	1										
44	Surgical operations	{M. F.	2										
45	Wounds	{M. F.	5								1		1
46	Others of this class	{M. F.	127 14	4 3	3	2	1	10 3	3 1	1	2	12 3	17 1



## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCOTLAND (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	4,386	391	101	48	38	22	600	88	34	79	111	157
2	Males.....	2,388	282	55	26	20	10	843	45	16	32	59	75
3	Females.....	2,048	159	46	22	18	12	257	38	18	47	52	82
4	Unknown cause.....	81	3	2				5		1		1	1
5	Males.....	14	3	1				4					
6	Females.....	17		1				1		1		1	1
7	1. General diseases.												
8	General diseases—A.....	566	110	39	18	20	9	196	44	11	14	15	17
9	Males.....	267	60	19	7	10	4	100	25	4	5	8	11
10	Females.....	299	50	20	11	10	5	96	19	7	9	7	6
11	Measles.....	9	1	2		1		4	5				
12	Scarlet fever.....	12	1	1	1			3	6				2
13	Diphtheria.....	23	2	1	3	6	3	15	7	1			
14	Whooping cough.....	7	1	4	1	1		7					
15	Malarial fever.....	10			1			1		1	1	1	1
16	Influenza.....	31	1	1				1	1		1		
17	Typhoid fever.....	32		1				1		2	3	6	2
18	Cholera morbus.....	5	1					1	1		1		1
19	Colitis.....	3											
20	Diarrhea.....	11	1					1	1			1	
21	Dysentery.....	8	2					2					
22	Enteritis.....	42	24	4				28	3				1
23	Cholera infantum.....	30	23	4	1	2		30	1				1
24	Fever.....	2	1					1					
25	Cerebro-spinal fever.....	13	2	1	1			4	1	1	1	1	1
26	Smallpox.....	2						2	1		1		1
27	Erysipelas.....	7											1
28	Septicemia.....	12											1
29	Venereal diseases.....	3	1					1				1	
30	Others of this group.....	5					1	1					1
31	General diseases—B.....	73	26				2	28			1	2	
32	Males.....	47	19				1	20				2	
33	Females.....	26	7				1	8			1		
34	Alcoholism.....	19											
35	Parasitic diseases.....	8											
36	Lead poison.....	1					1	1					
37	Other poisons.....	7	1					1				2	
38	Inanition.....	6					1	1			1		
39	General diseases—C.....	20	18					18					
40	Males.....	12	7					7					
41	Old age.....	344	104					104				1	
42	Premature birth.....	168	69					69					
43	Malformation.....	181	35					35				1	
44	Debility and atrophy.....	84											
45	Others of this group.....	130											
46	Males.....	29	29					29					
47	Females.....	20	20					20					
48	Malformation.....	4	4					4					
49	Debility and atrophy.....	4	4					4					
50	Others of this group.....	40	30					30				1	
51	Males.....	24	9					9					
52	Females.....	6	6					6					
53	Others of this group.....	3	2					2					



## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	851	19	3	3	5	3	33	8	6	24	43	56
2	Males.....	443	9	2	3	3	1	18	3	4	6	22	20
3	Females.....	408	10	1	.....	2	2	15	5	2	18	21	36
4	Anemia.....	(M. 6 F. 11)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Diabetes.....	(M. 21 F. 13)	.....	.....	1	.....	.....	1	1	2	.....	.....	.....
6	Rheumatism.....	(M. 6 F. 13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
7	Scrofula and tabes.....	(M. 2 F. 4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Hydrocephalus.....	(M. 11 F. 12)	5	1	1	2	1	9	.....	1	.....	.....	.....
9	Tuberculosis, general.....	(M. 2 F. 4)	1	.....	.....	.....	.....	1	.....	.....	.....	.....	2
10	Consumption.....	(M. 287 F. 192)	3	1	1	.....	1	6	2	1	6	22	18
			1	.....	.....	1	1	3	3	2	15	18	31
11	Cancer.....	(M. 90 F. 137)	1	.....	.....	.....	.....	1	.....	.....	1	1	2
			.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
12	Tumor.....	(M. 10 F. 12)	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....
13	Dropsy.....	(M. 4 F. 10)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	Others of this group.....	(M. 4 F. 4)	1	.....	.....	1	.....	2	.....	.....	.....	.....	.....
15	2. Diseases of the nervous system.....	571	44	18	12	2	1	77	3	2	6	6	8
16	Males.....	321	20	11	8	.....	1	40	2	.....	4	4	5
17	Females.....	250	24	7	4	2	.....	37	1	2	2	2	3
18	Inflammation of the brain.....	(M. 3 F. 2)	1	.....	1	.....	.....	1	1	.....	.....	.....	.....
19	Meningitis.....	(M. 30 F. 28)	3	5	5	.....	.....	13	1	.....	2	1	2
			7	6	1	2	.....	16	1	1	2	.....	.....
20	Apoplexy.....	(M. 134 F. 113)	1	1	.....	.....	.....	1	.....	.....	1	1	.....
			.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1
21	Paralysis.....	(M. 67 F. 41)	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
			1	.....	.....	.....	.....	1	.....	.....	.....	.....	1
22	Paralysis, general (of insane).....	(M. 6 F. 5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Tetanus and trismus nascentium.....	(M. 1 F. 1)	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
24	Chorea.....	(M. 6 F. 2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
25	Epilepsy.....	(M. 6 F. 2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Convulsions.....	(M. 19 F. 18)	11	5	3	.....	.....	19	.....	.....	.....	.....	1
			12	.....	2	.....	.....	14	.....	.....	.....	.....	.....
27	Mental diseases.....	(M. 16 F. 6)	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
			.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	Diseases of the brain.....	(M. 23 F. 30)	3	.....	.....	.....	.....	3	.....	.....	1	.....	2
			3	1	.....	.....	.....	4	.....	1	.....	1	.....
29	Diseases of the spinal cord.....	(M. 7 F. 2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
30	Locomotor ataxia.....	(M. 2 F. 2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Others of this class.....	(M. 7 F. 2)	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
32	3. Diseases of the circulatory system.....	477	9	1	.....	.....	.....	10	3	1	6	4	14
33	Males.....	267	4	.....	.....	.....	.....	4	1	1	3	3	8
34	Females.....	210	5	1	.....	.....	.....	6	2	.....	3	1	6
35	Pericarditis.....	(M. 4 F. 1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
36	Diseases of the heart.....	(M. 237 F. 190)	3	.....	.....	.....	.....	3	1	1	3	3	7
			2	1	.....	.....	.....	3	2	.....	3	1	6
37	Angina pectoris.....	(M. 15 F. 6)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
38	Diseases of the arteries.....	(M. 7 F. 4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	Aneurism.....	(M. 2 F. 4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	Embolism.....	(M. 1 F. 2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
41	Others of this class.....	(M. 1 F. 3)	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
			3	.....	.....	.....	.....	3	.....	.....	.....	.....	.....







CAUSE, AND BIRTHPLACES OF MOTHERS.

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
22	27	29	42	38	40	46	61	51	43	42	12	10	4		1
15	12	17	24	23	20	25	28	21	18	24	6	3	1		2
7	15	12	18	15	20	21	33	30	25	18	6	7	3		3
															4
11	8	14	22	20	17	18	22	18	13	11	5	2			5
5	12	9	12	10	13	13	21	22	19	10	4	4			6
															7
1	1	1	2	3	2	5	4	4	4	10	1		1		8
1			2	2	2	4	8	5	5	8	1		3	1	9
1	1	1	2	1	2	1	1	1	1						10
															11
2	3	2	2	2	1	1	1	2			1				12
	2	2	2	2	2	2	3	3	1	3		1			13
													1		14
10	12	18	10	27	22	27	27	22	8	9	3	1			15
															16
2	7	7	7	18	14	15	16	6	4	3		1			17
8	5	11	3	9	8	12	11	16	4	6	3				18
															19
															20
															21
															22
															23
1				2	1	2	3	2	1	1					24
1	1	1	1	1	2	1	1	1	1						25
															26
															27
															28
															29
															30
															31
															32
															33
															34
															35
															36
															37
															38
															39
															40
															41
1			1												42

## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy .....	28										2	5
2	Abortion .....	3											1
3	Childbirth .....	10											1
4	Puerperal septicemia .....	10											2
5	Extra-uterine pregnancy .....	1											1
6	Others of this class .....	4										2	
7	9. Diseases of the bones and joints .....	12		1		1		2	2				
8	Males .....	6		1				1	2				
9	Females .....	6				1		1					
10	Diseases of the spine..... {M..	2							1				
	{F..	3				1		1					
11	Abscess, lumbar and psoas .....	1											
	{M..	1											
	{F..	1											
12	Diseases of the bones..... {M..												
	{F..												
13	Diseases of the hip-joint .....	1							1				
	{M..	1							1				
	{F..												
14	Others of this class..... {M..	2		1				1					
	{F..	3											
15	10. Diseases of the skin.....	13	1	1				2	1	1			
16	Males .....	8	1	1				2					
17	Females .....	5							1	1			
18	Abscess..... {M..	6							1				
	{F..	4								1			
19	Carbuncle..... {M..												
	{F..												
20	Others of this class..... {M..	2	1	1				2					
	{F..	1											
21	11. Diseases of the absorbent system .....	4											
22	Males .....												
23	Females .....	4											
24	Addison's disease .....	1											
	{M..	1											
	{F..												
25	Diseases of the spleen..... {M..	1											
	{F..	1											
26	Others of this class..... {M..	2											
	{F..												
27	12. Accidents and injuries.....	230	11	1	3	2	2	19	7	3	9	13	17
28	Males .....	166	7	1	2	1	1	12	5	2	7	10	13
29	Females .....	64	4		1	1	1	7	2	1	2	3	4
30	Burns and scalds..... {M..	13	1	1	1	1	1	5	1				
	{F..	8			1		1	2			1		
31	Drowning..... {M..	25							1	1	6	4	2
	{F..	6							1	1	1		
32	Exposure and neglect..... {M..	3											1
	{F..												
33	Gunshot wounds..... {M..	6											1
	{F..	1										1	
34	Homicide..... {M..	1				1		1					
	{F..	1											
35	Infanticide..... {M..												
	{F..	1	1					1					
36	Injuries by machinery..... {M..												
	{F..												
37	Railroad accidents..... {M..	25							1	1		2	2
	{F..	4											
38	Suffocation..... {M..	10	4					4				1	
	{F..	3	2					2					1
39	Suicide by shooting..... {M..	7										2	
	{F..	1											
40	Suicide by drowning..... {M..	2											
	{F..												
41	Suicide by poison..... {M..	7										1	
	{F..	4											1
42	Other suicides..... {M..	10											
	{F..	1											
43	Sunstroke..... {M..	2											
	{F..	1											
44	Surgical operations..... {M..												
	{F..	3											
45	Wounds..... {M..	3											1
	{F..	1											
46	Others of this class..... {M..	52	2		1			3	2		1	1	6
	{F..	29	1					1	1			1	2

CAUSE, AND BIRTHPLACES OF MOTHERS.

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10	6	4	1											1	
1		1												2	
3	3	2	1											3	
5	3													4	
														5	
1		1												6	
	1	1	1		1	1	1	1	1					7	
	1							1	1					8	
		1	1		1	1	1							9	
			1			1			1					10	
	1													11	
														12	
														13	
		1			1		1	1						14	
	1	2	1	1		2	1		1					15	
	1	1		1		2	1							16	
	1	1	1	1		2	1		1					17	
		1	1											18	
														19	
									1					20	
	1	1		1						1				21	
	1	1		1						1				22	
														23	
	1													24	
				1										25	
		1								1				26	
20	23	19	28	12	16	8	5	8	8	7	4	1	2	1	27
16	20	15	21	10	11	4	4	5	4	2	3	1		1	28
4	3	4	7	2	5	4	1	3	4	5	1		2		29
	2		3		1			1							30
	1		3			1									31
5	1	1	3				1								32
1		1	1						1						33
															34
	2	2	1												35
	1														36
															37
3	2	6	2	2	1	2		1							38
		1	1	1	1				1						39
															40
															41
1	1	1	1	3											42
				1	1			1							43
	3	1	1		3										44
		1	1						1						45
1			1			1									46
															47
5	6	3	6	2	1					2	3	1			48
2	2	1	1		2	1	1	2	3	5	1		2	1	49

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND  
MOTHERS BORN IN ITALY (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	9,501	3,542	1,519	565	305	172	6,103	335	136	227	318	381
2	Males.....	5,428	1,982	804	296	163	79	3,324	172	72	127	180	210
3	Females.....	4,073	1,560	715	269	142	93	2,779	163	64	100	138	121
4	Unknown cause .....	44	17	4	3	.....	1	25	2	1	1	1	5
5	Males.....	24	11	3	1	.....	.....	15	1	.....	.....	.....	3
6	Females.....	20	6	1	2	.....	1	10	1	1	1	1	2
7	I. General diseases.												
8	General diseases—A .....	2,192	1,050	449	176	98	48	1,321	104	28	28	31	27
9	Males.....	1,170	553	241	97	50	22	963	49	11	16	18	22
10	Females.....	1,022	497	208	79	48	26	858	55	17	12	13	5
11	Measles.....	152	35	74	24	12	3	148	3	.....	.....	.....	.....
12	Scarlet fever.....	189	36	62	25	8	4	135	4	.....	.....	.....	.....
13	Diphtheria.....	45	6	8	8	5	3	30	11	2	1	1	.....
14	Whooping cough.....	27	1	8	5	4	4	22	4	1	.....	.....	.....
15	Malarial fever.....	123	14	32	32	19	7	104	13	2	1	.....	.....
16	Influenza.....	108	14	21	19	21	7	82	20	.....	.....	1	.....
17	Typhoid fever.....	43	22	16	4	1	.....	43	.....	.....	.....	.....	.....
18	Cholera morbus.....	54	25	12	8	5	3	53	1	.....	.....	.....	.....
19	Colitis.....	21	5	1	1	1	.....	8	2	.....	1	1	2
20	Diarrhea.....	18	.....	1	2	2	1	6	2	1	.....	.....	1
21	Dysentery.....	30	9	3	2	1	.....	15	1	1	.....	2	2
22	Enteritis.....	25	8	2	2	.....	.....	12	1	.....	2	.....	.....
23	Cholera infantum.....	57	2	2	.....	1	1	6	1	.....	9	11	12
24	Fever.....	40	4	2	1	1	1	8	5	3	6	7	1
25	Cerebro-spinal fever.....	9	3	1	.....	.....	.....	4	1	2	.....	.....	.....
26	Smallpox.....	14	4	2	1	1	1	9	2	.....	.....	.....	.....
27	Erysipelas.....	10	8	1	1	.....	.....	10	.....	.....	1	.....	.....
28	Septicemia.....	8	5	1	.....	.....	.....	6	.....	.....	.....	.....	.....
29	Venereal diseases.....	67	46	11	4	1	.....	62	2	3	.....	.....	.....
30	Others of this group.....	60	37	13	.....	1	1	52	1	.....	.....	.....	.....
31	General diseases—B .....	22	4	1	2	1	1	9	1	1	1	.....	1
32	Alcoholism.....	20	9	6	.....	.....	.....	16	1	.....	.....	.....	.....
33	Parasitic diseases.....	20	9	6	.....	.....	.....	16	1	.....	.....	.....	.....
34	Lead poison.....	305	207	58	10	4	4	283	4	3	1	2	3
35	Other poisons.....	262	183	41	8	2	4	238	6	3	1	.....	.....
36	Inanition.....	176	142	28	4	1	1	176	.....	.....	.....	.....	.....
37	General diseases—C .....	164	130	29	4	1	.....	164	.....	.....	.....	.....	.....
38	Old age.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	Premature birth.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
40	Malformation.....	28	10	5	3	2	1	21	7	.....	.....	.....	.....
41	Debility and atrophy.....	24	9	2	2	.....	.....	13	5	5	.....	.....	1
42	Others of this group.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
43	Males.....	35	20	.....	1	.....	.....	21	.....	.....	1	.....	.....
44	Females.....	32	20	.....	1	1	.....	22	1	.....	.....	1	.....
45	Alcoholism.....	18	2	.....	.....	.....	1	3	3	.....	.....	1	1
46	Parasitic diseases.....	21	5	1	.....	.....	.....	6	2	1	.....	4	2
47	Lead poison.....	22	16	.....	1	1	.....	18	.....	.....	.....	.....	.....
48	Other poisons.....	12	10	1	.....	.....	.....	11	.....	.....	1	.....	.....
49	Inanition.....	5	2	.....	.....	.....	.....	2	.....	.....	1	.....	1
50	General diseases—C .....	2	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....
51	Males.....	69	54	1	2	.....	.....	57	1	.....	.....	.....	1
52	Females.....	44	37	.....	1	1	.....	39	1	.....	.....	.....	1
53	Alcoholism.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
54	Parasitic diseases.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
55	Lead poison.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
56	Other poisons.....	11	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....
57	Inanition.....	4	.....	.....	.....	1	.....	1	1	.....	.....	.....	1
58	General diseases—C .....	55	54	1	.....	.....	.....	55	.....	.....	.....	.....	.....
59	Males.....	38	36	.....	.....	.....	.....	36	.....	.....	.....	.....	.....
60	Females.....	566	484	23	3	5	4	519	1	.....	2	.....	.....
61	Males.....	331	289	9	2	3	2	305	1	.....	2	.....	.....
62	Females.....	235	195	14	1	2	2	214	.....	.....	.....	.....	.....
63	Old age.....	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
64	Premature birth.....	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
65	Malformation.....	137	137	.....	.....	.....	.....	137	.....	.....	.....	.....	.....
66	Debility and atrophy.....	93	93	.....	.....	.....	.....	93	.....	.....	.....	.....	.....
67	Others of this group.....	22	22	.....	.....	.....	.....	22	.....	.....	.....	.....	.....
68	Males.....	16	16	.....	.....	.....	.....	16	.....	.....	.....	.....	.....
69	Females.....	183	105	9	2	3	2	121	1	.....	2	.....	.....
70	Old age.....	98	77	14	1	2	2	96	.....	.....	.....	.....	.....
71	Premature birth.....	25	25	.....	.....	.....	.....	25	.....	.....	.....	.....	.....
72	Malformation.....	9	9	.....	.....	.....	.....	9	.....	.....	.....	.....	.....



TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ITALY (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	834	76	54	27	16	9	182	28	25	82	88	76
2	Males.....	472	43	31	17	7	5	108	12	10	43	47	37
3	Females.....	362	33	23	10	9	4	79	16	15	39	41	39
4	Anemia.....	{M. 8	2	1				3			1		2
	{F. 4				1			1	1			1	
5	Diabetes.....	{M. 8			1							2	
	{F. 4		1					2					
6	Rheumatism.....	{M. 7	1					1			1		1
	{F. 9		2			1		3		1	2		
7	Scrofula and tabes.....	{M. 9	3	2			1	5	1	1		1	
	{F. 6			3	1			5	1				
8	Hydrocephalus.....	{M. 52	19	13	5	1	3	41	6	2	2		
	{F. 43		16	10	3	5	1	35	7		1		
9	Tuberculosis, general.....	{M. 16	1	4	4	1	1	11			1		
	{F. 10		6	1				7	1	1	1		
10	Consumption.....	{M. 312	11	11	8	4	1	35	5	5	37	44	32
	{F. 216		6	9	3	3	2	23	6	13	35	38	36
11	Cancer.....	{M. 46								1	1		2
	{F. 60											2	3
12	Tumor.....	{M. 4	1					1					
	{F. 5												
13	Dropsy.....	{M. 2											
	{F. 2												
14	Others of this group.....	{M. 10	5			1		6		1			
	{F. 3		2		1			3					
15	2. Diseases of the nervous system.....	771	297	103	40	23	17	480	37	18	10	13	23
16	Males.....	469	183	56	25	11	5	230	23	12	6	8	13
17	Females.....	302	114	47	15	12	12	200	14	6	4	5	5
18	Inflammation of the brain.....	{M. 5		1			1	2	1				1
	{F. 6			1	2			3	1				
19	Meningitis.....	{M. 201	79	44	19	9	3	154	15	7	1	3	6
	{F. 139		52	31	9	9	10	111	11	4	1	4	1
20	Apoplexy.....	{M. 69			1			1				1	4
	{F. 40		1		1			2		1			1
21	Paralysis.....	{M. 11											2
	{F. 6			1	1			2	1				
22	Paralysis, general (of insane).....	{M. 2											
	{F. 2												
23	Tetanus and trismus nascentium.....	{M. 24	6	1	1			8	3	2	1		2
	{F. 6		5					5					
24	Chorea.....	{M. 1											
	{F. 1												
25	Epilepsy.....	{M. 9	3		1			4		1		1	1
	{F. 4					1		1					1
26	Convulsions.....	{M. 108	88	9	3	1	1	102	2	2	1		
	{F. 74		52	13	1	1	2	69			2		
27	Mental diseases.....	{M. 8										2	
	{F. 9									1			1
28	Diseases of the brain.....	{M. 22	4	1		1		6	2		2	1	
	{F. 10		2	1	1			4	1		1		
29	Diseases of the spinal cord.....	{M. 5	1					1			1		1
	{F. 3		1					2					1
30	Locomotor ataxia.....	{M. 3	1					1				1	
	{F. 1												
31	Others of this class.....	{M. 2	1					1					1
	{F. 2		1					1					
32	3. Diseases of the circulatory system.....	355	44	3	1		1	49	17	11	14	8	21
33	Males.....	221	28	1	1			30	7	3	8	5	11
34	Females.....	134	16	2			1	19	10	8	6	3	10
35	Pericarditis.....	{M. 6							1	1			1
	{F. 4						1				1		
36	Diseases of the heart.....	{M. 189	15	1	1			17	6	2	8	5	9
	{F. 121		13	2				15	9	3	5	2	10
37	Angina pectoris.....	{M. 7											
	{F. 3								1				
38	Diseases of the arteries.....	{M. 1											
	{F. 1												
39	Aneurism.....	{M. 4											1
	{F. 1												
40	Embolism.....	{M. 2	1					1				1	
	{F. 2												
41	Others of this class.....	{M. 12	12					12					
	{F. 3		3					3					





TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ITALY (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	3,278	1,320	844	269	120	63	2,616	84	25	32	58	52
2	Males.....	1,845	728	443	131	65	29	1,396	45	16	20	38	36
3	Females.....	1,433	592	401	138	55	34	1,220	39	9	12	20	16
4	Croup.....	{M. 49 F. 38}	{M. 10 F. 7}	{M. 16 F. 14}	{M. 10 F. 6}	{M. 9 F. 4}	{M. 2 F. 4}	{M. 47 F. 35}	{M. 2 F. 2}		1		
5	Pneumonia.....	{M. 1,293 F. 936}	{M. 430 F. 383}	{M. 328 F. 281}	{M. 95 F. 100}	{M. 45 F. 41}	{M. 21 F. 23}	{M. 919 F. 778}	{M. 36 F. 29}	{M. 13 F. 8}	{M. 18 F. 7}	{M. 33 F. 18}	{M. 32 F. 15}
6	Laryngitis.....	{M. 14 F. 10}	{M. 2 F. 1}	{M. 5 F. 3}	{M. 2 F. 3}	{M. 1 F. 1}		{M. 10 F. 8}	{M. 2 F. 2}				
7	Bronchitis.....	{M. 418 F. 398}	{M. 263 F. 227}	{M. 86 F. 97}	{M. 22 F. 28}	{M. 9 F. 9}	{M. 4 F. 4}	{M. 384 F. 365}	{M. 4 F. 2}	{M. 1 F. 1}	{M. 2 F. 3}	{M. 3 F. 1}	1
8	Pleurisy.....	{M. 26 F. 9}	{M. 3 F. 4}	{M. 5 F. 1}	{M. 2 F. 1}	{M. 1 F. 1}		{M. 12 F. 6}		1		2	1
9	Asthma.....	{M. 3 F. 3}	{M. 1 F. 1}					1					
10	Others of this class.....	{M. 42 F. 39}	{M. 20 F. 19}	{M. 3 F. 5}	{M. 1 F. 1}		{M. 1 F. 2}	{M. 24 F. 27}	{M. 1 F. 3}	1	1	1	3
11	5. Diseases of the digestive system.....	350	110	20	5	2	3	140	12	8	12	14	16
12	Males.....	207	64	7	3	2	3	79	8	6	7	8	11
13	Females.....	143	46	13	2			61	4	2	5	6	5
14	Dentition.....	{M. 7 F. 11}	{M. 5 F. 8}	{M. 2 F. 2}	{M. 1 F. 1}			{M. 7 F. 11}					
15	Angina.....	{M. 5 F. 2}	{M. 2 F. 1}	{M. 1 F. 1}	{M. 1 F. 1}			{M. 4 F. 2}			1		
16	Gastritis.....	{M. 24 F. 30}	{M. 13 F. 13}	{M. 6 F. 6}	{M. 1 F. 1}			{M. 14 F. 20}		2		1	1
17	Diseases of the stomach.....	{M. 3 F. 4}		1				1					
18	Obstruction of the bowels.....	{M. 17 F. 8}	{M. 7 F. 2}					{M. 7 F. 2}			1		4
19	Appendicitis.....	{M. 19 F. 6}					1	1		2	3	6	1
20	Hernia.....	{M. 10 F. 1}	{M. 1 F. 1}					{M. 1 F. 1}	1		1		1
21	Other diseases of the bowels.....	{M. 1 F. 2}	{M. 1 F. 1}					{M. 1 F. 1}					
22	Jaundice.....	{M. 13 F. 8}	{M. 10 F. 7}					{M. 10 F. 7}					
23	Inflammation and abscess of the liver.....	{M. 4 F. 8}	{M. 2 F. 2}					2				1	
24	Other diseases of the liver.....	{M. 38 F. 16}	{M. 2 F. 1}	{M. 1 F. 1}				{M. 4 F. 1}	{M. 3 F. 1}				2
25	Peritonitis.....	{M. 42 F. 35}	{M. 7 F. 3}	{M. 1 F. 2}	{M. 1 F. 1}	{M. 1 F. 1}		{M. 11 F. 5}	{M. 4 F. 4}	2	1	2	2
26	Ascites.....	{M. 1 F. 1}	{M. 1 F. 1}					1					
27	Others of this class.....	{M. 24 F. 11}	{M. 16 F. 7}	{M. 2 F. 2}				{M. 18 F. 9}		1			1
28	6. Diseases of the urinary system and male organs of generation.....	259	11	8	9	16	7	51	15	5	7	13	11
29	Males.....	162	6	6	5	10	5	32	7	3	3	2	6
30	Females.....	97	5	2	4	6	2	19	8	2	4	11	5
31	Bright's disease.....	{M. 104 F. 66}							{M. 5 F. 8}	{M. 2 F. 2}	{M. 2 F. 3}	{M. 2 F. 9}	{M. 5 F. 5}
32	Calculus, urinary.....	{M. 1 F. 1}											
33	Diseases of the kidney.....	{M. 39 F. 15}	{M. 6 F. 4}	{M. 6 F. 1}	{M. 5 F. 3}	{M. 10 F. 5}	{M. 5 F. 2}	{M. 32 F. 15}	{M. 2 F. 2}		1		1
34	Diseases of the bladder.....	{M. 6 F. 6}											
35	Others of this class.....	{M. 13 F. 16}	{M. 1 F. 1}	{M. 1 F. 1}	{M. 1 F. 1}			4		1		2	
36	7. Diseases of the female organs of generation.....	29	1					1			3	5	5
37	Ovarian tumors.....	4									1		
38	Ovarian diseases.....	2											
39	Diseases of the tubes.....	6										2	1
40	Uterine tumors.....	4											1
41	Uterine diseases.....	3									1		2
42	Others of this class.....	10	1					1			1	3	1



## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND  
MOTHERS BORN IN ITALY (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	118									10	24	24
2	Abortion	1											1
3	Childbirth	24										3	3
4	Puerperal septicemia	69									6	18	14
5	Extra-uterine pregnancy	1											
6	Others of this class	23									4	3	6
7	9. Diseases of the bones and joints	18	4			2	1	7	3	2		1	
8	Males	11				1	1	2	2	2		1	
9	Females	7	4			1		5	1				
10	Diseases of the spine	{M. 5 F. 3}	1			1		1	1	2			
11	Abscess, lumbar and psoas	{M. 1 F. 1}										1	
12	Diseases of the bones	{M. 3 F. 3}	2				1	1	1				
13	Diseases of the hip-joint	{M. 1 F. 1}											
14	Others of this class	{M. 2 F. 1}	1					1					
15	10. Diseases of the skin	15	10			1		11			2		1
16	Males	9	6			1		7			1		1
17	Females	6	4					4			1		
18	Abscess	{M. 5 F. 4}	3			1		4			1		
19	Carbuncle	{M. 1 F. 1}	2					2			1		
20	Others of this class	{M. 4 F. 2}	3					3					1
21	11. Diseases of the absorbent system	4								1			1
22	Males	4								1			1
23	Females												
24	Addison's disease	{M. 1 F. 1}											
25	Diseases of the spleen	{M. 1 F. 1}											
26	Others of this class	{M. 4 F. 1}								1			1
27	12. Accidents and injuries	555	27	10	29	21	18	105	30	12	24	62	67
28	Males	434	17	6	12	13	7	55	16	8	21	53	63
29	Females	121	10	4	17	8	11	50	14	4	3	9	4
30	Burns and scalds	{M. 34 F. 50}	2	4	8	9	2	25	2			1	2
31	Drowning	{M. 35 F. 3}		1	1		1	2	3		4	7	5
32	Exposure and neglect	{M. 1 F. 2}	1					1				1	
33	Gunshot wounds	{M. 24 F. 3}			1	1		2	1		1	4	4
34	Homicide	{M. 20 F. 2}								2	2	2	3
35	Infanticide	{M. 1 F. 1}											
36	Injuries by machinery	{M. 3 F. 1}									1	1	
37	Railroad accidents	{M. 100 F. 8}							2	2	5	15	14
38	Suffocation	{M. 16 F. 8}	6	1	1			7	1			1	2
39	Suicide by shooting	{M. 13 F. 2}									1	3	2
40	Suicide by drowning	{M. 2 F. 1}										2	
41	Suicide by poison	{M. 2 F. 1}										1	
42	Other suicides	{M. 4 F. 1}										2	1
43	Sunstroke	{M. 15 F. 3}	5		1			5			1		3
44	Surgical operations	{M. 2 F. 3}										1	
45	Wounds	{M. 7 F. 1}											2
46	Others of this class	{M. 156 F. 35}	4	2	2	4	4	16	3	3	6	14	25
			5	3	3		3	11	3	2		4	

CAUSE, AND BIRTHPLACES OF MOTHERS.

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ITALY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
25	21	13	1											1
														2
6	6	6												3
16	9	5	1											4
	1													5
3	5	2												6
2	1	1							1					7
1	1	1							1					8
1									1					9
														10
														11
1														12
1														13
	1	1												14
						1								15
						1								16
						1								17
														18
														19
														20
	1		1											21
	1		1											22
														23
														24
														25
	1		1											26
71	71	34	22	23	13	5	3	6	1	1	1			4 27
59	64	30	19	19	10	5	3	2	1	1	1			4 28
12	7	4	3	4	3			4						29
	4	2		1				1						30
3	2	2		1										31
6	3	1		1		2	1							32
														33
														34
6	4	2			1									35
5	3	1		2										36
				1										37
	1										1			38
12	17	7	7	10	2	1	2	1						39
1	1		1		2			1						40
1	3	1						1						41
2	1	1	1											42
1					2									43
														44
1		1												45
														46
	3		1		1				1					47
2														48
1	1													49
1	3	1												50
23	22	15	10	6	4	2		1		1				51
6	3	1	2	2				1						52

















CAUSE, AND BIRTHPLACES OF MOTHERS.

801

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN FRANCE (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2	1	3													1
1		2													2
1	1	1													3
															4
															5
1															6
1															7
1															8
															9
															10
															11
															12
															13
															14
					1				2						15
					1				2						16
									1						17
					1										18
									1						19
															20
															21
															22
															23
															24
															25
8	2	12	5	10	3	7	4	3	2	1	2			1	26
7	2	11	3	7	3	6	3	3	2	1	1			1	27
1		1	2	3	1	1	1	1	1		1				28
			1												29
2		1		1		1		1							30
															31
															32
					1										33
1				1											34
															35
2	2	2						1	1						36
															37
2		1	1	3			1								38
															39
		1				1	1	1							40
		1		1		2				1					41
		1									1				42
												1			43
															44
		1		1											45
1		4	2	1	3	1	2	1	2						46

## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN HUNGARY (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	1,446	530	169	54	29	24	806	44	14	30	65	77
2	Males.....	812	296	92	27	14	11	440	22	6	11	34	45
3	Females.....	634	234	77	27	15	13	366	22	8	19	31	32
4	Unknown cause .....	8	4	2				6					
5	Males.....	3	2	1				3					
6	Females.....	5	2	1				3					
7	1. General diseases.												
	General diseases—A.....	338	167	61	17	5	11	261	17	2	6	16	8
8	Males.....	184	82	32	11	2	7	134	11	1	1	10	7
9	Females.....	154	85	29	6	3	4	127	6	1	5	6	1
10	Measles.....	{M. 5 F. 7	3 2	2 4	1			5 7					
11	Scarlet fever.....	{M. 12 F. 6	2	3	2	1	2	10 1	2				
12	Diphtheria.....	{M. 24 F. 19	1 1	7 10	6	1	5	20 16	3 3	1			
13	Whooping cough.....	{M. 4 F. 5	2 2	2 2		1		4 5					
14	Malarial fever.....	{M. 1 F. 1									1		
15	Influenza.....	{M. 2 F. 2							1				
16	Typhoid fever.....	{M. 23 F. 7							2		1	9	5
17	Cholera morbus.....	{M. 3 F. 3	1 1	1				1 2					
18	Colitis.....	{M. 2 F. 2	1	1				2					
19	Diarrhea.....	{M. 5 F. 9	3 5	3				3 8					
20	Dysentery.....	{M. 5 F. 2	1 2	2				3 2	1				
21	Enteritis.....	{M. 52 F. 43	39 31	11 7	1		1	51 40	1				
22	Cholera infantum.....	{M. 31 F. 38	25 36	4 1	1		1	30 38					
23	Fever.....	{M. 1 F. 1	1					1					
24	Cerebro-spinal fever.....	{M. 6 F. 2	1 1	1	1		1	3 2	2				1
25	Smallpox.....	{M. 5 F. 7	2					2					
26	Erysipelas.....	{M. 5 F. 7	2					2			2	1	
27	Septicemia.....	{M. 4 F. 3	1			1		1 1				1 1	1
28	Venereal diseases.....	{M. 1 F. 1											1
29	Others of this group.....	{M. 2 F. 2											
30	General diseases—B.....	27	20	2	1			23					1
31	Males.....	17	11	2				13					1
32	Females.....	10	9	1	1			10					
33	Alcoholism.....	{M. 4 F. 4											1
34	Parasitic diseases.....	{M. 4 F. 4											
35	Lead poison.....	{M. 4 F. 4											
36	Other poisons.....	{M. 4 F. 4											
37	Inanition.....	{M. 13 F. 10	11 9	2	1			13 10					
38	General diseases—C.....	93	77	3	1			81			1		1
39	Males.....	51	43	2				45			1		
40	Females.....	42	34	1	1			36					1
41	Old age.....	{M. 3 F. 4											
42	Premature birth.....	{M. 12 F. 14	12 14					12 14					
43	Malformation.....	{M. 6 F. 1	6 1					6 1					
44	Debility and atrophy.....	{M. 28 F. 20	23 16	2 1	1			25 18			1		1
45	Others of this group.....	{M. 2 F. 3	2 3					2 3					

CAUSE, AND BIRTHPLACES OF MOTHERS.

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN HUNGARY (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
68	81	55	43	36	32	30	18	17	7	9	8	1		5	1
45 23	50 31	38 17	21 22	24 12	15 17	21 9	11 7	9 8	4 3	6 3	6 2	1		4 1	2 3
1			1												4
1			1												5 6
3	5	5	3	3	2	3		2		1				1	7
3	4 1	2 3	2 1	1 2	2	3		1 1		1				1	8 9
															10
															11
															12
															13
						1									14
2	1	2 1	1												15
	1					2									16
				1	1										17
								1							18
										1					19
	1														20
		1	1												21
														1	22
															23
															24
	1		1		2	1									25
1		1													26
															27
	1								1						28
															29
					2										30
	1			2											31
															32
	1			2											33
															34
															35
															36
						1	1	2	1	2	2	1			37
						1	1	2			1	1			38
							2		1	2	1	1			39
								2			1	1			40
									1	2		1			41
															42
															43
					1	1									44
											1				45

## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND  
MOTHERS BORN IN HUNGARY (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	164	17	7	4	4	1	33	6	4	7	8	23
2	Males.....	98	10	4	3	2	1	20		2	3	5	14
3	Females.....	71	7	3	1	2		13	6	2	4	3	9
4	Anemia.....	{M F} 1	1					1					
5	Diabetes.....	{M F} 1 2								1			
6	Rheumatism.....	{M F} 1 1											
7	Scrofula and tabes.....	{M F} 1 1											
8	Hydrocephalus.....	{M F} 12 8	6 1	2 3	3 1	1 2		12 7	1				
9	Tuberculosis, general.....	{M F} 3 1	1 1					1 1					
10	Consumption.....	{M F} 68 37	2 4	2		1	1	6 4	4	2 1	3 3	3 3	14 8
11	Cancer.....	{M F} 5 19											1
12	Tumor.....	{M F} 2 1									1	2	
13	Dropsy.....	{M F} 1 1											
14	Others of this group.....	{M F} 1 2	1					1	1				
15	2. Diseases of the nervous system.....	135	62	16	3		3	84	3	1	2		3
16	Males.....	78	42	9			1	52	2	1	1		1
17	Females.....	57	20	7	3		2	32	1		1		2
18	Inflammation of the brain.....	{M F} 14 15	8 5	4 2		1		12 10	1 1		1		1
19	Meningitis.....	{M F} 11 16		1				1 1					
20	Apoplexy.....	{M F} 5 3					1	1					
21	Paralysis.....	{M F} 1 1											
22	Paralysis, general (of insane).....	{M F} 4 1	3 1					3 1		1			
23	Tetanus and trismus nascentium.....	{M F} 1 1									1		
24	Chorea.....	{M F} 1 1											
25	Epilepsy.....	{M F} 34 21	29 13	3 5		2		32 20					1
26	Convulsions.....	{M F} 1 1											1
27	Mental diseases.....	{M F} 6 6	2					2	1				
28	Diseases of the brain.....	{M F} 1 1		1				1					
29	Diseases of the spinal cord.....	{M F} 1 1											
30	Locomotor ataxia.....	{M F} 1 1											
31	Others of this class.....	{M F} 1 1											
32	3. Diseases of the circulatory system.....	68	11			1		12	3	2	1	3	6
33	Males.....	29	6					6	2				2
34	Females.....	39	5			1		6	1	2	1	3	4
35	Pericarditis.....	{M F} 26 35	5 5					5 6	2 1				2 4
36	Diseases of the heart.....	{M F} 1 2								2	1		
37	Angina pectoris.....	{M F} 1 2											
38	Diseases of the arteries.....	{M F} 1 1											
39	Aneurism.....	{M F} 1 1											
40	Embolism.....	{M F} 1 1											
41	Others of this class.....	{M F} 1 1	1					1					













VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN BOHEMIA (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	1,169	317	78	41	28	14	478	43	22	34	45	64
2	Males .....	648	189	42	25	13	9	278	20	7	15	27	34
3	Females .....	521	128	36	16	15	5	200	23	15	19	18	30
4	Unknown cause .....	7	4					4					
5	Males .....	3	2					2					
6	Females .....	4	2					2					
7	I. General diseases.												
	General diseases—A .....	218	97	29	11	12	5	154	17	5	8	3	8
8	Males .....	123	54	15	6	6	4	85	7	2	4	2	4
9	Females .....	95	43	14	5	6	1	69	10	3	4	1	4
10	Measles .....	{M. 2 F. 4	1 3	1 1				2 4					
11	Scarlet fever .....	{M. 5 F. 6		1 1		3 1		4 3	1 2		1 1		
12	Diphtheria .....	{M. 15 F. 18	1 2	2 1		2 3		8 9	6 7	2	1		
13	Whooping cough .....	{M. 4 F. 4	3 1	1 1	2			4 4					
14	Malarial fever .....	{M. 2 F. 2		2				2					
15	Influenza .....	{M. 4 F. 1											
16	Typhoid fever .....	{M. 15 F. 5								2	3 2	1	2 2
17	Cholera morbus .....	{M. 1 F. 1											
18	Colitis .....	{M. 1 F. 1											
19	Diarrhea .....	{M. 12 F. 7	9 5	1	2			11 6	1				
20	Dysentery .....	{M. 2 F. 2			1			1					
21	Enteritis .....	{M. 25 F. 24	19 15	4 5		1		23 21				1	1
22	Cholera infantum .....	{M. 29 F. 18	23 15	5 3	1			29 18					
23	Fever .....	{M. 1 F. 1	1					1					
24	Cerebro-spinal fever .....	{M. 2 F. 2			1			1			1		
25	Smallpox .....	{M. 1 F. 1											
26	Erysipelas .....	{M. 2 F. 2	2					2					
27	Septicemia .....	{M. 6 F. 2				1		1				1	2 1
28	Venereal diseases .....	{M. 1 F. 1											
29	Others of this group .....	{M. 1 F. 1											
30	General diseases—B .....	34	25	2				27					
31	Males .....	24	15	2				17					
32	Females .....	10	10					10					
33	Alcoholism .....	{M. 4 F. 4											
34	Parasitic diseases .....	{M. 1 F. 1		1				1					
35	Lead poison .....	{M. 1 F. 1											
36	Other poisons .....	{M. 1 F. 1											
37	Inanition .....	{M. 18 F. 10	15 10	1				16 10					
38	General diseases—C .....	97	49		2			51		1			1
39	Males .....	49	32		1			33					
40	Females .....	48	17		1			18		1			1
41	Old age .....	{M. 8 F. 21											
42	Premature birth .....	{M. 18 F. 5	18 5					18 5					
43	Malformation .....	{M. 1 F. 2	1 2					1 2					
44	Debility and atrophy .....	{M. 21 F. 19	12 9		1 1			13 10		1			1
45	Others of this group .....	{M. 1 F. 1	1 1					1 1					

# CAUSE, AND BIRTHPLACES OF MOTHERS.

CLASS OF DISEASES BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN BOHEMIA (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
49	53	53	37	45	46	53	53	30	30	17	8	4	2	3	1
30	34	35	24	28	30	22	27	14	9	6	5			3	2
19	19	18	13	17	16	31	26	16	21	11	3	4	2		3
1	1			1											4
1	1			1											5
															6
3	2	2	2	2	4		2	2	1	1	2				7
3	1	2	2	2	3		1	2		1	2				8
	1				1		1		1						9
															10
															11
															12
															13
															14
				1				1		1	1				15
					1										16
3	1	1	1				1								17
	1														18
					1										19
								1							20
															21
									1		1				22
															23
															24
															25
															26
					1	1									27
															28
															29
										1					30
	1	1		1				4							31
															32
	1	1		1				4							33
															34
															35
															36
								1							37
								2							38
1		1		1	2	5	3	4	9	10	4	2	1	1	39
1		1		1	1	1	4	3	2	2	2			1	40
									2			2			41
									1	1	1				42
									6	7		2			43
															44
1		1		1	1	1		1	1	1	1		1	1	45













CAUSE, AND BIRTHPLACES OF MOTHERS.

817

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN BOHEMIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2	2														1
															2
															3
1	2														4
1															5
															6
				1											7
				1											8
															9
															10
															11
															12
															13
				1											14
															15
															16
															17
															18
															19
															20
															21
															22
															23
															24
															25
															26
4		4	5	4	4	3	1	2	2		1				27
4		2	4	4	3	3	1	2	1		1				28
		2	1		1				1						29
		1													30
		1													31
			1												32
				1											33
															34
															35
															36
1				1				1							37
															38
1															39
															40
			1			2									41
1		1		1		1			1						42
		1													43
															44
					1										45
1			2	1	2		1	1			1				46
					1				1						

## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND  
MOTHERS BORN IN RUSSIA (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	5,487	1,939	695	295	151	87	3,167	198	90	137	191	218
2	Males.....	3,121	1,122	397	150	88	45	1,802	113	50	74	104	122
3	Females.....	2,366	817	298	145	63	42	1,365	85	40	63	87	96
4	Unknown cause.....	27	16	2			1	19			1	1	1
5	Males.....	19	12	1			1	14			1	1	
6	Females.....	8	4	1				5					1
7	1. General diseases. General diseases—A.....	1,257	619	255	99	54	28	1,055	56	13	12	12	31
8	Males.....	664	324	140	42	30	8	544	28	8	6	7	23
9	Females.....	593	295	115	57	24	20	511	28	5	6	5	8
10	Measles.....	{M. 28 F. 23	{M. 10 F. 7	{M. 13 F. 9	{M. 2 F. 3	{M. 2 F. 2	{M. 2 F. 1	{M. 27 F. 22	{M. 1 F. 1	{M. 1 F. 1			
11	Scarlet fever.....	{M. 51 F. 40	{M. 6 F. 3	{M. 10 F. 8	{M. 10 F. 11	{M. 5 F. 5	{M. 5 F. 6	{M. 41 F. 38	{M. 7 F. 6	{M. 8 F. 8			
12	Diphtheria.....	{M. 90 F. 114	{M. 15 F. 14	{M. 32 F. 32	{M. 19 F. 31	{M. 12 F. 10	{M. 2 F. 9	{M. 80 F. 96	{M. 9 F. 12	{M. 2 F. 2	{M. 3 F. 3		1
13	Whooping cough.....	{M. 26 F. 35	{M. 13 F. 14	{M. 10 F. 11	{M. 2 F. 6		{M. 1 F. 1	{M. 25 F. 38	{M. 1 F. 1	{M. 1 F. 1			
14	Malarial fever.....	{M. 4 F. 2	{M. 1 F. 1					{M. 1 F. 1	{M. 1 F. 1				2 1
15	Influenza.....	{M. 10 F. 4	{M. 3 F. 1			1		{M. 5 F. 1	{M. 1 F. 1				
16	Typhoid fever.....	{M. 36 F. 19	{M. 1 F. 1			1	1	{M. 4 F. 4	{M. 2 F. 2	{M. 2 F. 2	{M. 4 F. 2	{M. 4 F. 1	{M. 14 F. 3
17	Cholera morbus.....	{M. 10 F. 7	{M. 4 F. 6	1		1		{M. 6 F. 6					
18	Colitis.....	{M. 9 F. 7	{M. 5 F. 5	2	1			{M. 7 F. 6				1	1
19	Diarrhea.....	{M. 22 F. 16	{M. 16 F. 13	4	1			{M. 20 F. 14	{M. 1 F. 1				
20	Dysentery.....	{M. 10 F. 6	{M. 1 F. 2	4	2			{M. 5 F. 2	{M. 1 F. 1			1	1
21	Enteritis.....	{M. 175 F. 163	{M. 129 F. 116	29	6	1	1	{M. 165 F. 154	{M. 1 F. 1	{M. 1 F. 1		1	2 2
22	Cholera infantum.....	{M. 119 F. 108	{M. 93 F. 91	23	2			{M. 113 F. 108				1	2
23	Fever.....	{M. 1 F. 1											
24	Cerebro-spinal fever.....	{M. 35 F. 14	{M. 12 F. 4	8	2	1	3	{M. 25 F. 8	{M. 5 F. 2	{M. 2 F. 1	{M. 1 F. 1		
25	Smallpox.....	{M. 2 F. 2	{M. 1 F. 1					{M. 1 F. 1	{M. 1 F. 1				
26	Erysipelas.....	{M. 14 F. 16	{M. 7 F. 13	2				{M. 9 F. 14					2
27	Septicemia.....	{M. 11 F. 11	{M. 3 F. 4	1		1		{M. 4 F. 6	{M. 1 F. 1			3	1
28	Venereal diseases.....	{M. 5 F. 3	{M. 5 F. 3					{M. 5 F. 3					
29	Others of this group.....	{M. 8 F. 3	{M. 1 F. 3					{M. 1 F. 1			1		1
30	General diseases—B.....	89	61	6		1		68	1		1	2	
31	Males.....	50	30	4		1		35				2	
32	Females.....	39	31	2				33	1		1		
33	Alcoholism.....	{M. 4 F. 4											
34	Parasitic diseases.....	{M. 4 F. 4											
35	Lead poison.....	{M. 4 F. 4											
36	Other poisons.....	{M. 13 F. 6	{M. 1 F. 1	1		1		{M. 2 F. 1			1	2	
37	Inanition.....	{M. 33 F. 33	{M. 30 F. 30	3	2			{M. 33 F. 32	{M. 1 F. 1				
38	General diseases—C.....	368	311	14	3	1		329				1	
39	Males.....	209	177	8	1	1		187					
40	Females.....	159	134	6	2			142				1	
41	Old age.....	{M. 17 F. 14											
42	Premature birth.....	{M. 90 F. 64	{M. 90 F. 64					{M. 90 F. 64					
43	Malformation.....	{M. 9 F. 9	{M. 9 F. 9					{M. 9 F. 9					
44	Debility and atrophy.....	{M. 80 F. 63	{M. 65 F. 52	8	1	1		{M. 75 F. 60				1	
45	Others of this group.....	{M. 13 F. 9	{M. 13 F. 9					{M. 13 F. 9					



TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND  
MOTHERS BORN IN RUSSIA (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D .....	691	65	30	19	14	8	136	15	8	36	55	59
2	Males .....	411	39	20	13	9	6	87	8	2	22	26	33
3	Females .....	280	26	10	6	5	2	49	7	6	14	29	26
4	Anemia .....	9 3				1	1	2	2		2	1	
5	Diabetes .....	13 8							1		1		2
6	Rheumatism .....	2 3									2		
7	Scrofula and tabes .....	3	2	1				3					
8	Hydrocephalus .....	61 36	21 15	13 7	11 4	5 3	3 1	53 30	5 3		2		
9	Tuberculosis, general .....	5 4	1	1				1 1			2	1	1
10	Consumption .....	233 136	13 5	6 2	1 2	3 1	2 1	25 11	1 1	2 4	18 4	21 23	30 23
11	Cancer .....	69 71							2	2		1	1
12	Tumor .....	10 7		1				1			2	1	1
13	Dropsy .....	1 3	1					1					
14	Others of this group .....	8 6	5 2			1		5 3			1 1		
15	2. Diseases of the nervous system .....	478	190	46	25	14	8	233	14	9	13	15	12
16	Males .....	290	112	26	16	9	5	168	10	3	8	9	7
17	Females .....	188	78	20	9	5	3	115	4	6	5	6	5
18	Inflammation of the brain .....	4 1	3		1			4					
19	Meningitis .....	109 61	41 33	21 13	11 3	8 3	3 2	84 54	9 2	1 3	3 1	4	4
20	Apoplexy .....	54 35	2				1	3			1	2	1
21	Paralysis .....	16 9			1			1		1 1	1	1	1
22	Paralysis, general (of insane) .....	1											
23	Tetanus and trismus nascentium .....	14 4	10 3				1	10 4		1	2	1	
24	Chorea .....												
25	Epilepsy .....	5 3	1 1	1				2 1				1 1	
26	Convulsions .....	53 54	47 40	3 6	1 3	1 2		52 51	1 1		1		1
27	Mental diseases .....	3 10									1	2 3	1
28	Diseases of the brain .....	24 9	8 1	1 1	1 2		1	11 4		2	1		
29	Diseases of the spinal cord .....	2 1			2			2					1
30	Locomotor ataxia .....	1											
31	Others of this class .....	4 1											1
32	3. Diseases of the circulatory system .....	294	28	3	2	5	6	44	14	17	16	15	14
33	Males .....	147	15	1	1	3	3	23	6	7	9	7	2
34	Females .....	147	13	2	1	2	3	21	8	10	7	8	12
35	Pericarditis .....	3 2	1					1	1		1		
36	Diseases of the heart .....	124 133	9 7	1 2		3 2	3 2	16 14	5 8	7 9	9 6	7 8	2 12
37	Angina pectoris .....	6 2								1			
38	Diseases of the arteries .....	5 2											
39	Aneurism .....	1 1											
40	Embolism .....	1 2	1				1	1					
41	Others of this class .....	7 5	5 5		1			6 5					





## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN RUSSIA (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	1,307	513	305	121	37	15	991	35	9	14	15	17
2	Males.....	756	329	179	62	19	6	595	19	5	7	9	11
3	Females.....	551	184	126	59	18	9	396	16	4	7	6	6
4	Croup.....	M. 25 F. 19	6 3	7 3	5 6	4 4	2	22 18	3 1				
5	Pneumonia.....	M. 576 F. 421	234 126	153 118	52 48	13 9	4 7	456 303	14 14	4 4	7 7	9 5	7 5
6	Laryngitis.....	M. 3 F. 2					1	3 2					
7	Bronchitis.....	M. 93 F. 66	64 39	11 6	2 5	1 1	1	79 51		1			1
8	Pleurisy.....	M. 12 F. 12	3 1	3 4	1	1 3		8 8					2 1
9	Asthma.....	M. 2 F. 6		1				1 1					
10	Others of this class.....	M. 45 F. 24	20 12	4	2			26 13	2 1				1
11	5. Diseases of the digestive system.....	280	78	10	4	4	4	100	15	11	14	15	21
12	Males.....	172	48	3	3	2	3	59	8	9	8	8	14
13	Females.....	108	30	7	1	2	1	41	7	2	6	7	7
14	Dentition.....	M. 4 F. 5	3 3	1 1	1			4 5					
15	Angina.....	M. 2 F. 2				1 1	1	2					1
16	Gastritis.....	M. 17 F. 11	7 3	1 1		1	1	10 4		1			
17	Diseases of the stomach.....	M. 8 F. 2	1					1				1	1
18	Obstruction of the bowels.....	M. 19 F. 12	10 1	2	2	1		12 4	1 2				1 1
19	Appendicitis.....	M. 43 F. 13	1				1	2	5 2	8 2	7 3	5 4	3 1
20	Hernia.....	M. 8 F. 6	2 1					2 1					1
21	Other diseases of the bowels.....	M. 2 F. 2	2					2					
22	Jaundice.....	M. 10 F. 10	6 8					6 8				1	.1
23	Inflammation and abscess of the liver.....	M. 9 F. 4	1					1				1	2 1
24	Other diseases of the liver.....	M. 11 F. 5	1					1					1 1
25	Peritonitis.....	M. 25 F. 21	7 1	1	1	1		9 2	2 3		1 2	2	4 2
26	Ascites.....	M. 1 F. 1											
27	Others of this class.....	M. 16 F. 14	10 10	1 2			1	12 12					1
28	6. Diseases of the urinary system and male organs of generation.....	254	13	5	7	2	4	31	4	4	7	11	14
29	Males.....	141	7	4	4	2	4	21	2	1	1	4	8
30	Females.....	113	6	1	3			10	2	3	6	7	6
31	Bright's disease.....	M. 93 F. 91							1 2		1 5	4 7	6 6
32	Calculus, urinary.....	M. 3 F. 3											
33	Diseases of the kidney.....	M. 23 F. 15	6 6	4	4	1 3	4	19 9	1		1		
34	Diseases of the bladder.....	M. 4 F. 1								1			
35	Others of this class.....	M. 18 F. 6	1	1		1		2 1					2
36	7. Diseases of the female organs of generation.....	22	1					1			1	3	3
37	Ovarian tumors.....	3											
38	Ovarian diseases.....	3										1	1
39	Diseases of the tubes.....	6									1	1	2
40	Uterine tumors.....	3											
41	Uterine diseases.....	1											
42	Others of this class.....	6	1					1				1	



TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN RUSSIA (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy .....	65									6	10	12
2	Abortion .....	5									1	1	
3	Childbirth .....	18									1	2	3
4	Puerperal septicemia .....	27									3	4	7
5	Extra-uterine pregnancy .....	4										1	1
6	Others of this class .....	11									1	2	1
7	9. Diseases of the bones and joints .....	14	4				1	5	3		1	2	
8	Males .....	10	3				1	4	1				
9	Females .....	4	1					1	2		1	2	
10	Diseases of the spine .....	3	1					1	1			1	
11	Abscess, lumbar and psoas .....												
12	Diseases of the bones .....	5	1				1	2				1	
13	Diseases of the hip-joint .....	2	1					1	1				
14	Others of this class .....	1									1		
15	Males .....	2	1					1					
16	Females .....	1							1				
17	10. Diseases of the skin .....	16	10					10					1
18	Males .....	11	7					7					
19	Females .....	5	3					3					1
20	Abscess .....	6	4					4					
21	Females .....	1	1					1					
22	Carbuncle .....	2	1					1					
23	Others of this class .....	3	2					2					
24	Males .....	4	2					2					1
25	Females .....	1	2					2					
26	11. Diseases of the absorbent system .....	2		1				1					
27	Males .....	1		1				1					
28	Females .....	1											
29	Addison's disease .....												
30	Diseases of the spleen .....												
31	Others of this class .....	1		1				1					
32	12. Accidents and injuries .....	323	30	18	15	19	12	94	41	19	15	34	33
33	Males .....	240	19	10	8	12	8	57	31	15	12	29	24
34	Females .....	83	11	8	7	7	4	37	10	4	3	5	9
35	Burns and scalds .....	30	3	5	5	6	2	21	1	2	1	3	1
36	Females .....	32	2	7	3	3	2	17	6	1		1	3
37	Drowning .....	25			1	1	1	3	6	8	2	2	3
38	Females .....	1											
39	Exposure and neglect .....	1	1					1					
40	Males .....	4									1	2	
41	Females .....	3								1			
42	Homicide .....	4									1	1	
43	Females .....	2											2
44	Infanticide .....												
45	Injuries by machinery .....	1											
46	Males .....	20		1		1		2	2		2	3	2
47	Females .....	6	1	1			1	3	1	2	1	3	2
48	Suffocation .....	11	9				1	10					
49	Females .....	3	3					3					
50	Suicide by shooting .....	6											2
51	Females .....												
52	Suicide by drowning .....												
53	Males .....	12											
54	Females .....	4									2	3	3
55	Other suicides .....	11										2	2
56	Females .....	3										1	1
57	Sunstroke .....	2	1										1
58	Females .....	2	2					2					
59	Surgical operations .....	1											
60	Males .....	10							1	1	1	1	1
61	Females .....	1										1	1
62	Wounds .....	10											
63	Females .....	1											
64	Others of this class .....	108	5	4	2	4	4	19	22	2	4	12	9
65	Females .....	25	3		4	4	1	12	3	2		1	3

CAUSE, AND BIRTHPLACES OF MOTHERS.

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN RUSSIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
11	19	7												1
	1	2												2
4	6	2												3
6	6	1												4
	1	1												5
1	5	1												6
	1	1	1											7
	1	1	1											8
														9
														10
														11
	1	1												12
														13
			1											14
		2	2						1					15
		2	1						1					16
		2	1											17
														18
									1					19
			1											20
			1											21
				1										22
														23
				1										24
														25
														26
19	25	11	9	8	6	2	4		1	1				1 27
18	20	10	8	7	4	2	1			1				1 28
1	5	1	1	1	2		3		1					29
1														30
	4													31
	2				1									32
														33
	1			1										34
	1	1												35
1														36
2	2		2	1										37
		1				1								38
	1	1		1	1									39
														40
2	1	1	2						1					41
1	2	2	1				1							42
1														43
			1											44
3	1												1	45
8	9	5	3	5	2	2				1				46
					1		3							

VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN POLAND (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	3,543	1,556	395	186	91	66	2,294	135	39	64	118	107
2	Males.....	2,027	903	196	96	46	34	1,275	71	24	32	69	70
3	Females.....	1,516	653	199	90	45	32	1,019	64	15	32	49	37
4	Unknown cause.....	58	41	1	1	2	1	46		1			1
5	Males.....	36	24		1	2		27		1			1
6	Females.....	22	17	1			1	19					
7	1. General diseases.												
	General diseases—A.....	965	475	186	81	35	25	802	48	11	15	23	13
8	Males.....	545	269	95	46	18	16	444	25	4	12	19	13
9	Females.....	420	206	91	35	17	9	358	23	7	3	4	
10	Measles.....	{M.. 23 F.. 28	7 7	7 11	5 4	1 1	2	22 23	1 3	2			
11	Scarlet fever.....	{M.. 32 F.. 16	2 2	6 1	7 6	5 1		20 11	11 4				1
12	Diphtheria.....	{M.. 44 F.. 50	4 1	8 8	14 9	4 9	6 8	36 35	7 13		1		
13	Whooping cough.....	{M.. 12 F.. 15	7 8	3 4	1 3		1	12 15					
14	Malarial fever.....	{M.. 6 F.. 2	1 2			1		2 2				1	1
15	Influenza.....	{M.. 11 F.. 9	2 3	1	1		1	4 4	2				
16	Typhoid fever.....	{M.. 58 F.. 17	1 2		2	2	1	6 4	1	2	10	15	11
17	Cholera morbus.....	{M.. 6 F.. 8	1 3	1	3	1		5 6		1			
18	Colitis.....	{M.. 6 F.. 2	5 1					5 2	1				
19	Diarrhea.....	{M.. 39 F.. 38	21 15	13 16	3	2	1	37 34	2	1			
20	Dysentery.....	{M.. 7 F.. 7	4 3	3		1		7 5					
21	Enteritis.....	{M.. 130 F.. 87	37 59	30 19	4	1	2	123 84		1	1		
22	Cholera infantum.....	{M.. 153 F.. 128	122 96	22 23	6	1	2	153 128					
23	Fever.....	{M.. 1 F.. 1	1					1					
24	Cerebro-spinal fever.....	{M.. 4 F.. 4	3		1	1	2	3 4	1				
25	Smallpox.....	{M.. F..											
26	Erysipelas.....	{M.. 3 F.. 1	1 1					1 1				1	
27	Septicemia.....	{M.. 9 F.. 6	2	3				5	1			2	
28	Venereal diseases.....	{M.. 1 F..				1		1					
29	Others of this group.....	{M.. 1 F.. 2	1					1					
30	General diseases—B.....	147	125	5	2	1		133	1				
31	Males.....	90	77	1	2			80					
32	Females.....	57	48	4		1		53	1				
33	Alcoholism.....	{M.. 6 F.. 3											
34	Parasitic diseases.....	{M.. F..											
35	Lead poison.....	{M.. F..											
36	Other poisons.....	{M.. 3 F..											
37	Inanition.....	{M.. 81 F.. 54	77 48	1 4	2		1	80 53		1			
38	General diseases—C.....	302	228	13	5	1		247					
39	Males.....	171	134	6	3	1		144					
40	Females.....	131	94	7	2			103					
41	Old age.....	{M.. 24 F.. 26											
42	Premature birth.....	{M.. 56 F.. 36	56 36					56 36					
43	Malformation.....	{M.. 8 F.. 5	8 5					8 5					
44	Debility and atrophy.....	{M.. 64 F.. 52	51 41	6 7	3	1		61 50					
45	Others of this group.....	{M.. 19 F.. 12	19 12					19 12					



TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN POLAND (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	279	17	10	2	1	2	32	4	3	17	31	24
2	Males.....	165	10	3		1	1	15	3	3	5	17	13
3	Females.....	114	7	7	2		1	17	1		12	14	11
4	Anemia.....	3		1				1					1
	{M.....	3											
	{F.....	3											
5	Diabetes.....	4											
	{M.....	4											
	{F.....	4											
6	Rheumatism.....	6							1			1	
	{M.....	6							1			1	
	{F.....	5									2		
7	Scrofula and tabes.....	1											
	{M.....	1											
	{F.....	1											
8	Hydrocephalus.....	7	4	1				5		1		1	
	{M.....	7	4	1				5		1		1	
	{F.....	10	3	5	1			9			1		
9	Tuberculosis, general.....	1					1	1					
	{M.....	1					1	1					
	{F.....	1											
10	Consumption.....	101	4	1		1		6	2	2	5	15	11
	{M.....	101	4	1		1		6	2	2	5	15	11
	{F.....	70	3	2			1	6	1		9	13	10
11	Cancer.....	36	1					1					2
	{M.....	36	1					1					2
	{F.....	17											
12	Tumor.....	4	1					1					
	{M.....	4	1					1					
	{F.....	1											
13	Dropsy.....	2											
	{M.....	2											
	{F.....	4											
14	Others of this group.....	3	1		1			2				1	
	{M.....	3	1		1			2				1	
	{F.....	3	1		1			2				1	
15	2. Diseases of the nervous system.....	382	213	36	9	5	8	271	14	6	8	6	7
16	Males.....	214	124	15	4	2	3	148	6	5	4	4	4
17	Females.....	168	89	21	5	3	5	123	8	1	4	2	3
18	Inflammation of the brain.....	4	1	1				2	1				
	{M.....	4	1	1				2	1				
	{F.....	2						1					
19	Meningitis.....	44	16	5	3	1	2	27	5	1	1	1	2
	{M.....	44	16	5	3	1	2	27	5	1	1	1	2
	{F.....	38	16	10	3	1	3	33	2			2	
20	Apoplexy.....	16	2					2				1	
	{M.....	16	2					2				1	
	{F.....	24	1	1		1		3	2	1	1		1
21	Paralysis.....	7									1		
	{M.....	7									1		
	{F.....	2											
22	Paralysis, general (of insane).....												
	{M.....												
	{F.....												
23	Tetanus and trismus nascentium.....	17	10	1				11		2	2		
	{M.....	17	10	1				11		2	2		
	{F.....	2	2					2					
24	Chorea.....												
	{M.....												
	{F.....												
25	Epilepsy.....	1	1					1					
	{M.....	1	1					1					
	{F.....	1											
26	Convulsions.....	101	39	8	1	1	1	100			1		
	{M.....	101	39	8	1	1	1	100			1		
	{F.....	86	64	10	2	1	2	79	3				
27	Mental diseases.....	7										2	1
	{M.....	7										2	1
	{F.....	2											1
28	Diseases of the brain.....	13	3					3		2			1
	{M.....	13	3					3		2			1
	{F.....	7	3					3			1		1
29	Diseases of the spinal cord.....	3	2					2					
	{M.....	3	2					2					
	{F.....	2	1					1			1		
30	Locomotor ataxia.....	1											
	{M.....	1											
	{F.....												
31	Others of this class.....												
	{M.....												
	{F.....	2											
32	3. Diseases of the circulatory system.....	123	16		1	3	1	21	7		2	6	7
33	Males.....	66	9		1	1	1	12	1			3	4
34	Females.....	57	7			2		9	6		2	3	3
35	Pericarditis.....	3							1			1	
	{M.....	3							1			1	
	{F.....												
36	Diseases of the heart.....	58	6		1	1		8	1			3	4
	{M.....	58	6		1	1		8	1			3	4
	{F.....	50	5			2		7	5		2	2	3
37	Angina pectoris.....	3											
	{M.....	3											
	{F.....	1											
38	Diseases of the arteries.....	1											
	{M.....	1											
	{F.....	1											
39	Aneurism.....												
	{M.....												
	{F.....												
40	Embolism.....	1					1	1					
	{M.....	1					1	1					
	{F.....												
41	Others of this class.....	3	3					3					
	{M.....	3	3					3					
	{F.....	2	2					2					









TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN POLAND (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	44									3	11	11
2	Abortion.....	3											1
3	Childbirth.....	19									1	1	7
4	Puerperal septicemia.....	17									1	7	3
5	Extra-uterine pregnancy.....												
6	Others of this class.....	5									1	3	
7	9. Diseases of the bones and joints.....	7	1				1	2	2	2			
8	Males.....	3	1				1	2					
9	Females.....	4							2	2			
10	Diseases of the spine.....	{M. F.	2	1			1	2					
11	Abscess, lumbar and psoas.....	{M. F.											
12	Diseases of the bones.....	{M. F.	1						2	2			
13	Diseases of the hip-joint.....	{M. F.											
14	Others of this class.....	{M. F.											
15	10. Diseases of the skin.....	12	7	2		1	1	11					
16	Males.....	8	5	2				7					
17	Females.....	4	2	1		1	1	4					
18	Abscess.....	{M. F.	4	2	1			3					
19	Carbuncle.....	{M. F.	3	2			1	3					
20	Others of this class.....	{M. F.	4	3	1			4					
21	11. Diseases of the absorbent system.....	2		1				1					1
22	Males.....	1											1
23	Females.....	1		1				1					
24	Addison's disease.....	{M. F.											
25	Diseases of the spleen.....	{M. F.											
26	Others of this class.....	{M. F.	1		1			1					1
27	12. Accidents and injuries.....	248	34	11	7	5	6	63	24	6	10	19	23
28	Males.....	195	23	6	5	4	2	40	14	6	6	16	23
29	Females.....	53	11	5	2	1	4	23	10		4	3	
30	Burns and scalds.....	{M. F.	21	2	4	4	3	13	2	1	1		1
31	Drowning.....	{M. F.	17	1	1		1	3	4	4	1	1	2
32	Exposure and neglect.....	{M. F.	4	4				4					
33	Gunshot wounds.....	{M. F.	1	1				1				1	
34	Homicide.....	{M. F.	1										1
35	Infanticide.....	{M. F.	1	1				1					
36	Injuries by machinery.....	{M. F.	2										
37	Railroad accidents.....	{M. F.	42				1	1	5	1	1	10	1
38	Suffocation.....	{M. F.	15	12		1		13	3			1	
39	Suicide by shooting.....	{M. F.	7	5				5	1				
40	Suicide by drowning.....	{M. F.	1										1
41	Suicide by poison.....	{M. F.	1									1	
42	Other suicides.....	{M. F.	3										
43	Sunstroke.....	{M. F.	8	1				1	1		1	1	1
44	Surgical operations.....	{M. F.	2										1
45	Wounds.....	{M. F.	5		1			1					
46	Others of this class.....	{M. F.	72	2	1		1	4	2		3	3	15
			14	2	1	1	1	5	1		1	1	

CAUSE, AND BIRTHPLACES OF MOTHERS.

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN POLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	6	3												1	1
	2														2
5	2	2												1	3
4	1	1													4
															5
	1														6
				1											7
				1											8
															9
															10
															11
				1											12
															13
															14
			1												15
			1												16
			1												17
															18
															19
															20
															21
															22
															23
															24
															25
															26
25	22	13	13	12	9	3				1				5	27
21	20	13	12	11	8	2								3	28
4	2		1	1	1	1				1				2	29
2					1									1	30
			1	1											31
															32
1															33
															34
															35
1	1														36
4	7		3	3	5	1									37
			1	1											38
														1	39
															40
	1														41
1			1	2											42
1	1	1												1	43
1				1											44
2		1	1		1										45
9	11	11	6	4	2										46
2	1					1				1				1	

## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes .....	9,804	2,987	863	816	181	111	4,458	292	133	245	424	465
2	Males .....	5,654	1,705	468	163	92	59	2,487	137	57	128	224	282
3	Females .....	4,150	1,282	395	153	89	52	1,971	155	76	117	200	183
4	Unknown cause .....	108	58	4	3	2	1	68	3		1	4	
5	Males .....	59	29	2	1			32	1		1	1	
6	Females .....	49	29	2	2	2	1	36	2			3	
7	1. General diseases. General diseases—A .....	2,159	1,008	345	104	62	37	1,556	94	33	41	64	60
8	Males .....	1,181	565	177	53	28	21	844	41	11	18	40	41
9	Females .....	978	443	168	51	34	16	712	53	22	23	24	19
10	Measles .....	{M. 66 F. 67	{19 16	{27 31	{6 7	{5 5	{1 1	{58 59	{5 6		{2 1	{1 1	{1 1
11	Scarlet fever .....	{M. 37 F. 31	{3 2	{10 6	{7 6	{5 7	{4 2	{29 23	{5 6		{1 1		{2 1
12	Diphtheria .....	{M. 89 F. 90	{12 5	{24 18	{14 15	{14 7	{4 11	{68 56	{15 21	{5 7		{1 2	{2 2
13	Whooping cough .....	{M. 50 F. 60	{23 30	{17 18	{7 6	{1 5	{1 1	{48 60	{2 2				
14	Malarial fever .....	{M. 17 F. 14	{2 5		{1 1		{2 2				{1 1	{2 1	{1 1
15	Influenza .....	{M. 44 F. 32	{5 1	{2 2	{1 1	{1 1		{10 4	{1 1		{1 1	{1 1	{2 2
16	Typhoid fever .....	{M. 147 F. 67	{2 2	{1 1	{1 1	{2 2	{2 1	{6 4	{6 5	{2 2	{9 14	{27 15	{31 8
17	Cholera morbus .....	{M. 14 F. 21	{4 7	{2 6	{1 1		{1 1	{8 14		{1 1		{1 1	{1 1
18	Colitis .....	{M. 17 F. 10	{9 7	{5 5			{1 1	{14 8					
19	Diarrhea .....	{M. 60 F. 50	{31 34	{9 4	{2 1		{3 3	{45 39	{1 4	{2 2			
20	Dysentery .....	{M. 26 F. 21	{11 4	{2 3	{1 1	{1 1		{15 9				{1 1	{1 1
21	Enteritis .....	{M. 278 F. 216	{220 148	{32 38	{3 1	{5 5	{2 1	{257 193	{1 2	{2 2	{1 1	{3 3	{1 1
22	Cholera infantum .....	{M. 241 F. 207	{197 165	{36 34	{7 7	{1 1		{241 207					
23	Fever .....	{M. 29 F. 27	{7 3	{6 6	{1 2		{2 2	{16 11	{5 6	{1 4	{2 2	{1 1	{2 2
24	Cerebro-spinal fever .....	{M. 6 F. 1							{1 1	{1 1	{1 1		{1 1
25	Smallpox .....	{M. 19 F. 16	{9 10	{1 1				{10 11			{1 1		{1 1
26	Erysipelas .....	{M. 18 F. 32	{5 1	{1 1				{5 2	{1 1	{2 2	{2 2	{1 1	{1 2
27	Septicemia .....	{M. 10 F. 6	{5 5		{1 1			{5 6					
28	Venereal diseases .....	{M. 13 F. 10	{1 1	{3 3				{4 4				{1 1	{1 1
29	Others of this group .....									{1 1			
30	General diseases—B .....	262	182	11	3	2	2	200	1	1	2	5	3
31	Males .....	155	96	8	2	2	1	109	1	1	2	1	2
32	Females .....	107	86	3	1		1	91				4	1
33	Alcoholism .....	{M. 23 F. 1											{1 1
34	Parasitic diseases .....	{M. 2 F. 1	{1 1	{2 2				{2 1					
35	Lead poison .....	{M. 1 F. 1											
36	Other poisons .....	{M. 23 F. 16	{2 2	{1 5	{2 1	{1 1	{1 1	{5 4	{1 1	{1 1	{1 1	{1 4	{1 1
37	Inanition .....	{M. 106 F. 88	{96 83	{5 3		{1 1		{102 86			{1 1		
38	General diseases—C .....	708	493	31	4		2	530	5	1			
39	Males .....	392	290	12	3		1	306	1				
40	Females .....	316	203	19	1		1	224	4	1			
41	Old age .....	{M. 73 F. 79											
42	Premature birth .....	{M. 128 F. 87	{128 87					{128 87					
43	Malformation .....	{M. 11 F. 12	{10 10	{1 1				{11 11	{1 1				
44	Debility and atrophy .....	{M. 160 F. 131	{132 99	{11 19	{3 1		{1 1	{147 119	{1 3	{1 1			
45	Others of this group .....	{M. 20 F. 7	{20 7					{20 7					



## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	1,448	70	37	22	8	8	145	31	27	80	124	152
2	Males.....	805	37	18	7	4	4	70	13	9	26	61	84
3	Females.....	643	33	19	15	4	4	75	18	18	44	63	68
4	Anemia.....	M. 11 F. 10	2 2	1			2	3 4		1	3		1
5	Diabetes.....	M. 26 F. 18							1 1	2	1 1		2
6	Rheumatism.....	M. 12 F. 12							3 2		1		
7	Scrofula and tabes.....	M. 9 F. 7	5 4	1				5 5			1	1	
8	Hydrocephalus.....	M. 36 F. 58	13 13	9 10	2 9	2 1	1 1	27 34	4 10		2	1 2	1 1
9	Tuberculosis, general.....	M. 15 F. 9					1	1	1	1	1	1	3 1
10	Consumption.....	M. 521 F. 347	14 12	8 8	4 6	2 2	2 1	30 29	3 4	5 10	29 35	56 56	75 62
11	Cancer.....	M. 136 F. 138										1 1	1 3
12	Tumor.....	M. 13 F. 20								1	1	1	1
13	Dropsy.....	M. 17 F. 16									1	1	1
14	Others of this group.....	M. 9 F. 8	3		1			4 1	1	1	2 1		1
15	2. Diseases of the nervous system.....	997	340	85	31	26	15	497	30	10	6	14	21
16	Males.....	584	202	49	16	15	12	294	12	5	2	7	13
17	Females.....	413	138	36	15	11	3	203	18	5	4	7	8
18	Inflammation of the brain.....	M. 17 F. 5	5 1	4		1	1	11 5				1	1
19	Meningitis.....	M. 113 F. 113	44 48	19 16	7 12	7 6	6	83 82	6 12	3 4	1 2	2 2	4 2
20	Apoplexy.....	M. 123 F. 107	2 1	1	1	1	2	4 4	1		1		2 2
21	Paralysis.....	M. 48 F. 27	1 1		1			2 1	1			1	2
22	Paralysis, general (of insane).....	M. 5 F. 3											1
23	Tetanus and trismus nascentium.....	M. 12 F. 6	7 5					7 5	2	1			
24	Chorea.....	M. 1 F. 1											
25	Epilepsy.....	M. 11 F. 9	2 1	2 1	1			4 3	1	1		1	
26	Convulsions.....	M. 175 F. 104	135 79	22 12	7 1	6 2	2	172 96	2			1	2
27	Mental diseases.....	M. 16 F. 6										1	2
28	Diseases of the brain.....	M. 39 F. 25	5 2	1 2		1	1	6 6	2	1		2 2	1 1
29	Diseases of the spinal cord.....	M. 11 F. 2		1	1	1	1	4 1	1				1
30	Locomotor ataxia.....	M. 6 F. 1											
31	Others of this class.....	M. 8 F. 5	1					1					
32	3. Diseases of the circulatory system.....	580	41	4	2	1	1	49	15	14	17	24	27
33	Males.....	330	26	3	2			31	10	5	7	8	13
34	Females.....	250	15	1		1	1	18	5		10	16	14
35	Pericarditis.....	M. 3 F. 2								1			
36	Diseases of the heart.....	M. 287 F. 230	12 13	3 1	2		1	17 16	10 5	4 9	7 9	7 14	12 12
37	Angina pectoris.....	M. 14 F. 13										2	1 2
38	Diseases of the arteries.....	M. 4 F. 2											
39	Aneurism.....	M. 5 F. 1											
40	Embolism.....	M. 3 F. 1										1	
41	Others of this class.....	M. 14 F. 2	14 2					14 2					





TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system .....	1,849	611	308	123	56	26	1,124	55	15	28	35	47
2	Males.....	1,091	362	179	67	28	10	646	23	6	20	21	33
3	Females.....	758	249	129	56	28	16	478	32	9	8	14	14
4	Croup.....	37	11	8	6	5	1	31	5	1			
	{M.....	33	2	11	5	4	3	25	8				
	{F.....												
5	Pneumonia.....	768	209	138	47	17	7	418	16	3	17	21	28
	{M.....	521	172	93	42	16	11	334	19	6	8	11	13
	{F.....												
6	Laryngitis.....	8	1	2		1		4	1	1			
	{M.....	8	1	2		1		4	1	1			
	{F.....												
7	Bronchitis.....	192	114	25	8	4	1	152					1
	{M.....	135	69	24	4	4	1	92	1	1			
	{F.....												
8	Pleurisy.....	29	1	3	4		1	9	1	1	3		3
	{M.....	11			3		1	4	1	1		1	
	{F.....												
9	Asthma.....	11						1					1
	{M.....	12						1					1
	{F.....												
10	Others of this class.....	56	26	3	2	1		32					1
	{M.....	38	15	1				16	1	1		2	
	{F.....												
11	5. Diseases of the digestive system .....	531	140	18	6	1	3	168	16	16	20	38	33
12	Males.....	284	74	9	4		1	88	6	10	10	18	23
13	Females.....	247	66	9	2	1	2	80	10	6	10	20	10
14	Dentition.....	10	9	1				10					
	{M.....	9	6	2		1		9					
	{F.....												
15	Angina.....	3						1					
	{M.....	1	1					1					
	{F.....												
16	Gastritis.....	39	19	2				21	1			2	1
	{M.....	45	23	2			1	26	1				
	{F.....												
17	Diseases of the stomach.....	14	2	1				3	1				2
	{M.....	7	1	1				2					
	{F.....												
18	Obstruction of the bowels.....	22	5	1	1			7			1	1	3
	{M.....	27	7					7			1	1	1
	{F.....												
19	Appendicitis.....	43					1	1	1	7	7	7	8
	{M.....	19						1	5	1	4	3	3
	{F.....												
20	Hernia.....	15	2					2				2	2
	{M.....	9					1	1			1		
	{F.....												
21	Other diseases of the bowels.....	3	1					1		1			
	{M.....	4	1	1				2					
	{F.....												
22	Jaundice.....	13	9					9					
	{M.....	3	1					1					
	{F.....												
23	Inflammation and abscess of the liver.....	14		1				2	1	1		1	1
	{M.....	15	1	1				2	1	1			
	{F.....												
24	Other diseases of the liver.....	34									1		
	{M.....	18										1	
	{F.....												
25	Peritonitis.....	48	6	2	1			9	2	2		5	6
	{M.....	61	6	1	1			8	3	4	3	15	4
	{F.....												
26	Ascites.....	1											
	{M.....	2											
	{F.....												
27	Others of this class.....	30	21	2	2			25			1		
	{M.....	27	19	1	1			21					2
	{F.....												
28	6. Diseases of the urinary system and male organs of generation.....	384	11	5	1	8	3	28	5	3	4	13	15
29	Males.....	254	7	3		5		15	2	1	1	10	5
30	Females.....	130	4	2	1	3	3	13	3	2	3	3	10
31	Bright's disease.....	180							2	1		8	3
	{M.....	100							3	2	2	3	8
	{F.....												
32	Calculus, urinary.....	3											
	{M.....	1											
	{F.....												
33	Diseases of the kidney.....	24	6	3		4		13				1	1
	{M.....	15	3	1	1	3	3	11			1		1
	{F.....												
34	Diseases of the bladder.....	22									1		
	{M.....	2											
	{F.....												
35	Others of this class.....	25	1			1		2				1	1
	{M.....	12	1	1				2					1
	{F.....												
36	7. Diseases of the female organs of generation.....	26								1		6	3
37	Ovarian tumors.....	5											1
38	Ovarian diseases.....	1										1	
39	Diseases of the tubes.....	6										2	
40	Uterine tumors.....	6											
41	Uterine diseases.....	3										1	2
42	Others of this class.....	5								1		2	



## VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy .....	98									2	25	26
2	Abortion .....	7											1
3	Childbirth .....	20									1	2	5
4	Puerperal septicemia .....	59									1	20	13
5	Extra-uterine pregnancy .....	3											3
6	Others of this class .....	9										3	4
7	9. Diseases of the bones and joints .....	16	1			1	1	3	2	1		2	
8	Males .....	13	1			1	1	3	2	1			
9	Females .....	3										2	
10	Diseases of the spine .....	{M. 5 F. 1				1		1	1	1		1	
11	Abscess, lumbar and psoas .....	{M. . F. .											
12	Diseases of the bones .....	{M. 5 F. 1	1				1	2					
13	Diseases of the hip-joint .....	{M. 2 F. .							1				
14	Others of this class .....	{M. 1 F. 1										1	
15	10. Diseases of the skin .....	25	8	2				10	2			2	1
16	Males .....	13	3	1				4	2				1
17	Females .....	12	5	1				6				2	
18	Abscess .....	{M. 7 F. 5	3	1				4	2				
19	Carbuncle .....	{M. . F. .						2					
20	Others of this class .....	{M. 6 F. 6	3	1				4					1
21	11. Diseases of the absorbent system .....	7	1					1				1	
22	Males .....	6	1					1				1	
23	Females .....	1											
24	Addison's disease .....	{M. . F. .											
25	Diseases of the spleen .....	{M. 1 F. .											
26	Others of this class .....	{M. 5 F. 1	1					1				1	
27	12. Accidents and injuries .....	606	23	13	17	14	12	79	33	11	44	67	77
28	Males .....	487	12	7	8	9	8	44	23	8	31	56	67
29	Females .....	119	11	6	9	5	4	35	10	3	13	11	10
30	Burns and scalds .....	{M. 35 F. 31	2	4	4	4	3	17	2		3	3	1
31	Drowning .....	{M. 58 F. 10	1	1	3	2	2	7	12	1	5	6	4
32	Exposure and neglect .....	{M. 3 F. 1	1		1	2		5	2		1	1	
33	Gunshot wounds .....	{M. 14 F. 3								1	3	1	
34	Homicide .....	{M. 4 F. 2										1	
35	Infanticide .....	{M. . F. .											
36	Injuries by machinery .....	{M. 7 F. .										1	3
37	Railroad accidents .....	{M. 55 F. 7			1		1	1	1	2	5	4	8
38	Suffocation .....	{M. 13 F. 7	6		1			7	1		1	1	
39	Suicide by shooting .....	{M. 18 F. .										2	2
40	Suicide by drowning .....	{M. 3 F. 1											1
41	Suicide by poison .....	{M. 16 F. 14									4	2	4
42	Other suicides .....	{M. 25 F. 8									2	2	3
43	Sunstroke .....	{M. 10 F. 2	1					1					1
44	Surgical operations .....	{M. 2 F. 1											1
45	Wounds .....	{M. 10 F. 2		1				1			1	1	4
46	Others of this class .....	{M. 214 F. 30	2	2	3	3	2	9	7	4	15	34	37

CAUSE, AND BIRTHPLACES OF MOTHERS.

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

80 to 84	85 to 89	90 to 94	95 to 99	100 to 104	105 to 109	110 to 114	115 to 119	120 to 124	125 to 129	130 to 134	135 to 139	140 to 144	145 and over.	Unknown.	
21	9	11	2						1					1	1
2	3								1						2
5	3	4													3
13	3	6	2											1	4
1		1													5
	1	1		4	2										6
	1	1		4	1										7
				2	1										8
					1										9
															10
		1		1	1										11
				1	1										12
				1											13
	1														14
1	1	1	1	1		3			1		1				15
		1		1		2			1		1				16
1	1		1			1									17
		1													18
1							1								19
				1		2			1		1				20
	1														21
				2											22
	1					1			1						23
															24
						1									25
	1			2											26
53	65	48	32	28	24	13	9	8	7	5				3	27
46	59	43	30	25	18	11	8	8	4	3				3	28
7	6	5	2	3	6	2	1		3	2					29
1	2	5	1	2	1										30
1	1			1					1						31
4	7	3	1		1	4		1	1					1	32
	1														33
															34
4	1		1	1		1		1							35
1	2	1													36
	1														37
1	1	1													38
5	8	6	7	3	1	1		2		1					39
1			1												40
3				1	4	1		1							41
		2	2		2										42
				2											43
2	2	1	2	3				1							44
2		2			2				1						45
5	4	1	2	3	2										46
1	1		1	1	2										47
1	1	2	1		3										48
					2										49
															50
	1	2	1												51
															52
19	29	18	12	10	4	1	6	2	2	2				2	53
1	1	2		1		1	1		2	1					54

---

---

TABLE 12.

---

DEATHS IN EACH REGISTRATION STATE, DURING THE CENSUS YEAR ENDING  
MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS OF  
DISEASES, BY BIRTHPLACES OF MOTHERS.

(NOTE.—Birthplace of mother not reported for Vermont.)

---

---

VITAL STATISTICS.

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.  
CONNECTICUT.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Un-known.
All causes	5,706	3,452	911	662	580	362	163	396	60	87	376	377	1,916
Males	2,789	1,720	491	333	308	206	93	229	33	46	202	219	1,048
Females	2,917	1,732	420	329	272	156	70	167	27	41	174	158	868
Unknown cause	18	10	2	4	4	2		1	1	1	4		7
Males	10	4	2	1	2	1		1	1		3		6
Females	8	6		3	2	1				1	1		1
I. General diseases.													
General diseases—A	1,274	546	194	180	129	111	26	113	10	25	123	102	284
Males	590	271	103	61	71	59	16	56	5	13	63	54	188
Females	684	275	91	69	58	52	10	57	5	12	60	48	146
Measles	M. 26 F. 39	8 3	4 5	2 3	4 3	6 3		8 10		2 1	8 3	3 4	7 5
Scarlet fever	M. 13 F. 14	5 4	1 1	1 2	1 1	5 2	2	1					4
Diphtheria	M. 51 F. 48	16 17	10 10	6 8	5 3	2 15	2	4 6		1	7 5	5 5	10 10
Whooping cough	M. 25 F. 32	4 6	1 3	1 3	3 3	3 3	1	1 1				2 4	3 1
Malarial fever	M. 20 F. 26	6 15	5 3	1 2	3	1 2	1	1 1	1			2 2	5 8
Influenza	M. 123 F. 185	66 78	15 12	13 15	7 7	5 2	3 1	5 3	1			3 1	35 52
Typhoid fever	M. 54 F. 43	25 22	13 11	11 4	4 3	8 6		5 4			2 3		16 10
Cholera morbus	M. 9 F. 9	7 5	2	2 1	1			1 1	1		1 1	1 1	2 2
Colitis	M. 3 F. 9	1 1	1	2						1	1		2
Diarrhea	M. 30 F. 25	17 20	5 9	1 4	8 8			6 4		1 1	1 7	4 4	7 9
Dysentery	M. 20 F. 27	25 28	4 4	6 4	4 2	3 1	3 2	3 3			2	2	12 11
Enteritis	M. 73 F. 83	36 23	10 11	4 8	8 7	11 2	1 1	3 2	1	6 3	13 10	8 7	13 11
Cholera infantum	M. 88 F. 104	38 23	22 13	5 11	15 14	11 8	3 2	9 17	3 2	2 5	25 16	20 15	12 5
Fever	M. 1 F. 1						1						1
Cerebro-spinal fever	M. 13 F. 16	7 7	1 1	1	1 3	2	2	1			2 1	2	1 4
Smallpox	M. 10 F. 5	2 3	2	3	2		1	2 1			1 1		3 4
Septicemia	M. 16 F. 6	5 6	4 4	4 1	2 1	2 2		5 1		1	1 1	1 1	2 3
Venereal diseases	M. 6 F. 2	1 1			2 1	1		2 2					4
Others of this group	M. 13 F. 11	2 13	4 1	1	2 1						1		6 4
General diseases—B	66	50	10	9	6	3	2	3	1	1	6	9	48
Males	38	36	8	6	4	2	2	1	1		2	7	33
Females	28	14	2	3	2	1		2		1	4	2	10
Alcoholism	M. 10 F. 3	18 6		2 1	3 1		1						18 3
Parasitic diseases	M. 1 F. 1												1
Lead poison	M. 1 F. 1		1										1
Other poisons	M. 12 F. 8	10 3	1	1 1	1	1		1	1				9 3
Inanition	M. 15 F. 16	8 5	6 2	3 1	1	1 1	1	1 1			2 4	7 2	4 4
General diseases—C	489	185	49	36	53	23	16	34	1	12	27	33	134
Males	260	81	31	19	31	15	13	25		9	12	23	63
Females	229	104	18	17	22	8	3	9	1	3	15	10	71
Old age	M. 71 F. 90	27 48	10 7	8 4	3 2		5 1	9 1		1		1 1	33 42
Premature birth	M. 113 F. 77	17 17	14 6	9 8	15 16	7 4	6 2	11 5		4 1	9 9	14 4	7 14
Malformation	M. 21 F. 13	4 3			5	2			1		1	1 2	2
Debility and atrophy	M. 44 F. 45	24 30	6 5	2 5	6 3	5 1	1	8 2		4 1	3 3	5 3	18 18
Others of this group	M. 11 F. 4	9 6	1		2 1	1	1	5			1	2	3 2

CAUSE, AND BIRTHPLACES OF MOTHERS.

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
<b>1. General diseases—Continued.</b>													
General diseases—D.....	792	762	185	108	115	65	25	39	12	7	34	33	263
Males.....	333	401	85	54	50	38	15	19	8	3	19	27	124
Females.....	459	361	100	54	65	27	10	20	4	4	15	11	139
Anemia.....	{M. 5 F. 11	{3 3	{1 3	{1 1	{1 1	{ }	{ }	{1 }	{ }	{ }	{ }	{ }	{ }
Diabetes.....	{M. 38 F. 13	{12 14	{5 4	{3 3	{3 3	{2 }	{1 }	{ }	{ }	{ }	{ }	{1 }	{6 6
Rheumatism.....	{M. 12 F. 11	{6 15	{1 5	{2 }	{ }	{3 1	{1 }	{ }	{ }	{ }	{ }	{ }	{6 6
Scrofula and tabes.....	{M. 4 F. 9	{4 }	{1 }	{ }	{4 }	{ }	{ }	{1 }	{ }	{ }	{ }	{ }	{ }
Hydrocephalus.....	{M. 21 F. 21	{1 3	{ 3	{2 2	{3 }	{6 2	{ 1	{1 3	{ 1	{ }	{3 3	{ }	{4 }
Tuberculosis, general.....	{M. 3 F. 1	{2 2	{2 1	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{1 }
Consumption.....	{M. 182 F. 225	{321 230	{53 41	{34 23	{31 47	{24 23	{7 3	{12 13	{6 1	{3 3	{8 10	{23 6	{76 69
Cancer.....	{M. 50 F. 146	{46 32	{18 33	{12 24	{9 10	{2 1	{6 4	{4 2	{ }	{ }	{ }	{3 2	{27 56
Tumor.....	{M. 5 F. 14	{3 7	{1 3	{ 1	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{2 6
Dropsy.....	{M. 7 F. 4	{1 1	{2 1	{ }	{ 2	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ 2
Others of this group.....	{M. 6 F. 4	{2 4	{1 1	{1 }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
<b>2. Diseases of the nervous system.....</b>	813	372	112	92	66	31	18	37	8	8	39	38	287
Males.....	433	163	62	47	31	10	9	22	1	5	23	20	166
Females.....	380	209	50	45	35	21	9	15	7	3	16	18	121
Inflammation of the brain.....	{M. 8 F. 7	{1 1	{1 }	{ }	{1 }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{2 }
Meningitis.....	{M. 78 F. 57	{40 22	{6 12	{7 2	{12 11	{5 8	{2 }	{6 6	{ }	{ }	{7 2	{6 6	{12 15
Apoplexy.....	{M. 178 F. 171	{70 112	{31 16	{21 24	{7 5	{1 5	{4 7	{3 2	{ 3	{ 1	{4 3	{3 1	{85 55
Paralysis.....	{M. 55 F. 50	{16 26	{4 3	{6 5	{ 7	{ 2	{1 }	{ }	{ 2	{ }	{1 }	{ }	{22 18
Paralysis, general (of insane). Tetanus and trismus nascentium. Chorea.....	{M. 1 F. 3 8 2 1	{  4 }	{ 1 2 3 1	{ 1 1 }	{ }	{ }	{ 1 }	{ }	{ }	{ }	{ }	{ }	{ 2 2 1
Epilepsy.....	{M. 11 F. 3	{ 3	{ }	{ }	{ 2	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{4 7
Convulsions.....	{M. 39 F. 25	{12 12	{10 7	{1 3	{7 5	{1 2	{ 1	{11 6	{ 2	{5 2	{7 8	{10 9	{5 3
Mental diseases.....	{M. 8 F. 13	{4 11	{1 }	{3 1	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{1 }	{13 5
Diseases of the brain.....	{M. 29 F. 38	{13 15	{4 4	{6 7	{3 1	{2 3	{ }	{1 }	{ }	{ }	{2 2	{ }	{11 11
Diseases of the spinal cord.....	{M. 1 F. 4	{ }	{1 }	{ }	{ 3	{ }	{1 }	{ }	{1 }	{ }	{ }	{ }	{3 1
Locomotor ataxia.....	{M. 7 F. 3	{2 }	{2 }	{1 }	{ }	{1 }	{ }	{ }	{ }	{ }	{ }	{ }	{2 1
Others of this class.....	{M. 9 F. 4	{1 6	{ 1	{2 }	{ }	{ }	{1 }	{ }	{ }	{ }	{1 }	{ }	{4 3
<b>3. Diseases of the circulatory system.....</b>	531	259	60	72	35	11	20	19	5	6	6	18	217
Males.....	270	106	29	31	19	6	8	13	4	2	3	8	116
Females.....	261	153	31	41	16	5	12	6	1	4	3	10	101
Pericarditis.....	{M. 1 F. 2	{1 }	{ }	{1 }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{1 1
Diseases of the heart.....	{M. 238 F. 235	{95 142	{25 28	{27 37	{18 16	{4 5	{6 8	{13 6	{2 1	{1 4	{3 1	{5 6	{105 89
Angina pectoris.....	{M. 20 F. 10	{3 4	{2 1	{3 1	{1 }	{ }	{ 1	{ }	{ }	{ }	{ }	{ }	{6 5
Diseases of the arteries.....	{M. 5 F. 7	{3 2	{2 1	{ 1	{ }	{ }	{ 1	{ }	{ }	{ }	{ }	{ }	{ 5
Aneurism.....	{M. 1 F. 1	{2 1	{ }	{1 }	{ }	{ }	{2 2	{ }	{2 }	{ }	{ }	{ }	{ }
Embolism.....	{M. 2 F. 1	{ }	{ 1	{ }	{ }	{ }	{ }	{ }	{ }	{1 }	{ }	{ }	{ }
Others of this class.....	{M. 3 F. 5	{2 3	{ }	{ }	{ }	{ }	{1 }	{ }	{ }	{ }	{1 }	{3 1	{4 1

## VITAL STATISTICS.

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system..	736	544	117	80	84	59	20	102	13	13	73	84	229
Males.....	386	270	68	45	43	38	10	64	9	7	40	50	116
Females.....	400	274	49	35	41	21	10	38	4	6	33	34	113
Croup.....	10	5	3	4	1	1	1	2			2	4	1
M.....	18	7		1	1	3		2			1	4	2
F.....	223	192	40	23	31	25	6	45	6	5	22	25	83
Pneumonia.....	272	173	28	21	26	14	9	25	3	5	24	21	76
Laryngitis.....	5	2	1			1							
M.....	5	1	1		1	1					2		
F.....	67	45	18	8	8	6	2	15	1	2	13	16	18
Bronchitis.....	76	55	12	8	9	2	1	10	1	1	6	6	22
Pleurisy.....	4	8	1		1	1	1						5
M.....	7	9	3	1	1								1
F.....	7	4	1	3		1							4
Asthma.....	2	7	2	1	1			1					2
M.....	20	14	4	2	2	3		2	2		3	2	5
F.....	20	17	3	3	2	1						1	10
Others of this class.....													
5. Diseases of the digestive system.....	275	221	61	36	20	21	4	9	2	7	24	18	105
Males.....	122	101	37	20	14	16	1	8	1	3	9	9	49
Females.....	153	120	24	16	6	5	3	1	1	4	15	9	56
Dentition.....	3	2	2		2	1							
M.....	7	1			1					1	1		
F.....	6	1				1		1					
Angina.....	4	1	2										1
M.....	15	20	7	3		2				1	1	1	7
F.....	27	30	1	6				1		1	6	2	16
Diseases of the stomach.....	6	3	1	2		2							2
M.....	12	6		1	1								2
F.....	8	12	2	2	1	1		2					5
Obstruction of the bowels.....	15	8	4	1									11
M.....	14	6	2	1	2	1							8
F.....	13	10	3	1	1		1			1			1
Appendicitis.....	6	1	5					2					5
M.....	4	4	1	1									1
F.....	4	1	1										1
Other diseases of the bowels.....	3	1				1		1					1
M.....	3	1	1		1						1		1
F.....	10	7		4		1					2	1	3
Inflammation and abscess of the liver.....	5	7			1								3
M.....	20	25	11	4	3	4		2	1				10
F.....	12	19	6	3							1		5
Other diseases of the liver.....	10	8	3	2	4	2				2	3	2	5
M.....	26	16	2	1	4	4		1		1	2	2	12
F.....					1								
Ascites.....		3									1		
M.....	17	9	3	2	1		1					2	3
F.....	25	13	4	2	1	1	2				4	1	3
Others of this class.....													
6. Diseases of the urinary system and male organs of generation.	364	252	61	41	25	11	16	7	6	5	12	9	147
Males.....	216	136	31	23	17	4	7	3	3	2	8	5	104
Females.....	148	116	30	18	8	7	9	4	3	3	4	4	43
Bright's disease.....	156	109	25	17	10	2	5	3	1	1	5	3	70
M.....	127	98	27	13	7	6	8	3	3	3	3	3	36
F.....													
Calculus, urinary.....	1			1							1		
M.....	17	5	3	3	2	1			1			1	4
F.....	8	4	1	3	1		1	1		1	1	1	4
Diseases of the kidney.....	27	8	2	2	3		2		1		1	1	19
M.....	6	4											2
F.....	16	14	1	1	2	1							11
Others of this class.....	6	10	2	1		1							1
M.....													
F.....	19	10	4	2	4			1					10
7. Diseases of the female organs of generation.													
Ovarian tumors.....	5	3	1	1	1								
Ovarian diseases.....	1												
Diseases of the tubes.....	1												
Uterine tumors.....	5	4		1									5
Uterine diseases.....		1	1		2								1
Others of this class.....	7	2	2		1			1					4



CAUSE, AND BIRTHPLACES OF MOTHERS.

847

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	36	26	4	10	4	5	1	5	1		5	8	8
Abortion	2	3				1	1					1	1
Childbirth	9	3		1	1	1			1		1		3
Puerperal septicemia	14	12	3	7	3	2		3			1	7	2
Extra-uterine pregnancy	2										1		
Others of this class	9	8	1	2		1		2			2		2
9. Diseases of the bones and joints	18	7	4		2	1	1						4
Males	11	4	2			1	1						3
Females	7	3	2		2								1
Diseases of the spine	3	1	2				1						
Abscess, lumbar and psoas	1	1	1										
Diseases of the bones	7	2				1							2
Diseases of the hip-joint	2												1
Others of this class	3	1	1										1
10. Diseases of the skin	15	8						1					5
Males	8	3											2
Females	7	5						1					3
Abscess	5	2						1					1
Carbuncle	5	3											2
Others of this class	3	1											1
11. Diseases of the absorbent system	7	1	1										1
Males	5												
Females	2	1	1										1
Addison's disease	1		1										1
Diseases of the spleen	1	1											
Others of this class	2												
12. Accidents and injuries	253	199	47	42	33	19	14	25		2	23	20	172
Males	157	144	33	26	26	16	11	17		2	20	16	128
Females	96	55	14	16	7	3	3	8			3	4	44
Burns and scalds	10	5	1	3						1	5	1	1
Drowning	17	11	3	3	2	1		4			1	1	6
Exposure and neglect	21	28	4	3	5	6		3	1		2	2	20
Gunshot wounds	8	4		1	2		2				1	1	8
Homicide	2	2									1		1
Infanticide	1	1										1	
Injuries by machinery	4	1	1	3	2			1			1		4
Railroad accidents	2							1					2
Suffocation	19	33		4	5	4	2	4			1	2	39
Suicide by shooting	7	8		4									1
Suicide by drowning	12	5			2		1						3
Suicide by poison	8	4									1	1	2
Other suicides	2		3	2		1					1	1	2
Sunstroke	1			1									
Surgical operations	1	1	1	1									1
Wounds	9	3	5	1			1			1			3
Others of this class	10	3	1										1
Others of this class	12	6	4	1		2	1				1	2	2
Sunstroke	4	1	1										1
Surgical operations	1	3	1		1						1		
Wounds	1	1										1	2
Others of this class	64	54	13	9	10	3	2	9		7	6	6	47
Others of this class	37	20	8	7	3	2	1	3					24



CAUSE, AND BIRTHPLACES OF MOTHERS.

849

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued.													
General diseases—D.....	399	103	55	18	6	1	5	2	4		1	11	51
Males.....	130	61	31	12	3	1	2	1	2		1	7	24
Females.....	219	42	24	6	3		3	1	2			4	27
Anemia.....	4												
{M.....	4												
{F.....	2	2											
Diabetes.....	5	2		1									
{M.....	5			1									
{F.....		2											
Rheumatism.....	6	1	1	1					1				
{M.....	6	1	1	1					1				
{F.....	9	1	1				2						1
Scrofula and tabes.....	3			1									1
{M.....	3			1									1
{F.....	1												2
Hydrocephalus.....	9	1	2										
{M.....	9	1	2										
{F.....	6			1									
Tuberculosis, general.....	2												
{M.....	2											1	1
{F.....	4							1					
Consumption.....	125	41	18	6	2	1	2	1	1	1	6	16	
{M.....	125	41	18	6	2	1	2	1	1	1	6	16	
{F.....	121	26	12	3	3						3	14	
Cancer.....	20	15	6	2	1							6	
{M.....	20	15	6	2	1							6	
{F.....	68	11	3	2			1		1		1	9	
Tumor.....	3	1	1										
{M.....	3	1	1										
{F.....	5	2	2										
Dropsy.....	2		2	1									
{M.....	2		2	1									
{F.....	2											1	
Others of this group.....	1		1										
{M.....	1		1										
{F.....	1												
2. Diseases of the nervous system.....	270	63	47	19	3	1	8	5	1		5	2	69
Males.....	154	32	35	12	1	1	5	3	1		4	1	43
Females.....	116	31	12	7	2		3	2			1	1	21
Inflammation of the brain.....	1										1		
{M.....	1												
{F.....	1												
Meningitis.....	23	2	1					2	1				2
{M.....	23	2	1					2	1				2
{F.....	20	1		1									3
Apoplexy.....	57	17	21	5			4	1					15
{M.....	57	17	21	5			4	1					15
{F.....	39	16	7	1	1		2	1			1		11
Paralysis.....	14	1	1	2									
{M.....	14	1	1	2									
{F.....	15	1	1	2									
Paralysis, general (of insane)......	1		1				1				1		3
{M.....	1		1				1				1		3
{F.....													1
Tetanus and trismus nascentium.....	5	1											
{M.....	5	1											
{F.....	2												
Chorea.....				1									1
{M.....				1									1
{F.....													
Epilepsy.....	1	1											4
{M.....	1	1											4
{F.....	3				1								2
Convulsions.....	22	1	1								1	1	2
{M.....	22	1	1								1	1	2
{F.....	11	3	2										
Mental diseases.....	4	5		1	1	1					1		5
{M.....	4	5		1	1	1					1		5
{F.....	1											1	4
Diseases of the brain.....	23	3	8	4									15
{M.....	23	3	8	4									15
{F.....	13	7		2			1						
Diseases of the spinal cord.....	1	1	1										1
{M.....	1	1	1										1
{F.....	6												
Locomotor ataxia.....	1		1										
{M.....	1		1										
{F.....	1	1											
Others of this class.....	1		1										
{M.....	1		1										
{F.....	4	2											
3. Diseases of the circulatory system.....	193	55	37	11	2	1	8	2	4		1	6	32
Males.....	99	27	27	5	1	1	5	2	3		1	5	21
Females.....	94	28	10	6	1		3		1			1	11
Pericarditis.....	1	1											
{M.....	1	1											
{F.....													
Diseases of the heart.....	88	23	25	4	1		5	2	3	1	5	20	
{M.....	88	23	25	4	1		5	2	3	1	5	20	
{F.....	86	27	10	6	1		3		1		1	10	
Angina pectoris.....	6	1	1										
{M.....	6	1	1										
{F.....	6												
Diseases of the arteries.....	4			1									
{M.....	4			1									
{F.....													
Aneurism.....		1					1						1
{M.....		1					1						1
{F.....													
Embolism.....	1	1	1										1
{M.....	1	1	1										1
{F.....													
Others of this class.....	1	1											
{M.....	1	1											
{F.....													



CAUSE, AND BIRTHPLACES OF MOTHERS.

851

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.  
DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).													
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.	
8. Affections connected with pregnancy.	14		5	1	1								1	1
Abortion	1		1											
Childbirth	2		2										1	
Puerperal septicemia	6		2											
Extra-uterine pregnancy	1				1									1
Others of this class	4			1										
9. Diseases of the bones and joints.	6	1												2
Males	2													
Females	4	1												2
Diseases of the spine	1													
Abscess, lumbar and psoas	2													
Diseases of the bones	1													
Diseases of the hip-joint	1													
Others of this class	1	1												1
10. Diseases of the skin.	5	1	1											1
Males	3	1												
Females	2		1											1
Abscess	1													
Carbuncle	2	1												
Others of this class	1		1											
11. Diseases of the absorbent system.	2													
Males	1													
Females	1													
Addison's disease														
Diseases of the spleen														
Others of this class	1													
12. Accidents and injuries.	101	16	14	4			1	2	1		3	2		21
Males	71	13	10	2				1	1		3	2		16
Females	30	3	4	2			1	1	1					5
Burns and scalds	7	1		1				1						
Drowning	14	1	2	1							1			2
Exposure and neglect														
Gunshot wounds	5													3
Homicide	3													
Infanticide	1		2				1							
Injuries by machinery														
Railroad accidents	7	2	1											5
Suffocation	1											1		1
Suicide by shooting	1	1	2	1										1
Suicide by drowning														
Suicide by poison	2													
Other suicides	1	1	2											2
Sunstroke	2	1	1											1
Surgical operations														
Wounds	1													2
Others of this class	27	7	3	1				1	1		2			2













CAUSE, AND BIRTHPLACES OF MOTHERS.

857

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
<b>1. General diseases—Continued.</b>													
General diseases—D.....	2, 688	2, 917	194	360	1, 146	152	171	73	13	5	98	198	527
Males.....	1, 201	1, 448	112	173	538	80	83	48	4	2	57	94	229
Females.....	1, 487	1, 469	82	187	608	72	88	25	9	3	41	104	298
Anemia.....	M.. 38 F.. 45	M.. 13 F.. 31	M.. 2 F..	M.. 3 F.. 4	M.. 10 F.. 18	M.. F..	M.. 1 F.. 3	M.. 1 F.. 1	M.. F..	M.. F..	M.. 1 F..	M.. 1 F.. 1	M.. 7 F.. 12
Diabetes.....	M.. 73 F.. 83	M.. 38 F.. 33	M.. 4 F.. 4	M.. 5 F.. 14	M.. 7 F.. 18	M.. 1 F.. 1	M.. 3 F.. 1	M.. F.. 1	M.. F..	M.. F..	M.. 1 F..	M.. 4 F.. 2	M.. 13 F.. 13
Rheumatism.....	M.. 36 F.. 35	M.. 18 F.. 31	M.. 1 F.. 1	M.. 10 F.. 3	M.. 9 F.. 6	M.. F.. 2	M.. 1 F.. 1	M.. F..	M.. F..	M.. F..	M.. F.. 1	M.. F.. 3	M.. 7 F.. 8
Scrofula and tabes.....	M.. 13 F.. 13	M.. 9 F.. 6	M.. F..	M.. 1 F.. 1	M.. 5 F.. 8	M.. F..	M.. F.. 1	M.. 1 F.. 1	M.. F..	M.. F..	M.. F..	M.. F.. 2	M.. 1 F.. 1
Hydrocephalus.....	M.. 102 F.. 71	M.. 47 F.. 51	M.. 4 F.. 4	M.. 11 F.. 6	M.. 42 F.. 33	M.. 6 F.. 7	M.. 6 F.. 2	M.. 6 F.. 2	M.. F..	M.. F..	M.. 11 F.. 6	M.. 6 F.. 8	M.. 3 F.. 2
Tuberculosis, general.....	M.. 94 F.. 33	M.. 20 F.. 9	M.. 1 F.. 1	M.. 3 F.. 4	M.. 6 F.. 7	M.. 1 F..	M.. 1 F.. 3	M.. 3 F.. 4	M.. F..	M.. F..	M.. 2 F..	M.. 5 F.. 5	M.. 5 F.. 5
Consumption.....	M.. 630 F.. 616	M.. 1, 123 F.. 945	M.. 74 F.. 38	M.. 108 F.. 87	M.. 371 F.. 381	M.. 59 F.. 50	M.. 61 F.. 43	M.. 32 F.. 9	M.. 2 F.. 4	M.. 2 F.. 2	M.. 30 F.. 20	M.. 69 F.. 71	M.. 122 F.. 118
Cancer.....	M.. 225 F.. 529	M.. 152 F.. 320	M.. 21 F.. 29	M.. 23 F.. 61	M.. 73 F.. 121	M.. 11 F.. 8	M.. 9 F.. 26	M.. 5 F.. 8	M.. 2 F.. 3	M.. 1 F.. 1	M.. 10 F.. 10	M.. 9 F.. 11	M.. 63 F.. 125
Tumor.....	M.. 29 F.. 39	M.. 18 F.. 29	M.. 2 F.. 3	M.. 6 F.. 3	M.. 9 F.. 7	M.. 1 F.. 2	M.. F.. 1	M.. F..	M.. F..	M.. F..	M.. 3 F.. 2	M.. 2 F.. 2	M.. 1 F.. 9
Dropsy.....	M.. 7 F.. 10	M.. 5 F.. 6	M.. F.. 1	M.. 1 F.. 3	M.. 3 F.. 9	M.. 1 F.. 1	M.. F.. 3	M.. F..	M.. F..	M.. F..	M.. F..	M.. F..	M.. 3 F.. 3
Others of this group.....	M.. 14 F.. 13	M.. 5 F.. 8	M.. 3 F.. 1	M.. 2 F.. 1	M.. 3 F.. 5	M.. F.. 1	M.. 1 F..	M.. 2 F..	M.. F..	M.. F..	M.. 1 F.. 1	M.. 1 F..	M.. 4 F.. 3
<b>2. Diseases of the nervous system.....</b>	<b>2, 596</b>	<b>1, 421</b>	<b>107</b>	<b>323</b>	<b>718</b>	<b>81</b>	<b>109</b>	<b>59</b>	<b>12</b>	<b>1</b>	<b>59</b>	<b>132</b>	<b>473</b>
Males.....	1, 350	634	63	175	390	46	56	40	9	1	30	81	233
Females.....	1, 246	787	44	148	328	35	53	19	3		29	51	240
Inflammation of the brain.....	M.. 14 F.. 4	M.. 5 F.. 2	M.. F.. 1	M.. 1 F.. 3	M.. 14 F.. 9	M.. 2 F..	M.. 2 F..	M.. F..	M.. F.. 1	M.. F..	M.. 1 F..	M.. 3 F..	M.. 4 F.. 3
Meningitis.....	M.. 254 F.. 221	M.. 124 F.. 110	M.. 9 F.. 6	M.. 32 F.. 23	M.. 143 F.. 114	M.. 11 F.. 14	M.. 9 F.. 6	M.. 14 F.. 11	M.. F..	M.. F..	M.. 10 F.. 8	M.. 33 F.. 21	M.. 11 F.. 8
Apoplexy.....	M.. 463 F.. 483	M.. 219 F.. 366	M.. 30 F.. 16	M.. 61 F.. 54	M.. 59 F.. 67	M.. 7 F.. 5	M.. 18 F.. 26	M.. 8 F.. 2	M.. 4 F.. 1	M.. 1 F..	M.. 5 F.. 3	M.. 11 F.. 12	M.. 115 F.. 136
Paralysis.....	M.. 203 F.. 191	M.. 88 F.. 95	M.. 7 F.. 8	M.. 33 F.. 32	M.. 32 F.. 30	M.. 5 F.. 2	M.. 12 F.. 9	M.. 1 F..	M.. F..	M.. F..	M.. 2 F.. 1	M.. 3 F..	M.. 43 F.. 39
Paralysis, general (of insane). Tetanus and trismus nascentium.	M.. 10 F.. 14	M.. 5 F.. 2	M.. F.. 1	M.. 3 F.. 1	M.. 2 F.. 1	M.. F..	M.. F..	M.. 1 F..	M.. F..	M.. F..	M.. F..	M.. F..	M.. 3 F.. 2
Chorea.....	M.. 1 F.. 1	M.. 2 F.. 2	M.. F..	M.. F..	M.. 1 F.. 1	M.. F..	M.. F..	M.. F..	M.. F..	M.. F..	M.. F..	M.. F..	M.. F..
Epilepsy.....	M.. 25 F.. 23	M.. 12 F.. 20	M.. 2 F.. 1	M.. 2 F.. 4	M.. 9 F.. 12	M.. 1 F.. 1	M.. 1 F..	M.. 1 F..	M.. F..	M.. F..	M.. 1 F..	M.. 2 F.. 1	M.. 8 F.. 4
Convulsions.....	M.. 144 F.. 110	M.. 67 F.. 62	M.. 7 F.. 4	M.. 19 F.. 18	M.. 78 F.. 64	M.. 16 F.. 7	M.. 5 F.. 3	M.. 11 F.. 4	M.. 2 F..	M.. F..	M.. 9 F.. 13	M.. 21 F.. 13	M.. 6 F.. 3
Mental diseases.....	M.. 41 F.. 47	M.. 26 F.. 49	M.. 1 F.. 1	M.. 6 F.. 4	M.. 9 F.. 9	M.. 2 F..	M.. 3 F.. 2	M.. F.. 1	M.. F..	M.. F..	M.. 2 F..	M.. 3 F.. 1	M.. 16 F.. 16
Diseases of the brain.....	M.. 121 F.. 88	M.. 59 F.. 52	M.. 4 F.. 4	M.. 10 F.. 7	M.. 29 F.. 16	M.. 3 F.. 4	M.. 5 F.. 8	M.. 1 F.. 1	M.. 1 F.. 1	M.. F..	M.. 1 F.. 2	M.. 4 F.. 2	M.. 21 F.. 19
Diseases of the spinal cord.	M.. 24 F.. 28	M.. 4 F.. 10	M.. 2 F.. 1	M.. 4 F..	M.. 4 F..	M.. F..	M.. 1 F..	M.. 1 F..	M.. F..	M.. F..	M.. F..	M.. 1 F..	M.. 1 F.. 2
Locomotor ataxia.....	M.. 25 F.. 4	M.. 9 F.. 4	M.. F.. 1	M.. 1 F..	M.. F..	M.. F..	M.. F..	M.. F..	M.. F..	M.. F..	M.. F..	M.. F..	M.. 2 F.. 1
Others of this class.....	M.. 18 F.. 31	M.. 9 F.. 11	M.. F..	M.. 2 F.. 2	M.. 5 F.. 6	M.. F..	M.. 1 F..	M.. F..	M.. F..	M.. F..	M.. F..	M.. F..	M.. 2 F.. 6
<b>3. Diseases of the circulatory system.....</b>	<b>1, 962</b>	<b>1, 270</b>	<b>94</b>	<b>242</b>	<b>406</b>	<b>48</b>	<b>86</b>	<b>35</b>	<b>7</b>	<b>1</b>	<b>46</b>	<b>71</b>	<b>449</b>
Males.....	1, 045	579	51	124	181	24	43	19	3	1	22	40	260
Females.....	917	691	43	118	225	24	43	16	4		24	31	189
Pericarditis.....	M.. 13 F.. 14	M.. 7 F.. 2	M.. F..	M.. 2 F..	M.. 2 F.. 5	M.. 3 F.. 1	M.. 1 F..	M.. F..	M.. F..	M.. F..	M.. 1 F..	M.. 1 F..	M.. 2 F.. 1
Diseases of the heart.....	M.. 903 F.. 813	M.. 526 F.. 642	M.. 45 F.. 42	M.. 117 F.. 106	M.. 165 F.. 194	M.. 19 F.. 20	M.. 36 F.. 40	M.. 16 F.. 15	M.. 3 F.. 3	M.. 1 F..	M.. 19 F.. 23	M.. 34 F.. 28	M.. 231 F.. 168
Angina pectoris.....	M.. 65 F.. 42	M.. 11 F.. 17	M.. 1 F..	M.. 2 F.. 6	M.. 2 F.. 9	M.. 1 F..	M.. 3 F..	M.. F..	M.. F..	M.. F..	M.. 1 F..	M.. 1 F..	M.. 8 F.. 9
Diseases of the arteries.....	M.. 39 F.. 25	M.. 19 F.. 20	M.. 1 F.. 1	M.. 5 F.. 1	M.. 3 F.. 6	M.. F.. 1	M.. 3 F.. 1	M.. 1 F.. 1	M.. F..	M.. F..	M.. 1 F..	M.. 1 F..	M.. 14 F.. 7
Aneurism.....	M.. 5 F.. 2	M.. 8 F.. 3	M.. 2 F..	M.. 1 F..	M.. 2 F.. 1	M.. F..	M.. 1 F..	M.. F..	M.. F..	M.. F..	M.. F..	M.. 1 F..	M.. 3 F.. 2
Embolism.....	M.. 7 F.. 10	M.. 5 F.. 2	M.. 1 F..	M.. 1 F..	M.. 3 F.. 3	M.. F.. 1	M.. F..	M.. 1 F..	M.. F..	M.. F..	M.. 1 F..	M.. F..	M.. 2 F.. 2
Others of this class.....	M.. 13 F.. 11	M.. 6 F.. 2	M.. 1 F..	M.. 1 F..	M.. 4 F.. 7	M.. 1 F.. 1	M.. 1 F..	M.. 1 F..	M.. F..	M.. F..	M.. F..	M.. 3 F..	M.. F..





TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MICHIGAN.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes .....	15,369	2,001	4,532	1,658	3,241	883	574	125	146	77	569	1,695	2,385
Males .....	8,021	1,060	2,444	955	1,711	505	329	85	85	42	337	960	1,359
Females .....	7,348	941	2,088	703	1,530	378	245	40	61	35	232	735	976
Unknown cause .....	279	18	68	15	78	22	9	4	.....	2	33	38	48
Males .....	157	8	30	7	40	6	5	3	.....	1	18	20	30
Females .....	122	10	38	8	38	16	4	1	.....	1	15	18	18
<b>I. General diseases.</b>													
<b>General diseases—A</b> .....	2,944	196	777	221	592	177	53	23	21	15	122	361	329
Males .....	1,524	104	435	123	300	92	21	18	13	7	66	193	167
Females .....	1,420	92	342	98	292	85	32	5	8	8	56	168	162
Measles .....	(M.. 89 (F.. 116)	.....	25 26	4 4	22 19	5	.....	3	.....	.....	2	3	18
Scarlet fever .....	(M.. 62 (F.. 65)	3	12	2	17	5	.....	1	.....	.....	4	8	1
Diphtheria .....	(M.. 63 (F.. 98)	1	43	6	24	4	.....	.....	1	.....	7	10	7
Whooping cough .....	(M.. 73 (F.. 74)	2	9	2	16	13	.....	2	1	.....	1	14	3
Malarial fever .....	(M.. 42 (F.. 50)	5	9	2	14	7	.....	1	1	.....	2	4	4
Influenza .....	(M.. 104 (F.. 105)	23	22	13	5	2	4	1	1	.....	2	11	13
Typhoid fever .....	(M.. 173 (F.. 161)	21	47	23	34	9	8	1	1	2	6	23	15
Cholera morbus .....	(M.. 66 (F.. 59)	4	17	7	9	4	1	.....	1	.....	3	7	8
Colitis .....	(M.. 29 (F.. 17)	1	4	.....	4	5	.....	.....	1	.....	2	3	4
Diarrhea .....	(M.. 98 (F.. 68)	7	19	9	14	2	3	.....	1	.....	2	10	13
Dysentery .....	(M.. 42 (F.. 58)	7	13	6	7	3	1	.....	.....	.....	1	2	7
Enteritis .....	(M.. 135 (F.. 125)	3	37	16	28	6	1	3	.....	.....	5	35	20
Cholera infantum .....	(M.. 336 (F.. 248)	3	107	9	64	27	4	2	1	2	5	28	23
Fever .....	(M.. 3 (F.. 2)	.....	1	2	.....	.....	.....	.....	.....	.....	1	.....	.....
Cerebro-spinal fever .....	(M.. 98 (F.. 59)	2	20	9	21	7	1	.....	.....	3	4	8	2
Smallpox .....	(M.. 5 (F.. .....)	.....	2	.....	.....	8	1	.....	.....	.....	1	15	3
Erysipelas .....	(M.. 27 (F.. 16)	10	14	3	8	2	.....	.....	.....	.....	3	5	7
Septicemia .....	(M.. 39 (F.. 71)	5	16	5	7	1	3	1	.....	1	.....	6	5
Venereal diseases .....	(M.. 9 (F.. 4)	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	18
Others of this group .....	(M.. 31 (F.. 24)	6	17	6	5	1	.....	.....	1	.....	1	4	11
<b>General diseases—B</b> .....	291	25	75	19	63	22	6	4	2	2	17	36	48
Males .....	172	21	50	11	37	15	5	2	1	1	9	18	36
Females .....	119	4	25	8	26	7	1	2	1	1	8	18	12
Alcoholism .....	(M.. 16 (F.. 1)	16	16	3	4	4	2	.....	.....	.....	2	5	11
Parasitic diseases .....	(M.. 3 (F.. 2)	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1
Lead poison .....	(M.. ..... (F.. .....)	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other poisons .....	(M.. 39 (F.. 28)	1	10	3	13	4	2	.....	.....	1	.....	6	10
Inanition .....	(M.. 114 (F.. 88)	4	24	5	20	7	1	2	1	.....	7	13	15
<b>General diseases—C</b> .....	1,236	188	334	127	229	61	44	13	13	6	50	127	262
Males .....	633	81	187	66	121	32	20	8	8	3	33	72	123
Females .....	603	107	147	61	108	29	24	5	5	3	17	55	134
Old age .....	(M.. 197 (F.. 235)	73 88	96 95	50 48	32 41	9 15	19 20	.....	6	1	12	26	68
Premature birth .....	(M.. 240 (F.. 187)	1 6	42 23	6 3	46 30	11 8	1 1	5 2	1	1	10	23	11
Malformation .....	(M.. 58 (F.. 71)	..... 1	10 3	1 2	11 8	4 2	.....	.....	.....	.....	1	1	4
Debility and atrophy .....	(M.. 113 (F.. 97)	6 12	33 21	7 8	27 26	7 4	7 3	3 3	1	1	7	20	43
Others of this group .....	(M.. 25 (F.. 13)	1 13	6 5	2	5 3	5	1	.....	.....	.....	3	2	2

# CAUSE, AND BIRTHPLACES OF MOTHERS.

861

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
<b>1. General diseases—Continued.</b>													
General diseases—D.....	2,265	379	784	278	531	136	108	15	25	10	53	244	313
Males.....	947	179	352	142	221	66	57	9	13	5	34	111	162
Females.....	1,318	200	432	136	310	70	51	6	12	5	19	133	151
Anemia.....	33 44	10 11	5 11	3 8	7 11	2 3	1 4					5 5	4 2
Diabetes.....	37 45	5 6	15 17	13 7	10 9	2 1	4 1	1 1	2		2	6 4	9
Rheumatism.....	48 43	8 7	16 17	5 3	2 10	4 3	1 3	1 1	1 1		2 1	4 1	9 3
Scrofula and tubercles.....	23 32	1 2	4 4	3 4	4 9	2 5	1 1	1		1		4 3	1
Hydrocephalus.....	45 41	4 2	11 5	4 1	10 7	2 1	2		1		1 2	2 9	5 1
Tuberculosis, general.....	15 27	1 5	2 1	2 2	5 6	1					1	1 2	4 2
Consumption.....	397 601	108 91	136 203	52 51	125 178	35 42	28 22	4 4	3 6	3 2	18 9	48 62	76 78
Cancer.....	223 332	35 57	130 134	48 44	41 59	11 11	17 19	2 1	5 3	1 1	9 4	31 30	38 49
Tumor.....	19 27	4 5	10 14	3 4	4 12	4 2	1		1 1			3 8	3
Dropsy.....	45 53	6 10	22 26	7 10	12 5	3 3	2 2		1	1	1 1	6 7	14 11
Others of this group.....	12 13	2 4	1	2 2	1 4	1 1	1	1			1	1 2	2 2
<b>2. Diseases of the nervous system.....</b>	2,165	223	502	223	324	95	83	8	18	10	62	200	349
Males.....	1,158	111	274	123	188	54	55	7	11	7	34	120	210
Females.....	1,007	117	228	105	136	41	28	1	7	3	28	80	139
Inflammation of the brain.....	40 44	1 4	10 4	3 1	9 7	5					4 1	3 2	3
Meningitis.....	147 114	6 8	23 22	4 6	33 23	10 8	1	2		1 1	6 4	11 12	13 5
Apoplexy.....	282 245	40 42	82 75	46 33	36 32	16 8	22 14		4 3	3	2 5	30 24	55 42
Paralysis.....	225 259	30 35	52 44	34 38	32 21	3 4	7 17		3 1		3 2	11 10	66 44
Paralysis, general (of insane). Tetanus and trismus nascentium.	19 7	3 4	3 3	4 2	3		3 2		1			1 2	5 2
Chorea.....	6 5			1	1	1						1	1
Epilepsy.....	46 36	3 3	9 6	1 1	7 6		1 1		2		1 1	6 4	8 6
Convulsions.....	155 123	4 6	43 36	4 3	31 26	10 13		4		1	12 13	37 11	15 13
Mental diseases.....	22 17	5 5	9 12	3 1	7 2	1 2	5 1			1 1	2 1	2 1	13 10
Diseases of the brain.....	137 93	15 6	27 17	9 11	19 6	4 2	1 2	1 2			2 1	6 9	14 11
Diseases of the spinal cord.	35 23	1 3	3 4	6 3	1 7	1 2	3 1				1	2 1	6
Locomotor ataxia.....	12 5	1	1 2	3	3	1	1			1		1	5 1
Others of this class.....	21 33	2 3	4 2	4 5	3 5	2	1		1		1	5 3	5 3
<b>3. Diseases of the circulatory system.....</b>	1,407	254	423	211	259	45	81	3	18	6	25	89	270
Males.....	802	142	233	133	136	30	54	1	12	3	17	56	168
Females.....	605	112	185	78	123	15	27	2	6	3	8	33	102
Pericarditis.....	10 9	3 4	1 4	5	3	1	2					1	2
Diseases of the heart.....	636 537	126 99	205 167	110 69	122 107	27 14	48 26	2	10 6	2 2	15 7	47 32	150 94
Angina pectoris.....	57 36	6 6	17 7	9 7	6 3	1	3		2			3 1	9 1
Diseases of the arteries.....	24 9	6 2	6 6	4 1	4 1	4 1	4			1		2	5 5
Aneurism.....	6 2		1	2	2		1					1	2
Embolism.....	3 3	1	2	2	2	1		1			1	1	1
Others of this class.....	16 9	1	6 1	1	2 5					1	1	1	1

VITAL STATISTICS.

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).													
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Un-known.	
4. Diseases of the respiratory system.....	1,757	261	612	183	442	139	67	26	13	10	85	284	244.	
Males.....	928	129	328	109	239	86	36	15	8	5	49	167	147	
Females.....	829	132	284	74	203	53	31	11	5	5	36	117	97	
Croup.....	{M. 39	{F. 3	{M. 14	{F. 2	{M. 15	{F. 1	{M. 1	{F. 1	{M. 1	{F. 1	{M. 3	{F. 9	{M. 5	{F. 5
Pneumonia.....	{M. 598	{F. 94	{M. 178	{F. 75	{M. 161	{F. 59	{M. 25	{F. 12	{M. 5	{F. 4	{M. 1	{F. 36	{M. 111	{F. 90
Laryngitis.....	{M. 13	{F. 8	{M. 1	{F. 2	{M. 1	{F. 2	{M. 1	{F. 1	{M. 1	{F. 1	{M. 1	{F. 22	{M. 1	{F. 60
Bronchitis.....	{M. 170	{F. 17	{M. 82	{F. 19	{M. 37	{F. 19	{M. 6	{F. 2	{M. 1	{F. 1	{M. 1	{F. 8	{M. 31	{F. 33
Pleurisy.....	{M. 8	{F. 3	{M. 4	{F. 3	{M. 5	{F. 2	{M. 1	{F. 5	{M. 1	{F. 1	{M. 1	{F. 1	{M. 3	{F. 2
Asthma.....	{M. 11	{F. 4	{M. 17	{F. 3	{M. 3	{F. 1	{M. 1	{F. 1	{M. 1	{F. 3	{M. 1	{F. 1	{M. 1	{F. 10
Others of this class.....	{M. 89	{F. 8	{M. 32	{F. 7	{M. 17	{F. 4	{M. 3	{F. 2	{M. 1	{F. 1	{M. 1	{F. 3	{M. 12	{F. 6
.....	{M. 76	{F. 10	{M. 11	{F. 4	{M. 13	{F. 1	{M. 2	{F. 1	{M. 1	{F. 1	{M. 1	{F. 3	{M. 13	{F. 8
5. Diseases of the digestive system.....	1,133	151	342	133	244	60	40	5	17	5	51	113	121	
Males.....	582	82	182	78	134	32	22	5	10	2	31	59	71	
Females.....	551	69	160	55	110	28	18	7	7	3	20	54	50	
Dentition.....	{M. 4	{F. 4	{M. 2	{F. 1	{M. 2	{F. 1	{M. 1	{F. 1	{M. 1	{F. 1	{M. 2	{F. 2	{M. 1	{F. 1
Angina.....	{M. 11	{F. 6	{M. 3	{F. 2	{M. 3	{F. 3	{M. 1	{F. 1	{M. 1	{F. 1	{M. 1	{F. 1	{M. 1	{F. 1
Gastritis.....	{M. 73	{F. 10	{M. 22	{F. 6	{M. 17	{F. 4	{M. 4	{F. 1	{M. 1	{F. 1	{M. 3	{F. 7	{M. 9	{F. 9
Diseases of the stomach.....	{M. 38	{F. 5	{M. 16	{F. 12	{M. 7	{F. 7	{M. 1	{F. 1	{M. 1	{F. 1	{M. 1	{F. 1	{M. 4	{F. 4
Obstruction of the bow-els.....	{M. 58	{F. 5	{M. 19	{F. 4	{M. 17	{F. 2	{M. 1	{F. 1	{M. 1	{F. 1	{M. 2	{F. 3	{M. 3	{F. 8
Appendicitis.....	{M. 73	{F. 11	{M. 15	{F. 5	{M. 20	{F. 6	{M. 2	{F. 2	{M. 1	{F. 1	{M. 1	{F. 6	{M. 10	{F. 10
Hernia.....	{M. 16	{F. 10	{M. 7	{F. 2	{M. 10	{F. 1	{M. 2	{F. 1	{M. 1	{F. 1	{M. 1	{F. 4	{M. 2	{F. 2
Other diseases of the bowels.....	{M. 25	{F. 2	{M. 8	{F. 3	{M. 5	{F. 1	{M. 2	{F. 1	{M. 1	{F. 1	{M. 1	{F. 2	{M. 1	{F. 1
Jaundice.....	{M. 30	{F. 2	{M. 5	{F. 2	{M. 3	{F. 3	{M. 1	{F. 1	{M. 1	{F. 1	{M. 2	{F. 2	{M. 4	{F. 4
Inflammation and abscess of the liver.....	{M. 26	{F. 3	{M. 5	{F. 7	{M. 6	{F. 3	{M. 3	{F. 3	{M. 1	{F. 1	{M. 1	{F. 4	{M. 4	{F. 4
Other diseases of the liver.....	{M. 77	{F. 25	{M. 36	{F. 16	{M. 18	{F. 8	{M. 4	{F. 4	{M. 2	{F. 2	{M. 4	{F. 7	{M. 17	{F. 17
Peritonitis.....	{M. 57	{F. 126	{M. 8	{F. 19	{M. 12	{F. 3	{M. 2	{F. 1	{M. 2	{F. 2	{M. 1	{F. 10	{M. 8	{F. 8
Ascites.....	{M. 4	{F. 7	{M. 2	{F. 1	{M. 1	{F. 1	{M. 1	{F. 1	{M. 1	{F. 1	{M. 1	{F. 2	{M. 1	{F. 1
Others of this class.....	{M. 90	{F. 6	{M. 23	{F. 12	{M. 14	{F. 6	{M. 1	{F. 2	{M. 2	{F. 2	{M. 1	{F. 13	{M. 4	{F. 4
.....	{M. 71	{F. 3	{M. 19	{F. 10	{M. 13	{F. 7	{M. 1	{F. 1	{M. 1	{F. 1	{M. 5	{F. 5	{M. 7	{F. 7
6. Diseases of the urinary system and male organs of generation.....	726	133	201	103	118	23	34	8	7	2	10	51	136	
Males.....	462	87	132	73	62	21	28	5	2	1	9	38	92	
Females.....	264	46	69	30	56	7	6	3	5	1	1	13	44	
Bright's disease.....	{M. 283	{F. 55	{M. 82	{F. 47	{M. 41	{F. 16	{M. 18	{F. 2	{M. 2	{F. 1	{M. 3	{F. 24	{M. 53	{F. 34
Calculus, urinary.....	{M. 6	{F. 4	{M. 3	{F. 1	{M. 1	{F. 1	{M. 1	{F. 1	{M. 1	{F. 1	{M. 1	{F. 1	{M. 2	{F. 2
Diseases of the kidney.....	{M. 37	{F. 9	{M. 14	{F. 8	{M. 6	{F. 3	{M. 2	{F. 1	{M. 1	{F. 1	{M. 1	{F. 3	{M. 13	{F. 4
Diseases of the bladder.....	{M. 62	{F. 9	{M. 16	{F. 10	{M. 7	{F. 4	{M. 1	{F. 1	{M. 1	{F. 1	{M. 2	{F. 4	{M. 11	{F. 1
Others of this class.....	{M. 74	{F. 26	{M. 13	{F. 5	{M. 8	{F. 6	{M. 1	{F. 2	{M. 2	{F. 2	{M. 3	{F. 6	{M. 13	{F. 4
.....	{M. 4	{F. 1	{M. 1	{F. 1	{M. 1	{F. 1	{M. 1	{F. 1	{M. 1	{F. 1	{M. 1	{F. 1	{M. 2	{F. 2
7. Diseases of the female organs of generation.....	90	8	17	5	14	3	4			1		4	18	
Ovarian tumors.....	17		3		1		1					2	7	
Ovarian diseases.....	4												2	
Diseases of the tubes.....	4	1	2		4							1	3	
Uterine tumors.....	29	2	2	2	1		1			1		1	2	
Uterine diseases.....	6	1	1	2	1	1	1					1	2	
Others of this class.....	30	4	9	1	7	2	1						2	



CAUSE, AND BIRTHPLACES OF MOTHERS.

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	158	16	89	25	47	14	6	2	2	1	11	20	15
Abortion .....	11	1	2	1	1							2	1
Childbirth .....	39	7	23	7	11	6	1	1			5	7	2
Puerperal septicemia .....	74	6	48	11	24	7	4	1	1	1	6	10	6
Extra-uterine pregnancy .....	1		1		2								4
Others of this class .....	33	2	15	6	9	1	1		1			1	2
9. Diseases of the bones and joints.	53	5	9	6	13	2	2		1		2	3	5
Males .....	35	2	4	5	9	2	2				2	2	4
Females .....	18	3	5	1	4				1			1	1
Diseases of the spine .....	13			1	3		1				1		2
Abscess, lumbar and psoas .....	1	1			1								2
Diseases of the bones .....	13	2	2	3	3							1	
Diseases of the hip-joint .....	4	1		1	1				1			1	1
Others of this class .....	4			1	1	1	1				1		
Others of this class .....	1				3								
10. Diseases of the skin.	39	6	10	5	10		1				1	5	6
Males .....	21	5	7	5	7							2	2
Females .....	18	1	3	3	3		1				1	3	4
Abscess .....	8	3	4	2	4							2	2
Abscess .....	11	1	2				1				1	2	
Carbuncle .....			2	1									1
Carbuncle .....	13	2	1	2	3							2	3
Others of this class .....	7		1		2								
11. Diseases of the absorbent system.	26	3	2		11		1					1	4
Males .....	15	2	2		8							1	4
Females .....	11	1			3		1						
Addison's disease .....	6				1								1
Addison's disease .....	5												
Diseases of the spleen .....	1		1		3								
Diseases of the spleen .....	1				1								
Others of this class .....	8	2	1		4							1	3
Others of this class .....	5	1			2		1						
12. Accidents and injuries.	800	130	237	99	266	79	35	14	9	7	47	119	167
Males .....	585	107	223	80	209	69	24	12	7	7	35	101	142
Females .....	215	23	64	19	57	10	11	2	2		12	18	25
Burns and scalds .....	30	1	9	1	12	6	3				3	6	6
Burns and scalds .....	39	2	13	1	9	2					6	3	7
Drowning .....	78	10	30	6	31	7	1	1	1		5	5	23
Drowning .....	14	3	4		6		2				1	1	1
Exposure and neglect .....	3	1	1		3	1					1	2	2
Exposure and neglect .....	6		1										
Gunshot wounds .....	40	6	11	2	13	6	1	1		1	1	2	4
Gunshot wounds .....	7		1		1				1				
Homicide .....	5		3		2								4
Homicide .....	3												
Infanticide .....													
Injuries by machinery .....	10	1	1		1						1		
Injuries by machinery .....					1								
Railroad accidents .....	73	25	29	15	34	9	3	4	2	3	3	7	33
Railroad accidents .....	4		8	2	3	3	3					1	1
Suffocation .....	24	2	3	1	6	1		1			1	6	2
Suffocation .....	24	1	3	2	4	2					1	2	
Suicide by shooting .....	25	1	5	1	5	2	1			2	1		3
Suicide by shooting .....	6		1		2								
Suicide by drowning .....	3	1	1		1	1	1					1	
Suicide by drowning .....	2				1								
Suicide by poison .....	9	1	7	1	2	1			2				1
Suicide by poison .....	10	1	3	2	5							4	1
Other suicides .....	23	6	21	6	4	4	2		1	1	1	5	5
Other suicides .....	7		1		4		1					1	
Sunstroke .....	5												
Sunstroke .....	1		1		1								
Surgical operations .....	5				1								
Surgical operations .....	13	1	2	1	4							1	2
Wounds .....	12	5	5	4	5	1	2					2	2
Wounds .....	1	1						1				1	1
Others of this class .....	240	47	97	43	89	30	10	5	1	1	18	65	58
Others of this class .....	79	14	26	11	16	3	5	1	1	5	6	4	12



CAUSE, AND BIRTHPLACES OF MOTHERS.

865

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
<b>1. General diseases—Continued.</b>													
General diseases—D .....	542	141	18	24	212	4	10	1	1		1	6	201
Males.....	223	61	7	15	87	2	4	1	1		1	1	73
Females.....	319	80	6	9	125	2	6					5	128
Anemia.....	M. 15 F. 16		1		4								2 9
Diabetes.....	M. 18 F. 19	1 3			2 3								3 4
Rheumatism.....	M. 5 F. 3			2	2		1						1 2
Scrofula and tabes.....	M. 4 F. 3	1			7 6								1 3
Hydrocephalus.....	M. 11 F. 9	1 3			5 2	1				1			1
Tuberculosis, general.....	M. 2 F. 2	2		1	2								
Consumption.....	M. 110 F. 134	53 51	6 4	9 5	64 78	1	2 4	1					45 55
Cancer.....	M. 48 F. 108	4 13		3 2	5 22	1	2		1				18 46
Tumor.....	M. 5 F. 11	1 1		2	1								1 3
Dropsy.....	M. 3 F. 10	1	1		2 4		1						2 5
Others of this group.....	M. 2 F. 4				2 1								
<b>2. Diseases of the nervous system</b>	525	64	8	27	175	9	8		1		2	3	238
Males.....	251	32	6	10	96	7	3				1	2	116
Females.....	274	32	2	17	79	2	5		1		1	1	122
Inflammation of the brain.....	M. 5 F. 3				2 3								3 1
Meningitis.....	M. 45 F. 45	8 3	1	2	36 26	2	1	1					7 1
Apoplexy.....	M. 84 F. 110	10 13	2	4	19 8		2 3			1			55 48
Paralysis.....	M. 57 F. 49	4 3	1	2	6 12		1		1			1	22 34
Paralysis, general (of insane). Tetanus and trismus nascentium.	M. 2 F. 1												2 1
Chorea.....	M. 3 F. 7	1	1		3								2 2
Epilepsy.....	M. 21 F. 16	5 4	2 1	1 3	25 18	3						1	2 2
Convulsions.....	M. 5 F. 5	1 1		1	1								13 11
Mental diseases.....	M. 25 F. 20	2 2		2	2 10	2	1						7 15
Diseases of the brain.....	M. 2 F. 4	2			1								2 5
Diseases of the spinal cord.	M. 1 F. 2	1											1 2
Locomotor ataxia.....	M. 1 F. 2	1											1 2
Others of this class.....	M. 2 F. 10	1		1	2 1								2 2
<b>3. Diseases of the circulatory system</b>	462	63	2	25	69	2	4	1	2			1	166
Males.....	253	30		14	34	2	3	1	1			1	92
Females.....	209	33		11	35		1		1				74
Pericarditis.....	M. 2 F. 1			1									1
Diseases of the heart.....	M. 231 F. 198	28 33	2	12	29 32	2	3 1	1	1			1	84 69
Angina pectoris.....	M. 14 F. 6	1		1	1 3				1				6 5
Diseases of the arteries.....	M. 3 F. 1	1			1								1
Aneurism.....	M. 1 F. 1				1								
Embolism.....	M. 1 F. 1												
Others of this class.....	M. 2 F. 2				2								





VITAL STATISTICS.

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Cont'd.  
NEW JERSEY.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes .....	13,594	5,113	4,218	1,414	124	301	418	1,211	140	272	672	1,119	2,478
Males.....	7,081	2,563	2,352	774	59	174	218	697	84	154	394	614	1,453
Females.....	6,513	2,550	1,866	640	65	127	200	514	56	118	278	505	1,020
Unknown cause.....	86	16	23	10	2	1	2	10		1	1	6	20
Males.....	42	7	14	5	1			5				2	14
Females.....	44	9	9	5	1	1	2	5		1	1	4	6
1. General diseases.													
General diseases—A.....	2,507	712	602	221	15	70	64	266	13	66	154	251	232
Males.....	1,306	358	328	120	8	36	32	154	12	29	86	135	147
Females.....	1,201	354	274	101	7	34	32	112	6	37	68	116	135
Measles.....	{M. 36 F. 44	{11 9	{11 11	{1 2	{ 2	{1 	{2 1	{27 17	{ 	{1 2	{5 2	{6 3	{3 3
Scarlet fever.....	{M. 53 F. 48	{9 22	{10 14	{8 9	{1 1	{4 1	{ 1	{13 3	{1 	{ 2	{6 5	{3 1	{4 6
Diphtheria.....	{M. 185 F. 175	{36 35	{45 33	{14 11	{1 	{2 2	{6 5	{15 11	{1 1	{4 4	{4 10	{4 14	{20 12
Whooping cough.....	{M. 71 F. 82	{23 14	{15 10	{6 5	{ 	{1 1	{3 1	{4 11	{1 	{2 3	{4 6	{9 9	{3 2
Malarial fever.....	{M. 24 F. 25	{11 14	{10 6	{2 1	{ 	{ 1	{ 	{2 3	{ 	{ 	{ 	{3 	{4 1
Influenza.....	{M. 93 F. 114	{33 52	{22 29	{11 16	{2 	{2 2	{2 3	{2 3	{ 	{1 	{2 1	{5 2	{16 15
Typhoid fever.....	{M. 106 F. 75	{34 20	{21 17	{18 4	{ 1	{2 3	{3 2	{5 2	{3 	{4 1	{3 1	{13 4	{15 18
Cholera morbus.....	{M. 26 F. 19	{12 7	{5 3	{2 1	{ 	{ 	{1 	{2 	{ 	{ 	{1 	{4 	{4 2
Colitis.....	{M. 19 F. 19	{3 6	{3 2	{ 2	{1 	{ 	{ 	{2 	{ 	{ 	{2 	{1 2	{3 2
Diarrhea.....	{M. 38 F. 44	{14 17	{13 4	{8 5	{ 	{1 1	{ 2	{5 4	{1 	{1 	{3 2	{3 5	{4 3
Dysentery.....	{M. 25 F. 37	{19 23	{10 6	{5 6	{ 	{3 1	{ 1	{5 5	{ 	{ 	{1 3	{4 1	{3 9
Enteritis.....	{M. 258 F. 199	{69 64	{76 70	{15 15	{1 2	{8 12	{7 9	{36 25	{2 1	{12 12	{25 21	{47 42	{31 32
Cholera infantum.....	{M. 241 F. 212	{39 26	{51 35	{13 11	{1 	{6 8	{1 4	{17 16	{1 1	{2 12	{19 15	{18 17	{10 10
Fever.....	{M. 1 F. 1	{ }	{ }	{1 }	{ }	{ }	{ }	{ }	{ }	{ }	{1 }	{ }	{ }
Cerebro-spinal fever.....	{M. 41 F. 34	{15 8	{6 4	{3 5	{1 }	{ 1	{3 }	{1 2	{ }	{1 }	{2 }	{4 1	{3 2
Smallpox.....	{M. 5 F. 1	{ 1}	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{1 }
Erysipelas.....	{M. 23 F. 21	{12 11	{5 6}	{2 }	{ }	{1 }	{1 }	{10 5}	{2 }	{1 2}	{4 1}	{3 }	{7 3}
Septicemia.....	{M. 36 F. 28	{11 12}	{11 13}	{3 3}	{ 1}	{5 1}	{2 }	{5 5}	{ 2}	{ }	{3 }	{2 5}	{8 10}
Venereal diseases.....	{M. 2 F. 3}	{ 2}	{2 2}	{1 }	{ }	{ }	{1 }	{2 }	{ }	{ }	{1 }	{2 1}	{2 7}
Others of this group.....	{M. 18 F. 20}	{7 11}	{12 9}	{8 4}	{ }	{ }	{ 3}	{1 }	{ 1}	{ }	{ }	{2 2}	{7 2}
General diseases—B.....	238	67	47	28	4	5	10	10	5	3	11	24	42
Males.....	137	41	30	20	2	4	6	7	4	3	7	16	30
Females.....	101	26	17	8	2	1	4	3	1	4	4	8	12
Alcoholism.....	{M. 18 F. 2}	{16 7}	{12 1}	{11 3}	{ }	{1 }	{3 1}	{3 }	{2 }	{1 }	{ }	{2 }	{17 3}
Parasitic diseases.....	{M. 1 F. 1}	{ }	{ }	{ }	{ }	{ }	{ }	{1 }	{ }	{ }	{ }	{1 }	{ }
Lead poison.....	{M. 2 F. 2}	{1 }	{1 }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{1 }
Other poisons.....	{M. 24 F. 11}	{7 8}	{7 6}	{3 }	{1 }	{2 1}	{1 }	{1 }	{1 }	{ }	{1 }	{3 2}	{5 5}
Inanition.....	{M. 92 F. 88}	{17 11}	{10 10}	{6 5}	{2 1}	{1 }	{3 2}	{6 2}	{1 1}	{2 }	{6 3}	{10 6}	{7 4}
General diseases—C.....	1,279	260	226	88	6	18	31	102	6	24	66	102	151
Males.....	711	111	117	39	3	13	10	60	4	15	44	53	83
Females.....	568	149	109	49	3	5	21	42	2	9	22	49	68
Old age.....	{M. 123 F. 160}	{30 64}	{31 45}	{17 23}	{ 1}	{3 1}	{1 10}	{3 3}	{ }	{ }	{ 1}	{7 8}	{38 28}
Premature birth.....	{M. 208 F. 138}	{14 13}	{23 17}	{5 11}	{2 2}	{3 2}	{3 4}	{19 17}	{2 }	{4 2}	{9 5}	{14 9}	{11 10}
Malformation.....	{M. 56 F. 32}	{11 8}	{10 4}	{1 }	{ }	{ }	{1 3}	{3 2}	{ }	{ }	{3 1}	{3 2}	{1 1}
Debility and atrophy.....	{M. 288 F. 221}	{44 55}	{49 41}	{14 12}	{1 }	{6 2}	{5 1}	{35 19}	{1 2}	{11 5}	{26 14}	{29 28}	{31 27}
Others of this group.....	{M. 36 F. 17}	{12 9}	{4 2}	{2 3}	{ }	{1 }	{ 3}	{3 1}	{1 }	{ 2}	{6 1}	{ 2}	{2 2}

CAUSE, AND BIRTHPLACES OF MOTHERS.

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
<b>1. General diseases—Continued.</b>													
General diseases—D.....	1,892	1,051	759	238	22	53	75	92	27	23	58	142	467
Males.....	859	552	430	124	12	29	40	49	21	12	33	83	238
Females.....	1,033	499	329	114	10	24	35	43	6	11	25	59	229
Anemia.....	M.. 15 F.. 17	4 14	5 6	3 4	1			2	2	1			2 2
Diabetes.....	M.. 35 F.. 42	8 14	15 16	7 5	1	1	2 1		1 1		1	1	6 3
Rheumatism.....	M.. 20 F.. 14	4 8	5 7	5 1				1 2		1			2 3
Scrofula and tabes.....	M.. 13 F.. 5	1 1	2	2		1		2 1				1 1	1 1
Hydrocephalus.....	M.. 60 F.. 53	18 8	12 12	4 3	1	2	1	5 4		3 2	3 2	6 8	3 4
Tuberculosis, general.....	M.. 13 F.. 10	4 3	1	2				1				1	5 2
Consumption.....	M.. 535 F.. 603	441 329	289 178	71 57	8 5	24 12	29 15	33 24	13 3	7 4	24 17	56 36	184 156
Cancer.....	M.. 124 F.. 244	54 102	82 94	24 34	1 3	1 6	7 15	5 11	5 1		5 4	13 10	26 51
Tumor.....	M.. 13 F.. 30	9 12	12 8	5 3		2	1 3			1		2	6 4
Dropsy.....	M.. 15 F.. 16	6 6	5 6	2 2	2							1	2 3
Others of this group.....	M.. 16 F.. 9	3 2	2 2	1 2				1			1	1	1 1
<b>2. Diseases of the nervous system.....</b>	<b>2,196</b>	<b>668</b>	<b>560</b>	<b>212</b>	<b>17</b>	<b>32</b>	<b>75</b>	<b>133</b>	<b>25</b>	<b>39</b>	<b>81</b>	<b>161</b>	<b>390</b>
Males.....	1,167	312	326	121	6	20	38	77	9	24	45	86	224
Females.....	1,029	356	234	91	11	12	37	56	16	15	36	75	166
Inflammation of the brain.....	M.. 14 F.. 23	2 5	3 3	1 1		1	1		1			2	1
Meningitis.....	M.. 228 F.. 198	68 50	67 31	18 15	2 3	6 3	6 5	31 24	1 1	5 4	21 16	16 19	22 15
Apoplexy.....	M.. 290 F.. 286	110 163	122 105	43 37	1 3	8 1	10 12	9 5	3 7	1 1	2 4	18 24	100 64
Paralysis.....	M.. 177 F.. 155	35 41	32 31	22 13		1 3	5 6		1 2		1	4 3	23 35
Paralysis, general (of insane). Tetanus and trismus nascentium.	M.. 11 F.. 12	6 1	6 2	5 1			1 1	1					21 2
Chorea.....	M.. 2 F.. 3			1									
Epilepsy.....	M.. 15 F.. 12	5 2	4 2	2 3				1	1	1		1	6 4
Convulsions.....	M.. 242 F.. 194	40 43	50 26	13 10	2	2	4 9	29 22	2 3	10 8	13 12	29 26	13 11
Mental diseases.....	M.. 9 F.. 15	6 12	6 11	2 3	1		2	1				2 1	16 18
Diseases of the brain.....	M.. 96 F.. 91	26 22	19 14	11 4		2 2	5 1	2 1		3 3	4 3	6 1	9 11
Diseases of the spinal cord. Locomotor ataxia.....	M.. 24 F.. 12	4 9	7 4		2		1			1		4	2 3
Others of this class.....	M.. 14 F.. 4	3	3	1		1	1	1				1	2 1
<b>3. Diseases of the circulatory system.....</b>	<b>1,227</b>	<b>459</b>	<b>401</b>	<b>141</b>	<b>19</b>	<b>14</b>	<b>26</b>	<b>37</b>	<b>11</b>	<b>9</b>	<b>34</b>	<b>63</b>	<b>235</b>
Males.....	628	205	208	81	10	5	14	20	7	6	16	29	134
Females.....	599	254	193	60	9	9	12	17	4	3	18	34	101
Pericarditis.....	M.. 7 F.. 7	1 6	2 3		1			2			2		1
Diseases of the heart.....	M.. 540 F.. 539	187 230	191 176	68 56	10 8	5 9	12 12	14 17	7 4	6 3	14 14	27 30	120 96
Angina pectoris.....	M.. 35 F.. 26	9 6	9 11	4 2			1	3			1	1	6 4
Diseases of the arteries.....	M.. 15 F.. 12	5 7	3 1	3 2									7
Aneurism.....	M.. 6 F.. 1	1 2	1 1	1									1
Embolism.....	M.. 4 F.. 1	1 1											
Others of this class.....	M.. 21 F.. 13	1 2	2 1	5			1	1		1	1	1	

## VITAL STATISTICS.

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system..	2,057	911	734	203	20	53	69	364	15	55	149	190	298
Males .....	1,062	454	390	108	8	30	40	207	7	28	85	110	187
Females .....	995	457	344	95	12	23	29	157	8	27	64	80	111
Croup .....	{M. 78 F. 58	{7 14	{22 13	{5 3		{1 3	{7 1	{7 7		{1 1	{4 4	{3 4	{3 2
Pneumonia .....	{M. 689 F. 651	{327 304	{263 244	{75 66	{5 8	{21 16	{30 24	{154 105	{4 5	{19 21	{56 47	{77 62	{139 78
Laryngitis .....	{M. 13 F. 14	{2 4	{4 3	{1 1						{1 1		{3 2	{3 1
Bronchitis .....	{M. 165 F. 169	{70 95	{55 59	{12 15	{1 4	{5 2	{6 2	{35 35	{2 1	{4 3	{15 8	{17 11	{21 23
Pleurisy .....	{M. 16 F. 13	{15 8	{11 4	{2 2				{6 2			{2 1	{1 2	{8 1
Asthma .....	{M. 2 F. 7	{1 4	{3 2	{1 2					{1 1			{1 1	{6 2
Others of this class .....	{M. 99 F. 88	{32 28	{32 19	{12 7	{2 7	{3 2	{4 2	{5 6		{3 2	{8 3	{9 2	{10 8
5. Diseases of the digestive system...	689	267	258	78	9	18	24	42	11	17	28	61	103
Males .....	326	115	137	37	3	13	10	24	5	11	21	33	51
Females .....	363	152	121	41	6	5	14	18	6	6	7	28	52
Dentition .....	{M. 5 F. 14	{1 1	{1 1									{1 1	{1 1
Angina .....	{M. 9 F. 10	{2 2		{1 1				{1 1					{1 1
Gastritis .....	{M. 62 F. 65	{24 39	{21 22	{10 8		{1 1	{1 3	{3 3	{1 3	{2 3	{5 3	{7 4	{6 7
Diseases of the stomach .....	{M. 14 F. 10	{10 5	{4 1	{4 2				{1 1	{1 2		{2 2	{2 2	{1 7
Obstruction of the bow- els .....	{M. 22 F. 39	{5 18	{9 9	{2 7		{2 1		{2 1		{1 1	{4 3	{5 3	{2 2
Appendicitis .....	{M. 28 F. 30	{8 7	{6 6	{6 1	{1 1	{1 1	{1 1	{1 1	{1 1		{1 2	{4 2	{6 6
Hernia .....	{M. 13 F. 18	{4 7	{8 6	{2 2		{1 1	{2 2	{1 1		{1 1	{1 1	{2 1	{6 1
Other diseases of the bowels .....	{M. 16 F. 14	{2 1	{2 4		{1 1			{1 1	{1 1				{1 1
Jaundice .....	{M. 18 F. 8	{7 3	{2 2	{1 2				{1 1	{1 1		{2 2	{1 1	{4 1
Inflammation and ab- scess of the liver .....	{M. 6 F. 7	{2 8	{1 3	{2 2	{1 1			{1 2				{2 2	{2 2
Other diseases of the liver .....	{M. 45 F. 34	{31 32	{50 12	{6 8	{1 1	{6 1	{3 3	{5 1	{1 2		{1 1	{2 2	{16 14
Peritonitis .....	{M. 61 F. 81	{11 22	{26 45	{1 12		{2 2		{6 7		{2 2	{5 1	{7 11	{2 9
Ascites .....	{M. 1 F. 1		{1 1	{1 1									{1 1
Others of this class .....	{M. 26 F. 32	{8 8	{6 10	{1 3		{1 1		{1 1		{3 1		{2 2	{3 5
6. Diseases of the urinary system and male organs of generation.	756	350	280	117	4	14	24	34	14	8	20	42	215
Males .....	436	188	164	76	3	6	16	20	10	6	12	21	128
Females .....	320	162	126	41	1	8	8	14	4	2	8	21	87
Bright's disease .....	{M. 320 F. 254	{154 133	{124 105	{56 30	{3 1	{3 5	{12 8	{11 8	{7 3	{3 2	{5 6	{13 17	{103 77
Calculus, urinary .....	{M. 1 F. 3	{1 1											
Diseases of the kidney .....	{M. 26 F. 28	{7 6	{14 6	{5 1				{5 1		{1 1		{3 2	{8 2
Diseases of the bladder .....	{M. 31 F. 5	{11 1	{4 1	{6 2				{3 2			{1 1	{3 1	{5 1
Others of this class .....	{M. 58 F. 30	{15 21	{12 14	{9 8		{2 2	{4 2	{1 6	{1 1	{2 2		{1 1	{12 8
7. Diseases of the female organs of generation.	25	7	13	5	1			3			2	4	1
Ovarian tumors .....	4	1	3								1		
Ovarian diseases .....											1		
Diseases of the tubes .....	1	3	1	1				1				2	
Uterine tumors .....	5	1	4	2	1								
Uterine diseases .....	5											1	
Others of this class .....	10	2	5	2				2				1	1



CAUSE, AND BIRTHPLACES OF MOTHERS.

871

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	78	48	36	12	2	3		14	1	3	9	13	10
Abortion	2	1										1	1
Childbirth	18	12	9	3	2	1		2	1	1	3	3	2
Puerperal septicemia	37	23	19	6		2		7		1	1	8	6
Extra-uterine pregnancy	2		1					1			1		
Others of this class	19	12	7	3				4		1	4	1	1
9. Diseases of the bones and joints	82	11	9	3			1	2			1	1	2
Males	20	6	7	2								1	1
Females	12	5	2	1			1	2			1		1
Diseases of the spine	{M. 6 F. 2	{3 1	{1 1	{1 1			{1 1					{1 1	{1 1
Abscess, lumbar and psoas.	{M. 1 F. 1												
Diseases of the bones	{M. 7 F. 5	{2 2	{4 2	{1 1				{2 2			{1 1		{1 1
Diseases of the hip-joint	{M. 5 F. 1	{1 1	{2 2										
Others of this class	{M. 1 F. 4	{2 2	{1 1										
10. Diseases of the skin	15	4	5	2	1						5	2	3
Males	7	2	5		1						5	1	3
Females	8	2		2								1	
Abscess	{M. 4 F. 5	{1 2		{1 1							{2 2		
Carbuncle	{M. 2 F. 1	{1 1	{3 3										{2 2
Others of this class	{M. 1 F. 2		{2 2	{1 1	{1 1						{3 3	{1 1	{1 1
11. Diseases of the absorbent system	11	2	4										
Males	7		3										
Females	4	2	1										
Addison's disease	{M. 2 F. 1		{1 1										
Diseases of the spleen	{M. 3 F. 1	{1 1	{1 1										
Others of this class	{M. 2 F. 3	{1 1	{2 2										
12. Accidents and injuries	506	280	261	56	2	20	17	102	7	24	58	57	254
Males	373	212	203	41	2	18	12	74	5	20	40	44	213
Females	133	68	58	15		2	5	28	2	4	13	13	41
Burns and scalds	{M. 22 F. 31	{9 19	{13 10	{2 4		{1 2	{1 1	{8 12		{1 3	{4 6	{1 3	{11 15
Drowning	{M. 61 F. 12	{35 4	{25 2	{6 1		{6 1	{1 1	{4 4			{6 6	{9 9	{44 2
Exposure and neglect	{M. 1 F. 1	{2 1	{1 1	{1 1									{3 3
Gunshot wounds	{M. 19 F. 3	{3 1	{2 1	{1 1				{3 3		{3 3	{1 1	{2 1	{7 1
Homicide	{M. 3 F. 3	{2 1	{1 1	{1 1				{1 1				{1 1	{3 1
Infanticide	{M. 1 F. 1												
Injuries by machinery	{M. 3 F. 3												
Railroad accidents	{M. 83 F. 13	{68 2	{31 9	{8 2		{2 1	{4 1	{17 5		{5 1	{12 1	{3 2	{68 5
Suffocation	{M. 22 F. 11	{8 3	{7 7	{1 1	{1 1	{1 1	{2 2	{6 6			{3 3	{2 2	{4 5
Suicide by shooting	{M. 10 F. 1	{2 1	{18 1	{1 1		{1 1	{1 1	{5 5	{3 3	{1 1		{5 5	{5 5
Suicide by drowning	{M. 1 F. 1	{1 1	{1 1	{1 1				{1 1					{1 1
Suicide by poison	{M. 4 F. 4	{7 1	{19 6	{3 1			{1 1	{1 1	{1 1		{2 1	{1 3	{4 3
Other suicides	{M. 5 F. 1	{4 1	{21 4	{2 2				{1 1					{5 1
Sunstroke	{M. 5 F. 6	{3 6	{4 4	{2 2		{1 1	{1 1	{5 5		{1 1	{2 2	{1 1	{1 1
Surgical operations	{M. 2 F. 3		{2 1	{1 1				{1 1				{1 1	{1 1
Wounds	{M. 3 F. 3	{5 5	{4 4					{1 1					{3 3
Others of this class	{M. 129 F. 47	{63 28	{52 17	{15 4	{1 1	{6 6	{2 1	{21 4	{1 1	{9 9	{10 2	{18 3	{54 7

TABLE 12.—DEATHS IN REGISTRATION STATES BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

NEW YORK.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes .....	47,922	26,286	18,160	4,843	2,298	1,695	1,457	5,856	616	1,133	4,379	3,278	9,459
Males .....	24,711	12,994	9,975	2,632	1,227	971	769	3,256	352	603	2,457	1,896	5,292
Females .....	23,211	13,242	8,185	2,211	1,071	724	688	2,600	264	530	1,922	1,382	4,167
Unknown cause .....	312	66	45	21	16	1	4	11	1	2	15	9	48
Males .....	155	39	29	11	14	1	1	6	1	1	13	6	28
Females .....	157	27	16	10	2	1	3	5	1	1	2	3	20
I. General diseases.													
General diseases—A .....	9,321	3,160	2,616	585	391	367	173	1,289	73	248	1,011	659	1,150
Males .....	4,800	1,523	1,404	304	204	200	84	677	38	141	526	359	603
Females .....	4,521	1,637	1,212	281	187	167	89	612	35	107	485	300	547
Measles .....	198	80	61	8	10	16	2	81	1	3	20	24	57
Males .....	228	75	55	12	10	10	3	76	1	6	25	18	65
Females .....	201	55	36	8	4	8	4	22	1	12	39	18	16
Scarlet fever .....	185	50	37	14	8	11	7	19	1	9	20	13	11
Males .....	627	171	193	32	22	37	6	65	3	19	70	44	48
Females .....	613	183	167	26	20	28	10	58	2	20	95	42	46
Whooping cough .....	250	65	33	12	15	9	2	23	1	5	21	11	10
Males .....	273	64	54	11	7	13	2	33	1	4	26	9	7
Females .....	57	17	24	5	3	1	2	10	1	1	6	2	4
Malarial fever .....	70	36	27	6	1	1	3	5	1	1	2	2	8
Males .....	249	120	73	30	7	5	12	13	2	5	14	10	55
Females .....	366	222	93	41	13	6	12	11	4	1	4	7	54
Typhoid fever .....	459	156	146	42	35	20	11	17	2	3	21	18	70
Males .....	371	115	96	22	28	16	7	19	6	3	16	14	36
Females .....	87	25	19	6	7	1	3	7	1	3	3	3	10
Cholera morbus .....	69	28	30	7	5	1	3	7	1	3	3	2	5
Males .....	64	14	17	8	2	2	2	7	1	1	6	7	25
Females .....	55	26	7	5	1	1	1	6	1	1	4	2	30
Diarrhea .....	238	74	71	14	11	8	6	48	1	14	25	26	32
Males .....	203	73	54	13	8	4	3	45	3	18	18	17	23
Females .....	135	56	51	13	8	4	4	6	2	6	7	7	19
Dysentery .....	124	107	44	16	4	7	5	9	1	1	3	6	22
Males .....	925	329	336	46	22	40	17	233	13	35	152	107	108
Females .....	866	371	276	48	19	32	15	189	7	25	140	94	124
Cholera infantum .....	848	167	196	21	42	36	3	94	5	27	91	51	38
Males .....	677	122	168	26	37	26	6	82	8	17	93	39	27
Females .....	5	1	1	1	1	1	1	1	1	1	1	1	1
Fever .....	3	1	1	1	1	1	1	1	1	1	1	1	1
Males .....	140	39	21	6	3	4	3	19	3	1	22	5	9
Females .....	134	27	14	4	4	2	3	16	3	3	12	6	8
Smallpox .....	1	2	1	1	1	1	1	1	1	1	1	1	1
Males .....	89	42	37	15	2	1	3	19	2	2	6	10	17
Females .....	49	35	19	9	3	1	1	18	1	6	11	7	15
Septicemia .....	109	47	31	21	3	6	1	2	1	4	10	4	30
Males .....	140	44	39	6	9	2	3	8	1	4	7	11	23
Females .....	33	12	9	6	3	3	2	14	1	1	5	5	23
Venereal diseases .....	29	9	5	2	2	3	1	9	1	1	2	4	20
Males .....	85	51	49	10	5	2	3	1	1	1	8	5	31
Females .....	64	48	26	13	9	3	5	2	1	1	2	2	23
Others of this group .....													
General diseases—B .....	820	432	257	58	42	38	24	58	3	14	69	57	235
Males .....	485	287	185	42	26	25	14	37	6	10	37	33	156
Females .....	335	145	72	16	16	13	10	21	2	4	32	24	79
Alcoholism .....	77	188	68	20	8	9	5	1	2	4	5	4	33
Males .....	16	56	10	4	3	2	4	1	1	1	1	1	29
Females .....	2	1	1	1	1	1	1	1	1	1	1	1	1
Parasitic diseases .....	1	1	1	1	1	1	1	1	1	1	1	1	1
Males .....	5	3	3	1	1	1	1	1	1	1	1	1	1
Females .....	3	3	1	1	1	1	1	1	1	1	1	1	1
Lead poison .....	92	57	73	13	5	12	4	10	3	1	8	11	55
Males .....	47	45	33	5	3	9	2	1	1	1	4	6	27
Females .....	309	42	41	8	13	4	5	26	1	5	24	17	18
Inanition .....	268	41	28	7	9	2	4	18	1	4	27	16	22
General diseases—C .....	4,800	1,390	976	338	194	114	102	285	36	70	312	186	997
Males .....	2,551	609	477	179	97	69	52	159	18	39	176	113	519
Females .....	2,249	781	499	159	97	45	50	126	18	31	136	73	478
Old age .....	692	266	205	100	27	7	30	3	11	3	19	17	234
Males .....	833	457	253	83	35	10	40	10	9	7	18	15	223
Females .....	746	120	97	27	31	23	1	70	2	12	79	35	31
Premature birth .....	544	83	77	27	26	16	4	49	5	10	52	23	27
Males .....	167	18	20	5	5	3	2	15	1	7	7	4	7
Females .....	116	15	13	2	1	1	1	9	1	1	7	4	4
Malformation .....	854	177	139	40	23	34	16	59	5	15	61	47	244
Males .....	665	203	144	44	32	16	6	52	3	13	49	30	220
Females .....	92	28	16	7	6	2	3	12	2	2	10	10	3
Others of this group .....	91	23	12	3	3	2	2	6	1	1	10	1	4

CAUSE, AND BIRTHPLACES OF MOTHERS.

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Un-known.
1. General diseases—Continued.													
General diseases—D.....	6,840	6,126	3,565	900	423	320	313	515	134	181	540	550	1,436
Males.....	3,125	3,242	1,946	482	214	178	161	282	82	105	321	316	709
Females.....	3,715	2,884	1,619	418	209	147	152	233	52	76	219	234	727
Anemia.....	M. 59 F. 98	18 53	16 23	7 6	4 11	2 2	3 3	2 3	2 2	8 2	1 2	1 2	13 10
Diabetes.....	M. 153 F. 133	46 70	87 97	24 11	12 5	2 1	7 5	6 4	2 3	2 2	9 8	12 8	26 18
Rheumatism.....	M. 82 F. 95	51 63	38 27	16 16	4 6	1 2	2 6	4 5	3 1	1 2	2 1	4 4	18 17
Scrofula and tabes.....	M. 48 F. 71	3 14	14 6	3 1	1 1	1 2	1 2	3 3	2 3	2 2	2 1	2 1	7 4
Hydrocephalus.....	M. 247 F. 207	82 47	45 40	17 7	4 3	9 12	1 7	40 33	4 2	15 6	44 29	18 32	14 12
Tuberculosis, general.....	M. 36 F. 25	20 13	15 12	2 5	1 1	1 1	1 1	6 5	1 1	3 1	5 2	8 2	9 8
Consumption.....	M. 1,854 F. 1,836	2,670 1,920	1,290 813	301 210	138 125	145 100	106 75	189 143	48 28	71 44	182 106	205 108	494 376
Cancer.....	M. 451 F. 1,017	301 602	385 543	85 141	37 50	12 22	32 54	22 31	20 16	11 19	57 58	58 66	96 231
Tumor.....	M. 67 F. 95	29 55	28 25	12 10	4 2	2 2	5 2	1 5	1 1	1 2	8 4	5 8	10 18
Dropsy.....	M. 95 F. 108	16 25	17 24	13 7	9 5	1 3	1 2	1 3	1 1	2 1	2 2	2 2	16 28
Others of this group.....	M. 33 F. 30	6 17	11 9	2 4	1 1	2 3	1 3	8 1	1 1	1 1	6 5	4 3	6 5
2. Diseases of the nervous system.....	6,492	2,561	1,903	644	269	124	171	426	69	84	352	275	1,177
Males.....	3,378	1,213	1,043	370	143	76	101	253	42	43	216	166	631
Females.....	3,114	1,348	860	274	126	48	70	173	27	41	136	109	546
Inflammation of the brain.....	M. 53 F. 39	9 8	9 3	4 1	4 1	1 1	1 1	1 4	1 1	1 1	1 1	1 1	4 5
Meningitis.....	M. 686 F. 596	183 133	156 102	40 35	28 25	22 13	8 6	122 81	6 4	12 12	77 46	33 39	46 40
Apoplexy.....	M. 1,075 F. 1,077	558 699	471 451	169 113	35 38	19 11	51 36	37 26	22 17	11 18	44 31	45 28	301 235
Paralysis.....	M. 506 F. 474	144 180	140 85	72 49	29 22	6 2	22 13	9 4	6 2	6 3	12 7	21 12	116 110
Paralysis, general (of insane). ..	M. 23 F. 15	12 9	27 6	8 1	2 5	2 2	2 1	2 2	1 1	1 1	1 1	2 2	8 4
Tetanus and trismus nascentium.....	M. 62 F. 17	24 13	15 11	3 3	1 3	1 3	1 3	10 2	1 1	1 1	13 4	5 1	9 1
Chorea.....	M. 3 F. 8	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
Epilepsy.....	M. 64 F. 70	28 25	25 19	6 4	4 3	3 1	1 1	6 3	1 1	1 1	4 1	2 2	29 19
Convulsions.....	M. 418 F. 358	79 55	72 71	16 16	22 13	15 9	6 4	43 33	1 1	10 5	35 30	36 14	24 35
Mental diseases.....	M. 76 F. 74	35 66	24 30	11 10	3 4	2 2	4 1	6 7	1 1	2 2	3 9	4 2	28 31
Diseases of the brain.....	M. 278 F. 241	92 107	69 51	28 22	11 10	2 6	5 7	14 6	4 1	2 1	22 5	8 9	45 46
Diseases of the spinal cord.....	M. 49 F. 70	17 25	15 11	4 3	2 2	2 1	1 1	3 3	1 1	1 1	2 2	4 1	9 5
Locomotor ataxia.....	M. 41 F. 15	14 3	11 7	3 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	5 1	4 3
Others of this class.....	M. 44 F. 60	16 25	8 10	5 10	1 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	8 12
3. Diseases of the circulatory system.....	3,822	2,502	1,745	497	206	95	163	213	71	56	236	210	912
Males.....	1,985	1,121	920	268	110	54	93	132	43	18	114	116	488
Females.....	1,837	1,381	825	229	96	41	70	81	28	38	122	94	424
Pericarditis.....	M. 26 F. 35	18 10	11 14	5 5	2 2	3 1	2 1	2 3	1 1	1 2	1 1	1 1	5 8
Diseases of the heart.....	M. 1,693 F. 1,595	1,000 1,280	818 749	230 201	104 82	45 37	83 65	116 70	39 26	16 33	94 112	100 88	433 377
Angina pectoris.....	M. 120 F. 90	30 28	29 24	17 15	3 6	1 1	4 3	2 3	1 1	1 1	5 1	7 3	26 20
Diseases of the arteries.....	M. 34 F. 13	27 32	26 13	5 1	1 1	1 1	3 1	1 1	1 1	1 1	4 3	1 1	8 6
Aneurism.....	M. 18 F. 8	17 9	15 4	6 2	3 3	1 1	1 1	3 1	2 1	1 1	1 1	2 1	6 3
Embolism.....	M. 18 F. 21	13 4	6 7	2 3	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 2
Others of this class.....	M. 76 F. 75	16 18	15 14	3 2	2 1	3 2	1 2	9 3	1 3	1 4	8 4	5 1	8 8

## VITAL STATISTICS.

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system..	7,658	4,727	3,172	777	296	326	217	2,327	86	302	1,140	712	1,175
Males.....	3,893	2,336	1,713	415	147	186	116	1,288	46	169	640	416	629
Females.....	3,760	2,391	1,459	362	149	140	101	1,039	40	133	500	296	546
Croup.....	193 143	35 26	42 38	5 6	2 8	7 5	3 1	29 17	.....	6	12 16	5 9	5 4
Pneumonia.....	2,649 2,542	1,763 1,657	1,211 1,000	303 256	95 99	127 103	84 71	883 659	34 32	136 111	510 383	316 226	502 406
Laryngitis.....	53 34	10 12	9 8	4	1	.....	.....	13 6	.....	2 1	3 1	2 4	1 3
Bronchitis.....	601 675	313 477	297 283	49 65	27 23	31 22	18 19	322 320	6 7	20 11	69 67	61 35	65 79
Pleurisy.....	60 55	51 51	30 25	7 9	5 2	1 1	.....	15 7	1	3	12 9	12 8	13 11
Asthma.....	20 21	17 31	26 22	4	1	2	.....	1 2	1	.....	1 2	2 2	3 5
Others of this class.....	317 290	147 137	93 83	38 26	16 16	18 7	11 6	25 28	4 1	8 3	33 22	18 12	40 38
5. Diseases of the digestive system.....	2,597	1,357	1,119	319	137	93	78	193	41	55	212	179	436
Males.....	1,310	594	613	146	68	46	37	110	18	25	136	92	249
Females.....	1,287	763	506	173	69	47	41	83	23	30	76	87	237
Dentition.....	49 33	7 14	10 11	2 4	1 2	4 5	2	7	.....	1	5	3	2
Angina.....	21 25	5 3	1 3	1	3	1	.....	2 1	1	.....	3 1	1	3
Gastritis.....	181 213	86 142	68 73	23 35	11 9	9 1	1 9	13 16	1	1	17 5	14 21	30 46
Diseases of the stomach.....	77 53	47 49	29 15	8 9	4 1	1 1	5 3	.....	1	2	4 2	4 2	16 20
Obstruction of the bowels.....	126 107	51 69	25 46	14 16	1 5	2 4	3 3	8 4	1 3	2 3	11 12	5 9	25 29
Appendicitis.....	169 102	44 50	33 50	17 12	9 6	4 6	7 3	10 5	3 3	3 2	39 10	23 9	34 18
Hernia.....	38 27	23 39	37 36	10 10	3 2	.....	4 3	5 1	.....	1	6 5	5 5	19 14
Other diseases of the bowels.....	43 38	8 9	16 5	1 4	1 1	.....	.....	.....	.....	.....	1 1	1 1	6 12
Jaundice.....	46 40	9 20	17 11	5 4	3 3	2	.....	7	.....	1	9 6	3	8 8
Inflammation and abscess of the liver.....	39 49	25 38	23 22	2 11	4 4	2 3	1 1	1	.....	2	7 4	3 4	14 11
Other diseases of the liver.....	200 120	191 163	189 82	31 29	12 12	9 2	8 10	15 11	7 9	5 2	8 4	19 6	36 26
Peritonitis.....	170 295	53 115	66 107	17 19	7 18	6 18	4 4	24 15	3 5	3 5	13 17	7 18	37 37
Ascites.....	7 6	2 1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Others of this class.....	144 174	43 51	43 43	10 20	9 5	6 3	2 2	15 8	1 1	4 4	13 7	4 8	19 15
6. Diseases of the urinary system and male organs of generation.	2,691	2,522	1,561	441	156	93	126	163	59	57	202	195	676
Males.....	1,543	1,235	915	264	96	54	64	102	37	21	114	130	430
Females.....	1,148	1,287	646	177	60	39	62	61	22	36	88	65	246
Bright's disease.....	1,103 896	1,045 1,182	773 579	196 155	66 49	43 31	52 39	65 39	32 21	17 33	81 70	101 55	321 219
Calculus, urinary.....	5 3	6 2	3 1	2	.....	.....	2	.....	.....	.....	.....	2	2
Diseases of the kidney.....	104 95	42 20	36 26	10 6	6 3	7 4	2 4	28 14	1	3 2	19 11	14 2	22 8
Diseases of the bladder.....	135 17	63 9	40 6	27 2	9	4	3	2	1	.....	3 2	6 1	28 2
Others of this class.....	196 137	79 74	63 34	29 14	15 8	.....	5 3	7 8	3 1	1 1	11 5	7 7	57 17
7. Diseases of the female organs of generation.	154	79	76	11	10	5	7	22	6	4	16	8	41
Ovarian tumors.....	31	14	11	3	.....	.....	2	3	4	.....	1	2	6
Ovarian diseases.....	6	4	7	.....	.....	1	.....	2	.....	.....	3	1	4
Diseases of the tubes.....	17	16	13	.....	2	3	.....	5	.....	1	4	2	12
Uterine tumors.....	52	22	23	2	2	.....	3	4	2	.....	3	.....	9
Uterine diseases.....	10	3	7	1	1	.....	.....	3	.....	1	1	2	2
Others of this class.....	38	20	15	5	5	1	2	5	.....	2	4	1	8

CAUSE, AND BIRTHPLACES OF MOTHERS.

875

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Un-known.
8. Affections connected with pregnancy.	278	208	176	36	16	14	12	81	2	16	51	37	52
Abortion .....	12	10	9	3		2	2				4	2	8
Childbirth .....	68	61	38	11	7	2	4	14	1	2	13	6	7
Puerperal septicemia .....	102	88	95	12	3	10	5	53	1	12	27	20	19
Extra-uterine pregnancy .....	10	5	10	2	1					1	1	3	3
Others of this class .....	36	44	24	8	5		1	14		1	6	6	15
9. Diseases of the bones and joints.	105	43	29	9	4	6	6	11	1	3	14	8	21
Males .....	58	22	17	3	4	3	3	8	1	2	9	6	11
Females .....	47	21	12	6		3	3	3		1	5	2	10
Diseases of the spine .....	17	7	5	1	3		1	3	1	1	3	3	3
Abscess, lumbar and psoas. .....	4	2		1			1	1					1
Diseases of the bones .....	22	7	10	1		2		2			5	2	4
Diseases of the hip-joint .....	15	3	4	3		1		1		1	3		4
Diseases of the hip-joint .....	8	2	1		1	1	1						1
Others of this class .....	5	4	1			1					1		2
Others of this class .....	7	4	1	1			2	2		1	1	1	2
Others of this class .....	7	3	5				1	1			1	1	3
10. Diseases of the skin.	80	37	27	3	4	1	5	10	1	3	13	14	14
Males .....	44	14	17	1	2	1	4	5	1	1	8	8	10
Females .....	36	23	10	2	2		1	5		2	5	6	4
Abscess .....	26	12	10	1	1	1	2	3	1		5	5	3
Abscess .....	15	11	7	1	2		1	3		2	2	2	1
Carbuncle .....	5	1	2		1					1			2
Carbuncle .....	1	4											
Others of this class .....	13	1	5				2	2			3	3	5
Others of this class .....	20	8	3	1			2	2			3	4	3
11. Diseases of the absorbent system.	46	12	23	5	1		1	2			2	5	6
Males .....	18	8	7	4				2			1	4	2
Females .....	28	4	16	1	1		1				1	1	4
Addison's disease .....	6	5	2	2									1
Addison's disease .....	10	1	10								1		3
Diseases of the spleen .....	3			2									1
Diseases of the spleen .....	2		1		1		1						
Others of this class .....	9	3	5				2				1	4	
Others of this class .....	16	3	5	1								1	1
12. Accidents and injuries.	1,916	1,014	870	199	133	98	55	250	28	33	194	174	1,033
Males .....	1,366	751	689	143	102	84	39	195	20	28	146	131	827
Females .....	550	263	181	56	31	14	16	55	8	10	48	43	206
Burns and scalds .....	68	28	32	8	5	5	5	16		4	23	11	39
Burns and scalds .....	104	66	29	11	5	6	4	25	3	5	14	9	29
Drowning .....	220	126	86	22	2	15	7	21	2	4	12	12	215
Drowning .....	25	13	10		2	1		3			2	5	11
Exposure and neglect .....	12	5	3	2						1	2	1	2
Exposure and neglect .....	3	1	2		1								8
Gunshot wounds .....	70	12	41	9	5	5	1	12	1	3	1	6	22
Gunshot wounds .....	10	2	2	2	1	1		2			1	1	4
Homicide .....	16	11	6	1		2	1	14			3	3	7
Homicide .....	6	4	6			1		1			1	1	2
Infanticide .....			1										1
Infanticide .....													1
Injuries by machinery .....	3	1	4								1		1
Injuries by machinery .....													1
Railroad accidents .....	162	101	59	14	8	10	3	32	3	2	10	10	133
Railroad accidents .....	26	8	6	2	3						1	1	13
Suffocation .....	79	20	13	3	6	2	2	5		1	9	1	24
Suffocation .....	66	12	10	3	3		1		1		2		12
Suicide by shooting .....	48	3	49	9	2	1	1	3		1	3	5	20
Suicide by shooting .....	4	1	3	2		1		1					
Suicide by drowning .....	4	2	4								1		6
Suicide by drowning .....	4	1	3	1							1		
Suicide by poison .....	31	15	47	3	6	3	1		2	2	6	15	26
Suicide by poison .....	16	15	23	3	2		3		1	2	4	5	26
Other suicides .....	82	17	77	8	8	4	2	1	1	4	7	10	37
Other suicides .....	20	8	18	3	2	1		1	1	1	2	3	9
Sunstroke .....	18	15	12	2			1	10		1	4	1	8
Sunstroke .....	12	11	6					3		1	3		3
Surgical operations .....	10	7		1									8
Surgical operations .....	16	9	6	3	3			1					6
Wounds .....	11	12	12	3	2	1		1		1	4	1	16
Wounds .....	3	1	3	1							1	1	2
Others of this class .....	52	376	243	53	33	36	15	80	11	4	60	55	262
Others of this class .....	285	111	54	25	9	3	8	18	2		18	15	81

## VITAL STATISTICS.

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.  
RHODE ISLAND.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes.....	3,040	1,970	116	634	1,011	163	181	278	122	3	65	167	189
Males.....	1,517	948	68	329	511	79	88	162	72	3	34	96	114
Females.....	1,523	1,022	48	305	500	84	93	116	50		31	71	75
Unknown cause.....	26	15		3	4		2					4	5
Males.....	19	7			2		2					2	
Females.....	7	8		3	2							2	5
I. General diseases.													
General diseases—A.....	605	362	16	124	330	39	32	104	42		18	53	22
Males.....	296	173	8	62	154	21	10	57	21		8	30	6
Females.....	309	189	8	62	176	18	22	47	21		10	23	16
Measles.....	{M. 32 F. 34	{13 12	{ 1	{9 6	{15 22	{2 3	{1 2	{16 13	{1 1		{3 1	{4 6	{ 2
Scarlet fever.....	{M. 12 F. 6	{2 2		{2 2	{2 2	{1 1		{2 2				{ 1	
Diphtheria.....	{M. 16 F. 13	{8 8		{4 4	{4 8	{1 2		{3 3	{1 1		{1 1	{1 1	
Whooping cough.....	{M. 11 F. 33	{6 9	{1 3	{2 7	{7 9	{3 3		{4 5	{2 2			{3 1	{2 1
Malarial fever.....	{M. 4 F. 2	{2 6		{2 3	{2 1				{1 1				
Influenza.....	{M. 57 F. 80	{44 76	{1 1	{13 4	{7 10	{2 1		{1 6	{1 1			{3 3	{7 7
Typhoid fever.....	{M. 21 F. 13	{14 9	{ 1	{5 4	{8 3	{4 1		{2 3	{2 1		{3 3	{1 1	{1 1
Cholera morbus.....	{M. 2 F. 6	{4 1		{1 1	{ 2			{1 3					
Colitis.....	{M. F. 2	{ 2											
Diarrhea.....	{M. 14 F. 12	{11 10	{1 1	{3 4	{9 12			{3 2				{2 2	{1 1
Dysentery.....	{M. 6 F. 11	{3 7		{3 2	{5 5	{1 1		{2 2					{1 1
Enteritis.....	{M. 32 F. 29	{19 14	{1 2	{10 8	{15 17	{2 5		{4 5	{1 2		{1 1	{5 4	{2 2
Cholera infantum.....	{M. 66 F. 49	{30 22	{4 4	{10 14	{81 75	{2 1	{4 3	{19 11	{16 14		{3 4	{3 5	{1 1
Fever.....	{M. F. 4							{1 1					
Cerebro-spinal fever.....	{M. 4 F. 4	{6 4		{ 2	{3 3	{2 2						{1 1	
Smallpox.....	{M. F. 6	{1 2		{1 1									
Erysipelas.....	{M. 3 F. 3	{1 1	{1 1	{1 1	{1 4			{1 1			{1 1		
Septicemia.....	{M. 2 F. 2	{4 2		{1 1	{1 1							{1 1	
Venereal diseases.....	{M. 4 F. 5	{2 1		{1 1	{1 1	{1 1		{1 1					
Others of this group.....	{M. 7 F. 7	{1 4		{1 1	{1 1	{1 1						{1 1	{2 2
General diseases—B.....	25	25	3	6	13	3	1	2	2		1	4	3
Males.....	14	20	3	2	9	1	1	1	1		1	2	2
Females.....	11	5		4	4	2		2	1			2	1
Alcoholism.....	{M. 4 F. 3	{14 5	{2 2	{1 2	{6 2		{1 1						{2 1
Parasitic diseases.....	{M. F. 6				{1 1								
Lead poison.....	{M. F. 4			{1 2	{1 1				{1 1				
Other poisons.....	{M. 4 F. 4	{4 1			{1 1	{1 1			{1 1		{1 1		
Inanition.....	{M. 4 F. 4	{2 2	{1 1		{1 1			{2 2				{1 1	
General diseases—C.....	278	95	1	47	88	9	11	20	12	1	4	11	11
Males.....	132	47	1	27	53	5	5	12	6	1	4	6	6
Females.....	146	48		20	35	4	6	8	6			5	5
Old age.....	{M. 44 F. 55	{23 23		{3 7	{5 9		{1 3					{1 1	{3 2
Premature birth.....	{M. 32 F. 36	{7 8		{7 6	{18 7	{1 1	{3 1	{7 2	{1 1		{1 1	{1 3	
Malformation.....	{M. 7 F. 9	{3 3		{2 1	{5 1	{1 1		{1 1	{1 1		{1 1	{1 1	
Debility and atrophy.....	{M. 45 F. 41	{13 7	{1 1	{15 5	{22 17	{3 1	{2 2	{4 4	{4 5	{1 1	{1 1	{4 1	{3 3
Others of this group.....	{M. 4 F. 5	{1 2		{ 1	{3 2			{1 1			{1 1		







CAUSE, AND BIRTHPLACES OF MOTHERS.

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	14	21	1	13	14	1	1	2				4	1
Abortion .....		1	1		1								
Childbirth .....	3	4		2	2		1	1					
Puerperal septicemia .....	6	9		5	9	1						4	
Extra-uterine pregnancy .....	1			1									1
Others of this class .....	4	7		5	2			1					
9. Diseases of the bones and joints ..	5	7	2	1	3	2		1				1	
Males .....	3	3	1		1							1	
Females .....	2	4	1	1	2	2		1					
Diseases of the spine .....	1	1			1	1		1					
Abscess, lumbar and psosas .....													
Diseases of the bones .....	1	1			1	1						1	
Diseases of the hip-joint .....	1	1	1										
Others of this class .....	1	1				1							
10. Diseases of the skin .....	6	3		3				1				1	
Males .....	5	2		2				1					
Females .....	1	1		1								1	
Abscess .....	3	1		1				1					
Carbuncle .....	1												
Others of this class .....	1	1		1								1	
11. Diseases of the absorbent system ..	3				1			1					
Males .....	3				1			1					
Females .....													
Addison's disease .....													
Diseases of the spleen .....													
Others of this class .....	3				1			1					
12. Accidents and injuries .....	107	82	8	30	29	11	13	6	3		3	5	36
Males .....	74	58	7	25	24	9	9	5	3		1	4	28
Females .....	33	24	1	5	5	2	4	1			2	1	8
Burns and scalds .....	6	5		2	1	1	1	1					1
Drowning .....	9	7	1	2	8		3					1	10
Exposure and neglect .....	1	1	1	1			1						
Gunshot wounds .....		1				1							1
Homicide .....	1	1						1					1
Infanticide .....	1												1
Injuries by machinery .....					2	1							2
Railroad accidents .....	9	5		3	5	1	1		1		1	2	8
Suffocation .....	5	6	1	1	1	1							1
Suicide by shooting .....	2	1	2					1					1
Suicide by drowning .....	1				1								1
Suicide by poison .....	2						1						1
Other suicides .....	6	5	2	2		2							1
Sunstroke .....	2												
Surgical operations .....		1											
Wounds .....		2											
Others of this class .....	30	24		14	7	2	3	2	2			1	5
Males .....	15	8	1	1	3	1	2	2	2				2

---

---

TABLE 13.

---

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS AND  
IN EACH GRAND GROUP, DURING THE CENSUS YEAR ENDING MAY 31, 1900,  
AT CERTAIN AGES AND FROM CERTAIN SPECIFIED DISEASES  
AND CLASSES OF DISEASES, BY MONTHS.

(NOTE.—For description and composition of the grand groups see Appendix, Part I.)

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN THE UNITED STATES.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 All causes.....	1,039,094	48,048	41,864	47,479	42,278	56,646	50,844	54,842	49,776	51,863	46,876
2 Under 5.....	317,532	13,618	11,219	14,295	11,908	16,399	13,437	15,199	12,372	15,348	12,876
3 5 to 59.....	454,753	21,323	19,131	20,444	18,957	24,155	22,579	23,540	22,339	22,482	21,683
4 60 and over.....	259,369	12,741	11,268	12,333	11,202	15,715	14,526	15,720	14,737	13,637	12,053
5 Unknown.....	7,440	366	246	357	216	377	302	383	278	396	259
6 Unknown cause.....	40,539	1,771	1,653	1,778	1,623	2,009	1,811	1,830	1,646	2,189	2,011
7 Under 5.....	23,630	1,105	950	1,120	926	1,166	1,035	1,069	843	1,308	1,075
8 5 to 59.....	10,253	382	422	361	430	467	472	425	438	497	537
9 60 and over.....	5,707	241	250	255	241	323	293	310	269	343	314
10 Unknown.....	949	43	31	32	31	50	41	26	36	41	35
11 1. General diseases.											
12 General diseases—A.....	209,819	6,919	6,434	6,859	6,725	8,336	8,393	8,635	8,699	8,762	8,454
13 Under 5.....	105,234	2,904	2,590	2,964	2,812	3,538	3,244	3,564	3,110	4,445	3,995
14 5 to 59.....	78,439	3,127	2,961	2,911	2,965	3,306	3,405	3,193	3,397	2,958	3,121
15 60 and over.....	25,109	845	842	949	914	1,498	1,697	1,838	2,148	1,319	1,304
16 Unknown.....	1,037	43	41	35	34	44	47	40	44	40	34
17 Measles.....	12,866	612	608	928	999	1,067	1,193	926	959	823	850
18 Under 5.....	8,465	420	361	620	578	699	678	622	556	598	556
19 5 to 59.....	4,173	187	234	297	398	354	489	287	378	209	276
20 60 and over.....	183	4	10	9	20	8	23	13	23	13	16
21 Unknown.....	40	1	3	2	3	6	3	4	2	3	2
22 Scarlet fever.....	6,333	368	380	361	352	341	334	335	333	308	314
23 Under 5.....	3,976	253	223	247	206	234	217	210	211	194	184
24 5 to 59.....	2,323	111	155	114	146	106	116	124	121	111	127
25 60 and over.....	22	3	1	1	1	1	1	1	1	2	1
26 Unknown.....	12	1	1	1	1	1	3	1	1	1	2
27 Diphtheria.....	16,475	871	973	718	778	698	713	580	576	555	526
28 Under 5.....	9,384	553	526	463	425	441	393	370	325	341	306
29 5 to 59.....	7,010	315	441	253	350	253	312	201	248	213	218
30 60 and over.....	56	2	3	1	1	4	6	8	3	1	2
31 Unknown.....	25	1	3	2	2	1	2	1	1	1	1
32 Whooping cough.....	9,958	330	390	350	456	500	567	568	565	600	690
33 Under 5.....	9,397	307	359	329	427	471	529	542	532	568	662
34 5 to 59.....	517	22	29	21	28	27	35	24	29	30	27
35 60 and over.....	20	1	1	1	1	1	1	2	4	1	1
36 Unknown.....	24	1	2	1	1	1	3	1	1	2	1
37 Malarial fever.....	14,874	349	319	296	334	375	366	423	420	543	532
38 Under 5.....	4,658	83	74	85	79	111	96	110	134	203	192
39 5 to 59.....	8,461	223	201	172	208	215	205	240	233	258	320
40 60 and over.....	1,648	33	43	37	47	49	63	71	51	81	66
41 Unknown.....	107	5	1	2	1	1	2	2	2	1	4
42 Influenza.....	16,645	578	722	898	919	1,702	2,106	2,122	2,623	1,119	1,241
43 Under 5.....	2,865	129	142	219	182	344	287	368	296	218	181
44 5 to 59.....	4,621	168	204	261	277	444	602	577	688	289	352
45 60 and over.....	9,056	273	372	413	450	903	1,206	1,169	1,626	626	705
46 Unknown.....	103	3	4	5	10	11	11	8	18	6	3
47 Typhoid fever.....	35,379	1,345	1,046	1,009	858	1,035	867	962	896	1,034	926
48 Under 5.....	4,002	112	106	80	93	86	109	95	93	126	130
49 5 to 59.....	29,093	1,145	863	867	702	876	695	784	735	829	717
50 60 and over.....	2,064	82	71	61	60	69	57	78	64	74	72
51 Unknown.....	215	6	6	1	3	4	6	5	4	5	7
52 Diarrheal diseases.....	72,433	1,196	987	1,053	939	1,133	1,007	1,340	1,089	2,412	2,039
53 Under 5.....	54,741	709	539	580	513	719	593	866	651	1,757	1,424
54 5 to 59.....	9,515	284	263	264	246	269	241	274	252	405	415
55 60 and over.....	7,966	199	178	203	168	139	170	195	181	242	242
56 Unknown.....	261	4	7	6	7	6	3	5	5	8	8
57 Cerebro-spinal fever.....	4,174	173	137	162	133	220	154	220	146	203	165
58 Under 5.....	2,297	92	62	77	68	121	75	119	69	113	85
59 5 to 59.....	1,790	79	69	81	70	96	73	96	75	81	78
60 60 and over.....	77	7	5	3	3	3	4	5	1	4	2
61 Unknown.....	10	1	1	1	1	2	2	1	1	1	1



VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN CAUSES, BY MONTH AND SEX, 1910.  
THE UNITED STATES—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
1 General diseases—B.....	18,247	926	529	822	533	966	601	908	568	975	664
2 Under 5.....	11,857	525	389	505	391	551	437	515	412	539	457
3 5 to 59.....	5,045	318	101	259	105	311	122	322	123	347	155
4 60 and over.....	1,154	72	31	49	29	87	37	64	30	79	43
5 Unknown.....	191	11	8	9	8	17	5	7	3	10	9
6 Inanition.....	11,382	513	383	496	389	548	435	485	384	492	454
7 Under 5.....	10,657	475	354	465	362	510	397	465	355	466	409
8 5 to 59.....	275	15	6	10	11	11	17	12	12	7	13
9 60 and over.....	352	21	16	17	10	16	19	6	16	15	25
10 Unknown.....	98	2	7	4	6	11	2	2	1	4	7
11 General diseases—C.....	65,484	2,848	2,800	2,659	2,651	3,286	3,197	3,089	3,044	3,051	3,004
12 Under 5.....	31,057	1,315	1,004	1,262	959	1,537	1,175	1,457	1,052	1,558	1,207
13 5 to 59.....	1,824	83	94	74	98	76	88	85	94	75	106
14 60 and over.....	32,182	1,432	1,685	1,305	1,576	1,661	1,914	1,581	1,876	1,397	1,667
15 Unknown.....	421	18	17	18	18	12	20	16	22	21	24
16 Debility and atrophy.....	17,282	605	557	589	537	718	636	707	599	755	665
17 Under 5.....	12,130	361	300	367	301	472	383	450	325	530	382
18 5 to 59.....	1,785	81	93	69	95	72	88	82	94	75	103
19 60 and over.....	3,206	154	159	147	135	169	154	172	174	144	171
20 Unknown.....	161	9	5	6	6	5	11	3	6	6	9
21 Old age—all ages.....	29,222	1,286	1,535	1,168	1,453	1,499	1,769	1,371	1,718	1,267	1,511
22 60 and over.....	28,972	1,277	1,524	1,153	1,441	1,492	1,760	1,359	1,702	1,253	1,496
23 Unknown.....	250	9	11	10	12	7	9	12	16	14	15
24 General diseases—D.....	176,072	7,443	7,688	7,182	7,683	8,452	9,288	8,488	9,248	8,608	9,713
25 Under 5.....	11,383	444	382	473	409	569	521	605	522	617	525
26 5 to 59.....	126,025	5,264	5,719	5,074	5,652	5,933	6,320	5,838	6,753	5,953	7,244
27 60 and over.....	37,405	1,693	1,536	1,567	1,581	1,880	1,886	1,979	1,899	1,932	1,833
28 Unknown.....	1,259	42	51	63	41	65	61	66	44	56	61
29 Consumption.....	109,750	4,798	4,728	4,716	4,762	5,640	5,760	5,549	5,800	5,635	6,048
30 Under 5.....	4,454	151	155	193	164	223	204	237	240	263	233
31 5 to 59.....	92,902	4,046	4,081	3,929	4,098	4,632	4,913	4,566	4,909	4,652	5,212
32 60 and over.....	11,601	575	456	547	475	686	608	699	623	633	564
33 Unknown.....	793	26	36	42	25	49	35	47	28	37	39
34 2. Diseases of the nervous system.....	117,579	5,561	4,624	5,474	4,558	6,383	5,300	6,279	5,205	5,985	5,306
35 Under 5.....	37,063	1,668	1,279	1,712	1,292	1,929	1,524	1,946	1,484	1,916	1,544
36 5 to 59.....	33,600	1,788	1,548	1,693	1,508	2,126	1,685	2,022	1,705	1,953	1,803
37 60 and over.....	41,234	2,063	1,781	2,021	1,742	2,299	2,068	2,281	1,988	2,074	1,930
38 Unknown.....	682	42	16	43	16	29	23	30	28	42	29
39 3. Diseases of the circulatory system.....	75,791	3,808	3,264	3,692	3,207	4,233	3,719	4,155	3,684	4,048	3,554
40 Under 5.....	5,061	278	218	274	202	325	222	267	249	304	197
41 5 to 59.....	32,717	1,546	1,488	1,417	1,469	1,627	1,648	1,617	1,635	1,660	1,693
42 60 and over.....	37,509	1,962	1,545	1,973	1,527	2,261	1,831	2,245	1,786	2,056	1,649
43 Unknown.....	504	22	13	23	9	20	18	26	14	28	15
44 4. Diseases of the respiratory system.....	154,035	10,159	8,295	10,746	9,029	13,713	11,280	12,230	10,650	7,818	6,706
45 Under 5.....	63,071	4,073	3,322	4,674	3,846	5,400	4,146	4,445	3,654	3,194	2,675
46 5 to 59.....	54,872	3,945	2,763	4,016	2,912	3,230	3,868	4,318	3,763	2,969	2,329
47 60 and over.....	35,334	2,088	2,177	2,000	2,245	3,028	3,224	2,892	3,185	1,620	1,634
48 Unknown.....	758	48	33	56	26	55	42	75	48	35	18
49 5. Diseases of the digestive system.....	60,229	2,407	2,400	2,418	2,112	2,765	2,581	2,720	2,538	3,047	2,908
50 Under 5.....	16,537	640	501	661	507	710	549	685	529	836	727
51 5 to 59.....	29,338	1,181	1,293	1,140	1,087	1,324	1,322	1,365	1,347	1,427	1,493
52 60 and over.....	14,079	569	601	600	511	721	648	661	656	775	673
53 Unknown.....	275	17	5	17	7	10	12	9	6	9	10
54 6. Diseases of the urinary system.....	44,941	2,515	1,524	2,355	1,484	2,732	1,726	2,731	1,635	2,635	1,619
55 Under 5.....	1,733	108	68	99	64	103	83	77	70	77	61
56 5 to 59.....	22,197	1,129	899	1,050	876	1,151	996	1,193	926	1,102	973
57 60 and over.....	20,712	1,268	549	1,193	537	1,466	639	1,442	632	1,443	531
58 Unknown.....	249	10	8	13	7	12	8	19	7	13	4
59 7. Affections connected with pregnancy.....	9,699		902		907		1,136		1,017		1,034

CAUSE, AGE, AND MONTH.

885

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

THE UNITED STATES—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
790	545	1,029	692	1,001	743	984	673	915	578	820	530	895	534	17	9
464 260 58 13	401 121 21 2	684 284 54 7	553 112 26 1	646 287 56 12	582 128 27 6	636 287 54 7	515 126 29 3	531 305 65 14	424 122 28 4	465 275 73 7	370 114 37 9	474 337 75 9	385 112 34 3	3 7 1 6	3 5 1 4
425	386	681	537	596	554	585	500	515	397	451	373	466	378	5	4
399 8 12 6	362 15 8 1	612 9 13 1	511 13 18 -----	570 9 16 11 6	520 16 14 4	562 11 21 10 2	463 21 14 2	483 8 17 7	373 7 13 4	418 11 12 19 8	331 10 12 24 6	439 10 11 12 5	350 11 15 2	3 ----- ----- ----- 2	3 ----- ----- ----- 1
2,262	2,208	2,792	2,514	2,818	2,782	2,777	2,663	2,652	2,532	2,340	2,353	2,609	2,468	47	38
1,267 60 916 19	1,061 68 1,068 11	1,666 72 1,033 21	1,321 71 1,112 10	1,670 68 1,071 9	1,444 75 1,244 19	1,649 70 1,040 18	1,376 59 1,213 15	1,430 57 1,164 11	1,122 79 1,316 15	1,225 55 1,047 13	1,002 72 1,259 20	1,325 71 1,200 13	964 71 1,414 19	2 2 29 14	7 1 22 8
674	614	1,009	875	1,062	953	1,058	934	765	731	581	575	566	506	8	3
503 59 101 11	438 64 111 1	812 72 114 11	682 69 122 2	888 66 105 3	753 75 116 9	863 69 112 14	756 58 112 8	590 56 115 4	515 79 129 8	418 54 105 4	372 72 125 6	371 69 123 3	297 68 135 6	----- 2 1 -----	1 1 1 -----
821	967	928	998	972	1,133	931	1,108	1,046	1,194	950	1,148	1,086	1,292	37	29
815 6	957 10	919 9	990 8	966 6	1,128 10	927 4	1,101 7	1,039 7	1,187 7	942 8	1,134 14	1,077 9	1,279 13	28 9	21 8
5,977	6,637	6,298	7,130	6,062	7,175	5,924	6,684	6,124	7,171	6,147	6,747	6,777	7,141	113	167
454 4,190 1,281 52	415 4,917 1,260 45	541 4,321 1,392 44	425 5,270 1,394 41	512 4,094 1,404 52	498 5,226 1,403 48	518 4,049 1,324 33	456 4,888 1,294 46	481 4,182 1,412 49	411 5,202 1,503 55	415 4,274 1,423 35	372 4,954 1,377 44	437 4,776 1,510 54	367 5,244 1,438 42	2 61 24 26	7 92 25 43
3,817	3,913	3,971	4,284	3,705	4,189	3,663	4,011	3,813	4,198	3,866	4,031	4,386	4,299	67	101
155 3,224 409 29	152 3,443 287 31	223 3,292 426 30	171 3,742 351 20	188 3,047 426 32	193 3,619 344 33	192 3,023 426 22	190 3,453 339 29	181 3,152 450 30	159 3,607 409 23	149 3,249 447 21	147 3,459 399 26	149 3,679 519 39	133 3,708 431 27	1 48 3 15	3 69 1 22
4,823	4,101	5,114	4,263	5,210	4,475	4,757	3,996	4,773	3,887	4,606	3,582	5,148	4,058	76	55
1,703 1,622 1,350 1,463 35.	1,400 1,850 1,330 21	1,932 1,733 1,419 30	1,624 1,331 1,286 22	1,997 1,699 1,485 29	1,664 1,371 1,420 20	1,669 1,578 1,432 28	1,377 1,288 1,314 17	1,477 1,626 1,637 33	1,132 1,272 1,440 23	1,320 1,581 1,670 35	969 1,206 1,889 18	1,424 1,735 1,963 26	1,052 1,337 1,643 21	13 15 27 21	16 20 14 5
2,800	2,399	2,766	2,362	2,762	2,348	2,765	2,354	3,033	2,558	3,139	2,575	3,538	2,918	65	45
195 1,190 1,392 23	158 1,167 1,061 18	206 1,126 1,411 23	142 1,162 1,045 13	213 1,126 1,397 26	138 1,168 1,029 18	194 1,105 1,448 23	138 1,109 1,093 14	211 1,270 1,531 21	161 1,214 1,167 16	201 1,272 1,650 16	152 1,223 1,182 18	231 1,426 1,850 31	190 1,326 1,377 25	----- 25 25 15	----- 13 16 16
3,174	2,514	2,602	2,195	2,589	2,187	3,166	2,553	4,721	3,960	5,228	4,560	7,413	6,358	113	76
1,426 1,115 624 9	1,172 812 525 5	1,185 896 503 18	1,103 675 401 16	1,188 888 498 15	1,070 716 392 9	1,501 1,009 642 14	1,221 793 528 11	2,067 1,639 937 28	1,680 1,306 957 17	2,318 1,852 1,032 26	1,966 1,516 1,059 19	3,109 2,793 1,460 51	2,589 2,140 1,605 24	23 38 15 37	19 21 13 23
2,260	2,165	2,728	2,416	2,881	2,633	2,792	2,434	2,747	2,389	2,327	2,110	2,315	2,100	50	36
677 1,095 481 7	607 1,072 473 13	900 1,198 618 12	753 1,161 433 19	939 1,332 599 11	869 1,216 540 8	969 1,237 578 8	808 1,122 491 13	790 1,265 682 10	647 1,201 532 9	609 1,133 568 17	539 1,054 507 10	558 1,153 590 9	503 1,037 498 12	15 12 14 9	9 11 10 6
1,966	1,249	2,170	1,269	2,029	1,237	2,016	1,226	2,162	1,363	2,177	1,299	2,354	1,428	27	13
65 858 1,031 12	57 755 431 6	74 946 1,136 14	43 762 454 5	82 877 1,058 13	60 747 423 7	80 870 1,058 8	67 744 409 6	73 804 482 14	72 804 482 5	83 950 1,127 17	59 757 473 10	87 1,046 1,210 11	65 825 531 7	----- 12 6 9	1 4 4 4
-----	680	-----	664	-----	653	-----	666	-----	684	-----	624	-----	716	-----	16











VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN THE REGISTRATION RECORD—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B	11,823	590	337	513	346	619	390	575	356	607	388
Under 5	7,699	331	242	307	254	343	277	323	263	339	269
5 to 59	3,331	212	70	169	68	209	87	209	75	213	87
60 and over	694	42	19	32	16	59	24	39	17	51	23
Unknown	99	5	6	5	8	12	2	4	1	4	4
Inanition	7,859	340	254	316	266	360	296	319	266	333	293
Under 5	7,398	322	234	298	246	335	268	304	246	319	264
5 to 59	185	5	4	6	7	7	15	10	9	6	10
60 and over	215	11	10	9	7	9	12	3	10	8	15
Unknown	61	2	6	3	6	9	1	2	1	4	4
General diseases—C	41,145	1,708	1,698	1,533	1,603	1,946	1,974	1,774	1,793	1,813	1,745
Under 5	22,672	916	712	856	646	1,080	836	1,013	721	1,116	789
5 to 59	1,079	46	55	47	66	40	61	45	58	38	57
60 and over	17,284	741	929	625	884	820	1,071	713	1,010	653	892
Unknown	110	5	2	5	7	6	6	3	4	6	7
Debility and atrophy	13,108	437	395	396	390	521	469	504	428	560	455
Under 5	10,217	297	254	284	236	390	310	374	272	452	301
5 to 59	1,065	46	54	44	65	39	61	43	58	38	57
60 and over	1,771	89	87	66	85	88	95	87	97	68	95
Unknown	55	5	2	2	4	4	3	1	1	2	2
Old age—all ages	15,558	651	841	561	802	734	979	629	916	538	802
60 and over	15,510	651	840	559	799	732	976	626	913	535	797
Unknown	48	1	1	2	3	2	3	3	3	3	5
General diseases—D	86,919	3,841	3,609	3,504	3,494	4,299	4,199	4,165	4,074	3,997	3,884
Under 5	5,788	224	190	247	208	288	285	317	260	283	237
5 to 59	63,801	2,886	2,684	2,638	2,574	3,195	2,997	3,041	2,945	2,947	2,849
60 and over	17,147	723	726	606	707	807	908	795	865	758	789
Unknown	213	8	9	13	5	9	9	12	4	9	9
Consumption	53,962	2,620	2,069	2,431	2,040	2,978	2,377	2,824	2,362	2,736	2,256
Under 5	1,943	76	56	87	67	95	84	100	93	109	91
5 to 59	46,879	2,274	1,817	2,117	1,784	2,559	2,040	2,443	2,028	2,350	1,955
60 and over	5,011	266	191	220	185	317	248	272	240	271	207
Unknown	129	4	5	7	4	7	5	9	1	6	3
2. Diseases of the nervous system	62,563	2,913	2,572	2,735	2,434	3,273	2,856	3,298	2,717	2,963	2,605
Under 5	19,352	863	689	908	673	1,017	823	1,107	816	986	754
5 to 59	19,867	908	795	830	755	1,036	838	1,007	801	961	848
60 and over	23,160	1,134	1,082	989	1,001	1,210	1,188	1,174	1,095	1,004	994
Unknown	184	8	6	8	5	10	7	10	5	12	9
3. Diseases of the circulatory system	43,233	2,129	1,893	2,002	1,808	2,315	2,124	2,255	2,045	2,041	1,878
Under 5	2,661	143	105	145	98	157	116	152	131	147	101
5 to 59	19,339	951	874	846	845	967	930	951	922	911	905
60 and over	21,032	1,030	909	1,001	863	1,136	1,071	1,144	989	978	866
Unknown	151	5	5	10	2	5	7	8	3	5	6
4. Diseases of the respiratory system	80,504	5,078	4,325	5,163	4,615	6,907	5,980	6,206	5,703	3,968	3,557
Under 5	33,471	2,216	1,770	2,396	1,983	2,828	2,120	2,394	1,995	1,664	1,435
5 to 59	27,015	1,327	1,275	1,730	1,364	2,498	1,856	2,320	1,792	1,435	1,136
60 and over	19,841	1,026	1,271	974	1,263	1,569	1,990	1,473	1,902	794	932
Unknown	177	9	9	13	5	12	14	19	14	5	4
5. Diseases of the digestive system	28,379	1,103	1,257	1,098	1,039	1,293	1,260	1,244	1,275	1,336	1,282
Under 5	5,547	238	178	246	177	279	214	274	216	233	213
5 to 59	13,639	603	736	576	597	694	715	671	708	731	741
60 and over	7,062	260	339	272	264	317	327	299	350	322	323
Unknown	81	2	4	5	1	3	4	1	1	1	5
6. Diseases of the urinary system	29,447	1,561	1,112	1,420	1,058	1,684	1,207	1,612	1,167	1,511	1,084
Under 5	1,048	75	45	53	38	57	47	37	33	37	37
5 to 59	15,631	763	659	722	613	801	675	830	673	701	654
60 and over	12,679	714	406	641	404	824	480	740	450	769	391
Unknown	89	4	2	4	3	2	5	5	1	4	2
7. Affections connected with pregnancy	3,772		338		319		445		405		373

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
517	378	705	483	654	489	664	456	603	382	523	323	587	342	1	..... 1
292	281	495	388	427	393	433	354	343	268	291	226	308	247	..... 2	..... 2
189	84	180	79	190	75	194	80	212	92	189	67	225	76	..... 3	..... 3
28	12	28	16	32	19	34	20	41	20	39	26	48	18	..... 4	..... 4
8	1	2	.....	5	2	3	2	7	2	4	4	6	1	..... 5	..... 5
295	238	486	400	427	399	422	371	351	272	299	247	312	252	..... 6	..... 6
275	269	474	381	411	379	410	345	331	256	279	219	296	287	..... 7	..... 7
7	9	6	11	7	8	4	14	6	5	7	7	6	9	..... 8	..... 8
8	5	5	8	6	10	6	11	12	9	11	17	7	6	..... 9	..... 9
5	.....	1	.....	3	2	2	1	2	2	2	4	3	.....	..... 10	..... 10
1,521	1,501	1,928	1,737	1,903	1,893	1,911	1,780	1,642	1,622	1,443	1,519	1,568	1,586	1	3 11
981	793	1,323	1,051	1,279	1,100	1,313	1,060	1,025	817	882	731	922	697	1	2 12
33	44	37	38	41	55	51	34	28	53	32	39	39	42	..... 13	..... 13
498	663	561	645	581	732	545	681	587	743	526	740	595	843	..... 14	..... 14
9	1	7	3	2	6	2	5	2	4	3	9	2	4	..... 15	..... 15
533	485	812	732	869	775	869	743	560	556	421	425	403	370	..... 16	..... 16
441	375	710	610	775	644	758	640	479	430	337	302	302	244	..... 17	..... 17
33	43	37	37	41	55	50	33	27	53	32	39	39	41	..... 18	..... 18
54	67	61	84	51	73	59	67	54	71	51	79	60	83	..... 19	..... 19
5	.....	4	1	2	3	2	3	2	2	1	5	2	2	..... 20	..... 20
446	597	502	563	530	662	486	616	535	679	476	665	535	762	..... 21	..... 21
444	596	500	561	530	659	486	614	533	677	475	661	535	760	..... 22	..... 22
2	1	2	2	.....	3	.....	2	2	2	1	4	.....	2	..... 23	..... 23
3,355	3,531	3,448	3,567	3,298	3,511	3,213	3,305	3,335	3,511	3,307	3,413	3,573	3,474	7	5 24
285	238	278	237	282	215	257	222	235	188	193	175	232	182	..... 25	..... 25
2,449	2,561	2,547	2,538	2,392	2,544	2,326	2,437	2,456	2,570	2,484	2,508	2,665	2,538	6	4 26
614	720	615	723	642	743	622	640	689	740	626	718	668	747	1	..... 27
7	12	8	14	12	9	8	6	5	13	4	12	8	7	..... 28	..... 28
2,199	1,928	2,317	2,026	2,156	1,905	2,065	1,890	2,228	1,987	2,218	1,934	2,416	1,994	4	2 29
88	71	103	83	100	67	79	84	91	65	62	61	66	60	..... 30	..... 30
1,912	1,701	2,004	1,767	1,840	1,672	1,736	1,653	1,934	1,725	1,945	1,697	2,121	1,744	4	2 31
197	148	200	167	207	157	195	144	200	194	208	168	222	187	..... 32	..... 32
2	8	5	9	9	9	5	4	3	3	3	8	7	3	..... 33	..... 33
2,745	2,373	2,823	2,405	2,679	2,371	2,503	2,073	2,536	2,135	2,464	2,017	2,746	2,323	2	2 34
966	783	1,071	864	945	816	819	597	772	563	690	498	762	569	..... 35	..... 35
914	728	961	703	891	672	825	672	369	633	864	652	904	724	..... 36	..... 36
857	860	786	832	831	849	852	798	883	881	897	861	1,076	1,024	1	1 37
8	2	5	6	12	8	7	6	12	8	13	6	4	6	..... 38	..... 38
1,691	1,489	1,627	1,465	1,610	1,364	1,609	1,449	1,734	1,471	1,871	1,576	1,998	1,786	2	1 39
106	92	123	91	104	69	104	75	101	85	114	77	124	101	..... 40	..... 40
775	706	730	701	679	666	681	660	770	695	827	745	848	802	2	..... 41
804	685	767	668	821	621	818	707	356	688	925	746	1,014	874	..... 42	..... 42
6	6	7	5	6	8	6	7	7	3	5	8	12	9	..... 43	..... 43
1,950	1,570	1,526	1,284	1,334	1,119	1,656	1,321	2,475	2,140	2,723	2,534	3,841	3,482	5	2 44
880	713	679	631	630	521	736	568	1,061	825	1,237	1,067	1,600	1,423	2	2 45
689	471	550	396	493	356	568	414	904	700	929	792	1,344	1,066	..... 46	..... 46
376	385	292	249	257	237	349	335	507	611	555	669	789	985	1	..... 47
5	1	5	8	4	5	3	4	3	4	2	6	13	8	..... 48	..... 48
1,172	1,153	1,308	1,183	1,273	1,243	1,208	1,037	1,208	1,137	1,116	995	1,096	1,055	4	4 49
264	249	306	245	282	260	281	214	237	187	201	137	186	179	1	..... 50
646	634	673	657	696	696	634	552	645	657	617	572	639	598	1	..... 51
238	285	326	272	293	234	283	267	324	291	294	281	269	273	2	..... 52
4	5	3	9	2	3	5	4	2	2	4	5	2	5	..... 53	..... 53
1,286	913	1,401	930	1,271	913	1,249	881	1,319	1,011	1,379	965	1,463	1,047	3	..... 54
46	37	45	26	51	33	51	39	30	50	40	39	57	40	..... 55	..... 55
611	554	672	563	613	557	607	546	640	593	670	557	728	617	2	..... 56
624	318	681	339	602	320	539	294	642	367	662	363	670	389	..... 57	..... 57
5	4	3	2	5	3	2	2	7	1	7	6	8	1	..... 58	..... 58
.....	295	.....	291	.....	253	.....	228	.....	259	.....	254	.....	307	.....	..... 59





VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN REGISTRATION CITIES.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 All causes.....	402,666	18,764	16,346	17,854	16,047	21,690	19,471	20,765	18,402	18,332	15,943
2 Under 5.....	129,579	5,660	4,501	5,682	4,654	6,594	5,298	6,220	4,984	5,597	4,579
3 5 to 59.....	181,700	8,971	7,391	8,230	7,201	9,965	8,407	9,738	8,110	8,823	7,360
4 60 and over.....	90,053	4,072	4,406	3,874	4,153	5,061	5,700	4,737	5,279	3,849	3,961
5 Unknown.....	1,334	61	48	68	39	70	66	70	29	58	43
6 Unknown cause.....	3,396	173	138	170	128	173	126	164	122	153	138
7 Under 5.....	1,311	70	55	60	45	59	42	63	89	55	50
8 5 to 59.....	1,320	69	43	59	53	78	52	65	56	63	56
9 60 and over.....	638	24	35	45	25	33	24	38	24	27	28
10 Unknown.....	127	10	5	6	5	3	8	3	3	8	4
11 1. General diseases.											
General diseases—A.....	71,339	2,278	2,137	2,226	2,132	2,721	2,779	2,803	2,741	2,448	2,249
12 Under 5.....	41,825	1,156	1,014	1,092	1,023	1,260	1,160	1,305	1,088	1,317	1,179
13 5 to 59.....	22,179	927	861	873	851	1,034	1,003	1,022	970	864	778
14 60 and over.....	7,197	193	262	260	254	419	608	468	681	263	290
15 Unknown.....	138	2	10	1	4	8	8	8	2	4	2
16 Measles.....	3,091	194	170	197	194	225	246	240	214	216	229
17 Under 5.....	2,696	175	143	172	163	200	211	213	181	193	191
18 5 to 59.....	391	19	25	25	31	25	34	27	33	23	38
19 60 and over.....	1						1				
20 Unknown.....	3		2								
21 Scarlet fever.....	2,796	167	162	169	151	140	154	154	123	160	126
22 Under 5.....	1,784	118	103	116	89	97	106	97	75	103	82
23 5 to 59.....	1,009	49	59	53	62	43	48	57	48	57	44
24 60 and over.....	3										
25 Unknown.....											
26 Diphtheria.....	9,114	481	585	419	464	421	381	336	336	341	517
27 Under 5.....	5,720	324	313	300	275	286	251	239	212	234	205
28 5 to 59.....	3,373	156	219	119	189	133	129	95	123	107	111
29 60 and over.....	16	1	2			2	1	2	1		1
30 Unknown.....	5		1								
31 Whooping cough.....	2,912	94	117	87	138	151	165	185	161	130	147
32 Under 5.....	2,789	91	107	85	131	146	156	178	150	125	142
33 5 to 59.....	115	2	9	2	7	4	9	7	10	5	5
34 60 and over.....	3	1							1		
35 Unknown.....	5		1			1					
36 Malarial fever.....	2,139	42	34	43	55	51	57	59	42	66	66
37 Under 5.....	491	3	5	6	12	10	10	19	14	19	21
38 5 to 59.....	1,302	33	22	29	32	34	30	29	22	39	36
39 60 and over.....	335	6	7	8	11	7	17	10	6	8	9
40 Unknown.....	11							1			
41 Influenza.....	4,411	122	199	217	249	510	769	603	833	187	243
42 Under 5.....	506	26	33	27	39	64	65	75	65	23	19
43 5 to 59.....	1,524	51	61	90	94	176	246	228	236	65	92
44 60 and over.....	2,370	45	104	100	115	269	456	298	536	98	137
45 Unknown.....	11		1			1	2	2	1		
46 Typhoid fever.....	7,925	363	244	289	199	323	244	237	224	270	193
47 Under 5.....	400	19	15	14	9	13	15	16	15	11	17
48 5 to 59.....	7,146	331	210	263	178	294	221	262	201	244	162
49 60 and over.....	354	12	17	12	12	13	7	8	8	14	13
50 Unknown.....	25	1	2			3	1	1		1	1
51 Diarrheal diseases.....	31,321	446	404	421	349	452	376	435	402	675	574
52 Under 5.....	25,030	307	225	250	211	300	239	343	263	494	400
53 5 to 59.....	3,382	83	103	97	87	88	75	84	73	123	106
54 60 and over.....	2,862	55	75	74	50	62	61	57	66	57	68
55 Unknown.....	47	1		1		2	1	1			
56 Cerebro-spinal fever.....	1,512	46	38	51	44	83	53	74	53	63	52
57 Under 5.....	870	25	22	28	23	43	27	43	31	35	30
58 5 to 59.....	619	21	13	22	21	34	25	30	22	27	22
59 60 and over.....	21		3	1		1		1		1	
60 Unknown.....	2						1				





## VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN  
REGISTRATION CITIES—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.											
		January.		February.		March.		April.		May.			
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.		
1. General diseases—Continued.													
1 General diseases—B .....	10,258	521	287	438	308	536	323	482	301	580	327		
2 Under 5 .....	6,742	292	209	265	224	313	236	263	225	296	231		
3 5 to 59 .....	2,927	195	60	148	63	178	72	186	65	185	78		
4 60 and over .....	506	29	14	21	13	35	18	24	10	46	14		
5 Unknown .....	83	5	4	4	8	10	2	4	1	3	4		
6 Inanition .....	6,863	299	215	266	236	322	247	261	230	294	248		
7 Under 5 .....	6,527	283	203	257	217	304	229	252	215	233	228		
8 5 to 59 .....	145	5	2	4	7	6	9	5	8	4	9		
9 60 and over .....	140	9	6	3	6	5	8	2	6	7	7		
10 Unknown .....	51	2	4	2	6	7	1	2	1	1	4		
11 General diseases—C .....	31,545	1,253	1,306	1,166	1,233	1,470	1,485	1,304	1,326	1,398	1,314		
12 Under 5 .....	19,075	758	594	718	548	921	691	821	610	951	659		
13 5 to 59 .....	903	39	42	37	59	32	49	38	44	35	44		
14 60 and over .....	11,486	451	669	407	621	512	740	443	671	409	606		
15 Unknown .....	81	5	1	4	5	5	5	2	1	3	5		
16 Debility and atrophy .....	11,204	360	320	329	326	440	386	417	351	482	370		
17 Under 5 .....	8,990	259	218	249	209	341	267	321	234	399	259		
18 5 to 59 .....	894	39	41	36	58	31	49	36	44	35	44		
19 60 and over .....	1,274	57	61	42	56	64	67	60	72	46	65		
20 Unknown .....	46	5	2	2	3	4	3	1	1	2	2		
21 Old age—all ages .....	10,242	394	609	366	567	449	675	385	599	364	544		
22 60 and over .....	10,212	394	608	365	565	448	673	383	599	363	541		
23 Unknown .....	30	1	1	1	2	1	2	2	1	1	3		
24 General diseases—D .....	68,597	3,150	2,755	2,867	2,731	3,490	3,262	3,371	3,091	3,208	2,966		
25 Under 5 .....	4,769	195	157	209	167	242	228	269	211	236	180		
26 5 to 59 .....	52,404	2,463	2,140	2,244	2,092	2,709	2,416	2,570	2,333	2,473	2,255		
27 60 and over .....	11,271	484	452	404	469	533	611	522	547	492	624		
28 Unknown .....	153	3	6	10	3	6	7	10	7	7	7		
29 Consumption .....	44,376	2,238	1,656	2,036	1,655	2,514	1,905	2,387	1,855	2,279	1,768		
30 Under 5 .....	1,645	68	49	74	51	77	64	87	78	94	64		
31 5 to 59 .....	39,237	1,966	1,479	1,806	1,481	2,202	1,664	2,102	1,623	1,938	1,566		
32 60 and over .....	3,396	202	123	150	121	230	174	191	148	138	125		
33 Unknown .....	98	2	5	6	2	5	3	7	4	4	3		
34 2. Diseases of the nervous system .....	46,673	2,187	1,937	2,064	1,844	2,404	2,127	2,504	1,980	2,224	1,954		
35 Under 5 .....	16,335	743	586	756	593	841	695	940	686	818	640		
36 5 to 59 .....	15,676	733	648	658	592	808	647	808	613	784	666		
37 60 and over .....	14,532	706	698	644	656	747	779	748	677	615	641		
38 Unknown .....	130	5	5	6	3	8	6	8	4	7	7		
39 3. Diseases of the circulatory system .....	31,538	1,548	1,451	1,460	1,358	1,627	1,605	1,611	1,542	1,485	1,368		
40 Under 5 .....	2,013	108	80	106	70	119	94	119	95	108	72		
41 5 to 59 .....	16,038	809	729	715	702	789	752	823	777	774	726		
42 60 and over .....	13,398	630	641	632	584	716	755	666	667	604	563		
43 Unknown .....	89	1	1	7	2	3	4	3	3	4	2		
44 4. Diseases of the respiratory system .....	66,283	4,252	3,518	4,313	3,772	5,673	4,820	4,943	4,460	3,148	2,818		
45 Under 5 .....	29,145	1,939	1,512	2,085	1,704	2,417	1,843	2,035	1,699	1,404	1,236		
46 5 to 59 .....	22,623	1,578	1,049	1,515	1,127	2,121	1,495	1,900	1,429	1,205	908		
47 60 and over .....	14,387	729	951	708	988	1,125	1,471	996	1,325	584	671		
48 Unknown .....	123	6	6	10	3	10	11	12	7	5	3		
49 5. Diseases of the digestive system .....	21,905	851	966	861	803	994	982	964	968	1,031	992		
50 Under 5 .....	4,478	194	134	199	144	221	165	220	173	236	176		
51 5 to 59 .....	12,752	481	591	482	490	563	586	556	551	592	600		
52 60 and over .....	4,616	175	283	176	163	208	229	188	243	203	212		
53 Unknown .....	59	1	3	4	1	2	2	1	1	1	4		
54 6. Diseases of the urinary system .....	23,232	1,221	924	1,097	872	1,309	972	1,250	923	1,125	883		
55 Under 5 .....	877	63	39	48	32	43	39	33	28	30	55		
56 5 to 59 .....	13,336	669	557	612	524	696	578	713	566	587	540		
57 60 and over .....	8,949	488	326	434	314	569	350	500	333	506	307		
58 Unknown .....	70	1	2	3	2	1	5	4	1	2	1		
59 7. Affections connected with pregnancy .....	2,917	277	258	258	258	351	309	309	263	263	263		

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
452	335	627	431	564	430	569	396	511	331	456	288	508	302			1
262	251	448	349	376	346	371	308	290	239	258	203	263	219			2
165	74	156	69	163	69	171	70	185	76	167	63	201	68			3
21	9	21	13	20	13	25	16	30	14	29	18	38	15			4
4	1	2		5	2	2	2	6	2	2	4	6				5
268	256	444	358	378	354	360	324	296	244	265	218	263	222			6
249	244	435	343	368	336	353	303	281	232	250	198	253	211			7
7	9	4	9	5	8	2	10	5	4	7	6	4	6			8
5	3	4	6	2	8	3	10	9	6	7	10	3	5			9
2		1		3	2	2	1	1	2	1	4	3				10
1,141	1,151	1,536	1,405	1,459	1,517	1,496	1,392	1,254	1,243	1,118	1,174	1,207	1,196			11
803	658	1,141	916	1,058	948	1,108	891	856	698	759	621	779	567			12
27	41	33	33	37	45	40	27	24	46	23	34	35	34			13
304	451	357	454	363	519	346	470	372	498	323	512	391	592			14
7	1	5	2	1	5	2	4	2	1	3	7	2	3			15
469	432	728	667	737	688	741	635	432	479	366	353	340	306			16
402	342	645	568	665	573	656	555	418	331	299	258	265	207			17
27	40	33	32	37	45	39	27	24	46	28	34	35	34			18
36	50	47	67	34	67	44	51	40	51	38	57	38	64			19
4		3		1	3	2	2	1	1	1	4	2	1			20
269	402	311	339	329	454	302	421	334	447	291	453	353	530			21
268	401	310	337	329	452	302	419	332	447	290	455	353	528			22
1	1	1	2		2		2	2		1	3		2			23
2,704	2,729	2,796	2,772	2,654	2,645	2,573	2,544	2,715	2,716	2,662	2,615	2,919	2,656			24
235	202	228	198	239	179	207	133	197	135	160	139	196	157			25
2,039	2,055	2,153	2,084	1,931	1,968	1,973	1,948	2,084	2,037	2,094	2,007	2,259	1,997			26
425	463	407	433	425	490	336	409	430	494	405	462	459	495			27
5	9	8	7	9	8	7	4	4	10	3	7	5	7			28
1,826	1,561	1,947	1,639	1,826	1,438	1,760	1,522	1,835	1,536	1,873	1,542	2,062	1,573			29
69	62	92	74	88	59	66	72	77	52	58	55	59	56			30
1,610	1,400	1,706	1,446	1,537	1,317	1,555	1,352	1,664	1,407	1,673	1,331	1,846	1,402			31
145	98	144	114	145	104	134	95	141	124	140	101	152	112			32
2	6	5	5	6	3	5	3	3	3	2	5	5	3			33
2,102	1,761	2,137	1,856	1,983	1,716	1,851	1,523	1,876	1,550	1,822	1,482	2,006	1,731			34
828	668	918	755	761	663	663	502	666	474	533	418	635	502			35
729	542	784	562	717	515	656	517	684	532	670	505	734	572			36
540	550	481	535	497	534	529	500	519	537	560	554	633	652			37
5	1	4	4	8	4	3	4	7	7	9	5	4	5			38
1,216	1,073	1,162	1,030	1,144	977	1,152	1,064	1,264	1,100	1,339	1,158	1,409	1,344			39
78	68	96	72	77	49	81	63	79	64	84	60	92	84			40
640	566	593	568	559	529	574	543	649	574	670	608	697	671			41
494	436	467	437	505	396	493	454	531	460	530	436	612	534			42
4	3	6	3	3	3	4	4	5	2	5	4	8	5			43
1,669	1,313	1,319	1,103	1,172	946	1,410	1,116	2,105	1,739	2,314	2,156	3,243	2,398			44
779	635	612	566	565	464	657	500	941	743	1,101	953	1,496	1,257			45
611	383	472	344	421	298	491	357	785	590	808	670	1,179	837			46
275	294	230	189	183	180	259	256	377	453	403	529	562	749			47
4	1	5	4	3	4	3	3	2	3	2	4	11	5			48
911	933	1,051	396	978	943	921	792	923	891	853	762	837	793			49
222	212	267	208	224	204	229	166	133	144	159	106	146	140			50
521	535	565	508	563	551	511	442	525	550	515	472	516	435			51
164	133	213	177	190	135	177	131	203	196	176	179	173	168			52
4	3	1	3	1	3	4	3	2	1	3	5	2	5			53
1,011	723	1,094	743	968	735	961	710	1,019	829	1,039	794	1,127	847			54
35	28	37	21	43	32	43	33	26	37	35	34	45	33			55
533	461	535	434	520	472	513	453	541	510	535	473	639	519			56
439	230	469	236	401	229	398	222	443	281	462	281	437	289			57
4	4	3	2	4	2	2	2	4	1	7	6	6	1			58
		203		193		179		202		202		236				59

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES AND FROM CERTAIN REGISTRATION CITIES—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 S. Accidents and injuries .....	21,718	1,255	450	1,116	399	1,195	409	1,269	415	1,472	455
2 Under 5 .....	2,559	124	94	120	87	129	87	125	113	123	104
3 5 to 59 .....	16,249	955	256	856	220	903	227	993	231	1,197	264
4 60 and over .....	2,652	154	96	127	89	149	91	135	66	137	83
5 Unknown .....	258	22	4	13	3	14	4	16	5	15	4
6 Burns and scalds .....	2,118	87	145	90	116	95	83	63	95	65	100
7 Under 5 .....	832	48	45	45	37	53	25	34	35	25	35
8 5 to 59 .....	1,097	32	82	36	59	35	46	23	47	37	59
9 60 and over .....	179	7	18	9	20	7	12	6	18	2	6
10 Unknown .....	10									1	
11 Drowning .....	2,254	68	7	61	5	78	5	151	12	199	24
12 Under 5 .....	111		2	1		7	2	12	5	7	5
13 5 to 59 .....	1,948	60	5	57	5	67	3	121	7	174	13
14 60 and over .....	137	6		1		4		11		15	3
15 Unknown .....	58	2		2				7		3	3
16 Exposure and neglect .....	172	19	10	18	10	9	7	8	7	7	11
17 Under 5 .....	75	6	5	3	5	1	3	2	3	4	9
18 5 to 59 .....	61	9	3	9	2	6	3	6	1	2	1
19 60 and over .....	32	3	2	6	3	1			2	1	1
20 Unknown .....	4	1				1	1		1		
21 Gunshot wounds .....	864	56	8	46	7	66	7	44	5	65	5
22 Under 5 .....	12	1		1			6		1	2	
23 5 to 59 .....	795	51	8	43	6	61	1	42	3	57	5
24 60 and over .....	40	3		1	1	2		1		5	
25 Unknown .....	17	1		1		3		1		1	
26 Homicide .....	590	39	3	19	7	38	14	30	6	49	15
27 Under 20 .....	72	6		1	2	2	2	5	2	4	5
28 20 to 59 .....	435	30	3	18	5	34	10	24	3	43	10
29 60 and over .....	19	2				1		1		1	
30 Unknown .....	14	1				1	2	1	1	1	
31 Injuries by machinery .....	86	4		5	1	11	1	4		6	
32 Under 20 .....	7					1	1				
33 20 to 59 .....	75	3		5	1	10		4		3	
34 60 and over .....	4	1								3	
35 Unknown .....											
36 Railroad accidents .....	2,941	197	11	208	15	201	12	201	22	211	24
37 Under 5 .....	84	3	3	4	1	2		6	4	6	4
38 5 to 59 .....	2,544	163	8	187	13	179	9	177	14	185	14
39 60 and over .....	264	27		15	1	16	3	15	4	15	6
40 Unknown .....	49	4		2		4		3		5	
41 Suicide by shooting .....	669	50	4	56	3	45	3	64	5	65	4
42 Under 20 .....	11			1	1	1				1	
43 20 to 59 .....	572	43	4	46	2	40	3	59	5	58	4
44 60 and over .....	77	7		8		4		4		6	
45 Unknown .....	9			1		4		1			
46 Suicide by drowning .....	114	2	1	4		7	2	6	4	12	3
47 Under 20 .....	4					1					
48 20 to 59 .....	85	1		4		3	2	5	4	9	3
49 60 and over .....	24	1	1			3				3	
50 Unknown .....	1							1			
51 Suicide by poison .....	800	46	23	31	23	38	27	45	24	54	28
52 Under 20 .....	64	2	1	1	5		4	4	3	3	7
53 20 to 59 .....	652	37	21	25	16	34	23	38	20	46	17
54 60 and over .....	75	6	1	4		4		3	1	5	4
55 Unknown .....	9	1		1							
56 Other suicides .....	1,178	70	22	49	10	73	21	97	24	78	22
57 Under 20 .....	32	2	1		1	1	2	3	1	1	
58 20 to 59 .....	940	58	16	42	8	55	17	81	23	61	20
59 60 and over .....	194	3	5	7	1	17	2	13		15	2
60 Unknown .....	7	2								1	
61 Sunstroke .....	404	1		2	1		1			14	4
62 Under 5 .....	94									2	
63 5 to 59 .....	236			1						10	3
64 60 and over .....	72	1			1		1			2	1
65 Unknown .....	2			1							



VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN REGISTRATION STATES.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 All causes.....	301,670	13,321	12,281	12,887	12,161	16,563	15,522	15,612	14,827	13,501	12,323
2 Under 5.....	89,740	3,742	3,071	3,841	3,158	4,580	3,718	4,278	3,487	3,770	3,087
3 5 to 59.....	121,405	5,479	5,181	5,253	5,052	6,663	6,140	6,364	5,946	5,703	5,272
4 60 and over.....	89,669	4,050	3,986	3,760	3,922	5,281	5,628	4,922	5,359	3,983	3,987
5 Unknown.....	856	50	33	33	29	39	38	48	35	45	27
6 Unknown cause.....	2,326	108	95	110	104	144	124	124	84	122	99
7 Under 5.....	1,034	49	44	58	41	59	49	51	37	55	41
8 5 to 59.....	718	32	29	28	31	47	44	39	25	33	34
9 60 and over.....	623	26	21	23	30	34	29	29	20	27	24
10 Unknown.....	51	1	1	1	2	4	2	5	2	7	.....
11 1. General diseases.											
General diseases—A.....	51,379	1,530	1,517	1,559	1,565	2,101	2,287	2,125	2,257	1,659	1,542
12 Under 5.....	30,053	792	715	773	758	910	811	866	761	823	699
13 5 to 59.....	18,336	509	541	525	537	661	723	666	676	538	433
14 60 and over.....	7,914	226	266	261	268	528	744	589	815	296	359
15 Unknown.....	76	3	5	.....	2	2	9	4	5	2	1
16 Measles.....	2,583	165	150	167	193	203	209	167	193	182	165
17 Under 5.....	2,107	183	117	185	148	167	162	138	149	149	117
18 5 to 59.....	460	21	31	32	47	34	46	29	44	29	46
19 60 and over.....	15	1	1	.....	3	2	1	.....	.....	4	2
20 Unknown.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21 Scarlet fever.....	1,866	113	103	138	113	110	105	125	82	102	86
22 Under 5.....	1,167	77	65	85	64	75	68	74	50	65	58
23 5 to 59.....	693	35	37	53	49	35	37	51	32	36	27
24 60 and over.....	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....
25 Unknown.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1
26 Diphtheria.....	5,530	290	308	257	278	255	239	223	206	220	202
27 Under 5.....	3,449	207	183	186	181	167	138	145	127	134	131
28 5 to 59.....	2,066	82	124	71	96	88	100	78	73	86	69
29 60 and over.....	14	1	1	.....	1	.....	1	.....	1	.....	2
30 Unknown.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31 Whooping cough.....	2,448	90	94	75	126	124	147	131	115	98	105
32 Under 5.....	2,332	86	89	74	121	121	135	126	106	93	100
33 5 to 59.....	98	3	3	1	5	3	10	5	8	4	5
34 60 and over.....	8	1	.....	.....	.....	.....	.....	.....	1	.....	.....
35 Unknown.....	10	.....	2	.....	.....	.....	2	.....	.....	1	.....
36 Malarial fever.....	896	19	26	17	30	33	23	27	26	36	28
37 Under 5.....	184	4	1	.....	7	8	7	4	7	7	5
38 5 to 59.....	446	9	17	12	15	14	11	16	14	19	13
39 60 and over.....	262	6	8	5	8	11	10	7	5	10	10
40 Unknown.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
41 Influenza.....	5,077	136	196	218	251	561	897	691	1,003	241	322
42 Under 5.....	432	24	36	33	35	53	62	60	59	21	21
43 5 to 59.....	1,375	34	51	67	76	157	231	203	255	63	74
44 60 and over.....	3,206	78	109	118	139	350	599	425	686	157	227
45 Unknown.....	14	.....	.....	1	.....	1	3	3	3	.....	.....
46 Typhoid fever.....	4,431	214	160	160	114	167	128	129	104	144	101
47 Under 5.....	174	7	13	7	6	4	9	6	8	3	9
48 5 to 59.....	3,961	193	138	141	100	155	113	115	86	135	84
49 60 and over.....	286	13	8	12	8	8	6	3	10	6	8
50 Unknown.....	10	1	1	.....	.....	.....	.....	.....	.....	.....	.....
51 Diarrheal diseases.....	23,075	272	265	264	231	305	269	311	264	363	237
52 Under 5.....	18,386	182	156	161	137	202	161	219	175	270	179
53 5 to 59.....	1,985	45	48	47	48	46	53	44	39	53	57
54 60 and over.....	2,651	44	61	56	45	57	55	47	50	40	51
55 Unknown.....	23	1	.....	1	.....	.....	.....	1	.....	.....	.....
56 Cerebro-spinal fever.....	1,391	48	43	51	38	72	51	61	50	61	55
57 Under 5.....	839	28	18	31	20	46	26	39	28	36	33
58 5 to 59.....	527	19	22	20	18	25	22	21	22	25	22
59 60 and over.....	24	1	3	.....	.....	1	.....	1	.....	.....	.....
60 Unknown.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION STATES.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
11,425	10,074	14,013	12,292	13,406	12,006	12,192	10,826	11,492	10,308	11,079	10,047	12,216	11,242	38	16
3,662	2,982	5,999	4,990	5,382	4,547	4,489	3,697	3,301	2,638	2,870	2,470	3,271	2,759	2	4
4,698	4,163	4,904	4,257	4,825	4,320	4,545	4,110	4,874	4,444	4,854	4,341	5,251	4,748	13	5
3,020	2,913	3,076	3,007	3,154	3,104	3,130	2,990	3,277	3,201	3,319	3,203	3,660	3,716	7	6
45	-16	34	38	45	35	28	29	40	30	36	33	34	19	16	1
89	67	85	72	86	76	86	91	97	77	103	75	108	92	7	1
45	33	37	32	45	36	52	38	41	27	41	29	48	45	-----	1
26	18	34	27	26	22	18	30	29	28	33	27	32	24	2	-----
17	15	11	13	15	14	13	19	27	19	28	18	27	22	2	-----
1	1	3	-----	-----	4	3	4	-----	3	1	1	1	1	3	-----
1,917	1,697	4,233	3,799	3,872	3,583	2,848	2,655	1,748	1,549	1,334	1,287	1,359	1,354	1	1
1,329	1,111	3,436	2,922	2,900	2,489	1,985	1,728	905	775	608	628	649	680	-----	-----
402	410	492	503	608	590	598	574	638	554	578	495	535	499	1	-----
181	175	300	370	358	493	264	350	204	219	147	161	169	175	-----	1
5	1	5	4	6	6	1	3	1	1	1	3	6	-----	-----	-----
107	90	63	68	39	34	22	33	28	23	55	59	84	94	-----	-----
91	74	59	58	38	26	21	30	24	19	49	52	73	83	-----	-----
16	16	4	10	1	8	1	3	4	4	6	7	10	11	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
69	67	43	47	30	38	29	36	60	50	65	72	83	100	-----	-----
47	34	28	26	15	28	19	23	30	33	44	44	56	59	-----	-----
22	33	15	21	15	9	10	13	30	17	20	28	27	41	-----	-----
-----	-----	-----	-----	-----	1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
152	161	168	170	157	147	194	204	249	243	275	307	308	317	-----	-----
91	104	108	112	107	83	117	119	152	134	150	174	200	199	-----	-----
61	57	60	57	50	63	77	84	95	109	125	131	108	117	-----	-----
-----	-----	1	1	1	1	-----	1	2	-----	2	2	-----	1	-----	-----
75	84	118	121	140	157	95	103	61	66	61	76	72	114	-----	-----
73	77	115	114	136	151	95	98	59	63	58	72	64	106	-----	-----
2	6	2	6	2	4	-----	5	2	3	1	4	7	7	-----	-----
-----	-----	1	1	1	1	-----	-----	-----	-----	2	-----	1	1	-----	-----
41	24	44	55	43	54	50	71	48	60	46	31	28	31	-----	-----
11	2	15	8	5	12	13	18	9	14	15	1	6	5	-----	-----
18	15	16	29	30	25	21	32	23	26	16	23	13	19	-----	-----
11	7	12	18	8	17	16	20	16	20	15	6	9	7	-----	-----
1	-----	1	-----	-----	-----	-----	1	-----	-----	-----	1	-----	-----	-----	-----
57	54	26	23	24	13	20	18	36	30	33	58	77	91	-----	1
4	4	3	1	1	-----	4	-----	12	2	9	6	18	14	-----	-----
14	17	7	7	7	3	4	5	9	10	10	16	25	30	-----	-----
39	33	16	14	16	10	12	13	15	18	14	35	34	47	-----	1
-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
109	86	163	111	242	198	330	253	362	274	293	189	233	166	1	-----
8	2	9	4	5	6	8	9	8	8	11	10	7	7	-----	-----
92	78	141	99	221	176	303	221	331	241	269	167	217	144	1	-----
8	6	12	8	16	16	18	23	22	25	12	10	8	15	-----	-----
1	-----	1	-----	-----	-----	1	-----	1	-----	1	2	1	-----	-----	-----
1,046	886	3,360	3,014	2,975	2,734	1,947	1,741	716	661	311	339	260	254	-----	-----
915	733	2,998	2,536	2,515	2,108	1,633	1,350	547	457	210	215	170	157	-----	-----
71	72	160	193	193	226	124	137	73	76	48	52	42	38	-----	-----
57	81	200	284	262	395	190	253	96	127	53	72	46	59	-----	-----
3	-----	2	1	5	5	-----	1	-----	1	-----	-----	2	-----	-----	-----
100	75	95	67	76	62	69	50	56	40	51	41	40	39	-----	-----
57	44	65	40	46	40	46	36	33	23	35	25	25	19	-----	-----
40	30	28	25	29	22	23	11	22	16	16	16	14	19	-----	-----
3	1	2	2	1	-----	-----	3	1	1	-----	-----	1	1	-----	-----

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN REGISTRATION STATES—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B	5,207	274	157	208	137	284	171	260	167	255	169
Under 5	2,922	135	99	107	89	135	111	133	107	123	104
5 to 59	1,829	113	47	81	41	111	43	104	50	100	48
60 and over	423	26	9	19	6	35	17	23	10	24	17
Unknown	33		2	1	1	3				3	
Inanition	2,958	138	104	112	87	135	123	132	104	123	115
Under 5	2,744	133	93	102	84	126	106	124	95	117	100
5 to 59	70	1	3	3		2	3	7	3	3	4
60 and over	123	4	6	6	3	5	9	1	6	3	11
Unknown	21		2	1		2					
General diseases—C	24,674	1,024	978	919	923	1,199	1,164	1,102	1,046	1,070	1,041
Under 5	14,102	548	419	533	397	672	513	654	433	652	487
5 to 59	400	18	29	14	20	19	25	16	26	11	18
60 and over	10,117	457	529	368	502	506	623	430	583	403	534
Unknown	55	1	1	4	4	2	3	2	4	4	2
Debility and atrophy	7,623	240	223	226	204	315	275	293	238	309	245
Under 5	6,339	176	152	176	142	243	202	233	158	259	178
5 to 59	391	18	23	12	19	18	25	16	26	11	18
60 and over	875	45	43	37	40	48	48	44	53	38	49
Unknown	23	1		1	3	1			1		
Old age—all ages	9,265	411	484	333	463	459	578	388	533	367	437
60 and over	9,239	411	484	331	462	458	575	386	530	365	435
Unknown	26			2	1	1	3	2	3	2	2
General diseases—D	51,158	2,164	2,167	1,988	2,099	2,544	2,556	2,458	2,504	2,277	2,295
Under 5	3,688	140	116	147	131	187	193	193	172	177	154
5 to 59	36,065	1,560	1,552	1,427	1,478	1,831	1,749	1,723	1,740	1,615	1,616
60 and over	11,310	458	495	410	488	522	609	523	588	432	520
Unknown	95	6	4	4	2	4	5	4	4	3	5
Consumption	30,677	1,424	1,184	1,333	1,178	1,731	1,375	1,681	1,393	1,530	1,307
Under 5	1,119	42	27	40	46	57	48	54	60	58	56
5 to 59	28,297	1,233	1,033	1,146	1,005	1,474	1,169	1,390	1,158	1,299	1,106
60 and over	3,211	147	124	145	125	197	155	184	174	170	143
Unknown	50	2		2	2	3	3	3	1	3	2
2. Diseases of the nervous system	37,335	1,676	1,529	1,589	1,463	1,940	1,778	1,903	1,709	1,737	1,592
Under 5	9,788	430	349	471	308	514	441	549	438	505	333
5 to 59	11,282	433	447	459	449	573	486	551	482	523	497
60 and over	16,178	759	731	657	702	848	848	804	787	702	708
Unknown	87	4	2	2	4	5	3	4	2	7	4
3. Diseases of the circulatory system	26,962	1,302	1,186	1,213	1,136	1,490	1,402	1,364	1,266	1,242	1,227
Under 5	1,624	85	64	86	66	91	76	86	79	90	78
5 to 59	10,853	521	520	450	492	554	579	475	506	474	544
60 and over	14,398	692	598	673	577	843	744	798	678	675	601
Unknown	82	4	4	4	1	2	3	5	3	3	4
4. Diseases of the respiratory system	48,727	2,843	2,570	3,008	2,812	4,136	3,818	3,696	3,573	2,405	2,254
Under 5	20,464	1,294	1,056	1,334	1,166	1,692	1,281	1,432	1,210	1,034	876
5 to 59	15,359	929	736	1,001	833	1,405	1,161	1,336	1,099	843	694
60 and over	12,316	621	772	618	809	1,034	1,371	917	1,252	527	683
Unknown	88	4	6	5	4	5	5	11	12	1	1
5. Diseases of the digestive system	16,215	537	753	610	630	752	721	712	760	743	733
Under 5	3,142	127	108	135	104	170	125	164	134	162	117
5 to 59	3,447	305	410	298	340	375	392	360	400	333	405
60 and over	4,590	154	231	175	185	206	202	188	226	198	209
Unknown	36	1	4	2	1	1	2			2	2
6. Diseases of the urinary system	18,287	959	702	875	652	1,073	781	968	715	947	665
Under 5	634	46	25	31	15	35	27	22	26	24	22
5 to 59	9,241	431	409	415	332	471	423	478	408	418	411
60 and over	8,375	473	267	427	253	565	330	467	280	503	230
Unknown	37	4	1	2	2	2	1	1	1	2	2
7. Affections connected with pregnancy	2,301		199		187		295		255		244

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
214	134	290	177	289	204	314	192	321	168	240	131	288	162	1	1
88	85	178	126	159	156	186	141	163	97	103	71	123	103		2
102	42	102	42	112	36	105	40	123	53	112	39	131	47		3
19	7	14	9	17	11	21	11	27	16	22	19	33	11		4
5		1		1	1	2		3	2	3	2	1	1	1	5
90	84	164	128	152	157	180	147	164	102	103	84	127	103		6
77	78	160	121	146	149	173	135	155	91	96	68	118	97		7
3	2	2	4	2	1	2	7	2	1		3	3	4		8
6	4	1	3	4	6	4	5	5	8	5	11	5	2		9
4		1		1	1	1		2	2	2	2	1			10
943	884	1,152	1,025	1,194	1,109	1,194	1,091	1,020	967	869	908	921	928	1	2
616	475	832	654	843	659	852	681	645	512	539	458	580	446	1	1
15	14	9	9	13	22	24	15	9	20	10	14	15	15		12
307	394	307	360	337	425	318	393	366	431	319	433	326	465		13
5	1	4	2	1	3		2		4	1	3		2		14
309	252	478	420	549	441	536	463	338	320	247	277	228	202		15
260	206	447	363	513	386	487	410	305	265	216	212	186	154		16
15	13	9	9	13	22	24	14	8	20	10	14	15	14		17
31	33	20	42	22	31	25	38	25	33	21	49	27	33		18
3		2	1	1	2		1		2		2		1		19
277	362	288	319	315	395	293	356	341	400	298	385	299	433		20
276	361	287	318	315	394	293	355	341	398	298	384	299	432		1
1	1	1	1		1		1		2		1		1		22
1,911	2,053	1,998	2,123	1,947	2,089	1,832	1,997	1,923	2,137	1,866	2,083	2,042	2,097	4	4
179	133	186	150	185	143	164	145	160	129	120	116	150	113		25
1,344	1,428	1,406	1,473	1,353	1,464	1,257	1,411	1,337	1,503	1,348	1,461	1,490	1,482	3	4
386	437	405	493	400	478	407	439	423	497	396	500	399	499	1	27
2	5	1	7	4	4	4	2	3	8	2	6	3	3		28
1,210	1,041	1,324	1,141	1,251	1,095	1,150	1,093	1,257	1,158	1,214	1,136	1,338	1,174	2	2
49	34	68	42	57	39	50	49	60	44	31	36	39	33		30
1,050	909	1,129	939	1,065	955	973	959	1,062	935	1,056	973	1,171	1,004	2	2
111	94	127	106	125	97	126	89	133	128	125	124	126	136		32
4	4	4	4	4	4	1	1	2	1	2	3	2	1		33
1,527	1,422	1,592	1,432	1,573	1,461	1,514	1,270	1,504	1,339	1,459	1,246	1,626	1,447	1	1
461	334	543	414	496	434	439	311	407	234	355	241	365	266		35
479	433	517	421	492	414	433	393	475	419	475	398	496	432		36
583	599	530	593	573	609	538	563	616	631	625	604	764	747	1	1
4	1	2	4	7	4	4	3	6	5	4	3	1	2		37
1,016	953	996	898	1,012	856	981	927	1,045	915	1,168	1,012	1,214	1,184	1	1
82	53	66	61	71	49	63	46	61	56	67	42	67	54		40
411	410	403	377	371	394	344	374	419	395	462	452	455	475	1	1
541	492	523	458	567	407	565	503	563	463	633	512	685	601		42
2	3	4	2	3	6	4	4	2	1	1	6	7	4		43
1,172	993	898	819	808	713	965	828	1,444	1,303	1,663	1,585	2,265	2,146	3	2
555	441	423	405	380	348	464	385	687	518	804	714	1,054	858	1	2
337	290	302	233	266	210	231	221	459	387	435	449	705	647		46
227	262	172	174	161	153	219	220	297	395	373	413	502	638	1	1
3		1	7	1	2	1	2	1	3	1	4	4	3		47
656	621	713	705	702	711	694	621	674	622	645	578	641	626	2	3
139	139	153	132	156	137	166	130	131	105	114	79	110	105		50
340	313	344	379	365	337	333	308	340	332	337	307	355	333		51
177	167	214	187	180	185	189	181	202	134	192	192	176	186	2	2
	2	2	7	1	2	1	2	1	1	2			2		53
820	585	862	594	766	577	767	586	800	643	809	612	877	650	2	2
30	23	33	16	35	17	31	22	19	33	24	26	34	18		55
363	345	368	337	333	334	339	361	367	366	366	347	403	365	1	1
425	217	461	240	397	225	397	203	410	243	416	237	437	267		57
2			1	1	1			4	1	3	2	3	3	1	58
	189		177		162		126		153		131		183		59





# CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

MONTH AND SEX—continued.																	
June.		July.		August.		September.		October.		November.		December.		Unknown.			
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.		
1,100	319	1,125	348	1,088	338	937	320	856	299	866	277	814	286	15	1	1	
144	89	98	74	95	64	71	58	70	77	88	61	77	57			2	
794	155	887	183	841	195	719	175	638	148	618	180	602	149	5		3	
146	75	129	87	182	77	189	88	129	73	148	88	128	79			4	
16		11	4	20	2	8	4	19	1	17	3	7	1	10	1	5	
50	46	34	66	35	57	40	60	32	71	68	61	46	76			6	
23	17	14	19	20	16	19	20	20	30	33	24	24	24			7	
21	24	20	40	14	36	18	37	12	28	26	27	15	42			8	
6	5		7	1	5	3	3		13	8	9	7	10			9	
										1	1					10	
277	21	314	34	280	36	158	26	101	10	79	6	77	9	11	1	11	
17	7	12	6	15	4	10	4	4	3	2		3	3			12	
235	13	280	24	246	28	184	18	85	6	61	5	70	6	5		13	
19	1	17	2	12	4	9	2	8	1	12	1	2				14	
6		5	2	7		2	2	4		4	1	2		6	1	15	
4	1	2	1	3	3	2	3									16	
3	1			2	1	1				1	1	4	1			17	
1		1		1	2	1	2	5		1		1				18	
		1	1			1	1	1	1	2		8	2			19	
										1		1				20	
37	7	41	11	36	3	41	7	53	10	47	3	33	3			21	
																	22
32	5	40	10	27	3	39	6	47	9	38	2	31	3			23	
4	1	1		5		2		4		8		1				24	
1				3				2		1		1				25	
8	5	12	2	18	7	5	4	12	5	16	7	19	4			26	
1	1	2		2	3		1			2	1		1			27	
7	4	10	2	12	4	4	3	12	5	12	6	17	3			28	
				4		1				2		2				29	
																30	
		3		5		4		3		3	1					31	
																	32
				1		2				1	1					33	
		3		4		2		2		2						34	
								1								35	
137	10	141	19	185	30	146	18	144	16	138	17	136	20	1		36	
2	4	3	2	4	2	3		3	3		1	1				37	
110	5	125	15	154	26	123	13	113	7	117	12	118	9			38	
20	1	11	2	19	2	14	5	19	6	14	4	20	11			39	
5		2		8		6		9		7		2		1		40	
28	3	30	1	30	2	29	7	29	2	38	2	33	1			41	
																	42
23	1	1		1		2		1									43
5	2	23	1	26	2	23	5	26	1	32	2	27	1			44	
		6		3		4	2	2		6		6				45	
5	4	10	5	7	2	3	2	4	6	2	1	4	2			46	
																	47
2	4	9	5	6	1	3	1	2	2	1	1	1	2			48	
3		1		1		1		2	3	1		8				49	
																	50
24	15	24	15	20	20	26	17	26	22	18	12	15	13			51	
																	52
18	2	1		15	2	22	3	1	3	12	2	12	1			53	
5	12	17	13	4	17	12	12	18	16	6	10	3	10			54	
1	1	6	2	1	1	4	1	7	3				2			55	
																	56
46	12	55	17	58	10	42	9	43	15	45	11	48	9			57	
																	58
35	11	1		43	9	1		32	2	2		2				59	
11	1	33	14	15	1	29	5	11	7	34	8	36	9			60	
		19	3	15	1	12	4		6	9	3	1		2		61	
84	45	23	9	15	10	3		1								62	
																	63
28	20	3	6	2	3												64
45	16	19	1	11	3	1											65
11	9	1	2	2	4	2		1					2				66

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN CITIES IN REGISTRATION STATES.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 All causes.....	191,667	8,433	7,825	8,307	7,883	10,553	10,019	9,683	9,109	8,358	7,576
2 Under 5.....	65,748	2,773	2,213	2,830	2,321	3,345	2,734	3,085	2,586	2,700	2,183
3 5 to 59.....	81,807	3,817	3,480	3,628	3,457	4,635	4,137	4,394	3,888	3,866	3,397
4 60 and over.....	43,786	1,823	2,117	1,836	2,091	2,560	3,132	2,190	2,669	1,775	1,986
5 Unknown.....	326	15	15	13	14	13	16	14	16	17	10
6 Unknown cause.....	873	51	23	45	38	53	43	38	30	41	43
7 Under 5.....	342	20	11	17	12	18	19	16	6	19	15
8 5 to 59.....	353	20	9	18	16	27	16	16	14	12	18
9 60 and over.....	155	11	8	9	8	7	8	4	8	7	10
10 Unknown.....	23			1	2	1		2	2	3	
11 1. General diseases.											
General diseases—A.....	34,491	999	1,001	1,066	1,052	1,398	1,526	1,336	1,411	1,068	931
12 Under 5.....	22,331	601	536	607	581	691	625	671	581	611	499
13 5 to 59.....	8,364	313	341	334	331	444	475	413	419	337	284
14 60 and over.....	3,773	84	120	125	139	263	423	251	409	120	148
15 Unknown.....	23	1	4		1		3	1	2		
16 Measles.....	1,873	122	115	127	126	138	142	124	130	115	110
17 Under 5.....	1,665	112	98	111	110	128	124	117	112	103	86
18 5 to 59.....	206	10	16	16	16	10	17	7	18	12	24
19 60 and over.....	1		1				1				
20 Unknown.....	1										
21 Scarlet fever.....	1,335	81	79	107	79	77	74	91	56	80	58
22 Under 5.....	888	55	52	72	47	56	49	61	34	56	48
23 5 to 59.....	446	26	27	35	32	21	25	30	22	24	10
24 60 and over.....	1										
25 Unknown.....											
26 Diphtheria.....	4,443	229	243	211	223	220	196	180	169	186	163
27 Under 5.....	2,965	163	151	159	154	150	123	131	114	122	118
28 5 to 59.....	1,469	60	91	52	69	70	68	49	54	64	49
29 60 and over.....	8	1	1						1		1
30 Unknown.....	1										
31 Whooping cough.....	1,691	60	67	49	92	93	113	104	83	62	61
32 Under 5.....	1,629	53	64	48	89	92	105	100	79	60	53
33 5 to 59.....	56	1	2	1	3	1	3	4	3	2	3
34 60 and over.....	3	1							1		
35 Unknown.....	3		1								
36 Malarial fever.....	509	9	14	8	13	20	16	18	14	21	12
37 Under 5.....	126	1	1		6	6	5	4	6	5	1
38 5 to 59.....	259	4	9	7	8	11	5	11	6	13	6
39 60 and over.....	123	4	4	1	4	3	6	3	2	3	5
40 Unknown.....	1										
41 Influenza.....	2,606	50	88	117	150	329	558	334	527	96	137
42 Under 5.....	264	14	19	16	20	27	40	33	35	10	9
43 5 to 59.....	851	14	26	47	52	116	165	126	154	37	45
44 60 and over.....	1,485	22	43	54	77	186	351	174	337	49	83
45 Unknown.....	6				1		2	1	1		
46 Typhoid fever.....	2,607	128	98	92	72	101	79	81	66	79	56
47 Under 5.....	104	6	6	6	3	3	5	4	6	2	5
48 5 to 59.....	2,376	118	87	81	65	94	72	74	56	74	50
49 60 and over.....	123	3	4	5	4	4	2	3	4	3	1
50 Unknown.....	4	1	1								
51 Diarrheal diseases.....	16,129	184	178	183	150	206	182	204	186	250	183
52 Under 5.....	13,413	141	108	123	102	146	119	152	130	194	118
53 5 to 59.....	1,321	25	32	28	31	29	36	30	25	35	36
54 60 and over.....	1,392	18	38	32	17	31	27	22	30	21	29
55 Unknown.....	3										
56 Cerebro-spinal fever.....	864	23	22	33	21	52	33	40	36	41	33
57 Under 5.....	550	12	12	20	11	33	20	28	22	23	23
58 5 to 59.....	301	11	7	13	10	19	12	11	14	18	10
59 60 and over.....	12		3					1			
60 Unknown.....	1						1				



VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN CITIES IN REGISTRATION STATES—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B	3,642	205	107	133	99	201	109	167	112	178	113
Under 5	1,965	96	66	65	59	100	70	78	69	85	66
5 to 59	1,425	96	37	60	36	80	28	81	40	72	39
60 and over	235	13	4	8	3	20	11	8	3	19	8
Unknown	17				1	1				2	
Inanition	1,962	97	65	62	57	97	74	74	68	84	70
Under 5	1,873	94	62	61	55	95	67	72	64	81	64
5 to 59	30	1	1	1		1	2	2	2	1	3
60 and over	48	2	2		2	1	5		2	2	3
Unknown	11										
General diseases—C	15,074	569	586	552	553	723	675	632	579	655	610
Under 5	10,505	390	301	395	299	513	368	462	322	487	357
5 to 59	224	11	16	4	13	11	13	9	12	8	5
60 and over	4,319	167	239	150	239	198	292	160	244	159	248
Unknown	26	1		3	2	1	2	1	1	1	
Debility and atrophy	5,724	163	148	159	140	234	192	206	161	231	160
Under 5	5,112	138	116	141	115	199	159	180	120	206	136
5 to 59	220	11	15	4	12	10	13	9	12	8	5
60 and over	378	13	17	13	11	24	20	17	23	16	19
Unknown	14	1		1	2	1			1		
Old age—all ages	3,949	154	252	138	228	174	274	144	216	143	229
60 and over	3,941	154	252	137	228	174	272	143	216	143	229
Unknown	8			1			2	1			
General diseases—D	32,836	1,473	1,313	1,351	1,336	1,735	1,619	1,664	1,521	1,438	1,377
Under 5	2,699	111	83	109	90	141	136	150	123	130	97
5 to 59	24,668	1,142	1,008	1,033	996	1,345	1,168	1,257	1,128	1,141	1,022
60 and over	5,434	219	221	208	250	243	312	255	270	216	255
Unknown	35	1	1	1		1	3	2		1	3
Consumption	21,091	1,042	771	938	793	1,267	903	1,194	886	1,073	809
Under 5	821	34	20	27	30	39	28	41	45	43	29
5 to 59	18,655	925	695	835	702	1,117	793	1,049	759	942	717
60 and over	1,596	83	56	75	61	110	81	103	82	87	61
Unknown	19			1		1		1		1	2
2. Diseases of the nervous system	21,445	950	894	918	873	1,071	1,049	1,114	972	998	941
Under 5	6,771	310	246	319	228	338	313	332	308	337	269
5 to 59	7,091	308	300	287	286	345	295	352	294	346	315
60 and over	7,550	331	347	312	357	385	439	378	369	313	355
Unknown	33	1	1		2	3	2	2	1	2	2
3. Diseases of the circulatory system	15,267	721	744	671	686	802	883	720	763	686	717
Under 5	976	50	39	47	38	58	54	53	43	46	49
5 to 59	7,507	379	375	319	349	376	401	347	361	337	365
60 and over	6,764	292	330	304	298	373	428	320	356	301	303
Unknown	20			1	1	1			3	2	
4. Diseases of the respiratory system	34,506	2,022	1,763	2,163	1,969	2,902	2,658	2,433	2,330	1,595	1,515
Under 5	16,138	1,017	798	1,073	887	1,281	1,004	1,073	914	774	677
5 to 59	10,967	680	510	736	596	1,023	800	916	736	533	466
60 and over	7,362	324	452	352	434	590	852	440	675	267	372
Unknown	39	1	3	2	2	3	2	4	5	1	
5. Diseases of the digestive system	9,741	335	462	373	394	453	443	432	453	438	443
Under 5	2,073	83	64	88	71	112	76	110	91	115	80
5 to 59	5,510	133	265	205	233	244	263	245	243	244	264
60 and over	2,144	69	130	79	89	97	104	77	119	79	93
Unknown	14		3	1	1						1
6. Diseases of the urinary system	12,072	619	514	552	466	698	546	606	476	561	464
Under 5	463	34	19	26	9	21	19	13	16	17	20
5 to 59	6,946	332	307	305	293	366	326	361	296	304	297
60 and over	4,645	252	137	220	163	310	200	227	163	240	146
Unknown	18	1		1	1	1	1		1		1
7. Affections connected with pregnancy	1,446		138		126		201		159		139

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
149	91	212	125	199	145	219	132	229	117	173	96	209	122		1	
58	55	126	87	108	109	124	95	110	68	70	48	78	75		2	
78	32	73	32	85	30	82	30	101	37	90	35	107	39		3	
12	4	7	6	5	5	12	7	16	10	12	11	23	8		4	
1		1		1	1	1		2	2	1	2	1			5	
58	57	122	86	103	112	118	100	109	74	69	55	78	73		6	
51	53	121	83	103	106	116	93	105	67	67	47	75	71		7	
3	2		2		1		3		1		2	1	1		8	
3	2		1		4		4		5		4	1	1		9	
1		1			1		1		2		1	1			10	
563	534	760	693	750	733	779	703	632	588	544	563	560	538		11	
438	340	650	519	622	507	647	512	476	393	416	343	427	316		12	
9	11	5	4	9	12	13	8	5	13	6	9	11	7		13	
113	132	103	169	119	212	119	182	151	181	121	205	122	214		14	
3	1	2	1		2		1		1	1	1		1		15	
245	199	394	355	417	354	408	355	260	243	192	205	165	138		16	
221	173	382	326	403	315	385	325	244	216	178	168	149	117		17	
9	10	5	4	9	12	13	8	5	13	6	9	11	7		18	
13	16	6	25	5	25	10	22	11	13	8	27	5	14		19	
2		1			2				1		1				20	
100	167	97	145	114	187	109	161	140	168	113	178	117	201		21	
100	166	97	144	114	187	109	160	140	168	113	178	117	200		22	
	1		1				1						1		23	
1,260	1,251	1,346	1,328	1,303	1,223	1,192	1,236	1,303	1,342	1,221	1,285	1,388	1,279	1	1	24
129	97	136	111	142	107	114	106	122	96	87	80	114	88		25	
934	922	1,012	969	977	888	904	922	965	990	958	960	1,084	941	1	1	26
197	230	197	248	183	225	171	208	214	251	175	244	190	247			27
	2			1	3	3		2	5	1	1		3			28
337	674	954	754	921	673	845	730	914	757	869	744	984	753		1	29
30	25	52	33	45	31	37	37	46	31	27	30	32	29			30
743	603	831	668	812	600	742	653	792	667	784	657	896	662		1	31
59	39	71	53	63	44	65	40	74	58	57	57	56	61			32
	2			1	3			2	1				1			33
884	810	956	883	877	806	862	720	844	754	817	711	886	855			34
323	269	390	305	312	281	283	216	301	195	248	161	238	199			35
294	232	340	280	313	231	314	233	290	268	281	251	326	280			36
266	289	225	296	244	294	265	265	252	287	288	297	321	375			37
1		1	2	3		1		1	4		2	1	1			38
541	542	531	513	546	469	524	542	575	544	636	594	625	692			39
34	29	39	42	44	29	45	34	39	35	37	25	35	37			40
276	270	266	244	251	257	237	257	298	274	305	315	304	344			41
231	243	223	227	251	182	240	250	233	235	293	252	283	311			42
		3			1	2	1			1	2	3				43
891	736	691	638	596	540	719	623	1,074	952	1,234	1,207	1,672	1,562		1	44
454	363	356	340	315	291	385	317	567	436	668	600	855	692		1	45
309	202	224	181	194	152	204	164	340	277	364	327	540	468			46
126	171	110	114	87	96	129	141	167	237	221	278	275	402			47
2		1	3		1	1	1		2	1	2	2				48
395	401	456	418	407	411	407	376	389	376	332	345	332	369		1	49
97	102	114	95	93	81	114	82	82	62	72	43	70	66			50
215	214	236	230	232	242	215	193	220	225	235	207	232	220			51
33	85	106	92	77	86	78	95	86	89	74	90	80	81		1	52
			1		2		1		1				2			53
545	395	555	407	463	399	479	415	500	461	519	441	541	450			54
19	14	25	11	27	16	23	16	15	20	19	21	22	16			55
285	252	281	258	240	249	250	268	263	233	281	263	314	267			56
240	129	137	196	206	134	206	131	216	157	216	155	204	167			57
1		1						1	1	3	2	1				58
	128		94		97		77		96		79		112			59









CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
4,008	3,537	4,497	3,889	5,046	4,552	4,690	4,132	4,303	3,882	4,104	3,597	4,471	4,047	95	11
881	682	1,299	1,014	1,642	1,352	1,449	1,177	883	727	736	623	862	699	2	2
1,492	1,414	1,542	1,417	1,604	1,612	1,490	1,420	1,601	1,438	1,567	1,429	1,583	1,576	10	4
1,604	1,431	1,637	1,431	1,770	1,570	1,732	1,516	1,793	1,608	1,782	1,523	2,005	1,762	7	5
31	10	19	27	30	18	19	19	26	14	19	17	21	10	16	5
62	37	51	44	54	52	54	59	56	48	65	46	64	51	6	6
31	18	23	22	32	27	34	28	22	17	26	23	30	28		7
16	7	18	13	12	14	10	13	15	16	17	12	16	9		8
14	12	9	9	10	10	8	16	19	13	21	11	17	14		9
1		1		1	1	2	2		2	1		1		3	10
470	403	955	810	1,347	1,242	1,159	1,090	661	609	469	426	450	442		1
227	178	660	513	907	778	749	642	269	248	156	161	160	169		12
139	145	144	154	231	212	245	235	266	229	216	194	200	193		13
100	79	147	140	204	248	163	211	125	181	96	69	87	80		14
4	1	4	3	5	4	1	2	1	1	1	2	3			15
30	20	13	15	4	11	2	6	6	8	12	14	18	16		16
24	16	12	7	3	8	2	5	6	5	9	9	13	14		17
6	4	1	8	1	3		1		3	3	5	4	2		18
												1			19
															20
15	16	14	11	13	7	11	9	15	15	29	25	24	32		21
8	8	9	2	5	5	7	6	7	8	18	12	16	17		22
7	8	5	9	8	2	4	3	8	7	10	13	8	15		23
										1					24
															25
21	27	30	30	29	33	46	48	61	52	66	64	67	60		26
8	14	16	12	18	11	19	22	32	21	24	22	30	31		27
13	13	14	18	11	21	27	26	23	31	42	41	37	29		28
					1			1			1				29
															30
29	23	35	29	44	45	28	23	19	22	26	33	30	50		31
29	20	34	24	42	44	28	21	19	20	25	31	23	45		32
	2		4	1	1		2		2		2	6	4		33
	1	1	1	1	1					1		1	1		34
															35
12	6	23	21	20	18	18	31	31	28	23	13	12	11		36
4		9	1	1	3	3	7	4	4	4		3			37
4	4	7	12	14	4	9	14	16	14	7	9	6	7		38
3	2	6	8	5	11	6	9	11	10	12	4	3	4		39
1		1					1								40
44	43	21	13	17	8	14	11	15	18	20	31	37	48		41
4	3	3		3		3		5	2	3	2	6	6		42
10	14	4	2	3	1	2	2	5	3	6	8	14	21		43
30	26	14	11	14	7	9	9	6	13	11	21	17	21		44
															45
48	32	63	45	88	85	132	116	163	133	110	83	79	78		46
4	1	4	2	3	4	1	2	5	4	4	4	2	4		47
40	30	50	40	77	69	122	98	144	117	98	72	73	66		48
3	1	9	3	8	12	8	16	13	12	7	5	4	8		49
1						1				1	2				50
159	139	670	574	1,037	945	829	757	264	273	102	108	89	75		51
117	98	550	449	815	681	651	554	174	169	51	63	54	43		52
17	22	35	33	80	78	54	56	31	25	17	17	15	12		53
23	24	83	91	137	182	124	146	59	78	34	28	19	20		54
2		2	1	5	4		1		1			1			55
40	28	26	24	29	24	35	18	24	16	18	15	18	16		56
20	19	15	13	18	13	25	11	12	6	11	10	10	5		57
18	9	10	11	11	11	10	5	11	9	7	5	8	10		58
2		1					2	1	1				1		59
															60

## VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN  
RURAL PART OF REGISTRATION STATES—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B.....	1,565	69	50	75	38	83	62	93	55	77	56
Under 5.....	957	39	33	42	30	35	41	55	38	43	38
5 to 59.....	404	17	10	21	5	31	15	23	10	28	9
60 and over.....	188	13	5	11	3	15	6	15	7	5	9
Unknown.....	16	2	2	1	2	2	2	1	1	1	1
Inanition.....	996	41	39	50	30	38	49	53	36	39	45
Under 5.....	871	39	31	41	29	31	39	52	31	36	36
5 to 59.....	40	2	2	2	2	1	1	5	1	2	1
60 and over.....	75	2	4	6	1	4	4	1	4	1	8
Unknown.....	10	2	2	1	2	2	2	1	1	1	1
General diseases—C.....	9,600	455	392	367	370	476	489	470	467	415	431
Under 5.....	3,597	158	118	138	98	159	145	192	111	165	130
5 to 59.....	176	7	13	10	7	8	12	7	14	3	13
60 and over.....	5,798	290	260	218	263	308	331	270	339	244	286
Unknown.....	29	1	1	1	2	1	1	1	3	3	2
Debility and atrophy.....	1,904	77	75	67	64	81	83	87	77	78	85
Under 5.....	1,227	38	36	35	27	49	43	53	38	53	42
5 to 59.....	171	7	13	8	7	8	12	7	14	3	13
60 and over.....	497	32	26	24	29	24	28	27	25	22	30
Unknown.....	9	1	1	1	1	1	1	1	1	1	1
Old age—all ages.....	5,316	257	232	195	235	285	304	244	317	224	253
60 and over.....	5,298	257	232	194	234	284	303	243	314	222	256
Unknown.....	18	1	1	1	1	1	1	1	3	2	2
General diseases—D.....	18,322	691	854	637	763	809	937	794	983	789	918
Under 5.....	989	29	33	38	41	46	57	48	49	47	57
5 to 59.....	11,397	418	544	394	482	486	581	471	612	474	594
60 and over.....	5,876	239	274	202	238	274	297	273	318	266	265
Unknown.....	60	5	3	3	2	3	2	2	4	2	2
Consumption.....	9,586	382	413	395	385	464	472	437	507	457	498
Under 5.....	298	8	7	13	16	18	20	13	15	15	27
5 to 59.....	7,642	303	338	311	303	357	376	341	399	357	389
60 and over.....	1,615	64	68	70	64	87	74	81	92	83	82
Unknown.....	31	2	2	1	2	2	2	2	1	2	2
2. Diseases of the nervous system.....	15,390	726	635	671	590	869	729	794	737	739	651
Under 5.....	3,017	120	103	152	80	176	123	167	130	163	114
5 to 59.....	4,191	175	147	172	163	228	191	199	188	177	182
60 and over.....	8,623	423	384	345	345	463	409	426	418	389	353
Unknown.....	54	3	1	2	2	2	1	2	1	5	2
3. Diseases of the circulatory system.....	11,695	581	442	542	450	638	519	644	503	556	510
Under 5.....	643	35	25	39	28	38	22	33	36	44	29
5 to 59.....	3,351	142	145	131	143	178	173	128	145	137	179
60 and over.....	7,634	400	268	369	279	470	316	478	322	374	298
Unknown.....	62	4	4	3	2	2	3	5	5	1	4
4. Diseases of the respiratory system.....	14,221	826	807	845	843	1,234	1,160	1,263	1,243	810	739
Under 5.....	4,326	277	258	311	279	411	277	359	296	260	199
5 to 59.....	4,392	249	223	265	237	377	361	420	363	290	223
60 and over.....	5,454	297	320	266	325	444	519	477	577	260	311
Unknown.....	49	3	3	3	2	2	3	7	7	2	1
5. Diseases of the digestive system.....	6,474	252	291	237	236	299	278	280	307	305	290
Under 5.....	1,069	44	44	47	33	58	49	54	43	47	37
5 to 59.....	2,937	122	145	93	107	131	129	115	157	139	141
60 and over.....	2,446	85	101	96	96	109	98	111	107	119	111
Unknown.....	22	1	1	1	1	1	2	1	1	1	1
6. Diseases of the urinary system.....	6,215	340	188	323	186	375	235	362	239	386	201
Under 5.....	171	12	6	5	6	14	8	4	10	7	2
5 to 59.....	2,295	99	102	110	89	105	97	117	112	114	114
60 and over.....	3,730	226	80	207	90	255	130	240	117	263	84
Unknown.....	19	3	1	1	1	1	1	1	1	2	1
7. Affections connected with pregnancy.....	855		61		61		94		96		105

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
65	43	78	52	90	59	95	60	92	51	67	35	79	40	1	1
30	30	47	39	51	47	62	46	53	29	33	23	45	28		2
24	10	24	10	27	6	23	10	27	16	22	4	24	8		3
7	3	7	3	12	6	9	4	11	6	10	8	10	3		4
4				1		1		1		2		1	1		5
32	27	42	42	49	45	62	47	55	28	34	29	49	30		6
26	25	39	38	43	43	57	42	50	24	29	21	43	26		7
		2	2	2	2	2	4	1	1	1	1	2	3		8
3	2	1	2	4	2	3	1	3	3	4	7	4	1		9
3								1		1					10
380	350	392	332	444	376	415	388	388	379	325	345	361	390	1	2
178	135	182	135	221	152	205	169	169	119	123	110	153	130	1	1
6	3	4	5	4	10	11	7	4	7	4	5	4	8		12
194	212	204	191	218	213	199	211	215	250	198	223	204	251		13
2		2	1	1	1	1	1	3	3		2		1		14
64	53	84	65	132	87	128	108	78	77	55	72	63	64		15
39	33	65	42	110	71	102	85	61	49	38	44	37	37		16
6	3	4	5	4	10	11	6	3	7	4	5	4	7		17
18	17	14	17	17	6	15	16	14	20	13	22	22	19		18
1		1	1	1		1	1	1	1	1	1	1	1		19
177	195	191	174	201	208	184	195	201	232	185	207	182	232		20
176	195	190	174	201	207	184	195	201	230	185	206	182	232	1	21
1		1	1		1			2		1	1				22
651	802	652	795	644	866	640	761	620	795	645	798	654	818	3	3
50	36	50	39	43	36	50	39	38	33	33	36	36	25		23
410	506	394	504	381	576	353	489	372	513	390	501	406	541	2	3
189	257	208	245	217	253	236	231	209	246	221	256	209	252	1	2
2	3	7	1	3	1	1	2	1	3	1	5	3			24
373	367	370	387	330	417	305	368	343	401	345	392	354	421	2	1
19	9	16	9	12	8	13	12	14	13	4	6	7	4		25
302	301	298	321	253	355	231	306	270	318	272	316	275	342	2	1
52	55	56	53	62	53	61	49	59	70	68	67	70	75		26
	2	4	4	3	1	1	1			1	3	2			27
643	612	636	549	696	655	652	550	660	585	642	535	740	592	1	1
138	115	153	109	184	153	156	95	106	89	107	80	127	67		28
185	186	177	141	174	183	169	155	185	151	194	147	170	152		29
317	310	305	297	334	315	323	298	364	344	337	307	443	372	1	1
3	1	1	2	4	4	4	2	5	1	4	1		1		30
475	416	465	385	466	387	457	385	470	371	532	418	589	442	1	1
28	24	27	19	27	20	23	12	22	21	30	17	32	17		31
135	140	137	133	120	137	107	117	121	121	157	137	151	131	1	1
310	249	300	231	316	225	325	253	325	228	345	260	402	290		32
2	3	1	2	3	5	2	3	2	1		4	4	4		33
281	257	207	181	212	173	246	205	370	351	409	378	593	584	3	1
101	78	67	65	65	57	79	68	120	82	136	114	199	166	1	1
78	88	78	52	72	58	77	57	119	110	121	122	165	179		34
101	91	62	60	74	57	90	79	130	158	152	140	227	236	1	1
1		4		1	1	1	1	1	1	2	2	2	3	1	1
261	220	257	287	295	300	287	245	285	246	263	233	259	257	2	2
42	37	39	37	58	56	52	48	49	43	42	31	40	39		35
125	99	108	149	133	145	110	123	120	107	102	100	123	113		36
94	82	108	95	103	99	111	86	116	95	118	102	96	105	2	1
	2	2	6	1		1	1	1	1	1					37
275	190	307	187	303	178	288	171	300	182	290	171	336	200	2	2
11	9	8	5	8	1	8	6	4	13	5	5	12	2		38
78	93	87	79	93	85	89	93	99	83	85	84	89	98	1	1
185	88	212	103	201	91	191	72	194	86	200	82	233	100		39
1				1	1			3				2		1	1
	61		83		65		49		57		52		71		40











VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN REGISTRATION CITIES IN OTHER STATES—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
1 General diseases—B	6,616	316	180	305	209	335	219	315	189	352	214
2 Under 5	4,777	196	143	200	165	213	166	190	156	211	165
3 5 to 59	1,502	99	23	88	27	98	44	105	25	113	39
4 60 and over	271	16	10	13	10	15	7	16	7	27	6
5 Unknown	66	6	4	4	7	9	2	4	1	1	4
6 Inanition	4,901	202	150	204	179	225	173	187	162	210	178
7 Under 5	4,654	189	141	196	162	209	162	180	151	202	164
8 5 to 59	115	4	1	3	7	5	7	3	6	3	6
9 60 and over	92	7	4	3	4	4	3	2	4	5	4
10 Unknown	40	2	4	2	6	7	1	2	1	1	4
11 General diseases—C	16,471	684	720	614	680	747	810	672	747	743	704
12 Under 5	8,570	368	293	323	249	408	323	359	288	464	302
13 5 to 59	679	28	26	33	46	21	36	29	32	27	39
14 60 and over	7,167	284	400	257	382	314	448	233	427	250	358
15 Unknown	55	4	1	1	3	4	3	1	1	2	5
16 Debility and atrophy	5,480	197	172	170	186	206	194	211	190	251	210
17 Under 5	3,878	121	102	108	94	142	108	141	114	193	123
18 5 to 59	674	28	26	32	46	21	36	27	32	27	39
19 60 and over	896	44	44	29	45	40	47	43	44	30	46
20 Unknown	32	4	1	1	1	3	3	1	1	1	2
21 Old age—all ages	6,293	240	357	228	339	275	401	241	383	221	315
22 60 and over	6,271	240	356	228	337	274	401	240	383	220	312
23 Unknown	22	1	1	1	2	1	1	1	1	1	3
24 General diseases—D	35,761	1,677	1,442	1,516	1,395	1,755	1,643	1,707	1,570	1,720	1,589
25 Under 5	2,070	84	74	100	77	101	92	119	88	106	83
26 5 to 59	27,736	1,326	1,132	1,211	1,096	1,334	1,248	1,313	1,205	1,332	1,233
27 60 and over	5,837	265	231	196	219	285	299	267	277	276	269
28 Unknown	118	2	5	9	3	5	4	8	6	6	4
29 Consumption	23,285	1,196	885	1,098	862	1,247	1,002	1,193	969	1,206	949
30 Under 5	824	34	29	47	21	38	36	46	33	51	35
31 5 to 59	20,582	1,041	784	971	779	1,085	871	1,053	870	1,051	849
32 60 and over	1,800	119	67	75	60	120	93	88	66	101	64
33 Unknown	79	2	5	5	2	4	2	6	3	3	1
34 2. Diseases of the nervous system	25,228	1,237	1,043	1,146	971	1,333	1,078	1,390	1,008	1,226	1,013
35 Under 5	9,564	433	340	437	365	503	382	553	378	481	371
36 5 to 59	8,585	425	348	371	306	463	352	456	319	438	351
37 60 and over	6,982	375	351	332	299	362	340	370	308	302	286
38 Unknown	97	4	4	6	1	5	4	6	3	5	5
39 3. Diseases of the circulatory system	16,271	827	707	789	672	825	722	891	779	799	651
40 Under 5	1,037	58	41	59	32	66	40	66	52	57	23
41 5 to 59	8,531	430	354	396	353	413	351	476	416	437	361
42 60 and over	6,634	338	311	328	286	348	327	346	311	303	265
43 Unknown	69	1	1	6	1	3	4	3	3	2	2
44 4. Diseases of the respiratory system	31,777	2,230	1,755	2,155	1,803	2,771	2,162	2,510	2,130	1,553	1,303
45 Under 5	13,007	922	714	1,012	817	1,136	839	962	785	630	559
46 5 to 59	11,656	898	589	779	531	1,093	695	984	693	652	442
47 60 and over	7,025	405	499	356	454	535	619	556	650	267	299
48 Unknown	89	5	3	8	1	7	9	8	2	4	3
49 5. Diseases of the digestive system	12,164	516	504	488	409	541	539	532	515	593	549
50 Under 5	2,405	111	70	111	73	109	89	110	82	121	96
51 5 to 59	7,242	298	326	277	257	319	323	311	308	348	336
52 60 and over	2,472	106	108	97	79	111	125	111	124	124	114
53 Unknown	45	1	1	3	1	2	2	1	1	1	3
54 6. Diseases of the urinary system	11,160	602	410	545	406	611	426	644	452	564	419
55 Under 5	414	29	20	22	23	22	20	15	12	13	15
56 5 to 59	6,390	337	250	307	231	330	252	352	270	233	243
57 60 and over	4,304	236	139	214	151	259	150	273	170	266	161
58 Unknown	52	1	1	2	1	1	4	4	1	2	1
59 7. Affections connected with pregnancy	1,471		139		132		150		150		129

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN OTHER STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
303	244	415	306	365	285	350	264	282	214	283	192	299	180			1
204	196	322	262	268	237	247	213	180	171	188	155	185	144			2
87	42	78	37	78	39	89	40	84	39	77	28	94	29			3
9	5	14	7	15	8	13	9	14	4	17	7	15	7			4
3	1	1		4	1	1	2	4		1	2	5	7			5
205	199	322	272	275	242	242	224	187	170	196	163	185	149			6
198	191	314	260	265	230	237	210	176	165	183	151	178	140			7
4	7	4	7	5	7	2	7	4	4	7	4	3	4			8
2	1	4	5	2	4	2	6	7	1	6	6	2	4			9
1		2	3	3	1	1	1			2	2	2	2			10
578	617	776	712	709	784	717	689	622	655	574	611	647	658			11
365	318	491	397	436	441	461	379	380	305	343	273	352	251			12
18	30	28	29	28	33	27	19	19	33	22	25	24	27			13
191	269	254	285	244	307	227	288	221	317	207	307	269	378			14
4		3	1	1	3	2	3	2		2	6	2	2			15
224	233	334	312	320	334	333	280	222	236	174	148	175	168			16
181	169	263	242	262	258	271	230	174	165	121	90	116	90			17
18	30	28	23	28	33	26	19	19	33	22	25	24	27			18
2	34	41	42	29	42	34	29	29	38	30	30	33	50			19
23		2		1	1	2	2			1	3	2	1			20
169	235	214	244	215	267	193	260	194	279	178	280	236	329			21
168	235	213	243	215	265	193	259	192	279	177	277	236	328			22
1		1	1	2	2	2	1	2	3	1	3	1	1			23
1,444	1,478	1,450	1,444	1,351	1,422	1,381	1,308	1,412	1,374	1,441	1,330	1,531	1,377	3	1	24
106	-105	92	87	97	72	93	77	75	59	73	59	82	69			25
1,105	1,133	1,141	1,115	1,004	1,030	1,069	1,026	1,119	1,067	1,136	1,047	1,175	1,056	3		26
228	233	210	235	242	265	215	201	216	243	230	218	269	248			27
5	7	7	7	8	5	4	4	2	5	2	6	5	4			28
989	887	993	885	905	810	915	792	971	829	1,004	798	1,078	820	2		29
39	37	40	41	43	28	29	35	31	21	31	25	27	27			30
862	792	875	778	775	717	813	699	872	740	889	724	950	740	2		31
86	54	73	61	82	60	69	55	67	66	83	44	96	51			32
2	4	5	5	5	5	4	3	1	2	1	5	5	2			33
1,218	951	1,231	973	1,106	910	989	803	1,032	796	1,005	771	1,120	876	1	1	34
505	399	528	450	449	382	380	286	365	279	335	257	397	303			35
435	290	444	282	399	284	342	279	394	264	389	254	408	292			36
274	261	256	239	253	240	264	235	267	250	272	257	312	277			37
4	1	3	2	5	4	3	3	6	3	9	3	3	4	1		38
675	531	631	587	598	508	628	522	689	556	703	564	784	652	1		39
44	39	57	30	33	20	36	29	40	29	47	35	57	47			40
364	296	327	324	305	272	337	286	351	300	365	293	393	327	1		41
263	193	244	210	254	214	253	204	293	225	287	234	329	273			42
4	3	3	3	3	2	2	3	5	2	4	2	5	5			43
778	577	628	465	576	406	691	493	1,031	837	1,060	949	1,576	1,336	2		44
325	272	256	226	250	173	272	183	374	307	433	358	641	565			45
302	181	243	163	227	146	287	193	445	313	444	343	639	419	1		46
149	123	120	75	96	84	180	115	210	216	182	251	287	347			47
2	1	4	1	3	3	2	2	2	1	1	2	9	5	1		48
516	532	595	478	571	532	514	416	534	515	471	417	455	429	2	1	49
125	110	153	113	126	123	115	84	106	82	87	58	76	74	1		50
306	321	323	273	331	309	296	244	305	325	280	265	284	265	1		51
81	98	112	85	113	99	99	86	122	107	102	89	93	87			52
4	3	1	2	1	1	4	2	1	1	2	5	2	3			53
466	328	539	336	505	336	482	295	519	368	570	353	586	397	1		54
16	14	12	10	16	16	20	17	11	17	16	13	23	22			55
245	209	304	226	280	223	268	185	273	227	304	210	325	252	1		56
199	101	220	99	205	95	192	91	232	124	246	126	233	122			57
3	4	3	1	4	2	2	2	3		4	4	5	1			58
	106		114		96		102		106		123		124			59

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN REGISTRATION CITIES IN OTHER STATES—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 S. Accidents and injuries .....	13,049	802	269	678	221	739	242	773	221	875	278
2     Under 5 .....	1,804	70	56	52	48	65	48	65	58	57	57
3     5 to 59 .....	10,089	626	156	551	129	571	149	621	127	720	171
4     60 and over .....	1,472	93	55	65	42	91	42	73	32	88	49
5     Unknown .....	184	13	2	10	2	12	3	14	4	10	1
6 Burns and scalds .....	1,189	48	86	50	66	43	42	34	50	39	59
7     Under 5 .....	438	27	26	21	23	24	14	15	16	10	20
8     5 to 59 .....	656	18	51	26	33	16	24	14	28	26	36
9     60 and over .....	87	3	9	3	10	3	4	5	6	2	3
10    Unknown .....	8									1	
11 Drowning .....	1,180	38	2	34	3	36	3	36	10	37	14
12     Under 5 .....	56		1	1		4	1	7	5	3	2
13     5 to 59 .....	1,010	32	1	30	3	29	2	65	5	75	9
14     60 and over .....	77	4		1		3		8		8	2
15     Unknown .....	37	2		2				6		1	1
16 Exposure and neglect .....	123	14	7	9	7	7	4	6	4	6	9
17     Under 5 .....	55	4	4		3	1	3	2	1	3	7
18     5 to 59 .....	45	7	2	5	1	5	1	4	1	2	1
19     60 and over .....	22	3	1	4	3				2	1	1
20     Unknown .....	1					1					
21 Gunshot wounds .....	620	47	6	32	5	49	5	35	2	45	4
22     Under 5 .....	8									2	
23     5 to 59 .....	579	45	6	30	4	45	4	33	2	38	4
24     60 and over .....	20	1		1		1		1		5	
25     Unknown .....	13	1		1		3		1			
26 Homicide .....	453	29	2	13	4	34	11	23	4	42	12
27     Under 20 .....	53	4		1	1	2	1	4	1	3	4
28     20 to 59 .....	370	22	2	12	3	30	8	13	2	37	8
29     60 and over .....	16	2				1		1		1	
30     Unknown .....	14	1				1	2	1	1	1	
31 Injuries by machinery .....	71	4		3	1	8	1	4		3	
32     Under 20 .....	5						1				
33     20 to 59 .....	64	3		3	1	8		4		2	
34     60 and over .....	2	1								1	
35     Unknown .....											
36 Railroad accidents .....	1,999	137	9	139	11	145	11	127	14	145	16
37     Under 5 .....	57	3	3	1	1	1		5	4	4	2
38     5 to 59 .....	1,739	116	6	130	9	127	8	113	8	127	11
39     60 and over .....	169	17		6	1	14	3	6	2	10	3
40     Unknown .....	34	1		2		3		3		4	
41 Suicide by shooting .....	411	35	1	37	2	26	2	44	4	36	2
42     Under 20 .....	6			1	1	1					
43     20 to 59 .....	349	30	1	30	1	23	2	42	4	33	2
44     60 and over .....	47	5		5		2		1		3	
45     Unknown .....	9			1				1			
46 Suicide by drowning .....	68	1		2		6	2	3	2	10	
47     Under 20 .....	3					1					
48     20 to 59 .....	51	1		2		2	2	2	2	8	
49     60 and over .....	13					3				2	
50     Unknown .....	1							1			
51 Suicide by poison .....	439	25	14	14	12	18	14	22	11	30	16
52     Under 20 .....	33				2		2	1		1	4
53     20 to 59 .....	362	20	14	11	10	15	12	20	11	26	8
54     60 and over .....	38	5		2		3		1		3	4
55     Unknown .....	6			1							
56 Other suicides .....	754	42	10	33	9	48	17	62	10	45	14
57     Under 20 .....	23	1			1	1	1	2	1		
58     20 to 59 .....	599	35	8	30	7	34	14	53	9	35	13
59     60 and over .....	125	4	2	3	1	13	2	7		11	1
60     Unknown .....	7	2								1	
61 Sunstroke .....	242	1		2	1		1			10	2
62     Under 5 .....	38										
63     5 to 59 .....	154			1						8	1
64     60 and over .....	48	1		1			1			2	1
65     Unknown .....	2			1							

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN OTHER STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
902	269	1,047	237	1,002	240	903	227	857	235	781	199	791	251	9	1	1
66	61	62	43	50	38	38	39	65	47	55	48	63	53			2
747	175	892	161	846	161	749	142	683	155	688	122	635	157	5		3
77	33	79	28	89	40	97	45	97	32	78	26	78	40	3		4
12		14	5	17	1	19	1	12	1	10	3	15	1	1	1	5
41	55	37	44	36	41	40	48	50	53	32	56	47	90	2		6
16	16	8	8	15	8	14	10	25	22	19	24	25	32			7
23	35	27	33	18	29	23	31	24	30	11	27	20	52	1		8
1	4	2	3	2	4	1	7	1	1	1	5	1	5	1		9
1				1		2				1		1	1			10
182	17	222	15	172	14	86	9	67	5	34	5	35	2	2		11
4	4	6	1	7	2	1	2	1		2	1		1			12
164	12	200	12	154	10	79	7	56	5	26	3	29	1	1		13
7	1	9	1	6	2	4		8		6	1	5	1	1		14
7		7		6		2		2				1				15
6	4	1	5	3	1	3		5	2	7	2	5	6			16
4	4	1	5	1	1			2	1	3		2	3			17
1				1		2		2	1	4	2	1	2			18
1				1		1		1				2	1			19
																20
36	10	58	8	43	6	52	6	43	10	57	6	49	6			21
	2				1											22
35	8	56	8	39	5	43	6	42	9	56	6	46	4			23
1		1		2		1		1		1		1				24
		1				3						1				25
24	10	31	11	33	3	37	8	35	4	32	7	33	5		1	26
4	2	3		3		6	2	3	1	2	2	3	1			27
18	7	27	9	35	3	30	5	30	3	25	5	28	3			28
2	1	1	1					2		4			1			29
						1	1			1			2			30
5	1	8	1	6		4		5		9		8				31
																32
5	1	7	1	2		1										33
				4		3		5		9		8				34
																35
143	14	167	18	167	18	176	17	164	10	146	19	169	15	2		36
3	4	5	1	4	2	3	1	3	1	2	3		1			37
125	7	155	14	146	13	157	12	147	7	126	13	149	11	2		38
12	3	5	2	13	3	13	4	12	2	16	2	17	3			39
3		2	1	4		3		2		2	1	3				40
25	1	38	1	25	1	39	1	26	3	31	2	27	2			41
																42
21	1	31	1	21	1	1					1					43
3		5		4		7	1	17	2	29	1	24	2			44
1		1		2		2		7	1	2		2				45
								2				1				46
5		3	1	5	2	8	1	5	4	3	3	1	1			47
																48
3		3	1	4	2	1		5	2	3	1	1	1			49
2				1		3			2							50
																51
22	17	* 21	15	24	18	24	10	16	19	29	9	22	17			52
	5		3		6		2		1		2		4			53
21	11	17	12	19	12	21	8	12	16	27	7	20	12			54
1	1	4		4		3		3	1	1		1	1			55
				1				1	1	1		1	1			56
64	15	56	8	67	15	54	14	51	14	40	8	47	11			57
1	3		2	1			2	2	2	2		1				58
52	12	45	5	56	12	43	10	36	12	29	6	36	9			59
11		11	1	10	3	10	2	12		8	1	10	2			60
						1		1		1	1					61
52	28	38	15	34	14	25	14	1				3	1			62
10	9	6	4	1	3	1	4									63
39	10	26	7	29	6	19	5	1				1	1			64
3	9	6	4	3	5	5	5					2				65





VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN NONREGISTRATION RECORD—Continued.

CAUSE OF DEATH AND AGE.	Total	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
1 General diseases—B.....	6,424	336	192	309	187	347	211	333	212	368	281
2 Under 5.....	4,158	194	147	198	137	203	160	192	149	200	188
3 5 to 59.....	1,714	106	31	90	37	102	35	113	48	134	63
4 60 and over.....	460	30	12	17	13	37	13	25	13	28	20
5 Unknown.....	92	6	2	4	1	5	3	3	2	6	5
6 Inanition.....	3,523	173	129	180	123	188	139	166	118	159	161
7 Under 5.....	3,259	153	120	167	116	175	129	161	109	147	145
8 5 to 59.....	90	10	2	4	4	4	2	2	3	1	3
9 60 and over.....	137	10	6	8	3	7	7	3	6	7	10
10 Unknown.....	37	1	1	1	1	2	1	1	1	4	3
11 General diseases—C.....	24,339	1,140	1,102	1,126	1,048	1,340	1,223	1,315	1,251	1,238	1,259
12 Under 5.....	8,385	399	292	406	313	457	339	444	331	442	418
13 5 to 59.....	745	37	39	27	32	36	27	40	36	37	49
14 60 and over.....	14,898	691	756	680	692	841	843	818	866	744	775
15 Unknown.....	311	13	15	13	11	6	14	13	18	15	17
16 Debility and atrophy.....	4,174	168	162	193	147	197	167	203	171	195	210
17 Under 5.....	1,913	64	46	83	65	82	73	76	53	78	81
18 5 to 59.....	720	35	39	25	30	33	27	39	36	37	46
19 60 and over.....	1,435	65	72	81	50	81	59	85	77	76	76
20 Unknown.....	106	4	5	4	2	1	8	3	5	4	7
21 Old age—all ages.....	13,664	635	694	607	651	765	790	742	802	679	709
22 60 and over.....	13,462	626	684	599	642	760	784	733	789	668	699
23 Unknown.....	202	9	10	8	9	5	6	9	13	11	10
24 General diseases—D.....	89,153	3,607	4,079	3,678	4,189	4,153	5,089	4,323	5,174	4,611	5,829
25 Under 5.....	5,625	220	192	231	201	281	236	288	262	334	288
26 5 to 59.....	62,224	2,373	3,035	2,436	3,078	2,743	3,323	2,797	3,338	3,006	4,395
27 60 and over.....	20,258	975	810	961	874	1,073	978	1,134	1,034	1,224	1,094
28 Unknown.....	1,046	34	42	50	36	56	52	54	40	47	52
29 Consumption.....	55,788	2,178	2,659	2,285	2,722	2,662	3,383	2,725	3,438	2,899	3,792
30 Under 5.....	2,511	75	99	111	97	128	120	137	147	154	142
31 5 to 59.....	46,023	1,772	2,264	1,812	2,314	2,123	2,873	2,123	2,881	2,302	3,257
32 60 and over.....	6,590	309	265	327	290	369	360	427	383	412	357
33 Unknown.....	664	22	31	35	21	42	30	38	27	31	36
34 2. Diseases of the nervous system.....	55,016	2,643	2,052	2,739	2,124	3,110	2,444	2,981	2,488	3,022	2,701
35 Under 5.....	17,711	805	590	804	619	912	701	839	663	930	790
36 5 to 59.....	18,733	880	753	863	753	1,090	847	1,015	904	992	855
37 60 and over.....	18,074	929	699	1,032	741	1,039	880	1,107	893	1,070	936
38 Unknown.....	498	34	10	35	11	19	16	20	23	30	20
39 3. Diseases of the circulatory system.....	32,558	1,679	1,371	1,690	1,399	1,918	1,595	1,900	1,639	2,007	1,676
40 Under 5.....	2,400	135	113	129	104	168	106	115	118	157	96
41 5 to 59.....	13,328	595	614	571	624	660	713	666	713	749	783
42 60 and over.....	16,477	932	636	977	664	1,075	760	1,101	797	1,078	783
43 Unknown.....	353	17	8	13	7	15	11	13	11	23	9
44 4. Diseases of the respiratory system.....	73,531	5,081	3,970	5,533	4,414	6,806	5,300	6,024	4,947	3,860	3,149
45 Under 5.....	29,600	1,862	1,552	2,278	1,863	2,572	2,026	2,051	1,659	1,530	1,240
46 5 to 59.....	27,357	2,118	1,488	2,236	1,648	2,732	2,012	2,498	1,971	1,474	1,193
47 60 and over.....	15,493	1,062	906	1,026	982	1,459	1,234	1,419	1,233	876	702
48 Unknown.....	581	39	24	43	21	43	28	56	34	30	14
49 5. Diseases of the digestive system.....	31,850	1,304	1,143	1,320	1,073	1,472	1,271	1,476	1,263	1,711	1,626
50 Under 5.....	10,990	402	323	415	330	431	335	411	313	553	514
51 5 to 59.....	13,649	573	557	565	490	630	607	694	639	696	757
52 60 and over.....	7,017	309	262	328	247	404	321	362	306	453	350
53 Unknown.....	194	15	1	12	6	7	8	9	5	9	5
54 6. Diseases of the urinary system.....	15,494	954	412	935	426	1,048	519	1,119	468	1,124	535
55 Under 5.....	735	33	23	46	26	46	36	40	32	40	24
56 5 to 59.....	6,566	361	240	323	263	350	321	363	248	401	319
57 60 and over.....	8,033	554	143	552	133	642	159	702	182	674	190
58 Unknown.....	160	6	6	9	4	10	3	14	6	9	2
59 7. Affections connected with pregnancy.....	5,927		564		583		691		612		661

# CAUSE, AGE, AND MONTH.

927

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
273	167	324	209	347	254	320	217	312	196	297	207	308	192	16	9
172	120	189	165	219	189	203	161	188	156	174	144	166	138	3	3
71	37	104	33	97	53	93	46	93	30	86	47	112	36	7	5
25	9	26	10	24	8	20	9	24	8	34	11	27	16	1	4
5	1	5	5	7	4	4	1	7	2	3	5	3	2	5	5
130	103	145	137	169	155	163	129	164	125	152	126	154	126	5	4
124	93	188	130	159	141	152	118	152	117	139	112	143	113	3	3
1	6	3	2	2	8	7	7	2	2	4	5	4	2	-----	-----
4	3	4	5	5	4	4	3	5	5	8	7	5	9	-----	-----
1	1	-----	-----	3	2	-----	1	5	2	1	-2	2	2	2	1
741	707	864	777	915	889	866	883	1,010	910	897	834	1,041	882	46	35
286	268	343	270	391	344	336	316	405	305	343	271	393	267	1	5
27	24	35	33	27	20	19	25	29	26	23	33	32	29	2	1
418	405	472	467	490	512	495	582	567	568	521	519	605	571	29	21
10	10	14	7	7	13	16	10	9	11	10	11	11	15	14	8
141	129	197	143	193	178	189	191	205	175	160	150	163	136	8	3
62	63	102	72	113	109	105	116	111	85	81	70	69	53	-----	1
26	21	35	32	25	20	19	25	29	26	22	33	30	27	2	1
47	44	53	38	54	43	53	45	61	58	54	46	63	52	1	1
6	1	7	1	1	6	12	5	4	6	3	1	1	4	5	-----
375	370	426	435	442	476	445	492	511	515	474	483	551	530	37	28
371	361	419	429	436	469	441	487	506	510	467	473	542	519	28	20
4	9	7	6	6	7	4	5	5	5	7	10	9	11	9	8
2,622	3,106	2,850	3,563	2,764	3,664	2,711	3,379	2,789	3,660	2,840	3,334	3,204	3,667	106	162
169	177	263	188	230	283	261	234	246	223	222	197	205	185	2	7
1,741	2,356	1,774	2,682	1,732	2,682	1,723	2,451	1,726	2,632	1,790	2,446	2,111	2,706	55	38
687	540	777	666	762	660	702	654	773	763	797	659	342	741	23	26
45	33	36	27	40	39	25	40	44	42	31	32	46	35	26	42
1,618	1,985	1,654	2,258	1,549	2,284	1,598	2,121	1,585	2,211	1,648	2,097	1,970	2,305	63	99
87	81	115	88	88	126	113	106	90	94	87	86	83	73	1	3
1,312	1,742	1,288	1,975	1,207	1,975	1,237	1,795	1,216	1,882	1,304	1,762	1,558	1,964	44	67
212	139	226	134	231	187	231	195	250	215	239	231	297	244	3	7
27	23	25	11	23	24	17	25	27	20	18	16	32	24	15	22
2,078	1,728	2,291	1,858	2,531	2,104	2,254	1,923	2,237	1,732	2,142	1,565	2,402	1,735	74	53
737	617	861	760	1,052	848	850	780	705	569	630	471	662	483	13	15
708	622	772	628	772	808	753	616	757	539	717	554	831	613	15	20
606	470	633	494	654	571	630	516	754	559	773	523	887	624	26	13
27	19	25	16	17	12	21	11	21	15	22	12	22	15	20	5
1,109	910	1,139	897	1,152	984	1,156	905	1,299	1,087	1,268	999	1,540	1,132	63	44
89	61	83	51	109	69	90	63	110	76	87	75	107	89	-----	-----
415	461	396	461	447	497	424	449	500	519	445	478	578	524	23	13
588	376	644	377	576	408	625	386	675	479	725	436	836	503	25	15
17	12	16	8	20	10	17	7	14	13	11	10	19	16	15	16
1,224	944	1,076	911	1,205	1,068	1,510	1,232	2,246	1,820	2,505	2,026	3,572	2,876	108	74
546	459	506	472	558	549	765	653	1,006	855	1,081	899	1,414	1,166	21	17
426	341	346	279	395	360	441	379	785	606	923	724	1,449	1,074	38	21
248	140	211	152	241	155	293	193	430	346	477	390	671	620	14	13
4	4	13	8	11	4	11	7	25	13	24	13	38	16	35	23
1,088	1,012	1,420	1,233	1,608	1,390	1,584	1,397	1,539	1,252	1,211	1,115	1,219	1,045	46	32
413	358	594	508	657	609	688	594	553	460	408	402	372	324	14	9
449	433	525	504	636	520	603	570	620	544	516	482	519	439	11	10
223	203	292	211	306	256	290	224	353	241	274	226	321	225	12	8
3	3	9	10	9	5	3	9	8	7	13	5	7	7	9	5
680	336	769	339	753	324	767	345	843	352	798	334	891	331	24	13
19	20	29	22	31	27	29	28	43	22	43	20	30	25	-----	1
247	201	274	199	264	190	263	198	305	211	230	200	318	208	10	4
407	113	455	115	455	103	469	115	488	115	465	110	540	142	6	4
7	2	11	3	8	4	6	4	7	4	10	4	3	6	8	5
-----	385	-----	373	-----	395	-----	433	-----	425	-----	370	-----	409	-----	16





CAUSE, AGE, AND MONTH.

929

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,544	465	1,817	454	1,848	542	1,612	510	1,772	523	1,748	536	1,988	724	188	22	1
162	124	174	114	180	146	214	159	232	181	241	179	288	279	9	5	2
1,177	272	1,418	268	1,488	310	1,207	267	1,301	250	1,291	281	1,441	310	76	12	3
171	64	182	62	196	79	161	80	202	85	182	74	184	124	5	5	4
84	5	48	10	34	7	30	4	37	7	34	2	30	11	48	5	5
62	73	66	104	68	97	92	139	136	146	165	192	198	329	13	7	6
35	29	89	37	89	38	58	64	96	77	117	83	152	169	4	3	7
25	41	24	61	26	53	31	59	32	58	35	92	36	122	4	3	8
1	3	8	5	3	6	2	13	7	10	11	16	8	86	5	8	9
1		1				1	3	1	1	2	1	2	2	5	1	10
290	55	307	46	228	47	88	24	67	14	90	13	87	14	14	2	11
84	15	20	11	33	10	16	8	13	3	13	7	4	3	1		12
235	39	269	29	185	33	68	16	48	7	66	5	70	8	7	1	13
12	1	9	5	4	3	4		5	4	8	1	11	3			14
9		9	1	6	1			1		3		2		6	1	15
7	14	8	13	24	20	24	10	13	17	28	11	35	38		2	16
6	11	5	9	15	13	16	9	7	13	16	10	17	28		1	17
	2	1	4	4	6	6	2	3	2	8	1	9	4		1	18
1	1	2		5		2	1	3	2	4		6	5		1	19
					1							3	1			20
142	18	182	24	179	31	178	33	233	26	245	33	309	41	20	1	21
3	1	5	3	5	5	6	5	5	3	5	2	5	2	1		22
135	16	168	21	163	26	159	23	217	23	227	30	292	36	11	1	23
3	1	6		5		7		7		8		7	1			24
1		3		6		4		4		5	1	5	2	8		25
64	8	79	11	91	13	73	10	91	18	84	14	98	10	11	2	26
10	3	11	1	12	1	12	2	9	3	11	5	12	3			27
47	4	63	9	64	10	54	5	75	14	68	9	84	6	6	2	28
6		4	1	11	1	5	2	2	1	3		2				29
1	1	1		4	1	2	1	5		2			1	5		30
4	1	11	3	16		30	3	24	1	34		18		1		31
		2	3	3		11	2	6	1	10		5		1		32
4	1	8		12		18	1	16		22		13				33
		1		1		1		2		2						34
																35
161	12	244	16	231	13	237	24	265	15	240	20	278	35	18	1	36
2	1	5	1	1	1	3	1	4	1		1		1			37
181	10	202	11	209	9	214	13	221	9	221	16	238	27	13		38
22	1	24	4	16	3	15	5	32	3	13	3	38	5			39
6		18		5		5		8		6		7	2	5	1	40
29	3	32	2	35	4	22	3	29	8	29	3	27	4	3		41
4	1	1		1	2	2		1	3	2		1				42
21	2	22	2	29	2	17	3	27	4	23	3	24	4	1		43
4		8		4		3		1	1	4		2				44
		1		1								2		2		45
2	1	6	3	4	2	1	2	5	1	4		2				46
				1		1										47
		3	3	1		1	1	5	1	2		1				48
2	1	3		2	2		1			2		2				49
												1				50
17	10	14	4	17	7	16	9	12	7	15	10	14	12	2	1	51
																52
13	4	1	3	1	2	1	2	1	3	1	4	1	3			53
4	1	2	1	3	5	11	7	8	2	13	5	9	8	2		54
						3		3		1		4	1			55
						1		1							1	56
85	24	85	19	83	21	75	20	75	19	79	18	68	11	8	1	57
7	2	4	5	2	3	4	1	6	1	4	2	6	2		1	58
58	18	59	11	60	13	53	17	52	13	52	14	46	8	4		59
19	3	18	3	20	4	17	2	17	4	18	2	14	1	1		60
1	1	4		1	1	1		1		5		2		3		61
31	6	50	6	67	18	28	8	10	4	6		5	1			62
2	1	5	2	3	5	3	1						1			63
21	5	28	3	47	8	17	6	2	2	5		2				64
7		16		16	4	8	1	7	2	1		3				65
1		1		1	1	1		1								



CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 1.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
2,462	2,256	3,088	2,895	3,258	2,965	2,713	2,631	2,440	2,429	2,409	2,282	2,907	2,637	6	6
782	628	1,440	1,210	1,480	1,209	1,027	887	702	621	645	516	794	653		
1,012	909	957	970	1,036	921	955	942	936	1,012	1,020	961	1,257	1,080		
708	717	678	701	734	822	725	795	740	779	734	792	845	897		
10	2	13	14	8	13	6	7	12	17	10	13	11	7		
23	18	20	13	20	23	15	22	25	22	33	14	26	28		
11	13	8	4	10	3	8	7	11	6	14	9	9	14		
8	2	9	5	6	12	4	6	10	10	11	3	10	8		
4	3	2	4	4	4	2	7	4	5	7	1	7	5		
		1			4	1	2		1	1	1		1		
341	309	1,013	951	1,086	991	633	624	346	349	254	253	292	313		
227	198	865	770	871	731	442	417	191	186	122	126	132	153		
72	75	90	107	128	116	134	129	118	112	113	90	117	113		
41	36	54	73	85	142	57	78	37	51	18	36	41	42		
1		4	1	2	2					1	1	2			
27	19	16	20	11	7	4	5	5	4	6	8	13	17		
21	15	15	19	10	6	3	4	4	3	6	7	15	14		
6	4	1	1	1	1	1	1	1	1		1	3	3		
12	16	8	7	4	10	3	8	12	7	9	10	21	24		
8	7	4	2	3	7	6	4	8	4	7	6	11	16		
4	9	4	5	1	2	2	4	4	3	2	4	10	8		
					1										
23	28	30	33	27	29	32	48	54	52	50	60	69	78		
14	21	20	25	22	14	21	26	35	36	34	31	46	50		
9	7	10	13	5	15	11	22	19	16	16	27	23	28		
											2				
23	24	31	41	27	53	17	32	11	23	11	22	21	26		
22	22	28	33	26	51	17	32	11	22	11	21	18	24		
1	2	2	3	1	1				1		1	2	1		
		1		1	1							1	1		
6	6	6	13	10	14	10	18	6	12	8	3	4	2		
3	3	2	2	2	2	4	7	2	1	2					
3	3	1	9	7	5	3	8	2	4	3	2	1	2		
		3	7	1	7	3	3	2	7	3	1	3			
14	8	3	2	5	4	3	6	7	7	4	17	24	22		
1															
4	1	2	1	2	1	1	2	3	3	3	2	8	4		
9	7	1	1	3	3	1	4	1	3	1	3	4	5		
												12	13		
17	16	33	17	46	34	94	47	72	51	66	30	50	39		
2	2	1			1	4	3	3							
14	13	28	16	45	29	86	41	64	48	65	25	46	33		
1	1	3	1	1	4	4	3	5	3	1	2	2	3		
		1									1		3		
173	139	841	767	905	801	439	415	136	159	51	70	41	53		
147	113	774	668	791	639	377	324	113	108	43	45	24	29		
14	13	27	43	49	50	21	34	10	20	4	13	7	9		
11	13	38	56	63	111	41	57	13	31	4	12	9	15		
1		2		2	1							1			
17	17	18	14	16	8	7	9	11	10	13	9	7	12		
8	11	13	9	9	7	3	7	6	6	8	6	4	5		
9	6	5	5	6	1	4	2	4	4	5	3	3	7		
				1				1	4						

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 1—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B	1,305	58	37	54	36	64	40	65	38	55	42
Under 5	845	30	21	31	27	41	27	36	24	34	25
5 to 59	360	22	13	21	8	16	8	26	7	15	11
60 and over	86	6	2	2	2	7	5	3	2	3	6
Unknown	14		1		1					3	
Inanition	857	29	22	30	26	41	29	36	25	34	28
Under 5	807	29	20	29	26	40	24	33	23	33	23
5 to 59	18			1			1	2	1	1	1
60 and over	23		1			1	4	1	1		4
Unknown	9		1								
General diseases—C	6,121	253	275	212	220	298	302	255	264	269	242
Under 5	3,468	144	106	126	103	166	130	150	104	168	107
5 to 59	89	3	10	3	4	5	2	3	8	2	3
60 and over	2,547	105	159	82	112	127	168	102	152	99	132
Unknown	17	1		1	1		2				
Debility and atrophy	1,940	69	55	57	48	73	59	66	61	86	51
Under 5	1,591	49	34	47	33	56	47	54	38	73	35
5 to 59	89	3	10	3	4	5	2	3	8	2	3
60 and over	252	16	11	7	10	12	10	9	15	11	13
Unknown	8	1			1						
Old age—all ages	2,301	89	148	75	102	115	160	93	137	88	119
60 and over	2,295	89	148	75	102	115	158	93	137	88	119
Unknown	6						2				
General diseases—D	12,169	520	536	428	513	597	668	587	535	482	574
Under 5	987	33	34	40	37	55	43	58	34	36	55
5 to 59	8,504	335	392	303	362	415	442	388	416	399	395
60 and over	2,647	100	109	84	114	124	172	140	134	107	122
Unknown	81	2	1	1		3	1	1	1		2
Consumption	7,208	360	292	277	282	427	352	384	331	312	337
Under 5	306	13	8	9	9	20	12	20	13	12	24
5 to 59	6,178	314	262	241	245	341	303	312	280	265	281
60 and over	709	32	22	27	28	63	36	51	38	35	31
Unknown	15	1				3	1	1			1
2. Diseases of the nervous system	8,728	386	385	361	325	438	452	445	380	352	365
Under 5	2,211	101	91	106	57	115	93	122	79	105	68
5 to 59	2,544	99	102	101	100	120	129	130	94	107	115
60 and over	3,944	185	191	154	166	201	230	191	207	139	181
Unknown	29	1	1		2	2		2		1	1
3. Diseases of the circulatory system	6,645	295	319	316	295	389	388	318	302	268	302
Under 5	323	15	17	17	10	23	14	18	10	16	18
5 to 59	2,574	103	150	110	123	153	150	95	117	101	128
60 and over	3,728	177	152	187	162	212	224	204	175	149	155
Unknown	20			2		1		1		2	1
4. Diseases of the respiratory system	10,696	656	571	586	609	960	1,025	844	808	500	447
Under 5	4,046	306	214	271	239	332	277	276	199	199	173
5 to 59	3,369	197	150	189	162	336	293	306	271	182	134
60 and over	3,249	151	205	123	206	290	455	259	328	118	140
Unknown	32	2	2	3	2	2		3	5	1	
5. Diseases of the digestive system	3,280	121	163	105	124	155	144	139	150	164	142
Under 5	662	32	20	26	18	43	28	32	31	43	24
5 to 59	1,649	55	82	46	72	77	73	72	88	77	76
60 and over	960	34	59	32	38	35	42	35	31	39	41
Unknown	9		2	1	1		1				1
6. Diseases of the urinary system	3,681	197	121	172	125	212	164	207	130	202	125
Under 5	113	11	2	6	2	6	4	5	7	4	4
5 to 59	1,700	69	63	87	75	87	82	89	66	81	69
60 and over	1,854	115	51	79	47	118	78	112	57	117	51
Unknown	14	2			1	1		1			1
7. Affections connected with pregnancy	397		34		30		35		54		53

CAUSE, AGE, AND MONTH.

933

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 1—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
51	37	83	50	84	57	78	55	59	33	69	32	88	45		1
29	27	64	39	63	47	51	45	34	19	39	15	47	30		2
14	10	15	10	17	8	23	7	20	10	26	9	32	12		3
6		4	1	4	2	3	3	4	3	4	6	8	2		4
2						1		1	1		2	1	1		5
31	25	61	39	58	48	58	47	34	21	38	21	50	31		6
28	25	61	37	58	46	50	44	32	18	38	15	47	28		7
1			2		1	2	2				1	1	2		8
2					1	1	1	1	2		3	1	1		9
									1		2	1			10
235	212	261	236	297	297	305	280	233	261	205	225	256	228		11
157	99	187	189	211	173	226	169	151	140	134	108	163	107		12
2	4	4	2	4	2	4	2	5	4	4	4	6	3		13
74	109	68	94	82	121	75	108	82	113	67	112	87	117		14
2		2	1		1		1		3		1		1		15
79	60	97	96	154	126	157	132	77	86	59	74	67	51		16
65	41	91	72	145	108	142	117	70	73	51	53	57	40		17
2	4	4	2	4	2	4	2	5	4	4	4	6	3		18
11	15	1	22	5	15	11	12	7	6	4	17	4	8		19
1		1			1		1		2						20
63	94	67	73	77	106	64	96	75	108	63	96	88	110		21
63	94	67	72	77	106	64	96	75	107	63	95	83	109		22
			1						1		1		1		23
413	510	432	534	465	459	420	515	460	532	431	523	485	508		24
38	36	45	43	53	31	44	37	52	34	29	34	42	44		25
288	356	298	379	334	313	232	357	298	374	311	359	363	353		26
87	117	88	110	78	114	93	121	107	120	90	123	79	109		27
	1	1	2		1	1		3	4	1	2	1	2		28
255	252	285	286	300	227	263	270	300	269	277	261	327	281		29
9	12	15	12	15	9	9	14	24	10	4	9	12	12		30
221	224	241	248	267	199	225	235	242	235	250	226	284	236		31
25	15	29	26	18	18	29	21	32	23	22	25	31	32		32
	1				1			2	1	1	1		1		33
343	323	353	352	393	372	350	301	343	347	318	282	395	366		34
89	87	127	90	135	110	108	69	92	78	83	49	93	64		35
118	90	103	99	117	101	107	93	101	96	101	92	120	106		36
135	145	113	160	140	160	133	138	149	170	132	141	182	195		37
1	1	2	3	1	1	2	1	1	3	2			1		38
234	230	244	212	237	211	227	264	242	224	280	255	314	279		39
7	16	14	13	13	11	12	14	12	11	15	5	13	9		40
94	85	96	74	75	89	75	91	94	108	98	115	127	123		41
132	129	132	124	149	110	139	159	136	105	167	133	170	146		42
1		2	1		1	1					2	4	1		43
261	226	155	152	150	132	174	191	248	269	349	345	556	487		44
108	92	65	63	65	55	74	85	110	98	162	132	248	198		45
95	72	48	49	56	43	57	47	83	81	100	101	174	143		46
58	62	42	31	29	33	43	58	54	87	87	111	133	146		47
			4		1		1	1	3		1	1			48
145	128	140	154	139	167	124	131	127	124	120	122	124	127		49
23	27	36	29	34	33	30	22	23	23	26	20	24	15		50
78	55	66	81	80	83	58	60	59	59	55	62	68	67		51
44	46	33	43	25	50	36	49	45	41	39	40	32	45		52
			1		1				1						53
177	121	159	117	159	126	135	124	167	125	150	123	164	129		54
4	6	5	3	5	2	9	3	5	4	5	5	3	3		55
77	69	48	69	48	67	68	73	68	63	61	63	85	68		56
96	46	106	44	105	56	113	43	93	52	82	55	75	58		57
			1		1			1	1	2		1			58
	27		39		26		20		35		21		23		59









CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 2.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.*	Female.
5,411	4,734	6,969	6,128	5,801	5,092	5,268	4,545	5,244	4,540	4,939	4,335	5,478	4,843	45	33
2,187	1,838	3,479	3,083	2,418	2,141	2,106	1,742	1,732	1,361	1,463	1,264	1,668	1,359	3	4
2,243	1,945	2,442	1,998	2,375	1,977	2,181	1,908	2,445	2,112	2,414	1,999	2,632	2,187	11	7
959	936	1,022	1,083	992	953	959	884	1,042	1,059	1,042	1,055	1,157	1,281	16	9
22	15	26	14	16	21	22	11	25	8	20	17	21	16	15	13
58	60	76	60	60	67	69	65	61	59	52	58	67	57	6	3
31	24	38	30	33	27	42	29	28	30	24	20	33	18		
13	17	17	17	15	22	13	21	20	14	12	14	19	19	2	
13	15	14	12	11	16	12	12	12	13	14	18	13	17	1	1
1	4	7	1	1	2	2	3	1	2	2	6	2	3	3	2
1,166	1,062	2,510	2,250	1,619	1,533	1,183	1,081	836	688	618	601	659	612	5	4
895	792	2,097	1,805	1,133	1,081	826	724	454	365	307	311	347	344	1	2
219	200	280	272	316	305	274	289	308	261	263	240	255	212	3	1
50	70	122	172	119	143	77	87	71	60	46	48	51	55		
2		1	1	1	4	6	1	3	2	3	2	6	1	1	1
47	43	26	37	11	10	15	23	14	10	23	22	37	41		
44	36	25	34	11	7	15	21	13	9	22	22	35	36		
3	7	1	3		3		2	1	1	1		2	5		
45	34	23	30	8	18	12	19	26	23	27	25	33	37		
33	20	14	22	4	16	7	13	13	19	20	18	23	24		
12	14	9	8	4	2	5	6	13	4	7	7	10	13		
109	108	125	113	104	90	113	122	139	114	153	183	188	178		1
61	75	86	76	69	59	73	73	82	66	87	109	123	112		1
48	33	39	37	35	31	39	49	55	48	66	74	60	65		27
						1		2					1		28
36	47	61	62	70	64	43	49	29	28	24	31	25	44		
33	45	61	60	69	62	43	46	27	26	23	27	25	42		
3	2		2	1	2		3	2	2	1	4		2		
33	20	27	41	49	44	51	49	34	48	30	21	22	25		
14	6	12	11	15	17	19	14	12	14	11	1	6	8		
15	11	11	24	22	24	20	28	18	25	15	19	12	12		
4	3	4	6	11	3	12	7	4	9	4	1	4	5		
5	3	4	6	4	3	7	5	11	7	15	9	21	22		
1		1	2	1	1			5		6	1	4	4		
4	3	3	3	3	1	3	2	3	4	2	4	7	9		
						4	3	3	3	7	4	10	9		
46	45	91	58	123	123	140	121	153	123	126	86	106	64	2	2
4	2	8		5	6	4	5	4	5	8	4	5	2		1
41	39	79	51	110	110	129	108	139	111	114	80	97	56	2	1
1	4	4	1	8	5	4	8	9	7	4	2	3	6		48
		1	2		2	3		1			1	1			49
750	665	2,085	1,826	1,162	1,108	736	633	338	280	146	165	118	126	2	
668	568	1,836	1,560	975	879	636	525	261	206	104	105	85	83		
50	55	108	111	104	107	51	46	39	41	26	29	16	17	1	
31	47	90	155	88	120	47	61	37	33	15	31	16	26		
1		1			2	2	1	1		1		1			
42	29	43	29	26	20	22	17	24	14	17	12	13	9		
23	19	31	19	16	13	14	11	15	9	13	9	8	6		
18	9	11	10	10	7	8	4	9	5	4	3	4	3		
1	1	1					2					1			

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN  
GRAND GROUP 2—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B .....	2,295	134	51	89	61	138	81	97	63	122	62
Under 5 .....	1,136	55	31	39	30	56	51	47	41	55	35
5 to 59 .....	1,002	69	18	46	28	68	24	45	21	58	23
60 and over .....	151	10	2	4	3	13	5	5	1	13	4
Unknown .....	6					1	1			1	
Inanition .....	1,098	57	32	38	29	50	52	45	39	54	37
Under 5 .....	1,059	54	30	37	27	48	48	45	38	51	35
5 to 59 .....	18	2	1	1			3		1		1
60 and over .....	18	1	1		2	1	1			2	1
Unknown .....	3					1	1			1	
General diseases—C .....	9,722	361	345	359	378	449	441	418	357	421	411
Under 5 .....	6,726	239	173	243	191	318	223	285	186	303	239
5 to 59 .....	152	8	9	6	6	8	9	9	7	8	7
60 and over .....	2,825	114	163	104	181	121	208	119	162	109	164
Unknown .....	19			1		2			2	1	
Debility and atrophy .....	4,059	111	97	112	94	157	129	154	99	153	133
Under 5 .....	3,608	93	78	94	76	132	103	130	80	138	105
5 to 59 .....	148	7	8	6	6	7	9	9	7	8	7
60 and over .....	294	11	11	12	12	16	17	15	12	7	20
Unknown .....	9					2					1
Old age—all ages .....	2,541	103	152	93	169	105	192	104	152	103	144
60 and over .....	2,531	103	152	92	169	105	191	104	150	102	144
Unknown .....	10			1			1		2	1	
General diseases—D .....	23,346	1,065	870	1,043	924	1,275	1,101	1,185	1,029	1,118	1,001
Under 5 .....	1,917	79	60	89	68	97	105	105	93	104	61
5 to 59 .....	17,557	813	661	792	694	980	801	904	743	824	764
60 and over .....	3,809	169	147	160	160	198	193	174	187	177	175
Unknown .....	63	4	2	2	2		2	2	1	3	1
Consumption .....	15,759	769	528	763	581	971	674	832	626	830	637
Under 5 .....	651	21	16	33	27	35	30	31	31	38	23
5 to 59 .....	13,689	671	464	661	507	845	579	764	536	713	557
60 and over .....	1,373	75	48	67	45	91	65	85	59	77	56
Unknown .....	41	2		2	2			2		2	1
2. Diseases of the nervous system .....	14,484	685	564	651	549	763	664	738	629	704	622
Under 5 .....	4,642	227	159	216	158	232	204	228	192	228	181
5 to 59 .....	4,827	213	189	211	178	264	175	244	205	245	232
60 and over .....	4,975	244	214	223	212	264	285	264	230	229	207
Unknown .....	40	1	2	1	1	3		2	2	2	2
3. Diseases of the circulatory system .....	10,124	499	475	429	476	535	523	507	493	499	476
Under 5 .....	719	45	24	34	36	40	31	37	41	35	30
5 to 59 .....	5,130	255	236	213	248	234	251	250	246	263	250
60 and over .....	4,239	196	214	176	191	261	244	219	211	199	194
Unknown .....	36	3	1	1	1		2	1		2	2
4. Diseases of the respiratory system .....	25,192	1,500	1,313	1,694	1,483	2,160	1,854	1,853	1,623	1,132	1,111
Under 5 .....	12,286	717	622	825	689	1,005	775	824	711	558	525
5 to 59 .....	3,045	515	395	531	445	755	567	713	502	406	361
60 and over .....	4,819	266	295	285	346	398	511	317	407	167	224
Unknown .....	42	2	1	3	3	2	1	4	3	1	1
5. Diseases of the digestive system .....	6,682	257	291	242	263	307	280	281	303	310	331
Under 5 .....	1,564	57	55	64	54	71	50	75	64	75	70
5 to 59 .....	3,653	144	160	123	144	163	167	161	161	167	190
60 and over .....	1,449	55	76	53	65	73	63	44	73	68	70
Unknown .....	16	1									1
6. Diseases of the urinary system .....	9,123	463	359	426	334	535	406	459	358	418	359
Under 5 .....	338	20	11	21	7	20	15	13	6	17	10
5 to 59 .....	5,347	273	215	239	214	285	254	271	229	226	234
60 and over .....	3,429	170	133	166	113	230	137	174	123	175	115
Unknown .....	9							1			
7. Affections connected with pregnancy .....	1,127		120		115		158		107		103

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 2—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
104	69	135	91	132	80	126	74	154	86	96	58	126	65	1	1
50	34	67	68	59	56	65	44	63	51	28	34	41	36		2
45	31	65	18	65	20	54	28	79	30	56	20	71	24	1	3
9	4	3	5	7	3	7	2	12	5	11	4	14	5		4
				1	1					1					5
43	34	66	66	55	55	61	44	62	48	26	34	37	34		6
41	31	64	64	53	54	60	42	61	47	26	33	36	34		7
	3	1	1	1	1	1	2								8
2		1	1		1			1	1		1	1			9
				1								1			10
354	355	534	500	491	465	484	463	459	368	325	341	317	324	4	3
282	248	454	386	413	335	410	348	350	289	247	211	235	163		12
3	8	1	2	5	12	6	3	5	6	4	3	6	11		13
68	99	77	112	73	116	68	112	103	123	74	126	76	148	3	2
1		2		2	2			1			1	2	2	1	14
164	157	304	280	291	250	291	252	206	166	136	123	96	103	1	16
154	139	288	267	277	218	275	236	191	147	123	107	85	72		17
3	8	1	2	5	12	6	3	5	6	4	3	5	11		18
6	10	13	11	9	18	10	13	10	13	9	13	6	20		19
1		2		2	2									1	20
62	89	64	101	64	98	58	99	94	110	65	114	70	130	3	3
62	89	64	101	64	98	58	99	93	110	65	113	70	123	3	2
								1			1	2	2	1	22
925	866	992	917	953	883	845	812	939	942	922	855	1,002	867	7	8
91	75	98	85	94	81	79	75	71	65	63	52	72	54	1	25
691	639	741	657	708	656	637	614	722	691	727	640	781	658	1	3
138	148	152	174	147	142	123	122	142	184	132	162	147	153	2	27
5	4	1	1	4	4	6	1	4	2		1	2	2	3	4
633	497	707	544	695	529	612	522	683	571	681	531	738	545	3	7
26	21	35	28	35	28	29	31	24	29	26	21	21	12		30
552	430	610	466	593	459	522	455	599	490	601	474	654	433	1	31
52	43	61	49	64	40	57	35	57	52	54	35	62	48		32
3	3	1	1	3	2	4	1	3			1	1	2	2	33
631	597	643	578	613	519	589	480	602	515	559	428	630	520	6	34
267	210	256	239	221	183	195	160	195	142	170	99	165	114	1	35
175	185	224	165	213	168	210	157	224	171	201	157	240	179	2	36
186	199	167	172	178	163	182	162	180	201	186	172	223	224	3	37
3	3	1	2	1		2	1	3	1	2		2	3		38
373	345	351	355	344	322	377	324	388	349	445	360	421	440	3	5
28	24	31	23	26	23	35	17	31	25	25	16	29	28		40
199	178	167	184	172	186	180	130	210	189	236	183	203	211		41
146	140	150	142	146	108	159	127	145	135	183	160	188	200	3	42
	3	3	1	5	5	3		2		1	1	1	1		43
607	516	505	477	456	407	569	437	796	680	884	835	1,186	1,101	4	4
360	280	275	264	240	227	316	238	434	336	494	437	633	500		45
178	141	161	131	157	116	167	117	243	211	249	225	383	325	1	46
68	95	68	73	59	63	85	81	119	133	139	169	169	275		47
1		1	4	1	1	1				2	4	1	1	3	48
294	272	310	321	298	266	294	254	254	267	244	236	241	261	2	3
92	83	84	80	77	81	83	59	61	45	47	36	46	54		50
139	142	161	175	154	129	146	143	141	156	151	144	143	148		51
65	47	63	64	66	56	65	50	52	65	46	55	51	58	2	52
		2	2	1		2	2		1		1	1	1		53
395	278	423	304	356	307	336	311	383	352	409	340	460	348	3	1
17	8	22	10	19	10	15	13	10	18	12	14	17	13		55
212	184	229	180	191	185	179	203	211	219	226	211	263	212	1	1
164	86	170	114	146	111	142	94	162	115	170	115	179	123	2	57
2		2		1		1		1		1		1			58
	104		72		74		67		60		56		86		59



CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 2—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
483	150	460	148	456	126	375	130	350	130	368	118	343	107	4	1
66	54	48	36	46	29	37	30	31	36	42	30	43	25		2
358	69	374	79	364	75	300	75	268	76	277	65	255	65		3
52	27	32	32	39	21	36	24	40	18	41	22	40	15		4
7		6	1	7	1	2	1	11		8	1	5	2	4	5
23	24	18	32	20	25	21	36	20	43	36	39	28	43		6
11	11	9	10	13	8	13	14	13	17	20	15	20	14		7
9	12	9	20	7	15	7	18	7	23	11	21	7	25		8
1	1		2		2	1	4		3	4	3	1	4		9
										1					10
104	9	125	11	117	11	76	8	63	6	37	3	25	1	2	11
2	1	3	3	5	3	4	1		2			1			12
92	7	115	7	105	7	70	5	54	4	31	3	22	1		13
7	1	4	1	6	1	2	1	6		5		2			14
3		3		1		1		1		1				2	15
1				3		4	1		1	4		7	2		16
1				1		3	1			3		3			17
				1		1			1	1		3	1		18
				1		1						1	1		19
															20
15	3	25	9	21		18	5	16	3	24	1	18	3		21
															22
14	2	25	1	17		17	1	12	3	19	1	17	3		23
	1			2		1		3		2					24
1				2				1		3		1			25
8	2	4	1	8	4	5	2	11	2	12	7	14	3		26
															27
1	1	1	1	2	2	2				2	2	1	1		28
7	1	3		5	2	3	2	10	2	7	5	12	2		29
				1						3		1			30
								1							31
	1	1								2		1			32
															33
	1	1								2		1			34
															35
44	4	45	10	55	8	38	4	38	7	43	4	42	7		36
2	2	1	2	2	1	1		3	3			1	1		37
36	2	39	6	45	7	34	4	30	4	39	3	35	3		38
4		4	2	4		3		4		2	1	6	3		39
2		1		4				1		2			3		40
17		13		17		12	5	13		14	1	16			41
															42
14		12		1		1									43
3		1		16		9	4	12		13	1	13			44
						2	1	1		1		3			45
															46
2			3	1		4	1		2						47
															48
2															49
															50
12	5	16	5	12	11	17	12	12	13	8	4	12	4		51
															52
10	1	1			1		1	1	1		1				53
2	4	12	5	9	9	14	10	7	10	7	3	10	4		54
		3		3	1	3	1	4	2	1		2			55
															56
16	3	14	7	22	4	13	3	16	3	20	9	20	2		57
															58
12	3	10	6	19	4	1	2	1	1	2	1	13	2		59
4		3	1	3		2	1	11	2	15	6	6			60
								4		3	1	1			61
81	42	16	7	7	6	2							1		62
															63
26	19	2	4		1										64
47	14	11	1	7	3										65
8	9	3	2		2	2							1		66







VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 3—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
1 General diseases—B.....	198	14	12	9	7	7	7	8	6	20	8
2 Under 5.....	120	7	9	7	3	1	7	3	2	9	6
3 5 to 59.....	62	7	2	1	1	6	4	4	3	8	2
4 60 and over.....	14	1	1	1	2	1	1	1	1	3	1
5 Unknown.....	2										
6 Inanition.....	73	2	6	5	4		3		5	6	3
7 Under 5.....	60	1	4	5	3		3		2	6	3
8 5 to 59.....	8	1	1						2		
9 60 and over.....	4		1						1		
10 Unknown.....	1				1						
11 General diseases—C.....	322	31	32	24	30	31	41	31	35	48	48
12 Under 5.....	450	13	13	14	11	23	15	14	10	28	24
13 5 to 59.....	31	2	1	1	1	2	4	2	7	1	1
14 60 and over.....	337	16	18	9	18	8	22	15	17	19	24
15 Unknown.....	4								1		
16 Debility and atrophy.....	259	7	10	5	4	5	6	5	12	16	10
17 Under 5.....	201	4	7	4	3	5	1	3	5	13	8
18 5 to 59.....	31	2	1	1	1		4	2	7	1	1
19 60 and over.....	26	1	2				1			2	2
20 Unknown.....	1										
21 Old age—all ages.....	314	15	16	9	18	8	21	15	18	17	22
22 60 and over.....	311	15	16	9	18	8	21	15	17	17	22
23 Unknown.....	3								1		
24 General diseases—D.....	2,698	120	111	101	110	109	147	100	152	181	211
25 Under 5.....	191	4	5	8	6	5	5	9	10	13	15
26 5 to 59.....	2,005	38	84	69	85	84	119	68	108	87	164
27 60 and over.....	477	28	22	23	18	20	22	20	34	31	31
28 Unknown.....	20		1	1	1		1	3			1
29 Consumption.....	1,667	81	70	62	68	75	103	58	99	80	133
30 Under 5.....	75	1	3	4	4	3	1	3	5	5	6
31 5 to 59.....	1,422	73	58	46	57	66	88	45	84	64	115
32 60 and over.....	158	7	9	12	6	6	13	8	10	11	11
33 Unknown.....	12				1		1	2			1
34 2. Diseases of the nervous system.....	1,373	54	55	56	49	51	63	62	67	67	100
35 Under 5.....	491	23	17	18	14	15	13	21	19	32	31
36 5 to 59.....	329	18	19	22	20	16	30	22	24	22	37
37 60 and over.....	338	12	19	16	15	19	20	19	21	11	31
38 Unknown.....	15	1				1			3	2	1
39 3. Diseases of the circulatory system.....	863	42	41	42	47	41	42	33	50	50	47
40 Under 5.....	41	1	3	2		2	2	5	1	3	2
41 5 to 59.....	434	21	21	16	25	16	15	12	20	23	29
42 60 and over.....	379	20	16	24	22	22	24	16	29	23	15
43 Unknown.....	9		1			1				1	1
44 4. Diseases of the respiratory system.....	1,326	120	103	119	84	153	114	168	110	107	99
45 Under 5.....	662	43	36	37	36	53	41	54	40	36	38
46 5 to 59.....	358	51	44	66	34	73	57	32	52	53	43
47 60 and over.....	288	25	23	16	14	20	14	29	17	18	13
48 Unknown.....	18	1				2	2	3	1		
49 5. Diseases of the digestive system.....	931	32	33	28	24	32	28	35	25	64	62
50 Under 5.....	407	10	9	12	9	15	11	11	6	30	22
51 5 to 59.....	381	15	17	9	8	11	12	17	13	26	28
52 60 and over.....	135	5	7	6	7	6	5	7	6	6	12
53 Unknown.....	8	2		1						2	
54 6. Diseases of the urinary system.....	569	31	18	23	19	35	32	36	22	32	18
55 Under 5.....	37	2	2	2	2		3	3	1	1	
56 5 to 59.....	325	16	11	10	11	21	18	18	18	17	14
57 60 and over.....	203	13	5	11	6	13	11	15	3	13	4
58 Unknown.....	4					1				1	
59 7. Affections connected with pregnancy.....	270		25		15		25		29		40

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 3.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
5	5	6	3	11	5	10	14	8	3	10	6	8	6		1
3	3	3	3	6	4	5	11	5	3	7	6	3	4		2
1	1	3		2	1	5	3	2		3		4	2		3
1				3		2		1				1			4
1	2	2		3	3	2	6	4	1	6	3	3	3		5
1	2	1		2	3	2	5	3	1	6	3	2	2		6
		1		1		1	1	1				1	1		7
															8
															9
															10
30	49	31	43	27	43	27	26	31	41	25	29	35	33	1	11
20	31	20	31	14	25	17	21	22	17	19	14	18	16		12
9	16	11	12	1	18	10	5	2	3	6	13	2	3		13
1	1			12		7		7	21			16	14	1	14
18	23	13	21	8	16	12	13	9	14	9	9	10	8	1	15
11	21	11	20	6	14	11	13	7	7	8	5	9	5		16
2	1	2	1	1	2	1		2	3	1	2	1	3		17
				1				4		2				1	18
8	16	9	11	11	16	9	5	7	17	5	11	16	14		19
7	15	9	11	11	16	9	5	7	17	5	11	16	14		20
1	1														21
85	114	101	121	94	110	80	99	110	115	79	90	88	108	3	4
5	9	8	10	9	8	2	8	12	8	9	7	7	9		25
65	89	81	94	66	89	65	72	76	89	60	63	64	82	3	1
15	15	10	17	18	13	12	18	21	17	20	20	16	16		26
	1	2		1		1	1	1	1			1	1		27
54	82	60	71	55	59	58	54	66	67	47	51	46	64	1	3
2	3	3	7	2	4	1	4	2	3	5	1	1	2		28
48	74	53	59	47	52	52	44	58	58	35	41	43	60	1	1
4	5	3	5	5	3	4	6	5	5	7	9	2	2		30
		1		1		1		1	1						31
64	51	52	56	50	45	53	51	50	46	49	45	79	52	4	2
23	16	14	21	13	20	26	22	22	15	16	20	27	25	2	1
27	21	29	24	28	15	16	14	20	20	24	11	31	17	1	1
13	14	9	11	4	9	11	14	8	11	9	13	18	10	1	1
1					1		1				1	3			36
29	35	27	35	21	29	36	31	30	25	36	30	35	27	1	1
2	2		1	2		5	3	1	4						37
22	16	15	22	13	12	18	14	17	14	22	16	18	17		38
5	17	11	12	6	17	11	14	12	7	14	14	17	10	1	1
		1				2									39
47	27	36	35	35	27	33	26	45	42	67	36	119	71	2	1
19	9	19	14	13	9	11	11	18	20	25	16	35	28	1	1
21	14	10	17	17	11	17	13	17	14	37	16	67	22		40
7	4	6	4	5	6	5	2	9	8	5	4	15	18		41
		1			1			1	8			2	3	1	1
41	31	33	26	33	46	46	46	45	43	49	34	47	45	2	1
17	21	18	15	16	24	19	23	23	20	30	15	12	20	1	1
20	9	10	9	13	17	19	23	14	16	13	15	28	19		42
4	1	5	2	4	5	8	3	8	7	6	4	6	5		43
												1	1		44
26	8	34	5	32	15	31	20	22	21	28	16	22	22		45
															46
	2	2		2		2	3	3	1	2		2	2		47
17	5	13	4	17	13	17	11	9	11	12	10	11	16		48
9	1	13	1	13	2	12	6	10	9	14	6	9	4		49
		1													50
23		20		16		28		20		15		13			51









## VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 4—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B .....	593	26	24	23	19	26	14	22	18	49	29
Under 5 .....	424	18	17	16	16	20	10	10	11	33	20
5 to 59 .....	138	6	4	7	1	4	3	11	5	16	9
60 and over .....	29	2	3	2	2	2	1	1	1	1	1
Unknown .....	2								1		
6 Inanition .....	385	19	14	17	17	19	7	9	10	28	22
Under 5 .....	361	16	13	16	15	18	6	9	9	28	19
5 to 59 .....	14	1		1		1	1				8
60 and over .....	9	2	1		2				1		1
Unknown .....	1										
11 General diseases—C .....	1,543	63	81	65	63	53	64	59	65	78	74
Under 5 .....	613	10	21	24	20	22	16	33	22	47	29
5 to 59 .....	98	2	3	5	6	2	5	2	5	2	8
60 and over .....	818	41	56	35	36	28	41	24	38	28	37
Unknown .....	14	1		1		1	2			1	
16 Debility and atrophy .....	548	14	24	19	22	19	18	25	18	39	27
Under 5 .....	330	4	10	11	9	15	10	18	7	30	18
5 to 59 .....	98	2	3	5	6	2	5	2	5	2	8
60 and over .....	115	8	11	3	7	2	2	5	6	6	1
Unknown .....	5						1			1	
21 Old age—all ages .....	712	33	46	33	30	27	40	19	32	22	36
60 and over .....	703	33	45	32	29	26	39	19	32	22	36
Unknown .....	9	1		1	1	1	1				
24 General diseases—D .....	3,773	166	117	160	169	192	173	165	169	198	196
Under 5 .....	201	9	6	5	7	7	4	11	12	13	12
5 to 59 .....	3,016	129	92	124	136	157	139	127	134	152	157
60 and over .....	533	28	19	31	26	28	29	27	22	32	26
Unknown .....	23						1		1	1	1
29 Consumption .....	2,610	118	65	124	119	144	118	125	118	148	121
Under 5 .....	75	3	2	3	2	2	2	4	8	6	5
5 to 59 .....	2,321	103	58	107	106	133	109	111	99	127	108
60 and over .....	197	12	5	14	11	9	6	10	10	14	7
Unknown .....	17						1		1	1	1
34 2. Diseases of the nervous system .....	2,530	124	113	111	72	107	82	113	100	106	123
Under 5 .....	1,017	47	43	38	31	39	29	38	42	37	52
5 to 59 .....	989	49	43	41	26	47	39	49	28	46	46
60 and over .....	514	28	26	31	15	21	14	25	30	22	25
Unknown .....	10		1	1				1		1	
39 3. Diseases of the circulatory system .....	1,688	85	82	82	77	76	78	87	66	76	67
Under 5 .....	63	3	4	2	2	2	5	5		4	6
5 to 59 .....	886	46	41	37	43	31	36	50	30	45	41
60 and over .....	724	35	35	43	32	42	37	32	36	27	20
Unknown .....	15	1	2			1					
44 4. Diseases of the respiratory system .....	2,850	245	192	240	180	242	187	155	138	118	106
Under 5 .....	1,215	114	83	94	94	100	67	56	54	54	46
5 to 59 .....	1,189	109	71	112	55	99	32	72	57	49	43
60 and over .....	437	21	38	31	31	43	38	25	27	15	17
Unknown .....	9	1		3				2			
49 5. Diseases of the digestive system .....	1,381	62	53	45	40	46	38	61	44	92	62
Under 5 .....	508	16	15	17	15	14	11	19	16	34	21
5 to 59 .....	676	36	24	23	20	25	21	31	21	49	30
60 and over .....	195	9	14	5	5	7	5	11	7	9	10
Unknown .....	7	1					1				1
54 6. Diseases of the urinary system .....	1,058	71	39	54	39	56	44	60	26	52	30
Under 5 .....	37	1	1	3		3	3	6	2	2	1
5 to 59 .....	674	43	29	28	31	30	29	37	20	26	19
60 and over .....	340	27	9	22	8	25	11	16	4	24	10
Unknown .....	7			1			1	1			
59 7. Affections connected with pregnancy .....	335		32		36		28		35		32

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 4—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
37	30	19	21	26	10	19	17	30	25	31	24	29	24	1	1
28	27	15	15	15	8	12	11	21	17	23	18	23	20	1	2
6	2	4	4	8	1	6	5	8	8	6	6	5	2	1	3
3	1	2	2	3	1	1	1	1	1	2	2	1	2	1	4
22	22	13	14	16	5	9	10	19	15	20	16	23	19	1	5
21	22	13	12	14	5	8	9	18	15	20	15	22	18	1	6
1		2	1	1	1	1	1	1	1	1	1	1	1	1	7
61	63	81	66	61	77	50	63	52	42	69	56	57	84	1	8
30	30	37	27	33	28	20	20	28	17	28	21	25	24	1	9
5	3	4	6	4	7	3	3	5	2	5	4	4	3	1	10
26	30	38	33	24	42	27	39	19	21	36	30	28	56	1	11
		2				1	1	2	2	1	1	1	1	1	12
29	29	32	25	26	32	14	16	21	13	25	19	20	21	1	13
19	20	22	16	18	19	6	10	14	7	15	10	10	12	1	14
5	3	4	6	4	7	3	3	5	2	5	4	4	3	1	15
5	6	6	3	4	6	5	2	2	2	5	5	6	5	1	16
21	24	34	30	20	36	22	37	17	19	31	26	22	51	1	17
21	24	32	30	20	36	22	37	17	18	31	25	22	51	1	18
		2							1		1			1	19
144	145	132	153	129	159	153	133	148	146	149	149	174	147	5	20
10	13	9	9	6	12	9	4	5	9	7	9	6	7	3	21
113	115	102	127	101	127	125	116	120	118	118	123	145	119	2	22
21	13	20	17	21	16	19	10	20	24	24	15	22	21	2	23
	4	1		1	4	3	3	3	2	2	2	1	1	1	24
103	87	85	105	90	109	105	95	99	83	101	108	135	103	2	25
4	3	2	3	1	5	5	1	2		2	3	4	3	1	26
33	80	77	96	78	97	94	87	90	76	89	100	121	90	2	27
16	1	6	6	10	3	6	4	6	7	10	4	10	10	1	28
	3			1	4		3	1			1				29
127	95	107	108	131	99	107	97	112	74	119	94	113	93	1	30
62	43	48	45	56	39	49	39	43	25	56	37	44	35	1	31
45	27	43	46	57	45	38	37	49	29	43	38	46	36	1	32
19	25	16	17	17	14	19	21	19	20	20	24	23	22	1	33
1				1	1	1		1						1	34
63	57	59	56	61	63	84	58	64	65	79	61	76	63	2	35
3	2	1		3	1	3	1	3	2	4	2	3	2	1	36
28	34	32	25	28	37	47	34	32	40	39	37	40	32	1	37
32	20	26	30	29	25	33	23	29	23	35	21	32	26	1	38
	1			1		1				1	1	1	3	1	39
61	50	54	47	61	40	54	38	109	51	119	70	171	119	2	40
27	25	27	23	28	21	25	19	47	26	47	34	54	44	1	41
23	19	20	12	24	13	21	10	45	19	58	24	95	56	1	42
11	6	7	7	8	6	8	9	17	6	14	12	21	19	1	43
				1								1		1	44
59	64	56	55	67	53	61	64	78	61	64	57	51	46	2	45
31	33	19	29	22	21	20	22	26	26	18	26	16	15	1	46
22	20	34	19	35	25	28	35	38	19	38	23	29	30	1	47
6	10	2	7	10	7	13	7	14	15	7	8	6	1	1	48
	1	1						1	1	1				1	49
44	30	50	41	38	47	54	26	50	37	58	37	42	31	2	50
1	2	2		3	2	1		1	1		3	1		1	51
21	21	34	27	23	31	31	19	34	26	35	28	29	22	1	52
21	7	14	14	11	14	22	7	15	10	22	6	12	9	1	53
1				1						1				1	54
	22		21		24		26		33		19		27		55











## VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN  
GRAND GROUP 5—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B	591	31	25	20	22	36	22	39	23	28	23
Under 5	399	17	19	11	20	23	16	22	21	16	20
5 to 59	134	12	4	6	2	5	3	15	2	9	2
60 and over	49	2	2	2	2	7	3	2	2	3	1
Unknown	9			1		1					
Inanition	415	18	20	13	19	25	19	23	19	15	18
Under 5	377	17	18	11	19	22	15	20	19	14	18
5 to 59	10		1				2	3			
60 and over	20	1	1	1		2	2			1	
Unknown	8			1		1					
General diseases—C	3,149	143	140	120	126	160	157	131	174	129	143
Under 5	1,368	69	48	61	32	64	53	65	52	61	50
5 to 59	66	3	3	1	3	3	7	4	6	2	4
60 and over	1,696	71	88	56	89	92	97	61	114	64	88
Unknown	19		1	2	2	1		1	2	2	1
Debility and atrophy	643	21	26	22	23	30	33	29	32	19	30
Under 5	414	14	16	13	9	19	15	18	16	13	15
5 to 59	65	3	3	1	3	3	7	4	6	2	4
60 and over	156	4	7	7	9	8	11	9	9	4	11
Unknown	8			1	2				1		
Old age—all ages	1,546	66	80	50	80	85	86	55	106	61	78
60 and over	1,538	66	80	49	80	84	86	54	105	60	77
Unknown	8			1		1		1	1	1	1
General diseases—D	5,620	228	240	185	210	234	291	256	341	240	289
Under 5	994	13	10	12	16	16	17	22	27	19	20
5 to 59	3,697	148	149	119	141	157	207	160	227	157	200
60 and over	1,601	66	79	53	53	60	66	73	84	62	68
Unknown	28	1	2	1		1	1	1	3	2	1
Consumption	3,132	144	121	110	129	131	155	154	134	156	160
Under 5	135	7	2	3	9	4	4	3	11	10	9
5 to 59	2,373	114	99	86	104	111	136	126	141	125	133
60 and over	411	22	20	20	16	16	16	25	31	19	18
Unknown	13	1		1					1	2	
2. Diseases of the nervous system	4,567	192	179	166	185	209	220	236	227	211	182
Under 5	1,039	34	34	48	33	59	44	54	53	57	41
5 to 59	1,274	47	48	51	60	62	60	63	59	58	48
60 and over	2,241	110	97	66	91	87	116	119	115	93	93
Unknown	13	1		1	1					3	
3. Diseases of the circulatory system	3,285	159	131	150	114	167	159	182	141	168	160
Under 5	196	13	8	5	10	7	8	8	6	18	8
5 to 59	1,041	49	41	43	40	49	58	43	45	46	59
60 and over	2,023	96	79	101	64	111	91	123	89	104	91
Unknown	25	1	3	1			2	3	1		2
4. Diseases of the respiratory system	4,727	282	281	269	255	386	337	392	450	275	278
Under 5	1,577	114	33	113	101	146	115	121	115	94	75
5 to 59	1,436	34	31	31	59	126	81	127	142	99	30
60 and over	1,692	34	114	74	95	113	139	141	138	82	123
Unknown	22		3	1		1	2	3	5		
5. Diseases of the digestive system	1,755	63	93	73	67	85	64	79	85	61	72
Under 5	303	14	16	17	12	12	6	18	11	15	15
5 to 59	874	33	51	33	37	43	29	38	48	31	33
60 and over	573	16	26	23	18	25	29	23	26	15	24
Unknown	5										
6. Diseases of the urinary system	1,369	91	87	93	64	104	80	110	74	94	73
Under 5	57	9	3	1	3	1	3	1	6	1	1
5 to 59	766	25	54	33	35	27	33	49	33	23	39
60 and over	1,038	56	30	54	25	76	39	60	30	67	32
Unknown	8	1			1						1
7. Affections connected with pregnancy	262		21		16		30		26		29

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 5—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
20	16	28	17	20	34	40	14	34	23	20	18	26	12		1	
8	15	17	14	15	26	24	11	24	15	8	12	15	10		2	
9	1	8	1	5	4	10	2	7	4	10	3	9	1		3	
1		2	2		3	6	1	2	3	1	3	2	1		4	
2		1	1		1			1	1	1					5	
10	14	16	14	15	29	22	13	25	17	10	14	18	9		6	
7	14	15	18	15	26	22	11	24	14	8	11	15	9		7	
1							1					2			8	
1			1		2		1		2		3	1			9	
1		1			1			1		1					10	
108	116	123	101	135	129	137	134	102	140	107	131	133	129		11	
58	42	65	44	71	47	77	65	52	56	50	55	76	54		12	
1		1	1	1	4	6	3	2	4	1	2	2	2		13	
47	73	57	56	62	78	54	65	48	80	55	74	55	72		14	
2	1			1			1			1		1	1		15	
19	12	31	19	42	27	41	36	20	36	28	26	24	22		16	
10	8	22	15	33	17	33	26	15	22	17	19	16	13		17	
1		1	1	1	4	6	3	2	4	1	2	2	1		18	
6	4	8	3	7	6	2	7	3	10	5	5	6	7		19	
2				1									1		20	
41	70	49	53	55	72	52	59	45	70	50	69	49	65		21	
41	69	49	53	55	72	52	58	45	70	50	69	49	65		22	
	1						1								23	
213	225	216	241	190	279	198	240	201	260	171	234	189	247	1	1	24
24	10	24	13	9	15	24	13	15	21	15	13	17	9		25	
139	157	143	158	122	187	119	167	127	163	112	149	122	166		1	26
49	57	49	68	56	77	55	58	59	74	44	70	49	71	1		27
1	1		2	3			2		2		2	1	1			28
130	107	140	121	110	147	116	121	115	130	98	122	105	126			29
9	1	13	5	4	8	7	4	5	7	3	3	2	2			30
115	97	111	102	83	120	95	105	96	101	33	93	85	107			31
6	8	16	13	20	19	14	11	14	22	12	20	17	17			32
	1		1	3			1				1	1				33
192	179	189	191	199	184	186	163	163	161	179	174	217	193			34
46	39	59	36	61	46	45	32	43	28	35	33	46	33			35
67	49	51	64	50	39	51	59	31	47	56	53	45	56			36
79	91	79	90	88	99	89	72	88	76	37	88	125	103			37
		1	1			1		1		1		1	1			38
138	112	124	110	138	110	140	101	134	115	141	124	163	108	1		39
13	8	5	6	9	4	9	6	5	6	10	9	16	4			40
40	50	42	37	39	46	34	33	42	34	46	47	41	36	1		41
85	57	77	66	84	59	96	61	87	75	85	67	104	66			42
	2		1	1	1	1	1				1	2	2			43
101	86	72	55	65	55	76	79	114	137	129	146	191	214	1	1	44
33	26	25	24	21	22	30	34	41	41	41	52	57	51	1	1	45
29	22	32	16	24	17	22	22	37	40	42	41	64	68			46
39	38	14	15	20	15	24	23	36	56	46	52	68	93			47
		1		1						46	1	2	2			48
71	71	76	69	91	92	67	73	83	65	62	72	58	62		1	49
7	5	11	7	22	20	15	15	14	11	9	8	10	13			50
36	43	41	40	42	52	29	31	35	28	24	28	33	31			51
28	23	24	20	27	20	23	26	34	26	28	36	15	17		1	52
			2				1			1			1			53
75	59	101	51	87	48	85	49	100	60	83	50	86	64	1		54
3	1	1	1	1	3	5		4	2		1	5	1			55
26	32	28	26	34	20	29	28	33	30	30	23	23	35			56
46	26	72	24	52	25	51	21	61	28	53	26	56	28			57
								2				2		1		58
	27		15		19		21		20		20		18			59







VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 6.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 All causes .....	43,009	2,124	1,704	2,018	1,741	2,555	2,239	2,528	2,210	2,307	1,960
2 Under 5 .....	13,672	616	482	629	543	881	693	797	629	671	544
3 5 to 59 .....	16,720	917	682	756	646	880	864	965	826	933	801
4 60 and over .....	12,305	580	527	609	542	733	663	744	739	691	604
5 Unknown .....	312	11	13	24	10	11	14	22	16	12	11
6 Unknown cause .....	1,160	51	46	48	62	75	57	64	51	69	68
7 Under 5 .....	655	32	26	23	35	44	33	36	18	31	29
8 5 to 59 .....	242	10	8	14	10	16	11	14	15	18	18
9 60 and over .....	238	8	12	10	14	13	11	12	15	17	15
10 Unknown .....	25	1	1	1	3	2	2	2	3	3	1
11 1. General diseases.											
General diseases—A .....	7,687	284	228	252	228	336	335	327	343	324	307
12 Under 5 .....	4,157	125	92	119	112	159	151	140	132	166	154
13 5 to 59 .....	2,499	132	96	99	81	115	123	107	112	107	99
14 60 and over .....	993	27	36	33	34	61	59	79	97	51	53
15 Unknown .....	38	4	1	1	1	2	2	1	2	1	1
16 Measles .....	376	11	12	26	31	32	33	40	38	41	40
17 Under 5 .....	298	6	7	20	23	24	22	35	23	34	33
18 5 to 59 .....	75	5	5	6	8	8	11	5	10	5	6
19 60 and over .....	3	1	1	1	1	1	1	1	1	2	1
20 Unknown .....											
21 Scarlet fever .....	476	32	26	18	23	32	44	29	31	30	28
22 Under 5 .....	298	22	13	13	13	19	32	16	18	19	14
23 5 to 59 .....	177	10	13	5	10	13	12	13	13	11	14
24 60 and over .....	1										
25 Unknown .....											
26 Diphtheria .....	1,147	73	61	50	54	54	62	40	35	32	40
27 Under 5 .....	604	44	33	31	30	37	33	30	24	19	21
28 5 to 59 .....	531	29	24	19	23	17	26	9	11	13	19
29 60 and over .....	5	1	1	1	1	1	1	1	1	1	1
30 Unknown .....	7	3	1	1	1	1	1	1	1	1	1
31 Whooping cough .....	384	14	17	11	22	21	30	26	29	19	35
32 Under 5 .....	363	12	16	11	21	21	27	24	27	19	34
33 5 to 59 .....	20	2	1	1	1	3	3	2	2	1	1
34 60 and over .....	1										
35 Unknown .....											
36 Malarial fever .....	108	1	3	4	1	4	4	4	3	1	6
37 Under 5 .....	29			3	1	1	2	1			2
38 5 to 59 .....	49		1	1		2	2	3	3		3
39 60 and over .....	25	1	2			1				1	1
40 Unknown .....	5										
41 Influenza .....	589	17	29	30	27	57	65	78	102	40	46
42 Under 5 .....	83	6	5	5	6	10	8	7	7	7	7
43 5 to 59 .....	132	4	6	8	4	14	18	17	20	12	6
44 60 and over .....	371	7	18	16	17	33	39	53	74	21	33
45 Unknown .....	3	1	1	1	1	1	1	1	1	1	1
46 Typhoid fever .....	991	55	24	42	23	39	23	37	27	47	24
47 Under 5 .....	50	1			1	1		2	5	1	
48 5 to 59 .....	392	54	24	40	13	38	27	33	21	46	21
49 60 and over .....	45			2	4		1	2	1		3
50 Unknown .....	4										
51 Diarrheal diseases .....	2,805	35	28	37	23	48	31	24	41	63	43
52 Under 5 .....	2,220	21	15	24	13	31	16	13	18	52	33
53 5 to 59 .....	261	7	6	7	5	8	7	7	12	5	6
54 60 and over .....	315	7	7	6	5	8	8	4	11	6	4
55 Unknown .....	9			1	1	1					
56 Cerebro-spinal fever .....	177	4	2	6	2	6	8	14	7	14	8
57 Under 5 .....	108	2	1	4		4	3	7	3	9	6
58 5 to 59 .....	64	2	1	1	2	2	1	7	4	5	2
59 60 and over .....	4			1							
60 Unknown .....	1						1				

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 6.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1,397	1,125	1,843	1,389	1,868	1,553	1,690	1,433	1,665	1,436	1,565	1,282	1,848	1,473	36	20
410	326	780	546	785	665	600	535	504	400	393	340	494	403	3	3
566	478	623	485	654	493	634	534	698	601	707	545	798	614	14	6
404	315	425	348	412	387	434	357	453	429	453	391	545	448	11	6
17	6	15	10	17	8	22	7	10	6	12	6	11	8	8	5
43	34	40	31	56	46	38	39	45	40	32	41	54	29	5	1
20	20	25	20	39	27	24	29	26	23	16	22	43	14		
6	9	7	6	8	8	4	5	10	13	6	13	3	6	3	1
17	5	7	4	10	9	10	5	9	3	9	6	7	8	2	
		1	1	1	1			1	1	1	6	1	1		
223	182	514	385	552	503	421	409	299	281	227	206	257	257	3	4
140	108	390	285	397	355	252	237	133	117	87	93	103	102	2	1
62	56	84	65	93	85	130	130	137	129	116	87	122	131		1
20	18	36	33	58	61	38	41	23	35	23	26	30	24		2
1		4	2	9	2	1	1	1		1		2		1	
8	8	4	4	3	8	2	3	3	1	4	4	15	5		
7	8	4	2	3	8	2	3	3	1	4	4	12	5		
1			2									3			
13	9	12	7	11	7	10	9	14	9	15	15	18	34		
8	6	8	5	3	4	7	6	8	6	11	9	14	19		
5	3	4	2	3	3	3	3	6	3	3	6	4	15		
28	28	20	17	16	24	41	53	61	71	81	73	60	72		1
18	16	15	9	4	12	18	18	26	27	36	38	32	33		
10	12	5	8	11	11	23	35	35	44	44	35	28	39		1
				1	1					1					
13	8	13	13	10	8	12	11	13	5	7	13	18	16		
13	8	13	12	10	8	12	11	13	4	6	11	15	15		
									1	1	2	3	1		
			1												
5	2	12	6	4	6	7	4	8	6	8	2	6	1		
2		6	1	1	2	2	1	1	1	1	1				
2	1	3	2	1	2	3	2	6	3	4		4	1		
1	1	2	2	1	2	1	1	1	2	3	1	1			
		1	1	1		1						1			
6	11	2	7	8	9	7	3	5	2	4	5	11	17	1	
1	2		2		1				1	1	1	3	2	1	
1	2		2	1	4	2		1	1	1	1	3	4		
4	7	2	3	7	4	6	3	4		2	3	5	11		
21	21	34	18	51	31	72	72	76	68	49	29	59	44		
4	1	2	2	8	3	2	1	5	1	2	2	2	4		
16	19	31	16	38	28	67	67	68	59	45	25	54	37		
	1	1		3		3	3	3	8	2	2	3	3		
1				2			1								
86	72	386	293	413	378	245	233	88	102	35	38	28	31	2	2
75	61	335	249	352	303	199	190	70	73	21	21	13	20	1	1
7	6	24	21	24	25	20	14	10	11	6	6	8	9		
4	5	24	23	34	49	26	29	8	18	8	11	7	2		1
		3		3	1									1	
13	9	7	2	10	14	11	5	9	2	1	5	10	8		
7	3	5	2	6	10	9	4	8	2		4	7	2		
6	6	2		4	3	2	1	1		1	1	3	5		
				1	1							1	1		

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 6—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B.....	661	26	15	22	22	31	24	35	20	40	30
Under 5.....	450	17	11	15	19	17	18	21	11	21	19
5 to 59.....	169	9	4	7	7	10	5	11	6	17	6
60 and over.....	39	4	2	3	3	4	1	2	3	2	5
Unknown.....	3							1			
6 Inanition.....	459	17	11	15	18	16	19	20	12	22	22
Under 5.....	425	15	11	14	18	15	18	20	9	21	18
5 to 59.....	15	2	1	1	1						1
60 and over.....	19					1	1		2	1	3
Unknown.....											
11 General diseases—C.....	2,926	121	113	127	106	175	134	170	143	117	141
Under 5.....	1,443	48	44	62	37	78	57	35	49	51	43
5 to 59.....	55	3	2	1	2	1	2	4	4	4	5
60 and over.....	1,402	69	64	62	67	96	73	31	88	62	90
Unknown.....	26	1	3	2			2		2		3
16 Debility and atrophy.....	992	37	33	36	18	46	28	48	38	42	30
Under 5.....	721	20	18	25	11	36	20	32	19	29	13
5 to 59.....	54	3	2	1	2	1	2	4	4	4	4
60 and over.....	198	14	12	8	5	9	4	12	13	9	11
Unknown.....	19		1	2			2		2		2
21 Old age—all ages.....	1,211	56	54	54	62	87	69	69	75	53	30
60 and over.....	1,204	55	52	54	62	87	69	69	75	53	29
Unknown.....	7	1	2								1
24 General diseases—D.....	6,211	267	311	240	288	277	319	307	323	302	323
Under 5.....	342	19	13	14	14	17	10	23	12	19	17
5 to 59.....	3,956	177	212	145	191	168	224	137	210	166	217
60 and over.....	1,866	70	86	74	81	87	88	93	99	116	93
Unknown.....	47	1	7	7	2	5	2	4	2	1	1
29 Consumption.....	3,405	157	186	133	153	161	170	195	178	172	169
Under 5.....	137	6	8	5	6	3	2	12	5	9	7
5 to 59.....	2,692	125	153	101	123	128	142	146	142	125	133
60 and over.....	550	26	25	23	23	28	25	34	31	37	28
Unknown.....	26		4	4	1	2	1	3		1	1
34 2. Diseases of the nervous system.....	6,527	305	249	316	271	407	353	363	332	372	284
Under 5.....	2,200	119	68	121	84	155	122	142	107	136	75
5 to 59.....	1,725	84	67	60	72	102	93	101	88	95	80
60 and over.....	2,555	99	113	132	114	150	135	116	135	137	127
Unknown.....	47	3	1	3	1		3	4	2	4	2
39 3. Diseases of the circulatory system.....	3,514	169	151	179	146	192	181	211	186	194	176
Under 5.....	304	16	15	16	10	17	12	16	17	18	11
5 to 59.....	1,372	60	59	57	59	63	75	67	75	75	84
60 and over.....	1,820	93	77	103	77	111	94	126	93	100	80
Unknown.....	18		3	3		1		2	1	1	1
44 4. Diseases of the respiratory system.....	6,644	442	315	438	374	651	566	612	513	333	316
Under 5.....	3,071	173	162	210	193	324	248	274	229	171	143
5 to 59.....	1,997	157	77	142	90	169	169	214	143	126	95
60 and over.....	1,549	106	75	84	90	156	146	121	140	85	72
Unknown.....	27	1	1	2	1	2	3	3	1	1	1
49 5. Diseases of the digestive system.....	2,229	115	104	96	76	107	101	99	106	127	116
Under 5.....	514	36	22	24	14	43	15	24	29	30	24
5 to 59.....	1,066	51	56	39	40	35	54	46	49	61	62
60 and over.....	626	24	25	32	22	29	32	29	27	35	29
Unknown.....	23	4	1	1					1	1	1
54 6. Diseases of the urinary system.....	1,797	113	78	105	72	96	66	109	86	116	89
Under 5.....	86	1	7	7	4	2	7	3	4	4	3
5 to 59.....	896	55	47	41	38	40	41	48	48	56	59
60 and over.....	805	57	22	57	30	54	18	58	33	56	27
Unknown.....	10		2						1		
59 7. Affections connected with pregnancy.....	323		28		31		33		40		48

# CAUSE, AGE, AND MONTH.

963

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 6—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
28	16	40	27	45	29	42	26	30	24	21	17	28	23			1
13	11	26	23	28	24	28	25	22	16	16	13	19	17			2
12	4	11	3	15	3	11	1	6	8	5	3	8	4			3
3	1	8	1	1	2	2		2			1	1	2			4
				1		1										5
14	12	27	23	29	24	29	23	23	18	15	13	17	20			6
13	10	25	22	28	22	27	23	20	16	15	12	17	16			7
	1	2		1	2	2		2	2				2			8
	1		1					1			1		2			9
																10
96	88	113	109	130	135	135	135	111	120	86	92	127	96	4	2	11
50	44	74	60	88	82	87	90	58	64	39	38	70	43	1	1	12
	3	2	2	1	5	2	2	3	1	2	1	1	2			13
46	41	34	45	41	47	43	42	49	54	45	53	55	51	3	1	14
		3	2		1	3	1	1	1			1				15
37	27	51	53	67	66	74	69	88	45	25	33	29	22			16
26	13	39	40	59	55	63	62	26	35	17	25	24	14			17
	3	2	2	1	5	2	2	3	1	2	1	1	2			18
11	11	7	11	7	5	6	4	8	3	6	7	4	6			19
		3			1	3	1	1	1							20
35	30	27	36	34	42	37	38	41	46	39	46	52	45	3	1	21
35	30	27	34	34	42	37	38	41	46	39	46	51	45	3	1	22
			2									1				23
210	231	208	253	219	245	201	234	197	274	226	244	244	251	3	4	24
16	11	16	9	19	15	12	14	15	12	14	12	13	6			25
124	148	126	176	131	160	119	160	115	177	135	167	160	159	1	1	26
70	69	64	72	68	68	67	69	65	84	75	65	70	85	2	1	27
	3	2	1	1	2	3	1	2	1	2		1	1		2	28
112	110	115	132	113	121	113	131	109	152	130	131	141	120	1		29
5	2	5	2	8	8	6	7	9	5	3	6	5	3			30
86	95	39	116	90	96	88	104	83	120	101	101	108	97			31
21	11	19	13	15	15	18	20	15	27	24	24	27	20	1		32
	2	2	1		2	1		2		2		1				33
252	184	275	207	263	208	253	232	246	215	239	219	262	207	7	1	34
78	59	117	70	116	78	103	67	85	60	52	57	67	62			35
69	54	73	63	78	50	49	63	65	55	78	62	70	53	2		36
101	70	84	73	67	78	102	101	95	99	107	99	123	92	4	1	37
4	1	1	1	2	2	4	1	1	1	2	1	2		1		38
120	106	139	90	123	103	120	107	133	127	139	120	171	129	2		39
14	7	18	8	11	8	10	6	10	9	16	6	20	13			40
47	57	53	30	52	33	44	46	47	61	54	53	62	53	1		41
56	42	68	51	59	57	65	55	76	56	68	61	89	63			42
3			1	1		1			1	1				1		43
123	99	112	65	95	73	123	80	195	145	219	160	286	249	2	3	44
46	43	56	36	48	33	55	37	98	66	110	74	124	102			45
44	34	24	18	28	24	39	32	57	39	62	45	92	74	2	1	46
31	21	32	11	19	11	34	11	39	39	46	41	67	72			47
2	1							1	1	1		3	1			48
76	67	111	95	90	82	78	72	110	89	78	68	96	70	2	3	49
11	11	27	22	21	21	19	17	29	17	18	11	14	15			50
47	35	54	44	41	34	37	34	43	42	39	33	54	35			51
16	20	30	23	28	27	21	18	38	30	20	18	28	19			52
2	1		1			1	3			1	1		1	2		53
66	49	77	46	77	43	69	41	72	46	90	48	84	59			54
3	3	5	1	5	2		2	1	3	9		5	5			55
33	23	32	26	33	25	28	23	37	23	40	32	31	32			56
30	23	40	19	38	16	40	16	34	15	41	15	48	18			57
				1		1					1		4			58
	22		15		17		19		19		20		36			59











TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 7—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.											
		January.		February.		March.		April.		May.			
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.		
1. General diseases—Continued.													
General diseases—B.....	2,439	110	75	129	65	125	74	136	89	114	70		
Under 5.....	1,801	83	59	96	52	79	63	94	74	71	60		
5 to 59.....	517	21	11	27	10	89	11	33	11	32	7		
60 and over.....	111	5	4	6	2	6	2	9	3	11	3		
Unknown.....	10	1	1	1	1	1	1	1	1	1	1		
Inanition.....	1,807	82	59	96	53	79	64	93	71	70	63		
Under 5.....	1,739	81	56	93	51	76	63	91	68	68	59		
5 to 59.....	25	1	1	1	1	3	1	2	1	1	1		
60 and over.....	39	1	1	3	1	1	1	2	1	1	3		
Unknown.....	4	1	1	1	1	1	1	1	1	1	1		
General diseases—C.....	6,214	265	258	255	261	330	328	299	297	277	269		
Under 5.....	2,887	126	105	108	100	162	132	142	109	140	124		
5 to 59.....	263	16	11	18	12	12	15	9	15	9	9		
60 and over.....	3,054	123	142	128	149	156	180	148	173	127	136		
Unknown.....	10	1	1	1	1	1	1	1	1	1	1		
Debility and atrophy.....	1,348	48	47	49	61	70	61	51	66	51	56		
Under 5.....	829	18	26	23	33	44	31	24	31	36	38		
5 to 59.....	257	16	11	16	11	12	15	9	15	9	9		
60 and over.....	256	14	10	9	17	14	15	18	20	5	9		
Unknown.....	6	1	1	1	1	1	1	1	1	1	1		
Old age—all ages.....	2,800	109	132	119	132	142	166	130	153	122	127		
60 and over.....	2,797	109	132	119	132	142	165	130	153	122	127		
Unknown.....	3	1	1	1	1	1	1	1	1	1	1		
General diseases—D.....	14,841	590	596	586	532	694	702	629	645	720	648		
Under 5.....	882	32	22	38	34	41	49	47	38	36	34		
5 to 59.....	10,319	414	440	422	384	500	500	452	446	539	469		
60 and over.....	3,142	144	134	123	113	153	152	130	161	145	142		
Unknown.....	18	1	1	3	1	1	1	1	1	1	3		
Consumption.....	8,303	339	330	374	297	433	382	394	344	474	366		
Under 5.....	310	4	6	20	11	10	16	16	14	17	13		
5 to 59.....	7,132	298	295	313	257	377	328	347	288	406	306		
60 and over.....	795	37	29	38	28	51	37	31	42	51	44		
Unknown.....	16	1	1	3	1	1	1	1	1	1	3		
2. Diseases of the nervous system.....	10,658	516	389	506	414	559	465	533	479	547	470		
Under 5.....	3,914	171	139	194	140	202	164	226	172	220	160		
5 to 59.....	3,164	159	98	147	111	162	146	175	145	143	139		
60 and over.....	3,537	186	152	163	162	195	153	181	161	133	171		
Unknown.....	23	1	1	2	1	2	2	1	1	1	1		
3. Diseases of the circulatory system.....	7,178	376	323	335	278	407	349	396	349	376	288		
Under 5.....	408	23	16	25	9	30	26	22	26	19	13		
5 to 59.....	3,235	165	153	133	133	167	159	176	160	165	141		
60 and over.....	3,520	188	154	176	136	209	164	198	163	192	134		
Unknown.....	15	1	1	1	1	1	1	1	1	1	1		
4. Diseases of the respiratory system.....	13,460	864	748	904	756	1,132	872	1,019	925	735	624		
Under 5.....	5,644	400	310	431	339	461	322	394	318	309	251		
5 to 59.....	4,430	294	228	294	230	422	266	348	292	260	181		
60 and over.....	3,369	169	210	175	186	246	283	276	315	166	192		
Unknown.....	17	1	1	4	1	3	1	1	1	1	1		
5. Diseases of the digestive system.....	5,397	207	209	230	187	271	272	277	250	260	225		
Under 5.....	1,263	52	35	64	47	79	68	65	53	65	37		
5 to 59.....	2,849	107	123	114	103	125	142	144	129	133	121		
60 and over.....	1,278	48	51	50	37	66	62	68	68	62	67		
Unknown.....	7	1	1	2	1	1	1	1	1	1	1		
6. Diseases of the urinary system.....	4,072	201	119	203	148	254	170	239	152	246	133		
Under 5.....	209	12	8	10	15	17	10	5	4	5	10		
5 to 59.....	2,025	92	75	101	79	107	91	100	97	114	72		
60 and over.....	1,831	97	36	92	54	129	68	134	51	127	51		
Unknown.....	7	1	1	1	1	1	1	1	1	1	1		
7. Affections connected with pregnancy.....	804		59		71		106		37		73		

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued:

GRAND GROUP 7—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
105	71	156	120	142	97	130	92	125	74	108	66	105	60	1	1
61	56	119	96	101	90	101	78	84	56	57	54	68	49		2
40	13	33	19	33	6	26	12	33	13	42	9	28	8		3
2	2	4	5	7	1	3	2	7	5	9	3	9	3		4
2				1				1						1	5
62	57	116	100	101	87	97	79	88	56	59	57	69	49		6
59	54	115	96	97	86	96	77	82	53	54	52	65	47		7
2	1		1	1		1	1	2	2	2	2	4	1		8
1	2	1	3	3	1	1	1	4	1	3	3		1		9
1															10
224	200	254	242	251	250	276	240	243	220	226	235	232	275	1	1
117	88	147	120	138	118	143	113	114	101	115	97	111	117		12
12	8	10	8	12	10	12	8	11	12	7	6	12	9		13
94	104	97	114	100	122	119	119	123	107	103	131	108	149	1	1
1				1		2				1	1	1			14
52	42	74	59	76	77	71	54	64	54	38	37	49	41		15
32	27	53	37	55	60	50	37	41	36	26	22	25	24		16
12	8	10	8	12	10	11	8	10	12	7	6	12	8		17
7	7	11	14	8	7	9	9	13	6	4	9	12	9		18
1				1		1				1					19
87	97	86	100	92	115	110	110	110	101	99	123	96	140	1	1
87	97	86	100	92	115	109	110	110	101	99	122	96	140	1	1
594	560	631	553	552	644	547	546	554	562	577	519	610	547	2	1
49	32	39	34	43	40	45	36	32	26	27	28	39	21		25
425	412	446	401	373	465	384	402	400	419	421	385	432	386	2	
120	116	144	115	136	138	117	108	122	116	128	105	139	140		1
		2	3	1	1	1		1	1	1	1	1			27
385	308	381	310	321	327	306	295	332	299	351	282	376	291	1	
19	16	11	16	16	12	12	14	14	6	11	10	14	12		30
321	263	336	273	268	296	274	258	282	266	302	251	324	247	1	
45	24	32	18	37	18	20	23	36	27	37	20	38	32		31
		2	3	1	1					1	1				32
459	339	480	371	444	416	443	312	467	344	423	351	485	389	1	1
188	126	139	163	163	167	160	107	166	118	150	129	171	123		1
136	103	167	103	150	114	143	94	144	108	129	99	131	108		
133	105	124	100	128	134	139	103	137	116	148	121	133	153	1	
2				3	1	1	3	2	2	1	2				37
261	235	289	227	270	220	261	224	316	235	305	239	321	296		2
15	14	19	6	14	13	13	9	18	11	14	20	14	19		40
113	123	132	125	107	110	102	106	147	103	137	107	140	131		41
133	98	136	95	147	97	145	109	151	120	153	110	165	146		42
		2	1	2		1		1	1	1	2	2	2		1
362	265	277	210	274	193	293	200	437	376	466	392	585	549	2	
148	123	121	103	130	97	129	82	166	144	192	163	268	243		45
142	79	94	67	80	47	94	60	132	123	168	123	186	170		46
72	62	62	40	68	48	70	57	88	109	106	106	131	136	1	
	1			1	1	1	1	1						1	47
198	181	249	184	237	216	228	207	267	215	236	166	241	184		48
43	42	60	39	54	46	64	57	59	49	57	30	50	48		49
111	110	123	100	127	126	118	103	139	119	106	94	134	98		50
44	29	65	45	54	44	46	47	69	47	72	42	57	38		51
		1		2						1					52
168	149	212	133	181	126	154	123	187	115	222	116	202	119		53
8	14	7	4	5	9	4	8	2	9	11	11	11	10		54
67	78	100	87	86	76	69	76	77	59	100	60	100	62		55
93	57	105	42	89	40	81	39	107	47	110	44	91	47		56
				1	1			1		1	1				57
	62		63		61		45		61		53		63		58









VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 8—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B.....	1,882	99	45	85	50	94	60	92	68	115	88
Under 5.....	1,201	46	29	40	41	48	42	42	45	61	58
5 to 59.....	580	43	13	32	7	38	13	39	12	45	16
60 and over.....	140	10	2	11	2	6	5	11	6	8	7
Unknown.....	11	1	1	2	2	2	2	2	2	1	2
Inanition.....	1,221	50	31	42	41	50	45	40	49	56	62
Under 5.....	1,110	44	28	38	39	44	39	38	44	53	58
5 to 59.....	49	3	2	2	1	3	3	1	2	2	2
60 and over.....	54	3	2	1	1	1	3	1	3	1	5
Unknown.....	8	1	1	1	1	2	2	2	2	2	2
General diseases—C.....	9,304	386	405	358	342	441	423	459	447	461	438
Under 5.....	4,544	188	161	184	118	204	141	223	157	256	164
5 to 59.....	255	11	17	14	11	8	12	6	9	11	17
60 and over.....	4,461	183	226	159	211	227	268	228	279	192	249
Unknown.....	44	4	1	1	2	2	2	2	2	2	3
Debility and atrophy.....	2,923	119	102	110	81	107	90	122	97	135	118
Under 5.....	2,253	86	65	78	53	79	62	91	59	105	80
5 to 59.....	252	11	17	14	11	3	12	6	9	11	17
60 and over.....	410	21	20	18	17	20	16	25	29	19	20
Unknown.....	8	1	1	1	1	1	1	1	1	1	1
Old age—all ages.....	4,086	165	206	142	196	209	254	205	252	175	231
60 and over.....	4,050	162	205	141	194	207	252	203	250	173	229
Unknown.....	36	3	1	1	2	2	2	2	2	2	2
General diseases—D.....	18,637	785	825	772	815	887	926	896	951	941	1,085
Under 5.....	1,025	50	29	45	33	60	42	44	48	77	61
5 to 59.....	13,061	531	609	551	576	612	628	636	662	624	763
60 and over.....	4,453	199	180	172	201	209	251	212	236	287	250
Unknown.....	98	5	7	4	5	6	5	4	5	3	6
Consumption.....	11,858	501	510	509	473	556	538	611	553	591	624
Under 5.....	426	20	14	15	12	27	19	16	25	25	32
5 to 59.....	9,488	410	428	434	390	456	435	513	454	485	520
60 and over.....	1,382	70	62	58	68	68	83	79	70	78	68
Unknown.....	62	1	6	2	3	5	1	3	4	3	4
2. Diseases of the nervous system.....	14,863	708	631	650	604	839	685	865	748	776	676
Under 5.....	4,359	202	158	195	169	233	176	314	207	232	208
5 to 59.....	4,437	229	198	176	170	263	200	228	212	256	189
60 and over.....	5,958	272	279	276	264	340	305	323	324	284	272
Unknown.....	59	5	3	1	1	3	4	5	4	4	7
3. Diseases of the circulatory system.....	9,327	474	408	468	353	516	427	530	478	467	452
Under 5.....	707	38	30	40	32	60	28	42	31	47	26
5 to 59.....	3,797	192	155	176	147	192	152	218	206	182	204
60 and over.....	4,766	243	222	252	173	263	245	267	239	233	222
Unknown.....	57	1	1	1	1	1	2	3	2	5	2
4. Diseases of the respiratory system.....	16,769	1,078	877	1,027	954	1,397	1,219	1,430	1,392	972	871
Under 5.....	6,463	442	330	472	387	553	419	544	461	394	289
5 to 59.....	5,823	392	274	371	309	492	401	530	432	360	312
60 and over.....	4,417	239	271	177	256	344	398	350	494	215	269
Unknown.....	66	5	2	7	2	8	6	6	5	3	1
5. Diseases of the digestive system.....	6,378	273	257	272	221	274	260	297	282	324	320
Under 5.....	1,492	70	37	62	50	59	37	65	52	71	60
5 to 59.....	3,139	143	147	133	113	133	138	143	142	163	168
60 and over.....	1,722	60	72	76	58	80	83	88	88	85	92
Unknown.....	25	1	1	1	1	2	2	1	1	1	1
6. Diseases of the urinary system.....	5,574	233	219	264	200	311	209	357	252	308	200
Under 5.....	178	11	8	11	4	6	10	11	9	9	7
5 to 59.....	2,674	125	116	111	109	126	102	157	118	123	109
60 and over.....	2,681	146	92	140	86	177	96	184	125	169	84
Unknown.....	41	1	3	2	1	2	1	5	2	2	2
7. Affections connected with pregnancy.....	318		74		69		85		91		99

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 8—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
88	63	106	66	112	78	103	75	86	58	87	44	80	54	.....	1
60	49	84	50	77	58	64	55	40	41	54	30	46	41	.....	2
16	11	21	15	25	17	32	14	37	12	26	8	26	11	.....	3
6	3	1	1	10	3	6	6	9	5	7	5	8	2	.....	4
1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	5
54	53	79	51	70	56	60	63	43	44	62	34	45	39	.....	6
49	47	78	48	67	54	57	53	39	38	52	27	44	37	.....	7
1	4	1	2	.....	3	.....	3	1	2	6	3	.....	2	.....	8
3	2	.....	1	3	1	3	5	3	4	4	3	1	.....	.....	9
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	10
339	346	403	369	409	435	424	382	352	350	308	332	346	348	2	4
206	162	254	197	250	236	265	215	201	149	167	140	176	130	.....	12
9	16	14	9	8	18	16	8	1	11	5	9	6	8	.....	13
122	165	134	161	151	178	143	156	149	188	136	182	163	203	1	2
2	3	1	2	.....	3	.....	3	1	2	.....	1	1	2	1	1
121	115	174	153	177	184	195	160	119	117	87	90	79	70	.....	16
100	82	154	128	158	148	167	137	106	85	70	58	57	45	.....	17
9	15	14	9	7	18	16	7	1	11	5	9	6	8	.....	18
10	18	6	15	12	17	12	16	12	20	12	22	16	17	.....	19
2	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	20
112	150	129	147	139	163	131	143	138	169	124	160	148	193	2	3
112	147	128	146	139	161	131	140	137	168	124	160	147	191	1	2
.....	3	1	1	.....	2	.....	3	1	1	.....	.....	1	2	1	1
650	739	671	758	591	748	629	722	605	756	624	729	692	813	9	18
45	38	46	36	44	47	45	29	36	32	37	29	37	23	.....	25
456	522	495	585	414	513	425	498	422	564	421	521	469	595	5	9
149	174	129	183	131	181	158	184	143	156	166	175	179	193	2	3
1	5	1	3	2	7	1	1	4	4	.....	4	7	2	2	4
430	411	457	418	377	404	393	421	405	446	383	427	446	457	6	11
13	11	23	14	19	18	18	16	15	14	13	16	18	12	.....	30
374	355	387	357	309	342	318	357	337	393	316	356	362	386	5	9
43	42	46	44	48	38	56	48	51	38	54	52	59	58	.....	31
.....	3	1	3	1	6	1	.....	2	1	.....	3	7	1	1	1
647	567	622	493	558	523	556	489	552	468	567	436	650	540	8	5
205	193	228	177	197	171	183	148	144	112	129	86	179	113	3	2
231	164	196	131	155	157	167	136	192	139	184	139	210	162	1	1
207	209	193	184	203	195	205	204	213	214	254	209	261	262	4	2
4	1	5	1	3	.....	1	1	3	3	.....	2	.....	3	.....	38
358	333	340	293	342	269	339	308	365	301	368	326	426	377	3	6
26	22	35	21	35	17	18	19	26	20	21	18	30	25	.....	40
160	156	133	142	132	110	138	133	154	131	121	152	149	160	1	1
168	151	171	128	172	139	182	152	181	148	223	154	244	189	1	4
4	4	1	2	3	3	1	4	4	2	3	2	3	3	1	1
325	247	287	225	265	207	335	255	465	412	525	468	781	740	6	9
129	110	112	94	112	82	123	95	185	135	227	164	318	283	2	1
119	69	120	69	82	83	130	93	172	135	175	168	287	242	2	4
76	68	54	62	69	42	78	67	107	141	121	136	174	212	.....	47
1	.....	1	.....	2	.....	4	.....	1	1	2	.....	2	3	2	2
248	295	314	246	267	260	287	258	242	215	236	236	233	243	9	4
79	82	96	78	71	75	83	66	60	39	52	57	48	46	1	1
123	131	136	107	116	120	145	120	118	120	121	110	118	124	1	1
45	78	81	63	80	64	57	71	63	56	63	68	67	76	6	2
1	4	1	3	.....	1	2	1	.....	.....	.....	1	.....	2	1	58
239	172	263	185	258	129	247	155	247	179	243	155	286	208	3	2
8	3	5	7	10	6	6	7	3	9	4	3	13	8	.....	55
106	107	120	110	106	80	119	90	123	100	106	79	107	118	2	.....
122	60	137	65	142	43	120	57	119	69	132	69	164	81	1	1
3	2	1	3	.....	.....	2	1	2	1	1	4	2	1	.....	57
.....	56	.....	64	.....	61	.....	46	.....	48	.....	56	.....	68	.....	1





CAUSE, AGE, AND MONTH.

977

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 8—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
419	131	451	123	421	118	356	116	366	112	343	106	341	144	16	3	1
38	43	29	25	33	23	19	20	40	33	33	23	29	36	1	1	2
317	66	381	72	335	66	233	55	265	53	246	56	269	71	13	2	3
58	21	37	24	51	27	47	40	56	20	58	22	38	36	2	4	4
6	1	4	2	2	2	7	1	5	1	6	1	5	1	2	5	5
17	32	16	26	11	17	20	22	25	32	28	41	29	64	3	2	6
10	14	3	7	6	5	6	8	17	16	18	14	17	25	1	1	7
6	17	13	16	4	10	13	9	7	13	9	21	11	29	2	1	8
1	1	2	1	1	2	1	5	1	3	1	6	1	10	1	1	9
85	7	103	5	79	6	31	5	20	3	24	1	15	1	4	11	10
3	2	4	5	5	2	1	1	3	1	1	1	1	1	1	12	12
73	5	96	5	68	3	23	4	13	2	14	2	14	1	3	13	13
8	2	2	1	6	1	2	1	4	1	9	1	1	1	1	14	14
1	1	1	2	3	1	4	1	5	2	2	2	2	4	1	15	15
1	1	1	2	2	1	2	1	1	2	2	2	1	4	1	16	16
1	1	1	2	1	1	1	1	1	4	1	1	1	4	1	17	17
1	1	1	2	1	1	1	1	1	4	1	1	1	4	1	18	18
1	1	1	2	1	1	1	1	1	4	1	1	1	4	1	19	19
1	1	1	2	1	1	1	1	1	4	1	1	1	4	1	20	20
16	11	2	11	5	17	3	11	1	27	3	18	2	1	21	21	
13	10	2	9	5	16	2	11	1	23	3	18	1	1	22	22	
3	1	1	1	1	1	1	1	1	3	1	1	1	1	23	23	
6	2	13	3	10	3	1	10	4	2	4	2	9	1	24	24	
2	1	1	2	1	1	1	1	1	9	3	2	4	5	25	25	
4	1	12	1	6	3	2	1	1	2	3	2	5	1	26	26	
2	1	6	1	3	1	4	1	7	5	1	8	3	1	27	27	
2	1	5	1	3	1	1	1	2	5	5	2	6	1	28	28	
2	1	5	1	3	1	3	1	2	5	5	2	6	1	29	29	
66	2	98	10	77	8	79	11	89	6	71	10	86	13	4	30	30
58	1	4	9	4	1	1	1	2	4	62	1	73	9	3	31	31
10	1	7	1	69	4	8	5	77	8	7	1	9	4	1	32	32
3	1	1	1	4	3	4	1	2	2	2	4	4	4	1	33	33
9	9	9	1	10	1	3	1	9	1	8	1	9	1	1	34	34
1	1	1	1	9	1	3	1	7	1	6	1	1	1	1	35	35
5	7	7	1	1	1	1	1	2	2	2	3	3	1	1	36	36
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	37	37
2	1	1	2	2	2	2	2	1	1	1	1	1	1	1	38	38
1	1	1	2	1	1	2	1	1	1	1	1	1	1	1	39	39
1	1	1	2	1	1	2	1	1	1	1	1	1	1	1	40	40
4	5	4	2	3	6	2	3	4	3	5	1	4	3	1	41	41
4	4	4	2	3	6	2	3	4	2	3	1	4	2	1	42	42
4	4	4	2	3	6	2	3	4	2	3	1	4	2	1	43	43
4	4	4	2	3	6	2	3	4	2	3	1	4	2	1	44	44
24	7	27	5	35	7	21	2	16	4	15	3	14	3	1	45	45
2	2	1	2	2	2	2	2	1	1	1	1	1	1	1	46	46
16	3	18	2	24	7	16	2	10	2	12	3	12	3	1	47	47
6	1	9	2	11	1	5	1	6	2	3	1	1	3	1	48	48
30	22	19	10	8	6	4	3	4	3	5	1	4	3	1	49	49
7	8	3	4	1	1	3	1	3	1	3	1	3	1	1	50	50
19	8	12	4	4	3	3	3	3	3	3	3	3	3	1	51	51
4	6	4	2	1	2	1	3	1	3	1	3	1	3	1	52	52





VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 9—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.											
		January.		February.		March.		April.		May.			
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.		
1. General diseases—Continued.													
General diseases—B.....	497	28	14	18	16	17	13	23	6	34	23		
Under 5.....	302	13	9	11	8	11	13	10	3	17	16		
5 to 59.....	163	12	4	5	6	5	5	10	3	15	9		
60 and over.....	29	3	1	1	2	1	1	3		2	3		
Unknown.....	3			1									
6 Inanition.....	238	10	6	9	8	9	12	5	2	13	12		
Under 5.....	222	10	6	8	5	9	12	5	2	12	11		
5 to 59.....	4			2	2								
60 and over.....	12			1	1					1	1		
Unknown.....													
11 General diseases—C.....	1,650	68	65	67	61	89	82	98	93	92	108		
Under 5.....	814	38	22	32	35	48	33	51	33	40	45		
5 to 59.....	47		4	2	3	1	1	1		2	6		
60 and over.....	769	29	37	33	23	40	48	45	59	48	56		
Unknown.....	20	1	2					1	1	2	1		
16 Debility and atrophy.....	232	6	11	8	8	6	9	7	2	15	11		
Under 5.....	124	4	3	4	5	3	5	2	1	5	1		
5 to 59.....	46		4	2	3	1	1	1		2	5		
60 and over.....	49	1	3	2		2	3	3	1	6	5		
Unknown.....	13	1	1					1		2			
21 Old age—all ages.....	727	28	35	31	23	38	45	42	59	42	52		
60 and over.....	720	28	34	31	23	38	45	42	58	42	51		
Unknown.....	7		1					1		1	1		
24 General diseases—D.....	9,156	318	455	349	439	376	592	397	608	484	638		
Under 5.....	697	26	26	26	29	31	36	27	31	40	19		
5 to 59.....	6,614	217	347	252	323	257	447	265	446	296	530		
60 and over.....	1,742	71	76	70	77	84	101	101	121	96	84		
Unknown.....	103	4	6	1	5	4	8	4	5	2	5		
29 Consumption.....	6,157	203	332	223	305	260	435	279	432	296	433		
Under 5.....	314	11	11	11	17	16	22	15	16	24	7		
5 to 59.....	5,116	165	280	191	255	209	363	213	362	231	430		
60 and over.....	664	25	35	21	30	33	46	45	50	41	45		
Unknown.....	63	2	6		3	2	4	1	4		1		
34 2. Diseases of the nervous system.....	4,286	207	156	214	167	228	190	236	196	241	226		
Under 5.....	1,681	89	48	64	57	84	63	73	47	94	73		
5 to 59.....	1,331	47	56	59	51	79	51	89	71	72	75		
60 and over.....	1,242	69	52	88	58	64	74	72	78	73	78		
Unknown.....	32	2		3	1	1	2	2		2			
39 3. Diseases of the circulatory system.....	2,310	97	92	109	98	134	122	126	129	144	138		
Under 5.....	181	7	7	12	8	9	3	11	13	16	7		
5 to 59.....	1,031	35	42	38	40	63	68	50	60	56	69		
60 and over.....	1,069	54	42	58	50	59	51	64	55	70	62		
Unknown.....	29	1	1	1		3		1	1	2			
44 4. Diseases of the respiratory system.....	7,729	428	409	520	414	624	504	559	519	392	343		
Under 5.....	4,112	224	222	285	224	289	237	213	193	184	156		
5 to 59.....	2,404	143	124	188	125	226	173	214	207	126	109		
60 and over.....	1,165	58	62	65	64	107	90	126	117	78	75		
Unknown.....	48	3	1	2	1	2	4	6	2	4	3		
49 5. Diseases of the digestive system.....	2,802	83	108	105	87	108	90	114	84	150	148		
Under 5.....	1,079	34	32	36	23	34	29	33	15	59	43		
5 to 59.....	1,148	26	53	43	44	46	47	55	48	53	78		
60 and over.....	560	23	22	25	19	28	13	26	21	33	27		
Unknown.....	15		1	1	1		1						
54 6. Diseases of the urinary system.....	1,074	60	35	77	30	78	33	69	38	71	42		
Under 5.....	73	4	4	6	3	4	1	4	2	3	3		
5 to 59.....	460	24	24	34	15	23	16	19	21	19	23		
60 and over.....	532	32	6	36	11	51	15	46	13	49	16		
Unknown.....	9		1	1	1				2				
59 7. Affections connected with pregnancy.....	513		40		38		64		64		54		

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 9—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
25	23	36	17	27	17	27	21	14	18	16	19	26	16	1	2	1
14	17	23	16	18	16	12	16	5	11	8	12	13	8	1	1	2
10	5	13	1	9	1	13	5	8	2	5	4	13	5	1	1	3
1	1				1	2		1		2	2		3			4
										1	1					5
10	14	15	14	12	12	11	13	3	8	8	12	9	9	1	1	6
10	13	15	14	12	11	9	13	3	8	7	9	9	7	1	1	7
					1	1				1	1		2			8
	1				1	1					2					9
																10
61	57	62	60	78	69	59	55	58	44	62	47	60	52		3	11
30	33	32	27	48	31	35	26	35	27	32	27	34	18		2	12
2	3	5	2	1	1	1	3	1	2	2	2	2	2			13
28	20	23	31	29	33	22	26	22	15	28	19	24	31			14
1	1	2			4	1					1		1			15
13	12	17	10	16	10	18	16	3	11	5	6	4	8			16
6	6	9	5	15	5	12	10	2	7	3	5	2	4			17
2	3	5	2	1	1	1	3	1	2	2	2	2	2			18
4	2	1	3		2	4	3		2		1		1			19
1	1	2			2	1							1			20
24	18	22	28	29	33	18	23	22	13	28	19	24	30		1	21
24	18	22	28	29	31	18	23	22	13	28	18	24	30			22
					2						1				1	23
274	363	257	394	269	381	246	393	253	401	265	346	277	402	13	21	24
29	25	36	18	31	38	29	32	30	22	34	32	29	20	1		25
186	280	164	308	180	275	167	293	153	294	176	239	186	308	8		26
53	54	54	63	57	64	48	58	65	81	53	73	60	70	2	6	27
6	4	3	5	1	4	2	10	5	4	2	2	2	4	2	3	28
176	250	160	256	149	247	136	259	153	257	157	239	180	265	10	15	29
11	13	14	8	7	15	12	15	8	7	13	19	14	7	1		30
138	215	129	225	125	209	114	219	108	225	127	188	142	231	7		31
22	20	16	21	17	19	9	18	34	21	16	31	22	25	2	10	32
5	2	1	2		4	1	7	3	4	1	1	2	2	2	3	33
166	146	171	156	203	147	155	173	151	130	169	121	183	143	5	6	34
80	68	76	76	100	72	77	88	66	57	65	45	70	48		1	35
54	41	52	44	60	38	53	50	50	40	58	41	55	44		1	36
30	35	42	34	41	36	24	35	34	32	44	35	58	50	2	4	37
2	2	1	2	2	1	1		1	1	2			1	3		38
70	83	81	70	83	87	64	56	88	79	75	68	110	103	3	1	39
4	5	3	4	5	6	9	5	10	9	5	5	8	10			40
28	39	36	35	39	49	21	22	41	36	34	32	52	45	1		41
36	37	40	30	38	32	34	29	36	33	35	30	47	45	2		42
2	2	2	1	1				1	1	1	1	3	3		1	43
129	143	153	114	157	171	218	196	279	235	245	259	362	337	8	11	44
82	92	103	65	102	110	147	133	174	155	157	131	226	200	5	3	45
29	39	32	31	37	49	53	44	78	55	60	87	98	94		3	46
18	12	18	16	15	12	17	19	27	25	28	39	35	41		1	47
			2	3		1					2	3	2	3	4	48
125	109	127	124	156	136	151	118	134	119	103	95	121	100	4	3	49
52	38	53	63	75	65	80	59	56	52	40	33	40	32	2	1	50
49	51	39	39	41	51	41	45	54	42	36	47	50	45	2	1	51
23	18	35	22	28	20	30	13	23	23	26	15	31	21			52
1	2						1	1	2	1			2		1	53
58	22	76	25	39	25	58	14	58	27	50	14	59	20	1		54
3	1	3	2	4	2	3	2	4	2	4	1	6	2			55
20	15	29	12	15	18	25	10	18	20	14	9	23	14			56
35	6	43	11	20	5	25	2	36	5	31	4	30	4			57
		1								1				1		58
	40		35		33		38		32		43		31		1	59

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 9—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 8. Accidents and injuries .....	2,585	159	72	157	72	187	62	185	76	192	57
2     Under 5.....	557	37	35	28	36	32	26	32	30	26	15
3     5 to 59.....	1,715	104	33	117	30	137	31	138	37	152	34
4     60 and over.....	227	14	4	11	6	16	5	13	9	10	8
5     Unknown.....	36	4		1		2		2		4	
6     Burns and scalds .....	439	36	39	15	35	21	29	12	26	8	23
7     Under 5.....	242	28	23	9	15	14	11	11	7	5	8
8     5 to 59.....	171	7	15	5	18	7	17	1	16	3	13
9     60 and over.....	24	1	1	1	2				3		2
10    Unknown.....	2										
11    Drowning.....	107	3	4	7	1	7	2	9	5	9	3
12    Under 5.....	23	1	1	1				3	1		
13    5 to 59.....	81	1	3	6	1	6	2	6	4	9	3
14    60 and over.....	3	1				1		1			
15    Unknown.....											
16    Exposure and neglect .....	77	5	5	3	7	5	5	2	8	6	4
17    Under 5.....	44	3	3	2	6	2	2	1	3	5	1
18    5 to 59.....	17		2		1	1	2	1	2		1
19    60 and over.....	16	2		1		2	1		3	1	2
20    Unknown.....											
21    Gunshot wounds.....	349	21	3	19	5	29	2	23	2	41	3
22    Under 5.....	7	2								1	
23    5 to 59.....	325	16	3	19	5	29	2	22	2	38	3
24    60 and over.....	9	1						1		1	
25    Unknown.....	8	2								1	
26    Homicide.....	154	11	2	12	2	12		17	1	17	1
27    Under 20.....	22		1	2	1	1		3	1	1	1
28    20 to 59.....	122	10	1	10	1	10		14		15	
29    60 and over.....	9	1				1				1	
30    Unknown.....	1										
31    Injuries by machinery.....	22			1		1		2		1	
32    Under 20.....	5					1					
33    20 to 59.....	17			1				2			
34    60 and over.....											
35    Unknown.....											
36    Railroad accidents.....	286	16		26		23	1	37	1	26	1
37    Under 5.....	5							2			
38    5 to 59.....	251	13		24		20	1	32	1	23	1
39    60 and over.....	19	1		2		1		2			
40    Unknown.....	11	2				2		1		3	
41    Suicide by shooting .....	19	3		3		2		2		3	
42    Under 20.....	1										
43    20 to 59.....	17	3		3		2		2		3	
44    60 and over.....											
45    Unknown.....	1										
46    Suicide by drowning .....	5							1	1		1
47    Under 20.....											
48    20 to 59.....	3								1		1
49    60 and over.....	2							1			
50    Unknown.....											
51    Suicide by poison.....	14	1	1	1				3		1	1
52    Under 20.....											
53    20 to 59.....	12	1	1	1				3		1	1
54    60 and over.....	2										
55    Unknown.....											
56    Other suicides .....	42	3	1	2		1	1	2	5	1	
57    Under 20.....	4									1	
58    20 to 59.....	33	3	1	2			1	2	4		
59    60 and over.....	5					1			1		
60    Unknown.....											
61    Sunstroke.....	17			1		2					
62    Under 5.....	3										
63    5 to 59.....	10					1					
64    60 and over.....											
65    Unknown.....	4			1		1					







CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 10.

Table with columns for months (June to December) and 'Unknown', each split into 'Male' and 'Female' counts. Includes a list of ages (1-60) on the right side of the table.

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 10—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B	891	53	27	37	31	44	33	41	31	46	24
Under 5	647	33	18	28	19	29	23	20	21	27	13
5 to 59	175	12	4	9	9	11	8	17	8	14	5
60 and over	47	6	2	1	1	2	1	2	2	5	2
Unknown	22	2	3		2	2	1	2			4
6 Inanition	670	38	22	29	24	31	25	23	20	28	19
Under 5	616	32	18	28	17	28	22	19	19	25	13
5 to 59	18	3		1	4		1	1		2	1
60 and over	16	2	1		1	1	1	1	1	1	1
Unknown	20	1	3		2	2	1	2			4
11 General diseases—C	2,925	140	139	122	149	147	153	130	143	146	119
Under 5	1,166	54	49	50	41	71	57	47	46	57	35
5 to 59	127	4	4	7	17	5	4	12	4	8	4
60 and over	1,538	77	85	64	85	70	83	69	95	81	74
Unknown	44	5	1	1	6	1	4	2	3		6
16 Debility and atrophy	702	29	25	23	51	33	33	25	23	31	24
Under 5	342	13	8	7	17	15	12	11	8	11	9
5 to 59	122	4	4	7	17	5	4	10	4	8	3
60 and over	221	7	13	8	16	12	14	4	11	12	10
Unknown	17	5		1	1	1	3				2
21 Old age—all ages	1,394	70	73	56	74	58	75	67	87	69	68
60 and over	1,367	70	72	56	69	58	74	65	84	69	64
Unknown	27		1		5		1	2	3		4
24 General diseases—D	8,213	323	356	337	410	412	437	400	443	389	449
Under 5	465	11	14	12	18	26	29	28	23	28	19
5 to 59	5,906	240	231	244	315	297	315	261	324	254	325
60 and over	1,775	77	56	75	77	86	89	107	95	103	100
Unknown	67		5	6		3	4	4	1	4	5
29 Consumption	5,333	234	243	242	279	280	285	254	295	248	275
Under 5	217	7	9	6	9	11	17	14	11	11	6
5 to 59	4,533	205	214	203	245	233	233	202	249	197	238
60 and over	591	22	16	29	25	33	33	35	34	36	28
Unknown	42		4	4		3	2	3	1	4	3
34 2. Diseases of the nervous system	5,477	266	223	267	227	322	244	280	252	279	261
Under 5	1,750	69	73	92	64	101	66	94	71	87	77
5 to 59	1,820	87	72	77	79	110	71	82	84	93	87
60 and over	1,865	106	76	95	84	103	105	101	95	98	96
Unknown	42	4	2	3		3	2	3	2	1	1
39 3. Diseases of the circulatory system	3,237	154	126	176	158	193	167	193	150	167	127
Under 5	160	7	6	6	6	4	15	8	7	11	6
5 to 59	1,267	50	51	60	57	65	69	62	69	68	55
60 and over	1,736	96	69	108	94	129	82	121	74	87	66
Unknown	24	1		2	1		1	2		1	
44 4. Diseases of the respiratory system	5,597	386	319	365	362	453	437	446	413	266	224
Under 5	2,134	156	120	172	139	194	165	157	133	84	31
5 to 59	1,840	137	91	102	99	146	120	130	145	99	69
60 and over	1,590	91	108	89	122	111	149	125	133	79	73
Unknown	33	2		2	2	2	3	4	2	4	1
49 5. Diseases of the digestive system	2,473	97	113	98	89	124	107	102	114	126	107
Under 5	488	15	21	13	17	25	18	17	13	20	14
5 to 59	1,295	50	60	60	44	62	57	57	70	57	63
60 and over	669	32	32	28	28	37	31	27	31	43	23
Unknown	21			2			1	1		1	2
54 6. Diseases of the urinary system	1,918	117	72	92	57	112	64	134	86	127	89
Under 5	66	2	1	1	3	8	3	2	5	3	3
5 to 59	832	47	45	34	33	47	34	47	40	43	46
60 and over	1,002	68	26	55	21	57	26	84	41	80	40
Unknown	18			2			1	1		1	
59 7. Affections connected with pregnancy	251		31		27		29		34		24

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 10—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
37	29	51	49	43	31	46	31	40	27	43	21	37	38	1	1
24	25	42	47	35	27	35	29	31	24	32	16	18	31	1	2
8	4	6	2	5	2	9	2	6	2	7	5	14	5	1	3
5		3		2	1	2		2	1	4		4			4
				1	1			1				1	2		5
23	25	45	45	37	27	33	23	30	23	30	16	19	30		6
22	24	42	44	35	25	33	28	29	22	29	16	18	28		7
	1	2	1	1											8
		1						1	1	1		1			9
				1	1								2		10
90	91	136	90	108	94	102	104	116	126	125	100	131	115	4	11
48	42	58	35	52	43	50	39	58	49	52	44	52	37		12
4	5	7	7	5	3	6	5	2	1	3	1	4	5		13
38	44	70	48	61	45	46	58	54	75	69	50	75	78	4	14
		1		1	3		2	2	1	1	5				15
19	25	43	34	28	20	32	28	30	30	36	24	28	28		16
13	18	27	17	15	12	18	18	18	21	16	11	12	15		17
4	4	7	6	5	3	6	5	2	1	3	1	4	5		18
2	3	9	11	8	3	8	5	9	8	17	9	12	8		19
								1			3				20
36	41	62	37	43	43	38	55	46	68	53	43	63	65	4	21
36	41	61	37	43	40	38	53	45	67	52	41	63	65	4	22
		1			3		2	1	1	1	2				23
263	302	276	332	249	337	258	288	291	325	280	339	345	365	2	24
21	12	19	16	19	26	24	19	16	15	15	11	20	24		25
133	225	190	253	163	247	170	200	206	236	194	262	242	275	1	26
56	65	60	61	62	63	62	61	63	70	70	66	79	66	1	27
3		7	2	5	1	2	3	1	4	1		4			28
158	194	187	216	154	207	176	179	202	197	193	210	233	233	4	29
8	9	11	10	12	9	12	7	8	6	6	4	6	8		30
135	167	146	193	124	174	133	159	172	165	158	132	194	210	2	31
15	18	26	12	17	24	29	12	22	24	28	24	29	20		32
		4	1	1		2	1		2	1		4			33
212	213	276	171	251	208	196	160	213	180	229	132	243	169	1	34
73	84	113	71	95	75	66	59	52	59	65	35	59	50		35
30	70	95	51	74	67	75	51	30	63	89	39	37	57		36
57	68	66	49	66	66	55	50	30	57	73	56	95	60		37
2	1	2		3				1	1	2	2	2	2	1	38
120	89	101	92	122	85	114	93	153	108	119	117	163	140	2	39
8	7	8	4	8	5	5	4	6	4	6	5	8	6		40
43	41	42	51	45	39	46	43	53	43	46	49	52	62	1	41
69	41	50	37	68	41	62	41	33	52	65	62	105	71	1	42
		1		1		1		1	4	2	1	3	1		43
96	71	89	57	72	74	112	101	216	177	219	171	241	223	1	44
40	22	28	28	21	22	45	45	31	61	33	60	105	81		45
37	26	33	17	33	31	35	33	67	62	81	62	71	84		46
19	21	28	12	18	21	31	22	66	54	54	49	62	63		47
	2					1	1	2		1		3		1	48
75	80	80	101	129	108	100	107	130	101	101	100	102	79	3	49
14	6	23	17	38	27	30	32	31	18	23	28	20	7	1	50
43	45	42	63	58	51	43	48	61	57	46	50	53	49	1	51
18	28	15	20	32	29	26	27	37	24	30	20	28	22	1	52
	1		1	1	1	1		1	2	2	2	1	1		53
87	30	89	35	88	43	85	49	90	40	90	68	119	53	1	54
1	3			4	2	3	4	4	2	3	3	4	2		55
35	15	33	24	35	24	34	26	23	20	36	36	46	29		56
50	11	54	11	47	15	46	19	62	18	51	29	68	22	1	57
1		2		2	2	2		1				1			58
	15		12		13		8		13		19		20		59



CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 10—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
112	38	158	38	155	47	130	38	165	42	141	39	115	46	2	1
8	9	15	13	15	7	15	10	15	6	11	9	12	15		2
91	22	120	15	130	30	96	17	128	26	103	23	84	21	1	3
13	7	21	10	9	10	17	11	20	9	24	7	18	10	1	4
		2		1		2		2	1	3		1		1	5
3	8	3	7	6	8	8	9	6	10	7	11	5	18		6
1	2			2		5	2	5	4	3	3	4	11		7
2	5	2	4	4	7	3	4	1	6	3	6	1	3		8
	1	1	3		1		3				2		4		9
										1					10
22	3	41	5	42	9	13	2	10	1	7	3	5	1		11
1	1	3		6		1	1			1	1				12
19	1	36	4	36	8	12	1	10	1	4	1	4	1		13
2	1	2	1		1					2	1	1			14
															15
1										1		2	1		16
															17
1										1		2	1		18
															19
8	1	13	2	6	1	5		8	4	17	2	9	6	1	21
1															22
7	1	12	2	6	1	4		8	4	16		9	5		23
		1				1				1					24
5	1	4	1	5		2	1	9	1	9	2	7	1	1	25
															26
1		1		2											27
4	1	3		2		2	1	8	1	8	2	2	1		28
			1	1				1		1		5			29
															30
1				1					1	1		1			31
															32
1				1						1		1			33
															34
															35
20	2	22		18	1	20	4	37	2	19	4	25	1	1	36
1	1	1					1	1			1				37
18	1	20		15	1	19	1	32	1	17	3	19	1	1	38
1				3		1	2	4	1	2		6			39
															40
2	1	4		1		8		7		4		3			41
															42
2	1	3		1		6		6		3		3			43
		1				2				1					44
								1							45
1	1	3				3	1	1	2		1		1		46
															47
1		2				2	1	1	1		1		1		48
	1	1				1									49
															50
3	2	1	1	3	2	5		4	1	4	2		3		51
															52
3	1		1	3	2	1	2	4	1	4	1		3		53
															54
															55
5		10		5		11	3	5	1	7	1	4	1		56
															57
1							1						1		58
2		7		5		6	2	4	1	4		3			59
		3				4		1		3	1	1			60
															61
3		5		8	4	4	2	1				1			62
															63
3		3		7	2	1	1	1							64
				1		1						1			65







VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 11—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B.....	492	18	8	18	16	25	16	18	17	34	35
Under 5.....	334	10	6	13	9	10	9	12	11	23	23
5 to 59.....	131	6	2	3	6	11	6	4	6	9	10
60 and over.....	25	2	.....	2	1	4	1	2	.....	1	2
Unknown.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Inanition.....	189	7	4	11	4	7	4	8	3	10	14
Under 5.....	179	6	4	10	4	6	4	8	3	8	14
5 to 59.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60 and over.....	5	1	.....	1	.....	1	.....	.....	.....	1	.....
Unknown.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
General diseases—C.....	1,831	73	87	74	83	89	87	57	93	84	131
Under 5.....	637	35	23	29	16	31	19	14	24	36	45
5 to 59.....	88	5	2	2	3	2	4	5	5	3	3
60 and over.....	1,074	33	62	43	61	55	61	37	62	45	79
Unknown.....	32	.....	.....	.....	3	1	3	1	2	.....	4
Debility and atrophy.....	276	8	9	8	9	14	11	11	17	13	11
Under 5.....	89	2	1	4	.....	4	2	4	5	6	3
5 to 59.....	86	4	2	2	3	2	4	5	5	3	3
60 and over.....	82	2	6	2	4	7	2	2	6	4	3
Unknown.....	19	.....	.....	.....	2	1	3	.....	1	.....	2
Old age—all ages.....	1,005	31	56	41	58	48	59	36	57	41	78
60 and over.....	992	31	56	41	57	48	59	35	56	41	76
Unknown.....	13	.....	.....	.....	1	.....	.....	1	1	.....	2
General diseases—D.....	9,444	346	427	322	444	367	572	409	628	533	839
Under 5.....	689	28	21	26	23	29	22	35	31	49	48
5 to 59.....	7,095	246	336	232	341	260	463	279	519	372	661
60 and over.....	1,544	63	69	62	74	71	76	88	74	100	123
Unknown.....	116	4	1	2	6	7	6	7	4	12	7
Consumption.....	6,235	225	290	214	306	241	388	259	458	341	588
Under 5.....	308	12	10	16	10	18	12	16	21	21	29
5 to 59.....	5,334	183	257	175	265	192	345	209	405	232	512
60 and over.....	508	27	23	21	30	25	27	27	29	27	42
Unknown.....	85	3	.....	2	1	6	4	7	3	11	5
2. Diseases of the nervous system.....	4,234	176	147	178	162	189	197	212	179	224	278
Under 5.....	1,330	48	46	45	40	57	53	59	44	91	86
5 to 59.....	1,701	68	65	70	71	77	86	80	69	64	99
60 and over.....	1,163	56	33	61	48	54	57	72	66	68	90
Unknown.....	40	4	3	2	3	1	1	1	.....	1	3
3. Diseases of the circulatory system.....	2,783	117	113	103	125	136	152	146	162	182	215
Under 5.....	140	8	8	4	7	7	3	7	6	7	11
5 to 59.....	1,341	46	63	40	66	57	82	55	79	76	113
60 and over.....	1,266	63	42	56	51	71	66	84	74	94	89
Unknown.....	36	.....	.....	3	1	1	1	.....	3	5	2
4. Diseases of the respiratory system.....	8,162	544	459	592	445	719	556	610	548	493	413
Under 5.....	3,643	226	185	277	205	279	209	207	185	252	187
5 to 59.....	3,263	233	192	247	159	317	258	286	267	179	165
60 and over.....	1,214	83	77	67	80	121	87	111	92	60	65
Unknown.....	42	2	5	1	1	2	2	6	4	2	1
5. Diseases of the digestive system.....	3,379	124	114	112	109	135	108	131	117	208	213
Under 5.....	1,725	47	49	45	48	48	40	47	59	103	125
5 to 59.....	1,126	52	37	42	44	51	47	58	40	66	59
60 and over.....	509	25	28	24	17	35	20	25	18	32	29
Unknown.....	19	.....	.....	1	.....	1	1	1	.....	2	.....
6. Diseases of the urinary system.....	1,181	54	33	61	18	86	38	79	31	102	45
Under 5.....	71	3	3	3	1	7	2	4	1	4	3
5 to 59.....	600	23	20	27	9	42	24	32	18	49	25
60 and over.....	508	28	9	31	8	37	12	41	12	48	19
Unknown.....	7	.....	.....	.....	.....	.....	.....	2	.....	1	.....
7. Affections connected with pregnancy.....	843	.....	55	.....	71	.....	85	.....	74	.....	114

CAUSE, AGE, AND MONTH.

993

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 11—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
17	13	23	17	33	34	31	23	19	10	19	13	22	11	1	1	1
14	13	13	14	24	24	21	20	16	8	12	9	14	6			2
2		9	3	8	10	9	3	3	1	6	3	7	3			3
1		1		1		1		1		1	1	1	2	1		4
																5
8	10	8	7	11	16	8	9	6	8	9	5	7	5			6
8	10	8	6	11	15	8	8	6	7	9	5	7	4			7
			1		1		1									8
																9
																10
58	69	68	78	69	68	70	68	63	84	61	70	72	68	4	3	11
25	32	32	30	27	30	30	20	25	21	30	22	26	14	1		12
7	1	6	4	2		4	3	8	2	3	4	5	5			13
23	35	30	43	39	38	33	44	30	59	27	44	40	46	2	3	14
3	1		1	1		3	1		2	1		1	3	1		15
16	12	10	10	6	11	12	9	15	8	13	11	17	14	1		16
4	8	2	3	2	7	4	4	1	2	7	5	5	4			17
7	1	6	4	1		4	3	8	2	3	4	5	5			18
3	3	2	2	3	4	1	1	6	3	3	2	7	4			19
2			1			3	1		1				1	1		20
21	33	28	41	37	34	32	43	24	57	25	42	34	44	2	3	21
20	32	28	41	36	34	32	43	24	56	24	42	33	42	2	3	22
1	1			1					1	1		1	2			23
250	394	263	436	246	449	264	378	239	392	231	348	258	379	8	22	24
22	25	36	25	22	40	38	32	32	27	18	23	17	19			25
172	309	174	352	163	337	180	286	153	300	159	269	196	308	7	16	26
47	56	50	56	58	69	42	53	51	58	51	55	44	48			27
9	4	3	3	3	3	4	7	3	7	3	1	1	4	1	4	28
154	265	157	290	139	293	166	247	138	242	143	232	181	259	6	13	29
6	9	9	12	8	15	13	14	14	11	5	12	8	6			30
126	235	123	262	113	255	138	211	109	207	122	204	156	226	6	11	31
13	17	18	16	15	22	11	16	14	18	14	16	16	24			32
9	4	2		3	1	4	6	1	6	2		1	3			33
158	176	193	168	187	172	193	168	152	135	146	124	164	144	10	2	34
63	70	69	52	79	70	67	59	85	46	39	30	45	36			35
57	68	68	83	67	71	83	79	52	66	66	52	65	63	2	1	36
36	40	54	26	41	30	42	29	47	35	41	41	52	40	4		37
2	3	2	2		1	1	1		2		1	2		4		38
78	89	80	104	91	124	92	83	97	107	78	83	88	121	8	9	39
9	6	2	5	5	2	5	1	8	6	6	4	3	10			40
35	43	33	53	44	80	36	55	35	53	33	47	39	64	2		41
31	34	44	46	41	40	49	26	54	43	39	32	44	45	5	3	42
3	1	1		1	2	2	1					2	2	1	4	43
146	126	130	119	128	162	174	180	223	216	232	216	392	308	12	9	44
78	68	77	72	69	79	107	101	123	115	109	112	169	144	2	1	45
54	43	38	36	35	62	44	55	63	67	90	74	160	124	6	4	46
14	15	15	10	24	20	22	23	30	33	32	29	62	39	1	2	47
			1		1	1	1	2	1	1	1	1	1	3	2	48
147	130	169	161	170	169	168	155	162	129	99	109	116	111	7	6	49
85	73	106	93	100	96	108	90	82	61	47	55	50	55	5	3	50
43	39	46	43	44	50	41	44	61	51	35	39	43	46			51
19	17	17	19	26	21	17	20	18	16	17	15	22	10	1	1	52
	1				2	2	1	1	1			1		1	2	53
55	28	63	31	62	29	53	35	59	41	62	28	58	27	2	1	54
2	2	7	3	1	2	2	2	5	2	5	4	2	1			55
20	17	20	21	31	19	25	25	26	33	27	17	32	18	2		56
33	8	36	7	30	8	26	8	23	5	30	6	24	8			57
	1								1		1					58
																59

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 11—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 8. Accidents and injuries .....	3,199	200	133	203	141	178	134	185	122	247	121
2     Under 5.....	1,049	76	74	56	79	55	74	49	56	55	50
3     5 to 59.....	1,849	101	45	124	48	110	47	121	53	175	52
4     60 and over.....	256	21	12	19	14	9	13	15	11	12	16
5     Unknown.....	45	2	2	4	4	4	4	2	2	5	3
6     Burns and scalds .....	877	53	85	54	80	31	74	23	53	27	45
7     Under 5.....	507	40	43	32	44	24	39	16	23	17	18
8     5 to 59.....	304	7	32	19	32	4	28	7	26	8	23
9     60 and over.....	59	5	8	2	4	2	7	3	3	2	4
10    Unknown.....	7	1	2	1	1	1	1	1	1	1	4
11    Drowning.....	128	6	.....	4	2	6	3	21	6	16	4
12    Under 5.....	14	1	.....	1	1	1	1	2	2	1	.....
13    5 to 59.....	109	4	.....	3	1	5	2	18	3	15	4
14    60 and over.....	4	1	.....	.....	.....	.....	.....	1	.....	.....	.....
15    Unknown.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
16    Exposure and neglect .....	128	11	10	5	11	3	7	8	9	12	10
17    Under 5.....	112	10	9	4	11	3	6	8	8	10	8
18    5 to 59.....	8	.....	.....	1	.....	.....	1	.....	1	1	2
19    60 and over.....	7	1	1	.....	.....	.....	.....	.....	.....	1	.....
20    Unknown.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21    Gunshot wounds.....	454	23	3	32	6	32	4	27	2	57	7
22    Under 5.....	24	1	1	.....	2	.....	.....	.....	.....	2	1
23    5 to 59.....	407	26	2	30	4	31	4	25	2	51	6
24    60 and over.....	11	.....	.....	1	.....	1	.....	2	.....	1	.....
25    Unknown.....	12	1	.....	1	.....	.....	.....	.....	.....	3	.....
26    Homicide.....	227	17	1	23	3	16	4	11	4	25	5
27    Under 20.....	30	1	1	2	1	5	2	1	.....	1	1
28    20 to 59.....	181	15	.....	17	2	10	2	9	4	21	3
29    60 and over.....	11	1	.....	4	.....	1	.....	1	.....	1	.....
30    Unknown.....	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1
31    Injuries by machinery.....	26	1	.....	2	.....	.....	.....	.....	.....	1	.....
32    Under 20.....	8	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
33    20 to 59.....	17	1	.....	.....	.....	.....	.....	.....	.....	1	.....
34    60 and over.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
35    Unknown.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36    Railroad accidents.....	182	14	3	14	1	14	1	21	.....	20	1
37    Under 5.....	1	.....	1	.....	.....	.....	.....	.....	.....	19	.....
38    5 to 59.....	165	13	2	12	1	14	1	19	.....	1	1
39    60 and over.....	11	1	.....	1	.....	.....	.....	2	.....	.....	.....
40    Unknown.....	5	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
41    Suicide by shooting.....	23	4	.....	4	.....	2	.....	2	.....	2	.....
42    Under 20.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
43    20 to 59.....	16	2	.....	2	.....	.....	.....	2	.....	2	.....
44    60 and over.....	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....
45    Unknown.....	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....
46    Suicide by drowning.....	4	.....	1	.....	.....	1	1	.....	.....	.....	.....
47    Under 20.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
48    20 to 59.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
49    60 and over.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
50    Unknown.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51    Suicide by poison.....	13	.....	.....	.....	.....	3	.....	2	.....	2	2
52    Under 20.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
53    20 to 59.....	13	.....	.....	.....	.....	3	.....	2	.....	2	2
54    60 and over.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
55    Unknown.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
56    Other suicides.....	39	1	1	3	.....	7	.....	3	.....	4	.....
57    Under 20.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
58    20 to 59.....	33	1	1	2	.....	7	.....	2	.....	4	.....
59    60 and over.....	3	.....	.....	1	.....	.....	.....	1	.....	.....	.....
60    Unknown.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61    Sunstroke.....	29	2	.....	.....	.....	2	.....	.....	.....	2	1
62    Under 5.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63    5 to 59.....	18	1	.....	.....	.....	.....	.....	.....	.....	2	1
64    60 and over.....	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
65    Unknown.....	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....







VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 12—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
1 General diseases—B.....	227	18	9	6	1	9	7	9	10	14	7
2 Under 5.....	188	6	8	3	1	5	5	6	7	6	3
3 5 to 59.....	80	6	1	3		4	2	3	3	7	3
4 60 and over.....	4	1								1	
5 Unknown.....	5										1
6 Inanition.....	94	5	5	2	1	2	3	5	2	5	2
7 Under 5.....	89	5	5	2	1	2	3	5	2	5	2
8 5 to 59.....	3										
9 60 and over.....											
10 Unknown.....	2										
11 General diseases—C.....	507	26	28	27	22	29	20	22	18	18	35
12 Under 5.....	143	7	8	6	5	11	6	6	4	4	8
13 5 to 59.....	20	1		3	1			2		1	2
14 60 and over.....	330	16	20	16	16	17	14	14	13	13	25
15 Unknown.....	14	2		2		1			1		
16 Debility and atrophy.....	63	3	2	9	2	1	2	4	2	2	3
17 Under 5.....	21	1		1			1	1	1		1
18 5 to 59.....	19	1		1	1			1		1	2
19 60 and over.....	23	1	2	5	1	1	1	2	1	1	
20 Unknown.....											
21 Old age—all ages.....	321	17	18	13	15	17	18	12	13	12	25
22 60 and over.....	307	15	18	11	15	16	13	12	12	12	25
23 Unknown.....	14	2		2		1			1		
24 General diseases—D.....	2,637	120	117	127	124	125	152	143	147	146	179
25 Under 5.....	152	1	6	10	5	4	8	11	5	13	4
26 5 to 59.....	2,103	103	100	96	111	101	130	106	121	107	152
27 60 and over.....	349	16	10	20	8	19	13	25	19	25	22
28 Unknown.....	38		1	1		1	1	1	2	1	1
29 Consumption.....	1,827	89	79	94	98	93	110	95	106	105	122
30 Under 5.....	70		4	7	2	3	6	7	4	6	3
31 5 to 59.....	1,616	82	71	76	91	80	100	79	98	87	110
32 60 and over.....	124	7	3	10	5	10	3	9	7	12	8
33 Unknown.....	17		1	1			1		2		1
34 2. Diseases of the nervous system.....	1,207	72	45	45	50	59	61	55	45	63	51
35 Under 5.....	435	26	13	12	15	21	21	14	10	23	17
36 5 to 59.....	577	33	24	26	26	26	30	31	26	25	21
37 60 and over.....	174	10	8	7	9	11	9	10	7	10	11
38 Unknown.....	21	3				1	1		2		2
39 3. Diseases of the circulatory system.....	660	30	27	23	30	36	42	28	33	37	50
40 Under 5.....	19	3		2	1	1	2			2	
41 5 to 59.....	380	15	15	12	16	16	27	16	20	13	34
42 60 and over.....	250	12	12	9	12	19	13	12	13	20	16
43 Unknown.....	11			1						2	
44 4. Diseases of the respiratory system.....	2,855	272	145	243	179	312	188	226	200	134	94
45 Under 5.....	802	44	43	63	61	67	66	53	49	35	29
46 5 to 59.....	1,638	186	81	151	92	204	94	139	111	79	54
47 60 and over.....	393	39	20	27	25	39	27	34	39	19	11
48 Unknown.....	22	3	1	2	1	2	1		1	1	
49 5. Diseases of the digestive system.....	898	27	30	27	31	36	43	37	35	54	43
50 Under 5.....	312	10	9	5	9	5	11	10	7	22	19
51 5 to 59.....	464	15	17	20	19	22	26	13	20	20	20
52 60 and over.....	120	2	4	2	3	9	6	9	8	12	4
53 Unknown.....	2										
54 6. Diseases of the urinary system.....	405	23	10	24	10	24	9	31	9	19	8
55 Under 5.....	15			1					1		
56 5 to 59.....	278	17	9	15	9	16	7	20	6	10	4
57 60 and over.....	110	6	1	8	1	8	2	11	2	9	4
58 Unknown.....	2										
59 7. Affections connected with pregnancy.....	217		36		18		32		22		16

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 12—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
12	11	13	7	9	11	18	12	7	7	12	9	12	7		1
11	7	7	4	6	5	7	8	6	5	7	6	4	5		2
1	3	6	2	3	6	5	4	1	2	5	3	5	2		3
	1		1									1			4
						1						2			5
9	3	4	4	2	2	6	6	3	2	5	6	5	5		6
9	3	4	3	2	1	6	6	3	2	5	6	3	4		7
			1		1								1		8
												2			9
															10
10	18	16	12	25	35	14	24	16	22	10	22	16	16	2	4
5	8	5	1	7	13	2	8	7	3	2	3	9	5		12
	1			3		1	1	2	1		2	1			13
5	9	10	11	14	21	11	15	9	18	8	16	6	10	1	2
		1		1	1	1					1		1		14
															15
	4	6		4	3		4	3	2		3	2	1	1	16
	2	3		1	2		2	2			1	1	1		17
	1			3			1	1	1		2	1		1	18
	1	3			1		1	1	1					1	19
															20
5	8	8	11	15	21	12	14	8	17	8	17	6	11	1	4
5	8	7	11	14	20	11	14	8	17	8	16	6	10	1	2
		1		1	1	1					1		1		22
47	103	88	83	82	94	78	87	95	102	80	103	106	98	7	9
2	9	5	3	7	3	10	6	7	6	8	8	3	7		1
35	79	70	63	64	81	49	67	72	86	60	82	85	75	5	3
9	13	12	16	11	7	14	13	13	8	10	12	16	15	1	2
1	2	1	1		3		1	3	2	2	1	2	1	1	3
32	70	52	54	51	63	43	60	60	77	56	69	76	65	5	3
	5	2	1	2	1	4	2	1	3	2	2	1	2		30
28	60	46	43	46	60	34	52	55	70	52	64	70	57	4	1
3	3	4	5	3	2	5	5	2	4	1	3	4	5	1	31
1	2					1	1	2		1		1	1		32
44	34	45	42	70	66	52	48	44	35	48	41	45	41	2	4
															34
19	9	19	26	36	32	23	20	16	11	13	7	10	17		35
21	19	21	13	27	28	25	21	22	17	23	27	23	15	1	1
2	4	4	3	6	6	4	6	5	7	11	7	6	8	1	2
2	2	1		1		1	1	1		1		1	1	1	37
26	17	20	30	21	22	30	25	15	20	27	24	19	24	1	3
															39
1			1		1	2			1	1			1		40
14	10	13	20	11	14	18	18	8	12	15	15	14	12		2
10	6	7	9	8	6	10	7	7	7	11	7	5	11		1
1	1			2	1						2			1	42
33	32	25	30	43	35	46	45	87	57	79	69	163	98.	12	8
															44
9	13	12	13	22	14	21	21	25	23	23	20	42	29	2	3
16	13	11	14	16	16	17	19	56	26	46	37	96	55	7	2
8	5	2	2	5	5	8	4	6	8	10	10	24	12	2	2
	1		1				1				2	1	2	1	1
29	28	39	32	53	41	50	49	35	39	39	35	26	30	4	1
															49
15	13	16	10	22	21	21	19	10	13	11	15	5	12	2	
11	14	18	21	31	15	21	26	18	20	26	14	15	15	2	
3	1	5	1	5	5	7	3	7	6	2	6	6	3		1
						1	1								50
10	10	20	16	25	17	24	13	32	5	25	6	23	11	1	
															54
	1	1	1	1	1	2	1	1		1		1	2		55
6	3	13	14	17	11	16	11	23	4	18	6	14	3	1	56
3	6	6	1	7	5	6	1	8	1	5		8	1		57
1										1					58
	7		15		11		23		14		8		15		59











VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 13—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B.....	886	37	40	47	23	50	38	43	27	30	28
Under 5.....	716	30	33	38	22	40	30	30	23	23	23
5 to 59.....	136	7	6	7	6	7	6	10	3	6	4
60 and over.....	22	1	2	2	1	2	2	2	1	1	1
Unknown.....	12	1	1	1	1	1	2	1	1	1	1
6 Inanition.....	702	27	32	37	23	41	33	31	22	20	23
Under 5.....	683	27	31	37	22	39	30	30	22	20	22
5 to 59.....	8	1	1	1	1	2	2	1	1	1	1
60 and over.....	3	1	1	1	1	1	1	1	1	1	1
Unknown.....	8	1	1	1	1	1	1	1	1	1	1
11 General diseases—C.....	2,752	121	136	114	120	137	136	129	133	102	128
Under 5.....	943	46	30	41	27	44	43	33	33	35	35
5 to 59.....	74	3	2	3	5	7	3	2	1	3	2
60 and over.....	1,723	71	102	69	88	86	85	93	97	64	91
Unknown.....	12	1	2	1	1	1	1	1	2	1	1
16 Debility and atrophy.....	652	22	14	16	19	23	37	29	25	31	26
Under 5.....	460	15	7	12	13	17	25	19	16	20	15
5 to 59.....	71	3	2	1	5	6	3	2	1	3	2
60 and over.....	117	4	4	3	1	7	9	7	7	8	9
Unknown.....	4	1	1	1	1	1	1	1	1	1	1
21 Old age—all ages.....	1,614	68	99	67	87	81	76	86	91	56	82
60 and over.....	1,606	67	98	66	87	81	76	86	90	56	82
Unknown.....	8	1	1	1	1	1	1	1	1	1	1
24 General diseases—D.....	6,170	271	271	277	261	293	327	296	312	327	308
Under 5.....	334	14	16	18	14	15	13	20	13	16	20
5 to 59.....	4,461	188	195	195	181	208	244	202	238	229	227
60 and over.....	1,331	67	60	62	65	66	68	71	58	82	55
Unknown.....	44	2	2	2	1	4	2	3	3	1	1
29 Consumption.....	3,692	168	141	178	140	192	186	184	189	214	176
Under 5.....	106	5	5	8	2	1	7	5	2	9	7
5 to 59.....	3,220	136	129	147	125	167	166	157	169	180	157
60 and over.....	342	26	7	22	12	30	13	20	17	25	11
Unknown.....	24	1	1	1	1	4	1	2	1	1	1
34 2. Diseases of the nervous system.....	4,436	238	136	218	167	236	190	227	193	225	178
Under 5.....	1,615	71	47	77	59	73	73	72	71	75	51
5 to 59.....	1,458	85	45	68	54	81	63	74	60	79	67
60 and over.....	1,334	79	44	72	54	82	49	81	61	69	58
Unknown.....	29	3	1	1	1	1	1	1	1	2	2
39 3. Diseases of the circulatory system.....	2,637	149	97	139	108	149	127	152	143	142	101
Under 5.....	158	9	7	9	4	15	10	4	12	6	8
5 to 59.....	1,201	58	41	56	55	65	65	66	70	63	47
60 and over.....	1,261	81	48	72	49	69	51	81	60	73	45
Unknown.....	17	1	1	2	1	1	1	1	1	1	1
44 4. Diseases of the respiratory system.....	5,632	381	311	446	335	570	400	542	405	270	175
Under 5.....	1,773	105	98	132	109	139	141	133	112	81	65
5 to 59.....	2,323	175	117	194	132	233	144	257	167	124	65
60 and over.....	1,499	96	98	114	93	141	114	142	124	64	44
Unknown.....	37	5	3	6	1	2	1	5	2	1	1
49 5. Diseases of the digestive system.....	2,441	106	89	109	91	124	122	123	111	110	119
Under 5.....	539	25	13	26	21	31	26	21	16	26	19
5 to 59.....	1,252	50	60	55	40	54	60	69	63	50	71
60 and over.....	642	30	16	28	30	38	35	33	32	34	29
Unknown.....	8	1	1	1	1	1	1	1	1	1	1
54 6. Diseases of the urinary system.....	1,767	104	57	102	60	107	66	100	61	93	59
Under 5.....	65	6	4	1	1	2	4	1	3	1	1
5 to 59.....	896	49	28	48	34	55	41	45	36	39	41
60 and over.....	794	49	25	33	25	50	20	53	22	53	17
Unknown.....	12	1	1	1	1	1	1	1	1	1	1
59 7. Affections connected with pregnancy.....	338		41		36		36		37		24

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 13—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
40	31	48	25	56	43	47	37	31	24	39	31	41	30	.....	.....	1
26	28	41	25	41	33	42	32	24	23	29	27	26	27	.....	.....	2
11	3	6	1	11	8	4	4	3	1	10	4	13	2	.....	.....	3
3	.....	1	.....	2	2	1	1	2	2	.....	.....	1	1	.....	.....	4
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5
25	26	41	24	40	32	40	32	24	22	29	25	26	27	.....	.....	6
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	26	40	24	39	30	40	31	22	22	29	25	24	26	.....	.....	7
.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	8
.....	.....	.....	.....	1	2	.....	.....	2	.....	.....	.....	.....	1	.....	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
97	100	117	114	124	118	115	104	130	102	90	89	112	82	7	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	40	62	39	59	48	45	31	54	29	33	31	36	28	.....	.....	12
1	3	1	5	2	2	2	2	5	6	1	3	8	2	.....	.....	13
60	57	52	70	63	63	68	71	71	67	56	54	67	52	6	.....	14
.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	15
24	26	41	36	48	35	40	20	41	25	10	14	34	16	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	20	35	27	37	30	26	13	29	15	7	11	20	9	.....	.....	17
1	3	1	5	2	2	2	2	5	6	1	3	8	2	.....	.....	18
1	3	4	4	4	3	12	5	7	4	2	.....	6	5	.....	.....	19
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
59	54	49	66	59	60	56	66	64	63	54	55	62	47	7	.....	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	54	48	66	59	60	56	66	64	63	54	54	61	47	6	.....	22
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	23
200	217	227	223	250	232	242	229	233	245	231	222	235	241	3	2	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	19	13	9	17	7	16	9	17	12	10	8	10	16	.....	.....	25
140	162	151	176	166	185	174	167	166	177	162	174	173	179	1	1	26
48	35	61	35	65	39	52	52	49	58	57	37	51	43	.....	.....	27
1	1	2	3	2	1	.....	1	1	3	2	3	1	3	2	.....	28
116	118	143	137	154	155	152	118	136	145	141	127	145	134	2	1	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2	7	7	2	9	3	4	3	4	4	3	3	1	3	.....	.....	30
99	104	118	125	132	139	135	106	122	127	122	114	131	121	1	1	31
15	6	17	8	13	13	13	8	10	13	14	8	12	9	.....	.....	32
.....	.....	1	2	.....	.....	.....	1	.....	1	2	2	1	1	.....	.....	33
191	144	214	169	199	174	204	143	190	143	179	128	191	157	2	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
79	60	91	94	79	79	78	59	68	49	52	46	60	52	.....	.....	35
57	43	58	44	67	51	64	48	66	46	67	45	63	57	.....	.....	36
53	41	65	30	52	42	60	34	55	46	59	36	66	46	1	.....	37
2	.....	1	.....	1	2	2	2	1	2	1	1	2	2	.....	.....	38
120	66	94	76	117	85	85	82	100	83	115	89	126	90	1	1	39
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	2	7	5	9	4	2	7	4	2	10	6	5	6	.....	.....	40
51	37	41	37	58	48	40	32	40	43	49	41	55	41	.....	.....	41
63	27	45	34	48	33	42	42	56	38	56	42	63	43	.....	.....	42
1	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	43
105	80	86	65	90	70	102	88	187	117	176	142	247	233	5	4	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
47	31	30	29	31	32	44	33	56	31	53	52	69	68	.....	.....	45
33	23	37	18	35	17	28	32	79	51	82	54	123	90	.....	.....	46
25	21	17	18	24	21	28	22	51	35	40	36	54	75	.....	.....	47
.....	.....	2	.....	.....	.....	2	1	1	.....	1	.....	1	.....	.....	.....	48
84	75	109	70	131	103	125	75	117	90	83	88	104	82	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	8	23	25	39	30	25	21	25	24	19	17	21	13	.....	.....	50
41	49	60	29	72	52	62	35	53	42	45	42	48	50	.....	.....	51
18	18	26	16	19	21	38	19	38	24	17	29	35	19	.....	.....	52
1	.....	.....	.....	1	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	53
76	40	86	43	108	45	111	45	94	41	80	46	89	51	2	1	54
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	.....	1	3	3	2	6	5	4	1	4	3	3	3	.....	.....	55
28	23	47	32	46	35	46	27	40	26	30	27	35	33	.....	.....	56
44	12	38	7	56	8	59	12	48	14	45	16	51	15	.....	.....	57
1	.....	1	.....	3	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	58
.....	25	.....	15	.....	20	.....	32	.....	23	.....	28	.....	21	.....	.....	59







VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 14.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 All causes.....	68,543	3,134	2,747	3,238	2,959	3,545	3,188	3,024	2,844	3,175	2,992
2 Under 5.....	26,813	1,042	908	1,188	1,022	1,160	1,052	972	890	1,257	1,093
3 5 to 59.....	31,993	1,577	1,460	1,526	1,540	1,725	1,677	1,435	1,489	1,327	1,469
4 60 and over.....	9,067	488	353	501	372	623	435	587	489	559	400
5 Unknown.....	670	27	26	23	25	37	24	30	26	32	30
6 Unknown cause.....	6,403	276	274	267	237	261	249	219	224	268	265
7 Under 5.....	4,065	180	174	184	140	156	157	183	116	184	144
8 5 to 59.....	1,779	67	82	58	79	69	69	65	87	59	88
9 60 and over.....	457	27	15	21	15	29	22	18	18	22	28
10 Unknown.....	102	2	3	4	3	7	1	3	3	3	5
11 1. General diseases.											
General diseases—A.....	21,955	749	671	792	799	893	863	738	798	971	955
12 Under 5.....	10,963	293	253	373	345	409	332	324	352	565	522
13 5 to 59.....	9,388	397	353	344	399	407	405	330	367	306	346
14 60 and over.....	1,473	55	54	72	48	70	69	80	77	92	81
15 Unknown.....	131	4	6	3	7	7	7	4	2	8	6
16 Measles.....	3,211	138	150	238	266	279	308	184	234	166	180
17 Under 5.....	1,723	63	69	138	128	142	136	80	105	101	97
18 5 to 59.....	1,419	75	76	96	133	131	164	96	121	62	76
19 60 and over.....	53	5	5	4	3	2	8	6	8	2	6
20 Unknown.....	16				2	4		2		1	1
21 Scarlet fever.....	717	47	68	34	46	42	37	29	40	24	28
22 Under 5.....	511	39	44	26	30	32	26	26	30	21	21
23 5 to 59.....	204	8	24	8	16	9	11	3	10	3	7
24 60 and over.....	2					1					
25 Unknown.....											
26 Diphtheria.....	482	19	20	28	26	19	15	15	16	13	9
27 Under 5.....	344	17	10	24	15	15	12	11	15	11	7
28 5 to 59.....	132	1	10	4	10	3	3	4	1	2	2
29 60 and over.....	3	1				1					
30 Unknown.....	3				1						
31 Whooping cough.....	1,132	25	25	48	52	52	64	53	52	78	95
32 Under 5.....	1,074	25	23	46	47	47	59	48	52	74	93
33 5 to 59.....	54		2	2	5	5	5	4		4	1
34 60 and over.....	3							1			1
35 Unknown.....	1										
36 Malarial fever.....	3,597	86	30	70	62	84	86	97	85	120	114
37 Under 5.....	1,256	21	18	20	20	32	33	25	29	48	42
38 5 to 59.....	2,082	61	57	43	40	48	42	59	51	58	62
39 60 and over.....	256	4	5	7	2	3	9	12	8	19	8
40 Unknown.....	23					1	2	1			2
41 Influenza.....	826	51	42	81	56	80	72	71	82	55	49
42 Under 5.....	200	15	11	23	15	22	16	18	18	9	8
43 5 to 59.....	251	17	14	27	16	27	23	16	26	15	14
44 60 and over.....	307	17	17	31	24	30	33	37	37	30	27
45 Unknown.....	8	2			1	1		1		1	
46 Typhoid fever.....	4,319	146	120	88	107	110	85	75	107	103	127
47 Under 5.....	864	12	18	11	15	14	16	11	21	21	26
48 5 to 59.....	3,198	124	91	73	90	89	62	57	80	70	89
49 60 and over.....	235	10	11	4	2	7	4	7	6	11	10
50 Unknown.....	22						3			1	2
51 Diarrheal diseases.....	5,506	115	78	100	74	97	90	109	86	300	261
52 Under 5.....	4,139	64	40	52	44	58	60	66	51	236	192
53 5 to 59.....	920	35	22	32	16	26	16	32	21	46	47
54 60 and over.....	409	15	13	14	11	13	14	10	13	16	21
55 Unknown.....	38	1	3	2	3			1	1	2	1
56 Cerebro-spinal fever.....	411	29	17	29	26	13	16	22	13	19	11
57 Under 5.....	195	10	6	8	10	9	4	10	5	9	6
58 5 to 59.....	206	18	11	21	16	9	11	11	7	9	5
59 60 and over.....	8	1						1	1	1	
60 Unknown.....	2						1				

CAUSE, AGE, AND MONTH.

1009

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 14.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
2,237	2,086	2,862	2,717	3,552	3,487	2,951	2,714	2,785	2,428	2,517	2,203	2,725	2,247	134	102
1,131	964	1,381	1,283	1,652	1,589	1,301	1,227	1,078	986	993	858	955	795	15	21
791	856	1,107	1,166	1,501	1,557	1,236	1,223	1,317	1,190	1,152	1,104	1,313	1,105	57	43
295	208	354	255	368	320	332	246	361	235	336	220	433	325	17	10
20	13	20	23	31	21	22	18	29	17	36	21	24	22	45	28
217	200	331	270	398	400	304	276	257	229	241	199	270	211	31	29
157	132	216	185	236	225	210	191	165	138	163	135	195	134	5	10
36	60	91	68	132	148	71	71	72	74	60	50	51	59	8	5
21	7	24	12	27	23	22	10	13	16	13	12	20	16	3	3
3	1	5	5	3	4	1	4	7	1	5	2	4	2	15	11
871	806	1,139	1,073	1,473	1,470	1,199	1,141	1,008	897	743	699	596	572	26	18
601	513	668	636	801	790	584	596	436	423	313	315	234	213	5	2
230	247	396	376	576	594	542	487	434	423	373	345	326	311	16	8
39	45	67	57	89	81	68	53	73	43	43	36	33	46	1	1
1	1	8	4	7	5	5	5	10	3	9	3	3	2	4	7
110	101	72	82	81	108	67	82	46	66	58	58	60	67	7	3
82	69	50	52	51	61	50	48	25	39	33	28	37	33	2	17
28	29	20	29	29	47	17	34	21	27	19	29	23	32	4	1
3	3	2	1	1	1	1	1	1	1	1	1	3	3	1	19
5	8	12	17	18	23	18	28	26	33	22	40	27	45	1	2
3	6	8	13	11	17	12	20	18	22	15	25	19	27	1	22
2	2	4	4	7	6	6	8	8	11	6	15	8	18	1	23
13	8	19	9	30	16	29	31	32	21	22	25	20	27	1	24
9	5	10	4	24	10	24	21	27	15	12	15	15	16	1	25
4	3	9	5	6	6	5	10	5	6	9	10	3	11	1	27
31	33	39	54	52	67	40	73	34	44	31	43	19	21	1	1
31	36	33	53	49	65	38	68	31	43	27	42	18	20	1	1
2	2	1	1	2	2	2	5	3	1	3	1	1	1	1	32
99	107	212	213	380	375	293	262	194	180	123	99	97	68	1	5
41	36	84	90	145	143	80	106	56	69	38	30	26	24	1	37
52	61	115	109	208	210	189	143	118	97	83	61	63	38	1	38
5	10	13	14	27	21	22	10	16	12	7	7	8	5	1	39
1	1	1	1	1	1	2	3	4	2	1	1	1	1	1	40
10	9	7	8	9	12	10	10	20	12	16	11	24	28	1	41
1	1	2	1	3	3	3	3	5	5	6	2	7	3	1	42
3	4	2	1	5	5	4	1	5	3	5	3	10	9	1	43
6	4	3	6	6	4	3	6	9	4	5	6	7	15	1	44
87	99	223	206	308	334	329	282	302	269	225	220	191	168	5	3
25	25	57	56	74	83	70	74	49	55	41	40	29	19	1	1
60	67	150	137	212	225	247	193	237	205	172	167	158	140	2	1
2	6	14	12	18	23	11	15	15	9	12	12	4	9	1	48
1	1	2	1	4	3	1	1	1	1	1	1	1	1	2	49
463	375	490	409	501	430	324	288	243	197	167	141	82	76	6	4
385	308	382	322	396	354	256	221	181	153	111	105	54	46	1	1
56	47	71	62	74	48	42	50	37	30	41	26	19	20	4	52
22	20	31	23	30	27	25	16	22	13	10	10	9	10	1	53
9	12	6	2	1	1	1	1	3	1	5	5	10	10	1	54
5	8	10	15	12	15	9	8	10	5	4	4	7	6	1	55
4	4	8	4	10	4	8	4	9	6	10	4	9	4	1	56
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	57
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	58
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	59
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	60

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 14—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
1 General diseases—B.....	817	40	19	50	29	38	26	30	24	38	27
2 Under 5.....	565	24	15	30	23	23	24	19	17	24	19
3 5 to 59.....	210	14	3	19	6	12	2	8	5	14	7
4 60 and over.....	36	2	1	1		3		3	1		1
5 Unknown.....	6								1		
6 Inanition.....	451	15	10	24	21	22	21	16	15	16	16
7 Under 5.....	434	14	10	22	20	22	20	16	14	16	15
8 5 to 59.....	8	1		1	1		1		1		1
9 60 and over.....	6			1							
10 Unknown.....	3										
11 General diseases—C.....	2,099	80	80	84	99	97	104	94	90	112	96
12 Under 5.....	1,086	41	32	50	39	39	41	50	43	53	53
13 5 to 59.....	59		5	1	4	1	2	1	3	1	5
14 60 and over.....	923	38	43	33	55	57	60	41	43	55	37
15 Unknown.....	31	1		1		1		2	1	3	1
16 Debility and atrophy.....	279	3	11	9	16	7	12	12	12	11	16
17 Under 5.....	110	1	1	3	6	3	5	4	4	5	5
18 5 to 59.....	58		5	1	3	1	2	1	3	1	5
19 60 and over.....	98	2	5	5	7	3	4	6	4	5	6
20 Unknown.....	13						1	1	1		
21 Old age—all ages.....	843	37	38	28	49	54	56	36	39	53	32
22 60 and over.....	825	36	38	28	48	54	56	35	39	50	31
23 Unknown.....	18	1		1				1		3	1
24 General diseases—D.....	8,582	332	390	380	407	423	486	409	460	439	540
25 Under 5.....	622	20	23	25	13	31	28	23	21	28	24
26 5 to 59.....	6,345	240	310	280	329	293	390	274	363	310	433
27 60 and over.....	1,432	69	50	70	61	98	59	108	65	95	76
28 Unknown.....	133	3	7	5	4	6	9	4	6	6	7
29 Consumption.....	5,754	218	271	263	232	293	349	263	329	236	334
30 Under 5.....	236	6	13	10	5	12	9	10	8	12	11
31 5 to 59.....	4,871	184	231	224	265	240	305	207	290	242	334
32 60 and over.....	559	26	22	25	20	36	28	45	26	29	34
33 Unknown.....	38	2	5	4	2	5	7	1	5	3	5
34 2. Diseases of the nervous system.....	5,815	237	219	232	212	309	238	243	223	271	234
35 Under 5.....	2,439	86	73	94	68	88	84	80	85	104	95
36 5 to 59.....	2,391	106	115	123	101	156	102	97	95	104	94
37 60 and over.....	943	41	31	59	42	63	52	64	42	62	44
38 Unknown.....	42	4		6	1	2		2	1	1	1
39 3. Diseases of the circulatory system.....	2,459	133	115	117	100	137	138	124	117	152	135
40 Under 5.....	202	6	7	15	10	10	11	5	6	14	7
41 5 to 59.....	1,243	63	69	47	64	54	83	52	57	59	69
42 60 and over.....	978	61	38	55	25	70	42	65	53	77	56
43 Unknown.....	36	3	1		1	3	2	2	1	2	3
44 4. Diseases of the respiratory system.....	10,092	846	614	854	663	892	647	678	551	394	327
45 Under 5.....	4,024	289	230	322	232	292	225	218	182	164	137
46 5 to 59.....	4,662	433	289	422	294	474	324	350	264	174	151
47 60 and over.....	1,326	118	89	108	81	122	96	104	99	51	37
48 Unknown.....	80	6	6	2	6	4	2	6	6	5	2
49 5. Diseases of the digestive system.....	4,315	167	117	134	139	179	145	163	142	192	131
50 Under 5.....	1,824	54	45	40	52	62	53	60	36	72	64
51 5 to 59.....	1,928	81	58	69	67	84	74	73	86	87	89
52 60 and over.....	542	22	14	25	19	32	17	30	19	33	27
53 Unknown.....	21			1		1	1		1		1
54 6. Diseases of the urinary system.....	1,396	87	34	83	36	113	35	91	33	94	42
55 Under 5.....	80	5	2	5	4	5	4	3	2	3	2
56 5 to 59.....	710	47	25	39	19	49	24	37	23	40	31
57 60 and over.....	590	35	7	39	12	61	7	49	11	51	8
58 Unknown.....	16			1		1		2	2		1
59 7. Affections connected with pregnancy.....	885		94		109		115		72		39

CAUSE, AGE, AND MONTH

1011

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 14—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
31	17	46	34	45	39	38	27	45	34	35	30	35	35	3	2	1
23	15	27	28	28	29	25	21	23	29	28	24	22	24	1	1	2
6	2	14	6	15	8	10	4	21	4	4	2	12	9	2	1	3
1	1	5	1	1	2	3	2	1	1	3	3	1	2	1	1	4
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5
19	12	18	22	22	25	18	13	17	22	21	22	22	21	1	1	6
18	12	18	22	21	23	16	13	17	21	20	20	22	21	1	1	7
1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	8
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	9
78	69	84	90	94	113	72	63	86	68	78	80	98	85	2	3	10
47	43	48	45	56	65	42	37	49	34	58	35	53	37	1	1	11
2	1	1	6	2	4	1	4	1	2	9	9	1	3	1	1	12
29	24	34	39	34	44	27	22	35	31	21	35	41	48	1	1	13
1	1	1	1	2	2	3	1	1	1	4	1	3	2	1	1	14
9	10	14	13	17	19	12	12	11	14	8	14	8	9	1	1	15
4	7	6	6	6	9	5	4	6	7	4	3	3	3	1	1	16
2	1	1	6	2	4	1	4	1	2	2	9	1	3	1	1	17
3	2	6	1	8	6	4	4	4	4	2	2	3	2	1	1	18
1	1	1	1	1	1	3	1	1	1	2	2	1	1	1	1	19
26	23	28	38	27	38	23	18	32	27	21	34	40	42	2	2	20
26	22	28	38	26	38	23	18	31	27	19	33	38	41	1	1	21
1	1	1	1	1	1	1	1	1	1	2	1	2	1	1	1	22
243	287	263	370	274	371	266	336	266	307	288	337	321	345	16	21	23
13	22	43	26	41	33	32	33	29	18	26	26	21	21	2	2	24
171	225	151	290	162	291	183	250	173	244	197	261	230	272	6	4	25
49	35	67	50	65	42	48	49	62	43	61	42	67	43	4	4	26
10	5	2	4	6	5	3	4	2	2	4	8	3	9	6	3	27
156	199	159	252	153	250	165	220	149	209	178	234	212	249	9	12	28
3	11	20	12	8	13	15	11	11	8	9	6	6	7	1	1	29
130	177	113	224	114	219	123	187	121	181	140	208	177	221	5	9	30
17	7	24	14	29	14	20	19	15	20	27	20	26	15	4	1	31
6	4	2	2	2	4	2	3	2	2	2	5	3	6	1	2	32
217	180	279	269	386	338	260	219	232	174	211	164	237	167	7	7	33
108	91	137	141	190	175	121	116	97	76	93	66	95	73	3	3	34
78	62	111	105	158	120	106	77	100	75	75	72	91	61	4	3	35
31	25	31	21	37	40	29	26	33	23	39	26	50	31	1	1	36
2	2	2	3	1	3	4	2	2	2	4	1	1	2	2	1	37
65	62	68	82	101	106	92	71	89	80	81	80	123	82	6	3	38
8	5	7	7	17	8	8	4	7	8	6	10	8	8	1	1	39
25	36	24	56	52	67	44	40	43	47	38	54	57	41	1	1	40
31	20	36	19	30	30	39	25	39	23	36	15	58	33	1	1	41
1	1	1	1	2	1	1	2	2	2	1	1	1	1	4	1	42
153	104	149	131	189	150	210	178	325	254	405	292	599	457	21	9	43
69	60	71	74	97	74	122	95	151	128	193	135	225	186	3	3	44
58	38	56	44	74	62	70	59	134	103	161	129	225	190	5	6	45
25	6	21	12	15	13	18	23	38	22	47	27	70	78	6	7	46
1	1	1	1	3	1	1	1	2	1	4	1	6	3	7	3	47
164	159	237	226	292	263	256	205	204	177	175	139	145	116	5	3	48
75	67	127	116	145	132	116	96	79	90	69	70	54	49	1	1	49
62	69	82	85	129	101	115	89	106	68	76	55	66	51	4	2	50
26	23	24	22	18	29	25	20	19	18	28	13	24	15	1	1	51
1	1	4	3	1	1	1	1	1	1	2	1	1	1	1	1	52
60	40	66	34	81	36	74	29	66	37	69	25	92	26	3	2	53
5	5	2	2	3	7	5	4	1	2	6	3	2	2	1	1	54
25	25	30	22	38	23	34	18	37	27	27	16	36	14	2	2	55
30	10	33	12	39	6	34	7	27	7	35	4	56	10	1	1	56
1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	57
46	46	44	44	71	63	68	63	71	71	60	60	48	48	3	3	58







CAUSE, AGE, AND MONTH.

1015

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 15.

MONTH AND SEX—continued.

June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1,898	1,761	2,444	2,261	2,725	2,695	2,669	2,526	2,831	2,891	2,607	2,529	2,839	2,459	79	67
505	416	845	694	1,039	944	928	808	806	745	672	583	708	526	16	11
862	907	919	1,018	1,019	1,126	1,072	1,168	1,208	1,454	1,146	1,266	1,262	1,209	25	28
515	427	682	528	646	611	655	581	791	668	771	658	846	698	15	10
16	11	18	21	21	17	14	19	26	24	18	22	23	26	23	18
73	88	104	82	130	124	135	102	99	112	73	85	102	91	13	16
37	36	62	41	82	79	73	54	62	59	40	33	60	51	4	5
21	26	21	23	23	19	21	25	18	37	16	27	25	18	2	3
15	20	20	14	21	22	38	16	16	13	14	21	12	20	1	2
	1	1	4	4	4	3	7	3	3	3	4	5	2	6	6
300	288	647	598	875	851	803	778	694	790	548	535	437	397	11	7
152	139	414	335	520	461	406	374	243	279	181	157	125	114	1	1
106	117	160	180	258	265	323	326	333	434	301	324	245	240	6	5
39	31	78	80	98	121	71	76	64	74	65	51	63	39	2	1
3	1		3	4	4	3	2	4	3	1	3	4	4	2	1
13	17	9	14	9	15	7	10	5	7	8	10	12	20		
8	14	7	6	8	10	5	6	4	3	4	4	8	8		
5	3	1	8	1	4	2	3	1	3	4	6	4	12		
		1			1		1		1						
4	6	8	7	4	10	12	9	11	12	17	12	18	25		
3	3	8	4	3	8	10	8	8	5	8	9	11	16		
1	3		3	1	2	2	1	3	7	9	3	7	9		
13	6	16	10	14	14	31	42	45	70	59	64	42	43	1	
5	2	8	3	8	4	17	18	27	33	33	27	25	22		
8	4	8	7	5	10	14	24	18	36	26	36	17	21		
				1					1		1			1	
18	9	19	22	15	23	26	29	14	25	17	26	18	19	1	1
17	9	18	20	14	27	25	28	13	24	17	25	16	17	1	
1		1	2	1	1	1	1	1	1		1	1	2		
12	19	28	35	42	43	57	58	45	62	27	30	26	18		1
2	5	8	12	14	9	17	14	9	18	7	3	4	3		
10	12	16	16	22	23	32	30	31	34	19	25	16	12		1
	2	4	5	6	5	8	13	5	10	1	2	6	3		
			2		1		1								
16	16	13	4	10	12	6	7	8	10	13	18	18	23	2	
	2	3			1	3					2	3	2		
4	3	2	2	3	5	1	3	1	4	2	3	2	10		
12	10	8	2	7	6	2	4	7	6	11	12	13	10	1	
	1										1		1	1	
46	47	89	88	193	168	261	230	307	332	228	220	170	143	5	3
5	4	12	9	12	24	24	23	19	23	15	22	10	9		
33	41	70	70	163	126	222	197	274	281	194	184	150	130	4	3
5	2	7	9	12	16	13	9	11	28	19	13	8	8	1	
3				1	2	2	1	3			1	2	1		
135	114	401	359	523	500	357	337	206	211	119	91	70	47	1	1
95	78	333	265	445	360	236	262	143	158	78	54	35	23		
25	23	28	39	28	57	33	33	25	28	13	22	11	11	1	1
15	13	40	54	52	82	37	42	32	23	27	15	23	12		
			1	3	1	1		1	2	1		1	1		
22	18	18	18	14	10	11	10	22	9	19	6	10	6		
10	14	10	10	11	8	7	2	10	7	9	4	5	5		
12	4	6	7	3	2	4	8	11	2	10	2	5	1		
		2	1					1							



TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 15—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B	1,175	57	37	61	34	60	41	62	35	68	44
Under 5	820	34	29	37	24	45	30	43	27	36	33
5 to 59	242	16	5	15	3	10	6	15	4	22	7
60 and over	94	4	3	7	6	4	5	4	4	5	4
Unknown	19	3	—	2	1	1	—	—	—	—	—
6 Inanition	888	36	32	42	26	49	29	43	27	35	34
Under 5	758	33	28	35	22	45	27	41	23	33	31
5 to 59	19	—	1	2	1	—	—	1	1	—	—
60 and over	51	2	3	3	2	3	2	1	3	2	3
Unknown	10	1	—	2	1	1	—	—	—	—	—
11 General diseases—C	3,882	210	197	188	179	213	232	204	203	192	187
Under 5	1,419	79	50	77	59	90	80	68	60	88	70
5 to 59	107	6	6	1	3	5	5	4	5	7	9
60 and over	2,338	125	139	110	116	118	147	132	136	96	108
Unknown	23	—	2	—	1	—	—	—	2	1	—
16 Debility and atrophy	728	35	34	30	21	39	39	32	33	34	34
Under 5	311	9	9	11	9	18	14	8	12	12	12
5 to 59	103	6	6	1	3	4	5	4	5	7	9
60 and over	307	20	18	18	9	17	20	20	16	15	13
Unknown	7	—	1	—	—	—	—	—	—	—	—
21 Old age—all ages	2,041	105	122	92	108	101	127	112	122	82	95
60 and over	2,026	105	121	92	107	101	127	112	120	81	95
Unknown	15	—	1	—	1	—	—	—	2	1	—
24 General diseases—D	13,970	548	690	567	656	627	813	642	868	663	883
Under 5	827	29	30	48	30	44	36	35	47	40	40
5 to 59	9,732	369	513	379	483	426	604	430	642	455	650
60 and over	3,233	148	132	132	137	153	166	172	174	163	186
Unknown	128	2	10	8	6	4	7	5	5	6	7
29 Consumption	9,028	347	482	351	423	424	561	421	593	447	576
Under 5	887	8	13	20	14	19	16	17	30	13	19
5 to 59	7,434	286	403	230	366	345	469	337	489	368	491
60 and over	1,137	51	54	47	44	57	71	62	70	61	62
Unknown	70	2	7	4	4	3	5	5	4	—	4
34 2. Diseases of the nervous system	8,301	394	364	399	337	477	365	453	346	454	403
Under 5	2,468	100	91	110	95	145	103	131	71	120	103
5 to 59	2,637	115	125	119	122	135	103	134	124	164	144
60 and over	3,151	177	148	168	118	195	157	187	148	168	154
Unknown	45	2	—	2	2	2	—	1	3	2	—
39 3. Diseases of the circulatory system	4,732	245	207	232	212	270	225	283	251	283	230
Under 5	397	31	18	33	12	20	14	21	24	27	7
5 to 59	1,842	89	93	67	92	81	89	88	106	102	105
60 and over	2,454	124	95	129	106	155	120	172	118	154	117
Unknown	39	1	1	3	2	4	2	2	3	—	1
44 4. Diseases of the respiratory system	8,330	559	483	607	556	769	743	783	666	401	385
Under 5	3,386	211	178	277	221	269	243	264	201	151	136
5 to 59	2,945	207	142	189	188	236	260	273	214	142	135
60 and over	2,448	133	160	139	146	210	236	239	249	106	112
Unknown	51	3	3	2	1	4	4	7	2	2	2
49 5. Diseases of the digestive system	4,233	164	175	191	142	186	180	190	185	212	209
Under 5	1,055	49	36	57	23	32	32	46	32	43	34
5 to 59	1,939	64	91	85	81	100	94	90	91	95	110
60 and over	1,168	51	48	48	37	54	54	53	60	73	64
Unknown	21	—	—	1	1	—	—	1	2	1	1
54 6. Diseases of the urinary system	2,485	166	70	157	33	153	90	174	80	172	93
Under 5	99	3	6	11	5	6	7	4	3	6	1
5 to 59	987	50	29	56	52	37	55	46	41	51	56
60 and over	1,377	111	35	89	25	110	27	122	35	113	36
Unknown	22	2	—	1	1	—	1	2	1	2	—
59 7. Affections connected with pregnancy	559	—	53	—	50	—	64	—	53	—	50

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 15—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
47	31	50	46	52	48	56	44	66	43	62	43	58	34	1	1
35	23	28	36	36	39	36	36	45	37	38	32	34	26	1	2
11	7	13	6	9	7	16	5	13	4	17	7	20	4	4	3
1	1	8	4	5	1	3	3	6	2	5	2	4	4	4	4
1	1	1	4	2	1	1	1	2	2	2	2	2	2	2	5
32	24	30	37	35	39	37	38	47	38	35	31	32	29	1	6
31	21	26	34	33	34	34	33	43	35	32	27	31	25	1	7
1	2	4	3	2	4	2	3	2	1	2	2	1	2	1	8
1	1	4	3	2	1	1	2	2	2	2	2	1	4	1	9
1	1	4	3	2	1	1	2	2	2	2	2	1	4	1	10
102	87	113	118	119	126	121	136	165	158	143	159	179	146	3	11
43	32	39	39	47	44	56	49	74	50	51	50	86	88	1	12
1	4	1	6	6	1	1	5	2	7	6	7	3	6	1	13
56	50	73	71	66	81	64	80	87	101	85	101	89	100	1	14
2	1	2	2	2	2	2	2	2	2	1	1	1	2	2	15
20	19	23	21	32	24	25	40	34	38	33	33	25	29	1	16
11	9	13	10	17	16	19	24	13	14	12	13	13	8	1	17
1	4	1	5	6	1	1	5	2	7	5	7	3	5	1	18
8	6	9	6	9	7	5	6	13	17	15	12	9	15	1	19
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	20
49	45	64	67	57	74	59	71	75	84	70	89	81	86	2	21
48	44	64	65	57	74	59	70	74	84	70	89	80	85	1	22
1	1	2	2	2	2	1	1	1	1	1	1	1	1	1	23
360	524	371	533	405	613	407	544	435	655	438	564	476	606	11	24
24	20	28	25	31	37	37	27	42	45	42	26	27	37	1	25
250	398	216	433	261	460	251	411	256	459	264	411	309	432	5	26
81	101	123	120	108	115	117	103	132	145	130	121	137	131	4	27
5	5	4	5	5	6	2	3	5	6	2	6	3	6	2	28
238	342	218	386	253	390	246	331	247	410	264	356	309	390	5	29
12	8	16	15	18	16	17	11	14	21	23	12	11	19	1	30
197	305	161	333	191	332	132	237	135	333	203	302	240	326	4	31
28	27	40	38	40	38	46	33	44	50	36	39	57	41	1	32
1	2	1	1	4	4	1	1	4	1	2	3	1	4	1	33
298	232	356	269	344	331	293	284	357	237	323	270	379	253	8	34
93	72	126	103	153	133	113	98	111	78	95	68	96	52	5	35
112	85	124	76	92	80	86	91	107	98	110	90	118	79	1	36
91	74	104	83	98	113	96	94	137	109	121	110	163	125	3	37
2	1	2	2	1	1	3	2	2	2	2	2	2	2	3	38
156	117	170	140	152	122	165	142	184	177	213	150	225	170	8	39
16	8	11	13	16	12	16	13	18	9	22	8	14	14	1	40
64	54	60	69	51	55	57	63	66	79	67	64	84	81	4	41
76	53	95	57	83	55	92	66	96	86	124	78	126	72	4	42
2	2	4	1	2	2	4	3	4	3	1	3	1	3	1	43
133	103	97	100	135	122	176	147	249	232	276	329	413	350	11	44
50	41	40	44	67	62	80	68	112	96	118	141	181	129	4	45
52	38	34	34	33	35	56	44	74	78	84	99	123	112	3	46
31	24	22	21	30	25	40	33	62	53	73	38	102	103	1	47
1	1	1	1	1	1	1	1	1	5	1	1	2	1	3	48
120	123	197	131	192	176	199	167	184	218	163	164	153	152	2	49
30	24	66	45	56	54	79	62	57	59	40	37	35	27	1	50
56	63	77	93	81	80	77	73	62	115	75	79	72	73	1	51
34	36	53	42	54	42	43	32	64	44	46	45	45	45	1	52
1	1	1	1	1	1	1	1	1	1	2	3	1	2	1	53
98	49	105	47	100	52	105	49	141	71	144	72	131	82	1	54
1	1	1	3	4	1	6	2	5	8	4	4	4	3	1	55
33	23	34	27	32	31	23	31	46	34	49	45	50	46	1	56
64	20	70	17	64	19	69	15	89	23	89	23	76	31	1	57
1	1	1	1	1	1	2	1	1	1	2	2	1	2	1	58
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	59
31	31	31	37	37	37	44	44	45	45	48	48	50	50	3	59



CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 15—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
189	64	214	41	199	63	189	48	237	68	198	70	270	88	10	2	1
16	14	19	7	19	12	21	13	29	18	29	20	39	31	1	1	2
148	36	175	27	157	41	151	29	174	38	149	37	200	38	4	1	3
22	14	17	7	21	9	17	6	33	12	18	13	28	17	2	2	4
3	2	3	1	2	1	1	1	1	1	2	3	3	2	3	1	5
8	10	9	12	7	10	11	9	24	19	15	16	24	33	1	1	6
5	2	6	3	5	5	7	2	10	11	12	9	19	18	1	1	7
3	6	3	8	2	5	3	5	13	7	3	6	5	14	1	1	8
2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	9
35	6	30	2	20	6	1	1	5	1	4	1	4	1	1	1	10
3	1	2	1	2	1	1	1	3	1	3	1	4	1	1	1	11
80	5	25	1	18	6	1	1	2	1	1	1	4	1	1	1	12
1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	13
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	14
1	2	1	1	2	1	2	1	2	1	1	1	1	1	1	1	15
1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	16
17	1	17	2	17	6	23	3	25	3	31	3	33	7	1	1	17
17	1	17	1	16	4	1	3	23	3	1	3	30	4	1	1	18
7	1	5	1	1	2	5	1	2	2	30	3	2	4	1	1	19
3	1	4	1	2	1	2	1	3	2	1	1	1	1	1	1	20
4	1	1	1	3	1	4	1	2	2	3	4	13	1	1	1	21
2	1	1	1	2	1	2	1	2	2	3	4	13	1	1	1	22
2	1	1	1	2	1	2	1	2	2	3	4	13	1	1	1	23
2	1	1	1	2	1	2	1	2	2	3	4	13	1	1	1	24
2	1	1	1	2	1	2	1	2	2	3	4	13	1	1	1	25
2	1	1	1	2	1	2	1	2	2	3	4	13	1	1	1	26
2	1	1	1	2	1	2	1	2	2	3	4	13	1	1	1	27
2	1	1	1	2	1	2	1	2	2	3	4	13	1	1	1	28
2	1	1	1	2	1	2	1	2	2	3	4	13	1	1	1	29
2	1	1	1	2	1	2	1	2	2	3	4	13	1	1	1	30
2	1	1	1	2	1	2	1	2	2	3	4	13	1	1	1	31
2	1	1	1	2	1	2	1	2	2	3	4	13	1	1	1	32
2	1	1	1	2	1	2	1	2	2	3	4	13	1	1	1	33
2	1	1	1	2	1	2	1	2	2	3	4	13	1	1	1	34
2	1	1	1	2	1	2	1	2	2	3	4	13	1	1	1	35
24	4	51	2	29	3	46	9	53	9	39	2	64	6	1	1	36
20	2	1	1	27	1	1	1	2	1	37	2	51	2	1	1	37
3	2	47	2	1	2	48	7	47	7	1	1	12	3	1	1	38
1	1	1	1	1	1	2	2	3	2	1	1	1	1	1	1	39
4	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	40
4	1	6	1	3	1	3	1	5	1	6	1	11	1	1	1	41
3	1	4	1	3	1	3	1	4	1	5	1	10	1	1	1	42
1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	43
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	44
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	45
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	46
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	47
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	48
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	49
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	50
4	4	3	2	2	3	6	1	3	4	4	3	6	5	1	1	51
2	3	3	2	2	3	5	1	2	3	3	1	5	2	1	1	52
2	1	3	2	2	3	1	1	1	1	1	1	1	1	1	1	53
2	1	3	2	2	3	1	1	1	1	1	1	1	1	1	1	54
2	1	3	2	2	3	1	1	1	1	1	1	1	1	1	1	55
10	3	15	4	9	7	10	2	9	3	12	3	11	2	1	1	56
1	1	2	1	1	1	8	2	5	3	2	3	1	2	1	1	57
7	1	12	3	7	5	2	2	5	3	8	3	8	2	1	1	58
2	1	1	1	1	1	2	1	4	1	1	1	2	1	1	1	59
5	1	2	1	6	1	4	2	1	1	2	1	2	1	1	1	60
4	1	1	1	1	1	3	1	1	1	2	1	1	1	1	1	61
1	1	1	1	1	1	3	1	1	1	2	1	1	1	1	1	62
1	1	1	1	1	1	3	1	1	1	2	1	1	1	1	1	63
1	1	1	1	1	1	3	1	1	1	2	1	1	1	1	1	64
1	1	1	1	1	1	3	1	1	1	2	1	1	1	1	1	65





VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 16—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B.....	1,142	68	38	48	35	74	44	60	43	52	41
Under 5.....	771	38	34	32	30	47	30	38	32	31	29
5 to 59.....	251	18	1	13	3	12	8	19	8	16	10
60 and over.....	102	6	3	2	2	11	6	3	3	3	2
Unknown.....	18	1		1		4				2	
Inanition.....	709	33	33	28	31	50	32	34	24	31	27
Under 5.....	650	29	32	26	29	42	27	33	23	27	24
5 to 59.....	17	1		1	1	1	1			1	1
60 and over.....	33	3	1	2	1	4	4	1	1	1	2
Unknown.....	9					3				2	
General diseases—C.....	4,742	231	207	237	212	275	248	243	249	227	204
Under 5.....	1,389	74	58	69	50	74	45	77	58	76	57
5 to 59.....	125	5	5	2	12	6	7	7	5	6	10
60 and over.....	3,191	151	147	162	150	195	196	158	186	140	137
Unknown.....	37	1	2	4				1		5	
Debility and atrophy.....	740	30	31	37	33	40	36	35	32	31	39
Under 5.....	281	10	9	11	8	8	13	10	12	10	10
5 to 59.....	123	5	5	2	11	6	7	7	5	6	10
60 and over.....	325	14	16	23	14	26	16	18	15	15	19
Unknown.....	11	1	1								
Old age—all ages.....	2,891	137	132	141	136	169	180	141	171	130	118
60 and over.....	2,866	137	131	139	136	169	180	140	171	125	118
Unknown.....	25		1	2				1		5	
General diseases—D.....	13,806	596	628	540	657	670	779	696	758	658	723
Under 5.....	720	34	27	25	23	40	33	45	33	38	26
5 to 59.....	9,113	363	429	323	457	391	555	425	543	401	523
60 and over.....	3,894	190	170	186	172	230	190	219	181	207	169
Unknown.....	119	4	2	6	5	9	1	7	1	7	5
Consumption.....	7,733	302	355	293	390	352	466	384	462	363	405
Under 5.....	324	11	15	16	9	16	13	17	13	18	7
5 to 59.....	6,313	238	296	226	329	267	399	293	391	280	358
60 and over.....	1,022	50	42	48	48	62	58	69	58	62	37
Unknown.....	74	3	2	3	4	7	1	5		3	3
2. Diseases of the nervous system.....	9,635	475	361	540	394	570	450	555	410	510	406
Under 5.....	2,694	119	94	129	117	151	116	138	118	113	100
5 to 59.....	3,239	149	123	170	127	195	158	181	155	175	159
60 and over.....	3,616	201	140	234	149	222	174	232	136	217	146
Unknown.....	86	6	4	7	1	2	2	4	1	5	1
3. Diseases of the circulatory system.....	6,296	331	256	365	285	385	264	358	294	376	268
Under 5.....	511	26	23	26	20	46	24	29	26	25	11
5 to 59.....	2,318	111	112	120	118	119	99	109	103	124	117
60 and over.....	3,418	193	121	216	146	218	141	217	164	226	140
Unknown.....	49	1		3	1	2		3	1	1	
4. Diseases of the respiratory system.....	10,272	652	549	834	738	1,089	867	849	714	457	387
Under 5.....	3,647	220	186	332	279	436	321	318	239	175	143
5 to 59.....	3,419	229	175	272	222	348	291	293	238	158	139
60 and over.....	2,943	201	185	225	233	298	249	238	235	124	102
Unknown.....	63	2	3	5	4	7	6		2		3
5. Diseases of the digestive system.....	5,425	237	212	266	191	292	271	249	228	272	251
Under 5.....	1,417	63	48	76	46	86	58	68	40	58	64
5 to 59.....	2,525	109	109	122	89	133	123	108	118	121	133
60 and over.....	1,460	60	55	68	54	78	84	72	68	92	53
Unknown.....	23	5		2			1	1	2	1	1
6. Diseases of the urinary system.....	3,115	191	69	139	74	199	106	229	87	224	95
Under 5.....	122	8	1	5	4	8	4	5	8	6	10
5 to 59.....	1,198	71	39	56	48	57	68	75	44	71	57
60 and over.....	1,770	110	28	127	22	132	34	147	34	146	28
Unknown.....	25	2	1	1		2		2		1	
7. Affections connected with pregnancy.....	749		68		72		96		89		72

CAUSE, AGE, AND MONTH.

1023

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 16—Continued.

MONTH AND SEX—continued.

June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
42	22	74	28	60	53	58	39	58	36	55	40	46	29	3	1	1
30	13	47	22	37	40	41	26	34	31	34	25	26	23		1	2
8	5	20	5	19	10	14	7	16	4	9	11	11	4			3
4	3	6	1	4	3	2	4	7	1	12	3	9	2			4
1	1	1				1	2	1			1			3		5
26	15	36	22	32	35	36	26	31	22	34	24	26	19	1	1	6
25	12	35	21	32	31	35	21	31	22	30	21	24	17		1	7
1	2	1	1		2	1	1			1	2	1	1			8
	1						2			3	1	1	1			9
							2							1		10
124	125	193	146	189	153	176	186	210	185	163	152	192	204	5	6	11
41	23	66	46	71	53	47	47	56	57	65	48	69	61		1	12
2	3	5	6	4	3	3	3	3	7	7	7	8	2			13
79	92	121	92	114	95	124	134	149	123	90	97	114	140	1	4	14
2	2	1	2		2	2	2	2	1	1		1	1	4	1	15
22	17	32	23	37	18	24	30	30	30	38	29	37	22	1	1	16
11	5	14	9	19	9	10	15	14	17	22	11	12	11		1	17
2	3	5	6	4	3	3	3	3	4	7	7	7	2			18
8	9	12	13	14	5	10	10	12	9	9	11	18	9			19
1		1		1	1	1	2	1						1		20
72	85	109	81	100	91	115	124	138	115	82	86	97	132	4	5	21
71	83	109	79	100	90	114	124	137	114	81	86	96	131	1	4	22
1	2		2		1	1		1	1	1		1	1	3	1	23
422	444	483	565	488	561	447	537	477	567	489	532	486	583	9	16	24
21	19	28	28	35	31	38	34	37	26	28	21	27	22		1	25
254	322	310	416	286	339	263	335	276	333	292	337	290	411	5	9	26
143	80	143	120	159	138	143	113	137	151	163	117	161	147	1	2	27
4	3	2	1	8	3	3	5	7	7	4	7	8	3	3	4	28
237	257	251	342	248	315	229	332	250	322	251	313	250	343	5	11	29
11	11	16	14	17	16	14	18	16	15	3	11	9	12		1	30
137	231	198	303	187	266	176	233	181	272	201	237	192	290	4	8	31
38	13	35	25	38	30	37	28	48	32	41	41	44	43			32
1	2	2		6	3	2	3	5	3	1	4	5	3	1	2	33
358	299	404	306	428	347	415	353	412	296	367	274	384	306	9	6	34
123	80	143	106	148	97	141	129	123	81	92	78	90	65	1	2	35
119	121	133	96	135	109	139	105	124	91	123	85	143	121		3	36
113	95	122	102	143	135	133	116	159	123	149	107	145	119	3	1	37
3	3	6	2	2	6	2	3	6	1	3	4	6	1	5		38
234	137	234	153	207	196	217	172	267	236	257	207	309	223	6	4	39
17	12	19	11	21	14	23	16	25	16	17	20	27	17			40
73	83	67	67	69	80	74	33	36	96	81	100	115	102	3	2	41
143	86	147	73	112	100	117	70	133	122	155	84	166	107	1		42
1	1	1	2	5	2	3	3	3	2	4	3	1	2	2	2	43
170	116	137	106	147	93	213	143	317	231	333	234	437	394	5	5	44
68	50	49	49	45	45	89	68	115	87	131	108	148	144	2		45
51	47	42	32	59	32	53	42	110	71	119	98	166	132			46
51	19	43	24	42	20	71	32	91	69	82	75	116	116	1	1	47
		3	1	1	1		1	1	4	1	3	7	2	2	4	48
172	143	222	179	260	203	261	244	263	223	216	175	207	172	4	2	49
31	32	71	43	75	54	94	84	82	53	51	46	55	33	1		50
95	77	94	94	116	95	103	108	107	120	104	84	83	73		2	51
46	33	37	41	66	59	64	49	74	50	60	45	68	61	3		52
	1		3	3			3			1		1				53
149	70	154	76	164	65	153	67	166	71	181	61	196	75	1	3	54
1	1	5	5	3	5	7	6	13	2	5	1	3	5		1	55
55	46	51	40	46	37	40	28	48	39	55	31	61	35			56
91	23	95	31	115	23	106	32	103	30	113	23	131	35		1	57
2		3					1	2		3	1	1		1	1	58
	52		47		46		50		46		33		55		3	59





CAUSE, AGE, AND MONTH.

1025.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 16—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
266	80	366	92	365	94	313	101	291	86	289	94	273	81	23	4	1
31	15	31	16	27	23	37	22	33	19	37	19	29	19	2	2	2
194	52	276	65	231	51	225	56	214	46	207	50	200	40	13	1	3
34	11	49	9	49	20	45	21	39	19	37	25	42	21	8	1	4
7	2	10	2	3	.....	6	2	5	2	8	.....	2	1	.....	.....	5
9	6	7	12	8	13	15	22	20	16	15	30	19	20	1	2	6
2	3	4	5	5	5	9	9	13	5	12	11	13	8	1	2	7
6	3	3	6	2	7	6	11	4	10	3	15	4	9	.....	.....	8
1	.....	.....	1	1	1	.....	.....	2	1	.....	4	1	3	.....	.....	9
.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	10
58	16	78	10	43	2	9	5	9	4	11	3	9	1	3	.....	11
9	6	4	3	5	1	4	2	3	.....	5	1	.....	.....	.....	.....	12
47	9	71	7	38	1	5	3	6	1	6	1	8	1	2	.....	13
2	1	2	.....	.....	.....	.....	.....	.....	3	.....	.....	1	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
1	1	2	3	2	2	2	1	3	.....	2	.....	1	1	.....	.....	16
.....	1	2	1	.....	2	2	1	1	.....	1	.....	1	.....	.....	.....	17
.....	.....	.....	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	18
1	.....	.....	1	1	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
14	3	24	6	21	3	21	7	20	3	27	3	34	5	2	.....	21
1	.....	1	2	2	.....	1	1	.....	.....	1	1	.....	.....	.....	.....	22
13	3	20	4	17	3	20	6	18	3	25	2	33	5	1	.....	23
.....	.....	1	.....	2	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	24
.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
3	1	5	4	12	3	10	1	15	3	4	.....	7	1	1	.....	26
.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
2	.....	4	3	9	3	8	1	3	3	3	.....	7	1	.....	.....	28
1	.....	.....	.....	1	.....	1	.....	10	3	1	.....	.....	.....	.....	.....	29
.....	1	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
1	.....	1	1	2	.....	2	.....	2	.....	2	.....	1	.....	.....	.....	31
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	32
1	.....	1	1	1	.....	2	.....	1	.....	2	.....	1	.....	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
35	6	48	4	67	2	59	4	49	6	45	8	35	3	3	.....	36
2	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	37
25	4	40	4	53	2	50	4	39	2	39	6	28	2	2	.....	38
6	1	7	.....	6	.....	5	.....	9	2	6	2	6	1	.....	.....	39
2	.....	1	.....	3	.....	3	.....	.....	2	.....	.....	1	.....	.....	.....	40
6	.....	7	.....	9	1	6	1	8	4	5	.....	6	.....	.....	.....	41
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
3	.....	4	.....	9	1	1	1	8	2	5	.....	5	.....	.....	.....	43
2	.....	3	.....	.....	.....	2	.....	.....	1	.....	.....	1	.....	.....	.....	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
2	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
2	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	48
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
1	3	3	2	3	1	1	2	.....	.....	4	3	3	4	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
1	1	2	1	2	1	1	2	.....	.....	4	2	2	2	.....	.....	52
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	53
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	54
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	55
26	9	23	8	24	7	19	4	26	5	27	7	26	3	.....	1	56
1	1	.....	2	1	2	1	.....	4	.....	1	.....	1	1	.....	.....	57
18	8	18	5	17	3	14	2	19	4	17	6	20	1	.....	1	58
6	.....	4	1	6	2	4	2	3	1	5	1	5	1	.....	.....	59
1	.....	1	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	60
1	1	9	1	14	2	8	3	2	1	1	.....	.....	.....	.....	.....	61
.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	62
1	1	5	1	11	1	3	2	1	1	.....	.....	.....	.....	.....	.....	63
.....	.....	4	.....	3	.....	4	.....	1	.....	1	.....	.....	.....	.....	.....	64
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	65

## VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN  
GRAND GROUP 17.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 All causes.....	14,742	692	585	710	644	841	732	789	687	642	598
2 Under 5.....	4,303	170	133	219	187	258	180	209	168	154	144
3 5 to 59.....	7,026	335	308	289	309	350	339	360	344	303	322
4 60 and over.....	3,270	180	139	196	145	226	158	204	169	178	123
5 Unknown.....	143	7	5	6	3	7	5	16	6	7	4
6 Unknown cause.....	585	20	16	22	34	24	25	25	17	30	29
7 Under 5.....	340	13	9	17	20	13	13	15	12	21	12
8 5 to 59.....	156	4	5	2	8	5	7	5	3	5	11
9 60 and over.....	83	2	2	3	6	6	5	5	2	4	6
10 Unknown.....	6	1									
11 I. General diseases.											
General diseases—A.....	2,780	78	82	93	101	102	115	83	101	69	87
12 Under 5.....	1,800	30	29	43	40	37	40	32	40	25	34
13 5 to 59.....	1,168	32	48	33	52	42	59	34	46	31	38
14 60 and over.....	296	15	5	16	7	22	16	16	14	13	15
15 Unknown.....	16	1		1	2	1		1	1		
16 Measles.....	100	3	10	9	10	9	11	4	6	6	4
17 Under 5.....	63	3	7	8	5	7	6		4	2	1
18 5 to 59.....	37		3	1	5	2	5	4	2	4	3
19 60 and over.....											
20 Unknown.....											
21 Scarlet fever.....	65	7	3	4	4	4	2	5	8	2	5
22 Under 5.....	40	4	1	4	3	2	2	3	7	1	2
23 5 to 59.....	21	2	2		1	2		2	1	1	2
24 60 and over.....	2	1									1
25 Unknown.....	2										
26 Diphtheria.....	270	16	20	9	11	6	10	9	9	10	12
27 Under 5.....	126	10	7	3	3	2	6	4	5	7	6
28 5 to 59.....	143	6	13	6	8	3	4	5	4	3	6
29 60 and over.....	1					1	4		4	3	6
30 Unknown.....											
31 Whooping cough.....	146	2	3	5	8	5	11	9	7	3	5
32 Under 5.....	131	2	3	5	8	4	8	8	6	3	5
33 5 to 59.....	14					1	3	1			
34 60 and over.....	1								1		
35 Unknown.....											
36 Malarial fever.....	169	1	5	2	4	3	5	1	8	4	3
37 Under 5.....	50		4	1		1	1	1	2	2	1
38 5 to 59.....	95	1	1	1	3	1	2		5	2	2
39 60 and over.....	24					1	2		1		
40 Unknown.....											
41 Influenza.....	151	3	7	9	4	20	25	17	19	10	14
42 Under 5.....	29		1	4	1	4	4	2	5		3
43 5 to 59.....	50		3	2	1	4	11	4	7	2	6
44 60 and over.....	71	3	3	3	2	11	10	11	7	8	5
45 Unknown.....	1					1					
46 Typhoid fever.....	537	19	11	14	18	14	7	4	15	8	16
47 Under 5.....	54	1		2	3	2		1	2		1
48 5 to 59.....	443	13	10	10	14	10	7	3	12	8	12
49 60 and over.....	37	5	1	2	1	2			1		3
50 Unknown.....	3										
51 Diarrheal diseases.....	950	9	6	17	22	13	17	10	13	14	18
52 Under 5.....	698	5	2	7	12	7	5	7	7	9	11
53 5 to 59.....	139	1	4	4	8	3	9	1	5	5	4
54 60 and over.....	108	2		6	2	3	3	1	1		3
55 Unknown.....	5	1						1			
56 Cerebro-spinal fever.....	69	3		3	1	4	2	4	1	2	1
57 Under 5.....	35	2		6	1	1	2	3		1	
58 5 to 59.....	27	1		1		3		1			
59 60 and over.....	2									1	
60 Unknown.....	2			1					1		1



VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 17—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
1 General diseases—B.....	383	23	11	18	13	17	8	17	13	16	13
2 Under 5.....	243	17	8	12	12	9	4	10	10	4	8
3 5 to 59.....	112	5	2	6	1	4	4	5	3	10	4
4 60 and over.....	25	1	1		1	4		2		2	1
5 Unknown.....	3										
6 Inanition.....	243	18	9	11	11	8	4	10	9	5	8
7 Under 5.....	226	17	8	11	11	8	4	9	8	4	7
8 5 to 59.....	10							1	1		
9 60 and over.....	7	1	1							1	1
10 Unknown.....											
11 General diseases—C.....	780	43	42	29	37	45	33	39	32	34	32
12 Under 5.....	313	19	10	9	10	19	8	19	6	15	15
13 5 to 59.....	23	1	4		2	2	1		2	1	1
14 60 and over.....	433	23	27	19	25	23	24	19	23	18	16
15 Unknown.....	6		1	1		1		1	1		
16 Debility and atrophy.....	101	2	5	3	4	7	2	3	2	5	3
17 Under 5.....	68	1	1	2	2	4	1	3		4	1
18 5 to 59.....	21	1	4		2	1	1		2	1	1
19 60 and over.....	12			1		2					1
20 Unknown.....											
21 Old age—all ages.....	426	23	23	19	25	22	24	19	24	18	15
22 60 and over.....	421	23	27	18	25	21	24	19	23	18	15
23 Unknown.....	5		1	1		1			1		
24 General diseases—D.....	2,506	99	111	92	115	119	146	138	146	102	133
25 Under 5.....	143	3	3	1	10	12	8	6	8	8	6
26 5 to 59.....	1,339	74	92	66	83	77	119	98	106	67	102
27 60 and over.....	487	21	14	24	22	28	17	30	31	26	23
28 Unknown.....	37	1	2	1		2	2	4	1	1	2
29 Consumption.....	1,609	71	66	58	83	78	104	90	103	63	85
30 Under 5.....	69	3	1	1	5	7	7	2	5	4	3
31 5 to 59.....	1,334	61	61	46	66	62	85	76	85	47	75
32 60 and over.....	180	6	3	10	12	8	10	8	13	11	5
33 Unknown.....	26	1	1	1		1	2	4		1	2
34 2. Diseases of the nervous system.....	1,671	69	57	75	69	87	71	99	75	91	57
35 Under 5.....	536	22	11	28	24	26	21	29	20	24	17
36 5 to 59.....	641	30	26	21	23	30	29	42	34	33	24
37 60 and over.....	463	17	19	24	21	31	20	23	19	30	15
38 Unknown.....	31		1	2	1		1	5	2	4	1
39 3. Diseases of the circulatory system.....	1,069	61	49	58	52	65	47	64	46	58	50
40 Under 5.....	93	6	5	6	6	4	2	2	1	5	2
41 5 to 59.....	528	25	21	22	30	30	27	32	31	29	30
42 60 and over.....	437	29	23	25	16	31	17	30	14	24	18
43 Unknown.....	11	1					1				
44 4. Diseases of the respiratory system.....	2,242	145	128	197	118	258	170	184	147	84	71
45 Under 5.....	902	45	44	80	48	122	62	70	53	33	28
46 5 to 59.....	846	67	51	79	47	79	72	67	41	37	32
47 60 and over.....	477	32	33	37	28	55	35	44	47	14	10
48 Unknown.....	17	1		1		2	1	3	1		1
49 5. Diseases of the digestive system.....	986	46	34	44	42	42	46	57	48	47	48
50 Under 5.....	252	7	8	14	12	10	12	15	7	9	13
51 5 to 59.....	536	30	21	18	22	21	23	30	32	26	22
52 60 and over.....	193	9	5	12	8	10	11	12	9	12	13
53 Unknown.....	5					1					
54 6. Diseases of the urinary system.....	522	39	16	36	17	26	22	25	15	31	21
55 Under 5.....	17			2		2	1				1
56 5 to 59.....	242	12	12	12	5	11	13	7	9	8	10
57 60 and over.....	260	26	4	22	12	13	8	18	6	22	10
58 Unknown.....	3	1								1	
59 7. Affections connected with pregnancy.....	139		10		18		18		18		13

CAUSE, AGE, AND MONTH.

1029

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 17—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
16.	15	27	19	15	13	16	18	25	16	14	9	22	9			1
6	12	17	14	10	11	8	16	13	10	8	6	10	8			2
10	3	6	4	4	2	5	2	7	5	6	3	11	1			3
		4	1	1		3		2	1			1				4
								3								5
8	11	15	16	9	12	7	17	15	9	8	5	11	7			6
6	11	15	14	9	11	6	16	12	9	8	5	10	7			7
2			1		1	1	1	1	1			1				8
			1					2								9
																10
16	24	25	29	41	33	31	28	30	32	29	32	39	22	3		11
9	10	11	11	16	16	21	13	18	14	16	13	14	6			12
1		1				1			2				1			13
6	14	13	16	25	17	9	15	12	16	18	18	25	15	2		14
												1				15
	2	4	5	4	4	8	6	4	10	3	5	6	3	1		16
	1	2	3	4	4	5	6	4	8	3	5	4				17
		1	2			1			2							18
	1	1				2						2	2			19
																20
6	13	12	16	25	17	7	15	12	16	13	19	23	13	2		21
6	13	12	16	25	17	7	15	12	16	13	18	23	13	2		22
											1					23
92	89	92	105	75	118	97	109	61	84	80	103	102	95	2	1	24
1	8	4	7	7	8	8	12	2	4	5	7	4	1			25
76	72	61	79	46	86	66	76	46	66	52	81	73	74	1		26
15	8	24	15	21	23	22	19	13	13	20	14	23	20	1		27
	1	3	4	1	1	1	2		1	3	1	2				28
65	65	56	69	38	71	53	71	40	53	44	65	57	59	2		29
	4	2	2		4	3	6	1	2	2	3	1	1			30
58	58	42	59	31	60	39	54	31	47	34	54	48	54	1		31
7	2	9	5	6	7	10	10	8	3	8	7	7	4	1		32
	1	3	3	1		1	1		1		1	1				33
74	69	65	60	96	69	81	49	58	59	60	46	82	53			34
23	29	25	24	34	29	18	20	19	20	20	15	23	15			35
29	28	26	17	39	30	33	18	17	22	20	16	32	22			36
22	12	12	17	22	10	30	11	21	14	17	15	27	14			37
		2	2	1				1	3	3			2			38
42	32	33	32	42	38	41	33	45	32	39	35	49	30	1		39
2	4	6	2	3	1	6	1	2	2	4	5	9	7			40
18	16	12	19	16	19	23	19	25	19	21	14	13	12			41
20	12	14	11	22	18	11	12	17	11	14	16	22	9	1		42
2		1		1		1	1	1					2			43
43	27	33	29	31	23	42	25	67	75	79	61	113	87	4	1	44
17	12	20	15	13	11	13	11	24	36	32	27	41	39	1		45
17	10	8	11	11	8	15	13	26	25	29	24	46	30	1		46
9	5	5	3	5	4	13	1	17	14	17	10	25	18	1		47
				2		1				1		1		1		48
30	29	40	36	58	42	41	37	56	33	29	35	31	33			49
10	6	11	7	14	10	17	18	16	9	7	5	9	6			50
14	19	21	22	32	27	19	13	28	20	15	22	17	20			51
5	3	8	7	11	5	5	6	12	4	7	7	5	7			52
1	1			1							1					53
16	11	19	10	24	13	22	14	35	8	23	18	33	18			54
		2	2													55
7	6	5	4	14	9	13	11	12	6	14	11	19	12			56
9	4	12	4	10	4	8	2	22	1	14	6	17	6			57
	1															58
	9		10		7		8		10		9		9			59









# CAUSE, AGE, AND MONTH.

1033

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 18.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
514	434	627	506	750	586	594	435	598	410	574	442	582	405	27	26	
201	166	246	232	315	294	225	174	162	137	159	135	162	130	6	6	2
234	208	277	215	328	242	265	202	319	201	300	231	300	200	6	10	3
73	53	93	57	99	48	98	55	108	70	104	68	105	68	2	2	4
6	7	11	2	8	2	6	4	9	2	11	8	15	7	13	8	5
28	21	29	41	49	45	32	40	32	21	41	19	33	21	9	8	6
15	10	19	29	32	23	24	19	20	13	26	11	20	9	4	4	7
9	10	3	9	13	16	4	11	7	5	8	7	9	6	-----	3	8
2	-----	6	3	2	1	3	9	3	2	7	1	3	5	-----	-----	9
2	1	1	-----	2	-----	1	1	2	1	-----	-----	1	1	5	-----	10
159	134	200	170	295	230	175	148	156	96	96	127	99	94	3	6	11
111	80	132	116	185	157	105	85	62	45	41	55	40	41	1	1	12
43	45	52	50	93	63	65	54	34	42	48	68	50	44	-----	2	13
4	7	14	3	15	10	7	8	9	9	7	2	9	6	-----	-----	14
1	2	2	1	2	-----	1	1	1	-----	-----	2	-----	3	2	3	15
23	18	9	7	11	5	5	1	-----	1	1	5	6	4	-----	-----	16
18	12	7	6	8	4	4	-----	-----	1	1	4	5	3	-----	-----	17
5	4	2	1	3	1	1	1	-----	-----	-----	1	1	1	-----	-----	18
-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	19
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	20
5	7	6	3	4	3	1	3	1	3	3	7	2	2	1	-----	21
3	3	4	3	3	2	1	2	-----	1	3	4	-----	1	-----	-----	22
2	4	2	-----	1	1	-----	1	1	2	-----	3	2	1	-----	-----	23
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	24
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	25
11	8	9	17	13	10	10	12	7	10	11	15	11	18	-----	-----	26
6	5	6	9	3	6	4	1	6	5	5	9	5	10	-----	-----	27
5	3	3	8	10	4	6	11	1	5	6	6	6	8	-----	-----	28
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	29
8	4	6	9	3	9	5	10	3	2	5	8	2	4	-----	-----	30
8	4	6	9	2	8	4	10	3	1	5	8	2	4	-----	-----	31
-----	-----	-----	-----	1	1	1	10	-----	1	-----	-----	-----	-----	-----	-----	32
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	33
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	34
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	35
13	3	8	6	24	16	16	9	11	9	2	7	5	4	-----	-----	36
7	1	3	5	11	4	3	3	4	4	1	4	2	3	-----	-----	37
5	2	4	1	7	10	8	6	6	4	1	3	2	1	-----	-----	38
1	-----	1	-----	6	2	-----	-----	1	1	-----	-----	1	-----	-----	-----	39
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	40
2	2	2	4	2	-----	1	1	-----	1	1	2	4	3	-----	-----	41
1	1	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	1	-----	-----	42
1	1	2	3	1	-----	1	-----	1	-----	-----	1	3	1	-----	-----	43
-----	-----	1	1	1	-----	-----	-----	1	-----	1	1	1	1	-----	-----	44
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	45
13	9	32	19	56	34	58	32	57	29	35	43	28	20	-----	2	46
8	1	6	4	9	9	13	3	5	3	3	4	4	3	-----	-----	47
5	7	22	15	46	24	36	27	51	23	31	38	23	15	-----	1	48
-----	1	4	-----	1	1	3	1	1	3	1	-----	1	1	-----	-----	49
-----	-----	1	-----	-----	-----	1	1	-----	-----	-----	1	-----	1	-----	1	50
62	52	104	75	155	134	67	63	51	23	18	18	17	13	-----	2	51
43	39	90	65	135	114	58	56	39	24	14	13	13	6	-----	1	52
12	7	7	7	14	13	6	3	9	1	3	4	1	3	-----	-----	53
1	5	7	2	4	7	3	4	2	3	1	1	3	3	-----	-----	54
1	1	-----	1	2	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	1	55
4	6	3	2	4	2	4	6	5	2	1	4	2	1	1	-----	56
4	3	3	1	2	2	3	5	1	1	-----	3	1	2	-----	-----	57
-----	3	-----	1	2	-----	1	1	4	1	1	1	1	2	-----	-----	58
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	59
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	60

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 18—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.											
		January.		February.		March.		April.		May.			
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.		
1. General diseases—Continued.													
General diseases—B .....	280	12	4	13	6	18	13	15	5	13	15		
Under 5 .....	119	8	3	7	3	8	7	5	4	5	9		
5 to 59 .....	89	3	1	5	3	5	6	10	1	5	4		
60 and over .....	14	1				4				2	1		
Unknown .....	8			1		1				1	1		
Inanition .....	106	7	3	6	2	9	6	3	3	3	8		
Under 5 .....	100	7	3	6	2	8	6	3	3	3	7		
5 to 59 .....	3												
60 and over .....													
Unknown .....	3					1					1		
General diseases—C .....	618	39	18	18	26	31	30	41	29	32	24		
Under 5 .....	299	21	6	10	7	11	11	24	10	19	14		
5 to 59 .....	24	1	1			1	1	4	3		1		
60 and over .....	290	17	11	8	19	18	18	13	16	12	8		
Unknown .....	5					1				1	1		
Debility and atrophy .....	124	4	1	4	3	5	3	10	8	7	7		
Under 5 .....	62	2		3	2	2	2	4	3	4	3		
5 to 59 .....	23	1	1			1	1	4	3		1		
60 and over .....	37	1		1	1	1		2	2	2	3		
Unknown .....	2					1				1			
Old age—all ages .....	256	16	11	7	18	17	18	11	14	10	6		
60 and over .....	253	16	11	7	18	17	18	11	14	10	5		
Unknown .....	3										1		
General diseases—D .....	2,318	112	102	103	101	118	91	135	112	149	117		
Under 5 .....	149	7	5	5	7	9	5	12	8	8	9		
5 to 59 .....	1,795	87	84	83	77	93	70	106	85	109	91		
60 and over .....	354	18	13	15	17	13	16	15	18	31	15		
Unknown .....	20					3		2	1	1	2		
Consumption .....	1,566	84	73	79	62	89	62	102	73	101	80		
Under 5 .....	78	5	2	3	4	3	2	8	5	2	7		
5 to 59 .....	1,362	71	64	72	55	81	52	86	61	88	67		
60 and over .....	114	8	7	4	3	3	3	6	6	11	5		
Unknown .....	12					2		2	1		1		
2. Diseases of the nervous system .....	1,318	63	58	66	50	79	37	78	45	66	73		
Under 5 .....	502	18	21	27	16	17	11	25	17	22	36		
5 to 59 .....	502	27	25	24	18	39	14	32	22	27	19		
60 and over .....	299	16	12	14	16	21	12	20	6	17	18		
Unknown .....	15	2		1		2		1					
3. Diseases of the circulatory system .....	815	39	31	42	27	49	38	54	38	51	39		
Under 5 .....	90	5	3	6	4	6	3	1	3	9	6		
5 to 59 .....	421	20	17	21	12	27	19	26	23	26	19		
60 and over .....	297	14	11	15	11	15	16	27	12	15	14		
Unknown .....	7					1				1			
4. Diseases of the respiratory system .....	1,999	139	112	184	113	189	121	167	104	101	74		
Under 5 .....	796	48	41	63	51	65	54	60	41	89	38		
5 to 59 .....	876	69	47	93	43	97	51	75	49	48	24		
60 and over .....	305	22	24	27	19	27	16	32	13	13	12		
Unknown .....	22			1					1	1			
5. Diseases of the digestive system .....	912	38	31	36	36	38	37	50	34	38	62		
Under 5 .....	284	7	8	14	8	4	10	14	10	9	15		
5 to 59 .....	467	24	22	13	22	18	21	27	17	13	37		
60 and over .....	154	6	1	9	6	16	5	9	7	15	9		
Unknown .....	7	1					1			1	1		
6. Diseases of the urinary system .....	414	20	19	31	9	26	13	30	10	32	12		
Under 5 .....	25	1			2	3	1	1					
5 to 59 .....	214	11	15	14	5	10	10	17	6	18	7		
60 and over .....	167	8	4	15	2	13	2	12	4	13	5		
Unknown .....	8			2						1			
7. Affections connected with pregnancy .....	196		18		22		26		22		22		

CAUSE, AGE, AND MONTH.

1035

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 18—Continued.

MONTH AND SEX—continued.																	
June.		July.		August.		September.		October.		November.		December.		Unknown.			
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.		
12	8	4	11	12	12	8	7	6	6	9	4	11	4	1	1	1	
4	5	3	8	10	9	3	2	1	4	4	3	4	2	1		2	
8	2	3	3	2	3	4	4	5	1	3	1	6	1			3	
	1					1		2	1	2		1	1			4	
		1					1					1				5	
8	6		9	8	8	2	2	1	3	3	3	4	2	1	1	6	
3	5		8	8	8	2	2	1	3	2	3	4	2	1		7	
	1		1							1						8	
																9	
																10	
20	20	12	14	26	25	30	26	24	30	37	25	22	17	1	1	11	
10	6	9	7	10	12	16	16	16	15	19	9	13	8			12	
2	1	1		2		2		2		2	4					13	
8	13	2	7	14	13	14	10	5	15	18	12	9	8	1	1	14	
								1				1				15	
8	1	2	1	8	9	6	8	5	3	6	7	4	4			16	
3		1	1	4	6	3	6	3	2	3	3	1	1			17	
2		1		2		3		2		3	4					18	
3	1			2	3	3	2		1	3		3	3			19	
																20	
5	12	2	7	12	10	11	8	6	14	15	12	6	6	1	1	21	
5	12	2	7	12	10	11	8	5	14	15	12	6	5	1	1	22	
								1					1			23	
82	79	104	86	89	83	73	66	84	75	95	76	103	75	5	3	24	
6	5	10	6	2	6	4	2	6	6	3	7	7	4			25	
60	65	81	68	73	67	60	55	58	55	80	57	70	57	3	1	26	
16	8	12	12	14	9	9	9	20	13	11	11	24	14		1	27	
	1	1			1			1	1	1	1	2		2	1	28	
58	44	71	54	66	53	50	38	55	47	67	42	65	45	4	2	29	
5	2	7	1	1	4	3	1	4	2	1						30	
50	40	61	48	59	47	44	34	45	39	62	40	54	39	2	1	31	
3	2	2	5	6	2	3	3	6	5	4	1	7	3		1	32	
		1							1			1		2		33	
53	37	59	45	91	49	55	42	51	39	62	40	45	34		1	34	
19	22	30	26	33	28	24	21	13	12	21	13	17	13			35	
20	10	20	8	34	16	15	15	25	18	23	20	17	13		1	36	
14	5	8	11	22	5	15	6	11	9	17	5	11	8			37	
		1		2		1		2		1	2					38	
31	25	36	28	31	16	34	12	52	19	39	22	34	22	3	3	39	
4	2	5	2	3	3	2	4	4	4	4	2	3	2			40	
15	15	12	18	19	10	17	7	25	10	19	10	18	14	1	1	41	
12	8	19	8	9	3	15	1	23	5	16	9	13	5	1		42	
											1		1			43	
42	38	32	31	34	36	40	24	60	48	74	53	112	69	1	1	44	
22	22	12	20	20	22	20	6	17	19	24	20	42	30			45	
11	13	14	8	10	12	14	14	30	23	37	19	46	27	1	1	46	
8	3	5	3	4	2	5	4	12	6	7	12	17	12			47	
1		1				1		1		6	2	7				48	
30	24	47	36	34	41	53	29	42	31	42	39	30	33	1		49	
7	7	21	14	14	20	21	13	14	10	10	9	10	15			50	
18	13	17	17	16	20	29	11	18	17	24	21	16	16			51	
5	3	9	5	4	1	3	5	9	4	8	9	4	2			52	
	1													1		53	
10	6	26	5	19	9	31	8	26	9	21	9	24	8		1	54	
	1	1	1	3	2	2		2	1	1		2	1			55	
6	1	11	2	7	5	12	5	13	5	10	5	15	3		1	56	
4	3	12	2	9	2	17	3	11	3	8	4	7	4			57	
		2								2						58	
	17		13		10		13		13		13		7			59	











TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 19—Continued.

CAUSE OF DEATH AND AGE.	Total	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B	425	25	13	18	12	20	18	23	13	19	19
Under 5	287	17	10	12	11	8	9	15	9	13	14
5 to 59	100	4	2	2	1	10	2	6	3	4	5
60 and over	32	3	2	4	2	2	2	2	1	1	1
Unknown	6	1	1							1	
6 Inanition	287	17	12	15	11	8	10	14	7	13	15
Under 5	267	17	10	12	11	8	9	14	7	12	14
5 to 59	7						1				1
60 and over	11		2	3						1	
Unknown	2										
11 General diseases—C	1,741	88	61	85	68	83	98	84	88	81	82
Under 5	644	28	20	36	26	28	31	29	24	33	21
5 to 59	34	3	1	1	2	2	1	1	2	1	2
60 and over	1,057	57	40	48	40	52	61	53	62	47	58
Unknown	6					1		1			1
16 Debility and atrophy	276	12	6	12	9	14	12	17	12	12	12
Under 5	147	5	3	7	5	7	8	8	4	6	1
5 to 59	34	3	1	1	2	2	1	1	2	1	2
60 and over	94	4	2	4	2	5	3	8	6	5	9
Unknown	1										
21 Old age—all ages	968	53	38	44	38	48	58	46	56	42	50
60 and over	968	53	38	44	38	47	58	45	56	42	49
Unknown	5					1		1			1
24 General diseases—D	3,942	136	192	140	192	173	222	190	209	167	198
Under 5	200	9	12	9	2	5	8	10	6	18	8
5 to 59	2,650	81	132	91	138	116	162	117	152	104	146
60 and over	1,066	46	47	36	60	51	52	60	50	43	43
Unknown	26		1	4	2	1		3	1	2	1
29 Consumption	1,979	49	93	78	98	90	122	87	112	89	103
Under 5	62	1	6	1		3	1	6	2	8	2
5 to 59	1,684	44	80	58	87	75	105	72	97	72	91
60 and over	215	4	7	11	10	11	16	6	13	7	9
Unknown	18			3	1	1		3		2	1
34 2. Diseases of the nervous system	2,921	132	126	126	108	156	123	170	127	164	119
Under 5	690	37	25	39	15	48	27	44	23	44	26
5 to 59	927	39	40	34	37	44	40	57	44	45	42
60 and over	1,295	56	61	52	66	64	54	69	60	74	50
Unknown	9			1		1	2			1	1
39 3. Diseases of the circulatory system	2,325	135	87	108	83	126	100	130	100	124	99
Under 5	160	12	9	6	8	8	5	11	7	11	10
5 to 59	802	45	30	29	31	38	41	36	41	40	36
60 and over	1,351	76	48	73	44	80	53	81	52	72	53
Unknown	12	2					1	2		1	
44 4. Diseases of the respiratory system	2,763	172	155	198	171	230	191	220	169	198	124
Under 5	1,012	70	64	82	61	87	63	84	40	68	43
5 to 59	965	59	45	61	51	76	64	82	68	81	48
60 and over	774	42	46	54	59	67	64	53	61	45	33
Unknown	12	1		1				1		4	
49 5. Diseases of the digestive system	1,707	70	73	74	74	78	84	84	80	99	79
Under 5	398	21	17	24	18	20	16	24	13	18	16
5 to 59	310	32	34	25	32	36	42	36	44	44	44
60 and over	489	16	22	24	24	21	26	23	23	37	19
Unknown	10	1		1		1		1			
54 6. Diseases of the urinary system	1,057	79	26	64	29	69	32	71	28	75	27
Under 5	39	3	2	1	1	3	1	2	3		
5 to 59	442	30	9	17	17	23	20	29	15	29	23
60 and over	573	46	15	45	11	33	11	40	10	46	4
Unknown	3			1							
59 7. Affections connected with pregnancy	281		32		27		30		25		34

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 19—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
21	9	15	12	23	17	27	17	28	14	19	14	26	8			1
7	5	12	9	14	14	21	13	20	10	11	10	15	8			2
11	3	3	2	8	1	6	2	7	3	5	3	9	8			3
3			1		2		2	1	1	2	1	2	2			4
	1			1						1						5
7	5	8	10	14	14	20	14	21	9	11	9	15	8			6
7	5	8	9	12	13	20	12	19	9	8	8	15	8			7
			1	1	1	1	1	1	1	1	1					8
				1		1		1		1						9
				1		1		1		1						10
71	59	58	53	67	55	62	69	71	71	71	68	74	79			11
26	25	28	19	37	24	26	25	33	20	28	15	28	34			12
	1	2	2	1	2	1	1	1	2	1	2	1	3			13
44	33	27	32	29	29	36	43	38	49	42	50	45	42			14
1		1								1	1					15
10	6	13	8	14	9	9	15	15	11	9	13	10	16			16
6	4	9	5	10	6	7	9	12	4	6	3	5	7			17
	1	2	2	1	2	1	2	1	2	1	2	1	3			18
4	1	2	1	3	1	2	5	3	5	2	7	4	6			19
											1					20
41	32	26	31	26	28	34	38	35	44	40	43	41	36			21
40	32	25	31	26	28	34	38	35	44	40	43	41	36			22
1		1														23
149	192	128	159	126	163	139	157	127	159	122	177	156	169			24
14	7	10	7	8	6	6	7	12	7	5	7	12	5			25
91	135	73	114	75	117	86	109	80	109	84	124	97	117			26
40	50	45	37	42	39	46	41	35	42	33	46	45	47			27
4			1	1	1	1		1				2				28
82	109	59	85	55	86	62	83	54	64	69	84	75	96			29
7	2	4	3			1	2	2	1	3	2	2	3			30
65	100	47	75	44	76	49	71	48	55	56	72	64	81			31
8	7	8	6	10	9	11	10	4	8	10	10	8	12			32
2			1	1	1	1						1				33
108	99	109	105	118	98	122	112	146	100	131	95	131	96			34
19	17	23	27	33	32	31	26	36	27	25	21	25	20			35
36	39	38	33	35	28	47	31	49	30	34	29	47	29			36
53	43	48	45	49	37	44	54	60	43	72	45	59	47			37
				1	1		1	1								38
104	77	108	72	82	61	87	69	99	79	100	76	130	89			39
9	4	7	2	6	2	4	4	10	5	6	2	9	3			40
29	24	38	42	28	28	25	23	28	32	25	31	48	34			41
64	49	62	28	48	31	58	41	60	42	69	43	72	52			42
2		1					1	1				1				43
64	40	48	53	32	34	45	39	88	76	97	75	134	109			44
24	17	13	25	11	14	19	14	32	28	36	28	48	41			45
26	11	20	16	11	16	14	13	28	22	36	26	52	39			46
14	12	15	11	10	4	12	12	28	25	25	20	34	28			47
			1						1		1		1			48
55	52	64	47	71	68	89	49	79	70	74	51	83	59			49
15	17	10	16	20	14	22	15	17	13	12	4	20	16			50
30	20	26	23	31	36	39	24	37	40	33	35	33	29			51
10	15	27	8	19	18	28	10	24	17	22	12	29	14			52
		1		1				1				1				53
56	30	49	30	49	24	49	15	56	32	51	27	56	33			54
3	2	1		5	1	1	1	1	2	2	1	3				55
17	19	17	14	15	15	16	7	20	19	18	17	11	20			56
36	9	31	16	28	8	32	7	35	11	31	9	41	13			57
				1								1				58
	19		26		21		11		18		16		22			59









VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 20—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.	419	22	7	26	12	32	12	30	5	32	13
General diseases—B.....											
Under 5.....	156	2	5	12	4	12	6	12	2	10	8
5 to 59.....	196	14	1	11	6	16	4	13	3	17	4
60 and over.....	49	5	1	2	1	1	1	4	1	5	1
Unknown.....	18	1	1	1	1	3	1	1	1	1	1
Inanition.....	147	6	5	12	3	11	6	7	2	8	7
Under 5.....	131	2	4	11	3	11	5	7	2	8	7
5 to 59.....	4	1	1	1	1	1	1	1	1	1	1
60 and over.....	9	3	1	1	1	1	1	1	1	1	1
Unknown.....	3	1	1	1	1	1	1	1	1	1	1
General diseases—C.....	1,093	49	33	48	37	60	45	66	49	73	54
Under 5.....	347	11	10	13	18	21	15	20	14	28	14
5 to 59.....	55	2	2	2	1	4	3	3	3	2	7
60 and over.....	663	35	21	33	18	35	25	41	32	41	32
Unknown.....	28	1	1	1	1	2	2	2	2	2	1
Debility and atrophy.....	223	11	6	16	6	10	10	14	5	17	18
Under 5.....	74	3	1	5	2	1	1	4	2	8	4
5 to 59.....	84	2	2	2	1	4	3	3	3	2	7
60 and over.....	56	6	3	9	3	6	7	7	6	6	6
Unknown.....	9	1	1	1	1	1	1	1	1	1	1
Old age—all ages.....	596	30	18	24	15	29	21	36	32	36	26
60 and over.....	577	29	18	24	15	29	20	34	32	35	26
Unknown.....	19	1	1	1	1	1	1	2	1	1	1
General diseases—D.....	3,267	199	143	182	122	190	143	194	130	197	164
Under 5.....	183	9	8	9	10	14	7	15	8	8	13
5 to 59.....	2,301	144	106	122	85	127	111	136	100	136	113
60 and over.....	720	43	27	45	27	44	21	33	21	49	36
Unknown.....	63	3	2	6	4	5	4	5	1	4	2
Consumption.....	1,988	136	87	118	62	134	85	121	74	126	97
Under 5.....	66	2	1	4	4	5	3	7	6	3	7
5 to 59.....	1,648	113	74	92	54	105	76	94	64	100	81
60 and over.....	230	18	10	17	4	20	5	17	3	20	9
Unknown.....	44	3	2	5	4	4	1	3	1	3	1
2. Diseases of the nervous system.....	1,996	114	68	102	58	146	61	118	73	117	97
Under 5.....	556	29	17	30	21	39	20	20	19	38	27
5 to 59.....	312	46	31	36	23	62	28	46	33	42	50
60 and over.....	595	39	19	34	14	41	13	51	19	38	18
Unknown.....	33	1	1	2	1	4	1	1	2	4	2
3. Diseases of the circulatory system.....	1,453	79	49	77	64	98	60	101	54	92	58
Under 5.....	109	3	5	5	3	9	2	10	4	9	6
5 to 59.....	749	31	34	38	38	47	40	43	31	47	31
60 and over.....	555	44	9	33	23	37	17	46	19	34	21
Unknown.....	20	1	1	1	1	1	1	2	1	2	1
4. Diseases of the respiratory system.....	3,117	262	108	240	126	302	150	300	150	280	129
Under 5.....	974	77	47	82	51	91	62	76	65	65	55
5 to 59.....	1,453	127	41	115	48	140	55	153	54	113	47
60 and over.....	615	54	18	36	32	65	31	57	27	48	26
Unknown.....	75	4	2	7	4	6	2	9	4	4	1
5. Diseases of the digestive system.....	1,228	63	39	59	34	67	61	77	57	66	50
Under 5.....	259	8	4	16	11	10	11	14	13	12	17
5 to 59.....	691	35	32	27	17	33	37	42	33	33	22
60 and over.....	261	19	3	13	5	22	12	20	11	21	11
Unknown.....	17	1	1	3	1	2	1	1	1	1	1
6. Diseases of the urinary system.....	717	51	15	42	18	42	21	43	22	62	23
Under 5.....	25	2	1	2	1	1	1	1	1	5	1
5 to 59.....	365	22	10	16	13	17	15	20	16	28	19
60 and over.....	311	27	4	23	4	22	5	21	5	26	3
Unknown.....	16	1	1	1	1	2	1	1	1	3	1
7. Affections connected with pregnancy.....	256		21		21		27		31		26

CAUSE, AGE, AND MONTH.

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 20—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
21	12	24	10	27	9	25	6	20	8	19	11	29	3	4	1
6	6	5	5	10	4	10	4	8	3	8	5	7	2		2
9	5	11	3	12	4	10	2	9	5	8	6	19	1	3	3
4	1	6	2	4	1	5		2		2		3			4
2		2		1				1		1				1	5
6	7	4	3	11	4	10	4	8	1	7	6	6	2	1	6
5	6	4	3	9	4	8	4	7	1	7	5	6	2		7
1	1			1		1		1			1				8
				1		1								1	9
				1											10
46	31	53	18	39	32	48	51	52	33	53	33	56	31	3	11
14	13	16	8	14	5	22	19	12	9	16	9	17	9		12
2	1	4		3		2	1	4	5	2	1	1	1		13
29	17	31	10	20	25	22	30	36	18	32	21	33	21		14
1		2		2		2	1	1		3	2	1		3	15
7	9	15		7	5	7	9	12	8	10	3	6	11	1	16
1	5	5		4	2	3	6	5		4	2	4	3		17
2		4		3		2	1	4	5	2	1	4	1		18
4	4	6		2		1	1	3	2	4		2	7		19
				1		2		1	1					1	20
26	13	27	10	22	24	22	29	33	16	31	23	37	14	2	21
25	13	25	10	20	23	22	29	33	16	28	21	36	14		22
1		2		2	1					3	2	1		2	23
147	84	131	105	104	85	125	97	123	79	148	92	154	118	5	6
1	4	10	9	6	8	5	7	2	4	7	3	11	5		25
113	70	72	75	68	62	87	69	88	59	97	72	95	86	3	5
31	10	46	21	24	15	31	21	29	16	39	16	44	25		27
2		3		6		2		4		5		4	2	2	28
98	54	72	59	60	54	75	55	70	44	96	53	91	61	4	2
	1	3	3	2	3	1	5		2	1	1	2			30
84	51	59	51	47	47	61	47	61	39	72	47	71	53	3	2
13	2	7	5	8	4	12	3	7	3	18	5	14	6		31
1		3		3		1		2		5		4	2	1	32
93	61	90	63	101	43	88	47	104	58	90	38	105	56	2	3
22	15	24	24	29	17	19	21	27	21	21	17	24	13		2
40	28	35	25	38	17	38	19	40	25	29	16	33	26		35
23	17	30	13	32	9	30	7	35	11	36	5	43	17	1	36
3	1	1	1	2		1		2	1	4				1	37
49	36	61	31	71	26	51	42	52	44	73	44	81	38	7	38
2	3	3		4	3	2	3	7	4	6	6	6	4		40
29	24	30	18	24	16	29	29	22	32	32	28	26	26	4	41
18	9	27	12	42	6	19	10	21	8	34	10	46	8	2	42
		1	1	1	1	1		2		1		3		1	43
85	59	48	39	60	33	70	37	111	80	137	80	185	83	11	2
24	25	10	20	14	18	19	14	20	25	28	30	37	18		1
46	27	24	13	30	7	35	17	59	37	31	36	104	38	6	45
13	7	11	6	14	7	15	6	21	18	24	14	39	25	1	46
2		3		2	1	1		11		4		5	2	4	47
50	43	47	36	47	41	49	41	74	28	65	41	55	35	2	1
12	5	13	6	15	14	10	11	15	8	12	6	12	3	1	50
25	33	22	25	26	13	28	21	45	15	42	28	27	25		51
13	6	12	3	6	7	11	9	13	5	10	7	15	7		52
		2		2				1		1		1		1	53
88	18	45	14	31	11	30	15	37	17	40	15	46	17	4	54
1							3		2		4				55
16	12	24	6	15	6	18	5	12	11	21	10	18	13	2	56
20	6	20	8	15	4	12	6	22	6	15	4	28	4	1	57
1		1		1	1		1	1						1	58
	7		24		13		21		26		13		26		59











VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN GRAND GROUP 21—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.											
		January.		February.		March.		April.		May.			
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.		
1. General diseases—Continued.													
1 General diseases—B.....	699	37	18	31	23	41	15	43	24	41	23		
2 Under 5.....	333	20	15	15	17	19	13	20	17	20	16		
3 5 to 59.....	248	12	2	14	5	18	1	18	6	13	7		
4 60 and over.....	56	3	1	2	1	4	1	3	1	8			
5 Unknown.....	12	2						2					
6 Inanition.....	393	20	15	14	17	21	12	20	18	20	14		
7 Under 5.....	364	19	15	14	17	19	12	19	15	19	14		
8 5 to 59.....	14	1				1		1	2				
9 60 and over.....	13	1				1			1	1			
10 Unknown.....	2												
11 General diseases—C.....	1,063	67	58	46	32	54	44	65	37	58	43		
12 Under 5.....	353	25	20	13	14	13	14	22	8	20	15		
13 5 to 59.....	32	4	2	1	1	1		4		1	1		
14 60 and over.....	668	38	35	32	17	40	30	38	29	37	26		
15 Unknown.....	10		1		1			1			1		
16 Debility and atrophy.....	174	14	8	4	5	7	6	8	3	5	6		
17 Under 5.....	94	7	3	2	5	5	5	2	2	2	5		
18 5 to 59.....	31	4	2			1		4		1	1		
19 60 and over.....	48	3	3	2		1	1	2	1	2	1		
20 Unknown.....	1												
21 Old age—all ages.....	629	35	33	30	18	39	29	37	28	35	27		
22 60 and over.....	620	35	32	30	17	39	29	36	28	35	26		
23 Unknown.....	9		1		1			1			1		
24 General diseases—D.....	5,271	302	200	251	194	289	211	314	237	277	215		
25 Under 5.....	233	14	12	13	10	11	13	19	14	6	14		
26 5 to 59.....	3,306	222	150	136	155	219	145	217	138	215	157		
27 60 and over.....	1,040	60	36	50	23	58	50	76	35	55	44		
28 Unknown.....	42	6	2	2	1	1	3	2		1			
29 Consumption.....	3,357	203	114	178	117	211	115	207	141	193	127		
30 Under 5.....	102	5	6	3	3	5	3	8	5	5	6		
31 5 to 59.....	2,392	170	99	150	106	179	95	172	130	168	115		
32 60 and over.....	385	24	7	23	7	26	15	27	6	19	6		
33 Unknown.....	28	4	2	2	1	1	2			1			
34 2. Diseases of the nervous system.....	2,552	148	99	145	88	152	89	148	79	145	101		
35 Under 5.....	494	30	16	29	15	29	21	22	17	29	20		
36 5 to 59.....	1,025	58	36	62	39	56	33	65	33	58	36		
37 60 and over.....	1,012	60	47	52	34	66	34	61	28	57	45		
38 Unknown.....	21			2		1	1		1	1			
39 3. Diseases of the circulatory system.....	2,411	139	85	147	79	132	85	132	97	142	76		
40 Under 5.....	80	1	3	3	4	5	2	5	8	2	2		
41 5 to 59.....	1,125	67	44	77	32	50	43	71	46	57	32		
42 60 and over.....	1,188	67	38	67	43	77	39	55	43	83	41		
43 Unknown.....	18	4				1	1				1		
44 4. Diseases of the respiratory system.....	2,581	136	103	139	114	225	132	188	110	176	103		
45 Under 5.....	702	49	29	54	37	46	34	44	29	48	32		
46 5 to 59.....	1,091	81	48	87	33	122	46	72	47	74	37		
47 60 and over.....	765	53	26	47	44	55	61	69	33	53	34		
48 Unknown.....	23	3		1		2	1	3	1	1			
49 5. Diseases of the digestive system.....	1,397	65	62	72	45	79	50	75	58	71	68		
50 Under 5.....	197	13	2	9	5	7	7	7	6	12	11		
51 5 to 59.....	320	29	39	41	29	47	30	50	34	45	37		
52 60 and over.....	374	23	21	22	11	25	13	17	18	14	20		
53 Unknown.....	6							1					
54 6. Diseases of the urinary system.....	1,147	74	28	57	42	91	26	78	30	65	36		
55 Under 5.....	31	4	2		3	1		3	2	3			
56 5 to 59.....	566	28	19	27	25	36	14	30	17	23	18		
57 60 and over.....	542	41	7	29	14	52	12	45	11	39	17		
58 Unknown.....	8	1		1		2					1		
59 7. Affections connected with pregnancy.....	131		10		15		14		7		14		





