U. S. DEPARTMENT OF COMMERCE
HENRY A. WALLACE, SECRETARY

BUREAU OF THE CENSUS
J. C. CAPT, DIRECTOR

VITAL STATISTICS OF THE UNITED STATES

1944

PART II

NATALITY AND MORTALITY DATA FOR THE UNITED STATES TABULATED BY PLACE OF RESIDENCE

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, Vital Statistics Division
Bureau of the Census

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1946

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C.

BUREAU OF THE CENSUS

J. C. CAPT, *Director*

PHILIP M. HAUSER, *Assistant Director*

MORRIS H. HANSEN, *Statistical Assistant to the Director*

A. ROSS ECKLER, *Chief Social Security Analyst*

[a]HOWARD C. GRIEVES, *Chief Economist*

RALPH E. GALLOWAY, *Executive Assistant to the Director*

Vital Statistics Division—HALBERT L. DUNN, M. D., *Chief*

FRANK S. MORRISON, *Acting Assistant Chief*

MARY B. MANN, *Statistical Operations*

IWAO M. MORIYAMA, *Mortality Statistics*

THOMAS N. E. GREVILLE, *Life Table Studies*

CONTENTS

INTRODUCTION

	Page
The value of vital statistics tabulated by place of residence	v
Previous tabulations by place of residence	vi
Nonresident tabulations by State offices	vi
Definition of residence	viii
Relation of geographic code to the identification of nonresidents	viii
Allocation of deaths to place of residence	ix
Special residence instructions for military personnel	ix
Allocation of births to place of residence	ix
Birth and death rates by place of residence	ix
Comparison of resident and recorded rates by States	x
Deaths allocated to place of residence	x
Summary	x
Number of nonresident deaths	xi
Effect of residence reallocation on urban and rural death statistics	xi
Infant mortality statistics	xii
Infant mortality rates for urban and rural areas	xii
Infant mortality rates by States	xii
Deaths in hospitals and institutions	xiii
Births allocated to place of residence	xiii
Summary	xiii
Number of nonresident births	xiv
Effect of residence reallocation on urban and rural birth statistics	xiv
Births in hospitals	xv
Illegitimate births	xvi
Stillbirth statistics	xviii
Reporting of stillbirths	xviii

RATE TABLE

Table I.—Death rates for selected causes: United States, each division and State, 1944	xx

GENERAL NATALITY AND MORTALITY TABLES

Live Births

Table 1.—Live births by State of occurrence distributed according to State of residence: United States and each State, 1944	2
Table 2.—Births, deaths, deaths under 1 year, and stillbirths, and infant mortality rates, urban and rural: United States, each State and county, and each urban place of 10,000 or more, 1944	4
Table 3.—Live births by sex, age of mother, race, and nativity of white parents: United States and each State, 1944	53
Table 4.—Live births by race, nativity of white mother, and age of mother, urban and rural: United States and each State, 1944	66
Table 5.—Live births by race, birth order (excluding stillbirths), and age of mother: United States and each State, 1944	89
Table 6.—Live births by age of parents: United States and each State, 1944	105
Table 7.—Live births by birth order (excluding stillbirths), race, and nativity of white mother: United States and each State, 1944	112
Table 8.—Live births by specified race: United States and each State, 1944	118
Table 9.—Live births by sex, race, and month: United States and each State, 1944	119
Table 10.—Cases of plural births classified by number of children born alive and stillborn, by race: United States and each State, 1944	124
Table 11.—Live births by person in attendance, urban and rural: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1944	126

Stillbirths

Table 12.—Stillbirths by State of occurrence distributed according to State of residence: United States and each State, 1944	159
Table 13.—Stillbirths by sex, race, nativity of white mother, and age of mother, urban and rural: United States, 1944	161
Table 14.—Stillbirths by sex, age of mother, birth order (including stillbirths), race, and nativity of white mother: United States, 1944	163
Table 15.—Stillbirths by race, urban and rural: United States and each State, 1944	165
Table 16.—Stillbirths by race and person in attendance: United States and each State, 1944	167

GENERAL NATALITY AND MORTALITY TABLES—Continued

Total Deaths

	Page
Table 17.—Deaths by State of occurrence distributed according to State of residence: United States and each State, 1944	168
Table 18.—Deaths by specified race: United States and each State, 1944	170
Table 19.—Deaths by sex, race, and month: United States and each State, 1944	171
Table 20.—Deaths from selected causes, by month: United States and each State, 1944	176
Table 21.—Deaths from selected causes, by age, race, and sex: each State, 1944	210
Table 22.—Deaths from selected causes, by sex and race, urban and rural: United States and each State, 1944	406
Table 23.—Deaths from selected causes: urban places having, in 1940, populations of 10,000 or more, 1944	454
Table 24.—Deaths from each cause, by race and sex: United States and each State, 1944	482
Table 25.—Deaths in institutions: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1944	550

Infant Deaths

Table 26.—Deaths under 1 year, by age and month: United States and each State, 1944	577
Table 27.—Deaths under 1 year and under 1 month of age, by race and sex: United States and each State, 1944	582
Table 28.—Deaths under 1 year, in institutions, by age and race: United States and each State, 1944	583
Table 29.—Deaths under 1 year of age, from selected causes, by month: United States, 1944	588
Table 30.—Deaths under 1 year, from selected causes, by age, race, and sex: United States, 1944	589
Table 31.—Deaths under 1 year of age, from selected causes, by race, urban and rural: United States, 1944	595

SYMBOLS USED IN VITAL STATISTICS REPORTS

	Symbol
Class or item not applicable (3 dots)	. . .
Data not available (series of leaders)	----
Quantity is zero, in frequency tables (1 dash)	—
Quantity is zero, in rate or percent tables (1 cipher)	0
If rate or percent is more than 0 but less than 0.05	0.0
If both frequency and population base are zero in rate or percent tables (1 dash)	—

If the population is reported to be zero, but one or more births or deaths are reported, a footnote "Rate not computed" is used.

VITAL STATISTICS OF THE UNITED STATES

PART II. GEOGRAPHIC CLASSIFICATION BY PLACE OF RESIDENCE

INTRODUCTION

This volume—Vital Statistics of the United States, Part II—contains official natality and mortality statistics tabulated according to the place of residence of the mother of the child, or the place of residence of the decedent. Data compiled on a place-of-occurrence basis are published in a volume entitled "Vital Statistics of the United States, Part I." The tabulations published in both part I and part II are compiled from the same source material, being derived from transcripts of original birth and death certificates received from registration officials of States and cities, and of the outlying territory and possessions of the United States.

The tables given in this volume should be interpreted with some caution since several factors enter into the determination of the place of residence. The place of birth or death, in most cases, is clear-cut and definitely determinable. To determine the place of residence is more difficult because it is dependent upon definitions of residence as well as the completeness of the information given on the certificate. It has, therefore, been necessary to adopt a set of arbitrary rules for the proper coding in each instance. The data obtained by a reallocation of nonresidents are obviously dependent upon these rules and cannot be correctly interpreted unless the rules are exactly and clearly stated.

THE VALUE OF VITAL STATISTICS TABULATED BY PLACE OF RESIDENCE

Tabulated vital statistics may be used for many purposes, each requiring data classified by different groupings or according to different definitions. Many of these uses relate to public health work, such as an evaluation of the problems confronting public health agencies or the measurement of the results of public health programs. Other uses relate to maternal- and infant-welfare activities, problems of population research, analysis of fertility trends, actuarial investigations, medical research, et cetera. For some purposes, such as a study of the hospital load carried by a given community, the proportion of births attended by physicians, or the simple ranking of causes of death, it is possible to use tabulated natality and mortality data without relating them to other statistical data. But for the most part, vital statistics take on their full value only when related to population figures by the computation of birth or death rates. For deaths, these rates, in their simplest form, consist of ratios of the number of deaths occurring in a specified place during a specified time to the number of persons exposed to the risk of death at that place and time. It is obvious that such a rate can be correctly computed and interpreted only when the population figure in the denominator and the mortality figure in the numerator are compiled on a comparable basis. In other words, the population figure must represent a certain group that is exposed to the risk of death, and the death figure must include all of this group that died. Although the birth rate is interpreted in a different manner, similar considerations apply to it.

For the United States, as a unit, there is little difficulty in securing adequate comparability between vital statistics and population figures. However, for individual cities or counties or for population-size groups, there are several disturbing factors. In the population census, each person is counted as a part of the population of the geographic unit in which he has his "usual place of residence." Therefore, the enumerated population of a city is a count of all the persons who usually live in that city, excluding persons who are temporarily in the city at the time of the census and including residents of the city who are at some other place during the time of the population enumeration.

The crude death rate for the residents of any area must be based on the total resident population of that area and the total number of deaths occurring in this total resident population. It is essential to include the deaths of residents no matter where the deaths occurred, and to exclude deaths of nonresidents occurring in that area.

The occurrence of a large number of births and deaths "away from home" results from the movement of the people, facilitated by convenient methods of transportation, and from the increasing use of hospitals during confinement and illness. Seasonal movement to and from resort States, seasonal migration in search of employment, and the movement of people to some other area for hospital facilities not available in their usual place of residence, are several of the factors that contribute to the number of nonresident births and deaths.

Inasmuch as the registration laws of each State specify that births and deaths be registered at the place of birth or death, the compilation of vital statistics according to place of occurrence is the most direct and usual method. Rates computed on this basis may be called *recorded* rates, since all the births or deaths recorded in each area are included in the computation. The compilation of natality and mortality data on the same geographic basis as the population census requires a complete reallocation of births and deaths to the place of residence. When this reallocation has been made, it is then possible to compute *resident* rates. Since resident death rates are ratios of the number of deaths to the number of persons exposed to the risk of death, they indicate more accurately the force of mortality affecting a given population and can therefore be interpreted in terms of relative health conditions. Resident birth rates are interpreted somewhat differently, but similar considerations apply to them. Of course, in such interpretations, cognizance must be taken of other factors, such as the age, sex, and race distributions of the exposed populations.

From some points of view it may seem incorrect to allocate deaths purely on a place-of-residence basis without taking into account the city or county responsible for the causes resulting in death. For example, a resident of one city may be killed in an automobile accident in another city. In such a case it may seem unreasonable to allocate that death to the city of residence if the accident was caused by traffic hazards of the city where the death occurred. However, even if desirable, the reallocations of deaths from most causes to the area responsible for the conditions resulting in death would be a highly speculative and difficult task. Furthermore, admitting the possibility of making such an assignment of deaths, it then becomes necessary to devise an "exposed-to-risk" figure quite different from an enumerated population.

Tabulations of vital statistics by place of occurrence are valuable and necessary for certain purposes. Tabulations by place of residence and the computation of resident birth and death rates provide data of greater value and meaning for many uses. However, resident data cannot be directly interpreted for every purpose. No single method of tabulation could be devised that would provide statistics compiled in the manner necessary for all possible problems.

PREVIOUS TABULATIONS BY PLACE OF RESIDENCE [1]

The first nonresident tabulations made by the Bureau of the Census were published in the volume of "Mortality Statistics" for 1914. These tabulations included deaths, but not births, and consisted merely of a separation of nonresident deaths from the total deaths for each area. However, discovery of serious deficiencies in the place-of-residence information given on the death certificates resulted in the omission of nonresident tabulations from the published volumes from 1915 to 1917, inclusive. By 1918 it was believed that sufficient progress had been made with the basic data to resume publication of nonresident statistics.

In 1918 the nonresident mortality tabulations were revised so as to provide a complete allocation of deaths by place of residence within the limits of the then incomplete registration area. A decedent in the registration area whose place of residence was outside the registration area could not be reallocated to his place of residence. Similarly, deaths of residents of the registration area could not be included in the figures for this area if the deaths had occurred outside the registration area.

Tables showing the number of deaths by place of residence were published for each year from 1918 to 1930, inclusive. The rules for residence allocation remained essentially unchanged during this period. In 1931 the tabulation of nonresident deaths was discontinued as an economy measure, and for the years 1931 to 1934, inclusive, no data on this important subject are available.

The completion of the birth- and death-registration areas in 1933 made possible, for the first time, a Nationwide reallocation of nonresidents to the place of residence. When the nonresident reallocation was resumed in 1935, the definition of a nonresident was revised and more detailed rules for allocation were formulated. In addition, compilation by place of residence was extended to birth statistics. Previous to 1935, no reallocation of births to place of residence of the child's mother had been made by the Bureau of the Census.

Resident tabulations for 1935 and 1936 were made but were not published in the annual volumes—"Birth, Stillbirth, and Infant Mortality Statistics" or "Mortality Statistics." However, they were released in the series of "Vital Statistics—Special Reports." [2]

The publication in 1937 of a combined volume of natality and mortality data tabulated by place of residence marked an important change in the compilation of vital statistics by the Bureau of the Census. Since then, the tabulations by place of residence have been expanded considerably.

NONRESIDENT TABULATIONS BY STATE OFFICES

Since vital statistics tabulations by place of residence are important in public health administration, many State departments of health compile natality and mortality data on this basis. A survey by the Bureau of the Census in 1935 revealed that 11 States were making rather complete resident reallocations and 8 States were publishing tables showing the number of deaths for cities and counties including and excluding deaths of nonresidents. A survey was made in 1938 by a Committee on Residence Allocation under the auspices of the Vital Statistics Section of the American Public Health Association. This survey indicated that 24 States were making regular tabulations involving the reallocation of nonresidents.

Answers to a questionnaire sent to all the States by the Bureau of the Census in 1941 indicated that 35 States and the District of Columbia were making some resident tabulations. In 4 States, these tabulations were limited to the separation of residents and nonresidents with no allocation to place of residence. In 13 States, the tabulations excluded nonresidents from other areas within the State and included residents who were born or who died elsewhere within the State; however, the tabulations in these States did not exclude nonresidents from other States or include residents of the State who were born or who died in another State. Nineteen States made complete place-of-residence tabulations excluding all nonresidents and including all residents within and outside the State.

In many States the resident tabulations are based solely on a reallocation of nonresidents within the State. In other words, these States do not include in their tabulations the deaths (or births) of residents of that State occurring in other States. For State totals, the allocation of interstate nonresidents is, in most cases, numerically unimportant. However, for areas near a State border, interstate reallocation may be very important since many deaths (or births) of residents of the area may occur in the adjacent State.

To assist the States in obtaining records of births or deaths of their residents in other States, the Vital Statistics Section of the American Public Health Association adopted, in 1931, a resolution requesting the Bureau of the Census to act as a clearing house in the exchange of such records. Since 1933, most States have sent to the Bureau of the Census copies of birth and death certificates for out-of-State nonresidents and these have been forwarded to the State of residence. Although this interstate exchange has been of considerable value to the individual States, it has not solved

[1] For a more detailed account of previous resident tabulations, see "Vital Statistics of the United States, 1937, Part II," p. 2, Bureau of the Census, Washington, D. C., 1939.

[2] For a list of these reports containing resident tabulations for 1935 and 1936, see "Vital Statistics of the United States, 1937, Part II," p. 2, Bureau of the Census, Washington, D. C., 1939.

all of the difficulties met by State agencies in making a complete reallocation.

Differences of opinion exist regarding the principles on which the definition of a nonresident and the rules used for coding should be based. For this reason the interstate transfer is not on a strictly uniform basis for all States. Some indication of the amount of variation among States can be seen in table A. In this table the number of nonresidents of each State, according to the Bureau of the Census definitions, is compared with those identified by the separate State offices. These comparisons are based upon transcripts which have been cleared through the Bureau of the Census. Since some interchange of nonresident transcripts is still made directly, these ratios do not completely represent the differences in State procedures. Table A shows for both births and deaths the number of nonresident transcripts to be subtracted from the tabulations of each State, and the number of resident transcripts to be added. A study of the figures in this table, and particularly of the ratios between Federal and State figures, will indicate the existence of many differences in State procedures. While State tabulations fulfill an important need, it is obviously desirable for some central agency, operating with a uniform although arbitrary set of rules, to make Nation-wide tabulations.

One significant comment should be made regarding the differences between resident tabulations made by State agencies and those made by the Bureau of the Census. Because of the large number of transcripts involved in national tabulations, the coding rules used by the Bureau of the Census must be designed and simplified to facilitate mass production. Furthermore, the Bureau of the Census does not have access to the detailed local information necessary for certain

TABLE A.—FEDERAL AND STATE INTERCHANGE OF BIRTH AND DEATH NONRESIDENT TRANSCRIPTS BETWEEN STATES: 1944

[Exclusive of stillbirths]

AREA	BIRTHS						DEATHS					
	Nonresident transcripts to be subtracted			Resident transcripts to be added			Nonresident transcripts to be subtracted			Resident transcripts to be added		
	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation
United States	73,009	[1] 48,572	0.67	73,009	[1] 48,572	0.67	37,075	[1] 35,915	0.97	37,075	[1] 35,915	0.97
Alabama	1,136	1,113	0.98	1,644	1,422	0.86	572	1,083	1.89	729	750	1.03
Arizona	1,902	1,858	0.98	295	198	0.67	784	1,352	1.72	230	124	0.54
Arkansas	1,546	1,597	1.03	1,166	931	0.80	539	792	1.47	836	791	0.95
California	1,120		0	3,030	2,410	0.80	1,671	147	0.09	1,045	1,533	1.47
Colorado	1,270	1,082	0.85	639	493	0.77	483	642	1.33	320	308	0.96
Connecticut	574	461	0.80	1,315	886	0.67	424	397	0.94	634	727	1.15
Delaware	330	1	0.00	288	117	0.41	137	150	1.09	119	96	0.81
District of Columbia	7,850	190	0.02	666	239	0.36	1,101	266	0.24	561	279	0.50
Florida	4,298	2,738	0.64	901	841	0.93	1,730	1,618	0.94	781	923	1.18
Georgia	1,719	1,679	0.98	1,286	1,022	0.79	806	1,154	1.43	731	751	1.03
Idaho	810	776	0.96	686	333	0.49	289	342	1.18	337	196	0.58
Illinois	1,306	1,275	0.98	4,396	2,314	0.53	1,539	1,774	1.15	2,575	2,219	0.86
Indiana	1,863		0	1,733	1,585	0.91	821		0	1,073	1,167	1.09
Iowa	1,685		0	1,310	940	0.72	939	930	0.99	862	671	0.78
Kansas	1,811	1,729	0.95	2,242	1,951	0.87	827	1,045	1.26	800	877	1.10
Kentucky	1,037	983	0.95	1,511	1,273	0.84	596	733	1.23	965	949	0.98
Louisiana	850	747	0.88	782	494	0.63	783	808	1.03	458	348	0.76
Maine	260	295	1.13	533	440	0.83	220	248	1.13	264	264	1.00
Maryland	1,552	290	0.19	4,471	856	0.19	1,066	392	0.37	863	401	0.46
Massachusetts	1,401	291	0.21	1,302	1,036	0.80	975	886	0.91	923	1,098	1.19
Michigan	871	783	0.90	1,610	1,179	0.73	694	826	1.19	1,007	973	0.97
Minnesota	1,278		0	1,652	1,235	0.75	1,141		0	646	682	1.06
Mississippi	893	515	0.58	915	812	0.89	430	457	1.06	676	647	0.96
Missouri	3,608	3,522	0.98	1,828	1,379	0.75	1,521	1,755	1.15	1,385	1,444	1.04
Montana	198	186	0.94	399	283	0.71	183	202	1.10	254	188	0.74
Nebraska	1,043	1,009	0.97	920	477	0.52	442	539	1.22	463	464	1.00
Nevada	451	436	0.97	182	110	0.60	146	282	1.93	135	65	0.48
New Hampshire	848	859	1.01	618	371	0.60	331	395	1.19	316	319	1.01
New Jersey	722	721	1.00	3,236	3,005	0.93	1,240	1,241	1.00	2,143	2,408	1.12
New Mexico	1,318	1,190	0.90	609	267	0.44	483	699	1.45	365	207	0.57
New York	2,985	3,037	1.02	2,916	2,328	0.80	2,732	3,336	1.22	2,320	2,639	1.14
North Carolina	2,157	2,116	0.98	1,208	840	0.70	765	1,165	1.52	600	620	1.03
North Dakota	807	717	0.89	710	309	0.44	256	331	1.29	317	156	0.49
Ohio	2,137	1,911	0.89	2,913	2,262	0.78	1,304	1,456	1.12	1,596	1,651	1.03
Oklahoma	1,655		0	1,730	1,268	0.73	355	436	1.23	814	642	0.79
Oregon	1,139	662	0.58	814	278	0.34	479	429	0.90	382	153	0.40
Pennsylvania	2,768	2,657	0.96	3,200	2,488	0.78	1,644	1,649	1.00	2,045	2,213	1.08
Rhode Island	550	413	0.75	609	311	0.51	293	321	1.10	320	354	1.11
South Carolina	450	20	0.04	755	668	0.88	289		0	401	479	1.19
South Dakota	468	311	0.66	771	317	0.41	225	253	1.12	327	226	0.69
Tennessee	3,675	3,749	1.02	1,388	1,252	0.90	1,538	1,756	1.14	600	696	1.16
Texas	1,068		0	2,700	2,046	0.76	777		0	1,186	1,130	0.95
Utah	1,100	923	0.84	340	247	0.73	326	520	1.60	139	100	0.72
Vermont	258	257	1.00	565	513	0.91	133	166	1.25	209	241	1.15
Virginia	2,208	2,449	1.11	5,658	1,123	0.20	863	1,130	1.31	1,058	588	0.56
Washington	1,113		0	1,189	853	0.72	661		0	625	475	0.76
West Virginia	1,486	1,575	1.06	1,509	1,244	0.82	687	696	1.01	636	608	0.96
Wisconsin	1,010	923	0.91	1,452	836	0.58	628	636	1.01	772	541	0.70
Wyoming	425	498	1.17	417	345	0.83	207	339	1.64	232	218	0.94

[1] Includes allocations outside of continental United States.

types of allocation. For these reasons, it is not practicable to introduce all possible coding refinements or to use different sets of rules for various causes of death. Many State offices, having special local problems or interests to meet, wish to use special coding rules for certain groups of data. For example, some States either allocate deaths in custodial institutions to the place of prior residence or consider these institutions as separate tabulation areas. Some States prefer to allocate deaths from infectious diseases to the area where the infection presumably originated; deaths from accidents, to the place of accident; deaths from homicide, to the place of homicide, et cetera.

The desirability of these special types of tabulation should be emphasized, but they often require detailed information available only in local offices and involve operating rules feasible only for a relatively small volume of work. Therefore, while it is desirable for a central agency to make national tabulations, these national uniform tabulations do not replace those made by the separate State agencies.

DEFINITION OF RESIDENCE

The reallocation of births and deaths to place of residence is based on information somewhat different and collected in a manner different from that obtained in the enumerated population census. It is obviously not possible to use identical rules for both compilations. The tabulation of vital statistics on a place-of-residence basis requires that the information given on the certificate be interpreted in such a way as to result in classifications comparable with the population census figures. The necessity for such interpretation introduces arbitrary and controversial factors into the procedure of allocation. It can hardly be expected that the geographic classification by place of residence can be as direct and simple as the classification by place of occurrence.

In addition to difficulties in the definition of residence, there are several factors in the original collection of birth and death information that may produce errors or discrepancies in residence tabulations. The place of birth or death is usually obvious or easily learned by the person filling out the original certificate. On the other hand, the original informant or the State office may have to make an inquiry to determine the place of residence, particularly in the case of nonresident births or deaths. Since it is sometimes difficult to ascertain the precise geographic location of the place of residence, errors may be made occasionally. Because of these difficulties of residence designation and because of incomplete understanding of the importance of residence data, the residence information may be omitted or incompletely reported on birth and death certificates for certain areas.

In view of these considerations, errors in the residence tabulations for certain areas may be expected. It is believed that errors of a significant size are restricted to a small number of areas and will decrease as the meaning and importance of residence data become more widely understood.

Relation of geographic code to the identification of nonresidents.—Whether or not a person is classified as a nonresident depends somewhat upon the size of the area under consideration. A resident of Maine may die in California, yet this fact may be ignored when only totals for the United States are concerned. For State totals, only those persons who cross State lines need be considered in a reallocation by place of residence, since any movement within the State is irrelevant. On the other hand, for the study of mortality conditions within a city (for individual census tracts or wards), it is necessary to use a much finer definition of a nonresident. In such cases it may be necessary, for example, to define as a nonresident a person who lived on one side of a street and died in a hospital on the other side of the same street.

In whatever way the place of residence may be defined, the size of the tabulation or coding unit will partially determine the number of identified nonresidents. If the coding unit—assuming the use of a punch-card system in which geographic areas are given numerical codes—is a whole county, obviously it is impossible to determine, from a tabulation of the cards, the number of persons who moved about within the county. If the coding unit is a single registration district, it will be possible to identify persons moving from one district to another within the county, but it will not be possible to measure the movement within districts.

The tabulations given in this volume are based on a geographic code that identifies each city or other urban place having a population of over 10,000 in 1940 and each county excluding these cities or urban places. The code for the county (exclusive of the cities or urban places of 10,000 or more) is subdivided into two codes, one for all urban places of 2,500 to 10,000 as a group, and another for all villages under 2,500 and rural areas as a group. In coding the place of residence, movement from an urban place or city of 2,500 or more to another place or city of 2,500 or more, in the same or a different county, is identified. Similarly, any population movement from one county to another is identified, including movement to or from rural areas in different counties. However, movement from a village under 2,500 or from a rural area to another village under 2,500 or rural area within the same county is not identified.

Another limitation should be mentioned. If, for example, the nonresident deaths for each urban place and county within a State are tabulated, it is not possible to add these figures together and obtain the number of nonresidents of the whole State. Such addition will give the number of persons in the State who died in a tabulation-unit area other than the area of their residence, but it will not give the number of nonresidents of the State since a nonresident in an urban place may be a resident of some rural area or some other urban place in the same State. Therefore, the term "nonresident" may have one or two meanings. In reference to the smallest unit of tabulation (in this report an urban place or county), a nonresident is a person who died within that unit but whose usual place of residence was in some other unit. In reference to a consolidation of separate geographic units (for example, a whole State), the term refers to the number of persons dying therein who are nonresidents of the particular place of death but are not necessarily nonresidents of the consolidated area. Furthermore, since the nonresidents of one area are necessarily residents of some other area, it is necessary to apply both terms to the same data when considered in different aspects. In order to avoid confusion, the tables given in this volume include headnotes or footnotes when additional explanation seems necessary.

Allocation of deaths to place of residence.—The allocation of deaths to the place of residence is based on the following general principles and rules.

1. Mortality data should be compiled so as to correspond with enumerated populations on which rates are to be based. Each death should be assigned to the area which was the "usual place of residence" of the decedent.
2. A decedent is defined as a nonresident if the place of residence stated on the certificate is different from the place of death. However, decedents who at the time of death had been living more than 1 year in a community are considered residents of that community even though some other place of residence is stated.
3. Decedents in nonresident institutions such as general hospitals, tuberculosis sanatoriums, convalescent homes, jails, et cetera, are reallocated to the usual place of residence.
4. Decedents in resident institutions, where length of stay is usually long, such as mental institutions; orphanages; homes for the aged, blind, and deaf; et cetera, are not reallocated to the place of prior residence.
5. Decedents whose usual place of residence is a foreign country or a United States possession outside the United States are not reallocated to the usual place of residence.
6. Infants born at other than the place of residence of the mother, who die before returning to the mother's residence are reallocated to the place of residence of the mother.

For the purpose of coding mortality transcripts, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in the Instruction Manual of the Vital Statistics Division.[3]

Special residence instructions for military personnel.—On all death certificates having indications that the deceased was a member of the Army, Navy, or Marine Corps, the usual place of residence is the post or port at which the deceased was stationed.

In cases where the death occurred while the person was in the process of being transferred from one post to another, the person is to be considered a resident of the post from which he was being transferred.

In cases where the death occurred while on land maneuver or leave, the usual place of residence is the post at which the deceased was stationed.

If the death occurred aboard a naval vessel at sea, the place of death will be the vessel and the death certificate should have been filed at the first port of call. If a permanent station is not indicated, the place of residence of the deceased is assumed to be the place of residence of the nearest relative to the deceased.

Allocation of births to place of residence.—The allocation of births is made according to the same general principles as the allocation of deaths. In the case of births, however, the residence of the mother is considered to be the place of residence of the child.

For the purpose of coding natality transcripts, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in the Instruction Manual of the Vital Statistics Division.[3]

[3] Bureau of the Census, "Vital Statistics Instruction Manual, Part I, Coding and Punching Geographic and Personal Particulars of Births, Deaths, and Stillbirths Occurring During 1944," Washington, D. C., 1944.

BIRTH AND DEATH RATES BY PLACE OF RESIDENCE

The birth and death rates computed for States on a residence basis differ somewhat from those on a recorded, or occurrence basis. These rates are presented in tables B and C. Although for many of the States

TABLE B.—CRUDE BIRTH RATES: UNITED STATES, EACH DIVISION AND STATE, 1944

[Exclusive of stillbirths. Rate per 1,000 population. Birth rates for the United States are based on the total population including armed forces overseas, and on the civilian population for comparison with birth rates for States which are based on the civilian population. For a discussion of the population base, see text on p. X, pt. I]

DIVISION AND STATE	BIRTH RATE BY—	
	Place of residence	Place of occurrence
United States:		
Based on total population	20.2	20.2
Based on civilian population	22.1	22.1
Geographic Divisions:		
New England	19.8	19.7
Middle Atlantic	19.0	18.8
East North Central	20.2	20.0
West North Central	21.2	21.3
South Atlantic	25.1	25.4
East South Central	26.4	26.5
West South Central	25.8	25.7
Mountain	25.5	26.4
Pacific	22.4	22.2
New England:		
Maine	22.9	22.6
New Hampshire	19.1	19.6
Vermont	22.0	21.0
Massachusetts	19.3	19.3
Rhode Island	19.9	19.8
Connecticut	19.6	19.2
Middle Atlantic:		
New York	18.6	18.6
New Jersey	18.8	18.1
Pennsylvania	19.5	19.4
East North Central:		
Ohio	19.7	19.6
Indiana	21.2	21.2
Illinois	18.9	18.5
Michigan	21.3	21.2
Wisconsin	21.0	20.9
West North Central:		
Minnesota	22.5	22.3
Iowa	20.8	20.9
Missouri	19.5	20.0
North Dakota	25.7	25.9
South Dakota	23.8	23.3
Nebraska	21.2	21.3
Kansas	21.1	20.8
South Atlantic:		
Delaware	21.9	22.1
Maryland	22.1	20.6
District of Columbia	19.0	27.7
Virginia	25.0	23.7
West Virginia	24.2	24.1
North Carolina	27.3	27.6
South Carolina	29.0	28.8
Georgia	25.8	26.0
Florida	24.0	25.7
East South Central:		
Kentucky	25.6	25.4
Tennessee	24.4	25.2
Alabama	27.5	27.4
Mississippi	28.9	28.9
West South Central:		
Arkansas	24.2	24.4
Louisiana	26.4	26.5
Oklahoma	24.0	23.9
Texas	26.5	26.3
Mountain:		
Montana	23.8	23.3
Idaho	26.3	26.6
Wyoming	24.1	24.1
Colorado	22.6	23.2
New Mexico	32.1	33.5
Arizona	24.8	27.5
Utah	27.7	29.0
Nevada	22.8	24.8
Pacific:		
Washington	23.2	23.1
Oregon	20.5	20.8
California	22.5	22.2

TABLE C.—CRUDE DEATH RATES: UNITED STATES, EACH DIVISION AND STATE, 1944

[Exclusive of stillbirths and of deaths among armed forces overseas. Rate per 1,000 population. Death rates for the United States, each division and State are based on total population present in the respective areas, i. e., excluding armed forces overseas. For a discussion of the population base, see text on p. X, pt. I]

DIVISION AND STATE	DEATH RATE BY—	
	Place of residence	Place of occurrence
United States	10.6	10.6
Geographic Divisions:		
New England	12.0	12.0
Middle Atlantic	11.9	11.9
East North Central	11.1	11.1
West North Central	11.0	11.0
South Atlantic	9.3	9.4
East South Central	9.8	9.8
West South Central	8.9	8.9
Mountain	10.0	10.2
Pacific	10.5	10.5
New England:		
Maine	13.0	12.9
New Hampshire	13.5	13.6
Vermont	13.7	13.5
Massachusetts	12.4	12.4
Rhode Island	10.8	10.7
Connecticut	10.7	10.5
Middle Atlantic:		
New York	12.1	12.1
New Jersey	11.5	11.3
Pennsylvania	11.9	11.9
East North Central:		
Ohio	11.7	11.7
Indiana	11.5	11.4
Illinois	11.4	11.3
Michigan	10.0	10.0
Wisconsin	10.6	10.6
West North Central:		
Minnesota	10.5	10.7
Iowa	11.5	11.5
Missouri	11.8	11.8
North Dakota	9.7	9.6
South Dakota	10.1	9.9
Nebraska	10.4	10.4
Kansas	10.4	10.5
South Atlantic:		
Delaware	11.8	11.8
Maryland	10.6	10.7
District of Columbia	8.8	9.4
Virginia	9.0	8.9
West Virginia	9.7	9.7
North Carolina	8.3	8.4
South Carolina	9.4	9.4
Georgia	9.1	9.1
Florida	9.9	10.3
East South Central:		
Kentucky	10.8	10.7
Tennessee	9.7	10.0
Alabama	9.3	9.2
Mississippi	9.5	9.4
West South Central:		
Arkansas	8.2	8.0
Louisiana	9.3	9.4
Oklahoma	9.2	8.9
Texas	8.9	8.9
Mountain:		
Montana	12.2	12.0
Idaho	8.8	8.7
Wyoming	8.9	8.8
Colorado	10.7	10.8
New Mexico	10.3	10.6
Arizona	9.7	10.6
Utah	8.2	8.5
Nevada	10.5	10.6
Pacific:		
Washington	10.6	10.6
Oregon	10.8	10.9
California	10.4	10.4

the differences are not large, for certain States the difference between the residence and recorded rates is sufficiently large to warrant the use of rates by place of residence in State-to-State comparisons of natality and mortality rates relating to residents of the respective States. For individual counties and cities, the differences between the residence and recorded rates may be very large. Careful consideration, therefore, should be given to the desired basis of comparison in selecting data for studying intercounty and intercity differences in natality and mortality.

Comparison of resident and recorded rates by States.—The recorded crude birth rates in 1944 for 5 States did not differ from the corresponding rates by place of residence; for 26 States the difference was less than 2 percent; for 9 States the recorded rates were from 2.5 to 9.8 percent higher than the corresponding resident rates; and for 8 States the recorded crude birth rates were from 2.1 to 7.3 percent lower than the rates on a residence basis. The State for which the recorded birth rate was in excess by 9.8 percent in 1944 was Arizona, and the State for which the recorded rate showed the greatest deficit of 7.3 percent was Maryland. In the District of Columbia, the recorded birth rate was 31.4 percent higher than the resident birth rate in 1944.

The recorded crude death rates in 1944 for 16 States were the same as the corresponding rates on a residence basis; for 24 States the difference was less than 2 percent; for 5 States the crude death rates by place of occurrence were higher than the corresponding resident rates by 2.8 to 8.5 percent; and for 3 States the recorded crude death rates were lower than the resident rates by 2.0 to 3.4 percent. In the District of Columbia, the recorded death rate exceeded the resident death rate by 6.4 percent.

DEATHS ALLOCATED TO PLACE OF RESIDENCE

Summary.—A total of 1,411,338 deaths were registered in the continental United States in 1944. Of this total, 243,678, or 17.3 percent, were nonresidents of the city or county in which death occurred. Most of the nonresidents tabulated for any State are residents of some other part of the same State and do not, therefore, represent population movement between States. Of the 243,678 nonresident deaths in 1944, 37,075 were interstate nonresident deaths. These comprised 15.2 percent of all nonresident deaths and only 2.6 percent of all deaths.

A summary of the reallocation of deaths in 1944 to place of residence is given in table D. This table shows the total number of deaths that occurred in each State, the number of these that were of nonresidents, the number of deaths of residents that occurred in other areas (exclusive of deaths among the armed forces overseas), and the total number of deaths of residents. For example, 24,449 deaths were recorded in Florida in 1944. Of this total number of recorded deaths, 5,775 occurred in a city or county of which the decedent was not a resident. In 4,045 instances the decedent was a resident of some other area of Florida, and in 1,730 instances the decedent was a resident of some other State. The table also shows that of the 23,500 residents of Florida that died in 1944, 4,045 deaths occurred in some area of Florida other than their city or county of residence, and 781 deaths of residents occurred in some other State.

An inspection of table D indicates a relatively small difference between the total number of deaths occurring in a State and the total number of deaths of residents of the State. In general, interstate nonresident deaths are a small proportion of the total deaths and, in most cases, the number of residents leaving a State and dying in other States approximately balances the number of residents of other States dying within the State. Except in States where a large number of out-of-State nonresidents are to be expected, reallocation does not greatly change the State totals. The greatest difference

between the number of recorded and resident deaths was reported in 1944 for Arizona where the recorded total exceeded the number of resident deaths by 8.9 percent. For Florida the number of deaths by place of occurrence was 4.0 percent greater than the corresponding figure by place of residence, and for California the difference was only 0.7 percent. These figures are probably affected to some extent by the practice during the war years of including deaths among members of the armed forces stationed in the area in the residence totals of States in which the camp or station is located. However, the effect of this practice cannot be evaluated.

Generally speaking, it is not necessary to reallocate deaths to the place of residence in order to obtain fairly comparable State totals. In the case of individual areas within the State, however, reallocation is very important because of the relatively large intrastate movement of population. To obtain correct figures for areas near State borders, it is probably necessary that the reallocation be on an interstate as well as on an intrastate basis.

TABLE D.—DEATHS OF NONRESIDENTS IN EACH STATE AND DEATHS OF RESIDENTS IN OTHER STATES: 1944

[Exclusive of stillbirths]

AREA	Total deaths in area	DEATHS						Total deaths of residents
		Of nonresidents in area			Of residents in other areas			
		Total	From same State	From other States	Total	In same State	In other States	
United States	1,411,338	243,678	206,603	37,075	243,678	206,603	37,075	1,411,338
Alabama	26,000	4,371	3,799	572	4,528	3,799	729	26,157
Arizona	6,759	1,512	728	784	958	728	230	6,205
Arkansas	14,218	2,406	1,867	539	2,703	1,867	836	14,515
California	91,428	18,510	16,839	1,671	17,884	16,839	1,045	90,802
Colorado	12,421	2,266	1,783	483	2,103	1,783	320	12,258
Connecticut	18,709	3,333	2,909	424	3,543	2,909	634	18,919
Delaware	3,363	606	469	137	588	469	119	3,345
District of Columbia	8,763	1,101	...	1,101	561	...	561	8,223
Florida	24,449	5,775	4,045	1,730	4,826	4,045	781	23,500
Georgia	29,476	4,843	4,037	806	4,768	4,037	731	29,401
Idaho	4,625	1,219	930	289	1,267	930	337	4,673
Illinois	87,144	14,141	12,602	1,539	15,177	12,602	2,575	88,180
Indiana	39,124	6,634	5,813	821	6,886	5,813	1,073	39,376
Iowa	26,171	5,904	4,965	939	5,827	4,965	862	26,094
Kansas	18,562	3,340	2,513	827	3,313	2,513	800	18,535
Kentucky	28,002	3,978	3,382	596	4,347	3,382	965	28,371
Louisiana	23,892	4,727	3,944	783	4,402	3,944	458	23,567
Maine	10,235	2,056	1,836	220	2,100	1,836	264	10,279
Maryland	22,851	3,589	2,523	1,066	3,386	2,523	863	22,648
Massachusetts	51,740	7,119	6,144	975	7,067	6,144	923	51,688
Michigan	54,061	8,997	8,303	694	9,310	8,303	1,007	54,374
Minnesota	26,948	6,041	4,900	1,141	5,546	4,900	646	26,453
Mississippi	20,420	2,852	2,422	430	3,098	2,422	676	20,666
Missouri	42,384	7,001	5,480	1,521	6,865	5,480	1,385	42,248
Montana	5,591	1,169	986	183	1,240	986	254	5,662
Nebraska	12,562	2,606	2,164	442	2,627	2,164	463	12,583
Nevada	1,658	376	230	146	365	230	135	1,647
New Hampshire	6,204	1,013	682	331	998	682	316	6,189
New Jersey	46,912	10,572	9,332	1,240	11,475	9,332	2,143	47,815
New Mexico	5,618	1,231	748	483	1,113	748	365	5,500
New York	152,776	15,854	13,122	2,732	15,442	13,122	2,320	152,364
North Carolina	29,555	5,746	4,981	765	5,581	4,981	600	29,390
North Dakota	5,055	1,540	1,284	256	1,601	1,284	317	5,116
Ohio	79,901	11,315	10,011	1,304	11,607	10,011	1,596	80,193
Oklahoma	18,466	3,698	3,343	355	4,157	3,343	814	18,925
Oregon	13,250	2,115	1,636	479	2,018	1,636	382	13,153
Pennsylvania	109,932	21,674	20,030	1,644	22,075	20,030	2,045	110,333
Rhode Island	8,382	1,613	1,320	293	1,640	1,320	320	8,409
South Carolina	18,027	3,173	2,884	289	3,285	2,884	401	18,139
South Dakota	5,548	1,341	1,116	225	1,443	1,116	327	5,650
Tennessee	28,792	5,093	3,555	1,538	4,155	3,555	600	27,854
Texas	61,156	8,802	8,025	777	9,211	8,025	1,186	61,565
Utah	5,144	1,187	861	326	1,000	861	139	4,957
Vermont	4,198	854	721	133	930	721	209	4,274
Virginia	28,544	4,919	4,056	863	5,114	4,056	1,058	28,739
Washington	21,885	3,626	2,965	661	3,590	2,965	625	21,849
West Virginia	16,654	3,752	3,065	687	3,701	3,065	636	16,603
Wisconsin	31,530	7,682	7,054	628	7,826	7,054	772	31,674
Wyoming	2,253	406	199	207	431	199	232	2,278

Number of nonresident deaths.—The proportion of nonresident deaths to all deaths in 1944 is given for each State in table E. This table shows the total number of deaths occurring in each State and the number and percent of these that were deaths of nonresidents of the particular area in which death occurred. For the entire United States the nonresident deaths constituted 17.3 percent of all deaths, but in individual States this proportion ranged from 10.4 percent in New York to 30.5 percent in North Dakota.

TABLE E.—DEATHS OF NONRESIDENTS AND PERCENT OF TOTAL RECORDED DEATHS: EACH STATE, 1940

[Exclusive of stillbirths]

AREA	Total deaths in area	DEATHS OF NONRESIDENTS IN AREA		AREA	Total deaths in area	DEATHS OF NONRESIDENTS IN AREA	
		Number	Percent of total			Number	Percent of total
United States	1,411,338	243,678	17.3	Missouri	42,384	7,001	16.5
				Montana	5,591	1,169	20.9
				Nebraska	12,562	2,606	20.7
Alabama	26,000	4,371	16.8	Nevada	1,658	376	22.7
Arizona	6,759	1,512	22.4	New Hampshire	6,204	1,013	16.3
Arkansas	14,218	2,406	16.9	New Jersey	46,912	10,572	22.6
California	91,428	18,510	20.2	New Mexico	5,618	1,231	21.9
Colorado	12,421	2,266	18.2				
Connecticut	18,709	3,333	17.8	New York	152,776	15,854	10.4
				North Carolina	29,555	5,746	19.4
Delaware	3,363	606	18.0	North Dakota	5,055	1,540	30.5
Dist. of Col	8,763	1,101	12.6	Ohio	79,901	11,315	14.2
Florida	24,449	5,775	23.6	Oklahoma	18,466	3,698	20.0
Georgia	29,476	4,843	16.4	Oregon	13,250	2,115	16.0
Idaho	4,625	1,219	26.4				
Illinois	87,144	14,141	16.2	Pennsylvania	109,932	21,674	19.7
				Rhode Island	8,382	1,613	19.2
Indiana	39,124	6,634	17.0	South Carolina	18,027	3,173	17.6
Iowa	26,171	5,904	22.6	South Dakota	5,548	1,341	24.2
Kansas	18,562	3,340	18.0	Tennessee	28,792	5,093	17.7
Kentucky	28,002	3,978	14.2	Texas	61,156	8,802	14.4
Louisiana	23,892	4,727	19.8	Utah	5,144	1,187	23.1
Maine	10,235	2,056	20.1				
				Vermont	4,198	854	20.3
Maryland	22,851	3,589	15.7	Virginia	28,544	4,919	17.2
Massachusetts	51,740	7,119	13.8	Washington	21,885	3,626	16.6
Michigan	54,061	8,997	16.6	West Virginia	16,654	3,752	22.5
Minnesota	26,948	6,041	22.4	Wisconsin	31,530	7,682	24.4
Mississippi	20,420	2,852	14.0	Wyoming	2,253	406	18.0

Effect of residence reallocation on urban and rural death statistics.—The reallocation of deaths to the place of residence of the decedent affects mortality data for urban places of various population sizes. Table F shows, for places classified according to population size, the total number of deaths of residents in 1944, wherever occurring, except among the armed forces overseas, and the total number of deaths occurring in each area. From these data it is apparent that the number of recorded deaths for urban places is considerably higher than the number of resident deaths. The converse is true of deaths for rural areas. These comparisons again illustrate the effect of the movement of people on mortality statistics.

TABLE F.—RESIDENT AND RECORDED DEATHS AND PERCENT DIFFERENCE, URBAN AND RURAL: UNITED STATES, 1944

[Exclusive of stillbirths]

AREA	Deaths of residents	Deaths in area	Difference	Percent difference
United States	1,411,338	1,411,338	0	0
Urban	882,312	950,363	+68,051	+7.7
Places of 100,000 or more	442,915	461,924	+19,009	+4.3
Places of 25,000 to 100,000	176,161	199,635	+23,474	+13.3
Places of 10,000 to 25,000	117,275	132,313	+15,038	+12.8
Places of 2,500 to 10,000	145,961	156,491	+10,530	+7.2
Rural	529,026	460,975	−68,051	−12.9

The number of resident and recorded deaths in 1944 and the percent differences between these figures are shown in table G for 92 individual cities having populations of 100,000 or more in 1940. In all except 8 of these large cities, the number of recorded deaths was higher than the number of resident deaths. Most of the 8 cities are located near other urban places with large hospital facilities or have a portion of their hospital facilities located in the surrounding suburbs.

TABLE G.—RESIDENT AND RECORDED DEATHS AND PERCENT DIFFERENCE: CITIES HAVING, IN 1940, POPULATIONS OF 100,000 OR MORE, 1944

[Exclusive of stillbirths]

AREA	Deaths of residents	Deaths in area	Difference	Percent difference
Akron	2,404	2,484	+80	+3.3
Albany	1,809	2,061	+252	+13.9
Atlanta	3,499	3,865	+366	+10.5
Baltimore	11,191	11,907	+716	+6.4
Birmingham	3,216	3,437	+221	+6.9
Boston	9,933	11,425	+1,492	+15.0
Bridgeport	1,633	1,700	+67	+4.1
Buffalo	6,711	7,314	+603	+9.0
Cambridge	1,412	1,395	−17	−1.2
Camden	1,388	1,695	+307	+22.1
Canton	1,128	1,206	+78	+6.9
Charlotte	947	1,204	+257	+27.1
Chattanooga	1,481	1,710	+229	+15.5
Chicago	37,561	36,677	−884	−2.4
Cincinnati	6,329	7,155	+826	+13.1
Cleveland	10,154	10,455	+301	+3.0
Columbus	4,129	4,831	+702	+17.0
Dallas	2,990	3,703	+713	+23.8
Dayton	2,794	2,896	+102	+3.7
Denver	4,027	4,590	+563	+14.0
Des Moines	1,636	2,072	+436	+26.7
Detroit	14,361	14,517	+156	+1.1
Duluth	1,158	1,294	+136	+11.7
Elizabeth	1,150	1,257	+107	+9.3
Erie	1,287	1,396	+109	+8.5
Fall River	1,614	1,718	+104	+6.4
Flint	1,284	1,361	+77	+6.0
Fort Wayne	1,356	1,519	+163	+12.0
Fort Worth	2,002	2,136	+134	+6.7
Gary	1,107	1,148	+41	+3.7
Grand Rapids	1,729	1,792	+63	+3.6
Hartford	1,808	2,419	+611	+33.8
Houston	4,603	4,748	+145	+3.2
Indianapolis	5,303	5,726	+423	+8.0
Jacksonville, Fla	2,362	2,526	+164	+6.9
Jersey City	3,367	3,766	+399	+11.9
Kansas City, Kans	1,336	1,591	+255	+19.1
Kansas City, Mo	5,200	5,420	+220	+4.2
Knoxville	1,230	1,552	+322	+26.2
Long Beach	2,303	2,106	−197	−8.6
Los Angeles	19,899	20,557	+658	+3.3
Louisville	4,448	4,859	+411	+9.2
Lowell	1,245	1,331	+86	+6.9
Memphis	3,322	4,335	+1,013	+30.5
Miami	2,026	2,190	+164	+8.1
Milwaukee	6,290	5,783	−507	−8.1
Minneapolis	4,852	5,558	+706	+14.6
Nashville	2,108	2,552	+444	+21.1
Newark, N. J	4,917	5,139	+222	+4.5
New Bedford	1,211	1,202	−9	−0.7
New Haven	1,964	2,312	+348	+17.7
New Orleans	6,379	7,596	+1,217	+19.1
New York	78,120	78,533	+413	+0.5
Norfolk	1,982	2,183	+201	+10.1
Oakland	4,160	4,242	+82	+2.0
Oklahoma City	1,909	2,503	+594	+31.1
Omaha	2,504	2,952	+448	+17.9
Paterson	1,552	1,819	+267	+17.2
Peoria	1,128	1,403	+275	+24.4
Philadelphia	24,224	25,078	+854	+3.5
Pittsburgh	8,143	9,276	+1,133	+13.9
Portland, Oreg	4,324	4,665	+341	+7.9
Providence	3,023	3,270	+247	+8.2
Reading	1,279	1,200	−79	−6.2
Richmond	2,565	3,080	+515	+20.1
Rochester	3,602	3,926	+324	+9.0
Sacramento	1,720	1,851	+131	+7.6
St. Louis	10,249	11,337	+1,088	+10.6
St. Paul	2,923	3,204	+281	+9.6
Salt Lake City	1,532	1,920	+388	+25.3
San Antonio	3,717	3,935	+218	+5.9
San Diego	2,780	3,130	+350	+12.6
San Francisco	9,151	9,707	+556	+6.1
Scranton	1,560	1,812	+252	+16.2
Seattle	5,283	5,553	+270	+5.1
Somerville	1,075	891	−184	−17.1
South Bend	962	1,008	+46	+4.8
Spokane	1,686	1,915	+229	+13.6
Springfield, Mass	1,638	1,876	+238	+14.5
Syracuse	2,441	2,594	+153	+6.3
Tacoma	1,695	1,884	+189	+11.2
Tampa	1,349	1,474	+125	+9.3
Toledo	3,871	4,101	+230	+5.9
Trenton	1,693	2,044	+351	+20.7
Tulsa	1,452	1,669	+217	+14.9
Utica	1,421	1,525	+104	+7.3
Washington, D. C	8,223	8,763	+540	+6.6
Wichita	1,328	1,498	+170	+12.8
Wilmington, Del	1,469	1,739	+270	+18.4
Worcester	2,469	2,699	+230	+9.3
Yonkers	1,390	1,321	−69	−5.0
Youngstown	1,730	1,919	+189	+10.9

TABLE G.—RESIDENT AND RECORDED DEATHS AND PERCENT DIFFERENCE: CITIES HAVING, IN 1940, POPULATIONS OF 100,000 OR MORE, 1944—Continued

[Exclusive of stillbirths]

INFANT MORTALITY STATISTICS

Infant mortality rates for urban and rural areas.—Table H shows the urban and rural infant mortality rates by race for the continental United States on a place-of-residence basis. The rates for all races in 1944 ranged from 36.0 deaths under 1 year per 1,000 live births for cities of 100,000 or more to 44.6 for urban places of 2,500 to 10,000. The differences in rates between areas are greater for nonwhite than for white infants. In comparison with the corresponding figures for 1943, the rates for rural areas, all races, showed a decrease of 1.7 percent, while for urban areas the 1944 rates were 1.3 percent lower than the 1943 rates. In interpreting these comparative figures, it should be noted that they are based on rates not adjusted for annual changes in the number of births. Therefore, they indicate the year-to-year difference in the infant mortality experience less accurately than if the rates were adjusted for changes in the number of births. Adjusted infant mortality rates are discussed in the introduction to part I of this volume.

TABLE H.—INFANT MORTALITY BY RACE, URBAN AND RURAL: UNITED STATES, 1944

[By place of residence. Exclusive of stillbirths. Rate per 1,000 births in each specified group]

AREA	DEATHS UNDER 1 YEAR					
	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
United States	**111,127**	**39.8**	**90,607**	**36.9**	**20,520**	**60.3**
Urban	63,482	39.1	53,316	36.5	10,166	63.0
Places of 100,000 or more	27,473	36.0	22,300	33.1	5,173	57.4
Places of 25,000 to 100,000	13,609	40.1	11,562	37.4	2,047	68.1
Places of 10,000 to 25,000	9,509	40.8	8,197	38.3	1,312	69.7
Places of 2,500 to 10,000	12,891	44.6	11,257	42.2	1,634	73.1
Rural	47,645	40.7	37,291	37.6	10,354	57.9

Infant mortality rates by States.—A comparison of the infant mortality rates for the various States and geographic divisions is given in table J. The lowest rate, for all races, 30.5 per 1,000 live births, was reported for Oregon; and the highest rate, 89.1, for New Mexico. Although the rates for the individual States within the specific geographic divisions varied considerably, they tended to be highest in the Mountain and South Atlantic States and lowest in the Pacific and West North

Central States. The comparability of infant mortality rates between States is affected by incomplete birth and death registration in some States. However, the indicated differences in infant mortality are much too large to be explained solely on this basis.

TABLE J.—INFANT MORTALITY RATES BY RACE: UNITED STATES, EACH DIVISION AND STATE, 1944

[By place of residence. Exclusive of stillbirths. Rate per 1,000 births in each specified group]

DIVISION AND STATE	INFANT MORTALITY RATE			DIVISION AND STATE	INFANT MORTALITY RATE		
	Total	White	Nonwhite		Total	White	Nonwhite
United States	**39.8**	**36.9**	**60.3**	WEST NORTH CENTRAL—Continued			
Geographic Divisions:				Nebraska	33.0	32.1	82.4
New England	34.8	34.5	58.2	Kansas	33.3	32.5	52.4
Middle Atlantic	35.7	33.9	61.9	SOUTH ATLANTIC:			
E. North Central	35.4	34.4	54.7	Delaware	48.7	43.1	80.8
W. North Central	34.1	32.9	68.0	Maryland	41.5	35.0	69.6
South Atlantic	46.9	40.4	63.4	Dist. of Col.	44.8	33.2	67.5
E. South Central	45.5	42.1	54.4	Virginia	47.1	41.7	63.6
W. South Central	46.2	43.3	58.4	West Virginia	52.0	51.2	66.2
Mountain	52.0	48.1	123.4	North Carolina	45.4	38.8	60.0
Pacific	34.0	33.3	48.7	South Carolina	54.9	45.7	65.9
NEW ENGLAND:				Georgia	44.5	36.1	60.0
Maine	46.7	46.5	82.2	Florida	45.5	38.4	66.1
New Hampshire	37.7	37.6	71.4	EAST SOUTH CENTRAL:			
Vermont	40.6	40.6	0	Kentucky	46.7	45.1	75.8
Massachusetts	33.1	32.6	61.0	Tennessee	45.5	43.3	56.7
Rhode Island	35.3	35.0	51.9	Alabama	45.5	39.0	57.1
Connecticut	30.7	30.1	54.7	Mississippi	44.1	38.3	49.0
MIDDLE ATLANTIC:				WEST SOUTH CENTRAL:			
New York	32.8	31.4	57.4	Arkansas	34.7	32.5	41.9
New Jersey	34.0	31.9	60.3	Louisiana	46.3	35.2	63.8
Pennsylvania	40.0	38.1	67.4	Oklahoma	41.2	38.4	63.6
EAST NORTH CENTRAL:				Texas	50.4	49.2	58.7
Ohio	38.5	37.2	59.5	MOUNTAIN:			
Indiana	34.5	33.6	56.3	Montana	36.1	30.6	128.0
Illinois	32.4	31.2	49.2	Idaho	34.0	32.8	114.9
Michigan	37.9	37.0	53.2	Wyoming	41.2	38.7	81.1
Wisconsin	32.0	31.4	78.4	Colorado	49.4	50.0	30.8
WEST NORTH CENTRAL:				New Mexico	89.1	84.3	149.2
Minnesota	31.3	30.9	73.8	Arizona	68.8	55.1	162.4
Iowa	33.1	32.9	52.5	Utah	33.9	33.3	65.7
Missouri	37.6	35.5	64.9	Nevada	50.2	49.2	63.4
North Dakota	35.4	34.2	85.2	PACIFIC:			
South Dakota	34.9	30.6	101.9	Washington	33.8	32.2	93.6
				Oregon	30.5	29.7	69.7
				California	34.5	34.1	41.9

DEATHS IN HOSPITALS AND INSTITUTIONS

Of the 1,411,338 deaths registered in the continental United States in 1944, 640,120 were reported as having occurred in hospitals and institutions. The reported number of deaths in hospitals and institutions in 1944 was 0.5 percent lower than the 643,061 reported in 1943. Although the number of deaths in hospitals and institutions decreased slightly, the proportion of such deaths to total deaths has continued to increase. In 1940, the deaths in hospitals and institutions represented 39.0 percent of total deaths, in comparison with 40.8 percent in 1941, 42.3 percent in 1942, 44.1 percent in 1943, and 45.4 percent in 1944.

Table K shows for each State the proportion of resident deaths in institutions. The proportion ranged from 24.5 percent for residents of Mississippi to 59.2 percent for Washington residents. The proportion of deaths in institutions was 60.0 percent for the District of Columbia. In general, the proportion was low for residents of Southern States, and relatively high for those of Mountain, Pacific, and New England States.

The "institutional" grouping in table K is based on the institution code. Under this code, all types of hospitals, sanatoriums, nursing homes, and convalescent homes, and also resident institutions, such as homes for the aged and penal establishments, are included within the broad term "institution." For the most part, deaths classified as occurring in institutions take place in general hospitals. Table L shows, for 1944, the number of deaths in the continental United States and the proportion of these deaths occurring in each broad class of institution. Of the total number of deaths, 54.6 percent did not occur in an institution, 35.8 occurred in general hospitals, and 9.6 percent occurred in other types of hospitals and institutions.

TABLE K.—PERCENT OF RESIDENT DEATHS OCCURRING IN INSTITUTIONS: EACH STATE, 1944

[Exclusive of stillbirths]

AREA	DEATHS OF RESIDENTS (WHEREVER OCCURRING)			AREA	DEATHS OF RESIDENTS (WHEREVER OCCURRING)		
	Total	In institution	Not in institution		Total	In institution	Not in institution
United States	**100.0**	**45.4**	**54.6**	Montana	100.0	57.8	42.2
Alabama	100.0	27.7	72.3	Nebraska	100.0	44.9	55.1
Arizona	100.0	50.4	49.6	Nevada	100.0	56.8	43.2
Arkansas	100.0	30.3	69.7	New Hampshire	100.0	48.2	51.8
California	100.0	56.3	43.7	New Jersey	100.0	50.2	49.8
Colorado	100.0	54.0	46.0	New Mexico	100.0	39.7	60.3
Connecticut	100.0	53.8	46.2	New York	100.0	55.4	44.6
Delaware	100.0	49.5	50.5	North Carolina	100.0	34.3	65.7
Dist. of Columbia	100.0	60.0	40.0	North Dakota	100.0	51.4	48.6
Florida	100.0	41.8	58.2	Ohio	100.0	42.1	57.9
Georgia	100.0	31.7	68.3	Oklahoma	100.0	38.0	62.0
Idaho	100.0	49.6	50.4	Oregon	100.0	54.0	46.0
Illinois	100.0	51.2	48.8	Pennsylvania	100.0	45.7	54.3
Indiana	100.0	37.9	62.1	Rhode Island	100.0	46.3	53.7
Iowa	100.0	44.9	55.1	South Carolina	100.0	29.6	70.4
Kansas	100.0	45.2	54.8	South Dakota	100.0	46.6	53.4
Kentucky	100.0	28.6	71.4	Tennessee	100.0	32.3	67.7
Louisiana	100.0	39.5	60.5	Texas	100.0	35.4	64.6
Maine	100.0	39.3	60.7	Utah	100.0	45.1	54.9
Maryland	100.0	43.3	56.7	Vermont	100.0	43.2	56.8
Massachusetts	100.0	51.6	48.4	Virginia	100.0	36.5	63.5
Michigan	100.0	47.8	52.2	Washington	100.0	59.2	40.8
Minnesota	100.0	53.6	46.4	West Virginia	100.0	34.1	65.9
Mississippi	100.0	24.5	75.5	Wisconsin	100.0	50.5	49.5
Missouri	100.0	43.0	57.0	Wyoming	100.0	56.4	43.6

TABLE L.—RESIDENT DEATHS IN INSTITUTIONS: UNITED STATES, 1944

[Exclusive of stillbirths]

TYPE OF INSTITUTION	Total deaths	Percent of total deaths
Total deaths	**1,411,338**	**100.0**
No institution	771,218	54.6
Total institution	640,120	45.4
Type of service:		
General hospital	505,118	35.8
Maternity hospital	1,944	0.1
Children's hospital	3,936	0.3
Tuberculosis hospital	16,295	1.2
Special hospital	8,446	0.6
Other nonresident hospital	15,604	1.1
Convalescent, etc., home	8,308	0.6
Nonresident institution	551	0.0
Mental institution	47,538	3.4
Other resident institution	32,380	2.3

BIRTHS ALLOCATED TO PLACE OF RESIDENCE

Summary.—Of the 2,794,800 live births registered in the United States in 1944, 1,923,015 occurred in the city or county in which the mother of the child usually resided; and 871,785, or 31.2 percent, were nonresident births as compared with 838,609, or 28.6 percent, in 1943. A large proportion of the nonresident births are to mothers who lived in rural areas or small cities and gave birth in more populous areas. Only a small per-

centage of the mothers who give birth elsewhere than in their usual place of residence cross State lines. In 1940 only 6.3 percent of all nonresident births were to mothers from States other than the one in which the birth occurred. With the increased interstate population movement of the war period, however, the proportion increased slightly from year to year and was 8.4 percent in 1944.

A summary of births in 1944, by place of occurrence and by place of residence is given by States in table M. This table shows, for each State, the number of births registered as occurring within the State; the total number of nonresident births within the State, that is, the number of births occurring in cities or counties of which the mother was not a resident; the number of these occurring to nonresident mothers who lived in some other part of the same State; and the number to mothers living in other States. This table also shows the number of births to residents of each State occurring in other areas, and the total number of births to residents wherever occurring.

TABLE M.—BIRTHS OF NONRESIDENTS IN EACH STATE AND BIRTHS OF RESIDENTS IN OTHER STATES: 1944

[Exclusive of stillbirths]

AREA	Total births in area	BIRTHS						Total births of residents
		Of nonresidents in area			Of residents in other areas			
		Total	From same State	From other States	Total	In same State	In other States	
United States	2,794,800	871,785	798,776	73,009	871,785	798,776	73,009	2,794,800
Alabama	73,907	14,977	13,841	1,136	15,485	13,841	1,644	74,415
Arizona	15,832	5,372	3,470	1,902	3,765	3,470	295	14,225
Arkansas	41,620	9,632	8,086	1,546	9,252	8,086	1,166	41,240
California	177,213	69,912	68,792	1,120	71,822	68,792	3,030	179,123
Colorado	24,562	8,213	6,943	1,270	7,582	6,943	639	23,931
Connecticut	33,537	13,460	12,886	574	14,201	12,886	1,315	34,278
Delaware	6,035	2,542	2,212	330	2,500	2,212	288	5,993
Dist. of Col.	22,942	7,850	...	7,850	666	...	666	15,758
Florida	51,815	17,938	13,640	4,298	14,541	13,640	901	48,418
Georgia	76,973	19,058	17,339	1,719	18,625	17,339	1,286	76,540
Idaho	12,365	5,983	5,173	810	5,859	5,173	686	12,241
Illinois	138,915	44,030	42,724	1,306	47,120	42,724	4,396	142,005
Indiana	71,484	25,320	23,457	1,863	25,190	23,457	1,733	71,354
Iowa	46,939	20,595	18,910	1,685	20,220	18,910	1,310	46,564
Kansas	34,545	12,495	10,684	1,811	12,926	10,684	2,242	34,976
Kentucky	63,751	9,635	8,598	1,037	10,109	8,598	1,511	64,225
Louisiana	61,118	16,059	15,209	850	15,991	15,209	782	61,050
Maine	17,489	6,365	6,105	260	6,638	6,105	533	17,762
Maryland	40,996	10,553	9,001	1,552	13,472	9,001	4,471	43,915
Massachusetts	78,308	29,214	27,813	1,401	29,115	27,813	1,302	78,209
Michigan	113,961	41,906	41,035	871	42,645	41,035	1,610	114,700
Minnesota	55,739	19,907	18,629	1,278	20,281	18,629	1,652	56,113
Mississippi	56,918	8,800	7,907	893	8,822	7,907	915	56,940
Missouri	69,770	21,515	17,907	3,608	19,735	17,907	1,828	67,990
Montana	10,742	3,554	3,356	198	3,755	3,356	399	10,943
Nebraska	24,698	8,417	7,374	1,043	8,294	7,374	920	24,575
Nevada	3,297	1,389	938	451	1,120	938	182	3,028
New Hampshire	8,778	3,067	2,219	848	2,837	2,219	618	8,548
New Jersey	73,751	37,447	36,725	722	39,961	36,725	3,236	76,265
New Mexico	16,294	4,523	3,205	1,318	3,814	3,205	609	15,585
New York	229,603	49,243	46,258	2,985	49,174	46,258	2,916	229,534
North Carolina	91,578	25,294	23,137	2,157	24,345	23,137	1,208	90,629
North Dakota	13,627	6,095	5,288	807	5,998	5,288	710	13,530
Ohio	132,822	45,900	43,763	2,137	46,676	43,763	2,913	133,598
Oklahoma	46,650	13,772	12,117	1,655	13,847	12,117	1,730	46,725
Oregon	24,475	10,397	9,258	1,139	10,072	9,258	814	24,150
Pennsylvania	177,938	67,800	65,032	2,768	68,232	65,032	3,200	178,370
Rhode Island	13,695	5,641	5,091	550	5,700	5,091	609	13,754
South Carolina	51,162	10,662	10,212	450	10,967	10,212	755	51,467
South Dakota	12,466	4,989	4,521	468	5,292	4,521	771	12,769
Tennessee	70,559	15,955	12,280	3,675	13,668	12,280	1,388	68,272
Texas	164,268	36,697	35,629	1,068	38,329	35,629	2,700	165,900
Utah	16,940	7,040	5,940	1,100	6,280	5,940	340	16,180
Vermont	6,517	2,535	2,277	258	2,842	2,277	565	6,824
Virginia	65,725	18,212	16,004	2,208	21,662	16,004	5,658	69,175
Washington	44,452	16,883	15,770	1,113	16,959	15,770	1,189	44,528
West Virginia	41,281	9,308	7,822	1,486	9,331	7,822	1,509	41,304
Wisconsin	61,105	24,125	23,115	1,010	24,567	23,115	1,452	61,547
Wyoming	5,643	1,509	1,084	425	1,501	1,084	417	5,635

Number of nonresident births.—Although for the entire continental United States the nonresident births in 1944 were 31.2 percent of all births, this proportion varied widely among States. It ranged from 15.1 percent in Kentucky to 50.8 percent in New Jersey. Table N gives the total number of births occurring in each State and the number and percent that occurred in a city or county of which the mother was not a resident. The frequency distribution of these percentages by States is given in table O. In 2 States less than 19 percent of the births were to nonresidents, while in 11 States 40 percent or more of the births were to nonresidents.

TABLE N.—BIRTHS OF NONRESIDENTS AND PERCENT OF TOTAL RECORDED BIRTHS: EACH STATE, 1944

[Exclusive of stillbirths]

AREA	Total births in area	BIRTHS OF NONRESIDENTS IN AREA		AREA	Total births in area	BIRTHS OF NONRESIDENTS IN AREA	
		Number	Percent of total			Number	Percent of total
United States	2,794,800	871,785	31.2	Nebraska	24,698	8,417	34.1
				Nevada	3,297	1,389	42.1
Alabama	73,907	14,977	20.3	New Hampshire	8,778	3,067	34.9
Arizona	15,832	5,372	33.9	New Jersey	73,751	37,447	50.8
Arkansas	41,620	9,632	23.1	New Mexico	16,294	4,523	27.8
California	177,213	69,912	39.5				
Colorado	24,562	8,213	33.4	New York	229,603	49,243	21.4
				North Carolina	91,578	25,294	27.6
Connecticut	33,537	13,460	40.1	North Dakota	13,627	6,095	44.7
Delaware	6,035	2,542	42.1	Ohio	132,822	45,900	34.6
Dist. of Col.	22,942	7,850	34.2				
Florida	51,815	17,938	34.6	Oklahoma	46,650	13,772	29.5
				Oregon	24,475	10,397	42.5
Georgia	76,973	19,058	24.8	Pennsylvania	177,938	67,800	38.1
Idaho	12,365	5,983	48.4	Rhode Island	13,695	5,641	41.2
Illinois	138,915	44,030	31.7	South Carolina	51,162	10,662	20.8
Indiana	71,484	25,320	35.4				
Iowa	46,939	20,595	43.9	South Dakota	12,466	4,989	40.0
Kansas	34,545	12,495	36.2	Tennessee	70,559	15,955	22.6
				Texas	164,268	36,697	22.3
Kentucky	63,751	9,635	15.1	Utah	16,940	7,040	41.6
Louisiana	61,118	16,059	26.3	Vermont	6,517	2,535	38.9
Maine	17,489	6,365	36.4				
Maryland	40,996	10,553	25.7	Virginia	65,725	18,212	27.7
Massachusetts	78,308	29,214	37.3	Washington	44,452	16,883	38.0
				West Virginia	41,281	9,308	22.5
Michigan	113,961	41,906	36.8				
Minnesota	55,739	19,907	35.7	Wisconsin	61,105	24,125	39.5
Mississippi	56,918	8,800	15.5	Wyoming	5,643	1,509	26.7
Missouri	69,770	21,515	30.8				
Montana	10,742	3,554	33.1				

TABLE O.—FREQUENCY DISTRIBUTION OF STATES BY PERCENT OF NONRESIDENTS AMONG TOTAL RECORDED BIRTHS: 1944

[Exclusive of stillbirths]

PERCENT NONRESIDENTS	Number of States
10–14	0
15–19	2
20–24	8
25–29	7
30–34	10
35–39	11
40–44	9
45–49	1
50–54	1

Effect of residence reallocation on urban and rural birth statistics.—Table P shows the difference between the number of births to residents of urban and rural areas and the number of births occurring in the corresponding areas. The place-of-occurrence figures are much higher than those by place of residence in the urban areas, whereas the contrary is true of the rural areas. In comparing the birth figures for urban and rural areas, differences in completeness of birth registration should be taken into account.[4]

[4] See Vital Statistics—Special Reports, vol. 17, No. 18, Bureau of the Census, Washington, D. C., 1943.

TABLE P.—RESIDENT AND RECORDED BIRTHS AND PERCENT DIFFERENCE, URBAN AND RURAL: UNITED STATES, 1944

[Exclusive of stillbirths]

AREA	Births of residents	Births in area	Difference	Percent difference
United States	2,794,800	2,794,800	0	0
Urban	1,623,564	2,063,281	+439,717	+27.1
Places of 100,000 or more	762,954	900,140	+137,186	+18.0
Places of 25,000 to 100,000	338,956	455,281	+116,325	+34.3
Places of 10,000 to 25,000	232,847	315,801	+82,954	+35.6
Places of 2,500 to 10,000	288,807	392,059	+103,252	+35.8
Rural	1,171,236	731,519	−439,717	−37.5

The number of births in 1944, by place of residence and by place of occurrence, is given in table Q for each of the 92 cities having, in 1940, a population of 100,000 or more. The place-of-residence figures are lower than those by place of occurrence for every city except Chicago, Indianapolis, Los Angeles, Miami, New Bedford, Reading, and Somerville. Since many factors contribute to the number of nonresident births occurring in a community, a careful study of local conditions is necessary to explain the varying differences observed between residence and occurrence statistics. Among the important factors are: the number and location of hospitals in suburbs surrounding a given city, the density of population in adjacent rural areas and the distance to other cities, and the extent to which hospital facilities are available within the given city.

TABLE Q.—RESIDENT AND RECORDED BIRTHS AND PERCENT DIFFERENCE: CITIES HAVING, IN 1940, POPULATIONS OF 100,000 OR MORE, 1944

[Exclusive of stillbirths]

AREA	Births of residents	Births in area	Difference	Percent difference
Akron	5,148	6,340	+1,192	+23.2
Albany	2,237	3,339	+1,102	+49.3
Atlanta	7,218	8,155	+937	+13.0
Baltimore	19,124	23,709	+4,585	+24.0
Birmingham	6,479	7,617	+1,138	+17.6
Boston	14,487	18,022	+3,535	+24.4
Bridgeport	3,041	4,348	+1,307	+43.0
Buffalo	10,313	13,480	+3,167	+30.7
Cambridge	2,241	3,563	+1,322	+59.0
Camden	2,353	4,417	+2,064	+87.7
Canton	2,415	3,404	+989	+41.0
Charlotte	2,582	3,914	+1,332	+51.6
Chattanooga	3,219	3,864	+645	+20.0
Chicago	60,253	59,467	−786	−1.3
Cincinnati	8,345	11,631	+3,286	+39.4
Cleveland	15,852	18,987	+3,135	+19.8
Columbus	6,232	8,473	+2,241	+36.0
Dallas	7,000	9,670	+2,670	+38.1
Dayton	6,173	7,444	+1,271	+20.6
Denver	7,533	9,221	+1,688	+22.4
Des Moines	3,103	3,919	+816	+26.3
Detroit	32,787	35,888	+3,101	+9.5
Duluth	2,087	2,559	+472	+22.6
Elizabeth	1,848	2,941	+1,093	+59.1
Erie	2,694	3,383	+689	+25.6
Fall River	2,096	2,703	+607	+29.0
Flint	3,353	4,992	+1,639	+48.9
Fort Wayne	2,716	3,511	+795	+29.3
Fort Worth	5,162	6,043	+881	+17.1
Gary	2,700	3,420	+720	+26.7
Grand Rapids	3,442	4,021	+579	+16.8
Hartford	3,368	6,568	+3,200	+95.0
Houston	11,853	12,633	+780	+6.6
Indianapolis	9,094	9,021	−73	−0.8
Jacksonville, Fla	4,809	6,040	+1,231	+25.6
Jersey City	5,189	8,067	+2,878	+55.5
Kansas City, Kans	2,715	2,820	+105	+3.9
Kansas City, Mo	7,168	9,546	+2,378	+33.2
Knoxville	2,794	4,011	+1,217	+43.6
Long Beach	4,822	7,251	+2,429	+50.4
Los Angeles	34,325	28,755	−5,570	−16.2
Louisville	8,757	9,614	+857	+9.8
Lowell	1,685	2,147	+462	+27.4
Memphis	6,254	8,292	+2,038	+32.6
Miami	4,242	3,923	−319	−7.5

TABLE Q.—RESIDENT AND RECORDED BIRTHS AND PERCENT DIFFERENCE, CITIES HAVING, IN 1940, POPULATIONS OF 100,000 OR MORE, 1944—Continued

[Exclusive of stillbirths]

AREA	Births of residents	Births in area	Difference	Percent difference
Milwaukee	10,670	13,972	+3,302	+30.9
Minneapolis	9,809	11,980	+2,171	+22.1
Nashville	4,411	5,136	+725	+16.4
Newark, N. J	7,856	10,791	+2,935	+37.4
New Bedford	1,799	1,601	−198	−11.0
New Haven	2,808	4,539	+1,731	+61.6
New Orleans	12,157	15,077	+2,920	+24.0
New York	120,304	122,724	+2,420	+2.0
Norfolk	4,127	6,089	+1,962	+47.5
Oakland	7,746	9,666	+1,920	+24.8
Oklahoma City	4,952	5,865	+913	+18.4
Omaha	4,745	5,481	+736	+15.5
Paterson	2,237	4,042	+1,805	+80.7
Peoria	1,942	3,324	+1,382	+71.2
Philadelphia	35,318	38,851	+3,533	+10.0
Pittsburgh	12,369	16,806	+4,437	+35.9
Portland, Oreg	7,632	9,412	+1,780	+23.3
Providence	4,510	8,195	+3,685	+81.7
Reading	1,586	1,444	−142	−9.0
Richmond	4,100	5,965	+1,865	+45.5
Rochester	5,370	7,710	+2,340	+43.6
Sacramento	2,684	4,415	+1,731	+64.5
St. Louis	14,674	19,432	+4,758	+32.4
St. Paul	6,157	7,309	+1,152	+18.7
Salt Lake City	4,202	5,904	+1,702	+40.5
San Antonio	10,064	10,181	+117	+1.2
San Diego	7,923	7,984	+61	+0.8
San Francisco	13,425	14,833	+1,408	+10.5
Scranton	1,854	2,672	+818	+44.1
Seattle	11,189	12,751	+1,562	+14.0
Somerville	1,907	1,219	−688	−36.1
South Bend	2,097	2,622	+525	+25.0
Spokane	2,994	3,742	+748	+25.0
Springfield, Mass	2,886	3,782	+896	+31.0
Syracuse	3,566	5,530	+1,964	+55.1
Tacoma	3,119	4,359	+1,240	+39.8
Tampa	2,853	3,308	+455	+15.9
Toledo	5,265	6,927	+1,662	+31.6
Trenton	2,033	3,734	+1,701	+83.7
Tulsa	3,761	4,326	+565	+15.0
Utica	1,772	2,536	+764	+43.1
Washington, D. C	15,758	22,942	+7,184	+45.6
Wichita	4,218	4,745	+527	+12.5
Wilmington, Del	2,312	4,146	+1,834	+79.3
Worcester	3,404	4,448	+1,044	+30.7
Yonkers	2,198	2,288	+90	+4.1
Youngstown	2,883	4,202	+1,319	+45.8

BIRTHS IN HOSPITALS

The use of hospitals for confinements by the inhabitants of any area is more correctly indicated by data reallocated to place of residence than by data based on place of birth. This information for States, by urban and rural areas, is given for 1944 in table R, which shows the proportion of resident births of each area occurring in hospitals.

In the entire United States, 2,112,963 or 75.6 percent of all live births occurred in hospitals. Of the 1,623,564 births to urban residents, 1,447,008 or 89.1 percent occurred in hospitals. Live births to rural residents numbered 1,171,236 and of these 665,955 or 56.9 percent occurred in hospitals.

By States, the proportion of resident births occurring in hospitals ranged from 31.2 percent for Mississippi to 97.9 for Connecticut. For residents of rural areas, the proportion varied from 21.4 percent for Mississippi to 97.2 for Connecticut. For urban residents, the proportion ranged from 65.4 percent for Alabama to 98.9 for Washington.

Considerable variation in the urban-rural differential is also apparent in the data for each State. For example, only 21.4 percent of the births among rural residents of Mississippi occurred in hospitals, whereas 66 percent of births to urban residents were in hos-

TABLE R.—PERCENT OF RESIDENT BIRTHS OCCURRING IN HOSPITALS, URBAN AND RURAL: EACH STATE, 1944

[Exclusive of stillbirths]

AREA	BIRTHS OF RESIDENTS		
	Total	In hospital	Not in hospital
United States	100.0	75.6	24.4
Urban	100.0	89.1	10.9
Rural	100.0	56.9	43.1
Alabama	100.0	39.3	60.7
Urban	100.0	65.4	34.6
Rural	100.0	26.7	73.3
Arizona	100.0	79.6	20.4
Urban	100.0	86.3	13.7
Rural	100.0	72.0	28.0
Arkansas	100.0	41.9	58.1
Urban	100.0	72.5	27.5
Rural	100.0	29.7	70.3
California	100.0	95.2	4.8
Urban	100.0	96.1	3.9
Rural	100.0	92.1	7.9
Colorado	100.0	82.1	17.9
Urban	100.0	87.8	12.2
Rural	100.0	73.0	27.0
Connecticut	100.0	97.9	2.1
Urban	100.0	98.2	1.8
Rural	100.0	97.2	2.8
Delaware	100.0	83.6	16.4
Urban	100.0	93.2	6.8
Rural	100.0	73.6	26.4
Dist. of Col.	100.0	95.0	5.0
Florida	100.0	66.8	33.2
Urban	100.0	78.0	22.1
Rural	100.0	51.5	48.5
Georgia	100.0	50.7	49.3
Urban	100.0	73.3	26.7
Rural	100.0	34.9	65.1
Idaho	100.0	92.3	7.7
Urban	100.0	94.6	5.4
Rural	100.0	90.7	9.3
Illinois	100.0	90.0	10.0
Urban	100.0	94.0	6.0
Rural	100.0	77.5	22.5
Indiana	100.0	80.9	19.1
Urban	100.0	87.9	12.1
Rural	100.0	70.4	29.6
Iowa	100.0	85.3	14.7
Urban	100.0	93.8	6.2
Rural	100.0	78.5	21.5
Kansas	100.0	83.9	16.1
Urban	100.0	91.1	8.9
Rural	100.0	75.6	24.4
Kentucky	100.0	38.6	61.4
Urban	100.0	73.5	26.5
Rural	100.0	22.1	77.9
Louisiana	100.0	61.7	38.3
Urban	100.0	83.6	16.4
Rural	100.0	44.0	56.0
Maine	100.0	81.2	18.8
Urban	100.0	92.5	7.5
Rural	100.0	74.1	25.9
Maryland	100.0	73.8	26.2
Urban	100.0	79.0	21.0
Rural	100.0	67.0	33.0
Massachusetts	100.0	95.3	4.7
Urban	100.0	95.5	4.5
Rural	100.0	93.0	7.0
Michigan	100.0	88.2	11.8
Urban	100.0	92.8	7.2
Rural	100.0	78.7	21.3
Minnesota	100.0	90.0	10.0
Urban	100.0	96.3	3.7
Rural	100.0	83.2	16.8
Mississippi	100.0	31.2	68.8
Urban	100.0	66.0	34.0
Rural	100.0	21.4	78.6
Missouri	100.0	68.5	31.5
Urban	100.0	86.5	13.5
Rural	100.0	46.2	53.8
Montana	100.0	93.4	6.6
Urban	100.0	97.1	2.9
Rural	100.0	90.1	9.9
Nebraska	100.0	84.4	15.6
Urban	100.0	93.7	6.3
Rural	100.0	76.7	23.3
Nevada	100.0	94.6	5.4
Urban	100.0	97.7	2.3
Rural	100.0	91.7	8.3
New Hampshire	100.0	93.1	6.9
Urban	100.0	95.5	4.5
Rural	100.0	89.6	10.4
New Jersey	100.0	92.5	7.5
Urban	100.0	93.8	6.2
Rural	100.0	87.0	13.0
New Mexico	100.0	55.9	44.1
Urban	100.0	74.0	26.0
Rural	100.0	44.4	55.6
New York	100.0	95.0	5.0
Urban	100.0	96.6	3.4
Rural	100.0	87.6	12.4
North Carolina	100.0	51.1	48.9
Urban	100.0	77.6	22.4
Rural	100.0	41.0	59.0
North Dakota	100.0	86.2	13.8
Urban	100.0	97.9	2.1
Rural	100.0	82.7	17.2
Ohio	100.0	84.0	16.0
Urban	100.0	90.9	9.1
Rural	100.0	69.1	30.9
Oklahoma	100.0	68.1	31.9
Urban	100.0	83.7	16.3
Rural	100.0	53.5	46.5
Oregon	100.0	96.8	3.2
Urban	100.0	98.6	1.4
Rural	100.0	94.8	5.2
Pennsylvania	100.0	81.5	18.5
Urban	100.0	89.4	10.6
Rural	100.0	65.1	34.9
Rhode Island	100.0	91.9	8.1
Urban	100.0	92.0	8.0
Rural	100.0	91.8	8.2
South Carolina	100.0	41.2	58.8
Urban	100.0	68.9	31.1
Rural	100.0	28.7	71.3
South Dakota	100.0	82.3	17.7
Urban	100.0	95.3	4.7
Rural	100.0	76.9	23.1
Tennessee	100.0	47.1	52.9
Urban	100.0	73.6	26.4
Rural	100.0	31.2	68.8
Texas	100.0	65.9	34.1
Urban	100.0	76.2	23.8
Rural	100.0	51.1	48.9
Utah	100.0	90.3	9.7
Urban	100.0	96.2	3.8
Rural	100.0	82.0	18.0
Vermont	100.0	81.4	18.6
Urban	100.0	92.0	8.0
Rural	100.0	74.8	25.2
Virginia	100.0	55.7	44.3
Urban	100.0	80.7	19.3
Rural	100.0	39.9	60.1
Washington	100.0	97.1	2.9
Urban	100.0	98.9	1.1
Rural	100.0	94.6	5.4
West Virginia	100.0	42.7	57.3
Urban	100.0	75.9	24.1
Rural	100.0	27.8	72.2
Wisconsin	100.0	87.9	12.1
Urban	100.0	94.3	5.7
Rural	100.0	80.6	19.4
Wyoming	100.0	89.7	10.3
Urban	100.0	92.2	7.8
Rural	100.0	87.7	12.3

pitals. For residents of Connecticut, on the other hand, the percentage of births among rural and urban residents occurring in hospitals was 97.2 and 98.2 percent, respectively.

Table S gives a frequency distribution of the States for the past 5 years according to the proportion of resident births occurring in hospitals. That there has been a constant increase in the number of States having a larger proportion of resident births occurring in hospitals is readily evident. Whereas in 1940 there were 10 States in which less than 30 percent of resident births occurred in hospitals, in 1944 there were no States in this category; and while there was only 1 State in 1940 in which 90 percent or more of the resident births occurred in hospitals, in 1944 there were 16 such States.

The hospital coding and classification for birth statistics is not based on the institution code used for mortality. The births are coded with a simple code that indicates only whether or not the birth took place in a hospital or other institution. However, almost all births in institutions actually occur in general or maternity hospitals.

Detailed statistics of births by type of attendance are given in table 11. The total number of births by place of residence is shown for each urban place and county of each State. Four types of attendants are distinguished in these tabulations, namely, physician not in a hospital, physician in a hospital, midwife, and other or unspecified attendant.

TABLE S.—FREQUENCY DISTRIBUTION OF STATES BY PERCENT OF RESIDENT BIRTHS IN HOSPITALS: UNITED STATES, 1940–1944

[Exclusive of stillbirths]

PERCENT OF BIRTHS IN HOSPITALS	NUMBER OF STATES				
	1944	1943	1942	1941	1940
10–19	0	0	0	1	4
20–29	0	1	5	5	6
30–39	3	5	3	5	1
40–49	4	3	3	3	5
50–59	4	3	5	4	7
60–69	5	4	4	11	13
70–79	2	11	13	8	3
80–89	15	12	7	9	9
90+	16	10	9	3	1

ILLEGITIMATE BIRTHS

The number of reported illegitimate live births and the ratio per 1,000 live births for each year since 1917 are given in table T. In 1944, there were 87,001 births in the continental United States (exclusive of California, Colorado, Connecticut, Maryland, Massachusetts, Nebraska, New Hampshire, New Mexico, New York, and Wyoming) reported as illegitimate, and the ratio was 40.4 per 1,000 live births, as compared with 36.5 in 1943.

Data relating to illegitimacy were first made available in 1917. For that year the ratio was 20.2, but from that point the ratio rose fairly steadily to the highest point, 41.9 in 1939. The tendency then was downward and the ratio for 1943 was 12.9 percent lower than the ratio for 1939. However, a rise in 1944 brought the ratio to a point only 3.6 percent lower than the 1939 peak.

The trend in the ratio for all races prior to the completion of the birth-registration area in 1933 was somewhat influenced by the addition of States to the area and the changing racial composition of the popu-

lation in the area. The ratio for nonwhite races has always been very high in comparison with that for the white race. Therefore, the addition to the registration area of States with a high proportion of Negroes accelerated the upward trend of the ratio for all races. Nevertheless, the proportion of recorded illegitimate births for the white group, alone, increased markedly and fairly regularly to 1933.

TABLE T.—ILLEGITIMATE BIRTHS BY RACE: BIRTH-REGISTRATION AREA, UNITED STATES, 1917–1944

[By place of residence for 1939–44; by place of occurrence for 1917–38. Exclusive of stillbirths. Ratio per 1,000 births]

YEAR	ILLEGITIMATE BIRTHS [1]					
	Number			Ratio		
	Total	White	Nonwhite	Total	White	Nonwhite
1944	87,001	36,252	50,749	40.4	19.6	166.1
1943	82,586	31,755	50,831	36.5	16.3	165.2
1942	83,459	33,117	50,342	37.2	17.0	170.6
1941	83,067	33,220	49,847	40.8	19.0	176.0
1940	77,558	32,032	45,526	40.4	19.4	169.3
1939	74,941	31,330	43,611	41.9	20.4	172.7
1938	74,462	32,043	42,419	41.1	20.5	169.1
1937	74,938	32,231	42,707	40.2	20.1	163.9
1936	72,338	31,850	40,488	39.8	20.3	162.4
1935	75,141	33,685	41,456	41.1	21.4	163.6
1934	75,352	32,682	42,670	41.0	20.9	154.0
1933	73,889	31,742	41,647	41.8	21.3	158.9
1932	70,811	31,607	39,204	41.0	21.3	160.9
1931	65,952	30,137	35,815	37.5	19.8	150.5
1930	63,567	29,490	34,077	34.7	18.6	141.1
1929	60,921	27,780	33,141	33.9	17.7	143.5
1928	60,661	27,745	32,916	32.8	17.2	139.5
1927	52,022	26,124	25,898	29.0	16.9	131.6
1926	37,576	21,316	16,260	25.6	16.0	121.3
1925	37,414	21,564	15,850	25.3	16.0	120.6
1924	39,332	20,523	18,809	25.9	15.0	123.5
1923	35,040	18,139	16,901	25.2	14.4	126.2
1922	35,605	18,471	17,134	25.8	14.8	130.0
1921	34,824	17,440	17,384	26.6	14.8	128.5
1920	27,749	15,170	12,579	24.9	15.0	125.0
1919	23,660	12,360	11,300	23.6	13.6	121.9
1918	19,906	12,000	7,906	19.4	12.5	113.8
1917	20,464	12,238	8,226	20.2	13.0	120.1

[1] The following States do not require a statement of legitimacy of child: California, Massachusetts, and New York for each year; Texas for 1938 and 1939; Maryland, Nebraska, New Hampshire, and Wyoming for 1940–1944; Colorado, Connecticut, and New Mexico for 1943 and 1944.

NOTE.—Data not available for the years 1915 and 1916.

The lowest ratio for the white race, 12.5, was recorded in 1918 and the highest, 21.4, in 1935. From 1936 through 1939, the ratio for the white race varied only from 20.1 to 20.5, but from 1939 to 1943 the tendency was consistently downward. The ratio of 19.6 for illegitimate white infants in 1944 was the highest since 1939.

Data on illegitimate live births reported in 1942, 1943, and 1944 are given for individual States in table U. The table shows the number of illegitimate births, reallocated to the State of the mother's usual residence, for all races and for the white and nonwhite groups separately; also the number of illegitimate births per 1,000 total live births. California, Maryland, Massachusetts, Nebraska, New Hampshire, New York, and Wyoming were entirely excluded from the tabulation because these States did not require a statement concerning legitimacy in any of the 3 years. Three others, Colorado, Connecticut, and New Mexico, which are listed in the table did not require the statement in 1943 or 1944. It must be recognized also that the reporting of the fact of illegitimacy in the States included in the tabulation probably is incomplete and inaccurate.

695478 O - 46 - 2

TABLE U.—ILLEGITIMATE BIRTHS BY RACE: UNITED STATES [1] AND EACH STATE, 1942–1944

[By place of residence. Exclusive of stillbirths. Ratio per 1,000 births]

AREA AND RACE	ILLEGITIMATE BIRTHS					
	Number			Ratio		
	1944	1943	1942	1944	1943	1942
Total	87,001	82,586	81,954	40.4	36.5	37.8
White	36,252	31,755	31,763	19.6	16.3	16.9
Nonwhite	50,749	50,831	50,191	166.1	165.2	171.2
Alabama	5,597	6,076	5,732	75.2	78.4	80.6
White	677	706	747	14.3	14.1	16.5
Nonwhite	4,920	5,370	4,985	182.8	195.6	192.4
Arizona	428	325	303	30.1	22.7	23.9
White	253	214	216	20.4	17.0	19.1
Nonwhite	175	111	87	96.3	66.2	62.9
Arkansas	1,739	1,890	1,874	42.2	44.4	43.9
White	371	418	461	11.8	12.9	14.1
Nonwhite	1,368	1,472	1,413	138.4	145.5	140.4
Colorado [2]			(519)			(22.0)
White			(485)			(20.9)
Nonwhite			(34)			(86.3)
Connecticut [2]			(373)			(10.0)
White			(319)			(8.8)
Nonwhite			(54)			(62.2)
Delaware	359	339	322	59.9	54.4	56.9
White	134	95	86	26.3	17.9	18.1
Nonwhite	225	244	236	252.5	264.6	263.4
District of Columbia	1,503	1,392	1,269	95.4	86.6	83.6
White	371	304	240	35.5	28.1	23.8
Nonwhite	1,132	1,088	1,029	213.0	207.0	202.2
Florida	2,731	2,418	2,302	56.4	51.7	56.3
White	572	367	343	15.8	10.6	11.6
Nonwhite	2,159	2,051	1,959	175.6	170.2	172.0
Georgia	4,843	4,941	4,974	63.3	63.0	68.6
White	603	560	599	12.2	11.2	13.2
Nonwhite	4,240	4,381	4,375	155.9	155.4	162.1
Idaho	132	101	116	10.8	8.2	10.1
White	120	95	101	9.9	7.7	8.9
Nonwhite	12	6	15	69.0	48.8	118.1
Illinois	4,299	3,901	3,719	30.3	25.0	23.8
White	2,784	2,502	2,259	21.0	17.1	15.3
Nonwhite	1,515	1,399	1,460	160.0	151.1	171.6
Indiana	1,659	1,323	1,464	23.3	17.7	19.9
White	1,261	1,022	1,087	18.4	14.2	15.3
Nonwhite	398	301	377	141.0	116.3	151.6
Iowa	746	731	736	16.0	15.4	15.2
White	706	690	695	15.3	14.6	14.4
Nonwhite	40	41	41	123.5	120.2	131.0
Kansas	683	573	586	19.5	15.9	17.3
White	531	419	438	15.7	12.1	13.4
Nonwhite	152	154	148	120.6	116.5	126.7
Kentucky	1,688	1,725	1,573	26.3	26.3	23.7
White	1,174	1,202	1,083	19.3	19.3	17.3
Nonwhite	514	523	490	154.6	152.6	134.3
Louisiana	4,258	4,493	4,582	69.7	72.5	78.9
White	444	449	473	11.9	11.7	13.5
Nonwhite	3,814	4,044	4,109	161.7	171.3	178.6
Maine	775	620	557	43.6	32.7	31.4
White	765	610	553	43.2	32.3	31.3
Nonwhite	10	10	4	137.0	222.2	87.0
Michigan	3,110	2,556	2,501	27.1	20.3	20.2
White	2,318	1,823	1,821	21.4	15.2	15.3
Nonwhite	792	733	680	127.7	128.1	133.3
Minnesota	1,334	1,121	1,202	23.8	19.2	20.5
White	1,236	1,028	1,105	22.2	17.7	19.0
Nonwhite	98	93	97	180.8	185.3	169.6
Mississippi	5,373	5,445	5,260	94.4	91.0	92.8
White	287	277	300	11.0	10.0	11.7
Nonwhite	5,086	5,168	4,960	164.3	161.4	159.5
Missouri	1,823	1,595	1,496	26.8	22.0	21.2
White	1,057	899	895	16.8	13.3	13.6
Nonwhite	766	696	601	153.4	137.4	125.0
Montana	132	139	172	12.1	12.2	14.7
White	95	98	115	9.2	9.1	10.4
Nonwhite	37	41	57	60.0	62.8	80.4
Nevada	49	33	25	16.2	10.9	9.0
White	32	18	15	11.3	6.4	5.8
Nonwhite	17	15	10	82.9	71.8	56.5

See footnotes at end of table.

TABLE U.—ILLEGITIMATE BIRTHS BY RACE: UNITED STATES[1] AND EACH STATE, 1942–1944—Continued

[By place of residence. Exclusive of stillbirths. Ratio per 1,000 births]

AREA AND RACE	ILLEGITIMATE BIRTHS					
	Number			Ratio		
	1944	1943	1942	1944	1943	1942
New Jersey	1,907	1,571	1,614	25.0	18.9	19.8
White	1,093	820	815	15.5	10.6	10.7
Nonwhite	814	751	799	146.4	133.8	146.5
New Mexico[2]			(613)			(43.4)
White			(550)			(40.7)
Nonwhite			(63)			(99.7)
North Carolina	6,977	6,861	7,158	77.0	72.6	79.7
White	1,570	1,487	1,517	25.1	22.4	24.4
Nonwhite	5,407	5,374	5,641	192.0	190.3	203.1
North Dakota	289	261	256	21.4	19.4	19.2
White	248	221	216	18.8	16.9	16.6
Nonwhite	41	40	40	129.3	128.6	110.2
Ohio	3,249	2,800	2,830	24.3	19.4	19.6
White	2,312	1,889	1,970	18.4	13.8	14.3
Nonwhite	937	911	860	121.8	119.0	137.8
Oklahoma	1,327	1,265	1,318	28.4	26.0	28.6
White	583	565	603	14.0	12.9	14.7
Nonwhite	744	700	715	145.6	139.8	143.1
Oregon	377	314	267	15.6	12.3	11.9
White	353	284	245	14.9	11.3	11.0
Nonwhite	24	30	22	53.9	87.0	69.8
Pennsylvania	6,617	6,057	6,265	37.1	30.4	31.8
White	4,346	3,897	4,077	26.1	20.8	21.9
Nonwhite	2,271	2,160	2,188	194.8	183.7	202.1
Rhode Island	323	328	314	23.5	22.4	22.1
White	283	285	272	21.0	19.9	19.6
Nonwhite	40	43	42	129.9	121.5	146.9
South Carolina	4,817	4,921	4,964	93.6	90.9	101.6
White	641	519	524	23.0	17.4	20.3
Nonwhite	4,176	4,402	4,440	177.0	181.2	193.3
South Dakota	324	276	277	25.4	21.5	22.3
White	216	195	193	18.0	16.0	16.6
Nonwhite	108	81	84	142.9	121.8	105.4
Tennessee	3,287	2,984	2,799	48.1	42.5	43.0
White	1,294	1,129	1,076	22.6	19.0	19.6
Nonwhite	1,993	1,855	1,723	181.8	170.9	168.1
Texas	5,049	4,697	4,353	30.4	28.6	30.1
White	2,229	1,966	1,876	15.3	13.6	14.8
Nonwhite	2,820	2,731	2,477	138.2	135.0	135.2
Utah	168	117	106	10.4	6.8	6.7
White	159	104	99	10.0	6.1	6.3
Nonwhite	9	13	7	32.8	59.4	37.0
Vermont	158	182	154	23.2	24.9	21.5
White	157	180	154	23.0	24.7	21.5
Nonwhite	1	2		333.3	500.0	0
Virginia	4,545	4,424	4,671	65.7	61.3	68.7
White	1,219	1,144	1,220	23.4	20.9	24.0
Nonwhite	3,326	3,280	3,451	193.7	187.5	202.5
Washington	829	492	477	18.6	11.1	12.2
White	750	431	424	17.3	9.9	11.1
Nonwhite	79	61	53	67.8	66.1	69.5
West Virginia	2,066	2,040	2,253	50.0	47.0	51.3
White	1,695	1,682	1,822	43.5	41.0	44.0
Nonwhite	371	358	431	161.6	149.4	171.7
Wisconsin	1,431	1,259	1,113	23.3	19.5	17.4
White	1,313	1,161	1,028	21.6	18.2	16.2
Nonwhite	118	98	85	146.8	138.8	130.2

[1] The following States do not require a statement of legitimacy of child: California, Colorado, Connecticut, Maryland, Massachusetts, Nebraska, New Hampshire, New Mexico, New York, and Wyoming.

[2] This State legislated during 1943 to omit statement of legitimacy of child. Figures in parentheses are not included in total to maintain a comparable area.

STILLBIRTH STATISTICS

Reporting of stillbirths.—Information on stillbirths was first collected by the Bureau of the Census in 1918. No data were collected or published for the years 1919 to 1921, inclusive, but since 1922 stillbirth tables have been compiled annually for the birth-registration area.

In some States stillbirths are reported on a special stillbirth certificate, whereas in others, State laws require the physician or attendant at a stillbirth to file both a birth and a death certificate. Such basic differences in reporting procedure introduce some variation in the completeness of registration and in the information reported. More important, from a statistical standpoint, are differences in the legal definitions of a stillbirth used in the States. Variations in the definition make it difficult to compile strictly comparable data for all States, and confuse the interpretation of consolidated national figures. A list showing the various definitions used in reporting stillbirths has been published each year previous to 1937 in the volume entitled "Birth, Stillbirth, and Infant Mortality Statistics." More recent data on stillbirth definitions for the States are given in Vital Statistics—Special Reports, volume 3, number 2, table 13. Neither of these sources of definitions can be considered up to date since changes may occasionally be made in State procedures.

Detailed tables classifying stillbirths by area, race, age of mother, nativity of mother, and other subjects, are given in tables 12 through 16 in the section containing general natality and mortality tables.

The total number of stillbirths and the ratio of stillbirths to 1,000 live births are given in table W for the birth-registration area for a series of years. The ratio of stillbirths to live births for 1918, the first year for which these data are available, was 40.1. For the years 1922 to 1930, inclusive, the ratio varied around 38, 39, and 40, without demonstrating any appreciable trend. From 1930 to 1943 the ratio decreased consistently with a very slight increase of 1.1 percent occurring for the first time in 1944. As the registration area has included the entire United States since 1933, the decrease in the stillbirth ratio since that time is clearly due to factors other than changes in the area.

TABLE W.—RATIO OF STILLBIRTHS TO LIVE BIRTHS: BIRTH-REGISTRATION AREA, UNITED STATES, 1918–1944

[Ratio per 1,000 live births]

YEAR	Live births	STILLBIRTHS	
		Number	Ratio
1944	2,794,800	75,495	27.0
1943	2,934,860	78,485	26.7
1942	2,808,996	79,174	28.2
1941	2,513,427	75,133	29.9
1940	2,360,399	73,802	31.3
1939	2,265,588	72,598	32.0
1938	2,286,962	73,467	32.1
1937	2,203,337	73,609	33.4
1936	2,144,790	73,735	34.4
1935	2,155,105	77,119	35.8
1934	2,167,636	78,503	36.2
1933	2,081,232	77,059	37.0
1932	2,074,042	78,351	37.8
1931	2,112,760	80,616	38.2
1930	2,203,958	86,466	39.2
1929	2,169,920	85,678	39.5
1928	2,233,149	89,765	40.2
1927	2,137,836	82,931	38.8
1926	1,856,068	70,716	38.1
1925	1,878,880	71,519	38.1
1924	1,930,614	75,817	39.3
1923	1,792,646	69,757	38.9
1922	1,774,911	70,010	39.4
1918	[1] 1,211,685	[1] 48,634	[1] 40.1

[1] Exclusive of Massachusetts, Rhode Island, Washington, and Baltimore, Md. No transcripts of stillbirths were received from these areas.

NOTE.—Data relating to stillbirths were not collected for the years 1919 to 1921, inclusive.

RATE TABLE

TABLE I.—DEATH RATES FOR SELECTED CAUSES:

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Rate per 100,000 estimated population. Rates for the United States based on International List of Causes

DIVISION AND STATE	Total	Typhoid and paratyphoid fever	Cerebrospinal (Meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, Polioencephalitis, (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter
		1, 2	6	8	9	10	13–22	27	28	30	35	36	45–55	58	61	63b
United States	1,064.7	0.4	2.1	0.3	1.4	0.9	41.3	1.4	0.4	11.3	1.5	1.0	129.1	1.1	26.4	2.0
GEOGRAPHIC DIVISIONS:																
New England	1,204.4	0.1	2.3	0.3	0.7	0.2	38.2	0.1	0.1	7.6	0.7	0.5	173.3	0.8	35.9	1.3
Middle Atlantic	1,192.5	0.2	2.5	0.2	0.6	0.2	45.8	0.3	0.0	11.5	0.6	2.0	166.8	1.3	39.3	2.3
East North Central	1,113.5	0.3	2.4	0.4	0.8	0.5	37.0	0.6	0.1	10.9	1.3	0.9	146.0	1.1	31.1	3.1
West North Central	1,098.5	0.3	1.6	0.6	1.3	0.7	26.9	0.5	0.2	9.0	2.0	0.7	144.2	1.1	27.1	2.3
South Atlantic	932.6	0.6	2.1	0.2	2.9	1.1	41.3	1.6	0.8	12.5	1.7	1.0	84.2	1.1	17.5	1.3
East South Central	982.4	0.7	2.5	0.2	3.2	1.7	54.4	3.1	1.2	12.6	2.2	0.8	85.3	1.2	14.2	1.5
West South Central	894.6	1.0	1.3	0.2	1.7	2.1	45.2	4.7	1.6	12.5	2.3	0.6	85.9	1.0	14.7	1.0
Mountain	996.2	0.6	1.6	0.6	2.4	1.6	46.5	3.3	0.1	9.8	3.1	0.7	103.0	1.7	16.9	2.4
Pacific	1,046.0	0.2	1.8	0.4	0.5	1.1	40.2	0.7	0.1	12.2	1.0	0.7	131.9	0.8	21.7	1.6
NEW ENGLAND:																
Maine	1,295.1	0.3	2.8	0.3	1.1	0.4	35.2	0.3	0.1	6.6	1.4	0.4	170.0	0.8	25.6	1.4
New Hampshire	1,353.7	0.2	2.2	0.2	0.9	0	23.0	0	0	9.6	1.3	2.2	187.4	0.9	38.9	1.7
Vermont	1,373.6	1.0	1.9	0	2.2	0.6	39.9	0	0	10.3	3.5	0.6	169.4	1.0	35.4	1.6
Massachusetts	1,241.5	0	1.9	0.3	0.4	0.3	40.8	0.2	0.1	7.0	0.5	0.4	182.7	0.9	37.5	1.1
Rhode Island	1,075.6	0.4	2.0	0.3	0.9	0.4	38.4	0.1	0	8.1	0.9	0.1	137.4	0.5	37.2	1.7
Connecticut	1,065.5	0.1	3.2	0.2	0.8	0.1	37.2	0.1	0	8.4	0.2	0.6	165.6	0.7	35.4	1.6
MIDDLE ATLANTIC:																
New York	1,205.9	0.2	2.6	0.1	0.5	0.1	47.9	0.3	0.0	12.7	0.3	2.7	178.7	1.1	42.6	2.2
New Jersey	1,147.4	0.2	2.6	0.2	0.3	0.1	44.5	0.1	0.0	10.1	0.3	1.3	165.2	1.5	35.6	1.9
Pennsylvania	1,194.5	0.3	2.3	0.4	1.0	0.3	43.5	0.4	0.0	10.7	1.0	1.3	151.1	1.6	36.6	2.6
EAST NORTH CENTRAL:																
Ohio	1,173.6	0.3	2.9	0.6	1.3	0.5	40.8	0.6	0.1	12.8	2.0	1.3	146.8	1.3	32.4	3.7
Indiana	1,151.8	0.5	2.2	0.4	0.9	1.0	35.7	0.9	0.1	11.7	1.3	0.9	135.0	0.9	27.7	2.3
Illinois	1,140.6	0.2	2.6	0.3	0.6	0.3	41.6	0.5	0.1	11.1	1.1	0.5	160.6	0.9	34.0	2.9
Michigan	1,001.9	0.2	2.2	0.1	0.5	0.6	33.4	0.8	0.0	9.9	0.8	0.9	128.0	0.9	26.8	2.4
Wisconsin	1,064.7	0.1	1.8	0.6	0.8	0.2	24.4	0.2	0.0	6.6	1.4	1.0	152.2	1.4	32.3	4.2
WEST NORTH CENTRAL:																
Minnesota	1,053.8	0	1.7	0.7	0.8	0.7	27.6	0.2	0.1	5.7	2.5	1.5	149.6	1.1	29.0	2.6
Iowa	1,149.8	0.2	0.9	0.7	1.1	0.5	15.0	0.1	0.1	8.4	1.4	0.7	157.9	1.3	28.3	1.8
Missouri	1,177.1	0.8	2.3	0.4	1.6	0.8	41.4	1.3	0.4	13.4	1.8	0.4	146.6	1.1	25.2	2.5
North Dakota	968.6	0	1.1	1.1	2.1	1.5	16.3	0.4	0	4.4	6.4	0.4	123.2	1.7	28.0	1.1
South Dakota	1,011.7	0.2	1.4	0.4	2.3	1.4	31.9	0	0	5.7	2.7	0.5	129.6	1.8	23.5	1.3
Nebraska	1,037.5	0.2	1.2	0.9	1.6	0.7	17.4	0.2	0.1	7.3	0.9	0.8	137.1	1.0	27.4	2.7
Kansas	1,044.8	0.1	1.7	0.8	1.1	0.4	20.1	0.6	0.1	9.4	1.7	0.6	130.0	0.8	27.0	2.5
SOUTH ATLANTIC:																
Delaware	1,177.7	0	2.5	0.4	2.8	0	43.3	1.1	0	15.1	1.4	2.1	126.8	1.1	29.9	2.5
Maryland	1,064.5	0.1	2.7	0.2	1.4	0.7	62.3	0.6	0	15.5	1.2	1.2	122.0	0.7	28.6	1.7
District of Columbia	880.7	0.3	1.5	0.3	0.1	0	58.6	0.2	0	15.4	0.2	1.3	115.1	0.5	22.3	1.2
Virginia	898.7	0.3	3.0	0.3	3.2	0.8	42.0	2.2	0.0	10.8	1.6	1.8	81.2	1.0	17.0	1.5
West Virginia	968.8	1.1	2.3	0.5	3.7	1.2	44.6	3.0	0.1	12.7	3.4	1.4	89.2	1.1	18.5	2.3
North Carolina	832.2	0.3	1.7	0.1	4.1	1.1	35.1	1.0	0.7	8.3	1.7	1.1	65.9	1.2	14.4	1.3
South Carolina	945.0	1.9	1.4	0.1	4.7	1.4	34.4	1.8	3.3	13.9	2.1	0.7	66.1	1.7	16.3	0.8
Georgia	912.4	0.8	1.9	0.1	2.0	1.3	35.4	1.8	1.2	12.7	2.1	0.4	71.1	1.2	11.9	0.8
Florida	992.0	0.6	1.8	0	2.0	1.7	34.7	1.6	1.4	15.7	0.8	0.4	92.4	1.1	17.4	1.4
EAST SOUTH CENTRAL:																
Kentucky	1,079.7	1.1	3.0	0.3	3.5	1.5	65.7	4.8	0.6	9.7	2.0	1.8	102.9	1.3	18.6	1.8
Tennessee	971.2	0.4	2.8	0.2	2.1	1.6	65.6	2.2	0.5	11.9	2.4	0.6	89.0	1.3	13.1	1.8
Alabama	928.6	0.6	2.8	0.1	3.1	2.1	45.0	2.2	1.4	14.3	3.1	0.4	73.9	1.1	11.7	1.2
Mississippi	949.6	0.6	1.1	0.2	4.3	1.6	38.2	3.5	2.9	14.7	1.1	0.4	74.2	1.0	13.6	1.4
WEST SOUTH CENTRAL:																
Arkansas	817.3	1.2	1.2	0.2	2.9	2.3	46.5	2.7	4.9	10.7	1.6	0.3	74.4	1.2	11.0	1.0
Louisiana	929.9	1.1	1.5	0.1	1.5	3.0	45.7	2.4	1.1	20.4	2.3	0.5	92.6	1.0	16.1	1.5
Oklahoma	917.0	0.4	0.9	0.2	1.9	1.6	42.6	3.1	0.9	9.2	1.6	0.4	99.8	1.1	16.3	1.3
Texas	894.9	1.1	1.4	0.2	1.4	1.9	45.4	6.6	1.2	11.0	2.6	0.7	82.2	0.9	14.6	0.8
MOUNTAIN:																
Montana	1,218.0	0.2	0.6	0.4	2.2	1.3	37.6	0.6	0	15.4	2.8	1.3	146.5	1.5	27.1	2.4
Idaho	876.2	0.4	0.9	1.1	0.9	0.4	20.4	0.7	0	5.6	1.9	0.2	100.3	2.4	17.8	3.0
Wyoming	887.3	0	1.2	0.4	3.1	3.9	13.2	1.9	0	18.3	3.9	0	94.3	1.2	21.0	2.7
Colorado	1,068.7	0.4	2.1	0.2	2.4	1.8	36.5	1.0	0.1	8.3	2.3	1.0	126.2	2.2	19.2	2.4
New Mexico	1,034.1	1.1	1.7	0.4	2.4	3.6	64.9	15.4	0.6	10.3	6.2	0.8	63.6	2.1	10.2	1.5
Arizona	972.7	1.1	1.1	0.2	5.8	1.9	122.9	4.2	0	11.8	6.1	1.1	80.9	0.5	8.3	0.8
Utah	817.5	0.3	2.6	2.1	0.7	0	12.0	0.5	0.2	4.6	0.2	0	90.0	1.8	18.3	3.8
Nevada	1,053.2	0.6	0.6	0.6	0.6	0.6	48.6	3.8	0	14.7	1.3	0	101.0	0.6	12.8	3.2
PACIFIC:																
Washington	1,062.1	0.2	1.6	0.7	0.7	1.1	34.1	1.1	0.1	10.5	0.7	0.9	129.2	0.9	22.3	2.1
Oregon	1,083.6	0.2	2.1	0.7	0.4	1.0	25.3	0.5	0.2	11.5	0.7	2.3	137.3	1.2	21.8	2.1
California	1,037.0	0.2	1.8	0.2	0.5	1.1	43.7	0.6	0.1	12.7	1.2	0.4	131.8	0.7	21.6	1.5

UNITED STATES, EACH DIVISION AND STATE, 1944

population excluding armed forces overseas; for divisions and States based on population in the respective areas. Numbers under causes of death are those of the detailed of Death, 1938 revision]

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90–95	Pneumonia (all forms) and influenza 107–109, 33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130–132	Diseases of pregnancy, childbirth, and the puerperium 140–150	Congenital malformations and diseases peculiar to the first year 157–161	Suicide 163, 164	Homicide 165–168	Motor-vehicle accidents 170	Other accidents 169, 171–195	Senility, ill-defined and unknown causes 162, 199, 200	All other causes
0.8	1.4	93.7	315.4	61.7	6.6	9.9	5.9	8.7	69.2	4.8	52.4	10.0	4.9	18.3	53.5	22.3	104.7
0.1	2.6	109.6	416.1	62.5	8.2	5.3	5.5	10.9	66.8	3.5	49.7	11.5	1.4	13.0	54.5	7.7	113.3
0.1	1.6	89.4	419.6	58.4	7.8	6.5	5.8	11.5	70.2	3.8	47.2	11.2	2.3	14.1	49.7	6.4	113.0
0.1	0.9	104.8	354.8	55.4	6.8	6.7	6.2	9.8	71.1	3.6	48.9	10.9	3.3	19.5	50.3	12.7	111.2
0.2	1.0	112.4	325.2	68.4	6.9	6.2	6.7	7.7	70.9	3.7	48.8	10.9	2.5	16.3	57.0	16.7	118.3
1.7	1.6	88.8	218.9	63.3	4.7	14.2	4.9	5.5	82.8	6.7	60.4	7.5	9.3	19.4	53.0	32.3	87.7
2.6	0.9	92.4	206.2	77.2	5.3	14.9	6.5	5.0	73.6	8.1	58.0	6.7	11.0	17.5	49.5	71.3	90.9
2.4	0.9	73.8	203.3	64.0	4.3	19.2	6.1	5.1	58.8	6.4	57.9	6.6	7.5	18.7	54.8	36.6	92.1
0.3	1.5	72.6	239.0	67.4	7.7	18.8	6.5	6.5	54.4	5.6	63.5	9.1	3.5	23.3	79.5	44.5	98.3
0.2	2.0	87.4	325.0	54.8	8.5	6.3	5.1	12.5	53.4	3.5	49.2	14.0	4.6	27.4	58.3	10.5	108.3
0	3.7	132.7	381.6	73.3	6.4	10.6	5.4	6.3	92.6	5.0	68.8	15.0	1.5	16.4	65.9	29.0	134.6
0.2	2.4	126.2	446.4	80.7	8.3	6.1	5.5	8.3	82.5	5.2	52.5	17.5	1.1	13.8	66.1	13.6	148.7
0.3	2.2	146.6	441.3	69.4	8.4	6.1	8.4	7.1	79.7	4.2	65.6	14.5	0.3	10.9	60.4	19.9	161.0
0.1	3.1	113.6	448.2	66.8	8.8	4.6	5.5	12.0	59.8	3.4	46.6	10.6	1.4	12.9	52.8	3.6	113.9
0	0.3	89.9	385.0	57.0	7.3	6.0	4.9	11.8	76.7	3.2	45.3	7.5	0.6	10.0	46.9	3.7	91.1
0.2	2.2	87.7	357.6	44.0	8.2	3.8	5.6	11.4	61.0	2.9	46.9	11.8	1.9	13.1	52.7	6.0	94.6
0.1	1.9	79.9	453.7	52.0	9.1	5.3	5.8	12.9	56.1	3.4	44.7	11.8	2.4	12.9	48.6	3.3	110.0
0.0	1.4	98.5	392.3	49.1	8.1	6.2	6.1	11.5	71.9	2.9	45.0	11.8	2.1	15.0	46.6	7.3	107.4
0.1	1.2	98.3	385.2	71.2	6.0	8.3	5.8	9.6	88.8	4.9	51.5	10.3	2.1	15.4	52.5	10.3	119.6
0.1	1.0	122.0	356.5	66.1	6.6	9.3	5.6	10.7	72.1	3.8	50.0	11.5	3.9	20.2	56.1	16.1	114.9
0.1	1.3	124.9	334.4	65.1	5.5	8.4	6.5	6.8	94.6	4.1	47.4	12.6	2.8	22.6	57.9	12.8	122.4
0.1	0.6	88.6	399.6	43.5	8.0	4.4	6.9	11.5	79.5	3.3	44.0	9.8	4.0	17.5	47.9	6.2	107.8
0.1	0.6	93.2	313.2	52.6	6.2	7.1	5.4	8.4	49.9	3.6	55.9	9.6	3.3	20.0	42.5	17.0	105.7
0.0	1.6	105.2	333.6	55.4	7.2	4.1	6.8	9.0	58.9	3.7	48.0	13.0	0.9	18.5	48.8	13.4	109.1
0.0	1.0	110.7	321.5	67.5	7.6	4.9	5.5	6.6	38.6	3.1	51.5	10.9	1.4	15.6	54.7	10.4	118.7
0.1	0.9	130.7	354.7	66.1	6.4	4.6	6.9	5.2	69.3	3.7	51.1	13.2	1.7	15.6	58.3	18.1	124.6
0.4	0.9	109.5	350.3	84.9	6.9	8.3	7.4	11.8	96.9	4.2	44.9	10.6	4.1	16.6	52.8	11.0	115.8
0.2	2.3	96.4	263.2	52.4	6.2	7.6	5.7	6.1	50.2	4.5	61.9	8.3	0.9	16.1	54.5	32.9	111.3
0	1.4	94.4	267.3	56.8	7.0	6.3	8.2	4.1	49.1	4.1	50.1	10.6	1.6	19.2	58.6	49.4	120.9
0.1	1.6	108.3	297.1	59.7	7.3	4.9	6.0	8.6	70.1	3.5	50.5	11.0	1.3	14.6	58.7	20.4	114.1
0.3	0.3	110.3	297.9	53.3	6.1	6.1	7.0	4.8	79.7	3.6	44.6	9.5	3.3	17.6	66.4	18.0	119.1
0	1.1	89.1	359.8	65.1	6.0	18.7	7.0	6.3	121.8	3.2	57.4	13.0	6.7	21.1	54.6	4.6	113.4
0	1.9	82.0	324.2	58.8	5.4	11.0	3.8	8.6	95.1	3.9	53.1	9.8	7.5	18.0	47.7	3.7	91.2
0	1.6	57.5	247.1	41.6	5.2	8.0	4.1	10.1	78.6	3.5	54.3	11.4	6.2	9.6	37.1	2.4	85.4
0.9	1.6	91.7	224.5	61.6	4.9	11.5	5.4	4.9	76.1	5.7	60.9	8.1	7.5	17.4	45.4	23.8	79.7
0.1	1.3	85.6	224.5	69.3	3.4	20.8	4.2	4.6	62.8	5.2	66.8	7.5	4.6	15.8	70.3	42.1	94.8
2.0	1.7	87.9	180.9	56.4	3.7	16.0	4.2	3.3	83.6	7.5	62.6	6.3	8.5	19.7	42.2	29.8	77.8
3.0	0.8	91.4	188.1	75.4	3.9	21.7	4.9	3.1	93.0	10.1	67.3	5.1	10.1	23.2	52.3	58.5	82.0
4.1	1.6	98.7	177.9	71.6	4.8	13.4	5.5	4.8	89.9	8.7	58.7	6.0	14.3	20.9	49.3	48.3	89.3
1.6	1.6	91.4	222.2	62.8	6.2	10.0	6.1	8.6	72.9	6.8	57.8	8.3	12.3	23.8	82.9	38.5	105.3
1.1	0.9	105.1	264.2	89.3	7.0	17.9	6.9	6.0	71.5	6.1	63.4	9.6	9.1	20.0	60.7	18.7	103.6
2.9	1.0	94.5	209.4	78.9	5.6	16.3	5.6	5.0	62.2	6.7	56.4	6.8	10.1	16.2	42.9	58.7	96.6
3.5	1.1	85.3	181.2	73.7	4.7	13.2	6.7	4.4	76.7	9.9	62.3	5.3	11.8	17.9	47.3	79.0	81.8
3.0	0.8	83.4	164.2	65.0	3.7	11.7	7.2	4.3	87.1	10.1	47.8	4.6	13.6	15.5	47.4	141.5	80.0
2.8	0.6	72.3	169.4	68.1	4.3	12.0	7.8	5.0	67.4	6.4	42.5	5.7	7.4	14.8	51.8	38.5	78.7
1.4	0.9	71.3	245.0	68.8	4.2	11.4	5.7	6.4	69.0	8.2	63.7	5.1	8.7	17.1	49.6	19.1	83.5
2.5	1.5	89.4	205.8	61.7	6.3	10.9	7.9	4.2	55.4	5.4	55.8	7.8	4.6	18.4	52.8	44.0	101.2
2.6	0.8	70.4	196.0	62.0	3.8	26.5	5.2	5.0	53.9	6.1	60.4	7.0	8.0	20.4	58.1	40.4	96.1
0	1.5	116.0	357.1	64.5	8.2	7.5	7.5	5.8	62.8	3.4	50.6	11.4	2.8	22.8	83.5	45.0	127.6
0	0.6	75.4	229.1	54.2	6.7	6.6	7.3	4.9	54.4	5.6	51.6	9.4	1.3	23.2	75.0	26.2	88.5
0.4	1.2	65.0	232.2	53.8	6.6	5.5	9.0	7.0	68.6	1.9	54.5	10.5	3.1	22.2	80.6	19.1	81.0
0.1	2.0	87.4	277.9	82.9	7.7	13.3	7.0	8.1	68.5	5.1	60.4	9.7	3.4	19.9	72.2	21.9	115.3
1.9	0.9	51.5	144.6	82.9	5.8	55.3	7.3	6.0	46.3	11.7	88.6	5.8	6.6	24.8	87.1	139.3	83.1
0.3	1.7	48.6	170.7	68.8	6.6	37.3	3.6	4.7	42.2	6.6	66.5	8.8	5.2	31.2	87.0	49.7	86.7
0	0.8	56.9	243.4	42.2	9.9	6.6	5.6	6.1	36.8	3.6	66.1	6.9	1.6	21.6	57.2	28.9	95.9
0	5.1	67.8	229.6	68.4	10.2	3.8	6.4	12.8	49.9	4.5	72.3	16.0	3.8	22.4	165.0	30.1	95.9
0.2	3.9	101.4	327.1	59.2	8.1	5.9	5.4	6.6	54.3	3.4	48.6	13.8	3.7	20.7	65.4	18.1	109.8
0.1	2.3	106.3	306.9	58.9	7.5	2.6	5.6	6.5	81.0	3.5	43.6	13.2	3.6	20.8	68.1	28.3	117.6
0.2	1.5	81.5	327.1	53.2	8.8	6.9	5.0	14.7	49.3	3.5	50.1	14.1	5.0	29.8	55.3	6.3	106.7

GENERAL NATALITY AND MORTALITY TABLES

1

TABLE 1.—LIVE BIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1944

STATE OF OCCURRENCE	Total births occurring in State	Births to residents occurring in place of residence	BIRTHS TO NONRESIDENTS[1]														
			Total	Intrastate nonresidents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	2,794,800	1,923,015	871,785	798,776	73,009	1,644	295	1,166	3,080	639	1,315	288	666	901	1,286	686	4,396
Alabama	73,907	58,930	14,977	13,841	1,136	...	5	16	20	5	12	1	10	245	135	-	28
Arizona	15,832	10,460	5,372	3,470	1,902	12	...	48	701	35	6	2	3	8	8	12	67
Arkansas	41,620	31,988	9,632	8,086	1,546	25	4	...	219	8	2	1	1	4	10	-	32
California	177,213	107,301	69,912	68,792	1,120	11	37	36	...	28	9	3	7	18	11	12	60
Colorado	24,562	16,349	8,213	6,943	1,270	6	10	14	183	...	7	-	1	7	9	16	68
Connecticut	33,537	20,077	13,460	12,886	574	1	-	-	24	4	...	2	4	5	5	1	7
Delaware	6,035	3,493	2,542	2,212	330	1	1	1	1	-	-	...	2	-	1	-	-
District of Columbia	22,942	15,092	7,850	...	7,850	3	1	2	6	1	4	2	...	4	6	-	4
Florida	51,815	33,877	17,938	13,640	4,298	336	17	88	186	89	64	7	36	...	338	3	282
Georgia	76,973	57,915	19,058	17,339	1,719	704	2	7	12	2	12	1	6	211	...	1	25
Idaho	12,365	6,382	5,983	5,173	810	1	1	1	89	7	3	-	-	2	4	...	16
Illinois	138,915	94,885	44,030	42,724	1,306	5	3	3	10	4	2	1	2	5	8	-	...
Indiana	71,484	46,164	25,320	23,457	1,863	10	-	2	4	3	3	1	1	6	6	-	996
Iowa	46,939	26,344	20,595	18,910	1,685	-	-	-	15	6	1	-	5	1	-	-	705
Kansas	34,545	22,050	12,495	10,684	1,811	7	4	29	73	89	9	-	4	10	9	5	63
Kentucky	63,751	54,116	9,635	8,598	1,037	12	1	4	5	2	2	-	3	2	8	1	69
Louisiana	61,118	45,059	16,059	15,209	850	19	1	63	20	4	6	-	3	24	22	2	37
Maine	17,489	11,124	6,365	6,105	260	2	-	-	4	2	14	1	-	1	-	-	5
Maryland	40,996	30,443	10,553	9,001	1,552	6	-	6	27	5	7	147	365	10	8	4	25
Massachusetts	78,308	49,094	29,214	27,813	1,401	-	-	-	4	1	348	1	10	7	1	-	2
Michigan	118,961	72,055	41,906	41,035	871	2	1	2	6	-	1	-	5	4	2	-	48
Minnesota	55,739	35,832	19,907	18,629	1,278	3	-	-	22	4	2	-	2	5	1	1	23
Mississippi	56,918	48,118	8,800	7,907	893	139	3	20	9	4	3	1	5	22	15	3	29
Missouri	69,770	48,255	21,515	17,907	3,608	9	6	161	55	35	11	-	6	12	7	2	930
Montana	10,742	7,188	3,554	3,356	198	-	1	-	10	2	-	-	-	-	-	24	-
Nebraska	24,698	16,281	8,417	7,374	1,043	2	2	5	26	45	2	-	-	4	7	2	24
Nevada	3,297	1,908	1,389	938	451	1	9	9	124	10	2	-	-	4	3	10	22
New Hampshire	8,778	5,711	3,067	2,219	848	-	-	-	-	1	24	-	2	-	-	-	2
New Jersey	73,751	36,804	37,447	36,725	722	1	-	-	2	-	8	4	2	2	2	-	2
New Mexico	16,294	11,771	4,523	3,205	1,318	7	104	20	173	50	6	2	3	14	8	6	40
New York	229,603	180,360	49,243	46,258	2,985	11	3	2	24	5	427	7	29	18	14	-	29
North Carolina	91,578	66,284	25,294	23,137	2,157	33	3	10	67	6	25	6	36	65	93	3	69
North Dakota	13,627	7,532	6,095	5,288	807	-	-	-	10	-	-	-	-	-	1	1	4
Ohio	132,822	86,922	45,900	43,763	2,137	4	-	3	11	3	6	1	7	3	4	1	13
Oklahoma	46,650	32,878	13,772	12,117	1,655	24	17	33	122	35	9	3	5	17	16	4	76
Oregon	24,475	14,078	10,397	9,258	1,139	5	6	3	191	10	3	-	1	3	3	207	31
Pennsylvania	177,938	110,138	67,800	65,032	2,768	3	-	2	18	-	19	76	17	14	7	-	20
Rhode Island	13,695	8,054	5,641	5,091	550	-	-	2	3	-	173	-	5	2	2	-	7
South Carolina	51,162	40,500	10,662	10,212	450	4	-	-	1	-	1	1	1	15	74	-	5
South Dakota	12,485	7,477	4,989	4,521	468	1	-	-	2	2	-	-	1	1	-	1	3
Tennessee	70,559	54,604	15,955	12,280	3,675	194	3	459	83	17	17	5	13	62	381	3	97
Texas	164,268	127,571	36,697	35,629	1,068	2	8	134	37	9	-	-	1	5	5	-	15
Utah	16,940	9,900	7,040	5,940	1,100	3	28	7	300	68	1	-	5	8	5	122	28
Vermont	6,517	3,982	2,535	2,277	258	-	-	-	-	-	27	-	2	-	-	-	-
Virginia	65,725	47,513	18,212	16,004	2,208	25	4	8	67	15	25	8	47	40	38	3	48
Washington	44,452	27,569	16,883	15,770	1,113	6	6	6	72	21	4	2	-	6	2	222	26
West Virginia	41,281	31,973	9,308	7,822	1,486	-	-	-	4	-	2	2	6	3	3	-	1
Wisconsin	61,105	36,980	24,125	23,115	1,010	-	1	2	11	1	3	-	2	1	1	2	344
Wyoming	5,643	4,134	1,509	1,084	425	4	3	8	25	51	3	-	-	1	3	12	19

STATE OF OCCURRENCE	BIRTHS TO NONRESIDENTS[1]—Continued																
	Interstate nonresidents—Continued																
	State of residence—Continued																
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	1,733	1,310	2,242	1,511	782	533	4,471	1,302	1,610	1,652	915	1,828	399	920	182	618	3,236	609	2,916
Alabama	27	10	2	15	23	7	7	12	18	8	73	11	1	5	-	4	26	-	58
Arizona	33	38	22	15	10	1	5	15	43	25	8	47	17	19	6	1	17	126	62
Arkansas	11	9	18	8	46	1	-	6	24	2	33	153	4	8	2	-	12	2	30
California	16	41	26	8	14	3	9	30	28	32	8	43	13	22	26	2	12	17	74
Colorado	23	39	62	11	8	1	6	14	37	30	13	38	13	95	5	1	12	49	52
Connecticut	8	2	6	1	1	12	1	89	11	3	2	1	1	1	-	3	16	-	266
Delaware	1	-	-	1	-	1	99	-	1	-	-	-	-	-	-	-	80	1	15
District of Columbia	2	4	3	3	2	2	3,384	5	3	2	2	4	-	2	-	1	8	2	24
Florida	98	56	58	84	81	22	46	167	141	67	61	84	9	34	4	13	147	13	417
Georgia	9	9	5	15	10	1	10	17	25	4	10	12	-	3	-	3	18	5	50
Idaho	7	8	8	1	5	1	2	3	13	5	4	9	21	8	13	-	4	2	10
Illinois	511	93	8	74	4	1	3	5	63	16	7	253	2	3	-	1	4	-	17
Indiana	...	8	1	132	8	2	3	5	202	10	3	5	1	3	-	-	3	-	18
Iowa	4	...	10	-	-	-	2	12	8	146	-	202	1	296	2	1	1	-	5
Kansas	23	41	...	18	10	4	6	14	35	20	6	480	12	78	2	1	18	9	52
Kentucky	160	3	9	...	1	-	11	5	35	7	1	6	1	5	-	1	5	1	26
Louisiana	13	11	17	6	...	4	11	13	20	15	107	8	4	5	-	-	12	2	45
Maine	1	1	1	4	1	...	3	39	5	2	-	2	-	-	-	116	3	-	16
Maryland	10	10	5	11	5	4	...	23	16	10	5	13	3	3	-	-	20	-	52
Massachusetts	-	2	1	1	-	61	6	...	3	5	4	3	1	-	-	269	14	3	101
Michigan	178	3	3	10	4	1	2	12	...	14	6	10	3	-	-	3	10	1	10

[1] See discussion on p. VIII for definition of nonresident.

TABLE 1.—LIVE BIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1944—Continued

STATE OF OCCURRENCE	BIRTHS TO NONRESIDENTS[1]—Continued Interstate nonresidents—Continued State of residence—Continued																	
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
Minnesota	6	169	4	3	-	-	4	3	20	...	-	5	8	7	4	1	6	-	9
Mississippi	23	7	3	10	251	3	4	12	22	9	...	17	-	4	2	1	18	-	32
Missouri	42	156	1,403	20	8	1	6	11	85	58	14	...	5	43	4	1	18	3	53
Montana	-	2	1	-	-	-	1	-	5	14	1	3	...	-	1	1	-	-	2
Nebraska	8	241	245	3	2	2	3	5	15	12	2	24	4	...	3	2	7	1	15
Nevada	7	16	9	-	13	-	3	11	17	7	6	9	6	4	...	-	1	6	18
New Hampshire	-	-	-	-	1	323	1	98	-	-	-	-	-	-	-	...	9	-	8
New Jersey	2	-	1	1	1	-	6	13	1	-	-	3	3	1	3	2	...	-	251
New Mexico	19	25	30	12	17	3	2	9	33	17	10	36	6	12	9	2	8	...	45
New York	10	4	3	7	3	11	42	65	22	10	5	5	1	3	1	9	1,225	3	...
North Carolina	37	31	13	28	26	15	42	65	56	29	24	24	2	9	1	12	68	3	177
North Dakota	3	3	-	1	-	-	-	-	2	518	2	2	138	-	-	-	-	-	1
Ohio	239	-	2	431	6	-	7	5	241	9	1	8	3	3	-	2	-	2	31
Oklahoma	28	37	160	18	21	6	10	21	41	45	7	64	3	30	2	2	25	18	61
Oregon	5	16	15	-	8	1	1	5	20	20	1	12	12	16	2	-	7	2	13
Pennsylvania	6	1	3	8	2	-	463	16	22	4	1	3	-	1	7	-	1,268	-	346
Rhode Island	2	1	1	1	3	2	-	300	-	1	-	1	-	-	-	1	3	-	13
South Carolina	4	3	1	-	1	1	9	3	4	1	1	-	-	1	-	1	9	1	13
South Dakota	1	53	-	-	-	-	-	-	1	51	-	-	13	88	-	-	-	-	-
Tennessee	66	28	23	292	45	10	24	46	76	33	459	113	3	20	-	7	36	10	122
Texas	5	11	6	5	105	1	1	3	5	5	4	10	1	1	-	-	3	291	13
Utah	8	12	10	7	3	-	5	9	15	21	5	14	12	19	79	-	7	27	23
Vermont	-	-	-	-	-	5	-	32	-	-	-	-	-	-	-	143	2	-	44
Virginia	37	25	19	31	16	12	61	67	55	24	12	40	5	9	-	6	53	2	162
Washington	10	13	10	9	6	2	3	7	9	27	3	22	28	14	3	1	4	1	20
West Virginia	4	2	-	201	3	-	154	1	8	1	1	-	-	-	-	1	2	1	13
Wisconsin	17	52	3	5	5	5	3	8	92	287	1	13	1	10	1	1	13	-	24
Wyoming	9	14	12	-	3	1	-	1	12	16	2	16	38	40	-	2	2	5	7

STATE OF OCCURRENCE	BIRTHS TO NONRESIDENTS[1]—Continued Interstate nonresidents—Continued State of residence—Continued																	Total births to residents
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	1,208	710	2,913	1,730	814	3,200	609	755	771	1,388	2,700	840	565	5,658	1,189	1,509	1,452	417	2,794,800
Alabama	25	3	41	12	5	29	5	10	1	140	38	-	-	17	6	9	11	-	74,415
Arizona	3	4	52	113	17	32	-	7	7	16	142	22	1	6	35	9	26	3	14,225
Arkansas	7	2	19	335	2	15	3	6	1	24	438	-	-	9	2	3	9	1	41,240
California	2	6	44	56	61	33	6	1	14	10	81	12	1	10	78	8	31	10	179,123
Colorado	4	8	46	42	25	35	3	6	12	9	66	46	1	8	35	12	25	57	23,931
Connecticut	3	-	13	1	-	21	29	-	-	2	5	1	7	7	5	2	1	-	34,278
Delaware	1	-	-	-	-	113	-	-	-	1	-	-	1	6	-	2	-	-	5,993
District of Columbia	28	-	7	3	-	19	-	12	1	1	7	4	-	4,271	2	6	3	-	15,758
Florida	146	13	229	51	27	263	20	62	7	112	185	15	8	92	45	35	82	7	48,418
Georgia	40	3	21	9	2	26	5	258	3	120	14	-	3	15	2	4	5	-	75,540
Idaho	-	1	9	10	99	6	1	2	4	-	15	67	2	4	356	-	6	30	12,241
Illinois	1	2	24	5	3	9	-	1	2	6	8	1	-	4	3	2	127	-	142,005
Indiana	4	2	349	6	3	15	2	-	-	12	14	1	-	8	-	4	6	1	71,354
Iowa	-	1	5	2	3	4	1	-	139	5	11	2	1	1	3	-	88	1	46,564
Kansas	12	10	40	339	12	39	2	4	7	14	143	9	1	5	19	5	16	3	34,976
Kentucky	1	1	229	6	1	17	-	4	1	262	15	4	1	40	3	59	7	-	64,225
Louisiana	8	2	24	17	1	34	3	4	2	13	213	-	4	7	5	7	10	2	61,050
Maine	-	-	4	4	1	8	8	-	-	1	3	-	2	2	3	-	1	-	17,762
Maryland	23	2	25	5	4	295	4	11	3	5	13	1	-	135	7	207	7	5	43,915
Massachusetts	4	-	5	1	-	8	461	-	1	1	4	-	55	10	1	-	2	-	78,209
Michigan	7	1	108	1	-	10	-	4	3	19	40	1	1	2	1	4	328	-	114,700
Minnesota	2	305	6	3	2	1	-	1	231	2	10	-	-	-	11	2	389	1	56,113
Mississippi	15	1	23	8	5	35	1	11	-	65	30	1	-	9	4	2	11	1	56,940
Missouri	10	14	61	103	7	31	1	11	15	34	74	3	3	8	10	12	40	6	67,990
Montana	1	72	2	-	7	1	-	-	3	-	4	1	-	1	14	-	1	23	10,948
Nebraska	4	8	13	16	9	5	-	1	133	4	23	1	1	2	8	1	13	86	24,575
Nevada	1	3	7	19	6	13	-	1	2	3	22	26	2	2	5	3	7	2	3,028
New Hampshire	-	-	-	-	-	2	5	-	-	-	-	1	368	3	-	-	-	-	8,548
New Jersey	3	-	7	-	-	383	2	-	1	2	4	-	1	7	-	1	-	-	76,265
New Mexico	11	4	29	76	15	29	-	5	10	9	324	13	2	11	15	12	20	5	15,585
New York	15	-	33	1	3	780	10	7	-	8	11	2	74	28	3	6	6	-	229,534
North Carolina	...	4	81	25	14	133	7	212	9	124	69	4	2	326	16	24	28	2	90,629
North Dakota	1	...	-	-	2	1	-	1	94	-	7	1	-	-	7	-	4	3	13,530
Ohio	12	3	...	3	1	284	1	4	-	11	15	22	-	7	1	723	4	-	133,598
Oklahoma	16	10	63	...	21	55	5	13	13	16	379	10	3	13	29	14	26	9	46,725
Oregon	4	14	15	18	...	16	1	4	9	5	34	6	2	5	362	5	17	3	24,150
Pennsylvania	18	1	280	2	5	...	3	10	2	2	8	1	3	41	3	58	4	-	178,370
Rhode Island	2	-	5	-	1	9	...	2	-	1	2	-	2	3	-	-	-	-	13,754
South Carolina	246	1	8	3	-	8	-	...	1	10	4	1	-	9	-	3	1	-	51,467
South Dakota	-	174	1	-	1	2	-	-	...	-	2	1	-	1	3	1	-	64	12,769
Tennessee	149	11	112	40	10	86	5	45	7	...	92	17	5	280	16	41	15	1	68,272
Texas	2	1	9	324	4	6	1	1	8	5	...	1	2	5	4	4	4	1	165,900
Utah	3	1	19	13	19	20	3	2	3	4	31	...	-	8	31	2	10	80	16,180
Vermont	1	-	-	-	-	-	-	-	-	-	-	-	...	1	-	1	-	-	6,824
Virginia	355	1	76	21	10	124	8	29	4	294	38	9	5	...	18	203	37	2	69,175
Washington	-	14	13	19	396	13	1	2	7	7	23	16	-	5	...	9	16	7	44,528
West Virginia	15	-	721	-	1	114	-	-	1	4	3	-	-	213	-	...	1	-	41,304
Wisconsin	1	3	23	4	6	13	-	-	2	3	21	-	1	8	4	1	...	1	61,547
Wyoming	2	4	12	14	3	5	1	1	8	2	15	17	-	3	15	2	12	...	5,635

[1]See discussion on p.VIII for definition of nonresident.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944

(By place of residence. Births, deaths, and deaths under 1 year, exclusive of stillbirths. Infant mortality rates per 1,000 live births in a specified race group. White and nonwhite are shown separately for those counties and urban places in which the 1940 populations for nonwhite races formed 10 percent or more of the total, or numbered 10,000 or more)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
UNITED STATES	2,794,800	1,411,338	111,127	39.8	75,495
White	2,454,700	1,238,829	90,607	36.9	60,053
Nonwhite	340,100	172,509	20,520	60.3	15,442
Urban	1,623,564	882,312	63,482	39.1	46,831
White	1,462,292	782,965	53,316	36.5	38,680
Nonwhite	161,272	99,347	10,166	63.0	8,151
Places of 100,000 or more	762,954	442,915	27,473	36.0	25,598
White	672,889	387,103	22,300	33.1	20,930
Nonwhite	90,065	55,812	5,173	57.4	4,663
Places of 25,000 to 100,000	338,956	176,161	13,609	40.1	8,553
White	308,906	157,974	11,562	37.4	6,996
Nonwhite	30,050	18,187	2,047	68.1	1,557
Places of 10,000 to 25,000	232,847	117,275	9,509	40.8	5,457
White	214,029	105,954	8,197	38.3	4,597
Nonwhite	18,818	11,321	1,312	69.7	860
Places of 2,500 to 10,000	288,807	145,961	12,891	44.6	7,228
White	266,468	131,934	11,257	42.2	6,157
Nonwhite	22,339	14,027	1,634	73.1	1,071
Rural	1,171,236	529,026	47,645	40.7	28,664
White	992,408	455,864	37,291	37.6	21,373
Nonwhite	178,828	73,162	10,354	57.9	7,291
Section A (States)					
ALABAMA	74,415	26,157	3,389	45.5	2,260
White	47,504	14,818	1,853	39.0	1,069
Nonwhite	26,911	11,339	1,536	57.1	1,191
Urban	24,199	10,808	1,228	50.5	764
White	15,606	6,032	651	41.7	361
Nonwhite	8,593	4,776	572	66.6	403
Places of 10,000 or more	17,843	8,367	883	49.5	598
White	11,048	4,513	443	40.1	269
Nonwhite	6,795	3,854	440	64.8	329
Places of 2,500 to 10,000	6,356	2,441	340	53.5	166
White	4,558	1,519	208	45.6	92
Nonwhite	1,798	922	132	73.4	74
Rural	50,216	15,349	2,165	43.1	1,496
White	31,698	8,786	1,202	37.7	708
Nonwhite	18,518	6,563	964	52.6	788
ARIZONA	14,225	6,205	979	68.8	342
White	12,408	4,898	684	55.1	299
Nonwhite	1,817	1,307	295	162.4	43
Urban	7,548	3,129	469	62.1	192
White	7,132	2,884	418	58.6	172
Nonwhite	416	245	51	122.6	20
Places of 10,000 or more	4,639	2,063	283	61.0	110
White	4,320	1,870	248	57.4	96
Nonwhite	319	193	35	109.7	14
Places of 2,500 to 10,000	2,909	1,066	186	63.9	82
White	2,812	1,014	170	60.5	76
Nonwhite	97	52	16	164.9	6
Rural	6,677	3,076	510	76.4	150
White	5,276	2,014	266	50.4	127
Nonwhite	1,401	1,062	244	174.2	23
ARKANSAS	41,240	14,515	1,433	34.7	850
White	31,357	10,175	1,019	32.5	547
Nonwhite	9,883	4,340	414	41.9	303
Urban	11,754	5,613	489	41.6	239
White	9,456	3,941	358	37.9	183
Nonwhite	2,298	1,672	131	57.0	56
Places of 10,000 or more	6,634	3,356	262	39.5	140
White	5,330	2,345	184	34.5	108
Nonwhite	1,304	1,011	78	59.8	32
Places of 2,500 to 10,000	5,120	2,257	227	44.3	99
White	4,126	1,596	174	42.2	75
Nonwhite	994	661	53	53.3	24
Rural	29,486	8,902	944	32.0	611
White	21,901	6,234	661	30.2	364
Nonwhite	7,585	2,668	283	37.3	247
CALIFORNIA	179,123	90,802	6,177	34.5	3,420
White	169,967	86,717	5,793	34.1	3,157
Nonwhite	9,156	4,085	384	41.9	263
Urban	138,259	66,702	4,535	32.8	2,638
White	130,836	63,739	4,240	32.4	2,432
Nonwhite	7,423	2,963	295	39.7	206
Section A (States)—Continued					
CALIFORNIA—Continued					
Places of 10,000 or more	116,333	58,605	3,733	32.1	2,222
White	109,393	55,784	3,457	31.6	2,025
Nonwhite	6,940	2,821	276	39.8	197
Places of 2,500 to 10,000	21,926	8,097	802	36.6	416
White	21,443	7,955	783	35.5	407
Nonwhite	483	142	19	39.3	9
Rural	40,864	24,100	1,642	40.2	782
White	39,131	22,978	1,553	39.7	725
Nonwhite	1,733	1,122	89	51.4	57
COLORADO	23,931	12,258	1,183	49.4	528
White	23,282	11,892	1,163	50.0	500
Nonwhite	649	366	20	30.8	28
Urban	14,692	8,373	701	47.7	331
White	14,298	8,115	687	48.0	307
Nonwhite	394	258	14	35.5	24
Places of 10,000 or more	11,582	6,659	527	45.5	255
White	11,216	6,418	513	45.7	232
Nonwhite	366	241	14	38.3	23
Places of 2,500 to 10,000	3,110	1,714	174	55.9	76
White	3,082	1,697	174	56.5	75
Nonwhite	28	17	-	0	1
Rural	9,239	3,885	482	52.2	197
White	8,984	3,777	476	53.0	193
Nonwhite	255	108	6	23.5	4
CONNECTICUT	34,278	18,919	1,054	30.7	673
White	33,382	18,353	1,005	30.1	640
Nonwhite	896	566	49	54.7	33
Urban	23,402	13,228	768	32.8	491
White	22,582	12,752	723	32.0	462
Nonwhite	820	476	45	54.9	29
Places of 10,000 or more	22,294	12,638	728	32.7	466
White	21,483	12,164	685	31.9	437
Nonwhite	811	474	43	53.0	29
Places of 2,500 to 10,000	1,108	590	40	36.1	25
White	1,099	588	38	34.6	25
Nonwhite	9	2	2	222.2	-
Rural	10,876	5,691	286	26.3	182
White	10,800	5,601	282	26.1	178
Nonwhite	76	90	4	52.6	4
DELAWARE	5,993	3,345	292	48.7	149
White	5,102	2,718	220	43.1	113
Nonwhite	891	627	72	80.8	36
Urban	3,058	1,816	161	52.6	91
White	2,632	1,477	123	46.7	66
Nonwhite	426	339	38	89.2	25
Places of 10,000 or more	2,312	1,469	122	52.8	75
White	1,987	1,214	100	50.3	53
Nonwhite	325	255	22	67.7	22
Places of 2,500 to 10,000	746	347	39	52.3	16
White	645	263	23	35.7	13
Nonwhite	101	84	16	158.4	3
Rural	2,935	1,529	131	44.6	58
White	2,470	1,241	97	39.3	47
Nonwhite	465	288	34	73.1	11
DISTRICT OF COLUMBIA	15,758	8,223	706	44.8	463
White	10,443	5,258	347	33.2	252
Nonwhite	5,315	2,965	359	67.5	211
FLORIDA	48,418	23,500	2,202	45.5	1,590
White	36,125	16,565	1,389	38.4	890
Nonwhite	12,293	6,935	813	66.1	700
Urban	27,874	14,670	1,329	47.7	867
White	21,023	10,199	826	39.3	472
Nonwhite	6,851	4,471	503	73.4	395
Places of 10,000 or more	21,547	11,132	1,006	46.6	681
White	16,549	7,868	647	39.1	371
Nonwhite	4,998	3,264	358	71.6	310
Places of 2,500 to 10,000	6,327	3,538	324	51.2	186
White	4,474	2,331	179	40.0	101
Nonwhite	1,853	1,207	145	78.3	85
Rural	20,544	8,830	873	42.5	723
White	15,102	6,366	563	37.3	418
Nonwhite	5,442	2,464	310	57.0	305

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section A (States)—Continued					
GEORGIA	76,540	29,401	3,407	44.5	2,521
White	49,345	16,615	1,779	36.1	1,147
Nonwhite	27,195	12,786	1,628	60.0	1,374
Urban	31,621	13,332	1,433	45.3	1,088
White	22,021	7,146	747	33.9	545
Nonwhite	9,600	6,186	686	71.5	543
Places of 10,000 or more	23,562	10,118	1,068	45.3	826
White	16,477	5,336	552	33.5	426
Nonwhite	7,085	4,782	516	72.8	400
Places of 2,500 to 10,000	8,059	3,214	365	45.3	262
White	5,544	1,810	195	35.2	119
Nonwhite	2,515	1,404	170	67.6	143
Rural	44,919	16,069	1,974	43.9	1,433
White	27,324	9,469	1,032	37.8	602
Nonwhite	17,595	6,600	942	53.5	831
IDAHO	12,241	4,673	416	34.0	266
White	12,067	4,566	396	32.8	261
Nonwhite	174	107	20	114.9	5
Urban	5,158	2,238	223	43.2	115
White	5,114	2,225	221	43.2	114
Nonwhite	44	13	2	45.5	1
Places of 10,000 or more	3,108	1,271	124	39.9	70
White	3,088	1,263	124	40.2	70
Nonwhite	20	8	-	0	-
Places of 2,500 to 10,000	2,050	967	99	48.3	45
White	2,026	962	97	47.9	44
Nonwhite	24	5	2	83.3	1
Rural	7,083	2,435	193	27.2	151
White	6,953	2,341	175	25.2	147
Nonwhite	130	94	18	138.5	4
ILLINOIS	142,005	88,180	4,602	32.4	3,158
White	132,539	81,497	4,136	31.2	2,773
Nonwhite	9,466	6,683	466	49.2	385
Urban	107,529	65,599	3,457	32.1	2,439
White	98,478	59,675	3,021	30.7	2,073
Nonwhite	9,051	5,924	436	48.2	366
Places of 10,000 or more	92,917	56,890	2,950	31.7	2,124
White	84,094	51,168	2,531	30.1	1,775
Nonwhite	8,823	5,722	419	47.5	349
Places of 2,500 to 10,000	14,612	8,709	507	34.7	315
White	14,384	8,507	490	34.1	298
Nonwhite	228	202	17	74.6	17
Rural	34,476	22,581	1,145	33.2	719
White	34,061	21,822	1,115	32.7	700
Nonwhite	415	759	30	72.3	19
INDIANA	71,354	39,376	2,462	34.5	1,469
White	68,532	37,314	2,303	33.6	1,369
Nonwhite	2,822	2,062	159	56.3	100
Urban	42,898	23,046	1,556	36.3	881
White	40,163	21,167	1,401	34.9	784
Nonwhite	2,735	1,879	155	56.7	97
Places of 10,000 or more	35,898	18,871	1,277	35.6	754
White	33,220	17,035	1,125	33.9	657
Nonwhite	2,678	1,836	152	56.8	97
Places of 2,500 to 10,000	7,000	4,175	279	39.9	127
White	6,943	4,132	276	39.8	127
Nonwhite	57	43	3	52.6	-
Rural	28,456	16,330	906	31.8	588
White	28,369	16,147	902	31.8	585
Nonwhite	87	183	4	46.0	3
IOWA	46,564	26,094	1,540	33.1	910
White	46,240	25,789	1,523	32.9	907
Nonwhite	324	305	17	52.5	3
Urban	20,543	12,998	758	36.9	419
White	20,257	12,734	742	36.6	416
Nonwhite	286	264	16	55.9	3
Places of 10,000 or more	15,312	8,533	524	34.2	307
White	15,047	8,301	510	33.9	304
Nonwhite	265	232	14	52.8	3
Places of 2,500 to 10,000	5,231	4,465	234	44.7	112
White	5,210	4,433	232	44.5	112
Nonwhite	21	32	2	95.2	-
Rural	26,021	13,096	782	30.1	491
White	25,983	13,055	781	30.1	491
Nonwhite	38	41	1	26.3	-

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section A (States)—Continued					
KANSAS	34,976	18,535	1,163	33.3	687
White	33,716	17,541	1,097	32.5	645
Nonwhite	1,260	994	66	52.4	42
Urban	18,790	9,375	719	38.3	379
White	17,676	8,614	663	37.5	342
Nonwhite	1,114	761	56	50.3	37
Places of 10,000 or more	13,958	6,610	510	36.5	269
White	12,950	5,929	464	35.8	236
Nonwhite	1,008	681	46	45.6	33
Places of 2,500 to 10,000	4,832	2,765	209	43.3	110
White	4,726	2,685	199	42.1	106
Nonwhite	106	80	10	94.3	4
Rural	16,186	9,160	444	27.4	308
White	16,040	8,927	434	27.1	303
Nonwhite	146	233	10	68.5	5
KENTUCKY	64,225	28,371	2,997	46.7	1,544
White	60,901	24,750	2,745	45.1	1,421
Nonwhite	3,324	3,621	252	75.8	123
Urban	20,665	11,569	988	47.8	556
White	18,737	9,241	841	44.9	485
Nonwhite	1,928	2,328	147	76.2	71
Places of 10,000 or more	15,569	8,657	710	45.6	398
White	14,084	6,908	601	42.7	346
Nonwhite	1,485	1,749	109	73.4	52
Places of 2,500 to 10,000	5,096	2,912	278	54.6	158
White	4,653	2,333	240	51.6	139
Nonwhite	443	579	38	85.8	19
Rural	43,560	16,802	2,009	46.1	988
White	42,164	15,509	1,904	45.2	936
Nonwhite	1,396	1,293	105	75.2	52
LOUISIANA	61,050	23,567	2,824	46.3	1,769
White	37,463	13,315	1,318	35.2	821
Nonwhite	23,587	10,252	1,506	63.8	948
Urban	27,261	12,613	1,372	50.3	870
White	18,370	7,620	717	39.0	443
Nonwhite	8,891	4,993	655	73.7	427
Places of 10,000 or more	20,289	9,594	976	48.1	621
White	13,310	5,885	501	37.6	323
Nonwhite	6,979	3,709	475	68.1	298
Places of 2,500 to 10,000	6,972	3,019	396	56.8	249
White	5,060	1,735	216	42.7	120
Nonwhite	1,912	1,284	180	94.1	129
Rural	33,789	10,954	1,452	43.0	899
White	19,093	5,695	601	31.5	378
Nonwhite	14,696	5,259	851	57.9	521
MAINE	17,762	10,279	829	46.7	282
White	17,689	10,240	823	46.5	281
Nonwhite	73	39	6	82.2	1
Urban	8,882	4,431	347	50.4	96
White	8,848	4,412	344	50.2	96
Nonwhite	34	19	3	88.2	-
Places of 10,000 or more	5,387	3,321	256	47.5	79
White	5,360	3,304	253	47.2	79
Nonwhite	27	17	3	111.1	-
Places of 2,500 to 10,000	1,495	1,110	91	60.9	17
White	1,488	1,108	91	61.2	17
Nonwhite	7	2	-	0	-
Rural	10,880	5,848	482	44.3	186
White	10,841	5,828	479	44.2	185
Nonwhite	39	20	3	76.9	1
MARYLAND	43,915	22,648	1,821	41.5	1,448
White	35,670	17,702	1,247	35.0	997
Nonwhite	8,245	4,946	574	69.6	451
Urban	25,089	14,022	1,038	41.4	877
White	19,747	10,802	697	35.3	586
Nonwhite	5,342	3,220	341	63.8	291
Places of 10,000 or more	22,508	13,037	947	42.1	810
White	17,335	9,944	622	35.9	525
Nonwhite	5,173	3,093	325	62.8	285
Places of 2,500 to 10,000	2,581	985	91	35.3	67
White	2,412	858	75	31.1	61
Nonwhite	169	127	16	94.7	6
Rural	18,826	8,626	783	41.6	571
White	15,923	6,900	550	34.5	411
Nonwhite	2,903	1,726	233	80.3	160

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section A (States)—Continued					
MASSACHUSETTS	78,209	51,688	2,585	33.1	1,829
White	76,979	50,710	2,510	32.6	1,784
Nonwhite	1,230	978	75	61.0	45
Urban	70,280	45,654	2,331	33.2	1,657
White	69,147	44,779	2,261	32.7	1,616
Nonwhite	1,133	875	70	61.8	41
Places of 10,000 or more	65,211	42,528	2,149	33.0	1,525
White	64,112	41,690	2,081	32.5	1,485
Nonwhite	1,099	838	68	61.9	40
Places of 2,500 to 10,000	5,069	3,126	182	35.9	132
White	5,035	3,089	180	35.7	131
Nonwhite	34	37	2	58.8	1
Rural	7,929	6,034	254	32.0	172
White	7,832	5,981	249	31.8	168
Nonwhite	97	103	5	51.5	4
MICHIGAN	114,700	54,374	4,343	37.9	2,861
White	108,499	51,114	4,013	37.0	2,590
Nonwhite	6,201	3,260	330	53.2	271
Urban	77,584	33,969	2,887	37.2	2,022
White	71,740	31,360	2,581	36.0	1,761
Nonwhite	5,844	2,609	306	52.4	261
Places of 10,000 or more	66,525	29,214	2,488	37.4	1,739
White	60,958	26,686	2,191	35.9	1,486
Nonwhite	5,567	2,528	297	53.4	253
Places of 2,500 to 10,000	11,059	4,755	399	36.1	283
White	10,782	4,674	390	36.2	275
Nonwhite	277	81	9	32.5	8
Rural	37,116	20,405	1,456	39.2	839
White	36,759	19,754	1,432	39.0	829
Nonwhite	357	651	24	67.2	10
MINNESOTA	56,113	26,453	1,756	31.3	1,088
White	55,571	26,103	1,716	30.9	1,070
Nonwhite	542	350	40	73.8	18
Urban	29,229	14,925	993	34.0	576
White	29,065	14,764	988	34.0	570
Nonwhite	164	161	5	30.5	6
Places of 10,000 or more	22,341	11,210	687	30.8	463
White	22,194	11,063	682	30.7	459
Nonwhite	147	147	5	34.0	4
Places of 2,500 to 10,000	6,888	3,715	306	44.4	113
White	6,871	3,701	306	44.5	111
Nonwhite	17	14	-	0	2
Rural	26,884	11,528	763	28.4	512
White	25,506	11,339	728	27.5	500
Nonwhite	378	189	35	92.6	12
MISSISSIPPI	56,940	20,666	2,513	44.1	1,989
White	25,976	9,236	995	38.3	629
Nonwhite	30,964	11,430	1,518	49.0	1,360
Urban	12,550	5,609	672	53.5	445
White	8,196	2,966	390	47.6	197
Nonwhite	4,354	2,643	282	64.8	248
Places of 10,000 or more	7,956	3,488	423	53.2	300
White	5,215	1,824	240	46.0	130
Nonwhite	2,741	1,664	183	66.8	170
Places of 2,500 to 10,000	4,594	2,121	249	54.2	145
White	2,981	1,142	150	50.3	67
Nonwhite	1,613	979	99	61.4	78
Rural	44,390	15,057	1,841	41.5	1,544
White	17,780	6,270	605	34.0	432
Nonwhite	26,610	8,787	1,236	46.4	1,112
MISSOURI	67,990	42,248	2,558	37.6	1,788
White	62,995	38,157	2,234	35.5	1,491
Nonwhite	4,995	4,091	324	64.9	297
Urban	37,559	25,344	1,441	38.4	1,067
White	33,571	21,931	1,181	35.2	807
Nonwhite	3,988	3,413	260	65.2	260
Places of 10,000 or more	30,858	21,127	1,150	37.3	880
White	27,132	18,065	918	33.8	644
Nonwhite	3,726	3,062	232	62.3	236
Places of 2,500 to 10,000	6,701	4,217	291	43.4	187
White	6,439	3,866	263	40.8	163
Nonwhite	262	351	28	106.9	24
Rural	30,431	16,904	1,117	36.7	721
White	29,424	16,226	1,053	35.8	684
Nonwhite	1,007	678	64	63.6	37

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section A (States)—Continued					
MONTANA	10,948	5,662	395	36.1	184
White	10,326	5,331	316	30.6	173
Nonwhite	617	331	79	128.0	11
Urban	5,214	2,834	194	37.2	100
White	5,154	2,809	190	36.9	99
Nonwhite	60	25	4	66.7	1
Places of 10,000 or more	3,484	1,867	122	35.0	65
White	3,443	1,850	120	34.9	64
Nonwhite	41	17	2	48.8	1
Places of 2,500 to 10,000	1,730	967	72	41.6	35
White	1,711	959	70	40.9	35
Nonwhite	19	8	2	105.3	-
Rural	5,729	2,828	201	35.1	84
White	5,172	2,522	126	24.4	74
Nonwhite	557	306	75	134.6	10
NEBRASKA	24,575	12,583	810	33.0	496
White	24,138	12,290	774	32.1	475
Nonwhite	437	293	36	82.4	21
Urban	11,135	5,874	390	35.0	222
White	10,795	5,654	368	34.1	206
Nonwhite	340	220	22	64.7	16
Places of 10,000 or more	8,628	4,454	296	34.3	163
White	8,310	4,243	276	33.2	150
Nonwhite	318	211	20	63.9	13
Places of 2,500 to 10,000	2,512	1,420	94	37.4	59
White	2,485	1,411	92	37.0	56
Nonwhite	27	9	2	74.1	3
Rural	13,440	6,709	420	31.3	274
White	13,343	6,636	406	30.4	269
Nonwhite	97	73	14	144.3	5
NEVADA	3,023	1,647	152	50.2	56
White	2,823	1,514	139	49.2	46
Nonwhite	205	133	13	63.4	10
Urban	1,416	642	80	56.5	23
White	1,354	604	76	56.1	20
Nonwhite	62	38	4	64.5	3
Places of 10,000 or more	627	273	29	46.3	12
White	614	264	29	47.2	12
Nonwhite	13	9	-	0	-
Places of 2,500 to 10,000	789	369	51	64.6	11
White	740	340	47	63.5	8
Nonwhite	49	29	4	81.6	3
Rural	1,612	1,005	72	44.7	33
White	1,469	910	63	42.9	26
Nonwhite	143	95	9	62.9	7
NEW HAMPSHIRE	8,548	6,189	322	37.7	213
White	8,534	6,177	321	37.6	213
Nonwhite	14	12	1	71.4	-
Urban	5,086	3,648	209	41.1	128
White	5,074	3,639	208	41.0	128
Nonwhite	12	9	1	83.3	-
Places of 10,000 or more	4,301	3,102	186	43.2	108
White	4,290	3,093	185	43.1	108
Nonwhite	11	9	1	90.9	-
Places of 2,500 to 10,000	785	546	23	29.3	20
White	784	546	23	29.3	20
Nonwhite	1	-	-	0	-
Rural	3,462	2,541	113	32.6	85
White	3,460	2,536	113	32.7	85
Nonwhite	2	3	-	0	-
NEW JERSEY	76,265	47,815	2,593	34.0	1,859
White	70,706	44,347	2,258	31.9	1,628
Nonwhite	5,559	3,468	335	60.3	231
Urban	61,419	37,297	2,059	33.5	1,513
White	56,700	34,461	1,783	31.4	1,315
Nonwhite	4,719	2,836	276	58.5	198
Places of 10,000 or more	49,931	30,443	1,713	34.3	1,263
White	45,622	27,919	1,459	32.0	1,079
Nonwhite	4,309	2,524	254	58.9	184
Places of 2,500 to 10,000	11,488	6,854	346	30.1	250
White	11,078	6,542	324	29.2	236
Nonwhite	410	312	22	53.7	14
Rural	14,846	10,518	534	36.0	346
White	14,006	9,886	475	33.9	313
Nonwhite	840	632	59	70.2	33

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	Deaths under 1 year		Still-births
			Number	Rate	
Section A (States)—Continued					
NEW MEXICO	15,585	5,500	1,389	89.1	332
White	14,419	4,950	1,215	84.3	310
Nonwhite	1,166	550	174	149.2	22
Urban	6,048	2,156	520	86.0	116
White	5,888	2,079	502	85.3	113
Nonwhite	160	77	18	112.5	3
Places of 10,000 or more	2,813	954	206	73.2	44
White	2,725	908	196	71.9	43
Nonwhite	88	46	10	113.6	1
Places of 2,500 to 10,000	3,235	1,202	314	97.1	72
White	3,163	1,171	306	96.7	70
Nonwhite	72	31	8	111.1	2
Rural	9,537	3,344	869	91.1	216
White	8,531	2,871	713	83.6	197
Nonwhite	1,006	473	156	155.1	19
NEW YORK	229,534	152,364	7,535	32.8	12,181
White	217,104	144,050	6,821	31.4	10,998
Nonwhite	12,430	8,314	714	57.4	1,183
Urban	188,086	122,424	6,200	33.0	11,240
White	176,213	114,855	5,531	31.4	10,085
Nonwhite	11,873	7,569	669	56.3	1,155
Places of 10,000 or more	175,873	115,000	5,766	32.8	10,881
White	164,168	107,542	5,108	31.1	9,734
Nonwhite	11,705	7,458	658	56.2	1,147
Places of 2,500 to 10,000	12,213	7,424	434	35.5	359
White	12,045	7,313	423	35.1	351
Nonwhite	168	111	11	65.5	8
Rural	41,448	29,940	1,335	32.2	941
White	40,891	29,195	1,290	31.5	913
Nonwhite	557	745	45	80.8	28
NORTH CAROLINA	90,629	29,390	4,115	45.4	2,401
White	62,462	19,226	2,425	38.8	1,314
Nonwhite	28,167	10,164	1,690	60.0	1,087
Urban	25,002	9,693	1,258	50.3	834
White	17,831	6,083	746	41.8	449
Nonwhite	7,171	3,610	512	71.4	385
Places of 10,000 or more	18,927	7,563	968	51.1	645
White	13,029	4,542	533	40.9	316
Nonwhite	5,898	3,021	435	73.8	329
Places of 2,500 to 10,000	6,075	2,130	290	47.7	189
White	4,802	1,541	213	44.4	133
Nonwhite	1,273	589	77	60.5	56
Rural	65,627	19,697	2,857	43.5	1,567
White	44,631	13,143	1,679	37.6	865
Nonwhite	20,996	6,554	1,178	56.1	702
NORTH DAKOTA	13,530	5,116	479	35.4	282
White	13,213	4,989	452	34.2	276
Nonwhite	317	127	27	85.2	6
Urban	3,078	1,296	115	37.4	59
White	3,066	1,288	114	37.2	58
Nonwhite	12	8	1	83.3	1
Places of 10,000 or more	1,947	795	77	39.5	38
White	1,938	790	77	39.7	37
Nonwhite	9	5	-	0	1
Places of 2,500 to 10,000	1,131	501	38	33.6	21
White	1,128	498	37	32.8	21
Nonwhite	3	3	1	333.3	-
Rural	10,452	3,820	364	34.8	223
White	10,147	3,701	338	33.3	218
Nonwhite	305	119	26	85.2	5
OHIO	133,598	80,193	5,147	38.5	3,352
White	125,904	74,675	4,689	37.2	2,999
Nonwhite	7,694	5,518	458	59.5	353
Urban	91,056	55,507	3,480	38.2	2,350
White	83,888	50,637	3,066	36.5	2,020
Nonwhite	7,168	4,870	414	57.8	330
Places of 10,000 or more	77,887	47,408	2,975	38.2	2,022
White	71,102	42,795	2,585	36.4	1,714
Nonwhite	6,785	4,613	390	57.5	308
Places of 2,500 to 10,000	13,169	8,099	505	38.3	328
White	12,786	7,842	481	37.6	306
Nonwhite	383	257	24	62.7	22
Rural	42,542	24,686	1,667	39.2	1,002
White	42,016	24,038	1,623	38.6	979
Nonwhite	526	648	44	83.7	23
OKLAHOMA	46,725	18,925	1,923	41.2	1,010
White	41,615	16,489	1,598	38.4	848
Nonwhite	5,110	2,436	325	63.6	162
Urban	22,671	9,910	1,035	45.7	489
White	20,244	8,675	870	43.0	398
Nonwhite	2,427	1,235	165	68.0	91
Places of 10,000 or more	16,144	6,810	706	43.7	349
White	14,395	5,886	594	41.3	275
Nonwhite	1,749	924	112	64.0	74
Places of 2,500 to 10,000	6,527	3,100	329	50.4	140
White	5,849	2,789	276	47.2	123
Nonwhite	678	311	53	78.2	17
Rural	24,054	9,015	888	36.9	521
White	21,371	7,814	728	34.1	450
Nonwhite	2,683	1,201	160	59.6	71
OREGON	24,150	13,153	736	30.5	454
White	23,705	12,896	705	29.7	436
Nonwhite	445	257	31	69.7	18
Urban	13,023	8,673	419	32.2	244
White	12,842	8,552	411	32.0	240
Nonwhite	181	121	8	44.2	4
Places of 10,000 or more	10,011	6,269	269	26.9	176
White	9,855	6,168	263	26.7	172
Nonwhite	156	101	6	38.5	4
Places of 2,500 to 10,000	3,012	2,404	150	49.8	68
White	2,987	2,384	148	49.5	68
Nonwhite	25	20	2	80.0	-
Rural	11,127	4,480	317	28.5	210
White	10,863	4,344	294	27.1	196
Nonwhite	264	136	23	87.1	14
PENNSYLVANIA	178,370	110,333	7,136	40.0	4,493
White	166,711	102,912	6,350	38.1	4,043
Nonwhite	11,659	7,421	786	67.4	450
Urban	120,462	75,297	4,791	39.8	3,033
White	109,721	68,710	4,086	37.2	2,617
Nonwhite	10,741	6,587	705	65.6	416
Places of 10,000 or more	97,401	61,935	3,939	40.4	2,440
White	87,075	55,603	3,262	37.5	2,039
Nonwhite	10,326	6,332	677	65.6	401
Places of 2,500 to 10,000	23,061	13,362	852	36.9	593
White	22,646	13,107	824	36.4	578
Nonwhite	415	255	28	67.5	15
Rural	57,908	35,036	2,345	40.5	1,460
White	56,990	34,202	2,264	39.7	1,426
Nonwhite	918	834	81	88.2	34
RHODE ISLAND	13,754	8,409	486	35.3	311
White	13,446	8,226	470	35.0	296
Nonwhite	308	183	16	51.9	15
Urban	12,271	7,593	435	35.4	276
White	11,980	7,419	421	35.1	264
Nonwhite	291	174	14	48.1	12
Places of 10,000 or more	11,775	7,277	423	35.9	271
White	11,490	7,108	409	35.6	259
Nonwhite	285	169	14	49.1	12
Places of 2,500 to 10,000	496	316	12	24.2	5
White	490	311	12	24.5	5
Nonwhite	6	5	-	0	-
Rural	1,483	816	51	34.4	35
White	1,466	807	49	33.4	32
Nonwhite	17	9	2	117.6	3
SOUTH CAROLINA	51,467	18,139	2,828	54.9	1,808
White	27,874	9,064	1,274	45.7	663
Nonwhite	23,593	9,075	1,554	65.9	1,145
Urban	16,060	6,357	886	55.2	509
White	11,069	3,558	535	48.3	233
Nonwhite	4,991	2,799	351	70.3	276
Places of 10,000 or more	10,172	4,115	543	53.4	333
White	6,822	2,254	320	46.9	141
Nonwhite	3,350	1,861	223	66.6	192
Places of 2,500 to 10,000	5,888	2,242	343	58.3	176
White	4,247	1,304	215	50.6	92
Nonwhite	1,641	938	128	78.0	84
Rural	35,407	11,782	1,942	54.8	1,299
White	16,805	5,506	739	44.0	430
Nonwhite	18,602	6,276	1,203	64.7	869

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	Deaths under 1 year		Stillbirths
			Number	Rate	
Section A (States)—Continued					
SOUTH DAKOTA	12,769	5,650	445	34.9	226
White	12,013	5,272	368	30.6	210
Nonwhite	756	378	77	101.9	16
Urban	3,716	1,959	148	39.8	67
White	3,638	1,917	141	38.8	66
Nonwhite	78	42	7	89.7	1
Places of 10,000 or more	2,673	1,127	99	37.0	44
White	2,642	1,107	97	36.7	44
Nonwhite	31	20	2	64.5	-
Places of 2,500 to 10,000	1,043	832	49	47.0	23
White	996	810	44	44.2	22
Nonwhite	47	22	5	106.4	1
Rural	9,053	3,691	297	32.8	159
White	8,375	3,355	227	27.1	144
Nonwhite	678	336	70	103.2	15
TENNESSEE	68,272	27,854	3,106	45.5	1,554
White	57,311	21,162	2,484	43.3	1,153
Nonwhite	10,961	6,692	622	56.7	401
Urban	25,606	11,787	1,195	46.7	659
White	19,955	7,564	826	41.4	420
Nonwhite	5,651	4,123	369	65.3	239
Places of 10,000 or more	19,845	9,441	908	45.8	520
White	14,925	5,866	593	39.7	307
Nonwhite	4,920	3,575	315	64.0	213
Places of 2,500 to 10,000	5,761	2,346	287	49.8	139
White	5,030	1,798	233	46.3	113
Nonwhite	731	548	54	73.9	26
Rural	42,666	16,067	1,911	44.8	895
White	37,356	13,498	1,658	44.4	733
Nonwhite	5,310	2,569	253	47.6	162
TEXAS	165,900	61,565	8,354	50.4	4,517
White	145,500	50,919	7,156	49.2	3,510
Nonwhite	20,400	10,646	1,198	58.7	1,007
Urban	98,087	36,180	5,078	51.8	2,809
White	87,627	29,710	4,385	50.0	2,227
Nonwhite	10,460	6,470	693	66.3	582
Places of 10,000 or more	70,608	25,123	3,456	48.9	2,037
White	62,487	21,291	2,947	47.2	1,592
Nonwhite	8,121	4,832	509	62.7	445
Places of 2,500 to 10,000	27,479	10,057	1,622	59.0	772
White	25,140	8,419	1,438	57.2	635
Nonwhite	2,339	1,638	184	78.7	137
Rural	67,813	25,385	3,276	48.3	1,708
White	57,873	21,209	2,771	47.9	1,283
Nonwhite	9,940	4,176	505	50.8	425
UTAH	16,180	4,957	548	33.9	248
White	15,906	4,786	530	33.3	244
Nonwhite	274	171	18	65.7	4
Urban	9,447	3,112	342	36.2	140
White	9,344	3,050	335	35.9	137
Nonwhite	103	62	7	68.0	3
Places of 10,000 or more	6,593	2,352	238	36.1	90
White	6,517	2,301	233	35.8	87
Nonwhite	76	51	5	65.8	3
Places of 2,500 to 10,000	2,854	760	104	36.4	50
White	2,827	749	102	36.1	50
Nonwhite	27	11	2	74.1	-
Rural	6,733	1,845	206	30.6	108
White	6,562	1,736	195	29.7	107
Nonwhite	171	109	11	64.3	1
VERMONT	6,824	4,274	277	40.6	162
White	6,821	4,270	277	40.6	162
Nonwhite	3	4	-	0	-
Urban	2,622	1,719	125	47.7	59
White	2,621	1,716	125	47.7	59
Nonwhite	1	3	-	0	-
Places of 10,000 or more	1,190	676	61	51.3	25
White	1,190	673	61	51.3	25
Nonwhite	-	3	-	0	-
Places of 2,500 to 10,000	1,432	1,043	64	44.7	34
White	1,431	1,043	64	44.7	34
Nonwhite	1	-	-	0	-
Rural	4,202	2,555	152	36.2	103
White	4,200	2,554	152	36.2	103
Nonwhite	2	1	-	0	-

AREA	Births	Deaths	Deaths under 1 year		Stillbirths
			Number	Rate	
Section A (States)—Continued					
VIRGINIA	69,175	28,739	3,261	47.1	2,110
White	52,001	19,483	2,169	41.7	1,220
Nonwhite	17,174	9,256	1,092	63.6	890
Urban	25,820	11,947	1,198	44.7	845
White	20,762	8,048	785	37.8	491
Nonwhite	5,058	3,899	413	81.2	354
Places of 10,000 or more	21,841	9,780	983	45.0	694
White	16,460	6,296	615	37.4	377
Nonwhite	5,381	3,484	368	68.4	317
Places of 2,500 to 10,000	4,979	2,167	215	43.2	151
White	4,302	1,752	170	39.5	114
Nonwhite	677	415	45	66.5	37
Rural	42,355	16,792	2,063	48.7	1,265
White	31,239	11,435	1,384	44.3	729
Nonwhite	11,116	5,357	679	61.1	536
WASHINGTON	44,528	21,849	1,506	33.8	626
White	43,363	21,187	1,397	32.2	596
Nonwhite	1,165	662	109	93.6	30
Urban	26,708	13,632	889	33.3	357
White	26,086	13,321	860	33.0	341
Nonwhite	622	311	29	46.6	16
Places of 10,000 or more	23,577	11,872	749	31.8	306
White	23,019	11,592	728	31.6	293
Nonwhite	558	280	21	37.6	13
Places of 2,500 to 10,000	3,131	1,760	140	44.7	51
White	3,067	1,729	132	43.0	48
Nonwhite	64	31	8	125.0	3
Rural	17,820	8,217	617	34.6	269
White	17,277	7,866	537	31.1	255
Nonwhite	543	351	80	147.3	14
WEST VIRGINIA	41,304	16,603	2,149	52.0	1,389
White	39,008	15,170	1,997	51.2	1,276
Nonwhite	2,296	1,433	152	66.2	113
Urban	12,772	6,597	659	51.6	478
White	12,163	6,041	624	51.3	455
Nonwhite	609	556	35	57.5	23
Places of 10,000 or more	8,595	4,401	453	52.7	297
White	8,188	4,000	430	52.5	282
Nonwhite	407	401	23	56.5	15
Places of 2,500 to 10,000	4,177	2,196	206	49.3	181
White	3,975	2,041	194	48.8	173
Nonwhite	202	155	12	59.4	8
Rural	28,532	10,006	1,490	52.2	911
White	26,845	9,129	1,373	51.1	821
Nonwhite	1,687	877	117	69.4	90
WISCONSIN	61,547	31,674	1,972	32.0	1,249
White	60,743	31,292	1,909	31.4	1,219
Nonwhite	804	382	63	78.4	30
Urban	33,003	17,788	1,064	32.2	676
White	32,595	17,570	1,047	32.1	655
Nonwhite	408	218	17	41.7	21
Places of 10,000 or more	27,853	14,669	868	31.2	574
White	27,462	14,458	851	31.0	554
Nonwhite	391	211	17	43.5	20
Places of 2,500 to 10,000	5,150	3,119	196	38.1	102
White	5,133	3,112	196	38.2	101
Nonwhite	17	7	-	0	1
Rural	28,544	13,886	908	31.8	573
White	28,148	13,722	862	30.6	564
Nonwhite	396	164	46	116.2	9
WYOMING	5,635	2,278	232	41.2	98
White	5,302	2,109	205	38.7	92
Nonwhite	333	169	27	81.1	6
Urban	2,574	1,104	117	45.5	42
White	2,544	1,072	113	44.4	42
Nonwhite	30	32	4	133.3	-
Places of 10,000 or more	1,725	664	70	40.6	31
White	1,711	647	69	40.3	31
Nonwhite	14	17	1	71.4	-
Places of 2,500 to 10,000	849	440	47	55.4	11
White	833	425	44	52.8	11
Nonwhite	16	15	3	187.5	-
Rural	3,061	1,174	115	37.6	56
White	2,758	1,037	92	33.4	50
Nonwhite	303	137	23	75.9	6

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)					
ALABAMA (total)	74,415	26,157	3,389	45.5	2,260
Autauga	478	201	18	37.7	14
White	204	103	10	49.0	4
Nonwhite	274	98	8	29.2	10
Baldwin	1,052	376	60	57.0	33
White	816	278	40	49.0	16
Nonwhite	236	98	20	84.7	17
Barbour	858	255	49	57.1	17
White	326	126	22	67.5	3
Nonwhite	532	129	27	50.8	14
Bibb	518	171	32	61.8	16
White	325	110	20	61.5	6
Nonwhite	193	61	12	62.2	10
Blount	664	159	20	30.1	16
Bullock	514	221	32	62.3	28
White	72	48	3	41.7	5
Nonwhite	442	173	29	65.6	23
Butler	787	240	29	36.8	30
White	389	121	8	20.6	7
Nonwhite	398	119	21	52.8	23
Calhoun	1,993	620	91	45.7	39
White	1,631	461	76	46.6	30
Nonwhite	362	159	15	41.4	9
Anniston	884	283	48	54.3	15
White	652	172	34	52.1	12
Nonwhite	232	111	14	60.3	3
Balance of county	1,109	337	43	38.8	24
White	979	289	42	42.9	18
Nonwhite	130	48	1	7.7	6
Chambers	856	339	47	54.9	27
White	441	163	20	45.4	8
Nonwhite	415	176	27	65.1	19
Cherokee	418	89	9	21.5	8
Chilton	838	214	28	33.9	12
White	509	166	20	39.3	8
Nonwhite	129	48	8	62.0	4
Choctaw	531	145	23	43.3	20
White	202	53	9	44.6	6
Nonwhite	329	92	14	42.6	14
Clarke	652	220	29	44.5	22
White	246	85	8	32.5	6
Nonwhite	406	135	21	51.7	16
Clay	338	124	14	41.4	8
White	267	98	10	37.5	4
Nonwhite	71	28	4	56.3	4
Cleburne	303	90	10	33.0	12
Coffee	733	156	16	21.8	12
White	570	125	15	26.3	10
Nonwhite	163	33	1	6.1	2
Colbert	997	288	48	48.1	24
White	784	195	39	49.7	17
Nonwhite	213	93	9	42.3	7
Conecuh	625	181	23	36.8	18
White	298	80	8	26.8	4
Nonwhite	327	101	15	45.9	14
Coosa	283	98	8	28.3	11
White	141	56	4	28.4	4
Nonwhite	142	40	4	28.2	7
Covington	1,071	311	55	51.4	24
White	893	260	45	50.4	19
Nonwhite	178	51	10	56.2	5
Crenshaw	495	161	24	48.5	19
White	298	95	11	36.9	13
Nonwhite	197	68	13	66.0	6
Cullman	1,242	261	31	25.0	32
Dale	594	202	32	53.9	15
White	435	167	29	66.7	13
Nonwhite	159	35	3	18.9	2
Dallas	1,556	672	89	57.2	74
White	416	166	20	48.1	8
Nonwhite	1,140	506	69	60.5	68
Selma	603	284	42	69.7	20
White	288	102	14	48.6	3
Nonwhite	315	182	28	88.9	17
Balance of county	953	388	47	49.3	54
White	128	64	6	46.9	3
Nonwhite	825	324	41	49.7	51
De Kalb	1,050	302	32	30.5	27
Elmore	748	297	43	57.5	28
White	385	138	18	46.8	11
Nonwhite	363	159	25	68.9	17
Escambia	869	293	44	50.6	31
White	580	166	25	43.1	17
Nonwhite	289	127	19	65.7	14
Etowah	2,115	568	93	44.0	39
White	1,784	417	74	41.5	27
Nonwhite	329	151	19	57.8	12
Gadsden	1,067	315	45	42.2	27
White	833	200	30	36.0	17
Nonwhite	234	115	15	64.1	10
Balance of county	1,046	253	48	45.9	12
Section B (Counties)—Continued					
ALABAMA—Continued					
Fayette	450	142	18	40.0	13
White	368	107	14	38.0	11
Nonwhite	82	35	4	48.8	2
Franklin	713	205	42	58.9	16
Geneva	709	207	25	35.3	19
White	614	177	19	30.9	18
Nonwhite	95	30	6	63.2	1
Greene	438	187	28	63.9	28
White	48	28	2	41.7	2
Nonwhite	390	161	26	66.7	26
Hale	668	240	26	39.0	25
White	113	58	3	26.5	4
Nonwhite	555	184	23	41.6	21
Henry	619	152	20	32.3	11
White	287	68	6	22.5	4
Nonwhite	332	84	14	39.8	7
Houston	1,144	386	42	36.7	30
White	823	271	28	34.0	23
Nonwhite	321	115	14	43.6	7
Dothan	421	183	18	42.8	11
White	296	111	10	33.8	6
Nonwhite	125	72	8	64.0	5
Balance of county	723	203	24	33.2	19
White	527	160	18	34.2	17
Nonwhite	196	43	6	30.6	2
Jackson	1,085	278	46	42.0	25
Jefferson	11,295	4,961	543	48.1	389
White	6,606	2,468	244	36.9	165
Nonwhite	4,689	2,493	299	63.8	224
Bessemer	661	307	28	42.4	32
White	263	91	4	15.2	8
Nonwhite	398	216	24	60.3	24
Birmingham	6,479	3,216	326	50.3	259
White	3,699	1,630	146	39.5	97
Nonwhite	2,780	1,586	180	64.7	142
Fairfield	276	135	18	65.2	10
White	87	52	5	57.5	2
Nonwhite	189	83	13	68.8	8
Balance of county	3,879	1,303	171	44.1	108
White	2,557	695	89	34.8	58
Nonwhite	1,322	608	82	62.0	50
Lamar	392	95	14	35.7	13
White	314	76	10	31.8	10
Nonwhite	78	19	4	51.3	3
Lauderdale	1,256	411	58	46.2	24
White	1,060	303	45	42.5	22
Nonwhite	196	108	13	66.3	2
Florence	476	200	32	67.2	8
White	389	136	25	64.3	6
Nonwhite	87	64	7	80.5	2
Balance of county	780	211	26	33.3	16
White	671	187	20	29.8	16
Nonwhite	109	44	6	55.0	-
Lawrence	741	193	28	37.8	13
White	586	148	21	35.8	8
Nonwhite	155	45	7	45.2	5
Lee	952	333	36	37.8	25
White	370	133	9	24.3	3
Nonwhite	582	200	27	46.4	22
Limestone	990	271	34	34.3	18
White	780	172	21	27.6	8
Nonwhite	230	99	13	56.5	8
Lowndes	587	216	36	61.3	34
White	53	29	4	75.5	2
Nonwhite	534	187	32	59.9	32
Macon	755	305	36	47.7	33
White	99	32	1	10.1	2
Nonwhite	656	273	35	53.4	31
Madison	1,799	638	105	58.4	44
White	1,293	404	68	52.6	31
Nonwhite	506	234	37	73.1	13
Huntsville	505	304	40	79.2	17
White	385	210	34	88.3	15
Nonwhite	120	94	6	50.0	2
Balance of county	1,294	334	65	50.2	27
White	908	194	34	37.4	16
Nonwhite	386	140	31	80.3	11
Marengo	770	334	31	40.3	38
White	148	76	6	40.5	8
Nonwhite	622	258	25	40.2	30
Marion	630	154	22	34.9	14
Marshall	1,058	290	39	36.9	23
Mobile	6,382	2,426	305	47.9	215
White	4,416	1,277	166	37.6	110
Nonwhite	1,948	1,149	139	71.4	105
Mobile	2,883	1,257	139	48.2	113
White	1,838	707	61	33.2	52
Nonwhite	1,045	550	78	74.6	61
Balance of county	3,479	1,169	166	47.7	102
White	2,578	570	105	40.7	58
Nonwhite	901	599	61	67.7	44

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
ALABAMA—Continued					
Monroe	767	208	40	52.2	18
White	282	83	8	28.4	3
Nonwhite	485	125	32	66.0	15
Montgomery	2,781	1,286	98	35.2	92
White	1,394	506	35	25.1	34
Nonwhite	1,387	780	63	45.4	58
Montgomery	2,071	961	77	37.2	62
White	1,219	414	29	23.8	29
Nonwhite	852	547	48	56.3	33
Balance of county	710	325	21	29.6	30
White	175	92	6	34.3	5
Nonwhite	535	233	15	28.0	25
Morgan	1,157	333	40	34.6	25
White	988	278	35	35.4	20
Nonwhite	169	55	5	29.6	5
*Decatur	379	133	13	34.3	8
White	315	109	12	38.1	6
Nonwhite	64	24	1	15.6	2
Balance of county	778	200	27	34.7	17
White	673	169	23	34.2	14
Nonwhite	105	31	4	38.1	3
Perry	658	226	45	67.4	30
White	151	60	8	53.0	1
Nonwhite	487	166	35	71.9	29
Pickens	640	200	19	29.7	23
White	297	69	5	16.8	8
Nonwhite	345	131	14	40.8	15
Pike	816	304	45	52.7	25
White	428	164	19	44.4	10
Nonwhite	388	140	24	61.9	15
Randolph	513	190	25	48.7	24
White	351	128	14	39.9	16
Nonwhite	162	62	11	67.9	8
Russell	1,131	362	55	48.6	45
White	497	167	23	46.3	17
Nonwhite	634	195	32	50.5	28
Phenix City	522	183	28	53.6	20
White	365	121	20	54.8	13
Nonwhite	157	62	8	51.0	7
Balance of county	609	179	27	44.3	25
White	132	46	3	22.7	4
Nonwhite	477	133	24	50.3	21
St. Clair	667	235	32	48.0	17
White	519	180	28	53.9	8
Nonwhite	148	55	4	27.0	9
Shelby	668	240	36	53.9	17
White	499	179	22	44.1	11
Nonwhite	169	61	14	82.8	6
Sumter	655	259	39	59.5	29
White	95	45	1	10.5	2
Nonwhite	560	214	38	67.9	27
Talladega	1,843	486	91	49.4	51
White	1,227	288	55	44.8	27
Nonwhite	616	198	36	58.4	24
Tallapoosa	817	241	38	46.5	23
White	561	153	22	39.2	14
Nonwhite	256	88	16	62.5	9
Tuscaloosa	1,599	963	60	37.5	42
White	1,083	691	39	35.7	15
Nonwhite	506	272	21	41.5	27
Tuscaloosa	616	606	29	47.1	16
White	419	458	19	45.3	3
Nonwhite	197	148	10	50.8	13
Balance of county	983	357	31	31.5	26
White	674	233	20	29.7	12
Nonwhite	309	124	11	35.6	14
Walker	1,596	446	75	47.0	33
White	1,424	367	62	43.5	27
Nonwhite	172	79	13	75.6	6
Washington	447	122	23	51.5	16
White	279	67	9	32.3	7
Nonwhite	168	55	14	83.3	9
Wilcox	772	290	46	59.6	37
White	96	49	5	52.1	1
Nonwhite	676	241	41	60.7	36
Winston	511	110	23	45.0	9
ARIZONA (total)	14,225	6,205	979	68.8	542
Apache	447	201	57	127.5	5
White	172	33	9	52.3	2
Nonwhite	275	168	48	174.5	3
Cochise	1,052	398	64	60.8	26
Coconino	413	229	59	142.9	14
White	277	103	21	75.8	7
Nonwhite	136	126	38	279.4	4
Gila	726	268	50	68.9	14
White	623	222	33	53.0	11
Nonwhite	103	46	17	165.0	3

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
ARIZONA—Continued					
Graham	354	73	24	67.8	6
Greenlee	389	71	19	48.8	7
Maricopa	5,616	2,359	306	54.5	154
Phoenix	2,851	1,392	175	61.8	72
Balance of county	2,785	967	131	47.0	82
Mohave	172	166	19	110.5	4
Navajo	728	336	108	148.4	8
White	394	119	33	83.8	3
Nonwhite	334	217	75	224.6	5
Pima	2,281	1,061	140	61.4	45
White	2,063	881	100	48.5	40
Nonwhite	218	180	40	183.5	5
Tucson	1,808	671	108	59.7	38
Balance of county	473	390	32	67.7	7
White	352	287	14	39.8	6
Nonwhite	121	103	18	148.8	1
Pinal	804	352	55	68.4	33
White	656	221	41	62.5	27
Nonwhite	148	131	14	94.6	6
Santa Cruz	225	87	5	22.2	8
Yavapai	532	265	19	35.7	8
Yuma	486	341	54	111.1	13
White	426	215	38	89.2	10
Nonwhite	60	126	16	266.7	3
ARKANSAS (total)	41,240	14,515	1,433	34.7	850
Arkansas	527	181	16	30.4	17
White	411	140	13	31.6	16
Nonwhite	116	41	3	25.9	1
Ashley	615	154	23	37.4	16
White	339	80	16	47.2	5
Nonwhite	276	74	7	25.4	11
Baxter	205	58	6	29.3	2
Benton	606	407	23	38.0	12
Boone	333	130	9	27.0	9
Bradley	323	116	9	27.9	4
White	198	92	7	35.4	4
Nonwhite	125	24	2	16.0	-
Calhoun	163	55	10	61.3	4
White	86	40	4	46.5	2
Nonwhite	77	15	6	77.9	2
Carroll	221	119	8	36.2	3
Chicot	493	202	13	26.4	4
White	230	75	7	30.4	3
Nonwhite	263	127	6	22.8	1
Clark	475	152	10	21.1	7
White	332	101	5	15.1	5
Nonwhite	143	51	5	35.0	2
Clay	602	172	21	34.9	8
Cleburne	295	88	10	33.9	4
Cleveland	198	70	7	35.4	1
White	146	53	6	41.1	1
Nonwhite	52	17	1	19.2	-
Columbia	460	202	14	30.4	5
White	272	118	7	25.7	3
Nonwhite	188	84	7	37.2	2
Conway	483	135	15	31.1	8
White	367	105	10	27.2	3
Nonwhite	116	30	5	43.1	5
Craighead	1,163	364	50	43.0	21
Jonesboro	267	134	13	48.7	5
White	243	113	8	32.9	5
Nonwhite	24	21	5	208.3	-
Balance of county	896	230	37	41.3	16
Crawford	518	143	24	46.3	7
Crittenden	1,064	376	57	53.6	40
White	262	66	8	30.5	6
Nonwhite	802	310	49	61.1	34
Cross	512	151	16	31.3	7
White	368	58	10	27.2	5
Nonwhite	144	93	6	41.7	2
Dallas	271	72	6	22.1	4
White	161	37	3	18.6	2
Nonwhite	110	35	3	27.3	2
Desha	583	226	26	44.6	19
White	295	70	11	37.5	6
Nonwhite	290	156	15	51.7	13
Drew	427	130	10	23.4	9
White	226	50	4	17.7	4
Nonwhite	201	80	6	29.9	5
Faulkner	482	189	22	45.6	16
White	408	158	15	36.8	13
Nonwhite	74	31	7	94.6	3
Franklin	274	72	10	36.5	8
Fulton	158	61	6	38.0	4

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
ARKANSAS—Continued					
Garland	857	453	34	40.6	13
White	748	392	30	40.1	10
Nonwhite	89	61	4	44.9	3
Hot Springs	570	356	26	45.6	10
White	487	295	22	45.2	8
Nonwhite	83	61	4	48.2	2
Balance of county	287	97	8	30.0	3
Grant	222	50	2	9.0	1
Greene	606	189	29	47.9	9
Hempstead	572	240	16	28.0	11
White	346	121	8	23.1	5
Nonwhite	226	119	8	35.4	6
Hot Spring	437	151	24	54.9	10
White	370	134	21	56.8	10
Nonwhite	67	17	3	44.8	-
Howard	285	94	9	31.6	2
White	211	68	6	28.4	1
Nonwhite	74	26	3	40.5	1
Independence	488	160	22	45.1	10
Izard	223	56	3	13.5	4
Jackson	687	185	15	21.8	8
White	615	143	14	22.8	6
Nonwhite	72	42	1	13.9	2
Jefferson	1,680	543	37	22.0	46
White	890	242	23	25.8	17
Nonwhite	790	301	14	17.7	29
Pine Bluff	734	285	21	28.6	17
White	552	169	12	21.7	11
Nonwhite	182	116	9	49.5	6
Balance of county	946	258	16	16.9	29
White	338	73	11	32.5	6
Nonwhite	608	185	5	8.2	23
Johnson	329	112	6	18.2	10
Lafayette	294	81	9	30.6	3
White	121	35	3	24.8	-
Nonwhite	173	46	6	34.7	3
Lawrence	585	135	23	38.3	5
Lee	554	165	16	28.9	7
White	207	45	4	19.3	1
Nonwhite	347	120	12	34.6	6
Lincoln	363	119	9	24.8	10
White	142	34	2	14.1	1
Nonwhite	221	85	7	31.7	9
Little River	292	80	5	17.1	2
White	183	44	3	16.4	2
Nonwhite	109	36	2	18.3	-
Logan	431	146	10	23.2	4
Lonoke	684	183	31	45.3	15
White	463	115	18	38.9	9
Nonwhite	221	68	13	58.8	6
Madison	249	71	3	12.0	2
Marion	153	52	2	13.1	1
Miller	781	257	29	37.1	16
White	582	169	20	34.4	9
Nonwhite	199	88	9	45.2	7
Texarkana[1]	368	161	17	46.2	7
White	282	104	11	39.0	5
Nonwhite	86	57	6	69.8	2
Balance of county	413	96	12	29.1	9
White	300	65	9	30.0	4
Nonwhite	113	31	3	26.5	5
Mississippi	2,107	826	123	58.4	40
White	1,579	406	90	57.0	19
Nonwhite	528	220	33	62.5	21
Blytheville	355	164	27	76.1	5
White	259	107	20	77.2	3
Nonwhite	96	57	7	72.9	2
Balance of county	1,752	462	96	54.8	35
White	1,320	299	70	53.0	16
Nonwhite	432	163	26	60.2	19
Monroe	429	164	18	42.0	7
White	206	59	7	34.0	1
Nonwhite	223	105	11	49.3	6
Montgomery	114	53	1	8.8	7
Nevada	335	101	9	26.9	6
White	183	62	7	38.3	1
Nonwhite	152	39	2	13.2	5
Newton	167	26	3	18.0	2
Ouachita	624	222	16	25.6	18
White	358	113	8	22.3	5
Nonwhite	266	109	8	30.1	9
Perry	155	35	5	32.3	-
Phillips	1,081	434	41	37.9	41
White	363	109	10	27.5	9
Nonwhite	718	325	31	43.2	32
Pike	171	25	-	0	1
Poinsett	1,030	238	50	48.5	24
White	921	196	43	46.7	22
Nonwhite	109	42	7	64.2	2
Polk	345	121	17	49.3	6
Pope	439	144	13	29.6	5
Prairie	287	63	7	24.4	3
White	238	48	6	25.2	3
Nonwhite	49	15	1	20.4	-
Pulaski	3,939	2,156	144	36.6	88
White	2,964	1,412	82	27.7	57
Nonwhite	975	744	62	63.6	31
Little Rock	2,080	1,481	71	34.1	40
White	1,602	991	42	26.2	30
Nonwhite	478	490	29	60.7	10
North Little Rock	664	206	29	43.7	23
White	498	117	19	38.2	15
Nonwhite	166	89	10	60.2	8
Balance of county	1,195	469	44	36.8	25
White	864	304	21	24.3	12
Nonwhite	331	165	23	69.5	13
Randolph	342	88	5	14.6	4
St. Francis	777	282	29	37.3	34
White	293	105	11	37.5	11
Nonwhite	484	177	18	37.2	23
Saline	459	206	27	58.8	12
Scott	240	53	7	29.2	3
Searcy	237	64	14	59.1	4
Sebastian	1,683	548	59	35.1	36
Fort Smith	1,212	417	53	43.7	28
White	1,106	351	46	41.6	27
Nonwhite	106	66	7	66.0	1
Balance of county	471	131	6	12.7	8
Sevier	287	100	11	38.3	6
White	266	91	10	37.6	6
Nonwhite	21	9	1	47.6	-
Sharp	137	45	1	7.3	2
Stone	115	43	3	26.1	5
Union	951	333	16	16.8	19
White	656	199	10	15.2	12
Nonwhite	295	134	6	20.3	7
El Dorado	384	152	5	13.0	5
White	301	98	4	13.3	4
Nonwhite	83	54	1	12.0	1
Balance of county	567	181	11	19.4	14
White	355	101	6	16.9	8
Nonwhite	212	80	5	23.6	6
Van Buren	180	67	6	33.3	1
Washington	840	334	21	25.0	10
White	779	229	16	20.5	24
Woodruff	473	100	14	29.6	10
White	304	44	7	23.0	5
Nonwhite	169	56	7	41.4	7
Yell	314	72	2	6.4	6
CALIFORNIA (total)	179,123	90,802	6,177	34.5	3,420
Alameda	13,686	6,941	440	32.1	286
Alameda	1,435	465	35	24.4	34
Albany	297	98	14	47.1	5
Berkeley	2,118	1,027	65	30.7	32
Oakland	7,746	4,160	252	32.5	179
White	7,033	3,836	223	31.7	147
Nonwhite	713	324	29	40.7	32
San Leandro	730	190	13	17.8	9
Balance of county	1,360	1,001	81	44.9	27
Alpine	9	1	-	0	-
White	7	1	-	0	-
Nonwhite	2	-	-	0	-
Amador	88	109	4	45.5	1
Butte	1,054	634	47	44.6	27
Calaveras	109	96	5	45.9	1
Colusa	164	143	6	36.8	2
Contra Costa	5,849	1,589	223	38.1	98
Richmond	3,296	673	122	37.0	60
Balance of county	2,553	916	101	39.6	38
Del Norte	58	48	2	34.5	-
El Dorado	189	125	4	21.2	2
Fresno	4,873	2,015	194	39.8	114
Fresno	1,769	1,025	74	41.8	50
Balance of county	3,104	990	120	38.7	64
Glenn	210	109	8	38.1	1

[1] Includes data for Texarkana, Ark., only.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
CALIFORNIA—Continued					
Humboldt	982	596	30	30.5	25
Eureka	467	341	17	36.4	9
Balance of county	515	255	13	25.2	16
Imperial	1,506	538	124	82.3	35
White	1,349	488	115	85.2	27
Nonwhite	157	50	9	57.3	8
Brawley	416	111	41	98.6	11
El Centro	337	92	18	53.4	4
White	293	75	16	54.6	3
Nonwhite	44	17	2	45.5	1
Balance of county	753	335	65	86.3	18
White	663	304	59	89.0	14
Nonwhite	90	31	6	66.7	4
Inyo	171	122	15	87.7	5
White	149	79	11	73.8	3
Nonwhite	22	43	4	181.8	2
Kern	4,498	1,374	184	40.9	92
Bakersfield	1,883	334	70	37.6	36
Balance of county	2,615	1,040	114	43.3	56
Kings	1,037	347	45	43.4	30
Lake	103	102	2	19.4	1
Lassen	352	148	14	39.8	6
Los Angeles	66,852	35,860	2,089	31.2	1,256
Alhambra	760	487	20	26.3	20
Bell	279	119	11	39.4	5
Belvedere (twp.)[2]	690	269	26	38.2	15
Beverly Hills	67	256	2	29.9	2
Burbank	1,542	424	44	28.5	30
Compton	706	233	20	28.3	8
Glendale	1,768	951	45	25.5	28
Huntington Park	589	311	25	43.9	11
Inglewood	998	353	20	20.0	14
Long Beach	4,822	2,303	141	29.2	80
Los Angeles	34,325	19,899	1,105	32.2	693
White	31,495	18,657	998	31.7	612
Nonwhite	2,830	1,242	107	37.8	81
Lynwood	388	131	10	25.8	9
Maywood	272	74	5	18.4	7
Monrovia	268	195	5	18.7	4
Pasadena	1,864	1,255	36	19.3	34
Pomona	576	306	19	32.9	13
Redondo Beach	418	201	15	35.9	4
San Gabriel	397	150	11	27.7	9
Santa Monica	1,427	735	41	28.7	18
South Gate	872	244	28	32.1	17
South Pasadena	241	188	4	16.6	3
Whittier	390	210	10	25.6	7
Balance of county	13,221	6,566	448	33.7	225
White	12,988	6,437	438	33.8	221
Nonwhite	253	129	8	31.6	4
Madera	686	225	31	45.2	19
Marin	1,346	617	46	34.2	28
Mariposa	35	42	2	57.1	-
Mendocino	460	453	5	10.9	10
Merced	1,391	462	60	43.1	17
Merced	480	100	17	35.4	3
Balance of county	911	362	43	47.2	14
Modoc	361	149	16	44.3	4
Mono	18	14	1	55.6	1
White	11	10	1	90.9	1
Nonwhite	7	4	-	0	-
Monterey	2,225	787	71	31.9	38
Monterey	359	94	12	33.4	6
Salinas	790	125	10	12.7	11
White	733	113	9	12.3	10
Nonwhite	57	12	1	17.5	1
Balance of county	1,076	568	49	45.5	21
Napa	730	917	29	39.7	19
Nevada	290	203	9	31.0	5
Orange	3,941	1,804	147	37.3	69
Anaheim	297	169	9	30.3	6
Fullerton	260	122	11	42.3	4
Santa Ana	996	450	34	34.1	17
Balance of county	2,388	1,063	93	38.9	42
Placer	570	350	16	28.1	11
Plumas	203	105	6	29.6	4
Riverside	2,987	1,455	126	42.2	61
Riverside	1,410	515	51	36.2	21
Balance of county	1,577	940	75	47.6	40
Sacramento	4,321	2,253	149	34.5	89
Sacramento	2,684	1,720	105	39.1	52
Balance of county	1,637	533	44	26.9	37
White	1,518	491	41	27.0	31
Nonwhite	119	42	3	25.2	6
San Benito	292	138	17	58.2	4
San Bernardino	4,626	2,410	167	36.9	98
Ontario	459	151	16	34.9	5
Redlands	368	192	12	32.5	6
San Bernardino	1,697	818	59	34.8	42
Balance of county	2,001	1,249	80	40.0	45
Section B (Counties)—Continued					
CALIFORNIA—Continued					
San Diego	11,171	4,232	395	35.4	205
National City	532	150	17	32.0	11
San Diego	7,923	2,780	281	35.5	142
Balance of county	2,716	1,302	97	35.7	52
San Francisco, coextensive with San Francisco (city)	13,425	8,151	417	31.1	261
White	12,513	8,703	387	30.9	241
Nonwhite	912	448	30	32.9	20
San Joaquin	3,374	1,984	112	33.2	63
Lodi	288	158	6	20.8	6
Stockton	1,774	633	54	30.4	41
Balance of county	1,312	1,193	52	39.6	16
White	1,235	1,109	51	41.3	14
Nonwhite	77	84	1	13.0	2
San Luis Obispo	1,127	456	43	38.2	19
San Mateo	2,860	1,304	56	18.9	41
Burlingame	324	116	7	21.6	2
Redwood City	425	123	11	25.9	7
San Mateo	619	413	8	12.9	9
Balance of county	1,592	652	30	18.8	23
Santa Barbara	1,855	893	67	36.2	28
Santa Barbara	775	454	24	31.0	15
Balance of county	1,078	438	43	39.9	13
Santa Clara	4,100	2,532	147	35.9	73
Palo Alto	443	237	6	13.5	5
San Jose	1,886	726	66	35.0	31
Balance of county	1,771	1,569	75	42.3	37
Santa Cruz	912	731	46	50.4	10
Santa Cruz	337	320	21	62.3	2
Balance of county	575	411	25	43.5	8
Shasta	533	283	25	46.9	8
Sierra	31	28	-	0	1
Siskiyou	506	283	16	31.6	4
Solano	2,706	732	89	32.9	42
Vallejo	2,039	338	46	22.6	30
Balance of county	667	396	43	64.5	12
Sonoma	1,508	1,040	52	34.5	28
Santa Rosa	527	224	16	30.4	3
Balance of county	981	816	36	36.7	25
Stanislaus	2,068	887	92	44.5	43
Modesto	667	394	34	51.0	13
Balance of county	1,401	493	58	41.4	30
Sutter	413	168	13	31.5	6
Tehama	265	210	13	49.1	6
Trinity	27	38	1	37.0	-
Tulare	2,819	997	122	43.3	63
Tuolumne	109	130	2	18.3	4
Ventura	1,885	926	97	51.5	41
San Buenaventura	443	124	19	42.9	11
Balance of county	1,440	802	78	54.2	30
Yolo	648	307	20	30.9	11
Yuba	513	249	18	35.1	6
COLORADO (total)	23,831	12,258	1,183	49.4	528
Adams	468	187	24	51.3	13
Alamosa	245	75	15	61.2	7
Arapahoe	874	320	20	22.9	14
Archuleta	59	27	1	16.9	1
Baca	158	53	8	51.3	3
Bent	154	106	4	26.0	5
Boulder	697	400	26	37.3	10
Boulder	307	209	12	39.1	5
Balance of county	390	191	14	35.9	5
Chaffee	140	87	6	42.9	3
Cheyenne	60	22	3	50.0	-
Clear Creek	49	32	-	0	2
Conejos	211	101	32	151.7	4
Costilla	109	39	5	45.9	2
Crowley	127	43	3	23.6	4
Custer	26	14	1	38.5	1
Delta	311	173	18	57.9	8
Denver, coextensive with Denver (city)	7,533	4,027	306	40.6	166
Dolores	47	19	1	21.3	1
Douglas	53	31	2	37.7	2
Eagle	119	39	5	42.0	4
Elbert	62	36	-	0	-
El Paso	1,183	866	59	49.9	28
Colorado Springs	1,010	755	56	55.4	24
Balance of county	173	111	3	17.3	4
Fremont	276	244	11	39.9	7
Garfield	190	106	9	47.4	2
Gilpin	10	9	1	100.0	1
Grand	84	22	2	31.3	1
Gunnison	98	51	5	51.0	2
Hinsdale	2	4	-	0	-
Huerfano	251	156	33	131.5	7
Jackson	39	6	-	0	1

[2] Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
COLORADO—Continued					
Jefferson	689	306	24	34.8	9
Kiowa	48	27	1	20.8	2
Kit Carson	147	71	10	68.0	5
Lake	133	78	16	120.3	3
La Plata	301	134	17	56.5	12
Larimer	639	356	21	32.9	9
Fort Collins	269	122	10	37.2	1
Balance of county	370	234	11	29.7	8
Las Animas	602	340	57	94.7	18
Trinidad	328	211	35	106.7	8
Balance of county	274	129	22	80.3	10
Lincoln	117	38	4	34.2	1
Logan	392	133	14	35.7	9
Mesa	712	349	25	35.1	15
Grand Junction	327	182	10	30.6	8
Balance of county	385	167	15	39.0	7
Mineral	12	4	-	0	-
Moffat	92	35	7	76.1	2
Montezuma	203	102	17	83.7	5
Montrose	330	140	21	63.6	2
Morgan	370	157	18	48.6	7
Otero	638	278	40	62.7	17
Ouray	26	14	-	0	2
Park	19	22	3	157.9	1
Phillips	85	45	6	63.2	1
Pitkin	28	28	-	0	-
Prowers	360	112	8	22.2	11
Pueblo	1,695	1,128	108	63.7	45
Pueblo	1,457	930	81	55.6	38
Balance of county	238	198	27	113.4	7
Rio Blanco	48	21	2	41.7	-
Rio Grande	298	146	40	134.2	5
Routt	185	77	8	43.2	4
Saguache	129	57	23	178.3	3
San Juan	22	18	3	136.4	-
San Miguel	50	24	2	40.0	2
Sedgwick	118	37	6	50.8	-
Summit	18	12	-	0	-
Teller	39	50	4	102.6	-
Washington	156	57	11	70.5	4
Weld	1,369	485	60	43.8	27
Greeley	351	223	17	48.4	5
Balance of county	1,018	262	43	42.2	22
Yuma	238	82	7	29.4	8
CONNECTICUT (total)	34,278	18,919	1,054	30.7	673
Fairfield	8,359	4,630	250	29.9	183
Bridgeport	3,041	1,633	108	35.5	77
Danbury	421	345	12	28.5	9
Norwalk	804	489	25	31.1	16
Shelton	183	92	3	16.4	3
Stamford	1,138	612	26	22.8	28
Stratford (town)	579	192	13	22.5	7
Balance of county	2,193	1,267	63	28.7	43
Hartford	9,808	4,565	277	28.2	181
Bristol	709	274	23	32.4	10
East Hartford (town)	650	204	16	24.6	12
Hartford	3,368	1,808	95	28.2	69
New Britain	1,343	602	48	35.7	33
West Hartford (town)	682	333	19	28.7	6
Balance of county	3,076	1,344	76	24.7	51
Litchfield	1,586	960	46	29.0	22
Torrington	438	268	17	38.8	7
Balance of county	1,148	692	29	25.3	15
Middlesex	1,081	831	23	21.3	11
Middletown	476	479	12	25.2	7
Balance of county	605	352	11	18.2	4
New Haven	9,011	5,297	304	33.7	173
Ansonia	318	201	14	44.0	7
Derby	162	112	4	24.7	2
Meriden	698	462	21	30.1	21
Naugatuck	323	127	7	21.7	7
New Haven	2,808	1,964	102	36.3	50
Wallingford	226	188	6	26.5	2
Waterbury	1,856	1,012	90	48.5	43
West Haven (town)	550	285	13	23.6	8
Balance of county	2,070	946	47	22.7	33
New London	2,801	1,678	97	34.6	63
New London	677	395	16	23.6	21
Norwich	613	397	22	35.9	15
Balance of county	1,511	886	59	39.0	27
Tolland	599	330	19	31.7	14
Windham	1,033	628	38	36.8	26
Willimantic	251	164	16	63.7	6
Balance of county	782	464	22	28.1	20

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
DELAWARE (total)	5,993	3,345	292	48.7	149
Kent	721	516	31	43.0	13
White	561	393	16	28.5	11
Nonwhite	160	123	15	93.8	2
New Castle	4,114	2,218	194	47.2	106
White	3,631	1,856	164	45.2	80
Nonwhite	483	362	30	62.1	26
Wilmington	2,512	1,469	122	48.8	75
White	1,987	1,214	100	50.3	53
Nonwhite	525	255	22	67.7	22
Balance of county	1,802	749	72	40.0	31
Sussex	1,158	611	67	57.9	30
White	910	469	40	44.0	22
Nonwhite	248	142	27	108.9	8
DISTRICT OF COLUMBIA (total)	15,758	8,223	706	44.8	463
Washington	15,758	8,223	706	44.8	463
White	10,443	5,258	347	33.2	252
Nonwhite	5,315	2,965	359	67.5	211
FLORIDA (total)	48,418	23,500	2,202	45.5	1,590
Alachua	903	470	52	57.6	36
White	543	228	17	31.3	15
Nonwhite	360	244	35	97.2	21
Gainesville	383	192	29	75.7	16
White	266	104	11	41.4	9
Nonwhite	117	88	18	153.8	7
Balance of county	520	278	23	44.2	20
White	277	122	6	21.7	6
Nonwhite	243	156	17	70.0	14
Baker	154	51	8	51.9	9
White	116	37	6	51.7	7
Nonwhite	38	14	2	52.6	2
Bay	1,081	354	58	53.7	26
White	913	267	46	50.4	19
Nonwhite	168	87	12	71.4	7
Panama City	591	211	31	52.5	15
White	478	147	23	48.1	12
Nonwhite	113	64	8	70.8	3
Balance of county	490	143	27	55.1	11
White	435	120	23	52.9	7
Nonwhite	55	23	4	72.7	4
Bradford	341	98	19	55.7	14
White	254	65	13	51.2	9
Nonwhite	87	33	6	69.0	5
Brevard	423	248	22	52.0	15
White	299	174	13	43.5	8
Nonwhite	124	74	9	72.6	9
Broward	1,138	481	43	37.9	22
White	728	323	21	28.8	10
Nonwhite	408	158	22	53.9	12
Fort Lauderdale	512	235	22	43.0	11
White	382	161	11	28.8	7
Nonwhite	130	74	11	84.6	4
Balance of county	624	246	21	33.7	11
White	346	162	10	28.9	3
Nonwhite	278	84	11	39.6	8
Calhoun	272	62	8	29.4	8
White	250	51	7	28.0	6
Nonwhite	22	11	1	45.5	2
Charlotte	59	47	3	50.8	-
White	47	35	2	42.6	-
Nonwhite	12	12	1	83.3	-
Citrus	118	50	3	25.4	2
White	88	26	2	22.7	1
Nonwhite	30	24	1	33.3	1
Clay	224	190	11	49.1	8
White	169	164	9	53.3	4
Nonwhite	55	26	2	36.4	4
Collier	94	40	3	31.9	5
White	75	22	3	40.0	3
Nonwhite	19	18	-	0	2
Columbia	468	220	29	62.0	24
White	309	123	15	48.5	13
Nonwhite	159	97	14	88.1	11
Dade	6,465	3,108	228	35.3	169
White	5,286	2,521	159	30.1	94
Nonwhite	1,179	587	69	58.5	75
Miami	4,242	2,026	148	34.9	118
White	3,425	1,592	98	28.6	83
Nonwhite	817	434	50	61.2	35
Miami Beach	540	293	17	31.5	9
Balance of county	1,683	789	63	37.4	42
White	1,321	637	44	33.3	22
Nonwhite	362	152	19	52.5	20
De Soto	218	109	13	59.6	14
White	174	74	9	51.7	12
Nonwhite	44	35	4	90.9	2

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
FLORIDA—Continued					
Dixie	162	63	12	74.1	3
White	121	32	5	41.3	-
Nonwhite	41	31	7	170.7	3
Duval	5,926	2,851	289	48.8	202
White	4,308	1,727	184	42.7	99
Nonwhite	1,618	1,124	105	64.9	103
Jacksonville	4,809	2,362	248	51.6	163
White	3,391	1,318	154	45.4	70
Nonwhite	1,418	1,044	94	66.3	93
Balance of county	1,117	489	41	36.7	39
White	917	409	30	32.7	29
Nonwhite	200	80	11	55.0	10
Escambia	2,868	958	151	52.6	84
White	2,334	669	110	47.1	50
Nonwhite	534	289	41	76.8	34
Pensacola	1,511	580	93	61.5	49
White	1,129	355	60	53.1	20
Nonwhite	382	225	33	86.4	29
Balance of county	1,357	378	58	42.7	35
White	1,205	314	50	41.5	30
Nonwhite	152	64	8	52.6	5
Flagler	59	38	3	76.9	3
White	14	18	-	0	1
Nonwhite	25	20	3	120.0	2
Franklin	188	69	9	47.9	1
White	140	38	2	14.3	1
Nonwhite	48	31	7	145.8	-
Gadsden	692	734	46	66.5	31
White	237	350	13	54.9	7
Nonwhite	455	384	33	72.5	24
Gilchrist	88	27	3	34.1	2
White	75	24	2	28.7	2
Nonwhite	13	3	1	76.9	-
Glades	45	15	-	0	1
White	31	10	-	0	-
Nonwhite	14	5	-	0	1
Gulf	231	52	11	47.6	3
White	172	26	7	40.7	1
Nonwhite	59	26	4	67.8	2
Hamilton	229	97	11	48.0	15
White	125	54	5	40.0	6
Nonwhite	104	43	6	57.7	9
Hardee	205	99	9	43.9	3
Hendry	117	43	10	85.5	4
White	90	24	5	55.6	3
Nonwhite	27	19	5	185.2	1
Hernando	131	57	5	38.2	7
White	98	43	5	52.1	6
Nonwhite	33	14	-	0	1
Highlands	298	171	17	57.0	10
White	208	135	12	57.7	9
Nonwhite	90	36	5	55.6	1
Hillsborough	4,991	2,257	219	43.9	144
White	4,269	1,768	169	39.6	103
Nonwhite	722	489	50	69.3	41
Tampa	2,853	1,349	125	43.8	92
White	2,326	967	84	36.1	60
Nonwhite	527	382	41	77.8	32
Balance of county	2,138	908	94	44.0	52
White	1,943	801	85	43.7	43
Nonwhite	195	107	9	46.2	9
Holmes	428	102	20	46.7	14
Indian River	212	100	9	42.5	14
White	159	77	5	31.4	9
Nonwhite	53	23	4	75.5	5
Jackson	981	274	30	30.6	29
White	631	153	19	30.1	17
Nonwhite	350	121	11	31.4	12
Jefferson	271	114	9	33.2	14
White	74	34	1	13.5	1
Nonwhite	197	80	8	40.6	13
Lafayette	94	28	2	21.3	5
Lake	580	346	24	41.4	23
White	437	257	13	29.7	15
Nonwhite	143	89	11	76.9	8
Lee	433	238	29	67.0	29
White	350	179	21	60.0	19
Nonwhite	83	59	8	96.4	10
Fort Myers	308	159	24	77.9	19
White	236	112	17	72.0	10
Nonwhite	72	47	7	97.2	9
Balance of county	125	79	5	40.0	10
White	114	67	4	35.1	9
Nonwhite	11	12	1	90.9	1
Leon	908	323	39	43.0	29
White	431	155	18	41.8	8
Nonwhite	475	168	21	44.2	21
Tallahassee	517	182	26	50.3	13
White	311	97	16	51.4	6
Nonwhite	206	85	10	48.5	7
Balance of county	389	141	13	33.4	16
White	120	58	2	16.7	2
Nonwhite	269	83	11	40.9	14
Levy	229	116	11	48.0	12
White	152	81	5	32.9	4
Nonwhite	77	55	6	77.9	8
Liberty	83	31	5	60.2	2
White	64	24	3	46.9	2
Nonwhite	19	7	2	105.3	-
Madison	381	156	19	49.9	15
White	160	71	10	62.5	7
Nonwhite	221	85	9	40.7	8
Manatee	555	264	21	37.8	13
White	372	198	9	24.2	10
Nonwhite	183	66	12	65.6	3
Marion	718	360	27	37.6	30
White	374	183	11	29.4	13
Nonwhite	344	177	16	46.5	7
Martin	86	62	5	58.1	3
White	53	47	4	75.5	1
Nonwhite	33	15	1	30.3	2
Monroe	309	268	16	51.8	14
White	250	219	12	48.0	10
Nonwhite	59	49	4	67.8	4
Key West	300	244	16	53.3	13
White	241	197	12	49.8	9
Nonwhite	59	47	4	67.8	4
Balance of county	9	24	-	0	1
White	9	22	-	0	1
Nonwhite	-	2	-	0	-
Nassau	253	121	12	47.4	13
White	172	64	7	40.7	6
Nonwhite	81	57	5	61.7	7
Okaloosa	428	167	30	70.1	15
Okeechobee	66	32	1	15.2	1
White	56	29	1	17.9	1
Nonwhite	10	3	-	0	-
Orange	1,738	877	72	41.4	60
White	1,325	653	43	32.5	28
Nonwhite	413	224	29	70.2	32
Orlando	955	531	53	55.5	36
White	726	390	31	42.7	19
Nonwhite	229	141	22	96.1	17
Balance of county	783	346	19	24.3	24
White	599	263	12	20.0	9
Nonwhite	184	83	7	38.0	15
Osceola	150	158	13	86.7	8
White	118	132	9	76.3	5
Nonwhite	32	26	4	125.0	3
Palm Beach	1,733	958	90	51.9	57
White	1,100	611	38	34.5	20
Nonwhite	633	347	52	82.1	37
West Palm Beach	763	439	30	39.3	20
White	560	280	18	32.1	10
Nonwhite	203	159	12	59.1	10
Balance of county	970	519	60	61.9	37
White	540	331	20	37.0	10
Nonwhite	430	188	40	93.0	27
Pasco	323	178	19	58.8	10
White	271	142	14	51.7	5
Nonwhite	52	36	5	96.2	5
Pinellas	1,827	1,481	74	40.5	49
White	1,555	1,313	61	39.2	34
Nonwhite	272	168	13	47.8	15
Clearwater	298	131	15	50.3	6
White	252	108	11	43.7	4
Nonwhite	46	23	4	87.0	2
St. Petersburg	1,161	1,078	45	38.8	38
White	972	960	37	38.1	25
Nonwhite	189	118	8	42.3	13
Balance of county	368	272	14	38.0	5
Polk	2,207	993	105	47.6	74
White	1,718	757	64	37.3	55
Nonwhite	489	236	41	83.8	19
Lakeland	582	309	32	55.0	25
White	460	245	25	54.3	18
Nonwhite	122	64	7	57.4	7
Balance of county	1,625	684	73	44.9	49
White	1,258	518	39	31.0	37
Nonwhite	367	172	34	92.6	12
Putnam	319	243	18	56.4	14
White	178	135	7	39.3	6
Nonwhite	141	108	11	78.0	8

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
FLORIDA—Continued					
St. Johns	387	236	14	36.2	14
White	232	136	5	21.6	5
Nonwhite	155	100	9	58.1	9
St. Augustine	252	161	10	39.7	7
White	174	104	4	23.0	3
Nonwhite	78	57	6	76.9	4
Balance of county	135	75	4	29.6	7
White	58	32	1	17.2	2
Nonwhite	77	43	3	39.0	5
St. Lucie	338	125	13	38.5	9
White	200	80	7	35.0	3
Nonwhite	138	45	6	43.5	6
Santa Rosa	437	141	15	34.3	17
White	393	114	13	33.1	14
Nonwhite	44	27	2	45.5	3
Sarasota	323	259	16	49.5	13
White	248	216	10	40.3	7
Nonwhite	75	43	6	80.0	6
Sarasota	242	198	12	49.6	13
White	178	157	6	33.7	7
Nonwhite	64	41	6	93.8	6
Balance of county	81	61	4	49.4	-
White	70	59	4	57.1	-
Nonwhite	11	2	-	0	-
Seminole	498	243	17	34.1	14
White	262	140	5	19.1	5
Nonwhite	236	103	12	50.8	9
Sanford	249	111	7	28.1	10
White	145	50	1	6.9	5
Nonwhite	104	61	6	57.7	5
Balance of county	249	132	10	40.2	4
White	117	90	4	34.2	-
Nonwhite	132	42	6	45.5	4
Sumter	265	95	12	45.3	11
White	185	56	7	37.8	6
Nonwhite	80	39	5	62.5	5
Suwannee	448	161	21	46.9	17
White	308	78	8	26.0	7
Nonwhite	140	83	13	92.9	10
Taylor	229	101	10	43.7	2
White	170	68	8	47.1	2
Nonwhite	59	33	2	33.9	-
Union	125	71	2	16.0	8
White	103	50	2	19.4	7
Nonwhite	22	21	-	0	1
Volusia	1,030	747	45	43.7	39
White	760	535	20	26.3	14
Nonwhite	270	212	25	92.6	25
Daytona Beach	479	341	22	45.9	8
White	357	232	11	30.8	5
Nonwhite	122	109	11	90.2	3
Balance of county	551	406	23	41.7	31
White	403	303	9	22.3	9
Nonwhite	148	103	14	94.6	22
Wakulla	115	39	4	34.8	8
White	71	18	2	28.2	3
Nonwhite	44	21	2	45.5	5
Walton	365	133	20	54.8	10
White	325	119	17	52.3	9
Nonwhite	40	14	3	75.0	1
Washington	382	100	18	47.1	15
White	312	81	12	38.5	13
Nonwhite	70	19	6	85.7	3
GEORGIA (total)	76,540	29,401	3,407	44.5	2,521
Appling	335	77	9	26.9	14
White	271	49	6	22.1	7
Nonwhite	64	28	3	46.9	7
Atkinson	193	27	2	10.4	4
White	147	14	2	13.6	4
Nonwhite	46	13	-	0	-
Bacon	281	72	10	35.6	5
White	249	60	8	32.1	4
Nonwhite	32	12	2	62.5	1
Baker	164	45	8	48.8	3
White	50	19	2	40.0	1
Nonwhite	114	26	6	52.6	2
Baldwin	353	932	12	34.0	8
White	148	494	8	54.1	1
Nonwhite	205	438	4	19.5	7
Banks	143	42	6	42.0	4
Barrow	239	131	16	66.9	6
White	185	109	8	43.2	1
Nonwhite	54	22	8	148.1	5
Bartow	653	219	33	50.5	26
White	549	171	28	51.0	17
Nonwhite	104	48	5	48.1	9

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
GEORGIA—Continued					
Ben Hill	371	146	17	45.8	7
White	225	81	9	40.0	2
Nonwhite	146	65	8	54.8	5
Berrien	361	79	10	27.7	7
White	316	68	8	25.3	7
Nonwhite	45	11	2	44.4	-
Bibb	2,563	1,123	123	48.0	103
White	1,678	598	60	35.8	39
Nonwhite	885	525	63	71.2	64
Macon	2,111	868	96	45.5	94
White	1,368	433	43	31.4	37
Nonwhite	743	435	53	71.3	57
Balance of county	452	255	27	59.7	9
White	310	165	17	54.8	2
Nonwhite	142	90	10	70.4	7
Bleckley	226	81	12	53.1	6
White	126	45	6	47.6	4
Nonwhite	100	36	6	60.0	2
Brantley	210	49	8	38.1	7
White	187	41	8	42.8	6
Nonwhite	23	8	-	0	1
Brooks	503	161	17	33.8	23
White	207	67	7	33.8	7
Nonwhite	296	94	10	33.8	16
Bryan	152	63	11	72.4	4
White	83	34	2	24.1	2
Nonwhite	69	29	9	130.4	2
Bulloch	596	186	30	50.3	21
White	320	99	14	43.9	4
Nonwhite	276	87	16	58.0	17
Burke	641	237	28	43.7	34
White	128	70	11	85.9	1
Nonwhite	513	167	17	33.1	33
Butts	185	111	7	37.8	8
White	77	50	1	13.0	2
Nonwhite	108	61	6	55.6	6
Calhoun	261	91	11	42.1	12
White	55	28	1	18.2	-
Nonwhite	206	63	10	48.5	12
Camden	173	69	7	40.5	10
White	63	23	2	31.7	1
Nonwhite	110	46	5	45.5	9
Candler	152	51	5	32.9	1
White	101	36	5	49.5	-
Nonwhite	51	15	-	0	1
Carroll	677	277	37	54.7	30
White	497	200	22	44.3	16
Nonwhite	180	77	15	83.3	14
Catoosa	274	80	11	40.1	4
Charlton	109	38	7	64.2	2
White	74	23	3	40.5	2
Nonwhite	35	15	4	114.3	-
Chatham	3,745	1,834	177	47.3	144
White	2,411	863	81	33.6	53
Nonwhite	1,334	971	96	72.0	91
Savannah	3,091	1,456	141	45.6	124
White	1,970	631	58	29.4	45
Nonwhite	1,121	825	83	74.0	79
Balance of county	654	378	36	55.0	20
White	441	232	23	52.2	8
Nonwhite	213	146	13	61.0	12
Chattahoochee	112	88	2	17.9	5
White	89	66	2	22.5	1
Nonwhite	23	22	-	0	4
Chattooga	441	91	10	22.7	7
Cherokee	452	145	25	55.3	8
Clarke	669	298	33	49.3	28
White	457	173	22	48.1	12
Nonwhite	212	125	11	51.9	16
Athens	489	251	25	51.1	22
White	357	148	18	50.4	8
Nonwhite	132	103	7	53.0	14
Balance of county	180	47	8	44.4	6
White	100	25	4	40.0	4
Nonwhite	80	22	4	50.0	2
Clay	214	53	15	70.1	12
White	45	16	3	66.7	-
Nonwhite	169	37	12	71.0	12
Clayton	268	82	9	33.6	9
White	180	42	4	22.2	7
Nonwhite	88	40	5	56.8	2
Clinch	132	31	1	7.6	1
White	67	13	-	0	-
Nonwhite	65	18	1	15.4	1
Cobb	1,085	335	39	35.9	29
White	978	258	31	31.7	28
Nonwhite	107	77	8	74.8	1
Coffee	668	187	34	50.9	26
White	495	125	23	46.5	18
Nonwhite	173	62	11	63.6	8

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
GEORGIA—Continued					
Colquitt	1,033	293	40	38.7	25
White	795	199	28	35.2	16
Nonwhite	238	94	12	50.4	9
Moultrie	428	138	14	32.7	13
White	316	68	7	22.2	9
Nonwhite	112	70	7	62.5	4
Balance of county	605	155	26	43.0	12
White	479	131	21	43.8	7
Nonwhite	126	24	5	39.7	5
Columbia	233	72	9	38.6	8
White	88	23	-	0	-
Nonwhite	145	49	9	62.1	8
Cook	257	89	12	46.7	11
White	195	55	6	30.8	6
Nonwhite	62	34	6	96.8	5
Coweta	534	177	5	9.4	11
White	285	87	4	14.0	4
Nonwhite	249	90	1	4.0	7
Crawford	170	62	7	41.2	8
White	59	24	2	33.9	1
Nonwhite	111	38	5	45.0	7
Crisp	430	199	26	60.5	21
White	210	87	9	42.9	6
Nonwhite	220	112	17	77.3	15
Dade	151	35	3	19.9	4
Dawson	72	11	1	13.9	1
Decatur	707	268	30	42.4	34
White	414	120	10	24.2	12
Nonwhite	293	148	20	68.3	22
De Kalb	2,031	782	84	41.4	68
White	1,685	614	52	30.9	49
Nonwhite	346	168	32	92.5	14
Atlanta (part)	737	220	22	(3)	20
White	678	192	19	(3)	19
Nonwhite	59	28	3	(3)	1
Decatur	471	182	22	46.7	11
White	373	126	9	24.1	5
Nonwhite	98	56	13	132.7	6
Balance of county	823	380	40	48.6	32
White	634	296	24	37.9	25
Nonwhite	189	84	16	84.7	7
Dodge	461	105	11	23.9	10
White	298	77	9	30.2	6
Nonwhite	163	28	2	12.3	4
Dooly	366	117	14	38.3	21
White	137	53	3	21.9	6
Nonwhite	229	64	11	48.0	15
Dougherty	882	370	29	32.9	21
White	501	147	11	22.0	9
Nonwhite	381	223	18	47.2	12
Albany	723	280	23	31.8	18
White	446	109	9	20.2	8
Nonwhite	277	171	14	50.5	10
Balance of county	159	90	6	37.7	3
White	55	38	2	36.4	1
Nonwhite	104	52	4	38.5	2
Douglas	194	58	5	25.8	5
White	151	40	2	13.2	4
Nonwhite	43	18	3	69.8	1
Early	508	138	16	31.5	13
White	202	59	4	19.8	2
Nonwhite	306	79	12	39.2	11
Echols	61	11	-	0	1
White	33	6	-	0	-
Nonwhite	28	5	-	0	1
Effingham	251	80	13	51.8	13
White	135	44	5	37.0	2
Nonwhite	116	36	8	69.0	11
Elbert	437	162	21	48.1	8
White	242	91	14	57.9	1
Nonwhite	195	71	7	35.9	7
Emanuel	476	163	25	52.5	15
White	280	83	12	42.9	6
Nonwhite	196	80	13	66.3	9
Evans	195	51	5	25.6	6
White	107	31	1	9.3	1
Nonwhite	88	20	4	45.5	5
Fannin	358	111	20	55.9	7
Fayette	142	58	4	28.2	4
White	75	37	2	26.7	1
Nonwhite	67	21	2	29.9	3
Floyd	1,254	482	74	58.5	32
White	1,076	358	54	50.2	24
Nonwhite	188	124	20	106.4	8
Rome	723	292	39	53.9	17
White	610	208	27	44.3	11
Nonwhite	113	84	12	106.2	6
Balance of county	541	190	35	64.7	15
White	466	150	27	57.9	13
Nonwhite	75	40	8	106.7	2
Forsyth	237	31	7	29.5	4
Franklin	350	93	7	20.0	6
White	308	75	6	19.5	3
Nonwhite	42	18	1	23.8	3
Fulton	8,692	4,308	435	50.0	262
White	6,190	2,512	241	38.9	140
Nonwhite	2,502	1,796	194	77.5	122
Atlanta (part)[4]	6,481	3,279	309	(3)	225
White[4]	4,355	1,725	146	(3)	113
Nonwhite[4]	2,126	1,554	163	(3)	112
Atlanta (total)[4]	7,218	3,499	331	45.9	245
White[4]	5,033	1,917	165	32.8	132
Nonwhite[4]	2,185	1,582	166	76.0	113
District 1511, Center Hill[4]				0	
White[4]				0	
Nonwhite[4]				0	
East Point	319	101	16	50.2	6
White	274	77	11	40.1	5
Nonwhite	45	24	5	111.1	1
Balance of county	1,892	926	110	58.1	31
White	1,561	710	84	53.8	22
Nonwhite	331	218	26	78.5	9
Gilmer	265	60	9	34.0	6
Glascock	103	22	2	19.4	1
White	77	13	-	0	1
Nonwhite	26	9	2	76.9	-
Glynn	1,160	392	79	68.1	39
White	880	189	42	47.7	21
Nonwhite	280	203	37	132.1	18
Brunswick	912	312	63	69.1	33
White	690	148	34	49.3	19
Nonwhite	222	164	29	130.6	14
Balance of county	248	80	16	64.5	6
White	190	41	8	42.1	2
Nonwhite	58	39	8	137.9	4
Gordon	404	102	16	39.6	7
Grady	487	164	22	45.2	20
White	292	101	13	44.5	9
Nonwhite	195	63	9	46.2	11
Greene	291	139	10	34.4	5
White	102	59	4	39.2	-
Nonwhite	189	80	6	31.7	5
Gwinnett	583	189	18	30.9	10
White	501	169	17	33.9	9
Nonwhite	82	20	1	12.2	1
Habersham	345	116	12	34.8	13
Hall	745	258	43	57.7	24
Gainesville	288	115	20	69.4	11
White	232	85	16	69.0	8
Nonwhite	56	30	4	71.4	3
Balance of county	457	143	23	50.3	13
Hancock	304	86	9	29.6	16
White	45	20	-	0	-
Nonwhite	259	66	9	34.7	16
Haralson	272	70	7	25.7	4
White	244	61	5	20.5	4
Nonwhite	28	9	2	71.4	-
Harris	225	100	6	26.7	7
White	59	42	1	16.9	2
Nonwhite	166	58	5	30.1	5
Hart	238	110	15	63.0	9
White	171	73	8	46.8	1
Nonwhite	67	32	7	104.6	8
Heard	122	63	10	82.0	7
White	83	43	7	84.3	5
Nonwhite	39	20	3	76.9	2
Henry	356	157	10	28.1	8
White	138	79	4	29.0	2
Nonwhite	218	78	6	27.5	6
Houston	542	114	17	31.4	11
White	316	49	8	25.3	3
Nonwhite	226	65	9	39.8	8
Irwin	322	81	10	31.1	8
White	166	45	8	48.2	2
Nonwhite	156	36	2	12.8	6

[3] Rate not computed for part of an area.
[4] Figures for District 1511, Center Hill, are included in those for Atlanta.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
GEORGIA—Continued					
Jackson	458	116	21	45.9	11
White	372	84	14	37.6	8
Nonwhite	86	32	7	81.4	3
Jasper	168	116	15	89.3	5
White	47	41	3	63.8	2
Nonwhite	121	75	12	99.2	3
Jeff Davis	247	53	9	36.4	16
White	185	42	7	37.2	14
Nonwhite	59	11	2	33.9	2
Jefferson	511	146	21	41.1	16
White	164	64	6	36.6	2
Nonwhite	347	82	15	43.2	14
Jenkins	269	118	22	81.8	8
White	118	50	9	76.3	3
Nonwhite	151	68	13	86.1	5
Johnson	280	68	6	21.4	4
White	170	40	5	29.4	4
Nonwhite	110	28	1	9.1	-
Jones	174	73	5	28.7	9
White	59	22	-	0	-
Nonwhite	115	51	5	43.5	9
Lamar	225	104	11	48.9	12
White	69	54	3	33.7	1
Nonwhite	156	50	8	58.8	11
Lanier	88	41	3	34.1	2
White	58	16	-	0	1
Nonwhite	30	25	3	100.0	1
Laurens	813	327	36	44.3	24
White	440	171	14	31.8	7
Nonwhite	373	156	22	59.0	17
Lee	211	86	14	66.4	9
White	52	18	-	0	-
Nonwhite	159	69	14	88.1	9
Liberty	261	103	12	46.0	7
White	107	57	3	28.0	1
Nonwhite	154	46	9	58.4	6
Lincoln	148	21	4	27.0	2
White	57	9	1	17.5	2
Nonwhite	91	12	3	33.0	-
Long	76	28	1	13.2	4
White	47	14	-	0	1
Nonwhite	29	14	1	34.5	3
Lowndes	965	325	39	40.4	23
White	571	170	18	31.5	11
Nonwhite	394	155	21	53.3	12
Valdosta	563	195	17	30.2	15
White	356	90	6	16.9	7
Nonwhite	207	105	11	53.1	8
Balance of county	402	130	22	54.7	8
White	215	80	12	55.8	4
Nonwhite	187	50	10	53.5	4
Lumpkin	158	27	2	12.7	2
McDuffie	260	78	6	23.1	12
White	114	32	-	0	2
Nonwhite	146	46	6	41.1	10
McIntosh	156	75	9	57.7	11
White	82	22	1	16.1	1
Nonwhite	94	53	8	85.1	10
Macon	411	174	18	43.8	12
White	121	46	3	24.8	5
Nonwhite	290	128	15	51.7	7
Madison	276	102	16	58.0	5
White	203	73	14	69.0	5
Nonwhite	73	29	2	27.4	-
Marion	202	76	11	54.5	11
White	58	31	3	51.7	4
Nonwhite	144	45	8	55.6	7
Meriwether	548	196	26	47.4	27
White	198	69	4	20.2	3
Nonwhite	350	127	22	62.9	24
Miller	196	75	10	51.0	7
White	104	51	4	38.5	2
Nonwhite	92	24	6	65.2	5
Mitchell	609	216	39	64.0	17
White	264	89	5	18.9	6
Nonwhite	345	127	34	98.6	11
Monroe	265	117	11	41.8	6
White	90	55	4	44.4	1
Nonwhite	145	62	7	48.3	5
Montgomery	177	62	7	39.5	2
White	83	37	3	36.1	1
Nonwhite	94	25	4	42.6	1
Morgan	276	117	12	43.5	13
White	89	42	4	44.9	1
Nonwhite	187	75	8	42.8	12
Murray	232	74	10	43.1	6
Muscogee	2,764	804	117	42.3	95
White	2,103	465	72	34.2	66
Nonwhite	661	339	45	68.1	29
Columbus	2,372	657	89	37.5	83
White	1,852	375	58	31.3	61
Nonwhite	520	282	31	50.0	22
Balance of county	392	147	28	71.4	12
White	251	90	14	55.8	5
Nonwhite	141	57	14	99.3	7
Newton	501	187	27	53.9	19
White	304	87	10	32.9	8
Nonwhite	197	100	17	86.3	11
Oconee	132	45	7	53.0	2
White	89	23	3	33.7	1
Nonwhite	43	22	4	93.0	1
Oglethorpe	313	100	17	54.3	8
White	150	43	8	53.3	1
Nonwhite	163	57	9	55.2	7
Paulding	240	79	7	29.2	11
White	213	69	5	23.5	9
Nonwhite	27	10	2	74.1	2
Peach	288	123	14	48.6	9
White	108	35	4	37.0	2
Nonwhite	180	88	10	55.6	7
Pickens	178	77	13	73.0	2
Pierce	338	112	10	29.6	14
White	257	73	7	27.2	11
Nonwhite	81	39	3	37.0	3
Pike	243	87	8	32.9	4
White	103	44	4	38.8	1
Nonwhite	140	43	4	28.6	3
Polk	615	191	28	45.5	18
White	520	142	19	36.5	13
Nonwhite	95	49	9	94.7	5
Pulaski	231	79	10	43.3	15
White	103	43	3	29.1	1
Nonwhite	128	36	7	54.7	14
Putnam	159	95	12	75.5	7
White	50	40	1	20.0	1
Nonwhite	109	55	11	100.9	6
Quitman	86	26	7	81.4	7
White	19	6	3	157.9	1
Nonwhite	67	22	4	59.7	6
Rabun	204	21	1	4.9	4
Randolph	428	149	16	37.4	18
White	97	50	4	41.2	-
Nonwhite	331	99	12	36.3	18
Richmond	2,178	1,092	99	45.5	63
White	1,357	543	45	33.2	29
Nonwhite	821	549	54	65.8	34
Augusta	1,685	897	76	45.1	49
White	1,000	433	31	31.0	23
Nonwhite	685	464	45	65.7	26
Balance of county	493	195	23	46.7	14
White	357	110	14	39.2	6
Nonwhite	136	85	9	66.2	8
Rockdale	176	52	5	28.4	8
White	105	32	2	19.0	4
Nonwhite	71	20	3	42.3	4
Schley	117	30	1	8.5	5
White	34	10	-	0	1
Nonwhite	83	20	1	12.0	4
Screven	464	128	23	49.6	22
White	166	43	5	30.1	6
Nonwhite	298	85	18	60.4	16
Seminole	113	75	7	61.9	3
White	43	53	4	93.0	2
Nonwhite	70	22	3	42.9	1
Spalding	596	286	37	62.1	27
White	394	174	20	50.8	11
Nonwhite	202	112	17	84.2	16
Griffin	366	183	22	60.1	20
White	243	104	11	45.3	7
Nonwhite	123	79	11	89.4	13
Balance of county	230	103	15	65.2	7
White	151	70	9	59.6	4
Nonwhite	79	33	6	75.9	3
Stephens	391	46	4	10.2	9
White	332	32	4	12.0	7
Nonwhite	59	14	-	0	2
Stewart	233	97	8	34.3	7
White	50	33	2	40.0	1
Nonwhite	183	64	6	32.8	6
Sumter	560	289	39	69.6	24
White	210	103	7	33.3	5
Nonwhite	350	186	32	91.4	19
Talbot	182	75	10	54.9	8
White	39	25	1	25.6	1
Nonwhite	143	50	9	62.9	7

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
GEORGIA—Continued					
Taliaferro	94	46	7	74.5	4
White	25	14	2	80.0	1
Nonwhite	69	32	5	72.5	3
Tattnall	278	114	9	32.4	11
White	218	55	5	22.9	3
Nonwhite	60	59	4	66.7	8
Taylor	233	60	7	30.0	10
White	110	32	5	45.5	5
Nonwhite	123	28	2	16.3	5
Telfair	266	111	10	37.6	8
White	175	70	8	45.7	2
Nonwhite	91	41	2	22.0	6
Terrell	386	180	26	67.4	13
White	64	41	2	31.3	-
Nonwhite	322	139	24	74.5	13
Thomas	840	311	29	34.5	33
White	502	139	13	25.9	12
Nonwhite	338	172	16	47.3	21
Thomasville	386	168	13	33.7	10
White	254	66	6	23.6	4
Nonwhite	132	102	7	53.0	6
Balance of county	454	143	16	35.2	23
White	248	73	7	28.2	8
Nonwhite	206	70	9	43.7	15
Tift	501	181	28	55.9	17
White	335	98	16	47.8	9
Nonwhite	166	83	12	72.3	8
Toombs	415	113	11	26.5	13
White	295	81	8	27.1	9
Nonwhite	120	32	3	25.0	4
Towns	89	11	1	11.2	4
Treutlen	139	51	4	28.8	7
White	95	39	3	31.6	5
Nonwhite	44	12	1	22.7	2
Troup	1,055	439	53	50.2	45
White	675	216	21	31.1	21
Nonwhite	380	223	32	84.2	24
La Grange	506	202	24	47.4	22
White	372	109	11	29.6	14
Nonwhite	134	93	13	97.0	8
Balance of county	549	237	29	52.8	23
White	303	107	10	33.0	7
Nonwhite	246	130	19	77.2	16
Turner	169	75	12	63.5	8
White	110	32	2	18.2	3
Nonwhite	79	43	10	126.6	5
Twiggs	205	77	12	58.5	11
White	56	37	4	71.4	3
Nonwhite	149	40	8	53.7	8
Union	178	28	8	44.9	5
Upson	595	186	27	45.4	11
White	413	123	18	43.7	3
Nonwhite	182	63	9	49.5	8
Walker	764	191	27	35.3	14
Walton	506	201	27	53.4	12
White	311	132	17	54.7	4
Nonwhite	195	69	10	51.3	8
Ware	808	305	27	33.4	32
White	627	191	21	33.5	21
Nonwhite	181	114	6	33.1	11
Waycross	539	222	19	35.3	26
White	381	126	15	39.4	16
Nonwhite	158	96	4	25.3	10
Balance of county	269	83	8	29.7	6
White	246	65	6	24.4	5
Nonwhite	23	18	2	87.0	1
Warren	226	92	14	61.9	11
White	52	31	2	38.5	4
Nonwhite	174	61	12	69.0	7
Washington	598	196	30	50.2	33
White	180	80	6	33.3	4
Nonwhite	418	116	24	57.4	29
Wayne	428	123	13	30.4	15
White	334	87	9	26.9	11
Nonwhite	94	36	4	42.6	4
Webster	118	22	4	33.9	2
White	38	3	1	26.3	-
Nonwhite	80	19	3	37.5	2
Wheeler	154	49	7	45.5	7
White	99	32	4	40.4	5
Nonwhite	55	17	3	54.5	2
White	138	52	9	65.2	4
Whitfield	676	171	28	41.4	17
Dalton	372	100	18	48.4	7
White	350	83	17	48.6	7
Nonwhite	22	17	1	45.5	-
Balance of county	304	71	10	32.9	10
Wilcox	267	74	5	18.7	8
White	169	42	3	17.8	2
Nonwhite	98	32	2	20.4	6
Wilkes	339	138	18	53.1	12
White	137	57	5	36.5	4
Nonwhite	202	81	13	64.4	8
Wilkinson	243	89	17	70.0	11
White	109	40	8	73.4	2
Nonwhite	134	49	9	67.2	9
Worth	595	175	34	57.1	24
White	247	82	10	40.5	5
Nonwhite	348	93	24	69.0	19
IDAHO (total)	12,241	4,673	416	34.0	266
Ada	1,205	559	40	33.2	19
Boise City	843	404	30	35.6	15
Balance of county	362	155	10	27.6	4
Adams	77	29	2	26.0	2
Bannock	1,131	298	34	30.1	20
Pocatello	799	216	25	31.3	16
Balance of county	332	82	9	27.1	4
Bear Lake	208	76	10	48.1	3
Benewah	114	72	5	43.9	1
Bingham	546	193	14	25.6	16
Blaine	88	48	2	20.4	1
Boise	24	23	1	41.7	-
Bonner	313	148	11	35.1	8
Bonneville	647	174	24	37.1	16
Idaho Falls	373	155	18	48.3	11
Balance of county	274	39	6	21.9	5
Boundary	114	53	2	17.5	4
Butte	50	8	-	0	1
Camas	27	7	-	0	-
Canyon	1,016	411	39	38.4	23
Nampa	274	145	13	47.4	5
Balance of county	742	266	26	35.0	18
Caribou	67	15	2	29.9	1
Cassia	344	110	13	37.8	8
Clark	26	4	2	76.9	1
Clearwater	145	117	7	48.3	-
Custer	60	27	1	16.7	1
Elmore	148	65	7	47.3	5
Franklin	295	74	9	30.5	4
Fremont	243	59	4	16.5	3
Gem	190	93	4	21.1	3
Gooding	225	68	8	35.6	3
Idaho	182	117	9	49.5	-
Jefferson	263	54	2	7.6	8
Jerome	243	108	13	53.5	9
Kootenai	594	267	17	28.6	22
Coeur d'Alene	290	133	9	31.0	12
Balance of county	304	134	8	26.3	10
Latah	316	182	11	34.8	3
Lemhi	112	39	2	17.9	2
Lewis	60	40	3	50.0	-
Lincoln	89	32	2	22.5	4
Madison	221	61	13	58.8	5
Minidoka	253	69	10	39.5	7
Nez Perce	356	172	19	53.4	7
Lewiston	214	119	15	70.1	5
Balance of county	142	53	4	28.2	2
Oneida	121	33	1	8.3	4
Owyhee	129	41	5	38.8	2
Payette	191	79	6	31.4	8
Power	96	38	2	20.8	2
Shoshone	464	185	19	40.9	8
Teton	93	17	1	10.8	3
Twin Falls	861	293	29	33.7	18
Twin Falls	315	119	14	44.4	6
Balance of county	546	174	15	27.5	12
Valley	85	27	3	35.3	-
Washington	199	88	8	40.2	5
Yellowstone National Park (part)	-	-	-	(3)	-
ILLINOIS (total)	142,005	88,180	4,602	32.4	3,158
Adams	1,104	840	43	38.9	19
Quincy	771	598	34	44.1	18
Balance of county	333	242	9	27.0	1
Alexander	406	276	27	66.5	18
White	294	175	19	64.6	11
Nonwhite	112	101	8	71.4	7
Cairo	217	198	17	78.3	13
White	144	115	9	62.5	6
Nonwhite	73	83	8	109.6	7
Balance of county	189	78	10	52.9	5
White	150	60	10	66.7	5
Nonwhite	39	18	-	0	-

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
ILLINOIS—Continued					
Bond	220	149	10	45.5	5
Boone	317	199	11	34.7	6
Brown	101	85	6	59.4	6
Bureau	593	447	21	35.4	9
Calhoun	134	69	9	67.2	-
Carroll	331	214	14	42.3	5
Cass	269	179	9	33.5	4
Champaign	1,605	683	57	35.5	22
Champaign	535	240	20	37.4	8
Urbana	387	170	18	46.5	5
Balance of county	683	273	19	27.8	9
Christian	675	394	27	40.0	17
Clark	257	185	3	11.7	5
Clay	317	147	6	18.9	4
Clinton	388	196	16	41.2	2
Centralia (part)	16	5	1	(3)	-
Balance of county	372	191	15	40.3	2
Coles	704	431	29	41.2	9
Mattoon	317	201	12	37.9	6
Balance of county	387	230	17	43.9	3
Cook	72,678	44,746	2,118	29.1	1,671
Berwyn	786	423	26	33.1	15
Blue Island	356	157	12	33.7	8
Brookfield	184	99	3	16.3	5
Calumet City	252	87	10	39.7	4
Chicago	60,253	37,561	1,779	29.5	1,481
White	52,935	32,836	1,462	27.6	1,156
Nonwhite	7,318	4,725	317	43.3	275
Chicago Heights	471	226	13	27.6	13
Cicero	1,052	557	29	27.6	18
Elgin (part)	6	3	-	(3)	-
Elmwood Park	283	101	3	10.6	7
Evanston	1,195	680	32	26.8	19
Forest Park	269	182	11	40.9	5
Harvey	462	164	14	30.3	7
La Grange	257	108	4	15.6	5
Maywood	481	229	17	35.3	9
Melrose Park	329	91	12	36.5	6
Oak Park	987	704	33	33.4	22
Park Ridge	225	87	1	4.4	4
Wilmette	255	149	9	35.3	4
Winnetka	176	86	2	11.4	4
Balance of county	4,399	3,052	108	24.6	85
Crawford	318	224	7	22.0	2
Cumberland	193	94	4	20.7	3
De Kalb	684	358	16	23.4	16
De Witt	307	198	7	22.8	5
Douglas	281	178	8	28.5	2
Du Page	1,999	992	53	26.5	35
Elmhurst	287	152	13	45.3	5
Balance of county	1,712	840	40	23.4	30
Edgar	398	270	21	52.8	9
Edwards	162	112	3	18.5	3
Effingham	374	204	12	32.1	8
Fayette	452	266	26	57.5	6
Ford	241	163	7	29.0	5
Franklin	828	536	35	42.3	21
West Frankfort	200	134	10	50.0	8
Balance of county	628	402	25	39.8	13
Fulton	777	455	32	41.2	17
Canton	233	128	5	21.5	6
Balance of county	544	327	27	49.6	11
Gallatin	196	114	8	40.8	4
Greene	382	251	17	47.0	11
Grundy	417	203	9	21.6	5
Hamilton	210	125	5	23.8	5
Hancock	416	288	16	38.5	19
Hardin	177	82	14	79.1	10
Henderson	177	96	6	33.9	3
Henry	729	494	23	31.6	13
Kewanee	282	222	14	49.6	6
Balance of county	447	272	9	20.1	7
Iroquois	537	270	11	20.5	14
Jackson	636	381	37	58.2	14
Jasper	197	129	8	40.6	1
Jefferson	652	339	31	47.5	22
Mount Vernon	342	178	14	40.9	8
Balance of county	310	161	17	54.8	14
Jersey	230	144	8	34.8	7
Jo Daviess	387	264	18	46.5	6
Johnson	176	103	9	51.1	3
Section B (Counties)—Continued					
ILLINOIS—Continued					
Kane	2,411	1,768	83	34.4	52
Aurora	947	541	42	44.4	18
Elgin (part)	618	785	25	(3)	16
Elgin (total)	624	788	25	40.1	16
Balance of county	846	442	16	18.9	18
Kankakee	988	1,458	24	24.3	28
Kankakee	491	259	12	24.4	13
Balance of county	497	1,199	12	24.1	15
Kendall	190	108	2	10.5	4
Knox	682	610	34	38.5	23
Galesburg	526	354	23	43.7	16
Balance of county	356	256	11	30.9	7
Lake	2,607	1,297	70	26.9	51
Highland Park	265	115	8	30.2	7
Waukegan	753	312	23	30.5	15
Balance of county	1,589	870	39	24.5	29
La Salle	1,861	1,131	68	36.5	40
La Salle	186	136	5	26.9	11
Ottawa	344	188	11	32.0	4
Streator	321	182	12	37.4	6
Balance of county	1,010	625	40	39.6	19
Lawrence	330	230	12	36.4	9
Lee	566	506	60	106.0	13
Dixon	178	149	12	67.4	7
Balance of county	388	357	48	123.7	6
Livingston	644	385	21	32.6	12
Logan	432	369	18	41.7	7
Lincoln	177	199	13	73.4	3
Balance of county	255	170	5	19.6	4
McDonough	534	326	16	30.0	11
McHenry	726	408	14	19.3	14
McLean	1,281	816	47	36.7	22
Bloomington	596	404	26	43.6	10
Balance of county	685	412	21	30.7	12
Macon	1,755	920	53	30.2	35
Decatur	1,281	700	40	31.2	25
Balance of county	474	220	13	27.4	10
Macoupin	654	503	22	33.6	15
Madison	3,108	1,764	125	40.2	82
Alton	869	373	43	49.5	24
Granite City	483	219	21	43.5	5
Balance of county	1,756	1,172	61	34.7	53
Marion	859	453	28	32.6	23
Centralia (part)	267	157	6	(3)	4
Centralia (total)	283	162	7	24.7	4
Balance of county	592	296	22	37.2	19
Marshall	223	134	7	31.4	7
Mason	230	172	7	30.4	12
Massac	244	187	15	61.5	7
White	225	164	13	57.8	6
Nonwhite	19	23	2	105.3	1
Menard	150	128	6	40.0	1
Mercer	311	172	13	41.8	8
Monroe	204	130	5	24.5	2
Montgomery	504	362	22	43.7	12
Morgan	449	692	18	40.1	4
Jacksonville	231	552	9	39.0	2
Balance of county	218	140	9	41.3	2
Moultrie	260	125	2	7.7	3
Ogle	546	331	17	31.1	7
Peoria	2,790	1,826	88	31.5	57
Peoria	1,942	1,128	59	30.4	31
Balance of county	848	698	29	34.2	26
Perry	396	213	13	32.8	6
Piatt	261	147	6	23.0	2
Pike	354	267	11	31.1	5
Pope	104	84	6	57.7	2
Pulaski	257	177	22	85.6	11
White	159	91	11	69.2	4
Nonwhite	98	86	11	112.2	7
Putnam	92	63	2	21.7	5
Randolph	472	347	14	29.7	10
Richland	297	150	8	26.9	12
Rock Island	2,358	1,400	91	38.6	58
East Moline	209	344	6	28.7	5
Moline	673	370	24	35.7	24
Rock Island	910	496	37	40.7	19
Balance of county	566	190	24	42.4	10
St. Clair	3,298	1,843	123	37.3	93
White	2,730	1,528	88	32.2	58
Nonwhite	568	315	35	61.6	35
Belleville	625	348	24	38.4	9
East St. Louis	1,575	866	62	39.4	58
White	1,102	625	34	30.9	28
Nonwhite	473	241	28	59.2	30
Balance of county	1,098	629	37	33.7	26

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
ILLINOIS—Continued					
Saline	642	411	39	60.7	11
Harrisburg	222	135	8	36.0	4
Balance of county	420	276	31	73.8	7
Sangamon	2,123	1,337	104	49.0	42
Springfield	1,550	959	80	51.6	32
Balance of county	573	378	24	41.9	10
Schuyler	183	111	6	32.8	2
Scott	113	105	7	61.9	6
Shelby	439	301	9	20.5	8
Stark	138	105	6	43.5	4
Stephenson	730	487	26	35.6	12
Freeport	403	312	15	37.2	7
Balance of county	327	175	11	33.6	5
Tazewell	1,153	499	33	28.6	25
Pekin	344	202	17	49.4	11
Balance of county	809	297	16	19.8	14
Union	366	549	18	49.2	10
Vermilion	1,423	1,067	41	28.8	28
Danville	666	476	19	28.5	13
Balance of county	757	591	22	29.1	15
Wabash	232	150	10	43.1	7
Warren	351	217	15	42.7	12
Washington	204	151	7	34.3	10
Wayne	411	192	13	31.6	9
White	374	229	22	58.8	9
Whiteside	881	468	31	35.2	7
Sterling	228	171	14	61.4	2
Balance of county	653	297	17	26.0	5
Will	2,132	1,210	55	25.8	33
Joliet	1,274	634	33	25.9	20
Balance of county	858	576	22	25.6	13
Williamson	807	546	26	32.2	25
Winnebago	2,763	1,272	79	28.6	55
Rockford	1,897	904	53	27.9	34
Balance of county	866	368	26	30.0	21
Woodford	300	187	5	16.7	9
INDIANA (total)	71,354	39,376	2,462	34.5	1,469
Adams	443	186	7	15.8	6
Allen	3,503	1,722	100	28.5	69
Fort Wayne	2,716	1,356	78	28.7	52
Balance of county	787	366	22	28.0	17
Bartholomew	681	318	20	29.4	11
Columbus	356	178	7	19.7	3
Balance of county	325	140	13	40.2	8
Benton	213	116	5	23.5	4
Blackford	230	146	7	30.4	8
Boone	450	274	14	31.1	9
Brown	91	47	2	22.0	1
Carroll	293	187	9	30.7	5
Cass	683	660	22	32.2	15
Logansport	405	271	12	29.6	9
Balance of county	278	389	10	36.0	6
Clark	894	306	32	35.8	12
Jeffersonville	367	136	10	27.2	4
White	348	114	9	25.9	3
Nonwhite	19	22	1	52.6	1
Balance of county	527	170	22	41.7	8
Clay	403	295	15	37.2	10
Clinton	550	340	17	30.9	10
Frankfort	276	198	9	32.6	4
Balance of county	274	142	8	29.2	6
Crawford	164	105	5	30.5	5
Daviess	582	306	21	36.1	11
Dearborn	414	282	19	45.9	7
Decatur	358	253	11	30.7	7
De Kalb	501	308	21	41.9	8
Delaware	1,783	833	67	37.6	39
Muncie	1,247	575	51	40.9	29
Balance of county	536	258	16	29.9	10
Dubois	457	207	20	43.8	8
Elkhart	1,558	785	39	25.0	34
Elkhart	623	360	19	30.5	13
Goshen	267	153	6	22.5	3
Balance of county	668	272	14	21.0	18
Fayette	435	226	10	23.0	10
Connersville	332	162	8	24.1	8
Balance of county	103	64	2	19.4	2
Floyd	736	412	33	44.8	15
New Albany	558	300	27	48.4	11
Balance of county	178	112	6	33.7	4
Fountain	336	217	9	26.8	3
Franklin	245	160	15	61.2	7
Fulton	276	210	12	43.5	6
Gibson	600	299	15	25.0	12
Grant	1,156	718	54	46.7	28
Marion	644	352	26	40.4	16
Balance of county	512	366	28	54.7	12
Greene	454	330	21	46.3	6
Section B (Counties)—Continued					
INDIANA—Continued					
Hamilton	453	327	20	44.2	6
Hancock	319	218	8	25.1	11
Harrison	346	187	11	31.8	9
Hendricks	404	228	9	22.3	8
Henry	939	473	40	42.6	23
New Castle	417	181	20	48.0	9
Balance of county	522	292	20	38.3	14
Howard	1,101	548	52	47.2	24
Kokomo	809	419	44	54.4	20
Balance of county	292	129	8	27.4	4
Huntington	547	367	21	38.4	15
Huntington	268	186	9	33.6	7
Balance of county	279	181	12	43.0	8
Jackson	634	300	25	39.4	16
Jasper	344	132	8	23.3	7
Jay	443	267	19	42.9	11
Jefferson	373	402	11	29.5	2
Jennings	245	171	7	28.6	4
Johnson	498	320	16	32.1	13
Knox	888	507	41	46.2	24
Vincennes	415	246	18	43.4	7
Balance of county	473	261	23	48.6	17
Kosciusko	578	384	27	46.7	11
Lagrange	292	133	7	24.0	5
Lake	6,608	2,626	221	33.4	182
East Chicago	1,112	478	41	36.9	32
White	921	378	20	21.7	24
Nonwhite	191	100	21	109.9	8
Gary	2,700	1,107	93	34.4	82
White	2,123	801	64	30.1	53
Nonwhite	577	306	29	50.3	29
Hammond	1,284	588	41	31.9	40
Whiting	305	29	4	13.1	-
Balance of county	1,207	429	42	34.8	28
La Porte	1,341	738	45	33.6	36
La Porte	430	249	14	32.6	12
Michigan City	455	299	23	50.5	13
Balance of county	456	190	8	17.5	11
Lawrence	740	369	31	41.9	19
Bedford	298	155	16	53.7	8
Balance of county	442	214	15	33.9	11
Madison	2,044	914	77	37.7	41
Anderson	1,046	422	47	44.9	20
Elwood	268	160	11	41.0	7
Balance of county	730	332	19	26.0	14
Marion	10,073	5,850	331	32.9	164
White	9,000	4,997	287	31.9	137
Nonwhite	1,073	853	44	41.0	27
Indianapolis	9,094	5,303	299	32.9	146
White	8,031	4,483	257	32.0	119
Nonwhite	1,063	820	42	39.5	27
Balance of county	979	547	32	32.7	18
Marshall	514	284	6	11.7	5
Martin	212	68	6	28.3	8
Miami	526	315	18	34.2	7
Peru	243	145	9	37.0	6
Balance of county	283	170	9	31.8	1
Monroe	750	314	25	33.3	16
Bloomington	463	181	15	32.4	8
Balance of county	287	133	10	34.8	8
Montgomery	443	365	12	27.1	11
Crawfordsville	195	198	7	35.9	5
Balance of county	248	167	5	20.2	6
Morgan	480	242	12	27.9	7
Newton	198	132	6	30.3	2
Noble	476	299	10	21.0	8
Ohio	77	51	2	26.0	3
Orange	268	207	14	48.6	5
Owen	187	128	6	32.1	5
Parke	268	205	7	26.1	7
Perry	364	187	14	38.5	5
Pike	256	176	9	35.2	5
Porter	530	261	19	35.8	10
Posey	377	221	19	50.4	7
Pulaski	264	125	8	30.3	2
Putnam	504	247	10	32.9	6
Randolph	495	320	13	26.3	10
Ripley	362	184	15	41.4	4
Rush	376	236	11	29.3	6
St. Joseph	3,461	1,518	89	25.7	82
Mishawaka	617	249	16	25.9	15
South Bend	2,097	962	54	25.8	49
Balance of county	747	307	19	25.4	18
Scott	276	95	14	50.7	7
Shelby	464	312	16	34.5	12
Shelbyville	232	146	7	30.2	3
Balance of county	232	166	9	38.8	9
Spencer	289	171	9	30.1	7

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
INDIANA—Continued					
Starke	324	159	21	64.8	7
Steuben	251	179	7	27.9	6
Sullivan	417	280	11	26.4	8
Switzerland	105	109	7	66.7	4
Tippecanoe	1,157	670	42	36.3	23
Lafayette	667	434	28	42.0	15
Balance of county	490	236	14	28.6	8
Tipton	287	157	6	20.9	3
Union	78	64	2	25.6	1
Vanderburgh	3,172	1,567	114	35.9	68
Evansville	2,660	1,353	97	36.5	59
Balance of county	512	214	17	33.2	9
Vermillion	377	255	20	53.1	6
Vigo	1,711	1,332	74	43.2	35
Terre Haute	1,260	965	59	46.8	26
Balance of county	451	367	15	33.3	9
Wabash	528	336	15	28.4	11
Warren	155	94	3	19.4	4
Warrick	355	214	10	28.2	7
Washington	309	144	12	38.8	4
Wayne	1,225	851	68	55.5	22
Richmond	772	380	52	67.4	13
Balance of county	453	471	16	35.3	9
Wells	356	231	10	28.1	7
White	295	186	13	44.1	5
Whitley	356	186	8	22.5	4
IOWA (total)	46,564	26,094	1,540	33.1	910
Adair	235	120	10	42.6	4
Adams	172	83	2	11.6	-
Allamakee	309	186	14	45.3	7
Appanoose	402	256	17	42.3	5
Audubon	214	95	8	37.4	3
Benton	397	239	21	52.9	10
Black Hawk	1,634	804	48	29.4	41
Waterloo	1,053	485	26	24.7	27
Balance of county	581	319	22	37.9	14
Boone	456	342	17	37.3	7
Boone	198	160	6	30.3	5
Balance of county	258	182	11	42.6	2
Bremer	310	187	10	32.3	4
Buchanan	376	364	10	26.6	10
Buena Vista	324	203	12	37.0	5
Butler	285	165	7	24.6	6
Calhoun	342	140	7	20.5	10
Carroll	487	190	14	28.7	9
Cass	366	199	7	19.1	7
Cedar	278	182	6	21.6	4
Cerro Gordo	763	395	40	52.4	24
Mason City	461	258	26	56.4	18
Balance of county	302	137	14	46.4	6
Cherokee	308	285	12	39.0	4
Chickasaw	274	151	11	40.1	3
Clarke	148	98	8	54.1	4
Clay	359	152	13	36.2	3
Clayton	398	287	15	37.7	8
Clinton	861	544	36	41.8	18
Clinton	529	353	21	39.7	14
Balance of county	332	191	15	45.2	4
Crawford	380	171	15	39.5	12
Dallas	412	269	15	36.4	8
Davis	164	118	5	30.5	6
Decatur	249	148	9	36.1	8
Delaware	350	193	7	20.0	8
Des Moines	786	443	21	26.7	13
Burlington	591	332	14	23.7	12
Balance of county	195	111	7	35.9	1
Dickinson	191	86	5	26.2	6
Dubuque	1,245	770	41	32.9	22
Dubuque	820	579	27	32.9	18
Balance of county	425	191	14	32.9	4
Emmet	282	133	11	39.0	9
Fayette	494	319	23	46.6	12
Floyd	420	203	11	26.2	11
Franklin	302	162	12	39.7	3
Fremont	244	136	6	24.6	3
Greene	258	154	8	31.0	6
Grundy	226	116	7	31.0	6
Guthrie	312	164	7	22.4	6
Hamilton	343	184	6	17.5	8
Hancock	304	121	10	32.9	5
Hardin	387	239	17	43.9	13
Harrison	403	213	14	34.7	8
Henry	286	317	8	28.0	4
Howard	243	143	6	24.7	8
Humboldt	224	111	5	22.3	4
Ida	192	72	3	15.6	3
Iowa	279	182	10	35.8	4
Jackson	303	238	13	42.9	8
Section B (Counties)—Continued					
IOWA—Continued					
Jasper	597	295	23	38.5	7
Newton	218	112	9	41.3	-
Balance of county	379	183	14	36.9	7
Jefferson	267	169	13	48.7	4
Johnson	674	332	15	22.3	7
Iowa City	391	174	8	20.5	5
Balance of county	283	158	7	24.7	2
Jones	314	209	6	19.1	5
Keokuk	281	194	8	28.5	10
Kossuth	519	190	13	25.0	11
Lee	814	518	28	34.4	17
Fort Madison	277	165	8	28.9	6
Keokuk	298	253	12	40.5	5
Balance of county	241	120	8	33.2	6
Linn	1,681	941	55	32.7	28
Cedar Rapids	1,161	660	40	34.5	23
Balance of county	520	281	15	28.8	5
Louisa	173	136	8	46.2	-
Lucas	222	137	3	13.5	4
Lyon	259	112	8	26.8	3
Madison	229	172	8	34.9	1
Mahaska	461	261	9	19.5	6
Oskaloosa	184	141	4	21.7	3
Balance of county	277	120	5	18.1	3
Marion	421	320	20	47.5	9
Marshall	604	383	13	21.5	5
Marshalltown	330	221	9	27.3	3
Balance of county	274	162	4	14.6	2
Mills	224	158	12	53.6	1
Mitchell	250	129	6	24.0	6
Monona	328	136	8	24.4	6
Monroe	243	143	10	41.2	2
Montgomery	261	174	10	38.3	7
Muscatine	584	353	23	39.4	14
Muscatine	327	235	14	42.8	9
Balance of county	257	118	9	35.0	5
O'Brien	333	155	15	45.0	11
Osceola	206	55	5	24.3	3
Page	406	395	13	32.0	12
Palo Alto	339	120	7	20.6	5
Plymouth	430	174	11	25.6	9
Pocahontas	295	128	13	44.1	7
Polk	3,593	1,920	104	28.9	74
Des Moines	3,103	1,636	93	30.0	64
Balance of county	490	284	11	22.4	10
Pottawattamie	1,313	678	39	29.7	20
Council Bluffs	876	491	29	33.1	15
Balance of county	437	187	10	22.9	5
Poweshiek	325	216	7	21.5	8
Ringgold	186	111	3	16.1	3
Sac	350	148	13	37.1	9
Scott	1,776	951	46	25.9	32
Davenport	1,336	764	37	27.7	26
Balance of county	440	187	9	20.5	6
Shelby	342	127	5	14.6	7
Sioux	544	209	10	18.4	10
Story	697	330	29	41.6	7
Ames	298	124	8	26.8	3
Balance of county	399	206	21	52.6	4
Tama	394	226	12	30.5	10
Taylor	208	157	15	72.1	4
Union	239	186	12	50.2	8
Van Buren	171	140	3	17.5	3
Wapello	954	473	33	34.6	19
Ottumwa	705	330	25	35.5	13
Balance of county	249	143	8	32.1	6
Warren	294	167	12	40.8	1
Washington	377	206	13	34.5	4
Wayne	227	153	6	26.4	10
Webster	817	376	31	37.9	15
Fort Dodge	479	240	23	48.0	7
Balance of county	338	136	8	23.7	8
Winnebago	258	142	8	31.0	4
Winneshiek	385	230	11	28.6	11
Woodbury	2,120	1,127	104	49.1	35
Sioux City	1,679	840	85	50.6	31
Balance of county	441	287	19	42.5	4
Worth	185	85	8	43.2	6
Wright	377	165	13	34.5	10
KANSAS (total)	34,976	18,535	1,163	33.3	687
Allen	296	264	12	40.5	6
Anderson	181	104	4	22.1	2
Atchison	330	239	9	27.3	6
Atchison	214	157	6	28.0	4
White	203	134	6	29.6	3
Nonwhite	11	23	-	0	1
Balance of county	116	82	3	25.9	2

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
KANSAS—Continued					
Barber	147	77	3	20.4	1
Barton	870	204	23	34.3	17
Bourbon	327	282	16	48.9	8
Fort Scott	173	192	9	52.0	3
Balance of county	154	90	7	45.5	5
Brown	256	181	7	27.3	4
Butler	552	227	15	27.2	12
El Dorado	197	104	4	20.3	6
Balance of county	355	123	11	31.0	6
Chase	99	42	2	20.2	-
Chautauqua	140	83	2	14.3	-
Cherokee	571	311	17	29.8	11
Cheyenne	101	38	6	59.4	4
Clark	51	27	-	0	-
Clay	228	117	6	26.3	4
Cloud	329	197	14	42.6	7
Coffey	203	123	7	34.5	5
Comanche	81	32	4	49.4	1
Cowley	700	442	20	28.6	11
Arkansas City	269	133	8	29.7	6
Balance of county	431	309	12	27.8	5
Crawford	671	496	22	32.8	23
Pittsburg	321	169	10	31.2	12
Balance of county	350	327	12	34.3	11
Decatur	119	69	1	8.4	-
Dickinson	385	215	18	46.8	10
Doniphan	198	118	4	20.2	5
Douglas	527	323	12	22.8	8
Lawrence	334	212	7	21.0	6
Balance of county	193	111	5	25.9	2
Edwards	95	41	4	42.1	-
Elk	100	70	2	20.0	2
Ellis	392	146	20	51.0	13
Ellsworth	125	92	3	24.0	4
Finney	288	122	15	52.1	6
Ford	456	190	19	41.7	12
Franklin	355	230	11	31.0	8
Ottawa	188	148	7	37.2	3
Balance of county	167	82	4	24.0	5
Geary	352	189	24	68.2	6
Gove	89	41	4	44.9	2
Graham	102	49	5	49.0	3
Grant	53	10	1	18.9	-
Gray	92	33	2	21.7	3
Greeley	31	9	2	64.5	-
Greenwood	262	146	10	38.2	7
Hamilton	64	22	3	46.9	2
Harper	174	108	2	11.5	10
Harvey	366	188	12	31.1	6
Newton	201	131	8	39.8	4
Balance of county	185	57	4	21.6	2
Haskell	57	8	3	52.6	1
Hodgeman	52	26	2	38.5	1
Jackson	172	118	7	40.7	3
Jefferson	158	120	4	25.3	4
Jewell	159	116	5	31.4	4
Johnson	746	339	20	26.8	14
Kearny	40	24	2	50.0	2
Kingman	227	105	7	30.8	2
Kiowa	70	48	1	14.3	6
Labette	560	400	25	44.6	13
Parsons	306	182	13	42.5	6
Balance of county	254	218	12	47.2	7
Lane	74	25	3	40.5	1
Leavenworth	647	474	19	29.4	12
White	596	401	16	26.8	10
Nonwhite	51	73	3	58.8	2
Leavenworth	471	271	15	31.8	10
White	426	229	13	30.5	8
Nonwhite	45	42	2	44.4	2
Balance of county	176	203	4	22.7	2
Lincoln	123	69	1	8.1	2
Linn	170	108	-	0	4
Logan	83	21	4	48.2	-
Lyon	433	282	17	39.3	5
Emporia	228	199	15	65.8	3
Balance of county	205	83	2	9.8	2
McPherson	471	220	9	19.1	11
Marion	321	178	10	31.2	4
Marshall	306	189	9	29.4	8
Meade	99	51	2	20.2	3
Miami	286	308	12	42.0	5
Mitchell	194	123	8	41.2	3
Montgomery	1,126	532	36	32.0	26
Coffeyville	465	189	16	34.4	8
White	413	159	14	33.9	7
Nonwhite	52	30	2	38.5	1
Independence	331	174	12	36.3	12
White	305	158	7	23.0	8
Nonwhite	26	16	5	192.3	4
Balance of county	330	219	8	24.2	6
Morris	163	107	1	6.1	1
Morton	56	17	-	0	-
Nemaha	297	143	9	30.3	5
Neosho	338	217	12	35.5	3
Chanute	174	119	8	46.0	2
Balance of county	164	98	4	24.4	1
Ness	110	59	4	36.4	5
Norton	177	111	3	16.9	1
Osage	231	171	6	26.0	6
Osborne	106	88	3	28.3	1
Ottawa	121	84	4	33.1	1
Pawnee	187	232	8	42.8	2
Phillips	193	87	4	20.7	1
Pottawatomie	207	121	7	33.8	4
Pratt	324	114	10	30.9	4
Rawlins	95	34	1	10.5	3
Reno	1,111	485	36	32.4	14
Hutchinson	742	327	28	37.7	8
Balance of county	369	158	8	21.7	6
Republic	194	119	9	46.4	4
Rice	261	130	6	23.0	5
Riley	486	215	14	28.8	5
Manhattan	350	147	12	34.3	4
Balance of county	136	68	2	14.7	1
Rooks	179	72	8	44.7	2
Rush	148	60	5	33.8	3
Russell	254	83	9	35.4	10
Saline	638	366	36	56.4	18
Salina	516	258	36	69.8	13
Balance of county	122	108	-	0	5
Scott	95	24	1	10.5	1
Sedgwick	4,725	1,608	158	33.4	84
Wichita	4,218	1,328	141	33.4	77
Balance of county	507	280	17	33.5	7
Seward	229	95	9	39.3	7
Shawnee	1,750	1,196	66	37.7	40
Topeka	1,545	834	62	40.1	35
Balance of county	205	362	4	19.5	5
Sherican	81	25	1	12.3	-
Sherman	144	49	7	48.6	2
Smith	170	108	3	17.6	3
Stafford	175	102	9	51.4	6
Stanton	34	10	1	29.4	-
Stevens	82	26	7	85.4	1
Sumner	385	231	12	31.2	12
Thomas	130	51	2	15.4	3
Trego	90	32	1	11.1	1
Wabaunsee	104	62	2	19.2	-
Wallace	47	18	2	42.6	-
Washington	240	116	5	20.8	3
Wichita	42	9	2	47.6	-
Wilson	296	198	4	13.5	6
Woodson	102	70	2	19.6	2
Wyandotte	3,027	1,559	105	34.7	57
White	2,517	1,233	94	37.3	45
Nonwhite	510	326	11	21.6	12
Kansas City	2,715	1,336	93	34.3	47
White	2,225	1,054	83	37.3	38
Nonwhite	490	282	10	20.4	8
Balance of county	312	223	12	38.5	10
KENTUCKY (total)	64,225	28,371	2,997	46.7	1,544
Adair	386	174	33	85.5	9
Allen	264	145	19	72.0	5
Anderson	159	75	9	56.6	4
Ballard	171	102	5	29.2	10
Barren	613	310	28	45.7	14
Bath	216	120	9	41.7	4
Bell	1,234	428	88	71.3	29
Middlesborough	255	155	21	82.4	8
Balance of county	979	273	67	68.4	21
Boone	214	128	12	56.1	4
Bourbon	380	220	21	58.3	7
White	318	148	16	50.3	5
Nonwhite	42	72	5	119.0	2
Boyd	1,056	414	61	57.8	15
Ashland	723	285	37	51.2	11
Balance of county	333	129	24	72.1	4
Boyle	325	198	17	52.3	7
White	298	152	17	57.4	6
Nonwhite	29	46	-	0	1
Bracken	156	86	12	76.9	7
Breathitt	563	132	21	37.3	14
Breckinridge	343	167	13	37.9	9
Bullitt	208	97	11	52.9	3
Butler	274	118	12	43.8	1

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
KENTUCKY—Continued					
Caldwell	269	152	16	59.5	7
White	253	132	14	55.3	6
Nonwhite	16	20	2	125.0	1
Calloway	328	155	10	30.5	12
Campbell	1,299	843	48	37.0	37
Fort Thomas	99	112	4	40.4	3
Newport	515	399	27	52.4	25
Balance of county	685	332	17	24.8	9
Carlisle	118	79	3	25.4	2
Carroll	157	90	4	25.5	4
Carter	628	183	29	46.2	25
Casey	467	108	10	21.4	10
Christian	754	741	39	53.1	24
White	547	526	23	42.0	10
Nonwhite	187	215	16	85.6	14
Hopkinsville	279	209	16	57.3	8
White	214	120	8	37.4	3
Nonwhite	65	89	8	123.1	5
Balance of county	455	532	23	50.5	16
White	333	406	15	45.0	7
Nonwhite	122	126	8	65.6	9
Clark	328	226	23	70.1	9
White	303	185	21	69.3	8
Nonwhite	25	41	2	80.0	1
Clay	760	103	20	26.3	19
Clinton	259	55	12	46.3	6
Crittenden	251	124	6	23.9	2
Cumberland	212	81	7	33.0	3
Daviess	1,370	525	66	48.2	29
Owensboro	826	355	43	52.1	15
Balance of county	544	170	23	42.3	14
Edmonson	290	92	13	44.8	3
Elliott	186	39	7	37.6	4
Estill	391	125	13	33.2	14
Fayette	1,486	1,160	69	46.4	32
White	1,250	844	52	41.6	26
Nonwhite	236	316	17	72.0	6
Lexington	1,304	923	57	43.7	29
White	1,090	654	44	40.4	24
Nonwhite	214	269	13	60.7	5
Balance of county	182	237	12	65.9	3
White	160	190	8	50.0	2
Nonwhite	22	47	4	181.8	1
Fleming	269	158	16	59.5	-
Floyd	1,659	367	87	52.4	29
Franklin	402	274	17	42.3	20
Frankfort	220	161	6	27.3	8
White	207	136	6	29.0	8
Nonwhite	13	25	-	0	-
Balance of county	182	113	11	60.4	12
Fulton	275	185	14	50.9	5
White	238	127	8	33.6	4
Nonwhite	37	38	6	162.2	1
Gallatin	86	35	2	23.3	-
Garrard	265	100	10	37.7	5
White	244	76	7	28.7	5
Nonwhite	21	24	3	142.9	-
Grant	184	110	9	48.9	5
Graves	613	371	33	53.8	14
Grayson	360	178	19	52.8	11
Green	199	98	7	35.2	-
Greenup	567	203	26	45.9	17
Hancock	118	67	7	59.3	2
Hardin	579	311	33	57.0	26
Harlan	2,138	511	120	56.1	45
White	2,013	447	112	55.6	39
Nonwhite	125	64	8	64.0	6
Harrison	241	193	11	45.6	3
Hart	325	139	16	49.2	10
Henderson	683	333	36	52.7	16
White	603	253	24	39.8	15
Nonwhite	80	80	12	150.0	1
Henderson	346	178	23	66.5	10
White	294	126	13	44.2	9
Nonwhite	52	52	10	192.3	1
Balance of county	337	155	13	38.6	6
White	309	127	11	35.6	6
Nonwhite	28	28	2	71.4	-
Henry	226	155	14	61.9	5
Hickman	145	87	8	55.2	2
White	125	72	6	48.0	2
Nonwhite	20	15	2	100.0	-
Hopkins	777	433	56	72.1	27
White	710	358	50	70.4	24
Nonwhite	67	77	6	89.6	3
Jackson	414	96	18	43.5	9
Jefferson	9,666	5,315	405	41.9	235
White	8,735	4,206	346	39.6	198
Nonwhite	931	1,109	59	63.4	37
Louisville	8,757	4,448	361	41.2	218
White	7,884	3,472	307	38.9	183
Nonwhite	873	976	54	61.9	35
Balance of county	909	867	44	48.4	17
Jessamine	192	92	10	52.1	9
White	170	80	9	52.9	9
Nonwhite	22	12	1	45.5	-
Johnson	580	198	27	46.6	8
Kenton	1,779	1,129	77	43.3	49
Covington	1,180	820	60	50.8	30
Balance of county	599	309	17	28.4	19
Knott	620	100	19	30.6	9
Knox	827	252	54	65.3	18
Larue	190	110	10	52.6	4
Laurel	651	180	23	35.3	11
Lawrence	332	154	14	42.2	7
Lee	165	58	4	24.2	3
Leslie	428	59	13	30.4	11
Letcher	1,256	303	71	56.5	35
Lewis	350	160	27	77.1	10
Lincoln	432	211	22	50.9	8
Livingston	166	96	5	30.1	7
Logan	441	259	24	54.4	14
White	391	204	17	43.5	12
Nonwhite	50	55	7	140.0	2
Lyon	116	68	2	17.2	3
White	113	59	2	17.7	3
Nonwhite	3	9	-	0	-
McCracken	938	558	53	56.5	29
White	833	447	49	58.8	26
Nonwhite	105	111	4	38.1	3
Paducah	680	404	35	51.5	20
White	593	306	31	52.3	19
Nonwhite	87	98	4	46.0	1
Balance of county	258	154	18	69.8	9
McCreary	502	125	23	45.8	10
McLean	241	104	8	33.2	5
Madison	603	280	31	51.4	18
White	570	223	24	42.1	18
Nonwhite	33	57	7	212.1	-
Magoffin	364	62	7	19.2	4
Marion	462	150	24	51.9	13
Marshall	287	121	4	13.9	8
Martin	348	60	17	48.9	10
Mason	395	231	23	58.2	15
White	360	202	22	61.1	12
Nonwhite	35	29	1	28.6	3
Meade	193	89	14	72.5	3
Menifee	124	33	5	40.3	2
Mercer	258	150	9	34.9	6
Metcalfe	197	92	8	40.6	9
Monroe	366	118	16	43.7	6
Montgomery	242	150	18	74.4	4
White	224	121	15	67.0	4
Nonwhite	18	29	3	166.7	-
Morgan	345	93	13	37.7	11
Muhlenberg	894	347	49	54.8	23
Nelson	467	186	21	45.0	12
Nicholas	140	113	12	85.7	3
Ohio	432	210	17	39.4	8
Oldham	156	98	6	38.5	1
White	149	81	5	33.6	1
Nonwhite	7	17	1	142.9	-
Owen	132	99	10	75.8	3
Owsley	157	15	4	25.5	1
Pendleton	123	103	7	56.9	4
Perry	1,440	235	61	42.4	33
Pike	2,211	471	103	46.6	44
Powell	171	55	11	64.3	7
Pulaski	897	301	24	26.8	27
Robertson	68	26	2	30.3	-
Rockcastle	415	87	10	24.1	5
Rowan	353	81	15	42.5	9
Russell	192	95	9	46.9	7
Scott	266	155	5	18.8	5
White	230	127	4	17.4	5
Nonwhite	36	28	1	27.8	-
Shelby	342	201	9	26.3	8
White	294	163	9	30.6	7
Nonwhite	48	38	-	0	1
Simpson	204	130	14	68.6	11
White	184	108	11	59.8	8
Nonwhite	20	22	3	150.0	3
Spencer	154	49	4	26.0	1
Taylor	281	172	19	67.6	8

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
KENTUCKY—Continued					
Todd	272	166	15	55.1	5
White	218	113	11	50.5	4
Nonwhite	54	53	4	74.1	1
Trigg	215	106	5	23.5	6
White	180	81	3	16.7	4
Nonwhite	33	25	2	60.6	2
Trimble	98	51	5	51.0	-
Union	398	218	19	48.0	11
White	357	179	17	47.6	10
Nonwhite	39	39	2	51.3	1
Warren	794	401	29	36.5	27
White	731	330	25	34.2	23
Nonwhite	63	71	4	63.5	4
Bowling Green	385	208	20	51.9	13
White	350	159	16	45.7	11
Nonwhite	35	49	4	114.3	2
Balance of county	409	193	9	22.0	14
Washington	290	107	13	44.8	6
Wayne	440	128	20	45.5	5
Webster	341	195	12	35.2	5
White	320	150	11	34.4	5
Nonwhite	21	45	1	47.6	-
Whitley	781	265	43	55.1	19
Wolfe	240	72	13	54.2	7
Woodford	211	114	6	28.4	4
White	193	84	6	31.1	4
Nonwhite	18	30	-	0	-
LOUISIANA (total)	61,050	23,567	2,824	46.3	1,769
Acadia	1,157	347	58	50.1	39
White	889	271	46	51.7	29
Nonwhite	268	76	12	44.8	10
Allen	508	139	24	47.2	27
White	390	96	18	46.2	20
Nonwhite	118	43	6	50.8	7
Ascension	506	186	25	49.4	22
White	325	98	12	36.9	11
Nonwhite	181	88	13	71.8	11
Assumption	486	173	24	49.4	11
White	226	88	8	35.4	5
Nonwhite	260	85	16	61.5	6
Avoyelles	956	283	27	28.2	25
White	634	191	15	23.7	16
Nonwhite	322	92	12	37.3	9
Beauregard	425	153	14	32.9	15
White	349	110	11	31.5	10
Nonwhite	76	43	3	39.5	5
Bienville	537	167	20	37.2	8
White	234	82	4	17.1	2
Nonwhite	303	85	16	52.8	6
Bossier	907	278	34	37.5	19
White	443	125	14	31.6	4
Nonwhite	464	154	20	43.1	15
Caddo	3,704	1,514	205	55.3	97
White	1,892	767	64	33.8	34
Nonwhite	1,812	747	141	77.8	63
Shreveport	2,554	1,087	153	59.9	66
White	1,527	601	59	38.6	30
Nonwhite	1,027	486	94	91.5	36
Balance of parish	1,150	427	52	45.2	31
White	365	166	5	13.7	4
Nonwhite	785	261	47	59.9	27
Calcasieu	1,900	572	104	54.7	54
White	1,467	386	62	42.3	31
Nonwhite	433	206	42	97.0	23
Lake Charles	655	320	52	80.8	27
White	615	175	25	40.7	14
Nonwhite	240	145	27	112.5	13
Balance of parish	1,045	252	52	49.8	27
White	852	191	37	43.4	17
Nonwhite	193	61	15	77.7	10
Caldwell	287	100	13	67.4	9
White	186	63	9	48.4	5
Nonwhite	81	37	9	111.1	4
Cameron	105	28	3	28.6	1
Catahoula	331	95	8	24.2	8
White	217	51	5	23.0	5
Nonwhite	114	44	3	26.3	3
Claiborne	529	179	15	28.4	14
White	155	58	3	19.4	3
Nonwhite	374	121	12	32.1	11
Concordia	329	153	7	21.3	11
White	110	38	4	36.4	1
Nonwhite	219	115	3	13.7	10
De Soto	784	288	42	53.6	34
White	194	90	12	61.9	5
Nonwhite	590	198	30	50.8	29
Section B (Counties)—Continued					
LOUISIANA—Continued					
East Baton Rouge	2,797	926	113	40.4	95
White	1,808	442	55	30.4	38
Nonwhite	989	484	58	58.6	57
Baton Rouge	1,444	428	51	35.3	65
White	994	224	26	26.2	28
Nonwhite	450	204	25	55.6	37
Balance of parish	1,353	498	62	45.8	30
White	814	218	29	35.8	10
Nonwhite	539	280	33	61.2	20
East Carroll	544	179	22	40.4	14
White	172	39	3	17.4	3
Nonwhite	372	140	19	51.1	11
East Feliciana	358	509	14	39.1	16
White	71	230	1	14.1	-
Nonwhite	287	279	13	45.3	16
Evangeline	517	176	24	46.4	9
White	343	133	10	29.2	6
Nonwhite	174	43	14	80.5	3
Franklin	806	235	37	45.9	25
White	478	127	22	46.0	12
Nonwhite	328	108	15	45.7	13
Grant	432	130	9	20.8	12
White	323	98	5	15.5	8
Nonwhite	109	32	4	36.7	4
Iberia	988	371	63	63.8	36
White	546	179	20	36.6	13
Nonwhite	442	192	43	97.3	23
New Iberia	350	166	28	80.0	12
White	233	87	14	60.1	7
Nonwhite	117	79	14	119.7	5
Balance of parish	638	205	35	54.9	24
White	313	92	6	19.2	6
Nonwhite	325	113	29	89.2	18
Iberville	631	330	52	82.4	16
White	277	131	8	28.9	1
Nonwhite	354	199	44	124.3	15
Jackson	410	144	19	46.3	14
White	282	92	9	34.4	7
Nonwhite	128	52	10	67.6	7
Jefferson	1,740	531	74	42.5	37
White	1,446	396	54	37.3	22
Nonwhite	294	135	20	68.0	15
Gretna	280	112	11	39.3	4
White	206	74	7	34.0	1
Nonwhite	74	38	4	54.1	3
Balance of parish	1,460	419	63	43.2	33
White	1,240	322	47	37.9	21
Nonwhite	220	97	16	72.7	12
Jefferson Davis	665	164	24	36.1	9
White	466	130	15	32.2	7
Nonwhite	199	34	9	45.2	2
Lafayette	1,188	416	72	60.6	27
White	725	243	30	41.4	12
Nonwhite	463	173	42	90.7	15
Lafayette	552	242	44	79.7	14
White	392	135	20	51.0	9
Nonwhite	160	107	24	150.0	5
Balance of parish	636	174	28	44.0	13
White	333	108	10	30.0	3
Nonwhite	303	66	18	59.4	10
Lafourche	1,011	297	56	55.4	21
White	846	235	51	60.3	16
Nonwhite	165	62	5	30.3	5
La Salle	253	89	13	51.4	9
White	224	76	10	44.6	8
Nonwhite	29	13	3	103.4	1
Lincoln	484	203	21	43.4	12
White	220	99	7	31.8	6
Nonwhite	264	104	14	53.0	6
Livingston	446	112	14	31.4	8
White	372	80	9	24.2	4
Nonwhite	74	32	5	67.6	4
Madison	442	173	30	67.9	17
White	136	29	4	29.4	5
Nonwhite	306	144	26	85.0	12
Morehouse	669	245	35	52.3	29
White	303	82	10	33.0	4
Nonwhite	366	163	25	68.3	25
Natchitoches	1,059	307	49	46.3	31
White	529	148	23	43.5	9
Nonwhite	530	159	26	49.1	22
Orleans, coextensive with New Orleans	12,157	6,379	523	43.0	359
White	8,021	4,121	282	35.2	201
Nonwhite	4,136	2,258	241	58.3	158

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
LOUISIANA—Continued					
Ouachita	1,557	603	63	40.5	51
White	1,045	364	38	36.4	22
Nonwhite	512	239	25	48.8	29
Monroe	711	368	37	52.0	32
White	437	210	23	52.6	14
Nonwhite	274	158	14	51.1	18
Balance of parish	846	235	26	30.7	19
White	608	154	15	24.7	8
Nonwhite	238	81	11	46.2	11
Plaquemines	312	104	19	60.9	5
White	158	54	6	38.0	2
Nonwhite	154	50	13	84.4	3
Pointe Coupee	662	217	28	42.3	23
White	214	74	5	23.4	2
Nonwhite	448	143	23	51.3	21
Rapides	2,414	1,017	101	41.8	79
White	1,685	567	53	31.5	42
Nonwhite	731	450	48	65.7	37
Alexandria	992	354	48	48.4	34
White	633	174	28	44.2	17
Nonwhite	359	180	20	55.7	17
Balance of parish	1,422	663	53	37.3	45
White	1,050	393	25	23.8	25
Nonwhite	372	270	28	75.3	20
Red River	346	137	26	75.1	13
White	139	57	9	64.7	6
Nonwhite	207	80	17	82.1	7
Richland	763	244	26	34.1	23
White	434	106	12	27.6	10
Nonwhite	329	138	14	42.6	13
Sabine	588	154	18	30.6	11
White	458	114	15	32.8	6
Nonwhite	130	40	3	23.1	5
St. Bernard	200	56	4	20.0	8
White	159	36	2	12.6	4
Nonwhite	41	20	2	48.8	2
St. Charles	309	96	11	35.6	6
White	191	51	7	36.6	4
Nonwhite	118	45	4	33.9	2
St. Helena	155	41	1	6.5	4
White	54	12	-	0	-
Nonwhite	101	29	1	9.9	4
St. James	441	148	27	61.2	18
White	179	53	9	50.3	4
Nonwhite	262	95	18	68.7	14
St. John the Baptist	371	128	23	62.0	12
White	176	51	4	22.7	1
Nonwhite	195	77	19	97.4	11
St. Landry	2,059	649	140	68.0	61
White	899	253	33	36.7	16
Nonwhite	1,160	396	107	92.2	45
St. Martin	717	197	36	50.2	24
White	378	82	7	18.5	14
Nonwhite	339	115	29	85.5	10
St. Mary	968	365	51	52.7	34
White	551	145	15	27.2	18
Nonwhite	417	220	36	86.3	16
St. Tammany	588	238	25	42.5	10
White	377	149	11	29.2	4
Nonwhite	211	89	14	66.4	6
Tangipahoa	1,133	427	48	42.4	25
White	697	255	22	31.6	14
Nonwhite	436	172	26	59.6	11
Tensas	356	165	18	50.6	18
White	103	28	5	48.5	8
Nonwhite	253	137	13	51.4	10
Terrebonne	1,181	301	54	45.7	49
White	856	196	37	43.2	29
Nonwhite	325	105	17	52.3	20
Union	413	151	12	29.1	3
White	232	98	4	17.2	1
Nonwhite	181	53	8	44.2	2
Vermilion	846	273	27	31.9	15
White	711	210	16	22.5	8
Nonwhite	135	63	11	81.5	7
Vernon	630	289	37	58.7	21
White	555	224	34	61.3	21
Nonwhite	75	45	3	40.0	-
Washington	916	275	46	50.2	28
White	595	175	30	50.4	12
Nonwhite	321	100	16	49.8	14
Bogalusa	394	138	29	73.6	8
White	252	84	17	67.5	2
Nonwhite	142	54	12	84.5	6
Balance of parish	522	137	17	32.6	18
White	343	91	13	37.9	10
Nonwhite	179	46	4	22.3	8
Webster	854	282	37	43.3	17
White	491	139	14	28.5	2
Nonwhite	363	143	23	63.4	15
West Baton Rouge	234	107	10	42.7	7
White	90	20	-	0	4
Nonwhite	144	87	10	69.4	3
West Carroll	471	107	13	27.6	6
White	392	79	9	23.0	2
Nonwhite	79	28	4	50.6	4
West Feliciana	209	112	19	90.9	8
White	28	19	-	0	-
Nonwhite	181	93	19	105.0	8
Winn	329	132	12	36.5	4
White	242	74	3	12.4	1
Nonwhite	87	58	9	103.4	3
MAINE (total)	17,762	10,279	829	46.7	282
Androscoggin	1,566	908	78	49.8	27
Auburn	326	172	15	46.0	6
Lewiston	730	503	42	57.5	15
Balance of county	510	233	21	41.2	6
Aroostook	2,302	840	169	73.4	41
Cumberland	3,908	1,935	155	39.7	56
Portland	1,776	1,026	70	39.4	28
South Portland	571	156	21	36.8	6
Westbrook	255	119	11	46.8	3
Balance of county	1,328	634	55	40.0	21
Franklin	331	223	14	42.3	9
Hancock	520	410	17	32.7	8
Kennebec	1,416	1,037	69	48.7	22
Augusta	289	284	14	48.4	4
Waterville	278	169	18	64.7	6
Balance of county	849	584	37	43.6	12
Knox	475	381	15	31.6	11
Lincoln	353	254	17	48.2	2
Oxford	755	408	24	31.8	16
Penobscot	1,844	1,244	78	42.8	28
Bangor	521	528	24	46.1	5
Balance of county	1,323	716	55	41.6	23
Piscataquis	323	234	12	37.2	4
Sagadahoc	501	286	27	53.9	14
Bath	258	168	15	63.0	5
Balance of county	243	118	12	45.6	9
Somerset	698	399	21	30.1	7
Waldo	379	300	25	66.0	7
Washington	500	412	29	58.0	9
York	1,893	1,008	78	41.2	21
Biddeford	423	198	26	61.5	3
Balance of county	1,470	812	52	35.4	18
MARYLAND (total)	43,915	22,648	1,821	41.5	1,448
Allegany	1,686	854	84	49.8	40
Cumberland	667	454	35	52.5	12
Balance of county	1,019	400	49	48.1	28
Anne Arundel	1,768	923	71	40.2	63
White	1,358	558	48	35.3	36
Nonwhite	410	365	23	56.1	27
Annapolis	285	159	8	28.1	15
White	199	97	5	25.1	6
Nonwhite	86	62	3	34.9	9
Balance of county	1,483	764	63	42.5	48
White	1,159	461	43	37.1	30
Nonwhite	324	303	20	61.7	18
Baltimore	4,906	1,868	163	33.2	108
District 12[2]	650	168	35	53.8	16
District 13[2]	159	101	9	56.6	3
Balance of county	4,097	1,599	119	29.0	89
White	3,895	1,474	104	26.7	77
Nonwhite	202	125	15	74.3	12
Baltimore (city)	19,124	11,191	781	40.8	703
White	14,308	8,341	490	34.2	443
Nonwhite	4,816	2,850	291	60.4	260
Calvert	283	130	14	49.5	9
White	120	60	1	8.3	1
Nonwhite	163	70	13	79.8	8
Caroline	353	232	16	45.3	14
White	267	185	9	33.7	12
Nonwhite	86	47	7	81.4	2
Carroll	679	640	22	32.4	17
Cecil	673	457	38	56.5	36
Charles	635	184	27	42.5	33
White	346	103	12	34.7	11
Nonwhite	289	81	15	51.9	22

[2] Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
MARYLAND—Continued					
Dorchester	491	365	41	83.5	33
White	327	247	15	45.9	15
Nonwhite	164	118	26	158.5	18
Cambridge	205	129	16	78.0	16
White	143	85	7	49.0	8
Nonwhite	62	44	9	145.2	10
Balance of county	286	236	25	87.4	17
White	184	162	8	43.5	9
Nonwhite	102	74	17	166.7	8
Frederick	1,095	681	56	51.1	33
Frederick	335	209	17	50.7	5
White	282	179	12	42.6	5
Nonwhite	53	30	5	94.3	-
Balance of county	760	472	39	51.3	28
Garrett	467	201	34	72.8	18
Harford	1,139	407	34	29.9	13
White	1,028	344	28	27.2	8
Nonwhite	111	63	6	54.1	5
Howard	417	165	19	45.6	14
White	350	129	13	37.1	12
Nonwhite	67	36	6	89.6	2
Kent	300	180	13	43.3	9
White	212	120	9	42.5	3
Nonwhite	88	60	4	45.5	6
Montgomery	2,718	817	61	22.4	66
White	2,486	719	46	18.5	54
Nonwhite	232	98	15	64.7	12
Prince Georges	3,077	909	124	40.3	83
White	2,615	895	84	32.1	67
Nonwhite	462	214	40	86.6	16
Queen Annes	231	155	13	56.3	8
White	164	104	6	36.6	4
Nonwhite	67	51	7	104.5	4
St. Marys	556	203	29	52.2	22
White	372	124	15	40.3	10
Nonwhite	184	79	14	76.1	12
Somerset	377	297	31	82.2	17
White	210	169	11	52.4	8
Nonwhite	167	128	20	119.8	9
Talbot	334	258	22	65.9	16
White	213	170	11	51.6	9
Nonwhite	121	88	11	90.9	7
Washington	1,526	793	64	41.9	63
Hagerstown	731	407	24	32.8	33
Balance of county	795	386	40	50.3	30
Wicomico	674	464	38	56.4	16
White	507	361	23	45.4	8
Nonwhite	167	103	15	89.8	8
Salisbury	352	219	22	62.5	7
White	283	169	13	45.9	4
Nonwhite	69	50	9	130.4	3
Balance of county	322	245	16	49.7	9
White	224	192	10	44.6	4
Nonwhite	98	53	6	61.2	5
Worcester	406	274	26	64.0	14
White	251	169	12	47.8	7
Nonwhite	155	105	14	90.3	7
MASSACHUSETTS (total)	78,209	51,688	2,585	33.1	1,829
Barnstable	648	539	16	24.7	16
Berkshire	1,945	1,391	69	35.5	46
Adams (town)	217	118	8	36.9	-
North Adams	323	266	20	61.9	7
Pittsfield	895	550	26	29.1	22
Balance of county	510	457	15	29.4	17
Bristol	6,406	4,536	266	41.5	182
Attleboro	423	254	25	59.1	15
Fairhaven (town)	167	99	5	29.9	5
Fall River	2,096	1,614	95	45.3	57
New Bedford	1,799	1,211	74	41.1	55
North Attleborough (town)	229	97	6	26.2	8
Taunton	637	658	31	48.7	13
Balance of county	1,055	625	30	28.4	29
Dukes	92	74	3	32.6	3
Essex	8,522	6,103	264	31.0	207
Amesbury (town)	175	136	8	45.7	5
Andover (town)	208	111	3	14.4	7
Beverly	498	291	13	26.1	8
Danvers (town)	221	407	5	22.6	4
Gloucester	439	306	14	31.9	16
Haverhill	687	597	21	30.6	15
Lawrence	1,402	995	47	33.5	46
Lynn	1,744	1,163	47	26.9	39
Marblehead (town)	235	139	3	12.8	6
Methuen (town)	369	208	18	48.8	13
Newburyport	257	215	13	50.6	5
Peabody	373	207	7	18.8	11
Salem	678	524	27	39.8	10
Saugus (town)	281	106	8	28.5	2
Swampscott (town)	194	102	2	10.3	-
Balance of county	761	596	28	36.8	20
Section B (Counties)—Continued					
MASSACHUSETTS—Continued					
Franklin	882	592	34	38.5	8
Greenfield (town)	299	227	10	33.4	4
Balance of county	583	365	24	41.2	4
Hampden	6,050	3,586	191	31.6	161
Chicopee	785	353	26	33.1	30
Holyoke	1,040	613	23	22.1	32
Springfield	2,886	1,658	100	34.7	63
Westfield	337	215	10	29.7	11
West Springfield (town)	155	186	5	32.3	5
Balance of county	847	581	27	31.9	20
Hampshire	1,187	1,008	31	26.1	21
Easthampton (town)	165	86	7	42.9	2
Northampton	359	554	8	22.3	9
Balance of county	665	368	16	24.1	10
Middlesex	17,998	10,805	553	30.7	386
Arlington (town)	664	419	22	33.1	18
Belmont (town)	436	230	13	29.8	8
Cambridge	2,241	1,412	76	33.9	51
Everett	966	390	21	21.7	22
Framingham (town)	447	237	5	11.2	8
Lexington (town)	213	272	6	28.2	4
Lowell	1,685	1,245	78	46.3	58
Malden	1,085	668	35	32.3	18
Marlborough	268	203	9	33.6	3
Medford	1,228	670	28	22.8	27
Melrose	437	289	8	18.3	7
Natick (town)	290	178	9	31.0	3
Newton	1,230	725	27	22.0	21
Reading (town)	231	114	8	34.6	6
Somerville	1,907	1,075	56	29.4	39
Stoneham (town)	193	120	7	36.3	5
Wakefield (town)	365	165	12	32.9	3
Waltham	859	448	22	25.6	7
Watertown (town)	614	267	19	30.9	18
Winchester (town)	275	138	14	50.9	5
Woburn	331	176	13	39.3	5
Balance of county	2,033	1,364	65	32.0	50
Nantucket	45	53	4	88.9	2
Norfolk	6,304	3,763	175	27.8	141
Braintree (town)	421	160	6	14.3	8
Brookline (town)	800	716	32	40.0	13
Dedham (town)	280	137	4	14.3	6
Milton (town)	296	200	7	23.8	10
Needham (town)	223	105	8	35.9	4
Norwood (town)	300	177	5	16.7	4
Quincy	1,630	738	46	28.2	41
Wellesley (town)	260	123	6	23.1	3
Weymouth (town)	642	262	13	20.2	14
Balance of county	1,452	1,145	48	33.1	38
Plymouth	3,225	2,156	98	30.4	69
Brockton	1,152	787	29	25.2	27
Plymouth (town)	224	179	5	22.3	7
Balance of county	1,849	1,190	64	34.6	35
Suffolk	16,181	10,973	569	35.2	370
Boston	14,487	9,933	525	36.2	329
White	13,860	9,456	487	35.1	312
Nonwhite	627	477	38	60.6	17
Chelsea	695	535	19	27.3	21
Revere	610	312	16	26.2	14
Winthrop (town)	389	193	9	23.1	6
Worcester	8,724	6,109	312	35.8	217
Athol (town)	187	61	5	26.7	4
Clinton (town)	180	173	7	38.9	5
Fitchburg	762	479	24	31.5	18
Gardner	293	308	8	27.3	7
Leominster	491	237	18	36.7	11
Milford (town)	224	173	4	17.9	9
Northbridge (town)	161	83	5	31.1	3
Southbridge (town)	321	155	9	28.0	14
Webster (town)	243	148	10	41.2	5
Worcester	5,404	2,469	128	37.0	81
Balance of county	2,458	1,803	96	39.1	60
MICHIGAN (total)	114,700	54,374	4,343	37.9	2,861
Alcona	109	63	4	36.7	-
Alger	193	111	6	31.1	6
Allegan	842	461	33	39.2	12
Alpena	459	219	24	52.3	8
Alpena	281	160	16	56.9	5
Balance of county	178	59	8	44.9	3
Antrim	178	108	9	50.6	7
Arenac	152	111	11	72.4	3
Baraga	153	86	8	52.3	3
Barry	408	270	8	19.6	11
Bay	1,734	804	82	47.3	47
Bay City	1,138	563	54	47.5	35
Balance of county	596	241	28	47.0	12

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
MICHIGAN—Continued					
Benzie	176	95	8	45.5	4
Berrien	2,102	1,058	85	40.4	38
Benton Harbor	547	232	25	45.7	4
Niles	279	106	5	17.9	4
Balance of county	1,276	720	55	43.1	30
Branch	483	360	14	29.0	8
Calhoun	2,247	1,338	129	57.4	41
Battle Creek	1,154	611	77	66.7	24
Balance of county	1,093	727	52	47.6	20
Cass	408	283	17	41.7	4
Charlevoix	249	140	9	36.1	6
Cheboygan	261	134	12	46.0	7
Chippewa	663	283	27	40.7	13
Sault Ste. Marie	440	156	18	40.9	9
Balance of county	223	107	9	40.4	4
Clare	186	95	5	30.1	7
Clinton	573	303	18	31.4	15
Crawford	56	29	5	89.3	4
Delta	628	324	22	35.0	18
Escanaba	251	181	13	51.8	8
Balance of county	377	143	9	23.9	10
Dickinson	438	244	13	29.7	8
Iron Mountain	181	105	6	33.1	4
Balance of county	257	139	7	27.2	4
Eaton	796	444	29	36.4	21
Emmet	294	160	9	30.6	8
Genesee	5,273	1,903	210	39.8	110
Flint	3,355	1,284	138	41.2	71
Balance of county	1,920	619	72	37.5	39
Gladwin	220	100	8	36.4	3
Gogebic	480	330	25	52.1	12
Ironwood	161	115	8	44.2	5
Balance of county	299	215	17	56.9	7
Grand Traverse	468	492	10	21.3	6
Traverse City	272	139	6	22.1	4
Balance of county	197	353	4	20.3	2
Gratiot	725	359	27	37.2	14
Hillsdale	578	340	14	24.2	11
Houghton	781	563	33	42.3	26
Huron	704	299	26	36.9	9
Ingham	3,230	1,351	120	37.2	73
Lansing	1,768	839	59	33.4	51
Balance of county	1,462	512	61	41.7	22
Ionia	732	434	23	31.4	18
Iosco	183	71	4	24.5	3
Iron	320	147	4	12.5	8
Isabella	552	259	21	38.0	13
Jackson	1,974	1,021	84	42.6	50
Jackson	1,302	665	45	34.6	34
Balance of county	672	356	39	58.0	16
Kalamazoo	2,175	1,270	63	29.0	58
Kalamazoo	1,341	852	27	20.1	41
Balance of county	834	418	36	43.2	17
Kalkaska	75	51	3	40.0	1
Kent	5,050	2,557	148	29.3	123
Grand Rapids	3,442	1,729	108	31.7	89
Balance of county	1,608	828	39	24.3	34
Keweenaw	52	40	4	76.9	4
Lake	59	72	5	84.7	1
White	48	52	5	104.2	1
Nonwhite	11	20	-	0	-
Lapeer	564	431	31	55.0	19
Leelanau	143	73	8	55.9	3
Lenawee	1,241	686	63	50.8	40
Adrian	416	186	21	50.5	11
Balance of county	825	500	42	50.9	29
Livingston	409	313	19	46.5	10
Luce	137	180	5	36.5	12
Mackinac	162	71	8	49.4	4
Macomb	3,215	999	106	33.0	86
Mount Clemens	445	218	24	53.9	14
St. Clair Shores	301	72	7	23.3	7
Balance of county	2,469	709	75	30.4	65
Manistee	290	220	13	44.8	10
Marquette	903	487	34	37.7	29
Marquette	259	179	10	38.6	8
Balance of county	644	308	24	37.3	21
Mason	360	220	6	16.7	6
Mecosta	357	207	11	30.8	5
Menominee	453	241	13	28.7	8
Menominee	183	146	9	49.2	5
Balance of county	270	95	4	14.8	3
Midland	875	194	28	32.0	21
Midland	409	89	12	29.3	10
Balance of county	466	105	16	34.3	11
Missaukee	155	77	6	38.7	4
Monroe	1,346	590	53	39.4	31
Monroe	587	195	19	32.4	16
Balance of county	759	395	34	44.8	15
Montcalm	547	401	29	53.0	14
Montmorency	60	33	5	83.3	2
Muskegon	2,725	1,104	172	63.1	76
Muskegon	1,390	622	107	77.0	33
Muskegon Heights	440	135	20	45.5	15
Balance of county	895	347	45	50.3	28
Newaygo	364	223	17	46.7	7
Oakland	6,477	2,359	224	34.6	159
Birmingham	310	93	7	22.6	10
Ferndale	536	155	18	33.6	15
Pontiac	1,527	750	61	39.9	38
Royal Oak	827	226	21	25.4	19
Balance of county	3,277	1,135	117	35.7	79
Oceana	276	207	15	54.3	4
Ogemaw	199	95	10	50.3	3
Ontonagon	152	105	8	52.6	7
Osceola	293	172	15	51.2	9
Oscoda	43	22	-	0	2
Otsego	119	57	5	42.0	2
Ottawa	1,395	568	34	24.4	30
Holland	340	161	11	32.4	7
Balance of county	1,055	407	23	21.8	23
Presque Isle	269	87	6	22.3	2
Roscommon	52	29	1	19.2	4
Saginaw	2,920	1,380	112	38.4	85
Saginaw	1,815	935	66	36.4	49
Balance of county	1,105	445	46	41.6	34
St. Clair	1,708	894	82	48.0	39
Port Huron	803	402	34	42.3	16
Balance of county	905	492	48	53.0	23
St. Joseph	598	397	23	38.5	16
Sanilac	624	316	24	38.5	14
Schoolcraft	193	91	11	57.0	2
Shiawassee	873	482	46	52.7	16
Owosso	313	182	21	67.1	6
Balance of county	560	300	25	44.6	10
Tuscola	743	444	31	41.7	26
Van Buren	669	487	24	35.9	16
Washtenaw	2,317	1,086	85	36.7	46
Ann Arbor	762	335	36	47.2	14
Ypsilanti	585	127	17	29.1	14
White	529	105	14	26.5	11
Nonwhite	56	22	3	53.6	3
Balance of county	970	624	32	33.0	18
Wayne	42,750	19,006	1,529	35.8	1,138
Dearborn	1,874	416	61	32.6	35
Detroit	32,787	14,361	1,158	35.3	915
White	28,459	12,412	935	32.9	716
Nonwhite	4,328	1,949	223	51.5	199
Ecorse	369	86	15	40.7	8
White	276	63	9	32.8	5
Nonwhite	93	23	6	64.5	3
Grosse Pointe Park	90	84	3	33.3	-
Hamtramck	838	372	33	39.4	25
Highland Park	715	454	30	42.0	17
Lincoln Park	461	81	13	28.2	15
River Rouge	362	133	16	44.2	9
White	264	110	12	45.5	6
Nonwhite	98	23	4	40.8	3
Wyandotte	851	282	32	37.6	22
Balance of county	4,403	2,737	168	38.2	92
Wexford	344	198	12	34.9	11
MINNESOTA (total)	56,113	26,455	1,756	31.3	1,088
Aitkin	275	139	10	36.4	9
Anoka	509	243	9	17.7	11
Becker	534	230	25	46.8	11
Beltrami	543	225	17	31.3	7
Benton	349	109	6	17.2	1
St. Cloud (part)	53	18	-	(3)	-
Balance of county	296	91	6	20.3	1
Big Stone	203	87	6	29.6	6
Blue Earth	689	366	29	41.5	4
Mankato	330	177	21	63.6	-
Balance of county	359	189	8	21.7	4
Brown	546	191	19	34.8	8
Carlton	453	305	9	19.9	15
Carver	310	138	10	32.3	6
Cass	393	191	19	48.3	10
Chippewa	303	134	9	29.7	4
Chisago	220	168	11	50.0	3
Clay	516	199	22	42.6	14
Clearwater	216	79	8	37.0	2

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
MINNESOTA—Continued					
Cook	34	13	-	0	2
White	31	13	-	0	1
Nonwhite	3	-	-	0	1
Cottonwood	324	123	9	27.8	8
Crow Wing	622	284	30	48.2	8
Brainerd	277	123	11	39.7	1
Balance of county	345	161	19	55.1	7
Dakota	936	385	33	35.3	19
South St. Paul	387	85	11	30.0	7
Balance of county	549	300	22	38.7	12
Dodge	267	133	11	41.2	5
Douglas	375	198	12	32.0	4
Faribault	490	216	25	51.0	6
Fillmore	469	210	13	27.7	3
Freeborn	701	249	21	30.0	13
Albert Lea	302	125	15	49.7	7
Balance of county	399	124	6	15.0	6
Goodhue	620	347	16	25.8	9
Grant	170	80	4	23.5	3
Hennepin	11,557	5,650	330	28.6	244
Minneapolis	9,809	4,852	268	27.3	205
Balance of county	1,748	798	62	35.5	39
Houston	294	154	12	40.8	2
Hubbard	185	98	13	70.3	5
Isanti	177	164	9	50.8	4
Itasca	709	228	20	28.2	17
Jackson	283	116	12	42.4	8
Kanabec	183	76	4	21.9	3
Kandiyohi	516	282	12	23.3	9
Kittson	186	84	9	48.4	3
Koochiching	339	156	9	26.5	8
Lac qui Parle	275	119	6	21.8	4
Lake	122	74	2	16.4	2
Lake of the Woods	89	44	-	0	3
Le Sueur	361	160	5	13.9	5
Lincoln	220	88	12	54.5	1
Lyon	488	186	20	41.0	6
McLeod	417	182	12	28.8	6
Mahnomen	161	54	7	43.5	5
White	122	36	4	32.8	4
Nonwhite	39	18	3	76.9	1
Marshall	341	156	20	58.7	4
Martin	519	205	19	36.6	6
Meeker	345	151	9	26.1	9
Mille Lacs	281	172	16	56.9	7
Morrison	546	234	20	36.6	14
Mower	657	304	27	31.5	11
Austin	495	173	21	42.4	10
Balance of county	362	131	6	16.6	1
Murray	366	87	5	13.7	10
Nicollet	289	428	13	45.0	-
Nobles	475	154	15	31.6	6
Norman	257	112	4	15.6	5
Olmsted	905	543	24	26.5	14
Rochester	565	420	18	31.9	9
Balance of county	340	123	6	17.6	5
Otter Tail	956	627	30	31.4	17
Fergus Falls	165	302	10	60.6	1
Balance of county	791	325	20	25.3	16
Pennington	247	136	9	36.4	3
Pine	391	179	15	38.4	9
Pipestone	291	108	7	24.1	3
Polk	729	321	21	28.8	14
Pope	275	124	5	18.2	6
Ramsey	6,685	3,128	189	28.3	160
St. Paul	6,157	2,923	172	27.9	148
Balance of county	528	205	17	32.2	12
Red Lake	179	59	6	33.5	4
Redwood	489	173	13	26.6	5
Renville	533	187	7	13.1	5
Rice	618	314	15	24.4	11
Faribault	238	155	10	42.0	5
Balance of county	378	159	5	13.2	6
Rock	230	68	1	4.3	2
Roseau	308	123	15	48.7	7
St. Louis	3,968	2,084	133	33.5	77
Duluth	2,087	1,158	80	38.3	42
Hibbing	377	123	10	26.5	8
Virginia	243	118	7	28.8	4
Balance of county	1,261	685	36	28.5	23
Scott	311	162	5	16.1	3
Sherburne	173	90	8	46.2	3
St. Cloud (part)	13	23	-	(3)	-
Balance of county	160	67	8	50.0	3
Sibley	291	124	11	37.8	5
Stearns	1,516	575	52	34.3	36
St. Cloud (part)	439	188	23	(3)	6
St. Cloud (total)	505	227	23	45.5	6
Balance of county	1,077	389	29	26.9	30
Steele	382	169	8	20.9	7
Stevens	268	106	12	44.8	7
Swift	385	126	9	23.4	5
Todd	502	234	21	41.8	13
Traverse	194	65	11	56.7	3
Wabasha	350	191	7	20.0	4
Wadena	283	140	9	34.2	5
Waseca	296	119	7	23.6	3
Washington	497	263	24	48.3	16
Watonwan	269	116	5	18.6	9
Wilkin	220	78	11	50.0	4
Winona	657	372	14	21.3	18
Winona	424	249	10	23.6	10
Balance of county	233	123	4	17.2	8
Wright	490	285	18	36.7	10
Yellow Medicine	332	128	9	27.1	4
MISSISSIPPI (total)	56,940	20,666	2,513	44.1	1,989
Adams	731	351	38	52.0	18
White	289	111	9	31.1	2
Nonwhite	442	240	29	65.6	16
Natchez	450	207	16	35.6	8
White	234	82	4	17.1	2
Nonwhite	216	125	12	55.6	6
Balance of county	281	144	22	78.3	10
White	55	29	5	90.9	-
Nonwhite	226	115	17	75.2	10
Alcorn	574	252	29	50.5	19
White	465	198	22	47.3	16
Nonwhite	109	56	7	64.2	3
Amite	613	183	25	40.8	13
White	215	71	7	32.6	4
Nonwhite	398	112	18	45.2	9
Attala	757	278	39	51.5	25
White	368	134	16	43.5	3
Nonwhite	389	144	23	59.1	22
Benton	243	56	6	24.7	10
White	115	27	3	26.1	2
Nonwhite	128	29	3	23.4	8
Bolivar	1,848	743	101	54.7	74
White	446	145	23	51.6	14
Nonwhite	1,402	598	78	55.6	60
Calhoun	467	126	18	38.5	16
White	352	91	12	34.1	9
Nonwhite	115	35	6	52.2	7
Carroll	501	175	22	43.9	12
White	152	73	9	59.2	2
Nonwhite	349	102	13	37.2	10
Chickasaw	527	176	14	26.6	11
White	231	83	7	30.3	3
Nonwhite	296	93	7	23.6	8
Choctaw	272	80	10	36.8	4
White	167	54	4	24.0	1
Nonwhite	105	26	6	57.1	3
Claiborne	286	133	12	42.0	14
White	39	29	2	51.3	1
Nonwhite	247	104	10	40.5	13
Clarke	515	187	12	23.3	22
White	276	100	9	32.6	6
Nonwhite	239	87	3	12.6	16
Clay	500	191	20	40.0	19
White	163	77	4	24.5	5
Nonwhite	337	114	16	47.5	14
Coahoma	1,225	519	70	57.1	58
White	242	98	11	45.5	3
Nonwhite	983	421	59	60.0	55
Clarksdale	286	155	21	73.4	12
White	128	61	9	70.3	2
Nonwhite	158	94	12	75.9	10
Balance of county	939	364	49	52.2	46
White	114	37	2	17.5	1
Nonwhite	825	327	47	57.0	45
Copiah	828	300	24	29.0	23
White	269	123	6	22.3	3
Nonwhite	559	177	18	32.2	20
Covington	456	118	14	30.7	12
White	262	72	6	22.9	5
Nonwhite	194	46	8	41.2	7
De Soto	701	215	27	38.5	23
White	141	43	5	35.5	2
Nonwhite	560	172	22	39.3	21

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
MISSISSIPPI—Continued					
Forrest	1,198	438	56	46.8	32
White	815	280	40	49.1	16
Nonwhite	381	158	16	42.0	16
Hattiesburg	836	258	41	49.0	28
White	555	146	30	54.1	12
Nonwhite	281	112	11	39.1	16
Balance of county	360	180	15	41.7	4
White	260	134	10	38.5	4
Nonwhite	100	46	5	50.0	-
Franklin	237	118	8	33.8	19
White	119	54	4	33.6	4
Nonwhite	118	64	4	33.9	15
George	283	79	10	35.3	12
White	240	83	10	41.7	11
Nonwhite	43	16	-	0	1
Greene	268	48	5	18.7	5
White	208	32	4	19.2	3
Nonwhite	60	16	1	16.7	2
Grenada	538	206	32	59.5	23
White	213	91	7	32.9	9
Nonwhite	325	115	25	76.9	14
Hancock	281	119	15	53.4	5
White	233	85	12	51.5	4
Nonwhite	48	34	3	62.5	1
Harrison	1,775	646	76	42.8	64
White	1,483	490	55	37.1	46
Nonwhite	292	156	21	71.9	18
Biloxi	860	225	35	40.7	23
White	772	172	28	36.3	18
Nonwhite	88	53	7	79.5	7
Gulfport	484	195	19	39.3	21
White	388	140	12	30.9	18
Nonwhite	96	55	7	72.9	3
Balance of county	431	226	22	51.0	20
White	323	178	15	46.4	12
Nonwhite	108	48	7	64.8	8
Hinds	2,705	1,085	135	49.9	90
White	1,203	440	46	38.2	21
Nonwhite	1,502	645	89	59.3	69
Jackson	1,565	670	91	58.1	47
White	962	328	39	40.5	18
Nonwhite	603	342	52	86.2	29
Balance of county	1,140	415	44	38.6	43
White	241	112	7	29.0	3
Nonwhite	899	303	37	41.2	40
Holmes	1,041	370	45	43.2	41
White	162	82	5	30.9	5
Nonwhite	879	288	40	45.5	36
Humphreys	694	235	29	41.8	23
White	141	53	5	35.5	5
Nonwhite	553	182	24	43.4	18
Issaquena	145	45	4	27.6	5
White	29	11	-	0	2
Nonwhite	116	34	4	34.5	3
Itawamba	416	118	18	43.3	12
Jackson	1,089	251	42	38.6	21
White	923	185	33	35.8	9
Nonwhite	166	66	9	54.2	12
Jasper	463	155	11	23.8	26
White	168	75	6	35.7	6
Nonwhite	295	80	5	16.9	20
Jefferson	332	132	20	60.2	10
White	57	26	3	52.6	-
Nonwhite	275	106	17	61.8	10
Jefferson Davis	442	106	12	27.1	13
White	145	36	2	13.8	2
Nonwhite	297	70	10	33.7	11
Jones	1,367	478	77	56.3	40
White	957	308	57	59.6	19
Nonwhite	410	170	20	48.8	21
Laurel	551	267	57	103.4	15
White	349	150	41	117.5	7
Nonwhite	202	117	16	79.2	8
Balance of county	816	211	20	24.5	25
White	608	158	16	26.3	12
Nonwhite	208	53	4	19.2	13
Kemper	485	173	20	41.2	27
White	123	68	2	16.3	3
Nonwhite	362	105	18	49.7	24
Lafayette	483	198	30	62.1	23
White	216	93	11	50.9	6
Nonwhite	267	105	19	71.2	17
Lamar	309	87	14	45.3	8
White	263	72	13	49.4	8
Nonwhite	46	15	1	21.7	-
Lauderdale	1,398	734	66	47.2	59
White	885	456	38	43.0	28
Nonwhite	515	278	28	54.4	31
Meridian	887	532	51	57.5	37
White	638	343	34	53.3	22
Nonwhite	249	189	17	68.3	15
Balance of county	511	202	15	29.4	22
White	245	113	4	16.3	6
Nonwhite	266	89	11	41.4	16
Lawrence	333	102	8	24.0	13
White	172	54	4	23.3	7
Nonwhite	161	48	4	24.8	6
Leake	584	137	26	44.5	17
White	269	73	10	37.2	7
Nonwhite	315	64	16	50.8	10
Lee	779	301	32	41.1	14
White	512	186	25	48.8	8
Nonwhite	267	115	7	26.2	6
Leflore	1,537	501	82	53.4	70
White	334	137	15	44.9	6
Nonwhite	1,203	364	67	55.7	64
Greenwood	319	165	20	62.7	24
White	171	71	9	52.6	4
Nonwhite	148	94	11	74.3	20
Balance of county	1,218	336	62	50.9	46
White	163	66	6	36.8	2
Nonwhite	1,055	270	56	53.1	44
Lincoln	668	270	42	62.9	21
White	382	160	28	73.3	12
Nonwhite	286	110	14	49.0	9
Lowndes	1,036	368	34	32.8	36
White	484	159	19	39.3	7
Nonwhite	552	207	15	27.2	29
Columbus	518	201	20	38.6	17
White	340	101	16	47.1	5
Nonwhite	178	100	4	22.5	12
Balance of county	518	165	14	27.0	19
White	144	58	3	20.8	2
Nonwhite	374	107	11	29.4	17
Madison	1,075	357	49	45.6	50
White	182	69	7	38.5	1
Nonwhite	893	288	42	47.0	49
Marion	604	205	17	28.1	18
White	373	116	10	26.8	10
Nonwhite	231	89	7	30.3	8
Marshall	737	216	26	35.3	17
White	143	61	5	35.0	1
Nonwhite	594	155	21	35.4	16
Monroe	921	343	35	38.0	27
White	502	178	11	21.9	14
Nonwhite	419	165	24	57.3	13
Montgomery	404	138	14	34.7	12
White	202	76	4	19.8	2
Nonwhite	202	62	10	49.5	10
Neshoba	688	198	33	48.0	21
White	475	132	13	27.4	12
Nonwhite	213	66	20	93.9	9
Newton	571	184	23	40.3	31
White	337	113	13	38.6	16
Nonwhite	234	71	10	42.7	15
Noxubee	659	245	39	59.2	33
White	95	55	8	84.2	1
Nonwhite	564	191	31	55.0	32
Oktibbeha	506	199	21	41.5	12
White	141	67	3	21.3	3
Nonwhite	365	132	18	49.3	9
Panola	852	263	21	24.6	42
White	299	99	8	26.8	8
Nonwhite	553	164	13	23.5	34
Pearl River	500	176	18	36.0	19
White	394	137	16	40.6	15
Nonwhite	106	39	2	18.9	4
Perry	244	65	2	8.2	4
White	180	43	2	11.1	1
Nonwhite	64	22	-	0	3
Pike	877	393	43	49.0	34
White	421	202	18	42.8	8
Nonwhite	456	191	25	54.8	26
Pontotoc	470	167	10	21.3	14
White	371	122	9	24.3	8
Nonwhite	99	45	1	10.1	6
Prentiss	504	161	21	41.7	8
White	436	131	17	39.0	7
Nonwhite	68	30	4	58.8	1
Quitman	799	263	44	55.1	23
White	256	62	7	27.3	7
Nonwhite	543	201	37	68.1	16
Rankin	622	568	28	45.0	32
White	232	236	7	30.2	10
Nonwhite	390	332	21	53.8	22

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
MISSISSIPPI—Continued					
Scott	572	178	21	36.7	27
White	287	93	8	27.9	8
Nonwhite	285	85	13	45.6	19
Sharkey	450	141	22	48.9	13
White	95	27	5	52.6	2
Nonwhite	355	114	17	47.9	11
Simpson	510	169	16	31.4	16
White	310	99	7	22.6	11
Nonwhite	200	70	9	45.0	5
Smith	455	126	20	44.0	12
White	345	108	17	49.3	9
Nonwhite	110	18	3	27.3	3
Stone	124	62	11	88.7	3
White	86	43	8	93.0	2
Nonwhite	38	19	3	78.9	1
Sunflower	1,626	545	65	40.0	48
White	350	117	11	31.4	7
Nonwhite	1,276	428	54	42.3	41
Tallahatchie	989	306	34	34.4	29
White	246	84	8	32.5	3
Nonwhite	743	222	26	35.0	26
Tate	550	157	28	50.9	22
White	164	50	4	24.4	4
Nonwhite	386	107	24	62.2	18
Tippah	427	136	21	49.2	15
White	344	111	17	49.4	10
Nonwhite	83	25	4	48.2	5
Tishomingo	400	115	15	37.5	9
Tunica	664	266	33	49.7	17
White	83	45	9	108.4	1
Nonwhite	581	223	24	41.3	16
Union	451	178	16	37.1	7
White	334	143	14	41.9	7
Nonwhite	97	35	2	20.8	-
Walthall	519	141	26	50.1	21
White	214	62	13	60.7	6
Nonwhite	305	79	13	42.6	15
Warren	888	474	42	47.3	36
White	454	166	11	25.3	12
Nonwhite	454	308	31	68.3	24
Vicksburg	534	330	22	41.2	25
White	340	135	7	20.6	10
Nonwhite	194	195	15	77.3	15
Balance of county	354	144	20	56.5	11
White	94	51	4	42.6	2
Nonwhite	260	113	16	61.5	9
Washington	1,891	764	81	42.8	90
White	564	187	18	31.9	20
Nonwhite	1,327	577	63	47.5	70
Greenville	666	283	30	45.0	43
White	338	95	11	32.5	14
Nonwhite	328	188	19	57.9	29
Balance of county	1,225	481	51	41.6	47
White	226	82	7	31.0	6
Nonwhite	999	399	44	44.0	41
Wayne	475	110	14	29.5	12
White	273	60	7	25.6	4
Nonwhite	202	50	7	34.7	8
Webster	281	98	10	35.6	5
White	202	74	9	44.6	4
Nonwhite	79	24	1	12.7	1
Wilkinson	729	285	95	130.3	23
White	158	75	7	44.3	5
Nonwhite	571	190	88	154.1	18
Winston	551	171	17	30.9	18
White	269	81	6	22.3	10
Nonwhite	282	90	11	39.0	8
Yalobusha	428	167	17	39.7	16
White	181	85	8	44.2	5
Nonwhite	247	82	9	36.4	11
Yazoo	1,019	375	35	34.3	51
White	302	117	10	33.1	20
Nonwhite	717	258	25	34.9	31
MISSOURI (total)	67,990	42,248	2,558	37.6	1,788
Adair	314	234	9	28.7	8
Kirksville	178	147	5	28.1	3
Balance of county	136	87	4	29.4	5
Andrew	149	124	3	20.1	7
Atchison	205	101	7	34.1	7
Audrain	439	230	21	47.8	11
Barry	435	209	16	36.8	12
Barton	197	143	3	15.2	3
Bates	285	196	9	31.8	3
Benton	150	109	4	26.7	4
Bollinger	177	95	7	39.5	2

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
MISSOURI—Continued					
Boone	559	387	20	35.8	7
Columbia	339	210	14	41.3	4
White	287	174	10	34.8	4
Nonwhite	52	36	4	76.9	-
Balance of county	220	157	6	27.3	3
Buchanan	1,467	1,262	67	45.7	37
St. Joseph	1,226	1,138	64	52.2	34
Balance of county	241	124	3	12.4	3
Butler	811	339	54	66.6	18
Poplar Bluff	268	162	22	82.1	5
Balance of county	543	177	32	58.9	13
Caldwell	124	157	8	64.5	2
Callaway	302	458	15	49.7	9
White	272	381	10	36.8	7
Nonwhite	30	77	5	166.7	2
Camden	147	71	6	40.8	1
Cape Girardeau	706	383	44	62.3	31
Cape Girardeau	398	215	31	77.9	22
Balance of county	308	168	13	42.2	9
Carroll	278	180	17	61.2	8
Carter	74	38	3	40.5	-
Cass	274	239	13	47.4	3
Cedar	188	127	8	35.7	6
Chariton	230	189	7	30.4	5
Christian	205	126	8	39.0	5
Clark	139	102	5	36.0	3
Clay	633	415	15	23.7	13
Clinton	182	130	4	22.0	1
Cole	541	296	15	27.7	19
Jefferson City	377	204	10	26.5	13
Balance of county	164	92	5	30.5	6
Cooper	296	194	10	33.8	4
White	277	171	7	25.3	4
Nonwhite	19	23	3	157.9	-
Crawford	207	98	9	43.5	-
Dade	126	109	6	47.6	1
Dallas	172	87	6	34.9	5
Daviess	161	133	6	37.3	5
De Kalb	117	113	4	34.2	6
Dent	193	116	13	67.4	5
Douglas	228	131	10	43.9	3
Dunklin	1,109	383	58	52.3	36
Franklin	610	340	25	41.0	18
Gasconade	220	126	12	54.5	5
Gentry	182	143	5	27.5	6
Greene	1,948	996	62	31.9	31
Springfield	1,365	705	41	30.1	16
Balance of county	583	291	21	36.0	15
Grundy	216	168	7	32.4	11
Harrison	256	171	10	39.1	10
Henry	338	252	7	20.7	10
Hickory	86	57	2	23.3	1
Holt	162	128	5	30.9	3
Howard	169	137	1	5.9	6
White	135	107	-	0	5
Nonwhite	34	30	1	29.4	1
Howell	450	193	16	35.6	10
Iron	185	110	5	27.0	9
Jackson	8,504	5,927	274	32.2	179
Independence	466	216	11	23.6	11
Kansas City	7,188	5,200	244	34.0	158
White	6,452	4,476	219	33.9	123
Nonwhite	716	724	25	34.9	35
Balance of county	870	511	19	21.8	10
Jasper	1,672	1,065	76	45.5	35
Carthage	240	159	11	45.8	3
Joplin (part)	852	531	41	(3)	22
Joplin (total)	887	541	42	48.4	22
Balance of county	580	375	24	41.4	10
Jefferson	540	328	29	53.7	23
Johnson	344	257	10	29.1	7
Knox	116	111	3	25.9	4
Laclede	415	177	15	36.1	13
Lafayette	439	284	17	38.7	15
Lawrence	395	289	11	27.8	16
Lewis	174	132	6	34.5	5
Lincoln	175	139	1	5.7	2
Linn	312	258	14	44.9	7
Livingston	252	209	5	19.8	7
McDonald	323	134	11	34.1	6
Macon	265	277	7	26.4	5
Madison	205	93	11	53.7	8
Maries	164	75	3	18.3	3
Marion	533	386	14	26.3	10
Hannibal	374	274	11	29.4	9
Balance of county	159	112	3	18.9	1

[3] Rate not computed for part of an area.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
MISSOURI—Continued					
Mercer	107	95	4	37.4	3
Miller	253	150	8	31.6	5
Mississippi	604	199	32	53.0	11
White	494	116	25	50.6	9
Nonwhite	110	83	7	63.6	2
Moniteau	185	154	5	27.0	6
Monroe	173	176	9	52.0	6
Montgomery	194	134	11	56.7	2
Morgan	173	88	4	23.1	5
New Madrid	1,023	343	74	72.3	29
White	859	266	65	75.7	20
Nonwhite	164	77	11	67.1	9
Newton	698	287	22	31.5	11
Joplin (part)	15	10	1	(3)	-
Balance of county	683	277	21	30.7	11
Nodaway	413	296	8	19.4	14
Oregon	250	97	12	48.0	2
Osage	216	105	10	46.3	2
Ozark	237	77	5	21.1	8
Pemiscot	1,072	382	71	66.2	34
White	875	253	48	54.9	24
Nonwhite	197	129	23	116.8	10
Perry	319	119	8	25.1	9
Pettis	557	427	20	35.9	28
Sedalia	376	305	13	34.6	20
Balance of county	181	122	7	38.7	8
Phelps	382	212	20	52.4	8
Pike	308	223	8	26.0	11
White	280	193	6	21.4	11
Nonwhite	28	30	2	71.4	-
Platte	202	124	4	19.8	5
Polk	268	144	7	26.1	5
Pulaski	275	141	7	25.5	8
Putnam	169	115	2	11.8	2
Ralls	138	96	6	43.5	1
Randolph	317	305	14	44.2	6
Moberly	181	185	11	60.8	5
Balance of county	136	122	3	22.1	1
Ray	245	192	8	32.7	8
Reynolds	172	64	8	46.5	1
Ripley	252	115	11	43.7	4
St. Charles	537	242	7	13.0	7
St. Charles	293	127	7	23.9	4
Balance of county	244	115	-	0	3
St. Clair	170	116	8	47.1	1
St. Francois	712	418	32	44.9	18
St. Louis	5,915	2,791	135	22.8	126
Clayton	306	224	5	16.3	5
Kirkwood	355	140	6	17.9	8
Maplewood	233	183	2	8.6	3
Richmond Heights	278	131	4	14.4	12
University City	521	288	11	21.1	7
Webster Groves	397	148	7	17.6	7
Balance of county	3,845	1,699	100	26.0	84
St. Louis (city)	14,674	10,249	578	39.4	509
White	12,060	8,343	411	34.1	320
Nonwhite	2,614	1,906	167	63.9	189
Ste. Genevieve	222	88	7	31.5	2
Saline	402	366	21	52.2	8
Schuyler	94	76	1	10.6	2
Scotland	99	89	7	70.7	3
Scott	756	288	39	51.5	31
Shannon	200	69	4	20.0	3
Shelby	136	150	3	22.1	7
Stoddard	819	257	36	44.0	23
Stone	198	67	8	40.4	3
Sullivan	197	145	9	45.7	3
Taney	188	91	11	58.5	6
Texas	386	167	15	38.9	11
Vernon	363	456	10	27.5	10
Warren	99	71	3	30.3	3
Washington	299	132	21	70.2	5
Wayne	167	90	10	59.9	2
Webster	314	161	12	38.2	8
Worth	93	50	1	10.8	2
Wright	300	155	10	33.3	10
MONTANA (total)	10,943	5,682	395	36.1	184
Beaverhead	88	68	2	22.7	1
Big Horn	229	123	19	83.0	5
White	142	62	6	42.3	4
Nonwhite	87	61	13	149.4	1
Blaine	190	62	6	31.6	5
White	131	46	2	15.3	5
Nonwhite	59	16	4	67.8	-
Broadwater	58	34	1	17.2	-
Section B (Counties)—Continued					
MONTANA—Continued					
Carbon	190	99	3	15.8	6
Carter	46	23	2	43.5	2
Cascade	1,182	455	28	23.7	15
Great Falls	968	360	23	23.8	14
Balance of county	214	95	5	23.4	1
Chouteau	128	54	-	0	1
Custer	216	110	10	46.3	2
Daniels	99	24	3	30.3	-
Dawson	219	69	5	22.8	3
Deer Lodge	303	382	8	26.4	7
Anaconda	266	188	7	26.3	6
Balance of county	37	216	1	27.0	1
Fallon	83	24	3	47.6	2
Fergus	284	157	12	42.3	3
Flathead	441	250	20	45.4	6
Gallatin	301	189	9	29.9	7
Garfield	49	13	-	0	-
Glacier	255	108	25	98.0	8
White	125	51	4	32.0	3
Nonwhite	130	57	21	161.5	5
Golden Valley	22	17	-	0	2
Granite	40	28	1	25.0	-
Hill	316	107	8	25.3	6
Jefferson	59	37	1	16.9	-
Judith Basin	51	25	1	19.8	-
Lake	215	150	22	102.3	2
White	163	112	12	73.6	2
Nonwhite	52	38	10	192.3	-
Lewis and Clark	427	269	13	30.4	7
Helena	316	188	11	34.8	6
Balance of county	111	81	2	18.0	1
Liberty	39	25	1	25.6	-
Lincoln	135	60	4	30.1	2
McCone	69	18	1	14.5	1
Madison	84	61	2	23.8	1
Meagher	24	19	-	0	1
Mineral	25	25	1	40.0	1
Missoula	530	320	14	26.4	9
Missoula	417	280	12	28.8	8
Balance of county	113	40	2	17.7	1
Musselshell	95	52	1	10.5	-
Park	199	124	11	55.3	3
Petroleum	10	9	1	100.0	1
Phillips	131	56	5	38.2	2
Pondera	129	59	4	31.0	2
Powder River	63	16	1	15.9	1
Powell	124	65	5	40.3	4
Prairie	58	19	1	17.2	-
Ravalli	228	122	4	17.5	5
Richland	231	68	4	17.3	5
Roosevelt	227	90	10	44.1	1
White	149	46	-	0	1
Nonwhite	78	44	10	128.2	-
Rosebud	151	69	9	59.6	2
White	93	37	3	32.3	-
Nonwhite	58	32	6	103.4	2
Sanders	94	65	4	42.6	1
Sheridan	165	72	4	24.2	2
Silver Bow	894	630	35	39.1	25
Butte	827	552	34	41.1	21
Balance of county	67	78	1	14.9	4
Stillwater	88	45	2	22.7	1
Sweet Grass	57	41	2	35.1	-
Teton	134	53	7	52.2	5
Toole	130	54	5	38.5	2
Treasure	21	7	-	0	-
Valley	250	88	9	36.0	4
Wheatland	64	29	-	0	-
Wibaux	39	20	-	0	-
Yellowstone	986	430	46	46.7	13
Billings	690	321	35	50.7	10
Balance of county	296	109	11	37.2	3
Yellowstone National Park (part)	-	-	-	(3)	-
NEBRASKA (total)	24,575	12,583	810	33.0	498
Adams	672	391	36	53.8	10
Hastings	544	183	27	49.8	8
Balance of county	128	208	9	70.3	2
Antelope	207	118	8	38.6	6
Arthur	21	4	1	47.6	1
Banner	24	9	1	41.7	2
Blaine	25	11	-	0	-
Boone	188	106	3	16.0	3
Box Butte	296	135	16	54.1	12

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
NEBRASKA—Continued					
Boyd	125	52	5	40.0	3
Brown	108	89	5	46.3	1
Buffalo	498	242	18	36.1	8
Burt	234	96	2	8.5	3
Butler	186	107	6	32.3	5
Cass	258	161	7	27.1	10
Cedar	311	108	7	22.5	7
Chase	113	43	3	26.5	2
Cherry	198	70	10	50.5	9
Cheyenne	229	82	6	26.2	2
Clay	187	111	7	37.4	5
Colfax	167	96	5	29.9	3
Cuming	236	101	10	42.4	2
Custer	381	166	9	23.6	12
Dakota	223	71	5	22.4	6
Dawes	214	106	10	46.7	8
Dawson	391	160	13	33.2	10
Deuel	56	26	1	17.9	2
Dixon	187	98	8	42.8	3
Dodge	440	254	18	40.9	4
Fremont	227	154	9	39.6	-
Balance of county	213	100	9	42.3	4
Douglas	4,904	2,621	156	31.8	105
Omaha	4,745	2,504	150	31.6	102
White	4,478	2,318	132	29.5	92
Nonwhite	267	186	18	67.4	10
Balance of county	159	117	6	37.7	3
Dundy	89	24	2	22.5	3
Fillmore	190	91	6	31.6	2
Franklin	104	66	6	57.7	-
Frontier	114	57	4	35.1	-
Furnas	147	110	4	27.2	4
Gage	511	371	16	31.3	10
Beatrice	242	161	11	45.5	5
Balance of county	269	210	5	18.6	5
Garden	75	31	3	40.0	-
Garfield	71	36	4	56.3	4
Gosper	61	15	1	16.4	1
Grant	19	8	-	0	1
Greeley	120	61	4	33.3	1
Hall	672	312	25	37.2	20
Grand Island	512	242	19	37.1	13
Balance of county	160	70	6	37.5	7
Hamilton	148	111	5	33.8	6
Harlan	121	86	6	49.6	1
Hayes	40	12	1	25.0	3
Hitchcock	104	53	3	28.8	2
Holt	301	131	15	49.8	16
Hooker	37	4	-	0	-
Howard	141	75	6	42.6	2
Jefferson	282	147	9	31.9	6
Johnson	138	68	3	21.7	2
Kearney	99	83	1	10.1	-
Keith	143	56	3	21.0	-
Keya Paha	39	14	-	0	-
Kimball	85	33	5	58.8	2
Knox	303	148	8	26.4	9
Lancaster	1,855	1,093	54	29.1	34
Lincoln	1,633	865	47	28.8	27
Balance of county	222	228	7	31.5	7
Lincoln	501	200	18	35.9	10
North Platte	306	113	15	49.0	5
Balance of county	195	87	3	15.4	5
Logan	36	7	-	0	-
Loup	27	4	-	0	1
McPherson	21	2	-	0	-
Madison	374	325	15	40.1	8
Norfolk	168	129	10	59.5	1
Balance of county	206	196	5	24.3	7
Merrick	174	90	7	40.2	2
Morrill	177	52	6	33.9	3
Nance	108	73	6	55.6	3
Nemaha	198	127	5	25.3	8
Nuckolls	183	92	5	27.3	6
Otoe	342	175	12	35.1	2
Pawnee	114	74	5	43.9	2
Perkins	134	31	5	37.3	2
Phelps	146	84	3	20.5	3
Pierce	187	66	4	21.4	2
Platte	371	170	8	21.6	7
Polk	128	73	4	31.3	-
Red Willow	298	116	14	47.0	3
Richardson	321	182	8	24.9	5
Rock	60	16	1	16.7	-
Saline	212	141	4	18.9	2
Sarpy	262	88	6	22.9	3
Saunders	288	174	11	38.2	3
Scotts Bluff	760	235	29	38.2	9
Scottsbluff	246	103	8	32.5	2
Balance of county	514	132	21	40.9	7
Seward	223	109	3	13.5	5
Sheridan	184	94	9	48.9	2
Sherman	143	58	5	35.0	1
Sioux	34	16	1	29.4	-
Stanton	124	50	4	32.3	2
Thayer	216	124	5	23.1	4
Thomas	34	13	-	0	1
Thurston	190	91	17	89.5	7
White	134	53	5	37.3	4
Nonwhite	56	38	12	214.3	3
Valley	134	97	5	37.3	3
Washington	188	104	5	26.6	6
Wayne	162	62	1	6.2	6
Webster	131	99	1	7.6	1
Wheeler	28	4	-	0	-
York	274	175	8	29.2	4
NEVADA (total)	3,028	1,647	152	50.2	56
Churchill	113	67	5	44.2	1
Clark	846	295	51	60.3	18
Douglas	27	21	-	0	1
White	18	15	-	0	-
Nonwhite	9	6	-	0	1
Elko	191	117	4	20.9	1
White	162	103	3	18.5	-
Nonwhite	29	14	1	34.5	1
Esmeralda	11	18	1	90.9	1
Eureka	23	12	-	0	1
Humboldt	92	66	7	76.1	1
Lander	26	21	1	38.5	-
White	25	19	1	40.0	-
Nonwhite	1	2	-	0	-
Lincoln	121	40	7	57.9	1
Lyon	68	46	-	0	1
Mineral	175	48	6	34.3	5
White	158	41	5	31.6	2
Nonwhite	17	7	1	58.8	3
Nye	104	137	4	38.5	4
White	94	130	3	31.9	4
Nonwhite	10	7	1	100.0	-
Ormsby	60	42	2	33.3	-
Pershing	50	36	-	0	1
Storey	8	9	-	0	1
Washoe	840	558	45	53.6	18
Reno	627	273	29	46.3	12
Balance of county	213	285	16	75.1	6
White Pine	273	114	19	69.6	1
NEW HAMPSHIRE (total)	8,548	6,189	322	37.7	213
Belknap	421	328	15	35.6	9
Laconia	219	205	12	54.6	3
Balance of county	202	123	3	14.9	6
Carroll	210	219	13	61.9	6
Cheshire	651	401	22	33.8	8
Keene	287	181	12	41.8	2
Balance of county	364	220	10	27.5	6
Coos	589	388	26	44.1	14
Berlin	281	142	8	28.5	6
Balance of county	308	246	18	58.4	8
Grafton	728	525	25	34.3	25
Hillsborough	2,543	1,738	109	42.9	71
Manchester	1,414	918	69	48.8	43
Nashua	522	373	27	51.7	17
Balance of county	607	447	13	21.4	11
Merrimack	852	958	26	31.3	18
Concord	376	559	12	31.9	10
Balance of county	456	399	14	30.7	8
Rockingham	1,235	778	40	32.4	25
Portsmouth	447	229	12	26.8	7
Balance of county	788	549	28	35.5	18
Strafford	832	572	29	34.9	28
Dover	288	224	8	27.8	4
Rochester	236	143	14	59.3	13
Balance of county	308	205	7	22.7	11
Sullivan	507	284	17	33.5	9
Claremont (town)	231	130	12	51.9	3
Balance of county	276	154	5	18.1	6
NEW JERSEY (total)	76,265	47,815	2,593	34.0	1,859
Atlantic	1,988	1,710	77	38.7	55
White	1,691	1,379	63	37.3	43
Nonwhite	297	331	14	47.1	12
Atlantic City	1,005	933	41	40.8	34
White	789	682	31	39.3	23
Nonwhite	216	251	10	46.3	11
Pleasantville	257	138	9	38.0	9
White	202	114	7	34.7	8
Nonwhite	55	24	2	57.1	1
Balance of county	746	639	27	36.2	12

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
NEW JERSEY—Continued					
Bergen	7,620	3,995	204	26.8	189
Bergenfield	197	83	4	20.3	4
Cliffside Park	281	142	6	21.4	9
Englewood	347	224	15	43.2	13
White	301	193	11	36.5	9
Nonwhite	46	31	4	87.0	4
Garfield	474	178	10	21.1	16
Hackensack	388	303	12	30.9	7
White	339	274	8	23.6	7
Nonwhite	49	29	4	81.6	-
Lodi	255	103	7	27.5	4
Lyndhurst (twp.)[2]	332	160	13	39.2	7
Ridgefield Park	193	121	7	36.3	5
Ridgewood	245	133	4	16.3	4
Rutherford	238	186	8	33.6	4
Teaneck (twp.)[2]	428	209	4	9.3	15
Balance of county	4,242	2,153	114	26.9	101
Burlington	1,902	1,253	85	44.7	40
Burlington	256	135	12	46.9	8
White	222	121	10	45.0	7
Nonwhite	34	14	2	58.8	1
Balance of county	1,646	1,118	73	44.3	32
Camden	5,080	3,057	183	36.2	110
Camden	2,353	1,388	97	41.2	56
White	1,961	1,176	66	33.7	45
Nonwhite	392	212	31	79.1	11
Collingswood	235	160	10	42.6	3
Gloucester City	185	141	5	27.0	6
Pennsauken (twp.)[2]	215	171	9	41.9	5
Balance of county	2,072	1,197	62	29.9	40
Cape May	564	560	17	30.1	13
Cumberland	1,484	962	56	37.5	39
Bridgeton	371	242	23	62.0	11
White	306	218	19	62.1	9
Nonwhite	65	24	4	61.5	2
Millville	280	218	9	32.1	10
Balance of county	843	502	24	28.5	18
Essex	15,175	9,314	513	33.8	382
Belleville	541	261	21	38.8	11
Bloomfield	818	380	23	28.1	15
East Orange	1,241	762	37	29.8	34
Irvington	980	508	22	22.4	21
Maplewood (twp.)[2]	297	216	4	13.5	4
Millburn (twp.)[2]	189	108	4	23.7	6
Montclair	699	453	18	25.8	24
White	559	377	13	23.3	18
Nonwhite	140	76	5	35.7	6
Newark	7,856	4,917	300	38.2	196
White	6,548	4,211	219	33.4	144
Nonwhite	1,308	706	81	61.9	52
Nutley	454	168	14	30.8	10
Orange	700	470	25	35.7	21
White	571	388	16	28.0	19
Nonwhite	129	82	9	69.8	2
South Orange	204	147	5	24.5	3
West Orange	418	222	17	40.7	12
Balance of county	798	704	23	28.8	25
Gloucester	1,506	858	59	39.2	34
Hudson	10,740	7,070	377	35.1	265
Bayonne	1,335	716	36	27.0	43
Harrison	256	153	17	66.4	3
Hoboken	801	571	21	26.2	13
Jersey City	5,189	3,367	224	43.2	124
White	4,819	3,335	188	39.0	110
Nonwhite	370	32	36	97.3	14
Kearny	678	354	13	19.2	22
North Bergen (twp.)[2]	591	328	12	20.3	15
Union City	835	599	30	35.9	21
Weehawken (twp.)[2]	200	185	5	25.0	6
West New York	609	333	11	18.1	13
Balance of county	246	464	8	32.5	5
Hunterdon	551	460	18	32.7	12
Mercer	3,575	2,650	194	54.3	85
Trenton	2,033	1,693	118	58.0	48
Balance of county	1,542	957	76	49.3	37
Middlesex	4,024	2,148	116	28.8	76
Carteret	182	91	8	44.0	6
New Brunswick	699	396	13	18.6	15
Perth Amboy	683	418	25	36.6	8
South River	177	102	7	39.5	9
Woodbridge (twp.)[2]	557	240	15	26.9	9
Balance of county	1,726	901	48	27.8	29
Monmouth	3,483	2,566	109	31.3	96
Asbury Park	312	229	7	22.4	14
White	223	156	5	22.4	7
Nonwhite	89	73	2	22.5	7
Long Branch	482	213	11	22.8	8
Neptune (twp.)[2]	205	188	7	34.1	8
White	167	165	7	41.9	5
Nonwhite	38	23	-	0	3
Red Bank	283	152	13	45.9	8
White	234	131	12	51.3	6
Nonwhite	49	21	1	20.4	2
Balance of county	2,201	1,784	71	32.3	58
Morris	2,326	1,997	63	27.1	42
Dover	194	141	11	58.7	3
Morristown	262	193	1	3.8	7
Balance of county	1,870	1,663	51	27.3	32
Ocean	757	548	26	34.3	24
Passaic	5,143	3,230	181	35.2	146
Clifton	958	379	27	28.2	29
Hawthorne	192	117	10	52.1	3
Passaic	952	573	26	27.3	23
Paterson	2,237	1,552	77	34.4	72
Balance of county	804	609	41	51.0	19
Salem	950	452	44	46.3	35
White	811	388	33	40.7	30
Nonwhite	139	64	11	79.1	5
Somerset	1,500	849	39	26.0	33
North Plainfield	204	102	2	9.8	7
Balance of county	1,296	747	37	28.5	26
Sussex	601	347	18	30.0	10
Union	6,496	3,179	184	28.3	151
Cranford (twp.)[2]	302	117	4	13.2	3
Elizabeth	1,848	1,150	54	29.2	42
Hillside (twp.)[2]	271	149	10	36.9	6
Linden	575	181	19	33.0	13
Plainfield	760	447	20	26.3	25
White	648	384	15	23.1	18
Nonwhite	112	63	5	44.6	7
Rahway	354	190	10	28.2	12
Roselle	347	87	9	25.9	7
White	301	78	9	29.9	5
Nonwhite	46	9	-	0	2
Summit	310	163	8	25.8	6
Union (twp.)[2]	512	198	9	17.6	5
Westfield	358	155	15	41.9	11
Balance of county	859	342	26	30.3	21
Warren	610	610	30	37.0	22
Phillipsburg	296	243	13	43.9	9
Balance of county	514	367	17	33.1	13
NEW MEXICO (total)	15,585	5,500	1,389	89.1	332
Bernalillo	2,145	839	178	83.0	37
Albuquerque	1,027	409	67	65.2	11
Balance of county	1,118	430	111	99.3	26
Catron	121	34	9	74.4	1
Chaves	843	224	50	59.3	11
Roswell	555	147	31	55.9	8
Balance of county	288	77	19	66.0	3
Colfax	459	172	36	78.4	10
Curry	585	206	40	68.4	15
Clovis	365	136	32	87.7	10
Balance of county	220	70	8	36.4	5
De Baca	123	61	12	97.6	5
Dona Ana	897	295	67	74.7	18
Eddy	973	274	88	90.4	27
Grant	641	231	75	117.0	14
Guadalupe	206	70	22	106.8	5
Harding	80	34	10	125.0	2
Hidalgo	139	55	6	43.2	-
Lea	545	119	26	47.7	7
Hobbs	354	68	24	67.8	2
Balance of county	191	51	2	10.5	5
Lincoln	202	77	12	59.4	7
Luna	243	98	19	78.2	7
McKinley	794	372	121	152.4	16
White	337	126	30	89.0	8
Nonwhite	457	246	91	199.1	8
Mora	296	96	33	111.5	9
Otero	324	149	38	117.3	6
Quay	325	97	26	80.0	2
Rio Arriba	785	208	64	81.5	12
Roosevelt	335	103	17	50.7	10
Sandoval	443	117	35	79.0	10
White	327	91	26	79.5	8
Nonwhite	116	26	9	77.6	2

[2] Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
NEW MEXICO—Continued					
San Juan	309	165	40	129.4	7
White	176	71	10	56.8	3
Nonwhite	133	94	30	225.6	4
San Miguel	947	384	85	89.8	28
Santa Fe	793	254	71	89.5	21
Santa Fe	512	194	52	101.6	13
Balance of county	281	60	19	67.6	8
Sierra	78	69	5	64.1	2
Socorro	283	108	28	98.9	7
Taos	484	153	47	97.1	15
Torrance	341	124	40	117.3	4
Union	211	83	16	75.8	6
Valencia	635	229	73	115.0	13
White	532	190	61	114.7	10
Nonwhite	103	39	12	116.5	3
NEW YORK (total)	229,534	152,364	7,535	32.8	12,181
Albany	3,703	2,884	135	36.5	74
Albany	2,237	1,809	88	39.3	40
Cohoes	347	283	19	54.8	9
Watervliet	289	162	5	17.3	4
Balance of county	830	630	23	27.7	21
Allegany	777	501	33	42.5	12
Broome	3,239	1,974	121	37.4	73
Binghamton	1,515	1,194	66	43.6	34
Endicott	417	174	18	43.2	13
Johnson City	363	149	4	11.0	9
Balance of county	944	457	33	35.0	17
Cattaraugus	1,333	840	59	44.3	24
Olean	440	246	19	43.2	9
Balance of county	893	594	40	44.8	15
Cayuga	1,117	861	37	33.1	26
Auburn	604	470	21	34.8	13
Balance of county	513	391	16	31.2	13
Chautauqua	2,089	1,462	73	34.9	39
Dunkirk	324	207	16	49.4	8
Jamestown	666	487	20	30.0	10
Balance of county	1,099	768	37	33.7	21
Chemung	1,590	916	54	34.0	34
Elmira	957	641	32	33.4	16
Balance of county	633	275	22	34.8	18
Chenango	730	500	33	45.2	23
Clinton	1,029	549	72	70.0	22
Plattsburgh	330	164	20	60.6	10
Balance of county	699	385	52	74.4	12
Columbia	587	574	22	38.8	18
Hudson	188	200	7	37.2	3
Balance of county	379	374	15	39.6	15
Cortland	669	450	33	49.3	18
Cortland	305	226	21	68.9	10
Balance of county	364	224	12	33.0	8
Delaware	868	528	35	40.3	22
Dutchess	1,794	2,093	79	44.0	39
Beacon	197	187	10	50.8	7
Poughkeepsie	804	555	36	44.8	15
Balance of county	793	1,351	33	41.6	17
Erie	15,432	9,277	506	32.8	367
Buffalo	10,313	6,711	361	35.0	259
White	9,718	6,380	329	33.9	232
Nonwhite	595	331	32	53.8	27
Kenmore	382	148	8	20.9	5
Lackawanna	620	233	25	40.3	16
Tonawanda	261	175	13	49.8	9
Balance of county	3,856	2,010	99	25.7	78
Essex	598	430	28	47.0	17
Franklin	918	537	40	43.6	17
Fulton	785	657	20	25.5	15
Gloversville	356	331	11	30.9	4
Johnstown	158	143	2	12.7	2
Balance of county	271	183	7	25.8	7
Genesee	790	541	31	39.2	19
Batavia	298	239	18	60.4	7
Balance of county	492	302	13	26.4	12
Greene	441	386	14	31.7	9
Hamilton	61	41	2	32.8	-
Herkimer	1,088	739	38	34.9	15
Little Falls	156	100	5	32.1	1
Balance of county	932	639	33	35.4	14
Jefferson	1,755	1,096	93	53.0	31
Watertown	752	498	37	49.2	9
Balance of county	1,003	598	56	55.8	22
Lewis	456	277	21	46.1	8
Livingston	622	545	14	22.5	8
Madison	807	556	28	34.7	17
Oneida	236	145	8	33.9	2
Balance of county	571	411	20	35.0	15
Monroe	7,763	4,930	208	26.8	174
Irondequoit (town)	520	174	9	17.3	8
Rochester	5,370	3,602	158	29.4	121
Balance of county	1,873	1,154	41	21.9	45
Montgomery	919	712	32	34.8	26
Amsterdam	489	406	18	36.8	14
Balance of county	430	306	14	32.6	12
Nassau	8,152	4,055	217	26.6	285
Floral Park	220	133	6	27.3	12
Freeport	403	230	13	32.3	19
Garden City	201	123	5	24.9	6
Glen Cove	223	136	7	31.4	9
Hempstead	489	259	31	63.4	18
Lynbrook	266	152	4	15.0	11
Mineola	185	95	5	27.0	4
Rockville Centre	302	213	2	6.6	11
Valley Stream	373	174	10	26.8	8
Balance of county	5,490	2,540	134	24.4	187
New York City[5]	120,304	78,120	3,768	31.3	9,553
White	110,398	71,729	3,211	29.1	8,472
Nonwhite	9,906	6,391	557	56.2	1,081
Niagara	3,608	1,761	144	39.9	73
Lockport	463	331	22	47.5	6
Niagara Falls	1,835	764	81	44.1	42
North Tonawanda	465	199	13	28.0	10
Balance of county	845	467	28	33.1	15
Oneida	3,856	2,910	124	32.2	95
Rome	817	446	25	30.6	17
Utica	1,772	1,421	69	38.9	53
Balance of county	1,267	1,043	30	23.7	23
Onondaga	5,331	3,449	174	32.6	117
Syracuse	3,566	2,441	127	35.6	85
Balance of county	1,765	1,008	47	26.6	32
Ontario	1,035	671	35	33.8	29
Geneva	368	187	11	30.1	8
Balance of county	669	484	24	35.9	21
Orange	2,375	1,932	76	32.0	54
Middletown	324	513	13	40.1	11
Newburgh	580	438	20	34.5	15
Balance of county	1,471	981	43	29.2	28
Orleans	478	380	16	33.5	8
Oswego	1,343	848	38	28.3	26
Fulton	260	152	7	26.9	4
Oswego	407	257	10	24.6	8
Balance of county	676	439	21	31.1	14
Otsego	943	634	41	43.5	22
Oneonta	239	141	10	41.8	11
Balance of county	704	493	31	44.0	11
Putnam	211	212	5	23.7	6
Rensselaer	1,974	1,725	72	36.5	37
Rensselaer	172	151	9	52.3	3
Troy	1,143	1,081	45	39.4	24
Balance of county	659	493	18	27.3	10
Rockland	1,102	1,158	39	35.4	28
St. Lawrence	2,029	1,259	93	45.8	60
Massena	355	90	15	42.3	14
Ogdensburg	286	362	6	21.0	7
Balance of county	1,388	807	72	51.9	39
Saratoga	1,270	851	36	28.3	27
Saratoga Springs	241	197	7	29.0	4
Balance of county	1,029	654	29	28.2	23
Schenectady	2,500	1,446	90	36.0	49
Schenectady	1,748	1,067	71	40.6	39
Balance of county	752	379	19	25.3	10
Schoharie	380	263	17	44.7	18
Schuyler	243	189	10	41.2	4
Seneca	517	583	15	29.0	7
Steuben	1,730	1,078	73	42.2	54
Corning	359	184	16	44.6	14
Hornell	304	183	14	46.1	6
Balance of county	1,067	711	43	40.3	34
Suffolk	3,301	3,647	90	27.3	104
Sullivan	539	485	16	29.7	20
Tioga	521	379	27	51.8	6
Tompkins	834	484	17	20.4	13
Ithaca	459	251	10	21.8	-
Balance of county	375	233	7	18.7	13
Ulster	1,121	1,099	38	33.9	36
Kingston	408	396	10	24.5	11
Balance of county	713	703	28	39.3	25
Warren	661	482	26	39.3	23
Glens Falls	358	229	13	36.3	8
Balance of county	303	253	13	42.9	15
Washington	783	631	27	34.5	15
Wayne	827	634	42	50.8	22

[5] Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
NEW YORK—Continued					
Westchester	8,847	5,607	284	32.1	251
Mamaroneck	225	107	6	26.3	2
Mount Vernon	1,092	623	42	38.5	26
New Rochelle	883	644	28	31.7	29
White	781	586	24	30.7	25
Nonwhite	102	58	4	39.2	4
Ossining	195	183	4	20.5	5
White	184	166	3	16.3	4
Nonwhite	11	17	1	90.9	1
Peekskill	241	204	13	53.9	10
Port Chester	415	216	15	36.1	4
Scarsdale	216	124	9	41.7	8
White Plains	618	354	29	46.9	14
Yonkers	2,198	1,390	70	31.8	63
Balance of county	2,761	1,762	68	24.6	70
Wyoming	523	360	14	26.8	11
Yates	258	236	10	38.8	3
NORTH CAROLINA (total)	90,629	29,390	4,115	45.4	2,401
Alamance	1,450	434	46	31.7	31
White	1,140	324	32	28.1	21
Nonwhite	310	110	14	45.2	10
Burlington	477	152	21	44.0	8
Balance of county	973	282	25	25.7	23
White	713	193	14	19.6	13
Nonwhite	260	89	11	42.3	10
Alexander	288	128	20	69.4	3
Alleghany	131	44	-	0	1
Anson	663	230	24	36.2	18
White	314	93	6	19.1	7
Nonwhite	349	137	18	51.6	11
Ashe	487	164	25	51.3	10
Avery	363	88	10	27.5	11
Beaufort	866	369	49	56.6	36
White	524	203	25	47.7	21
Nonwhite	342	166	24	70.2	15
Bertie	704	225	31	44.0	21
White	208	77	6	28.8	8
Nonwhite	496	148	25	50.4	13
Bladen	793	239	40	50.4	29
White	403	123	14	34.7	9
Nonwhite	390	116	26	66.7	20
Brunswick	547	160	31	56.7	15
White	320	90	15	46.9	5
Nonwhite	227	70	16	70.5	10
Buncombe	2,287	1,006	106	46.3	64
White	2,051	825	94	45.8	50
Nonwhite	236	181	12	50.8	14
Asheville	1,031	584	41	39.8	28
White	834	411	31	37.2	15
Nonwhite	197	153	10	50.8	13
Balance of county	1,256	442	65	51.8	36
Burke	926	379	33	35.6	20
Cabarrus	1,347	326	39	29.0	38
White	1,121	251	30	26.8	27
Nonwhite	226	75	9	39.8	9
Concord	258	103	8	31.0	1
White	192	77	6	31.3	-
Nonwhite	66	26	2	30.3	1
Balance of county	1,089	223	31	28.5	35
White	929	174	24	25.8	27
Nonwhite	160	49	7	43.8	8
Caldwell	999	252	53	53.1	30
Camden	123	54	10	81.3	2
White	63	29	2	31.7	-
Nonwhite	60	25	8	133.3	2
Carteret	532	178	27	50.8	9
White	465	142	21	45.2	8
Nonwhite	67	36	6	89.6	1
Caswell	485	146	21	43.3	13
White	200	80	11	55.0	4
Nonwhite	285	66	10	35.1	9
Catawba	1,321	364	51	38.6	31
White	1,154	312	44	38.1	23
Nonwhite	167	52	7	41.9	8
Hickory	387	108	17	43.9	3
White	331	83	14	42.3	1
Nonwhite	56	25	3	53.6	2
Balance of county	934	256	34	36.4	28
Chatham	510	198	26	51.0	15
White	315	137	16	50.8	9
Nonwhite	195	61	10	51.3	6
Cherokee	557	104	21	37.7	9
Chowan	337	120	12	35.6	6
White	164	70	6	36.6	4
Nonwhite	173	50	6	34.7	2
Clay	173	32	3	17.3	3
Cleveland	1,589	333	52	32.7	28
White	1,148	255	35	30.5	6
Nonwhite	441	78	17	38.5	22
Shelby	377	110	13	34.5	3
White	306	86	11	35.9	1
Nonwhite	71	24	2	28.2	2
Balance of county	1,212	223	39	32.2	25
White	842	169	24	28.5	5
Nonwhite	370	54	15	40.5	20
Columbus	1,443	387	70	48.5	38
White	886	235	38	42.9	13
Nonwhite	557	152	32	57.5	25
Craven	915	440	64	69.9	33
White	485	244	28	57.7	15
Nonwhite	430	196	36	83.7	18
New Bern	361	175	30	83.1	16
White	189	64	9	47.6	7
Nonwhite	172	111	21	122.1	9
Balance of county	554	265	34	61.4	17
White	296	180	19	64.2	8
Nonwhite	258	85	15	58.1	9
Cumberland	1,849	852	110	59.5	67
White	1,179	412	70	59.4	35
Nonwhite	670	240	40	59.7	32
Fayetteville	801	304	52	64.9	28
White	524	185	33	63.0	15
Nonwhite	277	119	19	68.6	13
Balance of county	1,048	348	58	55.3	39
White	655	227	37	56.5	20
Nonwhite	393	121	21	53.4	19
Currituck	124	47	1	8.1	4
White	69	29	-	0	3
Nonwhite	55	18	1	18.2	1
Dare	118	49	-	0	3
Davidson	1,156	354	56	48.4	32
White	1,012	294	45	44.5	25
Nonwhite	144	60	11	76.4	7
Lexington	310	78	16	51.6	12
White	262	50	11	42.0	9
Nonwhite	48	23	5	104.2	3
Thomasville	265	92	15	56.6	6
White	214	74	11	51.4	5
Nonwhite	51	18	4	78.4	1
Balance of county	581	189	25	43.0	14
Davie	328	130	12	36.6	13
White	268	107	6	22.4	10
Nonwhite	60	23	6	100.0	3
Duplin	1,017	294	49	48.2	21
White	642	182	32	49.8	8
Nonwhite	375	112	17	45.3	13
Durham	2,128	663	88	41.4	74
White	1,392	409	50	35.9	31
Nonwhite	736	254	38	51.6	43
Durham	1,687	507	79	46.8	67
White	1,098	307	43	39.2	28
Nonwhite	589	200	36	61.1	39
Balance of county	441	156	9	20.4	7
White	294	102	7	23.8	3
Nonwhite	147	54	2	13.6	4
Edgecombe	1,211	411	58	47.9	35
White	467	173	13	27.8	15
Nonwhite	744	238	45	60.5	20
Rock Mount (part)	231	102	19	(3)	12
White	124	47	7	(3)	4
Nonwhite	107	55	12	(3)	8
Balance of county	980	309	39	39.8	23
White	343	126	6	17.5	11
Nonwhite	637	183	33	51.8	12
Forsyth	2,791	1,045	113	40.5	71
White	1,932	596	62	32.1	37
Nonwhite	859	449	51	59.4	34
Winston-Salem	1,711	687	85	49.7	60
White	965	302	39	40.4	26
Nonwhite	746	385	46	61.7	34
Balance of county	1,080	358	28	25.9	11
White	967	294	23	23.8	11
Nonwhite	113	64	5	44.2	-
Franklin	676	237	28	41.4	15
White	302	117	5	16.6	7
Nonwhite	374	120	23	61.5	8
Gaston	2,248	622	119	52.9	64
White	1,950	509	102	52.3	53
Nonwhite	298	113	17	57.0	11
Gastonia	601	218	42	69.9	28
White	497	164	35	70.4	24
Nonwhite	104	54	7	67.3	4
Balance of county	1,647	404	77	46.8	36
White	1,453	345	67	46.1	29
Nonwhite	194	59	10	51.5	7

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Gates	231	90	12	51.9	6
White	99	46	3	30.3	3
Nonwhite	132	44	9	68.2	3
Graham	223	39	10	44.8	4
Granville	722	276	32	44.3	14
White	300	158	9	30.0	7
Nonwhite	422	118	23	54.5	7
Greene	493	105	15	30.4	14
White	234	49	5	21.4	8
Nonwhite	259	56	10	38.6	6
Guilford	3,353	1,272	171	51.0	92
White	2,628	932	117	44.5	47
Nonwhite	725	340	54	74.5	45
Greensboro	1,291	569	81	62.7	42
White	914	387	50	54.7	19
Nonwhite	377	182	31	82.2	23
High Point	798	301	41	51.5	27
White	630	217	28	44.4	16
Nonwhite	168	84	13	78.5	11
Balance of county	1,268	402	49	38.7	23
White	1,084	328	39	36.0	12
Nonwhite	182	74	10	54.9	11
Halifax	1,575	420	76	48.3	21
White	541	160	19	35.1	8
Nonwhite	1,034	260	57	55.1	13
Harnett	1,128	300	50	44.3	31
White	824	211	34	41.3	19
Nonwhite	304	89	16	52.6	12
Haywood	787	225	41	52.1	14
Henderson	621	202	29	46.7	16
Hertford	424	147	27	63.7	3
White	155	51	4	25.8	1
Nonwhite	269	96	23	85.5	2
Hoke	401	170	22	54.9	15
White	127	61	3	23.6	3
Nonwhite	274	109	19	69.3	12
Hyde	146	66	3	20.5	1
White	71	48	2	28.2	-
Nonwhite	75	18	1	13.3	1
Iredell	1,149	399	62	54.0	35
White	896	296	43	48.0	20
Nonwhite	253	103	19	75.1	15
Statesville	292	84	10	34.2	9
White	232	64	9	38.8	5
Nonwhite	60	20	1	16.7	4
Balance of county	857	315	52	60.7	26
White	664	232	34	51.2	15
Nonwhite	193	83	18	93.3	11
Jackson	434	115	25	57.6	11
Johnston	1,630	414	58	35.6	34
White	1,261	286	39	30.9	28
Nonwhite	369	128	19	51.5	6
Jones	312	72	11	35.3	12
White	168	40	3	17.9	4
Nonwhite	144	32	8	55.6	8
Lee	585	164	25	42.7	17
White	427	112	15	35.1	6
Nonwhite	158	52	10	63.3	11
Lenoir	1,167	428	52	44.6	34
White	619	212	27	43.6	12
Nonwhite	548	216	25	45.6	22
Kinston	425	197	21	49.4	22
White	237	92	13	54.9	11
Nonwhite	188	105	8	42.6	11
Balance of county	742	231	31	41.8	12
White	382	120	14	36.6	1
Nonwhite	360	111	17	47.2	11
Lincoln	597	168	25	41.9	10
White	497	133	15	30.2	8
Nonwhite	100	35	10	100.0	2
McDowell	564	152	26	46.1	6
Macon	458	99	12	26.2	8
Madison	478	149	26	54.4	11
Martin	725	202	20	27.6	23
White	303	108	7	23.1	13
Nonwhite	422	94	13	30.8	10
Mecklenburg	3,769	1,363	187	49.6	103
White	2,688	815	100	37.2	42
Nonwhite	1,081	548	87	80.5	61
Charlotte	2,582	947	133	51.5	86
White	1,816	545	67	36.9	33
Nonwhite	766	402	66	86.2	53
Balance of county	1,187	416	54	45.5	17
White	872	270	33	37.8	9
Nonwhite	315	146	21	66.7	8
Mitchell	393	97	10	25.4	6
Montgomery	382	116	13	34.0	11
White	287	87	10	34.8	10
Nonwhite	95	29	3	31.6	1
Moore	723	230	22	30.4	12
White	490	140	13	26.5	6
Nonwhite	233	90	9	38.6	6
Nash	1,538	459	69	44.9	52
White	802	256	23	28.7	17
Nonwhite	736	203	46	62.5	35
Rocky Mount (part)	380	141	18	(3)	15
White	235	83	8	(3)	7
Nonwhite	125	58	10	(3)	8
Rocky Mount (total)	591	243	37	62.6	27
White	359	130	15	41.8	11
Nonwhite	232	113	22	94.8	16
Balance of county	1,178	318	51	43.3	37
White	567	173	15	26.5	10
Nonwhite	611	145	36	58.9	27
New Hanover	2,414	728	115	47.6	58
White	1,724	387	54	31.3	19
Nonwhite	690	341	61	88.4	39
Wilmington	1,314	508	71	54.0	52
White	788	208	21	26.6	17
Nonwhite	526	300	50	95.1	35
Balance of county	1,100	220	44	40.0	6
White	936	159	33	35.3	2
Nonwhite	164	61	11	67.1	4
Northampton	708	161	20	28.2	20
White	188	56	4	21.3	4
Nonwhite	520	105	16	30.8	16
Onslow	705	230	34	48.2	24
White	561	164	22	39.2	19
Nonwhite	144	66	12	83.3	5
Orange	546	177	19	34.8	14
White	324	114	6	18.5	4
Nonwhite	222	63	13	58.6	10
Pamlico	232	81	11	47.4	4
White	132	55	2	15.2	1
Nonwhite	100	26	9	90.0	3
Pasquotank	640	242	40	62.5	17
White	415	138	22	53.0	3
Nonwhite	225	104	18	80.0	14
Elizabeth City	384	158	21	54.7	8
White	285	90	10	35.1	2
Nonwhite	99	68	11	111.1	6
Balance of county	256	88	19	74.2	9
White	130	48	12	92.3	1
Nonwhite	126	38	7	55.6	8
Pender	511	191	25	48.9	18
White	217	89	5	23.0	6
Nonwhite	294	102	20	68.0	12
Perquimans	245	98	8	32.7	5
White	116	44	3	25.9	2
Nonwhite	129	52	5	38.8	3
Person	711	141	22	30.9	22
White	392	93	14	35.7	11
Nonwhite	319	48	8	25.1	11
Pitt	1,603	462	78	48.7	37
White	764	209	29	38.0	9
Nonwhite	839	253	49	58.4	28
Greenville	338	115	13	38.5	10
White	178	42	2	11.2	4
Nonwhite	160	73	11	68.8	6
Balance of county	1,265	347	65	51.4	27
White	586	167	27	46.1	5
Nonwhite	679	180	38	56.0	22
Polk	263	84	9	34.8	2
White	245	72	9	36.7	2
Nonwhite	18	12	-	0	-
Randolph	981	302	36	36.7	29
Richmond	897	365	53	59.1	20
White	628	242	37	58.9	8
Nonwhite	269	123	16	59.5	12
Robeson	2,445	659	118	48.3	69
White	895	270	26	29.1	23
Nonwhite	1,550	389	92	59.4	46
Rockingham	1,295	442	59	45.6	28
White	1,011	309	35	34.6	17
Nonwhite	284	133	24	84.5	11
Reidsville	226	113	15	66.4	5
White	164	83	6	36.6	2
Nonwhite	62	30	9	145.2	3
Balance of county	1,069	329	44	41.2	23
White	847	246	29	34.2	15
Nonwhite	222	83	15	67.6	8
Rowan	1,414	524	58	41.0	30
White	1,132	397	44	38.9	24
Nonwhite	282	127	14	49.6	6
Salisbury	377	176	10	26.5	11
White	297	118	7	23.6	9
Nonwhite	80	58	3	37.5	2
Balance of county	1,037	348	48	46.3	19
White	835	279	37	44.3	15
Nonwhite	202	69	11	54.5	4

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Rutherford	1,040	322	44	42.3	35
White	863	285	29	33.6	28
Nonwhite	177	37	15	84.7	7
Sampson	1,280	365	63	49.2	31
White	769	211	30	39.0	15
Nonwhite	511	154	33	64.6	16
Scotland	741	215	43	58.0	28
White	353	105	22	62.3	4
Nonwhite	388	110	21	54.1	22
Stanly	767	249	34	44.3	18
White	665	208	28	42.0	12
Nonwhite	102	41	6	58.8	6
Stokes	460	128	16	34.8	8
White	412	114	13	31.6	6
Nonwhite	48	14	3	62.5	2
Surry	1,097	307	62	56.5	29
Swain	333	44	9	27.0	8
White	268	27	-	0	8
Nonwhite	65	17	9	138.5	-
Transylvania	373	94	17	45.6	9
Tyrrell	135	47	7	51.9	5
White	79	28	4	50.6	2
Nonwhite	56	19	3	53.6	3
Union	1,047	301	44	42.0	29
White	766	219	32	41.8	16
Nonwhite	281	82	12	42.7	13
Vance	784	275	51	65.1	29
White	382	144	18	47.1	10
Nonwhite	402	131	33	82.1	19
Wake	2,477	1,084	87	35.1	103
White	1,587	697	44	27.7	51
Nonwhite	890	387	43	48.3	52
Raleigh	1,066	667	44	41.3	54
White	769	447	22	28.6	33
Nonwhite	297	220	22	74.1	21
Balance of county	1,411	417	43	30.5	49
White	818	250	22	26.9	18
Nonwhite	593	167	21	35.4	31
Warren	620	221	47	75.8	28
White	148	80	7	47.3	2
Nonwhite	472	141	40	84.7	26
Washington	332	126	25	75.3	8
White	189	69	17	89.9	2
Nonwhite	143	57	8	55.9	6
Watauga	443	74	12	27.1	5
Wayne	1,375	744	79	57.5	27
White	820	231	36	43.9	17
Nonwhite	555	513	43	77.5	10
Goldsboro	520	162	31	59.6	12
White	287	80	16	55.7	6
Nonwhite	233	82	15	64.4	6
Balance of county	855	582	48	56.1	15
White	533	151	20	37.5	11
Nonwhite	322	431	28	87.0	4
Wilkes	1,097	358	53	48.3	13
Wilson	1,298	508	62	47.8	49
White	717	282	23	32.1	23
Nonwhite	581	226	39	67.1	26
Wilson	459	232	21	45.8	20
White	234	125	6	25.6	9
Nonwhite	225	107	15	66.7	11
Balance of county	839	276	41	48.9	29
White	483	157	17	35.2	14
Nonwhite	356	119	24	67.4	15
Yadkin	387	129	14	36.2	7
Yancey	423	71	12	28.4	10
NORTH DAKOTA (total)	13,530	5,118	479	35.4	282
Adams	101	43	4	39.6	4
Barnes	329	155	6	18.2	2
Benson	245	110	11	44.9	8
White	215	89	9	41.9	8
Nonwhite	30	21	2	66.7	-
Billings	48	14	1	20.8	2
Bottineau	305	110	13	42.6	8
Bowman	78	46	3	38.5	-
Burke	154	53	6	39.0	2
Burleigh	516	173	19	36.8	6
Bismarck	375	130	16	42.7	4
Balance of county	141	43	3	21.3	2
Cass	1,060	460	29	26.9	19
Fargo	719	301	27	37.6	13
Balance of county	341	159	2	5.5	6
Cavalier	317	111	19	59.9	7
Dickey	187	87	4	21.4	12
Divide	135	52	2	14.8	2
Dunn	202	47	11	54.5	2
Eddy	109	35	5	45.9	2
Emmons	275	57	10	36.4	4
Foster	105	39	1	9.5	4
Golden Valley	86	18	4	46.5	1
Grand Forks	710	339	29	40.8	20
Grand Forks	472	201	22	46.6	8
Balance of county	238	138	7	29.4	12
Grant	242	42	10	41.3	5
Griggs	152	52	7	53.0	2
Hettinger	161	58	3	18.6	4
Kidder	162	47	8	49.4	1
La Moure	237	72	7	29.5	3
Logan	164	47	7	42.7	4
McHenry	282	81	6	21.3	2
McIntosh	188	54	9	47.9	7
McKenzie	185	57	6	32.4	2
McLean	364	101	11	30.2	8
Mercer	197	63	8	40.6	7
Morton	458	204	29	63.3	5
Mountrail	216	84	8	37.0	2
Nelson	140	82	5	35.7	8
Oliver	75	16	2	26.7	1
Pembina	302	122	14	46.4	10
Pierce	231	84	9	39.0	5
Ramsey	312	136	7	22.4	4
Ransom	169	82	5	29.6	2
Renville	125	53	4	32.0	2
Richland	382	147	10	26.2	7
Rolette	371	103	22	59.3	7
White	215	65	7	32.6	3
Nonwhite	156	38	15	96.2	4
Sargent	207	62	3	14.5	3
Sheridan	135	42	8	59.3	4
Sioux	96	40	3	31.3	2
White	44	15	1	22.7	2
Nonwhite	52	25	2	38.5	-
Slope	59	13	1	16.9	2
Stark	392	114	14	35.7	8
Steele	116	40	3	25.9	1
Stutsman	455	300	16	35.2	7
Towner	134	49	1	7.5	5
Traill	243	98	5	20.6	4
Walsh	373	169	9	24.1	10
Ward	646	276	25	38.7	22
Minot	381	165	12	31.5	15
Balance of county	265	111	13	49.1	9
Wells	253	73	7	27.7	5
Williams	344	124	10	29.1	8
OHIO (total)	133,598	80,193	5,147	38.5	5,352
Adams	402	223	20	49.8	15
Allen	1,700	909	74	43.5	39
Lima	1,091	553	52	47.7	26
Balance of county	609	356	22	36.1	13
Ashland	528	382	23	43.7	4
Ashland	216	188	11	50.9	2
Balance of county	310	194	12	38.7	2
Ashtabula	1,255	886	50	39.8	42
Ashtabula	463	262	18	34.6	13
Balance of county	792	624	34	42.9	29
Athens	637	626	41	64.4	14
Auglaize	558	361	18	32.3	18
Belmont	1,463	1,051	53	36.2	46
Bellaire	189	167	11	58.2	7
Martins Ferry	204	170	6	29.4	9
Balance of county	1,070	714	36	33.6	30
Brown	308	276	15	48.7	11
Butler	2,648	1,340	134	50.6	50
Hamilton	1,112	674	65	58.5	24
Middletown	824	337	38	43.7	17
Balance of county	712	329	33	46.3	9
Carroll	323	191	19	58.8	3
Champaign	548	363	23	42.0	18
Clark	1,996	1,259	86	43.1	50
Springfield	1,459	964	60	41.1	39
White	1,287	844	51	39.6	32
Nonwhite	172	120	9	52.3	7
Balance of county	537	295	26	48.4	11
Clermont	611	355	19	31.1	18
Clinton	419	323	26	62.1	11
Columbiana	1,892	1,075	72	42.6	45
East Liverpool	428	335	32	74.8	12
Salem	234	162	6	25.6	5
Balance of county	1,030	578	34	33.0	28
Coshocton	475	329	16	33.7	7
Coshocton	191	145	8	41.9	2
Balance of county	284	184	8	28.2	5
Crawford	702	445	28	39.9	22

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
OHIO—Continued					
Cuyahoga	22,113	13,271	680	30.8	547
Cleveland	15,852	10,154	521	32.9	410
White	13,820	8,832	420	30.4	336
Nonwhite	2,032	1,322	101	49.7	74
Cleveland Heights	738	447	11	14.9	15
East Cleveland	617	402	10	16.2	9
Euclid	657	151	16	24.4	11
Garfield Heights	284	107	7	24.6	4
Lakewood	1,114	660	28	25.1	30
Parma	329	97	7	21.3	8
Shaker Heights	395	171	9	22.8	9
Balance of county	2,127	1,082	71	33.4	53
Darke	745	473	30	40.3	19
Defiance	454	297	23	50.7	6
Delaware	482	350	18	37.3	16
Erie	845	587	44	52.1	15
Sandusky	500	354	26	52.0	9
Balance of county	345	213	18	52.2	6
Fairfield	913	509	27	29.6	15
Lancaster	473	248	18	38.1	12
Balance of county	440	261	9	20.5	3
Fayette	411	285	26	63.3	10
Franklin	7,967	5,070	287	36.0	216
White	7,214	4,409	236	32.7	185
Nonwhite	753	661	51	67.7	31
Columbus	6,232	4,129	216	34.7	181
White	5,532	3,538	174	31.5	151
Nonwhite	700	591	42	60.0	30
Balance of county	1,735	941	71	40.9	35
Fulton	480	268	16	33.3	8
Gallia	426	383	22	51.6	13
Geauga	402	210	15	37.3	15
Greene	888	454	34	38.3	20
Xenia	227	162	12	52.9	7
White	195	118	8	41.0	4
Nonwhite	32	44	4	125.0	3
Balance of county	661	292	22	33.3	13
Guernsey	567	470	27	47.6	18
Cambridge	251	197	15	59.8	9
Balance of county	316	273	12	38.0	9
Hamilton	12,126	8,060	441	36.4	386
White	10,672	6,934	356	33.4	297
Nonwhite	1,454	1,126	85	58.5	89
Cincinnati	8,345	6,329	336	40.3	282
White	7,032	5,358	259	36.6	204
Nonwhite	1,263	971	77	61.0	78
Norwood	607	270	14	23.1	16
Balance of county	3,174	1,461	91	28.7	88
Hancock	745	524	25	33.6	19
Findlay	409	298	11	26.9	9
Fostoria (part)	35	48	4	(3)	1
Balance of county	301	178	10	33.2	9
Hardin	539	357	28	51.9	18
Harrison	308	213	9	29.2	6
Henry	396	241	8	20.2	10
Highland	481	367	27	56.1	6
Hocking	318	214	13	40.9	13
Holmes	397	172	12	30.2	12
Huron	725	492	23	31.7	12
Jackson	526	301	23	43.7	9
Jefferson	1,578	888	72	45.6	30
Steubenville	597	398	32	53.6	15
Balance of county	981	492	40	40.8	15
Knox	603	393	28	46.4	11
Mount Vernon	250	160	13	52.0	3
Balance of county	353	233	15	42.5	8
Lake	1,159	551	50	43.1	28
Painesville	345	175	14	40.6	8
Balance of county	814	376	36	44.2	18
Lawrence	908	497	60	66.1	24
Ironton	315	214	18	57.1	7
Balance of county	593	283	42	70.8	17
Licking	1,115	827	43	38.6	29
Newark	594	477	24	40.4	19
Balance of county	521	350	19	36.5	10
Logan	572	384	26	45.5	13
Lorain	2,193	1,256	87	39.7	46
Elyria	485	293	22	45.4	3
Lorain	846	484	37	43.7	16
Balance of county	862	479	28	32.5	27
Lucas	6,523	4,285	284	43.5	151
Toledo	5,265	3,871	248	47.1	131
White	4,878	3,587	220	45.1	117
Nonwhite	387	284	28	72.4	14
Balance of county	1,258	414	36	28.6	20
Madison	398	266	34	85.4	10
Mahoning	4,048	2,332	150	37.1	123
Campbell	215	64	7	32.6	7
White	181	42	6	33.1	5
Nonwhite	34	22	1	29.4	2
Struthers	195	99	8	41.0	8
Youngstown (part)	2,880	1,730	116	(3)	75
White	2,549	1,534	96	(3)	61
Nonwhite	331	196	20	(3)	14
Youngstown (total)	2,883	1,730	116	40.2	78
White	2,552	1,534	96	37.6	62
Nonwhite	331	196	20	60.4	14
Balance of county	758	439	19	25.1	33
Marion	929	565	46	49.5	30
Marion	617	424	30	48.6	21
Balance of county	312	141	16	51.3	9
Medina	658	394	23	35.0	17
Meigs	356	263	13	36.5	5
Mercer	493	283	16	32.5	5
Miami	1,192	659	32	26.8	23
Piqua	371	209	12	32.3	7
Balance of county	821	450	20	24.4	16
Monroe	254	195	7	27.6	9
Montgomery	7,446	3,640	313	42.0	168
Dayton	6,173	2,794	255	41.3	141
White	5,609	2,490	227	40.5	116
Nonwhite	564	304	28	49.6	25
Balance of county	1,273	846	58	45.6	27
Morgan	194	180	4	20.6	3
Morrow	252	183	8	31.7	3
Muskingum	1,320	805	51	38.6	38
Zanesville	787	487	37	47.0	27
Balance of county	533	318	14	26.3	11
Noble	184	148	5	27.2	6
Ottawa	458	282	19	41.5	8
Paulding	259	142	10	38.6	7
Perry	472	341	22	46.6	13
Pickaway	479	383	17	35.5	15
Pike	328	136	19	57.9	7
Portage	994	506	41	41.2	26
Preble	414	296	15	36.2	13
Putnam	507	227	10	19.7	15
Richland	1,397	804	40	28.6	41
Mansfield	738	440	19	25.7	28
Balance of county	659	364	21	31.9	13
Ross	1,093	598	64	58.6	19
Chillicothe	473	221	29	61.3	9
Balance of county	620	377	35	56.5	10
Sandusky	822	473	30	36.5	21
Fremont	328	159	10	30.5	8
Balance of county	494	314	20	40.5	13
Scioto	1,525	841	116	76.1	47
Portsmouth	682	480	59	86.5	29
Balance of county	843	361	57	67.6	18
Seneca	982	574	41	41.8	23
Fostoria (part)	255	110	9	(3)	3
Fostoria (total)	290	158	13	44.8	4
Tiffin	342	231	13	38.0	13
Balance of county	385	233	19	49.4	7
Shelby	552	274	17	30.8	17
Stark	5,049	2,740	179	35.5	107
Alliance	512	288	23	44.9	12
Canton	2,415	1,128	81	33.5	58
Massillon	612	315	23	37.6	11
Balance of county	1,510	1,009	52	34.4	26
Summit	7,329	3,392	219	29.9	178
Akron	5,148	2,404	148	28.7	124
White	4,794	2,206	129	26.9	102
Nonwhite	354	198	19	53.7	22
Barberton	557	224	21	37.7	13
Cuyahoga Falls	463	178	12	25.9	5
Balance of county	1,161	586	38	32.7	36
Trumbull	2,687	1,308	129	48.0	78
Niles	275	127	14	50.9	8
Warren	973	522	49	50.4	22
Youngstown (part)	3	-	-	(3)	1
White	3	-	-	(3)	1
Nonwhite	-	-	-	(3)	-
Balance of county	1,436	659	66	46.0	47
Tuscarawas	1,229	805	56	45.6	31
New Philadelphia	225	144	10	44.4	2
Balance of county	1,004	661	46	45.8	29
Union	317	250	21	66.2	9
Van Wert	444	271	16	36.0	10
Vinton	215	110	4	18.8	2
Warren	857	382	22	33.5	19
Washington	727	552	29	39.9	17
Marietta	264	233	14	53.0	10
Balance of county	463	319	15	32.4	7

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
OHIO—Continued					
Wayne	1,105	530	23	20.8	13
Wooster	211	146	4	19.0	2
Balance of county	894	384	19	21.3	11
Williams	462	327	18	39.0	7
Wood	880	543	32	36.4	12
Wyandot	323	190	11	34.1	9
OKLAHOMA (total)	46,725	18,925	1,923	41.2	1,010
Adair	316	144	23	72.8	6
White	221	104	19	86.0	4
Nonwhite	95	40	4	42.1	2
Alfalfa	176	103	8	45.5	1
Atoka	375	138	23	61.3	9
Beaver	165	58	7	42.4	-
Beckham	386	167	16	41.5	14
Blaine	386	160	19	49.2	7
White	311	123	13	41.8	4
Nonwhite	75	37	6	80.0	3
Bryan	729	244	28	38.4	19
Durant	242	98	11	45.5	4
Balance of county	487	146	17	34.9	15
Caddo	932	316	43	46.1	18
Canadian	530	229	17	32.1	18
El Reno	277	130	10	36.1	17
Balance of county	253	99	7	27.7	1
Carter	737	363	42	57.0	20
White	649	310	36	55.5	15
Nonwhite	88	53	6	68.2	5
Ardmore	333	204	23	69.1	10
White	286	163	19	66.4	6
Nonwhite	47	41	4	85.1	4
Balance of county	404	159	19	47.0	10
Cherokee	469	138	13	27.7	10
White	338	105	9	26.6	9
Nonwhite	131	33	4	30.5	1
Choctaw	470	195	21	44.7	10
White	362	147	15	41.4	8
Nonwhite	108	48	6	55.6	2
Cimarron	97	27	5	51.5	-
Cleveland	526	381	30	57.0	8
Norman	307	292	23	74.9	4
Balance of county	219	89	7	32.0	4
Coal	207	80	13	62.8	5
Comanche	1,306	375	67	51.3	23
Lawton	890	227	50	56.2	14
Balance of county	416	148	17	40.9	9
Cotton	270	77	7	25.9	4
Craig	332	339	10	30.1	4
Creek	975	413	31	31.8	20
White	833	338	21	25.2	16
Nonwhite	142	75	10	70.4	4
Sapulpa	290	139	12	41.4	5
White	243	107	9	37.0	4
Nonwhite	47	32	3	63.8	1
Balance of county	685	274	19	27.7	15
White	590	231	12	20.3	12
Nonwhite	95	43	7	73.7	3
Custer	448	193	14	31.3	8
Delaware	270	120	7	25.9	8
White	220	105	6	27.3	6
Nonwhite	50	15	1	20.0	2
Dewey	214	63	3	14.0	4
Ellis	168	67	5	29.8	4
Garfield	951	486	25	26.3	21
Enid	758	350	20	26.4	15
Balance of county	193	136	5	25.9	6
Garvin	651	245	30	47.5	21
Grady	833	284	20	24.0	17
Chickasha	368	137	10	27.2	7
White	323	122	9	27.9	6
Nonwhite	45	15	1	22.2	1
Balance of county	465	147	10	21.5	10
Grant	164	97	3	18.3	1
Greer	256	74	4	15.6	4
Harmon	191	68	7	36.6	8
Harper	104	29	1	9.6	2
Haskell	332	98	11	33.1	7
Hughes	560	186	24	42.9	7
White	476	147	15	31.5	7
Nonwhite	84	39	9	107.1	-
Jackson	415	192	20	48.2	11
Jefferson	276	112	10	36.2	11
Johnston	230	87	14	58.6	3
Kay	948	436	46	48.5	14
Ponca City	411	159	16	38.9	7
Balance of county	537	277	30	55.9	7
Kingfisher	216	117	5	23.1	3
White	196	104	4	20.4	3
Nonwhite	20	13	1	50.0	-

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
OKLAHOMA—Continued					
Kiowa	495	164	20	40.4	18
Latimer	253	87	8	31.6	7
Le Flore	806	275	32	39.7	19
Lincoln	445	232	14	31.5	10
Logan	450	239	25	55.6	9
White	341	189	20	58.7	6
Nonwhite	109	50	5	45.9	3
Guthrie	202	133	10	49.5	2
White	152	107	6	39.5	2
Nonwhite	50	26	4	80.0	-
Balance of county	248	106	15	60.5	7
White	189	82	14	74.1	4
Nonwhite	59	24	1	16.9	3
Love	189	63	11	58.2	6
McClain	387	83	9	23.3	4
McCurtain	811	275	37	45.6	22
White	612	202	25	40.8	15
Nonwhite	199	73	12	60.3	7
McIntosh	436	176	29	66.5	14
White	309	119	15	48.5	8
Nonwhite	127	57	14	110.2	6
Major	214	78	8	37.4	6
Marshall	198	85	10	50.5	9
Mayes	537	164	21	39.1	11
Murray	223	119	9	40.4	7
Muskogee	1,451	757	67	46.2	36
White	1,111	459	50	45.0	21
Nonwhite	340	298	17	50.0	15
Muskogee	792	411	40	50.5	22
White	610	288	29	47.5	14
Nonwhite	182	123	11	60.4	8
Balance of county	659	346	27	41.0	14
White	501	171	21	41.9	7
Nonwhite	158	175	6	38.0	7
Noble	240	114	7	29.2	7
Nowata	256	154	13	50.8	4
White	235	130	11	46.8	4
Nonwhite	21	24	2	95.2	-
Okfuskee	485	165	23	47.4	12
White	332	111	17	51.2	7
Nonwhite	153	54	6	39.2	5
Oklahoma	5,858	2,255	245	41.8	123
Oklahoma City	4,952	1,909	213	43.0	100
White	4,452	1,689	187	42.0	81
Nonwhite	500	220	26	52.0	19
Balance of county	906	346	32	35.3	23
Okmulgee	931	479	46	49.4	13
White	657	358	33	50.2	11
Nonwhite	274	121	13	47.4	2
Okmulgee	326	206	22	67.5	4
White	235	146	18	76.6	4
Nonwhite	91	60	4	44.0	-
Balance of county	605	273	24	39.7	9
White	422	212	15	35.5	7
Nonwhite	183	61	9	49.2	2
Osage	557	232	18	32.3	10
Ottawa	847	358	53	62.6	20
Pawnee	286	133	13	45.5	9
Payne	661	277	19	28.7	7
Stillwater	210	91	6	28.6	4
Balance of county	451	186	13	28.8	3
Pittsburg	1,033	398	35	33.9	23
White	937	340	29	30.9	19
Nonwhite	96	58	6	62.5	4
McAlester	396	172	14	35.4	8
White	342	136	8	23.4	5
Nonwhite	54	36	6	111.1	3
Balance of county	637	226	21	33.0	15
White	595	204	21	35.3	14
Nonwhite	42	22	-	0	1
Pontotoc	702	261	26	37.0	20
Ada	346	151	15	43.4	12
Balance of county	356	110	11	30.9	8
Pottawatomie	1,013	409	38	37.5	15
Shawnee	516	235	24	46.5	7
Balance of county	497	176	14	28.2	8
Pushmataha	290	131	12	41.4	7
Roger Mills	161	41	2	12.4	1
Rogers	461	174	25	54.2	6
Seminole	865	336	46	52.0	11
White	708	247	29	41.0	9
Nonwhite	177	89	17	96.0	2
Seminole	260	108	15	57.7	4
Wewoka	150	65	9	60.0	1
White	114	44	7	61.4	-
Nonwhite	36	19	2	55.6	1
Balance of county	475	165	22	46.3	6
White	359	108	11	30.6	5
Nonwhite	116	57	11	94.8	1

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
OKLAHOMA—Continued					
Sequoyah	497	146	12	24.1	8
White	440	126	10	22.7	7
Nonwhite	57	20	2	35.1	1
Stephens	715	214	24	33.6	14
Texas	190	75	2	10.5	5
Tillman	424	152	21	49.5	13
White	370	124	13	35.1	11
Nonwhite	54	28	8	148.1	2
Tulsa	4,774	1,828	204	42.7	116
White	4,358	1,602	179	41.1	89
Nonwhite	416	226	25	60.1	27
Tulsa	3,761	1,452	145	38.6	91
White	3,399	1,250	123	36.2	66
Nonwhite	362	202	22	60.8	25
Balance of county	1,013	376	59	58.2	25
Wagoner	446	125	14	31.4	14
White	358	86	9	26.6	10
Nonwhite	108	39	5	46.3	4
Washington	570	234	24	42.1	12
Bartlesville	357	145	18	50.4	11
Balance of county	213	89	6	28.2	1
Washita	366	129	7	19.1	4
Woods	317	123	11	34.7	1
Woodward	265	284	11	41.5	7
OREGON (total)	24,150	13,153	736	30.5	454
Baker	298	192	8	26.8	8
Benton	465	197	13	28.0	5
Clackamas	1,232	676	44	35.7	21
Clatsop	514	275	18	35.0	10
Astoria	202	184	13	64.4	5
Balance of county	312	91	5	16.0	5
Columbia	403	171	14	34.7	6
Coos	572	335	16	28.0	11
Crook	138	44	4	29.0	1
Curry	63	40	1	15.9	3
Deschutes	322	195	17	52.8	8
Bend	180	128	13	72.2	7
Balance of county	142	67	4	28.2	1
Douglas	485	336	16	33.0	14
Gilliam	42	25	2	47.6	1
Grant	83	50	3	36.1	2
Harney	69	41	2	29.0	-
Hood River	229	101	5	21.8	6
Jackson	794	492	34	42.8	18
Medford	306	228	16	52.3	6
Balance of county	488	264	18	36.9	12
Jefferson	55	31	9	163.6	2
White	22	10	1	45.5	-
Nonwhite	33	21	8	242.4	2
Josephine	301	209	12	39.9	9
Klamath	864	357	51	59.0	20
Klamath Falls	511	216	26	50.9	6
Balance of county	353	141	25	70.8	14
Lake	103	48	2	19.4	2
Lane	1,670	696	56	33.5	39
Eugene	595	403	21	35.3	14
Balance of county	1,075	293	35	32.6	25
Lincoln	311	140	7	22.5	5
Linn	784	356	34	43.4	14
Malheur	415	110	10	24.2	7
Marion	1,431	1,157	49	34.2	17
Salem	585	786	19	32.5	7
Balance of county	846	371	30	35.5	10
Morrow	81	33	3	37.0	2
Multnomah	9,023	5,023	197	21.8	155
Portland	7,632	4,324	161	21.1	131
Balance of county	1,391	699	36	25.9	24
Polk	360	161	13	36.1	2
Sherman	36	14	-	0	-
Tillamook	342	134	10	29.2	6
Umatilla	513	380	23	44.8	12
Union	348	177	6	17.2	4
Wallowa	135	41	4	29.6	3
Wasco	226	183	11	48.7	3
Washington	833	365	18	21.6	27
Wheeler	45	18	-	0	1
Yamhill	567	350	24	42.3	10
PENNSYLVANIA (total)	178,370	110,333	7,136	40.0	4,493
Adams	803	440	33	41.1	22
Allegheny	24,899	15,721	939	37.7	710
Bellevue	193	140	9	46.6	4
Braddock	314	205	26	82.8	12
White	267	178	23	86.1	11
Nonwhite	47	27	3	63.8	1
Carnegie	317	142	12	37.9	7
Section B (Counties)—Continued					
PENNSYLVANIA—Continued					
Allegheny—Continued					
Clairton	407	135	9	22.1	12
White	341	109	6	17.6	10
Nonwhite	66	26	3	45.5	2
Coraopolis	271	111	6	22.1	4
Dormont	156	124	5	32.1	7
Duquesne	343	169	16	46.6	9
Harrison (twp.) [2]	153	98	5	32.7	7
Homestead	237	166	11	46.4	7
White	207	141	9	43.5	7
Nonwhite	530	25	2	66.7	-
McKeesport	996	530	37	37.1	31
McKees Rocks	534	205	16	30.0	18
Mount Lebanon (twp.) [2]	207	166	6	29.0	5
Munhall	197	120	10	50.8	7
North Braddock	230	126	9	39.1	8
Pittsburgh	12,369	8,143	488	39.5	377
White	10,968	7,103	414	37.7	309
Nonwhite	1,401	1,040	74	52.8	68
Shaler (twp.) [2]	155	51	3	19.4	4
Stowe (twp.) [2]	17	21	-	0	1
Swissvale	307	161	15	48.9	5
Wilkinsburg	580	392	12	20.7	15
Balance of county	6,916	4,516	244	35.3	172
White	6,658	4,290	222	33.3	162
Nonwhite	258	226	22	85.3	10
Armstrong	1,582	737	71	44.9	45
Beaver	3,140	1,440	131	41.7	74
Aliquippa	562	213	20	35.6	13
White	469	167	13	27.7	8
Nonwhite	93	46	7	75.3	5
Ambridge	365	138	10	27.4	5
Beaver Falls	384	201	20	52.1	8
Ellwood City (part)	14	4	1	(3)	1
Balance of county	1,815	884	80	44.1	47
Bedford	784	402	29	37.0	15
Berks	3,607	2,810	129	35.8	101
Reading	1,586	1,279	57	35.9	49
Balance of county	2,021	1,531	72	35.6	52
Blair	2,473	1,587	94	38.0	69
Altoona	1,361	907	52	38.2	42
Balance of county	1,112	680	42	37.8	27
Bradford	1,032	647	42	40.7	24
Bucks	2,099	1,168	75	35.7	35
Bristol	291	119	10	34.4	6
Balance of county	1,808	1,049	65	36.0	29
Butler	1,712	929	59	34.5	38
Butler	504	264	13	25.8	8
Balance of county	1,208	665	46	38.1	30
Cambria	3,968	2,034	188	47.4	108
Johnstown	1,469	857	76	51.7	42
Balance of county	2,499	1,197	112	44.8	67
Cameron	155	63	7	45.2	-
Carbon	968	621	44	45.5	23
Centre	974	473	40	41.1	21
Chester	2,639	1,723	106	40.2	55
Coatesville	289	153	9	31.1	9
White	219	133	6	27.4	5
Nonwhite	70	20	3	42.9	4
Phoenixville	227	143	10	44.1	3
West Chester	245	212	19	77.6	6
White	194	174	13	67.0	3
Nonwhite	51	38	6	117.6	3
Balance of county	1,878	1,215	68	36.2	37
Clarion	756	390	31	41.0	17
Clearfield	1,664	939	91	54.7	52
Du Bois	213	151	10	46.9	9
Balance of county	1,451	788	81	55.8	43
Clinton	690	364	37	53.6	8
Lock Haven	217	135	8	36.9	1
Balance of county	473	229	29	61.3	7
Columbia	921	528	32	34.7	25
Berwick	261	131	6	23.0	5
Balance of county	660	397	26	39.4	20
Crawford	1,510	849	49	32.5	41
Meadville	434	251	14	32.3	13
Balance of county	1,076	598	35	32.5	28
Cumberland	1,610	797	57	35.4	39
Carlisle	312	164	11	35.3	9
Balance of county	1,298	633	46	35.4	30
Dauphin	3,298	2,211	132	40.0	83
Harrisburg	1,603	977	60	37.4	38
Steelton	225	143	5	22.2	3
White	161	102	3	18.6	3
Nonwhite	64	41	2	31.3	-
Balance of county	1,470	1,091	67	45.6	42

[2] Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.
[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
PENNSYLVANIA—Continued					
Delaware	7,008	3,210	188	26.8	165
Chester	1,561	757	65	41.6	58
White	1,228	578	47	38.3	37
Nonwhite	333	179	18	54.1	21
Darby	222	116	11	49.5	13
White	185	99	11	59.5	13
Nonwhite	37	17	-	0	-
Haverford (twp.) [2]	406	178	4	9.9	5
Lansdowne	337	129	4	11.9	9
Upper Darby (twp.) [2]	1,363	557	22	16.1	22
Balance of county	3,119	1,473	82	26.3	58
Elk	573	329	22	38.4	10
Erie	3,971	2,079	124	31.2	77
Erie	2,694	1,287	77	28.6	49
Balance of county	1,277	792	47	36.8	28
Fayette	3,591	1,943	244	67.9	121
Connellsville	275	164	22	80.0	9
Uniontown	509	276	34	66.8	11
Balance of county	2,807	1,503	188	67.0	101
Forest	84	43	2	23.8	4
Franklin	1,506	798	48	31.9	44
Chambersburg	308	178	10	32.5	11
Waynesboro	197	110	9	45.7	5
Balance of county	1,001	510	29	29.0	28
Fulton	222	98	9	40.5	4
Greene	807	475	41	50.8	22
Huntingdon	845	458	41	48.5	24
Indiana	1,507	730	74	49.1	41
Indiana	189	104	5	26.5	4
Balance of county	1,318	626	69	52.4	37
Jefferson	824	497	28	34.0	33
Juniata	310	168	15	48.4	13
Lackawanna	3,879	3,192	171	44.1	112
Carbondale	303	206	10	33.0	9
Dickson City	151	91	3	19.9	7
Dunmore	258	220	13	50.4	10
Old Forge	174	101	11	63.2	2
Scranton	1,854	1,560	95	51.2	58
Balance of county	1,139	1,014	39	34.2	26
Lancaster	4,252	2,367	140	32.9	97
Columbia	206	134	8	38.8	7
Lancaster	1,170	742	49	41.9	31
Balance of county	2,876	1,491	83	28.9	59
Lawrence	1,855	968	59	31.8	54
Ellwood City (part)	229	89	7	(3)	7
Ellwood City (total)	243	93	8	32.9	8
New Castle	997	523	36	36.1	27
Balance of county	629	356	16	25.4	20
Lebanon	1,521	815	56	36.8	32
Lebanon	683	356	29	42.5	12
Balance of county	838	459	27	32.2	20
Lehigh	2,961	2,000	111	37.5	93
Allentown	1,571	1,160	61	38.8	50
Bethlehem (part)	253	151	15	(3)	6
Balance of county	1,097	689	37	33.7	37
Luzerne	6,327	4,399	265	41.9	155
Hanover (twp.) [2]	69	41	2	29.0	4
Hazleton	609	416	38	62.4	11
Kingston	334	196	16	47.9	1
Nanticoke	353	218	10	28.3	6
Pittston	307	165	8	26.1	8
Plains (twp.) [2]	184	97	5	27.2	2
Plymouth	257	174	9	35.0	7
Wilkes-Barre	1,308	1,000	63	48.2	41
Balance of county	2,906	2,092	114	39.2	75
Lycoming	1,778	1,149	70	39.4	35
Williamsport	912	563	34	37.3	17
Balance of county	866	586	36	41.6	18
McKean	968	547	34	35.1	20
Bradford	344	174	11	32.0	4
Balance of county	624	373	23	36.9	16
Mercer	2,065	1,077	75	36.3	48
Farrell	219	106	13	59.4	3
White	185	88	10	54.1	2
Nonwhite	34	20	3	88.2	1
Sharon	588	253	21	35.7	10
Balance of county	1,258	716	41	32.6	35
Mifflin	854	468	44	51.5	28
Lewistown	309	160	17	55.0	12
Balance of county	545	308	27	49.5	16
Monroe	510	343	20	39.2	9
Montgomery	5,508	3,378	150	27.2	95
Abington (twp.) [2]	322	159	6	18.6	5
Cheltenham (twp.) [2]	282	177	3	10.6	2
Conshohocken	275	128	8	29.1	5
Lower Merion (twp.) [2]	661	365	14	21.2	11
Norristown	694	686	28	40.3	9
Pottstown	348	236	18	51.7	8
Balance of county	2,926	1,627	73	24.9	55
Montour	235	344	9	38.3	5
Northampton	3,016	1,846	97	32.2	58
Bethlehem (part)	898	445	24	(3)	23
Bethlehem (total)	1,191	596	37	31.1	29
Easton	721	538	16	22.2	15
Balance of county	1,397	863	57	40.8	20
Northumberland	2,028	1,364	97	47.8	52
Mount Carmel	235	172	13	55.3	3
Shamokin	523	311	30	57.4	4
Sunbury	283	211	10	35.3	5
Balance of county	987	670	44	44.6	40
Perry	477	301	15	31.4	8
Philadelphia, coextensive with Philadelphia (city)	35,318	24,224	1,533	43.4	814
White	28,498	20,180	1,062	37.3	578
Nonwhite	6,820	4,044	471	69.1	236
Pike	69	101	1	14.5	3
Potter	276	218	16	58.0	12
Schuylkill	3,312	2,440	163	49.2	84
Mahanoy City	195	147	5	25.6	2
Pottsville	430	318	34	79.1	10
Shenandoah	274	243	10	36.5	5
Tamaqua	180	128	2	11.1	4
Balance of county	2,233	1,604	112	50.2	63
Snyder	359	240	18	50.1	9
Somerset	1,495	747	46	30.8	52
Sullivan	126	87	6	47.6	4
Susquehanna	564	382	22	39.0	11
Tioga	664	412	25	37.7	12
Union	388	204	14	36.1	8
Venango	1,162	816	43	37.0	23
Oil City	393	241	14	35.6	13
Balance of county	769	575	29	37.7	10
Warren	696	718	20	28.7	17
Warren	267	169	8	30.0	9
Balance of county	429	549	12	28.0	8
Washington	3,735	1,985	169	45.2	113
Canonsburg	230	120	11	47.8	3
Charleroi	182	96	4	22.0	10
Donora	244	111	13	53.3	5
Washington	595	382	31	52.1	29
Balance of county	2,484	1,276	110	44.3	66
Wayne	426	381	19	44.6	14
Westmoreland	5,286	3,034	214	40.5	156
Arnold	114	70	5	43.9	3
Greensburg	403	214	14	34.7	10
Jeannette	278	160	13	46.8	6
Latrobe	223	123	9	40.4	6
Monessen	270	154	9	33.3	3
New Kensington	549	231	24	43.7	14
Vandergrift	146	90	2	13.7	1
Balance of county	3,303	1,992	138	41.8	113
Wyoming	242	217	13	53.7	9
York	3,486	1,868	149	42.7	87
Hanover	275	154	9	32.7	12
York	1,305	751	68	52.1	35
Balance of county	1,906	963	72	37.8	40
RHODE ISLAND (total)	13,754	8,409	486	35.3	311
Bristol	481	252	12	24.9	6
Bristol (town)	212	112	5	23.6	2
Balance of county	269	140	7	26.0	4
Kent	1,290	654	55	42.6	27
Warwick	664	335	29	43.7	16
West Warwick (town)	359	172	13	36.2	7
Balance of county	267	147	13	48.7	4
Newport	1,256	521	35	27.9	24
Newport	792	347	26	32.8	12
Balance of county	464	174	9	19.4	12
Providence	9,872	6,543	347	35.1	240
Central Falls	461	214	24	52.1	9
Cranston	818	888	25	30.6	15
Cumberland (town)	178	100	3	16.9	5
East Providence (town)	627	305	20	31.9	17
Johnston (town)	211	94	8	37.9	4
Lincoln (town)	168	97	4	23.8	1
North Providence (town)	260	127	7	26.9	6
Pawtucket	1,319	885	38	28.8	34
Providence	4,510	3,023	178	39.5	118
Woonsocket	894	444	31	34.7	21
Balance of county	426	366	9	21.1	10
Washington	855	439	37	43.3	14
Westerly (town)	302	134	12	39.7	4
Balance of county	553	305	25	45.2	10

[2] Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.
[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
SOUTH CAROLINA (total)	51,467	18,139	2,828	54.9	1,808
Abbeville	425	182	18	42.4	23
White	245	102	7	28.6	7
Nonwhite	180	80	11	61.1	16
Aiken	1,293	487	67	51.8	50
White	755	273	41	54.3	21
Nonwhite	538	214	26	48.3	29
Allendale	338	104	14	41.4	17
White	46	40	-	0	2
Nonwhite	292	64	14	47.9	15
Anderson	1,935	666	99	51.2	54
White	1,437	491	65	45.2	31
Nonwhite	498	175	34	68.3	23
Anderson	645	262	44	68.2	18
White	533	199	32	60.0	13
Nonwhite	112	63	12	107.1	5
Balance of county	1,290	404	55	42.6	36
White	904	292	33	36.5	18
Nonwhite	386	112	22	57.0	18
Bamberg	428	154	22	51.4	25
White	118	52	4	33.9	5
Nonwhite	310	102	18	58.1	20
Barnwell	518	178	17	32.8	28
White	136	73	5	36.2	3
Nonwhite	380	105	12	31.6	25
Beaufort	738	309	42	56.8	27
White	314	87	13	41.4	7
Nonwhite	425	222	29	68.2	20
Berkeley	845	254	56	66.3	29
White	211	53	9	42.7	5
Nonwhite	634	201	47	74.1	24
Calhoun	412	140	28	68.0	38
White	68	32	4	58.0	2
Nonwhite	343	102	24	70.0	36
Charleston	5,392	1,799	284	52.7	214
White	2,984	767	125	41.9	67
Nonwhite	2,408	1,032	159	66.0	147
Charleston	2,621	1,064	145	55.3	117
White	1,418	470	75	52.9	30
Nonwhite	1,203	594	70	58.2	87
Balance of county	2,771	735	139	50.2	97
White	1,566	297	50	31.9	37
Nonwhite	1,205	438	89	73.9	60
Cherokee	786	233	41	52.2	32
White	613	163	28	45.7	20
Nonwhite	173	70	13	75.1	12
Chester	735	277	33	44.9	20
White	370	141	18	48.6	8
Nonwhite	365	136	15	41.1	12
Chesterfield	952	266	44	46.2	40
White	523	126	17	32.5	14
Nonwhite	429	140	27	62.9	26
Clarendon	764	308	63	80.4	20
White	183	71	11	60.1	2
Nonwhite	601	237	52	86.5	18
Colleton	791	254	37	46.8	35
White	321	76	13	40.5	13
Nonwhite	470	158	24	51.1	22
Darlington	1,258	455	71	56.4	50
White	603	211	28	46.4	17
Nonwhite	655	244	43	65.6	33
Dillon	819	266	54	65.9	29
White	394	115	18	45.7	13
Nonwhite	425	151	36	84.7	16
Dorchester	684	236	65	95.0	21
White	288	81	20	69.4	2
Nonwhite	396	155	45	113.6	19
Edgefield	418	148	16	38.3	11
White	115	46	1	8.7	4
Nonwhite	303	102	15	49.5	7
Fairfield	590	157	24	40.7	23
White	192	57	6	31.3	7
Nonwhite	398	100	18	45.2	16
Florence	2,064	730	144	69.8	80
White	1,075	328	55	51.2	29
Nonwhite	989	401	89	90.0	51
Florence	652	272	46	70.6	20
White	412	128	22	53.4	7
Nonwhite	240	144	24	100.0	13
Balance of county	1,412	458	98	69.4	60
White	663	201	33	49.8	22
Nonwhite	749	257	65	86.8	38
Georgetown	840	232	39	46.4	22
White	326	92	12	36.8	5
Nonwhite	514	140	27	52.5	17
Greenville	3,382	1,282	175	51.7	129
White	2,645	894	117	44.2	82
Nonwhite	737	388	58	78.7	47
Greenville	1,483	512	75	50.6	54
White	1,101	272	42	38.1	31
Nonwhite	382	240	33	86.4	23
Balance of county	1,899	770	100	52.7	75
White	1,544	622	75	48.6	51
Nonwhite	355	148	25	70.4	24

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
SOUTH CAROLINA—Continued					
Greenwood	884	353	41	46.4	31
White	588	166	20	34.0	19
Nonwhite	296	187	21	70.9	12
Greenwood	354	142	15	42.4	8
White	279	77	9	32.3	7
Nonwhite	75	65	6	80.0	1
Balance of county	530	211	26	49.1	23
White	309	89	11	35.6	12
Nonwhite	221	122	15	67.9	11
Hampton	506	167	22	43.5	24
White	149	64	5	33.6	2
Nonwhite	357	103	17	47.6	22
Horry	1,513	413	95	62.8	54
White	1,035	284	56	54.1	28
Nonwhite	478	129	39	81.6	26
Jasper	331	98	8	24.2	16
White	104	28	1	9.6	4
Nonwhite	227	70	7	30.8	12
Kershaw	784	254	39	49.7	13
White	368	105	16	43.5	4
Nonwhite	416	149	23	55.3	9
Lancaster	801	253	44	54.9	20
White	547	150	31	56.7	12
Nonwhite	254	103	13	51.2	8
Laurens	775	344	33	42.6	19
White	450	188	13	28.9	7
Nonwhite	325	156	20	61.5	12
Lee	666	236	55	82.6	29
White	137	72	4	29.2	8
Nonwhite	529	164	51	96.4	21
Lexington	957	333	62	64.8	28
White	700	245	42	60.0	15
Nonwhite	257	88	20	77.8	13
McCormick	269	92	15	55.8	7
White	50	27	-	0	-
Nonwhite	219	65	15	68.5	7
Marion	849	287	54	63.6	36
White	398	107	23	57.8	14
Nonwhite	451	180	31	68.7	22
Marlboro	891	286	64	71.8	24
White	364	120	22	60.4	7
Nonwhite	527	166	42	79.7	17
Newberry	765	238	28	36.6	17
White	407	137	14	34.4	10
Nonwhite	358	101	14	39.1	7
Oconee	831	261	42	50.5	18
White	746	206	32	42.9	14
Nonwhite	85	55	10	117.6	4
Orangeburg	1,917	673	131	68.3	108
White	581	213	28	48.2	21
Nonwhite	1,336	460	103	77.1	87
Orangeburg	373	147	19	50.9	19
White	229	59	10	43.7	7
Nonwhite	144	88	9	62.5	12
Balance of county	1,544	526	112	72.5	89
White	352	154	18	51.1	14
Nonwhite	1,192	372	94	78.9	75
Pickens	864	254	43	49.8	19
White	742	200	32	43.1	14
Nonwhite	122	54	11	90.2	5
Richland	3,162	1,613	160	50.6	78
White	1,961	848	93	47.4	33
Nonwhite	1,201	765	67	55.8	45
Columbia	2,175	948	108	49.7	50
White	1,510	603	69	45.7	24
Nonwhite	665	345	39	58.6	26
Balance of county	987	665	52	52.7	28
White	451	245	24	53.2	9
Nonwhite	536	420	28	52.2	19
Saluda	309	98	14	45.3	5
White	164	53	10	61.0	2
Nonwhite	145	45	4	27.6	3
Spartanburg	3,057	1,126	140	45.8	80
White	2,252	761	99	44.0	45
Nonwhite	805	365	41	50.9	35
Spartanburg	928	409	49	52.7	32
White	654	243	35	53.5	13
Nonwhite	275	166	14	50.9	19
Balance of county	2,128	717	91	42.8	48
White	1,598	518	64	40.1	32
Nonwhite	530	199	27	50.9	16
Sumter	1,427	558	85	59.6	38
White	456	165	15	32.9	6
Nonwhite	971	393	70	72.1	32
Sumter	466	197	22	47.2	7
White	301	86	11	36.5	2
Nonwhite	165	111	11	66.7	5
Balance of county	961	361	63	65.6	31
White	155	78	4	25.8	4
Nonwhite	806	282	59	73.2	27

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
SOUTH CAROLINA—Continued					
Union	690	251	39	56.5	16
White	424	154	27	63.7	4
Nonwhite	266	97	12	45.1	12
Williamsburg	1,265	354	76	60.1	78
White	352	100	17	48.3	10
Nonwhite	913	254	59	64.6	69
York	1,526	500	85	55.7	32
White	934	293	57	61.0	18
Nonwhite	592	207	28	47.3	14
Rock Hill	474	162	20	42.2	8
White	385	117	15	39.0	7
Nonwhite	89	45	5	56.2	1
Balance of county	1,052	338	65	61.8	24
White	549	176	42	76.5	11
Nonwhite	503	162	23	45.7	13
SOUTH DAKOTA (total)	12,769	5,650	445	34.9	226
Armstrong	-	-	-	0	-
White	-	-	-	0	-
Nonwhite	-	-	-	0	-
Aurora	96	42	1	10.4	1
Beadle	370	204	12	32.4	4
Huron	207	146	8	38.6	3
Balance of county	163	58	4	24.5	1
Bennett	60	25	5	83.3	2
White	33	12	2	60.6	1
Nonwhite	27	11	3	111.1	1
Bon Homme	148	87	5	33.8	1
Brookings	304	125	12	39.5	8
Brown	580	296	24	40.7	12
Aberdeen	370	184	18	48.6	7
Balance of county	220	112	6	27.3	5
Brule	120	50	4	33.3	2
Buffalo	64	25	5	78.1	-
White	27	4	-	0	-
Nonwhite	37	21	5	135.1	-
Butte	168	77	13	77.4	5
Campbell	91	50	4	44.0	1
Charles Mix	224	117	14	62.5	6
White	188	91	10	53.2	5
Nonwhite	36	26	4	111.1	1
Clark	180	68	7	38.9	4
Clay	139	84	2	14.4	2
Codington	384	175	14	36.5	5
Watertown	237	123	10	42.2	1
Balance of county	147	52	4	27.2	4
Corson	156	35	11	70.5	1
White	106	18	5	47.2	1
Nonwhite	50	17	6	107.1	-
Custer	84	47	-	0	1
Davison	280	173	13	46.4	4
Mitchell	189	130	10	52.9	3
Balance of county	91	43	3	33.0	1
Day	299	98	12	40.1	3
Deuel	139	54	2	14.4	3
Dewey	117	49	3	25.6	-
White	70	27	-	0	-
Nonwhite	47	22	3	63.8	-
Douglas	139	31	-	0	2
Edmunds	143	60	3	21.0	2
Fall River	222	96	8	36.0	7
Faulk	84	41	1	11.9	2
Grant	213	95	3	14.1	4
Gregory	199	77	3	15.1	3
Haakon	83	32	1	12.0	-
Hamlin	119	71	2	16.8	1
Hand	130	49	3	23.1	3
Hanson	110	44	1	9.1	2
Harding	69	18	1	14.5	-
Hughes	149	70	7	47.0	2
Hutchinson	226	76	8	35.4	5
Hyde	53	22	1	18.9	-
Jackson	27	21	2	74.1	-
Jerauld	85	32	2	23.5	-
Jones	50	20	-	0	2
Kingsbury	209	82	2	9.6	2
Lake	245	105	8	32.7	2
Lawrence	241	146	11	45.6	4
Lincoln	233	108	3	12.9	4
Lyman	93	49	4	43.0	-
McCook	172	58	3	17.4	4
McPherson	126	58	4	31.7	2
Marshall	148	70	7	47.3	3
Meade	170	74	7	41.2	6
Mellette	89	46	7	78.7	-
White	43	24	1	23.3	-
Nonwhite	46	22	6	130.4	-
Miner	118	59	6	50.8	-
Minnehaha	1,535	532	51	33.2	27
Sioux Falls	1,211	382	44	36.3	21
Balance of county	324	150	7	21.6	6
Section B (Counties)—Continued					
SOUTH DAKOTA—Continued					
Moody	166	81	5	30.1	1
Pennington	611	225	11	18.0	17
Rapid City	459	162	9	19.6	9
Balance of county	152	63	2	13.2	8
Perkins	102	41	2	19.6	1
Potter	95	38	2	21.1	4
Roberts	377	144	17	45.1	6
Sanborn	88	51	5	56.8	3
Shannon	178	69	12	67.4	1
White	28	7	2	71.4	-
Nonwhite	150	62	10	66.7	1
Spink	219	164	8	36.5	3
Stanley	29	10	-	0	-
Sully	40	9	1	25.0	1
Todd	141	74	15	106.4	7
White	42	14	5	119.0	-
Nonwhite	99	60	10	101.0	7
Tripp	194	67	7	36.1	2
Turner	224	87	6	26.8	6
Union	233	71	3	12.8	4
Walworth	146	56	8	54.8	4
Washabaugh	32	16	2	62.5	-
White	12	8	1	83.3	-
Nonwhite	20	8	1	50.0	-
Washington	22	11	5	227.3	1
White	2	1	-	0	-
Nonwhite	20	10	5	250.0	1
Yankton	287	286	7	24.4	9
Ziebach	92	39	7	76.1	2
White	63	15	1	15.9	-
Nonwhite	29	24	6	206.9	2
TENNESSEE (total)	68,272	27,854	3,106	45.5	1,554
Anderson	862	221	56	65.0	17
Bedford	515	197	19	36.9	4
White	450	158	18	40.0	4
Nonwhite	65	39	1	15.4	-
Benton	230	98	7	30.4	7
Bledsoe	220	73	14	63.6	3
Blount	1,349	307	56	41.5	28
Bradley	737	256	36	48.8	13
Cleveland	323	106	17	52.6	5
White	295	88	12	41.0	4
Nonwhite	30	18	5	166.7	1
Balance of county	414	150	19	45.9	8
Campbell	999	264	51	51.1	15
Cannon	236	83	5	21.2	2
Carroll	565	265	25	44.2	11
White	493	221	22	44.6	6
Nonwhite	72	44	3	41.7	5
Carter	906	225	33	36.4	20
Cheatham	200	71	6	30.0	3
Chester	237	84	10	42.2	5
White	211	67	8	37.9	5
Nonwhite	26	17	2	76.9	-
Claiborne	625	179	34	54.6	3
Clay	208	51	3	14.4	4
Cocke	609	219	37	60.8	13
Coffee	539	234	32	59.4	14
Crockett	385	136	12	31.2	13
White	262	96	8	30.5	7
Nonwhite	123	40	4	32.5	6
Cumberland	466	129	26	55.8	12
Davidson	5,543	3,038	275	49.6	128
White	4,538	2,105	202	44.5	88
Nonwhite	1,005	933	73	72.6	40
Nashville	4,411	2,108	213	48.3	101
White	3,525	1,347	148	42.0	66
Nonwhite	886	761	65	73.4	35
Balance of county	1,132	930	62	54.8	27
White	1,013	758	54	53.3	22
Nonwhite	119	172	8	67.2	5
Decatur	239	79	11	46.0	3
De Kalb	240	126	18	75.0	4
Dickson	448	163	23	51.3	11
Dyer	801	317	39	48.7	15
White	686	256	33	48.1	9
Nonwhite	115	59	6	52.2	4
Dyersburg	215	103	8	37.2	2
White	153	64	5	32.7	1
Nonwhite	62	39	3	48.4	1
Balance of county	586	214	31	52.9	11
Fayette	793	256	30	37.8	26
White	191	70	6	31.4	5
Nonwhite	602	186	24	39.9	21
Fentress	426	54	5	11.7	6
Franklin	595	159	19	31.9	6
White	544	129	14	25.7	5
Nonwhite	51	30	5	98.0	1

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
TENNESSEE—Continued					
Gibson	1,074	426	51	47.5	24
White	853	325	43	50.4	19
Nonwhite	221	101	8	36.2	5
Giles	609	263	24	39.4	17
White	461	196	15	32.5	13
Nonwhite	148	67	9	60.8	4
Grainger	294	142	17	57.8	4
Greene	834	359	48	57.6	33
Grundy	349	83	12	34.4	3
Hamblen	466	177	18	38.6	15
Hamilton	4,247	1,963	219	51.6	131
White	3,474	1,362	163	46.9	89
Nonwhite	773	601	56	72.4	42
Chattanooga	3,219	1,481	158	49.1	97
White	2,497	933	107	42.9	56
Nonwhite	722	548	51	70.6	41
Balance of county	1,028	482	61	59.3	34
Hancock	228	52	8	35.1	1
Hardeman	540	452	20	37.0	7
White	281	230	10	35.6	1
Nonwhite	259	222	10	38.6	6
Hardin	380	143	8	21.1	9
Hawkins	726	198	29	39.9	15
Haywood	661	250	25	37.8	18
White	208	84	6	28.8	6
Nonwhite	453	166	19	41.9	12
Henderson	389	155	24	61.7	14
Henry	485	248	16	33.0	8
White	395	210	14	35.4	5
Nonwhite	90	38	2	22.2	3
Hickman	272	103	10	36.8	4
Houston	129	73	13	100.8	4
Humphreys	236	123	8	33.9	5
Jackson	346	93	5	14.5	8
Jefferson	426	157	28	65.7	5
Johnson	288	119	23	79.9	6
Knox	4,359	1,998	188	43.1	100
White	4,009	1,666	172	42.9	81
Nonwhite	350	332	16	45.7	19
Knoxville	2,794	1,230	109	39.0	70
White	2,464	948	94	38.1	51
Nonwhite	330	282	15	45.5	19
Balance of county	1,565	768	79	50.5	30
Lake	315	105	32	102.2	5
White	240	69	24	100.0	4
Nonwhite	75	36	8	109.6	1
Lauderdale	609	244	33	54.2	11
White	383	140	16	41.8	6
Nonwhite	226	104	17	75.2	5
Lawrence	765	187	31	40.5	15
Lewis	125	34	2	16.0	3
Lincoln	563	251	33	58.6	18
White	473	205	27	57.1	14
Nonwhite	90	46	6	66.7	4
Loudon	548	184	22	40.1	6
McMinn	745	280	35	47.0	21
McNairy	455	178	20	44.0	14
Macon	289	103	7	24.2	10
Madison	1,255	554	55	43.8	34
White	755	327	24	31.8	18
Nonwhite	500	227	31	62.0	16
Jackson	587	336	28	47.7	16
White	397	187	13	32.7	8
Nonwhite	190	149	15	78.9	8
Balance of county	668	218	27	40.4	18
White	358	140	11	30.7	10
Nonwhite	310	78	16	51.6	8
Marion	530	181	38	71.7	10
Marshall	357	164	21	58.8	7
White	304	139	14	46.1	7
Nonwhite	53	25	7	132.1	-
Maury	831	429	29	34.9	21
White	658	293	22	33.4	12
Nonwhite	173	136	7	40.5	9
Columbia	231	137	10	43.3	4
White	194	90	7	36.1	1
Nonwhite	37	47	3	81.1	3
Balance of county	600	292	19	31.7	17
White	464	203	15	32.3	11
Nonwhite	136	89	4	29.4	6
Meigs	148	42	8	54.1	3
Monroe	672	197	28	41.7	19
Montgomery	701	347	32	45.6	22
White	516	226	27	52.3	11
Nonwhite	185	121	5	27.0	11
Clarksville	259	161	16	61.7	11
White	179	91	14	78.2	5
Nonwhite	80	70	2	25.0	6
Balance of county	442	186	16	36.2	11
White	337	135	13	38.6	6
Nonwhite	105	51	3	28.6	5
Section B (Counties)—Continued					
TENNESSEE—Continued					
Moore	71	30	1	14.1	2
Morgan	384	62	8	20.8	3
Obion	556	330	32	57.6	12
White	495	284	28	56.6	8
Nonwhite	61	46	4	65.6	4
Overton	397	89	8	20.2	6
Perry	155	59	1	6.5	6
Pickett	104	16	2	19.2	4
Polk	380	109	23	60.5	11
Putnam	565	177	10	17.7	4
Rhea	421	153	16	38.0	6
Roane	859	278	57	66.4	19
Robertson	561	259	24	42.8	6
White	449	192	17	37.8	6
Nonwhite	112	67	7	62.5	-
Rutherford	785	413	31	39.5	30
White	647	319	26	40.2	22
Nonwhite	138	94	5	36.2	8
Scott	457	96	21	46.0	4
Sequatchie	151	45	6	39.7	1
Sevier	610	188	41	67.2	11
Shelby	8,103	4,147	362	44.7	220
White	4,597	2,055	162	35.2	90
Nonwhite	3,506	2,092	200	57.0	130
Memphis	6,254	3,322	283	45.3	176
White	3,749	1,707	133	35.5	76
Nonwhite	2,505	1,615	150	59.9	97
Balance of county	1,849	825	79	42.7	47
White	848	348	29	34.2	14
Nonwhite	1,001	477	50	50.0	33
Smith	251	118	9	35.9	6
Stewart	222	87	8	36.0	7
Sullivan	2,058	481	73	35.5	45
Bristol [6]	359	126	18	50.1	10
Kingsport	689	116	21	30.5	13
Balance of county	1,010	239	34	33.7	22
Sumner	595	278	25	42.0	12
White	529	233	24	45.4	10
Nonwhite	66	45	1	15.2	2
Tipton	789	225	32	40.6	15
White	491	129	20	40.7	5
Nonwhite	298	94	12	40.3	10
Trousdale	132	60	4	30.3	4
White	111	49	3	27.0	2
Nonwhite	21	11	1	47.6	2
Unicoi	379	102	16	42.2	9
Union	178	66	13	73.0	2
Van Buren	91	21	1	11.0	1
Warren	455	191	22	48.4	9
Washington	1,178	431	49	41.6	37
Johnson City	504	215	27	53.6	18
White	468	185	22	47.0	18
Nonwhite	36	30	5	138.9	-
Balance of county	674	216	22	32.6	19
Wayne	316	99	15	47.5	6
Weakley	472	285	21	44.5	5
White	411	157	33	80.3	7
Williamson	491	229	25	50.9	3
White	369	174	23	62.3	2
Nonwhite	122	55	2	16.4	1
Wilson	480	234	15	31.3	9
White	392	178	7	17.9	6
Nonwhite	88	55	8	90.9	3
TEXAS (total)	165,900	61,565	8,354	50.4	4,517
Anderson	664	337	17	25.6	15
White	440	229	13	29.5	8
Nonwhite	224	108	4	17.9	7
Palestine	272	161	7	25.7	7
White	193	106	4	20.7	5
Nonwhite	79	55	3	38.0	2
Balance of county	392	176	10	25.5	8
White	247	123	9	36.4	3
Nonwhite	145	53	1	6.9	5
Andrews	34	6	-	0.	-
Angelina	739	262	33	44.7	20
White	642	214	26	40.5	13
Nonwhite	97	48	7	72.2	7
Aransas	74	52	3	40.5	2
Archer	118	46	3	25.4	2
Armstrong	51	19	1	19.6	-
Atascosa	607	162	49	80.7	18
Austin	282	183	18	63.8	6
White	195	131	8	41.0	3
Nonwhite	87	52	10	114.9	3
Bailey	188	30	6	31.9	3
Bandera	46	34	2	43.5	3
Bastrop	575	252	36	62.6	21
White	378	170	24	63.5	9
Nonwhite	197	82	12	60.9	12

[6] Includes data for Bristol, Tennessee only.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	Deaths under 1 year		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
TEXAS—Continued					
Baylor	147	44	2	13.6	4
Bee	457	188	37	81.0	14
Bell	1,400	515	54	38.6	25
White	1,262	461	43	34.1	18
Nonwhite	138	54	11	79.7	7
Temple	551	179	21	38.1	10
White	473	145	14	29.6	8
Nonwhite	78	34	7	89.7	2
Balance of county	849	336	33	38.9	15
Bexar	11,515	4,706	779	67.7	351
San Antonio	10,064	3,717	641	63.7	316
White	9,550	3,356	610	63.9	293
Nonwhite	514	361	31	60.3	23
Balance of county	1,451	989	138	95.1	35
Blanco	74	38	3	40.5	1
Borden	12	3	-	0	-
Bosque	248	124	9	36.3	7
Bowie	1,455	536	49	33.7	50
White	1,056	352	30	28.4	28
Nonwhite	399	184	19	47.6	22
Texarkana [7]	529	249	15	28.4	18
White	402	161	9	22.4	7
Nonwhite	127	88	6	47.2	11
Balance of county	926	287	34	36.7	32
White	654	191	21	32.1	21
Nonwhite	272	96	13	47.8	11
Brazoria	1,095	273	41	37.4	30
White	983	202	35	35.6	23
Nonwhite	112	71	6	53.6	7
Brazos	753	269	47	62.4	25
White	527	165	31	58.8	10
Nonwhite	226	104	16	70.8	15
Bryan	465	165	34	73.1	15
White	359	103	25	69.6	5
Nonwhite	106	62	9	84.9	10
Balance of county	288	104	13	45.1	10
White	168	62	6	35.7	5
Nonwhite	120	42	7	58.3	5
Brewster	254	59	11	43.3	8
Briscoe	68	18	3	44.1	3
Brooks	254	58	13	51.2	2
Brown	994	320	35	35.2	19
Brownwood	724	183	30	41.4	19
Balance of county	270	137	5	18.5	-
Burleson	347	151	14	40.3	12
White	220	81	5	22.7	2
Nonwhite	127	70	9	70.9	10
Burnet	192	72	5	26.0	8
Caldwell	608	248	45	74.0	14
White	552	204	42	76.1	13
Nonwhite	56	44	3	53.6	1
Calhoun	151	49	5	33.1	5
Callahan	171	82	9	52.6	3
Cameron	3,496	994	288	82.4	126
Brownsville	902	281	78	86.5	41
Harlingen	565	201	55	97.3	18
Balance of county	2,029	512	155	76.4	67
Camp	255	78	5	19.6	10
White	153	44	3	19.6	4
Nonwhite	102	34	2	19.6	6
Carson	132	29	1	7.6	4
Cass	681	240	23	33.8	13
White	447	144	12	26.8	8
Nonwhite	234	96	11	47.0	5
Castro	101	23	2	19.8	3
Chambers	140	51	4	28.6	3
White	98	30	1	10.2	1
Nonwhite	42	21	3	71.4	2
Cherokee	752	532	33	43.9	21
White	542	306	16	29.5	11
Nonwhite	210	226	17	81.0	10
Childress	397	125	19	47.9	11
Clay	167	62	5	29.9	2
Cochran	132	35	8	60.6	3
Coke	50	14	2	40.0	-
Coleman	390	162	23	59.0	8
Collin	848	336	20	23.6	6
Collingsworth	195	78	10	51.3	2
Colorado	373	173	11	29.5	6
White	245	102	7	28.6	4
Nonwhite	128	71	4	31.3	2
Comal	367	150	16	43.6	9
Comanche	277	146	8	28.9	10
Concho	116	41	9	77.6	1
Cooke	602	228	26	43.2	14
Coryell	455	162	12	26.4	11
Cottle	169	41	4	23.7	6
Crane	44	15	1	22.7	1
Crockett	81	28	10	123.5	1
Crosby	195	75	8	41.0	6
Culberson	37	15	1	27.0	-
Dallam	268	52	10	37.3	6
Dallas	10,155	4,103	372	36.6	248
White	8,709	3,257	284	32.6	170
Nonwhite	1,446	846	88	60.9	78
Dallas	7,000	2,990	251	35.9	177
White	5,837	2,299	179	30.7	115
Nonwhite	1,163	691	72	61.9	62
Highland Park	111	101	3	27.0	2
White	105	91	2	19.0	2
Nonwhite	6	10	1	166.7	-
University Park	375	116	6	16.0	7
Balance of county	2,669	896	112	42.0	62
White	2,403	755	97	40.4	46
Nonwhite	266	141	15	56.4	16
Dawson	522	104	38	72.8	8
Deaf Smith	155	47	7	45.2	5
Delta	188	52	3	16.0	2
Denton	657	311	20	30.4	18
Denton	271	141	10	36.9	9
White	248	125	10	40.3	8
Nonwhite	23	16	-	0	1
Balance of county	386	170	10	25.9	9
De Witt	582	272	31	53.3	19
White	520	208	27	51.9	13
Nonwhite	62	64	4	64.5	6
Dickens	178	40	5	28.1	4
Dimmit	361	108	42	28.1	14
Donley	135	62	6	44.4	3
Duval	497	124	33	66.4	8
Eastland	497	260	11	22.1	11
Ector	459	108	18	39.2	15
Edwards	57	20	3	52.6	4
Ellis	855	431	28	32.7	21
White	652	307	17	26.1	15
Nonwhite	203	124	11	54.2	6
El Paso	4,553	1,642	282	61.9	107
El Paso	3,473	1,199	192	55.3	84
Balance of county	1,080	443	90	83.3	23
Erath	349	184	9	25.8	10
Falls	634	327	42	66.2	18
White	426	174	22	51.6	8
Nonwhite	208	153	20	96.2	10
Fannin	731	326	26	35.6	26
White	670	276	20	29.9	23
Nonwhite	61	50	6	98.4	3
Fayette	475	286	21	44.2	11
White	349	209	7	20.1	4
Nonwhite	126	77	14	111.1	7
Fisher	205	95	13	63.4	7
Floyd	200	79	11	55.0	6
Foard	89	29	7	78.7	2
Fort Bend	681	291	56	82.2	20
White	542	193	44	81.2	10
Nonwhite	139	98	12	86.3	10
Franklin	121	65	3	24.8	1
Freestone	388	185	15	38.7	10
White	183	106	2	10.9	6
Nonwhite	205	79	13	63.4	4
Frio	403	137	41	101.7	12
Gaines	185	45	10	54.1	4
Galveston	2,399	943	90	37.5	80
White	1,955	698	67	34.3	43
Nonwhite	444	245	23	51.8	17
Galveston	1,667	724	66	39.6	50
White	1,297	519	47	36.2	37
Nonwhite	370	205	19	51.4	13
Balance of county	732	219	24	32.8	10
White	658	179	20	30.4	6
Nonwhite	74	40	4	54.1	4
Garza	131	36	7	53.4	1
Gillespie	202	119	10	49.5	4
Glasscock	8	4	1	125.0	-
Goliad	184	79	12	65.2	3
White	168	69	11	65.5	2
Nonwhite	16	10	1	62.5	1
Gonzales	632	245	31	49.1	14
White	512	197	28	54.7	11
Nonwhite	120	48	3	25.0	3
Gray	607	180	20	32.9	10
Pampa	452	115	16	35.4	8
Balance of county	155	65	4	25.8	2
Grayson	1,573	680	52	33.1	36
Denison	474	203	18	38.0	11
White	415	163	18	43.4	11
Nonwhite	59	40	-	0	-
Sherman	481	186	13	27.0	13
White	427	162	9	21.1	10
Nonwhite	54	24	4	74.1	3
Balance of county	618	291	21	34.0	11

[7] Includes data for Texarkana, Tex., only.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	Deaths under 1 year		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
TEXAS—Continued					
Gregg	1,168	428	52	44.7	62
White	911	290	35	38.4	36
Nonwhite	252	138	17	67.5	26
Longview	405	147	21	51.9	27
White	304	104	12	39.5	12
Nonwhite	101	43	9	89.1	15
Balance of county	758	281	31	40.9	35
White	607	186	23	37.9	24
Nonwhite	151	95	8	53.0	11
Grimes	323	154	14	43.3	11
White	171	68	5	29.2	3
Nonwhite	152	86	9	59.2	8
Guadalupe	620	253	39	62.9	7
White	534	197	36	67.4	5
Nonwhite	86	56	3	34.9	2
Hale	444	128	17	38.3	7
Hall	287	93	13	45.3	3
Hamilton	215	99	5	23.3	3
Hansford	69	17	2	29.0	3
Hardeman	237	90	9	38.0	11
Hardin	373	127	12	32.2	21
White	312	106	11	35.3	14
Nonwhite	61	22	1	16.4	7
Harris	14,512	5,328	583	40.2	392
White	11,948	3,919	415	34.7	264
Nonwhite	2,564	1,409	168	65.5	128
Houston	11,853	4,603	454	38.3	344
White	9,599	3,319	316	32.9	223
Nonwhite	2,254	1,284	138	61.2	121
Balance of county	2,659	725	129	48.5	48
White	2,349	600	99	42.1	41
Nonwhite	310	125	30	96.8	7
Harrison	1,195	448	44	36.8	33
White	458	184	13	28.4	7
Nonwhite	737	264	31	42.1	26
Marshall	445	210	21	47.2	10
White	278	116	8	28.8	4
Nonwhite	167	94	13	77.8	6
Balance of county	750	238	23	30.7	23
White	180	68	5	27.8	3
Nonwhite	570	170	18	31.6	20
Hartley	35	40	3	85.7	-
Haskell	303	95	13	42.9	3
Hays	513	182	31	60.4	10
Hemphill	83	27	2	24.1	1
Henderson	481	211	22	45.7	11
White	372	168	13	34.9	7
Nonwhite	109	43	9	82.6	4
Hidalgo	4,461	1,238	427	95.7	136
McAllen	616	166	41	66.6	21
Balance of county	3,845	1,072	386	100.4	115
Hill	586	339	24	41.0	24
White	482	281	16	33.2	20
Nonwhite	104	58	8	76.9	4
Hockley	443	79	19	42.9	10
Hood	102	56	5	49.0	4
Hopkins	485	223	20	41.2	8
White	451	197	18	39.9	7
Nonwhite	34	26	2	58.8	1
Houston	528	209	18	34.1	6
White	294	99	9	30.6	-
Nonwhite	234	110	9	38.5	6
Howard	751	176	32	42.6	14
Big Spring	586	126	31	52.9	12
Balance of county	165	50	1	6.1	2
Hudspeth	86	19	3	34.9	-
Hunt	941	433	45	47.8	46
White	801	361	36	44.9	32
Nonwhite	140	72	9	64.3	14
Greenville	405	160	21	51.9	21
White	336	125	15	44.6	15
Nonwhite	69	35	6	87.0	6
Balance of county	536	273	24	44.8	25
White	465	236	21	45.2	17
Nonwhite	71	37	3	42.3	8
Hutchinson	628	134	28	44.6	8
Borger	424	91	20	47.2	5
Balance of county	204	43	8	39.2	3
Irion	51	8	2	39.2	-
Jack	142	69	7	49.3	5
Jackson	314	97	16	51.0	10
White	272	76	15	55.1	4
Nonwhite	42	21	1	23.8	6
Jasper	448	157	18	40.2	17
White	307	115	14	45.6	9
Nonwhite	141	42	4	28.4	8
Jeff Davis	68	7	4	58.8	-
Jefferson	4,184	1,386	190	45.4	155
White	3,261	948	130	39.9	83
Nonwhite	923	438	60	65.0	72
Beaumont	1,960	687	89	45.4	96
White	1,435	428	51	35.5	44
Nonwhite	525	259	38	72.4	52
Port Arthur	1,400	427	69	49.3	37
White	1,195	318	53	44.4	23
Nonwhite	205	109	16	78.0	14
Balance of county	824	272	32	38.8	22
White	631	202	26	41.2	16
Nonwhite	193	70	6	31.1	6
Jim Hogg	174	42	11	63.2	6
Jim Wells	611	180	56	91.7	24
Johnson	580	276	26	44.8	19
Cleburne	268	121	12	45.6	5
Balance of county	317	155	14	44.2	14
Jones	562	157	16	28.5	10
Karnes	559	156	41	73.3	19
Kaufman	621	546	35	56.4	12
White	433	429	23	53.1	7
Nonwhite	188	117	12	63.8	5
Terrell	176	338	14	80.0	3
White	122	276	10	82.0	2
Nonwhite	53	63	4	75.5	1
Balance of county	446	208	21	47.1	9
White	311	154	13	41.8	5
Nonwhite	135	54	8	59.3	4
Kendall	98	79	13	132.7	1
Kenedy	19	5	1	52.6	-
Kent	60	15	3	50.0	-
Kerr	218	137	11	50.5	7
Kimble	90	31	1	11.1	5
King	8	2	-	0	-
Kinney	100	31	7	70.0	5
Kleberg	564	155	37	65.6	14
Knox	227	71	7	30.8	7
Lamar	1,311	428	59	45.0	29
White	1,089	321	41	37.6	24
Nonwhite	222	107	18	81.1	5
Paris	664	206	29	43.7	20
White	574	145	24	41.8	19
Nonwhite	90	61	5	55.6	1
Balance of county	647	222	30	46.4	9
White	515	176	17	33.0	5
Nonwhite	132	46	13	98.5	4
Lamb	391	120	17	43.5	6
Lampasas	200	87	9	45.0	7
La Salle	269	74	18	66.9	8
Lavaca	518	249	25	48.3	13
White	459	202	18	39.2	12
Nonwhite	59	47	7	118.6	1
Lee	202	117	7	34.7	6
White	135	76	2	14.8	2
Nonwhite	67	41	5	74.6	4
Leon	311	124	6	19.3	9
White	135	81	3	22.2	2
Nonwhite	176	43	3	17.0	7
Liberty	552	226	19	34.4	14
White	435	155	16	36.8	6
Nonwhite	117	71	3	25.6	8
Limestone	499	246	21	42.1	17
White	337	159	11	32.6	14
Nonwhite	162	87	10	61.7	3
Lipscomb	93	29	1	10.8	1
Live Oak	224	68	10	44.6	6
Llano	74	39	1	13.5	1
Loving	3	-	-	0	-
Lubbock	1,676	468	79	47.1	29
Lubbock	1,154	332	65	56.3	21
Balance of county	522	136	14	26.8	8
Lynn	302	65	17	56.3	6
McCulloch	351	98	15	42.7	7
McLennan	2,488	1,205	100	40.2	77
White	2,017	902	70	34.7	50
Nonwhite	471	303	30	63.7	27
Waco	1,646	720	66	40.1	55
White	1,334	531	46	34.5	36
Nonwhite	312	189	20	64.1	19
Balance of county	842	485	34	40.4	22
White	683	371	24	35.1	14
Nonwhite	159	114	10	62.9	8
McMullen	27	7	-	0	-
Madison	226	66	9	39.8	5
White	122	34	2	16.4	2
Nonwhite	104	32	7	67.3	3
Marion	244	108	7	28.7	7
White	77	32	3	39.0	3
Nonwhite	167	76	4	24.0	4
Martin	98	16	1	10.2	2

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still births
			Number	Rate	
Section B (Counties)—Continued					
TEXAS—Continued					
Mason	79	37	1	12.7	2
Matagorda	630	240	37	58.7	16
White	501	159	25	50.0	11
Nonwhite	129	81	12	93.0	5
Maverick	480	130	44	91.7	6
Medina	639	209	54	84.5	16
Menard	93	26	3	32.3	1
Midland	467	118	35	74.9	9
Milam	568	256	20	35.2	17
White	423	175	11	26.0	10
Nonwhite	145	81	9	62.1	7
Mills	103	45	3	29.1	5
Mitchell	299	81	14	46.8	7
Montague	344	160	16	46.5	2
Montgomery	410	159	13	31.7	16
White	286	99	11	38.5	12
Nonwhite	124	60	2	16.1	4
Moore	221	43	7	31.7	6
Morris	235	94	13	55.3	9
White	158	60	10	63.3	7
Nonwhite	77	34	3	39.0	2
Motley	81	24	3	37.0	1
Nacogdoches	645	211	18	27.9	17
White	425	138	8	18.8	6
Nonwhite	220	73	10	45.4	11
Navarro	935	372	39	41.7	23
White	701	258	22	31.4	12
Nonwhite	234	114	17	72.6	11
Corsicana	394	176	19	48.2	9
White	320	115	9	28.1	4
Nonwhite	74	61	10	135.1	5
Balance of county	541	198	20	37.0	14
White	381	143	13	34.1	8
Nonwhite	160	53	7	43.8	6
Newton	248	83	12	48.4	8
White	143	48	7	49.0	2
Nonwhite	105	35	5	47.6	6
Nolan	415	133	19	45.8	13
Sweetwater	288	88	14	52.2	7
Balance of county	127	45	5	34.0	6
Nueces	4,587	1,195	331	72.2	159
Corpus Christi	3,018	690	179	59.3	98
Balance of county	1,569	505	152	96.9	61
Ochiltree	104	35	3	28.8	4
Oldham	35	12	3	85.7	-
Orange	1,317	299	51	38.7	44
White	1,228	256	43	35.0	39
Nonwhite	89	43	8	89.9	5
Palo Pinto	536	193	21	39.2	10
Panola	320	130	14	43.8	9
White	192	84	9	46.9	6
Nonwhite	128	46	5	39.1	3
Parker	363	165	9	24.8	14
Parmer	121	28	4	33.1	3
Pecos	251	73	15	59.8	6
Polk	415	168	21	50.6	15
White	242	96	10	41.3	5
Nonwhite	173	72	11	63.6	10
Potter	1,529	507	78	51.0	32
Amarillo (part)	1,417	466	77	(3)	31
Amarillo (total)	1,437	470	77	53.6	31
Balance of county	112	41	1	8.9	1
Presidio	359	86	16	44.6	2
Rains	110	34	5	45.5	1
Randall	101	41	4	39.6	2
Amarillo (part)	20	4	-	(3)	-
Balance of county	81	37	4	49.4	2
Reagan	36	14	-	0	1
Real	36	17	-	0	-
Red River	611	237	25	40.9	21
White	448	175	20	44.6	10
Nonwhite	163	62	5	30.7	11
Reeves	390	108	32	82.1	7
Refugio	251	87	17	67.7	7
White	227	72	17	74.9	6
Nonwhite	24	15	-	0	1
Roberts	13	4	1	76.9	-
Robertson	495	230	23	46.5	22
White	244	113	9	36.9	4
Nonwhite	251	117	14	55.8	18
Rockwall	131	46	5	38.2	-
White	82	34	4	48.8	-
Nonwhite	49	12	1	20.4	-
Runnels	395	149	16	40.5	11
Rusk	776	319	37	47.7	29
White	523	197	17	32.5	18
Nonwhite	253	122	20	79.1	11
Sabine	204	72	8	39.2	3
White	159	52	6	37.7	2
Nonwhite	45	20	2	44.4	1
San Augustine	226	87	6	26.5	2
White	118	42	4	33.9	1
Nonwhite	108	25	2	18.5	1
San Jacinto	137	48	4	29.2	3
White	56	22	2	35.7	2
Nonwhite	81	26	2	24.7	1
San Patricio	1,097	296	98	89.3	37
San Saba	199	86	10	50.3	4
Schleicher	61	18	4	65.8	-
Scurry	219	67	6	27.4	4
Shackelford	77	29	2	26.0	4
Shelby	519	229	24	46.2	15
White	387	173	21	54.3	10
Nonwhite	132	56	3	22.7	5
Sherman	21	13	1	47.6	2
Smith	1,499	578	54	36.0	45
White	1,032	387	38	36.8	25
Nonwhite	467	191	16	34.3	20
Tyler	716	269	31	43.3	21
White	580	189	26	44.8	15
Nonwhite	136	80	5	36.8	6
Balance of county	783	309	23	29.4	24
White	452	198	12	26.5	10
Nonwhite	331	111	11	33.2	14
Somervell	43	33	3	69.8	-
Starr	493	106	38	77.1	10
Stephens	163	90	9	55.2	2
Sterling	23	10	-	0	-
Stonewall	72	22	1	13.9	1
Sutton	109	30	5	45.9	2
Swisher	167	55	9	53.9	3
Tarrant	8,210	2,458	258	41.2	165
White	5,620	2,085	227	40.4	136
Nonwhite	590	373	29	49.2	29
Fort Worth	5,162	2,002	212	41.1	148
White	4,622	1,651	188	40.7	118
Nonwhite	540	351	24	44.4	28
Balance of county	1,048	456	44	42.0	19
Taylor	1,605	525	60	37.4	35
Abilene	1,205	309	51	42.3	29
Balance of county	400	216	9	22.5	6
Terrell	75	36	8	106.7	2
Terry	339	67	13	38.3	7
Throckmorton	54	21	-	0	3
Titus	332	138	20	60.2	14
White	287	109	15	52.3	8
Nonwhite	45	29	5	111.1	6
Tom Green	1,286	381	56	44.2	25
San Angelo	1,096	310	51	46.5	19
Balance of county	170	71	5	29.4	6
Travis	2,884	1,413	119	41.3	82
White	2,476	1,081	100	40.4	61
Nonwhite	408	332	19	46.6	21
Austin	2,479	1,273	103	41.5	64
White	2,154	973	86	39.9	48
Nonwhite	325	300	17	52.3	16
Balance of county	405	140	16	39.5	18
White	322	108	14	43.5	13
Nonwhite	83	32	2	24.1	5
Trinity	150	83	12	80.0	3
White	124	57	7	56.5	2
Nonwhite	26	26	5	192.3	1
Tyler	158	83	7	44.3	7
White	122	60	5	41.0	7
Nonwhite	36	23	2	55.6	-
Upshur	501	145	12	24.0	13
White	351	95	8	22.8	6
Nonwhite	150	50	4	26.7	7
Upton	63	23	3	47.6	1
Uvalde	455	143	35	76.9	13
Val Verde	671	228	64	95.4	28
Del Rio	650	188	62	95.4	28
Balance of county	21	40	2	95.2	-
Van Zandt	439	206	12	27.3	8
Victoria	892	307	53	59.4	23
White	824	261	46	55.8	18
Nonwhite	68	46	7	102.9	5
Victoria	647	180	29	44.8	16
White	591	150	26	44.0	14
Nonwhite	56	30	3	53.6	2
Balance of county	245	127	24	98.0	7
White	233	111	20	85.8	4
Nonwhite	12	16	4	333.3	3
Walker	326	167	12	36.8	8
White	170	87	5	29.4	3
Nonwhite	156	80	7	44.9	5

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
TEXAS—Continued					
Waller	196	75	2	10.2	7
White	99	30	1	10.1	3
Nonwhite	97	45	1	10.3	4
Ward	368	82	22	59.8	13
Washington	450	247	21	46.7	17
White	247	118	12	48.6	4
Nonwhite	203	129	9	44.3	13
Webb	1,856	601	174	93.8	54
Laredo	1,756	550	171	97.4	55
Balance of county	100	51	3	30.0	1
Wharton	902	254	42	46.6	27
White	699	183	29	41.5	14
Nonwhite	203	71	13	64.0	13
Wheeler	286	89	6	26.5	4
Wichita	1,927	725	74	38.4	48
Wichita Falls	1,408	373	48	34.1	34
Balance of county	519	352	26	50.1	14
Wilbarger	408	138	18	44.1	5
Willacy	546	152	55	100.7	15
Williamson	839	584	41	48.9	29
White	659	302	29	44.0	24
Nonwhite	180	82	12	66.7	5
Wilson	400	146	14	35.0	14
Winkler	140	38	4	28.6	4
Wise	347	190	12	34.6	9
Wood	486	180	21	43.2	12
Yoakum	54	6	-	0	2
Young	333	133	8	24.0	3
Zapata	104	34	4	38.5	-
Zavala	433	137	61	140.9	12
UTAH (total)	16,180	4,957	548	33.9	248
Beaver	146	33	3	20.5	3
Box Elder	581	152	22	37.9	5
Cache	745	253	17	22.8	13
Logan	314	124	9	28.7	6
Balance of county	431	129	8	18.6	7
Carbon	590	175	33	55.9	12
Daggett	5	2	-	0	-
Davis	630	147	27	42.9	14
Duchesne	204	50	3	14.7	2
Emery	152	58	1	6.6	1
Garfield	134	28	6	44.8	-
Grand	59	20	4	67.8	2
Iron	226	53	6	26.5	5
Juab	140	61	4	28.6	5
Kane	59	14	1	16.9	-
Millard	230	112	7	30.4	6
Morgan	63	10	1	15.9	-
Piute	60	18	1	16.7	1
Rich	41	10	2	48.8	-
Salt Lake	6,120	1,949	202	33.0	86
Salt Lake City	4,202	1,532	146	34.7	53
Balance of county	1,918	417	56	29.2	33
San Juan	91	25	5	54.9	1
White	88	16	4	45.5	1
Nonwhite	3	9	1	333.3	-
Sanpete	362	155	15	41.4	5
Sevier	279	88	13	46.6	5
Summit	194	57	10	51.5	4
Tooele	314	120	12	38.2	7
Uintah	252	62	8	31.7	5
White	208	47	7	33.7	5
Nonwhite	44	15	1	22.7	-
Utah	1,943	578	59	30.4	31
Provo	565	214	20	35.4	7
Balance of county	1,378	364	39	28.3	24
Wasatch	159	41	3	18.9	5
Washington	255	55	8	31.4	-
Wayne	57	16	-	0	3
Weber	2,089	617	75	35.9	27
Ogden	1,512	482	63	41.7	24
Balance of county	577	135	12	20.8	3
VERMONT (total)	6,824	4,274	277	40.6	162
Addison	347	209	12	34.6	7
Bennington	390	277	15	38.5	8
Caledonia	413	270	22	53.3	9
Chittenden	1,140	562	56	49.1	23
Burlington	624	329	36	57.7	13
Balance of county	516	233	20	38.8	10
Essex	110	63	2	18.2	3
Franklin	590	314	22	37.3	20
Grand Isle	62	32	2	32.3	1
Section B (Counties)—Continued					
VERMONT—Continued					
Lamoille	199	133	13	65.3	1
Orange	286	202	6	21.0	8
Orleans	408	252	18	44.1	16
Rutland	831	579	34	40.9	23
Rutland	352	220	13	36.9	9
Balance of county	479	359	21	43.8	14
Washington	672	570	33	49.1	16
Barre	214	127	12	56.1	3
Balance of county	458	443	21	45.9	13
Windham	495	396	17	34.3	10
Windsor	881	415	25	28.4	17
VIRGINIA[8] (total)	69,175	28,739	3,261	47.1	2,110
Accomack	549	421	49	89.3	24
White	324	257	20	61.7	6
Nonwhite	225	164	29	128.9	18
Albemarle	421	263	26	61.8	10
White	336	198	23	68.5	4
Nonwhite	85	65	3	35.3	6
Alexandria (city)	1,685	425	49	29.1	40
White	1,511	300	32	21.2	33
Nonwhite	174	125	17	97.7	7
Alleghany	442	161	16	36.2	16
Amelia	194	78	11	56.7	7
White	67	28	4	59.7	2
Nonwhite	127	50	7	55.1	5
Amherst	373	227	14	37.5	14
White	253	158	8	31.6	6
Nonwhite	120	69	6	50.0	8
Appomattox	181	83	5	27.6	3
White	122	55	3	24.6	1
Nonwhite	59	28	2	33.9	2
Arlington[9]	3,322	510	65	19.6	71
Augusta	900	455	42	46.7	13
Bath	128	67	4	31.3	4
White	120	60	4	33.3	4
Nonwhite	8	7	-	0	-
Bedford	549	315	28	51.0	11
White	423	244	15	35.5	7
Nonwhite	126	71	13	103.2	4
Bland	164	54	4	24.4	4
Botetourt	296	137	11	37.2	7
White	256	113	10	39.1	7
Nonwhite	40	24	1	25.0	-
Bristol (city)[10]	298	118	11	36.9	9
White	276	103	11	39.9	8
Nonwhite	22	15	-	0	1
Brunswick	458	153	17	37.1	16
White	155	55	2	12.9	4
Nonwhite	303	98	15	49.5	12
Buchanan	1,209	230	72	59.6	34
Buckingham	276	127	13	47.1	3
White	134	60	8	59.7	1
Nonwhite	142	67	5	35.2	2
Buena Vista (city)	104	42	7	67.3	4
Campbell	600	203	24	40.0	20
White	402	142	14	34.8	5
Nonwhite	198	61	10	50.5	15
Caroline	331	129	13	39.3	11
White	119	62	3	25.2	4
Nonwhite	212	67	10	47.2	7
Carroll	564	175	20	35.5	2
Charles City	131	50	9	68.7	11
White	13	9	1	76.9	6
Nonwhite	118	41	8	67.8	5
Charlotte	317	158	18	56.8	10
White	165	71	8	48.5	3
Nonwhite	152	87	10	65.8	7
Charlottesville (city)	451	196	21	46.6	9
White	362	148	12	33.1	6
Nonwhite	89	48	9	101.1	3
Chesterfield	652	241	16	24.5	12
White	507	168	9	17.8	6
Nonwhite	145	73	7	48.3	6
Clarke	125	96	7	56.0	4
White	95	72	6	63.2	2
Nonwhite	30	24	1	33.3	2
Clifton Forge (city)	108	76	5	46.3	3
White	89	63	3	33.7	2
Nonwhite	19	13	2	105.3	1
Craig	66	29	4	60.6	2
Culpeper	253	153	15	59.3	2
White	168	106	8	47.6	1
Nonwhite	85	47	7	82.4	1
Cumberland	177	78	5	28.2	8
White	55	23	1	18.2	1
Nonwhite	122	55	4	32.8	7

[8] Cities of Virginia are independent, each having the same status as a county. Urban places having populations of 10,000 or more include: Alexandria, Arlington County,[9] Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

[9] Classified as urban under a special rule in the 1940 census.

[10] Includes data for Bristol, Va., only.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
VIRGINIA[8]—Continued					
Danville (city)	709	334	47	66.3	32
White	491	207	26	53.0	12
Nonwhite	218	127	21	96.3	20
Dickenson	695	148	37	53.2	24
Dinwiddie	326	514	19	58.3	14
White	122	67	7	57.4	5
Nonwhite	204	447	12	58.8	9
Elizabeth City	587	308	36	61.3	25
White	454	186	27	59.5	17
Nonwhite	133	122	9	67.7	8
Essex	137	72	6	43.8	7
White	64	32	4	62.5	1
Nonwhite	73	40	2	27.4	6
Fairfax	1,355	396	49	36.2	32
White	1,202	344	38	31.6	27
Nonwhite	153	52	11	71.9	5
Fauquier	417	194	21	50.4	10
White	276	131	14	50.7	6
Nonwhite	141	63	7	49.6	4
Floyd	237	98	6	25.3	2
Fluvanna	103	95	8	77.7	4
White	48	48	1	20.8	1
Nonwhite	55	47	7	127.3	3
Franklin	526	175	25	47.5	14
White	441	141	16	36.3	13
Nonwhite	85	34	9	105.9	1
Frederick	248	124	12	48.4	4
Fredericksburg (city)	200	103	12	60.0	9
White	167	78	7	41.9	7
Nonwhite	33	25	5	151.5	2
Giles	457	130	24	54.9	14
Gloucester	182	122	11	60.4	2
White	106	69	5	47.2	2
Nonwhite	76	53	6	78.9	-
Goochland	169	91	7	41.4	8
White	58	35	2	34.5	3
Nonwhite	111	56	5	45.0	5
Grayson	460	156	14	30.4	6
Greene	112	47	4	35.7	9
White	99	33	2	20.2	8
Nonwhite	13	14	2	153.8	1
Greensville	440	140	18	40.9	18
White	137	43	4	29.2	3
Nonwhite	303	97	14	46.2	15
Halifax	1,040	398	57	54.8	43
White	497	177	22	44.3	13
Nonwhite	543	221	35	64.5	30
Hampton (city)	569	117	11	19.3	16
White	460	70	10	21.7	13
Nonwhite	109	47	1	9.2	3
Hanover	401	206	18	44.9	8
White	228	129	8	35.1	-
Nonwhite	173	77	10	57.8	8
Harrisonburg (city)	169	124	12	71.0	5
Henrico	618	216	13	21.0	21
White	498	163	7	14.1	15
Nonwhite	120	53	6	50.0	6
Henry	780	189	28	35.9	13
White	487	118	12	24.6	6
Nonwhite	293	71	16	54.6	7
Highland	78	42	5	64.1	4
Hopewell (city)	231	64	10	43.3	7
White	200	47	9	45.0	5
Nonwhite	31	17	1	32.3	2
Isle of Wight	341	163	10	29.3	19
White	148	72	2	13.5	4
Nonwhite	193	91	8	41.5	15
James City	137	47	11	80.3	1
White	59	20	3	50.8	1
Nonwhite	78	27	8	102.6	-
King and Queen	145	80	5	34.5	8
White	66	27	4	60.6	1
Nonwhite	79	53	1	12.7	7
King George	167	53	10	59.9	8
White	105	35	6	57.1	2
Nonwhite	62	18	4	64.5	4
King William	170	88	8	47.1	3
White	88	43	2	22.7	2
Nonwhite	82	45	6	73.2	1
Lancaster	144	118	17	118.1	6
White	75	50	5	66.7	2
Nonwhite	69	68	12	173.9	4
Lee	921	285	53	57.5	26
Loudoun	422	198	15	35.5	11
White	316	159	12	38.0	8
Nonwhite	106	39	3	28.3	3
Louisa	290	138	7	24.1	6
White	126	69	4	31.7	3
Nonwhite	164	69	3	18.3	3
Lunenburg	327	158	12	36.7	16
White	150	78	4	26.7	4
Nonwhite	177	80	8	45.2	12
Lynchburg (city)	881	474	32	36.3	19
White	680	319	22	32.4	13
Nonwhite	201	155	10	49.8	6
Madison	161	86	10	62.1	5
White	104	56	4	38.5	4
Nonwhite	57	30	6	105.3	1
Martinsville (city)	229	74	17	74.2	5
White	177	49	11	62.1	2
Nonwhite	52	25	6	115.4	3
Mathews	107	83	2	18.7	2
White	80	59	1	12.5	-
Nonwhite	27	24	1	37.0	2
Mecklenburg	799	289	29	36.3	21
White	308	139	17	55.2	7
Nonwhite	491	150	12	24.4	14
Middlesex	147	94	3	23.6	13
White	60	58	1	16.7	8
Nonwhite	87	36	2	29.9	5
Montgomery	637	241	36	56.5	4
Nansemond	596	262	41	68.8	21
White	160	78	12	75.0	6
Nonwhite	436	184	29	66.5	15
Nelson	330	125	13	39.4	12
White	232	87	8	34.5	9
Nonwhite	98	38	5	51.0	3
New Kent	72	48	2	27.8	6
White	35	21	1	28.6	1
Nonwhite	37	27	1	27.0	5
Newport News (city)	1,596	589	92	57.6	62
White	1,022	288	48	47.0	32
Nonwhite	574	301	44	76.7	30
Norfolk	2,893	536	132	45.6	91
White	2,359	332	82	34.8	48
Nonwhite	534	204	50	93.6	43
Norfolk (city)	4,127	1,982	215	52.1	177
White	2,830	1,152	145	51.2	67
Nonwhite	1,297	830	70	54.0	110
Northampton	378	234	25	66.5	27
White	152	94	6	39.5	6
Nonwhite	224	140	19	84.8	21
Northumberland	161	98	7	43.5	5
White	64	51	1	15.6	4
Nonwhite	97	47	6	61.9	1
Nottoway	344	236	18	52.3	15
White	174	125	9	51.7	8
Nonwhite	170	111	9	52.9	7
Orange	237	156	15	63.3	2
White	156	100	8	51.3	2
Nonwhite	81	56	7	86.4	-
Page	316	122	18	57.0	15
Patrick	382	113	23	60.2	7
Petersburg (city)	719	404	44	61.2	37
White	400	193	11	27.5	15
Nonwhite	319	211	33	103.4	22
Pittsylvania	1,566	525	82	52.4	48
White	982	339	48	48.9	23
Nonwhite	584	186	34	58.2	25
Portsmouth (city)	1,628	758	126	77.4	79
White	964	367	61	63.3	31
Nonwhite	664	391	65	97.9	48
Powhatan	90	51	4	44.4	5
White	33	26	1	30.3	1
Nonwhite	57	25	3	52.6	4
Prince Edward	286	150	15	52.4	10
White	130	70	5	38.5	5
Nonwhite	156	80	10	64.1	5
Prince George	270	154	11	40.7	8
White	141	94	2	14.2	2
Nonwhite	129	60	9	69.8	4
Prince William	444	156	22	49.5	14
White	388	136	20	51.5	12
Nonwhite	56	20	2	35.7	2
Princess Anne	718	388	35	48.7	35
White	482	200	19	39.4	16
Nonwhite	236	188	16	67.8	19
Pulaski	628	182	25	39.9	16
Radford (city)	196	85	19	96.9	9
Rappahannock	149	82	6	40.3	3
White	127	63	4	31.5	1
Nonwhite	22	19	2	90.9	2
Richmond	119	68	6	50.4	5
White	80	40	2	33.3	3
Nonwhite	39	28	4	67.8	2
Richmond (city)	4,100	2,565	167	40.7	100
White	2,844	1,659	115	40.4	61
Nonwhite	1,256	906	52	41.4	39

[8] See footnote on p. 48.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
VIRGINIA[8]—Continued					
Roanoke	872	398	27	31.0	25
Roanoke (city)	1,414	729	59	41.7	39
White	1,169	560	43	36.8	27
Nonwhite	245	169	16	65.3	12
Rockbridge	432	235	21	48.6	11
White	385	211	18	46.8	7
Nonwhite	47	24	3	63.8	4
Rockingham	634	288	29	45.7	21
Russell	723	209	39	53.9	16
Scott	683	230	39	57.1	12
Shenandoah	425	228	20	47.1	4
Smyth	722	303	47	65.1	15
Southampton	713	238	38	53.3	29
White	207	92	7	33.8	4
Nonwhite	506	146	31	61.3	25
South Norfolk (city)	214	78	6	28.0	9
White	168	58	4	23.8	5
Nonwhite	46	22	2	43.5	4
Spotsylvania	231	101	9	39.0	7
White	168	69	8	47.6	3
Nonwhite	63	32	1	15.9	4
Stafford	193	122	12	62.2	3
White	148	93	3	20.3	2
Nonwhite	45	29	9	200.0	1
Staunton (city)	231	347	11	47.6	2
White	200	322	10	50.0	2
Nonwhite	31	25	1	32.3	-
Suffolk (city)	264	147	15	56.8	9
White	176	75	8	45.5	3
Nonwhite	88	72	7	79.5	6
Surry	113	66	8	70.8	5
White	18	23	-	0	1
Nonwhite	95	43	8	84.2	4
Sussex	317	155	15	47.3	14
White	84	56	1	11.9	3
Nonwhite	233	99	14	60.1	11
Tazewell	1,307	330	65	49.7	20
Warren	277	126	21	75.8	16
Warwick	749	172	42	56.1	30
White	459	102	26	56.6	14
Nonwhite	290	70	16	55.2	16
Washington	686	288	41	46.3	28
Westmoreland	187	100	9	48.1	9
White	86	50	1	11.6	1
Nonwhite	101	50	8	79.2	8
Williamsburg (city)	66	209	4	60.6	3
White	44	199	4	90.9	1
Nonwhite	22	10	-	0	2
Winchester (city)	285	143	11	38.6	4
Wise	1,470	448	97	66.0	49
Wythe	591	166	13	22.0	7
York	280	112	12	42.9	10
White	186	70	7	37.6	5
Nonwhite	94	42	5	53.2	5
WASHINGTON (total)	44,528	21,849	1,506	33.8	626
Adams	107	54	4	37.4	4
Asotin	163	108	1	7.5	3
Benton	679	119	20	29.5	9
Chelan	705	336	25	35.5	9
Wenatchee	262	153	8	30.5	5
Balance of county	443	183	17	38.4	4
Clallam	510	222	20	39.2	6
Clark	2,372	802	79	33.3	33
Vancouver	749	391	40	53.4	13
Balance of county	1,623	411	39	24.0	20
Columbia	83	70	2	24.1	3
Cowlitz	917	338	28	30.5	7
Longview	358	125	13	36.3	1
Balance of county	559	213	15	26.8	6
Douglas	112	48	2	17.9	1
Ferry	68	52	3	44.1	2
White	53	38	1	18.9	1
Nonwhite	15	14	2	133.3	1
Franklin	271	103	18	66.4	2
Garfield	55	27	2	37.7	-
Grant	227	74	1	4.4	2
Grays Harbor	942	574	37	39.3	21
Aberdeen	373	310	13	34.9	7
Hoquiam	166	64	7	42.2	2
Balance of county	403	200	17	42.2	12
Island	151	92	5	33.1	1
Jefferson	244	102	4	16.4	5
Section B (Counties)—Continued					
WASHINGTON—Continued					
King	13,984	6,706	413	29.5	170
Seattle	11,189	5,283	304	27.2	136
White	10,849	5,111	299	27.6	130
Nonwhite	340	172	5	14.7	6
Balance of county	2,795	1,423	109	39.0	34
Kitsap	2,760	639	71	25.7	44
Bremerton	1,292	286	34	26.3	15
Balance of county	1,468	353	37	25.2	29
Kittitas	380	199	11	28.9	2
Klickitat	178	115	9	50.6	4
Lewis	834	473	20	24.0	15
Lincoln	185	130	5	27.0	2
Mason	268	126	8	29.9	7
Okanogan	479	202	28	58.5	14
Pacific	277	156	14	50.5	6
Pend Oreille	110	59	8	72.7	3
Pierce	4,778	2,732	156	32.6	69
Tacoma	3,119	1,695	93	29.8	45
Balance of county	1,659	1,037	63	38.0	24
San Juan	24	23	1	41.7	-
Skagit	818	691	28	34.2	5
Skamania	54	22	1	18.5	1
Snohomish	1,871	1,016	54	28.9	28
Everett	759	458	25	32.9	12
Balance of county	1,112	558	29	26.1	16
Spokane	3,804	2,345	112	29.4	53
Spokane	2,994	1,686	91	30.4	34
Balance of county	810	659	21	25.9	19
Stevens	343	175	18	52.5	7
Thurston	874	359	23	26.3	10
Olympia	375	205	12	32.0	5
Balance of county	499	154	11	22.0	5
Wahkiakum	57	35	5	87.7	-
Walla Walla	679	479	26	38.3	10
Walla Walla	447	342	24	53.7	5
Balance of county	232	137	2	8.6	5
Whatcom	1,245	693	43	34.5	21
Bellingham	674	426	28	41.5	11
Balance of county	571	267	15	26.3	10
Whitman	488	259	20	41.0	3
Yakima	2,464	1,094	181	73.5	44
Yakima	820	448	57	69.5	15
Balance of county	1,644	646	124	75.4	29
WEST VIRGINIA (total)	41,304	16,603	2,149	52.0	1,389
Barbour	347	181	24	69.2	14
Berkeley	572	306	22	38.5	22
Martinsburg	323	189	11	34.1	14
Balance of county	249	117	11	44.2	8
Boone	714	201	47	65.8	26
Braxton	376	125	7	18.6	12
Brooke	424	223	16	37.7	8
Cabell	2,018	1,002	112	55.5	56
Huntington (part)	1,599	854	96	(3)	42
Huntington (total)	1,688	881	100	59.2	42
Balance of county	419	148	16	38.2	14
Calhoun	210	77	8	38.1	10
Clay	381	95	21	55.1	11
Doddridge	154	103	11	71.4	6
Fayette	1,861	604	105	56.4	69
White	1,595	451	92	57.7	53
Nonwhite	266	153	13	48.9	16
Gilmer	171	76	6	35.1	3
Grant	190	80	8	42.1	7
Greenbrier	835	281	34	40.7	44
Hampshire	261	112	7	26.8	4
Hancock	597	215	19	31.8	16
Hardy	200	81	11	55.0	7
Harrison	1,682	856	99	58.9	57
Clarksburg	713	346	44	61.7	33
Balance of county	969	510	55	56.8	24
Jackson	297	137	11	37.0	7
Jefferson	314	178	15	47.8	12
White	261	151	13	49.8	10
Nonwhite	53	27	2	37.7	2
Kanawha	5,218	1,727	287	55.0	169
Charleston	1,787	759	91	50.9	64
White	1,680	626	88	52.4	64
Nonwhite	107	133	3	28.0	-
South Charleston	352	76	15	42.6	8
Balance of county	3,079	892	181	58.8	97
Lewis	335	371	15	44.8	13
Lincoln	477	150	30	62.9	6

[3] Rate not computed for part of an area.

[8] See footnote on p. 48.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
WEST VIRGINIA—Continued					
Logan	1,968	486	121	61.5	90
White	1,827	448	118	64.6	87
Nonwhite	141	38	3	21.3	3
McDowell	2,719	769	189	69.5	105
White	2,131	512	157	64.3	75
Nonwhite	588	257	52	88.4	30
Marion	1,345	638	55	40.9	48
Fairmont	498	287	24	48.2	25
Balance of county	847	351	31	36.6	23
Marshall	614	357	17	27.7	18
Moundsville	275	143	10	36.4	10
Balance of county	339	214	7	20.6	8
Mason	512	274	30	58.6	25
Mercer	1,451	577	88	61.5	61
White	1,292	470	74	57.3	52
Nonwhite	159	107	14	100.7	9
Bluefield[11]	422	228	22	52.1	18
White	351	168	16	45.6	13
Nonwhite	71	60	6	84.5	5
Balance of county	1,009	349	66	65.4	43
Mineral	508	218	24	47.2	12
Mingo	1,232	291	56	45.4	39
Monongalia	1,090	488	64	58.7	23
Morgantown	491	211	29	59.1	7
Balance of county	599	277	35	58.4	16
Monroe	271	109	6	22.1	7
Morgan	168	74	9	53.6	7
Nicholas	545	178	32	58.7	15
Ohio	1,178	841	69	58.6	42
Wheeling	974	724	57	58.5	38
Balance of county	204	117	12	58.8	4
Pendleton	186	88	12	64.5	7
Pleasants	101	78	6	59.4	2
Pocahontas	233	102	10	42.9	-
Preston	577	260	26	45.1	20
Putnam	415	144	17	41.0	14
Raleigh	2,144	665	117	54.6	84
White	1,905	540	103	54.1	67
Nonwhite	239	125	14	58.6	17
Beckley	321	152	11	34.3	14
White	286	130	11	38.5	12
Nonwhite	35	22	-	0	2
Balance of county	1,823	513	106	58.1	70
White	1,619	410	92	56.8	55
Nonwhite	204	103	14	68.6	15
Randolph	705	244	27	38.3	21
Ritchie	190	115	7	36.8	6
Roane	308	252	23	74.7	9
Summers	383	201	24	62.7	19
Taylor	328	200	12	36.6	9
Tucker	237	108	14	59.1	6
Tyler	187	132	7	37.4	3
Upshur	374	203	20	53.5	19
Wayne	687	222	19	27.7	14
Huntington (part)	89	27	4	(3)	-
Balance of county	598	195	15	25.1	14
Webster	426	122	25	58.7	11
Wetzel	405	182	14	34.6	5
Wirt	90	53	3	33.3	4
Wood	1,208	615	56	46.4	34
Parkersburg	751	405	39	51.9	24
Balance of county	457	210	17	37.2	10
Wyoming	905	158	35	38.7	31
WISCONSIN (total)	61,547	31,674	1,972	32.0	1,249
Adams	133	65	3	22.6	7
Ashland	431	230	24	55.7	8
Ashland	208	127	10	48.1	3
Balance of county	223	103	14	62.8	5
White	176	87	11	62.5	4
Nonwhite	47	16	3	63.8	1
Barron	687	301	20	29.1	22
Bayfield	244	165	14	57.4	6
Brown	1,884	776	63	33.4	38
Green Bay	1,164	462	42	36.1	19
Balance of county	720	314	21	29.2	19
Buffalo	328	147	10	30.5	5
Burnett	190	104	-	0	5
Calumet	322	144	8	24.8	5
Chippewa	972	413	33	37.8	18
Chippewa Falls	230	120	10	43.5	3
Balance of county	642	293	23	35.8	15
Clark	641	333	19	29.3	22
Columbia	662	412	20	30.2	13
Crawford	376	185	21	55.9	11
Section B (Counties)—Continued					
WISCONSIN—Continued					
Dane	3,224	1,355	98	30.4	65
Madison	2,021	661	56	27.7	39
Balance of county	1,203	694	42	34.9	26
Dodge	962	529	26	27.0	13
Beaver Dam	207	118	6	29.0	1
Watertown (part)	25	26	1	(3)	-
Balance of county	730	385	19	26.0	12
Door	511	206	17	33.3	13
Douglas	1,025	627	43	42.0	27
Superior	789	470	32	40.5	17
Balance of county	236	157	11	46.6	10
Dunn	528	254	19	36.0	10
Eau Claire	955	421	33	34.6	13
Eau Claire	630	267	19	30.2	9
Balance of county	325	154	14	43.1	4
Florence	53	33	1	18.9	2
Fond du Lac	1,127	677	31	27.5	19
Fond du Lac	490	338	15	30.6	8
Balance of county	637	339	16	25.1	11
Forest	208	83	12	57.7	2
Grant	800	422	29	36.3	19
Green	425	241	12	28.2	9
Green Lake	225	162	7	31.1	1
Iowa	386	249	13	33.7	6
Iron	154	105	6	39.0	6
Jackson	349	176	14	40.1	11
Jefferson	605	432	19	31.4	12
Watertown (part)	122	131	6	(3)	1
Watertown (total)	147	157	7	47.6	1
Balance of county	483	301	13	26.9	11
Juneau	372	193	13	34.9	5
Kenosha	1,231	616	33	26.8	28
Kenosha	922	471	29	31.5	23
Balance of county	309	145	4	12.9	5
Kewaunee	351	170	13	37.0	5
La Crosse	1,309	603	37	28.3	31
La Crosse	910	429	27	29.7	25
Balance of county	399	174	10	25.1	6
Lafayette	352	169	9	25.6	9
Langlade	468	216	19	40.6	13
Lincoln	406	208	19	46.8	11
Manitowoc	1,407	585	45	32.0	26
Manitowoc	613	283	19	31.0	15
Two Rivers	220	68	8	36.4	2
Balance of county	574	234	18	31.4	9
Marathon	1,576	637	64	40.6	26
Wausau	575	322	28	48.9	12
Balance of county	1,003	315	36	35.9	14
Marinette	632	368	16	25.3	13
Marinette	222	171	8	36.0	7
Balance of county	410	197	8	19.5	6
Marquette	141	110	5	35.5	1
Milwaukee	14,378	7,902	409	28.4	328
Cudahy	244	73	7	28.7	4
Milwaukee	10,670	6,290	325	30.5	241
Shorewood	249	115	3	12.0	6
South Milwaukee	194	89	5	25.8	6
Wauwatosa	486	248	10	20.6	8
West Allis	758	296	26	34.3	21
Balance of county	1,777	791	33	18.6	42
Monroe	665	332	35	52.6	9
Oconto	507	236	20	39.4	14
Oneida	826	182	23	70.8	6
Outagamie	1,536	584	34	22.1	19
Appleton	619	286	9	14.5	6
Balance of county	917	298	25	27.3	13
Ozaukee	379	160	7	18.5	2
Pepin	181	78	8	44.2	4
Pierce	394	209	14	35.5	10
Polk	508	231	15	29.5	9
Portage	625	315	27	43.2	10
Stevens Point	282	140	10	35.5	3
Balance of county	343	175	17	49.6	7
Price	291	167	10	34.4	9
Racine	1,721	921	44	25.6	38
Racine	1,247	633	28	22.5	29
Balance of county	474	288	16	33.8	9
Richland	409	199	10	24.4	10
Rock	1,811	916	52	32.3	26
Beloit	622	295	17	27.3	13
Janesville	449	301	16	35.6	5
Balance of county	540	320	19	35.2	8
Rusk	330	152	13	39.4	1
St. Croix	484	265	7	14.5	11
Sauk	759	380	21	27.7	12
Sawyer	180	102	6	33.3	6
White	136	95	4	29.4	5
Nonwhite	44	7	2	45.5	1

[3] Rate not computed for part of an area.
[11] Includes data for Bluefield, W. Va., only.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE OF 10,000 OR MORE, 1944—Continued

(See headnote on p. 4)

AREA	Births	Deaths	Deaths under 1 year		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
WISCONSIN—Continued					
Shawano	747	556	46	61.6	8
Sheboygan	1,326	770	38	28.7	21
Sheboygan	677	412	20	29.5	9
Balance of county	649	358	18	27.7	12
Taylor	387	145	12	31.0	11
Trempealeau	455	236	13	28.8	15
Vernon	549	295	25	45.5	9
Vilas	139	74	7	50.4	3
White	108	66	4	37.7	2
Nonwhite	33	8	3	90.9	1
Walworth	594	446	15	25.3	8
Washburn	236	122	14	59.3	1
Washington	544	256	16	29.4	18
Waukesha	1,351	634	42	31.1	17
Waukesha	361	189	17	47.1	6
Balance of county	990	445	25	25.3	11
Waupaca	630	412	14	22.2	11
Waushara	217	145	4	18.4	3
Winnebago	1,598	970	48	30.0	32
Menasha	242	92	5	20.7	1
Neenah	225	100	2	8.9	11
Oshkosh	739	462	31	41.9	14
Balance of county	392	316	10	25.5	6
Wood	958	580	35	37.3	12
Marshfield	213	105	15	70.4	5
Wisconsin Rapids	230	79	6	26.1	2
Balance of county	495	176	14	28.3	5
WYOMING (total)	5,635	2,278	252	41.2	98
Albany	338	117	15	44.4	6
Laramie	311	100	12	38.6	5
Balance of county	27	17	3	111.1	1
Section B (Counties)—Continued					
WYOMING—Continued					
Big Horn	273	92	8	29.3	1
Campbell	103	30	4	38.8	2
Carbon	284	121	16	56.3	7
Converse	118	51	3	25.4	2
Crook	88	31	2	22.7	5
Fremont	312	160	20	64.1	6
White	215	103	3	14.0	4
Nonwhite	97	57	17	175.3	2
Goshen	249	82	8	32.1	3
Hot Springs	96	57	3	31.3	1
Johnson	74	49	1	13.5	4
Laramie	872	292	41	47.0	12
Cheyenne	741	233	33	44.5	11
Balance of county	131	59	8	61.1	1
Lincoln	261	58	7	26.8	3
Natrona	525	254	21	40.0	6
Casper	465	200	19	40.9	6
Balance of county	60	54	2	33.3	-
Niobrara	88	40	2	23.3	1
Park	468	152	17	36.3	12
Platte	189	68	9	47.6	2
Sheridan	328	189	9	27.4	11
Sheridan	208	121	6	28.8	9
Balance of county	120	68	3	25.0	2
Sublette	48	20	2	43.5	1
Sweetwater	474	211	30	63.3	8
Teton	47	17	-	0	-
Uinta	182	111	5	27.5	2
Washakie	121	33	7	57.9	3
Weston	99	41	2	20.2	-
Yellowstone National Park (part)	2	2	-	(3)	-
Yellowstone National Park (total)	2	2	-	0	-

[3] Rate not computed for part of an area.

Note.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1944

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
UNITED STATES	2,794,800	2,454,700	2,229,208	92,088	40,994	49,907	40,282	701	899	35	586	324,183	15,917
Male	1,435,301	1,263,345	1,147,553	47,277	21,224	25,589	20,564	366	460	20	292	163,824	8,132
Female	1,359,499	1,191,355	1,081,655	44,811	19,770	24,318	19,718	335	439	15	294	160,359	7,785
10 to 14 years M	1,822	597	358	12	221	1	-	3	1	-	1	1,204	21
10 to 14 years F	1,743	614	363	12	236	-	-	1	-	-	2	1,115	14
15 to 19 years M	154,480	116,968	106,874	1,597	7,678	569	117	33	53	1	46	36,619	893
15 to 19 years F	146,650	109,789	100,312	1,517	7,212	490	127	44	42	-	45	36,008	853
20 to 24 years M	445,667	391,365	366,438	8,943	8,089	6,039	1,544	122	116	3	71	51,817	2,485
20 to 24 years F	421,279	368,602	344,961	8,529	7,644	5,646	1,514	103	138	1	66	50,263	2,414
25 to 29 years M	395,279	359,107	332,871	13,539	2,918	6,542	3,017	63	110	6	41	34,048	2,124
25 to 29 years F	373,756	338,206	313,418	12,984	2,610	6,185	2,805	55	104	5	42	33,403	2,127
30 to 34 years M	262,421	238,709	210,033	13,568	1,301	7,193	6,429	73	85	4	23	22,338	1,374
30 to 34 years F	249,448	226,026	198,877	12,680	1,189	6,909	6,221	49	65	4	32	22,150	1,272
35 to 39 years M	135,436	121,376	102,070	7,679	709	4,110	6,691	48	43	4	22	13,247	813
35 to 39 years F	128,006	114,296	95,841	7,270	822	3,998	6,437	55	50	3	20	12,977	733
40 to 44 years M	35,745	31,655	25,988	1,804	239	1,068	2,501	23	20	1	11	3,753	337
40 to 44 years F	34,328	30,557	25,026	1,688	200	1,009	2,392	25	13	1	3	3,658	313
45 to 49 years M	2,419	2,057	1,657	103	15	46	233	1	2	-	-	322	40
45 to 49 years F	2,359	1,993	1,635	96	16	55	188	2	1	-	-	333	33
50 to 54 years M	61	49	43	-	1	-	5	-	-	-	-	9	3
50 to 54 years F	73	63	52	3	-	1	7	-	-	-	-	10	-
55 years and over M	30	23	18	1	-	-	4	-	-	-	-	7	-
55 years and over F	23	18	14	1	-	1	2	-	-	-	-	5	-
Not stated M	1,941	1,439	1,203	31	53	21	23	-	30	1	77	460	42
Not stated F	1,854	1,391	1,156	31	41	24	27	1	26	1	84	437	26
ALABAMA	74,415	47,504	46,528	144	719	59	26	1	21	-	6	26,886	25
Male	38,326	24,579	24,064	77	377	27	14	1	14	-	5	13,735	12
Female	36,089	22,925	22,464	67	342	32	12	-	7	-	1	13,151	13
10 to 14 years M	111	15	9	-	6	-	-	-	-	-	-	96	-
10 to 14 years F	95	28	19	-	9	-	-	-	-	-	-	67	-
15 to 19 years M	6,515	3,490	3,308	7	166	3	-	-	4	-	2	3,023	2
15 to 19 years F	6,060	3,125	2,979	5	137	3	-	-	1	-	-	2,932	3
20 to 24 years M	11,836	7,747	7,589	21	122	8	2	1	4	-	-	4,087	2
20 to 24 years F	11,166	7,239	7,092	15	116	13	-	-	3	-	-	3,925	2
25 to 29 years M	8,758	6,001	5,935	15	43	5	1	-	1	-	1	2,753	4
25 to 29 years F	8,374	5,679	5,612	16	39	8	1	-	3	-	-	2,692	3
30 to 34 years M	6,228	4,179	4,120	19	25	6	4	-	4	-	1	2,045	4
30 to 34 years F	5,763	3,877	3,829	16	19	5	7	-	-	-	1	1,884	2
35 to 39 years M	3,642	2,360	2,332	13	6	4	5	-	-	-	-	1,282	-
35 to 39 years F	3,453	2,241	2,206	13	17	3	2	-	-	-	-	1,210	2
40 to 44 years M	1,012	674	667	2	3	-	2	-	-	-	-	338	-
40 to 44 years F	970	642	634	2	4	-	2	-	-	-	-	327	1
45 to 49 years M	76	40	39	-	-	1	-	-	-	-	-	36	-
45 to 49 years F	72	34	34	-	-	-	-	-	-	-	-	38	-
50 to 54 years M	3	3	3	-	-	-	-	-	-	-	-	-	-
50 to 54 years F	5	3	3	-	-	-	-	-	-	-	-	2	-
55 years and over F	2	1	1	-	-	-	-	-	-	-	-	1	-
Not stated M	145	70	62	-	6	-	-	-	1	-	1	75	-
Not stated F	129	56	55	-	1	-	-	-	-	-	-	73	-
ARIZONA	14,225	12,408	10,198	921	164	558	546	10	7	-	4	386	1,431
Male	7,279	6,336	5,232	462	94	278	257	5	7	-	1	202	741
Female	6,946	6,072	4,966	459	70	280	289	5	-	-	3	184	690
10 to 14 years M	9	4	4	-	-	-	-	-	-	-	-	1	4
10 to 14 years F	13	8	5	1	2	-	-	-	-	-	-	2	3
15 to 19 years M	963	832	751	39	26	12	4	-	-	-	-	37	94
15 to 19 years F	907	759	699	30	18	8	4	-	-	-	-	53	95
20 to 24 years M	2,420	2,145	1,890	133	29	64	24	2	2	-	1	72	203
20 to 24 years F	2,334	2,069	1,803	143	30	77	35	1	-	-	-	55	190
25 to 29 years M	1,869	1,672	1,398	136	23	69	43	1	2	-	-	44	153
25 to 29 years F	1,752	1,563	1,291	123	13	73	61	2	-	-	-	33	156
30 to 34 years M	1,116	944	705	91	7	66	76	1	-	-	-	28	144
30 to 34 years F	1,084	933	699	82	3	64	83	1	-	-	1	32	119
35 to 39 years M	653	554	368	49	7	47	82	1	-	-	-	12	87
35 to 39 years F	618	534	352	63	-	46	72	1	-	-	-	4	78
40 to 44 years M	203	160	101	14	1	20	24	-	-	-	-	6	37
40 to 44 years F	201	159	100	15	2	12	30	-	-	-	-	5	37
45 to 49 years M	11	7	5	-	-	-	2	-	-	-	-	-	4
45 to 49 years F	11	8	5	1	-	-	2	-	-	-	-	-	3
50 to 54 years M	2	-	-	-	-	-	-	-	-	-	-	-	2
50 to 54 years F	2	2	1	-	-	-	1	-	-	-	-	-	-
Not stated M	33	18	12	-	1	-	2	-	3	-	-	2	13
Not stated F	26	17	11	1	2	-	1	-	-	-	2	-	9
ARKANSAS	41,240	31,357	30,768	98	409	44	12	-	19	-	7	9,849	34
Male	21,176	16,126	15,822	58	204	26	6	-	8	-	2	5,035	15
Female	20,064	15,231	14,946	40	205	18	6	-	11	-	5	4,814	19
10 to 14 years M	64	16	14	-	2	-	-	-	-	-	-	48	-
10 to 14 years F	67	17	15	-	2	-	-	-	-	-	-	50	-
15 to 19 years M	3,681	2,550	2,426	5	98	-	-	-	-	-	1	1,149	2
15 to 19 years F	3,540	2,411	2,308	5	97	-	-	-	1	-	-	1,125	4
20 to 24 years M	6,602	5,195	5,095	26	63	9	1	-	1	-	-	1,402	5
20 to 24 years F	6,223	4,883	4,790	13	70	4	1	-	2	-	3	1,333	7
25 to 29 years M	4,819	3,783	3,748	11	17	4	-	-	3	-	-	1,032	4
25 to 29 years F	4,526	3,562	3,529	12	13	3	1	-	3	-	1	958	6
30 to 34 years M	3,285	2,565	2,545	5	5	7	1	-	1	-	1	718	2
30 to 34 years F	3,125	2,398	2,376	2	13	3	2	-	2	-	-	725	2

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE									Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
ARKANSAS—Continued													
35 to 39 years M..	1,963	1,463	1,433	7	14	5	3	-	1	-	-	499	1
F..	1,856	1,407	1,380	8	9	7	1	-	2	-	-	449	-
40 to 44 years M..	589	452	443	3	3	1	1	-	1	-	-	136	1
F..	557	430	428	-	1	-	1	-	-	-	-	127	-
45 to 49 years M..	40	31	30	1	-	-	-	-	-	-	-	9	-
F..	41	30	30	-	-	-	-	-	-	-	-	11	-
50 to 54 years F..	2	-	-	-	-	-	-	-	-	-	-	2	-
55 years and over M..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M..	132	90	87	-	2	-	-	-	1	-	-	42	-
F..	127	93	90	-	-	1	-	-	1	-	1	34	-
CALIFORNIA	179,123	169,967	147,653	10,002	1,350	5,782	5,074	46	32	2	28	5,594	3,562
Male	92,108	87,475	75,909	5,222	726	3,025	2,544	20	16	1	12	2,826	1,807
Female	87,015	82,492	71,744	4,780	624	2,757	2,530	26	16	1	14	2,768	1,755
10 to 14 years M..	51	43	32	4	7	-	-	-	-	-	-	3	5
F..	52	42	33	4	5	-	-	-	-	-	-	9	1
15 to 19 years M..	10,203	9,440	8,743	315	252	98	27	1	1	-	3	604	159
F..	9,755	9,017	8,374	319	211	81	28	2	2	-	-	576	162
20 to 24 years M..	31,834	30,209	27,504	1,332	289	812	257	6	5	-	4	1,036	589
F..	29,631	28,077	25,597	1,234	233	732	266	8	4	1	2	1,016	538
25 to 29 years M..	25,594	24,417	21,327	1,550	108	923	500	4	4	-	1	633	544
F..	24,501	23,317	20,488	1,428	104	824	464	3	4	-	2	635	549
30 to 34 years M..	15,717	15,100	12,291	1,252	49	745	755	4	4	-	-	346	271
F..	14,890	14,250	11,620	1,135	43	720	726	2	3	-	1	357	283
35 to 39 years M..	6,961	6,636	4,928	606	16	365	717	3	1	-	-	174	151
F..	6,540	6,266	4,640	544	20	317	736	6	3	-	-	136	138
40 to 44 years M..	1,594	1,489	996	154	4	79	251	2	1	1	1	28	77
F..	1,530	1,416	929	110	8	76	288	5	-	-	-	37	77
45 to 49 years M..	105	96	53	8	1	3	31	-	-	-	-	1	8
F..	71	63	37	4	-	7	15	-	-	-	-	1	7
50 to 54 years M..	3	3	2	-	-	-	1	-	-	-	-	-	-
F..	2	2	1	-	-	-	1	-	-	-	-	-	-
55 years and over M..	3	3	2	-	-	-	1	-	-	-	-	-	-
F..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M..	43	39	31	1	-	-	4	-	-	-	3	1	3
F..	42	41	24	2	-	-	6	-	-	-	9	1	-
COLORADO	23,931	23,282	21,584	713	422	303	249	5	3	-	3	285	364
Male	12,408	12,080	11,167	380	220	174	133	3	1	-	2	152	176
Female	11,523	11,202	10,417	333	202	129	116	2	2	-	1	133	188
10 to 14 years M..	4	4	3	-	1	-	-	-	-	-	-	-	-
F..	5	5	2	-	3	-	-	-	-	-	-	-	-
15 to 19 years M..	1,360	1,325	1,227	19	74	5	-	-	-	-	-	30	5
F..	1,240	1,207	1,113	21	69	3	1	-	-	-	-	23	10
20 to 24 years M..	4,102	3,986	3,760	91	90	37	7	-	1	-	-	55	61
F..	3,883	3,768	3,583	65	79	33	6	1	1	-	-	49	66
25 to 29 years M..	3,313	3,217	3,040	105	27	28	16	-	-	-	1	36	60
F..	3,098	2,986	2,833	79	28	30	14	-	1	-	1	35	77
30 to 34 years M..	2,172	2,120	1,924	83	17	50	44	2	-	-	-	21	31
F..	1,976	1,945	1,765	98	11	34	37	-	-	-	-	12	19
35 to 39 years M..	1,106	1,085	936	65	6	38	38	1	-	-	1	8	13
F..	994	972	857	50	8	25	31	1	-	-	-	12	10
40 to 44 years M..	325	317	254	16	4	16	27	-	-	-	-	2	6
F..	308	301	248	19	4	4	26	-	-	-	-	2	5
45 to 49 years M..	25	25	22	1	1	-	1	-	-	-	-	-	-
F..	17	16	14	1	-	-	1	-	-	-	-	-	1
Not stated M..	1	1	1	-	-	-	-	-	-	-	-	-	-
F..	2	2	2	-	-	-	-	-	-	-	-	-	-
CONNECTICUT	34,278	33,382	27,891	2,416	554	1,455	1,037	12	9	1	7	892	4
Male	17,686	17,255	14,414	1,242	307	759	520	8	3	1	1	429	2
Female	16,592	16,127	13,477	1,174	247	696	517	4	6	-	6	463	2
10 to 14 years M..	1	-	-	-	-	-	-	-	-	-	-	1	-
F..	5	2	-	-	2	-	-	-	-	-	-	3	-
15 to 19 years M..	754	682	568	21	76	16	-	1	-	-	-	72	-
F..	706	630	525	17	69	14	2	1	2	-	-	76	-
20 to 24 years M..	4,773	4,610	4,109	190	122	160	26	2	1	-	-	161	2
F..	4,407	4,225	3,740	186	108	153	36	1	1	-	2	181	1
25 to 29 years M..	5,960	5,858	5,192	340	67	178	78	1	1	-	1	102	-
F..	5,543	5,432	4,843	321	46	154	65	2	-	-	1	110	1
30 to 34 years M..	3,947	3,890	3,067	397	29	238	158	-	-	1	-	57	-
F..	3,789	3,729	2,946	382	17	228	154	-	1	-	1	60	-
35 to 39 years M..	1,801	1,778	1,203	245	7	144	175	3	1	-	-	23	-
F..	1,735	1,710	1,178	233	3	112	181	-	2	-	1	25	-
40 to 44 years M..	412	400	256	44	5	20	74	1	-	-	-	12	-
F..	370	365	227	30	4	32	72	-	-	-	-	5	-
45 to 49 years M..	17	17	6	3	-	1	7	-	-	-	-	-	-
F..	13	12	4	4	-	1	3	-	-	-	-	1	-
50 to 54 years M..	1	1	1	-	-	-	-	-	-	-	-	-	-
F..	3	3	1	-	-	-	2	-	-	-	-	-	-
55 years and over F..	1	1	-	-	-	-	1	-	-	-	-	-	-
Not stated M..	20	19	12	2	1	2	2	-	-	-	-	1	-
F..	20	18	13	1	-	2	1	-	-	-	1	2	-
DELAWARE	5,993	5,102	4,705	154	131	73	38	-	1	-	-	886	5
Male	3,081	2,629	2,414	82	78	34	20	-	1	-	-	452	-
Female	2,912	2,473	2,291	72	53	39	18	-	-	-	-	434	5
10 to 14 years M..	6	1	-	-	1	-	-	-	-	-	-	5	-
F..	6	1	-	-	1	-	-	-	-	-	-	5	-
15 to 19 years M..	351	246	210	3	31	2	-	-	-	-	-	105	-
F..	341	224	199	1	24	-	-	-	-	-	-	116	1
20 to 24 years M..	993	853	797	12	35	6	3	-	-	-	-	140	-
F..	899	771	731	16	12	12	-	-	-	-	-	127	1
25 to 29 years M..	835	736	693	24	7	9	2	-	1	-	-	99	-
F..	810	729	693	17	9	10	-	-	-	-	-	79	2

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
DELAWARE—Continued													
30 to 34 years...M..	564	516	470	26	2	11	7	-	-	-	-	48	-
F..	522	472	430	20	4	14	4	-	-	-	-	50	-
35 to 39 years...M..	262	220	194	14	2	5	5	-	-	-	-	42	-
F..	250	217	183	17	2	3	12	-	-	-	-	33	-
40 to 44 years...M..	64	53	46	3	-	1	3	-	-	-	-	11	-
F..	79	56	52	1	1	-	2	-	-	-	-	22	1
45 to 49 years...M..	2	2	2	-	-	-	-	-	-	-	-	-	-
F..	3	2	2	-	-	-	-	-	-	-	-	1	-
Not stated...M..	4	2	2	-	-	-	-	-	-	-	-	2	-
F..	2	1	1	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA	15,758	10,443	9,236	333	358	250	204	9	13	1	39	5,285	30
Male	8,057	5,419	4,803	165	179	123	114	5	9	1	20	2,622	16
Female	7,701	5,024	4,433	168	179	127	90	4	4	-	19	2,663	14
10 to 14 years...M..	20	2	-	-	2	-	-	-	-	-	-	18	-
F..	18	4	1	-	3	-	-	-	-	-	-	14	-
15 to 19 years...M..	937	401	366	-	31	3	-	-	-	-	1	535	1
F..	939	380	326	3	47	2	-	-	1	-	1	559	-
20 to 24 years...M..	2,693	1,791	1,627	24	89	28	17	1	2	-	3	896	6
F..	2,610	1,646	1,471	43	86	26	17	1	1	-	1	957	7
25 to 29 years...M..	2,232	1,583	1,439	48	32	36	26	1	-	1	-	645	4
F..	2,053	1,477	1,335	49	23	38	30	2	1	-	-	574	2
30 to 34 years...M..	1,418	1,084	933	58	18	34	35	1	5	-	-	331	3
F..	1,342	966	845	45	11	40	24	-	-	-	1	373	3
35 to 39 years...M..	612	452	364	33	5	14	30	1	2	-	3	158	2
F..	578	428	365	24	7	13	17	1	1	-	-	149	1
40 to 44 years...M..	113	81	63	2	1	8	6	1	-	-	-	32	-
F..	125	94	78	4	2	8	2	-	-	-	-	30	1
45 to 49 years...M..	2	2	2	-	-	-	-	-	-	-	-	-	-
F..	7	4	4	-	-	-	-	-	-	-	-	3	-
50 to 54 years...F..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated...M..	30	23	9	-	1	-	-	-	-	-	13	7	-
F..	28	24	7	-	-	-	-	-	1	-	16	4	-
FLORIDA	48,418	36,125	34,157	686	618	431	195	8	13	-	17	12,255	38
Male	24,862	18,652	17,594	353	332	246	108	4	6	-	9	6,193	17
Female	23,556	17,473	16,563	333	286	185	87	4	7	-	8	6,062	21
10 to 14 years...M..	70	11	8	-	3	-	-	-	-	-	-	59	-
F..	83	21	13	-	8	-	-	-	-	-	-	62	-
15 to 19 years...M..	4,050	2,536	2,373	23	127	10	-	1	1	-	1	1,511	3
F..	3,958	2,483	2,330	25	117	6	2	-	-	-	3	1,471	4
20 to 24 years...M..	8,392	6,498	6,181	88	132	77	13	1	2	-	4	1,887	7
F..	7,838	6,079	5,827	78	103	54	10	4	2	-	1	1,753	6
25 to 29 years...M..	6,031	4,802	4,561	101	35	79	23	1	2	-	-	1,224	5
F..	5,737	4,496	4,291	93	34	49	24	-	2	-	3	1,238	3
30 to 34 years...M..	3,706	2,852	2,674	81	20	51	25	-	1	-	-	853	1
F..	3,589	2,730	2,573	74	12	48	21	-	2	-	-	854	5
35 to 39 years...M..	2,018	1,523	1,399	50	9	26	36	1	-	-	2	495	-
F..	1,791	1,286	1,185	50	8	24	18	-	1	-	-	503	2
40 to 44 years...M..	509	381	353	9	4	3	11	-	-	-	1	127	1
F..	465	320	289	13	2	4	12	-	-	-	-	143	-
45 to 49 years...M..	22	15	13	1	1	-	-	-	-	-	-	7	-
F..	27	15	15	-	-	-	-	-	-	-	-	12	-
50 to 54 years...M..	3	2	2	-	-	-	-	-	-	-	-	1	-
F..	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated...M..	61	32	30	-	1	-	-	-	-	-	1	29	-
F..	69	43	40	-	2	-	-	-	-	-	1	25	1
GEORGIA	76,540	49,345	48,230	209	709	131	42	-	23	-	1	27,176	19
Male	39,347	25,551	25,029	88	347	51	19	-	17	-	-	13,786	10
Female	37,193	23,794	23,201	121	362	80	23	-	6	-	1	13,390	9
10 to 14 years...M..	143	25	19	-	6	-	-	-	-	-	-	118	-
F..	107	21	10	-	11	-	-	-	-	-	-	85	-
15 to 19 years...M..	6,673	3,448	3,297	5	142	-	1	-	3	-	-	3,224	1
F..	6,374	3,274	3,117	6	147	3	1	-	-	-	-	3,100	-
20 to 24 years...M..	12,796	8,633	8,445	31	133	15	4	-	5	-	-	4,161	2
F..	11,955	7,821	7,632	33	120	33	3	-	-	-	-	4,113	1
25 to 29 years...M..	9,359	6,441	6,371	19	32	16	1	-	2	-	-	2,927	1
F..	8,794	5,913	5,803	37	46	19	6	-	2	-	-	2,875	6
30 to 34 years...M..	6,024	4,188	4,119	25	21	13	8	-	2	-	-	1,833	3
F..	5,780	3,953	3,892	25	14	14	8	-	-	-	-	1,826	1
35 to 39 years...M..	3,338	2,176	2,144	7	12	5	5	-	3	-	-	1,162	-
F..	3,225	2,158	2,108	15	21	9	2	-	4	-	1	1,066	1
40 to 44 years...M..	867	564	560	1	1	1	-	-	1	-	-	300	3
F..	846	583	571	5	2	2	3	-	-	-	-	263	-
45 to 49 years...M..	73	41	40	-	-	1	-	-	-	-	-	32	-
F..	73	37	37	-	-	-	-	-	-	-	-	36	-
50 to 54 years...M..	1	-	-	-	-	-	-	-	-	-	-	1	-
F..	1	-	-	-	-	-	-	-	-	-	-	1	-
55 years and over...M..	1	-	-	-	-	-	-	-	-	-	-	1	-
F..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated...M..	62	35	34	-	-	-	-	-	1	-	-	27	-
F..	57	33	32	-	1	-	-	-	-	-	-	24	-
IDAHO	12,241	12,067	11,472	266	109	181	30	-	5	-	4	3	171
Male	6,242	6,151	5,845	126	61	93	19	-	4	-	3	1	90
Female	5,999	5,916	5,627	140	48	88	11	-	1	-	1	2	81
10 to 14 years...M..	5	4	4	-	-	-	-	-	-	-	-	-	1
F..	2	1	1	-	-	-	-	-	-	-	-	1	-
15 to 19 years...M..	679	671	638	7	24	2	-	-	-	-	-	1	7
F..	628	619	593	5	17	3	1	-	-	-	-	-	9
20 to 24 years...M..	2,080	2,033	1,962	19	15	29	5	-	1	-	2	-	27
F..	2,048	2,024	1,956	27	14	24	2	-	1	-	-	-	24

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
IDAHO—Continued													
25 to 29 years M	1,711	1,683	1,593	53	6	25	4	–	2	–	–	–	28
F	1,661	1,638	1,545	56	13	22	1	–	–	–	1	–	23
30 to 34 years M	1,054	1,038	977	26	11	21	2	–	–	–	1	–	16
F	960	945	882	32	4	22	5	–	–	–	–	1	14
35 to 39 years M	536	531	498	13	2	12	6	–	–	–	–	–	5
F	529	525	495	14	–	15	1	–	–	–	–	–	4
40 to 44 years M	173	169	152	8	2	4	2	–	1	–	–	–	4
F	155	148	139	6	–	2	1	–	–	–	–	–	7
45 to 49 years M	14	14	14	–	–	–	–	–	–	–	–	–	–
F	12	12	12	–	–	–	–	–	–	–	–	–	–
Not stated M	10	8	7	–	1	–	–	–	–	–	–	–	2
F	4	4	4	–	–	–	–	–	–	–	–	–	–
ILLINOIS	142,005	132,539	118,580	6,130	2,708	2,870	2,303	38	22	2	86	9,229	237
Male	72,733	68,021	60,752	3,204	1,443	1,367	1,180	22	11	1	41	4,697	115
Female	69,272	64,518	57,828	2,926	1,265	1,503	1,123	16	11	1	45	4,532	122
10 to 14 years M	46	19	7	–	12	–	–	–	–	–	–	27	–
F	45	18	6	–	12	–	–	–	–	–	–	27	–
15 to 19 years M	5,799	4,748	4,134	72	507	15	4	3	–	–	13	1,045	6
F	5,433	4,381	3,866	60	421	14	2	3	1	–	14	1,046	6
20 to 24 years M	21,518	19,948	18,437	508	575	328	72	8	5	1	14	1,532	38
F	20,622	18,989	17,634	466	515	299	56	3	3	–	13	1,590	43
25 to 29 years M	22,098	21,088	19,477	942	196	312	146	5	4	–	6	986	44
F	20,882	19,873	18,332	883	203	297	146	4	3	1	4	956	53
30 to 34 years M	14,470	13,844	11,978	988	84	440	348	5	1	–	–	610	16
F	13,930	13,326	11,574	888	74	416	369	2	1	–	2	591	13
35 to 39 years M	7,039	6,688	5,599	566	52	225	444	1	1	–	–	342	9
F	6,620	6,278	5,086	514	32	229	409	4	2	–	2	337	5
40 to 44 years M	1,650	1,578	1,241	127	15	45	148	–	–	–	2	71	1
F	1,627	1,543	1,247	111	6	47	132	–	–	–	–	83	1
45 to 49 years M	93	88	67	1	1	2	17	–	–	–	–	4	1
F	90	87	72	3	2	1	9	–	–	–	–	2	1
50 to 54 years M	1	1	1	–	–	–	–	–	–	–	–	–	–
F	4	4	3	1	–	–	–	–	–	–	–	–	–
55 years and over M	2	2	1	–	–	–	1	–	–	–	–	–	–
Not stated M	17	17	10	–	1	–	–	–	–	–	6	–	–
F	19	19	8	–	–	–	–	–	1	–	10	–	–
INDIANA	71,354	68,532	65,715	902	1,034	455	273	8	108	2	35	2,809	13
Male	36,917	35,506	34,098	458	504	234	131	4	60	1	16	1,406	5
Female	34,437	33,026	31,617	444	530	221	142	4	48	1	19	1,403	8
10 to 14 years M	22	10	5	–	5	–	–	–	–	–	–	12	–
F	24	14	2	–	12	–	–	–	–	–	–	10	–
15 to 19 years M	4,008	3,699	3,486	18	181	4	1	1	7	1	–	309	–
F	3,837	3,548	3,311	21	203	5	1	–	5	–	2	288	1
20 to 24 years M	12,011	11,539	11,154	91	192	69	15	1	12	–	5	467	5
F	11,255	10,777	10,396	81	203	61	17	1	14	–	4	473	5
25 to 29 years M	10,265	9,961	9,669	133	72	51	16	–	17	–	3	302	–
F	9,532	9,218	8,898	144	67	70	26	–	9	–	4	312	2
30 to 34 years M	6,351	6,163	5,894	120	34	63	33	–	16	–	3	188	–
F	5,835	5,656	5,422	118	21	48	36	1	8	–	2	179	–
35 to 39 years M	3,235	3,141	2,968	74	13	38	44	–	3	–	1	94	–
F	2,932	2,827	2,689	64	17	24	43	1	6	1	2	105	–
40 to 44 years M	875	849	791	19	7	9	21	2	–	–	–	26	–
F	865	834	783	14	5	12	17	1	2	–	–	31	–
45 to 49 years M	61	60	59	–	–	–	1	–	–	–	–	1	–
F	62	61	57	2	–	1	1	–	–	–	–	1	–
50 to 54 years M	1	1	1	–	–	–	–	–	–	–	–	–	–
F	1	1	1	–	–	–	–	–	–	–	–	–	–
55 years and over M	1	1	1	–	–	–	–	–	–	–	–	–	–
Not stated M	89	82	70	3	–	–	–	–	5	–	4	7	–
F	94	90	78	–	2	–	1	–	4	–	5	4	–
IOWA	46,564	46,240	44,212	737	797	315	160	4	13	–	2	278	46
Male	23,927	23,774	22,743	370	407	168	76	2	6	–	2	134	19
Female	22,637	22,466	21,469	367	390	147	84	2	7	–	–	144	27
10 to 14 years M	10	9	4	–	5	–	–	–	–	–	–	1	–
F	3	2	–	–	2	–	–	–	–	–	–	1	–
15 to 19 years M	1,891	1,865	1,690	15	157	1	–	1	1	–	–	26	–
F	1,799	1,769	1,596	15	155	2	–	1	–	–	–	23	7
20 to 24 years M	7,518	7,462	7,209	49	167	32	3	–	2	–	–	47	9
F	7,095	7,036	6,771	68	156	34	3	1	3	–	–	54	5
25 to 29 years M	6,878	6,840	6,666	87	44	29	12	–	1	–	1	31	7
F	6,485	6,453	6,269	99	42	27	16	–	–	–	–	26	6
30 to 34 years M	4,551	4,537	4,333	115	17	49	21	1	1	–	–	14	–
F	4,310	4,288	4,107	100	20	36	23	–	2	–	–	19	3
35 to 39 years M	2,360	2,351	2,200	71	13	41	25	–	1	–	–	7	2
F	2,216	2,199	2,072	59	6	35	26	–	1	–	–	13	4
40 to 44 years M	648	641	578	32	3	14	14	–	–	–	–	6	1
F	662	652	600	23	6	10	13	–	–	–	–	8	2
45 to 49 years M	54	53	49	1	–	2	1	–	–	–	–	1	–
F	54	54	44	3	1	3	3	–	–	–	–	–	–
50 to 54 years F	1	1	1	–	–	–	–	–	–	–	–	–	–
Not stated M	17	16	14	–	1	–	–	–	–	–	1	1	–
F	12	12	9	–	2	–	–	–	1	–	–	–	–
KANSAS	34,976	33,716	32,369	371	614	157	157	10	27	2	9	1,176	84
Male	18,049	17,389	16,734	184	295	73	80	6	13	1	3	614	46
Female	16,927	16,327	15,635	187	319	84	77	4	14	1	6	562	38
10 to 14 years M	13	6	1	1	4	–	–	–	–	–	–	7	–
F	13	11	3	1	6	–	–	–	–	–	1	2	–
15 to 19 years M	1,933	1,790	1,657	11	115	4	–	1	3	–	–	140	3
F	1,829	1,709	1,573	9	121	2	–	1	3	–	–	114	6

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
KANSAS—Continued													
20 to 24 years.....M..	5,887	5,693	5,504	52	111	15	4	2	5	-	-	177	17
F..	5,565	5,344	5,146	47	117	18	9	1	4	-	2	207	14
25 to 29 years.....M..	4,832	4,687	4,571	45	32	19	16	2	1	1	-	133	12
F..	4,536	4,408	4,277	56	36	22	13	1	3	-	-	116	12
30 to 34 years.....M..	3,123	3,024	2,931	40	18	14	18	1	1	-	1	86	13
F..	2,898	2,831	2,732	40	19	23	15	-	1	-	1	64	3
35 to 39 years.....M..	1,682	1,631	1,559	23	13	11	23	-	1	-	1	50	1
F..	1,526	1,479	1,409	19	12	10	26	1	-	1	1	44	3
40 to 44 years.....M..	491	473	433	11	1	9	16	1	2	-	-	18	-
F..	486	471	432	14	5	9	10	-	1	-	-	15	-
45 to 49 years.....M..	41	41	36	1	1	1	2	-	-	-	-	-	-
F..	30	30	29	-	-	-	1	-	-	-	-	-	-
50 to 54 years.....F..	2	2	1	-	-	-	1	-	-	-	-	-	-
55 years and over.....M..	2	2	2	-	-	-	-	-	-	-	-	-	-
Not stated.....M..	45	42	40	-	-	-	1	-	1	-	-	3	-
F..	42	42	33	1	3	-	2	-	2	-	1	-	-
KENTUCKY.....	64,225	60,901	59,922	158	685	71	38	-	14	-	15	3,316	8
Male.....	33,430	31,781	31,250	91	362	43	24	-	4	-	7	1,645	4
Female.....	30,795	29,120	28,672	67	323	28	12	-	10	-	8	1,671	4
10 to 14 years.....M..	41	32	29	-	2	-	-	-	-	-	1	9	-
F..	48	34	32	-	2	-	-	-	-	-	-	14	-
15 to 19 years.....M..	4,364	3,987	3,840	5	135	6	-	-	1	-	-	376	1
F..	4,233	3,851	3,721	2	124	2	-	-	1	-	1	380	2
20 to 24 years.....M..	10,536	10,022	9,860	13	127	15	4	-	2	-	1	514	-
F..	9,458	8,948	8,805	14	117	5	2	-	2	-	1	511	1
25 to 29 years.....M..	8,130	7,812	7,706	29	60	9	4	-	1	-	3	317	1
F..	7,578	7,243	7,157	20	46	9	5	-	4	-	2	335	-
30 to 34 years.....M..	5,655	5,403	5,349	23	17	7	6	-	-	-	1	250	2
F..	5,161	4,918	4,877	15	14	6	2	-	1	-	3	242	1
35 to 39 years.....M..	3,446	3,304	3,261	18	14	4	6	-	-	-	1	142	-
F..	3,132	2,995	2,962	12	13	4	2	-	2	-	-	137	-
40 to 44 years.....M..	1,173	1,142	1,127	3	6	2	4	-	-	-	-	31	-
F..	1,081	1,030	1,017	4	6	2	1	-	-	-	-	51	-
45 to 49 years.....M..	75	69	69	-	-	-	-	-	-	-	-	6	-
F..	92	91	90	-	1	-	-	-	-	-	-	1	-
50 to 54 years.....M..	1	1	1	-	-	-	-	-	-	-	-	-	-
F..	3	3	3	-	-	-	-	-	-	-	-	-	-
55 years and over.....M..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....M..	8	8	7	-	1	-	-	-	-	-	-	-	-
F..	9	9	8	-	-	-	-	-	-	-	1	-	-
LOUISIANA.....	61,050	37,463	36,561	322	358	157	51	1	10	-	3	23,478	109
Male.....	31,082	19,162	18,706	167	181	80	21	-	5	-	2	11,862	58
Female.....	29,968	18,301	17,855	155	177	77	30	1	5	-	1	11,616	51
10 to 14 years.....M..	80	13	12	-	1	-	-	-	-	-	-	67	-
F..	76	9	8	-	1	-	-	-	-	-	-	67	-
15 to 19 years.....M..	4,981	2,483	2,390	13	75	1	1	-	3	-	-	2,485	13
F..	4,599	2,160	2,097	7	60	-	-	1	2	-	1	2,427	4
20 to 24 years.....M..	9,982	6,322	6,210	31	51	24	4	-	1	-	1	3,646	14
F..	9,580	6,000	5,878	27	67	23	5	-	2	-	-	3,562	18
25 to 29 years.....M..	7,544	4,940	4,850	45	21	21	3	-	-	-	-	2,591	13
F..	7,362	4,830	4,731	47	23	19	9	-	1	-	-	2,521	11
30 to 34 years.....M..	4,962	5,250	3,167	42	11	24	6	-	-	-	-	1,706	6
F..	4,844	3,179	3,098	37	16	20	8	-	-	-	-	1,649	16
35 to 39 years.....M..	2,697	1,659	1,604	27	16	9	3	-	-	-	-	1,026	12
F..	2,671	1,624	1,572	27	9	11	5	-	-	-	-	1,046	1
40 to 44 years.....M..	711	430	411	9	4	1	4	-	1	-	-	281	-
F..	699	419	402	10	1	4	2	-	-	-	-	279	1
45 to 49 years.....M..	52	25	25	-	-	-	-	-	-	-	-	27	-
F..	66	34	33	-	-	-	1	-	-	-	-	32	-
50 to 54 years.....M..	4	1	1	-	-	-	-	-	-	-	-	3	-
F..	3	3	3	-	-	-	-	-	-	-	-	-	-
55 years and over.....M..	1	-	-	-	-	-	-	-	-	-	-	1	-
F..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....M..	68	39	36	-	2	-	-	-	-	-	1	29	-
F..	67	34	34	-	-	-	-	-	-	-	-	33	-
MAINE.....	17,762	17,689	14,810	1,012	550	936	354	24	-	-	3	32	41
Male.....	9,070	9,034	7,550	511	290	473	191	16	-	-	3	14	22
Female.....	8,692	8,655	7,260	501	260	463	163	8	-	-	-	18	19
10 to 14 years.....M..	5	5	3	-	1	-	-	1	-	-	-	-	-
F..	6	6	1	-	5	-	-	-	-	-	-	-	-
15 to 19 years.....M..	936	933	769	26	110	20	3	5	-	-	-	1	2
F..	894	885	749	18	98	14	3	3	-	-	-	5	4
20 to 24 years.....M..	2,931	2,917	2,527	127	107	117	32	5	-	-	2	3	11
F..	2,914	2,900	2,535	121	108	111	23	2	-	-	-	11	3
25 to 29 years.....M..	2,500	2,493	2,152	141	35	128	34	3	-	-	-	4	3
F..	2,293	2,285	1,945	131	29	147	33	-	-	-	-	2	6
30 to 34 years.....M..	1,575	1,568	1,259	128	25	115	40	1	-	-	-	6	1
F..	1,487	1,484	1,234	115	12	92	28	3	-	-	-	-	3
35 to 39 years.....M..	846	844	647	61	9	67	58	1	-	-	1	-	2
F..	807	804	605	75	6	70	48	-	-	-	-	-	3
40 to 44 years.....M..	254	251	178	27	3	25	18	-	-	-	-	-	3
F..	269	269	174	40	1	28	26	-	-	-	-	-	-
45 to 49 years.....M..	20	20	12	1	-	1	6	-	-	-	-	-	-
F..	16	16	12	1	1	-	2	-	-	-	-	-	-
50 to 54 years.....F..	2	2	2	-	-	-	-	-	-	-	-	-	-
55 years and over.....F..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....M..	3	3	3	-	-	-	-	-	-	-	-	-	-
F..	3	3	2	-	-	1	-	-	-	-	-	-	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
MARYLAND	43,915	35,670	33,800	776	385	424	262	1	10	-	12	8,226	19
Male	22,258	18,095	17,160	383	188	218	136	-	5	-	5	4,155	8
Female	21,657	17,575	16,640	393	197	206	126	1	5	-	7	4,071	11
10 to 14 years M	50	9	5	-	4	-	-	-	-	-	-	41	-
10 to 14 years F	47	7	4	-	3	-	-	-	-	-	-	40	-
15 to 19 years M	2,692	1,659	1,575	14	64	4	-	-	2	-	-	1,032	1
15 to 19 years F	2,628	1,629	1,548	9	69	3	-	-	-	-	-	999	-
20 to 24 years M	7,158	5,856	5,666	68	64	45	12	-	-	-	1	1,300	2
20 to 24 years F	7,035	5,718	5,509	74	69	47	15	-	1	-	3	1,316	1
25 to 29 years M	6,089	5,198	4,968	119	34	45	28	-	3	-	1	837	4
25 to 29 years F	5,870	5,056	4,836	116	33	49	18	1	2	-	1	810	4
30 to 34 years M	3,838	3,310	3,071	101	14	76	48	-	-	-	-	528	-
30 to 34 years F	3,786	3,233	2,995	116	10	61	50	-	1	-	-	548	5
35 to 39 years M	1,923	1,615	1,468	70	8	39	30	-	-	-	-	307	1
35 to 39 years F	1,751	1,496	1,349	64	8	41	33	-	1	-	-	254	1
40 to 44 years M	497	402	366	10	-	8	10	-	-	-	-	95	-
40 to 44 years F	472	357	357	14	2	4	10	-	-	-	-	85	-
45 to 49 years M	31	23	23	-	-	-	-	-	-	-	-	8	-
45 to 49 years F	31	21	19	-	1	1	-	-	-	-	-	10	-
Not stated M	30	23	18	1	-	1	-	-	-	-	3	7	-
Not stated F	37	28	23	-	2	-	-	-	-	-	3	9	-
MASSACHUSETTS	78,209	76,979	62,649	5,680	1,746	4,045	2,756	79	14	3	7	1,173	57
Male	40,238	39,599	32,185	2,961	880	2,082	1,430	48	8	3	2	613	26
Female	37,971	37,380	30,464	2,719	866	1,963	1,326	31	6	-	5	560	31
10 to 14 years M	7	5	1	-	4	-	-	-	-	-	-	2	-
10 to 14 years F	5	4	1	-	3	-	-	-	-	-	-	1	-
15 to 19 years M	1,736	1,643	1,314	56	247	22	1	3	-	-	-	91	2
15 to 19 years F	1,703	1,607	1,287	43	249	24	2	1	-	-	1	93	3
20 to 24 years M	10,750	10,511	9,217	460	363	393	55	20	2	-	1	230	9
20 to 24 years F	10,076	9,874	8,890	423	346	340	60	13	2	-	-	193	9
25 to 29 years M	12,681	12,511	10,866	836	154	495	151	8	-	1	-	164	6
25 to 29 years F	12,074	11,944	10,361	810	156	469	143	3	1	-	1	122	8
30 to 34 years M	9,078	8,995	6,927	950	59	616	429	9	4	1	-	78	5
30 to 34 years F	8,440	8,350	6,458	827	60	598	400	4	2	-	1	85	5
35 to 39 years M	4,723	4,689	3,139	531	35	423	552	6	2	1	-	32	2
35 to 39 years F	4,472	4,421	2,988	483	35	433	495	6	1	-	-	46	5
40 to 44 years M	1,128	1,114	837	119	13	123	220	2	-	-	-	13	1
40 to 44 years F	1,045	1,029	802	122	14	86	202	3	-	-	-	15	1
45 to 49 years M	61	60	26	7	1	7	19	-	-	-	-	-	1
45 to 49 years F	68	67	30	6	1	7	23	-	-	-	-	1	-
50 to 54 years M	2	2	2	-	-	-	-	-	-	-	-	-	-
50 to 54 years F	2	2	1	-	-	1	-	-	-	-	-	-	-
55 years and over M	3	3	1	1	-	-	1	-	-	-	-	-	-
Not stated M	69	66	55	1	4	3	2	-	-	-	1	3	-
Not stated F	86	82	66	5	2	5	1	1	-	-	2	4	-
MICHIGAN	114,700	108,499	94,231	6,372	1,716	3,870	2,188	56	41	1	24	5,992	209
Male	59,028	55,918	48,706	3,238	874	1,950	1,089	26	22	1	12	3,012	98
Female	55,672	52,581	45,525	3,134	842	1,920	1,099	30	19	-	12	2,980	111
10 to 14 years M	35	20	5	-	15	-	-	-	-	-	-	15	-
10 to 14 years F	41	22	9	-	13	-	-	-	-	-	-	19	-
15 to 19 years M	5,190	4,574	4,065	112	337	42	6	7	4	-	1	607	9
15 to 19 years F	4,923	4,260	3,743	113	346	42	7	7	1	-	1	645	18
20 to 24 years M	18,564	17,461	15,778	693	337	540	91	8	9	-	5	1,069	34
20 to 24 years F	17,532	16,486	14,875	660	318	504	109	11	8	-	3	1,004	42
25 to 29 years M	17,330	16,641	14,805	971	120	550	186	5	3	-	1	655	34
25 to 29 years F	16,324	15,636	13,849	930	98	554	188	7	6	-	4	667	21
30 to 34 years M	10,851	10,435	9,737	676	42	441	351	4	1	1	2	407	9
30 to 34 years F	10,243	9,860	8,139	887	36	483	310	2	2	-	1	363	20
35 to 39 years M	5,499	5,237	4,206	452	13	289	325	1	1	-	-	203	9
35 to 39 years F	5,137	4,912	3,854	444	18	259	333	2	2	-	-	217	8
40 to 44 years M	1,394	1,344	996	119	9	81	137	1	1	-	-	47	3
40 to 44 years F	1,320	1,262	949	90	8	73	140	-	1	-	1	56	2
45 to 49 years M	95	95	63	13	-	6	12	-	1	-	-	-	-
45 to 49 years F	81	78	56	8	-	4	9	1	-	-	-	3	-
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
50 to 54 years F	4	4	2	1	-	-	1	-	-	-	-	-	-
55 years and over F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	69	60	50	2	1	1	1	-	2	-	3	9	-
Not stated F	66	60	48	1	5	1	2	-	1	-	2	6	-
MINNESOTA	56,113	55,571	51,356	1,775	1,241	851	302	15	25	-	6	83	459
Male	28,963	28,692	26,552	907	625	427	159	7	10	-	5	44	227
Female	27,150	26,879	24,804	868	616	424	143	8	15	-	1	39	232
10 to 14 years M	7	6	-	-	6	-	-	-	-	-	-	-	1
10 to 14 years F	3	3	1	-	2	-	-	-	-	-	-	-	-
15 to 19 years M	1,623	1,588	1,374	12	195	5	-	-	1	-	1	12	23
15 to 19 years F	1,564	1,529	1,290	21	206	8	1	-	3	-	-	6	29
20 to 24 years M	7,990	7,903	7,419	129	284	79	6	2	1	-	3	14	73
20 to 24 years F	7,590	7,512	7,034	114	263	87	7	2	5	-	-	8	70
25 to 29 years M	8,994	8,920	8,440	236	105	121	11	2	5	-	-	10	64
25 to 29 years F	8,285	8,228	7,765	245	87	94	13	1	3	-	-	11	46
30 to 34 years M	6,003	5,971	5,509	271	26	112	47	2	3	-	1	4	28
30 to 34 years F	5,682	5,631	5,193	237	32	119	45	3	2	-	-	11	40
35 to 39 years M	3,341	3,312	2,966	189	19	84	53	1	-	-	-	3	26
35 to 39 years F	3,011	2,973	2,637	182	21	81	50	2	-	-	-	2	36
40 to 44 years M	922	911	775	63	9	25	39	-	-	-	-	1	10
40 to 44 years F	946	935	808	82	8	33	24	-	2	-	1	1	10
45 to 49 years M	72	70	61	6	-	1	2	-	-	-	-	-	2
45 to 49 years F	61	60	50	6	-	1	3	-	-	-	-	-	1
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
50 to 54 years F	1	1	-	1	-	-	-	-	-	-	-	-	-
Not stated M	10	10	7	1	1	-	1	-	-	-	-	-	-
Not stated F	7	7	6	-	-	1	-	-	-	-	-	-	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
MISSISSIPPI	56,940	25,976	25,477	126	292	50	23	1	5	-	2	30,848	116
Male	28,956	13,264	12,995	61	164	28	10	-	4	-	2	15,631	61
Female	27,984	12,712	12,482	65	128	22	13	1	1	-	-	15,217	55
10 to 14 years M	159	13	12	-	1	-	-	-	-	-	-	146	-
F	171	13	12	-	1	-	-	-	-	-	-	157	1
15 to 19 years M	5,458	1,783	1,704	12	63	2	1	-	1	-	-	3,667	8
F	5,365	1,687	1,617	9	60	-	-	1	-	-	-	3,669	9
20 to 24 years M	8,799	4,244	4,158	16	57	11	1	-	1	-	-	4,538	17
F	8,508	4,084	4,017	17	43	6	-	-	1	-	-	4,404	20
25 to 29 years M	6,448	3,314	3,266	15	21	8	3	-	1	-	-	3,121	13
F	6,018	3,079	3,037	19	11	10	2	-	-	-	-	2,930	9
30 to 34 years M	4,468	2,241	2,212	9	12	4	4	-	-	-	-	2,214	13
F	4,410	2,200	2,173	11	7	4	5	-	-	-	-	2,203	7
35 to 39 years M	2,685	1,242	1,223	9	7	3	-	-	-	-	-	1,439	4
F	2,642	1,250	1,234	6	3	1	6	-	-	-	-	1,386	6
40 to 44 years M	818	376	372	-	2	-	1	-	1	-	-	440	2
F	766	370	364	3	2	1	-	-	-	-	-	393	3
45 to 49 years M	69	29	29	-	-	-	-	-	-	-	-	39	1
F	59	15	15	-	-	-	-	-	-	-	-	44	-
50 to 54 years M	2	1	1	-	-	-	-	-	-	-	-	1	-
F	1	-	-	-	-	-	-	-	-	-	-	1	-
55 years and over F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	50	21	18	-	1	-	-	-	-	-	2	26	3
F	43	13	12	-	1	-	-	-	-	-	-	30	-
MISSOURI	67,990	62,995	60,519	712	1,202	328	210	5	13	-	6	4,956	39
Male	34,900	32,368	31,045	382	628	168	113	1	7	-	4	2,512	20
Female	33,090	30,627	29,474	330	574	140	97	4	6	-	2	2,444	19
10 to 14 years M	29	15	7	-	8	-	-	-	-	-	-	14	-
F	41	16	7	-	9	-	-	-	-	-	-	25	-
15 to 19 years M	4,377	3,731	3,421	22	286	2	-	-	-	-	-	642	4
F	4,139	3,532	3,267	9	248	6	-	2	-	-	-	603	4
20 to 24 years M	10,876	10,147	9,804	70	216	43	11	1	2	-	-	724	5
F	10,358	9,646	9,322	59	213	44	2	2	3	-	1	702	10
25 to 29 years M	9,075	8,556	8,324	101	68	40	20	-	3	-	-	513	6
F	8,555	8,075	7,880	102	54	29	9	-	1	-	-	479	1
30 to 34 years M	6,184	5,824	5,591	115	19	67	30	-	2	-	-	357	3
F	5,861	5,501	5,304	90	28	41	35	-	2	-	1	357	3
35 to 39 years M	3,277	3,079	2,940	57	23	24	34	-	-	-	1	197	1
F	3,093	2,874	2,752	55	15	15	37	-	-	-	-	219	-
40 to 44 years M	967	909	856	17	8	12	18	-	-	-	-	57	1
F	930	880	841	15	5	5	14	-	-	-	-	49	1
45 to 49 years M	62	59	58	-	1	-	-	-	-	-	-	3	-
F	53	49	49	-	-	-	-	-	-	-	-	4	-
50 to 54 years M	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated M	52	48	44	-	1	-	-	-	-	-	3	4	-
F	60	54	52	-	2	-	-	-	-	-	-	6	-
MONTANA	10,943	10,326	9,335	540	57	290	103	1	-	-	-	17	600
Male	5,655	5,313	4,774	285	33	174	47	-	-	-	-	7	335
Female	5,288	5,013	4,561	255	24	116	56	1	-	-	-	10	265
10 to 14 years M	2	2	-	-	2	-	-	-	-	-	-	-	-
F	3	2	1	-	1	-	-	-	-	-	-	-	1
15 to 19 years M	496	458	429	9	15	5	-	-	-	-	-	-	38
F	475	432	410	14	5	2	-	1	-	-	-	3	40
20 to 24 years M	1,768	1,669	1,548	61	9	48	3	-	-	-	-	4	95
F	1,715	1,636	1,525	60	14	30	7	-	-	-	-	2	77
25 to 29 years M	1,632	1,550	1,414	81	4	43	8	-	-	-	-	1	81
F	1,550	1,483	1,379	75	3	22	4	-	-	-	-	-	67
30 to 34 years M	1,052	992	872	74	1	35	10	-	-	-	-	1	59
F	928	882	784	51	1	29	17	-	-	-	-	3	43
35 to 39 years M	518	481	391	45	1	32	12	-	-	-	-	1	36
F	462	434	363	34	-	22	15	-	-	-	-	2	26
40 to 44 years M	172	148	112	14	1	11	10	-	-	-	-	-	24
F	140	131	90	21	-	9	11	-	-	-	-	-	9
45 to 49 years M	15	13	8	1	-	-	4	-	-	-	-	-	2
F	14	12	8	-	-	2	2	-	-	-	-	-	2
Not stated F	1	1	1	-	-	-	-	-	-	-	-	-	-
NEBRASKA	24,575	24,138	23,009	489	307	192	134	3	3	1	-	300	137
Male	12,713	12,475	11,882	261	181	96	72	1	2	-	-	167	71
Female	11,862	11,663	11,127	228	146	96	62	2	1	1	-	133	66
10 to 14 years M	1	1	-	-	1	-	-	-	-	-	-	-	-
F	4	2	2	-	-	-	-	-	-	-	-	2	-
15 to 19 years M	1,045	1,004	926	9	66	3	-	-	-	-	-	35	6
F	926	887	823	7	54	1	1	1	-	-	-	36	3
20 to 24 years M	3,974	3,888	3,750	51	62	18	5	1	1	-	-	64	22
F	3,783	3,717	3,582	41	64	24	4	1	1	-	-	47	19
25 to 29 years M	3,580	3,526	3,423	62	16	19	6	-	-	-	-	30	24
F	3,417	3,368	3,289	58	14	24	3	-	-	-	-	22	27
30 to 34 years M	2,455	2,421	2,287	70	11	36	16	-	1	-	-	21	13
F	2,227	2,199	2,085	65	6	24	18	-	-	1	-	16	12
35 to 39 years M	1,280	1,263	1,152	57	3	16	35	-	-	-	-	13	4
F	1,153	1,119	1,033	40	5	16	25	-	-	-	-	9	5
40 to 44 years M	353	348	323	10	2	4	9	-	-	-	-	3	2
F	343	342	307	18	1	7	11	-	-	-	-	1	-
45 to 49 years M	21	20	18	1	-	-	1	-	-	-	-	1	-
F	25	25	22	1	2	-	-	-	-	-	-	-	-
Not stated M	4	4	3	1	-	-	-	-	-	-	-	-	-
F	4	4	4	-	-	-	-	-	-	-	-	-	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE									Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
NEVADA	3,028	2,823	2,609	98	29	49	38	-	-	-	-	54	151
Male	1,544	1,438	1,331	43	16	25	23	-	-	-	-	36	70
Female	1,484	1,385	1,278	55	13	24	15	-	-	-	-	18	81
10 to 14 years M	1	1	-	-	1	-	-	-	-	-	-	-	-
15 to 19 years M	164	150	145	2	3	-	-	-	-	-	-	6	8
F	147	140	134	1	5	-	-	-	-	-	-	3	4
20 to 24 years M	510	468	447	5	5	11	-	-	-	-	-	14	28
F	503	472	445	14	3	8	2	-	-	-	-	5	26
25 to 29 years M	424	412	386	14	4	5	3	-	-	-	-	5	7
F	409	384	358	14	3	5	4	-	-	-	-	5	20
30 to 34 years M	284	263	232	13	3	5	10	-	-	-	-	6	15
F	278	258	230	17	1	8	2	-	-	-	-	2	18
35 to 39 years M	119	107	90	6	-	3	8	-	-	-	-	5	7
F	119	108	92	9	-	3	4	-	-	-	-	3	8
40 to 44 years M	35	31	26	2	-	1	2	-	-	-	-	-	4
F	25	21	17	-	1	-	3	-	-	-	-	-	4
45 to 49 years M	4	3	3	-	-	-	-	-	-	-	-	-	1
F	1	-	-	-	-	-	-	-	-	-	-	-	1
Not stated M	3	3	2	1	-	-	-	-	-	-	-	-	-
F	2	2	2	-	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE	8,548	8,534	7,248	478	229	395	169	7	3	-	5	14	-
Male	4,450	4,443	3,758	239	131	225	85	2	1	-	2	7	-
Female	4,098	4,091	3,490	239	98	170	84	5	2	-	3	7	-
10 to 14 years M	2	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years M	330	330	280	7	40	2	-	-	1	-	-	-	-
F	308	306	267	4	31	2	-	-	1	-	1	2	-
20 to 24 years M	1,340	1,337	1,171	47	58	49	12	-	-	-	-	3	-
F	1,232	1,230	1,101	52	41	30	4	1	-	-	1	2	-
25 to 29 years M	1,294	1,292	1,145	62	17	53	13	1	-	-	1	2	-
F	1,214	1,214	1,058	64	12	57	21	2	-	-	-	-	-
30 to 34 years M	883	881	733	70	7	52	19	-	-	-	-	2	-
F	777	777	651	51	10	41	21	1	1	-	1	-	-
35 to 39 years M	461	461	336	36	8	51	30	-	-	-	-	-	-
F	418	417	312	47	3	28	27	-	-	-	-	1	-
40 to 44 years M	124	124	81	15	1	17	9	1	-	-	-	-	-
F	133	131	91	19	1	10	9	1	-	-	-	2	-
45 to 49 years M	7	7	3	2	-	-	2	-	-	-	-	-	-
F	9	9	4	2	-	1	2	-	-	-	-	-	-
Not stated M	9	9	7	-	-	1	-	-	-	-	1	-	-
F	7	7	6	-	-	1	-	-	-	-	-	-	-
NEW JERSEY	76,265	70,706	60,736	4,804	696	2,459	1,978	9	14	3	7	5,524	35
Male	39,181	36,354	31,248	2,409	371	1,261	1,048	4	7	1	5	2,810	17
Female	37,084	34,352	29,488	2,395	325	1,198	930	5	7	2	2	2,714	18
10 to 14 years M	18	4	3	-	1	-	-	-	-	-	-	14	-
F	19	4	1	-	3	-	-	-	-	-	-	15	-
15 to 19 years M	2,153	1,592	1,411	39	124	15	1	-	1	-	1	560	1
F	2,152	1,558	1,411	38	92	13	4	-	-	-	-	594	-
20 to 24 years M	10,980	9,970	9,061	388	150	280	66	1	1	-	3	1,004	6
F	10,408	9,458	8,642	337	145	277	53	2	2	-	-	945	5
25 to 29 years M	12,741	12,128	10,956	673	51	327	118	1	2	-	-	607	6
F	11,915	11,365	10,184	723	46	285	121	1	3	1	1	545	5
30 to 34 years M	8,518	8,158	6,647	766	25	374	344	-	1	-	1	359	1
F	8,122	7,775	6,279	805	30	359	300	-	1	1	-	343	4
35 to 39 years M	3,919	3,706	2,639	456	15	222	371	1	1	1	-	210	3
F	3,704	3,491	2,524	417	6	211	330	2	1	-	-	212	1
40 to 44 years M	802	751	485	83	5	42	134	1	1	-	-	51	-
F	704	652	411	73	2	52	114	-	-	-	-	50	2
45 to 49 years M	33	31	14	4	-	-	13	-	-	-	-	2	-
F	41	35	25	1	-	1	8	-	-	-	-	5	1
50 to 54 years M	1	1	-	-	-	-	1	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	16	13	12	-	-	1	-	-	-	-	-	3	-
F	18	13	10	1	1	-	-	-	-	-	1	5	-
NEW MEXICO	15,585	14,419	13,036	466	518	213	180	4	-	-	2	133	1,033
Male	8,017	7,407	6,666	241	290	108	99	2	-	-	1	69	541
Female	7,568	7,012	6,370	225	228	105	81	2	-	-	1	64	492
10 to 14 years M	10	8	2	-	6	-	-	-	-	-	-	1	1
F	6	4	3	-	1	-	-	-	-	-	-	-	2
15 to 19 years M	1,064	985	852	21	108	3	-	-	-	-	1	15	64
F	911	840	754	15	69	-	2	-	-	-	-	17	54
20 to 24 years M	2,489	2,308	2,120	52	97	29	9	1	-	-	-	23	158
F	2,342	2,172	2,006	46	88	26	5	-	-	-	1	20	150
25 to 29 years M	1,871	1,734	1,598	56	35	29	16	-	-	-	-	13	124
F	1,864	1,726	1,596	61	33	26	9	1	-	-	-	14	124
30 to 34 years M	1,371	1,279	1,142	64	23	20	30	-	-	-	-	10	82
F	1,324	1,231	1,109	51	20	27	24	-	-	-	-	11	82
35 to 39 years M	834	773	685	28	11	22	27	-	-	-	-	4	57
F	826	777	676	40	12	20	29	-	-	-	-	2	47
40 to 44 years M	328	290	240	18	10	5	17	-	-	-	-	3	35
F	254	232	198	11	5	5	12	1	-	-	-	-	22
45 to 49 years M	30	20	18	1	-	-	-	1	-	-	-	-	10
F	25	22	20	1	-	1	-	-	-	-	-	-	3
50 to 54 years M	2	1	1	-	-	-	-	-	-	-	-	-	1
F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	18	9	8	1	-	-	-	-	-	-	-	-	9
F	15	7	7	-	-	-	-	-	-	-	-	-	8

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
NEW YORK	229,534	217,104	173,717	18,554	3,148	9,600	11,947	122	3	-	13	12,004	426
Male	117,718	111,428	89,383	9,480	1,543	4,813	6,139	64	-	-	6	6,075	215
Female	111,816	105,676	84,334	9,074	1,605	4,787	5,808	58	3	-	7	5,929	211
10 to 14 years M	60	25	10	-	13	1	-	1	-	-	-	35	-
F	42	17	4	1	12	-	-	-	-	-	-	25	-
15 to 19 years M	6,277	5,021	4,321	165	445	69	16	4	-	-	1	1,232	24
F	6,112	4,845	4,114	158	477	76	12	7	-	-	1	1,258	9
20 to 24 years M	31,685	29,508	25,843	1,469	680	1,102	389	25	-	-	-	2,116	61
F	29,706	27,599	24,047	1,378	733	1,046	372	21	1	-	1	2,042	65
25 to 29 years M	36,895	35,484	30,342	2,856	235	1,205	835	11	-	-	-	1,345	66
F	34,850	33,511	28,596	2,783	213	1,204	711	4	-	-	-	1,273	66
30 to 34 years M	26,914	26,041	19,187	3,106	100	1,507	2,130	11	-	-	-	840	33
F	25,979	25,126	18,510	2,880	115	1,505	2,103	12	1	-	-	812	41
35 to 39 years M	13,027	12,615	8,120	1,595	52	759	2,081	8	-	-	-	391	21
F	12,385	11,942	7,512	1,594	44	806	1,976	9	1	-	-	419	24
40 to 44 years M	2,698	2,581	1,476	275	16	167	643	4	-	-	-	109	8
F	2,594	2,492	1,467	266	10	146	599	4	-	-	-	97	5
45 to 49 years M	137	131	70	13	1	3	44	-	-	-	-	4	2
F	133	131	77	14	1	4	34	1	-	-	-	1	1
50 to 54 years F	2	2	1	-	-	-	1	-	-	-	-	-	-
55 years and over M	3	3	3	-	-	-	-	-	-	-	-	-	-
Not stated M	22	19	11	1	1	-	1	-	-	-	5	3	-
F	13	11	6	-	-	-	-	-	-	-	5	2	-
NORTH CAROLINA	90,629	62,462	60,929	190	1,161	103	46	-	8	-	25	27,148	1,019
Male	46,801	32,556	31,743	97	630	47	23	-	6	-	10	13,716	529
Female	43,828	29,906	29,186	93	531	56	23	-	2	-	15	13,432	490
10 to 14 years M	128	24	14	-	10	-	-	-	-	-	-	101	3
F	121	26	20	-	6	-	-	-	-	-	-	93	2
15 to 19 years M	7,347	4,170	3,879	9	275	2	-	-	-	-	5	3,098	79
F	6,865	3,844	3,569	12	260	2	-	-	-	-	1	2,953	68
20 to 24 years M	15,179	10,641	10,389	28	199	19	4	-	-	-	2	4,376	162
F	13,908	9,669	9,449	22	164	23	6	-	1	-	4	4,082	157
25 to 29 years M	11,025	8,090	7,955	29	86	16	3	-	1	-	-	2,817	118
F	10,557	7,476	7,381	27	53	10	4	-	-	-	1	2,965	116
30 to 34 years M	7,435	5,482	5,418	19	29	8	7	-	1	-	-	1,859	94
F	6,962	5,051	4,980	18	34	13	6	-	-	-	-	1,841	70
35 to 39 years M	4,226	3,108	3,062	10	26	2	7	-	1	-	-	1,066	52
F	4,038	2,885	2,845	13	13	6	6	-	1	-	1	1,095	58
40 to 44 years M	1,288	933	925	2	4	-	2	-	-	-	-	338	17
F	1,193	842	838	1	1	1	1	-	-	-	-	334	17
45 to 49 years M	106	67	65	-	1	-	-	-	1	-	-	35	4
F	115	72	71	-	-	1	-	-	-	-	-	42	1
50 to 54 years M	6	5	5	-	-	-	-	-	-	-	-	1	-
F	2	1	1	-	-	-	-	-	-	-	-	1	-
55 years and over M	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	60	35	30	-	-	-	-	-	2	-	3	25	-
F	67	40	32	-	-	-	-	-	-	-	8	26	1
NORTH DAKOTA	13,530	13,213	12,017	607	186	299	99	3	1	-	1	-	317
Male	6,844	6,673	6,041	322	100	157	50	2	1	-	-	-	171
Female	6,686	6,540	5,976	285	86	142	49	1	-	-	1	-	146
10 to 14 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years M	429	407	369	8	26	2	1	-	1	-	-	-	22
F	412	397	358	5	30	4	-	-	-	-	-	-	15
20 to 24 years M	1,905	1,862	1,754	37	50	20	1	-	-	-	-	-	43
F	1,828	1,788	1,683	33	42	26	3	1	-	-	-	-	40
25 to 29 years M	1,912	1,876	1,770	49	14	41	2	-	-	-	-	-	36
F	1,939	1,897	1,810	43	8	33	2	-	-	-	1	-	42
30 to 34 years M	1,474	1,441	1,299	83	6	48	4	1	-	-	-	-	33
F	1,379	1,355	1,241	80	3	24	7	-	-	-	-	-	24
35 to 39 years M	806	779	621	100	4	33	21	-	-	-	-	-	27
F	821	805	670	83	3	32	17	-	-	-	-	-	16
40 to 44 years M	288	279	208	42	-	12	16	1	-	-	-	-	9
F	275	268	194	37	-	20	17	-	-	-	-	-	7
45 to 49 years M	24	24	15	3	-	1	5	-	-	-	-	-	-
F	26	25	15	4	-	3	3	-	-	-	-	-	1
Not stated M	5	4	4	-	-	-	-	-	-	-	-	-	1
F	5	4	4	-	-	-	-	-	-	-	-	-	1
OHIO	133,598	125,904	117,092	3,499	2,507	1,637	1,123	16	16	1	13	7,631	63
Male	68,503	64,566	60,000	1,832	1,301	825	585	8	7	1	7	3,908	31
Female	65,095	61,338	57,092	1,667	1,206	812	538	8	9	-	6	3,725	32
10 to 14 years M	54	25	15	-	10	-	-	-	-	-	-	29	-
F	45	24	11	-	13	-	-	-	-	-	-	21	-
15 to 19 years M	6,125	5,302	4,728	38	518	14	3	-	1	-	-	822	1
F	5,646	4,852	4,352	23	463	7	3	2	1	-	1	792	2
20 to 24 years M	21,384	19,991	18,961	289	494	195	45	1	3	1	2	1,385	8
F	20,471	19,173	18,156	307	494	194	15	3	3	-	1	1,283	15
25 to 29 years M	20,041	19,182	18,192	555	169	179	84	2	-	-	1	848	11
F	18,927	18,101	17,269	468	140	168	53	-	1	-	2	818	8
30 to 34 years M	12,747	12,241	11,130	578	71	271	186	4	1	-	-	499	7
F	12,091	11,610	10,804	518	56	259	170	2	-	-	1	477	4
35 to 39 years M	6,337	6,095	5,456	294	31	130	182	-	2	-	-	240	2
F	6,083	5,843	5,184	283	24	141	209	1	1	-	-	238	2
40 to 44 years M	1,637	1,561	1,370	72	7	34	77	1	-	-	-	74	2
F	1,650	1,567	1,370	60	14	43	80	-	-	-	-	83	-
45 to 49 years M	119	112	98	6	-	1	7	-	-	-	-	7	-
F	128	121	104	8	-	-	8	-	1	-	-	6	1
50 to 54 years M	2	2	1	-	-	-	1	-	-	-	-	-	-
F	7	6	6	-	-	-	-	-	-	-	-	1	-
55 years and over F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	57	55	49	-	1	1	-	-	-	-	4	2	-
F	46	40	35	-	2	-	-	-	2	-	1	6	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
OKLAHOMA	46,725	41,615	40,548	180	695	90	43	-	46	-	13	3,219	1,891
Male	23,880	21,333	20,774	95	362	49	27	-	20	-	6	1,584	963
Female	22,845	20,282	19,774	85	333	41	16	-	26	-	7	1,635	928
10 to 14 years M	29	13	9	-	4	-	-	-	-	-	-	11	5
F	20	9	6	-	3	-	-	-	-	-	-	9	2
15 to 19 years M	3,696	3,160	3,019	5	128	3	1	-	4	-	-	398	138
F	3,571	3,026	2,872	10	139	1	-	-	3	-	1	405	140
20 to 24 years M	8,065	7,287	7,108	21	135	14	1	-	6	-	2	489	289
F	7,521	6,733	6,587	26	94	11	5	-	8	-	2	479	309
25 to 29 years M	5,550	4,988	4,890	34	44	11	5	-	1	-	3	334	228
F	5,483	4,955	4,871	15	48	10	1	-	8	-	2	303	205
30 to 34 years M	3,830	3,454	3,379	16	33	11	8	-	6	-	1	204	172
F	3,541	3,134	3,080	15	22	11	1	-	5	-	-	258	149
35 to 39 years M	2,030	1,819	1,780	13	13	5	8	-	-	-	-	105	106
F	2,049	1,824	1,778	11	20	7	7	-	-	-	1	135	90
40 to 44 years M	593	534	515	5	5	3	3	-	3	-	-	39	20
F	611	540	524	7	5	1	2	-	1	-	-	42	29
45 to 49 years M	59	57	53	1	-	2	1	-	-	-	-	-	2
F	43	38	35	1	2	-	-	-	-	-	-	2	3
55 years and over M	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated M	27	21	21	-	-	-	-	-	-	-	-	3	3
F	26	23	21	-	-	-	-	-	1	-	1	2	1
OREGON	24,150	23,705	21,968	805	185	616	119	9	2	-	1	160	285
Male	12,461	12,235	11,322	424	97	325	60	5	1	-	1	83	143
Female	11,689	11,470	10,646	381	88	291	59	4	1	-	-	77	142
10 to 14 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years M	1,257	1,223	1,156	18	36	11	-	1	-	-	1	15	19
F	1,142	1,116	1,051	14	42	8	1	-	-	-	-	11	15
20 to 24 years M	4,071	3,997	3,763	97	44	78	13	3	1	-	-	31	43
F	3,876	3,800	3,588	97	20	85	6	3	1	-	-	26	50
25 to 29 years M	3,624	3,567	3,317	128	11	102	8	1	-	-	-	19	38
F	3,336	3,285	3,069	113	13	78	13	1	-	-	-	16	35
30 to 34 years M	2,222	2,187	1,975	99	3	91	19	-	-	-	-	12	23
F	2,113	2,084	1,893	94	8	69	20	-	-	-	-	11	18
35 to 39 years M	980	959	855	58	2	31	13	-	-	-	-	5	16
F	988	957	844	56	4	39	14	-	-	-	-	11	20
40 to 44 years M	278	275	232	21	1	14	7	-	-	-	-	1	2
F	212	207	181	7	1	13	5	-	-	-	-	1	4
45 to 49 years M	14	13	10	3	-	-	-	-	-	-	-	-	1
F	10	10	9	-	-	1	-	-	-	-	-	-	-
50 to 54 years M	2	2	2	-	-	-	-	-	-	-	-	-	-
Not stated M	12	11	11	-	-	-	-	-	-	-	-	-	1
F	11	10	10	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA	178,370	166,711	153,451	6,189	2,230	2,661	2,145	21	6	1	7	11,604	55
Male	91,841	86,031	79,223	3,200	1,115	1,394	1,081	8	5	1	4	5,778	32
Female	86,529	80,680	74,228	2,989	1,115	1,267	1,064	13	1	-	3	5,826	23
10 to 14 years M	54	22	8	1	13	-	-	-	-	-	-	32	-
F	76	37	17	1	19	-	-	-	-	-	-	39	-
15 to 19 years M	7,034	5,756	5,317	59	354	19	4	1	1	-	1	1,275	3
F	6,543	5,305	4,840	59	379	21	4	2	-	-	-	1,238	2
20 to 24 years M	27,571	25,562	24,262	477	462	305	53	3	-	-	-	1,998	11
F	26,045	24,080	22,888	420	445	285	59	2	1	-	-	1,958	7
25 to 29 years M	27,535	26,329	24,923	847	172	290	92	2	3	-	-	1,196	10
F	26,044	24,742	23,351	846	177	269	96	3	-	-	-	1,295	7
30 to 34 years M	18,098	17,369	15,488	1,002	67	468	344	-	-	-	-	725	4
F	16,928	16,189	14,512	904	58	394	318	2	-	-	1	736	3
35 to 39 years M	9,017	8,593	7,286	660	34	229	382	1	-	1	-	420	4
F	8,500	8,048	6,823	584	29	249	361	1	-	-	1	450	2
40 to 44 years M	2,351	2,225	1,811	143	11	79	179	1	1	-	-	126	-
F	2,181	2,076	1,646	160	8	64	195	3	-	-	-	103	2
45 to 49 years M	153	151	110	10	1	3	27	-	-	-	-	2	-
F	179	174	124	15	-	5	30	-	-	-	-	5	-
50 to 54 years M	2	2	2	-	-	-	-	-	-	-	-	-	-
F	4	4	4	-	-	-	-	-	-	-	-	-	-
55 years and over M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	2	1	1	-	-	-	-	-	-	-	-	1	-
Not stated M	25	21	15	1	1	1	-	-	-	-	3	4	-
F	27	24	22	-	-	-	1	-	-	-	1	3	-
RHODE ISLAND	13,754	13,446	11,117	974	323	675	345	16	1	-	1	304	4
Male	7,057	6,895	5,726	486	159	343	173	7	1	-	-	155	1
Female	6,703	6,551	5,391	488	164	332	172	3	-	-	1	149	3
10 to 14 years M	3	2	-	-	2	-	-	-	-	-	-	1	-
F	3	2	-	-	2	-	-	-	-	-	-	1	-
15 to 19 years M	348	319	272	6	38	2	1	-	-	-	-	29	-
F	353	333	276	6	46	4	1	-	-	-	-	20	-
20 to 24 years M	2,038	1,988	1,773	77	69	55	11	2	1	-	-	50	-
F	1,887	1,822	1,616	76	73	50	7	-	-	-	-	63	2
25 to 29 years M	2,164	2,129	1,887	120	30	72	18	2	-	-	-	35	-
F	2,058	2,020	1,769	124	22	83	20	1	-	-	1	38	-
30 to 34 years M	1,547	1,520	1,180	159	15	115	49	2	-	-	-	27	-
F	1,493	1,476	1,157	153	13	104	48	1	-	-	-	16	1
35 to 39 years M	749	737	505	96	3	73	59	1	-	-	-	11	1
F	709	701	455	102	8	74	61	1	-	-	-	8	-
40 to 44 years M	189	188	106	26	2	26	28	-	-	-	-	1	-
F	185	182	108	24	-	16	34	-	-	-	-	3	-
45 to 49 years M	12	11	2	2	-	-	7	-	-	-	-	1	-
F	12	12	9	2	-	1	-	-	-	-	-	-	-
55 years and over F	1	1	-	-	-	-	1	-	-	-	-	-	-
Not stated M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	2	2	1	1	-	-	-	-	-	-	-	-	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
SOUTH CAROLINA	51,467	27,874	26,842	108	765	60	17	-	52	-	50	23,572	21
Male	26,366	14,476	13,936	56	411	28	10	-	21	-	14	11,882	8
Female	25,101	13,398	12,906	52	354	32	7	-	31	-	16	11,690	13
10 to 14 years M	88	7	4	-	3	-	-	-	-	-	-	81	-
F	65	11	7	-	4	-	-	-	-	-	-	54	-
15 to 19 years M	4,473	1,865	1,708	5	149	-	-	-	1	-	2	2,605	3
F	4,370	1,763	1,608	8	138	2	-	-	1	-	6	2,605	2
20 to 24 years M	8,899	4,984	4,820	11	135	10	2	-	5	-	1	3,913	2
F	8,552	4,678	4,514	12	120	13	1	-	14	-	4	3,871	3
25 to 29 years M	6,211	3,718	3,611	19	61	10	2	-	10	-	5	2,492	1
F	5,806	3,330	3,245	19	45	8	1	-	8	-	4	2,473	3
30 to 34 years M	3,734	2,276	2,222	14	28	6	4	-	2	-	-	1,457	1
F	3,564	2,107	2,061	9	24	5	3	-	3	-	2	1,455	2
35 to 39 years M	2,231	1,252	1,214	7	24	2	1	-	1	-	3	978	1
F	2,055	1,147	1,121	4	14	4	2	-	2	-	-	906	2
40 to 44 years M	565	303	296	-	5	-	-	-	-	-	2	262	-
F	554	309	303	-	6	-	-	-	-	-	-	245	-
45 to 49 years M	60	24	23	-	1	-	-	-	-	-	-	36	-
F	36	14	14	-	-	-	-	-	-	-	-	22	-
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	2	1	1	-	-	-	-	-	-	-	-	1	-
Not stated M	104	46	37	-	5	-	1	-	2	-	1	58	-
F	97	38	32	-	3	-	-	-	3	-	-	58	1
SOUTH DAKOTA	12,769	12,013	11,259	304	275	92	55	2	10	1	15	11	745
Male	6,553	6,173	5,752	168	156	53	28	2	4	-	10	6	374
Female	6,216	5,840	5,507	136	119	39	27	-	6	1	5	5	371
10 to 14 years M	3	3	-	-	3	-	-	-	-	-	-	-	-
F	2	1	-	-	1	-	-	-	-	-	-	-	1
15 to 19 years M	489	456	390	1	63	1	-	-	1	-	-	2	31
F	414	392	351	2	38	-	-	-	-	-	-	-	22
20 to 24 years M	1,970	1,862	1,774	22	54	7	2	-	1	-	2	3	105
F	1,874	1,761	1,687	18	44	6	2	-	1	-	2	2	111
25 to 29 years M	1,824	1,739	1,653	38	26	14	4	1	1	-	2	1	84
F	1,714	1,621	1,557	33	19	7	2	-	1	1	1	1	92
30 to 34 years M	1,286	1,212	1,141	42	7	15	4	1	1	-	1	-	74
F	1,273	1,201	1,137	37	10	10	4	-	2	-	1	2	70
35 to 39 years M	694	645	583	44	-	9	8	-	-	-	1	-	49
F	669	618	568	26	4	8	10	-	2	-	-	-	51
40 to 44 years M	238	210	171	18	2	6	10	-	-	-	3	-	28
F	234	212	177	18	2	6	8	-	-	-	1	-	22
45 to 49 years M	20	20	17	2	-	1	-	-	-	-	-	-	-
F	14	13	11	-	-	1	1	-	-	-	-	-	1
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	28	25	22	1	1	-	-	-	-	-	1	-	3
F	22	21	19	1	-	1	-	-	-	-	-	-	1
TENNESSEE	68,272	57,311	55,569	136	1,446	56	27	2	52	-	23	10,955	6
Male	35,215	29,648	28,741	68	757	26	17	2	24	-	13	5,561	6
Female	33,057	27,663	26,828	68	689	30	10	-	28	-	10	5,394	-
10 to 14 years M	83	32	22	-	10	-	-	-	-	-	-	51	-
F	67	27	23	-	4	-	-	-	-	-	-	40	-
15 to 19 years M	5,133	3,911	3,595	6	304	1	-	-	3	-	2	1,221	1
F	4,796	3,549	3,250	3	293	-	-	-	2	-	1	1,247	-
20 to 24 years M	11,075	9,440	9,158	16	253	5	1	2	5	-	-	1,633	2
F	10,276	8,676	8,415	13	234	7	1	-	5	-	1	1,600	-
25 to 29 years M	8,378	7,200	7,063	20	94	7	4	-	9	-	3	1,176	2
F	8,003	6,915	6,784	23	78	11	2	-	7	-	-	1,088	-
30 to 34 years M	5,840	5,030	4,941	14	51	8	9	-	5	-	2	809	1
F	5,528	4,719	4,641	19	36	9	3	-	8	-	3	809	-
35 to 39 years M	3,525	3,024	2,974	11	29	4	2	-	1	-	3	501	-
F	3,331	2,870	2,824	6	29	2	4	-	4	-	1	461	-
40 to 44 years M	1,045	897	884	1	10	1	1	-	-	-	-	148	-
F	941	808	791	4	12	1	-	-	-	-	-	133	-
45 to 49 years M	67	54	52	-	2	-	-	-	-	-	-	13	-
F	65	56	56	-	-	-	-	-	-	-	-	9	-
50 to 54 years M	3	3	3	-	-	-	-	-	-	-	-	-	-
F	8	8	8	-	-	-	-	-	-	-	-	-	-
55 years and over M	4	3	3	-	-	-	-	-	-	-	-	1	-
F	2	1	1	-	-	-	-	-	-	-	-	1	-
Not stated M	62	54	46	-	4	-	-	-	1	-	3	8	-
F	40	34	25	-	3	-	-	-	2	-	4	6	-
TEXAS	165,900	145,500	128,316	7,020	2,618	3,353	3,860	122	160	10	41	20,259	141
Male	84,870	74,684	65,978	3,539	1,353	1,697	1,945	63	80	5	24	10,117	69
Female	81,030	70,816	62,338	3,481	1,265	1,656	1,915	59	80	5	17	10,142	72
10 to 14 years M	167	86	58	6	22	-	-	-	-	-	-	81	-
F	158	85	60	4	19	-	-	1	-	-	1	73	-
15 to 19 years M	12,615	10,204	9,307	256	509	81	40	3	5	-	3	2,407	4
F	11,977	9,577	8,712	264	479	64	40	5	9	-	4	2,394	6
20 to 24 years M	28,113	25,017	22,998	949	474	362	191	15	20	1	7	3,079	17
F	26,859	23,793	21,759	978	451	352	212	10	27	-	4	3,045	21
25 to 29 years M	20,431	18,542	16,576	964	179	432	362	7	15	2	5	1,872	17
F	19,285	17,314	15,485	885	165	411	331	13	22	2	2	1,954	17
30 to 34 years M	13,843	12,358	10,459	771	93	431	569	19	13	-	3	1,471	14
F	13,306	11,840	9,941	772	100	439	564	11	10	1	2	1,449	17
35 to 39 years M	7,372	6,485	5,071	465	52	305	556	15	18	1	2	874	13
F	7,174	6,246	4,895	438	40	283	568	13	6	-	3	919	9
40 to 44 years M	1,955	1,689	1,279	107	19	72	202	4	5	-	1	263	3
F	1,898	1,649	1,246	122	9	91	169	6	5	1	-	248	1
45 to 49 years M	126	103	75	7	1	5	15	-	-	-	-	23	-
F	125	110	82	2	1	6	19	-	-	-	-	15	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
TEXAS—Continued													
50 to 54 years...M..	6	5	4	-	-	-	1	-	-	-	-	1	-
F..	1	1	1	-	-	-	-	-	-	-	-	-	-
55 years and over...M..	4	2	1	-	-	-	1	-	-	-	-	2	-
F..	5	4	2	1	-	1	-	-	-	-	-	1	-
Not stated...M..	238	193	150	14	4	9	8	-	4	1	3	44	1
F..	242	197	155	15	3	9	12	-	1	1	1	44	1
UTAH	16,180	15,906	14,998	405	103	286	112	2	2	-	-	28	246
Male	8,281	8,143	7,685	196	57	148	55	1	1	-	-	11	127
Female	7,899	7,763	7,313	207	46	138	57	1	1	-	-	17	119
10 to 14 years...M..	2	2	1	-	1	-	-	-	-	-	-	-	-
F..	1	1	-	-	1	-	-	-	-	-	-	-	-
15 to 19 years...M..	757	747	721	4	18	4	-	-	-	-	-	-	10
F..	722	710	681	4	23	2	-	-	-	-	-	2	10
20 to 24 years...M..	2,598	2,545	2,455	38	24	24	3	1	-	-	-	7	46
F..	2,407	2,365	2,264	55	14	28	3	-	1	-	-	6	36
25 to 29 years...M..	2,330	2,290	2,185	53	7	39	5	-	1	-	-	4	36
F..	2,217	2,162	2,066	54	2	34	6	-	-	-	-	8	47
30 to 34 years...M..	1,562	1,538	1,426	56	5	38	13	-	-	-	-	-	24
F..	1,488	1,474	1,389	49	2	34	20	-	-	-	-	-	14
35 to 39 years...M..	786	780	694	37	2	29	18	-	-	-	-	-	6
F..	797	790	704	35	4	29	17	1	-	-	-	-	7
40 to 44 years...M..	229	225	189	8	-	14	14	-	-	-	-	-	4
F..	244	241	213	9	-	11	8	-	-	-	-	1	2
45 to 49 years...M..	15	15	13	-	-	-	2	-	-	-	-	-	-
F..	20	19	15	1	-	-	3	-	-	-	-	-	1
50 to 54 years...M..	1	1	1	-	-	-	-	-	-	-	-	-	1
Not stated...M..	1	-	-	-	-	-	-	-	-	-	-	-	1
F..	3	1	1	-	-	-	-	-	-	-	-	-	2
VERMONT	6,824	6,821	5,824	375	136	291	186	4	1	1	3	2	1
Male	3,419	3,417	2,930	189	71	136	87	1	1	1	1	1	1
Female	3,405	3,404	2,894	186	65	155	99	3	-	-	2	1	-
10 to 14 years...F..	4	4	1	-	3	-	-	-	-	-	-	-	-
15 to 19 years...M..	288	288	238	8	33	9	-	-	-	-	-	-	-
F..	308	308	273	8	18	6	1	2	-	-	-	-	-
20 to 24 years...M..	1,039	1,038	919	45	23	35	16	-	-	-	-	1	-
F..	1,044	1,044	919	48	34	27	14	-	-	-	2	-	-
25 to 29 years...M..	988	987	878	48	7	33	19	1	-	-	1	-	1
F..	912	911	796	49	3	43	19	1	-	-	-	1	-
30 to 34 years...M..	679	679	571	52	4	31	19	-	1	1	-	-	-
F..	668	668	557	43	4	34	30	-	-	-	-	-	-
35 to 39 years...M..	333	333	258	28	3	19	25	-	-	-	-	-	-
F..	349	349	267	27	1	36	18	-	-	-	-	-	-
40 to 44 years...M..	86	86	60	8	1	9	8	-	-	-	-	-	-
F..	116	116	78	11	2	9	16	-	-	-	-	-	-
45 to 49 years...M..	4	4	4	-	-	-	-	-	-	-	-	-	-
F..	3	3	2	-	-	-	1	-	-	-	-	-	-
Not stated...M..	2	2	2	-	-	-	-	-	-	-	-	-	-
F..	1	1	1	-	-	-	-	-	-	-	-	-	-
VIRGINIA	69,175	52,001	50,274	417	905	280	93	2	12	1	17	17,147	27
Male	35,262	26,565	25,700	196	472	136	43	1	9	-	8	8,679	18
Female	33,913	25,436	24,574	221	433	144	50	1	3	1	9	8,468	9
10 to 14 years...M..	82	17	12	-	4	-	-	-	1	-	-	65	-
F..	85	16	11	-	5	-	-	-	-	-	-	69	-
15 to 19 years...M..	4,781	2,885	2,670	6	202	6	-	-	-	-	1	1,894	2
F..	4,447	2,649	2,475	13	159	1	-	-	-	-	1	1,798	-
20 to 24 years...M..	11,308	8,349	8,114	44	145	38	6	-	2	-	-	2,952	7
F..	10,941	8,201	7,932	42	167	50	7	-	1	-	2	2,735	5
25 to 29 years...M..	8,926	7,143	6,978	63	57	34	7	-	3	-	1	1,781	2
F..	8,575	6,794	6,631	68	48	35	11	1	-	-	-	1,778	3
30 to 34 years...M..	5,896	4,778	4,639	46	38	37	15	1	1	-	1	1,113	5
F..	5,794	4,595	4,447	62	31	36	17	-	-	-	2	1,198	1
35 to 39 years...M..	3,148	2,535	2,455	31	17	19	12	-	-	-	1	611	2
F..	2,949	2,347	2,271	27	16	17	13	-	1	1	1	602	-
40 to 44 years...M..	960	749	731	6	7	2	3	-	-	-	-	211	-
F..	984	743	724	9	5	3	2	-	-	-	-	241	-
45 to 49 years...M..	83	62	62	-	-	-	-	-	-	-	-	21	-
F..	73	51	49	-	2	-	-	-	-	-	-	22	-
50 to 54 years...M..	2	2	2	-	-	-	-	-	-	-	-	-	-
F..	1	1	1	-	-	-	-	-	-	-	-	-	-
55 years and over...M..	1	-	-	-	-	-	-	-	-	-	-	1	-
F..	2	1	1	-	-	-	-	-	-	-	-	1	-
Not stated...M..	75	45	37	-	2	-	-	-	2	-	4	30	-
F..	62	38	32	-	-	2	-	-	1	-	3	24	-
WASHINGTON	44,528	43,363	38,614	2,106	471	1,712	431	11	13	2	3	371	794
Male	22,811	22,224	19,769	1,105	244	884	207	5	7	1	2	184	403
Female	21,717	21,139	18,845	1,001	227	828	224	6	6	1	1	187	391
10 to 14 years...M..	11	8	4	-	4	-	-	-	-	-	-	2	1
F..	8	7	2	-	5	-	-	-	-	-	-	1	-
15 to 19 years...M..	2,239	2,146	1,950	59	102	31	1	1	2	-	-	42	51
F..	2,148	2,063	1,881	53	105	22	2	-	-	-	-	41	44
20 to 24 years...M..	7,764	7,555	6,929	264	82	257	19	4	-	-	1	72	137
F..	7,389	7,198	6,596	261	79	224	29	5	3	-	1	70	121
25 to 29 years...M..	6,684	6,542	5,852	344	35	280	47	-	3	1	-	41	101
F..	6,281	6,109	5,486	289	23	256	53	1	1	-	-	45	127
30 to 34 years...M..	3,902	3,824	3,288	262	12	200	60	-	1	-	1	16	62
F..	3,866	3,779	3,275	227	12	209	55	-	-	1	-	22	65

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
WASHINGTON—Continued													
35 to 39 years M..	1,745	1,705	1,413	138	5	98	51	-	-	-	-	7	33
F..	1,808	1,578	1,271	142	2	94	67	-	2	-	-	7	23
40 to 44 years M..	417	397	312	36	4	17	28	-	-	-	-	4	16
F..	370	361	293	28	1	22	17	-	-	-	-	1	8
45 to 49 years M..	20	20	17	2	-	-	1	-	-	-	-	-	-
F..	29	26	23	1	-	1	1	-	-	-	-	-	3
50 to 54 years F..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M..	29	27	24	-	-	1	-	-	1	-	1	-	2
F..	17	17	17	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA	41,304	39,008	36,611	361	1,775	96	85	2	40	-	38	2,296	-
Male	21,198	20,065	18,807	188	946	49	41	1	17	-	16	1,133	-
Female	20,106	18,943	17,804	173	829	47	44	1	23	-	22	1,163	-
10 to 14 years M..	21	14	7	-	7	-	-	-	-	-	-	7	-
F..	30	19	6	-	13	-	-	-	-	-	-	11	-
15 to 19 years M..	2,603	2,406	2,016	7	377	2	-	-	-	-	4	197	-
F..	2,508	2,275	1,936	4	328	1	-	-	2	-	4	233	-
20 to 24 years M..	6,958	6,574	6,165	35	342	18	6	-	3	-	5	384	-
F..	6,527	6,147	5,799	30	297	10	-	-	7	-	4	380	-
25 to 29 years M..	5,235	4,991	4,813	52	110	9	4	1	2	-	-	244	-
F..	4,913	4,698	4,543	44	88	10	7	-	4	-	2	215	-
30 to 34 years M..	3,473	3,317	3,189	45	53	11	13	-	5	-	1	156	-
F..	3,382	3,201	3,058	56	54	14	15	-	3	-	3	181	-
35 to 39 years M..	2,095	1,998	1,908	37	36	6	10	-	2	-	1	97	-
F..	1,935	1,840	1,750	30	33	10	10	1	1	-	5	95	-
40 to 44 years M..	697	657	622	12	11	2	8	-	1	-	1	40	-
F..	684	643	612	6	12	2	10	-	1	-	-	41	-
45 to 49 years M..	49	46	44	-	1	1	-	-	-	-	-	3	-
F..	58	55	51	1	1	-	2	-	-	-	-	3	-
50 to 54 years M..	1	1	-	-	1	-	-	-	-	-	-	-	-
F..	1	1	1	-	-	-	-	-	-	-	-	-	-
55 years and over F..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M..	66	61	45	-	8	-	-	-	4	-	4	5	-
F..	67	63	49	2	3	-	-	-	5	-	4	4	-
WISCONSIN	61,547	60,743	56,495	1,788	1,323	754	359	15	5	-	4	322	482
Male	31,650	31,221	29,048	902	663	397	197	8	3	-	3	177	252
Female	29,897	29,522	27,447	886	660	357	162	7	2	-	1	145	230
10 to 14 years M..	11	8	1	-	6	-	-	1	-	-	-	3	-
F..	4	3	-	-	3	-	-	-	-	-	-	-	1
15 to 19 years M..	1,901	1,830	1,589	14	221	5	-	-	1	-	-	41	30
F..	1,742	1,692	1,446	16	223	6	-	1	-	-	-	27	23
20 to 24 years M..	9,039	8,919	8,377	134	285	104	18	3	-	-	-	56	64
F..	8,721	8,597	8,097	122	274	89	13	2	-	-	-	54	70
25 to 29 years M..	9,854	9,744	9,297	245	91	83	26	-	2	-	-	43	67
F..	9,093	9,015	8,585	247	101	61	20	-	1	-	-	27	51
30 to 34 years M..	6,491	6,416	5,944	279	34	95	61	2	-	-	1	23	52
F..	6,238	6,173	5,696	284	37	109	44	2	1	-	-	23	42
35 to 39 years M..	3,308	3,268	2,939	164	17	84	62	2	-	-	-	10	30
F..	3,094	3,061	2,756	168	15	70	51	1	-	-	-	9	24
40 to 44 years M..	972	963	838	65	9	23	28	-	-	-	-	1	8
F..	940	916	809	46	6	21	33	1	-	-	-	5	19
45 to 49 years M..	66	65	58	1	-	3	3	-	-	-	-	-	1
F..	60	60	55	3	-	1	1	-	-	-	-	-	-
50 to 54 years M..	4	4	3	-	-	-	1	-	-	-	-	-	-
F..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M..	4	4	2	-	-	-	-	-	-	-	2	-	-
F..	4	4	2	-	1	-	-	-	-	-	1	-	-
WYOMING	5,635	5,302	4,971	182	35	52	60	1	1	-	-	15	318
Male	2,894	2,726	2,567	84	19	26	28	1	1	-	-	8	160
Female	2,741	2,576	2,404	98	16	26	32	-	-	-	-	7	158
10 to 14 years M..	2	2	-	-	2	-	-	-	-	-	-	-	-
F..	2	2	1	-	1	-	-	-	-	-	-	-	-
15 to 19 years M..	282	269	260	4	5	-	-	-	-	-	-	1	12
F..	261	246	240	3	2	-	1	-	-	-	-	2	13
20 to 24 years M..	924	881	857	12	8	2	1	-	1	-	-	2	41
F..	902	859	832	16	6	5	-	-	-	-	-	2	41
25 to 29 years M..	827	770	730	25	4	9	2	-	-	-	-	3	54
F..	751	690	650	26	2	11	1	-	-	-	-	3	58
30 to 34 years M..	545	511	463	27	-	10	10	1	-	-	-	-	34
F..	492	467	419	28	2	4	14	-	-	-	-	-	25
35 to 39 years M..	251	235	206	13	-	5	11	-	-	-	-	1	15
F..	233	223	187	19	3	4	10	-	-	-	-	-	10
40 to 44 years M..	56	51	44	3	-	-	4	-	-	-	-	1	4
F..	91	81	67	6	-	2	6	-	-	-	-	-	10
45 to 49 years M..	2	2	2	-	-	-	-	-	-	-	-	-	-
F..	5	4	4	-	-	-	-	-	-	-	-	-	1
Not stated M..	5	5	5	-	-	-	-	-	-	-	-	-	-
F..	4	4	4	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES	2,794,800	3,565	301,130	866,946	769,015	511,869	283,442	70,073	4,778	134	53	3,795
White, mother native	2,362,290	1,202	225,190	744,604	678,340	437,648	214,191	54,945	3,522	99	34	2,515
White, mother foreign	90,890	5	1,580	14,968	18,665	26,874	21,339	7,018	525	13	7	96
White, mother's nativity not stated	1,520	4	187	395	308	215	142	49	3	-	-	219
Negro	324,185	2,319	72,627	102,080	67,451	44,498	26,224	7,411	655	19	12	897
Other	15,917	35	1,746	4,899	4,251	2,646	1,546	650	73	3	-	68
Urban	1,623,564	1,643	157,560	512,180	469,733	303,751	143,019	32,275	1,812	57	27	1,527
White, mother native	1,388,780	561	119,995	446,486	420,118	260,225	114,807	24,250	1,268	42	19	1,029
White, mother foreign	72,805	4	988	11,945	14,942	22,087	17,129	5,270	369	10	4	65
White, mother's nativity not stated	709	3	72	195	149	90	52	17	1	-	-	130
Negro	155,879	1,067	35,994	51,803	32,925	20,473	10,586	2,571	153	5	4	298
Other	5,395	8	501	1,751	1,599	876	445	187	21	-	-	5
Places of 100,000 or more	762,954	771	67,822	234,268	226,855	149,218	68,742	14,545	728	20	10	475
White, mother native	627,855	192	47,315	196,845	197,991	123,062	51,698	9,988	455	14	6	269
White, mother foreign	44,808	2	512	6,958	8,889	14,230	10,916	3,078	192	4	1	26
White, mother's nativity not stated	246	-	12	52	55	24	22	4	1	-	-	76
Negro	87,153	574	19,771	29,462	18,510	11,414	5,873	1,376	65	2	3	103
Other	2,912	3	212	951	910	488	235	99	15	-	-	1
Places of 25,000 to 100,000	338,956	370	33,504	109,523	97,830	61,348	28,885	6,683	370	17	6	422
White, mother native	295,545	143	26,358	96,980	88,526	53,768	24,021	5,169	266	12	5	297
White, mother foreign	13,161	1	192	2,397	2,852	3,678	2,936	1,033	71	4	1	16
White, mother's nativity not stated	200	-	30	73	33	26	7	4	-	-	-	27
Negro	29,325	223	6,861	9,824	6,217	3,769	1,868	447	33	1	-	82
Other	725	3	63	249	222	107	51	30	-	-	-	-
Places of 10,000 to 25,000	232,847	192	23,650	75,098	66,078	42,301	20,236	4,767	274	7	3	243
White, mother native	206,779	80	19,101	67,666	60,586	37,722	17,341	3,889	207	5	3	179
White, mother foreign	7,160	1	107	1,254	1,548	2,045	1,603	546	43	1	-	12
White, mother's nativity not stated	90	1	10	22	23	14	9	2	-	-	-	9
Negro	18,185	110	4,350	5,955	3,757	2,409	1,226	314	21	1	-	42
Other	633	-	82	199	164	111	57	16	3	-	-	1
Places of 2,500 to 10,000	288,807	310	32,584	93,293	79,470	50,864	25,158	6,280	440	13	8	387
White, mother native	258,621	146	27,221	84,995	73,015	46,673	21,747	5,184	340	11	5	284
White, mother foreign	7,674	-	187	1,336	1,675	2,114	1,674	613	63	1	2	11
White, mother's nativity not stated	173	2	20	48	38	26	14	7	-	-	-	18
Negro	21,216	160	5,012	6,562	4,441	2,881	1,619	434	34	1	1	71
Other	1,123	2	144	352	303	170	104	42	3	-	-	3
Rural	1,171,236	1,922	143,570	354,766	299,282	208,138	120,423	37,798	2,966	77	26	2,288
White, mother native	973,510	641	105,195	298,118	258,222	177,423	99,384	30,715	2,254	57	15	1,486
White, mother foreign	18,087	1	382	3,023	3,723	4,807	4,210	1,748	156	3	3	31
White, mother's nativity not stated	811	1	115	200	159	123	90	32	2	-	-	89
Negro	168,364	1,252	36,633	50,277	34,526	24,015	15,838	4,840	502	14	8	599
Other	10,524	27	1,245	3,148	2,652	1,770	1,101	463	52	3	-	63
ALABAMA	74,415	206	12,575	23,002	17,132	11,991	7,095	1,982	148	8	2	274
White, mother native	47,391	43	6,602	14,965	11,660	8,028	4,587	1,312	73	6	1	124
White, mother foreign	86	-	6	24	15	22	14	4	1	-	-	-
White, mother's nativity not stated	27	-	7	7	5	6	-	-	-	-	-	2
Negro	26,886	163	5,955	8,012	5,445	3,929	2,492	665	74	2	1	148
Other	25	-	5	4	7	6	2	1	-	-	-	-
Urban	24,199	57	4,111	8,116	5,881	3,753	1,849	351	23	3	1	54
White, mother native	15,543	8	2,090	5,367	4,084	2,539	1,182	234	12	2	1	24
White, mother foreign	57	-	3	17	12	13	10	2	-	-	-	-
White, mother's nativity not stated	6	-	1	-	3	1	-	-	-	-	-	1
Negro	8,588	49	2,014	2,730	1,781	1,199	657	115	11	1	-	29
Other	7	-	3	2	1	1	-	-	-	-	-	-
Places of 100,000 or more	6,479	12	1,074	2,156	1,581	1,039	517	84	6	1	-	9
White, mother native	3,673	1	413	1,258	1,002	660	276	52	4	1	-	6
White, mother foreign	26	-	1	5	7	9	3	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	2,778	11	659	893	572	369	238	31	2	-	-	3
Other	2	-	1	-	-	1	-	-	-	-	-	-
Places of 25,000 to 100,000	7,521	22	1,294	2,546	1,855	1,131	554	98	8	-	1	14
White, mother native	4,937	3	647	1,718	1,359	784	372	64	4	-	1	5
White, mother foreign	21	-	2	7	3	3	5	1	-	-	-	-
White, mother's nativity not stated	3	-	1	-	1	-	-	-	-	-	-	1
Negro	2,558	19	644	819	512	344	177	31	4	-	-	8
Other	2	-	-	2	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,843	10	690	1,376	898	558	261	62	2	-	-	8
White, mother native	2,380	1	370	892	584	322	164	39	1	-	-	7
White, mother foreign	6	-	-	5	-	-	1	-	-	-	-	-
White, mother's nativity not stated	2	-	-	-	1	1	-	-	-	-	-	-
Negro	1,454	9	319	479	311	215	96	23	1	-	-	1
Other	1	-	1	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,356	13	1,055	2,058	1,549	1,045	517	109	7	2	-	23
White, mother native	4,553	3	660	1,499	1,159	773	370	79	3	1	-	6
White, mother foreign	4	-	-	-	2	1	1	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	1,796	10	392	559	386	271	146	30	4	1	-	17
Other	2	-	1	-	1	-	-	-	-	-	-	-
Rural	50,216	149	8,464	14,686	11,251	8,238	5,246	1,631	125	5	1	220
White, mother native	31,848	35	4,512	9,588	7,576	5,489	3,405	1,078	61	4	-	100
White, mother foreign	29	-	3	7	3	9	4	2	1	-	-	-
White, mother's nativity not stated	21	-	6	7	2	5	-	-	-	-	-	1
Negro	18,300	114	3,941	5,282	3,864	2,730	1,835	550	63	1	1	119
Other	18	-	2	2	6	5	2	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
ARIZONA	14,225	22	1,870	4,754	3,621	2,200	1,269	404	22	4	-	59
White, mother native	11,283	12	1,563	4,028	2,984	1,585	859	253	11	1	-	27
White, mother foreign	1,114	-	28	205	249	291	249	86	4	1	-	3
White, mother's nativity not stated	11	-	-	3	2	1	-	-	-	-	-	5
Negro	386	3	90	127	77	60	16	11	-	-	-	2
Other	1,431	7	189	395	309	263	165	74	7	2	-	22
Urban	7,548	11	983	2,622	1,996	1,132	612	166	7	1	-	18
White, mother native	6,500	8	878	2,371	1,754	907	449	114	5	-	-	14
White, mother foreign	631	-	19	125	141	160	140	40	2	1	-	3
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	288	2	66	92	62	45	13	7	-	-	-	1
Other	128	1	20	33	39	20	10	5	-	-	-	-
Places of 25,000 to 100,000	4,659	10	580	1,608	1,225	714	388	101	3	1	-	9
White, mother native	4,008	7	508	1,457	1,075	582	294	73	3	-	-	7
White, mother foreign	315	-	4	58	76	76	75	22	-	1	-	1
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	238	2	56	72	50	42	11	4	-	-	-	1
Other	81	1	12	20	24	14	8	2	-	-	-	-
Places of 2,500 to 10,000	2,909	1	403	1,014	771	418	224	65	4	-	-	9
White, mother native	2,494	1	370	914	679	325	155	41	2	-	-	7
White, mother foreign	318	-	15	67	65	84	65	18	2	-	-	2
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	50	-	10	20	12	3	2	3	-	-	-	-
Other	47	-	8	13	15	6	2	3	-	-	-	-
Rural	6,677	11	887	2,132	1,625	1,068	657	238	15	3	-	41
White, mother native	4,783	4	685	1,657	1,230	678	390	119	6	1	-	13
White, mother foreign	483	-	9	78	108	131	109	46	2	-	-	-
White, mother's nativity not stated	10	-	-	2	2	1	-	-	-	-	-	5
Negro	98	1	24	35	15	15	3	4	-	-	-	1
Other	1,303	6	169	360	270	243	155	69	7	2	-	22
ARKANSAS	41,240	151	7,221	12,825	9,345	6,410	3,819	1,146	81	2	1	259
White, mother native	31,275	33	4,939	10,057	7,330	4,946	2,851	878	61	-	1	179
White, mother foreign	56	-	-	15	8	15	16	3	-	-	-	1
White, mother's nativity not stated	28	-	2	6	7	4	3	1	-	-	-	5
Negro	9,849	98	2,274	2,755	1,990	1,443	948	263	20	2	-	76
Other	34	-	6	12	10	4	1	1	-	-	-	-
Urban	11,754	29	1,957	4,013	2,951	1,713	825	203	7	-	-	56
White, mother native	9,419	7	1,421	3,327	2,437	1,370	668	145	7	-	-	37
White, mother foreign	34	-	-	8	6	9	8	2	-	-	-	1
White, mother's nativity not stated	3	-	-	2	1	-	-	-	-	-	-	-
Negro	2,285	22	533	671	505	332	148	56	-	-	-	18
Other	13	-	3	5	2	2	1	-	-	-	-	-
Places of 25,000 to 100,000	3,292	9	481	1,214	841	451	231	48	1	-	-	16
White, mother native	2,688	1	347	1,030	703	371	192	51	1	-	-	12
White, mother foreign	20	-	-	4	4	6	4	1	-	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	580	8	133	178	133	74	35	16	-	-	-	3
Other	4	-	1	2	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,342	3	569	1,125	859	498	216	54	2	-	-	16
White, mother native	2,611	1	396	901	703	379	179	40	2	-	-	10
White, mother foreign	10	-	-	4	2	3	-	1	-	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	717	2	172	219	152	116	37	13	-	-	-	6
Other	3	-	1	1	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,120	17	907	1,674	1,251	764	378	101	4	-	-	24
White, mother native	4,120	5	678	1,396	1,031	620	297	74	4	-	-	15
White, mother foreign	4	-	-	-	-	-	4	-	-	-	-	-
White, mother's nativity not stated	2	-	-	2	-	-	-	-	-	-	-	-
Negro	988	12	228	274	220	142	76	27	-	-	-	9
Other	6	-	1	2	-	2	1	-	-	-	-	-
Rural	29,486	102	5,264	8,812	6,394	4,697	2,994	943	74	2	1	203
White, mother native	21,856	26	3,518	6,730	4,895	3,576	2,183	733	54	-	1	142
White, mother foreign	22	-	-	7	2	4	8	1	-	-	-	-
White, mother's nativity not stated	23	-	2	4	6	4	3	1	-	-	-	3
Negro	7,564	76	1,741	2,084	1,485	1,111	800	207	20	2	-	58
Other	21	-	3	7	8	2	-	1	-	-	-	-
CALIFORNIA	179,123	103	19,958	61,465	50,095	30,607	13,501	3,124	176	5	4	85
White, mother native	159,005	85	18,214	56,189	45,005	26,590	10,754	2,201	103	3	3	58
White, mother foreign	10,902	-	257	2,081	2,718	2,952	2,144	701	56	2	1	10
White, mother's nativity not stated	60	-	6	16	11	8	4	3	-	-	-	12
Negro	5,594	12	1,180	2,052	1,268	703	310	65	2	-	-	2
Other	3,562	6	321	1,127	1,093	554	289	154	15	-	-	3
Urban	138,259	76	14,793	47,878	39,527	25,742	10,103	2,166	112	2	4	56
White, mother native	122,260	61	13,353	45,563	35,275	20,402	8,010	1,509	65	2	3	39
White, mother foreign	8,530	-	187	1,703	2,174	2,312	1,620	492	38	-	1	3
White, mother's nativity not stated	46	-	4	15	8	5	3	1	-	-	-	10
Negro	5,088	11	1,091	1,887	1,135	630	271	59	2	-	-	2
Other	2,335	4	178	710	737	395	199	105	7	-	-	2
Places of 100,000 or more	70,925	40	7,215	24,347	20,455	12,539	5,210	1,045	49	1	-	24
White, mother native	61,113	27	6,268	21,617	17,919	10,479	4,052	708	27	1	-	15
White, mother foreign	4,772	-	100	969	1,264	1,343	848	232	15	-	-	1
White, mother's nativity not stated	23	-	-	6	5	2	3	-	-	-	-	7
Negro	3,584	10	757	1,329	804	464	179	39	2	-	-	-
Other	1,433	3	90	426	463	251	128	66	5	-	-	1

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
CALIFORNIA—Continued												
Places of 25,000 to 100,000	26,270	14	2,725	9,198	7,540	4,420	1,907	442	17	-	2	7
White, mother native	23,605	12	2,488	8,490	6,894	3,872	1,528	304	10	-	2	5
White, mother foreign	1,516	-	26	313	357	404	302	107	7	-	-	-
White, mother's nativity not stated	8	-	1	6	-	-	-	-	-	-	-	1
Negro	807	1	188	272	185	90	55	15	-	-	-	1
Other	334	1	22	115	104	54	22	16	-	-	-	-
Places of 10,000 to 25,000	19,158	10	2,248	6,610	5,331	3,185	1,411	310	24	-	-	9
White, mother native	17,463	10	2,095	6,136	4,929	2,861	1,172	242	13	-	-	5
White, mother foreign	886	-	19	170	226	224	183	54	10	-	-	-
White, mother's nativity not stated	7	-	-	2	2	1	-	-	-	-	-	2
Negro	546	-	106	231	114	60	30	4	-	-	-	1
Other	256	-	28	71	60	39	26	10	1	-	-	1
Places of 2,500 to 10,000	21,926	12	2,605	7,725	6,001	3,598	1,575	369	22	1	2	16
White, mother native	20,079	12	2,482	7,520	5,531	3,190	1,258	255	15	1	1	14
White, mother foreign	1,356	-	42	251	327	341	287	99	6	-	1	2
White, mother's nativity not stated	8	-	3	1	1	2	-	1	-	-	-	-
Negro	151	-	40	55	32	16	7	1	-	-	-	-
Other	332	-	58	98	110	49	23	13	1	-	-	-
Rural	40,864	27	5,165	13,587	10,768	6,865	3,398	958	64	3	-	29
White, mother native	36,745	24	4,881	12,626	9,732	5,988	2,744	692	38	1	-	19
White, mother foreign	2,372	-	50	378	544	640	524	209	18	2	-	7
White, mother's nativity not stated	14	-	2	1	3	3	1	2	-	-	-	2
Negro	506	1	89	165	133	73	39	6	-	-	-	-
Other	1,227	2	143	417	356	161	90	49	8	-	-	1
COLORADO	23,931	9	2,600	7,985	6,411	4,148	2,100	633	42	-	-	3
White, mother native	22,719	9	2,523	7,668	6,112	3,998	1,922	545	39	-	-	3
White, mother foreign	557	-	9	84	88	167	134	73	2	-	-	-
White, mother's nativity not stated	6	-	-	2	3	-	1	-	-	-	-	-
Negro	285	-	53	104	71	33	20	4	-	-	-	-
Other	364	-	15	127	137	50	23	11	1	-	-	-
Urban	14,692	4	1,589	5,095	3,965	2,502	1,179	338	18	-	-	2
White, mother native	13,964	4	1,528	4,894	3,796	2,357	1,078	288	17	-	-	2
White, mother foreign	332	-	6	55	56	94	76	44	1	-	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	271	-	51	97	70	32	18	3	-	-	-	-
Other	123	-	4	48	42	19	7	3	-	-	-	-
Places of 100,000 or more	7,533	2	760	2,627	2,102	1,308	561	159	12	-	-	2
White, mother native	7,089	2	716	2,486	1,985	1,229	496	134	11	-	-	2
White, mother foreign	179	-	4	25	36	43	48	22	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	211	-	37	80	55	24	12	3	-	-	-	-
Other	84	-	3	36	28	12	5	-	-	-	-	-
Places of 25,000 to 100,000	2,467	-	279	863	620	442	208	56	1	-	-	-
White, mother native	2,355	-	268	837	595	413	190	51	1	-	-	-
White, mother foreign	61	-	1	12	9	23	11	5	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	45	-	10	11	13	6	5	-	-	-	-	-
Other	5	-	-	2	3	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,582	1	165	554	443	239	147	31	2	-	-	-
White, mother native	1,534	1	164	542	433	223	141	28	2	-	-	-
White, mother foreign	27	-	-	7	2	10	5	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-	-
Other	19	-	1	4	7	6	1	-	-	-	-	-
Places of 2,500 to 10,000	3,110	1	385	1,051	800	513	265	92	3	-	-	-
White, mother native	3,016	1	380	1,029	785	492	251	75	3	-	-	-
White, mother foreign	65	-	1	11	9	18	12	14	-	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	13	-	4	5	1	2	1	-	-	-	-	-
Other	15	-	-	6	4	1	1	3	-	-	-	-
Rural	9,239	5	1,011	2,890	2,446	1,648	921	295	24	-	-	1
White, mother native	8,755	5	995	2,774	2,316	1,541	844	257	22	-	-	1
White, mother foreign	225	-	3	29	32	73	58	29	1	-	-	-
White, mother's nativity not stated	4	-	-	1	2	-	1	-	-	-	-	-
Negro	14	-	2	7	1	1	2	1	-	-	-	-
Other	241	-	11	79	95	31	16	8	1	-	-	-
CONNECTICUT	34,278	8	1,460	9,180	11,503	7,736	3,536	782	30	4	1	40
White, mother native	30,861	2	1,276	8,453	10,809	6,838	2,869	566	17	2	-	29
White, mother foreign	2,504	-	34	378	478	778	615	199	12	2	1	7
White, mother's nativity not stated	17	-	2	4	3	3	4	-	-	-	-	1
Negro	892	4	148	342	212	117	48	17	1	-	-	3
Other	4	-	-	3	1	-	-	-	-	-	-	-
Urban	23,402	6	1,055	6,452	7,797	5,239	2,306	495	20	3	1	28
White, mother native	20,749	2	888	5,855	7,241	4,557	1,840	336	11	1	-	18
White, mother foreign	1,822	-	29	270	360	575	425	145	8	2	1	7
White, mother's nativity not stated	11	-	2	3	2	2	2	-	-	-	-	-
Negro	817	4	136	322	193	105	39	14	1	-	-	3
Other	3	-	-	2	1	-	-	-	-	-	-	-
Places of 100,000 or more	9,217	4	483	2,605	3,071	1,995	871	174	6	-	-	8
White, mother native	7,927	2	376	2,299	2,802	1,675	643	123	4	-	-	3
White, mother foreign	772	-	10	102	152	258	201	46	1	-	-	2
White, mother's nativity not stated	8	-	1	3	1	1	2	-	-	-	-	-
Negro	509	2	96	200	116	61	25	5	1	-	-	3
Other	1	-	-	1	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
CONNECTICUT—Continued												
Places of 25,000 to 100,000	9,351	2	333	2,424	3,122	2,240	974	228	7	2	-	19
White, mother native	8,347	-	289	2,215	2,910	1,975	799	142	2	-	-	15
White, mother foreign	763	-	13	121	148	228	163	79	5	2	-	4
White, mother's nativity not stated	2	-	1	-	-	1	-	-	-	-	-	-
Negro	237	2	30	87	63	36	12	7	-	-	-	-
Other	2	-	-	1	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,726	-	178	1,041	1,265	809	359	70	3	-	-	1
White, mother native	3,446	-	167	980	1,206	728	308	54	3	-	-	-
White, mother foreign	217	-	3	31	44	75	49	14	-	-	-	1
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	62	-	8	30	14	6	2	2	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	1,108	-	61	382	339	195	102	25	4	1	1	-
White, mother native	1,029	-	56	361	325	179	90	17	2	1	-	-
White, mother foreign	70	-	3	18	16	14	12	6	2	-	1	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	9	-	2	3	-	2	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	10,876	-	405	2,728	3,706	2,497	1,230	287	10	1	-	12
White, mother native	10,112	-	388	2,598	3,568	2,281	1,029	230	6	1	-	11
White, mother foreign	682	-	5	108	118	203	190	54	4	-	-	-
White, mother's nativity not stated	8	-	-	1	1	1	2	-	-	-	-	1
Negro	75	-	12	20	19	12	9	3	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-	-
DELAWARE	5,995	12	892	1,892	1,645	1,086	512	143	5	-	-	6
White, mother native	4,990	2	468	1,603	1,443	952	412	103	4	-	-	3
White, mother foreign	111	-	2	21	21	36	25	6	-	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	886	10	221	267	178	98	75	33	1	-	-	3
Other	5	-	1	1	2	-	-	1	-	-	-	-
Urban	3,058	5	321	1,005	886	521	256	62	1	-	-	1
White, mother native	2,561	1	216	856	790	453	204	39	1	-	-	1
White, mother foreign	71	-	1	14	10	21	19	6	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	422	4	103	134	85	47	33	16	-	-	-	-
Other	4	-	1	1	1	-	-	1	-	-	-	-
Places of 100,000 or more	2,312	4	219	760	653	421	205	48	1	-	-	1
White, mother native	1,922	1	143	640	580	361	165	30	1	-	-	1
White, mother foreign	65	-	-	12	9	21	17	6	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	321	3	75	107	63	39	23	11	-	-	-	-
Other	4	-	1	1	1	-	-	1	-	-	-	-
Places of 2,500 to 10,000	746	1	102	245	233	100	51	14	-	-	-	-
White, mother native	639	-	73	216	210	92	39	9	-	-	-	-
White, mother foreign	6	-	1	2	1	-	2	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	101	1	28	27	22	8	10	5	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	2,935	7	371	887	759	565	256	81	4	-	-	5
White, mother native	2,429	1	252	747	653	489	208	64	3	-	-	2
White, mother foreign	40	-	1	7	11	15	6	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	464	6	118	133	93	51	42	17	1	-	-	3
Other	1	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA	15,758	38	1,876	5,303	4,285	2,760	1,190	258	9	1	-	58
White, mother native	9,927	6	773	3,340	2,926	1,910	798	150	6	1	-	17
White, mother foreign	463	-	5	90	153	134	78	25	-	-	-	-
White, mother's nativity not stated	53	-	3	7	1	6	6	-	-	-	-	30
Negro	5,285	32	1,094	1,853	1,219	704	307	82	3	-	-	11
Other	30	-	1	13	6	6	3	1	-	-	-	-
FLORIDA	48,418	153	8,008	16,230	11,768	7,295	3,809	972	49	4	-	130
White, mother native	35,461	32	4,995	12,409	9,115	5,434	2,701	670	30	2	-	73
White, mother foreign	654	-	19	159	176	145	105	30	-	-	-	-
White, mother's nativity not stated	30	-	5	9	7	3	3	1	-	-	-	2
Negro	12,255	121	2,982	3,640	2,462	1,707	998	270	19	2	-	54
Other	38	-	7	13	8	6	2	1	-	-	-	1
Urban	27,874	72	4,333	9,755	7,152	4,145	1,941	418	15	2	-	65
White, mother native	20,509	14	2,652	7,470	5,601	3,081	1,564	286	7	1	-	33
White, mother foreign	502	-	15	123	141	117	83	23	-	-	-	-
White, mother's nativity not stated	12	-	2	2	4	1	1	-	-	-	-	2
Negro	6,843	58	1,662	2,137	1,406	943	493	109	8	1	-	28
Other	8	-	2	3	-	3	-	-	-	-	-	-
Places of 100,000 or more	11,904	30	1,794	4,161	3,148	1,783	788	164	5	1	-	30
White, mother native	8,864	6	1,146	3,202	2,478	1,557	550	107	3	1	-	18
White, mother foreign	272	-	10	64	73	60	46	19	-	-	-	-
White, mother's nativity not stated	6	-	-	-	3	1	-	-	-	-	-	2
Negro	2,759	24	636	895	596	364	192	38	2	-	-	12
Other	3	-	2	-	-	1	-	-	-	-	-	-
Places of 25,000 to 100,000	4,930	9	708	1,805	1,271	715	344	70	2	-	-	6
White, mother native	3,829	1	458	1,466	1,037	549	259	55	-	-	-	4
White, mother foreign	97	-	1	24	34	21	15	2	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	1,001	8	249	313	200	144	70	13	2	-	-	2
Other	2	-	-	1	-	1	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
FLORIDA—Continued												
Places of 10,000 to 25,000	4,713	10	726	1,605	1,220	702	371	63	2	1	-	13
White, mother native	3,413	2	424	1,216	949	508	260	45	1	-	-	8
White, mother foreign	65	-	2	18	18	16	10	1	-	-	-	-
White, mother's nativity not stated	2	-	1	-	1	-	-	-	-	-	-	-
Negro	1,233	8	299	371	252	178	101	17	1	1	-	5
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,527	23	1,105	2,164	1,515	945	458	121	4	-	-	14
White, mother native	4,403	5	624	1,586	1,139	667	295	79	3	-	-	5
White, mother foreign	68	-	2	17	16	20	12	1	-	-	-	-
White, mother's nativity not stated	3	-	1	1	-	-	1	-	-	-	-	-
Negro	1,850	18	478	558	358	257	130	41	1	-	-	9
Other	3	-	-	2	-	1	-	-	-	-	-	-
Rural	20,544	81	3,675	6,495	4,616	3,150	1,868	554	36	2	-	67
White, mother native	14,952	18	2,343	4,939	3,514	2,353	1,537	384	23	1	-	40
White, mother foreign	132	-	4	36	35	28	22	7	-	-	-	-
White, mother's nativity not stated	18	-	3	7	3	2	2	1	-	-	-	-
Negro	5,412	63	1,320	1,503	1,056	764	505	161	13	1	-	26
Other	30	-	5	10	8	3	2	1	-	-	-	1
GEORGIA	76,540	250	13,047	24,751	18,163	11,804	6,563	1,713	146	2	2	119
White, mother native	49,148	46	6,714	16,394	12,308	8,096	4,305	1,140	77	-	1	67
White, mother foreign	175	-	5	55	42	43	21	6	1	-	-	-
White, mother's nativity not stated	24	-	3	5	4	2	8	1	-	-	-	1
Negro	27,176	204	6,324	8,274	5,802	3,659	2,228	563	68	2	1	51
Other	19	-	1	3	7	4	1	3	-	-	-	-
Urban	31,621	84	5,244	10,970	7,912	4,704	2,190	429	30	1	1	46
White, mother native	21,872	14	2,876	7,952	5,797	3,398	1,517	295	16	-	1	26
White, mother foreign	142	-	4	47	35	37	15	4	-	-	-	-
White, mother's nativity not stated	7	-	-	1	2	1	3	-	-	-	-	-
Negro	9,587	80	2,364	2,967	2,075	1,265	654	127	14	1	-	20
Other	13	-	-	3	3	3	1	3	-	-	-	-
Places of 100,000 or more	7,218	32	1,139	2,313	1,832	1,190	583	114	4	-	-	11
White, mother native	4,985	4	608	1,695	1,318	860	401	88	3	-	-	8
White, mother foreign	46	-	1	9	12	13	9	2	-	-	-	-
White, mother's nativity not stated	2	-	-	-	-	-	2	-	-	-	-	-
Negro	2,184	28	530	609	502	316	171	24	1	-	-	3
Other	1	-	-	-	-	1	-	-	-	-	-	-
Places of 25,000 to 100,000	9,982	28	1,749	3,605	2,508	1,371	597	104	8	1	-	13
White, mother native	6,746	3	951	2,548	1,810	956	404	66	3	-	-	5
White, mother foreign	54	-	3	22	11	13	3	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	3,175	25	795	1,031	686	400	189	33	5	1	-	8
Other	9	-	-	2	1	2	1	3	-	-	-	-
Places of 10,000 to 25,000	6,362	14	1,055	2,351	1,521	895	434	90	8	-	1	13
White, mother native	4,617	7	628	1,747	1,162	667	333	60	6	-	1	6
White, mother foreign	25	-	-	11	5	8	1	-	-	-	-	-
White, mother's nativity not stated	2	-	-	1	-	-	1	-	-	-	-	-
Negro	1,716	7	427	571	353	220	99	30	2	-	-	7
Other	2	-	-	1	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	8,059	20	1,301	2,723	2,051	1,248	576	121	10	-	-	9
White, mother native	5,524	-	689	1,942	1,507	915	379	81	4	-	-	7
White, mother foreign	17	-	-	5	7	3	2	-	-	-	-	-
White, mother's nativity not stated	3	-	-	-	2	1	-	-	-	-	-	-
Negro	2,514	20	612	778	534	329	195	40	6	-	-	2
Other	1	-	-	-	1	-	-	-	-	-	-	-
Rural	44,919	156	7,803	13,761	10,251	7,100	4,373	1,284	116	1	1	73
White, mother native	27,276	32	3,858	8,462	6,511	4,698	2,788	845	61	-	-	41
White, mother foreign	51	-	1	8	7	6	6	2	1	-	-	-
White, mother's nativity not stated	17	-	3	4	2	1	5	1	-	-	-	1
Negro	17,589	124	3,960	5,287	3,727	2,394	1,574	436	54	1	1	31
Other	6	-	1	-	4	1	-	-	-	-	-	-
IDAHO	12,241	7	1,307	4,108	3,372	2,014	1,065	328	26	-	-	14
White, mother native	11,847	5	1,284	3,993	3,266	1,932	1,022	307	26	-	-	12
White, mother foreign	211	-	6	60	52	50	34	9	-	-	-	-
White, mother's nativity not stated	9	-	-	4	3	1	-	1	-	-	-	-
Negro	3	1	1	-	-	1	-	-	-	-	-	-
Other	171	1	16	51	51	30	9	11	-	-	-	2
Urban	5,158	3	585	1,753	1,448	845	395	112	9	-	-	8
White, mother native	5,023	1	580	1,710	1,409	817	382	107	9	-	-	8
White, mother foreign	88	-	3	28	23	20	13	1	-	-	-	-
White, mother's nativity not stated	3	-	-	2	-	1	-	-	-	-	-	-
Negro	3	1	1	-	-	1	-	-	-	-	-	-
Other	41	1	1	13	16	6	-	4	-	-	-	-
Places of 25,000 to 100,000	843	2	92	309	233	143	54	9	1	-	-	-
White, mother native	817	1	91	298	228	137	52	9	1	-	-	-
White, mother foreign	19	-	1	10	2	4	2	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	6	1	-	1	3	1	-	-	-	-	-	-
Places of 10,000 to 25,000	2,265	1	258	778	642	368	168	43	6	-	-	1
White, mother native	2,215	-	256	761	630	355	164	42	6	-	-	1
White, mother foreign	36	-	1	9	11	11	4	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	2	1	1	-	-	-	-	-	-	-	-	-
Other	12	-	-	8	1	2	-	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
IDAHO—Continued												
Places of 2,500 to 10,000	2,050	-	235	666	573	334	173	60	2	-	-	7
White, mother native	1,991	-	233	651	551	325	166	56	2	-	-	7
White, mother foreign	33	-	1	9	10	5	7	1	-	-	-	-
White, mother's nativity not stated	2	-	-	2	-	-	-	-	-	-	-	-
Negro	1	-	-	-	-	1	-	-	-	-	-	-
Other	23	-	1	4	12	3	-	3	-	-	-	-
Rural	7,083	4	722	2,355	1,924	1,169	670	216	17	-	-	6
White, mother native	6,824	4	704	2,283	1,857	1,115	640	200	17	-	-	4
White, mother foreign	123	-	3	32	29	30	21	8	-	-	-	-
White, mother's nativity not stated	6	-	-	2	3	-	-	1	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	130	-	15	38	35	24	9	7	-	-	-	2
ILLINOIS	142,005	91	11,232	42,140	42,980	28,400	13,659	3,277	183	5	2	36
White, mother native	127,418	37	9,060	38,135	40,033	25,586	11,649	2,747	146	5	1	19
White, mother foreign	5,011	-	41	766	910	1,580	1,312	372	29	-	1	-
White, mother's nativity not stated	110	-	28	36	18	4	5	2	-	-	-	17
Negro	9,229	54	2,091	3,122	1,922	1,201	679	154	6	-	-	-
Other	237	-	12	81	97	29	14	2	2	-	-	-
Urban	107,529	77	8,150	31,839	33,277	21,751	10,168	2,146	109	4	1	27
White, mother native	93,731	25	6,079	28,009	30,473	19,081	8,299	1,676	73	4	1	11
White, mother foreign	4,661	-	36	713	860	1,475	1,222	327	28	-	-	-
White, mother's nativity not stated	86	-	20	29	15	4	2	-	-	-	-	16
Negro	8,823	52	2,003	3,012	1,854	1,142	633	141	6	-	-	-
Other	228	-	12	76	95	29	12	2	2	-	-	-
Places of 100,000 or more	62,195	57	4,335	17,774	19,877	13,094	5,827	1,153	60	1	1	16
White, mother native	51,103	16	2,679	14,649	17,637	10,950	4,327	805	33	1	1	5
White, mother foreign	3,674	-	23	554	659	1,190	987	241	20	-	-	-
White, mother's nativity not stated	26	-	1	6	7	1	-	-	-	-	-	11
Negro	7,192	41	1,622	2,498	1,490	928	503	105	5	-	-	-
Other	200	-	10	67	84	25	10	2	2	-	-	-
Places of 25,000 to 100,000	20,058	12	1,608	6,192	6,082	3,813	1,907	389	26	1	-	8
White, mother native	18,498	4	1,339	5,750	5,768	3,569	1,708	335	20	1	-	4
White, mother foreign	434	-	2	82	90	114	112	29	5	-	-	-
White, mother's nativity not stated	42	-	15	16	6	1	-	-	-	-	-	4
Negro	1,048	8	250	339	212	128	85	25	1	-	-	-
Other	16	-	2	5	6	1	2	-	-	-	-	-
Places of 10,000 to 25,000	10,684	4	904	3,397	3,106	2,035	978	246	14	-	-	-
White, mother native	10,055	1	807	3,247	2,963	1,919	889	216	13	-	-	-
White, mother foreign	263	-	6	37	53	68	82	26	1	-	-	-
White, mother's nativity not stated	9	-	2	3	2	1	1	-	-	-	-	-
Negro	361	3	89	107	85	47	28	4	-	-	-	-
Other	6	-	-	3	3	-	-	-	-	-	-	-
Places of 2,500 to 10,000	14,612	4	1,303	4,476	4,212	2,789	1,456	358	9	2	-	3
White, mother native	14,075	4	1,254	4,363	4,105	2,643	1,375	320	7	2	-	2
White, mother foreign	300	-	5	40	58	103	61	31	2	-	-	-
White, mother's nativity not stated	9	-	2	4	-	1	1	-	-	-	-	1
Negro	222	-	42	68	47	39	19	7	-	-	-	-
Other	6	-	-	1	2	3	-	-	-	-	-	-
Rural	34,476	14	3,082	10,301	9,703	6,669	3,491	1,151	74	1	1	9
White, mother native	33,687	12	2,981	10,126	9,560	6,505	3,350	1,071	73	1	-	8
White, mother foreign	350	-	5	53	50	105	90	45	1	-	1	-
White, mother's nativity not stated	24	-	8	7	3	-	3	2	-	-	-	1
Negro	406	2	88	110	88	59	46	13	-	-	-	-
Other	9	-	-	5	2	-	2	-	-	-	-	-
INDIANA	71,354	46	7,845	23,266	19,795	12,186	6,167	1,740	123	2	1	183
White, mother native	67,651	24	7,220	22,117	18,983	11,609	5,805	1,619	118	2	1	153
White, mother foreign	736	-	12	164	163	181	150	62	3	-	-	1
White, mother's nativity not stated	145	-	15	35	33	29	13	2	-	-	-	18
Negro	2,809	22	597	940	614	367	199	57	2	-	-	11
Other	13	-	1	10	2	-	-	-	-	-	-	-
Urban	42,898	36	4,942	14,481	12,094	7,124	3,255	816	45	1	1	103
White, mother native	39,490	14	4,335	13,401	11,356	6,608	2,938	715	41	1	1	80
White, mother foreign	595	-	11	136	127	145	124	49	2	-	-	1
White, mother's nativity not stated	78	-	7	25	16	14	5	-	-	-	-	11
Negro	2,724	22	588	911	593	357	188	52	2	-	-	11
Other	11	-	1	8	2	-	-	-	-	-	-	-
Places of 100,000 or more	16,607	15	1,852	5,408	4,770	2,941	1,285	310	10	-	1	15
White, mother native	14,451	3	1,451	4,724	4,301	2,617	1,087	253	7	-	1	7
White, mother foreign	284	-	2	62	56	76	63	22	2	-	-	1
White, mother's nativity not stated	8	-	-	3	3	-	2	-	-	-	-	-
Negro	1,857	12	398	613	410	248	133	35	1	-	-	7
Other	7	-	1	6	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	13,754	16	1,612	4,682	3,854	2,223	1,037	274	15	1	-	40
White, mother native	12,750	7	1,438	4,366	3,641	2,068	941	244	14	1	-	30
White, mother foreign	218	-	5	46	46	52	50	19	-	-	-	-
White, mother's nativity not stated	36	-	6	10	7	6	1	-	-	-	-	6
Negro	747	9	163	258	159	97	45	11	1	-	-	4
Other	3	-	-	2	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	5,537	3	671	1,913	1,537	893	404	86	7	-	-	23
White, mother native	5,402	2	658	1,866	1,504	872	392	79	7	-	-	22
White, mother foreign	54	-	1	17	16	11	6	3	-	-	-	-
White, mother's nativity not stated	17	-	-	6	4	4	2	-	-	-	-	1
Negro	63	1	12	24	12	6	4	4	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
INDIANA—Continued												
Places of 2,500 to 10,000	7,000	2	807	2,478	1,933	1,067	529	146	13	-	-	25
White, mother native	6,887	2	788	2,445	1,910	1,051	518	139	13	-	-	21
White, mother foreign	39	-	3	11	9	6	5	5	-	-	-	-
White, mother's nativity not stated	17	-	1	6	2	4	-	-	-	-	-	4
Negro	57	-	15	16	12	6	6	2	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	28,456	10	2,903	8,785	7,701	5,062	2,912	924	78	1	-	80
White, mother native	28,161	10	2,885	8,716	7,627	5,001	2,867	904	77	1	-	73
White, mother foreign	141	-	1	28	36	36	26	13	1	-	-	-
White, mother's nativity not stated	67	-	8	10	17	15	8	2	-	-	-	7
Negro	85	-	9	29	21	10	11	5	-	-	-	-
Other	2	-	-	2	-	-	-	-	-	-	-	-
IOWA	46,564	13	3,690	14,613	13,365	8,861	4,576	1,510	108	1	-	29
White, mother native	45,746	11	3,628	14,420	13,207	8,692	4,421	1,242	98	1	-	26
White, mother foreign	479	-	5	73	84	130	127	51	9	-	-	-
White, mother's nativity not stated	15	-	1	5	2	3	2	-	-	-	-	2
Negro	278	2	49	101	57	33	20	14	1	-	-	1
Other	46	-	7	14	13	3	6	3	-	-	-	-
Urban	20,543	6	1,875	6,769	5,843	3,741	1,774	495	31	-	-	9
White, mother native	20,005	4	1,820	6,625	5,739	3,625	1,690	466	29	-	-	7
White, mother foreign	248	-	3	36	47	83	61	16	2	-	-	-
White, mother's nativity not stated	4	-	-	1	-	1	1	-	-	-	-	1
Negro	257	2	48	95	52	30	17	12	-	-	-	1
Other	29	-	4	12	5	2	5	1	-	-	-	-
Places of 100,000 or more	5,103	-	301	1,005	906	578	242	70	1	-	-	-
White, mother native	2,930	-	280	954	869	544	221	61	1	-	-	-
White, mother foreign	44	-	-	6	9	16	9	4	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	122	-	20	43	26	17	11	5	-	-	-	-
Other	7	-	1	2	2	1	1	-	-	-	-	-
Places of 25,000 to 100,000	9,211	5	853	3,058	2,592	1,675	786	223	14	-	-	5
White, mother native	8,978	3	828	2,994	2,548	1,630	750	209	12	-	-	4
White, mother foreign	122	-	2	21	23	37	30	7	2	-	-	-
White, mother's nativity not stated	2	-	-	-	-	1	1	-	-	-	-	-
Negro	91	2	21	34	19	6	2	6	-	-	-	1
Other	18	-	2	9	2	1	.5	1	-	-	-	-
Places of 10,000 to 25,000	2,998	-	284	995	852	556	269	56	5	-	-	3
White, mother native	2,940	-	279	978	823	542	258	53	5	-	-	2
White, mother foreign	30	-	-	4	5	11	7	3	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	-	1
Negro	26	-	5	11	4	3	3	-	-	-	-	-
Other	1	-	-	-	-	-	1	-	-	-	-	-
Places of 2,500 to 10,000	5,251	1	437	1,715	1,513	932	477	146	11	-	-	1
White, mother native	5,157	1	433	1,699	1,499	909	461	143	11	-	-	1
White, mother foreign	52	-	1	5	10	19	15	2	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	18	-	2	7	3	4	1	1	-	-	-	-
Other	3	-	1	1	1	-	-	-	-	-	-	-
Rural	26,021	7	1,615	7,844	7,520	5,120	2,802	815	77	1	-	20
White, mother native	25,741	7	1,808	7,795	7,468	5,067	2,731	776	69	1	-	19
White, mother foreign	231	-	2	37	37	47	66	35	7	-	-	-
White, mother's nativity not stated	11	-	1	4	2	2	1	-	-	-	-	1
Negro	21	-	1	6	5	3	3	2	1	-	-	-
Other	17	-	3	2	8	1	1	2	-	-	-	-
KANSAS	34,976	26	3,762	11,452	9,368	6,021	3,208	977	71	2	2	87
White, mother native	33,354	16	3,486	10,977	9,017	5,780	3,035	896	67	1	2	77
White, mother foreign	324	-	7	49	73	71	71	45	4	1	-	3
White, mother's nativity not stated	38	1	6	11	5	4	4	3	-	-	-	4
Negro	1,176	9	254	384	249	150	94	33	-	-	-	3
Other	84	-	9	31	24	16	4	-	-	-	-	-
Urban	18,790	16	2,430	6,683	4,928	2,866	1,419	392	14	2	-	40
White, mother native	17,438	8	2,188	6,266	4,630	2,662	1,301	336	12	1	-	34
White, mother foreign	222	-	5	39	53	55	38	27	2	1	-	2
White, mother's nativity not stated	16	1	1	5	4	-	1	3	1	-	-	1
Negro	1,057	7	229	353	226	138	75	26	1	-	-	3
Other	57	-	7	20	15	11	4	-	-	-	-	-
Places of 100,000 or more	6,933	6	831	2,441	1,924	1,092	476	147	3	-	-	13
White, mother native	6,242	3	701	2,229	1,765	996	422	115	2	-	-	9
White, mother foreign	76	-	2	8	20	17	14	12	1	-	-	2
White, mother's nativity not stated	4	-	-	1	1	-	-	2	-	-	-	-
Negro	596	3	128	195	134	76	40	18	-	-	-	2
Other	15	-	-	8	4	3	-	-	-	-	-	-
Places of 25,000 to 100,000	2,287	2	315	851	572	335	185	42	1	1	-	3
White, mother native	2,115	1	292	773	536	303	172	34	1	-	-	3
White, mother foreign	48	-	1	10	7	12	9	8	-	1	-	-
White, mother's nativity not stated	4	-	-	1	2	-	1	-	-	-	-	-
Negro	98	1	20	39	20	16	2	-	-	-	-	-
Other	22	-	2	8	7	4	1	-	-	-	-	-
Places of 10,000 to 25,000	4,738	4	612	1,701	1,196	744	361	100	2	1	-	17
White, mother native	4,408	3	541	1,605	1,125	697	331	89	1	1	-	15
White, mother foreign	49	-	1	6	15	14	7	5	1	-	-	-
White, mother's nativity not stated	4	-	-	2	1	-	-	-	-	-	-	1
Negro	264	1	66	84	53	31	22	6	-	-	-	1
Other	13	-	4	4	2	2	1	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
KANSAS—Continued												
Places of 2,500 to 10,000	4,852	4	672	1,710	1,238	695	397	103	8	-	-	7
White, mother native	4,673	1	654	1,659	1,204	666	376	98	8	-	-	7
White, mother foreign	49	-	1	15	11	12	8	2	-	-	-	-
White, mother's nativity not stated	4	1	1	1	-	-	-	1	-	-	-	-
Negro	99	2	15	35	19	15	11	2	-	-	-	-
Other	7	-	1	-	2	2	2	-	-	-	-	-
Rural	16,186	10	1,332	4,769	4,440	3,155	1,789	585	57	-	2	47
White, mother native	15,916	8	1,298	4,711	4,387	3,118	1,754	560	55	-	2	45
White, mother foreign	102	-	2	10	20	16	33	18	2	-	-	1
White, mother's nativity not stated	22	-	5	6	1	4	3	-	-	-	-	3
Negro	119	2	25	31	23	12	19	7	-	-	-	-
Other	27	-	2	11	9	5	-	-	-	-	-	-
KENTUCKY	64,225	89	8,597	19,994	15,708	10,816	6,578	2,254	187	4	1	17
White, mother native	60,765	65	7,827	18,956	15,018	10,295	6,280	2,163	160	4	1	16
White, mother foreign	107	-	8	26	27	21	16	9	-	-	-	-
White, mother's nativity not stated	29	1	3	6	10	5	3	-	-	-	-	1
Negro	3,316	23	756	1,025	652	492	279	82	7	-	-	-
Other	8	-	3	1	1	3	-	-	-	-	-	-
Urban	20,685	32	2,864	6,881	5,418	3,289	1,677	469	29	-	-	6
White, mother native	18,657	16	2,380	6,249	5,032	3,010	1,518	424	25	-	-	5
White, mother foreign	75	-	4	18	21	15	12	5	-	-	-	-
White, mother's nativity not stated	5	-	-	1	2	1	-	-	-	-	-	1
Negro	1,923	16	478	612	363	261	149	40	4	-	-	-
Other	5	-	2	1	-	2	-	-	-	-	-	-
Places of 100,000 or more	8,757	12	1,128	2,924	2,371	1,427	696	188	9	-	-	2
White, mother native	7,855	5	911	2,614	2,187	1,310	625	173	9	-	-	1
White, mother foreign	47	-	2	11	14	13	6	1	-	-	-	-
White, mother's nativity not stated	2	-	-	-	1	-	-	-	-	-	-	1
Negro	872	7	215	299	169	103	65	14	-	-	-	-
Other	1	-	-	-	-	1	-	-	-	-	-	-
Places of 25,000 to 100,000	5,228	10	737	1,719	1,366	835	433	117	10	-	-	1
White, mother native	4,781	4	628	1,591	1,277	764	402	105	9	-	-	1
White, mother foreign	18	-	1	3	4	2	5	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	427	6	107	124	85	69	26	9	1	-	-	-
Other	2	-	1	1	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,584	4	248	541	368	237	142	40	3	-	-	1
White, mother native	1,397	2	198	488	339	212	124	31	2	-	-	1
White, mother foreign	4	-	-	3	1	-	-	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	182	2	50	50	28	24	18	9	1	-	-	-
Other	1	-	-	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000	5,096	6	751	1,697	1,315	790	406	124	7	-	-	2
White, mother native	4,644	5	643	1,556	1,229	724	365	115	5	-	-	2
White, mother foreign	6	-	1	1	2	-	1	1	-	-	-	-
White, mother's nativity not stated	3	-	-	1	1	1	-	-	-	-	-	-
Negro	442	1	106	139	81	65	40	8	2	-	-	-
Other	1	-	1	-	-	-	-	-	-	-	-	-
Rural	43,560	57	5,733	13,113	10,290	7,527	4,901	1,785	138	4	1	11
White, mother native	42,108	49	5,447	12,687	9,986	7,285	4,764	1,739	135	4	1	11
White, mother foreign	32	-	4	8	6	6	4	4	-	-	-	-
White, mother's nativity not stated	24	1	3	5	8	4	3	-	-	-	-	-
Negro	1,393	7	278	413	289	231	130	42	3	-	-	-
Other	3	-	1	-	1	1	-	-	-	-	-	-
LOUISIANA	61,050	156	9,580	19,562	14,906	9,806	5,368	1,410	118	7	2	135
White, mother native	37,241	22	4,642	12,262	9,717	6,371	3,255	837	58	4	1	72
White, mother foreign	209	-	3	56	52	58	28	11	1	-	-	-
White, mother's nativity not stated	13	-	6	4	1	-	-	1	-	-	-	1
Negro	23,478	134	4,912	7,208	5,112	3,355	2,072	560	59	3	1	62
Other	109	-	17	32	24	22	13	1	-	-	-	-
Urban	27,261	59	4,070	9,223	7,019	4,545	2,048	423	37	3	1	35
White, mother native	18,196	9	2,033	6,252	5,020	3,163	1,401	270	22	3	1	22
White, mother foreign	169	-	2	48	44	48	20	6	1	-	-	-
White, mother's nativity not stated	5	-	1	1	1	-	-	1	-	-	-	1
Negro	8,857	50	2,029	2,907	1,948	1,125	627	145	14	-	-	12
Other	34	-	5	15	6	7	-	1	-	-	-	-
Places of 100,000 or more	12,157	20	1,680	4,114	3,125	2,054	965	197	12	1	-	9
White, mother native	7,902	1	750	2,686	2,217	1,466	649	118	7	1	-	7
White, mother foreign	118	-	2	34	27	36	15	3	1	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	4,111	19	924	1,381	877	527	301	76	4	-	-	2
Other	25	-	4	12	4	5	-	-	-	-	-	-
Places of 25,000 to 100,000	5,701	23	950	1,990	1,438	862	367	60	4	2	-	5
White, mother native	3,559	3	425	1,275	989	587	236	37	3	2	-	2
White, mother foreign	31	-	-	6	11	7	4	3	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	1	-	-	-	-
Negro	2,110	20	525	709	438	268	127	19	1	-	-	3
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,431	4	333	840	659	362	181	41	6	-	-	5
White, mother native	1,688	-	178	582	480	278	136	29	3	-	-	2
White, mother foreign	9	-	-	3	5	1	-	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	-	1
Negro	733	4	155	255	174	83	45	12	3	-	-	2
Other	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
LOUISIANA—Continued												
Places of 2,500 to 10,000	6,972	12	1,107	2,279	1,797	1,085	535	125	15	-	1	16
White, mother native	5,047	5	660	1,709	1,334	832	380	86	9	-	1	11
White, mother foreign	11	-	-	5	1	4	1	-	-	-	-	-
White, mother's nativity not stated	2	-	1	-	1	-	-	-	-	-	-	-
Negro	1,905	7	425	562	459	247	154	38	6	-	-	5
Other	9	-	1	3	2	2	-	1	-	-	-	-
Rural	33,789	97	5,510	10,339	7,887	5,463	3,320	987	81	4	1	100
White, mother native	19,045	13	2,609	6,010	4,697	3,208	1,854	567	36	1	-	50
White, mother foreign	40	-	1	8	8	10	8	5	-	-	-	-
White, mother's nativity not stated	8	-	5	3	-	-	-	-	-	-	-	-
Negro	14,621	84	2,883	4,301	3,164	2,230	1,445	415	45	3	1	50
Other	75	-	12	17	18	15	13	1	-	-	-	-
MAINE	17,762	11	1,830	5,845	4,795	3,062	1,655	523	38	2	1	6
White, mother native	16,372	10	1,770	5,525	4,433	2,773	1,403	423	27	2	1	5
White, mother foreign	1,314	1	48	290	345	279	244	97	9	-	-	1
White, mother's nativity not stated	5	-	-	2	-	-	1	-	-	-	-	-
Negro	32	-	6	14	6	6	-	-	-	-	-	-
Other	41	-	6	14	9	4	5	3	-	-	-	-
Urban	6,882	3	639	2,322	1,943	1,200	598	166	8	1	-	2
White, mother native	6,208	2	607	2,165	1,767	1,045	489	125	5	1	-	2
White, mother foreign	659	1	23	145	170	148	108	41	3	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	25	-	6	10	4	5	-	-	-	-	-	-
Other	9	-	3	1	2	2	1	-	-	-	-	-
Places of 25,000 to 100,000	3,027	-	268	1,005	882	550	274	64	3	1	-	-
White, mother native	2,724	-	254	941	810	454	216	45	3	1	-	-
White, mother foreign	280	-	8	56	68	71	58	19	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	19	-	5	7	3	4	-	-	-	-	-	-
Other	3	-	1	-	1	1	-	-	-	-	-	-
Places of 10,000 to 25,000	2,360	2	201	786	674	411	221	62	1	-	-	2
White, mother native	2,126	1	193	734	612	358	179	46	1	-	-	2
White, mother foreign	229	1	7	49	62	53	41	16	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-	-
Other	3	-	1	1	-	-	1	-	-	-	-	-
Places of 2,500 to 10,000	1,495	1	170	531	387	259	103	40	4	-	-	-
White, mother native	1,358	1	160	490	345	233	94	34	1	-	-	-
White, mother foreign	130	-	8	40	40	24	9	6	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	1	1	1	1	-	-	-	-	-	-
Other	3	-	1	-	1	1	-	-	-	-	-	-
Rural	10,880	8	1,191	3,523	2,850	1,862	1,055	357	28	1	1	4
White, mother native	10,164	8	1,163	3,360	2,666	1,728	914	298	22	1	1	3
White, mother foreign	675	-	25	145	175	131	136	56	6	-	-	1
White, mother's nativity not stated	2	-	-	1	-	-	1	-	-	-	-	-
Negro	17	-	-	4	2	1	-	-	-	-	-	-
Other	32	-	3	13	7	2	4	3	-	-	-	-
MARYLAND	43,915	97	5,320	14,193	11,909	7,624	3,674	969	62	-	-	67
White, mother native	34,961	16	3,279	11,450	10,106	6,307	2,967	749	43	-	-	44
White, mother foreign	687	-	7	119	141	235	143	40	1	-	-	1
White, mother's nativity not stated	22	-	2	5	7	1	1	-	-	-	-	6
Negro	8,226	81	2,031	2,616	1,647	1,076	561	180	18	-	-	16
Other	19	-	1	3	8	5	2	-	-	-	-	-
Urban	25,089	80	3,161	8,411	6,822	4,206	1,924	448	23	-	-	34
White, mother native	19,269	7	1,789	6,589	5,658	3,355	1,500	331	15	-	-	25
White, mother foreign	472	-	5	77	92	165	102	30	1	-	-	-
White, mother's nativity not stated	6	-	1	1	3	-	-	-	-	-	-	1
Negro	5,330	53	1,365	1,742	1,065	682	321	87	7	-	-	8
Other	12	-	1	2	4	4	1	-	-	-	-	-
Places of 100,000 or more	19,124	52	2,517	6,514	5,112	3,142	1,417	334	16	-	-	20
White, mother native	13,934	6	1,289	4,874	4,085	2,575	1,055	230	8	-	-	12
White, mother foreign	369	-	3	54	60	138	84	29	1	-	-	-
White, mother's nativity not stated	5	-	-	1	3	-	-	-	-	-	-	1
Negro	4,805	46	1,224	1,583	961	625	277	75	7	-	-	7
Other	11	-	1	2	3	4	1	-	-	-	-	-
Places of 25,000 to 100,000	1,398	-	170	463	364	239	118	36	5	-	-	3
White, mother native	1,352	-	166	449	346	234	115	34	5	-	-	3
White, mother foreign	7	-	-	2	2	2	1	-	-	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	38	-	3	12	16	5	2	2	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,988	3	237	641	577	319	172	34	-	-	-	3
White, mother native	1,836	-	146	532	504	283	141	27	-	-	-	3
White, mother foreign	31	-	-	5	9	9	7	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	118	3	91	104	63	27	24	6	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	2,581	5	237	795	769	506	217	44	2	-	-	8
White, mother native	2,347	1	188	734	723	483	189	40	2	-	-	7
White, mother foreign	65	-	2	16	21	16	10	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	169	4	47	43	25	27	18	4	-	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	18,826	37	2,159	5,782	5,087	3,418	1,750	521	39	-	-	33
White, mother native	15,692	9	1,490	4,861	4,448	2,952	1,467	418	28	-	-	19
White, mother foreign	215	-	2	42	49	70	41	10	-	-	-	1
White, mother's nativity not stated	16	-	1	4	4	1	1	-	-	-	-	5
Negro	2,896	28	666	874	582	394	240	93	11	-	-	8
Other	7	-	-	1	4	1	1	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL. UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MASSACHUSETTS	78,209	12	3,439	20,826	24,755	17,518	9,195	2,173	129	4	3	155
White, mother native	70,075	9	3,198	19,499	23,185	15,281	7,191	1,507	71	3	2	133
White, mother foreign	6,880	-	53	881	1,269	2,056	1,915	656	56	1	1	12
White, mother's nativity not stated	24	-	1	5	3	8	4	-	-	-	-	3
Negro	1,173	3	184	423	286	163	78	28	1	-	-	7
Other	57	-	5	18	14	10	7	2	1	-	-	-
Urban	70,280	10	3,009	18,674	22,368	15,749	8,267	1,936	117	4	3	143
White, mother native	62,754	8	2,788	17,447	20,906	13,680	6,418	1,319	60	3	2	123
White, mother foreign	6,373	-	49	812	1,180	1,905	1,768	591	55	1	1	11
White, mother's nativity not stated	20	-	1	4	3	6	3	-	-	-	-	3
Negro	1,081	2	168	395	266	148	71	24	1	-	-	6
Other	52	-	3	16	13	10	7	2	1	-	-	-
Places of 100,000 or more	30,505	5	1,470	8,217	9,682	6,678	3,551	819	44	1	2	36
White, mother native	26,450	3	1,297	7,516	8,902	5,594	2,578	510	19	1	2	28
White, mother foreign	3,095	-	25	356	541	951	907	289	23	-	-	3
White, mother's nativity not stated	12	-	1	3	3	1	2	-	-	-	-	2
Negro	905	2	144	330	225	123	58	19	1	-	-	3
Other	43	-	3	12	11	9	6	1	1	-	-	-
Places of 25,000 to 100,000	21,534	3	823	5,589	6,970	4,875	2,549	607	42	2	1	73
White, mother native	19,453	3	799	5,267	6,549	4,297	2,023	421	24	2	-	68
White, mother foreign	1,957	-	11	278	390	556	518	183	18	-	1	2
White, mother's nativity not stated	5	-	-	1	-	4	-	-	-	-	-	-
Negro	113	-	13	40	30	17	8	2	-	-	-	3
Other	6	-	-	3	1	1	-	1	-	-	-	-
Places of 10,000 to 25,000	13,172	2	518	3,474	4,119	3,033	1,603	375	22	1	-	25
White, mother native	12,123	2	503	3,327	3,920	2,720	1,539	279	14	-	-	19
White, mother foreign	1,015	-	9	135	194	308	260	94	8	1	-	6
White, mother's nativity not stated	2	-	-	-	-	1	1	-	-	-	-	-
Negro	30	-	6	11	5	4	2	2	-	-	-	-
Other	2	-	-	1	-	-	1	-	-	-	-	-
Places of 2,500 to 10,000	5,069	-	188	1,394	1,597	1,163	564	135	9	-	-	9
White, mother native	4,728	-	189	1,337	1,535	1,069	478	109	3	-	-	8
White, mother foreign	306	-	4	43	55	90	83	25	6	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	-	1
Negro	33	-	5	14	6	4	3	1	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-	-
Rural	7,929	2	430	2,152	2,387	1,769	928	237	12	-	-	12
White, mother native	7,321	1	408	2,052	2,277	1,601	775	188	11	-	-	10
White, mother foreign	507	-	4	69	89	151	147	45	1	-	-	1
White, mother's nativity not stated	4	-	-	1	-	2	1	-	-	-	-	-
Negro	92	1	16	28	20	15	7	4	-	-	-	1
Other	5	-	2	2	1	-	-	-	-	-	-	-
MICHIGAN	114,700	76	10,113	36,096	33,654	21,094	10,636	2,714	176	5	1	135
White, mother native	102,319	42	8,716	32,661	30,773	18,717	8,987	2,171	140	4	1	107
White, mother foreign	6,114	-	111	1,263	1,490	1,571	1,209	432	32	1	-	5
White, mother's nativity not stated	66	-	7	23	14	7	3	1	-	-	-	8
Negro	5,992	34	1,252	2,073	1,322	770	420	103	3	-	-	15
Other	209	-	27	76	55	29	17	5	-	-	-	-
Urban	77,584	57	6,890	24,802	23,023	14,155	6,884	1,616	88	4	-	65
White, mother native	66,698	24	5,574	21,680	20,469	12,113	5,520	1,205	67	3	-	43
White, mother foreign	5,015	-	86	1,074	1,251	1,304	962	313	19	1	-	5
White, mother's nativity not stated	27	-	3	9	6	4	1	1	-	-	-	3
Negro	5,749	33	1,212	2,004	1,270	726	393	95	2	-	-	14
Other	95	-	15	35	27	8	8	2	-	-	-	-
Places of 100,000 or more	39,582	32	3,464	12,486	11,858	7,337	3,535	822	39	2	-	27
White, mother native	31,863	8	2,435	10,220	9,975	5,863	2,582	539	27	1	-	13
White, mother foreign	3,345	-	50	700	842	890	637	211	11	1	-	3
White, mother's nativity not stated	8	-	2	2	3	1	-	-	-	-	-	-
Negro	4,523	24	968	1,549	1,008	580	311	71	1	-	-	11
Other	43	-	9	15	10	3	5	1	-	-	-	-
Places of 25,000 to 100,000	18,105	13	1,652	5,951	5,352	3,210	1,522	371	16	1	-	17
White, mother native	16,665	10	1,527	5,539	5,033	2,927	1,301	300	13	1	-	14
White, mother foreign	846	-	13	189	198	209	178	55	3	-	-	1
White, mother's nativity not stated	10	-	-	4	1	2	-	1	-	-	-	2
Negro	559	3	109	209	111	71	42	14	-	-	-	-
Other	25	-	3	10	9	1	1	1	-	-	-	-
Places of 10,000 to 25,000	8,838	4	818	2,871	2,585	1,576	781	182	9	1	-	11
White, mother native	8,059	-	712	2,637	2,387	1,447	703	159	5	1	-	8
White, mother foreign	359	-	13	82	100	83	60	18	3	-	-	-
White, mother's nativity not stated	3	-	-	-	-	1	1	-	-	-	-	1
Negro	406	4	91	149	95	42	17	5	1	-	-	2
Other	11	-	2	3	3	3	-	-	-	-	-	-
Places of 2,500 to 10,000	11,059	8	956	3,494	3,248	2,032	1,046	241	24	-	-	10
White, mother native	10,311	6	900	3,284	3,074	1,876	934	207	22	-	-	8
White, mother foreign	465	-	10	103	111	122	87	29	2	-	-	1
White, mother's nativity not stated	6	-	1	3	2	-	-	-	-	-	-	-
Negro	261	2	44	97	56	33	23	5	-	-	-	1
Other	16	-	1	7	5	1	2	-	-	-	-	-
Rural	37,116	19	3,223	11,294	10,651	6,939	3,752	1,098	88	1	1	70
White, mother native	35,621	18	3,142	10,981	10,304	6,604	3,467	966	73	1	1	64
White, mother foreign	1,099	-	25	189	239	267	247	119	13	-	-	-
White, mother's nativity not stated	39	-	4	14	8	3	2	2	1	-	-	5
Negro	243	1	40	69	52	44	27	8	1	-	-	1
Other	114	-	12	41	28	21	9	3	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MINNESOTA	56,113	10	3,187	15,580	17,279	11,685	6,352	1,868	133	2	-	17
White, mother native	54,372	9	3,098	15,223	16,898	11,268	6,014	1,722	123	2	-	15
White, mother foreign	1,188	-	14	183	242	328	271	121	7	-	-	2
White, mother's nativity not stated	31	-	5	9	8	6	-	3	-	-	-	-
Negro	83	-	18	22	21	15	5	2	-	-	-	-
Other	459	1	52	143	110	68	62	20	3	-	-	-
Urban	29,229	3	1,567	8,323	9,403	6,056	3,030	789	49	2	-	7
White, mother native	28,310	3	1,531	8,144	9,179	5,816	2,882	723	45	2	-	5
White, mother foreign	741	-	8	119	173	215	168	62	4	-	-	2
White, mother's nativity not stated	14	-	2	3	5	3	-	1	-	-	-	-
Negro	80	-	18	21	21	14	5	1	-	-	-	-
Other	84	-	8	36	25	8	5	2	-	-	-	-
Places of 100,000 or more	18,053	1	945	5,251	5,837	3,710	1,827	449	29	-	-	4
White, mother native	17,367	1	916	5,119	5,678	3,529	1,695	398	28	-	-	3
White, mother foreign	535	-	6	79	114	161	124	47	1	-	-	1
White, mother's nativity not stated	11	-	1	3	5	1	-	1	-	-	-	-
Negro	77	-	18	20	19	14	5	1	-	-	-	-
Other	65	-	4	30	21	5	3	2	-	-	-	-
Places of 25,000 to 100,000	585	1	35	150	197	124	49	8	-	-	-	1
White, mother native	549	1	35	150	188	118	48	8	-	-	-	1
White, mother foreign	15	-	-	-	8	6	1	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	-	1	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,723	1	227	1,095	1,110	755	405	121	9	1	-	1
White, mother native	3,654	1	226	1,088	1,096	733	387	115	7	1	-	-
White, mother foreign	64	-	-	6	13	19	17	6	2	-	-	1
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-	-
Other	2	-	-	-	1	1	1	-	-	-	-	-
Places of 2,500 to 10,000	6,886	-	360	1,827	2,259	1,469	749	211	11	1	-	1
White, mother native	6,740	-	354	1,787	2,217	1,436	732	202	10	1	-	1
White, mother foreign	129	-	2	34	38	29	16	9	1	-	-	-
White, mother's nativity not stated	2	-	-	-	-	2	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	17	-	4	6	4	2	1	-	-	-	-	-
Rural	26,884	7	1,620	7,257	7,876	5,629	3,522	1,079	84	-	-	10
White, mother native	26,062	6	1,567	7,079	7,719	5,452	3,152	999	78	-	-	10
White, mother foreign	427	-	6	64	69	113	113	59	3	-	-	-
White, mother's nativity not stated	17	-	3	6	3	3	-	2	-	-	-	-
Negro	3	-	-	1	-	1	-	1	-	-	-	-
Other	375	1	44	107	85	60	57	18	3	-	-	-
MISSISSIPPI	58,940	330	10,823	17,307	12,466	8,878	5,327	1,584	128	3	1	93
White, mother native	25,895	26	3,465	8,308	6,369	4,424	2,482	743	44	1	1	32
White, mother foreign	74	-	4	18	23	17	10	2	-	-	-	-
White, mother's nativity not stated	7	-	1	2	1	-	-	1	-	-	-	2
Negro	30,848	303	7,336	8,942	6,051	4,417	2,825	833	83	2	-	56
Other	116	1	17	37	22	20	10	5	1	-	-	3
Urban	12,550	42	2,085	4,295	3,085	1,947	916	181	7	-	-	12
White, mother native	8,142	7	1,044	2,940	2,145	1,280	605	114	3	-	-	4
White, mother foreign	50	-	1	16	16	8	7	2	-	-	-	-
White, mother's nativity not stated	4	-	-	1	-	-	-	1	-	-	-	2
Negro	4,330	35	1,038	1,330	897	655	303	62	4	-	-	6
Other	24	-	2	8	7	4	1	2	-	-	-	-
Places of 25,000 to 100,000	2,452	13	405	822	614	394	161	37	2	-	-	4
White, mother native	1,585	5	187	548	439	266	115	25	-	-	-	2
White, mother foreign	15	-	-	3	7	3	-	2	-	-	-	-
White, mother's nativity not stated	2	-	-	1	-	-	-	1	-	-	-	-
Negro	852	10	218	270	168	125	46	11	2	-	-	2
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	5,504	16	950	1,934	1,339	804	392	63	1	-	-	5
White, mother native	3,588	1	496	1,356	929	516	246	42	-	-	-	2
White, mother foreign	27	-	1	9	7	5	5	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1,875	15	452	564	398	281	141	20	1	-	-	3
Other	14	-	1	5	5	2	-	1	-	-	-	-
Places of 2,500 to 10,000	4,594	13	730	1,539	1,112	749	363	81	4	-	-	3
White, mother native	2,871	3	361	1,036	777	498	244	49	3	-	-	-
White, mother foreign	8	-	-	4	2	-	2	-	-	-	-	-
White, mother's nativity not stated	2	-	-	-	-	-	-	-	-	-	-	2
Negro	1,603	10	368	496	331	249	116	31	1	-	-	1
Other	10	-	1	3	2	2	1	1	-	-	-	-
Rural	44,390	288	8,738	13,012	9,401	6,851	4,411	1,403	121	3	1	81
White, mother native	17,753	19	2,421	5,368	4,224	3,144	1,877	629	41	1	1	28
White, mother foreign	24	-	3	2	7	9	3	-	-	-	-	-
White, mother's nativity not stated	3	-	1	1	1	-	-	-	-	-	-	-
Negro	26,516	268	6,298	7,612	5,154	3,762	2,522	771	79	2	-	50
Other	92	1	15	29	15	16	9	3	1	-	-	3
MISSOURI	67,990	70	8,516	21,234	17,630	12,045	6,370	1,897	115	1	-	112
White, mother native	62,433	31	7,253	19,684	16,529	11,147	5,842	1,740	108	-	-	99
White, mother foreign	543	-	10	103	98	173	110	49	-	-	-	-
White, mother's nativity not stated	19	-	-	6	4	5	1	-	-	-	-	3
Negro	4,956	39	1,245	1,426	992	714	416	106	7	1	-	10
Other	39	-	8	15	7	6	1	2	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MISSOURI—Continued												
Urban	37,559	39	4,795	12,196	9,991	6,589	3,116	769	34	1	-	29
White, mother native	33,103	11	3,765	10,955	9,098	5,881	2,708	652	31	-	-	22
White, mother foreign	460	-	9	81	81	149	98	42	-	-	-	-
White, mother's nativity not stated	8	-	-	2	1	1	1	-	-	-	-	3
Negro	3,958	28	1,015	1,165	805	555	308	74	3	1	-	4
Other	30	-	6	13	6	3	1	1	-	-	-	-
Places of 100,000 or more	21,842	27	2,820	7,094	5,808	3,802	1,820	443	14	1	-	13
White, mother native	18,169	5	1,961	6,029	5,069	3,246	1,489	351	12	-	-	7
White, mother foreign	339	-	8	62	50	113	73	33	-	-	-	-
White, mother's nativity not stated	4	-	-	-	-	-	1	-	-	-	-	3
Negro	3,309	22	847	992	685	442	257	58	2	1	-	3
Other	21	-	4	11	4	1	-	1	-	-	-	-
Places of 25,000 to 100,000	3,977	4	523	1,556	1,018	703	289	77	5	-	-	2
White, mother native	3,852	2	503	1,529	989	672	278	72	5	-	-	2
White, mother foreign	44	-	-	8	10	15	7	4	-	-	-	-
White, mother's nativity not stated	2	-	-	1	-	1	-	-	-	-	-	-
Negro	74	2	18	17	19	14	3	1	-	-	-	-
Other	5	-	2	1	-	1	1	-	-	-	-	-
Places of 10,000 to 25,000	5,039	1	556	1,544	1,418	969	440	100	6	-	-	7
White, mother native	4,681	-	476	1,446	1,346	903	408	91	5	-	-	6
White, mother foreign	41	-	-	6	14	11	7	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	313	1	80	91	54	54	25	6	1	-	-	1
Other	4	-	-	1	2	1	-	-	-	-	-	-
Places of 2,500 to 10,000	6,701	7	896	2,202	1,749	1,115	567	149	9	-	-	7
White, mother native	6,401	4	825	2,131	1,694	1,060	533	138	9	-	-	7
White, mother foreign	36	-	1	5	7	10	11	2	-	-	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	262	3	70	65	47	45	23	9	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	30,431	31	3,721	9,038	7,639	5,456	3,254	1,128	81	-	-	83
White, mother native	29,530	20	3,488	8,749	7,451	5,266	3,134	1,088	77	-	-	77
White, mother foreign	83	-	1	22	17	24	12	7	-	-	-	-
White, mother's nativity not stated	11	-	-	4	3	4	-	-	-	-	-	-
Negro	998	11	230	261	187	159	108	32	4	-	-	6
Other	9	-	2	2	1	3	-	1	-	-	-	-
MONTANA	10,943	5	971	3,485	3,182	1,980	980	312	29	-	-	1
White, mother native	9,932	4	882	3,217	2,956	1,783	854	258	17	-	-	1
White, mother foreign	394	-	8	88	77	91	81	41	8	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	17	-	3	6	1	4	3	-	-	-	-	-
Other	600	1	78	172	148	102	62	33	4	-	-	-
Urban	5,214	1	490	1,756	1,544	905	392	116	9	-	-	1
White, mother native	4,994	1	474	1,694	1,502	853	362	99	8	-	-	1
White, mother foreign	160	-	4	40	31	44	26	14	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	13	-	2	5	1	3	2	-	-	-	-	-
Other	47	-	10	17	10	5	2	3	-	-	-	-
Places of 25,000 to 100,000	1,795	-	169	650	510	299	125	38	3	-	-	1
White, mother native	1,723	-	165	627	495	284	114	34	3	-	-	1
White, mother foreign	52	-	1	14	11	14	9	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	6	-	1	4	-	-	1	-	-	-	-	-
Other	14	-	7	5	4	1	1	1	-	-	-	-
Places of 10,000 to 25,000	1,689	1	142	559	504	314	138	30	1	-	-	-
White, mother native	1,628	1	139	540	494	289	128	26	1	-	-	-
White, mother foreign	40	-	-	10	7	11	9	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	6	-	1	1	1	2	1	-	-	-	-	-
Other	15	-	2	8	2	2	-	1	-	-	-	-
Places of 2,500 to 10,000	1,730	-	179	547	530	292	129	48	5	-	-	-
White, mother native	1,643	-	170	527	513	270	120	39	4	-	-	-
White, mother foreign	68	-	3	16	13	19	8	8	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	-	-	1	-	-	-	-	-	-
Other	18	-	6	4	4	2	1	1	-	-	-	-
Rural	5,729	4	481	1,727	1,638	1,075	588	196	20	-	-	-
White, mother native	4,938	3	408	1,523	1,454	950	472	139	9	-	-	-
White, mother foreign	234	-	4	48	46	47	55	27	7	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	1	1	-	1	1	-	-	-	-	-
Other	553	1	68	155	138	97	60	30	4	-	-	-
NEBRASKA	24,575	5	1,971	7,757	6,997	4,682	2,413	696	46	-	-	8
White, mother native	23,805	3	1,885	7,550	6,842	4,524	2,290	659	44	-	-	8
White, mother foreign	329	-	6	53	52	94	92	31	1	-	-	-
White, mother's nativity not stated	4	-	-	2	-	2	-	-	-	-	-	-
Negro	300	2	71	111	52	37	22	4	1	-	-	-
Other	137	-	9	41	51	25	9	2	-	-	-	-
Urban	11,135	2	1,034	3,726	3,115	2,016	962	262	18	-	-	2
White, mother native	10,598	-	955	3,562	3,014	1,921	884	243	17	-	-	2
White, mother foreign	195	-	4	36	33	54	53	15	-	-	-	-
White, mother's nativity not stated	2	-	-	2	-	-	-	-	-	-	-	-
Negro	296	2	71	110	52	34	22	4	1	-	-	-
Other	44	-	4	16	14	7	3	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NEBRASKA—Continued												
Places of 100,000 or more	4,745	1	387	1,583	1,350	896	425	95	7	-	-	1
White, mother native	4,382	-	328	1,456	1,284	846	380	81	6	-	-	1
White, mother foreign	95	-	1	23	15	19	26	11	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	245	1	57	94	43	28	18	3	1	-	-	-
Other	22	-	1	9	8	3	1	-	-	-	-	-
Places of 25,000 to 100,000	1,638	1	143	588	458	285	125	37	1	-	-	-
White, mother native	1,591	-	139	577	447	270	120	37	1	-	-	-
White, mother foreign	22	-	-	3	2	13	4	-	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	18	1	4	6	4	2	1	-	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,245	-	237	730	640	379	192	63	4	-	-	-
White, mother native	2,166	-	227	715	628	363	176	58	4	-	-	-
White, mother foreign	52	-	2	6	12	13	15	4	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	20	-	7	7	4	1	-	1	-	-	-	-
Other	7	-	1	2	1	2	1	-	-	-	-	-
Places of 2,500 to 10,000	2,512	-	267	825	670	456	220	67	6	-	-	1
White, mother native	2,459	-	261	814	660	442	208	67	6	-	-	1
White, mother foreign	26	-	1	4	4	9	8	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	13	-	3	3	1	3	3	-	-	-	-	-
Other	14	-	2	4	5	2	1	-	-	-	-	-
Rural	13,440	3	937	4,031	3,884	2,666	1,451	434	28	-	-	6
White, mother native	13,207	3	930	3,988	3,828	2,603	1,406	416	27	-	-	6
White, mother foreign	134	-	2	17	19	40	39	16	1	-	-	-
White, mother's nativity not stated	2	-	-	-	-	2	-	-	-	-	-	-
Negro	4	-	-	1	-	3	-	-	-	-	-	-
Other	93	-	5	25	37	18	6	2	-	-	-	-
NEVADA	3,028	1	311	1,013	888	562	238	60	5	-	-	5
White, mother native	2,736	1	290	919	779	496	197	46	3	-	-	5
White, mother foreign	87	-	-	21	17	25	18	6	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	54	-	9	19	10	8	8	-	-	-	-	-
Other	151	-	12	54	27	33	15	8	2	-	-	-
Urban	1,416	-	144	498	396	248	93	33	2	-	-	2
White, mother native	1,307	-	135	465	373	226	76	29	1	-	-	2
White, mother foreign	47	-	-	11	9	15	9	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	43	-	7	16	9	4	7	-	-	-	-	-
Other	19	-	2	6	5	3	1	1	1	-	-	-
Places of 10,000 to 25,000	627	-	64	232	169	109	40	11	1	-	-	1
White, mother native	594	-	62	226	161	99	36	9	-	-	-	1
White, mother foreign	20	-	-	4	5	7	3	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	-	1	1	-	1	-	-	-	-	-
Other	10	-	2	1	2	3	-	1	1	-	-	-
Places of 2,500 to 10,000	789	-	80	266	227	139	53	22	1	-	-	1
White, mother native	718	-	78	239	212	127	40	20	1	-	-	1
White, mother foreign	27	-	-	7	4	8	6	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	40	-	7	15	8	4	6	-	-	-	-	-
Other	9	-	-	5	3	-	1	-	-	-	-	-
Rural	1,612	1	167	515	437	314	145	27	2	-	-	3
White, mother native	1,429	1	155	454	406	270	121	17	2	-	-	3
White, mother foreign	40	-	-	10	8	10	9	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	11	-	2	3	1	4	1	-	-	-	-	-
Other	132	-	10	48	22	30	14	7	1	-	-	-
NEW HAMPSHIRE	8,548	2	638	2,572	2,508	1,660	879	257	16	-	-	16
White, mother native	7,955	2	629	2,470	2,358	1,622	742	208	11	-	-	13
White, mother foreign	571	-	4	96	147	134	136	47	5	-	-	2
White, mother's nativity not stated	8	-	3	1	1	2	-	-	-	-	-	1
Negro	14	-	2	5	2	2	1	2	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Urban	5,086	2	349	1,557	1,589	979	500	140	12	-	-	8
White, mother native	4,673	2	344	1,491	1,431	881	398	112	7	-	-	7
White, mother foreign	397	-	3	62	106	94	101	26	5	-	-	-
White, mother's nativity not stated	4	-	-	1	-	2	-	-	-	-	-	1
Negro	12	-	2	3	2	2	1	2	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	2,312	1	138	683	725	447	240	71	4	-	-	3
White, mother native	2,107	1	134	648	673	405	186	57	1	-	-	2
White, mother foreign	197	-	2	34	52	39	53	14	3	-	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	-	1
Negro	6	-	2	1	-	2	1	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,989	1	143	646	581	374	184	52	5	-	-	3
White, mother native	1,826	1	143	621	538	328	147	41	4	-	-	3
White, mother foreign	157	-	-	23	42	45	37	9	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-	-
Negro	5	-	-	2	1	-	-	2	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NEW HAMPSHIRE—Continued												
Places of 2,500 to 10,000	785	-	68	228	238	158	76	17	3	-	-	2
White, mother native	740	-	67	222	220	148	65	14	2	-	-	2
White, mother foreign	43	-	1	5	12	10	11	3	1	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	1	-	-	-	1	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	3,462	-	289	1,015	969	681	379	117	4	-	-	8
White, mother native	3,282	-	285	979	927	641	344	96	4	-	-	6
White, mother foreign	174	-	1	34	41	40	35	21	-	-	-	2
White, mother's nativity not stated	4	-	3	-	1	-	-	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY	76,265	37	4,305	21,388	24,656	16,640	7,628	1,506	74	2	-	34
White, mother native	66,236	8	3,115	18,743	22,633	14,552	6,057	1,059	44	1	-	24
White, mother foreign	4,446	-	33	679	853	1,377	1,137	343	22	1	-	1
White, mother's nativity not stated	24	-	2	6	7	4	3	1	-	-	-	1
Negro	5,524	29	1,154	1,949	1,152	702	422	101	7	-	-	8
Other	35	-	1	11	11	5	4	2	1	-	-	-
Urban	61,419	33	3,261	17,084	20,050	13,588	6,148	1,167	60	2	-	26
White, mother native	52,854	7	2,240	14,799	18,338	11,797	4,823	797	34	1	-	18
White, mother foreign	3,829	-	29	595	727	1,200	969	286	21	1	-	1
White, mother's nativity not stated	17	-	1	3	6	3	2	1	-	-	-	1
Negro	4,690	26	990	1,678	970	585	350	81	4	-	-	6
Other	29	-	1	9	9	3	4	2	1	-	-	-
Places of 100,000 or more	21,516	17	1,411	6,308	6,850	4,487	1,991	422	14	2	-	14
White, mother native	17,542	2	827	5,146	6,102	3,727	1,455	269	4	1	-	9
White, mother foreign	1,328	-	13	193	232	428	340	111	9	1	-	1
White, mother's nativity not stated	7	-	-	3	2	1	-	-	-	-	-	1
Negro	2,625	15	570	960	511	330	195	41	-	-	-	3
Other	14	-	1	6	3	1	1	1	1	-	-	-
Places of 25,000 to 100,000	17,150	7	730	4,641	5,783	3,931	1,747	290	19	-	-	2
White, mother native	14,883	1	527	4,052	5,314	3,439	1,362	175	12	-	-	1
White, mother foreign	1,269	-	10	227	250	374	311	91	6	-	-	-
White, mother's nativity not stated	5	-	-	-	2	2	1	-	-	-	-	-
Negro	983	6	193	360	213	116	70	23	1	-	-	1
Other	10	-	-	2	4	-	3	1	-	-	-	-
Places of 10,000 to 25,000	11,265	4	567	3,012	3,744	2,518	1,181	223	11	-	-	5
White, mother native	9,948	2	431	2,694	3,460	2,205	968	176	7	-	-	5
White, mother foreign	639	-	1	94	126	218	161	38	1	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	674	2	135	224	155	94	52	9	3	-	-	-
Other	3	-	-	2	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	11,488	5	553	3,123	3,673	2,652	1,829	232	16	-	-	5
White, mother native	10,481	2	455	2,907	3,462	2,426	1,038	177	11	-	-	3
White, mother foreign	593	-	5	81	119	180	157	46	5	-	-	-
White, mother's nativity not stated	4	-	1	-	1	-	1	1	-	-	-	-
Negro	408	3	92	134	91	45	33	8	-	-	-	2
Other	2	-	-	1	-	1	-	-	-	-	-	-
Rural	14,846	4	1,044	4,304	4,606	3,052	1,475	339	14	-	-	8
White, mother native	13,382	1	875	3,944	4,295	2,755	1,234	262	10	-	-	6
White, mother foreign	617	-	4	84	126	177	168	57	1	-	-	-
White, mother's nativity not stated	7	-	1	3	1	1	1	-	-	-	-	-
Negro	834	3	164	271	182	117	72	20	3	-	-	2
Other	6	-	-	2	2	2	-	-	-	-	-	-
NEW MEXICO	15,585	16	1,975	4,881	3,735	2,685	1,660	582	55	3	-	33
White, mother native	14,020	12	1,819	4,409	3,379	2,409	1,452	482	40	2	-	16
White, mother foreign	397	-	5	70	81	101	98	40	2	-	-	-
White, mother's nativity not stated	2	-	1	1	-	-	-	-	-	-	-	-
Negro	133	1	32	43	27	21	6	3	-	-	-	-
Other	1,033	3	118	308	248	164	104	57	13	1	-	17
Urban	6,048	5	860	2,079	1,458	962	527	144	15	-	-	3
White, mother native	5,725	4	826	1,991	1,386	898	478	125	14	-	-	3
White, mother foreign	162	-	2	36	29	42	38	14	1	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	89	1	25	27	18	14	3	1	-	-	-	-
Other	71	-	6	25	20	8	8	4	-	-	-	-
Places of 25,000 to 100,000	1,027	-	119	371	255	171	91	19	1	-	-	-
White, mother native	978	-	118	358	239	162	84	16	1	-	-	-
White, mother foreign	26	-	1	7	5	6	6	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	7	-	-	1	4	2	-	-	-	-	-	-
Other	16	-	-	5	7	1	1	2	-	-	-	-
Places of 10,000 to 25,000	1,786	1	284	629	406	284	137	41	3	-	-	1
White, mother native	1,698	1	262	601	393	271	130	36	3	-	-	1
White, mother foreign	22	-	1	9	2	4	3	3	-	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	55	-	20	15	9	8	2	1	-	-	-	-
Other	10	-	-	4	2	1	2	1	-	-	-	-
Places of 2,500 to 10,000	3,235	4	457	1,079	792	507	299	84	11	-	-	2
White, mother native	3,049	3	446	1,032	754	465	264	73	10	-	-	2
White, mother foreign	114	-	-	20	22	32	29	10	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	27	1	5	11	5	4	1	-	-	-	-	-
Other	45	-	6	16	11	6	5	1	-	-	-	-
Rural	9,532	11	1,115	2,752	2,282	1,733	1,133	438	40	3	-	30
White, mother native	8,295	8	993	2,418	1,993	1,511	974	357	26	2	-	13
White, mother foreign	235	-	3	34	52	59	60	26	1	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	44	-	7	16	9	7	3	2	-	-	-	-
Other	962	3	112	283	228	156	96	53	13	1	-	17

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NEW YORK	229,534	102	12,389	61,391	71,745	52,893	25,412	5,292	270	2	3	35
White, mother native	195,419	40	9,680	54,150	65,025	43,898	18,917	3,510	176	1	3	19
White, mother foreign	21,669	2	184	2,955	3,970	7,268	5,659	1,563	86	1	-	1
White, mother's nativity not stated	16	-	2	2	-	1	1	-	-	-	-	10
Negro	12,004	60	2,490	4,158	2,618	1,652	810	206	5	-	-	5
Other	426	-	33	126	132	74	45	13	3	-	-	-
Urban	188,086	91	9,549	49,846	59,448	44,157	20,665	4,089	209	2	3	27
White, mother native	156,386	29	6,943	43,074	53,234	35,809	14,673	2,482	125	1	3	13
White, mother foreign	19,815	2	162	2,678	3,595	6,703	5,191	1,405	77	1	-	1
White, mother's nativity not stated	12	-	-	2	-	-	1	-	-	-	-	9
Negro	11,598	60	2,422	4,013	2,529	1,596	777	193	4	-	-	4
Other	275	-	22	79	90	49	23	9	3	-	-	-
Places of 100,000 or more	145,760	79	7,208	37,580	46,124	35,143	16,333	3,117	150	2	2	22
White, mother native	117,557	20	4,790	31,575	40,671	27,680	10,993	1,735	80	1	2	10
White, mother foreign	17,378	2	144	2,270	3,101	5,976	4,619	1,201	63	1	-	1
White, mother's nativity not stated	8	-	-	-	-	-	1	-	-	-	-	7
Negro	10,564	57	2,254	3,664	2,271	1,439	699	172	4	-	-	4
Other	253	-	20	71	81	48	21	9	3	-	-	-
Places of 25,000 to 100,000	14,911	4	889	4,450	4,809	3,024	1,435	324	23	-	-	3
White, mother native	13,450	2	752	4,180	4,454	2,666	1,189	240	15	-	-	2
White, mother foreign	933	-	8	152	200	282	206	77	8	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	-	1
Negro	520	2	79	166	151	76	39	7	-	-	-	-
Other	7	-	-	2	4	-	1	-	-	-	-	-
Places of 10,000 to 25,000	15,202	4	819	4,425	4,722	3,255	1,579	376	19	-	1	2
White, mother native	13,966	3	755	4,124	4,489	2,956	1,333	287	17	-	1	1
White, mother foreign	873	-	7	159	164	244	220	77	2	-	-	-
White, mother's nativity not stated	2	-	-	1	-	-	-	-	-	-	-	1
Negro	354	1	57	136	69	54	25	12	-	-	-	-
Other	7	-	-	5	-	1	1	-	-	-	-	-
Places of 2,500 to 10,000	12,213	4	683	3,391	3,793	2,735	1,318	272	17	-	-	-
White, mother native	11,413	4	646	3,245	3,620	2,607	1,158	220	13	-	-	-
White, mother foreign	631	-	3	97	130	201	146	50	4	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	160	-	32	47	38	27	14	2	-	-	-	-
Other	8	-	2	1	5	-	-	-	-	-	-	-
Rural	41,448	11	2,840	11,545	12,297	8,736	4,747	1,203	61	-	-	8
White, mother native	39,038	11	2,737	11,076	11,791	8,089	4,244	1,028	51	-	-	6
White, mother foreign	1,854	-	22	277	375	565	448	158	9	-	-	-
White, mother's nativity not stated	4	-	2	-	-	1	-	-	-	-	-	1
Negro	405	-	68	145	89	56	33	13	1	-	-	1
Other	151	-	11	47	42	25	22	4	-	-	-	-
NORTH CAROLINA	90,529	249	14,212	29,087	21,582	14,397	8,264	2,481	221	8	1	127
White, mother native	62,280	50	8,004	20,251	15,531	10,498	5,969	1,771	137	6	1	62
White, mother foreign	149	-	4	52	33	34	21	4	1	-	-	-
White, mother's nativity not stated	33	-	6	7	2	1	3	-	1	-	-	13
Negro	27,148	194	6,051	8,458	5,782	3,700	2,161	672	77	2	-	51
Other	1,019	5	147	319	234	164	110	34	5	-	-	1
Urban	25,002	68	4,023	8,584	6,171	3,837	1,848	413	30	2	1	25
White, mother native	17,733	14	2,232	6,246	4,649	2,866	1,404	292	15	2	1	12
White, mother foreign	92	-	2	34	19	21	15	1	-	-	-	-
White, mother's nativity not stated	6	-	1	1	1	-	-	-	-	-	-	3
Negro	7,159	54	1,785	2,302	1,499	948	426	120	15	-	-	10
Other	12	-	3	1	3	2	3	-	-	-	-	-
Places of 100,000 or more	2,582	9	423	877	675	386	182	25	4	-	-	1
White, mother native	1,800	1	242	613	498	275	150	19	2	-	-	-
White, mother foreign	16	-	-	5	3	7	1	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	764	8	181	259	174	103	30	6	2	-	-	1
Other	2	-	-	-	-	1	1	-	-	-	-	-
Places of 25,000 to 100,000	9,487	25	1,483	3,287	2,348	1,457	705	156	12	1	1	12
White, mother native	6,810	3	724	2,239	1,676	1,055	498	106	3	1	1	4
White, mother foreign	41	-	-	16	12	5	7	1	-	-	-	-
White, mother's nativity not stated	6	-	1	1	1	-	-	-	-	-	-	3
Negro	3,130	22	758	1,031	659	397	200	49	9	-	-	5
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	6,858	18	1,157	2,857	1,649	1,062	481	124	6	-	-	4
White, mother native	4,832	3	645	1,711	1,238	774	366	87	5	-	-	3
White, mother foreign	24	-	-	10	3	7	4	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1,999	15	511	635	407	281	111	37	1	-	-	1
Other	3	-	1	1	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,075	16	960	2,063	1,499	932	480	108	8	1	-	8
White, mother native	4,791	7	621	1,683	1,237	762	390	80	5	1	-	5
White, mother foreign	11	-	2	3	1	2	3	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1,266	9	335	377	259	167	85	28	3	-	-	3
Other	7	-	2	-	2	1	2	-	-	-	-	-
Rural	65,627	181	10,189	20,503	15,411	10,560	6,416	2,068	191	6	-	102
White, mother native	44,547	36	5,772	14,005	10,882	7,632	4,565	1,479	122	4	-	50
White, mother foreign	57	-	2	18	14	13	6	3	1	-	-	-
White, mother's nativity not stated	27	-	5	6	1	1	3	-	1	-	-	10
Negro	19,989	140	4,266	6,156	4,283	2,752	1,735	552	62	2	-	41
Other	1,007	5	144	318	231	162	107	34	5	-	-	1

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NORTH DAKOTA	13,530	2	841	3,733	3,851	2,853	1,627	563	50	-	-	10
White, mother native	12,810	2	796	3,599	3,694	2,718	1,481	481	37	-	-	8
White, mother foreign	401	-	7	51	78	84	103	66	12	-	-	-
White, mother's nativity not stated	2	-	1	-	1	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	317	-	37	83	78	57	43	16	1	-	-	2
Urban	3,078	1	165	887	905	652	355	101	9	-	-	3
White, mother native	2,981	1	162	874	882	625	334	92	8	-	-	3
White, mother foreign	85	-	2	10	19	24	20	9	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	12	-	1	3	4	3	1	-	-	-	-	-
Places of 25,000 to 100,000	719	-	34	196	234	164	72	19	-	-	-	-
White, mother native	701	-	34	194	231	155	69	18	-	-	-	-
White, mother foreign	17	-	-	1	3	9	3	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,228	-	69	351	344	260	151	49	3	-	-	1
White, mother native	1,183	-	68	345	330	246	143	47	3	-	-	1
White, mother foreign	37	-	-	4	11	12	8	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	8	-	1	2	3	2	-	-	-	-	-	-
Places of 2,500 to 10,000	1,131	1	62	340	327	228	132	33	6	-	-	2
White, mother native	1,097	1	60	335	321	224	122	27	5	-	-	2
White, mother foreign	31	-	2	5	5	3	9	6	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	3	-	-	-	1	1	1	-	-	-	-	-
Rural	10,452	1	676	2,846	2,946	2,201	1,272	462	41	-	-	7
White, mother native	9,829	1	634	2,725	2,812	2,087	1,147	389	29	-	-	5
White, mother foreign	316	-	5	41	59	60	83	57	11	-	-	-
White, mother's nativity not stated	2	-	1	-	1	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	305	-	36	80	74	54	42	16	1	-	-	2
OHIO	133,598	99	11,771	41,855	38,968	24,838	12,420	3,237	247	9	1	103
White, mother native	123,098	49	10,122	38,701	36,793	22,957	11,272	2,893	216	7	1	87
White, mother foreign	2,776	-	29	453	486	892	663	235	16	1	-	1
White, mother's nativity not stated	30	-	3	10	4	2	3	-	1	-	-	7
Negro	7,631	50	1,614	2,668	1,666	976	478	157	13	1	-	8
Other	63	-	3	23	19	11	4	2	1	-	-	-
Urban	91,056	71	8,063	29,042	27,061	16,910	7,934	1,793	127	4	1	50
White, mother native	81,515	26	6,504	26,138	25,065	15,231	6,940	1,456	103	3	1	38
White, mother foreign	2,353	-	20	372	423	776	565	183	12	-	-	-
White, mother's nativity not stated	20	-	2	6	3	1	2	-	1	-	-	5
Negro	7,111	45	1,534	2,504	1,554	893	423	140	10	1	-	7
Other	57	-	3	22	16	9	4	2	1	-	-	-
Places of 100,000 or more	52,313	54	4,811	16,804	15,690	9,557	4,340	967	66	2	-	22
White, mother native	44,928	15	3,504	14,485	14,173	8,328	3,607	747	51	1	-	17
White, mother foreign	1,600	-	16	250	291	526	393	115	9	-	-	-
White, mother's nativity not stated	12	-	1	3	2	1	1	-	1	-	-	3
Negro	5,730	39	1,288	2,050	1,210	694	338	103	5	1	-	2
Other	43	-	2	16	14	8	1	2	-	-	-	-
Places of 25,000 to 100,000	14,493	8	1,316	4,634	4,219	2,674	1,289	315	24	2	-	12
White, mother native	13,477	5	1,195	4,357	3,981	2,464	1,176	265	21	2	-	10
White, mother foreign	327	-	1	56	63	105	68	33	1	-	-	-
White, mother's nativity not stated	4	-	-	2	1	-	-	-	-	-	-	1
Negro	680	3	119	216	173	105	44	17	2	-	-	1
Other	5	-	-	3	1	-	1	-	-	-	-	-
Places of 10,000 to 25,000	11,081	3	881	3,478	3,272	2,158	1,038	228	18	-	-	5
White, mother native	10,519	3	818	3,328	3,158	2,042	956	194	16	-	-	4
White, mother foreign	235	-	2	37	35	74	62	25	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	319	-	60	110	78	41	19	9	1	-	-	1
Other	8	-	1	3	1	1	1	-	1	-	-	-
Places of 2,500 to 10,000	13,169	6	1,055	4,126	3,880	2,521	1,267	283	19	-	1	11
White, mother native	12,591	3	986	3,968	3,753	2,397	1,201	260	15	-	1	7
White, mother foreign	191	-	1	29	34	71	42	12	2	-	-	-
White, mother's nativity not stated	4	-	1	1	-	-	1	-	-	-	-	1
Negro	382	3	67	128	93	53	22	11	2	-	-	3
Other	1	-	-	-	-	-	1	-	-	-	-	-
Rural	42,542	28	3,708	12,813	11,907	7,928	4,486	1,494	120	5	-	53
White, mother native	41,583	23	3,618	12,563	11,728	7,726	4,332	1,427	113	4	-	49
White, mother foreign	423	-	9	81	63	116	98	50	4	1	-	1
White, mother's nativity not stated	10	-	1	4	1	1	1	-	-	-	-	2
Negro	520	5	80	164	112	83	55	17	3	-	-	1
Other	6	-	-	1	3	2	-	-	-	-	-	-
OKLAHOMA	46,725	49	7,267	15,586	11,013	7,371	4,079	1,204	102	-	1	53
White, mother native	41,423	22	6,173	13,971	9,902	6,545	3,615	1,061	92	-	-	42
White, mother foreign	133	-	5	31	27	31	27	9	3	-	-	-
White, mother's nativity not stated	59	-	8	18	14	12	1	4	-	-	-	2
Negro	3,219	20	803	968	637	462	240	81	2	-	1	5
Other	1,891	7	278	598	433	321	196	49	5	-	-	4

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
OKLAHOMA—Continued												
Urban	22,671	21	3,638	3,006	5,644	3,845	1,601	380	26	-	1	14
White, mother native	20,124	9	3,038	7,200	5,108	2,997	1,404	340	22	-	-	11
White, mother foreign	94	-	3	25	21	22	17	4	1	-	-	-
White, mother's nativity not stated	26	-	4	8	7	6	-	1	-	-	-	-
Negro	1,842	10	497	574	375	231	123	25	2	-	1	3
Other	585	2	96	198	133	89	57	9	1	-	-	-
Places of 100,000 or more	8,713	8	1,299	3,065	2,272	1,308	610	137	10	-	-	4
White, mother native	7,795	2	1,100	2,779	2,059	1,184	536	125	9	-	-	1
White, mother foreign	45	-	2	12	9	11	9	2	-	-	-	-
White, mother's nativity not stated	11	-	-	3	4	4	-	-	-	-	-	-
Negro	750	6	177	238	173	89	55	8	1	-	-	3
Other	112	-	20	33	27	20	10	2	-	-	-	-
Places of 25,000 to 100,000	1,550	-	255	563	389	219	99	23	2	-	-	-
White, mother native	1,313	-	201	488	336	178	87	21	2	-	-	-
White, mother foreign	10	-	-	2	4	4	-	-	-	-	-	-
White, mother's nativity not stated	3	-	-	3	-	-	-	-	-	-	-	-
Negro	206	-	50	66	42	36	10	2	-	-	-	-
Other	18	-	4	4	7	1	2	-	-	-	-	-
Places of 10,000 to 25,000	5,881	6	953	2,102	1,468	856	390	95	7	-	-	3
White, mother native	5,188	3	768	1,891	1,328	766	338	85	6	-	-	3
White, mother foreign	27	-	1	7	8	6	4	1	-	-	-	-
White, mother's nativity not stated	3	-	-	-	1	1	-	1	-	-	-	-
Negro	509	3	160	150	94	56	36	9	1	-	-	-
Other	154	-	24	54	37	27	12	-	-	-	-	-
Places of 2,500 to 10,000	6,527	7	1,126	2,276	1,515	962	502	124	7	-	1	7
White, mother native	5,828	4	964	2,042	1,385	869	443	109	5	-	-	7
White, mother foreign	12	-	-	5	-	1	4	1	1	-	-	-
White, mother's nativity not stated	9	-	4	2	2	1	-	-	-	-	-	-
Negro	377	1	110	120	65	50	22	7	-	-	1	-
Other	301	2	48	107	62	41	33	7	1	-	-	-
Rural	24,054	28	3,634	7,580	5,369	4,026	2,478	824	76	-	-	39
White, mother native	21,299	13	3,140	6,771	4,794	3,548	2,211	721	70	-	-	31
White, mother foreign	39	-	2	5	6	9	10	5	2	-	-	-
White, mother's nativity not stated	33	-	4	10	7	6	1	3	-	-	-	2
Negro	1,377	10	306	394	262	231	117	55	-	-	-	2
Other	1,306	5	182	400	300	232	139	40	4	-	-	4
OREGON	24,150	2	2,399	7,947	6,960	4,335	1,968	490	24	2	-	23
White, mother native	22,958	2	2,317	7,609	6,651	4,072	1,819	448	22	2	-	21
White, mother foreign	744	-	21	186	201	199	97	39	1	-	-	-
White, mother's nativity not stated	8	-	1	2	-	-	-	-	-	-	-	-
Negro	160	-	26	57	35	23	16	2	-	-	-	1
Other	285	-	34	93	73	41	36	6	1	-	-	1
Urban	13,023	2	1,231	4,268	3,899	2,390	1,002	213	10	1	-	7
White, mother native	12,390	2	1,203	4,098	3,722	2,247	915	188	9	1	-	5
White, mother foreign	452	-	12	107	134	118	60	21	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	85	-	11	29	18	11	14	1	-	-	-	1
Other	96	-	5	34	25	14	13	3	1	-	-	1
Places of 100,000 or more	7,632	2	611	2,363	2,403	1,469	643	134	4	-	-	3
White, mother native	7,179	2	593	2,247	2,275	1,362	577	118	3	-	-	2
White, mother foreign	306	-	4	65	96	83	44	14	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	81	-	10	28	16	11	14	1	-	-	-	1
Other	66	-	4	23	16	13	8	1	1	-	-	-
Places of 25,000 to 100,000	585	-	75	191	160	92	58	11	2	-	-	1
White, mother native	556	-	72	181	155	88	48	9	2	-	-	1
White, mother foreign	27	-	3	9	5	4	4	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	2	-	-	1	-	-	1	-	-	-	-	-
Places of 10,000 to 25,000	1,794	-	188	620	524	333	103	24	2	-	-	-
White, mother native	1,733	-	185	603	507	318	95	23	2	-	-	-
White, mother foreign	54	-	2	15	14	15	7	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	-	1	-	-	-	-	-	-	-
Other	6	-	1	2	2	-	1	-	-	-	-	-
Places of 2,500 to 10,000	3,012	-	357	1,094	812	496	208	44	2	1	-	3
White, mother native	2,922	-	353	1,067	785	479	195	38	2	1	-	2
White, mother foreign	65	-	3	18	19	16	5	4	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	1	1	1	-	-	-	-	-	-	-
Other	22	-	-	8	7	1	8	2	-	-	-	1
Rural	11,127	-	1,168	3,679	3,061	1,945	966	277	14	1	-	16
White, mother native	10,568	-	1,114	3,511	2,929	1,825	904	255	13	1	-	16
White, mother foreign	292	-	9	79	67	81	37	18	1	-	-	-
White, mother's nativity not stated	3	-	1	2	-	-	-	-	-	-	-	-
Negro	75	-	15	28	17	12	2	1	-	-	-	-
Other	189	-	29	59	48	27	23	3	-	-	-	-
PENNSYLVANIA	178,370	130	13,577	53,616	53,579	35,026	17,517	4,532	332	6	3	52
White, mother native	161,870	59	11,008	48,954	50,316	32,031	15,416	3,779	260	6	2	39
White, mother foreign	4,827	-	51	687	752	1,526	1,223	521	65	-	-	2
White, mother's nativity not stated	14	-	2	1	3	1	2	1	-	-	-	4
Negro	11,604	71	2,511	3,956	2,491	1,461	870	229	7	-	1	7
Other	55	-	5	18	17	7	6	2	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
PENNSYLVANIA—Continued												
Urban	120,462	99	8,638	36,419	37,181	23,886	11,352	2,691	158	3	2	33
White, mother native	105,727	31	6,251	32,136	34,255	21,274	9,550	2,100	106	3	1	20
White, mother foreign	3,986	-	37	588	627	1,279	1,013	393	47	-	-	2
White, mother's nativity not stated	8	-	1	-	2	-	1	-	-	-	-	4
Negro	10,690	68	2,344	3,680	2,281	1,326	782	196	5	-	1	7
Other	51	-	5	15	16	7	6	2	-	-	-	-
Places of 100,000 or more	53,821	69	4,207	16,041	16,529	10,672	5,077	1,136	62	2	1	25
White, mother native	43,176	11	2,346	12,856	14,362	8,901	3,863	784	37	2	-	14
White, mother foreign	2,297	-	24	327	339	768	626	195	21	-	-	2
White, mother's nativity not stated	3	-	-	-	-	-	1	-	-	-	-	2
Negro	8,304	58	1,835	2,843	1,815	1,004	582	155	4	-	1	7
Other	41	-	2	15	13	4	5	2	-	-	-	-
Places of 25,000 to 100,000	22,906	17	1,614	7,106	7,075	4,436	2,117	514	23	-	-	4
White, mother native	21,151	10	1,363	6,600	6,752	4,085	1,893	428	18	-	-	2
White, mother foreign	626	-	6	110	106	194	140	65	5	-	-	-
White, mother's nativity not stated	2	-	-	-	-	-	-	-	-	-	-	2
Negro	1,126	7	244	396	217	157	84	21	-	-	-	-
Other	1	-	1	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	20,674	4	1,333	6,261	6,393	4,231	1,946	475	30	1	-	-
White, mother native	19,299	3	1,146	5,880	6,139	3,960	1,747	402	21	1	-	-
White, mother foreign	520	-	-	80	96	160	115	61	8	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	848	1	184	301	156	109	84	12	1	-	-	-
Other	6	-	2	-	2	2	-	-	-	-	-	-
Places of 2,500 to 10,000	23,061	9	1,484	7,011	7,184	4,547	2,212	566	48	-	1	4
White, mother native	22,101	7	1,396	6,800	7,002	4,328	2,047	486	30	-	1	4
White, mother foreign	543	-	7	71	86	162	132	72	13	-	-	-
White, mother's nativity not stated	2	-	-	-	2	-	-	-	-	-	-	-
Negro	412	2	81	140	93	56	32	8	-	-	-	-
Other	3	-	-	-	1	1	1	-	-	-	-	-
Rural	57,908	31	4,939	17,197	16,398	11,140	6,165	1,841	174	3	1	19
White, mother native	56,143	28	4,757	16,818	16,061	10,757	5,866	1,679	154	3	1	19
White, mother foreign	841	-	14	99	125	247	210	128	18	-	-	-
White, mother's nativity not stated	6	-	1	1	1	1	1	1	-	-	-	-
Negro	914	3	167	278	210	135	88	33	2	-	-	-
Other	4	-	-	3	1	-	-	-	-	-	-	-
RHODE ISLAND	13,754	6	701	3,925	4,222	3,040	1,458	374	24	-	1	3
White, mother native	12,414	4	644	3,684	3,952	2,677	1,169	266	15	-	-	3
White, mother foreign	1,030	-	8	125	196	319	269	104	8	-	1	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	304	2	49	113	73	43	19	4	1	-	-	-
Other	4	-	-	2	-	1	1	-	-	-	-	-
Urban	12,271	6	623	3,490	3,765	2,714	1,316	332	22	-	1	2
White, mother native	11,035	4	567	3,264	3,519	2,384	1,048	232	15	-	-	2
White, mother foreign	943	-	8	118	178	288	248	96	6	-	1	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	288	2	48	106	67	41	19	4	1	-	-	-
Other	3	-	-	1	-	1	1	-	-	-	-	-
Places of 100,000 or more	4,510	3	258	1,280	1,392	998	467	101	10	-	1	-
White, mother native	4,005	1	222	1,177	1,283	863	374	77	8	-	-	-
White, mother foreign	310	-	3	36	63	105	79	22	1	-	1	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	192	2	33	66	46	29	13	2	1	-	-	-
Other	3	-	-	1	-	1	1	-	-	-	-	-
Places of 25,000 to 100,000	5,575	3	276	1,588	1,691	1,215	613	180	7	-	-	2
White, mother native	5,086	3	259	1,490	1,587	1,077	491	122	5	-	-	2
White, mother foreign	457	-	4	62	84	131	117	57	2	-	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	80	-	13	35	19	7	5	1	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,690	-	67	470	584	390	180	44	5	-	-	-
White, mother native	1,533	-	65	452	506	341	137	30	2	-	-	-
White, mother foreign	147	-	1	15	27	46	42	13	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	10	-	1	3	1	3	1	1	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	496	-	22	152	148	111	56	7	-	-	-	-
White, mother native	461	-	21	145	143	103	46	3	-	-	-	-
White, mother foreign	29	-	-	5	4	6	10	4	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	6	-	1	2	1	2	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	1,483	-	78	435	457	326	142	42	2	-	-	1
White, mother native	1,379	-	77	420	433	293	121	34	-	-	-	1
White, mother foreign	87	-	-	7	18	31	21	8	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	16	-	1	7	6	2	-	-	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA	51,467	153	8,848	17,451	12,017	7,298	4,286	1,119	96	3	-	201
White, mother native	27,715	18	3,616	9,612	7,000	4,358	2,384	610	38	2	-	77
White, mother foreign	77	-	2	26	21	18	9	-	-	-	-	1
White, mother's nativity not stated	82	-	10	24	27	7	6	2	-	-	-	6
Negro	23,572	135	5,210	7,784	4,965	2,912	1,884	507	58	1	-	116
Other	21	-	5	5	4	3	3	-	-	-	-	1

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
SOUTH CAROLINA—Continued												
Urban	16,060	39	2,613	5,839	4,023	2,199	1,081	207	10	-	-	49
White, mother native	10,995	2	1,370	4,122	2,892	1,640	791	151	8	-	-	19
White, mother foreign	56	-	1	17	14	17	6	-	-	-	-	1
White, mother's nativity not stated	18	-	2	6	8	-	-	-	-	-	-	2
Negro	4,988	37	1,239	1,693	1,108	542	284	56	2	-	-	27
Other	3	-	1	1	1	-	-	-	-	-	-	-
Places of 25,000 to 100,000	7,208	18	1,159	2,731	1,791	980	436	73	1	-	-	19
White, mother native	4,638	-	587	1,855	1,229	674	288	50	1	-	-	4
White, mother foreign	40	-	1	11	11	13	4	-	-	-	-	-
White, mother's nativity not stated	5	-	1	2	2	-	-	-	-	-	-	-
Negro	2,524	18	620	862	549	293	144	23	-	-	-	15
Other	1	-	-	1	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,964	8	432	1,058	745	422	200	42	2	-	-	10
White, mother native	2,128	1	262	769	557	348	158	31	2	-	-	5
White, mother foreign	6	-	-	3	1	2	-	-	-	-	-	-
White, mother's nativity not stated	5	-	1	2	2	-	-	-	-	-	-	-
Negro	824	7	219	279	184	72	47	11	-	-	-	5
Other	1	-	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,888	13	972	2,055	1,487	797	445	92	7	-	-	20
White, mother native	4,229	1	571	1,498	1,106	618	350	70	5	-	-	10
White, mother foreign	10	-	-	3	2	2	2	-	-	-	-	1
White, mother's nativity not stated	8	-	-	2	4	-	-	-	-	-	-	2
Negro	1,640	12	400	552	375	177	93	22	2	-	-	7
Other	1	-	1	-	-	-	-	-	-	-	-	-
Rural	36,407	114	6,280	11,612	7,994	5,099	3,205	912	86	3	-	152
White, mother native	16,720	16	2,246	5,490	4,108	2,718	1,593	459	30	2	-	58
White, mother foreign	21	-	1	9	7	1	3	-	-	-	-	-
White, mother's nativity not stated	64	-	8	18	19	7	6	2	-	-	-	4
Negro	18,584	98	3,971	6,091	3,857	2,370	1,600	451	56	1	-	89
Other	18	-	4	4	3	3	3	-	-	-	-	1
SOUTH DAKOTA	12,769	5	903	3,844	3,538	2,559	1,363	472	34	1	-	50
White, mother native	11,838	4	846	3,600	3,326	2,374	1,225	388	30	1	-	44
White, mother foreign	149	-	1	17	28	34	35	30	3	-	-	1
White, mother's nativity not stated	26	-	1	6	6	5	3	4	-	-	-	1
Negro	11	-	2	5	2	2	-	-	-	-	-	-
Other	745	1	53	216	176	144	100	50	1	-	-	4
Urban	3,716	1	294	1,261	1,029	692	328	98	3	-	-	15
White, mother native	3,582	1	287	1,236	996	655	302	88	2	-	-	15
White, mother foreign	54	-	1	5	13	17	10	7	1	-	-	-
White, mother's nativity not stated	2	-	-	-	1	1	-	-	-	-	-	-
Negro	10	-	2	5	1	2	-	-	-	-	-	-
Other	68	-	4	15	18	17	11	3	-	-	-	-
Places of 25,000 to 100,000	1,211	-	96	433	350	212	93	26	1	-	-	-
White, mother native	1,188	-	93	427	346	207	91	23	1	-	-	-
White, mother foreign	12	-	-	2	3	2	2	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	8	-	2	3	1	2	-	-	-	-	-	-
Other	3	-	1	1	-	1	-	-	-	-	-	-
Places of 10,000 to 25,000	1,462	1	112	502	389	277	131	37	-	-	-	13
White, mother native	1,421	1	111	498	380	262	120	36	-	-	-	13
White, mother foreign	21	-	-	1	3	9	7	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	20	-	1	3	6	6	4	-	-	-	-	-
Places of 2,500 to 10,000	1,043	-	86	326	290	203	99	35	2	-	-	2
White, mother native	973	-	83	311	270	186	91	29	1	-	-	2
White, mother foreign	21	-	1	2	7	6	1	3	1	-	-	-
White, mother's nativity not stated	2	-	-	-	1	1	-	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-	-
Other	45	-	2	11	12	10	7	3	-	-	-	-
Rural	9,058	4	609	2,583	2,509	1,867	1,040	374	31	1	-	35
White, mother native	8,256	3	559	2,364	2,330	1,719	923	300	28	1	-	29
White, mother foreign	95	-	-	12	15	17	25	23	2	-	-	1
White, mother's nativity not stated	24	-	1	6	5	4	3	4	-	-	-	1
Negro	1	-	-	-	1	-	-	-	-	-	-	-
Other	677	1	49	201	158	127	89	47	1	-	-	4
TENNESSEE	68,272	150	9,929	21,351	16,381	11,368	6,856	1,986	132	11	6	102
White, mother native	57,151	59	7,451	18,089	14,072	9,702	5,873	1,702	110	11	4	78
White, mother foreign	85	-	1	16	24	29	12	3	-	-	-	-
White, mother's nativity not stated	75	-	8	11	19	18	9	-	-	-	-	10
Negro	10,955	91	2,468	3,238	2,264	1,618	962	281	22	-	2	14
Other	6	-	1	2	2	1	-	-	-	-	-	-
Urban	25,606	60	4,008	8,580	6,347	4,010	2,091	465	23	1	1	25
White, mother native	19,876	14	2,675	6,880	5,145	3,168	1,614	351	15	1	-	13
White, mother foreign	67	-	-	12	20	23	10	2	-	-	-	-
White, mother's nativity not stated	12	-	-	1	5	2	-	-	-	-	-	4
Negro	5,649	46	1,327	1,686	1,177	817	467	112	8	-	1	8
Other	2	-	1	1	-	-	-	-	-	-	-	-
Places of 100,000 or more	16,678	43	2,707	5,571	4,076	2,624	1,350	280	18	1	1	12
White, mother native	12,177	7	1,638	4,242	3,139	1,962	979	198	6	1	-	5
White, mother foreign	54	-	-	9	17	18	8	2	-	-	-	-
White, mother's nativity not stated	4	-	-	-	2	-	-	-	-	-	-	2
Negro	4,442	36	1,069	1,319	918	644	363	80	7	-	1	5
Other	1	-	-	1	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
TENNESSEE—Continued												
Places of 25,000 to 100,000	504	-	68	157	137	82	53	6	-	-	-	1
White, mother native	467	-	63	147	126	77	49	4	-	-	-	1
White, mother foreign	1	-	-	-	-	1	-	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	36	-	5	10	11	4	4	2	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,663	6	388	904	689	410	220	43	1	-	-	2
White, mother native	2,217	2	302	764	584	352	177	36	-	-	-	-
White, mother foreign	4	-	-	-	1	1	2	-	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	441	4	86	139	104	57	41	7	1	-	-	2
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,761	11	840	1,948	1,445	894	468	136	9	-	-	10
White, mother native	5,015	5	672	1,727	1,296	777	409	113	9	-	-	7
White, mother foreign	8	-	-	3	2	3	-	-	-	-	-	-
White, mother's nativity not stated	7	-	-	-	3	2	-	-	-	-	-	2
Negro	730	6	167	218	144	112	59	23	-	-	-	1
Other	1	-	1	-	-	-	-	-	-	-	-	-
Rural	42,666	90	5,926	12,771	10,084	7,358	4,765	1,521	109	10	5	77
White, mother native	37,275	45	4,776	11,209	8,927	6,584	4,259	1,351	95	10	4	65
White, mother foreign	18	-	1	4	4	6	2	1	-	-	-	-
White, mother's nativity not stated	63	-	8	10	14	16	9	-	-	-	-	6
Negro	5,306	45	1,141	1,547	1,087	801	495	169	14	-	1	6
Other	4	-	-	1	2	1	-	-	-	-	-	-
TEXAS	165,900	325	24,592	54,972	39,716	27,149	14,546	3,853	251	7	9	480
White, mother native	137,954	169	19,527	47,609	34,252	22,136	10,961	2,782	168	5	4	341
White, mother foreign	7,335	1	233	1,142	1,556	2,033	1,740	544	45	1	2	38
White, mother's nativity not stated	211	1	21	59	48	29	30	12	-	-	-	11
Negro	20,259	154	4,801	6,124	3,826	2,920	1,793	511	38	1	3	88
Other	141	-	10	38	34	31	22	4	-	-	-	2
Urban	98,087	200	14,900	34,537	23,955	15,168	7,298	1,691	106	4	3	225
White, mother native	89,934	107	12,024	30,450	20,952	12,474	5,505	1,180	73	3	3	163
White, mother foreign	4,585	1	138	725	998	1,303	1,053	324	19	1	-	23
White, mother's nativity not stated	108	1	8	37	28	11	13	6	-	-	-	4
Negro	10,383	91	2,725	3,296	1,962	1,361	719	180	14	-	-	35
Other	77	-	5	29	15	19	8	1	-	-	-	-
Places of 100,000 or more	34,079	62	5,022	11,959	8,612	5,379	2,478	497	23	-	-	47
White, mother native	28,304	23	3,812	10,310	7,530	4,374	1,873	336	13	-	-	33
White, mother foreign	1,286	-	23	205	256	378	319	91	5	-	-	9
White, mother's nativity not stated	18	-	1	5	7	3	-	1	-	-	-	1
Negro	4,448	39	1,183	1,430	815	621	283	68	5	-	-	4
Other	23	-	3	9	4	3	3	1	-	-	-	-
Places of 25,000 to 100,000	24,415	47	3,684	8,853	5,997	3,647	1,686	406	21	-	1	73
White, mother native	20,492	30	3,043	7,799	5,144	2,941	1,197	276	14	-	1	47
White, mother foreign	1,520	1	52	252	357	424	325	98	5	-	-	6
White, mother's nativity not stated	25	-	2	12	4	2	3	1	-	-	-	1
Negro	2,358	16	587	780	488	274	161	31	2	-	-	19
Other	20	-	-	10	4	6	-	-	-	-	-	-
Places of 10,000 to 25,000	12,114	23	1,882	4,458	2,922	1,748	856	199	6	1	1	23
White, mother native	10,312	12	1,495	3,959	2,572	1,453	665	136	2	1	1	16
White, mother foreign	517	-	21	90	114	140	110	36	2	-	-	4
White, mother's nativity not stated	13	-	1	3	6	1	2	-	-	-	-	-
Negro	1,269	11	363	400	230	154	79	27	2	-	-	3
Other	3	-	2	1	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	27,479	68	4,312	9,272	6,424	4,394	2,278	589	56	3	1	82
White, mother native	23,826	42	3,674	8,382	5,706	3,706	1,770	432	44	2	1	67
White, mother foreign	1,262	-	42	178	271	361	299	99	7	1	-	4
White, mother's nativity not stated	52	1	4	17	11	5	8	4	-	-	-	2
Negro	2,308	25	592	686	429	312	196	54	5	-	-	9
Other	31	-	-	9	7	10	5	-	-	-	-	-
Rural	67,813	125	9,692	20,435	15,761	11,981	7,248	2,162	145	3	6	255
White, mother native	55,020	62	7,503	17,159	13,300	9,662	5,456	1,602	95	2	1	178
White, mother foreign	2,750	-	95	417	558	730	587	220	26	-	2	15
White, mother's nativity not stated	108	-	13	22	20	18	17	6	-	-	-	7
Negro	9,876	63	2,076	2,828	1,864	1,559	1,074	331	24	1	3	53
Other	64	-	5	9	19	12	14	3	-	-	-	2
UTAH	16,180	3	1,479	5,005	4,547	3,050	1,583	473	35	1	-	4
White, mother native	15,504	3	1,451	4,850	4,367	2,907	1,476	419	29	1	-	1
White, mother foreign	400	-	6	59	84	105	94	47	5	-	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	28	-	2	13	12	-	-	1	-	-	-	-
Other	246	-	20	82	83	38	13	6	1	-	-	3
Urban	9,447	3	860	3,036	2,700	1,725	879	228	15	-	-	1
White, mother native	9,064	3	852	2,945	2,607	1,637	814	193	13	-	-	-
White, mother foreign	279	-	3	47	55	75	64	33	2	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	24	-	2	11	10	-	-	1	-	-	-	-
Other	79	-	3	33	27	13	1	1	-	-	-	1
Places of 100,000 or more	4,202	2	352	1,356	1,221	778	402	84	7	-	-	-
White, mother native	3,998	2	347	1,309	1,167	727	366	74	6	-	-	-
White, mother foreign	152	-	3	25	33	44	36	10	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	14	-	1	5	8	-	-	-	-	-	-	-
Other	38	-	1	17	13	7	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UTAH—Continued												
Places of 25,000 to 100,000	1,512	-	142	488	429	278	134	41	-	-	-	-
White, mother native	1,452	-	140	471	411	266	131	33	-	-	-	-
White, mother foreign	35	-	-	8	8	10	3	6	-	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	9	-	1	5	2	-	-	1	-	-	-	-
Other	15	-	1	4	7	2	-	1	-	-	-	-
Places of 10,000 to 25,000	879	-	66	289	270	149	80	24	1	-	-	-
White, mother native	861	-	66	285	267	142	78	22	1	-	-	-
White, mother foreign	18	-	-	4	3	7	2	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	2,854	1	300	903	780	520	268	79	7	-	-	1
White, mother native	2,753	1	299	880	762	502	239	64	6	-	-	-
White, mother foreign	74	-	-	10	11	14	23	15	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-	-
Other	26	-	1	12	7	4	1	-	-	-	-	1
Rural	6,733	-	619	1,969	1,847	1,325	704	245	20	1	-	3
White, mother native	6,440	-	599	1,905	1,760	1,270	662	226	18	1	-	1
White, mother foreign	121	-	3	12	29	30	30	14	3	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	4	-	-	2	2	-	-	-	-	-	-	-
Other	167	-	17	49	56	25	12	5	1	-	-	2
VERMONT	6,824	4	596	2,083	1,900	1,347	682	202	7	-	-	3
White, mother native	6,335	4	578	1,988	1,781	1,231	584	160	6	-	-	3
White, mother foreign	481	-	18	92	116	114	98	42	1	-	-	-
White, mother's nativity not stated	5	-	-	2	1	2	-	-	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-	-
Urban	2,622	2	182	803	774	545	250	65	1	-	-	-
White, mother native	2,489	2	176	775	729	490	214	52	1	-	-	-
White, mother foreign	131	-	6	28	43	55	36	13	-	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-	-
Places of 25,000 to 100,000	624	1	38	216	172	124	66	7	-	-	-	-
White, mother native	575	1	37	209	162	107	55	4	-	-	-	-
White, mother foreign	49	-	1	7	10	17	11	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	566	-	38	141	171	134	65	17	-	-	-	-
White, mother native	525	-	36	134	162	122	55	16	-	-	-	-
White, mother foreign	41	-	2	7	9	12	10	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	1,432	1	106	446	431	287	119	41	1	-	-	-
White, mother native	1,389	1	103	432	405	261	104	32	1	-	-	-
White, mother foreign	91	-	3	14	24	26	15	9	-	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-	-
Rural	4,202	2	414	1,280	1,126	802	432	137	6	-	-	3
White, mother native	3,896	2	402	1,213	1,052	741	370	108	5	-	-	3
White, mother foreign	300	-	12	64	73	59	62	29	1	-	-	-
White, mother's nativity not stated	4	-	-	2	-	2	-	-	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	69,175	167	9,228	22,249	17,501	11,690	6,097	1,944	156	3	3	137
White, mother native	51,596	32	5,525	16,444	13,845	9,263	4,817	1,482	113	3	1	71
White, mother foreign	375	-	7	101	88	106	61	10	-	-	-	2
White, mother's nativity not stated	30	1	2	5	4	4	4	-	-	-	-	10
Negro	17,147	134	3,692	5,687	3,559	2,311	1,213	452	43	-	2	54
Other	27	-	2	12	5	6	2	-	-	-	-	-
Urban	26,820	61	3,386	8,984	7,260	4,592	2,030	433	22	-	1	51
White, mother native	20,479	9	1,966	6,752	6,016	3,746	1,615	327	16	-	-	32
White, mother foreign	269	-	4	67	67	81	41	7	-	-	-	2
White, mother's nativity not stated	14	1	1	2	2	3	-	-	-	-	-	5
Negro	6,047	51	1,414	2,158	1,172	761	373	99	6	-	1	12
Other	11	-	1	5	3	1	1	-	-	-	-	-
Places of 100,000 or more	8,227	25	1,268	2,856	2,054	1,287	596	120	4	-	1	16
White, mother native	5,601	2	686	1,974	1,556	920	427	76	1	-	-	9
White, mother foreign	71	-	-	19	14	21	14	3	-	-	-	-
White, mother's nativity not stated	2	-	-	-	1	-	-	-	-	-	-	1
Negro	2,552	23	582	863	482	346	155	41	3	-	1	6
Other	1	-	-	-	1	-	-	-	-	-	-	-
Places of 25,000 to 100,000	11,954	24	1,309	3,936	3,424	2,135	907	182	10	-	-	27
White, mother native	9,282	4	750	2,943	2,878	1,798	746	137	9	-	-	17
White, mother foreign	152	-	1	40	43	46	18	3	-	-	-	1
White, mother's nativity not stated	9	-	-	2	1	2	-	-	-	-	-	4
Negro	2,502	20	557	946	500	288	143	42	1	-	-	5
Other	9	-	1	5	2	1	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
VIRGINIA—Continued												
Places of 10,000 to 25,000	1,660	5	216	540	434	294	141	26	3	-	-	1
White, mother native	1,333	2	141	424	383	243	118	18	3	-	-	1
White, mother foreign	8	-	1	2	2	1	1	1	-	-	-	-
White, mother's nativity not stated	2	1	1	-	-	-	-	-	-	-	-	-
Negro	317	2	73	114	49	50	22	7	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	4,979	7	593	1,652	1,348	876	386	105	5	-	-	7
White, mother native	4,263	1	439	1,411	1,199	785	324	96	3	-	-	5
White, mother foreign	38	-	2	6	8	13	8	-	-	-	-	1
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-	-
Negro	676	6	152	235	141	77	53	9	2	-	-	1
Other	1	-	-	-	-	-	1	-	-	-	-	-
Rural	42,355	106	5,842	13,265	10,241	7,098	4,067	1,511	134	3	2	86
White, mother native	31,117	23	3,559	9,692	7,829	5,517	3,202	1,155	97	3	1	39
White, mother foreign	106	-	3	34	21	25	20	3	-	-	-	-
White, mother's nativity not stated	16	-	1	3	2	1	4	-	-	-	-	5
Negro	11,100	83	2,278	3,529	2,387	1,550	840	353	37	-	1	42
Other	16	-	1	7	2	5	1	-	-	-	-	-
WASHINGTON	44,528	19	4,387	15,153	12,965	7,768	3,353	787	49	1	-	46
White, mother native	41,191	15	4,150	14,211	12,009	7,076	2,971	674	43	1	-	41
White, mother foreign	2,154	-	57	538	637	524	310	84	3	-	-	1
White, mother's nativity not stated	18	-	2	4	5	3	2	-	-	-	-	2
Negro	371	3	83	142	86	38	14	5	-	-	-	-
Other	794	1	95	258	228	127	56	24	3	-	-	2
Urban	26,708	11	2,585	9,228	7,958	4,632	1,910	390	23	1	-	20
White, mother native	24,659	8	2,405	8,636	7,366	4,199	1,671	336	19	1	-	18
White, mother foreign	1,416	-	35	362	421	350	204	42	2	-	-	-
White, mother's nativity not stated	11	-	2	3	2	2	1	-	-	-	-	1
Negro	263	3	59	103	60	25	10	3	-	-	-	-
Other	359	-	34	124	109	56	24	9	2	-	-	1
Places of 100,000 or more	17,302	5	1,489	5,928	5,255	3,107	1,265	235	10	-	-	8
White, mother native	15,834	4	1,403	5,511	4,835	2,783	1,088	197	6	-	-	7
White, mother foreign	1,016	-	24	248	290	268	154	30	2	-	-	-
White, mother's nativity not stated	5	-	1	1	1	-	1	-	-	-	-	1
Negro	184	1	40	75	45	15	6	2	-	-	-	-
Other	263	-	21	93	84	41	16	6	2	-	-	-
Places of 25,000 to 100,000	2,253	3	219	726	708	397	150	41	5	1	-	3
White, mother native	2,087	2	210	673	654	365	137	37	5	1	-	3
White, mother foreign	123	-	3	40	41	25	12	2	-	-	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	19	1	6	5	4	2	-	1	-	-	-	-
Other	22	-	-	7	8	5	1	1	-	-	-	-
Places of 10,000 to 25,000	4,022	2	459	1,420	1,137	667	266	67	3	-	-	1
White, mother native	3,812	1	443	1,360	1,080	627	238	59	3	-	-	1
White, mother foreign	139	-	3	36	37	32	23	8	-	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	50	1	9	20	9	7	4	-	-	-	-	-
Other	20	-	3	4	11	1	1	-	-	-	-	-
Places of 2,500 to 10,000	3,131	1	368	1,154	858	461	229	47	5	-	-	8
White, mother native	2,926	1	349	1,092	797	424	208	43	5	-	-	7
White, mother foreign	138	-	5	38	53	25	15	2	-	-	-	-
White, mother's nativity not stated	3	-	-	1	-	2	-	-	-	-	-	-
Negro	10	-	4	3	2	1	-	-	-	-	-	-
Other	54	-	10	20	6	9	6	2	-	-	-	1
Rural	17,820	8	1,852	5,925	5,007	3,136	1,443	397	26	-	-	26
White, mother native	16,532	7	1,745	5,575	4,643	2,877	1,300	338	24	-	-	23
White, mother foreign	738	-	22	176	216	174	106	42	1	-	-	1
White, mother's nativity not stated	7	-	-	1	3	1	1	-	-	-	-	1
Negro	108	-	24	39	26	13	4	2	-	-	-	-
Other	435	1	61	134	119	71	32	15	1	-	-	1
WEST VIRGINIA	41,304	51	5,111	13,485	10,148	6,855	4,030	1,381	107	2	1	133
White, mother native	38,747	38	4,668	12,668	9,650	6,453	3,792	1,275	98	2	1	107
White, mother foreign	183	-	3	34	31	53	37	22	3	-	-	-
White, mother's nativity not stated	78	-	10	19	8	12	9	3	-	-	-	17
Negro	2,296	18	430	764	459	337	192	81	6	-	-	9
Other	-	-	-	-	-	-	-	-	-	-	-	-
Urban	12,772	19	1,497	4,388	3,388	2,090	1,064	284	14	1	-	27
White, mother native	12,058	14	1,386	4,143	3,257	1,965	1,001	256	12	1	-	23
White, mother foreign	85	-	1	17	16	26	17	7	1	-	-	-
White, mother's nativity not stated	20	-	1	5	1	6	3	1	-	-	-	3
Negro	609	5	109	223	114	93	43	20	1	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	5,913	11	714	2,019	1,547	990	491	123	6	-	-	12
White, mother native	5,628	10	666	1,929	1,500	926	467	113	5	-	-	12
White, mother foreign	37	-	-	6	5	16	7	3	-	-	-	-
White, mother's nativity not stated	8	-	1	4	1	2	-	-	-	-	-	-
Negro	240	1	47	80	41	46	17	7	1	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,682	4	298	923	734	457	199	60	3	-	-	4
White, mother native	2,489	2	265	854	694	429	188	53	2	-	-	2
White, mother foreign	20	-	-	7	7	3	2	-	1	-	-	-
White, mother's nativity not stated	6	-	-	1	-	2	1	1	-	-	-	1
Negro	167	2	33	61	33	23	8	6	-	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence).

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
WEST VIRGINIA—Continued												
Places of 2,500 to 10,000	4,177	4	485	1,446	1,107	643	374	101	5	1	-	11
White, mother native	3,941	2	455	1,360	1,063	610	346	90	5	1	-	9
White, mother foreign	28	-	1	4	4	7	8	4	-	-	-	-
White, mother's nativity not stated	6	-	-	-	-	2	2	-	-	-	-	2
Negro	202	2	29	82	40	24	18	7	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	28,532	32	3,614	9,097	6,760	4,765	2,966	1,097	93	1	1	106
White, mother native	26,689	19	3,282	8,525	6,393	4,488	2,791	1,019	86	1	1	84
White, mother foreign	98	-	2	17	15	27	20	15	2	-	-	-
White, mother's nativity not stated	58	-	9	14	7	6	6	2	-	-	-	14
Negro	1,687	13	321	541	345	244	149	61	5	-	-	8
Other	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN	61,547	15	3,643	17,760	18,947	12,729	6,402	1,912	126	5	-	8
White, mother native	59,606	10	3,509	17,289	18,566	12,274	6,059	1,773	117	4	-	5
White, mother foreign	1,128	1	12	227	190	313	270	106	8	1	-	-
White, mother's nativity not stated	9	-	1	-	3	2	-	-	-	-	-	3
Negro	322	3	68	110	70	46	19	6	-	-	-	-
Other	482	1	53	134	118	94	54	27	1	-	-	-
Urban	33,003	6	1,672	9,573	10,600	6,968	3,269	867	43	1	-	4
White, mother native	31,835	3	1,590	9,275	10,385	6,683	3,062	798	37	-	-	2
White, mother foreign	754	-	7	154	124	217	184	61	6	1	-	-
White, mother's nativity not stated	6	-	-	-	2	2	-	-	-	-	-	2
Negro	312	3	65	110	69	43	17	5	-	-	-	-
Other	96	-	10	34	20	23	6	3	-	-	-	-
Places of 100,000 or more	10,670	3	466	3,197	3,475	2,257	1,017	237	15	1	-	2
White, mother native	10,041	-	414	3,014	3,366	2,109	919	207	11	-	-	1
White, mother foreign	335	-	1	69	52	101	81	26	4	1	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	-	1
Negro	258	3	49	99	52	37	14	4	-	-	-	-
Other	34	-	2	15	5	9	3	-	-	-	-	-
Places of 25,000 to 100,000	12,647	3	692	3,640	4,108	2,644	1,224	322	14	-	-	1
White, mother native	12,271	2	667	3,555	4,032	2,551	1,148	302	13	-	-	1
White, mother foreign	289	-	4	63	49	80	73	19	1	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	51	-	16	10	16	6	2	1	-	-	-	-
Other	35	-	5	12	10	7	1	-	-	-	-	-
Places of 10,000 to 25,000	4,536	-	203	1,240	1,450	1,002	480	157	4	-	-	-
White, mother native	4,452	-	201	1,226	1,438	972	464	147	4	-	-	-
White, mother foreign	71	-	-	12	10	26	14	9	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	-	1	-	1	-	-	-	-	-
Other	11	-	2	2	1	4	1	1	-	-	-	-
Places of 2,500 to 10,000	5,150	1	311	1,496	1,567	1,065	548	161	10	-	-	1
White, mother native	5,071	1	308	1,480	1,549	1,051	531	142	9	-	-	-
White, mother foreign	59	-	2	10	13	10	16	7	1	-	-	-
White, mother's nativity not stated	3	-	-	-	1	1	-	-	-	-	-	1
Negro	1	-	-	1	-	-	-	-	-	-	-	-
Other	16	-	1	5	4	3	1	2	-	-	-	-
Rural	28,544	9	1,971	8,167	8,347	5,761	3,133	1,045	83	4	-	4
White, mother native	27,771	7	1,919	8,014	8,181	5,591	2,997	975	80	4	-	3
White, mother foreign	374	1	5	73	66	96	86	45	2	-	-	-
White, mother's nativity not stated	3	-	1	-	1	-	-	-	-	-	-	1
Negro	10	-	3	-	1	3	2	1	-	-	-	-
Other	386	1	43	100	98	71	48	24	1	-	-	-
WYOMING	5,635	4	543	1,826	1,578	1,037	484	147	7	-	-	9
White, mother native	5,188	4	514	1,731	1,437	939	428	120	6	-	-	9
White, mother foreign	113	-	1	8	23	39	30	12	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	15	-	3	4	6	-	1	1	-	-	-	-
Other	318	-	25	82	112	59	25	14	1	-	-	-
Urban	2,574	4	231	868	736	459	207	49	5	-	-	5
White, mother native	2,489	4	227	853	715	449	190	42	4	-	-	5
White, mother foreign	55	-	-	4	14	16	14	7	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	9	-	2	4	2	-	1	-	-	-	-	-
Other	21	-	2	7	5	4	2	-	1	-	-	-
Places of 10,000 to 25,000	1,725	4	154	609	492	292	142	30	2	-	-	-
White, mother native	1,680	4	152	601	481	281	131	28	2	-	-	-
White, mother foreign	31	-	-	2	7	10	10	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	5	-	2	2	1	-	-	-	-	-	-	-
Other	9	-	-	4	3	1	1	-	-	-	-	-
Places of 2,500 to 10,000	849	-	77	259	244	177	65	19	3	-	-	5
White, mother native	809	-	75	252	234	168	59	14	2	-	-	5
White, mother foreign	24	-	-	2	7	6	4	5	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	-	2	1	-	1	-	-	-	-	-
Other	12	-	2	3	2	3	1	-	1	-	-	-
Rural	3,061	-	312	958	842	568	277	98	2	-	-	4
White, mother native	2,899	-	287	878	722	490	238	78	2	-	-	4
White, mother foreign	58	-	1	4	9	23	16	5	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	6	-	1	-	4	-	-	1	-	-	-	-
Other	297	-	23	75	107	55	23	14	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, BIRTH ORDER (EXCLUDING STILLBIRTHS), AND AGE OF MOTHER: UNITED STATES AND EACH STATE, 1944

(By place of residence. Birth order refers to number of children ever born alive to mother. Figures for Massachusetts are included in the "total" and "not stated" classifications; they are not given by birth order because this State does not require the reporting of such information)

AREA, RACE, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES	2,794,800	3,565	301,130	868,946	769,015	511,869	263,442	70,073	4,778	134	53	3,795
White	2,454,700	1,211	226,757	759,967	697,313	464,735	235,672	62,012	4,050	112	41	2,830
First	825,252	1,198	171,825	359,201	184,684	76,220	26,843	4,420	150	17	4	670
Second	651,428	4	40,023	222,074	218,465	122,620	41,864	5,620	174	11	6	562
Third	366,015	-	6,607	96,356	126,708	90,848	38,410	6,485	234	18	5	346
Fourth	190,795	-	806	34,344	66,368	53,998	28,614	6,093	314	11	5	242
Fifth	106,251	-	116	10,205	34,888	34,160	20,815	5,598	296	10	1	162
Sixth	65,133	-	21	2,569	16,876	23,587	16,593	5,077	294	9	2	105
Seventh	42,141	-	-	693	7,253	15,839	13,335	4,659	295	4	2	61
Eighth	28,321	-	-	133	2,679	9,614	11,169	4,347	309	1	2	67
Ninth	19,303	-	-	65	904	5,309	8,678	3,990	308	5	4	40
Tenth	12,765	-	-	35	346	2,632	5,871	3,530	329	3	2	17
Eleventh	8,030	-	-	25	124	1,131	3,558	2,860	310	4	-	18
Twelfth	5,012	-	-	-	52	508	2,058	2,100	279	4	1	10
Thirteenth	2,791	-	-	-	17	209	1,038	1,330	189	3	1	4
Fourteenth	1,498	-	-	-	6	82	509	769	125	1	-	6
Fifteenth	807	-	-	-	3	33	243	439	88	1	-	-
Sixteenth	370	-	-	-	3	12	86	228	38	1	-	2
Seventeenth	195	-	-	-	-	8	57	109	21	-	-	-
Eighteenth	91	-	-	-	-	3	26	51	11	-	-	-
Nineteenth	44	-	-	-	-	3	10	27	4	-	-	-
Twentieth	21	-	-	-	-	2	9	7	3	-	-	-
Twenty-first	8	-	-	-	-	-	2	6	-	-	-	-
Twenty-second and over	14	-	-	-	-	-	6	8	-	-	-	-
Not stated	128,435	9	7,354	34,267	37,937	27,917	15,878	4,259	279	11	6	518
Male	1,263,345	597	116,968	391,365	359,107	238,709	121,376	31,655	2,057	49	23	1,439
First	425,906	589	88,677	185,525	95,411	39,139	13,885	2,258	79	8	4	331
Second	335,080	3	20,694	114,205	112,261	63,000	21,555	2,949	99	7	4	303
Third	188,581	-	3,420	49,420	65,592	46,636	19,912	3,296	117	8	2	178
Fourth	98,015	-	395	17,586	33,991	27,865	14,733	3,164	162	2	2	115
Fifth	54,200	-	67	5,226	17,847	17,297	10,690	2,819	159	4	1	90
Sixth	33,397	-	12	1,305	8,607	12,201	8,511	2,587	144	3	2	45
Seventh	21,704	-	-	344	3,759	8,156	6,900	2,382	132	4	-	27
Eighth	14,417	-	-	66	1,379	4,906	5,683	2,188	156	-	1	38
Ninth	9,885	-	-	40	483	2,742	4,440	2,001	150	4	1	24
Tenth	6,472	-	-	19	160	1,381	2,950	1,783	169	-	-	10
Eleventh	4,083	-	-	15	60	557	1,836	1,467	138	1	-	9
Twelfth	2,569	-	-	-	29	264	1,074	1,050	148	-	1	3
Thirteenth	1,445	-	-	-	5	100	540	686	111	1	-	2
Fourteenth	782	-	-	-	3	47	261	404	64	1	-	2
Fifteenth	411	-	-	-	1	15	128	226	41	-	-	-
Sixteenth	202	-	-	-	2	5	50	118	26	-	-	1
Seventeenth	93	-	-	-	-	2	26	55	10	-	-	-
Eighteenth	47	-	-	-	-	1	13	25	8	-	-	-
Nineteenth	24	-	-	-	-	1	5	15	3	-	-	-
Twentieth	11	-	-	-	-	2	6	2	1	-	-	-
Twenty-first	5	-	-	-	-	-	1	4	-	-	-	-
Twenty-second and over	5	-	-	-	-	-	1	4	-	-	-	-
Not stated	66,011	5	3,703	17,614	19,517	14,392	8,176	2,192	140	6	5	261
Female	1,191,355	614	109,789	368,602	338,206	226,026	114,296	30,357	1,993	63	18	1,391
First	389,326	609	83,148	175,676	89,273	37,081	12,958	2,162	71	9	-	339
Second	316,348	1	19,334	107,869	106,204	59,620	20,309	2,671	75	4	2	259
Third	177,434	-	3,187	46,936	61,116	44,212	18,498	3,189	117	8	3	168
Fourth	92,780	-	411	16,758	32,377	26,133	13,881	2,929	152	9	3	127
Fifth	52,051	-	49	4,979	17,041	16,863	10,125	2,779	137	6	-	72
Sixth	31,736	-	9	1,264	8,269	11,386	8,082	2,510	150	6	-	60
Seventh	20,437	-	-	349	3,494	7,683	6,435	2,277	163	-	2	34
Eighth	13,904	-	-	67	1,300	4,708	5,486	2,159	153	1	1	29
Ninth	9,418	-	-	25	421	2,567	4,238	1,989	158	1	3	16
Tenth	6,293	-	-	16	186	1,251	2,921	1,747	160	3	2	7
Eleventh	3,947	-	-	10	64	574	1,722	1,393	172	3	-	9
Twelfth	2,443	-	-	-	23	244	984	1,050	131	4	-	7
Thirteenth	1,346	-	-	-	12	109	498	644	78	2	1	2
Fourteenth	716	-	-	-	3	35	248	365	61	-	-	4
Fifteenth	396	-	-	-	2	18	115	213	47	1	-	-
Sixteenth	168	-	-	-	1	7	36	110	12	1	-	1
Seventeenth	102	-	-	-	-	6	31	54	11	-	-	-
Eighteenth	44	-	-	-	-	2	13	26	3	-	-	-
Nineteenth	20	-	-	-	-	2	5	12	1	-	-	-
Twentieth	10	-	-	-	-	-	3	5	2	-	-	-
Twenty-first	3	-	-	-	-	-	1	2	-	-	-	-
Twenty-second and over	9	-	-	-	-	-	5	4	-	-	-	-
Not stated	62,424	4	3,651	16,653	18,420	13,525	7,702	2,087	139	5	1	257
Nonwhite	340,100	2,354	74,373	106,979	71,702	47,134	27,770	8,061	728	22	12	965
First	88,011	2,349	45,002	26,861	8,604	3,555	1,275	186	13	1	2	163
Second	64,139	2	19,482	27,742	10,535	4,437	1,565	223	16	2	-	155
Third	47,040	-	5,631	22,978	11,382	4,780	1,859	288	20	1	1	120
Fourth	34,754	-	1,230	14,406	11,410	5,165	2,053	375	21	1	-	93
Fifth	25,365	-	241	6,815	10,222	5,318	2,226	414	42	-	-	87
Sixth	19,090	-	62	2,614	7,711	5,598	2,513	500	34	4	1	53
Seventh	13,883	-	-	853	4,548	5,105	2,717	586	47	2	-	45
Eighth	10,273	-	-	264	2,322	4,176	2,777	648	48	2	1	35
Ninth	7,635	-	-	100	1,084	2,946	2,691	752	53	2	3	34
Tenth	5,667	-	-	42	462	1,872	2,398	809	62	1	1	20
Eleventh	3,671	-	-	21	171	893	1,694	798	77	1	-	16
Twelfth	2,329	-	-	-	72	476	1,088	640	61	2	1	9
Thirteenth	1,535	-	-	-	33	229	676	551	61	-	1	4
Fourteenth	883	-	-	-	21	100	351	362	48	-	-	1
Fifteenth	490	-	-	-	6	34	191	219	40	-	-	-
Sixteenth	263	-	-	-	1	25	88	123	25	-	-	1
Seventeenth	154	-	-	-	1	18	49	70	14	-	-	2

TABLE 5.—LIVE BIRTHS BY RACE, BIRTH ORDER (EXCLUDING STILLBIRTHS), AND AGE OF MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p.89)

AREA, RACE, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES—Continued												
Nonwhite—Continued												
Eighteenth	70	-	-	-	-	6	19	40	4	1	-	-
Nineteenth	39	-	-	-	-	3	11	20	4	-	-	1
Twentieth	27	-	-	-	1	1	10	10	4	-	1	-
Twenty-first	11	-	-	-	-	-	4	7	-	-	-	-
Twenty-second and over	7	-	-	-	-	-	4	3	-	-	-	-
Not stated	14,764	3	2,745	4,283	3,116	2,397	1,551	497	34	2	-	136
Male	171,956	1,225	37,512	54,302	36,172	23,712	14,060	4,090	362	12	7	502
First	44,637	1,222	22,708	15,614	4,424	1,836	647	95	4	-	-	87
Second	32,519	1	9,850	14,137	5,330	2,229	765	110	9	-	-	88
Third	23,772	-	2,832	11,670	5,726	2,414	929	137	7	1	1	55
Fourth	17,391	-	593	7,250	5,658	2,612	1,051	185	10	1	-	51
Fifth	12,740	-	119	3,443	5,146	2,669	1,090	210	18	-	-	45
Sixth	9,621	-	29	1,321	3,873	2,852	1,259	242	17	3	1	24
Seventh	6,923	-	-	432	2,303	2,509	1,346	284	20	1	-	28
Eighth	5,182	-	-	130	1,180	2,076	1,435	330	24	1	1	25
Ninth	3,904	-	-	52	559	1,464	1,430	365	22	1	1	10
Tenth	2,915	-	-	19	242	958	1,246	413	28	1	1	7
Eleventh	1,883	-	-	13	89	457	856	417	41	1	-	9
Twelfth	1,143	-	-	-	34	223	528	322	31	2	-	5
Thirteenth	769	-	-	-	14	109	330	280	35	-	1	-
Fourteenth	486	-	-	-	14	57	177	210	27	-	-	1
Fifteenth	260	-	-	-	5	19	107	105	24	-	-	-
Sixteenth	131	-	-	-	-	8	44	65	13	-	-	1
Seventeenth	87	-	-	-	-	12	26	41	7	-	-	1
Eighteenth	28	-	-	-	-	2	7	16	3	-	-	-
Nineteenth	19	-	-	-	-	3	6	8	1	-	-	1
Twentieth	15	-	-	-	-	-	7	4	3	-	1	-
Twenty-first	6	-	-	-	-	-	3	3	-	-	-	-
Twenty-second and over	3	-	-	-	-	-	2	1	-	-	-	-
Not stated	7,522	2	1,381	2,221	1,615	1,203	771	247	18	-	-	64
Female	168,144	1,129	36,861	52,677	35,530	23,422	13,710	3,971	366	10	5	463
First	43,374	1,127	22,294	13,247	4,180	1,719	628	91	9	1	2	76
Second	31,620	1	9,612	13,605	5,205	2,208	800	113	7	2	-	67
Third	23,288	-	2,799	11,308	5,656	2,366	910	151	13	-	-	65
Fourth	17,363	-	637	7,158	5,772	2,553	1,002	190	11	-	-	42
Fifth	12,625	-	122	3,372	5,076	2,649	1,136	204	24	-	-	42
Sixth	9,469	-	33	1,293	3,638	2,746	1,254	258	17	1	-	29
Seventh	6,960	-	-	421	2,245	2,596	1,371	282	27	1	-	17
Eighth	5,091	-	-	134	1,162	2,100	1,342	318	24	1	-	10
Ninth	3,731	-	-	48	525	1,482	1,261	367	31	1	2	14
Tenth	2,752	-	-	23	220	914	1,152	396	34	-	-	13
Eleventh	1,788	-	-	8	82	436	838	381	36	-	-	7
Twelfth	1,186	-	-	-	38	253	542	318	30	-	1	4
Thirteenth	766	-	-	-	19	120	346	251	26	-	-	4
Fourteenth	397	-	-	-	7	45	174	152	21	-	-	-
Fifteenth	230	-	-	-	1	15	84	114	16	-	-	-
Sixteenth	132	-	-	-	1	17	44	58	12	-	-	-
Seventeenth	67	-	-	-	1	6	23	29	7	-	-	1
Eighteenth	42	-	-	-	-	4	12	24	1	1	-	-
Nineteenth	20	-	-	-	-	-	5	12	3	-	-	-
Twentieth	12	-	-	-	1	1	3	6	1	-	-	-
Twenty-first	5	-	-	-	-	-	1	4	-	-	-	-
Twenty-second and over	4	-	-	-	-	-	2	2	-	-	-	-
Not stated	7,242	1	1,364	2,062	1,501	1,194	780	250	16	2	-	72
ALABAMA	74,415	206	12,575	23,002	17,132	11,991	7,095	1,982	148	8	2	274
White	47,504	43	6,615	14,986	11,680	8,056	4,601	1,316	74	6	1	126
First	12,261	43	3,816	5,162	2,072	845	289	30	1	-	-	23
Second	10,756	-	1,696	4,433	2,705	1,402	436	61	1	-	-	22
Third	6,942	-	408	2,504	2,249	1,203	491	71	3	2	-	11
Fourth	4,456	-	67	1,099	1,632	1,101	467	74	6	-	1	9
Fifth	2,961	-	4	383	1,068	911	439	93	3	1	-	9
Sixth	2,003	-	1	109	565	751	451	114	4	-	-	8
Seventh	1,446	-	-	34	290	560	433	118	4	-	-	7
Eighth	997	-	-	8	115	346	393	125	7	-	-	3
Ninth	685	-	-	1	33	186	312	140	9	2	-	2
Tenth and over	1,098	-	-	4	17	152	500	336	32	-	-	7
Not stated	3,899	-	623	1,249	934	599	360	104	4	1	-	25
Nonwhite	26,911	163	5,960	8,016	5,452	3,935	2,494	666	74	2	1	148
First	3,864	163	2,109	1,074	292	157	54	9	-	-	-	6
Second	4,391	-	1,934	1,602	499	235	88	11	1	-	-	21
Third	3,457	-	717	1,701	649	249	110	12	1	-	-	18
Fourth	2,731	-	176	1,291	784	317	143	19	4	-	-	17
Fifth	2,099	-	38	686	773	376	191	21	-	-	-	14
Sixth	1,711	-	14	314	717	429	195	27	5	-	-	10
Seventh	1,298	-	-	140	477	419	220	35	1	-	-	6
Eighth	1,009	-	-	32	282	425	225	38	3	-	-	4
Ninth	772	-	-	11	129	322	243	56	7	1	-	3
Tenth and over	1,767	-	-	12	112	475	752	355	45	-	1	15
Not stated	3,812	-	972	1,153	738	531	295	83	7	1	-	34
ARIZONA	14,225	22	1,870	4,754	3,821	2,200	1,269	404	22	4	-	59
White	12,408	12	1,591	4,234	3,235	1,877	1,088	319	15	2	-	35
First	4,044	12	1,216	1,738	715	235	97	20	1	-	-	10
Second	2,945	-	300	1,299	829	359	132	18	1	-	-	7
Third	1,928	-	65	738	643	332	124	23	-	-	-	5
Fourth	1,235	-	4	311	502	253	129	22	-	1	-	3
Fifth	708	-	2	105	279	189	101	29	2	-	-	1

TABLE 5.—LIVE BIRTHS BY RACE, BIRTH ORDER (EXCLUDING STILLBIRTHS), AND AGE OF MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 89)

AREA, RACE, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
ARIZONA—Continued												
White—Continued												
Sixth	478	-	-	33	149	185	87	20	1	-	-	1
Seventh	332	-	-	6	76	119	95	32	3	-	-	1
Eighth	245	-	-	2	26	84	105	25	1	-	-	2
Ninth	163	-	-	-	7	56	77	23	-	-	-	-
Tenth and over	316	-	-	1	6	54	140	107	6	1	-	1
Not stated	16	-	4	3	3	1	1	-	-	-	-	4
Nonwhite	1,817	10	279	520	386	323	181	85	7	2	-	24
First	408	10	184	155	35	12	6	-	-	-	-	6
Second	282	-	74	130	51	20	5	-	-	-	-	2
Third	253	-	16	124	70	30	9	1	1	-	-	2
Fourth	226	-	3	81	79	42	15	1	-	-	-	5
Fifth	172	-	-	20	79	46	21	2	1	-	-	3
Sixth	143	-	-	7	45	59	20	10	1	1	-	-
Seventh	97	-	-	1	14	52	21	7	-	-	-	2
Eighth	67	-	-	1	4	26	25	9	1	-	-	1
Ninth	58	-	-	-	3	17	24	13	1	-	-	-
Tenth and over	94	-	-	-	2	15	32	40	2	1	-	2
Not stated	17	-	2	1	4	4	3	2	-	-	-	1
ARKANSAS	41,240	131	7,221	12,825	9,345	6,410	3,819	1,146	81	2	1	259
White	31,357	33	4,941	10,078	7,345	4,963	2,870	882	61	-	1	183
First	9,346	33	3,358	3,764	1,412	527	181	26	2	-	-	43
Second	6,896	-	1,040	3,075	1,716	752	248	29	-	-	-	36
Third	4,443	-	199	1,667	1,472	759	279	42	1	-	-	24
Fourth	2,936	-	29	732	1,097	724	293	42	4	-	-	15
Fifth	1,933	-	12	254	691	604	309	69	3	-	1	10
Sixth	1,320	-	-	46	337	519	317	83	6	-	-	12
Seventh	915	-	-	16	133	373	282	98	6	-	-	7
Eighth	658	-	-	1	50	231	265	98	9	-	-	3
Ninth	450	-	-	4	22	102	218	96	5	-	-	3
Tenth and over	706	-	-	-	9	89	320	256	25	-	-	7
Not stated	1,754	-	303	539	406	283	158	45	-	-	-	20
Nonwhite	9,883	98	2,280	2,747	2,000	1,447	949	264	20	2	-	76
First	1,816	98	1,022	451	141	69	23	2	-	-	-	10
Second	1,507	-	619	571	190	86	27	4	-	-	-	10
Third	1,286	-	257	556	277	104	54	7	-	-	-	11
Fourth	999	-	67	447	289	126	50	7	1	-	-	12
Fifth	797	-	23	260	296	138	61	9	2	-	-	8
Sixth	639	-	6	104	266	168	70	20	1	-	-	4
Seventh	498	-	-	45	156	190	96	9	-	-	-	2
Eighth	382	-	-	21	99	140	93	21	2	-	-	6
Ninth	301	-	-	9	48	114	100	26	2	-	-	2
Tenth and over	690	-	-	1	48	188	310	131	10	1	-	1
Not stated	988	-	286	252	190	124	65	28	2	1	-	10
CALIFORNIA	179,123	103	19,958	61,465	50,095	30,607	13,501	3,124	176	5	4	85
White	169,967	85	18,457	58,286	47,734	29,350	12,902	2,905	159	5	4	80
First	89,533	85	14,465	30,402	15,371	6,575	2,247	364	9	3	-	12
Second	51,092	-	3,165	17,660	17,033	9,576	3,189	440	8	-	2	19
Third	23,822	-	506	6,374	8,151	5,869	2,490	410	11	-	1	10
Fourth	10,454	-	55	2,179	3,570	2,876	1,462	295	13	-	-	4
Fifth	5,100	-	8	652	1,713	1,585	908	211	18	1	-	4
Sixth	2,788	-	-	192	767	943	657	212	12	-	-	5
Seventh	1,800	-	-	54	391	650	508	182	11	-	-	4
Eighth	1,128	-	-	17	158	410	363	163	14	-	-	1
Ninth	792	-	-	7	42	282	314	134	12	-	-	1
Tenth and over	1,534	-	-	8	59	303	643	469	49	1	1	1
Not stated	1,926	-	258	741	479	281	121	25	2	-	-	19
Nonwhite	9,156	18	1,501	3,179	2,361	1,257	599	219	17	-	-	5
First	3,092	18	1,027	1,262	553	160	54	15	-	-	-	3
Second	2,215	-	352	935	590	247	83	7	1	-	-	-
Third	1,412	-	84	567	460	222	66	11	-	-	-	2
Fourth	865	-	16	257	328	184	58	21	1	-	-	-
Fifth	537	-	1	95	200	144	70	24	3	-	-	-
Sixth	334	-	2	29	118	95	68	22	-	-	-	-
Seventh	212	-	-	5	48	80	53	23	3	-	-	-
Eighth	146	-	-	1	23	53	38	27	4	-	-	-
Ninth	99	-	-	1	11	29	37	20	2	-	-	-
Tenth and over	158	-	-	1	4	35	67	48	3	-	-	-
Not stated	86	-	19	27	26	8	5	1	-	-	-	-
COLORADO	23,931	9	2,600	7,985	6,411	4,148	2,100	633	42	-	-	3
White	23,282	9	2,532	7,754	6,203	4,065	2,057	618	41	-	-	3
First	8,114	9	1,973	3,662	1,586	610	229	44	-	-	-	1
Second	6,078	-	463	2,373	1,881	1,007	301	50	2	-	-	1
Third	3,635	-	71	1,094	1,232	817	359	57	4	-	-	1
Fourth	1,998	-	15	399	726	534	255	66	3	-	-	-
Fifth	1,115	-	3	150	369	358	176	56	3	-	-	-
Sixth	727	-	2	47	220	248	161	48	1	-	-	-
Seventh	506	-	-	13	105	194	147	41	6	-	-	-
Eighth	364	-	-	2	53	118	138	52	1	-	-	-
Ninth	249	-	-	2	14	75	103	51	4	-	-	-
Tenth and over	468	-	-	2	11	101	184	153	17	-	-	-
Not stated	28	-	5	10	6	3	4	-	-	-	-	-
Nonwhite	649	-	68	231	208	83	43	15	1	-	-	-
First	232	-	48	114	55	12	3	-	-	-	-	-
Second	170	-	16	73	58	20	2	1	-	-	-	-
Third	84	-	3	26	42	12	1	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, BIRTH ORDER (EXCLUDING STILLBIRTHS), AND AGE OF MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 89)

AREA, RACE, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
COLORADO—Continued												
Nonwhite—Continued												
Fourth	52	-	1	15	19	10	6	1	-	-	-	-
Fifth	37	-	-	3	15	12	6	1	-	-	-	-
Sixth	24	-	-	-	7	8	7	2	-	-	-	-
Seventh	15	-	-	-	6	3	6	-	-	-	-	-
Eighth	16	-	-	-	5	2	5	4	-	-	-	-
Ninth	3	-	-	-	1	-	2	-	-	-	-	-
Tenth and over	16	-	-	-	-	4	5	6	1	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT	34,278	6	1,460	9,180	11,503	7,736	3,536	782	30	4	1	40
White	33,382	2	1,312	8,835	11,280	7,619	3,488	765	29	4	1	37
First	12,318	2	1,105	5,135	3,827	1,598	542	89	4	-	-	16
Second	10,961	-	157	2,550	4,364	2,761	976	143	1	-	-	9
Third	5,243	-	16	745	1,876	1,709	749	142	2	1	-	3
Fourth	2,223	-	-	186	665	754	500	113	1	1	-	3
Fifth	981	-	-	50	241	333	282	70	3	1	-	1
Sixth	492	-	-	5	102	165	165	53	1	-	-	1
Seventh	270	-	-	3	41	92	97	32	3	-	1	1
Eighth	168	-	-	-	13	60	60	31	2	-	-	2
Ninth	78	-	-	-	1	30	28	17	2	-	-	-
Tenth and over	144	-	-	-	1	27	48	59	9	-	-	-
Not stated	504	-	34	161	159	90	41	16	1	1	-	1
Nonwhite	896	4	148	345	213	117	48	17	1	-	-	3
First	282	4	90	118	36	10	3	1	-	-	-	-
Second	211	-	35	103	43	18	11	-	-	-	-	1
Third	132	-	5	65	36	23	2	1	-	-	-	-
Fourth	95	-	4	33	33	19	2	4	-	-	-	-
Fifth	61	-	-	12	35	9	2	3	-	-	-	-
Sixth	36	-	-	5	17	9	5	-	-	-	-	-
Seventh	24	-	-	1	5	11	5	1	1	-	-	-
Eighth	17	-	-	-	2	8	4	2	-	-	-	1
Ninth	9	-	-	-	1	3	5	-	-	-	-	-
Tenth and over	23	-	-	-	2	7	9	5	-	-	-	-
Not stated	26	-	14	8	3	-	-	-	-	-	-	1
DELAWARE	5,993	12	692	1,892	1,645	1,038	512	143	5	-	-	6
White	5,102	2	470	1,624	1,465	988	437	109	4	-	-	3
First	1,988	2	367	898	480	166	66	7	-	-	-	-
Second	1,491	-	90	456	526	309	94	15	1	-	-	-
Third	766	-	11	197	230	235	81	11	1	-	-	-
Fourth	347	-	1	49	112	117	49	17	-	-	-	2
Fifth	198	-	-	17	58	64	49	10	-	-	-	-
Sixth	104	-	-	4	38	31	21	10	-	-	-	-
Seventh	69	-	-	1	9	22	28	9	-	-	-	-
Eighth	55	-	-	-	5	22	19	9	-	-	-	-
Ninth	29	-	-	-	1	12	11	5	-	-	-	-
Tenth and over	45	-	-	-	3	9	16	15	2	-	-	-
Not stated	12	-	1	2	3	1	3	1	-	-	-	1
Nonwhite	891	10	222	268	180	98	75	34	1	-	-	3
First	243	10	157	63	18	12	2	1	-	-	-	-
Second	182	-	61	78	32	7	4	-	-	-	-	-
Third	134	-	21	57	32	16	5	2	-	-	-	1
Fourth	76	-	1	39	18	8	7	3	-	-	-	-
Fifth	70	-	1	23	24	9	11	1	-	-	-	1
Sixth	54	-	-	5	20	13	10	6	-	-	-	-
Seventh	34	-	-	2	16	9	5	2	-	-	-	-
Eighth	24	-	-	-	11	6	4	3	-	-	-	-
Ninth	33	-	-	-	5	7	13	8	-	-	-	-
Tenth and over	38	-	-	-	4	10	14	8	1	-	-	1
Not stated	3	-	1	1	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA	15,758	38	1,876	5,303	4,285	2,760	1,190	258	9	1	-	58
White	10,443	6	781	3,437	3,060	2,050	880	175	6	1	-	47
First	5,058	6	596	2,142	1,359	658	222	39	1	-	-	35
Second	2,701	-	96	738	913	659	249	36	1	-	-	9
Third	1,110	-	13	210	355	336	163	30	1	-	-	2
Fourth	397	-	1	51	103	133	89	17	3	-	-	-
Fifth	167	-	-	15	44	58	39	11	-	-	-	-
Sixth	86	-	-	3	21	27	28	6	-	1	-	-
Seventh	48	-	-	1	8	16	14	7	-	-	-	-
Eighth	23	-	-	-	4	5	8	6	-	-	-	-
Ninth	24	-	-	-	2	10	8	4	-	-	-	-
Tenth and over	20	-	-	-	1	7	5	7	-	-	-	-
Not stated	311	-	75	277	250	141	55	12	-	-	-	1
Nonwhite	5,315	32	1,095	1,866	1,225	710	310	83	3	-	-	11
First	1,778	32	661	661	261	121	33	3	-	-	-	6
Second	1,080	-	257	449	251	91	26	2	-	-	-	4
Third	667	-	66	317	172	82	29	1	-	-	-	-
Fourth	482	-	17	181	164	86	30	3	1	-	-	-
Fifth	279	-	3	65	113	68	28	2	-	-	-	-
Sixth	184	-	-	22	73	57	29	2	-	-	-	1
Seventh	146	-	-	7	44	60	30	5	-	-	-	-
Eighth	82	-	-	-	17	32	26	7	-	-	-	-
Ninth	60	-	-	-	6	25	22	7	-	-	-	-
Tenth and over	90	-	-	-	3	25	35	26	1	-	-	-
Not stated	467	-	91	164	121	63	22	5	1	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, BIRTH ORDER (EXCLUDING STILLBIRTHS), AND AGE OF MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 89)

AREA, RACE, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
FLORIDA	48,418	153	8,008	16,230	11,768	7,295	3,809	972	49	4	-	150
White	36,125	32	5,019	12,577	9,298	5,582	2,809	701	30	2	-	75
First	15,236	31	3,929	6,686	3,021	1,113	378	56	3	1	-	18
Second	9,245	1	880	3,457	2,828	1,480	507	69	2	1	-	20
Third	4,817	-	125	1,512	1,648	1,024	425	78	-	-	-	5
Fourth	2,563	-	14	578	867	678	342	72	4	-	-	8
Fifth	1,432	-	1	172	475	436	275	63	3	-	-	7
Sixth	877	-	-	47	230	325	211	57	2	-	-	5
Seventh	557	-	-	7	95	210	193	52	-	-	-	-
Eighth	367	-	-	1	30	131	134	67	2	-	-	2
Ninth	244	-	-	1	6	60	129	46	1	-	-	1
Tenth and over	351	-	-	1	9	39	166	124	12	-	-	-
Not stated	436	-	70	115	89	86	49	17	1	-	-	9
Nonwhite	12,293	121	2,989	3,653	2,470	1,713	1,000	271	19	2	-	55
First	3,265	121	1,776	844	314	150	44	7	-	-	-	9
Second	2,255	-	798	883	336	165	54	9	-	1	-	9
Third	1,747	-	264	833	373	194	64	12	-	-	-	7
Fourth	1,277	-	62	549	395	178	77	15	-	-	-	1
Fifth	950	-	14	289	341	198	87	13	3	-	-	5
Sixth	710	-	3	116	288	183	93	23	-	-	-	4
Seventh	505	-	-	35	176	177	105	11	-	-	-	1
Eighth	399	-	-	15	96	164	101	18	1	-	-	4
Ninth	297	-	-	3	53	114	98	28	1	-	-	-
Tenth and over	594	-	-	3	36	156	249	125	14	1	-	10
Not stated	254	-	72	83	62	34	28	10	-	-	-	5
GEORGIA	76,540	250	13,047	24,731	18,163	11,804	6,563	1,713	146	2	2	119
White	49,345	46	6,722	16,454	12,354	8,141	4,334	1,147	78	-	1	68
First	17,948	46	5,180	7,682	3,230	1,288	455	56	-	-	-	11
Second	12,481	-	1,319	5,183	3,521	1,752	622	70	5	-	-	9
Third	7,194	-	201	2,442	2,451	1,460	563	71	3	-	1	2
Fourth	4,263	-	18	847	1,611	1,140	548	91	3	-	-	5
Fifth	2,521	-	2	227	892	897	395	99	5	-	-	4
Sixth	1,719	-	1	41	424	676	467	105	5	-	-	-
Seventh	1,135	-	-	12	148	471	368	129	7	-	-	-
Eighth	782	-	-	4	46	263	332	127	9	-	-	1
Ninth	519	-	-	1	12	115	259	124	7	-	-	1
Tenth and over	648	-	-	-	4	72	316	272	33	-	-	1
Not stated	95	-	1	15	15	7	9	3	1	-	-	34
Nonwhite	27,195	204	6,325	8,277	5,809	3,663	2,229	566	68	2	1	51
First	7,396	204	4,251	1,957	643	248	91	12	2	-	-	8
Second	5,050	-	1,611	2,258	744	305	106	12	-	-	-	14
Third	3,842	-	386	1,965	986	332	146	17	1	1	-	7
Fourth	2,942	-	77	1,218	1,054	396	171	22	1	-	-	3
Fifth	2,209	-	14	545	947	477	192	29	5	-	-	-
Sixth	1,868	-	1	209	675	525	214	39	1	1	1	2
Seventh	1,169	-	-	71	395	442	200	52	6	-	-	3
Eighth	951	-	-	27	197	387	281	50	7	-	-	2
Ninth	715	-	-	11	104	264	272	55	8	-	-	1
Tenth and over	1,208	-	-	4	55	281	552	278	36	-	-	-
Not stated	47	-	5	11	9	6	4	-	1	-	-	11
IDAHO	12,241	7	1,307	4,108	3,372	2,014	1,065	328	26	-	-	14
White	12,087	5	1,290	4,057	3,321	1,983	1,056	317	26	-	-	12
First	3,710	5	1,011	1,674	656	239	102	21	1	-	-	1
Second	3,209	-	217	1,430	961	447	132	17	-	-	-	5
Third	2,261	-	45	657	853	473	192	32	5	-	-	4
Fourth	1,181	-	6	193	464	322	157	38	1	-	-	-
Fifth	651	-	1	52	214	228	120	33	2	-	-	1
Sixth	344	-	-	7	95	111	94	37	-	-	-	-
Seventh	225	-	-	2	29	69	94	31	-	-	-	-
Eighth	138	-	-	-	8	42	59	28	1	-	-	-
Ninth	85	-	-	-	5	14	38	22	5	-	-	1
Tenth and over	128	-	-	-	1	13	55	49	10	-	-	-
Not stated	135	-	10	42	35	25	13	9	1	-	-	-
Nonwhite	174	2	17	51	51	31	9	11	-	-	-	2
First	50	2	11	21	11	3	2	-	-	-	-	-
Second	38	-	4	16	14	4	-	-	-	-	-	-
Third	25	-	2	10	7	5	-	1	-	-	-	-
Fourth	11	-	-	3	4	3	1	-	-	-	-	-
Fifth	17	-	-	1	10	4	1	1	-	-	-	-
Sixth	9	-	-	-	3	4	1	1	-	-	-	-
Seventh	8	-	-	-	1	3	1	2	-	-	-	1
Eighth	4	-	-	-	-	3	1	-	-	-	-	-
Ninth	4	-	-	-	-	1	-	3	-	-	-	-
Tenth and over	5	-	-	-	-	-	2	3	-	-	-	-
Not stated	3	-	-	-	1	1	-	-	-	-	-	1
ILLINOIS	142,005	91	11,232	42,140	42,980	28,400	13,659	3,277	183	5	2	36
White	132,539	37	9,129	38,937	40,961	27,170	12,966	3,121	175	5	2	36
First	48,201	37	7,383	20,823	12,575	5,224	1,825	308	7	1	1	17
Second	41,318	-	1,468	11,945	15,277	9,121	3,089	396	14	-	1	6
Third	21,412	-	228	4,392	7,468	6,129	2,706	470	15	-	-	4
Fourth	9,760	-	25	1,256	3,205	3,025	1,805	422	19	1	-	2
Fifth	4,764	-	2	374	1,373	1,558	1,104	332	19	2	-	-
Sixth	2,694	-	-	92	656	892	765	270	18	1	-	-
Seventh	1,516	-	-	12	236	551	515	191	10	-	-	1
Eighth	1,051	-	-	2	83	331	383	216	15	-	-	1
Ninth	663	-	-	2	35	174	299	143	10	-	-	-
Tenth and over	1,027	-	-	2	10	136	463	369	46	-	-	1
Not stated	153	-	22	37	43	29	12	4	2	-	-	4

TABLE 5—LIVE BIRTHS BY RACE, BIRTH ORDER (EXCLUDING STILLBIRTHS), AND AGE OF MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 89)

AREA, RACE, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
ILLINOIS—Continued												
Nonwhite	9,466	54	2,103	3,203	2,019	1,230	693	156	8	-	-	-
First	3,114	54	1,404	1,058	368	168	85	9	-	-	-	-
Second	2,150	-	537	938	385	193	84	13	-	-	-	-
Third	1,496	-	133	683	398	201	73	9	1	-	-	-
Fourth	945	-	23	361	306	153	86	15	1	-	-	-
Fifth	581	-	4	115	239	143	70	9	1	-	-	-
Sixth	409	-	-	35	167	134	65	8	-	-	-	-
Seventh	268	-	-	6	88	98	62	13	1	-	-	-
Eighth	175	-	-	3	39	62	57	13	1	-	-	-
Ninth	120	-	-	2	25	47	36	9	1	-	-	-
Tenth and over	204	-	-	-	8	41	95	58	2	-	-	-
Not stated	4	-	2	2	-	-	-	-	-	-	-	-
INDIANA	71,354	46	7,845	23,266	19,795	12,186	6,167	1,740	123	2	1	183
White	68,532	24	7,247	22,316	19,179	11,819	5,968	1,683	121	2	1	172
First	21,860	24	5,344	9,584	4,252	1,740	574	80	3	-	-	49
Second	18,266	-	1,394	6,863	5,985	2,901	945	135	4	-	-	39
Third	11,122	-	183	3,319	4,007	2,416	982	183	6	-	1	25
Fourth	6,070	-	25	1,220	2,198	1,809	819	180	8	-	-	13
Fifth	3,310	-	5	350	1,184	990	595	181	8	-	-	17
Sixth	1,955	-	1	94	558	664	468	138	11	-	-	3
Seventh	1,323	-	-	24	285	460	397	143	9	-	-	5
Eighth	866	-	-	4	88	329	322	112	7	-	-	4
Ninth	576	-	-	3	30	150	244	131	13	1	-	4
Tenth and over	1,014	-	-	1	17	150	424	367	48	1	-	6
Not stated	2,370	-	295	854	577	390	200	43	4	-	-	7
Nonwhite	2,822	22	598	950	616	367	199	57	2	-	-	11
First	785	22	398	253	65	39	8	1	-	-	-	1
Second	582	-	132	256	104	51	14	3	-	-	-	2
Third	398	-	44	193	103	36	16	4	-	-	-	2
Fourth	289	-	5	122	103	33	21	4	-	-	-	1
Fifth	206	-	-	51	85	47	20	-	-	-	-	3
Sixth	158	-	-	25	62	45	22	3	-	-	-	1
Seventh	87	-	-	5	33	24	20	5	-	-	-	-
Eighth	77	-	-	1	20	27	23	6	-	-	-	-
Ninth	44	-	-	-	9	19	10	5	-	-	-	1
Tenth and over	111	-	-	-	9	35	40	25	2	-	-	-
Not stated	105	-	21	44	23	11	5	1	-	-	-	-
IOWA	46,564	13	3,690	14,613	13,363	8,861	4,576	1,310	108	1	-	29
White	46,240	11	3,634	14,498	13,293	8,825	4,550	1,293	107	1	-	28
First	14,723	11	2,963	6,822	3,174	1,262	393	84	3	-	-	11
Second	13,058	-	590	4,794	4,513	2,293	727	124	5	-	-	7
Third	8,007	-	67	2,005	2,938	2,006	833	147	8	1	-	2
Fourth	4,305	-	5	885	1,467	1,296	702	155	12	-	-	3
Fifth	2,320	-	1	157	693	785	504	171	7	-	-	2
Sixth	1,397	-	-	31	297	500	419	139	10	-	-	1
Seventh	868	-	-	8	130	324	306	90	10	-	-	-
Eighth	562	-	-	2	43	184	232	88	12	-	-	1
Ninth	358	-	-	1	9	83	168	85	12	-	-	-
Tenth and over	573	-	-	1	4	81	266	203	28	-	-	-
Not stated	69	-	8	12	20	11	10	7	-	-	-	1
Nonwhite	324	2	56	115	70	36	26	17	1	-	-	1
First	85	2	40	33	8	1	1	-	-	-	-	-
Second	78	-	13	37	17	9	2	-	-	-	-	-
Third	43	-	3	22	8	9	1	-	-	-	-	-
Fourth	26	-	-	14	6	2	3	1	-	-	-	-
Fifth	20	-	-	6	9	3	-	2	-	-	-	-
Sixth	25	-	-	3	13	3	5	-	-	-	-	1
Seventh	13	-	-	-	6	2	3	2	-	-	-	-
Eighth	8	-	-	-	2	2	2	2	-	-	-	-
Ninth	9	-	-	-	-	3	5	1	-	-	-	-
Tenth and over	17	-	-	-	1	2	4	9	1	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	34,976	26	3,762	11,452	9,368	6,021	3,208	977	71	2	2	87
White	33,716	17	3,499	11,037	9,095	5,855	3,110	944	71	2	2	84
First	11,928	17	2,721	5,478	2,401	873	347	60	4	-	1	26
Second	8,915	-	581	3,235	2,945	1,493	507	82	4	-	-	18
Third	5,040	-	60	1,322	1,774	1,243	529	99	1	1	-	11
Fourth	2,706	-	6	429	891	839	422	107	6	-	-	6
Fifth	1,509	-	1	115	450	493	341	98	8	-	-	3
Sixth	895	-	1	32	206	311	248	87	4	-	1	5
Seventh	586	-	-	4	73	185	216	82	4	-	-	2
Eighth	354	-	-	2	19	112	133	80	8	-	-	-
Ninth	246	-	-	-	5	77	94	56	12	-	-	2
Tenth and over	412	-	-	1	8	36	170	173	20	1	-	3
Not stated	1,145	-	129	369	323	193	103	20	-	-	-	8
Nonwhite	1,260	9	263	415	273	166	98	33	-	-	-	3
First	420	9	180	165	43	16	5	1	-	-	-	1
Second	246	-	53	118	45	20	8	2	-	-	-	-
Third	179	-	19	69	56	23	9	3	-	-	-	-
Fourth	105	-	2	28	41	21	10	2	-	-	-	1
Fifth	77	-	1	15	31	22	6	2	-	-	-	-
Sixth	63	-	-	6	24	14	17	2	-	-	-	-
Seventh	41	-	-	1	16	11	8	5	-	-	-	-
Eighth	28	-	-	-	5	12	7	4	-	-	-	-
Ninth	23	-	-	-	1	11	9	2	-	-	-	-
Tenth and over	38	-	-	-	4	8	16	10	-	-	-	-
Not stated	40	-	8	13	7	8	3	-	-	-	-	1

TABLE 5.—LIVE BIRTHS BY RACE, BIRTH ORDER (EXCLUDING STILLBIRTHS), AND AGE OF MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 89)

AREA, RACE, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
KENTUCKY	64,225	89	8,597	19,994	15,708	10,816	6,578	2,254	167	4	1	17
White	60,901	66	7,838	18,968	15,055	10,321	6,299	2,172	160	4	1	17
First	20,714	65	6,274	8,547	3,603	1,550	553	112	5	1	-	4
Second	12,154	1	1,289	5,384	3,346	1,492	558	77	5	-	-	2
Third	8,510	-	236	3,176	2,851	1,540	589	111	4	-	-	3
Fourth	5,713	-	33	1,335	2,312	1,350	558	119	3	-	1	2
Fifth	3,989	-	1	370	1,530	1,265	661	152	8	-	-	2
Sixth	2,928	-	1	93	867	1,078	672	204	11	-	-	2
Seventh	2,202	-	-	39	368	936	635	215	9	-	-	-
Eighth	1,608	-	-	8	103	551	689	241	16	-	-	-
Ninth	1,222	-	-	2	45	320	601	232	21	-	-	1
Tenth and over	1,825	-	-	3	25	230	781	708	78	3	-	-
Not stated	33	-	4	11	5	9	2	1	-	-	-	1
Nonwhite	3,324	23	759	1,026	653	495	279	82	7	-	-	-
First	1,132	23	553	384	99	46	25	2	-	-	-	-
Second	617	-	151	269	127	53	16	1	-	-	-	-
Third	422	-	44	200	101	50	19	8	-	-	-	-
Fourth	313	-	10	88	120	61	28	6	-	-	-	-
Fifth	271	-	-	65	97	79	22	7	1	-	-	-
Sixth	162	-	-	16	52	60	28	6	-	-	-	-
Seventh	129	-	-	2	32	53	32	9	1	-	-	-
Eighth	90	-	-	2	16	41	25	5	1	-	-	-
Ninth	82	-	-	-	6	23	25	7	1	-	-	-
Tenth and over	123	-	-	-	1	29	59	31	3	-	-	-
Not stated	3	-	1	-	2	-	-	-	-	-	-	-
LOUISIANA	61,050	156	9,590	19,562	14,906	9,806	5,368	1,410	118	7	2	135
White	37,463	22	4,651	12,322	9,770	6,429	3,283	849	59	4	1	73
First	12,995	21	3,529	5,695	2,370	991	317	49	2	-	-	21
Second	9,574	1	898	3,780	2,915	1,434	463	61	3	1	1	17
Third	5,843	-	163	1,770	2,066	1,297	462	67	1	1	-	16
Fourth	3,258	-	11	674	1,154	883	453	75	1	-	-	7
Fifth	1,830	-	1	199	639	586	326	74	3	-	-	2
Sixth	1,159	-	-	40	307	445	286	72	5	1	-	3
Seventh	787	-	-	8	138	311	258	69	3	-	-	-
Eighth	542	-	-	3	48	180	236	70	4	-	-	1
Ninth	367	-	-	1	14	93	170	82	6	-	-	1
Tenth and over	576	-	-	2	11	82	231	217	31	1	-	1
Not stated	532	-	49	150	108	127	81	13	-	-	-	4
Nonwhite	23,587	134	4,929	7,240	5,136	3,377	2,085	561	59	3	1	62
First	5,663	134	3,015	1,705	508	201	81	8	-	-	-	13
Second	4,146	-	1,300	1,796	637	271	119	12	2	-	-	9
Third	3,259	-	388	1,599	798	315	127	20	1	-	-	11
Fourth	2,587	-	65	1,104	897	343	140	31	1	1	-	5
Fifth	1,998	-	12	534	829	405	180	27	3	-	-	8
Sixth	1,484	-	4	186	631	446	185	28	2	-	-	2
Seventh	1,092	-	-	48	352	407	233	47	2	-	-	3
Eighth	771	-	-	23	163	334	198	48	3	-	-	2
Ninth	582	-	-	9	86	217	214	48	6	1	-	1
Tenth and over	1,182	-	-	7	47	299	521	263	39	1	1	4
Not stated	823	-	145	231	188	139	87	29	-	-	-	4
MAINE	17,762	11	1,830	5,845	4,793	3,062	1,653	523	36	2	1	6
White	17,689	11	1,818	5,817	4,778	3,050	1,648	520	36	2	1	6
First	5,475	11	1,371	2,445	1,059	402	156	28	1	-	-	2
Second	4,584	-	352	1,803	1,441	695	249	41	1	-	-	2
Third	2,918	-	74	963	971	605	243	57	5	-	-	-
Fourth	1,702	-	10	406	587	421	220	56	2	-	-	-
Fifth	955	-	1	120	332	291	171	36	4	-	-	-
Sixth	654	-	-	41	198	216	140	55	3	-	-	1
Seventh	402	-	-	13	97	145	111	33	2	-	-	1
Eighth	276	-	-	4	41	94	100	36	1	-	-	-
Ninth	197	-	-	1	22	73	70	31	-	-	-	-
Tenth and over	457	-	-	-	13	97	184	143	17	2	1	-
Not stated	69	-	10	21	17	13	4	4	-	-	-	-
Nonwhite	73	-	12	28	15	10	5	3	-	-	-	-
First	25	-	10	12	2	1	-	-	-	-	-	-
Second	18	-	2	12	3	1	-	-	-	-	-	-
Third	8	-	-	1	3	4	-	-	-	-	-	-
Fourth	2	-	-	-	1	1	-	-	-	-	-	-
Fifth	5	-	-	2	2	1	-	-	-	-	-	-
Sixth	3	-	-	1	1	1	-	-	-	-	-	-
Seventh	3	-	-	-	2	-	-	1	-	-	-	-
Eighth	2	-	-	-	-	-	2	-	-	-	-	-
Ninth	1	-	-	-	-	-	1	-	-	-	-	-
Tenth and over	6	-	-	-	1	1	2	2	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	43,915	97	5,320	14,193	11,909	7,624	3,674	969	62	-	-	67
White	35,670	16	3,288	11,574	10,254	6,543	3,111	789	44	-	-	51
First	13,137	16	2,541	5,708	3,045	1,301	441	65	4	-	-	18
Second	10,344	-	598	3,560	3,438	1,993	654	93	2	-	-	8
Third	5,277	-	93	1,460	1,790	1,242	576	100	6	-	-	10
Fourth	2,566	-	24	480	886	692	387	89	6	-	-	4
Fifth	1,499	-	1	160	531	442	279	81	3	-	-	2
Sixth	830	-	1	37	239	284	198	68	3	-	-	-
Seventh	538	-	-	12	107	215	147	55	2	-	-	-
Eighth	355	-	-	3	45	138	117	50	2	-	-	2
Ninth	243	-	-	3	10	73	100	52	3	-	-	2
Tenth and over	374	-	-	-	10	63	159	129	13	-	-	-
Not stated	507	-	34	153	153	102	53	7	-	-	-	5

TABLE 5.—LIVE BIRTHS BY RACE, BIRTH ORDER (EXCLUDING STILLBIRTHS), AND AGE OF MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 89)

AREA, RACE, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MARYLAND—Continued												
Nonwhite	8,245	81	2,032	2,619	1,655	1,081	563	180	18	-	-	16
First	2,264	81	1,252	573	227	86	34	7	-	-	-	4
Second	1,692	-	588	719	240	117	35	9	-	-	-	4
Third	1,197	-	153	596	271	121	45	7	-	-	-	2
Fourth	849	-	29	397	239	127	48	6	3	-	-	-
Fifth	610	-	6	182	245	114	50	10	-	-	-	3
Sixth	477	-	2	80	200	125	60	10	-	-	-	-
Seventh	313	-	-	22	104	129	46	11	1	-	-	-
Eighth	235	-	-	4	71	84	61	14	-	-	-	1
Ninth	157	-	-	1	21	73	44	18	-	-	-	-
Tenth and over	333	-	-	-	19	88	127	85	14	-	-	-
Not stated	118	-	22	43	18	17	13	3	-	-	-	2
MASSACHUSETTS	78,209	12	3,439	20,826	24,755	17,518	9,195	2,173	129	4	3	155
Not stated	78,209	12	3,439	20,826	24,755	17,518	9,195	2,173	129	4	3	155
White	76,979	9	3,250	20,385	24,455	17,345	9,110	2,143	127	4	3	148
Nonwhite	1,230	3	189	441	300	173	85	30	2	-	-	7
MICHIGAN	114,700	76	10,113	36,096	33,654	21,094	10,636	2,714	178	5	1	135
White	108,499	42	8,834	33,947	32,277	20,295	10,199	2,606	173	5	1	120
First	31,690	41	6,451	14,289	6,966	2,703	1,023	182	5	2	-	28
Second	28,410	1	1,457	10,077	9,940	4,945	1,707	251	6	-	-	26
Third	17,638	-	219	4,538	6,501	4,351	1,700	302	7	1	-	19
Fourth	9,599	-	28	1,651	3,298	2,638	1,448	302	23	-	-	11
Fifth	5,088	-	5	471	1,638	1,618	1,049	280	20	-	-	7
Sixth	2,882	-	1	133	767	1,022	722	221	11	-	-	5
Seventh	1,731	-	-	39	359	618	493	205	16	-	-	1
Eighth	1,113	-	-	6	136	378	404	173	15	-	-	3
Ninth	747	-	-	2	49	225	312	147	8	1	-	3
Tenth and over	1,215	-	-	2	25	240	525	372	49	1	1	-
Not stated	8,586	-	673	2,739	2,598	1,559	816	171	13	-	-	17
Nonwhite	6,201	34	1,279	2,149	1,377	799	437	108	3	-	-	15
First	1,685	33	762	557	220	83	24	5	-	-	-	1
Second	1,366	1	320	621	258	114	43	4	-	-	-	5
Third	859	-	100	432	249	115	52	8	-	-	-	3
Fourth	610	-	19	246	196	105	36	5	1	-	-	2
Fifth	394	-	3	108	147	86	41	7	1	-	-	1
Sixth	256	-	-	41	106	65	36	8	-	-	-	-
Seventh	198	-	-	8	79	60	42	6	-	-	-	1
Eighth	144	-	-	1	31	59	42	10	-	-	-	1
Ninth	75	-	-	-	8	30	26	11	-	-	-	-
Tenth and over	172	-	-	1	10	44	78	38	1	-	-	-
Not stated	344	-	75	134	73	38	17	6	-	-	-	1
MINNESOTA	56,113	10	3,187	15,580	17,279	11,685	6,362	1,868	133	2	-	17
White	55,571	9	3,117	15,415	17,148	11,602	6,286	1,846	130	2	-	17
First	17,027	9	2,612	7,693	4,194	1,720	661	132	5	-	-	1
Second	15,462	-	461	4,897	5,732	3,103	1,094	159	8	-	-	8
Third	10,054	-	42	1,967	3,816	2,698	1,281	257	11	1	-	1
Fourth	5,479	-	2	867	1,917	1,701	948	231	13	-	-	-
Fifth	2,966	-	-	152	890	1,021	670	224	4	1	-	4
Sixth	1,697	-	-	30	348	591	535	181	12	-	-	-
Seventh	1,050	-	-	3	158	353	375	152	9	-	-	-
Eighth	675	-	-	2	56	208	280	120	9	-	-	-
Ninth	433	-	-	-	22	127	189	101	14	-	-	-
Tenth and over	702	-	-	-	5	74	290	288	45	-	-	-
Not stated	26	-	-	4	10	6	2	1	-	-	-	3
Nonwhite	542	1	70	165	131	83	67	22	3	-	-	-
First	127	1	52	53	19	1	-	1	-	-	-	-
Second	97	-	17	45	21	12	2	-	-	-	-	-
Third	64	-	1	38	14	8	3	-	-	-	-	-
Fourth	58	-	-	16	26	11	5	-	-	-	-	-
Fifth	46	-	-	10	24	7	4	1	-	-	-	-
Sixth	34	-	-	3	10	12	8	1	-	-	-	-
Seventh	34	-	-	-	11	10	9	4	-	-	-	-
Eighth	30	-	-	-	5	15	7	3	-	-	-	-
Ninth	22	-	-	-	1	5	12	4	-	-	-	-
Tenth and over	30	-	-	-	-	2	17	8	3	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	56,940	330	10,823	17,307	12,466	8,878	5,327	1,584	128	3	1	93
White	25,976	26	3,470	8,328	6,393	4,441	2,492	746	44	1	1	34
First	8,965	26	2,654	3,856	1,617	584	197	22	-	-	-	9
Second	6,245	-	675	2,557	1,743	928	292	43	2	-	-	5
Third	3,888	-	118	1,224	1,338	810	352	40	1	-	-	7
Fourth	2,296	-	17	499	801	629	290	55	1	-	-	4
Fifth	1,449	-	3	145	471	497	266	63	2	1	-	1
Sixth	1,040	-	-	36	237	403	284	75	4	-	-	1
Seventh	727	-	-	4	109	298	235	76	2	-	-	3
Eighth	448	-	-	-	42	146	182	76	2	-	-	-
Ninth	352	-	-	1	13	75	170	88	4	-	-	-
Tenth and over	521	-	-	-	10	61	218	208	26	-	-	-
Not stated	45	-	3	6	14	10	6	2	-	-	-	4
Nonwhite	30,964	304	7,353	8,979	6,073	4,437	2,835	838	84	2	-	59
First	6,733	304	4,089	1,638	428	183	71	10	2	-	-	8
Second	5,427	-	2,255	2,158	652	247	86	16	3	1	-	9
Third	4,296	-	755	2,209	840	333	135	12	5	-	-	7
Fourth	3,524	-	201	1,617	1,036	448	184	28	2	-	-	8
Fifth	2,721	-	40	830	1,108	512	192	31	3	-	-	5

TABLE 5.—LIVE BIRTHS BY RACE, BIRTH ORDER (EXCLUDING STILLBIRTHS), AND AGE OF MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 89)

AREA, RACE, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MISSISSIPPI—Continued												
Nonwhite—Continued												
Sixth	2,229	-	9	340	901	627	284	57	4	-	-	7
Seventh	1,642	-	-	120	541	606	312	51	8	1	-	3
Eighth	1,275	-	-	39	313	523	324	70	3	-	-	3
Ninth	1,013	-	-	16	135	411	351	92	4	-	-	4
Tenth and over	2,077	-	-	7	112	540	894	471	50	-	-	3
Not stated	27	-	4	5	7	7	2	-	-	-	-	2
MISSOURI	67,990	70	8,516	21,234	17,650	12,045	6,370	1,897	115	1	-	112
White	62,995	31	7,263	19,793	16,631	11,325	5,955	1,789	108	-	-	102
First	22,125	31	5,583	9,422	4,435	1,864	647	118	5	-	-	20
Second	17,080	-	1,415	6,196	5,308	2,932	1,041	160	2	-	-	28
Third	9,784	-	226	2,814	3,268	2,315	968	173	5	-	-	15
Fourth	5,176	-	22	1,005	1,780	1,442	734	167	8	-	-	18
Fifth	2,955	-	3	244	1,007	983	533	169	8	-	-	8
Sixth	1,930	-	-	62	475	734	496	151	9	-	-	3
Seventh	1,343	-	-	15	212	495	441	170	8	-	-	2
Eighth	926	-	-	-	79	270	415	151	9	-	-	2
Ninth	621	-	-	3	18	158	282	151	9	-	-	-
Tenth and over	915	-	-	-	6	109	379	375	44	-	-	2
Not stated	140	-	14	32	45	25	17	4	1	-	-	4
Nonwhite	4,995	39	1,253	1,441	999	720	417	108	7	1	-	10
First	1,582	39	858	419	159	76	29	2	-	-	-	-
Second	975	-	295	384	183	76	31	3	-	-	-	3
Third	681	-	78	313	150	96	35	7	-	-	-	2
Fourth	501	-	13	185	165	82	48	7	-	-	-	1
Fifth	366	-	4	82	137	95	40	7	1	-	-	-
Sixth	260	-	1	41	104	74	33	4	3	-	-	-
Seventh	182	-	-	9	50	75	37	10	-	-	-	1
Eighth	134	-	-	2	30	54	35	11	1	1	-	-
Ninth	99	-	-	-	14	41	36	8	-	-	-	-
Tenth and over	198	-	-	-	7	49	91	48	2	-	-	1
Not stated	17	-	4	6	-	2	2	1	-	-	-	2
MONTANA	10,943	5	971	3,485	3,182	1,980	980	312	29	-	-	1
White	10,326	4	890	3,305	3,033	1,874	915	279	25	-	-	1
First	3,273	4	709	1,501	666	276	97	17	3	-	-	-
Second	3,092	-	153	1,190	1,072	503	148	24	1	-	-	1
Third	1,744	-	24	433	666	418	167	34	2	-	-	-
Fourth	957	-	4	134	343	293	147	35	1	-	-	-
Fifth	466	-	-	35	158	143	97	28	5	-	-	-
Sixth	283	-	-	9	71	98	73	31	1	-	-	-
Seventh	180	-	-	-	38	62	49	30	1	-	-	-
Eighth	102	-	-	1	6	37	45	13	-	-	-	-
Ninth	90	-	-	-	5	24	38	21	2	-	-	-
Tenth and over	133	-	-	-	5	20	54	45	9	-	-	-
Not stated	6	-	-	2	3	-	-	1	-	-	-	-
Nonwhite	617	1	81	178	149	106	65	33	4	-	-	-
First	94	1	56	26	9	1	1	-	-	-	-	-
Second	100	-	24	58	14	4	-	-	-	-	-	-
Third	100	-	1	62	29	6	2	-	-	-	-	-
Fourth	73	-	-	17	34	16	5	1	-	-	-	-
Fifth	53	-	-	14	25	12	-	2	-	-	-	-
Sixth	48	-	-	-	19	20	6	3	-	-	-	-
Seventh	37	-	-	-	11	17	7	2	-	-	-	-
Eighth	42	-	-	-	3	18	15	5	1	-	-	-
Ninth	27	-	-	-	3	6	12	6	-	-	-	-
Tenth and over	42	-	-	-	2	6	17	14	3	-	-	-
Not stated	1	-	-	1	-	-	-	-	-	-	-	-
NEBRASKA	24,579	5	1,971	7,757	6,997	4,682	2,413	696	46	-	-	8
White	24,138	3	1,891	7,605	6,894	4,620	2,382	690	45	-	-	8
First	8,232	3	1,549	3,967	1,755	676	235	42	2	-	-	3
Second	6,754	-	303	2,340	2,463	1,197	392	55	3	-	-	1
Third	4,035	-	34	908	1,432	1,123	446	83	8	-	-	1
Fourth	2,117	-	2	268	720	677	359	88	3	-	-	-
Fifth	1,181	-	-	87	331	400	275	82	5	-	-	1
Sixth	655	-	-	16	117	249	206	64	3	-	-	-
Seventh	415	-	-	2	35	124	174	74	6	-	-	-
Eighth	247	-	-	1	21	75	92	54	3	-	-	1
Ninth	177	-	-	-	4	44	82	45	2	-	-	-
Tenth and over	267	-	-	-	2	39	114	101	10	-	-	1
Not stated	58	-	3	16	14	16	7	2	-	-	-	-
Nonwhite	437	2	80	152	103	62	31	6	1	-	-	-
First	122	2	54	44	17	3	2	-	-	-	-	-
Second	94	-	24	44	17	7	2	-	-	-	-	-
Third	75	-	2	35	22	9	6	1	-	-	-	-
Fourth	50	-	-	20	19	10	1	-	-	-	-	-
Fifth	32	-	-	5	10	14	2	1	-	-	-	-
Sixth	26	-	-	2	11	7	6	-	-	-	-	-
Seventh	12	-	-	-	2	4	6	-	-	-	-	-
Eighth	9	-	-	-	2	3	4	-	-	-	-	-
Ninth	4	-	-	-	2	2	-	-	-	-	-	-
Tenth and over	11	-	-	-	1	3	2	4	1	-	-	-
Not stated	2	-	-	2	-	-	-	-	-	-	-	-
NEVADA	3,028	1	311	1,013	853	562	238	60	5	-	-	5
White	2,823	1	290	940	796	521	215	52	3	-	-	5
First	1,012	1	221	426	237	89	33	4	-	-	-	1
Second	806	-	55	308	243	152	40	7	-	-	-	1

TABLE 5.—LIVE BIRTHS BY RACE, BIRTH ORDER (EXCLUDING STILLBIRTHS), AND AGE OF MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 89)

AREA, RACE, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NEVADA—Continued												
White—Continued												
Third	512	-	7	149	190	119	37	9	-	-	-	1
Fourth	203	-	1	38	51	72	30	9	1	-	-	1
Fifth	115	-	-	11	42	38	20	4	-	-	-	-
Sixth	69	-	-	3	15	26	22	3	-	-	-	-
Seventh	37	-	-	1	9	13	12	2	-	-	-	-
Eighth	13	-	-	-	-	7	3	3	-	-	-	-
Ninth	17	-	-	-	2	4	9	2	-	-	-	-
Tenth and over	17	-	-	-	-	-	7	8	2	-	-	-
Not stated	22	-	6	4	7	1	2	1	-	-	-	1
Nonwhite	205	-	21	73	37	41	23	8	2	-	-	-
First	48	-	16	23	5	3	1	-	-	-	-	-
Second	38	-	4	25	4	3	4	-	-	-	-	-
Third	29	-	1	15	8	4	-	1	-	-	-	-
Fourth	24	-	-	11	7	4	1	1	-	-	-	-
Fifth	16	-	-	1	7	6	1	-	1	-	-	-
Sixth	17	-	-	-	4	8	5	-	-	-	-	-
Seventh	9	-	-	-	1	5	1	2	-	-	-	-
Eighth	12	-	-	-	1	5	4	2	-	-	-	-
Ninth	4	-	-	-	-	3	1	-	-	-	-	-
Tenth and over	8	-	-	-	-	-	5	2	1	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE	8,548	2	638	2,372	2,508	1,660	879	257	16	-	-	16
White	8,534	2	636	2,367	2,506	1,658	878	255	16	-	-	16
First	2,587	2	456	1,097	649	264	100	15	1	-	-	3
Second	2,218	-	111	769	714	412	183	19	1	-	-	9
Third	1,399	-	17	371	490	338	146	34	1	-	-	2
Fourth	783	-	1	127	268	223	125	38	-	-	-	1
Fifth	414	-	1	47	138	120	79	29	-	-	-	-
Sixth	228	-	-	9	70	81	47	20	1	-	-	-
Seventh	154	-	-	3	28	52	46	21	4	-	-	-
Eighth	86	-	-	-	9	36	28	13	-	-	-	-
Ninth	63	-	-	-	6	18	24	15	-	-	-	-
Tenth and over	111	-	-	-	4	15	49	36	7	-	-	-
Not stated	491	-	50	144	130	99	51	15	1	-	-	1
Nonwhite	14	-	2	5	2	2	1	2	-	-	-	-
First	3	-	1	2	-	-	-	-	-	-	-	-
Second	3	-	1	2	-	-	-	-	-	-	-	-
Third	-	-	-	-	-	-	-	-	-	-	-	-
Fourth	1	-	-	-	1	-	-	-	-	-	-	-
Fifth	2	-	-	-	-	1	-	1	-	-	-	-
Sixth	1	-	-	-	-	-	1	-	-	-	-	-
Seventh	-	-	-	-	-	-	-	-	-	-	-	-
Eighth	-	-	-	-	-	-	-	-	-	-	-	-
Ninth	1	-	-	-	-	1	-	-	-	-	-	-
Tenth and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	2	-	-	1	1	-	-	-	-	-	-	-
NEW JERSEY	76,265	37	4,305	21,388	24,656	16,640	7,625	1,506	74	2	-	34
White	70,706	8	3,150	19,428	23,493	15,933	7,197	1,403	66	2	-	26
First	27,056	8	2,517	11,468	8,235	3,508	1,147	158	5	-	-	10
Second	22,223	-	442	5,102	8,809	5,703	1,930	224	8	-	-	5
Third	10,182	-	59	1,511	3,553	3,315	1,526	208	7	-	-	3
Fourth	4,191	-	6	421	1,177	1,459	931	182	11	-	-	4
Fifth	1,849	-	-	115	448	585	531	161	8	-	-	1
Sixth	951	-	-	30	202	332	274	104	8	-	-	1
Seventh	506	-	-	3	79	170	178	75	1	-	-	-
Eighth	348	-	-	3	31	106	144	60	4	-	-	-
Ninth	236	-	-	-	18	56	107	52	3	-	-	-
Tenth and over	351	-	-	-	15	54	153	121	7	1	-	-
Not stated	2,813	-	126	775	926	645	276	58	4	1	-	2
Nonwhite	5,559	29	1,155	1,960	1,163	707	426	103	8	-	-	8
First	1,591	29	708	546	172	103	27	3	1	-	-	2
Second	1,205	-	296	556	230	92	26	4	1	-	-	1
Third	823	-	69	417	204	81	45	7	-	-	-	-
Fourth	527	-	11	217	166	84	43	6	-	-	-	-
Fifth	348	-	2	84	145	64	46	6	1	-	-	-
Sixth	242	-	-	25	99	76	32	8	1	-	-	1
Seventh	178	-	-	17	60	58	35	8	-	-	-	-
Eighth	119	-	-	4	30	42	31	10	-	-	-	2
Ninth	85	-	-	1	12	33	32	7	-	-	-	-
Tenth and over	179	-	-	-	5	42	91	36	4	-	-	1
Not stated	261	-	69	93	40	32	18	8	-	-	-	1
NEW MEXICO	15,585	16	1,975	4,831	3,735	2,695	1,660	582	55	3	-	33
White	14,419	12	1,825	4,480	3,460	2,510	1,550	522	42	2	-	16
First	3,898	12	1,342	1,698	561	195	77	11	1	-	-	1
Second	2,879	-	374	1,287	735	332	132	14	1	-	-	4
Third	2,065	-	79	807	674	353	131	18	1	1	-	1
Fourth	1,443	-	15	394	555	316	127	33	3	-	-	-
Fifth	1,106	-	6	176	410	341	138	34	-	-	-	1
Sixth	858	-	-	59	256	320	181	40	1	-	-	1
Seventh	583	-	-	29	144	227	137	43	2	-	-	1
Eighth	447	-	-	-	58	174	163	43	6	1	-	2
Ninth	339	-	-	1	23	114	149	46	4	-	-	2
Tenth and over	718	-	-	-	21	128	306	239	23	-	-	1
Not stated	83	-	9	29	23	10	9	1	-	-	-	2

TABLE 5.—LIVE BIRTHS BY RACE, BIRTH ORDER (EXCLUDING STILLBIRTHS), AND AGE OF MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 89)

AREA, RACE, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NEW MEXICO—Continued												
Nonwhite	1,166	4	150	351	275	185	110	60	13	1	-	17
First	282	4	118	115	33	5	2	1	-	-	-	4
Second	179	-	28	98	38	7	5	2	-	-	-	1
Third	161	-	3	70	51	23	11	2	-	-	-	1
Fourth	145	-	-	40	63	27	8	5	-	-	-	2
Fifth	133	-	-	24	52	38	14	4	-	-	-	1
Sixth	64	-	1	2	18	26	12	4	1	-	-	1
Seventh	64	-	-	-	14	22	16	8	3	-	-	1
Eighth	45	-	-	-	3	18	16	8	-	-	-	-
Ninth	34	-	-	-	2	13	12	6	1	-	-	-
Tenth and over	52	-	-	-	1	6	14	20	8	1	-	2
Not stated	7	-	-	2	-	1	-	-	-	-	-	4
NEW YORK	229,534	102	12,389	61,391	71,745	52,893	25,412	5,292	270	2	3	35
White	217,104	42	9,866	57,107	68,995	51,167	24,557	5,073	262	2	3	30
First	84,980	42	8,311	35,032	25,129	11,386	4,364	686	23	-	-	7
Second	69,980	-	1,350	15,180	26,312	19,371	6,900	833	31	-	1	2
Third	32,341	-	176	4,798	10,423	10,764	5,298	851	30	-	-	1
Fourth	15,675	-	18	1,449	3,973	4,487	3,032	679	34	1	1	1
Fifth	6,718	-	3	460	1,717	2,234	1,766	516	22	-	-	-
Sixth	3,574	-	-	98	813	1,212	1,030	389	29	1	1	1
Seventh	2,160	-	-	27	362	744	698	309	20	-	-	-
Eighth	1,270	-	-	3	138	406	481	218	23	-	-	1
Ninth	882	-	-	-	53	271	357	183	18	-	-	-
Tenth and over	1,315	-	-	2	20	239	619	403	32	-	-	-
Not stated	209	-	8	58	55	53	12	6	-	-	-	17
Nonwhite	12,430	60	2,523	4,284	2,750	1,726	855	219	8	-	-	5
First	4,903	60	1,857	1,837	696	311	118	21	1	-	-	2
Second	2,993	-	554	1,238	696	346	131	28	-	-	-	-
Third	1,715	-	98	696	479	288	126	26	-	-	-	-
Fourth	1,081	-	13	345	368	244	90	20	1	-	-	-
Fifth	632	-	-	117	244	171	77	23	-	-	-	-
Sixth	377	-	-	35	134	125	70	12	1	-	-	-
Seventh	258	-	-	12	75	92	65	14	-	-	-	-
Eighth	173	-	-	-	37	61	58	14	3	-	-	-
Ninth	109	-	-	1	9	41	43	14	1	-	-	-
Tenth and over	177	-	-	-	7	46	76	47	1	-	-	-
Not stated	14	-	1	3	5	1	1	-	-	-	-	3
NORTH CAROLINA	90,629	249	14,212	29,087	21,582	14,397	8,264	2,481	221	8	1	127
White	62,462	50	8,014	20,310	15,566	10,533	5,993	1,775	139	6	1	75
First	19,997	50	5,976	8,541	3,390	1,439	506	72	3	1	-	19
Second	15,586	-	1,664	6,432	4,298	2,077	788	108	4	1	-	14
Third	9,477	-	310	3,323	3,178	1,798	727	130	4	-	1	6
Fourth	5,875	-	53	1,387	2,140	1,492	675	111	7	1	-	9
Fifth	3,827	-	4	435	1,416	1,211	612	136	8	1	-	4
Sixth	2,545	-	1	118	684	979	583	167	4	-	-	9
Seventh	1,707	-	-	31	266	707	527	160	12	2	-	2
Eighth	1,244	-	-	8	110	416	523	176	9	-	-	2
Ninth	846	-	-	1	49	211	409	160	13	-	-	3
Tenth and over	1,456	-	-	2	14	182	651	552	73	-	-	2
Not stated	102	-	6	32	21	21	12	3	2	-	-	5
Nonwhite	28,167	199	6,198	8,777	6,016	3,864	2,271	706	82	2	-	52
First	6,659	198	5,763	1,856	541	206	72	12	-	-	-	11
Second	5,109	1	1,717	2,285	737	275	81	5	-	-	-	10
Third	4,013	-	547	2,048	946	337	106	19	3	-	-	7
Fourth	3,129	-	121	1,377	1,057	413	135	20	-	-		6
Fifth	2,354	-	30	726	968	444	145	29	6	-	-	7
Sixth	1,919	-	8	307	804	536	219	39	4	1	-	1
Seventh	1,434	-	-	111	488	524	257	44	5	1	-	4
Eighth	1,014	-	-	28	242	419	271	46	6	-	-	2
Ninth	790	-	-	18	122	307	270	67	4	-	-	2
Tenth and over	1,675	-	-	10	89	394	704	424	53	-	-	1
Not stated	71	-	12	14	22	9	11	1	1	-	-	1
NORTH DAKOTA	13,530	2	841	3,733	3,851	2,853	1,627	563	50	-	-	10
White	13,213	2	804	3,650	3,773	2,796	1,584	547	49	-	-	8
First	3,674	2	645	1,752	858	319	96	19	-	-	-	3
Second	3,293	-	137	1,140	1,152	607	216	36	3	-	-	2
Third	2,306	-	18	535	846	631	234	37	4	-	-	1
Fourth	1,362	-	1	164	508	405	231	51	1	-	-	1
Fifth	821	-	-	44	246	295	172	63	1	-	-	-
Sixth	497	-	-	5	101	189	149	48	4	-	-	1
Seventh	403	-	-	2	46	167	129	55	4	-	-	-
Eighth	283	-	-	1	25	91	117	45	4	-	-	-
Ninth	179	-	-	1	5	45	84	41	3	-	-	-
Tenth and over	371	-	-	-	3	43	150	151	24	-	-	-
Not stated	24	-	3	6	3	4	6	1	1	-	-	-
Nonwhite	317	-	37	83	78	57	43	18	1	-	-	2
First	51	-	25	18	6	-	1	1	-	-	-	-
Second	50	-	9	28	12	1	-	-	-	-	-	-
Third	34	-	3	16	11	3	1	-	-	-	-	-
Fourth	41	-	-	11	16	11	2	1	-	-	-	-
Fifth	44	-	-	6	21	11	4	1	-	-	-	1
Sixth	23	-	-	3	5	11	4	-	-	-	-	-
Seventh	19	-	-	-	4	7	6	2	-	-	-	-
Eighth	11	-	-	-	1	4	4	2	-	-	-	-
Ninth	11	-	-	-	-	6	4	1	-	-	-	-
Tenth and over	31	-	-	-	1	3	17	8	1	-	-	1
Not stated	2	-	-	1	1	-	-	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY RACE, BIRTH ORDER (EXCLUDING STILLBIRTHS), AND AGE OF MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 89)

AREA, RACE, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
OHIO	133,598	99	11,771	41,855	38,968	24,858	12,420	3,287	247	9	1	103
White	125,904	49	10,154	39,164	37,283	23,851	11,938	3,128	233	8	1	95
First	42,972	49	8,055	19,360	9,834	4,000	1,419	223	10	1	-	21
Second	35,984	-	1,746	11,774	12,822	6,902	2,393	313	7	2	-	25
Third	21,317	-	293	5,380	7,633	5,293	2,292	397	17	-	1	11
Fourth	10,725	-	36	1,831	3,695	3,052	1,717	361	23	2	-	8
Fifth	5,710	-	3	562	1,801	1,824	1,164	323	21	1	-	11
Sixth	3,341	-	-	138	893	1,156	843	292	18	-	-	1
Seventh	2,041	-	-	39	340	719	658	263	19	-	-	3
Eighth	1,357	-	-	7	154	459	507	211	16	-	-	3
Ninth	860	-	-	4	45	235	355	201	19	-	-	1
Tenth and over	1,454	-	-	9	25	195	577	541	82	2	-	3
Not stated	163	-	21	60	41	16	13	3	1	-	-	8
Nonwhite	7,694	50	1,617	2,691	1,685	987	482	159	14	1	-	8
First	2,478	50	1,122	872	275	112	39	4	-	1	-	3
Second	1,754	-	394	809	349	139	49	11	2	-	-	1
Third	1,158	-	85	542	332	141	44	13	1	-	-	-
Fourth	774	-	14	291	268	135	46	17	-	-	-	3
Fifth	503	-	1	153	205	101	46	15	1	-	-	1
Sixth	354	-	-	25	141	127	52	8	1	-	-	-
Seventh	214	-	-	13	58	87	39	16	1	-	-	-
Eighth	157	-	-	4	29	67	44	13	-	-	-	-
Ninth	95	-	-	-	19	32	30	12	2	-	-	-
Tenth and over	203	-	-	-	9	46	92	50	6	-	-	-
Not stated	4	-	1	2	-	-	1	-	-	-	-	-
OKLAHOMA	46,725	49	7,267	15,586	11,013	7,371	4,079	1,204	102	-	1	53
White	41,615	22	6,186	14,020	9,943	6,588	3,643	1,074	95	-	-	44
First	14,560	22	4,861	6,120	2,293	881	323	48	1	-	-	11
Second	10,382	-	1,143	4,602	2,844	1,292	441	54	2	-	-	4
Third	6,466	-	160	2,256	2,138	1,304	516	76	6	-	-	10
Fourth	3,647	-	9	768	1,338	1,023	422	75	4	-	-	8
Fifth	2,212	-	1	200	778	684	430	107	8	-	-	4
Sixth	1,524	-	-	41	375	611	383	105	7	-	-	2
Seventh	948	-	-	11	107	366	327	126	11	-	-	-
Eighth	687	-	-	1	37	226	298	113	9	-	-	4
Ninth	484	-	-	-	10	119	224	122	9	-	-	-
Tenth and over	619	-	-	1	3	64	266	246	38	-	-	1
Not stated	86	-	12	21	20	18	13	2	-	-	-	-
Nonwhite	5,110	27	1,081	1,566	1,070	783	436	130	7	-	1	9
First	1,541	27	762	504	153	63	24	5	-	-	-	3
Second	979	-	262	445	165	76	29	1	-	-	-	1
Third	739	-	44	372	213	77	28	4	1	-	-	-
Fourth	512	-	12	155	185	114	38	6	-	-	-	2
Fifth	394	-	-	65	163	114	43	8	-	-	-	1
Sixth	278	-	-	20	102	97	45	14	-	-	-	-
Seventh	212	-	-	4	52	98	45	12	1	-	-	-
Eighth	141	-	-	-	15	64	47	14	-	1	-	-
Ninth	119	-	-	-	15	43	45	15	1	-	-	-
Tenth and over	193	-	-	-	7	37	92	51	4	-	-	2
Not stated	2	-	1	1	-	-	-	-	-	-	-	-
OREGON	24,150	2	2,399	7,947	6,980	4,335	1,968	490	24	2	-	23
White	23,705	2	2,339	7,797	6,852	4,271	1,916	482	23	2	-	21
First	8,613	2	1,833	3,791	1,858	798	274	52	1	1	-	3
Second	7,271	-	413	2,537	2,497	1,294	456	65	1	1	-	7
Third	3,905	-	67	1,002	1,360	1,003	393	75	-	-	-	5
Fourth	1,798	-	6	319	629	522	260	56	2	-	-	4
Fifth	824	-	1	68	283	260	158	48	6	-	-	-
Sixth	459	-	-	15	105	166	132	41	-	-	-	-
Seventh	243	-	-	5	53	89	69	25	1	-	-	1
Eighth	160	-	-	3	12	63	52	30	-	-	-	-
Ninth	94	-	-	1	3	23	44	22	1	-	-	-
Tenth and over	152	-	-	-	4	20	54	63	11	-	-	-
Not stated	186	-	19	56	48	33	24	5	-	-	-	1
Nonwhite	445	-	60	150	108	64	52	8	1	-	-	2
First	128	-	44	55	19	4	4	-	-	-	-	2
Second	90	-	13	45	20	8	4	-	-	-	-	-
Third	67	-	3	20	21	13	10	-	-	-	-	-
Fourth	57	-	-	17	24	6	7	3	-	-	-	-
Fifth	43	-	-	8	15	12	7	1	-	-	-	-
Sixth	21	-	-	2	5	8	5	1	-	-	-	-
Seventh	11	-	-	-	2	5	3	1	-	-	-	-
Eighth	10	-	-	-	1	4	5	-	-	-	-	-
Ninth	8	-	-	-	1	3	2	1	1	-	-	-
Tenth and over	5	-	-	-	-	-	4	1	-	-	-	-
Not stated	5	-	-	3	-	1	1	-	-	-	-	-
PENNSYLVANIA	178,370	130	13,577	53,616	53,579	35,026	17,517	4,532	332	6	3	52
White	166,711	59	11,061	49,642	51,071	33,558	16,641	4,301	325	6	2	45
First	57,269	59	8,726	25,620	14,585	5,838	2,082	354	9	2	1	13
Second	47,400	-	1,957	14,924	17,499	9,495	3,097	405	11	2	1	9
Third	26,807	-	323	6,076	9,687	7,297	2,918	482	14	1	-	9
Fourth	14,094	-	37	2,108	4,925	4,256	2,223	504	38	-	-	3
Fifth	7,672	-	8	647	2,376	2,530	1,652	432	25	1	-	1
Sixth	4,686	-	3	172	1,164	1,616	1,310	394	26	-	-	1
Seventh	2,905	-	-	40	511	1,046	944	337	26	-	-	1
Eighth	1,931	-	-	8	181	658	761	296	25	-	-	2
Ninth	1,358	-	-	3	67	374	617	270	25	-	-	1
Tenth and over	2,474	-	-	6	48	425	1,045	825	124	-	-	1
Not stated	115	-	7	38	28	23	12	2	1	-	-	4

TABLE 5.—LIVE BIRTHS BY RACE, BIRTH ORDER (EXCLUDING STILLBIRTHS), AND AGE OF MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 89)

AREA, RACE, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
PENNSYLVANIA—Continued												
Nonwhite	11,659	71	2,516	3,974	2,508	1,468	876	231	7	-	1	7
First	3,723	71	1,697	1,264	426	184	73	4	1	-	-	3
Second	2,676	-	628	1,195	537	225	78	12	1	-	-	-
Third	1,744	-	150	815	492	197	74	15	1	-	-	-
Fourth	1,180	-	31	439	399	198	89	22	1	-	-	1
Fifth	702	-	5	177	257	160	77	25	-	-	-	1
Sixth	510	-	3	58	179	161	92	17	-	-	-	-
Seventh	371	-	-	17	115	128	85	25	-	-	-	1
Eighth	252	-	-	4	56	92	66	14	-	-	-	-
Ninth	181	-	-	3	27	54	75	20	1	-	1	-
Tenth and over	336	-	-	2	20	68	167	76	2	-	-	1
Not stated	4	-	2	-	-	1	-	1	-	-	-	-
RHODE ISLAND	13,754	6	701	3,925	4,222	3,040	1,458	374	24	-	1	3
White	13,446	4	652	3,810	4,149	2,996	1,438	370	23	-	1	3
First	5,088	4	548	2,269	1,400	617	209	38	2	-	-	1
Second	3,867	-	78	977	1,456	946	350	59	-	-	-	1
Third	2,044	-	11	318	675	675	305	59	-	-	-	1
Fourth	879	-	2	82	264	298	183	45	4	-	1	-
Fifth	447	-	-	19	119	158	119	30	2	-	-	-
Sixth	276	-	-	7	45	106	80	34	4	-	-	-
Seventh	137	-	-	5	21	32	53	24	2	-	-	-
Eighth	87	-	-	-	10	23	31	19	4	-	-	-
Ninth	60	-	-	1	1	15	28	14	1	-	-	-
Tenth and over	97	-	-	-	1	23	32	37	4	-	-	-
Not stated	464	-	13	132	157	103	48	11	-	-	-	-
Nonwhite	308	2	49	115	73	44	20	4	1	-	-	-
First	89	2	38	37	8	3	1	-	-	-	-	-
Second	58	-	6	31	13	6	2	-	-	-	-	-
Third	58	-	5	31	16	3	2	1	-	-	-	-
Fourth	31	-	-	9	12	8	2	-	-	-	-	-
Fifth	23	-	-	3	8	10	2	-	-	-	-	-
Sixth	19	-	-	4	7	5	3	-	-	-	-	-
Seventh	9	-	-	-	4	4	1	-	-	-	-	-
Eighth	6	-	-	-	4	1	1	-	-	-	-	-
Ninth	3	-	-	-	-	2	1	-	-	-	-	-
Tenth and over	11	-	-	-	-	2	5	3	1	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA	51,467	153	8,843	17,451	12,017	7,298	4,286	1,119	96	3	-	201
White	27,874	18	3,628	9,662	7,048	4,383	2,399	612	38	2	-	84
First	9,998	18	2,794	4,338	1,891	663	239	35	1	-	-	19
Second	6,880	-	682	2,985	1,910	926	322	34	2	-	-	19
Third	4,149	-	112	1,519	1,324	822	320	41	-	-	-	11
Fourth	2,358	-	16	536	919	569	285	43	1	-	-	9
Fifth	1,429	-	2	157	521	456	230	55	2	-	-	6
Sixth	936	-	1	34	267	361	223	45	-	-	-	5
Seventh	652	-	-	12	93	263	225	55	3	1	-	-
Eighth	471	-	-	6	39	159	203	57	4	-	-	3
Ninth	304	-	-	1	13	74	145	67	3	-	-	1
Tenth and over	470	-	-	1	8	56	209	172	20	1	-	3
Not stated	227	-	21	73	63	34	18	8	2	-	-	8
Nonwhite	23,593	135	5,215	7,789	4,969	2,915	1,887	507	58	1	-	117
First	6,000	135	3,486	1,756	402	135	46	9	3	-	-	28
Second	4,223	-	1,275	2,077	552	209	74	10	1	-	-	25
Third	3,321	-	312	1,878	763	249	102	5	3	-	-	9
Fourth	2,531	-	61	1,121	871	310	136	21	2	-	-	9
Fifth	1,984	-	11	531	862	384	160	20	3	-	-	13
Sixth	1,497	-	2	202	659	406	179	38	3	-	-	8
Seventh	1,116	-	-	55	399	379	241	31	4	-	-	7
Eighth	836	-	-	25	213	328	218	47	3	1	-	1
Ninth	607	-	-	6	91	244	219	42	3	-	-	2
Tenth and over	1,095	-	-	8	73	217	484	276	33	-	-	4
Not stated	383	-	68	130	84	54	28	8	-	-	-	11
SOUTH DAKOTA	12,769	5	903	3,844	3,538	2,559	1,363	472	34	1	-	50
White	12,013	4	849	3,623	3,360	2,413	1,263	422	33	1	-	46
First	3,906	4	702	1,876	882	298	105	23	-	-	-	16
Second	3,092	-	126	1,118	1,043	580	188	29	1	-	-	7
Third	2,034	-	16	446	720	562	231	44	3	-	-	12
Fourth	1,170	-	1	134	401	381	193	57	3	-	-	-
Fifth	603	-	-	32	172	208	129	56	4	-	-	2
Sixth	363	-	-	6	66	148	103	36	4	1	-	1
Seventh	275	-	-	2	37	105	88	39	1	-	-	3
Eighth	196	-	-	-	11	61	81	39	3	-	-	1
Ninth	120	-	-	-	3	31	60	23	2	-	-	1
Tenth and over	186	-	-	-	2	21	75	75	12	-	-	1
Not stated	68	-	3	9	23	20	10	1	-	-	-	2
Nonwhite	756	1	55	221	178	146	100	50	1	-	-	4
First	154	1	45	83	14	8	3	-	-	-	-	-
Second	108	-	7	49	38	12	2	-	-	-	-	-
Third	112	-	2	52	36	15	5	1	-	-	-	1
Fourth	93	-	-	23	33	29	8	1	-	-	-	1
Fifth	81	-	-	7	33	23	11	6	-	-	-	1
Sixth	59	-	-	4	17	18	12	8	-	-	-	-
Seventh	35	-	-	-	4	15	10	5	1	-	-	-
Eighth	44	-	-	-	1	17	19	7	-	-	-	-
Ninth	26	-	-	-	2	4	12	8	-	-	-	-
Tenth and over	38	-	-	-	-	5	19	14	-	-	-	-
Not stated	6	-	1	3	-	-	1	-	-	-	-	1

TABLE 5.—LIVE BIRTHS BY RACE, BIRTH ORDER (EXCLUDING STILLBIRTHS), AND AGE OF MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 89)

AREA, RACE, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
TENNESSEE	68,272	150	9,929	21,351	16,381	11,368	6,856	1,986	132	11	6	102
White	57,311	59	7,460	18,116	14,115	9,749	5,894	1,705	110	11	4	88
First	17,088	59	5,554	7,043	2,798	1,164	409	63	2	2	1	15
Second	13,314	-	1,497	5,797	3,521	1,769	625	87	1	-	-	17
Third	8,753	-	277	3,192	2,891	1,630	651	102	5	1	-	4
Fourth	5,862	-	22	1,327	2,205	1,338	641	111	1	2	-	15
Fifth	3,701	-	10	400	1,375	1,175	618	113	3	-	-	9
Sixth	2,535	-	2	93	673	972	653	129	8	3	-	2
Seventh	1,812	-	-	31	298	726	570	169	12	1	1	4
Eighth	1,314	-	-	4	107	443	571	180	6	-	1	2
Ninth	926	-	-	2	44	227	464	170	12	-	1	6
Tenth and over	1,427	-	-	4	35	160	612	555	59	1	-	1
Not stated	779	-	118	223	172	145	80	26	1	1	-	13
Nonwhite	10,961	91	2,469	3,235	2,266	1,619	962	281	22	-	2	14
First	2,857	91	1,587	752	259	113	45	8	-	-	1	1
Second	2,120	-	616	864	373	174	60	10	1	-	-	2
Third	1,538	-	163	736	378	177	69	10	-	-	-	5
Fourth	1,158	-	37	486	361	188	69	16	-	-	-	1
Fifth	842	-	5	202	347	189	79	17	2	-	-	1
Sixth	626	-	2	77	262	200	70	12	2	-	-	1
Seventh	477	-	-	19	136	190	111	19	1	-	-	1
Eighth	359	-	-	4	62	159	110	21	3	-	-	-
Ninth	254	-	-	1	31	92	102	28	-	-	-	-
Tenth and over	515	-	-	3	20	112	232	135	12	-	1	-
Not stated	215	-	59	71	37	25	15	5	1	-	-	2
TEXAS	165,900	325	24,592	54,972	39,716	27,149	14,546	3,853	251	7	9	480
White	145,500	171	19,781	48,810	35,856	24,198	12,731	3,358	213	6	6	390
First	51,091	171	14,960	22,189	8,885	3,526	1,097	179	5	-	-	79
Second	33,978	-	3,365	15,957	9,822	4,996	1,551	199	4	1	-	83
Third	18,583	-	540	6,015	6,211	3,980	1,547	226	10	1	-	53
Fourth	9,357	-	47	1,969	3,292	2,575	1,221	209	11	1	1	31
Fifth	5,152	-	7	495	1,722	1,738	948	213	10	-	-	19
Sixth	2,972	-	1	106	698	1,163	763	214	10	-	-	17
Seventh	1,732	-	-	26	241	669	632	150	8	-	-	6
Eighth	1,120	-	-	3	81	356	495	167	13	-	1	4
Ninth	632	-	-	2	9	157	336	119	6	-	1	2
Tenth and over	705	-	-	1	7	86	313	263	32	-	-	3
Not stated	20,178	-	861	4,047	4,888	4,952	3,828	1,399	104	3	3	93
Nonwhite	20,400	154	4,811	6,162	3,860	2,951	1,815	515	38	1	3	90
First	5,896	154	3,193	1,715	486	231	93	9	2	-	-	15
Second	5,518	-	975	1,602	579	235	91	18	1	-	-	17
Third	2,276	-	206	1,105	570	260	106	18	-	-	1	12
Fourth	1,456	-	19	529	493	282	118	8	1	-	-	6
Fifth	957	-	6	206	394	246	82	17	2	-	-	4
Sixth	678	-	-	47	239	256	101	27	2	1	-	5
Seventh	479	-	-	14	118	199	115	27	3	-	-	3
Eighth	330	-	-	3	27	146	114	35	2	-	-	3
Ninth	214	-	-	1	11	79	86	30	2	-	1	4
Tenth and over	298	-	-	1	7	62	145	73	6	-	1	3
Not stated	4,298	-	412	943	936	955	764	253	17	-	-	18
UTAH	16,180	3	1,479	5,005	4,547	3,050	1,585	473	35	1	-	4
White	15,906	3	1,457	4,910	4,452	3,012	1,570	466	34	1	-	1
First	4,587	3	1,198	2,188	801	280	96	20	1	-	-	-
Second	4,208	-	230	1,719	1,442	603	181	31	-	-	-	-
Third	3,091	-	26	708	1,202	812	299	41	2	1	-	-
Fourth	1,766	-	3	230	557	593	316	65	1	-	-	1
Fifth	938	-	-	43	272	329	233	57	4	-	-	-
Sixth	558	-	-	10	115	197	153	75	6	-	-	-
Seventh	303	-	-	3	40	101	106	47	6	-	-	-
Eighth	177	-	-	-	9	59	70	37	2	-	-	-
Ninth	116	-	-	-	7	19	57	30	3	-	-	-
Tenth and over	146	-	-	-	3	16	55	63	9	-	-	-
Not stated	20	-	-	9	4	3	4	-	-	-	-	-
Nonwhite	274	-	22	95	95	38	13	7	1	-	-	3
First	97	-	17	46	26	8	-	-	-	-	-	-
Second	61	-	4	29	20	6	1	1	-	-	-	-
Third	38	-	1	10	19	6	2	-	-	-	-	-
Fourth	25	-	-	5	13	5	1	-	-	-	-	1
Fifth	17	-	-	4	5	5	3	-	-	-	-	-
Sixth	11	-	-	1	6	3	1	-	-	-	-	-
Seventh	10	-	-	-	5	2	-	2	-	-	-	1
Eighth	4	-	-	-	-	3	1	-	-	-	-	-
Ninth	1	-	-	-	-	-	1	-	-	-	-	-
Tenth and over	10	-	-	-	1	-	3	4	1	-	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT	6,824	4	596	2,083	1,900	1,347	682	202	7	-	-	3
White	6,821	4	596	2,082	1,898	1,347	682	202	7	-	-	3
First	2,011	4	451	835	448	204	54	15	-	-	-	-
Second	1,734	-	117	669	528	293	116	11	-	-	-	-
Third	1,183	-	23	390	376	270	122	30	-	-	-	-
Fourth	693	-	2	141	254	192	87	16	1	-	-	-
Fifth	412	-	-	45	136	133	83	13	1	-	-	1
Sixth	243	-	-	7	72	89	48	20	-	-	-	-
Seventh	147	-	-	4	29	63	35	16	-	-	-	-
Eighth	116	-	-	-	21	42	34	18	1	-	-	-
Ninth	69	-	-	-	5	27	23	13	1	-	-	-
Tenth and over	141	-	-	-	3	21	66	48	3	-	-	-
Not stated	72	-	3	21	17	13	14	2	-	-	-	2

TABLE 5.—LIVE BIRTHS BY RACE, BIRTH ORDER (EXCLUDING STILLBIRTHS), AND AGE OF MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 89)

AREA, RACE, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
VERMONT—Continued												
Nonwhite	3	-	-	1	2	-	-	-	-	-	-	-
First	2	-	-	-	2	-	-	-	-	-	-	-
Second	-	-	-	-	-	-	-	-	-	-	-	-
Third	-	-	-	-	-	-	-	-	-	-	-	-
Fourth	-	-	-	-	-	-	-	-	-	-	-	-
Fifth	1	-	-	1	-	-	-	-	-	-	-	-
Sixth	-	-	-	-	-	-	-	-	-	-	-	-
Seventh	-	-	-	-	-	-	-	-	-	-	-	-
Eighth	-	-	-	-	-	-	-	-	-	-	-	-
Ninth	-	-	-	-	-	-	-	-	-	-	-	-
Tenth and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	69,175	167	9,228	22,249	17,501	11,690	6,097	1,944	156	3	3	137
White	52,001	33	5,534	16,550	13,937	9,375	4,882	1,492	113	3	1	83
First	17,845	33	4,026	7,516	3,699	1,687	577	79	5	-	-	23
Second	13,069	-	1,136	4,766	3,917	2,301	824	103	5	-	-	17
Third	7,226	-	247	2,374	2,330	1,523	637	100	5	-	-	10
Fourth	4,234	-	45	1,054	1,488	1,039	481	116	4	-	-	7
Fifth	2,675	-	4	384	1,025	747	389	116	6	-	-	4
Sixth	1,811	-	-	103	558	674	364	102	6	1	-	3
Seventh	1,264	-	-	29	245	508	365	107	9	-	-	1
Eighth	852	-	-	4	97	295	324	125	6	-	-	1
Ninth	666	-	-	1	33	190	296	136	7	1	1	1
Tenth and over	1,228	-	-	-	16	165	513	474	57	1	-	2
Not stated	1,131	-	76	319	329	244	112	34	3	-	-	14
Nonwhite	17,174	134	3,694	5,699	3,564	2,317	1,215	452	43	-	2	54
First	4,091	134	2,022	1,310	382	170	49	10	-	-	1	13
Second	3,119	-	1,018	1,377	464	186	62	6	2	-	-	4
Third	2,368	-	343	1,169	535	228	72	14	1	-	-	6
Fourth	1,824	-	114	819	560	232	78	16	-	-	-	5
Fifth	1,314	-	15	425	508	250	90	20	2	-	-	4
Sixth	982	-	4	178	402	267	105	22	2	-	-	2
Seventh	724	-	-	52	267	264	107	30	2	-	-	2
Eighth	520	-	-	16	140	203	124	32	3	-	-	2
Ninth	392	-	-	7	59	154	118	46	4	-	1	3
Tenth and over	857	-	-	2	34	233	335	237	25	-	-	1
Not stated	983	-	178	344	213	140	75	19	2	-	-	12
WASHINGTON	44,528	19	4,387	15,153	12,965	7,768	3,353	787	49	1	-	46
White	43,363	15	4,209	14,753	12,651	7,603	3,283	758	46	1	-	44
First	16,714	15	3,420	7,457	3,711	1,512	490	96	3	-	-	10
Second	13,349	-	669	4,869	4,605	2,542	766	84	2	-	-	12
Third	6,934	-	95	1,675	2,501	1,814	718	122	4	1	-	4
Fourth	3,070	-	9	560	1,044	870	481	92	6	-	-	8
Fifth	1,384	-	1	115	450	469	264	74	8	-	-	3
Sixth	726	-	-	32	190	261	177	62	4	-	-	-
Seventh	437	-	-	8	79	163	129	55	3	-	-	-
Eighth	217	-	-	1	30	69	84	29	2	-	-	2
Ninth	167	-	-	-	10	54	59	43	1	-	-	-
Tenth and over	241	-	-	-	5	31	91	101	13	-	-	-
Not stated	124	-	15	36	26	18	24	-	-	-	-	5
Nonwhite	1,165	4	178	400	314	165	70	29	3	-	-	2
First	360	4	116	154	66	14	5	-	1	-	-	-
Second	272	-	50	128	65	21	7	1	-	-	-	-
Third	156	-	11	61	53	24	7	-	-	-	-	-
Fourth	121	-	1	39	50	22	2	7	-	-	-	-
Fifth	77	-	-	12	39	15	8	2	-	-	-	1
Sixth	58	-	-	3	19	22	12	2	-	-	-	-
Seventh	36	-	-	-	16	13	5	-	1	-	-	1
Eighth	27	-	-	1	2	11	8	5	-	-	-	-
Ninth	18	-	-	-	2	9	6	1	-	-	-	-
Tenth and over	35	-	-	-	1	12	10	11	1	-	-	-
Not stated	5	-	-	2	1	2	-	-	-	-	-	-
WEST VIRGINIA	41,304	51	5,111	13,485	10,148	6,885	4,030	1,381	107	2	1	133
White	39,008	33	4,681	12,721	9,689	6,518	3,838	1,300	101	2	1	124
First	10,064	33	3,282	4,345	1,529	586	208	48	2	-	-	31
Second	8,325	-	1,028	3,812	2,055	1,042	329	43	2	-	-	14
Third	6,080	-	229	2,556	1,875	1,001	348	52	1	1	-	17
Fourth	4,063	-	43	1,172	1,618	804	347	68	-	1	-	10
Fifth	2,836	-	7	461	1,157	752	353	96	-	-	-	10
Sixth	2,054	-	4	130	737	701	391	83	4	-	-	4
Seventh	1,515	-	-	30	356	585	431	100	9	-	-	4
Eighth	1,141	-	-	7	121	466	407	122	10	-	-	6
Ninth	799	-	-	8	49	271	346	119	6	-	-	-
Tenth and over	1,476	-	-	5	30	210	610	546	66	-	1	8
Not stated	655	-	88	195	162	100	68	23	1	-	-	18
Nonwhite	2,296	18	430	764	459	337	192	81	6	-	-	9
First	532	18	268	168	47	21	8	2	-	-	-	-
Second	415	-	115	199	65	27	5	4	-	-	-	-
Third	340	-	36	181	64	32	17	6	-	-	-	4
Fourth	244	-	3	108	75	41	18	1	-	-	-	-
Fifth	192	-	1	55	83	31	20	2	-	-	-	-
Sixth	135	-	-	28	54	33	12	6	-	-	-	2
Seventh	126	-	-	10	49	49	10	6	1	-	-	1
Eighth	71	-	-	2	11	38	17	3	-	-	-	-
Ninth	66	-	-	-	4	30	25	6	-	-	-	1
Tenth and over	141	-	-	1	4	29	58	44	5	-	-	-
Not stated	34	-	7	14	3	6	2	1	-	-	-	1

TABLE 5.—LIVE BIRTHS BY RACE, BIRTH ORDER (EXCLUDING STILLBIRTHS), AND AGE OF MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 89)

AREA, RACE, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
WISCONSIN	61,547	15	3,643	17,760	18,947	12,729	6,402	1,912	126	5	-	8
White	60,743	11	3,522	17,516	18,759	12,589	6,329	1,879	125	5	-	8
First	18,987	11	2,890	8,778	4,690	1,829	667	114	3	2	-	3
Second	17,150	-	539	5,406	6,368	3,405	1,206	196	6	2	-	2
Third	10,782	-	78	2,269	4,052	2,919	1,206	243	7	1	-	2
Fourth	5,714	-	7	725	1,992	1,767	982	229	14	-	-	-
Fifth	3,061	-	-	222	921	1,043	654	210	11	-	-	-
Sixth	1,799	-	-	63	429	663	471	160	13	-	-	-
Seventh	1,133	-	-	18	182	426	340	156	11	-	-	-
Eighth	717	-	-	2	70	239	284	128	13	-	-	-
Ninth	442	-	-	4	22	124	174	108	9	-	-	-
Tenth and over	902	-	-	1	11	166	360	327	37	-	-	-
Not stated	76	-	8	30	22	8	5	1	1	-	-	1
Nonwhite	804	4	121	244	188	140	73	33	1	-	-	-
First	191	4	78	70	26	9	3	1	-	-	-	-
Second	137	-	33	63	28	9	3	1	-	-	-	-
Third	116	-	7	62	29	15	2	1	-	-	-	-
Fourth	79	-	2	32	24	17	3	1	-	-	-	-
Fifth	71	-	-	9	33	17	10	2	-	-	-	-
Sixth	62	-	-	3	20	28	11	-	-	-	-	-
Seventh	34	-	-	-	13	16	5	-	-	-	-	-
Eighth	39	-	-	1	10	12	12	4	-	-	-	-
Ninth	22	-	-	-	4	9	8	1	-	-	-	-
Tenth and over	45	-	-	-	1	7	16	20	1	-	-	-
Not stated	8	-	1	4	-	1	-	2	-	-	-	-
WYOMING	5,635	4	543	1,826	1,578	1,037	494	147	7	-	-	9
White	5,302	4	515	1,740	1,460	978	458	132	6	-	-	9
First	1,536	4	377	689	302	117	37	7	1	-	-	2
Second	1,551	-	113	619	475	246	78	17	-	-	-	3
Third	948	-	17	287	333	215	78	13	2	-	-	1
Fourth	478	-	4	97	169	128	61	15	-	-	-	2
Fifth	297	-	1	31	94	95	59	17	-	-	-	-
Sixth	195	-	-	10	50	78	44	13	-	-	-	-
Seventh	98	-	-	2	17	45	25	9	-	-	-	-
Eighth	59	-	-	-	10	19	22	8	-	-	-	-
Ninth	34	-	-	-	1	12	15	6	-	-	-	-
Tenth and over	87	-	-	-	1	19	39	25	3	-	-	-
Not stated	25	-	3	5	8	4	-	2	-	-	-	1
Nonwhite	333	-	28	86	118	59	26	15	1	-	-	-
First	98	-	22	42	31	3	-	-	-	-	-	-
Second	82	-	5	28	39	7	3	-	-	-	-	-
Third	40	-	-	8	18	12	1	1	-	-	-	-
Fourth	33	-	-	5	8	13	6	1	-	-	-	-
Fifth	27	-	1	2	12	5	4	3	-	-	-	-
Sixth	11	-	-	-	5	3	3	-	-	-	-	-
Seventh	12	-	-	1	3	6	1	1	-	-	-	-
Eighth	5	-	-	-	1	2	2	1	-	-	-	-
Ninth	6	-	-	-	1	3	2	-	-	-	-	-
Tenth and over	16	-	-	-	-	3	4	8	1	-	-	-
Not stated	2	-	-	-	-	2	-	-	-	-	-	-

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1944

(By place of residence)

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES	2,794,800	35	58,870	512,323	756,880	631,227	408,023	210,657	82,630	31,114	18,156	84,885
10 to 14 years	3,565	15	678	546	118	46	22	22	11	9	9	1,689
15 to 19 years	301,130	18	48,059	154,985	45,261	11,168	3,962	1,577	640	231	209	35,020
20 to 24 years	866,946	2	9,337	320,431	356,649	107,422	30,072	10,508	3,512	1,452	1,007	26,554
25 to 29 years	769,015	-	484	32,346	312,779	281,241	90,315	27,143	9,020	3,254	2,189	10,244
30 to 34 years	511,869	-	55	3,040	37,384	205,272	171,263	60,859	17,911	6,660	3,953	5,472
35 to 39 years	263,442	-	-	422	3,816	24,036	104,657	82,449	29,039	9,922	5,834	3,267
40 to 44 years	70,073	-	-	69	279	1,444	7,153	27,314	20,401	8,224	4,193	996
45 to 49 years	4,778	-	-	8	23	38	134	558	1,982	1,268	691	76
50 to 54 years	134	-	-	1	6	20	15	12	12	33	28	7
55 years and over	53	-	-	1	2	2	9	14	8	1	14	2
Not stated	3,795	-	57	474	563	538	421	201	94	60	29	1,358
ALABAMA	74,415	1	2,362	14,838	17,302	14,150	10,128	5,564	2,419	1,074	880	5,747
10 to 14 years	206	-	30	31	4	5	1	-	-	1	-	134
15 to 19 years	12,575	-	1,938	5,767	1,664	424	138	77	23	11	14	2,519
20 to 24 years	23,002	1	366	8,090	8,711	2,871	928	289	126	56	52	1,512
25 to 29 years	17,132	-	22	796	6,082	6,102	2,262	664	298	125	119	641
30 to 34 years	11,991	-	2	102	691	4,205	4,148	1,502	501	228	182	430
35 to 39 years	7,095	-	-	12	109	482	2,477	2,244	830	358	266	317
40 to 44 years	1,982	-	-	3	8	24	138	741	576	250	161	81
45 to 49 years	148	-	-	-	-	1	2	13	58	38	29	7
50 to 54 years	8	-	-	-	-	1	2	-	1	1	3	-
55 years and over	2	-	-	-	-	-	-	1	-	-	1	-
Not stated	274	-	4	37	33	35	32	13	6	5	3	106
ARIZONA	14,225	-	396	2,936	3,879	2,854	1,986	1,101	450	191	168	364
10 to 14 years	22	-	11	6	2	3	-	-	-	-	-	-
15 to 19 years	1,870	-	318	1,006	334	102	39	13	4	1	-	53
20 to 24 years	4,754	-	62	1,725	1,941	608	216	84	25	15	9	69
25 to 29 years	3,621	-	3	166	1,409	1,225	484	173	61	28	20	52
30 to 34 years	2,200	-	1	18	160	791	732	308	91	32	37	30
35 to 39 years	1,269	-	-	3	27	106	471	360	171	62	51	18
40 to 44 years	404	-	-	-	6	14	41	159	86	45	47	6
45 to 49 years	22	-	-	-	-	-	-	3	12	5	2	-
50 to 54 years	4	-	-	-	-	-	-	-	-	2	2	-
Not stated	59	-	1	12	-	5	3	1	-	1	-	36
ARKANSAS	41,240	-	1,374	8,579	9,837	7,972	5,564	3,093	1,485	694	597	2,045
10 to 14 years	131	-	24	24	7	1	-	-	-	-	-	75
15 to 19 years	7,221	-	1,145	3,514	1,123	303	109	57	17	5	8	940
20 to 24 years	12,825	-	193	4,509	4,942	1,772	543	217	74	45	33	497
25 to 29 years	9,345	-	7	438	3,276	3,389	1,305	410	168	76	85	191
30 to 34 years	6,410	-	-	47	387	2,172	2,206	855	298	156	140	149
35 to 39 years	3,819	-	-	8	49	275	1,284	1,185	500	216	199	103
40 to 44 years	1,146	-	-	-	4	15	75	352	396	162	115	26
45 to 49 years	81	-	-	-	2	1	2	5	26	30	13	2
50 to 54 years	2	-	-	-	-	-	-	-	-	-	2	-
55 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	259	-	5	39	46	44	39	12	6	4	2	62
CALIFORNIA	179,123	2	3,778	38,012	53,285	40,959	23,784	11,745	4,240	1,515	742	1,061
10 to 14 years	103	1	42	32	8	2	2	4	2	2	-	8
15 to 19 years	19,958	1	3,237	11,779	3,359	809	283	114	23	10	7	336
20 to 24 years	61,465	-	473	23,724	25,927	7,766	2,196	705	203	74	21	376
25 to 29 years	50,095	-	20	2,226	20,864	18,194	5,947	1,924	509	154	85	172
30 to 34 years	30,607	-	6	214	2,774	12,526	9,595	3,805	1,091	351	161	84
35 to 39 years	13,501	-	-	24	307	1,546	5,366	3,994	1,497	495	232	40
40 to 44 years	3,124	-	-	2	28	104	377	1,171	837	385	202	18
45 to 49 years	176	-	-	-	-	2	3	24	76	42	27	2
50 to 54 years	5	-	-	-	-	1	-	1	-	1	2	-
55 years and over	4	-	-	-	-	-	-	1	1	-	2	-
Not stated	85	-	-	11	18	9	15	2	1	1	3	25
COLORADO	23,931	1	543	4,975	6,611	5,113	3,338	1,794	807	327	181	241
10 to 14 years	9	1	1	2	1	1	-	-	-	-	-	3
15 to 19 years	2,600	-	433	1,490	437	98	35	16	6	5	1	79
20 to 24 years	7,985	-	105	3,154	3,196	959	316	106	45	8	8	88
25 to 29 years	6,411	-	4	279	2,614	2,286	805	248	89	32	20	34
30 to 34 years	4,148	-	-	42	322	1,560	1,386	521	187	74	34	22
35 to 39 years	2,100	-	-	5	35	195	740	691	262	101	62	9
40 to 44 years	633	-	-	1	6	13	55	208	201	94	50	5
45 to 49 years	42	-	-	-	-	-	1	4	17	13	6	1
Not stated	3	-	-	2	-	1	-	-	-	-	-	-
CONNECTICUT	34,278	-	217	4,603	10,333	9,158	5,432	2,528	853	292	90	772
10 to 14 years	6	-	-	-	-	-	-	-	-	-	-	6
15 to 19 years	1,460	-	174	801	230	49	7	4	-	-	1	194
20 to 24 years	9,180	-	38	3,331	4,166	1,019	244	55	18	7	2	300
25 to 29 years	11,503	-	4	431	5,217	4,237	1,079	268	86	23	6	152
30 to 34 years	7,736	-	1	34	555	3,435	2,424	834	201	69	15	68
35 to 39 years	3,530	-	-	1	56	398	1,532	1,040	341	94	38	28
40 to 44 years	782	-	-	-	3	13	135	313	195	89	20	13
45 to 49 years	30	-	-	-	-	-	4	2	8	9	7	-
50 to 54 years	4	-	-	-	-	-	1	1	1	1	-	-
55 years and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	40	-	-	5	6	7	6	2	2	-	1	11
DELAWARE	5,992	-	104	1,090	1,720	1,314	787	301	151	56	21	359
10 to 14 years	12	-	-	-	-	-	-	-	-	-	-	12
15 to 19 years	692	-	86	312	97	27	9	-	-	-	-	161
20 to 24 years	1,892	-	16	701	821	199	35	11	5	-	-	104
25 to 29 years	1,645	-	1	70	715	567	173	52	17	5	5	40
30 to 34 years	1,086	-	1	5	79	471	346	109	32	15	6	22
35 to 39 years	512	-	-	2	8	45	206	156	59	18	6	12
40 to 44 years	143	-	-	-	-	4	15	63	35	18	3	5
45 to 49 years	5	-	-	-	-	-	1	-	3	-	1	-
Not stated	6	-	-	-	-	1	2	-	-	-	-	3

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
DISTRICT OF COLUMBIA	15,758	-	298	3,037	4,136	3,338	2,029	945	356	133	43	1,443
10 to 14 years	38	-	4	3	-	-	-	-	-	-	-	31
15 to 19 years	1,876	-	255	805	205	52	13	6	1	1	1	537
20 to 24 years	5,803	-	38	2,014	1,933	529	178	53	26	4	3	525
25 to 29 years	4,285	-	1	188	1,718	1,478	486	158	55	13	4	184
30 to 34 years	2,760	-	-	18	254	1,116	833	301	103	43	14	78
35 to 39 years	1,190	-	-	1	17	150	484	333	110	41	10	44
40 to 44 years	238	-	-	-	3	10	29	92	57	28	10	9
45 to 49 years	9	-	-	-	-	1	2	1	2	2	1	-
50 to 54 years	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	58	-	-	8	6	2	4	1	2	-	-	35
FLORIDA	48,418	1	1,068	10,442	12,554	9,447	6,126	3,204	1,495	650	499	2,932
10 to 14 years	153	1	28	15	3	2	-	-	1	-	1	102
15 to 19 years	8,008	-	893	3,907	1,254	363	137	55	19	13	4	1,363
20 to 24 years	16,230	-	132	5,816	6,278	2,086	716	268	96	57	29	752
25 to 29 years	11,768	-	12	597	4,332	4,053	1,566	518	221	74	77	318
30 to 34 years	7,295	-	1	73	576	2,547	2,368	903	344	158	113	214
35 to 39 years	3,809	-	-	10	88	344	1,252	1,106	522	204	174	109
40 to 44 years	972	-	-	2	4	28	73	344	269	129	90	33
45 to 49 years	49	-	-	1	3	-	-	2	18	11	12	2
50 to 54 years	4	-	-	1	-	1	-	-	-	-	-	2
Not stated	130	-	2	20	16	23	14	8	5	4	1	37
GEORGIA	76,540	2	2,482	16,141	19,308	14,894	9,879	5,004	2,100	924	773	5,033
10 to 14 years	250	-	41	28	8	-	1	1	-	-	-	171
15 to 19 years	13,047	2	2,058	6,145	1,822	417	153	58	19	8	10	2,360
20 to 24 years	24,731	-	351	9,007	9,682	2,993	886	306	107	65	42	1,292
25 to 29 years	18,163	-	27	844	6,877	6,460	2,272	670	244	107	88	574
30 to 34 years	11,804	-	3	90	806	4,444	3,966	1,399	432	207	158	299
35 to 39 years	6,563	-	-	13	93	541	2,437	1,939	748	282	289	221
40 to 44 years	1,713	-	-	2	6	26	155	616	492	217	154	45
45 to 49 years	146	-	-	-	2	3	1	13	56	37	31	3
50 to 54 years	2	-	-	-	-	1	-	-	-	-	1	-
55 years and over	2	-	-	-	-	-	1	-	1	-	-	-
Not stated	119	-	2	12	12	9	7	7	1	1	-	68
IDAHO	12,241	-	260	2,352	3,539	2,748	1,748	893	364	166	80	91
10 to 14 years	7	-	3	3	-	-	-	1	-	-	-	-
15 to 19 years	1,307	-	224	721	229	66	18	10	2	1	-	36
20 to 24 years	4,108	-	32	1,480	1,813	563	133	42	11	3	2	29
25 to 29 years	3,372	-	1	135	1,332	1,254	435	139	37	19	11	9
30 to 34 years	2,014	-	-	6	143	762	721	245	77	31	17	10
35 to 39 years	1,065	-	-	2	19	97	402	337	134	50	30	4
40 to 44 years	328	-	-	1	2	4	35	113	92	56	25	-
45 to 49 years	26	-	-	-	-	-	-	4	11	6	5	-
Not stated	14	-	-	2	1	2	4	2	-	-	-	3
ILLINOIS	142,005	-	2,080	22,707	40,067	34,342	22,026	10,837	3,855	1,291	566	4,234
10 to 14 years	91	-	10	8	-	-	-	2	-	1	-	70
15 to 19 years	11,232	-	1,733	5,757	1,562	358	127	41	15	1	4	1,634
20 to 24 years	42,140	-	331	15,349	18,110	4,804	1,336	482	164	47	36	1,481
25 to 29 years	42,980	-	6	1,473	18,235	15,916	4,794	1,387	427	116	51	575
30 to 34 years	28,400	-	-	100	1,977	11,992	9,553	3,212	878	279	135	274
35 to 39 years	13,659	-	-	14	164	1,211	5,855	4,266	1,360	447	196	146
40 to 44 years	3,277	-	-	3	12	55	353	1,428	917	353	124	32
45 to 49 years	183	-	-	-	1	2	3	18	94	45	17	3
50 to 54 years	5	-	-	-	-	-	2	-	-	1	2	-
55 years and over	2	-	-	-	-	-	-	1	-	-	1	-
Not stated	36	-	-	3	6	4	3	-	-	1	-	19
INDIANA	71,354	1	1,826	14,580	20,275	16,111	9,722	4,849	1,986	693	370	939
10 to 14 years	46	-	20	3	-	-	1	1	-	-	-	21
15 to 19 years	7,845	1	1,580	4,432	1,097	292	108	37	16	8	7	317
20 to 24 years	23,266	-	261	9,279	9,617	2,652	752	234	93	26	17	335
25 to 29 years	19,795	-	10	760	8,552	7,329	2,057	625	215	73	45	129
30 to 34 years	12,186	-	-	61	893	5,200	4,087	1,260	407	145	84	49
35 to 39 years	6,167	-	-	8	75	581	2,589	1,938	641	240	111	44
40 to 44 years	1,740	-	-	2	8	30	160	722	553	170	69	6
45 to 49 years	123	-	-	-	-	2	6	14	59	24	17	1
50 to 54 years	2	-	-	-	-	-	-	-	1	1	-	-
55 years and over	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	183	-	5	35	33	25	21	18	3	6	-	37
IOWA	46,564	-	791	8,330	13,192	11,051	6,758	3,541	1,336	479	256	830
10 to 14 years	13	-	4	-	-	-	-	1	-	-	-	8
15 to 19 years	3,690	-	629	2,031	491	145	41	14	8	1	2	328
20 to 24 years	14,613	-	155	5,674	6,147	1,724	380	149	29	17	14	324
25 to 29 years	13,363	-	2	574	5,817	4,890	1,416	383	113	46	25	97
30 to 34 years	8,861	-	1	40	692	3,800	2,962	911	271	99	49	36
35 to 39 years	4,576	-	-	4	40	461	1,797	1,547	480	144	84	19
40 to 44 years	1,310	-	-	3	1	23	154	522	386	146	65	10
45 to 49 years	108	-	-	-	-	1	2	13	48	26	17	1
50 to 54 years	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	29	-	-	4	4	7	6	-	1	-	-	7
KANSAS	34,976	2	801	7,268	9,808	7,694	4,715	2,481	1,032	388	200	592
10 to 14 years	26	-	3	6	2	-	-	-	-	-	1	14
15 to 19 years	3,762	2	632	2,165	526	127	41	13	9	1	2	244
20 to 24 years	11,452	-	160	4,587	4,622	1,360	322	124	47	18	12	205
25 to 29 years	9,368	-	4	449	4,077	3,369	974	280	99	30	21	65
30 to 34 years	6,021	-	1	38	502	2,526	1,970	645	202	78	38	21
35 to 39 years	3,208	-	-	6	59	276	1,267	1,018	343	145	57	17
40 to 44 years	977	-	-	1	4	19	108	381	292	100	63	9
45 to 49 years	71	-	-	1	-	1	1	12	35	14	6	1
50 to 54 years	2	-	-	-	-	-	1	-	1	-	-	-
55 years and over	2	-	-	-	-	-	-	2	-	-	-	-
Not stated	87	-	1	15	16	16	11	6	4	2	-	16

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
KENTUCKY	64,225	2	2,092	12,526	16,273	13,482	9,316	5,455	2,519	1,073	811	676
10 to 14 years	89	1	39	25	5	4	3	-	1	-	2	9
15 to 19 years	8,597	1	1,602	4,531	1,495	395	152	67	50	13	17	274
20 to 24 years	19,994	-	422	7,020	8,054	2,855	810	338	135	72	53	225
25 to 29 years	15,708	-	24	818	5,773	5,701	2,122	660	263	135	118	94
30 to 34 years	10,816	-	5	110	807	3,921	3,737	1,371	458	196	190	26
35 to 39 years	6,578	-	-	20	128	555	2,306	2,182	802	328	231	26
40 to 44 years	2,254	-	-	1	9	46	179	816	742	285	164	12
45 to 49 years	167	-	-	1	-	2	4	20	72	42	25	1
50 to 54 years	4	-	-	-	-	-	-	-	1	2	1	-
55 years and over	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	17	-	-	-	2	3	2	1	-	-	-	9
LOUISIANA	61,050	-	1,847	12,430	15,272	12,455	8,507	4,631	1,946	840	536	2,586
10 to 14 years	156	-	56	29	6	2	-	-	-	1	-	60
15 to 19 years	9,590	-	1,554	4,794	1,500	388	121	64	35	4	10	1,050
20 to 24 years	19,562	-	229	6,926	7,628	2,623	891	363	121	54	33	704
25 to 29 years	14,906	-	6	596	5,406	5,366	1,981	732	259	125	79	354
30 to 34 years	9,806	-	1	50	629	3,575	3,334	1,283	424	205	113	192
35 to 39 years	5,368	-	-	7	75	440	1,923	1,647	684	229	166	135
40 to 44 years	1,410	-	-	1	8	41	130	512	379	181	104	48
45 to 49 years	118	-	-	-	-	-	4	15	30	36	23	4
50 to 54 years	7	-	-	-	-	-	-	-	3	1	2	1
55 years and over	2	-	-	-	-	-	-	-	-	-	1	1
Not stated	135	-	1	25	18	20	13	9	5	4	3	37
MAINE	17,762	-	411	3,374	4,848	3,879	2,509	1,310	579	191	120	541
10 to 14 years	11	-	2	1	-	-	-	-	-	-	1	6
15 to 19 years	1,830	-	316	895	305	73	13	13	3	5	1	200
20 to 24 years	5,845	-	85	2,186	2,283	728	220	91	24	16	5	207
25 to 29 years	4,793	-	7	266	1,995	1,679	531	163	57	12	18	65
30 to 34 years	3,062	-	-	21	232	1,199	1,038	357	110	34	24	32
35 to 39 years	1,653	-	-	3	31	190	646	479	201	59	27	17
40 to 44 years	523	-	-	-	2	10	52	202	161	56	35	5
45 to 49 years	36	-	-	-	-	-	1	5	13	8	8	1
50 to 54 years	2	-	-	-	-	-	-	-	1	1	-	-
55 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	6	-	-	2	-	-	2	-	-	-	-	2
MARYLAND	43,915	-	1,288	8,934	12,442	9,883	6,163	2,902	1,096	400	194	613
10 to 14 years	97	-	51	12	4	1	1	1	-	1	1	25
15 to 19 years	5,320	-	1,079	2,874	810	185	72	32	12	3	6	247
20 to 24 years	14,193	-	150	5,445	5,972	1,727	501	149	48	19	19	163
25 to 29 years	11,909	-	5	532	4,984	4,378	1,354	378	131	45	27	75
30 to 34 years	7,624	-	1	49	593	3,164	2,508	861	269	85	44	50
35 to 39 years	3,674	-	-	11	67	367	1,582	1,092	335	129	47	24
40 to 44 years	969	-	-	2	4	30	134	379	270	101	45	4
45 to 49 years	62	-	-	-	-	-	2	8	31	16	5	-
Not stated	67	-	2	9	8	11	9	2	-	1	-	25
MASSACHUSETTS	78,209	-	504	11,167	22,722	19,710	12,698	6,210	2,154	583	250	2,211
10 to 14 years	12	-	1	1	-	-	-	-	-	-	-	10
15 to 19 years	3,439	-	360	1,893	481	79	25	8	2	2	1	588
20 to 24 years	20,826	-	135	8,078	9,089	2,035	452	139	42	9	5	842
25 to 29 years	24,755	-	6	1,071	11,491	8,689	2,275	574	210	41	21	377
30 to 34 years	17,518	-	2	104	1,511	7,792	5,549	1,759	445	130	61	165
35 to 39 years	9,195	-	-	8	120	1,046	4,066	2,725	864	190	76	100
40 to 44 years	2,173	-	-	1	6	50	313	981	532	179	72	37
45 to 49 years	129	-	-	-	1	-	5	21	56	32	12	2
50 to 54 years	4	-	-	-	1	-	1	1	-	-	1	-
55 years and over	3	-	-	-	-	-	-	1	1	-	1	-
Not stated	155	-	-	11	20	19	12	1	2	-	-	90
MICHIGAN	114,700	2	2,076	20,791	32,582	26,779	16,904	8,941	3,262	1,120	467	1,776
10 to 14 years	76	1	30	8	-	-	-	-	-	-	-	37
15 to 19 years	10,113	1	1,735	5,604	1,502	358	131	45	20	8	4	705
20 to 24 years	35,096	-	296	13,803	15,188	4,432	1,151	402	126	46	29	623
25 to 29 years	33,654	-	12	1,240	14,199	12,444	3,806	1,206	359	120	52	216
30 to 34 years	21,094	-	1	97	1,538	8,526	7,151	2,645	716	220	104	96
35 to 39 years	10,636	-	-	18	122	939	4,349	3,471	1,198	362	135	42
40 to 44 years	2,714	-	-	2	7	52	298	1,146	747	319	121	22
45 to 49 years	176	-	-	-	1	2	2	16	91	42	21	1
50 to 54 years	5	-	-	-	-	1	-	1	1	2	-	-
55 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	135	-	2	19	25	25	16	9	4	1	-	34
MINNESOTA	56,113	-	511	7,666	15,022	13,930	9,392	5,135	2,094	721	313	1,329
10 to 14 years	10	-	-	1	-	-	-	-	-	-	-	9
15 to 19 years	3,187	-	394	1,636	518	157	33	14	6	2	1	426
20 to 24 years	15,580	-	114	5,406	6,597	2,091	563	169	51	18	13	558
25 to 29 years	17,279	-	3	582	6,971	6,401	2,166	629	230	61	31	205
30 to 34 years	11,685	-	-	33	870	4,633	3,932	1,507	421	153	70	66
35 to 39 years	6,352	-	-	5	55	609	2,481	2,075	745	240	95	47
40 to 44 years	1,868	-	-	2	5	36	211	722	584	207	87	14
45 to 49 years	133	-	-	-	-	-	4	17	56	40	16	-
50 to 54 years	2	-	-	-	1	-	-	1	-	-	-	-
Not stated	17	-	-	1	5	3	2	1	1	-	-	4
MISSISSIPPI	56,940	-	2,004	10,955	12,554	10,065	7,743	4,449	2,021	912	719	5,498
10 to 14 years	330	-	54	38	15	4	4	2	-	-	-	213
15 to 19 years	10,823	-	1,676	4,432	1,398	364	157	75	40	14	5	2,662
20 to 24 years	17,307	-	254	5,800	6,372	2,153	785	324	154	54	48	1,363
25 to 29 years	12,466	-	14	601	4,177	4,182	1,837	659	252	100	85	559
30 to 34 years	8,878	-	3	66	509	2,982	2,922	1,218	431	211	178	358
35 to 39 years	5,327	-	-	8	64	358	1,904	1,632	630	273	215	243
40 to 44 years	1,584	-	-	3	2	27	122	525	468	220	157	60
45 to 49 years	128	-	-	-	1	-	2	12	44	38	27	4
50 to 54 years	3	-	-	-	-	1	2	-	-	-	-	-
55 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	93	-	3	7	16	14	8	2	2	2	3	36

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MISSOURI	67,990	-	1,748	13,087	17,758	14,794	9,757	5,214	2,205	850	487	2,090
10 to 14 years	70	-	14	8	-	-	-	1	-	-	-	47
15 to 19 years	8,516	-	1,457	4,325	1,260	312	118	49	20	8	7	960
20 to 24 years	21,234	-	262	7,895	8,540	2,716	754	286	83	44	22	632
25 to 29 years	17,630	-	11	762	7,013	6,492	2,146	616	232	91	58	209
30 to 34 years	12,045	-	2	74	832	4,680	4,121	1,460	493	185	95	103
35 to 39 years	6,370	-	-	10	82	539	2,439	2,062	739	249	166	84
40 to 44 years	1,897	-	-	1	7	32	162	719	588	235	125	28
45 to 49 years	115	-	-	1	2	-	2	12	47	36	14	1
50 to 54 years	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	112	-	2	11	22	22	15	9	3	2	-	26
MONTANA	10,943	-	152	1,847	2,941	2,730	1,597	901	400	186	108	81
10 to 14 years	5	-	-	2	-	-	-	-	-	-	-	3
15 to 19 years	971	-	125	513	223	58	18	3	4	1	-	26
20 to 24 years	3,483	-	24	1,181	1,442	555	160	58	23	7	5	38
25 to 29 years	3,182	-	3	138	1,111	1,231	445	167	43	15	17	12
30 to 34 years	1,980	-	-	13	146	779	625	260	93	42	19	3
35 to 39 years	980	-	-	-	17	95	319	303	146	67	31	2
40 to 44 years	312	-	-	-	1	12	28	110	79	45	35	2
45 to 49 years	29	-	-	-	1	-	1	5	12	9	1	-
Not stated	1	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA	24,575	-	433	4,461	6,782	5,842	3,671	1,943	766	257	116	304
10 to 14 years	5	-	2	-	-	-	-	-	-	-	-	3
15 to 19 years	1,971	-	331	1,114	306	64	23	5	4	-	-	124
20 to 24 years	7,757	-	95	2,984	3,197	1,027	232	69	28	7	5	113
25 to 29 years	6,997	-	4	332	2,946	2,571	806	222	55	18	10	33
30 to 34 years	4,682	-	1	22	309	1,943	1,603	568	145	46	29	16
35 to 39 years	2,413	-	-	6	23	225	939	804	272	90	46	8
40 to 44 years	696	-	-	1	-	12	68	264	245	83	21	2
45 to 49 years	46	-	-	-	-	-	-	10	16	13	5	2
Not stated	8	-	-	2	1	-	-	1	1	-	-	3
NEVADA	3,028	-	40	558	849	672	439	254	117	46	13	40
10 to 14 years	1	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	311	-	33	177	58	19	9	4	-	-	1	10
20 to 24 years	1,013	-	6	339	440	152	38	16	8	2	2	10
25 to 29 years	833	-	1	32	302	292	119	51	21	4	2	9
30 to 34 years	562	-	-	8	41	191	181	84	35	10	6	6
35 to 39 years	238	-	-	1	6	16	87	74	28	21	2	3
40 to 44 years	60	-	-	-	-	1	4	24	8	8	-	-
45 to 49 years	5	-	-	1	-	-	-	1	2	1	-	-
Not stated	5	-	-	-	2	1	1	-	-	-	-	1
NEW HAMPSHIRE	8,548	-	131	1,424	2,468	1,919	1,327	676	267	79	50	207
10 to 14 years	2	-	1	-	-	-	-	-	1	-	-	-
15 to 19 years	638	-	97	332	103	22	11	4	4	-	1	64
20 to 24 years	2,572	-	33	952	1,081	313	66	27	12	5	1	82
25 to 29 years	2,508	-	-	123	1,108	829	281	92	26	9	7	33
30 to 34 years	1,660	-	-	15	158	637	545	181	71	21	16	16
35 to 39 years	879	-	-	-	18	108	372	268	73	26	11	8
40 to 44 years	257	-	-	-	-	9	45	97	76	16	12	2
45 to 49 years	16	-	-	-	-	-	2	7	3	2	2	-
Not stated	16	-	-	2	-	6	5	-	1	-	-	2
NEW JERSEY	76,265	-	734	11,066	22,250	19,913	12,804	5,785	1,861	551	217	1,084
10 to 14 years	37	-	7	9	-	-	-	-	-	-	1	20
15 to 19 years	4,305	-	622	2,368	673	151	53	9	13	5	3	408
20 to 24 years	21,388	-	98	7,839	9,665	2,491	657	168	48	20	12	390
25 to 29 years	24,656	-	6	768	10,764	9,361	2,689	670	179	58	21	140
30 to 34 years	16,640	-	-	70	1,060	7,186	5,798	1,835	445	130	48	73
35 to 39 years	7,623	-	-	7	79	687	3,414	2,408	726	194	72	36
40 to 44 years	1,506	-	-	-	2	28	192	679	420	122	53	10
45 to 49 years	74	-	-	-	-	-	2	15	30	20	6	1
50 to 54 years	2	-	-	-	-	-	1	-	-	1	-	-
Not stated	34	-	1	5	7	9	3	1	-	1	1	6
NEW MEXICO	15,585	-	351	2,855	3,676	3,089	2,285	1,386	652	337	204	750
10 to 14 years	16	-	6	1	-	-	-	-	1	-	-	8
15 to 19 years	1,975	-	273	995	333	78	36	21	6	1	3	229
20 to 24 years	4,831	-	70	1,659	1,828	654	228	87	30	15	15	245
25 to 29 years	3,735	-	2	167	1,292	1,313	556	174	79	26	24	102
30 to 34 years	2,695	-	-	22	198	900	904	365	124	75	40	72
35 to 39 years	1,660	-	-	5	26	132	518	546	227	101	62	43
40 to 44 years	582	-	-	4	1	12	38	187	168	105	47	20
45 to 49 years	55	-	-	-	-	-	2	4	16	12	13	8
50 to 54 years	3	-	-	-	-	-	1	-	-	2	-	-
Not stated	33	-	-	2	3	-	2	2	1	-	-	23
NEW YORK	229,534	-	2,003	30,478	61,973	59,916	41,082	19,899	6,548	1,868	744	5,023
10 to 14 years	102	-	21	11	2	2	-	-	-	-	1	65
15 to 19 years	12,389	-	1,657	6,350	2,025	454	129	67	24	8	5	1,669
20 to 24 years	61,391	-	311	21,622	26,790	7,623	2,040	694	184	65	29	2,033
25 to 29 years	71,745	-	13	2,313	29,476	27,408	8,527	2,430	648	191	74	665
30 to 34 years	52,898	-	1	153	3,330	22,065	18,507	6,393	1,515	394	182	353
35 to 39 years	25,412	-	-	26	328	2,220	11,171	8,018	2,594	643	254	158
40 to 44 years	5,292	-	-	1	17	140	668	2,251	1,464	509	172	50
45 to 49 years	270	-	-	-	2	3	18	44	118	57	25	3
50 to 54 years	2	-	-	-	-	-	-	-	-	1	1	-
55 years and over	3	-	-	-	-	-	2	1	-	-	-	-
Not stated	35	-	-	2	3	1	-	1	1	-	-	27

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NORTH CAROLINA	90,629	2	3,408	20,135	22,685	17,652	11,603	6,438	2,743	1,165	875	3,928
10 to 14 years	249	1	63	42	8	4	1	1	-	1	1	107
15 to 19 years	14,212	1	2,678	7,135	1,871	435	135	53	26	12	9	1,857
20 to 24 years	29,087	-	592	11,472	11,001	3,317	997	323	123	56	63	1,143
25 to 29 years	21,582	-	43	1,276	8,468	7,494	2,552	777	289	117	134	432
30 to 34 years	14,397	-	3	153	1,130	5,604	4,622	1,732	531	250	170	202
35 to 39 years	8,264	-	-	31	171	738	3,046	2,603	943	342	266	124
40 to 44 years	2,481	-	-	5	15	43	218	924	743	322	188	23
45 to 49 years	221	-	-	-	1	3	9	17	86	63	38	4
50 to 54 years	8	-	-	-	-	2	1	-	-	2	3	-
55 years and over	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	127	-	4	21	20	12	21	8	2	-	3	36
NORTH DAKOTA	13,530	-	132	1,774	3,333	3,420	2,289	1,374	623	247	125	213
10 to 14 years	2	-	1	-	-	-	-	-	-	-	-	1
15 to 19 years	841	-	90	422	174	67	16	6	2	-	-	64
20 to 24 years	3,738	-	39	1,186	1,548	643	139	63	13	6	3	93
25 to 29 years	3,851	-	1	150	1,414	1,492	526	155	55	17	10	31
30 to 34 years	2,853	-	1	14	183	1,078	975	380	132	51	25	14
35 to 39 years	1,627	-	-	1	12	133	575	563	221	77	37	8
40 to 44 years	563	-	-	-	-	5	54	198	182	82	41	1
45 to 49 years	50	-	-	-	-	1	3	8	16	14	9	-
Not stated	10	-	-	1	2	2	1	1	2	-	-	1
OHIO	133,598	1	2,470	24,307	37,723	31,159	19,508	9,463	3,604	1,284	622	3,457
10 to 14 years	99	-	16	15	2	-	1	-	2	-	-	63
15 to 19 years	11,771	1	2,025	6,069	1,582	386	155	53	23	9	10	1,458
20 to 24 years	41,855	-	410	16,332	17,185	4,712	1,302	478	131	51	45	1,209
25 to 29 years	38,958	-	18	1,685	16,876	14,175	4,093	1,127	367	144	67	416
30 to 34 years	24,838	-	-	163	1,889	10,651	8,210	2,598	746	269	137	175
35 to 39 years	12,420	-	-	20	161	1,162	5,365	3,762	1,270	403	196	81
40 to 44 years	3,287	-	-	2	6	53	361	1,404	940	346	138	37
45 to 49 years	247	-	-	-	-	2	6	31	122	60	26	-
50 to 54 years	9	-	-	-	1	3	2	-	-	2	1	-
55 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	103	-	1	21	20	15	13	10	3	-	2	18
OKLAHOMA	46,725	-	1,629	10,776	12,073	9,399	6,100	3,355	1,399	652	455	887
10 to 14 years	49	-	19	9	1	2	-	1	-	-	-	17
15 to 19 years	7,267	-	1,356	3,989	1,144	251	71	46	13	5	4	388
20 to 24 years	15,586	-	242	6,195	6,090	1,957	513	208	61	29	31	260
25 to 29 years	11,013	-	9	526	4,290	4,038	1,398	405	149	64	52	82
30 to 34 years	7,371	-	1	43	472	2,816	2,555	869	311	142	86	76
35 to 39 years	4,079	-	-	8	66	308	1,461	1,374	482	203	149	28
40 to 44 years	1,204	-	-	-	6	20	97	436	348	180	111	11
45 to 49 years	102	-	-	1	-	-	2	11	38	27	21	2
55 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	53	-	2	5	4	7	3	5	2	2	-	23
OREGON	24,150	-	415	4,407	7,223	5,899	3,340	1,668	664	248	131	155
10 to 14 years	2	-	1	1	-	-	-	-	-	-	-	-
15 to 19 years	2,399	-	347	1,365	447	139	25	21	3	1	-	51
20 to 24 years	7,947	-	66	2,787	3,531	1,105	273	91	31	7	6	50
25 to 29 years	6,960	-	1	238	2,850	2,638	837	251	83	25	15	27
30 to 34 years	4,335	-	-	15	355	1,797	1,350	548	180	56	25	8
35 to 39 years	1,968	-	-	3	31	209	796	572	210	95	46	6
40 to 44 years	490	-	-	1	2	8	56	181	151	54	33	4
45 to 49 years	24	-	-	-	-	-	1	3	6	10	4	-
50 to 54 years	2	-	-	-	-	-	-	-	-	-	1	1
Not stated	23	-	-	2	7	3	2	1	-	-	-	8
PENNSYLVANIA	178,370	5	3,102	29,911	51,613	43,416	27,056	13,105	4,927	1,756	723	2,746
10 to 14 years	130	3	47	16	4	1	2	-	1	-	-	56
15 to 19 years	13,577	2	2,516	7,385	2,018	409	156	56	19	6	7	1,003
20 to 24 years	53,616	-	504	20,205	23,525	6,202	1,480	432	146	62	29	1,031
25 to 29 years	53,579	-	32	2,108	23,240	20,028	5,535	1,519	483	167	84	383
30 to 34 years	35,026	-	3	159	2,577	15,050	11,888	3,742	1,010	344	152	151
35 to 39 years	17,517	-	-	23	221	1,625	7,541	5,453	1,758	606	208	82
40 to 44 years	4,532	-	-	2	21	87	496	1,869	1,357	466	207	27
45 to 49 years	332	-	-	-	2	2	7	30	151	103	36	1
50 to 54 years	6	-	-	-	1	2	-	-	-	2	-	1
55 years and over	3	-	-	-	-	1	1	-	1	-	-	-
Not stated	52	-	-	13	4	9	10	4	1	-	-	11
RHODE ISLAND	13,754	-	115	2,227	3,929	3,455	2,137	996	354	114	42	385
10 to 14 years	6	-	1	1	-	-	-	-	-	-	-	4
15 to 19 years	701	-	79	385	108	16	5	4	1	-	-	103
20 to 24 years	3,925	-	34	1,618	1,604	368	88	35	12	6	-	160
25 to 29 years	4,222	-	1	207	1,932	1,488	378	109	33	7	3	64
30 to 34 years	3,040	-	-	14	266	1,387	954	282	67	28	6	36
35 to 39 years	1,458	-	-	2	17	180	658	394	131	44	17	15
40 to 44 years	374	-	-	-	2	13	54	170	95	25	12	3
45 to 49 years	24	-	-	-	-	-	-	2	14	4	4	-
55 years and over	1	-	-	-	-	-	-	-	1	-	-	-
Not stated	3	-	-	-	-	3	-	-	-	-	-	-
SOUTH CAROLINA	51,467	2	1,309	11,462	12,765	9,128	5,981	3,157	1,444	647	488	5,084
10 to 14 years	153	1	13	14	3	-	1	-	-	-	-	121
15 to 19 years	8,843	1	1,055	4,084	976	203	74	19	11	4	6	2,410
20 to 24 years	17,451	-	224	6,672	6,511	1,789	524	181	78	31	27	1,414
25 to 29 years	12,017	-	13	605	4,670	4,071	1,401	415	160	90	65	527
30 to 34 years	7,298	-	-	53	527	2,694	2,387	860	314	121	89	253
35 to 39 years	4,286	-	-	3	53	333	1,521	1,288	513	200	182	193
40 to 44 years	1,119	-	-	4	6	17	59	375	335	170	102	51
45 to 49 years	96	-	-	-	-	1	4	10	32	27	16	6
50 to 54 years	3	-	-	-	-	-	-	1	-	1	1	-
Not stated	201	-	4	27	19	20	10	8	1	3	-	109

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
SOUTH DAKOTA	12,769	-	141	2,014	3,288	2,969	1,997	1,190	503	193	104	370
10 to 14 years	5	-	-	-	-	-	-	-	-	-	-	5
15 to 19 years	903	-	107	474	157	34	8	5	4	-	-	114
20 to 24 years	3,844	-	33	1,362	1,572	534	137	42	27	3	4	130
25 to 29 years	3,538	-	1	158	1,333	1,325	441	146	54	15	8	57
30 to 34 years	2,559	-	-	15	203	932	874	349	96	43	19	28
35 to 39 years	1,363	-	-	3	11	127	471	469	166	63	39	14
40 to 44 years	472	-	-	-	-	8	55	174	141	59	29	6
45 to 49 years	34	-	-	-	-	-	3	3	14	9	5	-
50 to 54 years	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	50	-	-	2	12	9	8	2	1	-	-	16
TENNESSEE	68,272	-	2,025	13,233	16,367	14,087	9,602	5,411	2,312	983	761	3,491
10 to 14 years	150	-	26	20	10	4	1	1	-	1	-	87
15 to 19 years	9,929	-	1,611	4,663	1,421	404	130	58	21	12	8	1,601
20 to 24 years	21,351	-	348	7,544	8,125	2,941	861	328	122	62	43	976
25 to 29 years	16,361	-	33	878	5,875	5,945	2,127	670	263	120	97	373
30 to 34 years	11,368	-	4	103	779	4,163	3,848	1,412	452	207	172	228
35 to 39 years	6,856	-	-	14	120	580	2,471	2,194	770	299	272	136
40 to 44 years	1,986	-	-	2	14	37	152	718	625	236	151	51
45 to 49 years	132	-	-	1	1	-	3	17	52	41	14	3
50 to 54 years	11	-	-	-	1	3	-	3	1	1	2	-
55 years and over	6	-	-	1	-	-	2	3	-	-	-	-
Not stated	102	-	3	7	20	10	7	7	6	4	2	36
TEXAS	165,900	4	5,054	34,638	42,292	34,351	22,983	12,524	5,011	2,044	1,322	5,677
10 to 14 years	325	1	101	70	12	6	3	4	1	1	-	126
15 to 19 years	24,592	3	4,086	12,509	3,913	1,065	395	147	69	23	15	2,367
20 to 24 years	54,972	-	805	19,828	21,540	7,530	2,374	835	266	112	71	1,611
25 to 29 years	39,716	-	50	1,924	14,564	14,433	5,387	1,753	594	212	162	627
30 to 34 years	27,149	-	6	227	1,938	9,847	9,160	3,652	1,113	473	296	437
35 to 39 years	14,546	-	-	31	238	1,313	5,272	4,625	1,753	649	426	239
40 to 44 years	3,853	-	-	5	16	79	341	1,441	1,105	489	298	79
45 to 49 years	251	-	-	-	1	4	7	26	94	70	45	4
50 to 54 years	7	-	-	-	-	-	-	-	1	3	2	1
55 years and over	9	-	-	-	-	1	-	2	2	1	3	-
Not stated	480	-	6	44	70	73	44	29	13	11	4	166
UTAH	16,180	-	327	3,162	4,688	3,673	2,353	1,228	460	149	74	66
10 to 14 years	3	-	2	-	-	-	-	-	-	-	-	1
15 to 19 years	1,479	-	285	908	196	41	15	5	1	-	2	26
20 to 24 years	5,005	-	39	2,099	2,159	510	127	36	7	5	1	22
25 to 29 years	4,547	-	1	144	2,096	1,646	452	132	48	16	3	9
30 to 34 years	3,050	-	-	11	228	1,349	1,027	290	97	30	14	4
35 to 39 years	1,583	-	-	-	9	116	692	547	147	42	28	2
40 to 44 years	473	-	-	-	-	8	39	212	149	45	20	-
45 to 49 years	35	-	-	-	-	1	-	6	11	11	6	-
50 to 54 years	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	4	-	-	-	-	1	1	-	-	-	-	2
VERMONT	6,824	-	113	1,150	1,892	1,548	1,052	583	222	78	54	132
10 to 14 years	4	-	1	1	-	-	-	-	-	-	-	2
15 to 19 years	596	-	81	310	99	34	19	3	1	1	1	47
20 to 24 years	2,083	-	31	711	902	273	65	30	11	5	4	51
25 to 29 years	1,900	-	-	118	764	662	213	86	25	10	8	14
30 to 34 years	1,347	-	-	9	119	505	463	164	55	12	10	10
35 to 39 years	682	-	-	1	8	64	272	226	67	25	15	4
40 to 44 years	202	-	-	-	-	9	20	74	58	25	14	2
45 to 49 years	7	-	-	-	-	1	-	-	4	-	2	-
Not stated	3	-	-	-	-	-	-	-	1	-	-	2
VIRGINIA	69,175	5	1,872	13,665	18,120	14,749	9,356	5,056	2,116	843	628	2,765
10 to 14 years	167	3	50	39	5	-	-	-	1	-	-	69
15 to 19 years	9,228	1	1,498	4,585	1,385	338	117	39	20	8	12	1,225
20 to 24 years	22,249	1	291	8,021	8,938	2,932	789	294	102	46	48	787
25 to 29 years	17,501	-	26	897	6,678	6,336	2,175	655	248	86	77	323
30 to 34 years	11,690	-	2	92	962	4,485	3,766	1,442	444	171	136	190
35 to 39 years	6,097	-	-	12	116	587	2,321	1,880	680	221	192	88
40 to 44 years	1,944	-	-	5	12	47	160	721	559	273	132	35
45 to 49 years	156	-	-	-	1	3	6	19	59	37	28	3
50 to 54 years	3	-	-	-	-	-	-	1	-	1	1	-
55 years and over	3	-	-	-	-	-	-	1	-	-	1	1
Not stated	137	-	5	14	23	21	22	4	3	-	1	44
WASHINGTON	44,528	1	697	8,869	13,604	10,546	5,771	2,880	1,133	382	196	429
10 to 14 years	19	-	5	3	2	2	-	-	-	-	-	7
15 to 19 years	4,387	1	586	2,654	740	165	58	19	3	2	2	157
20 to 24 years	15,153	-	105	5,617	6,578	2,011	474	161	41	11	10	145
25 to 29 years	12,965	-	1	557	5,585	4,742	1,380	457	136	39	18	50
30 to 34 years	7,768	-	-	46	637	3,235	2,456	966	268	86	40	34
35 to 39 years	3,353	-	-	5	57	360	1,292	991	444	121	70	13
40 to 44 years	787	-	-	1	-	22	101	278	220	109	49	7
45 to 49 years	49	-	-	1	-	-	2	6	19	14	7	-
50 to 54 years	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	46	-	-	5	5	9	8	1	2	-	-	16
WEST VIRGINIA	41,304	1	803	7,214	10,231	8,677	5,930	3,441	1,582	718	484	2,223
10 to 14 years	51	1	4	8	1	-	-	1	-	-	-	36
15 to 19 years	5,111	-	637	2,332	873	214	105	34	13	3	6	894
20 to 24 years	13,485	-	155	4,394	5,236	1,936	618	231	90	46	29	755
25 to 29 years	10,148	-	6	411	3,611	3,751	1,390	437	167	82	53	240
30 to 34 years	6,855	-	-	52	434	2,405	2,326	950	322	136	105	125
35 to 39 years	4,030	-	-	6	46	323	1,380	1,309	501	214	164	87
40 to 44 years	1,381	-	-	3	7	33	102	459	444	198	106	29
45 to 49 years	107	-	-	-	1	-	1	10	39	34	21	1
50 to 54 years	2	-	-	-	-	-	-	-	-	1	-	1
55 years and over	1	-	-	-	-	-	-	-	1	-	-	-
Not stated	133	-	1	8	22	15	13	10	5	4	-	55

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
WISCONSIN	61,547	-	475	8,873	17,215	15,568	9,918	5,220	1,914	645	274	1,445
10 to 14 years	15	-	1	-	-	-	-	-	-	-	-	14
15 to 19 years	3,643	-	352	1,945	629	150	45	14	5	4	-	499
20 to 24 years	17,760	-	114	6,212	7,738	2,295	524	202	52	22	7	593
25 to 29 years	18,947	-	7	638	7,824	7,299	2,122	611	159	62	24	201
30 to 34 years	12,729	-	1	67	931	5,195	4,357	1,512	402	117	65	82
35 to 39 years	6,402	-	-	11	86	590	2,664	2,072	664	196	82	37
40 to 44 years	1,912	-	-	-	4	34	204	791	575	207	82	15
45 to 49 years	126	-	-	-	-	-	1	18	57	36	14	-
50 to 54 years	5	-	-	-	1	2	1	-	-	1	-	-
Not stated	8	-	-	-	2	2	-	-	-	-	-	4
WYOMING	5,635	-	83	977	1,581	1,308	821	507	201	84	33	40
10 to 14 years	4	-	1	-	1	-	-	-	-	-	-	2
15 to 19 years	543	-	74	306	108	28	8	5	-	1	-	13
20 to 24 years	1,826	-	8	601	793	286	73	38	13	2	-	12
25 to 29 years	1,578	-	-	62	584	592	212	86	24	8	3	7
30 to 34 years	1,037	-	-	7	85	359	348	154	57	22	5	-
35 to 39 years	484	-	-	-	6	39	164	179	57	24	12	3
40 to 44 years	147	-	-	-	-	1	16	44	48	25	12	1
45 to 49 years	7	-	-	-	-	-	-	1	2	2	1	1
Not stated	9	-	-	1	4	3	-	-	-	-	-	1

TABLE 7.—LIVE BIRTHS BY BIRTH ORDER (EXCLUDING STILLBIRTHS), RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1944

(By place of residence. Birth order refers to number of children ever born alive to mother. Figures for Massachusetts are included in the "total" and "not stated" classifications; they are not given by birth order because this State does not require reporting of such information)

AREA AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
UNITED STATES	2,794,800	2,454,700	2,362,290	90,890	324,183	15,917
First	913,243	825,232	803,081	21,674	83,935	4,076
Second	715,567	651,428	628,423	22,695	61,104	3,035
Third	413,055	366,015	351,910	13,918	44,688	2,352
Fourth	225,549	190,795	183,125	7,556	33,000	1,754
Fifth	131,616	106,251	101,737	4,444	24,055	1,310
Sixth	84,223	65,133	62,172	2,911	18,144	946
Seventh	56,024	42,141	40,112	1,995	13,214	669
Eighth	38,594	28,321	26,857	1,435	9,726	547
Ninth	26,938	19,303	18,139	1,147	7,271	364
Tenth	18,432	12,765	11,903	847	5,403	264
Eleventh	11,701	8,030	7,445	578	3,510	161
Twelfth	7,541	5,012	4,605	402	2,217	112
Thirteenth	4,326	2,791	2,486	301	1,490	45
Fourteenth	2,381	1,498	1,313	184	848	35
Fifteenth	1,297	807	703	104	472	18
Sixteenth	633	370	313	57	252	11
Seventeenth	349	195	167	28	153	1
Eighteenth	161	91	73	17	70	-
Nineteenth	83	44	39	5	38	1
Twentieth	48	21	17	4	25	2
Twenty-first	19	8	3	4	11	-
Twenty-second and over	21	14	12	1	7	-
Not stated	143,199	128,435	117,655	10,583	14,550	214
ALABAMA	74,415	47,504	47,391	86	26,886	25
First	16,125	12,261	12,221	35	3,862	2
Second	15,147	10,756	10,729	20	4,387	4
Third	10,399	6,942	6,931	10	3,454	3
Fourth	7,187	4,456	4,446	5	2,725	6
Fifth	5,060	2,961	2,957	3	2,097	2
Sixth	3,714	2,003	1,997	6	1,708	3
Seventh	2,744	1,446	1,444	1	1,298	-
Eighth	2,006	997	996	-	1,009	-
Ninth	1,457	685	684	1	772	-
Tenth	1,085	474	474	-	611	-
Eleventh	743	312	311	1	431	-
Twelfth	442	158	158	-	284	-
Thirteenth	261	79	79	-	182	-
Fourteenth	142	36	36	-	105	1
Fifteenth	88	20	20	-	68	-
Sixteenth	43	9	9	-	34	-
Seventeenth	24	5	5	-	19	-
Eighteenth	13	-	-	-	13	-
Nineteenth	13	3	3	-	10	-
Twentieth	5	1	1	-	4	-
Twenty-first	3	-	-	-	3	-
Twenty-second and over	3	1	1	-	2	-
Not stated	7,711	3,899	3,889	4	3,808	4
ARIZONA	14,225	12,408	11,283	1,114	386	1,431
First	4,452	4,044	3,890	150	122	286
Second	3,227	2,945	2,786	157	84	198
Third	2,181	1,928	1,767	159	57	196
Fourth	1,461	1,235	1,108	127	37	189
Fifth	880	708	605	103	25	147
Sixth	619	476	393	83	21	122
Seventh	429	332	255	77	9	88
Eighth	312	245	176	68	9	58
Ninth	221	163	103	60	8	50
Tenth	164	125	83	42	5	34
Eleventh	103	82	52	30	3	18
Twelfth	62	49	26	23	-	13
Thirteenth	44	33	16	17	1	10
Fourteenth	24	16	6	10	3	5
Fifteenth	5	5	1	4	-	-
Sixteenth	5	4	4	-	-	1
Seventeenth	1	1	-	1	-	-
Eighteenth	1	1	-	1	-	-
Nineteenth	1	-	-	-	-	1
Not stated	33	16	12	2	2	15
ARKANSAS	41,240	31,357	31,275	56	9,849	34
First	11,162	9,346	9,323	17	1,802	14
Second	8,403	6,896	6,880	12	1,505	2
Third	5,709	4,443	4,432	9	1,262	4
Fourth	3,935	2,936	2,927	6	996	3
Fifth	2,730	1,933	1,928	1	796	1
Sixth	1,959	1,320	1,315	2	633	6
Seventh	1,413	915	911	4	498	-
Eighth	1,040	658	657	1	381	1
Ninth	751	450	450	-	301	-
Tenth	558	322	321	-	236	-
Eleventh	347	190	190	-	157	-
Twelfth	213	100	99	1	113	-
Thirteenth	124	49	49	-	75	-
Fourteenth	59	26	26	-	33	-
Fifteenth	37	8	8	-	29	-
Sixteenth	21	6	6	-	15	-
Seventeenth	19	3	3	-	16	-
Eighteenth	11	1	1	-	10	-
Nineteenth	2	-	-	-	2	-
Twentieth	3	1	1	-	2	-
Twenty-first	2	-	-	-	2	-
Not stated	2,742	1,754	1,748	3	985	3

AREA AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
CALIFORNIA	179,123	169,987	159,005	10,902	5,594	3,582
First	72,625	69,533	66,635	2,882	2,019	1,073
Second	53,307	51,092	48,351	2,725	1,353	862
Third	25,234	23,822	22,280	1,537	853	559
Fourth	11,319	10,454	9,530	920	513	352
Fifth	5,637	5,100	4,509	591	329	208
Sixth	3,122	2,788	2,315	473	173	161
Seventh	2,012	1,800	1,434	366	107	105
Eighth	1,272	1,126	861	264	71	75
Ninth	891	792	539	253	57	42
Tenth	611	543	309	234	35	33
Eleventh	416	377	202	175	23	16
Twelfth	255	223	98	124	13	19
Thirteenth	168	159	81	97	6	3
Fourteenth	100	96	31	65	1	3
Fifteenth	67	61	22	39	1	5
Sixteenth	33	33	13	20	-	-
Seventeenth	21	21	7	14	-	-
Eighteenth	11	11	3	8	-	-
Nineteenth	2	2	1	1	-	-
Twentieth	3	3	-	3	-	-
Twenty-first	4	4	-	3	-	-
Twenty-second and over	1	1	-	1	-	-
Not stated	2,012	1,926	1,804	107	40	46
COLORADO	23,931	23,282	22,719	557	285	364
First	8,346	8,114	8,017	96	98	134
Second	6,248	6,078	5,969	108	71	99
Third	3,719	3,635	3,576	56	38	46
Fourth	2,050	1,998	1,941	57	24	28
Fifth	1,152	1,115	1,074	40	20	17
Sixth	751	727	688	39	11	13
Seventh	521	506	477	29	7	8
Eighth	380	364	328	36	8	8
Ninth	252	249	223	26	1	2
Tenth	192	185	164	21	6	1
Eleventh	102	97	83	14	-	5
Twelfth	86	84	69	15	-	2
Thirteenth	50	49	38	11	-	1
Fourteenth	21	21	18	3	-	-
Fifteenth	12	12	11	1	-	-
Sixteenth	8	8	5	3	-	-
Seventeenth	2	2	1	1	-	-
Eighteenth	3	3	3	-	-	-
Nineteenth	3	3	3	-	-	-
Twentieth	2	2	1	1	-	-
Twenty-first	2	2	1	1	-	1
Twenty-second and over	1	1	1	-	-	-
Not stated	28	28	28	-	-	-
CONNECTICUT	34,278	33,382	30,861	2,504	892	4
First	12,580	12,318	11,700	611	261	1
Second	11,172	10,961	10,163	792	210	1
Third	5,375	5,243	4,760	481	131	1
Fourth	2,318	2,223	1,982	241	94	1
Fifth	1,042	981	847	134	61	-
Sixth	528	492	418	74	36	-
Seventh	294	270	216	54	24	-
Eighth	185	168	136	31	17	-
Ninth	87	78	63	15	9	-
Tenth	56	49	41	8	7	-
Eleventh	41	34	24	10	7	-
Twelfth	35	30	25	5	5	-
Thirteenth	13	12	6	6	1	-
Fourteenth	10	8	5	3	2	-
Fifteenth	7	6	5	1	1	-
Sixteenth	4	4	3	1	-	-
Seventeenth	1	1	1	-	-	-
Not stated	530	504	466	37	26	-
DELAWARE	5,993	5,102	4,980	111	886	5
First	2,229	1,986	1,951	35	242	1
Second	1,673	1,491	1,464	26	182	-
Third	900	766	747	19	132	2
Fourth	423	347	337	10	76	-
Fifth	268	198	190	8	70	-
Sixth	156	104	102	2	53	1
Seventh	103	69	65	4	34	-
Eighth	79	55	54	1	24	-
Ninth	62	29	28	1	32	1
Tenth	29	15	14	1	14	-
Eleventh	21	14	14	-	7	-
Twelfth	12	7	5	2	5	-
Thirteenth	12	6	6	-	6	-
Fourteenth	6	3	2	1	3	-
Sixteenth	2	-	-	-	2	-
Seventeenth	1	-	-	-	1	-
Not stated	15	12	11	1	3	-
DISTRICT OF COLUMBIA	15,758	10,443	9,927	493	5,285	30
First	6,836	5,058	4,837	186	1,768	10
Second	3,761	2,701	2,558	135	1,073	7
Third	1,777	1,110	1,045	62	663	4
Fourth	879	397	378	18	480	2

[1] Includes mother's nativity not stated.

TABLE 7.—LIVE BIRTHS BY BIRTH ORDER (EXCLUDING STILLBIRTHS), RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 112)

AREA AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
DISTRICT OF COLUMBIA—Con.						
Fifth	448	167	155	11	274	5
Sixth	270	86	84	2	184	-
Seventh	192	46	45	1	146	-
Eighth	105	23	21	1	82	-
Ninth	84	24	23	1	60	-
Tenth	41	7	6	-	34	-
Eleventh	32	8	8	-	24	-
Twelfth	16	4	4	-	12	-
Thirteenth	8	-	-	-	8	-
Fourteenth	4	-	-	-	4	-
Fifteenth	4	1	1	-	3	-
Sixteenth	4	-	-	-	4	-
Seventeenth	1	-	-	-	1	-
Not stated	1,278	811	762	46	465	2
FLORIDA	48,418	36,125	35,461	634	12,255	38
First	18,501	15,236	14,928	301	3,256	9
Second	11,500	9,245	9,084	155	2,245	10
Third	6,564	4,817	4,723	88	1,740	7
Fourth	3,840	2,563	2,522	41	1,271	6
Fifth	2,382	1,432	1,411	18	950	-
Sixth	1,587	877	866	10	706	4
Seventh	1,062	557	548	8	504	1
Eighth	766	367	364	2	398	1
Ninth	541	244	242	1	297	-
Tenth	375	144	143	1	231	-
Eleventh	219	89	86	3	130	-
Twelfth	156	55	52	2	101	-
Thirteenth	105	40	40	-	65	-
Fourteenth	43	12	12	-	31	-
Fifteenth	27	9	9	-	18	-
Sixteenth	8	-	-	-	8	-
Seventeenth	7	1	1	-	6	-
Eighteenth	3	-	-	-	3	-
Nineteenth	1	-	-	-	1	-
Twentieth	1	1	1	-	-	-
Not stated	730	436	429	4	294	-
GEORGIA	76,540	49,345	49,148	173	27,176	19
First	25,344	17,948	17,850	93	7,389	7
Second	17,551	12,481	12,434	41	5,049	1
Third	11,036	7,194	7,170	19	5,839	3
Fourth	7,205	4,263	4,249	13	2,942	-
Fifth	4,730	2,521	2,518	2	2,205	4
Sixth	3,387	1,719	1,716	1	1,667	1
Seventh	2,304	1,135	1,133	2	1,169	-
Eighth	1,733	782	780	1	951	-
Ninth	1,234	519	515	1	714	1
Tenth	779	321	320	-	457	1
Eleventh	500	179	179	-	321	-
Twelfth	257	92	92	-	165	-
Thirteenth	176	64	63	-	111	1
Fourteenth	104	27	27	-	77	-
Fifteenth	50	11	11	-	39	-
Sixteenth	21	4	4	-	17	-
Seventeenth	8	-	-	-	8	-
Eighteenth	5	-	-	-	5	-
Nineteenth	4	-	-	-	4	-
Not stated	132	85	85	-	47	-
IDAHO	12,241	12,067	11,847	211	3	171
First	3,760	3,710	3,657	51	2	48
Second	3,247	3,209	3,151	54	-	38
Third	2,286	2,261	2,217	44	-	25
Fourth	1,192	1,181	1,158	23	-	11
Fifth	668	651	638	12	-	17
Sixth	353	344	335	8	-	9
Seventh	233	225	218	7	-	8
Eighth	142	138	135	3	-	4
Ninth	89	85	83	2	1	3
Tenth	58	55	51	4	-	3
Eleventh	27	27	26	1	-	-
Twelfth	22	21	21	-	-	1
Thirteenth	13	12	11	1	-	1
Fourteenth	7	7	7	-	-	-
Fifteenth	3	3	3	-	-	-
Sixteenth	2	2	2	-	-	-
Eighteenth	1	1	-	1	-	-
Not stated	138	135	134	-	-	3
ILLINOIS	142,005	132,539	127,418	5,011	9,229	237
First	51,315	48,201	46,823	1,307	2,984	130
Second	43,468	41,318	39,663	1,636	2,100	50
Third	22,908	21,412	20,485	921	1,465	31
Fourth	10,705	9,760	9,291	463	931	14
Fifth	5,345	4,764	4,519	243	580	1
Sixth	3,103	2,694	2,549	144	404	5
Seventh	1,784	1,516	1,424	92	268	-
Eighth	1,206	1,031	970	61	174	1
Ninth	785	663	612	50	119	1
Tenth	523	438	402	36	84	1
Eleventh	309	263	243	20	46	-
Twelfth	201	168	156	12	32	1
Thirteenth	105	83	75	8	21	-
Fourteenth	48	38	32	6	10	-
Fifteenth	22	16	12	4	6	-
Sixteenth	14	13	10	3	1	-
Seventeenth	6	5	4	1	1	-
Eighteenth	2	2	2	-	-	-
Twenty-second and over	1	1	1	-	-	-
Not stated	157	153	145	4	3	1
INDIANA	71,354	68,532	67,651	736	2,809	13
First	22,445	21,660	21,447	177	781	4
Second	18,828	18,266	18,005	225	557	5
Third	11,520	11,122	10,976	120	397	1
Fourth	6,359	6,070	5,987	73	288	1
Fifth	3,516	3,310	3,276	27	205	1
Sixth	2,113	1,955	1,928	20	158	-
Seventh	1,410	1,323	1,301	19	87	-
Eighth	943	866	846	16	77	-
Ninth	620	576	566	8	44	-
Tenth	453	408	399	7	45	-
Eleventh	285	261	252	8	24	-
Twelfth	175	160	157	3	15	-
Thirteenth	111	93	91	2	18	-
Fourteenth	43	36	36	-	7	-
Fifteenth	32	31	29	2	1	-
Sixteenth	6	6	5	1	-	-
Seventeenth	9	8	6	2	1	-
Eighteenth	6	6	5	-	-	-
Nineteenth	3	3	3	-	-	-
Twentieth	1	1	1	-	-	-
Twenty-second and over	1	1	1	-	-	-
Not stated	2,475	2,370	2,334	26	104	1
IOWA	46,564	46,240	45,746	479	278	46
First	14,808	14,723	14,636	83	72	13
Second	13,136	13,058	12,939	114	68	10
Third	8,050	8,007	7,924	81	41	2
Fourth	4,331	4,305	4,249	54	22	4
Fifth	2,340	2,320	2,281	39	18	2
Sixth	1,422	1,397	1,369	28	19	6
Seventh	881	868	853	14	10	3
Eighth	570	562	542	20	6	2
Ninth	367	358	342	16	6	3
Tenth	227	223	212	11	4	-
Eleventh	157	152	142	9	5	-
Twelfth	98	96	93	3	1	1
Thirteenth	52	50	49	1	2	-
Fourteenth	34	33	31	2	1	-
Fifteenth	14	12	9	3	2	-
Sixteenth	4	3	3	-	1	-
Seventeenth	2	2	2	-	-	-
Eighteenth	2	2	2	-	-	-
Not stated	69	69	68	1	-	-
KANSAS	34,976	33,716	33,354	324	1,176	84
First	12,348	11,928	11,848	68	388	32
Second	9,161	8,915	8,862	46	232	14
Third	5,219	5,040	5,004	30	168	11
Fourth	2,811	2,706	2,673	29	96	9
Fifth	1,586	1,509	1,485	23	72	5
Sixth	958	895	877	18	59	4
Seventh	607	566	547	18	38	3
Eighth	382	354	340	13	27	1
Ninth	269	246	232	14	21	2
Tenth	166	154	138	16	11	1
Eleventh	104	97	89	8	7	-
Twelfth	84	76	65	9	8	-
Thirteenth	46	39	27	12	7	-
Fourteenth	22	21	18	3	1	-
Fifteenth	16	14	12	2	2	-
Sixteenth	9	8	5	3	1	-
Seventeenth	1	1	1	-	-	-
Eighteenth	1	1	1	-	-	-
Twenty-second and over	1	1	1	-	-	-
Not stated	1,185	1,145	1,129	12	38	2
KENTUCKY	64,225	60,901	60,765	107	3,316	8
First	21,846	20,714	20,654	51	1,126	6
Second	12,771	12,154	12,126	22	617	-
Third	8,932	8,510	8,497	10	422	-
Fourth	6,026	5,713	5,705	5	312	1
Fifth	4,260	3,989	3,976	10	271	-
Sixth	3,090	2,928	2,927	1	162	-
Seventh	2,331	2,202	2,198	3	128	1
Eighth	1,698	1,608	1,606	1	90	-
Ninth	1,284	1,222	1,220	1	62	-
Tenth	817	759	756	2	58	-
Eleventh	526	499	498	-	27	-
Twelfth	321	307	307	-	14	-
Thirteenth	158	148	148	-	10	-
Fourteenth	69	64	64	-	5	-
Fifteenth	32	28	27	1	4	-
Sixteenth	19	16	16	-	3	-

[1] Includes mother's nativity not stated.

TABLE 7.—LIVE BIRTHS BY BIRTH ORDER (EXCLUDING STILLBIRTHS), RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 112)

AREA AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
KENTUCKY—Continued						
Seventeenth	4	4	4	-	-	-
Eighteenth	2	2	2	-	-	-
Nineteenth	2	1	1	-	1	-
Twentieth	1	-	-	-	1	-
Not stated	36	33	33	-	3	-
LOUISIANA	61,050	37,463	37,241	209	23,478	109
First	18,658	12,995	12,896	95	5,653	10
Second	13,720	9,574	9,528	40	4,123	23
Third	9,102	5,843	5,816	25	3,241	18
Fourth	5,845	3,258	3,245	13	2,572	15
Fifth	3,828	1,830	1,818	11	1,985	13
Sixth	2,643	1,159	1,153	6	1,473	11
Seventh	1,879	787	780	7	1,085	7
Eighth	1,313	542	537	5	769	2
Ninth	949	367	365	2	578	4
Tenth	673	233	232	1	439	1
Eleventh	459	153	152	1	304	2
Twelfth	293	105	104	1	187	1
Thirteenth	165	48	48	-	117	-
Fourteenth	91	22	22	-	68	1
Fifteenth	35	6	6	-	29	-
Sixteenth	24	5	5	-	19	-
Seventeenth	10	3	3	-	7	-
Eighteenth	3	-	-	-	3	-
Nineteenth	3	1	1	-	2	-
Twenty-first	2	-	-	-	2	-
Not stated	1,355	532	530	2	822	1
MAINE	17,762	17,689	16,372	1,314	32	41
First	5,500	5,475	5,198	276	12	13
Second	4,802	4,584	4,280	304	11	7
Third	2,926	2,918	2,700	218	3	5
Fourth	1,704	1,702	1,550	151	2	-
Fifth	960	955	858	97	3	2
Sixth	657	654	574	80	-	3
Seventh	405	402	353	48	1	2
Eighth	278	276	244	32	-	2
Ninth	198	197	166	31	-	1
Tenth	155	154	137	17	-	1
Eleventh	102	100	84	16	-	2
Twelfth	62	60	48	12	-	2
Thirteenth	49	49	39	10	-	-
Fourteenth	38	38	32	6	-	-
Fifteenth	27	26	24	2	-	1
Sixteenth	13	13	11	2	-	-
Seventeenth	11	11	9	2	-	-
Eighteenth	4	4	1	3	-	-
Nineteenth	2	2	-	2	-	-
Not stated	69	69	64	5	-	-
MARYLAND	43,915	35,670	34,961	687	8,226	19
First	15,401	13,137	12,905	221	2,259	5
Second	12,036	10,344	10,111	230	1,688	4
Third	6,474	5,277	5,169	107	1,192	5
Fourth	3,415	2,566	2,504	57	847	2
Fifth	2,109	1,499	1,477	21	610	-
Sixth	1,307	830	821	9	474	3
Seventh	851	538	527	11	313	-
Eighth	590	355	347	7	235	-
Ninth	400	243	239	4	157	-
Tenth	262	141	140	1	121	-
Eleventh	181	100	99	1	81	-
Twelfth	112	68	65	3	44	-
Thirteenth	64	34	33	1	30	-
Fourteenth	42	17	16	1	25	-
Fifteenth	19	8	8	-	11	-
Sixteenth	14	2	2	-	12	-
Seventeenth	8	3	3	-	5	-
Eighteenth	1	-	-	-	1	-
Nineteenth	2	-	-	-	2	-
Twentieth	1	-	-	-	1	-
Twenty-second and over	1	1	1	-	-	-
Not stated	625	507	494	13	118	-
MASSACHUSETTS	78,209	76,979	70,075	6,880	1,173	57
Not stated	78,209	76,979	70,075	6,880	1,173	57
MICHIGAN	114,700	108,499	102,319	6,114	5,992	209
First	33,375	31,690	30,249	1,421	1,630	55
Second	29,776	28,410	26,883	1,538	1,338	28
Third	18,597	17,638	16,555	1,073	933	26
Fourth	10,009	9,399	8,804	589	590	20
Fifth	5,482	5,088	4,737	349	371	23
Sixth	3,138	2,882	2,675	201	239	17
Seventh	1,927	1,731	1,600	129	189	7
Eighth	1,257	1,113	1,014	98	138	6
Ninth	822	747	672	75	74	1
Tenth	548	488	442	46	58	2
Eleventh	347	297	268	29	47	3
Twelfth	205	176	157	19	27	2
Thirteenth	130	115	101	13	14	1

AREA AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
MICHIGAN—Continued						
Fourteenth	73	67	53	14	5	1
Fifteenth	45	42	37	5	3	-
Sixteenth	18	16	14	2	1	1
Seventeenth	14	11	11	-	2	1
Eighteenth	4	2	2	-	2	-
Nineteenth	2	1	1	-	1	-
Twentieth	1	-	-	-	-	1
Not stated	8,930	8,586	8,064	513	330	14
MINNESOTA	56,113	55,571	54,372	1,168	83	459
First	17,154	17,027	16,772	243	24	103
Second	15,559	15,462	15,161	295	23	74
Third	10,118	10,054	9,825	224	9	55
Fourth	5,537	5,479	5,333	142	10	48
Fifth	3,012	2,966	2,890	75	6	40
Sixth	1,731	1,697	1,638	59	3	31
Seventh	1,084	1,050	1,014	36	2	32
Eighth	705	675	647	27	1	29
Ninth	455	433	414	17	2	20
Tenth	293	281	264	17	1	11
Eleventh	189	182	168	14	-	7
Twelfth	102	99	91	8	1	2
Thirteenth	66	60	57	3	1	5
Fourteenth	35	34	30	4	-	1
Fifteenth	24	23	21	2	-	1
Sixteenth	14	14	13	1	-	-
Seventeenth	7	7	7	-	-	-
Eighteenth	2	2	2	-	-	-
Not stated	26	26	25	1	-	-
MISSISSIPPI	56,940	25,976	25,895	74	30,848	116
First	15,698	8,965	8,929	32	6,700	33
Second	11,672	6,245	6,225	20	5,412	15
Third	8,184	3,888	3,877	11	4,279	17
Fourth	5,820	2,296	2,291	3	3,512	12
Fifth	4,170	1,449	1,446	2	2,714	7
Sixth	3,269	1,040	1,038	2	2,222	7
Seventh	2,389	727	726	1	1,656	6
Eighth	1,723	448	448	-	1,266	9
Ninth	1,365	352	350	2	1,010	3
Tenth	996	230	230	-	762	4
Eleventh	650	141	140	1	508	1
Twelfth	388	79	79	-	308	1
Thirteenth	263	40	40	-	223	-
Fourteenth	141	19	19	-	122	-
Fifteenth	78	9	9	-	69	-
Sixteenth	42	2	2	-	40	-
Seventeenth	26	1	1	-	25	-
Eighteenth	8	-	-	-	8	-
Nineteenth	3	-	-	-	3	-
Twentieth	2	-	-	-	2	-
Twenty-first	1	-	-	-	1	-
Not stated	72	45	45	-	26	1
MISSOURI	67,990	62,995	62,433	543	4,956	39
First	23,707	22,125	21,943	175	1,559	23
Second	18,055	17,080	16,914	162	969	6
Third	10,465	9,784	9,695	84	677	4
Fourth	5,677	5,176	5,132	43	500	1
Fifth	3,321	2,955	2,929	25	365	1
Sixth	2,190	1,930	1,918	12	260	-
Seventh	1,525	1,343	1,333	8	182	-
Eighth	1,080	926	915	11	152	2
Ninth	720	621	614	7	99	-
Tenth	455	363	361	2	70	2
Eleventh	295	244	239	5	51	-
Twelfth	184	150	148	2	34	-
Thirteenth	108	88	83	5	20	-
Fourteenth	37	28	28	-	9	-
Fifteenth	28	24	23	1	4	-
Sixteenth	17	11	10	1	6	-
Seventeenth	8	6	6	-	2	-
Twentieth	1	1	1	-	-	-
Not stated	157	140	138	2	17	-
MONTANA	10,943	10,326	9,932	394	17	600
First	3,367	3,273	3,198	75	4	90
Second	3,192	3,092	3,010	82	3	97
Third	1,844	1,744	1,681	63	1	99
Fourth	1,030	957	901	56	5	68
Fifth	519	466	433	33	1	52
Sixth	351	283	263	20	1	47
Seventh	217	180	162	18	1	36
Eighth	144	102	91	11	-	42
Ninth	117	90	78	12	-	27
Tenth	71	51	42	9	1	19
Eleventh	45	31	26	5	-	14
Twelfth	26	24	22	2	-	2
Thirteenth	13	10	5	5	-	3
Fourteenth	10	9	7	2	-	1
Fifteenth	4	3	3	-	-	1
Sixteenth	5	4	4	-	-	1
Eighteenth	1	1	-	1	-	-
Not stated	7	6	6	-	-	1

[1] Includes mother's nativity not stated.

TABLE 7.—LIVE BIRTHS BY BIRTH ORDER (EXCLUDING STILLBIRTHS), RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 112)

AREA AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
NEBRASKA	24,575	24,138	23,805	329	300	137
First	8,354	8,232	8,162	69	94	28
Second	6,848	6,754	6,689	64	71	23
Third	4,110	4,035	3,990	43	54	21
Fourth	2,167	2,117	2,090	27	23	27
Fifth	1,213	1,181	1,152	29	16	16
Sixth	681	655	632	23	16	10
Seventh	427	415	395	20	10	2
Eighth	256	247	242	5	4	5
Ninth	181	177	161	16	4	-
Tenth	126	121	107	14	2	3
Eleventh	61	59	55	4	2	-
Twelfth	40	40	35	5	-	-
Thirteenth	27	25	19	6	1	1
Fourteenth	10	9	9	-	-	1
Fifteenth	7	7	5	2	-	-
Sixteenth	4	3	3	-	1	-
Seventeenth	1	1	-	1	-	-
Nineteenth	1	1	1	-	-	-
Twenty-first	1	1	-	1	-	-
Not stated	60	58	58	-	2	-
NEVADA	3,028	2,823	2,736	87	54	151
First	1,060	1,012	990	22	16	32
Second	844	806	781	25	12	26
Third	541	512	496	16	9	20
Fourth	227	203	200	3	5	19
Fifth	131	115	111	4	3	13
Sixth	86	69	64	5	2	15
Seventh	46	37	35	2	2	7
Eighth	25	13	13	-	2	10
Ninth	21	17	15	2	-	4
Tenth	7	5	4	1	-	2
Eleventh	6	4	4	-	-	2
Twelfth	4	2	-	2	2	-
Thirteenth	4	2	-	2	1	1
Fourteenth	1	1	1	-	-	-
Fifteenth	1	1	-	1	-	-
Sixteenth	1	1	-	1	-	-
Seventeenth	1	1	1	-	-	-
Not stated	22	22	21	1	-	-
NEW HAMPSHIRE	8,548	8,534	7,955	571	14	-
First	2,590	2,587	2,464	119	3	-
Second	2,221	2,218	2,089	128	3	-
Third	1,399	1,399	1,292	106	-	-
Fourth	784	783	716	67	1	-
Fifth	416	414	370	44	2	-
Sixth	229	228	208	20	1	-
Seventh	154	154	141	13	-	-
Eighth	86	86	74	12	-	-
Ninth	64	63	54	9	1	-
Tenth	46	46	39	7	-	-
Eleventh	16	16	13	3	-	-
Twelfth	15	15	11	4	-	-
Thirteenth	15	15	10	5	-	-
Fourteenth	11	10	7	3	1	-
Fifteenth	4	4	4	-	-	-
Sixteenth	2	2	1	1	-	-
Seventeenth	1	1	1	-	-	-
Nineteenth	1	1	1	-	-	-
Twenty-second and over	1	1	1	-	-	-
Not stated	493	491	459	30	2	-
NEW JERSEY	76,265	70,706	66,236	4,446	5,524	35
First	28,647	27,056	25,819	1,229	1,581	10
Second	23,429	22,223	20,829	1,391	1,199	7
Third	11,005	10,182	9,409	770	817	6
Fourth	4,718	4,191	3,814	375	523	4
Fifth	2,197	1,849	1,642	204	345	3
Sixth	1,193	951	839	112	240	2
Seventh	684	506	448	58	178	2
Eighth	467	348	302	46	119	-
Ninth	321	236	202	34	84	1
Tenth	196	139	119	20	57	-
Eleventh	153	97	79	18	56	-
Twelfth	76	53	46	7	23	-
Thirteenth	48	28	22	6	20	-
Fourteenth	32	19	16	3	13	-
Fifteenth	14	9	8	1	5	-
Sixteenth	4	1	1	-	3	-
Seventeenth	5	3	3	-	2	-
Eighteenth	1	1	1	-	-	-
Nineteenth	1	1	1	-	-	-
Not stated	3,074	2,813	2,636	172	261	-
NEW MEXICO	15,585	14,419	14,020	397	133	1,033
First	4,180	3,898	3,845	53	43	239
Second	3,058	2,879	2,835	43	29	150
Third	2,226	2,065	2,013	51	19	142
Fourth	1,588	1,443	1,412	31	11	134
Fifth	1,239	1,106	1,072	34	13	120
Sixth	922	858	818	40	2	62
Seventh	647	583	568	15	6	58
Eighth	492	447	424	23	5	40
Ninth	373	339	311	28	1	33
Tenth	277	256	235	21	3	18
Eleventh	193	180	162	18	1	12
Twelfth	133	121	106	15	-	12
Thirteenth	74	73	67	6	-	1
Fourteenth	44	42	37	5	-	2
Fifteenth	21	19	16	3	-	2
Sixteenth	15	14	10	4	-	1
Seventeenth	7	7	7	-	-	-
Eighteenth	3	3	3	-	-	-
Nineteenth	3	3	3	-	-	-
Not stated	90	83	76	7	-	7
NEW YORK	229,534	217,104	195,419	21,669	12,004	426
First	89,683	84,980	78,393	6,581	4,781	122
Second	72,973	69,980	62,819	7,158	2,913	80
Third	34,054	32,341	28,385	3,956	1,640	73
Fourth	14,756	13,675	11,875	1,800	1,034	47
Fifth	7,350	6,718	5,813	905	590	42
Sixth	3,951	3,574	3,076	498	362	15
Seventh	2,418	2,160	1,868	292	244	14
Eighth	1,445	1,270	1,117	153	161	12
Ninth	991	882	758	124	104	5
Tenth	622	545	464	81	70	7
Eleventh	359	315	275	40	41	3
Twelfth	221	204	175	29	15	2
Thirteenth	130	110	95	15	19	1
Fourteenth	74	64	55	9	9	1
Fifteenth	47	43	37	6	3	1
Sixteenth	19	16	14	2	3	-
Seventeenth	10	9	7	2	1	-
Eighteenth	4	4	4	-	-	-
Nineteenth	4	3	3	-	1	-
Twentieth	1	1	1	-	-	-
Twenty-second and over	1	1	1	-	-	-
Not stated	223	209	184	18	13	1
NORTH CAROLINA	90,629	62,462	62,280	149	27,148	1,019
First	26,658	19,997	19,915	66	6,478	181
Second	20,495	15,386	15,342	40	4,933	176
Third	13,490	9,477	9,457	19	3,856	157
Fourth	9,004	5,875	5,857	14	3,003	126
Fifth	6,181	3,827	3,822	5	2,255	99
Sixth	4,464	2,545	2,544	1	1,854	65
Seventh	3,141	1,707	1,705	1	1,379	55
Eighth	2,258	1,244	1,244	-	964	50
Ninth	1,636	846	844	2	754	36
Tenth	1,210	605	605	-	584	21
Eleventh	774	375	375	-	379	20
Twelfth	531	243	242	-	274	14
Thirteenth	285	117	117	-	164	4
Fourteenth	170	71	71	-	92	7
Fifteenth	86	24	24	-	60	2
Sixteenth	38	13	13	-	24	1
Seventeenth	18	2	2	-	16	-
Eighteenth	11	3	3	-	8	-
Nineteenth	4	1	1	-	3	-
Twentieth	4	2	2	-	2	-
Not stated	173	102	95	1	66	5
NORTH DAKOTA	13,530	13,213	12,810	401	-	317
First	3,725	3,674	3,614	59	-	51
Second	3,543	3,293	3,222	71	-	50
Third	2,340	2,306	2,250	56	-	34
Fourth	1,403	1,362	1,311	51	-	41
Fifth	865	821	789	31	-	44
Sixth	520	497	472	25	-	23
Seventh	422	403	383	20	-	19
Eighth	294	283	260	23	-	11
Ninth	190	179	162	17	-	11
Tenth	141	128	120	8	-	13
Eleventh	95	86	78	8	-	9
Twelfth	75	69	60	9	-	6
Thirteenth	30	28	24	4	-	2
Fourteenth	31	31	22	9	-	-
Fifteenth	20	20	13	7	-	-
Sixteenth	4	3	3	-	-	1
Seventeenth	2	2	2	-	-	-
Eighteenth	3	3	3	-	-	-
Nineteenth	1	1	-	1	-	-
Not stated	26	24	22	2	-	2
OHIO	133,598	125,904	123,098	2,776	7,631	63
First	45,450	42,972	42,297	666	2,452	26
Second	37,738	35,984	35,166	812	1,741	13
Third	22,475	21,317	20,764	550	1,153	5
Fourth	11,499	10,725	10,429	293	766	8
Fifth	6,213	5,710	5,545	165	501	2
Sixth	3,695	3,341	3,257	83	353	1
Seventh	2,255	2,041	1,967	74	212	2
Eighth	1,514	1,357	1,318	37	156	1
Ninth	955	860	821	38	95	-

[1] Includes mother's nativity not stated.

TABLE 7.—LIVE BIRTHS BY BIRTH ORDER (EXCLUDING STILLBIRTHS), RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 112)

AREA AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
OHIO—Continued						
Tenth	885	573	554	18	90	2
Eleventh	422	378	357	21	44	-
Twelfth	258	227	220	7	29	2
Thirteenth	137	121	115	6	16	-
Fourteenth	76	69	66	3	7	-
Fifteenth	42	39	38	1	3	-
Sixteenth	16	12	11	1	4	-
Seventeenth	12	9	9	-	3	-
Eighteenth	6	4	4	-	2	-
Nineteenth	1	1	-	1	-	-
Twentieth	2	1	1	-	1	-
Not stated	167	163	160	-	3	1
OKLAHOMA	46,725	41,815	41,425	133	3,219	1,891
First	16,101	14,560	14,493	49	1,036	505
Second	11,361	10,382	10,336	33	595	384
Third	7,205	6,466	6,445	11	420	319
Fourth	4,159	3,647	3,632	9	304	208
Fifth	2,606	2,212	2,202	7	253	141
Sixth	1,802	1,524	1,514	6	179	99
Seventh	1,160	948	944	3	130	82
Eighth	828	687	683	4	87	54
Ninth	603	484	479	3	75	44
Tenth	347	273	269	3	42	32
Eleventh	214	157	155	2	44	13
Twelfth	126	100	99	1	19	7
Thirteenth	61	47	46	1	14	-
Fourteenth	34	24	23	-	9	1
Fifteenth	16	11	11	-	5	-
Sixteenth	9	6	5	1	2	1
Seventeenth	2	1	1	-	1	-
Eighteenth	1	-	-	-	1	-
Nineteenth	2	-	-	-	2	-
Not stated	88	86	86	-	1	1
OREGON	24,150	23,705	22,958	744	160	285
First	8,741	8,613	8,387	245	52	76
Second	7,361	7,271	7,025	244	34	56
Third	3,972	3,905	3,764	141	21	46
Fourth	1,855	1,798	1,745	53	19	38
Fifth	867	824	802	22	16	27
Sixth	480	459	444	15	8	13
Seventh	254	243	236	7	2	9
Eighth	170	160	158	2	1	9
Ninth	102	94	93	1	3	5
Tenth	66	66	64	2	-	-
Eleventh	40	36	36	-	1	3
Twelfth	24	23	23	-	1	-
Thirteenth	14	14	13	1	-	-
Fourteenth	7	7	6	1	-	-
Fifteenth	4	4	3	1	-	-
Eighteenth	2	2	2	-	-	-
Not stated	191	186	177	9	2	3
PENNSYLVANIA	178,370	166,711	161,870	4,827	11,604	55
First	60,992	57,269	56,103	1,156	3,702	21
Second	50,078	47,400	46,152	1,247	2,667	9
Third	28,551	26,807	25,922	882	1,736	8
Fourth	15,274	14,094	13,562	530	1,175	5
Fifth	8,374	7,672	7,363	308	700	2
Sixth	5,196	4,686	4,488	198	507	3
Seventh	3,276	2,905	2,758	147	368	3
Eighth	2,163	1,931	1,836	95	231	1
Ninth	1,539	1,358	1,286	72	181	-
Tenth	1,077	943	878	65	133	1
Eleventh	706	629	584	45	75	2
Twelfth	435	387	354	33	48	-
Thirteenth	255	218	197	21	37	-
Fourteenth	165	144	129	15	21	-
Fifteenth	88	76	72	4	12	-
Sixteenth	40	37	33	4	3	-
Seventeenth	22	21	19	2	1	-
Eighteenth	7	7	6	1	-	-
Nineteenth	8	7	7	-	1	-
Twentieth	4	3	3	-	1	-
Twenty-second and over	3	2	1	-	1	-
Not stated	119	115	111	2	4	-
RHODE ISLAND	13,754	13,446	12,414	1,030	304	4
First	5,177	5,088	4,870	216	88	1
Second	3,925	3,867	3,603	264	58	-
Third	2,102	2,044	1,848	196	58	-
Fourth	910	879	755	124	29	2
Fifth	470	447	372	75	23	-
Sixth	295	276	231	45	19	-
Seventh	146	137	110	27	9	-
Eighth	93	87	69	18	5	1
Ninth	63	60	44	16	3	-
Tenth	37	32	29	3	5	-
Eleventh	26	25	16	9	1	-
Twelfth	20	19	15	4	1	-
Thirteenth	10	8	5	3	2	-
Fourteenth	7	5	4	1	2	-
RHODE ISLAND—Continued						
Fifteenth	2	2	2	-	-	-
Sixteenth	4	4	3	1	-	-
Seventeenth	2	2	-	2	-	-
Not stated	465	464	438	26	1	-
SOUTH CAROLINA	51,467	27,874	27,715	77	23,572	21
First	15,998	9,998	9,943	35	5,994	6
Second	11,103	6,880	6,836	21	4,219	4
Third	7,470	4,149	4,123	15	3,320	1
Fourth	4,889	2,358	2,351	4	2,530	1
Fifth	3,413	1,429	1,423	1	1,980	4
Sixth	2,433	936	932	-	1,494	3
Seventh	1,768	652	651	-	1,115	1
Eighth	1,307	471	470	-	836	-
Ninth	911	304	303	-	607	-
Tenth	635	199	198	-	435	1
Eleventh	381	132	131	-	249	-
Twelfth	228	70	70	-	158	-
Thirteenth	139	36	36	-	103	-
Fourteenth	86	19	19	-	67	-
Fifteenth	43	6	6	-	37	-
Sixteenth	24	5	5	-	19	-
Seventeenth	14	1	1	-	13	-
Eighteenth	6	1	1	-	5	-
Nineteenth	2	-	-	-	2	-
Twentieth	5	1	1	-	4	-
Twenty-first	1	-	-	-	1	-
Twenty-second and over	1	-	-	-	1	-
Not stated	610	227	215	1	383	-
SOUTH DAKOTA	12,769	12,013	11,838	149	11	745
First	4,060	3,906	3,877	28	4	150
Second	3,200	3,092	3,052	30	3	105
Third	2,146	2,034	2,006	25	2	110
Fourth	1,263	1,170	1,154	14	1	92
Fifth	684	603	594	8	-	81
Sixth	422	363	347	12	1	58
Seventh	310	275	265	8	-	35
Eighth	240	196	191	5	-	44
Ninth	146	120	114	6	-	26
Tenth	87	68	64	4	-	19
Eleventh	55	44	41	2	-	11
Twelfth	34	31	28	3	-	3
Thirteenth	21	19	16	3	-	2
Fourteenth	14	12	12	-	-	2
Fifteenth	6	6	6	-	-	-
Sixteenth	1	1	1	-	-	-
Eighteenth	4	4	3	1	-	-
Twentieth	2	1	1	-	-	1
Not stated	74	68	68	-	-	6
TENNESSEE	68,272	57,311	57,151	85	10,955	6
First	19,945	17,088	17,052	25	2,855	2
Second	15,434	13,314	13,261	34	2,120	-
Third	10,291	8,753	8,729	17	1,537	1
Fourth	6,820	5,662	5,648	6	1,158	-
Fifth	4,543	3,701	3,694	-	840	2
Sixth	3,161	2,535	2,527	2	625	1
Seventh	2,289	1,812	1,808	1	477	-
Eighth	1,673	1,314	1,311	-	359	-
Ninth	1,180	926	926	-	254	-
Tenth	773	595	594	-	178	-
Eleventh	512	379	379	-	133	-
Twelfth	312	226	226	-	86	-
Thirteenth	177	122	122	-	55	-
Fourteenth	83	58	58	-	25	-
Fifteenth	40	27	27	-	13	-
Sixteenth	23	13	13	-	10	-
Seventeenth	9	3	3	-	6	-
Eighteenth	7	3	3	-	4	-
Nineteenth	1	-	-	-	1	-
Twentieth	2	-	-	-	2	-
Twenty-second and over	3	1	1	-	2	-
Not stated	994	779	769	-	215	-
TEXAS	185,900	145,600	137,954	7,335	20,259	141
First	58,987	51,091	50,042	993	5,857	39
Second	37,496	33,978	33,131	818	3,495	23
Third	20,859	18,583	17,781	768	2,252	24
Fourth	10,813	9,357	8,759	581	1,445	11
Fifth	6,109	5,152	4,701	438	945	12
Sixth	3,650	2,972	2,587	381	673	5
Seventh	2,211	1,732	1,481	245	476	3
Eighth	1,450	1,120	904	214	329	1
Ninth	846	632	510	122	213	1
Tenth	542	391	298	90	151	-
Eleventh	221	159	132	27	62	-
Twelfth	116	78	61	17	38	-
Thirteenth	64	41	27	14	23	-
Fourteenth	36	22	15	7	14	-
Fifteenth	16	9	6	3	7	-
Sixteenth	6	4	2	2	2	-
Nineteenth	1	1	1	-	-	-
Twentieth	1	-	-	-	1	-
Not stated	24,478	20,178	17,516	2,615	4,276	22

[1] Includes mother's nativity not stated.

TABLE 7.—LIVE BIRTHS BY BIRTH ORDER (EXCLUDING STILLBIRTHS), RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1944—Continued

(See headnote on p. 112)

AREA AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
UTAH	16,180	15,906	15,504	400	28	246
First	4,684	4,587	4,522	63	9	88
Second	4,267	4,206	4,123	83	11	50
Third	3,129	3,091	3,012	79	3	35
Fourth	1,791	1,766	1,716	50	2	23
Fifth	955	938	898	40	1	16
Sixth	567	556	531	25	-	11
Seventh	313	303	283	20	1	9
Eighth	181	177	165	12	-	4
Ninth	117	116	110	6	-	1
Tenth	65	60	54	6	-	5
Eleventh	34	31	28	3	-	3
Twelfth	30	28	24	4	1	1
Thirteenth	16	16	12	4	-	-
Fourteenth	8	8	6	2	-	-
Fifteenth	2	2	1	1	-	-
Eighteenth	1	1	1	-	-	-
Not stated	20	20	18	2	-	-
VERMONT	6,824	6,821	6,335	481	2	1
First	2,013	2,011	1,896	113	1	1
Second	1,734	1,734	1,632	101	-	-
Third	1,183	1,183	1,098	85	-	-
Fourth	693	693	633	59	-	-
Fifth	413	412	380	32	1	-
Sixth	243	243	219	24	-	-
Seventh	147	147	133	14	-	-
Eighth	116	116	97	19	-	-
Ninth	69	69	58	11	-	-
Tenth	54	54	48	5	-	-
Eleventh	26	26	23	3	-	-
Twelfth	18	18	15	3	-	-
Thirteenth	20	20	15	5	-	-
Fourteenth	8	8	7	1	-	-
Fifteenth	7	7	6	1	-	-
Sixteenth	4	4	2	2	-	-
Seventeenth	4	4	4	-	-	-
Not stated	72	72	69	3	-	-
VIRGINIA	69,175	52,001	51,596	375	17,147	27
First	21,936	17,845	17,663	170	4,080	11
Second	16,188	13,069	12,965	96	3,116	3
Third	9,594	7,226	7,173	51	2,366	2
Fourth	6,058	4,234	4,214	19	1,822	2
Fifth	3,989	2,675	2,660	14	1,312	2
Sixth	2,793	1,811	1,807	4	980	2
Seventh	1,988	1,264	1,259	3	724	-
Eighth	1,372	852	851	1	518	2
Ninth	1,058	666	663	2	392	-
Tenth	774	468	468	-	305	1
Eleventh	491	304	302	2	187	-
Twelfth	337	204	204	-	133	-
Thirteenth	231	131	131	-	100	-
Fourteenth	124	62	62	-	62	-
Fifteenth	60	31	31	-	29	-
Sixteenth	32	16	16	-	16	-
Seventeenth	22	8	8	-	14	-
Eighteenth	7	4	4	-	3	-
Nineteenth	2	-	-	-	2	-
Twentieth	3	-	-	-	3	-
Twenty-first	1	-	-	-	1	-
Twenty-second and over	1	-	-	-	1	-
Not stated	2,114	1,131	1,115	13	981	2
WASHINGTON	44,528	43,363	41,191	2,154	371	794
First	17,074	16,714	15,993	717	155	205
Second	13,621	13,349	12,638	705	96	176
Third	7,090	6,934	6,565	364	39	117
Fourth	3,191	3,070	2,916	154	25	96
Fifth	1,461	1,384	1,285	99	21	56
Sixth	784	726	683	42	9	49
Seventh	475	437	415	22	9	27
Eighth	244	217	201	16	3	24
Ninth	185	167	156	11	5	13
Tenth	115	104	98	6	4	7
Eleventh	62	54	51	3	1	7
Twelfth	45	37	33	4	1	7
Thirteenth	23	20	18	2	1	2
Fourteenth	11	8	8	-	1	2
Fifteenth	12	10	8	2	-	2
Sixteenth	2	2	2	-	-	-
Seventeenth	1	1	1	-	-	-
Eighteenth	2	2	2	-	-	-
Nineteenth	1	1	1	-	-	-
Twenty-first	1	1	1	-	-	-
Twenty-second and over	1	1	1	-	-	-
Not stated	129	124	115	7	1	4
WEST VIRGINIA	41,304	39,008	38,747	183	2,296	-
First	10,596	10,064	10,011	37	532	-
Second	8,740	8,325	8,274	36	415	-
Third	6,420	6,080	6,035	38	340	-
Fourth	4,307	4,063	4,041	15	244	-
Fifth	3,028	2,836	2,820	13	192	-
Sixth	2,189	2,054	2,042	6	135	-
Seventh	1,641	1,515	1,502	8	126	-
Eighth	1,212	1,141	1,131	6	71	-
Ninth	865	799	790	7	66	-
Tenth	611	561	556	4	50	-
Eleventh	394	364	361	1	30	-
Twelfth	264	245	243	2	19	-
Thirteenth	152	136	134	1	16	-
Fourteenth	91	78	76	2	13	-
Fifteenth	51	43	40	3	8	-
Sixteenth	17	16	16	-	1	-
Seventeenth	19	17	17	-	2	-
Eighteenth	10	9	9	-	1	-
Nineteenth	4	4	4	-	-	-
Twentieth	3	2	2	-	1	-
Twenty-second and over	1	1	1	-	-	-
Not stated	689	655	642	4	34	-
WISCONSIN	61,547	60,745	59,606	1,128	322	482
First	19,178	18,987	18,714	269	104	87
Second	17,267	17,130	16,836	294	72	65
Third	10,898	10,782	10,567	213	49	67
Fourth	5,793	5,714	5,586	128	31	48
Fifth	3,132	3,061	2,985	76	16	55
Sixth	1,861	1,799	1,764	34	18	44
Seventh	1,167	1,133	1,099	34	12	22
Eighth	756	717	690	26	9	30
Ninth	464	442	424	18	4	18
Tenth	354	336	329	7	4	14
Eleventh	236	230	217	13	1	5
Twelfth	176	168	164	4	-	8
Thirteenth	78	75	74	1	-	3
Fourteenth	49	45	43	2	-	4
Fifteenth	29	27	26	1	-	2
Sixteenth	15	12	12	-	-	3
Seventeenth	6	6	6	-	-	-
Eighteenth	1	-	-	-	1	-
Nineteenth	2	2	2	-	-	-
Twenty-first	1	1	1	-	-	-
Not stated	84	76	67	8	1	7
WYOMING	5,635	5,302	5,188	113	15	318
First	1,634	1,536	1,523	13	5	93
Second	1,633	1,551	1,532	18	2	80
Third	986	946	931	15	-	40
Fourth	509	476	466	10	4	29
Fifth	324	297	285	12	2	25
Sixth	206	195	185	10	-	11
Seventh	110	98	94	4	-	12
Eighth	65	59	51	8	1	5
Ninth	40	34	32	2	1	5
Tenth	38	34	28	6	-	4
Eleventh	24	21	16	5	-	3
Twelfth	16	13	10	3	-	3
Thirteenth	11	9	6	3	-	2
Fourteenth	6	4	3	1	-	2
Fifteenth	3	2	2	-	-	1
Sixteenth	3	2	1	1	-	1
Eighteenth	1	1	1	-	-	-
Nineteenth	1	1	1	-	-	-
Not stated	25	23	22	1	-	2

[1] Includes mother's nativity not stated.

TABLE 8.—LIVE BIRTHS BY SPECIFIED RACE: UNITED STATES AND EACH STATE, 1944

(By place of residence)

AREA	Total births	White	Negro	Indian	Chinese	Japanese	All other
UNITED STATES	2,794,800	2,454,700	324,183	10,541	1,291	2,889	1,196
Alabama	74,415	47,504	26,886	17	3	1	2
Arizona	14,225	12,408	386	1,379	22	12	18
Arkansas	41,240	31,357	9,849	8	14	11	1
California	179,123	169,967	5,694	624	715	1,432	791
Colorado	23,931	23,282	285	51	5	300	7
Connecticut	34,278	33,382	892	2	1	1	-
Delaware	5,993	5,102	886	1	4	-	-
District of Columbia	15,758	10,443	5,285	3	20	-	7
Florida	48,418	36,125	12,255	31	2	1	4
Georgia	76,540	49,345	27,176	4	12	3	-
Idaho	12,241	12,067	3	91	3	76	1
Illinois	142,005	132,539	9,229	20	40	139	38
Indiana	71,354	68,532	2,809	4	1	3	5
Iowa	46,564	46,240	278	35	2	5	4
Kansas	34,976	33,716	1,176	73	3	6	2
Kentucky	64,225	60,901	3,316	2	4	1	1
Louisiana	61,050	37,463	23,478	83	5	-	21
Maine	17,762	17,689	32	37	1	-	3
Maryland	43,915	35,670	8,226	3	11	3	2
Massachusetts	78,209	76,979	1,173	10	35	2	10
Michigan	114,700	108,499	5,992	159	15	21	14
Minnesota	56,118	55,571	83	415	7	30	7
Mississippi	56,940	25,976	30,848	84	25	6	1
Missouri	67,990	62,995	4,956	10	9	12	8
Montana	10,943	10,326	17	578	2	12	8
Nebraska	24,575	24,138	300	123	3	11	-
Nevada	3,028	2,823	54	138	1	9	3
New Hampshire	8,548	8,534	14	-	-	-	-
New Jersey	76,265	70,706	5,524	2	25	4	4
New Mexico	15,585	14,419	133	1,021	3	4	5
New York	229,534	217,104	12,004	219	147	21	39
North Carolina	90,629	62,462	27,148	1,015	3	-	1
North Dakota	13,530	13,213	-	314	1	2	-
Ohio	133,598	125,904	7,631	11	14	32	6
Oklahoma	46,725	41,615	3,219	1,879	6	5	1
Oregon	24,150	23,705	160	164	24	70	27
Pennsylvania	178,370	166,711	11,604	8	26	3	18
Rhode Island	13,754	13,446	304	1	3	-	-
South Carolina	51,467	27,874	23,572	17	1	1	2
South Dakota	12,769	12,013	11	742	1	2	-
Tennessee	68,272	57,311	10,955	5	-	1	-
Texas	165,900	145,500	20,259	31	25	77	8
Utah	16,180	15,906	28	75	1	165	5
Vermont	6,824	6,821	2	1	-	-	-
Virginia	69,175	52,001	17,147	10	3	3	11
Washington	44,528	43,363	371	475	35	161	103
West Virginia	41,304	39,008	2,296	-	-	-	-
Wisconsin	61,547	60,743	322	464	5	9	4
Wyoming	5,635	5,302	15	102	-	212	4

TABLE 9.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1944

(By place of residence)

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
UNITED STATES	2,794,800	235,595	223,073	227,932	212,915	221,950	230,306	253,921	252,673	237,895	236,068	229,117	233,855
Male	1,435,301	121,178	113,927	116,976	109,245	114,283	118,662	130,557	129,548	122,212	121,054	117,762	119,897
Female	1,359,499	114,417	109,146	110,956	103,670	107,667	111,644	123,364	123,125	115,183	115,014	111,355	113,958
White	2,454,700	206,137	195,547	199,797	187,059	195,694	202,660	222,711	221,574	209,266	208,326	201,523	204,406
Male	1,268,345	106,224	100,058	102,614	96,073	100,999	104,491	114,813	114,076	107,875	106,988	103,957	105,182
Female	1,191,355	99,913	95,489	97,183	90,986	94,695	98,169	107,898	107,498	101,391	101,343	97,566	99,224
Nonwhite	340,100	29,458	27,526	28,135	25,856	26,256	27,646	31,210	31,099	28,129	27,742	27,594	29,449
Male	171,956	14,954	13,869	14,362	13,172	13,284	14,171	15,744	15,472	14,337	14,071	13,805	14,715
Female	168,144	14,504	13,657	13,773	12,684	12,972	13,475	15,466	15,627	13,792	13,671	13,789	14,734
ALABAMA	74,415	6,445	6,144	6,082	5,520	5,251	5,922	6,724	6,974	6,300	6,186	6,351	6,316
Male	38,326	3,330	3,263	3,170	2,816	2,742	3,089	3,411	3,588	3,214	3,139	3,278	3,286
Female	36,089	3,115	2,881	2,912	2,704	2,509	2,833	3,313	3,386	3,086	3,047	3,073	3,230
White	47,504	4,027	3,867	3,808	3,457	3,323	3,704	4,350	4,571	4,163	3,998	4,119	4,117
Male	24,579	2,061	2,075	1,991	1,771	1,761	1,901	2,259	2,398	2,119	2,005	2,134	2,104
Female	22,925	1,966	1,792	1,817	1,686	1,562	1,803	2,091	2,173	2,044	1,993	1,985	2,013
Nonwhite	26,911	2,418	2,277	2,274	2,063	1,928	2,218	2,374	2,403	2,137	2,188	2,232	2,299
Male	13,747	1,269	1,188	1,179	1,045	981	1,188	1,152	1,190	1,095	1,134	1,144	1,182
Female	13,164	1,149	1,089	1,095	1,018	947	1,030	1,222	1,213	1,042	1,054	1,088	1,117
ARIZONA	14,225	1,231	1,178	1,253	1,097	1,077	1,062	1,196	1,256	1,179	1,244	1,213	1,239
Male	7,279	623	604	639	560	540	553	598	658	628	605	620	650
Female	6,946	608	574	614	537	537	509	598	598	551	638	593	589
White	12,408	1,088	1,029	1,097	955	924	924	1,019	1,106	1,042	1,083	1,069	1,072
Male	6,336	548	534	558	492	457	470	503	585	555	527	541	566
Female	6,072	540	495	539	463	467	454	516	521	487	556	528	506
Nonwhite	1,817	143	149	156	142	153	138	177	150	137	161	144	167
Male	943	75	70	81	68	83	83	95	73	73	79	79	84
Female	874	68	79	75	74	70	55	82	77	64	82	65	83
ARKANSAS	41,240	3,580	3,578	3,471	2,986	2,919	3,195	3,879	3,774	3,478	3,469	3,359	3,552
Male	21,176	1,822	1,834	1,755	1,541	1,516	1,595	2,004	1,984	1,768	1,766	1,744	1,852
Female	20,064	1,758	1,744	1,716	1,445	1,403	1,600	1,875	1,790	1,715	1,703	1,615	1,700
White	31,357	2,705	2,690	2,624	2,227	2,173	2,384	2,926	2,861	2,694	2,700	2,632	2,741
Male	16,126	1,375	1,379	1,331	1,156	1,122	1,192	1,510	1,508	1,374	1,381	1,371	1,427
Female	15,231	1,330	1,311	1,293	1,071	1,051	1,192	1,416	1,353	1,320	1,319	1,261	1,314
Nonwhite	9,883	875	888	847	759	746	811	953	913	784	769	727	811
Male	5,050	447	455	424	385	394	403	494	476	389	385	373	425
Female	4,833	428	433	423	374	352	408	459	437	395	384	354	386
CALIFORNIA	179,123	14,270	13,518	14,358	14,074	14,585	15,002	15,701	16,224	15,552	15,389	14,873	15,577
Male	92,108	7,317	7,020	7,214	7,263	7,430	7,844	8,001	8,373	8,068	7,848	7,731	7,999
Female	87,015	6,953	6,498	7,144	6,811	7,155	7,158	7,700	7,851	7,484	7,541	7,142	7,578
White	169,967	13,589	12,845	13,671	13,372	13,844	14,294	14,898	15,372	14,734	14,601	14,056	14,691
Male	87,475	6,975	6,693	6,866	6,881	7,052	7,472	7,601	7,960	7,640	7,469	7,326	7,540
Female	82,492	6,614	6,152	6,805	6,491	6,792	6,822	7,297	7,412	7,094	7,132	6,730	7,151
Nonwhite	9,156	681	673	687	702	741	708	803	852	818	788	817	886
Male	4,633	342	327	348	382	378	372	400	413	428	379	405	459
Female	4,523	339	346	339	320	363	336	403	439	390	409	412	427
COLORADO	23,931	2,110	1,862	2,053	1,890	2,053	2,077	2,110	2,044	2,065	1,921	1,863	1,883
Male	12,408	1,094	928	1,026	954	1,098	1,085	1,093	1,099	1,093	1,011	963	944
Female	11,523	1,016	934	1,027	936	955	992	1,017	945	972	910	880	939
White	23,282	2,051	1,820	1,992	1,826	1,995	2,016	2,057	1,983	2,019	1,871	1,814	1,838
Male	12,080	1,072	907	1,001	921	1,065	1,049	1,066	1,067	1,067	985	954	926
Female	11,202	979	913	991	905	930	967	991	916	952	886	860	912
Nonwhite	649	59	42	61	64	58	61	53	61	46	50	49	45
Male	328	22	21	25	33	33	36	27	32	26	26	29	18
Female	321	37	21	36	31	25	25	26	29	20	24	20	27
CONNECTICUT	34,278	2,928	2,702	2,748	2,723	2,983	3,055	3,124	2,953	2,805	2,798	2,684	2,775
Male	17,686	1,490	1,377	1,415	1,402	1,552	1,597	1,551	1,525	1,453	1,483	1,392	1,449
Female	16,592	1,438	1,325	1,333	1,321	1,431	1,458	1,573	1,428	1,352	1,315	1,292	1,326
White	33,382	2,848	2,618	2,683	2,660	2,923	2,988	3,027	2,879	2,736	2,719	2,619	2,682
Male	17,255	1,456	1,347	1,384	1,371	1,523	1,561	1,504	1,486	1,423	1,436	1,358	1,406
Female	16,127	1,392	1,271	1,299	1,289	1,400	1,427	1,523	1,393	1,313	1,283	1,261	1,276
Nonwhite	896	80	84	65	63	60	67	97	74	69	79	65	93
Male	431	34	30	31	31	29	36	47	39	30	47	34	43
Female	465	46	54	34	32	31	31	50	35	39	32	31	50
DELAWARE	5,993	455	494	497	440	476	535	559	507	533	457	516	524
Male	3,081	236	251	271	234	246	278	281	242	292	228	258	264
Female	2,912	219	243	226	206	230	257	278	265	241	229	258	260
White	5,102	392	412	405	377	407	467	469	434	470	392	432	445
Male	2,629	208	208	225	205	213	239	237	204	256	192	216	226
Female	2,473	184	204	180	172	194	228	232	230	214	200	216	219
Nonwhite	891	63	82	92	63	69	68	90	73	63	65	84	79
Male	452	28	43	46	29	33	39	44	38	36	36	42	38
Female	439	35	39	46	34	36	29	46	35	27	29	42	41
DISTRICT OF COLUMBIA	15,758	1,345	1,239	1,263	1,086	1,188	1,337	1,502	1,407	1,341	1,381	1,300	1,369
Male	8,057	682	645	637	546	603	647	793	747	690	685	683	699
Female	7,701	663	594	626	540	585	690	709	660	651	696	617	670
White	10,443	904	843	811	713	784	897	977	941	878	918	869	908
Male	5,419	473	448	407	371	403	428	517	509	459	474	453	477
Female	5,024	431	395	404	342	381	469	460	432	419	444	416	431
Nonwhite	5,315	441	396	452	373	404	440	525	466	463	463	431	461
Male	2,638	209	197	230	175	200	219	276	238	231	211	230	222
Female	2,677	232	199	222	198	204	221	249	228	232	252	201	239
FLORIDA	48,418	4,275	3,898	3,809	3,303	3,342	3,422	4,258	4,653	4,338	4,353	4,228	4,539
Male	24,862	2,148	2,027	2,021	1,697	1,703	1,778	2,221	2,361	2,255	2,176	2,164	2,311
Female	23,556	2,127	1,871	1,788	1,606	1,639	1,644	2,037	2,292	2,083	2,177	2,064	2,228
White	36,125	3,172	2,875	2,862	2,423	2,497	2,562	3,222	3,459	3,265	3,237	3,181	3,370
Male	18,652	1,620	1,479	1,506	1,248	1,253	1,341	1,696	1,781	1,720	1,625	1,667	1,716
Female	17,473	1,552	1,396	1,356	1,175	1,244	1,221	1,526	1,678	1,545	1,612	1,514	1,654
Nonwhite	12,293	1,103	1,023	947	880	845	860	1,036	1,194	1,073	1,116	1,047	1,169
Male	6,210	528	548	515	449	450	437	525	580	535	551	497	595
Female	6,083	575	475	432	431	395	423	511	614	538	565	550	574

TABLE 9.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
GEORGIA	76,540	6,557	6,148	6,022	5,881	5,714	5,889	6,988	7,180	6,724	6,585	6,410	6,442
Male	39,347	3,358	3,134	3,021	3,068	2,970	3,039	3,601	3,728	3,429	3,393	3,309	3,302
Female	37,193	3,204	3,014	3,001	2,813	2,744	2,850	3,387	3,452	3,295	3,192	3,101	3,140
White	49,345	4,162	3,923	3,829	3,709	3,613	3,871	4,563	4,673	4,405	4,309	4,165	4,123
Male	25,551	2,176	2,024	1,903	1,952	1,885	2,010	2,363	2,443	2,256	2,258	2,159	2,122
Female	23,794	1,986	1,899	1,926	1,757	1,728	1,861	2,200	2,230	2,149	2,051	2,006	2,001
Nonwhite	27,195	2,395	2,225	2,193	2,172	2,101	2,018	2,425	2,507	2,319	2,276	2,245	2,319
Male	13,796	1,177	1,110	1,118	1,116	1,085	1,029	1,238	1,285	1,178	1,135	1,150	1,180
Female	13,399	1,218	1,115	1,075	1,056	1,016	989	1,187	1,222	1,146	1,141	1,095	1,139
IDAHO	12,241	1,005	977	997	996	1,010	1,058	1,054	1,056	1,032	1,039	1,023	994
Male	6,242	505	496	510	496	491	531	543	537	552	530	529	522
Female	5,999	500	481	487	500	519	527	511	519	480	509	494	472
White	12,067	992	960	984	982	995	1,040	1,042	1,041	1,025	1,028	1,006	972
Male	6,151	498	486	504	489	486	519	538	530	547	523	528	508
Female	5,916	494	474	480	493	509	521	504	511	478	505	488	464
Nonwhite	174	13	17	13	14	15	18	12	15	7	11	17	22
Male	91	7	10	6	7	5	12	5	7	5	7	6	14
Female	83	6	7	7	7	10	6	7	8	2	4	11	8
ILLINOIS	142,005	12,228	11,619	11,560	10,523	11,279	11,868	13,018	12,637	12,016	11,936	11,583	11,738
Male	72,733	6,243	5,843	5,971	5,438	5,708	6,056	6,692	6,502	6,120	6,131	5,960	6,069
Female	69,272	5,985	5,776	5,589	5,085	5,571	5,812	6,326	6,135	5,896	5,805	5,623	5,669
White	132,589	11,442	10,894	10,809	9,781	10,586	11,052	12,153	11,818	11,194	11,154	10,778	10,928
Male	68,021	5,862	5,487	5,589	5,055	5,355	5,637	6,263	6,081	5,738	5,723	5,573	5,658
Female	64,518	5,580	5,407	5,220	4,726	5,181	5,415	5,890	5,737	5,456	5,431	5,205	5,270
Nonwhite	9,466	786	725	751	742	743	816	865	819	822	782	805	810
Male	4,712	381	356	382	368	353	419	429	421	382	408	387	411
Female	4,754	405	369	369	359	390	397	436	398	440	374	418	399
INDIANA	71,354	5,864	5,601	5,897	5,288	5,667	5,919	6,606	6,390	6,082	6,158	5,932	5,955
Male	36,917	3,088	2,886	3,045	2,744	2,937	3,106	3,408	3,371	3,108	3,186	3,074	3,014
Female	34,437	2,776	2,715	2,852	2,539	2,730	2,813	3,198	3,019	2,974	3,022	2,858	2,941
White	68,532	5,635	5,364	5,648	5,057	5,437	5,728	6,359	6,148	5,850	5,908	5,698	5,700
Male	35,506	2,968	2,759	2,913	2,635	2,829	3,013	3,275	3,258	2,991	3,009	2,951	2,905
Female	33,026	2,667	2,605	2,735	2,422	2,608	2,715	3,084	2,890	2,859	2,899	2,747	2,795
Nonwhite	2,822	229	237	249	226	230	191	247	242	232	250	234	255
Male	1,411	120	127	132	109	108	93	133	113	117	127	123	109
Female	1,411	109	110	117	117	122	98	114	129	115	123	111	146
IOWA	46,564	3,882	3,773	3,736	3,680	3,715	3,832	4,293	4,243	3,948	3,886	3,869	3,757
Male	23,927	2,011	1,939	1,898	1,841	1,938	2,009	2,220	2,162	2,009	1,981	2,020	1,949
Female	22,637	1,871	1,834	1,838	1,789	1,777	1,823	2,073	2,081	1,939	1,955	1,849	1,808
White	46,240	3,859	3,748	3,706	3,599	3,694	3,807	4,266	4,207	3,919	3,859	3,844	3,732
Male	23,774	1,998	1,926	1,886	1,823	1,932	1,995	2,208	2,152	1,995	1,915	2,007	1,937
Female	22,466	1,861	1,822	1,820	1,776	1,762	1,812	2,058	2,055	1,924	1,944	1,837	1,795
Nonwhite	324	23	25	30	31	21	25	27	36	29	27	25	25
Male	153	13	13	12	18	6	14	12	10	14	16	13	12
Female	171	10	12	18	13	15	11	15	26	15	11	12	13
KANSAS	34,976	3,071	2,871	2,977	2,524	2,461	2,753	3,202	3,279	2,895	3,037	2,870	3,036
Male	18,049	1,588	1,452	1,579	1,313	1,281	1,349	1,681	1,688	1,523	1,565	1,471	1,559
Female	16,927	1,483	1,419	1,398	1,211	1,180	1,404	1,521	1,591	1,372	1,472	1,399	1,477
White	33,716	2,961	2,768	2,867	2,443	2,350	2,643	3,088	3,167	2,793	2,927	2,785	2,924
Male	17,389	1,531	1,403	1,516	1,273	1,225	1,293	1,628	1,624	1,461	1,508	1,425	1,502
Female	16,327	1,430	1,365	1,351	1,170	1,125	1,350	1,460	1,543	1,332	1,419	1,360	1,422
Nonwhite	1,260	110	103	110	81	111	110	114	112	102	110	85	112
Male	660	57	49	63	40	56	56	53	64	62	57	46	57
Female	600	53	54	47	41	55	54	61	48	40	53	39	55
KENTUCKY	64,225	5,334	5,248	5,580	5,254	5,275	5,339	5,689	5,782	5,358	5,189	5,014	5,213
Male	33,430	2,804	2,737	2,927	2,701	2,806	2,808	2,924	2,964	2,780	2,684	2,591	2,704
Female	30,795	2,530	2,511	2,653	2,553	2,469	2,531	2,765	2,768	2,578	2,505	2,423	2,509
White	60,901	5,073	4,984	5,299	5,005	4,984	5,045	5,384	5,426	5,095	4,932	4,730	4,944
Male	31,781	2,681	2,596	2,803	2,575	2,650	2,657	2,781	2,814	2,651	2,556	2,450	2,567
Female	29,120	2,392	2,388	2,496	2,430	2,334	2,388	2,603	2,612	2,444	2,376	2,280	2,377
Nonwhite	3,324	261	264	281	249	291	294	305	306	263	257	284	269
Male	1,649	123	141	124	126	156	151	143	150	129	128	141	137
Female	1,675	138	123	157	123	135	143	162	156	134	129	143	132
LOUISIANA	61,050	5,464	4,906	4,646	4,080	3,913	4,517	5,922	6,184	5,544	5,350	5,071	5,453
Male	31,082	2,783	2,495	2,380	2,078	2,003	2,359	2,972	3,078	2,844	2,801	2,563	2,726
Female	29,968	2,681	2,411	2,266	2,002	1,910	2,158	2,950	3,106	2,700	2,549	2,508	2,727
White	37,463	3,385	2,997	2,747	2,455	2,311	2,689	3,676	3,855	3,447	3,400	3,123	3,378
Male	19,162	1,723	1,530	1,408	1,241	1,206	1,413	1,822	1,927	1,753	1,818	1,608	1,713
Female	18,301	1,662	1,467	1,339	1,214	1,105	1,276	1,854	1,928	1,694	1,582	1,515	1,665
Nonwhite	23,587	2,079	1,909	1,899	1,625	1,602	1,828	2,246	2,329	2,097	1,950	1,948	2,075
Male	11,920	1,060	965	972	837	797	946	1,150	1,151	1,091	983	955	1,013
Female	11,667	1,019	944	927	788	805	882	1,096	1,178	1,006	967	993	1,062
MAINE	17,762	1,447	1,425	1,535	1,464	1,542	1,522	1,562	1,664	1,418	1,394	1,358	1,431
Male	9,070	726	726	782	745	767	793	806	848	759	714	667	737
Female	8,692	721	699	753	719	775	729	756	816	659	680	691	694
White	17,689	1,445	1,418	1,528	1,461	1,540	1,512	1,555	1,659	1,413	1,388	1,351	1,419
Male	9,034	725	723	778	743	767	788	802	847	755	711	662	732
Female	8,655	720	695	750	718	773	724	753	812	657	677	689	687
Nonwhite	73	2	7	7	3	2	10	7	5	5	6	7	12
Male	36	1	3	4	2	-	5	4	1	3	3	5	5
Female	37	1	4	3	1	2	5	3	4	2	3	2	7
MARYLAND	43,915	3,750	3,500	3,459	3,233	3,515	3,869	4,085	3,869	3,649	3,689	3,567	3,730
Male	22,258	1,942	1,745	1,730	1,662	1,773	1,953	2,084	1,948	1,801	1,940	1,831	1,849
Female	21,657	1,808	1,755	1,729	1,571	1,742	1,916	2,001	1,921	1,848	1,749	1,736	1,881
White	35,670	3,058	2,840	2,795	2,621	2,814	3,124	3,328	3,148	2,963	3,041	2,917	3,021
Male	18,095	1,584	1,410	1,422	1,327	1,417	1,581	1,687	1,594	1,460	1,596	1,503	1,514
Female	17,575	1,474	1,430	1,373	1,294	1,397	1,543	1,641	1,554	1,503	1,445	1,414	1,507
Nonwhite	8,245	692	660	664	612	701	745	757	721	686	648	650	709
Male	4,163	358	335	308	335	356	372	397	354	341	344	328	335
Female	4,082	334	325	356	277	345	373	360	367	345	304	322	374

TABLE 9.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
MASSACHUSETTS	78,209	6,575	6,323	6,735	6,325	6,822	6,666	6,661	6,666	6,336	6,594	6,204	6,302
Male	40,238	3,348	3,248	3,518	3,240	3,530	3,369	3,483	3,523	3,255	3,272	3,160	3,292
Female	37,971	3,227	3,075	3,217	3,085	3,292	3,297	3,178	3,143	3,081	3,322	3,044	3,010
White	76,979	6,490	6,230	6,625	6,242	6,717	6,542	6,546	6,566	6,232	6,486	6,110	6,193
Male	39,599	3,314	3,204	3,452	3,190	3,471	3,305	3,427	3,472	3,190	3,280	3,109	3,235
Female	37,380	3,176	3,026	3,173	3,052	3,246	3,237	3,119	3,094	3,042	3,206	3,001	2,958
Nonwhite	1,230	85	93	110	83	105	124	115	100	104	108	94	109
Male	639	34	44	66	50	59	64	56	51	65	42	51	57
Female	591	51	49	44	33	46	60	59	49	39	66	43	52
MICHIGAN	114,700	9,507	9,224	9,583	8,959	9,597	9,658	10,335	9,961	9,679	9,402	9,242	9,553
Male	59,028	4,971	4,686	4,888	4,626	4,926	5,031	5,304	5,076	4,974	4,852	4,724	4,970
Female	55,672	4,536	4,538	4,695	4,333	4,671	4,627	5,031	4,885	4,705	4,550	4,518	4,583
White	108,499	8,953	8,762	9,078	8,478	9,133	9,176	9,750	9,425	9,182	8,849	8,715	8,998
Male	55,918	4,682	4,449	4,626	4,391	4,695	4,763	5,014	4,820	4,742	4,577	4,468	4,691
Female	52,581	4,271	4,313	4,452	4,087	4,438	4,413	4,736	4,605	4,440	4,272	4,247	4,307
Nonwhite	6,201	554	462	505	481	464	482	585	536	497	553	527	555
Male	3,110	289	237	262	235	231	268	290	256	232	275	256	279
Female	3,091	265	225	243	246	233	214	295	280	265	278	271	276
MINNESOTA	56,113	4,569	4,383	4,716	4,420	4,615	4,834	4,997	5,114	4,626	4,732	4,488	4,619
Male	28,963	2,382	2,267	2,402	2,230	2,436	2,528	2,632	2,617	2,346	2,447	2,313	2,363
Female	27,150	2,187	2,116	2,314	2,190	2,179	2,306	2,365	2,497	2,280	2,285	2,175	2,256
White	55,571	4,526	4,349	4,678	4,380	4,569	4,796	4,954	5,057	4,579	4,679	4,437	4,567
Male	28,692	2,360	2,251	2,382	2,213	2,411	2,513	2,612	2,588	2,318	2,415	2,289	2,340
Female	26,879	2,166	2,098	2,296	2,167	2,158	2,283	2,342	2,469	2,261	2,264	2,148	2,227
Nonwhite	542	43	34	38	40	46	38	43	57	47	53	51	52
Male	271	22	16	20	17	25	15	20	29	28	32	24	23
Female	271	21	18	18	23	21	23	23	28	19	21	27	29
MISSISSIPPI	56,940	5,204	4,682	4,766	4,283	4,202	4,579	5,328	5,283	4,822	4,536	4,509	4,796
Male	28,956	2,625	2,386	2,414	2,147	2,149	2,382	2,739	2,627	2,532	2,309	2,221	2,425
Female	27,984	2,579	2,296	2,352	2,086	2,053	2,197	2,589	2,656	2,290	2,227	2,288	2,371
White	25,976	2,380	2,094	2,085	1,825	1,836	2,049	2,432	2,425	2,341	2,208	2,112	2,189
Male	13,264	1,200	1,070	1,057	904	962	1,084	1,237	1,220	1,240	1,122	1,053	1,115
Female	12,712	1,180	1,024	1,028	921	874	965	1,195	1,205	1,101	1,086	1,059	1,074
Nonwhite	30,964	2,824	2,588	2,681	2,458	2,366	2,530	2,896	2,858	2,481	2,328	2,397	2,607
Male	15,692	1,425	1,316	1,357	1,243	1,187	1,298	1,502	1,407	1,292	1,187	1,168	1,310
Female	15,272	1,399	1,272	1,324	1,165	1,179	1,232	1,394	1,451	1,189	1,141	1,229	1,297
MISSOURI	67,990	6,061	5,621	5,861	4,836	4,866	5,467	6,430	6,369	5,852	5,752	5,725	5,650
Male	34,900	3,087	2,862	2,747	2,516	2,496	2,799	3,311	3,261	3,033	2,964	2,962	2,862
Female	33,090	2,974	2,759	2,614	2,320	2,370	2,668	3,119	3,108	2,819	2,788	2,763	2,788
White	62,995	5,626	5,218	4,988	4,484	4,501	5,038	5,985	5,912	5,416	5,355	5,291	5,181
Male	32,368	2,875	2,655	2,556	2,343	2,319	2,565	3,060	3,036	2,811	2,771	2,745	2,612
Female	30,627	2,751	2,563	2,432	2,141	2,182	2,473	2,905	2,876	2,605	2,584	2,546	2,569
Nonwhite	4,995	435	403	373	352	365	429	445	457	436	397	434	469
Male	2,532	212	207	191	173	177	234	231	225	222	193	217	250
Female	2,463	223	196	182	179	188	195	214	232	214	204	217	219
MONTANA	10,943	886	842	932	939	927	927	994	949	937	862	895	858
Male	5,655	459	445	468	489	451	477	523	503	468	451	468	453
Female	5,288	427	397	464	450	476	450	471	446	469	411	427	400
White	10,325	836	789	875	884	874	893	946	889	876	814	845	805
Male	5,313	430	417	443	465	426	456	497	467	433	420	435	424
Female	5,013	406	372	432	419	448	437	449	422	443	394	410	381
Nonwhite	617	50	53	57	55	53	34	48	60	61	48	50	48
Male	342	29	28	25	24	25	21	26	36	35	31	33	29
Female	275	21	25	32	31	28	13	22	24	26	17	17	19
NEBRASKA	24,575	2,035	2,043	2,068	1,840	1,988	1,935	2,227	2,263	1,995	2,058	2,058	2,070
Male	12,713	1,079	1,041	1,072	919	1,046	984	1,193	1,147	1,061	1,036	1,035	1,100
Female	11,862	956	1,002	996	921	942	951	1,034	1,116	934	1,017	1,023	970
White	24,138	1,998	2,013	2,021	1,810	1,957	1,900	2,190	2,223	1,953	2,008	2,025	2,040
Male	12,475	1,061	1,026	1,048	905	1,027	965	1,173	1,123	1,035	1,015	1,014	1,088
Female	11,663	937	987	973	905	930	935	1,017	1,100	918	993	1,011	957
Nonwhite	437	37	30	47	30	31	35	37	40	42	45	33	30
Male	238	18	15	24	14	19	19	20	24	26	21	21	17
Female	199	19	15	23	16	12	16	17	16	16	24	12	13
NEVADA	3,028	277	234	231	254	254	275	273	260	256	249	216	249
Male	1,544	151	121	119	126	126	124	136	141	133	124	114	129
Female	1,484	126	113	112	128	128	151	137	119	123	125	102	120
White	2,823	263	219	214	234	241	259	257	238	235	232	200	231
Male	1,438	144	111	110	117	121	117	127	127	125	116	102	121
Female	1,385	119	108	104	117	120	142	130	111	110	116	98	110
Nonwhite	205	14	15	17	20	13	16	16	22	21	17	16	18
Male	106	7	10	9	9	5	7	9	14	8	8	12	8
Female	99	7	5	8	11	8	9	7	8	13	9	4	10
NEW HAMPSHIRE	8,548	724	665	682	678	750	706	750	723	724	716	739	691
Male	4,450	385	363	325	351	383	385	377	377	366	388	399	351
Female	4,098	339	302	357	327	367	321	373	346	358	328	340	340
White	8,534	723	663	681	677	748	705	750	723	723	713	739	689
Male	4,443	384	362	324	351	382	385	377	377	366	385	399	351
Female	4,091	339	301	357	326	366	320	373	346	357	328	340	338
Nonwhite	14	1	2	1	1	2	1	-	-	1	3	-	2
Male	7	1	1	1	-	1	-	-	-	-	3	-	-
Female	7	-	1	-	1	1	1	-	-	1	-	-	2
NEW JERSEY	75,265	6,332	5,979	6,129	5,761	6,249	6,578	6,916	6,783	6,511	6,397	6,383	6,247
Male	39,181	3,225	3,089	3,147	2,963	3,272	3,365	3,552	3,554	3,381	3,292	3,332	3,209
Female	37,084	3,107	2,940	2,982	2,798	2,977	3,213	3,364	3,229	3,130	3,105	3,151	3,038
White	70,706	5,882	5,530	5,662	5,341	5,790	6,090	6,400	6,286	6,059	5,953	5,945	5,768
Male	36,854	2,984	2,793	2,896	2,751	3,029	3,118	3,284	3,298	3,108	3,086	3,022	2,985
Female	34,352	2,898	2,737	2,766	2,590	2,761	2,972	3,116	2,988	2,951	2,867	2,923	2,783
Nonwhite	5,559	450	449	467	420	459	488	516	497	452	444	438	479
Male	2,827	241	246	251	212	243	247	268	256	223	206	210	224
Female	2,732	209	208	216	208	216	241	248	241	229	238	228	255

TABLE 9.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
NEW MEXICO	15,585	1,306	1,211	1,332	1,242	1,339	1,281	1,311	1,421	1,342	1,310	1,235	1,255
Male	8,017	670	633	682	628	696	680	674	729	691	677	635	622
Female	7,568	636	578	650	614	643	601	637	692	651	633	600	633
White	14,419	1,206	1,126	1,219	1,157	1,221	1,194	1,215	1,312	1,247	1,224	1,131	1,167
Male	7,407	618	589	625	581	640	637	621	667	640	630	586	575
Female	7,012	590	537	594	576	581	557	594	645	607	594	545	592
Nonwhite	1,166	100	85	113	85	118	87	96	109	95	86	104	88
Male	610	54	44	57	47	56	43	53	62	51	47	49	47
Female	556	46	41	56	38	62	44	43	47	44	39	55	41
NEW YORK	229,584	18,427	17,849	18,674	18,223	19,804	19,786	20,809	19,889	19,185	19,294	18,675	18,919
Male	117,718	9,544	9,052	9,626	9,180	10,166	10,212	10,658	10,165	9,914	9,863	9,692	9,646
Female	111,816	8,883	8,797	9,048	9,043	9,638	9,574	10,151	9,724	9,271	9,431	8,983	9,273
White	217,104	17,404	16,900	17,699	17,296	18,764	18,728	19,613	18,831	18,105	18,231	17,712	17,821
Male	111,428	9,004	8,575	9,137	8,692	9,640	9,677	10,082	9,644	9,364	9,336	9,188	9,089
Female	105,676	8,400	8,325	8,562	8,604	9,124	9,051	9,531	9,187	8,741	8,895	8,524	8,732
Nonwhite	12,480	1,023	949	975	927	1,040	1,058	1,196	1,058	1,080	1,063	963	1,098
Male	6,290	540	477	489	488	526	535	576	521	550	527	504	557
Female	6,140	483	472	486	439	514	523	620	537	530	536	459	541
NORTH CAROLINA	90,629	7,812	7,412	7,946	6,938	7,349	7,209	8,141	8,177	7,562	7,689	7,443	7,551
Male	46,801	4,068	3,801	3,817	3,569	3,799	3,755	4,161	4,268	3,892	3,910	3,869	3,892
Female	43,828	3,744	3,611	3,529	3,369	3,550	3,454	3,980	3,909	3,670	3,779	3,574	3,659
White	52,462	5,393	5,177	5,000	4,682	4,994	4,833	5,653	5,632	5,302	5,439	5,192	5,165
Male	32,556	2,819	2,681	2,614	2,429	2,634	2,562	2,916	2,996	2,743	2,783	2,709	2,670
Female	29,906	2,574	2,496	2,386	2,253	2,360	2,271	2,737	2,636	2,559	2,656	2,483	2,495
Nonwhite	28,167	2,419	2,235	2,346	2,256	2,355	2,376	2,488	2,545	2,260	2,250	2,251	2,386
Male	14,245	1,249	1,120	1,203	1,140	1,165	1,193	1,245	1,272	1,149	1,127	1,160	1,222
Female	13,922	1,170	1,115	1,143	1,116	1,190	1,183	1,243	1,273	1,111	1,123	1,091	1,164
NORTH DAKOTA	13,530	1,101	1,045	1,088	1,172	1,184	1,164	1,284	1,220	1,100	1,080	1,100	1,097
Male	6,844	577	525	538	614	564	594	648	618	537	544	552	583
Female	6,686	524	520	545	558	570	570	586	602	563	536	548	564
White	13,213	1,080	1,016	1,059	1,151	1,111	1,121	1,206	1,184	1,072	1,060	1,082	1,071
Male	6,678	567	509	521	602	552	577	630	598	524	534	539	520
Female	6,540	513	507	538	549	559	544	576	586	548	526	543	551
Nonwhite	317	21	29	24	21	28	43	28	36	28	20	18	26
Male	171	10	16	17	12	12	17	18	20	13	10	13	13
Female	146	11	13	7	9	11	26	10	16	15	10	5	13
OHIO	133,598	11,187	10,495	10,817	10,288	10,962	11,249	12,270	12,086	11,480	11,188	10,808	10,878
Male	68,503	5,790	5,302	5,589	5,294	5,658	5,717	6,292	6,156	5,981	5,741	5,544	5,504
Female	65,095	5,397	5,193	5,228	4,944	5,309	5,532	5,978	5,880	5,499	5,447	5,259	5,369
White	125,904	10,550	9,852	10,192	9,672	10,356	10,588	11,549	11,336	10,849	10,586	10,160	10,214
Male	64,566	5,458	4,955	5,204	5,008	5,867	5,376	5,936	5,796	5,648	5,480	5,211	5,182
Female	61,338	5,092	4,897	4,988	4,664	4,989	5,212	5,613	5,540	5,201	5,156	4,949	5,032
Nonwhite	7,694	637	643	625	566	606	661	721	700	631	602	648	659
Male	3,937	332	347	325	286	286	341	356	360	333	311	333	322
Female	3,757	300	296	300	280	320	320	365	340	298	291	310	337
OKLAHOMA	46,725	4,191	3,947	3,697	3,291	3,074	3,591	4,440	4,467	4,101	3,952	3,979	3,995
Male	23,880	2,159	1,983	1,860	1,653	1,607	1,815	2,256	2,260	2,132	2,040	2,009	2,096
Female	22,845	2,032	1,964	1,837	1,638	1,467	1,776	2,174	2,207	1,969	1,912	1,970	1,899
White	41,615	3,738	3,464	3,268	2,906	2,727	3,195	3,967	3,963	3,694	3,536	3,598	3,559
Male	21,333	1,914	1,758	1,686	1,474	1,423	1,682	2,031	2,023	1,915	1,834	1,811	1,872
Female	20,282	1,824	1,706	1,582	1,432	1,304	1,513	1,916	1,940	1,779	1,702	1,787	1,687
Nonwhite	5,110	453	483	429	385	347	396	473	504	407	416	381	436
Male	2,547	245	225	224	179	184	193	215	237	217	206	198	224
Female	2,563	208	258	205	206	163	208	258	267	190	210	183	212
OREGON	24,150	2,023	1,925	2,131	2,002	2,118	2,008	1,999	2,088	1,947	1,972	1,945	1,992
Male	12,461	1,069	971	1,085	1,007	1,067	1,079	1,034	1,087	988	1,057	1,013	1,039
Female	11,689	954	954	1,046	995	1,051	929	965	1,001	994	915	932	953
White	23,705	1,984	1,894	2,097	1,967	2,075	1,972	1,969	2,044	1,914	1,935	1,908	1,951
Male	12,235	1,052	957	1,065	988	1,046	1,057	1,020	1,062	936	1,040	997	1,015
Female	11,470	932	937	1,032	979	1,029	915	949	982	978	895	906	936
Nonwhite	445	39	31	34	35	43	36	30	44	33	37	42	41
Male	226	17	14	20	19	21	22	14	25	17	17	16	24
Female	219	22	17	14	16	22	14	16	19	16	20	26	17
PENNSYLVANIA	178,370	15,215	13,947	14,355	13,654	14,747	15,225	16,293	15,735	15,049	14,999	14,561	14,590
Male	91,841	7,801	7,170	7,332	7,076	7,576	7,835	8,354	8,035	7,797	7,741	7,536	7,588
Female	86,529	7,414	6,777	7,023	6,578	7,171	7,390	7,939	7,700	7,252	7,258	7,025	7,002
White	166,711	14,222	13,098	13,417	12,790	13,815	14,207	15,243	14,638	14,147	13,986	13,571	13,582
Male	86,031	7,321	6,735	6,858	6,636	7,118	7,325	7,820	7,509	7,336	7,204	7,069	7,100
Female	80,680	6,901	6,358	6,559	6,154	6,697	6,882	7,423	7,129	6,811	6,782	6,502	6,482
Nonwhite	11,659	993	854	938	864	932	1,018	1,050	1,097	902	1,013	990	1,008
Male	5,810	480	435	474	440	458	510	534	526	461	537	467	488
Female	5,849	513	419	464	424	474	508	516	571	441	476	523	520
RHODE ISLAND	13,754	1,167	1,062	1,165	1,128	1,171	1,146	1,288	1,152	1,076	1,137	1,136	1,126
Male	7,051	551	556	565	588	637	604	656	591	553	603	580	567
Female	6,703	616	506	600	540	534	542	632	561	523	534	556	559
White	13,446	1,144	1,046	1,138	1,092	1,139	1,119	1,260	1,125	1,050	1,121	1,108	1,104
Male	6,895	543	549	557	564	620	591	641	577	541	591	564	557
Female	6,551	601	497	581	528	519	528	619	548	509	530	544	547
Nonwhite	308	23	16	27	36	32	27	28	27	26	16	28	22
Male	156	8	7	8	24	17	13	15	14	12	12	16	10
Female	152	15	9	19	12	15	14	13	13	14	4	12	12
SOUTH CAROLINA	51,467	4,458	4,146	4,130	3,904	3,858	4,249	4,748	4,905	4,395	4,326	3,987	4,371
Male	26,366	2,270	2,056	2,135	1,988	2,015	2,168	2,493	2,482	2,318	2,242	2,004	2,200
Female	25,101	2,188	2,090	1,995	1,921	1,843	2,081	2,250	2,423	2,077	2,084	1,983	2,171
White	27,874	2,374	2,218	2,123	2,001	2,011	2,318	2,609	2,771	2,477	2,457	2,184	2,336
Male	14,476	1,228	1,116	1,103	1,053	1,075	1,198	1,381	1,436	1,325	1,279	1,101	1,181
Female	13,398	1,146	1,097	1,020	948	936	1,120	1,228	1,335	1,152	1,178	1,083	1,155
Nonwhite	23,593	2,079	1,928	2,007	1,903	1,847	1,931	2,134	2,134	1,918	1,869	1,803	2,035
Male	11,890	1,042	940	1,032	930	940	970	1,112	1,046	993	963	903	1,019
Female	11,703	1,037	993	975	973	907	961	1,022	1,088	925	906	900	1,016

TABLE 9.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
SOUTH DAKOTA	12,769	1,058	1,036	1,167	989	1,003	1,097	1,157	1,138	1,076	992	1,006	1,050
Male	6,553	533	534	624	520	508	540	615	571	535	517	495	561
Female	6,216	525	502	543	469	495	557	542	567	541	475	511	489
White	12,013	995	973	1,095	913	938	1,047	1,083	1,075	1,017	937	951	989
Male	6,173	505	504	565	485	476	521	572	539	508	488	472	523
Female	5,840	490	469	510	428	462	526	511	536	514	449	479	466
Nonwhite	756	63	63	72	76	65	50	74	63	59	55	55	61
Male	380	28	30	39	35	32	19	43	32	32	29	23	38
Female	376	35	33	33	41	33	31	31	31	27	26	32	23
TENNESSEE	68,272	5,706	5,469	5,538	5,230	5,458	5,620	6,313	6,259	5,788	5,643	5,581	5,667
Male	35,215	2,964	2,735	2,913	2,705	2,804	2,894	3,266	3,222	2,936	2,895	2,902	2,979
Female	33,057	2,742	2,734	2,625	2,525	2,654	2,726	3,047	3,037	2,852	2,748	2,679	2,688
White	57,311	4,735	4,542	4,580	4,429	4,592	4,674	5,256	5,300	4,895	4,795	4,745	4,768
Male	29,648	2,455	2,280	2,418	2,289	2,381	2,391	2,756	2,740	2,520	2,458	2,486	2,524
Female	27,663	2,280	2,262	2,162	2,140	2,261	2,283	2,500	2,560	2,375	2,337	2,259	2,244
Nonwhite	10,961	971	927	958	801	866	946	1,057	959	893	848	836	899
Male	5,567	509	455	495	416	473	503	510	482	416	437	416	455
Female	5,394	462	472	463	385	393	443	547	477	477	411	420	444
TEXAS	165,900	14,491	13,137	12,945	11,183	11,155	12,338	15,669	16,097	14,899	15,005	14,272	14,709
Male	84,870	7,480	6,633	6,651	5,730	5,760	6,299	8,073	8,163	7,661	7,671	7,328	7,421
Female	81,030	7,011	6,504	6,294	5,453	5,395	6,039	7,596	7,934	7,238	7,334	6,944	7,288
White	145,500	12,697	11,520	11,309	9,750	9,748	10,797	13,683	14,123	13,199	13,289	12,494	12,941
Male	74,684	6,554	5,837	5,845	5,013	5,050	5,526	7,073	7,187	6,767	6,799	6,477	6,556
Female	70,816	6,143	5,683	5,464	4,737	4,698	5,271	6,560	6,936	6,432	6,490	6,017	6,385
Nonwhite	20,400	1,794	1,617	1,636	1,433	1,407	1,541	2,036	1,974	1,700	1,716	1,778	1,768
Male	10,186	926	796	806	717	710	773	1,000	976	894	872	851	865
Female	10,214	868	821	830	716	697	768	1,036	998	806	844	927	903
UTAH	16,180	1,316	1,302	1,307	1,348	1,333	1,337	1,417	1,378	1,338	1,424	1,329	1,351
Male	8,281	659	640	689	700	664	723	736	677	709	731	656	697
Female	7,899	657	662	618	648	669	614	681	701	629	693	673	654
White	15,906	1,281	1,279	1,287	1,327	1,316	1,317	1,394	1,353	1,315	1,402	1,311	1,324
Male	8,143	642	628	681	689	657	712	724	666	693	720	649	682
Female	7,763	639	651	606	638	659	605	670	687	622	682	662	642
Nonwhite	274	35	23	20	21	17	20	23	25	23	22	18	27
Male	138	17	12	8	11	7	11	12	11	16	11	7	15
Female	136	18	11	12	10	10	9	11	14	7	11	11	12
VERMONT	6,824	499	533	571	572	644	571	590	591	601	563	552	537
Male	3,419	244	273	302	275	300	275	311	293	299	288	291	268
Female	3,405	255	260	269	297	344	296	279	298	302	275	261	269
White	6,821	499	533	571	572	644	571	590	591	598	563	552	537
Male	3,417	244	273	302	275	300	275	311	293	297	288	291	268
Female	3,404	255	260	269	297	344	296	279	298	301	275	261	269
Nonwhite	3	-	-	-	-	-	-	-	-	3	-	-	-
Male	2	-	-	-	-	-	-	-	-	2	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
VIRGINIA	69,175	5,802	5,607	5,637	5,329	5,588	5,686	6,316	6,137	5,914	5,887	5,626	5,646
Male	35,252	2,930	2,851	2,934	2,709	2,866	2,892	3,217	3,107	3,026	3,008	2,858	2,869
Female	33,913	2,872	2,756	2,703	2,620	2,722	2,794	3,099	3,030	2,888	2,879	2,773	2,777
White	52,001	4,306	4,231	4,174	4,005	4,150	4,216	4,756	4,617	4,482	4,549	4,288	4,227
Male	26,565	2,155	2,181	2,169	2,020	2,152	2,136	2,432	2,343	2,316	2,309	2,177	2,175
Female	25,436	2,151	2,050	2,005	1,985	1,998	2,080	2,324	2,274	2,166	2,240	2,111	2,052
Nonwhite	17,174	1,496	1,376	1,463	1,324	1,438	1,470	1,560	1,520	1,432	1,338	1,338	1,419
Male	8,697	775	670	765	689	714	756	785	764	710	699	676	694
Female	8,477	721	706	698	635	724	714	775	756	722	639	662	725
WASHINGTON	44,528	3,592	3,601	3,802	3,592	3,654	3,858	3,787	3,863	3,560	3,829	3,594	3,596
Male	22,811	1,853	1,891	1,930	1,816	1,935	1,971	1,979	2,015	1,836	1,931	1,813	1,841
Female	21,717	1,739	1,710	1,872	1,776	1,919	1,887	1,808	1,848	1,724	1,898	1,781	1,755
White	43,363	3,504	3,502	3,708	3,502	3,765	3,782	3,689	3,753	3,467	3,728	3,475	3,488
Male	22,224	1,805	1,847	1,869	1,765	1,887	1,931	1,931	1,956	1,781	1,877	1,763	1,792
Female	21,139	1,699	1,655	1,819	1,737	1,878	1,851	1,758	1,797	1,686	1,851	1,712	1,696
Nonwhite	1,165	88	99	94	90	89	76	98	110	93	101	119	108
Male	587	48	44	41	51	48	40	48	59	55	54	50	49
Female	578	40	55	53	39	41	36	50	51	38	47	69	59
WEST VIRGINIA	41,304	3,472	3,356	3,553	3,328	3,524	3,434	3,660	3,797	3,352	3,276	3,255	3,297
Male	21,198	1,752	1,732	1,802	1,759	1,818	1,783	1,843	1,920	1,702	1,698	1,688	1,701
Female	20,106	1,720	1,624	1,751	1,569	1,706	1,651	1,817	1,877	1,650	1,578	1,567	1,596
White	39,008	3,297	3,180	3,336	3,136	3,310	3,228	3,467	3,611	3,180	3,078	3,064	3,121
Male	20,065	1,668	1,641	1,690	1,658	1,715	1,694	1,743	1,832	1,618	1,597	1,594	1,615
Female	18,943	1,629	1,539	1,646	1,478	1,595	1,534	1,724	1,779	1,562	1,481	1,470	1,506
Nonwhite	2,296	175	176	217	192	214	206	193	186	172	198	191	176
Male	1,133	84	91	112	101	103	89	100	88	84	101	94	86
Female	1,163	91	85	105	91	111	117	93	98	88	97	97	90
WISCONSIN	61,547	4,866	4,887	5,057	4,900	5,103	5,244	5,611	5,465	5,123	5,260	5,042	4,989
Male	31,650	2,508	2,493	2,634	2,513	2,676	2,704	2,880	2,735	2,591	2,757	2,582	2,577
Female	29,897	2,358	2,394	2,423	2,387	2,427	2,540	2,731	2,730	2,532	2,503	2,460	2,412
White	60,743	4,804	4,836	4,999	4,830	5,043	5,170	5,533	5,387	5,067	5,186	4,976	4,912
Male	31,221	2,474	2,464	2,605	2,478	2,641	2,658	2,836	2,700	2,564	2,714	2,548	2,589
Female	29,522	2,330	2,372	2,394	2,352	2,402	2,512	2,697	2,687	2,503	2,472	2,428	2,323
Nonwhite	804	62	51	58	70	60	74	78	78	56	74	66	77
Male	429	34	29	29	35	35	46	44	35	27	43	34	38
Female	375	28	22	29	35	25	28	34	43	29	31	32	39
WYOMING	5,635	500	429	479	420	497	415	490	461	512	488	453	491
Male	2,894	259	236	237	220	253	209	267	225	269	238	224	257
Female	2,741	241	193	242	200	244	206	223	236	243	250	229	234
White	5,302	459	408	454	403	465	388	457	436	488	462	419	463
Male	2,726	237	227	225	215	231	195	249	216	255	224	208	244
Female	2,576	222	181	229	188	234	193	208	220	233	238	211	219
Nonwhite	333	41	21	25	17	32	27	33	25	24	26	34	28
Male	168	22	9	12	5	22	14	18	9	14	14	16	13
Female	165	19	12	13	12	10	13	15	16	10	12	18	15

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, BY RACE: UNITED STATES AND EACH STATE, 1944

(By place of residence)

AREA	Total cases	White	Negro	Other
TWINS				
UNITED STATES	29,625	25,235	4,252	138
Both living	26,947	23,177	3,646	124
One living	1,644	1,273	362	9
Both stillborn	1,034	785	244	5
Alabama	885	525	360	-
Both living	789	485	304	-
One living	62	23	39	-
Both stillborn	34	17	17	-
Arizona	163	145	4	14
Both living	144	129	4	11
One living	10	10	-	-
Both stillborn	9	6	-	3
Arkansas	525	364	161	-
Both living	487	343	144	-
One living	28	16	12	-
Both stillborn	10	5	5	-
California	1,975	1,871	79	25
Both living	1,880	1,736	71	23
One living	98	91	5	2
Both stillborn	47	44	3	-
Colorado	257	252	3	2
Both living	230	226	2	2
One living	14	14	-	-
Both stillborn	13	12	1	-
Connecticut	308	295	13	-
Both living	287	275	12	-
One living	13	12	1	-
Both stillborn	8	8	-	-
Delaware	58	48	10	-
Both living	54	45	9	-
One living	2	2	-	-
Both stillborn	2	1	1	-
District of Columbia	171	104	67	-
Both living	156	93	63	-
One living	9	8	1	-
Both stillborn	6	3	3	-
Florida	510	335	175	-
Both living	446	302	144	-
One living	46	25	21	-
Both stillborn	18	8	10	-
Georgia	821	465	356	-
Both living	704	414	290	-
One living	78	36	42	-
Both stillborn	39	15	24	-
Idaho	120	120	-	-
Both living	105	105	-	-
One living	6	6	-	-
Both stillborn	9	9	-	-
Illinois	1,511	1,396	114	1
Both living	1,394	1,291	102	1
One living	73	68	5	-
Both stillborn	44	37	7	-
Indiana	685	644	41	-
Both living	625	593	32	-
One living	39	33	6	-
Both stillborn	21	18	3	-
Iowa	516	513	2	1
Both living	484	481	2	1
One living	25	25	-	-
Both stillborn	7	7	-	-
Kansas	368	352	14	2
Both living	345	329	14	2
One living	15	15	-	-
Both stillborn	8	8	-	-
Kentucky	750	695	55	-
Both living	675	627	48	-
One living	42	38	4	-
Both stillborn	33	30	3	-
Louisiana	656	352	303	1
Both living	607	325	281	1
One living	20	9	11	-
Both stillborn	29	18	11	-
Maine	181	180	1	-
Both living	170	169	1	-
One living	8	8	-	-
Both stillborn	3	3	-	-
Maryland	412	315	97	-
Both living	357	283	74	-
One living	26	15	11	-
Both stillborn	29	17	12	-
TWINS—Continued				
Massachusetts	805	781	23	1
Both living	749	728	20	1
One living	33	31	2	-
Both stillborn	23	22	1	-
Michigan	1,159	1,089	66	4
Both living	1,055	995	57	3
One living	70	62	7	1
Both stillborn	34	32	2	-
Minnesota	626	625	-	1
Both living	578	578	-	-
One living	32	31	-	1
Both stillborn	16	16	-	-
Mississippi	608	231	370	2
Both living	525	216	307	2
One living	39	9	30	-
Both stillborn	39	6	33	-
Missouri	739	675	63	1
Both living	669	620	48	1
One living	46	34	12	-
Both stillborn	24	21	3	-
Montana	100	94	-	6
Both living	94	88	-	6
One living	5	5	-	-
Both stillborn	1	1	-	-
Nebraska	268	265	3	-
Both living	245	243	2	-
One living	16	15	1	-
Both stillborn	7	7	-	-
Nevada	38	34	2	2
Both living	35	31	2	2
One living	2	2	-	-
Both stillborn	1	1	-	-
New Hampshire	80	80	-	-
Both living	68	68	-	-
One living	7	7	-	-
Both stillborn	5	5	-	-
New Jersey	762	690	72	-
Both living	697	631	66	-
One living	45	43	2	-
Both stillborn	20	16	4	-
New Mexico	155	153	1	1
Both living	138	136	1	1
One living	11	11	-	-
Both stillborn	6	6	-	-
New York	2,272	2,116	148	8
Both living	2,070	1,940	122	8
One living	100	88	12	-
Both stillborn	102	88	14	-
North Carolina	1,071	683	374	14
Both living	948	615	323	10
One living	78	44	31	3
Both stillborn	45	24	20	1
North Dakota	150	146	-	4
Both living	139	135	-	4
One living	5	5	-	-
Both stillborn	6	6	-	-
Ohio	1,255	1,167	88	-
Both living	1,143	1,064	79	-
One living	58	53	5	-
Both stillborn	54	50	4	-
Oklahoma	509	438	50	21
Both living	465	401	45	19
One living	33	29	2	2
Both stillborn	11	8	3	-
Oregon	272	265	5	2
Both living	249	242	5	2
One living	14	14	-	-
Both stillborn	9	9	-	-
Pennsylvania	1,779	1,641	137	1
Both living	1,621	1,500	120	1
One living	80	74	6	-
Both stillborn	78	67	11	-
Rhode Island	148	143	5	-
Both living	132	127	5	-
One living	10	10	-	-
Both stillborn	6	6	-	-
South Carolina	606	283	323	-
Both living	526	253	273	-
One living	52	18	34	-
Both stillborn	28	12	16	-
TWINS—Continued				
South Dakota	126	119	-	7
Both living	113	107	-	6
One living	8	8	-	-
Both stillborn	5	4	-	1
Tennessee	749	610	139	-
Both living	678	555	123	-
One living	48	34	14	-
Both stillborn	23	21	2	-
Texas	1,880	1,604	276	-
Both living	1,709	1,471	238	-
One living	106	86	20	-
Both stillborn	65	47	18	-
Utah	160	157	1	2
Both living	155	152	1	2
One living	3	3	-	-
Both stillborn	2	2	-	-
Vermont	62	62	-	-
Both living	58	58	-	-
One living	3	3	-	-
Both stillborn	1	1	-	-
Virginia	754	542	212	-
Both living	677	498	179	-
One living	51	28	23	-
Both stillborn	26	16	10	-
Washington	463	451	2	10
Both living	454	442	2	10
One living	8	8	-	-
Both stillborn	1	1	-	-
West Virginia	418	385	33	-
Both living	377	349	28	-
One living	25	23	2	-
Both stillborn	16	13	3	-
Wisconsin	693	685	4	4
Both living	642	635	3	4
One living	40	39	1	-
Both stillborn	11	11	-	-
Wyoming	51	50	-	1
Both living	49	48	-	1
One living	2	2	-	-
TRIPLETS				
UNITED STATES	294	230	63	1
Three living	239	190	48	1
Two living	36	25	11	-
One living	11	9	2	-
Three stillborn	8	6	2	-
Alabama	13	3	10	-
Three living	9	1	8	-
Two living	2	1	1	-
One living	2	1	1	-
Arizona	2	2	-	-
Three living	1	1	-	-
Two living	1	1	-	-
Arkansas	8	5	3	-
Three living	6	5	1	-
Two living	1	-	1	-
Three stillborn	1	-	1	-
California	13	13	-	-
Three living	8	8	-	-
Two living	4	4	-	-
One living	1	1	-	-
Connecticut	2	2	-	-
Three living	2	2	-	-
District of Columbia	1	1	-	-
Three living	1	1	-	-
Florida	4	3	1	-
Three living	3	2	1	-
Two living	1	1	-	-
Georgia	8	3	5	-
Three living	5	3	2	-
Two living	2	-	2	-
Three stillborn	1	-	1	-
Illinois	16	15	1	-
Three living	12	11	1	-
Two living	2	2	-	-
Three stillborn	2	2	-	-
Indiana	9	8	1	-
Three living	8	7	1	-
One living	1	1	-	-

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, BY RACE: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA	Total cases	White	Negro	Other
TRIPLETS—Continued				
Iowa	3	3	-	-
Three living	3	3	-	-
Kansas	1	1	-	-
Three living	1	1	-	-
Kentucky	7	7	-	-
Three living	6	6	-	-
One living	1	1	-	-
Louisiana	11	6	5	-
Three living	11	6	5	-
Maine	1	1	-	-
Three living	1	1	-	-
Maryland	5	3	2	-
Three living	3	2	1	-
Two living	1	-	1	-
Three stillborn	1	1	-	-
Massachusetts	10	10	-	-
Three living	9	9	-	-
Two living	1	1	-	-
Michigan	10	8	2	-
Three living	9	7	2	-
One living	1	1	-	-
Minnesota	9	9	-	-
Three living	8	8	-	-
One living	1	1	-	-
Mississippi	9	3	6	-
Three living	7	2	5	-
Two living	1	-	1	-
One living	1	1	-	-
Missouri	3	3	-	-
Three living	3	3	-	-
Montana	1	1	-	-
Three living	1	1	-	-
Nebraska	2	2	-	-
Three living	1	1	-	-
Two living	1	1	-	-
Nevada	1	1	-	-
Three living	1	1	-	-
TRIPLETS—Continued				
New Hampshire	2	2	-	-
Three living	1	1	-	-
Two living	1	1	-	-
New Jersey	10	8	2	-
Three living	9	7	2	-
Two living	1	1	-	-
New York	16	16	-	-
Three living	15	15	-	-
Two living	1	1	-	-
North Carolina	16	10	5	1
Three living	14	9	4	1
Two living	1	-	1	-
Three stillborn	1	1	-	-
North Dakota	1	1	-	-
Three living	1	1	-	-
Ohio	11	10	1	-
Three living	11	10	1	-
Oregon	5	5	-	-
Three living	5	5	-	-
Pennsylvania	20	18	2	-
Three living	13	11	2	-
Two living	5	5	-	-
One living	1	1	-	-
Three stillborn	1	1	-	-
South Carolina	10	3	7	-
Three living	6	3	3	-
Two living	4	-	4	-
South Dakota	3	3	-	-
Three living	3	3	-	-
Tennessee	10	7	3	-
Three living	8	5	3	-
Two living	2	2	-	-
Texas	18	14	4	-
Three living	15	12	3	-
Two living	1	1	-	-
One living	2	1	1	-
Utah	2	2	-	-
Three living	2	2	-	-
TRIPLETS—Continued				
Virginia	4	2	2	-
Three living	4	2	2	-
Washington	2	2	-	-
Three living	2	2	-	-
West Virginia	8	7	1	-
Three living	7	6	1	-
Two living	1	1	-	-
Wisconsin	5	5	-	-
Three living	3	3	-	-
Two living	2	2	-	-
Wyoming	2	2	-	-
Three living	1	1	-	-
Three stillborn	1	1	-	-
QUADRUPLETS				
UNITED STATES	8	7	1	-
Four living	4	4	-	-
Three living	1	1	-	-
Two living	2	1	1	-
One living	1	1	-	-
Alabama	1	1	-	-
Four living	1	1	-	-
Georgia	1	1	-	-
Four living	1	1	-	-
Illinois	1	1	-	-
Three living	1	1	-	-
New York	2	2	-	-
Four living	1	1	-	-
One living	1	1	-	-
North Carolina	1	1	-	-
Two living	1	1	-	-
Pennsylvania	1	1	-	-
Four living	1	1	-	-
Virginia	1	-	1	-
Two living	1	-	1	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
UNITED STATES	2,794,800	2,112,963	493,463	178,520	9,854
White	2,454,700	1,987,082	414,895	45,975	6,748
Nonwhite	340,100	125,881	78,568	132,545	3,106
Urban	1,623,564	1,447,008	137,035	37,261	2,280
White	1,462,292	1,346,908	100,740	12,953	1,691
Nonwhite	161,272	100,100	36,295	24,308	569
Places of 100,000 or more	762,954	709,071	44,891	8,249	743
White	672,889	639,576	27,804	4,975	534
Nonwhite	90,065	69,495	17,087	3,274	209
Places of 25,000 to 100,000	338,956	308,260	23,686	6,544	466
White	308,906	289,484	16,674	2,371	377
Nonwhite	30,050	18,776	7,012	6,173	89
Places of 10,000 to 25,000	232,847	203,216	21,495	7,864	272
White	214,029	196,088	16,096	1,693	152
Nonwhite	18,818	7,128	5,399	6,171	120
Places of 2,500 to 10,000	288,807	228,461	46,963	12,604	779
White	266,468	221,760	40,166	3,914	628
Nonwhite	22,339	6,701	6,797	8,690	151
Rural	1,171,236	665,955	356,428	141,259	7,594
White	992,408	840,174	314,155	33,022	5,057
Nonwhite	178,828	25,781	42,273	108,237	2,537
Section A (States)					
ALABAMA	74,415	29,269	26,617	18,306	225
White	47,504	25,450	19,955	1,964	135
Nonwhite	26,911	3,819	6,662	16,342	88
Urban	24,199	15,838	5,731	3,110	20
White	15,606	13,080	2,406	114	6
Nonwhite	8,593	2,758	2,825	2,996	14
Places of 10,000 or more	17,843	12,313	3,418	2,101	11
White	11,048	9,862	1,128	55	3
Nonwhite	6,795	2,451	2,290	2,046	8
Places of 2,500 to 10,000	6,356	3,525	1,313	1,009	9
White	4,558	3,218	1,278	59	3
Nonwhite	1,798	307	535	950	6
Rural	50,216	13,431	21,586	15,196	203
White	31,898	12,370	17,549	1,850	129
Nonwhite	18,318	1,061	3,837	13,346	74
ARIZONA	14,225	11,321	1,609	571	724
White	12,408	10,293	1,438	495	182
Nonwhite	1,817	1,028	171	76	542
Urban	7,548	6,516	662	253	117
White	7,132	6,203	608	221	100
Nonwhite	416	313	54	32	17
Places of 10,000 or more	4,639	4,066	373	119	81
White	4,320	3,826	329	95	70
Nonwhite	319	240	44	24	11
Places of 2,500 to 10,000	2,909	2,450	289	134	36
White	2,812	2,377	279	126	30
Nonwhite	97	73	10	8	6
Rural	6,677	4,805	947	318	607
White	5,276	4,090	830	274	82
Nonwhite	1,401	715	117	44	525
ARKANSAS	41,240	17,281	16,166	7,522	471
White	31,357	16,302	13,795	941	319
Nonwhite	9,883	979	2,371	6,381	152
Urban	11,754	8,518	2,194	1,016	26
White	9,456	7,857	1,504	80	15
Nonwhite	2,298	661	690	936	11
Places of 10,000 or more	6,634	5,512	709	404	9
White	5,330	4,916	368	42	4
Nonwhite	1,304	596	341	362	5
Places of 2,500 to 10,000	5,120	3,006	1,485	612	17
White	4,126	2,941	1,136	38	11
Nonwhite	994	65	349	574	6
Rural	29,486	8,763	13,972	6,506	445
White	21,901	8,445	12,291	861	304
Nonwhite	7,585	318	1,681	5,445	141
CALIFORNIA	179,123	170,444	7,707	467	505
White	169,967	162,351	6,753	449	414
Nonwhite	9,156	8,093	954	18	91
Urban	138,259	132,820	4,708	418	318
White	130,836	126,220	3,947	407	262
Nonwhite	7,423	6,600	756	11	56
Places of 10,000 or more	116,333	112,086	3,594	409	244
White	109,393	105,918	2,887	398	190
Nonwhite	6,940	6,168	707	11	54
Places of 2,500 to 10,000	21,926	20,734	1,109	9	74
White	21,443	20,302	1,060	9	72
Nonwhite	483	432	49	-	2
Rural	40,864	37,624	3,004	49	187
White	39,131	36,131	2,806	42	152
Nonwhite	1,733	1,493	198	7	35

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
COLORADO	23,931	19,649	3,891	147	244
White	23,282	19,092	3,825	141	224
Nonwhite	649	557	66	6	20
Urban	14,692	12,903	1,653	61	75
White	14,298	12,552	1,610	61	75
Nonwhite	394	351	43	-	-
Places of 10,000 or more	11,582	10,353	1,133	50	46
White	11,216	10,026	1,094	50	46
Nonwhite	366	327	39	-	-
Places of 2,500 to 10,000	3,110	2,550	520	11	29
White	3,082	2,526	516	11	29
Nonwhite	28	24	4	-	-
Rural	9,239	6,746	2,238	86	169
White	8,984	6,540	2,215	80	149
Nonwhite	255	206	23	6	20
CONNECTICUT	34,278	33,544	721	7	6
White	33,382	32,705	665	6	6
Nonwhite	896	839	56	1	-
Urban	23,402	22,974	418	6	4
White	22,582	22,206	367	5	4
Nonwhite	820	768	51	1	-
Places of 10,000 or more	22,294	21,912	373	6	3
White	21,483	21,151	324	5	3
Nonwhite	811	761	49	1	-
Places of 2,500 to 10,000	1,108	1,062	45	-	1
White	1,099	1,055	43	-	1
Nonwhite	9	7	2	-	-
Rural	10,876	10,570	303	1	2
White	10,800	10,499	298	1	2
Nonwhite	76	71	5	-	-
DELAWARE	5,993	5,011	591	381	10
White	5,102	4,585	434	80	3
Nonwhite	891	426	157	301	7
Urban	3,058	2,851	118	86	3
White	2,632	2,537	79	14	2
Nonwhite	426	314	39	72	1
Places of 10,000 or more	2,312	2,231	55	26	-
White	1,987	1,947	36	4	-
Nonwhite	325	284	19	22	-
Places of 2,500 to 10,000	746	620	63	60	3
White	645	590	43	10	2
Nonwhite	101	30	20	50	1
Rural	2,935	2,160	473	295	7
White	2,470	2,048	355	66	1
Nonwhite	465	112	118	229	6
DISTRICT OF COLUMBIA	15,758	14,970	784	3	1
White	10,443	10,317	124	1	1
Nonwhite	5,315	4,653	660	2	-
FLORIDA	48,418	32,321	7,187	8,630	280
White	36,125	29,491	5,335	1,148	151
Nonwhite	12,293	2,830	1,852	7,482	129
Urban	27,874	21,742	2,251	3,777	104
White	21,023	19,534	1,193	270	26
Nonwhite	6,851	2,208	1,058	3,507	78
Places of 10,000 or more	21,547	17,662	1,207	2,584	94
White	16,549	15,787	538	202	22
Nonwhite	4,998	1,875	669	2,382	72
Places of 2,500 to 10,000	6,327	4,080	1,044	1,193	10
White	4,474	3,747	655	68	4
Nonwhite	1,853	333	389	1,125	6
Rural	20,544	10,579	4,936	4,853	176
White	15,102	9,957	4,142	878	125
Nonwhite	5,442	622	794	3,975	51
GEORGIA	76,540	38,841	18,520	19,102	77
White	49,345	34,079	13,386	1,834	46
Nonwhite	27,195	4,762	5,134	17,268	31
Urban	31,621	23,163	4,936	3,501	21
White	22,021	19,309	2,501	201	10
Nonwhite	9,600	3,854	2,435	3,300	11
Places of 10,000 or more	23,562	18,715	3,062	1,771	14
White	16,477	15,187	1,167	113	10
Nonwhite	7,085	3,528	1,895	1,658	4
Places of 2,500 to 10,000	8,059	4,448	1,874	1,730	7
White	5,544	4,122	1,334	88	-
Nonwhite	2,515	326	540	1,642	7
Rural	44,919	15,678	13,584	15,601	56
White	27,324	14,770	10,885	1,633	36
Nonwhite	17,595	908	2,699	13,968	20

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
IDAHO	12,241	11,300	926	5	10
White	12,067	11,157	904	2	4
Nonwhite	174	143	22	3	6
Urban	5,158	4,878	278	1	1
White	5,114	4,838	276	-	-
Nonwhite	44	40	2	1	1
Places of 10,000 or more	3,108	3,029	78	-	1
White	3,088	3,011	77	-	-
Nonwhite	20	18	1	-	1
Places of 2,500 to 10,000	2,050	1,849	200	1	-
White	2,026	1,827	199	-	-
Nonwhite	24	22	1	1	-
Rural	7,083	6,422	648	4	9
White	6,953	6,319	628	2	4
Nonwhite	130	103	20	2	5
ILLINOIS	142,005	127,815	13,953	165	72
White	132,539	120,414	11,934	143	48
Nonwhite	9,466	7,401	2,019	22	24
Urban	107,529	101,103	6,245	136	45
White	98,478	93,871	4,455	123	29
Nonwhite	9,051	7,232	1,790	13	16
Places of 10,000 or more	92,917	88,316	4,439	134	28
White	84,094	81,248	2,712	121	13
Nonwhite	8,823	7,068	1,727	13	15
Places of 2,500 to 10,000	14,612	12,787	1,806	2	17
White	14,384	12,623	1,743	2	16
Nonwhite	228	164	63	-	1
Rural	34,476	26,712	7,708	29	27
White	34,061	26,543	7,479	20	19
Nonwhite	415	169	229	9	8
INDIANA	71,354	57,740	13,527	65	22
White	68,532	56,221	12,236	54	21
Nonwhite	2,822	1,519	1,291	11	1
Urban	42,898	37,694	5,144	52	8
White	40,163	36,208	3,907	41	7
Nonwhite	2,735	1,486	1,237	11	1
Places of 10,000 or more	35,898	31,768	4,072	52	6
White	33,220	30,316	2,858	41	5
Nonwhite	2,678	1,452	1,214	11	1
Places of 2,500 to 10,000	7,000	5,926	1,072	-	2
White	6,943	5,892	1,049	-	2
Nonwhite	57	34	23	-	-
Rural	28,456	20,046	8,383	13	14
White	28,369	20,015	8,329	13	14
Nonwhite	87	33	54	-	-
IOWA	46,564	39,704	6,836	5	19
White	46,240	39,431	6,786	4	19
Nonwhite	324	273	50	1	-
Urban	20,543	19,273	1,263	2	5
White	20,257	19,020	1,231	1	5
Nonwhite	286	253	32	1	-
Places of 10,000 or more	15,512	14,552	757	2	1
White	15,047	14,310	735	1	1
Nonwhite	265	242	22	1	-
Places of 2,500 to 10,000	5,231	4,721	506	-	4
White	5,210	4,710	496	-	4
Nonwhite	21	11	10	-	-
Rural	26,021	20,431	5,573	3	14
White	25,983	20,411	5,555	3	14
Nonwhite	38	20	18	-	-
KANSAS	34,976	29,355	5,586	25	10
White	33,716	28,565	5,123	19	9
Nonwhite	1,260	790	463	6	1
Urban	18,790	17,119	1,654	13	4
White	17,676	16,400	1,264	9	3
Nonwhite	1,114	719	390	4	1
Places of 10,000 or more	13,958	12,859	1,086	10	3
White	12,950	12,222	719	7	2
Nonwhite	1,008	637	367	3	1
Places of 2,500 to 10,000	4,832	4,260	568	3	1
White	4,726	4,178	545	2	1
Nonwhite	106	82	23	1	-
Rural	16,186	12,236	3,932	12	6
White	16,040	12,165	3,859	10	6
Nonwhite	146	71	73	2	-
Section A (States)—Continued					
KENTUCKY	64,225	24,817	32,794	6,348	266
White	60,901	23,776	30,677	6,188	260
Nonwhite	3,324	1,041	2,117	160	6
Urban	20,665	15,182	5,395	85	3
White	18,737	14,309	4,368	59	1
Nonwhite	1,928	873	1,027	26	2
Places of 10,000 or more	15,569	12,525	3,015	26	3
White	14,084	11,721	2,349	13	1
Nonwhite	1,485	804	666	13	2
Places of 2,500 to 10,000	5,096	2,657	2,380	59	-
White	4,653	2,588	2,019	46	-
Nonwhite	445	69	361	15	-
Rural	43,560	9,635	27,399	6,263	263
White	42,164	9,467	26,309	6,129	259
Nonwhite	1,396	168	1,090	134	4
LOUISIANA	61,050	37,652	9,505	13,836	57
White	37,463	28,464	6,883	2,091	25
Nonwhite	23,587	9,188	2,622	11,745	32
Urban	27,261	22,787	2,007	2,457	10
White	16,370	16,739	1,197	431	3
Nonwhite	8,891	6,048	810	2,026	7
Places of 10,000 or more	20,289	17,844	1,173	1,265	9
White	13,310	12,481	606	220	3
Nonwhite	6,979	5,363	567	1,043	6
Places of 2,500 to 10,000	6,972	4,943	834	1,194	1
White	5,060	4,258	591	211	-
Nonwhite	1,912	685	243	983	1
Rural	33,789	14,865	7,498	11,379	47
White	19,093	11,725	5,686	1,660	22
Nonwhite	14,696	3,140	1,812	9,719	25
MAINE	17,762	14,424	3,236	15	87
White	17,689	14,364	3,224	15	86
Nonwhite	73	60	12	-	1
Urban	6,882	6,367	512	-	3
White	6,848	6,339	507	-	2
Nonwhite	34	28	5	-	1
Places of 10,000 or more	5,587	5,072	315	-	-
White	5,560	5,047	313	-	-
Nonwhite	27	25	2	-	-
Places of 2,500 to 10,000	1,495	1,295	197	-	3
White	1,488	1,292	194	-	2
Nonwhite	7	3	3	-	1
Rural	10,880	8,057	2,724	15	84
White	10,841	8,025	2,717	15	84
Nonwhite	39	32	7	-	-
MARYLAND	43,915	32,423	9,037	2,410	45
White	35,670	28,450	6,513	679	28
Nonwhite	8,245	3,973	2,524	1,731	17
Urban	25,089	19,816	4,368	897	8
White	19,747	16,813	2,673	257	4
Nonwhite	5,342	3,003	1,695	640	4
Places of 10,000 or more	22,508	17,578	4,078	847	5
White	17,335	14,645	2,453	255	2
Nonwhite	5,173	2,933	1,645	592	3
Places of 2,500 to 10,000	2,581	2,238	290	50	3
White	2,412	2,168	240	2	2
Nonwhite	169	70	50	48	1
Rural	18,826	12,607	4,669	1,513	37
White	15,923	11,637	3,840	422	24
Nonwhite	2,903	970	829	1,091	13
MASSACHUSETTS	78,209	74,496	3,657	2	54
White	76,979	73,411	3,513	1	54
Nonwhite	1,230	1,085	144	1	-
Urban	70,280	67,122	3,131	2	25
White	69,147	66,112	3,009	1	25
Nonwhite	1,133	1,010	122	1	-
Places of 10,000 or more	65,211	62,444	2,759	2	6
White	64,112	61,460	2,645	1	6
Nonwhite	1,099	984	114	1	-
Places of 2,500 to 10,000	5,069	4,678	372	-	19
White	5,035	4,652	364	-	19
Nonwhite	34	26	8	-	-
Rural	7,929	7,374	526	-	29
White	7,832	7,299	504	-	29
Nonwhite	97	75	22	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
MICHIGAN	114,700	101,200	13,300	110	90
White	108,499	96,475	11,852	93	79
Nonwhite	6,201	4,725	1,448	17	11
Urban	77,584	71,976	5,548	34	26
White	71,740	67,436	4,254	24	26
Nonwhite	5,844	4,540	1,294	10	-
Places of 10,000 or more	66,525	61,951	4,529	25	20
White	60,958	57,605	3,317	16	20
Nonwhite	5,567	4,346	1,212	9	-
Places of 2,500 to 10,000	11,059	10,025	1,019	9	6
White	10,782	9,831	937	8	6
Nonwhite	277	194	82	1	-
Rural	37,116	29,224	7,752	76	64
White	36,759	29,039	7,598	69	53
Nonwhite	357	185	154	7	11
MINNESOTA	56,113	50,505	5,275	169	166
White	55,571	50,041	5,233	159	138
Nonwhite	542	464	40	10	28
Urban	29,229	28,135	992	89	13
White	29,065	27,983	983	89	10
Nonwhite	164	152	9	-	3
Places of 10,000 or more	22,541	21,679	598	58	6
White	22,194	21,543	589	58	4
Nonwhite	147	136	9	-	2
Places of 2,500 to 10,000	6,888	6,456	394	31	7
White	6,871	6,440	394	31	6
Nonwhite	17	16	-	-	1
Rural	26,884	22,370	4,281	80	153
White	26,506	22,058	4,250	70	128
Nonwhite	378	312	31	10	25
MISSISSIPPI	56,940	17,787	15,639	23,361	153
White	25,976	15,734	9,254	932	56
Nonwhite	30,964	2,053	6,385	22,429	97
Urban	12,550	8,278	1,780	2,477	15
White	8,196	7,514	591	88	3
Nonwhite	4,354	764	1,189	2,389	12
Places of 10,000 or more	7,956	5,505	903	1,539	9
White	5,215	4,979	193	42	1
Nonwhite	2,741	526	710	1,497	8
Places of 2,500 to 10,000	4,594	2,773	877	938	6
White	2,981	2,535	398	46	2
Nonwhite	1,613	238	479	892	4
Rural	44,390	9,509	13,859	20,884	138
White	17,780	8,220	8,663	844	53
Nonwhite	26,610	1,289	5,196	20,040	85
MISSOURI	67,990	46,563	19,746	1,083	598
White	62,995	43,347	18,429	698	521
Nonwhite	4,995	3,216	1,317	385	77
Urban	37,559	32,493	4,692	308	68
White	33,571	29,443	3,840	235	53
Nonwhite	3,988	3,050	852	71	15
Places of 10,000 or more	30,858	28,058	2,533	227	40
White	27,132	25,062	1,852	190	28
Nonwhite	3,726	2,996	681	37	12
Places of 2,500 to 10,000	6,701	4,435	2,159	79	28
White	6,439	4,381	1,988	45	25
Nonwhite	262	54	171	34	3
Rural	30,431	14,070	15,054	777	530
White	29,424	13,904	14,589	463	468
Nonwhite	1,007	166	465	314	62
MONTANA	10,943	10,224	568	84	67
White	10,326	9,754	524	35	13
Nonwhite	617	470	44	49	54
Urban	5,214	5,062	136	11	5
White	5,154	5,010	130	10	4
Nonwhite	60	52	6	1	1
Places of 10,000 or more	3,484	3,438	38	5	3
White	3,443	3,402	34	4	3
Nonwhite	41	36	4	1	-
Places of 2,500 to 10,000	1,730	1,624	98	6	2
White	1,711	1,608	96	6	1
Nonwhite	19	16	2	-	1
Rural	5,729	5,162	432	73	62
White	5,172	4,744	394	25	9
Nonwhite	557	418	38	48	53
Section A (States)—Continued					
NEBRASKA	24,575	20,740	3,813	4	18
White	24,138	20,381	3,745	1	11
Nonwhite	437	359	68	3	7
Urban	11,135	10,438	694	-	3
White	10,795	10,156	637	-	2
Nonwhite	340	282	57	-	1
Places of 10,000 or more	8,623	8,159	461	-	3
White	8,310	7,901	407	-	2
Nonwhite	313	258	54	-	1
Places of 2,500 to 10,000	2,512	2,279	233	-	-
White	2,485	2,255	230	-	-
Nonwhite	27	24	3	-	-
Rural	13,440	10,302	3,119	4	15
White	13,343	10,225	3,108	1	9
Nonwhite	97	77	11	3	6
NEVADA	3,028	2,863	128	14	23
White	2,823	2,707	105	7	4
Nonwhite	205	156	23	7	19
Urban	1,416	1,384	31	-	1
White	1,354	1,333	21	-	-
Nonwhite	62	51	10	-	1
Places of 10,000 or more	627	623	3	-	1
White	614	611	3	-	-
Nonwhite	13	12	-	-	1
Places of 2,500 to 10,000	789	761	28	-	-
White	740	722	18	-	-
Nonwhite	49	39	10	-	-
Rural	1,612	1,479	97	14	22
White	1,469	1,374	84	7	4
Nonwhite	143	105	13	7	18
NEW HAMPSHIRE	8,548	7,962	584	1	1
White	8,534	7,948	584	1	1
Nonwhite	14	14	-	-	-
Urban	5,086	4,859	227	-	-
White	5,074	4,847	227	-	-
Nonwhite	12	12	-	-	-
Places of 10,000 or more	4,301	4,127	174	-	-
White	4,290	4,116	174	-	-
Nonwhite	11	11	-	-	-
Places of 2,500 to 10,000	785	732	53	-	-
White	784	731	53	-	-
Nonwhite	1	1	-	-	-
Rural	3,462	3,103	357	1	1
White	3,460	3,101	357	1	1
Nonwhite	2	2	-	-	-
NEW JERSEY	76,265	70,513	4,745	973	34
White	70,706	66,071	3,697	912	26
Nonwhite	5,559	4,442	1,048	61	8
Urban	61,419	57,603	2,930	868	18
White	56,700	53,695	2,167	822	16
Nonwhite	4,719	3,908	763	46	2
Places of 10,000 or more	49,931	46,923	2,213	779	16
White	45,822	43,318	1,553	736	15
Nonwhite	4,109	3,605	660	43	1
Places of 2,500 to 10,000	11,488	10,680	717	89	2
White	11,078	10,377	614	86	1
Nonwhite	410	303	103	3	1
Rural	14,846	12,910	1,815	105	16
White	14,006	12,376	1,530	90	10
Nonwhite	840	534	285	15	6
NEW MEXICO	15,585	8,717	3,803	2,435	630
White	14,419	8,011	3,727	2,278	403
Nonwhite	1,166	706	76	157	227
Urban	6,048	4,478	984	535	51
White	5,888	4,337	969	533	49
Nonwhite	160	141	15	2	2
Places of 10,000 or more	2,813	2,269	391	136	17
White	2,725	2,190	384	135	16
Nonwhite	88	79	7	1	1
Places of 2,500 to 10,000	3,235	2,209	593	399	34
White	3,163	2,147	585	398	33
Nonwhite	72	62	8	1	1
Rural	9,537	4,239	2,819	1,900	579
White	8,581	3,674	2,758	1,745	354
Nonwhite	1,008	565	61	155	225

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
NEW YORK	229,534	218,085	10,214	1,044	191
White	217,104	206,686	9,436	829	153
Nonwhite	12,430	11,399	778	215	38
Urban	188,086	181,767	5,218	993	108
White	176,215	170,777	4,568	785	83
Nonwhite	11,873	10,990	650	208	25
Places of 10,000 or more	175,873	170,357	4,430	981	105
White	164,168	159,520	3,792	775	81
Nonwhite	11,705	10,837	638	206	24
Places of 2,500 to 10,000	12,213	11,410	788	12	3
White	12,045	11,257	776	10	2
Nonwhite	168	153	12	2	1
Rural	41,448	36,318	4,996	51	83
White	40,891	35,909	4,868	44	70
Nonwhite	557	409	128	7	13
NORTH CAROLINA	90,629	46,331	29,374	14,744	180
White	62,462	40,087	19,674	2,579	142
Nonwhite	28,167	6,264	9,700	12,165	38
Urban	25,002	19,404	3,783	1,805	10
White	17,831	15,928	1,812	87	4
Nonwhite	7,171	3,476	1,971	1,718	6
Places of 10,000 or more	18,927	15,298	2,308	1,316	5
White	13,029	12,177	796	56	-
Nonwhite	5,898	3,121	1,512	1,260	5
Places of 2,500 to 10,000	6,075	4,106	1,475	489	5
White	4,802	3,751	1,016	31	4
Nonwhite	1,273	355	459	458	1
Rural	65,627	26,927	25,591	12,939	170
White	44,631	24,139	17,862	2,492	138
Nonwhite	20,996	2,788	7,729	10,447	32
NORTH DAKOTA	15,530	11,662	1,725	68	75
White	13,213	11,402	1,706	54	51
Nonwhite	317	260	19	14	24
Urban	3,078	3,014	61	2	1
White	3,066	3,004	61	1	-
Nonwhite	12	10	-	1	1
Places of 10,000 or more	1,947	1,907	39	-	1
White	1,938	1,899	39	-	-
Nonwhite	9	8	-	-	1
Places of 2,500 to 10,000	1,131	1,107	22	2	-
White	1,128	1,105	22	1	-
Nonwhite	3	2	-	1	-
Rural	10,452	8,648	1,664	66	74
White	10,147	8,398	1,645	53	51
Nonwhite	305	250	19	13	23
OHIO	133,598	112,184	21,309	43	62
White	125,904	106,529	19,284	36	55
Nonwhite	7,694	5,655	2,025	7	7
Urban	91,056	82,787	8,236	13	20
White	83,888	77,390	6,472	10	16
Nonwhite	7,168	5,397	1,764	3	4
Places of 10,000 or more	77,887	71,766	6,093	12	16
White	71,102	66,594	4,487	9	12
Nonwhite	6,785	5,172	1,606	3	4
Places of 2,500 to 10,000	13,169	11,021	2,143	1	4
White	12,786	10,796	1,985	1	4
Nonwhite	383	225	158	-	-
Rural	42,542	29,397	13,073	30	42
White	42,016	29,139	12,812	26	39
Nonwhite	526	258	261	4	3
OKLAHOMA	46,725	31,834	13,261	1,032	598
White	41,615	29,658	11,432	294	231
Nonwhite	5,110	2,176	1,829	738	367
Urban	22,671	18,974	3,286	283	128
White	20,244	17,791	2,371	49	33
Nonwhite	2,427	1,183	915	234	95
Places of 10,000 or more	16,144	14,071	1,807	188	78
White	14,395	13,219	1,141	21	14
Nonwhite	1,749	852	666	167	64
Places of 2,500 to 10,000	6,527	4,903	1,479	95	50
White	5,849	4,572	1,230	28	19
Nonwhite	678	331	249	67	31
Rural	24,054	12,860	9,975	749	470
White	21,371	11,867	9,061	245	198
Nonwhite	2,683	993	914	504	272

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
OREGON	24,150	23,387	690	18	55
White	23,705	22,975	672	15	43
Nonwhite	445	412	18	3	12
Urban	13,025	12,839	166	2	16
White	12,842	12,661	163	2	16
Nonwhite	181	178	3	-	-
Places of 10,000 or more	10,011	9,913	85	2	11
White	9,855	9,760	82	2	11
Nonwhite	156	153	3	-	-
Places of 2,500 to 10,000	3,012	2,926	81	-	5
White	2,987	2,901	81	-	5
Nonwhite	25	25	-	-	-
Rural	11,127	10,548	524	16	39
White	10,863	10,314	509	13	27
Nonwhite	264	234	15	3	12
PENNSYLVANIA	178,370	145,573	32,658	279	60
White	166,711	136,355	30,059	244	55
Nonwhite	11,659	9,020	2,599	35	5
Urban	120,462	107,685	12,582	175	22
White	109,721	99,198	10,362	145	18
Nonwhite	10,741	8,485	2,220	32	4
Places of 10,000 or more	97,401	88,456	8,797	133	15
White	87,075	80,285	6,677	101	12
Nonwhite	10,326	8,171	2,120	32	3
Places of 2,500 to 10,000	23,061	19,227	3,785	42	7
White	22,646	18,913	3,685	42	6
Nonwhite	415	314	100	-	1
Rural	57,908	37,890	20,076	104	38
White	56,990	37,155	19,697	101	37
Nonwhite	918	735	379	3	1
RHODE ISLAND	13,754	12,645	1,019	28	62
White	13,446	12,381	980	28	57
Nonwhite	308	264	39	-	5
Urban	12,271	11,284	909	28	50
White	11,980	11,054	873	28	45
Nonwhite	291	230	36	-	5
Places of 10,000 or more	11,775	10,852	857	16	50
White	11,490	10,605	824	16	45
Nonwhite	285	247	33	-	5
Places of 2,500 to 10,000	496	432	52	12	-
White	490	429	49	12	-
Nonwhite	6	3	3	-	-
Rural	1,483	1,361	110	-	12
White	1,466	1,347	107	-	12
Nonwhite	17	14	3	-	-
SOUTH CAROLINA	51,467	21,209	12,559	17,661	38
White	27,874	18,614	8,242	1,008	10
Nonwhite	23,593	2,595	4,317	16,653	28
Urban	16,060	11,082	2,833	2,162	3
White	11,069	9,576	1,421	71	1
Nonwhite	4,991	1,486	1,412	2,091	2
Places of 10,000 or more	10,172	7,628	1,542	1,200	2
White	6,822	6,420	375	26	1
Nonwhite	3,350	1,208	967	1,174	1
Places of 2,500 to 10,000	5,888	3,454	1,491	962	1
White	4,247	3,156	1,046	45	-
Nonwhite	1,641	278	445	917	1
Rural	35,407	10,147	9,726	15,499	35
White	16,805	9,038	6,821	957	9
Nonwhite	18,602	1,109	2,905	14,562	26
SOUTH DAKOTA	12,769	10,505	1,952	86	228
White	12,013	10,036	1,887	36	54
Nonwhite	756	467	65	50	174
Urban	5,716	5,543	166	2	5
White	5,658	5,480	157	1	-
Nonwhite	78	63	9	1	5
Places of 10,000 or more	2,675	2,592	79	2	-
White	2,642	2,566	75	1	-
Nonwhite	31	26	4	1	-
Places of 2,500 to 10,000	1,043	951	87	-	5
White	996	914	82	-	-
Nonwhite	47	37	5	-	5
Rural	9,053	6,960	1,786	84	223
White	8,375	6,556	1,730	35	54
Nonwhite	678	404	56	49	169

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
TENNESSEE	68,272	32,144	30,164	5,855	109
White	57,311	29,068	25,016	3,146	81
Nonwhite	10,961	3,076	5,148	2,709	28
Urban	25,606	18,850	6,165	566	25
White	19,955	16,302	3,485	162	6
Nonwhite	5,651	2,548	2,680	404	19
Places of 10,000 or more	19,845	15,413	4,006	404	22
White	14,925	13,007	1,812	103	3
Nonwhite	4,920	2,406	2,194	301	19
Places of 2,500 to 10,000	5,761	3,437	2,159	162	3
White	5,030	3,295	1,673	59	3
Nonwhite	731	142	486	103	-
Rural	42,666	13,294	23,999	5,289	84
White	37,356	12,766	21,531	2,984	75
Nonwhite	5,310	528	2,468	2,305	9
TEXAS	165,900	109,394	34,276	19,875	2,355
White	145,500	102,006	28,847	12,780	1,867
Nonwhite	20,400	7,388	5,429	7,095	488
Urban	98,087	74,728	13,537	9,047	775
White	87,627	68,809	10,839	7,306	673
Nonwhite	10,460	5,919	2,698	1,741	102
Places of 10,000 or more	70,608	57,322	6,755	6,109	422
White	62,487	52,115	4,990	5,006	376
Nonwhite	8,121	5,207	1,765	1,103	46
Places of 2,500 to 10,000	27,479	17,406	6,782	2,938	353
White	25,140	16,694	5,849	2,300	297
Nonwhite	2,339	712	933	638	56
Rural	67,813	34,666	20,739	10,828	1,580
White	57,873	33,197	18,008	5,474	1,194
Nonwhite	9,940	1,469	2,731	5,354	386
UTAH	16,180	14,606	1,541	18	15
White	15,906	14,354	1,521	18	13
Nonwhite	274	252	20	-	2
Urban	9,447	9,084	358	2	3
White	9,344	8,984	355	2	3
Nonwhite	103	100	3	-	-
Places of 10,000 or more	6,593	6,421	170	1	1
White	6,517	6,346	169	1	1
Nonwhite	76	75	1	-	-
Places of 2,500 to 10,000	2,854	2,663	188	1	2
White	2,827	2,638	186	1	2
Nonwhite	27	25	2	-	-
Rural	6,733	5,522	1,183	16	12
White	6,562	5,370	1,166	16	10
Nonwhite	171	152	17	-	2
VERMONT	6,824	5,552	1,268	-	4
White	6,821	5,550	1,267	-	4
Nonwhite	3	2	1	-	-
Urban	2,622	2,411	211	-	-
White	2,621	2,410	211	-	-
Nonwhite	1	1	-	-	-
Places of 10,000 or more	1,190	1,123	67	-	-
White	1,190	1,123	67	-	-
Nonwhite	-	-	-	-	-
Places of 2,500 to 10,000	1,432	1,288	144	-	-
White	1,431	1,287	144	-	-
Nonwhite	1	1	-	-	-
Rural	4,202	3,141	1,057	-	4
White	4,200	3,140	1,056	-	4
Nonwhite	2	1	1	-	-
VIRGINIA	69,175	38,553	19,732	10,514	376
White	52,001	34,475	14,895	2,396	235
Nonwhite	17,174	4,078	4,837	8,118	141
Urban	26,820	21,643	3,198	1,934	45
White	20,782	18,993	1,597	165	7
Nonwhite	6,038	2,650	1,601	1,769	38
Places of 10,000 or more	21,841	18,125	1,980	1,694	42
White	16,460	15,721	635	99	5
Nonwhite	5,381	2,404	1,345	1,595	37
Places of 2,500 to 10,000	4,979	3,518	1,218	240	3
White	4,802	3,272	962	66	2
Nonwhite	677	246	256	174	1
Rural	42,355	16,910	16,534	8,580	331
White	31,239	15,482	13,298	2,231	228
Nonwhite	11,116	1,428	3,236	6,349	103
Section A (States)—Continued					
WASHINGTON	44,528	41,256	1,141	36	95
White	43,363	42,214	1,079	10	60
Nonwhite	1,165	1,042	62	26	35
Urban	26,708	26,403	276	8	21
White	26,086	25,802	262	2	20
Nonwhite	622	601	14	6	1
Places of 10,000 or more	23,577	23,356	196	5	20
White	23,019	22,813	184	2	20
Nonwhite	558	543	12	3	-
Places of 2,500 to 10,000	3,131	3,047	80	3	1
White	3,067	2,989	78	-	-
Nonwhite	64	58	2	3	1
Rural	17,820	16,853	865	28	74
White	17,277	16,412	817	8	40
Nonwhite	543	441	48	20	34
WEST VIRGINIA	41,304	17,617	22,222	1,140	325
White	39,008	17,078	20,517	1,104	309
Nonwhite	2,296	539	1,705	36	16
Urban	12,772	9,696	3,023	33	20
White	12,163	9,392	2,722	32	17
Nonwhite	609	304	301	1	3
Places of 10,000 or more	8,595	7,293	1,285	10	7
White	8,188	7,047	1,124	10	7
Nonwhite	407	246	161	-	-
Places of 2,500 to 10,000	4,177	2,403	1,738	23	13
White	3,975	2,345	1,598	22	10
Nonwhite	202	58	140	1	3
Rural	28,532	7,921	19,199	1,107	305
White	26,845	7,686	17,795	1,072	292
Nonwhite	1,687	235	1,404	35	13
WISCONSIN	61,547	54,122	7,359	30	36
White	60,743	53,494	7,198	24	27
Nonwhite	804	628	161	6	9
Urban	33,003	31,122	1,872	7	2
White	32,595	30,810	1,776	7	2
Nonwhite	408	312	96	-	-
Places of 10,000 or more	27,853	26,483	1,362	6	2
White	27,462	26,198	1,256	6	2
Nonwhite	391	295	96	-	-
Places of 2,500 to 10,000	5,150	4,639	510	1	-
White	5,133	4,622	510	1	-
Nonwhite	17	17	-	-	-
Rural	28,544	23,000	5,487	23	34
White	28,148	22,684	5,422	17	25
Nonwhite	396	316	65	6	9
WYOMING	5,685	5,055	550	3	27
White	5,302	4,755	530	3	14
Nonwhite	383	300	20	-	13
Urban	2,574	2,372	194	3	5
White	2,544	2,349	188	3	4
Nonwhite	30	23	6	-	1
Places of 10,000 or more	1,725	1,632	91	-	2
White	1,711	1,618	91	-	2
Nonwhite	14	14	-	-	-
Places of 2,500 to 10,000	849	740	103	3	3
White	833	731	97	3	2
Nonwhite	16	9	6	-	1
Rural	3,061	2,683	356	-	22
White	2,758	2,406	342	-	10
Nonwhite	303	277	14	-	12
Section B (Counties)					
ALABAMA	74,415	29,269	26,617	18,306	223
Autauga	478	144	89	240	5
Baldwin	1,052	421	364	257	10
Barbour	858	168	263	420	7
Bibb	518	115	193	207	3
Blount	664	74	561	22	7
Bullock	514	28	52	433	1
Butler	787	236	284	286	1
Calhoun	1,993	1,012	828	152	-
Anniston	884	613	183	88	-
Balance of county	1,109	399	645	65	-
Chambers	856	406	201	248	1
Cherokee	418	58	270	63	27
Chilton	638	181	332	125	-
Choctaw	551	141	80	307	3

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
ALABAMA—Continued					
Clarke	652	69	225	355	3
Clay	338	35	265	37	1
Cleburne	303	20	260	19	4
Coffee	733	158	530	43	2
Colbert	997	490	351	152	4
Conecuh	625	74	249	301	1
Coosa	283	103	65	113	2
Covington	1,071	477	455	157	2
Crenshaw	495	99	250	146	-
Cullman	1,242	626	554	54	8
Dale	594	111	394	87	2
Dallas	1,556	426	100	1,026	4
Selma	603	294	67	242	-
Balance of county	953	132	33	784	4
De Kalb	1,050	66	927	56	1
Elmore	748	387	53	305	3
Escambia	869	310	285	270	4
Etowah	2,113	870	1,149	84	10
Gadsden	1,067	560	484	20	3
Balance of county	1,046	310	665	64	7
Fayette	450	69	322	57	2
Franklin	713	198	485	27	3
Geneva	709	178	469	60	2
Greene	438	12	60	360	6
Hale	666	56	101	507	2
Henry	619	88	178	351	2
Houston	1,144	460	444	236	4
Dothan	421	268	97	55	1
Balance of county	723	192	347	181	3
Jackson	1,095	100	851	137	7
Jefferson	11,295	7,089	4,054	145	7
Bessemer	661	272	389	59	1
Birmingham	6,479	4,828	1,658	11	2
Fairfield	276	182	92	1	1
Balance of county	3,879	1,807	1,995	74	3
Lamar	392	51	300	40	1
Lauderdale	1,256	575	533	147	1
Florence	476	336	106	34	-
Balance of county	780	239	427	113	1
Lawrence	741	294	320	126	1
Lee	952	347	176	428	1
Limestone	990	361	423	204	2
Lowndes	587	54	12	521	-
Macon	755	177	89	486	3
Madison	1,799	633	735	429	2
Huntsville	505	343	105	57	-
Balance of county	1,294	290	630	372	2
Marengo	770	64	111	595	-
Marion	630	137	419	74	-
Marshall	1,058	294	671	88	5
Mobile	6,362	4,235	655	1,469	3
Mobile	2,883	2,233	86	563	1
Balance of county	3,479	2,002	569	906	2
Monroe	767	71	245	451	-
Montgomery	2,781	1,506	104	1,170	1
Montgomery	2,071	1,346	36	688	1
Balance of county	710	160	68	482	-
Morgan	1,157	549	501	104	3
Decatur	379	275	69	35	-
Balance of county	778	274	432	69	3
Perry	638	54	100	483	1
Pickens	640	37	312	286	5
Pike	816	265	225	325	1
Randolph	515	164	214	130	5
Russell	1,131	440	87	604	-
Phenix City	522	329	48	145	-
Balance of county	609	111	39	459	-
St. Clair	667	209	380	74	4
Shelby	668	119	477	70	2
Sumter	655	103	68	482	2
Talladega	1,843	1,008	435	393	7
Tallapoosa	817	418	293	100	6
Tuscaloosa	1,599	852	454	288	5
Tuscaloosa	616	434	78	103	1
Balance of county	983	418	376	185	4
Walker	1,596	364	1,187	37	8
Washington	447	30	231	184	2
Wilcox	772	45	92	634	1
Winston	511	258	215	38	-
ARIZONA	14,225	11,321	1,609	571	724
Apache	447	225	105	18	99
Cochise	1,052	851	125	73	3
Coconino	413	287	51	7	68
Gila	726	545	124	4	53
Graham	354	211	104	7	32
Greenlee	389	349	31	2	7
Section B (Counties)—Continued					
ARIZONA—Continued					
Maricopa	5,616	4,907	396	215	98
Phoenix	2,831	2,613	110	70	38
Balance of county	2,785	2,294	286	145	60
Mohave	172	147	7	11	7
Navajo	728	482	48	29	169
Pima	2,281	1,804	302	64	111
Tucson	1,808	1,453	263	49	43
Balance of county	473	351	39	15	68
Pinal	804	567	123	57	57
Santa Cruz	225	146	48	24	7
Yavapai	532	395	124	3	10
Yuma	486	405	21	57	3
ARKANSAS	41,240	17,281	16,166	7,322	471
Arkansas	527	144	262	117	4
Ashley	615	166	277	162	10
Baxter	205	73	119	5	8
Benton	606	402	200	1	3
Boone	333	130	189	9	5
Bradley	325	135	140	44	4
Calhoun	163	16	114	31	2
Carroll	221	79	134	5	3
Chicot	495	138	107	235	15
Clark	475	141	212	119	3
Clay	602	147	414	30	11
Cleburne	295	216	58	18	3
Cleveland	198	53	106	34	5
Columbia	460	170	205	76	9
Conway	483	188	202	89	4
Craighead	1,163	407	711	35	10
Jonesboro	267	213	30	24	-
Balance of county	896	194	681	11	10
Crawford	518	278	210	23	7
Crittenden	1,064	126	210	705	23
Cross	512	184	192	129	7
Dallas	271	63	159	49	-
Desha	583	182	87	309	5
Drew	427	159	107	150	11
Faulkner	482	254	165	59	4
Franklin	274	164	106	1	3
Fulton	158	20	133	4	1
Garland	857	581	178	74	4
Hot Springs	570	422	103	44	1
Balance of county	287	159	75	30	3
Grant	222	48	165	8	1
Greene	606	205	395	4	2
Hempstead	572	294	133	143	2
Hot Spring	437	204	189	43	1
Howard	285	103	127	52	3
Independence	488	256	228	8	16
Izard	223	47	171	5	-
Jackson	687	147	499	32	9
Jefferson	1,680	766	278	627	9
Pine Bluff	734	559	88	85	2
Balance of county	946	207	190	542	7
Johnson	329	208	109	9	3
Lafayette	294	53	106	126	9
Lawrence	585	171	395	13	6
Lee	554	21	221	306	6
Lincoln	363	47	121	186	9
Little River	292	36	165	85	6
Logan	431	284	142	4	1
Lonoke	684	151	342	184	7
Madison	249	63	140	35	11
Marion	153	39	103	7	4
Miller	781	426	185	161	9
Texarkana[1]	368	285	48	35	-
Balance of county	413	161	137	106	9
Mississippi	2,107	529	1,226	335	17
Blytheville	355	189	107	57	2
Balance of county	1,752	340	1,119	278	15
Monroe	429	36	197	192	4
Montgomery	114	23	86	1	4
Nevada	335	122	118	85	10
Newton	167	23	98	29	17
Ouachita	624	307	155	154	8
Perry	155	28	122	5	-
Phillips	1,081	256	127	693	5
Pike	171	43	119	7	2
Poinsett	1,050	184	759	75	12
Polk	345	207	135	1	2
Pope	459	151	271	30	7
Prairie	287	49	174	62	2
Pulaski	3,939	3,052	583	287	17
Little Rock	2,080	1,870	157	53	-
North Little Rock	664	551	72	38	3
Balance of county	1,195	631	354	196	14
Randolph	342	71	261	8	2

[1]Includes data for Texarkana, Ark., only.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
ARKANSAS—Continued					
St. Francis	777	147	232	384	14
Saline	459	232	220	7	-
Scott	240	53	181	5	1
Searcy	237	132	53	32	20
Sebastian	1,683	1,417	254	11	1
Fort Smith	1,212	1,128	74	10	-
Balance of county	471	289	180	1	1
Sevier	287	179	92	14	2
Sharp	137	32	99	1	5
Stone	115	24	75	12	4
Union	951	598	159	185	9
El Dorado	384	315	30	38	1
Balance of county	567	283	129	147	8
Van Buren	180	49	120	7	4
Washington	840	645	168	22	5
White	779	384	366	17	12
Woodruff	473	93	277	95	8
Yell	314	70	228	15	1
CALIFORNIA	179,123	170,444	7,707	467	505
Alameda	13,686	13,384	287	3	32
Alameda	1,435	1,409	23	1	2
Albany	297	297	-	-	-
Berkeley	2,118	2,108	10	-	-
Oakland	7,746	7,538	187	2	19
San Leandro	730	717	11	-	2
Balance of county	1,360	1,295	56	-	9
Alpine	9	8	1	-	-
Amador	88	83	5	-	-
Butte	1,054	989	65	-	-
Calaveras	109	106	3	-	-
Colusa	164	155	8	1	-
Contra Costa	5,849	5,521	323	-	5
Richmond	3,296	3,128	164	-	4
Balance of county	2,553	2,393	159	-	1
Del Norte	58	57	1	-	-
El Dorado	189	168	22	1	-
Fresno	4,873	4,533	325	2	13
Fresno	1,769	1,681	86	-	2
Balance of county	3,104	2,852	239	2	11
Glenn	210	177	31	-	2
Humboldt	982	976	5	-	1
Eureka	467	465	1	-	1
Balance of county	515	511	4	-	-
Imperial	1,506	1,090	387	3	26
Brawley	416	222	182	1	11
El Centro	337	288	48	-	1
Balance of county	753	580	157	2	14
Inyo	171	170	-	1	-
Kern	4,498	4,165	299	5	29
Bakersfield	1,863	1,817	40	1	5
Balance of county	2,635	2,348	259	4	24
Kings	1,037	890	146	-	1
Lake	103	99	2	-	2
Lassen	352	332	19	1	-
Los Angeles	66,852	63,611	2,639	397	205
Alhambra	760	756	4	-	-
Bell	279	273	6	-	-
Belvedere (twp.)[2]	680	413	136	126	5
Beverly Hills	67	66	1	-	-
Burbank	1,542	1,516	26	-	-
Compton	706	698	7	-	1
Glendale	1,768	1,739	29	-	-
Huntington Park	569	561	5	2	1
Inglewood	998	991	6	-	1
Long Beach	4,822	4,799	20	1	2
Los Angeles	34,325	32,423	1,557	242	103
Lynwood	388	384	4	-	-
Maywood	272	266	6	-	-
Monrovia	268	247	20	-	1
Pasadena	1,864	1,823	39	1	1
Pomona	578	568	10	-	-
Redondo Beach	418	394	22	-	2
San Gabriel	397	372	25	-	-
Santa Monica	1,427	1,358	55	-	14
South Gate	872	868	4	-	-
South Pasadena	241	241	-	-	-
Whittier	390	386	4	-	-
Balance of county	13,221	12,469	653	25	74
Madera	686	665	14	-	7
Marin	1,346	1,327	19	-	-
Mariposa	35	25	9	1	-
Mendocino	460	421	35	-	4
Merced	1,391	1,364	25	1	1
Merced	480	476	4	-	-
Balance of county	911	888	21	1	1
Modoc	361	347	12	-	2
Mono	18	13	2	-	3
Section B (Counties)—Continued					
CALIFORNIA—Continued					
Monterey	2,225	2,058	156	2	9
Monterey	359	357	2	-	-
Salinas	790	772	17	-	1
Balance of county	1,076	929	137	2	8
Napa	730	724	6	-	-
Nevada	290	284	6	-	-
Orange	3,941	3,592	346	1	2
Anaheim	297	269	28	-	-
Fullerton	280	253	6	-	1
Santa Ana	996	920	76	-	-
Balance of county	2,368	2,150	236	1	1
Placer	570	515	53	1	1
Plumas	203	193	9	-	1
Riverside	2,987	2,700	280	2	5
Riverside	1,410	1,339	70	1	-
Balance of county	1,577	1,361	210	1	5
Sacramento	4,321	4,188	116	1	16
Sacramento	2,684	2,641	31	1	11
Balance of county	1,637	1,547	85	-	5
San Benito	292	266	24	-	2
San Bernardino	4,526	4,074	444	2	6
Ontario	459	442	17	-	-
Redlands	369	328	40	-	1
San Bernardino	1,697	1,549	147	-	1
Balance of county	2,001	1,755	240	2	4
San Diego	11,171	10,922	220	5	24
National City	552	521	10	-	1
San Diego	7,923	7,774	132	3	14
Balance of county	2,716	2,627	78	2	9
San Francisco, coextensive with San Francisco (city)	13,425	13,269	107	23	26
San Joaquin	3,374	3,252	96	-	16
Lodi	288	284	4	-	-
Stockton	1,774	1,740	28	-	6
Balance of county	1,312	1,238	64	-	10
San Luis Obispo	1,127	1,099	28	-	-
San Mateo	2,980	2,929	29	-	2
Burlingame	324	321	3	-	-
Redwood City	425	412	13	-	-
San Mateo	619	617	2	-	-
Balance of county	1,592	1,579	11	-	2
Santa Barbara	1,853	1,774	71	1	7
Santa Barbara	775	742	32	1	-
Balance of county	1,078	1,032	39	-	7
Santa Clara	4,100	3,985	96	6	13
Palo Alto	443	440	2	1	-
San Jose	1,886	1,845	36	1	4
Balance of county	1,771	1,700	58	4	9
Santa Cruz	912	895	15	-	2
Santa Cruz	337	334	3	-	-
Balance of county	575	561	12	-	2
Shasta	533	498	32	-	3
Sierra	31	30	1	-	-
Siskiyou	506	493	11	2	-
Solano	2,708	2,650	54	1	1
Vallejo	2,039	2,016	22	1	-
Balance of county	667	634	32	-	1
Sonoma	1,508	1,493	14	-	1
Santa Rosa	527	525	2	-	-
Balance of county	981	968	12	-	1
Stanislaus	2,068	1,972	96	-	-
Modesto	667	657	10	-	-
Balance of county	1,401	1,315	86	-	-
Sutter	413	398	15	-	-
Tehama	265	262	3	-	-
Trinity	27	25	-	-	2
Tulare	2,819	2,479	318	4	18
Tuolumne	109	98	11	-	-
Ventura	1,883	1,546	325	-	12
San Buenaventura	443	431	12	-	-
Balance of county	1,440	1,115	313	-	12
Yolo	648	621	25	-	2
Yuba	513	496	16	-	1
COLORADO	23,931	19,649	3,891	147	244
Adams	468	393	72	1	2
Alamosa	245	219	24	-	2
Arapahoe	874	820	49	-	5
Archuleta	59	11	40	-	8
Baca	158	76	80	-	-
Bent	154	131	22	-	1
Boulder	697	604	92	1	-
Boulder	307	298	8	1	-
Balance of county	390	306	84	-	-
Chaffee	140	122	11	5	2
Cheyenne	60	48	12	-	-
Clear Creek	49	30	19	-	-
Conejos	211	188	23	-	20

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
COLORADO—Continued					
Costilla	109	43	10	23	33
Crowley	127	65	60	-	2
Custer	28	17	9	-	-
Delta	311	157	153	1	-
Denver, coextensive with Denver (city)	7,533	6,852	621	38	22
Dolores	47	23	17	1	6
Douglas	53	48	5	-	-
Eagle	119	82	37	-	-
Elbert	62	54	8	-	-
El Paso	1,183	1,129	47	1	6
Colorado Springs	1,010	984	42	-	4
Balance of county	173	165	5	1	2
Fremont	276	233	41	-	2
Garfield	190	122	68	-	-
Gilpin	10	8	2	-	-
Grand	64	45	19	-	-
Gunnison	98	77	20	-	1
Hinsdale	2	2	-	-	-
Huerfano	251	91	139	4	17
Jackson	39	32	7	-	-
Jefferson	689	614	71	3	1
Kiowa	48	42	6	-	-
Kit Carson	147	119	27	-	1
Lake	133	101	31	-	1
La Plata	301	213	77	4	7
Larimer	639	578	59	-	2
Fort Collins	269	261	6	-	2
Balance of county	370	317	53	-	-
Las Animas	602	258	339	1	4
Trinidad	328	159	167	-	2
Balance of county	274	99	172	1	2
Lincoln	117	74	43	-	-
Logan	392	368	20	1	3
Mesa	712	561	145	1	5
Grand Junction	527	273	50	1	3
Balance of county	185	288	95	-	2
Mineral	12	11	-	-	1
Moffat	92	69	23	-	-
Montezuma	203	120	64	1	18
Montrose	330	236	86	1	7
Morgan	370	298	71	-	1
Otero	638	491	134	1	12
Ouray	26	22	4	-	-
Park	19	14	5	-	-
Phillips	95	74	21	-	-
Pitkin	28	21	7	-	-
Prowers	360	320	39	-	1
Pueblo	1,695	1,370	280	26	19
Pueblo	1,457	1,232	208	4	13
Balance of county	238	138	72	22	6
Rio Blanco	48	28	19	-	1
Rio Grande	298	185	108	1	4
Routt	185	162	23	-	-
Saguache	129	66	31	19	13
San Juan	22	20	2	-	-
San Miguel	50	32	17	1	-
Sedgwick	118	102	16	-	-
Summit	18	13	5	-	-
Teller	59	36	2	-	1
Washington	156	139	16	1	-
Weld	1,369	977	373	11	8
Greeley	551	514	31	6	-
Balance of county	1,018	663	342	5	8
Yuma	238	213	20	-	5
CONNECTICUT	34,278	33,544	721	7	6
Fairfield	8,359	8,190	168	1	-
Bridgeport	3,041	2,971	70	-	-
Danbury	421	415	6	-	-
Norwalk	804	758	45	1	-
Shelton	183	177	6	-	-
Stamford	1,138	1,125	13	-	-
Stratford (town)	579	574	5	-	-
Balance of county	2,193	2,170	23	-	-
Hartford	9,808	9,671	134	1	2
Bristol	709	702	7	-	-
East Hartford (town)	650	645	5	-	-
Hartford	3,368	3,350	16	1	1
New Britain	1,343	1,332	10	-	1
West Hartford (town)	682	682	-	-	-
Balance of county	3,076	2,980	96	-	-
Litchfield	1,586	1,547	38	-	1
Torrington	438	431	7	-	-
Balance of county	1,148	1,116	31	-	1
Middlesex	1,081	1,067	14	-	-
Middletown	476	472	4	-	-
Balance of county	605	595	10	-	-
Section B (Counties)—Continued					
CONNECTICUT—Continued					
New Haven	9,011	8,809	196	5	1
Ansonia	318	302	16	-	-
Derby	162	157	4	-	1
Meriden	698	690	8	-	-
Naugatuck	323	321	2	-	-
New Haven	2,808	2,734	73	1	-
Wallingford	226	222	4	-	-
Waterbury	1,856	1,851	22	3	-
West Haven (town)	550	539	11	-	-
Balance of county	2,070	2,013	56	1	-
New London	2,801	2,736	65	-	-
New London	677	662	15	-	-
Norwich	613	594	19	-	-
Balance of county	1,511	1,480	31	-	-
Tolland	599	591	7	-	1
Windham	1,033	933	99	-	1
Willimantic	251	246	5	-	-
Balance of county	782	687	94	-	1
DELAWARE	5,993	5,011	591	381	10
Kent	721	458	105	153	5
New Castle	4,114	3,912	143	59	-
Wilmington	2,512	2,231	55	26	-
Balance of county	1,802	1,681	88	33	-
Sussex	1,158	641	343	169	5
DISTRICT OF COLUMBIA	15,758	14,970	784	3	1
FLORIDA	48,418	32,321	7,187	8,630	280
Alachua	903	458	185	281	1
Gainesville	385	289	14	79	1
Balance of county	520	167	171	182	-
Baker	154	43	49	62	-
Bay	1,081	739	169	169	4
Panama City	591	430	72	89	-
Balance of county	490	309	97	80	4
Bradford	341	88	154	96	3
Brevard	425	262	57	101	5
Broward	1,136	819	99	212	6
Fort Lauderdale	512	440	32	39	1
Balance of county	624	379	67	173	5
Calhoun	272	81	143	46	2
Charlotte	59	33	19	5	2
Citrus	118	29	51	38	-
Clay	224	132	30	54	8
Collier	94	57	12	21	4
Columbia	468	250	54	163	1
Dade	6,465	5,576	179	686	24
Miami	4,242	3,652	100	480	10
Miami Beach	540	540	-	-	-
Balance of county	1,683	1,384	79	206	14
De Soto	218	205	4	9	-
Dixie	162	29	89	43	1
Duval	5,926	4,907	399	559	62
Jacksonville	4,809	4,066	291	395	57
Balance of county	1,117	841	107	164	5
Escambia	2,868	2,071	366	427	4
Pensacola	1,511	1,102	164	245	-
Balance of county	1,357	969	202	182	4
Flagler	39	11	4	24	-
Franklin	188	67	66	55	-
Gadsden	692	172	115	404	1
Gilchrist	88	32	37	19	-
Glades	45	16	25	3	1
Gulf	231	139	39	52	1
Hamilton	229	29	117	83	-
Hardee	205	111	89	5	-
Hendry	117	85	9	15	8
Hernando	151	70	54	7	-
Highlands	298	207	35	56	-
Hillsborough	4,991	4,000	472	499	20
Tampa	2,853	2,361	89	394	9
Balance of county	2,138	1,639	383	105	11
Holmes	428	141	233	50	4
Indian River	212	148	48	18	-
Jackson	981	269	341	369	2
Jefferson	271	24	64	183	-
Lafayette	94	24	63	6	1
Lake	580	448	30	99	3
Lee	433	334	27	66	6
Fort Myers	308	232	20	55	1
Balance of county	125	102	7	11	5
Leon	906	445	67	391	3
Tallahassee	517	347	34	135	1
Balance of county	389	98	33	256	2
Levy	229	73	88	70	-
Liberty	85	35	22	26	-
Madison	381	108	58	214	1
Manatee	555	402	18	131	4
Marion	718	308	112	298	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
FLORIDA—Continued					
Martin	86	62	18	6	-
Monroe	309	167	24	118	-
Key West	300	158	24	118	-
Balance of county	9	9	-	-	-
Nassau	253	124	44	83	2
Okaloosa	428	280	79	25	44
Okeechobee	66	35	2	28	1
Orange	1,738	1,208	356	172	2
Orlando	955	714	163	77	1
Balance of county	783	494	193	95	1
Osceola	150	101	18	19	12
Palm Beach	1,733	1,183	103	441	6
West Palm Beach	763	616	19	126	2
Balance of county	970	567	84	315	4
Pasco	323	166	117	40	-
Pinellas	1,827	1,525	136	161	5
Clearwater	298	256	17	25	-
St. Petersburg	1,161	1,007	25	125	4
Balance of county	368	262	94	11	1
Polk	2,207	1,184	766	249	8
Lakeland	582	426	115	39	2
Balance of county	1,625	758	651	210	6
Putnam	319	139	90	90	-
St. Johns	387	302	7	70	8
St. Augustine	252	234	1	13	4
Balance of county	135	68	6	57	4
St. Lucie	338	222	19	94	3
Santa Rosa	437	130	251	56	-
Sarasota	323	289	8	25	1
Sarasota	242	215	5	21	1
Balance of county	81	74	3	4	-
Seminole	498	326	27	141	4
Sanford	249	190	4	55	-
Balance of county	249	136	23	86	4
Sumter	265	156	47	62	-
Suwannee	448	86	201	161	-
Taylor	229	22	154	51	2
Union	125	66	35	24	-
Volusia	1,030	714	139	177	-
Daytona Beach	479	387	18	74	-
Balance of county	551	327	121	103	-
Wakulla	115	34	8	73	-
Walton	365	229	58	77	1
Washington	382	98	191	92	1
GEORGIA	76,540	38,841	18,520	19,102	77
Appling	335	84	193	57	1
Atkinson	198	58	90	45	-
Bacon	281	125	117	39	-
Baker	164	23	20	121	-
Baldwin	353	143	24	185	1
Banks	143	31	103	9	-
Barrow	259	111	81	47	-
Bartow	633	346	235	72	-
Ben Hill	371	186	43	142	-
Berrien	361	154	164	43	-
Bibb	2,563	2,127	41	392	3
Macon	2,111	1,790	32	286	3
Balance of county	452	337	9	106	-
Bleckley	226	33	82	110	1
Brantley	210	41	135	32	2
Brooks	503	204	34	265	-
Bryan	152	35	59	56	2
Bulloch	596	263	143	189	1
Burke	641	78	81	482	-
Butts	195	39	90	56	-
Calhoun	281	53	14	194	-
Camden	173	42	15	115	1
Candler	152	42	63	47	-
Carroll	677	271	304	102	-
Catoosa	274	214	57	2	1
Charlton	109	42	30	37	-
Chatham	3,745	2,850	726	166	3
Savannah	3,091	2,380	595	114	2
Balance of county	654	470	131	52	1
Chattahoochee	112	84	10	18	-
Chattooga	441	267	149	25	-
Cherokee	452	170	255	27	-
Clarke	669	430	99	140	-
Athens	489	345	60	84	-
Balance of county	180	85	39	56	-
Clay	214	30	16	168	-
Clayton	268	120	74	74	-
Clinch	132	41	26	63	2
Cobb	1,065	728	315	42	-
Coffee	668	271	220	177	-
Section B (Counties)—Continued					
GEORGIA—Continued					
Colquitt	1,033	611	210	212	-
Moultrie	428	260	74	94	-
Balance of county	605	351	136	118	-
Columbia	233	64	25	144	-
Cook	257	61	146	49	1
Coweta	534	213	129	192	-
Crawford	170	47	14	109	-
Crisp	430	123	76	230	1
Dade	151	27	115	8	1
Dawson	72	39	20	13	-
Decatur	707	442	64	201	-
De Kalb	2,081	1,528	273	229	1
Atlanta (part)	737	706	18	13	-
Decatur	471	370	31	70	-
Balance of county	823	452	224	146	1
Dodge	461	79	207	174	1
Dooly	366	55	134	177	-
Dougherty	882	489	223	170	-
Albany	723	455	153	115	-
Balance of county	159	34	70	55	-
Douglas	194	74	78	42	-
Early	508	148	32	328	-
Echols	61	16	14	31	-
Effingham	251	37	113	101	-
Elbert	437	192	98	147	-
Emanuel	476	171	85	219	1
Evans	195	29	92	74	-
Fannin	358	72	253	32	1
Fayette	142	46	27	69	-
Floyd	1,264	993	162	109	-
Rome	723	627	38	58	-
Balance of county	541	366	124	51	-
Forsyth	237	63	112	60	2
Franklin	350	103	201	45	1
Fulton	8,692	7,669	883	134	6
Atlanta (part)[3]	6,481	5,873	543	61	4
Atlanta (total)[3]	7,218	6,579	561	74	4
District 1511, Center Hill [3]	319	294	21	4	-
East Point	1,892	1,502	319	69	2
Balance of county	265	168	47	50	-
Gilmer	103	17	54	32	-
Glascock	1,160	817	233	109	1
Glynn	912	646	189	76	1
Brunswick	248	171	44	33	-
Balance of county	404	273	118	13	-
Gordon	487	115	279	91	2
Grady	291	56	88	147	-
Greene	583	239	297	47	-
Gwinnett	345	149	154	39	3
Habersham	745	374	305	65	1
Hall	288	161	105	22	-
Gainesville	457	213	200	43	1
Balance of county	304	30	33	241	-
Hancock	272	113	120	38	1
Haralson	225	28	56	141	-
Harris	238	79	111	48	-
Hart	122	17	70	35	-
Heard	356	61	99	196	-
Henry	542	273	91	178	-
Houston	322	148	21	153	-
Irwin	458	112	310	35	1
Jackson	168	18	62	88	-
Jasper	247	33	163	51	-
Jeff Davis	511	76	88	347	-
Jefferson	269	120	14	135	-
Jenkins	280	83	96	99	2
Johnson	174	20	51	102	1
Jones	225	28	75	122	-
Lamar	88	29	29	29	1
Lanier	813	332	163	318	-
Laurens	211	36	23	151	1
Lee	261	105	38	118	-
Liberty	148	22	61	65	-
Lincoln	76	17	43	16	-
Long	985	516	76	373	-
Lowndes	563	354	14	195	-
Valdosta	402	162	62	178	-
Balance of county	158	53	76	29	-
Lumpkin	260	100	19	141	-
McDuffie	156	27	31	97	1
McIntosh	411	131	55	225	-
Macon	276	55	163	58	-
Madison	202	14	62	125	1
Marion	548	128	151	269	-
Meriwether	196	64	29	102	1
Miller	609	98	203	307	3
Mitchell	235	27	62	146	-
Monroe					

[3]Figures for District 1511, Center Hill, are included in those for Atlanta.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
GEORGIA—Continued					
Montgomery	177	36	61	80	-
Morgan	276	21	77	178	-
Murray	232	47	149	36	-
Muscogee	2,764	2,258	271	232	3
Columbus	2,372	2,023	213	134	2
Balance of county	392	235	58	98	1
Newton	501	240	103	158	-
Oconee	132	49	48	35	-
Oglethorpe	313	82	77	154	-
Paulding	240	77	151	12	-
Peach	288	91	48	148	1
Pickens	178	53	114	11	-
Pierce	338	63	176	99	-
Pike	243	52	83	108	-
Polk	615	200	360	55	-
Pulaski	231	64	19	148	-
Putnam	159	27	32	98	2
Quitman	86	13	14	59	-
Rabun	204	150	22	32	-
Randolph	428	77	37	314	-
Richmond	2,178	1,450	620	108	-
Augusta	1,685	1,080	587	18	-
Balance of county	493	370	33	90	-
Rockdale	176	29	85	62	-
Schley	117	8	62	47	-
Screven	464	104	72	284	4
Seminole	113	41	2	70	-
Spalding	596	251	198	147	-
Griffin	386	166	123	77	-
Balance of county	230	85	75	70	-
Stephens	391	265	77	49	-
Stewart	233	23	26	184	-
Sumter	560	223	55	282	-
Talbot	182	31	21	130	-
Taliaferro	94	20	7	67	-
Tattnall	278	117	119	39	3
Taylor	233	87	26	119	1
Telfair	266	83	94	89	-
Terrell	386	43	92	251	-
Thomas	840	438	101	299	2
Thomasville	386	262	21	101	2
Balance of county	454	176	80	198	-
Tift	501	231	149	121	-
Toombs	415	137	190	87	1
Towns	89	27	55	6	1
Treutlen	139	40	45	56	-
Troup	1,055	544	204	307	-
La Grange	506	292	120	94	-
Balance of county	549	252	84	213	-
Turner	189	36	99	54	-
Twiggs	205	27	30	148	-
Union	178	18	134	23	3
Upson	595	90	379	126	-
Walker	764	579	174	11	-
Walton	506	221	133	152	-
Ware	808	468	171	169	-
Waycross	539	333	80	126	-
Balance of county	269	135	91	43	-
Warren	226	29	44	152	1
Washington	598	129	64	405	-
Wayne	428	246	84	98	-
Webster	118	14	42	62	-
Wheeler	154	33	97	24	-
White	138	35	72	31	-
Whitfield	676	510	97	69	-
Dalton	372	298	45	29	-
Balance of county	304	212	52	40	-
Wilcox	267	47	141	79	-
Wilkes	339	127	51	161	-
Wilkinson	243	39	74	129	1
Worth	595	75	281	239	-
IDAHO	12,241	11,300	926	5	10
Ada	1,205	1,188	17	-	-
Boise City	843	836	7	-	-
Balance of county	362	352	10	-	-
Adams	77	70	7	-	-
Bannock	1,131	1,112	17	1	1
Pocatello	799	796	3	-	-
Balance of county	332	316	14	1	1
Bear Lake	208	198	10	-	-
Benewah	114	85	29	-	-
Bingham	546	528	17	-	1
Blaine	98	85	13	-	-
Boise	24	24	-	-	-
Bonner	313	283	30	-	-
Bonneville	647	622	24	-	1
Idaho Falls	373	359	13	-	1
Balance of county	274	263	11	-	-
Boundary	114	109	5	-	-
Butte	50	39	11	-	-
Camas	27	25	2	-	-
Canyon	1,016	976	39	1	-
Nampa	274	261	13	-	-
Balance of county	742	715	26	1	-
Caribou	67	63	4	-	-
Cassia	344	231	113	-	-
Clark	26	26	-	-	-
Clearwater	145	129	16	-	-
Custer	60	47	11	-	2
Elmore	148	137	11	-	-
Franklin	295	195	100	-	-
Fremont	243	209	34	-	-
Gem	190	179	11	-	-
Gooding	225	215	10	-	-
Idaho	182	132	50	-	-
Jefferson	263	230	32	1	-
Jerome	243	239	4	-	-
Kootenai	594	567	25	-	2
Coeur d'Alene	290	284	6	-	-
Balance of county	304	283	19	-	2
Latah	316	288	28	-	-
Lemhi	112	90	22	-	-
Lewis	60	38	22	-	-
Lincoln	89	80	8	-	1
Madison	221	203	18	-	-
Minidoka	253	226	27	-	-
Nez Perce	356	321	34	-	1
Lewiston	214	202	12	-	-
Balance of county	142	119	22	-	1
Oneida	121	117	4	-	-
Owyhee	129	120	9	-	-
Payette	191	183	8	-	-
Power	96	90	3	2	1
Shoshone	464	451	13	-	-
Teton	93	91	2	-	-
Twin Falls	861	809	52	-	-
Twin Falls	315	291	24	-	-
Balance of county	546	518	28	-	-
Valley	85	60	25	-	-
Washington	199	190	9	-	-
Yellowstone National Park (part)	-	-	-	-	-
ILLINOIS	142,005	127,815	13,953	165	72
Adams	1,104	1,069	34	1	-
Quincy	771	766	5	-	-
Balance of county	333	303	29	1	-
Alexander	406	231	162	2	11
Cairo	217	145	62	-	10
Balance of county	189	86	100	2	1
Bond	220	162	58	-	-
Boone	317	313	4	-	-
Brown	101	46	55	-	-
Bureau	593	530	63	-	-
Calhoun	134	25	109	-	-
Carroll	331	284	47	-	-
Cass	269	201	68	-	-
Champaign	1,605	1,530	75	-	-
Champaign	535	523	12	-	-
Urbana	387	382	5	-	-
Balance of county	683	625	58	-	-
Christian	675	599	76	-	-
Clark	257	136	120	1	-
Clay	317	132	185	-	-
Clinton	388	290	98	-	-
Centralia (part)	16	16	-	-	-
Balance of county	372	274	98	-	-
Coles	704	490	214	-	-
Mattoon	317	241	76	-	-
Balance of county	387	249	138	-	-
Cook	72,678	69,279	3,252	132	15
Berwyn	786	781	4	1	-
Blue Island	356	354	2	-	-
Brookfield	184	181	3	-	-
Calumet City	252	245	7	-	-
Chicago	60,255	57,104	3,009	128	15
Chicago Heights	471	436	35	-	-
Cicero	1,052	1,024	28	-	-
Elgin (part)	6	6	-	-	-
Elmwood Park	283	280	3	-	-
Evanston	1,195	1,181	14	-	-
Forest Park	269	264	5	-	-
Harvey	462	453	9	-	-
La Grange	257	254	3	-	-
Maywood	481	480	1	-	-
Melrose Park	329	325	4	-	-
Oak Park	987	980	6	1	-
Park Ridge	225	225	-	-	-
Wilmette	255	254	1	-	-
Winnetka	176	175	1	-	-
Balance of county	4,399	4,277	117	5	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
ILLINOIS—Continued					
Crawford	318	218	102	-	-
Cumberland	193	98	95	-	-
De Kalb	684	675	9	-	-
De Witt	307	250	56	-	1
Douglas	281	216	65	-	-
Du Page	1,999	1,946	53	-	-
Elmhurst	287	285	2	-	-
Balance of county	1,712	1,661	51	-	-
Edgar	398	344	54	-	-
Edwards	162	84	78	-	-
Effingham	374	271	103	-	-
Fayette	452	273	179	-	-
Ford	241	198	43	-	-
Franklin	828	553	274	-	1
West Frankfort	200	169	31	-	-
Balance of county	628	384	243	-	1
Fulton	777	701	75	-	1
Canton	253	225	8	-	-
Balance of county	544	476	67	-	1
Gallatin	196	115	80	-	1
Greene	362	231	131	-	-
Grundy	417	397	20	-	-
Hamilton	210	105	105	-	-
Hancock	416	335	80	-	1
Hardin	177	51	126	-	-
Henderson	177	132	45	-	-
Henry	729	708	21	-	-
Kewanee	282	274	8	-	-
Balance of county	447	434	13	-	-
Iroquois	537	444	93	-	-
Jackson	636	466	170	-	-
Jasper	197	99	98	-	-
Jefferson	652	281	371	-	-
Mount Vernon	342	187	155	-	-
Balance of county	310	94	216	-	-
Jersey	230	109	121	-	-
Jo Daviess	387	261	125	-	1
Johnson	178	53	123	-	-
Kane	2,411	2,375	36	-	-
Aurora	947	935	12	-	-
Elgin (part)	618	608	10	-	-
Elgin (total)	624	614	10	-	-
Balance of county	846	832	14	-	-
Kankakee	988	842	145	1	-
Kankakee	491	443	48	-	-
Balance of county	497	399	97	1	-
Kendall	190	178	12	-	-
Knox	882	835	47	-	-
Galesburg	526	521	5	-	-
Balance of county	356	314	42	-	-
Lake	2,607	2,508	77	2	20
Highland Park	265	265	-	-	-
Waukegan	753	744	8	1	-
Balance of county	1,589	1,499	69	1	20
La Salle	1,861	1,799	59	-	3
La Salle	188	183	3	-	-
Ottawa	344	337	7	-	-
Streator	321	303	15	-	3
Balance of county	1,010	976	34	-	-
Lawrence	330	128	201	1	-
Lee	566	525	41	-	-
Dixon	178	175	3	-	-
Balance of county	388	350	38	-	-
Livingston	644	586	58	-	-
Logan	432	401	30	1	-
Lincoln	177	175	2	-	-
Balance of county	255	226	28	1	-
McDonough	534	441	93	-	-
McHenry	726	693	33	-	-
McLean	1,281	1,178	103	-	-
Bloomington	598	564	32	-	-
Balance of county	685	614	71	-	-
Macon	1,755	1,679	76	-	-
Decatur	1,281	1,244	37	-	-
Balance of county	474	435	39	-	-
Macoupin	654	485	169	-	-
Madison	3,108	2,647	457	2	2
Alton	869	745	124	-	-
Granite City	483	468	15	-	-
Balance of county	1,756	1,434	318	2	2
Marion	859	672	186	1	-
Centralia (part)	267	237	30	-	-
Centralia (total)	283	253	30	-	-
Balance of county	592	435	156	1	-
Marshall	223	190	33	-	-
Mason	280	154	74	-	2
Massac	244	126	116	-	2
Menard	150	94	56	-	-
Mercer	311	270	41	-	-
Monroe	204	168	36	-	-
Montgomery	504	403	101	-	-
Morgan	449	369	80	-	-
Jacksonville	231	216	15	-	-
Balance of county	218	153	65	-	-
Moultrie	260	157	103	-	-
Ogle	546	475	71	-	-
Peoria	2,790	2,644	145	1	-
Peoria	1,942	1,894	47	1	-
Balance of county	848	750	98	-	-
Perry	396	281	115	-	-
Piatt	261	223	38	-	-
Pike	354	231	123	-	-
Pope	104	26	78	-	-
Pulaski	257	79	164	8	6
Putnam	92	89	3	-	-
Randolph	472	268	204	-	-
Richland	297	232	65	-	-
Rock Island	2,358	2,270	88	-	-
East Moline	209	204	5	-	-
Moline	673	668	5	-	-
Rock Island	910	865	45	-	-
Balance of county	566	533	33	-	-
St. Clair	3,298	2,947	341	9	1
Belleville	625	615	10	-	-
East St. Louis	1,575	1,390	182	3	-
Balance of county	1,098	942	149	6	1
Saline	642	399	243	-	-
Harrisburg	222	163	59	-	-
Balance of county	420	236	184	-	-
Sangamon	2,123	1,989	133	1	-
Springfield	1,550	1,532	18	-	-
Balance of county	573	457	115	1	-
Schuyler	183	127	56	-	-
Scott	113	70	43	-	-
Shelby	439	305	134	-	-
Stark	138	125	13	-	-
Stephenson	730	669	61	-	-
Freeport	403	375	28	-	-
Balance of county	327	294	33	-	-
Tazewell	1,153	1,065	88	-	-
Pekin	344	329	15	-	-
Balance of county	809	736	73	-	-
Union	366	251	113	-	2
Vermilion	1,423	1,265	157	-	1
Danville	668	615	53	-	-
Balance of county	757	652	104	-	1
Wabash	232	90	142	-	-
Warren	351	323	28	-	-
Washington	204	143	61	-	-
Wayne	411	116	295	-	-
White	374	122	252	-	-
Whiteside	881	742	138	-	1
Sterling	228	189	39	-	-
Balance of county	653	553	99	-	1
Will	2,132	2,037	95	-	-
Joliet	1,274	1,250	24	-	-
Balance of county	858	787	71	-	-
Williamson	807	475	332	-	-
Winnebago	2,763	2,664	97	2	-
Rockford	1,897	1,851	44	2	-
Balance of county	866	813	53	-	-
Woodford	300	241	59	-	-
INDIANA	71,354	57,740	13,527	65	22
Adams	443	324	119	-	-
Allen	3,503	3,271	232	-	-
Fort Wayne	2,716	2,629	87	-	-
Balance of county	787	642	145	-	-
Bartholomew	681	545	136	-	-
Columbus	356	323	33	-	-
Balance of county	325	222	103	-	-
Benton	213	161	52	-	-
Blackford	230	192	38	-	-
Boone	450	386	64	-	-
Brown	91	45	44	1	1
Carroll	293	203	90	-	-
Cass	683	619	64	-	-
Logansport	405	379	26	-	-
Balance of county	278	240	38	-	-
Clark	894	614	279	-	1
Jeffersonville	367	335	32	-	-
Balance of county	527	279	247	-	1
Clay	403	304	99	-	-
Clinton	550	493	57	-	-
Frankfort	276	270	6	-	-
Balance of county	274	223	51	-	-
Crawford	164	31	132	-	1
Daviess	582	386	191	5	-
Dearborn	414	275	139	-	-
Decatur	358	269	89	-	-
De Kalb	501	440	61	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
INDIANA—Continued					
Delaware	1,783	1,603	180	-	-
Muncie	1,247	1,155	112	-	-
Balance of county	536	468	68	-	-
Dubois	457	205	252	-	-
Elkhart	1,558	1,411	147	-	-
Elkhart	823	598	25	-	-
Goshen	267	261	6	-	-
Balance of county	668	552	116	-	-
Fayette	435	399	35	1	-
Connersville	332	321	11	-	-
Balance of county	103	78	24	1	-
Floyd	736	565	171	-	-
New Albany	558	444	114	-	-
Balance of county	178	121	57	-	-
Fountain	336	240	96	-	-
Franklin	245	126	118	1	-
Fulton	276	210	65	-	1
Gibson	600	401	199	-	-
Grant	1,156	892	264	-	-
Marion	644	507	137	-	-
Balance of county	512	385	127	-	-
Greene	454	347	107	-	-
Hamilton	453	405	48	-	-
Hancock	319	224	95	-	-
Harrison	346	85	261	-	-
Hendricks	404	327	77	-	-
Henry	939	850	89	-	-
New Castle	417	403	14	-	-
Balance of county	522	447	75	-	-
Howard	1,101	890	210	-	1
Kokomo	809	669	139	-	1
Balance of county	292	221	71	-	-
Huntington	547	441	106	-	-
Huntington	288	221	67	-	-
Balance of county	279	220	59	-	-
Jackson	634	463	171	-	-
Jasper	344	300	43	-	1
Jay	443	402	41	-	-
Jefferson	373	245	128	-	-
Jennings	245	110	135	-	-
Johnson	498	318	180	-	-
Knox	888	676	211	-	1
Vincennes	415	360	54	-	1
Balance of county	473	316	157	-	-
Kosciusko	578	508	70	-	-
Lagrange	292	140	152	-	-
Lake	6,608	6,011	547	50	-
East Chicago	1,112	982	108	22	-
Gary	2,700	2,406	272	22	-
Hammond	1,284	1,220	60	4	-
Whiting	305	303	2	-	-
Balance of county	1,207	1,100	105	2	-
La Porte	1,341	1,249	92	-	-
La Porte	450	417	13	-	-
Michigan City	455	438	17	-	-
Balance of county	458	394	62	-	-
Lawrence	740	475	265	-	-
Bedford	298	245	53	-	-
Balance of county	442	230	212	-	-
Madison	2,044	1,945	99	-	-
Anderson	1,046	1,015	31	-	-
Elwood	268	250	18	-	-
Balance of county	730	680	50	-	-
Marion	10,073	8,373	1,693	1	6
Indianapolis	9,094	7,556	1,533	1	4
Balance of county	979	817	160	-	2
Marshall	514	477	37	-	-
Martin	212	73	139	-	-
Miami	526	465	61	-	-
Peru	243	233	10	-	-
Balance of county	283	232	51	-	-
Monroe	750	504	244	1	1
Bloomington	463	355	108	-	-
Balance of county	287	149	136	1	1
Montgomery	443	384	59	-	-
Crawfordsville	195	172	23	-	-
Balance of county	248	212	36	-	-
Morgan	430	303	126	-	1
Newton	198	143	55	-	-
Noble	476	386	90	-	-
Ohio	77	32	45	-	-
Orange	288	137	151	-	-
Owen	187	68	119	-	-
Parke	268	154	114	-	-
Perry	364	74	289	1	-
Pike	256	143	113	-	-
Porter	530	491	39	-	-
Posey	377	267	110	-	-
Pulaski	264	160	102	-	2
Putnam	304	249	55	-	-
Randolph	495	456	38	-	1
Ripley	362	240	122	-	-
Rush	376	325	50	1	-
St. Joseph	3,461	3,361	97	3	-
Mishawaka	617	610	7	-	-
South Bend	2,097	2,056	38	3	-
Balance of county	747	695	52	-	-
Scott	276	177	99	-	-
Shelby	464	378	86	-	-
Shelbyville	232	204	28	-	-
Balance of county	232	174	58	-	-
Spencer	299	82	216	-	1
Starke	324	141	183	-	-
Steuben	251	183	67	-	1
Sullivan	417	337	80	-	-
Switzerland	105	45	60	-	-
Tippecanoe	1,157	1,094	63	-	-
Lafayette	667	644	23	-	-
Balance of county	490	450	40	-	-
Tipton	287	224	63	-	-
Union	78	54	24	-	-
Vanderburgh	3,172	2,350	822	-	-
Evansville	2,660	2,012	648	-	-
Balance of county	512	338	174	-	-
Vermillion	377	275	101	-	1
Vigo	1,711	1,388	323	-	-
Terre Haute	1,260	1,088	172	-	-
Balance of county	451	300	151	-	-
Wabash	528	476	52	-	-
Warren	155	104	51	-	-
Warrick	355	172	183	-	-
Washington	308	59	249	-	1
Wayne	1,225	1,087	138	-	-
Richmond	772	707	65	-	-
Balance of county	453	380	73	-	-
Wells	356	322	34	-	-
White	295	187	108	-	-
Whitley	356	319	37	-	-
IOWA	46,564	39,704	6,836	5	19
Adair	235	105	130	-	-
Adams	172	119	53	-	-
Allamakee	309	249	60	-	-
Appanoose	402	306	95	-	1
Audubon	214	127	87	-	-
Benton	397	322	75	-	-
Black Hawk	1,634	1,580	52	1	1
Waterloo	1,055	1,039	13	1	-
Balance of county	591	541	39	-	1
Boone	456	430	26	-	-
Boone	198	196	2	-	-
Balance of county	258	234	24	-	-
Bremer	310	232	78	-	-
Buchanan	376	328	41	1	6
Buena Vista	324	312	12	-	-
Butler	285	209	76	-	-
Calhoun	342	305	37	-	-
Carroll	487	439	48	-	-
Cass	366	259	107	-	-
Cedar	278	228	49	-	1
Cerro Gordo	763	708	55	-	-
Mason City	461	433	28	-	-
Balance of county	302	275	27	-	-
Cherokee	308	282	26	-	-
Chickasaw	274	251	23	-	-
Clarke	148	136	12	-	-
Clay	359	344	15	-	-
Clayton	398	245	152	-	1
Clinton	961	803	58	-	-
Clinton	529	510	19	-	-
Balance of county	332	293	39	-	-
Crawford	380	278	102	-	-
Dallas	412	334	78	-	-
Davis	164	115	49	-	-
Decatur	249	218	31	-	-
Delaware	350	305	45	-	-
Des Moines	786	772	14	-	-
Burlington	591	587	4	-	-
Balance of county	195	185	10	-	-
Dickinson	191	169	22	-	-
Dubuque	1,245	1,097	148	-	-
Dubuque	820	782	38	-	-
Balance of county	425	315	110	-	-
Emmet	282	259	22	1	-
Fayette	494	410	84	-	-
Floyd	420	394	25	-	1
Franklin	302	284	17	-	1
Fremont	244	201	43	-	-
Greene	258	227	31	-	-
Grundy	226	187	39	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
IOWA—Continued					
Guthrie	312	201	111	-	-
Hamilton	343	312	31	-	-
Hancock	304	225	79	-	-
Hardin	387	337	50	-	-
Harrison	403	201	202	-	-
Henry	286	236	50	-	-
Howard	243	200	43	-	-
Humboldt	224	184	40	-	-
Ida	192	144	48	-	-
Iowa	279	170	108	1	-
Jackson	303	231	72	-	-
Jasper	597	467	130	-	-
Newton	218	190	28	-	-
Balance of county	379	277	102	-	-
Jefferson	267	240	27	-	-
Johnson	674	629	45	-	-
Iowa City	391	386	5	-	-
Balance of county	283	243	40	-	-
Jones	314	295	19	-	-
Keokuk	281	180	101	-	-
Kossuth	519	393	126	-	-
Lee	814	758	56	-	-
Fort Madison	277	250	27	-	-
Keokuk	296	295	1	-	-
Balance of county	241	213	28	-	-
Linn	1,681	1,595	86	-	-
Cedar Rapids	1,161	1,138	23	-	-
Balance of county	520	457	63	-	-
Louisa	173	124	49	-	-
Lucas	222	159	63	-	-
Lyon	299	199	100	-	-
Madison	229	180	48	-	1
Mahaska	461	395	66	-	-
Oskaloosa	184	164	20	-	-
Balance of county	277	231	46	-	-
Marion	421	375	45	-	1
Marshall	604	573	31	-	-
Marshalltown	330	318	12	-	-
Balance of county	274	255	19	-	-
Mills	224	159	65	-	-
Mitchell	250	213	37	-	-
Monona	328	239	89	-	-
Monroe	243	111	132	-	-
Montgomery	261	246	15	-	-
Muscatine	584	554	29	-	1
Muscatine	327	318	9	-	-
Balance of county	257	236	20	-	1
O'Brien	333	249	84	-	-
Osceola	206	170	35	-	1
Page	406	380	26	-	-
Palo Alto	339	277	62	-	-
Plymouth	430	374	56	-	-
Pocahontas	295	196	99	-	-
Polk	3,593	3,239	352	1	1
Des Moines	3,103	2,821	280	1	1
Balance of county	490	418	72	-	-
Pottawattamie	1,313	1,180	133	-	-
Council Bluffs	876	827	49	-	-
Balance of county	437	353	84	-	-
Poweshiek	325	288	37	-	-
Ringgold	186	116	70	-	-
Sac	350	297	53	-	-
Scott	1,776	1,720	56	-	-
Davenport	1,336	1,306	30	-	-
Balance of county	440	414	26	-	-
Shelby	342	195	147	-	-
Sioux	544	351	193	-	-
Story	897	866	31	-	-
Ames	298	295	3	-	-
Balance of county	399	371	28	-	-
Tama	394	302	92	-	-
Taylor	208	144	63	-	1
Union	239	190	49	-	-
Van Buren	171	95	76	-	-
Wapello	954	813	141	-	-
Ottumwa	705	624	81	-	-
Balance of county	249	189	60	-	-
Warren	294	178	116	-	-
Washington	377	307	70	-	-
Wayne	227	161	66	-	-
Webster	817	778	39	-	-
Fort Dodge	479	469	10	-	-
Balance of county	338	309	29	-	-
Winnebago	258	205	53	-	-
Winneshiek	386	340	44	-	1
Woodbury	2,120	1,944	176	-	-
Sioux City	1,679	1,604	75	-	-
Balance of county	441	340	101	-	-
Worth	185	167	18	-	-
Wright	377	288	89	-	-

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
KANSAS	34,976	29,355	5,586	25	10
Allen	296	211	84	1	-
Anderson	181	142	39	-	-
Atchison	350	308	21	1	-
Atchison	214	207	6	1	-
Balance of county	116	101	15	-	-
Barber	147	118	29	-	-
Barton	670	638	32	-	-
Bourbon	327	281	46	-	-
Fort Scott	173	161	12	-	-
Balance of county	154	120	34	-	-
Brown	256	225	29	2	-
Butler	552	516	36	-	-
El Dorado	197	195	2	-	-
Balance of county	355	321	34	-	-
Chase	99	76	23	-	-
Chautauqua	140	70	70	-	-
Cherokee	571	319	249	3	-
Cheyenne	101	77	24	-	-
Clark	51	43	8	-	-
Clay	228	206	20	1	1
Cloud	329	268	61	-	-
Coffey	203	91	112	-	-
Comanche	81	62	19	-	-
Cowley	700	659	40	-	1
Arkansas City	269	253	15	-	1
Balance of county	431	406	25	-	-
Crawford	671	497	172	2	-
Pittsburg	321	260	60	1	-
Balance of county	350	237	112	1	-
Decatur	119	108	11	-	-
Dickinson	385	334	51	-	-
Doniphan	198	67	131	-	-
Douglas	527	490	36	1	-
Lawrence	334	320	14	-	-
Balance of county	193	170	22	1	-
Edwards	95	73	22	-	-
Elk	100	56	44	-	-
Ellis	392	329	63	-	-
Ellsworth	125	110	15	-	-
Finney	288	226	62	-	-
Ford	456	435	20	-	1
Franklin	355	298	56	-	1
Ottawa	188	164	23	-	1
Balance of county	167	134	33	-	-
Geary	352	345	7	-	-
Gove	89	67	21	-	1
Graham	102	41	61	-	-
Grant	53	40	12	-	1
Gray	92	62	30	-	-
Greeley	31	30	1	-	-
Greenwood	262	196	65	1	-
Hamilton	64	58	6	-	-
Harper	174	160	14	-	-
Harvey	386	372	14	-	-
Newton	201	199	2	-	-
Balance of county	185	173	12	-	-
Haskell	57	47	10	-	-
Hodgeman	52	46	6	-	-
Jackson	172	156	16	-	-
Jefferson	158	96	62	-	-
Jewell	159	111	48	-	-
Johnson	746	665	81	-	-
Kearny	40	37	3	-	-
Kingman	227	197	30	-	-
Kiowa	70	34	36	-	-
Labette	560	419	141	-	-
Parsons	306	267	39	-	-
Balance of county	254	152	102	-	-
Lane	74	63	11	-	-
Leavenworth	647	601	46	-	-
Leavenworth	471	458	13	-	-
Balance of county	176	143	33	-	-
Lincoln	123	61	62	-	-
Linn	170	70	100	-	-
Logan	83	63	20	-	-
Lyon	433	409	22	2	-
Emporia	228	223	4	1	-
Balance of county	205	186	18	1	-
McPherson	471	448	23	-	-
Marion	321	275	46	-	-
Marshall	306	269	37	-	-
Meade	99	55	44	-	-
Miami	286	182	103	1	-
Mitchell	194	179	16	-	-
Montgomery	1,128	926	199	2	-
Coffeyville	405	378	27	2	-
Independence	331	308	23	-	-
Balance of county	330	243	87	-	-
Morris	163	106	57	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
KANSAS—Continued					
Morton	56	54	2	-	-
Nemaha	297	227	70	-	-
Neosho	338	184	154	-	-
Chanute	174	99	75	-	-
Balance of county	164	85	79	-	-
Ness	110	73	37	-	-
Norton	177	142	35	-	-
Osage	231	131	100	-	-
Osborne	106	84	22	-	-
Ottawa	121	69	52	-	-
Pawnee	187	178	9	-	-
Phillips	193	64	129	-	-
Pottawatomie	207	164	43	-	-
Pratt	324	305	18	-	1
Rawlins	95	82	13	-	-
Reno	1,111	1,039	72	-	-
Hutchinson	742	734	8	-	-
Balance of county	369	305	64	-	-
Republic	194	154	40	-	-
Rice	261	242	19	-	-
Riley	486	459	27	-	-
Manhattan	350	337	13	-	-
Balance of county	136	122	14	-	-
Rooks	179	108	71	-	-
Rush	148	107	40	1	-
Russell	254	202	52	-	-
Saline	638	611	26	1	-
Salina	516	494	21	1	-
Balance of county	122	117	5	-	-
Scott	95	66	29	-	-
Sedgwick	4,725	4,434	288	2	1
Wichita	4,218	4,064	152	2	-
Balance of county	507	370	136	-	1
Seward	229	220	9	-	-
Shawnee	1,750	1,517	233	-	-
Topeka	1,545	1,378	167	-	-
Balance of county	205	139	66	-	-
Sheridan	81	56	25	-	-
Sherman	144	139	5	-	-
Smith	170	115	54	-	1
Stafford	175	159	16	-	-
Stanton	34	33	1	-	-
Stevens	82	60	21	1	-
Sumner	385	348	37	-	-
Thomas	130	112	18	-	-
Trego	90	76	14	-	-
Wabaunsee	104	64	40	-	-
Wallace	47	39	8	-	-
Washington	240	181	59	-	-
Wichita	42	37	5	-	-
Wilson	296	173	123	-	-
Woodson	102	41	60	1	-
Wyandotte	3,027	2,624	400	2	1
Kansas City	2,715	2,364	348	2	1
Balance of county	312	260	52	-	-
KENTUCKY	64,225	24,817	32,794	6,348	266
Adair	386	14	325	36	11
Allen	264	46	211	5	2
Anderson	159	27	131	1	-
Ballard	171	77	94	-	-
Barren	613	244	315	53	1
Bath	216	38	159	19	-
Bell	1,234	327	794	105	8
Middlesborough	255	129	120	6	-
Balance of county	979	198	674	99	8
Boone	214	83	131	-	-
Bourbon	360	162	198	-	-
Boyd	1,056	683	350	23	-
Ashland	723	534	186	3	-
Balance of county	333	149	164	20	-
Boyle	325	181	142	2	-
Bracken	156	28	128	-	-
Breathitt	563	27	119	404	13
Breckinridge	343	8	325	10	-
Bullitt	208	45	152	11	-
Butler	274	19	189	65	1
Caldwell	269	75	194	-	-
Calloway	328	181	146	-	1
Campbell	1,299	1,067	231	-	1
Fort Thomas	99	95	4	-	-
Newport	515	386	128	-	1
Balance of county	685	586	99	-	-
Carlisle	118	35	82	-	1
Carroll	157	27	130	-	-
Carter	628	125	358	142	3
Casey	467	38	347	71	11
Christian	734	280	388	65	1
Hopkinsville	279	165	102	11	1
Balance of county	455	115	286	54	-
Section B (Counties)—Continued					
KENTUCKY—Continued					
Clark	328	147	179	2	-
Clay	760	241	231	264	24
Clinton	259	37	177	44	1
Crittenden	251	56	195	-	-
Cumberland	212	53	51	108	-
Daviess	1,370	724	638	8	-
Owensboro	826	529	297	-	-
Balance of county	544	195	341	8	-
Edmonson	290	13	241	36	-
Elliott	186	22	61	102	1
Estill	391	74	233	83	1
Fayette	1,486	1,180	302	4	-
Lexington	1,304	1,048	254	2	-
Balance of county	182	132	48	2	-
Fleming	269	55	207	7	-
Floyd	1,659	264	989	405	1
Franklin	402	273	129	-	-
Frankfort	220	162	58	-	-
Balance of county	182	111	71	-	-
Fulton	275	99	161	14	1
Gallatin	86	17	67	2	-
Garrard	265	58	197	10	-
Grant	184	23	161	-	-
Graves	613	345	265	2	1
Grayson	360	8	306	46	-
Green	199	5	189	5	-
Greenup	567	151	372	43	1
Hancock	118	24	93	-	1
Hardin	579	149	425	5	-
Harlan	2,138	420	1,602	108	8
Harrison	241	158	83	-	-
Hart	325	22	291	11	1
Henderson	683	330	348	3	2
Henderson	346	213	133	-	-
Balance of county	337	117	215	3	2
Henry	225	71	147	8	-
Hickman	145	44	100	1	-
Hopkins	777	276	494	5	2
Jackson	414	80	203	131	-
Jefferson	9,666	7,992	1,673	1	-
Louisville	8,757	7,478	1,278	1	-
Balance of county	909	514	395	-	-
Jessamine	192	68	122	2	-
Johnson	580	164	326	90	-
Kenton	1,779	1,564	214	1	-
Covington	1,180	1,081	98	1	-
Balance of county	599	485	116	-	-
Knott	620	47	262	309	2
Knox	827	83	571	166	7
Larue	190	21	166	3	-
Laurel	651	78	463	108	2
Lawrence	332	100	115	114	3
Lee	165	21	52	92	-
Leslie	428	139	28	168	93
Letcher	1,256	91	955	203	7
Lewis	350	16	257	77	-
Lincoln	432	111	270	51	-
Livingston	166	30	134	1	1
Logan	441	60	371	10	-
Lyon	116	11	101	4	-
McCracken	938	562	372	4	-
Paducah	680	481	197	2	-
Balance of county	258	81	175	2	-
McCreary	502	60	341	100	1
McLean	241	28	204	9	-
Madison	603	283	289	31	-
Magoffin	364	11	229	124	-
Marion	462	119	327	6	-
Marshall	287	100	187	-	-
Martin	348	36	152	160	-
Mason	395	214	179	2	-
Meade	193	23	166	4	-
Menifee	124	35	57	32	-
Mercer	258	166	90	-	2
Metcalfe	197	23	143	28	3
Monroe	366	23	320	23	-
Montgomery	242	100	121	20	1
Morgan	345	43	170	128	4
Muhlenberg	894	286	580	27	1
Nelson	467	56	406	5	-
Nicholas	140	65	73	2	-
Ohio	432	81	334	16	1
Oldham	156	79	73	4	-
Owen	132	32	100	-	-
Owsley	157	30	49	77	1
Pendleton	123	34	89	-	-
Perry	1,440	228	933	265	14
Pike	2,211	448	1,102	658	3
Powell	171	13	130	28	-
Pulaski	897	86	697	114	-
Robertson	66	17	49	-	-
Rockcastle	415	72	177	164	2

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
KENTUCKY—Continued					
Rowan	353	46	212	94	1
Russell	192	22	147	23	-
Scott	266	130	136	-	-
Shelby	342	184	156	2	-
Simpson	204	102	101	1	-
Spencer	154	11	143	-	-
Taylor	281	34	244	3	-
Todd	272	26	205	41	-
Trigg	213	49	136	28	-
Trimble	98	22	75	1	-
Union	396	123	272	1	-
Warren	794	322	460	11	1
Bowling Green	385	224	160	-	1
Balance of county	409	98	300	11	-
Washington	290	76	211	2	1
Wayne	440	13	332	84	11
Webster	341	81	259	1	-
Whitley	781	168	545	67	1
Wolfe	240	25	122	89	4
Woodford	211	178	33	-	-
LOUISIANA	61,050	37,852	9,505	13,836	57
Acadia	1,157	641	187	329	-
Allen	508	354	92	61	1
Ascension	506	225	166	113	2
Assumption	486	135	178	173	-
Avoyelles	956	414	167	374	1
Beauregard	425	203	180	41	1
Bienville	537	196	158	183	-
Bossier	907	594	81	232	-
Caddo	3,704	3,034	183	484	3
Shreveport	2,554	2,291	118	144	1
Balance of parish	1,150	745	65	340	2
Calcasieu	1,900	1,249	363	285	3
Lake Charles	855	647	71	137	-
Balance of parish	1,045	602	292	148	3
Caldwell	267	172	38	57	-
Cameron	105	35	64	5	1
Catahoula	331	112	98	121	-
Claiborne	529	161	37	331	-
Concordia	329	112	14	202	1
De Soto	784	201	88	493	2
East Baton Rouge	2,797	2,064	105	625	3
Baton Rouge	1,444	1,155	32	227	-
Balance of parish	1,353	879	73	398	3
East Carroll	544	62	178	304	-
East Feliciana	358	91	25	242	-
Evangeline	517	267	88	162	-
Franklin	808	192	316	298	-
Grant	432	245	114	73	-
Iberia	988	436	319	232	1
New Iberia	350	247	60	42	1
Balance of parish	638	189	259	190	-
Iberville	631	271	34	326	-
Jackson	410	247	69	94	-
Jefferson	1,740	1,423	170	146	1
Gretna	280	223	29	28	-
Balance of parish	1,460	1,200	141	118	1
Jefferson Davis	665	322	180	161	2
Lafayette	1,188	645	229	314	-
Lafayette	552	341	140	71	-
Balance of parish	636	304	89	243	-
Lafourche	1,011	400	308	302	1
La Salle	253	153	82	18	-
Lincoln	484	228	87	169	-
Livingston	446	108	282	56	-
Madison	442	103	80	277	2
Morehouse	669	307	91	270	1
Natchitoches	1,059	412	198	449	-
Orleans, coextensive with New Orleans	12,157	11,259	551	341	6
Ouachita	1,557	1,171	163	222	1
Monroe	711	559	61	90	1
Balance of parish	846	612	102	132	-
Plaquemines	312	181	51	80	-
Pointe Coupee	662	158	132	370	2
Rapides	2,414	1,883	144	387	-
Alexandria	992	843	29	120	-
Balance of parish	1,422	1,040	115	267	-
Red River	346	123	73	150	-
Richland	763	216	313	233	1
Sabine	588	414	75	99	-
St. Bernard	200	183	4	13	-
St. Charles	309	184	80	42	3
St. Helena	155	68	20	67	-
St. James	441	91	192	156	-
St. John the Baptist	371	123	137	111	-
St. Landry	2,059	695	292	1,071	1
St. Martin	717	265	148	301	3
St. Mary	968	358	280	328	2
Section B (Counties)—Continued					
LOUISIANA—Continued					
St. Tammany	588	351	98	139	-
Tangipahoa	1,133	737	235	161	-
Tensas	356	84	32	239	1
Terrebonne	1,181	714	227	240	-
Union	413	110	188	115	-
Vermilion	846	627	107	110	2
Vernon	630	408	155	67	-
Washington	916	486	254	176	-
Bogalusa	394	249	82	63	-
Balance of parish	522	237	172	113	-
Webster	854	497	126	231	-
West Baton Rouge	234	92	32	108	2
West Carroll	471	121	281	66	3
West Feliciana	209	26	30	149	4
Winn	329	213	58	60	-
MAINE	17,782	14,424	3,236	15	87
Androscoggin	1,566	1,310	250	-	6
Auburn	326	307	19	-	-
Lewiston	730	619	111	-	-
Balance of county	510	384	120	-	6
Aroostook	2,302	1,276	998	10	18
Cumberland	3,908	3,749	157	1	1
Portland	1,776	1,754	22	-	-
South Portland	571	560	11	-	-
Westbrook	235	223	12	-	-
Balance of county	1,326	1,212	112	1	1
Franklin	331	212	116	-	3
Hancock	520	427	90	-	3
Kennebec	1,416	1,279	133	-	4
Augusta	289	287	2	-	-
Waterville	278	262	16	-	-
Balance of county	849	730	115	-	4
Knox	475	354	117	-	4
Lincoln	353	285	64	-	4
Oxford	753	657	95	-	1
Penobscot	1,844	1,427	399	2	16
Bangor	521	462	59	-	-
Balance of county	1,323	965	340	2	16
Piscataquis	323	279	42	-	2
Sagadahoc	501	468	31	-	2
Bath	238	228	10	-	-
Balance of county	263	240	21	-	2
Somerset	698	498	198	1	3
Waldo	379	239	128	2	12
Washington	500	264	228	1	7
York	1,893	1,702	190	-	1
Biddeford	423	370	53	-	-
Balance of county	1,470	1,332	137	-	1
MARYLAND	43,915	32,423	9,037	2,410	45
Allegany	1,688	1,277	403	3	3
Cumberland	867	552	114	-	1
Balance of county	1,019	725	289	3	2
Anne Arundel	1,768	1,101	441	222	4
Annapolis	285	230	8	47	-
Balance of county	1,483	871	433	175	4
Baltimore	4,906	3,739	1,148	15	4
District 12[2]	650	461	186	2	1
District 13[2]	159	131	28	-	-
Balance of county	4,097	3,147	934	13	3
Baltimore (city)	19,124	14,982	3,468	673	1
Calvert	283	174	46	63	-
Caroline	353	184	108	59	2
Carroll	679	366	308	1	4
Cecil	673	481	188	-	4
Charles	635	306	38	291	-
Dorchester	491	294	70	127	-
Cambridge	205	131	11	63	-
Balance of county	286	163	59	64	-
Frederick	1,095	693	390	11	1
Frederick	335	275	58	2	-
Balance of county	760	418	332	9	1
Garrett	467	146	198	115	8
Harford	1,139	827	311	-	1
Howard	417	212	203	2	-
Kent	300	164	115	21	-
Montgomery	2,718	2,434	238	41	5
Prince Georges	3,077	2,753	164	157	3
Queen Annes	231	100	99	32	-
St. Marys	556	257	176	123	-
Somerset	377	188	98	89	2
Talbot	334	222	43	69	-
Washington	1,526	935	584	7	-
Hagerstown	731	536	195	-	-
Balance of county	795	399	389	7	-
Wicomico	674	439	79	154	2
Salisbury	352	280	10	60	2
Balance of county	322	159	69	94	-
Worcester	406	148	121	135	1

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MASSACHUSETTS	78,209	74,498	3,657	2	54
Barnstable	648	567	80	-	1
Berkshire	1,945	1,852	93	-	-
Adams (town)	217	213	4	-	-
North Adams	323	295	28	-	-
Pittsfield	895	885	10	-	-
Balance of county	510	459	51	-	-
Bristol	6,406	5,538	867	-	1
Attleboro	423	407	16	-	-
Fairhaven (town)	167	140	27	-	-
Fall River	2,096	1,718	377	-	1
New Bedford	1,799	1,522	277	-	-
North Attleborough (town)	229	213	16	-	-
Taunton	687	585	52	-	-
Balance of county	1,055	953	102	-	-
Dukes	92	84	7	-	1
Essex	8,522	8,074	447	-	1
Amesbury (town)	175	167	8	-	-
Andover (town)	208	202	6	-	-
Beverly	498	490	8	-	-
Danvers (town)	221	214	7	-	-
Gloucester	439	395	44	-	-
Haverhill	687	617	70	-	-
Lawrence	1,402	1,337	65	-	-
Lynn	1,744	1,667	77	-	-
Marblehead (town)	235	234	1	-	-
Methuen (town)	369	357	12	-	-
Newburyport	257	235	21	-	1
Peabody	373	365	8	-	-
Salem	678	613	65	-	-
Saugus (town)	281	271	10	-	-
Swampscott (town)	194	192	2	-	-
Balance of county	761	718	43	-	-
Franklin	882	800	82	-	-
Greenfield (town)	299	290	9	-	-
Balance of county	583	510	73	-	-
Hampden	6,050	5,875	175	-	-
Chicopee	785	728	59	-	-
Holyoke	1,040	1,017	23	-	-
Springfield	2,886	2,836	50	-	-
Westfield	337	324	13	-	-
West Springfield (town)	155	151	4	-	-
Balance of county	847	821	26	-	-
Hampshire	1,187	1,130	57	-	-
Easthampton (town)	163	149	14	-	-
Northampton	359	343	16	-	-
Balance of county	665	638	27	-	-
Middlesex	17,998	17,425	566	1	6
Arlington (town)	664	660	4	-	-
Belmont (town)	436	431	5	-	-
Cambridge	2,241	2,191	50	-	-
Everett	966	939	27	-	-
Framingham (town)	447	441	6	-	-
Lexington (town)	213	204	9	-	-
Lowell	1,685	1,555	130	-	-
Malden	1,085	1,059	25	-	1
Marlborough	288	287	1	-	-
Medford	1,228	1,203	23	1	1
Melrose	437	436	1	-	-
Natick (town)	290	288	2	-	-
Newton	1,230	1,220	10	-	-
Reading (town)	231	226	5	-	-
Somerville	1,907	1,844	63	-	-
Stoneham (town)	193	191	2	-	-
Wakefield (town)	365	353	12	-	-
Waltham	859	822	37	-	-
Watertown (town)	614	605	9	-	-
Winchester (town)	275	273	2	-	-
Woburn	331	326	5	-	-
Balance of county	2,053	1,891	138	-	4
Nantucket	45	45	-	-	-
Norfolk	6,304	6,178	126	-	-
Braintree (town)	421	417	4	-	-
Brookline (town)	800	793	7	-	-
Dedham (town)	280	279	1	-	-
Milton (town)	296	294	2	-	-
Needham (town)	223	221	2	-	-
Norwood (town)	300	300	-	-	-
Quincy	1,630	1,606	24	-	-
Wellesley (town)	260	258	2	-	-
Weymouth (town)	642	633	9	-	-
Balance of county	1,452	1,377	75	-	-
Plymouth	3,225	3,039	186	-	-
Brockton	1,152	1,093	59	-	-
Plymouth (town)	224	215	9	-	-
Balance of county	1,849	1,731	118	-	-
Suffolk	16,181	15,599	580	1	1
Boston	14,487	13,973	512	1	1
Chelsea	695	648	47	-	-
Revere	610	594	16	-	-
Winthrop (town)	389	384	5	-	-
Section B (Counties)—Continued					
MASSACHUSETTS—Continued					
Worcester	8,724	8,290	391	-	43
Athol (town)	187	166	21	-	-
Clinton (town)	180	177	3	-	-
Fitchburg	762	719	43	-	-
Gardner	293	278	15	-	-
Leominster	491	480	11	-	-
Milford (town)	224	222	2	-	-
Northbridge (town)	161	157	4	-	-
Southbridge (town)	321	291	30	-	-
Webster (town)	243	221	21	-	1
Worcester	3,404	3,321	83	-	-
Balance of county	2,458	2,258	158	-	42
MICHIGAN	114,700	101,200	13,300	110	90
Alcona	109	39	69	-	1
Alger	193	120	69	2	2
Allegan	842	703	137	-	2
Alpena	459	413	41	4	1
Alpena	281	275	6	-	-
Balance of county	178	138	35	4	1
Antrim	178	93	83	2	-
Arenac	152	93	56	2	1
Baraga	153	97	46	3	7
Barry	409	379	27	1	1
Bay	1,734	1,439	294	-	1
Bay City	1,138	1,029	108	-	1
Balance of county	596	410	186	-	-
Benzie	176	114	62	-	-
Berrien	2,102	1,848	253	-	1
Benton Harbor	547	519	28	-	-
Niles	279	262	17	-	-
Balance of county	1,276	1,067	208	-	1
Branch	483	408	75	-	-
Calhoun	2,247	2,137	109	-	1
Battle Creek	1,154	1,134	19	-	1
Balance of county	1,093	1,003	90	-	-
Cass	408	338	71	1	-
Charlevoix	249	175	71	2	1
Cheboygan	261	220	37	4	-
Chippewa	663	564	84	9	6
Sault Ste. Marie	440	399	39	1	1
Balance of county	223	165	45	8	5
Clare	166	92	72	-	2
Clinton	573	487	85	-	1
Crawford	56	50	6	-	-
Delta	628	520	107	-	1
Escanaba	251	224	27	-	-
Balance of county	377	296	80	-	1
Dickinson	458	338	96	3	1
Iron Mountain	181	123	57	-	1
Balance of county	257	215	39	3	-
Eaton	796	733	63	-	-
Emmet	294	264	27	1	2
Genesee	5,273	4,893	372	4	4
Flint	3,353	3,198	147	4	4
Balance of county	1,920	1,695	225	-	-
Gladwin	220	161	59	-	-
Gogebic	480	393	81	2	4
Ironwood	181	154	27	-	-
Balance of county	299	239	54	2	4
Grand Traverse	469	412	57	-	-
Traverse City	272	267	5	-	-
Balance of county	197	145	52	-	-
Gratiot	725	547	178	-	-
Hillsdale	578	519	59	-	-
Houghton	781	612	154	12	3
Huron	704	428	276	-	-
Ingham	3,250	3,127	98	3	2
Lansing	1,768	1,740	26	2	-
Balance of county	1,482	1,387	72	1	2
Ionia	732	604	128	-	-
Iosco	183	85	77	1	-
Iron	320	278	41	-	1
Isabella	552	380	169	1	2
Jackson	1,974	1,891	83	-	-
Jackson	1,302	1,292	10	-	-
Balance of county	672	599	73	-	-
Kalamazoo	2,175	2,096	76	2	1
Kalamazoo	1,341	1,319	20	2	-
Balance of county	834	777	56	-	1
Kalkaska	75	33	42	-	-
Kent	5,050	4,456	592	-	2
Grand Rapids	3,442	3,196	244	-	2
Balance of county	1,608	1,260	348	-	-
Keweenaw	52	36	8	8	-
Lake	59	35	21	1	2
Lapeer	584	342	222	-	-
Leelanau	143	85	56	-	2
Lenawee	1,241	1,099	139	2	1
Adrian	416	374	40	2	-
Balance of county	825	725	99	-	1

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MICHIGAN—Continued					
Livingston	409	353	56	-	-
Luce	137	131	5	1	-
Mackinac	162	74	87	-	1
Macomb	3,215	2,695	518	1	3
Mount Clemens	445	389	56	-	-
St. Clair Shores	301	265	36	-	-
Balance of county	2,469	2,039	426	1	3
Manistee	290	233	56	-	1
Marquette	903	832	69	-	2
Marquette	259	249	10	-	-
Balance of county	644	583	59	-	2
Mason	360	285	75	-	-
Mecosta	357	280	75	-	2
Menominee	453	409	42	-	2
Menominee	183	178	4	-	1
Balance of county	270	231	38	-	1
Midland	875	650	223	1	1
Midland	409	351	58	-	-
Balance of county	466	299	165	1	1
Missaukee	155	69	86	-	-
Monroe	1,346	1,217	129	-	-
Monroe	587	570	17	-	-
Balance of county	759	647	112	-	-
Montcalm	547	399	146	1	1
Montmorency	60	27	32	1	-
Muskegon	2,725	2,554	171	-	-
Muskegon	1,390	1,347	43	-	-
Muskegon Heights	440	427	13	-	-
Balance of county	895	780	115	-	-
Newaygo	364	214	150	-	-
Oakland	6,477	6,055	419	2	1
Birmingham	310	304	6	-	-
Ferndale	536	519	17	-	-
Pontiac	1,527	1,445	80	1	1
Royal Oak	827	812	15	-	-
Balance of county	3,277	2,975	301	1	-
Oceana	276	252	43	-	1
Ogemaw	199	117	82	-	-
Ontonagon	152	87	61	4	-
Osceola	293	226	67	-	-
Oscoda	43	16	26	-	1
Otsego	119	42	76	-	1
Ottawa	1,395	1,138	257	-	-
Holland	340	323	17	-	-
Balance of county	1,055	815	240	-	-
Presque Isle	269	137	125	7	-
Roscommon	52	27	25	-	-
Saginaw	2,920	2,641	272	6	1
Saginaw	1,815	1,739	74	2	-
Balance of county	1,105	902	198	4	1
St. Clair	1,708	1,269	438	-	1
Port Huron	803	616	187	-	-
Balance of county	905	653	251	-	1
St. Joseph	598	529	69	-	-
Sanilac	624	383	241	-	-
Schoolcraft	193	152	39	2	-
Shiawassee	873	792	80	1	-
Owosso	313	275	38	-	-
Balance of county	560	517	42	1	-
Tuscola	743	620	122	-	1
Van Buren	669	608	61	-	-
Washtenaw	2,317	2,151	164	1	1
Ann Arbor	762	746	16	-	-
Ypsilanti	585	566	19	-	-
Balance of county	970	839	129	1	1
Wayne	42,750	39,114	3,612	12	12
Dearborn	1,874	1,803	71	-	-
Detroit	32,787	30,134	2,636	9	8
Ecorse	369	314	55	-	-
Grosse Pointe Park	90	88	2	-	-
Hamtramck	838	767	70	1	-
Highland Park	715	685	30	-	-
Lincoln Park	461	438	23	-	-
River Rouge	362	284	78	-	-
Wyandotte	851	812	38	1	-
Balance of county	4,403	3,789	609	1	4
Wexford	344	270	73	-	1
MINNESOTA	56,113	50,505	5,273	169	166
Aitkin	275	230	34	6	5
Anoka	509	448	40	20	1
Becker	534	463	43	4	24
Beltrami	543	448	46	38	11
Benton	349	275	51	21	2
St. Cloud (part)	53	41	12	-	-
Balance of county	296	234	39	21	2
Big Stone	203	175	28	-	-
Blue Earth	699	670	29	-	-
Mankato	330	323	7	-	-
Balance of county	369	347	22	-	-

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MINNESOTA—Continued					
Brown	546	488	58	-	-
Carlton	453	398	47	1	7
Carver	310	259	51	-	-
Cass	393	321	54	6	12
Chippewa	303	264	38	-	1
Chisago	220	204	15	-	1
Clay	516	464	52	-	-
Clearwater	216	188	25	-	3
Cook	34	33	1	-	-
Cottonwood	324	294	30	-	-
Crow Wing	622	540	76	-	6
Brainerd	277	242	34	-	1
Balance of county	345	298	42	-	5
Dakota	936	883	51	1	1
South St. Paul	367	357	9	1	-
Balance of county	569	526	42	-	1
Dodge	267	180	87	-	-
Douglas	375	315	58	-	2
Faribault	490	365	125	-	-
Fillmore	489	376	92	-	1
Freeborn	701	647	54	-	-
Albert Lea	302	296	6	-	-
Balance of county	399	351	48	-	-
Goodhue	620	562	56	-	2
Grant	170	141	28	1	-
Hennepin	11,557	11,295	231	30	1
Minneapolis	9,809	9,613	168	27	1
Balance of county	1,748	1,682	63	3	-
Houston	294	275	19	-	-
Hubbard	185	142	41	1	1
Isanti	177	144	33	-	-
Itasca	709	649	54	2	4
Jackson	283	238	47	-	-
Kanabec	183	156	27	-	-
Kandiyohi	516	471	44	-	1
Kittson	186	164	19	-	3
Koochiching	339	301	36	-	2
Lac qui Parle	275	254	21	-	-
Lake	122	116	6	-	-
Lake of the Woods	89	35	50	-	4
Le Sueur	361	305	55	-	1
Lincoln	220	194	26	-	-
Lyon	488	449	39	-	-
McLeod	417	351	65	-	1
Mahnomen	161	132	29	-	-
Marshall	341	257	79	1	4
Martin	519	424	94	1	-
Meeker	345	296	49	-	-
Mille Lacs	281	241	39	-	1
Morrison	546	442	94	1	9
Mower	857	695	162	-	-
Austin	495	418	77	-	-
Balance of county	362	277	85	-	-
Murray	366	287	79	-	-
Nicollet	289	280	9	-	-
Nobles	475	434	41	-	-
Norman	257	238	18	-	1
Olmsted	905	779	124	-	2
Rochester	565	537	28	-	-
Balance of county	340	242	96	-	2
Otter Tail	956	849	97	1	9
Fergus Falls	185	160	5	-	-
Balance of county	791	689	92	1	9
Pennington	247	229	18	-	-
Pine	391	272	115	-	4
Pipestone	291	264	27	-	-
Polk	729	662	64	-	3
Pope	275	263	12	-	-
Ramsey	6,685	6,504	146	30	5
St. Paul	6,157	5,998	126	30	3
Balance of county	528	506	20	-	2
Red Lake	179	160	14	-	5
Redwood	489	394	95	-	-
Renville	533	377	155	-	1
Rice	616	520	95	-	1
Faribault	238	199	38	-	1
Balance of county	378	321	57	-	-
Rock	230	206	24	-	-
Roseau	308	201	104	-	3
St. Louis	3,968	3,854	109	3	2
Duluth	2,087	2,063	24	-	-
Hibbing	377	367	10	-	-
Virginia	243	238	5	-	-
Balance of county	1,261	1,186	70	3	2
Scott	311	251	60	-	-
Sherburne	173	144	29	-	-
St. Cloud (part)	13	12	1	-	-
Balance of county	160	132	28	-	-
Sibley	291	226	64	-	1

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MINNESOTA—Continued					
Stearns	1,516	1,109	401	-	6
St. Cloud (part)	439	411	28	-	-
St. Cloud (total)	505	464	41	-	-
Balance of county	1,077	698	373	-	6
Steele	382	348	34	-	-
Stevens	288	256	32	-	-
Swift	385	324	61	-	-
Todd	502	359	140	-	3
Traverse	194	162	32	-	-
Wabasha	350	292	56	-	2
Wadena	263	185	73	-	5
Waseca	296	281	15	-	-
Washington	497	465	30	1	1
Watonwan	269	244	25	-	-
Wilkin	220	206	14	-	-
Winona	657	606	51	-	-
Winona	424	404	20	-	-
Balance of county	233	202	31	-	-
Wright	490	342	148	-	-
Yellow Medicine	332	297	34	-	1
MISSISSIPPI	56,940	17,787	15,639	23,361	153
Adams	751	356	38	333	4
Natchez	450	276	20	153	1
Balance of county	281	80	18	180	3
Alcorn	574	205	286	82	1
Amite	613	163	167	282	1
Attala	757	217	295	242	3
Benton	243	39	84	119	1
Bolivar	1,848	361	430	1,056	1
Calhoun	467	118	313	35	1
Carroll	501	48	157	294	2
Chickasaw	527	81	313	132	1
Choctaw	272	53	133	86	-
Claiborne	286	20	38	228	-
Clarke	515	143	186	186	-
Clay	500	106	66	327	1
Coahoma	1,225	208	197	817	3
Clarksdale	286	133	53	98	2
Balance of county	939	75	144	719	1
Copiah	828	106	336	385	1
Covington	456	138	175	142	1
De Soto	701	84	179	438	-
Forrest	1,196	745	281	170	-
Hattiesburg	836	550	173	113	-
Balance of county	360	195	108	57	-
Franklin	237	46	86	105	-
George	283	16	244	23	-
Greene	268	16	206	45	1
Grenada	538	165	107	265	1
Hancock	281	173	46	60	2
Harrison	1,775	1,406	167	201	1
Biloxi	860	785	32	63	-
Gulfport	484	391	54	39	-
Balance of county	431	250	81	99	1
Hinds	2,705	1,291	300	1,111	3
Jackson	1,565	1,075	173	315	2
Balance of county	1,140	216	127	796	1
Holmes	1,041	131	161	759	-
Humphreys	694	55	126	513	-
Issaquena	145	15	20	109	1
Itawamba	416	74	334	8	-
Jackson	1,089	834	134	121	-
Jasper	463	58	269	135	1
Jefferson	332	26	44	261	1
Jefferson Davis	442	51	207	184	-
Jones	1,367	936	244	181	6
Laurel	551	378	98	73	2
Balance of county	816	558	146	108	4
Kemper	485	70	120	293	2
Lafayette	483	117	155	209	2
Lamar	309	106	161	42	-
Lauderdale	1,398	921	124	348	5
Meridian	887	722	35	129	1
Balance of county	511	199	89	219	4
Lawrence	333	88	105	139	1
Leake	584	85	339	156	4
Lee	772	298	430	51	-
Leflore	1,537	251	207	1,076	3
Greenwood	319	181	24	114	-
Balance of county	1,218	70	183	962	3
Lincoln	668	344	113	205	6
Lowndes	1,036	411	182	440	3
Columbus	518	331	53	134	-
Balance of county	518	80	129	306	3
Madison	1,075	153	159	757	6
Marion	604	293	118	186	7
Marshall	737	45	201	489	2
Monroe	921	209	396	314	2
Montgomery	404	148	70	186	-
Neshoba	688	318	264	100	6
Newton	571	317	164	86	4
Noxubee	659	78	74	505	2
Oktibbeha	506	43	191	272	-
Panola	852	224	176	447	5
Pearl River	500	151	330	19	-
Perry	244	69	92	82	1
Pike	877	387	246	244	-
Pontotoc	470	158	244	66	2
Prentiss	504	184	282	38	-
Quitman	799	216	179	404	-
Rankin	822	175	124	322	1
Scott	572	191	133	244	4
Sharkey	450	54	65	330	1
Simpson	510	194	192	124	-
Smith	455	91	299	60	5
Stone	124	38	60	25	1
Sunflower	1,626	160	541	920	5
Tallahatchie	989	130	327	530	2
Tate	550	67	220	263	-
Tippah	427	165	219	38	5
Tishomingo	400	58	339	3	-
Tunica	664	34	117	512	1
Union	431	222	121	86	2
Walthall	519	302	37	175	5
Warren	888	476	82	328	2
Vicksburg	534	383	50	100	1
Balance of county	354	93	32	228	1
Washington	1,891	440	372	1,079	-
Greenville	666	320	138	208	-
Balance of county	1,225	120	234	871	-
Wayne	475	204	112	159	-
Webster	281	40	188	46	7
Wilkinson	729	127	107	494	1
Winston	551	186	147	211	7
Yalobusha	428	76	195	156	1
Yazoo	1,019	189	161	667	2
MISSOURI	67,990	46,565	19,746	1,083	598
Adair	314	205	107	1	1
Kirksville	178	132	46	-	-
Balance of county	136	73	61	1	1
Andrew	149	70	79	-	-
Atchison	205	129	76	-	-
Audrain	439	280	158	-	1
Barry	435	215	207	11	2
Barton	197	134	63	-	-
Bates	283	153	130	-	-
Benton	150	95	52	2	1
Bollinger	177	42	117	3	15
Boone	559	338	220	1	-
Columbia	339	232	107	-	-
Balance of county	220	106	113	1	-
Buchanan	1,467	1,172	291	2	2
St. Joseph	1,226	979	243	2	2
Balance of county	241	193	48	-	-
Butler	811	360	336	48	67
Poplar Bluff	268	175	72	8	13
Balance of county	543	185	264	40	54
Caldwell	124	70	54	-	-
Callaway	302	181	116	2	3
Camden	147	35	104	3	5
Cape Girardeau	706	548	150	1	7
Cape Girardeau	398	361	32	-	5
Balance of county	308	187	118	1	2
Carroll	278	136	142	-	-
Carter	74	22	39	10	3
Cass	274	147	127	-	-
Cedar	168	36	131	1	-
Charlton	230	78	148	4	-
Christian	205	66	132	7	-
Clark	139	74	64	-	1
Clay	633	521	111	-	1
Clinton	182	78	104	-	-
Cole	541	426	113	-	2
Jefferson City	377	341	35	-	1
Balance of county	164	85	78	-	1
Cooper	296	223	73	-	-
Crawford	207	47	134	7	19
Dade	126	75	51	-	-
Dallas	172	40	128	1	3
Daviess	161	46	113	1	1
De Kalb	117	43	74	-	-
Dent	193	46	95	46	6
Douglas	228	19	178	19	12
Dunklin	1,109	270	809	18	12
Franklin	610	350	257	1	2
Gasconade	220	121	98	-	1
Gentry	182	57	125	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MISSOURI—Continued					
Greene	1,946	1,654	286	1	5
Springfield	1,363	1,244	118	-	1
Balance of county	583	410	168	1	4
Grundy	216	142	73	-	1
Harrison	256	132	124	-	-
Henry	338	258	75	-	5
Hickory	86	25	58	-	3
Holt	162	78	84	-	-
Howard	169	94	64	9	2
Howell	450	189	223	13	25
Iron	185	88	48	21	28
Jackson	8,504	7,737	754	5	8
Independence	466	438	28	-	-
Kansas City	7,168	6,590	568	4	6
Balance of county	870	709	158	1	2
Jasper	1,672	1,398	272	1	1
Carthage	240	222	18	-	-
Joplin (part)	852	754	98	-	-
Joplin (total)	867	767	100	-	-
Balance of county	580	422	156	1	1
Jefferson	540	226	309	3	2
Johnson	344	264	78	1	1
Knox	116	45	71	-	-
Laclede	415	238	168	6	3
Lafayette	439	248	191	-	-
Lawrence	395	168	227	-	-
Lewis	174	61	113	-	-
Lincoln	175	63	112	-	-
Linn	312	146	165	-	1
Livingston	252	157	94	-	1
McDonald	323	107	207	6	3
Macon	265	137	127	1	-
Madison	205	36	161	1	7
Maries	164	46	118	-	-
Marion	533	469	62	-	2
Hannibal	374	348	25	-	1
Balance of county	159	121	37	-	1
Mercer	107	56	51	-	-
Miller	253	73	178	1	1
Mississippi	604	132	400	60	12
Moniteau	185	75	110	-	-
Monroe	173	90	83	-	-
Montgomery	194	73	119	-	2
Morgan	173	34	136	1	2
New Madrid	1,023	184	684	126	29
Newton	698	439	247	6	6
Joplin (part)	15	13	2	-	-
Balance of county	683	426	245	6	6
Nodaway	413	334	78	-	1
Oregon	250	35	195	13	9
Osage	216	119	92	1	4
Ozark	257	20	182	12	23
Pemiscot	1,072	159	747	142	24
Perry	319	88	231	-	-
Pettis	557	442	114	1	-
Sedalia	376	306	70	-	-
Balance of county	181	136	44	1	-
Phelps	382	223	148	7	4
Pike	308	192	107	7	2
Platte	202	133	66	-	3
Polk	268	82	185	1	-
Pulaski	275	129	145	-	1
Putnam	169	82	87	-	-
Ralls	138	99	39	-	-
Randolph	317	156	156	4	1
Moberly	181	102	77	2	-
Balance of county	136	54	79	2	1
Ray	245	94	151	-	-
Reynolds	172	37	93	6	36
Ripley	252	93	132	12	15
St. Charles	537	437	100	-	-
St. Charles	293	264	29	-	-
Balance of county	244	173	71	-	-
St. Clair	170	69	100	-	1
St. Francois	712	284	393	8	27
St. Louis	5,915	5,456	415	37	7
Clayton	308	305	1	-	-
Kirkwood	335	315	22	-	-
Maplewood	233	220	13	-	-
Richmond Heights	278	275	3	-	-
University City	521	514	5	1	1
Webster Groves	397	388	7	2	-
Balance of county	3,845	3,441	364	34	6
St. Louis (city)	14,674	13,542	914	208	10
Ste. Genevieve	222	47	170	3	2
Saline	402	242	159	-	1
Schuyler	94	42	52	-	-
Scotland	99	55	44	-	-
Scott	758	406	308	43	1
Shannon	200	35	124	20	21
Shelby	136	62	74	-	-
Stoddard	819	150	627	29	13
Stone	198	35	149	10	4
Sullivan	197	88	107	1	1
Taney	188	36	133	15	4
Texas	386	95	262	14	15
Vernon	383	282	97	1	3
Warren	99	57	42	-	-
Washington	299	43	208	22	26
Wayne	167	42	110	4	11
Webster	314	153	152	2	7
Worth	93	31	62	-	-
Wright	300	67	220	9	4
MONTANA	10,945	10,224	588	84	67
Beaverhead	88	86	2	-	-
Big Horn	229	201	14	5	9
Blaine	190	149	37	3	1
Broadwater	58	56	2	-	-
Carbon	190	151	39	-	-
Carter	46	41	3	-	2
Cascade	1,182	1,173	3	5	1
Great Falls	968	963	3	1	1
Balance of county	214	210	-	4	-
Chouteau	128	127	1	-	-
Custer	216	203	12	-	1
Daniels	99	95	4	-	-
Dawson	219	216	3	-	-
Deer Lodge	303	301	1	1	-
Anaconda	266	265	-	1	-
Balance of county	37	36	1	-	-
Fallon	63	61	2	-	-
Fergus	284	278	5	1	-
Flathead	441	408	33	-	-
Gallatin	301	288	9	4	-
Garfield	49	48	1	-	-
Glacier	255	229	15	2	9
Golden Valley	22	22	-	-	-
Granite	40	32	8	-	-
Hill	316	303	4	3	6
Jefferson	59	55	4	-	-
Judith Basin	51	50	1	-	-
Lake	215	184	18	7	6
Lewis and Clark	427	416	11	-	-
Helena	316	309	7	-	-
Balance of county	111	107	4	-	-
Liberty	39	38	1	-	-
Lincoln	133	120	13	-	-
McCone	69	64	3	2	-
Madison	84	63	21	-	-
Meagher	24	18	6	-	-
Mineral	25	24	1	-	-
Missoula	530	525	5	-	-
Missoula	417	413	4	-	-
Balance of county	113	112	1	-	-
Musselshell	95	92	3	-	-
Park	199	164	33	1	1
Petroleum	10	9	-	1	-
Phillips	131	119	9	3	-
Pondera	128	125	2	1	1
Powder River	63	61	1	1	-
Powell	124	121	3	-	-
Prairie	58	58	-	-	-
Ravalli	228	223	3	1	1
Richland	231	219	10	2	-
Roosevelt	227	206	10	9	2
Rosebud	151	94	21	13	23
Sanders	94	74	13	6	1
Sheridan	165	158	3	3	1
Silver Bow	894	882	28	3	1
Butte	827	808	15	3	1
Balance of county	67	54	13	-	-
Stillwater	88	79	7	2	-
Sweet Grass	57	32	25	-	-
Teton	134	124	10	-	-
Toole	130	116	14	-	-
Treasure	21	17	4	-	-
Valley	250	232	14	4	-
Wheatland	64	43	21	-	-
Wibaux	39	24	15	-	-
Yellowstone	986	947	37	1	1
Billings	690	680	9	-	1
Balance of county	296	267	28	1	-
Yellowstone National Park (part)	-	-	-	-	-
NEBRASKA	24,575	20,740	3,813	4	18
Adams	672	628	43	-	1
Hastings	544	520	23	-	1
Balance of county	128	108	20	-	-
Antelope	207	111	96	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE; 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NEBRASKA—Continued					
Arthur	21	21	-	-	-
Banner	24	24	-	-	-
Blaine	25	15	10	-	-
Boone	188	125	63	-	-
Box Butte	296	290	6	-	-
Boyd	125	99	26	-	-
Brown	108	105	3	-	-
Buffalo	498	436	62	-	-
Burt	234	204	30	-	-
Butler	186	163	22	1	-
Cass	258	195	63	-	-
Cedar	311	151	160	-	-
Chase	113	106	7	-	-
Cherry	198	164	33	-	1
Cheyenne	229	224	5	-	-
Clay	187	128	59	-	-
Colfax	167	111	56	-	-
Cuming	236	165	71	-	-
Custer	381	220	160	-	1
Dakota	223	203	20	-	-
Dawes	214	191	23	-	-
Dawson	391	332	59	-	-
Deuel	56	47	9	-	-
Dixon	187	141	46	-	-
Dodge	440	406	34	-	-
Fremont	227	225	2	-	-
Balance of county	213	181	32	-	-
Douglas	4,904	4,676	227	-	1
Omaha	4,745	4,523	221	-	1
Balance of county	159	153	6	-	-
Dundy	89	79	10	-	-
Fillmore	190	155	35	-	-
Franklin	104	45	59	-	-
Frontier	114	62	52	-	-
Furnas	147	116	31	-	-
Gage	511	462	49	-	-
Beatrice	242	238	4	-	-
Balance of county	269	224	45	-	-
Garden	75	67	8	-	-
Garfield	71	39	32	-	-
Gosper	61	40	21	-	-
Grant	19	6	13	-	-
Greeley	120	87	33	-	-
Hall	672	590	82	-	-
Grand Island	512	475	37	-	-
Balance of county	160	115	45	-	-
Hamilton	148	130	18	-	-
Harlan	121	90	29	-	2
Hayes	40	28	12	-	-
Hitchcock	104	78	26	-	-
Holt	301	184	117	-	-
Hooker	37	10	27	-	-
Howard	141	111	30	-	-
Jefferson	282	252	30	-	-
Johnson	138	117	21	-	-
Kearney	99	77	22	-	-
Keith	143	121	22	-	-
Keya Paha	39	37	1	-	1
Kimball	85	81	4	-	-
Knox	303	132	169	-	2
Lancaster	1,855	1,750	105	-	-
Lincoln	1,633	1,551	82	-	-
Balance of county	222	199	23	-	-
Lincoln	501	390	111	-	-
North Platte	306	246	60	-	-
Balance of county	195	144	51	-	-
Logan	36	19	17	-	-
Loup	27	12	15	-	-
McPherson	21	18	3	-	-
Madison	374	328	46	-	-
Norfolk	168	160	8	-	-
Balance of county	206	168	38	-	-
Merrick	174	142	32	-	-
Morrill	177	106	71	-	-
Nance	108	89	19	-	-
Nemaha	198	172	26	-	-
Nuckolls	183	112	71	-	-
Otoe	342	304	38	-	-
Pawnee	114	109	5	-	-
Perkins	134	119	15	-	-
Phelps	146	139	7	-	-
Pierce	187	135	52	-	-
Platte	371	288	83	-	-
Polk	128	125	3	-	-
Red Willow	298	247	51	-	-
Richardson	321	270	51	-	-
Rock	60	52	8	-	-
Saline	212	164	48	-	-
Sarpy	262	248	14	-	-
Saunders	288	271	17	-	-
Scotts Bluff	760	670	86	-	4
Scottsbluff	246	221	24	-	1
Balance of county	514	449	62	-	3
Seward	223	159	64	-	-
Sheridan	184	161	22	-	1
Sherman	143	115	28	-	-
Sioux	34	31	3	-	-
Stanton	124	79	45	-	-
Thayer	216	152	64	-	-
Thomas	34	14	20	-	-
Thurston	190	152	31	3	4
Valley	134	86	48	-	-
Washington	188	182	6	-	-
Wayne	162	134	28	-	-
Webster	131	47	84	-	-
Wheeler	28	11	17	-	-
York	274	261	13	-	-
NEVADA	3,028	2,863	128	14	23
Churchill	113	109	3	-	1
Clark	846	808	32	5	1
Douglas	27	22	1	1	3
Elko	191	176	12	3	-
Esmeralda	11	11	-	-	-
Eureka	23	18	4	-	1
Humboldt	92	83	-	1	8
Lander	26	26	-	-	-
Lincoln	121	111	10	-	-
Lyon	68	59	8	-	1
Mineral	175	174	1	-	-
Nye	104	98	5	-	1
Ormsby	60	54	6	-	-
Pershing	50	41	8	-	1
Storey	8	6	2	-	-
Washoe	840	819	11	4	6
Reno	627	623	3	-	1
Balance of county	213	196	8	4	5
White Pine	273	248	25	-	-
NEW HAMPSHIRE	8,548	7,962	584	1	1
Belknap	421	405	16	-	-
Laconia	219	216	3	-	-
Balance of county	202	189	13	-	-
Carroll	210	199	10	-	1
Cheshire	651	594	57	-	-
Keene	287	276	11	-	-
Balance of county	364	318	46	-	-
Coos	589	515	74	-	-
Berlin	281	259	22	-	-
Balance of county	308	256	52	-	-
Grafton	728	606	121	1	-
Hillsborough	2,543	2,439	104	-	-
Manchester	1,414	1,361	53	-	-
Nashua	522	504	18	-	-
Balance of county	607	574	33	-	-
Merrimack	832	782	50	-	-
Concord	376	371	5	-	-
Balance of county	456	411	45	-	-
Rockingham	1,235	1,185	50	-	-
Portsmouth	447	438	9	-	-
Balance of county	788	747	41	-	-
Strafford	832	769	63	-	-
Dover	288	276	12	-	-
Rochester	236	216	20	-	-
Balance of county	308	277	31	-	-
Sullivan	507	468	39	-	-
Claremont (town)	231	210	21	-	-
Balance of county	276	258	18	-	-
NEW JERSEY	76,265	70,513	4,745	973	34
Atlantic	1,988	1,696	270	22	-
Atlantic City	1,005	949	52	4	-
Pleasantville	237	180	56	1	-
Balance of county	746	567	162	17	-
Bergen	7,620	7,425	130	64	1
Bergenfield	197	195	2	-	-
Cliffside Park	281	276	1	4	-
Englewood	347	344	3	-	-
Garfield	474	457	2	15	-
Hackensack	388	378	8	2	-
Lodi	255	235	12	8	-
Lyndhurst (twp.)[2]	332	328	2	2	-
Ridgefield Park	193	190	3	-	-
Ridgewood	245	241	3	1	-
Rutherford	258	253	2	3	-
Teaneck (twp.)[2]	428	421	6	1	-
Balance of county	4,242	4,127	86	28	1

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence[1])

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NEW JERSEY—Continued					
Burlington	1,902	1,549	345	7	1
Burlington	256	196	59	-	1
Balance of county	1,646	1,353	286	7	-
Camden	5,060	4,317	645	97	1
Camden	2,553	1,939	331	82	1
Collingswood	235	228	7	-	-
Gloucester City	185	158	27	-	-
Pennsauken (twp.)[2]	215	177	37	1	-
Balance of county	2,072	1,815	243	14	-
Cape May	564	487	76	1	-
Cumberland	1,494	1,216	278	-	-
Bridgeton	371	274	97	-	-
Millville	280	265	15	-	-
Balance of county	843	677	166	-	-
Essex	15,175	14,534	517	121	3
Belleville	541	519	9	12	1
Bloomfield	818	807	10	1	-
East Orange	1,241	1,224	12	5	-
Irvington	980	967	8	5	-
Maplewood (twp.)[2]	297	294	2	1	-
Millburn (twp.)[2]	169	167	2	-	-
Montclair	699	675	22	2	-
Newark	7,856	7,348	419	88	1
Nutley	454	447	3	3	1
Orange	700	678	19	3	-
South Orange	204	203	1	-	-
West Orange	418	414	4	-	-
Balance of county	798	791	6	1	-
Gloucester	1,508	1,258	244	2	2
Hudson	10,740	10,338	297	103	2
Bayonne	1,335	1,278	36	21	-
Harrison	258	248	7	1	-
Hoboken	801	761	20	18	2
Jersey City	5,189	4,986	175	28	-
Kearny	678	672	6	-	-
North Bergen (twp.)[2]	591	570	14	7	-
Union City	835	808	17	10	-
Weehawken (twp.)[2]	200	196	3	1	-
West New York	609	585	8	16	-
Balance of county	246	234	11	1	-
Hunterdon	551	448	100	2	1
Mercer	3,575	3,367	198	9	1
Trenton	2,033	1,912	117	4	-
Balance of county	1,542	1,455	81	5	1
Middlesex	4,024	3,495	297	229	3
Carteret	182	152	6	24	-
New Brunswick	699	628	67	4	-
Perth Amboy	683	586	32	82	3
South River	177	146	19	12	-
Woodbridge (twp.)[2]	557	457	25	75	-
Balance of county	1,726	1,546	148	32	-
Monmouth	3,483	3,266	211	5	1
Asbury Park	312	284	26	2	-
Long Branch	482	473	7	1	1
Neptune (twp.)[2]	205	183	22	-	-
Red Bank	283	277	6	-	-
Balance of county	2,201	2,049	150	2	-
Morris	2,326	2,137	178	11	-
Dover	194	169	23	2	-
Morristown	262	256	6	-	-
Balance of county	1,870	1,712	149	9	-
Ocean	757	676	80	1	-
Passaic	5,143	4,900	173	59	11
Clifton	958	934	15	9	-
Hawthorne	192	182	10	-	-
Passaic	952	926	13	13	-
Paterson	2,237	2,121	82	34	-
Balance of county	804	737	53	3	11
Salem	950	812	137	1	-
Somerset	1,500	1,368	76	56	-
North Plainfield	204	202	2	-	-
Balance of county	1,296	1,166	74	56	-
Sussex	601	466	132	2	1
Union	6,496	6,076	233	181	6
Cranford (twp.)[2]	302	294	7	1	-
Elizabeth	1,848	1,667	50	129	2
Hillside (twp.)[2]	271	264	4	3	-
Linden	575	533	17	24	1
Plainfield	760	712	42	4	2
Rahway	354	338	12	4	-
Roselle	347	330	15	2	-
Summit	310	304	6	-	-
Union (twp.)[2]	512	498	10	4	-
Westfield	358	339	19	-	-
Balance of county	859	797	51	10	1
Warren	810	682	128	-	-
Phillipsburg	298	265	31	-	-
Balance of county	514	417	97	-	-
Section B (Counties)—Continued					
NEW MEXICO	15,585	8,717	3,803	2,435	630
Bernalillo	2,145	1,450	436	208	51
Albuquerque	1,027	875	115	31	6
Balance of county	1,118	575	321	177	45
Catron	121	37	57	21	6
Chaves	843	613	168	56	6
Roswell	555	444	62	46	3
Balance of county	288	169	106	10	3
Colfax	459	310	104	32	13
Curry	585	543	27	14	1
Clovis	365	342	9	13	1
Balance of county	220	201	18	1	-
De Baca	123	82	34	7	-
Dona Ana	897	263	498	108	28
Eddy	975	805	73	80	15
Grant	641	413	155	56	17
Guadalupe	206	51	83	66	6
Harding	80	17	40	17	6
Hidalgo	139	109	7	18	5
Lea	545	523	18	-	4
Hobbs	354	350	3	-	1
Balance of county	191	173	15	-	3
Lincoln	202	83	72	42	5
Luna	243	141	97	3	2
McKinley	794	547	89	104	54
Mora	296	49	103	110	34
Otero	324	154	126	32	12
Quay	325	248	39	36	2
Rio Arriba	785	202	278	239	66
Roosevelt	335	295	39	-	1
Sandoval	443	135	88	125	95
San Juan	309	235	42	8	24
San Miguel	947	380	84	443	40
Santa Fe	793	327	356	87	23
Santa Fe	512	258	202	46	6
Balance of county	281	69	154	41	17
Sierra	78	23	46	5	4
Socorro	283	86	142	57	18
Taos	484	229	41	204	10
Torrance	341	79	162	92	8
Union	211	139	44	21	7
Valencia	635	169	255	144	67
NEW YORK	229,534	218,085	10,214	1,044	191
Albany	3,703	3,503	160	38	2
Albany	2,237	2,147	53	36	1
Cohoes	347	306	41	-	-
Watervliet	289	273	16	-	-
Balance of county	830	777	50	2	1
Allegany	777	695	80	-	2
Broome	3,239	3,148	83	6	2
Binghamton	1,515	1,492	16	5	2
Endicott	417	415	2	-	-
Johnson City	363	358	6	1	-
Balance of county	944	885	59	-	-
Cattaraugus	1,333	1,217	110	2	4
Olean	440	431	8	-	1
Balance of county	893	786	102	2	3
Cayuga	1,117	1,056	60	-	1
Auburn	604	589	14	-	1
Balance of county	513	467	46	-	-
Chautauqua	2,089	1,979	110	-	-
Dunkirk	324	310	14	-	-
Jamestown	666	664	2	-	-
Balance of county	1,099	1,005	94	-	-
Chemung	1,590	1,550	39	1	-
Elmira	957	948	9	-	-
Balance of county	633	602	30	1	-
Chenango	730	643	85	-	2
Clinton	1,029	749	273	5	2
Plattsburgh	330	312	17	-	1
Balance of county	699	437	256	5	1
Columbia	567	508	58	-	1
Hudson	188	167	21	-	-
Balance of county	379	341	37	-	1
Cortland	669	592	65	11	1
Cortland	305	282	18	5	-
Balance of county	364	310	47	6	1
Delaware	868	661	204	-	3
Dutchess	1,794	1,696	74	23	1
Beacon	197	182	7	8	-
Poughkeepsie	804	776	17	10	1
Balance of county	793	738	50	5	-
Erie	15,432	14,314	1,024	79	15
Buffalo	10,313	9,742	509	57	5
Kenmore	382	379	3	-	-
Lackawanna	620	547	57	15	1
Tonawanda	261	255	5	-	1
Balance of county	3,856	3,391	450	7	8

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NEW YORK—Continued					
Essex	598	445	150	-	1
Franklin	918	541	371	-	6
Fulton	785	743	42	-	-
Gloversville	556	545	11	-	-
Johnstown	158	155	3	-	-
Balance of county	271	243	28	-	-
Genesee	790	744	43	-	3
Batavia	298	293	4	-	1
Balance of county	492	451	39	-	2
Greene	441	392	49	-	-
Hamilton	61	44	17	-	-
Herkimer	1,088	1,013	74	-	1
Little Falls	156	155	1	-	-
Balance of county	932	858	73	-	1
Jefferson	1,755	1,512	240	1	2
Watertown	752	713	38	-	1
Balance of county	1,003	799	202	1	1
Lewis	456	374	79	-	3
Livingston	622	565	58	-	1
Madison	807	722	82	-	3
Oneida	236	229	7	-	-
Balance of county	571	493	75	-	3
Monroe	7,763	7,547	199	4	13
Irondequoit (town)	520	509	11	-	-
Rochester	5,370	5,226	128	4	12
Balance of county	1,873	1,812	60	-	1
Montgomery	919	874	41	4	-
Amsterdam	489	471	15	3	-
Balance of county	430	403	26	1	-
Nassau	8,152	7,891	257	2	2
Floral Park	220	218	2	-	-
Freeport	403	384	19	-	-
Garden City	201	201	-	-	-
Glen Cove	223	210	13	-	-
Hempstead	489	480	9	-	-
Lynbrook	266	260	6	-	-
Mineola	185	181	4	-	-
Rockville Centre	302	296	6	-	-
Valley Stream	373	364	9	-	-
Balance of county	5,490	5,297	189	2	2
New York City[4]	120,304	116,745	2,698	818	45
Niagara	3,608	3,520	84	-	4
Lockport	463	455	8	-	-
Niagara Falls	1,835	1,815	19	-	1
North Tonawanda	465	456	9	-	-
Balance of county	845	794	48	-	3
Oneida	3,856	3,612	237	2	5
Rome	817	790	27	-	-
Utica	1,772	1,730	39	1	2
Balance of county	1,267	1,092	171	1	3
Onondaga	5,331	5,128	176	2	25
Syracuse	3,566	3,468	75	1	22
Balance of county	1,765	1,660	101	1	3
Ontario	1,035	971	64	-	-
Geneva	366	354	12	-	-
Balance of county	669	617	52	-	-
Orange	2,375	2,142	227	2	4
Middletown	324	311	13	-	-
Newburgh	580	534	44	1	1
Balance of county	1,471	1,297	170	1	3
Orleans	478	429	49	-	-
Oswego	1,343	1,131	209	1	2
Fulton	260	247	13	-	-
Oswego	407	399	8	-	-
Balance of county	676	485	188	1	2
Otsego	943	840	100	-	3
Oneonta	239	235	4	-	-
Balance of county	704	605	96	-	3
Putnam	211	190	21	-	-
Rensselaer	1,974	1,843	125	5	3
Rensselaer	172	165	4	2	1
Troy	1,143	1,108	33	1	1
Balance of county	659	570	88	2	1
Rockland	1,102	1,059	40	3	-
St. Lawrence	2,029	1,643	385	-	1
Massena	355	294	61	-	-
Ogdensburg	286	284	2	-	-
Balance of county	1,388	1,065	322	-	1
Saratoga	1,270	1,158	106	1	5
Saratoga Springs	241	237	4	-	-
Balance of county	1,029	921	102	1	5
Schenectady	2,500	2,426	71	3	-
Schenectady	1,748	1,696	50	2	-
Balance of county	752	730	21	1	-
Schoharie	380	248	131	-	1
Schuyler	243	222	21	-	-
Seneca	517	476	40	-	1
Section B (Counties)—Continued					
NEW YORK—Continued					
Steuben	1,730	1,537	188	-	5
Corning	359	354	5	-	-
Hornell	304	296	8	-	-
Balance of county	1,067	887	175	-	5
Suffolk	5,301	3,053	232	15	1
Sullivan	539	445	94	-	-
Tioga	521	433	87	-	1
Tompkins	854	799	34	-	1
Ithaca	459	449	9	-	1
Balance of county	395	350	25	-	-
Ulster	1,121	1,022	95	-	4
Kingston	408	392	16	-	-
Balance of county	713	630	79	-	4
Warren	681	583	76	-	2
Glens Falls	358	344	14	-	-
Balance of county	303	239	62	-	2
Washington	785	625	156	1	1
Wayne	827	729	98	-	-
Westchester	8,847	8,656	171	15	5
Mamaroneck	228	223	5	-	-
Mount Vernon	1,092	1,035	50	7	-
New Rochelle	883	868	15	-	-
Ossining	195	193	2	-	-
Peekskill	241	217	24	-	-
Port Chester	415	412	3	-	-
Scarsdale	216	216	-	-	-
White Plains	618	611	6	-	1
Yonkers	2,198	2,161	31	4	2
Balance of county	2,761	2,720	35	4	2
Wyoming	523	461	61	-	1
Yates	258	243	15	-	-
NORTH CAROLINA	90,629	46,331	29,574	14,744	180
Alamance	1,450	767	663	20	-
Burlington	477	307	168	2	-
Balance of county	973	460	495	18	-
Alexander	288	82	198	8	-
Alleghany	131	28	100	3	-
Anson	663	157	200	305	1
Ashe	487	170	225	87	5
Avery	363	239	47	76	1
Beaufort	866	464	155	244	3
Bertie	704	199	154	351	-
Bladen	793	126	400	267	-
Brunswick	547	294	25	228	-
Buncombe	2,287	1,649	496	142	-
Asheville	1,031	845	93	93	-
Balance of county	1,256	804	403	49	-
Burke	926	736	66	73	51
Cabarrus	1,347	1,050	201	91	5
Concord	258	206	27	24	1
Balance of county	1,089	844	174	67	4
Caldwell	999	550	413	35	1
Camden	123	26	44	53	-
Carteret	552	370	106	54	2
Caswell	485	96	280	126	3
Catawba	1,321	1,053	111	152	5
Hickory	387	343	10	34	-
Balance of county	934	710	101	118	5
Chatham	510	180	252	77	1
Cherokee	557	212	85	237	23
Chowan	337	61	188	88	-
Clay	173	48	97	25	3
Cleveland	1,589	876	401	312	-
Shelby	377	342	9	26	-
Balance of county	1,212	534	392	286	-
Columbus	1,443	636	259	546	2
Craven	915	490	140	285	-
New Bern	561	214	34	113	-
Balance of county	354	276	106	172	-
Cumberland	1,849	1,002	392	455	-
Fayetteville	801	567	105	129	-
Balance of county	1,048	435	287	326	-
Currituck	124	24	55	45	-
Dare	118	29	82	7	-
Davidson	1,156	771	360	25	-
Lexington	510	215	93	2	-
Thomasville	265	228	21	16	-
Balance of county	381	328	246	7	-
Davie	328	124	195	9	-
Duplin	1,017	188	702	127	-
Durham	2,128	1,861	180	87	-
Durham	1,687	1,544	80	63	-
Balance of county	441	317	100	24	-
Edgecombe	1,211	403	474	334	-
Rocky Mount (part)	251	130	93	8	-
Balance of county	980	273	381	326	-

[4]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Forsyth	2,791	2,269	514	8	-
Winston-Salem	1,711	1,394	314	3	-
Balance of county	1,080	875	200	5	-
Franklin	676	185	313	198	-
Gaston	2,248	1,251	893	104	-
Gastonia	601	436	138	27	-
Balance of county	1,647	815	755	77	-
Gates	231	63	86	82	-
Graham	223	70	84	63	6
Granville	722	208	454	60	-
Greene	493	68	360	64	1
Guilford	3,353	2,681	615	57	-
Greensboro	1,291	1,179	99	13	-
High Point	796	654	130	12	-
Balance of county	1,266	848	386	32	-
Halifax	1,575	478	300	797	2
Harnett	1,128	484	489	154	1
Haywood	787	593	167	24	3
Henderson	621	444	155	22	-
Hertford	424	82	289	53	-
Hoke	401	36	177	188	-
Hyde	146	45	32	68	1
Iredell	1,149	667	377	105	-
Statesville	292	186	79	27	-
Balance of county	857	481	298	78	-
Jackson	434	128	229	75	2
Johnston	1,630	470	915	244	1
Jones	312	104	116	92	-
Lee	585	329	186	70	-
Lenoir	1,187	583	280	324	-
Kinston	425	243	64	118	-
Balance of county	742	340	196	206	-
Lincoln	597	376	163	58	-
McDowell	564	355	185	24	-
Macon	458	130	273	52	3
Madison	478	114	251	109	4
Martin	725	102	384	237	2
Mecklenburg	3,769	3,390	278	98	3
Charlotte	2,582	2,426	102	52	2
Balance of county	1,187	964	176	46	1
Mitchell	393	118	191	65	19
Montgomery	382	169	129	84	-
Moore	725	396	235	91	1
Nash	1,538	612	609	316	1
Rocky Mount (part)	380	250	75	35	-
Rocky Mount (total)	591	380	168	43	-
Balance of county	1,178	362	534	281	1
New Hanover	2,414	2,294	47	72	1
Wilmington	1,314	1,225	26	63	-
Balance of county	1,100	1,069	21	9	1
Northampton	708	131	206	371	-
Onslow	705	321	283	100	1
Orange	548	359	128	59	-
Pamlico	232	21	157	53	1
Pasquotank	640	344	117	179	-
Elizabeth City	384	281	40	63	-
Balance of county	256	63	77	96	-
Pender	511	113	144	254	-
Perquimans	245	44	99	101	1
Person	711	217	434	60	-
Pitt	1,803	335	960	407	1
Greenville	338	149	105	84	-
Balance of county	1,265	186	755	323	1
Polk	283	154	114	11	4
Randolph	981	639	291	51	-
Richmond	897	333	371	193	-
Robeson	2,445	813	896	735	1
Rockingham	1,295	614	621	60	-
Reidsville	226	163	53	10	-
Balance of county	1,069	451	568	50	-
Rowan	1,414	919	401	94	-
Salisbury	377	304	53	20	-
Balance of county	1,037	615	348	74	-
Rutherford	1,040	183	775	81	1
Sampson	1,280	249	686	344	1
Scotland	741	207	187	347	-
Stanly	767	509	251	7	-
Stokes	460	120	322	18	-
Surry	1,097	384	642	71	-
Swain	333	93	185	49	6
Transylvania	373	173	168	31	1
Tyrrell	135	92	17	26	-
Union	1,047	438	483	128	-
Vance	784	418	129	237	-
Wake	2,477	1,532	638	306	1
Raleigh	1,066	987	38	60	1
Balance of county	1,411	565	600	246	-
Warren	620	82	117	420	1
Washington	332	118	81	133	-
Watauga	443	361	40	42	-
Wayne	1,375	545	701	128	1
Goldsboro	520	289	185	45	1
Balance of county	855	256	516	83	-
Wilkes	1,097	394	508	194	1
Wilson	1,298	527	484	307	-
Wilson	459	231	74	154	-
Balance of county	839	296	390	153	-
Yadkin	387	226	149	12	-
Yancey	428	92	227	108	1
NORTH DAKOTA	13,530	11,662	1,725	68	75
Adams	101	91	10	-	-
Barnes	329	309	17	1	2
Benson	245	210	31	-	4
Billings	48	46	1	1	-
Bottineau	305	264	41	-	-
Bowman	78	69	7	1	1
Burke	154	146	8	-	-
Burleigh	516	495	21	-	-
Bismarck	375	362	13	-	-
Balance of county	141	133	8	-	-
Cass	1,080	1,036	44	-	-
Fargo	719	712	7	-	-
Balance of county	361	324	37	-	-
Cavalier	317	282	33	1	1
Dickey	187	130	55	-	2
Divide	135	129	6	-	-
Dunn	202	150	46	3	3
Eddy	109	101	8	-	-
Emmons	275	161	112	-	2
Foster	105	88	16	1	-
Golden Valley	86	65	21	-	-
Grand Forks	710	684	26	-	-
Grand Forks	472	456	16	-	-
Balance of county	238	228	10	-	-
Grant	242	175	61	4	2
Griggs	132	116	16	-	-
Hettinger	161	55	106	-	-
Kidder	162	118	36	1	7
La Moure	237	158	78	-	1
Logan	164	66	88	7	3
McHenry	282	260	17	-	5
McIntosh	188	90	93	4	1
McKenzie	185	167	17	-	1
McLean	364	311	44	2	7
Mercer	197	179	8	6	4
Morton	458	384	67	7	-
Mountrail	216	195	21	-	-
Nelson	140	136	4	-	-
Oliver	75	62	11	1	1
Pembina	302	236	64	1	1
Pierce	231	218	8	2	3
Ramsey	312	288	23	1	-
Ransom	169	121	48	-	-
Renville	125	116	9	-	-
Richland	382	355	27	-	-
Rolette	371	349	11	5	6
Sargent	207	162	45	-	-
Sheridan	135	101	28	4	2
Sioux	96	72	7	7	10
Slope	59	25	32	1	1
Stark	382	340	49	1	2
Steele	116	112	4	-	-
Stutsman	455	392	60	3	-
Towner	134	105	29	-	-
Traill	243	225	18	-	-
Walsh	373	320	51	1	1
Ward	646	636	9	-	1
Minot	381	377	3	-	1
Balance of county	265	259	6	-	-
Wells	253	222	30	-	1
Williams	344	339	3	2	-
OHIO	133,598	112,184	21,309	43	62
Adams	402	75	325	1	1
Allen	1,700	1,513	187	-	-
Lima	1,091	1,026	65	-	-
Balance of county	609	487	122	-	-
Ashland	526	490	36	-	-
Ashland	216	210	6	-	-
Balance of county	310	280	30	-	-
Ashtabula	1,255	1,041	214	-	-
Ashtabula	463	380	83	-	-
Balance of county	792	661	131	-	-
Athens	637	307	329	-	1
Auglaize	558	387	171	-	-
Belmont	1,463	1,034	429	-	-
Bellaire	189	161	28	-	-
Martins Ferry	204	191	13	-	-
Balance of county	1,070	682	388	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
OHIO—Continued					
Brown	308	101	207	-	-
Butler	2,648	2,324	323	1	-
Hamilton	1,112	999	112	1	-
Middletown	824	749	75	-	-
Balance of county	712	576	136	-	-
Carroll	323	140	183	-	-
Champaign	548	428	120	-	-
Clark	1,996	1,684	311	-	1
Springfield	1,459	1,261	197	-	1
Balance of county	537	423	114	-	-
Clermont	611	342	269	-	-
Clinton	419	149	270	-	-
Columbiana	1,692	1,133	559	-	-
East Liverpool	428	350	78	-	-
Salem	234	208	26	-	-
Balance of county	1,030	575	455	-	-
Coshocton	475	365	110	-	-
Coshocton	191	175	16	-	-
Balance of county	284	190	94	-	-
Crawford	702	630	72	-	-
Cuyahoga	22,113	20,844	1,263	5	1
Cleveland	15,852	14,706	1,142	3	1
Cleveland Heights	738	733	5	-	-
East Cleveland	617	614	3	-	-
Euclid	657	641	16	-	-
Garfield Heights	284	275	9	-	-
Lakewood	1,114	1,093	20	1	-
Parma	329	321	8	-	-
Shaker Heights	395	394	1	-	-
Balance of county	2,127	2,067	59	1	-
Darke	745	581	164	-	-
Defiance	454	405	49	-	-
Delaware	482	344	138	-	-
Erie	845	798	47	-	-
Sandusky	500	490	10	-	-
Balance of county	345	308	37	-	-
Fairfield	913	627	286	-	-
Lancaster	473	372	101	-	-
Balance of county	440	255	185	-	-
Fayette	411	87	324	-	-
Franklin	7,967	7,080	882	1	4
Columbus	6,232	5,602	625	1	4
Balance of county	1,735	1,478	257	-	-
Fulton	480	370	110	-	-
Gallia	426	220	183	8	15
Geauga	402	282	118	1	1
Greene	888	573	313	1	1
Xenia	227	146	81	-	-
Balance of county	661	427	232	1	1
Guernsey	567	382	204	-	1
Cambridge	251	195	55	-	1
Balance of county	316	187	149	-	-
Hamilton	12,126	10,960	1,162	-	4
Cincinnati	8,345	7,622	720	-	3
Norwood	807	588	19	-	-
Balance of county	3,174	2,750	423	-	1
Hancock	745	641	104	-	-
Findlay	409	360	49	-	-
Fostoria (part)	35	34	1	-	-
Balance of county	301	247	54	-	-
Hardin	539	389	150	-	-
Harrison	308	197	111	-	-
Henry	396	262	134	-	-
Highland	481	195	285	-	1
Hocking	318	103	214	-	1
Holmes	397	165	227	2	3
Huron	725	619	105	-	1
Jackson	526	105	420	1	-
Jefferson	1,578	1,200	378	-	-
Steubenville	597	527	70	-	-
Balance of county	981	673	308	-	-
Knox	603	545	58	-	-
Mount Vernon	250	248	2	-	-
Balance of county	353	297	56	-	-
Lake	1,159	1,127	32	-	-
Painesville	345	336	9	-	-
Balance of county	814	791	23	-	-
Lawrence	908	676	228	2	2
Ironton	315	307	8	-	-
Balance of county	593	369	220	2	2
Licking	1,115	927	188	-	-
Newark	594	527	67	-	-
Balance of county	521	400	121	-	-
Logan	572	464	108	-	-
Lorain	2,193	2,087	106	-	-
Elyria	485	477	8	-	-
Lorain	846	805	41	-	-
Balance of county	862	805	57	-	-
Lucas	6,523	5,990	532	-	1
Toledo	5,265	4,874	390	-	1
Balance of county	1,258	1,116	142	-	-
Madison	398	118	280	-	-
Mahoning	4,048	3,701	344	1	2
Campbell	215	189	24	1	1
Struthers	195	178	17	-	-
Youngstown (part)	2,880	2,677	203	-	-
Youngstown (total)	2,883	2,680	203	-	-
Balance of county	758	657	100	-	1
Marion	929	780	148	-	1
Marion	617	532	85	-	-
Balance of county	312	248	63	-	1
Medina	658	628	30	-	-
Meigs	356	108	248	-	-
Mercer	493	429	64	-	-
Miami	1,192	1,088	104	-	-
Piqua	371	353	18	-	-
Balance of county	821	735	86	-	-
Monroe	254	60	194	-	-
Montgomery	7,446	6,961	482	-	3
Dayton	6,175	5,888	282	-	3
Balance of county	1,273	1,073	200	-	-
Morgan	194	63	131	-	-
Morrow	252	193	59	-	-
Muskingum	1,320	1,164	155	-	1
Zanesville	787	723	64	-	-
Balance of county	533	441	91	-	1
Noble	184	86	97	1	-
Ottawa	458	390	68	-	-
Paulding	259	203	56	-	-
Perry	472	176	295	-	1
Pickaway	479	264	215	-	-
Pike	328	35	280	7	6
Portage	994	915	79	-	-
Preble	414	280	134	-	-
Putnam	507	337	170	-	-
Richland	1,397	1,245	152	-	-
Mansfield	738	665	73	-	-
Balance of county	659	580	79	-	-
Ross	1,093	414	679	-	-
Chillicothe	473	273	200	-	-
Balance of county	620	141	479	-	-
Sandusky	822	722	100	-	-
Fremont	328	302	26	-	-
Balance of county	494	420	74	-	-
Scioto	1,525	867	654	-	4
Portsmouth	682	549	133	-	-
Balance of county	843	318	521	-	4
Seneca	982	825	157	-	-
Fostoria (part)	255	239	16	-	-
Fostoria (total)	290	273	17	-	-
Tiffin	342	303	39	-	-
Balance of county	385	283	102	-	-
Shelby	552	453	99	-	-
Stark	5,049	4,619	430	-	-
Alliance	512	464	48	-	-
Canton	2,415	2,279	136	-	-
Massillon	612	585	27	-	-
Balance of county	1,510	1,291	219	-	-
Summit	7,329	6,794	527	5	3
Akron	5,148	4,820	324	3	1
Barberton	557	485	71	1	-
Cuyahoga Falls	463	455	10	-	-
Balance of county	1,161	1,036	122	1	2
Trumbull	2,687	2,465	221	1	-
Niles	275	256	19	-	-
Warren	973	934	38	1	-
Youngstown (part)	3	3	-	-	-
Balance of county	1,436	1,272	164	-	-
Tuscarawas	1,229	927	301	1	-
New Philadelphia	225	197	28	-	-
Balance of county	1,004	730	273	1	-
Union	317	192	125	-	-
Van Wert	444	346	98	-	-
Vinton	215	23	190	2	-
Warren	657	448	206	1	2
Washington	727	465	262	-	-
Marietta	264	232	32	-	-
Balance of county	463	233	230	-	-
Wayne	1,105	810	295	-	-
Wooster	211	190	21	-	-
Balance of county	894	620	274	-	-
Williams	462	325	137	-	-
Wood	880	701	179	-	-
Wyandot	323	196	126	1	-
OKLAHOMA	46,725	31,834	13,261	1,032	598
Adair	316	164	89	45	18
Alfalfa	176	148	26	2	-
Atoka	375	118	218	14	25
Beaver	165	125	39	1	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
OKLAHOMA—Continued					
Beckham	386	345	40	-	1
Blaine	386	223	150	4	9
Bryan	729	355	361	8	5
Durant	242	177	65	-	-
Balance of county	487	178	296	8	5
Caddo	932	511	400	11	10
Canadian	530	425	103	-	2
El Reno	277	233	44	-	-
Balance of county	253	192	59	-	2
Carter	737	406	316	9	6
Ardmore	333	235	94	2	2
Balance of county	404	171	222	7	4
Cherokee	469	288	157	31	13
Choctaw	470	213	161	61	35
Cimarron	97	61	36	-	-
Cleveland	528	335	181	5	5
Norman	307	231	75	-	1
Balance of county	219	104	106	5	4
Coal	207	45	157	3	2
Comanche	1,306	1,016	256	23	11
Lawton	890	757	108	20	7
Balance of county	416	259	150	3	4
Cotton	270	148	118	3	1
Craig	352	258	71	2	1
Creek	975	573	310	64	28
Sapulpa	290	185	78	21	6
Balance of county	685	388	232	43	22
Custer	448	383	65	-	-
Delaware	270	80	175	10	5
Dewey	214	87	118	4	5
Ellis	168	148	20	-	-
Garfield	951	891	56	3	1
Enid	758	722	32	3	1
Balance of county	193	169	24	-	-
Garvin	631	452	173	4	2
Grady	833	528	300	2	3
Chickasha	368	253	114	-	1
Balance of county	465	275	186	2	2
Grant	164	141	23	-	-
Greer	256	202	50	1	3
Harmon	191	103	88	-	-
Harper	104	68	36	-	-
Haskell	332	37	284	7	4
Hughes	560	288	252	14	6
Jackson	415	309	101	5	-
Jefferson	276	172	101	1	2
Johnston	239	76	155	1	7
Kay	948	871	75	-	2
Ponca City	411	394	16	-	1
Balance of county	537	477	59	-	1
Kingfisher	216	145	69	4	-
Kiowa	495	398	94	1	2
Latimer	253	40	206	5	2
Le Flore	806	229	541	13	23
Lincoln	445	234	188	17	8
Logan	450	288	137	34	11
Guthrie	202	142	45	10	7
Balance of county	248	126	94	24	4
Love	189	49	139	1	-
McClain	387	146	236	2	3
McCurtain	811	196	511	61	43
McIntosh	436	188	144	66	38
Major	214	148	61	4	1
Marshall	198	104	93	1	-
Mayes	537	398	131	6	2
Murray	223	175	47	1	-
Muskogee	1,451	938	382	109	22
Muskogee	792	643	91	54	4
Balance of county	659	295	291	55	18
Noble	240	134	106	-	-
Nowata	256	143	98	12	3
Okfuskee	485	227	207	26	25
Oklahoma	5,858	5,254	580	27	17
Oklahoma City	4,952	4,494	449	4	5
Balance of county	906	760	111	23	12
Okmulgee	951	557	242	92	40
Okmulgee	328	241	48	30	9
Balance of county	605	316	196	62	31
Osage	557	419	120	11	7
Ottawa	847	505	342	2	-
Pawnee	286	159	124	2	1
Payne	661	550	100	5	6
Stillwater	210	193	17	-	-
Balance of county	451	357	83	5	6
Pittsburg	1,033	601	397	13	22
McAlester	398	327	68	-	3
Balance of county	637	274	331	13	19
Pontotoc	702	481	218	2	1
Ada	348	283	62	1	2
Balance of county	356	198	156	1	1
Pottawatomie	1,013	772	206	14	21
Shawnee	516	469	32	7	8
Balance of county	497	303	174	7	13
Pushmataha	290	70	205	11	6
Roger Mills	161	116	42	-	3
Rogers	481	312	159	6	4
Seminole	885	676	151	35	23
Seminole	280	254	20	4	2
Wewoka	150	135	8	5	2
Balance of county	475	307	125	26	19
Sequoyah	497	118	339	26	14
Stephens	715	605	99	9	2
Texas	190	129	59	-	2
Tillman	424	351	63	9	1
Tulsa	4,774	4,032	689	33	20
Tulsa	3,761	3,389	326	27	19
Balance of county	1,013	643	363	6	1
Wagoner	446	108	296	34	8
Washington	570	475	94	-	1
Bartlesville	357	334	23	-	-
Balance of county	213	141	71	-	1
Washita	388	284	79	-	5
Woods	317	291	26	-	-
Woodward	265	240	24	-	1
OREGON	24,150	23,387	690	18	55
Baker	298	272	24	-	2
Benton	465	448	15	-	2
Clackamas	1,252	1,186	60	3	3
Clatsop	514	510	4	-	-
Astoria	202	200	2	-	-
Balance of county	312	310	2	-	-
Columbia	405	370	31	1	1
Coos	572	557	15	-	-
Crook	138	131	7	-	-
Curry	63	60	2	-	1
Deschutes	322	320	2	-	-
Bend	180	178	2	-	-
Balance of county	142	142	-	-	-
Douglas	485	428	56	-	3
Gilliam	42	41	1	-	-
Grant	83	74	6	-	3
Harney	69	69	-	-	-
Hood River	229	222	6	-	1
Jackson	794	776	16	-	2
Medford	306	301	3	-	2
Balance of county	488	475	13	-	-
Jefferson	55	44	1	-	10
Josephine	301	265	35	-	1
Klamath	864	836	27	1	-
Klamath Falls	511	507	4	-	-
Balance of county	353	329	23	1	-
Lake	103	101	2	-	-
Lane	1,670	1,583	84	1	2
Eugene	595	589	5	-	1
Balance of county	1,075	994	79	1	1
Lincoln	311	286	20	4	1
Linn	784	749	32	2	1
Malheur	413	401	11	1	-
Marion	1,451	1,392	56	-	3
Salem	585	582	3	-	-
Balance of county	848	810	33	-	3
Morrow	81	47	33	-	1
Multnomah	9,023	8,936	75	2	10
Portland	7,632	7,556	68	2	8
Balance of county	1,391	1,380	9	-	2
Polk	360	344	16	-	-
Sherman	38	38	-	-	-
Tillamook	342	333	9	-	-
Umatilla	513	495	17	1	-
Union	348	340	8	-	-
Wallowa	135	130	2	-	3
Wasco	226	218	3	1	4
Washington	833	818	14	-	1
Wheeler	45	39	5	1	-
Yamhill	567	552	15	-	-
PENNSYLVANIA	178,370	145,573	32,658	279	60
Adams	803	591	211	-	1
Allegheny	24,899	22,493	2,368	36	2
Bellevue	193	189	4	-	-
Braddock	314	281	33	-	-
Carnegie	317	273	44	-	-
Clairton	407	317	89	1	-
Coraopolis	271	259	12	-	-
Dormont	156	152	4	-	-
Duquesne	343	291	42	10	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
PENNSYLVANIA—Continued					
Allegheny—Continued					
Harrison (twp.)[2]	155	138	15	-	-
Homestead	257	222	13	2	-
McKeesport	998	838	156	2	-
McKees Rocks	554	514	20	-	-
Mount Lebanon (twp.)[2]	207	206	1	-	-
Munhall	197	184	12	1	-
North Braddock	230	202	28	-	-
Pittsburgh	12,369	11,485	881	5	-
Shaler (twp.)[2]	155	122	33	-	-
Stowe (twp.)[2]	17	16	1	-	-
Swissvale	307	287	20	-	-
Wilkinsburg	580	561	19	-	-
Balance of county	6,916	5,958	941	15	2
Armstrong	1,582	858	737	6	1
Beaver	5,140	2,552	568	20	-
Aliquippa	562	374	168	20	-
Ambridge	365	344	21	-	-
Beaver Falls	384	351	33	-	-
Ellwood City (part)	14	10	4	-	-
Balance of county	1,815	1,495	322	-	-
Bedford	784	317	460	1	6
Berks	3,607	2,728	876	2	1
Reading	1,586	1,416	170	-	-
Balance of county	2,021	1,312	706	2	1
Blair	2,475	1,848	615	4	8
Altoona	1,361	1,161	192	3	5
Balance of county	1,112	687	423	1	1
Bradford	1,032	907	124	1	-
Bucks	2,099	1,948	150	1	-
Bristol	291	280	11	-	-
Balance of county	1,808	1,668	139	1	-
Butler	1,712	1,261	450	-	1
Butler	504	458	66	-	-
Balance of county	1,208	823	384	-	1
Cambria	3,988	2,722	1,255	7	4
Johnstown	1,469	1,309	159	1	-
Balance of county	2,499	1,413	1,076	6	4
Cameron	155	141	14	-	-
Carbon	988	575	395	-	-
Centre	974	720	252	-	2
Chester	2,659	2,256	401	2	-
Coatesville	289	245	44	-	-
Phoenixville	227	201	25	1	-
West Chester	245	241	4	-	-
Balance of county	1,878	1,549	328	1	-
Clarion	756	214	541	-	1
Clearfield	1,684	1,102	580	1	1
Du Bois	215	209	4	-	-
Balance of county	1,451	893	576	1	1
Clinton	690	592	98	-	-
Lock Haven	217	205	12	-	-
Balance of county	473	387	86	-	-
Columbia	921	797	122	1	1
Berwick	261	242	19	-	-
Balance of county	660	555	103	1	1
Crawford	1,510	1,340	169	1	-
Meadville	434	420	14	-	-
Balance of county	1,076	920	155	1	-
Cumberland	1,810	1,227	583	-	-
Carlisle	512	272	40	-	-
Balance of county	1,298	955	543	-	-
Dauphin	3,298	2,480	815	2	1
Harrisburg	1,605	1,384	218	-	1
Steelton	225	157	66	2	-
Balance of county	1,470	939	551	-	-
Delaware	7,008	6,687	303	18	-
Chester	1,561	1,401	152	8	-
Darby	222	218	4	-	-
Haverford (twp.)[2]	406	401	5	-	-
Lansdowne	337	335	2	-	-
Upper Darby (twp.)[2]	1,385	1,355	8	-	-
Balance of county	3,119	2,977	132	10	-
Elk	573	487	86	-	-
Erie	3,971	3,657	332	1	1
Erie	2,694	2,558	134	1	1
Balance of county	1,277	1,079	198	-	-
Fayette	3,591	2,065	1,494	28	6
Connellsville	275	203	72	-	-
Uniontown	509	432	74	3	-
Balance of county	2,807	1,430	1,348	25	6
Forest	84	44	40	-	-
Franklin	1,506	1,128	371	3	4
Chambersburg	308	287	21	-	-
Waynesboro	197	173	24	-	-
Balance of county	1,001	668	326	3	4
Fulton	222	65	158	1	-
Greene	807	413	392	2	-
Huntingdon	845	362	482	1	-
Indiana	1,507	812	694	1	-
Indiana	189	172	17	-	-
Balance of county	1,318	640	677	1	-
Jefferson	824	594	230	-	-
Juniata	310	89	221	-	-
Lackawanna	5,879	5,269	569	38	3
Carbondale	303	266	37	-	-
Dickson City	151	129	22	-	-
Dunmore	258	224	34	-	-
Old Forge	174	141	21	12	-
Scranton	1,854	1,618	233	2	1
Balance of county	1,139	891	222	24	2
Lancaster	4,252	2,672	1,580	-	-
Columbia	206	177	29	-	-
Lancaster	1,170	1,051	119	-	-
Balance of county	2,876	1,444	1,432	-	-
Lawrence	1,855	1,710	139	5	1
Ellwood City (part)	229	218	11	-	-
Ellwood City (total)	243	228	15	-	-
New Castle	997	945	48	4	-
Balance of county	629	547	80	1	1
Lebanon	1,521	1,155	366	-	-
Lebanon	883	566	317	-	-
Balance of county	638	589	269	-	-
Lehigh	2,961	2,336	625	2	-
Allentown	1,571	1,372	198	1	-
Bethlehem (part)	293	271	22	-	-
Balance of county	1,097	693	405	1	-
Luzerne	6,327	5,170	1,145	11	1
Hanover (twp.)[2]	69	54	15	-	-
Hazleton	609	547	62	-	-
Kingston	334	320	14	-	-
Nanticoke	353	272	81	-	-
Pittston	307	273	33	1	-
Plains (twp.)[2]	184	147	36	1	-
Plymouth	257	196	61	-	-
Wilkes-Barre	1,308	1,127	180	1	-
Balance of county	2,906	2,234	665	8	1
Lycoming	1,778	1,481	296	-	1
Williamsport	912	794	118	-	-
Balance of county	866	687	178	-	1
McKean	968	883	85	-	-
Bradford	344	335	9	-	-
Balance of county	624	548	76	-	-
Mercer	2,065	1,845	220	-	-
Farrell	219	195	24	-	-
Sharon	588	570	18	-	-
Balance of county	1,258	1,080	178	-	-
Mifflin	854	501	353	-	-
Lewistown	309	251	58	-	-
Balance of county	545	250	295	-	-
Monroe	510	374	136	-	-
Montgomery	5,508	5,136	371	-	1
Abington (twp.)[2]	522	513	9	-	-
Cheltenham (twp.)[2]	282	279	2	-	1
Conshohocken	275	253	22	-	-
Lower Merion (twp.)[2]	661	646	15	-	-
Norristown	694	679	15	-	-
Pottstown	348	319	29	-	-
Balance of county	2,926	2,647	279	-	-
Montour	255	187	68	-	-
Northampton	3,018	2,406	608	2	-
Bethlehem (part)	898	824	72	2	-
Bethlehem (total)	1,191	1,095	94	2	-
Easton	721	657	64	-	-
Balance of county	1,397	925	472	-	-
Northumberland	2,028	1,453	574	1	-
Mount Carmel	255	192	62	1	-
Shamokin	525	377	148	-	-
Sunbury	283	246	37	-	-
Balance of county	987	638	349	-	-
Perry	477	214	263	-	-
Philadelphia, coextensive with Philadelphia (city)	55,318	52,824	2,458	32	4
Pike	69	52	17	-	-
Potter	276	218	57	1	-
Schuylkill	3,512	2,451	854	6	1
Mahanoy City	195	156	36	3	-
Pottsville	450	396	54	-	-
Shenandoah	274	234	40	-	-
Tamaqua	180	132	48	-	-
Balance of county	2,253	1,533	686	3	1
Snyder	359	179	180	-	-
Somerset	1,495	875	618	2	2
Sullivan	126	76	50	-	-
Susquehanna	584	359	224	-	1
Tioga	684	498	188	-	-
Union	388	272	116	-	-

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
PENNSYLVANIA—Continued					
Venango	1,162	977	184	-	1
Oil City	393	370	22	-	1
Balance of county	769	607	162	-	-
Warren	696	599	97	-	-
Warren	267	257	10	-	-
Balance of county	429	342	87	-	-
Washington	3,735	2,678	1,033	23	1
Canonsburg	250	198	30	2	-
Charleroi	182	162	18	2	-
Donora	244	225	19	-	-
Washington	595	472	122	-	1
Balance of county	2,464	1,621	844	19	-
Wayne	426	331	91	1	3
Westmoreland	5,286	4,070	1,198	17	1
Arnold	114	102	12	-	-
Greensburg	403	370	33	-	-
Jeannette	278	244	34	-	-
Latrobe	223	200	22	1	-
Monessen	270	209	54	7	-
New Kensington	549	504	44	1	-
Vandergrift	146	104	42	-	-
Balance of county	3,303	2,337	957	8	1
Wyoming	242	120	122	-	-
York	3,486	2,036	1,450	-	-
Hanover	275	223	52	-	-
York	1,305	921	384	-	-
Balance of county	1,906	892	1,014	-	-
RHODE ISLAND	13,754	12,645	1,019	28	62
Bristol	481	406	59	16	-
Bristol (town)	212	162	46	4	-
Balance of county	269	244	13	12	-
Kent	1,290	1,105	181	-	4
Warwick	664	618	42	-	4
West Warwick (town)	359	279	80	-	-
Balance of county	267	208	59	-	-
Newport	1,256	1,220	27	-	9
Newport	792	782	7	-	3
Balance of county	464	438	20	-	6
Providence	9,872	9,083	733	12	44
Central Falls	461	368	93	-	-
Cranston	818	791	19	3	5
Cumberland (town)	178	150	28	-	-
East Providence (town)	627	600	24	-	3
Johnston (town)	211	199	6	4	2
Lincoln (town)	168	139	29	-	-
North Providence (town)	260	251	8	-	1
Pawtucket	1,319	1,179	138	1	1
Providence	4,310	4,310	165	4	31
Woonsocket	894	730	164	-	-
Balance of county	426	386	59	-	1
Washington	855	831	19	-	5
Westerly (town)	302	294	8	-	-
Balance of county	553	537	11	-	5
SOUTH CAROLINA	51,467	21,209	12,559	17,661	38
Abbeville	425	115	166	144	-
Aiken	1,293	470	430	393	-
Allendale	338	33	13	292	-
Anderson	1,955	819	869	246	1
Anderson	645	458	170	19	-
Balance of county	1,290	363	699	227	1
Bamberg	428	47	86	295	-
Barnwell	518	41	125	354	-
Beaufort	739	305	21	413	-
Berkeley	845	141	56	648	-
Calhoun	412	56	17	339	-
Charleston	5,392	3,503	800	1,088	1
Charleston	2,621	1,782	712	127	-
Balance of county	2,771	1,721	88	961	1
Cherokee	786	384	335	67	-
Chester	735	248	212	275	-
Chesterfield	952	135	648	169	-
Clarendon	784	71	95	618	-
Colleton	791	290	93	407	1
Darlington	1,258	411	370	477	-
Dillon	819	279	178	362	-
Dorchester	684	189	163	332	-
Edgefield	418	36	280	122	-
Fairfield	590	120	159	311	-
Florence	2,064	656	655	752	1
Florence	652	400	75	176	1
Balance of county	1,412	256	580	576	-
Georgetown	840	121	236	483	-
Greenville	3,382	2,431	653	316	2
Greenville	1,483	1,511	27	145	-
Balance of county	1,899	1,120	606	171	2
Greenwood	884	557	142	185	-
Greenwood	354	305	21	28	-
Balance of county	530	252	121	157	-
Section B (Counties)—Continued					
SOUTH CAROLINA—Continued					
Hampton	506	87	92	327	-
Horry	1,513	746	424	343	-
Jasper	331	109	12	209	1
Kershaw	784	231	140	413	-
Lancaster	801	452	188	161	-
Laurens	775	263	234	277	1
Lee	668	60	98	509	1
Lexington	957	396	357	204	-
McCormick	269	9	207	53	-
Marion	849	413	233	203	-
Marlboro	891	202	294	395	-
Newberry	765	337	119	308	1
Oconee	831	386	291	173	1
Orangeburg	1,917	428	241	1,248	2
Orangeburg	373	213	38	122	-
Balance of county	1,544	213	203	1,126	2
Pickens	864	240	525	90	9
Richland	3,162	2,188	208	765	1
Columbia	2,175	1,751	125	298	1
Balance of county	987	437	83	467	-
Saluda	309	61	158	90	-
Spartanburg	3,057	1,398	1,282	377	-
Spartanburg	929	662	132	135	-
Balance of county	2,128	736	1,150	242	-
Sumter	1,427	454	40	918	15
Sumter	468	320	6	140	-
Balance of county	961	134	34	778	15
Union	690	251	226	213	-
Williamsburg	1,285	203	171	891	-
York	1,526	879	261	386	-
Rock Hill	474	428	36	10	-
Balance of county	1,052	451	225	376	-
SOUTH DAKOTA	12,769	10,503	1,952	86	228
Armstrong	-	-	-	-	-
Aurora	96	53	43	-	-
Beadle	370	328	42	-	-
Huron	207	186	21	-	-
Balance of county	163	142	21	-	-
Bennett	60	26	16	1	17
Bon Homme	148	65	76	5	2
Brookings	304	288	16	-	-
Brown	590	535	54	1	-
Aberdeen	370	354	15	1	-
Balance of county	220	181	39	-	-
Brule	120	101	19	-	-
Buffalo	64	55	2	-	7
Butte	168	143	25	-	-
Campbell	91	79	9	1	2
Charles Mix	224	146	74	3	1
Clark	180	130	50	-	-
Clay	139	113	25	-	1
Codington	584	369	14	1	-
Watertown	257	230	7	-	-
Balance of county	147	139	7	1	-
Corson	156	118	5	13	20
Custer	84	51	32	-	1
Davison	280	267	13	-	-
Mitchell	189	182	7	-	-
Balance of county	91	85	6	-	-
Day	299	154	142	1	2
Deuel	139	104	35	-	-
Dewey	117	85	25	1	6
Douglas	139	78	61	-	-
Edmunds	143	109	30	-	4
Fall River	222	207	15	-	-
Faulk	84	78	6	-	-
Grant	213	201	12	-	-
Gregory	199	184	14	-	1
Haakon	83	78	5	-	-
Hamlin	119	98	21	-	-
Hand	130	110	20	-	-
Hanson	110	71	27	3	9
Harding	69	50	19	-	-
Hughes	149	146	3	-	-
Hutchinson	226	147	69	5	5
Hyde	53	38	15	-	-
Jackson	27	26	1	-	-
Jerauld	85	72	13	-	-
Jones	50	38	11	-	1
Kingsbury	209	142	67	-	-
Lake	245	195	50	-	-
Lawrence	241	219	22	-	-
Lincoln	233	181	51	-	1
Lyman	93	80	6	3	4
McCook	172	97	75	-	-
McPherson	126	93	18	4	11
Marshall	148	120	28	-	-
Meade	170	140	25	3	2

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940 A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
SOUTH DAKOTA—Continued					
Mellette	89	57	13	4	15
Miner	118	64	54	-	-
Minnehaha	1,535	1,457	98	-	-
Sioux Falls	1,211	1,186	25	-	-
Balance of county	324	251	73	-	-
Moody	166	124	42	-	-
Pennington	611	590	19	2	-
Rapid City	459	454	4	1	-
Balance of county	152	136	15	1	-
Perkins	102	89	12	1	-
Potter	95	66	29	-	-
Roberts	377	325	39	3	10
Sanborn	88	80	8	-	-
Shannon	178	103	6	22	47
Spink	219	183	36	-	-
Stanley	29	29	-	-	-
Sully	40	32	8	-	-
Todd	141	105	7	1	28
Tripp	194	182	8	2	2
Turner	224	159	64	-	1
Union	233	193	37	-	3
Walworth	146	134	9	-	3
Washabaugh	32	21	1	1	9
Washington	22	12	-	-	10
Yankton	287	256	26	5	-
Ziebach	92	74	15	-	3
TENNESSEE	68,272	32,144	30,164	5,855	109
Anderson	862	255	557	69	1
Bedford	515	325	185	5	-
Benton	230	137	71	22	-
Bledsoe	220	21	156	43	-
Blount	1,340	582	737	50	-
Bradley	737	199	465	74	1
Cleveland	323	119	163	41	-
Balance of county	414	80	300	33	1
Campbell	999	325	616	58	-
Cannon	236	112	109	15	-
Carroll	565	127	429	9	-
Carter	906	395	435	76	-
Cheatham	200	59	135	5	1
Chester	257	25	202	10	-
Claiborne	623	107	454	62	-
Clay	208	19	134	55	-
Cocke	609	98	401	109	1
Coffee	539	216	302	21	-
Crockett	385	69	291	25	-
Cumberland	466	112	215	137	2
Davidson	5,543	4,677	832	30	4
Nashville	4,411	3,884	518	7	2
Balance of county	1,132	793	314	23	2
Decatur	259	27	192	20	-
De Kalb	240	91	120	29	-
Dickson	448	104	328	15	1
Dyer	801	186	581	34	-
Dyersburg	215	85	113	17	-
Balance of county	586	101	468	17	-
Fayette	793	59	218	516	-
Fentress	426	49	217	160	-
Franklin	595	190	364	40	1
Gibson	1,074	455	575	43	1
Giles	609	191	350	68	-
Grainger	294	46	216	32	-
Greene	834	387	345	102	-
Grundy	349	99	213	37	-
Hamblen	466	230	219	17	-
Hamilton	4,247	2,942	1,137	151	17
Chattanooga	3,219	2,479	620	103	17
Balance of county	1,028	463	517	48	-
Hancock	228	30	157	60	1
Hardeman	540	68	300	172	-
Hardin	380	35	294	50	1
Hawkins	726	265	363	97	1
Haywood	661	102	219	340	-
Henderson	389	40	317	32	-
Henry	485	201	272	11	1
Hickman	272	43	158	71	-
Houston	129	15	102	14	-
Humphreys	236	27	200	9	-
Jackson	346	20	251	75	-
Jefferson	426	109	303	13	1
Johnson	288	74	161	53	-
Knox	4,359	3,109	1,188	61	1
Knoxville	2,794	2,252	525	16	1
Balance of county	1,565	857	663	45	-
Lake	313	41	220	52	-
Lauderdale	609	119	348	144	-

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
TENNESSEE—Continued					
Lawrence	765	339	387	39	-
Lewis	125	3	116	6	-
Lincoln	563	300	254	9	-
Loudon	548	190	350	6	2
McMinn	745	445	274	26	-
McNairy	455	51	379	25	-
Macon	289	16	249	24	-
Madison	1,255	602	364	289	-
Jackson	587	384	126	77	-
Balance of county	668	218	238	212	-
Marion	530	58	453	18	1
Marshall	357	223	130	4	-
Maury	831	333	443	54	1
Columbia	231	148	79	5	1
Balance of county	600	187	364	49	-
Meigs	148	49	74	25	-
Monroe	672	144	422	106	-
Montgomery	701	258	339	104	-
Clarksville	259	157	85	37	-
Balance of county	442	121	254	67	-
Moore	71	28	44	1	-
Morgan	384	69	268	47	-
Obion	556	224	320	12	-
Overton	397	53	253	91	-
Perry	155	13	129	13	-
Pickett	104	20	69	15	-
Polk	380	155	203	16	6
Putnam	565	155	346	63	1
Rhea	421	144	199	78	-
Roane	859	513	292	54	-
Robertson	561	156	393	11	1
Rutherford	785	475	275	35	-
Scott	457	137	214	106	-
Sequatchie	151	13	122	16	-
Sevier	610	222	260	89	39
Shelby	8,103	5,788	1,805	508	4
Memphis	6,254	4,801	1,367	85	1
Balance of county	1,849	985	438	423	3
Smith	251	52	192	7	-
Stewart	222	33	173	13	1
Sullivan	2,058	1,131	848	79	2
Bristol[5]	359	247	103	9	-
Kingsport	689	511	177	1	-
Balance of county	1,010	373	566	69	2
Sumner	595	253	325	15	2
Tipton	789	141	473	175	-
Trousdale	132	29	97	5	1
Unicoi	379	159	161	59	-
Union	178	27	120	31	-
Van Buren	91	18	59	16	-
Warren	455	195	237	22	1
Washington	1,178	696	454	28	-
Johnson City	504	368	130	6	-
Balance of county	674	328	324	22	-
Wayne	318	54	206	58	-
Weakley	472	283	182	6	1
White	411	127	258	25	1
Williamson	491	285	179	27	-
Wilson	480	317	146	8	9
TEXAS	165,900	108,394	34,278	19,875	2,355
Anderson	864	329	178	154	5
Palestine	272	172	67	33	-
Balance of county	592	157	109	121	5
Andrews	34	32	2	-	-
Angelina	739	560	154	19	6
Aransas	74	27	44	1	2
Archer	118	103	15	-	-
Armstrong	51	28	23	-	-
Atascosa	607	122	285	182	18
Austin	282	174	47	54	7
Bailey	188	176	11	1	-
Bandera	46	34	9	-	3
Bastrop	575	284	140	162	9
Baylor	147	135	12	-	-
Bee	457	158	172	113	16
Bell	1,400	997	353	36	14
Temple	551	445	81	24	1
Balance of county	849	552	272	12	13
Bexar	11,515	7,135	1,360	2,893	127
San Antonio	10,064	6,542	1,046	2,399	77
Balance of county	1,451	593	314	494	50
Blanco	74	59	11	3	1
Borden	12	11	1	-	-
Bosque	248	209	38	-	1

[5]Includes data for Bristol, Tenn., only.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
TEXAS—Continued					
Bowie	1,455	710	445	289	11
Texarkana[c]	529	395	59	75	2
Balance of county	926	315	386	216	9
Brazoria	1,095	907	103	76	9
Brazos	753	537	33	176	7
Bryan	485	368	21	73	3
Balance of county	288	169	12	103	4
Brewster	254	76	149	17	12
Briscoe	68	46	21	1	-
Brooks	254	54	123	72	25
Brown	994	940	48	6	2
Brownwood	724	694	24	4	2
Balance of county	270	246	22	2	-
Burleson	347	80	145	117	7
Burnet	192	123	59	6	4
Caldwell	608	233	208	107	60
Calhoun	151	46	86	7	12
Callahan	171	62	108	1	-
Cameron	3,496	1,101	971	1,335	89
Brownsville	902	317	114	461	10
Harlingen	585	455	92	15	3
Balance of county	2,029	329	765	859	76
Camp	255	158	30	68	3
Carson	132	96	36	-	-
Cass	681	295	239	126	21
Castro	101	97	3	1	-
Chambers	140	89	45	20	6
Cherokee	752	433	216	94	9
Childress	397	362	33	2	-
Clay	167	100	67	-	-
Cochran	132	78	52	1	1
Coke	50	37	13	-	-
Coleman	390	315	65	8	6
Collin	848	487	344	16	1
Collingsworth	195	182	12	1	-
Colorado	373	192	52	129	-
Comal	367	159	142	42	24
Comanche	277	229	46	2	-
Concho	118	75	35	4	2
Cooke	602	500	90	12	-
Coryell	455	372	79	2	2
Cottle	189	157	28	4	-
Crane	44	41	3	-	-
Crockett	81	29	47	5	-
Crosby	195	67	126	1	1
Culberson	37	12	23	-	2
Dallam	268	235	33	-	-
Dallas	10,155	9,321	776	51	25
Dallas	7,000	6,493	469	17	21
Highland Park	111	111	-	-	-
University Park	375	375	-	-	-
Balance of county	2,669	2,342	309	14	4
Dawson	522	404	78	35	5
Deaf Smith	155	134	21	-	-
Delta	188	105	80	3	-
Denton	657	419	232	4	2
Denton	271	222	48	-	1
Balance of county	386	197	184	4	1
De Witt	582	228	215	102	37
Dickens	178	115	59	6	-
Dimmit	361	33	221	95	12
Donley	135	108	24	2	1
Duval	497	112	196	156	33
Eastland	497	427	68	2	-
Ector	459	388	70	1	2
Edwards	57	16	36	5	-
Ellis	855	498	283	69	5
El Paso	4,553	3,325	566	604	58
El Paso	3,473	2,782	162	454	35
Balance of county	1,080	543	404	110	23
Erath	549	291	58	-	-
Falls	634	288	165	163	18
Fannin	751	450	276	24	1
Fayette	475	209	159	79	28
Fisher	205	171	26	1	7
Floyd	200	151	67	1	1
Foard	89	67	21	-	1
Fort Bend	681	299	202	157	23
Franklin	121	65	52	4	-
Freestone	388	179	82	116	11
Frio	403	94	173	135	1
Gaines	185	166	18	-	1
Galveston	2,399	2,220	172	1	6
Galveston	1,867	1,567	93	1	6
Balance of county	732	653	79	-	-
Garza	131	57	67	6	1
Gillespie	202	184	15	3	2
Glasscock	8	8	-	-	-
Goliad	184	27	94	39	24
Gonzales	632	120	293	186	33
Gray	607	547	58	-	2
Pampa	452	422	30	-	-
Balance of county	155	125	28	-	2
Grayson	1,575	1,276	276	20	1
Denison	474	450	12	12	-
Sherman	481	430	49	1	1
Balance of county	618	396	215	7	-
Gregg	1,163	1,002	92	65	4
Longview	405	341	36	26	2
Balance of county	758	661	56	39	2
Grimes	323	152	31	135	5
Guadalupe	620	211	314	45	50
Hale	444	337	105	2	-
Hall	287	252	27	8	-
Hamilton	215	171	44	-	-
Hansford	69	51	17	1	-
Hardeman	257	219	15	2	1
Hardin	373	142	216	11	4
Harris	14,512	13,077	768	596	71
Houston	11,853	10,749	547	499	58
Balance of county	2,659	2,328	221	97	13
Harrison	1,195	436	122	605	34
Marshall	445	292	34	109	10
Balance of county	750	144	88	494	24
Hartley	35	32	1	-	2
Haskell	303	247	50	5	1
Hays	513	289	155	49	22
Hemphill	83	74	9	-	-
Henderson	481	235	195	47	4
Hidalgo	4,461	1,026	1,751	1,547	137
McAllen	616	218	210	188	2
Balance of county	3,845	810	1,541	1,359	135
Hill	586	245	304	28	9
Hockley	445	290	141	2	10
Hood	102	86	16	-	-
Hopkins	485	344	121	18	2
Houston	528	177	214	121	16
Howard	751	608	110	25	8
Big Spring	586	463	93	24	6
Balance of county	165	145	17	1	2
Hudspeth	86	15	60	10	1
Hunt	941	584	320	49	8
Greenville	405	283	95	24	3
Balance of county	536	281	225	25	5
Hutchinson	628	608	18	-	2
Borger	424	411	12	-	1
Balance of county	204	197	6	-	1
Irion	51	22	23	6	-
Jack	142	132	10	-	-
Jackson	314	91	180	39	4
Jasper	448	159	212	74	3
Jeff Davis	68	9	46	11	2
Jefferson	4,184	3,233	671	261	19
Beaumont	1,960	1,651	209	95	5
Port Arthur	1,400	1,110	236	43	11
Balance of county	824	472	226	123	3
Jim Hogg	174	29	68	74	3
Jim Wells	611	281	196	95	39
Johnson	580	383	193	4	-
Cleburne	263	185	76	2	-
Balance of county	317	200	115	2	-
Jones	562	394	151	13	4
Karnes	559	150	278	66	65
Kaufman	821	272	275	62	12
Terrell	175	118	45	12	-
Balance of county	446	154	230	50	12
Kendall	98	42	40	15	1
Kenedy	19	1	7	9	2
Kent	60	16	44	-	-
Kerr	218	118	92	7	1
Kimble	90	28	61	1	-
King	8	6	2	-	-
Kinney	100	18	59	21	2
Kleberg	564	263	251	46	4
Knox	227	174	42	9	2
Lamar	1,311	766	403	131	11
Paris	664	507	117	37	3
Balance of county	647	259	286	94	8
Lamb	391	375	6	4	6
Lampasas	200	122	76	2	-
La Salle	289	21	187	69	12
Lavaca	518	304	153	40	21
Lee	202	46	85	64	7
Leon	311	28	125	146	12
Liberty	552	415	60	74	3
Limestone	499	208	138	111	12

[c] Includes data for Texarkana, Tex., only.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (counties)—Continued					
TEXAS—Continued					
Lipscomb	93	84	9	-	-
Live Oak	224	70	107	24	23
Llano	74	56	17	1	-
Loving	3	3	-	-	-
Lubbock	1,678	1,273	343	49	11
Lubbock	1,154	915	213	23	5
Balance of county	522	360	130	26	6
Lynn	302	165	111	24	2
McCulloch	351	285	45	17	6
McLennan	2,488	1,867	413	187	21
Waco	1,646	1,382	182	79	3
Balance of county	842	485	231	108	18
McMullen	27	5	15	6	1
Madison	226	31	95	97	3
Marion	244	30	114	97	3
Martin	98	58	28	3	9
Mason	78	41	34	4	-
Matagorda	650	332	206	80	12
Maverick	480	149	148	177	6
Medina	659	281	138	210	10
Menard	93	27	58	8	-
Midland	467	358	89	10	10
Milam	568	241	193	129	5
Mills	103	37	65	-	1
Mitchell	299	217	64	7	11
Montague	344	245	98	1	-
Montgomery	410	232	110	64	4
Moore	221	207	13	-	1
Morris	235	88	105	38	4
Motley	81	28	53	-	-
Nacogdoches	645	326	253	64	2
Navarro	935	542	282	105	6
Corsicana	394	309	68	13	4
Balance of county	541	233	214	92	2
Newton	248	62	117	63	6
Nolan	415	371	39	4	1
Sweetwater	268	241	24	2	1
Balance of county	147	130	15	2	-
Nueces	4,587	2,683	802	1,030	72
Corpus Christi	3,018	2,162	426	410	20
Balance of county	1,569	521	376	620	52
Ochiltree	104	95	9	-	-
Oldham	35	31	4	-	-
Orange	1,317	1,202	55	56	4
Palo Pinto	536	455	79	-	2
Panola	320	93	105	117	5
Parker	363	304	57	1	1
Parmer	121	112	9	-	-
Pecos	251	72	145	32	2
Polk	415	227	107	80	1
Potter	1,529	1,436	91	1	1
Amarillo (part)	1,417	1,324	91	1	1
Amarillo (total)	1,457	1,344	91	1	1
Balance of county	112	112	-	-	-
Presidio	359	143	71	126	19
Rains	110	31	64	13	2
Randall	101	83	18	-	-
Amarillo (part)	20	20	-	-	-
Balance of county	81	63	18	-	-
Reagan	36	29	7	-	-
Real	38	14	18	4	-
Red River	611	240	258	125	8
Reeves	390	250	125	2	13
Refugio	251	137	56	55	3
Roberts	13	8	5	-	-
Robertson	495	155	92	229	19
Rockwall	131	56	59	14	2
Runnels	395	246	144	2	3
Rusk	776	375	252	138	13
Sabine	204	34	142	27	1
San Augustine	226	53	93	78	2
San Jacinto	137	39	34	56	8
San Patricio	1,097	347	536	198	16
San Saba	199	64	131	3	1
Schleicher	61	18	30	6	7
Scurry	219	183	35	-	1
Shackelford	77	53	24	-	-
Shelby	518	207	247	57	8
Sherman	21	19	2	-	-
Smith	1,499	887	311	292	9
Tyler	716	567	80	67	2
Balance of county	783	320	231	225	7
Somervell	43	40	3	-	-
Starr	493	50	185	118	140
Stephens	165	129	31	-	3
Sterling	23	16	5	2	-
Stonewall	72	36	35	-	1
Sutton	109	28	64	3	14
Swisher	167	148	18	-	1
Tarrant	6,210	5,873	295	24	18
Fort Worth	5,162	4,955	175	18	16
Balance of county	1,048	920	120	6	2
Taylor	1,605	1,464	133	5	3
Abilene	1,205	1,117	82	3	3
Balance of county	400	347	51	2	-
Terrell	75	18	49	7	1
Terry	339	197	129	3	10
Throckmorton	54	47	7	-	-
Titus	352	176	154	19	3
Tom Green	1,266	1,019	157	81	9
San Angelo	1,096	873	142	73	8
Balance of county	170	146	15	8	1
Travis	2,884	2,350	309	187	38
Austin	2,479	2,091	253	105	30
Balance of county	405	259	56	82	8
Trinity	150	39	90	20	1
Tyler	158	57	74	26	1
Upshur	501	350	44	102	5
Upton	63	55	5	3	-
Uvalde	455	164	221	48	22
Val Verde	671	252	343	75	1
Del Rio	550	258	340	71	1
Balance of county	21	14	3	4	-
Van Zandt	459	82	327	50	-
Victoria	892	549	170	157	16
Victoria	647	430	109	106	2
Balance of county	245	119	61	51	14
Walker	328	127	88	92	19
Waller	198	89	27	77	5
Ward	368	291	51	20	6
Washington	450	201	110	131	8
Webb	1,856	820	474	497	65
Laredo	1,756	790	455	471	60
Balance of county	100	30	19	26	5
Wharton	902	584	176	128	16
Wheeler	226	223	3	-	-
Wichita	1,927	1,833	90	1	3
Wichita Falls	1,408	1,348	56	1	3
Balance of county	519	485	34	-	-
Wilbarger	408	374	26	7	1
Willacy	546	167	173	189	17
Williamson	839	535	211	79	14
Wilson	400	200	144	39	17
Winkler	140	138	2	-	-
Wise	347	286	61	-	-
Wood	486	216	249	21	-
Yoakum	54	43	11	-	-
Young	333	301	32	-	-
Zapata	104	7	9	86	2
Zavala	433	97	172	152	12
UTAH	16,180	14,608	1,541	18	15
Beaver	146	94	52	-	-
Box Elder	581	570	11	-	-
Cache	745	695	50	-	-
Logan	514	512	2	-	-
Balance of county	431	383	48	-	-
Carbon	590	535	54	-	1
Daggett	5	5	-	-	-
Davis	630	563	65	-	2
Duchesne	204	112	91	-	1
Emery	152	63	88	1	-
Garfield	134	38	91	5	-
Grand	59	58	1	-	-
Iron	226	223	3	-	-
Juab	140	110	30	-	-
Kane	59	38	20	1	-
Millard	230	207	23	-	-
Morgan	83	80	3	-	-
Piute	60	33	27	-	-
Rich	41	37	4	-	-
Salt Lake	6,120	5,902	211	6	1
Salt Lake City	4,202	4,085	116	1	-
Balance of county	1,918	1,817	95	5	1
San Juan	91	50	33	1	7
Sanpete	382	128	254	-	-
Sevier	279	245	34	-	-
Summit	194	174	20	-	-
Tooele	314	311	3	-	-
Uintah	252	117	133	-	2
Utah	1,943	1,809	134	-	-
Provo	565	536	29	-	-
Balance of county	1,378	1,273	105	-	-
Wasatch	159	130	29	-	-
Washington	255	194	61	-	-
Wayne	57	51	2	4	-
Weber	2,089	2,054	34	-	1
Ogden	1,512	1,488	23	-	1
Balance of county	577	566	11	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
VERMONT	6,824	5,552	1,268	-	4
Addison	347	266	81	-	-
Bennington	390	322	68	-	-
Caledonia	413	302	111	-	-
Chittenden	1,140	1,013	126	-	1
Burlington	624	579	45	-	-
Balance of county	516	434	81	-	1
Essex	110	59	51	-	-
Franklin	590	368	222	-	-
Grand Isle	62	41	21	-	-
Lamoille	199	151	42	-	-
Orange	288	255	30	-	1
Orleans	408	270	138	-	-
Rutland	831	718	113	-	-
Rutland	352	338	14	-	-
Balance of county	479	380	99	-	-
Washington	672	618	53	-	1
Barre	214	206	8	-	-
Balance of county	458	412	45	-	1
Windham	495	410	85	-	-
Windsor	881	759	121	-	1
VIRGINIA[7]	69,175	38,553	19,752	10,514	376
Accomack	549	170	214	163	2
Albemarle	421	288	85	34	4
Alexandria (city)	1,685	1,602	53	25	5
Alleghany	442	208	209	23	2
Amelia	194	28	64	100	2
Amherst	375	166	142	56	9
Appomattox	181	59	82	40	-
Arlington[8]	3,522	3,248	64	10	-
Augusta	900	514	350	34	2
Bath	128	57	53	13	5
Bedford	549	252	238	55	4
Bland	164	33	123	6	2
Botetourt	296	85	195	15	1
Bristol (city)[9]	298	191	105	2	-
Brunswick	458	88	155	233	2
Buchanan	1,209	150	769	281	9
Buckingham	276	57	63	150	6
Buena Vista (city)	104	29	72	3	-
Campbell	600	282	227	89	2
Caroline	331	81	187	63	-
Carroll	564	69	446	45	6
Charles City	131	10	23	97	1
Charlotte	317	95	90	130	2
Charlottesville (city)	451	422	27	2	-
Chesterfield	652	466	64	122	-
Clarke	125	62	62	1	-
Clifton Forge (city)	108	74	32	2	-
Craig	66	17	47	2	-
Culpeper	253	73	162	16	2
Cumberland	177	34	41	102	-
Danville (city)	709	552	33	124	-
Dickenson	695	159	411	115	10
Dinwiddie	326	80	88	155	3
Elizabeth City	587	495	31	58	3
Essex	137	40	63	34	-
Fairfax	1,355	1,111	190	51	3
Fauquier	417	201	131	81	4
Floyd	237	57	160	17	3
Fluvanna	103	30	42	28	3
Franklin	526	107	289	119	11
Frederick	248	168	48	29	3
Fredericksburg (city)	200	170	12	18	-
Giles	437	111	311	11	4
Gloucester	182	85	91	5	1
Goochland	169	33	43	89	4
Grayson	480	85	346	22	7
Greene	112	51	49	8	4
Greensville	440	107	171	161	1
Halifax	1,040	264	437	336	3
Hampton (city)	569	541	10	17	1
Hanover	401	133	150	117	1
Harrisonburg (city)	169	163	5	1	-
Henrico	818	455	101	60	2
Henry	780	221	425	129	5
Highland	78	15	60	3	-
Hopewell (city)	251	158	47	26	-
Isle of Wight	341	84	90	166	1
James City	137	69	15	52	1
King and Queen	145	42	65	38	-
King George	167	91	41	35	-
King William	170	61	71	38	-
Lancaster	144	30	99	14	1
Section B (Counties)—Continued					
VIRGINIA[7]—Continued					
Lee	921	118	630	146	27
Loudoun	422	189	214	18	1
Louisa	290	138	60	92	-
Lunenburg	327	78	151	97	1
Lynchburg (city)	881	812	65	3	1
Madison	161	67	78	14	2
Martinsville (city)	229	159	65	5	-
Mathews	107	58	47	2	-
Mecklenburg	799	163	311	324	1
Middlesex	127	40	59	28	-
Montgomery	637	468	144	22	3
Nansemond	596	140	104	351	1
Nelson	330	153	75	90	12
New Kent	72	33	24	13	2
Newport News (city)	1,596	1,354	74	168	-
Norfolk	2,893	2,258	260	370	5
Norfolk (city)	4,127	3,166	570	389	2
Northampton	376	138	32	206	-
Northumberland	161	17	79	63	2
Nottoway	344	133	81	129	1
Orange	237	129	88	20	-
Page	316	114	176	26	-
Patrick	382	76	242	57	7
Petersburg (city)	719	356	69	293	1
Pittsylvania	1,566	705	449	398	14
Portsmouth (city)	1,628	1,004	150	453	21
Powhatan	90	16	20	53	1
Prince Edward	286	125	51	108	2
Prince George	270	105	37	128	-
Prince William	444	272	105	64	3
Princess Anne	718	434	95	188	1
Pulaski	626	396	160	64	6
Radford (city)	196	186	10	-	-
Rappahannock	149	58	75	14	2
Richmond	119	15	71	33	-
Richmond (city)	4,100	3,474	481	136	9
Roanoke	872	688	152	27	5
Roanoke (city)	1,414	1,205	204	2	3
Rockbridge	432	193	198	36	5
Rockingham	634	363	264	4	3
Russell	723	192	445	74	12
Scott	683	168	257	234	24
Shenandoah	425	295	106	22	2
Smyth	722	182	520	38	2
Southampton	713	166	117	427	3
South Norfolk (city)	214	125	42	47	-
Spotsylvania	231	118	65	47	1
Stafford	193	110	36	46	1
Staunton (city)	231	179	40	12	-
Suffolk (city)	264	172	43	49	-
Surry	113	12	21	80	-
Sussex	317	64	53	200	-
Tazewell	1,307	371	909	17	10
Warren	277	200	67	9	1
Warwick	749	562	66	121	-
Washington	886	224	540	115	7
Westmoreland	187	25	82	79	1
Williamsburg (city)	66	57	2	7	-
Winchester (city)	285	270	10	5	-
Wise	1,470	312	1,072	68	18
Wythe	591	157	402	29	3
York	280	187	28	65	-
WASHINGTON	44,528	43,256	1,141	36	95
Adams	107	105	3	-	1
Asotin	133	118	11	-	4
Benton	679	662	15	-	2
Chelan	705	664	40	-	1
Wenatchee	262	261	1	-	-
Balance of county	443	403	39	-	1
Clallam	510	482	13	8	7
Clark	2,372	2,332	37	2	1
Vancouver	749	741	6	1	1
Balance of county	1,623	1,591	31	1	-
Columbia	83	81	2	-	-
Cowlitz	917	908	9	-	-
Longview	358	354	4	-	-
Balance of county	559	554	5	-	-
Douglas	112	103	8	-	1
Ferry	68	67	-	-	1
Franklin	271	269	2	-	-
Garfield	53	38	15	-	-
Grant	227	208	19	-	-
Grays Harbor	942	926	13	2	1
Aberdeen	373	370	2	-	1
Hoquiam	166	163	3	-	-
Balance of county	403	393	8	2	-

[7]Cities of Virginia are independent, each having the same status as a county. Places having populations of 10,000 or more include: Alexandria, Arlington County,[8] Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

[8]Classified as urban under a special rule in the 1940 census.

[9]Includes data for Bristol, Va., only.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (counties)—Continued					
WASHINGTON—Continued					
Island	151	148	3	-	-
Jefferson	244	239	3	2	-
King	13,984	13,772	192	2	18
Seattle	11,189	11,102	77	2	8
Balance of county	2,795	2,670	115	-	10
Kitsap	2,760	2,732	24	-	4
Bremerton	1,292	1,287	4	-	1
Balance of county	1,468	1,445	20	-	3
Kittitas	380	366	14	-	-
Klickitat	178	174	3	-	1
Lewis	834	818	16	-	-
Lincoln	185	147	38	-	-
Mason	268	267	1	-	-
Okanogan	479	444	29	3	3
Pacific	277	230	47	-	-
Pend Oreille	110	105	4	-	1
Pierce	4,778	4,671	102	-	5
Tacoma	3,119	3,081	36	-	2
Balance of county	1,659	1,590	66	-	3
San Juan	24	21	3	-	-
Skagit	818	780	23	1	4
Skamania	54	50	4	-	-
Snohomish	1,871	1,789	98	1	3
Everett	759	752	5	-	2
Balance of county	1,112	1,017	93	1	1
Spokane	3,804	3,738	57	1	8
Spokane	2,994	2,950	38	1	5
Balance of county	810	788	19	-	3
Stevens	343	327	12	4	-
Thurston	874	790	81	1	2
Olympia	375	363	12	-	-
Balance of county	499	427	69	1	2
Wahkiakum	57	55	2	-	-
Walla Walla	679	864	12	-	3
Walla Walla	447	444	3	-	-
Balance of county	232	220	9	-	3
Whatcom	1,245	1,206	38	-	1
Bellingham	674	672	2	-	-
Balance of county	571	534	36	-	1
Whitman	488	458	30	-	-
Yakima	2,464	2,314	118	9	23
Yakima	820	816	3	1	-
Balance of county	1,644	1,498	115	8	23
WEST VIRGINIA	41,304	17,617	22,222	1,140	325
Barbour	347	116	218	6	7
Berkeley	572	511	54	7	-
Martinsburg	323	302	21	-	-
Balance of county	249	209	33	7	-
Boone	714	138	569	7	-
Braxton	376	93	240	40	3
Brooke	424	313	108	3	-
Cabell	2,018	1,621	389	7	1
Huntington (part)	1,599	1,427	172	-	-
Huntington (total)	1,688	1,505	182	1	-
Balance of county	419	194	217	7	1
Calhoun	210	42	145	19	4
Clay	361	73	247	39	2
Doddridge	154	42	109	2	1
Fayette	1,861	348	1,464	47	4
Gilmer	171	26	139	4	2
Grant	190	82	63	43	2
Greenbrier	835	173	634	15	13
Hampshire	261	69	187	4	1
Hancock	597	453	137	6	1
Hardy	200	55	132	7	6
Harrison	1,682	1,016	661	3	2
Clarksburg	715	601	112	-	-
Balance of county	969	415	549	3	2
Jackson	297	84	190	16	7
Jefferson	314	205	99	7	3
Kanawha	5,218	3,202	1,920	75	21
Charleston	1,787	1,484	298	4	1
South Charleston	352	288	64	-	-
Balance of county	3,079	1,430	1,558	71	20
Lewis	335	208	120	4	3
Lincoln	477	132	278	61	6
Logan	1,968	303	1,615	45	5
McDowell	2,719	438	2,212	58	11
Marion	1,345	766	574	2	3
Fairmont	498	404	93	-	1
Balance of county	847	362	481	2	2
Marshall	614	485	129	-	-
Moundsville	275	252	23	-	-
Balance of county	339	233	106	-	-
Mason	512	177	325	8	2
Mercer	1,431	588	828	12	3
Bluefield[10]	422	281	140	-	1
Balance of county	1,009	307	688	12	2
Mineral	508	253	222	27	6
Mingo	1,252	295	858	95	4
Monongalia	1,090	747	323	11	9
Morgantown	491	430	59	2	-
Balance of county	599	317	264	9	9
Monroe	271	42	226	2	1
Morgan	188	44	105	13	6
Nicholas	545	136	377	28	4
Ohio	1,178	1,125	50	1	4
Wheeling	974	934	35	1	4
Balance of county	204	189	15	-	-
Pendleton	186	28	145	10	5
Pleasants	101	30	71	-	-
Pocahontas	233	78	152	-	3
Preston	577	168	358	35	16
Putnam	415	72	318	16	9
Raleigh	2,144	442	1,629	52	21
Beckley	321	176	144	1	-
Balance of county	1,823	266	1,485	51	21
Randolph	705	198	472	24	11
Ritchie	190	49	137	3	1
Roane	308	105	171	32	2
Summers	383	78	283	20	2
Taylor	328	136	169	13	10
Tucker	237	76	137	15	9
Tyler	187	47	139	1	-
Upshur	374	182	192	15	5
Wayne	687	252	381	39	15
Huntington (part)	89	78	10	1	-
Balance of county	598	174	371	38	15
Webster	426	87	286	39	34
Wetzel	405	177	210	14	4
Wirt	90	31	41	11	7
Wood	1,208	951	237	9	11
Parkersburg	751	636	114	1	-
Balance of county	457	315	123	8	11
Wyoming	905	57	787	48	13
WISCONSIN	61,547	54,122	7,359	30	36
Adams	133	89	43	-	1
Ashland	451	375	47	3	6
Ashland	208	204	4	-	-
Balance of county	223	171	43	3	6
Barron	687	581	106	-	-
Bayfield	244	226	13	3	2
Brown	1,884	1,753	130	-	1
Green Bay	1,184	1,125	59	-	-
Balance of county	720	628	91	-	1
Buffalo	328	264	64	-	-
Burnett	190	143	47	-	-
Calumet	322	259	63	-	-
Chippewa	872	671	196	2	3
Chippewa Falls	230	222	8	-	-
Balance of county	642	449	188	2	3
Clark	641	411	230	-	-
Columbia	662	572	90	-	-
Crawford	376	269	107	-	-
Dane	3,224	3,119	105	-	-
Madison	2,021	2,010	11	-	-
Balance of county	1,203	1,109	94	-	-
Dodge	982	861	101	-	-
Beaver Dam	207	199	8	-	-
Watertown (part)	25	23	2	-	-
Balance of county	730	639	91	-	-
Door	511	427	84	-	-
Douglas	1,025	971	53	-	1
Superior	789	765	24	-	-
Balance of county	236	206	29	-	1
Dunn	528	392	136	-	-
Eau Claire	955	919	33	1	2
Eau Claire	630	617	13	-	-
Balance of county	325	302	20	1	2
Florence	53	36	17	-	-
Fond du Lac	1,127	965	162	-	-
Fond du Lac	490	471	19	-	-
Balance of county	637	494	143	-	-
Forest	208	118	89	-	1
Grant	800	548	252	-	-
Green	425	397	28	-	-
Green Lake	225	183	42	-	-
Iowa	386	336	50	-	-
Iron	154	121	33	-	-
Jackson	349	317	32	-	-

[10] Includes data for Bluefield, W. Va., only.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
WISCONSIN—Continued					
Jefferson	605	551	54	-	-
Watertown (part)	122	114	8	-	-
Watertown (total)	147	137	10	-	-
Balance of county	483	437	46	-	-
Juneau	372	234	137	-	1
Kenosha	1,231	1,206	22	2	1
Kenosha	922	914	6	1	1
Balance of county	309	292	16	1	-
Kewaunee	351	246	104	1	-
La Crosse	1,309	1,211	98	-	-
La Crosse	910	858	52	-	-
Balance of county	399	353	46	-	-
Lafayette	352	290	62	-	-
Langlade	468	374	91	3	-
Lincoln	406	372	34	-	-
Manitowoc	1,407	1,269	138	-	-
Manitowoc	613	584	29	-	-
Two Rivers	220	211	9	-	-
Balance of county	574	474	100	-	-
Marathon	1,576	1,284	284	4	4
Wausau	573	563	10	-	-
Balance of county	1,003	721	274	4	4
Marinette	632	547	84	-	1
Marinette	222	217	5	-	-
Balance of county	410	330	79	-	1
Marquette	141	94	46	1	-
Milwaukee	14,378	13,305	1,068	4	1
Cudahy	244	225	19	-	-
Milwaukee	10,670	9,855	810	4	1
Shorewood	249	247	2	-	-
South Milwaukee	194	176	18	-	-
Wauwatosa	486	478	8	-	-
West Allis	758	712	46	-	-
Balance of county	1,777	1,612	165	-	-
Monroe	665	487	177	-	1
Oconto	507	383	124	-	-
Oneida	326	284	40	2	-
Outagamie	1,536	1,336	198	2	-
Appleton	619	594	24	1	-
Balance of county	917	742	174	1	-
Ozaukee	379	373	6	-	-
Pepin	181	155	26	-	-
Pierce	394	305	89	-	-
Polk	508	388	119	-	1
Portage	625	450	172	-	3
Stevens Point	282	232	50	-	-
Balance of county	343	218	122	-	3
Price	291	214	77	-	-
Racine	1,721	1,675	46	-	-
Racine	1,247	1,234	13	-	-
Balance of county	474	441	33	-	-
Richland	409	317	92	-	-
Rock	1,611	1,543	68	-	-
Beloit	622	606	16	-	-
Janesville	449	439	10	-	-
Balance of county	540	498	42	-	-
Rusk	330	277	53	-	-
St. Croix	484	419	65	-	-
Sauk	759	688	71	-	-
Sawyer	180	104	76	-	-
Shawano	747	632	115	-	-
Sheboygan	1,326	1,280	45	1	-
Sheboygan	677	670	7	-	-
Balance of county	649	610	38	1	-
Taylor	387	238	147	-	2
Trempealeau	455	392	62	-	1
Vernon	549	419	129	-	1
Vilas	139	83	56	-	-
Walworth	594	558	36	-	-
Washburn	236	130	106	-	-
Washington	544	448	96	-	-
Waukesha	1,351	1,229	120	-	2
Waukesha	361	350	11	-	-
Balance of county	990	879	109	-	2
Waupaca	630	528	101	1	-
Waushara	217	173	44	-	-
Winnebago	1,598	1,532	66	-	-
Menasha	242	238	4	-	-
Neenah	235	235	-	-	-
Oshkosh	759	708	51	-	-
Balance of county	362	351	11	-	-
Wood	938	776	162	-	-
Marshfield	213	184	29	-	-
Wisconsin Rapids	230	213	17	-	-
Balance of county	495	379	116	-	-
WYOMING	5,635	5,055	550	3	27
Albany	338	331	6	-	1
Laramie	311	306	4	-	1
Balance of county	27	25	2	-	-
Big Horn	273	257	14	-	2
Campbell	103	100	3	-	-
Carbon	284	242	41	-	1
Converse	118	108	10	-	-
Crook	88	75	13	-	-
Fremont	312	240	58	-	14
Goshen	249	210	37	-	2
Hot Springs	96	79	17	-	-
Johnson	74	69	5	-	-
Laramie	872	768	104	-	-
Cheyenne	741	663	78	-	-
Balance of county	131	105	26	-	-
Lincoln	261	256	5	-	-
Natrona	525	516	8	-	1
Casper	465	460	4	-	1
Balance of county	60	56	4	-	-
Niobrara	86	81	5	-	-
Park	468	426	42	-	-
Platte	189	166	23	-	-
Sheridan	328	318	9	-	1
Sheridan	208	203	5	-	-
Balance of county	120	115	4	-	1
Sublette	46	40	5	-	1
Sweetwater	474	437	37	-	-
Teton	47	47	-	-	-
Uinta	182	113	68	-	1
Washakie	121	88	28	3	2
Weston	99	86	12	-	1
Yellowstone National Park (part)	2	2	-	-	-
Yellowstone National Park (total)	2	2	-	-	-

Note.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N.C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

TABLE 12.—STILLBIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1944

STATE OF OCCURRENCE	Total stillbirths occurring in State	Stillbirths to residents occurring in place of residence	STILLBIRTHS TO NONRESIDENTS[1]														
			Total	Intrastate nonresidents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	75,495	55,277	20,218	18,367	1,851	61	4	36	79	13	55	9	34	35	27	17	127
Alabama	2,235	1,725	510	474	36	...	-	-	2	-	1	-	-	12	2	1	-
Arizona	374	247	127	91	36	-	...	-	19	1	-	-	-	-	-	-	2
Arkansas	854	613	241	201	40	1	-	...	3	-	-	1	-	1	-	-	-
California	3,377	2,111	1,266	1,230	36	2	-	1	...	1	1	-	-	-	1	1	3
Colorado	537	382	155	133	22	-	-	-	3	...	2	-	-	-	-	-	1
Connecticut	619	443	176	175	1	-	-	-	-	-	...	-	-	-	-	-	-
Delaware	143	105	38	35	3	-	-	-	-	-	-	...	-	-	-	-	-
District of Columbia	595	429	166	...	166	-	-	-	-	-	1	-	...	2	-	-	2
Florida	1,641	1,179	462	376	86	14	-	1	6	-	-	-	-	...	7	-	4
Georgia	2,551	2,038	513	456	57	29	-	-	2	-	-	-	-	11	...	-	1
Idaho	263	133	130	116	14	-	-	-	1	-	-	-	-	-	-	...	1
Illinois	3,070	2,192	878	839	39	-	-	1	-	-	-	-	-	0	-	-	...
Indiana	1,480	961	519	474	45	-	-	-	-	-	-	-	-	-	-	-	25
Iowa	932	532	400	356	44	-	-	1	-	-	-	-	-	-	-	-	17
Kansas	661	430	231	209	22	-	-	-	1	2	-	-	-	1	-	-	-
Kentucky	1,512	1,273	239	208	31	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana	1,769	1,227	542	522	20	1	-	2	1	-	-	-	1	-	-	-	2
Maine	274	175	99	94	5	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	1,991	1,097	294	246	48	-	-	-	-	-	1	4	14	-	-	-	1
Massachusetts	1,820	1,206	614	583	31	-	-	-	1	-	10	-	-	1	-	-	-
Michigan	2,853	1,869	984	968	16	-	-	-	-	-	-	-	-	-	-	-	1
Minnesota	1,076	661	415	383	32	-	-	-	1	1	-	-	-	-	-	-	-
Mississippi	1,984	652	332	307	25	4	-	-	1	-	-	-	-	-	-	-	1
Missouri	1,833	1,345	488	395	93	1	-	3	1	-	-	-	-	-	1	-	37
Montana	178	120	58	55	3	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	504	330	174	152	22	-	-	1	-	-	-	-	-	2	-	1	-
Nevada	68	38	30	18	12	-	-	-	8	-	-	-	-	-	-	-	1
New Hampshire	221	153	68	51	17	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,757	935	822	805	17	-	-	-	-	-	-	1	-	-	-	-	-
New Mexico	344	246	98	72	26	-	2	2	4	1	-	-	-	-	2	-	1
New York	12,353	10,974	1,379	1,149	230	-	-	-	5	1	38	1	12	3	1	-	4
North Carolina	2,404	1,832	572	541	31	-	-	-	-	-	1	-	1	-	3	-	1
North Dakota	287	146	141	118	23	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	3,342	2,268	1,074	1,014	60	-	-	-	-	-	-	-	-	-	1	-	1
Oklahoma	995	709	286	262	24	-	-	1	2	1	-	-	-	1	-	-	1
Oregon	462	260	202	186	16	-	-	-	2	-	-	-	1	-	-	4	-
Pennsylvania	4,468	2,759	1,709	1,643	66	-	-	-	1	-	-	2	2	-	-	-	1
Rhode Island	313	194	119	102	17	-	-	-	3	-	4	-	-	-	-	-	-
South Carolina	1,795	1,359	436	427	9	-	-	-	-	-	-	-	1	-	-	-	-
South Dakota	225	124	101	87	14	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	1,610	1,166	444	348	96	6	-	22	-	2	-	-	-	-	8	-	2
Texas	4,482	3,635	847	828	19	1	2	1	1	-	-	-	-	-	-	-	-
Utah	267	145	122	101	21	-	-	-	6	2	-	-	-	-	-	4	-
Vermont	159	81	78	71	7	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,056	1,505	551	486	65	2	-	-	1	-	1	-	2	1	1	-	4
Washington	624	400	224	204	20	-	-	-	3	-	-	-	-	-	-	5	-
West Virginia	1,399	1,044	355	307	48	-	-	-	-	-	-	-	-	-	-	-	1
Wisconsin	1,237	763	474	449	25	-	-	-	-	-	-	-	-	-	-	1	10
Wyoming	101	66	35	20	15	-	-	-	1	1	-	-	-	-	-	-	2

STATE OF OCCURRENCE	STILLBIRTHS TO NONRESIDENTS[1]—Continued																
	Interstate nonresidents—Continued																
	State of residence—Continued																
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	34	22	48	63	20	13	105	40	24	44	30	48	9	14	-	9	119	14	58
Alabama	1	-	-	1	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1
Arizona	1	-	-	-	-	-	1	-	1	2	1	1	-	-	-	-	1	3	-
Arkansas	-	1	1	-	-	1	-	-	-	-	-	7	-	-	-	-	-	-	1
California	-	1	2	-	2	-	1	1	1	2	-	-	-	-	-	-	1	1	1
Colorado	1	-	1	1	-	-	-	1	1	-	-	1	-	-	-	-	-	2	3
Connecticut	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Delaware	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	76	-	-	-	-	-	-	-	-	-	-	-	1
Florida	4	2	-	-	-	1	2	4	2	3	-	1	-	1	-	-	2	1	8
Georgia	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Idaho	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	1
Illinois	10	2	-	5	-	-	-	-	-	1	2	10	-	1	-	-	-	-	1
Indiana	...	-	-	4	-	-	-	1	4	-	1	-	-	1	-	-	-	-	-
Iowa	-	...	1	-	-	-	-	-	-	5	-	6	-	5	-	-	-	-	1
Kansas	-	-	...	-	-	-	-	1	-	-	-	8	-	1	-	-	-	-	1
Kentucky	5	-	1	...	-	-	2	-	-	-	-	1	-	-	-	-	-	-	1
Louisiana	-	-	-	1	...	-	-	-	-	1	3	1	-	-	-	-	-	-	-
Maine	-	-	-	-	1	...	-	3	-	-	-	-	-	-	-	-	-	-	-
Maryland	1	-	-	-	-	-	...	-	-	-	-	-	-	-	-	1	-	-	3
Massachusetts	-	-	-	-	-	1	-	...	-	-	-	-	-	-	-	4	-	-	3
Michigan	1	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-

[1]See discussion on p.VIII for definition of nonresident.

TABLE 12.—STILLBIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1944—Continued

STATE OF OCCURRENCE	STILLBIRTHS TO NONRESIDENTS[1]—Continued																	
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
Minnesota	-	5	-	-	-	-	-	-	-	...	-	-	-	1	-	-	-	-	-
Mississippi	1	-	-	-	9	-	-	-	-	-	...	-	-	2	-	-	1	1	2
Missouri	1	1	28	1	-	-	-	-	1	-	-	...	-	-	-	-	-	-	2
Montana	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-
Nebraska	-	4	6	-	1	-	-	-	-	-	-	2	-	...	-	-	1	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-
New Hampshire	-	-	-	-	-	8	-	3	-	-	-	-	-	-	-	...	-	-	-
New Jersey	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	3
New Mexico	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	...	-
New York	1	1	-	2	-	2	5	12	-	-	1	2	-	-	-	1	86	-	...
North Carolina	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	1
North Dakota	-	-	-	-	-	-	-	-	-	17	-	-	2	1	-	-	-	-	1
Ohio	5	-	-	20	-	-	-	-	5	-	1	-	-	-	-	-	-	-	-
Oklahoma	-	-	3	-	1	-	-	1	-	1	-	1	-	1	-	-	-	-	1
Oregon	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Pennsylvania	-	-	-	-	-	-	8	-	-	1	-	-	-	-	-	-	24	-	12
Rhode Island	-	-	-	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Tennessee	1	1	1	10	1	-	-	-	2	-	16	3	-	-	-	-	1	-	-
Texas	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	5	-
Utah	-	-	-	-	-	-	2	-	-	1	-	2	1	-	-	-	-	1	1
Vermont	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	3	-	-	2
Virginia	-	-	-	2	-	-	1	2	1	1	-	-	-	-	-	-	2	-	2
Washington	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1
West Virginia	-	-	-	15	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-
Wisconsin	-	-	3	-	-	-	-	-	1	7	1	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-	1

STATE OF OCCURRENCE	STILLBIRTHS TO NONRESIDENTS[1]—Continued																	Total stillbirths to residents
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	28	18	70	39	8	91	15	22	15	40	54	2	10	119	22	38	37	12	75,495
Alabama	-	-	-	-	-	2	-	-	-	8	1	-	-	-	-	-	-	-	2,260
Arizona	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	342
Arkansas	-	-	-	11	-	-	-	-	-	-	12	-	-	-	-	-	-	-	850
California	-	-	-	4	1	2	-	-	-	-	3	-	-	-	3	-	-	-	3,420
Colorado	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	528
Connecticut	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	673
Delaware	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	149
District of Columbia	1	-	-	-	-	2	-	2	-	-	-	-	-	78	-	1	-	-	463
Florida	2	1	6	2	-	3	-	1	-	2	1	1	-	3	-	-	1	-	1,590
Georgia	-	-	-	-	-	2	-	5	-	1	-	-	-	-	-	-	-	-	2,521
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	2	266
Illinois	-	-	1	1	-	-	-	-	-	1	2	-	-	-	-	-	1	-	3,158
Indiana	-	-	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1,469
Iowa	-	-	-	-	-	-	-	-	4	-	-	-	-	1	-	-	3	-	910
Kansas	-	-	1	3	-	1	-	-	-	-	2	-	-	-	-	-	-	-	687
Kentucky	-	-	8	-	-	-	-	-	-	6	-	-	-	3	-	4	-	-	1,544
Louisiana	-	-	-	-	-	-	-	-	-	-	5	-	-	1	-	1	-	-	1,769
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	282
Maryland	1	-	1	-	-	7	-	3	-	-	-	-	-	7	-	4	-	-	1,448
Massachusetts	-	-	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	1,839
Michigan	-	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	10	-	2,861
Minnesota	1	7	-	-	-	-	-	-	3	-	1	-	-	-	-	-	12	-	1,088
Mississippi	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1,989
Missouri	-	-	4	3	-	1	-	-	-	3	1	-	-	-	-	-	4	-	1,788
Montana	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	184
Nebraska	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	496
Nevada	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	56
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	218
New Jersey	-	-	-	-	-	11	-	-	1	-	-	-	-	1	-	-	-	-	1,859
New Mexico	1	-	1	1	-	-	-	-	-	1	7	-	-	-	-	1	-	-	332
New York	1	-	2	1	-	37	3	4	-	-	-	-	3	4	2	-	-	-	12,181
North Carolina	...	-	-	-	-	-	-	7	-	3	-	-	-	8	-	1	-	-	2,401
North Dakota	-	...	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	282
Ohio	-	-	...	-	-	8	-	-	-	-	-	-	-	1	-	18	-	-	3,352
Oklahoma	-	-	-	...	1	1	-	-	-	1	6	-	-	-	-	-	-	-	1,010
Oregon	-	-	-	-	...	-	-	-	1	-	-	-	-	-	6	-	-	-	454
Pennsylvania	1	-	8	-	1	...	1	-	-	1	-	-	-	1	1	1	-	-	4,493
Rhode Island	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	311
South Carolina	6	-	1	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	1,808
South Dakota	-	6	-	-	-	-	-	-	...	-	-	-	-	-	-	-	1	5	226
Tennessee	1	-	3	1	-	3	-	-	1	...	2	-	-	4	1	-	4	-	1,554
Texas	-	-	-	7	-	-	-	-	-	-	...	-	-	-	-	-	-	-	4,517
Utah	-	-	-	-	-	-	-	-	-	-	1	...	-	-	-	-	-	2	248
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	162
Virginia	12	1	4	1	-	2	-	-	-	12	1	-	-	...	1	7	1	-	2,110
Washington	-	1	-	1	4	1	-	-	-	-	-	-	-	-	...	-	-	-	626
West Virginia	1	-	18	-	-	3	-	-	-	-	-	-	-	5	-	...	-	-	1,389
Wisconsin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	...	-	1,249
Wyoming	-	-	-	1	-	-	-	-	3	-	1	-	1	-	-	-	-	...	98

[1]See discussion on p. VIII for definition of nonresident.

TABLE 13.—STILLBIRTHS BY SEX, RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES, 1944

(By place of residence)

AREA, SEX, RACE, AND NATIVITY OF WHITE MOTHER	Total stillbirths	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
TOTAL	75,495	149	7,638	17,428	17,292	15,082	11,002	4,076	433	8	4	2,385
White, mother native	55,786	43	4,596	13,209	13,769	11,603	7,919	2,898	295	4	4	1,446
White, mother foreign	3,765	1	33	338	511	1,000	1,211	534	67	1	-	69
White, mother's nativity not stated	502	-	19	29	43	31	16	11	-	-	-	353
Negro	15,094	103	2,952	3,762	2,895	2,408	1,802	599	62	3	-	508
Other	348	2	38	88	74	40	54	34	9	-	-	9
Urban	46,831	60	4,165	10,885	11,372	9,757	6,723	2,295	211	5	1	1,357
White, mother native	35,097	18	2,545	8,411	9,281	7,593	4,850	1,557	130	4	1	707
White, mother foreign	3,209	-	28	293	431	875	1,024	452	55	1	-	50
White, mother's nativity not stated	374	-	10	15	33	19	8	5	-	-	-	284
Negro	8,044	42	1,573	2,136	1,598	1,255	829	274	24	-	-	313
Other	107	-	9	30	29	15	12	7	2	-	-	3
Places of 100,000 or more	25,593	25	1,931	5,627	6,372	5,729	3,937	1,259	122	3	-	588
White, mother native	18,275	7	1,040	4,130	5,085	4,302	2,882	787	69	2	-	191
White, mother foreign	2,379	-	19	195	318	683	766	336	38	1	-	23
White, mother's nativity not stated	276	-	1	10	25	11	6	2	-	-	-	221
Negro	4,608	18	866	1,277	923	727	480	150	14	-	-	153
Other	55	-	5	15	21	6	3	4	1	-	-	-
Places of 25,000 to 100,000	8,553	14	904	2,126	2,058	1,625	1,095	378	34	-	-	321
White, mother native	6,555	4	571	1,677	1,705	1,279	814	289	23	-	-	193
White, mother foreign	386	-	6	41	55	100	117	49	7	-	-	11
White, mother's nativity not stated	55	-	4	2	6	6	-	2	-	-	-	35
Negro	1,546	10	323	403	287	238	161	38	4	-	-	82
Other	11	-	-	3	3	2	3	-	-	-	-	-
Places of 10,000 to 25,000	5,457	7	542	1,343	1,312	1,045	735	276	24	1	-	172
White, mother native	4,375	4	363	1,098	1,113	868	594	209	16	1	-	109
White, mother foreign	204	-	1	29	26	40	65	29	5	-	-	9
White, mother's nativity not stated	18	-	2	-	1	-	1	-	-	-	-	14
Negro	845	3	175	210	169	134	74	37	3	-	-	40
Other	15	-	1	6	3	3	1	1	-	-	-	-
Places of 2,500 to 10,000	7,228	14	788	1,789	1,632	1,358	956	382	31	1	1	276
White, mother native	5,892	3	571	1,506	1,378	1,144	760	292	22	1	1	214
White, mother foreign	240	-	2	28	32	52	76	38	5	-	-	7
White, mother's nativity not stated	25	-	3	3	1	2	1	1	-	-	-	14
Negro	1,045	11	209	246	219	156	114	49	3	-	-	38
Other	26	-	3	6	2	4	5	2	1	-	-	3
Rural	28,664	89	3,473	6,541	5,920	5,325	4,279	1,781	222	3	3	1,028
White, mother native	20,689	25	2,051	4,798	4,488	4,010	3,069	1,341	165	-	3	739
White, mother foreign	556	1	5	45	80	125	187	82	12	-	-	19
White, mother's nativity not stated	128	-	9	14	10	12	8	6	-	-	-	69
Negro	7,050	61	1,379	1,626	1,297	1,153	973	325	38	3	-	195
Other	241	2	29	58	45	25	42	27	7	-	-	6
MALE	38,129	81	4,190	8,988	8,524	7,390	5,371	2,041	204	4	1	1,335
White, mother native	27,867	25	2,498	6,742	6,701	5,658	3,898	1,479	146	2	1	817
White, mother foreign	1,488	1	15	152	202	371	469	219	22	-	-	37
White, mother's nativity not stated	260	-	9	14	18	17	13	3	-	-	-	186
Negro	8,213	55	1,644	2,030	1,563	1,321	957	319	32	2	-	290
Other	201	-	24	50	40	23	34	21	4	-	-	5
Urban	22,346	29	2,220	5,380	5,299	4,467	3,029	1,081	81	2	-	758
White, mother native	16,658	10	1,338	4,091	4,273	3,497	2,237	753	54	2	-	404
White, mother foreign	1,190	-	13	128	165	303	370	172	15	-	-	24
White, mother's nativity not stated	188	-	6	8	13	11	7	2	-	-	-	143
Negro	4,249	19	857	1,136	834	648	409	150	11	-	-	185
Other	60	-	6	19	14	8	6	4	1	-	-	2
Places of 100,000 or more	10,994	8	1,006	2,638	2,675	2,291	1,537	504	34	2	-	299
White, mother native	7,730	2	528	1,889	2,078	1,728	1,073	310	23	2	-	97
White, mother foreign	759	-	11	75	114	202	228	114	5	-	-	10
White, mother's nativity not stated	130	-	1	3	8	6	5	1	-	-	-	106
Negro	2,345	6	463	660	465	352	229	78	6	-	-	86
Other	30	-	3	11	10	3	2	1	-	-	-	-
Places of 25,000 to 100,000	4,583	9	495	1,118	1,065	877	593	219	22	-	-	185
White, mother native	3,482	3	310	867	872	692	440	169	14	-	-	115
White, mother foreign	197	-	2	23	27	48	62	26	5	-	-	4
White, mother's nativity not stated	30	-	2	2	3	4	-	-	-	-	-	19
Negro	869	6	181	225	162	131	90	24	3	-	-	47
Other	5	-	-	1	1	2	1	-	-	-	-	-
Places of 10,000 to 25,000	2,878	4	285	710	678	558	373	149	14	-	-	107
White, mother native	2,291	2	185	589	575	455	301	113	10	-	-	61
White, mother foreign	105	-	-	16	9	23	35	14	2	-	-	6
White, mother's nativity not stated	13	-	-	-	1	-	1	-	-	-	-	11
Negro	462	2	99	103	92	79	35	21	2	-	-	29
Other	7	-	1	2	1	1	1	1	-	-	-	-
Places of 2,500 to 10,000	3,891	8	434	914	881	741	526	209	11	-	-	167
White, mother native	3,156	3	315	746	748	622	423	161	7	-	-	131
White, mother foreign	129	-	-	14	15	30	45	18	3	-	-	4
White, mother's nativity not stated	15	-	3	1	1	1	1	1	-	-	-	7
Negro	573	5	114	148	115	86	55	27	-	-	-	23
Other	18	-	2	5	2	2	2	2	1	-	-	2
Rural	15,783	52	1,970	3,608	3,225	2,923	2,342	960	123	2	1	577
White, mother native	11,308	15	1,160	2,651	2,428	2,161	1,661	726	92	-	1	413
White, mother foreign	298	1	2	24	37	68	99	47	7	-	-	13
White, mother's nativity not stated	72	-	3	8	5	6	6	1	-	-	-	43
Negro	3,984	36	787	894	729	673	548	189	21	2	-	105
Other	141	-	18	31	26	15	28	17	3	-	-	3

TABLE 13.—STILLBIRTHS BY SEX, RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES, 1944—Continued

(By place of residence)

AREA, SEX, RACE, AND NATIVITY OF WHITE MOTHER	Total stillbirths	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
FEMALE	51,072	62	3,217	7,416	7,188	5,995	4,405	1,667	179	3	2	940
White, mother native	25,189	15	1,980	5,686	5,721	4,678	3,222	1,203	126	2	2	576
White, mother foreign	1,214	-	12	122	191	301	369	172	21	-	-	26
White, mother's nativity not stated	196	-	10	10	20	14	3	7	-	-	-	132
Negro	6,332	45	1,222	1,560	1,223	988	791	272	28	1	-	202
Other	141	2	13	38	31	16	20	13	4	-	-	4
Urban	18,622	28	1,756	4,571	4,575	3,681	2,541	863	84	2	1	522
White, mother native	14,097	5	1,093	3,592	3,722	2,891	1,861	603	56	2	1	271
White, mother foreign	974	-	9	105	148	249	289	138	16	-	-	20
White, mother's nativity not stated	146	-	4	5	15	8	1	2	-	-	-	111
Negro	3,363	21	647	858	678	527	384	117	12	-	-	119
Other	42	-	3	11	12	6	6	3	-	-	-	1
Places of 100,000 or more	9,043	12	756	2,108	2,275	1,880	1,319	423	43	-	-	227
White, mother native	6,448	2	410	1,554	1,784	1,415	914	271	26	-	-	72
White, mother foreign	600	-	3	61	88	162	184	84	10	-	-	8
White, mother's nativity not stated	110	-	-	3	14	5	1	-	-	-	-	87
Negro	1,885	10	341	486	381	298	219	65	7	-	-	60
Other	20	-	2	4	8	2	1	3	-	-	-	-
Places of 25,000 to 100,000	3,868	5	400	994	983	732	478	156	11	-	-	129
White, mother native	3,000	1	257	799	812	573	357	118	9	-	-	74
White, mother foreign	175	-	3	18	28	50	49	22	1	-	-	6
White, mother's nativity not stated	21	-	2	-	1	2	-	2	-	-	-	14
Negro	666	4	138	175	122	107	70	14	1	-	-	35
Other	6	-	-	2	2	-	2	-	-	-	-	-
Places of 10,000 to 25,000	2,490	3	251	616	616	470	343	121	10	1	-	59
White, mother native	2,009	2	172	497	523	397	277	92	6	1	-	42
White, mother foreign	93	-	1	12	17	16	28	13	3	-	-	3
White, mother's nativity not stated	5	-	2	-	-	-	-	-	-	-	-	3
Negro	375	1	76	103	74	55	38	16	1	-	-	11
Other	8	-	-	4	2	2	-	-	-	-	-	-
Places of 2,500 to 10,000	3,221	6	349	853	721	598	401	163	20	1	1	107
White, mother native	2,640	-	254	742	603	506	313	122	15	1	1	83
White, mother foreign	108	-	2	14	17	21	28	19	2	-	-	3
White, mother's nativity not stated	10	-	-	2	-	1	-	-	-	-	-	7
Negro	457	6	92	94	101	69	57	22	3	-	-	13
Other	8	-	1	1	-	2	3	-	-	-	-	1
Rural	12,450	36	1,461	2,845	2,611	2,314	1,864	804	95	1	1	418
White, mother native	9,092	10	887	2,094	1,999	1,785	1,361	600	70	-	1	305
White, mother foreign	240	-	3	17	43	52	80	34	5	-	-	6
White, mother's nativity not stated	50	-	6	5	5	6	2	5	-	-	-	21
Negro	2,969	24	575	702	545	461	407	155	16	1	-	83
Other	99	2	10	27	19	10	14	10	4	-	-	3
NOT STATED	6,294	6	231	1,022	1,582	1,697	1,226	368	50	1	1	110
White, mother native	4,630	3	138	781	1,347	1,269	799	216	23	-	1	53
White, mother foreign	1,063	-	8	64	118	328	375	143	24	1	-	6
White, mother's nativity not stated	46	-	-	5	5	-	-	1	-	-	-	35
Negro	549	3	86	172	109	99	54	8	2	-	-	16
Other	6	-	1	-	3	1	-	-	1	-	-	-
Urban	5,863	5	189	934	1,498	1,609	1,153	351	46	1	-	77
White, mother native	4,341	3	114	728	1,286	1,205	752	201	20	-	-	32
White, mother foreign	1,045	-	6	60	118	323	365	142	24	1	-	6
White, mother's nativity not stated	40	-	-	4	5	-	-	1	-	-	-	30
Negro	432	2	69	142	86	80	36	7	1	-	-	9
Other	5	-	-	-	3	1	-	-	1	-	-	-
Places of 100,000 or more	5,556	5	169	881	1,422	1,558	1,081	332	45	1	-	62
White, mother native	4,097	3	102	687	1,223	1,159	695	186	20	-	-	22
White, mother foreign	1,020	-	5	59	116	319	354	138	23	1	-	5
White, mother's nativity not stated	36	-	-	4	3	-	-	1	-	-	-	28
Negro	398	2	62	131	77	79	32	7	1	-	-	7
Other	5	-	-	-	3	1	-	-	1	-	-	-
Places of 25,000 to 100,000	102	-	9	14	28	18	24	3	1	-	-	7
White, mother native	73	-	4	11	21	14	17	2	-	-	-	4
White, mother foreign	14	-	1	-	2	2	6	1	1	-	-	1
White, mother's nativity not stated	4	-	-	-	2	-	-	-	-	-	-	2
Negro	11	-	4	3	3	-	1	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	89	-	6	17	18	17	19	6	-	-	-	6
White, mother native	75	-	6	12	15	16	16	4	-	-	-	6
White, mother foreign	6	-	-	1	-	1	2	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	8	-	-	4	3	-	1	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	116	-	5	22	30	18	29	10	-	-	-	2
White, mother native	96	-	2	18	27	16	24	9	-	-	-	-
White, mother foreign	5	-	-	-	-	1	3	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	15	-	3	4	3	1	2	-	-	-	-	2
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	431	1	42	88	84	88	73	17	4	-	1	33
White, mother native	289	-	24	53	61	64	47	15	3	-	1	21
White, mother foreign	18	-	-	4	-	5	8	1	-	-	-	-
White, mother's nativity not stated	8	-	-	1	-	-	-	-	-	-	-	5
Negro	117	1	17	30	23	19	18	1	1	-	-	7
Other	1	-	1	-	-	-	-	-	-	-	-	-

TABLE 14.—STILLBIRTHS BY SEX, AGE OF MOTHER, BIRTH ORDER (INCLUDING STILLBIRTHS), RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1944

(Birth order refers to number of children ever born to mother, including children born dead. Figures for Massachusetts are included in the "total" and "not stated" classifications; they are not given by birth order because this State does not require the reporting of such information)

SEX, AGE OF MOTHER, AND BIRTH ORDER (INCLUDING STILLBIRTHS)	Total stillbirths	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
Total	75,495	60,053	55,786	3,765	15,094	348
Male	38,129	29,715	27,967	1,488	8,213	201
Female	31,072	24,599	23,189	1,214	6,332	141
Not stated	6,294	5,739	4,630	1,063	549	6
10 to 14 years	149	44	43	1	103	2
15 to 19 years	7,638	4,648	4,596	38	2,952	38
20 to 24 years	17,426	13,576	13,209	338	3,762	88
25 to 29 years	17,292	14,323	13,769	511	2,895	74
30 to 34 years	15,082	12,634	11,603	1,000	2,408	40
35 to 39 years	11,002	9,146	7,919	1,211	1,802	54
40 to 44 years	4,076	3,443	2,898	534	599	34
45 to 49 years	433	362	295	67	62	9
50 to 54 years	8	5	4	1	3	-
55 years and over	4	4	4	-	-	-
Not stated	2,385	1,868	1,446	69	508	9
FIRST CHILD	23,516	19,485	18,592	819	3,939	92
Male	11,842	9,617	9,265	312	2,174	51
Female	9,751	8,106	7,816	258	1,606	40
Not stated	1,923	1,763	1,511	247	159	1
10 to 14 years	137	43	42	1	92	2
15 to 19 years	5,273	3,478	3,442	24	1,769	26
20 to 24 years	7,889	6,776	6,594	169	1,074	39
25 to 29 years	4,918	4,445	4,252	181	458	15
30 to 34 years	3,080	2,757	2,536	217	318	5
35 to 39 years	1,549	1,403	1,238	162	145	1
40 to 44 years	335	317	260	57	15	3
45 to 49 years	22	18	16	2	4	-
Not stated	313	248	212	6	64	1
SECOND CHILD	13,351	11,166	10,449	688	2,140	45
Male	6,467	5,285	5,040	230	1,159	23
Female	5,290	4,379	4,178	189	890	21
Not stated	1,594	1,502	1,231	269	91	1
10 to 14 years	12	1	1	-	11	-
15 to 19 years	1,334	675	665	5	648	11
20 to 24 years	3,866	3,053	2,983	68	792	21
25 to 29 years	3,659	3,303	3,173	123	347	9
30 to 34 years	2,674	2,446	2,209	233	225	3
35 to 39 years	1,376	1,297	1,101	194	78	1
40 to 44 years	291	277	221	54	14	-
45 to 49 years	15	14	8	6	1	-
50 to 54 years	2	2	2	-	-	-
Not stated	122	98	86	5	24	-
THIRD CHILD	9,478	7,863	7,266	585	1,580	35
Male	4,598	3,733	3,521	205	843	22
Female	3,746	3,051	2,907	139	682	13
Not stated	1,134	1,079	838	241	55	-
15 to 19 years	393	160	159	-	233	-
20 to 24 years	2,269	1,628	1,585	41	628	13
25 to 29 years	2,665	2,295	2,218	72	357	13
30 to 34 years	2,293	2,085	1,899	185	204	4
35 to 39 years	1,399	1,278	1,075	202	118	3
40 to 44 years	351	330	255	75	20	1
45 to 49 years	23	23	15	8	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	84	63	59	2	20	1
FOURTH CHILD	6,243	4,957	4,596	353	1,255	31
Male	3,172	2,458	2,327	126	696	18
Female	2,546	2,013	1,901	110	520	13
Not stated	525	486	368	117	39	-
15 to 19 years	99	22	21	1	77	-
20 to 24 years	1,171	699	690	9	462	10
25 to 29 years	1,779	1,394	1,352	38	376	9
30 to 34 years	1,613	1,408	1,311	96	199	6
35 to 39 years	1,144	1,028	884	143	111	5
40 to 44 years	331	310	258	52	20	1
45 to 49 years	34	34	26	8	-	-
50 to 54 years	2	2	1	1	-	-
Not stated	70	60	53	5	10	-
FIFTH CHILD	4,192	3,146	2,889	245	1,018	28
Male	2,098	1,567	1,477	84	515	16
Female	1,759	1,288	1,195	89	459	12
Not stated	335	291	217	72	44	-
15 to 19 years	24	5	5	-	19	-
20 to 24 years	527	267	254	11	258	2
25 to 29 years	1,146	779	759	18	357	10
30 to 34 years	1,165	947	885	60	214	4
35 to 39 years	904	778	679	98	119	7
40 to 44 years	346	308	257	51	35	3
45 to 49 years	25	22	17	5	2	1
55 years and over	1	1	1	-	-	-
Not stated	54	39	32	2	14	1
SIXTH CHILD	2,976	2,127	1,968	155	816	33
Male	1,590	1,095	1,029	65	472	22
Female	1,240	912	853	57	317	11
Not stated	146	119	86	33	27	-
SIXTH CHILD—Continued						
15 to 19 years	4	1	1	-	3	-
20 to 24 years	229	87	85	2	142	-
25 to 29 years	748	477	464	13	267	4
30 to 34 years	919	680	643	35	230	9
35 to 39 years	724	583	512	69	131	10
40 to 44 years	296	260	227	33	27	9
45 to 49 years	28	22	19	3	5	1
55 years and over	1	1	1	-	-	-
Not stated	27	16	16	-	11	-
SEVENTH CHILD	2,182	1,512	1,406	99	654	16
Male	1,136	791	739	48	337	8
Female	944	646	607	36	291	7
Not stated	102	75	60	15	26	1
15 to 19 years	1	-	-	-	1	-
20 to 24 years	89	30	30	-	59	-
25 to 29 years	429	218	214	4	205	6
30 to 34 years	670	475	445	26	191	4
35 to 39 years	668	505	466	38	157	6
40 to 44 years	272	239	210	27	33	-
45 to 49 years	30	29	25	4	1	-
55 years and over	1	1	1	-	-	-
Not stated	22	15	15	-	7	-
EIGHTH CHILD	1,649	1,098	1,022	72	539	12
Male	872	580	545	34	284	8
Female	729	478	446	29	247	4
Not stated	48	40	31	9	8	-
20 to 24 years	42	9	7	2	32	1
25 to 29 years	219	101	101	-	116	2
30 to 34 years	515	332	315	16	182	1
35 to 39 years	558	400	371	28	154	4
40 to 44 years	261	216	191	23	44	1
45 to 49 years	34	30	27	3	2	2
55 years and over	1	1	1	-	-	-
Not stated	19	9	9	-	9	1
NINTH CHILD	1,204	755	687	66	442	7
Male	678	433	393	38	239	6
Female	485	292	270	22	192	1
Not stated	41	30	24	6	11	-
20 to 24 years	22	4	3	1	18	-
25 to 29 years	116	45	45	-	70	1
30 to 34 years	319	172	167	5	147	-
35 to 39 years	451	297	268	32	151	3
40 to 44 years	261	207	182	25	51	3
45 to 49 years	26	22	19	3	4	-
Not stated	9	8	8	-	1	-
TENTH CHILD	943	590	537	50	343	10
Male	507	299	279	18	200	8
Female	412	273	248	24	137	2
Not stated	24	18	10	8	6	-
20 to 24 years	9	2	2	-	7	-
25 to 29 years	59	17	16	1	42	-
30 to 34 years	218	104	95	7	113	1
35 to 39 years	389	253	232	20	131	5
40 to 44 years	226	179	162	17	44	3
45 to 49 years	33	26	22	4	6	1
Not stated	9	9	8	1	-	-
ELEVENTH CHILD	690	400	357	43	284	6
Male	344	201	182	19	141	2
Female	319	182	162	20	133	4
Not stated	27	17	13	4	10	-
20 to 24 years	8	3	3	-	5	-
25 to 29 years	30	3	3	-	27	-
30 to 34 years	128	61	57	4	66	1
35 to 39 years	300	179	158	21	119	2
40 to 44 years	195	132	117	15	60	3
45 to 49 years	23	19	16	3	4	-
Not stated	6	3	3	-	3	-
TWELFTH CHILD	485	301	269	32	177	7
Male	271	161	147	14	104	6
Female	203	133	118	15	69	1
Not stated	11	7	4	3	4	-
20 to 24 years	2	-	-	-	2	-
25 to 29 years	12	2	1	1	9	1
30 to 34 years	77	42	39	3	35	-
35 to 39 years	202	112	101	11	87	3
40 to 44 years	158	116	105	11	40	2
45 to 49 years	29	26	20	6	2	1
Not stated	5	3	3	-	2	-
THIRTEENTH CHILD	322	173	156	14	144	5
Male	178	91	83	7	85	2
Female	141	79	70	7	59	3
Not stated	3	3	3	-	-	-
25 to 29 years	12	5	4	1	7	-
30 to 34 years	41	13	13	-	28	-

[1] Includes nativity of mother not stated.

TABLE 14.—STILLBIRTHS BY SEX, AGE OF MOTHER, BIRTH ORDER (INCLUDING STILLBIRTHS), RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1944—Continued

(Birth order refers to number of children ever born to mother, including children born dead. Figures for Massachusetts are included in the "total" and "not stated" classifications; they are not given by birth order because this State does not require the reporting of such information)

SEX, AGE OF MOTHER, AND BIRTH ORDER (INCLUDING STILLBIRTHS)	Total stillbirths	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
THIRTEENTH CHILD—Continued						
35 to 39 years	123	65	61	4	61	2
40 to 44 years	120	80	69	8	38	2
45 to 49 years	15	8	7	1	6	1
50 to 54 years	1	-	-	-	1	-
Not stated	5	2	2	-	3	-
FOURTEENTH CHILD	216	130	113	16	83	3
Male	118	67	58	8	49	2
Female	94	59	52	7	34	1
Not stated	4	4	3	1	-	-
25 to 29 years	2	-	-	-	2	-
30 to 34 years	28	12	9	2	15	1
35 to 39 years	76	42	37	5	31	2
40 to 44 years	92	59	51	8	33	-
45 to 49 years	16	15	14	1	1	-
Not stated	3	2	2	-	1	-
FIFTEENTH CHILD	135	76	65	11	58	1
Male	76	39	35	4	37	-
Female	57	35	28	7	21	1
Not stated	2	2	2	-	-	-
25 to 29 years	5	2	1	1	3	-
30 to 34 years	12	3	2	1	9	-
35 to 39 years	36	16	13	3	20	-
40 to 44 years	59	36	31	5	22	1
45 to 49 years	20	16	15	1	4	-
Not stated	3	3	3	-	-	-
SIXTEENTH CHILD	81	38	30	8	42	1
Male	45	21	15	6	24	-
Female	36	17	15	2	18	1
30 to 34 years	5	3	3	-	2	-
35 to 39 years	27	11	8	3	16	-
40 to 44 years	34	19	15	4	15	-
45 to 49 years	15	5	4	1	9	1
SEVENTEENTH CHILD	38	22	18	4	16	-
Male	16	8	6	2	8	-
Female	21	13	11	2	8	-
Not stated	1	1	1	-	-	-
30 to 34 years	3	1	1	-	2	-
35 to 39 years	8	4	2	2	4	-
40 to 44 years	22	13	11	2	9	-
45 to 49 years	5	4	4	-	1	-
EIGHTEENTH CHILD	18	8	6	2	10	-
Male	9	5	3	2	4	-
Female	9	3	3	-	6	-
30 to 34 years	1	1	-	1	-	-
35 to 39 years	4	1	1	-	3	-
EIGHTEENTH CHILD—Continued						
40 to 44 years	10	4	3	1	6	-
45 to 49 years	3	2	2	-	1	-
NINETEENTH CHILD	17	9	8	1	8	-
Male	9	5	5	-	4	-
Female	8	4	3	1	4	-
30 to 34 years	1	1	1	-	-	-
35 to 39 years	6	2	2	-	4	-
40 to 44 years	8	6	5	1	2	-
45 to 49 years	1	-	-	-	1	-
Not stated	1	-	-	-	1	-
TWENTIETH CHILD	15	2	2	-	12	1
Male	8	-	-	-	7	1
Female	7	2	2	-	5	-
30 to 34 years	1	1	1	-	-	-
35 to 39 years	5	1	1	-	4	-
40 to 44 years	9	-	-	-	8	1
TWENTY-FIRST CHILD	6	-	-	-	6	-
Male	3	-	-	-	3	-
Female	3	-	-	-	3	-
35 to 39 years	2	-	-	-	2	-
40 to 44 years	3	-	-	-	3	-
50 to 54 years	1	-	-	-	1	-
TWENTY-SECOND CHILD AND OVER	9	3	2	1	6	-
Male	6	2	1	1	4	-
Female	3	1	1	-	2	-
35 to 39 years	3	2	2	-	1	-
40 to 44 years	4	1	-	1	3	-
45 to 49 years	1	-	-	-	1	-
Not stated	1	-	-	-	1	-
NOT STATED	7,729	6,192	5,348	501	1,522	15
Male	4,086	3,256	2,817	263	824	6
Female	3,269	2,634	2,303	200	629	6
Not stated	374	302	228	38	69	3
15 to 19 years	510	307	303	3	202	1
20 to 24 years	1,303	1,018	973	35	283	2
25 to 29 years	1,493	1,237	1,166	58	252	4
30 to 34 years	1,319	1,090	972	109	228	1
35 to 39 years	1,044	889	712	176	155	-
40 to 44 years	392	334	268	64	57	1
45 to 49 years	35	27	19	8	7	1
50 to 54 years	1	-	-	-	1	-
Not stated	1,632	1,290	935	48	337	5

[1] Includes nativity of mother not stated.

TABLE 15.—STILLBIRTHS BY RACE, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944

(By place of residence)

AREA AND RACE	Total stillbirths	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNITED STATES	75,495	46,831	25,593	8,553	5,457	7,228	28,664
White	60,053	38,680	20,930	6,996	4,597	6,157	21,373
Nonwhite	15,442	8,151	4,663	1,557	860	1,071	7,291
Alabama	2,260	764	239	233	126	166	1,496
White	1,069	361	97	113	59	92	708
Nonwhite	1,191	403	142	120	67	74	788
Arizona	342	192	...	110	...	82	150
White	299	172	...	96	...	76	127
Nonwhite	43	20	...	14	...	6	23
Arkansas	850	239	...	68	72	99	611
White	547	183	...	57	51	75	364
Nonwhite	303	56	...	11	21	24	247
California	3,420	2,638	1,407	508	307	416	782
White	3,157	2,432	1,257	479	289	407	725
Nonwhite	263	206	150	29	18	9	57
Colorado	528	331	166	62	27	76	197
White	500	307	145	60	27	75	193
Nonwhite	28	24	21	2	-	1	4
Connecticut	673	491	196	200	70	25	182
White	640	462	178	191	68	25	178
Nonwhite	33	29	18	9	2	-	4
Delaware	149	91	75	...	...	16	58
White	113	66	53	...	...	13	47
Nonwhite	36	25	22	...	...	3	11
District of Columbia	463	463	463	...	...	...	...
White	252	252	252	...	...	...	...
Nonwhite	211	211	211	...	...	...	...
Florida	1,590	867	373	152	156	186	723
White	890	472	193	83	95	101	418
Nonwhite	700	395	180	69	61	85	305
Georgia	2,521	1,088	245	367	214	262	1,433
White	1,147	545	132	177	117	119	602
Nonwhite	1,374	543	113	190	97	143	831
Idaho	266	115	...	15	55	45	151
White	261	114	...	15	55	44	147
Nonwhite	5	1	...	-	-	1	4
Illinois	3,158	2,439	1,462	434	228	315	719
White	2,773	2,073	1,186	377	212	298	700
Nonwhite	385	366	276	57	16	17	19
Indiana	1,469	881	329	322	103	127	588
White	1,369	784	266	291	100	127	585
Nonwhite	100	97	63	31	3	-	3
Iowa	910	419	64	197	46	112	491
White	907	416	62	196	46	112	491
Nonwhite	3	3	2	1	-	-	-
Kansas	687	379	124	43	102	110	308
White	645	342	110	38	88	106	303
Nonwhite	42	37	14	5	14	4	5
Kentucky	1,544	556	218	130	50	158	988
White	1,421	485	183	122	41	139	936
Nonwhite	123	71	35	8	9	19	52
Louisiana	1,769	870	359	197	65	249	899
White	821	443	201	89	33	120	378
Nonwhite	948	427	158	108	32	129	521
Maine	282	96	...	46	33	17	186
White	281	96	...	46	33	17	185
Nonwhite	1	-	...	-	-	-	1
Maryland	1,448	877	703	45	62	67	571
White	997	586	443	43	39	61	411
Nonwhite	451	291	260	2	23	6	160
Massachusetts	1,829	1,657	733	495	297	132	172
White	1,784	1,616	701	488	296	131	168
Nonwhite	45	41	32	7	1	1	4
Michigan	2,861	2,022	1,075	453	211	283	839
White	2,590	1,761	868	423	195	275	829
Nonwhite	271	261	207	30	16	8	10
Minnesota	1,088	576	395	9	59	113	512
White	1,070	570	391	9	59	111	500
Nonwhite	18	6	4	-	-	2	12
Mississippi	1,989	445	...	84	216	145	1,544
White	629	197	...	40	90	67	432
Nonwhite	1,360	248	...	44	126	78	1,112
Missouri	1,788	1,067	667	79	134	187	721
White	1,491	807	443	76	125	163	684
Nonwhite	297	260	224	3	9	24	37

TABLE 15.—STILLBIRTHS BY RACE, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence)

AREA AND RACE	Total stillbirths	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
Montana	184	100	...	35	30	35	84
White	173	99	...	35	29	35	74
Nonwhite	11	1	...	-	1	-	10
Nebraska	496	222	102	27	34	59	274
White	475	206	92	26	32	56	269
Nonwhite	21	16	10	1	2	3	5
Nevada	56	23	...	...	12	11	33
White	46	20	...	...	12	8	26
Nonwhite	10	3	...	...	-	3	7
New Hampshire	213	128	...	70	38	20	85
White	213	128	...	70	38	20	85
Nonwhite	-	-	...	-	-	-	-
New Jersey	1,859	1,513	538	446	279	250	346
White	1,628	1,315	438	400	246	236	313
Nonwhite	231	198	105	46	33	14	33
New Mexico	332	116	...	11	33	72	216
White	310	113	...	11	32	70	197
Nonwhite	22	3	...	-	1	2	19
New York	12,181	11,240	10,174	328	379	359	941
White	10,998	10,085	9,051	314	369	351	913
Nonwhite	1,183	1,155	1,123	14	10	8	28
North Carolina	2,401	834	86	357	202	189	1,567
White	1,314	449	33	165	118	133	865
Nonwhite	1,087	385	53	192	84	56	702
North Dakota	282	59	...	13	25	21	223
White	276	58	...	13	24	21	218
Nonwhite	6	1	...	-	1	-	5
Ohio	3,352	2,350	1,403	367	252	328	1,002
White	2,999	2,020	1,136	342	236	306	979
Nonwhite	353	330	267	25	16	22	23
Oklahoma	1,010	489	191	37	121	140	521
White	848	398	147	25	103	123	450
Nonwhite	162	91	44	12	18	17	71
Oregon	454	244	131	7	38	68	210
White	436	240	127	7	38	68	196
Nonwhite	18	4	4	-	-	-	14
Pennsylvania	4,493	3,033	1,347	591	502	593	1,460
White	4,043	2,617	1,035	527	477	578	1,426
Nonwhite	450	416	312	64	25	15	34
Rhode Island	311	276	118	124	29	5	35
White	296	264	108	122	29	5	32
Nonwhite	15	12	10	2	-	-	3
South Carolina	1,808	509	...	253	80	176	1,299
White	663	233	...	98	43	92	430
Nonwhite	1,145	276	...	155	37	84	869
South Dakota	226	67	...	21	23	23	159
White	210	66	...	21	23	22	144
Nonwhite	16	1	...	-	-	1	15
Tennessee	1,554	659	441	18	61	139	895
White	1,153	420	249	18	40	113	733
Nonwhite	401	239	192	-	21	26	162
Texas	4,517	2,809	983	692	362	772	1,708
White	3,510	2,227	749	550	293	635	1,283
Nonwhite	1,007	582	234	142	69	137	425
Utah	248	140	53	24	13	50	108
White	244	137	51	23	13	50	107
Nonwhite	4	3	2	1	-	-	1
Vermont	162	59	...	13	12	34	103
White	162	59	...	13	12	34	103
Nonwhite	-	-	...	-	-	-	-
Virginia	2,110	845	277	379	38	151	1,265
White	1,220	491	128	226	23	114	729
Nonwhite	890	354	149	153	15	37	536
Washington	626	357	215	38	53	51	269
White	596	341	204	38	51	48	255
Nonwhite	30	16	11	-	2	3	14
West Virginia	1,389	478	...	201	96	181	911
White	1,276	455	...	195	87	173	821
Nonwhite	113	23	...	6	9	8	90
Wisconsin	1,249	676	241	252	81	102	573
White	1,219	655	226	248	80	101	564
Nonwhite	30	21	15	4	1	1	9
Wyoming	98	42	...	...	31	11	56
White	92	42	...	...	31	11	50
Nonwhite	6	-	...	...	-	-	6

TABLE 16.—STILLBIRTHS BY RACE AND PERSON IN ATTENDANCE: UNITED STATES AND EACH STATE, 1944

(By place of residence).

AREA AND RACE	Total stillbirths	STILLBIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
UNITED STATES	75,495	54,764	14,982	4,446	1,303
White	60,053	48,084	10,761	575	633
Nonwhite	15,442	6,680	4,221	3,871	670
Alabama	2,260	926	577	347	410
White	1,069	621	330	22	96
Nonwhite	1,191	305	247	325	314
Arizona	342	278	40	10	14
White	299	248	38	10	8
Nonwhite	43	35	2	-	6
Arkansas	850	373	300	165	12
White	547	319	217	4	7
Nonwhite	303	54	83	161	5
California	3,420	3,124	248	1	47
White	3,157	2,895	223	1	38
Nonwhite	263	229	25	-	9
Colorado	523	411	109	-	8
White	500	387	105	-	8
Nonwhite	23	24	4	-	-
Connecticut	673	640	33	-	-
White	640	610	30	-	-
Nonwhite	33	30	3	-	-
Delaware	149	120	22	6	1
White	113	98	12	2	1
Nonwhite	36	22	10	4	-
District of Columbia	463	410	48	-	5
White	252	235	15	-	2
Nonwhite	211	175	33	-	3
Florida	1,590	950	283	349	8
White	890	721	142	24	3
Nonwhite	700	229	141	325	5
Georgia	2,521	1,076	673	758	14
White	1,147	786	312	40	9
Nonwhite	1,374	290	361	718	5
Idaho	266	249	16	-	1
White	261	245	15	-	1
Nonwhite	5	4	1	-	-
Illinois	3,158	2,635	485	3	35
White	2,773	2,378	366	2	27
Nonwhite	385	257	119	1	8
Indiana	1,469	1,138	325	-	6
White	1,369	1,090	275	-	4
Nonwhite	100	48	50	-	2
Iowa	910	751	156	-	3
White	907	748	156	-	3
Nonwhite	3	3	-	-	-
Kansas	687	560	122	1	4
White	645	535	106	1	3
Nonwhite	42	25	16	-	1
Kentucky	1,544	644	845	45	10
White	1,421	596	771	44	10
Nonwhite	123	48	74	1	-
Louisiana	1,769	1,103	298	262	106
White	821	650	115	22	34
Nonwhite	948	453	183	240	72
Maine	282	219	63	-	-
White	281	218	63	-	-
Nonwhite	1	1	-	-	-
Maryland	1,448	926	439	25	58
White	997	728	238	2	29
Nonwhite	451	198	201	23	29
Massachusetts	1,829	1,673	155	-	1
White	1,784	1,635	148	-	1
Nonwhite	45	38	7	-	-
Michigan	2,861	2,427	427	-	7
White	2,590	2,234	349	-	7
Nonwhite	271	193	78	-	-
Minnesota	1,088	984	101	1	2
White	1,070	967	100	1	2
Nonwhite	18	17	1	-	-
Mississippi	1,989	622	541	799	27
White	629	417	194	12	6
Nonwhite	1,360	205	347	787	21
Missouri	1,788	1,194	520	13	61
White	1,491	1,003	447	6	35
Nonwhite	297	191	73	7	26
Montana	184	172	9	-	3
White	173	163	9	-	1
Nonwhite	11	9	-	-	2
Nebraska	496	407	85	-	4
White	475	393	78	-	4
Nonwhite	21	14	7	-	-
Nevada	56	49	7	-	-
White	46	43	3	-	-
Nonwhite	10	6	4	-	-
New Hampshire	213	201	11	-	1
White	213	201	11	-	1
Nonwhite	-	-	-	-	-
New Jersey	1,859	1,620	214	-	25
White	1,628	1,450	157	-	21
Nonwhite	231	170	57	-	4
New Mexico	332	184	98	40	10
White	310	165	98	40	7
Nonwhite	22	19	-	-	3
New York	12,181	11,068	1,026	3	84
White	10,998	10,078	839	2	79
Nonwhite	1,183	990	187	1	5
North Carolina	2,401	1,308	854	183	56
White	1,314	907	376	19	12
Nonwhite	1,087	401	478	164	44
North Dakota	282	238	42	-	2
White	276	232	42	-	2
Nonwhite	6	6	-	-	-
Ohio	3,352	2,698	602	-	52
White	2,999	2,435	522	-	42
Nonwhite	353	263	80	-	10
Oklahoma	1,010	685	305	16	4
White	848	603	241	1	3
Nonwhite	162	82	64	15	1
Oregon	454	431	21	1	1
White	436	414	20	1	1
Nonwhite	18	17	1	-	-
Pennsylvania	4,493	3,578	896	10	9
White	4,043	3,251	775	9	8
Nonwhite	450	327	121	1	1
Rhode Island	311	276	35	-	-
White	296	263	33	-	0 -
Nonwhite	15	13	2	-	-
South Carolina	1,808	754	428	624	2
White	663	475	170	18	-
Nonwhite	1,145	279	258	606	2
South Dakota	226	201	23	-	2
White	210	187	22	-	1
Nonwhite	16	14	1	-	1
Tennessee	1,554	871	603	63	17
White	1,153	686	437	18	12
Nonwhite	401	185	166	45	5
Texas	4,617	2,735	1,257	422	103
White	3,510	2,298	932	216	64
Nonwhite	1,007	437	325	206	39
Utah	248	216	31	-	1
White	244	212	31	-	1
Nonwhite	4	4	-	-	-
Vermont	162	129	33	-	-
White	162	129	33	-	-
Nonwhite	-	-	-	-	-
Virginia	2,110	1,113	652	277	68
White	1,220	821	338	38	23
Nonwhite	890	292	314	239	45
Washington	626	595	27	-	4
White	596	569	24	-	3
Nonwhite	30	26	3	-	1
West Virginia	1,389	653	702	22	12
White	1,276	627	618	20	11
Nonwhite	113	26	84	2	1
Wisconsin	1,249	1,063	183	-	3
White	1,219	1,043	173	-	3
Nonwhite	30	20	10	-	-
Wyoming	98	86	12	-	-
White	92	80	12	-	-
Nonwhite	6	6	-	-	-

TABLE 17.—DEATHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1944

(Exclusive of stillbirths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	Total deaths occurring in State	Deaths of residents occurring in place of residence	DEATHS OF NONRESIDENTS[1]															
			Total	Intrastate nonresidents	Interstate nonresidents													
					Total	State of residence												
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	1,411,338	1,167,660	243,678	205,603	37,075	729	230	836	1,045	320	634	119	561	781	731	337	2,575
Alabama	26,000	21,629	4,371	3,799	572	...	-	7	9	-	-	-	4	165	112	-	10
Arizona	6,759	5,247	1,512	728	784	2	...	25	167	17	3	1	3	5	7	6	51
Arkansas	14,218	11,812	2,406	1,867	539	5	3	...	29	2	-	-	-	5	1	-	20
California	91,428	72,918	18,510	16,839	1,671	15	102	28	...	39	12	1	12	12	13	23	108
Colorado	12,421	10,155	2,266	1,783	483	7	3	5	40	...	1	-	1	1	6	7	24
Connecticut	18,709	15,376	3,333	2,909	424	4	-	-	2	-	...	1	-	7	3	1	5
Delaware	3,363	2,757	606	469	137	-	-	-	-	-	-	...	2	1	1	-	-
District of Columbia	8,763	7,662	1,101	...	1,101	3	-	1	6	-	5	2	...	7	9	-	3
Florida	24,449	18,674	5,775	4,045	1,730	87	2	5	15	3	44	3	19	...	178	1	95
Georgia	29,476	24,633	4,843	4,037	806	248	2	2	8	1	2	-	7	168	...	1	11
Idaho	4,625	3,406	1,219	930	289	2	1	2	23	2	-	-	-	2	...	...	4
Illinois	87,144	73,003	14,141	12,602	1,539	13	-	15	40	10	-	-	4	15	4	2	...
Indiana	39,124	32,490	6,634	5,813	821	3	1	3	4	3	-	-	1	6	1	1	329
Iowa	26,171	20,267	5,904	4,965	939	2	1	1	25	13	1	-	1	2	2	2	316
Kansas	18,562	15,222	3,340	2,513	827	-	3	15	23	34	1	-	4	1	4	-	23
Kentucky	28,002	24,024	3,978	3,382	596	11	-	7	8	3	1	1	2	8	4	-	51
Louisiana	23,892	19,165	4,727	3,944	783	25	5	67	26	8	6	-	3	28	10	-	27
Maine	10,235	8,179	2,056	1,836	220	1	1	-	2	-	12	-	3	1	-	-	2
Maryland	22,851	19,262	3,589	2,523	1,066	4	-	-	8	1	6	34	307	28	11	1	12
Massachusetts	51,740	44,621	7,119	6,144	975	4	-	-	13	1	138	1	10	10	8	-	10
Michigan	54,061	45,064	8,997	8,303	694	4	2	9	13	1	-	1	1	13	-	-	121
Minnesota	26,948	20,907	6,041	4,900	1,141	3	3	7	16	9	2	-	1	12	3	8	96
Mississippi	20,420	17,568	2,852	2,422	430	86	-	24	6	1	1	-	1	11	11	-	21
Missouri	42,384	35,383	7,001	5,480	1,521	9	2	90	19	14	-	-	1	3	2	1	643
Montana	5,591	4,422	1,169	986	183	-	1	2	11	3	-	-	-	-	2	21	10
Nebraska	12,562	9,956	2,606	2,164	442	2	1	2	13	13	-	-	1	-	2	-	17
Nevada	1,658	1,282	376	230	146	-	3	1	83	1	1	-	-	1	-	4	5
New Hampshire	6,204	5,191	1,013	682	331	-	-	-	-	1	9	-	1	2	-	-	1
New Jersey	46,912	36,340	10,572	9,332	1,240	5	1	1	3	-	24	4	13	17	11	2	12
New Mexico	5,618	4,387	1,231	748	483	6	49	7	44	27	2	-	1	2	-	1	23
New York	152,776	136,922	15,854	13,122	2,732	14	1	4	52	4	261	8	34	80	19	1	50
North Carolina	29,555	23,809	5,746	4,981	765	25	2	8	7	1	6	1	27	48	64	1	10
North Dakota	5,055	3,515	1,540	1,284	256	-	-	-	7	-	1	-	-	-	-	1	3
Ohio	79,901	68,586	11,315	10,011	1,304	10	-	4	16	-	4	1	3	17	3	-	31
Oklahoma	18,466	14,768	3,698	3,343	355	-	3	47	17	3	-	-	1	2	1	1	5
Oregon	13,250	11,135	2,115	1,636	479	-	2	5	63	7	1	-	-	2	1	45	6
Pennsylvania	109,932	88,258	21,674	20,030	1,644	1	-	-	11	3	13	56	20	25	7	1	29
Rhode Island	8,382	6,769	1,613	1,320	293	-	-	-	6	-	48	-	2	5	2	-	6
South Carolina	18,027	14,854	3,173	2,884	289	7	-	-	2	-	3	-	3	24	75	-	3
South Dakota	5,548	4,207	1,341	1,116	225	-	2	-	7	5	1	-	-	-	-	-	8
Tennessee	28,792	23,699	5,093	3,555	1,538	95	3	359	19	8	5	1	4	13	127	-	36
Texas	61,156	52,354	8,802	8,025	777	9	16	63	34	2	1	-	1	8	3	1	30
Utah	5,144	3,957	1,187	861	326	1	11	-	60	21	1	-	-	2	70	12	
Vermont	4,198	3,344	854	721	133	-	-	-	2	-	7	-	2	-	-	-	1
Virginia	28,544	23,625	4,919	4,056	863	8	-	7	10	1	7	1	55	13	15	-	12
Washington	21,885	18,259	3,626	2,965	661	5	3	12	48	8	1	2	1	4	3	128	23
West Virginia	16,654	12,902	3,752	3,065	687	2	-	-	1	1	2	-	4	1	-	-	6
Wisconsin	31,580	23,848	7,682	7,054	628	1	-	-	7	-	1	-	1	7	-	3	248
Wyoming	2,253	1,847	406	199	207	-	1	1	20	49	-	-	-	1	2	3	6

DEATHS OF NONRESIDENTS[1]—Continued

Interstate nonresidents—Continued

State of residence—Continued

STATE OF OCCURRENCE	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	1,078	862	800	965	458	264	863	923	1,007	646	676	1,385	254	463	135	316	2,143	365	2,320
Alabama	5	1	1	8	22	-	1	7	7	-	89	7	-	1	-	-	2	-	11
Arizona	16	8	38	7	4	3	3	9	29	8	3	30	6	6	5	1	2	100	26
Arkansas	9	4	21	5	45	1	-	-	9	6	18	92	-	2	-	-	1	3	5
California	28	43	44	12	30	4	9	29	54	49	10	55	19	26	77	5	23	33	111
Colorado	3	10	51	3	2	1	-	3	3	3	2	17	1	51	-	-	2	44	12
Connecticut	-	-	-	-	-	15	2	92	2	1	2	-	-	-	-	16	20	-	188
Delaware	-	-	-	-	-	-	39	-	-	-	-	-	-	-	-	-	34	-	7
District of Columbia	3	2	2	4	3	2	458	11	4	1	-	5	-	-	-	1	12	-	42
Florida	44	14	1	29	15	13	13	82	108	12	6	15	-	4	-	15	108	-	341
Georgia	9	4	2	5	6	-	2	6	8	-	7	2	-	-	1	3	5	1	26
Idaho	-	3	4	1	-	1	-	1	1	3	-	6	17	3	5	-	1	-	4
Illinois	347	117	19	47	22	1	1	5	142	42	19	242	3	13	1	-	4	2	23
Indiana	...	13	5	110	-	1	2	4	96	7	5	20	1	5	-	-	2	-	14
Iowa	11	...	14	6	2	3	1	2	14	69	1	123	6	134	1	-	5	1	12
Kansas	3	22	...	2	3	-	1	1	4	6	3	422	4	38	-	-	2	4	6
Kentucky	134	1	2	...	3	-	1	6	21	1	10	13	-	1	-	-	4	-	8
Louisiana	7	10	4	3	...	-	6	9	11	4	155	17	2	7	-	-	9	4	34
Maine	1	1	-	1	-	...	3	69	-	-	1	1	-	2	-	46	10	-	23
Maryland	4	4	3	7	2	2	...	15	12	5	3	5	-	-	-	1	19	-	71
Massachusetts	4	1	7	1	3	90	11	...	14	5	1	2	1	-	1	139	29	-	157
Michigan	86	8	4	16	1	-	3	4	...	12	3	18	3	2	1	1	7	1	32

[1]See discussion on p.VIII for definition of nonresident.

TABLE 17.—DEATHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1944—Con.

(Exclusive of stillbirths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS[1]—Continued																	
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N Mex.	N. Y.
Minnesota	21	168	13	5	3	-	1	-	35	...	4	16	31	19	1	-	3	3	15
Mississippi	5	1	2	6	131	-	1	2	9	-	...	6	4	-	-	1	1	1	6
Missouri	32	64	348	20	11	-	1	3	17	8	8	...	3	20	-	-	7	1	11
Montana	1	2	2	2	1	1	1	-	2	7	-	3	...	4	-	1	-	-	2
Nebraska	1	178	69	1	-	-	2	-	1	5	-	26	1	...	-	-	1	3	2
Nevada	1	3	2	-	3	-	-	1	1	-	-	2	-	1	...	-	1	2	2
New Hampshire	1	2	2	-	-	64	3	114	2	-	-	-	-	-	-	...	3	-	20
New Jersey	2	2	1	-	-	5	24	23	15	2	2	7	2	1	-	3	...	-	547
New Mexico	5	4	14	1	2	-	-	1	6	8	3	25	3	2	1	-	2	...	10
New York	26	9	4	10	5	30	40	186	54	12	5	20	1	5	1	21	1,016	-	...
North Carolina	6	1	1	12	7	2	29	10	1	2	12	5	-	-	-	2	12	1	27
North Dakota	2	6	1	-	-	-	-	-	3	144	-	4	41	2	-	-	-	-	2
Ohio	170	6	5	315	8	4	6	10	131	8	5	10	-	2	1	1	7	1	47
Oklahoma	1	6	62	3	1	-	-	-	3	3	2	35	1	7	1	-	3	7	5
Oregon	2	4	8	-	1	-	-	2	4	6	-	7	14	8	1	-	-	1	4
Pennsylvania	13	4	4	7	1	2	75	13	27	5	1	6	2	-	1	3	717	2	247
Rhode Island	-	1	1	-	1	7	2	125	4	1	3	3	1	2	-	1	5	-	25
South Carolina	-	3	-	1	-	-	4	2	4	2	3	2	-	-	-	-	4	1	16
South Dakota	3	23	1	-	-	-	-	1	3	26	-	1	4	55	-	-	1	-	1
Tennessee	23	3	3	174	10	3	5	14	16	4	276	45	-	1	-	2	9	2	26
Texas	11	9	20	11	92	-	1	5	10	3	7	28	2	5	2	-	7	136	16
Utah	1	6	2	1	-	3	-	1	6	7	-	6	7	5	31	-	3	5	5
Vermont	-	-	1	-	-	1	-	31	2	-	-	-	-	-	-	48	2	-	34
Virginia	9	8	3	20	6	4	51	14	12	4	3	5	3	1	-	5	26	-	66
Washington	5	16	5	3	7	-	-	5	4	22	2	22	45	5	-	-	4	2	11
West Virginia	9	-	1	109	1	1	50	2	5	1	1	-	-	1	1	-	5	-	12
Wisconsin	6	64	-	1	-	-	-	1	89	130	-	9	8	1	-	-	1	-	5
Wyoming	3	5	3	1	4	-	1	2	2	4	1	-	18	21	2	-	2	4	5

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS[1]—Continued																Total deaths of residents
	Interstate nonresidents—Continued																
	State of residence—Continued																
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	600	317	1,596	814	382	2,045	320	401	327	600	1,186	139	209	1,058	625	636	772	232	1,411,338
Alabama	8	1	13	3	-	10	-	4	-	55	8	-	-	2	1	2	1	-	28,157
Arizona	3	3	48	28	10	17	2	-	1	4	42	11	-	1	9	4	12	2	6,205
Arkansas	-	-	7	112	-	2	-	-	-	24	101	-	-	-	-	3	4	-	14,515
California	7	14	60	64	94	45	7	6	12	18	116	37	2	14	105	4	27	13	90,802
Colorado	4	4	11	20	5	8	-	1	4	5	34	7	-	2	11	2	6	56	12,258
Connecticut	1	1	7	-	1	13	23	-	1	2	2	-	8	2	1	-	1	-	18,919
Delaware	-	-	3	1	-	39	-	1	-	-	1	1	-	4	-	3	-	-	3,345
District of Columbia	15	-	11	3	2	31	1	7	1	5	3	-	1	408	-	15	2	-	8,223
Florida	30	3	120	5	2	126	17	29	-	31	20	1	8	25	3	15	23	-	23,500
Georgia	37	2	12	4	-	15	2	121	-	48	4	-	1	14	1	3	4	-	29,401
Idaho	1	2	3	2	39	1	-	-	1	-	4	25	-	-	115	1	3	6	4,873
Illinois	2	5	91	24	2	17	2	3	4	17	51	2	1	4	5	3	147	6	88,180
Indiana	3	3	124	-	-	9	-	-	-	7	12	-	1	2	2	2	19	-	39,376
Iowa	4	5	12	6	6	8	1	2	53	1	14	-	-	1	7	2	42	4	26,094
Kansas	1	3	5	143	2	4	1	-	2	1	25	-	-	1	1	1	2	6	18,535
Kentucky	4	-	102	3	-	9	-	1	-	101	18	-	1	24	2	26	2	2	28,371
Louisiana	5	1	12	13	4	19	3	3	1	6	211	3	-	2	-	5	6	2	23,567
Maine	1	-	3	2	1	9	5	-	1	1	4	-	3	5	1	2	-	2	10,279
Maryland	34	-	12	1	3	182	-	13	-	9	11	-	-	124	4	105	3	-	22,648
Massachusetts	4	1	11	1	1	31	196	3	-	1	8	-	40	6	2	5	2	2	51,688
Michigan	2	2	148	4	1	23	1	2	1	6	20	-	-	4	4	6	102	1	54,374
Minnesota	1	153	15	12	2	4	-	-	122	3	10	1	-	4	20	2	283	11	26,453
Mississippi	3	-	5	2	-	3	-	1	-	57	14	1	-	3	-	-	3	-	20,666
Missouri	2	4	20	64	2	11	1	2	5	17	28	2	-	3	4	5	10	3	42,248
Montana	1	36	1	1	3	1	-	-	10	2	2	1	-	3	19	-	3	21	5,662
Nebraska	1	1	4	12	2	1	-	1	43	-	6	-	-	-	-	-	2	30	12,583
Nevada	-	-	2	4	-	3	-	-	-	1	2	11	-	1	1	1	1	1	1,647
New Hampshire	-	-	1	-	-	4	3	-	-	1	2	-	94	-	-	-	1	-	6,189
New Jersey	12	-	15	-	-	442	5	5	-	1	4	1	5	13	2	4	2	-	47,815
New Mexico	2	-	15	44	3	10	-	2	1	2	137	1	1	1	-	3	7	5	5,500
New York	21	-	68	4	5	491	31	20	2	9	18	-	38	30	7	9	-	6	152,364
North Carolina	...	2	15	4	2	35	2	143	-	46	14	1	-	155	2	9	3	2	29,390
North Dakota	-	...	-	1	-	-	-	-	28	-	1	-	-	1	5	-	3	-	5,116
Ohio	4	1	...	8	3	207	2	3	2	15	9	2	-	12	4	197	8	1	80,193
Oklahoma	1	-	8	...	-	8	-	-	-	4	111	1	-	2	2	1	1	-	18,925
Oregon	1	2	2	7	...	2	1	-	-	4	10	3	-	-	250	-	-	3	13,153
Pennsylvania	9	-	190	3	2	...	6	5	9	7	6	3	-	27	2	78	5	-	110,333
Rhode Island	-	-	9	-	2	14	...	2	-	2	5	2	1	4	-	-	1	-	8,409
South Carolina	99	-	7	-	-	6	3	...	1	6	2	-	-	3	-	2	1	-	18,139
South Dakota	1	43	5	3	1	3	-	1	...	1	1	2	-	-	-	-	3	19	5,650
Tennessee	53	1	41	13	2	26	1	9	1	...	32	1	-	57	3	8	4	-	27,854
Texas	5	1	19	167	1	16	-	-	2	7	...	1	-	4	10	5	5	1	61,565
Utah	-	2	4	1	4	6	-	-	1	-	8	...	1	-	4	2	2	24	4,957
Vermont	-	-	1	-	-	1	-	-	-	-	-	-	...	-	-	-	-	-	4,274
Virginia	209	-	23	4	1	55	3	8	-	67	14	1	3	...	2	101	3	-	28,739
Washington	2	13	3	14	172	9	1	1	5	-	23	10	-	2	...	-	8	2	21,849
West Virginia	4	-	301	5	2	62	-	1	-	3	2	-	-	87	1	...	3	-	16,603
Wisconsin	3	6	5	1	-	8	-	-	6	-	10	-	-	-	3	2	...	1	31,674
Wyoming	-	2	4	3	-	-	-	1	7	3	6	7	-	1	10	-	2	...	2,278

[1]See discussion on p.VIII for definition of nonresident.

TABLE 18.—DEATHS BY SPECIFIED RACE: UNITED STATES AND EACH STATE, 1944

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	White	Negro	Indian	Chinese	Japanese	All other
UNITED STATES	1,411,838	1,238,829	165,180	4,748	1,824	916	341
Alabama	26,157	14,818	11,336	1	-	1	1
Arizona	6,205	4,898	261	865	25	152	4
Arkansas	14,515	10,175	4,270	5	5	60	-
California	90,802	86,717	2,753	312	570	221	229
Colorado	12,258	11,892	250	19	7	87	3
Connecticut	18,919	18,353	552	1	10	2	1
Delaware	3,345	2,718	626	-	-	-	1
District of Columbia	8,223	5,258	2,931	3	28	2	1
Florida	23,500	16,565	6,915	13	4	1	2
Georgia	29,401	16,615	12,781	3	2	-	-
Idaho	4,673	4,566	9	54	4	40	-
Illinois	88,180	81,497	6,561	10	72	27	13
Indiana	39,376	37,314	2,058	1	1	1	1
Iowa	26,094	25,789	286	14	1	3	1
Kansas	18,535	17,541	981	11	1	-	1
Kentucky	28,371	24,750	3,616	3	1	1	-
Louisiana	23,567	13,315	10,238	6	4	-	4
Maine	10,279	10,240	21	18	-	-	-
Maryland	22,648	17,702	4,928	-	16	1	1
Massachusetts	51,688	50,710	919	10	45	3	1
Michigan	54,374	51,114	3,134	100	20	2	4
Minnesota	26,453	26,103	148	193	3	4	2
Mississippi	20,666	9,286	11,386	33	8	3	-
Missouri	42,248	38,157	4,076	3	10	-	2
Montana	5,662	5,331	18	301	5	6	1
Nebraska	12,583	12,290	228	61	-	4	-
Nevada	1,647	1,514	32	89	8	4	-
New Hampshire	6,189	6,177	12	-	-	-	-
New Jersey	47,815	44,347	3,439	5	22	1	1
New Mexico	5,500	4,950	73	466	2	9	-
New York	152,364	144,050	7,885	120	258	33	18
North Carolina	29,390	19,226	9,965	196	3	-	-
North Dakota	5,116	4,989	7	120	-	-	-
Ohio	80,193	74,675	5,488	5	19	4	2
Oklahoma	18,925	16,489	1,804	627	5	-	-
Oregon	13,158	12,896	78	118	39	20	2
Pennsylvania	110,333	102,912	7,358	2	51	5	5
Rhode Island	8,409	8,226	179	1	3	-	-
South Carolina	18,139	9,064	9,069	4	1	-	1
South Dakota	5,650	5,272	1	376	-	-	1
Tennessee	27,854	21,162	6,689	-	1	-	2
Texas	61,565	50,919	10,604	9	13	15	5
Utah	4,957	4,786	37	37	8	88	1
Vermont	4,274	4,270	3	-	-	-	1
Virginia	28,739	19,483	9,247	5	2	1	1
Washington	21,849	21,187	248	303	38	46	27
West Virginia	16,603	15,170	1,432	-	1	-	-
Wisconsin	31,674	31,292	209	164	7	2	-
Wyoming	2,278	2,109	39	61	1	67	1

TABLE 19.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1944

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
UNITED STATES	1,411,338	150,487	119,970	126,050	118,376	116,238	109,908	109,101	105,815	102,044	113,622	113,570	126,157
Male	789,861	82,726	67,074	70,314	65,685	64,941	61,391	61,215	59,413	57,890	64,016	64,034	71,162
Female	621,477	67,761	52,896	55,736	52,691	51,297	48,517	47,886	46,402	44,154	49,606	49,536	54,995
White	1,238,829	132,608	105,587	110,857	104,063	101,981	95,736	95,214	92,769	89,326	99,845	100,060	110,763
Male	697,731	73,256	59,402	62,173	58,044	57,378	53,881	53,738	52,132	51,096	56,569	56,782	62,980
Female	541,098	59,352	46,185	48,684	46,019	44,603	41,855	41,476	40,357	38,230	43,276	43,278	47,783
Nonwhite	172,509	17,879	14,383	15,193	14,313	14,257	14,172	13,887	13,026	12,718	13,777	13,510	15,394
Male	92,130	9,470	7,672	8,141	7,641	7,563	7,510	7,477	6,981	6,794	7,447	7,252	8,182
Female	80,379	8,409	6,711	7,052	6,672	6,694	6,662	6,410	6,045	5,924	6,330	6,258	7,212
ALABAMA	26,157	2,785	2,205	2,169	2,165	2,197	2,104	2,110	1,903	1,922	2,060	2,091	2,446
Male	14,293	1,524	1,201	1,153	1,170	1,226	1,126	1,183	1,016	1,042	1,142	1,163	1,347
Female	11,864	1,261	1,004	1,016	995	971	978	927	887	880	918	928	1,099
White	14,818	1,608	1,233	1,249	1,223	1,254	1,186	1,189	1,045	1,068	1,215	1,174	1,376
Male	8,372	897	689	687	692	719	669	680	585	600	692	678	784
Female	6,446	711	544	562	531	535	517	509	460	468	521	496	592
Nonwhite	11,339	1,177	972	920	942	943	918	921	858	854	847	917	1,070
Male	5,921	627	512	466	478	507	457	503	431	442	450	485	563
Female	5,418	550	460	454	464	436	461	418	427	412	397	432	507
ARIZONA	6,205	671	604	550	506	534	477	480	478	407	440	515	543
Male	3,987	446	405	365	324	315	283	276	307	261	278	344	363
Female	2,238	225	199	185	182	219	194	204	171	146	162	171	180
White	4,898	544	499	419	401	420	358	353	370	306	346	429	453
Male	3,221	370	340	296	268	252	218	206	246	208	223	288	306
Female	1,677	174	159	123	133	168	140	147	124	98	123	141	147
Nonwhite	1,307	127	105	131	105	114	119	127	108	101	94	86	90
Male	766	76	65	69	56	63	65	70	61	53	55	56	57
Female	561	51	40	62	49	51	54	57	47	48	39	30	33
ARKANSAS	14,515	1,681	1,226	1,291	1,266	1,098	1,194	1,180	1,071	1,022	1,131	1,108	1,247
Male	8,313	939	710	750	739	637	670	665	628	584	645	620	726
Female	6,202	742	516	541	527	461	524	515	443	438	486	488	521
White	10,175	1,194	870	912	864	791	805	811	725	692	806	793	912
Male	5,895	684	522	553	527	473	461	485	457	408	467	456	542
Female	4,280	510	348	359	337	318	344	326	288	284	339	337	370
Nonwhite	4,340	487	356	379	402	307	389	369	346	330	325	315	335
Male	2,318	275	188	197	212	164	209	180	191	176	178	164	184
Female	2,022	212	168	182	190	143	180	189	155	154	147	151	151
CALIFORNIA	90,802	9,166	7,871	8,089	7,177	7,408	6,891	7,094	6,893	6,825	7,275	7,671	8,442
Male	55,342	5,428	4,638	4,654	4,228	4,426	4,035	4,155	4,031	3,978	4,288	4,524	4,957
Female	37,460	3,738	3,233	3,435	2,949	2,982	2,856	2,939	2,862	2,847	2,987	3,147	3,485
White	86,717	8,770	7,542	7,733	6,872	7,048	6,587	6,729	6,590	6,514	6,956	7,328	8,048
Male	50,658	5,166	4,416	4,422	4,054	4,194	3,839	3,897	3,840	3,777	4,090	4,296	4,687
Female	36,059	3,604	3,126	3,311	2,838	2,854	2,748	2,832	2,750	2,737	2,866	3,032	3,361
Nonwhite	4,085	396	329	356	305	360	304	365	303	311	319	343	394
Male	2,684	262	222	232	194	232	196	258	191	201	128	228	270
Female	1,401	134	107	124	111	128	108	107	112	110	121	115	124
COLORADO	12,258	1,182	1,066	1,102	1,045	1,035	946	908	976	934	1,018	986	1,060
Male	7,234	664	629	673	598	620	542	518	606	562	594	583	645
Female	5,024	518	437	429	447	415	404	390	370	372	424	403	415
White	11,892	1,145	1,027	1,073	1,016	1,008	914	882	945	913	979	960	1,030
Male	7,004	641	600	650	586	605	518	501	590	549	570	569	625
Female	4,888	504	427	423	430	403	396	381	355	364	409	391	405
Nonwhite	366	37	39	29	29	27	32	26	31	21	39	26	30
Male	230	23	29	23	12	15	24	17	16	13	24	14	20
Female	136	14	10	6	17	12	8	9	15	8	15	12	10
CONNECTICUT	18,919	1,996	1,687	1,643	1,681	1,506	1,443	1,560	1,344	1,357	1,525	1,509	1,718
Male	10,171	1,069	908	898	887	790	812	791	731	716	846	821	932
Female	8,748	927	779	745	774	716	631	769	613	641	679	688	786
White	18,353	1,951	1,652	1,579	1,582	1,456	1,382	1,512	1,303	1,321	1,488	1,477	1,670
Male	9,849	1,045	878	858	828	765	776	767	708	693	822	807	902
Female	8,504	906	754	721	754	691	606	745	595	628	666	670	768
Nonwhite	566	45	55	64	49	50	61	48	41	36	37	32	49
Male	322	24	30	40	29	25	36	24	23	23	24	14	30
Female	244	21	25	24	20	25	25	24	18	13	13	18	18
DELAWARE	3,345	333	289	295	282	294	253	261	214	253	285	284	302
Male	1,797	170	162	154	156	151	130	144	119	138	149	146	178
Female	1,548	163	127	141	126	143	123	117	95	115	136	138	124
White	2,718	289	235	247	217	230	208	215	181	198	227	228	243
Male	1,463	145	130	131	119	120	111	114	100	111	122	116	144
Female	1,255	144	105	116	98	110	97	101	81	87	105	112	99
Nonwhite	627	44	54	48	65	64	45	46	33	55	58	56	59
Male	334	25	32	23	37	31	19	30	19	27	27	30	34
Female	293	19	22	25	28	33	26	16	14	28	31	26	25
DISTRICT OF COLUMBIA	8,223	791	689	755	674	641	625	658	619	608	742	684	737
Male	4,361	409	376	382	370	355	323	333	318	342	402	364	387
Female	3,862	382	313	373	304	286	302	325	301	266	340	320	350
White	5,258	519	435	486	414	398	394	396	391	384	489	464	488
Male	2,846	270	233	244	228	228	206	210	210	226	276	250	265
Female	2,412	249	202	242	186	170	188	186	181	158	213	214	223
Nonwhite	2,965	272	254	269	260	243	231	262	228	224	253	220	249
Male	1,515	139	143	138	142	127	117	123	108	116	126	114	122
Female	1,450	133	111	131	118	116	114	139	120	108	127	106	127
FLORIDA	23,500	2,468	1,938	1,998	1,843	1,871	1,963	1,823	1,791	1,770	1,835	1,935	2,265
Male	14,193	1,473	1,145	1,194	1,128	1,158	1,148	1,109	1,071	1,069	1,103	1,211	1,394
Female	9,307	995	793	814	715	713	815	714	720	701	732	724	871
White	16,565	1,759	1,384	1,408	1,303	1,306	1,387	1,284	1,235	1,233	1,284	1,368	1,587
Male	10,378	1,101	860	855	815	831	857	828	763	765	802	904	997
Female	6,187	658	524	550	488	475	530	456	472	468	482	484	590
Nonwhite	6,935	709	554	593	540	565	576	539	556	537	551	567	678
Male	3,815	372	285	329	313	327	291	281	308	304	301	307	397
Female	3,120	337	269	264	227	238	285	258	245	233	250	240	281

TABLE 19.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE. 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
GEORGIA	29,401	3,183	2,346	2,352	2,377	2,415	2,129	2,315	2,234	2,257	2,373	2,387	2,705
Male	16,336	1,737	1,259	1,323	1,314	1,337	1,331	1,291	1,234	1,277	1,379	1,350	1,504
Female	13,065	1,446	1,087	1,029	1,063	1,108	1,098	1,024	1,000	980	994	1,037	1,199
White	16,615	1,780	1,302	1,344	1,373	1,386	1,319	1,318	1,306	1,271	1,321	1,352	1,543
Male	9,608	993	718	772	796	809	734	757	750	750	804	815	910
Female	7,007	787	584	572	577	577	585	561	556	521	517	537	633
Nonwhite	12,786	1,403	1,044	1,008	1,004	1,059	1,110	997	928	986	1,052	1,035	1,160
Male	6,728	744	541	551	518	528	597	534	484	527	575	535	594
Female	6,058	659	503	457	486	531	513	463	444	459	477	500	566
IDAHO	4,673	516	364	384	356	367	354	380	347	358	414	404	429
Male	2,851	311	241	253	210	208	209	246	204	219	248	239	263
Female	1,822	205	123	131	146	159	145	134	143	139	166	165	166
White	4,566	505	352	372	347	364	347	371	338	351	402	396	421
Male	2,794	308	236	246	208	207	205	230	199	215	240	234	258
Female	1,772	197	116	126	139	157	142	133	139	136	162	162	163
Nonwhite	107	11	12	12	9	3	7	9	9	7	12	8	8
Male	57	3	5	7	2	1	4	8	5	4	8	5	5
Female	50	8	7	5	7	2	3	1	4	3	4	3	3
ILLINOIS	88,180	8,902	7,505	8,198	7,431	7,237	7,047	6,634	6,683	6,306	7,157	7,055	8,025
Male	49,057	4,829	4,116	4,534	4,102	4,077	3,989	3,682	3,702	3,533	4,079	3,915	4,499
Female	39,123	4,073	3,389	3,664	3,329	3,160	3,058	2,952	2,981	2,773	3,078	3,140	3,526
White	81,497	8,293	6,943	7,620	6,869	6,684	6,502	6,080	6,150	5,816	6,613	6,524	7,403
Male	45,471	4,515	3,818	4,216	3,793	3,770	3,684	3,387	3,426	3,286	3,782	3,635	4,159
Female	36,026	3,778	3,125	3,404	3,076	2,914	2,818	2,693	2,724	2,530	2,831	2,889	3,244
Nonwhite	6,683	609	562	578	562	553	545	554	533	490	544	531	622
Male	3,586	314	298	318	309	307	305	295	276	247	297	280	340
Female	3,097	295	264	260	253	246	240	259	257	243	247	251	282
INDIANA	39,376	4,073	3,453	3,555	3,279	3,303	3,015	3,034	2,883	2,874	3,208	3,149	3,550
Male	21,680	2,216	1,874	1,964	1,784	1,830	1,650	1,628	1,598	1,627	1,804	1,733	1,972
Female	17,696	1,857	1,579	1,591	1,495	1,473	1,365	1,406	1,285	1,247	1,404	1,416	1,578
White	37,314	3,860	3,272	3,382	3,101	3,137	2,855	2,868	2,745	2,719	3,036	2,973	3,366
Male	20,601	2,098	1,776	1,872	1,704	1,741	1,565	1,547	1,522	1,545	1,705	1,645	1,881
Female	16,713	1,762	1,496	1,510	1,397	1,396	1,290	1,321	1,223	1,174	1,331	1,328	1,485
Nonwhite	2,062	213	181	173	178	166	160	166	138	155	172	176	184
Male	1,079	118	98	92	80	89	85	81	76	82	99	88	91
Female	983	95	83	81	98	77	75	85	62	73	73	88	93
IOWA	26,094	2,979	2,128	2,376	2,308	2,242	1,998	1,921	1,904	1,844	2,050	2,066	2,278
Male	14,413	1,578	1,185	1,298	1,267	1,255	1,111	1,097	1,075	1,022	1,119	1,144	1,262
Female	11,681	1,401	943	1,078	1,041	987	887	824	829	822	931	922	1,016
White	25,789	2,949	2,098	2,353	2,275	2,219	1,970	1,898	1,878	1,820	2,026	2,049	2,254
Male	14,248	1,560	1,165	1,285	1,252	1,242	1,096	1,086	1,061	1,007	1,111	1,136	1,247
Female	11,541	1,389	933	1,068	1,023	977	874	812	817	813	915	913	1,007
Nonwhite	305	30	30	23	33	23	28	23	26	24	24	17	24
Male	165	18	20	13	15	13	15	11	14	15	8	8	15
Female	140	12	10	10	18	10	13	12	12	9	16	9	9
KANSAS	18,535	2,026	1,617	1,729	1,636	1,530	1,461	1,372	1,363	1,305	1,426	1,424	1,646
Male	10,548	1,100	930	964	914	876	823	825	786	778	802	816	932
Female	7,987	926	687	765	722	652	638	547	577	527	624	608	714
White	17,541	1,902	1,538	1,628	1,570	1,452	1,387	1,282	1,287	1,235	1,358	1,354	1,548
Male	9,988	1,029	880	907	878	835	780	769	746	742	764	783	875
Female	7,553	873	658	721	692	617	607	513	541	493	594	571	673
Nonwhite	994	124	79	101	66	78	74	90	76	70	68	70	98
Male	560	71	50	57	36	43	43	56	40	36	38	33	57
Female	434	53	29	44	30	35	31	34	36	34	30	37	41
KENTUCKY	28,371	3,243	2,504	2,564	2,296	2,244	2,210	2,216	2,068	2,107	2,159	2,241	2,519
Male	15,747	1,768	1,421	1,386	1,282	1,275	1,190	1,235	1,133	1,229	1,214	1,250	1,364
Female	12,624	1,475	1,083	1,178	1,014	969	1,020	981	935	878	945	991	1,155
White	24,750	2,841	2,216	2,224	1,992	1,972	1,946	1,910	1,773	1,828	1,902	1,949	2,197
Male	13,811	1,559	1,260	1,209	1,124	1,118	1,054	1,072	963	1,078	1,060	1,098	1,216
Female	10,939	1,282	956	1,015	868	854	892	838	810	750	842	851	981
Nonwhite	3,621	402	288	340	304	272	264	306	295	279	257	292	322
Male	1,936	209	161	177	158	157	136	163	170	151	154	152	148
Female	1,685	193	127	163	146	115	128	143	125	128	103	140	174
LOUISIANA	25,567	2,682	1,914	1,929	1,788	1,882	2,072	1,856	1,799	1,675	1,849	1,909	2,212
Male	15,011	1,463	1,070	1,079	983	1,009	1,120	1,047	1,003	902	1,034	1,082	1,219
Female	10,556	1,219	844	850	805	873	952	809	796	773	815	827	993
White	15,315	1,540	1,128	1,098	980	1,001	1,153	1,029	1,014	927	1,055	1,090	1,300
Male	7,709	863	664	630	565	573	653	617	596	540	620	636	752
Female	5,606	677	464	468	415	428	500	412	418	387	435	454	548
Nonwhite	10,252	1,142	786	831	808	881	919	827	785	748	794	819	912
Male	5,302	600	406	449	418	436	467	430	407	362	414	446	467
Female	4,950	542	380	382	390	445	452	397	378	386	380	373	445
MAINE	10,279	1,124	852	957	918	813	774	779	800	753	851	799	861
Male	5,560	589	471	517	457	448	406	435	465	400	448	447	477
Female	4,719	535	381	440	459	365	368	344	335	353	403	352	384
White	10,240	1,121	847	951	914	809	771	776	794	751	849	797	860
Male	5,533	588	469	513	456	444	404	433	460	398	446	446	476
Female	4,707	533	378	438	458	365	367	343	334	353	403	351	384
Nonwhite	39	3	5	6	2	4	3	3	6	2	2	2	1
Male	27	1	2	4	1	4	2	2	5	2	2	1	1
Female	12	2	3	2	1	—	1	1	1	—	—	1	—
MARYLAND	22,648	2,459	1,976	2,090	1,894	1,836	1,752	1,716	1,624	1,531	1,887	1,777	2,106
Male	12,508	1,356	1,088	1,126	1,017	1,023	989	915	920	863	1,033	1,024	1,174
Female	10,140	1,103	888	964	877	813	783	801	704	668	854	753	932
White	17,702	1,929	1,534	1,567	1,507	1,444	1,368	1,364	1,272	1,184	1,479	1,390	1,664
Male	9,754	1,059	852	822	818	812	758	727	723	676	790	789	928
Female	7,948	870	682	745	689	632	610	637	549	508	689	601	736
Nonwhite	4,946	530	442	523	387	392	384	352	352	347	408	387	442
Male	2,754	297	236	304	199	211	211	186	197	187	243	235	246
Female	2,192	233	206	219	188	181	173	166	155	160	165	152	196

TABLE 19.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
MASSACHUSETTS	51,688	5,769	4,314	4,647	4,341	4,372	3,837	3,865	3,925	3,705	4,257	4,204	4,454
Male	27,174	2,944	2,227	2,467	2,258	2,250	1,993	2,089	2,146	1,987	2,255	2,202	2,356
Female	24,514	2,825	2,087	2,180	2,083	2,122	1,844	1,776	1,777	1,718	2,002	2,002	2,098
White	50,710	5,653	4,226	4,558	4,261	4,300	3,761	3,782	3,859	3,634	4,191	4,124	4,361
Male	26,604	2,874	2,178	2,425	2,209	2,210	1,945	2,054	2,101	1,950	2,220	2,153	2,307
Female	24,106	2,779	2,048	2,133	2,052	2,090	1,816	1,728	1,758	1,684	1,971	1,971	2,054
Nonwhite	978	116	88	89	80	72	76	83	64	71	66	80	93
Male	570	70	49	44	49	40	48	55	45	37	35	49	49
Female	408	46	39	45	31	32	28	28	19	34	31	31	44
MICHIGAN	54,374	5,749	4,614	4,797	4,526	4,576	4,324	4,177	4,208	3,946	4,422	4,415	4,622
Male	30,952	3,185	2,620	2,761	2,568	2,617	2,466	2,409	2,355	2,272	2,479	2,550	2,672
Female	23,422	2,564	1,994	2,036	1,958	1,959	1,858	1,768	1,855	1,674	1,943	1,865	1,950
White	51,114	5,438	4,321	4,543	4,230	4,283	4,055	3,920	3,949	3,696	4,161	4,164	4,354
Male	29,228	3,028	2,462	2,626	2,413	2,446	2,325	2,268	2,205	2,149	2,356	2,412	2,540
Female	21,886	2,410	1,859	1,917	1,817	1,837	1,730	1,652	1,746	1,547	1,805	1,752	1,814
Nonwhite	3,260	311	293	254	296	293	269	257	259	250	261	249	268
Male	1,724	157	158	135	155	171	141	141	150	123	123	138	132
Female	1,536	154	135	119	141	122	128	116	109	127	138	111	136
MINNESOTA	26,453	2,644	2,290	2,401	2,316	2,275	2,007	1,945	2,037	1,923	2,166	2,189	2,260
Male	15,243	1,459	1,339	1,342	1,290	1,280	1,163	1,113	1,196	1,126	1,296	1,296	1,343
Female	11,210	1,185	951	1,059	1,026	995	844	832	841	797	870	893	917
White	26,103	2,610	2,255	2,373	2,285	2,244	1,978	1,920	2,010	1,899	2,134	2,158	2,237
Male	15,041	1,446	1,316	1,328	1,277	1,259	1,140	1,095	1,177	1,111	1,278	1,285	1,329
Female	11,062	1,164	939	1,045	1,008	985	838	825	833	788	856	873	908
Nonwhite	350	34	35	28	31	31	29	25	27	24	32	31	23
Male	202	13	23	14	13	21	23	18	19	15	18	11	14
Female	148	21	12	14	18	10	6	7	8	9	14	20	9
MISSISSIPPI	20,666	2,290	1,696	1,820	1,617	1,685	1,765	1,657	1,530	1,464	1,650	1,598	1,694
Male	11,214	1,238	875	1,000	878	899	977	900	846	813	904	860	1,024
Female	9,452	1,052	821	820	739	786	788	757	684	651	746	738	670
White	9,236	1,013	741	797	687	776	789	695	707	660	749	735	887
Male	5,366	587	419	458	385	427	469	421	438	392	426	423	523
Female	3,870	426	322	339	304	349	320	274	269	268	323	312	364
Nonwhite	11,430	1,277	955	1,023	930	909	976	962	823	804	901	863	1,007
Male	5,848	651	456	542	495	472	508	479	408	421	478	437	501
Female	5,582	626	499	481	435	437	468	483	415	383	423	426	506
MISSOURI	42,248	4,428	3,785	3,735	3,617	3,485	3,284	3,144	3,056	3,042	3,381	3,382	3,910
Male	23,405	2,378	2,097	2,076	2,039	1,929	1,796	1,750	1,717	1,698	1,861	1,855	2,211
Female	18,843	2,051	1,688	1,659	1,578	1,554	1,488	1,394	1,339	1,344	1,520	1,529	1,699
White	38,157	4,031	3,410	3,367	3,264	3,139	2,972	2,785	2,761	2,762	3,039	3,072	3,545
Male	21,226	2,187	1,877	1,894	1,837	1,755	1,634	1,567	1,558	1,553	1,676	1,688	2,010
Female	16,931	1,844	1,533	1,483	1,427	1,384	1,338	1,228	1,203	1,209	1,363	1,384	1,535
Nonwhite	4,091	398	375	368	353	344	312	349	295	280	342	310	365
Male	2,179	191	220	192	202	174	162	183	159	145	185	165	201
Female	1,912	207	155	176	151	170	150	166	136	135	157	145	164
MONTANA	5,882	552	476	517	466	454	469	465	393	424	449	498	489
Male	3,507	339	291	337	277	271	309	293	236	252	282	303	317
Female	2,155	223	185	180	189	183	160	172	157	172	167	195	172
White	5,331	533	446	484	438	425	441	445	362	388	421	477	471
Male	3,336	325	281	320	267	253	291	285	219	235	265	290	309
Female	1,995	210	165	164	171	172	150	160	143	153	158	187	162
Nonwhite	331	29	30	33	28	29	28	20	31	36	28	21	18
Male	171	16	10	17	10	18	18	8	17	17	19	13	8
Female	160	13	20	16	18	11	10	12	14	19	9	8	10
NEBRASKA	12,583	1,356	1,100	1,103	1,118	1,053	996	891	940	927	1,020	946	1,133
Male	7,170	749	631	617	634	621	545	507	555	521	576	560	654
Female	5,413	607	469	486	484	432	451	384	385	406	444	386	479
White	12,290	1,331	1,078	1,082	1,089	1,030	967	873	908	909	1,003	916	1,104
Male	7,008	733	620	608	619	604	530	498	535	508	569	544	640
Female	5,282	598	458	474	470	426	437	375	373	401	434	372	464
Nonwhite	293	25	22	21	29	23	29	18	32	18	17	30	29
Male	162	16	11	9	15	17	15	9	20	13	7	16	14
Female	131	9	11	12	14	6	14	9	12	5	10	14	15
NEVADA	1,647	141	150	158	152	135	115	123	114	119	168	138	134
Male	1,183	100	109	105	114	92	84	83	93	86	123	104	90
Female	464	41	41	53	38	43	31	40	21	33	45	34	44
White	1,514	125	136	145	147	122	107	114	105	106	156	128	123
Male	1,109	92	103	99	111	83	77	80	88	77	118	97	84
Female	405	33	33	46	36	39	30	34	17	29	38	31	39
Nonwhite	133	16	14	13	5	13	8	9	9	13	12	10	11
Male	74	8	6	6	3	9	7	3	5	9	5	7	6
Female	59	8	8	7	2	4	1	6	4	4	7	3	5
NEW HAMPSHIRE	6,189	730	507	543	531	542	472	472	463	441	469	476	543
Male	3,284	383	269	297	272	295	238	245	248	237	235	280	285
Female	2,905	347	238	246	259	247	234	227	215	204	234	196	258
White	6,177	729	507	543	529	542	472	472	459	439	468	475	542
Male	3,277	383	269	297	270	295	238	245	245	236	235	280	284
Female	2,900	346	238	246	259	247	234	227	214	203	233	195	258
Nonwhite	12	1	-	-	2	-	-	-	4	2	1	1	1
Male	7	-	-	-	2	-	-	-	3	1	-	-	1
Female	5	1	-	-	-	-	-	-	1	1	1	1	-
NEW JERSEY	47,815	5,175	4,038	4,445	3,945	3,963	3,600	3,607	3,618	3,341	4,063	3,858	4,164
Male	25,925	2,783	2,227	2,408	2,107	2,155	1,910	1,882	1,989	1,873	2,186	2,091	2,314
Female	21,890	2,392	1,811	2,037	1,838	1,808	1,690	1,725	1,627	1,468	1,877	1,767	1,850
White	44,347	4,831	3,744	4,135	3,641	3,655	3,314	3,359	3,347	3,087	3,770	3,608	3,856
Male	24,071	2,622	2,078	2,241	1,941	1,974	1,765	1,751	1,836	1,726	2,034	1,947	2,156
Female	20,276	2,209	1,666	1,894	1,700	1,681	1,549	1,608	1,511	1,361	1,736	1,661	1,700
Nonwhite	3,468	344	294	310	304	308	286	248	269	254	293	250	308
Male	1,854	161	149	167	166	181	145	131	153	147	152	144	158
Female	1,614	183	145	143	138	127	141	117	116	107	141	106	150

TABLE 19.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
NEW MEXICO	5,500	520	451	461	406	462	384	443	456	539	451	463	454
Male	3,291	313	273	264	237	253	242	247	268	346	291	288	269
Female	2,209	207	178	197	169	209	142	196	188	193	160	175	185
White	4,950	480	408	412	372	417	356	402	406	476	402	406	412
Male	3,005	292	253	237	221	252	222	229	245	307	265	255	247
Female	1,945	188	156	175	151	165	134	173	161	169	137	151	165
Nonwhite	550	40	42	49	34	45	38	41	50	63	49	57	42
Male	286	21	20	27	16	21	20	18	23	39	26	33	22
Female	264	19	22	22	18	24	18	23	27	24	23	24	20
NEW YORK	152,364	15,694	12,737	13,525	13,289	12,777	11,341	11,959	11,713	10,802	12,641	12,362	13,444
Male	83,107	8,471	7,068	7,344	7,146	6,903	6,271	6,617	6,360	6,040	6,810	6,733	7,344
Female	69,257	7,223	5,669	6,181	6,143	5,874	5,070	5,342	5,353	4,842	5,831	5,629	6,100
White	144,050	14,975	12,016	12,811	12,543	12,061	10,712	11,266	11,032	10,259	11,974	11,694	12,707
Male	78,685	8,075	6,663	6,992	6,736	6,529	5,967	6,241	5,987	5,697	6,441	6,385	6,952
Female	65,385	6,900	5,353	5,819	5,807	5,532	4,745	5,025	5,045	4,562	5,533	5,309	5,755
Nonwhite	8,314	719	721	714	746	716	629	693	681	623	667	668	737
Male	4,442	396	405	352	410	374	304	376	373	343	369	348	392
Female	3,872	323	316	362	336	342	325	317	308	280	298	320	345
NORTH CAROLINA	29,390	3,195	2,510	2,608	2,433	2,378	2,410	2,299	2,075	2,115	2,328	2,331	2,708
Male	16,366	1,737	1,373	1,439	1,365	1,299	1,320	1,322	1,174	1,171	1,314	1,324	1,528
Female	13,024	1,458	1,137	1,169	1,068	1,079	1,090	977	901	944	1,014	1,007	1,180
White	19,226	2,134	1,689	1,692	1,598	1,560	1,512	1,509	1,364	1,379	1,524	1,526	1,739
Male	11,098	1,166	963	969	934	883	852	898	803	797	923	907	1,003
Female	8,128	968	726	723	664	677	660	611	561	582	601	619	736
Nonwhite	10,164	1,061	821	916	835	818	898	790	711	736	804	805	969
Male	5,268	571	410	470	431	416	468	424	371	374	391	417	525
Female	4,896	490	411	446	404	402	430	366	340	362	413	388	444
NORTH DAKOTA	5,116	516	409	476	453	423	396	378	381	413	399	431	441
Male	3,058	301	232	271	262	260	260	226	224	285	238	250	269
Female	2,058	215	177	205	191	163	136	152	157	148	161	181	172
White	4,989	502	396	459	443	411	388	369	371	406	386	421	437
Male	2,995	295	226	266	255	252	255	220	222	264	231	244	265
Female	1,994	207	170	193	188	159	133	149	149	142	155	177	172
Nonwhite	127	14	13	17	10	12	8	9	10	7	13	10	4
Male	63	6	6	5	7	8	5	6	2	1	7	6	4
Female	64	8	7	12	3	4	3	3	8	6	6	4	-
OHIO	80,193	8,686	6,663	7,172	6,921	6,715	6,192	5,991	5,842	5,865	6,588	6,469	7,069
Male	44,124	4,603	3,677	3,912	3,748	3,733	3,416	3,277	3,230	3,207	3,674	3,641	3,916
Female	36,069	4,093	2,986	3,260	3,173	2,982	2,776	2,714	2,612	2,658	2,924	2,828	3,153
White	74,675	8,143	6,217	6,636	6,426	6,244	5,748	5,598	5,429	5,469	6,133	6,032	6,600
Male	41,073	4,290	3,433	3,602	3,477	3,470	3,157	3,061	3,011	3,073	3,412	3,403	3,675
Female	33,602	3,844	2,784	3,034	2,949	2,774	2,591	2,537	2,418	2,396	2,721	2,629	2,925
Nonwhite	5,518	553	446	536	495	471	444	393	413	396	455	437	469
Male	3,051	304	244	310	271	263	259	216	219	224	262	238	241
Female	2,467	249	202	226	224	208	185	177	194	172	203	199	228
OKLAHOMA	18,925	2,130	1,574	1,664	1,491	1,490	1,475	1,537	1,508	1,372	1,443	1,512	1,729
Male	11,023	1,259	919	974	865	880	880	910	881	807	864	878	1,006
Female	7,902	871	655	690	626	610	645	627	677	565	579	634	723
White	16,489	1,855	1,385	1,460	1,297	1,285	1,290	1,329	1,322	1,192	1,249	1,329	1,516
Male	9,720	1,106	818	853	767	764	740	799	737	714	752	775	895
Female	6,769	749	567	607	530	521	550	530	585	478	497	554	621
Nonwhite	2,436	295	189	204	194	205	185	208	186	180	194	183	213
Male	1,303	153	101	121	98	116	90	111	94	93	112	103	111
Female	1,133	142	88	83	96	89	95	97	92	87	82	80	102
OREGON	13,153	1,374	1,087	1,167	1,153	1,089	1,048	1,019	962	910	1,033	1,081	1,230
Male	7,961	828	631	718	692	662	628	615	589	567	653	640	738
Female	5,192	546	456	449	461	427	420	404	373	343	380	441	492
White	12,896	1,348	1,063	1,146	1,136	1,067	1,026	997	944	884	1,012	1,065	1,208
Male	7,792	811	618	705	680	645	614	600	574	547	639	633	726
Female	5,104	537	445	441	456	422	412	397	370	337	373	432	482
Nonwhite	257	26	24	21	17	22	22	22	18	26	21	16	22
Male	169	17	13	13	12	17	14	15	15	20	14	7	12
Female	88	9	11	8	5	5	8	7	3	6	7	9	10
PENNSYLVANIA	110,333	12,186	9,357	10,136	9,631	9,109	8,252	8,342	8,015	7,900	8,676	8,948	9,780
Male	60,377	6,639	5,142	5,555	5,212	4,888	4,435	4,585	4,386	4,387	4,790	4,867	5,391
Female	49,956	5,547	4,215	4,581	4,419	4,221	3,818	3,757	3,629	3,513	3,886	3,981	4,389
White	102,912	11,422	8,736	9,444	8,956	8,472	7,699	7,798	7,481	7,360	8,095	8,312	9,137
Male	56,307	6,236	4,777	5,174	4,851	4,556	4,139	4,263	4,092	4,089	4,476	4,606	5,046
Female	46,605	5,186	3,959	4,270	4,105	3,916	3,560	3,535	3,389	3,271	3,619	3,704	4,091
Nonwhite	7,421	764	621	692	675	637	554	544	534	540	581	636	643
Male	4,070	403	365	381	361	332	296	322	294	298	314	359	345
Female	3,351	361	256	311	314	305	258	222	240	242	267	277	298
RHODE ISLAND	8,409	968	771	821	726	640	619	628	640	543	700	696	656
Male	4,420	490	415	421	373	337	358	329	335	302	367	347	346
Female	3,989	478	356	400	353	303	261	300	305	241	333	349	310
White	8,226	948	751	801	710	627	603	618	625	534	685	678	646
Male	4,327	479	399	416	364	331	351	320	326	299	360	340	342
Female	3,899	469	352	385	346	296	252	298	299	235	325	338	304
Nonwhite	183	20	20	20	16	13	16	11	15	9	15	18	10
Male	93	11	16	5	9	6	7	9	9	3	7	7	4
Female	90	9	4	15	7	7	9	2	6	6	8	11	6
SOUTH CAROLINA	18,139	2,008	1,635	1,509	1,447	1,477	1,511	1,339	1,337	1,320	1,484	1,351	1,723
Male	9,873	1,058	874	818	780	797	827	752	736	734	816	739	942
Female	8,266	950	759	691	667	680	684	587	601	586	668	612	781
White	9,064	1,028	858	743	729	738	742	645	650	671	722	681	857
Male	5,359	581	498	435	427	436	440	384	386	418	437	421	504
Female	3,705	447	360	308	302	302	302	261	264	253	285	260	353
Nonwhite	9,075	980	775	766	718	739	769	694	687	649	762	670	866
Male	4,514	467	376	383	353	361	387	368	348	336	379	318	438
Female	4,561	513	399	383	365	378	382	326	339	313	383	352	428

TABLE 19.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
SOUTH DAKOTA	5,650	668	479	495	431	461	434	433	405	413	467	457	507
Male	3,310	377	274	280	265	265	254	240	247	247	268	269	324
Female	2,340	291	205	215	166	196	180	193	158	166	199	188	183
White	5,272	617	440	462	390	426	412	410	382	395	433	425	480
Male	3,119	349	254	265	238	250	245	228	238	237	254	253	308
Female	2,153	268	186	197	152	176	167	182	144	158	179	172	172
Nonwhite	378	51	39	33	41	35	22	23	23	18	34	32	27
Male	191	28	20	15	27	15	9	12	9	10	14	16	16
Female	187	23	19	18	14	20	13	11	14	8	20	16	11
TENNESSEE	27,854	3,086	2,486	2,548	2,210	2,162	2,252	2,170	2,126	2,011	2,145	2,152	2,506
Male	15,317	1,670	1,352	1,426	1,210	1,165	1,216	1,202	1,177	1,121	1,199	1,212	1,367
Female	12,537	1,416	1,134	1,122	1,000	997	1,036	968	949	890	946	940	1,139
White	21,162	2,428	1,929	1,957	1,680	1,640	1,681	1,582	1,595	1,521	1,609	1,664	1,896
Male	11,880	1,315	1,056	1,096	950	923	921	899	908	866	916	946	1,084
Female	9,282	1,113	873	841	730	717	760	683	687	655	693	718	812
Nonwhite	6,692	658	557	611	530	522	571	588	531	490	536	488	610
Male	3,437	355	296	330	260	242	295	303	269	255	285	266	283
Female	3,255	303	261	281	270	280	276	285	262	235	253	222	327
TEXAS	61,565	6,658	4,960	5,332	4,952	4,958	5,125	5,525	4,797	4,432	4,632	4,767	5,427
Male	35,706	3,861	2,883	3,099	2,884	2,869	2,951	3,136	2,799	2,559	2,728	2,756	3,181
Female	25,859	2,797	2,077	2,233	2,068	2,089	2,174	2,389	1,998	1,873	1,904	2,011	2,246
White	50,939	5,508	4,128	4,390	4,098	4,075	4,253	4,552	3,963	3,621	3,817	3,949	4,565
Male	30,030	3,246	2,469	2,611	2,418	2,414	2,477	2,633	2,343	2,136	2,279	2,305	2,699
Female	20,909	2,262	1,659	1,779	1,680	1,661	1,776	1,919	1,620	1,485	1,538	1,644	1,866
Nonwhite	10,646	1,150	832	942	854	883	872	973	834	811	815	818	862
Male	5,676	615	414	488	466	455	474	503	456	423	449	451	482
Female	4,970	535	418	454	388	428	398	470	378	388	366	367	380
UTAH	4,957	523	454	415	405	427	383	398	376	365	393	404	414
Male	2,905	304	262	251	228	251	221	240	216	219	228	241	244
Female	2,052	219	192	164	177	176	162	158	160	146	165	163	170
White	4,786	508	433	399	388	409	376	388	361	350	382	395	397
Male	2,792	290	249	241	217	237	218	234	206	212	220	255	233
Female	1,994	218	184	158	171	172	158	154	155	138	162	160	164
Nonwhite	171	15	21	16	17	18	7	10	15	15	11	9	17
Male	113	14	13	10	11	14	3	6	10	7	8	6	11
Female	58	1	8	6	6	4	4	4	5	8	3	3	6
VERMONT	4,274	439	386	370	368	334	302	360	323	295	369	349	379
Male	2,283	251	190	183	194	182	151	201	187	154	197	201	212
Female	1,991	208	196	187	174	152	151	159	136	141	172	148	167
White	4,270	439	386	369	367	334	302	360	322	295	369	348	379
Male	2,280	251	190	182	193	182	151	201	186	154	197	201	212
Female	1,990	208	196	187	174	152	151	159	136	141	172	147	167
Nonwhite	4	-	-	1	1	-	-	-	1	-	-	1	-
Male	3	-	-	1	1	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
VIRGINIA	28,739	3,007	2,553	2,617	2,407	2,329	2,198	2,166	2,115	2,061	2,384	2,302	2,600
Male	16,309	1,638	1,398	1,456	1,377	1,325	1,264	1,247	1,191	1,139	1,433	1,272	1,469
Female	12,430	1,369	1,155	1,161	1,030	1,004	934	919	924	822	951	1,030	1,131
White	19,485	2,068	1,775	1,716	1,615	1,555	1,462	1,475	1,421	1,435	1,602	1,577	1,782
Male	11,298	1,168	974	968	927	914	868	858	798	883	991	903	1,046
Female	8,185	900	801	748	688	641	594	617	623	552	611	674	736
Nonwhite	9,256	939	778	901	792	774	736	691	694	626	782	725	818
Male	5,011	470	424	488	450	411	396	389	393	356	442	369	425
Female	4,245	469	354	413	342	363	340	302	301	270	340	356	395
WASHINGTON	21,849	2,273	1,881	1,868	1,806	1,782	1,756	1,671	1,635	1,634	1,705	1,865	1,973
Male	13,260	1,336	1,144	1,135	1,071	1,036	1,108	1,005	975	1,014	1,050	1,144	1,242
Female	8,589	937	737	733	735	746	648	666	660	620	655	721	731
White	21,187	2,205	1,832	1,818	1,748	1,725	1,708	1,623	1,585	1,571	1,647	1,811	1,916
Male	12,851	1,300	1,106	1,103	1,030	1,002	1,076	972	946	977	1,016	1,112	1,205
Female	8,336	905	726	709	718	721	632	651	639	594	631	699	711
Nonwhite	662	68	49	50	58	58	48	48	50	55	58	54	57
Male	409	36	36	26	41	34	32	33	29	37	34	32	37
Female	253	32	11	24	17	25	16	15	21	18	24	22	20
WEST VIRGINIA	16,603	1,891	1,471	1,497	1,400	1,308	1,288	1,293	1,274	1,124	1,304	1,293	1,460
Male	9,532	1,030	802	882	822	764	735	747	731	657	768	741	853
Female	7,071	861	669	615	578	544	553	546	543	467	536	552	607
White	15,170	1,746	1,340	1,376	1,274	1,187	1,158	1,186	1,190	1,032	1,184	1,172	1,325
Male	8,691	949	723	816	752	693	654	683	683	606	695	662	771
Female	6,479	798	612	560	522	494	504	503	507	426	489	510	554
Nonwhite	1,433	145	131	121	126	121	130	107	84	92	120	121	135
Male	841	82	74	66	70	71	81	64	48	51	73	79	82
Female	592	63	57	55	56	50	49	43	36	41	47	42	53
WISCONSIN	31,674	3,303	2,708	2,980	2,756	2,729	2,446	2,344	2,410	2,251	2,511	2,451	2,785
Male	17,740	1,795	1,521	1,700	1,495	1,544	1,423	1,356	1,336	1,258	1,380	1,392	1,540
Female	13,934	1,508	1,187	1,280	1,261	1,185	1,023	988	1,074	993	1,131	1,059	1,245
White	31,292	3,259	2,685	2,936	2,721	2,701	2,419	2,318	2,393	2,222	2,479	2,422	2,757
Male	17,526	1,770	1,503	1,673	1,473	1,529	1,408	1,344	1,324	1,239	1,366	1,376	1,521
Female	13,766	1,489	1,182	1,263	1,248	1,172	1,011	974	1,069	983	1,113	1,046	1,236
Nonwhite	382	44	43	44	35	28	27	26	17	29	32	29	28
Male	214	25	18	27	22	15	15	12	12	19	14	16	19
Female	168	19	25	17	13	13	12	14	5	10	18	13	9
WYOMING	2,278	247	196	197	192	167	208	162	151	159	229	190	180
Male	1,460	158	130	119	122	107	133	115	95	99	144	124	120
Female	818	89	66	78	70	66	75	47	56	60	85	66	60
White	2,109	222	178	181	181	154	194	147	144	143	220	181	164
Male	1,354	143	116	111	116	92	124	106	90	90	138	118	110
Female	755	79	62	70	65	62	70	41	54	53	82	63	54
Nonwhite	169	25	18	16	11	13	14	15	7	16	9	9	16
Male	106	15	14	8	6	9	9	9	5	9	6	6	10
Female	63	10	4	8	5	4	5	6	2	7	3	3	6

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH		Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	All causes	1,411,338	150,487	129,970	128,050	118,376	116,258	109,908	109,101	105,815	102,044	113,622	113,570	126,157
Typhoid and paratyphoid fever	1,2	551	26	28	30	31	42	45	75	91	62	52	30	39
Cerebrospinal (meningococcus) meningitis	6	2,812	457	368	367	320	258	175	140	112	105	133	191	186
Scarlet fever	8	422	52	58	62	61	36	31	10	17	12	24	28	31
Whooping cough	9	1,878	186	149	165	150	144	158	228	179	170	136	110	103
Diphtheria	10	1,145	127	79	79	54	49	40	40	57	95	173	174	178
Tuberculosis (all forms)	13-22	54,751	5,326	4,745	4,894	4,804	4,829	4,841	4,404	4,328	3,987	4,259	4,215	4,299
Tuberculosis of respiratory system, etc.*	13	50,712	4,989	4,438	4,551	4,411	4,477	4,238	4,056	4,006	3,686	3,967	3,913	3,982
Tuberculosis (other forms)	14-22	4,039	337	307	343	393	352	406	348	322	301	292	302	317
Dysentery	27	1,803	49	54	68	87	150	221	305	268	214	186	134	89
Malaria	28	580	26	18	31	29	47	75	100	85	55	54	37	23
Syphilis	30	14,916	1,452	1,304	1,345	1,298	1,287	1,177	1,191	1,137	1,104	1,200	1,157	1,285
Measles	35	1,923	177	311	467	425	274	156	57	34	12	6	14	10
Poliomyelitis, polioencephalitis (acute)	36	1,581	25	16	26	22	25	52	167	416	300	187	87	40
Cancer and other malignant tumors	45-55	171,171	14,488	13,366	14,454	15,905	14,406	14,190	14,337	14,224	13,917	14,772	14,308	14,804
Cancer of the digestive organs and peritoneum	46	77,988	6,576	6,080	6,545	6,248	6,579	6,544	6,641	6,480	6,331	6,791	6,575	6,598
Cancer of female genital organs	48,49	22,140	1,876	1,770	1,862	1,844	1,871	1,842	1,864	1,846	1,841	1,868	1,775	1,881
Cancer of the breast	50	16,379	1,422	1,249	1,412	1,367	1,382	1,357	1,277	1,381	1,320	1,385	1,362	1,465
Cancer (other sites)	45,47,51-55	54,664	4,614	4,267	4,635	4,446	4,574	4,447	4,555	4,517	4,425	4,728	4,596	4,860
Acute rheumatic fever	58	1,471	151	125	134	147	151	128	132	113	104	81	101	128
Diabetes mellitus	61	34,848	3,681	3,049	3,202	3,108	2,871	2,598	2,534	2,524	2,470	2,876	2,841	3,194
Exophthalmic goiter	63b	2,660	274	243	258	255	245	211	222	213	176	199	184	200
Pellagra (except alcoholic)	69	1,027	118	85	93	78	94	94	75	74	78	60	82	98
Alcoholism (ethylism)	77	1,820	154	140	172	140	127	114	145	161	126	155	168	220
Intracranial lesions of vascular origin	83	124,250	12,487	10,730	11,263	10,652	10,286	9,714	9,427	9,157	8,989	9,860	10,256	11,469
Diseases of the heart	90-95	418,062	44,881	35,901	37,760	35,594	34,872	31,852	30,973	29,689	28,932	33,933	34,335	39,360
Chronic rheumatic diseases of the heart	90a,92b,c,93c,95b	25,539	2,643	2,219	2,415	2,337	2,181	1,979	1,932	1,830	1,767	1,975	2,003	2,258
Diseases of coronary arteries and angina pectoris	94	124,495	11,869	10,514	10,923	10,149	10,509	9,412	9,265	9,126	9,160	10,718	10,736	12,514
Diseases of the heart (other forms)	90b,91,92a,d,e,93a,b,d,e,95a,c	268,030	30,369	25,568	24,422	23,108	22,382	20,441	19,878	18,733	18,005	21,240	21,596	24,488
Pneumonia (all forms) and influenza	107-109,33	81,804	19,797	9,737	8,748	6,982	5,176	3,410	3,095	3,211	3,387	4,823	5,716	7,624
Bronchopneumonia	107	30,817	5,110	3,271	3,256	2,855	2,265	1,574	1,524	1,551	1,628	2,321	2,440	3,044
Lobar pneumonia	108	27,155	5,255	3,117	3,067	2,557	1,904	1,214	1,058	1,147	1,183	1,698	2,127	2,850
Pneumonia (unspecified)	109	6,512	1,247	732	700	555	426	311	284	289	327	433	510	690
Influenza	33	17,320	8,185	2,617	1,725	1,057	583	311	217	224	249	475	639	1,040
Ulcer of stomach or duodenum	117	8,765	783	741	750	722	774	719	627	656	648	717	772	856
Diarrhea, enteritis, etc.*	119,120	13,099	639	556	615	718	880	1,354	1,661	1,674	1,628	1,528	1,036	812
Appendicitis	121	7,783	646	590	665	673	700	716	752	786	638	577	489	551
Hernia and intestinal obstruction	122	11,977	1,088	957	1,025	1,018	1,006	1,060	1,027	990	965	961	957	963
Cirrhosis of the liver	124	11,485	1,084	937	1,014	997	909	875	859	956	890	958	953	1,055
Biliary calculi, etc.*	126,127	6,939	539	526	618	596	638	648	589	607	551	543	580	524
Nephritis	130-132	91,887	9,496	7,912	8,302	7,991	7,790	7,320	7,184	6,560	6,512	7,149	7,309	8,162
Diseases of the prostate	137	7,732	753	654	658	608	620	614	617	642	648	665	632	641
Diseases of pregnancy, etc.*	140-150	6,369	547	634	658	526	568	577	618	559	497	466	444	470
Puerperal septicemia	140,142a,145A;147	2,276	190	218	220	202	192	206	212	204	178	145	162	147
Puerperal toxemia	141a,c,144,148	1,607	146	120	136	136	155	156	165	138	122	126	102	125
Hemorrhage, trauma and shock*	141b,142b,143,146,149	1,887	144	186	147	156	185	171	190	176	150	152	142	140
Other puerperal causes	141d,e,f,145B,150	569	67	55	55	52	58	64	51	41	47	43	38	58
Congenital malformations	157	16,687	1,555	1,376	1,478	1,340	1,347	1,335	1,364	1,416	1,302	1,359	1,414	1,421
Premature birth	159	33,120	2,733	2,346	2,699	2,682	2,942	2,970	2,946	2,924	2,792	2,873	2,584	2,629
Suicide	163,164	15,231	1,091	1,038	1,178	1,176	1,201	1,130	1,144	1,088	1,066	1,055	1,020	1,044
Homicide	165-168	6,553	448	457	485	541	545	566	593	627	642	548	522	579
Accidental deaths	169-195	95,237	8,730	7,173	7,804	7,306	7,820	8,077	8,587	7,819	7,275	7,856	7,822	8,970
Motor-vehicle accidents	170	24,282	2,242	1,854	1,918	1,804	1,718	1,733	1,804	1,964	2,008	2,277	2,342	2,620
Other accidents	169,171-195	70,955	6,488	5,317	5,886	5,502	6,102	6,344	6,783	5,855	5,267	5,579	5,480	6,350
Senility, ill-defined and unknown causes	162,199,200	29,503	3,587	2,595	2,655	2,356	2,222	2,219	2,233	2,102	2,055	2,260	2,344	2,915
All other causes		131,856	12,876	11,091	11,968	11,023	10,967	10,690	10,549	10,339	9,664	10,838	10,544	11,287
ALABAMA	All causes	26,157	2,785	2,205	2,169	2,165	2,197	2,104	2,110	1,903	1,922	2,060	2,091	2,446
Typhoid and paratyphoid fever	1,2	18	2	1	-	1	4	1	5	1	1	2	-	-
Cerebrospinal (meningococcus) meningitis	6	78	12	10	8	9	8	7	4	3	4	5	5	3
Scarlet fever	8	3	-	-	-	-	-	-	-	1	-	1	-	1
Whooping cough	9	87	4	8	6	8	8	9	9	6	12	4	7	6
Diphtheria	10	58	3	3	1	1	-	-	3	4	8	14	17	4
Tuberculosis (all forms)	13-22	1,269	111	116	111	115	115	91	85	117	90	108	109	101
Tuberculosis of respiratory system, etc.*	13	1,186	104	111	107	110	109	82	76	111	81	100	98	97
Tuberculosis (other forms)	14-22	83	7	5	4	5	6	9	9	6	9	8	11	4
Dysentery	27	61	1	2	4	7	2	9	15	7	6	1	2	5
Malaria	28	39	1	1	1	2	3	3	6	7	8	5	1	1
Syphilis	30	404	33	35	39	35	31	37	30	33	39	29	33	30
Measles	35	86	4	17	24	25	9	4	3	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)	36	12	-	-	-	-	1	2	2	2	2	-	1	2
Cancer and other malignant tumors	45-55	2,081	182	159	153	169	174	184	172	169	186	178	174	181
Cancer of the digestive organs and peritoneum	46	788	62	65	63	57	67	65	73	60	64	63	70	79
Cancer of female genital organs	48,49	418	45	30	30	33	30	37	36	36	46	38	22	35
Cancer of the breast	50	186	16	12	10	17	22	16	17	22	14	13	17	10
Cancer (other sites)	45,47,51-55	689	59	52	50	62	55	66	46	51	62	64	65	57
Acute rheumatic fever	58	30	3	1	-	4	2	3	3	2	4	-	4	4
Diabetes mellitus	61	329	42	29	36	24	23	18	22	33	20	29	19	34
Exophthalmic goiter	63b	33	4	3	4	2	1	1	5	2	3	5	-	3
Pellagra (except alcoholic)	69	99	9	3	6	8	12	8	5	7	10	6	13	12
Alcoholism (ethylism)	77	31	1	5	3	3	1	1	2	-	4	4	1	6
Intracranial lesions of vascular origin	83	2,403	230	221	205	212	176	177	213	153	173	199	204	238
Diseases of the heart	90-95	5,103	513	400	417	445	474	397	435	357	373	392	374	526
Chronic rheumatic diseases of the heart	90a,92b,c,93c,95b	407	41	24	37	38	46	41	27	27	26	29	30	41
Diseases of coronary arteries and angina pectoris	94	1,268	113	98	94	107	122	85	117	100	90	106	113	125
Diseases of the heart (other forms)	90b,91,92a,d,e,93a,b,d,e,95a,c	3,428	359	278	286	300	306	271	291	230	257	257	251	362

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA—Continued													
Pneumonia (all forms) and influenza ... 107-109,33	2,076	522	262	198	147	119	84	78	70	78	119	163	236
Bronchopneumonia ... 107	582	78	68	60	40	45	30	31	24	35	45	61	65
Lobar pneumonia ... 108	724	146	79	60	58	37	36	36	38	29	51	66	88
Pneumonia (unspecified) ... 109	155	23	24	19	11	13	5	5	4	9	13	13	16
Influenza ... 33	615	275	91	59	38	24	13	6	4	5	10	23	67
Ulcer of stomach or duodenum ... 117	131	11	14	9	12	9	9	15	9	8	13	11	11
Diarrhea, enteritis, etc.* ... 119,120	373	10	11	13	18	26	72	70	65	33	22	18	15
Appendicitis ... 121	169	13	12	17	13	20	19	19	19	14	15	18	10
Hernia and intestinal obstruction ... 122	178	15	16	16	12	19	17	17	15	13	15	12	11
Cirrhosis of the liver ... 124	125	11	13	10	10	9	15	11	5	12	12	6	11
Biliary calculi, etc.* ... 126,127	62	4	2	6	8	5	9	3	6	7	2	5	5
Nephritis ... 130-132	2,161	230	171	188	187	206	169	170	137	168	152	191	192
Diseases of the prostate ... 137	118	13	8	6	7	10	6	10	11	16	15	9	7
Diseases of pregnancy, etc.* ... 140-150	278	24	24	25	24	27	24	28	21	21	21	22	17
Puerperal septicemia ... 140,142a,145A,147	90	6	11	12	5	6	8	9	4	9	9	8	3
Puerperal toxemia ... 141a,c,144,148	93	11	6	9	14	7	6	10	7	5	5	6	7
Hemorrhage, trauma and shock* ... 141b,142b,143,146,149	68	5	4	3	2	12	6	7	9	4	5	5	6
Other puerperal causes ... 141d,e,f,145B,150	27	2	3	1	3	2	4	2	1	3	2	3	1
Congenital malformations ... 157	308	34	17	35	20	22	20	19	25	30	26	29	31
Premature birth ... 159	913	78	75	75	63	82	96	66	61	72	84	89	72
Suicide ... 163,164	149	17	15	7	11	15	9	16	10	19	9	13	8
Homicide ... 165-168	331	20	22	20	29	31	35	33	24	25	31	31	30
Accidental deaths ... 169-195	1,837	157	139	133	168	155	147	157	170	127	158	143	183
Motor-vehicle accidents ... 170	504	33	28	28	45	36	33	41	52	43	56	46	62
Other accidents ... 169,171-195	1,333	124	110	105	123	119	114	116	118	84	102	97	121
Senility, ill-defined and unknown causes ... 162,199,200	2,225	246	180	192	160	185	186	180	155	161	157	173	250
All other causes ...	2,479	225	210	201	206	211	235	199	196	175	227	194	200
ARIZONA ... All causes	6,205	671	604	550	506	534	477	480	478	407	440	515	543
Typhoid and paratyphoid fever ... 1,2	7	1	1	-	-	-	4	-	1	-	-	-	-
Cerebrospinal (meningococcus) meningitis ... 6	7	1	-	1	1	1	-	1	-	-	1	-	1
Scarlet fever ... 8	1	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough ... 9	37	2	3	4	4	7	-	7	3	1	2	2	2
Diphtheria ... 10	12	2	-	2	1	2	-	1	1	1	1	-	1
Tuberculosis (all forms) ... 11-22	784	77	68	69	62	70	72	59	68	41	65	72	61
Tuberculosis of respiratory system, etc.* ... 11	725	70	66	63	55	63	67	57	63	39	60	65	57
Tuberculosis (other forms) ... 14-22	59	7	2	6	7	7	5	2	5	2	5	7	4
Dysentery ... 27	27	1	-	2	2	6	1	6	2	3	2	2	-
Malaria ... 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis ... 30	75	5	5	9	6	3	7	2	5	11	9	8	7
Measles ... 35	39	2	6	9	8	7	2	2	2	-	-	1	-
Poliomyelitis, polioencephalitis (acute) ... 36	7	-	-	-	-	1	3	-	2	1	-	-	-
Cancer and other malignant tumors ... 45-55	516	44	42	45	41	59	34	35	50	35	41	42	48
Cancer of the digestive organs and peritoneum ... 46	236	19	16	26	15	24	18	18	21	16	20	24	19
Cancer of female genital organs ... 48,49	68	7	5	6	4	9	7	5	6	4	5	7	3
Cancer of the breast ... 50	33	3	2	1	2	4	3	3	4	3	3	1	4
Cancer (other sites) ... 45,47,51-55	179	15	19	12	20	22	6	9	19	12	13	10	22
Acute rheumatic fever ... 58	3	1	-	-	-	2	-	-	-	-	-	-	-
Diabetes mellitus ... 61	53	4	5	-	3	4	2	7	5	2	5	7	6
Exophthalmic goiter ... 63b	5	-	1	-	-	-	-	1	1	-	-	-	2
Pellagra (except alcoholic) ... 69	2	-	-	2	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism) ... 77	11	2	-	2	-	2	-	1	1	1	-	-	2
Intracranial lesions of vascular origin ... 83	310	24	29	35	21	24	24	30	32	24	20	22	25
Diseases of the heart ... 90-95	1,089	143	125	78	112	79	77	67	65	65	79	90	109
Chronic rheumatic diseases of the heart ... 90a,92b,c,93c,95b	87	17	9	8	8	5	5	6	4	6	8	9	2
Diseases of coronary arteries and angina pectoris ... 94	273	43	36	16	21	23	28	19	13	12	14	25	23
Diseases of the heart (other forms) ... 90b,91,92a,d,e,93a,b,d,e,95a,c	729	83	80	54	83	51	44	42	48	47	57	56	84
Pneumonia (all forms) and influenza ... 107-109,33	439	68	62	65	41	33	28	9	23	15	17	31	47
Bronchopneumonia ... 107	190	23	20	29	21	16	13	4	13	8	9	15	19
Lobar pneumonia ... 108	118	17	20	10	11	11	10	2	6	1	3	11	16
Pneumonia (unspecified) ... 109	61	6	6	16	8	4	4	1	2	3	4	2	5
Influenza ... 33	70	22	16	10	1	2	1	2	2	3	1	3	7
Ulcer of stomach or duodenum ... 117	42	3	3	8	1	4	5	5	-	3	3	4	3
Diarrhea, enteritis, etc.* ... 119,120	238	10	10	5	11	23	26	35	30	25	26	23	14
Appendicitis ... 121	23	1	1	1	2	3	-	4	6	-	1	3	1
Hernia and intestinal obstruction ... 122	46	4	4	6	2	8	4	3	4	3	3	1	4
Cirrhosis of the liver ... 124	30	-	4	7	2	4	6	1	1	2	1	-	2
Biliary calculi, etc.* ... 126,127	27	1	2	-	3	2	5	2	3	3	1	2	3
Nephritis ... 130-132	269	25	32	11	25	28	24	22	19	11	26	22	24
Diseases of the prostate ... 137	19	3	1	2	1	2	1	1	1	2	2	1	2
Diseases of pregnancy, etc.* ... 140-150	42	2	4	4	4	4	1	5	2	4	3	3	6
Puerperal septicemia ... 140,142a,145A,147	13	-	1	-	3	1	1	2	1	1	1	1	1
Puerperal toxemia ... 141a,c,144,148	10	1	1	1	-	1	-	1	-	2	1	-	2
Hemorrhage, trauma and shock* ... 141b,142b,143,146,149	17	1	1	2	1	2	-	2	1	1	1	2	3
Other puerperal causes ... 141d,e,f,145B,150	2	-	1	1	-	-	-	-	-	-	-	-	-
Congenital malformations ... 157	80	12	10	11	5	4	3	7	2	2	8	6	10
Premature birth ... 159	191	19	14	9	13	23	19	20	15	17	12	15	15
Suicide ... 163,164	56	5	2	-	4	5	6	7	4	6	6	3	8
Homicide ... 165-168	33	2	-	2	5	3	1	4	2	4	4	3	3
Accidental deaths ... 169-195	754	94	79	74	66	45	50	50	53	50	43	83	67
Motor-vehicle accidents ... 170	199	46	15	20	17	8	6	11	19	11	14	14	18
Other accidents ... 169,171-195	555	48	64	54	49	37	44	39	34	39	29	69	49
Senility, ill-defined and unknown causes ... 162,199,200	317	40	40	35	19	18	25	29	24	27	21	21	18
All other causes ...	614	73	51	48	41	58	47	57	53	48	38	48	52

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ARKANSAS.... All causes	14,515	1,681	1,228	1,291	1,268	1,098	1,194	1,180	1,071	1,022	1,131	1,108	1,247
Typhoid and paratyphoid fever.... 1,2	22	1	-	2	2	1	1	1	6	2	2	3	1
Cerebrospinal (meningococcus) meningitis.... 6	22	4	2	2	3	2	2	2	2	1	1	-	1
Scarlet fever.... 8	3	-	-	-	-	-	1	-	-	-	-	1	1
Whooping cough.... 9	51	5	5	5	6	4	6	5	3	4	4	3	1
Diphtheria.... 10	41	9	4	1	4	-	-	-	1	3	4	10	5
Tuberculosis (all forms).... 13-22	826	85	71	70	74	73	77	68	61	58	71	57	61
Tuberculosis of respiratory system, etc.*.... 13	792	82	66	69	74	69	75	64	59	57	66	52	59
Tuberculosis (other forms).... 14-22	34	3	5	1	-	4	2	4	2	1	5	5	2
Dysentery.... 27	48	2	2	-	2	4	5	14	4	4	7	3	1
Malaria.... 28	87	2	4	5	3	5	13	19	15	8	11	2	-
Syphilis.... 30	190	21	17	9	13	15	20	18	13	7	17	22	18
Measles.... 35	29	5	3	4	5	4	6	2	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).... 36	5	-	-	-	-	2	1	-	-	-	-	-	2
Cancer and other malignant tumors.... 45-55	1,321	125	95	117	119	100	103	108	111	95	127	107	114
Cancer of the digestive organs and peritoneum.... 46	510	47	40	47	36	43	44	44	43	37	50	36	43
Cancer of female genital organs.... 48,49	230	20	20	22	21	16	18	16	23	21	13	24	16
Cancer of the breast.... 50	93	13	2	9	8	8	4	8	7	4	14	8	8
Cancer (other sites).... 45,47,51-55	488	45	33	39	54	33	37	40	38	33	50	39	47
Acute rheumatic fever.... 58	21	1	1	3	6	2	1	2	2	1	-	1	1
Diabetes mellitus.... 61	195	20	19	22	20	15	20	12	7	15	21	10	14
Exophthalmic goiter.... 63b	17	1	2	3	1	-	-	2	1	3	2	2	-
Pellagra (except alcoholic).... 69	49	6	6	6	4	4	6	3	1	2	2	5	4
Alcoholism (ethylism).... 77	10	-	1	-	-	2	1	-	1	1	2	-	2
Intracranial lesions of vascular origin.... 83	1,284	126	118	122	106	104	105	111	93	82	104	100	113
Diseases of the heart.... 90-95	3,008	321	251	276	261	229	249	235	223	207	232	244	280
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	215	24	19	19	16	17	22	13	19	19	14	20	13
Diseases of coronary arteries and angina pectoris.... 94	828	69	75	83	61	72	62	67	61	53	66	61	80
Diseases of the heart (other forms).... 90b,91,92a,d,e,95a,b,d,e,95a,c	1,965	208	159	174	184	140	165	155	143	135	152	163	187
Pneumonia (all forms) and influenza.... 107-109,33	1,209	350	167	124	100	45	38	28	30	45	69	91	122
Bronchopneumonia.... 107	349	65	49	37	31	20	13	9	14	18	32	25	36
Lobar pneumonia.... 108	408	91	45	41	37	15	17	13	13	21	21	41	53
Pneumonia (unspecified).... 109	63	12	6	4	7	3	3	3	-	2	7	6	10
Influenza.... 33	389	182	67	42	25	7	5	3	3	4	9	19	23
Ulcer of stomach or duodenum.... 117	77	4	6	8	10	8	7	5	2	9	4	8	6
Diarrhea, enteritis, etc.*.... 119,120	233	9	6	5	8	8	28	32	28	27	31	19	12
Appendicitis.... 121	138	9	13	12	6	17	13	10	17	13	8	7	13
Hernia and intestinal obstruction.... 122	132	16	6	11	14	8	12	8	18	11	11	7	10
Cirrhosis of the liver.... 124	88	11	4	6	10	6	7	7	9	8	7	8	5
Biliary calculi, etc.*.... 126,127	58	4	11	5	6	8	4	4	3	-	1	7	5
Nephritis.... 130-132	1,197	126	105	99	100	90	106	109	85	90	83	93	111
Diseases of the prostate.... 137	75	6	5	5	10	4	7	5	7	3	8	9	6
Diseases of pregnancy, etc.*.... 140-150	114	4	8	11	11	9	4	20	9	13	8	8	9
Puerperal septicemia.... 140,142a,145A,147	36	2	2	4	4	3	1	5	6	4	1	2	2
Puerperal toxemia.... 141a,c,144,148	39	1	4	3	4	2	1	8	2	5	2	2	5
Hemorrhage, trauma and shock*.... 141b,142b,143,146,149	30	1	1	2	3	4	1	6	1	2	5	4	-
Other puerperal causes.... 141d,e,f,145B,150	9	-	1	2	-	-	1	1	-	2	-	-	2
Congenital malformations.... 157	141	11	15	14	13	13	20	25	19	11	11	16	13
Premature birth.... 159	360	35	19	25	33	37	46	40	34	33	28	17	13
Suicide.... 163,164	101	10	7	5	14	6	7	12	9	10	4	8	9
Homicide.... 165-168	151	8	9	12	9	10	17	9	10	14	10	11	12
Accidental deaths.... 169-195	1,183	127	82	114	111	103	106	92	96	82	94	65	111
Motor-vehicle accidents.... 170	263	26	18	20	24	19	21	24	24	20	27	12	28
Other accidents.... 169,171-195	920	101	64	94	87	84	85	68	72	62	67	53	83
Senility, ill-defined and unknown causes.... 162,199,200	683	98	62	72	58	47	50	43	45	53	38	61	56
All other causes....	1,348	119	100	116	124	113	105	129	106	107	109	102	116
CALIFORNIA.... All causes	90,802	9,166	7,871	8,089	7,177	7,408	6,891	7,094	6,893	6,825	7,275	7,671	8,442
Typhoid and paratyphoid fever.... 1,2	17	1	2	1	-	3	3	-	1	3	1	-	2
Cerebrospinal (meningococcus) meningitis.... 6	154	27	25	13	13	11	7	5	10	10	11	12	10
Scarlet fever.... 8	20	1	4	4	4	-	-	1	1	-	3	-	2
Whooping cough.... 9	41	1	1	6	2	1	4	8	7	4	1	3	3
Diphtheria.... 10	96	13	15	11	4	9	10	3	3	5	4	13	6
Tuberculosis (all forms).... 13-22	3,826	383	332	350	326	320	299	268	320	316	300	278	334
Tuberculosis of respiratory system, etc.*.... 13	3,474	354	308	317	293	291	267	229	288	290	269	251	310
Tuberculosis (other forms).... 14-22	352	29	24	33	33	22	32	39	32	26	31	27	24
Dysentery.... 27	54	6	4	4	5	3	2	6	4	3	2	10	5
Malaria.... 28	9	-	-	-	1	-	-	1	-	1	-	4	2
Syphilis.... 30	1,112	119	100	94	87	84	88	104	83	67	96	98	92
Measles.... 35	101	2	9	14	16	31	14	5	4	2	-	3	1
Poliomyelitis, polioencephalitis (acute).... 36	39	3	3	3	1	3	5	1	5	4	2	4	5
Cancer and other malignant tumors.... 45-55	11,540	951	914	960	929	959	913	932	940	969	1,025	1,008	1,040
Cancer of the digestive organs and peritoneum.... 46	5,094	412	402	390	418	459	415	394	418	451	447	440	448
Cancer of female genital organs.... 48,49	1,460	128	131	132	109	108	108	133	121	102	128	137	123
Cancer of the breast.... 50	1,223	114	98	106	105	84	90	92	107	111	101	108	107
Cancer (other sites).... 45,47,51-55	3,763	297	285	332	297	308	300	313	294	305	349	323	362
Acute rheumatic fever.... 58	59	3	9	7	7	5	2	5	4	1	4	6	6
Diabetes mellitus.... 61	1,890	205	159	209	159	149	152	123	134	146	146	155	153
Exophthalmic goiter.... 63b	129	17	10	15	13	8	3	14	7	9	6	12	15
Pellagra (except alcoholic).... 69	15	1	1	-	1	1	1	1	3	2	-	2	2
Alcoholism (ethylism).... 77	133	9	10	9	9	10	10	13	15	10	12	13	14
Intracranial lesions of vascular origin.... 83	7,135	674	650	671	551	624	534	561	570	550	543	622	645
Diseases of the heart.... 90-95	28,637	2,950	2,536	2,599	2,312	2,388	2,136	2,142	2,053	2,007	2,245	2,449	2,820
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	1,580	149	134	142	141	127	113	130	137	101	120	119	167
Diseases of coronary arteries and angina pectoris.... 94	9,103	857	769	852	712	787	611	703	680	679	746	821	896
Diseases of the heart (other forms).... 90b,91,92a,d,e,95a,b,d,e,95a,c	17,954	1,944	1,633	1,605	1,459	1,474	1,412	1,309	1,236	1,227	1,389	1,509	1,757

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CALIFORNIA—Continued													
Pneumonia (all forms) and influenza ... 107-109,33	4,660	850	526	511	333	289	259	274	221	233	310	360	494
Bronchopneumonia ... 107	2,546	393	258	271	190	162	164	181	124	149	195	193	266
Lobar pneumonia ... 108	1,475	237	179	162	102	104	81	78	73	66	91	127	175
Pneumonia (unspecified) ... 109	147	25	12	23	10	8	7	6	11	11	10	10	14
Influenza ... 33	492	195	77	55	31	15	7	9	13	7	14	30	39
Ulcer of stomach or duodenum ... 117	767	72	64	73	56	75	59	55	70	59	56	55	73
Diarrhea, enteritis, etc.* ... 119,120	607	35	31	20	33	49	60	56	57	77	82	59	48
Appendicitis ... 121	436	31	36	39	34	39	35	44	41	31	38	28	40
Hernia and intestinal obstruction ... 122	773	63	78	65	66	61	64	67	57	64	58	57	73
Cirrhosis of the liver ... 124	1,291	131	104	103	102	103	79	96	97	104	121	116	135
Biliary calculi, etc.* ... 126,127	447	35	43	42	48	40	36	40	43	34	30	30	26
Nephritis ... 130-132	4,519	411	370	388	371	356	368	359	306	308	329	390	363
Diseases of the prostate ... 137	458	46	31	41	35	40	39	28	39	42	35	44	38
Diseases of pregnancy, etc.* ... 140-150	304	29	37	26	23	20	22	34	26	25	29	14	19
Puerperal septicemia ... 140,142a,145A,147	119	9	14	11	8	5	9	14	9	15	14	4	7
Puerperal toxemia ... 141a,c,144,148	52	5	9	6	3	6	2	6	3	2	3	2	5
Hemorrhage, trauma and shock* ... 141b,142b,143,146,149	109	10	11	9	7	6	11	14	10	8	10	7	6
Other puerperal causes ... 141d,e,f,145B,150	24	5	3	-	5	3	-	-	4	-	2	1	1
Congenital malformations ... 157	1,004	95	83	76	58	89	86	79	102	96	72	85	83
Premature birth ... 159	2,114	213	157	150	164	189	179	203	181	181	167	162	168
Suicide ... 163,164	1,234	87	111	127	100	99	100	104	106	109	99	92	100
Homicide ... 165-168	436	27	27	42	35	42	49	28	32	39	42	40	33
Accidental deaths ... 169-195	7,457	746	569	600	514	551	548	680	618	592	639	667	733
Motor-vehicle accidents ... 170	2,613	242	204	174	165	164	166	211	249	236	233	264	305
Other accidents ... 169,171-195	4,844	504	365	426	349	387	382	469	369	356	406	403	428
Senility, ill-defined and unknown causes ... 162,199,200	552	53	44	46	54	46	36	51	52	34	43	51	42
All other causes ...	8,936	877	776	830	711	711	689	703	681	688	724	729	817
COLORADO ... All causes	12,258	1,182	1,066	1,102	1,045	1,035	946	908	976	934	1,018	986	1,060
Typhoid and paratyphoid fever ... 1,2	5	-	-	-	1	2	-	1	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis ... 6	24	1	4	5	1	4	2	-	-	5	-	1	1
Scarlet fever ... 8	2	-	-	1	-	-	-	-	1	-	-	-	-
Whooping cough ... 9	27	3	1	9	3	1	3	2	-	2	2	1	-
Diphtheria ... 10	21	5	2	3	1	1	1	1	-	3	1	-	3
Tuberculosis (all forms) ... 13-22	419	40	37	40	28	29	28	43	30	43	43	26	32
Tuberculosis of respiratory system, etc.* ... 13	389	35	34	37	27	27	25	41	27	42	40	24	30
Tuberculosis (other forms) ... 14-22	30	5	3	3	1	2	3	2	3	1	3	2	2
Dysentery ... 27	12	-	2	-	-	1	-	1	-	3	2	3	-
Malaria ... 28	1	-	-	-	1	-	-	-	-	-	-	-	-
Syphilis ... 30	95	6	7	11	8	9	6	4	8	10	10	7	9
Measles ... 35	26	9	1	8	5	3	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute) ... 36	11	1	1	-	1	1	-	2	2	3	-	-	-
Cancer and other malignant tumors ... 45-55	1,448	126	116	119	119	136	126	134	125	89	105	117	136
Cancer of the digestive organs and peritoneum ... 46	666	62	56	57	59	53	62	59	54	45	40	55	64
Cancer of female genital organs ... 48,49	167	14	13	14	12	13	14	16	16	12	12	15	16
Cancer of the breast ... 50	124	7	14	4	9	11	11	13	10	6	17	10	12
Cancer (other sites) ... 45,47,51-55	491	43	33	44	39	59	39	46	45	26	36	37	44
Acute rheumatic fever ... 58	25	1	3	2	2	5	4	2	1	2	1	-	2
Diabetes mellitus ... 61	220	20	26	22	16	17	15	12	18	17	14	20	23
Exophthalmic goiter ... 63b	28	2	4	2	-	4	2	3	4	1	2	1	3
Pellagra (except alcoholic) ... 69	1	-	-	-	-	-	-	-	-	1	-	-	-
Alcoholism (ethylism) ... 77	23	2	2	4	1	2	-	3	-	1	3	2	3
Intracranial lesions of vascular origin ... 83	1,002	94	80	76	95	97	88	74	71	57	75	95	100
Diseases of the heart ... 90-95	3,187	293	260	323	287	271	242	229	245	215	282	239	301
Chronic rheumatic diseases of the heart ... 90a,92b,c,93c,95b	242	13	22	34	21	25	20	21	22	11	15	13	25
Diseases of coronary arteries and angina pectoris ... 94	1,040	91	66	89	88	88	85	79	77	71	102	92	112
Diseases of the heart (other forms) ... 90b,91,92a,d,e,93a,b,d,e,95a,c	1,905	189	172	200	178	158	137	129	146	133	165	134	164
Pneumonia (all forms) and influenza ... 107-109,33	951	173	118	101	96	54	50	38	42	55	72	71	81
Bronchopneumonia ... 107	414	56	48	50	38	26	27	21	21	26	32	32	37
Lobar pneumonia ... 108	315	44	43	34	30	23	19	10	13	18	28	28	25
Pneumonia (unspecified) ... 109	64	11	5	2	14	3	2	4	4	5	3	4	7
Influenza ... 33	158	62	22	15	14	2	2	3	4	6	9	7	12
Ulcer of stomach or duodenum ... 117	88	3	11	10	4	7	4	7	11	10	7	6	8
Diarrhea, enteritis, etc.* ... 119,120	152	6	6	4	8	10	8	12	28	23	29	13	5
Appendicitis ... 121	80	4	7	5	5	10	6	9	8	10	7	3	6
Hernia and intestinal obstruction ... 122	110	8	10	10	10	10	9	12	15	5	7	7	7
Cirrhosis of the liver ... 124	93	6	2	17	7	7	9	4	5	10	9	9	8
Biliary calculi, etc.* ... 126,127	60	7	4	1	5	6	3	5	7	9	4	4	5
Nephritis ... 130-132	786	67	73	53	73	78	68	57	55	68	44	72	77
Diseases of the prostate ... 137	68	8	4	8	7	5	7	4	7	3	6	5	5
Diseases of pregnancy, etc.* ... 140-150	59	8	4	5	6	10	7	2	3	2	2	5	5
Puerperal septicemia ... 140,142a,145A,147	34	5	2	3	4	7	2	2	1	1	1	3	3
Puerperal toxemia ... 141a,c,144,148	5	-	1	1	-	1	2	-	-	-	-	-	-
Hemorrhage, trauma and shock* ... 141b,142b,143,146,149	18	2	1	1	2	2	3	-	1	1	1	2	2
Other puerperal causes ... 141d,e,f,145B,150	2	1	-	-	-	-	-	-	1	-	-	-	-
Congenital malformations ... 157	171	19	13	13	14	10	17	12	10	16	19	13	15
Premature birth ... 159	317	23	28	27	18	30	28	30	23	28	28	35	19
Suicide ... 163,164	111	13	8	8	8	12	11	16	6	11	5	6	7
Homicide ... 165-168	39	6	-	2	1	2	1	2	3	3	8	3	6
Accidental deaths ... 169-195	1,056	85	87	64	80	81	101	87	130	95	96	82	68
Motor-vehicle accidents ... 170	228	19	9	15	9	11	19	15	20	28	24	31	28
Other accidents ... 169,171-195	828	66	78	49	71	70	82	72	110	67	72	51	40
Senility, ill-defined and unknown causes ... 162,199,200	251	20	28	26	19	14	12	15	27	21	22	22	25
All other causes ...	1,288	121	117	123	115	106	87	85	91	112	13	118	100

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT.....All causes	18,919	1,998	1,687	1,643	1,631	1,506	1,443	1,560	1,344	1,357	1,525	1,509	1,718
Typhoid and paratyphoid fever..... 1,2	1	-	-	-	-	-	1	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis..... 6	56	17	9	5	2	6	5	3	-	2	-	4	3
Scarlet fever..... 8	3	1	-	-	-	-	1	-	-	-	-	-	1
Whooping cough..... 9	14	-	-	1	-	3	2	2	1	2	2	-	1
Diphtheria..... 10	1	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis (all forms)..... 13-22	661	66	58	47	63	56	55	69	48	44	51	40	64
Tuberculosis of respiratory system, etc.*..... 13	616	62	55	43	54	51	53	62	46	42	48	39	61
Tuberculosis (other forms)..... 14-22	45	4	3	4	9	5	2	7	2	2	3	1	3
Dysentery..... 27	1	1	-	-	-	-	-	-	-	-	-	-	-
Malaria..... 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis..... 30	149	18	14	13	15	14	14	10	12	8	9	10	12
Measles..... 35	4	-	-	1	1	1	-	-	-	-	-	1	-
Poliomyelitis, poliencephalitis (acute)..... 36	10	-	1	-	1	-	-	1	2	1	4	-	-
Cancer and other malignant tumors..... 45-55	2,940	240	269	238	241	257	257	217	220	244	241	243	273
Cancer of the digestive organs and peritoneum..... 46	1,415	115	148	103	104	127	123	106	110	113	121	130	115
Cancer of female genital organs..... 48,49	331	24	21	37	23	27	23	28	27	34	31	25	31
Cancer of the breast..... 50	310	26	29	21	29	31	26	25	22	25	21	20	35
Cancer (other sites)..... 45,47,51-55	884	75	71	77	85	72	85	58	61	72	68	68	92
Acute rheumatic fever..... 58	13	4	3	-	-	2	1	-	-	-	1	1	1
Diabetes mellitus..... 61	628	68	57	52	58	46	47	48	45	58	49	46	54
Exophthalmic goiter..... 63b	28	6	2	2	2	2	3	1	2	3	2	-	3
Pellagra (except alcoholic)..... 69	3	-	-	-	-	-	1	-	-	-	-	1	1
Alcoholism (ethylism)..... 77	39	1	3	3	5	2	2	5	3	1	4	3	7
Intracranial lesions of vascular origin..... 83	1,558	153	158	150	135	123	122	109	126	118	119	116	129
Diseases of the heart..... 90-95	6,350	694	576	565	537	469	468	466	443	433	550	529	620
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	343	31	26	41	30	21	32	32	31	24	24	22	29
Diseases of coronary arteries and angina pectoris..... 94	1,940	178	161	156	164	135	140	134	149	164	168	175	196
Diseases of the heart (other forms)..... 90b,91,92a,d,e,93a,b,d,e,95a,c	4,067	485	389	368	343	313	296	300	263	245	338	332	395
Pneumonia (all forms) and influenza..... 107-109,33	781	211	72	65	83	63	27	30	32	25	50	57	66
Bronchopneumonia..... 107	294	66	23	18	31	27	15	11	14	9	25	22	33
Lobar pneumonia..... 108	348	92	33	32	40	29	12	17	13	12	17	27	24
Pneumonia (unspecified)..... 109	66	14	7	11	7	4	-	1	2	2	7	4	7
Influenza..... 33	73	39	9	4	5	3	-	1	3	2	1	4	2
Ulcer of stomach or duodenum..... 117	145	10	14	9	15	11	10	13	17	11	11	10	14
Diarrhea, enteritis, etc.*..... 119,120	68	4	3	4	2	4	4	6	13	8	8	4	8
Appendicitis..... 121	100	7	8	14	14	7	7	12	8	6	6	5	6
Hernia and intestinal obstruction..... 122	165	12	6	15	14	18	12	16	13	13	13	12	19
Cirrhosis of the liver..... 124	202	16	14	21	18	23	13	10	17	17	14	23	16
Biliary calculi, etc.*..... 126,127	98	9	9	10	4	8	10	11	5	6	8	11	7
Nephritis..... 130-132	1,083	121	91	93	107	70	91	83	67	81	85	103	91
Diseases of the prostate..... 137	69	5	5	5	6	4	6	11	2	9	6	4	6
Diseases of pregnancy, etc.*..... 140-150	52	1	3	4	3	2	5	13	4	4	6	4	3
Puerperal septicemia..... 140,142a,145A,147	22	1	-	1	3	1	2	3	3	3	4	1	-
Puerperal toxemia..... 141a,c,144,148	8	-	2	-	-	1	-	4	-	-	1	-	-
Hemorrhage, trauma and shock*..... 141b,142b,143,146,149	15	-	-	2	-	-	1	4	1	1	1	3	2
Other puerperal causes..... 141d,e,f,145B,150	7	-	1	1	-	-	2	2	-	-	-	-	1
Congenital malformations..... 157	277	24	22	33	26	28	25	23	19	23	14	19	21
Premature birth..... 159	335	30	30	29	33	27	24	29	26	27	25	25	32
Suicide..... 163,164	210	23	14	24	22	13	15	13	15	16	21	21	13
Homicide..... 165-168	33	1	-	3	4	7	3	-	3	4	4	2	2
Accidental deaths..... 169-195	1,168	94	77	85	65	73	83	239	77	81	95	79	100
Motor-vehicle accidents..... 170	232	24	16	23	17	16	18	5	18	14	26	28	24
Other accidents..... 169,171-195	936	70	61	62	48	55	65	234	59	67	69	50	76
Senility, ill-defined and unknown causes..... 162,199,200	108	12	12	13	9	7	7	7	8	6	11	6	8
All other causes.....	1,570	147	157	139	126	160	122	113	116	106	118	129	137
DELAWARE.....All causes	3,345	336	289	295	282	294	253	261	214	253	285	284	302
Typhoid and paratyphoid fever..... 1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis..... 6	7	2	-	1	1	-	1	1	-	-	1	-	-
Scarlet fever..... 8	1	-	-	-	-	-	-	-	-	-	-	1	-
Whooping cough..... 9	8	-	1	-	-	-	-	1	-	-	2	-	4
Diphtheria..... 10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)..... 13-22	123	12	12	8	9	15	11	7	10	10	12	6	11
Tuberculosis of respiratory system, etc.*..... 13	113	11	11	8	9	14	10	6	9	10	10	6	9
Tuberculosis (other forms)..... 14-22	10	1	1	-	-	1	1	1	1	-	2	-	2
Dysentery..... 27	3	-	-	-	-	-	-	1	-	1	-	1	-
Malaria..... 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis..... 30	43	3	5	2	7	8	2	5	1	3	3	2	2
Measles..... 35	4	1	1	-	-	-	1	-	-	-	-	-	1
Poliomyelitis, poliencephalitis (acute)..... 36	6	-	-	-	-	-	-	1	4	1	-	-	-
Cancer and other malignant tumors..... 45-55	360	30	33	30	22	26	27	40	25	30	34	23	40
Cancer of the digestive organs and peritoneum..... 46	163	14	12	12	7	10	11	18	13	14	18	10	24
Cancer of female genital organs..... 48,49	49	4	5	4	6	4	5	4	4	4	4	4	1
Cancer of the breast..... 50	38	7	2	1	5	1	3	6	2	3	3	1	4
Cancer (other sites)..... 45,47,51-55	110	5	14	13	4	11	8	12	6	9	9	8	11
Acute rheumatic fever..... 58	3	1	-	-	-	-	1	-	1	-	-	-	-
Diabetes mellitus..... 61	85	9	12	7	7	5	5	6	8	3	7	12	4
Exophthalmic goiter..... 63b	7	2	1	-	1	-	-	-	1	2	-	-	-
Pellagra (except alcoholic)..... 69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)..... 77	3	-	-	-	-	-	-	1	-	-	-	-	2
Intracranial lesions of vascular origin..... 83	253	24	22	22	20	24	24	19	15	17	24	28	14
Diseases of the heart..... 90-95	1,022	95	78	92	91	91	76	68	70	74	94	87	96
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	42	4	4	4	4	4	3	3	6	2	4	2	2
Diseases of coronary arteries and angina pectoris..... 94	317	29	24	21	28	32	28	20	22	19	22	32	40
Diseases of the heart (other forms)..... 90b,91,92a,d,e,93a,b,d,e,95a,c	663	62	50	67	59	55	45	45	42	53	68	63	54

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DELAWARE—Continued													
Pneumonia (all forms) and influenza ... 107-109,33	185	38	23	31	14	8	6	7	8	9	18	10	13
Bronchopneumonia ... 107	60	9	8	8	7	2	3	2	2	2	10	3	4
Lobar pneumonia ... 108	74	10	9	15	4	4	2	3	6	4	6	4	7
Pneumonia (unspecified) ... 109	12	2	-	2	1	1	1	-	-	1	1	2	1
Influenza ... 33	39	17	6	6	2	1	-	2	-	2	1	1	1
Ulcer of stomach or duodenum ... 117	17	2	2	2	1	-	2	-	-	-	1	1	6
Diarrhea, enteritis, etc.* ... 119,120	53	1	9	4	4	2	4	3	2	8	8	5	1
Appendicitis ... 121	20	2	1	2	2	1	1	3	4	1	1	2	-
Hernia and intestinal obstruction ... 122	27	3	3	3	-	1	6	2	3	3	1	1	1
Cirrhosis of the liver ... 124	18	3	1	2	2	-	-	1	2	1	1	2	3
Biliary calculi, etc.* ... 126,127	19	2	1	-	1	6	2	-	2	1	2	1	1
Nephritis ... 130-132	346	29	26	26	40	37	22	27	26	28	21	26	38
Diseases of the prostate ... 137	15	2	1	-	3	1	3	-	-	2	2	-	1
Diseases of pregnancy, etc.* ... 140-150	9	2	-	-	-	3	-	1	-	-	-	1	2
Puerperal septicemia ... 140,142a,145A,147	1	-	-	-	-	1	-	-	-	-	-	-	-
Puerperal toxemia ... 141a,c,144,148	1	1	-	-	-	-	-	-	-	-	-	-	-
Hemorrhage, trauma and shock* ... 141b,142b,143,146,149	6	-	-	-	2	-	1	-	-	-	1	2	
Other puerperal causes ... 141d,e,f,145B,150	1	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations ... 157	37	4	3	3	2	5	5	5	2	2	1	3	2
Premature birth ... 159	88	8	5	6	11	10	11	11	3	2	9	3	9
Suicide ... 163,164	37	2	5	3	4	5	4	6	1	1	3	3	-
Homicide ... 165-168	19	1	2	2	3	-	-	3	-	4	2	1	1
Accidental deaths ... 169-195	215	24	17	20	11	18	22	21	5	20	15	17	27
Motor-vehicle accidents ... 170	60	7	3	2	4	4	9	5	3	5	8	3	7
Other accidents ... 169,171-195	155	17	14	18	7	14	13	16	2	15	5	14	20
Senility, ill-defined and unknown causes ... 162,199,200	13	2	1	1	2	1	1	1	-	1	1	2	-
All other causes ...	299	29	24	28	24	27	16	18	21	29	24	36	23
DISTRICT OF COLUMBIA ... All causes	8,223	791	689	755	674	641	625	658	619	608	742	684	737
Typhoid and paratyphoid fever ... 1,2	3	-	-	-	-	1	-	1	-	-	-	-	1
Cerebrospinal (meningococcus) meningitis ... 6	14	3	1	2	2	2	-	1	-	-	1	-	2
Scarlet fever ... 8	3	-	2	1	-	-	-	-	-	-	-	-	-
Whooping cough ... 9	1	-	-	-	-	-	-	-	-	-	1	-	-
Diphtheria ... 10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms) ... 15-22	547	51	49	48	52	55	53	35	42	31	44	35	52
Tuberculosis of respiratory system, etc.* ... 15	468	46	41	40	47	54	42	32	38	30	40	31	45
Tuberculosis (other forms) ... 14-22	59	3	8	8	5	1	11	3	4	1	4	4	7
Dysentery ... 27	2	-	-	-	-	-	-	-	-	1	-	-	1
Malaria ... 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis ... 30	144	18	18	9	15	9	8	11	7	11	14	12	12
Measles ... 35	2	-	1	1	-	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute) ... 36	12	-	-	-	-	-	-	3	3	4	2	-	-
Cancer and other malignant tumors ... 45-55	1,075	73	79	88	99	77	95	90	90	90	114	105	75
Cancer of the digestive organs and peritoneum ... 46	440	27	34	36	38	29	37	44	33	38	48	47	29
Cancer of female genital organs ... 48,49	153	11	14	14	10	10	12	12	14	21	11	10	14
Cancer of the breast ... 50	124	12	7	10	19	6	16	10	5	4	14	13	8
Cancer (other sites) ... 45,47,51-55	358	23	24	28	32	32	30	24	38	27	41	35	24
Acute rheumatic fever ... 58	5	-	1	-	-	1	-	1	1	-	-	-	1
Diabetes mellitus ... 61	208	20	20	18	14	10	16	15	15	11	27	20	22
Exophthalmic goiter ... 63b	11	1	-	5	1	2	1	-	1	1	-	-	1
Pellagra (except alcoholic) ... 69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism) ... 77	15	-	3	-	-	1	1	-	3	3	3	-	1
Intracranial lesions of vascular origin ... 83	537	42	42	58	45	47	38	42	58	33	46	40	46
Diseases of the heart ... 90-95	2,307	241	212	221	191	174	152	185	145	166	198	192	230
Chronic rheumatic diseases of the heart ... 90a,92b,c,93c,95b	118	16	10	17	9	12	6	10	4	8	8	8	10
Diseases of coronary arteries and angina pectoris ... 94	651	53	61	64	49	48	39	45	52	57	57	50	76
Diseases of the heart (other forms) ... 90b,91,92a,d,e,93a,b,d,e,95a,c	1,538	172	141	140	133	114	107	130	89	101	133	134	144
Pneumonia (all forms) and influenza ... 107-109,33	388	76	48	49	30	26	24	17	17	14	19	35	33
Bronchopneumonia ... 107	173	35	21	16	18	13	6	8	9	6	10	14	17
Lobar pneumonia ... 108	153	25	20	27	7	8	15	6	8	6	8	14	9
Pneumonia (unspecified) ... 109	41	6	6	3	4	2	3	3	-	2	1	6	5
Influenza ... 33	21	10	1	3	1	3	-	-	-	-	-	1	2
Ulcer of stomach or duodenum ... 117	49	5	5	3	6	3	-	3	2	5	5	7	5
Diarrhea, enteritis, etc.* ... 119,120	75	10	6	2	6	4	2	4	7	11	8	10	5
Appendicitis ... 121	38	3	-	4	2	5	5	6	1	2	3	4	3
Hernia and intestinal obstruction ... 122	67	6	7	6	5	1	6	7	6	10	6	4	3
Cirrhosis of the liver ... 124	94	7	5	4	12	8	7	7	10	7	14	6	7
Biliary calculi, etc.* ... 126,127	29	3	-	4	-	1	1	3	5	4	4	3	1
Nephritis ... 130-132	734	75	65	64	62	60	63	68	50	48	56	65	58
Diseases of the prostate ... 137	34	4	-	5	-	7	-	1	3	2	2	5	5
Diseases of pregnancy, etc.* ... 140-150	33	3	1	3	4	1	6	-	4	3	3	2	3
Puerperal septicemia ... 140,142a,145A,147	12	2	-	2	2	-	2	-	1	1	-	-	2
Puerperal toxemia ... 141a,c,144,148	5	-	-	-	-	-	1	-	1	-	3	-	-
Hemorrhage, trauma and shock* ... 141b,142b,143,146,149	11	1	-	-	1	1	3	-	2	2	-	1	-
Other puerperal causes ... 141d,e,f,145B,150	5	-	1	1	1	-	-	-	-	-	-	1	1
Congenital malformations ... 157	95	5	9	10	7	5	3	10	11	7	6	8	14
Premature birth ... 159	284	17	17	26	15	29	25	31	22	31	26	20	27
Suicide ... 163,164	106	15	3	11	5	9	11	10	12	5	6	7	12
Homicide ... 165-168	58	-	7	3	5	6	2	2	11	5	8	5	4
Accidental deaths ... 169-195	436	44	31	43	28	37	39	42	29	29	35	30	49
Motor-vehicle accidents ... 170	80	8	4	15	7	5	5	6	6	4	9	10	11
Other accidents ... 169,171-195	346	36	27	28	21	32	34	36	23	25	26	20	38
Senility, ill-defined and unknown causes ... 162,199,200	22	3	2	2	2	3	1	-	1	2	3	2	1
All other causes ...	795	66	55	67	66	57	68	63	63	72	88	67	63

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA.... All causes	23,500	2,468	1,938	1,998	1,843	1,871	1,963	1,823	1,791	1,770	1,835	1,935	2,265
Typhoid and paratyphoid fever.... 1,2	14	-	1	2	-	1	2	2	1	-	1	1	3
Cerebrospinal (meningococcus) meningitis.... 6	43	8	6	3	4	4	7	2	2	1	1	3	2
Scarlet fever.... 8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough.... 9	48	4	7	2	5	5	4	6	2	3	5	3	2
Diphtheria.... 10	40	4	2	1	-	-	-	-	0	4	8	7	6
Tuberculosis (all forms).... 13-22	823	76	65	74	66	67	74	67	76	70	57	59	72
Tuberculosis of respiratory system, etc.*.... 13	789	74	64	71	63	65	69	63	75	65	56	55	69
Tuberculosis (other forms).... 14-22	34	2	1	3	3	2	5	4	1	5	1	4	3
Dysentery.... 27	38	2	3	3	4	4	3	4	6	1	2	5	1
Malaria.... 28	33	3	-	1	-	3	6	5	4	3	5	3	-
Syphilis.... 30	372	32	40	33	33	27	21	31	32	28	24	28	43
Measles.... 35	18	-	3	2	2	4	4	1	-	-	-	-	2
Poliomyelitis, polioencephalitis (acute).... 36	9	-	-	-	-	-	2	3	1	1	1	1	-
Cancer and other malignant tumors.... 45-55	2,189	172	170	181	195	188	184	186	183	181	181	178	200
Cancer of the digestive organs and peritoneum.... 46	854	62	67	70	72	93	68	79	68	62	80	64	69
Cancer of female genital organs.... 48,49	325	27	25	35	34	20	29	21	23	25	25	24	37
Cancer of the breast.... 50	182	16	17	13	15	15	12	14	18	12	12	25	13
Cancer (other sites).... 45,47,51-55	828	67	61	63	64	60	75	72	74	82	64	65	81
Acute rheumatic fever.... 58	25	2	2	3	3	2	2	-	1	4	2	1	3
Diabetes mellitus.... 61	412	36	38	40	34	31	34	25	30	38	32	31	40
Exophthalmic goiter.... 63b	32	3	1	3	1	2	7	2	3	2	3	3	2
Pellagra (except alcoholic).... 69	37	6	1	5	-	-	5	2	3	1	6	3	5
Alcoholism (ethylism).... 77	38	3	1	4	3	3	2	4	4	4	2	3	5
Intracranial lesions of vascular origin.... 83	2,164	205	159	190	188	191	176	169	154	165	178	186	208
Diseases of the heart.... 90-95	5,264	554	446	459	407	422	400	380	409	378	396	462	544
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	295	31	26	25	17	31	27	23	18	30	18	21	26
Diseases of coronary arteries and angina pectoris.... 94	1,804	162	138	159	140	139	131	107	160	138	160	164	206
Diseases of the heart (other forms).... 90b,91,92a,d,e,93a,b,d,e,95a,c	3,165	360	282	275	250	252	250	250	251	210	218	277	310
Pneumonia (all forms) and influenza.... 107-109,33	1,487	348	193	123	128	81	66	74	73	59	91	102	149
Bronchopneumonia.... 107	473	77	57	36	44	26	29	31	32	23	34	31	53
Lobar pneumonia.... 108	469	95	60	30	46	29	20	24	25	19	25	36	51
Pneumonia (unspecified).... 109	122	14	9	9	10	7	4	12	7	5	16	14	15
Influenza.... 33	423	162	67	39	28	19	13	7	9	12	16	21	30
Ulcer of stomach or duodenum.... 117	148	14	11	19	10	14	10	9	10	11	9	12	19
Diarrhea, enteritis, etc.*.... 119,120	237	11	14	23	25	15	30	36	15	19	15	20	14
Appendicitis.... 121	144	8	14	11	11	11	16	15	10	15	10	8	15
Hernia and intestinal obstruction.... 122	230	23	24	19	15	24	19	17	19	23	18	15	14
Cirrhosis of the liver.... 124	204	23	20	17	17	12	20	16	12	15	13	22	17
Biliary calculi, etc.*.... 126,127	63	5	3	3	4	6	9	3	4	8	7	5	6
Nephritis.... 130-132	1,728	181	146	151	146	127	149	131	123	149	125	146	154
Diseases of the prostate.... 137	147	17	8	10	11	16	10	6	13	15	11	15	15
Diseases of pregnancy, etc.*.... 140-150	161	15	5	11	9	14	24	13	19	14	13	9	15
Puerperal septicemia.... 140,142a,145A,147	57	5	1	4	7	6	5	6	7	4	3	3	6
Puerperal toxemia.... 141a,c,144,148	47	3	-	3	-	4	9	4	4	7	6	2	5
Hemorrhage, trauma and shock*.... 141b,142b,143,146,149	45	5	4	3	2	4	7	1	7	3	3	4	2
Other puerperal causes.... 141d,e,f,145B,150	12	2	-	1	-	-	3	2	1	-	1	-	2
Congenital malformations.... 157	256	29	22	19	26	13	27	26	14	23	13	20	24
Premature birth.... 159	727	62	49	61	41	53	73	63	65	62	62	67	69
Suicide.... 163,164	197	23	24	12	15	12	19	13	17	15	17	13	17
Homicide.... 165-168	292	26	21	24	24	19	23	20	26	27	22	23	37
Accidental deaths.... 169-195	2,527	252	197	220	193	245	231	219	166	174	195	207	228
Motor-vehicle accidents.... 170	563	61	40	59	42	49	38	35	31	44	48	49	67
Other accidents.... 169,171-195	1,964	191	157	161	151	196	193	184	135	130	147	158	161
Senility, ill-defined and unknown causes.... 162,199,200	911	116	65	72	61	51	75	64	67	72	87	72	109
All other causes....	2,442	204	176	197	177	204	221	209	219	185	233	202	225
GEORGIA.... All causes	29,401	3,183	2,346	2,352	2,377	2,445	2,429	2,315	2,234	2,257	2,373	2,387	2,703
Typhoid and paratyphoid fever.... 1,2	25	1	-	-	1	3	3	6	6	1	2	-	2
Cerebrospinal (meningococcus) meningitis.... 6	62	11	12	12	7	4	3	-	2	-	2	4	5
Scarlet fever.... 8	2	-	-	-	-	-	-	-	-	1	-	-	1
Whooping cough.... 9	66	8	3	7	5	4	8	9	8	6	7	1	-
Diphtheria.... 10	41	-	-	1	1	1	-	1	5	3	8	13	8
Tuberculosis (all forms).... 13-22	1,141	123	81	94	97	93	108	88	83	93	101	90	90
Tuberculosis of respiratory system, etc.*.... 13	1,068	122	75	88	90	82	100	82	77	86	92	87	85
Tuberculosis (other forms).... 14-22	73	1	6	6	7	11	8	6	6	5	9	3	5
Dysentery.... 27	59	2	-	1	2	8	15	10	7	6	5	1	2
Malaria.... 28	39	1	1	-	3	7	3	5	9	5	1	3	1
Syphilis.... 30	410	42	29	36	29	36	38	31	23	56	40	37	33
Measles.... 35	68	7	16	19	12	9	2	-	1	1	1	-	-
Poliomyelitis, polioencephalitis (acute).... 36	14	1	-	4	-	-	1	-	2	4	2	-	-
Cancer and other malignant tumors.... 45-55	2,290	202	182	186	188	204	183	205	211	186	211	195	177
Cancer of the digestive organs and peritoneum.... 46	798	67	58	61	65	76	64	71	71	68	70	75	55
Cancer of female genital organs.... 48,49	463	47	43	35	42	26	39	52	43	35	35	36	30
Cancer of the breast.... 50	206	15	12	10	13	22	13	19	15	20	24	19	22
Cancer (other sites).... 45,47,51-55	822	73	49	60	66	80	67	63	82	65	82	65	70
Acute rheumatic fever.... 58	39	4	3	4	2	5	3	2	3	3	4	3	3
Diabetes mellitus.... 61	384	40	32	28	35	32	35	28	28	36	24	26	40
Exophthalmic goiter.... 63b	26	1	2	3	3	3	1	4	3	4	1	-	1
Pellagra (except alcoholic).... 69	132	12	10	15	15	17	13	3	15	9	8	7	8
Alcoholism (ethylism).... 77	52	4	2	4	4	6	1	1	4	2	4	6	14
Intracranial lesions of vascular origin.... 83	3,181	320	251	275	294	280	267	250	219	220	232	259	314
Diseases of the heart.... 90-95	5,731	570	486	487	463	472	491	457	405	405	471	497	537
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	347	31	26	37	23	25	24	40	19	25	34	31	32
Diseases of coronary arteries and angina pectoris.... 94	1,514	135	122	134	136	132	116	111	112	111	131	132	142
Diseases of the heart (other forms).... 90b,91,92a,d,e,93a,b,d,e,95a,c	3,870	404	338	316	294	315	351	306	274	269	306	334	363

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA—Continued													
Pneumonia (all forms) and influenza ... 107–109,33	2,306	581	268	201	191	136	86	89	83	105	136	190	240
Bronchopneumonia ... 107	676	102	62	56	60	58	35	36	32	49	49	65	72
Lobar pneumonia ... 108	684	127	81	55	55	49	21	30	31	36	48	70	81
Pneumonia (unspecified) ... 109	222	40	17	18	24	13	13	9	14	12	14	25	25
Influenza ... 33	724	312	108	72	52	16	17	14	6	8	25	30	64
Ulcer of stomach or duodenum ... 117	156	14	8	12	14	15	12	10	8	17	9	16	16
Diarrhea, enteritis, etc.* ... 119,120	432	14	8	10	20	41	67	65	62	52	46	25	22
Appendicitis ... 121	176	13	22	17	15	12	18	19	10	18	8	9	15
Hernia and intestinal obstruction ... 122	223	22	12	13	15	17	24	20	19	24	22	15	20
Cirrhosis of the liver ... 124	155	14	5	9	18	15	12	11	10	20	15	11	15
Biliary calculi, etc.* ... 126,127	97	8	5	10	11	10	10	7	6	12	8	6	4
Nephritis ... 130–132	2,896	294	232	230	225	272	235	206	213	246	236	238	269
Diseases of the prostate ... 137	164	13	10	15	13	14	12	13	15	15	15	12	15
Diseases of pregnancy, etc.* ... 140–150	279	22	23	19	22	21	24	26	27	34	20	17	22
Puerperal septicemia ... 140,142a,145A,147	82	5	9	7	8	8	7	8	7	9	5	3	6
Puerperal toxemia ... 141a,c,144,148	101	9	6	8	8	7	13	8	7	13	6	8	8
Hemorrhage, trauma and shock* ... 141b,142b,145,146,149	65	5	5	2	5	5	2	5	12	8	7	5	4
Other puerperal causes ... 141d,e,f,145B,150	31	3	3	2	1	1	2	7	1	4	2	1	4
Congenital malformations ... 157	274	26	26	17	22	24	15	28	24	23	23	21	27
Premature birth ... 159	1,011	95	63	71	97	62	77	90	89	96	85	77	99
Suicide ... 163,164	194	22	8	10	21	21	14	14	16	17	18	15	18
Homicide ... 165–168	460	34	29	36	37	39	30	39	56	56	51	35	38
Accidental deaths ... 169–195	2,261	184	181	171	176	194	193	222	196	149	183	186	226
Motor-vehicle accidents ... 170	673	48	62	47	52	40	39	67	57	46	78	64	73
Other accidents ... 169,171–195	1,588	136	119	124	124	154	154	155	139	103	105	122	153
Senility, ill-defined and unknown causes ... 162,199,200	1,557	196	124	110	102	121	134	114	100	130	141	129	156
All other causes ...	2,998	280	232	242	227	247	251	242	256	222	253	243	263
IDAHO ... All causes	4,673	516	364	384	356	367	354	380	347	358	414	404	429
Typhoid and paratyphoid fever ... 1,2	2	–	–	–	–	–	–	1	–	1	–	–	–
Cerebrospinal (meningococcus) meningitis ... 6	5	–	1	2	–	–	1	–	–	–	–	1	–
Scarlet fever ... 8	6	–	–	1	1	–	1	–	1	1	–	1	–
Whooping cough ... 9	5	–	1	–	–	–	–	2	1	–	1	–	–
Diphtheria ... 10	2	–	–	–	–	1	–	–	–	–	–	1	–
Tuberculosis (all forms) ... 15–22	109	10	8	9	15	8	9	9	15	9	12	3	6
Tuberculosis of respiratory system, etc.* ... 15	94	9	8	9	12	7	8	7	10	8	10	2	6
Tuberculosis (other forms) ... 16–22	15	1	–	–	1	1	1	2	1	1	2	1	–
Dysentery ... 27	4	–	–	–	–	–	–	–	–	2	2	–	–
Malaria ... 28	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis ... 30	30	2	3	3	3	1	3	3	–	2	4	5	1
Measles ... 35	10	2	1	2	2	1	2	–	–	–	–	–	–
Poliomyelitis, polioencephalitis (acute) ... 36	1	–	–	–	–	–	–	1	–	–	–	–	–
Cancer and other malignant tumors ... 45–55	535	40	36	38	47	47	39	47	50	36	40	56	59
Cancer of the digestive organs and peritoneum ... 46	270	26	14	24	27	22	14	19	16	23	21	34	30
Cancer of female genital organs ... 48,49	46	2	4	4	2	4	4	2	5	2	7	3	7
Cancer of the breast ... 50	51	3	3	2	2	6	5	4	11	5	1	5	4
Cancer (other sites) ... 45,47,51–55	168	9	15	8	16	15	16	22	18	6	11	14	18
Acute rheumatic fever ... 58	13	3	1	–	1	2	–	2	1	2	–	1	–
Diabetes mellitus ... 61	95	8	8	8	9	10	6	6	8	4	10	8	10
Exophthalmic goiter ... 63b	16	4	–	3	–	1	1	3	–	1	2	–	1
Pellagra (except alcoholic) ... 69	–	–	–	–	–	–	–	–	–	–	–	–	–
Alcoholism (ethylism) ... 77	3	1	–	1	–	–	–	–	–	1	–	–	–
Intracranial lesions of vascular origin ... 83	402	42	29	29	28	36	37	31	33	29	37	27	44
Diseases of the heart ... 90–95	1,222	154	95	108	91	102	86	105	74	91	94	120	102
Chronic rheumatic diseases of the heart ... 90a,92b,c,93c,95b	91	14	3	5	14	6	10	3	4	7	7	9	9
Diseases of coronary arteries and angina pectoris ... 94	421	44	28	46	26	35	29	35	23	43	37	43	32
Diseases of the heart (other forms) ... 90b,91,92a,d,e,93a,b,d,e,95a,c	710	96	64	57	51	61	47	67	47	41	50	68	61
Pneumonia (all forms) and influenza ... 107–109,33	289	62	36	29	21	23	11	10	10	16	19	19	30
Bronchopneumonia ... 107	99	5	8	15	11	12	5	6	2	9	5	9	12
Lobar pneumonia ... 108	83	17	14	7	8	8	4	1	3	3	9	5	4
Pneumonia (unspecified) ... 109	30	5	4	3	1	–	–	3	2	2	1	2	7
Influenza ... 33	77	35	13	4	1	3	2	–	3	2	4	3	7
Ulcer of stomach or duodenum ... 117	30	5	2	3	4	2	3	3	–	3	5	2	4
Diarrhea, enteritis, etc.* ... 119,120	35	–	4	3	1	1	1	2	3	5	3	6	1
Appendicitis ... 121	39	4	5	3	3	4	2	2	2	7	5	1	1
Hernia and intestinal obstruction ... 122	45	4	4	2	5	2	4	4	6	1	4	6	3
Cirrhosis of the liver ... 124	26	2	2	3	1	2	3	3	2	1	3	–	4
Biliary calculi, etc.* ... 126,127	24	1	2	1	2	2	1	3	1	4	4	3	–
Nephritis ... 130–132	290	33	17	21	25	25	19	27	26	19	24	21	33
Diseases of the prostate ... 137	21	5	–	1	2	1	2	1	1	3	–	4	1
Diseases of pregnancy, etc.* ... 140–150	30	3	1	2	3	4	3	2	2	2	3	2	3
Puerperal septicemia ... 140,142a,145A,147	12	1	–	1	1	3	2	–	1	1	1	1	–
Puerperal toxemia ... 141a,c,144,148	6	1	–	–	1	–	–	–	1	–	–	1	2
Hemorrhage, trauma and shock* ... 141b,142b,143,146,149	6	–	1	–	1	–	1	1	–	–	2	–	–
Other puerperal causes ... 141d,e,f,145B,150	6	1	–	1	–	1	–	1	–	1	–	–	1
Congenital malformations ... 157	63	9	4	5	3	3	7	3	6	8	6	5	4
Premature birth ... 159	131	12	10	7	13	8	15	9	9	10	15	14	9
Suicide ... 163,164	50	4	4	4	5	3	7	7	3	2	6	3	2
Homicide ... 165–168	7	1	–	2	–	–	–	1	–	–	1	1	1
Accidental deaths ... 169–195	524	49	37	35	27	24	53	53	57	50	45	44	50
Motor-vehicle accidents ... 170	124	9	12	9	5	9	11	10	15	11	4	19	10
Other accidents ... 169,171–195	400	40	25	26	22	15	42	43	42	39	41	25	40
Senility, ill-defined and unknown causes ... 162,199,200	140	11	14	11	12	11	6	14	4	15	15	12	15
All other causes ...	463	45	36	48	34	43	32	26	34	33	49	38	45

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ILLINOIS.....: All causes	88,180	8,902	7,505	8,198	7,431	7,237	7,047	6,634	6,683	6,306	7,157	7,055	8,025
Typhoid and paratyphoid fever..... 1,2	16	2	-	-	-	-	2	2	4	1	1	2	2
Cerebrospinal (meningococcus) meningitis..... 6	199	20	27	31	28	22	14	9	10	3	11	15	9
Scarlet fever..... 8	26	2	2	4	4	3	2	1	1	-	3	-	4
Whooping cough..... 9	44	4	2	5	1	1	1	4	8	8	7	2	1
Diphtheria..... 10	21	3	2	3	-	3	-	2	2	2	1	2	1
Tuberculosis (all forms)..... 15-22	3,218	295	284	292	263	267	271	274	230	253	260	247	282
Tuberculosis of respiratory system, etc.*..... 15	2,982	275	267	272	239	252	254	253	215	234	245	227	249
Tuberculosis (other forms)..... 14-22	236	20	17	20	24	15	17	21	15	19	15	20	33
Dysentery..... 27	35	4	3	1	3	3	2	5	5	4	3	2	-
Malaria..... 28	6	1	-	2	1	-	-	1	-	-	1	-	-
Syphilis..... 30	857	91	73	80	72	74	56	59	68	59	65	75	85
Measles..... 35	63	4	17	27	25	5	3	1	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute)..... 36	39	1	1	-	-	1	-	4	6	14	10	1	1
Cancer and other malignant tumors..... 45-55	12,418	1,029	1,018	1,071	996	1,018	1,043	1,003	1,034	982	1,087	1,044	1,093
Cancer of the digestive organs and peritoneum..... 46	5,948	510	468	514	480	452	499	502	526	468	507	497	525
Cancer of female genital organs..... 48,49	1,554	111	134	120	149	145	138	135	116	132	122	132	120
Cancer of the breast..... 50	1,115	106	95	100	80	84	88	81	89	92	101	92	107
Cancer (other sites)..... 45,47,51-55	3,801	302	321	337	287	337	318	285	303	290	357	323	341
Acute rheumatic fever..... 58	75	3	2	10	5	10	8	9	8	6	7	1	4
Diabetes mellitus..... 61	2,632	244	233	265	227	197	217	186	192	177	218	224	252
Exophthalmic goiter..... 63b	224	19	20	25	27	21	16	20	16	11	11	20	18
Pellagra (except alcoholic)..... 69	4	1	-	-	1	-	-	-	1	-	1	-	-
Alcoholism (ethylism)..... 77	47	4	4	6	4	5	1	4	3	1	5	7	3
Intracranial lesions of vascular origin..... 83	6,851	678	597	616	587	573	544	505	485	473	535	610	648
Diseases of the heart..... 90-95	30,895	3,185	2,667	2,918	2,692	2,547	2,427	2,288	2,226	2,127	2,483	2,431	2,924
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	1,697	179	129	180	158	150	147	121	115	114	148	130	126
Diseases of coronary arteries and angina pectoris..... 94	6,271	597	505	523	532	532	518	446	454	428	535	540	661
Diseases of the heart (other forms)..... 90b,91,92a,d,e,93a,b,d,e,95a,b,c	22,927	2,409	2,033	2,215	2,002	1,865	1,762	1,701	1,657	1,585	1,800	1,761	2,137
Pneumonia (all forms) and influenza..... 107-109,33	3,364	695	596	353	300	227	161	134	165	141	216	247	329
Bronchopneumonia..... 107	1,437	207	147	147	138	113	93	78	93	76	100	105	140
Lobar pneumonia..... 108	1,124	196	131	109	109	69	51	39	47	49	86	102	136
Pneumonia (unspecified)..... 109	260	44	32	35	25	26	9	5	19	10	15	19	21
Influenza..... 33	543	248	86	62	28	19	8	12	6	6	15	21	32
Ulcer of stomach or duodenum..... 117	620	57	51	58	53	66	58	42	32	37	58	63	45
Diarrhea, enteritis, etc.*..... 119,120	339	32	17	30	26	25	20	25	43	33	39	25	24
Appendicitis..... 121	537	43	41	52	42	47	63	50	45	52	39	27	36
Hernia and intestinal obstruction..... 122	847	91	54	75	74	61	84	63	67	66	76	69	67
Cirrhosis of the liver..... 124	886	96	72	84	70	58	87	54	72	66	72	75	80
Biliary calculi, etc.*..... 126,127	528	41	45	46	32	47	53	44	42	41	47	46	44
Nephritis..... 130-132	6,149	651	517	569	512	521	466	459	456	442	509	482	565
Diseases of the prostate..... 137	650	61	48	57	67	50	62	50	54	49	56	47	49
Diseases of pregnancy, etc.*..... 140-150	254	25	19	19	20	22	26	26	25	17	19	21	15
Puerperal septicemia..... 140,142a,145A,147	105	9	7	8	7	13	9	14	12	8	9	3	6
Puerperal toxemia..... 141a,c,144,148	44	6	3	4	2	3	2	3	3	4	5	5	4
Hemorrhage, trauma and shock*..... 141b,142b,143,146,149	88	8	8	6	9	6	11	9	10	3	3	11	4
Other puerperal causes..... 141d,e,f,145B,150	17	2	1	1	2	-	4	-	-	2	2	2	1
Congenital malformations..... 157	1,032	95	80	105	88	66	87	63	89	67	95	101	96
Premature birth..... 159	1,343	98	86	134	103	121	106	134	117	111	120	97	116
Suicide..... 163,164	760	60	63	77	64	71	77	56	64	57	57	62	52
Homicide..... 165-168	313	20	21	16	26	35	34	28	22	35	22	23	31
Accidental deaths..... 169-195	5,060	445	380	425	360	436	462	438	436	396	414	417	451
Motor-vehicle accidents..... 170	1,355	141	112	118	93	103	100	109	110	115	118	125	111
Other accidents..... 169,171-195	3,705	304	268	307	267	333	362	329	326	281	296	292	340
Senility, ill-defined and unknown causes..... 162,199,200	480	56	46	32	45	38	25	41	32	35	42	39	49
All other causes.....	7,330	746	617	710	613	596	569	570	623	540	567	531	648
INDIANA..... All causes	39,376	4,073	3,453	3,555	3,279	3,303	3,015	3,034	2,883	2,874	3,208	3,149	3,550
Typhoid and paratyphoid fever..... 1,2	18	2	8	1	2	1	-	1	-	1	2	-	-
Cerebrospinal (meningococcus) meningitis..... 6	76	13	8	14	7	11	2	3	2	3	4	4	5
Scarlet fever..... 8	14	1	1	5	3	3	-	-	-	-	-	-	1
Whooping cough..... 9	30	2	4	2	1	2	1	4	8	1	-	2	3
Diphtheria..... 10	54	4	1	4	1	-	-	-	2	5	6	5	6
Tuberculosis (all forms)..... 15-22	1,221	109	116	91	91	128	101	109	78	102	102	91	103
Tuberculosis of respiratory system, etc.*..... 15	1,110	104	104	84	87	118	92	101	65	93	91	78	93
Tuberculosis (other forms)..... 14-22	111	5	12	7	4	10	9	8	13	9	11	13	10
Dysentery..... 27	31	-	-	1	-	2	3	3	10	6	1	2	3
Malaria..... 28	3	-	1	-	-	1	-	1	-	-	-	-	-
Syphilis..... 30	401	50	39	33	32	31	20	28	32	40	29	37	30
Measles..... 35	43	7	12	12	8	2	1	-	-	1	-	-	-
Poliomyelitis, polioencephalitis (acute)..... 36	30	1	-	2	-	-	2	2	8	5	2	5	3
Cancer and other malignant tumors..... 45-55	4,615	384	384	396	377	415	362	395	349	390	394	384	385
Cancer of the digestive organs and peritoneum..... 46	2,039	171	177	171	168	176	170	190	155	166	164	164	167
Cancer of female genital organs..... 48,49	620	39	47	60	49	62	47	49	42	49	51	55	70
Cancer of the breast..... 50	424	32	40	33	37	36	34	42	38	38	26	36	32
Cancer (other sites)..... 45,47,51-55	1,532	142	120	132	123	141	111	114	114	137	153	129	116
Acute rheumatic fever..... 58	31	5	4	4	9	1	1	-	3	1	-	1	2
Diabetes mellitus..... 61	947	80	80	90	89	95	80	56	73	66	66	65	107
Exophthalmic goiter..... 63b	79	16	5	7	9	6	6	4	5	1	9	5	6
Pellagra (except alcoholic)..... 69	5	1	-	1	-	-	1	1	-	-	-	-	1
Alcoholism (ethylism)..... 77	44	1	6	4	3	3	6	3	3	7	3	5	-
Intracranial lesions of vascular origin..... 83	4,270	416	388	402	354	347	336	309	294	289	352	367	416
Diseases of the heart..... 90-95	11,431	1,153	1,013	1,036	985	960	841	894	792	795	971	967	1,044
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	736	70	76	73	72	67	51	57	46	55	47	60	64
Diseases of coronary arteries and angina pectoris..... 94	3,930	336	338	328	307	338	281	316	289	267	381	333	416
Diseases of the heart (other forms)..... 90b,91,92a,d,e,93a,b,d,e,95a,c	6,763	747	599	635	586	555	509	521	457	473	543	574	564

*Refer to complete International List titles, tableV, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA—Continued													
Pneumonia (all forms) and influenza..... 107-109,33	2,227	556	272	279	225	129	72	69	68	81	136	152	188
Bronchopneumonia..... 107	688	109	82	90	84	38	26	24	23	33	51	55	73
Lobar pneumonia..... 108	648	121	74	83	58	61	25	25	28	20	42	54	57
Pneumonia (unspecified)..... 109	276	54	34	31	31	11	11	16	8	12	19	26	23
Influenza..... 33	615	272	82	75	52	19	10	4	9	16	24	17	35
Ulcer of stomach or duodenum..... 117	188	18	14	23	10	19	15	13	19	19	14	10	14
Diarrhea, enteritis, etc.*..... 119,120	288	17	15	19	11	20	25	28	39	39	28	26	21
Appendicitis..... 121	221	21	14	21	26	20	15	21	19	17	23	13	11
Hernia and intestinal obstruction..... 122	349	20	25	28	32	43	26	26	24	30	26	35	28
Cirrhosis of the liver..... 124	231	20	22	17	19	18	21	13	13	22	14	23	21
Biliary calculi, etc.*..... 126,127	183	8	17	17	11	15	18	18	18	15	15	13	18
Nephritis..... 130-132	3,235	822	279	304	264	267	261	252	236	244	263	231	310
Diseases of the prostate..... 137	170	18	20	12	20	16	10	7	18	12	13	12	12
Diseases of pregnancy, etc.*..... 140-150	141	15	8	7	15	15	14	15	19	7	5	9	12
Puerperal septicemia..... 140,142a,145A,147	56	9	3	5	7	6	8	4	3	1	3	6	1
Puerperal toxemia..... 141a,c,144,148	31	3	3	-	-	6	3	3	5	2	2	1	3
Hemorrhage, trauma and shock*..... 141b,142b,143,146,149	47	2	1	1	7	2	3	7	10	4	-	2	8
Other puerperal causes..... 141d,e,f,145B,150	7	1	1	1	1	1	-	1	1	-	-	-	-
Congenital malformations..... 157	433	34	36	38	22	35	38	27	47	45	41	36	34
Premature birth..... 159	729	59	47	72	61	54	61	58	60	55	70	63	69
Suicide..... 163,164	431	31	32	42	40	38	40	43	43	34	32	33	23
Homicide..... 165-168	96	8	7	6	5	9	8	5	11	11	6	11	9
Accidental deaths..... 169-195	2,756	282	207	193	200	251	257	235	252	212	226	180	258
Motor-vehicle accidents..... 170	774	77	61	46	59	67	57	54	69	59	81	64	80
Other accidents..... 169,171-195	1,979	205	146	147	141	184	200	181	183	153	145	116	178
Senility, ill-defined and unknown causes..... 162,199,200	439	39	39	31	29	30	26	48	41	39	41	36	40
All other causes.....	3,939	354	329	341	338	316	345	341	289	279	314	326	367
IOWA..... All causes	26,094	2,979	2,128	2,376	2,308	2,242	1,998	1,921	1,904	1,941	2,050	2,086	2,278
Typhoid and paratyphoid fever..... 1,2	4	-	-	-	-	-	-	-	1	3	-	-	-
Cerebrospinal (meningococcus) meningitis..... 6	21	3	1	5	4	2	-	-	-	-	1	4	1
Scarlet fever..... 8	16	4	1	3	1	4	3	-	-	-	-	-	-
Whooping cough..... 9	26	3	4	-	1	4	3	3	-	1	1	3	3
Diphtheria..... 10	12	-	-	1	-	-	1	-	-	-	2	3	5
Tuberculosis (all forms)..... 13-22	341	41	33	30	39	30	25	29	24	26	29	12	23
Tuberculosis of respiratory system, etc.*..... 13	314	40	31	27	33	25	25	25	23	26	27	11	21
Tuberculosis (other forms)..... 14-22	27	1	2	3	6	5	-	4	1	-	2	1	2
Dysentery..... 27	3	-	-	-	2	1	-	-	-	-	-	-	-
Malaria..... 28	2	-	1	-	-	-	-	-	1	-	-	-	-
Syphilis..... 30	191	23	15	18	21	25	15	14	10	6	12	15	17
Measles..... 35	31	3	6	5	8	5	-	-	1	-	1	-	2
Poliomyelitis, polioencephalitis (acute)..... 36	16	-	-	-	-	-	-	1	1	7	6	1	-
Cancer and other malignant tumors..... 45-55	3,504	296	263	339	299	288	310	285	279	300	307	299	319
Cancer of the digestive organs and peritoneum..... 46	1,705	138	129	165	134	130	155	128	128	140	153	150	157
Cancer of female genital organs..... 48,49	359	38	24	30	37	28	29	32	34	40	41	33	33
Cancer of the breast..... 50	375	24	24	35	26	43	25	27	33	38	37	22	41
Cancer (other sites)..... 45,47,51-55	1,105	96	86	111	102	87	101	98	84	82	76	94	88
Acute rheumatic fever..... 58	29	2	2	2	4	3	3	2	3	-	2	2	4
Diabetes mellitus..... 61	643	74	60	54	62	55	38	27	51	46	57	59	60
Exophthalmic goiter..... 63b	40	6	5	6	3	3	-	3	3	3	5	1	2
Pellagra (except alcoholic)..... 69	3	2	-	-	-	-	-	-	-	-	-	1	-
Alcoholism (ethylism)..... 77	20	4	3	2	-	2	-	2	1	1	2	2	1
Intracranial lesions of vascular origin..... 83	2,966	296	253	271	238	241	238	211	220	215	235	260	288
Diseases of the heart..... 90-93	8,050	904	630	738	729	706	611	603	546	544	638	675	731
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	506	62	38	51	55	53	52	34	49	34	48	46	64
Diseases of coronary arteries and angina pectoris..... 94	3,150	297	242	280	261	269	252	258	205	215	270	269	312
Diseases of the heart (other forms)..... 90b,91,92a,d,e,93a,b,d,e,95a,c	4,314	545	350	402	393	384	307	311	292	295	320	360	355
Pneumonia (all forms) and influenza..... 107-109,33	1,501	440	152	178	129	103	71	43	58	53	84	84	101
Bronchopneumonia..... 107	500	81	41	65	53	39	31	25	20	29	33	34	41
Lobar pneumonia..... 108	497	104	45	60	44	48	32	15	19	16	38	37	39
Pneumonia (unspecified)..... 109	39	7	1	7	5	3	1	1	2	3	3	1	5
Influenza..... 33	465	248	65	46	27	18	7	2	9	5	10	12	16
Ulcer of stomach or duodenum..... 117	146	18	13	7	7	6	12	15	11	12	7	23	15
Diarrhea, enteritis, etc.*..... 119,120	105	10	7	7	6	12	10	13	5	8	10	2	15
Appendicitis..... 121	157	14	12	16	15	18	13	18	16	10	8	9	8
Hernia and intestinal obstruction..... 122	209	24	26	15	22	26	18	23	19	21	16	19	20
Cirrhosis of the liver..... 124	118	14	9	11	9	12	10	7	14	9	6	11	6
Biliary calculi, etc.*..... 126,127	183	16	10	20	14	16	19	14	6	20	19	17	12
Nephritis..... 130-132	1,573	166	140	123	147	137	142	126	121	126	105	110	140
Diseases of the prostate..... 137	219	20	19	19	24	18	17	19	21	14	17	15	16
Diseases of pregnancy, etc.*..... 140-150	83	7	8	12	7	8	3	8	4	5	7	7	7
Puerperal septicemia..... 140,142a,145A,147	27	1	3	5	2	2	1	4	-	-	3	4	2
Puerperal toxemia..... 141a,c,144,148	24	3	1	5	3	2	-	3	1	3	1	1	1
Hemorrhage, trauma and shock*..... 141b,142b,143,146,149	26	3	3	2	-	3	2	1	2	2	3	2	3
Other puerperal causes..... 141d,e,f,145B,150	6	-	1	-	2	1	-	-	1	-	-	-	1
Congenital malformations..... 157	326	33	31	41	24	23	24	16	27	24	21	36	26
Premature birth..... 159	523	49	44	36	43	56	43	38	42	52	42	40	38
Suicide..... 163,164	300	26	24	30	35	30	20	27	29	17	20	20	22
Homicide..... 165-168	38	5	4	3	1	2	4	2	4	2	3	2	6
Accidental deaths..... 169-195	1,679	175	100	124	136	142	133	157	172	136	137	141	124
Motor-vehicle accidents..... 170	355	34	21	30	34	25	28	25	26	23	39	35	35
Other accidents..... 169,171-195	1,324	141	79	94	102	117	105	132	146	113	98	106	89
Senility, ill-defined and unknown causes..... 162,199,200	410	45	32	39	34	31	21	34	33	27	38	23	53
All other causes.....	2,486	256	220	236	244	228	201	181	181	154	212	170	213

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS.... All causes	18,535	2,026	1,617	1,729	1,636	1,530	1,461	1,372	1,363	1,305	1,426	1,424	1,646
Typhoid and paratyphoid fever.... 1,2	2	-	-	-	-	-	-	-	-	1	1	-	-
Cerebrospinal (meningococcus) meningitis.... 6	30	4	4	9	3	5	-	1	-	1	1	-	2
Scarlet fever.... 8	14	2	1	3	4	1	1	-	-	-	1	1	-
Whooping cough.... 9	18	1	1	2	1	1	-	2	3	-	3	1	4
Diphtheria.... 10	7	3	-	-	1	-	-	-	1	-	-	1	1
Tuberculosis (all forms).... 13-22	357	23	26	28	46	43	37	31	27	21	21	26	28
Tuberculosis of respiratory system, etc.*.... 13	336	21	22	27	43	38	36	31	27	21	20	26	24
Tuberculosis (other forms).... 14-22	21	2	4	1	3	5	1	-	-	-	1	-	4
Dysentery.... 27	10	-	1	-	1	1	-	1	1	3	-	1	1
Malaria.... 28	1	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis.... 30	167	16	14	16	9	17	8	16	12	23	7	12	17
Measles.... 35	30	1	2	5	8	7	4	3	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).... 36	10	2	1	-	1	1	-	1	3	1	-	-	-
Cancer and other malignant tumors.... 45-55	2,306	183	199	212	201	184	184	185	187	176	215	176	204
Cancer of the digestive organs and peritoneum.... 46	1,051	69	99	98	100	85	87	85	86	75	95	86	86
Cancer of female genital organs.... 48,49	241	22	26	19	22	22	9	19	13	20	29	22	18
Cancer of the breast.... 50	228	23	22	15	20	16	21	18	25	15	16	15	22
Cancer (other sites).... 45,47,51-55	786	69	52	60	59	61	67	63	63	66	75	53	78
Acute rheumatic fever.... 58	14	-	-	1	1	3	-	2	2	1	1	1	2
Diabetes mellitus.... 61	478	65	47	45	43	36	32	25	29	25	43	42	47
Exophthalmic goiter.... 63b	45	3	6	3	7	6	2	1	5	2	7	1	2
Pellagra (except alcoholic).... 69	5	-	-	2	-	1	-	1	-	-	-	-	1
Alcoholism (ethylism).... 77	6	2	-	-	1	1	-	-	-	-	-	2	-
Intracranial lesions of vascular origin.... 83	1,956	191	154	187	173	142	169	146	138	137	163	165	191
Diseases of the heart.... 90-95	5,284	599	487	488	461	488	405	383	353	378	364	392	508
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	384	42	40	33	36	43	40	30	26	21	18	31	22
Diseases of coronary arteries and angina pectoris.... 94	1,897	200	154	170	170	190	138	162	140	158	136	166	213
Diseases of the heart (other forms).... 90b,91,92a,d,e,93a,b,d,e,95a,b,c	2,903	357	273	285	253	255	227	191	187	197	210	195	273
Pneumonia (all forms) and influenza.... 107-109,33	946	276	136	100	66	55	42	29	30	38	43	51	80
Bronchopneumonia.... 107	366	63	45	41	21	30	21	19	18	22	19	25	42
Lobar pneumonia.... 108	235	47	43	24	17	10	15	6	4	10	17	20	22
Pneumonia (unspecified).... 109	42	4	5	6	7	4	1	2	4	2	6	1	-
Influenza.... 33	303	162	43	29	21	11	5	2	4	4	1	5	16
Ulcer of stomach or duodenum.... 117	109	14	11	5	6	8	10	8	8	7	7	12	13
Diarrhea, enteritis, etc.*.... 119,120	108	6	3	7	8	7	8	11	10	9	13	10	16
Appendicitis.... 121	124	9	5	7	14	11	12	15	13	13	9	9	7
Hernia and intestinal obstruction.... 122	174	17	19	13	11	10	20	15	16	7	17	15	14
Cirrhosis of the liver.... 124	86	8	6	8	6	6	1	8	8	8	8	12	7
Biliary calculi, etc.*.... 126,127	118	14	7	9	10	6	13	6	10	10	12	8	13
Nephritis.... 130-132	1,414	148	139	134	126	125	104	102	105	101	109	100	121
Diseases of the prostate.... 137	138	10	15	14	9	9	6	8	13	21	13	12	8
Diseases of pregnancy, etc.*.... 140-150	64	3	7	8	7	5	9	11	5	3	3	2	1
Puerperal septicemia.... 140,142a,145A,147	32	1	4	5	4	3	3	5	1	2	3	1	-
Puerperal toxemia.... 141a,c,144,148	7	-	1	1	1	-	1	1	1	1	-	-	-
Hemorrhage, trauma and shock*.... 141b,142b,143,146,149	22	2	2	2	2	1	4	4	3	-	-	1	1
Other puerperal causes.... 141d,e,f,145B,150	3	-	-	-	-	1	1	1	-	-	-	-	-
Congenital malformations.... 157	217	23	15	22	23	20	28	15	16	16	13	15	13
Premature birth.... 159	333	35	14	29	29	26	25	29	26	22	34	37	24
Suicide.... 163,164	168	10	12	15	14	13	18	11	13	12	14	15	21
Homicide.... 165-168	59	8	2	6	5	3	5	6	7	5	4	3	5
Accidental deaths.... 169-195	1,490	127	99	126	136	112	132	131	144	116	112	133	122
Motor-vehicle accidents.... 170	312	26	20	26	33	15	22	23	33	22	25	36	31
Other accidents.... 169,171-195	1,178	101	79	100	103	97	110	108	111	94	87	97	91
Senility, ill-defined and unknown causes.... 162,199,200	320	39	29	33	33	19	32	15	16	21	23	25	35
All other causes....	1,925	184	176	192	172	155	154	154	162	129	165	144	138
KENTUCKY.... All causes	28,371	3,243	2,504	2,564	2,296	2,244	2,210	2,216	2,068	2,107	2,159	2,241	2,519
Typhoid and paratyphoid fever.... 1,2	26	2	-	2	2	2	1	6	7	1	4	-	1
Cerebrospinal (meningococcus) meningitis.... 6	79	12	15	10	6	4	5	4	4	4	1	8	6
Scarlet fever.... 8	9	1	2	-	1	-	1	-	-	1	1	1	1
Whooping cough.... 9	93	13	4	12	11	6	4	10	12	6	5	7	3
Diphtheria.... 10	39	4	2	3	2	-	2	2	4	3	7	4	6
Tuberculosis (all forms).... 13-22	1,726	201	168	170	145	132	128	138	116	132	116	147	133
Tuberculosis of respiratory system, etc.*.... 13	1,590	185	155	160	129	123	117	117	108	123	109	141	123
Tuberculosis (other forms).... 14-22	136	16	13	10	16	9	11	21	8	9	7	6	10
Dysentery.... 27	125	3	-	4	3	3	16	34	24	14	18	5	1
Malaria.... 28	16	-	-	-	-	3	1	3	2	-	1	4	2
Syphilis.... 30	256	23	21	29	29	28	18	14	21	15	18	25	15
Measles.... 35	52	6	10	13	13	6	3	-	-	-	1	-	-
Poliomyelitis, polioencephalitis (acute).... 36	48	1	-	2	-	3	6	13	8	7	3	5	-
Cancer and other malignant tumors.... 45-55	2,703	246	188	221	221	217	228	217	219	217	260	228	243
Cancer of the digestive organs and peritoneum.... 46	1,231	112	83	105	100	98	105	104	104	93	129	101	97
Cancer of female genital organs.... 48,49	380	27	27	31	37	26	31	34	27	28	36	35	41
Cancer of the breast.... 50	228	18	16	27	18	20	13	9	17	26	24	20	20
Cancer (other sites).... 45,47,51-55	864	89	62	58	66	73	77	70	71	70	71	72	85
Acute rheumatic fever.... 58	34	1	1	5	5	2	3	4	2	3	2	4	2
Diabetes mellitus.... 61	490	53	46	46	40	40	38	35	28	41	31	51	41
Exophthalmic goiter.... 63b	47	4	4	3	4	8	3	2	4	5	3	3	4
Pellagra (except alcoholic).... 69	32	4	5	6	1	5	-	-	1	3	2	-	1
Alcoholism (ethylism).... 77	28	4	2	2	1	3	2	-	3	2	-	2	4
Intracranial lesions of vascular origin.... 83	2,762	288	245	236	230	207	226	225	205	219	198	220	263
Diseases of the heart.... 90-95	6,942	753	624	633	583	585	518	488	453	514	542	585	656
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	430	38	39	50	36	27	47	41	28	28	33	29	42
Diseases of coronary arteries and angina pectoris.... 94	1,962	216	175	159	151	144	156	124	122	162	160	199	174
Diseases of the heart (other forms).... 90b,91,92a,d,e,93a,b,d,c,95a,c	4,541	498	410	424	396	424	315	323	303	324	349	355	420

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY—Continued													
Pneumonia (all forms) and influenza ... 107-109,33	2,346	634	329	295	193	106	58	64	76	84	131	159	217
Bronchopneumonia ... 107	771	123	105	101	69	39	20	34	30	36	65	66	83
Lobar pneumonia ... 108	582	128	74	81	47	26	16	14	26	24	38	40	66
Pneumonia (unspecified) ... 109	324	69	41	35	34	18	12	13	13	19	16	25	29
Influenza ... 33	669	314	109	78	43	23	10	3	5	5	12	28	39
Ulcer of stomach or duodenum ... 117	185	15	16	12	14	19	20	14	11	15	12	18	19
Diarrhea, enteritis, etc.* ... 119,120	470	22	17	12	14	17	49	87	85	67	53	31	16
Appendicitis ... 121	180	16	11	16	21	15	20	17	14	14	16	7	13
Hernia and intestinal obstruction ... 122	193	17	16	20	15	17	20	16	11	11	16	22	12
Cirrhosis of the liver ... 124	158	8	24	10	14	16	10	8	10	15	16	17	10
Biliary calculi, etc.* ... 126,127	108	5	9	8	7	12	13	9	11	8	6	12	8
Nephritis ... 130-132	1,879	217	158	167	151	135	156	153	141	151	137	153	180
Diseases of the prostate ... 137	121	13	4	12	13	7	4	13	6	10	16	14	9
Diseases of pregnancy, etc.* ... 140-150	159	11	14	12	16	13	18	16	7	16	12	10	14
Puerperal septicemia ... 140,142a,145a,147	48	6	6	5	3	1	5	5	5	5	2	3	2
Puerperal toxemia ... 141a,c,144,148	59	2	-	5	6	9	7	6	2	5	6	4	7
Hemorrhage, trauma and shock* ... 141b,142b,143,146,149	38	2	5	2	5	2	5	3	-	5	2	3	4
Other puerperal causes ... 141d,e,f,145B,150	14	1	3	-	2	1	1	2	-	1	2	-	1
Congenital malformations ... 157	340	28	29	31	29	32	33	31	22	31	21	25	28
Premature birth ... 159	792	57	55	71	70	81	68	79	61	64	72	55	59
Suicide ... 163,164	252	22	19	15	16	20	19	32	21	20	18	13	29
Homicide ... 165-168	240	10	13	16	19	24	23	24	23	27	20	19	22
Accidental deaths ... 169-195	2,122	212	148	185	148	171	211	187	180	170	158	145	207
Motor-vehicle accidents ... 170	526	46	36	35	43	40	33	40	51	52	51	47	52
Other accidents ... 169,171-195	1,596	166	112	150	105	131	178	147	129	118	107	98	155
Senility, ill-defined and unknown causes ... 162,199,200	491	68	45	45	31	35	45	54	34	27	26	38	41
All other causes ...	2,835	269	260	240	228	254	242	217	242	210	214	206	253
LOUISIANA ... All causes	23,567	2,682	1,914	1,929	1,788	1,882	2,072	1,856	1,799	1,675	1,849	1,909	2,212
Typhoid and paratyphoid fever ... 1,2	28	2	-	1	5	3	2	7	2	-	4	1	1
Cerebrospinal (meningococcus) meningitis ... 6	35	12	4	3	2	2	5	2	1	1	2	3	2
Scarlet fever ... 8	2	-	-	1	-	-	-	-	-	-	-	-	1
Whooping cough ... 9	30	12	2	2	4	2	3	1	3	4	4	1	1
Diphtheria ... 10	75	10	8	2	1	-	2	1	3	6	23	10	9
Tuberculosis (all forms) ... 13-22	1,158	112	84	112	94	91	112	93	111	90	84	87	88
Tuberculosis of respiratory system, etc.* ... 13	1,087	108	80	108	86	83	101	86	105	86	80	79	85
Tuberculosis (other forms) ... 14-22	71	4	4	4	8	8	11	7	6	4	4	8	3
Dysentery ... 27	61	4	2	3	3	5	7	7	13	2	6	2	7
Malaria ... 28	28	1	-	4	1	3	5	8	3	1	-	2	-
Syphilis ... 30	516	41	35	43	59	41	45	44	40	36	46	39	47
Measles ... 35	59	5	4	15	20	8	3	2	-	1	-	-	1
Poliomyelitis, polioencephalitis (acute) ... 36	12	-	-	-	-	2	3	3	2	1	-	1	-
Cancer and other malignant tumors ... 45-55	2,347	212	166	191	170	209	218	191	185	194	212	188	211
Cancer of the digestive organs and peritoneum ... 46	913	98	57	76	70	84	82	78	72	71	83	74	67
Cancer of female genital organs ... 48,49	371	30	27	31	25	33	31	29	29	42	29	25	40
Cancer of the breast ... 50	204	16	7	16	17	17	22	18	15	18	18	19	21
Cancer (other sites) ... 45,47,51-55	859	67	75	68	58	75	83	66	69	63	82	70	83
Acute rheumatic fever ... 58	25	2	3	2	3	2	2	1	1	2	2	3	2
Diabetes mellitus ... 61	408	46	27	35	39	33	25	33	28	33	35	28	46
Exophthalmic goiter ... 63b	39	3	5	4	5	1	3	2	5	2	3	5	1
Pellagra (except alcoholic) ... 69	36	3	-	2	4	3	6	3	5	4	1	2	3
Alcoholism (ethylism) ... 77	23	1	4	3	1	-	2	2	3	4	-	2	1
Intracranial lesions of vascular origin ... 83	1,808	191	137	164	133	151	164	129	149	129	145	159	157
Diseases of the heart ... 90-05	6,208	736	536	479	467	485	553	490	458	412	448	498	646
Chronic rheumatic diseases of the heart ... 90a,92b,c,93c,95b	382	41	28	31	34	31	40	30	23	19	30	31	44
Diseases of coronary arteries and angina pectoris ... 94	1,642	151	126	101	102	103	113	96	111	98	102	91	141
Diseases of the heart (other forms) ... 90b,91,92a,d,e,93a,b,d,e,95a,c	1,484	544	382	347	331	351	400	364	324	295	309	376	461
Pneumonia (all forms) and influenza ... 107-109,33	1,744	439	194	142	125	96	79	64	68	78	99	152	208
Bronchopneumonia ... 107	704	109	68	63	57	55	41	27	36	46	47	69	86
Lobar pneumonia ... 108	404	75	31	31	37	21	22	18	16	22	33	45	53
Pneumonia (unspecified) ... 109	169	34	23	8	12	9	7	13	11	6	7	13	26
Influenza ... 33	467	221	72	40	19	11	9	6	5	4	12	25	43
Ulcer of stomach or duodenum ... 117	108	8	12	9	3	12	17	3	10	3	7	10	12
Diarrhea, enteritis, etc.* ... 119,120	290	16	17	19	12	35	30	34	30	27	21	28	21
Appendicitis ... 121	144	13	12	10	10	9	17	12	18	16	9	14	7
Hernia and intestinal obstruction ... 122	200	16	17	18	15	18	21	16	14	12	19	22	12
Cirrhosis of the liver ... 124	163	15	7	13	9	13	12	15	19	15	16	8	21
Biliary calculi, etc.* ... 126,127	63	2	4	7	6	5	7	7	5	5	6	4	5
Nephritis ... 130-132	1,749	195	135	150	162	138	166	118	127	130	137	142	149
Diseases of the prostate ... 137	109	13	5	10	9	4	11	12	8	7	11	7	12
Diseases of pregnancy, etc.* ... 140-150	207	19	17	20	15	27	12	17	22	21	10	17	12
Puerperal septicemia ... 140,142a,145A,147	72	7	8	7	3	10	4	6	7	7	4	8	1
Puerperal toxemia ... 141a,c,144,148	56	3	2	7	5	7	3	6	7	3	5	4	4
Hemorrhage, trauma and shock* ... 141b,142b,143,146,149	58	5	6	5	3	8	5	4	6	7	1	4	4
Other puerperal causes ... 141d,e,f,145B,150	21	4	1	1	2	2	-	1	2	4	-	1	3
Congenital malformations ... 157	242	19	20	16	17	25	25	26	18	16	20	23	17
Premature birth ... 159	903	76	67	61	53	81	76	98	81	92	82	61	75
Suicide ... 163,164	130	8	12	11	10	9	17	9	10	11	8	10	15
Homicide ... 165-168	220	16	9	14	13	13	22	31	17	21	18	25	21
Accidental deaths ... 169-195	1,691	167	143	144	124	116	163	135	121	118	160	120	171
Motor-vehicle accidents ... 170	434	50	42	36	47	24	25	15	30	48	39	34	44
Other accidents ... 169,171-195	1,257	117	101	108	77	92	138	120	91	70	121	95	127
Senility, ill-defined and unknown causes ... 162,199,200	483	65	43	28	37	47	52	44	34	23	27	38	45
All other causes ...	2,212	202	183	191	159	193	185	196	185	161	184	188	185

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE.... All causes	10,279	1,124	852	957	916	813	774	779	800	753	851	799	861
Typhoid and paratyphoid fever.... 1,2	2	-	-	-	-	1	-	-	-	-	-	1	-
Cerebrospinal (meningococcus) meningitis.... 6	22	4	-	3	3	4	-	3	1	1	-	-	1
Scarlet fever.... 8	2	-	-	-	1	-	-	-	-	-	-	-	1
Whooping cough.... 9	9	1	2	1	-	-	1	1	-	-	-	1	2
Diphtheria.... 10	3	-	-	-	-	1	-	1	-	-	-	1	-
Tuberculosis (all forms).... 16-22	279	24	20	26	24	25	31	14	21	25	32	20	15
Tuberculosis of respiratory system, etc.*.... 13	257	21	19	25	22	25	28	13	21	22	28	20	15
Tuberculosis (other forms).... 14-22	22	3	1	1	2	2	3	1	-	3	4	-	-
Dysentery.... 27	2	-	-	-	-	-	-	1	1	-	-	-	-
Malaria.... 28	1	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis.... 30	52	3	4	2	3	7	2	2	5	7	7	2	2
Measles.... 35	11	1	-	1	4	2	1	-	2	-	-	-	-
Poliomyelitis, policencephalitis (acute).... 36	3	-	-	-	-	-	-	-	-	1	1	1	-
Cancer and other malignant tumors.... 45-55	1,349	123	83	114	126	87	105	121	117	119	124	105	125
Cancer of the digestive organs and peritoneum.... 46	661	69	40	53	57	40	43	54	65	61	60	60	59
Cancer of female genital organs.... 48,49	191	16	17	21	17	11	16	15	16	12	21	13	19
Cancer of the breast.... 50	130	10	6	13	13	13	9	12	12	11	9	11	11
Cancer (other sites).... 45,47,51-55	367	28	20	27	39	23	37	40	27	35	34	21	36
Acute rheumatic fever.... 58	6	-	-	-	1	1	-	2	1	-	-	-	1
Diabetes mellitus.... 61	203	24	15	22	18	13	13	14	19	21	11	15	18
Exophthalmic goiter.... 63b	11	-	1	-	1	3	1	1	-	1	1	-	2
Pellagra (except alcoholic).... 69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).... 77	29	2	1	2	2	2	-	5	3	4	1	2	5
Intracranial lesions of vascular origin.... 83	1,053	95	93	89	99	74	92	81	77	94	98	71	90
Diseases of the heart.... 90-95	3,028	355	251	267	258	238	236	218	205	200	263	263	277
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	198	15	18	11	19	22	10	16	13	16	20	19	19
Diseases of coronary arteries and angina pectoris.... 94	1,119	119	80	94	99	82	90	82	70	83	100	99	111
Diseases of the heart (other forms).... 90b,91,92a,d,c,93a,b,d,e,95a,c	1,712	221	143	162	140	134	136	118	122	101	143	145	147
Pneumonia (all forms) and influenza.... 107-109,33	582	156	61	68	61	50	24	11	12	28	34	32	45
Bronchopneumonia.... 107	238	45	27	27	31	23	10	8	5	17	16	12	17
Lobar pneumonia.... 108	170	35	13	23	12	21	12	2	4	8	12	12	16
Pneumonia (unspecified).... 109	60	2	4	1	6	2	-	-	2	3	1	4	5
Influenza.... 33	144	74	17	17	12	4	2	1	1	-	5	4	7
Ulcer of stomach or duodenum.... 117	51	3	7	4	4	4	4	6	4	4	4	2	5
Diarrhea, enteritis, etc.*.... 119,120	84	6	3	8	3	5	5	3	16	10	13	2	4
Appendicitis.... 121	43	4	2	4	2	5	3	7	3	3	1	6	2
Hernia and intestinal obstruction.... 122	86	5	6	3	6	12	6	9	7	6	5	7	14
Cirrhosis of the liver.... 124	50	7	6	3	4	2	2	6	2	3	3	7	5
Biliary calculi, etc.*.... 126,127	44	3	3	5	2	6	4	6	5	4	3	1	2
Nephritis.... 130-132	755	78	62	74	62	61	53	56	70	48	52	62	57
Diseases of the prostate.... 137	51	7	7	4	3	5	2	4	5	5	3	4	2
Diseases of pregnancy, etc.*.... 140-150	40	1	1	4	5	3	4	5	1	1	7	4	4
Puerperal septicemia.... 140,142a,145A,147	16	-	1	2	4	1	3	-	-	1	2	-	2
Puerperal toxemia.... 141a,c,144,148	9	-	-	1	1	-	-	3	-	-	2	-	2
Hemorrhage, trauma and shock *.... 141b,142b,143,146,149	14	-	-	1	-	2	1	2	1	-	3	4	-
Other puerperal causes.... 141d,e,f,145B,150	1	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations.... 157	146	11	19	11	16	17	13	11	14	7	10	9	8
Premature birth.... 159	222	21	9	16	24	20	18	26	23	19	22	8	16
Suicide.... 163,164	119	6	10	18	12	10	7	16	11	9	3	5	12
Homicide.... 165-168	12	1	2	-	3	-	-	-	1	1	-	3	1
Accidental deaths.... 169-195	653	35	64	77	35	48	53	72	71	40	41	61	56
Motor-vehicle accidents.... 170	130	8	8	12	7	8	10	10	15	7	12	16	18
Other accidents.... 169,171-195	523	27	56	64	28	40	43	62	58	33	29	45	38
Senility, ill-defined and unknown causes.... 182,199,200	230	27	19	20	25	14	18	10	15	19	22	19	22
All other causes....	1,065	121	101	109	100	93	76	70	87	67	90	85	66
MARYLAND.... All causes	22,648	2,459	1,976	2,090	1,894	1,836	1,752	1,716	1,624	1,531	1,887	1,777	2,106
Typhoid and paratyphoid fever.... 1,2	3	-	-	1	-	-	1	-	1	-	-	1	-
Cerebrospinal (meningococcus) meningitis.... 6	57	8	6	5	9	4	8	2	2	1	4	5	5
Scarlet fever.... 8	4	1	-	-	-	2	-	-	-	1	-	-	-
Whooping cough.... 9	28	3	1	7	1	2	2	2	1	4	3	2	1
Diphtheria.... 10	15	-	3	1	6	1	-	-	-	1	1	-	2
Tuberculosis (all forms).... 16-22	1,326	132	125	113	119	111	118	109	99	93	104	110	88
Tuberculosis of respiratory system, etc.*.... 13	1,221	127	113	107	107	101	105	102	90	87	102	100	80
Tuberculosis (other forms).... 14-22	105	5	12	11	12	10	13	7	9	6	2	10	8
Dysentery.... 27	13	-	-	1	-	-	1	1	1	3	1	4	1
Malaria.... 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.... 30	329	30	33	29	30	25	24	24	18	23	33	32	28
Measles.... 35	28	4	5	12	3	-	2	-	-	-	-	-	-
Poliomyelitis, policencephalitis (acute).... 36	20	-	-	-	-	-	-	5	15	2	3	-	-
Cancer and other malignant tumors.... 45-55	2,595	223	194	214	203	224	226	216	176	219	247	207	246
Cancer of the digestive organs and peritoneum.... 46	1,083	94	83	86	74	102	93	105	82	95	93	79	97
Cancer of female genital organs.... 48,49	373	32	23	29	27	33	36	31	24	30	47	23	38
Cancer of the breast.... 50	267	26	17	25	31	15	26	21	12	21	22	24	27
Cancer (other sites).... 45,47,51-55	872	69	71	74	71	76	71	59	58	73	85	81	84
Acute rheumatic fever.... 58	15	2	1	4	2	2	-	1	2	1	1	1	-
Diabetes mellitus.... 61	603	74	67	51	56	55	45	47	54	40	47	40	82
Exophthalmic goiter.... 63b	37	2	5	2	3	3	2	3	3	2	2	5	3
Pellagra (except alcoholic).... 69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).... 77	40	6	3	4	4	3	2	1	3	1	6	4	3
Intracranial lesions of vascular origin.... 83	1,745	181	169	175	144	151	117	120	146	112	142	152	156
Diseases of the heart.... 90-95	6,898	770	588	614	588	554	517	536	460	439	592	542	691
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	410	53	32	41	32	38	22	31	26	25	40	25	45
Diseases of coronary arteries and angina pectoris.... 94	1,815	171	134	157	150	156	145	128	129	136	179	164	127
Diseases of the heart (other forms).... 90b,91,92a,d,e,93a,b,d,e,95a,c	4,672	546	422	436	406	360	350	377	313	277	373	353	439

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND—Continued													
Pneumonia (all forms) and influenza..... 107-109,33	1,250	269	152	131	106	54	54	42	68	45	91	101	137
Bronchopneumonia..... 107	466	73	49	54	48	25	16	19	30	19	32	45	56
Lobar pneumonia..... 108	542	100	71	55	42	25	31	20	29	23	47	37	62
Pneumonia (unspecified)..... 109	90	17	11	9	6	3	6	2	8	3	7	10	8
Influenza..... 33	152	79	21	13	10	3	1	1	1	-	5	9	9
Ulcer of stomach or duodenum..... 117	114	16	10	6	12	6	9	8	8	11	9	7	12
Diarrhea, enteritis, etc.*..... 119,120	235	21	22	5	10	8	7	25	41	38	35	16	7
Appendicitis..... 121	80	5	5	6	3	7	9	12	7	6	6	7	7
Hernia and intestinal obstruction..... 122	168	12	15	13	10	17	15	16	18	7	14	18	13
Cirrhosis of the liver..... 124	183	24	9	10	10	8	11	19	16	14	13	18	31
Biliary calculi, etc.*..... 126,127	100	4	9	7	9	14	8	14	7	4	6	8	10
Nephritis..... 130-132	2,024	237	200	213	153	166	159	144	123	133	155	154	187
Diseases of the prostate..... 137	113	5	15	15	7	6	10	10	4	13	9	10	9
Diseases of pregnancy, etc.*..... 140-150	82	8	6	7	2	7	8	10	10	8	4	7	5
Puerperal septicemia..... 140,142a,145A,147	29	3	2	3	1	5	1	4	3	1	2	2	2
Puerperal toxemia..... 141a,c,144,148	20	2	-	2	-	-	5	1	1	6	1	2	-
Hemorrhage, trauma and shock*..... 141b,142b,143,146,149	28	3	3	2	-	1	2	5	5	1	1	2	3
Other puerperal causes..... 141d,e,f,145B,150	5	-	1	-	1	1	-	-	1	-	-	1	-
Congenital malformations..... 157	254	25	22	33	15	22	24	15	26	22	18	17	17
Premature birth..... 159	578	47	41	58	55	46	56	49	48	55	46	38	38
Suicide..... 163,164	209	17	14	14	18	25	23	20	16	9	22	15	18
Homicide..... 165-168	160	11	16	15	13	10	10	16	17	11	14	10	17
Accidental deaths..... 169-195	1,397	126	98	121	122	135	114	101	100	92	124	111	153
Motor-vehicle accidents..... 170	382	33	20	29	30	45	23	24	22	31	43	24	43
Other accidents..... 169,171-195	1,015	93	78	92	83	90	85	77	78	61	81	87	110
Senility, ill-defined and unknown causes..... 162,199,200	79	9	4	5	8	9	5	5	6	2	5	7	14
All other causes.....	1,857	189	138	194	173	157	165	143	142	120	132	149	155
MASSACHUSETTS..... All causes	51,688	5,769	4,314	4,647	4,341	4,372	3,837	3,865	3,923	3,705	4,257	4,204	4,454
Typhoid and paratyphoid fever..... 1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis..... 6	80	14	8	12	4	9	8	3	2	4	6	6	4
Scarlet fever..... 8	13	2	-	-	3	2	-	1	-	1	2	1	1
Whooping cough..... 9	15	2	1	2	1	1	1	-	1	1	-	2	3
Diphtheria..... 10	11	1	1	-	-	-	2	1	-	1	-	1	4
Tuberculosis (all forms)..... 13-22	1,698	158	131	168	144	162	148	143	121	133	133	125	134
Tuberculosis of respiratory system, etc.*..... 13	1,616	147	124	161	136	155	139	137	116	126	129	119	127
Tuberculosis (other forms)..... 14-22	82	11	7	5	8	7	9	6	5	7	4	6	7
Dysentery..... 27	7	-	1	-	-	-	-	-	2	1	1	1	1
Malaria..... 28	6	1	1	1	1	-	1	-	-	1	-	-	-
Syphilis..... 30	290	38	23	24	20	24	23	21	25	20	23	21	28
Measles..... 35	21	1	-	1	6	3	3	4	1	-	-	2	-
Poliomyelitis, poliocencephalitis (acute)..... 36	17	1	-	-	1	-	-	-	5	5	4	-	1
Cancer and other malignant tumors..... 45-55	7,606	670	613	630	645	630	578	617	648	652	673	604	628
Cancer of the digestive organs and peritoneum..... 46	3,628	314	288	319	314	298	279	289	321	310	307	300	288
Cancer of female genital organs..... 48,49	915	88	81	81	81	88	56	67	71	84	80	62	74
Cancer of the breast..... 50	769	68	58	67	80	65	70	60	61	57	65	66	52
Cancer (other sites)..... 45,47,51-55	2,296	200	186	172	170	188	173	201	195	201	221	176	213
Acute rheumatic fever..... 58	37	8	2	1	4	5	6	1	4	3	1	1	1
Diabetes mellitus..... 61	1,561	161	123	148	145	134	102	115	107	118	143	136	129
Exophthalmic goiter..... 63b	45	6	5	2	6	5	4	3	2	2	4	3	3
Pellagra (except alcoholic)..... 69	5	-	-	1	-	-	-	-	1	-	1	1	1
Alcoholism (ethylism)..... 77	128	7	7	18	7	7	8	13	18	5	17	11	10
Intracranial lesions of vascular origin..... 83	4,731	478	395	414	414	410	349	332	378	338	391	420	412
Diseases of the heart..... 90-95	18,660	2,190	1,546	1,627	1,361	1,590	1,417	1,325	1,355	1,234	1,559	1,575	1,701
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	1,010	123	78	94	104	98	69	57	68	75	81	77	86
Diseases of coronary arteries and angina pectoris..... 94	5,708	553	472	504	422	460	427	431	435	412	513	504	575
Diseases of the heart (other forms)..... 90b,91,92a,d,e,93a,b,d,e,95a,c	11,942	1,514	996	1,029	1,035	1,032	921	837	832	747	965	994	1,040
Pneumonia (all forms) and influenza..... 107-109,33	2,779	624	296	282	263	220	129	121	119	135	191	194	205
Bronchopneumonia..... 107	1,644	324	172	157	139	136	89	93	77	92	125	127	113
Lobar pneumonia..... 108	796	163	86	89	95	72	29	22	34	31	53	47	75
Pneumonia (unspecified)..... 109	130	20	15	15	12	4	8	2	6	8	8	11	12
Influenza..... 33	209	108	23	21	17	8	3	4	2	4	5	9	5
Ulcer of stomach or duodenum..... 117	365	31	33	30	31	35	33	26	27	23	30	31	35
Diarrhea, enteritis, etc.*..... 119,120	192	17	9	18	21	10	10	12	25	29	20	19	12
Appendicitis..... 121	227	23	24	18	20	12	14	14	24	24	16	16	22
Hernia and intestinal obstruction..... 122	441	34	28	40	43	36	45	23	48	29	40	33	42
Cirrhosis of the liver..... 124	500	47	48	58	37	37	32	37	45	40	43	39	37
Biliary calculi, etc.*..... 126,127	256	15	11	23	20	21	23	17	28	23	25	16	14
Nephritis..... 130-132	2,489	272	215	240	219	211	204	222	171	153	195	192	196
Diseases of the prostate..... 137	260	34	14	21	21	21	15	20	26	19	17	19	33
Diseases of pregnancy, etc.*..... 140-150	140	13	12	11	12	11	9	7	13	10	14	15	13
Puerperal septicemia..... 140,142a,145A,147	54	5	5	3	5	3	2	3	7	3	3	8	7
Puerperal toxemia..... 141a,c,144,148	23	4	1	2	2	2	3	-	2	2	4	-	1
Hemorrhage, trauma and shock*..... 141b,142b,143,146,149	48	3	4	6	5	5	2	2	3	4	4	6	4
Other puerperal causes..... 141d,e,f,145B,150	15	1	2	-	-	1	2	2	1	1	3	1	1
Congenital malformations..... 157	565	60	51	63	37	41	37	45	41	43	48	51	48
Premature birth..... 159	837	68	80	69	55	77	76	55	95	76	59	65	62
Suicide..... 163,164	442	48	29	36	36	39	41	39	35	31	34	37	37
Homicide..... 165-168	59	8	4	7	2	7	9	4	5	2	-	5	6
Accidental deaths..... 169-195	2,733	271	217	262	237	212	193	250	177	219	214	210	271
Motor-vehicle accidents..... 170	536	47	50	61	42	28	31	42	27	42	52	54	60
Other accidents..... 169,171-195	2,197	224	167	201	195	184	162	208	150	177	162	156	211
Senility, ill-defined and unknown causes..... 162,199,200	149	22	8	15	7	9	4	20	7	12	11	16	18
All other causes.....	4,343	444	378	398	319	382	313	374	387	328	342	336	342

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MICHIGAN.... All causes	54,374	5,749	4,614	4,797	4,526	4,576	4,324	4,177	4,208	3,946	4,422	4,413	4,622
Typhoid and paratyphoid fever.... 1,2	11	-	-	-	1	-	-	1	3	5	1	-	-
Cerebrospinal (meningococcus) meningitis.... 6	117	25	10	18	15	15	4	4	2	4	3	8	9
Scarlet fever.... 8	8	1	1	1	1	1	1	-	-	-	-	2	-
Whooping cough.... 9	29	3	3	3	2	1	1	4	5	1	3	-	3
Diphtheria.... 10	30	1	1	3	4	1	1	3	1	2	2	5	6
Tuberculosis (all forms).... 13-22	1,814	187	153	161	161	171	156	147	159	130	115	149	125
Tuberculosis of respiratory system, etc.*.... 13	1,627	170	141	149	145	146	136	130	142	115	107	137	109
Tuberculosis (other forms).... 14-22	187	17	12	12	16	25	20	17	17	15	8	12	16
Dysentery.... 27	44	1	2	3	1	3	4	5	2	10	6	5	2
Malaria.... 28	1	-	-	-	-	-	1	-	-	-	-	-	-
Syphilis.... 30	537	40	54	37	47	49	48	60	46	42	39	30	45
Measles.... 35	44	4	9	12	9	5	4	1	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).... 36	47	-	-	1	2	-	2	1	14	17	5	3	2
Cancer and other malignant tumors.... 45-55	6,948	599	512	531	571	565	612	611	573	574	629	586	585
Cancer of the digestive organs and peritoneum.... 46	3,143	280	219	258	255	258	292	291	246	253	295	242	254
Cancer of female genital organs.... 48,49	919	69	79	60	72	68	73	70	91	92	92	79	74
Cancer of the breast.... 50	620	58	39	37	58	57	53	43	64	55	46	56	54
Cancer (other sites).... 45,47,51-55	2,266	192	175	176	186	182	194	207	172	174	196	209	205
Acute rheumatic fever.... 58	49	2	3	3	3	6	1	8	7	6	1	3	6
Diabetes mellitus.... 61	1,457	133	99	117	136	131	104	121	117	106	131	129	133
Exophthalmic goiter.... 63b	130	15	19	6	10	15	14	6	7	6	11	8	13
Pellagra (except alcoholic).... 69	8	-	1	1	-	-	-	-	1	1	3	1	-
Alcoholism (ethylism).... 77	33	5	2	5	4	-	2	2	3	2	2	2	4
Intracranial lesions of vascular origin.... 83	5,057	530	469	503	405	411	398	375	406	346	384	384	446
Diseases of the heart.... 90-95	16,999	1,792	1,423	1,476	1,408	1,453	1,375	1,275	1,249	1,188	1,423	1,409	1,528
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	913	95	69	79	77	93	72	73	65	54	79	86	71
Diseases of coronary arteries and angina pectoris.... 94	5,733	529	506	506	450	469	432	422	434	444	490	496	555
Diseases of the heart (other forms).... 90b,91,92a,d,e,93a,b,d,e,95a,c	10,353	1,168	848	891	881	891	871	780	750	690	854	827	902
Pneumonia (all forms) and influenza.... 107-109,33	2,852	668	346	315	270	196	110	108	124	132	169	185	229
Bronchopneumonia.... 107	1,093	219	131	123	96	72	49	46	60	53	78	70	96
Lobar pneumonia.... 108	1,024	197	112	120	123	89	40	38	41	50	56	78	80
Pneumonia (unspecified).... 109	368	83	50	41	28	22	10	16	18	21	22	22	35
Influenza.... 33	367	169	53	31	23	15	11	8	5	8	13	15	18
Ulcer of stomach or duodenum.... 117	336	21	27	24	26	30	25	28	27	35	24	27	42
Diarrhea, enteritis, etc.*.... 119,120	384	21	16	29	29	20	28	26	44	48	65	34	24
Appendicitis.... 121	294	18	10	17	21	23	30	31	34	38	25	25	22
Hernia and intestinal obstruction.... 122	475	42	28	48	43	44	42	35	43	42	33	39	36
Cirrhosis of the liver.... 124	457	39	40	30	33	48	33	32	46	34	35	49	38
Biliary calculi, etc.*.... 126,127	293	23	15	28	23	24	27	26	33	21	26	22	25
Nephritis.... 130-132	2,709	258	208	228	234	276	219	210	198	213	224	221	220
Diseases of the prostate.... 137	240	22	21	19	17	18	15	20	24	28	18	16	22
Diseases of pregnancy, etc.*.... 140-150	193	12	19	21	9	13	23	19	16	14	19	11	17
Puerperal septicemia.... 140,142a,145A,147	68	4	8	9	4	5	9	7	5	3	8	1	5
Puerperal toxemia.... 141a,c,144,148	39	2	3	4	2	2	2	7	6	3	2	2	4
Hemorrhage, trauma and shock *.... 141b,142b,143,146,149	74	4	8	7	3	5	10	5	5	6	8	7	6
Other puerperal causes.... 141d,e,f,145B,150	12	2	-	1	-	1	2	-	-	2	1	1	2
Congenital malformations.... 157	905	82	67	78	86	69	64	82	70	63	91	74	79
Premature birth.... 159	1,438	138	117	116	114	144	133	112	119	104	114	110	117
Suicide.... 163,164	522	38	42	45	49	47	42	53	33	40	46	43	44
Homicide.... 165-168	177	9	18	11	13	10	17	11	14	22	18	15	19
Accidental deaths.... 169-195	3,393	294	275	233	268	263	264	293	318	269	289	332	295
Motor-vehicle accidents.... 170	1,087	121	106	77	95	59	68	68	98	76	100	120	99
Other accidents.... 169,171-195	2,306	173	169	156	173	204	196	225	220	193	189	212	196
Senility, ill-defined and unknown causes.... 162,199,200	924	125	124	152	70	56	54	46	70	52	62	58	55
All other causes....	5,419	601	480	522	441	468	470	421	400	351	406	428	431
MINNESOTA.... All causes	26,453	2,644	2,290	2,401	2,316	2,275	2,007	1,945	2,037	1,923	2,166	2,189	2,260
Typhoid and paratyphoid fever.... 1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis.... 6	42	6	6	4	3	5	2	3	1	1	5	5	1
Scarlet fever.... 8	18	3	3	4	5	1	1	-	-	-	-	-	1
Whooping cough.... 9	19	-	1	2	1	1	2	1	4	4	1	1	1
Diphtheria.... 10	17	2	-	2	4	1	-	1	1	1	3	1	1
Tuberculosis (all forms).... 13-22	693	52	62	63	58	55	71	54	51	48	62	56	61
Tuberculosis of respiratory system, etc.*.... 13	623	45	60	55	53	54	65	45	47	46	52	49	52
Tuberculosis (other forms).... 14-22	70	7	2	8	5	1	6	9	4	2	10	7	9
Dysentery.... 27	4	1	1	-	-	1	-	1	-	-	-	-	-
Malaria.... 28	2	1	-	-	-	-	-	-	-	1	-	-	-
Syphilis.... 30	143	14	18	10	6	11	5	11	11	14	12	21	10
Measles.... 35	62	7	16	24	10	4	1	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).... 36	37	-	-	-	-	-	-	3	12	10	9	2	1
Cancer and other malignant tumors.... 45-55	3,755	324	284	360	292	306	311	304	311	292	323	326	322
Cancer of the digestive organs and peritoneum.... 46	1,690	152	142	190	149	159	153	143	150	157	156	154	185
Cancer of female genital organs.... 48,49	373	33	25	35	31	23	43	32	26	26	31	35	31
Cancer of the breast.... 50	352	34	31	32	30	36	27	32	35	22	25	26	22
Cancer (other sites).... 45,47,51-55	1,140	105	86	103	82	88	88	97	100	85	111	111	84
Acute rheumatic fever.... 58	28	3	2	1	4	4	3	5	2	1	2	-	1
Diabetes mellitus.... 61	729	82	77	64	65	63	53	47	56	49	60	55	58
Exophthalmic goiter.... 63b	66	7	12	6	2	7	5	3	5	3	6	5	5
Pellagra (except alcoholic).... 69	1	-	-	1	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).... 77	26	3	1	1	2	2	2	-	2	9	1	3	-
Intracranial lesions of vascular origin.... 83	2,779	282	231	253	268	237	190	204	209	194	221	246	244
Diseases of the heart.... 90-95	8,071	779	684	714	709	712	609	580	625	567	652	706	712
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	528	44	42	49	49	42	37	49	45	41	51	35	44
Diseases of coronary arteries and angina pectoris.... 94	3,390	302	288	297	293	292	248	222	279	257	286	320	306
Diseases of the heart (other forms).... 90b,91,92a,d,e,93a,b,d,e,95a,c	4,153	433	354	368	367	378	324	309	301	289	315	353	362

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MINNESOTA—Continued													
Pneumonia (all forms) and influenza 107-109,33	1,694	337	186	170	188	137	74	57	69	82	117	128	149
Bronchopneumonia 107	808	101	93	72	85	78	44	33	48	41	67	69	77
Lobar pneumonia 108	489	81	49	60	70	36	22	10	16	25	30	43	47
Pneumonia (unspecified) 109	103	16	11	8	9	8	5	10	2	7	10	6	11
Influenza 33	294	139	33	30	24	15	3	4	3	9	10	10	14
Ulcer of stomach or duodenum 117	190	22	14	15	17	16	20	14	10	12	14	18	18
Diarrhea, enteritis, etc.* 119,120	123	10	5	16	12	7	5	14	14	17	7	11	5
Appendicitis 121	139	15	12	18	17	13	8	7	14	10	11	7	7
Hernia and intestinal obstruction 122	239	26	25	19	19	20	17	20	18	23	16	17	19
Cirrhosis of the liver 124	165	24	11	15	21	10	16	12	6	11	14	13	12
Biliary calculi, etc.* 126,127	191	16	20	11	13	19	22	19	14	13	16	13	15
Nephritis 130-132	968	81	84	82	103	89	72	79	83	75	79	62	79
Diseases of the prostate 137	198	19	20	24	15	12	18	10	17	13	19	16	15
Diseases of pregnancy, etc.* 140-150	77	8	3	8	6	7	6	7	9	3	8	6	6
Puerperal septicemia 140,142a,145A,147	21	3	1	2	3	1	1	1	4	-	2	2	1
Puerperal toxemia 141a,c,144,148	20	1	1	1	1	3	2	1	3	1	3	2	1
Hemorrhage, trauma and shock* 141b,142b,143,146,149	30	3	1	3	2	3	2	5	1	2	3	1	4
Other puerperal causes 141d,e,f,145B,150	6	1	-	2	-	-	1	-	1	-	-	1	-
Congenital malformations 157	352	40	40	18	19	28	31	30	37	20	25	35	29
Premature birth 159	593	50	42	51	44	62	54	42	49	51	50	45	53
Suicide 163,164	273	24	26	26	22	29	21	27	32	20	14	20	12
Homicide 165-168	36	3	6	-	2	2	6	3	5	2	-	5	2
Accidental deaths 169-195	1,764	128	135	130	132	140	148	149	164	147	155	145	183
Motor-vehicle accidents 170	392	35	31	18	31	23	29	37	40	33	40	36	39
Other accidents 169,171-195	1,372	93	104	112	101	125	119	112	124	114	115	109	144
Senility, ill-defined and unknown causes 162,199,200	260	29	23	29	15	18	26	13	21	15	22	28	21
All other causes	2,699	246	240	260	242	248	208	225	185	196	241	191	217
MISSISSIPPI All causes	20,666	2,290	1,696	1,820	1,617	1,685	1,765	1,657	1,530	1,464	1,650	1,598	1,894
Typhoid and paratyphoid fever 1,2	14	-	1	2	-	2	3	3	-	1	1	-	1
Cerebrospinal (meningococcus) meningitis 6	23	2	2	3	4	2	4	1	2	2	-	-	1
Scarlet fever 8	4	-	2	1	-	-	-	-	-	1	-	-	-
Whooping cough 9	94	5	3	6	8	12	10	14	15	9	2	9	1
Diphtheria 10	34	3	1	2	-	-	2	1	2	8	10	5	-
Tuberculosis (all forms) 13-22	831	75	67	74	76	74	76	64	75	56	70	57	67
Tuberculosis of respiratory system, etc.* 15	790	68	65	72	73	69	72	63	72	52	67	54	63
Tuberculosis (other forms) 14-22	41	7	2	2	3	5	4	1	3	4	3	3	4
Dysentery 27	76	2	3	1	1	6	6	14	15	7	11	4	6
Malaria 28	63	2	1	3	2	7	9	14	10	4	6	4	1
Syphilis 30	319	37	25	27	31	28	22	25	22	27	20	16	39
Measles 35	24	2	-	10	6	5	-	1	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute) 36	8	-	1	1	2	-	1	1	2	-	-	-	-
Cancer and other malignant tumors 45-55	1,614	133	121	144	124	122	153	133	134	136	157	125	152
Cancer of the digestive organs and peritoneum 46	670	48	49	50	54	52	73	52	47	62	59	56	68
Cancer of female genital organs 48,49	327	29	26	32	27	23	28	22	32	25	26	25	32
Cancer of the breast 50	98	9	7	10	5	5	12	8	10	8	11	5	8
Cancer (other sites) 45,47,51-55	519	47	39	52	36	42	40	51	45	41	41	39	44
Acute rheumatic fever 58	21	3	3	2	2	3	2	2	2	-	1	-	1
Diabetes mellitus 61	297	29	26	24	20	20	26	28	24	20	30	25	27
Exophthalmic goiter 63b	30	4	1	2	3	2	5	1	5	-	1	1	5
Pellagra (except alcoholic) 69	66	10	4	3	6	4	6	6	6	5	5	3	8
Alcoholism (ethylism) 77	17	2	1	-	2	1	-	1	-	1	1	6	2
Intracranial lesions of vascular origin 83	1,814	194	147	152	156	150	144	148	129	120	156	150	168
Diseases of the heart 90-95	3,574	354	289	354	291	310	302	252	265	255	314	253	335
Chronic rheumatic diseases of the heart 90a,92b,c,95c,95b	478	55	53	55	43	40	37	26	35	36	28	34	36
Diseases of coronary arteries and angina pectoris 94	787	70	62	87	54	65	60	45	71	69	75	55	74
Diseases of the heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	2,309	229	174	212	194	205	205	181	159	150	211	164	225
Pneumonia (all forms) and influenza 107-109,33	1,414	405	192	150	97	75	43	48	28	39	66	99	172
Bronchopneumonia 107	286	45	24	27	23	23	11	15	11	17	21	26	43
Lobar pneumonia 108	460	95	46	55	30	23	19	21	13	12	21	44	81
Pneumonia (unspecified) 109	74	11	7	4	6	9	4	4	-	4	8	7	10
Influenza 33	594	254	115	64	38	20	9	8	4	6	16	22	38
Ulcer of stomach or duodenum 117	80	3	8	9	5	8	10	3	6	4	4	7	13
Diarrhea, enteritis, etc.* 119,120	255	11	4	4	4	14	39	41	42	36	26	25	9
Appendicitis 121	157	12	12	14	18	10	17	22	12	13	12	5	10
Hernia and intestinal obstruction 122	170	10	13	12	16	20	19	14	13	16	6	15	14
Cirrhosis of the liver 124	93	9	9	6	8	5	2	4	14	7	15	8	6
Biliary calculi, etc.* 126,127	70	6	11	5	2	7	5	7	4	5	8	4	6
Nephritis 130-132	1,896	170	152	171	150	154	179	182	131	137	151	155	164
Diseases of the prostate 137	110	9	14	7	8	9	10	10	5	5	10	9	14
Diseases of pregnancy, etc.* 140-150	219	19	21	21	13	19	13	15	20	22	19	23	14
Puerperal septicemia 140,142a,145A,147	66	10	5	11	2	4	2	7	3	6	5	9	2
Puerperal toxemia 141a,c,144,148	82	4	11	5	5	8	6	2	16	8	7	5	5
Hemorrhage, trauma and shock* 141b,142b,143,146,149	51	3	3	5	5	6	4	5	1	5	4	6	4
Other puerperal causes 141d,e,f,145B,150	20	2	2	-	1	1	1	1	-	3	3	3	3
Congenital malformations 157	176	20	14	13	10	15	14	14	14	10	17	13	22
Premature birth 159	522	48	41	27	44	52	43	47	45	46	52	45	32
Suicide 163,164	101	8	4	11	13	10	11	6	13	7	5	4	9
Homicide 165-168	296	20	18	32	28	30	23	23	30	21	31	16	24
Accidental deaths 169-195	1,370	122	100	107	92	120	151	122	126	99	100	109	122
Motor-vehicle accidents 170	338	40	26	29	19	26	28	29	29	27	24	26	35
Other accidents 169,171-195	1,032	82	74	78	73	94	123	93	97	72	76	83	87
Senility, ill-defined and unknown causes 162,199,200	3,080	414	251	267	249	242	271	248	170	203	214	258	293
All other causes	1,734	147	134	153	126	147	144	140	149	142	149	147	156

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSOURI—All causes	42,240	4,429	3,785	3,735	3,617	3,483	3,284	3,144	3,056	3,042	3,381	3,382	3,910
Typhoid and paratyphoid fever 1,2	27	2	–	–	–	2	3	5	6	5	1	1	2
Cerebrospinal (meningococcus) meningitis 6	82	7	10	15	12	7	7	3	4	3	4	7	3
Scarlet fever 8	15	2	1	–	1	3	2	–	2	–	–	1	1
Whooping cough 9	56	7	6	6	3	3	8	8	6	1	3	4	1
Diphtheria 10	29	2	3	2	–	2	2	–	2	2	1	5	8
Tuberculosis (all forms) 13–22	1,487	152	159	147	141	124	127	113	117	89	118	105	95
Tuberculosis of respiratory system, etc.* 13	1,391	145	154	138	130	116	115	106	108	80	110	96	93
Tuberculosis (other forms) 14–22	96	7	5	9	11	8	12	7	9	9	8	9	2
Dysentery 27	46	1	–	3	1	4	4	7	7	9	5	3	2
Malaria 28	15	2	–	–	–	1	1	3	4	–	2	–	2
Syphilis 30	481	45	53	41	53	29	39	37	30	41	40	66	57
Measles 35	65	5	11	15	16	10	4	1	1	–	–	–	2
Poliomyelitis, polioencephalitis (acute) 36	13	–	1	–	–	–	1	–	2	2	4	1	2
Cancer and other malignant tumors 45–55	5,261	454	428	434	418	425	425	477	437	431	453	464	445
Cancer of the digestive organs and peritoneum 46	2,437	204	197	204	197	191	200	230	197	205	228	174	210
Cancer of female genital organs 48,49	738	72	54	65	55	73	58	65	67	61	61	67	42
Cancer of the breast 50	474	41	39	39	40	36	31	40	49	39	37	40	43
Cancer (other sites) 45,47,51–55	1,612	137	138	128	126	125	136	142	124	126	127	153	150
Acute rheumatic fever 58	38	2	3	4	5	2	2	8	4	1	3	1	3
Diabetes mellitus 61	904	92	88	78	77	75	53	70	48	78	79	71	95
Exophthalmic goiter 63b	88	12	8	11	10	7	7	9	4	4	5	7	4
Pellagra (except alcoholic) 69	15	2	1	–	1	2	1	–	2	1	–	1	2
Alcoholism (ethylism) 77	34	3	3	3	2	2	1	4	1	2	2	3	8
Intracranial lesions of vascular origin 83	3,929	374	339	364	359	319	300	273	296	304	318	315	368
Diseases of the heart 90–95	12,573	1,269	1,113	1,146	1,100	1,031	949	905	845	885	1,025	1,047	1,258
Chronic rheumatic diseases of the heart 90a,92b,c,93c,95b	1,000	100	101	93	93	91	65	70	59	67	81	79	101
Diseases of coronary arteries and angina pectoris 94	3,502	283	285	311	296	284	252	276	253	272	313	321	354
Diseases of the heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	8,071	886	727	742	711	656	632	557	533	546	651	647	803
Pneumonia (all forms) and influenza 107–109,33	3,049	722	391	313	241	191	121	102	115	131	178	206	336
Bronchopneumonia 107	1,088	161	127	116	88	91	53	52	56	59	87	81	127
Lobar pneumonia 108	1,191	235	146	121	102	78	46	39	51	55	64	96	160
Pneumonia (unspecified) 109	98	19	7	7	10	4	7	4	3	6	8	12	11
Influenza 33	662	307	111	69	41	20	15	7	5	11	19	17	40
Ulcer of stomach or duodenum 117	247	21	15	21	22	23	20	19	24	11	20	27	27
Diarrhea, enteritis, etc.* 119,120	299	11	8	7	11	10	21	46	44	58	39	25	21
Appendicitis 121	264	16	20	22	29	26	32	24	30	22	17	12	14
Hernia and intestinal obstruction 122	382	31	30	35	29	32	27	39	30	31	36	30	32
Cirrhosis of the liver 124	425	36	31	43	39	35	28	36	34	33	32	41	37
Biliary calculi, etc.* 126,127	238	12	17	22	25	23	27	20	22	17	18	21	14
Nephritis 130–132	3,478	354	340	313	313	346	281	261	225	213	280	273	279
Diseases of the prostate 137	246	28	19	25	18	15	25	23	16	21	15	18	23
Diseases of pregnancy, etc.* 140–150	152	16	6	15	11	18	21	15	14	7	12	5	12
Puerperal septicemia 140,142a,145A,147	64	9	3	5	5	6	8	6	7	3	4	2	6
Puerperal toxemia 141a,c,144,148	37	2	1	4	3	6	6	4	3	3	3	–	2
Hemorrhage, trauma and shock * 141b,142b,143,146,149	44	3	2	6	3	5	6	4	3	1	5	2	4
Other puerperal causes 141d,e,f,145B,150	7	2	–	–	–	1	1	1	1	–	–	1	–
Congenital malformations 157	439	45	33	39	32	47	29	30	35	33	36	45	35
Premature birth 159	769	50	65	56	69	66	74	61	71	60	60	72	65
Suicide 163,164	380	28	29	32	27	41	37	33	29	30	31	35	28
Homicide 165–168	148	5	13	13	14	14	9	16	13	17	14	9	11
Accidental deaths 169–195	2,492	223	181	196	197	206	248	181	198	188	206	212	256
Motor-vehicle accidents 170	597	65	50	49	43	33	47	36	35	52	53	50	84
Other accidents 169,171–195	1,895	158	131	147	154	173	201	145	163	136	153	162	172
Senility, ill-defined and unknown causes 162,199,200	395	50	44	23	33	33	20	30	24	35	27	25	51
All other causes	3,691	348	316	291	308	309	328	288	314	277	297	286	329
MONTANA—All causes	5,662	562	476	517	466	454	469	465	393	424	449	498	489
Typhoid and paratyphoid fever 1,2	1	–	–	–	–	1	–	–	–	–	–	–	–
Cerebrospinal (meningococcus) meningitis 6	3	–	1	–	–	–	–	1	–	–	–	–	1
Scarlet fever 8	2	–	–	–	1	1	–	–	–	–	–	–	–
Whooping cough 9	10	1	–	–	1	1	–	1	3	2	1	–	–
Diphtheria 10	6	2	–	2	1	–	–	1	–	–	–	–	–
Tuberculosis (all forms) 13–22	175	17	20	12	18	13	14	8	13	17	13	16	14
Tuberculosis of respiratory system, etc.* 13	164	17	18	12	16	11	14	8	12	16	13	15	12
Tuberculosis (other forms) 14–22	11	–	2	–	2	2	–	–	1	1	–	1	2
Dysentery 27	3	–	–	–	–	–	–	–	1	1	–	1	–
Malaria 28	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis 30	72	4	7	10	2	8	7	6	7	5	8	4	4
Measles 35	13	1	4	5	2	–	–	–	1	–	–	–	–
Poliomyelitis, polioencephalitis (acute) 36	6	–	–	–	–	–	–	1	–	4	–	1	–
Cancer and other malignant tumors 45–55	681	60	59	64	42	69	65	53	46	64	56	48	55
Cancer of the digestive organs and peritoneum 46	309	27	32	33	19	23	29	25	24	28	33	18	18
Cancer of female genital organs 48,49	76	6	3	6	4	15	6	10	5	5	3	6	7
Cancer of the breast 50	62	4	4	3	2	9	8	2	2	11	4	10	3
Cancer (other sites) 45,47,51–55	254	23	20	22	17	22	22	16	15	20	16	14	27
Acute rheumatic fever 58	7	–	–	1	1	–	1	1	–	1	–	2	–
Diabetes mellitus 61	126	20	10	10	13	10	12	7	10	5	7	13	9
Exophthalmic goiter 63b	11	3	–	–	–	3	2	2	–	–	–	1	–
Pellagra (except alcoholic) 69	–	–	–	–	–	–	–	–	–	–	–	–	–
Alcoholism (ethylism) 77	7	–	–	2	1	–	1	–	–	2	–	–	1
Intracranial lesions of vascular origin 83	539	42	36	46	46	43	48	48	40	46	42	56	46
Diseases of the heart 90–95	1,660	180	122	162	142	125	136	139	108	109	144	149	144
Chronic rheumatic diseases of the heart 90a,92b,c,93c,95b	102	9	8	10	8	5	7	14	7	7	9	10	8
Diseases of coronary arteries and angina pectoris 94	537	49	40	57	41	40	38	40	35	37	44	51	65
Diseases of the heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	1,021	122	74	95	93	80	91	85	66	65	91	88	71

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MONTANA—Continued													
Pneumonia (all forms) and influenza 107-109,33	300	57	36	33	14	24	20	16	12	7	19	29	33
Bronchopneumonia 107	107	12	14	11	3	13	7	7	5	5	9	9	12
Lobar pneumonia 108	85	12	8	12	7	3	4	4	5	1	4	15	12
Pneumonia (unspecified) 109	58	6	8	4	2	6	9	5	2	1	3	5	7
Influenza 33	50	27	6	6	2	2	-	-	-	-	3	2	2
Ulcer of stomach or duodenum 117	38	2	3	4	3	2	3	2	3	3	3	4	6
Diarrhea, enteritis, etc.* 119,120	35	1	2	2	2	3	2	-	5	7	6	4	1
Appendicitis 121	35	2	3	6	3	1	4	2	4	2	4	-	4
Hernia and intestinal obstruction 122	44	4	5	4	3	5	2	2	5	4	3	2	5
Cirrhosis of the liver 124	27	-	3	3	6	-	4	2	2	1	1	3	2
Biliary calculi, etc.* 126,127	29	2	5	1	1	3	1	5	2	3	-	1	5
Nephritis 130-132	292	17	24	20	29	17	24	31	20	22	30	28	30
Diseases of the prostate 137	47	3	6	4	2	8	5	3	1	2	6	3	4
Diseases of pregnancy, etc.* 140-150	16	1	5	2	1	1	-	-	-	3	-	3	-
Puerperal septicemia 140,142a,145A,147	9	-	3	1	1	1	-	-	-	-	-	3	-
Puerperal toxemia 141a,c,144,148	2	-	-	-	-	-	-	-	-	2	-	-	-
Hemorrhage, trauma and shock* 141b,142b,143,146,149	3	1	-	1	-	-	-	-	-	1	-	-	-
Other puerperal causes 141d,e,f,145B,150	2	-	2	-	-	-	-	-	-	-	-	-	-
Congenital malformations 157	51	3	6	3	5	5	3	2	6	2	8	4	8
Premature birth 159	111	10	7	7	10	7	10	14	14	9	11	6	6
Suicide 163,164	53	3	2	2	5	4	4	7	5	2	7	5	7
Homicide 165-168	13	1	-	1	-	-	-	4	-	1	4	1	1
Accidental deaths 169-195	494	49	34	39	44	41	36	51	35	37	30	53	45
Motor-vehicle accidents 170	106	11	5	7	6	9	6	7	12	5	10	15	13
Other accidents 169,171-195	388	38	29	32	38	32	30	44	23	32	20	38	32
Senility, ill-defined and unknown causes 162,199,200	209	22	26	16	17	20	15	15	19	20	7	17	15
All other causes	546	55	50	56	51	39	50	41	31	45	41	44	43
NEBRASKA All causes	12,583	1,356	1,100	1,103	1,118	1,053	996	891	940	927	1,020	946	1,133
Typhoid and paratyphoid fever 1,2	3	-	-	1	-	-	-	-	-	-	1	-	1
Cerebrospinal (meningococcus) meningitis 6	15	4	3	1	3	-	1	-	-	1	1	-	1
Scarlet fever 8	11	1	3	-	1	2	-	-	1	-	1	1	1
Whooping cough 9	19	2	1	3	2	1	2	3	-	2	2	-	1
Diphtheria 10	9	2	-	1	-	1	-	1	1	-	1	-	2
Tuberculosis (all forms) 13-22	211	21	22	24	21	19	14	19	20	11	9	18	13
Tuberculosis of respiratory system, etc.* 13	190	20	19	22	19	18	13	17	19	7	9	14	13
Tuberculosis (other forms) 14-22	21	1	3	2	2	1	1	2	1	4	-	4	-
Dysentery 27	3	-	-	-	-	-	2	-	-	-	-	1	-
Malaria 28	1	-	-	-	-	-	-	-	-	-	-	1	-
Syphilis 30	88	10	6	13	4	10	9	5	2	8	8	7	6
Measles 35	11	-	1	-	2	5	2	-	1	-	-	-	-
Poliomyelitis, polioencephalitis (acute) 36	10	1	-	1	-	-	-	-	1	5	1	1	-
Cancer and other malignant tumors 45-55	1,663	134	95	159	141	143	176	126	142	132	140	134	141
Cancer of the digestive organs and peritoneum 46	779	64	39	70	69	62	90	60	69	48	69	61	78
Cancer of female genital organs 48,49	201	9	17	25	19	13	22	22	11	20	16	12	15
Cancer of the breast 50	169	9	13	19	16	15	17	10	12	16	11	18	13
Cancer (other sites) 45,47,51-55	514	52	26	45	37	53	47	34	50	48	44	45	35
Acute rheumatic fever 58	12	-	2	2	4	-	-	1	1	-	-	-	2
Diabetes mellitus 61	332	29	41	39	21	38	26	21	15	22	28	21	31
Exophthalmic goiter 63b	33	1	1	4	6	4	2	4	5	2	1	2	1
Pellagra (except alcoholic) 69	1	-	-	-	-	-	1	-	-	-	-	-	-
Alcoholism (ethylism) 77	19	1	-	-	5	1	1	1	1	-	5	3	1
Intracranial lesions of vascular origin 83	1,314	130	126	103	128	114	100	93	82	105	116	94	123
Diseases of the heart 90-95	3,603	386	314	314	329	276	244	258	261	292	290	269	370
Chronic rheumatic diseases of the heart 90a,92b,c,93c,95b	255	26	19	18	23	14	16	17	24	25	20	10	23
Diseases of coronary arteries and angina pectoris 94	1,218	110	102	110	92	94	80	96	95	95	107	104	133
Diseases of the heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	2,150	250	193	186	214	168	148	145	142	172	163	155	214
Pneumonia (all forms) and influenza 107-109,33	724	206	86	72	52	48	31	18	33	32	44	46	56
Bronchopneumonia 107	202	37	11	20	23	21	12	6	11	12	16	17	16
Lobar pneumonia 108	194	30	24	21	15	12	7	9	11	12	17	12	24
Pneumonia (unspecified) 109	95	15	12	13	5	10	6	3	7	6	3	10	5
Influenza 33	233	124	39	18	9	5	6	-	4	2	8	7	11
Ulcer of stomach or duodenum 117	89	5	11	7	10	6	5	6	9	6	6	10	8
Diarrhea, enteritis, etc.* 119,120	60	-	4	8	5	5	3	8	12	4	3	5	3
Appendicitis 121	73	7	7	6	1	10	5	5	12	5	3	5	7
Hernia and intestinal obstruction 122	137	13	16	7	12	6	9	17	10	9	10	16	12
Cirrhosis of the liver 124	104	8	6	10	15	14	3	12	8	6	5	7	10
Biliary calculi, etc.* 126,127	84	1	9	8	8	11	10	4	6	7	6	6	8
Nephritis 130-132	850	86	78	81	77	59	81	53	66	51	78	65	77
Diseases of the prostate 137	100	13	10	7	6	9	7	8	8	10	9	8	5
Diseases of pregnancy, etc.* 140-150	43	2	5	5	5	4	1	5	1	2	2	5	6
Puerperal septicemia 140,142a,145A,147	11	-	2	2	1	-	-	1	-	1	1	1	2
Puerperal toxemia 141a,c,144,148	14	1	1	-	2	2	-	2	1	1	-	2	2
Hemorrhage, trauma and shock * 141b,142b,143,146,149	13	-	2	1	2	2	1	2	-	-	1	1	1
Other puerperal causes 141d,e,f,145B,150	5	1	-	2	-	-	-	-	-	-	-	1	1
Congenital malformations 157	152	15	14	19	11	11	11	7	16	12	11	9	16
Premature birth 159	275	19	10	17	20	33	27	21	33	18	28	25	24
Suicide 163,164	133	7	8	13	11	11	18	13	7	16	11	10	8
Homicide 165-168	16	2	2	-	-	2	2	1	3	2	-	1	1
Accidental deaths 169-195	889	74	85	64	90	85	82	80	64	73	70	57	65
Motor-vehicle accidents 170	177	17	12	19	15	11	12	15	10	15	16	11	24
Other accidents 169,171-195	712	57	73	45	75	74	70	65	54	58	54	46	41
Senility, ill-defined and unknown causes 162,199,200	248	30	19	19	26	19	23	21	12	10	21	20	28
All other causes	1,248	146	115	95	102	106	98	80	105	84	109	103	105

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA.... All causes	1,647	141	150	158	152	135	115	123	114	119	168	138	134
Typhoid and paratyphoid fever.... 1,2	1	-	-	-	-	-	-	-	-	-	-	-	1
Cerebrospinal (meningococcus) meningitis.... 6	1	-	-	-	-	-	-	1	-	-	-	-	-
Scarlet fever.... 8	1	-	-	-	1	-	-	-	-	-	-	-	-
Whooping cough.... 9	1	-	-	-	-	1	-	-	-	-	-	-	-
Diphtheria.... 10	1	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis (all forms).... 13-22	76	8	8	4	10	2	4	8	3	5	8	7	9
Tuberculosis of respiratory system, etc.*.... 13	66	8	8	3	9	1	3	6	3	3	8	7	7
Tuberculosis (other forms).... 14-22	10	-	-	1	1	1	1	2	-	2	-	-	2
Dysentery.... 27	6	-	-	-	1	1	-	-	1	1	1	1	-
Malaria.... 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.... 30	23	4	3	2	1	2	2	2	1	3	1	-	2
Measles.... 35	2	-	-	-	-	1	-	-	-	-	-	1	-
Poliomyelitis, polioencephalitis (acute).... 36	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer and other malignant tumors.... 45-55	158	12	7	18	14	13	13	17	15	16	17	11	5
Cancer of the digestive organs and peritoneum.... 46	75	2	2	12	8	5	6	10	7	9	7	5	2
Cancer of female genital organs.... 48,49	17	3	2	2	-	2	2	-	1	1	1	1	2
Cancer of the breast.... 50	12	4	1	1	-	2	1	2	-	-	-	1	-
Cancer (other sites).... 45,47,51-55	54	3	2	3	6	4	4	5	7	6	9	4	1
Acute rheumatic fever.... 58	1	1	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus.... 61	20	5	1	3	3	-	2	-	1	1	-	1	3
Exophthalmic goiter.... 63b	5	2	-	-	-	-	1	-	-	-	-	-	2
Pellagra (except alcoholic).... 69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).... 77	8	-	1	-	2	-	-	1	1	3	-	-	-
Intracranial lesions of vascular origin.... 83	106	15	10	11	7	12	9	4	3	7	8	9	11
Diseases of the heart.... 90-95	359	21	31	39	37	39	32	23	26	20	28	33	30
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	22	-	1	2	4	2	1	1	3	2	3	2	1
Diseases of coronary arteries and angina pectoris.... 94	129	11	10	11	12	14	12	8	6	8	11	13	13
Diseases of the heart (other forms).... 90b,91,92a,d,e,93a,b,d,e,95a,c	208	10	20	26	21	23	19	14	17	10	14	18	16
Pneumonia (all forms) and influenza.... 107-109,33	107	16	13	12	5	10	9	4	4	5	7	10	12
Bronchopneumonia.... 107	34	3	5	3	3	3	2	2	2	3	2	4	2
Lobar pneumonia.... 108	40	7	2	5	2	5	3	1	2	1	3	2	7
Pneumonia (unspecified).... 109	17	1	4	1	-	1	4	1	-	1	2	1	1
Influenza.... 33	16	5	2	3	-	1	-	-	-	-	-	3	2
Ulcer of stomach or duodenum.... 117	16	1	-	3	3	-	2	1	-	1	1	2	2
Diarrhea, enteritis, etc.*.... 119,120	6	-	1	-	-	-	-	-	-	-	3	1	1
Appendicitis.... 121	10	-	1	2	-	1	1	2	1	-	-	1	1
Hernia and intestinal obstruction.... 122	17	1	3	2	1	1	1	-	1	1	4	-	2
Cirrhosis of the liver.... 124	20	2	2	3	1	1	2	-	2	4	3	-	-
Biliary calculi, etc.*.... 126,127	6	1	-	-	1	-	-	2	-	-	-	2	-
Nephritis.... 130-132	78	7	6	11	10	7	4	4	4	5	8	4	8
Diseases of the prostate.... 137	8	-	1	1	-	3	1	-	1	-	-	-	1
Diseases of pregnancy, etc.*.... 140-150	7	1	1	1	-	-	-	-	2	-	-	1	1
Puerperal septicemia.... 140,142a,145A,147	2	-	-	-	-	-	-	-	1	-	-	1	-
Puerperal toxemia.... 141a,c,144,148	2	1	-	-	-	-	-	-	-	-	-	-	1
Hemorrhage, trauma and shock *.... 141b,142b,143,146,149	3	-	1	1	-	-	-	-	1	-	-	-	-
Other puerperal causes.... 141d,e,f,145B,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations.... 157	30	3	1	3	1	4	2	3	3	2	4	1	3
Premature birth.... 159	53	5	4	5	9	1	3	7	-	3	6	5	5
Suicide.... 163,164	25	-	2	3	1	2	2	3	2	-	4	3	3
Homicide.... 165-168	6	-	-	-	-	-	-	2	-	1	1	2	-
Accidental deaths.... 169-195	293	17	31	12	27	18	16	26	30	30	41	25	20
Motor-vehicle accidents.... 170	35	1	5	-	4	1	2	1	2	8	5	3	3
Other accidents.... 169,171-195	258	16	26	12	23	17	14	25	28	22	36	22	17
Senility, ill-defined and unknown causes.... 162,199,200	47	2	6	10	5	7	1	2	2	1	2	6	3
All other causes....	149	17	17	13	12	9	8	11	11	12	18	12	9
NEW HAMPSHIRE.... All causes	6,189	730	507	543	531	542	472	472	463	441	469	476	543
Typhoid and paratyphoid fever.... 1,2	1	-	-	-	1	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis.... 6	10	1	4	-	-	1	-	1	1	1	-	1	-
Scarlet fever.... 8	1	-	1	-	-	-	-	-	-	-	-	-	-
Whooping cough.... 9	4	1	-	2	-	-	-	-	-	1	-	-	-
Diphtheria.... 10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms).... 13-22	105	9	9	7	8	14	10	9	9	6	5	10	9
Tuberculosis of respiratory system, etc.*.... 13	96	7	8	6	7	13	9	9	9	6	4	9	9
Tuberculosis (other forms).... 14-22	9	2	1	1	1	1	1	-	-	-	1	1	-
Dysentery.... 27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria.... 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.... 30	44	4	5	9	3	1	2	5	2	-	4	5	4
Measles.... 35	6	-	-	-	3	3	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).... 36	10	-	-	-	1	-	-	-	4	3	1	-	1
Cancer and other malignant tumors.... 45-55	857	68	67	55	71	82	81	84	73	71	66	67	72
Cancer of the digestive organs and peritoneum.... 46	440	34	34	36	38	49	40	54	39	36	36	28	36
Cancer of female genital organs.... 48,49	85	6	6	2	10	9	10	9	5	6	7	7	8
Cancer of the breast.... 50	83	7	14	6	3	7	3	8	9	7	6	10	3
Cancer (other sites).... 45,47,51-55	249	21	13	11	20	17	28	33	20	22	17	22	25
Acute rheumatic fever.... 58	4	-	-	-	1	-	-	-	-	-	-	-	3
Diabetes mellitus.... 61	178	29	15	16	10	15	10	20	9	12	18	12	12
Exophthalmic goiter.... 63b	8	2	-	-	-	-	-	2	1	-	1	1	1
Pellagra (except alcoholic).... 69	1	-	-	1	-	-	-	-	-	1	-	-	-
Alcoholism (ethylism).... 77	11	-	1	2	1	-	1	2	1	1	-	1	1
Intracranial lesions of vascular origin.... 83	577	65	39	55	55	54	46	45	44	48	41	42	43
Diseases of the heart.... 90-95	2,041	243	174	189	199	177	149	157	147	126	151	152	177
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	96	18	11	6	9	8	4	8	8	5	6	5	8
Diseases of coronary arteries and angina pectoris.... 94	725	86	66	75	64	51	54	60	42	44	48	59	76
Diseases of the heart (other forms).... 90b,91,92a,d,e,93a,b,d,e,95a,c	1,220	139	97	108	126	118	91	89	97	77	97	88	93

*Refer to complete International List titles, table V, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence.- Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAMPSHIRE—Continued													
Pneumonia (all forms) and influenza ... 107-109,33	369	86	42	41	27	42	16	10	15	16	28	18	28
Bronchopneumonia ... 107	142	20	15	12	9	15	8	7	11	10	14	10	11
Lobar pneumonia ... 108	109	20	10	13	14	17	2	3	1	3	12	7	7
Pneumonia (unspecified) ... 109	41	9	7	7	1	5	5	-	1	2	-	-	4
Influenza ... 33	77	37	10	9	3	5	1	-	2	1	2	1	6
Ulcer of stomach or duodenum ... 117	38	3	3	1	4	3	4	-	1	4	3	4	8
Diarrhea, enteritis, etc.* ... 119,120	28	3	1	1	2	-	2	2	5	2	5	2	3
Appendicitis ... 121	25	1	1	3	-	2	-	3	5	4	2	1	3
Hernia and intestinal obstruction ... 122	57	10	5	5	3	4	5	3	5	1	3	8	5
Cirrhosis of the liver ... 124	38	3	3	3	2	3	4	1	1	3	2	8	5
Biliary calculi, etc.* ... 126,127	42	6	6	4	1	6	4	3	3	2	3	3	1
Nephritis ... 130-132	377	43	27	33	36	27	35	25	33	25	26	31	36
Diseases of the prostate ... 137	30	-	2	3	2	1	2	3	6	3	2	4	2
Diseases of pregnancy, etc.* ... 140-150	24	1	4	-	-	-	6	2	4	1	1	1	4
Puerperal septicemia ... 140,142a,145A,147	8	1	1	-	-	-	4	-	-	-	-	1	1
Puerperal toxemia ... 141a,c,144,148	7	-	-	-	-	-	1	1	2	1	-	-	2
Hemorrhage, trauma and shock* ... 141b,142b,143,146,149	7	-	3	-	-	-	1	1	1	-	1	-	-
Other puerperal causes ... 141d,e,f,145B,150	2	-	-	-	-	-	-	-	1	-	-	-	1
Congenital malformations ... 157	93	7	9	7	10	6	7	5	8	9	5	6	14
Premature birth ... 159	97	13	7	4	6	10	11	4	8	8	12	7	7
Suicide ... 163,164	80	4	10	10	4	7	5	2	11	6	5	9	7
Homicide ... 165-168	5	1	-	1	-	-	-	1	-	1	-	-	1
Accidental deaths ... 169-195	365	35	24	32	24	34	26	41	25	29	22	38	35
Motor-vehicle accidents ... 170	63	8	5	6	3	9	4	4	1	5	5	9	4
Other accidents ... 169,171-195	302	27	19	26	21	25	22	37	24	24	17	29	31
Senility, ill-defined and unknown causes ... 162,199,200	62	6	5	5	3	6	2	4	4	7	8	7	5
All other causes ...	601	86	43	54	54	44	44	38	38	51	55	38	56
NEW JERSEY ... All causes	47,815	5,175	4,038	4,445	3,945	3,963	3,600	3,607	3,616	3,341	4,063	3,858	4,164
Typhoid and paratyphoid fever ... 1,2	7	-	-	1	-	1	-	-	1	1	3	-	-
Cerebrospinal (meningococcus) meningitis ... 6	110	18	16	11	15	11	5	8	1	4	2	6	13
Scarlet fever ... 8	10	-	-	2	4	1	1	-	2	-	-	-	-
Whooping cough ... 9	11	3	1	1	-	-	-	3	-	-	1	1	1
Diphtheria ... 10	6	1	-	-	2	-	1	1	-	-	-	-	1
Tuberculosis (all forms) ... 13-22	1,856	178	163	166	158	160	189	146	147	126	131	146	146
Tuberculosis of respiratory system, etc.* ... 13	1,733	164	152	156	152	151	170	139	136	117	124	136	156
Tuberculosis (other forms) ... 14-22	123	14	11	10	6	9	19	7	11	9	7	10	10
Dysentery ... 27	6	-	-	-	-	-	-	-	2	1	-	3	-
Malaria ... 28	1	-	-	-	-	-	-	-	-	1	-	-	-
Syphilis ... 30	421	44	32	39	40	39	31	28	41	29	34	25	39
Measles ... 35	12	1	3	3	1	2	-	-	2	-	-	-	-
Poliomyelitis, polioencephalitis (acute) ... 36	56	-	1	-	1	-	-	2	18	18	10	5	1
Cancer and other malignant tumors ... 45-55	6,886	598	515	635	528	613	534	554	579	541	670	586	533
Cancer of the digestive organs and peritoneum ... 46	3,304	293	243	313	247	302	234	256	281	264	321	292	238
Cancer of female genital organs ... 48,49	751	61	51	62	71	63	70	75	64	48	72	55	61
Cancer of the breast ... 50	700	68	53	58	52	61	57	48	56	48	71	65	65
Cancer (other sites) ... 45,47,51-55	2,131	176	168	202	158	187	173	177	178	161	206	174	171
Acute rheumatic fever ... 58	63	5	4	7	6	6	8	6	3	5	4	6	3
Diabetes mellitus ... 61	1,484	156	137	148	129	116	110	114	101	98	147	109	119
Exophthalmic goiter ... 63b	78	12	3	7	6	4	7	12	6	7	5	4	5
Pellagra (except alcoholic) ... 69	1	-	-	1	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism) ... 77	59	9	5	4	2	7	6	3	5	2	3	5	8
Intracranial lesions of vascular origin ... 83	4,106	429	386	380	322	343	313	308	300	291	349	319	366
Diseases of the heart ... 90-95	16,347	1,834	1,404	1,556	1,345	1,374	1,178	1,209	1,183	1,087	1,404	1,316	1,457
Chronic rheumatic diseases of the heart ... 90a,92b,c,95c,95b	865	85	93	95	84	65	62	58	65	55	67	55	81
Diseases of coronary arteries and angina pectoris ... 94	4,410	454	385	410	326	338	315	324	323	307	414	366	448
Diseases of the heart (other forms) ... 90b,91,92a,d,e,93a,b,d,e,95a,c	11,072	1,295	926	1,051	935	971	801	827	795	725	923	895	928
Pneumonia (all forms) and influenza ... 107-109,33	2,047	454	212	222	209	144	97	90	99	87	142	134	177
Bronchopneumonia ... 107	867	145	94	82	86	60	45	40	52	41	77	71	74
Lobar pneumonia ... 108	896	170	92	112	92	70	44	46	38	35	57	56	84
Pneumonia (unspecified) ... 109	64	8	3	10	5	7	5	3	6	5	4	1	7
Influenza ... 33	220	111	23	18	26	7	3	1	3	6	4	6	12
Ulcer of stomach or duodenum ... 117	338	33	27	16	25	33	27	21	16	39	35	38	31
Diarrhea, enteritis, etc.* ... 119,120	258	14	19	25	20	30	17	17	29	32	18	25	12
Appendicitis ... 121	253	25	20	21	30	26	23	23	27	16	15	16	13
Hernia and intestinal obstruction ... 122	419	42	31	21	36	34	27	45	35	28	43	36	41
Cirrhosis of the liver ... 124	478	45	43	38	46	41	31	29	38	29	52	37	49
Biliary calculi, etc.* ... 126,127	242	21	18	23	24	22	20	12	27	12	16	24	23
Nephritis ... 130-132	2,997	339	263	280	265	235	239	233	195	199	211	248	290
Diseases of the prostate ... 137	218	19	18	13	19	19	20	19	20	22	21	10	18
Diseases of pregnancy, etc.* ... 140-150	120	11	13	8	8	7	14	10	11	15	6	12	5
Puerperal septicemia ... 140,142a,145A,147	52	4	8	7	2	3	7	4	4	7	2	3	1
Puerperal toxemia ... 141a,c,144,148	16	2	2	1	1	-	1	1	2	2	-	3	1
Hemorrhage, trauma and shock* ... 141b,142b,143,146,149	39	3	3	-	3	4	3	3	5	4	4	5	2
Other puerperal causes ... 141d,e,f,145B,150	13	2	-	-	2	-	3	2	-	2	-	1	1
Congenital malformations ... 157	521	49	37	36	50	44	43	42	41	37	46	61	35
Premature birth ... 159	862	67	67	63	75	73	89	78	71	72	65	61	81
Suicide ... 163,164	493	43	40	53	36	56	35	31	47	41	34	34	43
Homicide ... 165-168	87	13	9	9	8	5	4	6	7	8	6	4	8
Accidental deaths ... 169-195	2,567	297	208	220	161	199	191	217	203	177	210	215	269
Motor-vehicle accidents ... 170	625	58	51	60	34	39	35	47	42	46	54	71	88
Other accidents ... 169,171-195	1,942	239	157	160	127	160	156	170	161	131	156	144	181
Senility, ill-defined and unknown causes ... 162,199,200	306	45	14	34	23	23	26	29	21	15	21	27	28
All other causes ...	4,089	390	329	402	351	295	314	311	338	301	361	348	349

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO—All causes	5,500	520	451	461	406	462	394	443	456	539	451	463	454
Typhoid and paratyphoid fever 1,2	6	-	-	1	-	-	-	-	1	1	2	1	-
Cerebrospinal (meningococcus) meningitis 6	9	-	3	1	-	-	1	-	-	1	1	1	1
Scarlet fever 8	2	-	-	-	1	-	-	-	-	-	-	-	1
Whooping cough 9	13	3	2	-	2	2	2	-	-	-	-	2	-
Diphtheria 10	19	-	-	1	1	2	-	-	2	5	1	5	2
Tuberculosis (all forms) 15-22	345	25	41	25	33	34	38	16	17	30	31	29	26
Tuberculosis of respiratory system, etc.* 15	313	23	37	24	32	31	32	16	14	27	24	27	26
Tuberculosis (other forms) 14-22	32	2	4	1	1	3	6	-	3	3	7	2	-
Dysentery 27	82	-	-	-	1	1	5	12	15	26	12	5	5
Malaria 28	3	-	1	-	-	-	1	-	-	-	1	-	-
Syphilis 30	55	4	5	6	4	2	4	3	12	2	3	7	3
Measles 35	33	-	2	4	12	8	5	-	2	-	-	-	-
Poliomyelitis, polioencephalitis (acute) 36	4	-	-	-	-	-	-	-	-	-	1	3	-
Cancer and other malignant tumors 45-55	338	37	30	27	18	27	21	35	30	25	29	25	34
Cancer of the digestive organs and peritoneum 46	152	13	6	7	12	10	11	18	15	10	18	13	19
Cancer of female genital organs 48,49	50	6	6	6	2	5	3	6	6	1	1	3	5
Cancer of the breast 50	26	3	4	2	-	1	2	3	2	3	2	3	3
Cancer (other sites) 45,47,51-55	108	15	14	12	4	11	5	8	7	11	8	6	7
Acute rheumatic fever 58	11	2	-	3	-	-	-	1	-	1	-	3	1
Diabetes mellitus 61	54	8	3	4	6	6	1	4	7	3	2	6	4
Exophthalmic goiter 63b	8	1	1	-	-	-	-	1	1	1	1	1	1
Pellagra (except alcoholic) 69	10	1	1	2	-	2	-	-	1	-	-	1	2
Alcoholism (ethylism) 77	5	-	-	-	-	-	1	1	-	1	1	-	1
Intracranial lesions of vascular origin 85	274	31	20	21	36	19	30	26	14	18	16	16	26
Diseases of the heart 90-95	769	76	62	65	63	73	53	71	44	62	53	69	78
Chronic rheumatic diseases of the heart 90a,92b,c,93c,95b	86	5	9	7	6	9	6	9	6	6	8	6	9
Diseases of coronary arteries and angina pectoris 94	209	20	18	16	11	17	20	15	14	17	16	22	23
Diseases of the heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	474	51	35	42	46	47	27	47	24	39	29	41	46
Pneumonia (all forms) and influenza 107-109,33	441	69	54	49	44	41	17	18	17	24	21	34	53
Bronchopneumonia 107	167	24	19	17	12	12	6	5	7	16	10	16	23
Lobar pneumonia 108	145	19	17	19	12	16	7	9	2	4	7	14	19
Pneumonia (unspecified) 109	55	4	7	9	10	9	1	3	4	3	-	2	3
Influenza 33	74	22	11	4	10	4	3	1	4	1	4	2	8
Ulcer of stomach or duodenum 117	31	2	2	1	2	4	4	1	1	5	5	3	1
Diarrhea, enteritis, etc.* 119,120	294	3	1	6	4	11	15	33	44	77	50	37	13
Appendicitis 121	39	4	4	6	1	5	3	1	4	4	4	3	-
Hernia and intestinal obstruction 122	47	5	4	4	5	1	7	4	4	6	3	-	4
Cirrhosis of the liver 124	32	6	4	4	4	2	2	3	-	1	2	2	2
Biliary calculi, etc.* 126,127	24	-	4	2	4	1	2	3	2	1	4	-	1
Nephritis 130-132	246	28	15	34	16	26	16	21	23	16	20	8	21
Diseases of the prostate 137	21	2	1	4	1	-	1	1	1	5	2	1	2
Diseases of pregnancy, etc.* 140-150	62	4	7	8	5	6	6	7	8	2	4	1	4
Puerperal septicemia 140,142a,145A,147	20	1	1	4	3	-	3	3	3	1	1	-	-
Puerperal toxemia 141a,c,144,148	15	1	3	2	1	2	-	1	-	-	1	1	3
Hemorrhage, trauma and shock * 141b,142b,143,146,149	20	2	1	2	1	4	1	1	4	1	2	-	1
Other puerperal causes 141d,e,f,145B,150	7	-	2	-	-	-	2	2	1	-	-	-	-
Congenital malformations 157	74	4	-	8	12	7	7	8	2	8	7	3	8
Premature birth 159	253	26	15	24	18	21	19	18	30	23	19	25	17
Suicide 163,164	31	-	2	4	4	4	1	1	4	2	1	4	4
Homicide 165-168	35	2	1	2	2	6	3	4	5	2	1	4	3
Accidental deaths 169-195	595	54	44	48	18	41	45	52	54	69	61	68	41
Motor-vehicle accidents 170	132	5	9	10	5	11	8	8	8	15	20	16	17
Other accidents 169,171-195	463	49	35	38	13	30	37	44	46	54	41	52	24
Senility, ill-defined and unknown causes 162,199,200	741	87	68	60	49	61	42	59	76	70	62	50	57
All other causes	494	36	54	37	40	49	42	39	35	47	31	46	38
NEW YORK—All causes	152,364	15,694	12,737	13,525	13,289	12,777	11,541	11,959	11,713	10,882	12,641	12,362	13,444
Typhoid and paratyphoid fever 1,2	29	3	1	2	6	2	1	4	3	3	2	2	-
Cerebrospinal (meningococcus) meningitis 6	326	62	40	44	37	24	20	18	15	11	14	21	20
Scarlet fever 8	13	3	1	3	1	1	1	-	-	1	-	-	2
Whooping cough 9	61	5	7	3	4	2	3	4	7	8	3	8	7
Diphtheria 10	11	-	-	1	1	1	1	-	1	-	2	2	2
Tuberculosis (all forms) 15-22	6,055	589	492	512	531	558	481	527	494	431	455	478	507
Tuberculosis of respiratory system, etc.* 15	5,649	557	468	477	478	513	452	499	462	389	435	440	479
Tuberculosis (other forms) 14-22	406	32	24	35	53	45	29	28	32	42	20	38	28
Dysentery 27	35	-	-	2	1	3	2	5	4	7	5	3	3
Malaria 28	5	-	-	-	1	1	-	2	-	-	1	-	-
Syphilis 30	1,602	137	131	133	143	129	132	137	148	128	132	121	130
Measles 35	38	3	7	7	12	6	1	2	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute) 36	342	-	1	1	1	1	3	39	136	84	48	23	5
Cancer and other malignant tumors 45-55	22,584	1,873	1,773	1,887	1,840	1,895	1,820	1,908	1,911	1,848	1,978	1,879	1,972
Cancer of the digestive organs and peritoneum 46	10,541	877	834	868	864	888	857	923	878	840	950	855	907
Cancer of female genital organs 48,49	2,508	201	207	198	202	226	210	193	222	215	205	210	219
Cancer of the breast 50	2,399	192	170	201	187	219	197	197	203	191	216	203	223
Cancer (other sites) 45,47,51-55	7,136	603	562	620	587	562	556	595	608	602	607	611	623
Acute rheumatic fever 58	135	15	12	13	15	9	12	10	9	9	11	9	11
Diabetes mellitus 61	5,377	521	482	501	493	419	412	408	394	357	444	457	489
Exophthalmic goiter 63b	277	24	20	27	21	27	22	27	24	22	20	24	19
Pellagra (except alcoholic) 69	9	1	2	1	-	-	2	-	-	1	-	2	-
Alcoholism (ethylism) 77	243	25	15	22	16	17	16	26	25	13	10	21	37
Intracranial lesions of vascular origin 85	10,096	1,056	858	936	880	837	730	823	742	697	805	823	909
Diseases of the heart 90-95	57,328	6,151	4,898	5,127	4,993	4,854	4,191	4,227	4,177	3,875	4,648	4,757	5,250
Chronic rheumatic diseases of the heart 90a,92b,c,93c,95b	3,087	321	272	286	308	256	230	216	208	216	234	258	262
Diseases of coronary arteries and angina pectoris 94	14,795	1,410	1,210	1,259	1,236	1,230	1,087	1,128	1,082	1,053	1,366	1,282	1,452
Diseases of the heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	39,466	4,420	3,416	3,582	3,449	3,348	2,874	2,883	2,887	2,606	3,248	3,217	3,536

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK—Continued													
Pneumonia (all forms) and influenza 107-109,33	6,569	1,301	669	673	668	533	321	361	356	297	467	414	509
Bronchopneumonia 107	2,876	491	251	266	315	240	163	179	188	141	246	188	208
Lobar pneumonia 108	3,046	538	337	349	309	244	145	161	155	140	191	202	275
Pneumonia (unspecified) 109	132	23	17	13	10	15	6	12	4	6	8	8	10
Influenza 33	515	249	64	45	34	34	7	9	9	10	22	16	16
Ulcer of stomach or duodenum 117	1,146	100	108	94	101	103	99	78	76	74	93	108	112
Diarrhea, enteritis, etc.* 119,120	668	39	29	46	42	35	48	62	90	81	100	56	40
Appendicitis 121	731	62	57	62	52	63	60	71	86	52	55	50	61
Hernia and intestinal obstruction 122	1,276	118	92	116	141	109	108	114	97	95	89	98	98
Cirrhosis of the liver 124	1,633	153	143	146	142	129	120	134	128	122	148	117	151
Biliary calculi, etc.* 126,127	804	68	64	69	66	66	72	71	78	69	58	74	49
Nephritis 130-132	7,089	767	663	687	621	617	517	542	479	507	582	534	573
Diseases of the prostate 137	873	73	84	65	67	84	58	68	71	75	66	77	85
Diseases of pregnancy, etc.* 140-150	425	31	33	45	38	49	36	44	39	34	26	23	27
Puerperal septicemia 140,142a,145A,147	168	12	15	19	21	18	15	13	16	13	6	9	11
Puerperal toxemia 141a,c,144,148	77	10	4	4	5	11	7	5	9	7	6	3	6
Hemorrhage, trauma and shock* 141b,142b,143,146,149	147	8	12	18	10	17	11	20	13	9	13	8	8
Other puerperal causes 141d,e,f,145B,150	33	1	2	4	2	3	3	6	1	5	1	3	2
Congenital malformations 157	1,618	142	127	135	141	141	117	144	138	132	122	134	145
Premature birth 159	2,427	162	161	204	229	217	201	231	200	209	224	196	193
Suicide 163,164	1,489	124	121	132	157	140	121	113	104	116	125	120	116
Homicide 165-168	305	19	24	17	26	22	23	33	36	33	23	28	21
Accidental deaths 169-195	7,774	739	547	682	629	637	578	686	665	583	615	651	762
Motor-vehicle accidents 170	1,631	164	120	163	111	103	121	107	129	123	141	187	162
Other accidents 169,171-195	6,143	575	427	519	518	534	457	579	536	460	474	464	600
Senility, ill-defined and unknown causes 162,199,200	414	38	30	41	39	34	32	34	35	30	31	39	31
All other causes	12,557	1,290	1,045	1,089	1,134	1,032	979	1,006	945	877	1,039	1,013	1,108
NORTH CAROLINA All causes	29,390	3,195	2,510	2,608	2,433	2,378	2,410	2,299	2,075	2,115	2,328	2,331	2,708
Typhoid and paratyphoid fever 1,2	10	-	-	1	-	1	1	-	1	4	1	-	1
Cerebrospinal (meningococcus) meningitis 6	61	11	11	8	6	4	2	2	3	2	3	5	4
Scarlet fever 8	5	1	1	-	-	1	-	-	-	1	-	-	1
Whooping cough 9	145	15	13	10	15	12	17	16	9	11	15	6	8
Diphtheria 10	40	4	5	3	-	2	-	-	1	4	10	3	8
Tuberculosis (all forms) 13-22	1,239	121	97	107	110	105	104	93	106	80	112	98	106
Tuberculosis of respiratory system, etc.* 13	1,145	111	85	101	98	97	94	87	99	74	105	95	99
Tuberculosis (other forms) 14-22	94	10	12	6	12	8	10	6	7	6	7	3	7
Dysentery 27	36	3	1	2	-	4	4	10	4	2	3	3	-
Malaria 28	25	1	3	4	1	1	3	2	2	4	2	-	2
Syphilis 30	292	25	26	26	25	27	25	24	18	20	29	16	31
Measles 35	59	5	8	16	14	9	5	2	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute) 36	40	1	-	1	1	1	7	10	8	4	5	2	-
Cancer and other malignant tumors 45-55	2,328	210	177	205	202	214	192	206	168	183	202	186	183
Cancer of the digestive organs and peritoneum 46	874	83	61	75	66	80	69	84	65	79	73	69	70
Cancer of female genital organs 48,49	431	36	39	41	37	49	43	33	24	38	35	23	33
Cancer of the breast 50	224	17	24	23	19	14	20	16	15	14	19	18	25
Cancer (other sites) 45,47,51-55	799	74	53	66	80	71	60	73	64	52	75	76	55
Acute rheumatic fever 58	44	4	2	2	4	4	4	3	2	3	3	6	7
Diabetes mellitus 61	509	67	45	38	40	42	48	40	34	31	40	34	50
Exophthalmic goiter 63b	46	-	4	1	2	12	5	5	5	5	3	5	1
Pellagra (except alcoholic) 69	70	5	5	4	8	7	8	8	2	5	3	6	9
Alcoholism (ethylism) 77	61	3	5	14	5	3	5	2	5	3	5	4	7
Intracranial lesions of vascular origin 85	3,103	313	228	283	252	235	253	215	223	256	250	271	324
Diseases of the heart 90-05	6,390	661	583	535	574	529	496	505	426	456	505	495	625
Chronic rheumatic diseases of the heart 90a,92b,c,93c,95b	451	50	56	40	46	42	26	36	24	26	25	29	51
Diseases of coronary arteries and angina pectoris 94	1,788	153	155	160	154	143	148	157	130	135	142	131	180
Diseases of the heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	4,151	458	372	335	374	344	322	312	272	295	338	335	394
Pneumonia (all forms) and influenza 107-109,33	1,992	533	274	231	147	81	66	49	63	70	102	151	225
Bronchopneumonia 107	604	116	77	57	58	26	23	18	23	32	35	57	82
Lobar pneumonia 108	613	131	77	80	40	32	25	20	27	20	38	54	69
Pneumonia (unspecified) 109	260	42	38	37	20	11	9	5	9	14	20	23	32
Influenza 33	515	244	82	57	29	12	9	6	4	4	9	17	42
Ulcer of stomach or duodenum 117	132	9	8	18	10	10	9	9	10	11	12	11	15
Diarrhea, enteritis, etc.* 119,120	565	12	12	16	18	35	115	93	82	62	73	28	19
Appendicitis 121	147	12	14	13	12	11	11	16	15	15	12	10	6
Hernia and intestinal obstruction 122	186	17	11	13	17	15	21	21	15	13	13	12	18
Cirrhosis of the liver 124	117	14	5	14	8	8	9	7	12	9	5	8	18
Biliary calculi, etc.* 126,127	96	4	6	14	12	5	11	6	8	6	8	8	10
Nephritis 130-132	2,952	329	259	266	248	238	237	239	208	206	215	255	252
Diseases of the prostate 137	96	9	6	9	9	7	8	13	12	2	4	4	13
Diseases of pregnancy, etc.* 140-150	266	21	18	19	31	19	25	23	20	26	25	23	16
Puerperal septicemia 140,142a,145A,147	81	6	9	5	10	7	5	4	6	14	4	7	4
Puerperal toxemia 141a,c,144,148	88	9	4	8	10	8	7	11	7	1	11	9	3
Hemorrhage, trauma and shock* 141b,142b,143,146,149	73	3	4	5	10	3	8	7	3	11	9	4	6
Other puerperal causes 141d,e,f,145B,150	24	3	1	1	1	1	5	1	4	-	1	3	3
Congenital malformations 157	458	33	31	38	40	32	31	27	49	37	38	39	43
Premature birth 159	1,146	87	87	94	84	105	124	122	96	85	86	88	88
Suicide 163,164	221	15	19	18	27	22	14	23	19	21	13	16	14
Homicide 165-168	299	18	20	19	30	23	24	30	31	32	26	21	25
Accidental deaths 169-195	2,185	203	171	179	157	209	186	173	163	161	182	178	223
Motor-vehicle accidents 170	694	55	37	53	55	53	50	48	61	61	67	71	83
Other accidents 169,171-195	1,491	148	134	126	102	156	136	125	102	100	115	107	140
Senility, ill-defined and unknown causes 162,199,200	1,052	135	106	105	88	84	69	56	71	80	79	75	104
All other causes	2,997	296	249	282	236	261	271	249	186	205	246	264	252

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH DAKOTA.....All causes	5,116	516	409	476	453	423	396	378	381	413	399	461	441
Typhoid and paratyphoid fever..... 1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis..... 6	6	2	1	1	1	-	-	1	-	-	-	-	-
Scarlet fever..... 8	6	1	1	2	1	-	1	-	-	-	-	-	-
Whooping cough..... 9	11	1	-	1	1	-	-	-	2	4	1	-	1
Diphtheria..... 10	8	1	-	-	-	-	-	-	-	1	1	4	1
Tuberculosis (all forms)..... 13-22	86	7	9	5	9	8	9	9	9	7	4	4	6
Tuberculosis of respiratory system, etc.*..... 13	78	6	8	5	7	8	7	6	9	7	4	4	5
Tuberculosis (other forms)..... 14-22	8	1	1	-	2	-	2	1	-	-	-	-	1
Dysentery..... 27	2	-	-	-	-	-	-	-	1	-	-	1	-
Malaria..... 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis..... 30	23	2	1	5	1	1	3	-	3	1	6	-	-
Measles..... 35	34	7	5	17	4	1	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)..... 36	2	-		1	-		-	-	1	-	-	-	-
Cancer and other malignant tumors..... 45-55	651	58	48	61	53	49	54	60	53	59	47	44	65
Cancer of the digestive organs and peritoneum..... 46	332	25	20	29	25	26	27	32	30	37	25	22	34
Cancer of female genital organs..... 48,49	51	3	5	5	7	6	2	5	1	1	5	6	5
Cancer of the breast..... 50	49	6	6	6	1	-	2	4	6	4	3	6	5
Cancer (other sites)..... 45,47,51-55	219	24	17	21	22	15	23	19	16	17	14	10	21
Acute rheumatic fever..... 58	9	-	1	1	1	2	-	-	1	-	-	3	-
Diabetes mellitus..... 61	148	13	14	16	16	13	12	6	13	15	12	9	9
Exophthalmic goiter..... 63b	6	-	-	1	-	-	1	2	-	-	-	1	1
Pellagra (except alcoholic)..... 69	1	1	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)..... 77	12	1	1	-	-	3	2	-	-	1	-	1	3
Intracranial lesions of vascular origin..... 83	509	43	46	54	44	37	43	46	32	42	36	39	47
Diseases of the heart..... 90-95	1,390	144	106	118	122	134	109	78	95	115	125	126	118
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	63	5	3	9	10	5	6	3	3	5	6	5	3
Diseases of coronary arteries and angina pectoris..... 94	449	49	30	33	40	38	36	24	35	39	45	40	40
Diseases of the heart (other forms)..... 90b,91,92a,d,e,93a,b,d,e,95a,c	878	90	73	76	72	91	67	51	57	71	74	81	75
Pneumonia (all forms) and influenza..... 107-109,33	277	62	26	34	31	21	10	6	14	13	20	21	19
Bronchopneumonia..... 107	123	16	13	13	15	13	3	4	7	7	11	8	13
Lobar pneumonia..... 108	81	15	6	12	10	5	4	2	6	4	5	9	3
Pneumonia (unspecified)..... 109	15	3	1	2	-	3	1	-	-	1	1	2	1
Influenza..... 33	58	28	6	7	6	-	2	-	1	1	3	2	2
Ulcer of stomach or duodenum..... 117	33	4	4	3	2	8	3	1	1	1	2	3	1
Diarrhea, enteritis, etc.*..... 119,120	40	1	-	2	5	5	4	2	2	8	4	1	6
Appendicitis..... 121	30	2	4	3	5	2	4	1	1	2	2	2	2
Hernia and intestinal obstruction..... 122	44	6	3	3	3	3	6	5	3	-	2	6	4
Cirrhosis of the liver..... 124	32	1	2	3	1	1	1	4	8	1	2	5	3
Biliary calculi, etc.*..... 126,127	40	1	3	2	2	7	3	6	3	2	5	3	3
Nephritis..... 130-132	265	21	29	27	16	17	25	18	23	17	22	24	26
Diseases of the prostate..... 137	27	4	1	3	1	1	1	6	1	1	2	3	3
Diseases of pregnancy, etc.*..... 140-150	24	3	2	5	3	1	-	3	1	-	-	1	5
Puerperal septicemia..... 140,142a,145a,147	13	3	1	2	2	-	-	1	1	-	-	-	3
Puerperal toxemia..... 141a,c,144,148	6	-	1	1	-	1	-	2	-	-	-	-	1
Hemorrhage, trauma and shock*..... 141b,142b,143,146,149	4	-	-	2	1	-	-	-	-	-	-	-	1
Other puerperal causes..... 141B,e,f,145B,150	1	-	-	-	-	-	-	-	-	-	-	1	-
Congenital malformations..... 157	77	10	8	2	10	2	6	9	3	7	5	8	7
Premature birth..... 159	160	18	11	14	19	10	16	16	10	9	17	7	13
Suicide..... 163,164	44	6	7	1	4	1	2	5	4	3	4	4	3
Homicide..... 165-168	5	-	-	-	-	-	1	1	1	1	-	-	1
Accidental deaths..... 169-195	373	29	19	18	35	29	35	41	31	42	35	40	29
Motor-vehicle accidents..... 170	85	12	2	5	5	4	5	4	10	9	13	10	6
Other accidents..... 169,171-195	288	17	17	13	30	25	30	37	21	33	22	30	23
Senility, ill-defined and unknown causes..... 162,199,200	174	17	15	22	12	15	15	14	14	8	12	18	12
All other causes.....	567	50	42	51	51	52	40	38	51	53	33	53	53
OHIO.....All causes	80,193	8,696	6,663	7,172	6,921	6,715	6,192	5,991	5,842	5,865	6,598	6,469	7,069
Typhoid and paratyphoid fever..... 1,2	19	2	1	3	1	1	1	2	4	-	-	1	3
Cerebrospinal (meningococcus) meningitis..... 6	198	33	23	25	27	23	7	5	7	5	13	17	13
Scarlet fever..... 8	44	6	9	7	3	1	2	2	2	-	5	5	2
Whooping cough..... 9	87	9	7	3	6	6	7	12	11	12	5	5	4
Diphtheria..... 10	31	1	4	2	3	4	-	-	1	-	2	8	6
Tuberculosis (all forms)..... 13-22	2,787	250	240	245	245	259	228	228	237	220	205	221	209
Tuberculosis of respiratory system, etc.*..... 13	2,566	235	222	230	223	239	197	213	215	200	192	204	196
Tuberculosis (other forms)..... 14-22	221	15	18	15	22	20	31	15	22	20	13	17	13
Dysentery..... 27	43	1	1	3	-	1	4	7	8	2	3	8	5
Malaria..... 28	5	-	1	-	1	-	-	-	-	-	-	1	2
Syphilis..... 30	873	91	76	84	84	69	74	60	59	80	67	59	68
Measles..... 35	139	24	19	44	28	13	4	1	2	2	-	2	-
Poliomyelitis, polioencephalitis (acute)..... 36	88	-	1	1	-	1	1	12	30	20	11	8	3
Cancer and other malignant tumors..... 45-55	10,029	848	769	883	817	828	847	845	812	794	874	822	870
Cancer of the digestive organs and peritoneum..... 46	4,545	399	351	405	354	365	379	398	377	374	398	390	357
Cancer of female genital organs..... 48,49	1,341	125	115	106	128	100	124	126	105	89	107	104	112
Cancer of the breast..... 50	990	76	76	93	82	74	85	67	87	70	98	78	104
Cancer (other sites)..... 45,47,51-55	3,153	248	247	279	253	289	259	256	243	261	271	250	297
Acute rheumatic fever..... 58	88	8	4	15	13	10	7	6	6	7	1	5	6
Diabetes mellitus..... 61	2,211	233	177	197	213	198	176	159	143	142	183	176	214
Exophthalmic goiter..... 63b	250	24	22	27	23	20	26	28	22	15	16	13	16
Pellagra (except alcoholic)..... 69	10	2	-	-	1	2	-	1	-	2	-	1	1
Alcoholism (ethylism)..... 77	70	7	8	5	4	5	3	6	4	7	6	13	5
Intracranial lesions of vascular origin..... 83	8,335	844	663	741	748	721	713	638	590	625	627	668	757
Diseases of the heart..... 90-95	24,356	2,593	2,081	2,190	2,120	2,121	1,828	1,706	1,670	1,722	2,004	2,026	2,295
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	1,616	187	146	142	145	147	106	111	107	111	125	144	145
Diseases of coronary arteries and angina pectoris..... 94	8,032	774	680	722	666	705	614	554	569	628	674	663	785
Diseases of the heart (other forms)..... 90b,91,92a,d,e,93a,b,d,e,95a,c	14,708	1,632	1,255	1,326	1,309	1,269	1,108	1,041	994	983	1,205	1,219	1,467

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO—Continued													
Pneumonia (all forms) and influenza 107-109,33	4,519	1,258	445	490	371	312	172	136	152	186	259	323	415
Bronchopneumonia 107	1,732	330	158	200	150	144	68	69	69	81	133	134	196
Lobar pneumonia 108	1,395	300	134	155	126	108	64	46	60	69	79	119	135
Pneumonia (unspecified) 109	224	43	14	22	24	15	13	7	9	16	16	17	28
Influenza 33	1,168	585	139	113	71	45	27	14	14	20	31	53	56
Ulcer of stomach or duodenum 117	448	41	45	44	40	36	36	36	28	29	38	35	40
Diarrhea, enteritis, etc.* 119,120	634	33	39	29	38	22	37	58	91	126	73	49	39
Appendicitis 121	385	33	30	29	38	35	40	37	29	23	34	26	26
Hernia and intestinal obstruction 122	712	59	60	63	62	66	46	65	63	63	53	61	51
Cirrhosis of the liver 124	730	70	66	60	68	62	59	58	47	60	51	57	52
Biliary calculi, etc.* 126,127	437	49	25	32	33	43	48	40	39	32	31	42	25
Nephritis 130-132	4,925	531	402	435	431	416	410	332	398	326	399	410	435
Diseases of the prostate 137	428	45	31	33	30	31	30	38	36	37	35	43	39
Diseases of pregnancy, etc.* 140-150	257	30	26	19	17	20	24	24	19	20	20	18	20
Puerperal septicemia 140,142a,145A,147	108	13	10	6	6	8	13	11	9	12	7	6	7
Puerperal toxemia 141a,c,144,148	49	3	3	7	5	2	4	8	2	2	2	5	6
Hemorrhage, trauma and shock* 141b,142b,143,146,149	72	10	11	4	5	9	5	2	4	4	9	5	4
Other puerperal causes 141d,e,f,145B,150	28	4	2	2	1	1	2	3	4	2	2	2	3
Congenital malformations 157	888	74	75	83	75	69	62	67	74	65	85	68	71
Premature birth 159	1,649	115	112	125	161	152	134	171	144	135	139	125	136
Suicide 163,164	788	84	75	64	67	50	64	64	68	51	76	63	62
Homicide 165-168	264	15	23	23	31	19	18	30	15	34	21	16	19
Accidental deaths 169-195	5,213	448	372	421	401	420	399	506	404	409	571	432	428
Motor-vehicle accidents 170	1,380	132	116	123	112	101	107	89	77	127	156	121	119
Other accidents 169,171-195	3,833	316	256	298	289	319	292	419	327	282	415	311	309
Senility, ill-defined and unknown causes 162,199,200	1,102	133	101	93	107	89	69	74	80	70	88	83	115
All other causes	7,151	702	610	634	614	590	616	520	547	539	603	559	617
OKLAHOMA All causes	18,925	2,130	1,574	1,664	1,491	1,490	1,475	1,537	1,508	1,372	1,445	1,512	1,729
Typhoid and paratyphoid fever 1,2	9	-	1	-	1	1	-	1	4	-	1	-	-
Cerebrospinal (meningococcus) meningitis 6	18	-	5	2	-	-	-	4	-	1	2	2	2
Scarlet fever 8	5	3	-	-	1	-	-	-	-	-	-	1	-
Whooping cough 9	40	5	4	3	2	5	2	6	1	3	5	2	2
Diphtheria 10	34	6	1	2	-	1	1	1	2	-	10	3	7
Tuberculosis (all forms) 11-22	880	92	72	80	82	83	76	68	70	56	72	69	60
Tuberculosis of respiratory system, etc.* 11	821	89	69	74	76	78	70	59	63	53	67	66	57
Tuberculosis (other forms) 14-22	59	3	3	6	6	5	6	9	7	3	5	3	3
Dysentery 27	63	1	-	3	1	-	8	8	14	16	7	4	1
Malaria 28	19	2	-	2	1	1	3	2	4	2	1	1	-
Syphilis 30	190	22	16	23	8	18	16	11	13	15	10	18	20
Measles 35	33	1	1	5	8	10	7	-	-	1	-	-	-
Poliomyelitis, polioencephalitis (acute) 36	8	3	-	1	1	-	1	-	1	-	1	-	-
Cancer and other malignant tumors 45-55	2,060	173	152	177	162	173	181	177	180	160	141	186	198
Cancer of the digestive organs and peritoneum 46	911	64	60	73	61	85	81	81	81	84	70	95	76
Cancer of female genital organs 48,49	308	26	26	29	29	16	35	22	38	19	15	21	30
Cancer of the breast 50	158	16	16	18	16	14	11	10	9	8	6	16	18
Cancer (other sites) 45,47,51-55	683	65	50	57	56	58	54	64	52	49	50	54	74
Acute rheumatic fever 58	22	-	2	2	2	1	1	4	1	3	1	2	3
Diabetes mellitus 61	336	43	32	32	31	32	17	21	27	17	23	30	31
Exophthalmic goiter 63b	27	2	4	-	1	2	1	1	3	4	4	3	2
Pellagra (except alcoholic) 69	51	7	9	2	2	5	3	4	3	2	4	5	5
Alcoholism (ethylism) 77	31	5	1	3	3	1	3	1	2	3	6	1	2
Intracranial lesions of vascular origin 83	1,845	180	162	155	150	139	159	162	149	152	117	147	173
Diseases of the heart 90-95	4,247	489	333	410	349	337	314	333	307	317	325	339	394
Chronic rheumatic diseases of the heart 90a,92b,c,93c,95b	300	27	31	23	24	26	31	27	22	20	25	23	21
Diseases of coronary arteries and angina pectoris 94	1,428	139	107	142	122	118	118	102	109	118	113	122	138
Diseases of the heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	2,499	323	195	245	203	193	165	204	176	179	187	194	235
Pneumonia (all forms) and influenza 107-109,33	1,273	401	157	119	88	76	41	29	35	40	78	74	135
Bronchopneumonia 107	311	59	33	32	29	24	9	8	12	13	24	27	41
Lobar pneumonia 108	288	74	32	32	24	19	8	9	11	7	23	18	31
Pneumonia (unspecified) 109	317	88	29	28	19	26	16	9	10	13	20	21	38
Influenza 33	357	180	63	27	15	7	8	3	2	7	11	8	25
Ulcer of stomach or duodenum 117	130	11	14	11	14	9	12	5	9	10	14	6	15
Diarrhea, enteritis, etc.* 119,120	224	14	5	6	6	8	19	37	21	28	33	24	23
Appendicitis 121	163	11	15	10	10	13	25	16	23	16	8	7	9
Hernia and intestinal obstruction 122	177	10	9	20	10	20	18	12	14	19	13	11	21
Cirrhosis of the liver 124	86	6	10	4	9	8	11	10	9	4	4	5	6
Biliary calculi, etc.* 126,127	121	5	7	9	10	14	11	7	12	11	9	15	11
Nephritis 130-132	1,144	107	111	105	91	92	91	96	90	75	92	96	98
Diseases of the prostate 137	118	13	11	12	11	10	14	8	5	7	9	6	12
Diseases of pregnancy, etc.* 140-150	111	7	12	9	11	4	11	6	13	9	11	10	6
Puerperal septicemia 140,142a,145A,147	35	2	4	6	2	3	4	-	4	1	2	4	3
Puerperal toxemia 141a,c,144,148	34	3	2	-	5	-	4	6	1	4	4	4	1
Hemorrhage, trauma and shock* 141b,142b,143,146,149	33	2	5	3	2	1	3	1	6	4	4	1	1
Other puerperal causes 141d,e,f,145B,150	9	-	1	-	2	-	-	1	2	-	1	1	1
Congenital malformations 157	265	31	24	25	19	18	14	22	19	24	23	19	27
Premature birth 159	614	55	39	46	39	59	67	52	71	65	52	39	40
Suicide 163,164	162	11	14	10	12	11	20	15	9	16	17	16	11
Homicide 165-168	95	6	6	8	13	6	5	18	8	3	6	9	7
Accidental deaths 169-195	1,470	123	124	126	128	107	104	151	117	91	110	121	168
Motor-vehicle accidents 170	380	25	19	35	33	25	26	31	23	29	41	37	50
Other accidents 169,171-195	1,090	98	105	91	95	82	78	120	88	62	69	84	118
Senility, ill-defined and unknown causes 162,199,200	908	122	88	60	83	69	55	79	82	66	72	74	80
All other causes	1,946	163	145	162	152	157	164	168	190	136	162	167	160

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON: All causes	13,153	1,374	1,087	1,167	1,153	1,089	1,048	1,019	962	910	1,033	1,081	1,230
Typhoid and paratyphoid fever 1,2	2	2	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis 6	26	7	1	4	-	4	1	2	4	-	1	2	-
Scarlet fever 8	9	3	2	2	-	-	-	-	1	1	-	-	-
Whooping cough 9	5	-	-	1	1	1	1	1	-	-	-	-	-
Diphtheria 10	12	2	-	-	-	-	-	1	1	-	2	6	-
Tuberculosis (all forms) 13-22	307	24	22	32	30	34	26	21	28	17	22	22	29
Tuberculosis of respiratory system, etc.* 13	266	21	18	28	26	29	24	20	23	14	20	20	23
Tuberculosis (other forms) 14-22	41	3	4	4	4	5	2	1	5	3	2	2	6
Dysentery 27	6	1	1	1	-	-	1	-	-	-	2	-	-
Malaria 28	2	-	-	-	-	-	-	-	-	1	-	-	1
Syphilis 30	140	14	13	15	11	13	10	13	11	12	11	6	11
Measles 35	9	1	2	1	1	-	-	2	1	-	-	1	-
Poliomyelitis, polioencephalitis (acute) 36	28	2	-	1	1	-	-	3	8	5	4	4	-
Cancer and other malignant tumors 45-55	1,667	146	121	135	136	150	141	142	144	115	134	159	144
Cancer of the digestive organs and peritoneum 46	773	58	61	69	65	64	67	72	68	51	59	77	62
Cancer of female genital organs 48,49	204	20	12	15	16	16	15	15	22	15	16	24	18
Cancer of the breast 50	161	17	8	13	13	16	14	7	17	13	15	12	16
Cancer (other sites) 45,47,51-55	529	51	40	38	42	54	45	48	37	36	44	46	48
Acute rheumatic fever 58	15	3	1	-	1	1	2	2	1	-	1	-	3
Diabetes mellitus 61	264	41	21	19	22	18	21	13	17	21	25	20	26
Exophthalmic goiter 63b	25	2	3	4	2	1	1	4	1	2	4	-	1
Pellagra (except alcoholic) 69	1	-	-	1	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism) 77	28	2	4	3	2	2	1	-	3	2	1	4	4
Intracranial lesions of vascular origin 83	1,290	114	122	109	115	105	98	80	96	95	115	104	137
Diseases of the heart 90-95	3,725	393	320	300	347	333	296	256	258	273	296	310	343
Chronic rheumatic diseases of the heart 90a,92b,c,93c,95b	275	36	19	23	25	27	16	20	25	17	21	22	24
Diseases of coronary arteries and angina pectoris 94	1,522	134	127	124	127	130	134	103	111	111	140	140	141
Diseases of the heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	1,928	223	174	153	195	176	146	133	122	145	135	148	178
Pneumonia (all forms) and influenza 107-109,33	715	171	74	85	69	43	32	27	28	25	39	45	77
Bronchopneumonia 107	291	51	26	39	33	16	17	12	12	11	15	22	37
Lobar pneumonia 108	221	47	12	33	22	18	6	8	11	9	18	13	24
Pneumonia (unspecified) 109	54	7	10	5	5	2	3	4	4	1	5	3	5
Influenza 33	149	66	26	8	9	7	6	3	1	4	1	7	11
Ulcer of stomach or duodenum 117	91	11	5	13	4	12	7	5	8	3	8	4	11
Diarrhea, enteritis, etc.* 119,120	31	4	7	3	-	1	-	2	4	2	3	3	2
Appendicitis 121	68	7	9	3	6	7	8	7	4	5	6	2	4
Hernia and intestinal obstruction 122	106	6	7	8	7	8	12	14	4	12	11	8	9
Cirrhosis of the liver 124	79	5	6	7	7	4	8	3	6	8	7	10	8
Biliary calculi, etc.* 126,127	62	4	3	4	5	5	6	7	4	4	7	4	9
Nephritis 130-132	983	91	84	88	83	77	90	87	71	69	60	79	104
Diseases of the prostate 137	82	8	8	6	6	8	7	8	11	3	7	7	3
Diseases of pregnancy, etc.* 140-150	43	5	5	2	3	6	2	5	3	1	3	4	4
Puerperal septicemia 140,142a,145A,147	17	3	3	1	-	2	2	3	2	1	-	-	-
Puerperal toxemia 141a,c,144,148	7	-	3	1	-	1	-	-	1	-	-	1	1
Hemorrhage, trauma and shock * 141b,142b,143,146,149	14	2	-	-	1	2	-	1	-	-	3	3	2
Other puerperal causes 141d,e,f,145B,150	5	-	-	-	2	1	-	1	-	-	-	-	1
Congenital malformations 157	127	12	12	8	13	4	11	11	14	10	12	10	10
Premature birth 159	242	21	23	24	24	20	16	17	21	14	16	23	23
Suicide 163,164	160	12	5	20	16	17	16	10	9	14	17	9	15
Homicide 165-168	44	1	2	4	1	5	2	7	2	6	2	3	9
Accidental deaths 169-195	1,079	89	73	95	109	74	101	131	79	98	69	90	71
Motor-vehicle accidents 170	253	23	19	16	21	21	23	17	20	22	21	21	29
Other accidents 169,171-195	826	66	54	79	88	53	78	114	59	76	48	69	42
Senility, ill-defined and unknown causes 162,199,200	343	38	23	31	30	27	24	24	24	19	36	29	38
All other causes	1,337	132	108	138	101	109	107	114	97	73	111	113	134
PENNSYLVANIA: All causes	110,333	12,186	9,357	10,136	9,631	9,109	8,253	8,342	8,015	7,900	8,676	8,948	9,780
Typhoid and paratyphoid fever 1,2	27	1	2	3	-	1	1	1	4	5	4	2	3
Cerebrospinal (meningococcus) meningitis 6	216	25	24	30	35	16	15	10	13	12	8	12	16
Scarlet fever 8	38	4	6	2	8	5	1	2	-	1	2	3	4
Whooping cough 9	95	10	8	7	8	3	10	7	4	13	11	5	9
Diphtheria 10	30	4	1	1	3	1	1	1	-	2	4	1	11
Tuberculosis (all forms) 13-22	4,020	373	331	344	382	383	358	313	339	271	312	319	295
Tuberculosis of respiratory system, etc.* 13	3,765	348	318	322	351	368	334	289	321	253	290	298	273
Tuberculosis (other forms) 14-22	255	25	13	22	31	15	24	24	18	18	22	21	22
Dysentery 27	38	-	3	3	4	-	2	3	4	15	1	1	2
Malaria 28	1	-	-	-	-	-	-	-	-	1	-	-	-
Syphilis 30	992	97	78	86	78	98	81	75	71	64	80	101	82
Measles 35	95	14	30	17	13	10	5	2	5	1	-	-	-
Poliomyelitis, polioencephalitis (acute) 36	117	1	1	-	-	-	2	18	51	25	14	3	2
Cancer and other malignant tumors 45-55	13,959	1,158	1,118	1,148	1,151	1,194	1,201	1,146	1,182	1,160	1,107	1,172	1,222
Cancer of the digestive organs and peritoneum 46	6,759	558	543	527	542	561	594	579	545	549	547	615	599
Cancer of female genital organs 48,49	1,806	157	151	135	140	152	148	156	156	165	145	128	165
Cancer of the breast 50	1,308	111	90	128	112	117	131	90	105	104	99	100	121
Cancer (other sites) 45,47,51-55	4,086	332	334	358	357	354	328	321	376	342	316	329	339
Acute rheumatic fever 58	152	11	17	10	11	14	16	13	15	11	9	9	16
Diabetes mellitus 61	3,380	373	277	294	301	277	261	271	249	255	264	274	304
Exophthalmic goiter 63b	236	25	22	23	25	20	22	17	21	15	20	11	17
Pellagra (except alcoholic) 69	5	-	-	1	-	1	2	-	1	-	-	-	-
Alcoholism (ethylism) 77	108	8	11	12	12	10	5	18	6	3	10	4	9
Intracranial lesions of vascular origin 83	9,083	957	766	873	820	787	641	671	616	639	714	771	828
Diseases of the heart 90-95	35,582	4,057	3,092	3,319	3,033	2,908	2,539	2,573	2,455	2,416	2,683	2,955	3,352
Chronic rheumatic diseases of the heart 90a,92b,c,93c,95b	2,212	208	172	227	212	183	168	174	167	170	165	182	184
Diseases of coronary arteries and angina pectoris 94	10,598	1,072	860	953	872	874	774	728	743	778	912	884	1,128
Diseases of the heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	22,772	2,777	2,040	2,139	1,949	1,851	1,597	1,671	1,545	1,468	1,806	1,889	2,040

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PENNSYLVANIA—Continued													
Pneumonia (all forms) and influenza ... 107-109,33	6,581	1,712	729	701	647	424	270	234	221	276	371	469	527
Bronchopneumonia ... 107	2,356	383	240	262	256	170	132	123	109	113	161	198	209
Lobar pneumonia ... 108	2,666	565	303	294	297	187	106	91	88	132	158	199	246
Pneumonia (unspecified) ... 109	166	31	14	16	11	13	7	6	4	9	14	21	20
Influenza ... 33	1,393	733	172	129	83	54	25	14	20	22	38	51	52
Ulcer of stomach or duodenum ... 117	553	49	42	41	53	40	30	44	65	36	48	47	58
Diarrhea, enteritis, etc.* ... 119,120	769	53	60	50	58	46	44	78	88	108	76	58	50
Appendicitis ... 121	538	44	27	39	51	54	47	53	69	39	42	35	38
Hernia and intestinal obstruction ... 122	944	86	80	103	73	54	93	87	75	80	84	62	67
Cirrhosis of the liver ... 124	887	80	73	70	78	61	73	71	93	70	71	67	80
Biliary calculi, etc.* ... 126,127	557	34	41	46	69	61	46	48	41	41	41	44	45
Nephritis ... 130-132	8,202	845	707	780	797	706	612	659	536	557	645	624	734
Diseases of the prostate ... 137	560	49	44	37	38	53	53	35	44	45	65	52	45
Diseases of pregnancy, etc.* ... 140-150	454	42	47	38	46	40	46	44	44	24	18	25	40
Puerperal septicemia ... 140,142a,145A,147	175	17	14	15	21	16	15	15	19	7	7	12	17
Puerperal toxemia ... 141a,c,144,148	105	10	14	10	15	10	10	10	6	4	5	4	7
Hemorrhage, trauma and shock * ... 141b,142b,143,146,149	132	9	15	11	7	11	11	18	16	9	6	7	12
Other puerperal causes ... 141d,e,f,145B,150	42	6	4	2	3	3	10	1	3	4	-	2	4
Congenital malformations ... 157	1,226	116	96	110	89	105	103	117	99	92	102	104	93
Premature birth ... 159	2,182	179	138	206	184	185	191	197	212	197	179	161	153
Suicide ... 163,164	952	61	59	80	86	94	81	85	78	103	65	78	82
Homicide ... 165-168	197	15	14	15	21	15	15	13	25	19	13	17	15
Accidental deaths ... 169-195	6,274	594	490	546	493	518	534	527	444	482	496	541	609
Motor-vehicle accidents ... 170	1,427	122	120	115	112	115	86	98	101	120	150	141	147
Other accidents ... 169,171-195	4,847	472	370	431	381	403	448	429	343	362	346	400	462
Senility, ill-defined and unknown causes ... 162,199,200	949	103	70	89	81	82	66	85	71	68	75	74	85
All other causes ...	10,334	1,006	852	1,012	885	843	788	824	774	774	842	847	887
RHODE ISLAND ... All causes	8,409	968	771	821	726	640	619	629	640	543	700	696	656
Typhoid and paratyphoid fever ... 1,2	3	-	1	-	-	-	-	1	-	-	-	1	-
Cerebrospinal (meningococcus) meningitis ... 6	16	4	1	2	2	1	1	1	-	-	1	2	1
Scarlet fever ... 8	2	-	-	-	1	-	-	-	-	-	-	1	-
Whooping cough ... 9	7	1	1	-	1	-	-	1	1	1	1	-	-
Diphtheria ... 10	3	1	-	-	-	-	-	-	-	1	-	-	1
Tuberculosis (all forms) ... 15-22	300	39	22	26	32	15	30	32	21	10	24	24	25
Tuberculosis of respiratory system, etc.* ... 15	287	37	20	26	31	15	29	30	19	8	24	23	25
Tuberculosis (other forms) ... 14-22	13	2	2	-	1	-	1	2	2	2	-	1	-
Dysentery ... 27	1	-	-	-	-	-	-	-	-	1	-	-	-
Malaria ... 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis ... 30	63	7	3	8	7	6	2	6	5	6	5	4	4
Measles ... 35	7	-	1	5	1	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute) ... 36	1	-	-	-	-	-	-	-	1	-	-	-	-
Cancer and other malignant tumors ... 45-55	1,074	104	86	103	78	93	85	82	101	67	94	103	78
Cancer of the digestive organs and peritoneum ... 46	512	50	36	50	34	44	39	41	48	31	49	42	48
Cancer of female genital organs ... 48,49	117	8	9	10	4	7	5	9	15	8	15	18	9
Cancer of the breast ... 50	119	17	8	17	8	12	8	7	8	5	10	12	7
Cancer (other sites) ... 45,47,51-55	326	29	33	26	32	30	33	25	30	23	20	31	14
Acute rheumatic fever ... 58	4	-	-	-	-	2	-	-	-	1	-	1	-
Diabetes mellitus ... 61	291	39	24	29	30	20	23	24	15	19	24	19	25
Exophthalmic goiter ... 65b	13	-	1	-	1	1	3	-	-	1	1	3	2
Pellagra (except alcoholic) ... 69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism) ... 77	2	-	-	-	-	-	-	-	-	2	-	-	-
Intracranial lesions of vascular origin ... 83	703	80	73	72	53	49	51	41	58	39	53	65	71
Diseases of the heart ... 90-95	3,010	350	295	271	268	241	220	205	223	196	247	254	240
Chronic rheumatic diseases of the heart ... 90a,92b,c,93c,95b	135	15	15	14	11	11	9	10	10	5	13	10	12
Diseases of coronary arteries and angina pectoris ... 94	887	86	91	75	67	75	68	61	74	66	71	76	77
Diseases of the heart (other forms) ... 90b,91,92a,d,e,93a,b,d,e,95a,c	1,988	249	189	182	190	155	143	134	139	125	163	166	151
Pneumonia (all forms) and influenza ... 107-109,33	446	108	53	65	37	22	13	13	20	18	32	34	31
Bronchopneumonia ... 107	199	40	22	26	16	10	9	7	14	9	16	19	11
Lobar pneumonia ... 108	200	47	25	37	18	11	3	3	5	8	11	13	19
Pneumonia (unspecified) ... 109	14	4	1	-	2	-	1	2	-	-	3	1	-
Influenza ... 33	33	17	5	2	1	1	-	1	1	1	2	1	1
Ulcer of stomach or duodenum ... 117	57	7	1	2	7	2	7	5	6	3	6	5	6
Diarrhea, enteritis, etc.* ... 119,120	47	5	8	6	5	3	6	1	5	2	2	1	3
Appendicitis ... 121	38	4	2	2	1	2	6	4	3	5	7	2	-
Hernia and intestinal obstruction ... 122	63	3	6	5	5	3	8	4	7	5	9	5	3
Cirrhosis of the liver ... 124	92	7	4	11	9	5	8	9	15	6	5	7	6
Biliary calculi, etc.* ... 126,127	50	6	3	3	2	5	4	7	5	2	5	3	5
Nephritis ... 130-132	600	48	47	61	59	42	45	55	42	46	56	47	51
Diseases of the prostate ... 137	45	8	3	3	4	1	5	3	2	4	4	5	3
Diseases of pregnancy, etc.* ... 140-150	25	6	2	1	-	2	4	1	3	2	-	1	3
Puerperal septicemia ... 140,142a,145A,147	10	1	2	-	-	1	3	-	1	-	-	-	2
Puerperal toxemia ... 141a,c,144,148	6	2	-	-	-	1	1	-	2	-	-	-	-
Hemorrhage, trauma and shock * ... 141b,142b,143,146,149	8	3	-	1	-	-	-	1	-	2	-	-	1
Other puerperal causes ... 141d,e,f,145B,150	1	-	-	-	-	-	-	-	-	-	-	1	-
Congenital malformations ... 157	124	15	14	12	14	11	11	11	6	8	13	6	5
Premature birth ... 159	146	11	9	22	16	9	11	11	15	11	15	9	7
Suicide ... 163,164	59	10	2	4	5	6	4	6	3	3	5	4	7
Homicide ... 165-168	5	-	2	-	-	1	-	-	1	-	-	-	1
Accidental deaths ... 169-195	445	42	37	45	29	39	30	40	34	38	35	41	35
Motor-vehicle accidents ... 170	78	6	4	3	4	5	5	10	5	5	6	13	12
Other accidents ... 169,171-195	367	36	33	42	25	34	25	30	29	33	29	28	23
Senility, ill-defined and unknown causes ... 162,199,200	29	4	5	2	-	1	1	2	3	2	7	-	2
All other causes ...	638	60	65	61	59	56	41	64	45	44	49	51	41

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH CAROLINA.... All causes	18,139	2,008	1,633	1,509	1,447	1,477	1,511	1,349	1,337	1,320	1,484	1,351	1,723
Typhoid and paratyphoid fever.... 1,2	37	-	3	1	-	1	2	9	9	3	3	3	3
Cerebrospinal (meningococcus) meningitis.... 6	26	4	3	1	1	3	-	3	1	3	4	2	1
Scarlet fever.... 8	1	-	-	-	-	-	-	-	1	-	-	-	-
Whooping cough.... 9	91	10	6	4	2	11	10	22	10	8	3	3	2
Diphtheria.... 10	27	4	1	1	1	1	1	-	3	2	5	5	3
Tuberculosis (all forms).... 13-22	660	57	52	52	54	55	71	49	43	39	70	53	65
Tuberculosis of respiratory system, etc.*.... 13	618	54	48	51	52	48	63	44	42	39	66	52	59
Tuberculosis (other forms).... 14-22	42	3	4	1	2	7	8	5	1	-	4	1	6
Dysentery.... 27	35	-	1	-	2	2	11	8	3	3	5	-	-
Malaria.... 28	64	2	-	3	4	6	12	12	9	4	5	6	1
Syphilis.... 30	267	24	22	24	22	25	23	21	20	18	19	18	31
Measles.... 35	41	-	9	7	14	6	2	1	1	-	-	1	-
Poliomyelitis, polioencephalitis (acute).... 36	14	1	1	1	1	-	1	1	3	1	3	1	-
Cancer and other malignant tumors.... 45-55	1,280	115	112	100	91	118	112	109	104	117	105	90	107
Cancer of the digestive organs and peritoneum.... 46	477	41	49	35	26	46	44	46	38	48	38	28	38
Cancer of female genital organs.... 48,49	260	27	20	20	19	30	24	19	18	24	22	17	20
Cancer of the breast.... 50	115	7	12	11	9	8	6	13	10	9	10	9	11
Cancer (other sites).... 45,47,51-55	428	40	31	34	37	34	38	31	38	36	35	36	38
Acute rheumatic fever.... 58	32	3	5	3	3	2	1	3	1	4	2	2	3
Diabetes mellitus.... 61	313	28	30	23	30	31	22	17	19	28	29	26	30
Exophthalmic goiter.... 63b	15	1	1	2	-	1	-	-	3	1	-	2	4
Pellagra (except alcoholic).... 69	58	8	5	5	8	-	9	6	3	7	5	1	1
Alcoholism (ethylism).... 77	16	2	1	1	1	1	2	1	1	1	2	-	3
Intracranial lesions of vascular origin.... 83	1,754	177	170	165	136	144	152	113	103	122	146	144	182
Diseases of the heart.... 90-95	3,611	403	301	297	282	332	296	279	283	268	288	253	329
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	239	32	20	24	18	20	20	19	21	24	16	9	16
Diseases of coronary arteries and angina pectoris.... 94	1,020	100	81	74	77	95	78	78	92	67	97	87	94
Diseases of the heart (other forms).... 90b,91,92a,d,e,93a,b,d,e,95a,c	2,352	271	200	199	187	217	198	182	170	177	175	157	219
Pneumonia (all forms) and influenza.... 107-108,33	1,447	366	205	161	106	81	54	38	44	51	75	108	138
Bronchopneumonia.... 107	435	69	59	47	34	29	22	13	15	27	29	46	45
Lobar pneumonia.... 108	470	105	54	50	41	33	22	17	20	17	30	34	47
Pneumonia (unspecified).... 109	126	29	22	9	8	8	5	3	5	6	5	8	18
Influenza.... 33	416	183	70	55	23	11	5	5	4	1	11	20	28
Ulcer of stomach or duodenum.... 117	74	10	8	3	4	5	6	9	5	4	7	8	5
Diarrhea, enteritis, etc.*.... 119,120	417	10	17	8	15	31	74	72	57	57	40	22	14
Appendicitis.... 121	94	9	-	8	9	13	10	7	7	10	6	7	8
Hernia and intestinal obstruction.... 122	121	5	11	5	13	11	15	6	12	12	9	10	12
Cirrhosis of the liver.... 124	59	6	5	3	6	5	6	3	6	3	2	8	6
Biliary calculi, etc.*.... 126,127	26	3	2	5	1	4	3	1	-	1	1	3	2
Nephritis.... 130-132	1,785	197	151	153	155	126	134	136	139	111	151	136	196
Diseases of the prostate.... 137	69	11	6	10	11	1	5	3	5	2	5	7	3
Diseases of pregnancy, etc.*.... 140-150	193	23	13	11	22	15	16	16	19	15	17	17	9
Puerperal septicemia.... 140,142a,145A,147	59	2	5	5	7	2	3	8	8	5	5	6	3
Puerperal toxemia.... 141a,c,144,148	64	11	1	3	9	8	4	6	5	5	5	3	4
Hemorrhage, trauma and shock *.... 141b,142b,143,146,149	46	6	4	3	3	5	7	1	5	3	2	6	1
Other puerperal causes.... 141d,e,f,145B,150	24	4	3	-	3	-	2	1	1	2	5	2	1
Congenital malformations.... 157	221	16	26	14	24	22	15	25	15	16	14	17	17
Premature birth.... 159	757	64	60	65	51	56	74	53	74	69	69	58	64
Suicide.... 163,164	97	8	7	9	7	12	8	11	7	10	6	6	6
Homicide.... 165-168	194	16	13	17	17	15	15	13	20	16	17	19	16
Accidental deaths.... 169-195	1,449	131	144	105	121	133	117	117	103	95	109	105	171
Motor-vehicle accidents.... 170	446	35	28	28	36	37	29	37	35	36	34	51	60
Other accidents.... 169,171-195	1,003	96	116	77	85	96	88	80	68	59	75	52	111
Senility, ill-defined and unknown causes.... 162,199,200	1,122	118	99	105	100	71	95	51	79	90	89	86	139
All other causes....	1,672	156	143	137	133	137	137	124	125	129	173	126	152
SOUTH DAKOTA.... All causes	5,650	668	479	495	431	461	434	433	405	413	467	457	507
Typhoid and paratyphoid fever.... 1,2	1	-	-	-	1	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis.... 6	8	-	1	2	-	-	-	-	-	-	-	2	3
Scarlet fever.... 8	2	-	1	-	-	-	1	-	-	-	-	-	-
Whooping cough.... 9	15	2	2	-	1	1	1	2	-	1	1	-	2
Diphtheria.... 10	8	-	2	1	1	-	1	1	-	1	-	-	1
Tuberculosis (all forms).... 13-22	178	20	19	10	20	21	13	12	12	10	17	9	15
Tuberculosis of respiratory system, etc *.... 13	138	11	15	9	16	15	9	11	11	8	14	8	11
Tuberculosis (other forms).... 14-22	40	9	4	1	4	6	4	1	1	2	3	1	4
Dysentery.... 27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria.... 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.... 30	32	6	4	3	-	1	3	2	2	3	3	3	2
Measles.... 35	15	4	6	2	2	-	1	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).... 36	3	-	-	-	-	-	-	1	-	-	2	-	-
Cancer and other malignant tumors.... 45-55	724	60	59	65	40	64	55	65	66	56	66	74	54
Cancer of the digestive organs and peritoneum.... 46	360	29	33	26	20	32	33	24	31	35	33	37	27
Cancer of female genital organs.... 48,49	75	5	2	9	2	10	5	7	5	3	10	11	6
Cancer of the breast.... 50	71	6	10	12	2	2	6	10	4	5	6	4	4
Cancer (other sites).... 45,47,51-55	218	20	14	18	16	20	11	24	26	13	17	22	17
Acute rheumatic fever.... 58	10	-	-	1	-	1	4	2	-	-	1	-	1
Diabetes mellitus.... 61	131	11	9	8	13	11	8	9	10	11	12	16	13
Exophthalmic goiter.... 63b	7	1	-	-	-	1	-	1	-	-	2	1	1
Pellagra (except alcoholic).... 69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).... 77	8	-	1	1	1	-	1	2	-	-	-	2	-
Intracranial lesions of vascular origin.... 83	527	57	36	43	45	38	36	40	40	42	42	55	53
Diseases of the heart.... 90-95	1,493	184	138	146	115	119	83	122	86	120	125	127	128
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	71	3	7	5	4	8	4	4	3	5	10	8	10
Diseases of coronary arteries and angina pectoris.... 94	509	54	35	52	39	48	30	42	30	43	42	50	44
Diseases of the heart (other forms).... 90b,91,92a,d,e,93a,b,d,e,95a,c	913	127	96	89	72	63	49	76	53	72	73	69	74

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA—Continued													
Pneumonia (all forms) and influenza... 107-109,33	317	86	37	30	27	27	16	12	6	12	25	15	24
Bronchopneumonia... 107	122	20	19	8	10	14	9	10	1	5	12	4	10
Lobar pneumonia... 108	98	23	5	13	13	8	3	1	5	3	10	8	6
Pneumonia (unspecified)... 109	23	6	2	5	1	3	3	-	-	-	1	-	2
Influenza... 33	74	37	11	4	3	2	1	1	-	4	2	3	6
Ulcer of stomach or duodenum... 117	39	4	2	4	1	5	6	2	1	5	1	5	3
Diarrhea, enteritis, etc.*... 119,120	35	3	1	2	1	2	1	2	5	3	5	5	5
Appendicitis... 121	46	4	5	3	5	3	5	3	4	1	8	2	3
Hernia and intestinal obstruction... 122	51	8	3	5	3	2	5	2	6	6	7	2	2
Cirrhosis of the liver... 124	23	2	3	2	2	3	2	1	3	3	1	-	1
Biliary calculi, etc.*... 126,127	55	6	4	6	5	4	7	3	5	5	3	4	3
Nephritis... 130-132	274	24	21	26	23	18	21	26	23	27	25	17	21
Diseases of the prostate... 137	43	6	5	1	3	6	5	1	4	1	4	4	3
Diseases of pregnancy, etc.*... 140-150	23	-	2	4	1	5	2	2	1	1	2	2	1
Puerperal septicemia... 140,142a,145A,147	11	-	2	3	-	2	1	1	-	-	1	1	-
Puerperal toxemia... 141a,c,144,148	6	-	-	-	-	1	-	1	1	1	1	1	-
Hemorrhage, trauma and shock*... 141b,142b,143,146,149	3	-	-	1	1	-	1	-	-	-	-	-	-
Other puerperal causes... 141d,e,f,145B,150	3	-	-	-	-	2	-	-	-	-	-	-	1
Congenital malformations... 157	75	6	3	6	2	6	16	8	4	4	6	7	7
Premature birth... 159	121	16	10	8	8	13	15	7	9	10	5	5	15
Suicide... 163,164	59	6	5	2	7	8	5	5	3	2	6	5	5
Homicide... 165-168	9	2	-	-	-	2	4	-	-	1	-	-	-
Accidental deaths... 169-195	434	45	23	23	33	32	44	29	39	32	45	25	64
Motor-vehicle accidents... 170	107	18	2	3	5	7	10	7	11	9	11	9	15
Other accidents... 169,171-195	327	27	21	20	28	25	34	22	28	23	34	16	49
Senility, ill-defined and unknown causes... 162,199,200	276	31	26	24	25	18	19	22	23	17	20	27	24
All other causes...	610	74	51	67	46	50	54	47	53	39	33	43	53
TENNESSEE... All causes	27,854	3,086	2,466	2,548	2,210	2,162	2,252	2,170	2,126	2,011	2,145	2,152	2,506
Typhoid and paratyphoid fever... 1,2	12	-	1	-	-	1	2	1	-	2	2	2	1
Cerebrospinal (meningococcus) meningitis... 6	81	17	11	8	10	9	2	4	1	4	3	7	5
Scarlet fever... 8	5	-	1	-	1	-	1	-	-	-	1	1	-
Whooping cough... 9	61	6	2	7	5	3	4	10	8	3	6	2	5
Diphtheria... 10	46	4	1	4	2	1	1	-	1	5	8	8	11
Tuberculosis (all forms)... 13-22	1,881	208	188	177	161	148	134	142	148	148	140	139	148
Tuberculosis of respiratory system, etc.*... 13	1,752	196	180	160	150	136	117	130	142	139	131	133	138
Tuberculosis (other forms)... 14-22	129	12	8	17	11	12	17	12	6	9	9	6	10
Dysentery... 27	63	3	1	2	-	2	8	10	10	8	14	3	2
Malaria... 28	13	-	-	2	1	-	2	2	2	2	2	-	-
Syphilis... 30	340	28	36	39	34	22	28	27	23	18	30	25	30
Measles... 35	68	5	14	24	12	5	3	-	2	2	1	-	-
Poliomyelitis, polioencephalitis (acute)... 36	16	-	-	-	2	1	1	3	3	4	2	-	-
Cancer and other malignant tumors... 45-55	2,552	236	207	210	198	216	207	220	221	212	195	218	212
Cancer of the digestive organs and peritoneum... 46	1,033	104	85	85	74	93	94	98	88	76	83	90	63
Cancer of female genital organs... 48,49	391	30	33	35	29	41	27	25	38	35	31	28	39
Cancer of the breast... 50	231	27	22	17	17	17	13	20	22	21	14	20	21
Cancer (other sites)... 45,47,51-55	897	75	67	73	78	65	73	77	73	80	67	80	89
Acute rheumatic fever... 58	36	2	2	3	-	6	3	4	2	4	2	4	4
Diabetes mellitus... 61	375	36	39	25	31	25	27	33	37	30	36	29	27
Exophthalmic goiter... 63b	52	7	2	7	6	5	3	6	3	6	3	3	1
Pellagra (except alcoholic)... 69	83	10	10	8	4	6	3	5	6	6	5	9	11
Alcoholism (ethylism)... 77	28	1	2	2	2	2	4	3	3	-	1	2	6
Intracranial lesions of vascular origin... 83	2,709	261	245	266	220	207	233	221	205	181	216	200	254
Diseases of the heart... 90-95	6,007	642	522	524	488	481	532	469	439	410	468	482	550
Chronic rheumatic diseases of the heart... 90a,92b,c,93c,95b	530	46	47	53	36	42	57	52	37	42	42	41	35
Diseases of coronary arteries and angina pectoris... 94	1,611	149	148	145	140	132	139	106	124	99	116	146	167
Diseases of the heart (other forms)... 90b,91,92a,d,e,93a,b,d,e,95a,c	3,866	447	327	326	312	307	336	311	278	269	310	295	348
Pneumonia (all forms) and influenza... 107-109,33	2,264	590	309	275	162	113	74	69	80	80	105	160	247
Bronchopneumonia... 107	752	136	77	101	64	43	34	26	39	41	51	58	82
Lobar pneumonia... 108	687	120	95	95	53	37	22	25	30	27	31	63	89
Pneumonia (unspecified)... 109	162	40	22	20	11	7	6	6	5	5	9	11	20
Influenza... 33	663	294	115	59	34	26	12	12	6	7	14	28	56
Ulcer of stomach or duodenum... 117	160	17	10	12	14	17	13	7	12	14	13	14	17
Diarrhea, enteritis, etc.*... 119,120	468	16	7	9	11	22	78	94	63	52	70	21	25
Appendicitis... 121	160	22	8	11	14	14	18	18	19	10	7	6	13
Hernia and intestinal obstruction... 122	244	29	20	21	25	17	24	13	25	23	18	14	15
Cirrhosis of the liver... 124	144	11	9	14	9	12	8	11	11	16	15	13	15
Biliary calculi, etc.*... 126,127	92	6	10	12	9	3	7	10	9	8	5	10	3
Nephritis... 130-132	1,785	178	159	155	128	154	160	159	137	135	133	137	170
Diseases of the prostate... 137	170	10	15	22	13	12	8	13	19	14	17	13	14
Diseases of pregnancy, etc... 140-150	191	18	25	14	18	17	15	20	15	11	12	12	14
Puerperal septicemia... 140,142a,145A,147	60	4	9	4	6	5	4	5	6	1	3	7	6
Puerperal toxemia... 141a,c,144,148	54	5	11	5	4	4	7	5	3	3	2	2	3
Hemorrhage, trauma and shock*... 141b,142b,143,146,149	49	4	1	3	5	6	3	9	4	5	4	3	2
Other puerperal causes... 141d,e,f,145B,150	28	5	4	2	3	2	1	1	2	2	3	-	3
Congenital malformations... 157	306	32	25	25	28	20	24	28	26	19	27	27	25
Premature birth... 159	829	52	65	83	62	78	68	66	83	83	69	62	58
Suicide... 163,164	196	21	14	20	16	16	11	10	19	14	15	15	25
Homicide... 165-168	289	11	21	23	20	24	27	28	41	33	24	19	18
Accidental deaths... 169-195	1,696	152	118	149	155	142	134	139	132	142	143	136	154
Motor-vehicle accidents... 170	466	48	32	38	39	29	35	36	49	36	42	38	44
Other accidents... 169,171-195	1,230	104	86	111	116	113	99	103	83	106	101	98	110
Senility, ill-defined and unknown causes... 162,199,200	1,684	196	151	143	128	140	150	114	113	104	124	149	192
All other causes...	2,748	259	236	252	221	221	255	231	208	208	213	210	234

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH		Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TEXAS	All causes	61,565	6,658	4,960	5,332	4,952	4,958	5,125	5,525	4,797	4,432	4,632	4,767	5,427
Typhoid and paratyphoid fever	1,2	74	1	3	4	3	2	10	8	15	13	4	5	6
Cerebrospinal (meningococcus) meningitis	6	97	15	15	11	12	5	8	4	5	5	3	7	9
Scarlet fever	8	16	1	2	4	1	1	2	1	-	-	3	3	1
Whooping cough	9	95	8	2	4	7	14	9	13	6	7	12	7	6
Diphtheria	10	129	16	8	10	6	8	4	9	1	6	20	11	30
Tuberculosis (all forms)	13-22	3,126	311	265	307	268	274	252	283	227	245	235	241	218
Tuberculosis of respiratory system, etc.*	13	2,957	296	249	293	252	260	236	265	213	232	221	231	209
Tuberculosis (other forms)	14-22	169	15	16	14	16	14	16	18	14	13	14	10	9
Dysentery	27	455	7	15	18	31	51	71	73	61	28	38	39	23
Malaria	28	82	6	2	2	4	5	11	13	12	8	8	5	6
Syphilis	30	755	73	65	74	72	71	73	62	63	44	53	42	63
Measles	35	181	3	6	32	53	40	25	15	4	-	2	1	-
Poliomyelitis, polioencephalitis (acute)	36	51	2	2	4	1	4	4	9	5	4	9	3	4
Cancer and other malignant tumors	45-55	5,655	462	413	475	483	483	489	525	453	467	471	460	474
Cancer of the digestive organs and peritoneum	46	2,243	171	167	178	188	208	197	208	172	182	202	196	174
Cancer of female genital organs	48,49	786	69	48	73	68	60	77	84	63	67	62	58	57
Cancer of the breast	50	444	41	33	37	35	28	44	40	37	38	39	32	40
Cancer (other sites)	45,47,51-55	2,182	181	165	187	192	187	171	193	181	180	168	174	203
Acute rheumatic fever	58	63	11	4	5	2	4	8	5	8	3	3	7	3
Diabetes mellitus	61	1,005	109	91	85	96	82	67	78	97	74	63	81	82
Exophthalmic goiter	63b	56	6	6	7	2	2	4	5	4	4	7	2	7
Pellagra (except alcoholic)	69	176	21	18	12	12	19	16	20	11	13	7	11	16
Alcoholism (ethylism)	77	58	8	1	5	8	2	5	4	8	2	6	8	3
Intracranial lesions of vascular origin	83	4,846	501	379	408	399	378	399	421	381	355	403	390	432
Diseases of the heart	90-95	13,486	1,469	1,099	1,211	1,112	1,062	1,135	1,167	1,001	950	942	1,069	1,269
Chronic rheumatic diseases of the heart	90a,92b,c,93c,95b	589	54	58	47	48	43	51	61	49	39	34	49	56
Diseases of coronary arteries and angina pectoris	94	5,179	528	380	467	417	380	463	467	375	377	394	414	517
Diseases of the heart (other forms)	90b,91,92a,d,e,93a,b,d,e,95a,c	7,718	887	661	697	647	639	621	639	577	534	514	606	696
Pneumonia (all forms) and influenza	107-109,33	4,263	1,166	578	458	281	224	171	185	159	162	220	248	411
Bronchopneumonia	107	1,111	173	126	123	72	75	49	69	61	59	88	87	129
Lobar pneumonia	108	950	207	140	106	73	50	51	47	34	40	45	49	108
Pneumonia (unspecified)	109	1,041	209	106	118	82	64	56	58	50	48	59	86	105
Influenza	33	1,161	577	206	111	54	35	15	11	14	15	28	20	69
Ulcer of stomach or duodenum	117	260	22	24	35	22	20	18	15	19	19	22	18	26
Diarrhea, enteritis, etc.*	119,120	1,822	69	57	85	138	206	267	271	157	112	152	165	143
Appendicitis	121	358	34	31	33	25	35	28	32	34	22	25	28	31
Hernia and intestinal obstruction	122	531	50	37	37	44	44	51	50	37	46	52	44	39
Cirrhosis of the liver	124	345	28	21	38	31	23	27	36	35	29	31	18	28
Biliary calculi, etc.*	126,127	261	29	16	28	14	21	21	25	32	17	17	26	18
Nephritis	130-132	3,707	387	291	315	330	312	267	340	307	278	257	299	324
Diseases of the prostate	137	346	25	34	29	23	26	32	34	27	35	36	21	24
Diseases of pregnancy, etc.*	140-150	422	32	45	37	31	33	38	44	39	36	26	30	31
Puerperal septicemia	140,142a,145A,147	137	7	18	12	12	6	18	16	12	10	5	12	9
Puerperal toxemia	141a,c,144,148	118	12	9	11	6	12	7	17	11	9	7	8	9
Hemorrhage, trauma and shock*	141b,142b,143,146,149	121	7	14	11	9	14	8	10	11	13	7	7	10
Other puerperal causes	141d,e,f,145B,150	46	6	4	3	4	1	5	1	5	4	7	3	3
Congenital malformations	157	810	80	72	62	72	62	72	68	65	70	57	56	74
Premature birth	159	2,127	163	122	140	152	200	211	185	198	177	231	178	170
Suicide	163,164	485	41	37	49	40	34	50	42	40	40	43	37	32
Homicide	165-168	549	47	40	25	39	38	50	60	57	47	53	42	51
Accidental deaths	169-195	5,405	456	426	492	405	457	468	525	436	386	406	408	540
Motor-vehicle accidents	170	1,405	89	125	107	107	111	130	118	86	118	108	130	176
Other accidents	169,171-195	4,000	367	301	385	298	346	338	407	350	268	298	278	364
Senility, ill-defined and unknown causes	162,199,200	2,779	360	234	221	221	195	218	244	202	193	213	206	272
All other causes		6,689	641	499	570	512	521	546	654	591	545	505	554	561
UTAH	All causes	4,957	523	454	415	405	427	383	398	376	365	393	404	414
Typhoid and paratyphoid fever	1,2	2	-	-	-	-	1	-	-	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis	6	16	4	2	1	2	1	1	-	-	-	-	3	2
Scarlet fever	8	13	3	4	2	1	-	1	-	1	1	-	-	-
Whooping cough	9	4	-	-	-	2	-	1	-	1	-	-	-	-
Diphtheria	10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)	13-22	73	9	5	5	8	7	8	4	7	5	5	4	6
Tuberculosis of respiratory system, etc.*	13	58	8	1	4	6	5	6	4	6	4	5	4	5
Tuberculosis (other forms)	14-22	15	1	4	1	2	2	2	-	1	1	-	-	1
Dysentery	27	3	-	-	-	-	-	-	1	-	1	-	-	1
Malaria	28	1	-	-	-	-	-	-	-	-	1	-	-	-
Syphilis	30	28	2	2	2	-	3	1	3	6	3	1	2	3
Measles	35	1	-	-	-	-	-	1	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)	36	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer and other malignant tumors	45-55	546	41	47	42	43	49	41	50	44	38	45	58	48
Cancer of the digestive organs and peritoneum	46	268	21	26	17	23	24	18	25	25	12	20	31	26
Cancer of female genital organs	48,49	73	10	4	2	5	6	5	4	11	6	7	9	4
Cancer of the breast	50	43	2	3	7	2	5	5	3	1	6	3	2	4
Cancer (other sites)	45,47,51-55	162	8	14	16	13	14	13	18	7	14	15	16	14
Acute rheumatic fever	58	11	1	1	1	2	2	-	1	-	-	1	-	2
Diabetes mellitus	61	111	10	5	11	5	13	5	9	11	9	11	11	11
Exophthalmic goiter	63b	23	2	2	3	3	2	1	-	1	4	2	2	1
Pellagra (except alcoholic)	69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)	77	5	1	-	1	-	1	-	1	-	-	-	1	-
Intracranial lesions of vascular origin	83	345	33	37	26	39	27	18	32	31	29	25	21	27
Diseases of the heart	90-95	1,476	167	140	119	123	128	114	106	97	108	121	126	127
Chronic rheumatic diseases of the heart	90a,92b,c,93c,95b	134	14	13	11	10	10	12	12	8	11	11	17	5
Diseases of coronary arteries and angina pectoris	94	474	45	34	41	37	40	33	40	29	39	48	41	47
Diseases of the heart (other forms)	90b,91,92a,d,e,93a,b,d,e,95a,c	868	108	93	67	76	78	69	54	60	58	62	68	75

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH—Continued													
Pneumonia (all forms) and influenza..... 107-109,33	256	59	36	25	17	19	16	15	9	9	9	18	24
Bronchopneumonia..... 107	95	19	9	8	9	10	5	9	5	2	4	10	5
Lobar pneumonia..... 108	95	18	14	10	5	7	5	3	3	4	3	7	16
Pneumonia (unspecified)..... 109	18	4	2	4	-	-	4	2	-	-	2	-	-
Influenza..... 33	48	18	11	3	3	2	2	1	1	3	-	1	3
Ulcer of stomach or duodenum..... 117	60	7	5	7	5	6	11	5	1	3	5	1	4
Diarrhea, enteritis, etc.*..... 119,120	40	2	3	2	4	3	2	3	3	-	4	5	9
Appendicitis..... 121	34	5	4	3	1	4	2	4	3	2	3	-	3
Hernia and intestinal obstruction..... 122	37	3	3	2	4	4	3	4	3	4	4	2	1
Cirrhosis of the liver..... 124	37	3	3	3	3	4	4	3	5	3	1	2	3
Biliary calculi, etc.*..... 126,127	14	-	2	2	2	-	1	-	2	-	2	2	1
Nephritis..... 130-132	223	26	20	19	18	28	16	13	13	18	20	16	16
Diseases of the prostate..... 137	29	1	3	4	2	2	3	3	1	1	1	6	2
Diseases of pregnancy, etc.*..... 140-150	22	3	-	1	5	3	1	-	2	1	1	1	4
Puerperal septicemia..... 140,142a,145A,147	8	-	-	-	2	1	1	-	-	-	1	1	2
Puerperal toxemia..... 141a,c,144,148	5	1	-	1	2	1	-	-	-	-	-	-	-
Hemorrhage, trauma and shock*..... 141b,142b,143,146,149	6	1	-	-	-	1	-	-	2	-	-	-	2
Other puerperal causes..... 141d,e,f,145F,150	3	1	-	-	1	-	-	-	-	1	-	-	-
Congenital malformations..... 157	81	3	8	10	6	5	6	7	8	5	6	6	11
Premature birth..... 159	186	8	15	16	13	21	20	15	19	10	18	14	17
Suicide..... 163,164	42	1	5	-	2	3	5	9	2	2	6	3	4
Homicide..... 165-168	10	1	-	1	2	3	1	1	-	-	-	1	-
Accidental deaths..... 169-195	478	57	42	31	30	31	38	50	45	48	35	36	35
Motor-vehicle accidents..... 170	131	11	6	13	10	8	11	12	16	13	10	11	10
Other accidents..... 169,171-195	347	46	36	18	20	23	27	38	29	35	25	25	25
Senility, ill-defined and unknown causes..... 162,199,200	175	17	17	24	15	12	20	12	9	15	14	8	12
All other causes.....	570	54	43	52	48	45	42	47	52	44	53	55	40
VERMONT..... All causes	4,274	439	386	370	368	334	302	360	323	295	369	349	379
Typhoid and paratyphoid fever..... 1,2	3	-	-	-	-	-	-	1	-	1	-	1	-
Cerebrospinal (meningococcus) meningitis..... 6	6	-	2	1	-	1	-	1	-	-	1	-	-
Scarlet fever..... 8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough..... 9	7	-	2	-	-	1	1	-	-	1	-	-	2
Diphtheria..... 10	2	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis (all forms)..... 13-22	124	12	13	9	7	8	8	16	14	12	12	8	5
Tuberculosis of respiratory system, etc.*..... 13	113	11	13	9	5	7	6	16	12	12	9	8	5
Tuberculosis (other forms)..... 14-22	11	1	-	-	2	1	2	-	2	-	3	-	-
Dysentery..... 27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria..... 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis..... 30	32	4	1	8	1	1	2	2	2	4	4	1	2
Measles..... 35	11	1	3	2	3	1	1	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)..... 36	2	-	-	-	-	-	-	-	1	-	1	-	-
Cancer and other malignant tumors..... 45-55	527	55	31	44	45	42	45	48	36	41	49	51	40
Cancer of the digestive organs and peritoneum..... 46	227	24	5	17	19	14	26	16	16	16	22	28	24
Cancer of female genital organs..... 48,49	63	6	5	6	8	6	3	6	4	8	6	3	2
Cancer of the breast..... 50	61	3	7	6	5	9	4	6	4	3	6	4	4
Cancer (other sites)..... 45,47,51-55	176	22	14	15	13	13	12	20	12	14	15	16	10
Acute rheumatic fever..... 58	3	-	-	1	-	1	-	1	-	-	-	-	-
Diabetes mellitus..... 61	110	5	13	8	5	8	6	18	8	9	13	5	12
Exophthalmic goiter..... 63b	5	-	-	-	-	-	1	1	-	1	-	-	2
Pellagra (except alcoholic)..... 69	1	-	-	-	-	-	1	-	-	-	-	-	-
Alcoholism (ethylism)..... 77	7	1	1	1	-	-	1	-	-	1	1	-	1
Intracranial lesions of vascular origin..... 83	456	47	51	40	32	37	25	33	38	37	38	33	45
Diseases of the heart..... 90-95	1,373	152	134	138	126	94	91	109	83	94	107	117	128
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	80	13	6	6	7	4	4	9	4	9	5	5	8
Diseases of coronary arteries and angina pectoris..... 94	431	49	40	37	31	33	29	34	20	29	37	42	50
Diseases of the heart (other forms)..... 90b,91,92a,d,e,93a,b,d,e,95a,c	862	90	88	95	88	57	58	66	59	56	65	70	70
Pneumonia (all forms) and influenza..... 107-109,33	216	59	28	17	16	19	11	9	9	4	14	13	17
Bronchopneumonia..... 107	82	14	10	5	7	9	6	4	6	3	6	4	8
Lobar pneumonia..... 108	56	10	6	7	5	7	3	2	3	-	2	5	6
Pneumonia (unspecified)..... 109	11	2	3	-	1	1	1	-	-	-	3	-	-
Influenza..... 33	67	33	9	5	3	2	1	3	-	1	3	4	3
Ulcer of stomach or duodenum..... 117	26	2	1	-	3	1	-	3	6	1	4	4	1
Diarrhea, enteritis, etc.*..... 119,120	19	-	-	2	1	1	1	1	2	3	3	1	4
Appendicitis..... 121	26	1	3	1	6	3	-	3	2	3	1	1	2
Hernia and intestinal obstruction..... 122	35	7	1	2	2	-	5	2	5	3	2	5	3
Cirrhosis of the liver..... 124	22	1	2	2	3	1	1	-	1	-	2	4	5
Biliary calculi, etc.*..... 126,127	24	1	2	2	1	2	2	2	5	1	1	3	2
Nephritis..... 130-132	248	28	21	13	24	23	19	19	15	13	26	21	26
Diseases of the prostate..... 137	32	3	5	-	2	3	3	7	2	1	2	3	1
Diseases of pregnancy, etc.*..... 140-150	13	-	1	1	-	1	1	1	1	-	2	3	2
Puerperal septicemia..... 140,142a,145A,147	5	-	-	1	-	-	1	-	1	-	-	2	-
Puerperal toxemia..... 141a,c,144,148	4	-	1	-	-	1	-	-	-	-	1	1	-
Hemorrhage, trauma and shock*..... 141b,142b,143,146,149	2	-	-	-	-	-	-	-	-	-	1	-	1
Other puerperal causes..... 141d,e,f,145B,150	2	-	-	-	-	-	-	1	-	-	-	-	1
Congenital malformations..... 157	64	3	6	11	7	5	2	3	10	5	6	3	3
Premature birth..... 159	91	4	1	11	7	8	7	6	12	6	10	10	9
Suicide..... 163,164	45	1	2	5	6	5	4	2	7	4	4	3	2
Homicide..... 165-168	1	-	-	-	-	-	-	-	-	-	1	-	-
Accidental deaths..... 169-195	222	12	15	16	16	23	17	24	21	17	21	20	20
Motor-vehicle accidents..... 170	34	-	2	3	-	4	4	1	3	3	3	6	5
Other accidents..... 169,171-195	188	12	13	13	16	19	13	23	18	14	18	14	15
Senility, ill-defined and unknown causes..... 162,199,200	62	6	4	1	5	4	6	4	6	3	9	6	8
All other causes.....	459	33	43	34	50	41	41	44	37	29	35	35	37

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA.... All causes	28,739	3,007	2,553	2,617	2,407	2,329	2,198	2,166	2,115	2,061	2,384	2,302	2,600
Typhoid and paratyphoid fever.... 1,2	11	-	-	1	-	1	-	3	1	1	1	1	2
Cerebrospinal (meningococcus) meningitis.... 6	95	11	13	14	7	14	7	10	3	2	2	3	9
Scarlet fever.... 8	8	-	2	-	2	-	1	-	1	1	-	-	1
Whooping cough.... 9	102	9	13	17	13	6	8	9	8	8	2	5	4
Diphtheria.... 10	25	1	2	1	1	-	1	-	-	6	5	3	5
Tuberculosis (all forms).... 13-22	1,344	128	109	133	116	112	121	107	112	91	111	111	93
Tuberculosis of respiratory system, etc.*.... 15	1,221	123	103	117	103	100	105	102	98	78	101	103	88
Tuberculosis (other forms).... 14-22	123	5	6	16	13	12	16	5	14	13	10	8	5
Dysentery.... 27	71	1	1	2	4	3	15	14	14	4	6	2	5
Malaria.... 28	1	-	-	-	-	-	-	-	-	-	1	-	-
Syphilis.... 30	346	23	31	25	32	34	32	29	35	18	31	20	36
Measles.... 35	50	5	10	12	8	10	5	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).... 36	58	1	-	-	-	1	1	17	17	13	5	3	-
Cancer and other malignant tumors.... 45-55	2,598	222	200	201	198	229	195	213	223	230	209	250	228
Cancer of the digestive organs and peritoneum.... 46	1,082	74	93	82	67	99	82	87	102	102	86	107	101
Cancer of female genital organs.... 48,49	400	40	21	34	35	35	36	36	31	32	29	35	36
Cancer of the breast.... 50	239	23	18	17	22	24	14	15	17	27	21	25	16
Cancer (other sites).... 45,47,51-55	877	85	68	68	74	71	63	75	73	69	73	83	75
Acute rheumatic fever.... 58	31	4	1	3	-	4	6	1	4	2	1	1	4
Diabetes mellitus.... 61	544	58	49	56	46	42	38	24	39	39	43	50	60
Exophthalmic goiter.... 63b	49	4	6	5	3	7	5	3	5	2	3	4	2
Pellagra (except alcoholic).... 69	30	3	1	3	2	3	1	4	1	3	1	5	3
Alcoholism (ethylism).... 77	52	1	5	5	6	4	5	1	4	2	2	6	11
Intracranial lesions of vascular origin.... 83	2,933	285	292	285	249	250	215	201	205	226	243	232	249
Diseases of the heart.... 90-95	7,178	731	624	668	636	566	571	505	480	476	606	568	725
Chronic rheumatic diseases of the heart.... 90a,92b,c,93c,95b	510	50	42	54	54	43	29	36	38	36	36	42	50
Diseases of coronary arteries and angina pectoris.... 94	1,981	176	169	175	161	156	166	134	147	144	171	174	208
Diseases of the heart (other forms).... 90b,91,92a,d,e,93a,b,d,e,95a,c	4,687	505	413	459	421	367	376	335	295	296	401	352	467
Pneumonia (all forms) and influenza.... 107-109,33	1,971	493	281	217	162	95	69	64	72	86	107	147	178
Bronchopneumonia.... 107	638	107	74	70	51	42	30	26	27	41	53	59	58
Lobar pneumonia.... 108	535	86	68	64	49	26	23	24	19	29	23	54	70
Pneumonia (unspecified).... 109	267	59	38	22	19	18	11	9	14	14	18	18	27
Influenza.... 33	531	241	101	61	43	9	5	5	12	2	13	16	23
Ulcer of stomach or duodenum.... 117	158	11	14	16	10	15	6	11	15	15	12	17	16
Diarrhea, enteritis, etc.*.... 119,120	369	19	11	14	13	19	35	59	50	49	68	21	11
Appendicitis.... 121	172	14	11	18	14	15	16	18	16	16	10	14	10
Hernia and intestinal obstruction.... 122	205	14	19	16	15	17	19	22	17	15	14	20	17
Cirrhosis of the liver.... 124	157	16	12	10	14	15	11	6	14	12	15	14	18
Biliary calculi, etc.*.... 126,127	104	8	5	14	12	7	6	6	7	6	11	9	13
Nephritis.... 130-132	2,435	246	211	231	213	204	182	192	157	154	201	199	245
Diseases of the prostate.... 137	134	14	11	16	7	6	9	15	6	9	17	16	8
Diseases of pregnancy, etc.*.... 140-150	185	21	13	16	15	19	11	19	14	14	16	12	13
Puerperal septicemia.... 140,142a,145A,147	64	5	2	6	4	8	2	7	8	5	7	6	4
Puerperal toxemia.... 141a,c,144,148	46	8	3	5	5	6	1	4	2	2	3	2	5
Hemorrhage, trauma and shock*.... 141b,142b,143,146,149	47	6	3	4	1	2	6	6	3	5	5	4	2
Other puerperal causes.... 141d,e,f,145B,150	26	2	5	1	5	3	2	2	1	2	1	-	2
Congenital malformations.... 157	345	32	21	24	29	31	30	34	29	29	30	29	27
Premature birth.... 159	992	105	80	82	74	82	82	81	82	88	95	69	72
Suicide.... 163,164	259	17	25	26	23	27	14	24	22	18	23	23	17
Homicide.... 165-168	241	11	16	19	19	22	24	19	23	25	27	16	20
Accidental deaths.... 169-195	2,010	146	157	148	169	194	189	175	168	155	160	164	185
Motor-vehicle accidents.... 170	557	44	55	28	29	57	38	51	55	50	47	45	58
Other accidents.... 169,171-195	1,453	102	102	120	140	137	151	124	113	105	113	119	127
Senility, ill-defined and unknown causes.... 162,199,200	762	85	65	68	72	49	52	68	53	44	55	53	98
All other causes....	2,716	267	242	231	223	226	216	212	218	202	249	215	215
WASHINGTON.... All causes	21,849	2,273	1,881	1,868	1,806	1,782	1,758	1,671	1,635	1,634	1,705	1,865	1,973
Typhoid and paratyphoid fever.... 1,2	5	-	-	-	2	-	-	-	1	-	-	1	1
Cerebrospinal (meningococcus) meningitis.... 6	32	5	7	2	5	1	2	4	1	2	-	-	3
Scarlet fever.... 8	14	-	2	3	1	1	2	1	-	-	1	2	1
Whooping cough.... 9	14	3	3	1	1	-	-	1	1	1	1	-	-
Diphtheria.... 10	23	4	1	2	-	1	2	1	1	2	2	4	3
Tuberculosis (all forms).... 13-22	702	66	65	69	57	55	53	60	50	52	48	64	63
Tuberculosis of respiratory system, etc.*.... 15	630	64	58	62	52	51	48	51	43	47	43	56	55
Tuberculosis (other forms).... 14-22	72	2	7	7	5	4	5	9	7	5	5	8	8
Dysentery.... 27	23	-	1	-	4	1	1	3	2	3	4	2	2
Malaria.... 28	2	-	-	-	-	-	-	1	1	-	-	-	-
Syphilis.... 30	216	27	16	16	24	20	15	15	8	25	19	16	15
Measles.... 35	15	4	4	2	-	3	2	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).... 36	19	-	-	1	2	-	-	-	4	3	4	1	4
Cancer and other malignant tumors.... 45-55	2,658	232	222	200	199	201	214	236	245	227	216	222	244
Cancer of the digestive organs and peritoneum.... 46	1,263	121	108	83	87	90	114	109	114	100	100	116	121
Cancer of female genital organs.... 48,49	295	25	21	25	22	24	24	27	32	28	25	22	22
Cancer of the breast.... 50	241	16	16	16	32	23	17	23	16	22	20	12	28
Cancer (other sites).... 45,47,51-55	859	70	77	76	58	64	59	77	83	77	73	72	73
Acute rheumatic fever.... 58	19	-	3	-	2	3	3	3	2	1	-	1	1
Diabetes mellitus.... 61	459	64	35	48	32	41	34	28	38	30	37	32	40
Exophthalmic goiter.... 63b	44	4	5	4	3	4	3	5	4	3	4	3	2
Pellagra (except alcoholic).... 69	4	2	-	1	-	-	-	-	-	-	-	1	-
Alcoholism (ethylism).... 77	80	8	9	3	7	5	3	1	11	7	11	7	8
Intracranial lesions of vascular origin.... 83	2,086	194	195	155	186	168	164	172	153	164	153	177	205
Diseases of the heart.... 90-95	6,728	662	565	591	559	552	548	514	498	501	515	598	645
Chronic rheumatic diseases of the heart.... 90a,92b,c,93c,95b	449	44	38	34	42	30	39	35	37	45	37	36	34
Diseases of coronary arteries and angina pectoris.... 94	2,485	194	203	207	214	208	201	185	189	192	198	246	268
Diseases of the heart (other forms).... 90b,91,92a,d,e,93a,b,d,e,95a,c	3,794	424	324	350	303	294	308	314	272	266	280	318	345

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON—Continued													
Pneumonia (all forms) and influenza 107-109,33	1,218	275	153	127	109	90	60	39	49	47	76	90	103
Bronchopneumonia 107	464	77	54	49	40	43	28	18	25	23	30	40	37
Lobar pneumonia 108	415	69	56	45	41	35	22	11	16	19	28	30	41
Pneumonia (unspecified) 109	100	19	6	7	14	7	6	6	3	3	8	10	11
Influenza 33	241	110	37	26	14	5	4	4	5	2	10	10	14
Ulcer of stomach or duodenum 117	166	19	7	13	11	10	13	11	13	14	17	23	15
Diarrhea, enteritis, etc.* 119,120	122	5	4	3	4	4	4	9	13	24	23	22	7
Appendicitis 121	112	8	9	11	12	10	9	8	10	5	11	8	11
Hernia and intestinal obstruction 122	175	17	13	16	14	18	11	20	8	18	6	15	19
Cirrhosis of the liver 124	156	6	18	14	14	11	14	7	11	4	12	10	15
Biliary calculi, etc.* 126,127	125	13	16	7	16	11	8	8	8	7	6	13	10
Nephritis 130-132	1,118	120	93	111	92	83	103	77	70	96	76	100	97
Diseases of the prostate 137	118	10	9	9	5	9	9	13	13	9	8	12	10
Diseases of pregnancy, etc.* 140-150	70	3	10	5	6	7	5	8	4	7	5	5	5
Puerperal septicemia 140,142a,145A,147	29	1	5	3	1	3	3	2	1	4	3	1	2
Puerperal toxemia 141a,c,144,148	14	1	2	-	1	-	1	2	1	1	1	4	-
Hemorrhage, trauma and shock* 141b,142b,143,146,149	22	1	3	2	4	3	1	3	2	2	-	-	1
Other puerperal causes 141d,e,f,145B,150	5	-	-	-	-	1	-	1	-	-	1	-	2
Congenital malformations 157	238	19	21	22	20	21	19	11	24	11	28	26	16
Premature birth 159	446	37	22	42	48	45	28	30	47	27	48	46	28
Suicide 163,164	284	32	22	24	21	36	17	27	15	24	25	18	23
Homicide 165-168	77	7	6	6	5	5	7	4	7	8	4	6	12
Accidental deaths 169-195	1,770	142	105	129	129	165	181	181	154	134	140	144	166
Motor-vehicle accidents 170	425	35	27	32	30	54	39	42	37	30	34	34	51
Other accidents 169,171-195	1,345	107	78	97	99	111	142	139	117	104	106	110	115
Senility, ill-defined and unknown causes 162,199,200	373	59	43	24	29	32	24	22	29	19	30	30	32
All other causes	2,158	222	197	207	187	191	198	151	138	159	175	166	167
WEST VIRGINIA All causes	16,603	1,891	1,471	1,497	1,400	1,308	1,288	1,293	1,274	1,124	1,304	1,295	1,460
Typhoid and paratyphoid fever 1,2	19	1	1	1	1	2	-	2	7	-	3	-	1
Cerebrospinal (meningococcus) meningitis 6	39	10	7	4	4	3	2	-	5	-	1	1	2
Scarlet fever 8	9	-	1	4	-	-	1	-	1	-	1	1	-
Whooping cough 9	64	6	5	7	4	3	5	9	7	7	2	8	1
Diphtheria 10	20	3	1	2	1	2	1	1	1	1	2	3	2
Tuberculosis (all forms) 13-22	764	86	87	68	78	74	56	67	47	59	49	57	56
Tuberculosis of respiratory system, etc.* 15	705	79	83	60	77	71	53	58	42	55	46	55	46
Tuberculosis (other forms) 14-22	59	7	4	8	1	3	3	9	5	4	3	2	10
Dysentery 27	51	-	2	-	1	1	9	12	11	5	8	1	1
Malaria 28	2	-	-	1	-	-	-	-	-	-	-	-	1
Syphilis 30	217	21	19	25	17	15	16	29	19	8	15	15	20
Measles 35	59	7	14	17	12	5	1	1	-	1	-	1	-
Poliomyelitis, poliosencephalitis (acute) 36	24	-	-	-	-	1	1	1	10	8	3	-	-
Cancer and other malignant tumors 45-55	1,529	124	139	135	125	123	119	140	156	105	131	105	127
Cancer of the digestive organs and peritoneum 46	697	55	66	50	55	54	61	57	79	49	73	56	64
Cancer of female genital organs 48,49	220	22	21	22	20	21	16	20	16	15	13	15	19
Cancer of the breast 50	158	11	13	20	15	12	14	14	12	7	6	8	6
Cancer (other sites) 45,47,51-55	474	38	39	43	35	36	28	49	49	34	39	46	38
Acute rheumatic fever 58	18	-	4	-	2	2	-	2	1	3	-	1	3
Diabetes mellitus 61	317	34	26	28	30	30	17	31	21	28	27	23	22
Exophthalmic goiter 63b	40	5	5	5	7	1	2	1	3	1	3	4	3
Pellagra (except alcoholic) 69	1	-	-	-	-	-	-	1	-	-	-	-	-
Alcoholism (othylism) 77	23	1	-	2	2	-	2	4	2	1	3	2	2
Intracranial lesions of vascular origin 85	1,467	152	120	118	142	126	129	106	95	112	115	120	132
Diseases of the heart 90-95	3,848	461	335	343	349	328	301	268	265	236	293	304	365
Chronic rheumatic diseases of the heart 90a,92b,c,93c,95b	268	40	30	22	21	17	30	15	22	12	19	17	23
Diseases of coronary arteries and angina pectoris 94	1,095	112	106	88	106	95	82	87	82	62	91	76	108
Diseases of the heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	2,485	309	199	233	222	216	189	166	161	162	185	211	234
Pneumonia (all forms) and influenza 107-109,33	1,188	343	157	118	75	53	32	38	41	38	77	91	125
Bronchopneumonia 107	406	81	54	32	37	21	11	13	14	21	33	42	45
Lobar pneumonia 108	259	53	28	29	22	12	9	9	12	6	15	29	35
Pneumonia (unspecified) 109	203	40	20	27	9	11	5	11	8	9	17	12	34
Influenza 33	320	169	55	30	7	9	7	5	7	2	10	8	11
Ulcer of stomach or duodenum 117	59	6	7	4	8	4	5	5	4	7	5	2	2
Diarrhea, enteritis, etc.* 119,120	356	12	8	8	6	6	11	60	85	71	48	15	26
Appendicitis 121	72	9	7	9	8	4	4	10	7	5	5	2	2
Hernia and intestinal obstruction 122	103	12	3	13	13	10	3	9	12	8	9	7	4
Cirrhosis of the liver 124	79	9	7	5	7	9	6	9	6	4	4	6	7
Biliary calculi, etc.* 126,127	63	4	6	8	9	2	4	6	8	5	4	3	4
Nephritis 130-132	1,076	114	106	109	99	98	76	85	69	64	71	88	97
Diseases of the prostate 137	78	11	9	7	4	4	5	9	7	11	2	6	3
Diseases of pregnancy, etc.* 140-150	89	6	7	7	5	15	8	5	8	7	11	4	6
Puerperal septicemia 140,142a,145A,147	25	3	3	3	-	1	2	1	4	3	-	1	2
Puerperal toxemia 141a,c,144,148	21	-	1	2	1	4	2	-	3	1	4	2	1
Hemorrhage, trauma and shock* 141b,142b,143,146,149	36	3	3	-	3	9	4	3	1	3	5	-	2
Other puerperal causes 141d,e,f,145B,150	9	-	-	2	1	1	-	1	-	-	2	1	1
Congenital malformations 157	258	18	28	31	18	17	16	15	24	21	21	28	23
Premature birth 159	607	52	56	60	50	34	62	60	51	41	42	49	51
Suicide 163,164	128	7	5	7	10	13	17	12	17	11	9	13	7
Homicide 165-168	79	8	6	6	10	9	4	7	8	7	4	8	6
Accidental deaths 169-195	1,475	121	87	130	105	127	210	107	111	109	130	107	133
Motor-vehicle accidents 170	271	21	12	22	21	28	19	23	19	25	31	28	22
Other accidents 169,171-195	1,204	100	75	108	82	99	191	84	92	84	99	79	111
Senility, ill-defined and unknown causes 162,199,200	721	92	68	78	55	50	47	44	56	38	42	68	85
All other causes	1,661	158	158	157	145	137	116	157	111	122	163	154	145

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WISCONSIN.....All causes	31,674	3,303	2,708	2,980	2,756	2,729	2,446	2,344	2,410	2,251	2,511	2,451	2,785
Typhoid and paratyphoid fever..... 1,2	2	-	-	-	-	-	-	-	-	-	2	-	-
Cerebrospinal (meningococcus) meningitis..... 6	55	10	4	7	8	3	5	3	2	-	8	2	3
Scarlet fever..... 8	17	5	-	1	3	2	2	1	1	-	1	1	-
Whooping cough..... 9	23	2	6	1	4	1	-	3	1	2	1	1	1
Diphtheria..... 10	6	-	2	1	-	1	1	-	-	-	-	1	-
Tuberculosis (all forms)..... 13-22	726	82	63	70	57	71	63	49	56	54	55	60	46
Tuberculosis of respiratory system, etc.*..... 13	674	76	61	60	53	67	62	45	49	53	51	57	40
Tuberculosis (other forms)..... 14-22	52	6	2	10	4	4	1	4	7	1	4	3	6
Dysentery..... 27	7	1	-	1	-	3	-	1	1	-	-	-	-
Malaria..... 28	1	-	-	-	1	-	-	-	-	-	-	-	-
Syphilis..... 30	195	22	17	19	14	22	11	19	8	11	19	16	17
Measles..... 35	43	6	10	9	5	4	3	5	1	-	-	-	-
Poliomyelitis, polioencephalitis (acute)..... 36	31	-	-	-	1	-	1	2	13	6	4	3	1
Cancer and other malignant tumors..... 45-55	4,529	378	355	398	402	394	387	358	395	349	350	380	383
Cancer of the digestive organs and peritoneum..... 46	2,274	205	171	210	224	216	192	175	195	158	161	194	173
Cancer of female genital organs..... 48,49	490	35	43	47	37	44	38	31	47	40	42	46	43
Cancer of the breast..... 50	464	39	29	44	36	38	46	39	42	40	39	32	40
Cancer (other sites)..... 45,47,51-55	1,301	99	112	97	105	96	111	113	111	111	108	111	127
Acute rheumatic fever..... 58	42	5	7	3	4	4	2	1	1	4	6	3	2
Diabetes mellitus..... 61	962	113	74	75	87	92	57	70	71	61	68	91	103
Exophthalmic goiter..... 63b	126	8	15	13	12	14	12	4	14	9	6	12	8
Pellagra (except alcoholic)..... 69	1	-	-	-	-	-	-	-	-	-	-	-	1
Alcoholism (ethylism)..... 77	48	4	3	4	2	5	4	2	5	4	3	3	9
Intracranial lesions of vascular origin..... 83	3,130	332	283	303	284	241	234	209	229	210	262	247	296
Diseases of the heart..... 90-95	9,925	989	875	944	841	850	777	771	735	698	798	759	888
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	581	61	58	45	46	48	47	40	41	31	50	49	65
Diseases of coronary arteries and angina pectoris..... 94	2,906	275	243	267	246	245	212	251	217	222	228	250	270
Diseases of the heart (other forms)..... 90b,91,92a,d,e,93a,b,d,e,95a,c	6,438	653	574	632	549	557	518	480	477	445	520	480	553
Pneumonia (all forms) and influenza..... 107-109,33	1,647	402	183	211	160	107	73	60	58	69	95	91	138
Bronchopneumonia..... 107	683	110	73	91	73	41	32	30	29	33	50	46	75
Lobar pneumonia..... 108	561	106	62	78	61	45	28	18	23	29	35	31	45
Pneumonia (unspecified)..... 109	57	8	8	3	5	2	5	4	2	5	5	5	5
Influenza..... 33	346	178	40	39	21	19	6	8	4	2	5	9	15
Ulcer of stomach or duodenum..... 117	213	15	19	14	21	22	17	22	19	12	22	16	14
Diarrhea, enteritis, etc.*..... 119,120	123	11	9	7	16	9	9	9	12	11	10	8	12
Appendicitis..... 121	201	21	15	15	21	19	11	14	24	15	13	16	17
Hernia and intestinal obstruction..... 122	269	31	21	29	14	29	25	16	25	22	22	17	22
Cirrhosis of the liver..... 124	269	28	17	19	31	30	22	19	20	16	20	19	28
Biliary calculi, etc.*..... 126,127	232	20	11	27	23	26	22	18	11	15	19	18	22
Nephritis..... 130-152	1,753	158	157	162	158	170	134	120	133	117	151	128	165
Diseases of the prostate..... 137	237	31	17	22	16	21	24	17	21	20	22	14	12
Diseases of pregnancy, etc.*..... 140-150	109	7	10	5	10	10	19	10	6	9	11	6	6
Puerperal septicemia..... 140,142a,145A,147	34	3	3	-	6	4	5	2	1	5	1	3	1
Puerperal toxemia..... 141a,c,144,148	28	2	-	3	3	2	5	2	4	1	5	-	1
Hemorrhage, trauma and shock*..... 141b,142b,143,146,149	36	2	7	2	-	3	5	4	1	3	4	3	2
Other puerperal causes..... 141d,e,f,145B,150	11	-	-	-	1	1	4	2	-	-	1	-	2
Congenital malformations..... 157	399	32	31	38	25	37	31	28	39	38	28	39	33
Premature birth..... 159	633	47	55	53	55	59	53	59	44	53	50	52	53
Suicide..... 163,164	387	27	30	37	40	32	35	31	35	37	34	25	24
Homicide..... 165-168	27	1	2	1	1	3	3	1	3	4	2	3	3
Accidental deaths..... 169-195	2,003	185	138	152	140	168	189	172	187	164	151	185	172
Motor-vehicle accidents..... 170	550	55	42	47	31	36	52	37	65	43	40	50	52
Other accidents..... 169,171-195	1,453	130	96	105	109	132	137	135	122	121	111	135	120
Senility, ill-defined and unknown causes..... 162,199,200	399	53	31	54	24	27	33	24	28	33	39	24	29
All other causes.....	2,904	277	250	285	276	253	189	226	214	208	239	211	276
WYOMING.....All causes	2,278	247	196	197	192	167	208	162	151	159	229	190	180
Typhoid and paratyphoid fever..... 1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis..... 6	3	1	-	1	-	-	1	-	-	-	-	-	-
Scarlet fever..... 8	1	-	1	-	-	-	-	-	-	-	-	-	-
Whooping cough..... 9	8	1	-	-	-	1	2	-	2	1	-	-	1
Diphtheria..... 10	10	1	2	1	-	-	1	1	-	-	2	2	-
Tuberculosis (all forms)..... 13-22	34	2	3	5	3	3	3	2	2	2	4	1	4
Tuberculosis of respiratory system, etc.*..... 13	29	1	3	3	3	3	2	2	2	2	3	1	4
Tuberculosis (other forms)..... 14-22	5	1	-	2	-	-	1	-	-	-	1	-	-
Dysentery..... 27	5	-	1	-	-	-	-	-	1	1	2	-	-
Malaria..... 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis..... 30	47	7	6	4	3	4	6	3	3	3	2	5	1
Measles..... 35	10	3	2	-	3	1	1	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)..... 36	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer and other malignant tumors..... 45-55	242	23	16	26	26	18	17	17	22	17	22	24	14
Cancer of the digestive organs and peritoneum..... 46	124	13	12	19	13	9	8	9	7	8	11	8	7
Cancer of female genital organs..... 48,49	32	3	2	2	5	3	1	1	3	3	5	3	1
Cancer of the breast..... 50	16	1	-	1	-	4	2	1	2	1	1	3	-
Cancer (other sites)..... 45,47,51-55	70	6	2	4	8	2	6	6	10	5	5	10	6
Acute rheumatic fever..... 58	3	-	1	-	-	1	-	-	-	-	-	1	-
Diabetes mellitus..... 61	54	5	5	5	9	3	10	1	1	3	5	4	3
Exophthalmic goiter..... 63b	7	-	-	3	-	2	-	-	-	-	2	-	-
Pellagra (except alcoholic)..... 69	1	-	-	-	-	-	-	1	-	-	-	-	-
Alcoholism (ethylism)..... 77	3	-	1	-	-	-	-	-	-	-	-	1	1
Intracranial lesions of vascular origin..... 83	167	20	11	16	14	14	16	12	12	12	13	17	10
Diseases of the heart..... 90-95	596	75	59	54	43	39	57	39	53	36	58	46	57
Chronic rheumatic diseases of the heart.. 90a,92b,c,93c,95b	33	3	1	3	5	2	6	2	2	1	3	3	2
Diseases of coronary arteries and angina pectoris..... 94	189	22	21	12	12	13	15	12	12	12	27	12	19
Diseases of the heart (other forms)..... 90b,91,92a,d,e,93a,b,d,e,95a,c	374	50	37	39	26	24	36	25	19	23	28	31	36

*Refer to complete International List titles, table V, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING—Continued													
Pneumonia (all forms) and influenza 107-109,33	138	24	19	9	10	6	2	7	6	12	16	14	13
Bronchopneumonia 107	68	8	5	3	7	2	-	6	5	5	7	10	5
Lobar pneumonia 108	59	5	6	3	2	3	1	-	1	4	7	2	5
Pneumonia (unspecified) 109	6	-	1	1	1	1	-	-	-	1	-	-	1
Influenza 33	30	11	7	2	-	-	1	1	-	2	2	2	2
Ulcer of stomach or duodenum 117	17	2	-	2	2	1	2	2	2	-	2	-	2
Diarrhea, enteritis, etc. 119,120	14	-	-	1	1	-	1	-	1	2	4	3	1
Appendicitis 121	23	1	4	2	2	3	1	1	2	4	2	-	1
Hernia and intestinal obstruction 122	10	4	2	-	1	-	-	-	1	1	-	-	1
Cirrhosis of the liver 124	18	2	3	1	3	-	1	1	-	2	-	2	3
Biliary calculi, etc.* 126,127	10	1	-	-	-	-	-	1	-	-	5	1	2
Nephritis 130-132	176	17	10	8	14	23	15	17	13	16	17	13	13
Diseases of the prostate 137	9	2	-	1	-	1	1	3	-	-	-	-	1
Diseases of pregnancy, etc.* 140-150	5	-	1	-	-	1	-	-	-	1	-	-	2
Puerperal septicemia 140,142a,145A,147	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal toxemia 141a,c,144,148	1	-	-	-	-	1	-	-	-	-	-	-	-
Hemorrhage, trauma and shock * 141b,142b,143,146,149	3	-	-	-	-	-	-	-	-	1	-	-	2
Other puerperal causes 141d,e,f,145B,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations 157	33	-	2	2	4	6	1	2	4	3	4	1	4
Premature birth 159	61	9	5	2	5	7	7	5	3	4	6	5	3
Suicide 163,164	27	3	3	2	4	-	1	3	3	2	2	2	2
Homicide 165-168	8	1	-	1	-	2	3	-	-	-	-	1	-
Accidental deaths 169-195	264	27	16	20	14	11	35	31	19	19	37	16	19
Motor-vehicle accidents 170	57	1	4	3	4	1	4	12	4	4	8	6	6
Other accidents 169,171-195	207	26	12	17	10	10	31	19	15	15	29	10	13
Senility, ill-defined and unknown causes 162,199,200	49	3	4	7	5	2	3	4	4	1	3	7	6
All other causes	225	13	19	24	26	18	21	9	17	17	21	24	16

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA																											
	All causes.....	26,157	3389	355	163	155	100	285	304	534	663	741	875	1045	1198	1367	1,877	1,921	2,093	2,367	2,207	1,756	1323	819	352	106	72	114
	White.....M..	8,572	1035	105	47	41	30	102	90	147	201	180	217	254	312	392	533	656	779	879	862	632	483	276	82	19	4	14
	F..	6,446	818	76	43	29	29	67	63	90	129	139	170	202	217	245	315	381	478	664	703	588	491	332	126	27	5	19
	Nonwhite..M..	5,921	877	99	45	34	23	59	84	141	132	184	222	282	322	361	562	478	425	460	354	315	184	109	69	27	29	50
	F..	5,418	663	75	30	29	18	57	67	156	201	238	266	305	347	369	467	406	411	364	288	221	165	102	75	33	34	31
1,2	Typhoid and paratyphoid fever..	18	1	1	-	-	-	3	2	-	2	1	-	1	1	2	1	1	1	1	-	-	-	-	-	-	-	-
	White.....M..	6	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	1	2	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	78	10	3	5	4	3	6	10	8	5	4	4	5	1	2	2	3	1	2	-	-	-	-	-	-	-	-
	White.....M..	35	4	1	3	1	1	1	4	2	3	2	2	4	1	2	1	2	1	-	-	-	-	-	-	-	-	-
	F..	19	2	-	1	2	1	2	2	3	1	-	2	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	Nonwhite..M..	14	1	2	1	1	1	1	2	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	10	3	-	-	-	-	2	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	87	57	16	5	3	-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	18	12	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	11	7	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	24	16	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	34	22	8	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	58	4	18	15	12	4	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	29	-	15	6	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	18	2	4	5	4	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	8	1	1	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	1,289	15	9	2	3	-	7	19	89	131	140	144	124	90	104	103	76	63	66	41	20	13	3	-	-	-	7
	White.....M..	309	2	2	-	1	-	1	3	3	12	23	23	26	22	34	45	28	30	25	17	6	4	1	-	-	-	1
	F..	234	5	2	1	1	-	3	1	9	13	12	24	26	9	16	12	22	17	23	18	11	6	1	-	-	-	2
	Nonwhite..M..	349	4	1	-	1	-	2	5	24	35	48	50	39	37	27	32	15	9	14	3	1	1	-	-	-	-	1
	F..	377	4	4	1	-	-	1	10	53	71	57	47	33	22	27	14	11	7	4	3	2	2	1	-	-	-	3
15	Tuberculosis of respiratory system, etc.*..	1,186	10	1	1	-	-	1	13	85	125	128	139	121	84	99	101	72	60	64	39	20	13	3	-	-	-	7
	White.....M..	285	1	-	-	-	-	-	2	2	11	23	21	24	20	33	43	25	28	24	16	6	4	1	-	-	-	1
	F..	218	3	-	-	-	-	-	1	8	12	11	24	26	7	15	12	21	17	23	18	11	6	1	-	-	-	2
	Nonwhite..M..	328	4	-	-	-	-	1	2	23	32	43	48	38	36	28	32	15	9	14	2	1	1	-	-	-	-	1
	F..	355	2	1	1	-	-	-	8	52	70	51	46	33	21	25	14	11	6	3	3	2	2	1	-	-	-	3
14-22	Tuberculosis (other forms)..	83	5	8	1	3	-	6	6	4	6	12	5	3	6	5	2	4	3	2	2	-	-	-	-	-	-	-
	White.....M..	24	1	2	-	1	-	1	1	1	1	-	2	2	2	1	2	3	2	1	1	-	-	-	-	-	-	-
	F..	16	2	2	1	1	-	3	-	1	1	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	21	-	1	-	1	-	1	3	1	3	5	2	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F..	22	2	3	-	-	-	1	2	1	1	6	1	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-
27	Dysentery.....	61	19	1	-	1	-	1	1	-	-	2	2	2	1	1	4	4	3	4	4	2	4	3	1	-	-	1
	White.....M..	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	1	1	-	-	-	-
	F..	26	5	-	-	-	-	-	1	-	-	1	1	2	-	1	1	2	3	4	1	1	1	1	-	-	-	1
	Nonwhite..M..	10	3	1	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	2	-	-	-	-	-
	F..	12	5	-	-	1	-	1	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-
28	Malaria.....	39	2	1	1	-	-	2	2	1	1	-	3	2	2	4	2	1	9	2	2	2	-	-	-	-	-	-
	White.....M..	6	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-
	F..	7	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	12	1	-	-	-	-	1	-	1	-	-	1	-	1	1	-	1	4	-	1	-	-	-	-	-	-	-	-
	F..	14	-	-	1	-	-	1	1	-	-	-	2	2	1	2	2	-	1	1	-	-	-	-	-	-	-	-	-
30	Syphilis.....	404	39	1	1	1	-	2	2	6	12	20	25	34	55	47	41	39	28	26	13	3	5	-	-	1	1	2
	White.....M..	82	3	-	-	-	-	-	-	-	-	3	2	7	6	10	10	14	12	9	5	-	-	-	-	-	-	1
	F..	27	3	-	-	-	-	-	-	1	1	-	2	4	3	1	4	2	2	1	1	1	1	-	-	-	-	-
	Nonwhite..M..	185	17	-	1	-	-	2	-	3	6	8	7	17	27	26	23	15	12	9	6	2	2	-	-	-	1	1
	F..	110	16	1	-	1	-	-	2	2	5	9	14	6	19	10	4	8	2	7	1	-	2	-	-	1	-	-
35	Measles.....	86	28	13	7	2	2	12	5	2	2	2	3	4	1	-	-	-	1	1	1	-	-	-	-	-	-	-
	White.....M..	29	6	5	3	1	1	8	1	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	25	9	2	1	1	-	2	1	2	-	1	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	18	8	4	1	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	14	5	2	2	-	-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	12	1	2	-	1	-	2	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	White.....M..	3	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	7	1	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Con.																										
45-55	Cancer and other malignant tumors.....	2,081	-	3	1	3	-	8	4	9	13	30	48	92	144	176	232	239	257	272	243	151	81	48	14	3	2	8
	White.....M..	628	-	-	-	2	-	5	2	5	5	5	8	14	18	37	57	58	86	110	101	57	34	20	3	-	-	1
	F..	832	-	1	-	-	-	2	2	3	7	11	17	35	63	73	96	92	95	101	98	65	39	21	6	1	-	4
	Nonwhite..M..	208	-	2	1	-	-	-	-	-	-	1	4	10	18	11	27	25	33	29	21	12	6	2	3	2	-	1
	F..	413	-	-	-	1	-	1	-	1	1	13	19	33	45	55	52	64	43	32	23	17	2	5	2	-	2	2
46	Cancer of digestive organs, peritoneum.....	788	-	-	-	-	-	1	-	3	4	5	11	27	40	53	72	104	107	127	108	62	37	16	6	-	1	4
	White.....M..	273	-	-	-	-	-	1	-	1	1	2	3	8	10	15	24	30	35	51	47	22	15	8	-	-	-	-
	F..	282	-	-	-	-	-	-	-	2	3	1	1	6	12	16	19	33	38	46	41	29	20	8	4	-	-	3
	Nonwhite..M..	110	-	-	-	-	-	-	-	-	-	1	1	6	9	7	12	18	17	17	12	5	2	-	2	-	-	1
	F..	123	-	-	-	-	-	-	-	-	-	1	6	7	9	15	17	23	17	13	8	6	-	-	-	-	1	-
48,49	Cancer of female genital organs.	418	-	-	-	-	-	-	-	2	2	17	14	30	47	67	61	54	35	34	28	12	4	8	2	1	-	2
	White.....F..	230	-	-	-	-	-	-	-	1	1	8	4	14	22	37	40	26	20	21	19	7	4	4	-	1	-	1
	Nonwhite..F..	188	-	-	-	-	-	-	-	1	1	9	10	16	25	30	21	28	15	13	7	5	-	4	2	-	-	1
50	Cancer of breast.	186	-	-	-	-	-	-	-	-	1	3	7	8	20	20	28	22	26	15	16	14	1	4	-	-	-	1
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	134	-	-	-	-	-	-	-	-	1	2	6	5	15	15	20	14	17	11	13	11	1	3	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	51	-	-	-	-	-	-	-	-	-	1	1	3	5	5	8	8	8	4	3	3	-	1	-	-	-	1
45,47, 51-55	Cancer (other sites).....	689	-	3	1	3	-	7	4	4	6	5	16	27	37	36	71	59	89	96	93	63	39	20	6	2	1	1
	White.....M..	354	-	-	-	2	-	4	2	4	4	3	5	6	8	22	33	28	50	59	54	35	19	12	3	-	-	1
	F..	186	-	1	-	-	-	2	2	-	2	-	6	10	14	5	17	19	20	23	25	18	14	6	2	-	-	-
	Nonwhite..M..	98	-	2	1	-	-	-	-	-	-	-	3	4	9	4	15	7	16	12	9	7	4	2	1	2	-	-
	F..	51	-	-	-	1	-	1	-	-	-	2	2	7	6	5	6	5	3	2	3	3	2	-	-	-	1	-
58	Acute rheumatic fever.....	30	-	1	-	-	1	4	3	1	5	3	1	1	2	1	2	-	-	3	-	1	1	-	-	-	-	-
	White.....M..	7	-	1	-	-	1	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	9	-	-	-	-	-	1	2	-	-	1	-	-	1	1	-	-	-	2	-	1	-	-	-	-	-	-
	F..	10	-	-	-	-	-	3	-	-	3	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
61	Diabetes mellitus	329	-	-	1	-	-	5	7	5	7	16	6	4	24	33	31	28	31	45	46	24	11	5	-	-	-	-
	White.....M..	93	-	-	-	-	-	-	-	1	-	3	-	1	2	6	5	7	7	16	24	14	5	2	-	-	-	-
	F..	130	-	-	-	-	-	4	3	2	6	7	2	3	5	8	10	12	11	23	19	6	6	3	-	-	-	-
	Nonwhite..M..	38	-	-	1	-	-	1	1	2	-	3	-	-	3	7	6	2	4	2	3	3	-	-	-	-	-	-
	F..	68	-	-	-	-	-	-	3	-	1	3	4	-	14	12	10	7	9	4	-	1	-	-	-	-	-	-
63b	Exophthalmic goiter.....	33	-	-	-	-	-	-	1	1	-	2	3	3	3	4	3	4	1	1	5	2	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	21	-	-	-	-	-	-	1	1	-	1	3	-	1	2	2	2	1	1	4	2	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	-	-	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	99	-	-	-	-	-	-	-	1	4	1	5	5	5	4	9	8	5	19	12	16	4	1	-	-	-	-
	White.....M..	20	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	5	4	4	1	-	-	-	-	-
	F..	34	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	3	-	8	5	8	1	-	-	-	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	2	-	1	1	1	-	-	-	-
	F..	36	-	-	-	-	-	-	-	-	4	1	4	4	2	1	5	1	3	4	3	3	1	-	-	-	-	-
77	Alcoholism (ethylism).....	31	-	-	-	-	-	-	-	1	-	1	3	3	7	5	4	4	1	2	-	-	-	-	-	-	-	-
	White.....M..	23	-	-	-	-	-	-	-	1	-	1	-	2	4	4	4	4	1	2	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	2,403	1	1	-	1	3	1	2	8	8	5	19	45	90	126	231	240	326	382	339	238	182	95	37	5	8	12
	White.....M..	727	1	-	-	-	-	-	-	2	2	1	2	5	23	22	47	65	88	136	128	93	69	32	6	3	1	1
	F..	641	-	-	-	-	3	-	-	3	3	-	5	4	15	20	36	47	98	94	110	78	68	38	16	2	-	3
	Nonwhite..M..	432	-	-	-	-	-	-	2	-	1	1	5	16	23	36	56	52	56	73	39	37	13	10	6	-	1	3
	F..	603	-	1	-	1	-	1	-	3	2	3	7	20	29	46	92	76	86	79	62	30	32	15	9	-	4	5
90-95	Diseases of the heart.....	5,103	-	4	2	3	4	10	26	21	36	43	75	143	215	307	537	532	592	695	658	499	359	222	74	24	8	14
	White.....M..	1,927	-	1	2	1	-	2	8	8	6	10	18	45	65	93	180	212	273	281	281	196	134	77	25	4	-	5
	F..	1,215	-	1	-	2	3	4	3	5	12	8	15	18	24	39	53	70	110	199	210	163	148	92	26	7	1	2
	Nonwhite..M..	1,067	-	2	-	-	-	1	8	3	6	12	20	36	61	95	176	143	114	120	99	75	39	29	13	9	1	5
	F..	894	-	-	-	-	1	3	7	5	12	13	22	44	65	80	128	107	95	95	68	65	38	24	10	4	6	2
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart.....	407	-	1	-	1	-	3	11	10	11	5	8	15	15	29	36	32	46	47	38	44	29	11	10	3	-	2
	White.....M..	123	-	-	-	-	-	-	5	4	2	2	2	6	4	9	5	7	14	21	16	11	10	3	2	-	-	-
	F..	101	-	-	-	1	-	3	2	3	3	1	1	3	3	5	3	5	10	13	12	15	9	4	4	1	-	-
	Nonwhite..M..	99	-	1	-	-	-	-	2	-	3	1	3	4	1	8	16	11	14	8	6	12	5	-	1	2	-	1
	F..	84	-	-	-	-	-	-	2	3	3	1	2	2	7	7	12	9	8	5	4	6	5	4	3	-	-	1
94	Diseases of coronary arteries, angina pectoris.....	1,268	-	-	-	-	-	1	1	4	2	12	20	48	81	92	181	156	182	161	137	91	55	28	15	2	-	1
	White.....M..	704	-	-	-	-	-	-	1	1	1	2	10	21	42	45	99	102	126	91	76	48	22	12	6	-	-	1
	F..	273	-	-	-	-	-	-	-	2	-	2	4	6	6	14	17	19	34	49	43	30	27	13	5	2	-	-
	Nonwhite..M..	166	-	-	-	-	-	1	-	1	1	3	3	10	18	17	37	21	14	15	10	9	3	2	1	-	-	-
	F..	125	-	-	-	-	-	-	-	-	-	5	3	11	15	18	28	14	8	6	8	4	3	1	1	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms).....	3,428	-	3	2	2	4	6	14	7	23	26	47	80	119	186	320	344	384	487	483	384	275	183	51	19	8	11
	White.....M..	1,100	-	1	2	1	-	2	2	3	3	6	6	18	19	41	76	103	133	169	189	137	102	62	17	4	-	4
	F..	841	-	1	-	1	3	1	1	-	9	5	10	9	15	20	33	46	68	137	155	118	112	75	17	4	1	2
	Nonwhite..M..	802	-	1	-	-	-	-	6	2	2	8	14	22	42	70	123	111	86	97	83	54	31	27	11	7	1	4
	F..	685	-	-	-	-	1	3	5	2	9	7	17	31	43	55	88	84	79	84	56	55	30	19	8	4	6	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	2,076	478	96	35	24	11	32	29	33	29	47	53	66	70	77	106	108	105	140	129	133	136	76	43	7	5	8
	White—M	573	127	24	7	7	3	8	11	5	8	6	16	12	21	20	26	27	32	37	41	38	50	26	17	1	2	1
	F	542	108	21	7	5	2	8	5	6	6	8	6	13	5	11	14	26	17	48	50	53	56	45	17	3	-	2
	Nonwhite—M	528	130	25	12	7	3	9	3	11	8	16	16	22	23	24	47	35	30	32	23	26	16	1	4	1	3	1
	F	433	113	26	9	5	3	7	10	11	7	17	15	19	21	22	19	20	26	23	15	16	14	4	5	2	-	4
107	Bronchopneumonia	582	232	38	12	6	7	3	5	7	4	6	7	13	8	12	9	13	21	30	34	37	35	22	12	3	2	4
	White—M	181	69	10	4	-	3	1	1	1	2	1	3	3	3	4	3	4	9	9	12	15	11	8	3	-	1	1
	F	167	55	6	3	2	1	1	2	1	2	1	-	3	-	1	3	4	2	9	14	16	19	12	7	2	-	1
	Nonwhite—M	117	59	11	3	4	1	1	1	2	-	-	1	2	1	3	2	4	4	6	5	3	2	-	1	-	1	-
	F	117	49	11	2	-	2	-	1	3	-	4	3	5	4	4	1	1	6	6	3	3	3	2	1	1	-	2
108	Lobar pneumonia	724	117	21	9	7	3	9	15	14	17	23	25	25	31	31	48	57	49	63	48	38	39	20	9	1	2	3
	White—M	211	32	4	1	3	-	3	8	2	4	2	6	5	9	8	13	14	15	19	17	14	18	8	5	-	1	-
	F	163	26	5	2	1	1	3	3	2	2	5	2	5	3	2	4	13	9	20	15	12	14	11	2	-	-	1
	Nonwhite—M	220	31	7	3	1	2	1	-	6	6	9	11	12	12	12	23	22	18	14	12	10	5	1	-	-	1	1
	F	130	28	5	3	2	-	2	4	4	5	7	6	3	7	9	8	8	7	10	4	2	2	-	2	1	-	1
109	Pneumonia (unspecified)	155	47	5	4	4	-	2	3	2	2	2	6	8	6	13	5	6	6	3	12	10	4	1	4	-	-	-
	White—M	35	8	2	1	1	-	-	1	-	-	1	3	1	3	3	2	2	1	-	2	2	-	-	2	-	-	-
	F	23	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	2	1	1	1	-	-	-
	Nonwhite—M	57	17	1	2	2	-	1	1	1	-	1	1	6	1	6	3	2	3	1	1	4	2	-	1	-	-	-
	F	40	13	1	1	1	-	1	1	1	2	-	2	1	2	4	-	2	2	1	2	2	1	-	-	-	-	-
33	Influenza	615	82	32	10	7	1	18	6	10	6	16	15	20	25	21	44	32	29	44	35	48	58	33	18	3	1	1
	White—M	146	18	8	1	3	-	4	1	2	2	2	4	3	6	5	8	7	7	9	10	7	21	10	7	1	-	-
	F	189	18	9	2	2	-	4	-	3	2	2	4	5	2	8	7	9	6	18	14	23	22	21	7	1	-	-
	Nonwhite—M	134	23	6	4	-	-	6	1	2	2	6	3	2	9	3	19	7	5	11	5	9	7	-	2	1	1	-
	F	146	23	9	3	2	1	4	4	3	-	6	4	10	8	5	10	9	11	6	6	9	8	2	2	-	-	1
117	Ulcer of stomach or duodenum	131	-	-	-	-	-	-	-	1	2	3	5	10	10	19	9	24	12	13	8	9	3	3	-	-	-	-
	White—M	72	-	-	-	-	-	-	-	1	-	-	1	7	5	13	5	15	5	8	6	2	2	2	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	2	1	1	2	-	1	3	2	1	1	3	-	-	-	-	-	-
	Nonwhite—M	26	-	-	-	-	-	-	-	-	1	-	3	2	1	4	3	4	2	2	-	3	-	1	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	1	1	-	-	2	2	-	2	3	2	1	1	1	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	373	243	52	12	5	5	5	2	1	1	1	5	2	3	4	9	4	1	3	2	5	2	4	-	-	-	2
	White—M	124	91	16	3	2	1	1	-	-	-	-	1	-	1	-	-	1	-	1	1	2	-	3	-	-	-	-
	F	95	57	11	3	-	3	2	-	1	-	1	1	1	1	1	2	2	1	2	1	2	2	1	-	-	-	-
	Nonwhite—M	85	62	14	1	1	1	-	-	-	-	-	1	-	-	-	3	-	-	-	-	1	-	-	-	-	-	1
	F	69	33	11	5	2	-	2	2	-	1	-	2	1	1	3	4	1	-	-	-	-	-	-	-	-	-	1
121	Appendicitis	189	1	2	2	1	2	8	12	22	6	15	12	16	19	8	12	17	12	13	5	2	1	1	-	-	-	-
	White—M	76	-	-	1	1	2	2	3	9	2	3	4	13	7	3	3	10	5	5	2	1	-	-	-	-	-	-
	F	37	1	-	1	-	-	4	2	4	1	3	1	-	4	2	5	1	3	4	-	-	-	1	-	-	-	-
	Nonwhite—M	46	-	2	-	-	-	1	6	6	2	4	1	3	6	2	3	3	2	3	1	-	1	-	-	-	-	-
	F	30	-	-	-	-	-	1	1	3	1	5	6	-	2	1	1	3	2	1	2	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	178	13	4	-	1	1	4	1	6	-	5	14	14	16	9	15	11	13	14	14	12	3	5	3	-	-	-
	White—M	47	3	2	-	1	-	3	-	2	-	1	4	2	2	1	1	4	4	6	4	5	1	1	-	-	-	-
	F	59	3	1	-	-	-	-	-	1	-	1	7	6	5	3	1	5	4	5	7	4	1	4	1	-	-	-
	Nonwhite—M	36	4	1	-	-	1	-	-	1	-	1	1	1	6	1	8	1	1	2	2	3	1	-	1	-	-	-
	F	36	3	-	-	-	-	1	1	2	-	2	2	5	3	4	5	1	4	1	1	-	-	-	1	-	-	-
124	Cirrhosis of the liver	125	-	-	-	-	-	-	1	-	-	4	4	8	9	10	18	15	21	15	9	6	2	1	2	-	-	-
	White—M	56	-	-	-	-	-	-	-	-	-	1	-	2	2	6	6	11	8	9	7	2	1	-	1	-	-	-
	F	19	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	-	3	3	1	4	1	-	1	-	-	-
	Nonwhite—M	25	-	-	-	-	-	-	-	-	-	-	3	4	1	2	5	2	5	1	1	-	-	1	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	3	1	2	4	1	5	2	5	2	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	62	-	-	-	-	-	-	-	-	3	-	1	1	2	5	8	10	5	6	4	11	5	1	-	-	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	2	2	-	2	3	-	-	-	-	-
	F	35	-	-	-	-	-	-	-	-	1	-	1	-	1	2	3	7	3	4	3	8	2	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
130-132	Nephritis	2,161	5	4	2	3	6	10	11	18	10	23	50	78	88	107	168	202	224	253	275	237	204	128	33	11	1	10
	White—M	651	3	1	-	1	2	4	3	2	2	2	9	6	13	22	37	52	67	92	102	79	95	45	12	2	-	-
	F	467	-	-	-	1	-	5	4	2	2	6	10	15	18	14	22	29	47	47	68	72	55	40	8	1	-	1
	Nonwhite—M	567	1	3	1	2	4	2	1	7	2	3	11	25	27	39	61	64	64	64	65	54	32	24	5	2	-	4
	F	476	1	-	1	-	1	1	2	6	4	12	20	32	30	32	48	57	46	50	40	32	22	15	8	6	1	5
137	Diseases of the prostate	118	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	5	11	22	22	21	16	9	2	-	-	-
	White—M	64	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	6	15	14	8	10	5	2	-	-	-
	Nonwhite—M	54	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	4	5	7	8	13	6	4	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Con.																										
140-150	Diseases of pregnancy, etc.*...	278	-	-	-	-	-	-	1	39	52	72	52	45	16	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	116	-	-	-	-	-	-	-	13	24	33	20	19	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	162	-	-	-	-	-	-	1	26	28	39	32	26	9	-	-	-	-	-	-	-	-	-	-	-	-	1
140,142a, 145A, 147	Puerperal septicemia.....	90	-	-	-	-	-	-	-	12	19	23	18	14	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	37	-	-	-	-	-	-	-	4	7	14	5	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	53	-	-	-	-	-	-	-	8	12	9	13	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	93	-	-	-	-	-	-	-	22	13	23	16	12	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	39	-	-	-	-	-	-	-	7	7	9	7	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	54	-	-	-	-	-	-	-	15	6	14	9	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	68	-	-	-	-	-	-	1	3	14	22	13	11	3	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	31	-	-	-	-	-	-	-	2	5	9	7	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	37	-	-	-	-	-	-	1	1	9	13	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1
141d,e,f, 145B,150	Other puerperal causes.....	27	-	-	-	-	-	-	-	2	6	4	5	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	9	-	-	-	-	-	-	-	-	5	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	18	-	-	-	-	-	-	-	2	1	3	4	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	308	266	8	5	1	1	1	5	4	4	4	3	1	3	-	-	-	-	-	1	1	-	-	-	-	-	-
	White.....M..	118	104	3	2	-	-	1	2	2	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	123	103	3	3	1	1	-	1	1	4	1	2	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	42	37	1	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	25	22	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	913	913	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	302	302	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	280	280	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	183	183	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	148	148	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	149	-	-	-	-	-	-	7	18	17	11	13	17	23	10	10	7	6	5	4	1	-	-	-	-	-	-
	White.....M..	100	-	-	-	-	-	-	5	9	7	9	6	16	17	5	7	4	6	4	4	1	-	-	-	-	-	4
	F..	34	-	-	-	-	-	-	1	4	7	1	7	1	3	5	2	3	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	2	2	1	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
165-168	Homicide.....	331	-	-	-	-	-	1	4	25	39	45	56	60	25	19	15	19	4	9	-	3	1	2	-	-	-	4
	White.....M..	94	-	-	-	-	-	-	1	5	5	10	14	17	8	8	5	13	2	4	-	2	-	-	-	-	-	-
	F..	15	-	-	-	-	-	-	1	3	-	-	2	2	-	-	2	1	-	2	-	1	1	-	-	-	-	-
	Nonwhite..M..	174	-	-	-	-	-	1	1	14	19	23	33	37	16	8	8	5	2	3	-	-	-	-	-	-	-	4
	F..	48	-	-	-	-	-	-	1	3	15	12	7	4	1	3	-	-	-	-	-	-	-	2	-	-	-	-
169-195	Accidental deaths	1,837	78	53	30	31	33	92	90	150	184	135	126	94	111	87	86	85	68	57	52	53	50	40	15	8	-	19
	White.....M..	876	20	13	6	9	11	47	39	76	127	74	75	50	61	40	41	51	38	26	26	17	13	14	-	2	-	-
	F..	316	12	16	11	7	7	15	14	17	21	13	12	6	7	11	7	5	8	11	23	27	25	23	13	5	-	-
	Nonwhite..M..	481	29	15	7	9	7	17	34	46	31	38	31	33	33	26	34	24	14	15	7	7	4	2	-	-	-	18
	F..	164	17	9	6	6	8	13	3	11	5	10	8	5	10	10	4	5	8	5	6	2	8	1	2	1	-	1
170	Motor-vehicle accidents.....	504	5	3	4	9	6	31	21	53	59	53	42	35	32	27	24	27	26	23	7	9	4	3	1	-	-	-
	White.....M..	302	3	1	1	3	4	22	10	32	38	29	32	21	20	13	12	19	18	11	4	5	2	2	-	-	-	-
	F..	68	1	1	2	1	1	4	4	6	11	7	5	2	1	5	2	1	3	4	2	2	1	1	1	-	-	-
	Nonwhite..M..	107	1	1	-	3	-	4	6	10	10	12	4	10	9	6	8	6	5	8	1	2	1	-	-	-	-	-
	F..	27	-	-	1	2	1	1	1	5	-	5	1	2	2	3	2	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,333	73	50	26	22	27	61	69	97	125	82	84	59	79	60	62	58	42	34	55	44	46	37	14	8	-	19
	White.....M..	574	17	12	5	6	7	25	29	44	89	45	43	29	41	27	29	32	20	15	22	12	11	12	-	2	-	-
	F..	248	11	15	9	6	6	11	10	11	10	6	7	4	6	6	5	4	5	7	21	25	24	22	12	5	-	-
	Nonwhite..M..	374	28	14	7	6	7	13	28	36	21	26	27	23	24	20	26	18	9	7	6	5	3	2	-	-	-	18
	F..	137	17	9	5	4	7	12	2	6	5	5	7	3	8	7	2	4	8	5	6	2	8	1	2	1	-	1
162,199, 200	Senility, ill-defined and unknown causes...	2,225	517	22	10	11	8	13	15	19	30	24	48	60	59	77	98	109	140	146	167	175	151	124	101	38	44	19
	White.....M..	395	81	3	1	1	1	2	3	2	3	2	5	10	8	22	14	18	34	31	42	40	23	28	11	6	1	3
	F..	345	59	3	2	1	-	-	2	1	3	4	8	9	8	6	8	15	8	23	25	41	44	37	24	8	4	2
	Nonwhite..M..	784	211	9	5	3	3	7	4	6	7	5	11	14	21	24	33	54	45	56	59	58	48	31	32	9	21	8
	F..	701	166	7	2	6	4	4	6	10	17	13	24	27	22	25	43	22	53	36	41	36	36	28	34	15	18	6
	All other causes.	2,479	698	40	26	20	16	47	46	55	59	75	94	106	109	103	113	123	151	149	140	126	88	48	27	9	5	6
	White.....M..	848	269	16	11	8	6	15	6	14	15	23	21	22	22	28	34	48	68	50	52	58	36	19	5	1	-	1
	F..	693	161	8	7	4	7	15	15	11	16	19	25	25	32	28	25	33	42	57	53	36	34	25	13	-	-	2
	Nonwhite..M..	476	164	11	6	5	2	7	12	14	11	13	19	20	14	17	28	25	23	24	16	17	12	3	5	4	2	2
	F..	462	104	5	2	3	1	10	13	16	17	20	29	39	41	30	26	17	18	18	19	15	6	1	4	4	3	1

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1, 2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA																										
	All causes	6,205	979	168	57	41	29	82	74	158	347	200	221	237	284	311	337	423	455	450	478	356	266	154	56	18	10	14
	White—M	3,221	392	45	18	12	9	27	28	78	232	109	107	100	141	190	207	261	260	251	281	203	152	67	24	11	5	11
	F	1,677	292	41	15	12	7	22	12	31	42	54	60	76	71	74	75	98	123	128	138	111	88	70	26	7	2	2
	Nonwhite—M	746	163	34	13	5	5	9	17	31	38	21	27	34	46	26	31	50	47	50	37	25	19	13	3	-	2	-
	F	561	132	48	11	12	8	24	17	18	35	16	27	27	26	21	24	14	25	21	22	17	7	4	3	-	1	1
1,2	Typhoid and paratyphoid fever	7	-	-	-	-	-	-	1	1	2	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	7	2	-	1	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	37	25	4	6	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	13	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	9	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	12	2	2	2	2	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	784	21	18	4	4	5	16	18	41	68	66	70	79	71	75	69	59	40	30	14	11	1	4	-	-	-	-
	White—M	387	6	4	-	-	1	1	1	5	19	28	35	33	38	56	54	48	29	14	9	5	1	2	-	-	-	-
	F	148	5	6	1	-	2	1	1	5	20	17	20	22	14	9	6	6	6	5	-	2	-	-	-	-	-	-
	Nonwhite—M	136	5	2	1	2	1	3	6	19	15	14	5	16	10	7	7	7	2	9	2	1	-	2	-	-	-	-
	F	113	5	6	2	2	1	11	10	12	14	7	10	8	9	5	2	-	3	2	3	3	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	725	10	11	3	2	2	13	14	37	61	63	70	75	70	71	67	58	39	30	14	10	1	4	-	-	-	-
	White—M	368	3	1	-	-	-	1	1	4	16	27	35	31	38	54	52	45	29	14	9	5	1	2	-	-	-	-
	F	135	3	4	1	-	-	-	-	4	18	17	20	22	14	8	6	6	5	5	-	2	-	-	-	-	-	-
	Nonwhite—M	125	3	2	-	2	1	3	5	17	14	13	5	14	9	7	7	7	2	9	2	1	-	2	-	-	-	-
	F	97	1	4	2	-	1	9	8	12	13	6	10	8	9	2	2	-	3	2	3	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	59	11	7	1	2	3	3	4	4	7	3	-	4	1	4	2	1	1	-	-	1	-	-	-	-	-	-
	White—M	19	3	3	-	-	1	-	-	1	3	1	-	2	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	13	2	2	-	-	2	1	1	1	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	11	2	-	1	-	-	-	1	2	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	4	2	-	2	-	2	2	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
27	Dysentery	27	19	3	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	White—M	11	7	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	75	13	-	-	-	-	-	1	-	1	-	8	1	8	4	6	7	11	6	5	2	1	-	-	-	-	1
	White—M	32	1	-	-	-	-	-	-	-	-	-	4	1	-	1	3	8	6	4	2	2	1	-	-	-	-	1
	F	15	3	-	-	-	-	-	1	-	-	-	1	-	3	2	1	-	2	-	2	-	-	-	-	-	-	-
	Nonwhite—M	12	3	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	2	1	-	-	-	-	-	-	-
	F	16	6	-	-	-	-	-	-	-	1	-	3	-	3	-	1	1	1	-	-	-	-	-	-	-	-	-
35	Measles	39	13	14	4	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	2	2	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	10	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	5	5	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, policencephalitis (acute)	7	-	-	-	2	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	2	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Con.																										
45-55	Cancer and other malignant tumors	516	-	-	-	2	2	1	1	2	7	3	10	17	22	35	51	66	73	64	67	43	33	14	1	1	-
	White..M..	230	-	-	-	1	1	1	1	-	3	2	4	2	9	17	20	21	26	34	37	26	18	6	-	1	-
	F..	205	-	-	-	1	1	-	-	1	3	1	4	9	10	14	17	34	29	23	20	16	12	8	1	-	1
	Nonwhite..M..	54	-	-	-	-	-	-	-	1	-	-	1	2	2	1	9	9	15	4	6	1	3	-	-	-	-
	F..	27	-	-	-	-	-	-	-	-	1	-	1	4	1	3	5	2	3	3	4	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	236	-	-	-	1	1	1	-	-	-	1	2	3	8	10	23	28	36	40	31	24	16	10	-	-	1
	White..M..	113	-	-	-	-	-	1	-	-	-	-	1	-	5	8	11	9	11	23	19	13	9	3	-	-	-
	F..	79	-	-	-	1	1	-	-	-	-	1	1	1	2	2	3	11	11	14	8	10	5	7	-	-	1
	Nonwhite..M..	40	-	-	-	-	-	-	-	-	-	-	-	1	1	-	8	7	14	3	4	1	2	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	68	-	-	-	-	-	-	-	-	1	-	2	5	1	7	10	14	8	6	8	4	2	-	-	-	-
	White..F..	54	-	-	-	-	-	-	-	-	1	-	1	4	1	5	6	13	6	5	6	4	2	-	-	-	-
	Nonwhite..F..	14	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	1	2	1	2	-	-	-	-	-	-
50	Cancer of breast	33	-	-	-	-	-	-	-	-	-	-	1	1	4	4	7	4	4	1	2	1	2	1	1	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	32	-	-	-	-	-	-	-	-	-	-	1	1	4	3	7	4	4	1	2	1	2	1	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	179	-	-	-	1	1	-	1	2	6	2	5	8	9	14	11	20	25	17	26	14	13	3	-	1	-
	White..M..	117	-	-	-	1	1	-	1	-	3	2	3	2	4	9	9	12	15	11	18	13	9	3	-	1	-
	F..	40	-	-	-	-	-	-	-	1	2	-	1	3	3	4	1	6	8	3	4	1	3	-	-	-	-
	Nonwhite..M..	14	-	-	-	-	-	-	-	1	-	-	1	2	1	1	1	2	1	1	2	-	1	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	2	2	-	-	-	-	-	-
58	Acute rheumatic fever	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White..M..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	53	-	-	-	-	-	1	-	2	1	-	2	1	2	5	3	10	6	7	4	4	2	2	1	-	-
	White..M..	19	-	-	-	-	-	1	-	1	1	-	-	1	-	1	1	3	3	1	3	3	-	-	-	-	-
	F..	24	-	-	-	-	-	-	-	1	-	-	2	-	1	3	2	4	2	4	-	1	2	2	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	-
63b	Exophthalmic goiter	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	11	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	1	2	-	-	-	-	-	-	-
	White..M..	8	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	2	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	310	1	3	-	-	1	-	1	-	-	2	-	5	6	12	15	25	48	41	50	49	27	17	5	3	1	-
	White..M..	156	-	1	-	-	-	-	1	-	-	2	-	2	1	4	5	13	28	21	25	24	16	7	3	2	1	-
	F..	111	-	2	-	-	-	-	-	-	-	-	-	3	4	5	4	4	14	15	19	22	9	7	2	1	-	-
	Nonwhite..M..	27	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	2	4	4	3	2	2	-	-	-	-
	F..	18	1	-	-	-	1	-	-	-	-	-	-	-	-	2	3	1	4	1	2	-	-	1	-	-	-	-
90-95	Diseases of the heart	1,089	-	-	-	-	2	2	11	6	6	11	10	25	51	47	72	115	131	157	169	122	82	48	15	1	5	1
	White..M..	680	-	-	-	-	1	-	5	2	3	5	6	10	32	35	51	77	92	95	104	77	49	26	8	-	2	-
	F..	310	-	-	-	-	1	1	2	3	3	6	2	10	10	8	17	25	24	49	50	39	32	19	6	1	1	1
	Nonwhite..M..	64	-	-	-	-	-	1	2	-	-	-	1	1	5	2	3	9	11	10	11	4	1	1	1	-	1	-
	F..	35	-	-	-	-	-	-	2	1	-	-	1	4	4	2	1	4	4	3	4	2	-	2	-	-	1	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	87	-	-	-	-	1	-	5	3	2	7	6	5	5	5	3	10	8	9	13	3	2	-	-	-	-	-
	White..M..	46	-	-	-	-	1	-	2	2	1	4	4	-	1	4	1	7	5	3	9	1	1	-	-	-	-	-
	F..	27	-	-	-	-	-	-	2	1	1	3	1	4	2	-	2	-	1	5	2	2	1	-	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	273	-	-	-	-	-	-	-	-	-	-	2	7	19	10	21	43	39	44	41	25	12	10	-	-	-	-
	White..M..	181	-	-	-	-	-	-	-	-	-	-	1	5	15	9	15	29	28	24	26	15	7	7	-	-	-	-
	F..	73	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	10	8	17	15	7	5	3	-	-	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	3	1	3	-	2	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	-	-	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	729	-	-	-	-	1	2	6	3	4	4	2	13	27	32	48	62	84	104	115	94	68	38	15	1	5	1
	White..M..	453	-	-	-	-	-	-	3	-	2	1	1	5	16	22	35	41	59	68	69	61	41	19	8	-	2	-
	F..	210	-	-	-	-	1	1	-	2	2	3	1	6	6	7	10	15	15	27	33	30	26	16	6	1	1	1
	Nonwhite..M..	44	-	-	-	-	-	1	2	-	-	-	-	1	2	2	2	5	8	6	9	2	1	1	1	-	1	-
	F..	22	-	-	-	-	-	-	1	1	-	-	-	1	3	1	1	1	2	3	4	1	-	2	-	-	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Con.																											
107-109, 33	Pneumonia (all forms) and influenza	439	148	42	6	9	3	8	2	3	3	5	13	11	9	17	10	26	18	22	23	17	23	15	4	2	-	-
	White	201	64	10	2	2	2	3	1	-	2	2	4	7	5	9	6	16	12	13	12	9	11	5	3	1	-	-
	M.	119	40	8	2	2	-	3	-	1	-	3	7	2	3	4	3	3	3	5	6	6	8	1	1	1	-	-
	F.	65	26	12	1	2	1	-	-	2	-	-	1	2	-	3	-	5	1	2	3	2	1	1	-	-	-	-
	Nonwhite	54	18	12	1	3	-	2	1	-	1	-	1	-	1	1	1	2	2	2	2	-	3	1	-	-	-	1
107	Bronchopneumonia	190	78	17	3	4	1	3	-	-	-	1	1	3	2	4	3	6	6	8	11	11	16	7	3	2	-	-
	White	83	36	5	-	1	-	2	-	-	-	1	1	2	1	2	1	2	3	5	4	5	6	3	2	1	-	-
	M.	59	20	3	2	-	-	1	-	-	-	-	-	1	1	2	2	2	2	4	5	7	3	1	1	-	-	-
	F.	29	14	4	1	2	1	-	-	-	-	-	-	1	-	-	-	2	-	1	2	1	-	1	-	-	-	-
	Nonwhite	19	8	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-
	M.																											
	F.																											
108	Lobar pneumonia	118	23	7	1	3	1	2	-	2	2	3	7	6	5	6	3	14	6	10	7	4	3	3	-	-	-	-
	White	61	8	1	1	1	1	-	-	-	1	-	2	3	3	5	3	11	4	6	5	3	3	-	-	-	-	-
	M.	33	10	1	-	-	-	1	-	1	-	3	3	1	2	1	-	1	1	2	2	1	-	3	-	-	-	-
	F.	12	3	2	-	-	-	-	-	1	-	-	1	2	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite	12	2	3	-	2	-	1	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	M.																											
	F.																											
109	Pneumonia (unspecified)	61	21	10	1	1	1	1	2	-	1	1	2	1	1	4	2	2	2	1	1	1	3	2	-	-	-	-
	White	23	8	2	-	-	1	-	1	-	1	1	1	1	-	2	-	-	2	1	-	-	2	-	-	-	-	-
	M.	5	-	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F.	17	6	5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1	1	-	-	-	-	-
	Nonwhite	16	7	2	1	-	-	1	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-
	M.																											
	F.																											
33	Influenza	70	26	8	1	1	-	2	-	1	-	-	3	1	1	3	2	4	4	3	4	1	1	3	1	-	-	-
	White	34	12	2	1	-	-	1	-	-	-	-	-	1	1	-	2	3	3	1	3	1	-	2	1	-	-	-
	M.	22	10	3	-	1	-	1	-	-	-	-	3	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-
	F.	7	3	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite	7	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-
	M.																											
	F.																											
117	Ulcer of stomach or duodenum	42	-	-	-	-	-	-	1	1	-	1	4	-	7	2	5	6	6	5	2	1	1	-	-	-	-	-
	White	26	-	-	-	-	-	-	-	1	-	-	3	-	5	2	4	3	5	2	-	1	-	-	-	-	-	-
	M.	8	-	-	-	-	-	-	1	-	-	1	1	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-
	F.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	1	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	M.																											
	F.																											
119,120	Diarrhea, enteritis, etc.*	238	179	34	3	1	2	1	-	-	-	-	1	1	2	2	-	-	-	3	-	3	4	1	1	-	-	-
	White	82	69	4	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	3	-	1	1	-	-	-	-	-
	M.	69	56	7	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	1	1	-	-	-	-
	F.	40	29	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-
	Nonwhite	47	25	17	2	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
121	Appendicitis	23	2	-	1	-	-	2	3	2	1	1	-	2	2	2	1	-	1	2	1	-	-	-	-	-	-	-
	White	14	2	-	1	-	-	2	2	-	1	1	-	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-
	M.	6	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	M.																											
	F.																											
122	Hernia, intestinal obstruction	46	4	1	1	-	-	2	-	1	1	1	3	2	3	4	5	1	4	2	4	5	1	1	-	-	-	-
	White	23	1	-	1	-	-	-	-	1	-	-	2	-	2	2	1	1	2	2	3	3	1	1	-	-	-	-
	M.	13	2	1	-	-	-	1	-	-	1	1	-	1	1	1	2	-	1	-	1	-	-	-	-	-	-	-
	F.	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite	6	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	M.																											
	F.																											
124	Cirrhosis of the liver	30	-	-	-	-	-	-	-	-	-	-	-	1	1	3	8	8	2	3	1	1	1	1	-	-	-	-
	White	17	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	6	-	2	1	1	1	-	-	-	-	-
	M.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	2	-	-	-	1	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	M.																											
	F.																											
126,127	Biliary calculi, etc.*	27	-	-	-	-	-	-	-	-	2	-	3	-	-	-	4	2	4	5	2	3	2	-	-	-	-	-
	White	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-	-	-	-	-
	M.	12	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	1	1	1	1	2	2	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite	6	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-
	M.																											
	F.																											
130-132	Nephritis	269	-	1	1	-	-	1	2	5	5	3	1	6	7	17	14	20	33	31	49	27	24	14	7	1	-	-
	White	136	-	1	-	-	-	1	-	1	1	1	-	2	3	6	6	13	15	18	29	17	13	5	3	1	-	-
	M.	95	-	-	1	-	-	-	2	4	-	1	1	2	2	9	3	4	15	7	17	7	8	7	4	-	-	-
	F.	19	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	5	2	2	3	2	-	-	-	-
	Nonwhite	19	-	-	-	-	-	-	-	-	3	1	-	2	1	2	4	1	2	1	1	1	-	-	-	-	-	-	-
	M.																											
	F.																											
137	Diseases of the prostate	19	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	6	3	2	2	1	-	1	-
	White	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	6	2	1	2	1	-	1	-
	M.	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Con.																										
140-150	Diseases of pregnancy, etc.*...	42	-	-	-	-	-	-	-	5	2	9	9	14	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	29	-	-	-	-	-	-	-	3	-	6	7	11	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	13	-	-	-	-	-	-	-	2	2	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	13	-	-	-	-	-	-	-	2	-	5	1	4	1	-	-	-	-	-	-	1	-	-	-	-	-
	White.....F..	9	-	-	-	-	-	-	-	1	-	3	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	10	-	-	-	-	-	-	-	2	-	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	8	-	-	-	-	-	-	-	1	-	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage,trauma and shock*.....	17	-	-	-	-	-	-	-	-	2	2	5	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	10	-	-	-	-	-	-	-	-	-	1	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	7	-	-	-	-	-	-	-	-	2	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	80	73	-	1	2	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	49	44	-	1	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	23	22	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	191	191	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	86	86	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	72	72	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	23	23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	56	-	-	-	-	-	-	-	3	8	4	7	1	4	6	5	7	5	1	3	-	2	-	-	-	-
	White.....M..	33	-	-	-	-	-	-	-	-	2	3	3	1	2	5	3	5	3	1	3	-	2	-	-	-	-	-
	F..	14	-	-	-	-	-	-	-	2	4	1	3	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	1	2	-	1	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	33	-	1	-	-	-	-	-	-	4	2	3	5	6	5	3	4	-	-	-	-	-	-	-	-	-	-
	White.....M..	15	-	-	-	-	-	-	-	-	1	1	3	-	1	4	2	3	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	15	-	1	-	-	-	-	-	-	2	1	-	4	5	1	-	1	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	754	25	21	15	5	5	20	18	70	209	73	45	44	40	32	23	22	16	13	11	15	10	9	3	1	-	9
	White.....M..	572	11	12	9	3	2	8	11	63	191	60	32	31	23	22	19	17	12	8	8	9	8	3	-	1	-	9
	F..	96	7	5	5	1	1	9	1	2	5	7	3	8	9	4	3	4	2	3	3	4	1	6	3	-	-	-
	Nonwhite..M..	67	4	1	-	-	-	2	4	4	13	5	10	5	8	5	1	-	2	2	-	1	-	-	-	-	-	-
	F..	19	3	3	1	1	2	1	2	1	-	1	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
170	Motor-vehicle accidents.....	199	-	-	6	1	1	7	5	20	38	21	19	14	20	12	13	7	6	3	3	3	-	-	-	-	-	-
	White.....M..	146	-	-	4	1	-	4	4	17	34	15	11	10	13	7	9	6	4	2	3	2	-	-	-	-	-	-
	F..	26	-	-	2	-	-	3	-	1	1	4	1	3	3	2	3	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	23	-	-	-	-	-	-	1	1	3	1	7	1	4	2	1	-	1	1	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	555	25	21	9	4	4	13	13	50	171	52	26	30	20	20	10	15	10	10	8	12	10	9	3	1	-	9
	White.....M..	426	11	12	5	2	2	4	7	46	157	45	21	21	10	15	10	11	8	6	5	7	8	3	-	1	-	9
	F..	70	7	5	3	1	1	6	1	1	4	3	2	5	6	2	-	3	1	3	3	3	1	6	3	-	-	-
	Nonwhite..M..	44	4	1	-	-	-	2	3	3	10	4	3	4	4	3	-	-	1	1	-	1	-	-	-	-	-	-
	F..	15	3	3	1	1	1	1	2	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	317	53	13	6	3	1	7	4	3	9	5	7	5	6	8	15	12	19	26	25	30	23	14	16	4	2	1
	White.....M..	106	11	2	1	1	-	-	-	-	-	1	-	1	2	3	7	6	7	10	14	15	13	4	5	1	1	1
	F..	64	11	1	1	1	-	1	1	-	1	-	-	1	-	1	3	1	4	5	8	2	4	7	8	3	-	-
	Nonwhite..M..	78	16	6	3	-	-	3	3	1	2	-	3	2	3	2	3	4	6	7	2	4	3	3	1	-	1	-
	F..	69	15	4	1	1	1	3	-	2	6	4	4	1	1	2	2	1	2	4	1	9	3	-	2	-	-	-
	All other causes.	614	208	11	5	6	6	12	10	6	18	14	19	12	29	31	24	33	35	27	40	20	27	12	2	5	-	2
	White.....M..	298	84	4	1	3	1	7	5	3	8	3	7	6	16	17	17	24	16	17	25	7	16	6	1	4	-	-
	F..	185	56	4	2	2	2	1	2	3	4	10	8	6	6	11	3	8	15	9	9	10	8	4	-	1	-	1
	Nonwhite..M..	73	37	-	1	1	3	-	2	-	3	1	2	-	5	1	2	-	2	1	3	3	3	2	1	-	-	-
	F..	58	31	3	1	-	-	4	1	-	3	-	2	-	2	2	1	2	-	-	3	-	-	-	-	-	-	1

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS																											
	All causes	14,515	1,433	197	109	82	58	211	158	292	404	369	379	476	566	721	927	1,052	1,218	1,444	1,528	1,201	888	532	193	62	29	6
	White	5,995	561	77	40	20	15	87	57	121	175	150	118	163	185	261	365	445	521	656	687	565	411	221	68	18	4	4
	M.	4,180	458	45	29	20	18	61	37	62	89	66	95	115	155	174	194	254	325	423	493	410	343	240	70	20	4	-
	F.	2,518	220	48	15	12	16	39	44	54	63	70	72	75	128	136	204	186	204	215	224	140	72	42	21	10	9	1
	Nonwhite	2,022	194	29	25	10	9	24	20	55	77	83	94	123	118	150	164	167	168	150	124	86	62	29	34	14	12	1
	M.																											
	F.																											
1,2	Typhoid and paratyphoid fever	22	-	-	2	-	-	4	-	2	4	1	-	2	-	-	2	1	2	-	1	1	-	-	-	-	-	-
	White	7	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	-	1	-	-	-	-	-	-
	M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	7	-	-	-	-	-	2	-	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite	7	-	-	1	-	-	2	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
6	Cerebrospinal (meningococcus) meningitis	22	2	-	1	-	-	1	1	8	-	2	-	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-
	White	11	-	-	1	-	-	1	1	5	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	M.	5	1	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
8	Scarlet fever	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
9	Whooping cough	51	35	12	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	13	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	17	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	10	6	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	11	8	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
10	Diphtheria	41	3	10	7	5	3	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	18	-	5	4	-	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	14	-	2	2	4	-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	7	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
15-22	Tuberculosis (all forms)	826	6	2	3	1	-	4	8	43	84	93	63	84	77	55	62	47	61	62	27	22	17	2	1	2	-	-
	White	291	1	-	1	-	-	1	-	6	15	19	17	25	24	22	32	24	30	35	16	11	11	-	1	-	-	-
	M.	182	3	-	-	-	-	-	2	3	21	13	19	20	18	14	8	9	16	12	8	8	5	2	-	1	-	-
	F.	186	1	1	1	1	-	1	4	13	19	31	18	18	16	11	14	13	10	10	2	3	1	-	-	-	-	-
	Nonwhite	167	1	1	1	-	-	2	2	21	29	50	11	21	19	8	8	1	5	5	1	-	-	-	-	1	-	-
	M.																											
	F.																											
13	Tuberculosis of respiratory system, etc.*	792	1	2	-	-	-	2	7	42	83	92	60	83	76	54	59	44	59	59	27	21	16	2	1	2	-	-
	White	280	1	-	-	-	-	1	-	5	14	19	16	25	23	22	31	22	29	34	16	11	10	-	1	-	-	-
	M.	175	-	-	-	-	-	-	2	3	21	13	18	20	18	14	7	9	16	11	8	7	5	2	-	1	-	-
	F.	173	-	1	-	-	-	-	3	13	19	30	15	17	16	10	13	12	9	9	2	3	1	-	-	-	-	-
	Nonwhite	164	-	1	-	-	-	1	2	21	29	30	11	21	19	8	8	1	5	5	1	-	-	-	-	1	-	-
	M.																											
	F.																											
14-22	Tuberculosis (other forms)	34	5	-	3	1	-	2	1	1	1	1	3	1	1	1	3	3	2	3	-	1	1	-	-	-	-	-
	White	11	-	-	1	-	-	-	-	1	1	-	1	-	1	-	1	2	1	1	-	-	1	-	-	-	-	-
	M.	7	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	F.	13	1	-	1	1	-	1	1	-	-	1	1	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
27	Dysentery	48	19	5	1	1	-	2	1	-	-	2	2	-	1	2	1	2	1	2	1	2	2	-	1	-	-	-
	White	17	6	-	1	-	-	2	1	-	-	1	1	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-
	M.	12	6	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	F.	11	5	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-
	M.																											
	F.																											
28	Malaria	87	14	1	7	4	3	2	4	3	3	2	2	3	5	5	1	6	5	6	3	4	2	2	-	-	-	-
	White	28	3	-	1	3	-	-	2	1	1	-	-	1	1	1	-	3	2	3	2	1	2	1	-	-	-	-
	M.	15	1	1	2	-	2	1	-	-	1	-	1	1	-	-	1	1	1	1	-	-	1	-	-	-	-	-
	F.	22	3	-	2	-	1	1	-	1	1	1	-	1	2	3	-	2	1	2	-	1	-	-	-	-	-	-
	Nonwhite	22	7	-	2	1	-	-	2	1	-	1	1	-	2	1	1	-	1	-	-	2	-	-	-	-	-	-
	M.																											
	F.																											
30	Syphilis	190	17	-	-	-	-	-	1	1	3	10	9	18	23	27	26	10	22	8	8	4	1	1	1	-	-	-
	White	58	2	-	-	-	-	-	-	-	1	5	2	1	5	10	10	2	10	4	4	1	-	1	-	-	-	-
	M.	20	4	-	-	-	-	-	-	-	1	1	-	4	3	4	-	1	-	-	-	2	-	-	-	-	-	-
	F.	74	4	-	-	-	-	-	1	-	1	3	3	8	9	10	12	4	10	4	3	1	-	-	1	-	-	-
	Nonwhite	38	7	-	-	-	-	-	-	1	-	1	4	5	6	3	4	3	2	-	1	-	1	-	-	-	-	-
	M.																											
	F.																											
35	Measles	29	7	6	2	1	1	2	2	1	2	-	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White	11	2	3	-	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	M.	9	2	1	1	-	-	2	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	6	1	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
36	Poliomyelitis, polioencephalitis (acute)	5	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Con.																										
45-55	Cancer and other malignant tumors	1,321	3	4	-	-	6	4	4	3	9	19	25	46	63	115	128	168	151	184	166	102	76	36	7	2	-	-
	White M.	509	-	2	-	-	1	2	2	1	6	11	1	5	12	54	45	50	57	80	77	58	45	15	4	1	-	-
	F.	546	3	1	-	-	3	2	1	2	1	4	11	24	29	51	50	84	63	74	64	31	26	19	2	1	-	-
	Nonwhite M.	100	-	1	-	-	1	-	1	-	-	-	5	2	6	8	10	11	12	15	18	7	2	1	-	-	-	-
	F.	166	-	-	-	-	1	-	-	-	2	4	8	15	16	22	23	23	19	15	7	6	3	1	1	-	-	-
46	Cancer of digestive organs, peritoneum	510	2	-	-	-	2	-	1	-	3	5	6	10	17	32	46	61	68	87	81	38	36	14	1	-	-	-
	White M.	223	-	-	-	-	1	-	1	-	2	3	-	1	4	9	20	21	34	38	44	22	18	4	1	-	-	-
	F.	200	2	-	-	-	-	-	-	-	-	-	3	5	8	11	14	30	24	38	26	14	15	10	-	-	-	-
	Nonwhite M.	48	-	-	-	-	1	-	-	-	-	-	3	2	2	4	7	4	6	7	10	1	1	-	-	-	-	-
	F.	39	-	-	-	-	-	-	-	-	1	2	-	2	3	8	5	6	4	4	1	1	2	-	-	-	-	-
48,49	Cancer of female genital organs	230	-	-	-	-	-	1	-	-	1	5	7	17	20	37	30	36	25	23	18	7	3	1	1	-	-	-
	White F.	150	-	-	-	-	-	1	-	-	-	3	1	10	10	27	19	25	16	19	12	4	2	1	-	-	-	-
	Nonwhite F.	80	-	-	-	-	-	-	-	-	1	2	6	7	10	10	11	11	7	4	6	3	1	-	1	-	-	-
50	Cancer of breast	93	-	-	-	-	-	-	-	-	-	-	5	11	11	10	13	13	10	6	5	5	4	-	-	-	-	-
	White M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F.	67	-	-	-	-	-	-	-	-	-	-	3	6	9	7	9	9	6	5	5	4	4	-	-	-	-	-
	Nonwhite M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	24	-	-	-	-	-	-	-	-	-	-	2	5	2	3	4	3	4	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	488	1	4	-	-	4	3	3	3	5	9	7	8	15	36	39	58	50	68	62	52	33	21	5	2	-	-
	White M.	284	-	2	-	-	2	1	1	1	4	8	1	4	8	25	25	28	23	42	33	35	27	11	3	1	-	-
	F.	129	1	1	-	-	3	1	1	2	1	1	4	3	2	6	8	20	17	12	21	9	5	8	2	1	-	-
	Nonwhite M.	52	-	1	-	-	-	-	1	-	-	-	2	-	4	4	3	7	6	8	8	6	1	1	-	-	-	-
	F.	23	-	-	-	-	1	-	-	-	-	-	-	1	1	1	3	3	4	6	-	2	-	1	-	-	-	-
58	Acute rheumatic fever	21	-	-	-	-	2	3	1	1	2	-	1	1	3	3	-	-	2	1	-	-	-	1	-	-	-	-
	White M.	6	-	-	-	-	-	2	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F.	7	-	-	-	-	1	1	-	-	-	-	1	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite M.	5	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	195	1	-	1	-	1	-	1	8	5	3	2	4	8	8	15	23	31	26	32	13	8	4	-	1	-	-
	White M.	78	1	-	-	-	-	-	1	3	2	2	2	1	2	3	3	7	11	12	16	4	6	2	-	-	-	-
	F.	75	-	-	1	-	1	-	-	3	1	-	-	2	3	2	5	8	13	11	14	7	2	2	-	-	-	-
	Nonwhite M.	21	-	-	-	-	-	-	-	2	2	-	-	-	1	2	4	5	1	1	2	-	-	-	-	1	-	-
	F.	21	-	-	-	-	-	-	-	-	-	1	-	1	3	2	5	4	2	2	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter	17	-	-	-	-	-	-	-	1	-	-	1	-	1	2	4	1	2	4	-	1	-	-	-	-	-	-
	White M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F.	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	3	-	1	-	-	-	-	-	-
	Nonwhite M.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	49	-	-	-	-	-	-	-	-	-	-	-	1	6	5	4	7	6	4	2	6	2	3	3	-	-	-
	White M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	F.	19	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	2	2	-	1	4	-	3	2	-	-	-
	Nonwhite M.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	2	-	-	-	-	-
	F.	19	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	3	3	2	1	2	-	-	1	-	-	-
77	Alcoholism (ethylism)	10	-	-	-	-	-	-	-	2	-	-	1	-	1	3	1	1	1	-	-	-	-	-	-	-	-	-
	White M.	8	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,284	3	-	2	-	-	2	-	1	5	6	4	21	29	55	91	113	157	190	236	162	113	68	19	6	1	-
	White M.	462	1	-	1	-	-	1	-	-	2	1	1	7	8	12	28	46	54	58	92	68	50	24	8	-	-	-
	F.	409	1	-	-	-	-	-	-	-	3	2	1	5	4	15	20	22	41	69	78	65	42	31	5	4	1	-
	Nonwhite M.	186	-	-	-	-	-	1	-	-	-	1	-	1	5	9	16	25	25	30	42	12	11	6	1	1	-	-
	F.	227	1	-	1	-	-	-	-	1	-	2	2	8	12	19	27	20	37	33	24	17	10	7	5	1	-	-
90-95	Diseases of the heart	3,008	-	6	1	3	-	5	4	9	18	15	38	53	80	149	222	293	360	445	463	376	264	131	52	11	8	2
	White M.	1,452	-	3	-	-	-	1	-	4	6	5	12	23	32	68	97	164	168	234	230	191	127	61	20	3	1	2
	F.	801	-	1	1	-	-	2	2	2	4	2	7	9	16	18	41	38	97	120	133	125	106	54	19	3	1	-
	Nonwhite M.	409	-	2	-	3	-	1	2	3	3	3	8	8	18	27	52	43	52	55	65	33	14	9	5	2	1	-
	F.	346	-	-	-	-	-	1	-	-	5	5	11	13	14	36	32	48	43	36	35	27	17	7	8	3	5	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	215	-	-	-	-	-	3	2	-	4	2	4	9	10	11	17	13	19	30	30	33	18	7	2	-	1	-
	White M.	85	-	-	-	-	-	-	-	-	-	-	3	3	1	4	8	7	9	11	14	13	9	2	1	-	-	-
	F.	67	-	-	-	-	-	2	2	-	2	1	1	3	3	2	2	1	5	9	8	13	8	5	-	-	-	-
	Nonwhite M.	32	-	-	-	-	-	1	-	-	1	-	-	1	4	2	5	3	2	4	7	2	-	-	-	-	-	-
	F.	31	-	-	-	-	-	-	-	-	1	1	-	2	2	3	2	2	3	6	1	5	1	-	1	-	1	-
94	Diseases of coronary arteries, angina pectoris	828	-	-	-	-	-	-	-	3	3	4	12	16	36	44	76	101	125	124	119	77	62	20	4	1	1	-
	White M.	517	-	-	-	-	-	-	-	1	1	2	7	12	19	29	47	73	79	81	77	43	34	10	1	1	-	-
	F.	185	-	-	-	-	-	-	-	2	-	1	3	2	6	5	14	13	25	30	28	23	24	6	3	-	-	-
	Nonwhite M.	69	-	-	-	-	-	-	-	-	-	1	1	1	6	8	10	8	8	7	9	7	2	1	-	-	-	-
	F.	57	-	-	-	-	-	-	-	-	2	-	1	1	5	2	5	7	13	6	5	4	2	3	-	-	1	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	1,965	-	6	1	3	-	2	2	6	11	9	22	28	34	94	129	179	216	291	314	266	184	104	46	10	6	2
	White M.	850	-	3	-	-	-	1	-	3	5	3	2	8	12	35	42	84	80	142	139	135	84	49	18	2	1	2
	F.	549	-	1	1	-	-	-	-	-	2	-	3	4	7	11	25	24	67	81	97	89	74	45	16	3	1	-
	Nonwhite M.	308	-	2	-	3	-	-	2	3	2	2	7	6	8	17	37	32	42	44	49	24	12	8	5	2	1	-
	F.	258	-	-	-	-	-	1	-	-	2	4	10	10	7	31	25	39	27	24	29	18	14	4	7	3	3	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	1,209	230	43	20	6	13	20	17	11	19	15	20	12	35	34	68	64	57	95	108	108	115	68	20	9	2	-
	White—M	454	83	18	5	4	1	5	4	6	4	7	4	5	14	6	22	17	25	40	46	40	56	32	5	5	-	-
	F	341	53	5	7	1	3	6	3	-	4	1	5	1	4	7	12	18	11	27	39	49	44	30	9	2	-	-
	Nonwhite—M	223	50	11	5	-	6	7	6	1	5	2	4	3	9	11	21	15	11	14	11	13	8	6	2	1	1	-
	F	191	44	9	3	1	3	2	4	4	6	5	7	3	8	10	13	14	10	14	12	6	7	-	4	1	1	-
107	Bronchopneumonia	349	121	23	12	2	5	4	5	1	1	4	5	4	8	3	12	9	11	12	25	26	29	17	6	3	1	-
	White—M	131	44	7	4	1	-	-	1	1	-	3	1	1	5	1	4	2	5	8	12	5	13	8	2	3	-	-
	F	94	29	3	2	1	1	-	-	-	1	-	2	-	2	2	2	4	4	3	8	14	12	9	2	-	-	-
	Nonwhite—M	75	24	6	4	-	3	3	4	-	-	1	1	3	-	-	5	4	3	-	4	6	2	-	1	-	1	-
	F	49	24	7	2	-	1	1	-	-	-	-	1	-	1	-	1	2	3	1	1	1	2	-	1	-	-	-
108	Lobar pneumonia	408	57	9	2	1	3	7	5	5	11	8	7	5	11	14	30	31	25	43	44	28	37	20	2	3	-	-
	White—M	172	27	5	-	1	-	1	-	3	3	4	2	3	3	1	13	9	14	21	18	14	20	9	-	1	-	-
	F	112	13	1	2	-	2	4	2	-	1	1	3	1	1	1	5	8	7	7	18	10	15	9	1	1	-	-
	Nonwhite—M	65	8	2	-	-	-	2	2	-	4	1	1	-	5	8	7	7	2	8	4	1	-	2	-	1	-	-
	F	59	9	1	-	-	1	-	1	2	3	2	1	1	2	4	5	7	2	7	4	3	2	-	1	1	-	-
109	Pneumonia (unspecified)	63	14	2	1	-	-	3	2	2	-	-	1	-	2	2	1	2	2	5	5	13	1	4	1	-	-	-
	White—M	21	3	1	-	-	-	1	2	-	-	-	-	-	1	-	1	1	1	1	2	6	-	1	-	-	-	-
	F	20	1	1	-	-	-	1	-	-	-	-	-	-	-	2	-	1	1	2	2	5	1	3	-	-	-	-
	Nonwhite—M	11	4	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	2	2	-	-	1	-	-	-	-
	F	11	6	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
33	Influenza	389	38	9	5	3	5	6	5	3	7	3	7	3	14	15	25	22	19	35	34	41	48	27	11	3	1	-
	White—M	130	9	5	1	2	1	3	1	2	1	-	1	1	5	4	4	5	5	10	14	15	23	14	3	1	-	-
	F	115	10	-	3	-	-	1	1	-	2	-	-	-	1	2	5	8	3	15	11	20	16	9	6	2	-	-
	Nonwhite—M	72	14	3	1	-	3	1	-	-	1	-	1	-	3	3	9	4	6	6	3	4	6	4	-	-	-	-
	F	72	5	1	-	1	1	1	3	1	3	3	5	2	5	6	7	5	5	4	6	2	3	-	2	-	1	-
117	Ulcer of stomach or duodenum	77	-	-	-	-	-	-	-	-	1	2	1	7	6	12	14	13	8	7	2	1	1	1	1	-	-	-
	White—M	43	-	-	-	-	-	-	-	-	-	1	-	3	2	6	8	9	7	3	2	1	-	1	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	1	1	1	3	1	3	2	-	-	3	-	-	1	-	-	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	3	1	1	-	-	-	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	213	140	28	7	3	-	4	1	-	3	1	-	-	1	1	4	4	2	5	3	-	3	-	2	-	1	-
	White—M	80	52	10	2	2	-	3	-	-	1	-	-	-	-	1	1	2	1	1	1	-	2	-	1	-	-	-
	F	60	44	5	1	-	-	1	-	-	2	-	-	-	1	-	1	1	1	2	1	-	-	-	-	-	-	-
	Nonwhite—M	41	22	11	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	-	-	-	-	-	-
	F	32	22	2	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
121	Appendicitis	138	-	1	3	3	1	15	17	17	5	7	8	10	9	10	8	4	9	4	6	1	-	-	-	-	-	-
	White—M	70	-	1	2	3	-	8	7	8	1	2	4	6	5	8	5	1	5	1	3	-	-	-	-	-	-	-
	F	35	-	-	1	-	1	6	5	2	3	2	1	1	1	1	1	2	3	1	3	1	-	-	-	-	-	-
	Nonwhite—M	17	-	-	-	-	-	-	4	5	-	1	-	-	2	1	1	1	-	2	-	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	1	1	2	1	2	3	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	132	11	1	1	-	2	5	-	4	4	-	7	4	7	9	9	11	13	16	8	8	10	-	2	-	-	-
	White—M	48	4	1	-	-	-	1	-	2	2	-	1	2	-	3	5	5	4	5	5	4	3	-	1	-	-	-
	F	47	5	-	-	-	1	1	-	1	1	-	3	1	4	5	3	3	3	6	1	3	5	-	1	-	-	-
	Nonwhite—M	18	-	-	-	1	2	-	1	-	-	-	-	-	1	-	1	2	5	2	1	1	1	-	-	-	-	-
	F	19	2	-	1	-	-	1	-	1	-	-	3	1	2	1	-	1	1	3	1	-	1	-	-	-	-	-
124	Cirrhosis of the liver	88	-	-	-	-	-	-	-	-	-	1	3	3	7	3	7	10	18	11	12	7	1	2	-	2	-	1
	White—M	56	-	-	-	-	-	-	-	-	-	1	2	2	5	1	5	8	9	6	7	6	-	2	-	1	-	1
	F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	2	4	1	1	-	-	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	2	3	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	-	1	-	-
126,127	Biliary calculi, etc.*	58	-	-	-	-	-	-	-	-	-	-	-	3	4	4	3	7	6	13	8	9	1	-	-	-	-	-
	White—M	24	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	4	3	6	1	4	-	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	7	6	4	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	1	-	-	-	-	-
130-132	Nephritis	1,197	4	3	-	1	1	3	6	7	6	9	20	31	36	55	87	100	129	157	192	164	95	62	16	9	3	1
	White—M	443	-	2	-	1	-	1	-	1	2	5	7	7	6	10	25	34	45	64	75	83	41	23	7	3	-	1
	F	307	2	1	-	-	1	2	1	2	1	1	5	7	6	14	17	18	29	35	57	44	34	25	4	1	-	-
	Nonwhite—M	270	1	-	-	-	-	-	2	2	-	-	2	6	13	14	29	29	35	37	41	29	13	9	3	3	2	-
	F	177	1	-	-	-	-	-	3	2	3	3	6	11	11	17	16	19	20	21	19	8	7	5	2	2	1	-
137	Diseases of the prostate	75	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	7	8	17	17	8	8	2	-	-	-
	White—M	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	11	13	5	7	1	-	-	-
	Nonwhite—M	28	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	3	3	6	4	3	1	1	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Con.																										
140-150	Diseases of pregnancy, etc.*...	114	-	-	-	-	-	-	2	17	25	15	25	20	9	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	56	-	-	-	-	-	-	-	8	15	8	12	6	6	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	58	-	-	-	-	-	-	2	9	10	7	13	14	3	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	36	-	-	-	-	-	-	2	5	9	7	6	4	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	18	-	-	-	-	-	-	-	3	5	2	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	18	-	-	-	-	-	-	2	2	4	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	39	-	-	-	-	-	-	-	9	8	2	10	6	3	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	18	-	-	-	-	-	-	-	4	4	2	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	21	-	-	-	-	-	-	-	5	4	-	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage,trauma and shock*.....	30	-	-	-	-	-	-	-	2	7	5	5	8	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	17	-	-	-	-	-	-	-	1	5	4	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	13	-	-	-	-	-	-	-	1	2	1	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	9	-	-	-	-	-	-	-	1	1	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	6	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	181	162	4	3	1	1	5	-	1	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	White.....M..	81	74	1	1	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	77	70	1	1	1	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	13	10	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	10	8	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	360	360	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	160	160	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	131	131	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	40	40	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	29	29	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	101	-	-	-	-	-	-	1	9	9	8	10	4	11	11	7	7	11	9	2	2	-	-	-	-	-
	White.....M..	60	-	-	-	-	-	-	-	7	5	7	4	1	7	6	3	4	7	6	1	2	-	-	-	-	-	-
	F..	34	-	-	-	-	-	-	1	2	3	1	3	3	3	4	4	3	4	3	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	131	1	-	-	-	-	-	2	6	20	18	12	19	21	14	5	2	1	6	3	1	-	-	-	-	-	-
	White.....M..	40	1	-	-	-	-	-	1	4	5	5	3	5	4	6	2	1	-	1	2	-	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	3	2	-	1	1	2	-	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	66	-	-	-	-	-	-	1	1	7	10	6	10	16	6	3	-	1	4	-	1	-	-	-	-	-	-
	F..	13	-	-	-	-	-	-	-	1	5	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,183	39	35	20	21	14	71	55	100	129	97	69	66	54	45	55	40	44	50	46	42	41	31	16	1	1	1
	White.....M..	674	13	12	6	3	4	35	29	62	108	68	40	51	36	26	33	24	27	30	17	20	15	6	8	-	1	-
	F..	249	11	11	6	9	2	14	10	21	10	13	7	7	4	6	6	7	6	8	21	19	23	22	5	1	-	-
	Nonwhite..M..	188	8	6	3	5	6	16	14	14	11	12	20	8	12	10	12	5	7	5	6	2	2	2	2	-	-	-
	F..	72	7	6	5	4	2	6	2	3	-	4	2	-	2	3	4	4	4	7	2	1	1	1	1	-	-	1
170	Motor-vehicle accidents.....	263	2	2	1	5	4	15	12	28	28	28	24	24	18	14	9	12	11	11	5	6	3	-	1	-	-	-
	White.....M..	168	-	2	-	2	1	9	5	17	20	19	12	21	11	9	7	8	9	7	1	5	3	-	-	-	-	-
	F..	52	2	-	1	3	-	2	4	10	5	6	2	2	2	3	2	2	2	1	2	1	-	-	-	-	-	-
	Nonwhite..M..	39	-	-	-	-	2	3	2	1	3	3	10	1	4	2	-	2	-	3	2	-	-	1	-	-	-	-
	F..	4	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	920	37	33	19	16	10	56	43	72	101	69	45	42	36	31	46	28	33	39	41	36	38	31	15	1	1	1
	White.....M..	506	13	10	6	1	3	26	24	45	88	49	28	30	25	17	26	16	18	23	16	15	12	6	8	-	1	-
	F..	197	9	11	5	6	2	12	6	11	5	7	5	5	2	3	4	5	4	7	19	18	23	22	5	1	-	-
	Nonwhite..M..	149	8	6	3	5	4	13	12	13	8	9	10	7	8	8	12	3	7	2	4	2	2	2	1	-	-	-
	F..	68	7	6	5	4	1	5	1	3	-	4	2	-	1	3	4	4	4	7	2	1	1	1	1	-	-	1
162,199, 200	Senility, ill-defined and unknown causes...	683	100	11	7	2	1	5	5	4	5	6	10	10	14	21	29	33	36	41	70	71	69	74	31	15	12	1
	White.....M..	221	26	3	4	1	-	1	1	-	-	1	4	3	3	8	8	7	13	19	25	29	26	30	5	2	2	-
	F..	179	22	2	1	-	1	1	2	1	1	1	-	1	3	4	5	7	5	9	22	16	25	30	12	6	2	-
	Nonwhite..M..	158	30	4	-	-	-	2	2	2	3	1	2	3	4	5	9	11	12	8	14	18	9	8	4	2	4	1
	F..	125	22	2	2	1	-	1	-	1	1	3	4	3	4	4	7	8	6	5	9	8	9	6	10	5	4	-
	All other causes.	1,346	276	23	17	10	7	39	23	33	43	37	43	50	52	69	70	80	76	90	110	77	59	38	19	4	1	-
	White.....M..	514	125	10	8	3	3	15	7	8	13	8	11	9	15	20	26	31	35	41	51	28	21	16	7	3	-	-
	F..	451	85	8	5	5	2	14	9	13	12	13	15	19	19	19	13	23	21	27	39	29	29	20	11	1	-	-
	Nonwhite..M..	171	36	2	2	-	1	3	5	5	8	3	3	4	8	12	13	11	11	15	11	12	5	-	-	-	1	-
	F..	210	30	3	2	2	1	7	2	7	10	13	14	18	10	18	18	15	9	7	9	8	4	2	1	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE. 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA																											
	All causes	90,802	6177	545	294	186	167	529	456	1082	1987	1693	1952	2557	3368	4407	5,788	7,512	8,640	9,820	10324	9,624	7683	4265	1447	323	65	113
	White	50,658	3390	285	160	88	95	287	277	688	1318	920	977	1355	1985	2846	3,619	4,603	5,269	5,743	5831	4,950	3712	1878	597	115	21	51
	White—M	36,059	2403	222	119	81	83	212	142	296	511	583	739	941	1096	1448	1,849	2,367	3,028	3,784	4431	4,521	3840	2327	817	195	36	8
	White—F	2,684	238	23	8	8	4	16	21	59	98	109	142	162	193	194	238	227	254	196	166	103	89	46	22	12	3	53
	Nonwhite	1,401	146	15	7	9	5	14	16	39	60	81	94	99	94	119	82	115	89	97	96	50	42	14	11	1	5	1
	Nonwhite—M	1,112	123	12	6	8	4	13	13	34	52	71	82	87	82	104	71	101	77	85	84	43	36	12	10	1	5	1
	Nonwhite—F	289	23	3	1	1	1	1	3	5	8	10	12	12	12	15	11	14	12	12	12	7	6	2	1	-	-	-
1,2	Typhoid and paratyphoid fever	17	-	1	-	-	-	1	2	2	1	-	3	2	-	-	-	2	-	1	1	-	-	1	-	-	-	-
	White—M	10	-	-	-	-	-	1	2	1	-	-	2	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-
	White—F	7	-	1	-	-	-	-	-	1	1	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	154	19	11	8	3	4	9	5	16	11	9	7	6	6	8	8	7	3	7	3	4	-	-	-	-	-	-
	White—M	97	10	5	4	2	2	4	3	13	9	7	4	4	5	8	2	5	3	4	3	-	-	-	-	-	-	-
	White—F	45	8	6	3	-	2	4	2	3	1	2	2	1	1	-	6	1	-	2	-	3	-	-	-	-	-	-
	Nonwhite—M	9	3	-	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	20	1	3	1	1	-	3	1	4	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	14	-	2	1	-	-	1	1	3	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	1	1	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	41	33	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	23	18	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	96	5	6	14	8	8	36	3	2	2	2	-	4	-	2	-	2	1	1	-	-	-	-	-	-	-	-
	White—M	50	3	3	8	6	5	15	2	1	-	-	-	2	-	2	-	2	-	1	-	-	-	-	-	-	-	-
	White—F	44	2	3	5	2	3	20	1	1	2	2	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms)	3,826	45	43	26	19	17	25	43	178	274	276	319	316	337	352	378	331	302	241	155	89	38	18	1	-	-	3
	White—M	2,209	21	19	10	6	8	14	17	57	80	82	134	169	211	248	271	257	225	171	110	62	25	9	-	-	-	3
	White—F	1,097	20	17	14	12	8	9	18	87	139	126	114	91	89	68	69	43	49	48	35	23	10	7	1	-	-	-
	Nonwhite—M	361	2	4	1	-	1	2	4	13	29	34	49	40	30	32	34	25	26	18	8	4	3	2	-	-	-	-
	Nonwhite—F	159	2	3	1	1	-	-	4	21	26	34	22	16	7	4	4	6	2	4	2	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	3,474	23	17	15	9	8	8	28	155	244	254	294	294	323	333	353	312	286	224	150	86	36	18	1	-	-	3
	White—M	2,041	11	7	7	2	3	5	9	53	67	75	123	159	201	237	259	243	213	162	107	61	25	9	-	-	-	3
	White—F	981	10	7	8	6	4	3	13	78	132	118	107	86	87	64	60	40	46	44	33	21	8	7	1	-	-	-
	Nonwhite—M	319	2	1	-	-	1	-	3	8	22	33	43	36	29	29	31	23	25	16	8	4	3	2	-	-	-	-
	Nonwhite—F	133	-	2	-	1	-	-	3	16	23	30	21	13	6	3	3	6	2	2	2	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	352	22	26	11	10	9	17	15	23	30	22	25	22	14	19	25	19	16	17	5	3	2	-	-	-	-	-
	White—M	168	10	12	3	4	5	9	8	4	13	7	11	10	10	11	12	14	12	9	3	1	-	-	-	-	-	-
	White—F	116	10	10	6	6	4	6	5	9	7	10	7	5	2	4	9	3	3	4	2	2	2	-	-	-	-	-
	Nonwhite—M	42	-	3	1	-	-	2	1	5	7	1	6	4	1	3	3	2	1	2	-	-	-	-	-	-	-	-
	Nonwhite—F	26	2	1	1	-	-	-	1	5	3	4	1	3	1	1	1	-	-	2	-	-	-	-	-	-	-	-
27	Dysentery	54	21	3	2	-	-	1	-	1	1	-	1	1	2	4	5	3	3	3	-	2	-	1	-	-	-	-
	White—M	30	13	2	-	-	-	1	-	1	1	-	-	1	2	1	3	1	2	1	-	1	-	-	-	-	-	-
	White—F	22	6	1	2	-	-	-	-	-	-	-	1	-	-	3	2	2	1	2	-	1	-	1	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	9	-	1	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	1	1	-	-	-	-	-	-	-
	White—M	5	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,112	28	-	-	-	-	-	-	7	10	13	40	50	102	116	125	162	160	142	84	41	24	6	-	2	-	-
	White—M	741	14	-	-	-	-	-	-	4	5	4	16	24	69	70	80	113	123	104	59	34	19	3	-	-	-	-
	White—F	196	7	-	-	-	-	-	-	3	3	4	9	10	11	19	24	31	19	24	20	6	3	2	-	1	-	-
	Nonwhite—M	152	2	-	-	-	-	-	-	-	2	2	9	11	18	15	18	15	16	14	5	1	2	1	-	1	-	-
	Nonwhite—F	43	5	-	-	-	-	-	-	-	-	3	6	5	4	12	3	3	2	-	-	-	-	-	-	-	-	-
35	Measles	101	28	31	8	5	6	11	3	7	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	44	12	9	4	2	2	6	1	6	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—F	54	16	21	3	3	3	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	39	1	-	-	-	-	7	5	5	7	6	4	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	24	-	-	-	-	-	3	4	5	4	2	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—F	15	1	-	-	-	-	4	1	-	3	4	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																										
45-55	Cancer and other malignant tumors	11,540	10	8	6	4	4	33	16	33	50	88	163	289	483	731	996	1,391	1,576	1,672	1,557	1,251	792	309	78	17	-	5
	White	5,414	3	4	3	3	2	22	9	21	32	38	57	96	168	271	447	651	775	849	779	605	379	152	39	8	-	1
	F.	5,778	6	4	2	1	2	11	6	9	15	47	89	172	289	417	515	695	745	793	740	610	408	154	38	9	-	1
	Nonwhite	199	1	-	-	-	-	-	1	3	1	-	4	9	13	19	22	27	34	23	23	12	4	3	-	-	-	-
	F.	149	-	-	1	-	-	-	-	-	2	3	13	12	13	24	12	18	22	7	15	4	1	-	1	-	-	1
46	Cancer of digestive organs, peritoneum	5,094	2	-	1	-	1	2	1	6	10	20	42	72	138	241	368	593	738	795	813	665	398	148	40	7	-	5
	White	2,728	1	-	1	-	1	2	-	2	7	11	19	36	65	127	209	332	427	450	426	326	185	75	22	5	-	1
	F.	2,196	1	-	-	-	-	-	1	2	3	9	17	29	65	96	137	234	285	330	366	319	210	72	17	2	-	1
	Nonwhite	122	-	-	-	-	-	-	-	2	-	-	3	5	8	10	17	19	19	13	15	8	2	1	-	-	-	-
	F.	48	-	-	-	-	-	-	-	-	-	-	3	2	2	8	5	8	7	2	6	2	1	0	1	-	-	1
48,49	Cancer of female genital organs	1,460	-	-	-	-	-	-	-	-	7	14	41	68	96	167	166	195	207	171	148	113	46	14	6	1	-	-
	White	1,408	-	-	-	-	-	-	-	-	6	12	33	63	91	160	163	189	198	170	144	112	46	14	6	1	-	-
	Nonwhite	52	-	-	-	-	-	-	-	-	1	2	8	5	5	7	3	6	9	1	4	1	-	-	-	-	-	-
50	Cancer of breast	1,223	-	-	-	-	-	-	-	-	-	9	17	52	88	111	138	162	157	151	125	99	73	35	6	2	-	-
	White	14	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	3	1	1	-	-	1	1	-	-	-
	F.	1,190	-	-	-	-	-	-	-	-	-	8	16	49	86	108	132	157	153	148	121	98	73	34	5	2	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	18	-	-	-	-	-	-	-	-	-	1	1	2	2	3	3	1	1	2	1	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	3,763	8	8	5	4	3	31	15	27	33	45	63	97	161	212	324	441	474	555	473	384	275	112	26	7	-	-
	White	2,672	2	4	2	3	1	20	9	19	25	27	38	59	105	144	236	315	345	398	352	279	194	76	16	3	-	-
	F.	984	5	4	2	1	2	11	5	7	6	18	23	31	47	53	83	115	109	145	109	81	79	34	10	4	-	-
	Nonwhite	76	1	-	-	-	-	-	1	1	1	-	1	4	5	9	4	8	15	10	8	4	2	2	-	-	-	-
	F.	31	-	-	1	-	-	-	-	-	1	-	1	3	4	6	1	3	5	2	4	-	-	-	-	-	-	-
58	Acute rheumatic fever	59	2	1	-	-	-	1	3	9	8	5	8	4	3	-	7	1	-	2	2	2	1	-	-	-	-	-
	White	25	1	-	-	-	-	-	2	5	3	2	2	1	2	-	3	1	-	-	1	1	1	-	-	-	-	-
	F.	27	-	1	-	-	-	1	1	2	4	3	5	2	1	-	3	-	-	2	1	1	-	-	-	-	-	-
	Nonwhite	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	5	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,890	-	-	-	-	-	5	10	11	19	17	20	22	43	62	101	172	272	335	352	256	129	48	13	1	-	2
	White	736	-	-	-	-	-	3	2	4	7	10	11	12	21	27	47	56	107	131	125	103	51	16	3	-	-	-
	F.	1,073	-	-	-	-	-	2	8	6	12	5	8	9	20	27	47	105	154	193	215	147	71	31	10	1	-	2
	Nonwhite	39	-	-	-	-	-	-	-	1	-	-	1	1	-	3	2	5	7	6	5	4	4	-	-	-	-	-
	F.	42	-	-	-	-	-	-	-	-	-	2	-	-	2	5	5	6	4	5	7	2	3	1	-	-	-	-
63b	Exophthalmic goiter	129	-	-	-	-	-	-	-	1	5	3	10	7	13	9	11	17	16	17	10	6	3	-	-	1	-	-
	White	20	-	-	-	-	-	-	-	-	1	-	-	3	3	-	3	3	3	-	2	2	-	-	-	-	-	-
	F.	102	-	-	-	-	-	-	-	-	2	1	9	4	10	9	8	14	12	17	8	4	3	-	-	1	-	-
	Nonwhite	4	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	15	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-	1	1	1	4	2	1	-	-	-
	White	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	1	1	1	-	-	-	-
	F.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	133	-	-	-	-	-	1	-	1	-	5	11	19	19	19	13	20	9	12	3	-	-	-	-	-	-	1
	White	104	-	-	-	-	-	1	-	-	-	3	8	13	13	15	11	18	8	11	2	-	-	-	-	-	-	1
	F.	24	-	-	-	-	-	-	-	-	-	2	3	6	5	3	1	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite	5	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	7,135	8	2	2	-	2	4	4	10	13	18	40	61	115	220	375	510	724	1,036	1,201	1,157	915	521	157	35	4	1
	White	3,257	3	1	1	-	2	1	3	5	7	8	18	24	36	89	166	259	360	518	565	519	388	187	67	11	1	-
	F.	3,658	4	1	1	-	-	3	1	5	3	5	19	32	64	112	180	227	335	484	599	625	516	330	89	21	2	-
	Nonwhite	112	1	-	-	-	-	-	-	-	2	2	-	1	7	5	9	11	19	13	18	7	8	4	1	3	-	1
	F.	128	-	-	-	-	-	-	-	-	1	3	3	4	8	14	20	13	10	21	21	6	3	-	-	-	1	-
90-95	Diseases of the heart	28,657	4	8	4	2	6	23	35	47	65	115	202	412	716	1225	1,843	2,572	3,290	3,889	4,186	4,107	3275	1814	627	138	26	8
	White	16,994	2	4	2	1	3	11	15	30	38	60	116	255	514	882	1,334	1,833	2,198	2,418	2,357	2,170	1607	807	270	52	10	5
	F.	10,854	2	3	2	1	2	11	16	14	24	45	69	122	161	279	423	639	996	1,371	1,757	1,881	1615	981	343	81	15	3
	Nonwhite	519	-	-	-	-	1	-	3	3	1	6	7	22	25	38	66	66	70	63	46	35	34	19	10	2	2	-
	F.	270	-	1	-	-	-	1	1	-	2	4	10	13	16	26	20	34	26	37	26	21	19	7	4	1	1	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	1,580	-	3	-	-	2	13	19	23	29	60	67	96	105	121	139	155	145	129	148	138	115	51	21	3	-	-
	White	796	-	2	-	-	1	6	7	12	17	35	39	48	56	65	78	86	72	56	88	65	41	14	9	1	-	-
	F.	730	-	1	-	-	1	6	9	10	11	20	24	44	44	49	54	62	66	72	59	75	72	37	12	2	-	-
	Nonwhite	30	-	-	-	-	-	-	3	1	-	2	3	2	2	4	4	5	3	1	-	-	-	-	-	-	-	-
	F.	24	-	-	-	-	-	1	-	-	1	3	1	2	3	3	3	2	4	-	1	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	9,103	1	-	-	-	-	-	-	4	9	14	46	142	327	549	795	1,122	1,286	1,427	1,287	1,045	644	313	66	18	4	4
	White	6,296	1	-	-	-	-	-	-	2	6	8	36	114	277	459	660	893	953	969	774	596	351	154	31	6	3	3
	F.	2,657	-	-	-	-	-	-	-	2	2	5	7	19	37	73	124	208	316	438	497	438	288	155	34	12	1	1
	Nonwhite	113	-	-	-	-	-	-	-	-	1	1	-	7	10	13	10	15	14	17	10	7	3	4	1	-	-	-
	F.	37	-	-	-	-	-	-	-	-	-	-	3	2	3	4	1	8	3	3	6	4	2	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	17,954	3	5	4	2	4	10	16	20	27	41	89	174	284	555	909	1,295	1,859	2,335	2,751	2,924	2518	1450	540	115	22	4
	White	9,902	1	2	2	1	2	5	8	16	15	17	41	93	181	358	596	854	1,173	1,393	1,495	1,511	1215	639	250	45	7	2
	F.	7,487	2	2	2	1	1	5	7	2	11	20	38	59	80	157	245	369	614	861	1,201	1,368	1255	789	297	67	12	2
	Nonwhite	376	-	-	-	-	1	-	-	2	-	3	4	13	13	21	52	46	53	45	36	28	31	15	9	2	2	-
	F.	209	-	1	-	-	-	-	1	-	1	1	6	9	10	19	16	26	19	54	19	17	17	7	4	1	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	4,660	744	114	36	22	18	46	31	52	51	65	95	160	190	218	251	262	320	325	368	433	434	277	111	32	5	-
	White	2,688	352	58	20	9	11	22	16	31	30	31	41	86	123	151	171	195	220	210	210	235	222	131	43	15	3	-
	M	1,739	333	48	14	9	7	21	12	19	17	24	39	48	43	45	66	56	90	99	139	191	197	141	63	16	2	-
	Nonwhite	196	43	6	-	1	-	2	2	-	4	6	10	15	19	11	12	5	9	9	13	6	12	5	5	1	-	-
	M	87	16	2	2	3	-	1	1	2	-	4	5	9	5	11	2	6	1	7	6	1	3	-	-	-	-	-
107	Bronchopneumonia	2,546	548	73	19	19	12	20	13	23	22	23	31	49	54	65	78	93	151	162	197	289	304	187	88	24	2	-
	White	1,365	261	40	11	7	8	8	8	16	15	11	11	21	32	48	46	64	100	99	109	155	164	92	36	12	1	-
	M	1,045	246	28	8	8	4	11	5	6	6	9	16	20	15	13	25	24	45	52	78	132	139	93	50	11	1	-
	Nonwhite	92	29	4	-	1	-	-	-	-	1	2	3	5	6	2	6	3	5	5	5	2	8	2	2	1	-	-
	M	44	12	1	-	3	-	1	-	1	-	1	1	3	1	2	1	2	1	6	5	-	3	-	-	-	-	-
108	Lobar pneumonia	1,475	123	23	6	2	1	14	13	22	23	30	46	85	108	116	137	132	124	118	118	95	72	52	11	3	1	-
	White	927	86	9	2	1	1	7	5	11	12	14	22	53	72	80	104	104	95	81	72	56	41	24	3	2	-	-
	M	428	57	12	4	1	-	6	5	11	8	10	16	18	21	19	26	23	26	33	37	34	29	25	5	1	1	-
	Nonwhite	88	9	1	-	-	-	1	2	-	3	4	5	10	11	8	6	2	3	3	8	4	2	3	3	-	-	-
	M	32	1	1	-	-	-	-	1	-	-	2	3	4	4	9	1	3	-	1	1	1	-	-	-	-	-	-
109	Pneumonia (unspecified)	147	24	4	3	-	2	2	1	2	3	6	3	13	10	16	10	11	7	4	7	6	8	1	2	1	1	-
	White	93	12	3	1	-	1	1	1	1	2	3	1	9	8	11	8	9	3	3	4	4	5	1	1	-	1	-
	M	50	10	1	1	-	1	1	-	1	1	3	1	4	2	5	2	2	4	1	3	2	3	-	1	1	-	-
	Nonwhite	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	492	49	14	8	1	3	10	4	5	3	6	15	13	18	21	26	26	38	41	46	43	50	37	10	4	1	-
	White	253	23	6	6	1	1	6	2	3	1	3	7	5	11	12	13	18	22	27	25	20	22	14	3	1	1	-
	M	216	20	7	1	-	2	3	2	1	2	2	6	6	5	8	13	7	15	13	21	23	26	23	7	3	-	-
	Nonwhite	14	4	1	-	-	-	1	-	-	-	-	1	-	2	1	-	-	1	1	-	-	2	-	-	-	-	-
	M	9	2	-	1	-	-	-	-	1	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	767	1	-	1	-	-	1	1	1	4	10	21	31	53	73	77	107	114	89	82	44	32	16	7	2	-	-
	White	606	-	-	1	-	-	1	-	1	-	5	17	24	44	61	66	85	89	75	64	38	20	10	4	1	-	-
	M	123	1	-	-	-	-	-	1	-	2	2	2	5	5	10	7	16	17	12	16	6	12	5	3	1	-	-
	Nonwhite	33	-	-	-	-	-	-	-	-	2	3	2	1	3	1	4	5	7	2	2	-	-	1	-	-	-	-
	M	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	607	455	30	7	4	5	7	1	1	3	5	6	9	6	4	9	4	7	8	12	9	3	8	3	1	-	-
	White	317	252	13	4	1	3	4	-	-	-	3	2	4	3	1	6	2	3	6	4	2	2	2	-	-	-	-
	M	245	167	16	3	2	2	3	1	1	2	1	4	4	2	3	2	2	4	1	7	7	1	6	3	1	-	-
	Nonwhite	22	17	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	M	23	19	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
121	Appendicitis	436	2	3	6	7	9	19	33	23	25	22	31	25	28	25	28	29	32	35	21	23	9	1	-	-	-	-
	White	250	-	2	5	3	6	6	19	14	14	11	16	16	15	13	16	19	25	18	14	16	2	-	-	-	-	-
	M	158	2	1	1	4	2	12	11	8	8	9	11	7	12	9	9	9	6	15	7	7	7	1	-	-	-	-
	Nonwhite	11	-	-	-	-	-	-	-	-	2	1	1	-	1	1	2	-	1	2	-	-	-	-	-	-	-	-
	M	17	-	-	-	-	1	1	3	1	1	1	3	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	773	31	6	6	1	2	4	4	5	7	12	27	25	37	47	58	71	81	89	73	86	58	31	10	1	1	-
	White	378	22	3	5	1	1	2	3	1	3	5	8	5	10	21	26	38	46	44	44	42	32	13	3	-	-	-
	M	359	8	3	-	-	-	1	1	2	4	7	17	18	24	21	29	30	33	40	28	43	24	17	7	1	1	-
	Nonwhite	20	-	-	1	-	-	1	-	2	-	-	-	-	1	1	3	2	2	1	3	1	-	1	1	-	-	-
	M	16	1	-	-	-	1	-	-	-	-	-	2	1	2	2	1	1	1	2	-	1	1	-	-	-	-	-
124	Cirrhosis of the liver	1,291	-	1	1	-	-	1	1	3	3	18	36	88	110	174	154	183	146	129	111	70	39	21	2	-	-	-
	White	801	-	1	1	-	-	-	-	2	1	5	18	41	70	101	101	116	104	91	77	45	18	9	-	-	-	-
	M	440	-	-	-	-	-	1	1	1	2	13	18	43	33	62	49	57	33	37	34	23	20	12	1	-	-	-
	Nonwhite	41	-	-	-	-	-	-	-	-	-	-	-	3	4	11	4	7	9	1	-	1	-	-	1	-	-	-
	M	9	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	3	-	-	-	1	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	447	1	-	-	-	-	-	-	2	3	1	6	8	25	40	38	48	58	58	47	53	31	24	3	-	1	-
	White	161	-	-	-	-	-	-	1	1	-	2	2	10	16	17	13	18	19	14	27	12	8	1	-	-	-	-
	M	273	-	-	-	-	-	-	-	1	2	1	4	4	15	22	21	34	37	37	32	25	19	16	2	-	1	-
	Nonwhite	7	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	1	-	-	-	-	-	-
	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	1	-	-	-	-	-	-	-
130-132	Nephritis	4,319	4	3	1	3	-	3	12	18	38	37	60	98	158	194	284	323	440	501	591	622	532	284	93	18	2	-
	White	2,179	3	1	-	1	-	2	7	9	18	14	31	39	91	101	166	178	248	269	291	286	260	125	36	3	-	-
	M	1,930	1	1	1	2	-	1	2	5	17	21	19	46	47	73	106	122	171	216	275	317	261	156	56	13	1	-
	Nonwhite	133	-	1	-	-	-	-	2	1	2	2	8	7	8	13	11	14	15	11	17	11	6	1	1	2	-	-
	M	77	-	-	-	-	-	-	1	3	1	-	2	6	12	7	1	9	6	5	8	8	5	2	-	-	1	-
137	Diseases of the prostate	458	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	19	35	53	91	101	94	48	9	-	1	-
	White	439	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	17	32	52	88	97	93	45	9	-	1	-
	Nonwhite	19	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	1	3	4	1	3	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																										
140-150	Diseases of pregnancy, etc.*..	304	-	-	-	-	-	-	-	25	67	67	66	60	17	1	1	-	-	-	-	-	-	-	-	-	-
	White.....F..	273	-	-	-	-	-	-	-	21	60	61	59	55	15	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	31	-	-	-	-	-	-	-	4	7	6	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	119	-	-	-	-	-	-	-	14	26	20	24	24	9	1	1	-	-	-	-	-	-	-	-	-	-
	White.....F..	106	-	-	-	-	-	-	-	12	22	19	21	21	9	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	13	-	-	-	-	-	-	-	2	4	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	52	-	-	-	-	-	-	-	4	14	13	10	9	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	47	-	-	-	-	-	-	-	3	13	12	9	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	5	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage,trauma and shock*.....	109	-	-	-	-	-	-	-	4	22	28	26	23	6	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	96	-	-	-	-	-	-	-	3	20	24	23	22	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	13	-	-	-	-	-	-	-	1	2	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	24	-	-	-	-	-	-	-	3	5	6	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	24	-	-	-	-	-	-	-	3	5	6	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	1,004	811	42	10	8	7	20	12	14	12	11	15	10	2	13	4	6	3	2	1	1	-	-	-	-	-
	White.....M..	547	446	16	3	4	5	12	7	10	8	6	9	6	-	5	3	2	3	1	1	-	-	-	-	-	-
	F..	412	328	21	7	3	2	7	5	4	4	4	6	4	2	8	1	4	-	1	-	1	-	-	-	-	-
	Nonwhite..M..	26	22	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	19	15	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	2,114	2,114	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	1,156	1,156	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	818	818	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	83	83	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	57	57	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	1,234	-	-	-	-	-	2	26	51	85	98	123	136	116	145	130	93	87	67	40	26	7	-	1	-	1
	White.....M..	852	-	-	-	-	-	-	17	31	51	53	77	85	86	104	91	65	70	57	33	24	7	-	-	-	1
	F..	331	-	-	-	-	-	2	7	15	28	35	40	48	27	36	33	26	16	9	7	2	-	-	-	-	-
	Nonwhite..M..	45	-	-	-	-	-	-	2	5	5	7	5	3	2	5	6	2	1	1	-	-	-	-	1	-	-
	F..	6	-	-	-	-	-	-	-	-	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	436	8	2	-	1	1	2	1	23	44	40	54	61	60	42	38	24	15	5	9	4	-	2	-	-	-
	White.....M..	221	7	1	-	-	-	1	-	11	16	17	20	30	31	25	24	15	10	4	8	1	-	-	-	-	-
	F..	95	1	-	-	1	1	1	1	7	8	7	15	12	13	11	5	5	2	-	1	2	-	2	-	-	-
	Nonwhite..M..	93	-	1	-	-	-	-	-	4	13	14	14	13	13	5	8	4	3	-	-	1	-	-	-	-	-
	F..	27	-	-	-	-	-	-	-	1	7	2	5	6	3	1	1	-	-	1	-	-	-	-	-	-	-
169-195	Accidental deaths	7,457	190	116	93	59	50	166	156	451	1041	584	400	410	400	372	386	412	371	334	363	328	351	241	70	19	5	89
	White.....M..	5,300	115	67	52	27	28	100	121	374	924	474	306	310	313	283	302	321	273	236	208	156	147	93	26	6	1	37
	F..	1,775	68	40	37	26	19	53	27	53	87	82	78	73	51	67	57	70	85	88	148	167	196	146	40	12	4	1
	Nonwhite..M..	321	4	7	3	5	2	7	6	22	24	22	16	20	32	22	24	17	11	9	5	3	5	-	3	1	-	51
	F..	61	3	2	1	1	1	6	2	2	6	6	-	7	4	-	3	4	2	1	2	2	3	2	1	-	-	-
170	Motor-vehicle accidents.....	2,613	8	24	32	24	23	68	57	203	275	223	214	182	172	174	164	200	163	135	131	79	39	12	6	-	-	5
	White.....M..	1,895	4	13	14	11	14	41	42	158	207	156	156	135	126	121	129	149	120	104	98	48	33	9	2	-	-	5
	F..	592	4	9	18	13	8	23	13	39	58	56	48	37	29	38	27	40	35	28	31	29	4	3	2	-	-	-
	Nonwhite..M..	113	-	2	-	-	1	3	2	5	6	11	10	9	16	15	8	10	6	2	2	1	2	-	2	-	-	-
	F..	13	-	-	-	-	-	1	-	1	4	-	1	1	1	-	-	1	2	1	-	1	-	-	-	-	-	-
169, 171-195	Other accidents..	4,844	182	92	61	35	27	98	99	248	766	361	186	228	228	198	222	212	208	199	232	249	312	229	64	19	5	84
	White.....M..	3,405	111	54	38	16	14	59	79	216	717	318	150	175	167	162	173	172	153	132	110	108	114	84	24	6	1	32
	F..	1,183	64	31	19	13	11	30	14	14	29	26	30	36	22	29	30	30	50	60	117	138	192	143	38	12	4	1
	Nonwhite..M..	208	4	5	3	5	1	4	4	17	18	11	6	11	16	7	16	7	5	7	3	2	3	-	1	1	-	51
	F..	48	3	2	1	1	1	5	2	1	2	6	-	6	3	-	3	3	-	-	2	1	3	2	1	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	552	14	7	2	-	1	1	1	-	3	2	4	10	16	7	11	16	16	25	47	72	112	105	53	19	4	4
	White.....M..	295	8	5	1	-	-	-	-	-	1	1	2	6	12	7	8	14	10	22	33	33	53	51	17	6	2	3
	F..	232	4	2	1	-	1	1	1	-	2	1	2	3	3	-	2	-	5	3	12	34	55	50	35	13	1	1
	Nonwhite..M..	17	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	4	3	4	-	-	1	-
	F..	8	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	1	-	1	-	-	-
	All other causes.	8,936	1,597	95	58	39	27	99	71	104	164	175	205	244	287	330	436	482	551	720	885	842	781	480	209	38	16	1
	White.....M..	4,741	934	64	35	22	17	54	43	61	79	79	80	101	131	161	237	293	319	416	515	441	356	208	79	13	3	-
	F..	3,821	583	28	21	14	9	39	21	34	72	76	101	127	131	151	179	168	205	281	346	390	417	268	125	24	11	-
	Nonwhite..M..	228	53	1	1	-	-	3	3	5	10	11	12	8	14	11	12	11	18	18	18	8	6	2	1	1	-	1
	F..	146	27	2	1	3	1	3	4	4	3	9	12	8	11	7	8	10	9	5	6	3	2	2	4	-	2	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO																										
	All causes	12,258	1,188	108	54	44	32	101	87	160	282	227	217	291	364	485	616	785	1,046	1,256	1,482	1,388	1,173	661	210	41	12	3
	White	7,004	647	59	32	21	18	62	67	102	196	130	102	157	208	260	376	473	631	736	858	765	643	335	100	16	7	3
	M.	4,888	516	45	22	23	14	34	18	51	72	81	98	120	141	157	217	273	381	476	585	596	518	314	108	24	4	-
	F.	230	13	4	-	-	-	4	2	5	10	11	9	10	8	11	16	21	28	25	25	16	5	5	1	1	-	-
	Nonwhite	136	7	-	-	-	-	1	-	2	4	5	8	4	7	7	7	18	6	19	14	11	7	7	1	-	1	-
	M.																											
	F.																											
1,2	Typhoid and paratyphoid fever	5	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	White	5	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	24	1	3	1	-	2	3	2	2	-	4	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-
	White	17	-	2	1	-	2	1	2	2	-	2	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	M.	5	1	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
8	Scarlet fever	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
9	Whooping cough	27	16	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	13	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	11	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
10	Diphtheria	21	-	1	2	5	3	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	10	-	1	1	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	11	-	-	1	2	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
13-22	Tuberculosis (all forms)	419	9	4	1	2	2	2	3	4	18	36	37	49	45	44	35	28	32	29	28	9	5	-	2	-	-	-
	White	245	5	3	1	-	1	1	1	1	11	15	17	22	30	29	26	18	23	20	14	5	2	-	1	-	-	-
	M.	147	4	1	-	2	1	-	2	3	5	18	17	24	13	11	5	9	8	8	9	4	2	-	1	-	-	-
	F.	19	-	-	-	-	-	1	-	-	1	1	1	3	2	4	4	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite	7	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
13	Tuberculosis of respiratory system, etc.*	389	3	2	-	2	-	1	3	4	17	35	35	46	41	43	33	28	30	28	22	9	5	-	2	-	-	-
	White	225	2	1	-	-	-	-	1	1	10	14	17	20	27	28	25	18	21	19	13	5	2	-	1	-	-	-
	M.	139	1	1	-	2	-	-	2	3	5	18	15	23	12	11	5	9	8	8	9	4	2	-	1	-	-	-
	F.	18	-	-	-	-	-	1	-	-	1	1	1	3	2	4	3	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite	7	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
14-22	Tuberculosis (other forms)	30	6	2	1	-	2	1	-	-	1	1	2	3	4	1	2	-	2	1	1	-	-	-	-	-	-	-
	White	21	3	2	1	-	1	1	-	-	1	1	-	2	3	1	1	-	2	1	1	-	-	-	-	-	-	-
	M.	8	3	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
27	Dysentery	12	8	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White	6	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	6	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
28	Malaria	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
30	Syphilis	95	8	-	-	-	-	-	-	-	-	3	1	2	5	10	10	13	12	10	14	3	4	-	-	-	-	-
	White	66	3	-	-	-	-	-	-	-	-	2	1	2	4	4	7	9	10	8	10	3	3	-	-	-	-	-
	M.	21	5	-	-	-	-	-	-	-	-	-	-	-	1	4	3	3	1	-	3	-	1	-	-	-	-	-
	F.	7	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
35	Measles	26	12	5	1	2	1	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White	12	7	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	M.	14	5	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
36	Poliomyelitis, polioencephalitis (acute)	11	2	-	1	-	-	-	2	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White	8	2	-	-	-	-	-	2	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	M.	3	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Con.																										
45-55	Cancer and other malignant tumors	1,448	-	-	-	-	1	2	1	3	6	10	12	31	50	55	121	170	184	216	237	170	115	51	11	2	-	-
	White	706	-	-	-	-	-	1	-	1	6	4	6	10	12	18	49	86	97	102	126	99	64	20	4	1	-	-
	F.	700	-	-	-	-	1	1	1	2	-	6	6	21	35	35	68	75	83	104	108	70	49	29	7	1	-	-
	Nonwhite	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	6	4	6	2	1	1	1	-	-	-	-
	F.	15	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	3	-	4	1	-	1	1	-	-	-	-
46	Cancer of digestive organs, peritoneum	668	-	-	-	-	-	-	-	-	1	1	7	6	12	20	44	81	78	120	126	86	53	23	6	2	-	-
	White	360	-	-	-	-	-	-	-	-	1	-	5	3	1	7	26	50	49	58	68	53	31	6	1	1	-	-
	F.	283	-	-	-	-	-	-	-	-	-	1	2	3	9	12	15	26	25	59	56	33	20	16	5	1	-	-
	Nonwhite	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	3	1	-	1	-	-	-	-	-
	F.	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	1	1	-	-	-	-
48,49	Cancer of female genital organs	167	-	-	-	-	-	-	-	1	-	5	3	10	13	15	20	21	18	22	18	8	11	1	1	-	-	-
	White	162	-	-	-	-	-	-	-	1	-	5	3	10	13	14	19	19	18	21	18	8	11	1	1	-	-	-
	Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-
50	Cancer of breast	124	-	-	-	-	-	-	-	-	-	-	-	5	11	8	12	12	26	15	13	7	5	9	1	-	-	-
	White	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-
	F.	119	-	-	-	-	-	-	-	-	-	-	-	5	10	8	12	12	24	14	13	7	5	8	1	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	491	-	-	-	-	1	2	1	2	5	4	2	10	14	12	45	56	62	59	80	69	46	18	3	-	-	-
	White	343	-	-	-	-	-	1	-	1	5	4	1	7	11	11	23	36	46	44	58	46	33	13	3	-	-	-
	F.	136	-	-	-	-	1	1	1	1	-	-	1	3	3	1	20	18	16	10	21	22	13	4	-	-	-	-
	Nonwhite	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	1	1	-	1	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	25	1	-	1	1	-	2	2	5	4	-	2	-	-	2	2	-	2	-	1	-	-	-	-	-	-	-
	White	10	-	-	-	-	-	1	2	3	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-
	F.	14	1	-	1	1	-	1	-	2	3	-	2	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	220	-	-	1	-	-	-	1	3	5	-	3	3	1	5	13	12	39	41	39	30	15	8	1	-	-	-
	White	92	-	-	1	-	-	-	-	3	3	-	-	2	1	1	3	5	17	14	14	16	9	3	-	-	-	-
	F.	124	-	-	-	-	-	-	1	-	2	-	3	1	-	4	10	5	22	26	24	14	6	5	1	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter	28	-	-	-	-	-	-	-	-	1	1	-	-	1	5	2	4	6	2	4	2	-	-	-	-	-	-
	White	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	-	-	-	-	-	-	-	-
	F.	21	-	-	-	-	-	-	-	-	1	1	-	-	1	3	2	2	5	2	2	2	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	23	-	-	-	-	-	-	-	-	1	1	1	2	1	2	2	3	5	2	-	1	-	1	-	-	-	1
	White	20	-	-	-	-	-	-	-	-	1	1	1	2	1	2	2	1	4	2	-	1	-	1	-	-	-	1
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,002	3	1	-	-	-	1	-	1	1	5	7	7	16	26	40	61	94	142	167	218	126	63	19	1	3	-
	White	515	2	1	-	-	-	1	-	1	1	3	1	5	10	15	19	30	49	72	84	111	67	32	11	-	-	-
	F.	445	-	-	-	-	-	-	-	-	-	2	6	1	5	10	18	29	40	65	77	99	55	30	7	1	2	-
	Nonwhite	19	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	2	3	5	1	-	1	-	-	-
	F.	23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	5	3	3	3	1	-	-	1	-
90-95	Diseases of the heart	3,187	3	1	2	-	1	8	11	7	16	21	13	43	66	103	156	240	335	445	522	485	386	246	64	8	3	2
	White	1,936	2	1	1	-	-	6	6	3	6	8	6	30	40	64	111	155	222	295	328	272	215	121	36	4	2	2
	F.	1,174	1	-	1	-	1	2	5	4	10	11	5	11	22	35	40	74	103	141	179	206	170	120	28	4	1	-
	Nonwhite	40	-	-	-	-	-	-	-	-	-	1	1	-	3	2	4	4	7	3	8	4	1	2	-	-	-	-
	F.	37	-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	7	3	6	7	3	-	3	-	-	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	242	-	-	-	-	1	6	10	4	5	9	5	14	16	15	14	25	16	16	34	32	10	6	3	-	1	-
	White	114	-	-	-	-	-	4	6	2	3	3	2	5	8	4	8	13	11	8	19	11	3	3	1	-	-	-
	F.	122	-	-	-	-	1	2	4	2	2	5	3	8	8	11	6	12	4	7	14	20	7	3	2	-	1	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,040	1	-	-	-	-	-	-	-	2	4	1	16	24	53	76	104	141	181	171	117	88	46	12	1	-	2
	White	734	1	-	-	-	-	-	-	-	-	2	-	14	18	42	66	76	108	127	121	77	53	22	5	-	-	2
	F.	285	-	-	-	-	-	-	-	-	2	2	-	1	5	10	10	24	32	48	46	39	35	23	7	1	-	-
	Nonwhite	14	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	1	3	3	-	-	1	-	-	-	-
	F.	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	1	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	1,905	2	1	2	-	-	2	1	3	9	8	7	13	26	35	66	111	178	248	317	336	288	194	49	7	2	-
	White	1,088	1	1	1	-	-	2	-	1	3	3	4	11	14	18	37	66	103	160	188	184	159	96	30	4	2	-
	F.	767	1	-	1	-	-	-	1	2	6	4	2	2	9	14	24	38	67	86	119	147	128	94	19	3	-	-
	Nonwhite	25	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	4	1	5	-	5	4	1	1	-	-	-	-
	F.	25	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	6	3	2	5	1	-	3	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	951	226	33	15	6	4	8	6	11	9	11	13	19	24	23	32	34	48	62	85	92	95	60	24	10	1	-
	White	535	124	18	7	1	1	5	6	6	5	4	8	10	17	19	20	25	26	40	49	44	56	29	12	2	1	-
	F.	384	101	15	8	5	3	2	-	4	4	6	5	8	7	4	11	7	22	18	33	45	38	29	12	7	-	-
	Nonwhite	17	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	2	-	3	3	2	1	1	-	1	-	-
	F.	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-
107	Bronchopneumonia	414	137	15	5	2	2	3	1	4	4	3	4	4	5	8	9	13	14	15	35	36	41	31	17	5	1	-
	White	231	74	9	2	1	1	2	1	2	3	2	3	3	1	8	5	8	7	12	21	18	22	15	8	2	1	-
	F.	175	62	6	3	1	1	1	-	2	1	1	1	1	4	-	3	4	7	3	11	17	19	15	9	3	-	-
	Nonwhite	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	1	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	315	44	7	2	-	1	1	2	4	1	6	7	13	11	12	17	20	18	35	34	31	29	16	2	2	-	-
	White	198	28	3	1	-	-	-	2	4	1	1	4	6	11	8	13	16	10	22	23	14	19	10	2	-	-	-
	F.	107	16	4	1	-	1	-	-	-	-	4	3	6	-	4	4	3	8	9	11	16	10	6	-	1	-	-
	Nonwhite	9	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	3	-	1	-	-	-	1	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	64	25	2	-	1	-	-	1	-	1	1	1	-	4	-	1	-	6	2	1	7	6	2	2	1	-	-
	White	32	13	2	-	-	-	-	1	-	-	1	-	-	2	-	-	-	4	-	1	4	3	1	-	-	-	-
	F.	32	12	-	-	1	-	-	-	-	1	-	1	-	2	-	1	-	2	2	-	3	3	1	2	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	158	20	9	8	3	1	4	2	3	3	1	1	2	4	3	5	1	10	10	15	18	19	11	3	2	-	-
	White	74	9	4	4	-	-	3	2	-	1	-	1	1	3	3	2	1	5	6	4	8	12	3	2	-	-	-
	F.	80	11	5	4	3	1	1	-	2	2	1	-	1	1	-	3	-	5	4	11	9	6	7	1	2	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	88	-	-					-	1	-	1	3	2	8	11	14	12	5	12	10	3	4	2	-	-	-	-
	White	69	-	-					-	1	-	-	1	2	6	9	13	10	4	9	8	3	2	1	-	-	-	-
	F.	17	-	-					-	-	-	1	2	-	1	2	1	2	1	2	2	-	2	1	-	-	-	-
	Nonwhite	2	-	-					-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	-	-	-					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	152	114	8	4	4	1	-	-	-	1	1	1	2	1	-	1	2	3	2	3	1	1	2	-	-	-	-
	White	79	60	4	3	3	-	-	-	-	1	1	-	-	1	-	1	-	1	1	1	1	-	1	-	-	-	-
	F.	69	52	3	1	1	-	-	-	-	-	-	1	1	-	-	-	2	2	1	2	-	1	1	-	-	-	-
	Nonwhite	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	80	-	-	-	-	2	6	3	11	7	3	4	2	9	3	8	7	3	3	2	1	1	-	-	-	-	-
	White	48	-	-	-	-	2	4	2	4	4	1	3	2	6	2	5	4	5	3	-	1	-	-	-	-	-	-
	F.	29	-	-	-	-	-	2	1	7	3	2	1	-	2	1	3	2	2	-	2	-	1	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	110	6	1	-	-	-	-	-	-	2	-	4	4	4	3	10	9	13	16	13	10	10	4	-	1	-	-
	White	56	4	1	-	-	-	-	-	-	1	-	1	-	1	2	4	2	9	8	9	6	5	2	-	1	-	-
	F.	51	2	-	-	-	-	-	-	-	-	-	3	3	3	1	6	6	4	8	4	4	5	2	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	93	-	-	-	-	-	-	1	-	-	-	3	3	4	8	5	7	11	13	17	9	10	2	-	-	-	-
	White	64	-	-	-	-	-	-	1	-	-	-	3	1	2	5	4	5	9	7	12	7	6	2	-	-	-	-
	F.	28	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	2	2	5	5	2	4	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	60	-	-	-	1	-	-	-	-	-	-	2	1	1	3	10	10	9	7	5	5	2	4	-	-	-	-
	White	22	-	-	-	1	-	-	-	-	-	-	1	-	-	1	4	3	2	1	3	2	1	3	-	-	-	-
	F.	35	-	-	-	-	-	-	-	-	-	-	1	1	1	2	5	7	7	4	2	3	1	1	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	786	-	-	2	1	-	1	3	7	6	4	9	18	15	32	27	39	67	85	142	111	139	57	16	3	2	-
	White	405	-	-	1	1	-	-	3	4	1	-	5	9	6	19	12	19	34	42	72	62	73	28	10	2	2	-
	F.	361	-	-	1	-	-	1	-	3	5	4	3	9	9	10	14	18	29	42	66	46	66	28	6	1	-	-
	Nonwhite	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	1	3	2	-	1	-	-	-	-	-
	F.	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-
137	Diseases of the prostate	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	8	13	17	14	6	3	-	-	-
	White	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	8	13	17	14	6	3	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Con.																										
140-150	Diseases of pregnancy, etc.*...	59	-	-	-	-	-	-	-	3	7	13	18	12	6	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	52	-	-	-	-	-	-	-	3	6	11	16	10	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	7	-	-	-	-	-	-	-	-	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	34	-	-	-	-	-	-	-	1	6	8	10	7	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	30	-	-	-	-	-	-	-	1	6	7	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	5	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	4	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	18	-	-	-	-	-	-	-	-	-	2	7	5	4	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	17	-	-	-	-	-	-	-	-	-	2	7	4	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	171	154	3	1	-	1	1	1	2	1	-	-	2	-	-	1	-	1	-	1	1	-	1	-	-	-
	White.....M..	91	77	3	1	-	1	1	-	2	-	-	-	2	-	-	1	-	-	-	1	1	-	1	-	-	-
	F..	76	74	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	317	317	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	183	183	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	130	130	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	111	-	-	-	-	-	-	2	3	8	5	7	10	17	8	9	9	14	5	3	5	6	-	-	-	-
	White.....M..	83	-	-	-	-	-	-	2	1	4	5	3	8	13	6	7	8	10	5	2	4	5	-	-	-	-
	F..	26	-	-	-	-	-	-	-	1	4	-	4	2	4	2	2	1	3	-	1	1	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	39	2	-	-	-	1	-	1	-	3	7	5	3	5	2	2	2	2	1	1	-	2	-	-	-	-
	White.....M..	27	1	-	-	-	1	-	1	-	1	4	1	3	4	2	1	2	2	1	1	-	2	-	-	-	-
	F..	6	1	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,056	31	22	15	16	9	40	29	74	155	73	40	30	38	40	50	42	48	42	53	71	64	51	19	3	1	-
	White.....M..	736	17	13	9	9	6	25	26	58	135	65	29	23	28	33	46	36	37	30	32	23	26	25	3	1	1	-
	F..	291	13	8	6	7	3	14	3	12	16	5	6	5	8	7	3	5	10	12	21	47	36	26	16	2	-	-
	Nonwhite..M..	23	-	1	-	-	-	1	-	4	4	3	5	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	-	-	-	-	-
170	Motor-vehicle accidents.....	228	2	3	-	3	3	8	4	26	31	16	12	10	12	9	15	13	17	13	11	11	5	3	1	-	-	-
	White.....M..	173	1	2	-	3	1	7	4	18	19	14	8	8	9	7	13	13	16	9	8	4	5	3	1	-	-	-
	F..	52	1	1	-	-	2	1	-	8	11	1	4	1	3	2	2	-	1	4	3	7	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	828	29	19	15	13	6	32	25	48	124	57	28	20	26	31	35	29	31	29	42	60	59	48	18	3	1	-
	White.....M..	563	16	11	9	6	5	18	22	40	116	51	21	15	19	26	33	23	21	21	24	19	21	22	2	1	1	-
	F..	239	12	7	6	7	1	13	3	4	5	4	2	4	5	5	1	5	9	8	18	40	36	26	16	2	-	-
	Nonwhite..M..	20	-	1	-	-	-	1	-	4	3	2	5	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	251	7	1	-	-	-	2	-	1	1	-	1	1	1	1	4	3	6	16	25	38	60	46	28	7	2	-
	White.....M..	148	4	1	-	-	-	1	-	-	-	-	1	1	1	1	1	2	5	13	14	21	40	28	12	1	1	-
	F..	90	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	9	15	19	17	15	6	1	-
	Nonwhite..M..	7	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-
	All other causes.	1,288	263	15	6	4	4	16	15	18	28	26	29	44	44	47	59	75	93	95	101	106	114	57	23	6	-	-
	White.....M..	721	143	6	5	3	2	9	12	10	14	15	13	22	24	24	37	48	56	53	62	66	53	32	8	4	-	-
	F..	532	113	9	1	1	2	6	1	8	12	11	15	21	19	22	22	22	32	39	35	38	61	25	15	2	-	-
	Nonwhite..M..	24	4	-	-	-	-	-	2	-	-	-	-	1	-	-	-	4	5	3	3	2	-	-	-	-	-	-
	F..	11	3	-	-	-	-	1	-	-	2	-	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21 —DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT																										
	All causes	18,919	1054	81	41	38	24	105	91	158	210	262	320	438	572	905	1,361	1,670	1,938	2,211	2,347	2,172	1628	896	308	63	10	16
	White M	9,849	549	40	25	18	12	54	54	93	95	117	153	213	305	519	801	1,024	1,166	1,223	1,131	1,052	709	364	118	20	4	10
	White F	8,504	456	34	15	16	9	48	30	57	95	123	140	181	223	337	505	608	724	941	1,174	1,114	906	528	188	41	6	5
	Nonwhite M	322	3	1	3	2	2	4	4	12	9	18	30	30	34	33	19	27	29	19	12	8	1	-	-	-	-
	Nonwhite F	244	27	4	-	1	1	1	3	4	8	13	9	14	14	15	22	19	21	18	23	14	5	3	2	2	-	1
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	56	4	3	1	1	1	4	5	4	3	5	3	5	2	2	3	2	3	3	1	-	1	-	-	-	-	-
	White M	28	2	1	-	-	1	3	1	1	-	2	2	2	1	2	3	2	2	1	1	-	1	-	-	-	-	-
	White F	22	2	2	1	-	-	1	3	3	3	2	1	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite M	3	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	3	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	14	11	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	9	7	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms)	661	2	6	2	3	1	4	3	18	48	60	51	53	48	51	84	65	47	57	30	20	5	3	-	-	-	-
	White M	398	1	3	2	-	-	2	-	8	15	18	20	25	29	31	55	59	40	42	17	17	3	3	-	-	-	-
	White F	181	1	3	-	2	-	1	-	7	19	34	25	16	11	8	15	4	7	13	11	2	2	-	-	-	-	-
	Nonwhite M	52	-	-	-	1	1	1	1	2	8	2	3	10	6	10	2	2	-	1	2	-	-	-	-	-	-	-
	Nonwhite F	30	-	-	-	-	-	-	2	3	6	6	3	2	2	2	2	-	-	1	-	1	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	616	-	5	2	2	-	2	3	16	43	59	46	49	45	49	78	63	46	53	28	19	5	3	-	-	-	-
	White M	378	-	3	2	-	-	1	-	6	13	17	19	24	26	29	62	57	39	40	17	17	3	3	-	-	-	-
	White F	167	-	2	-	1	-	1	-	8	18	34	24	14	11	8	12	4	7	12	10	1	2	-	-	-	-	-
	Nonwhite M	45	-	-	-	1	-	-	1	1	7	2	2	9	6	10	2	2	-	1	1	-	-	-	-	-	-	-
	Nonwhite F	26	-	-	-	-	-	-	2	3	5	6	1	2	2	2	2	-	-	-	-	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	45	2	1	-	1	1	2	-	2	5	1	5	4	3	2	6	2	1	4	2	1	-	-	-	-	-	-
	White M	20	1	-	-	-	-	1	-	-	2	1	1	1	3	2	3	2	1	2	-	-	-	-	-	-	-	-
	White F	14	1	1	-	1	-	-	-	1	1	-	1	2	-	-	3	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite M	7	-	-	-	-	1	1	-	1	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite F	4	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Syphilis	149	1	-	-	-	-	-	-	1	-	1	5	11	15	20	20	15	18	13	15	11	3	-	-	-	-	-
	White M	93	-	-	-	-	-	-	-	1	-	-	2	3	6	10	14	12	14	11	10	9	1	-	-	-	-	-
	White F	23	1	-	-	-	-	-	-	-	-	-	1	2	1	3	2	3	1	2	3	2	2	-	-	-	-	-
	Nonwhite M	28	-	-	-	-	-	-	-	-	-	1	2	4	8	6	2	-	3	-	2	-	-	-	-	-	-	-
	Nonwhite F	5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-
55	Measles	4	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	3	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	Poliomyelitis, polioencephalitis (acute)	10	-	-	-	1	-	1	-	4	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	6	-	-	-	-	-	1	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	4	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Con.																										
45-55	Cancer and other malignant tumors	2,940	2	2	1	1	-	2	3	3	11	24	24	60	102	179	278	349	423	444	404	304	215	83	20	4	-	2
	White M.	1,398	2	2	1	-	-	2	3	-	4	10	8	23	39	77	117	170	224	231	197	155	89	34	7	1	-	2
	F.	1,490	-	-	-	1	-	-	-	3	7	13	16	37	59	95	156	174	190	202	204	148	121	48	13	3	-	-
	Nonwhite M.	26	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	1	4	9	-	1	2	1	-	-	-	-	-
	F.	26	-	-	-	-	-	-	-	-	-	1	-	-	3	3	2	4	5	2	3	-	3	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,415	-	1	-	-	-	-	-	-	3	8	5	25	32	79	125	159	202	234	229	156	111	34	11	1	-	-
	White M.	742	-	1	-	-	-	-	-	-	2	3	2	14	18	43	59	101	119	127	122	74	44	9	4	-	-	-
	F.	650	-	-	-	-	-	-	-	-	1	5	3	11	13	35	64	55	78	102	106	81	64	24	7	1	-	-
	Nonwhite M.	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	4	-	1	1	1	-	-	-	-
	F.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	2	-	-	-	-	-
48,49	Cancer of female genital organs	331	-	-	-	-	-	-	-	1	-	4	3	12	16	32	32	42	46	47	40	29	18	8	-	1	-	-
	White F.	319	-	-	-	-	-	-	-	1	-	3	3	12	15	29	30	40	45	47	39	29	17	8	-	1	-	-
	Nonwhite F.	12	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	2	1	-	1	-	1	-	-	-	-	-
50	Cancer of breast	310	-	-	-	-	-	-	-	-	-	2	8	9	20	21	34	56	40	24	35	30	18	8	4	1	-	-
	White M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F.	304	-	-	-	-	-	-	-	-	-	2	8	9	18	21	34	56	40	23	34	28	18	8	4	1	-	-
	Nonwhite M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	884	2	1	1	1	-	2	3	2	8	10	8	14	34	47	87	92	135	139	100	89	68	33	5	1	-	2
	White M.	654	2	1	1	-	-	2	3	-	2	7	6	9	21	34	58	69	105	104	75	79	45	25	3	1	-	2
	F.	217	-	-	-	1	-	-	-	2	6	3	2	5	13	10	28	23	27	30	25	10	22	8	2	-	-	-
	Nonwhite M.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	5	-	-	1	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	13	-	-	-	-	-	-	1	2	-	1	2	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	White M.	5	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	7	-	-	-	-	-	-	1	1	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite M.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	628	-	1	-	-	-	-	2	1	7	5	4	2	5	20	50	77	73	129	109	89	37	12	5	-	-	-
	White M.	221	-	-	-	-	-	-	2	-	2	2	2	-	4	9	20	27	24	43	32	34	10	6	4	-	-	-
	F.	394	-	1	-	-	-	-	-	1	5	2	2	1	1	11	27	48	47	85	75	54	27	6	1	-	-	-
	Nonwhite M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F.	11	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	2	1	-	2	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter	28	-	-	-	-	-	-	-	-	-	2	-	1	3	2	3	5	5	2	3	2	-	-	-	-	-	-
	White M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	26	-	-	-	-	-	-	-	-	-	2	-	1	3	2	3	5	4	2	2	2	-	-	-	-	-	-	-
	Nonwhite M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	White M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	39	-	-	-	-	-	-	-	-	-	1	3	5	6	8	9	3	1	1	2	-	-	-	-	-	-	-	-
	White M.	30	-	-	-	-	-	-	-	-	-	1	3	4	3	6	6	3	1	1	2	-	-	-	-	-	-	-	-
	F.	8	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,558	1	-	-	-	-	-	-	3	5	5	5	10	20	46	82	115	166	232	247	296	193	95	25	10	-	2
	White M.	673	1	-	-	-	-	-	-	1	2	2	2	4	4	20	44	55	72	117	110	123	69	34	11	1	-	1
	F.	858	-	-	-	-	-	-	-	2	2	3	3	6	14	24	33	58	90	110	136	170	122	61	14	9	-	1
	Nonwhite M.	16	-	-	-	-	-	-	-	-	1	-	-	-	2	1	4	1	2	1	1	2	1	-	-	-	-	-
	F.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	-	1	1	-	-	-	-	-
90-95	Diseases of the heart	6,350	1	-	1	-	1	1	7	10	15	22	54	102	129	259	452	577	710	846	983	924	701	404	118	24	3	6
	White M.	3,488	1	-	1	-	1	1	6	6	8	15	27	60	83	183	292	409	460	499	474	432	306	171	42	6	2	3
	F.	2,722	-	-	-	-	-	-	-	4	7	7	24	30	42	64	140	157	235	329	485	479	390	233	76	17	1	2
	Nonwhite M.	80	-	-	-	-	-	-	1	-	-	-	3	10	2	7	13	4	7	11	11	7	4	-	-	-	-	-
	F.	60	-	-	-	-	-	-	-	-	-	-	-	2	2	5	7	7	8	7	13	6	1	-	-	1	-	1
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	343	-	-	1	-	-	1	6	7	8	13	19	25	31	34	25	33	29	15	30	38	19	5	4	-	-	-
	White M.	183	-	-	1	-	-	1	5	3	5	9	7	12	15	21	16	21	19	10	8	18	9	1	2	-	-	-
	F.	152	-	-	-	-	-	-	-	4	3	4	11	11	15	12	8	11	10	5	22	20	10	4	2	-	-	-
	Nonwhite M.	6	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,940	-	-	-	-	-	-	-	-	2	3	11	41	58	129	193	248	277	302	283	212	109	57	12	1	-	2
	White M.	1,333	-	-	-	-	-	-	-	-	1	2	5	33	45	104	150	196	214	211	163	117	52	33	6	-	-	1
	F.	574	-	-	-	-	-	-	-	-	1	1	5	5	10	23	37	47	62	88	114	92	57	24	6	1	-	1
	Nonwhite M.	22	-	-	-	-	-	-	-	-	-	-	1	3	1	1	5	3	-	2	3	3	-	-	-	-	-	-
	F.	11	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	1	3	-	-	-	-	-	-	-
90b,91, 92a,d,e, 95a,b,d, e,95a,c	Diseases of heart (other forms)	4,067	1	-	-	-	1	-	1	3	5	6	24	36	40	96	234	296	404	529	670	674	573	342	102	23	3	4
	White M.	1,972	1	-	-	-	1	-	1	3	2	4	15	15	23	58	126	192	227	278	303	297	245	137	34	6	2	2
	F.	1,996	-	-	-	-	-	-	-	-	3	2	8	14	17	29	95	99	163	236	349	367	323	205	68	16	1	1
	Nonwhite M.	52	-	-	-	-	-	-	-	-	-	-	1	6	-	5	7	1	7	9	8	4	4	-	-	-	-	-
	F.	47	-	-	-	-	-	-	-	-	-	-	-	1	-	4	6	4	7	6	10	6	1	-	-	1	-	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	781	89	13	2	-	-	-	1	11	7	5	15	16	25	21	44	43	68	69	104	76	71	67	30	4	-	-
	White	430	41	7	2	-	-	-	-	7	2	3	8	11	20	15	30	30	45	41	56	40	34	24	11	3	-	-
	M	333	44	4	-	-	-	-	1	4	5	1	6	5	4	6	13	11	19	26	48	36	37	43	19	1	-	-
	Nonwhite	11	1	1	-	-	-	-	-	-	-	1	-	-	1	-	1	1	3	2	-	-	-	-	-	-	-	-
	M	7	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F																											
107	Bronchopneumonia	294	46	9	-	-	-	-	-	2	2	-	6	3	5	4	6	9	15	28	34	31	36	37	19	2	-	-
	White	152	22	4	-	-	-	-	-	2	-	-	4	2	4	4	6	4	13	14	16	17	17	14	8	-	-	-
	M	136	22	3	-	-	-	-	-	-	2	-	2	1	1	-	-	5	2	12	18	14	19	23	11	1	-	-
	Nonwhite	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F																											
108	Lobar pneumonia	348	15	-	1	-	-	-	1	3	4	2	5	8	17	14	32	29	39	35	59	31	24	22	7	-	-	-
	White	204	6	-	1	-	-	-	-	1	1	2	3	6	13	10	20	24	26	23	32	13	14	7	2	-	-	-
	M	137	9	-	-	-	-	-	1	2	3	-	1	2	3	4	11	3	11	12	27	18	10	15	5	-	-	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F																											
109	Pneumonia (unspecified)	66	18	2	-	-	-	-	-	3	-	2	2	3	1	2	2	3	7	3	8	4	3	2	1	-	-	-
	White	37	8	2	-	-	-	-	-	2	-	1	-	2	1	-	1	2	3	2	7	3	-	2	1	-	-	-
	M	26	9	-	-	-	-	-	-	1	-	-	2	1	-	2	1	1	3	1	1	1	3	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F																											
33	Influenza	73	10	2	1	-	-	-	-	3	1	1	2	2	2	1	4	2	7	3	3	10	8	6	3	2	-	-
	White	37	5	1	1	-	-	-	-	2	1	-	1	1	2	1	3	-	3	2	1	7	3	1	-	2	-	-
	M	34	4	1	-	-	-	-	-	1	-	1	1	1	4	-	1	2	3	1	2	3	5	5	3	-	-	-
	Nonwhite	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F																											
117	Ulcer of stomach or duodenum	145	-	-	-	1	-	-	-	-	-	1	3	3	8	14	22	17	22	16	17	13	6	-	1	-	-	1
	White	128	-	-	-	1	-	-	-	-	-	1	3	2	8	12	19	17	19	14	12	13	6	-	-	-	-	1
	M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	1	5	-	-	-	1	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F																											
119,120	Diarrhea, enteritis, etc.*	68	37	7	-	1	-	-	1	1	2	2	1	3	3	3	1	1	1	2	-	2	-	-	-	-	-	-
	White	38	21	3	-	-	-	-	-	-	-	2	-	1	2	3	1	1	1	1	-	2	-	-	-	-	-	-
	M	25	12	3	-	1	-	-	1	1	2	-	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F																											
121	Appendicitis	100	-	-	4	3	-	3	5	4	3	1	5	3	8	10	5	15	8	6	5	6	5	1	-	-	-	-
	White	59	-	-	3	1	-	2	3	2	2	-	1	1	5	7	2	13	5	1	4	3	3	1	-	-	-	-
	M	39	-	-	1	2	-	1	2	2	-	1	4	2	3	3	3	2	2	5	1	3	2	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F																											
122	Hernia, intestinal obstruction	163	4	1	1	-	1	-	2	-	2	3	5	7	9	5	9	20	16	16	20	22	12	8	-	-	-	-
	White	90	4	1	-	-	-	-	-	-	1	1	2	6	5	4	6	10	13	6	9	9	9	4	-	-	-	-
	M	68	-	-	1	-	1	-	2	-	1	1	2	-	3	1	3	9	3	10	11	13	3	4	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F																											
124	Cirrhosis of the liver	202	-	-	-	-	-	1	-	1	2	1	5	8	12	25	31	23	34	29	15	8	5	2	-	-	-	-
	White	121	-	-	-	-	-	-	-	-	1	1	2	4	6	17	21	15	22	21	6	4	1	-	-	-	-	-
	M	75	-	-	-	-	-	1	-	1	1	-	2	4	5	7	9	7	11	8	9	4	4	2	-	-	-	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F																											
126,127	Biliary calculi, etc.*	98	-	-	-	-	-	-	-	-	1	1	1	2	2	8	9	14	18	12	10	11	6	2	1	-	-	-
	White	30	-	-	-	-	-	-	-	-	-	1	1	-	1	2	3	4	9	1	4	2	1	1	-	-	-	-
	M	68	-	-	-	-	-	-	-	-	1	-	-	2	1	6	6	10	9	11	6	9	5	1	1	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F																											
130-132	Nephritis	1,083	1	-	-	-	-	4	8	9	9	12	8	18	32	53	76	89	111	113	147	145	134	77	28	7	2	-
	White	547	-	-	-	-	-	3	5	6	5	6	4	7	16	23	44	52	65	62	71	67	65	30	14	2	-	-
	M	495	1	-	-	-	-	1	3	3	4	4	2	7	13	28	27	34	40	48	72	75	68	45	13	5	2	-
	Nonwhite	23	-	-	-	-	-	-	-	-	-	1	1	3	2	2	2	1	4	2	2	2	1	-	-	-	-	-
	M	18	-	-	-	-	-	-	-	-	-	1	1	1	1	-	3	2	2	1	2	1	-	2	1	-	-	-
	F																											
137	Diseases of the prostate	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	11	20	13	11	3	3	-	-	-
	White	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	11	20	13	11	3	3	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Con.																										
140-150	Diseases of pregnancy, etc.*...	52	-	-	-	-	-	-	-	2	7	18	11	11	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	48	-	-	-	-	-	-	-	2	7	16	10	11	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	22	-	-	-	-	-	-	-	1	5	9	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	21	-	-	-	-	-	-	-	1	5	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	8	-	-	-	-	-	-	-	1	-	1	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	8	-	-	-	-	-	-	-	1	-	1	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage,trauma and shock*.....	15	-	-	-	-	-	-	-	-	-	7	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	12	-	-	-	-	-	-	-	-	-	6	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	7	-	-	-	-	-	-	-	-	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	7	-	-	-	-	-	-	-	-	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	277	235	12	5	2	1	5	1	4	2	3	2	-	1	-	-	2	2	-	-	-	-	-	-	-	-
	White.....M..	139	116	4	3	2	-	2	-	3	1	2	2	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	F..	134	115	8	2	-	1	3	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	335	335	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	177	177	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	141	141	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	210	-	-	-	-	-	-	-	2	10	13	15	16	16	21	21	25	25	18	6	10	7	2	1	-	2
	White.....M..	132	-	-	-	-	-	-	-	1	4	9	9	9	10	13	11	16	19	10	5	7	5	2	1	-	1
	F..	75	-	-	-	-	-	-	-	1	6	4	5	6	6	8	10	9	6	7	1	3	2	-	-	-	1
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	33	2	-	-	-	-	-	1	2	2	8	1	6	3	3	-	2	-	1	-	2	-	-	-	-	-
	White.....M..	19	1	-	-	-	-	-	1	1	1	5	1	2	1	2	-	1	-	1	-	2	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	1	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,168	48	16	11	19	13	59	33	55	47	36	60	49	58	68	63	71	56	75	84	89	75	58	13	7	2	3
	White.....M..	665	29	5	4	11	6	27	23	41	36	23	37	29	33	47	43	50	37	47	43	36	28	23	2	2	1	2
	F..	465	16	10	6	6	5	31	8	13	9	11	17	20	21	18	17	19	19	27	41	52	47	35	11	4	1	1
	Nonwhite..M..	25	1	1	1	2	1	-	1	1	1	1	5	-	3	2	3	2	-	-	-	-	-	-	-	-	-	-
	F..	13	2	-	-	-	1	1	1	-	1	1	1	-	1	1	-	-	-	1	-	1	-	-	-	1	-	-
170	Motor-vehicle accidents.....	232	1	3	2	3	4	9	5	22	14	5	19	6	17	12	17	13	23	20	19	10	3	5	-	-	-	-
	White.....M..	180	-	1	-	1	3	6	5	18	11	3	16	5	11	10	13	11	19	17	14	10	2	4	-	-	-	-
	F..	43	1	2	2	1	1	3	-	4	2	2	1	1	4	2	2	1	4	3	5	-	1	1	-	-	-	-
	Nonwhite..M..	8	-	-	-	1	-	-	-	-	1	-	2	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	936	47	13	9	16	9	50	28	33	33	31	41	43	41	56	46	58	33	55	65	79	72	53	13	7	2	3
	White.....M..	485	29	4	4	10	3	21	18	23	25	20	21	24	22	37	30	39	18	30	29	26	26	19	2	2	1	2
	F..	422	15	8	4	5	4	28	8	9	7	9	16	19	17	16	15	18	15	24	36	52	46	34	11	4	1	1
	Nonwhite..M..	17	1	1	1	1	1	-	1	1	-	1	3	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-
	F..	12	2	-	-	-	1	1	1	-	1	1	1	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-
162,199, 200	Senility, ill-defined and unknown causes...	106	3	1	-	-	-	-	-	1	1	-	-	1	2	6	4	8	11	18	13	7	15	6	7	1	1	-
	White.....M..	57	2	1	-	-	-	-	-	1	-	-	-	1	1	3	2	5	8	13	9	3	5	1	1	1	-	-
	F..	43	1	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	2	5	4	3	10	4	5	-	1	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	1	-	-	-
	All other causes.	1,570	278	17	11	6	6	19	17	19	24	30	37	42	58	79	93	128	113	98	111	122	126	72	56	6	2	-
	White.....M..	793	144	12	8	3	4	11	10	11	9	11	16	18	26	33	57	69	77	49	48	61	62	27	22	4	1	-
	F..	729	119	3	3	3	2	7	7	6	14	19	19	23	27	43	34	53	35	47	60	59	64	45	34	2	1	-
	Nonwhite..M..	20	4	1	-	-	-	1	-	1	-	-	1	-	3	1	1	5	-	1	1	-	-	-	-	-	-	-
	F..	28	11	1	-	-	-	-	-	1	1	-	1	1	2	2	1	1	1	1	2	2	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE																										
	All causes	3,345	292	39	16	5	7	28	15	38	49	59	59	98	111	160	208	239	328	361	397	334	289	151	43	7	6	6
	White M	1,463	119	12	7	2	2	11	12	16	18	22	28	34	43	74	106	98	161	172	184	150	112	61	15	3	-	1
	White F	1,255	101	13	4	2	4	11	1	11	20	19	10	33	29	40	55	81	107	127	167	155	151	81	25	4	3	1
	Nonwhite M	334	37	7	3	-	1	4	2	3	4	8	10	16	25	30	25	25	36	35	25	17	10	5	2	-	3	1
	Nonwhite F	293	35	7	2	1	-	2	-	8	7	10	11	15	14	16	22	35	24	27	21	12	16	4	1	-	-	3
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	7	1	2	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	8	4	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	6	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	123	1	3	-	-	-	-	-	5	10	14	6	13	17	9	7	6	10	7	9	3	3	-	-	-	-	-
	White M	41	-	-	-	-	-	-	-	-	1	1	2	5	6	4	5	2	5	1	7	2	-	-	-	-	-	-
	White F	34	1	1	-	-	-	-	-	2	3	5	2	4	1	2	1	1	2	4	1	1	3	-	-	-	-	-
	Nonwhite M	30	-	2	-	-	-	-	-	1	2	3	1	3	7	3	1	2	3	1	1	-	-	-	-	-	-	-
	Nonwhite F	18	-	-	-	-	-	-	-	2	4	5	1	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	113	1	1	-	-	-	-	-	5	10	12	5	12	17	8	7	5	9	6	9	3	3	-	-	-	-	-
	White M	39	-	-	-	-	-	-	-	-	1	1	2	5	6	4	5	1	4	1	7	2	-	-	-	-	-	-
	White F	32	1	-	-	-	-	-	-	2	3	5	2	4	1	2	1	1	2	3	1	1	3	-	-	-	-	-
	Nonwhite M	26	-	1	-	-	-	-	-	1	2	2	1	2	7	2	1	2	3	1	1	-	-	-	-	-	-	-
	Nonwhite F	16	-	-	-	-	-	-	-	2	4	4	-	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	10	-	2	-	-	-	-	-	-	-	2	1	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	White M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite M	4	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	43	5	-	1	-	-	-	-	2	-	1	4	7	7	8	1	2	1	1	3	-	-	-	-	-	-	-
	White M	13	1	-	-	-	-	-	-	-	-	-	1	2	3	3	-	-	-	1	2	-	-	-	-	-	-	-
	White F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite M	13	1	-	1	-	-	-	-	-	-	1	2	1	3	3	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite F	15	3	-	-	-	-	-	-	2	-	-	1	3	1	2	1	2	-	-	-	-	-	-	-	-	-	-
35	Measles	4	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	6	1	1	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	4	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Con.																										
45-55	Cancer and other malignant tumors	360	-	1	-	-	-	-	-	-	-	4	5	6	15	23	38	44	62	53	44	32	27	2	4	-	-
	White M	157	-	1	-	-	-	-	-	-	-	4	2	-	2	10	12	18	31	23	23	16	14	-	1	-	-
	F	158	-	-	-	-	-	-	-	-	-	-	3	5	9	11	18	16	24	23	19	14	11	2	3	-	-
	Nonwhite M	22	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	3	5	2	2	-	1	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	7	2	5	-	2	1	-	-	-	-
46	Cancer of digestive organs, peritoneum	163	-	-	-	-	-	-	-	-	-	2	1	2	3	9	16	17	26	29	27	18	9	2	2	-	-
	White M	79	-	-	-	-	-	-	-	-	-	2	1	-	-	4	5	8	19	13	15	8	4	-	-	-	-
	F	61	-	-	-	-	-	-	-	-	-	-	-	2	3	4	5	6	5	10	10	8	4	2	2	-	-
	Nonwhite M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	8	1	2	2	2	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	2	-	-	-	-	-
48,49	Cancer of female genital organs	49	-	-	-	-	-	-	-	-	-	-	2	3	5	3	4	5	12	6	4	3	2	-	-	-	-
	White F	42	-	-	-	-	-	-	-	-	-	-	2	2	4	2	3	3	11	6	4	3	2	-	-	-	-
	Nonwhite F	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-	-	-
50	Cancer of breast	38	-	-	-	-	-	-	-	-	-	-	-	-	3	4	10	6	4	4	2	1	3	-	1	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	34	-	-	-	-	-	-	-	-	-	-	-	-	2	4	9	4	4	4	2	1	3	-	1	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	110	-	1	-	-	-	-	-	-	-	2	2	1	4	7	8	16	20	14	11	10	13	-	1	-	-
	White M	78	-	1	-	-	-	-	-	-	-	2	1	-	2	6	7	10	12	10	8	8	10	-	1	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	4	3	3	2	2	-	-	-	-
	Nonwhite M	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	3	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-
58	Acute rheumatic fever	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	85	-	-	-	-	-	-	1	-	2	-	2	1	1	2	7	12	13	14	18	8	4	-	-	-	-	-
	White M	25	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	3	4	5	4	2	2	-	-	-	-	-
	F	44	-	-	-	-	-	-	1	-	2	-	-	-	-	1	2	5	8	5	13	5	2	-	-	-	-	-
	Nonwhite M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	4	-	2	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	7	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	-
	White M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	White M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	253	-	-	-	-	-	-	-	-	1	-	-	4	3	14	15	18	34	35	49	41	27	4	7	-	1	-
	White M	99	-	-	-	-	-	-	-	-	1	-	-	2	-	6	5	6	15	14	16	19	10	3	2	-	-	-
	F	108	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	7	15	13	28	18	12	1	4	-	-	-
	Nonwhite M	22	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	1	2	4	3	2	1	-	1	-	1	-
	F	24	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	4	2	4	2	2	4	-	-	-	-	-
90-95	Diseases of the heart	1,022	1	2	-	-	1	-	-	5	2	1	10	18	25	48	67	82	129	140	150	123	118	77	16	1	-	6
	White M	500	-	2	-	-	-	-	-	2	2	-	4	7	11	26	41	37	70	80	74	55	50	30	7	1	-	1
	F	375	1	-	-	-	1	-	-	2	-	-	1	9	7	7	15	22	38	46	61	58	57	41	8	-	-	1
	Nonwhite M	78	-	-	-	-	-	-	-	-	-	-	3	-	4	11	5	13	12	9	7	5	6	2	-	-	-	1
	F	69	-	-	-	-	-	-	-	1	-	1	2	2	3	4	6	10	9	5	8	5	5	4	1	-	-	3
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	42	-	1	-	-	-	-	-	3	2	-	2	5	3	2	6	5	4	5	3	1	-	-	-	-	-	-
	White M	19	-	1	-	-	-	-	-	2	2	-	1	2	1	1	3	1	-	2	2	1	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	1	2	2	-	-	-	-	-	-	-	-
	Nonwhite M	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	317	-	1	-	-	-	-	-	-	-	-	3	2	12	24	34	28	50	46	41	34	26	11	3	-	-	2
	White M	204	-	1	-	-	-	-	-	-	-	-	1	1	7	18	25	17	36	34	22	20	13	7	2	-	-	-
	F	89	-	-	-	-	-	-	-	-	-	-	-	1	3	1	8	8	9	11	19	12	13	3	1	-	-	-
	Nonwhite M	16	-	-	-	-	-	-	-	-	-	-	1	-	2	5	1	3	2	1	-	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	-	1	-	1	-	-	-	2
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	663	1	-	-	-	1	-	-	2	-	1	5	11	10	22	27	49	75	89	106	88	92	66	13	1	-	4
	White M	277	-	-	-	-	-	-	-	-	-	-	2	4	3	7	13	19	34	44	50	34	37	23	5	1	-	1
	F	275	1	-	-	-	1	-	-	2	-	-	1	5	3	5	6	13	27	33	42	46	44	38	7	-	-	1
	Nonwhite M	56	-	-	-	-	-	-	-	-	-	-	1	-	2	6	3	8	9	7	7	4	6	2	-	-	-	1
	F	55	-	-	-	-	-	-	-	-	-	1	1	2	2	4	5	9	5	5	7	4	5	3	1	-	-	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	185	45	9	2	1	1	-	1	1	1	3	1	3	7	2	12	11	9	15	14	19	15	8	2	1	2	-
	White—M.	70	14	1	1	-	1	-	-	1	-	-	-	1	6	2	6	4	5	3	6	8	6	5	-	-	-	-
	F.	69	13	5	-	-	-	-	-	-	1	3	1	2	-	-	1	4	-	8	4	11	8	3	2	1	2	-
	Nonwhite—M.	24	7	1	-	-	-	-	1	-	-	-	-	-	-	-	5	2	4	3	1	-	-	-	-	-	-	-
	F.	22	11	2	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	3	-	1	-	-	-	-	-
107	Bronchopneumonia	60	24	3	-	-	-	-	1	-	1	-	-	-	1	-	4	3	2	2	2	5	6	5	-	1	-	-
	White—M.	16	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	3	3	-	-	-	-
	F.	25	8	1	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	1	1	4	3	2	-	1	-	-
	Nonwhite—M.	12	5	1	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-
	F.	7	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	74	9	1	1	-	1	-	-	-	-	3	1	2	5	2	5	3	5	9	9	11	4	1	2	-	-	-
	White—M.	33	3	-	1	-	1	-	-	-	-	-	-	-	5	2	3	2	4	2	3	5	1	1	-	-	-	-
	F.	26	1	1	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	4	3	6	3	-	2	-	-	-
	Nonwhite—M.	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	-	-	-	-	-	-	-
	F.	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	12	4	2	-	-	-	-	-	1	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-
	White—M.	6	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F.	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
33	Influenza	39	8	3	1	1	-	-	-	-	-	-	-	1	1	-	2	2	1	4	3	3	5	2	-	-	2	-
	White—M.	15	3	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	3	2	2	1	-	-	-	-
	F.	15	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	1	2	1	-	-	2	-
	Nonwhite—M.	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F.	6	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	17	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	2	5	-	-	-	1	-	-	-
	White—M.	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	1	4	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite—M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	55	44	4	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M.	26	23	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F.	19	16	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M.	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	20	-	-	1	-	-	-	1	-	-	3	-	-	-	3	5	1	3	2	-	1	-	-	-	-	-	-
	White—M.	11	-	-	1	-	-	-	1	-	-	2	-	-	-	1	4	-	2	-	-	-	-	-	-	-	-	-
	F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	27	3	2	-	-	-	-	-	-	1	1	-	3	3	1	-	2	2	3	2	1	3	-	-	-	-	-
	White—M.	15	1	2	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	3	1	-	1	-	-	-	-	-
	F.	11	1	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	1	-	1	1	2	-	-	-	-	-
	Nonwhite—M.	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	18	-	-	-	-	-	-	1	-	-	-	-	1	-	2	1	2	2	4	2	2	1	-	-	-	-	-
	White—M.	8	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	-	-
	F.	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	2	2	1	-	-	-	-	-	-
	Nonwhite—M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	19	-	-	-	-	-	-	-	-	-	-	-	2	-	5	1	3	4	-	3	-	1	-	-	-	-	-
	White—M.	7	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	2	-	-	-	-	-	-	-	-	-	-
	F.	11	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	2	-	3	-	1	-	-	-	-	-	-
	Nonwhite—M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
130-152	Nephritis	346	-	2	-	-	-	-	-	2	2	-	3	6	12	10	21	22	30	46	49	52	54	27	7	-	1	-
	White—M.	127	-	-	-	-	-	-	-	1	-	-	2	3	2	1	10	7	10	16	21	23	15	12	4	-	-	-
	F.	144	-	-	-	-	-	-	-	1	2	-	-	1	5	3	6	10	9	19	17	20	35	13	2	-	1	-
	Nonwhite—M.	58	-	-	-	-	-	-	-	-	-	-	1	2	1	4	2	2	5	5	5	8	-	2	1	-	-	-
	F.	37	-	2	-	-	-	-	-	-	-	-	-	-	4	2	3	3	6	6	6	1	4	-	-	-	-	-
137	Diseases of the prostate	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	4	2	1	-	-	-	-
	White—M.	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	4	2	1	-	-	-	-
	Nonwhite—M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Con.																										
140-150	Diseases of pregnancy, etc.*...	9	-	-	-	-	-	-	-	1	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	5	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	6	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	37	31	1	2	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	20	15	1	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	14	13	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	88	88	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	39	39	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	24	24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	11	11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	37	-	-	-	-	-	-	-	1	3	4	5	4	2	5	2	3	4	2	-	1	-	1	-	-	-	-
	White.....M..	24	-	-	-	-	-	-	-	-	-	1	4	1	2	5	1	2	4	2	-	1	-	1	-	-	-	-
	F..	12	-	-	-	-	-	-	-	1	2	3	1	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	19	1	-	-	-	-	-	-	1	2	2	4	3	1	4	-	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	6	-	-	-	-	-	-	-	-	1	-	2	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	12	-	-	-	-	-	-	-	1	1	2	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	215	8	6	3	-	4	14	8	13	13	16	11	16	9	9	6	5	7	12	12	17	12	9	3	2	-	-
	White.....M..	115	1	3	2	-	1	7	7	9	12	11	7	7	6	5	4	4	4	6	7	8	4	1	1	-	-	-
	F..	56	3	2	-	-	3	4	-	1	1	3	1	1	1	1	-	-	2	2	3	11	5	8	2	2	-	-
	Nonwhite..M..	27	3	1	1	-	-	2	1	1	-	1	-	4	2	3	1	-	-	3	2	-	2	-	-	-	-	-
	F..	17	1	-	-	-	-	1	-	2	-	1	3	4	-	-	1	1	1	1	-	-	1	-	-	-	-	-
170	Motor-vehicle accidents.....	60	-	-	1	-	1	7	1	5	5	7	5	5	3	2	2	4	1	4	4	1	2	-	-	-	-	-
	White.....M..	45	-	-	1	-	1	3	1	4	5	5	3	3	3	2	2	3	1	2	4	1	1	-	-	-	-	-
	F..	6	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F..	4	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	155	8	6	2	-	3	7	7	8	8	9	6	11	6	7	4	1	6	8	8	16	10	9	3	2	-	-
	White.....M..	70	1	3	1	-	-	4	6	5	7	6	4	4	3	3	2	1	3	4	3	5	3	1	1	-	-	-
	F..	50	3	2	-	-	3	2	-	1	1	1	-	1	1	1	-	-	2	1	3	11	5	8	2	2	-	-
	Nonwhite..M..	22	3	1	1	-	-	1	1	-	-	1	-	3	2	3	1	-	-	2	2	-	1	-	-	-	-	-
	F..	13	1	-	-	-	-	-	-	2	-	1	2	3	-	-	1	-	1	1	-	-	1	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	13	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	3	5	2	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	2	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	299	57	2	4	1	1	6	3	5	6	4	6	10	6	10	19	22	15	21	30	29	19	17	1	3	2	-
	White.....M..	120	23	-	1	1	-	1	3	2	1	3	2	2	2	2	10	8	6	10	13	13	8	7	-	2	-	-
	F..	125	25	1	3	-	-	4	-	2	3	-	1	3	3	6	5	10	6	5	13	13	11	9	1	1	-	-
	Nonwhite..M..	26	4	-	-	-	1	1	-	-	-	1	1	2	1	1	1	2	-	4	3	1	-	1	-	-	2	-
	F..	28	5	1	-	-	-	-	-	1	2	-	2	3	-	1	3	2	3	2	1	2	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA																											
	All causes.....	8,223	706	35	23	19	11	42	40	73	161	202	256	345	422	516	672	746	783	785	811	692	488	268	97	26	2	2
	White.....M..	2,846	204	7	3	3	3	14	12	11	27	34	57	105	123	195	252	315	317	318	312	266	165	73	25	4	-	1
	F..	2,412	143	3	6	2	2	6	8	13	25	41	50	56	72	110	152	179	215	245	314	304	241	154	57	14	-	-
	Nonwhite..M..	1,515	189	12	8	3	3	13	11	20	42	55	78	97	124	119	148	132	130	120	83	59	43	15	8	2	1	-
	F..	1,450	170	13	6	11	3	9	9	29	67	72	71	87	103	92	120	120	121	102	102	63	39	26	7	6	1	1
1,2	Typhoid and paratyphoid fever..	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	14	3	1	-	-	-	2	1	-	-	-	-	-	1	2	-	1	2	1	-	-	-	-	-	-	-	-
	White.....M..	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	1	1	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-
8	Scarlet fever....	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	547	8	7	3	2	-	2	7	22	61	68	55	49	69	48	44	31	24	22	10	9	3	1	2	-	-	-
	White.....M..	129	-	1	-	-	-	-	-	-	4	1	6	15	16	23	16	12	10	12	7	5	-	-	1	-	-	-
	F..	69	4	-	1	-	-	-	1	3	2	10	9	4	9	5	6	5	3	1	1	3	1	1	-	-	-	-
	Nonwhite..M..	198	1	3	2	1	-	1	3	9	22	22	24	15	28	16	20	11	9	7	-	1	2	-	1	-	-	-
	F..	151	3	3	-	1	-	1	3	10	33	35	16	15	16	4	2	3	2	2	2	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	488	4	3	1	1	-	2	5	21	51	64	49	45	65	45	40	28	22	20	8	8	3	1	2	-	-	-
	White.....M..	118	-	-	-	-	-	-	-	-	4	1	5	13	16	23	13	12	8	11	5	5	-	-	1	-	-	-
	F..	59	1	-	1	-	-	-	-	3	2	9	7	4	8	4	6	4	3	1	1	3	1	1	-	-	-	-
	Nonwhite..M..	172	1	1	-	-	-	1	2	8	16	21	21	14	26	14	19	10	9	6	-	-	2	-	1	-	-	-
	F..	139	2	2	-	1	-	1	3	10	29	33	15	14	15	4	2	2	2	2	2	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	59	4	4	2	1	-	-	2	1	10	4	6	4	4	3	4	3	2	2	2	1	-	-	-	-	-	-
	White.....M..	11	-	1	-	-	-	-	-	-	-	-	-	2	-	-	3	-	2	1	2	-	-	-	-	-	-	-
	F..	10	3	-	-	-	-	-	1	-	-	1	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	26	-	2	2	1	-	-	1	1	6	1	3	1	2	2	1	1	-	1	-	1	-	-	-	-	-	-
	F..	12	1	1	-	-	-	-	-	-	4	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	144	9	-	-	-	-	-	-	2	4	3	3	14	16	16	15	28	10	10	6	6	1	1	-	-	-	-
	White.....M..	48	1	-	-	-	-	-	-	-	1	1	1	3	5	4	6	11	6	3	2	2	1	1	-	-	-	-
	F..	7	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-
	Nonwhite..M..	57	2	-	-	-	-	-	-	-	-	1	-	8	8	9	3	14	3	3	4	2	-	-	-	-	-	-
	F..	32	5	-	-	-	-	-	-	2	2	1	1	3	3	3	6	2	1	1	-	2	-	-	-	-	-	-
35	Measles.....	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	12	-	1	-	-	-	4	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	7	-	-	-	-	-	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																											
45-55	Cancer and other malignant tumors	1,075	-	1	-	1	1	3	1	3	5	12	24	32	57	99	106	144	150	134	129	95	45	26	4	3	-	-
	White..M..	369	-	1	-	-	-	1	1	1	1	4	3	8	11	32	23	54	54	51	52	42	20	8	1	1	-	-
	F..	428	-	-	-	1	1	-	-	2	2	2	10	15	23	43	51	50	53	54	50	37	18	11	3	2	-	-
	Nonwhite..M..	120	-	-	-	-	-	2	-	-	1	1	1	3	9	9	16	15	18	17	14	8	3	3	-	-	-	-
	F..	158	-	-	-	-	-	-	-	-	1	5	10	6	14	15	16	25	25	12	13	8	4	4	-	-	-	-
46	Cancer of digestive organs, peritoneum	440	-	-	-	-	-	-	-	-	-	-	9	7	20	35	39	57	78	57	58	41	21	15	2	1	-	-
	White..M..	166	-	-	-	-	-	-	-	-	-	-	1	2	7	14	13	26	29	16	26	17	10	4	1	-	-	-
	F..	150	-	-	-	-	-	-	-	-	-	-	3	3	6	11	11	15	24	26	18	16	8	7	1	1	-	-
	Nonwhite..M..	68	-	-	-	-	-	-	-	-	-	-	1	1	5	6	12	7	12	10	8	3	2	1	-	-	-	-
	F..	56	-	-	-	-	-	-	-	-	-	-	4	1	2	4	3	9	13	5	6	5	1	3	-	-	-	-
48,49	Cancer of female genital organs	153	-	-	-	-	-	-	-	2	2	4	7	11	14	18	25	19	21	11	10	6	2	1	-	-	-	-
	White..F..	97	-	-	-	-	-	-	-	2	1	-	3	8	6	12	17	13	12	9	7	5	2	-	-	-	-	-
	Nonwhite..F..	56	-	-	-	-	-	-	-	-	1	4	4	3	8	6	8	6	9	2	3	1	-	1	-	-	-	-
50	Cancer of breast	124	-	-	-	-	-	-	-	-	-	2	4	6	7	20	20	14	10	12	11	9	4	2	1	2	-	-
	White..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	F..	95	-	-	-	-	-	-	-	-	-	2	2	4	5	15	16	9	9	9	10	7	3	2	1	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	27	-	-	-	-	-	-	-	-	-	-	2	2	2	5	4	5	1	3	1	2	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	358	-	1	-	1	1	3	1	1	3	6	4	8	16	26	22	54	41	54	50	39	18	8	1	-	-	-
	White..M..	201	-	1	-	-	-	1	1	1	1	4	2	6	4	18	10	28	25	35	26	25	9	4	-	-	-	-
	F..	86	-	-	-	1	1	-	-	-	1	-	2	-	6	5	7	13	8	10	15	9	5	2	1	-	-	-
	Nonwhite..M..	52	-	-	-	-	-	2	-	-	1	1	-	2	4	3	4	8	6	7	6	5	1	2	-	-	-	-
	F..	19	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	5	2	2	3	-	3	-	-	-	-	-
58	Acute rheumatic fever	5	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	208	-	-	-	-	-	-	1	-	-	2	1	8	9	10	22	28	29	29	38	15	10	5	-	-	-	-
	White..M..	53	-	-	-	-	-	-	-	-	-	1	-	-	1	4	3	9	8	7	10	6	3	1	-	-	-	-
	F..	90	-	-	-	-	-	-	1	-	-	1	-	-	2	4	6	10	12	12	23	8	7	4	-	-	-	-
	Nonwhite..M..	19	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	3	1	6	2	1	-	-	-	-	-	-
	F..	46	-	-	-	-	-	-	-	-	-	-	1	6	5	1	11	6	8	4	3	1	-	-	-	-	-	-
63b	Exophthalmic goiter	11	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	3	1	-	1	2	-	-	-	-	-	-
	White..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	15	-	-	-	-	-	-	-	-	-	-	3	1	3	3	4	-	-	1	-	-	-	-	-	-	-	-
	White..M..	9	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	-	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	537	1	1	-	-	-	-	-	-	1	1	5	9	23	26	41	58	67	68	77	77	48	20	10	2	-	1
	White..M..	157	-	1	-	-	-	-	-	-	-	-	1	3	5	8	9	18	20	23	26	25	11	6	1	-	-	-
	F..	212	1	-	-	-	-	-	-	-	-	1	-	-	6	2	13	14	20	25	36	41	30	13	8	2	-	-
	Nonwhite..M..	70	-	-	-	-	-	-	-	-	-	-	2	3	4	7	11	11	10	9	7	2	3	-	1	-	-	-
	F..	98	-	-	-	-	-	-	-	-	1	-	3	3	8	9	8	15	17	11	8	9	4	1	-	-	-	1
90-95	Diseases of the heart	2,307	-	-	2	2	-	3	5	6	10	20	28	61	86	147	232	232	289	279	311	250	182	102	46	12	2	-
	White..M..	940	-	-	-	-	-	-	2	2	1	5	7	16	31	64	122	113	136	114	118	97	62	32	16	2	-	-
	F..	651	-	-	1	-	-	1	2	-	-	5	3	8	8	21	31	40	67	82	115	103	84	52	23	5	-	-
	Nonwhite..M..	358	-	-	1	1	-	1	-	1	4	5	6	27	20	36	44	39	47	38	35	25	16	7	3	1	1	-
	F..	358	-	-	-	1	-	1	1	3	5	5	12	10	27	26	35	40	39	45	43	25	20	11	4	4	1	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	118	-	-	-	1	-	-	3	3	5	5	5	3	6	13	11	12	11	9	4	11	9	6	1	-	-	-
	White..M..	38	-	-	-	-	-	-	1	1	1	1	-	1	2	5	4	5	5	6	-	2	3	1	-	-	-	-
	F..	38	-	-	-	-	-	-	1	-	-	4	2	1	-	3	1	6	1	1	3	5	6	4	-	-	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	-	2	-	-	1	2	-	1	-	2	-	1	1	-	-	1	-	-	-
	F..	31	-	-	-	1	-	-	1	2	2	-	3	-	2	5	5	1	3	2	-	3	-	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	651	-	-	-	-	-	-	-	-	1	3	3	16	27	49	76	80	106	79	86	65	37	18	4	1	-	-
	White..M..	407	-	-	-	-	-	-	-	-	-	2	1	10	17	34	54	62	70	53	46	35	13	9	1	-	-	-
	F..	162	-	-	-	-	-	-	-	-	-	-	-	1	1	8	12	9	19	19	34	26	22	8	3	-	-	-
	Nonwhite..M..	55	-	-	-	-	-	-	-	-	1	1	-	5	5	5	7	5	12	4	4	4	1	1	-	-	-	-
	F..	27	-	-	-	-	-	-	-	-	-	-	2	-	4	2	3	4	5	3	2	-	1	-	-	1	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	1,538	-	-	2	1	-	3	2	3	4	12	20	42	53	85	145	140	172	191	221	174	136	78	41	11	2	-
	White..M..	495	-	-	-	-	-	-	1	1	-	2	6	5	12	25	64	46	61	55	72	60	46	22	15	2	-	-
	F..	451	-	-	1	-	-	1	1	-	-	1	1	6	7	10	18	25	47	62	78	72	56	40	20	5	-	-
	Nonwhite..M..	292	-	-	1	1	-	1	-	1	1	4	6	21	13	31	36	34	33	34	30	20	15	6	2	1	1	-
	F..	300	-	-	-	-	-	1	-	1	3	5	7	10	21	19	27	35	31	40	41	22	19	10	4	3	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	388	61	7	3	1	-	3	1	1	3	7	14	12	15	23	26	35	29	27	26	31	35	15	12	1	-	-
	White..M..	132	12	1	-	-	-	1	-	-	1	1	6	4	5	5	9	16	14	11	10	14	17	2	3	-	-	-
	F..	110	11	1	-	-	-	-	1	-	-	-	2	-	2	6	4	7	6	8	11	15	14	13	8	1	-	-
	Nonwhite..M..	91	22	1	1	-	-	2	-	-	1	3	6	4	7	8	10	9	6	7	-	2	1	-	1	-	-	-
	F..	55	16	4	2	1	-	-	-	1	1	3	-	4	1	4	3	3	3	1	5	-	3	-	-	-	-	-
107	Bronchopneumonia	173	48	5	2	-	-	1	1	1	-	1	2	-	4	7	9	15	14	9	11	16	11	8	6	1	-	-
	White..M..	48	9	1	-	-	-	-	-	-	-	-	1	-	1	1	3	7	5	5	3	7	4	1	-	-	-	-
	F..	47	6	1	-	-	-	-	1	-	-	-	-	-	1	1	1	3	3	-	6	7	3	7	6	1	-	-
	Nonwhite..M..	47	20	1	1	-	-	1	-	-	-	-	1	-	2	3	3	5	4	3	-	2	1	-	-	-	-	-
	F..	31	13	2	1	-	-	-	-	1	-	1	-	-	-	2	2	1	2	1	2	-	3	-	-	-	-	-
108	Lobar pneumonia	153	5	-	-	1	-	1	-	-	3	5	9	10	8	11	13	15	12	12	7	13	17	5	6	-	-	-
	White..M..	66	-	-	-	-	-	-	-	-	1	1	4	3	2	4	5	6	8	6	5	7	10	1	3	-	-	-
	F..	36	2	-	-	-	-	-	-	-	-	-	1	-	1	2	1	4	1	4	1	6	7	4	2	-	-	-
	Nonwhite..M..	37	2	-	-	-	-	1	-	-	1	2	4	4	4	4	6	4	2	2	-	-	-	-	1	-	-	-
	F..	14	1	-	-	1	-	-	-	-	1	2	-	3	1	1	1	1	1	-	1	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	41	5	2	-	-	-	1	-	-	-	-	2	1	2	4	2	2	3	3	6	2	6	-	-	-	-	-
	White..M..	14	2	-	-	-	-	1	-	-	-	-	1	1	1	-	1	1	1	-	2	-	3	-	-	-	-	-
	F..	18	2	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	2	3	2	3	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F..	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
33	Influenza	21	3	-	1	-	-	-	-	-	-	1	1	1	1	1	2	2	-	3	2	-	1	2	-	-	-	-
	White..M..	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	F..	9	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	-	1	2	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F..	5	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	49	-	-	-	-	-	-	-	-	-	1	1	3	5	8	3	8	8	4	3	2	2	1	-	-	-	-
	White..M..	35	-	-	-	-	-	-	-	-	-	-	-	1	5	5	2	5	7	4	3	1	2	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	-	-	-	1	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	75	63	4	1	1	-	1	-	-	-	-	-	2	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	White..M..	12	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	12	9	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	28	24	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	23	19	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	38	-	-	-	-	1	2	3	1	2	2	1	3	-	4	7	6	2	2	-	1	-	1	-	-	-	-
	White..M..	14	-	-	-	-	-	1	3	-	-	-	-	1	-	2	3	1	1	1	-	1	-	-	-	-	-	-
	F..	13	-	-	-	-	-	-	-	-	1	1	-	1	-	2	3	3	-	1	-	-	-	1	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	1	1	-	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	67	3	-	-	-	-	-	-	1	1	1	1	3	3	4	7	8	5	4	8	6	9	2	1	-	-	-
	White..M..	27	3	-	-	-	-	-	-	-	-	-	-	1	1	2	-	5	1	3	6	2	2	1	-	-	-	-
	F..	25	-	-	-	-	-	-	-	1	1	-	1	2	1	-	3	2	2	-	1	4	5	1	1	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	1	1	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	94	-	-	-	-	-	-	1	-	2	3	8	13	4	8	13	14	6	9	6	2	4	1	-	-	-	-
	White..M..	52	-	-	-	-	-	-	-	-	-	1	4	8	3	3	7	8	2	7	5	-	3	1	-	-	-	-
	F..	17	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	3	2	2	1	2	1	-	-	-	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	1	-	-	1	1	1	-	4	1	3	1	-	-	-	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	1	-	2	3	1	1	3	-	1	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	29	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	4	4	7	5	3	1	2	-	-	-	-
	White..M..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	-	-	-	-	-	-	-
	F..	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	2	3	1	2	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	2	-	-	-	-	-	-	-
130-132	Nephritis	734	-	-	-	2	1	-	1	4	5	10	15	25	44	43	59	61	78	88	94	90	69	35	10	-	-	-
	White..M..	225	-	-	-	-	-	-	1	2	-	1	3	7	8	13	19	22	26	33	31	26	23	9	1	-	-	-
	F..	243	-	-	-	-	-	-	-	-	1	2	3	4	3	6	9	10	22	31	39	49	38	20	6	-	-	-
	Nonwhite..M..	127	-	-	-	-	1	-	-	-	-	5	7	5	22	9	14	16	13	14	7	9	4	1	-	-	-	-
	F..	139	-	-	-	2	-	-	-	2	4	2	2	9	11	15	17	13	17	10	17	6	4	5	3	-	-	-
137	Diseases of the prostate	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	9	6	7	6	1	-	-	-	-
	White..M..	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	5	6	3	1	-	-	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	3	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																										
140-150	Diseases of pregnancy, etc.*...	33	-	-	-	-	-	-	-	3	10	9	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	10	-	-	-	-	-	-	-	1	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	23	-	-	-	-	-	-	-	2	7	6	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	12	-	-	-	-	-	-	-	1	5	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	11	-	-	-	-	-	-	-	1	5	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	5	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage,trauma and shock*.....	11	-	-	-	-	-	-	-	-	3	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	5	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	6	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	5	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	95	81	3	1	-	2	3	-	1	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White.....M..	38	33	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	32	27	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	18	14	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	284	284	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	75	75	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	77	77	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	79	79	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	106	-	-	-	-	-	-	-	2	9	9	17	24	11	11	4	6	6	5	1	-	-	1	-	-	-
	White.....M..	49	-	-	-	-	-	-	-	-	1	4	8	13	8	5	4	2	1	2	-	-	-	1	-	-	-	-
	F..	41	-	-	-	-	-	-	-	1	4	4	7	8	3	5	-	4	2	2	1	-	-	-	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	3	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	1	2	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
165-168	Homicide.....	58	-	-	-	1	-	-	-	4	4	3	14	7	9	5	6	2	1	1	1	-	-	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F..	7	-	-	-	1	-	-	-	-	-	-	-	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	41	-	-	-	-	-	-	-	3	3	1	13	2	7	3	6	1	-	1	1	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	436	34	4	8	1	2	11	11	14	27	24	20	31	19	24	21	21	25	22	30	32	27	20	6	1	-	1
	White.....M..	169	12	-	-	-	2	4	4	5	11	11	7	15	12	12	9	13	11	10	9	11	6	3	1	-	-	1
	F..	120	7	-	1	-	-	2	-	2	7	2	2	3	2	6	3	4	7	7	14	14	18	15	4	-	-	-
	Nonwhite..M..	97	7	2	3	-	-	3	5	4	7	9	8	11	3	5	9	3	5	4	4	2	2	-	1	-	-	-
	F..	50	8	2	4	1	-	2	2	3	2	2	3	2	2	1	-	1	2	1	3	5	1	2	-	1	-	-
170	Motor-vehicle accidents.....	90	1	-	1	-	1	5	2	2	6	6	7	8	5	9	6	2	8	9	6	5	1	-	-	-	-	-
	White.....M..	41	-	-	-	-	1	3	-	1	-	4	3	6	2	4	3	2	2	4	2	4	-	-	-	-	-	-
	F..	13	-	-	-	-	-	-	-	-	3	1	-	-	1	3	-	-	1	2	2	-	-	-	-	-	-	-
	Nonwhite..M..	26	1	-	-	-	-	1	-	-	3	1	2	2	1	2	3	-	4	2	2	1	1	-	-	-	-	-
	F..	10	-	-	1	-	-	1	2	1	-	-	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	346	33	4	7	1	1	6	9	12	21	18	13	23	14	15	15	19	17	13	24	27	26	20	6	1	-	1
	White.....M..	128	12	-	-	-	1	1	4	4	11	7	4	9	10	8	6	11	9	6	7	7	6	3	1	-	-	1
	F..	107	7	-	1	-	-	2	-	2	4	1	2	3	1	3	3	4	6	5	12	14	18	15	4	-	-	-
	Nonwhite..M..	71	6	2	3	-	-	2	5	4	4	8	6	9	2	3	6	3	1	2	2	1	1	-	1	-	-	-
	F..	40	8	2	3	1	-	1	-	2	2	2	1	2	1	1	-	1	1	-	3	5	1	2	-	1	-	-
162,199, 200	Senility, ill-defined and unknown causes...	22	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-	1	2	2	3	6	2	2	-	-
	White.....M..	8	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	1	1	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	4	1	2	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-
	All other causes.	795	158	5	4	7	2	5	5	7	15	24	37	39	46	31	59	51	43	60	56	61	43	28	4	5	-	-
	White.....M..	249	54	-	3	3	-	2	-	1	5	3	7	7	9	10	15	22	14	24	26	26	11	6	-	1	-	-
	F..	225	30	1	-	-	-	-	2	1	2	7	8	4	11	9	21	17	14	13	18	23	23	16	3	2	-	-
	Nonwhite..M..	156	42	2	1	1	1	-	1	2	1	5	6	12	14	8	9	5	11	11	7	5	6	4	1	1	-	-
	F..	165	32	2	-	3	1	3	2	3	7	9	16	16	12	4	14	7	4	12	5	7	3	2	-	1	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA																										
	All causes	23,500	2202	204	126	74	60	179	192	473	1072	741	751	872	1181	1533	1,617	1,805	1,883	2,089	2,155	1,828	1368	871	286	76	24	38
	White	10,378	798	67	38	25	21	70	69	272	713	326	219	234	366	500	619	784	936	1,089	1,057	937	685	396	113	25	5	14
	White—M	6,187	591	57	34	17	20	45	44	58	92	121	122	172	205	242	311	371	480	601	775	676	587	398	134	26	4	4
	White—F	3,815	451	40	33	15	11	41	58	77	128	147	205	245	321	346	372	368	262	221	202	126	57	46	18	12	6	13
	Nonwhite	3,120	362	40	21	17	8	23	27	66	139	147	205	221	289	245	315	282	205	178	121	89	39	31	21	13	9	7
1,2	Typhoid and paratyphoid fever	14	-	1	1	-	1	-	-	-	-	1	-	2	1	1	1	-	2	-	2	1	-	-	-	-	-	-
	White—M	5	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White—F	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite—M	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	43	6	-	5	2	-	4	-	5	4	1	3	2	3	1	3	3	1	-	-	-	-	-	-	-	-	-
	White—M	21	3	-	1	-	-	2	-	3	1	-	3	-	2	1	2	2	1	-	-	-	-	-	-	-	-	-
	White—F	11	1	-	3	-	-	1	-	1	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	1	-	1	1	-	1	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	48	29	11	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	11	6	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	17	12	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	40	5	5	12	4	4	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	18	-	4	4	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	16	1	-	7	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	823	3	5	2	1	-	-	5	32	90	84	89	77	101	74	68	57	43	35	25	20	10	1	-	-	1	-
	White—M	258	1	3	-	-	-	-	-	2	7	10	14	23	24	33	31	31	23	22	17	9	6	1	-	-	1	-
	White—F	121	-	1	-	-	-	-	-	2	12	15	10	7	12	11	13	5	10	6	6	7	4	-	-	-	-	-
	Nonwhite—M	241	-	1	2	1	-	-	2	12	34	23	36	23	39	19	15	15	8	6	1	4	-	-	-	-	-	-
	Nonwhite—F	203	2	-	-	-	-	-	3	16	37	36	29	24	26	11	9	6	2	1	1	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	789	2	2	-	1	-	-	5	31	86	82	85	76	97	68	65	57	42	34	24	20	10	1	-	-	1	-
	White—M	249	-	2	-	-	-	-	-	2	6	10	13	22	23	32	30	31	23	22	16	9	6	1	-	-	1	-
	White—F	116	-	-	-	-	-	-	-	2	12	14	10	7	11	11	12	5	9	6	6	7	4	-	-	-	-	-
	Nonwhite—M	229	-	-	-	1	-	-	2	12	32	23	34	23	38	16	14	15	8	6	1	4	-	-	-	-	-	-
	Nonwhite—F	195	2	-	-	-	-	-	3	15	36	35	28	24	25	9	9	6	2	-	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	34	1	3	2	-	-	-	-	1	4	2	4	1	4	6	3	-	1	1	1	-	-	-	-	-	-	-
	White—M	9	1	1	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-
	White—F	5	-	1	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	12	-	1	2	-	-	-	-	-	2	-	2	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	8	-	-	-	-	-	-	-	1	1	1	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery	38	15	2	1	-	-	-	1	-	-	1	1	1	1	2	2	1	1	4	1	3	1	-	-	-	-	-
	White—M	12	3	1	1	-	-	-	1	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-
	White—F	7	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-
	Nonwhite—M	7	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—F	12	6	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-
28	Malaria	33	2	-	-	-	-	1	-	2	1	-	1	1	7	3	2	5	-	1	3	1	3	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	1	1	2	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	3	-	-	-	-	1	-	-	-	-	-
	Nonwhite—F	9	2	-	-	-	-	1	-	-	1	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-
30	Syphilis	372	23	3	-	-	-	-	-	5	13	18	22	39	45	45	37	42	35	20	12	8	2	1	-	1	-	1
	White—M	100	1	-	-	-	-	-	-	-	3	-	-	9	6	15	14	14	18	12	5	1	2	-	-	-	-	-
	White—F	26	3	1	-	-	-	-	-	-	1	2	2	2	-	1	3	3	2	1	2	3	-	-	-	-	-	-
	Nonwhite—M	175	12	1	-	-	-	-	-	-	2	11	14	22	30	21	17	18	12	6	4	3	-	1	-	-	-	1
	Nonwhite—F	71	7	1	-	-	-	-	-	5	7	5	6	6	9	8	3	7	3	1	1	1	-	-	-	1	-	-
35	Measles	18	5	6	-	2	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	2	2	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	9	-	-	-	-	-	1	1	3	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	1	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Con.																										
45-55	Cancer and other malignant tumors	2,189	-	2	-	2	1	8	-	4	9	26	26	74	127	167	216	258	290	304	274	201	121	64	10	2	-	3
	White..M..	949	-	-	-	1	-	5	-	2	4	9	7	12	31	41	75	110	114	156	152	114	68	40	5	1	-	2
	F..	898	-	1	-	-	1	3	-	2	2	10	9	34	56	69	86	100	138	124	108	77	50	22	5	1	-	-
	Nonwhite..M..	125	-	1	-	1	-	-	-	-	1	2	3	5	10	21	23	18	15	10	8	3	2	1	-	-	-	1
	F..	217	-	-	-	-	-	-	-	-	2	5	7	23	30	36	32	30	23	14	6	7	1	1	-	-	-	-
46	Cancer of digestive organs, peritoneum	854	-	-	-	1	-	1	-	-	1	7	8	23	39	60	82	104	122	122	113	97	40	28	3	1	-	2
	White..M..	400	-	-	-	1	-	1	-	-	1	2	4	4	14	17	32	51	50	69	67	50	21	15	2	-	-	1
	F..	334	-	-	-	-	-	-	-	-	-	5	-	9	12	17	26	39	59	48	43	43	18	13	1	1	-	-
	Nonwhite..M..	61	-	-	-	-	-	-	-	-	-	-	2	3	3	15	12	9	6	4	3	2	-	1	-	-	-	1
	F..	59	-	-	-	-	-	-	-	-	-	-	2	7	10	11	12	5	7	1	-	2	1	1	-	-	-	-
48,49	Cancer of female genital organs	325	-	-	-	-	-	-	-	-	2	7	11	22	37	35	48	40	35	31	27	16	10	2	2	-	-	-
	White..F..	235	-	-	-	-	-	-	-	-	-	2	8	12	25	20	37	24	28	26	27	12	10	2	2	-	-	-
	Nonwhite..F..	90	-	-	-	-	-	-	-	-	2	5	3	10	12	15	11	16	7	5	-	4	-	-	-	-	-	-
50	Cancer of breast	182	-	-	-	-	-	-	-	-	-	1	-	12	16	23	19	22	24	21	25	9	9	1	-	-	-	-
	White..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F..	140	-	-	-	-	-	-	-	-	-	1	-	9	10	18	11	17	20	14	23	8	8	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	39	-	-	-	-	-	-	-	-	-	-	-	3	6	5	6	5	4	7	2	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	828	-	2	-	1	1	7	-	4	6	11	7	17	35	49	67	92	109	130	109	79	62	33	5	1	-	1
	White..M..	547	-	-	-	-	-	4	-	2	3	7	3	8	17	24	42	59	64	87	85	64	46	27	3	1	-	1
	F..	189	-	1	-	-	1	3	-	2	2	2	1	4	9	14	12	20	31	36	15	14	14	6	2	-	-	-
	Nonwhite..M..	63	-	1	-	1	-	-	-	-	1	2	1	2	7	6	10	9	9	6	5	1	2	-	-	-	-	-
	F..	29	-	-	-	-	-	-	-	-	-	-	2	3	2	5	3	4	5	1	4	-	-	-	-	-	-	-
58	Acute rheumatic fever	25	3	1	-	-	1	4	3	1	-	1	1	1	3	1	-	1	2	2	-	-	-	-	-	-	-	-
	White..M..	6	-	-	-	-	-	1	1	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	7	3	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	6	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	412	-	1	-	1	-	4	4	4	3	5	4	10	18	27	20	43	61	70	58	42	21	12	1	2	-	1
	White..M..	142	-	1	-	1	-	1	1	-	2	1	2	2	5	5	8	13	23	27	20	18	8	4	-	-	-	-
	F..	172	-	-	-	-	-	1	3	2	-	2	2	2	5	7	4	14	26	34	32	20	8	8	1	1	-	-
	Nonwhite..M..	37	-	-	-	-	-	1	-	1	1	1	-	2	4	7	4	2	3	4	2	2	1	-	-	1	-	1
	F..	61	-	-	-	-	-	1	-	1	-	1	-	4	4	8	4	14	9	5	4	2	4	-	-	-	-	-
63b	Exophthalmic goiter	32	-	-	-	-	-	-	-	1	-	1	1	2	1	7	1	3	3	3	5	3	1	-	-	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	22	-	-	-	-	-	-	-	1	-	-	1	1	1	4	-	2	3	2	3	3	1	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	1	-	-	2	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	37	-	1	-	-	1	-	1	-	-	-	1	1	2	3	5	3	4	1	4	6	1	2	1	-	-	-
	White..M..	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
	F..	11	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	-	2	4	-	1	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	-	-	-	-	1	-	-	-
	F..	13	-	1	-	-	-	-	-	-	-	-	1	1	1	1	3	1	2	-	1	1	-	-	-	-	-	-
77	Alcoholism (ethylism)	38	-	-	-	-	-	-	-	1	1	3	3	7	9	6	3	3	-	1	1	-	-	-	-	-	-	-
	White..M..	23	-	-	-	-	-	-	-	1	-	1	3	6	5	3	-	2	-	1	1	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	1	1	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,164	7	-	1	-	-	3	-	6	2	14	32	40	90	132	206	223	215	297	309	268	185	91	29	8	1	5
	White..M..	747	3	-	-	-	-	-	-	1	-	1	12	3	20	30	42	60	87	116	126	114	76	43	11	1	-	1
	F..	643	3	-	-	-	-	-	-	1	1	4	2	8	12	21	37	40	43	93	112	115	91	42	13	3	-	2
	Nonwhite..M..	378	1	-	-	-	-	3	-	3	1	5	10	12	26	43	51	57	44	41	39	24	10	2	2	2	-	2
	F..	396	-	-	1	-	-	-	-	1	-	4	8	17	32	38	76	66	41	47	52	15	8	4	3	2	1	-
90-95	Diseases of the heart	5,264	3	-	2	-	1	7	6	21	28	52	92	109	210	312	437	526	623	638	742	829	452	275	72	20	1	6
	White..M..	2,795	2	-	-	-	-	3	2	7	8	18	31	34	98	155	225	280	373	382	404	350	248	136	28	7	-	2
	F..	1,442	-	-	-	-	-	1	2	6	8	16	11	13	28	39	63	101	139	185	269	231	181	121	38	10	-	-
	Nonwhite..M..	577	-	-	2	-	-	1	-	4	2	5	20	41	44	73	92	82	61	50	46	27	14	9	2	-	-	2
	F..	452	1	-	-	-	1	2	2	4	10	13	30	21	40	45	57	63	50	41	25	21	9	9	4	3	1	2
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	295	-	-	-	-	-	2	2	8	9	10	18	17	15	19	22	28	29	25	27	27	18	18	1	-	-	-
	White..M..	135	-	-	-	-	-	1	1	4	4	3	7	6	6	11	12	10	16	8	19	15	9	7	-	-	-	-
	F..	81	-	-	-	-	-	-	1	2	2	6	4	5	2	4	3	5	6	8	5	11	6	10	1	-	-	-
	Nonwhite..M..	35	-	-	-	-	-	1	-	2	-	-	1	4	2	3	3	4	6	6	1	1	-	1	-	-	-	-
	F..	44	-	-	-	-	-	-	-	-	3	1	6	2	5	1	4	9	1	5	2	2	3	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,804	3	-	-	-	-	-	-	3	3	9	25	38	87	155	174	219	250	238	243	190	116	64	6	-	-	1
	White..M..	1,210	2	-	-	-	-	-	-	2	1	7	12	19	54	93	114	159	174	174	158	122	77	38	3	-	-	1
	F..	406	-	-	-	-	-	-	-	-	-	-	1	5	8	16	28	35	51	54	81	65	36	23	3	-	-	-
	Nonwhite..M..	117	-	-	-	-	-	-	-	1	1	1	4	12	17	22	21	14	14	4	2	1	2	2	-	-	-	-
	F..	71	1	-	-	-	-	-	-	1	1	1	8	2	8	4	11	11	11	6	2	2	1	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	3,165	-	-	2	-	1	5	4	10	16	33	49	54	108	158	241	279	344	375	472	412	318	193	65	20	1	5
	White..M..	1,448	-	-	-	-	-	2	1	1	3	8	12	9	38	51	99	111	183	202	227	215	162	91	25	7	-	1
	F..	955	-	-	-	-	-	1	1	4	6	10	6	3	18	19	32	61	82	103	183	155	139	88	34	10	-	-
	Nonwhite..M..	425	-	-	2	-	-	-	-	2	1	4	15	25	25	48	68	64	41	40	43	25	12	6	2	-	-	2
	F..	337	-	-	-	-	1	2	2	3	6	11	16	17	27	40	42	45	38	30	19	17	5	8	4	3	1	2

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Con.																										
107-109, 38	Pneumonia (all forms) and influenza	1,487	295	63	25	15	3	10	14	25	22	32	42	58	73	82	92	83	85	79	95	103	85	64	26	7	6	3
	White—M	504	89	14	7	6	1	1	3	9	6	9	6	10	17	22	27	33	35	36	47	53	41	23	9	-	-	-
	F	341	62	13	4	4	2	2	3	4	2	5	5	10	5	9	14	10	11	21	31	35	39	33	13	2	2	-
	Nonwhite—M	361	83	18	9	3	-	4	6	9	3	7	16	23	24	31	25	28	27	12	5	11	5	7	-	3	1	1
	F	281	61	18	5	2	-	3	2	3	11	11	15	15	27	20	26	12	12	10	12	4	-	1	4	2	3	2
107	Bronchopneumonia	473	139	29	10	4	-	3	1	5	6	5	11	11	13	20	22	15	24	25	28	39	33	20	8	2	-	-
	White—M	198	49	8	6	-	-	-	2	2	1	3	1	4	5	9	9	15	13	17	23	20	7	4	-	-	-	-
	F	123	36	6	1	2	-	2	-	-	-	1	1	4	-	2	2	2	5	7	8	14	12	13	4	1	-	-
	Nonwhite—M	78	27	8	2	-	-	1	3	1	1	3	5	3	8	5	3	2	3	-	2	1	-	-	-	-	-	-
	F	74	27	7	1	2	-	1	-	-	3	2	4	1	6	5	6	1	2	2	3	-	-	-	1	-	-	-
108	Lobar pneumonia	469	65	9	7	5	2	4	5	9	12	19	15	25	30	33	39	37	33	26	29	30	12	12	5	2	2	2
	White—M	150	15	1	-	4	1	1	2	2	4	6	2	3	7	11	11	16	9	10	16	15	7	5	2	-	-	-
	F	86	11	2	1	1	1	-	1	2	2	3	1	4	4	3	6	4	6	7	9	7	5	5	1	-	-	-
	Nonwhite—M	137	26	3	4	-	-	2	2	4	1	4	8	14	11	10	9	11	13	3	2	6	-	2	-	1	-	1
	F	96	13	3	2	-	-	1	-	1	5	6	4	4	8	9	13	6	5	6	2	2	-	-	2	1	2	1
109	Pneumonia (unspecified)	122	32	10	3	-	1	-	3	4	1	1	3	5	3	7	3	8	6	1	7	5	7	8	3	-	1	-
	White—M	46	12	3	-	-	-	-	-	3	-	1	-	1	1	2	1	4	4	-	4	1	3	5	1	-	-	-
	F	32	8	2	1	-	1	-	1	-	-	-	2	-	1	1	1	-	-	1	2	3	3	2	2	-	1	-
	Nonwhite—M	24	8	2	1	-	-	-	1	-	1	-	1	-	-	2	-	4	2	-	-	-	1	1	-	-	-	-
	F	20	4	3	1	-	-	-	1	1	-	-	-	4	1	2	1	-	-	-	1	1	-	-	-	-	-	-
33	Influenza	423	59	15	5	6	-	3	5	7	3	7	13	17	27	22	28	23	22	27	31	29	33	24	10	3	3	1
	White—M	110	13	2	1	2	-	-	1	2	-	1	1	5	5	4	6	4	7	13	10	14	11	6	2	-	-	-
	F	100	7	3	1	1	-	-	1	2	-	1	1	2	-	3	5	4	-	6	12	11	19	13	6	1	1	-
	Nonwhite—M	122	22	5	2	3	-	2	2	2	-	2	4	4	10	11	11	10	10	6	3	3	3	4	-	2	1	-
	F	91	17	5	1	-	-	1	1	1	3	3	7	6	12	4	6	5	5	2	6	1	-	1	2	-	1	1
117	Ulcer of stomach or duodenum	148	-	-	-	-	-	-	-	1	5	6	9	11	16	20	20	16	16	17	6	3	-	2	-	-	-	-
	White—M	81	-	-	-	-	-	-	-	1	3	1	3	2	5	14	11	12	9	14	3	2	-	1	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	1	2	2	-	-	-	-	-	-	-
	Nonwhite—M	45	-	-	-	-	-	-	-	-	2	4	5	2	10	6	7	2	5	-	1	1	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	1	1	4	-	-	1	1	1	1	-	-	-	1	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	237	133	16	7	2	1	3	1	1	3	3	4	5	4	6	5	8	7	5	8	5	4	3	2	1	-	-
	White—M	66	41	4	-	-	-	1	-	1	1	-	-	1	-	1	1	2	3	1	2	1	2	1	2	1	-	-
	F	57	32	5	2	2	-	-	-	-	-	1	-	1	1	-	-	3	1	1	3	3	1	1	-	-	-	-
	Nonwhite—M	56	30	1	3	-	1	2	-	-	-	1	1	1	2	2	4	-	2	2	1	1	1	-	-	-	-	-
	F	58	30	6	2	-	-	1	-	2	1	3	2	1	3	-	3	1	1	2	-	-	-	-	-	-	-	-
121	Appendicitis	144	-	3	2	-	-	10	5	13	9	8	15	15	9	8	13	11	7	10	3	2	1	-	-	-	-	-
	White—M	57	-	2	2	-	-	5	1	5	1	4	3	5	4	4	4	6	2	6	1	1	1	-	-	-	-	-
	F	28	-	-	-	-	-	3	4	1	1	2	2	1	2	1	2	3	2	2	2	-	-	-	-	-	-	-
	Nonwhite—M	32	-	-	-	-	-	1	-	3	3	2	5	4	1	2	4	1	3	2	-	1	-	-	-	-	-	-
	F	27	-	1	-	-	-	1	-	4	4	-	5	5	2	1	3	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	230	12	4	-	-	1	1	2	7	5	6	7	10	19	31	18	12	18	21	18	14	11	10	3	-	-	-
	White—M	65	2	2	-	-	-	-	1	4	-	1	1	1	4	4	5	3	6	6	6	8	6	3	2	-	-	-
	F	74	4	1	-	-	1	-	-	-	2	2	1	2	3	12	4	3	5	9	7	5	5	7	1	-	-	-
	Nonwhite—M	55	4	1	-	-	-	1	1	1	1	2	-	3	7	10	6	5	3	5	4	1	-	-	-	-	-	-
	F	36	2	-	-	-	-	-	-	2	2	1	5	4	5	5	3	1	4	1	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	204	-	1	-	1	-	-	1	-	1	1	4	10	18	21	19	40	22	22	22	13	6	1	1	-	-	-
	White—M	121	-	1	-	1	-	-	-	-	-	1	2	3	8	19	8	20	13	15	17	10	1	1	1	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	-	2	5	2	1	7	7	6	1	5	3	5	-	-	-	-	-
	Nonwhite—M	20	-	-	-	-	-	-	1	-	-	-	-	1	2	-	2	10	-	4	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	1	-	-	1	6	1	2	3	3	2	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	63	1	-	-	-	-	-	-	-	-	-	1	6	6	2	9	1	8	9	8	5	4	1	2	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	1	4	4	2	1	1	1	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	-	1	2	-	-	5	-	6	5	4	2	2	-	1	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-
	F	11	1	-	-	-	-	-	-	-	-	-	-	2	3	-	2	1	1	-	-	-	1	-	-	-	-	-	-
130-132	Nephritis	1,728	1	2	4	3	2	2	11	9	13	14	25	56	74	92	129	168	159	199	228	189	174	117	45	5	3	4
	White—M	680	-	-	2	1	1	2	4	1	2	7	8	11	18	31	35	61	58	105	97	88	82	46	17	3	-	-
	F	503	1	2	2	1	-	-	4	-	4	2	6	15	12	15	18	30	37	51	76	69	78	57	19	1	2	1
	Nonwhite—M	306	-	-	-	1	1	-	1	2	4	3	5	17	17	30	38	43	41	28	32	17	10	9	6	-	-	1
	F	239	-	-	-	-	-	-	2	6	3	2	6	13	27	16	38	34	23	15	23	15	4	5	3	1	1	2
137	Diseases of the prostate	147	-	-	-	-	-	-	-	-	-	-	-	1	3	5	7	14	16	23	18	26	21	9	4	-	-	-
	White—M	104	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	4	10	19	11	25	20	6	3	-	-	-
	Nonwhite—M	43	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	10	6	4	7	1	1	3	1	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Con.																										
140-150	Diseases of pregnancy, etc.*...	161	-	-	-	-	-	-	-	22	32	32	36	25	12	2	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	86	-	-	-	-	-	-	-	9	17	18	17	16	8	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	75	-	-	-	-	-	-	-	13	15	14	19	9	4	1	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	57	-	-	-	-	-	-	-	10	15	7	11	12	-	2	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	27	-	-	-	-	-	-	-	4	7	2	5	8	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	30	-	-	-	-	-	-	-	6	8	5	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	47	-	-	-	-	-	-	-	9	10	7	12	4	5	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	25	-	-	-	-	-	-	-	3	4	4	6	3	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	22	-	-	-	-	-	-	-	6	6	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143, 146, 149	Hemorrhage,trauma and shock*.....	45	-	-	-	-	-	-	-	2	5	16	9	6	7	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	29	-	-	-	-	-	-	-	1	5	10	5	5	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	16	-	-	-	-	-	-	-	1	-	6	4	1	4	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	12	-	-	-	-	-	-	-	1	2	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	5	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	7	-	-	-	-	-	-	-	-	1	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	256	221	9	5	1	1	1	2	1	3	3	-	3	-	3	1	2	-	-	-	-	-	-	-	-	-
	White.....M..	113	95	4	3	1	-	-	1	-	2	1	-	1	-	3	1	1	-	-	-	-	-	-	-	-	-
	F..	110	97	3	2	-	-	1	1	1	-	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	19	16	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	14	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	727	727	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	306	306	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	205	205	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	117	117	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	99	99	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	197	-	-	-	-	-	1	4	17	18	25	16	26	23	16	11	12	10	10	3	2	3	-	-	-	-
	White.....M..	122	-	-	-	-	-	1	1	6	11	15	11	15	13	11	9	11	5	7	2	1	3	-	-	-	-
	F..	62	-	-	-	-	-	-	1	8	6	9	5	7	9	5	2	1	5	2	1	1	-	-	-	-	-
	Nonwhite..M..	10	-	-	-	-	-	-	1	3	1	1	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	292	1	-	-	1	-	1	4	15	38	58	53	44	26	23	13	9	2	3	1	-	-	-	-	-	-
	White.....M..	44	-	-	-	-	-	-	-	2	3	7	8	4	4	7	3	3	-	2	1	-	-	-	-	-	-
	F..	13	1	-	-	-	-	-	-	-	1	3	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	189	-	-	-	-	-	1	3	11	23	35	32	31	20	15	9	5	2	1	-	-	-	-	-	-	-
	F..	46	-	-	-	1	-	-	1	2	11	12	10	7	1	-	-	1	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,527	55	25	28	21	24	60	83	251	711	271	141	99	107	78	70	66	65	88	71	58	66	53	20	5	2	9
	White.....M..	1,697	17	8	10	9	11	25	34	213	647	224	78	58	55	46	31	32	39	39	39	25	25	14	11	2	-	5
	F..	358	15	11	7	4	5	15	18	15	20	11	12	12	18	7	12	8	12	31	16	27	37	35	8	1	-	1
	Nonwhite..M..	351	14	4	7	4	5	14	26	21	35	29	37	24	26	15	17	22	9	14	14	4	2	2	-	2	2	2
	F..	121	9	2	4	4	3	6	5	2	9	7	14	5	8	10	10	4	5	4	2	2	2	2	1	-	-	1
170	Motor-vehicle accidents.....	563	1	6	9	5	11	20	26	51	60	58	51	34	40	28	23	32	16	27	28	12	10	4	1	-	-	-
	White.....M..	318	1	2	2	3	5	10	10	35	39	45	28	18	20	15	11	18	11	13	15	8	5	2	1	-	-	-
	F..	100	-	3	3	1	2	7	9	11	9	3	5	5	8	4	5	2	2	7	6	2	4	2	-	-	-	-
	Nonwhite..M..	120	-	1	4	1	3	3	5	4	11	16	13	10	10	7	5	10	2	6	7	1	1	-	-	-	-	-
	F..	25	-	-	-	-	1	-	2	1	1	3	5	1	2	2	2	2	1	1	-	1	-	-	-	-	-	-
169, 171-195	Other accidents..	1,964	54	19	19	16	13	40	57	200	651	203	90	65	67	50	47	34	49	61	43	46	56	49	19	5	2	9
	White.....M..	1,379	16	6	8	6	6	15	24	178	608	178	50	40	35	31	20	14	28	26	24	17	20	12	10	2	-	5
	F..	258	15	8	4	3	3	8	9	4	11	8	7	7	10	3	7	6	10	24	10	25	33	33	8	1	-	1
	Nonwhite..M..	231	14	3	3	3	2	11	21	17	24	13	24	14	16	8	12	12	7	8	7	3	1	2	-	2	2	2
	F..	96	9	2	4	4	2	6	3	1	8	4	9	4	6	8	8	2	4	3	2	1	2	2	1	-	-	1
162,199, 200	Senility, ill-defined and unknown causes...	911	125	10	4	-	5	3	4	5	10	15	11	28	34	35	64	62	64	77	74	66	76	70	38	19	9	3
	White.....M..	340	30	3	-	-	1	1	1	3	3	1	1	7	10	14	24	33	37	32	30	28	33	27	10	6	3	2
	F..	195	24	3	-	-	1	-	1	2	1	1	1	7	1	4	5	4	13	7	25	15	30	27	17	6	-	-
	Nonwhite..M..	206	42	2	2	-	-	1	-	-	2	3	4	7	13	12	20	15	4	19	17	12	9	10	5	3	3	1
	F..	170	29	2	2	-	3	1	2	-	4	10	5	7	10	5	15	10	10	19	2	11	4	6	6	4	3	-
	All other causes.	2,442	530	33	24	14	10	48	40	33	49	67	102	118	136	121	140	134	122	150	157	159	121	92	32	6	1	3
	White.....M..	954	201	14	7	2	4	20	14	15	12	17	21	26	30	34	57	51	71	85	64	83	61	45	13	4	1	2
	F..	661	131	10	7	3	4	13	6	6	10	17	25	20	26	26	29	32	21	40	64	55	53	44	18	1	-	-
	Nonwhite..M..	404	115	6	5	2	2	11	12	7	9	11	16	24	34	31	25	30	16	11	20	12	1	1	1	1	-	1
	F..	423	83	3	5	7	-	4	8	5	18	22	40	48	46	30	29	21	14	14	9	9	6	2	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated*
	GEORGIA																											
	All causes	29,401	3407	320	171	98	86	291	289	596	895	952	1103	1292	1525	1758	2,245	2,279	2,338	2,578	2,481	1,972	1370	838	318	109	61	29
	White	M.. 9,608	990	86	56	28	36	102	103	188	307	259	249	341	374	485	673	766	897	996	1,018	779	502	265	89	16	1	2
		F.. 7,007	789	74	33	28	16	52	43	76	154	148	184	209	253	282	359	420	548	753	797	699	578	369	122	34	4	5
	Nonwhite	M.. 6,728	905	82	53	22	15	75	90	168	222	260	316	373	446	530	666	586	440	437	404	269	150	93	55	30	20	21
		F.. 6,058	723	78	29	20	19	62	53	164	232	285	354	369	452	461	547	507	453	392	262	225	140	111	52	29	36	3
1,2	Typhoid and paratyphoid fever	25	-	-	-	-	-	2	1	2	1	1	2	3	-	5	4	2	-	1	1	-	-	-	-	-	-	-
	White	M.. 4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		F.. 6	-	-	-	-	-	-	-	1	1	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. 12	-	-	-	-	-	1	1	-	-	-	1	3	-	1	2	1	-	1	1	-	-	-	-	-	-	-
		F.. 3	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	62	6	8	3	3	-	6	3	7	4	3	3	4	3	2	2	3	1	1	-	-	-	-	-	-	-	-
	White	M.. 26	1	2	1	1	-	5	1	3	1	1	2	3	2	-	1	2	-	-	-	-	-	-	-	-	-	-
		F.. 17	1	5	1	2	-	1	1	-	1	1	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite	M.. 11	2	-	-	-	-	-	1	2	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F.. 8	2	1	1	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M.. 1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	66	46	11	2	3	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M.. 13	9	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 16	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. 14	10	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 23	12	5	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	41	4	9	9	8	2	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M.. 16	2	2	3	2	1	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 19	2	6	3	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. 4	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms)	1,141	5	10	4	2	5	6	10	68	138	129	155	111	101	97	90	58	63	42	30	8	3	4	-	-	-	2
	White	M.. 265	1	-	2	-	-	2	1	3	7	16	20	21	27	37	34	26	30	18	15	5	2	-	-	-	-	-
		F.. 172	-	2	-	-	-	-	-	9	17	14	15	14	17	11	13	13	16	15	10	2	1	3	-	-	-	-
	Nonwhite	M.. 337	2	5	2	1	2	3	3	19	46	47	47	39	30	32	31	11	9	2	4	-	-	1	-	-	-	1
		F.. 367	2	3	-	1	3	1	6	37	68	52	73	37	27	17	12	8	8	7	3	1	-	-	-	-	-	1
15	Tuberculosis of respiratory system, etc.*	1,068	4	6	3	2	3	3	6	63	127	124	147	103	95	94	88	55	60	40	28	8	3	4	-	-	-	2
	White	M.. 249	-	-	1	-	-	1	-	2	7	15	18	21	24	37	34	25	28	17	12	5	2	-	-	-	-	-
		F.. 164	-	1	-	-	-	-	-	9	16	14	13	13	17	10	13	13	15	14	10	2	1	3	-	-	-	-
	Nonwhite	M.. 315	2	3	2	1	2	1	3	16	43	45	46	34	29	30	30	10	9	2	3	-	-	1	-	-	-	1
		F.. 342	2	2	-	1	1	1	3	36	61	50	70	35	25	17	11	7	8	7	3	1	-	-	-	-	-	1
14-22	Tuberculosis (other forms)	73	1	4	1	-	2	3	4	5	11	5	8	8	6	3	2	3	3	2	2	-	-	-	-	-	-	-
	White	M.. 16	1	-	1	-	-	1	1	-	1	-	2	-	3	-	-	1	2	1	1	-	-	-	-	-	-	-
		F.. 8	-	1	-	-	-	-	-	1	-	2	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite	M.. 24	-	2	-	-	-	2	-	3	3	2	1	5	1	2	1	1	-	-	1	-	-	-	-	-	-	-
		F.. 25	-	1	-	-	2	-	3	1	7	2	3	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	59	28	2	3	1	-	-	-	-	1	2	-	1	-	4	1	2	3	3	-	3	2	2	1	-	-	-
	White	M.. 11	7	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F.. 12	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	1	-	-	-	-
	Nonwhite	M.. 17	7	-	2	1	-	-	-	-	-	-	-	-	-	2	-	1	1	2	-	1	-	-	-	-	-	-
		F.. 19	9	2	-	-	-	-	-	-	-	1	-	-	-	1	1	1	2	-	-	2	-	-	-	-	-	-
28	Malaria	39	1	2	-	-	-	3	1	4	1	3	3	2	3	1	4	2	2	2	2	2	-	1	-	-	-	-
	White	M.. 7	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	-	-	-	-
		F.. 9	-	-	-	-	-	1	-	-	-	2	-	2	-	-	1	1	1	-	1	-	-	-	-	-	-	-
	Nonwhite	M.. 9	1	1	-	-	-	-	-	2	1	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
		F.. 14	-	1	-	-	-	-	1	2	-	-	3	-	1	1	2	-	-	-	1	2	-	-	-	-	-	-
30	Syphilis	410	31	2	-	-	1	3	-	9	12	14	22	45	60	52	61	28	28	26	5	5	2	-	-	-	-	3
	White	M.. 87	3	-	-	-	-	-	-	1	1	1	3	13	8	10	17	7	11	11	1	-	-	-	-	-	-	-
		F.. 30	2	-	-	-	-	-	-	1	-	-	1	3	6	3	3	3	1	4	-	2	1	-	-	-	-	-
	Nonwhite	M.. 196	16	1	-	-	1	3	-	2	4	6	15	18	32	27	29	14	12	8	3	1	1	-	-	-	-	3
		F.. 97	10	1	-	-	-	-	-	5	7	7	3	11	14	12	12	5	4	3	1	2	-	-	-	-	-	-
35	Measles	68	24	10	2	1	2	11	5	-	1	1	-	-	1	-	2	3	-	-	3	2	-	-	-	-	-	-
	White	M.. 25	12	5	-	-	1	1	2	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
		F.. 24	3	2	1	1	1	5	2	-	1	-	-	-	-	-	2	2	-	-	2	2	-	-	-	-	-	-
	Nonwhite	M.. 6	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 13	6	1	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	14	-	1	1	1	-	2	2	1	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M.. 8	-	1	1	1	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 3	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. 2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Con.																											
45-55	Cancer and other malignant tumors	2,290	2	2	5	4	4	4	8	10	24	40	79	102	167	188	261	252	278	306	248	167	75	48	12	2	-	2
	White	718	1	1	1	2	1	1	4	2	10	6	17	21	22	49	64	72	99	100	115	78	27	19	5	-	-	1
	M.	929	1	-	-	1	2	2	2	2	4	13	23	42	69	74	98	94	111	152	100	71	35	26	5	2	-	-
	F.	231	-	-	3	-	-	1	1	6	3	3	6	9	17	22	45	34	22	23	21	9	6	1	-	-	-	1
	Nonwhite	412	-	1	1	1	1	-	1	-	7	18	33	30	59	43	56	52	46	31	12	9	7	2	2	-	-	-
46	Cancer of digestive organs, peritoneum	799	-	-	-	1	-	-	1	3	5	10	19	22	51	52	92	97	109	114	110	67	29	14	1	1	-	1
	White	298	-	-	-	1	-	-	1	-	1	2	4	8	12	21	27	32	51	43	51	28	7	7	1	-	-	1
	M.	283	-	-	-	-	-	-	-	-	1	2	4	7	10	14	33	27	33	52	44	30	19	6	-	1	-	-
	F.	111	-	-	-	-	-	-	-	3	-	2	3	3	11	14	20	19	8	11	11	6	-	-	-	-	-	-
	Nonwhite	107	-	-	-	-	-	-	-	-	3	4	8	4	18	3	12	19	17	8	4	3	3	1	-	-	-	-
48,49	Cancer of female genital organs	463	-	-	-	-	-	-	1	1	2	15	27	28	63	61	59	44	54	51	26	16	8	6	1	-	-	-
	White	274	-	-	-	-	-	-	1	1	1	5	13	14	35	30	32	25	36	38	20	12	6	5	-	-	-	-
	Nonwhite	189	-	-	-	-	-	-	-	-	1	10	14	14	28	31	27	19	18	13	6	4	2	1	1	-	-	-
50	Cancer of breast	206	-	-	-	-	-	-	-	-	1	3	9	15	21	23	21	25	29	27	16	9	1	2	3	1	-	-
	White	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	M.	147	-	-	-	-	-	-	-	-	1	1	2	9	13	18	14	17	22	23	15	7	-	2	2	1	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite	55	-	-	-	-	-	-	-	-	-	2	7	6	8	5	7	7	5	4	1	1	1	-	1	-	-	-
45,47, 51-55	Cancer (other sites)	822	2	2	5	3	4	4	6	6	16	12	24	37	32	52	89	86	86	114	96	75	37	26	7	-	-	1
	White	418	1	1	1	1	1	1	3	2	9	4	13	13	10	28	37	40	47	57	64	49	20	12	4	-	-	-
	M.	225	1	-	-	1	2	2	1	1	1	5	4	12	11	12	19	25	20	39	21	22	10	13	3	-	-	-
	F.	118	-	-	3	-	-	1	1	3	3	1	3	6	6	8	23	14	13	12	10	3	6	1	-	-	-	1
	Nonwhite	61	-	1	1	1	1	-	1	-	3	2	4	6	5	4	10	7	6	6	1	1	1	-	-	-	-	-
58	Acute rheumatic fever	39	-	-	1	-	1	4	4	5	1	3	5	3	1	1	1	1	1	1	2	2	-	-	1	-	-	-
	White	7	-	-	-	-	-	1	1	1	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	M.	7	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	F.	10	-	-	1	-	-	-	1	3	-	1	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-
	Nonwhite	15	-	-	-	-	1	2	2	1	1	2	-	2	1	-	1	1	-	-	-	-	-	-	1	-	-	-
61	Diabetes mellitus	384	1	2	-	-	-	1	7	10	9	12	12	14	15	29	34	39	44	52	48	29	19	4	2	1	-	-
	White	129	-	-	-	-	-	-	3	4	3	3	3	4	5	6	15	11	15	14	24	10	7	2	-	-	-	-
	M.	128	1	1	-	-	-	-	-	4	4	2	4	2	2	6	3	10	20	25	21	12	9	1	1	-	-	-
	F.	43	-	1	-	-	-	1	-	1	1	1	2	-	2	8	4	5	2	4	-	2	2	-	1	1	-	-
	Nonwhite	84	-	-	-	-	-	-	4	1	1	1	3	8	6	9	12	13	7	9	3	5	1	1	-	-	-	-
63b	Exophthalmic goiter	26	-	-	-	-	-	1	-	2	-	-	1	2	3	3	3	2	5	2	-	2	-	-	-	-	-	-
	White	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	M.	14	-	-	-	-	-	-	-	2	-	-	1	-	1	2	1	2	2	1	-	2	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	132	-	-	-	-	-	-	1	-	-	7	6	5	5	7	8	14	14	14	14	24	9	3	1	-	-	-
	White	24	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	3	6	2	3	3	-	-	-	-	-
	M.	48	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	5	2	5	11	10	4	3	1	-	-	-
	F.	15	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	1	2	1	1	6	-	-	-	-	-	-
	Nonwhite	45	-	-	-	-	-	-	-	-	-	7	6	4	2	2	3	5	7	2	-	5	2	-	-	-	-	-
77	Alcoholism (ethylism)	52	-	-	-	-	-	1	-	-	4	5	4	13	4	7	6	1	2	3	2	-	-	-	-	-	-	-
	White	27	-	-	-	-	-	-	-	-	1	3	2	7	3	3	4	-	1	1	2	-	-	-	-	-	-	-
	M.	6	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	F.	16	-	-	-	-	-	1	-	-	1	2	2	3	-	3	-	1	1	2	-	-	-	-	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,181	9	1	-	-	1	-	4	5	22	32	48	90	169	231	374	354	355	424	397	307	193	114	32	11	8	-
	White	834	4	-	-	-	-	-	2	-	4	3	2	10	19	32	67	79	106	127	148	108	74	38	8	3	-	-
	M.	792	2	1	-	-	1	-	-	2	5	4	8	16	17	38	43	60	86	128	118	125	75	45	12	4	2	-
	F.	751	2	-	-	-	-	-	1	1	7	14	17	36	54	78	128	102	78	75	75	39	19	17	6	1	1	-
	Nonwhite	804	1	-	-	-	-	-	1	2	6	11	21	28	79	83	136	113	85	94	56	35	25	14	6	3	5	-
90-95	Diseases of the heart	5,731	-	3	3	2	1	7	25	27	33	72	112	174	271	379	547	676	659	742	749	573	378	215	56	16	7	4
	White	2,314	-	1	1	2	-	3	5	5	10	14	27	52	79	141	201	286	305	358	329	255	150	67	19	2	1	1
	M.	1,363	-	2	1	-	-	2	4	6	5	12	15	22	29	35	64	103	135	185	234	212	172	100	21	3	-	1
	F.	1,077	-	-	1	-	-	1	11	6	7	23	32	53	84	104	160	152	106	108	104	58	29	23	8	3	3	1
	Nonwhite	977	-	-	-	-	1	1	5	10	11	23	38	47	79	99	122	135	113	91	82	48	27	25	8	8	3	1
90a,92b c,93c,95b	Chronic rheumatic diseases of the heart	347	-	-	-	1	1	2	14	9	10	10	11	16	20	23	30	31	38	27	36	26	26	11	4	1	-	-
	White	104	-	-	-	1	-	1	3	3	4	2	1	6	3	6	6	3	14	13	15	13	7	2	1	-	-	-
	M.	59	-	-	-	-	-	-	3	1	2	2	-	1	2	-	4	1	5	5	8	7	13	3	2	-	-	-
	F.	97	-	-	-	-	-	-	6	1	1	3	6	2	10	7	13	14	7	5	9	4	4	4	-	1	-	-
	Nonwhite	87	-	-	-	-	1	1	2	4	3	3	4	7	5	10	7	13	12	4	4	2	2	2	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,514	-	-	-	-	-	-	1	3	4	14	37	42	87	113	189	212	176	222	177	133	69	31	3	1	-	-
	White	870	-	-	-	-	-	-	-	-	-	6	15	21	43	72	110	135	112	141	96	71	35	10	3	-	-	-
	M.	333	-	-	-	-	-	-	-	2	1	1	4	2	9	5	20	37	40	51	60	52	30	19	-	-	-	-
	F.	172	-	-	-	-	-	-	1	1	2	4	6	12	18	21	32	23	12	18	13	4	2	2	-	1	-	-
	Nonwhite	139	-	-	-	-	-	-	-	-	1	3	12	7	17	15	27	17	12	12	8	6	2	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	3,870	-	3	3	1	-	5	10	15	19	48	64	116	164	243	328	433	445	493	536	414	283	173	49	14	7	4
	White	1,340	-	1	1	1	-	2	2	2	6	6	11	25	33	63	85	148	179	204	218	171	108	55	15	2	1	1
	M.	971	-	2	1	-	-	2	1	3	2	9	11	19	18	30	40	65	90	129	166	153	129	78	19	3	-	1
	F.	808	-	-	1	-	-	1	4	4	4	16	20	39	56	76	115	115	87	85	82	50	23	17	8	1	1	1
	Nonwhite	751	-	-	-	-	-	-	3	6	7	17	22	33	57	74	88	105	89	75	70	40	23	23	7	8	3	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Con.																										
107-109, 33	Pneumonia (all * forms) and influenza	2,306	509	93	43	16	13	36	17	43	42	71	64	70	98	117	151	131	142	133	140	119	130	65	42	15	4	2
	White	572	110	17	9	2	8	13	6	10	3	10	10	14	17	22	30	39	41	43	50	37	49	17	13	2	-	-
	M.	512	96	26	8	6	1	3	3	2	6	10	8	6	13	5	18	19	32	45	48	43	51	37	16	9	1	-
	F.	651	161	33	15	5	2	11	5	14	12	22	22	31	39	46	67	41	31	22	24	18	16	3	8	2	-	1
	Nonwhite	571	142	17	11	3	2	9	3	17	21	29	24	19	29	44	36	32	38	23	18	21	14	8	5	2	3	1
107	Bronchopneumonia	676	231	43	16	8	5	11	5	7	12	21	10	13	14	14	32	30	29	30	33	35	42	21	7	5	1	1
	White	178	52	4	5	1	2	6	3	1	1	5	2	5	4	4	8	9	7	12	13	13	13	3	3	2	-	-
	M.	204	49	14	4	3	1	2	-	-	5	3	2	1	3	1	7	7	11	15	13	18	22	17	3	3	-	-
	F.	156	67	16	4	2	2	2	2	2	2	4	2	3	4	7	12	7	3	1	5	2	4	-	1	-	-	1
	Nonwhite	138	63	9	3	2	-	1	-	4	4	9	4	4	3	2	5	7	8	2	1	2	3	1	-	-	1	-
	F.																											
108	Lobar pneumonia	684	104	17	8	6	3	6	3	16	13	28	29	29	42	50	56	46	46	51	41	31	27	15	11	4	2	-
	White	169	24	2	1	1	3	-	1	4	1	2	6	5	7	12	10	17	14	13	19	9	12	5	1	-	-	-
	M.	118	18	5	1	2	-	-	1	1	1	4	3	2	4	1	6	2	12	15	10	7	10	6	5	2	-	-
	F.	219	34	8	2	2	-	2	1	6	4	10	9	16	16	18	27	19	9	12	7	8	4	1	3	1	-	-
	Nonwhite	178	28	2	4	1	-	4	-	5	7	12	11	6	15	19	13	8	11	11	5	7	1	3	2	1	2	-
	F.																											
109	Pneumonia (unspecified)	222	73	11	6	-	1	1	2	6	4	4	2	7	11	16	15	12	14	9	8	8	9	1	2	-	-	-
	White	53	13	1	-	-	1	1	-	2	1	2	-	1	3	1	4	5	5	4	-	4	5	-	-	-	-	-
	M.	38	7	5	-	-	-	-	1	1	-	-	-	-	1	1	3	4	2	2	5	3	1	1	1	-	-	-
	F.	80	30	2	6	-	-	1	1	2	2	1	4	2	9	4	2	6	3	2	1	1	-	-	1	-	-	-
	Nonwhite	51	23	3	-	-	-	-	-	2	1	-	1	2	5	5	4	1	1	-	1	-	2	-	-	-	-	-
	M.																											
	F.																											
33	Influenza	724	101	22	13	2	4	18	7	14	13	18	23	21	31	37	48	43	53	43	58	45	52	28	22	6	1	1
	White	172	21	10	3	-	2	6	2	3	-	1	2	3	3	5	8	8	15	14	18	11	19	9	9	-	-	-
	M.	152	22	2	3	1	-	1	1	-	-	3	3	3	5	2	2	6	7	13	20	15	18	13	7	4	1	-
	F.	196	30	7	3	1	-	7	1	5	4	6	10	8	17	12	24	13	13	6	9	7	7	2	3	1	-	-
	Nonwhite	204	28	3	4	-	2	4	3	6	9	8	8	7	6	18	14	16	18	10	11	12	8	4	3	1	-	1
	M.																											
	F.																											
117	Ulcer of stomach or duodenum	156	-	-	-	-	-	-	-	-	5	9	9	18	17	21	15	21	17	12	6	5	1	-	-	-	-	-
	White	84	-	-	-	-	-	-	-	-	3	4	3	12	12	7	8	11	11	7	3	2	1	-	-	-	-	-
	M.	14	-	-	-	-	-	-	-	-	-	2	-	-	-	3	1	1	2	2	3	-	-	-	-	-	-	-
	F.	41	-	-	-	-	-	-	-	-	1	2	3	5	3	8	4	7	4	2	-	2	-	-	-	-	-	-
	Nonwhite	17	-	-	-	-	-	-	-	-	1	1	3	1	2	3	2	2	-	1	-	1	-	-	-	-	-	-
	M.																											
	F.																											
119,120	Diarrhea, enteritis, etc.*	432	301	38	17	4	2	1	-	3	2	3	8	2	5	4	5	3	9	3	2	6	6	2	4	2	-	-
	White	119	91	6	3	-	2	1	-	1	-	1	2	-	1	-	1	1	2	-	1	2	2	-	2	-	-	-
	M.	105	70	8	4	1	-	-	-	2	1	-	1	-	1	2	2	-	1	2	-	3	3	2	2	-	-	-
	F.	101	71	11	7	2	-	-	-	-	-	-	2	-	1	1	1	3	-	-	1	-	-	-	-	-	-	-
	Nonwhite	107	69	13	3	1	-	-	-	1	2	3	2	2	1	1	1	1	3	1	1	-	1	-	-	2	-	-
	M.																											
	F.																											
121	Appendicitis	176	-	-	-	-	1	5	12	17	16	14	15	11	11	15	15	11	6	15	5	3	3	-	-	-	-	-
	White	62	-	-	-	-	1	2	3	5	3	4	4	3	4	6	6	4	4	10	-	1	2	-	-	-	-	-
	M.	47	-	-	-	-	-	1	5	6	6	1	1	-	3	2	4	3	2	5	5	2	1	-	-	-	-	-
	F.	43	-	-	-	-	-	3	3	2	5	4	5	4	3	6	4	4	-	-	-	-	-	-	-	-	-	-
	Nonwhite	24	-	-	-	-	-	-	1	4	2	5	5	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
122	Hernia, intestinal obstruction	223	14	8	2	-	1	2	2	3	8	4	9	19	20	13	22	20	17	16	18	11	7	5	2	-	-	-
	White	66	4	3	-	-	-	1	-	2	1	-	2	2	3	2	6	5	8	8	10	5	2	2	-	-	-	-
	M.	57	4	-	1	-	-	-	-	-	2	1	5	5	7	2	4	6	4	2	3	3	5	2	1	-	-	-
	F.	49	5	2	-	-	1	1	1	1	1	-	1	3	4	3	6	7	3	4	3	2	-	-	1	-	-	-
	Nonwhite	51	1	3	1	-	-	-	1	-	4	3	1	9	6	6	6	2	2	2	2	1	-	1	-	-	-	-
	M.																											
	F.																											
124	Cirrhosis of the liver	155	-	-	1	-	-	-	-	1	1	2	4	11	10	14	25	21	21	12	14	10	4	2	2	-	-	-
	White	70	-	-	1	-	-	-	-	-	-	-	1	7	4	8	14	9	10	5	4	5	-	1	1	-	-	-
	M.	35	-	-	-	-	-	-	-	-	1	-	-	-	1	1	4	5	9	4	6	-	3	-	1	-	-	-
	F.	35	-	-	-	-	-	-	-	-	-	-	1	7	3	1	5	7	2	3	3	4	1	1	-	-	-	-
	Nonwhite	15	-	-	-	-	-	-	-	1	-	2	1	1	2	4	2	-	-	-	1	1	-	-	-	-	-	-
	M.																											
	F.																											
126,127	Biliary calculi, etc.*	97	-	-	-	-	-	-	-	-	2	1	-	3	2	5	16	15	16	16	9	4	5	2	1	-	-	-
	White	32	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	6	5	6	3	1	2	-	-	-	-	-
	M.	54	-	-	-	-	-	-	-	-	-	1	-	2	-	1	8	7	11	10	5	3	3	2	1	-	-	-
	F.	5	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-
	M.																											
	F.																											
130-132	Nephritis	2,896	5	1	1	2	3	5	9	16	18	33	68	94	125	182	229	259	301	356	381	360	244	142	46	13	2	1
	White	910	-	1	-	1	2	1	1	3	5	6	10	18	23	32	57	63	94	128	147	151	103	50	12	2	-	-
	M.	671	2	-	1	-	-	1	2	4	2	6	13	12	18	23	30	38	51	80	116	113	68	55	14	2	-	-
	F.	694	1	-	-	1	-	3	4	3	5	7	16	27	38	73	72	92	80	87	72	52	27	17	9	6	1	1
	Nonwhite	621	2	-	-	-	1	-	2	6	6	14	29	37	46	54	70	66	76	61	46	44	26	20	11	3	1	-
	M.																											
	F.																											
137	Diseases of the prostate	164	-	-	-	-	-	-	-	-	-	-	-	1	2	4	3	14	18	25	40	28	11	13	3	1	1	-
	White	101	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	10	19	27	21	8	9	3	-	-	-
	Nonwhite	63	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	12	8	6	13	7	3	4	-	1	1	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FORM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Con.																										
140-150	Diseases of pregnancy, etc.*...	279	-	-	-	-	-	-	3	42	41	66	56	48	23	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	127	-	-	-	-	-	-	-	7	21	33	31	22	13	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	152	-	-	-	-	-	-	3	35	20	33	25	26	10	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	82	-	-	-	-	-	-	-	15	12	19	20	9	7	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	35	-	-	-	-	-	-	-	1	5	10	9	5	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	47	-	-	-	-	-	-	-	14	7	9	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	101	-	-	-	-	-	-	2	19	14	25	17	18	6	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	48	-	-	-	-	-	-	-	4	7	14	11	8	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	53	-	-	-	-	-	-	2	15	7	11	6	10	2	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage,trauma and shock*.....	65	-	-	-	-	-	-	1	4	10	15	13	14	8	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	35	-	-	-	-	-	-	-	2	6	8	8	7	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	30	-	-	-	-	-	-	1	2	4	7	5	7	4	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	31	-	-	-	-	-	-	-	4	5	7	6	7	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	9	-	-	-	-	-	-	-	-	3	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	22	-	-	-	-	-	-	-	4	2	6	3	5	2	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	274	225	9	5	5	2	3	9	5	-	2	4	2	1	1	-	1	-	-	-	-	-	-	-	-	-
	White.....M..	107	91	4	1	2	-	1	2	2	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F..	95	80	1	3	2	2	-	2	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	40	29	2	1	1	-	1	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	32	25	2	-	-	-	1	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	1,011	1,011	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	330	330	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	273	273	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	230	230	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	178	178	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	194	-	-	-	-	-	-	-	10	18	17	18	17	27	27	21	10	8	13	3	3	2	-	-	-	-
	White.....M..	135	-	-	-	-	-	-	-	3	11	12	13	11	20	17	17	6	8	11	3	2	1	-	-	-	-
	F..	41	-	-	-	-	-	-	-	5	6	3	3	5	3	7	3	3	-	1	-	1	1	-	-	-	-
	Nonwhite..M..	15	-	-	-	-	-	-	-	2	1	1	1	1	3	3	1	1	-	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	460	5	-	-	-	-	-	1	39	70	73	93	77	40	27	13	12	3	4	1	2	-	-	-	-	-
	White.....M..	88	1	-	-	-	-	-	-	7	7	10	15	15	10	6	4	7	3	2	1	-	-	-	-	-	-	-
	F..	15	2	-	-	-	-	-	-	-	3	3	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	293	1	-	-	-	-	-	1	26	46	51	63	48	25	15	9	4	-	2	-	2	-	-	-	-	-
	F..	64	1	-	-	-	-	-	-	6	14	9	11	13	5	4	-	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,261	80	48	34	23	26	105	104	186	298	214	147	153	117	112	105	87	63	65	83	49	68	53	22	7	2	10
	White.....M..	1,133	23	25	18	4	10	32	51	106	209	141	77	88	57	48	53	44	31	26	37	21	14	9	9	-	-	-
	F..	357	17	6	7	7	4	20	11	12	23	18	14	8	6	15	13	5	14	15	28	19	43	37	10	4	-	1
	Nonwhite..M..	535	19	5	5	4	4	26	36	58	53	39	43	41	46	37	31	25	11	14	14	4	8	1	1	1	-	9
	F..	236	21	12	4	8	8	27	6	10	13	16	13	16	8	12	8	13	7	10	4	5	3	6	2	2	2	-
170	Motor-vehicle accidents.....	673	4	7	5	5	7	32	32	59	76	69	64	67	52	32	44	35	21	23	23	10	5	-	-	-	-	1
	White.....M..	391	3	5	3	1	4	11	17	34	42	43	36	50	34	16	24	20	10	15	14	8	1	-	-	-	-	-
	F..	83	1	-	2	3	1	11	6	5	10	8	4	3	1	5	6	3	6	1	5	1	1	-	-	-	-	-
	Nonwhite..M..	158	-	2	-	-	1	6	8	18	18	14	19	11	16	9	12	8	4	4	4	-	3	-	-	-	-	1
	F..	41	-	-	-	1	1	4	1	2	6	4	5	3	1	2	2	4	1	3	-	1	-	-	-	-	-	-
169, 171-195	Other accidents..	1,588	76	41	29	18	19	73	72	127	222	145	83	86	65	80	61	52	42	42	60	39	63	53	22	7	2	9
	White.....M..	742	20	20	15	3	6	21	34	72	167	98	41	38	23	32	29	24	21	11	23	13	13	9	9	-	-	-
	F..	274	16	6	5	4	3	9	5	7	13	10	10	5	5	10	7	2	8	14	23	18	42	37	10	4	-	1
	Nonwhite..M..	377	19	3	5	4	3	20	28	40	35	25	24	30	30	28	19	17	7	10	10	4	5	1	1	1	-	8
	F..	195	21	12	4	7	7	23	5	8	7	12	8	13	7	10	6	9	5	7	4	4	3	6	2	2	2	-
162,199, 200	Senility, ill-defined and unknown causes...	1,557	326	21	7	4	6	12	7	12	24	21	20	49	57	52	75	82	93	105	116	105	116	106	72	34	32	3
	White.....M..	352	60	3	2	2	2	2	3	3	4	2	4	9	8	16	22	26	27	24	33	27	28	24	15	6	-	-
	F..	245	42	4	-	-	2	1	1	1	3	2	2	7	5	2	7	4	11	14	24	17	39	25	24	8	-	-
	Nonwhite..M..	511	122	4	3	2	1	4	2	4	7	7	6	16	25	18	27	28	29	36	37	34	27	24	18	14	13	3
	F..	449	102	10	2	-	1	5	1	4	10	10	8	17	19	16	19	24	26	31	22	27	22	33	15	6	19	-
	All other causes.	2,998	774	39	28	19	12	63	52	68	94	98	134	148	166	158	152	154	169	184	163	143	90	57	20	6	5	2
	White.....M..	928	240	13	13	8	7	27	17	26	18	19	30	27	41	40	44	54	69	70	64	45	27	26	2	1	-	-
	F..	764	171	9	2	2	2	12	9	8	22	19	29	37	40	41	31	34	36	57	61	56	41	29	12	2	1	1
	Nonwhite..M..	670	223	11	10	5	3	14	14	15	18	23	26	29	35	33	36	35	36	32	29	26	10	1	3	1	1	1
	F..	636	140	6	3	4	-	10	12	19	36	37	49	55	50	44	41	31	28	25	9	16	12	1	3	2	3	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO																										
	All causes	4,673	416	56	27	19	11	52	45	133	138	91	94	114	140	145	267	319	402	471	527	494	379	233	74	18	3	5
	White M.	2,794	228	34	19	13	4	22	27	95	104	58	44	69	88	100	159	207	260	275	312	301	215	118	30	8	-	4
	F.	1,772	168	19	7	6	6	30	16	36	33	30	45	44	50	42	101	104	133	183	211	189	159	108	41	9	3	1
	Nonwhite M.	57	9	2	1	-	-	-	1	-	1	1	1	1	2	-	4	6	8	7	2	-	4	5	1	1	-	-
	F.	50	11	1	-	-	1	-	1	2	-	2	4	-	-	3	3	2	1	6	2	4	1	4	2	-	-	-
1,2	Typhoid and paratyphoid fever	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M.	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	5	1	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M.	3	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	-	-	-	-	-	2	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White M.	4	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M.	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	109	1	1	-	1	2	-	1	3	1	6	7	7	8	10	17	15	8	4	6	3	5	3	-	-	-	-
	White M.	74	1	-	-	-	1	-	-	2	-	4	2	4	8	7	12	12	6	4	5	2	2	2	-	-	-	-
	F.	22	-	-	-	1	-	-	-	-	1	1	5	3	-	1	4	2	1	-	1	-	2	-	-	-	-	-
	Nonwhite M.	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
	F.	9	-	-	-	-	1	-	1	1	-	1	-	-	-	2	1	-	1	-	-	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	94	1	1	-	-	1	-	1	2	1	3	6	6	7	8	16	14	7	3	6	3	5	3	-	-	-	-
	White M.	64	1	-	-	-	-	-	1	-	1	3	1	4	7	5	11	11	6	3	5	2	2	2	-	-	-	-
	F.	18	-	-	-	-	-	-	-	-	1	-	5	2	-	1	4	2	-	-	1	-	2	-	-	-	-	-
	Nonwhite M.	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
	F.	8	-	-	-	-	1	-	1	1	-	-	-	-	-	2	1	-	1	-	-	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	15	-	-	-	1	1	-	-	1	-	3	1	1	1	2	1	1	1	1	-	-	-	-	-	-	-	-
	White M.	10	-	-	-	-	1	-	-	1	-	1	1	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-
	F.	4	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M.	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	30	-	-	-	-	-	-	-	-	1	1	-	1	2	1	3	4	10	2	1	1	2	-	-	-	-	1
	White M.	20	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	8	1	1	1	1	-	-	-	-	1
	F.	6	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite M.	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	10	2	1	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White M.	5	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	5	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, policencephalitis (acute)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Con.																										
45-55	Cancer and other malignant tumors	535	-	1	-	1	-	2	3	4	4	3	4	11	30	22	50	60	73	71	71	69	40	15	2	1	-
	White..M..	261	-	-	-	-	-	1	2	3	4	3	-	3	15	9	21	27	38	37	39	36	19	6	-	-	-	-
	F..	267	-	1	-	1	-	1	-	1	-	-	4	8	17	13	29	31	33	32	32	33	21	7	2	1	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
48	Cancer of digestive organs, peritoneum	270	-	-	-	-	-	-	-	-	1	-	1	6	7	10	24	29	36	41	35	43	28	7	1	1	-	-
	White..M..	134	-	-	-	-	-	-	-	-	1	-	-	1	3	5	13	17	18	21	21	21	12	1	-	-	-	-
	F..	133	-	-	-	-	-	-	-	-	-	-	1	5	4	5	11	10	18	19	14	22	18	6	1	1	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	46	-	-	-	-	-	-	-	1	-	-	1	1	4	4	6	10	5	5	5	3	-	1	-	-	-	-
	White..F..	46	-	-	-	-	-	-	-	1	-	-	1	1	4	4	6	10	5	5	5	3	-	1	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	51	-	-	-	-	-	-	-	-	-	-	1	1	6	3	7	7	6	5	7	5	3	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	51	-	-	-	-	-	-	-	-	-	-	1	1	6	3	7	7	6	5	7	5	3	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	168	-	1	-	1	-	2	3	3	3	3	1	3	13	5	13	14	26	20	24	18	9	5	1	-	-	-
	White..M..	127	-	-	-	-	-	1	2	3	3	3	-	2	10	4	8	10	20	16	18	15	7	5	-	-	-	-
	F..	37	-	1	-	1	-	1	-	-	-	-	1	1	3	1	5	4	4	3	6	3	2	-	1	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	13	-	-	-	-	-	1	3	6	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	11	-	-	-	-	-	1	1	6	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	95	1	-	-	-	-	1	-	1	1	2	2	1	1	1	4	13	13	17	19	7	10	1	-	-	-	-
	White..M..	34	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	4	5	8	4	3	1	-	-	-	-
	F..	59	1	-	-	-	-	1	-	1	1	2	1	-	-	-	2	9	9	11	11	3	7	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exopthalmic goiter	18	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	3	-	2	4	1	-	-	-	-	-	-
	White..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F..	14	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	3	-	1	3	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethyliam)	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White..M..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	402	-	-	-	-	-	-	-	1	1	-	-	1	10	8	20	22	41	62	68	66	63	36	4	-	-	1
	White..M..	202	-	-	-	-	-	-	-	-	1	-	-	-	4	5	7	8	22	31	33	38	36	18	1	-	-	-
	F..	197	-	-	-	-	-	-	-	1	-	-	-	1	6	3	12	14	19	31	32	28	26	20	3	-	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
90-95	Diseases of the heart	1222	2	1	-	-	-	2	6	10	11	6	13	22	21	44	72	109	134	177	204	176	113	74	22	2	1	1
	White..M..	805	1	1	-	-	-	-	4	7	4	3	8	15	17	38	57	79	99	110	127	114	65	43	11	1	-	1
	F..	402	1	-	-	-	-	2	2	2	7	3	5	7	4	6	14	26	34	64	76	61	48	30	10	1	1	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	2	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	2	-	-	-	1	1	-	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	91	-	-	-	-	-	-	4	6	1	3	4	4	3	6	5	4	6	8	13	9	10	3	1	1	-	-
	White..M..	44	-	-	-	-	-	-	2	5	1	-	3	2	2	3	5	3	1	4	5	4	3	-	-	1	-	-
	F..	47	-	-	-	-	-	-	2	1	-	3	1	2	1	3	-	1	5	4	8	5	7	3	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	421	1	-	-	-	-	-	1	1	1	1	2	10	13	22	34	54	56	75	68	45	25	10	2	-	-	-
	White..M..	314	-	-	-	-	-	-	1	-	-	1	1	8	12	21	28	38	46	56	50	28	18	4	2	-	-	-
	F..	104	1	-	-	-	-	-	-	1	1	-	1	2	1	1	6	14	9	19	18	17	7	6	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	710	1	1	-	-	-	2	1	3	9	2	7	8	5	16	33	51	72	94	123	121	78	61	19	1	1	1
	White..M..	447	1	1	-	-	-	-	1	2	3	2	4	5	3	14	24	38	52	50	72	82	44	39	9	-	-	1
	F..	251	-	-	-	-	-	2	-	-	6	-	3	3	2	2	8	11	20	41	50	39	32	21	9	1	1	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	2	-	-	-	1	1	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	289	51	9	4	-	2	4	-	13	7	3	6	7	11	2	15	13	13	21	24	28	32	16	5	3	-	-
	White	161	26	6	2	-	-	-	-	11	5	1	2	6	6	2	7	8	7	11	11	19	19	9	2	1	-	-
	F	114	21	2	2	-	2	4	-	2	2	2	4	1	5	-	7	5	6	7	12	8	12	6	3	1	-	-
	Nonwhite	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-	-	1	-	-
	F	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
107	Bronchopneumonia	99	27	3	1	-	1	2	-	4	2	1	-	2	2	-	3	2	4	5	5	11	16	6	1	1	-	-
	White	52	13	2	1	-	-	-	-	4	2	-	-	2	2	-	-	-	2	2	3	8	9	2	-	-	-	-
	F	42	12	1	-	-	1	2	-	-	-	1	-	-	-	-	2	2	2	1	2	3	7	4	1	1	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
108	Lobar pneumonia	83	10	-	1	-	-	-	-	6	1	2	2	2	3	2	6	7	3	8	8	10	8	3	1	-	-	-
	White	50	3	-	-	-	-	-	-	5	1	1	2	2	2	2	2	6	1	6	3	7	4	2	1	-	-	-
	F	31	6	-	1	-	-	-	-	1	-	1	-	-	1	-	4	1	2	2	5	3	3	1	-	-	-	-
	Nonwhite	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	30	7	1	-	-	-	1	-	2	-	-	2	1	2	-	2	-	1	2	3	2	1	3	-	-	-	-
	White	19	6	1	-	-	-	-	-	1	-	-	-	1	2	-	2	-	1	-	1	1	-	3	-	-	-	-
	F	9	1	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	77	7	5	2	-	1	1	-	1	4	-	2	2	4	-	4	4	5	6	8	5	7	4	3	2	-	-
	White	40	4	3	1	-	-	-	-	1	2	-	-	1	-	-	3	2	3	3	4	3	6	2	1	1	-	-
	F	32	2	1	1	-	1	1	-	-	2	-	2	1	4	-	1	2	2	3	4	1	1	1	2	-	-	-
	Nonwhite	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
117	Ulcer of stomach or duodenum	36	-	-	-	-	-	-	-	-	-	1	-	3	3	3	8	5	7	2	2	2	-	-	-	-	-	-
	White	30	-	-	-	-	-	-	-	-	-	-	-	3	3	3	8	5	5	2	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	35	19	4	1	-	1	1	-	-	-	-	-	1	-	-	1	-	-	2	2	1	-	2	-	-	-	-
	White	13	6	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	-	-	-
	F	18	10	3	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	39	-	1	-	1	1	2	1	3	2	1	1	3	3	3	1	4	3	2	1	2	-	1	-	-	-	-
	White	20	-	1	-	1	1	-	-	-	1	-	-	1	2	3	1	2	4	-	-	2	-	1	-	-	-	-
	F	18	-	-	-	-	-	2	1	3	1	1	1	2	1	-	-	1	2	2	1	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	45	5	2	-	-	-	1	-	1	-	1	2	2	3	2	5	2	-	2	10	2	3	1	1	-	-	-
	White	29	3	1	-	-	-	1	-	-	-	1	-	-	3	1	3	-	-	1	9	2	2	1	1	-	-	-
	F	16	2	1	-	-	-	-	-	1	-	-	2	2	-	1	2	2	-	1	1	-	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	26	-	-	-	-	-	-	-	-	-	-	-	1	4	-	3	2	5	7	1	3	-	-	-	-	-	-
	White	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	3	1	2	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	1	3	-	1	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	24	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	7	3	2	3	-	2	-	-	-	-
	White	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	3	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	6	2	1	-	-	2	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	290	-	-	-	1	-	-	1	5	3	2	2	7	5	10	19	11	28	34	44	54	36	17	8	1	1	1
	White	170	-	-	-	1	-	-	-	3	1	2	1	5	1	6	8	9	19	19	32	29	22	7	4	-	-	1
	F	115	-	-	-	-	-	-	1	2	2	-	1	2	4	4	9	2	8	14	12	25	14	10	3	1	1	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
137	Diseases of the prostate	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	10	5	4	-	-	-	-
	White	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	10	5	4	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Con.																											
140-150	Diseases of pregnancy, etc.*...	30	-	-	-	-	-	-	-	7	5	7	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	30	-	-	-	-	-	-	-	7	5	7	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	12	-	-	-	-	-	-	-	-	1	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	12	-	-	-	-	-	-	-	-	1	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	6	-	-	-	-	-	-	-	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	6	-	-	-	-	-	-	-	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b142b, 143,146, 149	Hemorrhage, trauma and shock*.....	6	-	-	-	-	-	-	-	1	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	6	-	-	-	-	-	-	-	1	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	6	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	6	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	63	56	4	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	36	31	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	27	25	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	131	131	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	72	72	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	54	54	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	50	-	-	-	-	-	-	-	4	1	4	5	6	3	5	7	6	6	-	2	1	-	-	-	-	-	-
	White.....M..	35	-	-	-	-	-	-	-	3	-	3	3	5	1	3	2	6	6	-	2	1	-	-	-	-	-	-
	F..	15	-	-	-	-	-	-	-	1	1	1	2	1	2	2	5	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	7	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	5	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	524	13	18	16	10	2	19	18	55	91	30	27	24	20	10	17	25	21	26	22	21	23	11	2	2	-	1
	White.....M..	403	8	13	12	8	1	11	13	45	84	27	20	19	18	10	12	24	17	20	14	10	11	5	-	-	-	1
	F..	116	5	5	4	2	1	8	5	10	6	3	5	5	2	-	5	1	2	6	8	11	12	6	2	2	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	124	2	5	3	1	-	9	4	20	11	1	12	8	9	-	8	5	6	10	3	4	3	-	-	-	-	-
	White.....M..	88	2	2	1	1	-	5	3	15	8	1	8	6	8	-	6	5	5	8	3	1	-	-	-	-	-	-
	F..	35	-	3	2	-	-	4	1	5	3	-	4	2	1	-	2	-	-	2	-	3	3	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	400	11	13	13	9	2	10	14	35	80	29	15	16	11	10	9	20	15	16	19	17	20	11	2	2	-	1
	White.....M..	315	6	11	11	7	1	6	10	30	76	26	12	13	10	10	6	19	12	12	11	9	11	5	-	-	-	1
	F..	81	5	2	2	2	1	4	4	5	3	3	1	3	1	-	3	1	2	4	8	8	9	6	2	2	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	140	14	2	-	-	-	-	-	-	-	1	1	2	1	5	1	4	4	8	11	8	23	28	20	6	1	-
	White.....M..	75	9	1	-	-	-	-	-	-	-	1	1	-	4	1	3	3	7	5	5	13	12	6	4	-	-
	F..	57	4	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	5	2	10	13	14	2	1	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	3	-	-	-	-
	F..	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	All other causes.	463	113	11	1	3	1	15	9	16	7	19	15	12	9	13	19	15	26	28	33	37	24	24	10	3	-	-
	White.....M..	268	65	8	-	1	1	6	5	12	3	10	7	4	6	5	13	10	17	19	20	22	17	10	5	2	-	-
	F..	181	44	3	-	2	-	9	4	4	4	7	7	8	3	8	6	5	9	8	13	14	7	11	4	1	-	-
	Nonwhite..M..	7	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F..	7	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS																										
	All causes	88,180	4602	439	281	168	125	542	452	844	1063	1191	1638	2219	3209	4477	6,492	7,967	8,861	9,790	10484	9,865	7750	4117	1,289	261	32	22
	White	45,471	2396	198	134	76	57	292	255	416	496	498	735	1025	1532	2367	3,628	4,570	5,049	5,337	5421	4,855	3742	1823	456	85	9	19
	White—M.	36,026	1740	176	112	67	52	200	147	272	339	474	592	781	1080	1503	2,180	2,732	3,236	3,926	4654	4,719	3877	2196	792	162	15	2
	White—F.	3,586	266	33	19	9	9	28	24	84	106	101	156	205	320	340	408	374	291	279	238	157	67	38	22	7	4	1
	Nonwhite	3,097	200	32	16	16	7	22	26	72	122	118	155	208	277	267	276	291	285	248	171	134	64	60	19	7	4	-
	Nonwhite—M.																											
	Nonwhite—F.																											
1,2	Typhoid and paratyphoid fever	16	-	2	-	-	-	1	1	1	-	1	3	1	1	1	1	2	-	1	-	1	-	-	-	-	-	-
	White—M.	12	-	2	-	-	-	-	1	-	-	1	2	1	1	-	1	2	-	1	-	-	-	-	-	-	-	-
	White—F.	4	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	199	18	10	12	3	8	14	6	11	10	8	11	12	18	14	13	11	12	6	2	-	-	-	-	-	-	-
	White—M.	96	6	4	7	2	4	9	4	5	4	4	4	8	8	6	7	4	6	3	1	-	-	-	-	-	-	-
	White—F.	63	9	6	4	1	2	1	1	4	3	2	3	1	5	6	6	3	4	2	-	-	-	-	-	-	-	-
	Nonwhite—M.	18	3	-	-	-	-	2	-	1	2	2	3	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F.	22	-	-	1	-	2	2	1	1	1	-	1	3	2	1	-	3	2	1	1	-	-	-	-	-	-	-
8	Scarlet fever	26	2	-	1	1	2	9	2	3	1	1	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M.	11	-	-	-	-	-	3	2	2	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—F.	14	2	-	1	1	2	6	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	44	32	7	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M.	15	12	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F.	22	16	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M.	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F.	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	21	-	4	5	1	1	5	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M.	9	-	3	2	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F.	9	-	1	2	-	1	2	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M.	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F.	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	3,218	25	36	24	10	3	29	28	146	242	263	304	314	280	345	331	266	198	149	110	63	32	15	3	-	-	2
	White—M.	1,625	9	11	8	1	-	9	6	20	52	68	126	165	152	214	223	194	145	96	69	34	11	9	2	-	-	1
	White—F.	817	4	9	7	4	1	8	7	51	78	109	94	77	50	63	53	42	31	40	34	28	20	6	1	-	-	-
	Nonwhite—M.	452	7	9	5	-	1	5	6	40	42	41	33	44	56	52	48	27	16	10	7	1	1	-	-	-	-	1
	Nonwhite—F.	324	5	7	4	5	1	7	9	35	70	45	51	28	22	16	7	3	6	3	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	2,982	10	12	6	6	-	15	25	137	226	246	288	299	265	326	324	250	189	142	105	59	32	15	3	-	-	2
	White—M.	1,537	5	2	2	1	-	2	6	18	49	63	122	158	147	203	219	184	139	93	67	34	11	9	2	-	-	1
	White—F.	759	1	4	3	4	-	7	7	49	76	104	84	75	48	60	50	38	29	38	31	24	20	6	1	-	-	-
	Nonwhite—M.	407	2	3	1	-	-	3	5	38	37	39	33	40	51	49	48	25	15	8	7	1	1	-	-	-	-	1
	Nonwhite—F.	279	2	3	-	1	-	3	7	32	64	40	49	26	19	14	7	3	6	3	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	236	15	24	18	4	3	14	3	9	16	17	16	15	15	19	7	16	9	7	5	4	-	-	-	-	-	-
	White—M.	88	4	9	6	-	-	7	-	2	3	5	4	7	5	11	4	10	6	3	2	-	-	-	-	-	-	-
	White—F.	58	3	5	4	-	1	1	-	2	2	5	10	2	2	3	3	4	2	2	3	4	-	-	-	-	-	-
	Nonwhite—M.	45	5	6	4	-	1	2	1	2	5	2	-	4	5	3	-	2	1	2	-	-	-	-	-	-	-	-
	Nonwhite—F.	45	3	4	4	4	1	4	2	3	6	5	2	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	35	10	2	1	2	2	-	-	-	2	1	-	-	1	3	-	2	1	-	1	3	1	2	-	1	-	-
	White—M.	16	6	-	-	2	2	-	-	-	-	-	-	-	-	2	-	1	-	-	2	1	-	-	-	-	-	-
	White—F.	14	1	2	-	-	-	-	-	-	1	1	-	-	1	1	-	1	1	-	1	1	-	2	-	1	-	-
	Nonwhite—M.	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F.	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-
	White—M.	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White—F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite—M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	857	16	-	-	-	-	1	1	6	7	13	22	53	83	108	130	116	102	104	53	24	13	3	1	1	-	-
	White—M.	504	8	-	-	-	-	-	-	2	1	4	8	21	33	68	80	69	70	72	34	19	10	3	1	1	-	-
	White—F.	158	4	-	-	-	-	1	-	3	1	7	8	12	15	15	19	21	16	16	13	4	3	-	-	-	-	-
	Nonwhite—M.	140	3	-	-	-	-	-	1	1	4	2	4	16	25	19	21	20	10	8	5	1	-	-	-	-	-	-
	Nonwhite—F.	55	1	-	-	-	-	-	-	-	1	-	2	4	10	6	10	6	6	8	1	-	-	-	-	-	-	-
35	Measles	83	19	19	6	1	6	17	-	3	3	3	2	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	White—M.	37	9	7	2	-	3	10	-	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—F.	43	10	10	4	1	3	7	-	-	2	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F.	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	39	1	1	1	-	2	7	2	8	2	7	1	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-
	White—M.	21	-	1	1	-	2	6	-	4	-	3	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F.	17	-	-	-	-	-	1	2	4	2	4	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Con.																										
45-55	Cancer and other malignant tumors	12,418	4	7	10	4	6	17	15	30	34	77	145	272	511	861	1,245	1,596	1,730	1,777	1,629	1,282	794	302	62	7	-	1
	White	5,865	2	2	5	1	2	8	11	17	24	34	46	73	145	315	522	751	902	925	841	646	420	147	22	4	-	-
	F	5,961	2	4	5	3	4	8	4	12	9	36	86	163	299	467	649	769	742	793	747	604	365	149	38	2	-	1
	Nonwhite	271	-	1	-	-	-	1	-	1	-	1	4	6	22	31	43	43	38	29	26	18	3	3	1	-	-	-
	F	321	-	-	-	-	-	-	-	-	1	6	9	30	45	48	31	33	48	30	15	14	6	3	1	1	-	-
46	Cancer of digestive organs, peritoneum	5,948	1	-	1	1	1	-	3	6	7	10	39	78	158	315	491	756	865	970	901	726	450	139	28	1	-	1
	White	3,082	-	-	-	-	1	-	1	3	4	8	16	27	65	155	247	418	502	537	471	343	217	57	9	1	-	-
	F	2,614	1	-	1	1	-	-	2	3	3	1	17	41	73	125	206	301	327	408	411	365	227	81	19	-	-	1
	Nonwhite	155	-	-	-	-	-	-	-	-	-	-	-	2	5	13	21	24	24	23	16	13	11	3	-	-	-	-
	F	97	-	-	-	-	-	-	-	-	-	1	4	5	7	14	14	13	13	9	6	7	3	1	-	-	-	-
48,49	Cancer of female genital organs	1,554	1	-	2	-	-	1	1	2	1	15	41	82	127	183	218	219	204	165	131	90	44	19	6	2	-	-
	White	1,412	1	-	2	-	-	1	1	2	1	14	38	64	97	162	205	207	182	156	123	87	43	18	6	2	-	-
	Nonwhite	142	-	-	-	-	-	-	-	-	-	1	3	18	30	21	13	12	22	9	8	3	1	1	-	-	-	-
50	Cancer of breast	1,115	-	-	-	-	-	-	-	1	-	9	17	44	97	128	137	162	136	130	102	78	49	21	3	1	-	-
	White	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	5	3	1	1	1	1	-	-	-	-
	F	1,046	-	-	-	-	-	-	-	1	-	7	15	40	92	119	130	155	122	119	101	75	47	20	3	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	48	-	-	-	-	-	-	-	-	-	2	2	4	4	8	2	5	9	8	-	2	1	-	-	1	-	-
45,47, 51-55	Cancer (other sites)	3,801	2	7	7	3	5	16	11	21	26	43	48	68	129	235	399	459	525	512	495	388	251	123	25	3	-	-
	White	2,763	2	2	5	1	1	8	10	14	20	26	30	46	79	159	271	331	395	385	369	302	202	89	13	3	-	-
	F	889	-	4	2	2	4	7	1	6	5	14	16	18	37	61	108	106	111	110	112	77	48	30	10	-	-	-
	Nonwhite	115	-	1	-	-	-	1	-	1	-	1	2	1	9	10	18	19	15	13	13	7	-	3	1	-	-	-
	F	34	-	-	-	-	-	-	-	-	-	1	2	-	3	4	5	2	3	4	4	1	2	1	1	1	-	-
58	Acute rheumatic fever	73	1	-	3	2	1	10	19	10	3	5	3	1	4	-	3	2	-	-	-	3	2	1	-	-	-	-
	White	29	-	-	2	1	-	4	5	2	3	2	2	1	1	-	2	1	-	-	-	1	1	1	-	-	-	-
	F	30	1	-	-	1	1	4	8	8	-	2	1	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite	5	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	9	-	-	1	-	-	1	4	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
61	Diabetes mellitus	2,632	2	1	3	-	2	9	13	15	28	19	17	29	63	100	172	303	380	492	443	332	166	35	7	1	-	-
	White	934	-	-	2	-	1	5	5	5	12	9	10	19	24	42	60	110	122	161	157	125	51	10	3	1	-	-
	F	1,571	2	1	1	-	1	4	8	10	15	8	7	6	27	47	96	166	240	309	280	203	112	25	3	-	-	-
	Nonwhite	30	-	-	-	-	-	-	-	-	1	-	-	1	4	1	2	5	5	5	3	2	1	-	-	-	-	-
	F	97	-	-	-	-	-	-	-	-	-	2	-	3	8	10	14	22	13	17	3	2	2	-	1	-	-	-
63b	Exophthalmic goiter	224	-	-	-	-	-	-	-	2	2	5	7	4	15	16	35	30	30	29	27	15	7	-	-	-	-	-
	White	37	-	-	-	-	-	-	-	-	-	1	3	1	3	3	8	7	4	1	5	1	-	-	-	-	-	-
	F	178	-	-	-	-	-	-	-	1	1	3	4	2	11	13	26	21	25	28	22	14	7	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
77	Alcoholism (ethylism)	47	-	-	-	-	-	-	-	-	-	-	-	6	10	4	10	4	6	3	3	-	1	-	-	-	-	-
	White	38	-	-	-	-	-	-	-	-	-	-	-	2	8	4	9	4	5	2	3	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	6,851	10	3	2	3	2	5	5	6	12	22	37	67	129	251	421	584	765	970	1,092	1,087	882	383	93	16	3	1
	White	3,115	6	3	1	1	-	5	2	4	6	10	15	30	43	96	185	266	376	464	519	498	379	170	30	4	1	1
	F	3,260	3	-	1	2	2	-	3	2	4	11	16	22	51	114	182	251	325	437	517	559	482	205	60	9	2	-
	Nonwhite	226	-	-	-	-	-	-	-	-	-	-	3	5	9	16	25	30	31	38	34	20	10	1	2	2	-	-
	F	250	1	-	-	-	-	-	-	-	2	1	3	10	26	25	29	37	33	31	22	10	11	7	1	1	-	-
90-95	Diseases of the heart	30,895	7	11	5	5	-	26	41	93	93	144	276	485	860	1350	2,249	2,962	3,431	3,825	4,463	4,328	3593	1896	619	119	13	1
	White	16,615	3	7	1	2	-	12	24	45	55	67	129	221	470	821	1,402	1,898	2,094	2,190	2,319	2,097	1711	776	228	38	4	1
	F	12,244	4	4	3	3	-	11	10	36	23	54	90	161	220	331	580	810	1,115	1,414	1,939	2,089	1819	1081	367	76	4	-
	Nonwhite	1,045	-	-	-	-	-	2	3	5	10	10	25	42	82	103	154	140	113	117	109	67	30	13	14	2	3	-
	F	991	-	-	1	-	-	1	4	7	5	13	31	61	88	95	113	114	109	104	96	75	33	26	10	3	2	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	1,697	-	-	-	1	-	14	25	48	45	54	83	86	108	118	144	144	133	136	166	156	137	68	27	4	-	-
	White	816	-	-	-	1	-	9	14	26	25	24	36	30	44	49	74	85	64	76	83	75	61	26	12	2	-	-
	F	758	-	-	-	-	-	3	7	18	13	21	37	43	51	49	62	53	60	55	76	76	75	42	15	2	-	-
	Nonwhite	65	-	-	-	-	-	1	2	2	5	4	5	2	7	11	6	5	3	3	6	2	1	-	-	-	-	-
	F	58	-	-	-	-	-	1	2	2	2	5	5	11	6	9	2	1	6	2	1	3	-	-	-	-	-	-
94	Diseases of coronary, arteries, angina pectoris	6,271	3	-	-	1	-	-	-	5	2	16	41	100	204	359	602	819	903	909	891	707	472	178	46	12	1	-
	White	4,245	1	-	-	-	-	-	-	4	2	10	29	75	160	285	477	616	668	595	539	411	251	93	24	4	1	-
	F	1,906	2	-	-	1	-	-	1	-	-	5	8	19	41	62	101	185	222	299	347	284	216	85	22	6	-	-
	Nonwhite	65	-	-	-	-	-	-	-	-	-	-	1	3	2	7	12	10	9	11	3	3	4	-	-	-	-	-
	F	55	-	-	-	-	-	-	-	-	-	1	3	3	1	5	12	8	4	4	2	9	1	-	-	2	-	-
90b,91 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	22,927	4	11	5	3	-	12	16	40	46	74	152	299	548	873	1,503	1,999	2,395	2,780	3,406	3,465	2984	1650	546	103	12	1
	White	11,554	2	7	1	1	-	3	10	15	28	33	64	116	266	487	851	1,197	1,362	1,519	1,697	1,611	1,399	657	192	32	3	1
	F	9,580	2	4	3	2	-	8	3	17	10	28	45	99	128	220	417	572	833	1,060	1,516	1,729	1528	954	330	68	4	-
	Nonwhite	915	-	-	-	-	-	1	1	3	5	6	20	37	73	85	136	125	101	103	100	62	25	13	14	2	3	-
	F	878	-	-	1	-	-	-	2	5	3	7	23	47	81	81	99	105	99	98	93	63	32	26	10	1	2	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	3,364	592	127	49	25	13	38	16	31	40	58	64	73	152	160	215	215	221	252	302	268	224	163	51	13	2	-
	White	1,750	269	51	19	6	6	19	6	18	17	30	29	40	81	93	134	141	136	145	158	130	111	85	19	5	2	-
	F.	1,171	208	48	21	12	6	17	8	8	11	16	18	12	31	28	45	51	62	87	134	130	110	74	28	6	-	-
	Nonwhite..M.	273	71	12	5	3	-	2	1	2	7	5	11	13	32	27	23	16	13	10	6	5	3	2	2	2	-	-
	F.	170	44	16	4	4	1	-	1	3	5	7	6	8	8	12	13	7	10	10	4	3	-	2	2	-	-	-
107	Bronchopneumonia	1,437	422	75	34	15	6	16	11	11	12	20	28	21	43	47	56	69	67	98	121	84	94	60	22	5	-	-
	White	701	181	27	14	4	4	12	5	6	7	6	12	12	25	28	35	46	42	56	62	37	40	28	10	2	-	-
	F.	512	147	23	14	6	1	4	5	3	3	6	9	4	8	9	12	16	16	37	53	42	51	31	10	2	-	-
	Nonwhite..M.	135	57	11	5	3	-	-	-	2	-	5	4	1	7	7	6	5	6	3	3	4	3	1	1	1	-	-
	F.	89	37	14	1	2	1	-	1	-	2	3	3	4	3	3	3	2	3	2	3	1	-	-	1	-	-	-
108	Lobar pneumonia	1,124	69	17	3	3	3	8	1	10	19	28	22	37	79	87	111	92	109	109	112	105	47	38	12	2	1	-
	White	641	35	8	-	1	1	4	-	6	7	17	11	18	38	48	69	66	69	65	65	56	30	21	5	-	1	-
	F.	326	24	8	2	1	2	3	1	2	4	7	5	4	16	13	18	17	30	34	44	48	17	17	7	2	-	-
	Nonwhite..M.	106	6	-	-	-	-	1	-	-	6	-	6	11	22	18	16	6	7	4	2	1	-	-	-	-	-	-
	F.	51	4	1	1	1	-	-	-	2	2	4	-	4	3	8	8	3	3	6	1	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	260	49	13	-	2	2	4	3	3	4	3	7	6	15	8	19	16	13	12	20	25	18	15	2	1	-	-
	White	136	26	4	-	-	-	2	-	1	2	2	4	4	9	4	16	8	10	9	8	8	11	6	1	1	-	-
	F.	102	17	8	-	1	2	2	2	2	2	1	2	2	4	4	2	4	1	2	11	16	7	9	1	-	-	-
	Nonwhite..M.	14	5	1	-	-	-	-	1	-	-	-	-	-	2	-	1	3	-	-	1	-	-	-	-	-	-	-
	F.	8	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-
33	Influenza	543	52	22	12	5	2	10	1	7	5	7	7	9	15	18	29	38	32	33	49	54	65	50	15	5	1	-
	White	272	27	12	5	1	1	1	1	5	1	5	2	6	9	13	14	21	15	15	23	29	30	30	3	2	1	-
	F.	231	20	9	5	4	1	8	-	1	2	2	2	2	3	2	13	14	15	14	26	24	35	17	10	2	-	-
	Nonwhite..M.	18	3	-	-	-	-	1	-	-	1	-	1	1	1	2	-	2	-	3	-	-	-	1	1	1	-	-
	F.	22	2	1	2	-	-	-	-	1	1	-	2	-	2	1	2	1	2	1	-	1	-	2	1	-	-	-
117	Ulcer of stomach or duodenum	620	3	-	1	-	-	1	-	2	4	10	20	32	43	68	78	78	104	65	40	35	25	7	2	1	-	1
	White	499	2	-	1	-	-	1	-	1	3	9	16	26	35	51	65	60	90	53	30	23	17	5	-	-	-	1
	F.	99	1	-	-	-	-	-	-	-	1	1	2	4	3	4	10	15	14	9	10	12	8	2	2	1	-	-
	Nonwhite..M.	20	-	-	-	-	-	-	-	1	-	-	1	2	4	3	3	3	-	3	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	339	195	16	4	3	1	3	2	4	5	5	7	7	5	7	11	9	5	11	14	7	3	9	6	-	-	-
	White	179	101	11	3	3	-	1	1	3	3	1	2	2	3	3	7	5	4	8	7	3	1	4	3	-	-	-
	F.	124	68	4	1	-	1	2	-	1	2	3	3	3	2	3	4	3	-	3	7	4	2	5	3	-	-	-
	Nonwhite..M.	16	12	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	20	14	-	-	-	-	-	-	-	-	1	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	537	1	3	10	7	6	23	39	35	13	20	27	39	41	43	61	59	44	30	16	13	5	1	1	-	-	-
	White	297	-	1	7	5	3	16	16	16	3	7	10	25	4	31	39	39	22	16	9	6	2	-	-	-	-	-
	F.	200	1	2	3	2	3	7	19	16	8	11	11	11	14	8	18	16	17	14	7	7	3	1	1	-	-	-
	Nonwhite..M.	16	-	-	-	-	-	-	1	1	1	-	2	1	2	3	2	2	1	-	-	-	-	-	-	-	-	-	-
	F.	24	-	-	-	-	-	-	3	2	1	2	4	2	1	1	2	2	4	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	847	39	5	3	1	2	8	5	5	8	12	23	25	38	54	72	88	96	84	96	92	54	26	8	3	-	-
	White	403	25	4	2	1	1	3	5	4	2	4	9	6	13	20	27	51	47	38	52	45	27	12	3	2	-	-
	F.	385	12	1	1	-	-	3	-	1	5	6	10	15	17	22	37	35	43	42	43	47	26	13	5	1	-	-
	Nonwhite..M.	27	-	-	-	-	2	-	-	-	-	1	1	3	4	3	5	-	1	4	1	-	1	1	-	-	-	-
	F.	32	2	-	-	-	1	-	-	-	1	1	3	1	4	9	3	2	5	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	886	-	-	-	-	-	-	2	-	5	10	23	39	66	71	124	126	119	84	106	59	35	16	-	-	-	1
	White	570	-	-	-	-	-	-	1	-	-	4	6	20	41	36	96	89	87	54	64	38	23	10	-	-	-	1
	F.	279	-	-	-	-	-	-	1	-	5	6	13	16	19	31	20	31	31	28	40	21	11	6	-	-	-	-
	Nonwhite..M.	19	-	-	-	-	-	-	-	-	-	-	1	2	3	1	4	3	1	1	2	-	1	-	-	-	-	-
	F.	18	-	-	-	-	-	-	-	-	-	-	3	1	3	3	4	3	-	1	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	528	2	-	1	-	-	-	-	-	5	5	9	15	40	37	64	83	61	73	50	44	23	13	3	-	-	-
	White	156	1	-	-	-	-	-	-	-	2	-	2	5	10	13	24	21	20	19	16	15	8	-	-	-	-	-	-
	F.	360	1	-	1	-	-	-	-	-	2	5	6	10	25	24	40	61	39	53	33	29	15	13	3	-	-	-
	Nonwhite..M.	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F.	8	-	-	-	-	-	-	-	-	1	-	-	-	4	-	-	1	1	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	6,149	4	2	3	3	6	16	10	23	26	48	75	105	162	263	335	450	575	733	900	934	795	489	157	31	4	-
	White	2,872	1	1	1	3	3	10	1	10	11	17	29	38	66	112	155	225	274	370	443	431	377	234	49	11	-	-
	F.	2,824	3	1	2	-	2	6	7	9	10	20	29	46	66	107	128	164	245	318	427	467	407	238	105	19	3	-
	Nonwhite..M.	219	-	-	-	-	-	-	-	2	4	6	8	11	11	24	26	28	25	17	16	21	7	11	1	-	1	-
	F.	234	-	-	-	-	1	-	2	2	1	5	9	10	19	20	26	33	31	28	14	15	4	11	2	1	-	-
137	Diseases of the prostate	650	-	-	-	-	1	-	-	-	-	-	-	1	2	2	18	25	64	88	123	143	117	52	13	1	-	-
	White	611	-	-	-	-	1	-	-	-	-	-	-	1	1	2	13	16	60	85	116	135	116	51	13	1	-	-
	Nonwhite..M.	39	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	9	4	3	7	8	1	1	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Con.																										
140-150	Diseases of pregnancy, etc*....	254	-	-	-	-	-	-	-	18	49	60	59	48	19	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	223	-	-	-	-	-	-	-	13	42	54	53	44	16	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	31	-	-	-	-	-	-	-	5	7	6	6	4	3	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	105	-	-	-	-	-	-	-	9	19	21	33	17	6	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	94	-	-	-	-	-	-	-	6	18	20	30	14	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	11	-	-	-	-	-	-	-	3	1	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	44	-	-	-	-	-	-	-	4	8	11	6	10	5	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	35	-	-	-	-	-	-	-	3	6	8	5	10	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	9	-	-	-	-	-	-	-	1	2	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	88	-	-	-	-	-	-	-	4	19	20	17	19	8	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	82	-	-	-	-	-	-	-	3	17	20	16	18	7	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	6	-	-	-	-	-	-	-	1	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	17	-	-	-	-	-	-	-	1	3	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	12	-	-	-	-	-	-	-	1	1	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	5	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	1,032	875	37	20	11	5	20	14	8	13	4	4	9	4	2	3	2	1	-	-	-	-	-	-	-	-
	White.....M..	554	468	19	11	7	1	10	8	6	7	2	2	5	4	1	2	-	1	-	-	-	-	-	-	-	-
	F..	428	365	17	8	3	4	10	6	2	5	1	2	3	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	29	25	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	21	17	1	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
159	Premature birth..	1,343	1,343	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	701	701	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	533	533	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	59	59	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	50	50	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	760	-	-	-	-	-	-	7	9	25	31	43	67	86	73	95	90	82	53	43	39	13	4	-	-	-
	White.....M..	552	-	-	-	-	-	-	4	6	10	20	23	43	60	53	75	65	66	44	33	35	11	4	-	-	-
	F..	191	-	-	-	-	-	-	2	3	13	9	18	22	25	18	18	23	16	8	10	4	2	-	-	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	1	-	-	1	2	2	1	1	2	2	-	1	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	313	4	1	3	-	-	1	2	15	34	34	38	41	45	30	24	15	11	8	2	2	-	-	-	-	-
	White.....M..	112	3	-	-	-	-	-	1	3	6	5	15	15	13	14	14	8	8	5	-	2	-	-	-	-	-
	F..	31	1	1	2	-	-	1	-	1	5	5	2	1	7	2	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite..M..	141	-	-	1	-	-	-	1	10	15	15	17	23	25	13	9	6	2	3	1	-	-	-	-	-	-
	F..	29	-	-	-	-	-	-	-	1	8	9	4	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	5,060	119	57	57	48	38	159	148	254	269	187	230	233	228	259	338	327	320	330	356	400	351	252	69	18	1	12
	White.....M..	3,241	53	27	32	26	21	96	116	189	215	147	171	162	171	193	261	252	233	218	201	182	131	106	19	7	-	12
	F..	1,510	49	24	19	15	10	46	27	42	39	25	29	45	35	44	57	60	72	100	146	209	213	142	50	11	1	-
	Nonwhite..M..	217	10	4	3	3	6	9	4	16	13	12	25	15	16	20	15	11	12	9	4	4	4	2	-	-	-	-
	F..	92	7	2	3	4	1	8	1	7	2	3	5	11	6	2	5	4	3	3	5	5	3	2	-	-	-	-
170	Motor-vehicle accidents.....	1,355	5	7	13	19	10	60	36	106	98	78	85	77	87	93	102	104	98	90	76	67	32	8	2	-	-	2
	White.....M..	1,008	3	2	7	13	4	32	28	77	70	63	63	56	68	69	80	83	74	68	59	54	25	7	1	-	-	2
	F..	261	2	4	5	5	3	22	8	23	21	12	12	14	9	14	17	16	20	16	15	13	7	-	1	-	-	-
	Nonwhite..M..	65	-	-	1	-	3	3	-	3	6	3	8	4	8	8	3	3	4	6	2	-	-	-	-	-	-	-
	F..	21	-	1	-	1	-	3	-	3	1	-	2	3	2	2	2	-	-	-	-	-	-	1	-	-	-	-
169, 171-195	Other accidents..	3,705	114	50	44	29	28	99	112	148	171	109	145	156	141	166	236	223	222	240	280	333	319	244	67	18	1	10
	White.....M..	2,233	50	25	25	13	17	64	88	112	145	84	108	106	103	124	181	169	159	150	142	128	106	99	18	7	-	10
	F..	1,249	47	20	14	10	7	24	19	19	18	13	17	31	26	30	40	42	52	84	131	196	206	142	49	11	1	-
	Nonwhite..M..	152	10	4	2	3	3	6	4	13	7	9	17	11	8	12	12	8	8	3	2	4	4	2	-	-	-	-
	F..	71	7	1	3	3	1	5	1	4	1	3	3	8	4	-	3	4	3	3	5	5	3	1	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	480	21	2	-	-	-	2	1	5	5	3	4	4	7	17	17	28	22	38	32	56	75	80	40	17	3	1
	White.....M..	252	11	1	-	-	-	2	1	2	3	2	3	1	3	14	13	24	19	24	20	26	36	32	10	4	-	1
	F..	211	10	1	-	-	-	-	-	3	2	1	1	2	2	3	3	3	2	10	11	28	39	46	29	13	2	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	1	-	-	-
	F..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	2	-	2	-	-	1	-	-
	All other causes.	7,330	1,257	86	54	37	18	120	71	101	122	134	182	234	289	334	425	491	477	585	580	634	539	366	154	32	6	2
	White.....M..	3,739	700	42	25	15	7	61	35	49	55	45	70	92	117	149	203	256	257	343	323	360	297	164	54	7	2	1
	F..	3,041	430	37	25	18	9	53	32	41	49	72	83	99	133	148	185	183	191	214	232	258	233	192	97	23	3	1
	Nonwhite..M..	290	73	4	3	3	2	4	3	3	5	4	14	16	15	20	21	28	17	20	16	8	5	4	1	1	-	-
	F..	250	54	3	1	1	-	2	1	8	13	13	15	27	24	17	16	14	12	8	9	8	4	6	2	1	1	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA																										
	All causes.....	39,376	2462	284	139	99	70	263	228	414	495	537	697	899	1,199	1,599	2,196	2,838	3,627	4,159	5,020	5,022	3980	2239	694	144	24	48
	White.....M..	20,601	1338	128	81	54	27	178	137	215	242	244	316	462	622	862	1,185	1,609	2,025	2,279	2,662	2,530	1965	1073	291	45	6	25
	F..	16,713	965	134	52	39	36	70	79	156	201	233	296	342	444	559	820	1,028	1,406	1,700	2,188	2,383	1946	1130	387	93	12	14
	Nonwhite..M..	1,079	77	11	3	5	4	11	4	16	19	21	36	54	58	88	107	120	126	95	92	63	34	15	9	4	2	5
	F..	983	82	11	3	1	3	4	8	27	33	39	49	41	75	90	84	81	70	85	78	46	35	21	7	2	4	4
1,2	Typhoid and paratyphoid fever..	18	1	-	-	-	-	1	1	2	2	2	1	1	1	2	1	1	1	-	-	1	-	-	-	-	-	-
	White.....M..	14	-	-	-	-	-	1	-	2	1	2	-	1	1	2	1	1	1	-	-	1	-	-	-	-	-	-
	F..	3	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	76	15	10	-	3	2	10	2	3	4	2	2	3	2	4	2	1	6	2	-	2	-	1	-	-	-	-
	White.....M..	34	7	7	-	-	-	3	1	1	4	1	1	1	2	1	1	-	2	2	-	-	-	-	-	-	-	-
	F..	32	7	2	-	3	2	3	1	1	-	1	1	1	-	2	-	1	4	-	-	2	-	1	-	-	-	-
	Nonwhite..M..	9	-	1	-	-	-	4	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	14	-	1	2	2	-	3	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	7	-	1	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	-	-	-	1	-	2	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	30	17	10	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	21	10	8	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	34	2	6	3	3	4	8	2	2	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	17	1	2	3	2	1	5	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	17	1	4	-	1	3	3	1	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	1,221	13	9	8	1	7	7	9	54	91	99	96	103	93	85	112	93	106	80	77	43	23	9	2	-	-	1
	White.....M..	599	7	3	5	-	1	3	2	9	21	37	38	46	53	52	71	58	65	55	35	22	13	2	-	-	-	1
	F..	446	5	3	3	-	4	3	4	24	49	40	42	39	29	23	29	22	28	22	38	21	10	7	1	-	-	-
	Nonwhite..M..	95	1	2	-	1	1	-	5	6	6	8	13	7	8	8	11	12	2	3	-	-	-	-	-	-	-	-
	F..	81	-	1	-	-	1	-	3	16	15	16	8	5	4	2	4	2	1	1	1	-	-	-	1	-	-	-
13	Tuberculosis of respiratory system, etc.*..	1,110	4	5	3	-	2	3	8	49	81	97	90	99	89	77	105	83	97	73	71	40	22	9	2	-	-	1
	White.....M..	547	2	1	2	-	-	2	1	7	14	37	36	45	51	48	66	52	63	50	33	21	13	2	-	-	-	1
	F..	404	2	2	1	-	2	1	4	22	49	39	38	38	27	20	27	19	22	21	34	19	9	7	1	-	-	-
	Nonwhite..M..	85	-	2	-	-	-	-	-	5	5	6	8	11	7	7	8	10	11	2	3	-	-	-	-	-	-	-
	F..	74	-	-	-	-	-	-	3	15	13	15	8	5	4	2	4	2	1	-	1	-	-	-	1	-	-	-
14-22	Tuberculosis (other forms)..	111	9	4	5	1	5	4	1	5	10	2	6	4	4	8	7	10	9	7	6	3	1	-	-	-	-	-
	White.....M..	52	5	2	3	-	1	1	1	2	7	-	2	1	2	4	5	6	2	5	2	1	-	-	-	-	-	-
	F..	42	3	1	2	-	2	2	-	2	-	1	4	1	2	3	2	3	6	1	4	2	1	-	-	-	-	-
	Nonwhite..M..	10	1	-	-	1	1	1	-	-	1	-	-	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F..	7	-	1	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery.....	31	17	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	1	-	-	-
	White.....M..	13	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F..	17	8	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	401	13	-	-	1	-	1	1	1	5	8	17	36	28	56	47	52	46	32	24	19	9	3	1	-	-	1
	White.....M..	239	2	-	-	1	-	1	-	1	1	2	3	23	16	28	30	31	36	24	19	14	6	1	-	-	-	-
	F..	92	7	-	-	-	-	-	1	-	3	4	11	8	7	13	6	11	6	4	3	4	2	1	1	-	-	-
	Nonwhite..M..	51	1	-	-	-	-	-	-	-	1	1	2	5	3	9	7	9	4	3	2	1	1	1	-	-	-	1
	F..	19	3	-	-	-	-	-	-	-	-	1	1	-	2	6	4	1	-	1	-	-	-	-	-	-	-	-
35	Measles.....	43	11	12	5	4	2	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	16	5	3	2	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	26	6	8	3	3	1	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)..	30	1	-	-	3	-	2	4	4	6	2	5	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-
	White.....M..	18	-	-	-	2	-	1	2	1	4	2	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F..	12	1	-	-	1	-	1	2	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Con.																											
45-55	Cancer and other malignant tumors	4,615	3	2	-	4	5	8	6	7	18	32	64	99	180	253	405	515	609	626	692	569	326	155	26	5	1	5
	White..M..	2,034	2	-	-	3	3	6	4	2	10	11	15	30	54	88	144	208	274	309	340	262	171	81	11	2	-	4
	F..	2,416	-	2	-	1	2	2	2	5	7	17	43	61	113	145	239	280	313	300	339	300	153	72	15	3	1	1
	Nonwhite..M..	65	-	-	-	-	-	-	-	-	-	1	2	1	2	6	13	12	10	10	3	4	1	-	-	-	-	-	-
	F..	100	1	-	-	-	-	-	-	-	1	3	4	7	11	14	9	15	12	7	10	3	1	2	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,039	-	-	-	-	1	-	-	-	1	7	20	30	50	82	155	213	262	310	366	290	166	73	7	2	-	-	4
	White..M..	1,013	-	-	-	-	-	-	-	-	-	3	4	15	22	42	78	110	140	167	191	127	73	35	2	-	-	-	4
	F..	960	-	-	-	-	1	-	-	-	1	3	10	13	24	34	68	89	115	136	170	160	92	37	5	2	-	-	-
	Nonwhite..M..	34	-	-	-	-	-	-	-	-	-	-	2	1	2	3	4	8	3	7	1	2	1	-	-	-	-	-	-
	F..	32	-	-	-	-	-	-	-	-	-	1	4	1	2	3	5	6	4	-	4	1	-	1	-	-	-	-	-
48,49	Cancer of female genital organs	620	1	-	-	-	-	2	-	2	2	7	24	24	41	57	81	82	88	67	68	47	20	4	2	-	-	1
	White..F..	583	-	-	-	-	-	2	-	2	2	5	24	20	37	50	78	79	85	62	65	45	19	4	2	-	-	1
	Nonwhite..F..	37	1	-	-	-	-	-	-	-	-	2	-	4	4	7	3	3	3	5	3	1	1	-	-	-	-	-
50	Cancer of breast	424	-	-	-	-	-	-	-	-	1	2	6	15	34	42	47	63	54	48	42	33	24	12	1	-	-	-
	White..M..	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	406	-	-	-	-	-	-	-	-	1	2	6	12	31	41	47	60	51	47	40	33	23	11	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	14	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	3	2	1	2	-	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,532	2	2	-	4	4	6	6	5	14	16	14	30	55	72	122	157	205	201	216	199	116	66	16	3	1	-
	White..M..	1,018	2	-	-	3	3	6	4	2	10	8	11	13	32	46	66	98	134	142	149	135	97	46	9	2	-	-
	F..	467	-	2	-	1	1	-	2	3	3	7	3	16	21	20	46	52	62	55	64	61	19	20	7	1	1	-
	Nonwhite..M..	30	-	-	-	-	-	-	-	-	-	1	-	-	-	3	9	4	6	3	2	2	-	-	-	-	-	-
	F..	17	-	-	-	-	-	-	-	-	1	-	-	1	2	3	1	3	3	1	1	1	-	-	-	-	-	-
58	Acute rheumatic fever	31	-	-	2	-	2	3	4	5	2	-	2	-	3	-	3	1	1	3	-	-	-	-	-	-	-	-
	White..M..	16	-	-	-	-	-	1	1	2	1	-	2	-	3	-	1	1	1	3	-	-	-	-	-	-	-	-
	F..	10	-	-	1	-	-	2	2	2	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	947	-	-	1	-	1	2	4	9	9	8	8	17	13	25	67	93	130	169	177	118	73	20	3	-	-	-
	White..M..	347	-	-	1	-	-	1	3	4	4	2	4	6	2	10	20	30	39	60	64	48	35	12	2	-	-	-
	F..	550	-	-	-	-	1	1	1	3	4	5	1	10	9	12	43	56	88	99	105	66	37	8	1	-	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	1	3	3	1	-	-	-	-	-
	F..	37	-	-	-	-	-	-	-	2	1	1	2	1	2	3	4	4	2	9	5	1	-	-	-	-	-	-
63b	Exophthalmic goiter	79	-	-	-	-	-	-	-	-	1	1	4	2	3	6	6	14	13	13	9	3	3	1	-	-	-	-
	White..M..	15	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	2	3	2	-	1	1	-	-	-	-	-	-
	F..	59	-	-	-	-	-	-	-	-	1	-	2	2	2	3	4	10	10	11	9	2	2	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	-	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	44	-	-	-	-	-	-	-	-	-	1	3	5	7	8	7	3	5	2	1	-	-	1	-	-	-	1
	White..M..	40	-	-	-	-	-	-	-	-	-	1	2	4	7	7	6	3	5	2	1	-	-	1	-	-	-	1
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,270	2	2	2	1	2	2	2	2	5	7	12	36	66	120	221	281	453	594	699	786	591	283	83	12	2	4
	White..M..	2,016	2	1	1	-	1	1	1	2	2	1	5	16	31	50	96	136	223	288	361	363	261	137	32	3	-	2
	F..	2,038	-	1	1	1	1	1	1	-	2	5	5	15	26	48	100	118	203	278	309	406	316	141	50	8	-	2
	Nonwhite..M..	100	-	-	-	-	-	-	-	-	1	1	-	2	3	5	12	12	17	12	13	10	8	2	-	1	1	-
	F..	116	-	-	-	-	-	-	-	-	-	-	2	3	6	17	13	15	10	16	16	7	6	3	1	-	1	-
90-95	Diseases of the heart	11,431	5	4	4	1	4	18	27	28	43	48	75	164	293	470	643	912	1,239	1,468	1,729	1,853	1374	747	219	46	7	10
	White..M..	6,485	2	2	2	1	2	9	12	12	21	17	37	97	176	313	428	623	775	871	954	983	703	340	89	12	-	4
	F..	4,453	3	2	2	-	2	7	14	14	20	27	34	51	84	111	168	240	398	535	713	825	649	392	123	29	6	4
	Nonwhite..M..	269	-	-	-	-	-	1	1	1	1	3	-	6	19	24	27	25	41	32	40	25	9	8	3	3	-	-
	F..	224	-	-	-	-	-	1	-	1	1	1	4	10	14	22	20	24	25	30	22	20	13	7	4	2	1	2
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	738	-	-	-	-	1	6	16	10	16	16	16	27	45	29	44	55	70	80	97	102	63	32	12	1	-	-
	White..M..	371	-	-	-	-	1	3	7	4	10	5	6	17	19	15	24	33	36	46	49	44	33	15	4	-	-	-
	F..	319	-	-	-	-	-	2	8	6	5	10	10	9	22	11	16	17	26	30	42	50	30	17	7	1	-	-
	Nonwhite..M..	26	-	-	-	-	-	-	1	-	1	1	-	-	3	1	3	3	2	1	4	6	-	-	-	-	-	-
	F..	22	-	-	-	-	-	1	-	-	-	-	-	1	1	2	1	2	6	3	2	2	-	-	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	3,930	2	1	-	-	-	4	-	1	4	11	29	68	140	252	310	437	560	579	547	516	301	137	25	2	1	3
	White..M..	2,692	-	1	-	-	-	2	-	1	-	4	16	44	111	205	244	350	390	393	348	314	178	75	15	1	-	2
	F..	1,144	2	-	-	-	-	2	-	-	4	5	11	19	21	34	56	78	156	178	187	196	121	60	12	-	1	1
	Nonwhite..M..	56	-	-	-	-	-	-	-	-	-	2	-	2	5	7	6	4	9	5	8	3	2	2	-	1	-	-
	F..	38	-	-	-	-	-	-	-	-	-	-	2	3	3	6	4	5	.5	3	4	3	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	6,763	3	3	4	1	3	8	11	17	23	21	30	69	108	189	289	420	609	809	1,085	1235	1010	578	182	43	6	7
	White..M..	3,422	2	1	2	1	1	4	5	7	11	8	15	36	46	93	160	240	349	432	557	625	492	250	72	11	-	2
	F..	2,990	1	2	2	-	2	3	6	8	11	12	13	23	41	66	96	145	216	327	484	579	498	315	104	28	5	3
	Nonwhite..M..	187	-	-	-	-	-	1	-	1	-	-	-	4	11	16	18	18	30	26	28	16	7	6	3	2	-	-
	F..	164	-	-	-	-	-	-	-	1	1	1	2	6	10	14	15	17	14	24	16	15	13	7	3	2	1	2

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Con.																											
107-109, 33	Pneumonia (all forms) and influenza	2,227	396	78	27	11	7	18	19	20	18	29	43	43	57	54	93	135	142	154	207	216	230	164	45	15	4	2
	White—M.	1,103	188	34	17	3	2	13	5	10	9	10	22	29	29	27	49	74	84	75	102	102	109	86	14	7	2	1
	F.	930	172	37	8	6	5	5	12	6	7	13	15	5	16	13	23	40	44	67	97	107	116	77	29	8	1	1
	Nonwhite—M.	105	14	3	-	1	-	-	-	1	-	1	3	5	7	6	14	14	10	9	4	7	2	1	2	-	1	-
	F.	89	22	4	2	1	-	-	2	3	2	5	3	4	5	8	7	7	4	3	4	-	3	-	-	-	-	-
107	Bronchopneumonia	688	207	39	9	5	2	1	2	2	3	3	7	10	7	8	20	31	25	43	62	60	66	51	19	3	2	1
	White—M.	324	97	16	7	1	-	1	-	1	2	-	4	6	6	2	7	16	12	23	26	30	32	27	5	2	1	-
	F.	289	80	19	1	3	2	-	2	-	1	1	3	2	-	3	5	11	12	16	32	26	32	23	13	1	-	1
	Nonwhite—M.	39	12	2	-	1	-	-	-	-	-	-	-	1	1	-	6	2	1	4	1	4	1	1	1	-	1	-
	F.	36	18	2	1	-	-	-	-	1	-	2	-	1	-	3	2	2	-	-	3	-	1	-	-	-	-	-
108	Lobar pneumonia	648	62	19	9	1	1	5	10	6	9	16	20	15	22	27	42	47	48	54	62	68	59	34	7	5	-	-
	White—M.	362	32	8	6	-	-	4	3	3	3	5	10	8	12	18	25	30	34	30	36	37	32	19	4	3	-	-
	F.	215	29	8	3	1	1	1	5	-	4	8	5	1	4	5	8	7	8	20	25	28	25	15	2	2	-	-
	Nonwhite—M.	44	1	1	-	-	-	-	-	1	-	1	2	4	3	4	5	9	4	3	1	3	1	-	1	-	-	-
	F.	27	-	2	-	-	-	-	2	2	2	2	3	2	3	-	4	1	2	1	-	-	1	-	-	-	-	-
109	Pneumonia (unspecified)	276	70	7	2	1	1	3	2	1	4	3	2	9	9	6	14	12	26	16	25	20	22	16	4	-	-	1
	White—M.	148	35	3	1	1	-	2	1	-	2	1	2	8	4	4	10	6	15	7	12	13	8	9	3	-	-	1
	F.	115	32	4	1	-	1	1	1	1	2	1	-	-	4	-	3	6	9	7	13	7	14	7	1	-	-	-
	Nonwhite—M.	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-
	F.	8	2	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	1	-	-	-	-	-	-	-	-
33	Influenza	615	57	13	7	4	3	9	5	11	2	7	14	9	19	13	17	45	43	41	58	68	83	63	15	7	2	-
	White—M.	269	24	7	3	1	2	6	1	6	2	4	6	7	7	3	7	22	23	15	28	22	37	31	2	2	1	-
	F.	311	31	6	3	2	1	3	4	5	-	3	7	2	8	5	7	16	15	24	27	46	45	32	13	5	1	-
	Nonwhite—M.	17	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	3	4	1	2	-	-	-	-	-	-	-
	F.	18	2	-	1	1	-	-	-	-	-	-	-	-	2	3	1	4	1	1	1	-	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	188	-	-	-	-	-	-	-	-	1	2	8	5	15	20	21	31	29	19	21	10	4	1	1	-	-	-
	White—M.	146	-	-	-	-	-	-	-	-	1	2	5	3	12	18	18	25	22	16	14	5	4	-	1	-	-	-
	F.	35	-	-	-	-	-	-	-	-	-	-	3	2	3	2	1	3	6	2	7	5	-	1	-	-	-	-
	Nonwhite—M.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	288	166	31	7	1	-	3	3	-	-	2	5	7	2	5	2	4	3	10	8	9	14	5	1	-	-	-
	White—M.	142	83	14	5	1	-	1	-	-	-	1	2	3	1	1	1	4	1	6	6	4	5	2	1	-	-	-
	F.	127	71	16	2	-	-	1	3	-	-	1	2	3	1	2	1	-	1	4	2	5	9	3	-	-	-	-
	Nonwhite—M.	12	8	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F.	7	4	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
121	Appendicitis	221	-	1	3	5	2	12	10	11	4	10	13	13	19	16	14	22	27	15	14	6	2	1	-	-	-	1
	White—M.	130	-	1	1	3	1	7	5	8	7	6	5	10	11	9	8	15	17	9	8	3	1	1	-	-	-	1
	F.	76	-	-	2	2	1	5	4	2	3	3	6	2	6	6	6	6	8	5	6	2	1	-	-	-	-	-
	Nonwhite—M.	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F.	10	-	-	-	-	-	-	1	1	1	1	1	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	349	8	3	3	1	1	2	5	1	5	6	8	9	19	13	18	28	41	32	42	41	39	18	4	2	-	-
	White—M.	146	4	-	1	1	1	1	3	-	1	2	2	3	4	4	5	11	15	22	22	13	21	7	2	1	-	-
	F.	176	1	1	2	-	-	1	2	1	4	4	4	4	11	6	11	13	25	9	19	28	16	11	2	1	-	-
	Nonwhite—M.	12	3	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	1	-	1	-	1	-	-	-	-	-
	F.	15	-	2	-	-	-	-	-	-	-	-	2	-	3	2	2	2	-	1	-	-	1	-	-	-	-	-
124	Cirrhosis of the liver	231	-	-	-	-	-	-	-	-	-	5	8	13	7	18	24	25	28	20	27	28	22	5	1	-	-	-
	White—M.	128	-	-	-	-	-	-	-	-	-	4	3	8	5	15	13	17	15	11	14	12	10	1	-	-	-	-
	F.	95	-	-	-	-	-	-	-	-	-	1	5	4	2	2	10	7	11	9	13	15	12	3	1	-	-	-
	Nonwhite—M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
126,127	Biliary calculi, etc.*	183	-	-	-	-	-	-	-	-	1	1	4	8	11	15	17	16	27	19	30	18	14	2	-	-	-	-
	White—M.	49	-	-	-	-	-	-	-	-	-	-	1	-	4	4	2	4	7	5	11	9	2	-	-	-	-	-
	F.	131	-	-	-	-	-	-	-	-	1	1	3	8	7	9	14	12	20	14	19	9	12	2	-	-	-	-
	Nonwhite—M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	3,235	3	2	1	2	-	2	5	18	14	13	28	36	63	101	143	204	251	360	550	562	471	295	87	19	2	3
	White—M.	1,697	2	2	-	2	-	1	3	6	10	6	11	13	24	42	61	116	155	196	287	300	243	155	52	10	-	-
	F.	1,368	1	-	1	-	-	1	2	12	2	7	14	19	28	47	59	74	78	143	238	249	215	135	33	9	-	1
	Nonwhite—M.	89	-	-	-	-	-	-	-	-	-	-	3	2	2	6	12	11	11	12	13	7	6	1	2	-	-	1
	F.	81	-	-	-	-	-	-	-	-	2	-	-	2	9	6	11	3	7	9	12	6	7	4	-	-	2	1
137	Diseases of the prostate	170	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	25	40	41	35	14	6	-	-	-
	White—M.	163	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	24	39	40	35	13	6	-	-	-
	Nonwhite—M.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	1	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Con.																										
140-150	Diseases of pregnancy, etc.*...	141	-	-	-	-	-	-	-	16	27	22	37	25	13	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	126	-	-	-	-	-	-	-	15	25	18	32	23	12	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	15	-	-	-	-	-	-	-	1	2	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia....	56	-	-	-	-	-	-	-	7	8	7	18	10	5	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	49	-	-	-	-	-	-	-	6	8	5	15	10	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	7	-	-	-	-	-	-	-	1	-	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	31	-	-	-	-	-	-	-	7	6	7	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	27	-	-	-	-	-	-	-	7	5	6	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	47	-	-	-	-	-	-	-	1	10	8	11	11	6	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	43	-	-	-	-	-	-	-	1	9	7	10	10	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	7	-	-	-	-	-	-	-	1	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	7	-	-	-	-	-	-	-	1	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	433	380	17	6	5	5	6	1	2	2	2	3	2	1	-	-	-	-	-	1	-	-	-	-	-	-
	White.....M..	243	219	3	3	2	2	6	1	2	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	182	155	14	3	3	2	-	-	-	1	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	4	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	729	729	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	406	406	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	264	264	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	27	27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	32	32	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	451	-	-	-	-	-	-	3	5	17	26	24	30	37	39	41	45	50	41	38	18	11	4	1	-	1
	White.....M..	308	-	-	-	-	-	-	2	-	12	16	16	22	24	26	33	33	30	31	34	13	11	4	-	-	1
	F..	118	-	-	-	-	-	-	1	5	5	9	8	7	12	12	7	12	20	10	4	5	-	-	1	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	96	2	-	-	-	-	1	2	11	6	16	11	9	9	8	5	7	-	4	2	1	1	1	-	-	-	-
	White.....M..	51	2	-	-	-	-	1	2	6	1	3	4	5	7	5	4	5	-	3	1	1	-	1	-	-	-	-
	F..	17	-	-	-	-	-	-	-	2	1	5	1	2	-	3	-	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite..M..	19	-	-	-	-	-	-	-	2	2	4	5	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	1	2	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
169-195	Accidental deaths	2,753	73	46	29	32	15	91	88	159	154	117	120	111	129	130	114	132	137	171	199	229	233	156	60	15	1	12
	White.....M..	1,720	40	25	17	21	8	68	74	118	116	94	97	88	100	91	89	105	96	103	99	98	88	62	14	4	-	7
	F..	919	26	20	9	9	6	17	13	37	33	21	14	16	21	26	17	22	33	60	96	128	143	92	46	11	1	2
	Nonwhite..M..	83	7	2	2	2	1	5	1	4	3	-	5	5	7	12	6	4	6	4	3	1	1	-	-	-	-	2
	F..	31	-	1	1	-	-	1	-	-	2	2	4	2	1	1	2	1	2	4	1	2	1	2	-	-	-	1
170	Motor-vehicle accidents.....	774	8	8	8	9	6	32	21	75	56	56	57	45	49	46	47	50	45	56	42	27	20	7	2	-	-	2
	White.....M..	590	5	6	5	8	3	27	17	49	37	42	49	36	38	27	39	43	37	47	33	19	15	6	2	-	-	-
	F..	154	3	2	1	-	2	4	4	25	18	14	5	6	9	14	7	6	4	9	8	8	4	1	-	-	-	-
	Nonwhite..M..	26	-	-	1	1	1	1	-	1	-	-	2	3	2	5	1	1	4	-	1	-	1	-	-	-	-	1
	F..	4	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
189; 171-195	Other accidents..	1,979	65	38	21	23	9	59	67	84	98	61	63	66	80	84	67	82	92	115	157	202	213	149	58	15	1	10
	White.....M..	1,130	35	17	12	13	5	41	57	69	79	52	48	52	62	64	50	62	59	56	66	79	73	56	12	4	-	7
	F..	765	23	18	8	9	4	13	9	12	15	7	9	10	12	12	10	16	29	51	88	120	139	91	46	11	1	2
	Nonwhite..M..	57	7	2	1	1	-	4	1	3	3	-	3	2	5	7	5	3	2	4	2	1	-	-	-	-	-	1
	F..	27	-	1	-	-	-	1	-	-	1	2	3	2	1	1	2	1	2	4	1	2	1	2	-	-	-	-
182,199, 200	Senility, ill-defined and unknown causes...	439	17	5	2	-	-	2	-	-	-	1	4	11	9	8	17	13	23	16	44	51	78	76	46	9	5	2
	White.....M..	237	10	1	2	-	-	2	-	-	-	1	1	5	7	5	13	9	16	8	33	37	35	30	16	1	3	2
	F..	193	7	3	-	-	-	-	-	-	-	-	2	6	1	3	3	4	7	8	11	14	42	44	28	8	2	-
	Nonwhite..M..	6	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
	All other causes.	3,939	588	42	31	19	9	52	27	54	59	74	92	108	117	140	169	205	253	283	387	397	424	274	107	21	2	5
	White.....M..	2,013	345	27	19	10	4	41	13	29	22	22	33	47	46	60	89	96	139	153	217	198	210	137	51	5	1	1
	F..	1,750	219	12	12	8	4	10	12	22	28	49	45	51	53	69	74	95	101	119	158	190	208	136	55	16	1	3
	Nonwhite..M..	87	12	1	-	1	1	-	2	2	5	2	4	6	4	6	2	10	8	7	6	3	3	-	1	-	-	1
	F..	89	14	2	-	-	-	1	-	1	4	1	10	4	14	5	4	4	5	4	6	6	3	1	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA																											
	All causes	26,094	1540	105	70	55	44	153	137	240	307	286	318	439	558	832	1,202	1,669	2,125	2,754	3,551	3,749	3143	2004	666	124	13	10
	White	M. 14,248	879	65	38	30	21	100	80	146	195	172	169	248	296	430	699	1,033	1,247	1,549	2,005	1,982	1,543	978	275	54	6	8
		F. 11,541	644	37	32	25	23	52	54	90	105	107	143	180	246	382	478	631	843	1,174	1,492	1,739	1583	1019	384	70	7	1
	Nonwhite	M. 165	11	2	-	-	-	1	3	2	2	4	3	6	8	9	17	16	14	16	20	16	10	3	2	-	-	-
		F. 140	6	1	-	-	-	-	-	2	5	3	3	5	8	11	8	9	21	15	14	12	7	4	5	-	-	1
1,2	Typhoid and paratyphoid fever	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White	M. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F. 3	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite	M. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	21	2	-	-	4	-	3	-	-	2	1	1	2	1	-	1	-	2	1	1	-	-	-	-	-	-	-
	White	M. 8	-	-	-	2	-	1	-	-	1	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F. 12	2	-	-	2	-	2	-	-	1	1	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite	M. 1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	16	1	2	-	1	-	4	2	3	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M. 10	1	2	-	-	-	3	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F. 5	-	-	-	1	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F. 1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	26	15	9	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M. 15	8	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F. 10	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M. 1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	12	-	-	1	1	1	5	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M. 5	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F. 7	-	-	-	-	1	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	341	2	-	1	-	-	-	-	14	16	25	22	29	28	24	30	26	39	27	29	16	5	4	3	1	-	-
	White	M. 196	1	-	-	-	-	-	-	2	5	12	14	18	17	19	24	16	23	19	13	8	2	2	1	-	-	-
		F. 130	1	-	1	-	-	-	-	10	10	11	8	9	10	2	5	10	15	8	15	8	3	2	1	1	-	-
	Nonwhite	M. 10	-	-	-	-	-	-	-	1	-	2	-	1	-	2	1	-	1	-	1	-	-	-	1	-	-	-
		F. 5	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	314	1	-	-	-	-	-	-	13	15	22	22	27	28	24	27	22	35	25	27	14	4	4	3	1	-	-
	White	M. 180	1	-	-	-	-	-	-	2	5	10	14	17	17	19	21	14	20	19	11	6	1	2	1	-	-	-
		F. 120	-	-	-	-	-	-	-	10	9	10	8	8	10	2	5	8	14	6	15	8	3	2	1	1	-	-
	Nonwhite	M. 9	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	-	1	-	1	-	-	-	1	-	-	-
		F. 5	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	27	1	-	1	-	-	-	-	1	1	3	-	2	-	-	3	4	4	2	2	2	1	-	-	-	-	-
	White	M. 16	-	-	-	-	-	-	-	-	-	2	-	1	-	-	3	2	3	-	2	2	1	-	-	-	-	-	-
		F. 10	1	-	1	-	-	-	-	-	1	1	-	1	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite	M. 1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White	M. 1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F. 2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite	M. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White	M. 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	191	-	-	-	-	-	1	-	-	-	5	3	5	14	19	27	27	36	25	13	10	3	3	-	-	-	-
	White	M. 118	-	-	-	-	-	-	-	-	-	1	2	1	4	10	17	19	23	21	9	8	2	1	-	-	-	-
		F. 51	-	-	-	-	-	1	-	-	-	4	1	2	7	8	4	5	6	4	4	2	1	2	-	-	-	-
	Nonwhite	M. 14	-	-	-	-	-	-	-	-	-	-	-	2	2	1	5	1	3	-	-	-	-	-	-	-	-	-
		F. 8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	-	-	-	-	-	-	-	-	-	-
35	Measles	31	6	10	3	4	1	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M. 17	4	7	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F. 13	2	2	2	3	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M. 1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	16	1	1	-	-	-	2	2	2	2	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White	M. 8	-	-	-	-	-	2	1	-	1	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
		F. 6	1	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F. 2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Con.																										
45-55	Cancer and other malignant tumors.....	3,584	2	3	4	3	1	6	7	8	13	23	34	59	112	185	281	377	377	487	545	558	310	167	37	5	-	-
	White.....M..	1,720	2	3	1	2	1	4	3	6	9	14	9	17	31	48	126	179	182	219	306	281	167	90	19	1	-	-
	F..	1,832	-	-	3	1	-	2	4	1	4	9	25	39	80	134	151	196	191	262	233	255	143	77	18	4	-	-
	Nonwhite..M..	18	-	-	-	-	-	-	-	1	-	-	-	1	-	2	3	2	1	4	2	2	-	-	-	-	-	-
	F..	14	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	3	2	4	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum.....	1,705	-	-	1	1	-	-	-	1	2	9	8	14	39	58	109	173	183	238	297	318	154	82	16	2	-	-
	White.....M..	907	-	-	1	-	-	-	-	-	2	4	3	6	14	24	62	96	112	122	170	159	80	43	8	1	-	-
	F..	779	-	-	-	1	-	-	-	1	-	5	5	8	25	33	44	75	68	112	123	157	74	39	8	1	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	2	2	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.	399	-	-	-	-	-	-	1	-	2	3	12	15	26	49	43	53	50	47	37	25	22	10	3	1	-	-
	White.....F..	394	-	-	-	-	-	-	1	-	2	3	12	13	25	49	43	53	49	47	36	25	22	10	3	1	-	-
	Nonwhite..F..	5	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-
50	Cancer of breast.	375	-	-	-	-	-	-	-	-	-	-	2	12	20	37	43	42	44	64	39	40	19	10	2	1	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	372	-	-	-	-	-	-	-	-	-	-	2	12	19	37	42	42	44	64	38	40	19	10	2	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer(other sites).....	1,105	2	3	3	2	1	6	6	7	9	11	12	18	27	41	86	109	100	138	172	155	115	65	16	1	-	-
	White.....M..	811	2	3	-	2	1	4	3	6	7	10	6	11	16	24	63	83	70	97	136	122	87	47	11	-	-	-
	F..	287	-	-	3	-	-	2	3	-	2	1	6	6	11	15	22	26	30	39	36	33	28	18	5	1	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	29	-	-	-	1	-	4	3	6	2	-	1	1	3	-	1	-	1	-	3	2	1	-	-	-	-	-
	White.....M..	14	-	-	-	-	-	2	1	4	-	-	-	1	1	-	-	-	-	-	3	1	1	-	-	-	-	-
	F..	15	-	-	-	1	-	2	2	2	2	-	1	-	2	-	1	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	643	-	-	-	-	-	1	2	4	7	6	7	7	8	17	32	49	87	105	125	101	65	18	2	-	-	-
	White.....M..	281	-	-	-	-	-	1	1	2	2	4	3	2	3	9	13	22	35	31	52	49	23	9	-	-	-	-
	F..	375	-	-	-	-	-	-	1	2	5	2	4	5	5	7	19	26	51	73	72	50	42	9	2	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter.....	40	-	-	-	-	-	-	-	1	1	-	1	1	-	2	3	8	8	6	5	-	3	1	-	-	-	-
	White.....M..	5	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-
	F..	34	-	-	-	-	-	-	-	-	1	-	1	1	-	1	2	6	8	5	5	-	3	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra(except alcoholic).....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	20	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	7	1	3	1	2	-	-	-	-	-
	White.....M..	19	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	7	1	3	1	2	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	2,966	3	1	1	-	1	-	3	2	2	6	10	16	22	63	80	145	267	349	527	596	470	307	77	17	-	1
	White.....M..	1,458	1	-	-	-	-	-	2	1	1	3	7	6	7	22	41	74	133	192	294	297	217	123	29	8	-	-
	F..	1,470	2	1	1	-	1	-	1	1	1	2	3	8	14	37	38	68	128	152	226	297	252	182	46	9	-	-
	Nonwhite..M..	14	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	2	2	4	1	-	-	-	-	-	-
	F..	24	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	4	3	3	1	1	2	2	-	-	1
90-95	Diseases of the heart.....	8,050	3	3	4	-	6	5	7	20	20	19	35	71	121	212	338	551	721	1,018	1,321	1,398	1,192	712	234	30	6	3
	White.....M..	4,719	2	2	1	-	3	5	3	11	10	11	19	51	81	145	234	391	476	629	793	764	611	357	99	15	4	2
	F..	3,261	1	1	3	-	3	-	4	9	10	8	15	19	38	65	100	152	237	378	520	624	571	352	133	15	2	1
	Nonwhite..M..	35	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	4	4	5	5	7	1	-	-	-	-
	F..	35	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	3	4	7	3	5	3	2	2	-	-	-
90a,92b, c,95c,95b	Chronic rheumatic diseases of the heart.....	586	-	-	-	-	3	3	3	12	12	8	8	21	19	26	16	41	49	58	74	95	83	48	5	2	-	-
	White.....M..	316	-	-	-	-	2	3	-	6	7	5	5	14	10	16	12	23	29	25	42	49	44	20	3	1	-	-
	F..	257	-	-	-	-	1	-	3	6	5	3	3	6	9	10	4	17	19	29	29	44	38	28	2	1	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	3,150	-	-	-	-	-	-	1	-	4	5	12	22	58	115	191	302	362	470	549	480	352	173	47	6	1	2
	White.....M..	2,123	-	-	-	-	-	-	1	-	1	3	7	18	49	91	155	238	261	314	384	300	196	97	22	3	1	2
	F..	1,012	-	-	-	-	-	-	-	-	3	2	4	4	9	21	36	61	99	155	163	177	154	76	25	3	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	2	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	-	2	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart(other forms).....	4,314	3	3	4	-	3	2	3	8	4	8	15	28	44	73	131	208	310	490	698	823	757	491	182	22	5	1
	White.....M..	2,280	2	2	1	-	1	2	2	5	2	3	7	19	22	38	67	130	186	290	387	415	371	240	74	11	3	-
	F..	1,992	1	1	3	-	2	-	1	3	2	3	8	9	20	34	60	74	119	194	308	403	379	248	106	11	2	1
	Nonwhite..M..	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	5	2	2	2	4	1	-	-	-	-
	F..	22	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	4	1	3	3	2	2	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	1,501	189	27	5	6	4	12	11	14	8	9	10	18	22	35	57	68	80	102	157	179	213	172	82	19	2	-
	White..M..	769	100	13	2	3	2	10	4	7	3	2	6	12	16	18	38	43	48	60	83	94	87	85	24	9	-	-
	F..	700	80	14	3	3	2	2	7	7	5	6	4	6	4	15	16	24	31	40	71	80	123	87	58	10	2	-
	Nonwhite..M..	19	5	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	1	2	2	1	1	-	-	-	-	-
	F..	13	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	4	2	-	-	-	-	-
107	Bronchopneumonia	500	111	12	3	2	-	6	2	2	3	1	3	7	5	6	8	17	19	25	56	52	57	68	27	7	1	-
	White..M..	272	61	5	2	1	-	5	1	1	1	-	3	5	4	3	5	11	11	13	31	35	22	36	12	4	-	-
	F..	219	44	7	1	1	-	1	1	1	2	1	-	2	-	3	3	6	8	12	25	17	33	32	15	3	1	-
	Nonwhite..M..	4	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
108	Lobar pneumonia	497	38	5	1	2	1	3	5	3	4	-	2	7	13	14	28	31	38	42	56	68	69	41	20	6	-	-
	White..M..	261	20	3	-	1	-	2	1	-	2	-	-	5	10	5	17	20	24	30	32	32	29	22	4	2	-	-
	F..	220	16	2	1	1	1	1	4	3	2	-	2	2	2	8	9	11	13	10	22	31	40	19	16	4	-	-
	Nonwhite..M..	10	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	2	1	-	-	-	-	-	-
	F..	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-	-	-	-
109	Pneumonia (unspecified)	39	7	-	-	-	-	-	-	1	-	1	2	1	1	4	2	2	3	2	4	3	2	2	2	-	-	-
	White..M..	25	4	-	-	-	-	-	-	-	-	-	2	1	-	3	2	2	3	1	2	2	1	1	1	-	-	-
	F..	14	3	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	1	2	1	1	1	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	485	33	10	1	2	3	3	4	8	1	7	3	3	3	11	19	18	20	33	41	56	85	61	33	6	1	-
	White..M..	211	15	5	-	1	2	3	2	6	-	2	1	1	2	7	14	10	10	16	18	25	35	26	7	3	-	-
	F..	247	17	5	1	1	1	-	2	2	1	4	2	2	1	3	4	7	10	17	22	31	49	35	26	3	1	-
	Nonwhite..M..	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	146	-	-	-	-	-	-	-	1	1	1	3	7	9	9	13	22	11	15	23	17	8	4	2	-	-	-
	White..M..	122	-	-	-	-	-	-	-	1	1	1	3	7	8	8	11	21	10	13	18	14	4	1	1	-	-	-
	F..	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	5	3	4	3	1	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	105	59	3	1	2	-	3	1	-	1	2	2	-	1	2	1	2	3	6	6	2	3	2	3	-	-	-
	White..M..	51	33	2	1	1	-	2	1	-	1	-	-	-	1	1	-	2	2	1	2	1	-	-	-	-	-	-
	F..	54	26	1	-	1	-	1	-	-	-	2	2	-	-	1	1	-	1	5	4	1	3	2	3	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	157	1	-	1	4	3	11	9	9	8	7	10	9	7	6	6	18	10	14	11	8	2	2	1	-	-	-
	White..M..	92	1	-	-	3	2	6	5	5	1	4	5	8	5	5	4	10	5	7	7	4	2	2	1	-	-	-
	F..	62	-	-	1	1	1	5	4	4	6	3	5	1	2	-	2	8	4	7	4	4	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	249	7	1	1	-	1	2	1	2	4	2	5	9	7	8	23	18	22	30	28	40	20	12	5	-	-	1
	White..M..	113	5	-	1	-	1	1	1	2	2	-	3	4	2	2	10	8	12	11	12	20	5	7	3	-	-	1
	F..	131	2	1	-	-	-	1	-	-	2	2	2	5	3	6	13	9	10	19	15	20	14	5	2	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	118	-	-	-	-	-	-	1	2	-	-	-	4	4	9	14	16	17	18	11	13	7	2	-	-	-	-
	White..M..	71	-	-	-	-	-	-	-	-	-	-	-	2	3	5	11	13	11	13	6	5	2	-	-	-	-	-
	F..	45	-	-	-	-	-	-	1	2	-	-	-	2	1	4	2	3	5	5	5	8	5	2	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	183	1	-	-	-	-	-	-	-	1	2	3	6	8	11	29	16	20	21	23	20	17	4	2	1	-	-
	White..M..	59	1	-	-	-	-	-	-	-	-	-	2	2	1	3	7	5	4	9	8	9	6	-	2	-	-	-
	F..	123	-	-	-	-	-	-	-	-	1	2	1	4	5	8	22	10	16	12	15	11	11	4	-	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,573	4	-	1	-	1	2	5	6	6	9	13	21	32	44	59	89	131	194	236	277	245	153	36	9	-	-
	White..M..	818	1	-	1	-	-	2	3	2	4	4	7	7	12	21	31	48	70	122	124	141	114	83	14	7	-	-
	F..	739	3	-	-	-	1	-	2	4	2	5	6	14	19	22	28	38	60	70	108	134	130	70	21	2	-	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	2	1	1	-	1	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	1	-	-	-	-	-	-
137	Diseases of the prostate	219	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	11	8	18	50	45	44	32	9	-	-	-
	White..M..	218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	11	8	18	50	44	44	32	9	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Con.																										
140-150	Diseases of pregnancy, etc.*...	83	-	-	-	-	-	-	-	3	15	14	24	20	7	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	82	-	-	-	-	-	-	-	3	14	14	24	20	7	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	27	-	-	-	-	-	-	-	2	6	4	7	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	27	-	-	-	-	-	-	-	2	6	4	7	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	24	-	-	-	-	-	-	-	1	3	5	6	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	24	-	-	-	-	-	-	-	1	3	5	6	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b142b, 143,146, 149	Hemorrhage, trauma and shock*.....	26	-	-	-	-	-	-	-	-	6	5	8	3	4	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	25	-	-	-	-	-	-	-	-	5	5	8	3	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	6	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	6	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	326	293	12	3	2	4	3	5	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	177	163	5	1	1	3	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	148	129	7	2	1	1	2	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	523	523	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	293	293	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	226	226	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	300	-	-	-	-	-	-	1	6	11	12	18	18	27	30	34	30	37	34	15	12	11	3	1	-	-
	White.....M..	229	-	-	-	-	-	-	-	3	5	9	10	14	22	23	27	22	29	30	10	11	10	3	1	-	-
	F..	70	-	-	-	-	-	-	1	3	6	3	8	4	5	7	7	7	8	4	5	1	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	38	1	-	1	-	1	-	-	1	3	4	3	3	7	5	5	2	1	1	-	-	-	-	-	-	-
	White.....M..	20	1	-	-	-	-	-	-	-	2	1	1	2	5	3	3	1	1	-	-	-	-	-	-	-	-
	F..	11	-	-	1	-	1	-	-	1	1	1	1	-	2	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,679	36	23	26	17	11	60	55	107	139	84	66	61	49	52	64	62	70	84	117	142	163	126	48	12	-	5
	White.....M..	1,091	21	18	16	10	3	36	43	82	128	70	58	58	42	42	44	51	61	48	70	51	72	47	14	1	-	5
	F..	577	14	5	10	7	8	23	10	24	10	14	7	3	7	10	19	11	9	34	46	91	91	79	34	11	-	-
	Nonwhite..M..	8	1	-	-	-	-	1	2	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	355	-	7	4	3	2	20	14	43	26	21	22	23	11	19	23	22	24	20	25	17	6	1	2	-	-	-
	White.....M..	253	-	4	-	2	1	11	9	25	20	17	17	23	6	13	17	18	21	11	19	14	3	1	1	-	-	-
	F..	99	-	3	4	1	1	9	4	18	6	4	4	-	5	6	6	4	3	8	6	3	3	-	1	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,324	36	16	22	14	9	40	41	64	113	63	44	38	38	33	41	40	46	64	92	125	157	125	46	12	-	5
	White.....M..	838	21	14	16	8	2	25	34	57	108	53	41	35	36	29	27	33	40	37	51	37	69	46	15	1	-	5
	F..	478	14	2	6	6	7	14	6	6	4	10	3	3	2	4	13	7	6	26	40	88	88	79	33	11	-	-
	Nonwhite..M..	5	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	410	13	-	-	-	-	-	-	-	1	1	1	-	3	1	4	12	8	17	49	55	76	100	51	15	3	-
	White.....M..	191	10	-	-	-	-	-	-	-	1	1	-	-	2	-	1	7	4	8	27	26	30	42	25	5	2	-
	F..	216	3	-	-	-	-	-	-	-	-	-	1	-	1	1	3	5	4	8	21	29	46	57	26	10	1	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	2,486	377	9	15	10	9	25	20	25	42	52	43	66	64	97	94	139	162	180	231	275	282	179	73	15	2	-
	White.....M..	1,357	231	7	11	6	5	18	9	14	18	35	20	32	28	45	51	87	102	95	115	153	142	94	33	8	-	-
	F..	1,105	145	1	4	4	4	7	10	11	21	17	22	34	34	51	42	51	57	84	117	118	139	84	39	7	2	-
	Nonwhite..M..	11	-	1	-	-	-	-	1	-	2	-	1	-	-	-	-	1	-	-	1	3	-	1	-	-	-	-
	F..	13	1	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	3	1	-	1	1	-	1	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS																										
	All causes.....	18,535	1163	119	79	37	37	138	131	211	297	292	262	371	458	646	895	1,248	1,544	1,951	2,437	2,317	2003	1288	488	98	14	11
	White.....M..	9,988	635	49	45	20	18	85	82	131	199	191	125	184	219	341	516	712	905	1,080	1,305	1,246	1038	604	208	35	7	8
	F..	7,553	462	60	26	12	17	50	40	61	74	83	106	152	174	255	292	441	547	764	1,032	986	928	667	260	56	6	2
	Nonwhite..M..	560	45	4	4	3	2	-	3	11	16	9	10	17	30	26	52	51	57	64	66	47	21	11	7	3	-	1
	F..	434	21	6	4	2	-	3	6	8	8	9	21	18	35	24	35	44	35	43	34	38	16	6	13	4	1	-
1,2	Typhoid and paratyphoid fever..	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	30	2	1	-	1	-	3	7	-	1	4	1	3	3	-	1	-	1	1	1	-	-	-	-	-	-	-
	White.....M..	19	1	-	-	1	-	2	5	-	-	2	1	3	1	-	1	-	-	1	1	-	-	-	-	-	-	-
	F..	9	1	1	-	-	-	1	1	-	1	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	14	1	-	1	1	1	2	2	1	2	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	4	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F..	10	1	-	-	1	1	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	19	17	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	11	9	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	7	-	1	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White.....M..	4	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	357	3	3	2	-	-	3	4	11	39	24	29	29	20	22	34	33	27	27	32	8	3	4	-	-	-	-
	White.....M..	199	1	-	-	-	-	2	1	3	13	13	9	13	11	16	23	25	21	18	20	7	1	2	-	-	-	-
	F..	112	1	3	1	-	-	1	2	5	17	7	13	12	7	4	6	6	4	6	12	1	2	2	-	-	-	-
	Nonwhite..M..	27	1	-	-	-	-	-	-	1	5	2	2	4	1	1	4	2	1	3	-	-	-	-	-	-	-	-
	F..	19	-	-	1	-	-	-	1	2	4	2	5	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	336	2	2	1	-	-	1	4	9	37	22	29	28	20	22	32	30	25	27	30	8	3	4	-	-	-	-
	White.....M..	186	-	-	-	-	-	1	1	3	12	12	9	13	11	16	21	22	19	18	18	7	1	2	-	-	-	-
	F..	110	1	2	1	-	-	-	2	5	17	7	13	12	7	4	6	6	4	6	12	1	2	2	-	-	-	-
	Nonwhite..M..	24	1	-	-	-	-	-	-	-	4	2	2	3	1	1	4	2	1	3	-	-	-	-	-	-	-	-
	F..	16	-	-	-	-	-	-	1	1	4	1	5	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	21	1	1	1	-	-	2	-	2	2	2	-	1	-	-	2	3	2	-	2	-	-	-	-	-	-	-
	White.....M..	13	1	-	-	-	-	1	-	-	1	1	-	-	-	-	2	3	2	-	2	-	-	-	-	-	-	-
	F..	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	10	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	1	-	-	-	-
	White.....M..	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-
	F..	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	167	4	-	-	-	-	1	-	2	2	3	5	14	23	18	24	18	25	15	7	4	1	1	-	-	-	-
	White.....M..	95	2	-	-	-	-	-	-	1	-	2	1	7	10	11	15	13	16	11	3	2	-	1	-	-	-	-
	F..	33	-	-	-	-	-	1	-	1	2	1	1	2	7	1	4	2	4	3	3	-	1	-	-	-	-	-
	Nonwhite..M..	27	1	-	-	-	-	-	-	-	-	-	2	3	4	4	4	2	4	1	1	1	-	-	-	-	-	-
	F..	12	1	-	-	-	-	-	-	-	-	-	1	2	2	2	1	1	1	-	-	1	-	-	-	-	-	-
35	Measles.....	30	11	4	2	2	2	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	12	5	2	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	17	5	2	2	1	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliocencephalitis (acute)..	10	-	1	3	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	6	-	-	2	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Con.																										
45-55	Cancer and other malignant tumors	2,306	1	2	2	1	1	6	3	6	6	15	26	49	98	136	180	248	266	313	320	290	206	105	24	2	-	-
	White..M.	1,077	-	2	1	-	-	3	2	3	4	9	13	11	25	42	79	113	110	158	158	168	112	53	10	1	-	-
	F.	1,140	1	-	1	1	1	2	1	2	1	5	10	35	63	85	91	124	150	143	149	117	93	51	13	1	-	-
	Nonwhite..M.	40	-	-	-	-	-	-	-	1	1	-	1	-	2	3	5	4	2	7	9	2	1	1	1	-	-	-
	F.	49	-	-	-	-	-	1	-	-	-	1	2	3	8	6	5	7	4	5	4	3	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,051	-	-	-	-	-	-	1	1	-	3	5	14	21	40	71	107	131	171	159	149	114	51	13	-	-	-
	White..M.	523	-	-	-	-	-	-	1	1	-	1	1	4	10	20	35	59	63	90	72	82	59	18	7	-	-	-
	F.	499	-	-	-	-	-	-	-	-	-	1	4	10	9	19	32	45	65	77	82	64	54	32	5	-	-	-
	Nonwhite..M.	20	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	2	3	3	1	1	1	1	-	-	-
	F.	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	2	2	-	-	-	-	-	-
48,49	Cancer of female genital organs	241	-	-	-	-	-	-	1	-	-	2	1	12	29	36	25	30	31	23	21	16	11	2	1	-	-	-
	White..F.	221	-	-	-	-	-	-	1	-	-	2	-	11	24	31	23	27	29	22	21	16	11	2	1	-	-	-
	Nonwhite..F.	20	-	-	-	-	-	-	-	-	-	-	1	1	5	5	2	3	2	1	-	-	-	-	-	-	-	-
50	Cancer of breast	228	-	-	-	-	-	-	-	-	-	-	5	9	19	24	23	28	37	21	24	21	8	6	3	-	-	-
	White..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	216	-	-	-	-	-	-	-	-	-	-	4	8	17	23	21	27	36	19	24	20	8	6	3	-	-	-
	Nonwhite..M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	11	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	1	2	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	786	1	2	2	1	1	6	1	5	6	10	15	14	29	36	61	83	67	98	116	104	73	46	7	2	-	-
	White..M.	554	-	2	1	-	-	3	1	2	4	8	12	7	15	22	44	54	47	68	88	86	53	35	3	1	-	-
	F.	204	1	-	1	1	1	2	-	2	1	2	2	6	13	12	15	25	20	25	22	17	20	11	4	1	-	-
	Nonwhite..M.	19	-	-	-	-	-	-	-	1	1	-	1	-	-	2	1	2	-	4	6	1	-	-	-	-	-	-
	F.	9	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	2	-	1	2	-	-	-	-	-	-	-
58	Acute rheumatic fever	14	-	1	-	-	1	2	1	1	2	-	1	1	-	-	-	-	-	2	1	-	1	-	-	-	-	-
	White..M.	6	-	-	-	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F.	7	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite..M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	479	-	1	-	-	-	2	-	6	4	5	5	4	12	17	23	38	49	91	83	66	50	18	3	1	-	1
	White..M.	191	-	1	-	-	-	1	-	4	-	1	2	3	5	10	15	19	38	30	29	25	5	1	-	-	-	-
	F.	264	-	-	-	-	-	1	-	2	2	4	3	2	9	11	11	21	26	47	49	36	25	13	-	1	-	1
	Nonwhite..M.	8	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-
	F.	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	5	3	-	-	-	2	-	-	-
63b	Exophthalmic goiter	45	-	-	-	-	-	-	-	2	-	-	2	2	3	7	2	3	6	9	6	2	1	-	-	-	-	-
	White..M.	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-
	F.	38	-	-	-	-	-	-	-	2	-	-	2	-	3	7	1	2	4	8	6	2	1	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-	-
	White..M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	6	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-
	White..M.	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,956	1	-	-	-	1	1	-	2	2	4	5	9	13	30	67	103	186	265	362	363	301	189	44	6	1	1
	White..M.	928	-	-	-	-	1	1	-	1	1	4	1	4	6	11	24	47	101	124	173	186	142	82	18	-	1	-
	F.	924	1	-	-	-	-	-	-	1	1	-	3	4	5	16	33	44	74	122	170	164	151	107	22	6	-	-
	Nonwhite..M.	49	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	5	8	11	11	5	3	-	-	-	-	1
	F.	55	-	-	-	-	-	-	-	-	-	-	1	-	1	2	8	7	3	8	8	8	5	-	4	-	-	-
90-95	Diseases of the heart	5,284	3	5	1	1	-	5	9	9	15	24	30	67	96	160	258	394	530	652	890	825	670	447	160	30	2	1
	White..M.	3,094	2	3	-	1	-	2	2	7	8	10	14	33	62	106	181	253	371	411	517	457	349	216	72	15	1	1
	F.	1,951	1	1	1	-	-	3	5	1	7	11	14	26	18	42	60	109	135	218	345	331	306	223	81	12	1	-
	Nonwhite..M.	139	-	1	-	-	-	-	1	-	-	-	1	3	8	6	12	19	18	15	19	20	7	6	2	1	-	-
	F.	100	-	-	-	-	-	-	1	1	-	3	1	5	8	6	5	13	6	8	9	17	8	2	5	2	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	384	-	1	-	-	-	3	1	5	5	8	9	11	14	15	21	27	28	34	58	55	49	32	6	2	-	-
	White..M.	199	-	-	-	-	-	1	-	4	2	3	4	1	7	9	11	12	21	20	33	27	20	18	5	1	-	-
	F.	166	-	-	-	-	-	2	1	1	3	5	5	9	6	3	9	12	7	13	23	25	27	13	1	1	-	-
	Nonwhite..M.	11	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	2	1	1	1	-	-	-	-
	F.	8	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	-	2	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,997	-	1	-	-	-	1	1	1	4	4	11	30	53	81	128	208	257	298	352	276	172	86	28	4	1	-
	White..M.	1,355	-	-	-	-	-	-	1	1	2	5	21	37	61	100	155	194	203	231	166	110	49	16	3	-	-	-
	F.	591	-	1	-	-	-	1	1	-	3	2	6	8	4	17	27	43	53	90	116	106	62	37	12	1	1	-
	Nonwhite..M.	35	-	-	-	-	-	-	-	-	-	-	-	-	7	2	-	8	8	4	4	2	-	-	-	-	-	-
	F.	16	-	-	-	-	-	-	-	-	-	-	-	1	5	1	1	2	2	1	1	2	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	2,903	3	3	1	1	-	1	7	3	6	12	10	26	29	64	109	159	245	320	480	494	449	329	126	24	1	1
	White..M.	1,540	2	3	-	1	-	1	2	2	5	5	5	11	18	36	70	86	156	188	253	264	219	149	51	11	1	1
	F.	1,194	1	-	1	-	-	-	3	-	1	4	3	9	8	22	24	54	75	115	206	200	217	173	68	10	-	-
	Nonwhite..M.	93	-	-	-	-	-	-	1	-	-	-	1	3	1	3	11	8	10	11	13	17	6	5	2	1	-	-
	F.	76	-	-	-	-	-	-	1	1	-	3	1	3	2	3	4	11	4	6	8	13	7	2	5	2	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	946	172	32	16	8	4	9	11	5	10	8	16	18	18	20	26	45	38	58	89	97	110	87	36	11	1	1
	White—M.	467	81	12	7	5	1	9	6	4	3	5	10	10	10	15	19	30	17	27	42	45	53	39	13	3	-	1
	F.	405	74	14	7	2	3	-	4	1	5	3	3	7	5	4	3	9	14	24	44	47	55	47	22	8	1	-
	Nonwhite—M.	46	14	3	-	1	-	-	-	-	-	-	2	-	1	1	2	3	6	5	2	2	2	1	1	-	-	-
	F.	27	3	3	2	-	-	-	1	-	2	-	1	1	2	-	2	3	1	2	1	3	-	-	-	-	-	-
107	Bronchopneumonia	366	115	16	7	6	1	6	5	-	5	-	8	5	4	3	5	12	8	19	28	31	32	36	11	3	-	-
	White—M.	159	56	2	2	3	-	6	4	-	1	-	5	2	1	1	4	8	6	7	11	13	11	13	2	1	-	-
	F.	180	48	11	4	2	1	-	1	-	4	-	1	3	3	2	1	1	2	9	16	17	20	23	9	2	-	-
	Nonwhite—M.	20	9	1	-	1	-	-	-	-	-	-	2	-	-	-	-	1	-	3	1	1	1	-	-	-	-	-
	F.	7	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	235	24	9	7	1	1	2	3	3	2	4	3	3	7	10	8	12	13	18	34	33	19	11	5	2	-	1
	White—M.	131	12	5	4	1	-	2	1	2	1	2	2	2	3	8	6	8	4	11	22	12	14	6	2	-	-	1
	F.	82	9	2	3	-	1	-	2	1	1	2	1	1	1	2	1	3	5	5	10	17	5	5	3	2	-	-
	Nonwhite—M.	14	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	1	1	1	-	-	-	-	-	-
	F.	8	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	3	-	-	-	-	-	-
109	Pneumonia (unspecified)	42	11	2	-	-	1	-	-	-	-	1	1	4	-	2	2	2	2	2	3	3	3	2	-	-	1	-
	White—M.	26	8	1	-	-	-	-	-	-	-	1	1	3	-	2	1	2	2	2	2	1	1	1	-	-	-	-
	F.	12	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	2	1	-	-	1	-
	Nonwhite—M.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	303	22	5	2	1	1	1	3	2	3	3	4	6	7	5	11	19	15	19	24	30	56	38	20	6	-	-
	White—M.	149	5	4	1	1	1	1	1	2	1	2	2	3	6	4	8	12	5	7	7	19	27	19	9	2	-	-
	F.	132	14	1	-	-	-	-	1	-	-	1	1	2	1	-	1	5	7	10	17	11	28	18	10	4	-	-
	Nonwhite—M.	11	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	1	1	1	-	-	-
	F.	11	1	-	1	-	-	-	1	-	2	-	1	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	109	-	-	-	-	-	-	-	-	-	3	2	7	3	9	13	9	16	18	11	7	6	4	1	-	-	-
	White—M.	88	-	-	-	-	-	-	-	-	-	3	2	5	3	7	12	8	15	14	10	3	2	4	-	-	-	-
	F.	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	4	4	-	1	-	-	-
	Nonwhite—M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	108	59	9	2	3	-	1	1	1	2	1	1	-	-	-	2	5	4	4	3	3	2	3	2	-	-	-
	White—M.	54	33	3	2	1	-	-	-	-	2	1	-	-	-	-	1	1	2	1	1	3	1	1	1	-	-	-
	F.	47	24	4	-	1	-	-	1	1	-	-	1	-	-	-	1	3	2	3	2	-	1	2	1	-	-	-
	Nonwhite—M.	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	4	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	124	-	-	1	-	1	7	7	11	7	9	9	8	6	7	12	11	10	9	4	1	4	-	-	-	-	-
	White—M.	69	-	-	1	-	-	7	3	4	4	5	6	4	4	2	7	6	6	6	2	-	2	-	-	-	-	-
	F.	48	-	-	-	-	1	-	3	7	3	4	2	3	2	5	5	4	2	3	1	1	2	-	-	-	-	-
	Nonwhite—M.	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	174	5	-	-	-	1	2	2	-	1	2	5	7	7	6	8	16	21	26	20	15	16	9	5	-	-	-
	White—M.	79	2	-	-	-	1	1	1	-	-	2	-	2	1	-	4	10	7	11	13	8	9	6	1	-	-	-
	F.	86	2	-	-	-	1	1	1	-	1	-	5	4	5	6	2	6	14	15	7	5	5	3	4	-	-	-
	Nonwhite—M.	7	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	2	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	86	-	-	-	-	-	-	-	-	-	-	-	2	3	7	5	10	13	13	16	9	4	3	1	-	-	-
	White—M.	41	-	-	-	-	-	-	-	-	-	-	-	2	1	5	2	4	5	7	9	1	3	1	1	-	-	-
	F.	34	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	6	5	5	7	1	2	-	-	-	-
	Nonwhite—M.	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	2	1	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	118	-	-	-	-	-	-	-	-	-	-	3	-	1	7	12	7	18	16	14	19	11	4	4	2	-	-
	White—M.	39	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	1	4	7	6	5	7	2	1	-	-	-
	F.	75	-	-	-	-	-	-	-	-	-	-	2	-	1	5	8	5	12	9	8	14	4	2	3	2	-	-
	Nonwhite—M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,414	2	2	2	-	-	8	5	6	7	6	11	18	23	39	67	100	113	163	224	246	208	103	52	8	1	-
	White—M.	725	-	2	1	-	-	3	3	1	5	3	3	7	7	19	28	60	67	83	116	125	116	47	27	1	1	-
	F.	569	2	-	1	-	-	5	2	4	2	1	6	5	8	14	25	29	29	69	93	108	89	51	21	7	-	-
	Nonwhite—M.	67	-	-	-	-	-	-	-	1	-	-	1	2	3	3	10	6	9	8	10	7	2	3	2	-	-	-
	F.	53	-	-	-	-	-	-	-	-	-	2	1	4	5	3	6	5	8	3	5	6	1	2	2	-	-	-
137	Diseases of the prostate	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	9	20	32	27	24	14	8	1	-
	White—M.	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	9	19	28	27	24	14	8	1	-
	Nonwhite—M.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Con.																										
140-150	Diseases of pregnancy, etc.*...	64	-	-	-	-	-	-	-	5	8	12	16	16	7	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	55	-	-	-	-	-	-	-	3	7	11	13	15	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	9	-	-	-	-	-	-	-	2	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	32	-	-	-	-	-	-	-	3	5	4	9	6	5	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	28	-	-	-	-	-	-	-	1	5	3	9	6	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	7	-	-	-	-	-	-	-	-	1	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	5	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	22	-	-	-	-	-	-	-	1	2	8	3	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	20	-	-	-	-	-	-	-	1	2	8	2	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	217	174	15	8	1	1	3	3	3	5	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	White.....M..	106	87	6	3	1	-	2	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	106	84	9	3	-	1	1	1	1	3	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	333	333	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	196	196	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	123	123	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	168	-	-	-	-	-	-	1	3	2	11	12	13	14	24	14	18	18	16	9	8	2	1	2	-	-
	White.....M..	133	-	-	-	-	-	-	1	1	1	9	9	9	10	19	9	15	16	13	9	8	2	1	1	-	-
	F..	33	-	-	-	-	-	-	-	2	1	2	3	3	4	5	5	3	2	2	-	-	-	1	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
165-168	Homicide.....	59	3	-	-	-	-	-	-	4	6	4	6	5	10	5	6	3	3	2	2	-	-	-	-	-	-
	White.....M..	29	2	-	-	-	-	-	-	1	4	1	3	-	4	4	4	2	3	-	1	-	-	-	-	-	-
	F..	12	1	-	-	-	-	-	-	1	-	1	-	3	1	-	2	-	-	2	1	-	-	-	-	-	-
	Nonwhite..M..	14	-	-	-	-	-	-	-	1	2	2	1	2	5	1	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,490	33	24	24	12	13	49	48	105	154	120	46	51	50	48	66	60	60	66	84	104	111	111	36	7	2	6
	White.....M..	1,008	21	12	16	5	8	35	34	85	135	108	40	41	39	40	55	48	45	37	46	49	48	44	8	2	1	6
	F..	429	11	12	6	5	3	13	11	14	12	9	5	9	8	6	7	12	11	27	36	51	61	67	28	4	1	-
	Nonwhite..M..	41	1	-	1	1	2	-	2	6	6	3	-	1	3	2	4	-	2	1	1	3	2	-	-	-	-	-
	F..	12	-	-	1	1	-	1	1	-	1	-	1	-	-	-	-	-	2	1	1	1	-	-	-	1	-	-
170	Motor-vehicle accidents.....	312	2	2	4	3	4	17	16	38	28	24	16	14	14	10	20	14	18	18	21	18	6	4	1	-	-	-
	White.....M..	234	1	1	3	1	4	11	8	30	21	19	11	10	9	7	18	10	15	13	17	15	5	4	1	-	-	-
	F..	68	1	1	1	2	-	5	7	7	5	4	4	3	5	3	1	4	3	4	4	3	1	-	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	1	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,178	31	22	20	9	9	32	32	67	126	96	30	37	36	38	46	46	42	48	63	86	105	107	35	7	2	6
	White.....M..	774	20	11	13	4	4	24	26	55	114	89	29	31	30	33	37	38	30	24	29	34	43	40	7	2	1	6
	F..	361	10	11	5	3	3	8	4	7	7	5	1	6	3	3	6	8	8	23	32	48	60	67	28	4	1	-
	Nonwhite..M..	35	1	-	1	1	2	-	2	5	4	2	-	-	3	2	3	-	2	1	1	3	2	-	-	-	-	-
	F..	8	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	1	-	-	-	1	-	-
162,199, 200	Senility, ill-defined and unknown causes...	320	11	3	2	-	-	-	-	-	-	3	1	1	1	4	6	7	10	19	26	42	66	55	43	16	4	-
	White.....M..	164	6	-	2	-	-	-	-	-	-	1	-	1	1	3	4	7	7	11	18	24	32	23	17	5	2	-
	F..	144	4	2	-	-	-	-	-	-	-	1	1	-	-	-	2	-	2	6	8	16	34	31	26	10	1	-
	Nonwhite..M..	9	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	-	2	-	-	-	1	-	-
	F..	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
	All other causes.	1,925	324	15	11	7	10	26	22	25	21	30	32	54	48	67	79	96	129	137	185	183	208	128	68	16	3	1
	White.....M..	994	186	5	7	5	6	12	19	11	13	12	9	33	20	32	39	45	62	77	94	96	110	64	29	7	1	-
	F..	844	117	10	4	1	4	14	3	11	8	17	19	21	20	32	33	46	59	48	84	86	95	63	38	7	2	1
	Nonwhite..M..	43	16	-	-	-	-	-	-	1	-	1	-	-	1	1	5	2	4	4	4	1	1	-	1	1	-	-
	F..	44	5	-	-	1	-	-	-	2	-	-	4	-	7	2	2	3	4	8	3	-	1	1	-	1	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY																											
	All causes	28,371	2997	310	162	109	73	266	285	429	600	586	718	827	966	1165	1,580	1,867	2,192	2,772	3,083	2,961	2395	1371	484	118	34	21
	White	18,811	1549	166	87	61	31	140	161	222	275	267	352	374	460	539	787	968	1,107	1,365	1,499	1,468	1094	618	186	37	5	13
	F	10,939	1196	118	61	41	32	105	93	151	224	216	244	294	276	377	478	589	748	1,098	1,260	1,232	1114	664	253	57	13	5
	Nonwhite	1,936	138	15	7	5	5	13	16	31	42	54	67	79	116	130	188	178	183	172	188	132	94	45	22	12	4	-
	F	1,685	114	11	7	2	5	8	15	25	59	49	55	80	114	119	147	132	154	137	136	129	93	44	23	12	12	3
1,2	Typhoid and paratyphoid fever	28	-	-	-	-	-	3	4	3	5	1	-	6	1	2	2	-	-	-	1	-	-	-	-	-	-	-
	White	15	-	-	-	-	-	2	2	2	1	1	-	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	1	2	1	4	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	79	12	5	2	5	1	3	13	6	5	3	3	4	3	3	3	2	2	1	1	1	-	-	-	-	-	1
	White	41	7	3	1	3	-	1	7	3	2	1	1	4	1	1	2	1	-	-	1	1	-	-	-	-	-	1
	F	28	3	2	1	2	1	2	4	2	3	2	1	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite	7	1	-	-	-	-	-	1	1	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	1	1	-	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	5	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	93	67	14	7	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	47	34	6	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	40	29	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	39	3	12	6	4	6	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White	18	2	6	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	1	6	1	2	4	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,726	15	13	7	5	2	6	12	82	147	175	166	133	145	125	133	115	105	102	97	85	39	14	3	-	-	-
	White	735	5	3	2	3	-	2	3	13	40	61	76	53	68	67	75	65	54	52	38	33	15	6	1	-	-	-
	F	693	6	9	3	2	2	2	5	47	67	79	63	49	50	54	32	32	41	43	53	46	20	7	1	-	-	-
	Nonwhite	163	2	-	1	-	-	2	2	10	12	16	9	21	17	17	17	14	7	4	4	4	3	-	1	-	-	-
	F	135	2	1	1	-	-	-	2	12	28	19	18	10	10	7	9	4	3	3	2	2	1	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,590	5	1	5	2	1	1	8	73	135	164	160	123	138	120	122	113	102	93	91	82	35	14	2	-	-	-
	White	683	3	-	1	2	-	-	2	11	39	55	73	47	64	64	71	64	53	46	36	32	13	6	1	-	-	-
	F	635	-	-	2	-	1	-	5	43	61	77	62	47	48	32	28	31	40	40	49	44	18	7	-	-	-	-
	Nonwhite	149	1	-	1	-	-	1	-	8	11	15	9	20	16	17	14	14	8	4	4	4	3	-	1	-	-	-
	F	123	1	1	1	-	-	-	1	11	24	17	16	9	10	7	9	4	3	3	2	2	1	1	-	-	-	-
14-22	Tuberculosis (other forms)	136	10	12	2	3	1	5	4	9	12	11	6	10	7	5	11	2	3	9	6	3	4	-	1	-	-	-
	White	52	2	3	1	1	-	2	1	2	1	6	3	6	4	3	4	1	1	6	2	1	2	-	-	-	-	-
	F	58	6	9	1	2	1	2	-	4	6	2	1	2	2	2	4	1	1	3	4	2	2	-	1	-	-	-
	Nonwhite	14	1	-	-	-	-	1	2	2	1	1	-	1	1	-	3	-	1	-	-	-	-	-	-	-	-	-
	F	12	1	-	-	-	-	-	1	1	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	125	81	10	-	1	2	1	1	-	-	-	-	1	-	-	1	1	4	2	3	8	3	5	-	-	1	-
	White	64	42	7	-	-	1	1	1	-	-	-	-	-	-	-	1	-	3	1	-	4	-	3	-	-	-	-
	F	55	37	3	-	1	1	-	-	-	-	-	-	1	-	-	-	-	1	1	2	4	2	2	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
28	Malaria	16	-	1	-	-	-	-	-	-	1	2	-	1	-	1	-	1	-	3	3	1	1	-	1	-	-	-
	White	8	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	3	1	-	-	-	1	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	256	13	-	-	-	-	-	2	1	5	5	18	23	34	31	23	31	22	26	9	7	4	1	1	-	-	-
	White	112	4	-	-	-	-	-	-	-	4	-	4	8	15	13	12	25	10	12	2	4	-	-	1	-	-	-
	F	38	5	-	-	-	-	-	1	-	-	1	5	6	5	2	-	1	2	4	3	-	3	-	-	-	-	-
	Nonwhite	82	1	-	-	-	-	-	-	1	-	2	9	8	9	14	10	4	9	9	2	3	1	-	-	-	-	-
	F	24	3	-	-	-	-	-	1	-	1	2	-	1	5	2	1	3	1	1	2	-	-	1	-	-	-	-
35	Measles	52	16	10	4	3	1	7	1	3	-	1	2	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-
	White	19	3	5	2	1	1	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	32	13	4	2	2	-	4	-	1	-	1	2	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	48	6	1	2	3	4	9	7	6	3	2	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White	27	2	1	1	1	2	7	3	4	2	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
	F	20	4	-	1	2	2	2	3	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Con.																										
45-55	Cancer and other malignant tumors	2,703	3	-	3	3	3	11	11	9	22	29	50	95	121	171	236	291	322	379	359	290	183	95	17	2	-
	White..M..	1,106	2	-	2	1	3	3	4	5	10	11	21	26	36	37	75	120	135	168	165	138	95	43	7	1	-
	F..	1,355	1	-	1	2	-	8	7	3	10	17	26	59	65	104	133	143	147	189	175	133	78	46	9	1	-
	Nonwhite..M..	99	-	-	-	-	-	-	-	-	-	-	1	1	6	10	17	7	19	9	10	10	5	3	1	-	-
	F..	143	-	-	-	-	-	-	-	1	2	1	2	9	16	20	13	21	21	13	9	9	5	1	-	-	-
46	Cancer of digestive organs, peritoneum	1,231	1	-	-	1	-	1	-	1	4	6	12	23	52	62	113	141	159	199	192	134	83	40	7	-	-
	White..M..	551	-	-	-	-	-	1	-	-	2	3	8	13	25	18	43	71	68	102	85	60	32	19	1	-	-
	F..	589	1	-	-	1	-	-	-	1	2	3	4	9	21	30	56	59	71	89	103	66	47	21	5	-	-
	Nonwhite..M..	50	-	-	-	-	-	-	-	-	-	-	-	-	3	5	8	6	11	6	3	4	3	-	1	-	-
	F..	41	-	-	-	-	-	-	-	-	-	-	-	1	3	9	6	5	9	2	1	4	1	-	-	-	-
48,49	Cancer of female genital organs	380	-	-	-	-	-	1	1	-	4	6	17	36	26	46	40	47	40	50	24	25	9	5	3	-	-
	White.....F..	322	-	-	-	-	-	1	1	-	3	6	15	29	18	40	33	38	35	45	21	22	7	5	3	-	-
	Nonwhite..F..	58	-	-	-	-	-	-	-	-	1	-	2	7	8	6	7	9	5	5	3	3	2	-	-	-	-
50	Cancer of breast	228	-	-	-	-	-	-	-	-	-	2	5	12	15	22	20	28	22	38	25	19	12	8	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F..	197	-	-	-	-	-	-	-	-	-	1	5	12	10	18	20	27	16	33	21	16	11	7	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	28	-	-	-	-	-	-	-	-	-	1	-	-	5	4	-	1	6	4	3	2	1	1	-	-	-
45,47, 51-55	Cancer (other sites)	804	2	-	3	2	3	9	10	8	14	15	16	24	28	41	63	75	101	92	118	112	79	40	7	2	-
	White.....M..	553	2	-	2	1	3	2	4	5	8	8	13	13	11	19	30	49	67	66	79	77	63	24	6	1	-
	F..	247	-	-	1	1	-	7	6	2	5	7	2	9	14	16	24	19	25	22	30	29	13	13	1	1	-
	Nonwhite..M..	48	-	-	-	-	-	-	-	-	-	-	1	1	3	5	9	1	8	2	7	6	2	3	-	-	-
	F..	16	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	6	1	2	2	-	1	-	-	-	-
58	Acute rheumatic fever	34	1	-	1	2	2	4	2	2	1	4	1	-	-	2	1	2	1	-	2	2	3	-	1	-	-
	White.....M..	23	-	-	1	1	2	3	2	1	1	2	-	-	-	1	1	1	1	-	-	2	3	-	1	-	-
	F..	8	-	-	-	-	-	1	-	-	-	2	1	-	-	1	-	1	-	-	2	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	490	-	-	-	4	-	1	3	9	8	5	6	11	13	21	30	36	74	86	84	63	22	9	5	-	-
	White.....M..	205	-	-	-	2	-	-	2	7	2	2	3	6	8	8	13	15	22	35	34	28	12	4	2	-	-
	F..	228	-	-	-	2	-	-	1	1	4	3	1	3	3	8	8	17	43	42	47	30	8	4	3	-	-
	Nonwhite..M..	21	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	-	5	2	2	3	2	1	-	-	-
	F..	36	-	-	-	-	-	1	-	1	1	-	2	2	2	3	6	4	4	7	1	2	-	-	-	-	-
63b	Exophthalmic goiter	47	-	-	-	-	-	-	-	-	1	1	3	3	1	5	6	3	8	5	4	6	-	1	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
	F..	35	-	-	-	-	-	-	-	-	1	1	3	3	1	3	5	2	4	4	3	4	-	1	-	1	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	28	-	-	-	-	-	-	-	-	-	-	1	1	1	-	4	3	2	4	7	3	-	2	-	-	-
	White.....M..	13	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	1	3	2	-	-	-	-	-
	F..	14	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	3	4	1	-	2	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	23	-	-	-	-	-	-	-	-	1	1	2	2	5	5	4	-	1	2	-	-	-	-	-	-	-
	White.....M..	17	-	-	-	-	-	-	-	-	1	-	2	1	4	2	4	-	1	2	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,762	2	1	-	1	-	7	4	5	4	6	19	26	45	84	142	195	285	365	464	485	349	196	62	11	5	1
	White.....M..	1,222	1	1	-	-	-	5	2	-	2	3	8	12	7	31	48	92	137	163	231	225	148	85	19	3	1	-
	F..	1,166	1	-	-	-	-	1	2	4	2	3	8	8	11	34	56	67	100	162	180	213	174	94	36	7	2	1
	Nonwhite..M..	170	-	-	-	1	-	-	-	1	-	-	2	3	12	5	17	13	24	15	30	21	12	9	5	-	-	-
	F..	204	-	-	-	-	-	1	-	-	-	-	1	3	15	14	25	21	24	25	25	26	15	8	2	1	2	-
90-95	Diseases of the heart	6,942	9	2	1	1	1	17	16	24	34	49	68	121	198	287	451	609	744	962	1,062	962	777	369	128	43	6	2
	White.....M..	3,509	5	1	-	1	-	8	8	12	17	19	32	55	105	146	248	335	411	508	537	484	360	163	43	8	3	-
	F..	2,498	4	1	1	-	-	6	10	12	14	24	33	36	78	108	162	224	341	413	398	352	185	63	24	1	2
	Nonwhite..M..	509	-	-	-	-	-	1	1	-	2	11	6	11	32	26	52	74	59	68	69	37	29	12	12	6	1	-
	F..	426	-	-	-	-	1	2	1	2	3	5	6	22	25	37	43	38	50	45	43	43	36	8	10	5	1	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	439	1	-	-	-	-	6	7	12	13	8	11	21	15	27	28	25	36	46	64	50	47	16	4	2	-	-
	White.....M..	217	-	-	-	-	-	5	5	9	8	5	7	8	7	10	8	10	20	25	30	31	20	6	1	2	-	-
	F..	163	1	-	-	-	-	1	1	2	4	3	2	10	5	11	13	11	12	14	26	14	22	9	2	-	-	-
	Nonwhite..M..	29	-	-	-	-	-	-	-	-	1	-	1	1	2	-	2	3	2	7	6	3	-	1	-	-	-	-
	F..	30	-	-	-	-	-	-	1	1	-	-	1	2	1	6	5	1	2	-	2	2	5	-	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,962	2	1	-	-	-	2	-	1	7	17	21	46	91	104	189	229	255	273	280	201	151	58	24	7	3	-
	White.....M..	1,184	2	1	-	-	-	-	-	1	7	11	23	57	68	134	150	165	169	175	113	74	27	4	1	2	-	-
	F..	530	-	-	-	-	-	2	-	1	4	4	6	11	10	20	21	40	60	83	83	76	64	27	14	4	-	-
	Nonwhite..M..	147	-	-	-	-	-	-	-	-	-	5	2	4	14	10	16	26	17	16	17	8	6	1	4	1	-	-
	F..	101	-	-	-	-	-	-	-	-	2	1	2	8	10	6	18	13	13	5	5	4	7	3	2	1	1	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	4,541	6	1	1	1	1	9	9	11	14	24	36	54	92	156	234	355	453	643	718	711	579	294	100	34	3	2
	White.....M..	2,108	3	-	-	1	-	3	3	3	8	7	14	24	41	68	106	175	226	314	332	340	266	130	38	5	1	-
	F..	1,805	3	1	1	-	-	3	5	7	4	7	16	12	21	47	74	111	152	244	304	308	266	149	47	20	1	2
	Nonwhite..M..	333	-	-	-	-	-	1	1	-	1	6	3	6	16	16	34	45	40	45	46	28	23	10	8	5	1	-
	F..	295	-	-	-	-	1	2	-	1	1	4	3	12	14	25	20	24	35	40	36	37	24	5	7	4	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence, Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	2,346	538	75	31	19	10	16	23	17	22	15	42	52	51	67	85	94	114	151	211	236	225	170	62	15	3	2
	White..M..	1,127	285	35	19	10	5	8	13	10	9	6	17	20	25	25	29	50	49	65	104	131	99	74	31	8	-	-
	F..	887	187	30	11	8	4	6	8	4	7	6	10	15	10	16	24	28	43	61	81	89	117	84	29	6	2	1
	Nonwhite..M..	176	35	7	1	1	-	1	-	1	3	1	7	6	7	16	17	14	12	15	10	7	8	6	-	1	-	-
	F..	156	31	3	-	-	1	1	2	2	3	2	8	11	9	10	15	2	10	10	16	9	1	6	2	-	1	1
107	Bronchopneumonia	771	285	39	8	10	1	6	7	5	4	5	11	10	10	11	26	13	29	34	60	67	57	49	20	3	-	1
	White..M..	374	156	15	5	6	-	4	2	3	2	1	6	4	5	5	8	4	11	14	32	37	20	18	14	2	-	-
	F..	302	95	17	3	4	1	1	4	1	1	2	3	2	2	4	9	7	13	13	23	28	35	27	5	1	-	1
	Nonwhite..M..	51	21	5	-	-	-	1	-	-	-	1	-	2	2	1	3	2	3	5	1	1	2	1	-	-	-	-
	F..	44	13	2	-	-	-	-	1	1	1	1	2	2	1	1	6	-	2	2	4	1	-	3	1	-	-	-
108	Lobar pneumonia	582	75	12	8	1	4	5	3	7	8	5	17	21	18	31	30	37	38	50	56	62	52	31	6	4	1	-
	White..M..	282	39	6	3	1	1	3	2	5	4	2	7	7	10	13	9	23	14	27	26	38	22	15	3	2	-	-
	F..	198	27	5	5	-	2	1	1	1	3	3	2	7	2	4	7	7	14	18	18	21	28	16	3	2	1	-
	Nonwhite..M..	56	4	1	-	-	-	-	-	1	1	-	5	3	3	9	9	6	6	1	5	1	1	-	-	-	-	-
	F..	46	5	-	-	-	1	1	-	-	-	-	3	4	3	5	5	1	4	4	7	2	1	-	-	-	-	-
109	Pneumonia (unspecified)	324	91	11	4	2	1	-	8	1	4	3	3	6	5	5	13	11	10	18	31	32	27	22	11	3	1	1
	White..M..	170	47	8	4	1	1	-	7	-	2	3	2	5	4	3	7	6	3	6	17	14	13	12	4	1	-	-
	F..	117	31	2	-	1	-	-	1	1	-	-	-	1	-	2	3	2	5	10	11	14	14	10	7	1	1	-
	Nonwhite..M..	20	4	-	-	-	-	-	-	-	2	-	-	-	1	-	3	3	1	1	2	2	-	-	-	1	-	-
	F..	17	9	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	2	-	-	-	-	-	1
33	Influenza	689	87	13	11	6	4	5	5	4	6	2	11	15	18	20	16	33	37	49	64	75	89	68	25	5	1	-
	White..M..	301	43	6	7	2	3	1	2	2	1	-	2	4	6	4	5	17	21	18	29	42	44	29	10	3	-	-
	F..	270	34	6	3	3	1	4	2	1	3	1	5	5	6	6	5	12	11	20	29	26	40	31	14	2	-	-
	Nonwhite..M..	49	6	1	1	1	-	-	-	-	-	-	2	1	1	6	2	3	2	8	2	3	5	5	-	-	-	-
	F..	49	4	-	-	-	-	-	1	1	2	1	2	5	5	4	4	1	3	3	4	4	-	3	1	-	1	-
117	Ulcer of stomach or duodenum	185	-	-	-	-	-	-	-	-	3	1	9	5	20	25	19	20	23	23	11	20	3	2	1	-	-	-
	White..M..	140	-	-	-	-	-	-	-	-	1	1	7	4	18	20	18	15	20	14	9	15	2	-	1	-	-	-
	F..	33	-	-	-	-	-	-	-	-	1	-	1	-	3	3	-	5	2	8	2	5	1	2	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	470	330	45	13	3	1	4	2	1	1	3	4	-	4	1	5	4	2	7	4	8	15	9	4	-	-	-
	White..M..	233	164	26	3	2	-	1	2	-	1	1	1	-	1	1	1	3	-	4	4	2	8	5	3	-	-	-
	F..	183	134	15	7	1	1	3	-	-	-	1	2	-	1	-	1	1	-	1	-	4	7	3	1	-	-	-
	Nonwhite..M..	23	16	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-
	F..	31	16	1	2	-	-	-	-	1	-	1	1	-	1	-	3	-	1	2	-	2	-	-	-	-	-	-
121	Appendicitis	180	-	2	-	2	2	14	14	11	11	5	10	7	11	16	20	19	15	8	5	5	3	-	-	-	-	-
	White..M..	96	-	2	-	2	-	9	8	6	6	1	5	1	6	9	12	11	9	4	2	1	2	-	-	-	-	-
	F..	62	-	-	-	-	-	5	3	4	2	2	4	5	5	5	4	7	5	4	3	3	1	-	-	-	-	-
	Nonwhite..M..	10	-	-	-	-	1	-	1	1	-	-	-	-	-	-	4	1	1	-	-	1	-	-	-	-	-	-
	F..	12	-	-	-	-	1	-	2	-	3	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	193	7	3	2	1	-	4	4	1	5	4	1	15	12	6	19	16	15	21	19	17	13	6	1	1	-	-
	White..M..	77	4	2	1	1	-	2	4	-	-	2	-	1	4	3	5	8	4	9	11	6	6	4	-	-	-	-
	F..	86	3	-	1	-	-	1	-	1	5	2	-	11	5	2	6	7	7	10	7	8	6	2	1	1	-	-
	Nonwhite..M..	15	-	1	-	-	-	-	-	-	-	-	1	1	2	1	4	-	2	-	1	1	1	-	-	-	-	-
	F..	15	-	-	-	-	-	1	-	-	-	-	-	2	1	-	4	1	2	2	-	2	-	-	-	-	-	-
124	Cirrhosis of the liver	158	-	1	-	-	-	-	-	1	1	-	3	11	12	18	17	24	18	18	11	16	1	5	1	-	-	-
	White..M..	107	-	-	-	-	-	-	-	-	-	-	2	7	9	17	14	16	13	8	5	13	1	1	1	-	-	-
	F..	38	-	1	-	-	-	-	-	1	-	-	1	3	3	-	2	3	3	8	6	3	-	4	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	3	1	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	108	1	-	-	-	-	-	-	1	2	-	3	1	3	6	19	9	8	20	13	11	6	2	3	-	-	-
	White..M..	33	1	-	-	-	-	-	-	-	1	-	-	-	1	2	5	2	3	6	6	3	2	1	-	-	-	-
	F..	68	-	-	-	-	-	-	-	1	1	-	2	1	2	3	11	6	4	14	7	8	4	1	3	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,879	4	1	2	2	1	4	8	14	16	16	24	28	43	68	106	118	149	240	290	280	259	151	45	7	2	1
	White..M..	833	1	1	1	2	1	1	3	2	5	6	12	9	18	19	41	40	65	105	140	144	126	73	17	1	-	-
	F..	672	1	-	1	-	-	3	4	9	11	7	5	14	8	26	27	35	46	87	101	91	104	64	24	2	1	1
	Nonwhite..M..	198	-	-	-	-	-	-	1	-	-	2	4	1	5	12	23	22	17	26	33	26	16	4	1	4	1	-
	F..	176	2	-	-	-	-	-	1	2	-	1	3	4	12	11	15	21	21	22	18	19	13	10	3	-	-	-
137	Diseases of the prostate	121	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	11	23	21	21	22	16	2	-	-	-
	White..M..	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	20	20	18	20	15	2	-	-	-
	Nonwhite..M..	16	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4	3	1	3	2	1	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Con.																										
140-150	Diseases of pregnancy, etc.*...	159	-	-	-	-	-	-	-	14	37	23	34	28	19	4	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	139	-	-	-	-	-	-	-	11	30	22	30	26	17	3	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	20	-	-	-	-	-	-	-	3	7	1	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	48	-	-	-	-	-	-	-	2	13	9	9	9	5	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	44	-	-	-	-	-	-	-	2	10	9	9	9	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	59	-	-	-	-	-	-	-	6	12	4	14	12	9	2	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	55	-	-	-	-	-	-	-	6	12	4	12	11	9	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	38	-	-	-	-	-	-	-	5	9	8	7	5	3	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	29	-	-	-	-	-	-	-	3	5	8	5	4	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	9	-	-	-	-	-	-	-	2	4	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	14	-	-	-	-	-	-	-	1	3	2	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	11	-	-	-	-	-	-	-	-	3	1	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	340	302	11	5	5	1	4	4	2	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	180	161	5	2	3	1	2	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	147	129	5	3	2	-	2	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	792	792	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	385	385	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	344	344	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	36	36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	27	27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	252	-	-	-	-	-	-	3	8	14	21	22	30	22	19	21	29	12	22	5	11	9	3	1	-	-
	White.....M..	185	-	-	-	-	-	-	2	3	8	16	17	26	15	15	16	21	7	18	5	8	6	1	1	-	-
	F..	60	-	-	-	-	-	-	1	5	6	3	4	4	6	4	5	7	4	4	-	2	3	2	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	240	2	-	1	2	-	1	1	8	23	38	35	36	21	18	21	10	9	3	5	1	4	1	-	-	-
	White.....M..	139	-	-	-	-	-	1	1	5	15	19	15	22	11	11	13	7	7	2	5	1	3	1	-	-	-
	F..	27	2	-	1	1	-	-	-	3	1	6	7	-	2	1	1	-	1	-	-	-	1	-	-	-	-
	Nonwhite..M..	62	-	-	-	-	-	-	-	-	6	9	12	11	6	6	7	3	1	1	-	-	-	-	-	-	-
	F..	12	-	-	-	1	-	-	-	-	1	4	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,122	68	39	41	23	21	83	107	154	174	111	122	117	91	81	93	103	92	92	122	130	136	74	30	6	2	10
	White.....M..	1,348	33	25	25	13	8	45	72	118	126	85	96	94	69	66	70	69	67	60	48	60	47	27	11	4	-	10
	F..	572	32	12	9	7	10	30	25	25	31	13	13	14	10	7	10	19	17	23	58	64	76	46	18	2	1	-
	Nonwhite..M..	144	2	2	4	2	1	7	8	10	14	10	11	8	11	8	10	11	6	8	7	-	4	-	-	-	-	-
	F..	58	1	-	3	1	2	1	2	1	3	3	2	1	1	-	3	4	2	1	9	6	9	1	1	-	1	-
170	Motor-vehicle accidents.....	526	3	3	5	3	2	25	27	68	75	35	51	30	20	22	22	31	30	30	18	12	8	3	-	1	-	2
	White.....M..	385	1	3	2	1	2	14	21	53	50	28	41	25	14	20	17	23	24	23	6	8	5	3	-	1	-	2
	F..	101	2	-	1	2	-	7	6	14	18	3	6	5	3	2	4	8	4	5	7	2	2	-	-	-	-	-
	Nonwhite..M..	32	-	-	2	-	-	4	-	1	5	2	4	2	3	-	1	-	2	2	4	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
169, 171-195	Other accidents..	1,596	65	36	36	20	19	58	80	86	99	76	71	87	71	59	71	72	62	62	104	118	128	71	30	5	2	8
	White.....M..	963	32	22	23	12	6	31	51	65	76	57	55	71	55	46	53	46	43	37	42	52	42	24	11	3	-	8
	F..	471	30	12	8	5	10	23	19	11	13	10	7	9	7	5	6	11	13	18	51	62	74	46	18	2	1	-
	Nonwhite..M..	112	2	2	2	2	1	3	8	9	9	8	7	6	8	8	9	11	4	6	3	-	4	-	-	-	-	-
	F..	50	1	-	3	1	2	1	2	1	1	1	2	1	1	-	3	4	2	1	8	4	8	1	1	-	1	-
162,199, 200	Senility, ill-defined and unknown causes...	491	52	5	5	2	1	1	3	1	1	-	6	5	-	4	3	5	6	10	38	47	95	109	63	20	8	1
	White.....M..	203	27	2	1	1	-	-	3	-	-	-	3	3	-	3	2	4	5	3	12	21	39	47	20	9	-	-
	F..	246	23	2	4	1	1	1	-	1	1	-	2	1	-	-	-	1	1	7	24	22	50	56	38	7	3	-
	Nonwhite..M..	14	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	3	1	4	1	-	-	-
	F..	28	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	5	2	4	4	5	1
	All other causes.	2,835	672	58	29	13	10	59	38	46	51	64	59	62	90	95	114	124	148	197	230	243	225	154	53	13	7	3
	White.....M..	1,431	361	34	17	8	4	35	15	28	19	28	27	16	42	40	62	64	78	102	114	122	100	65	24	3	1	2
	F..	1,124	237	21	11	5	4	21	18	14	23	28	26	34	34	41	41	45	50	81	87	101	108	59	27	7	3	-
	Nonwhite..M..	145	36	1	-	-	2	2	2	4	4	2	1	5	3	5	4	7	11	10	17	12	9	4	1	1	2	-
	F..	135	18	2	1	-	-	1	3	-	5	6	5	7	11	9	7	8	9	4	12	8	8	6	1	2	1	1

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA																										
	All causes	23,567	2824	259	149	109	83	228	254	422	603	549	691	887	1105	1524	1,757	1,892	2,021	2,253	2,216	1,831	1141	640	319	98	63	49
	White.....M.	7,709	763	74	41	38	19	60	80	143	201	145	173	249	310	457	573	695	759	821	805	600	408	206	79	12	7	13
	F.	5,606	555	52	39	24	20	52	46	57	113	100	131	165	185	216	289	348	480	626	677	525	454	276	127	35	10	6
	Nonwhite..M.	5,302	857	71	32	20	25	62	80	115	127	138	172	220	282	349	453	455	397	408	406	296	144	80	54	25	15	19
	F.	4,950	649	62	37	27	19	54	48	107	162	166	215	253	330	322	442	394	385	398	328	210	137	78	59	26	31	11
1,2	Typhoid and paratyphoid fever..	28	-	-	-	-	-	2	3	5	3	3	4	3	-	1	-	1	1	-	-	-	1	-	-	-	-	1
	White.....M.	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	6	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite..M.	5	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	15	-	-	-	-	-	1	1	2	3	3	2	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1
6	Cerebrospinal (meningococcus) meningitis.....	39	7	2	-	1	-	6	6	2	2	2	2	2	1	4	2	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	23	4	1	-	1	-	3	2	1	1	1	2	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-
	F.	8	2	1	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	4	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	4	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough..	39	29	7	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	16	12	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	12	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	75	10	15	13	10	11	11	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	29	4	8	2	6	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	25	6	5	4	2	3	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	10	-	-	4	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	11	-	2	3	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms).....	1,158	9	8	8	1	2	5	5	56	119	104	125	116	125	103	123	68	66	57	27	15	10	5	1	-	-	2
	White.....M.	346	1	1	2	-	2	-	-	2	12	15	17	34	39	40	51	34	35	35	13	8	3	2	-	-	-	-
	F.	149	-	2	2	-	-	-	1	6	14	9	22	13	14	10	16	8	7	10	6	2	5	-	-	-	-	2
	Nonwhite..M.	385	4	5	1	-	-	2	1	22	47	41	36	42	48	34	44	21	17	6	4	4	2	3	1	-	-	-
	F.	278	4	-	3	1	-	3	3	26	46	39	48	27	24	19	12	5	7	6	4	1	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*..	1,087	3	6	5	-	-	3	3	50	110	97	121	109	119	98	122	65	65	54	24	15	10	5	1	-	-	2
	White.....M.	331	-	-	-	-	-	-	-	2	11	14	17	32	37	39	51	34	35	35	11	8	3	2	-	-	-	-
	F.	141	-	2	1	-	-	-	-	5	13	9	22	13	12	10	16	8	7	8	6	2	5	-	-	-	-	2
	Nonwhite..M.	357	2	4	1	-	-	1	1	18	42	35	34	40	48	32	43	19	17	6	4	4	2	3	1	-	-	-
	F.	258	1	-	3	-	-	2	2	25	44	39	48	24	22	17	12	4	6	5	3	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	71	6	2	3	1	2	2	2	6	9	7	2	7	6	5	1	3	1	3	3	-	-	-	-	-	-	-
	White.....M.	15	1	1	2	-	2	-	-	-	1	1	-	2	2	1	-	-	-	-	2	-	-	-	-	-	-	-
	F.	8	-	-	1	-	-	-	1	1	1	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite..M.	28	2	1	-	-	-	1	-	4	5	6	2	2	-	2	1	2	-	-	-	-	-	-	-	-	-	-
	F.	20	3	-	-	1	-	1	1	1	2	-	-	3	2	2	-	1	1	1	1	-	-	-	-	-	-	-
27	Dysentery.....	61	24	4	1	1	1	1	-	-	1	1	2	2	2	5	1	1	2	2	3	1	4	2	-	-	-	-
	White.....M.	14	7	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	1	-	-	1	1	-	-	-	-
	F.	13	4	-	-	-	-	1	-	-	-	1	-	1	1	-	-	1	-	-	1	1	1	1	-	-	-	-
	Nonwhite..M.	17	7	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	2	-	1	-	-	-	-	-
	F.	17	6	1	1	1	1	-	-	-	1	-	-	-	-	2	1	-	1	1	-	-	1	-	-	-	-	-
28	Malaria.....	28	6	1	2	-	-	-	-	-	1	3	1	3	1	-	1	1	2	1	3	1	-	-	1	-	-	-
	White.....M.	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F.	7	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite..M.	6	3	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	10	-	1	-	-	-	-	-	-	1	1	1	2	-	-	-	1	-	1	1	-	-	-	1	-	-	-
30	Syphilis.....	516	69	-	-	2	-	-	-	3	7	18	32	56	58	50	50	52	37	46	16	12	3	1	1	-	1	2
	White.....M.	88	3	-	-	-	-	-	-	-	2	2	9	9	8	7	17	10	13	5	1	2	-	-	-	-	-	-
	F.	22	1	-	-	-	-	-	-	-	1	-	2	3	3	2	2	2	1	1	1	3	-	-	-	-	-	-
	Nonwhite..M.	257	33	-	-	1	-	-	-	1	1	6	17	32	31	29	33	20	13	21	10	6	-	1	-	-	1	1
	F.	149	32	-	-	1	-	-	-	2	5	10	11	12	15	11	8	13	13	11	-	2	1	-	1	-	-	1
35	Measles.....	59	19	13	4	7	3	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	8	1	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	10	5	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	23	9	6	1	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	18	4	4	1	1	1	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	12	-	1	1	-	1	2	1	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	4	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	6	-	1	1	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Con.																										
45-55	Cancer and other malignant tumors.....	2,347	-	3	2	3	3	3	10	6	14	23	52	100	138	224	269	288	313	306	286	159	93	39	9	1	1	2
	White.....M..	812	-	-	1	-	-	3	3	3	5	3	11	20	27	60	82	107	120	115	118	76	37	17	3	-	1	-
	F..	739	-	2	-	2	2	-	4	2	5	9	22	40	40	72	76	73	98	92	91	50	42	14	1	1	-	1
	Nonwhite..M..	356	-	-	-	1	1	-	3	-	2	2	2	6	17	32	50	64	43	50	39	26	11	6	1	-	-	-
	F..	440	-	1	1	-	-	-	-	1	2	9	17	34	54	60	61	44	52	49	38	7	3	2	4	-	-	1
46	Cancer of digestive organs, peritoneum.....	913	-	-	-	-	-	-	1	-	1	6	11	29	38	81	111	129	128	127	132	65	40	12	1	-	-	1
	White.....M..	339	-	-	-	-	-	-	1	-	-	1	4	8	10	24	35	47	57	49	58	30	12	3	-	-	-	-
	F..	263	-	-	-	-	-	-	-	-	-	2	2	9	9	21	25	29	33	35	42	22	26	6	-	-	-	1
	Nonwhite..M..	187	-	-	-	-	-	-	-	-	1	1	2	4	6	19	30	36	23	29	21	10	2	3	-	-	-	-
	F..	124	-	-	-	-	-	-	-	-	-	2	3	8	13	17	21	17	15	13	11	3	-	-	1	-	-	-
48,49	Cancer of female genital organs.	371	-	-	-	-	-	-	1	2	6	7	23	31	36	45	46	30	52	33	39	10	4	3	2	-	-	1
	White.....F..	186	-	-	-	-	-	-	1	2	4	4	11	15	15	17	24	14	28	16	20	9	4	1	1	-	-	-
	Nonwhite..F..	185	-	-	-	-	-	-	-	-	2	3	12	16	21	28	22	16	24	17	19	1	-	2	1	-	-	1
50	Cancer of breast.	204	-	-	-	-	-	-	-	-	-	2	5	17	21	33	22	27	22	22	16	9	7	1	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	141	-	-	-	-	-	-	-	-	-	-	4	8	11	22	14	20	20	16	12	8	5	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	61	-	-	-	-	-	-	-	-	-	2	1	9	9	11	7	7	2	6	4	1	2	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	859	-	3	2	3	3	3	8	4	7	8	13	23	43	65	90	102	111	124	99	75	42	23	6	1	1	-
	White.....M..	472	-	-	1	-	-	3	2	3	5	2	7	12	16	36	47	60	63	66	60	46	25	14	3	-	1	-
	F..	149	-	2	-	2	2	-	3	-	1	3	5	8	5	12	13	10	17	24	17	11	7	6	-	1	-	-
	Nonwhite..M..	168	-	-	-	1	1	-	3	-	1	1	-	2	11	13	19	28	20	21	18	16	9	3	1	-	-	-
	F..	70	-	1	1	-	-	-	-	1	-	2	1	1	11	4	11	4	11	13	4	2	1	-	2	-	-	-
58	Acute rheumatic fever.....	25	-	-	-	1	-	6	6	2	1	1	-	-	1	-	1	-	1	1	2	1	1	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite..M..	5	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	12	-	-	-	1	-	4	1	-	1	1	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
61	Diabetes mellitus	408	1	-	-	-	-	-	6	5	1	4	7	6	16	26	38	44	55	76	63	28	24	6	1	1	-	-
	White.....M..	105	1	-	-	-	-	-	-	1	-	1	1	2	4	7	9	7	13	23	18	9	6	2	1	-	-	-
	F..	171	-	-	-	-	-	-	2	-	-	1	2	-	3	5	15	16	28	34	36	15	12	2	-	-	-	-
	Nonwhite..M..	44	-	-	-	-	-	-	2	1	1	1	2	2	2	2	3	5	4	11	4	2	2	-	-	-	-	-
	F..	88	-	-	-	-	-	-	2	3	-	1	2	2	7	12	11	16	10	8	5	2	4	2	-	1	-	-
63b	Exophthalmic goiter.....	39	-	-	-	-	-	-	-	-	3	2	3	4	2	3	8	6	2	2	4	-	-	-	-	-	-	-
	White.....M..	5	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-
	F..	16	-	-	-	-	-	-	-	-	2	1	-	1	1	1	4	3	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	15	-	-	-	-	-	-	-	-	1	-	1	3	-	1	4	3	-	1	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	36	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	7	2	4	7	6	1	1	2	-	-	-
	White.....M..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	1	-	1	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	-	1	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-	-
	F..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	1	2	2	1	-	-	1	-	-	-
77	Alcoholism (ethylism).....	23	-	-	-	-	-	-	-	-	1	2	4	4	3	4	3	-	-	1	-	-	1	-	-	-	-	-
	White.....M..	16	-	-	-	-	-	-	-	-	-	-	3	3	3	3	3	-	-	1	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	1,808	3	1	3	1	1	3	3	3	6	9	14	34	68	115	181	191	229	250	253	208	120	71	26	9	3	3
	White.....M..	450	-	-	1	1	-	2	-	3	1	5	2	6	10	26	40	39	58	71	61	65	35	17	5	1	-	1
	F..	484	1	1	2	-	1	-	-	-	4	1	3	2	8	21	27	27	65	82	81	68	41	37	9	3	-	-
	Nonwhite..M..	392	2	-	-	-	-	1	2	-	-	-	2	6	14	29	48	57	57	44	55	36	21	7	5	3	1	2
	F..	482	-	-	-	-	-	-	1	-	1	3	7	20	36	39	66	68	49	53	56	39	23	10	7	2	2	-
90-95	Diseases of the heart.....	6,208	7	5	3	1	6	15	26	30	34	43	89	131	241	344	554	664	757	846	888	637	449	244	126	39	17	12
	White.....M..	2,367	5	2	1	-	-	2	6	7	4	11	21	35	71	143	223	274	335	342	347	248	162	88	31	4	3	2
	F..	1,544	1	2	-	1	1	5	4	6	8	7	15	21	27	35	58	110	155	225	279	215	184	113	51	16	3	2
	Nonwhite..M..	1,123	1	-	1	-	3	5	6	7	6	9	22	29	62	87	132	152	130	133	142	92	46	19	19	11	5	4
	F..	1,174	-	1	1	-	2	3	10	10	16	16	31	46	81	79	141	128	137	146	120	82	57	24	25	8	6	4
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart.....	382	-	-	-	-	4	9	14	9	10	10	14	16	11	18	27	30	37	33	43	41	27	14	9	3	3	-
	White.....M..	87	-	-	-	-	-	1	3	4	2	2	7	5	2	6	4	4	10	6	9	10	9	2	1	-	-	-
	F..	78	-	-	-	-	1	2	1	2	2	3	2	3	3	-	7	5	5	6	6	9	9	3	-	-	-	-
	Nonwhite..M..	111	-	-	-	-	2	4	5	2	1	2	3	2	4	5	6	8	14	13	18	10	5	2	3	1	1	-
	F..	106	-	-	-	-	1	2	5	1	5	3	2	6	2	7	10	13	8	8	10	12	4	1	2	2	2	-
94	Diseases of coronary arteries, angina pectoris.....	1,342	3	-	-	-	1	-	3	4	3	8	22	34	75	102	161	190	185	200	150	107	54	22	12	2	1	3
	White.....M..	759	3	-	-	-	-	-	-	1	-	3	7	11	37	62	102	118	119	114	78	56	31	11	5	-	-	1
	F..	249	-	-	-	-	-	-	1	2	1	1	2	5	9	11	8	30	29	39	50	32	14	10	4	1	-	-
	Nonwhite..M..	177	-	-	-	-	-	-	-	-	-	2	4	9	10	17	30	26	21	27	13	10	4	-	1	1	1	1
	F..	157	-	-	-	-	1	-	2	1	2	2	9	9	19	12	21	16	16	20	9	9	5	1	2	-	-	1
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms).....	4,484	4	5	3	1	1	6	9	17	21	25	53	81	155	224	366	444	535	613	695	489	368	208	105	34	13	9
	White.....M..	1,521	2	2	1	-	-	1	3	2	2	6	7	19	32	75	117	152	206	222	260	182	122	75	25	4	3	1
	F..	1,217	1	2	-	1	-	3	2	2	5	3	11	13	15	24	43	75	121	180	223	174	161	94	44	15	3	2
	Nonwhite..M..	835	1	-	1	-	1	1	1	5	5	5	15	18	48	65	96	118	95	93	111	72	37	17	15	9	3	3
	F..	911	-	1	1	-	-	1	3	8	9	11	20	31	60	60	110	99	113	118	101	61	48	22	21	6	4	3

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	1,744	546	72	38	19	14	27	18	21	28	27	40	49	51	54	85	88	88	118	88	91	72	44	36	15	11	4
	White..M..	462	106	12	13	1	2	2	7	7	2	6	9	13	11	12	28	37	26	41	37	31	25	18	12	5	2	1
	F..	365	93	12	7	3	2	4	3	3	7	7	7	5	7	8	11	12	24	26	25	29	33	16	17	4	-	-
	Nonwhite..M..	481	203	17	7	7	5	9	5	4	11	6	10	13	12	17	26	22	20	30	16	18	8	5	3	2	3	2
	F..	436	144	31	11	8	5	12	3	7	8	8	14	18	21	17	22	17	18	21	10	13	8	5	4	4	6	1
107	Bronchopneumonia	704	310	38	23	12	5	9	7	8	6	9	10	17	12	12	25	30	26	28	26	25	30	11	11	6	6	2
	White..M..	178	57	8	8	1	1	2	2	4	1	1	3	3	5	1	5	12	7	10	12	9	12	4	5	3	2	-
	F..	141	53	3	4	2	-	-	1	2	-	1	3	3	1	3	2	6	8	10	7	6	14	6	5	1	-	-
	Nonwhite..M..	207	118	8	3	4	2	4	2	-	2	4	2	5	2	2	9	7	6	6	5	8	1	1	1	2	2	1
	F..	178	82	19	8	5	2	3	2	2	3	3	2	6	4	6	9	5	5	2	2	2	3	-	-	-	2	1
108	Lobar pneumonia	404	70	11	5	5	3	6	4	6	15	6	19	17	20	25	26	26	24	36	22	25	15	10	5	1	1	1
	White..M..	121	11	-	1	-	1	-	2	1	-	2	4	7	3	11	8	13	11	17	11	6	4	6	-	1	-	1
	F..	74	14	3	-	-	1	-	1	-	5	3	2	1	4	2	6	3	3	4	6	7	5	2	2	-	-	-
	Nonwhite..M..	105	23	4	2	2	-	2	1	1	6	-	7	4	4	7	6	7	4	10	2	8	2	1	1	-	1	-
	F..	104	22	4	2	3	1	4	-	4	4	1	6	5	9	5	6	3	6	5	3	4	4	1	2	-	-	-
109	Pneumonia (unspecified)	169	58	10	3	1	-	1	1	1	5	6	4	1	2	4	6	5	10	17	7	9	8	5	2	2	-	1
	White..M..	51	14	1	2	-	-	-	1	1	1	2	1	-	1	-	2	3	4	4	3	5	4	1	1	-	-	-
	F..	36	6	2	1	1	-	-	-	-	2	2	1	-	-	1	1	1	3	4	2	2	3	2	1	-	-	-
	Nonwhite..M..	46	23	4	-	-	-	1	-	-	1	1	-	-	1	3	1	-	1	6	1	-	1	1	-	-	-	1
	F..	36	15	3	-	-	-	-	-	-	1	1	2	1	-	-	2	1	2	3	1	2	-	1	-	1	-	-
33	Influenza	467	108	13	7	1	6	11	6	6	2	6	7	14	17	13	28	27	28	37	33	32	19	18	18	6	4	-
	White..M..	112	24	3	2	-	-	-	2	1	-	1	1	3	2	-	11	9	4	10	11	11	3	7	6	1	-	-
	F..	114	20	4	2	-	1	4	1	1	-	1	1	1	2	2	2	2	10	8	10	14	11	6	9	2	-	-
	Nonwhite..M..	125	39	1	2	1	3	2	2	3	2	1	1	4	5	5	10	8	9	8	8	2	4	2	1	-	-	-
	F..	118	25	5	1	-	2	5	1	1	-	3	4	6	8	6	5	8	5	11	4	5	1	3	2	3	4	-
117	Ulcer of stomach or duodenum	106	-	-	-	-	-	1	-	2	2	3	4	9	4	10	17	16	6	14	10	5	1	2	-	-	-	-
	White..M..	51	-	-	-	-	-	-	-	1	-	1	2	3	2	4	11	7	3	10	3	2	1	1	-	-	-	-
	F..	14	-	-	-	-	-	1	-	-	-	-	1	1	1	-	1	2	-	2	3	2	-	-	-	-	-	-
	Nonwhite..M..	33	-	-	-	-	-	-	-	1	2	1	1	3	1	5	5	6	3	2	2	1	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	-	-	2	-	-	1	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	290	198	25	2	5	-	2	-	2	1	1	1	2	2	5	3	4	6	8	8	4	6	3	2	-	-	-
	White..M..	73	58	5	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	1	1	-	-	-	-	-
	F..	60	41	4	-	1	-	-	-	1	1	-	1	-	-	1	-	2	1	-	1	2	1	1	-	-	-	-
	Nonwhite..M..	80	57	8	1	2	-	1	-	-	-	-	-	1	1	1	1	1	2	1	-	1	2	-	-	-	-	-
	F..	77	42	8	-	-	-	1	-	1	-	1	-	1	1	3	-	1	3	5	6	-	1	2	1	-	-	-
121	Appendicitis	144	3	1	2	3	4	8	9	10	8	6	5	11	15	8	12	13	13	3	2	4	2	2	-	-	-	-
	White..M..	47	-	1	1	2	1	3	6	2	1	3	1	2	6	4	2	2	6	2	-	-	2	-	-	-	-	-
	F..	46	-	-	-	1	1	2	1	4	6	2	-	6	4	3	1	7	3	-	1	2	-	2	-	-	-	-
	Nonwhite..M..	28	3	-	-	-	1	3	-	2	1	-	1	2	2	1	5	3	3	-	1	-	-	-	-	-	-	-
	F..	23	-	-	1	-	1	-	2	2	-	1	3	1	3	-	4	1	1	1	-	2	-	-	-	-	-	-
122	Hernia, intestinal obstruction	200	16	1	2	1	-	2	2	2	4	9	10	13	4	18	14	22	13	20	16	15	4	7	2	2	-	1
	White..M..	57	8	1	2	-	-	-	-	-	-	2	1	3	2	3	-	5	5	6	5	7	2	3	2	-	-	-
	F..	60	1	-	-	-	-	-	1	1	1	2	5	4	1	6	6	4	5	10	3	4	2	3	-	1	-	-
	Nonwhite..M..	39	4	-	-	1	-	1	-	1	1	1	1	1	-	4	4	8	-	4	4	2	-	1	-	1	-	-
	F..	44	3	-	-	-	-	1	1	-	2	4	3	5	1	5	4	5	3	-	4	2	-	-	-	-	-	1
124	Cirrhosis of the liver	163	-	-	-	1	-	-	1	-	1	3	6	6	14	20	19	21	19	28	13	6	5	-	-	-	-	-
	White..M..	89	-	-	-	1	-	-	-	-	-	-	4	6	6	14	7	8	10	17	9	5	2	-	-	-	-	-
	F..	35	-	-	-	-	-	-	1	-	1	-	-	-	3	2	5	6	4	6	4	-	3	-	-	-	-	-
	Nonwhite..M..	20	-	-	-	-	-	-	-	-	-	1	1	-	3	2	2	5	2	3	-	1	-	-	-	-	-	-
	F..	19	-	-	-	-	-	-	-	-	-	2	1	-	2	2	5	2	3	2	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	63	1	-	-	-	1	-	-	-	1	2	3	1	4	-	13	8	5	10	8	-	5	1	-	-	-	-
	White..M..	18	-	-	-	-	-	-	-	-	1	-	1	-	-	-	4	2	2	4	4	-	-	-	-	-	-	-
	F..	38	1	-	-	-	1	-	-	-	-	1	1	1	4	-	7	3	3	6	4	-	5	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,749	5	2	4	1	1	4	6	13	15	20	34	42	72	96	138	152	182	235	221	222	139	85	36	8	12	4
	White..M..	433	-	1	1	1	-	-	-	3	3	3	9	5	12	23	29	39	36	59	62	68	51	19	6	1	1	1
	F..	427	2	-	-	-	-	-	3	3	5	4	9	12	10	11	18	26	40	69	56	62	48	31	15	2	1	-
	Nonwhite..M..	419	2	-	1	-	-	2	3	3	2	3	8	7	14	28	34	35	52	52	61	52	22	21	12	2	2	1
	F..	470	1	1	2	-	1	2	-	4	5	10	8	18	36	34	57	52	54	55	42	40	18	14	3	3	8	2
137	Diseases of the prostate	109	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	5	10	12	22	27	11	11	4	1	-	-
	White..M..	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	8	10	17	16	9	6	2	-	-	-
	Nonwhite..M..	40	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	2	2	5	11	2	5	2	1	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Con.																										
140-150	Diseases of pregnancy, etc.*...	207	-	-	-	-	-	-	1	25	46	32	42	40	19	2	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	85	-	-	-	-	-	-	-	6	15	18	17	19	8	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	122	-	-	-	-	-	-	1	19	31	14	25	21	11	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	72	-	-	-	-	-	-	1	9	21	8	16	10	7	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	23	-	-	-	-	-	-	-	2	6	3	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	49	-	-	-	-	-	-	1	7	15	5	10	7	4	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	56	-	-	-	-	-	-	-	9	11	10	6	13	6	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	24	-	-	-	-	-	-	-	1	4	7	1	8	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	32	-	-	-	-	-	-	-	8	7	3	5	5	4	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	58	-	-	-	-	-	-	-	6	8	11	17	11	4	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	30	-	-	-	-	-	-	-	3	3	7	9	5	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	28	-	-	-	-	-	-	-	3	5	4	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	21	-	-	-	-	-	-	-	1	6	3	3	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	8	-	-	-	-	-	-	-	-	2	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	13	-	-	-	-	-	-	-	1	4	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	242	201	6	6	4	3	7	5	4	1	1	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	White.....M..	103	87	2	2	3	2	2	-	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	68	53	2	3	1	1	2	2	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	37	32	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	34	29	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	903	903	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	268	268	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	188	188	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	246	246	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	201	201	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	130	-	-	-	-	-	-	8	12	6	12	20	13	13	12	12	9	1	5	3	1	1	-	-	-	2
	White.....M..	90	-	-	-	-	-	-	6	7	2	8	13	12	9	8	7	9	1	3	2	1	1	-	-	-	1
	F..	28	-	-	-	-	-	-	2	3	4	4	4	1	3	2	3	-	-	2	-	-	-	-	-	-	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	2	-	-	2	-	1	1	2	-	-	-	1	-	-	-	-	-	1
	F..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	220	1	-	-	-	-	1	3	24	30	38	26	29	25	16	11	6	4	2	1	2	-	1	-	-	-
	White.....M..	38	-	-	-	-	-	1	1	2	3	1	4	3	11	2	5	1	1	-	1	1	-	1	-	-	-
	F..	14	-	-	-	-	-	-	-	-	4	4	-	1	3	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	129	1	-	-	-	-	-	1	19	16	19	19	20	10	13	3	4	2	1	-	1	-	-	-	-	-
	F..	39	-	-	-	-	-	-	1	3	7	14	3	5	1	1	3	-	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,691	67	45	33	24	18	60	90	143	198	122	92	107	89	92	78	76	58	57	73	51	58	30	15	3	4	8
	White.....M..	831	15	14	10	12	7	24	38	79	148	73	49	64	47	44	27	44	26	24	28	19	24	8	4	-	-	3
	F..	263	9	12	9	2	1	9	8	16	12	12	3	7	6	8	9	9	12	14	26	24	26	16	10	1	2	-
	Nonwhite..M..	451	21	15	4	5	7	19	33	43	24	32	29	29	31	36	34	13	15	11	10	5	5	2	1	2	-	5
	F..	166	22	4	10	5	3	8	11	5	14	5	11	7	5	4	8	10	5	8	9	3	3	4	-	-	2	-
170	Motor-vehicle accidents.....	434	3	6	9	6	8	25	19	44	50	31	30	41	19	25	23	25	16	14	21	10	7	1	-	-	-	1
	White.....M..	241	-	2	6	3	4	13	9	24	30	16	15	21	13	14	6	20	8	9	17	7	4	-	-	-	-	-
	F..	49	1	4	2	-	-	3	3	8	4	4	-	3	-	2	4	3	4	2	1	1	-	-	-	-	-	-
	Nonwhite..M..	111	-	-	-	2	3	7	3	11	11	9	9	16	6	8	10	1	3	3	2	2	3	1	-	-	-	1
	F..	33	2	-	1	1	1	2	4	1	5	2	6	1	-	1	3	1	1	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,257	64	39	24	18	10	35	71	99	148	91	62	66	70	67	55	51	42	43	52	41	51	29	15	3	4	7
	White.....M..	590	15	12	4	9	3	11	29	55	118	57	34	43	34	30	21	24	18	15	11	12	20	8	4	-	-	3
	F..	214	8	8	7	2	1	6	5	8	8	8	3	4	6	6	5	6	8	12	25	25	26	16	10	1	2	-
	Nonwhite..M..	320	21	15	4	3	4	12	30	32	13	23	20	13	25	28	24	12	12	8	8	3	2	1	1	2	-	4
	F..	133	20	4	9	4	2	6	7	4	9	3	5	6	5	3	5	9	4	8	8	3	3	4	-	-	2	-
162,199, 200	Senility, ill-defined and unknown causes...	483	76	5	2	1	1	-	3	4	3	3	3	7	14	15	10	25	36	35	56	36	52	41	32	9	10	4
	White.....M..	114	9	2	-	-	-	-	1	1	1	1	1	2	4	-	4	9	10	10	14	6	13	15	8	1	-	3
	F..	91	10	-	-	1	-	-	1	-	1	1	1	2	2	2	1	2	1	6	5	11	17	10	11	3	3	-
	Nonwhite..M..	151	29	3	2	-	1	-	2	1	-	-	1	-	5	5	2	10	15	9	25	13	12	7	5	1	2	1
	F..	127	28	-	-	-	-	-	-	2	1	1	-	3	3	8	3	4	10	10	12	6	10	9	8	4	5	-
	All other causes.	2,212	623	42	21	22	13	52	44	49	54	60	78	89	121	93	108	120	104	118	141	96	78	43	25	10	4	4
	White.....M..	673	179	19	2	6	1	14	12	19	11	12	24	23	31	29	31	54	45	33	55	32	29	7	4	-	-	1
	F..	604	134	7	10	8	7	18	10	4	20	14	14	18	34	24	29	28	28	40	47	32	32	28	12	4	1	1
	Nonwhite..M..	498	187	10	7	1	2	11	14	6	8	13	14	23	27	19	22	23	15	28	24	22	9	3	5	2	1	2
	F..	437	123	6	2	7	3	9	8	20	15	21	26	25	29	21	26	15	16	17	15	10	8	5	4	4	2	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE																										
	All causes	10,279	829	73	44	26	25	60	67	109	150	126	137	195	230	347	486	654	867	1,115	1,370	1,303	1,088	664	247	49	7	1
	White	5,533	446	42	22	12	17	34	44	84	85	58	72	97	126	207	269	390	505	669	741	671	503	308	109	18	3	1
	M	4,707	377	30	21	14	7	25	23	24	63	68	64	96	102	139	214	262	358	444	627	828	593	355	138	31	4	-
	F	27	4	-	1	-	1	1	-	-	1	-	1	2	1	-	2	2	4	1	1	4	1	-	-	-	-	-
	Nonwhite	12	2	1	-	-	-	-	-	1	1	-	-	-	1	1	1	-	-	1	1	-	1	1	-	-	-	-
	M																											
	F																											
1,2	Typhoid and paratyphoid fever	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F																											
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
6	Cerebrospinal (meningococcus) meningitis	22	6	1	1	1	-	3	2	2	-	-	1	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-
	White	11	3	-	1	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	M	11	3	1	-	1	-	-	1	1	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F																											
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
8	Scarlet fever	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F																											
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
9	Whooping cough	9	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F																											
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
10	Diphtheria	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F																											
	Nonwhite	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
13-22	Tuberculosis (all forms)	279	5	3	2	-	-	1	-	9	27	31	25	28	15	22	20	29	21	15	15	8	1	2	-	-	-	-
	White	151	3	2	2	-	-	-	-	5	8	12	9	10	6	13	13	25	15	12	12	3	-	1	-	-	-	-
	M	125	1	1	-	-	-	1	-	3	19	19	16	17	9	9	7	4	6	3	3	5	1	1	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
13	Tuberculosis of respiratory system, etc.*	257	1	1	2	-	-	1	-	7	25	30	22	28	15	20	19	28	20	13	14	8	1	2	-	-	-	-
	White	141	1	1	2	-	-	-	-	3	7	12	8	10	6	12	13	25	15	11	11	3	-	1	-	-	-	-
	M	114	-	-	-	-	-	1	-	3	18	18	14	17	9	8	6	3	5	2	3	5	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
14-22	Tuberculosis (other forms)	22	4	2	-	-	-	-	-	2	2	1	3	-	-	2	1	1	1	2	1	-	-	-	-	-	-	-
	White	10	2	1	-	-	-	-	-	2	1	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	M	11	1	1	-	-	-	-	-	-	1	1	2	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
27	Dysentery	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F																											
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F																											
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
30	Syphilis	52	2	1	-	-	-	-	1	-	-	-	1	1	3	3	6	7	12	6	8	-	-	1	-	-	-	-
	White	34	-	1	-	-	-	-	1	-	-	-	-	-	2	2	3	5	9	6	4	-	-	1	-	-	-	-
	M	18	2	-	-	-	-	-	-	-	-	-	1	1	1	1	3	2	3	-	4	-	-	-	-	-	-	-
	F																											
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
35	Measles	11	5	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F																											
	Nonwhite	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
36	Poliomyelitis, polioencephalitis (acute)	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F																											
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Con.																										
45-55	Cancer and other malignant tumors	1,349	-	1	1	-	2	1	-	2	5	3	8	41	34	69	116	144	162	204	189	185	115	54	12	1	-
	White	582	-	1	-	-	1	1	-	1	3	1	1	9	7	22	38	62	74	100	90	100	45	23	5	-	-
	F	764	-	-	1	-	1	-	-	1	2	2	7	31	27	47	80	82	87	104	99	84	70	31	7	1	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	661	-	-	-	-	-	-	-	1	1	2	2	15	11	25	46	66	83	106	99	104	64	30	5	1	-
	White	325	-	-	-	-	-	-	-	1	1	1	1	8	3	11	21	31	43	59	49	62	23	11	-	-	-
	F	334	-	-	-	-	-	-	-	-	-	1	1	7	8	14	25	35	39	47	50	41	41	19	5	1	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	191	-	-	-	-	-	-	-	1	-	1	4	17	12	20	27	23	24	22	16	11	10	2	1	-	-
	White	191	-	-	-	-	-	-	-	1	-	1	4	17	12	20	27	23	24	22	16	11	10	2	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	130	-	-	-	-	-	-	-	-	1	-	1	4	3	6	18	12	18	23	15	16	11	3	1	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	129	-	-	-	-	-	-	-	-	1	-	1	4	3	6	18	12	17	23	15	16	11	3	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer(other sites)	387	-	1	1	-	2	1	-	-	3	-	1	5	8	18	25	43	37	53	61	54	30	19	5	-	-
	White	256	-	1	-	-	1	1	-	-	2	-	-	1	4	11	15	31	30	41	41	38	22	12	5	-	-
	F	110	-	-	1	-	1	-	-	-	1	-	1	3	4	7	10	12	7	12	20	16	8	7	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	6	-	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	White	5	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	203	-	-	-	-	-	-	2	3	3	1	1	1	2	10	10	21	30	26	48	29	11	4	1	-	-
	White	67	-	-	-	-	-	-	-	2	1	-	1	-	1	5	4	5	10	8	17	9	3	1	-	-	-
	F	136	-	-	-	-	-	-	2	1	2	1	-	1	1	5	6	16	20	18	31	20	8	3	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	11	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	4	1	1	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	1	1	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	29	-	-	-	-	-	-	-	-	-	1	2	3	7	5	2	3	1	2	1	2	-	-	-	-	-
	White	24	-	-	-	-	-	-	-	-	-	1	-	2	7	4	2	3	1	2	1	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,053	2	1	1	-	-	-	-	1	1	-	1	7	5	20	44	59	94	157	182	199	166	73	35	4	1	-
	White	485	-	-	-	-	-	-	-	1	-	-	-	2	4	7	22	31	44	86	89	88	63	33	14	1	-	-
	F	566	2	1	1	-	-	-	-	-	1	-	1	5	1	13	21	28	50	71	93	110	103	40	21	3	1	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart	3,029	1	-	-	-	1	-	3	3	11	5	10	23	51	97	141	217	317	415	509	482	412	236	77	15	3	-
	White	1,775	1	-	-	-	-	-	1	1	6	1	9	15	36	70	96	148	212	264	295	258	200	110	46	4	2	-
	F	1,250	-	-	-	-	1	-	2	2	5	4	1	8	15	27	45	69	105	149	214	223	212	125	31	11	1	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	198	-	-	-	-	1	-	-	2	4	2	3	5	8	9	10	12	20	19	26	32	29	12	3	1	-	-
	White	94	-	-	-	-	-	-	-	-	3	1	3	2	4	6	5	4	10	11	7	15	14	6	3	-	-	-
	F	103	-	-	-	-	1	-	-	2	1	1	-	3	4	3	5	8	10	8	19	17	15	5	-	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,119	-	-	-	-	-	-	-	-	1	-	3	12	29	54	76	117	161	204	185	150	92	45	12	-	-	-
	White	770	-	-	-	-	-	-	-	-	1	-	3	10	24	44	59	88	118	145	121	75	47	27	8	-	-	-
	F	349	-	-	-	-	-	-	-	-	-	-	-	2	5	10	17	29	43	59	62	55	45	18	4	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	1,712	1	-	-	-	-	-	3	1	6	3	4	6	14	34	55	88	136	192	300	320	291	179	62	14	3	-
	White	911	1	-	-	-	-	-	1	1	2	-	3	3	8	20	32	56	84	108	167	168	159	77	35	4	2	-
	F	798	-	-	-	-	-	-	2	-	4	3	1	3	6	14	23	32	52	82	133	151	132	102	27	10	1	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	582	132	18	5	7	1	4	2	2	3	5	6	11	9	19	19	20	35	39	57	48	60	54	23	3	-	-
	White..M..	303	66	9	3	4	1	1	1	2	2	2	4	7	7	16	11	13	18	23	32	21	30	24	4	2	-	-
	F..	274	64	8	2	3	-	2	1	-	1	3	2	4	2	3	8	7	17	16	25	27	29	30	19	1	-	-
	Nonwhite..M..	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
107	Bronchopneumonia	238	68	13	2	3	1	-	-	1	1	3	2	5	1	7	6	6	8	14	20	17	24	25	9	2	-	-
	White..M..	126	32	7	2	3	1	-	-	1	1	1	2	4	1	7	4	5	4	8	10	8	11	11	1	2	-	-
	F..	109	34	6	-	-	-	-	-	-	-	2	-	1	-	-	2	1	4	6	10	9	12	14	8	-	-	-
	Nonwhite..M..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
108	Lobar pneumonia	170	28	1	1	2	-	2	2	1	2	1	2	3	6	5	9	7	18	10	25	17	13	10	5	-	-	-
	White..M..	96	14	1	-	-	-	1	1	1	1	1	1	2	5	3	6	4	10	9	15	7	8	5	1	-	-	-
	F..	74	14	-	1	2	-	1	1	-	1	-	1	1	1	2	3	3	8	1	10	10	5	5	4	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	30	9	1	-	1	-	-	-	-	-	-	1	1	-	-	-	4	1	4	2	2	4	-	-	-	-	-
	White..M..	18	7	-	-	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	1	4	-	-	-	-	-
	F..	11	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	4	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	144	27	3	2	1	-	2	-	-	-	1	1	2	2	7	4	3	8	11	10	12	19	19	9	1	-	-
	White..M..	63	13	1	1	-	-	-	-	-	-	-	1	-	1	6	1	2	4	6	5	5	7	8	2	-	-	-
	F..	80	14	2	1	1	-	1	-	-	-	1	-	2	1	1	3	1	4	5	5	7	12	11	7	1	-	-
	Nonwhite..M..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	51	-	-	-	-	-	-	-	-	-	2	-	5	3	2	10	2	4	12	4	5	2	-	-	-	-	-
	White..M..	41	-	-	-	-	-	-	-	-	-	2	-	5	2	1	8	2	3	11	3	3	1	-	-	-	-	-
	F..	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	1	2	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	84	58	6	3	1	1	1	-	-	2	-	1	1	-	2	-	1	-	2	3	1	1	-	-	-	-	-
	White..M..	55	37	5	2	1	1	1	-	-	1	-	1	-	-	1	-	1	-	1	1	1	1	-	-	-	-	-
	F..	29	21	1	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	2	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	43	1	-	2	-	1	3	3	4	2	2	-	1	2	3	2	1	3	2	7	2	-	2	-	-	-	-
	White..M..	22	1	-	1	-	-	2	2	3	1	2	-	1	1	1	-	-	2	1	2	1	-	1	-	-	-	-
	F..	21	-	-	1	-	1	1	1	1	1	-	-	-	1	2	2	1	1	1	5	1	-	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	86	1	2	-	-	2	-	1	2	-	-	-	2	1	3	4	6	12	10	18	11	9	1	-	1	-	-
	White..M..	43	-	1	-	-	2	-	1	-	-	-	-	-	1	1	3	4	5	6	7	6	4	1	-	1	-	-
	F..	43	1	1	-	-	-	-	-	2	-	-	-	2	-	2	1	2	7	4	11	5	5	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	50	-	-	-	-	-	-	-	-	-	-	-	3	3	4	6	5	5	8	7	7	2	-	-	-	-	-
	White..M..	34	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	4	4	5	4	4	1	-	-	-	-	-
	F..	16	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	3	3	3	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	44	-	-	-	-	-	-	-	-	-	1	2	3	1	3	4	4	4	2	10	1	5	1	-	3	-	-
	White..M..	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	5	-	1	1	-	-	-	-
	F..	32	-	-	-	-	-	-	-	-	-	1	2	2	1	2	2	4	4	1	5	1	4	-	-	3	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	735	1	-	-	-	-	2	2	2	6	7	8	4	17	16	27	38	66	79	119	132	99	84	20	6	-	-
	White..M..	391	-	-	-	-	-	1	1	-	3	-	4	3	3	11	16	26	38	50	63	66	53	42	8	3	-	-
	F..	337	1	-	-	-	-	1	1	2	3	7	4	1	13	5	11	11	26	29	55	65	45	42	12	3	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	1	1	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
137	Diseases of the prostate	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	6	13	13	6	1	-	-	-
	White..M..	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	6	13	13	6	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Con.																										
140-150	Diseases of pregnancy, etc.*...	40	-	-	-	-	-	-	-	2	6	10	10	7	5	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	40	-	-	-	-	-	-	-	2	6	10	10	7	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	16	-	-	-	-	-	-	-	-	4	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	16	-	-	-	-	-	-	-	-	4	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	9	-	-	-	-	-	-	-	1	-	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	9	-	-	-	-	-	-	-	1	-	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	14	-	-	-	-	-	-	-	1	2	-	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	14	-	-	-	-	-	-	-	1	2	-	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	146	130	6	3	2	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	86	76	4	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	59	53	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	222	222	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	106	106	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	114	114	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	119	-	-	-	-	-	-	-	4	5	7	8	7	12	9	9	10	12	7	12	7	7	2	1	-	-
	White.....M..	95	-	-	-	-	-	-	-	4	5	7	7	5	8	8	6	5	7	5	10	6	7	2	1	-	-
	F..	25	-	-	-	-	-	-	-	-	-	-	1	2	4	1	2	5	5	2	2	1	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	12	2	-	-	-	-	-	1	1	3	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-
	White.....M..	8	2	-	-	-	-	-	1	1	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	653	16	15	15	9	11	30	32	54	47	28	29	22	22	19	23	25	27	41	42	48	38	39	17	3	-	1
	White.....M..	443	9	10	6	3	8	19	24	50	37	21	25	20	18	17	19	23	21	32	29	22	10	14	4	1	-	1
	F..	208	7	5	9	6	3	11	8	4	9	7	4	2	4	2	4	2	6	9	12	26	28	25	13	2	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	130	-	3	1	1	1	11	8	10	17	8	11	7	4	3	3	7	7	10	10	7	1	-	-	-	-	-
	White.....M..	108	-	3	1	1	1	8	6	8	12	6	10	6	2	3	3	6	6	9	9	7	1	-	-	-	-	-
	F..	22	-	-	-	-	-	3	2	2	5	2	1	1	2	-	-	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	523	16	12	14	8	10	19	24	44	30	20	18	15	18	16	20	18	20	31	32	41	37	39	17	3	-	1
	White.....M..	335	9	7	5	2	7	11	18	42	25	15	15	14	16	14	16	17	15	23	20	15	9	14	4	1	-	1
	F..	186	7	5	9	6	3	8	6	2	4	5	3	1	2	2	4	1	5	8	11	26	28	25	13	2	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	230	12	3	1	-	-	-	-	1	-	1	-	2	-	4	3	7	6	8	25	25	47	47	30	8	-	-
	White.....M..	116	4	-	-	-	-	-	1	-	-	-	-	2	-	4	3	5	5	7	16	13	19	25	8	4	-	-
	F..	113	8	3	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	9	12	28	22	22	4	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	1,065	226	11	7	6	4	11	13	15	27	22	23	22	36	34	36	48	49	71	106	93	109	58	30	5	3	-
	White.....M..	579	132	7	5	3	3	5	8	10	15	9	10	14	19	19	19	25	32	41	55	53	51	23	18	2	1	-
	F..	481	94	4	2	3	1	6	5	5	12	13	12	8	16	14	16	22	17	30	51	40	58	35	12	3	2	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND																										
	All causes.....	22,648	1,321	176	96	53	41	169	156	306	404	459	574	702	983	1,284	1,651	1,863	2,101	2,386	2,453	2,118	1,598	859	293	60	17	25
	White.....M..	9,754	714	68	35	19	15	71	72	116	126	144	190	272	358	566	793	892	1,051	1,120	1,108	919	645	334	101	18	1	6
	F..	7,948	533	52	38	20	11	41	39	62	91	143	141	155	235	311	390	567	666	883	1,059	1,020	823	466	155	34	6	7
	Nonwhite..M..	2,754	301	29	11	8	10	32	28	77	102	85	141	157	216	250	277	222	199	229	159	97	65	30	17	4	3	5
	F..	2,192	273	27	12	6	5	25	17	51	85	87	102	118	174	157	191	182	185	154	127	82	65	29	20	4	7	7
1,2	Typhoid and paratyphoid fever..	3	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	57	5	2	2	3	2	4	3	4	4	1	-	6	2	6	2	5	3	2	1	-	-	-	-	-	-	-
	White.....M..	23	2	1	-	1	1	1	2	2	2	-	-	2	1	2	2	2	1	-	1	-	-	-	-	-	-	-
	F..	16	1	1	-	1	1	-	1	-	1	1	-	1	-	2	-	2	2	2	-	-	-	-	-	-	-	-
	Nonwhite..M..	11	1	-	1	-	-	2	-	2	1	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	7	1	-	1	1	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	4	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	29	19	6	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	10	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	15	-	1	1	-	-	7	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	9	-	1	-	-	-	6	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	-	-	1	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	1,326	13	17	9	6	4	5	17	69	132	136	135	115	134	111	105	92	76	64	44	22	16	2	2	-	-	-
	White.....M..	485	3	5	3	-	-	1	1	4	14	25	31	36	58	61	62	56	43	42	23	9	5	1	2	-	-	-
	F..	228	1	3	2	2	1	1	1	12	21	40	25	16	15	9	11	11	10	16	14	8	9	-	-	-	-	-
	Nonwhite..M..	375	2	5	1	3	2	2	8	25	46	35	52	37	52	32	27	19	14	4	3	4	2	-	-	-	-	-
	F..	238	7	4	3	1	1	1	7	23	51	36	27	26	9	9	5	6	9	2	4	1	-	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	1,221	8	3	4	1	4	2	11	60	125	123	124	110	131	105	104	85	73	60	41	22	16	2	2	-	-	-
	White.....M..	462	2	1	2	-	-	1	-	4	14	23	29	36	58	58	61	53	41	40	22	9	5	1	2	-	-	-
	F..	207	-	-	1	-	1	-	1	12	21	37	22	15	14	8	11	10	9	15	13	8	9	-	-	-	-	-
	Nonwhite..M..	339	2	-	-	1	2	-	6	19	40	33	48	35	51	31	27	18	14	3	3	4	2	-	-	-	-	-
	F..	213	4	2	1	-	1	1	4	25	50	35	25	24	8	8	5	4	9	2	3	1	-	1	-	-	-	-
14-22	Tuberculosis (other forms)..	105	5	14	5	5	-	3	6	9	7	8	11	5	3	6	1	7	3	4	3	-	-	-	-	-	-	-
	White.....M..	23	1	4	1	-	-	1	-	-	2	2	-	-	3	1	3	2	2	1	-	-	-	-	-	-	-	-
	F..	21	1	3	1	2	-	1	-	-	-	3	3	1	1	1	-	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	36	-	5	1	2	-	2	2	6	6	2	4	2	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	F..	25	3	2	2	1	-	-	3	3	1	1	2	2	1	1	-	2	-	-	1	-	-	-	-	-	-	-
27	Dysentery.....	13	8	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	8	6	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	329	34	1	-	-	1	-	-	-	5	5	18	34	30	47	50	32	22	21	20	5	2	2	-	-	-	-
	White.....M..	101	3	-	-	-	-	-	-	-	1	1	2	2	5	14	18	16	13	12	8	5	-	1	-	-	-	-
	F..	32	4	-	-	-	-	-	-	-	-	1	1	2	4	1	4	2	1	3	6	-	2	1	-	-	-	-
	Nonwhite..M..	146	14	1	-	-	1	-	-	-	2	3	10	22	17	25	23	10	8	5	5	-	-	-	-	-	-	-
	F..	50	13	-	-	-	-	-	-	-	2	-	5	8	4	7	5	4	-	1	1	-	-	-	-	-	-	-
35	Measles.....	26	6	8	3	2	2	2	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White.....M..	8	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	7	1	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	6	2	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	25	-	1	-	1	-	7	7	5	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	13	-	-	-	1	-	4	4	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	1	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Con.																										
45-55	Cancer and other malignant tumors	2,595	-	1	4	-	2	7	7	8	11	25	50	74	153	199	255	319	339	355	347	242	134	45	12	4	1	1
	White..M..	1,124	-	-	3	-	1	4	4	6	4	9	9	24	29	66	108	123	159	174	171	130	69	25	5	1	-	-
	F..	1,130	-	1	1	-	1	3	1	2	5	8	25	30	88	93	109	144	129	150	158	100	57	15	6	3	1	-
	Nonwhite..M..	151	-	-	-	-	-	-	2	-	2	1	2	7	5	18	22	28	27	14	9	7	4	3	-	-	-	-
	F..	190	-	-	-	-	-	-	-	-	-	7	14	13	31	22	16	24	24	17	9	5	4	2	1	-	-	1
46	Cancer of digestive organs, peritoneum	1,083	-	-	1	-	1	1	-	1	2	3	9	16	31	73	92	124	152	181	189	123	58	18	7	-	-	1
	White..M..	539	-	-	-	-	1	1	-	1	-	1	2	7	13	30	38	56	85	102	101	62	25	11	3	-	-	-
	F..	415	-	-	1	-	-	-	-	-	1	1	5	5	12	25	40	46	47	61	79	55	28	6	3	-	-	-
	Nonwhite..M..	76	-	-	-	-	-	-	-	-	1	-	1	2	3	11	10	13	12	11	4	5	2	1	-	-	-	-
	F..	55	-	-	-	-	-	-	-	-	-	1	1	2	3	7	4	9	8	7	5	1	3	-	1	-	-	1
48,49	Cancer of female genital organs	373	-	-	-	-	-	-	-	-	1	10	16	22	53	38	44	50	39	40	35	11	8	5	1	-	-	-
	White..F..	305	-	-	-	-	-	-	-	-	1	5	10	15	40	31	37	44	31	37	32	10	7	4	1	-	-	-
	Nonwhite..F..	68	-	-	-	-	-	-	-	-	-	5	6	7	13	7	7	6	8	3	3	1	1	1	-	-	-	-
50	Cancer of breast	267	-	-	-	-	-	-	-	-	-	1	7	5	32	31	25	35	36	36	25	18	10	4	1	-	1	-
	White..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F..	223	-	-	-	-	-	-	-	-	-	-	2	4	23	26	20	30	30	33	25	15	10	3	1	-	1	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	42	-	-	-	-	-	-	-	-	-	1	5	1	9	5	3	5	6	3	-	3	-	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	872	-	1	3	-	1	6	7	7	8	11	18	31	37	57	94	110	112	98	98	90	58	18	3	4	-	-
	White..M..	583	-	-	3	-	-	3	4	5	4	8	7	17	16	36	68	67	74	72	70	68	44	14	2	1	-	-
	F..	187	-	1	-	-	1	3	1	2	3	2	8	6	13	11	12	24	21	19	22	20	12	2	1	3	-	-
	Nonwhite..M..	75	-	-	-	-	-	-	2	-	1	1	1	5	2	7	12	15	15	3	5	2	2	2	-	-	-	-
	F..	27	-	-	-	-	-	-	-	-	-	-	2	3	6	3	2	4	2	4	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	15	-	1	-	-	-	3	1	-	1	1	2	-	3	-	2	-	-	1	-	-	-	-	-	-	-	-
	White..M..	4	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	608	-	-	-	-	-	2	1	1	3	3	5	5	9	31	56	80	80	107	107	73	35	9	1	-	-	-
	White..M..	174	-	-	-	-	-	2	-	-	-	2	-	4	4	10	17	26	17	27	27	24	11	3	-	-	-	-
	F..	364	-	-	-	-	-	-	1	1	2	1	1	-	2	14	22	41	52	73	76	47	24	6	1	-	-	-
	Nonwhite..M..	18	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	4	3	3	-	1	-	-	-	-	-	-
	F..	52	-	-	-	-	-	-	-	-	1	-	2	1	2	6	14	9	8	4	4	1	-	-	-	-	-	-
63b	Exophthalmic goiter	37	-	-	-	-	-	-	-	-	1	1	-	-	2	1	5	8	2	12	2	-	3	-	-	-	-	-
	White..M..	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-
	F..	27	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	6	-	11	2	-	3	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	40	-	-	-	-	-	-	-	-	2	-	1	3	11	4	14	3	-	1	1	-	-	-	-	-	-	-
	White..M..	27	-	-	-	-	-	-	-	-	-	-	-	2	8	3	10	2	-	1	1	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	1	-	-	-	3	1	3	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,745	6	-	1	2	-	2	1	2	4	4	6	25	51	71	132	156	206	219	291	253	191	85	30	6	1	-
	White..M..	648	1	-	1	-	-	2	1	-	1	2	2	5	12	23	44	65	72	80	115	102	68	40	9	3	-	-
	F..	712	2	-	-	2	-	-	-	-	1	2	1	8	10	17	41	45	73	85	131	129	105	39	17	3	1	-
	Nonwhite..M..	185	3	-	-	-	-	-	-	1	1	-	1	5	10	20	20	19	26	28	25	12	10	3	1	-	-	-
	F..	200	-	-	-	-	-	-	-	1	1	-	2	7	19	11	27	27	35	28	20	10	8	3	3	-	-	-
90-95	Diseases of the heart	6,898	3	3	-	1	-	14	17	26	34	27	66	110	223	362	508	645	814	956	987	885	671	390	125	15	7	9
	White..M..	3,329	2	1	-	1	-	2	7	7	13	5	27	48	101	197	284	360	466	496	476	370	262	154	48	3	1	-
	F..	2,540	-	1	-	-	-	4	7	9	9	10	13	23	42	63	99	168	252	328	415	448	358	211	63	10	2	5
	Nonwhite..M..	546	-	1	-	-	-	3	2	4	3	3	8	21	38	57	65	61	49	80	61	34	27	16	8	1	1	3
	F..	483	1	-	-	-	-	5	1	6	9	9	18	18	42	45	60	56	47	52	35	33	24	9	8	1	3	1
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	410	-	2	-	1	-	10	14	14	17	14	26	22	34	30	31	25	28	33	44	30	24	7	2	1	-	1
	White..M..	151	-	1	-	1	-	1	5	4	10	3	13	9	11	9	12	12	8	15	16	11	8	2	-	-	-	-
	F..	156	-	-	-	-	-	3	6	6	3	7	6	6	11	15	10	6	10	10	21	16	12	5	2	-	-	1
	Nonwhite..M..	52	-	1	-	-	-	1	2	2	-	2	2	6	9	4	5	1	4	5	4	1	3	-	-	-	-	-
	F..	51	-	-	-	-	-	5	1	2	4	2	5	1	3	2	4	6	6	3	3	2	1	-	-	1	-	-
94	Diseases of coronary arteries, angina pectoris	1,816	-	-	-	-	-	1	-	1	3	5	10	27	72	159	208	248	288	254	221	179	103	43	11	1	-	2
	White..M..	1,185	-	-	-	-	-	-	-	-	-	2	7	19	48	123	162	181	179	161	128	97	51	22	4	1	-	-
	F..	484	-	-	-	-	-	-	-	1	1	-	2	2	7	13	23	52	73	77	84	76	50	18	5	-	-	-
	Nonwhite..M..	103	-	-	-	-	-	1	-	-	1	1	-	4	10	17	15	12	10	15	6	4	2	1	2	-	-	2
	F..	44	-	-	-	-	-	-	-	-	1	2	1	2	7	6	8	3	6	1	3	2	-	2	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart(other forms)	4,672	3	1	-	-	-	3	3	11	14	8	30	61	117	173	269	372	518	669	722	676	544	340	112	13	7	6
	White..M..	1,993	2	-	-	-	-	1	2	3	3	-	7	20	42	65	110	167	279	320	332	262	203	130	42	2	1	-
	F..	1,900	-	1	-	-	-	1	1	2	5	3	5	15	24	35	66	110	169	241	310	356	296	188	56	10	2	4
	Nonwhite..M..	391	-	-	-	-	-	1	-	2	2	-	6	11	19	36	45	48	35	60	51	29	22	15	6	1	1	1
	F..	388	1	-	-	-	-	-	-	4	4	5	12	15	32	37	48	47	35	48	29	29	23	7	8	-	3	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Con.																										
107-109, 38	Pneumonia (all forms) and influenza	1,250	256	45	14	4	1	10	9	21	12	28	32	47	61	58	99	69	69	75	101	87	81	47	21	1	1	1
	White—M	449	77	17	5	2	-	1	4	7	4	9	5	18	20	17	37	29	34	33	47	35	30	12	6	-	-	-
	F	350	65	15	3	1	1	6	2	5	2	3	3	7	8	10	12	18	11	21	35	39	38	32	12	1	-	-
	Nonwhite—M	258	62	7	3	-	-	1	1	6	4	7	17	12	20	19	35	13	14	14	9	6	5	1	2	-	-	-
	F	193	52	6	3	1	-	2	2	3	2	9	7	10	13	12	15	9	10	7	10	7	8	2	1	-	1	1
107	Bronchopneumonia	466	159	23	8	1	1	6	3	7	2	3	4	11	12	11	27	14	20	18	36	40	29	20	10	-	1	-
	White—M	167	44	8	2	1	-	1	2	1	1	-	2	2	5	13	7	12	12	17	14	15	5	3	-	-	-	-
	F	145	40	7	1	-	1	4	-	2	-	-	1	1	4	5	4	2	3	2	13	25	12	14	4	-	-	-
	Nonwhite—M	80	39	5	3	-	-	1	1	2	1	1	1	5	2	1	7	4	2	2	1	-	-	-	2	-	-	-
	F	74	36	3	2	-	-	1	1	1	-	1	2	3	4	-	3	1	3	2	5	1	2	1	1	-	1	-
108	Lobar pneumonia	542	49	10	1	3	-	3	3	8	8	21	24	23	41	38	54	43	34	39	45	36	35	17	5	1	-	1
	White—M	200	12	4	-	1	-	1	-	3	3	7	4	11	15	9	22	19	16	18	21	19	7	6	2	-	-	-
	F	123	11	3	-	1	-	1	2	1	2	3	1	3	3	4	4	11	4	10	16	8	21	10	3	1	-	-
	Nonwhite—M	137	18	-	-	-	-	-	-	3	2	4	14	5	17	15	22	8	7	8	5	5	4	-	-	-	-	-
	F	82	8	3	1	1	-	1	1	1	1	7	5	4	6	10	6	5	7	3	3	4	3	1	-	-	-	1
109	Pneumonia (unspecified)	90	28	4	3	-	-	-	2	1	-	1	2	6	3	3	7	2	5	5	4	2	4	5	3	-	-	-
	White—M	34	11	2	2	-	-	-	-	-	-	-	-	2	1	1	2	1	4	-	3	1	1	-	1	-	-	-
	F	30	9	-	1	-	-	-	-	1	-	-	-	1	1	-	2	-	-	4	1	1	3	4	2	-	-	-
	Nonwhite—M	15	3	2	-	-	-	-	-	-	-	1	1	1	1	2	1	-	1	1	-	-	-	1	-	-	-	-
	F	11	5	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-
33	Influenza	152	20	8	2	-	-	1	1	5	2	3	2	7	5	6	11	10	10	13	16	9	13	5	3	-	-	-
	White—M	48	10	3	1	-	-	-	1	2	-	1	1	3	2	2	-	2	2	2	6	1	7	1	-	-	-	-
	F	52	5	5	1	-	-	1	-	1	-	-	-	2	1	1	2	5	4	5	5	2	4	3	-	-	-	-
	Nonwhite—M	26	2	-	-	-	-	-	-	1	1	1	1	1	-	1	5	1	4	3	3	1	1	-	-	-	-	-
	F	26	3	-	-	-	-	-	-	1	1	1	-	1	2	2	4	2	-	2	2	2	3	-	-	-	-	-
117	Ulcer of stomach or duodenum	114	-	-	-	-	-	-	-	-	-	7	4	11	11	19	10	15	14	13	4	5	1	-	-	-	-	-
	White—M	78	-	-	-	-	-	-	-	-	-	4	3	7	5	12	7	11	11	9	4	4	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	2	2	-	1	-	-	-	-	-	-
	Nonwhite—M	20	-	-	-	-	-	-	-	-	-	2	-	3	2	6	2	2	1	2	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	235	185	19	2	1	1	2	1	3	-	-	1	1	1	-	1	1	2	4	3	2	2	1	1	-	1	-
	White—M	77	60	9	-	1	-	1	-	1	-	-	-	-	-	-	1	1	-	2	1	-	-	1	-	-	-	-
	F	77	58	6	-	1	-	-	-	1	-	-	-	1	1	-	-	-	2	1	1	2	2	1	-	-	-	-
	Nonwhite—M	43	39	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	38	28	3	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	1	-
121	Appendicitis	80	1	1	3	2	1	-	7	5	5	-	1	4	9	7	8	7	9	5	3	1	1	-	-	-	-	-
	White—M	30	1	-	1	1	1	-	-	1	2	-	1	1	4	3	3	2	5	2	-	1	-	-	-	-	-	-
	F	39	-	1	2	1	-	-	3	1	3	-	-	2	4	3	4	5	4	2	3	1	-	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	3	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	168	8	1	1	1	-	4	1	3	-	3	2	8	6	16	12	11	15	24	19	12	12	7	2	-	-	-
	White—M	67	3	1	-	1	-	2	1	1	-	2	1	1	1	3	3	1	7	9	9	8	8	3	2	-	-	-
	F	66	3	-	1	-	-	-	-	2	-	-	1	4	3	7	5	7	5	10	6	4	4	4	-	-	-	-
	Nonwhite—M	18	1	-	-	-	-	2	-	-	-	1	-	-	1	2	1	1	2	3	4	-	-	-	-	-	-	-
	F	17	1	-	-	-	-	-	-	-	-	-	-	3	1	4	3	2	1	2	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	183	-	-	1	-	-	-	-	1	2	4	4	10	11	26	29	32	21	15	14	6	5	1	-	-	1	-
	White—M	122	-	-	1	-	-	-	-	1	1	2	1	7	7	18	22	20	16	10	9	3	5	-	-	-	-	-
	F	39	-	-	-	-	-	-	-	1	-	2	1	1	3	5	4	10	3	2	3	3	-	-	-	-	1	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	2	2	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	1	1	1	2	1	2	-	1	-	1	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	100	-	-	-	-	-	-	-	-	1	-	4	5	4	7	8	11	14	13	14	10	1	1	1	-	-	-
	White—M	31	-	-	-	-	-	-	-	-	1	-	1	3	2	2	6	3	4	2	1	5	-	-	1	-	-	-
	F	65	-	-	-	-	-	-	-	-	-	-	3	-	2	5	2	8	8	11	13	11	1	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	2,024	1	1	1	-	1	4	1	2	12	20	37	31	76	99	153	163	195	276	274	264	235	125	33	16	3	1
	White—M	760	-	-	-	-	1	1	1	-	3	6	14	11	19	31	52	63	82	106	104	111	96	43	9	7	-	-
	F	742	1	1	1	-	-	2	-	2	7	8	6	5	13	27	29	50	52	97	118	117	114	68	19	5	-	-
	Nonwhite—M	258	-	-	-	-	-	-	-	-	1	3	9	7	19	25	40	27	21	46	21	17	10	5	2	3	1	1
	F	264	-	-	-	-	-	1	-	-	1	3	8	8	25	16	32	23	40	27	31	19	15	9	3	1	2	-
137	Diseases of the prostate	113	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	16	18	27	23	13	8	2	-	-	-
	White—M	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	13	13	23	21	12	8	2	-	-	-
	Nonwhite—M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	5	4	2	1	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Con.																										
140-150	Diseases of pregnancy, etc.*...	82	-	-	-	-	-	-	-	6	15	22	23	13	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	52	-	-	-	-	-	-	-	4	12	17	17	10	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	20	-	-	-	-	-	-	-	2	3	5	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	29	-	-	-	-	-	-	-	2	5	9	6	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	25	-	-	-	-	-	-	-	1	5	9	4	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	20	-	-	-	-	-	-	-	3	4	8	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	13	-	-	-	-	-	-	-	2	3	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	7	-	-	-	-	-	-	-	1	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	28	-	-	-	-	-	-	-	1	4	4	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	21	-	-	-	-	-	-	-	1	2	3	10	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	7	-	-	-	-	-	-	-	-	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	5	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	3	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	254	217	10	2	3	1	6	2	2	1	3	1	2	-	1	-	-	2	-	-	-	-	-	-	-	1
	White.....M..	122	105	4	1	2	-	2	1	2	-	1	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
	F..	91	79	2	1	1	1	2	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite..M..	22	16	2	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	19	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	578	578	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	253	253	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	169	169	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	77	77	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	79	79	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	209	-	-	-	-	-	-	1	7	10	16	25	21	18	22	20	19	12	16	9	9	4	-	-	-	-
	White.....M..	135	-	-	-	-	-	-	1	7	7	8	14	8	12	12	15	14	8	12	6	7	4	-	-	-	-
	F..	66	-	-	-	-	-	-	-	-	3	8	10	12	3	8	5	5	4	4	2	2	-	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	1	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	160	4	-	4	-	-	1	1	13	25	25	20	21	15	14	9	5	2	-	-	-	-	1	-	-	-
	White.....M..	32	1	-	3	-	-	-	-	2	3	5	-	2	2	5	4	3	1	-	-	-	-	1	-	-	-
	F..	14	3	-	1	-	-	-	-	-	1	3	2	2	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	97	-	-	-	-	-	-	-	11	18	12	18	14	12	7	3	2	-	-	-	-	-	-	-	-	-
	F..	17	-	-	-	-	-	1	1	-	3	5	-	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,397	54	28	30	13	10	51	50	90	76	74	70	87	66	76	84	77	77	67	66	81	87	54	17	5	7
	White.....M..	759	21	14	9	7	1	24	33	56	53	49	48	68	41	44	52	48	39	41	32	34	21	13	4	2	5
	F..	357	19	8	15	4	1	10	8	8	6	12	7	3	4	11	10	10	22	17	26	41	60	40	13	3	1
	Nonwhite..M..	215	6	6	4	2	6	10	7	23	14	11	13	13	13	17	19	10	13	8	5	5	4	-	-	-	1
	F..	66	8	2	2	-	2	7	2	3	3	2	2	3	3	4	3	9	3	1	3	1	2	1	-	-	-
170	Motor-vehicle accidents.....	382	1	2	10	2	1	22	16	38	28	21	28	39	15	23	27	22	27	20	14	20	3	1	1	-	1
	White.....M..	239	-	-	8	1	-	9	11	25	15	13	20	32	9	13	15	16	16	13	9	13	3	1	1	-	1
	F..	55	1	-	6	1	-	5	3	5	3	5	1	1	1	2	7	-	5	2	2	5	-	-	-	-	-
	Nonwhite..M..	76	-	2	-	-	-	7	2	7	9	3	7	6	3	7	5	4	6	4	2	2	-	-	-	-	-
	F..	12	-	-	1	-	1	1	-	1	1	-	-	-	2	1	-	2	-	1	1	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,015	53	26	20	11	9	29	34	52	48	53	42	48	51	53	57	55	50	47	52	61	84	53	16	5	6
	White.....M..	520	21	14	6	6	1	15	22	31	38	36	28	36	32	31	37	32	23	28	23	21	18	12	3	2	4
	F..	302	18	6	9	3	1	5	5	3	3	7	6	2	3	9	3	10	17	15	24	36	60	40	13	3	1
	Nonwhite..M..	139	6	4	4	2	6	3	5	16	5	8	6	7	15	10	14	6	7	4	3	3	4	-	-	-	1
	F..	54	8	2	1	-	1	6	2	2	2	2	2	3	1	3	3	7	3	-	2	1	2	1	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	79	7	-	-	1	-	1	-	1	-	3	2	2	3	2	-	4	2	4	5	14	4	8	9	6	-	1
	White.....M..	27	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	1	2	4	6	1	4	2	1	-	-
	F..	30	1	-	-	-	-	-	-	1	-	1	-	-	1	2	-	-	1	1	-	6	3	4	5	4	-	-
	Nonwhite..M..	14	3	-	-	-	-	1	-	-	-	1	-	2	1	-	-	2	-	-	1	1	-	-	2	-	-	-
	F..	8	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1
	All other causes.	1,857	416	28	15	11	13	36	24	36	45	50	62	65	80	103	89	104	109	117	114	117	100	73	37	7	2	4
	White.....M..	752	169	10	6	3	8	16	8	17	17	15	27	21	24	42	44	43	56	45	46	44	51	26	12	1	-	1
	F..	682	119	10	7	7	3	10	11	11	16	22	19	25	28	31	23	33	32	47	50	61	43	44	19	5	1	-
	Nonwhite..M..	226	70	5	-	1	1	5	2	3	7	6	8	10	12	16	9	18	15	14	9	8	2	2	2	-	1	-
	F..	197	58	3	2	-	1	5	3	5	5	7	8	9	16	14	8	10	6	11	9	4	4	1	4	1	-	3

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS																											
	All causes	51,688	2585	210	133	92	61	250	221	352	501	586	736	966	1473	2376	3,282	4,197	5,162	6,285	7,016	6,292	4917	2772	912	218	34	59
	White	26,604	1415	110	71	47	36	157	129	199	260	287	390	581	823	1346	1,919	2,491	2,929	3,405	3,513	2,994	2054	1079	295	75	12	37
	M.	24,106	1095	92	57	40	24	91	83	130	215	275	313	407	600	959	1,270	1,612	2,133	2,782	3,411	3,232	2818	1676	611	137	21	22
	F.	570	40	4	3	2	1	2	6	14	10	13	16	17	28	49	57	62	65	52	57	33	20	6	1	2	-	-
	Nonwhite	408	35	4	2	3	-	-	3	9	16	11	17	11	22	22	36	32	35	36	35	33	25	11	5	4	1	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	80	6	2	5	4	1	3	6	8	5	2	6	4	4	5	8	2	5	1	1	1	1	-	-	-	-	-
	White	39	3	1	3	2	-	2	3	3	2	1	4	1	1	3	6	1	2	-	1	1	-	-	-	-	-	-
	M.	37	3	1	2	2	1	1	4	4	3	-	2	2	3	1	2	1	3	1	-	-	1	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	13	-	1	1	-	2	3	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	5	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M.	8	-	1	-	-	1	1	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	15	12	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	6	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	11	-	-	2	-	1	3	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
	White	6	-	-	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
	F.	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-22	Tuberculosis (all forms)	1,698	5	7	12	2	1	7	7	50	121	138	134	144	160	189	170	145	142	126	69	34	20	10	2	-	-	3
	White	1,089	4	5	7	1	1	2	3	17	47	47	68	86	105	143	135	109	115	93	53	28	12	4	2	-	-	2
	M.	505	1	2	5	-	-	5	2	24	63	82	51	53	42	37	28	28	21	27	15	6	6	6	-	-	-	1
	F.	64	-	-	-	1	-	-	1	6	2	4	7	4	7	9	6	6	4	5	1	-	1	-	-	-	-	-
	Nonwhite	40	-	-	-	-	-	-	1	3	9	5	8	1	6	-	1	2	2	1	-	-	1	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,616	3	2	5	1	1	3	6	46	116	134	130	137	158	178	165	141	139	119	66	33	19	10	1	-	-	3
	White	1,045	2	1	3	1	1	1	3	17	44	44	66	82	104	138	132	106	114	90	50	27	12	4	1	-	-	2
	M.	475	1	1	2	-	-	2	1	21	61	81	50	50	41	32	27	28	20	23	15	6	6	6	-	-	-	1
	F.	60	-	-	-	-	-	-	1	5	2	4	7	4	7	8	6	6	3	5	1	-	1	-	-	-	-	-
	Nonwhite	36	-	-	-	-	-	-	1	3	9	5	7	1	6	-	-	1	2	1	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	82	2	5	7	1	-	4	1	4	5	4	4	7	2	11	5	4	3	7	3	1	1	-	1	-	-	-
	White	44	2	4	4	-	-	1	-	-	3	3	2	4	1	5	3	3	1	3	3	1	-	-	1	-	-	-
	M.	30	-	1	3	-	-	3	1	3	2	1	1	3	1	5	1	-	1	4	-	-	-	-	-	-	-	-
	F.	4	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	7	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	3	-	1	-	-	-	-
	White	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-
	M.	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	6	-	1	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	5	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	290	2	-	-	-	-	-	-	2	3	8	3	13	21	26	32	59	52	31	16	17	4	1	-	-	-	-
	White	187	1	-	-	-	-	-	-	1	-	4	2	6	12	17	25	37	36	22	13	9	2	-	-	-	-	-
	M.	62	-	-	-	-	-	-	-	1	2	2	-	4	5	6	1	12	11	5	3	7	2	1	-	-	-	-
	F.	28	-	-	-	-	-	-	-	-	-	2	-	2	2	2	5	9	4	1	-	1	-	-	-	-	-	-
	Nonwhite	13	1	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1	1	3	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	21	4	6	2	1	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	9	-	3	1	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	12	4	3	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	17	-	-	-	1	2	3	-	3	-	5	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	13	-	-	-	1	1	3	-	3	-	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M.	4	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Con.																										
45-55	Cancer and other malignant tumors.....	7,606	2	4	5	5	2	3	8	13	22	51	71	129	259	457	664	867	1,045	1,152	1,124	887	555	214	54	10	1	2
	White.....M..	5,505	-	4	5	4	1	2	3	6	13	18	30	32	80	155	289	418	512	586	558	431	251	83	21	3	1	-
	F..	4,010	2	-	-	1	1	1	4	7	9	32	40	97	176	292	368	436	515	553	552	450	301	131	33	7	-	2
	Nonwhite..M..	46	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	5	12	10	7	2	-	-	-	-	-	-
	F..	45	-	-	-	-	-	-	1	-	-	1	1	-	1	6	4	8	6	3	7	4	3	-	-	-	-	-
46	Cancer of digestive organs, peritoneum.....	3,628	-	-	1	-	1	2	1	1	4	10	18	35	80	168	278	388	497	604	631	484	289	104	26	4	1	1
	White.....M..	1,887	-	-	1	-	-	1	1	1	1	2	11	16	36	73	149	212	285	359	328	241	123	38	7	1	1	-
	F..	1,700	-	-	-	-	1	1	-	-	3	8	7	19	43	91	125	170	204	237	298	240	164	66	19	3	-	1
	Nonwhite..M..	25	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	7	7	4	1	-	-	-	-	-	-
	F..	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	1	1	1	2	2	-	-	-	-	-
48,49	Cancer of female genital organs.	913	-	-	-	-	-	-	1	2	10	19	34	56	84	109	114	126	121	102	68	48	18	-	1	-	-	-
	White.....F..	902	-	-	-	-	-	-	1	2	10	18	34	56	83	108	111	123	120	101	68	48	18	-	1	-	-	-
	Nonwhite..F..	11	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	3	1	1	-	-	-	-	-	-	-	-
50	Cancer of breast.	769	-	-	-	-	-	-	1	-	7	4	32	44	74	79	85	94	112	78	83	49	21	7	1	-	-	-
	White.....M..	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	2	1	-	-	-	-	-	-
	F..	753	-	-	-	-	-	-	1	-	6	4	32	44	73	78	82	93	109	75	80	47	21	7	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	2,296	2	4	4	5	1	1	7	10	16	24	30	28	79	131	198	282	328	315	313	252	169	71	21	4	-	1
	White.....M..	1,607	-	4	4	4	1	1	2	5	12	16	19	16	44	82	138	205	226	224	228	188	127	45	14	2	-	-
	F..	655	2	-	-	1	-	-	4	5	4	8	11	12	33	45	57	73	95	87	78	62	42	26	7	2	-	1
	Nonwhite..M..	21	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	5	3	3	1	-	-	-	-	-	-
	F..	13	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	1	2	1	4	1	-	-	-	-	-	-
58	Acute rheumatic fever.....	37	1	-	-	-	-	7	8	4	1	4	-	1	4	1	2	3	-	-	-	1	-	-	-	-	-	-
	White.....M..	19	1	-	-	-	-	6	2	1	1	2	-	-	3	-	1	2	-	-	-	-	-	-	-	-	-	-
	F..	18	-	-	-	-	-	1	6	3	-	2	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,561	1	2	-	-	-	-	3	7	7	11	9	10	16	49	88	150	250	281	287	211	118	51	7	1	-	2
	White.....M..	511	1	1	-	-	-	-	1	4	4	6	5	6	10	23	28	44	78	94	84	66	31	22	2	1	-	-
	F..	1,025	-	1	-	-	-	-	2	2	3	5	4	4	6	24	54	101	169	186	200	145	86	26	5	-	-	2
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	1	-	-	-	-
	F..	19	-	-	-	-	-	-	-	1	-	-	-	-	-	2	5	4	1	1	2	-	1	2	-	-	-	-
63b	Exophthalmic goiter.....	45	-	-	-	-	-	-	-	1	-	-	-	-	4	6	6	10	6	5	4	1	2	-	-	-	-	-
	White.....M..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	1	-	1	1	-	-	-	-	-
	F..	36	-	-	-	-	-	-	-	1	-	-	-	-	4	5	4	7	6	4	4	-	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-
	White.....M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	128	-	-	-	-	-	-	-	-	-	1	13	12	13	23	17	24	10	7	6	1	-	-	-	-	-	1
	White.....M..	109	-	-	-	-	-	-	-	-	-	-	11	9	10	21	14	21	9	7	5	1	-	-	-	-	-	1
	F..	15	-	-	-	-	-	-	-	-	-	1	2	2	1	1	3	3	1	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	4,731	7	5	2	1	-	3	5	1	10	7	9	25	65	141	228	344	449	707	896	765	633	306	92	23	1	6
	White.....M..	1,983	3	1	-	-	-	2	2	1	5	4	6	14	26	57	103	157	230	326	395	300	206	109	25	8	-	5
	F..	2,871	3	4	2	-	-	1	2	-	5	3	3	11	34	80	118	178	208	372	488	459	421	195	67	13	1	3
	Nonwhite..M..	39	1	-	-	-	-	-	1	-	-	-	-	-	4	1	4	5	8	3	8	2	2	-	-	-	-	-
	F..	38	-	-	-	1	-	-	-	-	-	-	-	-	1	3	3	4	3	6	5	4	4	2	-	2	-	-
90-95	Diseases of the heart.....	18,660	7	-	1	1	2	7	22	44	47	55	111	190	344	735	1,165	1,536	1,994	2,507	2,918	2,838	2,218	1,331	398	97	15	19
	White.....M..	10,027	3	-	1	-	1	4	11	27	22	36	67	117	220	495	764	1,031	1,220	1,464	1,507	1,369	969	523	125	30	7	14
	F..	8,365	4	-	-	1	1	3	9	16	24	19	43	68	112	220	377	482	736	1,062	1,375	1,435	1,228	803	269	65	8	5
	Nonwhite..M..	158	-	-	-	-	-	-	1	1	-	-	-	3	4	13	13	18	21	24	28	17	11	2	-	2	-	-
	F..	110	-	-	-	-	-	-	1	-	1	-	1	2	8	5	11	5	17	17	8	17	10	3	4	-	-	-
90a,92b, c,93c,95b	Chronic rhumatic diseases of the heart.....	1,010	-	-	1	-	2	4	14	26	25	27	40	59	63	99	98	91	82	93	85	82	66	39	11	2	1	-
	White.....M..	446	-	-	1	-	1	2	9	15	12	19	23	31	25	43	44	45	38	36	32	34	18	14	4	-	-	-
	F..	544	-	-	-	-	1	2	4	11	13	8	17	28	35	54	49	45	42	56	50	46	48	25	7	2	1	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	2	-	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	1	2	1	1	2	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	5,708	-	-	-	-	-	2	1	-	1	4	28	66	163	362	558	707	816	886	873	632	394	183	51	12	1	8
	White.....M..	3,783	-	-	-	-	-	2	-	-	-	3	25	62	127	298	428	549	569	550	516	350	197	89	15	4	1	8
	F..	1,873	-	-	-	-	-	-	1	-	1	1	2	13	34	59	106	153	236	306	355	276	195	92	35	8	-	-
	Nonwhite..M..	37	-	-	-	-	-	-	-	-	-	-	-	1	2	4	3	5	7	7	2	4	2	-	-	-	-	-
	F..	15	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	4	3	-	2	-	2	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms).....	11,942	7	-	-	1	-	1	7	18	21	24	43	65	118	272	529	738	1,096	1,608	1,960	2,124	1758	1109	336	83	13	11
	White.....M..	5,798	3	-	-	-	-	-	2	12	10	14	19	34	68	154	292	437	613	878	959	985	754	420	108	26	6	6
	F..	5,948	4	-	-	1	-	1	4	5	10	10	24	27	43	107	222	284	458	700	970	1,113	985	686	227	55	7	5
	Nonwhite..M..	115	-	-	-	-	-	-	1	1	-	-	-	2	1	8	6	13	14	17	24	13	9	2	-	2	-	-
	F..	83	-	-	-	-	-	-	-	-	1	-	-	2	8	3	9	4	11	13	7	13	10	1	3	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Con.																											
107-109, 33	Pneumonia (all forms) and influenza	2,779	337	58	18	12	7	19	9	14	14	26	46	61	81	120	121	159	186	278	296	332	291	171	89	24	5	5
	White..M..	1,498	183	27	5	7	3	9	5	8	11	16	26	47	56	72	80	110	113	154	168	170	121	67	26	10	1	3
	F..	1,207	140	29	11	5	4	10	4	5	3	7	17	12	23	40	35	46	69	119	121	158	166	102	62	13	4	2
	Nonwhite..M..	44	9	1	-	-	-	-	-	-	-	1	2	1	2	7	4	3	4	3	2	2	1	1	1	-	-	-
	F..	30	5	1	2	-	-	-	-	1	-	2	1	1	-	1	2	-	-	2	5	2	3	1	-	1	-	-
107	Bronchopneumonia	1,644	260	36	13	9	4	10	4	10	7	9	16	23	24	44	58	65	89	141	194	224	190	119	69	18	4	4
	White..M..	836	137	13	4	4	2	3	3	5	5	4	8	17	15	22	35	42	55	84	110	115	79	45	20	6	1	2
	F..	785	112	21	7	5	2	7	1	4	2	3	7	5	9	18	20	23	31	55	80	107	108	75	49	11	3	2
	Nonwhite..M..	24	8	1	-	-	-	-	-	-	-	-	1	-	-	3	2	-	3	2	1	1	1	1	-	-	-	-
	F..	19	3	1	2	-	-	-	-	1	-	2	-	1	-	1	1	-	-	-	3	1	2	-	-	1	-	-
108	Lobar pneumonia	796	48	12	1	-	1	3	2	1	5	12	20	32	46	61	48	77	76	99	76	77	60	27	9	2	-	1
	White..M..	481	28	9	-	-	-	2	1	1	4	9	13	24	34	40	36	57	47	53	45	36	24	14	1	2	-	1
	F..	290	18	3	1	-	1	1	1	-	1	2	6	7	10	18	10	17	28	43	29	39	35	13	7	-	-	-
	Nonwhite..M..	17	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	3	1	1	1	1	-	-	1	-	-	-
	F..	8	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-
109	Pneumonia (unspecified)	130	16	6	2	1	-	2	1	2	1	2	4	4	3	8	5	10	11	17	6	10	10	7	1	-	1	-
	White..M..	72	11	3	1	1	-	1	1	1	1	1	2	4	2	5	3	6	6	8	2	5	5	3	-	-	-	-
	F..	55	5	3	1	-	-	1	-	1	-	1	1	-	1	2	2	4	5	9	4	5	5	3	1	-	1	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
33	Influenza	209	13	4	2	2	2	4	2	1	1	3	6	2	8	7	10	7	10	21	20	21	31	18	10	4	-	-
	White..M..	109	7	2	-	2	1	3	-	1	1	2	3	2	5	5	6	5	5	9	11	14	13	5	5	2	-	-
	F..	97	5	2	2	-	1	1	2	-	-	1	3	-	3	2	3	2	5	12	8	7	18	13	5	2	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	365	-	-	1	-	-	1	-	1	-	3	13	10	22	39	44	41	47	50	45	23	15	8	2	-	-	-
	White..M..	291	-	-	1	-	-	1	-	1	-	1	9	9	17	37	37	35	39	40	37	14	8	4	1	-	-	-
	F..	72	-	-	-	-	-	-	-	-	-	2	4	-	5	2	7	6	8	9	8	9	7	4	1	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	192	113	12	4	1	-	-	-	5	7	5	3	4	4	2	1	5	4	10	4	3	2	3	-	-	-	-
	White..M..	93	64	7	1	1	-	-	-	-	2	3	1	2	2	-	-	1	-	5	1	2	1	-	-	-	-	-
	F..	93	46	3	3	-	-	-	-	4	5	2	2	2	2	2	1	4	4	5	3	1	1	3	-	-	-	-
	Nonwhite..M..	5	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	227	2	6	7	8	2	12	9	9	10	7	7	12	14	20	16	19	19	18	16	4	7	1	-	-	-	2
	White..M..	126	1	4	6	3	1	7	5	3	2	4	5	8	8	15	11	12	7	11	9	1	1	1	-	-	-	1
	F..	99	1	1	1	5	1	5	4	5	8	3	2	4	6	5	5	7	12	7	7	3	6	-	-	-	-	1
	Nonwhite..M..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	441	6	3	1	-	2	4	3	4	6	5	4	14	14	24	33	39	55	43	59	59	36	19	5	1	-	2
	White..M..	211	1	2	1	-	1	3	1	1	2	2	2	5	9	9	16	25	26	20	30	24	14	12	4	-	-	1
	F..	217	4	1	-	-	1	1	2	3	4	3	2	9	5	15	15	9	28	23	26	35	21	7	1	1	-	1
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	-	1	-	-	-	-	-
	F..	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-
124	Cirrhosis of the liver	500	-	-	1	-	-	-	2	3	1	2	10	21	39	51	67	69	72	73	48	21	14	5	1	-	-	-
	White..M..	331	-	-	-	-	-	-	-	1	1	2	6	15	31	28	43	50	51	47	33	14	8	-	1	-	-	-
	F..	164	-	-	1	-	-	-	2	2	-	-	4	6	7	21	23	19	21	25	15	7	6	5	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	236	-	-	-	-	-	-	-	-	-	2	4	8	11	13	23	35	34	28	38	22	11	5	2	-	-	-
	White..M..	69	-	-	-	-	-	-	-	-	-	-	-	3	2	2	6	14	7	11	8	10	5	1	-	-	-	-
	F..	166	-	-	-	-	-	-	-	-	-	2	4	5	9	11	17	21	26	17	30	12	6	4	2	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	2,489	1	1	-	3	2	12	10	7	15	23	29	41	65	107	161	199	262	292	397	328	280	186	57	7	1	3
	White..M..	1,204	1	-	-	1	2	4	4	4	8	9	14	21	35	55	90	106	143	144	180	156	128	72	22	3	-	2
	F..	1,235	-	1	-	2	-	8	6	3	5	14	15	20	28	44	67	84	113	142	210	169	151	112	35	4	1	1
	Nonwhite..M..	30	-	-	-	-	-	-	-	-	-	-	-	-	1	7	2	5	3	4	4	2	1	1	-	-	-	-
	F..	20	-	-	-	-	-	-	-	-	2	-	-	-	1	1	2	4	3	2	3	1	-	1	-	-	-	-
137	Diseases of the prostate	260	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	12	21	39	61	60	38	22	1	2	-	-
	White..M..	253	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	12	20	36	59	59	38	22	1	2	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Con.																										
140-150	Diseases of pregnancy, etc.*...	140	-	-	-	-	-	-	-	5	27	36	36	28	8	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	131	-	-	-	-	-	-	-	5	26	34	33	25	8	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	9	-	-	-	-	-	-	-	-	1	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	54	-	-	-	-	-	-	-	-	10	17	12	11	4	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	52	-	-	-	-	-	-	-	-	10	16	12	10	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	23	-	-	-	-	-	-	-	1	3	4	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	23	-	-	-	-	-	-	-	1	3	4	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	48	-	-	-	-	-	-	-	2	9	9	15	12	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	42	-	-	-	-	-	-	-	2	8	9	12	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	6	-	-	-	-	-	-	-	-	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	15	-	-	-	-	-	-	-	2	5	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	14	-	-	-	-	-	-	-	2	5	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	565	477	26	9	5	-	6	7	4	7	7	2	4	2	5	3	-	-	-	1	-	-	-	-	-	-
	White.....M..	287	242	12	6	2	-	3	3	2	5	4	-	4	1	2	1	-	-	-	-	-	-	-	-	-	-
	F..	267	228	12	2	3	-	3	4	2	2	3	2	-	1	3	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	837	837	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	461	461	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	352	352	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	442	-	-	-	-	-	-	1	8	16	25	33	38	48	40	42	52	45	28	32	17	14	-	1	1	-	1
	White.....M..	305	-	-	-	-	-	-	1	4	7	18	19	21	33	26	32	37	34	20	28	12	12	-	1	1	-	1
	F..	135	-	-	-	-	-	-	-	4	8	7	14	17	15	14	9	15	11	8	6	5	2	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	59	6	-	1	-	-	-	3	1	5	11	6	7	3	5	2	3	1	2	1	-	2	-	-	-	-	-
	White.....M..	31	3	-	-	-	-	-	-	-	3	7	1	4	2	2	2	3	1	1	1	-	1	-	-	-	-	-
	F..	20	3	-	1	-	-	-	3	-	1	1	2	3	1	3	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	1	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
169-195	Accidental deaths	2,753	64	37	22	29	27	99	78	100	116	76	92	84	126	111	159	166	183	189	270	240	232	153	58	12	1	9
	White.....M..	1,699	31	26	11	16	16	73	68	79	95	60	67	66	100	87	114	133	121	124	150	114	78	45	15	3	-	7
	F..	972	27	10	10	10	11	24	8	17	15	14	20	15	20	23	37	32	59	63	120	123	153	107	42	9	1	2
	Nonwhite..M..	45	3	-	1	1	-	2	2	2	6	2	4	2	4	1	8	1	3	2	-	1	-	-	-	-	-	-
	F..	17	3	1	-	2	-	-	-	2	-	-	1	1	2	-	-	-	-	-	-	2	1	1	1	-	-	-
170	Motor-vehicle accidents.....	536	1	5	6	10	15	32	16	44	33	28	24	18	24	28	30	48	44	38	48	20	17	4	1	-	-	2
	White.....M..	418	1	4	4	6	8	24	13	32	29	23	19	17	22	22	24	37	37	31	36	13	10	4	1	-	-	1
	F..	111	-	1	2	4	7	8	3	10	4	5	5	-	1	5	5	11	6	7	12	7	7	-	-	-	-	1
	Nonwhite..M..	5	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	2,197	63	32	16	19	12	67	62	56	83	48	68	66	102	83	129	118	139	151	222	220	215	149	57	12	1	7
	White.....M..	1,281	30	22	7	10	8	49	55	47	66	37	48	49	78	65	90	96	84	93	114	101	68	41	14	3	-	6
	F..	861	27	9	8	8	4	16	5	7	11	9	15	15	19	18	32	21	53	56	108	116	146	107	42	9	1	1
	Nonwhite..M..	40	3	-	1	1	-	2	2	1	6	2	4	2	3	-	7	1	2	2	-	1	-	-	-	-	-	-
	F..	15	3	1	-	2	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	2	1	1	1	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	149	9	-	1	1	-	-	-	2	3	2	2	2	4	5	4	9	15	13	7	11	29	13	11	4	1	1
	White.....M..	74	5	-	-	-	-	-	-	1	2	2	1	1	3	2	3	6	8	8	4	7	9	6	3	1	1	1
	F..	74	4	-	1	1	-	-	-	1	1	-	1	1	1	3	-	3	7	5	3	4	20	7	8	3	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	4,343	686	39	36	18	8	54	32	53	58	70	92	100	141	203	221	247	263	345	420	412	395	271	132	36	9	2
	White.....M..	2,139	399	17	20	9	6	31	14	31	28	35	45	52	57	93	114	122	155	191	191	203	158	106	46	13	2	1
	F..	2,119	269	22	16	9	2	23	17	19	28	34	46	44	84	106	96	117	105	148	223	201	232	163	86	22	6	1
	Nonwhite..M..	50	9	-	-	-	-	-	1	2	1	-	-	4	-	2	6	6	2	5	3	5	3	1	-	-	-	-
	F..	35	9	-	-	-	-	-	-	1	1	1	1	-	-	2	5	2	1	1	3	3	2	1	-	1	1	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN																										
	All causes	54,374	4543	390	217	164	121	434	400	628	727	816	1064	1358	1321	2709	3,882	4,551	5,049	5,713	6,013	5,688	4576	2568	794	174	27	47
	White	29,228	2274	204	117	90	69	237	227	326	298	355	473	626	977	1489	2,291	2,765	3,007	3,230	3,196	3,009	2303	1209	353	65	12	26
	M.	21,886	1739	159	88	57	42	165	140	191	306	319	398	519	643	925	1,268	1,518	1,805	2,292	2,674	2,585	2199	1326	422	102	9	14
	F.	1,724	171	17	5	10	8	20	18	48	50	61	92	94	155	183	177	166	154	113	75	50	41	17	9	1	4	5
	Nonwhite	1,536	159	10	7	7	2	12	15	63	73	81	101	119	146	112	146	102	103	78	68	63	33	16	10	.6	2	2
1,2	Typhoid and paratyphoid fever	11	-	-	-	-	-	1	-	1	2	-	-	2	-	2	-	-	2	1	-	-	-	-	-	-	-	-
	White	6	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	M.	4	-	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	117	14	7	8	4	3	10	6	6	5	6	5	5	8	7	5	7	6	3	2	-	-	-	-	-	-	-
	White	64	7	4	4	2	-	5	4	3	4	3	4	2	5	3	2	5	4	2	1	-	-	-	-	-	-	-
	M.	38	4	3	4	2	2	5	2	2	-	1	-	3	1	3	2	1	2	-	1	-	-	-	-	-	-	-
	F.	8	1	-	-	-	-	-	-	1	-	1	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	7	2	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	8	1	-	-	-	3	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	6	1	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	29	14	10	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	16	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	9	3	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	30	1	1	3	1	1	13	5	1	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White	14	-	-	3	-	1	4	3	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	M.	13	-	-	-	-	-	9	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,814	16	20	12	15	7	9	20	97	163	162	169	150	151	142	191	163	127	89	61	28	19	1	2	-	-	-
	White	965	5	9	6	4	3	2	1	20	44	64	57	78	76	87	138	128	95	65	46	20	16	-	1	-	-	-
	M.	433	5	8	1	4	2	4	10	22	54	56	56	44	36	28	24	18	21	17	12	6	3	1	1	-	-	-
	F.	232	2	3	3	4	2	-	3	21	24	20	30	15	28	22	22	14	10	5	2	2	-	-	-	-	-	-
	Nonwhite	184	4	-	2	3	-	3	6	34	41	22	26	13	11	5	7	3	1	2	1	-	-	-	-	-	-	-
	M.	85	2	-	1	2	-	2	3	13	17	12	13	7	7	3	3	2	1	2	1	-	-	-	-	-	-	-
	F.	99	2	-	1	2	-	1	3	21	24	10	17	8	4	2	4	1	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,627	9	9	7	7	3	5	11	77	145	152	158	138	140	137	175	150	117	83	57	27	17	1	2	-	-	-
	White	887	3	4	2	1	2	2	-	13	39	59	52	71	74	85	129	120	89	63	44	20	14	-	1	-	-	-
	M.	369	3	3	1	-	-	1	4	16	46	53	54	42	33	26	18	16	19	13	11	5	3	1	1	-	-	-
	F.	206	-	2	2	3	1	-	2	17	22	20	28	14	24	22	21	11	9	5	1	2	-	-	-	-	-	-
	Nonwhite	165	3	-	2	3	-	2	5	31	38	20	24	11	9	4	7	3	-	2	1	-	-	-	-	-	-	-
	M.	82	1	-	1	1	-	1	1	15	21	11	13	5	3	2	3	2	-	1	1	-	-	-	-	-	-	-
	F.	83	2	-	1	2	-	1	4	16	17	9	15	6	6	2	4	1	-	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	187	7	11	5	8	4	4	9	20	18	10	11	12	11	5	16	13	10	6	4	1	2	-	-	-	-	-
	White	78	2	5	4	3	1	-	1	7	5	5	5	7	2	2	9	8	6	2	2	-	2	-	-	-	-	-
	M.	64	2	5	-	4	2	3	6	6	8	3	2	2	3	2	6	2	2	4	1	1	-	-	-	-	-	-
	F.	26	2	1	1	1	1	-	1	4	2	-	2	1	4	-	1	3	1	-	1	-	-	-	-	-	-	-
	Nonwhite	19	1	-	-	-	-	1	1	3	3	2	2	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	M.	11	1	-	-	-	-	1	1	2	2	2	2	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	8	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	44	34	1	1	-	1	1	-	-	-	-	-	1	-	-	1	-	1	1	-	1	-	-	1	-	-	-
	White	23	19	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	M.	17	11	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-
	F.	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	557	20	-	-	-	1	-	1	5	3	6	14	29	52	67	76	70	71	56	40	12	8	2	2	-	-	2
	White	289	3	-	-	-	-	-	-	2	1	1	4	9	18	43	45	46	45	30	28	7	5	-	1	-	-	1
	M.	112	6	-	-	-	1	-	-	-	1	-	5	6	13	10	10	15	13	17	9	3	1	1	1	-	-	-
	F.	99	7	-	-	-	-	-	1	2	1	1	1	9	15	10	16	8	11	9	3	2	2	-	-	-	-	1
	Nonwhite	57	4	-	-	-	-	-	-	1	-	4	4	5	6	4	5	1	2	-	-	-	-	1	-	-	-	-
	M.	25	2	-	-	-	-	-	-	1	-	3	3	3	4	3	3	1	2	-	-	-	-	1	-	-	-	-
	F.	32	2	-	-	-	-	-	-	-	-	1	1	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-
35	Measles	44	7	12	6	3	4	6	1	1	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-
	White	25	4	6	5	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	M.	18	3	5	1	2	1	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	47	1	1	2	3	1	11	10	7	2	3	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	White	25	-	-	1	-	1	8	5	4	-	1	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	M.	22	1	1	1	3	-	3	5	3	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Con.																										
45-55	Cancer and other malignant tumors	6,948	1	7	7	4	5	14	11	20	27	45	104	176	350	447	745	858	927	964	877	688	437	194	34	5	-	1
	White	3,278	-	4	4	3	2	10	5	11	17	16	39	47	111	162	321	407	457	510	457	367	226	106	15	1	-	-
	F.	3,379	1	3	3	1	3	4	6	8	9	24	51	115	208	238	388	418	438	426	422	303	200	86	19	4	-	1
	Nonwhite	128	-	-	-	-	-	-	-	1	1	1	5	3	6	25	16	16	19	15	9	5	5	1	-	-	-	-
	F.	163	-	-	-	-	-	-	-	-	-	4	9	11	25	22	20	17	13	13	9	13	6	1	-	-	-	-
46	Cancer of digestive organs, peritoneum	3,143	-	2	-	1	1	-	-	1	6	7	32	43	109	158	292	355	464	499	469	361	229	100	11	3	-	-
	White	1,699	-	1	-	1	1	-	-	-	2	3	15	18	53	79	157	208	257	280	246	206	121	47	4	-	-	-
	F.	1,324	-	1	-	-	-	-	-	1	4	4	15	23	45	61	119	134	190	202	214	148	102	51	7	3	-	-
	Nonwhite	70	-	-	-	-	-	-	-	-	-	-	2	2	5	11	7	6	13	10	7	2	4	1	-	-	-	-
	F.	50	-	-	-	-	-	-	-	-	-	-	-	-	6	7	9	7	4	7	2	5	2	1	-	-	-	-
48,49	Cancer of female genital organs	919	-	-	-	-	-	-	-	1	1	12	23	50	98	90	125	126	120	82	90	53	32	14	2	-	-	-
	White	854	-	-	-	-	-	-	-	1	1	9	18	42	87	82	122	119	115	79	85	49	29	14	2	-	-	-
	Nonwhite	65	-	-	-	-	-	-	-	-	-	3	5	8	11	8	3	7	5	3	5	4	3	-	-	-	-	-
50	Cancer of breast	620	-	-	-	-	-	-	-	-	-	2	7	35	51	55	91	83	72	72	56	52	34	9	-	1	-	-
	White	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F.	590	-	-	-	-	-	-	-	-	-	1	6	32	47	50	89	80	67	70	54	51	33	9	-	1	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	26	-	-	-	-	-	-	-	-	-	1	1	3	4	5	2	1	4	1	2	1	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	2,266	1	5	7	3	4	14	11	18	20	24	42	48	92	144	237	294	271	311	262	222	142	71	21	1	-	1
	White	1,576	-	3	4	2	1	10	5	11	15	13	24	29	58	83	164	198	199	229	191	161	105	59	11	1	-	-
	F.	611	1	2	3	1	3	4	6	6	4	10	12	18	29	45	58	85	66	75	69	55	36	12	10	-	-	1
	Nonwhite	57	-	-	-	-	-	-	-	1	1	1	3	1	1	14	9	9	6	5	2	3	1	-	-	-	-	-
	F.	22	-	-	-	-	-	-	-	-	-	-	3	-	4	2	6	2	-	2	-	3	-	-	-	-	-	-
58	Acute rheumatic fever	49	-	-	-	1	-	8	11	6	7	5	2	-	2	2	1	1	-	2	-	1	-	-	-	-	-	-
	White	20	-	-	-	1	-	3	5	-	3	4	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
	F.	20	-	-	-	-	-	2	6	4	3	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F.	6	-	-	-	-	-	2	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,457	-	1	1	-	1	5	11	6	13	13	13	30	25	59	152	154	217	269	243	161	72	28	2	1	-	-
	White	517	-	1	-	-	-	2	3	1	4	5	4	8	11	17	52	54	76	93	79	68	24	12	2	1	-	-
	F.	866	-	-	1	-	1	3	7	4	8	6	6	11	11	34	67	93	135	169	158	89	47	16	-	-	-	-
	Nonwhite	23	-	-	-	-	-	-	-	-	-	-	2	4	1	2	2	3	2	3	3	1	-	-	-	-	-	-
	F.	51	-	-	-	-	-	-	1	1	1	2	1	7	2	6	11	4	4	4	3	3	1	-	-	-	-	-
63b	Exophthalmic goiter	130	-	-	-	-	-	-	-	2	3	4	6	7	6	12	14	25	20	14	8	4	4	1	-	-	-	-
	White	24	-	-	-	-	-	-	-	-	1	-	3	3	-	-	1	8	4	2	1	-	1	-	-	-	-	-
	F.	99	-	-	-	-	-	-	-	2	2	2	3	3	6	9	12	17	16	12	7	4	3	1	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	6	-	-	-	-	-	-	-	-	-	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	1	2	1	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F.	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	33	-	-	-	-	-	-	-	-	-	-	3	1	7	8	3	6	1	2	1	-	1	-	-	-	-	-
	White	28	-	-	-	-	-	-	-	-	-	-	1	1	7	5	3	6	1	2	1	-	1	-	-	-	-	-
	F.	4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	5,057	8	4	1	3	-	3	4	6	2	11	18	44	90	196	306	395	494	715	804	824	668	356	87	13	1	4
	White	2,437	7	2	-	2	-	2	1	3	2	5	8	20	37	84	145	211	237	351	387	397	322	167	41	4	1	1
	F.	2,444	1	2	1	1	-	1	3	3	-	6	9	16	32	90	140	162	237	347	393	415	341	188	44	9	-	3
	Nonwhite	74	-	-	-	-	-	-	-	-	-	-	1	1	8	11	10	10	8	6	14	1	2	1	1	-	-	-
	F.	102	-	-	-	-	-	-	-	-	-	-	-	7	13	11	11	12	12	11	10	11	3	-	1	-	-	-
90-95	Diseases of the heart	16,999	3	5	2	2	-	15	30	42	57	81	144	272	449	792	1,256	1,623	1,886	2,237	2,457	2,389	1,854	1,047	288	60	13	15
	White	9,966	-	3	-	2	-	5	13	16	23	29	73	137	264	537	856	1,127	1,244	1,352	1,370	1,301	952	499	125	23	5	10
	F.	6,270	3	1	2	-	-	9	15	20	29	39	50	94	110	181	298	409	558	809	1,005	1,047	868	528	154	32	4	5
	Nonwhite	394	-	1	-	-	-	1	2	5	2	4	5	15	39	42	53	57	40	43	27	23	20	9	3	1	2	-
	F.	369	-	-	-	-	-	-	-	1	3	9	16	26	36	32	49	30	44	33	35	18	14	11	6	4	2	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	913	-	-	-	1	-	10	19	27	29	30	38	41	66	65	75	66	79	86	76	94	59	41	6	4	1	-
	White	480	-	-	-	1	-	4	7	13	13	11	18	14	36	31	53	42	51	48	41	51	31	14	1	-	-	-
	F.	377	-	-	-	-	-	5	10	11	15	14	17	19	25	30	17	20	25	36	33	42	28	23	5	3	1	-
	Nonwhite	35	-	-	-	-	-	1	2	3	-	2	1	5	4	3	4	2	2	2	1	1	-	2	-	-	-	-
	F.	21	-	-	-	-	-	-	-	-	1	3	2	3	1	1	1	2	3	-	1	-	-	2	-	1	-	-
94	Diseases of coronary arteries, angina pectoris	5,733	1	-	-	-	-	-	1	2	2	20	36	104	186	388	619	747	799	870	795	629	356	135	29	9	-	5
	White	3,938	-	-	-	-	-	-	1	-	-	10	24	69	138	312	472	585	580	582	494	379	206	63	14	5	-	4
	F.	1,635	1	-	-	-	-	-	-	1	1	8	8	27	30	58	116	141	204	272	292	241	145	71	15	3	-	1
	Nonwhite	93	-	-	-	-	-	-	-	1	-	-	1	2	13	8	16	15	9	10	5	8	4	1	-	-	-	-
	F.	67	-	-	-	-	-	-	-	-	1	2	3	6	5	10	15	6	6	6	4	1	1	-	-	1	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	10,353	2	5	2	1	-	5	10	13	26	31	70	127	197	339	562	810	1,008	1,281	1,566	1,666	1439	871	253	47	12	10
	White	5,548	-	3	-	1	-	1	5	3	10	8	31	54	90	194	331	500	613	722	835	871	715	422	110	18	5	6
	F.	4,258	2	1	2	-	-	4	5	8	13	17	25	48	55	93	165	248	331	501	680	764	695	434	134	26	3	4
	Nonwhite	266	-	1	-	-	-	-	-	1	2	2	3	8	22	51	33	40	29	31	21	14	16	6	3	1	2	-
	F.	281	-	-	-	-	-	-	-	1	1	4	11	17	30	21	33	22	35	27	30	17	13	9	6	2	2	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	2,852	600	91	35	20	19	32	14	26	33	34	50	53	79	125	187	166	184	180	237	219	236	147	73	10	1	1
	White	1,565	310	43	14	13	8	15	6	12	15	19	21	27	45	77	136	109	124	107	138	117	114	61	28	5	-	1
	F.	1,061	248	40	19	6	7	16	7	10	15	7	14	11	15	24	32	37	43	66	93	101	119	83	43	5	-	-
	Nonwhite	157	29	7	-	1	3	1	-	1	1	5	9	13	12	20	10	14	10	7	5	1	3	2	2	-	1	-
	F.	69	13	1	2	-	1	-	1	3	2	3	6	2	7	4	9	6	7	-	1	-	-	1	-	-	-	-
107	Bronchopneumonia	1,093	313	48	18	9	7	12	4	9	9	7	16	11	11	32	54	45	47	66	83	78	106	71	28	7	1	1
	White	563	152	21	7	5	3	6	3	6	4	5	10	5	7	18	35	25	26	36	45	44	57	28	11	3	-	1
	F.	452	134	23	9	3	2	5	1	2	4	-	4	2	3	7	15	15	19	27	35	34	46	42	16	4	-	-
	Nonwhite	56	19	3	-	1	2	1	-	1	-	1	1	3	1	5	3	4	-	3	2	-	3	1	1	-	1	-
	F.	22	8	1	2	-	-	-	-	-	1	1	1	1	-	2	1	1	2	-	1	-	-	-	-	-	-	-
108	Lobar pneumonia	1,024	94	15	2	5	10	10	5	11	15	15	28	26	49	79	95	91	103	77	92	81	69	32	18	2	-	-
	White	610	50	9	-	3	5	4	1	4	8	7	8	10	25	51	72	66	75	51	64	44	28	17	7	1	-	-
	F.	301	37	5	2	2	3	6	3	6	6	3	9	6	9	12	11	12	16	22	27	37	41	14	11	1	-	-
	Nonwhite	83	5	1	-	-	1	-	-	-	-	3	8	10	10	14	7	9	9	4	1	-	-	1	-	-	-	-
	F.	30	2	-	-	-	1	-	1	1	1	2	3	-	5	2	5	4	3	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	368	144	14	5	3	1	3	2	4	7	3	4	6	11	10	18	14	15	20	22	23	21	13	6	1	-	-
	White	208	78	7	3	3	-	1	1	1	1	3	2	4	8	6	15	10	12	11	10	13	10	6	2	1	-	-
	F.	141	59	6	2	-	1	2	1	2	5	-	1	1	2	3	1	4	2	9	10	9	11	7	3	-	-	-
	Nonwhite	12	4	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	2	1	-	-	1	-	-	-
	F.	7	3	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	367	49	14	10	3	1	7	3	2	2	9	2	10	8	4	22	16	19	17	40	37	40	31	21	-	-	-
	White	184	30	6	4	2	-	4	1	1	2	4	1	8	5	2	14	8	11	9	19	16	19	10	8	-	-	-
	F.	167	18	6	6	1	1	3	2	-	-	4	-	2	1	2	5	6	6	8	21	21	21	20	13	-	-	-
	Nonwhite	6	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	10	-	-	-	-	-	-	-	1	-	-	1	-	1	-	3	1	2	-	-	-	-	1	-	-	-	-
117	Ulcer of stomach or duodenum	336	1	1	-	-	-	-	1	2	1	6	11	18	20	47	49	43	40	34	21	17	17	4	1	1	-	1
	White	272	-	1	-	-	-	-	-	1	-	4	9	17	18	41	42	39	31	27	16	14	10	2	-	-	-	-
	F.	46	1	-	-	-	-	-	1	-	1	2	-	-	-	3	4	4	6	5	4	3	7	2	1	1	-	1
	Nonwhite	14	-	-	-	-	-	-	-	1	-	-	2	1	2	1	2	-	2	2	1	-	-	-	-	-	-	-	-
	F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	384	283	19	3	2	-	3	3	2	4	3	4	2	4	6	3	7	9	5	4	7	5	4	2	-	-	-
	White	186	139	7	1	1	-	1	1	2	3	2	1	1	1	4	2	3	5	3	3	2	1	3	-	-	-	-
	F.	163	116	12	2	1	-	1	1	-	1	1	3	1	2	1	1	2	4	1	1	5	4	1	2	-	-	-
	Nonwhite	22	19	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F.	13	9	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
121	Appendicitis	294	-	2	9	4	4	21	16	9	17	13	16	17	27	24	26	27	15	19	17	10	1	-	-	-	-	-
	White	168	-	2	8	3	4	12	9	4	5	5	8	12	18	13	15	18	7	10	7	8	-	-	-	-	-	-
	F.	89	-	-	1	1	-	8	5	5	3	5	3	4	5	7	8	6	7	9	9	2	1	-	-	-	-	-
	Nonwhite	18	-	-	-	-	-	1	-	-	4	-	3	1	-	3	2	2	1	-	1	-	-	-	-	-	-	-
	F.	19	-	-	-	-	-	-	2	-	5	3	2	-	4	1	1	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	475	22	7	1	2	2	4	3	4	5	12	15	15	18	27	27	42	57	48	56	40	37	23	4	3	-	1
	White	265	16	6	1	-	2	2	1	3	-	5	4	3	7	13	14	15	38	32	33	24	24	15	3	3	-	1
	F.	181	5	1	-	1	-	2	2	1	4	5	4	8	8	12	12	23	19	15	21	16	13	8	1	-	-	-
	Nonwhite	16	1	-	-	-	-	-	-	-	-	2	4	2	-	1	-	3	-	1	2	-	-	-	-	-	-	-
	F.	13	-	-	-	1	-	-	-	-	1	-	3	2	3	1	1	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	457	-	-	1	-	1	-	-	1	4	8	10	13	39	51	48	74	45	50	50	34	20	4	4	-	-	-
	White	270	-	-	1	-	1	-	-	-	1	1	6	7	24	32	34	49	29	31	26	12	12	2	2	-	-	-
	F.	170	-	-	-	-	-	-	-	1	2	5	4	6	12	17	11	22	15	18	24	21	8	2	2	-	-	-
	Nonwhite	13	-	-	-	-	-	-	-	-	-	2	-	-	2	2	3	2	1	1	-	-	-	-	-	-	-	-
	F.	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	293	1	-	-	-	-	-	-	-	2	2	6	12	13	33	38	41	32	35	30	25	20	2	1	-	-	-
	White	95	1	-	-	-	-	-	-	-	-	-	1	-	7	6	12	13	14	14	10	7	9	1	-	-	-	-
	F.	195	-	-	-	-	-	-	-	-	2	2	5	12	6	26	25	27	18	21	20	18	11	1	1	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	2,709	7	1	-	7	-	6	12	21	18	25	39	68	72	143	195	237	249	305	353	364	327	182	60	14	2	2
	White	1,380	1	1	-	4	-	5	4	10	9	11	14	24	30	56	106	117	151	167	184	192	166	87	36	4	-	1
	F.	1,162	4	-	-	3	-	1	6	9	9	13	15	30	25	70	71	91	79	133	160	160	158	93	23	9	2	-
	Nonwhite	67	1	-	-	-	-	-	1	-	-	1	3	5	8	6	5	14	7	3	4	4	2	1	1	-	-	1
	F.	100	1	-	-	-	-	-	1	2	-	-	7	9	9	11	13	15	12	2	5	8	3	1	-	1	-	-
137	Diseases of the prostate	240	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	10	14	32	43	59	50	18	3	-	-	-
	White	231	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	14	31	48	59	49	17	3	-	-	-
	Nonwhite	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	1	-	-	1	1	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Con.																										
140-150	Diseases of pregnancy, etc.*...	193	-	-	-	-	-	-	-	17	37	48	55	26	9	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	163	-	-	-	-	-	-	-	7	33	43	48	23	8	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	30	-	-	-	-	-	-	-	10	4	5	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	68	-	-	-	-	-	-	-	6	13	16	23	6	4	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	59	-	-	-	-	-	-	-	3	12	15	20	5	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	9	-	-	-	-	-	-	-	3	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	39	-	-	-	-	-	-	-	4	6	11	12	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	29	-	-	-	-	-	-	-	-	4	10	10	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	10	-	-	-	-	-	-	-	4	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	74	-	-	-	-	-	-	-	4	17	17	19	13	4	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	65	-	-	-	-	-	-	-	2	16	15	17	12	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	9	-	-	-	-	-	-	-	2	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	12	-	-	-	-	-	-	-	3	1	4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	10	-	-	-	-	-	-	-	2	1	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	905	768	31	15	11	7	20	16	13	8	3	3	-	2	2	1	2	1	1	-	-	-	-	-	-	1
	White.....M..	460	387	15	9	7	3	10	10	6	4	2	2	-	1	1	-	2	-	-	-	-	-	-	-	-	1
	F..	404	345	14	6	4	4	9	6	7	4	1	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	17	14	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	24	22	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	1,438	1,438	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	748	748	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	572	572	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	56	56	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	62	62	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	522	-	-	-	-	-	3	13	19	30	49	43	60	61	61	46	37	37	24	23	10	3	2	-	-	1
	White.....M..	382	-	-	-	-	-	3	8	6	14	33	33	46	39	54	40	29	27	16	19	9	3	2	-	-	1
	F..	128	-	-	-	-	-	-	5	11	15	14	10	11	22	4	6	8	9	8	4	1	-	-	-	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	1	1	2	-	3	-	3	-	-	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	177	4	-	-	-	-	3	2	11	21	22	16	21	19	15	13	11	5	7	1	4	1	-	-	-	1
	White.....M..	63	3	-	-	-	-	-	-	2	5	3	7	5	5	9	7	8	1	3	1	3	1	-	-	-	-
	F..	26	1	-	-	-	-	3	1	1	2	-	4	3	3	1	1	1	3	1	-	1	-	-	-	-	-
	Nonwhite..M..	62	-	-	-	-	-	-	-	4	10	12	4	8	8	5	4	2	1	3	-	-	-	-	-	-	1
	F..	26	-	-	-	-	-	-	1	4	4	7	1	5	3	-	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	3,393	110	89	54	49	40	151	146	222	172	153	137	157	174	177	164	186	204	181	201	213	209	127	53	10	2	12
	White.....M..	2,251	63	52	31	29	31	102	117	178	114	116	105	114	132	131	128	149	150	138	107	106	82	45	20	2	2	7
	F..	989	40	33	21	18	8	37	19	37	50	25	18	31	33	33	26	27	49	41	92	102	125	82	33	8	-	1
	Nonwhite..M..	105	1	1	1	2	1	8	10	7	4	7	9	8	8	13	9	7	3	1	1	2	-	-	-	-	-	2
	F..	48	6	3	1	-	-	4	-	-	4	5	5	4	1	-	1	3	2	1	1	3	2	-	-	-	-	2
170	Motor-vehicle accidents.....	1,087	4	15	10	14	13	57	41	105	76	70	55	64	79	74	77	75	81	59	57	40	11	6	2	-	-	2
	White.....M..	802	2	6	5	8	10	37	34	83	40	51	40	48	56	51	65	62	65	52	40	32	9	5	2	-	-	1
	F..	239	2	8	5	5	2	20	5	20	34	15	7	14	21	17	9	9	14	7	18	5	2	1	-	-	-	1
	Nonwhite..M..	32	-	1	-	1	1	-	2	2	-	-	4	2	2	6	4	3	1	-	1	2	-	-	-	-	-	-
	F..	14	-	-	-	-	-	-	-	-	2	4	4	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-
169, 171-195	Other accidents..	2,306	106	74	44	35	27	94	105	117	96	83	82	93	95	103	87	111	123	122	144	173	198	121	51	10	2	10
	White.....M..	1,449	61	46	26	21	21	65	83	95	74	65	65	66	76	80	65	87	85	86	67	74	73	40	18	2	2	6
	F..	750	38	25	16	13	6	17	14	17	16	10	11	17	12	16	17	18	35	34	76	97	123	81	33	8	-	-
	Nonwhite..M..	73	1	-	1	1	-	8	8	5	4	7	5	6	6	7	5	4	2	1	-	-	-	-	-	-	-	2
	F..	34	6	3	1	-	-	4	-	-	2	1	1	4	1	-	-	2	1	1	1	2	2	-	-	-	-	2
162,199, 200	Senility, ill-defined and unknown causes...	924	29	3	3	-	1	4	1	4	4	7	8	19	15	29	42	48	61	78	85	112	145	136	62	22	5	1
	White.....M..	489	22	2	2	-	-	4	1	3	1	4	4	12	11	19	20	30	37	46	44	58	72	61	26	8	2	-
	F..	413	7	1	1	-	1	-	-	1	5	3	3	5	4	7	19	16	20	30	41	55	72	75	35	13	2	1
	Nonwhite..M..	15	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	1	3	1	-	1	1	-	1	-	1	-
	F..	7	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	1	-	-	-	-	-	1	-	-
	All other causes.	5,419	960	77	50	32	20	91	73	82	97	113	163	175	227	230	293	309	343	347	411	451	432	288	113	35	3	4
	White.....M..	2,697	529	39	25	18	7	39	35	36	36	40	62	63	101	109	154	173	211	183	212	226	205	128	48	14	2	2
	F..	2,369	362	32	23	9	11	43	35	36	56	55	78	82	92	100	111	123	112	145	193	211	218	157	61	21	1	2
	Nonwhite..M..	172	36	3	1	2	2	7	1	4	2	4	9	8	14	12	15	7	16	10	3	8	5	2	1	-	-	-
	F..	181	33	3	1	3	-	2	2	6	3	14	14	22	20	9	13	6	4	9	3	6	4	1	3	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 23.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA																										
	All causes	26,453	1,706	171	85	56	39	195	189	260	286	287	372	512	729	980	1,479	1,917	2,300	2,688	3,223	3,451	3,021	1,748	565	127	13	4
	White	15,041	1,001	81	39	25	21	108	119	170	155	147	190	292	408	552	915	1,168	1,404	1,601	1,871	1,939	1,605	896	273	52	5	4
	M	11,062	715	74	39	29	17	78	67	75	117	127	172	212	306	414	545	721	876	1,066	1,321	1,484	1,396	841	287	75	8	-
	F	202	26	8	5	1	1	4	2	4	6	6	6	3	12	8	11	16	17	11	22	13	14	4	2	-	-	-
	Nonwhite	148	14	8	2	1	-	5	1	11	8	7	4	5	3	6	8	12	3	10	9	15	6	7	3	-	-	-
	M																											
	F																											
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	42	6	2	3	1	1	5	2	3	-	1	4	3	3	1	3	2	1	1	-	-	-	-	-	-	-	-
	White	24	5	1	2	1	-	2	1	3	-	-	2	1	2	1	3	-	-	1	-	-	-	-	-	-	-	-
	M	18	1	1	1	-	1	3	1	-	-	1	2	2	1	-	-	2	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	18	1	2	-	-	1	5	2	2	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	8	-	2	-	-	-	1	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	M	10	1	-	-	-	1	4	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	19	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	17	2	1	2	2	-	2	1	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White	8	1	-	1	1	-	1	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	M	7	-	-	1	1	-	1	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	693	5	7	4	-	2	5	5	29	41	50	54	50	63	55	67	70	55	43	41	25	15	5	2	-	-	-
	White	396	3	3	1	-	1	-	2	7	15	22	21	28	31	38	46	51	39	30	26	16	12	4	2	-	-	-
	M	245	-	2	1	-	1	2	1	15	21	21	29	22	30	17	20	15	15	10	13	8	3	1	-	-	-	-
	F	26	1	2	2	-	-	1	1	1	3	4	3	-	1	-	-	3	1	2	-	1	-	-	-	-	-	-
	Nonwhite	26	1	-	-	-	-	2	1	8	4	4	1	-	1	-	-	1	-	1	2	-	-	-	-	-	-	-
	M																											
	F																											
13	Tuberculosis of respiratory system, etc.*	623	2	5	3	-	-	4	1	27	37	45	47	46	56	50	61	65	54	42	35	23	14	4	2	-	-	-
	White	360	1	2	1	-	-	-	-	7	12	18	18	26	25	37	43	48	39	29	23	15	11	3	2	-	-	-
	M	215	-	1	1	-	-	1	1	11	18	20	25	20	29	13	17	13	14	10	10	7	3	1	-	-	-	-
	F	23	-	2	1	-	-	1	-	1	3	4	3	-	1	-	-	3	1	2	-	1	-	-	-	-	-	-
	Nonwhite	25	1	-	-	-	-	2	-	8	4	3	1	-	1	-	1	1	-	1	2	-	-	-	-	-	-	-
	M																											
	F																											
14-22	Tuberculosis (other forms)	70	3	2	1	-	2	1	4	2	4	5	7	4	7	5	6	5	1	1	6	2	1	1	-	-	-	-
	White	38	2	1	-	-	1	-	2	-	1	4	3	2	6	1	3	3	-	1	3	1	1	1	-	-	-	-
	M	30	-	1	-	-	1	1	-	2	3	1	4	2	1	4	3	2	1	-	3	1	-	-	-	-	-	-
	F	3	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
27	Dysentery	4	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
28	Malaria	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	143	1	-	-	-	-	-	-	-	1	2	3	4	10	15	17	23	24	15	14	9	5	-	-	-	-	-
	White	103	1	-	-	-	-	-	-	-	1	1	2	2	6	10	13	20	19	11	6	9	2	-	-	-	-	-
	M	29	-	-	-	-	-	-	-	-	-	-	1	2	3	4	4	3	4	3	3	-	2	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	4	-	1	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	M																											
	F																											
35	Measles	82	14	11	6	2	5	15	3	3	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White	33	8	6	3	-	3	9	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	M	25	4	5	2	2	2	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
36	Poliomyelitis, polioencephalitis (acute)	37	-	1	-	-	-	4	3	6	1	3	9	1	3	1	4	1	-	-	-	-	-	-	-	-	-	-
	White	21	-	-	-	-	-	3	1	4	-	-	6	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-
	M	15	-	-	-	-	-	1	2	2	1	3	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Totals deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Con.																										
45-55	Cancer and other malignant tumors	3,755	2	1	5	3	1	7	12	14	16	19	37	78	134	187	286	434	456	503	517	514	347	150	28	4	-	-
	White..M..	1,926	1	1	3	2	1	5	6	7	10	5	9	32	40	63	123	210	239	281	294	294	208	79	14	1	-	-
	F..	1,801	1	-	2	1	-	4	5	7	6	14	28	46	93	119	162	221	214	219	217	218	137	70	14	3	-	-
	Nonwhite..M..	19	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	2	2	2	3	2	2	1	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	3	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,890	2	-	-	1	1	1	2	2	1	3	9	21	39	64	113	206	243	279	292	303	201	91	16	-	-	-
	White..M..	1,107	1	-	-	1	1	1	1	2	-	-	3	13	14	35	67	125	146	176	180	167	124	42	8	-	-	-
	F..	774	1	-	-	-	-	-	1	-	1	3	6	8	25	29	46	80	97	100	109	135	77	48	8	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	373	-	-	-	-	-	-	-	1	1	4	10	17	19	42	50	54	44	37	40	27	22	4	1	-	-	-
	White..F..	370	-	-	-	-	-	-	-	1	1	4	10	17	19	41	50	53	43	37	40	27	22	4	1	-	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
50	Cancer of breast	352	-	-	-	-	-	-	-	-	-	-	5	11	33	41	40	52	42	42	33	27	18	7	1	-	-	-
	White..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F..	348	-	-	-	-	-	-	-	-	-	-	5	11	32	40	40	51	42	42	33	26	18	7	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,140	-	1	5	2	-	6	10	11	14	12	13	28	43	40	83	122	127	145	152	157	106	48	10	4	-	-
	White..M..	817	-	1	3	1	-	2	5	5	10	5	6	19	26	28	56	84	93	105	114	126	84	37	6	1	-	-
	F..	309	-	-	2	1	-	4	4	6	4	7	7	10	17	9	26	37	32	40	35	30	20	11	4	3	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	1	2	-	2	1	2	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	28	-	-	-	-	2	5	1	3	2	4	3	2	2	-	2	-	1	-	-	1	-	-	-	-	-	-
	White..M..	12	-	-	-	-	1	-	-	2	2	1	2	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
	F..	16	-	-	-	-	1	5	1	1	-	3	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	729	1	1	2	-	-	4	3	3	10	4	9	10	7	22	31	77	91	108	140	107	73	23	3	-	-	-
	White..M..	282	1	1	-	-	-	-	1	1	3	1	4	7	2	12	16	28	33	44	52	40	24	11	1	-	-	-
	F..	438	-	-	2	-	-	4	2	2	7	3	4	3	5	9	14	48	57	63	87	66	48	12	2	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	-	1	-	-	-	-	-	-
63b	Exopthalmic goiter	66	-	-	-	-	-	-	-	-	-	1	2	3	3	3	5	4	10	16	10	5	3	-	1	-	-	-
	White..M..	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	2	-	-	-	-	-	-	-	-
	F..	57	-	-	-	-	-	-	-	-	-	-	2	2	3	3	2	4	10	14	8	5	3	-	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	26	-	-	-	-	-	-	-	-	-	-	3	5	1	6	4	3	2	1	1	-	-	-	-	-	-	-
	White..M..	23	-	-	-	-	-	-	-	-	-	-	2	3	1	6	4	3	2	1	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,779	10	1	1	-	-	3	2	1	3	2	7	17	30	74	120	149	266	318	460	510	471	236	86	11	1	-
	White..M..	1,376	3	1	-	-	-	2	1	1	2	1	1	13	11	26	59	59	150	170	254	268	223	102	45	3	1	-
	F..	1,387	7	-	1	-	-	1	1	-	1	1	6	3	18	48	61	87	116	148	224	239	244	134	39	8	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-
	F..	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	1	2	2	-	2	-	-	-
90-95	Diseases of the heart	8,071	1	3	2	1	1	5	11	11	20	21	41	78	156	252	477	620	810	1,017	1,215	1302	1,161	639	178	44	5	-
	White..M..	4,884	-	2	-	-	-	2	6	7	11	13	25	56	105	170	339	452	534	651	742	732	623	331	82	19	2	-
	F..	3,118	1	1	2	1	1	3	5	4	9	8	15	21	51	79	129	164	267	379	466	559	530	301	94	25	3	-
	Nonwhite..M..	37	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	8	4	5	2	5	3	1	-	-	-
	F..	32	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	1	1	3	2	9	5	4	1	-	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	528	-	1	1	1	-	4	7	6	11	7	13	22	28	36	40	43	41	59	59	52	63	23	6	5	-	-
	White..M..	252	-	-	-	-	-	1	3	4	4	5	8	12	14	14	21	21	22	31	29	27	27	7	2	-	-	-
	F..	269	-	1	1	1	-	3	4	2	7	2	4	10	14	22	19	22	17	28	27	24	36	16	4	5	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	3,390	1	-	-	-	-	-	-	-	1	4	12	32	72	142	259	342	430	499	498	498	498	368	173	41	16	2	-
	White..M..	2,368	-	-	-	-	-	-	-	-	-	3	10	28	61	117	204	276	330	334	347	317	216	92	25	8	-	-
	F..	999	1	-	-	-	-	-	-	-	1	1	2	3	11	24	52	65	95	162	149	179	148	80	16	8	2	-
	Nonwhite..M..	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	1	1	1	3	1	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	1	1	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	4,153	-	2	1	-	1	1	4	5	8	10	16	24	56	74	178	235	339	459	658	752	730	443	131	23	3	-
	White..M..	2,264	-	2	-	-	-	1	3	3	7	5	7	16	30	39	114	155	182	266	366	388	380	232	55	11	2	-
	F..	1,850	-	-	1	-	1	-	1	2	1	5	9	8	26	33	58	77	155	189	290	356	346	205	74	12	1	-
	Nonwhite..M..	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	3	2	-	2	2	1	-	-	-
	F..	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	8	2	4	1	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated.
	MINNESOTA—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	1,694	229	56	6	4	4	16	9	15	13	15	25	23	40	48	59	61	94	133	169	229	213	171	67	14	1	-
	White.....M.	988	127	14	5	1	3	9	5	11	6	4	17	13	26	32	43	35	69	80	101	142	111	93	37	4	-	-
	F.	660	89	16	1	2	-	6	4	4	7	11	8	9	12	13	16	20	23	52	66	83	99	78	30	10	1	-
	Nonwhite..M.	30	8	2	-	1	1	-	-	-	-	-	-	-	2	2	-	5	2	-	2	3	2	-	-	-	-	-
	F	16	5	4	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	1	-	1	1	-	-	-	-	-
107	Bronchopneumonia	808	134	18	1	-	1	5	5	8	5	5	8	4	12	7	13	19	35	51	98	108	119	102	40	10	-	-
	White.....M.	449	76	5	-	-	1	3	3	7	3	-	5	1	7	2	9	10	25	27	55	84	61	59	23	3	-	-
	F.	338	53	11	1	-	-	2	2	1	2	5	3	3	3	4	4	6	10	24	41	40	56	43	17	-	-	-
	Nonwhite..M.	13	2	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	2	3	1	-	-	-	-	-
	F.	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
108	Lobar pneumonia	489	48	2	3	-	2	5	3	4	5	7	11	10	19	23	33	28	44	50	41	62	46	31	10	1	1	-
	White.....M.	298	22	1	3	-	1	3	1	3	2	3	10	5	13	17	24	18	33	32	27	40	22	15	5	1	-	-
	F.	175	21	-	-	-	-	2	2	1	3	4	1	4	6	4	9	11	9	17	14	22	23	16	5	-	1	-
	Nonwhite..M.	12	5	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	1	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	103	18	2	-	-	-	1	-	-	-	2	-	2	5	3	5	4	-	5	8	17	13	13	2	3	-	-
	White.....M.	66	12	2	-	-	-	-	-	-	-	-	-	1	3	3	5	3	-	3	6	11	9	8	-	-	-	-
	F.	33	4	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	2	2	6	4	5	2	3	-	-
	Nonwhite..M.	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	294	29	14	2	4	1	5	1	3	3	1	6	7	4	15	8	10	15	27	22	42	35	25	15	-	-	-
	White.....M.	174	17	6	2	1	1	3	1	1	1	1	2	6	3	10	5	6	11	18	13	27	19	11	9	-	-	-
	F.	114	11	5	-	2	-	2	-	2	2	-	4	1	1	5	3	3	4	9	9	15	16	14	6	-	-	-
	Nonwhite..M.	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	190	-	-	-	-	-	-	-	1	1	3	4	6	12	13	19	20	24	20	27	22	11	6	-	1	-	-
	White.....M.	145	-	-	-	-	-	-	-	1	1	3	3	4	10	10	14	18	21	14	19	15	7	4	-	1	-	-
	F.	41	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	2	3	6	7	6	4	2	-	-	-	-
	Nonwhite..M.	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	123	80	6	-	1	-	2	-	3	4	1	3	3	-	1	2	-	4	3	1	3	1	4	1	-	-	-
	White.....M.	72	45	4	-	-	-	1	-	2	2	-	2	1	-	1	2	-	4	2	1	-	1	3	1	-	-	-
	F.	44	29	2	-	-	-	1	-	1	2	1	1	2	-	-	-	-	-	1	-	3	-	1	-	-	-	-
	Nonwhite..M.	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	139	1	2	-	2	3	4	14	5	11	2	6	7	8	13	9	17	10	8	9	3	3	2	-	-	-	-
	White.....M.	83	-	1	-	2	1	3	7	3	5	-	4	4	4	8	6	13	8	3	6	2	3	-	-	-	-	-
	F.	53	1	1	-	-	2	1	7	2	6	2	2	3	3	5	3	3	2	4	3	1	-	2	-	-	-	-
	Nonwhite..M.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	239	11	5	-	1	-	2	1	1	4	3	2	6	7	9	15	20	34	28	24	30	24	10	-	1	1	-
	White.....M.	137	9	1	-	-	-	2	1	-	1	2	-	2	4	5	7	10	22	17	17	17	12	6	-	1	1	-
	F.	100	2	3	-	1	-	-	-	1	3	1	2	4	3	4	7	10	12	11	7	13	12	4	-	-	-	-
	Nonwhite..M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	165	-	-	-	-	-	-	1	2	1	4	2	4	11	12	22	20	22	13	19	15	11	4	2	-	-	-
	White.....M.	98	-	-	-	-	-	-	-	-	-	1	1	3	10	5	15	13	12	7	10	10	7	2	2	-	-	-
	F.	66	-	-	-	-	-	-	1	2	1	3	1	1	1	7	6	7	10	6	9	5	4	2	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	191	-	-	-	-	-	-	-	-	1	1	2	5	8	10	18	22	37	21	25	19	12	6	3	1	-	-
	White.....M.	68	-	-	-	-	-	-	-	-	-	-	-	2	6	3	7	3	9	5	14	9	6	2	2	-	-	-
	F.	121	-	-	-	-	-	-	-	-	1	1	2	3	2	7	11	18	28	15	11	10	6	4	1	1	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	968	1	-	-	-	1	3	5	7	14	18	11	19	27	63	52	73	70	84	106	147	153	88	18	8	-	-
	White.....M.	542	-	-	-	-	1	3	4	3	6	14	4	6	16	38	25	49	46	46	54	84	79	51	10	3	-	-
	F.	413	1	-	-	-	-	-	1	3	7	4	7	10	11	24	26	20	23	38	52	62	74	37	8	5	-	-
	Nonwhite..M.	9	-	-	-	-	-	-	-	1	1	-	-	2	-	1	1	1	1	-	-	1	-	-	-	-	-	-
	F.	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	5	21	44	52	32	33	4	2	-	-
	White.....M.	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	5	21	44	52	32	33	4	2	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Con.																										
140-150	Diseases of pregnancy, etc.*...	77	-	-	-	-	-	-	-	3	15	13	14	24	8	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	72	-	-	-	-	-	-	-	3	12	12	14	23	8	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	5	-	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	21	-	-	-	-	-	-	-	-	4	5	3	5	4	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	20	-	-	-	-	-	-	-	-	3	5	3	5	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	20	-	-	-	-	-	-	-	1	6	3	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	17	-	-	-	-	-	-	-	1	4	2	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	30	-	-	-	-	-	-	-	2	5	5	5	10	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	29	-	-	-	-	-	-	-	2	5	5	5	9	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	6	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	6	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	352	295	16	5	3	2	7	2	3	5	1	2	5	-	2	-	-	2	2	-	-	-	-	-	-	-
	White.....M..	181	152	6	3	1	1	4	1	2	2	1	2	3	-	1	-	-	1	1	-	-	-	-	-	-	-
	F..	168	141	9	2	2	1	3	1	1	3	-	-	2	-	1	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	593	593	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	352	352	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	237	237	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	273	-	-	-	-	-	2	6	5	9	17	15	29	34	36	31	26	24	15	13	5	6	-	-	-	-
	White.....M..	204	-	-	-	-	-	2	4	3	7	13	9	21	22	27	21	21	21	12	11	5	5	-	-	-	-
	F..	66	-	-	-	-	-	-	1	2	2	3	6	8	12	9	10	5	3	3	2	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
165-168	Homicide.....	36	2	-	-	-	-	-	1	1	1	4	2	6	4	3	1	4	3	2	1	-	1	-	-	-	-
	White.....M..	26	2	-	-	-	-	-	1	1	-	3	1	4	3	3	-	4	1	2	1	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	2	-	-	-	1	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,764	38	41	23	22	12	65	77	104	80	65	64	68	78	60	99	102	97	91	123	145	145	91	57	12	1	4
	White.....M..	1,164	18	17	11	13	7	46	62	88	63	49	50	58	65	51	78	80	74	70	75	73	61	36	12	3	-	4
	F..	576	18	23	11	9	6	16	15	15	15	14	14	10	8	9	18	22	23	20	46	72	84	54	45	9	1	-
	Nonwhite..M..	19	1	-	-	-	-	2	-	1	2	2	-	-	5	-	3	-	-	1	2	-	-	-	-	-	-	-
	F..	5	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
170	Motor-vehicle accidents.....	392	-	3	9	7	4	20	14	43	28	30	27	25	28	22	25	22	28	21	16	13	7	2	-	-	-	-
	White.....M..	300	-	2	4	5	2	14	12	37	20	22	20	23	22	18	19	16	24	18	8	7	5	2	-	-	-	-
	F..	88	-	1	5	2	2	5	2	6	7	8	7	2	3	4	6	6	4	3	7	6	2	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,372	38	38	14	15	8	45	63	61	52	35	37	43	52	38	74	80	69	70	107	132	138	89	57	12	1	4
	White.....M..	864	18	15	7	8	5	32	50	51	43	27	30	35	43	33	59	64	50	52	67	68	56	34	12	3	-	4
	F..	488	18	22	6	7	3	11	13	9	8	6	7	8	5	5	12	16	19	17	39	66	82	54	45	9	1	-
	Nonwhite..M..	15	1	-	-	-	-	1	-	1	1	2	-	-	4	-	3	-	-	1	1	-	-	-	-	-	-	-
	F..	5	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	260	20	2	2	1	-	-	1	1	1	1	1	1	3	3	7	8	11	16	14	21	43	56	35	9	3	-
	White.....M..	138	9	1	-	-	-	-	1	-	1	-	1	-	3	-	5	7	8	11	10	9	19	24	23	5	1	-
	F..	109	7	-	-	1	-	-	-	-	-	1	-	1	-	3	2	1	3	4	4	9	24	31	12	4	2	-
	Nonwhite..M..	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F..	7	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	All other causes.	2,699	425	31	24	13	4	35	31	30	32	40	42	68	82	91	124	149	145	197	247	279	291	218	80	20	1	-
	White.....M..	1,528	254	20	10	4	2	16	15	19	20	19	18	39	40	44	77	85	85	129	150	155	169	110	38	10	-	-
	F..	1,151	169	9	13	9	2	17	16	10	12	21	23	29	41	47	47	63	57	68	94	123	121	108	41	10	1	-
	Nonwhite..M..	16	1	2	1	-	-	1	-	1	-	-	1	-	1	-	-	1	2	-	3	-	1	-	1	-	-	-
	F..	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI																										
	All causes	20,666	2513	299	157	86	89	234	241	461	580	535	678	785	891	1028	1,247	1,412	1,623	1,936	1,972	1,567	1054	729	344	113	84	8
	White	5,366	571	48	32	22	18	55	66	110	147	108	146	152	160	258	305	386	454	583	637	489	325	215	64	11	2	2
	M.	3,870	424	37	26	9	15	40	33	58	62	69	104	96	106	120	149	208	278	417	494	428	321	249	94	28	7	-
	F.	5,848	799	114	57	33	30	67	70	144	164	157	178	237	272	311	415	436	470	535	466	384	210	139	100	36	23	1
	Nonwhite	5,582	719	100	42	22	26	72	72	149	207	201	250	300	353	339	378	382	421	401	375	266	198	126	86	40	52	5
1,2	Typhoid and paratyphoid fever	14	-	-	-	-	2	1	3	1	-	1	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	White	3	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	7	-	-	-	-	2	-	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
6	Cerebrospinal (meningococcus) meningitis	25	2	3	-	1	1	3	1	2	4	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White	6	-	-	-	1	-	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	M.	4	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	7	-	2	-	-	1	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	6	1	-	-	-	-	-	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
8	Scarlet fever	4	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
9	Whooping cough	94	58	25	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	11	7	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	10	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	32	21	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	41	21	17	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
10	Diphtheria	34	3	8	9	4	4	6	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	7	1	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	10	-	1	3	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	8	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	9	-	2	3	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
13-22	Tuberculosis (all forms)	831	3	5	1	3	1	4	10	56	122	108	85	87	87	68	54	25	38	27	28	15	2	2	-	-	-	-
	White	156	-	2	-	-	-	1	-	2	5	4	14	14	21	25	22	11	15	7	8	3	2	-	-	-	-	-
	M.	90	-	1	1	-	-	1	-	2	13	7	9	7	7	5	2	4	9	5	11	5	-	1	-	-	-	-
	F.	281	2	2	-	1	-	-	3	19	40	37	24	36	36	20	21	8	9	12	5	6	-	-	-	-	-	-
	Nonwhite	304	1	-	-	2	1	2	7	33	64	60	38	30	23	18	9	2	5	3	4	1	-	1	-	-	-	-
	M.																											
	F.																											
15	Tuberculosis of respiratory system, etc.*	790	2	1	1	1	-	1	8	53	116	108	82	80	83	67	54	25	35	27	28	14	2	2	-	-	-	-
	White	152	-	-	-	-	-	-	2	5	4	14	14	21	25	22	11	14	7	8	3	2	-	-	-	-	-	-
	M.	81	-	-	1	-	-	-	1	12	7	9	6	5	5	2	4	7	5	11	5	-	1	-	-	-	-	-
	F.	263	1	1	-	-	-	-	1	17	36	37	23	31	35	20	21	8	9	12	5	6	-	-	-	-	-	-
	Nonwhite	294	1	-	-	1	-	1	7	33	63	60	36	29	22	17	9	2	5	3	4	-	-	1	-	-	-	-
	M.																											
	F.																											
14-22	Tuberculosis (other forms)	41	1	4	-	2	1	3	2	3	6	-	3	7	4	1	-	-	3	-	-	1	-	-	-	-	-	-
	White	14	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	M.	9	-	1	-	-	-	1	-	1	1	-	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-
	F.	18	1	1	-	1	-	1	-	2	4	-	1	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	10	-	-	-	1	1	1	-	-	1	-	2	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	M.																											
	F.																											
27	Dysentery	76	36	13	3	1	-	-	-	1	-	1	-	2	1	2	-	2	2	1	1	2	1	6	-	-	1	-
	White	8	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	M.	14	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-
	F.	37	18	9	2	-	-	-	-	-	-	1	-	1	-	1	-	1	1	1	1	-	-	-	-	-	1	-
	Nonwhite	17	9	2	1	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
28	Malaria	63	4	4	1	1	1	6	3	2	1	3	3	3	2	3	5	5	5	5	-	2	3	1	-	-	-	-
	White	6	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-
	M.	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	1	-	-	-	-
	F.	27	2	2	1	-	1	3	1	-	-	2	2	2	1	1	2	1	4	1	-	-	1	-	-	-	-	-
	Nonwhite	25	-	1	-	1	-	2	2	2	1	1	1	1	1	1	1	4	-	2	-	1	1	-	-	-	-	-
	M.																											
	F.																											
30	Syphilis	319	39	-	1	-	-	-	4	7	9	10	23	30	48	36	29	25	17	23	9	6	2	1	-	-	-	-
	White	40	3	-	-	-	-	-	-	-	-	-	2	4	3	5	5	7	3	6	-	1	1	-	-	-	-	-
	M.	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	2	1	-	-	-	-	-	-
	F.	172	20	-	-	-	-	-	3	3	4	5	9	14	28	22	20	12	13	14	3	2	-	-	-	-	-	-
	Nonwhite	101	16	-	1	-	-	-	1	4	5	5	11	12	16	8	4	6	1	3	4	2	1	1	-	-	-	-
	M.																											
	F.																											
35	Measles	24	5	5	1	1	-	3	2	3	-	-	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	White	10	1	2	1	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	M.	6	1	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	5	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
36	Poliomyelitis, polioencephalitis (acute)	8	1	1	1	-	-	2	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	3	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Con.																										
45-55	Cancer and other malignant tumors.....	1,614	3	1	2	2	-	3	12	7	11	22	45	70	94	112	164	204	183	224	201	124	79	37	10	1	-	3
	White.....M..	434	1	1	-	2	-	1	4	1	4	6	6	13	13	25	35	38	47	65	79	42	34	13	2	1	-	1
	F..	502	1	-	1	-	-	1	4	4	3	9	15	20	25	25	40	62	60	80	64	44	25	13	6	-	-	-
	Nonwhite..M..	266	-	-	-	-	-	1	1	-	1	2	5	14	9	21	30	40	38	40	29	21	9	3	1	-	-	1
	F..	412	1	-	1	-	-	-	3	2	3	5	19	23	47	41	59	64	38	39	29	17	11	8	1	-	-	1
46	Cancer of digestive organs, peritoneum.....	670	1	-	-	-	-	1	2	-	4	6	12	20	30	46	62	92	86	107	94	58	32	16	1	-	-	-
	White.....M..	198	1	-	-	-	-	-	1	-	1	2	1	4	8	15	14	25	27	30	32	16	14	6	1	-	-	-
	F..	199	-	-	-	-	-	-	1	-	1	2	3	2	6	10	14	22	25	41	33	25	9	5	-	-	-	-
	Nonwhite..M..	160	-	-	-	-	-	1	-	-	1	2	2	9	6	13	18	30	20	23	18	11	4	2	-	-	-	-
	F..	113	-	-	-	-	-	-	-	-	1	-	6	5	10	8	16	15	14	13	11	6	5	3	-	-	-	-
48,49	Cancer of female genital organs.	327	1	-	1	-	-	-	1	1	1	8	19	24	40	31	40	52	27	32	23	12	9	3	1	-	-	1
	White.....F..	136	1	-	-	-	-	-	-	-	4	8	11	13	8	16	22	9	13	15	6	7	2	1	-	-	-	-
	Nonwhite..F..	191	-	-	1	-	-	-	1	1	1	4	11	13	27	23	24	30	18	19	8	6	2	1	-	-	-	1
50	Cancer of breast.	98	-	-	-	-	-	-	-	-	-	1	3	6	6	6	14	16	10	10	12	10	2	2	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	54	-	-	-	-	-	-	-	-	-	1	2	3	2	2	5	6	6	10	8	6	1	2	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	44	-	-	-	-	-	-	-	-	-	-	1	3	4	4	9	10	4	-	4	4	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	519	1	1	1	2	-	2	9	6	6	7	11	20	18	29	48	44	60	75	72	44	36	16	8	1	-	2
	White.....M..	236	-	1	-	2	-	1	3	1	3	4	5	9	5	10	21	13	20	35	47	26	20	7	1	1	-	1
	F..	113	-	-	1	-	-	1	3	4	2	2	2	4	4	5	5	12	20	16	8	7	8	4	5	-	-	-
	Nonwhite..M..	106	-	-	-	-	-	-	1	-	-	-	3	5	3	8	12	10	18	17	11	10	5	1	1	-	-	1
	F..	64	1	-	-	-	-	-	2	1	1	1	1	2	6	6	10	9	2	7	6	1	3	4	1	-	-	-
58	Acute rheumatic fever.....	21	-	-	-	-	-	7	3	2	1	-	-	-	2	1	-	1	1	-	1	1	-	1	-	-	-	-
	White.....M..	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
	F..	8	-	-	-	-	-	4	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	297	-	-	-	-	1	1	6	6	4	3	5	5	8	14	16	37	35	51	50	38	13	3	-	1	-	-
	White.....M..	71	-	-	-	-	-	1	1	2	-	-	1	1	2	6	1	6	4	13	13	12	6	2	-	-	-	-
	F..	82	-	-	-	-	1	-	1	1	1	1	-	-	-	2	2	7	12	16	23	12	2	1	-	-	-	-
	Nonwhite..M..	61	-	-	-	-	-	-	1	3	1	1	-	-	2	3	5	10	5	12	6	9	2	-	1	-	-	-
	F..	83	-	-	-	-	-	-	3	-	2	1	4	4	4	3	8	14	14	10	8	5	3	-	-	-	-	-
63b	Exophthalmic goiter.....	30	-	-	-	-	-	-	-	1	1	2	7	2	1	5	2	3	5	1	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	3	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	18	-	-	-	-	-	-	-	1	1	1	4	2	1	3	-	-	4	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	66	-	1	-	-	-	-	2	1	-	1	2	1	4	5	5	6	9	8	8	9	1	2	1	-	-	-
	White.....M..	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	1	2	-	1	-	-	-	-
	F..	19	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	3	2	3	6	1	1	-	-	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	2	-	-	-	1	-	-	-
	F..	27	-	1	-	-	-	-	2	-	-	1	2	1	3	4	3	5	1	1	2	1	-	-	-	-	-	-
77	Alcoholism (ethylism).....	17	-	-	-	-	-	-	-	-	-	1	4	1	4	3	-	-	2	-	1	1	-	-	-	-	-	-
	White.....M..	15	-	-	-	-	-	-	-	-	-	1	3	1	4	3	-	-	2	-	-	1	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	1,814	5	1	2	-	1	-	2	3	3	5	26	25	78	93	144	172	241	249	282	234	127	74	33	11	3	1
	White.....M..	439	-	-	-	-	-	-	1	1	-	1	5	4	8	12	27	33	60	71	82	68	34	24	7	1	-	-
	F..	422	1	-	1	-	-	1	-	3	-	5	1	10	16	21	30	46	53	80	72	45	26	8	3	-	-	-
	Nonwhite..M..	423	2	1	1	-	-	-	-	-	-	2	6	8	24	26	39	44	60	60	57	44	23	11	11	2	2	-
	F..	530	2	-	-	-	1	-	-	1	-	2	10	12	36	39	57	65	75	65	63	50	25	13	7	5	1	1
90-95	Diseases of the heart.....	3,574	6	1	1	1	4	11	16	30	37	29	37	116	126	215	264	320	391	514	511	415	262	178	63	18	6	2
	White.....M..	1,281	1	-	-	-	1	3	4	3	3	7	10	30	27	76	93	132	160	190	214	165	86	56	18	1	1	-
	F..	771	1	-	-	1	1	2	3	4	7	7	1	15	10	15	28	40	59	126	148	121	90	62	22	7	1	-
	Nonwhite..M..	760	2	-	-	-	-	3	1	7	8	1	11	23	35	59	75	93	88	110	75	75	44	33	11	6	-	-
	F..	762	2	1	1	-	2	3	8	16	19	14	15	48	54	65	68	55	84	88	74	54	42	27	12	4	4	2
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart.....	478	-	1	1	-	1	4	8	13	8	10	8	20	14	23	31	35	53	56	59	57	43	28	5	3	-	-
	White.....M..	131	-	-	-	-	-	-	1	3	1	3	2	6	2	4	5	9	11	16	23	17	16	11	1	-	-	-
	F..	99	-	-	-	-	1	1	2	3	3	4	-	3	2	1	2	5	8	12	15	17	10	7	2	2	-	-
	Nonwhite..M..	138	-	-	-	-	-	2	1	4	1	-	4	6	2	7	15	12	16	23	11	16	10	8	1	-	-	-
	F..	110	-	1	1	-	-	1	4	3	3	3	3	6	4	11	9	9	15	6	10	7	7	2	1	1	-	-
94	Diseases of coronary arteries, angina pectoris.....	787	-	-	-	-	-	-	1	3	7	1	6	19	30	60	76	99	101	125	112	76	41	18	10	1	1	-
	White.....M..	436	-	-	-	-	-	-	-	-	1	-	2	9	13	40	44	62	65	74	64	34	17	8	3	-	-	-
	F..	172	-	-	-	-	-	-	-	-	1	-	-	2	1	3	7	17	15	31	33	30	17	10	4	1	-	-
	Nonwhite..M..	99	-	-	-	-	-	-	2	2	-	-	1	3	9	15	16	11	9	9	7	5	-	1	-	-	-	-
	F..	80	-	-	-	-	-	-	1	1	3	1	3	5	7	8	10	4	10	11	6	5	2	-	2	-	1	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms).....	2,309	6	-	-	1	3	7	7	14	22	18	23	77	82	132	157	186	240	333	340	282	178	132	48	14	5	2
	White.....M..	714	1	-	-	-	1	3	3	-	1	4	6	15	12	32	44	61	84	100	127	114	53	37	14	1	1	-
	F..	500	1	-	-	1	-	1	1	1	3	3	1	11	7	11	13	18	36	83	100	74	63	45	16	4	1	-
	Nonwhite..M..	523	2	-	-	-	-	1	-	1	5	1	6	14	24	43	45	65	61	79	55	52	29	25	9	6	-	-
	F..	572	2	-	-	-	2	2	3	12	13	10	10	37	39	46	49	42	59	71	58	42	33	25	9	3	3	2

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	1,414	364	70	21	9	10	19	22	20	11	19	34	33	33	35	64	67	81	102	116	89	82	69	29	14	1	-
	White..M.	333	60	14	4	3	3	3	7	7	2	4	4	5	7	7	16	19	12	33	44	25	25	22	5	2	-	-
	F.	282	46	10	1	-	1	5	5	2	-	3	2	3	3	2	7	7	14	24	28	39	33	30	13	4	-	-
	Nonwhite..M.	424	144	28	10	3	5	6	6	6	4	4	13	10	10	13	19	26	25	23	28	14	16	9	1	1	-	-
	F.	375	114	18	6	3	1	5	4	5	5	8	15	15	13	13	22	15	30	22	16	11	8	8	10	7	1	-
107	Bronchopneumonia	286	132	15	5	3	1	4	-	7	1	2	5	2	2	5	10	6	6	10	17	11	18	14	7	3	-	-
	White..M.	77	26	1	-	1	-	1	-	5	-	2	1	1	-	3	4	4	-	-	9	6	6	5	2	-	-	-
	F.	63	19	2	-	-	-	2	-	-	-	-	-	-	-	-	1	1	2	6	5	4	10	6	3	2	-	-
	Nonwhite..M.	81	53	7	4	1	1	1	-	1	-	-	1	-	1	-	2	1	2	1	2	-	1	2	-	-	-	-
	F.	65	34	5	1	1	-	-	-	1	1	-	3	1	1	2	3	-	2	3	1	1	1	1	2	1	-	-
108	Lobar pneumonia	460	67	20	7	3	2	9	13	6	3	9	15	18	14	16	23	29	36	45	34	36	24	21	6	3	1	-
	White..M.	88	12	3	1	1	-	2	3	1	1	1	-	2	-	2	3	5	5	13	15	6	6	4	1	1	-	-
	F.	81	4	4	-	-	-	-	3	1	-	2	2	1	1	-	3	1	4	8	6	18	10	10	2	1	-	-
	Nonwhite..M.	163	30	7	3	-	2	3	6	3	1	2	6	8	6	7	8	14	14	14	10	9	6	2	1	1	-	-
	F.	128	21	6	3	2	-	4	1	1	1	4	7	7	7	7	9	9	13	10	3	3	2	5	2	-	1	-
109	Pneumonia (unspecified)	74	21	6	1	1	2	2	-	-	2	1	-	2	4	1	4	2	4	4	8	3	2	4	-	-	-	-
	White..M.	22	5	-	-	-	2	-	-	-	-	1	-	1	2	-	3	1	-	1	3	1	-	2	-	-	-	-
	F.	10	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	2	-	-	-	-
	Nonwhite..M.	23	8	2	-	1	-	2	-	-	1	-	-	-	1	-	-	-	3	2	2	-	1	-	-	-	-	-
	F.	19	7	1	1	-	-	-	-	-	1	-	-	1	1	1	1	-	1	1	1	2	-	-	-	-	-	-
33	Influenza	594	144	29	8	2	5	4	9	7	5	7	14	11	13	13	27	30	35	43	57	39	38	30	16	8	-	-
	White..M.	146	17	10	3	1	1	-	4	1	1	-	3	1	5	2	6	9	7	19	17	12	13	11	2	1	-	-
	F.	128	22	1	1	-	1	3	2	1	-	1	-	2	2	2	3	4	8	10	15	17	12	12	8	1	-	-
	Nonwhite..M.	157	53	12	3	1	2	-	-	2	2	2	6	2	2	6	9	11	6	6	14	5	8	5	-	-	-	-
	F.	163	52	6	1	-	1	1	3	3	2	4	5	6	4	3	9	6	14	8	11	5	5	2	6	6	-	-
117	Ulcer of stomach or duodenum	80	-	-	-	-	-	-	-	1	1	3	5	4	5	10	13	11	7	6	5	7	1	1	-	-	-	-
	White..M.	38	-	-	-	-	-	-	-	-	-	1	4	3	3	2	6	5	5	4	2	2	1	-	1	-	-	-
	F.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	2	2	1	-	-	-	-	-	-
	Nonwhite..M.	23	-	-	-	-	-	-	-	1	1	2	-	1	2	5	3	1	2	-	1	3	-	1	-	-	-	-
	F.	8	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	-	-	-	1	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	255	165	34	8	4	2	-	1	1	-	1	2	5	-	3	-	4	3	3	3	6	4	4	1	1	-	-
	White..M.	52	37	5	-	2	-	-	-	-	-	-	-	1	-	2	-	-	-	2	1	-	2	-	-	-	-	-
	F.	37	18	1	3	1	1	-	-	-	-	-	1	-	-	-	-	4	1	1	2	4	1	3	-	-	-	-
	Nonwhite..M.	87	61	11	3	1	-	-	1	1	-	1	-	1	-	-	-	3	1	-	-	1	-	1	-	1	-	-
	F.	79	49	17	2	-	1	-	-	-	-	-	1	3	-	1	-	1	1	-	-	1	1	-	1	-	-	-
121	Appendicitis	157	1	-	2	3	1	16	19	19	12	4	9	11	8	13	7	12	7	9	1	2	1	-	-	-	-	-
	White..M.	35	-	-	1	2	-	2	2	2	3	-	2	3	2	3	-	5	2	4	1	1	-	-	-	-	-	-
	F.	21	-	-	-	-	1	3	4	6	1	-	1	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	51	-	-	1	1	-	6	4	5	2	2	3	4	3	4	5	6	2	2	-	1	-	-	-	-	-	-
	F.	50	1	-	-	-	-	5	9	6	6	2	3	4	1	5	2	1	1	3	-	-	1	-	-	-	-	-
122	Hernia, intestinal obstruction	170	12	-	3	1	2	5	2	7	3	6	15	12	6	17	9	16	17	9	10	7	9	2	-	1	-	-
	White..M.	43	7	-	1	1	1	1	1	4	-	-	1	1	-	4	-	2	6	3	4	1	4	1	-	-	-	-
	F.	32	2	-	-	-	-	2	1	-	1	1	8	1	-	2	1	2	2	-	3	3	2	1	-	-	-	-
	Nonwhite..M.	41	2	-	1	-	-	-	-	3	-	1	2	-	2	3	4	8	6	3	3	1	1	-	-	1	-	-
	F.	54	1	-	-	-	1	2	-	-	2	4	4	10	4	8	4	4	3	3	-	2	2	-	-	-	-	-
124	Cirrhosis of the liver	93	-	-	-	-	-	-	-	-	1	1	3	3	7	6	8	17	13	13	9	8	3	1	-	-	-	-
	White..M.	35	-	-	-	-	-	-	-	-	-	-	2	1	2	4	2	6	5	4	3	4	2	-	-	-	-	-
	F.	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	2	2	-	1	-	-	-	-
	Nonwhite..M.	26	-	-	-	-	-	-	-	-	1	1	-	-	1	1	4	4	3	5	3	2	1	-	-	-	-	-
	F.	18	-	-	-	-	-	-	-	-	-	-	1	2	4	1	1	3	3	2	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	70	1	-	-	-	-	-	-	-	1	1	2	4	3	6	6	7	11	9	5	4	5	3	1	-	1	-
	White..M.	21	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	4	4	2	1	-	1	1	-	-	-
	F.	34	1	-	-	-	-	-	-	-	1	1	1	1	-	3	3	3	5	4	3	2	4	1	-	-	1	-
	Nonwhite..M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	1	-	-	-	-
	F.	10	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	-	1	1	-	1	-	-	-	-	-	-
130-132	Nephritis	1,896	5	-	6	-	3	5	6	11	17	22	37	39	76	99	139	147	197	257	289	220	154	107	42	11	7	-
	White..M.	417	-	-	1	-	2	1	1	1	6	3	8	6	8	11	19	29	35	60	75	65	45	32	9	2	-	-
	F.	341	1	-	2	-	-	2	-	3	2	4	4	3	10	14	14	15	27	48	59	48	43	31	8	3	2	-
	Nonwhite..M.	616	2	-	1	-	1	2	4	3	4	4	4	11	21	36	54	50	78	89	94	71	36	25	19	4	2	-
	F.	522	2	-	2	-	-	-	1	4	5	11	21	19	37	38	52	53	57	62	63	36	30	18	6	2	3	-
137	Diseases of the prostate	110	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	5	9	21	24	20	15	5	3	-	-	-
	White..M.	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	10	5	12	4	-	-	-	-
	Nonwhite..M.	72	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	5	7	17	14	15	3	1	3	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 95	95 to 99	100 and over	Not stated
	MISSISSIPPI—Con.																											
140-150	Diseases of pregnancy, etc.*...	219	-	-	-	-	-	-	2	42	43	32	42	35	21	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	71	-	-	-	-	-	-	-	10	11	10	18	10	10	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	148	-	-	-	-	-	-	2	32	32	22	24	25	11	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	66	-	-	-	-	-	-	1	13	18	10	13	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	16	-	-	-	-	-	-	-	2	1	4	5	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	50	-	-	-	-	-	-	1	11	15	6	8	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	82	-	-	-	-	-	-	1	24	15	10	11	16	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	26	-	-	-	-	-	-	-	6	7	4	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	56	-	-	-	-	-	-	1	18	8	6	8	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	51	-	-	-	-	-	-	-	5	10	6	16	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	22	-	-	-	-	-	-	-	2	3	2	8	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	29	-	-	-	-	-	-	-	3	7	4	8	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	20	-	-	-	-	-	-	-	-	2	6	2	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	7	-	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	13	-	-	-	-	-	-	-	-	2	6	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	176	147	9	6	1	1	4	1	3	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	70	60	2	4	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	68	60	3	1	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	24	16	2	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	14	11	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	522	522	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	171	171	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	134	134	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	97	97	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	120	120	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	101	-	-	-	-	-	-	-	5	9	8	11	11	11	10	8	11	4	3	6	4	-	-	-	-	-	-
	White.....M..	67	-	-	-	-	-	-	-	2	5	4	9	4	7	7	6	11	3	2	5	2	-	-	-	-	-	-
	F..	24	-	-	-	-	-	-	-	2	1	3	2	6	4	2	2	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	1	3	1	-	1	-	1	-	-	1	1	-	1	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	296	-	-	-	-	-	1	3	22	39	44	59	41	28	18	16	10	6	5	2	1	1	-	-	-	-	-
	White.....M..	44	-	-	-	-	-	-	-	-	3	3	15	5	4	4	-	3	2	3	1	-	1	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	1	-	-	1	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	203	-	-	-	-	-	1	1	16	29	34	34	30	18	13	15	6	2	2	1	1	-	-	-	-	-	-
	F..	42	-	-	-	-	-	-	2	5	7	7	9	5	3	1	1	1	1	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,370	44	37	34	19	30	72	79	132	158	98	78	81	56	57	66	43	56	45	58	36	37	27	22	1	3	1
	White.....M..	580	14	6	6	4	7	20	34	70	103	55	39	40	23	26	24	17	21	23	19	10	10	3	4	1	-	1
	F..	179	2	6	4	3	4	11	3	8	7	5	7	7	3	2	6	5	7	6	16	18	19	19	11	-	-	-
	Nonwhite..M..	437	13	15	12	6	9	19	31	48	41	33	25	34	23	24	31	16	13	11	16	6	3	1	5	-	2	-
	F..	174	15	10	12	6	10	22	11	6	7	5	7	-	7	5	5	5	15	5	7	2	5	4	2	-	1	-
170	Motor-vehicle accidents.....	338	3	1	6	1	9	17	17	35	54	30	24	24	18	22	21	11	13	15	7	5	2	1	1	1	-	-
	White.....M..	185	1	-	3	1	3	5	11	23	31	20	14	14	10	13	9	5	8	8	2	3	-	-	-	1	-	-
	F..	35	-	-	1	-	1	5	1	2	4	-	3	2	2	2	4	1	2	2	1	1	-	1	-	-	-	-
	Nonwhite..M..	101	1	-	2	-	4	5	5	9	18	10	5	8	4	6	6	4	2	5	3	1	2	-	1	-	-	-
	F..	17	1	1	-	-	1	2	-	1	1	-	2	-	2	1	2	1	1	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,032	41	36	28	18	21	55	62	97	104	68	54	57	38	35	45	32	43	30	51	31	35	26	21	-	3	1
	White.....M..	395	13	6	3	3	4	15	23	47	72	35	25	28	13	13	15	12	13	15	17	7	10	3	4	-	-	1
	F..	144	2	6	3	3	3	6	2	6	3	5	4	5	1	-	2	4	5	4	15	17	19	18	11	-	-	-
	Nonwhite..M..	336	12	15	10	6	5	14	26	39	23	23	20	26	19	18	25	12	11	6	13	5	1	1	4	-	2	-
	F..	157	14	9	12	6	9	20	11	5	6	5	5	-	5	4	3	4	14	5	6	2	5	4	2	-	1	-
162,199, 200	Senility, ill-defined and unknown causes...	3,080	654	63	28	18	12	27	15	34	33	49	60	77	95	117	145	178	210	245	238	232	184	151	107	48	60	-
	White.....M..	375	44	4	6	1	-	4	1	2	1	3	2	5	10	20	22	27	36	42	25	42	38	29	8	2	1	-
	F..	250	39	5	-	1	2	-	-	1	-	3	2	3	3	7	3	8	10	16	17	21	33	31	14	8	3	-
	Nonwhite..M..	1,270	293	29	14	10	5	11	6	13	9	12	25	30	38	38	61	81	92	111	109	97	59	49	45	18	15	-
	F..	1,205	278	25	8	6	5	12	8	18	23	31	31	39	44	52	59	62	72	76	87	72	54	42	40	20	41	-
	All other causes.	1,734	433	17	23	12	12	38	26	42	58	58	78	83	84	74	75	83	72	106	114	84	67	54	32	6	2	1
	White.....M..	540	159	7	5	3	3	8	7	10	11	15	15	9	14	15	25	29	27	38	49	35	21	26	10	1	-	-
	F..	425	100	5	7	-	3	9	9	10	10	15	22	17	14	16	12	14	17	33	30	26	21	22	12	1	-	-
	Nonwhite..M..	355	100	3	8	6	4	9	5	9	15	10	14	15	17	15	19	21	14	20	18	14	11	2	3	2	1	-
	F..	414	74	2	3	3	2	12	5	13	22	18	27	42	39	28	21	19	14	15	17	9	14	4	7	2	1	1

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI																											
	All causes	42,248	2,558	257	143	100	83	264	264	415	493	529	733	959	1,335	1,747	2,519	3,061	3,826	4,720	5,347	5,171	4,203	2441	844	177	33	26
	White.....M.	21,226	1,252	132	64	49	36	134	145	209	229	222	299	430	561	831	1,302	1,645	2,105	2,548	2,820	2,607	2050	1133	346	55	8	14
	F.	16,931	982	96	58	37	35	101	87	134	173	209	270	353	455	560	814	1,036	1,334	1,813	2,221	2,325	2,018	1,237	458	106	14	5
	Nonwhite..M.	2,179	173	13	12	8	3	15	18	37	37	44	73	68	158	191	238	231	213	200	178	130	70	33	19	6	5	6
	F.	1,912	151	16	9	6	9	14	14	35	54	54	91	108	161	165	165	149	174	159	128	109	65	38	21	10	5	1
1,2	Typhoid and paratyphoid fever	27	2	1	-	1	-	1	4	2	1	2	3	2	1	2	2	-	-	2	1	-	-	-	-	-	-	-
	White.....M.	18	2	1	-	1	-	1	3	-	1	-	2	1	1	1	2	-	-	2	1	-	-	-	-	-	-	-
	F.	8	-	-	-	-	-	-	1	2	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	82	8	9	4	3	1	7	7	5	3	4	4	4	3	5	2	3	6	2	2	-	-	-	-	-	-	-
	White.....M.	40	3	5	3	1	1	2	3	3	2	-	3	2	2	3	-	2	4	1	-	-	-	-	-	-	-	-
	F.	28	4	3	1	1	-	4	2	-	1	2	1	1	1	-	2	1	1	1	2	-	-	-	-	-	-	-
	Nonwhite..M.	9	1	1	-	1	-	1	-	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	5	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
8	Scarlet fever	13	1	-	-	-	1	2	3	1	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	6	-	-	-	-	-	1	2	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	7	1	-	-	-	1	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	56	38	11	1	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	20	12	5	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	29	21	4	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	29	3	8	3	6	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	15	2	4	2	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	10	-	4	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	4	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,487	17	7	12	5	2	9	15	53	95	110	137	119	108	118	153	142	112	96	97	46	23	10	-	-	-	1
	White.....M.	765	4	4	5	2	1	5	5	8	30	44	49	48	48	59	103	94	88	63	57	33	7	7	-	-	-	1
	F.	401	5	1	5	2	1	1	2	19	32	33	42	45	32	22	18	27	19	29	36	11	16	3	-	-	-	-
	Nonwhite..M.	184	5	2	1	-	-	2	5	9	9	15	24	9	22	25	29	16	3	3	3	2	-	-	-	-	-	-
	F.	137	3	-	1	1	-	1	3	17	24	18	22	17	8	12	3	5	2	1	1	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,391	7	4	3	3	1	6	10	47	95	109	133	110	102	111	150	128	110	92	94	44	21	10	-	-	-	1
	White.....M.	729	1	2	1	2	1	5	2	5	30	44	48	44	47	58	101	89	86	60	57	31	7	7	-	-	-	1
	F.	362	1	-	1	1	-	-	1	19	32	33	40	42	28	19	17	20	19	28	33	11	14	3	-	-	-	-
	Nonwhite..M.	174	3	2	1	-	-	1	5	7	9	15	23	9	21	24	29	14	3	3	3	2	-	-	-	-	-	-
	F.	126	2	-	-	-	-	-	2	16	24	17	22	15	6	10	3	5	2	1	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	96	10	3	9	2	1	3	5	6	-	1	4	9	6	7	3	14	2	4	3	2	2	-	-	-	-	-
	White.....M.	66	3	2	4	-	-	3	3	-	-	1	4	1	1	2	5	2	3	-	2	-	-	-	-	-	-	-
	F.	39	4	1	4	1	1	1	1	-	-	2	3	4	3	1	7	-	1	3	-	2	-	-	-	-	-	-
	Nonwhite..M.	10	2	-	-	-	-	1	-	2	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	F.	11	1	-	1	1	-	1	1	1	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	46	22	2	1	1	-	-	1	-	-	1	1	1	1	2	3	-	1	1	1	5	1	1	-	-	-	-
	White.....M.	23	14	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	5	-	-	-	-	-	-	-
	F.	15	7	-	-	1	-	-	-	-	-	-	-	1	-	-	3	-	1	1	-	-	-	1	-	-	-	-
	Nonwhite..M.	5	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F.	3	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	15	1	-	-	-	1	2	-	-	1	-	1	-	1	-	-	1	1	1	4	1	-	-	-	-	-	-
	White.....M.	7	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-
	F.	5	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite..M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	481	14	1	-	1	-	1	-	2	7	7	15	28	45	48	55	57	70	62	27	27	10	2	2	-	-	-
	White.....M.	251	3	-	-	-	-	-	-	1	3	-	5	13	13	23	25	37	43	43	17	14	10	1	-	-	-	-
	F.	89	3	-	-	-	-	1	-	1	2	6	5	3	10	2	11	9	14	7	2	10	-	1	2	-	-	-
	Nonwhite..M.	108	2	1	-	1	-	-	-	-	1	1	3	8	18	18	17	9	12	10	6	3	-	-	-	-	-	-
	F.	33	6	-	-	-	-	-	-	-	1	-	2	4	4	7	2	2	1	2	2	-	-	-	-	-	-	-
35	Measles	65	18	13	6	3	3	10	3	2	-	2	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	White.....M.	33	6	9	4	2	1	5	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	28	9	4	2	1	2	4	-	1	-	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	13	-	-	-	-	-	4	-	2	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	6	-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	7	-	-	-	-	-	1	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Con.																										
45-55	Cancer and other malignant tumors	5,261	1	2	2	5	1	10	9	12	14	36	64	125	208	304	458	571	697	761	747	624	401	157	44	7	-	1
	White..M..	2,401	-	-	1	1	-	4	7	9	10	13	18	36	52	99	171	250	328	394	381	315	220	73	16	2	-	1
	F..	2,527	1	2	1	4	1	6	2	3	3	20	36	79	125	176	239	283	317	328	335	283	173	79	27	4	-	-
	Nonwhite..M..	148	-	-	-	-	-	-	-	-	1	1	1	1	7	10	25	20	26	19	15	15	5	1	1	-	-	-
	F..	185	-	-	-	-	-	-	-	-	-	2	9	9	24	19	23	18	26	20	16	11	3	4	-	1	-	-
46	Cancer of digestive organs, peritoneum	2,437	-	-	2	-	-	2	-	1	4	9	15	35	44	99	176	256	331	397	413	341	207	79	25	2	-	1
	White..M..	1,270	-	-	1	-	-	1	-	1	4	7	7	21	19	51	93	129	169	219	220	178	108	35	6	-	-	1
	F..	1,038	-	-	1	-	-	1	-	-	-	2	7	13	19	38	61	115	136	160	163	149	94	41	17	1	-	-
	Nonwhite..M..	78	-	-	-	-	-	-	-	-	-	-	-	1	2	4	17	10	14	12	5	8	4	1	-	-	-	-
	F..	51	-	-	-	-	-	-	-	-	-	-	1	-	4	6	5	2	12	6	5	6	1	2	-	1	-	-
48,49	Cancer of female genital organs	738	-	-	-	1	-	-	-	-	1	12	22	45	73	76	91	94	80	73	65	63	29	12	1	-	-	-
	White..F..	657	-	-	-	1	-	-	-	-	1	10	15	37	60	71	80	82	74	66	60	60	28	11	1	-	-	-
	Nonwhite..F..	81	-	-	-	-	-	-	-	-	-	2	7	8	13	5	11	12	6	7	5	3	1	1	-	-	-	-
50	Cancer of breast	474	-	-	-	-	-	-	-	-	-	4	8	19	35	48	56	63	71	55	52	27	27	8	1	-	-	-
	White..M..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	1	-	-	-	-	-
	F..	432	-	-	-	-	-	-	-	-	-	4	8	19	31	41	50	59	66	51	44	26	26	7	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F..	33	-	-	-	7	-	-	-	-	-	-	-	-	4	6	5	4	5	3	5	-	-	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,612	1	2	-	4	1	8	9	11	9	11	19	26	56	81	135	158	215	236	217	193	158	58	19	5	-	-
	White..M..	1,124	-	-	-	1	-	3	7	8	6	6	11	15	33	47	77	121	159	174	159	136	111	38	10	2	-	-
	F..	400	1	2	-	3	1	5	2	3	2	4	6	10	15	26	48	27	41	51	48	48	25	20	9	3	-	-
	Nonwhite..M..	68	-	-	-	-	-	-	-	-	1	1	1	-	5	6	8	10	12	7	9	7	1	-	-	-	-	-
	F..	20	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	-	3	4	1	2	1	-	-	-	-	-
58	Acute rheumatic fever	38	-	-	-	-	-	8	9	6	2	3	1	2	-	-	1	-	1	2	1	1	-	1	-	-	-	-
	White..M..	18	-	-	-	-	-	5	3	3	1	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F..	15	-	-	-	-	-	1	5	2	1	-	1	1	-	-	-	-	-	2	1	-	-	1	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
61	Diabetes mellitus	904	-	-	1	-	-	2	4	5	9	8	11	16	19	22	67	91	144	140	150	137	58	13	7	-	-	-
	White..M..	359	-	-	-	-	-	2	2	4	2	6	6	6	6	12	27	35	59	52	61	52	22	8	3	-	-	-
	F..	489	-	-	1	-	-	2	2	3	4	5	4	4	5	9	31	49	76	83	84	85	36	5	4	-	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	2	3	-	-	1	1	-	-	-	-	-
	F..	43	-	-	-	-	-	-	-	-	-	1	1	4	7	-	8	5	6	5	5	1	-	-	-	-	-	-
63b	Exophthalmic goiter	88	-	-	-	-	-	-	-	-	-	4	-	2	7	12	7	8	9	18	12	3	5	-	1	-	-	-
	White..M..	13	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-	-	1	4	1	-	1	-	-	-	-	-
	F..	68	-	-	-	-	-	-	-	-	-	2	-	2	3	7	7	6	8	14	11	3	4	-	1	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	13	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	2	1	3	-	1	-	-	-	-	1
	White..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	2	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	34	-	-	-	-	-	-	-	-	-	-	4	1	4	2	7	3	2	6	3	2	-	-	-	-	-	-
	White..M..	31	-	-	-	-	-	-	-	-	-	-	3	1	3	2	6	3	2	6	3	2	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,929	5	-	-	-	-	1	2	3	5	8	20	29	60	132	219	263	382	536	702	674	504	292	77	13	1	1
	White..M..	1,776	3	-	-	-	-	-	-	2	4	2	6	9	10	51	84	123	176	272	356	321	207	118	28	3	1	-
	F..	1,786	1	-	-	-	-	1	1	1	-	3	6	10	24	39	85	98	160	234	299	326	275	167	47	9	-	-
	Nonwhite..M..	165	-	-	-	-	-	-	1	-	1	-	3	3	6	17	26	21	26	11	23	10	10	5	1	-	-	1
	F..	202	1	-	-	-	-	-	-	-	-	3	5	7	20	25	24	21	20	19	24	17	12	2	1	1	-	-
90-95	Diseases of the heart	12,573	8	9	2	-	2	18	22	35	36	28	86	143	284	453	710	952	1,219	1,673	1,999	2,001	1,606	911	305	51	10	10
	White..M..	6,716	5	2	-	-	1	6	8	17	17	9	40	71	147	255	433	576	744	945	1,080	1,019	787	421	110	18	2	3
	F..	4,790	3	5	2	-	1	9	12	14	13	13	26	37	61	103	157	258	348	587	812	890	765	461	178	29	6	2
	Nonwhite..M..	548	-	1	-	-	-	-	1	2	2	2	12	9	35	50	66	66	69	69	65	50	28	9	6	1	1	4
	F..	519	-	1	-	-	-	3	1	2	4	4	8	26	41	45	54	52	58	72	42	42	26	20	13	3	1	1
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	1,000	-	1	1	-	-	15	11	22	17	5	30	34	33	52	57	66	84	99	143	136	96	69	25	3	-	1
	White..M..	449	-	-	-	-	-	4	2	9	9	-	15	18	7	22	26	30	42	42	66	73	45	27	10	1	-	1
	F..	430	-	-	1	-	-	9	9	10	5	4	10	11	16	22	22	23	23	42	69	52	46	40	15	1	-	-
	Nonwhite..M..	50	-	-	-	-	-	-	-	1	1	-	2	-	3	1	4	7	7	9	5	6	3	-	-	1	-	-
	F..	71	-	1	-	-	-	2	-	2	2	1	3	5	7	7	5	6	12	6	3	5	2	2	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	3,502	2	-	-	-	-	1	-	-	4	4	17	41	112	168	276	372	443	555	552	489	270	143	45	6	-	2
	White..M..	2,294	1	-	-	-	-	-	-	-	2	2	13	28	74	124	221	278	317	360	326	285	150	85	24	3	-	1
	F..	1,023	1	-	-	-	-	-	-	1	-	-	4	6	17	26	35	75	104	162	203	191	118	55	21	3	-	1
	Nonwhite..M..	111	-	-	-	-	-	-	-	-	-	1	-	2	12	12	12	11	13	20	16	10	1	1	-	-	-	-
	F..	74	-	-	-	-	-	1	-	-	1	1	-	5	9	6	8	8	9	13	7	3	1	2	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	8,071	6	8	1	-	2	2	11	13	15	19	39	68	139	233	377	514	692	1,019	1,304	1,376	1,240	699	235	42	10	7
	White..M..	3,973	4	2	-	-	1	2	6	8	6	7	12	25	68	109	186	268	385	543	688	661	592	309	76	14	2	1
	F..	3,357	2	5	1	-	1	-	3	4	7	9	12	20	28	55	100	160	221	383	540	647	601	366	140	25	6	1
	Nonwhite..M..	387	-	1	-	-	-	-	1	1	1	1	10	7	20	37	50	48	49	40	44	34	24	8	6	-	1	4
	F..	374	-	-	-	-	-	-	1	-	1	2	5	16	25	32	41	38	37	53	32	34	23	16	13	3	1	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	3,049	434	67	26	17	11	21	22	31	33	32	39	55	73	87	125	154	201	249	276	325	350	260	114	41	5	1
	White..M..	1,406	185	29	11	7	4	10	8	12	14	14	12	22	28	39	56	88	109	117	140	152	170	118	49	11	2	1
	F..	1,230	168	29	10	4	2	10	12	12	9	11	17	11	19	20	34	37	64	101	106	154	174	137	60	28	1	-
	Nonwhite..M..	222	44	1	3	4	1	1	-	5	3	4	4	11	13	15	22	19	14	19	17	13	2	2	3	1	1	-
	F..	191	39	8	2	2	4	-	2	2	7	3	6	11	13	13	13	10	14	12	18	6	4	3	2	1	1	-
107	Bronchopneumonia	1,098	269	40	14	6	8	6	5	7	4	7	18	21	24	14	42	36	56	68	78	115	115	90	39	13	2	1
	White.....M..	471	109	13	6	3	3	4	1	2	2	3	4	8	6	2	15	22	27	26	36	55	55	42	20	5	1	1
	F..	442	110	21	5	1	1	2	4	1	-	1	5	2	5	5	7	6	19	32	33	50	59	47	19	7	-	-
	Nonwhite..M..	91	23	-	2	2	1	-	-	3	-	1	4	5	5	4	11	3	7	5	6	7	-	1	-	1	-	-
	F..	94	27	6	1	-	3	-	-	1	2	2	5	6	8	3	9	5	3	5	3	3	1	-	-	-	1	-
108	Lobar Pneumonia	1,191	85	10	6	2	1	8	9	16	21	16	14	29	32	58	60	76	106	125	123	133	137	81	33	11	-	-
	White.....M..	603	58	6	2	-	-	3	1	7	8	6	5	13	15	33	29	45	68	64	68	67	76	35	10	4	-	-
	F..	441	26	3	2	-	1	4	7	6	6	6	9	6	7	9	19	21	27	47	44	63	57	44	21	6	-	-
	Nonwhite..M..	90	13	-	1	2	-	1	-	2	2	3	-	5	6	8	10	8	5	10	6	3	2	1	2	-	-	-
	F..	57	8	1	-	-	-	-	1	1	5	1	-	5	4	8	2	2	6	4	5	-	2	1	-	1	-	-
109	Pneumonia (unspecified)	98	23	2	-	2	-	-	-	2	1	2	2	1	3	2	2	10	6	3	10	6	10	6	3	2	-	-
	White.....M..	50	13	1	-	1	-	-	-	-	1	2	2	1	-	1	2	5	2	2	7	3	3	2	2	-	-	-
	F..	40	8	1	-	-	-	-	-	2	-	-	-	-	3	1	-	2	3	1	3	2	7	4	1	2	-	-
	Nonwhite..M..	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	F..	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
33	Influenza	662	57	15	7	7	2	7	8	6	7	7	5	4	14	13	21	32	33	53	65	71	88	83	39	15	3	-
	White.....M..	282	23	9	3	3	1	3	6	3	3	5	1	-	7	3	10	18	12	25	29	27	36	39	17	2	1	-
	F..	307	24	4	3	3	-	4	1	3	3	4	3	3	4	5	8	8	15	21	26	39	51	42	19	13	1	-
	Nonwhite..M..	37	7	1	-	-	-	-	-	-	1	-	-	1	2	3	1	6	1	4	5	3	-	-	1	-	1	-
	F..	36	3	1	1	1	1	-	1	-	-	-	1	-	1	2	2	2	5	3	5	2	1	2	2	-	-	-
117	Ulcer of stomach or duodenum	247	1	-	-	-	1	-	-	-	1	9	7	15	20	30	19	30	26	26	20	22	14	6	-	-	-	-
	White.....M..	182	-	-	-	-	-	-	-	-	1	5	6	11	15	23	16	21	21	23	16	15	7	2	-	-	-	-
	F..	46	1	-	-	-	-	-	-	-	-	3	-	3	1	4	2	4	4	2	4	7	7	4	-	-	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	4	1	1	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	1	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	299	207	21	7	3	-	2	-	-	1	2	2	2	4	-	6	8	3	4	8	6	6	6	3	-	-	-
	White.....M..	155	106	13	2	2	-	2	-	-	1	-	2	2	2	-	1	3	1	1	3	4	4	3	1	-	-	-
	F..	117	83	5	5	1	-	-	-	-	-	1	-	-	1	-	3	2	2	2	4	1	2	3	2	-	-	-
	Nonwhite..M..	13	8	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	F..	16	10	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	-	-	-	-	-	-	-
121	Appendicitis	264	-	3	4	2	2	14	16	21	7	14	16	18	19	26	23	21	16	14	13	6	5	3	1	-	-	-
	White.....M..	130	-	2	2	-	-	8	8	12	-	4	9	11	5	17	11	9	12	9	6	4	1	-	-	-	-	-
	F..	110	-	-	2	2	1	5	8	7	5	7	6	5	9	6	12	10	4	4	7	2	4	3	1	-	-	-
	Nonwhite..M..	10	-	1	-	-	-	1	-	2	1	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	14	-	-	-	-	1	-	-	-	1	2	1	2	2	2	-	2	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	382	17	3	4	3	1	3	4	2	6	4	11	10	16	21	30	23	39	51	45	36	35	15	2	1	-	-
	White.....M..	154	10	1	1	1	-	-	3	1	-	-	1	3	7	9	12	10	14	22	21	18	11	7	2	-	-	-
	F..	188	7	2	2	2	1	1	1	-	6	3	5	7	8	7	14	10	17	24	22	18	25	7	-	1	-	-
	Nonwhite..M..	19	-	-	1	-	-	-	-	1	-	-	1	-	1	4	2	3	3	2	1	-	-	-	-	-	-	-
	F..	21	-	-	-	-	-	2	-	-	-	1	4	-	-	1	2	-	5	3	1	-	1	1	-	-	-	-
124	Cirrhosis of the liver	425	-	1	-	-	-	-	2	1	-	4	9	13	30	27	38	57	48	65	45	39	31	12	3	-	-	-
	White.....M..	275	-	1	-	-	-	-	1	1	-	1	5	11	23	16	28	32	29	41	28	29	21	6	2	-	-	-
	F..	128	-	-	-	-	-	-	1	-	-	2	3	1	6	10	9	17	18	19	16	10	10	6	-	-	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	1	4	1	-	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	2	-	1	-	-	-	-	1	-	-	-
126,127	Biliary calculi, etc.*	238	2	-	-	-	-	-	1	-	1	2	4	6	9	13	27	29	30	47	22	24	15	6	-	-	-	-
	White.....M..	79	2	-	-	-	-	-	1	-	1	-	1	1	1	3	13	8	12	16	8	10	2	-	-	-	-	-
	F..	152	-	-	-	-	-	-	-	-	-	1	3	5	5	10	14	20	17	30	14	14	13	6	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	3,478	6	1	1	2	2	4	7	8	17	18	25	51	74	110	175	219	336	422	547	572	485	269	104	20	3	-
	White.....M..	1,683	1	1	1	2	1	2	1	2	2	6	14	17	29	50	77	101	166	215	276	273	249	135	57	5	-	-
	F..	1,449	3	-	-	-	1	2	4	6	10	11	8	23	28	37	66	80	132	165	229	257	216	122	39	10	-	-
	Nonwhite..M..	186	1	-	-	-	-	2	-	-	-	-	-	4	11	9	17	22	18	30	24	22	10	8	5	2	1	-
	F..	160	1	-	-	-	-	-	-	-	5	1	3	7	6	14	15	16	20	12	18	20	10	4	3	3	2	-
137	Diseases of the prostate	246	-	-	-	-	-	-	-	-	-	-	1	-	2	4	1	12	17	41	51	49	35	25	7	1	-	-
	White.....M..	226	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	9	13	37	49	46	34	25	7	1	-	-
	Nonwhite..M..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	4	4	2	3	1	-	-	-	-	-

*Refer to complete International list titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Con.																										
140-150	Diseases of pregnancy, etc.*...	152	-	-	-	-	-	-	1	15	31	30	32	27	15	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	124	-	-	-	-	-	-	-	12	27	25	23	23	13	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	28	-	-	-	-	-	-	1	3	4	5	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	64	-	-	-	-	-	-	-	4	13	12	19	10	5	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	49	-	-	-	-	-	-	-	2	12	10	13	8	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	15	-	-	-	-	-	-	-	2	1	2	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	37	-	-	-	-	-	-	1	7	10	6	2	7	4	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	31	-	-	-	-	-	-	-	7	7	5	1	7	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	6	-	-	-	-	-	-	1	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	44	-	-	-	-	-	-	-	2	7	12	9	8	6	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	38	-	-	-	-	-	-	-	1	7	10	8	6	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	6	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	7	-	-	-	-	-	-	-	2	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	6	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	439	367	21	9	3	5	12	6	1	3	2	1	-	3	-	1	1	-	1	1	1	1	-	-	-	-
	White.....M..	251	199	10	2	-	2	8	1	1	2	-	-	-	3	-	1	-	-	-	1	1	-	-	-	-	-
	F..	188	154	11	5	3	2	4	5	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite..M..	9	5	-	1	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	11	9	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	769	769	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	388	388	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	290	290	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	58	58	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	380	-	-	-	-	-	-	2	5	14	17	25	28	33	25	38	33	31	33	27	28	15	5	1	-	2
	White.....M..	260	-	-	-	-	-	-	2	3	8	12	14	18	18	13	25	28	25	23	19	23	13	5	1	-	2
	F..	108	-	-	-	-	-	-	-	2	6	4	11	6	12	11	13	14	5	9	7	5	1	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	1	1	-	1	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	148	2	-	-	-	-	3	1	8	13	14	26	17	20	11	11	7	7	9	1	-	-	1	-	-	-
	White.....M..	52	-	-	-	-	-	1	-	1	2	4	8	8	5	5	8	1	4	5	-	-	-	-	-	-	-
	F..	18	2	-	-	-	-	1	-	-	-	-	3	2	2	-	1	4	1	2	-	-	-	-	-	-	-
	Nonwhite..M..	64	-	-	-	-	-	1	1	3	10	9	9	7	10	5	2	2	2	2	1	-	-	-	-	-	-
	F..	14	-	-	-	-	-	-	-	2	1	1	6	-	3	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,492	45	38	35	21	26	69	85	137	137	109	86	124	111	104	120	121	148	167	192	184	221	145	48	14	4	5
	White.....M..	1,515	22	25	17	10	12	41	64	105	104	85	57	91	80	72	96	86	108	98	102	81	95	42	17	5	-	2
	F..	819	17	10	10	8	13	20	16	22	25	21	18	26	19	21	15	21	33	58	85	99	124	99	51	8	3	1
	Nonwhite..M..	118	4	-	4	1	-	6	3	7	6	4	8	5	9	9	9	12	7	9	5	2	3	2	-	1	-	-
	F..	44	2	3	4	2	1	2	-	3	2	1	3	2	3	2	2	2	-	2	2	2	1	2	-	-	1	-
170	Motor-vehicle accidents.....	597	1	6	7	6	7	19	25	50	42	38	41	45	38	30	45	39	44	47	38	15	15	2	1	-	-	2
	White.....M..	431	1	5	4	5	4	9	21	36	27	24	28	33	26	19	38	32	35	29	29	10	12	2	-	-	-	2
	F..	137	-	1	3	1	3	6	4	14	13	11	9	10	9	9	4	4	9	14	7	5	-	-	1	-	-	-
	Nonwhite..M..	26	-	-	-	-	-	3	-	-	2	-	4	2	2	2	1	3	-	4	2	-	1	-	-	-	-	-
	F..	3	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,895	44	32	28	15	19	50	58	87	95	73	45	79	73	74	77	82	104	120	154	169	208	143	47	14	4	1
	White.....M..	1,082	21	20	13	5	8	32	43	69	77	59	29	58	54	53	58	54	73	69	73	71	81	40	17	5	-	-
	F..	682	17	9	7	7	10	14	12	8	12	10	9	16	10	12	9	17	24	44	76	94	124	99	30	8	3	1
	Nonwhite..M..	90	4	-	4	1	-	3	3	7	4	4	4	3	7	7	8	9	7	5	3	2	2	2	-	1	-	-
	F..	41	2	3	4	2	1	1	-	3	2	-	3	2	2	2	2	2	-	2	2	2	1	2	-	-	1	-
182,189, 200	Senility, ill-defined and unknown causes...	595	17	3	3	-	-	-	1	-	1	2	4	-	3	3	4	13	15	25	30	53	74	77	48	12	6	3
	White.....M..	197	9	1	1	-	-	-	-	-	-	1	2	-	1	1	3	7	9	13	13	34	52	42	22	1	2	3
	F..	171	2	1	1	-	-	-	1	-	1	1	2	-	1	1	-	3	3	8	17	18	39	55	25	11	3	-
	Nonwhite..M..	12	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	-	-	1	-	-	-	-	-
	F..	15	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	1	2	-	1	-	1	-
	All other causes.	3,691	553	38	22	23	17	57	38	58	51	55	95	120	158	182	215	223	263	265	320	305	307	225	79	17	4	3
	White.....M..	1,813	287	19	11	16	10	28	19	22	20	18	34	47	54	71	104	111	134	148	178	158	158	120	51	9	1	1
	F..	1,489	200	15	10	6	5	24	10	25	24	29	45	55	69	73	79	85	90	100	127	133	136	97	45	6	1	2
	Nonwhite..M..	215	38	1	1	-	1	3	4	5	2	2	6	7	15	18	17	21	20	13	14	8	7	6	3	1	2	-
	F..	176	20	1	-	1	1	2	5	8	5	6	10	11	20	20	15	8	19	8	5	8	8	2	-	1	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA																										
	All causes	5,662	395	62	30	20	20	36	54	77	70	80	85	105	123	235	294	475	590	640	672	657	531	293	93	23	2	-
	White M	3,336	184	23	9	6	7	14	23	48	31	49	38	59	74	134	192	315	388	432	406	367	322	157	42	16	-	-
	White F	1,995	132	12	7	5	10	15	20	21	25	22	38	42	45	86	93	145	188	190	249	270	201	129	45	6	1	-
	Nonwhite M	171	50	8	7	3	2	7	3	3	2	3	3	1	2	6	4	10	9	11	13	11	6	3	4	-	-	-
	Nonwhite F	160	29	19	7	6	1	2	8	5	12	6	6	3	2	9	5	5	5	7	4	9	2	4	2	1	1	-
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	10	6	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	6	1	-	-	2	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	3	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	175	6	3	-	3	-	3	4	4	14	10	9	10	9	14	27	16	15	12	8	6	2	-	-	-	-	-
	White M	100	2	-	-	-	-	-	-	-	2	2	3	4	8	13	21	13	12	10	5	3	2	-	-	-	-	-
	White F	23	-	-	-	-	-	-	-	1	4	2	3	3	1	-	4	-	-	2	1	2	-	-	-	-	-	-
	Nonwhite M	21	3	1	-	1	-	1	2	1	1	1	2	1	-	-	1	3	2	-	1	-	-	-	-	-	-	-
	Nonwhite F	31	1	2	-	2	-	2	2	2	7	5	1	2	-	1	1	-	1	-	1	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	164	6	3	-	1	-	2	4	4	14	10	8	10	8	12	27	15	15	11	7	5	2	-	-	-	-	-
	White M	95	2	-	-	-	-	-	-	-	2	2	3	4	7	11	21	12	12	10	4	3	2	-	-	-	-	-
	White F	21	-	-	-	-	-	-	-	1	4	2	3	3	1	-	4	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite M	19	3	1	-	-	-	2	1	1	1	2	1	-	-	-	1	3	2	-	1	-	-	-	-	-	-	-
	Nonwhite F	29	1	2	-	1	-	2	2	2	7	5	-	2	-	1	1	-	1	-	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	11	-	-	-	2	-	1	-	-	-	-	1	-	1	2	-	1	-	1	1	1	-	-	-	-	-	-
	White M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-
	White F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite M	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	72	5	-	-	-	-	-	-	-	1	1	2	3	4	1	3	15	16	8	4	8	-	1	-	-	-	-
	White M	51	1	-	-	-	-	-	-	-	-	-	-	2	2	-	3	12	13	6	4	8	-	-	-	-	-	-
	White F	11	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	1	3	1	-	-	-	1	-	-	-	-	-
	Nonwhite M	8	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	13	3	4	1	-	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	4	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomencephalitis (acute)	6	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White M	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Con.																										
45-55	Cancer and other malignant tumors	691	-	-	1	-	2	1	3	-	2	5	9	10	19	31	63	76	92	91	104	82	59	27	4	-	-
	White....M.	360	-	-	1	-	1	1	1	-	2	1	3	2	9	11	28	40	46	57	56	48	36	14	3	-	-	-
	F.	308	-	-	-	-	1	-	2	-	-	4	6	8	9	19	34	33	45	33	47	31	22	13	1	-	-	-
	Nonwhite..M.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-	-	-
	F.	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	1	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	309	-	-	-	-	-	-	-	-	2	-	3	4	7	6	17	38	38	41	61	47	24	19	2	-	-	-
	White....M.	177	-	-	-	-	-	-	-	-	2	-	2	1	4	3	10	24	21	28	31	29	13	8	1	-	-	-
	F.	124	-	-	-	-	-	-	-	-	-	-	1	3	2	3	7	13	16	12	29	15	11	11	1	-	-	-
	Nonwhite..M.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	76	-	-	-	-	-	-	-	-	-	1	2	1	2	11	11	8	14	7	9	5	4	1	-	-	-	-
	White....F.	74	-	-	-	-	-	-	-	-	-	1	2	1	2	10	10	8	14	7	9	5	4	1	-	-	-	-
	Nonwhite..F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	62	-	-	-	-	-	-	-	-	-	2	3	3	4	5	12	6	6	8	3	6	3	1	-	-	-	-
	White....M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	62	-	-	-	-	-	-	-	-	-	2	3	3	4	5	12	6	6	8	3	6	3	1	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	234	-	-	1	-	2	1	3	-	-	2	1	2	6	9	23	24	34	35	31	24	28	6	2	-	-	-
	White....M.	183	-	-	1	-	1	1	1	-	-	1	1	1	5	8	18	16	25	29	25	19	23	6	2	-	-	-
	F.	48	-	-	-	-	1	-	2	-	-	1	-	1	1	1	5	6	9	6	6	5	4	-	-	-	-	-
	Nonwhite..M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	7	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White....M.	4	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	126	-	-	-	-	-	1	3	1	2	2	2	1	2	4	4	18	15	17	19	20	8	5	1	1	-	-
	White....M.	59	-	-	-	-	-	-	1	1	1	1	1	1	2	1	1	12	7	8	7	8	2	4	1	-	-	-
	F.	66	-	-	-	-	-	-	2	-	1	1	1	-	-	3	3	6	8	9	12	12	6	1	-	1	-	-
	Nonwhite..M.	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	11	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	1	4	-	-	-	-	-	-	-	-
	White....M.	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F.	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	4	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White....M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	7	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-
	White....M.	6	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	539	-	1	-	-	-	-	1	1	-	3	2	1	4	10	19	38	70	74	102	102	64	36	9	2	-	-
	White....M.	293	-	-	-	-	-	-	1	1	-	3	-	1	1	3	8	19	36	44	55	55	40	20	5	1	-	-
	F.	233	-	1	-	-	-	-	-	-	-	-	2	-	3	6	11	18	32	28	44	44	24	16	3	1	-	-
	Nonwhite..M.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	-	-	-	-	-	-	-
	F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	1	-	-	-	-
90-95	Diseases of the heart	1,660	-	-	-	-	-	3	5	9	4	5	7	13	33	62	78	157	210	236	227	250	216	104	32	8	1	-
	White....M.	1,078	-	-	-	-	-	1	3	5	3	3	5	10	22	38	61	115	148	169	142	139	134	60	14	6	-	-
	F.	550	-	-	-	-	-	1	2	4	1	2	2	3	11	21	16	40	59	64	79	108	78	41	16	1	1	-
	Nonwhite..M.	24	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-	2	2	2	5	2	3	2	2	-	-	-
	F.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	-	1	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	102	-	-	-	-	-	2	2	4	2	-	2	5	3	12	5	7	10	11	7	14	10	4	1	1	-	-
	White....M.	56	-	-	-	-	-	-	2	3	2	-	1	3	2	5	3	2	5	7	4	6	7	3	-	1	-	-
	F.	44	-	-	-	-	-	1	-	1	-	-	1	2	1	6	2	5	5	4	3	8	3	1	1	-	-	-
	Nonwhite..M.	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	557	-	-	-	-	-	-	-	1	-	3	2	3	14	24	33	72	88	88	75	66	51	12	4	1	-	-
	White....M.	409	-	-	-	-	-	-	-	1	-	2	2	3	11	20	30	56	70	74	50	44	33	9	3	1	-	-
	F.	125	-	-	-	-	-	-	-	-	-	1	-	-	3	4	3	16	15	14	25	22	18	3	1	-	-	-
	Nonwhite..M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	1,021	-	-	-	-	-	1	3	4	2	2	3	5	16	26	40	78	112	137	145	170	155	88	27	6	1	-
	White....M.	613	-	-	-	-	-	1	1	1	1	1	2	4	9	13	28	57	73	88	88	89	94	48	11	4	-	-
	F.	381	-	-	-	-	-	-	2	3	1	1	1	1	7	11	11	19	39	46	51	78	57	37	14	1	1	-
	Nonwhite..M.	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	5	2	3	2	2	-	-	-
	F.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	-	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	300	54	15	6	2	3	1	6	2	5	5	2	6	6	6	8	12	18	26	27	31	25	26	5	3	-	-
	White	159	19	4	1	1	-	1	2	2	2	3	-	4	-	6	4	9	13	20	18	16	15	14	3	2	-	-
	M.	92	15	2	1	1	1	-	2	-	3	2	1	2	3	-	3	2	5	6	6	12	10	12	2	1	-	-
	F.	21	9	3	2	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	2	1	-	-	-	-	-	-
	Nonwhite	28	11	6	2	-	1	-	2	-	-	-	1	-	1	-	1	-	-	-	1	2	-	-	-	-	-	-
	M.																											
	F.																											
107	Bronchopneumonia	107	23	7	1	2	2	-	-	-	1	4	-	2	-	2	1	5	6	10	14	8	5	10	2	2	-	-
	White	55	7	2	-	1	-	-	-	-	-	2	-	2	-	2	1	3	4	7	10	5	3	4	1	1	-	-
	M.	34	7	2	-	1	-	-	-	-	1	2	-	-	-	-	-	2	2	3	3	1	2	6	1	1	-	-
	F.	6	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite	12	6	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	M.																											
	F.																											
108	Lobar pneumonia	85	7	2	2	-	1	-	1	2	3	1	1	2	3	4	4	3	9	10	9	7	9	5	-	-	-	-
	White	54	5	2	-	-	-	-	1	2	1	1	-	1	-	4	2	2	6	7	7	6	5	2	-	-	-	-
	M.	26	-	-	1	-	1	-	-	-	2	-	-	1	3	-	2	-	3	3	2	1	4	3	-	-	-	-
	F.	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
109	Pneumonia (unspecified)	58	17	5	2	-	-	1	3	-	1	-	1	2	1	-	1	3	1	4	1	6	4	4	1	-	-	-
	White	28	4	-	1	-	-	1	1	-	1	-	-	1	-	-	-	3	1	4	-	1	3	4	1	-	-	-
	M.	15	5	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	5	1	-	-	-	-	-
	F.	10	5	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite	7	3	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
33	Influenza	50	7	1	1	-	-	-	2	-	-	-	-	-	2	-	2	1	2	2	3	10	7	7	2	1	-	-
	White	24	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	4	4	4	1	1	-	-
	M.	17	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	5	3	3	1	-	-	-
	F.	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite	6	1	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	M.																											
	F.																											
117	Ulcer of stomach or duodenum	38	-	-	-	-	-	-	-	-	-	-	1	1	1	3	9	6	2	6	3	5	1	-	-	-	-	-
	White	32	-	-	-	-	-	-	-	-	-	-	1	-	1	2	9	6	2	6	2	3	-	-	-	-	-	-
	M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
119,120	Diarrhea, enteritis, etc.*	35	23	8	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	White	13	8	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M.	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F.	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
121	Appendicitis	35	-	-	-	2	-	2	2	4	3	5	3	3	-	2	1	3	1	3	2	-	-	1	-	-	-	-
	White	22	-	-	-	1	-	1	3	2	3	2	2	-	-	1	1	-	3	2	-	-	1	-	-	-	-	-
	M.	12	-	-	-	1	-	2	1	1	1	-	1	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
122	Hernia, intestinal obstruction	44	1	-	-	-	-	-	-	1	-	1	1	-	3	2	4	4	5	7	6	3	4	1	1	-	-	-
	White	24	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	3	2	6	2	2	-	1	-	-	-
	M.	20	-	-	-	-	-	-	-	1	-	1	1	-	1	1	3	1	2	5	-	1	2	1	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
124	Cirrhosis of the liver	27	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	5	3	7	3	2	3	-	-	-	-	-
	White	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	3	2	1	2	-	-	-	-	-
	M.	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	1	-	1	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
126,127	Biliary calculi, etc.*	29	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	7	4	2	5	3	1	-	-	-	-	-
	White	12	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	2	3	1	-	-	-	-	-	-
	M.	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	-	2	2	1	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
130-132	Nephritis	292	-	-	1	-	-	-	1	3	1	3	2	8	2	12	11	25	31	43	47	42	31	21	8	-	-	-
	White	184	-	-	1	-	-	-	1	1	-	2	1	5	2	5	5	17	19	28	29	27	22	15	4	-	-	-
	M.	99	-	-	-	-	-	-	-	2	1	1	1	3	-	7	5	7	10	13	17	14	8	6	4	-	-	-
	F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
	M.																											
	F.																											
137	Diseases of the prostate	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	8	9	10	13	2	-	-	-	-
	White	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	8	9	10	13	2	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Con.																										
140-150	Diseases of pregnancy, etc.*...	16	-	-	-	-	-	-	-	2	3	2	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	15	-	-	-	-	-	-	-	2	2	2	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	9	-	-	-	-	-	-	-	2	2	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	8	-	-	-	-	-	-	-	2	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	51	44	3	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....M..	27	24	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	23	19	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	111	111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	56	56	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	46	46	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	53	-	-	-	-	-	-	-	1	3	4	3	5	2	6	5	7	8	6	1	2	-	-	-	-	-
	White.....M..	40	-	-	-	-	-	-	-	-	2	3	3	5	1	3	4	6	6	5	1	1	-	-	-	-	-
	F..	11	-	-	-	-	-	-	-	1	1	1	-	-	1	3	1	-	2	1	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	13	-	1	-	-	-	-	-	1	-	3	2	1	-	-	1	1	2	1	-	-	-	-	-	-	-
	White.....M..	9	-	1	-	-	-	-	-	1	-	3	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	494	12	12	10	5	8	12	21	34	17	26	17	14	20	33	26	40	39	28	37	24	27	22	9	1	-
	White.....M..	326	4	10	3	2	4	7	9	26	12	22	10	10	16	26	24	30	35	21	20	21	15	7	3	1	-
	F..	144	6	1	5	1	4	5	9	5	4	2	4	4	4	4	2	10	4	6	17	15	14	14	6	-	-
	Nonwhite..M..	12	1	-	2	2	-	-	1	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	12	1	1	-	-	-	-	2	2	-	-	2	-	-	2	-	-	-	1	-	-	-	1	-	-	-
170	Motor-vehicle accidents.....	106	-	1	1	-	3	3	8	15	6	4	6	3	2	6	9	11	7	8	8	2	-	2	1	-	-
	White.....M..	75	-	-	-	-	2	2	5	11	4	4	3	1	2	4	8	9	7	5	6	1	-	1	-	-	-
	F..	28	-	-	1	-	1	1	3	4	2	-	2	2	-	2	1	2	-	2	2	1	-	1	1	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents..	388	12	11	9	5	5	9	13	19	11	22	11	11	18	27	17	29	32	20	29	22	27	20	8	1	-
	White.....M..	251	4	10	3	2	2	5	4	15	8	18	7	9	14	22	16	21	28	16	14	10	13	6	3	1	-
	F..	116	6	1	4	1	3	4	6	1	2	2	2	2	4	2	1	8	4	4	15	12	14	13	5	-	-
	Nonwhite..M..	12	1	-	2	2	-	-	1	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	9	1	-	-	-	-	-	2	2	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	209	27	6	4	1	1	2	-	-	3	-	3	4	1	4	8	5	13	13	16	23	26	25	18	5	1
	White.....M..	109	6	1	-	-	-	-	-	-	-	-	-	1	-	4	6	5	11	8	13	13	16	13	8	4	-
	F..	52	7	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-	1	2	3	7	8	9	8	1	-
	Nonwhite..M..	23	10	1	1	-	1	2	-	-	-	-	-	-	-	-	2	-	1	1	-	1	1	1	1	-	-
	F..	25	4	4	3	1	-	-	-	-	3	-	1	-	-	-	-	-	-	2	-	2	1	2	1	-	1
	All other causes.	546	99	8	4	4	4	2	5	11	9	7	11	16	13	35	22	32	42	46	50	44	51	22	6	3	-
	White.....M..	289	58	1	3	1	1	-	1	7	4	3	4	8	7	16	14	17	27	31	31	21	25	7	-	2	-
	F..	226	30	5	1	1	3	2	2	2	4	4	7	8	6	17	8	14	13	12	18	22	26	15	5	1	-
	Nonwhite..M..	16	7	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	2	1	-	-	-	1	-	-
	F..	15	4	1	-	2	-	-	2	1	1	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA																										
	All causes	12,583	810	86	42	29	22	85	81	125	218	154	171	221	316	419	645	881	1,091	1,322	1,523	1,619	1,420	890	320	63	11	19
	White	7,008	444	45	25	17	9	48	52	86	144	91	85	115	153	223	372	515	646	765	865	883	774	464	145	29	4	9
	M	5,282	330	36	16	11	10	33	27	35	66	57	79	93	142	174	249	329	416	537	641	716	640	422	174	32	7	10
	Nonwhite	162	21	3	-	2	2	2	4	4	5	3	3	8	14	15	21	16	17	7	9	4	1	-	1	-	-	-
	F	131	15	2	1	1	1	2	-	-	4	1	4	10	13	8	9	16	13	3	10	11	2	3	1	1	-	-
1,2	Typhoid and paratyphoid fever	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	15	1	1	2	-	-	-	1	3	-	-	1	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-
	White	7	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	M	7	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	11	-	-	1	-	1	1	3	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	5	-	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	6	-	-	1	-	-	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	19	15	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	8	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	10	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	9	1	1	3	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	5	1	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	211	2	2	-	1	-	2	4	6	13	12	16	14	16	11	15	31	22	17	10	12	6	-	-	-	-	-
	White	110	-	-	-	-	-	-	-	1	4	5	5	7	9	4	11	25	15	6	7	5	6	-	-	-	-	-
	M	64	1	-	-	-	-	-	4	4	4	6	8	5	3	3	-	3	5	10	2	6	-	-	-	-	-	-
	Nonwhite	21	1	1	-	-	-	1	-	-	1	-	1	1	2	4	3	1	2	1	1	1	-	-	-	-	-	-
	F	16	-	1	-	1	-	1	-	-	4	1	2	1	2	-	1	2	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	190	2	1	-	-	-	1	3	4	13	11	14	13	16	9	14	30	19	13	10	11	6	-	-	-	-	-
	White	105	-	-	-	-	-	-	-	4	5	4	7	9	3	11	25	14	5	7	5	6	-	-	-	-	-	-
	M	54	1	-	-	-	-	-	3	4	4	5	7	4	3	3	-	2	4	7	2	5	-	-	-	-	-	-
	Nonwhite	17	1	1	-	-	-	-	-	-	1	-	1	1	2	3	2	1	1	1	1	1	-	-	-	-	-	-
	F	14	-	-	-	-	-	1	-	-	4	1	2	1	2	-	1	2	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	21	-	1	-	1	-	1	1	1	-	1	2	1	-	2	1	1	3	4	-	1	-	-	-	-	-	-
	White	5	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	M	10	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	1	3	-	1	-	-	-	-	-	-	-
	Nonwhite	4	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	88	3	-	-	-	-	-	1	-	-	-	2	-	7	3	15	12	16	14	8	4	3	-	-	-	-	-
	White	62	-	-	-	-	-	-	1	-	-	-	-	-	4	3	12	9	15	11	3	3	1	-	-	-	-	-
	M	14	1	-	-	-	-	-	-	-	-	-	2	-	2	-	-	1	-	2	4	-	2	-	-	-	-	-
	Nonwhite	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-
35	Measles	11	3	3	2	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	7	2	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	10	-	-	1	-	-	1	1	1	2	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	3	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	7	-	-	1	-	-	1	-	1	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Con.																										
45-55	Cancer and other malignant tumors	1,663	-	3	-	1	1	3	3	3	9	10	21	33	56	87	137	170	205	224	213	231	161	70	15	2	-	5
	White..M..	782	-	2	-	1	1	2	1	3	2	4	8	9	13	30	54	67	93	99	110	137	104	34	6	-	-	2
	F..	860	-	1	-	-	-	1	2	-	7	5	13	22	42	55	79	100	109	122	102	94	57	35	9	2	-	3
	Nonwhite..M..	11	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	1	2	2	-	-	-	-	-	-	-	-
	F..	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	1	1	-	-	1	-	-	-	-
46	Cancer of digestive organs, peritoneum	779	-	-	-	1	-	-	-	-	2	1	5	8	17	17	50	69	99	115	117	138	94	37	9	-	-	-
	White..M..	405	-	-	-	1	-	-	-	-	1	1	4	3	8	8	25	30	50	51	68	78	60	16	1	-	-	-
	F..	367	-	-	-	-	-	-	-	-	1	-	1	5	9	8	23	38	49	62	49	60	34	20	8	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
48,49	Cancer of female genital organs	201	-	-	-	-	-	-	-	-	-	2	6	11	14	18	23	27	26	26	24	13	7	2	-	-	-	2
	White..F..	195	-	-	-	-	-	-	-	-	-	2	6	10	14	18	21	26	25	26	23	13	7	2	-	-	-	2
	Nonwhite..F..	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	1	-	-	-	-	-	-	-
50	Cancer of breast	169	-	-	-	-	-	-	-	-	1	1	2	4	9	20	27	25	17	17	16	12	11	5	1	-	-	1
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	168	-	-	-	-	-	-	-	-	1	1	2	4	9	20	27	24	17	17	16	12	11	5	1	-	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	514	-	3	-	-	1	3	3	3	6	6	8	10	16	32	37	49	63	66	56	68	49	26	5	2	-	2
	White..M..	377	-	2	-	-	1	2	1	3	1	3	4	6	5	22	29	37	43	48	42	59	44	18	5	-	-	2
	F..	130	-	1	-	-	-	1	2	-	5	2	4	3	10	9	8	12	18	17	14	9	5	8	-	2	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	12	-	-	-	-	-	1	-	-	2	3	1	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-
	White..M..	9	-	-	-	-	-	1	-	-	2	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	332	-	3	-	-	-	-	2	5	4	1	1	5	5	9	14	33	57	49	65	45	19	9	3	1	-	2
	White..M..	133	-	2	-	-	-	-	1	1	-	1	-	3	4	2	8	9	13	22	32	19	12	3	-	1	-	-
	F..	192	-	1	-	-	-	-	1	4	4	-	1	2	1	6	6	21	43	27	33	25	7	5	3	-	-	2
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	33	-	-	-	-	-	-	-	-	1	-	-	2	1	3	2	6	2	5	7	2	2	-	-	-	-	-
	White..M..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	1	-	-	-	-	-	-
	F..	26	-	-	-	-	-	-	-	-	1	-	-	2	1	2	2	5	2	3	5	1	2	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	19	-	-	-	-	-	-	-	-	-	-	1	1	1	3	4	2	4	3	-	-	-	-	-	-	-	-
	White..M..	18	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	2	4	3	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,314	-	1	-	-	-	1	1	1	4	3	1	5	13	20	43	86	121	171	241	222	218	129	28	3	1	1
	White..M..	665	-	-	-	-	-	1	-	1	3	1	1	3	4	8	16	43	65	88	125	117	111	58	18	1	-	1
	F..	623	-	1	-	-	-	-	1	-	-	2	-	2	7	10	26	37	53	81	111	102	106	71	10	2	1	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	3	1	1	2	1	-	-	-	-	-	-
	F..	16	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	1	3	2	1	-	-	-	-	-
90-95	Diseases of the heart	3,603	1	2	-	-	-	2	8	7	9	13	21	25	78	108	187	266	346	475	541	602	494	280	113	17	3	5
	White..M..	2,193	-	1	-	-	-	-	5	4	6	5	16	17	47	71	127	182	244	314	332	322	283	146	56	12	1	2
	F..	1,344	1	-	-	-	-	2	3	3	3	8	5	6	28	31	53	73	90	155	202	273	209	133	56	5	2	3
	Nonwhite..M..	37	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	8	5	6	4	2	1	-	-	-	-	-
	F..	29	-	1	-	-	-	-	-	-	-	-	-	1	2	2	2	3	7	-	3	5	1	1	1	-	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	235	-	-	-	-	-	1	4	2	1	6	3	5	14	9	13	16	13	29	32	43	22	14	7	1	-	-
	White..M..	133	-	-	-	-	-	-	2	1	-	2	2	4	9	6	7	7	7	24	16	21	13	7	4	1	-	-
	F..	100	-	-	-	-	-	1	2	1	1	4	1	1	4	3	6	9	6	5	16	21	9	7	3	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,218	1	-	-	-	-	-	-	-	1	1	9	7	33	55	102	127	151	184	193	168	119	48	13	3	2	1
	White..M..	870	-	-	-	-	-	-	-	-	1	-	9	5	25	40	79	107	120	132	134	100	79	26	9	3	1	-
	F..	333	1	-	-	-	-	-	-	-	-	1	-	2	7	13	20	17	30	50	57	68	39	22	4	-	1	1
	Nonwhite..M..	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	2	1	-	1	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	2,150	-	2	-	-	-	1	4	5	7	6	9	13	31	44	72	123	182	262	316	391	353	218	93	13	1	4
	White..M..	1,190	-	1	-	-	-	-	3	3	5	3	5	8	13	25	41	68	117	158	182	201	191	113	43	8	-	2
	F..	911	-	-	-	-	-	1	1	2	2	3	4	3	17	15	27	47	54	100	129	184	161	104	49	5	1	2
	Nonwhite..M..	25	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	5	4	4	3	1	-	-	-	-	-	-
	F..	24	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	3	7	-	2	5	1	1	1	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES. BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	724	91	19	10	4	2	8	6	7	6	11	6	17	20	17	19	34	43	47	60	86	88	75	31	15	2	-
	White—M.	399	41	9	6	3	-	4	5	4	3	7	1	12	11	12	15	23	27	30	32	48	46	41	11	7	1	-
	F.	295	35	10	4	1	1	4	1	3	3	4	4	4	5	4	4	10	14	15	28	38	41	34	20	7	1	-
	Nonwhite—M.	14	5	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	2	2	-	-	1	-	-	-	-	-
	F.	16	10	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
107	Bronchopneumonia	202	51	7	4	1	1	4	1	-	1	2	1	2	3	2	2	6	6	10	19	19	25	23	7	5	-	-
	White—M.	108	28	3	2	1	-	2	1	-	1	2	-	1	1	-	1	5	2	7	10	10	14	14	2	1	-	-
	F.	79	14	4	2	-	-	2	-	-	-	-	1	1	-	2	1	1	3	2	9	9	10	9	5	4	-	-
	Nonwhite—M.	9	4	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-
	F.	6	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	194	13	1	2	1	-	2	1	3	4	6	2	6	9	9	7	14	16	17	19	19	22	11	5	3	2	-
	White—M.	124	5	-	1	1	-	1	1	3	2	3	1	5	6	7	6	11	14	9	12	10	14	7	3	1	1	-
	F.	64	7	1	1	-	-	1	-	-	2	3	-	1	3	1	1	2	1	7	7	9	8	4	2	2	1	-
	Nonwhite—M.	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	95	14	5	1	-	1	1	4	3	1	1	-	6	4	1	6	4	9	3	2	15	6	4	4	-	-	-
	White—M.	50	3	3	1	-	-	-	3	1	-	1	-	4	2	1	5	3	4	3	2	8	1	3	1	-	-	-
	F.	40	8	2	-	-	1	1	1	2	1	-	-	1	1	-	1	1	5	-	-	6	5	1	3	-	-	-
	Nonwhite—M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	5	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	233	13	6	3	2	-	1	-	1	-	2	3	3	4	5	4	10	12	17	20	33	35	37	15	7	-	-
	White—M.	117	5	3	2	1	-	1	-	-	-	1	-	2	2	4	3	4	7	11	8	19	17	17	5	5	-	-
	F.	112	6	3	1	1	-	-	-	1	-	1	3	1	1	1	1	6	5	6	12	14	18	20	10	1	-	-
	Nonwhite—M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
117	Ulcer of stomach or duodenum	89	-	-	-	-	-	-	1	-	1	1	-	2	5	8	10	15	15	8	4	11	7	1	-	-	-	-
	White—M.	68	-	-	-	-	-	-	1	-	1	1	-	-	3	8	10	14	12	3	4	6	4	1	-	-	-	-
	F.	20	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	3	4	-	5	3	-	-	-	-	-
	Nonwhite—M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	60	34	4	3	-	-	2	-	-	1	1	-	1	1	2	1	-	1	1	1	2	3	1	1	-	-	-
	White—M.	30	18	3	2	-	-	2	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-	-
	F.	28	14	1	1	-	-	-	-	-	1	1	-	1	1	1	-	-	1	1	-	2	1	1	-	-	-	-
	Nonwhite—M.	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	73	-	1	2	2	-	-	4	8	3	-	7	3	1	4	8	11	4	7	4	2	1	1	-	-	-	-
	White—M.	40	-	1	1	-	-	-	1	5	2	-	2	1	-	3	6	5	3	4	3	2	-	1	-	-	-	-
	F.	33	-	-	1	2	-	-	3	3	1	-	5	2	1	1	2	6	1	3	1	-	1	-	-	-	-	-
	Nonwhite—M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	137	6	1	-	-	-	-	1	2	-	1	2	5	3	6	5	16	13	16	19	20	12	6	3	-	-	-
	White—M.	66	4	1	-	-	-	-	1	2	-	-	-	2	1	1	1	7	3	7	13	7	9	5	2	-	-	-
	F.	68	2	-	-	-	-	-	-	-	-	1	2	3	2	5	3	9	9	8	6	13	3	1	1	-	-	-
	Nonwhite—M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	104	-	-	-	-	-	3	2	-	-	-	1	3	3	2	8	24	7	14	13	8	10	4	1	-	-	1
	White—M.	69	-	-	-	-	-	1	-	-	-	-	1	3	3	1	6	19	4	8	7	5	5	4	1	-	-	1
	F.	34	-	-	-	-	-	1	2	-	-	-	-	-	-	1	2	5	3	6	6	3	5	-	-	-	-	-
	Nonwhite—M.	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	84	-	-	-	-	-	-	-	-	-	-	1	3	1	5	11	7	11	11	9	15	7	3	-	-	-	-
	White—M.	22	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	2	1	4	5	1	2	-	-	-	-
	F.	62	-	-	-	-	-	-	-	-	-	-	1	3	-	3	8	5	9	10	5	10	7	1	-	-	-	-
	Nonwhite—M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	850	3	-	-	1	-	2	3	2	3	6	5	9	20	28	43	47	79	93	138	121	124	94	25	3	2	1
	White—M.	486	2	-	-	1	-	2	1	2	2	3	3	7	8	15	25	28	48	56	81	70	63	62	8	2	-	-
	F.	352	1	-	-	-	-	-	2	-	1	3	2	2	10	11	19	17	29	37	56	50	59	32	17	1	2	1
	Nonwhite—M.	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	1	1	2	-	-	-	-	-
	F.	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	1	-	-	-	-	-	-	-
137	Diseases of the prostate	100	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	9	15	25	23	17	5	1	-	-
	White—M.	100	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	9	15	25	23	17	5	1	-	-
	Nonwhite—M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

*Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Con.																											
140-150	Diseases of pregnancy, etc.*..	43	-	-	-	-	-	-	-	3	12	8	9	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	43	-	-	-	-	-	-	-	3	12	8	9	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	11	-	-	-	-	-	-	-	1	3	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	11	-	-	-	-	-	-	-	1	3	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	14	-	-	-	-	-	-	-	1	3	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	14	-	-	-	-	-	-	-	1	3	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	13	-	-	-	-	-	-	-	1	4	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	13	-	-	-	-	-	-	-	1	4	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	5	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	5	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	152	132	8	-	1	3	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
	White.....M..	88	78	3	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F..	63	53	5	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	275	275	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	157	157	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	111	111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	133	-	-	-	-	-	-	-	1	3	11	9	10	10	14	17	17	12	9	9	6	3	2	-	-	-	-
	White.....M..	97	-	-	-	-	-	-	-	1	3	11	7	8	6	8	11	12	9	5	6	5	3	2	-	-	-	-
	F..	35	-	-	-	-	-	-	-	-	-	-	2	2	4	6	6	4	3	4	3	1	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	16	-	-	-	-	-	-	-	-	2	1	1	1	3	2	1	2	1	1	-	-	1	-	-	-	-	-
	White.....M..	6	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	889	19	14	12	13	9	28	28	62	109	45	31	27	31	40	37	31	45	48	46	61	75	44	29	4	-	1
	White.....M..	585	9	7	8	8	5	19	23	49	98	40	23	20	25	31	25	22	37	32	24	27	26	18	9	2	-	-
	F..	286	10	7	4	5	3	9	3	10	11	3	7	6	6	9	12	8	8	15	21	31	49	26	20	2	-	1
	Nonwhite..M..	12	-	-	-	-	-	-	2	3	2	2	1	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-
	F..	6	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-	-	-	-
170	Motor-vehicle accidents.....	177	1	1	-	2	3	15	8	21	20	8	12	10	12	9	13	5	11	8	7	6	4	1	-	-	-	-
	White.....M..	134	1	-	-	1	2	8	8	15	15	7	8	9	9	8	9	4	9	8	4	4	4	1	-	-	-	-
	F..	41	-	1	-	1	1	7	-	6	5	-	3	1	3	1	4	1	2	-	3	2	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	712	18	13	12	11	6	13	20	41	89	37	19	17	19	31	24	26	34	40	39	55	71	43	29	4	-	1
	White.....M..	451	8	7	8	7	3	11	15	34	81	33	15	11	16	23	16	18	28	24	20	23	22	17	9	2	-	-
	F..	245	10	6	4	4	2	2	3	4	6	3	4	5	3	8	8	7	6	15	18	29	49	26	20	2	-	1
	Nonwhite..M..	10	-	-	-	-	-	-	2	3	2	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F..	6	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-	-	-	-
182,199, 200	Senility, ill-defined and unknown causes...	248	6	2	-	-	-	-	-	-	3	-	1	1	2	2	5	3	9	16	18	37	34	65	29	12	2	1
	White.....M..	125	4	1	-	-	-	-	-	-	1	-	-	1	2	2	4	3	6	11	8	21	15	30	9	3	1	1
	F..	122	2	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	3	5	10	15	19	35	20	8	1	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	1,248	218	18	5	5	6	25	9	14	28	26	31	41	33	46	60	64	68	82	101	107	128	89	37	5	1	1
	White.....M..	655	122	9	3	3	1	13	7	12	16	11	15	16	10	16	35	38	38	53	56	58	61	40	20	-	1	1
	F..	561	89	8	1	2	4	11	2	2	12	15	15	20	22	26	25	23	28	27	45	47	67	48	17	5	-	-
	Nonwhite..M..	12	3	1	-	-	1	-	-	-	-	-	-	-	1	1	-	1	2	2	-	-	-	-	-	-	-	-
	F..	20	4	-	1	-	-	1	-	-	-	-	1	5	-	3	-	2	-	-	-	2	-	1	-	-	-	-

*Refer to complete International List titles, table V, Part I..

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA																										
	All causes.....	1,647	152	10	6	8	3	18	15	31	98	58	46	50	60	71	128	137	146	182	147	126	90	34	18	5	2	6
	White.....M..	1,109	86	5	5	4	-	7	6	26	88	43	27	30	37	52	90	98	104	133	96	78	59	20	8	3	1	5
	F..	405	53	4	1	2	2	3	3	3	7	8	12	18	13	15	27	33	32	36	45	40	23	12	8	1	-	-
	Nonwhite..M..	74	3	-	-	1	-	2	3	1	1	3	7	1	3	4	10	8	5	7	4	4	3	1	2	-	-	1
	F..	59	10	1	-	1	1	2	3	1	2	4	-	1	7	-	1	-	5	6	2	4	5	1	-	1	1	-
1,2	Typhoid and paratyphoid fever..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms).....	76	2	2	-	1	-	3	-	2	1	5	3	1	5	5	12	12	8	7	1	3	3	-	-	-	-	-
	White.....M..	50	-	-	-	1	-	-	-	-	-	1	1	1	3	3	9	10	8	7	1	3	2	-	-	-	-	-
	F..	8	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	11	1	-	-	-	-	1	-	1	-	2	2	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	F..	9	-	1	-	-	-	2	-	1	1	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*..	66	2	1	-	-	-	1	-	1	1	3	3	1	5	4	12	11	8	6	1	3	3	-	-	-	-	-
	White.....M..	48	-	-	-	-	-	-	-	-	-	1	1	1	3	3	9	10	8	6	1	3	2	-	-	-	-	-
	F..	6	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	7	1	-	-	-	-	-	-	1	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	10	-	1	-	1	-	2	-	1	-	2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White.....M..	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	6	3	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	23	-	-	-	-	-	-	-	-	-	-	1	2	2	1	4	5	4	4	-	-	-	-	-	-	-	-	-
	White.....M..	15	-	-	-	-	-	-	-	-	-	-	1	2	1	-	4	3	3	1	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
35	Measles.....	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Con.																										
45-55	Cancer and other malignant tumors	158	-	-	-	-	-	1	-	-	-	2	2	7	2	12	13	20	24	33	23	11	6	-	-	1	-	1
	White..M..	86	-	-	-	-	-	1	-	-	-	-	-	1	1	8	5	10	15	24	8	7	5	-	-	1	-	-
	F..	67	-	-	-	-	-	-	-	-	-	1	2	6	-	4	8	9	9	8	15	4	1	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	75	-	-	-	-	-	1	-	-	-	1	1	1	1	5	2	12	12	14	17	4	3	-	-	-	-	1
	White..M..	39	-	-	-	-	-	1	-	-	-	-	-	-	-	4	1	7	7	9	5	3	2	-	-	-	-	-
	F..	32	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	4	5	4	12	1	1	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	17	-	-	-	-	-	-	-	-	-	-	1	5	-	2	2	2	2	2	-	1	-	-	-	-	-	-
	White..F..	17	-	-	-	-	-	-	-	-	-	-	1	5	-	2	2	2	2	2	-	1	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	2	2	2	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	2	2	2	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	54	-	-	-	-	-	-	-	-	-	1	-	1	1	4	6	4	10	15	4	4	3	-	-	1	-	-
	White..M..	47	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	3	8	15	3	4	3	-	-	1	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	20	-	1	-	-	-	1	2	-	1	-	-	2	1	1	-	2	1	3	4	1	-	-	-	-	-	-
	White..M..	11	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	1	-	2	3	1	-	-	-	-	-	-
	F..	9	-	1	-	-	-	-	1	-	1	-	-	1	-	1	-	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	8	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	2	1	-	-	-	-	-	-	-	-
	White..M..	7	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	106	1	-	1	-	-	-	1	-	-	1	-	-	3	5	6	13	13	10	10	24	11	4	1	2	-	-
	White..M..	55	-	-	1	-	-	-	-	-	-	-	-	-	1	1	4	6	8	4	8	12	8	1	1	-	-	-
	F..	37	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	3	6	1	10	3	3	-	1	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	1	2	-	-	-	-	-	-
	F..	7	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-
90-95	Diseases of the heart	359	-	-	-	1	-	-	1	-	-	2	6	3	10	18	40	41	40	62	50	36	31	10	6	2	-	-
	White..M..	266	-	-	-	-	-	-	-	-	-	1	3	2	8	15	27	34	28	53	37	27	19	7	3	2	-	-
	F..	77	-	-	-	-	-	-	1	-	-	1	2	1	1	3	9	6	9	7	13	8	10	3	3	-	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	3	-	-	-	1	-	-	-	-	-
	F..	7	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	1	-	-	-	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	22	-	-	-	-	-	-	-	-	-	-	1	-	1	-	5	4	1	4	4	1	1	-	-	-	-	-
	White..M..	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	3	3	-	1	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	1	1	1	1	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	129	-	-	-	-	-	-	-	-	-	1	1	1	4	9	16	20	17	26	17	7	6	3	-	1	-	-
	White..M..	109	-	-	-	-	-	-	-	-	-	1	-	-	3	8	14	17	13	24	14	6	5	3	-	1	-	-
	F..	16	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	3	2	1	3	1	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	208	-	-	-	1	-	-	1	-	-	1	4	2	5	9	19	17	22	32	29	28	24	7	6	1	-	-
	White..M..	145	-	-	-	-	-	-	-	-	-	-	3	2	4	7	11	15	15	26	20	21	13	4	3	1	-	-
	F..	52	-	-	-	-	-	-	1	-	-	1	-	-	-	2	4	2	6	5	9	6	10	3	3	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	1	-	-	1	-	-	-	-	-	-
	F..	6	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	1	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	107	18	2	1	1	1	1	2	1	3	1	1	6	6	2	9	9	10	8	8	8	4	2	3	-	-
	White..M..	62	11	1	1	-	-	-	-	1	2	1	-	5	1	2	8	8	7	3	5	3	2	1	-	-	-
	F..	23	1	1	-	-	-	-	-	-	1	-	1	-	4	-	1	1	3	1	1	3	1	1	3	-	-
	Nonwhite..M..	10	1	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	3	2	-	-	-	-	-	-
	F..	12	5	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	2	1	-	-	-	1
107	Bronchopneumonia	34	5	1	-	-	-	-	-	-	-	-	-	1	1	-	2	5	4	5	6	2	1	-	1	-	-
	White..M..	20	2	1	-	-	-	-	-	-	-	-	-	1	1	-	2	4	3	1	4	-	1	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-
	F..	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
108	Lobar pneumonia	40	5	1	1	-	-	-	-	1	3	1	-	4	2	2	3	4	3	2	1	5	1	1	-	-	-
	White..M..	26	3	-	1	-	-	-	-	1	2	1	-	3	2	2	3	4	3	1	-	2	-	-	-	-	-
	F..	12	1	1	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	1	3	1	1	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	17	6	-	-	1	-	-	-	-	-	-	1	1	1	-	3	-	2	-	-	1	1	-	-	-	-
	White..M..	11	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	1	1	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	16	2	-	-	-	1	1	2	-	-	-	-	-	2	-	1	-	1	1	1	-	1	1	2	-	-
	White..M..	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	-	-
	Nonwhite..M..	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
117	Ulcer of stomach or duodenum	18	-	-	-	-	-	-	-	-	-	-	1	-	-	-	7	2	1	3	2	-	-	-	-	-	-
	White..M..	14	-	-	-	-	-	-	-	-	-	-	1	-	-	-	7	1	1	2	2	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	6	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White..M..	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	10	-	-	-	-	-	1	1	-	1	1	-	2	-	-	1	1	-	-	-	2	-	-	-	-	-
	White..M..	9	-	-	-	-	-	-	1	-	1	1	-	2	-	-	1	1	-	-	-	2	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	17	-	-	-	-	-	-	1	-	-	-	1	2	-	2	1	-	4	3	2	-	1	-	-	-	-
	White..M..	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	2	1	-	1	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	20	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	3	2	4	3	2	1	-	-	-	-
	White..M..	15	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	4	3	1	1	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-
	White..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	78	-	-	-	1	-	-	-	-	-	-	1	1	1	1	10	8	8	12	11	4	13	6	1	-	-
	White..M..	52	-	-	-	1	-	-	-	-	-	-	1	-	1	1	7	7	5	7	8	1	8	4	1	-	-
	F..	20	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	4	3	3	3	2	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
137	Diseases of the prostate	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	-	-	-
	White..M..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V. Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Con.																										
140-150	Diseases of pregnancy, etc.*...	7	-	-	-	-	-	-	-	-	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	6	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	30	28	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	18	16	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	30	30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	22	22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	25	-	-	-	-	-	-	1	2	-	2	2	3	2	1	3	3	3	2	-	1	-	-	-	-	-
	White.....M..	17	-	-	-	-	-	-	1	1	-	1	1	2	2	1	-	3	3	1	-	1	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	6	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	White.....M..	5	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	293	2	3	2	2	-	6	4	24	82	39	20	8	15	11	12	14	12	11	7	10	3	3	1	-	2
	White.....M..	254	1	2	2	1	-	3	2	23	80	37	16	8	13	10	10	10	10	10	5	6	1	1	1	-	2
	F..	29	1	1	-	1	-	3	1	1	2	2	2	-	-	1	1	4	1	1	2	3	1	1	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	1	-	-	1	-	1	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-
170	Motor-vehicle accidents.....	35	-	1	-	-	-	2	1	2	3	3	2	1	1	4	1	2	4	2	3	2	-	-	-	-	1
	White.....M..	29	-	-	-	-	-	1	1	2	3	3	1	1	1	3	1	2	3	2	2	2	-	-	-	-	1
	F..	6	-	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	258	2	2	2	2	-	4	3	22	79	36	18	7	14	7	11	12	8	9	4	8	3	3	*1	-	1
	White.....M..	225	1	2	2	1	-	2	1	21	77	34	15	7	12	7	9	8	7	8	3	4	1	1	1	-	1
	F..	23	1	-	-	1	-	2	1	1	2	2	1	-	-	-	1	4	-	1	1	3	1	1	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	1	-	-	1	-	1	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	47	1	-	-	-	-	-	1	-	1	-	-	-	2	2	3	-	3	4	6	7	8	4	2	-	1	2
	White.....M..	29	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	2	4	4	6	3	1	-	-	2
	F..	8	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	1	2	1	1	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-
	F..	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-
	All other causes.	149	38	1	1	1	2	2	2	1	4	4	4	8	5	8	6	3	8	11	12	14	5	4	4	-	1	-
	White.....M..	86	23	1	1	-	-	1	2	1	4	1	1	3	1	6	2	2	7	8	8	8	2	2	1	-	1	-
	F..	52	13	-	-	1	2	1	-	-	-	2	2	4	4	1	3	1	-	3	4	5	3	1	2	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	1	-	-	1	-	-	-
	F..	5	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-

*Refer to complete International List titles, table V. Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE																										
	All causes	6,189	322	27	19	9	8	37	30	54	57	59	70	116	149	197	303	427	577	705	833	884	710	384	165	34	3	12
	White.....M.	3,277	187	17	12	3	6	25	13	37	31	29	33	63	85	109	178	258	332	380	447	467	319	163	60	14	2	7
	F.	2,900	154	10	7	8	2	12	17	16	28	30	37	53	84	87	125	165	244	323	385	417	389	221	104	20	1	5
	Nonwhite..M.	7	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	1	-	-	-	1	-	-	-
	F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	2	-	-	-	-	-
1,2	Typhoid and paratyphoid fever...	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	10	-	1	-	-	-	1	-	1	-	1	-	1	1	2	-	-	1	-	1	-	-	-	-	-	-	-
	White.....M.	4	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F.	6	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	105	-	-	-	-	-	1	1	7	7	7	5	5	13	7	12	9	12	6	5	4	3	-	1	-	-	-
	White.....M.	60	-	-	-	-	-	1	1	2	1	2	1	2	12	4	8	8	6	5	3	1	2	-	1	-	-	-
	F.	45	-	-	-	-	-	-	-	5	6	5	4	3	1	3	4	1	6	1	2	3	1	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	96	-	-	-	-	-	-	-	6	7	7	5	5	12	6	11	9	10	5	5	4	3	-	1	-	-	-
	White.....M.	54	-	-	-	-	-	-	-	1	1	2	1	2	11	3	8	8	6	4	3	1	2	-	1	-	-	-
	F.	42	-	-	-	-	-	-	-	5	6	5	4	3	1	3	3	1	4	1	2	3	1	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	9	-	-	-	-	-	1	1	1	-	-	-	-	1	1	1	-	2	1	-	-	-	-	-	-	-	-
	White.....M.	6	-	-	-	-	-	1	1	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	44	-	-	-	-	-	-	1	-	-	-	1	4	3	1	6	8	7	1	6	6	-	-	1	-	-	-
	White.....M.	26	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	5	5	1	3	4	-	-	-	-	-	-
	F.	18	-	-	-	-	-	-	1	-	-	-	-	3	2	-	1	3	2	-	3	2	-	-	1	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles.....	6	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	10	-	-	1	-	-	2	2	2	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	6	-	-	1	-	-	2	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Con.																										
45-55	Cancer and other malignant tumors	857	1	1	1	-	1	2	-	-	3	2	5	21	27	39	52	86	111	135	142	111	67	37	12	1	-	-
	White..M..	412	1	1	-	-	1	-	-	-	2	1	-	6	9	13	26	42	55	63	74	64	29	19	5	1	-	-
	F..	444	-	-	1	-	-	2	-	-	1	1	5	15	18	26	26	44	55	72	68	47	38	18	7	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	440	-	-	-	-	1	-	-	-	-	1	3	6	13	17	23	48	55	74	76	67	31	18	7	-	-	-
	White..M..	226	-	-	-	-	1	-	-	-	-	-	-	3	6	10	14	25	29	39	38	36	11	11	3	-	-	-
	F..	213	-	-	-	-	-	-	-	-	-	1	3	3	7	7	9	23	25	35	38	31	20	7	4	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	85	-	-	-	-	-	-	-	-	-	-	1	7	3	8	8	9	11	16	11	3	5	3	-	-	-	-
	White..F..	85	-	-	-	-	-	-	-	-	-	-	1	7	3	8	8	9	11	16	11	3	5	3	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	83	-	-	-	-	-	-	-	-	-	-	1	3	5	5	7	6	08	12	14	9	7	5	1	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	82	-	-	-	-	-	-	-	-	-	-	1	3	5	5	7	6	8	12	14	8	7	5	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	249	1	1	1	-	-	2	-	-	3	1	-	5	6	9	14	23	37	33	41	32	24	11	4	1	-	-
	White..M..	185	1	1	-	-	-	-	-	-	2	1	-	3	3	3	12	17	26	24	36	27	18	8	2	1	-	-
	F..	64	-	-	1	-	-	2	-	-	1	-	-	2	3	6	2	6	11	9	5	5	6	3	2	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	4	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	3	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	178	-	-	-	-	-	-	-	-	-	-	-	2	1	5	7	17	20	35	40	34	11	6	-	-	-	-
	White..M..	60	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	10	3	13	14	10	3	2	-	-	-	-
	F..	117	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	7	17	22	26	24	8	4	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	1	1	-	-	-	-	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	11	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	2	1	1	1	-	-	-	-	-	-	-	-
	White..M..	11	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	2	1	1	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	577	-	-	-	-	-	-	1	-	1	1	1	1	8	10	23	31	57	79	101	106	85	48	18	4	-	2
	White..M..	259	-	-	-	-	-	-	-	-	1	1	-	1	5	5	12	11	29	43	46	47	36	15	5	2	-	-
	F..	316	-	-	-	-	-	-	1	-	-	-	1	-	3	5	11	20	28	36	54	59	48	33	13	2	-	2
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
90-95	Diseases of the heart	2,041	1	3	-	-	1	1	3	6	2	3	9	31	36	57	107	158	213	267	319	350	286	122	50	15	-	1
	White..M..	1,140	1	3	-	-	1	1	1	5	2	1	5	20	24	40	66	108	132	155	182	181	135	51	19	6	-	1
	F..	895	-	-	-	-	-	-	2	1	-	2	4	11	12	17	41	46	81	112	137	169	150	71	30	9	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	96	-	-	-	-	-	-	3	1	-	1	1	10	6	2	14	10	7	7	12	11	2	6	2	1	-	-
	White..M..	52	-	-	-	-	-	-	1	1	-	-	1	5	3	-	6	8	4	5	7	6	2	2	-	1	-	-
	F..	44	-	-	-	-	-	-	2	-	-	1	-	5	3	2	8	2	3	2	5	5	-	4	2	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	725	1	-	-	-	-	-	-	-	-	-	3	14	19	31	49	83	98	105	109	108	71	24	6	3	-	1
	White..M..	474	1	-	-	-	-	-	-	-	-	-	2	10	16	27	34	63	71	62	64	68	39	14	2	-	-	1
	F..	249	-	-	-	-	-	-	-	-	-	-	1	4	3	4	15	19	27	43	45	40	31	10	4	3	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	1,220	-	3	-	-	1	1	-	5	2	2	5	7	11	24	44	65	108	155	198	231	213	92	42	11	-	-
	White..M..	614	-	3	-	-	1	1	-	4	2	1	2	5	5	13	26	37	57	88	111	107	94	35	17	5	-	-
	F..	602	-	-	-	-	-	-	-	1	-	1	3	2	6	11	18	25	51	67	87	124	119	57	24	6	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	369	42	2	6	-	1	6	5	5	4	3	5	10	8	9	16	12	17	25	33	50	47	47	11	3	1	1
	White	193	24	1	3	-	-	3	2	3	1	1	3	6	6	7	9	8	12	14	19	24	21	19	5	1	-	1
	F.	175	17	1	3	-	1	3	3	2	3	2	2	4	2	2	7	4	5	11	14	26	26	28	6	2	1	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	142	20	1	2	-	-	1	1	-	-	2	1	2	2	2	3	1	7	9	10	21	25	25	5	1	-	1
	White	71	10	-	1	-	-	-	1	-	-	1	-	1	2	2	2	-	5	5	7	10	10	9	4	-	-	1
	F.	71	10	1	1	-	-	1	-	-	-	1	1	1	-	-	1	1	2	4	3	11	15	16	1	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	109	7	-	2	-	1	2	1	3	2	-	2	4	3	5	6	7	4	8	16	14	10	9	2	1	-	-
	White	63	4	-	1	-	-	1	-	2	1	-	2	4	3	4	3	5	3	4	9	7	4	5	1	-	-	-
	F.	45	2	-	1	-	1	1	1	1	1	-	-	-	-	1	3	2	1	4	7	7	6	4	1	1	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	41	9	1	-	-	-	1	1	-	1	-	-	1	-	1	5	-	3	3	2	5	4	3	1	-	-	-
	White	22	5	1	-	-	-	1	-	-	-	-	-	-	-	1	3	-	2	2	1	3	2	1	-	-	-	-
	F.	19	4	-	-	-	-	-	1	-	1	-	-	1	-	-	2	-	1	1	1	2	2	2	1	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	77	6	-	2	-	-	2	2	2	1	1	2	3	3	1	2	4	3	5	5	10	8	10	3	1	1	-
	White	37	5	-	1	-	-	1	1	1	-	-	1	1	1	-	1	3	2	3	2	4	5	4	-	1	-	-
	F.	40	1	-	1	-	-	1	1	1	1	1	1	2	2	1	1	1	1	2	3	6	3	6	3	-	1	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	38	-	-	-	-	-	-	-	-	-	-	-	1	1	5	4	10	9	3	4	-	-	-	-	-	-	1
	White	32	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	7	9	3	3	-	-	-	-	-	-	1
	F.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	1	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	28	15	2	-	-	-	-	-	1	-	2	1	-	2	-	-	1	1	1	-	-	2	-	-	-	-	-
	White	14	9	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
	F.	14	6	2	-	-	-	-	-	-	-	2	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	25	-	-	1	1	-	2	-	1	2	-	1	1	3	-	-	3	2	5	2	-	1	-	-	-	-	-
	White	17	-	-	1	1	-	1	-	1	1	-	1	1	2	-	-	1	2	3	2	-	-	-	-	-	-	-
	F.	8	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	2	-	2	-	-	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	57	1	-	-	-	-	-	-	1	-	2	1	1	2	-	3	4	5	10	12	5	7	2	-	1	-	-
	White	26	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	2	5	9	1	4	1	-	-	-	-
	F.	31	-	-	-	-	-	-	-	1	-	1	-	1	2	-	2	4	3	5	3	4	3	1	-	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	38	-	-	-	-	-	-	-	1	-	1	3	3	2	6	5	3	3	2	1	2	5	1	-	-	-	-
	White	22	-	-	-	-	-	-	-	1	-	1	2	2	1	3	3	3	1	1	1	1	2	-	-	-	-	-
	F.	16	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	-	2	1	-	1	3	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	42	-	-	-	-	-	-	-	-	1	-	1	-	2	4	3	8	3	6	4	5	5	-	-	-	-	-
	White	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	2	1	-	-	-	-	-
	F.	32	-	-	-	-	-	-	-	-	1	-	1	-	2	4	2	6	3	4	2	3	4	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	377	-	-	-	-	-	1	-	4	2	2	1	4	8	10	11	21	38	47	54	73	55	35	9	-	-	2
	White	201	-	-	-	-	-	1	-	2	1	2	-	2	3	3	6	11	21	25	28	44	32	17	2	-	-	1
	F.	176	-	-	-	-	-	-	-	2	1	-	1	2	5	7	5	10	17	22	26	29	23	18	7	-	-	1
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	30	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	6	7	5	3	2	2	1	-	-
	White	30	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	6	7	5	3	2	2	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Con.																										
140-150	Diseases of pregnancy, etc.*..	24	-	-	-	-	-	-	-	2	5	6	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	24	-	-	-	-	-	-	-	2	5	6	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	8	-	-	-	-	-	-	-	1	-	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	8	-	-	-	-	-	-	-	1	-	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	7	-	-	-	-	-	-	-	1	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	7	-	-	-	-	-	-	-	1	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	7	-	-	-	-	-	-	-	-	1	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	7	-	-	-	-	-	-	-	-	1	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	93	87	3	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	53	50	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	40	37	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	97	97	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	62	62	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	35	35	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	80	-	-	-	-	-	-	-	1	2	3	4	7	6	7	9	6	11	7	5	6	3	2	1	-	-
	White.....M..	62	-	-	-	-	-	-	-	1	1	3	2	4	4	5	7	4	9	6	5	6	2	2	1	-	-
	F..	18	-	-	-	-	-	-	-	-	1	-	2	3	2	2	2	2	2	1	-	-	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	365	10	9	6	3	4	11	10	16	24	14	14	9	9	11	15	14	25	20	30	36	41	19	13	1	-	1
	White.....M..	230	7	6	4	1	3	10	5	16	19	9	12	7	6	8	13	13	19	15	14	22	13	6	2	-	-	-
	F..	135	3	3	2	2	1	1	5	-	5	5	2	2	3	3	2	1	6	5	16	14	28	13	11	1	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	63	1	1	-	1	2	6	2	2	5	6	6	1	1	1	4	5	5	4	4	3	2	1	-	-	-	-
	White.....M..	49	1	-	-	-	1	6	1	2	3	3	5	1	1	1	3	4	5	3	4	2	2	1	-	-	-	-
	F..	14	-	1	-	1	1	-	1	-	2	3	1	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	302	9	8	6	2	2	5	8	14	19	8	8	8	8	10	11	9	20	16	26	33	39	18	13	1	-	1
	White.....M..	181	6	6	4	1	2	4	4	14	16	6	7	6	5	7	10	9	14	12	10	20	11	5	2	-	-	-
	F..	121	3	2	2	1	-	1	4	-	3	2	1	2	3	3	1	-	6	4	16	13	28	13	11	1	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
182,199, 200	Senility, ill-defined and unknown causes...	62	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	2	2	4	2	13	14	7	10	2	-	-
	White.....M..	29	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	2	1	1	3	1	5	6	5	3	1	-	-
	F..	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	8	8	4	7	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	601	63	4	3	3	1	4	6	6	4	10	9	9	12	16	25	30	35	43	62	77	74	56	37	8	2	4
	White.....M..	304	30	2	3	1	1	2	3	5	2	4	4	4	7	8	12	20	22	15	32	50	29	26	15	2	2	3
	F..	296	33	2	-	2	-	2	3	-	2	6	5	5	5	8	13	10	13	28	30	27	45	30	22	4	-	1
	Nonwhite..M..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY																										
	All causes.....	47,815	2,593	202	145	84	65	244	250	379	679	732	825	1,196	1,751	2,543	3,590	4,451	5,105	5,767	5,784	5,174	3,688	1,847	599	101	17	4
	White.....M..	24,071	1,280	87	66	41	25	129	126	189	317	327	373	586	839	1,321	1,989	2,538	2,895	3,046	2,880	2,455	1,589	726	217	27	2	1
	F..	20,276	978	89	56	34	34	91	84	131	232	266	314	418	638	924	1,265	1,611	1,927	2,453	2,673	2,549	1,998	1,072	360	65	10	3
	Nonwhite..M..	1,854	191	12	12	6	3	15	26	26	61	63	65	104	146	183	194	178	158	139	111	84	48	20	4	4	1	-
	F..	1,614	144	14	11	3	3	9	14	33	69	76	73	88	128	115	142	124	125	129	120	86	52	29	18	5	4	-
1,2	Typhoid and paratyphoid fever..	7	-	-	1	-	-	-	-	2	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F..	4	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	110	8	3	11	5	5	2	4	7	4	6	8	8	4	5	10	5	8	2	2	2	1	-	-	-	-	-
	White.....M..	49	3	2	5	2	3	-	-	4	2	2	3	3	1	2	5	3	4	1	1	2	1	-	-	-	-	-
	F..	42	5	1	4	3	2	1	2	1	1	2	4	2	2	1	4	1	4	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	15	-	-	2	-	-	1	2	2	1	2	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	10	-	-	1	-	-	3	-	1	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	11	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	6	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	5	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	1,856	11	13	2	2	3	3	15	62	150	165	158	182	182	179	190	178	133	102	67	42	12	4	1	-	-	-
	White.....M..	975	2	5	1	1	-	-	2	12	41	58	57	88	96	104	127	134	99	69	43	27	7	1	1	-	-	-
	F..	470	6	5	-	1	1	1	6	24	46	57	60	48	44	31	30	25	21	24	19	15	4	2	-	-	-	-
	Nonwhite..M..	245	2	1	-	-	1	2	1	7	30	21	20	26	32	36	27	17	12	7	3	-	-	-	-	-	-	-
	F..	166	1	2	1	-	1	-	6	19	33	29	21	20	10	8	6	2	1	2	2	-	1	1	-	-	-	-
15	Tuberculosis of respiratory system, etc....	1,733	5	5	-	-	-	2	13	60	137	153	148	179	172	175	179	169	120	99	62	40	11	3	1	-	-	-
	White.....M..	928	1	1	-	-	-	-	2	12	40	55	55	88	91	102	121	127	94	67	39	26	6	-	1	-	-	-
	F..	428	2	2	-	-	-	-	5	23	42	55	56	45	42	29	27	23	16	23	18	14	4	2	-	-	-	-
	Nonwhite..M..	225	1	-	-	-	-	2	1	7	25	18	18	26	30	36	25	17	9	7	3	-	-	-	-	-	-	-
	F..	152	1	2	-	-	-	-	5	18	30	25	19	20	9	8	6	2	1	2	2	-	1	1	-	-	-	-
14-22	Tuberculosis (other forms)..	123	6	8	2	2	3	1	2	2	13	12	10	3	10	4	11	9	13	3	5	2	1	1	-	-	-	-
	White.....M..	47	1	4	1	1	-	-	-	-	1	3	2	-	5	2	6	7	5	2	4	1	1	1	-	-	-	-
	F..	42	4	3	-	1	1	1	1	4	2	4	3	2	2	2	3	2	5	1	1	1	-	-	-	-	-	-
	Nonwhite..M..	20	1	1	-	-	1	-	-	-	5	3	2	-	2	-	2	-	3	-	-	-	-	-	-	-	-	-
	F..	14	-	-	1	-	1	-	1	1	3	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	421	14	-	-	-	-	-	1	6	6	5	13	19	53	56	54	63	56	35	18	13	6	2	1	-	-	-
	White.....M..	198	3	-	-	-	-	-	-	1	1	2	1	5	20	23	29	38	32	21	11	7	3	1	-	-	-	-
	F..	78	1	-	-	-	-	-	-	-	1	-	2	2	9	9	11	12	12	7	5	5	-	1	1	-	-	-
	Nonwhite..M..	103	5	-	-	-	-	-	1	1	-	3	7	8	17	21	10	11	9	6	1	-	3	-	-	-	-	-
	F..	42	5	-	-	-	-	-	-	4	4	-	3	4	7	3	4	2	3	1	1	1	-	-	-	-	-	-
35	Measles.....	12	1	1	-	4	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	4	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	-	1	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	Poliomyelitis, polioencephalitis (acute)..	56	1	-	2	5	2	15	14	5	4	1	2	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	29	-	-	-	3	2	9	9	1	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	22	-	-	1	1	-	6	5	3	3	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Con.																											
45-55	Cancer and other malignant tumors.....	6,886	2	4	3	3	4	9	11	11	26	56	71	172	316	473	673	950	966	1,002	915	656	394	130	34	5	-	-
	White.....M..	3,184	1	3	1	2	1	5	4	6	14	30	21	47	88	181	302	436	498	525	472	333	155	44	13	2	-	-
	F..	3,380	1	1	1	1	3	4	5	5	8	24	45	107	196	255	328	465	425	444	419	306	232	83	19	3	-	-
	Nonwhite..M..	160	-	-	1	-	-	-	2	-	2	-	1	5	12	14	24	25	30	15	9	12	5	2	1	-	-	-
	F..	162	-	-	-	-	-	-	-	-	2	2	4	13	20	23	19	24	13	18	15	5	2	1	1	-	-	-
46	Cancer of digestive organs, peritoneum.....	3,304	-	-	-	-	-	2	1	1	3	14	14	50	110	183	300	448	500	495	498	361	228	75	19	2	-	-
	White.....M..	1,684	-	-	-	-	-	1	-	1	2	6	9	17	42	98	166	229	276	275	265	177	90	24	6	-	-	-
	F..	1,457	-	-	-	-	-	1	-	-	1	7	5	27	51	73	114	192	198	197	222	171	134	50	12	2	-	-
	Nonwhite..M..	99	-	-	-	-	-	-	1	-	-	-	-	2	9	7	15	18	18	10	3	10	4	1	1	-	-	-
	F..	64	-	-	-	-	-	-	-	-	-	1	-	4	8	5	5	9	8	13	8	3	-	-	-	-	-	-
48,49	Cancer of female genital organs.	751	-	-	-	-	-	-	1	-	4	6	15	40	72	78	99	107	83	106	64	35	29	9	3	-	-	-
	White.....F..	692	-	-	-	-	-	-	1	-	3	6	14	34	63	70	89	98	79	102	60	35	27	9	2	-	-	-
	Nonwhite..F..	59	-	-	-	-	-	-	-	-	1	-	1	6	9	8	10	9	4	4	4	-	2	-	1	-	-	-
50	Cancer of breast.	700	-	-	-	-	-	-	-	-	1	1	12	25	60	80	81	110	71	80	71	54	40	12	2	-	-	-
	White.....M..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	2	-	3	-	-	-	-	-
	F..	667	-	-	-	-	-	-	-	-	-	1	11	23	59	74	77	106	69	77	67	53	37	11	2	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	20	-	-	-	-	-	-	-	-	1	-	1	2	1	5	3	3	-	-	2	1	-	1	-	-	-	-
45,47, 51-55	Cancer (other sites).....	2,131	2	4	3	3	4	7	9	10	18	35	30	57	74	132	193	285	312	321	282	206	97	34	10	3	-	-
	White.....M..	1,487	1	3	1	2	1	4	4	5	12	24	12	30	46	82	135	206	220	247	205	156	62	20	7	2	-	-
	F..	564	1	1	1	1	3	3	4	5	4	10	15	23	23	38	48	69	79	68	70	47	34	13	3	1	-	-
	Nonwhite..M..	61	-	-	1	-	-	-	1	-	2	-	1	3	3	7	9	7	12	5	6	2	1	1	-	-	-	-
	F..	19	-	-	-	-	-	-	-	-	-	1	2	1	2	5	1	3	1	1	1	1	-	-	-	-	-	-
58	Acute rheumatic fever.....	63	-	-	-	-	1	7	11	8	7	7	7	5	3	2	-	2	1	1	-	-	1	-	-	-	-	-
	White.....M..	26	-	-	-	-	1	4	2	4	2	3	3	2	2	-	-	2	-	-	-	-	1	-	-	-	-	-
	F..	33	-	-	-	-	-	3	8	4	5	2	3	3	1	2	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,484	-	-	1	-	-	2	11	5	6	7	13	17	32	51	110	199	251	267	245	169	77	18	2	-	-	1
	White.....M..	452	-	-	-	-	-	1	3	1	2	3	6	6	9	16	32	53	78	73	80	56	24	7	2	-	-	-
	F..	956	-	-	1	-	-	1	8	4	4	3	3	7	17	31	62	132	164	185	162	110	50	11	-	-	-	1
	Nonwhite..M..	18	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	4	3	1	3	1	1	-	-	-	-	-
	F..	58	-	-	-	-	-	-	-	-	-	1	4	4	4	4	13	10	6	8	-	2	2	-	-	-	-	-
63b	Exophthalmic goiter.....	78	-	-	-	-	-	-	1	-	2	2	1	4	4	3	16	11	14	7	7	3	2	-	-	-	-	1
	White.....M..	14	-	-	-	-	-	-	1	-	-	-	-	1	2	-	3	2	4	1	-	-	-	-	-	-	-	-
	F..	59	-	-	-	-	-	-	-	-	-	2	1	3	2	3	13	7	9	6	7	3	2	-	-	-	-	1
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	59	-	-	-	-	-	-	-	-	1	2	5	5	8	11	9	6	5	1	3	3	-	-	-	-	-	-
	White.....M..	45	-	-	-	-	-	-	-	-	-	1	3	3	6	8	6	6	5	1	3	3	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	4,106	4	3	1	1	1	3	4	5	2	11	21	34	95	156	288	379	461	609	678	607	461	228	43	10	1	-
	White.....M..	1,756	3	3	1	1	-	2	3	4	-	5	13	14	42	57	106	180	205	288	294	243	195	88	8	1	-	-
	F..	2,104	-	-	-	-	1	1	-	1	2	5	4	15	38	86	146	172	225	287	357	339	257	129	32	6	1	-
	Nonwhite..M..	105	1	-	-	-	-	-	1	-	-	-	2	1	6	5	20	11	11	15	11	13	4	4	-	-	-	-
	F..	141	-	-	-	-	-	-	-	-	-	1	2	4	9	8	16	16	20	19	16	12	5	7	3	3	-	-
90-95	Diseases of the heart.....	16,347	5	4	2	3	2	15	24	47	72	92	137	265	415	780	1,214	1,581	1,936	2,356	2,385	2,269	1,635	810	261	34	5	-
	White.....M..	8,834	2	1	2	2	1	4	9	19	30	44	76	153	249	473	794	1,043	1,179	1,310	1,260	1,073	711	297	92	10	-	-
	F..	6,718	3	3	-	1	-	8	11	26	37	35	51	76	122	232	344	446	664	940	1,032	1,129	879	495	158	22	4	-
	Nonwhite..M..	404	-	-	-	-	1	1	3	1	1	4	6	20	19	46	42	51	44	58	47	30	20	7	1	2	-	-
	F..	391	-	-	-	-	-	2	1	1	4	9	4	16	25	29	34	41	49	48	44	37	25	11	10	-	1	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart.....	865	-	-	-	1	1	10	16	29	43	47	50	57	70	87	74	74	61	78	71	43	34	16	1	1	1	-
	White.....M..	372	-	-	-	1	-	2	7	10	17	18	23	29	35	31	33	35	29	35	33	17	11	6	-	-	-	-
	F..	426	-	-	-	-	-	5	7	17	23	23	24	23	32	51	34	34	25	37	33	23	22	10	1	1	1	-
	Nonwhite..M..	29	-	-	-	-	1	1	2	1	1	1	1	4	1	2	3	3	3	2	2	-	1	-	-	-	-	-
	F..	38	-	-	-	-	-	2	-	1	2	5	2	1	2	3	4	2	4	4	3	3	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	4,410	-	-	-	-	-	-	-	-	6	11	34	93	155	307	481	600	641	719	594	415	241	91	20	2	-	-
	White.....M..	3,009	-	-	-	-	-	-	-	-	2	7	23	71	123	228	385	466	450	455	366	247	129	47	10	-	-	-
	F..	1,267	-	-	-	-	-	-	-	-	4	2	9	13	22	61	78	115	173	248	214	165	108	43	10	2	-	-
	Nonwhite..M..	85	-	-	-	-	-	-	-	-	-	1	2	5	6	12	12	12	13	11	6	2	3	-	-	-	-	-
	F..	49	-	-	-	-	-	-	-	-	-	1	-	4	4	6	6	7	5	5	8	1	1	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms).....	11,072	5	4	2	2	1	5	8	18	23	34	53	115	190	386	659	907	1,234	1,559	1,718	1,811	1360	703	240	31	4	-
	White.....M..	5,453	2	1	2	1	1	2	2	9	11	19	30	53	91	214	376	542	700	820	861	809	571	244	82	10	-	-
	F..	5,025	3	3	-	1	-	3	4	9	10	10	18	40	68	120	232	297	466	655	785	941	749	442	147	19	3	-
	Nonwhite..M..	290	-	-	-	-	-	-	1	-	-	2	3	11	12	32	27	36	28	45	39	28	16	7	1	2	-	-
	F..	304	-	-	-	-	-	-	1	-	2	3	2	11	19	20	24	32	40	39	33	33	24	10	10	-	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	2,047	297	65	30	11	8	19	14	21	20	26	33	51	83	91	129	154	165	188	182	177	154	93	31	2	3	-
	White	1,061	140	21	13	4	6	8	7	13	11	10	11	27	39	48	70	105	115	115	88	87	70	42	12	1	1	-
	M	734	99	35	13	5	5	9	5	5	6	8	15	12	24	21	31	33	34	62	84	82	77	50	18	1	-	-
	F	152	42	6	3	1	-	1	1	1	1	2	6	8	11	11	16	12	12	7	4	3	3	1	-	-	-	-
	Nonwhite	100	16	3	1	1	-	1	1	2	2	6	1	4	9	11	12	4	4	4	6	5	4	-	1	-	2	-
	M																											
	F																											
107	Bronchopneumonia	867	208	30	19	5	5	8	5	9	6	4	6	17	26	35	28	44	53	60	73	74	73	57	19	2	1	-
	White	422	96	9	8	1	-	5	4	5	2	2	2	8	10	17	12	34	38	33	36	33	34	22	9	1	1	-
	M	341	68	15	8	2	5	2	1	4	4	2	3	7	9	7	10	6	11	23	35	37	37	35	9	1	-	-
	F	63	31	4	2	1	-	-	-	-	-	-	1	2	5	3	3	5	2	2	-	3	1	-	-	-	-	-
	Nonwhite	41	13	2	1	1	-	1	-	-	-	-	-	2	8	3	1	2	2	2	2	1	1	-	1	-	-	-
	M																											
	F																											
108	Lobar pneumonia	896	59	20	4	4	3	6	9	7	8	14	22	30	47	47	82	93	90	106	80	80	53	22	9	-	1	-
	White	500	27	8	2	2	3	1	3	5	7	6	8	17	24	27	48	60	62	87	54	44	30	13	2	-	-	-
	M	292	24	10	2	2	-	5	4	-	-	3	10	4	12	13	17	23	19	33	41	34	21	8	7	-	-	-
	F	64	5	1	-	-	-	-	1	1	1	1	3	5	6	11	7	8	5	2	-	1	1	-	-	-	-	-
	Nonwhite	40	3	1	-	-	-	-	1	1	-	4	1	4	6	1	6	3	1	1	3	2	1	-	-	-	1	-
	M																											
	F																											
109	Pneumonia (unspecified)	64	18	2	2	-	-	2	-	1	1	2	3	-	1	3	7	3	5	4	7	3	2	-	-	-	-	-
	White	35	9	-	1	-	-	-	-	1	-	-	1	-	-	3	4	2	4	3	5	2	-	-	-	-	-	-
	M	17	3	1	-	-	-	2	-	-	1	-	1	-	1	-	2	-	1	1	2	1	1	-	-	-	-	-
	F	11	4	1	1	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
33	Influenza	220	14	13	5	2	-	3	-	4	5	6	2	4	9	6	12	14	17	18	22	20	26	14	3	-	1	-
	White	104	8	4	2	1	-	2	-	2	2	2	-	2	5	1	6	9	11	12	13	8	6	7	1	-	-	-
	M	84	4	9	3	1	-	-	1	1	1	3	1	1	2	1	2	4	3	5	6	10	18	7	2	-	-	-
	F	14	2	-	-	-	-	1	-	-	-	-	1	1	1	2	1	1	2	-	2	-	-	-	-	-	-	-
	Nonwhite	18	-	-	-	-	-	-	-	1	2	1	-	-	1	2	3	-	1	1	1	2	2	-	-	-	1	-
	M																											
	F																											
117	Ulcer of stomach or duodenum	338	-	-	-	-	-	-	-	-	1	8	8	14	26	46	42	52	50	41	24	15	7	3	1	-	-	-
	White	278	-	-	-	-	-	-	-	-	1	4	8	12	22	38	36	43	42	32	20	13	6	-	1	-	-	-
	M	45	-	-	-	-	-	-	-	-	-	4	-	2	1	4	3	7	7	8	4	1	1	3	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	M																											
	F																											
119,120	Diarrhea, enteritis, etc.*	258	184	13	2	2	-	3	2	3	1	1	3	3	4	7	5	2	3	8	6	-	3	-	2	1	-	-
	White	121	90	7	1	1	-	1	2	1	-	-	2	-	1	-	3	1	2	4	2	-	2	-	1	-	-	-
	M	105	72	5	-	1	-	-	2	1	1	1	1	3	3	4	2	1	1	4	2	-	-	-	1	1	-	-
	F	14	12	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite	18	10	1	1	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	-	-	-	-	-
	M																											
	F																											
121	Appendicitis	253	2	4	5	5	1	13	8	8	6	11	8	13	14	25	30	24	21	23	17	8	6	1	-	-	-	-
	White	149	1	2	2	3	1	7	3	5	-	4	4	7	8	16	17	18	16	17	11	3	3	1	-	-	-	-
	M	82	1	2	3	1	-	5	2	3	2	3	1	5	6	7	11	6	5	6	6	4	3	-	-	-	-	-
	F	14	-	-	-	1	-	1	3	-	-	2	2	-	-	2	2	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite	8	-	-	-	-	-	-	-	-	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
122	Hernia, intestinal obstruction	419	15	2	1	-	-	2	2	3	3	8	11	6	22	28	31	35	50	52	56	48	23	17	4	-	-	-
	White	187	10	2	1	-	-	1	2	3	1	2	2	2	5	13	10	15	23	28	27	25	8	6	1	-	-	-
	M	199	4	-	-	-	-	-	-	-	2	4	6	3	10	11	15	19	24	23	27	22	15	11	3	-	-	-
	F	18	1	-	-	-	-	1	-	-	-	1	-	1	3	1	4	-	2	1	2	1	-	-	-	-	-	-
	Nonwhite	15	-	-	-	-	-	-	-	-	-	1	3	-	4	3	2	1	1	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
124	Cirrhosis of the liver	478	-	-	1	1	-	-	-	2	-	3	10	15	28	46	80	61	60	62	51	28	24	4	1	-	1	-
	White	283	-	-	-	1	-	-	-	-	-	1	5	9	15	29	56	40	44	34	23	15	9	2	-	-	-	-
	M	172	-	-	1	-	-	-	-	2	-	2	4	4	8	16	19	19	14	27	27	12	15	1	1	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	2	4	1	4	2	2	-	1	1	-	-	-	-	1	-
	Nonwhite	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-
	M																											
	F																											
126,127	Biliary calculi, etc.*	242	-	-	-	-	-	-	-	-	-	1	8	8	11	17	28	26	34	35	28	26	11	7	2	-	-	-
	White	87	-	-	-	-	-	-	-	-	-	1	1	3	6	8	8	11	13	8	8	12	4	3	1	-	-	-
	M	145	-	-	-	-	-	-	-	-	-	-	5	5	4	8	17	14	20	28	18	14	7	4	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	11	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	1	1	2	-	-	-	-	-	-	-	-
	M																											
	F																											
130-132	Nephritis	2,997	-	1	1	1	2	5	6	20	29	31	34	65	95	144	213	240	317	390	429	441	306	161	53	10	3	-
	White	1,330	-	1	-	1	1	3	3	8	17	15	14	31	38	63	87	108	153	175	187	197	127	80	20	3	-	-
	M	1,385	-	-	1	-	1	2	3	11	11	12	14	23	36	57	90	101	130	188	206	216	168	75	31	7	2	-
	F	122	-	-	-	-	-	-	-	1	-	3	-	4	8	15	17	17	15	9	16	9	5	2	1	-	-	-
	Nonwhite	160	-	-	-	-	-	-	-	-	1	3	6	7	15	9	19	14	19	18	20	19	6	4	1	-	1	-
	M																											
	F																											
157	Diseases of the prostate	218	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	16	20	36	56	50	24	13	2	-	-	-
	White	211	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	15	20	36	54	49	23	13	2	-	-	-
	Nonwhite	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Con.																											
140-150	Diseases of pregnancy, etc.*...	120	-	-	-	-	-	-	-	7	19	33	27	24	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	95	-	-	-	-	-	-	-	4	15	27	21	21	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	25	-	-	-	-	-	-	-	3	4	6	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	52	-	-	-	-	-	-	-	6	10	14	6	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	40	-	-	-	-	-	-	-	3	9	10	5	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	12	-	-	-	-	-	-	-	3	1	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	16	-	-	-	-	-	-	-	1	1	5	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	13	-	-	-	-	-	-	-	1	1	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	39	-	-	-	-	-	-	-	-	6	10	12	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	30	-	-	-	-	-	-	-	-	4	8	9	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	9	-	-	-	-	-	-	-	-	2	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	13	-	-	-	-	-	-	-	-	2	4	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	12	-	-	-	-	-	-	-	-	1	4	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	521	448	15	12	5	1	5	7	6	7	3	3	2	2	3	2	-	-	-	-	-	1	1	-	-	-	-
	White.....M..	246	217	6	8	1	-	-	2	3	2	3	2	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-
	F..	208	208	6	6	3	1	5	5	3	4	-	1	1	2	2	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..M..	14	10	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	13	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	862	862	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	431	431	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	292	292	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	69	69	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	70	70	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	493	-	-	-	-	-	-	1	1	15	25	34	49	46	52	62	56	51	58	35	15	10	5	-	-	-	-
	White.....M..	331	-	-	-	-	-	-	1	-	11	14	18	30	29	31	45	37	36	28	27	13	9	2	-	-	-	-
	F..	154	-	-	-	-	-	-	-	1	3	11	16	17	17	20	16	19	14	10	7	1	1	1	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	1	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
165-168	Homicide.....	87	5	1	-	1	1	2	2	2	9	16	7	8	11	6	4	5	5	-	-	3	-	-	-	-	-	1
	White.....M..	35	1	-	-	1	-	1	1	2	4	2	1	5	3	5	3	1	4	-	-	1	-	-	-	-	-	-
	F..	18	3	1	-	-	1	1	-	-	1	5	-	-	1	-	-	1	1	-	-	2	-	-	-	-	-	1
	Nonwhite..M..	29	-	-	-	-	-	-	-	-	4	9	5	3	5	1	1	1	-	-	-	-	-	-	-	-	-	-
	F..	5	1	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,567	70	23	28	19	20	84	72	98	194	119	105	108	116	142	157	160	191	168	185	185	174	95	40	12	1	1
	White.....M..	1,615	40	14	12	11	7	54	50	76	145	90	80	79	78	105	113	118	137	109	91	92	68	30	10	5	-	1
	F..	755	19	6	7	7	10	21	8	10	30	19	14	14	22	24	32	32	46	50	86	90	105	65	30	7	1	-
	Nonwhite..M..	143	7	-	3	-	1	7	10	11	16	6	5	13	12	12	9	8	7	8	7	1	-	-	-	-	-	-
	F..	54	4	3	6	1	2	2	4	1	3	4	6	2	4	1	3	2	1	1	1	2	1	-	-	-	-	-
170	Motor-vehicle accidents.....	625	1	-	4	9	5	28	20	35	36	33	42	32	36	47	59	58	62	44	32	28	9	4	1	-	-	-
	White.....M..	445	1	-	2	5	3	19	15	26	19	17	33	19	24	38	46	39	50	30	22	23	8	4	-	-	-	-
	F..	122	-	-	1	4	2	5	1	5	11	15	5	7	5	6	9	15	9	9	9	4	1	-	1	-	-	-
	Nonwhite..M..	48	-	-	-	-	-	4	3	3	5	1	2	6	4	2	4	3	3	4	1	1	-	-	-	-	-	-
	F..	14	-	-	1	-	-	-	1	1	1	2	2	-	3	1	-	1	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,942	69	23	24	10	15	56	52	63	158	86	65	76	80	95	98	102	129	124	153	157	165	91	39	12	1	1
	White.....M..	1,172	39	14	10	6	4	35	35	50	126	73	47	60	54	67	67	79	87	79	69	69	60	26	10	5	-	1
	F..	633	19	6	8	3	8	16	7	5	19	6	9	7	17	18	23	17	37	41	77	86	104	65	29	7	1	-
	Nonwhite..M..	97	7	-	3	-	1	3	7	8	11	5	3	7	8	10	5	5	4	4	6	-	-	-	-	-	-	-
	F..	40	4	3	5	1	2	2	3	-	2	2	4	2	1	-	3	1	1	-	1	2	1	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	306	14	2	-	-	-	1	-	-	2	-	2	3	5	2	3	6	12	22	40	34	60	61	27	10	-	-
	White.....M..	135	7	-	-	-	-	1	-	-	-	-	2	1	3	1	-	3	8	14	21	11	28	23	13	1	-	-
	F..	152	6	1	-	-	-	-	-	-	1	-	-	1	1	1	2	3	1	7	16	22	32	36	14	8	-	-
	Nonwhite..M..	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	1	-	-	1	-	-
	F..	12	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	2	1	1	2	-	-	-	-
	All other causes.	4,089	640	46	39	16	12	46	38	49	91	92	95	114	165	214	258	240	294	319	357	378	296	196	94	17	3	-
	White.....M..	1,985	323	19	19	6	4	24	22	28	31	34	38	56	77	96	134	127	177	155	157	195	137	85	40	4	1	-
	F..	1,804	255	21	17	8	8	19	14	19	48	38	42	43	64	98	86	95	105	146	188	174	150	105	51	10	2	-
	Nonwhite..M..	162	39	4	2	1	-	-	1	1	4	10	7	8	9	11	10	13	7	11	3	10	5	4	1	1	-	-
	F..	138	25	2	1	1	-	3	1	3	8	10	8	7	15	9	8	5	5	7	9	1	4	2	2	2	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO																											
	All causes.....	5,500	1,389	163	51	33	24	90	85	126	224	175	156	184	176	209	260	304	298	386	363	336	246	126	55	15	8	18
	White.....M..	3,005	728	61	17	18	10	43	36	63	155	98	63	92	85	125	148	185	185	221	212	196	144	73	27	5	6	9
	F..	1,945	487	48	17	10	8	33	37	41	45	54	74	77	72	68	95	108	95	139	134	130	88	48	22	8	2	7
	Nonwhite..M..	286	87	33	8	2	2	9	8	6	12	8	7	4	10	10	10	5	10	16	14	3	9	5	5	2	-	1
	F..	264	87	21	9	3	4	5	4	16	12	15	12	11	9	6	7	8	8	10	3	7	5	-	1	2	-	1
1,2	Typhoid and paratyphoid fever..	6	-	-	-	-	-	1	-	1	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	9	1	1	-	-	1	-	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	7	1	1	-	-	1	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever.....	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	13	10	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	19	-	2	2	2	4	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	10	-	1	-	2	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	-	1	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	345	5	11	4	1	3	7	4	23	37	31	28	34	24	34	33	23	13	13	9	4	3	1	-	-	-	-
	White.....M..	166	1	2	1	1	-	1	-	5	8	9	12	21	13	28	24	19	10	4	3	2	1	1	-	-	-	-
	F..	94	-	-	-	1	-	1	1	10	17	13	10	9	4	2	7	3	1	7	6	2	1	-	-	-	-	-
	Nonwhite..M..	42	3	6	1	-	1	2	2	2	7	3	3	1	4	2	2	-	1	2	-	-	-	-	-	-	-	-
	F..	43	1	3	2	-	1	4	1	6	5	6	3	3	3	2	-	1	1	-	-	-	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	313	4	7	1	-	-	6	4	20	34	30	25	30	22	33	32	23	12	13	9	4	3	1	-	-	-	-
	White.....M..	152	-	-	1	-	-	-	-	4	8	8	12	17	12	28	23	19	9	4	3	2	1	1	-	-	-	-
	F..	89	-	-	-	-	-	-	1	9	16	13	8	9	4	2	7	3	1	7	6	2	1	-	-	-	-	-
	Nonwhite..M..	34	3	5	-	-	-	2	2	1	5	3	3	1	3	1	2	-	1	2	-	-	-	-	-	-	-	-
	F..	38	1	2	-	-	-	4	1	6	5	6	2	3	3	2	-	1	1	-	-	-	1	-	-	-	-	-
14-22	Tuberculosis (other forms)..	32	1	4	3	1	3	1	-	3	3	1	3	4	2	1	1	-	1	-	-	-	-	-	-	-	-	-
	White.....M..	14	1	2	-	1	-	1	-	1	-	1	-	4	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	8	-	1	1	-	1	-	-	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	1	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	82	62	9	2	1	-	1	1	-	-	-	-	-	-	-	-	1	-	1	2	1	-	1	-	-	-	-
	White.....M..	36	32	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	42	28	6	1	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	55	9	1	-	1	-	1	-	-	-	1	2	4	2	9	3	5	4	7	5	1	-	-	-	-	-	-
	White.....M..	30	3	-	-	1	-	1	-	-	-	-	-	1	1	7	-	4	3	5	3	1	-	-	-	-	-	-
	F..	15	3	1	-	-	-	-	-	-	-	-	2	3	-	2	1	1	-	-	2	-	-	-	-	-	-	-
	Nonwhite..M..	7	1	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-
	F..	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
35	Measles.....	33	7	12	6	1	3	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	13	5	2	2	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	12	2	6	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)..	4	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Con.																											
45-55	Cancer and other malignant tumors	338	1	-	1	1	-	1	-	1	1	9	9	13	23	24	42	40	40	39	34	34	18	5	2	-	-	-
	White..M..	163	1	-	-	1	-	-	-	1	-	5	3	-	7	11	18	17	22	22	22	20	9	2	2	-	-	-
	F..	162	-	-	1	-	-	1	-	-	-	3	6	12	15	12	23	21	17	15	12	13	9	2	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	1	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	152	-	-	-	-	-	-	-	-	-	4	1	4	9	6	13	20	26	19	21	15	11	3	-	-	-	-
	White..M..	82	-	-	-	-	-	-	-	-	-	3	-	-	4	4	6	10	17	9	13	10	5	1	-	-	-	-
	F..	63	-	-	-	-	-	-	-	-	-	1	1	4	4	1	7	9	8	8	8	4	6	2	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	50	-	-	-	-	-	-	-	-	1	1	3	6	8	6	7	8	2	2	2	3	1	-	-	-	-	-
	White..F..	47	-	-	-	-	-	-	-	-	-	-	3	5	8	6	7	8	2	2	2	3	1	-	-	-	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	28	-	-	-	-	-	-	-	-	-	1	1	-	3	5	6	-	5	4	-	2	1	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	27	-	-	-	-	-	-	-	-	-	1	1	-	3	5	5	-	5	4	-	2	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	108	1	-	1	1	-	1	-	1	-	3	4	3	3	7	16	12	7	14	11	14	5	2	2	-	-	-
	White..M..	81	1	-	1	1	-	-	-	1	-	2	3	-	3	7	12	7	5	13	9	10	4	1	2	-	-	-
	F..	25	-	-	1	-	-	1	-	-	-	1	1	3	-	-	4	4	2	1	2	4	1	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	11	-	-	1	1	-	-	4	1	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	White..M..	7	-	-	1	1	-	-	2	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	54	-	-	-	-	-	-	2	2	1	1	-	1	-	1	4	8	7	13	4	5	4	1	-	-	-	-
	White..M..	25	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	4	2	7	1	3	3	1	-	-	-	-
	F..	23	-	-	-	-	-	-	1	1	1	1	-	1	-	-	2	3	-	4	2	2	1	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	8	-	-	-	-	1	-	-	-	1	-	1	2	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	White..M..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	10	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	2	2	2	-	-	-	-	-
	White..M..	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	2	-	-	-	-	-	-	-
	White..M..	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	2	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	274	-	-	1	-	1	1	1	-	-	2	1	5	7	11	16	27	23	40	47	31	31	21	4	-	1	3
	White..M..	144	-	-	-	-	-	1	-	-	-	1	-	3	2	3	5	11	13	27	27	20	17	10	1	-	1	2
	F..	121	-	-	1	-	1	-	1	-	-	1	1	1	5	5	11	14	10	13	18	11	14	10	3	-	-	1
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	2	-	-	1	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart	769	1	-	-	1	-	7	11	5	4	8	12	23	23	41	45	82	94	98	97	107	64	29	10	3	3	1
	White..M..	491	1	-	-	1	-	3	4	3	2	2	6	11	13	23	26	61	63	69	60	70	39	23	2	2	1	1
	F..	256	-	-	-	-	-	4	6	2	1	3	6	9	10	12	17	20	28	26	37	36	24	5	7	1	2	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	3	-	-	1	1	-	-	-	-
	F..	12	-	-	-	-	-	-	1	-	1	2	-	3	-	1	-	-	2	-	-	1	-	-	1	-	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	86	-	-	-	-	-	5	10	1	1	2	1	6	4	9	3	4	4	7	15	8	3	3	-	-	-	-
	White..M..	45	-	-	-	-	-	2	3	1	1	-	-	-	2	5	2	3	2	3	10	6	2	3	-	-	-	-
	F..	35	-	-	-	-	-	3	6	-	-	-	1	4	2	4	1	1	2	3	5	2	1	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries angina pectoris	209	-	-	-	1	-	1	-	-	-	-	4	8	9	5	19	36	33	26	26	21	15	3	2	-	-	-
	White..M..	153	-	-	-	1	-	1	-	-	-	-	2	6	5	5	13	29	26	21	17	14	9	3	1	-	-	-
	F..	54	-	-	-	-	-	-	-	-	-	-	2	1	4	-	6	7	6	5	9	7	6	-	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	474	1	-	-	-	-	1	1	4	3	6	7	9	10	27	23	42	57	65	56	78	46	23	8	3	3	1
	White..M..	293	1	-	-	-	-	-	1	2	1	2	4	5	6	18	11	29	35	45	33	50	28	17	1	2	1	1
	F..	167	-	-	-	-	-	1	-	2	1	3	3	4	4	8	10	12	20	18	23	27	17	5	6	1	2	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-	1	1	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	441	231	23	8	1	1	7	2	5	9	2	5	7	7	8	12	11	13	21	17	18	20	8	5	1	-	1
	White..M..	217	114	10	1	-	-	4	-	2	6	-	3	3	4	4	9	9	9	7	8	9	7	4	3	1	-	-
	F..	171	82	9	3	1	1	2	1	3	2	2	2	4	3	4	3	2	4	13	4	8	11	4	2	-	-	1
	Nonwhite..M..	31	16	3	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	5	-	2	-	-	-	-	-
	F..	22	19	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
107	Bronchopneumonia	187	122	7	1	-	1	1	-	-	3	-	-	1	-	2	2	2	3	7	4	3	7	-	1	-	-	-
	White..M..	80	62	2	-	-	-	1	-	-	3	-	-	1	-	-	1	-	3	2	1	2	1	-	1	-	-	-
	F..	62	40	3	1	-	1	-	-	-	-	-	-	-	-	2	1	2	-	4	2	1	5	-	-	-	-	-
	Nonwhite..M..	16	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F..	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	145	55	8	3	1	-	1	2	-	6	1	4	5	4	3	4	4	6	8	10	7	7	3	2	1	-	-
	White..M..	72	26	5	1	-	-	-	-	-	3	-	3	1	2	1	4	4	5	4	4	3	2	2	1	1	-	-
	F..	57	22	2	1	1	-	1	1	-	2	1	1	4	2	2	-	-	1	4	2	4	4	1	1	-	-	-
	Nonwhite..M..	8	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-
	F..	8	6	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	55	33	3	2	-	-	1	-	2	-	1	1	-	1	-	1	-	1	3	1	3	1	1	-	-	-	-
	White..M..	25	14	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	-	-	-	-
	F..	25	15	1	1	-	-	-	-	2	-	1	1	-	-	-	1	-	1	2	-	2	-	-	-	-	-	-
	Nonwhite..M..	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	74	21	5	-	-	-	4	-	3	-	-	-	1	2	3	5	5	3	3	2	5	5	4	2	-	-	1
	White..M..	42	12	1	-	-	-	2	-	2	-	-	-	1	1	3	4	5	1	-	2	3	3	1	1	-	-	-
	F..	27	7	3	-	-	-	1	-	1	-	-	-	-	1	-	1	-	2	3	-	1	2	3	1	-	-	1
	Nonwhite..M..	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	31	-	-	-	-	-	-	-	-	1	-	1	3	2	3	3	3	4	6	3	1	1	-	-	-	-	-
	White..M..	28	-	-	-	-	-	-	-	-	1	-	1	2	2	2	3	3	4	6	2	1	1	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	294	241	40	2	-	1	-	-	1	1	-	-	1	-	-	-	1	1	1	-	2	1	1	-	-	-	-
	White..M..	133	116	13	-	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	97	82	7	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	1	1	-	-	-	-
	Nonwhite..M..	35	21	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	29	22	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	39	1	-	-	-	-	2	5	1	3	2	4	3	2	2	4	1	2	5	-	1	1	-	-	-	-	-
	White..M..	19	-	-	-	-	-	1	2	-	3	2	2	2	1	-	1	-	2	2	-	-	1	-	-	-	-	-
	F..	18	1	-	-	-	-	1	3	1	-	-	2	1	1	1	2	1	-	3	-	1	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	47	5	-	-	-	-	-	1	-	-	1	2	-	3	3	4	7	1	4	5	6	3	1	1	-	-	-
	White..M..	20	3	-	-	-	-	-	-	-	-	-	1	-	-	-	2	4	1	1	2	4	1	-	1	-	-	-
	F..	24	1	-	-	-	-	-	1	-	-	1	1	-	2	2	2	3	-	3	3	2	2	1	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	32	-	-	-	-	-	-	-	-	-	1	-	-	1	3	4	6	1	5	5	5	1	-	-	-	-	-
	White..M..	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	5	3	3	1	-	-	-	-	-
	F..	13	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	4	-	-	2	2	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	24	-	-	-	-	-	-	-	-	-	1	2	2	-	2	1	7	5	2	1	-	-	1	-	-	-	-
	White..M..	12	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	4	3	-	-	-	-	1	-	-	-	-
	F..	10	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	3	2	2	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis	246	-	1	1	1	-	2	2	4	2	3	9	9	12	6	10	14	21	32	41	35	22	9	6	1	1	2
	White..M..	116	-	1	-	-	-	1	-	2	1	-	4	4	5	3	3	10	12	11	19	15	13	5	4	1	1	1
	F..	118	-	-	-	-	-	1	2	2	1	3	5	4	7	3	5	4	8	18	21	19	8	4	2	-	-	1
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	1	-	-	-	-	-
	F..	6	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-
157	Diseases of the prostate	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	6	3	4	1	-	-	-	-
	White..M..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	3	4	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Con.																											
140-150	Diseases of pregnancy, etc.*...	62	-	-	-	-	-	-	-	6	9	16	16	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	54	-	-	-	-	-	-	-	4	8	14	14	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	8	-	-	-	-	-	-	-	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145a, 147	Puerperal septicemia.....	20	-	-	-	-	-	-	-	1	5	3	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	18	-	-	-	-	-	-	-	-	5	2	7	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	15	-	-	-	-	-	-	-	1	2	5	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	14	-	-	-	-	-	-	-	1	2	4	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	20	-	-	-	-	-	-	-	3	2	5	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	15	-	-	-	-	-	-	-	2	1	5	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	5	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	7	-	-	-	-	-	-	-	1	-	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	7	-	-	-	-	-	-	-	1	-	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	74	67	3	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	47	41	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	22	21	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	253	253	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	149	149	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	86	86	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	31	-	-	-	-	-	-	-	1	3	2	6	3	3	3	4	3	-	2	-	1	-	-	-	-	-	-
	White.....M..	22	-	-	-	-	-	-	-	1	2	1	5	2	2	2	4	1	-	2	-	-	-	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	35	-	-	-	-	-	-	1	2	4	5	6	3	3	1	2	3	2	1	2	-	-	-	-	-	-	-
	White.....M..	23	-	-	-	-	-	-	1	2	3	2	3	1	2	1	2	2	1	1	2	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	595	24	13	9	11	2	28	23	50	127	70	25	34	26	27	30	20	16	10	11	10	16	7	3	1	-	2
	White.....M..	438	13	5	4	5	1	14	15	36	118	67	16	27	18	22	22	13	10	5	7	5	11	2	2	-	-	-
	F..	115	9	6	3	4	-	10	7	9	5	2	8	4	4	4	7	6	5	4	2	4	5	5	1	1	-	-
	Nonwhite..M..	30	1	2	2	1	-	3	1	2	3	1	1	2	4	1	-	1	1	-	2	1	-	-	-	-	-	1
	F..	12	1	-	-	1	1	1	-	3	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	1
170	Motor-vehicle accidents.....	132	1	3	1	3	1	10	7	14	14	9	9	10	9	7	11	5	6	1	5	3	2	-	-	-	-	1
	White.....M..	88	1	1	-	1	1	6	4	9	10	7	5	8	5	5	10	4	4	-	2	3	2	-	-	-	-	-
	F..	32	-	1	1	2	-	3	3	4	2	1	4	1	3	2	1	1	1	-	2	-	-	-	-	-	-	-
	Nonwhite..M..	7	-	1	-	-	-	1	-	-	1	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
169, 171-195	Other accidents..	463	23	10	8	8	1	18	16	36	113	61	16	24	17	20	19	15	10	9	6	7	14	7	3	1	-	1
	White.....M..	350	12	4	4	4	-	8	11	27	108	60	11	19	13	17	12	9	6	5	5	2	9	2	2	-	-	-
	F..	83	9	5	2	2	-	7	4	5	3	1	4	3	1	2	6	5	4	4	-	4	5	5	1	1	-	-
	Nonwhite..M..	23	1	1	2	1	-	2	1	2	2	-	1	2	3	1	-	1	-	-	1	1	-	-	-	-	-	1
	F..	7	1	-	-	1	1	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	741	278	32	7	4	1	8	12	9	7	6	12	7	14	17	24	17	22	57	50	44	39	34	22	7	3	8
	White.....M..	359	133	13	3	2	-	4	2	4	2	2	2	2	5	5	13	10	12	30	29	24	27	19	11	1	3	5
	F..	256	110	5	1	-	-	4	6	5	4	1	6	4	5	9	7	6	4	19	16	15	5	15	6	2	-	3
	Nonwhite..M..	62	22	7	1	1	-	-	2	2	-	1	-	1	-	2	-	-	4	3	3	1	3	2	5	2	-	-
	F..	64	13	7	2	1	1	-	2	2	1	2	4	-	4	1	4	1	2	5	2	4	4	-	-	2	-	-
	All other causes.	494	192	13	5	6	6	14	10	11	10	12	12	20	17	11	17	22	25	24	19	24	15	6	2	2	-	1
	White.....M..	264	110	7	2	2	4	7	7	5	7	6	1	11	7	5	10	8	12	13	13	14	8	4	1	-	-	-
	F..	189	57	6	1	4	1	5	3	4	3	5	8	9	10	6	6	13	10	10	6	10	6	2	1	2	-	1
	Nonwhite..M..	17	9	-	1	-	1	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-
	F..	24	16	-	1	-	-	-	-	2	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK																											
	All causes	152,364	7,535	554	349	229	212	769	758	1,238	1,855	1,914	2,689	3,726	5,412	8,083	11,233	14,367	16,605	18,565	19,126	16,441	12,230	6,208	2,006	394	65	23
	White	M.. 78,665	3,958	278	176	116	95	446	414	612	712	798	1,076	1,711	2,804	4,482	6,419	8,419	9,558	9,885	9,752	7,937	5454	2653	752	122	18	18
		F.. 65,385	2,863	206	137	80	95	268	274	422	607	780	1,124	1,437	1,873	2,800	3,984	5,183	6,394	8,058	8,984	8,228	6606	3482	1212	253	32	5
	Nonwhite	M.. 4,442	406	43	22	19	9	27	38	100	150	147	245	285	408	478	461	442	391	335	190	131	60	29	18	7	3	-
		F.. 3,872	308	27	14	14	15	30	32	104	186	189	244	293	327	303	369	323	262	289	200	145	110	44	24	12	10	-
1,2	Typhoid and paratyphoid fever	29	1	-	-	-	-	-	2	2	4	1	1	5	3	2	-	3	-	3	1	-	1	-	-	-	-	-
	White	M.. 13	-	-	-	-	-	-	1	-	-	-	1	1	3	2	-	3	-	1	1	-	-	-	-	-	-	-
		F.. 14	1	-	-	-	-	-	1	2	4	1	-	2	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	Nonwhite	M.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	326	32	16	11	15	3	22	15	16	12	14	15	14	28	21	26	22	12	13	7	8	3	1	-	-	-	-
	White	M.. 160	20	7	6	5	2	13	6	7	5	8	11	7	12	13	14	6	7	6	1	2	2	-	-	-	-	-
		F.. 120	10	6	5	7	1	8	9	8	4	3	3	2	7	7	8	12	4	5	5	5	-	1	-	-	-	-
	Nonwhite	M.. 27	2	2	-	2	-	1	-	1	1	-	1	2	7	-	2	3	1	1	-	-	1	-	-	-	-	-
		F.. 19	-	1	-	1	-	-	-	-	2	3	-	3	2	1	2	1	-	1	1	1	-	-	-	-	-	-
8	Scarlet fever	13	-	-	1	-	-	5	1	3	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	M.. 9	-	-	1	-	-	5	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	61	43	11	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M.. 28	20	6	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 23	18	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. 7	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	11	-	-	-	2	2	3	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White	M.. 5	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F.. 5	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms)	6,055	21	31	30	9	7	24	33	225	405	463	519	574	582	636	631	597	456	363	232	131	62	17	6	-	-	1
	White	M.. 3,321	10	8	8	4	1	12	7	44	97	135	170	268	330	435	442	456	349	251	148	91	42	9	3	-	-	1
		F.. 1,457	5	10	13	1	2	6	8	78	134	164	179	162	112	96	96	89	78	81	77	36	19	8	3	-	-	-
	Nonwhite	M.. 736	3	7	5	2	1	2	9	37	70	73	94	90	101	78	68	42	24	20	7	3	-	-	-	-	-	-
		F.. 541	3	6	4	2	3	4	9	66	104	91	76	54	39	27	25	10	5	11	-	1	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	5,649	14	11	17	5	3	7	24	197	378	432	487	543	542	605	605	568	438	342	224	124	59	17	6	-	-	1
	White	M.. 3,174	7	3	4	2	-	3	3	38	95	127	164	254	312	421	434	439	339	240	146	88	42	9	3	-	-	1
		F.. 1,330	3	3	8	1	1	1	8	69	124	157	171	151	101	85	87	81	71	77	71	33	16	8	3	-	-	-
	Nonwhite	M.. 663	2	2	4	1	-	-	6	32	61	68	83	87	94	74	64	39	23	14	7	2	-	-	-	-	-	-
		F.. 482	2	3	1	1	2	3	7	58	98	80	89	51	35	25	20	9	5	11	-	1	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	406	7	20	13	4	4	17	9	28	27	31	32	31	40	31	26	29	18	21	8	7	3	-	-	-	-	-
	White	M.. 147	3	5	4	2	1	9	4	6	2	8	6	14	18	14	8	17	10	11	2	3	-	-	-	-	-	-
		F.. 127	2	7	5	-	1	5	-	9	10	7	8	11	11	11	9	8	7	4	6	3	3	-	-	-	-	-
	Nonwhite	M.. 73	1	5	1	1	1	2	3	5	9	5	11	3	7	4	4	3	1	6	-	1	-	-	-	-	-	-
		F.. 59	1	3	3	1	1	1	2	8	6	11	7	3	4	2	5	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	35	8	1	-	-	-	3	2	-	-	1	-	-	3	2	3	2	2	1	1	2	2	2	-	-	-	-
	White	M.. 19	5	1	-	-	-	1	-	-	-	-	-	-	2	2	1	1	2	1	1	-	-	2	-	-	-	-
		F.. 11	1	-	-	-	-	-	2	-	-	1	-	-	-	-	2	1	-	-	-	2	2	-	-	-	-	-
	Nonwhite	M.. 2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 3	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	5	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White	M.. 2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. 1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,602	27	-	-	-	-	1	5	11	18	28	56	100	120	191	202	236	218	181	107	66	25	8	1	1	-	-
	White	M.. 829	5	-	-	-	-	-	1	1	4	9	9	29	50	100	108	142	140	105	67	42	11	5	1	-	-	-
		F.. 288	10	-	-	-	-	1	4	3	1	4	6	14	18	22	32	42	29	44	23	18	13	3	-	1	-	-
	Nonwhite	M.. 352	8	-	-	-	-	-	-	3	6	7	21	41	39	60	50	41	36	24	12	4	-	-	-	-	-	-
		F.. 133	4	-	-	-	-	-	4	7	8	20	16	13	9	12	11	13	8	5	2	1	-	-	-	-	-	-
35	Measles	38	7	4	4	1	4	9	1	1	1	2	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	White	M.. 16	2	2	2	-	-	6	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F.. 20	4	2	2	-	4	3	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite	M.. 2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	342	2	3	6	4	10	77	101	60	20	16	15	11	6	4	2	2	1	-	-	-	-	-	-	-	-	-
	White	M.. 228	-	3	2	3	5	59	67	40	9	10	13	4	5	4	2	1	1	-	-	-	-	-	-	-	-	-
		F.. 113	2	-	4	1	5	18	33	20	11	8	2	7	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Con.																										
45-55	Cancer and other malignant tumors	22,584	7	9	15	15	9	21	39	53	71	146	311	525	903	1,573	2,343	3,065	3,297	3,351	3,016	2,114	1,165	416	96	23	-	1
	White	10,711	5	4	8	9	4	11	22	30	35	62	81	154	283	623	1,036	1,489	1,704	1,724	1,569	1,080	550	178	40	10	-	-
	M	11,020	2	4	7	5	5	10	16	18	31	69	193	319	528	844	1,190	1,454	1,482	1,542	1,401	998	598	236	56	11	-	1
	Nonwhite	376	-	1	-	-	-	-	1	2	1	5	9	10	35	48	50	56	64	40	28	18	8	-	-	-	-	-
	F	477	-	-	-	1	-	-	-	3	4	10	28	42	57	58	67	66	47	45	18	18	9	2	-	2	-	-
46	Cancer of digestive organs, peritoneum	10,541	2	-	2	1	4	1	2	7	8	39	87	149	294	566	991	1,320	1,627	1,769	1,648	1,157	628	198	31	10	-	-
	White	5,518	1	-	1	-	3	1	1	4	4	20	31	65	126	281	517	732	932	941	882	589	292	82	9	4	-	-
	F	4,659	1	-	1	1	1	-	1	2	4	15	48	72	135	241	413	535	643	782	740	554	328	116	22	4	-	-
	Nonwhite	217	-	-	-	-	-	-	-	-	-	1	4	3	21	31	35	31	34	27	19	6	5	-	-	-	-	-
	F	147	-	-	-	-	-	-	-	1	-	3	4	9	12	13	26	22	18	19	7	8	3	-	-	2	-	-
48,49	Cancer of female genital organs	2,508	-	-	-	-	-	-	-	3	10	26	73	121	201	270	345	397	303	280	230	140	75	30	4	-	-	-
	White	2,323	-	-	-	-	-	-	-	1	8	21	57	102	175	248	322	371	287	264	225	136	73	29	4	-	-	-
	Nonwhite	185	-	-	-	-	-	-	-	2	2	5	16	19	26	22	23	26	16	16	5	4	2	1	-	-	-	-
50	Cancer of breast	2,399	-	-	-	-	-	-	-	-	1	15	57	100	172	261	300	337	307	286	230	162	105	50	13	3	-	-
	White	39	-	-	-	-	-	-	-	-	-	-	-	1	2	5	3	9	5	6	3	2	1	2	-	-	-	-
	F	2,262	-	-	-	-	-	-	-	-	1	13	54	87	153	239	285	321	292	276	222	155	101	47	13	3	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	95	-	-	-	-	-	-	-	-	-	2	3	11	16	17	12	7	9	4	5	5	3	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	7,136	5	9	13	14	5	20	37	43	52	66	94	155	236	476	707	1,011	1,060	1,016	908	655	357	138	48	10	-	1
	White	5,154	4	4	7	9	1	10	21	26	31	42	50	88	155	337	516	748	767	777	684	489	257	94	31	6	-	-
	F	1,776	1	4	6	4	4	10	15	15	18	20	34	58	65	116	170	227	260	220	214	153	96	44	17	4	-	1
	Nonwhite	156	-	1	-	-	-	-	1	2	1	4	5	6	13	17	15	25	29	13	9	12	3	-	-	-	-	-
	F	50	-	-	-	1	-	-	-	-	2	-	5	3	3	6	6	11	4	6	1	1	1	-	-	-	-	-
58	Acute rheumatic fever	135	-	1	3	1	1	14	26	25	12	8	12	6	9	4	3	1	2	4	1	2	-	-	-	-	-	-
	White	71	-	-	2	-	1	6	15	11	8	4	6	2	7	2	-	1	1	2	1	2	-	-	-	-	-	-
	F	51	-	1	1	-	-	6	9	12	3	4	6	1	1	1	3	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite	7	-	-	-	1	-	1	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	1	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	5,377	-	1	3	-	2	3	8	20	19	25	41	30	88	195	349	639	880	1,035	973	617	345	92	11	1	-	-
	White	1,729	-	-	1	-	1	1	5	6	9	16	11	41	77	130	223	366	321	276	192	110	32	4	1	-	-	-
	F	3,459	-	1	2	-	1	2	2	13	12	14	22	15	35	89	195	377	568	695	677	420	232	60	7	-	-	-
	Nonwhite	56	-	-	-	-	-	-	-	-	1	-	-	1	6	7	6	15	8	7	3	2	-	-	-	-	-	-
	F	133	-	-	-	-	-	-	1	1	-	2	3	3	6	22	18	24	18	12	17	3	3	-	-	-	-	-
63b	Exophthalmic goiter	277	-	-	-	-	-	-	-	2	2	5	6	7	13	35	38	38	49	34	27	17	3	1	-	-	-	-
	White	49	-	-	-	-	-	-	-	-	1	2	-	2	4	6	5	10	8	6	4	1	-	-	-	-	-	-	-
	F	215	-	-	-	-	-	-	-	1	1	3	5	5	6	25	31	28	40	27	23	16	3	1	-	-	-	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	-	1	-	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	3	-	-	-	-	-	-	-
	White	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	243	-	-	-	-	-	-	-	2	2	1	16	34	31	40	37	38	27	6	5	2	1	1	-	-	-	-
	White	179	-	-	-	-	-	-	-	1	1	-	7	13	26	28	28	32	23	6	5	2	1	1	-	-	-	-
	F	33	-	-	-	-	-	-	-	1	1	-	2	10	2	8	4	3	2	-	-	-	-	-	-	-	-	-
	Nonwhite	25	-	-	-	-	-	-	-	-	-	-	4	4	3	4	5	3	2	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	10,096	14	6	5	2	2	7	6	4	17	29	33	104	157	322	607	831	1,120	1,452	1,712	1,613	1,215	599	179	27	2	1
	White	4,334	5	3	2	-	1	5	5	2	7	9	18	39	56	117	242	358	528	668	791	685	508	212	66	8	-	1
	F	5,398	5	3	3	2	1	2	1	2	7	18	9	42	77	166	312	420	548	740	894	907	727	383	111	17	1	-
	Nonwhite	164	1	-	-	-	-	-	-	-	3	1	1	13	13	19	25	23	21	16	14	8	3	1	1	-	1	-
	F	200	3	-	-	-	-	-	-	-	-	1	5	10	11	20	28	30	25	28	13	13	7	3	1	2	-	-
90-95	Diseases of the heart	57,328	5	4	5	6	5	40	81	123	189	209	382	754	1,417	2,488	3,996	5,501	6,863	8,190	8,824	7,824	5,965	3,207	1,017	182	41	10
	White	31,251	3	1	3	3	2	17	37	57	89	97	183	406	886	1,593	2,597	3,596	4,252	4,546	4,624	3,756	2,641	1,396	392	51	14	7
	F	24,009	1	3	2	3	1	20	37	52	75	86	162	262	394	693	1,120	1,655	2,370	3,390	3,995	3,927	3,235	1,776	603	124	20	3
	Nonwhite	1,003	-	-	-	-	1	1	3	7	10	11	21	28	60	100	139	137	141	133	88	64	33	11	8	6	1	-
	F	1,065	1	-	-	-	1	2	4	7	15	15	16	58	77	100	140	113	100	121	117	77	56	24	14	1	6	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	3,067	-	-	1	4	5	33	64	90	131	123	190	267	255	264	308	239	234	204	208	193	154	61	33	4	-	2
	White	1,330	-	-	-	3	2	16	29	42	67	51	70	112	122	105	136	107	113	87	85	95	57	22	5	2	-	2
	F	1,563	-	-	1	1	1	14	29	37	49	62	103	131	114	142	153	123	117	105	119	97	96	39	28	2	-	-
	Nonwhite	75	-	-	-	-	1	1	2	4	4	6	10	9	9	7	10	2	-	6	3	-	1	-	-	-	-	-
	F	99	-	-	-	-	1	2	4	7	11	4	7	15	10	10	9	7	4	6	1	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	14,795	-	-	-	-	-	1	-	-	6	18	57	204	539	988	1,567	1,982	2,316	2,285	2,012	1,480	856	348	119	11	4	2
	White	10,190	-	-	-	-	-	-	-	-	1	12	45	163	439	820	1,267	1,550	1,664	1,491	1,232	837	442	163	55	6	1	2
	F	4,309	-	-	-	-	-	1	-	-	3	3	6	29	79	134	252	395	610	759	757	632	402	180	61	5	1	-
	Nonwhite	181	-	-	-	-	-	-	-	-	1	1	5	5	12	27	31	22	31	22	10	5	4	3	2	-	-	-
	F	115	-	-	-	-	-	-	-	-	1	2	1	7	9	7	17	15	11	13	13	6	8	2	1	-	2	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	39,466	5	4	4	2	-	6	17	33	52	68	135	283	623	1,236	2,121	3,280	4,313	5,761	6,604	6,151	4,955	2,798	865	167	37	6
	White	19,731	3	1	3	-	-	1	8	15	21	34	68	131	325	670	1,194	1,939	2,475	2,968	3,307	2,824	2,142	1,211	332	43	13	3
	F	18,137	1	3	1	2	-	5	8	15	23	21	53	102	201	417	715	1,137	1,643	2,526	3,119	3,198	2,737	1,557	514	117	19	3
	Nonwhite	747	-	-	-	-	-	-	1	3	5	4	6	14	39	66	98	113	110	105	75	59	28	8	6	6	1	-
	F	851	1	-	-	-	-	-	-	-	3	9	8	36	58	83	114	91	85	102	103	70	48	22	13	1	4	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	6,569	854	147	55	22	15	50	37	46	56	66	127	173	256	316	414	524	547	626	626	677	528	279	100	25	5	-
	White—M	3,509	427	72	23	10	7	21	18	22	23	27	54	91	152	191	265	334	345	340	323	348	253	119	35	9	-	-
	F	2,542	310	58	25	7	5	23	17	19	23	29	51	49	62	83	105	146	175	245	291	314	269	154	63	16	3	-
	Nonwhite—M	312	66	11	4	2	-	1	1	2	5	2	12	19	29	33	29	32	18	27	9	6	-	2	1	-	1	-
	F	206	51	6	3	3	1	5	1	3	5	8	10	14	13	9	15	12	9	14	3	9	6	4	1	-	1	-
107	Bronchopneumonia	2,876	615	94	32	16	6	29	15	17	23	21	47	59	75	82	122	154	186	218	258	301	278	142	68	16	2	-
	White—M	1,455	302	43	13	8	2	10	7	8	11	8	19	30	48	44	81	95	115	123	127	149	127	57	22	6	-	-
	F	1,192	212	39	13	5	3	15	8	7	10	11	21	18	19	28	34	51	66	82	125	141	148	80	45	10	1	-
	Nonwhite—M	127	56	8	4	-	-	1	-	1	-	-	5	8	6	7	3	5	4	9	4	4	-	1	1	-	-	-
	F	102	45	4	2	3	1	3	-	1	2	2	2	3	2	3	4	3	1	4	2	7	3	4	-	-	1	-
108	Lobar pneumonia	3,046	162	31	11	3	6	17	17	21	29	40	66	103	148	209	262	327	308	351	314	309	191	101	16	2	2	-
	White—M	1,728	88	18	4	1	4	10	6	11	12	16	30	53	83	133	165	214	196	185	170	172	99	49	8	1	-	-
	F	1,055	63	11	7	-	2	5	9	7	10	16	25	28	35	45	61	77	92	141	139	133	89	51	7	1	1	-
	Nonwhite—M	171	7	2	-	2	-	-	1	1	4	2	6	11	20	25	26	27	12	16	5	2	-	1	-	-	1	-
	F	92	4	-	-	-	-	2	1	2	3	6	5	11	10	6	10	9	8	9	-	2	3	-	1	-	-	-
109	Pneumonia (unspecified)	132	19	2	1	-	-	-	1	3	1	1	5	4	13	6	12	9	13	17	9	8	7	1	-	-	-	-
	White—M	90	12	2	1	-	-	-	1	1	-	1	2	4	10	5	9	6	10	12	7	5	2	-	-	-	-	-
	F	41	7	-	-	-	-	-	-	2	1	-	2	-	3	1	3	3	3	5	2	3	5	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	515	58	20	11	3	1	4	4	5	3	4	9	7	20	19	18	34	40	40	45	59	52	35	16	7	1	-
	White—M	236	25	9	5	1	1	1	4	2	-	2	3	4	11	9	10	19	24	20	19	22	25	15	5	2	-	-
	F	254	28	8	5	2	-	3	-	3	2	2	3	3	5	9	7	15	14	17	25	37	27	22	11	5	1	-
	Nonwhite—M	14	3	1	-	-	-	-	-	-	1	-	1	-	3	1	-	-	2	2	-	-	-	-	-	-	-	-
	F	11	2	2	1	-	-	-	-	-	-	-	2	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	1,146	4	-	-	-	-	-	1	1	5	11	37	57	90	107	146	200	166	140	90	60	21	8	1	1	-	-
	White—M	924	2	-	-	-	-	-	1	1	3	10	29	44	74	83	133	167	134	118	68	40	12	5	-	1	-	-
	F	171	1	-	-	-	-	-	1	-	1	1	7	7	9	13	9	22	27	20	21	19	9	3	1	-	-	-
	Nonwhite—M	44	-	-	-	-	-	-	-	1	-	1	1	3	6	11	4	10	5	1	1	1	-	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	669	442	29	8	4	1	5	8	12	7	9	13	18	13	14	18	9	10	11	13	7	12	6	1	-	-	-
	White—M	339	242	12	2	1	1	2	3	6	4	1	6	10	6	5	7	6	8	4	6	2	3	2	-	-	-	-
	F	266	151	12	6	2	-	3	3	5	3	7	6	8	7	7	11	3	2	5	6	5	9	4	1	-	-	-
	Nonwhite—M	38	29	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-
	F	25	20	1	-	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	731	2	12	16	11	7	30	37	39	21	20	25	39	48	61	73	74	53	55	63	29	9	3	4	-	-	-
	White—M	383	1	8	9	5	1	13	18	22	8	11	7	17	28	37	39	43	29	37	30	14	4	1	1	-	-	-
	F	306	1	3	6	6	5	17	15	14	9	9	14	19	13	19	32	28	23	18	32	15	4	2	3	-	-	-
	Nonwhite—M	24	-	1	-	1	-	-	3	1	1	-	2	1	4	3	2	3	-	-	1	-	1	-	-	-	-	-
	F	18	-	-	1	-	1	-	1	2	3	-	2	2	3	2	-	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	1,276	47	11	1	3	2	5	5	8	12	10	22	38	59	79	110	114	148	158	165	128	94	45	11	1	-	-
	White—M	650	29	7	1	1	1	3	3	3	-	1	8	18	19	35	60	63	92	88	93	62	43	18	2	-	-	-
	F	557	16	2	-	2	-	2	2	4	8	7	8	15	33	33	47	45	47	68	69	65	49	27	9	1	-	-
	Nonwhite—M	36	1	1	-	-	1	-	-	1	-	1	3	1	3	10	1	3	5	1	2	-	2	-	-	-	-	-
	F	33	1	1	-	-	-	-	-	-	4	1	3	5	4	1	2	3	4	1	1	1	-	-	-	-	-	-
124	Cirrhosis of the liver	1,633	-	1	-	-	-	2	2	2	8	15	40	76	135	187	227	230	226	195	137	83	46	16	4	-	-	1
	White—M	974	-	1	-	-	-	-	1	1	2	8	21	35	79	117	137	154	152	114	75	42	27	6	1	-	-	1
	F	604	-	-	-	-	-	2	1	1	5	5	15	34	48	60	80	69	72	79	60	41	19	10	3	-	-	-
	Nonwhite—M	35	-	-	-	-	-	-	-	-	-	-	1	2	6	9	7	5	2	1	2	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	1	2	3	5	2	1	3	2	-	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	804	-	-	-	-	-	-	-	1	2	12	16	25	45	65	79	118	110	104	94	68	42	11	10	2	-	-
	White—M	259	-	-	-	-	-	-	-	-	-	5	2	5	15	18	32	33	32	31	36	25	19	4	1	1	-	-
	F	535	-	-	-	-	-	-	-	1	2	7	13	19	30	47	47	83	76	71	58	42	23	7	8	1	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-
130-132	Nephritis	7,089	10	2	4	8	2	11	30	39	53	77	112	150	228	364	487	560	726	841	1,006	1,031	805	396	121	21	4	1
	White—M	3,389	5	1	2	5	1	5	14	25	28	32	42	69	100	184	227	292	382	418	473	499	364	173	39	8	-	1
	F	3,331	5	1	2	3	1	6	12	14	19	35	46	61	89	137	208	226	306	388	512	520	426	219	80	12	3	-
	Nonwhite—M	159	-	-	-	-	-	-	2	-	3	4	10	5	19	23	25	18	15	15	10	5	3	2	-	-	-	-
	F	210	-	-	-	-	-	-	2	-	3	6	14	15	20	20	27	24	23	20	11	7	12	2	2	1	1	-
137	Diseases of the prostate	873	-	-	-	-	-	-	-	-	-	-	-	-	3	6	17	50	89	142	201	178	131	38	17	-	1	-
	White—M	844	-	-	-	-	-	-	-	-	-	-	-	-	2	6	16	47	85	134	198	174	129	37	15	-	1	-
	Nonwhite—M	29	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	8	3	4	2	1	2	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Con.																										
140-150	Diseases of pregnancy, etc.*...	425	-	-	-	-	-	-	-	14	72	100	112	88	36	3	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	382	-	-	-	-	-	-	-	10	58	92	102	82	35	3	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	43	-	-	-	-	-	-	-	4	14	8	10	6	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	188	-	-	-	-	-	-	-	5	27	47	33	40	14	2	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	149	-	-	-	-	-	-	-	2	19	43	29	40	14	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	19	-	-	-	-	-	-	-	3	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	77	-	-	-	-	-	-	-	5	17	13	19	10	13	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	74	-	-	-	-	-	-	-	5	17	11	18	10	13	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	147	-	-	-	-	-	-	-	4	21	32	51	32	7	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	127	-	-	-	-	-	-	-	3	15	30	46	27	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	20	-	-	-	-	-	-	-	1	6	2	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	33	-	-	-	-	-	-	-	-	7	8	9	6	2	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	32	-	-	-	-	-	-	-	-	7	8	9	5	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	1,618	1,316	79	26	8	7	27	21	19	16	11	20	22	5	12	12	4	6	2	2	2	-	1	-	-	-
	White.....M..	814	660	39	16	5	5	11	8	8	7	8	9	10	3	9	8	2	3	1	2	-	-	-	-	-	-
	F..	732	302	35	8	2	2	15	13	10	9	3	9	9	1	2	4	2	2	1	-	2	-	1	-	-	-
	Nonwhite..M..	41	31	3	1	-	-	1	-	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
	F..	31	23	2	1	1	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	2,427	2,427	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	1,250	1,250	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	915	915	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	140	140	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	122	122	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	1,489	-	-	-	-	-	1	30	48	72	95	134	166	171	175	161	148	98	84	66	27	10	2	1	-	-
	White.....M..	960	-	-	-	-	-	1	19	23	40	46	75	95	109	103	109	119	75	63	51	22	8	2	-	-	-
	F..	481	-	-	-	-	-	-	10	21	27	42	55	64	54	66	50	27	22	20	15	5	2	-	1	-	-
	Nonwhite..M..	51	-	-	-	-	-	-	1	-	5	3	2	6	5	4	2	2	-	1	-	-	-	-	-	-	-
	F..	17	-	-	-	-	-	-	-	4	-	4	2	1	3	2	-	-	1	-	-	-	-	-	-	-	-
165-168	Homicide.....	305	18	2	2	-	2	7	6	17	30	29	37	39	26	30	21	13	14	7	2	2	1	-	-	-	-
	White.....M..	118	4	2	1	-	1	3	3	6	7	10	9	14	6	16	14	6	7	5	2	1	1	-	-	-	-
	F..	50	6	-	1	-	1	2	1	1	5	2	3	6	7	4	3	2	4	1	-	1	-	-	-	-	-
	Nonwhite..M..	105	3	-	-	-	-	-	2	10	13	12	21	15	9	10	2	5	3	-	-	-	-	-	-	-	-
	F..	32	5	-	-	-	-	2	-	-	5	5	4	4	4	-	2	-	-	1	-	-	-	-	-	-	-
169-195	Accidental deaths	7,774	180	65	71	62	76	263	161	283	303	269	270	294	398	454	480	536	561	572	682	649	508	381	119	28	3	6
	White.....M..	4,748	101	33	42	37	35	174	122	211	229	199	184	203	292	342	375	399	394	361	355	273	233	130	32	6	1	5
	F..	2,613	53	22	22	19	31	66	23	49	52	49	55	62	63	78	80	116	153	194	336	365	370	250	83	19	2	1
	Nonwhite..M..	300	17	6	5	4	4	16	13	22	19	16	27	23	35	27	14	16	9	13	5	7	1	1	-	-	-	-
	F..	113	9	4	2	2	6	7	3	1	3	5	4	6	8	7	11	5	5	4	6	4	4	-	4	3	-	-
170	Motor-vehicle accidents.....	1,631	-	5	13	18	35	114	41	100	83	102	80	81	86	110	116	141	141	128	105	78	40	9	4	-	-	1
	White.....M..	1,180	-	2	9	12	16	75	28	77	56	70	59	62	70	83	91	101	102	100	80	45	35	7	2	-	-	-
	F..	361	-	3	3	5	16	31	9	20	22	25	13	15	8	16	21	34	34	24	22	30	5	2	2	-	-	1
	Nonwhite..M..	71	-	-	-	-	1	7	4	3	4	6	7	3	8	10	3	6	3	2	1	3	-	-	-	-	-	-
	F..	19	-	-	1	1	2	3	-	-	1	1	1	1	-	1	1	-	2	2	2	-	-	-	-	-	-	-
169, 171-195	Other accidents..	6,143	180	60	58	44	41	149	120	183	220	167	190	213	312	344	364	395	420	444	577	571	568	372	115	28	3	5
	White.....M..	3,568	101	31	33	25	19	101	94	134	173	129	125	141	222	259	284	298	292	261	255	228	198	123	30	6	1	5
	F..	2,252	53	19	19	14	15	35	14	29	30	24	42	47	55	62	59	82	119	170	314	335	365	248	81	19	2	-
	Nonwhite..M..	229	17	6	5	4	3	9	9	19	15	10	20	20	27	17	11	10	6	11	4	4	1	1	-	-	-	-
	F..	94	9	4	1	1	4	4	3	1	2	4	3	5	8	6	10	5	3	2	4	4	4	-	4	3	-	-
162,199, 200	Senility, ill-defined and unknown causes...	414	26	4	1	3	3	1	1	4	7	10	16	8	19	21	18	17	10	22	25	39	50	62	37	10	-	-
	White.....M..	195	14	3	-	2	1	-	-	3	3	4	8	7	10	11	15	11	5	12	13	15	17	25	14	2	-	-
	F..	197	9	-	1	-	2	1	1	1	3	6	5	1	6	7	3	4	3	10	12	22	33	36	23	8	-	-
	Nonwhite..M..	12	2	1	-	1	-	-	-	-	-	-	1	-	-	2	-	2	2	-	-	-	-	1	-	-	-	-
	F..	10	1	-	-	-	-	-	-	-	-	-	2	-	3	1	-	-	-	-	2	-	-	-	-	-	-	-
	All other causes.	12,557	2,042	115	77	52	54	138	130	176	242	250	338	399	524	658	718	779	859	959	1,027	1,025	1,038	608	289	71	7	2
	White.....M..	6,349	1,148	65	44	25	24	75	57	83	112	97	134	170	218	315	382	434	489	510	546	538	462	290	104	25	2	2
	F..	5,459	735	40	25	20	27	52	61	72	104	123	159	171	224	302	296	304	333	408	470	472	559	299	158	42	3	-
	Nonwhite..M..	370	97	5	5	5	2	4	3	11	15	8	13	23	23	24	26	22	27	23	3	9	6	10	5	1	-	-
	F..	379	62	5	3	2	1	7	9	10	11	22	32	35	59	19	14	19	10	18	8	6	11	9	2	3	2	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA																											
	All causes.....	29,390	4,115	364	173	130	83	327	278	644	934	820	961	1,082	1,263	1,444	1,862	2,066	2,492	2,969	2,666	1,864	1,480	857	340	101	49	46
	White.....M..	11,098	1,420	105	51	42	31	110	109	251	383	249	296	346	420	509	685	825	1,013	1,220	1,166	784	606	316	123	15	4	9
	F..	8,128	1,005	104	40	37	18	92	79	114	162	165	204	240	274	303	393	495	653	857	933	726	652	389	139	40	5	9
	Nonwhite..M..	5,268	917	81	44	20	23	74	50	142	179	196	226	234	290	327	423	363	436	487	317	185	114	75	24	17	11	13
	F..	4,896	773	74	38	31	11	51	40	137	200	210	235	262	279	305	361	383	390	405	250	169	108	57	54	29	29	15
1,2	Typhoid and paratyphoid fever..	10	-	-	-	-	-	1	-	1	2	-	2	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	61	10	3	3	1	-	8	4	12	1	3	3	5	1	2	4	1	1	1	-	-	-	-	-	-	-	-
	White.....M..	26	3	1	-	-	-	2	2	6	1	2	1	5	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	F..	20	3	1	1	1	-	3	1	4	-	-	2	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	11	3	-	1	-	-	1	1	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	5	-	-	-	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	145	98	22	11	8	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	38	27	6	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	34	25	4	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	34	22	4	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	39	24	8	2	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	40	6	7	5	6	6	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	19	4	4	1	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	15	1	3	3	1	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	1,239	5	13	8	5	2	14	17	75	165	142	141	120	113	103	94	63	53	48	31	15	6	3	1	-	-	2
	White.....M..	313	-	5	-	2	-	3	2	1	23	20	26	34	31	38	34	29	17	24	12	7	3	2	-	-	-	-
	F..	190	-	3	2	-	-	1	-	5	17	22	22	17	17	13	18	11	14	10	11	4	1	1	-	-	-	1
	Nonwhite..M..	370	2	3	3	2	2	8	2	27	53	55	48	34	36	28	26	10	16	6	7	1	-	-	1	-	-	-
	F..	366	3	2	3	1	-	2	13	42	72	45	45	35	29	24	16	13	6	8	1	3	2	-	-	-	-	1
13	Tuberculosis of respiratory system, etc.*..	1,145	4	6	4	3	1	9	14	69	150	133	133	113	107	100	89	59	51	46	30	15	5	2	-	-	-	2
	White.....M..	293	-	2	-	-	-	1	1	1	21	19	25	33	30	38	34	27	17	23	11	7	2	1	-	-	-	-
	F..	182	-	2	1	-	-	1	-	5	15	21	22	17	17	13	17	10	13	10	11	4	1	1	-	-	-	1
	Nonwhite..M..	326	2	1	1	2	1	5	1	23	45	49	44	31	34	27	22	10	15	5	7	1	-	-	-	-	-	-
	F..	344	2	1	2	1	-	2	12	40	69	44	42	32	26	22	16	12	6	8	1	3	2	-	-	-	-	1
14-22	Tuberculosis (other forms)..	94	1	7	4	2	1	5	3	6	15	9	8	7	6	3	5	4	2	2	1	-	1	1	1	-	-	-
	White.....M..	20	-	3	-	2	-	2	1	-	2	1	1	1	1	-	-	2	-	1	1	-	1	1	-	-	-	-
	F..	8	-	1	1	-	-	-	-	-	2	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	44	-	2	2	-	1	3	1	4	8	6	4	3	2	1	4	-	1	1	-	-	-	-	1	-	-	-
	F..	22	1	1	1	-	-	-	1	2	3	1	3	3	3	2	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	36	16	4	4	1	-	-	-	1	1	-	-	1	-	2	-	1	-	1	1	1	-	1	1	-	-	-
	White.....M..	9	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-
	F..	10	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	7	2	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F..	10	5	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
28	Malaria.....	25	2	-	-	1	-	2	-	-	-	2	-	-	4	1	3	1	1	3	3	1	1	-	-	-	-	-
	White.....M..	8	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-
	F..	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	2	-	-	1	-	-	-	-	-
	Nonwhite..M..	4	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	5	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
30	Syphilis.....	292	31	-	-	-	1	2	-	6	9	15	19	24	35	28	36	24	18	21	8	11	4	-	-	-	-	-
	White.....M..	71	3	-	-	-	-	-	-	1	2	1	1	4	8	5	10	8	10	9	4	4	1	-	-	-	-	-
	F..	26	3	-	-	-	-	1	-	1	-	1	5	-	2	1	4	2	1	1	-	2	2	-	-	-	-	-
	Nonwhite..M..	135	16	-	-	-	-	1	-	1	5	5	9	17	18	13	18	13	3	8	4	4	-	-	-	-	-	-
	F..	60	9	-	-	-	1	-	-	3	2	8	4	3	7	9	4	1	4	3	-	1	1	-	-	-	-	-
35	Measles.....	59	20	8	3	4	3	7	4	3	-	-	1	-	-	-	1	1	-	2	1	1	-	-	-	-	-	-
	White.....M..	23	7	2	1	3	2	2	1	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	F..	19	7	2	1	1	-	2	1	1	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	Nonwhite..M..	8	4	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	9	2	3	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	40	3	3	2	1	-	9	6	2	5	3	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	20	2	1	1	1	-	4	2	1	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	15	-	1	1	-	-	4	4	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Con.																										
45-55	Cancer and other malignant tumors.....	2,328	4	4	2	4	2	8	7	22	26	48	67	126	142	189	232	262	295	317	245	159	100	52	11	1	1	2
	White.....M..	754	1	1	1	-	2	4	1	11	11	10	12	23	26	42	78	82	93	124	109	60	43	17	3	-	-	-
	F..	1,063	1	1	1	2	-	3	6	4	11	23	29	59	80	82	88	122	156	135	103	70	48	29	7	1	1	1
	Nonwhite..M..	196	1	1	-	1	-	1	-	4	2	6	5	6	9	28	22	23	24	25	16	15	5	4	-	-	-	-
	F..	315	1	1	-	1	-	-	-	3	2	9	21	38	27	39	44	35	22	33	17	14	4	2	1	-	-	1
46	Cancer of digestive organs, peritoneum.....	874	1	-	2	-	-	3	-	3	4	5	20	35	27	51	86	108	128	147	109	68	47	25	3	-	1	1
	White.....M..	348	1	-	1	-	-	2	-	3	1	1	5	9	10	14	40	42	47	72	45	29	19	6	1	-	-	-
	F..	326	-	-	1	-	-	1	-	-	2	2	5	14	8	10	19	44	57	48	45	28	25	14	1	-	1	1
	Nonwhite..M..	117	-	-	-	-	-	-	-	-	1	2	4	5	5	17	14	15	16	16	9	8	1	4	-	-	-	-
	F..	83	-	-	-	-	-	-	-	-	-	-	6	7	4	10	13	7	8	11	10	3	2	1	1	-	-	-
48,49	Cancer of female genital organs.	431	-	-	-	-	-	-	1	3	3	19	18	44	58	51	55	48	48	37	25	14	6	2	-	-	-	1
	White.....F..	297	-	-	-	-	-	-	1	2	3	13	8	21	43	36	38	30	39	26	20	12	4	1	-	-	-	-
	Nonwhite..F..	134	-	-	-	-	-	-	-	1	-	6	10	23	15	15	17	18	9	11	3	2	2	1	-	-	-	1
50	Cancer of breast.	224	-	-	-	-	-	-	-	-	1	3	9	17	13	18	20	28	35	33	20	15	6	5	1	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	185	-	-	-	-	-	-	-	-	1	3	7	14	10	13	15	24	34	27	16	9	6	5	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	38	-	-	-	-	-	-	-	-	-	-	2	3	3	5	5	4	1	6	4	5	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	799	3	4	-	4	2	5	6	16	18	21	20	30	44	69	71	78	84	100	93	62	41	20	7	1	-	-
	White.....M..	405	-	1	-	-	2	2	1	8	10	9	7	14	16	28	38	40	46	52	64	30	24	11	2	-	-	-
	F..	255	1	1	-	2	-	2	5	2	5	5	9	10	19	23	16	24	26	34	22	21	13	9	5	1	-	-
	Nonwhite..M..	79	1	1	-	1	-	1	-	4	1	4	1	1	4	9	8	8	8	9	7	7	4	-	-	-	-	-
	F..	60	1	1	-	1	-	-	-	2	2	3	3	5	5	9	9	6	4	5	-	4	-	-	-	-	-	-
58	Acute rheumatic fever.....	44	-	-	-	-	-	5	9	7	2	4	2	3	4	-	-	2	-	1	2	2	-	-	1	-	-	-
	White.....M..	9	-	-	-	-	-	-	3	3	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	14	-	-	-	-	-	1	2	1	2	2	1	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	2	1	1	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-
	F..	13	-	-	-	-	-	2	3	2	-	2	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-
61	Diabetes mellitus	509	-	-	1	1	2	2	4	10	12	9	13	12	18	29	41	62	70	80	73	40	18	5	6	-	-	1
	White.....M..	173	-	-	-	-	-	2	1	5	4	4	4	5	4	6	7	19	27	26	31	21	5	2	-	-	-	-
	F..	178	-	-	-	-	1	-	1	3	2	1	5	2	1	5	12	18	21	37	34	16	12	2	4	-	-	1
	Nonwhite..M..	54	-	-	-	-	1	-	1	1	4	-	3	3	4	3	12	3	4	7	4	1	1	-	2	-	-	-
	F..	104	-	-	1	1	-	-	1	1	2	4	1	2	9	15	10	22	18	10	4	2	-	1	-	-	-	-
63b	Exophthalmic goiter.....	46	-	-	-	-	-	-	-	-	2	-	1	2	5	4	10	8	7	2	3	2	-	-	-	-	-	-
	White.....M..	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
	F..	26	-	-	-	-	-	-	-	-	-	-	1	-	1	2	5	6	4	2	3	2	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	13	-	-	-	-	-	-	-	-	2	-	-	1	3	2	2	1	2	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	70	-	-	-	-	-	-	-	-	-	2	2	3	3	3	5	5	11	8	9	9	6	4	-	-	-	-
	White.....M..	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	2	3	2	1	-	-	-	-
	F..	33	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	4	5	6	6	3	2	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	1	-	-	-	1	-	-	-	-
	F..	15	-	-	-	-	-	-	-	-	-	2	2	1	1	1	3	-	2	1	1	-	1	-	-	-	-	-
77	Alcoholism (ethylism).....	61	-	-	-	-	-	-	-	-	1	5	9	9	10	11	6	3	4	2	1	-	-	-	-	-	-	-
	White.....M..	38	-	-	-	-	-	-	-	-	-	2	8	5	4	8	4	3	3	-	1	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	19	-	-	-	-	-	-	-	-	1	3	1	3	4	3	1	-	1	2	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	3,103	8	2	2	1	-	4	2	4	11	22	32	56	112	155	254	351	407	491	438	356	210	115	43	17	2	8
	White.....M..	1,115	4	1	1	1	-	-	2	2	4	4	11	15	30	48	68	115	144	180	206	143	74	41	18	3	-	-
	F..	937	1	1	-	-	-	2	-	2	5	5	7	9	21	37	48	85	104	158	140	148	93	47	13	9	-	2
	Nonwhite..M..	473	2	-	-	-	-	1	-	-	2	6	7	13	30	31	73	59	75	68	47	30	12	12	2	1	1	1
	F..	578	1	-	1	-	-	1	-	-	-	7	7	19	31	39	65	92	84	85	45	35	31	15	10	4	1	5
90-95	Diseases of the heart.....	6,350	10	7	2	3	4	28	26	46	44	51	105	168	264	371	514	606	790	1,011	871	593	389	248	89	23	16	11
	White.....M..	2,913	5	3	1	1	-	8	6	17	7	15	22	70	118	178	234	305	397	484	399	278	213	109	37	3	1	2
	F..	1,748	2	1	-	1	1	8	13	11	15	12	27	31	38	54	81	103	170	283	300	230	214	108	36	6	1	2
	Nonwhite..M..	885	3	2	1	-	2	5	2	6	8	5	25	27	46	81	110	101	121	134	99	40	35	12	6	3	5	6
	F..	844	-	1	-	1	1	7	5	12	14	19	31	40	62	58	89	97	102	110	73	45	27	19	10	11	9	1
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart.....	451	-	1	-	-	2	14	15	18	11	11	17	28	26	15	27	29	41	45	51	38	26	24	7	2	2	1
	White.....M..	145	-	-	-	-	-	3	3	3	3	5	4	5	5	3	12	9	13	14	20	21	7	12	3	-	-	-
	F..	157	-	-	-	-	1	5	8	6	2	4	11	11	7	4	8	6	11	14	18	12	14	9	4	1	1	-
	Nonwhite..M..	72	-	-	-	-	-	2	1	3	1	-	-	7	6	6	4	5	11	11	5	3	5	1	-	1	-	-
	F..	77	-	1	-	-	1	4	3	6	5	2	2	5	8	2	3	9	6	6	8	2	2	2	-	-	1	1
94	Diseases of coronary arteries, angina pectoris.....	1,788	1	-	-	-	-	-	-	4	8	10	16	54	93	144	189	218	244	316	231	142	74	33	6	1	1	3
	White.....M..	1,086	1	-	-	-	-	-	-	1	1	3	7	36	61	104	119	143	164	185	132	77	36	15	-	-	-	1
	F..	399	-	-	-	-	-	-	-	1	4	4	4	4	7	12	26	35	40	89	77	52	26	13	4	1	-	-
	Nonwhite..M..	159	-	-	-	-	-	-	-	1	2	1	2	7	9	18	27	19	22	22	12	5	5	3	1	-	1	2
	F..	144	-	-	-	-	-	-	-	1	1	2	3	7	16	10	17	21	18	20	10	8	7	2	1	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms).....	4,151	9	6	2	3	2	14	11	24	25	30	72	86	145	212	298	359	505	650	589	413	389	191	76	20	13	7
	White.....M..	1,682	4	3	1	1	-	5	3	13	3	7	11	29	52	71	103	153	220	285	247	180	170	82	34	3	1	1
	F..	1,192	2	1	-	1	-	3	5	4	9	4	12	16	24	38	47	62	119	180	205	166	174	86	28	4	-	2
	Nonwhite..M..	654	3	2	1	-	2	3	1	2	5	4	23	13	31	57	79	77	88	101	82	32	25	8	5	2	4	4
	F..	623	-	-	-	1	-	3	2	5	8	15	26	28	38	46	69	67	78	84	55	35	20	15	9	11	8	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Con.																											
107-109, 33	Pneumonia (all forms) and influenza	1,992	663	91	31	17	7	31	16	32	29	34	53	46	59	51	74	89	93	112	128	88	126	70	30	15	6	1
	White—M.	608	180	26	13	5	3	10	5	8	4	6	12	12	24	12	20	30	34	41	48	30	46	24	13	2	-	-
	F.	556	149	25	4	5	1	3	5	6	7	9	6	7	9	8	17	20	26	24	55	44	65	39	14	7	1	-
	Nonwhite—M.	429	174	22	11	3	2	7	4	5	7	8	19	15	15	18	18	17	22	28	9	8	8	4	1	3	1	-
	F.	399	160	18	3	4	1	11	2	13	11	11	16	12	11	13	19	22	11	19	16	6	7	3	2	3	4	1
107	Bronchopneumonia	604	296	42	12	5	1	7	3	4	10	7	9	6	7	6	7	19	14	28	30	13	35	25	9	6	3	-
	White—M.	192	79	9	4	2	-	5	2	3	2	1	1	3	4	1	1	11	4	15	8	6	14	11	5	1	-	-
	F.	169	67	14	2	1	-	1	-	-	3	1	2	1	2	3	2	3	4	6	15	6	17	13	4	2	-	-
	Nonwhite—M.	133	83	12	5	1	1	-	-	-	1	3	3	1	1	2	1	3	5	6	1	-	2	-	-	2	-	-
	F.	110	67	7	1	1	-	1	1	1	4	2	3	1	-	-	3	2	1	1	6	1	2	1	-	1	3	-
108	Lobar pneumonia	613	119	17	11	5	2	13	6	14	11	13	27	23	30	25	36	32	43	44	47	32	36	15	8	2	1	1
	White—M.	188	34	5	4	2	-	5	-	2	1	5	5	5	11	6	9	5	16	17	21	13	16	4	2	-	-	-
	F.	156	25	5	2	-	-	2	4	4	2	1	3	2	4	2	10	8	13	10	16	15	13	10	4	1	-	-
	Nonwhite—M.	150	34	5	4	1	1	1	2	3	3	4	10	9	9	10	10	11	10	10	6	2	3	1	1	-	-	-
	F.	119	26	2	1	2	1	5	-	5	5	3	9	7	6	7	7	8	4	7	4	2	4	-	1	1	1	1
109	Pneumonia (unspecified)	260	126	22	4	3	2	2	3	2	4	6	5	8	5	9	8	8	6	10	4	7	9	4	1	-	2	-
	White—M.	69	26	7	2	-	2	-	2	1	1	-	2	1	3	4	3	4	2	2	3	1	2	1	-	-	-	-
	F.	70	28	5	-	3	-	-	-	-	-	5	-	2	1	-	2	2	4	3	1	4	6	2	1	-	1	-
	Nonwhite—M.	55	33	2	1	-	-	2	1	-	2	1	-	3	-	2	2	1	-	1	-	1	1	1	-	-	1	-
	F.	66	39	8	1	-	-	-	-	1	1	-	3	2	1	3	1	1	-	4	-	1	-	-	-	-	-	-
33	Influenza	515	122	10	4	4	2	9	4	12	4	8	12	9	17	11	23	30	30	30	47	36	46	26	12	7	-	-
	White—M.	159	41	5	3	1	1	-	1	2	-	-	4	3	6	1	7	10	12	7	16	10	14	8	6	1	-	-
	F.	161	29	1	-	1	1	-	1	2	2	2	1	2	2	3	3	7	5	5	23	19	29	14	5	4	-	-
	Nonwhite—M.	91	24	3	1	1	-	4	1	2	1	-	6	2	5	4	5	2	7	11	2	5	2	2	-	1	-	-
	F.	104	28	1	-	1	-	5	1	6	1	6	1	2	4	3	8	11	6	7	6	2	1	2	1	1	-	-
117	Ulcer of stomach or duodenum	132	-	-	-	-	-	-	-	1	1	3	9	9	14	11	19	19	14	15	7	4	4	1	-	-	-	1
	White—M.	71	-	-	-	-	-	-	-	-	-	1	4	5	5	8	13	7	8	10	3	3	3	1	-	-	-	-
	F.	21	-	-	-	-	-	-	-	-	-	-	-	1	4	-	3	4	1	2	4	1	1	-	-	-	-	-
	Nonwhite—M.	25	-	-	-	-	-	-	-	-	-	1	1	3	2	2	3	2	4	3	3	-	-	-	-	-	-	-	1
	F.	15	-	-	-	-	-	-	-	1	-	1	2	1	3	-	1	4	2	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	565	437	57	12	6	2	1	1	1	-	4	3	2	1	1	4	5	6	6	7	3	2	3	1	-	-	-
	White—M.	154	125	10	2	-	1	-	-	-	-	1	-	1	-	-	1	1	1	2	4	1	1	2	1	-	-	-
	F.	122	89	18	2	2	-	1	1	1	-	1	-	-	-	-	-	1	-	1	2	2	1	-	-	-	-	-
	Nonwhite—M.	160	126	14	3	2	1	-	-	-	-	1	2	-	1	1	-	3	3	1	1	-	-	1	-	-	-	-
	F.	129	97	15	5	2	-	-	-	-	-	1	1	1	-	-	3	-	2	2	-	-	-	-	-	-	-	-
121	Appendicitis	147	2	2	5	-	2	8	16	11	6	10	9	10	17	10	9	4	5	9	5	3	2	1	-	-	-	1
	White—M.	66	1	2	4	-	-	1	6	7	2	3	4	6	8	6	3	3	1	3	4	1	1	-	-	-	-	-
	F.	39	-	-	1	-	1	3	7	1	3	2	1	-	6	1	1	1	2	4	1	2	1	1	-	-	-	-
	Nonwhite—M.	18	-	-	-	-	1	2	1	1	-	-	2	2	2	2	3	-	1	1	-	-	-	-	-	-	-	-
	F.	24	1	-	-	-	-	2	2	2	1	5	2	2	1	1	2	-	1	1	-	-	-	-	-	-	-	1
122	Hernia, intestinal obstruction	186	14	1	-	-	-	3	1	8	10	11	16	12	9	14	20	12	19	14	13	4	3	1	1	-	-	1
	White—M.	66	8	-	-	-	-	2	-	3	2	1	5	1	2	5	5	5	8	4	7	4	2	1	1	-	-	-
	F.	49	3	-	-	-	-	1	1	1	2	2	7	5	3	4	3	3	6	3	4	-	1	-	-	-	-	-
	Nonwhite—M.	37	1	1	-	-	-	-	-	2	3	2	2	4	3	2	6	4	3	3	1	-	-	-	-	-	-	-
	F.	34	2	-	-	-	-	-	-	2	3	6	2	2	1	3	6	-	2	4	-	-	-	-	-	-	-	1
124	Cirrhosis of the liver	117	-	-	-	-	-	-	-	2	3	1	4	9	15	13	6	18	11	14	7	8	5	1	-	-	-	-
	White—M.	59	-	-	-	-	-	-	-	-	-	1	2	6	8	9	5	8	4	5	4	5	2	-	-	-	-	-
	F.	28	-	-	-	-	-	-	-	1	2	-	-	2	3	1	-	3	5	4	1	3	2	1	-	-	-	-
	Nonwhite—M.	19	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	6	2	3	2	-	1	-	-	-	-	-
	F.	11	-	-	-	-	-	-	-	-	1	-	2	1	3	1	-	1	-	2	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	96	1	-	-	-	-	-	-	2	2	2	3	6	2	8	14	9	9	11	12	5	9	1	-	-	-	-
	White—M.	27	-	-	-	-	-	-	-	-	-	-	-	3	-	-	3	4	1	5	4	2	5	-	-	-	-	-
	F.	53	-	-	-	-	-	-	-	-	2	1	1	3	1	5	10	3	7	4	8	3	4	1	-	-	-	-
	Nonwhite—M.	8	1	-	-	-	-	-	-	2	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-
	F.	8	-	-	-	-	-	-	-	-	-	1	2	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-
130-132	Nephritis	2,952	3	1	-	2	-	9	15	22	26	33	48	87	128	136	215	244	347	431	450	307	248	123	50	16	5	6
	White—M.	963	1	-	-	1	-	2	5	6	11	6	10	19	33	20	67	73	110	144	176	111	108	41	14	2	2	1
	F.	770	1	1	-	-	-	1	4	3	6	7	5	17	25	26	31	46	74	94	148	109	90	57	19	4	-	2
	Nonwhite—M.	633	1	-	-	1	-	4	3	6	5	7	15	19	37	44	54	65	84	109	69	48	32	16	6	5	1	2
	F.	586	-	-	-	-	-	2	3	7	4	13	18	32	33	46	63	60	79	84	57	39	18	9	11	5	2	1
137	Diseases of the prostate	96	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	10	20	18	16	12	8	3	-	-	-
	White—M.	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	9	15	10	9	7	3	-	-	-
	Nonwhite—M.	36	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	4	11	3	6	3	1	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Con.																										
140-150	Diseases of pregnancy, etc.*...	266	-	-	-	-	-	-	-	33	56	47	58	47	20	3	-	-	-	-	-	-	-	-	-	-	2
	White.....F..	136	-	-	-	-	-	-	-	16	32	21	33	27	6	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	130	-	-	-	-	-	-	-	17	24	26	25	20	14	2	-	-	-	-	-	-	-	-	-	-	2
140,142a, 145A, 147	Puerperal septicemia.....	81	-	-	-	-	-	-	-	8	20	20	15	13	4	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	38	-	-	-	-	-	-	-	2	11	8	8	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	43	-	-	-	-	-	-	-	6	9	12	7	4	4	1	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	88	-	-	-	-	-	-	-	16	20	12	19	12	9	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	49	-	-	-	-	-	-	-	10	10	6	11	9	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	39	-	-	-	-	-	-	-	6	10	6	8	3	6	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b 143,146, 149	Hemorrhage, trauma and shock*.....	73	-	-	-	-	-	-	-	8	11	12	18	18	6	1	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	35	-	-	-	-	-	-	-	4	7	7	9	5	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	38	-	-	-	-	-	-	-	4	4	5	9	11	4	-	-	-	-	-	-	-	-	-	-	-	1
141d,e,f, 145B,150	Other puerperal causes.....	24	-	-	-	-	-	-	-	1	5	3	6	6	1	1	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	14	-	-	-	-	-	-	-	-	4	-	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	10	-	-	-	-	-	-	-	1	1	3	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
157	Congenital malformations..	438	386	15	5	4	8	4	2	3	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	181	164	7	1	2	1	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	167	149	3	1	-	3	4	-	1	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	62	50	4	2	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	28	23	1	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	1,146	1,146	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	425	425	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	297	297	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	213	213	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	211	211	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	221	-	-	-	-	-	-	-	13	17	19	27	31	22	23	26	17	10	7	7	1	1	-	-	-	-
	White.....M..	153	-	-	-	-	-	-	-	7	12	11	17	23	16	18	15	14	8	4	6	1	1	-	-	-	-
	F..	53	-	-	-	-	-	-	-	6	3	4	8	5	4	4	10	3	2	3	1	-	-	-	-	-	-
	Nonwhite..M..	12	-	-	-	-	-	-	-	-	1	3	1	3	2	1	1	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	298	5	1	-	-	-	3	4	30	34	52	55	33	33	13	18	7	7	3	2	1	-	-	-	-	-
	White.....M..	86	-	1	-	-	-	1	3	3	8	14	13	3	11	5	10	5	5	3	1	-	-	-	-	-	-
	F..	18	1	-	-	-	-	1	-	4	1	1	2	2	2	1	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	157	2	-	-	-	-	-	1	18	22	30	30	23	16	6	4	2	1	-	1	1	-	-	-	-	-
	F..	38	2	-	-	-	-	1	-	5	3	7	10	5	4	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,185	133	53	38	36	25	92	91	211	342	173	147	122	82	75	81	70	71	82	66	57	62	43	21	5	1	6
	White.....M..	1,214	43	15	9	11	12	40	51	142	258	120	99	62	46	42	47	44	40	39	26	23	23	12	4	2	-	4
	F..	396	31	15	8	10	5	24	16	24	23	11	10	11	6	10	9	11	13	24	29	28	32	28	15	3	-	-
	Nonwhite..M..	420	34	14	10	3	4	22	22	38	47	36	30	37	24	22	21	12	9	14	8	4	3	2	2	-	-	2
	F..	155	25	9	11	12	4	6	2	7	14	6	8	12	6	1	4	3	9	5	5	2	4	1	-	-	1	-
170	Motor-vehicle accidents.....	694	4	7	4	3	5	35	25	89	123	80	58	55	31	30	33	29	32	23	14	8	2	2	1	-	-	1
	White.....M..	428	1	1	1	1	2	14	12	56	81	50	41	31	20	17	20	23	25	12	12	4	1	1	1	-	-	1
	F..	89	2	4	1	2	2	11	4	18	16	7	3	2	3	4	1	3	2	2	-	2	-	-	-	-	-	-
	Nonwhite..M..	142	-	1	1	-	-	8	8	11	21	20	12	18	6	8	10	2	3	8	2	2	-	1	-	-	-	-
	F..	35	1	1	1	-	1	2	1	4	5	3	2	4	2	1	2	1	2	1	-	-	1	-	-	-	-	-
169, 171-195	Other accidents..	1,491	129	46	34	33	20	57	66	122	219	93	89	67	51	45	48	41	39	59	52	49	60	41	20	5	1	5
	White.....M..	786	42	14	8	10	10	26	39	86	177	70	58	31	28	25	27	21	15	27	14	19	22	11	3	2	-	3
	F..	307	29	11	7	8	3	13	12	6	7	4	7	9	3	6	8	8	11	22	29	26	32	28	15	3	-	-
	Nonwhite..M..	278	34	13	9	3	4	14	14	27	26	16	18	19	13	14	11	10	6	6	6	2	3	1	2	-	-	2
	F..	120	24	8	10	12	3	4	1	3	9	3	6	8	4	-	2	2	7	4	3	2	3	1	-	-	1	-
162,199, 200	Senility, ill-defined and unknown causes...	1,052	272	15	8	3	2	7	3	8	11	14	15	20	23	39	36	48	60	79	80	59	76	80	62	20	10	2
	White.....M..	340	74	3	3	2	1	-	-	3	1	5	5	6	6	9	13	20	26	28	32	24	25	26	23	2	1	2
	F..	241	44	5	1	-	1	2	1	-	4	1	5	3	5	4	6	7	7	11	18	15	31	38	22	9	1	-
	Nonwhite..M..	250	84	5	1	1	-	3	2	5	-	2	4	4	4	11	11	10	16	27	19	11	11	10	3	4	2	-
	F..	221	70	2	3	-	-	2	-	-	6	6	1	7	8	15	6	11	11	13	11	9	9	6	14	5	6	-
	All other causes.	2,997	840	55	31	25	14	68	49	77	109	107	115	116	124	146	139	129	173	177	178	118	96	77	20	4	8	2
	White.....M..	1,072	337	17	11	7	6	23	17	20	37	19	38	34	38	48	42	44	66	75	69	50	39	29	5	1	-	-
	F..	840	194	18	10	9	3	21	15	17	21	36	24	35	34	41	41	43	34	46	62	40	50	35	9	1	1	-
	Nonwhite..M..	566	174	9	5	5	3	14	9	22	17	24	20	20	28	24	33	24	42	33	25	16	3	12	1	1	1	1
	F..	519	135	11	5	4	2	10	8	18	34	28	33	27	24	33	23	18	31	23	22	12	4	1	5	1	6	1

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA																											
	All causes	5,116	479	54	36	25	8	61	49	83	52	62	81	112	128	166	239	361	437	533	620	585	514	270	112	25	-	26
	White..M	2,995	270	22	16	11	3	33	26	54	27	37	39	67	86	105	139	230	285	322	373	342	291	158	49	6	-	24
	F	1,994	182	25	14	11	3	23	21	25	23	22	35	43	54	58	92	128	148	200	242	236	218	111	60	18	-	2
	Nonwhite..M	63	11	4	2	-	2	1	2	1	1	2	6	-	2	1	6	1	4	5	2	6	2	-	2	-	-	-
	F	64	16	3	4	3	-	4	-	3	1	1	1	2	4	2	2	2	-	6	3	1	3	1	1	1	-	-
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	6	-	-	1	-	-	-	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White..M	4	-	-	1	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	-	-	-	-	1	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	4	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	11	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White..M	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	8	-	-	1	1	1	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	4	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	86	1	-	-	-	2	2	1	3	9	10	8	4	9	5	8	8	3	5	3	4	-	-	-	-	-	1
	White..M	43	-	-	-	-	-	2	1	-	2	4	3	-	5	4	5	4	2	5	1	4	-	-	-	-	-	1
	F	28	-	-	-	-	-	-	-	1	5	4	4	3	3	-	3	3	1	-	1	-	-	-	-	-	-	-
	Nonwhite..M	5	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	10	1	-	-	-	-	-	-	2	1	1	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	78	1	-	-	-	-	-	-	3	9	10	8	4	9	5	7	6	3	5	3	4	-	-	-	-	-	1
	White..M	39	-	-	-	-	-	-	-	-	2	4	3	-	5	4	5	3	2	5	1	4	-	-	-	-	-	1
	F	26	-	-	-	-	-	-	-	1	5	4	4	3	3	-	2	2	1	-	1	-	-	-	-	-	-	-
	Nonwhite..M	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	10	1	-	-	-	-	-	-	2	1	1	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	8	-	-	-	-	2	2	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	White..M	4	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	23	-	1	-	-	-	-	-	-	1	-	1	1	-	3	1	5	5	1	2	1	1	-	-	-	-	-
	White..M	19	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	5	4	1	2	1	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	34	10	4	3	2	-	6	2	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	13	4	1	-	-	-	2	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	3	1	1	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Continued																											
45-55	Cancer and other malignant tumors	651	1	-	1	-	-	-	1	3	3	3	6	15	20	34	45	66	82	95	107	77	49	34	7	-	-	2
	White..M..	375	1	-	1	-	-	-	-	2	2	3	3	8	6	17	19	38	49	54	64	51	29	21	5	-	-	2
	F..	268	-	-	-	-	-	-	1	-	1	-	3	7	14	17	24	27	33	39	43	24	20	13	2	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	332	-	-	-	-	-	-	-	1	-	1	3	5	7	16	18	38	42	47	59	51	24	15	4	-	-	1
	White..M..	207	-	-	-	-	-	-	-	1	-	1	2	4	4	12	10	24	24	27	38	34	14	8	3	-	-	1
	F..	120	-	-	-	-	-	-	-	-	-	-	1	1	3	4	7	13	18	19	21	15	10	7	1	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	51	-	-	-	-	-	-	-	-	-	-	2	2	8	5	10	5	4	4	5	1	4	1	-	-	-	-
	White..F..	50	-	-	-	-	-	-	-	-	-	-	2	2	8	5	9	5	4	4	5	1	4	1	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	49	-	-	-	-	-	-	-	-	-	-	-	1	2	4	3	8	3	9	10	5	2	1	1	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	48	-	-	-	-	-	-	-	-	-	-	-	1	2	4	3	8	3	8	10	5	2	1	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	219	1	-	1	-	-	-	1	2	3	2	1	7	3	9	14	15	33	35	33	20	19	17	2	-	-	1
	White..M..	168	1	-	1	-	-	-	-	1	2	2	1	4	2	5	9	14	25	27	26	17	15	13	2	-	-	1
	F..	50	-	-	-	-	-	-	1	-	1	-	-	3	1	4	5	1	8	8	7	3	4	4	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	9	-	-	-	-	-	-	4	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White..M..	5	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	148	-	-	-	-	-	-	-	1	1	1	2	5	2	2	11	15	20	20	30	25	11	1	-	1	-	-
	White..M..	63	-	-	-	-	-	-	-	-	1	1	1	3	-	1	4	7	8	9	11	10	6	1	-	-	-	-
	F..	84	-	-	-	-	-	-	-	1	-	-	1	2	2	1	7	8	12	10	19	15	5	-	1	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-
	White..M..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	12	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	3	2	1	1	-	-	-	-	-	-
	White..M..	11	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	3	2	1	1	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	509	1	-	-	1	-	-	-	-	1	-	1	3	5	10	24	26	56	83	93	79	78	33	11	2	-	2
	White..M..	286	1	-	-	-	-	-	-	-	1	-	1	1	3	5	15	8	37	48	53	39	47	20	6	-	-	2
	F..	220	-	-	-	1	-	-	-	-	1	-	-	2	2	5	9	18	19	35	39	39	30	13	5	2	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
90-95	Diseases of the heart	1,390	-	-	2	-	-	3	4	4	2	7	12	25	30	34	58	115	140	183	223	217	188	83	43	7	-	10
	White..M..	869	-	-	1	-	-	3	2	3	-	4	7	18	17	24	43	90	98	105	141	130	99	51	20	4	-	9
	F..	503	-	-	1	-	-	-	2	1	2	3	5	7	12	10	13	25	40	73	79	84	87	32	23	3	-	1
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	2	1	2	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	1	2	-	-	-	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	63	-	-	-	-	-	1	3	1	-	5	4	5	5	3	4	5	8	6	3	2	6	1	1	-	-	-
	White..M..	34	-	-	-	-	-	1	2	1	-	3	1	3	2	1	3	5	5	2	2	1	2	-	-	-	-	-
	F..	28	-	-	-	-	-	-	1	-	-	2	3	2	3	2	1	-	3	4	1	-	4	1	1	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	449	-	-	-	-	-	-	1	1	-	1	2	11	9	18	30	51	62	78	73	52	37	14	8	-	-	1
	White..M..	330	-	-	-	-	-	-	-	1	-	-	2	10	6	15	23	41	46	58	52	37	25	10	3	-	-	1
	F..	114	-	-	-	-	-	-	1	-	-	1	-	1	2	3	6	10	15	18	21	15	12	4	5	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	878	-	-	2	-	-	2	-	2	2	1	6	9	16	13	24	59	70	99	147	163	145	68	34	7	-	9
	White..M..	505	-	-	1	-	-	2	-	1	-	1	4	5	9	8	17	44	47	45	87	92	72	41	17	4	-	8
	F..	361	-	-	1	-	-	-	-	1	2	-	2	4	7	5	6	15	22	51	57	69	71	27	17	3	-	1
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Con.	-																									
107-109, 33	Pneumonia (all forms) and influenza	277	62	14	4	4	-	3	2	6	4	5	3	5	7	3	7	13	11	19	20	29	31	14	8	3	-	2
	White..M..	154	35	5	-	3	-	1	-	6	3	1	3	3	5	1	5	7	8	12	12	14	17	8	2	1	-	2
	F..	113	21	8	3	1	-	2	2	-	1	3	-	2	2	2	2	6	3	7	8	15	14	6	3	2	-	-
	Nonwhite..M..	5	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F..	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	123	39	9	1	3	-	1	-	2	3	2	-	2	3	-	2	4	5	8	8	11	10	6	1	3	-	-
	White..M..	67	22	2	-	3	-	-	-	2	2	-	-	1	2	-	1	2	3	3	5	8	6	4	-	1	-	-
	F..	51	14	6	1	-	-	1	-	-	1	2	-	1	1	-	1	2	2	5	3	3	4	2	-	2	-	-
	Nonwhite..M..	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	81	8	2	-	-	-	-	-	3	1	2	3	1	3	2	4	8	1	9	10	6	12	2	2	-	-	2
	White..M..	52	5	1	-	-	-	-	-	3	1	1	3	1	2	1	3	4	1	8	6	4	4	1	1	-	-	2
	F..	28	3	1	-	-	-	-	-	-	-	-	-	-	1	1	1	4	1	1	4	2	8	1	1	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	15	9	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	White..M..	10	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F..	4	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	58	6	3	2	1	-	2	2	1	-	-	-	1	1	1	1	-	4	1	2	12	9	6	3	-	-	-
	White..M..	25	2	2	-	-	-	1	-	1	-	-	-	-	1	-	1	-	3	-	1	2	7	3	1	-	-	-
	F..	30	2	1	1	1	-	1	2	-	-	-	-	1	-	1	-	-	1	1	1	10	2	3	2	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	33	-	-	-	-	-	-	-	-	-	1	-	3	1	5	4	6	4	3	3	2	1	-	-	-	-	-
	White..M..	29	-	-	-	-	-	-	-	-	-	1	-	3	1	5	4	3	4	3	3	1	1	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	40	25	3	2	2	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	2	2	-	-	-	-
	White..M..	19	15	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	F..	17	7	3	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-
	Nonwhite..M..	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	30	-	1	3	2	-	3	4	2	-	-	2	-	-	1	3	2	2	1	-	1	-	-	-	-	-	1
	White..M..	16	-	-	2	1	-	-	1	1	-	-	1	-	-	1	3	1	2	1	-	1	-	-	-	-	-	1
	F..	11	-	1	1	1	-	2	2	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	44	7	1	1	-	-	-	-	2	-	1	-	2	2	-	1	1	7	4	4	2	2	4	3	-	-	-
	White..M..	31	6	1	1	-	-	-	-	2	-	-	-	1	1	-	1	-	3	2	3	1	1	3	2	-	-	-
	F..	11	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	1	1	1	1	1	1	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	32	-	-	-	-	-	-	-	-	-	-	1	-	-	1	6	5	6	2	4	6	1	-	-	-	-	-
	White..M..	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	2	3	3	-	-	-	-	-	-
	F..	15	-	-	-	-	-	-	-	-	-	-	1	-	-	-	5	1	3	-	1	3	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	40	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	4	6	7	8	6	4	-	-	-	-	-
	White..M..	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	3	2	-	-	-	-	-
	F..	28	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	4	4	7	3	2	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	265	2	-	-	-	-	2	1	2	3	5	2	3	8	11	14	17	26	31	37	46	36	15	3	1	-	-
	White..M..	144	2	-	-	-	-	1	-	1	2	2	2	-	3	4	6	8	15	19	21	25	24	8	1	-	-	-
	F..	121	-	-	-	-	-	1	1	1	1	3	-	3	5	7	8	9	11	12	16	21	12	7	2	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	4	3	7	5	4	-	-	-	-
	White..M..	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	4	3	7	5	4	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Con.																										
140-150	Diseases of pregnancy, etc.*...	24	-	-	-	-	-	-	-	-	4	1	9	6	3	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	22	-	-	-	-	-	-	-	-	4	1	9	5	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	13	-	-	-	-	-	-	-	-	2	1	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	12	-	-	-	-	-	-	-	-	2	1	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	6	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	5	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage,trauma and shock*.....	4	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	4	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	77	65	3	2	1	-	1	1	1	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....M..	35	31	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	42	34	2	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	160	160	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	94	94	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	61	61	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	44	-	-	-	-	-	-	-	-	1	5	1	4	5	6	6	6	2	4	1	-	3	-	-	-	-
	White.....M..	32	-	-	-	-	-	-	-	-	-	4	-	2	3	5	6	4	2	3	1	-	2	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	2	-	1	-	-	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	5	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	373	11	8	9	6	3	24	17	35	12	12	15	12	15	20	11	30	25	22	24	18	17	13	8	2	-	4
	White.....M..	254	9	5	4	4	1	15	14	28	9	11	10	11	13	17	9	25	18	16	13	8	4	4	3	-	-	3
	F..	112	2	3	4	2	2	8	2	7	3	1	3	1	2	2	1	5	7	6	11	10	13	9	5	2	-	1
	Nonwhite..M..	4	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	85	-	2	2	-	-	4	-	12	8	3	7	5	4	5	7	9	6	4	4	3	-	-	-	-	-	-
	White.....M..	67	-	1	1	-	-	3	-	11	6	2	4	4	4	4	5	8	5	3	4	2	-	-	-	-	-	-
	F..	15	-	1	1	-	-	1	-	1	2	1	1	1	-	1	1	1	1	1	-	1	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	288	11	6	7	6	3	20	17	23	4	9	8	7	11	15	4	21	19	18	20	15	17	13	8	2	-	4
	White.....M..	187	9	4	3	4	1	12	14	17	3	9	6	7	9	13	4	17	13	13	9	6	4	4	3	-	-	3
	F..	97	2	2	3	2	2	7	2	6	1	-	2	-	2	1	-	4	6	5	11	9	13	9	5	2	-	1
	Nonwhite..M..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	174	12	-	1	2	-	1	-	-	-	-	-	2	2	3	4	9	8	13	13	18	24	32	22	7	-	1
	White.....M..	93	3	-	1	1	-	-	-	-	-	-	-	1	2	2	1	7	5	10	11	12	13	16	6	1	-	1
	F..	70	8	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	2	6	11	15	14	6	-	-
	Nonwhite..M..	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
	F..	7	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	-	-	-
	All other causes,	567	113	16	4	4	1	11	9	15	9	6	13	17	15	23	30	24	30	32	42	44	61	35	9	2	-	2
	White.....M..	329	64	8	4	1	-	6	3	5	6	3	5	10	6	14	14	15	19	22	28	30	39	21	4	-	-	2
	F..	217	42	5	-	3	1	5	6	9	3	3	5	7	6	9	16	9	11	10	14	13	20	14	5	1	-	-
	Nonwhite..M..	13	4	1	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	1	2	-	-	-	-	-
	F..	8	3	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO																											
	All causes.....	80,193	5,417	503	252	214	163	533	471	808	1,055	1,157	1,466	1,903	2,568	3,072	5,104	6,272	7,445	8,794	9,867	9,407	7,498	4,164	1,342	253	52	83
	White.....M..	41,073	2,631	254	126	108	87	292	258	439	459	510	644	876	1,309	1,925	2,753	3,548	4,236	4,849	5,228	4,604	3,489	1,787	520	85	9	47
	F..	33,602	2,058	205	95	89	60	188	161	246	398	449	573	731	859	1,240	1,774	2,217	2,780	3,516	4,317	4,527	3,860	2,277	770	152	30	30
	Nonwhite..M..	3,051	260	18	11	10	7	29	33	56	89	95	128	157	216	308	338	322	253	251	164	151	71	46	22	6	4	6
	F..	2,467	198	26	20	7	9	24	19	67	109	103	121	139	184	199	239	185	176	178	158	125	78	54	30	10	9	-
1,2	Typhoid and paratyphoid fever..	19	1	-	-	1	-	1	-	2	2	-	1	2	1	-	2	1	3	1	1	-	-	-	-	-	-	-
	White.....M..	9	-	-	-	1	-	1	-	1	-	-	1	1	1	-	1	1	1	-	1	-	-	-	-	-	-	-
	F..	9	1	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	198	18	15	11	5	9	7	12	11	10	9	12	9	14	8	12	14	9	6	4	1	1	1	-	-	-	-
	White.....M..	104	10	5	8	1	4	4	5	7	3	4	5	7	10	4	9	7	4	3	3	-	1	-	-	-	-	-
	F..	58	6	8	2	4	2	2	3	2	6	4	1	-	-	2	1	5	4	3	1	1	1	-	-	-	-	-
	Nonwhite..M..	24	1	1	1	-	2	1	3	1	1	-	4	1	3	2	1	1	1	-	-	-	-	-	-	-	-	-
	F..	12	1	1	-	-	1	-	1	1	-	1	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	44	1	1	3	1	3	7	8	3	5	1	2	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	16	-	-	-	1	-	4	3	2	2	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	26	1	1	2	-	3	3	5	1	3	1	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	87	60	15	5	2	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	28	19	5	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	43	31	6	3	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	9	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	31	3	4	3	4	2	6	3	-	-	1	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
	White.....M..	16	1	2	1	3	2	3	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	14	2	2	2	1	-	2	-	-	-	1	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	2,787	12	21	19	13	3	19	25	95	258	257	257	243	215	242	239	242	227	172	104	80	27	11	4	-	-	2
	White.....M..	1,344	4	10	6	3	1	5	7	15	74	87	90	115	111	139	148	163	145	104	53	44	15	1	3	-	-	1
	F..	781	6	5	5	6	1	7	8	24	86	83	93	58	49	48	41	48	59	55	46	31	10	10	1	-	-	1
	Nonwhite..M..	390	1	2	1	2	-	2	5	20	38	46	44	43	37	46	42	26	18	9	3	3	2	-	-	-	-	-
	F..	272	1	4	7	2	1	5	5	36	60	41	30	27	18	9	8	5	5	4	2	2	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	2,568	6	10	10	6	-	13	19	87	245	238	241	231	197	227	226	227	213	168	93	77	45	8	3	-	-	2
	White.....M..	1,265	1	4	3	2	-	3	6	13	72	82	84	111	106	133	141	155	138	101	51	41	14	1	2	-	-	1
	F..	706	3	2	2	1	-	6	7	23	81	79	88	57	44	44	38	42	53	49	38	31	9	7	1	-	-	1
	Nonwhite..M..	352	1	1	-	1	-	2	3	18	34	40	39	40	31	43	39	26	17	9	3	3	2	-	-	-	-	-
	F..	243	1	3	5	2	-	2	3	33	58	37	30	23	16	7	8	4	5	3	1	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	221	6	11	9	7	3	6	6	8	13	19	16	12	18	15	13	15	14	10	11	3	2	3	1	-	-	-
	White.....M..	79	3	6	3	1	1	2	1	2	2	5	6	4	5	6	7	8	7	3	2	3	1	-	1	-	-	-
	F..	75	3	3	3	5	1	1	1	1	5	4	5	1	5	4	3	6	6	6	8	-	1	3	-	-	-	-
	Nonwhite..M..	38	-	1	1	1	-	-	2	2	4	6	5	3	6	3	3	-	1	-	-	-	-	-	-	-	-	-
	F..	29	-	1	2	-	1	3	2	3	2	4	-	4	2	2	-	1	-	1	1	-	-	-	-	-	-	-
27	Dysentery.....	43	14	3	2	-	1	3	-	1	1	-	-	1	1	2	2	-	1	1	3	5	-	-	2	-	-	-
	White.....M..	17	7	-	2	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	2	2	-	-	-	-	-	-
	F..	21	6	2	-	-	1	2	-	1	1	-	-	1	-	-	-	-	-	1	1	3	-	-	2	-	-	-
	Nonwhite..M..	4	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	5	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	873	28	2	1	-	-	1	4	4	6	21	32	55	84	95	126	131	98	94	44	33	7	5	1	-	-	1
	White.....M..	471	10	1	-	-	-	1	2	1	1	7	14	22	34	46	67	93	62	60	25	18	4	2	1	-	-	-
	F..	188	9	1	1	-	-	-	2	1	3	8	7	8	20	13	24	16	19	24	16	11	2	3	-	-	-	-
	Nonwhite..M..	148	4	-	-	-	-	-	-	1	1	2	9	18	19	26	22	14	15	9	2	4	1	-	-	-	-	1
	F..	66	5	-	-	-	-	-	-	1	1	4	2	7	11	10	13	8	2	1	1	-	-	-	-	-	-	-
35	Measles.....	139	41	32	20	7	7	20	1	3	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	71	21	21	8	2	3	10	1	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	64	19	10	11	5	3	10	-	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	88	-	2	4	5	2	16	17	17	8	5	2	3	1	3	-	1	1	1	-	-	-	-	-	-	-	-
	White.....M..	55	-	1	3	2	2	9	10	13	3	4	1	2	1	1	-	1	1	1	-	-	-	-	-	-	-	-
	F..	33	-	1	1	3	-	7	7	4	5	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Con.																										
45-55	Cancer and other malignant tumors	10,029	3	7	7	11	5	14	12	30	36	64	137	251	394	647	932	1,158	1,319	1,452	1,414	1,137	644	270	72	10	1	2
	White	4,535	3	5	5	4	11	7	17	17	21	36	63	117	219	373	545	654	701	720	571	298	109	29	5	-	-
	M	5,054	-	2	1	5	1	3	5	10	13	39	90	168	236	382	496	554	605	692	667	543	337	158	41	4	1	1
	Nonwhite	198	-	-	1	1	-	-	-	2	3	2	2	1	14	18	28	31	32	28	13	15	4	1	-	1	-	1
	M	242	-	-	-	-	-	-	-	1	3	2	9	19	27	28	35	28	28	31	14	8	5	2	2	-	-	-
46	Cancer of digestive organs, peritoneum	4,545	-	-	1	-	1	1	1	5	4	10	32	66	123	223	386	490	633	738	746	580	349	119	34	2	-	1
	White	2,316	-	-	1	-	1	1	1	3	1	3	13	18	63	100	186	285	354	387	395	292	160	40	12	-	-	-
	M	2,046	-	-	-	-	-	-	-	2	1	6	16	43	45	101	176	180	254	321	338	280	184	76	21	1	-	1
	Nonwhite	110	-	-	-	-	-	-	-	-	2	1	1	1	4	11	15	19	17	20	7	6	4	1	-	1	-	-
	M	73	-	-	-	-	-	-	-	-	-	-	2	4	11	11	9	6	8	10	6	2	1	2	1	-	-	-
48,49	Cancer of female genital organs	1,341	-	-	-	-	-	-	-	3	4	18	41	74	105	139	164	179	143	166	145	74	50	29	6	1	-	-
	White	1,257	-	-	-	-	-	-	-	2	4	16	37	64	95	132	150	170	134	155	142	73	47	29	6	1	-	-
	Nonwhite	84	-	-	-	-	-	-	-	1	-	2	4	10	10	7	14	9	9	11	3	1	3	-	-	-	-	-
50	Cancer of breast	990	-	-	-	-	-	-	-	-	-	6	21	38	67	104	114	127	117	121	109	93	43	24	4	2	-	-
	White	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	3	1	-	2	-	-	-	-
	F	930	-	-	-	-	-	-	-	-	-	6	18	36	61	97	108	119	111	111	104	89	42	22	4	2	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	50	-	-	-	-	-	-	-	-	-	-	3	2	5	6	5	8	6	9	2	3	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	3,153	3	7	6	11	4	13	11	22	28	30	43	73	99	181	268	362	426	427	414	390	202	98	28	5	1	1
	White	2,209	3	5	4	5	3	10	6	14	16	18	23	45	53	118	186	260	300	313	322	278	138	67	17	5	-	-
	F	821	-	2	1	5	1	3	5	6	8	11	19	25	35	52	62	85	108	105	83	101	64	31	10	-	1	-
	Nonwhite	88	-	-	1	1	-	-	-	2	1	1	1	-	10	7	13	12	15	8	6	9	-	-	-	-	-	1
	F	35	-	-	-	-	-	-	-	-	3	-	-	3	1	4	7	5	5	1	3	2	-	-	1	-	-	-
58	Acute rheumatic fever	88	2	-	-	2	-	11	22	13	4	5	6	3	6	2	3	1	1	-	1	3	3	-	-	-	-	-
	White	45	-	-	-	1	-	6	11	9	1	2	3	2	3	1	-	-	1	-	1	3	1	-	-	-	-	-
	F	29	1	-	-	1	-	4	6	3	1	2	2	1	2	1	2	1	-	-	-	2	-	-	-	-	-
	Nonwhite	8	-	-	-	-	-	1	3	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	2	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,211	-	2	-	2	-	4	6	22	11	16	21	29	54	75	148	223	348	384	387	275	157	34	12	-	-	1
	White	754	-	2	-	1	-	2	-	9	3	4	12	8	23	28	48	70	107	135	123	102	55	17	4	-	-	1
	F	1,331	-	-	-	1	-	2	4	9	5	9	9	17	18	31	88	136	225	238	254	165	97	16	7	-	-	-
	Nonwhite	42	-	-	-	-	-	-	1	3	2	-	-	-	4	4	2	5	5	6	3	4	2	-	1	-	-	-
	F	84	-	-	-	-	-	-	1	1	1	3	-	4	9	12	10	12	11	5	7	4	3	1	-	-	-	-
63b	Exophthalmic goiter	250	-	-	-	-	-	-	-	1	2	6	4	6	14	17	32	30	35	39	32	18	13	1	-	-	-	-
	White	43	-	-	-	-	-	-	-	-	1	-	-	3	4	4	5	5	7	6	4	1	3	-	-	-	-	-
	F	199	-	-	-	-	-	-	-	-	1	6	3	3	9	12	26	24	28	33	27	17	9	1	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-
69	Pellagra (except alcoholic)	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	2	-	1	1	-	-	-
	White	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	70	-	-	-	-	-	-	-	-	-	3	6	10	8	12	8	7	4	10	2	-	-	-	-	-	-	-
	White	55	-	-	-	-	-	-	-	-	-	1	5	5	6	10	7	6	4	9	2	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	9	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	8,335	4	3	3	1	3	9	4	12	18	30	33	69	147	251	452	580	846	1,112	1,407	1,409	1,172	568	175	24	-	3
	White	3,854	3	2	1	1	1	3	2	6	10	17	14	26	63	100	201	260	403	556	700	642	518	248	70	7	-	-
	F	3,947	1	1	1	-	2	5	2	6	6	11	13	31	54	107	178	259	371	483	650	715	627	308	99	16	-	1
	Nonwhite	252	-	-	-	-	-	-	-	-	2	1	3	5	13	20	29	33	37	41	24	25	11	3	3	-	-	2
	F	282	-	-	1	-	-	1	-	-	-	1	3	7	17	24	44	28	35	32	33	27	16	9	3	1	-	-
90-95	Diseases of the heart	24,356	10	4	1	1	3	16	35	60	81	107	167	331	595	1,051	1,577	2,093	2,587	3,229	3,771	3,654	2,850	1,568	460	89	12	4
	White	13,566	5	1	1	1	2	6	14	29	39	48	86	185	363	672	1,000	1,339	1,674	1,935	2,088	1,809	1,399	662	172	31	4	1
	F	9,548	5	2	-	-	1	7	18	25	31	50	59	97	147	246	419	603	789	1,143	1,560	1,750	1,404	862	266	56	5	3
	Nonwhite	684	-	-	-	-	-	1	3	4	3	5	11	19	45	75	88	94	75	92	62	52	22	24	7	1	1	-
	F	558	-	1	-	-	-	2	-	2	8	4	11	30	40	58	70	57	49	59	61	43	25	20	15	1	2	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	1,616	-	-	-	-	-	8	20	31	34	42	59	59	72	86	126	124	142	169	184	216	131	88	22	2	-	1
	White	739	-	-	-	-	-	2	4	17	18	22	27	31	38	39	68	51	80	89	85	74	53	32	8	1	-	-
	F	765	-	-	-	-	-	4	14	10	14	19	25	24	26	35	47	57	57	69	93	130	76	53	10	1	-	1
	Nonwhite	54	-	-	-	-	-	1	2	3	1	-	2	2	3	2	3	11	2	8	3	6	1	2	2	-	-	-
	F	58	-	-	-	-	-	1	-	1	1	1	5	2	5	10	8	5	3	3	3	6	1	1	2	-	-	-
94	Diseases of coronary arteries, angina pectoris	8,032	5	1	-	-	-	-	1	9	10	18	51	125	285	499	747	927	1,079	1,202	1,214	952	570	265	57	13	2	-
	White	5,396	3	1	-	-	-	-	1	5	3	9	29	93	209	399	563	697	799	809	747	545	310	142	27	4	1	-
	F	2,380	2	-	-	-	-	-	-	3	5	7	15	22	46	66	145	195	253	362	454	396	252	121	27	9	-	-
	Nonwhite	153	-	-	-	-	-	-	-	1	-	2	4	4	11	22	25	24	21	19	6	6	5	2	-	-	1	-
	F	103	-	-	-	-	-	-	-	-	2	-	3	6	19	12	14	11	6	12	7	5	3	-	3	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	14,708	5	3	1	1	3	8	14	20	37	47	57	147	238	466	704	1,042	1,366	1,858	2,373	2,486	2,149	1,215	381	74	10	3
	White	7,431	2	-	1	1	2	4	9	7	18	17	30	61	116	234	369	591	795	1,037	1,256	1,190	1,086	488	137	26	3	1
	F	6,403	3	2	-	-	1	3	4	12	12	24	19	51	75	145	227	351	479	712	1,013	1,224	1076	688	229	46	5	2
	Nonwhite	477	-	-	-	-	-	-	1	-	2	3	5	13	31	51	60	59	52	65	53	40	16	20	5	1	-	-
	F	397	-	1	-	-	-	1	-	1	5	3	3	22	16	36	48	41	40	44	51	32	21	19	10	1	2	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	4,519	697	132	46	29	12	48	35	34	37	52	69	99	113	149	203	262	281	336	464	462	747	333	117	27	7	1
	White—M	2,240	319	67	25	14	8	22	10	13	15	29	27	36	57	82	103	162	173	190	249	233	212	114	40	9	1	-
	F	1,828	281	57	15	11	4	19	21	17	15	18	26	38	28	28	54	68	81	116	193	208	251	180	77	16	5	1
	Nonwhite—M	288	59	3	3	2	-	6	2	2	2	3	9	13	17	33	30	23	16	21	15	14	7	7	-	-	1	-
	F	163	38	5	3	2	-	1	2	2	5	2	7	12	11	6	16	9	11	9	7	7	4	2	-	2	-	-
107	Bronchopneumonia	1,732	424	70	27	12	3	22	15	10	12	10	16	29	31	37	46	66	81	108	157	183	192	124	41	12	4	-
	White—M	843	199	36	17	5	2	12	6	5	7	8	7	13	11	21	18	46	46	53	84	91	86	49	16	4	1	-
	F	725	159	31	7	6	1	8	6	5	4	2	6	7	10	10	20	14	28	44	68	82	100	72	25	7	3	-
	Nonwhite—M	96	39	1	2	-	-	1	1	-	-	-	3	3	5	6	5	4	3	8	3	6	3	3	-	-	-	-
	F	68	27	2	1	1	-	1	2	-	1	-	-	6	5	-	3	2	4	3	2	4	3	-	-	1	-	-
108	Lobar pneumonia	1,395	105	22	4	4	2	8	9	11	14	25	33	39	54	76	106	116	123	128	163	126	124	73	22	7	-	1
	White—M	731	45	9	2	2	1	1	3	2	5	13	13	10	30	42	54	69	80	80	100	69	59	31	8	3	-	-
	F	483	46	10	2	1	1	4	5	7	7	7	9	17	12	11	23	31	29	38	54	50	64	37	14	3	-	1
	Nonwhite—M	130	10	2	-	-	-	3	1	2	-	3	5	8	7	19	21	14	11	9	5	5	1	4	-	-	-	-
	F	51	4	1	-	1	-	-	-	-	2	2	6	4	5	4	8	2	3	1	4	2	-	1	-	1	-	-
109	Pneumonia (unspecified)	224	69	15	5	3	2	4	2	3	3	5	5	6	3	6	4	13	10	10	17	12	9	11	6	1	-	-
	White—M	103	27	8	3	1	1	1	-	1	1	4	2	-	1	5	2	9	6	7	7	7	5	5	-	-	-	-
	F	108	36	7	1	2	1	3	2	1	2	1	3	6	1	-	2	3	4	2	9	5	4	6	6	1	-	-
	Nonwhite—M	7	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-
	F	6	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
33	Influenza	1,168	99	25	10	10	5	14	9	10	8	12	15	25	25	30	47	67	67	90	127	141	149	125	48	7	3	-
	White—M	563	48	14	3	6	4	8	1	5	2	4	5	13	15	14	29	38	41	50	58	66	62	59	16	2	-	-
	F	512	40	9	5	2	1	4	8	4	2	8	8	8	5	7	9	20	20	32	62	71	83	65	32	5	2	-
	Nonwhite—M	55	7	-	1	2	-	2	-	-	2	-	1	2	4	7	4	4	2	4	6	3	3	-	-	-	1	-
	F	38	4	2	1	-	-	-	-	1	2	-	1	2	1	2	5	5	4	4	1	1	1	1	-	-	-	-
117	Ulcer of stomach or duodenum	448	1	-	-	-	-	-	-	1	3	4	12	25	46	43	53	58	51	53	43	28	19	7	1	-	-	-
	White—M	352	-	-	-	-	-	-	-	1	1	1	9	22	37	36	44	45	37	46	36	21	12	3	1	-	-	-
	F	79	1	-	-	-	-	-	-	-	1	3	3	1	5	3	6	11	14	7	6	7	7	4	-	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	2	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	634	460	44	6	3	2	9	3	7	7	2	4	5	1	6	3	8	10	5	7	14	9	12	5	2	-	-
	White—M	334	250	30	3	1	2	5	2	1	4	1	2	4	-	2	2	4	2	3	1	5	2	5	2	1	-	-
	F	253	177	11	2	2	-	4	1	5	3	1	2	1	1	2	1	1	7	2	6	8	7	6	3	-	-	-
	Nonwhite—M	26	19	1	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	1	-	-
	F	21	14	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
121	Appendicitis	385	1	4	5	7	7	14	24	24	18	14	18	20	21	17	38	35	32	24	28	18	11	2	1	2	-	-
	White—M	201	1	4	3	4	3	7	11	13	10	6	10	6	11	11	20	19	17	14	20	8	2	1	-	-	-	-
	F	159	-	-	1	1	3	6	12	7	7	6	7	11	9	5	16	12	15	10	8	10	9	1	1	2	-	-
	Nonwhite—M	10	-	-	-	1	-	-	-	1	-	-	1	3	-	-	1	2	-	-	-	2	-	-	-	-	-	-
	F	15	-	-	1	1	1	1	1	3	1	1	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	712	24	8	3	-	1	5	3	4	12	12	16	20	22	34	67	61	87	88	74	73	55	29	12	1	1	-
	White—M	336	14	4	2	-	1	3	2	2	4	3	3	7	8	18	25	32	41	44	39	37	24	16	6	1	-	-
	F	338	7	4	1	-	-	2	1	2	7	8	10	11	13	13	35	27	38	41	34	34	31	12	6	-	1	-
	Nonwhite—M	23	3	-	-	-	-	-	-	-	-	1	1	1	1	2	4	-	6	3	-	1	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	1	-	2	1	-	1	3	2	2	-	1	1	-	1	-	-	-	-
124	Cirrhosis of the liver	730	1	-	-	-	-	-	1	1	6	8	15	38	38	61	84	85	104	99	74	73	25	12	5	-	-	-
	White—M	437	-	-	-	-	-	-	1	-	1	4	7	22	20	42	58	57	72	55	41	41	10	4	2	-	-	-
	F	261	-	-	-	-	-	-	-	1	5	3	6	14	13	14	23	26	30	40	32	29	14	8	3	-	-	-
	Nonwhite—M	16	1	-	-	-	-	-	-	-	-	-	-	1	2	3	2	1	1	2	1	2	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	1	2	1	3	2	1	1	1	2	-	1	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	437	1	-	-	1	-	-	-	-	2	6	13	15	28	37	44	60	58	53	45	42	19	9	3	1	-	-
	White—M	141	-	-	-	1	-	-	-	-	-	-	3	5	9	13	12	16	24	19	18	13	3	4	1	-	-	-
	F	287	-	-	-	-	-	-	-	-	2	5	10	9	19	24	30	41	34	34	26	29	16	5	2	1	-	-
	Nonwhite—M	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	4,925	5	3	2	2	2	5	18	17	45	40	63	85	128	201	277	357	451	589	762	758	640	345	105	18	7	-
	White—M	2,383	2	2	2	1	1	4	11	7	23	14	23	29	57	81	136	171	239	308	398	368	302	159	38	7	-	-
	F	2,175	2	1	-	1	1	-	6	9	18	21	27	41	47	82	104	137	178	244	329	361	323	173	58	9	3	-
	Nonwhite—M	177	-	-	-	-	-	1	-	1	2	-	1	9	10	16	22	30	16	19	17	16	9	3	4	1	1	-
	F	190	1	-	-	-	-	-	1	-	2	5	12	6	14	22	15	19	18	19	18	13	6	10	5	1	3	-
137	Diseases of the prostate	428	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	12	32	64	92	93	78	38	11	2	-	-
	White—M	408	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	10	28	64	90	89	73	37	11	1	-	-
	Nonwhite—M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	-	2	4	5	1	-	1	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Con.																											
140-150	Diseases of pregnancy, etc.*...	257	-	-	-	-	-	-	-	26	52	60	54	48	16	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	224	-	-	-	-	-	-	-	18	46	51	47	45	16	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	33	-	-	-	-	-	-	-	8	6	9	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	108	-	-	-	-	-	-	-	14	24	27	17	21	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	94	-	-	-	-	-	-	-	12	20	22	15	20	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	14	-	-	-	-	-	-	-	2	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	49	-	-	-	-	-	-	-	5	8	14	13	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	43	-	-	-	-	-	-	-	3	8	12	11	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	6	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	72	-	-	-	-	-	-	-	4	12	15	21	16	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	64	-	-	-	-	-	-	-	2	11	14	18	15	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	8	-	-	-	-	-	-	-	2	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	28	-	-	-	-	-	-	-	3	8	4	3	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	23	-	-	-	-	-	-	-	1	7	3	3	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	5	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	888	764	40	14	10	5	9	9	8	7	5	3	5	1	3	1	1	-	1	1	1	-	-	-	-	-	-
	White.....M..	464	403	15	7	6	1	6	5	5	4	1	1	4	-	2	1	1	-	1	-	1	-	-	-	-	-	-
	F..	381	327	21	5	4	3	3	4	3	2	3	2	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	24	20	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	19	14	1	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	1,649	1,649	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	842	842	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	666	666	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	72	72	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	69	69	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	788	-	-	-	-	-	-	2	18	23	41	45	85	77	92	73	93	79	62	41	38	13	5	1	-	-	-
	White.....M..	558	-	-	-	-	-	-	2	11	14	29	27	52	51	61	54	68	54	51	38	30	10	5	1	-	-	-
	F..	213	-	-	-	-	-	-	-	6	8	11	15	32	24	29	19	22	24	11	3	6	3	-	-	-	-	-
	Nonwhite..M..	14	-	-	-	-	-	-	-	1	1	1	2	1	2	2	-	3	1	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
165-168	Homicide.....	264	5	4	-	1	-	3	4	8	39	33	43	28	34	18	14	14	5	3	5	2	1	-	-	-	-	-
	White.....M..	88	1	1	-	-	-	1	2	5	12	5	14	6	17	3	3	8	2	2	5	1	-	-	-	-	-	-
	F..	53	3	3	-	1	-	2	2	1	5	5	6	7	2	7	2	3	1	1	-	1	1	-	-	-	-	-
	Nonwhite..M..	92	1	-	-	-	-	-	-	1	16	15	16	10	12	7	9	3	2	-	-	-	-	-	-	-	-	-
	F..	31	-	-	-	-	-	-	-	1	6	8	7	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	5,213	144	72	48	52	57	182	158	273	237	201	239	226	241	264	292	304	301	310	338	398	422	268	102	14	5	67
	White.....M..	3,236	79	30	24	27	33	113	116	207	167	153	178	174	192	200	208	233	227	203	198	171	142	78	37	4	-	42
	F..	1,687	49	32	21	22	19	53	30	50	52	38	46	33	29	40	48	51	62	99	155	216	274	186	65	10	4	23
	Nonwhite..M..	221	7	4	-	2	2	12	11	14	13	6	13	17	17	21	32	20	10	6	4	4	1	2	-	-	1	2
	F..	69	9	6	3	1	3	4	1	2	5	4	2	2	3	3	4	-	2	2	1	5	5	2	-	-	-	-
170	Motor-vehicle accidents.....	1,380	6	8	14	7	25	82	37	130	85	76	94	79	92	82	95	96	87	105	81	58	31	6	2	-	-	2
	White.....M..	1,021	5	4	7	4	15	55	24	99	57	54	70	53	75	62	63	78	74	80	67	43	24	6	2	-	-	2
	F..	278	1	3	7	3	8	20	12	29	20	18	17	17	14	12	20	12	12	21	12	14	6	-	-	-	-	-
	Nonwhite..M..	70	-	-	-	-	2	7	1	2	8	3	6	7	2	6	11	6	1	4	2	1	1	-	-	-	-	-
	F..	11	-	1	-	-	-	2	-	-	-	1	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	3,833	138	64	34	45	32	100	121	143	152	125	145	147	149	182	197	208	214	205	257	338	391	262	100	14	5	65
	White.....M..	2,215	74	26	17	23	18	60	92	108	110	98	108	121	117	138	145	155	153	123	131	128	118	72	35	4	-	40
	F..	1,409	48	29	14	19	11	33	18	21	32	20	29	16	15	28	28	39	50	78	123	202	268	186	65	10	4	23
	Nonwhite..M..	151	7	4	-	2	-	5	10	12	5	3	7	10	15	15	21	14	9	2	2	3	-	2	-	-	1	2
	F..	58	9	5	3	1	3	2	1	2	5	3	1	-	2	1	3	-	2	2	1	5	5	2	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	1,102	69	6	1	2	3	7	2	4	2	6	7	10	19	16	28	42	43	60	87	158	207	192	87	34	10	-
	White.....M..	497	31	2	1	1	-	3	-	1	2	3	4	2	8	8	22	26	24	31	42	76	88	84	27	9	2	-
	F..	503	22	3	-	1	1	1	-	2	-	2	1	6	4	3	2	8	14	24	37	77	112	102	55	20	6	-
	Nonwhite..M..	54	10	1	-	-	-	1	1	-	-	-	1	2	5	4	1	7	4	1	5	3	3	2	3	-	-	-
	F..	48	6	-	-	-	2	2	1	1	-	1	1	-	2	1	3	1	1	4	3	2	4	4	2	5	2	-
	All other causes.	7,151	1,129	79	48	52	35	114	63	109	120	146	180	178	243	320	388	396	429	545	634	634	651	453	165	29	9	2
	White.....M..	3,564	606	44	24	29	19	61	31	63	46	65	68	66	104	139	200	205	230	307	329	316	316	207	75	10	2	2
	F..	3,142	455	32	21	20	14	42	24	36	63	59	83	91	108	142	157	162	179	214	285	305	323	241	83	18	5	-
	Nonwhite..M..	225	55	1	2	2	2	3	4	4	4	10	9	8	9	21	21	20	9	14	11	4	4	3	4	1	-	-
	F..	220	33	2	1	1	-	8	4	6	7	12	20	13	22	18	10	9	11	10	9	9	8	2	3	-	2	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA																											
	All causes	18,925	1,923	218	93	92	67	182	172	318	437	386	370	533	633	736	950	1,203	1,409	1,908	2,365	1,944	1,584	940	345	79	30	8
	White	9,720	926	90	39	41	23	96	98	157	228	151	141	248	278	381	513	687	763	1,012	1,316	1,051	838	462	143	30	4	4
	M	6,769	672	71	34	34	36	58	54	88	108	158	148	184	230	222	295	348	471	680	817	762	660	422	168	37	12	-
	Nonwhite	1,303	167	26	7	7	4	14	12	35	38	30	39	57	67	77	73	101	97	131	139	83	48	24	15	5	3	4
	M	1,133	158	31	13	10	4	14	8	38	63	47	42	44	58	56	69	67	78	85	93	48	38	32	19	7	11	-
1,2	Typhoid and paratyphoid fever	9	-	1	-	-	-	1	2	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	3	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	18	3	-	2	3	-	-	1	3	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	11	1	-	1	1	-	-	1	2	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	M	5	2	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	5	1	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	3	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	40	27	6	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	19	13	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	11	6	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	34	2	5	9	5	2	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	18	1	4	4	1	-	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	16	1	1	5	4	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	880	14	9	5	3	2	6	4	44	79	88	66	79	67	68	77	60	64	48	54	25	7	8	2	-	1	-
	White	360	6	4	2	2	-	-	-	5	14	14	16	39	29	39	47	32	36	34	34	10	4	3	-	-	-	-
	M	267	1	1	2	-	1	2	-	11	22	38	29	23	20	16	18	14	18	16	15	13	2	3	2	-	-	-
	Nonwhite	120	5	-	-	1	1	2	2	9	16	11	12	11	11	6	5	10	4	6	4	-	1	2	-	-	1	-
	M	133	2	4	1	-	-	2	2	19	27	25	9	6	7	7	7	4	6	2	1	2	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	821	5	4	4	2	-	2	4	40	73	85	65	72	64	67	76	57	62	47	51	24	6	8	2	-	1	-
	White	334	2	2	1	2	-	-	-	2	13	14	16	34	27	38	47	30	35	25	32	10	3	3	-	-	-	-
	M	249	-	-	2	-	-	-	-	11	20	36	28	21	19	16	17	13	17	16	14	12	2	3	2	-	-	-
	Nonwhite	113	3	-	-	-	-	2	2	9	15	11	12	11	11	6	5	10	4	6	4	-	1	2	-	-	1	-
	M	125	-	2	1	-	-	2	2	18	25	24	9	6	7	7	7	4	6	2	1	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	59	9	5	1	1	2	4	-	4	6	3	1	7	3	1	1	3	2	1	3	1	1	-	-	-	-	-
	White	28	4	2	1	-	-	-	-	3	1	-	-	5	2	1	-	2	1	1	2	-	1	-	-	-	-	-
	M	18	1	1	-	-	1	2	-	-	2	2	1	2	1	-	1	1	1	-	1	1	-	-	-	-	-	-
	Nonwhite	7	2	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	8	2	2	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	63	43	6	2	3	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	1	2	1	1	-	-	-
	White	30	19	3	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	1	-	-	-
	M	21	14	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	19	1	1	1	-	-	-	-	-	-	1	1	-	-	1	-	3	2	2	2	2	1	1	-	-	-	-
	White	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-	-	-
	M	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	7	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	-	-	1	1	-	-	-	-	-	-
30	Syphilis	190	12	-	1	-	-	1	-	3	5	3	10	11	21	14	14	33	20	20	8	10	2	1	-	1	-	-
	White	99	4	-	-	-	-	1	-	1	2	-	5	4	8	5	10	22	13	11	6	5	1	1	-	-	-	-
	M	38	3	-	-	-	-	-	-	1	2	-	-	2	7	3	-	7	4	4	1	3	1	-	-	-	-	-
	Nonwhite	35	1	-	-	-	-	-	-	1	-	1	2	4	4	5	4	3	2	5	1	2	-	-	-	-	-	-
	M	18	4	-	1	-	-	-	-	-	1	2	3	1	2	1	-	1	1	-	-	-	-	-	-	1	-	-
35	Measles	33	13	9	4	-	1	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	12	5	2	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	12	5	2	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	5	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	8	-	2	-	-	-	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	3	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Con.																										
45-55	Cancer and other malignant tumors	2,060	3	4	1	1	2	4	1	7	14	33	36	57	95	131	167	185	233	298	331	211	150	71	23	2	-	-
	White..M..	932	1	2	-	-	2	2	1	4	6	11	9	16	24	51	66	76	98	141	173	114	83	43	9	-	-	-
	F..	990	2	2	1	1	-	2	-	2	4	20	26	36	62	72	88	96	113	136	136	91	61	26	12	1	-	-
	Nonwhite..M..	57	-	-	-	-	-	-	-	1	2	1	1	2	2	5	2	5	10	7	11	3	2	2	1	1	-	-
	F..	81	-	-	-	-	-	-	-	-	2	1	1	3	7	3	11	8	12	14	11	3	4	-	1	-	-	-
46	Cancer of digestive organs, peritoneum	911	-	1	-	-	-	-	-	1	1	5	9	15	35	45	71	67	116	166	160	118	66	28	6	1	-	-
	White..M..	477	-	-	-	-	-	-	-	1	1	2	4	5	12	26	40	38	55	84	91	68	37	13	-	-	-	-
	F..	379	-	1	-	-	-	-	-	-	-	3	5	9	20	14	28	25	48	71	61	48	27	15	4	-	-	-
	Nonwhite..M..	30	-	-	-	-	-	-	-	-	-	-	-	1	2	5	1	3	8	4	2	1	1	-	1	1	-	-
	F..	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	5	7	6	1	1	-	1	-	-	-
48,49	Cancer of female genital organs	308	-	-	-	-	-	-	-	-	6	10	12	19	31	34	43	37	31	36	26	11	10	1	1	-	-	-
	White..F..	269	-	-	-	-	-	-	-	-	4	9	11	17	27	31	37	32	27	32	24	9	7	1	1	-	-	-
	Nonwhite..F..	39	-	-	-	-	-	-	-	-	2	1	1	2	4	3	6	5	4	4	2	2	3	-	-	-	-	-
50	Cancer of breast	158	-	-	-	-	-	-	-	-	-	2	4	6	8	17	14	26	22	14	18	12	7	4	4	-	-	-
	White..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F..	148	-	-	-	-	-	-	-	-	-	2	4	5	7	17	14	24	18	13	17	12	7	4	4	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	3	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	683	3	3	1	1	2	4	1	6	7	16	11	17	21	35	39	55	64	82	127	70	67	38	12	1	-	-
	White..M..	453	1	2	-	-	2	2	1	3	5	9	5	11	12	25	26	38	42	57	81	46	46	30	9	-	-	-
	F..	194	2	1	1	1	-	2	-	2	-	6	6	5	8	10	9	15	20	20	34	22	20	6	3	1	-	-
	Nonwhite..M..	27	-	-	-	-	-	-	-	1	2	1	-	1	-	-	1	2	2	3	9	2	1	2	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	2	3	-	-	-	-	-	-	-
58	Acute rheumatic fever	22	-	-	-	1	-	1	3	2	1	-	1	-	1	-	-	1	3	3	-	3	-	2	-	-	-	-
	White..M..	10	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	1	-	1	-	3	-	1	-	-	-	-
	F..	7	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	336	1	-	-	-	1	4	2	5	3	1	4	7	8	8	25	25	50	41	84	41	16	8	1	-	1	-
	White..M..	139	-	-	-	-	-	1	1	3	1	-	2	2	2	1	4	12	22	18	31	20	11	6	1	-	1	-
	F..	158	1	-	-	-	1	1	1	2	2	-	1	3	4	4	14	9	22	22	48	17	4	2	-	-	-	-
	Nonwhite..M..	12	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	4	1	1	2	-	-	-	-	-	-
	F..	27	-	-	-	-	-	2	-	-	-	-	1	2	1	2	7	3	2	-	4	2	1	-	-	-	-	-
63b	Exophthalmic goiter	27	-	-	-	-	-	-	-	-	2	-	2	1	3	4	2	5	3	2	2	-	1	-	-	-	-	-
	White..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F..	19	-	-	-	-	-	-	-	-	2	-	2	1	2	3	1	2	2	2	1	-	1	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	51	-	-	1	-	-	-	-	-	-	-	-	1	2	3	2	2	4	12	12	10	2	-	-	-	-	-
	White..M..	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	7	3	1	-	-	-	-	-
	F..	25	-	-	1	-	-	-	-	-	-	-	-	1	1	2	1	1	2	6	3	6	1	-	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	1	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	31	-	-	-	-	-	-	-	1	-	-	3	5	8	3	3	2	1	1	1	3	-	-	-	-	-	-
	White..M..	22	-	-	-	-	-	-	-	-	-	-	3	3	6	3	2	-	1	1	-	3	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	2	-	-	1	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,845	4	-	-	1	1	2	2	2	5	8	11	15	24	48	83	128	170	269	345	289	239	158	33	7	1	-
	White..M..	892	2	-	-	-	-	2	1	1	3	2	4	5	7	18	35	70	86	134	170	149	127	60	13	3	-	-
	F..	743	1	-	-	-	1	-	1	1	2	4	5	7	12	18	33	39	59	105	137	118	101	80	17	2	-	-
	Nonwhite..M..	104	1	-	-	-	-	-	-	-	-	-	1	-	3	4	7	6	13	18	22	12	4	9	2	1	1	-
	F..	106	-	-	-	1	-	-	-	-	-	2	1	3	2	8	8	13	12	12	16	10	7	9	1	1	-	-
90-95	Diseases of the heart	4,247	3	1	-	2	1	8	13	17	20	17	35	76	104	166	248	367	427	613	750	601	460	224	76	16	2	-
	White..M..	2,539	1	1	-	1	1	3	7	9	7	6	16	41	52	105	170	253	262	371	469	348	250	123	36	7	-	-
	F..	1,315	1	-	-	-	-	1	4	6	11	9	14	20	30	36	40	73	115	187	223	223	188	89	35	8	2	-
	Nonwhite..M..	238	1	-	-	-	-	1	-	1	1	1	-	9	12	17	26	32	25	33	39	22	10	5	3	-	-	-
	F..	155	-	-	-	1	-	3	2	1	1	1	5	6	10	8	12	9	25	22	19	8	12	7	2	1	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	300	-	-	-	-	1	4	6	6	7	6	9	10	12	15	19	21	26	45	50	30	20	9	3	1	-	-
	White..M..	142	-	-	-	-	1	2	1	2	1	3	7	5	5	5	5	10	15	26	24	14	9	4	2	1	-	-
	F..	108	-	-	-	-	-	1	4	3	5	3	1	4	5	7	10	5	9	10	13	14	10	3	1	-	-	-
	Nonwhite..M..	28	-	-	-	-	-	-	-	1	-	-	-	-	1	-	4	5	-	5	11	-	-	1	-	-	-	-
	F..	22	-	-	-	-	-	1	1	-	1	-	1	1	1	3	-	1	2	4	2	2	1	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,448	2	-	-	-	-	1	-	-	1	2	10	37	37	74	113	161	182	232	251	173	107	48	13	4	-	-
	White..M..	1,024	1	-	-	-	-	-	-	-	1	-	3	25	29	57	95	124	133	169	175	115	61	28	7	1	-	-
	F..	366	-	-	-	-	-	-	-	-	-	2	6	7	6	13	9	31	43	57	68	57	40	20	5	2	-	-
	Nonwhite..M..	34	1	-	-	-	-	-	-	-	-	-	-	4	2	2	4	5	4	3	4	1	3	-	1	-	-	-
	F..	24	-	-	-	-	-	1	-	-	-	-	1	1	-	2	5	1	2	3	4	-	3	-	-	1	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	2,499	1	1	-	2	-	3	7	11	12	9	16	29	55	77	116	185	219	336	449	398	333	167	60	11	2	-
	White..M..	1,373	-	1	-	1	-	1	6	7	5	3	6	11	18	43	70	119	114	176	270	219	180	91	27	5	-	-
	F..	841	1	-	-	-	-	-	-	3	6	4	7	9	19	16	21	37	63	120	142	152	138	66	29	6	2	-
	Nonwhite..M..	176	-	-	-	-	-	1	-	-	1	1	-	5	9	15	18	22	21	25	24	21	7	4	2	-	-	-
	F..	109	-	-	-	1	-	1	1	1	-	1	3	4	9	3	7	7	21	15	13	6	8	6	2	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	1,273	275	64	19	11	6	10	10	23	20	10	16	25	22	31	30	56	53	110	112	99	135	75	34	17	10	-
	White.....M..	579	115	22	7	5	1	3	6	11	7	6	7	12	10	16	19	22	27	52	54	42	72	42	12	7	2	-
	F..	421	76	21	7	3	4	3	1	4	9	4	3	2	1	4	4	19	14	39	41	44	58	29	19	7	5	-
	Nonwhite..M..	153	50	12	3	2	-	2	2	7	-	-	2	4	8	8	4	8	7	11	10	7	4	-	1	1	-	-
	F..	120	34	9	2	1	1	2	1	1	4	-	4	7	3	3	3	7	5	8	7	6	1	4	2	2	3	-
107	Bronchopneumonia	311	121	25	7	3	1	1	2	3	2	1	2	1	4	4	2	11	5	19	23	18	27	18	4	5	2	-
	White.....M..	130	48	9	2	1	-	-	1	1	-	-	1	1	2	1	1	5	2	10	8	6	18	11	1	1	-	-
	F..	107	30	10	2	1	1	1	-	-	1	1	-	-	-	1	-	4	1	6	12	11	9	7	3	4	2	-
	Nonwhite..M..	38	24	2	2	-	-	-	-	1	-	-	-	-	1	1	1	2	2	1	1	-	-	-	-	-	-	-
	F..	36	19	4	1	1	-	-	1	1	1	-	1	-	1	1	-	-	-	2	2	1	-	-	-	-	-	-
108	Lobar pneumonia	288	47	9	6	2	1	2	3	8	7	3	3	8	6	17	8	18	14	27	24	24	33	11	2	2	3	-
	White.....M..	141	22	4	2	2	-	-	1	4	4	2	1	4	2	7	4	7	8	15	15	10	17	8	-	1	1	-
	F..	74	12	-	3	-	-	1	-	2	3	1	-	1	1	3	2	4	3	3	6	8	14	3	1	1	2	-
	Nonwhite..M..	49	9	3	-	-	-	1	2	2	-	-	-	2	3	6	2	3	2	6	2	3	2	-	1	-	-	-
	F..	24	4	2	1	-	1	-	-	-	-	-	2	1	-	1	-	4	1	3	1	3	-	-	-	-	-	-
109	Pneumonia (unspecified)	317	66	11	3	4	1	5	3	8	4	3	5	5	8	6	9	11	16	24	26	23	33	23	14	5	1	-
	White.....M..	144	31	2	2	1	-	1	2	4	-	2	2	3	4	4	6	5	6	10	12	11	15	12	5	3	1	-
	F..	105	20	5	-	1	1	1	1	1	3	1	1	-	-	-	2	2	4	10	8	9	17	9	8	1	-	-
	Nonwhite..M..	41	10	3	1	2	-	1	-	3	-	-	1	-	3	1	-	1	3	3	6	2	1	-	-	-	-	-
	F..	27	5	1	-	-	-	2	-	-	1	-	1	2	1	1	1	3	3	1	-	1	-	2	1	1	-	-
33	Influenza	357	41	19	5	2	3	2	2	4	7	3	6	11	4	4	11	16	18	40	39	34	42	23	14	5	4	-
	White.....M..	164	14	7	1	1	1	2	2	2	3	2	3	4	2	4	8	5	11	17	19	15	22	11	6	2	-	-
	F..	135	14	6	2	1	2	-	-	1	2	1	2	1	-	-	-	9	8	20	15	16	18	10	7	1	1	-
	Nonwhite..M..	25	7	4	-	-	-	-	-	1	-	-	1	2	1	-	1	2	-	1	1	2	1	-	-	1	-	-
	F..	33	6	2	-	-	-	-	-	-	2	-	-	4	1	-	2	-	1	2	4	1	1	2	1	1	3	-
117	Ulcer of stomach or duodenum	130	-	-	-	-	-	-	1	-	-	2	2	9	10	12	18	16	16	8	16	14	5	1	-	-	-	-
	White.....M..	104	-	-	-	-	-	-	-	-	-	2	2	5	10	10	13	14	14	6	13	9	5	1	-	-	-	-
	F..	19	-	-	-	-	-	-	1	-	-	-	-	2	-	1	5	2	2	1	1	4	-	-	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	1	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	224	154	9	5	3	1	3	1	1	-	1	-	1	6	1	2	2	1	7	5	6	8	4	2	1	-	-
	White.....M..	93	65	3	2	2	-	-	1	1	-	-	-	-	2	-	1	2	-	4	1	3	2	2	2	-	-	-
	F..	80	53	3	1	-	1	2	-	-	-	1	-	-	4	1	-	-	1	2	2	2	5	2	-	-	-	-
	Nonwhite..M..	22	15	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F..	29	21	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	1	-	-
121	Appendicitis	163	2	2	1	4	2	10	23	16	6	11	9	10	5	4	9	12	12	7	10	7	-	1	-	-	-	-
	White.....M..	78	-	2	1	3	1	3	12	8	1	3	3	5	2	2	4	6	6	4	6	5	-	1	-	-	-	-
	F..	61	1	-	-	1	1	6	9	6	4	5	4	2	2	-	4	5	4	3	3	1	-	-	-	-	-	-
	Nonwhite..M..	14	-	-	-	-	-	1	1	1	-	2	1	2	-	2	1	-	1	-	1	1	-	-	-	-	-	-
	F..	10	1	-	-	-	-	-	1	1	1	1	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	177	19	3	1	1	1	1	4	6	-	2	3	6	9	11	13	12	14	16	20	19	8	6	1	1	-	-
	White.....M..	78	11	1	1	1	-	-	1	3	-	1	1	1	3	2	3	3	7	9	12	11	4	3	-	-	-	-
	F..	72	5	1	-	-	1	1	2	1	-	1	2	3	3	6	10	7	5	5	4	7	4	3	1	-	-	-
	Nonwhite..M..	14	2	-	-	-	-	-	1	-	-	-	-	-	2	1	-	2	2	1	3	-	-	-	-	-	-	-
	F..	13	1	1	-	-	-	-	-	2	-	-	-	2	1	2	-	-	-	1	1	1	-	-	-	1	-	-
124	Cirrhosis of the liver	86	-	-	-	-	-	-	-	-	-	-	1	1	4	6	8	10	11	15	11	11	4	3	1	-	-	-
	White.....M..	46	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	5	5	8	6	8	2	-	1	-	-	-
	F..	29	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	5	7	4	3	2	3	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	-	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	121	2	-	1	-	1	-	1	-	-	-	-	-	8	9	15	16	11	15	19	12	8	1	2	-	-	-
	White.....M..	42	2	-	-	-	-	-	-	-	-	-	-	-	1	5	7	4	4	6	10	3	-	-	-	-	-	-
	F..	68	-	-	1	-	1	-	-	-	-	-	-	-	4	2	7	11	5	9	8	9	8	1	2	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	1	1	-	1	-	-	-	-	-	-	-
130-132	Nephritis	1,144	4	-	3	1	2	3	1	6	12	14	13	19	29	33	61	58	77	142	202	192	146	94	27	4	1	-
	White.....M..	557	3	-	1	1	1	2	-	5	5	3	6	7	6	10	27	22	40	68	102	109	80	46	12	1	-	-
	F..	400	-	-	1	-	1	1	-	1	1	5	4	9	14	11	18	19	22	46	67	66	56	43	13	2	-	-
	Nonwhite..M..	103	-	-	-	-	-	-	1	-	3	1	2	1	4	6	6	9	11	18	18	12	8	1	1	1	-	-
	F..	84	1	-	1	-	-	-	-	-	3	5	1	2	5	6	10	8	4	10	15	5	2	4	1	-	1	-
137	Diseases of the prostate	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	16	23	31	24	9	3	-	-	-
	White.....M..	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	4	13	20	28	22	9	3	-	-	-
	Nonwhite..M..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	3	2	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Con.																										
140-150	Diseases of pregnancy, etc.*...	111	-	-	-	-	-	-	1	17	16	19	29	18	10	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	88	-	-	-	-	-	-	1	13	10	18	23	14	8	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	23	-	-	-	-	-	-	-	4	6	1	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	35	-	-	-	-	-	-	-	7	7	4	7	4	5	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	25	-	-	-	-	-	-	-	4	5	4	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	10	-	-	-	-	-	-	-	3	2	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	34	-	-	-	-	-	-	1	7	5	11	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	29	-	-	-	-	-	-	1	6	2	10	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	5	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	33	-	-	-	-	-	-	-	3	1	4	13	9	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	28	-	-	-	-	-	-	-	3	1	4	9	8	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	5	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	9	-	-	-	-	-	-	-	-	3	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	6	-	-	-	-	-	-	-	-	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	265	238	11	3	-	1	4	3	-	-	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White.....M..	147	136	2	2	-	-	3	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F..	95	81	8	-	-	1	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	14	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	9	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	614	614	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	325	325	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	240	240	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	23	23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	26	26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	162	-	-	-	-	-	-	2	7	8	13	9	25	15	17	15	10	10	12	10	6	1	2	-	-	-
	White.....M..	106	-	-	-	-	-	-	1	1	5	7	5	14	8	15	11	8	7	7	10	5	-	2	-	-	-
	F..	51	-	-	-	-	-	-	-	6	3	4	3	11	7	1	4	2	3	5	-	1	1	-	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	95	-	-	-	1	-	-	-	4	14	9	15	13	9	11	6	6	3	1	1	1	1	-	-	-	-
	White.....M..	33	-	-	-	-	-	-	-	2	5	4	4	2	5	4	1	1	2	-	1	1	1	-	-	-	-
	F..	13	-	-	-	1	-	-	-	-	2	2	-	2	1	3	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	41	-	-	-	-	-	-	-	-	3	2	11	8	3	4	5	4	1	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	2	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,470	51	47	16	27	23	63	64	107	171	102	59	82	84	75	43	64	57	50	69	66	66	54	20	2	-	8
	White.....M..	967	19	23	8	11	13	41	45	76	153	75	41	61	63	61	34	49	39	27	41	24	31	19	8	1	-	4
	F..	368	19	18	4	12	7	17	17	19	10	18	12	12	12	8	7	8	13	16	21	37	33	35	12	1	-	-
	Nonwhite..M..	90	4	1	1	2	2	2	2	10	7	5	5	8	7	5	1	5	4	5	5	3	2	-	-	-	-	4
	F..	45	9	5	3	2	1	3	-	2	1	4	1	1	2	1	1	2	1	2	2	2	-	-	-	-	-	-
170	Motor-vehicle accidents.....	380	1	10	3	9	6	20	13	39	43	29	22	27	21	30	19	24	19	14	16	4	10	-	1	-	-	-
	White.....M..	258	-	4	1	3	3	11	6	29	39	14	15	17	17	23	14	18	14	11	9	1	8	-	1	-	-	-
	F..	92	1	6	1	6	3	7	5	6	1	10	5	7	3	4	4	5	4	3	7	2	2	-	-	-	-	-
	Nonwhite..M..	22	-	-	1	-	-	1	2	3	3	2	1	2	-	3	1	1	1	-	-	1	-	-	-	-	-	-
	F..	8	-	-	-	-	-	1	-	1	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,090	50	37	13	18	17	43	51	68	128	73	37	55	63	45	24	40	38	36	53	62	56	54	19	2	-	8
	White.....M..	709	19	19	7	8	10	30	39	47	114	61	26	44	46	38	20	31	25	16	32	23	23	19	7	1	-	4
	F..	276	18	12	3	6	4	10	12	13	9	8	7	5	9	4	3	3	9	13	14	35	31	35	12	1	-	-
	Nonwhite..M..	68	4	1	-	2	2	1	-	7	4	3	4	6	7	2	-	4	3	5	5	2	2	-	-	-	-	4
	F..	37	9	5	3	2	1	2	-	1	1	1	-	-	1	1	1	2	1	2	2	2	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	908	64	6	3	-	3	3	2	3	6	5	4	7	10	11	23	24	40	54	110	118	169	131	80	23	11	-
	White.....M..	402	19	3	-	-	1	-	1	2	-	1	1	4	3	5	14	14	20	25	59	56	76	57	30	10	1	-
	F..	340	19	-	2	-	1	2	1	1	1	2	2	1	2	2	5	4	12	19	32	48	72	63	34	12	3	-
	Nonwhite..M..	91	14	1	-	-	-	-	-	-	2	2	-	2	2	2	2	4	6	6	13	9	13	4	7	1	1	-
	F..	75	12	2	1	-	1	1	-	-	3	-	1	-	3	2	2	2	2	4	6	3	8	7	9	-	6	-
	All other causes.	1,946	373	32	12	22	15	45	23	42	48	42	40	63	76	67	83	99	122	145	168	168	129	85	39	5	3	-
	White.....M..	953	184	16	5	10	2	29	14	22	16	15	15	24	32	25	37	62	65	77	90	91	65	41	15	1	-	-
	F..	778	133	9	6	9	11	12	8	13	19	23	18	33	33	26	35	28	47	48	70	68	60	42	21	4	2	-
	Nonwhite..M..	101	32	4	-	1	1	4	-	3	4	1	1	2	3	7	6	6	5	11	4	4	1	1	-	-	-	-
	F..	114	24	3	1	2	1	-	1	4	9	3	6	4	8	9	5	3	5	9	4	5	3	1	3	-	1	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON																										
	All causes	13,153	736	74	39	32	25	111	100	139	167	190	225	312	413	582	751	1,068	1,253	1,363	1,650	1,579	1,263	758	229	58	9	27
	White	7,792	398	33	18	19	15	68	55	97	98	111	125	193	263	363	483	699	809	842	977	912	678	372	110	31	4	19
	White—M	5,104	307	33	17	13	9	40	42	37	62	71	92	106	132	198	252	357	422	503	653	653	576	379	118	27	2	3
	White—F	169	20	5	3	-	1	2	3	-	5	6	5	10	13	13	12	9	11	16	13	9	5	3	1	-	1	3
	Nonwhite	88	11	3	1	-	-	1	-	5	2	2	3	3	5	8	4	3	11	2	7	5	4	4	-	-	2	2
	Nonwhite—M																											
	Nonwhite—F																											
1,2	Typhoid and paratyphoid fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	26	6	2	-	-	2	1	1	2	-	2	1	1	-	-	2	-	1	2	2	1	-	-	-	-	-	-
	White—M	17	3	2	-	-	-	1	1	1	-	2	1	-	-	-	1	-	-	2	2	1	-	-	-	-	-	-
	White—F	7	3	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	-	-	-	1	1	3	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	1	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	12	-	3	1	2	2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	2	-	1	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	307	4	5	2	1	-	5	5	8	17	27	23	26	32	18	28	37	26	18	14	5	4	3	-	-	-	1
	White—M	194	2	3	-	1	-	-	1	4	9	9	11	17	23	14	20	29	21	10	12	2	2	3	-	-	-	1
	White—F	88	-	1	-	-	-	4	4	2	6	17	10	9	7	2	5	7	4	7	1	2	-	-	-	-	-	-
	Nonwhite—M	14	1	-	1	-	-	1	-	-	1	-	1	-	1	2	1	1	-	1	1	1	1	-	-	-	-	-
	Nonwhite—F	11	1	1	1	-	-	-	-	2	1	1	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	266	3	3	2	1	-	2	1	8	15	24	19	25	27	16	22	36	21	16	14	4	4	2	-	-	-	1
	White—M	174	2	1	-	1	-	-	1	4	7	9	9	16	20	13	18	29	16	9	12	2	2	2	-	-	-	1
	White—F	71	-	1	-	-	-	2	-	2	6	14	8	9	6	1	4	6	4	6	1	1	-	-	-	-	-	-
	Nonwhite—M	10	-	-	1	-	-	-	-	1	-	-	1	-	-	2	-	1	-	1	1	1	1	-	-	-	-	-
	Nonwhite—F	11	1	1	1	-	-	-	-	2	1	1	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	41	1	2	-	-	-	3	4	-	2	3	4	1	5	2	4	1	5	2	-	1	-	1	-	-	-	-
	White—M	20	-	2	-	-	-	-	-	-	2	-	2	1	3	1	2	-	5	1	-	-	-	1	-	-	-	-
	White—F	17	-	-	-	-	-	2	4	-	-	3	2	-	1	1	1	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	6	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	White—M	6	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	140	4	-	-	-	-	-	-	3	2	1	4	3	8	10	17	18	22	14	14	8	5	4	1	-	-	2
	White—M	97	2	-	-	-	-	-	-	2	1	-	3	2	5	8	11	15	16	11	10	4	3	3	1	-	-	-
	White—F	27	1	-	-	-	-	-	-	-	1	-	1	-	1	2	3	2	4	2	4	3	2	1	-	-	-	-
	Nonwhite—M	12	1	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	2	1	-	-	-	-	-	-	-	2
	Nonwhite—F	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
35	Measles	9	1	3	-	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—F	6	-	2	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	28	-	-	-	-	1	4	6	3	4	2	4	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White—M	17	-	-	-	-	1	3	3	2	2	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—F	11	-	-	-	-	-	1	3	1	2	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Con.																											
45-55	Cancer and other malignant tumors	1,667	1	-	2	1	3	5	1	6	3	12	17	40	58	93	147	188	226	209	236	207	135	62	10	2	1	2
	White..M..	836	1	-	1	1	2	4	-	3	-	4	3	18	17	31	64	84	114	111	136	123	80	29	7	2	-	1
	F..	808	-	-	1	-	1	1	1	3	3	8	14	20	41	57	82	102	111	95	94	82	55	32	3	-	1	1
	Nonwhite..M..	12	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	2	4	1	-	-	-	-	-	-
	F..	11	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	1	2	1	-	1	-	-	-	-
46	Cancer of digestive organs, peritoneum	773	1	-	1	-	1	1	-	-	2	4	4	12	17	21	50	76	125	102	125	112	68	42	6	1	1	1
	White..M..	424	1	-	1	-	1	1	-	-	-	1	1	8	10	13	23	41	70	57	78	58	36	19	3	1	-	1
	F..	334	-	-	-	-	-	-	-	-	2	3	3	3	7	7	27	34	54	42	42	52	32	22	3	-	1	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	4	1	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-
48,49	Cancer of female genital organs	204	-	-	-	-	-	-	-	-	-	1	6	12	17	29	28	26	26	17	25	12	4	1	-	-	-	-
	White.....F..	200	-	-	-	-	-	-	-	-	-	1	6	11	17	27	27	26	26	17	25	12	4	1	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	161	-	-	-	-	-	-	-	-	-	1	4	6	13	16	17	21	22	23	13	10	10	4	-	-	-	1
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	159	-	-	-	-	-	-	-	-	-	1	4	6	13	16	17	20	22	23	12	10	10	4	-	-	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	529	-	-	1	1	2	4	1	6	1	6	3	10	11	27	52	65	53	67	73	73	53	15	4	1	-	-
	White.....M..	412	-	-	-	1	1	3	-	3	2	3	2	10	7	18	41	43	44	54	58	65	44	10	4	1	-	-
	F..	115	-	-	1	-	1	1	1	3	1	3	1	-	4	7	11	22	9	13	15	8	9	5	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	15	-	-	-	-	-	1	5	4	-	1	2	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	White.....M..	9	-	-	-	-	-	-	3	3	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	264	-	-	-	-	-	1	1	3	1	1	4	3	2	11	8	39	46	34	45	35	16	10	3	-	-	1
	White.....M..	110	-	-	-	-	-	1	1	1	-	-	4	-	1	3	6	15	16	15	21	11	6	6	2	-	-	1
	F..	149	-	-	-	-	-	-	-	2	1	1	-	2	1	8	1	24	28	19	24	23	10	4	1	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	25	-	-	-	-	-	-	-	1	-	1	1	-	2	1	1	1	3	7	4	1	1	1	-	-	-	-
	White.....M..	7	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	2	-	-	-	-	-	-	-
	F..	18	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	2	7	2	1	1	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	28	-	-	-	-	-	-	-	-	1	1	2	2	6	4	4	1	2	3	1	-	-	-	-	-	-	1
	White.....M..	27	-	-	-	-	-	-	-	-	1	1	1	2	6	4	4	1	2	3	1	-	-	-	-	-	-	1
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,290	1	-	-	-	-	-	2	-	1	2	6	5	21	32	68	97	123	148	219	243	187	97	25	11	1	1
	White.....M..	689	-	-	-	-	-	-	1	-	-	1	3	3	9	16	28	50	70	89	118	148	90	46	10	5	1	1
	F..	591	1	-	-	-	-	-	1	-	1	-	3	2	11	16	36	47	51	58	99	95	97	50	15	6	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	1	-	-	1	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-
90-95	Diseases of the heart	3,725	1	-	-	-	-	4	6	6	6	15	13	43	73	159	219	355	450	524	573	533	443	225	59	14	2	2
	White.....M..	2,371	1	-	-	-	-	2	3	2	3	8	8	34	48	112	171	271	313	342	343	316	235	118	32	7	1	2
	F..	1,308	-	-	-	-	-	1	3	3	2	6	5	8	21	42	47	81	128	178	225	213	205	106	26	7	1	-
	Nonwhite..M..	33	-	-	-	-	-	1	-	1	1	1	-	1	3	5	1	3	6	4	3	2	1	-	1	-	-	-
	F..	13	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	3	-	2	2	2	1	-	-	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	275	-	-	-	-	-	3	3	4	2	4	5	11	17	23	20	22	19	35	31	34	29	8	2	3	-	-
	White.....M..	158	-	-	-	-	-	2	1	2	-	4	3	7	12	13	16	13	11	20	17	20	12	2	1	2	-	-
	F..	110	-	-	-	-	-	-	2	2	1	-	2	4	4	10	4	9	7	14	13	13	17	6	1	1	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,522	-	-	-	-	-	-	1	-	-	2	4	17	37	86	133	201	220	239	222	179	123	50	5	2	-	1
	White.....M..	1,120	-	-	-	-	-	-	-	-	-	1	3	17	26	70	118	165	178	164	155	119	67	31	3	2	-	1
	F..	389	-	-	-	-	-	-	-	-	-	1	1	-	8	15	14	34	40	75	67	59	54	19	2	-	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	1	-	-	-	-	-	3	1	1	2	1	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	1,928	1	-	-	-	-	1	2	2	4	9	4	15	19	50	66	132	211	250	320	320	291	167	52	9	2	1
	White.....M..	1,093	1	-	-	-	-	-	1	1	2	3	2	10	10	29	37	93	124	150	171	177	156	85	28	3	1	1
	F..	809	-	-	-	-	-	1	1	1	1	5	2	4	9	17	29	38	81	89	145	141	134	81	23	6	1	-
	Nonwhite..M..	23	-	-	-	-	-	-	-	-	1	1	-	1	-	4	-	1	5	3	3	2	1	-	1	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	715	104	21	6	2	1	7	4	6	4	2	12	16	31	36	32	46	58	46	61	73	72	50	15	7	-	3
	White..M..	442	51	9	3	2	-	5	1	4	2	1	7	13	22	26	22	37	46	33	36	44	38	27	6	5	-	2
	F..	249	46	6	2	-	1	2	3	2	2	1	4	3	9	8	10	8	11	12	23	29	34	22	9	2	-	-
	Nonwhite..M..	17	5	5	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-
	F..	7	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1
107	Bronchopneumonia	291	67	10	3	1	1	2	-	-	-	1	-	2	4	8	9	16	18	18	22	34	39	18	10	7	-	1
	White..M..	175	36	5	2	1	-	1	-	-	-	1	-	2	2	5	3	13	12	15	12	19	23	12	5	5	-	1
	F..	106	25	4	-	-	1	1	-	-	-	-	-	-	2	3	6	2	5	3	10	15	16	6	5	2	-	-
	Nonwhite..M..	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	221	14	5	1	-	-	1	3	4	1	-	9	9	16	22	15	17	27	18	19	15	12	11	1	-	-	1
	White..M..	160	7	2	1	-	-	1	1	3	-	-	6	7	12	18	14	14	24	14	10	12	8	6	1	-	-	1
	F..	58	7	2	-	-	-	-	2	1	1	-	2	2	4	4	1	3	3	4	8	3	6	5	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	54	10	4	-	-	-	1	-	2	2	-	1	-	3	4	5	3	3	3	6	2	2	2	-	-	-	1
	White..M..	31	6	1	-	-	-	1	-	1	2	-	-	-	3	1	4	3	3	1	4	-	1	-	-	-	-	-
	F..	14	4	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	1	1	2	1	1	-	-	-	-
	Nonwhite..M..	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1
33	Influenza	149	13	2	2	1	-	3	1	-	1	1	2	5	8	2	3	10	10	7	14	22	19	19	4	-	-	-
	White..M..	76	2	1	-	1	-	2	-	-	-	-	1	4	5	2	1	7	7	3	10	13	8	9	-	-	-	-
	F..	71	10	-	2	-	-	1	1	-	1	1	1	1	3	-	2	3	3	4	4	9	11	10	4	-	-	-
	Nonwhite..M..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	91	-	-	-	-	-	-	-	-	-	2	-	4	8	8	13	16	15	7	11	3	2	1	-	-	-	1
	White..M..	73	-	-	-	-	-	-	-	-	-	1	-	4	7	6	11	13	13	6	7	2	1	1	-	-	-	1
	F..	17	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	3	2	1	4	1	1	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	31	16	2	-	2	1	-	-	-	1	-	-	1	-	-	1	1	-	1	1	2	-	1	1	-	-	-
	White..M..	19	10	1	-	2	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	2	-	-	-	-	-	-
	F..	9	3	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
	Nonwhite..M..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	68	-	2	2	1	-	1	7	3	3	4	3	4	8	7	4	1	7	2	3	3	2	1	-	-	-	-
	White..M..	29	-	-	-	1	-	-	4	1	1	1	-	3	4	3	3	-	4	-	3	1	-	-	-	-	-	-
	F..	37	-	2	2	-	-	1	3	2	2	2	3	1	4	3	1	1	3	2	-	2	2	1	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	106	3	1	1	-	-	-	1	1	-	2	1	4	2	5	5	7	12	11	20	20	8	1	-	-	-	1
	White..M..	58	1	-	1	-	-	-	1	1	-	-	-	1	2	3	4	3	6	7	14	9	2	-	-	-	-	1
	F..	48	2	1	-	-	-	-	-	-	-	2	1	3	-	2	1	4	4	4	6	11	6	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	79	-	-	-	1	-	-	-	1	-	1	1	5	8	10	7	13	11	3	8	6	3	1	-	-	-	-
	White..M..	49	-	-	-	-	-	-	-	1	-	-	-	2	5	10	5	11	7	2	3	1	1	1	-	-	-	-
	F..	29	-	-	-	1	-	-	-	-	-	1	1	3	3	-	1	2	4	1	5	5	2	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	62	-	-	-	-	-	-	-	1	1	-	2	2	3	4	7	9	14	7	5	4	2	-	-	-	-	1
	White..M..	21	-	-	-	-	-	-	-	-	1	-	-	1	1	1	4	3	6	1	2	1	-	-	-	-	-	-
	F..	39	-	-	-	-	-	-	-	1	-	-	2	1	2	3	3	6	7	6	3	3	2	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
130-132	Nephritis	983	-	-	-	-	-	3	3	1	7	10	3	11	20	31	40	66	70	120	168	165	145	91	28	-	-	1
	White..M..	547	-	-	-	-	-	2	3	1	4	4	2	4	11	12	21	37	51	72	98	86	84	44	10	-	-	1
	F..	419	-	-	-	-	-	1	-	-	3	5	1	6	8	17	18	27	17	45	69	77	60	47	18	-	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	1	3	1	2	1	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-
157	Diseases of the prostate	82	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	11	21	16	14	6	2	2	-	-
	White..M..	80	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	11	20	15	14	6	2	2	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Con.																										
140-150	Diseases of pregnancy, etc.*...	43	-	-	-	-	-	-	-	4	7	9	7	12	2	-	1	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	42	-	-	-	-	-	-	-	4	7	9	6	12	2	-	1	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	17	-	-	-	-	-	-	-	1	2	5	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	16	-	-	-	-	-	-	-	1	2	5	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	7	-	-	-	-	-	-	-	2	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	7	-	-	-	-	-	-	-	2	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	14	-	-	-	-	-	-	-	1	3	2	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	14	-	-	-	-	-	-	-	1	3	2	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	5	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	5	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	127	103	7	-	-	-	3	3	2	1	-	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	69	58	3	-	-	-	1	1	2	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	54	42	4	-	-	-	2	2	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	242	242	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	132	132	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	107	107	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	160	-	-	-	-	-	-	-	6	3	9	16	12	11	27	18	16	6	14	9	11	-	1	1	-	-	-
	White.....M..	118	-	-	-	-	-	-	-	3	1	6	7	7	11	20	13	13	5	12	9	10	-	1	-	-	-	-
	F..	38	-	-	-	-	-	-	-	3	2	3	9	3	-	7	3	3	1	2	-	1	-	-	1	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	44	-	-	-	-	-	-	1	5	1	2	3	6	5	6	5	2	1	-	-	1	1	-	-	-	-	-
	White.....M..	24	-	-	-	-	-	-	-	2	-	2	4	4	2	3	4	1	-	-	-	1	1	-	-	-	-	-
	F..	10	-	-	-	-	-	-	1	2	1	-	2	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	-	1	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,079	32	19	17	9	8	30	38	60	79	58	68	64	63	61	55	62	56	55	61	44	52	40	19	3	1	5
	White.....M..	782	9	8	7	4	5	34	22	54	66	50	57	60	59	56	49	53	43	40	41	20	19	12	6	2	1	5
	F..	234	20	11	9	5	3	15	15	6	12	7	10	4	3	4	6	9	13	14	20	24	32	28	13	1	-	-
	Nonwhite..M..	10	2	-	1	-	-	1	1	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
170	Motor-vehicle accidents.....	253	-	6	3	2	2	16	12	24	19	14	22	19	10	14	13	15	14	14	16	9	4	1	-	2	-	2
	White.....M..	197	-	2	2	1	2	10	6	22	12	10	15	17	10	14	11	14	11	10	14	7	3	1	-	1	-	2
	F..	55	-	4	1	1	-	6	6	2	7	4	6	2	-	-	2	1	3	4	2	2	1	-	-	1	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	326	32	13	14	7	6	34	26	36	60	44	46	45	53	47	42	47	42	41	45	35	48	39	19	1	1	3
	White.....M..	585	9	6	5	3	3	24	16	32	54	40	42	43	49	42	38	39	32	30	27	13	16	11	6	1	1	3
	F..	229	20	7	8	4	3	9	9	4	5	3	4	2	3	4	4	8	10	10	18	22	31	28	13	-	-	-
	Nonwhite..M..	9	2	-	1	-	-	1	1	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	343	8	1	-	-	-	-	-	-	-	1	2	4	5	2	10	8	13	16	49	53	63	69	29	5	4	1
	White.....M..	206	5	-	-	-	-	-	-	-	-	1	-	2	2	1	8	6	11	8	30	36	38	37	17	2	1	1
	F..	119	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1	1	2	7	18	15	24	29	12	3	-	-
	Nonwhite..M..	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	-
	F..	12	2	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	-	2	-	-	2	-
	All other causes.	1,337	203	8	8	10	6	19	15	14	24	24	25	39	41	54	63	78	88	102	122	144	106	92	35	14	-	3
	White.....M..	748	118	5	5	6	5	13	10	9	8	15	10	14	25	30	36	48	60	59	70	78	63	38	16	6	-	1
	F..	570	81	3	3	4	1	6	5	4	14	8	15	23	14	23	26	29	28	42	51	66	42	54	19	8	-	1
	Nonwhite..M..	13	4	-	-	-	-	-	-	-	2	1	-	1	1	-	1	-	-	1	-	-	1	-	-	-	-	1
	F..	6	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA																										
	All causes	110,333	7,136	669	350	254	200	779	702	1,088	1,437	1,587	1,967	2,627	3,729	5,255	7,725	9,588	11,487	12,862	13,370	12,100	8,822	4,741	1,566	272	32	8
	White	56,307	3,614	324	164	115	98	444	384	563	636	710	864	1,179	1,754	2,791	4,218	5,527	6,307	6,962	6,909	6,065	4,070	1,944	560	93	7	5
	White—M	46,605	2,736	272	160	112	89	270	231	364	569	626	804	1,040	1,331	1,808	2,738	3,404	4,543	5,345	5,998	5,725	4,584	2,705	988	169	13	1
	White—F	4,070	450	36	16	20	6	35	47	74	103	106	133	203	334	393	421	395	362	311	286	176	89	48	17	5	4	-
	Nonwhite	3,351	336	37	10	7	7	30	40	87	129	125	166	205	310	263	348	262	275	244	177	134	79	44	21	5	8	2
	Nonwhite—M	1,744	168	19	8	4	3	15	20	43	65	63	84	103	155	132	174	131	137	122	89	67	40	22	11	3	4	1
	Nonwhite—F	1,607	168	18	2	3	4	15	20	44	64	62	82	102	155	131	174	131	138	122	88	67	39	22	10	2	4	1
1,2	Typhoid and paratyphoid fever	27	-	-	-	-	-	1	2	2	1	2	1	3	4	2	2	3	1	1	1	-	1	-	-	-	-	-
	White	15	-	-	-	-	-	-	1	1	-	1	1	3	2	1	2	2	1	-	-	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	1	1	1	1	-	-	1	1	-	-	-	1	1	-	1	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M																										
	Nonwhite—F																										
6	Cerebrospinal (meningococcus) meningitis	216	18	14	10	10	7	13	14	15	10	7	11	14	11	16	13	11	10	8	2	2	-	-	-	-	-	-
	White	116	5	9	7	4	7	6	4	11	6	6	9	6	6	5	6	8	4	5	1	1	-	-	-	-	-	-
	White—M	71	9	5	3	5	-	4	8	4	3	1	2	-	4	8	2	2	6	3	1	1	-	-	-	-	-	-
	White—F	21	4	-	-	1	-	2	1	-	1	-	-	4	1	1	5	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	8	-	-	-	-	-	1	1	-	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M																											
	Nonwhite—F																											
8	Scarlet fever	38	1	1	2	4	-	16	5	2	1	1	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White	20	1	1	1	2	-	9	1	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	17	-	-	1	1	-	7	4	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M																											
	Nonwhite—F																											
9	Whooping cough	95	68	19	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	42	30	9	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	45	35	6	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M																											
	Nonwhite—F																											
10	Diphtheria	30	-	3	4	1	4	9	3	-	1	-	-	1	-	-	-	-	1	-	1	2	-	-	-	-	-	-
	White	13	-	2	1	-	1	6	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	15	-	1	3	1	3	2	2	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M																											
	Nonwhite—F																											
13-22	Tuberculosis (all forms)	4,020	37	36	13	11	5	24	39	163	350	366	353	353	360	350	385	366	290	262	138	69	32	16	2	-	-	-
	White	2,030	13	14	4	1	3	5	8	32	98	119	133	150	188	230	263	256	200	179	80	32	19	3	-	-	-	-
	White—M	1,098	10	8	6	4	1	7	8	57	139	141	136	102	74	54	56	64	61	64	51	30	13	10	1	-	-	-
	White—F	519	12	5	3	5	1	4	7	28	52	46	36	61	71	49	54	35	24	11	7	5	-	3	-	-	-	-
	Nonwhite	373	2	9	-	1	-	8	15	46	61	60	48	40	27	17	12	11	5	8	-	2	-	-	1	-	-	-
	Nonwhite—M																											
	Nonwhite—F																											
13	Tuberculosis of respiratory system, etc.*	3,765	28	22	8	5	3	16	27	151	327	347	333	334	343	336	367	341	283	250	133	66	32	13	2	-	-	-
	White	1,939	10	5	1	-	2	2	4	28	94	112	128	144	182	225	256	245	197	174	78	30	19	3	-	-	-	-
	White—M	1,016	8	5	3	2	1	4	7	54	132	139	127	95	69	50	48	56	59	58	49	29	13	9	1	-	-	-
	White—F	473	10	4	2	3	-	3	3	27	49	41	33	55	65	47	52	33	25	11	6	5	-	1	-	-	-	-
	Nonwhite	337	2	8	-	-	-	7	13	42	52	55	45	40	27	14	11	7	4	7	-	2	-	-	1	-	-	-
	Nonwhite—M																											
	Nonwhite—F																											
14-22	Tuberculosis (other forms)	255	9	14	7	6	2	8	12	12	23	19	20	19	17	14	18	25	7	12	5	3	-	3	-	-	-	-
	White	91	3	9	3	1	1	3	4	4	4	7	5	6	6	5	7	11	3	5	2	2	-	-	-	-	-	-
	White—M	82	4	3	3	2	-	3	2	3	7	2	9	7	5	4	8	8	2	6	2	1	-	1	-	-	-	-
	White—F	46	2	1	1	2	1	1	4	1	3	5	3	6	6	2	2	2	1	-	1	-	-	2	-	-	-	-
	Nonwhite	38	-	1	-	1	-	1	2	4	9	5	3	-	-	3	1	4	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M																											
	Nonwhite—F																											
27	Dysentery	38	15	1	3	2	-	1	-	-	1	1	1	-	2	1	2	1	1	-	1	1	4	-	-	-	-	-
	White	22	12	-	-	2	-	1	-	-	-	-	1	-	-	-	2	1	1	-	-	2	-	-	-	-	-	-
	White—M	15	3	1	3	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	1	1	2	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M																											
	Nonwhite—F																											
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M																											
	Nonwhite—F																											
30	Syphilis	992	30	-	-	-	-	1	-	7	14	10	42	68	111	121	118	135	120	97	64	32	15	4	3	-	-	-
	White	502	9	-	-	-	-	1	-	4	2	5	11	27	44	51	68	75	75	62	42	15	7	2	2	-	-	-
	White—M	179	4	-	-	-	-	-	-	1	5	3	10	17	20	16	18	20	23	21	9	9	1	1	1	-	-	-
	White—F	212	7	-	-	-	-	-	-	1	1	1	14	18	30	42	24	29	13	11	11	5	4	1	-	-	-	-
	Nonwhite	99	10	-	-	-	-	-	-	1	6	1	7	6	17	12	8	11	9	3	2	3	3	-	-	-	-	-
	Nonwhite—M																											
	Nonwhite—F																											
35	Measles	95	28	21	12	8	5	14	1	2	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White	36	8	12	4	5	1	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	52	15	8	8	3	4	9	1	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—F	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M																											
	Nonwhite—F																											
36	Poliomyelitis, polioencephalitis (acute)	117	6	3	1	2	3	31	30	19	5	7	5	2	-	-	2	-	-	1	-	-	-	-	-	-	-	-
	White	77	3	2	1	1	1	23	17	17	2	4	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	White—M	37	3	-	-	1	2	8	13	2	1	3	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—F	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M																											
	Nonwhite—F																											

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Con.																										
45-55	Cancer and other malignant tumors	13,959	5	10	10	11	7	21	29	32	44	100	173	349	587	897	1,409	1,698	1,986	2,147	1,857	1,456	776	310	58	6	-	1
	White	6,402	3	7	5	5	2	14	15	14	19	41	47	83	167	328	602	811	962	1,094	930	751	349	137	15	-	-	1
	F.	6,959	2	3	5	5	5	4	12	17	22	53	107	233	353	497	712	808	950	988	889	663	417	168	41	5	-	-
	Nonwhite	289	-	-	-	1	-	1	2	-	1	3	5	7	22	35	46	40	42	38	24	13	6	3	-	-	-	-
	F.	309	-	-	-	-	-	2	-	1	2	3	14	26	45	37	49	39	32	27	14	9	4	2	2	1	-	-
46	Cancer of digestive organs, peritoneum	6,759	1	1	2	1	-	2	4	7	6	26	53	101	209	354	586	780	1,042	1,174	1,022	778	417	157	31	4	-	1
	White	3,489	-	1	-	1	-	2	2	4	3	16	21	41	91	177	302	430	571	647	541	392	176	62	8	-	-	1
	F.	3,037	1	-	2	-	-	-	2	3	3	8	26	50	97	151	244	314	440	497	461	379	239	94	23	3	-	-
	Nonwhite	144	-	-	-	-	-	-	-	-	-	1	3	5	11	18	25	21	20	19	14	5	1	1	-	-	-	-
	F.	89	-	-	-	-	-	-	-	-	-	1	3	5	10	8	15	15	11	11	6	2	1	-	-	1	-	-
48,49	Cancer of female genital organs	1,806	-	-	-	-	-	-	2	3	9	27	53	102	160	180	232	232	246	212	167	109	54	14	4	-	-	-
	White	1,672	-	-	-	-	-	-	2	2	7	27	45	90	139	162	211	213	236	202	163	104	52	14	3	-	-	-
	Nonwhite	134	-	-	-	-	-	-	-	1	2	-	8	12	21	18	21	19	10	10	4	5	2	-	1			
50	Cancer of breast	1,308	-	-	-	-	-	-	-	-	1	6	23	67	92	120	170	177	158	157	151	85	64	30	7	-	-	-
	White	24	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	3	3	4	5	3	-	-	-	-	-	-
	F.	1,237	-	-	-	-	-	-	-	-	1	6	23	63	81	115	156	171	149	148	143	81	64	30	6	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	47	-	-	-	-	-	-	-	-	-	-	-	3	11	5	9	3	6	5	3	1	-	-	1	-	-
45,47, 51-55	Cancer (other sites)	4,086	4	9	8	10	7	19	23	22	28	41	44	79	126	243	421	509	540	604	517	464	241	109	18	2	-	-
	White	2,889	3	6	5	4	2	12	13	10	16	25	26	41	76	151	295	378	388	443	384	356	173	75	7	-	-	-
	F.	1,013	1	3	3	5	5	4	8	12	11	12	13	30	36	69	101	110	125	141	122	99	62	30	9	2	-	-
	Nonwhite	145	-	-	-	1	-	1	2	-	1	2	2	2	11	17	21	19	22	19	10	8	5	2	-	-	-	-
	F.	39	-	-	-	-	-	2	-	-	-	2	3	6	3	6	4	2	5	1	1	1	1	2	-	-	-	-
58	Acute rheumatic fever	152	-	-	-	4	6	22	31	16	12	14	6	7	7	3	7	3	1	5	5	2	-	1	-	-	-	-
	White	58	-	-	-	-	3	6	11	9	4	4	2	6	1	1	3	2	1	3	1	1	-	-	-	-	-	-
	F.	69	-	-	-	4	3	12	13	7	7	8	1	1	3	1	2	1	-	2	3	-	-	1	-	-	-	-
	Nonwhite	14	-	-	-	-	-	3	4	-	1	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-
	F.	11	-	-	-	-	-	1	3	-	-	2	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
61	Diabetes mellitus	3,380	-	2	2	1	-	4	9	18	21	15	33	33	81	135	259	423	539	624	554	396	170	51	8	2	-	-
	White	1,001	-	1	-	-	-	1	5	7	12	8	15	15	29	42	61	122	132	174	165	132	65	12	3	-	-	-
	F.	2,227	-	1	2	1	-	3	3	9	9	6	14	15	38	77	166	280	389	428	380	259	102	38	5	2	-	-
	Nonwhite	38	-	-	-	-	-	-	-	1	-	-	1	-	2	3	7	7	5	3	6	3	-	-	-	-	-	-
	F.	114	-	-	-	-	-	-	1	1	-	1	3	3	12	13	25	14	13	19	3	2	3	1	-	-	-	-
63b	Exophthalmic goiter	236	-	-	-	-	-	-	-	1	7	4	10	5	10	22	32	41	30	31	28	12	3	-	-	-	-	-
	White	33	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	7	4	6	2	1	-	-	-	-	-	-
	F.	191	-	-	-	-	-	-	-	-	7	4	7	3	5	19	25	33	24	24	26	11	3	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	11	-	-	-	-	-	-	-	-	-	-	2	-	3	-	2	1	2	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	2	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
77	Alcoholism (ethylism)	106	-	1	1	-	-	1	-	-	-	3	7	8	12	13	17	21	13	5	5	1	-	-	-	-	-	-
	White	92	-	-	1	-	-	1	-	-	-	-	6	6	11	11	14	20	12	5	5	-	-	-	-	-	-	-
	F.	9	-	-	-	-	-	-	-	-	-	2	-	1	-	1	3	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite	6	-	1	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	9,083	5	4	2	2	3	1	11	15	21	22	40	76	165	321	507	769	1,051	1,319	1,564	1,436	1,057	520	150	21	1	-
	White	4,062	4	3	1	1	1	1	7	9	9	11	17	29	64	131	196	351	477	617	725	681	481	189	52	5	-	-
	F.	4,525	1	1	1	1	1	-	3	6	8	10	20	29	73	141	249	355	498	628	791	720	559	317	97	16	-	-
	Nonwhite	225	-	-	-	-	1	-	1	-	3	-	2	5	11	23	21	28	37	37	27	14	10	6	-	-	1	-
	F.	271	-	-	-	-	-	-	-	-	1	1	1	13	17	26	41	37	39	37	21	21	7	8	1	-	-	-
90-95	Diseases of the heart	35,592	14	6	8	4	6	57	93	116	185	176	287	540	859	1,542	2,475	3,308	4,304	4,882	5,281	4,929	3,708	2,007	684	115	14	2
	White	19,427	9	3	4	2	4	26	43	54	93	88	131	295	478	961	1,534	2,108	2,616	2,806	2,868	2,515	1,689	823	237	38	1	1
	F.	14,431	4	1	4	2	1	27	37	49	73	76	119	180	261	419	715	997	1,465	1,874	2,240	2,297	1,948	1,155	407	72	7	1
	Nonwhite	952	1	-	-	-	1	4	6	5	10	4	20	28	50	95	110	128	117	124	107	68	42	18	12	1	1	-
	F.	772	-	2	-	-	-	-	7	8	9	8	17	37	70	67	116	75	106	78	66	49	29	11	8	4	5	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	2,212	-	1	1	-	2	42	65	74	90	88	100	132	129	158	178	160	167	194	198	179	140	79	32	3	-	-
	White	1,040	-	-	1	-	1	18	26	34	42	43	38	64	45	89	83	79	87	104	108	82	53	33	9	1	-	-
	F.	1,050	-	-	-	-	1	21	28	32	38	38	56	58	70	56	82	67	71	83	84	94	81	45	23	2	-	-
	Nonwhite	70	-	-	-	-	-	3	5	2	4	2	3	5	7	6	7	7	5	5	3	2	3	1	-	-	-	-
	F.	72	-	1	-	-	-	-	6	6	6	5	3	5	7	7	6	7	4	2	3	1	3	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	10,598	4	1	-	-	1	-	1	2	10	25	68	183	375	663	1,109	1,414	1,604	1,625	1,449	1,142	560	271	73	15	3	-
	White	7,106	2	-	-	-	-	-	1	1	6	16	50	136	279	510	808	1,068	1,114	1,078	917	665	287	134	28	6	-	-
	F.	3,171	2	-	-	-	-	-	-	1	4	8	8	35	63	123	241	305	449	507	508	462	267	136	43	8	1	-
	Nonwhite	195	-	-	-	-	1	-	-	-	-	-	8	6	11	23	33	27	26	25	19	11	3	-	1	1	-	-
	F.	126	-	1	-	-	-	-	-	-	-	1	2	5	22	7	27	14	15	15	5	4	3	1	1	-	2	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	22,772	10	4	7	4	3	15	27	40	85	63	119	225	355	721	1,188	1,734	2,533	3,063	3,634	3,608	3,008	1,657	559	97	11	2
	White	11,281	7	3	3	2	3	8	16	19	45	29	43	95	154	362	643	961	1,415	1,624	1,843	1,788	1,349	656	200	31	1	1
	F.	10,230	2	1	4	2	-	6	9	16	31	30	55	87	128	240	392	625	945	1,284	1,648	1,741	1,600	974	341	62	6	1
	Nonwhite	687	1	-	-	-	-	1	1	3	6	2	9	17	32	66	70	94	86	94	85	55	36	17	11	-	1	-
	F.	574	-	-	-	-	-	-	1	2	3	2	12	26	41	53	83	54	87	61	58	44	23	10	7	4	3	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas).

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	6,581	1,045	191	71	29	22	88	51	67	43	81	111	147	232	294	390	472	515	578	579	608	521	319	120	22	5	-
	White..M..	3,461	537	84	26	13	11	33	27	27	23	34	58	63	109	167	255	317	320	337	308	301	218	139	43	9	2	-
	F..	2,444	378	89	39	13	8	32	19	30	13	31	33	51	58	64	75	100	156	194	232	280	286	174	75	13	1	-
	Nonwhite..M..	416	75	11	3	1	1	2	2	6	2	10	11	15	41	51	42	41	30	21	21	18	7	3	1	-	1	-
	F..	260	55	7	3	2	2	1	3	4	5	6	9	18	24	12	18	14	9	26	18	9	10	3	1	-	1	-
107	Bronchopneumonia	2,356	658	98	27	14	12	18	12	23	16	19	23	29	39	61	86	104	139	155	201	211	222	130	49	7	3	-
	White..M..	1,216	336	38	11	4	9	8	7	8	9	9	13	12	21	30	50	71	86	95	116	107	92	61	17	5	1	-
	F..	895	236	51	13	9	2	10	5	11	3	5	5	10	11	17	16	22	44	43	72	90	122	64	31	2	1	-
	Nonwhite..M..	142	51	5	1	-	1	-	-	1	1	3	4	3	6	8	13	9	5	10	6	9	3	2	1	-	-	-
	F..	103	35	4	2	1	-	-	-	3	3	2	1	4	1	6	7	2	4	7	7	5	5	3	-	-	1	-
108	Lobar pneumonia	2,666	235	52	18	8	5	25	20	26	14	44	62	79	133	178	228	269	269	274	232	216	154	87	30	7	1	-
	White..M..	1,446	111	25	7	3	1	11	11	10	6	18	34	34	60	108	153	175	170	160	123	109	65	39	11	2	-	-
	F..	870	90	21	9	3	3	11	6	10	5	15	15	21	25	31	41	53	74	90	92	99	84	48	19	5	-	-
	Nonwhite..M..	230	18	4	1	1	-	2	1	5	1	7	6	12	30	34	25	31	20	9	11	7	4	-	-	-	1	-
	F..	120	16	2	1	1	1	1	2	1	2	4	7	12	18	5	9	10	5	15	6	1	1	-	-	-	-	-
109	Pneumonia (unspecified)	166	33	4	2	-	-	4	2	4	2	4	7	2	12	13	5	17	15	12	12	8	5	1	1	1	-	-
	White..M..	96	20	2	2	-	-	2	2	2	1	2	3	-	6	9	3	12	7	9	9	3	2	-	-	-	-	-
	F..	59	10	1	-	-	-	2	-	2	1	2	3	2	5	2	1	5	7	3	2	5	3	1	1	1	-	-
	Nonwhite..M..	8	2	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-
	F..	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	1,393	119	37	24	7	5	21	17	14	11	14	19	37	48	42	71	82	92	137	134	173	140	101	40	7	1	-
	White..M..	703	70	19	6	6	1	12	7	7	7	5	8	17	22	20	49	59	57	73	60	82	59	39	15	2	1	-
	F..	620	42	16	17	1	3	9	8	7	4	9	10	18	17	14	17	20	31	58	66	86	77	61	24	5	-	-
	Nonwhite..M..	36	4	1	1	-	-	-	1	-	-	-	1	-	5	7	3	1	4	2	3	2	-	1	-	-	-	-
	F..	34	3	1	-	-	1	-	1	-	-	-	-	2	4	1	2	2	-	4	5	3	4	-	1	-	-	-
117	Ulcer of stomach or duodenum	553	3	-	-	-	-	-	-	1	4	13	19	23	39	63	71	81	84	47	54	28	13	8	1	1	-	-
	White..M..	446	2	-	-	-	-	-	-	1	2	8	13	18	36	50	59	73	67	38	42	23	7	5	1	1	-	-
	F..	78	1	-	-	-	-	-	-	-	1	5	3	3	2	6	8	6	11	8	11	5	5	3	-	-	-	-
	Nonwhite..M..	20	-	-	-	-	-	-	-	-	1	-	2	-	-	5	3	2	5	-	1	-	1	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	-	1	1	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	769	540	49	16	8	1	10	6	4	8	4	4	4	13	11	10	13	11	7	23	6	12	5	3	1	-	-
	White..M..	356	265	23	8	4	1	5	3	2	1	2	2	1	3	6	4	6	4	3	6	3	1	2	1	-	-	-
	F..	320	207	20	7	3	-	3	3	2	7	1	1	1	6	4	3	5	7	4	17	3	10	3	2	1	-	-
	Nonwhite..M..	48	34	2	1	-	-	2	-	-	-	1	1	1	3	1	1	1	-	-	-	-	-	-	-	-	-	-
	F..	45	34	4	-	1	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	1	-	-	-	-	-
121	Appendicitis	538	1	7	8	13	8	43	23	32	19	28	24	19	23	38	50	45	45	42	30	24	13	2	-	1	-	-
	White..M..	294	1	4	5	3	4	24	15	14	9	18	13	11	10	23	25	26	24	33	13	9	9	1	-	-	-	-
	F..	213	-	3	3	10	4	17	6	13	10	8	9	8	8	14	18	18	19	9	16	14	4	1	-	1	-	-
	Nonwhite..M..	23	-	-	-	-	-	2	1	4	-	-	1	-	4	-	7	1	1	-	1	1	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	1	1	-	2	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	944	52	6	2	-	3	6	9	5	19	14	23	23	34	50	89	89	113	108	131	74	62	24	6	2	-	-
	White..M..	441	27	3	2	-	2	5	8	2	7	5	5	7	16	22	42	37	52	47	70	36	35	7	2	2	-	-
	F..	447	17	2	-	-	1	1	1	3	7	9	12	13	14	21	41	49	55	59	58	37	26	17	4	-	-	-
	Nonwhite..M..	30	5	1	-	-	-	-	-	-	1	-	5	1	2	2	5	1	5	-	2	1	1	-	-	-	-	-
	F..	26	3	-	-	-	-	-	-	-	4	-	3	2	2	5	1	2	1	2	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	887	-	2	-	-	-	1	2	4	4	7	19	22	69	89	89	124	114	123	103	59	39	13	3	1	-	-
	White..M..	523	-	2	-	-	-	1	1	2	2	2	8	6	46	58	59	87	67	77	61	26	13	5	1	-	-	-
	F..	335	-	-	-	-	-	1	1	2	2	4	11	14	19	26	28	31	39	45	42	33	26	8	2	1	-	-
	Nonwhite..M..	21	-	-	-	-	-	-	-	-	-	-	-	2	3	5	1	5	4	1	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	4	-	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	557	2	-	-	-	-	-	-	-	1	3	9	23	31	56	64	76	70	76	58	46	24	15	3	-	-	-
	White..M..	161	-	-	-	-	-	-	-	-	-	1	1	9	6	19	20	22	17	27	17	13	6	3	-	-	-	-
	F..	376	-	-	-	-	-	-	-	-	1	2	6	14	22	32	43	50	52	48	41	32	18	12	3	-	-	-
	Nonwhite..M..	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F..	16	-	-	-	-	-	-	-	-	-	-	2	-	3	5	1	4	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	8,202	8	4	1	3	2	17	23	48	48	75	98	135	242	332	504	637	843	1,012	1,251	1,223	975	547	145	24	4	1
	White..M..	3,908	6	2	-	1	2	9	11	21	19	30	39	55	88	133	222	349	408	512	619	595	474	234	57	11	2	1
	F..	3,739	2	2	1	1	-	8	12	24	23	37	47	57	90	157	215	233	368	451	560	592	486	296	82	13	2	-
	Nonwhite..M..	252	-	-	-	1	-	-	-	1	1	4	5	10	18	25	26	28	41	26	39	15	5	5	2	-	-	-
	F..	303	-	-	-	-	-	-	-	2	5	4	7	13	36	37	41	27	28	23	33	21	10	12	4	-	-	-
137	Diseases of the prostate	560	-	-	-	-	-	-	-	-	-	-	-	1	-	4	14	22	33	85	131	124	97	35	12	2	-	-
	White..M..	534	-	-	-	-	-	-	-	-	-	-	-	-	-	4	11	18	30	80	125	120	97	35	12	2	-	-
	Nonwhite..M..	26	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	3	5	6	4	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Con.																											
140-150	Diseases of pregnancy, etc.*...	454	-	-	-	-	-	-	1	28	89	82	112	98	37	7	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	392	-	-	-	-	-	-	1	20	74	68	99	90	34	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	62	-	-	-	-	-	-	-	8	15	14	13	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	175	-	-	-	-	-	-	-	9	37	36	41	35	14	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	150	-	-	-	-	-	-	-	6	28	29	37	34	13	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	25	-	-	-	-	-	-	-	3	9	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	105	-	-	-	-	-	-	1	15	24	12	26	15	10	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	95	-	-	-	-	-	-	1	11	24	10	24	15	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	10	-	-	-	-	-	-	-	4	-	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	132	-	-	-	-	-	-	-	1	23	20	38	39	9	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	113	-	-	-	-	-	-	-	1	19	20	31	32	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	19	-	-	-	-	-	-	-	-	4	-	7	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	42	-	-	-	-	-	-	-	3	5	14	7	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	34	-	-	-	-	-	-	-	2	3	9	7	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	8	-	-	-	-	-	-	-	1	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	1,226	1,056	48	19	11	5	13	10	13	13	10	10	8	3	1	-	2	1	1	1	1	-	-	-	-	-	-
	White.....M..	602	532	17	10	5	1	5	5	7	6	4	3	4	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F..	548	459	29	8	5	4	7	4	5	6	5	6	3	2	-	-	2	1	-	1	1	-	-	-	-	-	-
	Nonwhite..M..	39	34	-	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	37	31	2	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	2,182	2,182	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	1,056	1,056	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	850	850	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	163	163	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	113	113	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	952	-	-	-	-	-	3	23	39	53	69	67	89	82	132	107	83	75	55	51	19	4	1	-	-	-	-
	White.....M..	659	-	-	-	-	-	2	12	25	35	45	39	58	58	82	82	60	58	44	39	18	3	1	-	-	-	-
	F..	270	-	-	-	-	-	1	8	13	18	21	24	28	24	47	23	22	16	11	12	1	1	-	-	-	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	1	2	2	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	3	-	-	1	2	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	197	10	1	1	-	2	2	6	11	14	21	19	20	23	21	10	14	7	7	7	1	-	-	-	-	-	-
	White.....M..	77	4	-	1	-	1	1	4	5	4	4	6	4	7	9	5	9	4	5	4	-	-	-	-	-	-	-
	F..	33	6	1	-	-	1	-	1	1	2	2	2	8	-	4	2	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite..M..	72	-	-	-	-	-	1	4	6	13	9	7	14	8	3	3	-	1	3	-	-	-	-	-	-	-	-	-
	F..	15	-	-	-	-	-	1	-	1	2	2	2	1	2	-	-	1	3	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	6,274	167	101	87	74	73	268	191	285	281	239	235	282	289	319	402	416	422	446	467	488	401	244	79	20	-	2
	White.....M..	4,047	96	57	41	40	30	178	134	251	205	197	189	217	222	246	326	323	307	289	247	209	163	79	26	5	-	2
	F..	1,879	49	31	37	26	37	87	42	34	58	35	30	41	40	43	56	76	97	144	207	271	234	161	51	14	-	-
	Nonwhite..M..	254	12	9	6	6	2	12	13	14	15	10	10	21	23	27	19	15	13	10	9	3	2	2	-	1	-	-
	F..	94	10	4	3	2	4	11	2	4	5	7	6	3	4	3	1	2	5	3	4	5	2	2	2	-	-	-
170	Motor-vehicle accidents.....	1,427	1	5	25	26	29	113	63	118	102	79	66	76	76	75	97	105	96	100	90	57	23	3	1	1	-	-
	White.....M..	1,066	-	1	10	13	16	71	48	98	74	60	53	56	61	56	79	84	78	77	70	36	21	3	1	-	-	-
	F..	289	1	2	13	11	13	35	11	16	21	14	9	15	9	12	14	19	14	19	18	21	2	-	-	-	-	-
	Nonwhite..M..	55	-	1	1	1	-	5	3	3	5	3	3	5	4	6	4	2	3	3	2	-	-	-	-	1	-	-
	F..	17	-	1	1	1	-	2	1	1	2	2	1	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	4,847	166	96	62	48	44	153	128	165	179	160	169	206	213	244	305	311	326	346	377	431	378	241	78	19	-	2
	White.....M..	2,981	96	56	31	27	14	105	86	133	131	127	136	161	161	190	247	239	229	212	177	173	142	76	25	5	-	2
	F..	1,590	48	29	24	15	24	32	31	18	35	21	21	26	31	31	42	57	83	125	189	250	232	161	51	14	-	-
	Nonwhite..M..	199	12	8	5	5	2	7	10	11	10	7	7	16	19	21	15	13	10	7	7	3	2	2	-	-	-	-
	F..	77	10	3	2	1	4	9	1	3	3	5	5	3	2	2	1	2	4	2	4	5	2	2	2	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	949	44	12	2	2	-	2	-	5	3	2	6	4	17	27	44	60	75	90	108	116	123	110	79	12	4	2
	White.....M..	502	19	5	1	1	-	1	-	4	1	-	3	2	7	21	29	41	51	57	60	57	63	44	27	7	1	-
	F..	384	14	5	-	1	-	-	-	1	1	2	2	2	6	3	9	14	20	30	42	56	57	62	51	4	2	-
	Nonwhite..M..	41	5	-	1	-	-	1	-	-	-	-	1	-	1	2	6	2	4	2	5	3	2	4	-	1	1	-
	F..	22	6	2	-	-	-	-	-	-	1	-	-	-	3	1	-	3	-	1	1	-	1	-	1	-	-	2
	All other causes.	10,334	1,799	127	72	51	37	134	110	156	177	206	240	289	379	436	627	651	723	781	871	953	756	504	229	42	4	-
	White.....M..	5,290	972	64	40	24	22	81	62	75	86	94	103	116	143	208	320	374	413	446	474	504	354	221	80	13	1	-
	F..	4,345	667	55	28	23	14	50	34	66	74	89	103	129	169	189	245	235	277	301	367	396	384	276	146	27	1	-
	Nonwhite..M..	361	92	4	1	4	-	1	9	8	5	10	8	19	33	17	34	24	17	21	17	21	9	3	2	2	-	-
	F..	338	68	4	3	-	1	2	5	7	12	13	26	25	34	22	28	18	16	13	13	12	9	4	1	-	2	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND																										
	All causes.....	8,409	486	39	26	18	10	46	26	57	104	96	126	182	237	331	543	708	857	1,042	1,193	1,009	723	384	138	21	4	2
	White.....M..	4,327	280	21	11	12	7	29	18	34	50	48	59	98	123	175	316	405	491	569	605	464	311	144	51	5	-	1
	F..	3,899	190	17	14	7	3	17	7	20	45	45	61	76	102	143	213	284	345	460	567	539	407	234	84	15	3	1
	Nonwhite..M..	93	7	1	-	-	-	-	-	1	8	1	2	4	6	6	10	10	9	8	12	1	3	1	2	-	1	-
	F..	90	9	-	1	-	-	-	1	2	1	2	4	4	6	7	4	9	12	5	9	5	2	5	1	1	-	-
1,2	Typhoid and paratyphoid fever..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	16	2	2	3	-	-	-	-	1	2	1	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-
	White.....M..	12	2	2	1	-	-	-	-	1	2	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F..	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	300	1	3	-	1	1	-	-	6	31	23	25	25	27	29	30	29	29	17	7	9	3	4	-	-	-	-
	White.....M..	190	1	2	-	1	-	-	-	3	9	8	10	18	16	23	24	24	20	14	4	7	3	3	-	-	-	-
	F..	91	-	1	-	1	-	-	-	2	16	13	14	5	10	4	6	3	8	3	2	2	-	1	-	-	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	-	5	1	-	-	1	2	-	-	1	-	1	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	287	-	1	-	-	-	-	-	6	28	22	24	25	27	29	29	29	28	16	7	9	3	4	-	-	-	-
	White.....M..	184	-	1	-	-	-	-	-	3	9	7	10	18	16	23	23	24	20	13	4	7	3	3	-	-	-	-
	F..	88	-	-	-	-	-	-	-	2	16	13	14	5	10	4	6	3	7	3	2	2	-	1	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	2	1	-	-	1	2	-	-	1	-	1	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	13	1	2	-	1	1	-	-	-	3	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	White.....M..	6	1	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F..	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	63	4	-	-	-	-	-	-	1	-	-	1	6	5	5	10	9	4	12	3	2	-	1	-	-	-	-
	White.....M..	38	2	-	-	-	-	-	-	1	-	-	-	5	2	4	6	6	2	7	2	1	-	-	-	-	-	-
	F..	20	2	-	-	-	-	-	-	-	-	-	1	1	2	-	3	1	2	5	1	1	-	1	-	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles.....	7	1	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	5	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliosencephalitis (acute)..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Con.																										
45-55	Cancer and other malignant tumors	1,074	1	-	-	1	-	1	1	2	5	7	10	25	35	65	94	135	141	169	169	115	74	20	4	-	-
	White..M..	498	1	-	-	1	-	-	1	1	3	3	4	7	11	24	47	65	68	75	87	55	37	7	1	-	-
	F..	563	-	-	-	-	-	1	-	1	1	4	6	18	23	39	47	70	69	91	82	60	36	12	3	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	2	-	-	1	1	-	-	-	-
46	Cancer of digestive organs, peritoneum	512	1	-	-	-	-	1	-	1	1	4	2	9	17	25	43	49	84	89	86	58	31	10	1	-	-
	White..M..	258	1	-	-	-	-	-	-	1	1	2	1	5	8	11	26	25	45	40	46	30	12	4	-	-	-
	F..	249	-	-	-	-	-	1	-	-	-	2	1	4	9	14	17	24	36	47	40	28	19	6	1	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	117	-	-	-	-	-	-	-	-	-	-	1	5	5	12	13	20	16	19	14	5	5	1	1	-	-
	White..F..	114	-	-	-	-	-	-	-	-	-	-	1	5	5	11	13	20	15	18	14	5	5	1	1	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
50	Cancer of breast	119	-	-	-	-	-	-	-	-	-	2	4	6	7	12	13	14	9	9	15	16	7	4	1	-	-
	White..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	F..	114	-	-	-	-	-	-	-	-	-	2	4	6	7	12	12	14	9	9	14	16	5	3	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	326	-	-	-	1	-	-	1	1	4	1	3	5	6	16	25	52	32	52	54	36	31	5	1	-	-
	White..M..	237	-	-	-	1	-	-	1	-	2	1	3	2	3	13	20	40	23	35	40	25	24	3	1	-	-
	F..	86	-	-	-	-	-	-	-	1	1	-	-	3	2	2	5	12	9	17	14	11	7	2	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	4	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White..M..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	291	-	-	-	-	-	1	-	3	3	4	-	2	4	7	16	39	43	51	49	42	18	6	3	-	-
	White..M..	86	-	-	-	-	-	1	-	1	1	2	-	1	2	1	4	11	15	16	17	10	2	2	-	-	-
	F..	198	-	-	-	-	-	-	-	2	2	2	-	1	1	6	12	27	24	35	31	32	16	4	3	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	1	-	-	-	-	-	-
63b	Exophthalmic goiter	13	-	-	-	-	-	-	-	-	-	1	1	-	1	3	2	-	2	2	1	-	-	-	-	-	-
	White..M..	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	-	1	2	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	703	1	-	-	1	-	-	-	1	1	3	1	9	12	17	51	63	88	119	128	90	61	46	9	2	-	-
	White..M..	317	-	-	-	1	-	-	-	1	1	1	-	4	6	5	13	35	44	57	62	41	25	17	3	1	-	-
	F..	370	-	-	-	-	-	-	-	-	-	2	1	3	6	11	36	27	44	59	62	47	36	29	6	1	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-
	F..	10	1	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	-	1	1	1	-	-	-	-	-	-
90-95	Diseases of the heart	3,010	3	-	-	-	-	5	4	8	9	8	21	24	52	86	194	244	333	415	523	475	348	184	65	8	1	-
	White..M..	1,598	2	-	-	-	-	3	1	5	3	4	11	16	30	51	136	162	215	239	259	210	152	71	25	3	-	-
	F..	1,353	1	-	-	-	-	2	2	3	5	4	9	7	20	31	52	75	109	171	253	263	192	110	39	5	-	-
	Nonwhite..M..	30	-	-	-	-	-	-	-	-	1	-	-	1	1	2	5	5	3	3	5	-	3	-	-	-	1	-
	F..	29	-	-	-	-	-	-	1	-	-	-	1	-	1	2	1	2	6	2	6	2	1	3	1	-	-	-
92a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	135	-	-	-	-	-	3	4	4	3	4	12	8	7	10	13	13	9	7	13	9	8	3	5	-	-	-
	White..M..	51	-	-	-	-	-	2	1	3	2	1	4	4	2	4	6	6	1	3	5	-	3	1	3	-	-	-
	F..	81	-	-	-	-	-	1	2	1	1	3	7	3	5	6	7	7	8	4	8	9	5	2	2	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	887	-	-	-	-	-	2	-	-	1	-	3	9	28	33	98	111	142	153	132	83	61	24	6	1	-	-
	White..M.	580	-	-	-	-	-	1	-	-	-	-	3	7	18	27	79	82	96	101	81	41	29	12	3	-	-	-
	F.	289	-	-	-	-	-	1	-	-	-	-	-	2	9	5	16	27	42	50	49	42	30	12	3	1	-	-
	Nonwhite..M.	13	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	2	2	2	-	1	-	-	-	-	-
	F.	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	1,988	3	-	-	-	-	-	-	4	5	4	6	7	17	43	83	120	182	255	376	383	279	157	54	7	1	-
	White..M.	967	2	-	-	-	-	-	-	2	1	3	4	5	10	20	51	74	118	135	173	169	120	58	19	3	-	-
	F.	983	1	-	-	-	-	-	-	2	4	1	2	2	6	20	29	41	59	117	196	212	157	96	34	4	-	-
	Nonwhite..M.	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	1	3	-	2	-	-	-	1	-
	F.	22	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	2	6	2	-	3	1	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	446	60	13	3	3	-	4	-	4	7	4	11	8	14	19	17	29	34	44	47	46	37	29	10	1	2	-
	White..M..	232	29	6	-	1	-	2	-	2	4	3	6	7	11	9	12	17	19	25	28	25	13	9	4	-	-	-
	F..	204	28	6	3	2	-	2	-	2	3	1	4	-	3	10	4	11	14	19	19	21	24	20	5	1	2	-
	Nonwhite..M..	7	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	1	-	-	-
	F..	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	199	44	5	-	2	-	-	-	1	5	2	3	3	5	7	4	7	17	14	19	19	16	19	5	-	2	-
	White..M..	102	22	3	-	1	-	-	-	-	4	1	2	3	5	1	3	5	11	9	9	8	7	6	2	-	-	-
	F..	94	20	2	-	1	-	-	-	1	1	1	1	-	-	6	1	2	6	5	10	11	9	13	2	-	2	-
	Nonwhite..M..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	200	14	3	2	-	-	3	-	2	2	1	8	4	8	9	11	17	13	29	24	23	16	6	4	1	-	-
	White..M..	110	6	2	-	-	-	2	-	1	-	1	4	3	5	7	8	11	5	15	18	14	5	1	2	-	-	-
	F..	84	7	1	2	-	-	1	-	1	2	-	3	-	3	2	2	5	7	14	6	9	11	5	2	1	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	14	1	3	-	-	-	1	-	-	-	1	-	-	-	3	1	-	2	1	-	-	-	1	-	-	-	-
	White..M..	7	1	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	F..	6	-	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite..M..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	33	1	2	1	1	-	-	-	1	-	-	-	1	1	-	1	5	2	-	4	4	5	3	1	-	-	-
	White..M..	13	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	-	-	1	3	1	2	-	-	-	-
	F..	20	1	2	1	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	3	1	4	1	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	57	-	-	-	-	-	-	-	-	-	1	1	2	3	5	8	11	7	6	6	3	4	-	-	-	-	-
	White..M..	45	-	-	-	-	-	-	-	-	-	1	1	2	2	5	6	8	4	6	5	3	2	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	-	1	-	2	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	47	31	1	1	1	-	1	-	-	-	-	1	1	1	-	2	2	2	1	-	-	-	1	1	-	-	-
	White..M..	26	20	-	1	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-
	F..	20	10	1	-	1	-	1	-	-	-	-	1	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	38	-	-	-	1	1	1	-	1	1	1	2	2	1	4	2	5	3	6	3	1	-	-	-	-	-	-
	White..M..	23	-	-	-	1	-	-	-	1	-	1	2	2	1	2	1	4	2	4	1	1	-	-	-	-	-	-
	F..	15	-	-	-	-	1	1	-	-	1	-	-	-	-	2	1	1	1	2	2	3	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	63	-	-	-	-	-	-	-	-	1	1	1	1	2	4	2	8	8	8	7	9	7	3	1	-	-	-
	White..M..	33	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	4	4	6	4	6	1	3	-	-	-	-
	F..	29	-	-	-	-	-	-	-	-	1	1	-	-	2	2	1	4	4	2	2	3	6	-	1	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	92	-	-	-	-	-	-	-	-	-	1	3	6	4	6	12	11	17	12	14	6	2	-	-	-	-	-
	White..M..	51	-	-	-	-	-	-	-	-	-	-	2	3	3	2	7	5	9	8	8	3	1	-	-	-	-	-
	F..	40	-	-	-	-	-	-	-	-	-	1	1	3	1	4	4	6	8	4	4	3	1	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	50	-	-	-	-	-	-	-	-	-	-	-	3	3	4	5	4	7	10	8	3	2	-	-	-	-	1
	White..M..	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	1	1	2	1	1	1	-	-	-	-	-
	F..	36	-	-	-	-	-	-	-	-	-	-	-	3	2	2	1	3	6	8	7	2	1	-	-	-	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	600	1	1	2	-	-	1	2	2	6	2	6	7	20	26	40	39	66	72	103	97	61	29	14	3	-	-
	White..M..	305	1	1	1	-	-	-	-	-	3	2	3	2	11	15	24	17	38	52	49	43	26	9	8	-	-	-
	F..	279	-	-	1	-	-	1	2	1	3	-	3	5	8	9	14	20	26	19	54	53	35	18	5	2	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	1	-	-	-	-
	F..	9	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	-	-	1	-	1	-	1	-	-	-
137	Diseases of the prostate	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	10	9	11	6	-	-	-	-
	White..M..	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	9	9	11	6	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Con.																										
140-150	Diseases of pregnancy, etc.*...	25	-	-	-	-	-	-	-	2	3	4	7	7	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	24	-	-	-	-	-	-	-	2	3	4	6	7	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	10	-	-	-	-	-	-	-	1	-	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	9	-	-	-	-	-	-	-	1	-	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	6	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	6	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	8	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	8	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	124	107	1	3	2	1	1	4	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	71	58	-	1	2	1	1	4	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	53	49	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	146	146	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	84	84	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	58	58	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	59	-	-	-	-	-	-	-	-	3	3	7	10	5	4	2	5	5	3	5	5	2	-	-	-	-
	White.....M..	44	-	-	-	-	-	-	-	-	3	3	4	8	2	3	1	4	4	3	4	5	-	-	-	-	-
	F..	15	-	-	-	-	-	-	-	-	-	-	3	2	3	1	1	1	1	-	1	-	2	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	5	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	445	15	6	6	2	5	16	8	18	20	14	14	16	17	16	19	16	31	36	46	39	47	22	11	4	-	1
	White.....M..	261	9	3	4	-	3	11	8	13	15	13	12	11	13	14	7	14	24	16	27	18	16	5	3	1	-	1
	F..	177	5	3	1	2	2	5	-	5	4	1	2	4	3	2	11	2	7	20	19	20	31	17	8	3	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
170	Motor-vehicle accidents.....	78	-	1	3	2	3	1	4	8	4	4	1	3	1	1	4	3	10	5	11	4	4	-	1	-	-	-
	White.....M..	63	-	-	3	-	2	1	4	6	2	4	1	3	1	1	1	3	9	4	10	3	4	-	1	-	-	-
	F..	14	-	1	-	2	1	-	-	2	2	-	-	-	-	-	3	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
169, 171-195	Other accidents..	367	15	5	3	-	2	15	4	10	16	10	13	13	16	15	15	13	21	31	35	35	43	22	10	4	-	1
	White.....M..	198	9	3	1	-	1	10	4	7	13	9	11	8	12	13	6	11	15	12	17	15	12	5	2	1	-	1
	F..	163	5	2	1	-	1	5	-	3	2	1	2	4	3	2	8	2	6	19	18	20	31	17	8	3	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
182,199, 200	Senility, ill-defined and unknown causes...	29	3	-	-	1	-	-	1	-	1	-	-	-	1	-	-	1	-	2	1	4	6	5	3	-	-	-
	White.....M..	14	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	2	4	2	1	-	-	-
	F..	13	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	2	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	638	102	8	8	4	1	11	5	6	10	15	13	24	28	28	34	56	32	51	63	51	40	27	17	3	1	-
	White.....M..	318	68	4	3	3	1	9	4	3	4	4	2	9	12	10	19	23	15	33	36	24	17	9	6	-	-	-
	F..	305	31	4	5	1	-	2	1	2	6	10	10	15	14	17	15	30	17	17	25	27	23	18	11	3	1	-
	Nonwhite..M..	7	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-
	F..	8	2	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA																										
	All causes.....	18,139	2,828	262	119	101	77	219	215	404	630	604	664	714	961	1050	1,375	1,463	1,428	1,454	1,250	962	653	389	158	60	38	61
	White.....M..	5,359	741	50	30	20	16	49	56	109	227	141	148	163	211	280	371	429	458	589	500	364	243	107	35	9	3	10
	F..	3,705	533	35	22	17	18	42	21	53	64	76	89	109	147	130	188	266	294	363	380	340	274	180	49	11	1	5
	Nonwhite..M..	4,514	822	82	31	34	20	58	69	128	142	178	207	191	281	309	331	381	355	264	211	132	66	50	29	16	9	20
	F..	4,561	732	95	36	30	25	70	69	114	197	211	220	251	322	331	385	387	321	238	159	126	70	52	45	24	25	26
1,2	Typhoid and paratyphoid fever..	37	1	-	-	-	1	4	5	7	3	3	-	2	5	1	-	2	3	-	-	-	-	-	-	-	-	-
	White.....M..	7	1	-	-	-	-	-	1	2	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	14	-	-	-	-	-	3	2	4	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	F..	15	-	-	-	-	1	1	2	1	2	3	-	-	3	-	-	1	1	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	26	2	1	-	1	1	5	-	2	1	2	2	1	5	2	-	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	6	-	-	-	-	-	3	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	1	1	-	-	1	-	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	8	2	-	-	-	-	-	-	1	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever.....	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	91	66	20	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	14	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	14	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	18	14	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	45	31	11	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	27	3	9	1	4	4	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	11	2	3	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	6	-	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	660	10	5	-	-	-	6	10	46	97	184	82	53	62	40	43	38	28	28	11	10	5	-	1	-	-	1
	White.....M..	132	2	-	-	-	-	-	-	2	3	3	12	15	18	12	14	11	10	15	4	6	3	-	1	-	-	1
	F..	67	-	2	-	-	-	1	-	3	6	9	7	2	8	6	2	5	1	7	3	4	1	-	-	-	-	-
	Nonwhite..M..	225	4	2	-	-	-	2	3	17	34	31	36	14	18	12	19	14	13	4	1	-	1	-	-	-	-	-
	F..	236	4	1	-	-	-	3	7	24	54	41	27	22	18	10	8	8	4	2	3	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	618	4	4	-	-	-	4	10	43	92	82	77	48	61	37	39	37	28	27	11	9	3	-	1	-	-	1
	White.....M..	123	1	-	-	-	-	-	-	2	3	3	12	13	17	12	12	11	10	14	4	6	1	-	1	-	-	1
	F..	64	-	2	-	-	-	-	-	3	6	9	7	1	8	6	2	5	1	7	3	3	1	-	-	-	-	-
	Nonwhite..M..	209	2	2	-	-	-	1	3	16	31	30	32	13	18	10	18	14	13	4	1	-	1	-	-	-	-	-
	F..	222	1	-	-	-	-	3	7	22	52	40	26	21	18	9	7	7	4	2	3	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	42	6	1	-	-	-	2	-	3	5	2	5	5	1	3	4	1	-	1	-	1	2	-	-	-	-	-
	White.....M..	9	1	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	1	-	-	2	-	-	-	-	-
	F..	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	16	2	-	-	-	-	1	-	1	3	1	4	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F..	14	3	1	-	-	-	-	-	2	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	35	16	4	1	-	1	-	1	-	1	-	-	-	-	1	-	-	3	4	2	-	-	-	-	1	-	-
	White.....M..	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	10	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	Nonwhite..M..	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	14	3	2	-	-	-	-	1	-	1	-	-	-	-	1	-	-	3	2	-	-	-	-	-	1	-	-
28	Malaria.....	64	9	3	3	-	-	7	3	2	3	8	3	2	-	3	5	2	5	1	3	1	-	-	1	-	-	-
	White.....M..	6	-	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F..	6	1	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	24	5	1	2	-	-	3	2	1	-	4	1	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-
	F..	28	3	1	-	-	-	3	1	1	2	3	-	2	-	2	3	-	2	1	2	1	-	-	1	-	-	-
30	Syphilis.....	267	31	1	2	-	-	1	1	3	11	17	29	31	24	22	21	25	18	15	8	4	1	1	-	-	-	1
	White.....M..	36	1	-	-	-	-	-	-	-	-	-	-	6	2	-	4	6	3	6	5	2	-	1	-	-	-	-
	F..	12	2	-	-	-	-	-	-	-	-	-	1	2	1	-	-	3	-	1	1	1	-	-	-	-	-	-
	Nonwhite..M..	149	14	-	1	-	-	-	-	1	4	14	19	13	17	15	14	16	11	6	2	-	1	-	-	-	-	1
	F..	70	14	1	1	-	-	1	1	2	7	3	9	10	4	7	3	-	4	2	-	1	-	-	-	-	-	-
35	Measles.....	41	12	11	2	1	5	4	2	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	13	5	3	1	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	12	4	4	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	6	3	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	10	-	4	-	-	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliocencephalitis (acute)..	14	3	-	-	-	-	4	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	5	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	1	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																										
45-55	Cancer and other malignant tumors.....	1,280	2	-	-	2	1	3	5	6	15	24	37	64	113	119	148	178	156	143	119	68	54	11	5	2	-	5
	White.....M..	375	1	-	-	-	-	1	4	1	8	7	8	10	18	21	32	51	57	46	44	32	25	5	2	1	-	1
	F..	441	1	-	-	-	-	1	-	2	2	5	11	18	40	37	40	63	54	64	47	24	23	5	3	-	-	1
	Nonwhite..M..	156	-	-	-	2	1	1	-	1	5	3	5	8	15	18	22	24	18	15	12	3	3	-	-	-	-	-
	F..	308	-	-	-	-	-	-	1	2	-	9	13	28	40	43	54	40	27	18	16	9	3	1	-	1	-	3
46	Cancer of digestive organs, peritoneum.....	477	1	-	-	-	-	-	1	-	1	3	11	13	28	31	61	69	69	70	52	31	27	5	2	1	-	3
	White.....M..	162	-	-	-	-	-	-	1	-	-	1	2	1	6	6	16	28	25	27	18	17	11	3	-	-	-	-
	F..	136	1	-	-	-	-	-	-	-	-	1	2	2	4	6	7	17	19	28	21	11	12	2	2	-	-	1
	Nonwhite..M..	82	-	-	-	-	-	-	-	-	1	-	5	6	6	8	15	10	14	6	8	1	2	-	-	-	-	-
	F..	97	-	-	-	-	-	-	-	-	-	1	2	4	10	11	23	14	11	9	5	2	2	-	-	1	-	2
48,49	Cancer of female genital organs.	260	-	-	-	-	-	-	-	-	1	5	10	25	36	32	39	36	25	19	12	11	8	-	-	-	-	1
	White.....F..	134	-	-	-	-	-	-	-	-	1	2	3	8	19	13	21	17	14	17	5	7	7	-	-	-	-	-
	Nonwhite..F..	126	-	-	-	-	-	-	-	-	-	3	7	17	17	19	18	19	11	2	7	4	1	-	-	-	-	1
50	Cancer of breast.	115	-	-	-	-	-	-	-	-	1	3	2	9	19	14	10	18	10	14	9	3	3	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	68	-	-	-	-	-	-	-	-	1	1	1	4	10	6	4	13	7	11	7	1	2	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	44	-	-	-	-	-	-	-	-	-	2	1	5	8	8	6	5	3	2	2	2	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	428	1	-	-	2	1	3	4	6	12	13	14	17	32	42	38	55	52	40	46	23	16	6	3	1	-	1
	White.....M..	212	1	-	-	-	-	1	3	1	8	6	6	9	12	15	16	23	32	19	26	15	13	2	2	1	-	1
	F..	105	-	-	-	-	-	1	-	2	-	1	5	4	7	12	8	16	14	8	14	5	2	3	1	-	-	-
	Nonwhite..M..	72	-	-	-	2	1	1	-	1	4	3	-	2	8	10	7	14	4	8	4	2	1	-	-	-	-	-
	F..	41	-	-	-	-	-	-	1	2	-	3	3	2	5	5	7	2	2	5	2	1	-	1	-	-	-	-
58	Acute rheumatic fever.....	32	-	-	-	5	1	5	2	5	2	2	1	1	1	-	-	-	3	2	-	2	-	-	-	-	-	-
	White.....M..	6	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F..	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	11	-	-	-	1	-	2	1	3	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F..	12	-	-	-	3	-	3	1	-	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	313	2	-	-	-	-	1	3	8	8	2	7	13	18	30	34	42	31	49	30	18	12	4	-	1	-	-
	White.....M..	78	1	-	-	-	-	-	1	1	1	2	1	2	2	9	4	4	8	17	10	6	5	2	-	-	-	-
	F..	125	1	-	-	-	-	-	-	3	3	-	1	4	2	4	8	19	16	25	18	12	6	2	-	1	-	-
	Nonwhite..M..	31	-	-	-	-	-	-	-	2	1	-	3	1	6	2	7	5	2	1	1	-	-	-	-	-	-	-
	F..	81	-	-	-	-	-	1	2	2	3	-	2	6	8	15	15	14	5	6	1	-	1	-	-	-	-	-
63b	Exophthalmic goiter.....	15	-	-	-	-	-	-	-	-	-	-	2	1	5	2	1	2	-	1	1	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	58	1	-	-	-	-	-	-	-	-	3	1	5	6	2	4	7	5	5	6	3	4	5	-	1	-	-
	White.....M..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	2	1	-	-	-	-
	F..	18	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	2	2	2	2	2	-	-	-	-
	Nonwhite..M..	12	-	-	-	-	-	-	-	-	-	-	1	3	-	-	2	3	1	1	-	-	-	1	-	-	-	-
	F..	20	-	-	-	-	-	-	-	-	-	3	-	2	4	1	1	-	2	2	2	1	-	1	-	1	-	-
77	Alcoholism (ethylism).....	16	-	-	-	-	-	-	-	-	1	2	1	2	5	2	2	-	1	-	-	-	-	-	-	-	-	-
	White.....M..	13	-	-	-	-	-	-	-	-	1	2	1	1	4	2	2	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	1,754	2	2	-	-	1	4	1	6	4	13	26	50	95	141	191	250	205	217	212	155	85	64	13	7	7	3
	White.....M..	462	-	2	-	-	-	1	1	1	2	2	11	5	18	36	57	57	78	83	70	23	12	1	1	-	-	-
	F..	407	2	-	-	-	-	2	-	1	-	1	4	9	14	18	33	48	48	47	61	47	38	28	4	-	-	2
	Nonwhite..M..	426	-	-	-	-	-	1	-	1	1	4	11	15	31	46	65	67	45	49	40	18	9	13	4	3	2	1
	F..	459	-	-	-	-	1	-	-	3	2	6	9	15	45	59	57	78	55	43	28	20	15	11	4	3	5	-
90-95	Diseases of the heart.....	3,611	1	-	2	-	-	5	15	23	32	61	68	104	179	309	408	394	461	474	396	314	203	99	34	11	6	12
	White.....M..	1,376	-	-	-	-	-	1	5	4	3	9	17	25	58	124	134	160	181	234	184	116	78	30	7	1	3	2
	F..	752	-	-	-	-	-	-	1	4	5	9	5	11	11	22	41	55	91	110	133	113	86	40	11	3	-	1
	Nonwhite..M..	743	1	-	1	-	-	1	3	7	10	16	22	24	48	90	125	88	99	67	45	46	19	17	8	3	-	3
	F..	740	-	-	1	-	-	3	6	8	14	27	24	44	62	73	108	91	90	63	34	39	20	12	8	4	3	6
90a,92b, c, 93c,95b	Chronic rheumatic diseases of the heart.....	239	-	-	-	-	-	1	10	10	8	15	4	11	14	21	23	19	15	25	20	20	10	7	4	-	1	1
	White.....M..	50	-	-	-	-	-	-	3	3	2	1	-	2	3	3	3	8	4	3	6	7	3	-	-	-	-	1
	F..	54	-	-	-	-	-	-	1	1	3	3	1	3	2	2	1	1	3	7	8	5	5	5	3	-	-	-
	Nonwhite..M..	56	-	-	-	-	-	-	3	1	1	6	2	-	3	6	11	4	5	10	1	2	1	-	-	-	-	-
	F..	79	-	-	-	-	-	1	3	5	2	5	1	6	6	10	8	8	3	5	5	6	1	2	1	-	1	-
94	Diseases of coronary arteries, angina pectoris.....	1,020	-	-	-	-	-	-	-	-	5	5	19	34	66	121	123	137	127	144	130	60	26	13	4	-	2	4
	White.....M..	605	-	-	-	-	-	-	-	-	-	2	11	16	42	80	75	88	73	93	76	32	9	5	1	-	2	-
	F..	201	-	-	-	-	-	-	-	-	1	-	1	6	4	5	10	23	33	30	44	19	16	8	-	-	-	1
	Nonwhite..M..	112	-	-	-	-	-	-	-	-	2	-	3	6	13	21	21	11	9	12	7	6	-	-	1	-	-	-
	F..	102	-	-	-	-	-	-	-	-	2	3	4	6	7	15	17	15	12	9	3	3	1	-	2	-	-	3
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart(other forms).....	2,352	1	-	2	-	-	4	5	13	19	41	45	59	99	167	262	238	319	305	246	234	167	79	26	11	3	7
	White.....M..	721	-	-	-	-	-	1	2	1	1	6	6	7	13	41	56	66	104	138	102	77	66	25	6	1	1	1
	F..	497	-	-	-	-	-	-	-	3	1	6	3	2	5	15	30	31	55	73	81	89	65	27	8	3	-	-
	Nonwhite..M..	575	1	-	1	-	-	1	-	6	7	10	17	18	32	63	93	73	85	45	37	38	18	17	7	3	-	3
	F..	559	-	-	1	-	-	2	3	3	10	19	19	32	49	48	83	68	75	49	26	30	18	10	5	4	2	3

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																										
107-109, 33	Pneumonia (all forms) and influenza	1,447	480	62	25	19	17	32	21	25	26	32	40	36	54	42	69	69	69	76	61	79	42	40	13	8	3	7
	White—M	289	90	10	2	4	1	5	2	1	2	8	6	5	3	10	14	15	10	21	24	24	16	14	1	-	-	1
	F	275	77	7	6	2	1	9	3	2	3	3	4	4	2	5	6	14	13	20	15	35	16	19	6	3	-	-
	Nonwhite—M	427	158	26	5	5	5	7	7	13	9	11	13	15	25	12	22	19	20	17	14	9	4	3	1	4	-	3
	F	456	155	19	12	8	10	11	9	9	12	10	17	12	24	15	27	21	26	18	8	11	6	4	5	1	3	3
107	Bronchopneumonia	435	228	21	13	6	4	9	2	5	5	7	10	5	12	8	7	14	11	12	11	14	13	11	6	2	1	-
	White—M	86	49	3	1	2	1	1	-	-	1	1	1	-	1	-	1	3	4	3	2	3	3	6	-	-	-	-
	F	80	35	2	2	1	-	2	1	-	-	-	1	-	2	1	1	4	2	5	2	6	6	3	4	-	-	-
	Nonwhite—M	139	78	9	3	3	-	2	1	4	1	2	3	3	4	2	3	3	3	3	5	3	1	2	-	1	-	-
	F	130	66	7	7	-	3	4	-	1	3	4	5	2	5	3	2	4	2	1	2	2	3	-	2	1	1	-
108	Lobar pneumonia	470	109	15	4	8	9	12	10	13	7	13	12	19	25	19	30	31	28	27	25	25	10	12	2	-	-	5
	White—M	102	22	1	-	1	-	4	2	1	1	5	2	3	1	7	7	7	2	8	13	6	4	3	1	-	-	1
	F	86	21	1	2	-	-	4	-	1	-	1	1	4	-	1	1	3	9	8	3	16	3	7	-	-	-	-
	Nonwhite—M	143	28	9	1	2	4	2	4	7	3	6	4	8	14	7	10	9	7	6	7	2	2	-	-	-	-	1
	F	139	38	4	1	5	5	2	4	4	3	1	5	4	10	4	12	12	10	5	2	1	1	2	1	-	-	3
109	Pneumonia (unspecified)	126	56	7	2	2	1	5	1	2	6	1	5	5	2	4	5	3	4	3	5	3	-	3	-	-	-	1
	White—M	19	8	1	-	1	-	-	-	-	-	-	1	-	-	-	1	2	1	-	2	2	-	-	-	-	-	-
	F	22	4	2	1	-	-	2	1	-	2	1	2	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-
	Nonwhite—M	41	25	1	-	-	1	1	-	1	2	-	1	1	1	-	1	1	2	1	1	-	-	-	-	-	-	1
	F	44	19	3	1	1	-	2	-	1	2	-	1	4	1	2	3	-	-	1	1	1	-	1	-	-	-	-
33	Influenza	416	87	19	6	3	3	6	8	5	8	11	13	7	15	13	27	21	26	34	20	37	19	14	5	6	2	1
	White—M	82	11	5	1	-	-	-	-	-	-	2	2	2	1	3	5	3	3	10	7	13	9	5	-	-	-	-
	F	87	17	2	1	1	1	1	1	1	1	1	-	-	1	4	7	1	6	9	13	7	7	2	3	-	-	-
	Nonwhite—M	104	27	7	1	-	-	2	2	1	3	3	5	3	6	3	8	6	8	7	1	4	1	1	1	3	-	1
	F	143	32	5	3	2	2	3	5	3	4	5	6	2	8	8	10	5	14	11	3	7	2	1	2	-	2	-
117	Ulcer of stomach or duodenum	74	-	-	-	-	-	-	1	-	-	4	6	6	5	9	13	10	2	11	4	2	-	1	-	-	-	-
	White—M	42	-	-	-	-	-	-	1	-	-	1	4	4	2	4	8	4	1	10	2	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	-	1	1	1	-	1	-	-	-	-
	Nonwhite—M	17	-	-	-	-	-	-	-	-	-	1	1	1	2	4	2	5	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	417	293	48	14	9	2	6	3	-	-	5	4	4	5	2	2	3	5	1	4	1	-	3	1	-	1	1
	White—M	83	67	8	1	-	-	-	1	-	-	1	1	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-
	F	50	40	1	1	2	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	1	-	-	-
	Nonwhite—M	143	106	13	7	4	1	3	2	-	-	1	-	1	-	1	-	1	2	-	-	1	-	-	-	-	-	-
	F	141	80	26	5	3	1	2	-	-	-	3	3	3	4	-	1	2	2	1	2	-	-	1	-	-	1	1
121	Appendicitis	94	-	1	3	-	1	6	7	12	3	8	9	9	4	7	6	2	4	6	3	-	-	1	1	-	1	-
	White—M	35	-	-	1	-	-	2	2	1	1	2	4	5	2	2	4	1	1	4	2	-	-	-	1	-	-	-
	F	26	-	-	2	-	-	2	1	6	-	2	2	4	-	1	-	1	1	2	1	-	-	1	-	-	-	-
	Nonwhite—M	20	-	-	-	-	-	1	4	4	1	2	1	-	2	2	2	-	1	-	-	-	-	-	-	-	-	-
	F	13	-	1	-	-	1	1	-	1	1	2	2	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-
122	Hernia, intestinal obstruction	121	9	1	2	-	-	1	-	3	5	7	11	7	13	5	11	6	11	12	6	6	1	2	1	-	-	1
	White—M	39	2	-	2	-	-	-	-	1	1	-	2	3	2	2	2	2	6	6	2	5	1	1	1	-	-	-
	F	22	2	-	-	-	-	-	-	1	3	3	1	2	-	3	-	1	2	2	-	-	1	-	-	-	-	1
	Nonwhite—M	29	4	-	-	-	-	-	-	1	3	1	2	2	1	-	5	4	2	2	-	-	-	-	-	-	-	-
	F	31	1	1	-	-	-	1	-	2	-	2	6	2	7	3	1	-	2	2	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	59	-	-	-	-	-	-	2	-	1	-	2	5	8	2	13	6	7	6	2	4	-	1	-	-	-	-
	White—M	29	-	-	-	-	-	-	1	-	1	-	1	2	2	1	7	3	4	3	1	3	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	2	2	1	-	-	1	-	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	1	1	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	-	-	-	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	26	-	-	-	-	-	-	-	-	1	-	1	-	1	1	4	2	3	3	4	2	3	1	-	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	2	2	1	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	3	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,785	2	1	3	7	2	8	12	14	12	23	63	59	92	118	161	208	218	205	199	134	112	69	39	11	6	9
	White—M	417	-	-	-	1	-	-	2	4	3	2	3	5	12	24	24	38	53	64	69	45	39	16	12	1	-	-
	F	355	1	-	-	-	-	2	5	-	2	3	8	11	10	7	19	28	30	43	53	44	44	35	7	2	1	-
	Nonwhite—M	485	1	1	-	6	2	3	2	6	4	7	10	16	24	43	63	68	75	49	42	22	15	9	8	2	3	4
	F	528	-	-	3	-	-	3	3	4	3	11	42	27	46	44	55	74	58	49	35	23	14	9	12	6	2	5
137	Diseases of the prostate	69	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	9	9	11	9	14	7	-	-	-	-
	White—M	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4	7	6	14	4	-	-	-	-
	Nonwhite—M	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	5	5	4	1	-	3	-	-	-	-

* Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Con.																										
140-150	Diseases of pregnancy, etc.*...	193	-	-	-	-	-	-	2	19	47	39	34	40	8	2	-	-	-	-	-	-	-	-	-	-	2
	White.....F..	57	-	-	-	-	-	-	-	2	13	10	12	14	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	136	-	-	-	-	-	-	2	17	34	29	22	26	2	2	-	-	-	-	-	-	-	-	-	-	2
140,142a, 145A, 147	Puerperal septicemia.....	59	-	-	-	-	-	-	-	5	14	12	15	11	1	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	21	-	-	-	-	-	-	-	1	5	4	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	38	-	-	-	-	-	-	-	4	9	8	9	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxamia	64	-	-	-	-	-	-	2	5	19	12	9	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	19	-	-	-	-	-	-	-	1	5	3	3	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	45	-	-	-	-	-	-	2	4	14	9	6	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b 143,146, 149	Hemorrhage, trauma and shock*.....	46	-	-	-	-	-	-	-	4	12	8	9	10	1	-	-	-	-	-	-	-	-	-	-	-	2
	White.....F..	9	-	-	-	-	-	-	-	-	3	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	37	-	-	-	-	-	-	-	4	9	7	7	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2
141d,e,f, 145B,150	Other puerperal causes.....	24	-	-	-	-	-	-	-	5	2	7	1	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	8	-	-	-	-	-	-	-	-	-	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	16	-	-	-	-	-	-	-	5	2	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	221	180	6	8	2	4	2	10	2	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	82	71	1	2	-	-	1	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	75	68	2	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	34	24	1	1	-	2	-	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	30	17	2	3	-	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	757	757	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	280	280	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	183	183	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	140	140	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	154	154	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	97	-	-	-	-	-	1	6	16	9	9	12	11	5	10	7	6	1	1	1	1	1	-	-	-	-	-
	White.....M..	66	-	-	-	-	-	-	-	2	8	5	7	9	9	4	8	5	4	1	1	1	1	-	-	-	-	-
	F..	23	-	-	-	-	-	-	-	3	5	3	2	3	2	-	2	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	1	2	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	194	-	1	-	-	-	2	4	19	26	39	35	19	16	7	6	8	2	3	3	1	1	-	-	-	-	2
	White.....M..	42	-	-	-	-	-	-	-	1	5	5	10	2	6	1	2	4	-	3	2	1	-	-	-	-	-	-	-
	F..	13	-	-	-	-	-	2	1	1	-	4	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	108	-	1	-	-	-	-	1	13	12	24	21	14	9	4	2	2	2	-	1	-	-	-	-	-	-	2
	F..	31	-	-	-	-	-	-	2	4	9	6	3	3	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
169-195	Accidental deaths	1,449	67	40	26	28	21	63	68	141	222	129	103	85	77	53	64	49	34	33	40	36	28	23	5	1	3	10
	White.....M..	699	17	11	11	7	9	19	23	79	172	77	50	39	32	21	27	26	11	17	16	11	8	7	4	1	-	4
	F..	192	20	7	2	5	5	12	7	13	7	9	10	7	9	4	6	2	3	6	10	16	17	14	1	-	-	-
	Nonwhite..M..	378	14	10	5	8	3	17	27	36	33	34	37	30	27	19	25	13	12	4	9	5	2	1	-	-	2	5
	F..	180	16	12	8	8	4	15	11	13	10	9	6	9	9	9	6	8	8	6	5	4	1	1	-	-	1	1
170	Motor-vehicle accidents.....	446	5	5	3	9	13	24	22	49	49	49	52	38	35	17	25	14	13	4	9	6	-	1	-	-	-	4
	White.....M..	212	1	1	3	4	7	10	9	23	27	23	27	15	14	6	11	9	6	4	6	4	-	-	-	-	-	2
	F..	52	2	3	-	1	4	3	2	11	3	4	4	5	5	1	3	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	142	1	-	-	3	1	7	7	11	16	20	18	15	10	7	9	4	6	-	2	2	-	1	-	-	-	2
	F..	40	1	1	-	1	1	4	4	4	3	2	3	3	6	3	2	1	-	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,003	62	35	23	19	8	39	46	92	173	80	51	47	42	36	39	35	21	29	31	30	28	22	5	1	3	6
	White.....M..	487	16	10	8	3	2	9	14	56	145	54	23	24	18	15	16	17	5	13	10	7	8	7	4	1	-	2
	F..	140	18	4	2	4	1	9	5	2	4	5	6	2	4	3	3	2	2	6	10	18	17	14	1	-	-	-
	Nonwhite..M..	236	13	10	5	5	2	10	20	25	17	14	19	15	17	12	16	9	6	4	7	3	2	-	-	-	2	3
	F..	140	15	11	8	7	3	11	7	9	7	7	3	6	3	6	4	7	8	6	4	4	1	1	-	-	1	1
162,199, 200	Senility, ill-defined and unknown causes...	1,122	433	15	6	4	3	10	8	6	25	26	26	26	55	47	73	68	55	46	44	37	25	27	30	11	11	5
	White.....M..	140	34	-	1	-	-	-	-	-	3	-	4	3	11	4	15	14	13	10	6	7	3	7	1	4	-	-
	F..	87	22	1	1	-	-	1	1	-	-	1	-	2	3	1	2	6	4	2	4	7	10	8	9	2	-	-
	Nonwhite..M..	450	205	8	4	2	2	2	3	3	8	9	10	7	22	19	30	20	18	21	23	14	5	3	7	2	2	1
	F..	445	172	6	-	2	1	7	4	3	14	16	12	14	19	23	26	28	20	13	11	9	7	9	13	3	9	4
	All other causes.	1,672	446	31	19	18	10	34	25	46	62	59	60	76	93	76	83	77	86	103	80	75	62	29	14	6	-	2
	White.....M..	511	154	8	8	4	3	11	7	8	10	11	15	15	20	19	27	23	31	47	32	23	25	5	4	-	-	1
	F..	421	91	6	6	4	2	7	1	9	14	10	14	15	29	21	21	10	22	26	24	33	28	21	7	-	-	-
	Nonwhite..M..	398	122	11	4	4	3	9	8	13	12	12	10	23	24	17	20	23	23	21	14	13	7	-	1	2	-	-
	F..	344	79	6	1	6	2	7	9	16	26	26	21	23	20	19	15	21	10	9	10	6	2	3	2	4	-	1

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA																											
	All causes.....	5,650	445	55	28	23	13	51	60	102	87	80	79	97	149	199	297	366	452	586	702	696	612	344	101	16	3	7
	White.....M..	3,119	214	15	12	13	3	19	31	57	45	38	28	44	73	124	183	219	272	349	411	409	331	164	52	7	1	5
	F..	2,153	154	13	9	5	6	20	20	25	26	32	38	46	71	67	102	136	166	214	255	264	264	161	46	9	2	2
	Nonwhite..M..	191	33	16	3	3	-	5	5	11	9	8	4	3	1	4	7	7	7	13	21	12	11	5	3	-	-	-
	F..	167	44	11	4	2	4	7	4	9	7	2	9	4	4	4	5	4	7	10	15	11	6	14	-	-	-	-
1,2	Typhoid and paratyphoid fever..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	8	3	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White.....M..	3	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	13	10	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	8	-	1	2	1	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	4	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	178	7	11	2	3	1	5	6	17	18	11	18	10	6	11	9	7	5	11	9	5	6	-	-	-	-	-
	White.....M..	51	-	1	-	-	-	-	-	2	4	2	3	4	2	6	5	5	2	5	4	3	3	-	-	-	-	-
	F..	34	-	-	-	-	-	-	2	1	-	3	9	4	2	2	4	-	2	-	1	2	2	-	-	-	-	-
	Nonwhite..M..	52	1	7	1	1	-	1	1	7	8	4	3	2	-	3	-	2	1	5	4	-	1	-	-	-	-	-
	F..	41	6	3	1	2	1	4	3	7	6	2	3	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	138	4	5	1	-	-	1	5	16	16	9	15	10	5	7	8	5	5	10	7	3	6	-	-	-	-	-
	White.....M..	45	-	-	-	-	-	-	-	2	4	2	4	4	2	5	4	4	2	5	4	2	3	-	-	-	-	-
	F..	28	-	-	-	-	-	-	1	-	-	3	8	4	1	2	4	-	2	-	-	1	2	-	-	-	-	-
	Nonwhite..M..	38	-	3	1	-	-	1	1	7	7	2	3	2	-	-	-	1	1	5	3	-	1	-	-	-	-	-
	F..	27	4	2	-	-	-	-	3	7	5	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	40	3	6	1	3	1	4	1	1	2	2	3	-	1	4	1	2	-	1	2	2	-	-	-	-	-	-
	White.....M..	6	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite..M..	14	1	4	-	1	-	-	-	-	1	2	-	-	-	3	-	1	-	-	1	-	-	-	-	-	-	-
	F..	14	2	1	1	2	1	4	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	32	2	-	-	1	-	-	-	1	-	-	2	2	1	6	6	1	2	2	4	1	1	-	-	-	-	-
	White.....M..	21	-	-	-	-	-	-	-	-	-	-	1	1	1	6	5	-	1	1	3	1	1	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles.....	15	4	3	-	1	2	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	4	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	1	-	-	-	2	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Con.																										
45-55	Cancer and other malignant tumors	724	-	1	-	1	-	-	1	2	2	9	9	16	22	34	53	73	84	112	105	98	72	27	2	-	-	1
	White....M..	359	-	-	-	-	-	-	1	2	-	3	2	5	5	12	19	36	45	63	53	68	34	10	1	-	-	-
	F..	339	-	1	-	1	-	-	-	-	2	5	6	10	17	21	33	37	38	45	44	29	35	13	1	-	-	1
	Nonwhite..M..	10	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	4	-	1	2	-	-	-	-
	F..	16	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	3	4	1	2	2	-	-	-	-
46	Cancer of digestive organs, peritoneum	360	-	-	-	-	-	-	-	-	1	1	3	5	5	13	27	36	38	66	51	59	45	10	-	-	-	-
	White....M..	204	-	-	-	-	-	-	-	-	-	-	2	2	4	8	15	21	25	38	24	41	22	2	-	-	-	-
	F..	142	-	-	-	-	-	-	-	-	1	1	1	2	1	5	11	15	13	26	21	18	22	5	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	1	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	4	-	-	2	-	-	-	-
48,49	Cancer of female genital organs	75	-	-	-	-	-	-	-	-	-	1	3	3	7	5	8	8	10	10	9	4	4	3	-	-	-	-
	White....F..	70	-	-	-	-	-	-	-	-	-	1	2	3	7	5	8	8	10	9	9	3	2	3	-	-	-	-
	Nonwhite..F..	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-
50	Cancer of breast	71	-	-	-	-	-	-	-	-	-	-	2	5	5	6	12	5	9	6	6	7	6	1	-	-	-	1
	White....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	69	-	-	-	-	-	-	-	-	-	-	2	5	5	6	12	5	8	6	6	6	6	1	-	-	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	218	-	1	-	1	-	-	1	2	1	7	1	3	5	10	6	24	27	30	39	28	17	13	2	-	-	-
	White....M..	154	-	-	-	-	-	-	1	2	-	3	-	3	1	4	4	15	20	25	29	26	12	8	1	-	-	-
	F..	58	-	1	-	1	-	-	-	-	1	3	1	-	4	5	2	9	7	4	8	2	5	4	1	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	10	-	-	-	-	-	2	1	1	-	-	-	-	1	1	1	1	-	-	1	1	-	-	-	-	-	-
	White....M..	5	-	-	-	-	-	1	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	131	-	-	-	-	-	-	1	1	2	2	-	2	4	3	5	12	8	19	34	22	12	5	-	-	-	1
	White....M..	49	-	-	-	-	-	-	-	1	-	1	-	1	1	2	2	2	1	8	12	11	6	1	-	-	-	-
	F..	77	-	-	-	-	-	-	1	-	2	1	-	1	3	1	2	9	5	11	21	10	6	3	-	-	-	1
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
63b	Exophthalmic goiter	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	-	-	-	-	-	-	-
	White....M..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	8	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	1	1	1	-	-	-	-	-	-	-
	White....M..	7	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	527	-	-	-	-	1	1	-	2	2	1	-	2	7	14	26	31	57	70	94	87	79	43	9	-	-	1
	White....M..	293	-	-	-	-	-	1	-	-	-	1	-	-	2	10	15	14	38	40	59	42	41	23	6	-	-	1
	F..	223	-	-	-	-	-	-	-	2	2	-	-	2	5	4	9	17	18	30	34	41	36	20	3	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	1	-	-	-	-	-
	F..	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-
90-95	Diseases of the heart	1,493	1	-	-	-	-	4	3	5	6	7	8	13	28	42	92	113	142	199	246	249	190	111	28	4	2	-
	White....M..	923	1	-	-	-	-	1	2	2	1	4	3	6	17	28	68	80	99	134	151	154	101	55	15	2	1	-
	F..	546	-	-	-	-	-	3	1	2	5	2	4	7	11	14	24	30	40	64	89	90	88	55	14	2	1	-
	Nonwhite..M..	15	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	2	1	1	4	1	1	1	1	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	4	-	-	-	-	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	71	-	-	-	-	-	1	1	1	2	3	4	2	5	4	3	7	2	10	6	8	9	2	1	-	-	-
	White....M..	37	-	-	-	-	-	-	1	1	1	3	2	1	2	2	1	3	1	4	3	5	6	1	-	-	-	-
	F..	33	-	-	-	-	-	1	-	-	1	-	2	1	3	2	2	4	1	6	3	3	2	1	1	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	509	-	-	-	-	-	-	-	-	1	-	1	6	11	16	48	56	67	88	82	77	32	19	5	-	-	-
	White....M..	369	-	-	-	-	-	-	-	-	-	-	-	2	8	15	40	41	54	65	52	56	21	11	4	-	-	-
	F..	138	-	-	-	-	-	-	-	-	1	-	1	4	3	1	8	13	13	22	29	21	11	8	1	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	913	1	-	-	-	-	3	2	4	3	4	3	5	12	22	41	50	73	101	158	164	149	90	22	4	2	-
	White....M..	517	1	-	-	-	-	1	1	1	-	1	1	3	7	11	27	36	44	65	96	93	74	43	9	2	1	-
	F..	377	-	-	-	-	-	2	1	2	3	2	1	2	5	11	14	13	26	36	57	66	75	46	12	2	1	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	1	-	3	1	-	1	1	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	317	66	12	6	1	1	6	4	2	3	3	3	4	5	8	12	11	14	25	27	27	34	36	7	-	-
	White—M	161	24	3	3	1	-	3	2	-	2	1	2	2	2	5	8	5	9	15	19	20	17	14	4	-	-
	F	113	18	2	1	-	1	3	2	2	1	2	-	2	2	3	2	6	4	10	8	7	16	18	3	-	-
	Nonwhite—M	18	11	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-
	F	25	13	5	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	3	-	-	-
107	Bronchopneumonia	122	38	6	1	-	1	1	2	1	1	2	-	1	1	-	2	5	2	4	9	10	16	15	4	-	-
	White—M	58	14	3	1	-	-	-	2	-	1	1	-	1	-	-	2	2	1	1	5	9	7	6	2	-	-
	F	47	10	1	-	-	1	1	-	1	-	1	-	-	1	-	-	3	1	3	4	1	9	8	2	-	-
	Nonwhite—M	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
108	Lobar pneumonia	98	16	3	3	-	-	1	-	1	2	1	2	3	2	3	7	-	8	12	13	8	4	9	-	-	-
	White—M	54	6	-	1	-	-	1	-	-	1	-	1	1	1	1	4	-	7	9	10	5	2	4	-	-	-
	F	27	4	1	-	-	-	-	-	1	1	1	-	2	-	2	1	-	1	3	3	3	1	3	-	-	-
	Nonwhite—M	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
	F	9	3	1	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-
109	Pneumonia (unspecified)	23	7	2	1	1	-	-	-	-	-	-	-	-	1	-	-	3	1	1	-	-	3	2	1	-	-
	White—M	8	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	1	-	-	-
	F	8	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	1	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
33	Influenza	74	5	1	1	-	-	4	2	-	-	-	1	-	1	5	3	3	3	8	5	9	11	10	2	-	-
	White—M	41	2	-	1	-	-	2	-	-	-	-	1	-	1	4	2	1	1	5	4	6	6	3	2	-	-
	F	31	2	-	-	-	-	2	2	-	-	-	-	-	-	1	1	2	2	3	1	3	5	7	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	39	-	-	-	-	-	-	-	-	-	-	-	1	3	5	6	8	3	3	4	4	2	-	-	-	-
	White—M	31	-	-	-	-	-	-	-	-	-	-	-	1	2	5	4	7	2	3	3	2	2	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	35	21	3	1	-	2	1	-	-	2	1	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-
	White—M	12	5	2	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	15	9	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	46	-	-	-	1	-	6	3	7	1	-	1	-	4	3	3	3	5	3	2	2	2	-	-	-	-
	White—M	27	-	-	-	1	-	3	2	4	-	-	-	-	3	3	3	3	1	2	1	1	-	-	-	-	-
	F	19	-	-	-	-	-	3	1	3	1	-	1	-	1	-	-	-	4	1	1	1	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	51	3	1	-	-	-	-	-	1	-	1	-	2	4	4	3	4	8	4	7	3	3	3	-	-	-
	White—M	25	1	1	-	-	-	-	-	1	-	-	-	1	2	2	1	3	2	1	3	2	3	2	-	-	-
	F	22	1	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	6	2	4	1	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	23	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	2	3	4	2	2	1	-	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	3	4	-	2	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	55	-	-	-	-	-	-	-	-	-	-	-	1	4	3	3	6	8	12	7	3	7	-	-	1	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	3	1	1	-	-	-	-
	F	40	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	5	7	8	3	2	6	-	-	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
130-132	Nephritis	274	-	-	-	-	-	1	-	1	1	6	3	2	4	7	10	22	22	34	34	49	52	16	9	1	-	-
	White—M	158	-	-	-	-	-	1	-	1	-	2	2	1	1	4	6	11	13	20	15	31	35	8	7	-	-	-
	F	102	-	-	-	-	-	-	-	-	1	3	-	1	3	2	4	10	9	13	13	17	17	6	2	1	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	5	1	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-
137	Diseases of the prostate	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	6	9	12	8	2	1	-	-	-
	White—M	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	6	8	12	8	2	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Con.																										
140-150	Diseases of pregnancy, etc.*...	23	-	-	-	-	-	-	-	3	4	3	5	4	4	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	19	-	-	-	-	-	-	-	2	3	3	4	3	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	11	-	-	-	-	-	-	-	3	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	9	-	-	-	-	-	-	-	2	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	6	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	6	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	75	67	2	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	52	49	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	21	17	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	121	121	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	58	58	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	57	57	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	59	-	-	-	-	-	-	1	2	2	4	1	4	6	8	9	8	5	2	4	-	1	-	-	-	2
	White.....M..	47	-	-	-	-	-	-	1	2	2	2	-	3	5	8	7	7	3	2	2	-	1	-	-	-	2
	F..	11	-	-	-	-	-	-	-	-	-	2	1	1	1	-	2	1	1	-	2	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	9	-	-	1	1	-	1	-	-	1	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-
	White.....M..	4	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F..	4	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	434	10	7	8	5	3	10	24	43	33	21	15	15	20	17	23	24	24	22	28	30	27	12	12	-	1	2
	White.....M..	289	4	4	5	4	2	5	16	33	30	17	11	7	13	13	21	18	16	13	20	18	10	4	3	-	-	2
	F..	125	3	3	-	1	1	4	7	10	2	3	3	6	6	4	1	5	6	8	6	12	17	8	8	-	1	-
	Nonwhite..M..	12	1	-	1	-	-	1	1	-	1	1	-	1	1	-	-	1	2	-	-	-	-	1	-	-	-	-
	F..	8	2	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	2	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	107	-	1	-	3	-	1	2	17	13	7	4	7	7	7	7	7	7	5	6	3	2	1	-	-	-	-
	White.....M..	77	-	1	-	2	-	-	1	10	11	6	3	5	4	6	6	3	6	4	4	3	2	-	-	-	-	-
	F..	25	-	-	-	1	-	1	1	7	1	1	1	1	3	1	-	3	1	1	1	-	-	1	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents..	327	10	6	8	2	3	9	22	28	20	14	11	8	13	10	16	17	17	17	22	27	25	11	12	-	1	2
	White.....M..	212	4	3	5	2	2	5	15	23	19	11	8	2	9	7	15	15	10	9	16	15	8	4	3	-	-	2
	F..	100	3	3	-	-	1	3	6	3	1	2	2	5	3	3	1	2	5	7	5	12	17	7	8	-	1	-
	Nonwhite..M..	9	1	-	1	-	-	1	1	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	1	-	-	-
	F..	6	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	276	19	4	-	1	2	2	2	2	-	-	-	-	2	2	7	4	14	14	24	39	61	47	22	8	-	-
	White.....M..	117	2	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	7	6	12	15	35	19	11	3	-	-
	F..	91	4	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	3	2	7	16	18	22	10	5	-	-
	Nonwhite..M..	31	2	2	-	1	-	1	1	2	-	-	-	-	-	1	2	1	1	5	2	4	5	-	1	-	-	-
	F..	37	11	2	-	-	1	1	1	-	-	-	-	-	-	-	1	-	3	1	3	4	3	6	-	-	-	-
	All other causes.	610	111	8	7	5	-	9	11	8	8	11	11	13	21	24	24	32	43	41	56	61	53	41	10	2	-	-
	White.....M..	339	64	2	3	4	-	3	4	6	4	4	3	8	14	12	11	21	24	23	38	28	31	25	5	2	-	-
	F..	244	37	5	3	1	-	3	5	2	4	7	8	5	7	11	12	11	19	16	17	30	21	15	5	-	-	-
	Nonwhite..M..	17	7	1	-	-	-	2	2	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	-	-	-	-
	F..	10	3	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE																										
	All causes	27,854	3,108	304	158	93	73	253	224	494	643	652	799	952	1,177	1,301	1,716	1,887	2,255	2,662	3,073	2,544	1,852	1,100	380	95	43	18
	White	11,880	1,369	122	67	48	27	111	109	182	253	244	280	344	402	524	673	848	1,015	1,178	1,363	1,192	846	485	159	28	5	6
	M	9,282	1,115	110	58	24	32	85	60	126	178	175	217	275	316	299	407	503	656	939	1,170	1,006	821	500	163	33	8	6
	F	3,437	354	41	11	13	8	25	27	95	91	105	152	154	238	245	328	271	305	263	300	195	95	61	24	18	14	4
	Nonwhite	3,255	268	81	22	8	6	32	28	91	121	128	150	179	221	233	308	265	272	282	240	151	90	54	34	16	16	2
	M	1,756	151	12	11	5	4	17	15	49	63	69	82	101	121	126	164	144	145	142	120	74	43	25	13	6	8	1
	F	1,499	117	69	11	3	2	15	12	42	58	59	68	78	100	107	144	121	127	140	120	77	47	29	21	10	8	1
1,2	Typhoid and paratyphoid fever	12	-	-	-	-	-	-	-	2	2	1	1	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	White	6	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	81	15	3	4	4	2	8	3	10	2	2	4	4	6	3	6	2	1	1	-	-	1	-	-	-	-	-
	White	47	12	1	3	2	2	5	1	5	-	1	3	3	2	1	4	1	1	-	-	-	-	-	-	-	-	-
	M	14	1	2	1	1	-	2	1	3	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	15	1	-	-	1	-	1	1	2	2	-	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-
	M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	5	-	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	M	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	61	44	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	16	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	21	16	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	16	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	8	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	46	4	5	8	4	9	15	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	20	1	1	4	3	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	19	2	4	2	1	3	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	4	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,881	15	12	14	6	4	10	12	87	160	178	194	170	165	110	137	119	123	135	120	69	25	12	2	-	-	2
	White	692	2	3	2	4	-	2	4	13	21	58	62	58	70	54	66	61	56	55	53	34	10	1	1	-	-	1
	M	640	7	3	5	2	1	3	3	18	54	54	62	57	50	29	38	33	45	66	52	31	15	10	1	-	-	1
	F	296	6	3	3	-	1	2	2	30	30	25	38	30	32	18	28	14	13	8	8	4	-	1	-	-	-	-
	Nonwhite	255	-	3	4	-	2	3	3	26	55	41	32	24	15	9	5	11	9	6	7	-	-	-	-	-	-	-
	M	109	-	2	2	-	1	1	1	12	23	16	12	10	6	4	2	5	4	2	3	-	-	-	-	-	-	-
	F	146	-	1	2	-	1	2	2	18	32	25	20	14	9	5	3	6	5	4	4	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,752	10	6	10	1	2	6	6	78	151	171	187	159	150	105	127	116	115	130	116	67	24	12	2	-	-	2
	White	643	1	2	2	1	-	1	1	9	20	57	61	54	63	51	61	60	51	51	52	33	9	1	1	-	-	1
	M	609	4	1	3	-	-	2	2	16	54	53	61	56	45	28	35	32	44	65	50	31	15	10	1	-	-	1
	F	269	5	1	3	-	-	1	1	30	28	23	34	26	30	17	26	15	12	8	7	3	-	1	-	-	-	-
	Nonwhite	231	-	2	2	-	2	2	2	23	49	38	31	23	12	9	5	11	8	6	6	-	-	-	-	-	-	-
	M	100	-	1	2	-	1	1	1	11	22	15	12	9	6	4	2	5	4	2	3	-	-	-	-	-	-	-
	F	131	-	1	-	-	1	1	1	12	27	23	19	14	6	5	3	6	4	2	3	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	129	5	6	4	5	2	4	6	9	9	7	7	11	15	5	10	3	8	5	5	2	1	-	-	-	-	-
	White	49	1	1	-	3	-	1	3	4	1	1	1	5	7	3	5	1	5	4	1	1	1	-	-	-	-	-
	M	31	1	2	2	2	1	1	1	2	-	1	1	1	5	1	3	1	1	1	2	-	-	-	-	-	-	-
	F	18	-	-	2	-	1	-	2	2	1	-	-	4	2	2	2	-	4	3	3	1	1	-	-	-	-	-
	Nonwhite	80	4	5	2	2	1	3	3	5	8	6	6	6	8	2	5	2	3	1	3	1	-	-	-	-	-	-
	M	27	1	2	-	-	1	1	1	-	2	2	4	4	2	1	2	1	1	-	1	1	-	-	-	-	-	-
	F	53	3	3	2	2	-	2	2	5	6	4	2	2	6	1	3	1	2	1	2	-	-	-	-	-	-	-
27	Dysentery	65	37	5	1	2	-	2	-	-	-	1	2	-	-	-	2	-	-	1	1	3	2	4	-	-	-	-
	White	27	16	4	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	2	-	-	-	-
	M	27	15	1	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	2	1	2	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	5	2	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	5	2	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	13	-	-	1	-	-	1	-	-	2	-	-	-	-	1	2	-	1	1	3	1	-	-	-	-	-	-
	White	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	10	-	-	1	-	-	1	-	-	1	-	-	-	-	1	1	-	1	1	2	1	-	-	-	-	-	-
	M	6	-	-	1	-	-	1	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-
30	Syphilis	340	29	1	-	1	-	-	1	3	8	10	24	29	34	45	38	41	23	23	13	7	4	3	1	1	-	1
	White	120	6	-	-	-	-	-	-	1	3	1	8	8	13	18	17	16	10	9	4	2	2	1	-	1	-	-
	M	34	8	-	-	-	-	-	-	-	1	2	3	2	4	2	2	1	2	1	3	2	1	-	-	-	-	-
	F	123	9	-	-	-	-	-	1	1	2	4	9	13	12	16	16	17	7	8	4	1	1	1	-	-	-	1
	Nonwhite	63	6	1	-	1	-	-	-	1	2	3	4	6	5	9	3	7	4	5	2	2	-	1	1	-	-	-
	M	28	3	1	-	1	-	-	-	1	1	2	3	3	3	5	2	3	2	3	1	1	-	1	1	-	-	-
	F	35	3	-	-	-	-	-	-	-	1	1	1	3	2	4	1	4	2	2	1	1	-	-	-	-	-	-	-
35	Measles	68	15	9	5	2	4	10	4	3	4	2	1	2	-	1	-	1	-	1	-	2	1	-	-	-	-	1
	White	25	5	3	3	-	2	4	2	1	1	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	M	38	9	4	2	2	2	6	2	2	2	1	-	1	-	1	-	-	-	1	-	1	1	-	-	-	-	1
	F	3	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	16	2	3	1	-	-	2	2	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White	12	2	2	1	-	-	-	2	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	M	4	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Con.																										
45-55	Cancer and other malignant tumors	2,552	3	1	4	2	-	8	7	16	16	26	61	92	144	178	241	256	349	316	339	231	172	67	15	6	-	2
	White..M.	940	1	1	2	1	-	6	2	10	3	11	18	24	28	43	67	87	135	125	147	118	78	25	9	2	-	1
	F.	1,164	2	-	1	-	-	2	5	4	7	7	30	43	77	92	109	118	151	144	154	92	82	37	5	1	-	1
	Nonwhite..M.	174	-	-	-	1	-	-	-	2	1	2	2	6	6	17	25	25	25	24	21	10	5	1	-	1	-	-
	F.	274	-	-	1	-	-	-	-	-	5	6	11	19	33	26	40	26	38	25	17	11	7	6	1	2	-	-
46	Cancer of digestive organs, peritoneum	1,033	1	-	1	1	-	-	1	2	2	7	18	30	40	55	79	116	161	139	157	112	76	25	5	3	-	2
	White..M.	438	-	-	1	-	-	-	-	2	-	2	8	12	14	21	22	46	72	63	72	55	33	8	3	1	-	1
	F.	415	1	-	-	-	-	-	1	-	1	2	7	7	19	16	28	46	60	55	68	51	36	14	2	-	-	1
	Nonwhite..M.	94	-	-	-	1	-	-	-	-	1	1	1	4	3	11	16	14	14	11	11	2	3	-	-	1	-	-
	F.	88	-	-	-	-	-	-	-	-	-	2	2	7	4	7	13	10	15	10	6	4	4	3	-	1	-	-
48,49	Cancer of female genital organs	391	-	-	-	-	-	-	1	-	6	4	21	24	44	49	49	43	52	37	27	14	13	6	1	-	-	-
	White..F.	288	-	-	-	-	-	-	1	-	3	1	15	16	31	37	36	35	38	28	20	10	13	4	-	-	-	-
	Nonwhite..F.	103	-	-	-	-	-	-	-	-	3	3	6	8	13	12	13	8	14	9	7	4	-	2	1	-	-	-
50	Cancer of breast	231	-	-	-	-	-	-	-	-	1	2	3	12	17	24	29	22	34	28	20	15	15	6	2	1	-	-
	White..M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	F.	187	-	-	-	-	-	-	-	-	-	1	2	11	12	21	22	17	28	25	17	11	12	6	2	-	-	-
	Nonwhite..M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	40	-	-	-	-	-	-	-	-	1	1	1	1	5	2	7	4	6	3	3	2	3	-	-	1	-	-
45,47, 51-55	Cancer (other sites)	897	2	1	3	1	-	8	5	14	7	13	19	26	43	50	84	75	102	112	135	90	68	30	7	2	-	-
	White..M.	501	1	1	1	1	-	6	2	8	3	9	10	12	14	22	45	40	63	60	75	61	45	15	6	1	-	-
	F.	274	1	-	1	-	-	2	3	4	3	3	6	9	15	18	23	20	25	36	49	20	21	13	1	1	-	-
	Nonwhite..M.	79	-	-	-	-	-	-	-	2	-	1	1	2	3	5	9	11	11	13	10	8	2	1	-	-	-	-
	F.	43	-	-	1	-	-	-	-	-	1	-	2	3	11	5	7	4	3	3	1	1	-	1	-	-	-	-
58	Acute rheumatic fever	36	-	-	-	1	2	7	5	4	2	3	1	-	-	1	2	-	1	3	2	1	-	-	1	-	-	-
	White..M.	13	-	-	-	-	-	3	1	2	-	1	-	-	-	1	2	-	-	2	-	-	-	-	1	-	-	-
	F.	6	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite..M.	7	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F.	10	-	-	-	1	1	-	2	1	-	2	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	375	-	-	1	1	-	2	6	12	8	3	8	7	17	24	27	52	41	55	44	43	12	11	1	-	-	-
	White..M.	150	-	-	1	1	-	1	2	4	3	2	1	3	2	9	12	20	17	24	20	21	2	5	-	-	-	-
	F.	137	-	-	-	-	-	-	3	6	4	1	1	-	8	4	6	15	17	23	18	17	8	5	1	-	-	-
	Nonwhite..M.	28	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	3	5	3	3	3	-	-	-	-	-	-
	F.	62	-	-	-	-	-	1	1	2	1	-	5	3	5	9	6	14	2	5	3	2	2	1	-	-	-	-
63b	Exophthalmic goiter	52	-	-	-	-	-	-	-	1	1	1	4	5	6	6	2	4	8	10	1	2	-	1	-	-	-	-
	White..M.	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	34	-	-	-	-	-	-	-	-	1	1	1	4	4	2	2	3	6	7	1	2	-	-	-	-	-	-	-
	Nonwhite..M.	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	13	-	-	-	-	-	-	-	1	-	-	1	-	2	3	-	1	1	3	-	-	-	-	1	-	-	-
69	Pellagra (except alcoholic)	83	-	-	-	-	-	-	1	1	-	-	2	3	2	2	6	7	7	11	14	17	6	2	2	-	-	-
	White..M.	51	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	2	2	6	5	5	2	2	1	-	-	-
	F.	42	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	5	2	5	9	11	4	-	1	-	-	-
	Nonwhite..M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F.	8	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	3	-	-	1	-	-	-	-	-	-
77	Alcoholism (ethylism)	28	-	-	-	-	-	-	1	-	2	1	2	2	3	9	4	1	1	1	1	-	-	-	-	-	-	-
	White..M.	23	-	-	-	-	-	-	1	-	1	1	1	2	1	8	4	1	-	1	1	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,709	4	2	2	1	2	-	3	5	14	12	21	48	73	114	199	248	302	395	470	392	229	129	26	13	4	1
	White..M.	1,051	1	1	-	-	-	-	1	-	5	4	6	17	19	32	65	95	138	154	188	159	104	49	10	2	1	-
	F.	964	1	1	1	-	2	-	2	2	2	-	2	11	19	24	48	68	76	154	190	165	108	63	10	4	-	1
	Nonwhite..M.	296	1	-	-	-	-	-	-	-	6	2	8	6	16	24	33	37	39	30	39	33	6	8	3	4	1	-
	F.	398	1	-	1	1	-	-	-	3	1	6	5	14	19	34	53	48	49	47	53	35	11	9	3	3	2	-
90-95	Diseases of the heart	6,007	8	2	1	-	2	8	18	24	29	35	69	114	202	308	426	524	647	814	962	763	581	321	113	22	11	3
	White..M.	2,876	5	1	1	-	1	4	11	6	12	10	29	41	84	156	191	274	332	393	453	390	270	155	50	7	-	-
	F.	1,826	3	1	-	-	1	2	4	10	9	13	16	31	36	39	60	116	159	250	353	289	246	133	44	7	4	-
	Nonwhite..M.	652	-	-	-	-	-	1	1	4	4	6	9	20	38	56	97	66	76	75	90	51	28	14	7	7	3	1
	F.	653	-	-	-	-	-	1	2	4	4	6	15	22	46	57	78	68	80	96	66	33	37	19	12	1	4	2
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	530	-	-	-	-	1	5	10	13	10	8	12	10	29	18	24	43	44	62	91	61	46	27	10	4	1	1
	White..M.	216	-	-	-	-	-	2	6	4	4	-	6	4	10	6	6	13	17	24	44	37	13	14	3	3	-	-	-
	F.	157	-	-	-	-	1	1	3	7	4	3	4	3	8	4	5	11	9	14	27	18	21	9	5	-	-	-
	Nonwhite..M.	78	-	-	-	-	-	1	1	1	-	2	1	2	7	4	9	10	9	11	11	4	4	1	-	-	-	-
	F.	79	-	-	-	-	-	1	-	1	2	3	1	1	4	4	4	9	9	13	9	2	8	3	2	1	1	1
94	Diseases of coronary arteries, angina pectoris	1,611	-	-	-	-	-	-	1	2	7	6	10	32	71	110	145	172	217	238	244	165	116	59	14	1	1	-
	White..M.	997	-	-	-	-	-	-	-	1	2	3	6	17	48	77	97	120	149	149	133	95	60	32	8	-	-	-
	F.	456	-	-	-	-	-	-	-	-	2	1	1	9	9	9	23	34	58	69	99	59	52	26	3	1	1	-
	Nonwhite..M.	75	-	-	-	-	-	-	-	1	1	1	1	4	4	11	13	8	6	10	5	7	1	-	3	-	-	-
	F.	83	-	-	-	-	-	-	1	1	2	1	2	2	10	13	12	10	4	10	7	4	3	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	3,866	8	2	1	-	1	3	7	9	12	21	47	72	102	180	257	309	386	514	627	537	419	235	89	17	9	2
	White..M.	1,663	5	1	1	-	1	2	5	1	6	7	17	20	26	73	88	141	166	220	276	258	197	109	39	4	-	-
	F.	1,213	3	1	-	-	-	1	1	3	3	9	11	19	19	26	32	71	92	167	227	212	173	98	36	8	3	-
	Nonwhite..M.	409	-	-	-	-	-	-	-	3	3	3	7	14	25	41	75	48	61	54	74	40	23	13	4	7	3	1
	F.	491	-	-	-	-	-	-	1	2	-	2	12	19	32	40	62	49	67	73	50	27	26	15	10	-	3	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	2,264	450	86	24	11	11	29	23	32	28	35	40	41	54	60	95	106	137	176	213	218	205	121	51	14	4	-
	White—M	840	182	28	10	4	3	8	12	9	15	10	11	12	15	15	27	32	41	77	83	87	81	51	20	6	1	-
	F	859	155	28	10	4	7	13	2	5	7	12	13	13	11	11	23	28	50	61	91	98	107	60	26	4	-	-
	Nonwhite—M	312	60	18	2	2	-	3	5	7	3	3	10	6	18	21	23	22	26	22	22	15	13	7	1	1	2	-
	F	273	53	12	2	1	1	5	4	11	3	10	6	10	10	13	22	24	20	16	17	18	4	3	4	3	1	-
107	Bronchopneumonia	752	245	42	12	2	2	7	3	9	8	8	14	13	13	11	24	20	43	42	47	60	71	41	11	3	1	-
	White—M	264	94	16	4	-	-	2	3	4	6	3	3	5	1	1	7	3	10	18	15	21	30	15	3	-	-	-
	F	303	83	11	6	1	2	4	-	1	1	3	4	3	4	1	7	6	24	18	25	31	36	24	7	1	-	-
	Nonwhite—M	97	37	9	1	1	-	1	-	1	-	-	4	1	7	4	5	3	4	5	6	2	3	1	-	1	1	-
	F	88	31	6	1	-	-	-	-	3	1	2	3	4	1	5	5	8	5	1	1	6	2	1	1	1	-	-
108	Lobar pneumonia	687	79	16	3	4	3	11	8	10	10	10	15	12	19	29	35	37	48	57	93	76	49	31	19	6	2	-
	White—M	266	27	4	5	2	-	2	4	3	5	4	5	3	8	10	11	10	17	29	34	36	22	15	6	4	-	-
	F	222	29	5	2	2	2	4	-	1	3	2	7	2	2	5	4	10	12	16	35	30	25	12	10	2	-	-
	Nonwhite—M	113	10	4	1	-	-	2	2	3	1	1	2	4	6	9	11	12	11	8	14	5	2	3	1	-	1	-
	F	86	13	3	-	-	1	3	2	3	1	3	1	3	3	5	9	5	8	4	10	5	-	1	2	-	1	-
109	Pneumonia (unspecified)	162	52	6	1	-	2	2	3	3	4	4	2	2	6	5	10	7	9	14	9	11	5	3	1	1	-	-
	White—M	74	25	2	-	-	1	1	3	-	2	1	-	1	-	1	5	5	3	9	2	6	3	2	1	1	-	-
	F	52	18	4	-	-	1	1	-	1	1	1	1	-	2	1	3	2	3	3	5	3	1	1	-	-	-	-
	Nonwhite—M	22	7	-	-	-	-	-	-	2	-	1	-	1	3	2	2	-	1	1	1	-	1	-	-	-	-	-
	F	14	2	-	1	-	-	-	-	-	1	1	1	-	1	1	-	-	2	1	1	2	-	-	-	-	-	-
33	Influenza	663	74	22	3	5	4	9	9	10	6	13	9	14	16	15	26	42	37	63	64	71	80	46	20	4	1	-
	White—M	236	36	6	1	2	2	3	2	2	2	2	3	3	6	3	4	14	11	21	32	24	26	19	10	1	1	-
	F	262	25	8	2	1	2	4	2	2	2	8	1	8	3	4	9	10	11	24	26	34	45	23	9	1	-	-
	Nonwhite—M	80	6	5	-	1	-	-	3	1	2	1	4	-	2	6	5	7	10	8	1	8	7	3	-	-	-	-
	F	85	7	3	-	1	-	2	2	5	-	4	1	3	5	2	8	11	5	10	5	5	2	1	1	2	-	-
117	Ulcer of stomach or duodenum	160	-	-	-	-	-	-	-	2	5	6	5	9	13	17	21	20	19	15	16	6	4	2	-	-	-	-
	White—M	91	-	-	-	-	-	-	-	1	2	2	3	6	6	11	9	14	13	7	11	4	1	1	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	2	-	2	1	1	3	2	2	4	1	1	2	1	-	-	-	-
	Nonwhite—M	27	-	-	-	-	-	-	-	-	1	1	2	1	6	3	5	3	3	1	1	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	1	2	1	-	-	-	2	4	1	1	3	3	1	1	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	488	345	37	9	2	1	4	1	1	-	3	1	-	9	2	6	3	4	8	5	8	11	6	2	-	-	-
	White—M	206	157	13	3	2	-	2	1	-	-	1	-	-	2	1	2	1	2	3	1	5	6	2	2	-	-	-
	F	178	135	16	4	-	1	2	-	1	-	2	-	-	2	-	-	1	2	2	1	1	5	3	-	-	-	-
	Nonwhite—M	44	26	4	1	-	-	-	-	-	-	-	1	-	3	1	2	-	-	2	1	2	-	1	-	-	-	-
	F	40	27	4	1	-	-	-	-	-	-	-	-	-	2	-	2	1	-	1	2	-	-	-	-	-	-	-
121	Appendicitis	160	1	1	-	4	1	6	11	13	8	7	7	15	14	9	9	9	19	8	8	5	3	2	-	-	-	-
	White—M	61	-	1	-	2	1	1	5	6	1	2	3	5	6	-	3	4	9	3	1	4	2	2	-	-	-	-
	F	52	-	-	-	2	-	4	3	3	4	-	2	4	3	6	-	3	5	4	7	1	1	-	-	-	-	-
	Nonwhite—M	23	1	-	-	-	-	-	2	3	1	2	-	2	4	2	1	-	4	1	-	-	-	-	-	-	-	-
	F	24	-	-	-	-	-	1	1	1	2	3	2	4	1	1	5	2	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	244	15	4	4	3	-	-	2	2	1	6	8	15	26	15	16	21	20	21	26	24	11	4	-	-	-	-
	White—M	87	7	2	1	2	-	-	1	-	-	1	1	2	5	3	2	13	7	12	9	11	7	1	-	-	-	-
	F	80	8	1	3	1	-	-	-	2	-	2	2	5	10	5	4	4	6	5	11	9	2	2	-	-	-	-
	Nonwhite—M	41	1	-	-	-	-	-	-	-	1	1	2	1	5	3	4	2	5	4	5	4	2	1	-	-	-	-
	F	36	1	1	-	-	-	-	1	-	-	2	3	7	6	4	6	2	2	-	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	144	-	-	-	-	-	-	-	-	-	4	6	5	12	14	14	18	20	20	11	10	7	3	-	-	-	-
	White—M	91	-	-	-	-	-	-	-	-	-	1	3	3	8	10	8	13	11	14	9	8	2	1	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	1	2	2	2	3	4	1	5	3	1	1	5	1	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	1	-	-	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	2	-	-	2	1	1	3	2	2	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	92	-	-	-	1	-	-	-	2	-	-	1	4	6	5	12	10	8	13	8	11	5	5	1	-	-	-
	White—M	20	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	2	4	4	2	-	1	2	1	-	-	-
	F	64	-	-	-	-	-	-	-	-	-	-	1	4	3	5	9	7	4	9	6	9	4	3	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	1	-	-	-	1	-	-	1	-	-	-
130-132	Nephritis	1,785	4	3	4	-	-	8	6	8	16	16	32	45	75	58	99	115	155	241	285	279	168	113	35	13	4	3
	White—M	727	2	1	1	-	-	3	3	3	8	3	8	16	15	14	37	49	61	97	118	129	88	55	14	6	-	-
	F	558	1	1	2	-	-	2	3	4	5	6	10	14	14	14	21	24	38	76	96	100	55	47	17	4	2	2
	Nonwhite—M	266	1	1	-	-	-	-	-	1	1	3	6	6	23	17	17	28	29	34	43	28	14	9	3	1	-	1
	F	234	-	-	1	-	-	3	-	-	2	4	8	9	23	13	24	14	27	34	30	22	11	4	1	2	2	-
137	Diseases of the prostate	170	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	4	16	18	42	37	27	11	6	-	-	-
	White—M	145	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	12	13	39	35	23	11	6	-	-	-
	Nonwhite—M	25	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	4	5	3	2	4	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Con.																										
140-150	Diseases of pregnancy, etc.*	191	-	-	-	-	-	-	-	26	35	42	33	36	17	2	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	141	-	-	-	-	-	-	-	17	29	27	25	26	15	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	50	-	-	-	-	-	-	-	9	6	15	8	10	2	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	60	-	-	-	-	-	-	-	8	14	14	10	8	6	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	38	-	-	-	-	-	-	-	4	10	6	9	3	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	22	-	-	-	-	-	-	-	4	4	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	54	-	-	-	-	-	-	-	9	9	12	7	12	4	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	50	-	-	-	-	-	-	-	8	9	11	6	12	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*	49	-	-	-	-	-	-	-	5	9	8	13	8	5	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	35	-	-	-	-	-	-	-	2	8	5	10	5	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	14	-	-	-	-	-	-	-	3	1	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	28	-	-	-	-	-	-	-	4	3	8	3	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	18	-	-	-	-	-	-	-	3	2	5	-	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	10	-	-	-	-	-	-	-	1	1	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	306	269	11	2	1	2	6	2	2	2	4	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	White.....M..	143	119	8	2	-	1	3	-	1	2	3	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	F..	122	114	2	-	-	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	27	24	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	14	12	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	829	829	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	378	378	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	290	290	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	95	95	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	66	66	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	196	-	-	-	-	-	-	4	17	24	17	22	17	19	20	14	17	9	7	7	1	1	-	-	-	-
	White.....M..	116	-	-	-	-	-	-	1	12	11	9	14	9	12	12	7	8	8	7	4	1	1	-	-	-	-
	F..	69	-	-	-	-	-	-	3	4	10	7	8	7	6	8	6	6	1	-	3	-	-	-	-	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	1	3	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	289	3	-	-	-	-	1	1	21	32	43	40	41	39	25	16	14	6	3	3	1	-	-	-	-	-
	White.....M..	102	3	-	-	-	-	-	-	7	8	9	16	10	16	7	9	7	4	3	2	1	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	2	2	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	148	-	-	-	-	-	1	1	10	13	31	18	24	20	15	6	7	2	-	-	-	-	-	-	-	-	-
	F..	31	-	-	-	-	-	-	-	2	9	3	6	6	2	2	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,696	71	46	29	17	21	63	66	132	171	101	90	101	80	74	85	77	79	64	83	85	80	47	26	5	-	3
	White.....M..	988	25	16	17	8	9	30	42	83	130	80	62	71	49	50	44	45	44	32	34	37	31	17	9	1	-	2
	F..	407	27	21	10	4	7	20	14	19	19	6	4	9	7	9	15	18	15	18	35	41	45	27	15	2	-	-
	Nonwhite..M..	221	10	5	1	3	4	6	6	22	15	11	20	14	19	11	18	11	17	9	8	5	1	1	1	2	-	1
	F..	100	9	4	1	2	1	7	4	8	7	4	4	7	5	4	8	3	3	5	6	2	3	2	1	-	-	-
170	Motor-vehicle accidents.....	466	-	8	6	3	2	24	15	54	57	43	39	40	24	31	28	18	19	18	10	19	7	-	-	-	-	1
	White.....M..	317	-	2	3	2	1	14	10	27	41	36	30	27	17	22	16	13	12	15	7	15	7	-	-	-	-	-
	F..	71	-	4	3	-	1	6	3	11	8	4	2	5	2	4	5	5	3	1	-	4	-	-	-	-	-	-
	Nonwhite..M..	57	-	1	-	1	-	1	1	11	5	3	5	7	4	4	5	-	4	2	2	-	-	-	-	-	-	1
	F..	21	-	1	-	-	-	3	1	5	3	-	2	1	1	1	2	-	-	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,230	71	38	23	14	19	39	51	78	114	58	51	61	56	43	57	59	60	46	73	66	73	47	26	5	-	2
	White.....M..	651	25	14	14	6	8	16	32	56	89	44	32	44	32	28	28	32	32	17	27	22	24	17	9	1	-	2
	F..	336	27	17	7	4	6	14	11	8	11	2	2	4	5	5	10	13	12	17	35	37	45	27	15	2	-	-
	Nonwhite..M..	164	10	4	1	2	4	5	5	11	10	8	15	7	15	7	13	11	13	7	6	5	1	1	1	2	-	-
	F..	79	9	3	1	2	1	4	3	3	4	4	2	6	4	3	6	3	3	5	5	2	3	2	1	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	1,684	322	22	11	3	2	14	7	27	13	15	24	30	55	55	64	68	93	136	178	149	149	145	71	15	15	1
	White.....M..	671	130	9	5	2	1	9	2	11	3	3	3	10	20	22	24	26	35	61	84	60	60	62	24	2	2	1
	F..	548	111	9	2	1	1	2	3	6	5	5	8	7	8	8	13	16	17	40	57	58	67	64	31	8	1	-
	Nonwhite..M..	267	47	3	-	-	-	1	1	4	3	3	9	5	16	13	16	15	26	20	24	15	16	14	8	2	6	-
	F..	198	34	1	4	-	-	2	1	6	2	4	4	8	11	12	11	11	15	15	13	16	6	5	8	3	6	-
	All other causes.	2,748	621	37	29	25	10	49	42	50	63	71	99	109	107	140	159	153	154	162	218	173	148	91	26	6	5	1
	White.....M..	1,178	304	22	10	16	4	21	15	15	21	27	32	33	29	54	57	75	67	76	93	76	74	43	11	1	1	1
	F..	696	212	11	12	3	6	16	12	15	21	21	25	29	32	35	40	34	48	52	80	72	62	42	12	3	1	-
	Nonwhite..M..	304	62	3	3	4	-	8	6	8	5	7	11	18	16	18	28	17	19	16	26	19	5	2	1	-	2	-
	F..	370	43	1	4	2	-	4	9	12	16	16	31	29	30	33	34	27	20	18	19	6	7	4	2	2	1	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS																										
	All causes.....	61,565	3,354	995	405	266	187	826	588	1,224	1,981	1,567	1,755	2,047	2,566	2,980	3,766	4,239	4,631	5,575	5,859	4,687	3,750	2,241	904	231	98	143
	White....M..	30,030	4,130	426	195	121	85	312	293	590	1,103	744	765	801	1,117	1,278	1,807	2,213	2,488	2,823	2,995	2,260	1,845	1,044	408	101	25	61
	F..	20,889	3,026	435	141	100	62	204	162	393	519	455	529	669	696	771	971	1,180	1,434	1,813	2,085	1,929	1,649	1,065	441	103	34	23
	Nonwhite..M..	5,676	648	81	32	28	17	66	71	115	169	169	192	267	384	447	546	465	374	541	451	303	149	70	28	11	16	38
	F..	4,970	552	53	37	17	23	44	62	126	190	199	269	310	369	384	442	381	335	398	328	195	107	62	27	16	23	21
1,2	Typhoid and paratyphoid fever..	74	1	-	1	-	1	5	9	7	8	6	-	6	5	4	5	7	2	3	1	3	-	-	-	-	-	-
	White....M..	22	-	-	-	-	1	1	2	2	2	2	-	-	3	3	1	3	1	-	-	1	-	-	-	-	-	-
	F..	21	-	-	-	-	-	1	3	4	2	-	-	2	1	-	2	1	-	3	-	2	-	-	-	-	-	-
	Nonwhite..M..	17	-	-	-	-	-	1	2	1	3	4	-	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	F..	14	1	-	1	-	-	2	2	-	1	-	-	2	-	-	2	2	-	-	1	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	97	17	7	3	1	1	5	5	10	9	7	4	3	3	5	7	5	3	1	-	-	1	-	-	-	-	-
	White....M..	61	11	5	2	-	1	1	3	7	6	7	3	1	2	3	3	3	1	1	-	-	1	-	-	-	-	-
	F..	26	4	2	1	1	-	2	2	3	2	-	1	1	1	2	1	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	1	-	-	-	-	1	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F..	5	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	18	-	2	2	1	1	4	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White....M..	7	-	1	-	1	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	1	2	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	95	77	14	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White....M..	37	31	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	37	33	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	10	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	11	8	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	129	15	23	29	18	13	25	5	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White....M..	61	7	9	14	10	8	8	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	53	6	10	14	6	5	11	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	9	-	3	-	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	2	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	3,126	37	49	22	13	4	24	36	215	349	304	303	313	270	254	195	195	189	140	113	63	27	9	1	-	-	5
	White....M..	1,425	21	23	11	6	2	9	7	69	98	88	117	136	141	129	113	118	122	87	67	38	17	3	-	-	-	3
	F..	1,085	12	24	9	4	2	11	17	96	162	117	116	116	79	84	43	51	51	41	35	19	9	5	1	-	-	1
	Nonwhite..M..	314	1	1	1	5	-	2	2	18	36	40	36	37	29	40	25	15	7	8	8	3	-	1	-	-	-	1
	F..	302	3	1	1	-	-	2	10	32	53	59	34	24	21	19	12	11	9	4	3	3	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	2,957	21	30	13	9	1	10	31	204	340	294	289	307	260	245	184	190	183	138	108	60	25	9	1	-	-	5
	White....M..	1,355	13	15	5	4	-	7	6	67	97	85	113	133	136	124	107	116	119	87	63	37	15	3	-	-	-	3
	F..	1,015	5	13	7	3	1	3	14	91	155	113	109	115	77	63	42	48	48	39	35	18	9	5	1	-	-	1
	Nonwhite..M..	300	-	1	-	2	-	-	2	16	36	39	34	36	27	40	24	15	7	8	8	3	-	1	-	-	-	1
	F..	287	3	1	1	-	-	-	9	30	52	57	33	23	20	18	11	11	9	4	2	2	1	-	-	-	-	-
14-22	Tuberculosis (other forms)..	189	16	19	9	4	3	14	5	11	9	10	14	6	10	7	9	5	6	2	5	3	2	-	-	-	-	-
	White....M..	70	8	8	6	2	2	2	1	2	1	3	4	3	5	5	6	2	3	-	4	1	2	-	-	-	-	-
	F..	70	7	11	2	1	1	8	3	5	7	4	7	1	2	1	1	3	3	2	-	1	-	-	-	-	-	-
	Nonwhite..M..	14	1	-	1	1	-	2	-	2	-	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	15	-	-	-	-	-	2	1	2	1	2	1	1	1	1	1	-	-	-	1	1	-	-	-	-	-	-
27	Dysentery.....	455	296	53	7	6	1	1	4	-	4	3	1	3	5	5	4	7	9	4	10	20	9	2	1	-	-	-
	White....M..	205	148	21	4	1	-	1	1	-	1	-	1	1	1	3	1	2	4	2	2	9	1	1	-	-	-	-
	F..	188	117	27	2	4	-	-	2	-	1	1	-	1	-	-	1	2	4	1	7	8	8	1	1	-	-	-
	Nonwhite..M..	31	16	5	-	1	-	-	1	-	1	-	-	-	1	1	1	1	-	1	-	2	-	-	-	-	-	-
	F..	31	15	-	1	-	1	-	-	-	1	2	-	1	3	1	1	2	1	-	1	1	-	-	-	-	-	-
28	Malaria.....	82	12	5	3	4	1	3	2	2	1	3	3	1	5	5	3	8	5	4	4	2	3	3	-	-	-	-
	White....M..	26	3	2	1	1	1	-	2	-	-	-	-	1	3	1	-	4	3	1	-	-	1	2	-	-	-	-
	F..	24	7	2	-	2	-	2	-	1	1	1	-	-	1	2	1	-	-	-	1	1	1	1	-	-	-	-
	Nonwhite..M..	17	2	-	-	1	-	1	-	1	-	-	-	-	1	1	1	3	1	-	3	1	1	-	-	-	-	-
	F..	15	-	1	2	-	-	-	-	-	-	2	3	-	-	1	1	1	1	3	-	-	-	-	-	-	-	-
30	Syphilis.....	755	59	5	2	-	-	1	2	3	13	17	42	66	103	83	100	67	64	52	33	25	5	6	1	1	-	5
	White....M..	335	25	1	1	-	-	1	-	2	5	2	15	24	33	41	40	34	40	27	20	15	3	3	-	1	-	2
	F..	78	16	2	1	-	-	-	1	1	-	2	4	9	7	4	5	4	6	4	5	2	-	2	1	-	-	-
	Nonwhite..M..	246	9	1	-	-	-	-	-	-	5	8	14	26	48	26	37	23	14	18	5	6	2	1	-	-	-	3
	F..	98	9	1	-	-	-	-	1	-	3	5	9	7	15	12	18	6	4	3	3	2	-	-	-	-	-	-
35	Measles.....	181	49	49	21	9	8	19	3	2	5	2	1	1	-	3	2	-	1	1	-	4	1	-	-	-	-	-
	White....M..	71	19	19	8	5	3	7	2	1	1	1	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F..	83	18	24	11	4	4	11	1	-	2	1	-	-	-	2	-	-	-	-	-	4	1	-	-	-	-	-
	Nonwhite..M..	14	8	3	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	13	4	3	1	-	1	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	51	7	5	2	3	5	7	7	4	4	3	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-
	White....M..	21	1	3	-	1	3	2	3	3	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	20	5	1	2	-	-	4	2	1	1	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	8	1	1	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Con.																										
45-55	Cancer and other malignant tumors	5,655	3	2	3	6	1	12	9	33	34	55	144	216	310	413	594	667	714	730	740	466	291	167	24	3	2	14
	White—M.	2,435	3	1	-	2	1	8	5	16	17	29	46	42	88	115	225	291	325	334	370	256	150	95	10	1	1	4
	F.	2,554	-	1	2	3	-	3	3	13	10	20	61	125	167	210	276	308	320	331	308	179	131	66	12	1	-	4
	Nonwhite—M.	245	-	-	1	1	-	-	-	2	3	1	6	4	12	25	35	32	34	32	30	17	5	-	-	-	1	3
	F.	421	-	-	-	-	-	1	1	2	4	5	31	45	43	63	58	36	35	33	32	14	5	6	2	1	-	3
46	Cancer of digestive organs, peritoneum	2,243	-	-	1	3	1	1	2	5	6	14	38	46	70	118	204	275	319	340	365	233	125	64	6	2	-	5
	White—M.	1,057	-	-	-	2	1	-	1	2	4	8	15	9	31	39	89	134	152	166	185	122	58	36	2	-	-	1
	F.	926	-	-	1	1	-	1	-	3	1	2	13	22	30	46	78	111	135	147	147	95	62	26	2	1	-	1
	Nonwhite—M.	132	-	-	-	-	-	-	-	-	1	1	4	4	4	13	19	19	20	16	18	8	3	-	-	-	-	2
	F.	128	-	-	-	-	-	-	1	-	-	3	6	11	5	20	17	11	12	11	15	8	2	2	2	1	-	1
48,49	Cancer of female genital organs	786	-	-	-	-	-	1	-	5	3	13	44	73	74	100	117	91	79	75	60	26	17	5	2	-	-	1
	White—F.	625	-	-	-	-	-	1	-	3	2	12	26	50	53	73	96	81	69	61	51	23	17	5	2	-	-	-
	Nonwhite—F.	161	-	-	-	-	-	-	-	2	1	1	18	23	21	27	21	10	10	14	9	3	-	-	-	-	-	1
50	Cancer of breast	444	-	-	-	-	-	-	-	1	1	1	8	23	57	57	62	56	47	50	40	16	18	4	1	-	-	2
	White—M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-
	F.	389	-	-	-	-	-	-	-	1	-	1	8	22	46	46	54	49	42	48	35	15	16	4	1	-	-	1
	Nonwhite—M.	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F.	48	-	-	-	-	-	-	-	-	1	-	-	1	10	9	6	6	5	2	4	1	2	-	-	-	-	1
45,47, 51-55	Cancer (other sites)	2,182	3	2	2	3	-	10	7	22	24	27	54	74	109	138	211	242	269	266	275	191	131	94	15	1	2	6
	White—M.	1,374	3	1	-	-	-	8	4	14	13	21	31	33	57	75	134	157	173	168	184	134	92	59	8	1	1	3
	F.	614	-	1	1	2	-	1	3	6	7	5	14	31	38	45	47	67	74	75	75	46	36	31	7	-	-	2
	Nonwhite—M.	110	-	-	1	1	-	-	-	2	2	-	2	-	7	11	16	13	14	16	12	9	2	-	-	-	1	1
	F.	84	-	-	-	-	-	1	-	-	2	1	7	10	7	7	14	9	8	7	4	2	1	4	-	-	-	-
58	Acute rheumatic fever	63	6	-	-	-	2	9	5	7	2	2	2	5	1	2	2	1	2	3	3	5	3	1	-	-	-	-
	White—M.	22	2	-	-	-	-	4	3	3	2	1	1	2	-	-	1	-	-	-	-	1	1	1	-	-	-	-
	F.	25	4	-	-	-	1	4	1	2	-	1	-	-	1	2	1	1	1	-	1	3	2	-	-	-	-	-
	Nonwhite—M.	7	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F.	9	-	-	-	-	1	-	1	-	-	-	1	2	-	-	-	-	-	2	1	1	-	-	-	-	-	-
61	Diabetes mellitus	1,005	4	1	1	1	-	3	15	18	9	13	19	14	33	53	79	97	124	168	164	102	59	20	6	1	-	1
	White—M.	375	2	1	1	-	-	1	8	4	1	6	10	8	7	14	23	31	52	65	61	46	27	5	1	-	-	1
	F.	484	2	-	-	1	-	1	5	11	5	5	4	3	13	23	33	47	61	83	87	52	30	13	4	1	-	-
	Nonwhite—M.	63	-	-	-	-	-	-	1	2	2	1	3	-	5	4	10	8	3	8	7	4	2	2	1	-	-	-
	F.	83	-	-	-	-	-	1	1	1	1	1	2	3	8	12	13	11	8	12	9	-	-	-	-	-	-	-
63b	Exophthalmic goiter	56	-	-	-	-	-	-	-	-	5	2	4	5	5	2	7	8	5	8	5	-	-	-	-	-	-	-
	White—M.	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F.	39	-	-	-	-	-	-	-	-	2	1	4	2	3	1	4	7	5	7	3	-	-	-	-	-	-	-	-
	Nonwhite—M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	13	-	-	-	-	-	-	-	-	3	1	-	2	2	1	2	-	-	-	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	176	-	-	-	-	-	-	-	1	1	-	3	5	3	3	12	20	16	28	25	22	24	8	4	1	-	-
	White—M.	41	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	6	4	9	7	3	4	1	3	-	-	-
	F.	92	-	-	-	-	-	-	-	-	-	-	1	4	-	2	8	7	5	12	14	13	18	6	1	1	-	-
	Nonwhite—M.	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	3	1	2	1	1	-	-	-	-
	F.	29	-	-	-	-	-	-	-	1	-	-	2	-	2	1	3	2	6	4	3	4	1	-	-	-	-	-
77	Alcoholism (ethylism)	58	-	-	-	-	-	-	1	1	1	1	1	8	11	6	11	7	4	2	1	2	1	-	-	-	-	-
	White—M.	49	-	-	-	-	-	-	-	1	1	1	1	5	10	4	10	7	4	2	-	2	1	-	-	-	-	-
	F.	5	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M.	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,846	8	1	-	2	1	4	4	10	20	30	43	84	162	220	331	438	518	742	746	635	481	254	85	13	5	9
	White—M.	2,025	5	-	-	2	-	3	2	4	8	16	13	26	44	71	104	201	225	308	361	262	219	112	32	5	-	2
	F.	1,779	3	1	-	-	1	-	-	4	6	5	11	22	41	67	95	121	180	251	272	296	218	127	49	7	2	-
	Nonwhite—M.	476	-	-	-	-	-	1	-	2	2	6	6	10	32	39	63	48	52	92	52	39	19	7	1	1	1	3
	F.	566	-	-	-	-	-	-	2	-	4	3	15	26	45	43	69	68	61	91	61	38	25	8	3	-	2	4
90-95	Diseases of the heart	13,486	23	10	3	3	7	24	41	44	82	98	153	279	490	711	1,100	1,336	1,519	1,882	2,029	1,519	1,164	623	251	52	19	26
	White—M.	7,353	14	3	1	-	1	8	16	17	27	38	62	122	249	395	634	825	933	1,093	1,102	769	584	295	132	24	4	7
	F.	4,083	5	6	1	1	2	8	14	15	33	31	39	67	93	116	207	266	381	532	696	623	514	291	104	24	7	7
	Nonwhite—M.	1,115	1	-	-	2	3	5	5	2	10	13	17	38	71	109	151	130	112	153	136	73	45	18	6	3	3	9
	F.	935	3	1	1	-	1	3	6	10	12	16	35	52	77	91	108	115	93	104	95	54	21	19	9	1	5	3
90a,92b, c,93c,95	Chronic rheumatic diseases of the heart	589	-	-	-	1	2	8	21	16	23	18	20	25	38	43	40	59	47	57	72	38	32	20	7	-	1	1
	White—M.	264	-	-	-	-	-	1	7	7	8	11	9	8	18	13	12	29	23	34	37	22	13	10	1	-	-	1
	F.	201	-	-	-	-	1	4	7	5	11	6	5	10	13	14	21	15	9	13	21	14	17	9	6	-	-	-
	Nonwhite—M.	62	-	-	-	1	1	1	4	1	3	1	3	5	1	9	3	7	5	7	7	-	2	1	-	-	-	-
	F.	62	-	-	-	-	-	2	3	3	1	-	3	2	6	7	4	8	10	3	7	2	-	-	-	-	1	-
94	Diseases of coronary arteries, angina pectoris	5,179	9	-	1	-	-	4	5	7	18	27	62	119	232	334	544	617	692	764	764	482	308	130	43	8	1	8
	White—M.	3,398	5	-	-	-	-	3	2	2	8	10	30	66	155	243	392	467	483	511	475	271	167	68	29	5	-	6
	F.	1,319	1	-	-	-	-	-	2	1	7	9	13	28	32	45	82	100	161	195	249	188	131	59	12	2	-	2
	Nonwhite—M.	260	1	-	-	-	-	1	1	-	2	2	6	13	19	31	44	31	19	38	28	15	6	2	-	1	-	-
	F.	202	2	-	1	-	-	-	-	4	1	6	13	12	26	15	26	19	29	20	12	8	4	1	2	-	1	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	7,718	14	10	2	2	5	12	15	21	41	51	71	135	220	334	516	660	780	1,061	1,193	999	824	473	201	44	17	17
	White—M.	3,691	9	3	1	-	1	4	7	8	11	15	23	48	76	139	230	329	427	548	590	476	404	217	102	19	4	-
	F.	2,583	4	6	1	1	1	4	5	9	15	16	21	29	48	57	104	151	211	324	426	421	366	223	86	22	7	5
	Nonwhite—M.	793	-	-	-	1	2	3	-	1	5	10	8	20	51	69	104	92	88	108	101	58	37	15	6	2	3	9
	F.	671	1	1	-	-	1	1	3	3	10	10	19	38	45	69	78	88	54	81	76	44	17	18	7	1	3	3

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	4,263	1,201	225	58	36	28	67	41	71	84	62	76	90	118	124	173	170	201	244	303	282	282	196	97	26	13	15
	White	1,836	545	82	29	17	14	34	11	22	31	18	33	30	44	45	74	78	93	96	137	120	138	86	43	10	4	4
	M.	1,527	419	106	20	10	9	19	14	29	26	20	25	30	33	28	32	50	63	74	111	109	131	97	48	13	6	5
	F.	493	129	22	4	7	4	9	9	9	15	11	4	12	21	32	34	23	30	43	29	22	6	10	4	1	1	4
	Nonwhite	407	110	15	5	2	1	5	7	11	14	13	14	18	20	19	33	19	15	31	26	11	7	3	2	2	2	2
107	Bronchopneumonia	1,111	440	81	17	9	6	14	10	9	18	11	6	20	22	17	29	29	33	45	65	55	82	57	24	5	1	6
	White	499	197	31	6	5	4	9	2	3	8	4	2	6	8	6	14	14	17	25	29	30	38	28	9	3	1	2
	M.	441	176	42	8	4	1	3	4	3	4	2	3	7	5	3	7	10	13	13	28	20	39	29	13	2	-	2
	F.	87	32	7	1	-	1	2	2	-	4	3	1	2	4	3	6	3	1	5	3	2	1	2	1	-	-	1
	Nonwhite	84	35	1	2	-	-	-	2	3	2	2	-	5	5	5	2	2	2	2	5	3	4	-	1	-	-	1
	M.																											
	F.																											
108	Lobar pneumonia	950	198	39	10	11	5	17	9	23	27	25	27	20	36	44	51	57	61	70	74	47	44	36	11	2	3	3
	White	403	87	10	6	4	3	6	4	10	11	7	13	8	20	13	24	31	27	23	34	19	19	14	5	1	-	1
	M.	323	70	24	3	3	1	4	2	7	9	8	8	9	8	9	12	14	17	24	24	17	25	17	6	1	1	-
	F.	133	23	2	-	4	1	4	3	3	2	5	1	3	5	11	8	7	12	15	10	9	-	3	-	-	1	1
	Nonwhite	91	18	3	1	-	-	3	-	3	5	5	5	2	3	6	7	5	5	8	6	2	-	2	-	-	1	1
	M.																											
	F.																											
109	Pneumonia (unspecified)	1,041	367	62	15	9	7	16	10	19	14	7	18	20	30	19	36	37	45	56	64	51	65	39	27	5	2	3
	White	467	166	23	8	3	1	9	3	3	4	5	9	9	9	7	11	17	21	25	31	26	42	20	14	1	-	-
	M.	336	111	24	4	2	4	7	3	10	6	2	5	3	10	2	8	11	11	12	25	17	22	16	13	4	2	2
	F.	131	49	6	1	3	1	-	3	5	1	-	-	4	7	7	8	4	9	9	4	5	1	3	-	-	-	1
	Nonwhite	107	41	9	2	1	1	-	1	1	3	-	4	4	4	3	9	5	2	10	4	3	-	-	-	-	-	-
	M.																											
	F.																											
35	Influenza	1,161	196	43	16	7	10	20	12	20	25	19	25	30	30	44	57	47	64	73	100	109	92	64	35	14	6	3
	White	467	93	18	9	5	6	10	2	6	8	2	9	9	7	14	25	16	28	23	43	45	40	26	15	5	2	1
	M.	427	62	16	5	1	3	5	5	9	7	8	9	11	10	14	5	15	22	25	34	55	45	35	16	6	3	1
	F.	142	25	7	2	-	1	3	1	1	6	3	2	3	5	11	12	9	8	14	12	6	4	2	3	1	-	1
	Nonwhite	125	16	2	-	1	-	2	4	4	4	6	5	7	8	5	15	7	6	11	11	3	3	1	1	2	1	-
	M.																											
	F.																											
117	Ulcer of stomach or duodenum	260	1	1	-	-	-	1	-	1	-	2	17	12	23	27	31	38	41	22	17	11	13	1	1	-	-	-
	White	181	1	-	-	-	-	1	-	1	-	1	11	8	17	19	20	28	33	14	12	7	7	-	1	-	-	-
	M.	42	-	1	-	-	-	-	-	-	-	1	2	2	1	5	2	4	4	5	4	4	6	1	-	-	-	-
	F.	22	-	-	-	-	-	-	-	-	-	-	3	1	2	3	6	4	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite	15	-	-	-	-	-	-	-	-	-	-	1	1	3	-	3	2	4	1	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
119,120	Diarrhea, enteritis, etc.*	1,822	1,372	185	29	14	7	18	5	3	5	6	8	7	9	9	11	16	18	21	19	22	10	18	8	1	2	1
	White	851	681	90	11	5	4	7	4	2	1	3	3	1	3	3	3	3	6	9	9	4	5	11	2	1	-	-
	M.	786	588	83	11	8	3	6	-	1	3	2	4	3	3	2	5	7	10	9	6	15	4	7	6	-	-	-
	F.	89	62	7	3	1	-	1	-	-	1	-	-	1	3	2	1	2	-	1	1	2	-	-	-	-	-	1
	Nonwhite	96	61	5	4	-	-	2	1	-	-	1	1	2	-	2	2	4	2	2	3	1	1	-	-	-	2	-
	M.																											
	F.																											
121	Appendicitis	358	-	6	10	6	6	25	27	28	29	24	28	16	28	23	30	16	15	13	13	10	2	1	1	-	-	1
	White	182	-	3	6	4	1	14	14	13	10	9	12	5	16	14	21	9	8	8	8	6	-	1	-	-	-	-
	M.	109	-	3	4	2	4	7	8	7	10	12	7	6	2	4	7	5	6	4	4	4	2	-	1	-	-	-
	F.	41	-	-	-	-	-	3	3	8	4	1	3	3	6	5	2	2	-	1	1	-	-	-	-	-	-	1
	Nonwhite	26	-	-	-	-	1	1	2	2	5	2	6	2	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
122	Hernia, intestinal obstruction	531	46	6	3	2	-	6	7	7	14	16	19	28	36	35	41	33	39	45	58	44	28	14	5	1	-	-
	White	198	24	4	2	1	-	5	5	4	2	3	5	6	6	5	8	7	20	25	28	18	11	6	3	-	-	-
	M.	220	16	1	-	1	-	1	2	2	8	9	8	14	16	14	19	15	13	13	20	24	16	7	2	1	-	-
	F.	56	3	1	1	-	-	-	-	-	2	1	2	2	5	7	10	6	2	5	6	2	-	1	-	-	-	-
	Nonwhite	57	3	-	-	-	-	-	-	1	2	3	6	6	9	9	4	5	4	2	2	-	1	-	-	-	-	-
	M.																											
	F.																											
124	Cirrhosis of the liver	345	-	-	1	2	-	-	2	1	4	4	8	15	22	21	39	53	52	35	42	19	17	7	1	-	-	-
	White	197	-	-	1	1	-	-	-	-	2	2	5	5	14	14	27	31	30	19	28	8	7	4	1	-	-	-
	M.	102	-	-	-	1	-	-	2	1	1	2	2	6	5	5	5	12	16	8	13	11	9	3	-	-	-	-
	F.	31	-	-	-	-	-	-	-	-	1	-	-	3	1	1	5	7	4	5	3	-	1	-	-	-	-	-
	Nonwhite	15	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	3	2	3	-	-	-	-	-	-	-	-
	M.																											
	F.																											
128,127	Biliary calculi, etc.*	261	2	-	-	-	-	-	-	2	6	4	5	10	14	21	21	37	26	31	32	26	12	8	4	-	-	-
	White	78	-	-	-	-	-	-	-	-	1	1	-	-	2	5	5	16	8	11	11	9	3	3	1	-	-	-
	M.	161	2	-	-	-	-	-	-	-	5	1	4	9	9	11	15	18	17	18	18	17	9	5	3	-	-	-
	F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite	19	-	-	-	-	-	-	-	2	-	2	1	1	3	4	1	2	-	1	2	-	-	-	-	-	-	-	-
	M.																											
	F.																											
130-132	Nephritis	3,707	15	8	7	8	1	16	19	25	38	38	45	64	135	169	232	305	345	466	534	489	416	219	76	21	9	9
	White	1,723	6	4	2	3	1	8	7	13	21	8	10	25	51	58	99	120	167	219	274	225	230	119	36	13	3	1
	M.	1,158	4	2	2	1	-	4	9	8	10	19	17	16	33	44	45	71	99	136	188	192	152	87	33	5	3	-
	F.	465	3	2	2	1	-	3	3	2	1	2	3	4	25	34	42	70	44	71	85	49	19	9	4	-	2	3
	Nonwhite	365	2	-	1	1	-	1	-	4	6	9	15	19	28	33	46	44	35	40	29	23	15	4	3	3*	1	5
	M.																											
	F.																											
137	Diseases of the prostate	346	-	-	-	-	-	-	-	-	-	-	-	2	3	4	8	14	20	42	64	74	64	30	15	2	3	1
	White	291	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	10	19	35	53	65	61	29	14	2	-	-
	Nonwhite	55	-	-	-	-	-	-	-	-	-	-	-	2	3	3	6	4	1	7	11	9	3	1	1	-	3	1

*Refer to complete International list titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Con.																										
140-150	Diseases of pregnancy, etc.*...	422	-	-	-	-	-	-	1	62	85	82	90	79	21	2	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	310	-	-	-	-	-	-	1	42	63	62	68	56	16	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	112	-	-	-	-	-	-	-	20	22	20	22	23	5	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	137	-	-	-	-	-	-	-	16	41	24	33	21	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	103	-	-	-	-	-	-	-	10	30	18	27	16	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	34	-	-	-	-	-	-	-	6	11	6	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	118	-	-	-	-	-	-	1	25	22	27	15	23	4	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	86	-	-	-	-	-	-	1	16	16	22	11	17	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	32	-	-	-	-	-	-	-	9	6	5	4	6	2	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	121	-	-	-	-	-	-	-	15	15	18	33	28	11	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	91	-	-	-	-	-	-	-	13	12	12	25	18	10	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	30	-	-	-	-	-	-	-	2	3	6	8	10	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	48	-	-	-	-	-	-	-	8	7	13	9	7	4	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	30	-	-	-	-	-	-	-	3	5	10	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	16	-	-	-	-	-	-	-	3	2	3	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	810	685	43	9	9	5	13	14	9	10	5	2	3	1	-	1	-	-	1	-	-	-	-	-	-	-
	White.....M..	418	361	18	5	5	3	6	4	4	4	5	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	322	270	24	1	3	2	5	6	4	4	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	41	31	1	1	1	-	1	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	29	23	-	2	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	2,127	2,127	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	1,101	1,101	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	724	724	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	159	159	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	143	143	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	485	-	-	-	-	-	-	2	20	31	41	43	52	51	44	47	46	32	29	21	14	5	6	1	-	-
	White.....M..	348	-	-	-	-	-	-	2	10	21	24	29	37	40	28	37	35	25	27	16	7	4	5	1	-	-
	F..	122	-	-	-	-	-	-	-	10	9	15	11	14	9	16	10	6	7	2	4	7	1	1	-	-	-
	Nonwhite..M..	14	-	-	-	-	-	-	-	-	1	2	3	1	1	-	-	5	-	-	1	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	549	2	-	-	-	-	2	5	32	84	68	90	78	73	46	18	18	17	5	4	4	1	-	-	-	2
	White.....M..	206	-	-	-	-	-	1	2	8	33	27	35	24	26	18	8	7	10	4	1	-	1	-	-	-	1
	F..	46	1	-	-	-	-	-	-	4	7	6	4	10	3	3	-	3	2	-	2	1	-	-	-	-	-
	Nonwhite..M..	247	-	-	-	-	-	-	1	15	32	27	41	40	39	24	10	8	4	1	1	3	-	-	-	-	1
	F..	50	1	-	-	-	-	1	2	5	12	8	10	4	5	1	-	-	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	5,405	163	117	98	62	47	202	202	438	864	468	359	282	295	218	234	195	154	181	187	185	190	134	72	17	4	37
	White.....M..	3,566	71	53	53	27	25	110	122	320	750	373	267	185	203	139	152	142	103	104	95	82	81	41	31	7	2	28
	F..	1,156	53	42	28	23	11	53	41	70	71	48	51	49	40	31	35	31	30	49	73	87	101	85	41	9	2	2
	Nonwhite..M..	501	21	14	9	4	6	24	31	39	33	34	33	42	40	37	40	17	17	21	14	12	2	6	-	-	-	5
	F..	182	18	8	8	8	5	15	8	9	10	13	8	6	12	11	7	5	4	7	5	4	6	2	-	1	-	2
170	Motor-vehicle accidents.....	1,405	8	20	20	10	14	64	59	147	186	111	118	87	119	86	88	62	55	52	41	33	17	2	1	1	-	4
	White.....M..	972	5	11	10	4	12	34	33	103	147	78	81	61	83	57	60	47	36	40	27	23	15	2	-	1	-	2
	F..	281	1	7	6	5	1	23	14	34	28	15	27	15	24	18	13	10	13	9	9	4	2	-	1	-	-	2
	Nonwhite..M..	117	1	1	3	1	1	4	10	6	9	13	8	9	10	8	14	2	5	3	4	5	-	-	-	-	-	-
	F..	35	1	1	1	-	-	3	2	4	2	5	2	2	2	3	1	3	1	-	1	1	-	-	-	-	-	-
169, 171-195	Other accidents..	4,000	155	97	78	52	33	138	143	291	678	357	241	195	176	132	146	133	99	129	146	152	173	132	71	16	4	33
	White.....M..	2,594	66	42	43	23	13	76	89	217	603	295	186	124	120	82	92	95	67	64	68	59	66	39	31	6	2	26
	F..	875	52	35	22	18	10	30	27	36	43	33	24	34	16	13	22	21	17	40	64	83	99	85	40	9	2	-
	Nonwhite..M..	384	20	13	6	3	5	20	21	33	24	21	25	33	30	29	26	15	12	18	10	7	2	6	-	-	-	5
	F..	147	17	7	7	8	5	12	6	5	8	8	6	4	10	8	6	2	3	7	4	3	6	2	-	1	-	2
182,199, 200	Senility, ill-defined and unknown causes...	2,779	387	47	18	11	6	16	18	19	25	28	28	33	56	61	91	134	145	223	255	276	315	298	171	69	40	11
	White.....M..	1,227	168	22	5	7	2	6	10	8	7	9	9	17	19	29	47	74	82	102	114	119	133	125	69	28	10	6
	F..	952	121	16	7	3	2	5	2	5	11	9	12	6	18	13	17	24	54	64	74	97	137	143	86	30	14	2
	Nonwhite..M..	319	57	8	3	1	-	2	4	4	2	3	3	3	9	13	13	19	10	32	40	37	28	8	10	5	5	2
	F..	281	41	3	3	-	2	3	2	2	5	7	4	7	10	6	14	17	19	25	27	23	17	20	6	6	11	1
	All other causes.	6,689	1,739	131	71	50	40	118	93	149	154	173	212	267	274	309	339	300	350	447	437	383	325	218	79	23	2	6
	White.....M..	3,054	902	58	36	21	14	65	52	56	46	70	73	87	94	120	146	127	168	219	221	188	154	96	28	9	2	2
	F..	2,472	596	52	23	22	15	44	24	61	64	62	74	93	99	96	102	117	118	164	160	159	149	117	48	11	-	2
	Nonwhite..M..	551	138	10	6	3	3	6	5	9	15	15	15	33	28	39	50	30	35	35	33	20	15	5	1	1	-	1
	F..	612	103	11	6	4	8	3	12	23	29	26	50	54	53	54	41	28	29	29	23	16	7	-	2	2	-	1

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH																										
	All causes.....	4,957	548	50	27	18	11	52	56	97	99	103	113	133	178	191	279	305	443	435	532	496	444	256	76	15	-	-
	White.....M..	2,792	320	20	12	10	5	29	28	58	66	52	63	78	110	111	164	203	269	250	290	270	226	126	31	3	-	-
	F..	1,994	210	26	13	6	6	20	24	33	27	45	48	55	65	73	102	86	151	158	233	217	215	128	44	11	-	-
	Nonwhite..M..	113	11	1	1	-	-	1	1	3	3	3	1	-	2	2	10	12	20	23	8	5	2	2	1	1	-	-
	F..	58	7	3	1	2	-	2	3	3	3	3	1	2	3	5	3	4	3	4	1	4	1	-	-	-	-	-
1,2	Typhoid and paratyphoid fever..	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	16	1	3	-	-	1	2	-	1	1	-	3	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	13	-	2	-	-	1	2	-	1	1	-	3	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	13	-	1	-	2	-	3	1	1	-	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....M..	7	-	-	-	1	-	2	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	5	-	1	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	73	-	2	2	-	-	1	4	4	4	4	4	5	4	3	11	6	4	7	2	4	2	-	-	-	-	-
	White.....M..	37	-	-	-	-	-	-	-	1	-	1	3	2	4	3	5	6	4	4	2	1	1	-	-	-	-	-
	F..	17	-	1	1	-	-	-	1	-	1	1	1	2	-	-	5	-	-	1	-	2	1	-	-	-	-	-
	Nonwhite..M..	9	-	1	1	-	-	-	1	-	1	1	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-
	F..	10	-	-	-	-	-	1	2	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	58	-	1	1	-	-	1	3	3	3	3	3	4	4	3	9	5	2	6	2	3	2	-	-	-	-	-
	White.....M..	32	-	-	-	-	-	-	-	1	-	1	2	2	4	3	5	5	2	4	2	-	1	-	-	-	-	-
	F..	14	-	1	1	-	-	-	1	-	-	1	1	2	-	-	4	-	-	-	-	2	1	-	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	F..	6	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	15	-	1	1	-	-	-	1	1	1	1	1	1	-	-	2	1	2	1	-	1	-	-	-	-	-	-
	White.....M..	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	28	2	-	-	-	-	1	-	1	2	1	2	-	4	2	2	1	4	1	3	1	1	-	-	-	-	-
	White.....M..	14	1	-	-	-	-	-	-	-	1	1	-	-	3	1	1	1	3	1	1	-	-	-	-	-	-	-	-
	F..	9	1	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55	Measles.....	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Con.																										
45-55	Cancer and other malignant tumors	546	-	1	-	2	-	2	2	1	5	4	8	17	20	39	53	56	69	64	81	51	45	22	4	-	-	-
	White..M..	247	-	-	-	1	-	2	1	1	2	-	1	4	5	14	21	27	32	32	41	25	25	11	2	-	-	-
	F..	271	-	1	-	1	-	-	1	-	3	3	7	13	15	23	31	20	31	27	38	24	20	11	2	-	-	-
	Nonwhite..M..	18	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	6	5	4	1	1	-	-	-	-	-	-
	F..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	1	1	1	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	268	-	-	-	-	-	-	-	-	-	-	2	4	6	14	26	30	38	37	48	27	24	9	3	-	-	-
	White..M..	137	-	-	-	-	-	-	-	-	-	-	1	3	3	6	13	17	19	21	24	15	11	3	1	-	-	-
	F..	113	-	-	-	-	-	-	-	-	-	-	1	1	3	7	12	6	15	13	23	11	13	6	2	-	-	-
	Nonwhite..M..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3	3	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	73	-	-	-	-	-	-	-	-	-	-	1	7	6	5	9	6	11	9	8	8	2	3	-	-	-	-
	White..F..	72	-	-	-	-	-	-	-	-	-	-	1	7	6	5	9	5	11	9	8	6	2	3	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	47	-	-	-	-	-	-	-	-	-	-	1	3	3	5	10	3	5	3	3	1	4	1	1	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	40	-	-	-	-	-	-	-	-	-	1	3	3	5	9	3	4	3	2	1	4	1	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	162	-	1	-	2	-	2	2	1	5	3	2	3	3	10	15	15	17	15	24	14	18	9	1	-	-	-
	White..M..	110	-	-	-	1	-	2	1	1	2	-	-	1	2	8	8	10	13	11	17	10	14	8	1	-	-	-
	F..	46	-	1	-	1	-	-	1	-	3	2	2	2	1	2	7	5	2	3	6	3	4	1	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	11	-	1	-	-	-	3	2	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White..M..	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	1	-	-	-	3	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	111	-	1	-	-	-	-	1	2	-	4	2	1	2	5	5	10	16	22	17	15	5	3	-	-	-	-
	White..M..	42	-	1	-	-	-	-	1	-	-	1	-	-	2	2	-	7	5	13	4	4	2	-	-	-	-	-
	F..	62	-	-	-	-	-	-	-	2	-	2	2	-	-	2	4	3	11	9	11	11	2	3	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	23	-	-	1	-	-	-	-	1	-	-	1	1	3	-	1	5	5	2	2	1	-	-	-	-	-	-
	White..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-
	F..	17	-	-	1	-	-	-	-	1	-	-	1	1	3	-	1	2	3	1	2	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	5	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White..M..	5	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	345	1	-	-	-	-	-	-	-	1	2	3	4	6	14	17	28	38	55	57	56	54	24	4	1	-	-
	White..M..	148	1	-	-	-	-	-	-	-	1	1	1	4	1	3	5	11	14	14	27	30	23	11	1	-	-	-
	F..	185	-	-	-	-	-	-	-	-	-	1	2	-	5	11	10	16	22	17	29	25	30	13	3	1	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
90-95	Diseases of the heart	1,476	-	-	1	-	-	5	10	19	7	14	19	24	44	55	81	108	173	175	214	214	178	105	24	10	-	-
	White..M..	899	-	-	-	-	-	2	6	9	2	7	13	16	26	32	58	81	125	116	124	122	95	51	11	3	-	-
	F..	552	-	-	1	-	-	3	4	10	5	7	6	8	16	20	21	26	43	49	89	90	82	52	13	7	-	-
	Nonwhite..M..	20	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	5	6	1	1	1	2	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-	-	-	-	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	134	-	-	-	-	-	2	8	12	4	6	8	10	12	5	11	11	8	9	13	8	3	3	1	-	-	-
	White..M..	75	-	-	-	-	-	1	4	6	1	4	6	6	6	-	7	9	4	5	8	6	1	1	-	-	-	-
	F..	57	-	-	-	-	-	1	4	6	3	2	2	4	5	5	4	2	4	3	5	2	2	2	1	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	474	-	-	-	-	-	-	-	-	-	2	3	8	16	29	38	57	81	65	69	58	30	18	-	-	-	-
	White..M..	347	-	-	-	-	-	-	-	-	-	1	2	7	11	20	32	45	67	51	44	37	17	13	-	-	-	-
	F..	119	-	-	-	-	-	-	-	-	-	1	1	1	4	9	6	11	12	12	25	19	13	5	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95z,c	Diseases of heart (other forms)	868	-	-	1	-	-	3	2	7	3	6	8	6	16	19	32	40	84	99	132	148	145	84	23	10	-	-
	White..M..	477	-	-	-	-	-	1	2	3	1	2	5	3	9	12	19	27	54	60	72	79	77	37	11	3	-	-
	F..	376	-	-	1	-	-	2	-	4	2	4	3	3	7	6	11	13	27	34	59	69	67	45	12	7	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	1	-	1	2	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	256	50	7	3	3	2	-	2	5	2	2	8	8	7	8	15	7	20	19	26	18	21	17	7	1	-	-
	White...M..	143	24	4	2	-	2	-	1	3	2	1	3	2	4	4	12	7	11	10	13	11	15	9	3	-	-	-
	F..	102	22	2	1	3	-	-	1	2	-	1	5	6	3	2	2	-	7	6	13	7	6	8	4	1	-	-
	Nonwhite..M..	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
	F..	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
107	Bronchopneumonia	95	28	4	2	2	-	-	1	3	-	2	1	1	2	-	1	1	4	5	9	8	11	7	3	-	-	-
	White....M..	51	12	3	2	-	-	-	1	2	-	1	-	-	1	-	1	1	3	2	4	4	8	4	2	-	-	-
	F..	38	12	-	-	2	-	-	-	1	-	1	1	1	1	-	-	-	1	2	5	4	3	3	1	-	-	-
	Nonwhite..M..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	95	11	1	-	-	1	-	-	2	2	-	4	6	4	3	10	5	11	8	11	4	4	6	2	-	-	-
	White....M..	55	6	-	-	-	1	-	-	1	2	-	2	2	2	2	7	5	6	4	6	3	2	3	1	-	-	-
	F..	37	5	1	-	-	-	-	-	1	-	-	2	4	2	1	2	-	4	3	5	1	2	3	1	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	18	4	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	3	1	1	3	1	-	-	-	-
	White....M..	14	2	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	2	1	1	3	1	-	-	-	-
	F..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
33	Influenza	48	7	2	1	1	1	-	1	-	-	-	2	1	-	2	3	1	4	3	5	5	3	3	2	1	-	-
	White....M..	23	4	1	-	-	1	-	-	-	-	-	-	-	-	1	3	1	2	2	2	3	2	1	-	-	-	-
	F..	25	3	1	1	1	-	-	1	-	-	-	2	1	-	1	-	-	2	1	3	2	1	2	2	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	60	-	-	-	-	1	-	-	2	2	1	1	4	6	5	9	7	6	3	6	4	1	2	-	-	-	-
	White....M..	49	-	-	-	-	-	-	-	2	1	1	1	3	5	5	8	6	6	2	4	2	1	2	-	-	-	-
	F..	11	-	-	-	-	1	-	-	-	1	-	-	1	1	-	1	1	-	1	2	2	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	40	28	1	-	-	-	-	-	-	-	2	1	-	1	2	1	-	1	1	1	1	-	-	-	-	-	-
	White....M..	18	14	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F..	21	13	1	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	34	-	-	-	1	-	1	2	3	1	3	-	2	2	1	3	2	3	1	5	2	1	1	-	-	-	-
	White....M..	14	-	-	-	-	-	1	-	1	-	1	-	-	1	1	2	1	1	-	3	1	-	1	-	-	-	-	-
	F..	20	-	-	-	1	-	-	2	2	1	2	-	2	1	-	1	1	2	1	2	1	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	37	2	-	1	-	1	-	-	-	1	-	1	1	2	3	6	2	1	5	2	4	3	1	1	-	-	-
	White....M..	17	-	-	1	-	-	-	-	-	1	-	-	1	1	2	3	-	1	2	1	3	-	-	1	-	-	-	-
	F..	19	1	-	-	-	1	-	-	-	-	-	1	-	1	1	3	2	-	3	1	1	3	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	37	-	-	-	-	-	-	1	-	-	1	-	2	2	1	4	4	4	5	7	1	4	-	-	1	-	-
	White....M..	19	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	3	2	5	-	1	-	-	-	-	-	-
	F..	16	-	-	-	-	-	-	1	-	-	1	-	1	1	1	1	1	1	3	2	-	3	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	14	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	2	2	-	-	3	1	2	1	-	-	-
	White....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	2	-	-	3	1	1	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	223	-	1	1	-	-	2	3	4	3	9	3	3	9	8	14	12	24	26	29	30	27	12	5	-	-	-
	White....M..	116	-	1	-	-	-	2	-	-	2	6	1	1	6	4	8	10	15	12	18	14	9	4	3	-	-	-
	F..	102	-	-	1	-	-	-	3	4	1	3	2	2	3	2	3	1	9	14	10	16	18	8	2	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	7	8	3	2	-	-	-
	White....M..	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	7	8	3	2	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	ARRA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Con.																										
140-150	Diseases of pregnancy, etc.*...	22	-	-	-	-	-	-	-	2	3	2	7	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	21	-	-	-	-	-	-	-	2	3	2	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	8	-	-	-	-	-	-	-	1	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	8	-	-	-	-	-	-	-	1	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	5	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	5	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	6	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	5	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	81	73	3	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	37	30	3	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	186	186	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	107	107	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	74	74	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	42	-	-	-	-	-	-	-	-	3	7	2	3	6	6	7	3	1	-	2	2	-	-	-	-	-
	White.....M..	28	-	-	-	-	-	-	-	-	1	2	1	3	5	4	4	3	1	-	2	2	-	-	-	-	-
	F..	13	-	-	-	-	-	-	-	-	2	4	1	-	1	2	3	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	10	1	-	-	-	-	-	1	-	1	2	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-
	White.....M..	6	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	478	19	12	9	4	5	28	17	34	50	26	25	30	27	25	16	19	22	27	22	21	22	14	3	1	-
	White.....M..	348	10	6	4	4	2	17	13	30	46	25	23	25	25	23	15	15	14	15	11	13	6	6	-	-	-
	F..	117	9	6	5	-	3	9	4	2	4	1	2	5	2	2	1	2	5	9	10	8	16	8	3	1	-
	Nonwhite..M..	12	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	2	3	3	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	131	1	4	2	2	1	9	6	16	11	5	6	9	11	9	4	5	9	9	5	3	3	-	-	1	-
	White.....M..	100	1	2	1	2	-	6	5	15	9	5	4	7	9	8	3	4	5	7	2	3	2	-	-	-	-
	F..	29	-	2	1	-	1	3	1	1	2	-	2	2	2	1	1	1	3	1	3	-	1	-	-	1	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	347	18	8	7	2	4	19	11	18	39	21	19	21	16	16	12	14	13	18	17	18	19	14	3	-	-
	White.....M..	248	9	4	3	2	2	11	8	15	37	20	19	18	16	15	12	11	9	8	9	10	4	6	-	-	-
	F..	88	9	4	4	-	2	6	3	1	2	1	-	3	-	1	-	1	2	8	7	8	15	8	3	-	-
	Nonwhite..M..	10	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	175	13	3	2	1	-	-	2	2	-	2	3	1	3	7	8	6	17	16	9	18	26	22	13	1	-
	White.....M..	96	9	-	1	-	-	-	1	2	-	-	2	1	2	5	6	4	13	9	4	10	13	11	3	-	-
	F..	64	3	2	-	-	-	-	-	-	-	2	1	-	-	-	2	-	2	5	5	7	13	11	10	1	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	1	-	-	-	-	-
	F..	8	1	1	1	1	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	575	188	13	7	3	1	4	8	11	10	12	16	17	22	13	23	23	29	25	43	42	45	28	12	-	-
	White.....M..	331	110	6	4	3	-	1	2	6	4	4	8	10	14	7	9	16	14	14	26	25	27	16	5	-	-
	F..	229	54	6	3	-	1	3	6	5	3	8	7	7	8	6	13	7	12	11	17	16	18	12	6	-	-
	Nonwhite..M..	11	4	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-
	F..	4	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT																											
	All causes	4,274	277	39	22	9	6	25	28	33	49	37	53	64	78	146	202	281	384	515	579	559	497	271	95	14	4	7
	White.....M.	2,280	167	19	15	3	6	15	20	21	24	16	30	34	43	88	126	158	224	297	305	264	208	128	37	7	1	6
	F.	1,990	110	20	7	6	-	10	8	12	25	20	23	30	34	58	75	123	160	217	274	275	289	145	58	7	3	1
	Nonwhite..M.	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,2	Typhoid and paratyphoid fever..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	White.....M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	6	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	White.....M.	5	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	7	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	124	1	2	-	1	-	-	1	1	8	8	12	7	8	5	12	17	17	14	5	4	1	-	-	-	-	-
	White.....M.	85	1	1	-	-	-	-	-	-	2	3	7	6	7	3	9	16	13	11	2	3	1	-	-	-	-	-
	F.	38	-	1	-	1	-	-	1	1	6	4	5	1	1	2	3	1	4	3	3	1	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	113	-	1	-	1	-	-	1	1	6	7	11	6	8	4	12	16	17	13	5	3	1	-	-	-	-	-
	White.....M.	79	-	1	-	-	-	-	-	-	2	3	6	6	7	2	9	15	13	10	2	2	1	-	-	-	-	-
	F.	33	-	-	-	1	-	-	1	1	4	3	5	-	1	2	3	1	4	3	3	1	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	11	1	1	-	-	-	-	-	-	2	1	1	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-
	White.....M.	6	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-
	F.	5	-	1	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	32	-	-	-	-	-	-	-	1	-	1	2	6	2	1	5	3	5	1	1	3	-	1	-	-	-	-
	White.....M.	20	-	-	-	-	-	-	-	1	-	1	1	3	1	1	4	2	3	1	1	1	-	-	-	-	-	-
	F.	12	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	1	2	-	-	2	-	1	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles.....	11	2	3	1	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White.....M.	5	1	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	6	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, policencephalitis (acute)..	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Con.																										
45-55	Cancer and other malignant tumors	527	-	-	-	-	-	-	1	-	1	5	2	9	14	27	36	50	79	76	93	75	42	16	1	-	-
	White	248	-	-	-	-	-	-	-	-	-	1	-	1	5	12	14	20	36	36	52	41	23	6	1	-	-	-
	M	279	-	-	-	-	-	-	1	-	1	4	2	8	9	15	22	30	43	40	41	34	19	10	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	227	-	-	-	-	-	-	-	-	-	-	-	3	6	12	10	15	41	31	45	36	21	7	-	-	-
	White	120	-	-	-	-	-	-	-	-	-	-	-	1	4	6	4	7	23	15	24	22	11	3	-	-	-
	M	107	-	-	-	-	-	-	-	-	-	-	-	2	2	6	6	8	18	16	21	14	10	4	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	63	-	-	-	-	-	-	-	-	1	2	2	3	2	4	5	10	8	8	2	9	4	3	-	-	-
	White	63	-	-	-	-	-	-	-	-	1	2	2	3	2	4	5	10	8	8	2	9	4	3	-	-	-
	F	63	-	-	-	-	-	-	-	-	1	2	2	3	2	4	5	10	8	8	2	9	4	3	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	61	-	-	-	-	-	-	-	-	-	1	-	2	5	4	7	5	8	10	10	6	3	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	M	60	-	-	-	-	-	-	-	-	-	1	-	2	5	4	7	5	8	10	9	6	3	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	176	-	-	-	-	-	-	1	-	-	2	-	1	1	7	14	20	22	27	36	24	14	6	1	-	-
	White	127	-	-	-	-	-	-	-	-	-	1	-	1	1	6	10	13	13	21	27	19	12	3	1	-	-
	M	49	-	-	-	-	-	-	1	-	-	1	-	1	-	1	4	7	9	6	9	5	2	3	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	White	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	110	1	-	-	-	-	1	1	1	-	1	-	-	-	4	3	10	15	22	21	20	5	5	-	-	-
	White	44	1	-	-	-	-	1	-	1	-	1	-	-	-	1	2	5	8	3	3	14	1	3	-	-	-
	M	66	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	8	10	14	18	6	4	2	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	1	-	-	-	-	-	-
	White	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	1	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	456	-	1	-	-	-	-	-	-	-	1	-	1	7	11	22	31	49	63	75	75	66	35	14	4	-	1
	White	191	-	-	-	-	-	-	-	-	-	-	-	-	5	3	10	11	18	27	40	32	24	14	3	3	-	1
	M	264	-	1	-	-	-	-	-	-	-	1	-	1	2	8	11	20	31	36	35	43	42	21	11	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart	1,373	-	-	-	-	-	1	-	2	4	3	5	6	7	49	63	99	133	198	226	225	201	100	42	6	1	2
	White	751	-	-	-	-	-	1	-	1	2	2	2	3	6	37	43	66	95	126	118	104	77	47	17	2	-	2
	M	621	-	-	-	-	-	-	-	1	2	1	3	3	1	12	20	33	38	71	108	121	124	53	25	4	1	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	80	-	-	-	-	-	1	-	2	3	1	-	-	1	6	2	10	6	13	9	9	9	6	2	-	-	-
	White	46	-	-	-	-	-	1	-	1	2	-	-	-	1	3	-	6	4	8	4	5	7	3	1	-	-	-
	M	34	-	-	-	-	-	-	-	1	1	1	-	-	-	3	2	4	2	5	5	4	2	3	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	431	-	-	-	-	-	-	-	-	1	1	2	4	5	27	30	41	59	75	80	54	32	17	2	-	-	1
	White	285	-	-	-	-	-	-	-	-	-	1	1	3	5	24	28	30	46	58	47	25	8	7	1	-	-	1
	M	146	-	-	-	-	-	-	-	-	1	-	1	1	-	3	2	11	13	17	33	29	24	10	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	862	-	-	-	-	-	-	-	-	-	1	3	2	1	16	31	48	68	110	137	162	160	77	38	6	1	1
	White	420	-	-	-	-	-	-	-	-	-	1	1	-	-	10	15	30	45	60	67	74	62	37	15	2	-	1
	M	441	-	-	-	-	-	-	-	-	-	-	2	2	1	6	16	18	23	49	70	88	98	40	23	4	1	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Con.																											
107-108, 33	Pneumonia (all forms) and influenza	216	31	4	2	–	–	3	3	1	4	2	1	4	2	7	4	7	12	13	20	28	31	28	7	–	–	2
	White	117	20	4	2	–	–	1	2	–	2	–	1	3	1	4	1	5	7	5	13	18	12	13	2	–	–	1
	F.	99	11	–	–	–	–	2	1	1	2	2	–	1	1	3	3	2	5	8	7	10	19	15	5	–	–	1
	Nonwhite	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	82	22	2	1	–	–	1	1	–	3	1	–	2	–	2	1	2	3	3	8	6	10	9	4	–	–	1
	White	49	13	2	1	–	–	–	1	–	2	–	–	1	–	1	1	2	1	2	7	5	4	5	1	–	–	–
	F.	33	9	–	–	–	–	1	–	–	1	1	–	1	–	1	–	–	2	1	1	1	6	4	3	–	–	1
	Nonwhite	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108	Lobar pneumonia	56	2	1	1	–	–	1	–	1	–	1	1	1	2	1	3	4	4	6	5	10	9	2	1	–	–	–
	White	30	2	1	1	–	–	1	–	–	–	–	1	1	1	1	–	3	3	3	2	6	3	1	–	–	–	–
	F.	26	–	–	–	–	–	–	–	1	–	1	–	–	1	–	3	1	1	3	3	4	6	1	1	–	–	–
	Nonwhite	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
109	Pneumonia (unspecified)	11	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	1	1	3	–	–	–	–
	White	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	1	–	–	–	–
	F.	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	2	–	–	–	–
	Nonwhite	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	Influenza	67	6	1	–	–	–	1	2	–	1	–	–	1	–	3	–	1	3	3	6	11	11	14	2	–	–	1
	White	33	5	1	–	–	–	–	1	–	–	–	–	1	–	1	–	–	2	–	1	6	4	6	1	–	–	1
	F.	34	1	–	–	–	–	1	1	–	1	–	–	–	–	2	–	1	1	3	2	5	7	8	1	–	–	–
	Nonwhite	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117	Ulcer of stomach or duodenum	26	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	2	3	7	2	3	2	–	–	–	–	–
	White	21	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	3	5	2	2	2	–	–	–	–	–
	F.	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	2	–	1	–	–	–	–	–	–
	Nonwhite	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119,120	Diarrhea, enteritis, etc.*	19	12	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–
	White	11	7	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	F.	8	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Nonwhite	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
121	Appendicitis	26	–	1	1	–	–	3	2	1	–	1	3	–	2	–	4	4	1	2	–	1	–	–	–	–	–	–
	White	16	–	–	–	–	–	1	1	–	–	1	3	–	2	–	2	2	1	2	–	1	–	–	–	–	–	–
	F.	10	–	1	1	–	–	2	1	1	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
	Nonwhite	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122	Hernia intestinal obstruction	35	–	–	–	–	–	–	–	–	1	1	1	–	1	2	2	4	5	4	2	4	5	2	1	–	–	–
	White	17	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	3	4	2	1	2	2	–	–	–	–	–
	F.	18	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	1	1	2	1	2	3	2	1	–	–	–
	Nonwhite	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124	Cirrhosis of the liver	22	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	3	3	5	4	1	2	–	–	–	–	–
	White	15	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	1	2	4	2	–	2	–	–	–	–	–
	F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	1	–	–	–	–	–	–
	Nonwhite	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
126,127	Biliary calculi, etc.*	24	–	–	–	–	–	–	–	–	–	1	1	2	1	1	–	3	3	6	4	–	1	1	–	–	–	–
	White	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
	F.	21	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	2	3	5	4	–	1	1	–	–	–	–
	Nonwhite	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
130-132	Nephritis	248	–	–	1	–	–	–	3	1	2	1	4	2	4	8	10	14	20	33	45	36	39	23	2	–	–	–
	White	125	–	–	1	–	–	–	3	1	1	–	3	1	1	2	7	8	11	17	22	19	17	12	1	–	–	–
	F.	123	–	–	–	–	–	–	–	–	1	1	1	1	3	6	3	8	9	16	23	17	22	11	1	–	–	–
	Nonwhite	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137	Diseases of the prostate	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	13	6	3	3	2	1	–	–
	White	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	13	6	3	3	2	1	–	–
	Nonwhite	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Con.																											
140-150	Diseases of pregnancy, etc.*...	13	-	-	-	-	-	-	-	-	6	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	13	-	-	-	-	-	-	-	-	6	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia....	5	-	-	-	-	-	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	5	-	-	-	-	-	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	1	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	4	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma and shock*.....	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	64	56	2	4	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	37	34	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	27	22	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	91	91	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	38	38	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	45	-	-	-	-	-	-	-	-	2	1	4	2	3	2	6	2	5	7	5	5	1	-	-	-	-	-
	White.....M..	31	-	-	-	-	-	-	-	-	1	1	3	1	2	2	6	1	3	4	2	4	1	-	-	-	-	-
	F..	14	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	2	3	3	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	222	3	6	7	4	2	8	13	16	16	15	7	10	7	9	11	11	10	9	11	17	17	16	6	-	-	1
	White.....M..	157	2	3	5	1	2	6	12	11	12	4	7	9	6	9	9	9	10	9	7	8	6	7	2	-	-	1
	F..	64	1	3	2	3	-	2	1	5	4	1	-	1	-	-	2	2	-	-	4	9	11	9	4	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	34	-	1	1	-	-	3	3	2	5	2	1	1	2	-	1	3	4	1	2	2	-	-	-	-	-	-
	White.....M..	31	-	1	1	-	-	3	2	1	5	2	1	1	1	-	1	3	4	1	2	2	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	188	3	5	6	4	2	5	10	14	11	3	6	9	5	9	10	8	6	8	9	15	17	16	6	-	-	1
	White.....M..	126	2	2	4	1	2	3	10	10	7	2	6	8	5	9	8	6	6	8	5	6	6	7	2	-	-	1
	F..	62	1	3	2	3	-	2	-	4	4	1	-	1	-	-	2	2	-	-	4	9	11	9	4	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	62	9	2	-	-	-	-	1	-	-	-	1	1	-	1	1	5	1	5	5	7	6	10	4	1	2	-
	White.....M..	35	4	2	-	-	-	-	-	-	-	-	1	-	-	1	1	4	-	4	3	3	4	4	3	-	1	-
	F..	27	5	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	1	2	4	2	6	1	1	1	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	459	64	15	4	4	1	7	2	6	5	3	7	7	13	16	17	12	21	42	44	47	73	30	16	2	-	1
	White.....M..	242	39	7	2	2	1	5	2	4	3	1	2	2	3	8	11	4	11	30	23	26	32	16	6	1	-	1
	F..	217	25	8	2	2	-	2	-	2	2	2	5	5	10	8	6	8	10	12	21	21	41	14	10	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX; EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA																										
	All causes.....	28,739	3,261	305	154	115	69	267	246	491	750	644	739	942	1,187	1,398	1,911	2,154	2,529	2,893	2,934	2,393	1,750	992	375	110	31	99
	White.....M..	11,298	1,245	118	49	43	32	107	96	175	239	234	277	347	424	480	683	876	1,015	1,205	1,229	1,091	746	411	121	25	3	27
	F..	8,185	924	85	43	24	16	64	51	87	154	124	133	215	227	314	350	464	660	860	1,019	929	753	462	162	50	6	9
	Nonwhite..M..	5,011	583	55	32	25	11	53	59	125	168	144	181	204	272	335	491	447	476	460	387	202	145	54	43	15	6	38
	F..	4,245	509	47	30	23	10	43	40	104	189	142	148	176	264	269	387	367	378	368	299	171	106	65	49	20	16	25
1,2	Typhoid and paratyphoid fever..	11	-	-	-	-	-	-	1	2	4	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	5	-	-	-	-	-	-	-	2	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	95	11	6	8	5	3	7	7	11	7	6	9	2	3	2	2	-	4	2	-	-	-	-	-	-	-	-
	White.....M..	49	7	3	5	2	2	2	4	7	3	3	6	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	F..	23	4	-	2	2	1	2	2	1	1	1	-	-	1	2	1	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	12	-	-	1	1	-	-	1	-	2	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	11	-	3	-	-	-	3	-	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	8	-	-	-	-	1	2	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	102	73	18	5	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	21	15	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	36	24	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	18	12	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	27	22	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	25	4	2	3	3	4	6	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....M..	14	2	2	1	1	2	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	6	1	-	2	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	1,344	5	11	8	4	6	10	10	88	176	118	95	115	111	103	105	96	89	76	50	43	16	4	2	-	-	3
	White.....M..	389	1	3	1	-	2	4	1	2	13	27	24	38	35	44	42	39	37	34	19	15	6	-	1	-	-	1
	F..	288	1	2	1	2	1	1	-	7	38	16	22	22	17	18	14	16	23	17	17	22	7	2	1	-	-	1
	Nonwhite..M..	363	1	4	2	1	2	3	4	35	49	32	32	31	30	29	31	25	22	14	8	4	2	1	-	-	-	1
	F..	324	2	2	4	1	1	2	5	44	76	43	17	24	29	12	18	16	7	11	6	2	1	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	1,221	3	4	4	1	3	5	7	80	161	112	86	108	97	97	98	92	85	65	48	41	16	4	1	-	-	3
	White.....M..	356	-	2	-	-	-	1	-	2	11	26	23	37	31	43	40	36	34	30	18	15	6	-	-	-	-	1
	F..	256	1	1	-	1	1	1	-	7	37	16	19	21	16	18	13	16	23	15	17	22	7	2	1	-	-	1
	Nonwhite..M..	311	-	1	1	-	1	2	2	31	41	27	30	27	25	25	28	24	22	10	7	3	2	1	-	-	-	1
	F..	298	2	-	3	-	1	1	5	40	72	43	14	23	25	11	17	16	6	10	6	1	1	1	-	-	-	-
14-22	Tuberculosis (other forms)..	123	2	7	4	3	3	5	3	8	15	6	9	7	14	6	7	4	4	11	2	2	-	-	1	-	-	-
	White.....M..	33	1	1	1	-	2	3	1	-	2	1	1	1	4	1	2	3	3	4	1	-	-	-	1	-	-	-
	F..	12	-	1	1	1	-	-	-	-	1	-	3	1	1	-	1	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite..M..	52	1	3	1	1	1	1	2	4	8	5	2	4	5	4	3	1	-	4	1	1	-	-	-	-	-	-
	F..	26	-	2	1	1	-	1	-	4	4	-	3	1	4	1	1	-	1	1	-	1	-	-	-	-	-	-
27	Dysentery.....	71	38	7	5	-	-	-	1	-	-	-	-	-	-	-	1	2	2	3	4	3	1	-	3	-	-	1
	White.....M..	20	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-
	F..	15	7	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	1	-	-	-
	Nonwhite..M..	22	13	2	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	1
	F..	14	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-
28	Malaria.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	346	29	3	1	-	-	2	1	3	7	4	18	31	32	46	44	48	29	26	16	2	1	2	-	-	-	1
	White.....M..	98	2	-	-	-	-	-	-	1	1	1	4	11	9	13	11	18	9	11	5	1	-	1	-	-	-	-
	F..	23	3	-	-	-	-	-	-	-	-	-	-	3	1	3	2	1	4	2	2	1	1	-	-	-	-	-
	Nonwhite..M..	177	14	2	-	-	-	1	-	1	2	3	11	15	19	26	25	24	13	12	7	-	-	1	-	-	-	1
	F..	48	10	1	1	-	-	1	1	1	4	-	3	2	3	4	6	5	3	1	2	-	-	-	-	-	-	-
35	Measles.....	50	17	9	1	5	1	7	-	1	2	2	-	-	1	-	1	-	1	2	-	-	-	-	-	-	-	-
	White.....M..	24	9	4	1	2	1	3	-	1	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F..	17	4	3	-	2	-	3	-	-	-	1	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	2	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliocencephalitis (acute)..	58	5	2	2	4	3	17	9	7	4	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	33	3	2	1	2	2	9	6	4	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	17	1	-	1	-	-	7	1	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Con.																										
45-55	Cancer and other malignant tumors	2,598	1	2	5	3	3	7	8	12	28	14	42	97	156	187	252	273	332	379	360	215	141	65	10	6	-	-
	White..M..	954	-	-	2	1	2	4	2	3	11	4	12	23	37	42	75	87	125	148	161	108	72	27	7	1	-	-
	F..	1,092	-	1	-	1	-	1	5	4	7	6	15	49	70	91	95	122	132	165	142	93	55	34	2	2	-	-
	Nonwhite..M..	256	1	1	-	1	-	1	1	2	3	2	4	8	16	21	40	26	36	36	37	10	9	-	-	1	-	-
	F..	296	-	-	3	-	1	1	-	3	7	2	11	17	33	33	42	38	39	30	20	4	5	4	1	2	-	-
46	Cancer of digestive organs, peritoneum	1,082	-	-	-	-	-	1	2	2	6	4	8	30	40	59	92	110	139	186	196	109	62	28	5	3	-	-
	White..M..	435	-	-	-	-	-	1	-	1	3	1	1	8	15	19	25	41	59	76	92	55	26	9	3	-	-	-
	F..	404	-	-	-	-	-	-	2	1	1	2	2	12	9	21	31	37	48	74	71	46	29	16	1	1	-	-
	Nonwhite..M..	144	-	-	-	-	-	-	-	-	2	-	3	7	10	11	25	17	18	20	21	5	4	-	-	1	-	-
	F..	99	-	-	-	-	-	-	-	-	-	1	2	3	6	8	11	15	14	16	12	3	3	3	1	1	-	-
48,49	Cancer of female genital organs	400	-	-	1	-	-	-	1	1	6	5	14	36	52	41	46	47	51	35	33	18	8	5	-	-	-	-
	White..F..	292	-	-	-	-	-	-	1	-	1	3	6	25	34	31	30	39	34	29	28	18	8	5	-	-	-	-
	Nonwhite..F..	108	-	-	1	-	-	-	-	1	5	2	8	11	18	10	16	8	17	6	5	-	-	-	-	-	-	-
50	Cancer of breast	239	-	-	-	-	-	-	-	-	2	-	4	11	22	33	28	32	27	39	18	10	7	5	-	1	-	-
	White..M..	7	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	2	1	-	-	-	-	-	-
	F..	182	-	-	-	-	-	-	-	-	1	-	3	7	18	26	18	24	21	31	14	9	6	4	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	50	-	-	-	-	-	-	-	-	1	-	1	2	4	7	10	8	5	7	2	-	1	1	-	1	-	-
45,47, 51-55	Cancer (other sites)	877	1	2	4	3	3	6	5	9	14	6	16	20	42	54	86	84	115	119	113	78	63	27	5	2	-	-
	White..M..	512	-	-	2	1	2	3	2	2	8	3	11	13	22	23	50	46	65	71	67	52	46	18	4	1	-	-
	F..	214	-	1	-	1	-	1	2	3	4	1	4	5	9	13	16	22	29	31	29	20	12	9	1	1	-	-
	Nonwhite..M..	112	1	1	-	1	-	1	1	2	1	2	1	1	6	10	15	9	18	16	18	5	5	-	-	-	-	-
	F..	39	-	-	2	-	1	1	-	2	1	-	-	1	5	8	5	7	3	1	1	1	-	-	-	-	-	-
58	Acute rheumatic fever	31	-	-	-	1	-	4	5	-	6	3	3	-	2	2	2	-	2	-	1	-	1	-	-	-	-	-
	White..M..	11	-	-	-	-	-	3	3	-	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F..	9	-	-	-	1	-	1	-	-	1	3	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	2	-	3	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	544	1	-	-	-	-	3	7	8	4	11	7	9	16	24	55	57	80	86	69	59	34	11	2	-	-	1
	White..M..	156	1	-	-	-	-	1	3	-	2	7	2	2	4	8	15	17	20	20	19	16	13	5	-	-	-	1
	F..	239	-	-	-	-	-	1	2	4	2	3	1	2	2	5	14	22	40	47	35	35	17	5	2	-	-	-
	Nonwhite..M..	51	-	-	-	-	-	-	2	1	-	1	2	2	4	4	7	6	7	5	6	2	1	1	-	-	-	-
	F..	98	-	-	-	-	-	1	-	3	-	-	2	3	6	7	19	12	13	14	9	6	3	-	-	-	-	-
63b	Exophthalmic goiter	49	-	-	-	-	-	-	-	-	1	3	1	2	2	3	5	9	4	12	3	3	1	-	-	-	-	-
	White..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F..	35	-	-	-	-	-	-	-	-	1	2	1	-	1	2	2	7	3	10	2	3	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	11	-	-	-	-	-	-	-	-	-	1	-	2	1	1	3	1	-	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	30	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	4	6	5	8	2	-	-	-	-	-
	White..M..	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	3	3	1	-	-	-	-	-
	F..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	2	3	1	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
77	Alcoholism (ethylism)	52	-	-	-	1	-	1	-	2	1	1	4	11	7	4	5	5	3	3	2	2	-	-	-	-	-	-
	White..M..	32	-	-	-	1	-	1	-	1	-	-	-	7	2	2	5	4	3	2	2	2	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	-	1	1	3	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,933	1	3	2	-	-	2	4	7	12	16	18	45	77	145	250	308	382	431	420	403	253	121	31	9	3	10
	White..M..	972	1	1	2	-	-	-	1	3	2	3	6	13	15	33	42	85	104	154	156	194	96	46	5	4	1	5
	F..	855	-	2	-	-	-	1	1	3	3	3	4	8	8	29	35	72	91	112	159	136	112	59	13	2	-	2
	Nonwhite..M..	541	-	-	-	-	-	-	1	1	5	6	4	14	28	36	81	67	85	82	54	33	27	6	8	2	1	-
	F..	565	-	-	-	-	-	1	1	-	2	4	4	10	26	47	72	84	102	83	51	40	18	10	5	1	1	3
90-95	Diseases of the heart	7,178	4	4	2	2	1	14	18	24	47	60	91	153	245	376	580	685	823	998	1,087	860	631	302	111	27	4	29
	White..M..	3,161	1	3	1	1	1	4	7	10	16	22	27	55	98	149	246	357	384	471	480	394	267	123	31	9	-	4
	F..	1,990	2	1	1	-	-	3	3	5	15	7	11	31	37	56	89	107	184	269	355	340	271	139	52	9	1	2
	Nonwhite..M..	1,128	-	-	-	-	-	4	4	7	6	17	27	26	46	95	144	134	155	149	145	72	50	16	14	2	-	15
	F..	899	1	-	-	1	-	3	4	2	10	14	26	41	64	76	101	87	100	109	107	54	43	24	14	7	3	8
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	510	1	1	-	1	1	12	12	10	18	15	13	14	28	24	43	37	41	58	66	47	45	21	2	-	-	-
	White..M..	218	-	1	-	-	1	4	4	4	6	7	3	4	10	12	14	22	18	33	26	23	17	9	-	-	-	-
	F..	158	1	-	-	-	-	2	3	3	7	2	5	5	7	3	7	4	10	10	24	12	23	9	1	-	-	-
	Nonwhite..M..	81	-	-	-	-	-	3	3	3	1	1	2	4	5	4	10	6	8	8	12	7	3	-	1	-	-	-
	F..	73	-	-	-	1	-	3	2	-	4	5	3	1	6	5	12	5	5	7	4	5	2	3	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,981	-	-	-	-	-	-	-	-	9	13	26	52	96	162	230	243	254	293	288	186	95	38	6	3	-	7
	White..M..	1,160	-	-	-	-	-	-	-	-	3	4	14	23	55	97	151	168	166	167	159	84	50	16	1	1	-	1
	F..	494	-	-	-	-	-	-	-	-	3	3	2	12	10	18	32	36	48	94	82	93	39	19	2	1	-	-
	Nonwhite..M..	182	-	-	-	-	-	-	-	-	1	3	6	6	13	32	28	26	24	15	12	4	4	-	2	-	-	6
	F..	145	-	-	-	-	-	-	-	-	2	3	4	11	18	15	19	13	16	17	15	5	2	3	1	1	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	4,687	3	3	2	1	-	2	6	14	20	32	52	87	121	190	307	405	528	647	753	627	491	243	103	24	4	22
	White..M..	1,783	1	2	1	1	-	-	3	6	7	11	10	28	33	40	81	167	200	271	295	287	200	98	30	8	-	3
	F..	1,358	1	1	1	-	-	1	-	2	5	2	4	14	20	35	50	67	126	165	249	235	209	111	49	8	1	2
	Nonwhite..M..	865	-	-	-	-	-	1	1	4	4	13	19	16	28	59	106	102	123	126	121	61	43	16	11	2	-	9
	F..	681	1	-	-	-	-	-	2	2	4	6	19	29	40	56	70	69	79	85	88	44	39	18	13	6	3	8

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Con.																										
107-108, 33	Pneumonia (all forms) and influenza	1,971	480	80	30	10	13	25	19	25	44	30	40	46	60	64	95	98	124	136	148	126	118	86	42	11	7	14
	White.....M.	853	131	33	6	5	4	5	4	8	13	10	16	10	18	20	33	28	41	64	56	48	40	41	16	2	-	1
	F.	535	118	17	10	1	2	8	5	3	7	5	5	8	6	11	10	20	26	33	58	52	62	41	19	6	1	1
	Nonwhite..M.	419	129	18	7	3	4	3	4	7	12	6	13	18	19	17	30	29	32	21	14	13	8	2	2	2	1	5
	F.	364	102	12	7	1	3	9	6	7	12	9	6	10	17	16	22	21	25	18	20	13	8	2	5	1	5	7
107	Bronchopneumonia	638	247	38	14	4	7	7	4	4	10	4	8	8	13	16	22	16	27	24	41	29	33	36	17	4	1	4
	White.....M.	209	60	19	5	1	3	-	-	2	3	-	3	1	5	4	8	6	13	12	18	16	9	14	8	-	-	1
	F.	191	67	9	7	1	2	4	2	-	1	-	1	1	1	1	3	5	5	5	15	9	21	21	7	2	1	-
	Nonwhite..M.	124	66	5	3	1	1	1	1	1	2	2	2	3	3	3	9	4	4	2	5	1	2	-	-	1	-	2
	F.	114	54	5	1	1	1	2	1	1	4	2	2	3	4	8	2	1	5	5	3	3	1	1	2	1	-	1
108	Lobar pneumonia	535	71	13	5	2	4	4	3	11	18	9	16	20	23	23	44	41	40	49	45	37	28	14	6	2	2	5
	White.....M.	185	23	3	1	2	1	-	2	4	8	4	5	4	6	4	14	12	13	23	19	17	10	6	3	1	-	-
	F.	114	12	3	1	-	-	2	-	1	2	1	1	4	3	6	4	7	3	14	13	11	13	7	3	1	-	1
	Nonwhite..M.	131	24	5	2	-	2	-	-	3	5	1	6	8	6	9	16	12	10	7	5	4	3	1	-	-	-	2
	F.	105	12	2	1	-	1	2	1	3	3	2	4	4	8	4	10	10	14	5	8	5	2	-	-	-	2	2
109	Pneumonia (unspecified)	267	88	6	6	1	-	5	2	3	5	6	6	8	7	9	9	7	15	22	16	16	11	9	6	3	1	-
	White.....M.	103	26	3	1	-	-	3	-	1	1	4	4	3	3	5	2	3	8	12	6	4	3	8	2	1	-	-
	F.	70	21	1	1	-	-	-	2	1	1	-	1	-	-	2	1	1	4	6	8	11	6	1	1	1	-	-
	Nonwhite..M.	50	22	2	2	1	-	-	-	-	-	1	1	2	4	2	4	1	3	2	-	-	-	-	2	1	-	-
	F.	44	19	-	2	-	-	2	-	1	3	1	-	3	-	-	2	2	-	2	2	1	2	-	1	-	1	-
33	Influenza	531	74	23	5	3	2	9	10	7	11	11	10	10	17	16	20	34	42	41	46	44	46	27	13	2	3	5
	White.....M.	156	22	8	1	2	-	2	2	1	1	2	4	2	4	7	9	7	7	17	13	11	18	13	3	-	-	-
	F.	160	18	4	1	-	-	2	1	1	3	3	2	3	2	2	2	7	14	8	22	21	22	12	8	2	-	-
	Nonwhite..M.	114	17	6	-	1	1	2	3	3	5	2	4	5	6	3	1	12	15	10	4	8	3	1	-	-	1	1
	F.	101	17	5	3	-	1	3	4	2	2	4	-	-	5	4	8	8	8	6	7	4	3	1	2	-	2	4
117	Ulcer of stomach or duodenum	158	-	-	-	-	-	-	-	-	5	1	9	10	18	13	14	22	22	16	12	10	3	3	-	-	-	-
	White.....M.	97	-	-	-	-	-	-	-	-	2	1	3	8	12	8	7	13	13	11	8	8	1	2	-	-	-	-
	F.	20	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	3	3	2	1	2	1	-	-	-	-
	Nonwhite..M.	31	-	-	-	-	-	-	-	-	2	-	2	2	4	3	4	6	5	1	1	1	-	-	-	-	-	-
	F.	10	-	-	-	-	-	-	-	-	1	-	4	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	369	267	33	7	7	2	5	1	1	-	2	4	2	3	2	4	1	3	7	4	6	2	3	1	1	-	1
	White.....M.	144	106	17	2	3	-	2	1	-	-	1	-	1	2	-	1	-	1	3	-	3	-	-	1	-	-	-
	F.	92	67	8	1	1	2	-	-	-	-	-	1	-	-	-	-	-	1	2	2	3	1	2	1	-	-	-
	Nonwhite..M.	66	46	4	3	1	-	3	-	-	-	-	1	-	1	1	1	1	1	2	-	-	-	1	-	-	-	-
	F.	67	48	4	1	2	-	-	-	1	-	1	2	1	-	1	2	-	-	-	2	-	1	-	-	-	-	1
121	Appendicitis	172	1	-	2	2	4	6	12	18	13	19	6	11	8	12	14	8	8	9	12	3	4	2	-	-	-	-
	White.....M.	62	-	-	-	1	1	3	6	7	4	6	3	5	2	1	4	2	2	3	6	1	4	1	-	-	-	-
	F.	47	-	-	1	-	1	-	4	7	2	6	1	1	-	2	5	2	3	3	6	2	-	1	-	-	-	-
	Nonwhite..M.	34	-	-	1	1	1	3	1	3	3	2	1	4	3	2	4	1	2	2	-	-	-	-	-	-	-	-
	F.	29	1	-	-	-	1	-	1	1	4	5	1	1	3	7	1	1	1	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	205	20	3	1	-	-	2	1	4	3	7	8	13	14	14	14	16	21	21	15	13	6	6	1	1	-	1
	White.....M.	60	8	2	1	-	-	1	1	2	-	1	1	3	2	1	-	5	7	8	4	8	3	1	-	1	-	-
	F.	60	6	1	-	-	-	-	-	-	1	3	2	5	3	4	1	7	8	3	7	5	1	3	-	-	-	-
	Nonwhite..M.	46	5	-	-	-	-	1	-	2	1	-	2	2	3	3	9	1	3	8	3	-	2	1	-	-	-	-
	F.	39	1	-	-	-	-	-	-	-	1	3	3	3	6	6	4	3	3	2	1	-	-	1	1	-	-	1
124	Cirrhosis of the liver	157	-	1	-	1	-	-	-	-	-	6	6	11	9	11	19	21	15	17	19	12	6	3	-	-	-	-
	White.....M.	82	-	-	-	-	-	-	-	-	-	2	4	8	2	8	10	9	11	9	11	6	2	-	-	-	-	-
	F.	34	-	1	-	-	-	-	-	-	-	3	1	-	2	-	4	3	2	4	4	3	4	3	-	-	-	-
	Nonwhite..M.	29	-	-	-	-	-	-	-	-	-	1	-	3	4	2	4	6	2	2	3	2	-	-	-	-	-	-
	F.	12	-	-	-	1	-	-	-	-	-	-	1	-	1	1	1	3	-	2	1	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	104	1	-	-	-	-	-	-	1	1	1	1	8	4	6	9	7	21	15	9	12	4	2	2	-	-	-
	White.....M.	37	1	-	-	-	-	-	-	1	1	-	-	3	1	2	2	3	9	6	1	6	-	-	1	-	-	-
	F.	50	-	-	-	-	-	-	-	-	-	-	-	4	2	4	4	1	9	8	7	5	4	2	-	-	-	-
	Nonwhite..M.	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	1	-	-	-	-	-	-
	F.	11	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	2	1	1	1	-	-	-	1	-	-	-
130-132	Nephritis	2,435	4	6	5	2	1	2	8	13	21	23	28	57	94	105	169	202	260	300	363	321	232	151	51	8	3	6
	White.....M.	861	-	2	2	-	-	-	1	6	6	4	9	12	19	16	44	58	89	111	134	152	109	64	20	1	1	1
	F.	664	-	2	1	-	-	-	5	3	4	2	5	14	15	24	21	32	62	76	119	109	86	63	16	4	-	1
	Nonwhite..M.	456	1	1	1	-	1	1	-	2	6	6	1	11	27	33	48	57	56	60	66	30	22	14	5	1	2	4
	F.	454	3	1	1	2	-	1	2	2	5	11	13	20	33	32	56	55	53	53	44	30	15	10	10	2	-	-
137	Diseases of the prostate	134	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	10	12	21	25	25	16	10	6	1	-	1
	White.....M.	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	14	20	16	10	4	-	-	-	1
	Nonwhite..M.	39	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	4	6	7	5	9	-	-	2	1	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Con.																											
140-150	Diseases of pregnancy, etc.*...	185	-	-	-	-	-	-	-	20	38	37	36	35	15	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	82	-	-	-	-	-	-	-	2	12	21	20	19	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	101	-	-	-	-	-	-	-	18	26	16	16	16	8	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	64	-	-	-	-	-	-	-	7	15	9	15	15	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	27	-	-	-	-	-	-	-	-	5	5	8	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	37	-	-	-	-	-	-	-	7	10	4	7	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	46	-	-	-	-	-	-	-	7	10	12	7	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	17	-	-	-	-	-	-	-	-	4	7	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	29	-	-	-	-	-	-	-	7	6	5	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b 143,146, 149	Hemorrhage, trauma and shock*.....	47	-	-	-	-	-	-	-	3	7	9	12	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	25	-	-	-	-	-	-	-	1	2	4	8	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	22	-	-	-	-	-	-	-	2	5	5	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	26	-	-	-	-	-	-	-	3	6	7	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	13	-	-	-	-	-	-	-	1	1	5	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	13	-	-	-	-	-	-	-	2	5	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	345	298	17	2	4	-	3	1	3	6	2	1	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	160	141	4	1	2	-	1	-	2	2	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	F..	121	107	9	1	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	32	26	1	-	1	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	32	24	3	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	992	992	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	398	398	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	301	301	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	156	156	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	137	137	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	259	-	-	-	-	-	-	-	8	16	28	32	36	23	16	23	18	22	18	7	9	3	-	-	-	-	-
	White.....M..	169	-	-	-	-	-	-	-	2	8	16	17	27	13	13	18	15	12	14	5	6	3	-	-	-	-	-
	F..	72	-	-	-	-	-	-	-	4	6	10	13	7	7	1	5	2	9	3	2	3	-	-	-	-	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	1	1	2	1	2	2	2	-	1	-	1	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	241	3	-	-	-	-	-	4	18	41	29	39	33	30	18	7	9	3	2	1	-	-	1	-	-	-	3
	White.....M..	71	1	-	-	-	-	-	-	7	3	7	11	9	12	10	1	4	2	1	1	-	-	1	-	-	-	1
	F..	18	1	-	-	-	-	-	-	2	2	2	2	2	3	2	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	123	-	-	-	-	-	-	3	6	29	17	18	19	13	6	5	4	-	1	-	-	-	-	-	-	-	2
	F..	29	1	-	-	-	-	-	1	3	7	3	8	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,010	92	42	33	39	16	85	70	163	188	128	137	107	137	112	77	96	87	90	75	68	71	51	22	7	1	16
	White.....M..	1,096	39	16	13	12	9	37	29	88	124	91	95	70	91	65	50	57	49	44	31	26	24	21	5	-	-	10
	F..	399	23	13	8	8	5	20	10	28	28	8	6	8	13	15	9	10	16	24	32	34	37	26	13	7	-	-
	Nonwhite..M..	388	9	5	8	11	-	18	22	43	31	30	30	26	27	27	16	23	18	16	7	6	7	2	1	-	-	5
	F..	127	21	6	4	8	2	10	9	4	5	1	6	3	6	5	2	6	4	6	5	2	3	2	3	-	1	1
170	Motor-vehicle accidents.....	557	1	5	7	7	7	36	16	80	61	51	54	30	37	38	26	26	22	26	15	8	1	1	-	-	-	2
	White.....M..	318	-	2	7	1	5	21	8	39	31	33	33	20	19	19	16	19	14	14	9	6	-	1	-	-	-	1
	F..	89	-	1	-	1	2	9	4	20	18	3	4	1	4	7	4	1	2	5	2	1	-	-	-	-	-	-
	Nonwhite..M..	134	-	2	-	4	-	6	2	19	12	15	14	8	12	11	5	5	6	6	4	1	1	-	-	-	-	1
	F..	16	1	-	-	1	-	-	2	2	-	-	3	1	2	1	1	1	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,453	91	37	26	32	9	49	54	83	127	77	83	77	100	74	51	70	65	64	60	60	70	50	22	7	1	14
	White.....M..	778	39	14	6	11	4	16	21	49	93	58	62	50	72	46	34	38	35	30	22	20	24	20	5	-	-	9
	F..	310	23	12	8	7	3	11	6	8	10	3	2	7	9	8	5	9	14	19	30	33	37	26	13	7	-	-
	Nonwhite..M..	254	9	3	8	7	-	12	20	24	19	15	16	18	15	18	11	18	12	10	3	5	6	2	1	-	-	4
	F..	111	20	8	4	7	2	10	7	2	5	1	3	2	4	4	1	5	4	5	5	2	3	2	3	-	1	1
162,199, 200	Senility, ill-defined and unknown causes...	762	160	14	7	5	1	5	4	3	2	8	8	7	17	9	32	29	26	49	57	52	83	86	57	26	11	4
	White.....M..	259	50	2	2	3	1	-	1	1	-	1	1	2	9	3	15	11	13	14	22	16	32	33	22	3	1	1
	F..	252	51	4	1	1	-	1	-	-	-	-	3	3	3	1	6	3	4	16	17	20	36	40	21	13	4	1
	Nonwhite..M..	140	32	6	2	1	-	1	3	2	-	3	3	1	4	3	6	6	5	11	10	10	9	5	10	4	2	1
	F..	111	27	2	2	-	-	3	-	-	2	1	1	1	1	2	5	9	4	8	8	6	6	8	4	6	4	1
	All other causes.	2,716	754	42	25	15	10	48	53	47	72	82	92	99	95	117	143	135	149	168	169	138	125	83	34	13	2	8
	White.....M..	1,098	318	20	6	5	5	19	25	16	22	25	31	37	36	40	58	56	72	59	83	61	56	35	9	3	-	1
	F..	792	203	12	9	4	4	12	12	9	19	20	19	27	24	39	28	34	32	56	46	58	55	41	21	7	-	1
	Nonwhite..M..	434	134	7	5	2	-	11	10	12	12	13	22	17	15	23	30	23	25	29	19	7	8	4	1	2	-	3
	F..	392	99	3	5	4	1	6	6	10	19	24	20	18	20	15	27	22	20	24	21	12	4	3	3	1	2	3

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON																										
	All causes	21,849	1,506	145	70	58	54	158	148	249	360	354	409	500	659	892	1,304	1,746	2,084	2,370	2,535	2,627	2,017	1,187	356	48	8	29
	White	M.. 12,851	857	85	40	37	26	80	82	145	222	199	214	291	391	536	814	1,155	1,352	1,457	1,486	1,459	1,111	604	159	22	4	25
		F.. 8,336	540	42	25	18	21	52	56	76	104	117	175	184	230	328	450	549	693	867	1,012	1,152	884	561	195	21	3	1
	Nonwhite	M.. 409	66	9	2	2	1	3	3	15	17	22	12	19	28	21	26	31	32	27	27	18	14	9	-	2	1	2
		F.. 253	43	7	3	1	6	3	5	13	17	16	8	6	10	7	14	15	7	19	10	18	8	13	2	3	-	1
1,2	Typhoid and paratyphoid fever	5	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	White	M.. 3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		F.. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. 1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	32	3	2	5	-	1	2	2	1	-	-	-	1	4	3	2	1	3	-	-	1	-	-	-	-	-	1
	White	M.. 20	1	1	3	-	-	-	2	1	-	-	-	1	3	1	2	1	2	-	-	1	-	-	-	-	-	1
		F.. 8	2	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. 2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	14	-	-	1	1	-	-	3	2	2	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M.. 2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 12	-	-	1	-	-	-	2	2	2	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	14	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M.. 5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. 1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	25	-	2	1	2	3	6	3	-	-	1	-	-	1	-	1	2	-	-	1	-	-	-	-	-	-	-
	White	M.. 14	-	1	1	2	1	4	-	-	-	1	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
		F.. 8	-	-	-	-	2	2	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	702	9	7	1	5	5	7	5	24	61	57	60	55	48	54	63	76	57	50	54	9	12	3	-	1	-	1
	White	M.. 414	1	4	-	4	1	3	1	6	23	25	19	30	28	40	49	61	43	37	22	8	9	3	-	-	-	1
		F.. 191	6	3	-	1	2	2	-	7	21	21	33	17	14	10	11	10	8	10	10	3	2	-	-	-	-	-
	Nonwhite	M.. 51	2	-	-	-	-	1	2	3	3	5	7	5	3	3	3	5	4	3	1	-	1	-	-	-	-	-
		F.. 46	-	-	1	-	2	1	2	6	14	8	1	1	3	1	-	-	2	-	1	-	-	-	-	1	-	-
15	Tuberculosis of respiratory system, etc.*	650	4	6	1	2	4	3	2	18	53	52	55	46	45	52	58	73	52	48	31	8	12	3	-	1	-	1
	White	M.. 388	-	4	-	2	1	2	1	5	19	21	19	27	26	39	48	59	39	37	20	6	9	3	-	-	-	1
		F.. 158	3	2	-	-	1	-	-	4	20	20	29	13	15	9	7	9	7	8	9	2	2	-	-	-	-	-
	Nonwhite	M.. 46	1	-	-	-	-	-	-	3	2	5	7	5	3	3	3	5	4	3	1	-	1	-	-	-	-	-
		F.. 38	-	-	1	-	2	1	1	6	12	6	-	1	3	1	-	-	2	-	1	-	-	-	-	1	-	-
14-22	Tuberculosis (other forms)	72	5	1	-	3	1	4	3	6	8	5	5	7	3	2	5	3	5	2	3	1	-	-	-	-	-	-
	White	M.. 26	1	-	-	2	-	1	-	1	4	2	-	3	2	1	1	2	4	-	2	-	-	-	-	-	-	-
		F.. 33	3	1	-	1	1	2	-	3	1	1	4	4	1	1	4	1	1	2	1	1	-	-	-	-	-	-
	Nonwhite	M.. 5	1	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 8	-	-	-	-	-	-	1	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	23	17	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-
	White	M.. 15	10	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
		F.. 4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. 2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M.. 2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	216	8	2	-	-	-	1	2	1	6	8	11	9	25	23	30	29	19	22	15	4	-	1	-	-	-	-
	White	M.. 141	3	1	-	-	-	1	2	-	2	4	8	5	18	18	23	22	15	15	6	2	-	-	-	-	-	-
		F.. 45	2	-	-	-	-	-	-	-	1	3	2	1	7	3	4	3	2	6	8	2	-	1	-	-	-	-
	Nonwhite	M.. 25	2	1	-	-	-	-	-	1	2	1	1	3	2	4	2	3	1	1	1	-	-	-	-	-	-	-
		F.. 5	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
35	Measles	15	3	3	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M.. 7	1	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 8	2	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	19	1	-	1	1	1	1	4	-	1	3	3	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White	M.. 11	-	-	-	1	1	1	3	-	1	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F.. 8	1	-	1	1	-	-	1	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																										
45-55	Cancer and other malignant tumors	2,658	-	3	3	3	-	2	7	12	12	13	45	53	86	145	210	326	387	395	366	312	204	79	14	-	3
	White..M..	1,518	-	1	3	3	-	-	3	8	5	7	16	18	30	57	81	144	197	208	190	179	120	40	7	-	3
	F..	1,300	-	2	-	-	-	2	4	3	6	6	26	34	53	86	125	174	188	181	173	130	84	36	7	-	-
	Nonwhite..M..	25	-	-	-	-	-	-	-	-	1	-	-	1	3	1	3	6	2	3	2	1	-	2	-	-	-
	F..	15	-	-	-	-	-	-	-	1	-	-	3	-	-	1	1	2	-	3	1	2	-	1	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,263	-	1	1	-	-	-	1	1	6	4	13	7	28	47	87	142	174	216	211	170	110	37	7	-	-	-
	White..M..	709	-	1	1	-	-	-	1	1	4	4	6	2	15	27	43	75	100	129	121	98	58	18	5	-	-	-
	F..	531	-	-	-	-	-	-	-	-	1	-	6	4	13	19	41	61	72	85	89	69	52	17	2	-	-	-
	Nonwhite..M..	15	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	5	2	1	-	1	-	1	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	2	-	1	-	-	-	-
48,49	Cancer of female genital organs	295	-	-	-	-	-	-	-	1	1	3	16	16	15	33	31	39	37	38	30	24	7	5	1	-	-	-
	White..F..	291	-	-	-	-	-	-	-	1	1	3	14	16	15	33	31	38	37	35	30	24	7	5	1	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
50	Cancer of breast	241	-	-	-	-	-	-	-	-	-	1	2	7	15	17	29	44	33	32	26	16	15	3	1	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	240	-	-	-	-	-	-	-	-	-	1	2	7	15	17	28	44	33	32	26	16	15	3	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	859	-	2	2	3	-	2	6	10	5	5	14	23	28	48	63	101	123	109	99	102	72	34	5	-	-	3
	White..M..	609	-	-	2	3	-	-	2	7	1	3	10	16	15	30	38	69	97	77	69	81	62	22	2	-	-	3
	F..	238	-	2	-	-	-	2	4	2	4	2	4	7	10	17	25	31	26	29	28	21	10	11	3	-	-	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	2	2	-	-	1	-	-	-	-
	F..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	19	-	-	1	-	-	3	3	2	2	-	1	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-
	White..M..	11	-	-	1	-	-	2	1	1	-	-	-	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	1	2	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	459	1	-	-	-	1	3	2	7	6	6	4	6	9	14	24	36	56	80	72	78	38	13	3	-	-	-
	White..M..	194	-	-	-	-	1	1	1	1	3	3	3	2	4	4	10	18	30	30	25	36	18	7	1	-	-	-
	F..	259	1	-	-	-	-	2	1	6	3	3	1	4	5	10	12	18	25	49	49	41	22	5	2	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
63b	Exophthalmic goiter	44	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	2	4	11	6	6	1	2	-	-	-	-
	White..M..	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	3	3	-	-	-	-	-	-	-	-	-
	F..	33	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	2	1	8	6	6	1	2	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-
	White..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	80	-	-	-	-	-	-	-	-	-	1	4	4	10	9	10	8	18	9	2	3	-	-	-	-	-	2
	White..M..	74	-	-	-	-	-	-	-	-	-	-	4	4	10	8	8	7	17	9	2	3	-	-	-	-	-	2
	F..	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,086	3	2	1	3	-	-	-	4	1	4	8	20	31	59	98	145	229	261	363	366	297	151	33	5	1	1
	White..M..	1,056	2	2	-	1	-	-	-	1	-	2	3	11	14	25	41	68	127	137	205	185	147	74	11	2	1	1
	F..	1,000	1	-	1	2	-	-	-	3	1	2	5	9	15	29	53	73	100	119	156	179	150	77	22	3	-	-
	Nonwhite..M..	19	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-	4	2	1	4	2	-	-	-	-	-	-	-
	F..	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	-	4	-	2	-	-	-	-	-	-	-
90-95	Diseases of the heart	8,728	3	1	-	1	2	2	16	11	20	30	44	72	159	210	403	603	782	919	962	1,070	788	464	143	17	2	4
	White..M..	4,197	2	1	-	-	1	-	5	8	13	19	22	48	109	154	298	467	552	593	583	592	433	224	64	7	-	4
	F..	2,413	1	-	-	1	-	2	10	5	7	8	19	25	43	53	99	123	221	308	363	465	348	229	77	8	2	-
	Nonwhite..M..	69	-	-	-	-	1	-	-	-	-	2	-	2	-	5	2	4	8	5	12	12	7	5	3	-	1	-
	F..	49	-	-	-	-	-	-	1	-	-	1	1	1	2	1	2	5	4	6	4	6	4	8	2	1	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	449	-	-	-	1	-	1	9	8	7	11	20	12	24	19	37	38	44	48	56	55	40	15	4	-	-	-
	White..M..	239	-	-	-	-	-	-	2	4	6	6	9	6	10	13	23	27	26	24	30	26	22	4	1	-	-	-
	F..	202	-	-	-	1	-	1	7	4	1	4	10	6	13	6	14	10	16	24	26	29	17	10	3	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	2,485	-	-	-	-	-	-	-	-	1	5	12	31	83	124	214	319	372	396	354	294	181	75	18	4	-	2
	White..M..	1,845	-	-	-	-	-	-	-	-	1	2	8	25	67	99	179	271	301	295	243	187	113	44	9	1	-	2
	F..	604	-	-	-	-	-	-	-	-	-	1	3	6	12	23	34	44	67	93	111	104	67	28	8	3	-	-
	Nonwhite..M..	27	-	-	-	-	-	-	-	-	-	2	1	-	3	2	1	4	3	8	-	2	-	1	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	1	2	1	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	3,794	3	1	-	-	2	1	7	3	12	14	12	29	52	67	152	246	366	475	552	721	567	374	121	13	2	2
	White..M..	2,113	2	1	-	-	1	-	3	2	6	11	5	17	32	42	86	169	225	276	310	379	298	178	54	8	-	2
	F..	1,607	1	-	-	-	-	1	3	1	6	3	6	11	18	24	51	69	138	191	226	332	262	191	66	5	2	-
	Nonwhite..M..	38	-	-	-	-	1	-	-	-	-	-	-	-	1	-	3	3	1	4	12	5	5	2	-	1	-	-
	F..	36	-	-	-	-	-	-	1	-	-	-	1	1	1	1	2	5	2	4	4	5	2	5	1	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																											
107-109, 33	Pneumonia (all forms) and influenza	1,218	177	27	11	2	7	10	9	7	12	10	12	26	39	53	54	65	72	94	115	141	139	96	34	4	1	1
	White..M..	731	95	14	7	-	3	6	3	4	6	5	5	17	26	36	38	48	53	74	84	80	84	50	12	3	-	-
	F..	417	57	6	1	1	4	4	6	3	4	4	6	7	10	16	14	14	17	19	44	61	51	45	22	1	-	-
	Nonwhite..M..	42	14	4	1	-	-	-	-	-	2	1	-	2	3	1	3	2	2	-	4	-	1	1	-	-	1	-
	F..	28	11	3	2	1	-	-	-	-	-	-	1	-	-	-	1	1	-	1	3	-	3	-	-	-	-	1
107	Bronchopneumonia	464	89	11	4	1	4	4	2	-	3	1	2	8	10	17	17	13	20	27	45	56	70	44	14	2	-	-
	White..M..	269	45	6	3	-	2	2	1	-	-	-	1	6	5	13	8	9	13	21	24	33	43	24	8	2	-	-
	F..	168	30	3	-	1	2	2	1	-	1	1	1	2	4	4	8	4	6	5	20	23	25	19	6	-	-	-
	Nonwhite..M..	18	9	1	-	-	-	-	-	-	2	-	-	-	1	-	1	-	1	-	1	-	1	1	-	-	-	-
	F..	9	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
108	Lobar pneumonia	413	38	7	4	1	2	5	4	4	4	7	5	10	18	24	28	32	36	44	38	44	32	21	7	-	-	-
	White..M..	276	21	4	3	-	-	3	2	1	3	4	3	6	14	18	25	25	29	35	25	27	21	13	-	-	-	-
	F..	110	13	1	1	-	2	2	2	3	1	2	1	2	2	7	2	4	6	9	9	17	9	8	7	-	-	-
	Nonwhite..M..	16	1	1	-	-	-	-	-	-	-	1	-	2	2	1	2	2	1	-	3	-	-	-	-	-	-	-
	F..	11	3	1	-	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	2	-	-	-	-	-
109	Pneumonia (unspecified)	100	31	4	1	-	1	-	1	2	1	-	2	2	3	5	4	9	2	5	5	6	8	4	2	1	1	-
	White..M..	66	20	2	-	-	1	-	-	2	1	-	-	2	3	3	3	8	2	4	2	3	6	3	-	1	-	-
	F..	27	8	-	-	-	-	-	1	-	-	-	2	-	-	2	1	1	-	1	3	3	2	1	2	-	-	-
	Nonwhite..M..	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	241	19	5	2	-	-	1	2	1	4	2	3	6	8	7	5	11	14	18	29	35	29	27	11	1	-	1
	White..M..	120	9	2	1	-	-	1	-	1	2	1	1	3	4	4	2	6	9	14	15	17	14	10	4	-	-	-
	F..	112	6	2	-	-	-	-	2	-	2	1	2	3	4	3	3	5	5	4	12	18	15	17	7	1	-	-
	Nonwhite..M..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1
117	Ulcer of stomach or duodenum	168	-	-	-	-	-	-	-	-	-	-	2	4	8	18	11	22	20	28	22	17	8	5	1	-	-	-
	White..M..	136	-	-	-	-	-	-	-	-	-	-	1	3	7	17	11	19	15	25	16	12	6	4	-	-	-	-
	F..	25	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	5	2	6	4	2	1	1	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	122	90	7	1	1	-	-	-	1	2	1	4	2	1	1	4	2	-	-	2	-	2	1	-	-	-	-
	White..M..	59	45	-	1	1	-	-	-	1	-	-	1	1	1	-	4	1	-	-	1	-	2	-	-	-	-	-
	F..	42	28	3	-	-	-	-	-	-	2	1	3	1	-	1	-	1	-	-	1	-	-	1	-	-	-	-
	Nonwhite..M..	11	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	10	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	112	2	2	2	2	2	8	8	9	4	4	5	7	2	8	6	7	8	12	7	4	3	-	-	-	-	-
	White..M..	58	1	1	2	2	1	1	6	5	1	2	1	3	1	3	4	6	5	6	3	3	1	-	-	-	-	-
	F..	52	1	1	-	-	1	7	2	4	3	1	4	4	1	5	2	1	3	5	4	1	2	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	175	13	4	-	-	-	1	-	-	3	2	2	5	3	7	11	17	15	22	26	18	19	5	1	-	1	-
	White..M..	98	9	3	-	-	-	1	-	-	2	2	2	4	1	1	4	10	7	10	17	7	13	4	-	-	1	-
	F..	76	4	1	-	-	-	-	-	-	1	-	-	1	2	6	7	6	8	12	9	11	6	1	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	136	-	-	-	-	-	1	-	-	2	-	1	7	12	11	16	22	15	15	16	8	8	4	-	-	-	-
	White..M..	85	-	-	-	-	-	-	-	-	-	-	1	6	7	6	10	18	8	11	11	4	1	2	-	-	-	-
	F..	49	-	-	-	-	-	1	-	-	2	-	-	1	5	5	6	4	6	4	5	4	4	2	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	125	-	1	-	-	-	1	-	-	-	2	-	4	3	3	11	14	20	23	10	14	8	10	1	-	-	-
	White..M..	42	-	1	-	-	-	-	-	-	-	1	-	-	1	1	3	5	7	5	5	7	2	3	1	-	-	-
	F..	80	-	-	-	-	-	1	-	-	-	1	-	3	2	2	8	9	12	18	5	6	6	7	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
150-152	Nephritis	1,118	1	4	1	1	-	3	6	9	7	15	21	17	21	50	77	82	102	128	150	190	126	79	25	1	1	1
	White..M..	635	-	2	-	-	-	1	2	6	5	5	10	8	9	18	40	53	63	77	86	113	84	58	13	1	1	-
	F..	453	1	2	1	1	-	2	3	3	1	10	10	7	10	31	34	24	33	50	63	73	40	41	12	-	-	1
	Nonwhite..M..	20	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	3	6	1	-	3	2	-	-	-	-	-	-
	F..	10	-	-	-	-	-	-	1	-	-	-	1	1	2	-	1	2	-	-	1	1	-	-	-	-	-	-	-
157	Diseases of the prostate	118	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	9	18	26	23	21	15	3	-	-	-
	White..M..	118	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	9	18	26	23	21	15	3	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																										
140-150	Diseases of pregnancy, etc.*...	70	-	-	-	-	-	-	-	8	16	14	18	8	6	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	64	-	-	-	-	-	-	-	7	15	11	18	7	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	6	-	-	-	-	-	-	-	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	29	-	-	-	-	-	-	-	4	9	4	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	27	-	-	-	-	-	-	-	3	8	4	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	14	-	-	-	-	-	-	-	2	1	5	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	14	-	-	-	-	-	-	-	2	1	5	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	22	-	-	-	-	-	-	-	2	5	4	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	20	-	-	-	-	-	-	-	2	5	2	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	5	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	238	206	10	2	4	1	2	1	1	2	3	-	3	-	-	2	-	1	-	-	-	-	-	-	-	-
	White.....M..	144	125	5	1	4	1	1	1	1	2	-	-	2	-	-	2	-	1	-	-	-	-	-	-	-	-
	F..	92	81	5	1	-	-	1	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	446	446	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	288	288	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	161	161	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	284	-	-	-	-	-	-	-	5	19	19	20	17	27	31	33	39	19	19	18	10	5	1	2	-	-
	White.....M..	205	-	-	-	-	-	-	-	4	8	13	15	11	20	22	22	32	15	15	15	9	5	1	2	-	-
	F..	74	-	-	-	-	-	-	-	1	10	5	6	6	7	8	10	7	6	4	3	1	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	77	4	-	1	-	1	2	1	6	5	13	7	11	8	5	5	1	5	-	-	2	-	-	-	-	-
	White.....M..	37	3	-	1	-	1	1	-	2	2	3	3	6	1	3	4	1	5	-	-	1	-	-	-	-	-
	F..	18	1	-	-	-	-	1	1	3	-	3	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	15	-	-	-	-	-	-	-	1	2	4	-	2	4	-	1	-	-	-	-	1	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	1	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,770	62	44	20	11	17	56	53	105	147	109	79	105	83	80	111	97	105	92	98	83	102	77	20	4	1	11
	White.....M..	1,287	32	31	10	9	7	40	36	81	129	90	71	81	72	68	95	78	87	69	66	38	39	37	7	2	1	11
	F..	435	26	11	9	1	9	15	15	14	14	14	8	20	8	10	13	19	18	21	30	45	62	39	13	1	-	-
	Nonwhite..M..	39	2	1	1	1	-	1	1	9	4	5	-	4	2	1	3	-	-	2	-	-	1	1	-	-	-	-
	F..	9	2	1	-	-	1	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-
170	Motor-vehicle accidents.....	425	1	5	3	2	6	20	15	38	32	45	25	28	17	27	29	21	40	27	22	14	8	2	-	-	1	1
	White.....M..	331	-	3	1	2	2	13	12	29	27	30	22	20	12	20	22	14	34	25	19	12	8	2	-	-	1	1
	F..	81	-	2	2	-	4	7	3	7	5	10	1	7	3	5	5	7	6	2	3	2	-	-	-	-	-	-
	Nonwhite..M..	11	1	-	-	-	-	-	-	1	-	3	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,345	61	39	17	9	11	36	38	67	115	66	56	77	66	53	82	76	65	65	74	69	94	75	20	4	-	10
	White.....M..	956	32	28	9	7	5	27	24	52	102	60	49	61	60	48	73	64	53	44	47	26	51	55	7	2	-	10
	F..	354	26	9	7	1	5	8	12	7	9	4	7	13	5	5	8	12	12	19	27	43	62	39	13	1	-	-
	Nonwhite..M..	28	1	1	1	1	-	1	1	8	4	2	-	3	-	-	1	-	-	2	-	-	1	1	-	-	-	-
	F..	7	2	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
162,199, 200	Senility, ill-defined and unknown causes...	373	19	1	2	-	1	1	1	-	2	-	3	5	6	8	11	14	22	35	34	42	59	60	38	6	1	2
	White.....M..	205	5	1	2	-	-	1	1	-	1	-	1	2	4	6	8	11	18	27	18	26	29	22	20	-	-	2
	F..	144	6	-	-	-	-	-	-	-	-	-	2	3	2	2	1	2	4	7	16	14	26	35	18	5	1	-
	Nonwhite..M..	14	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	4	1	-	1	-	-
	F..	10	2	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	2	-	-	-	-
	All other causes.	2,158	426	20	12	18	10	25	21	32	33	39	56	54	77	92	108	130	124	143	185	211	175	122	37	10	-	2
	White.....M..	1,244	253	13	8	10	6	13	15	15	21	20	29	22	34	47	61	77	68	91	117	128	97	80	18	7	-	-
	F..	845	148	6	8	7	3	8	6	14	10	18	26	28	41	42	45	52	54	48	63	80	78	40	19	3	-	-
	Nonwhite..M..	44	16	1	-	1	-	1	-	1	1	1	-	3	2	3	1	1	4	1	3	1	-	1	-	-	-	2
	F..	25	9	-	-	-	1	1	-	2	1	-	1	1	-	-	1	-	-	3	-	4	-	1	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA																											
	All causes.....	16,603	2,149	194	103	85	52	187	185	268	334	340	394	480	612	725	947	1,079	1,312	1,549	1,718	1,534	1,225	750	235	55	12	81
	White.....M..	8,691	1,170	103	46	40	22	116	94	144	154	184	178	230	313	377	508	597	729	840	917	809	643	344	97	21	3	32
	F..	6,479	827	80	45	36	28	56	73	95	144	132	160	195	190	228	302	352	467	586	718	648	540	385	125	30	6	25
	Nonwhite..M..	841	82	8	6	6	1	12	13	12	16	22	29	32	59	75	87	89	71	73	45	45	24	12	7	3	1	15
	F..	592	70	3	6	1	1	3	5	17	20	22	27	25	50	47	50	41	45	40	38	34	18	9	6	1	2	11
1,2	Typhoid and paratyphoid fever..	19	2	-	-	-	-	2	2	4	-	3	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	13	2	-	-	-	-	-	2	3	-	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	39	6	3	3	4	1	4	6	3	1	-	-	2	2	2	1	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	21	1	1	1	2	1	2	5	2	1	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	15	4	2	2	2	-	1	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	9	-	1	-	-	2	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	1	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	64	52	6	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	32	25	4	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	28	24	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	20	1	4	4	4	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	10	-	3	2	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	10	1	1	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms).....	764	10	9	7	3	3	3	6	41	94	62	79	70	68	60	60	49	37	42	19	27	8	4	-	-	-	3
	White.....M..	550	7	3	1	3	2	2	2	9	51	25	30	28	29	33	33	36	22	25	10	12	5	1	-	-	-	1
	F..	284	2	4	2	-	1	1	3	16	42	29	38	30	19	18	18	10	11	13	8	12	3	3	-	-	-	1
	Nonwhite..M..	89	1	2	4	-	-	-	1	3	9	2	5	4	13	6	8	1	3	3	1	2	-	-	-	-	-	1
	F..	61	-	-	-	-	-	-	-	13	12	6	6	8	7	3	1	2	1	1	-	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	705	5	4	3	1	1	1	4	35	89	60	76	68	66	58	58	49	36	37	18	24	8	4	-	-	-	3
	White.....M..	322	4	1	-	1	-	1	1	7	30	24	29	27	29	32	32	36	21	21	9	12	3	1	-	-	-	1
	F..	264	-	3	-	-	1	-	2	14	40	29	36	29	18	18	17	10	11	12	7	10	3	3	-	-	-	1
	Nonwhite..M..	61	1	-	3	-	-	-	1	2	8	2	5	4	12	6	8	1	3	3	-	1	-	-	-	-	-	1
	F..	58	-	-	-	-	-	-	-	12	11	5	6	8	7	3	1	2	1	1	-	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	59	5	5	4	2	2	2	2	6	5	2	3	2	2	1	2	-	1	5	3	3	2	-	-	-	-	-
	White.....M..	28	3	2	1	2	2	1	1	2	1	1	1	1	-	1	1	-	1	4	1	-	2	-	-	-	-	-
	F..	20	2	1	2	-	-	1	1	2	2	-	2	1	1	-	1	-	-	1	1	2	-	-	-	-	-	-
	Nonwhite..M..	8	-	2	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	51	39	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	-	-	-	-	1
	White.....M..	24	21	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F..	26	17	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	-	-	-	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	217	16	2	-	-	-	-	2	2	4	10	15	18	25	24	28	26	12	15	8	7	2	-	-	-	-	1
	White.....M..	113	11	-	-	-	-	-	-	-	-	5	4	10	14	11	14	14	7	10	7	5	1	-	-	-	-	-
	F..	49	3	1	-	-	-	-	2	-	3	3	8	4	4	5	5	5	2	3	-	2	1	-	-	-	-	-
	Nonwhite..M..	40	-	1	-	-	-	-	-	1	-	1	3	3	5	8	8	8	1	1	1	-	-	-	-	-	-	1
	F..	15	2	-	-	-	-	-	-	1	1	1	2	1	2	-	1	1	2	1	-	-	-	-	-	-	-	-
55	Measles.....	59	17	7	10	4	5	6	1	-	3	-	-	2	-	-	1	-	1	-	-	1	-	-	-	-	-	1
	White.....M..	27	9	2	5	3	-	2	-	-	2	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	1
	F..	30	8	4	4	1	5	4	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	Poliomyelitis, polioencephalitis (acute)..	24	3	3	2	2	1	7	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	13	2	2	1	1	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	11	1	1	1	1	1	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Con.																										
45-55	Cancer and other malignant tumors	1,529	-	-	1	1	1	5	4	7	10	20	27	50	82	104	134	159	195	192	224	150	100	46	8	-	-	9
	White..M..	677	-	-	-	-	-	3	2	3	6	9	10	9	29	34	49	70	83	97	102	85	60	21	3	-	-	2
	F..	767	-	-	1	1	-	2	2	3	3	10	15	39	47	57	66	78	103	92	116	61	39	23	5	-	-	4
	Nonwhite..M..	40	-	-	-	-	-	-	-	1	1	1	-	1	2	4	8	10	4	2	3	2	-	1	-	-	-	-
	F..	45	-	-	-	-	1	-	-	-	-	-	2	1	4	9	11	1	5	1	3	2	1	1	-	-	-	3
46	Cancer of digestive organs, peritoneum	697	-	-	-	-	-	-	1	1	2	6	4	13	30	40	58	71	95	108	119	70	56	18	6	-	-	5
	White..M..	359	-	-	-	-	-	-	1	1	1	4	3	2	19	18	26	40	50	58	52	38	32	11	2	-	-	1
	F..	304	-	-	-	-	-	-	-	-	-	1	1	9	9	18	22	23	43	48	64	30	24	6	4	-	-	2
	Nonwhite..M..	24	-	-	-	-	-	-	-	-	1	1	-	1	1	2	5	8	-	-	3	1	-	1	-	-	-	-
	F..	10	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	2	-	-	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	220	-	-	-	-	-	-	1	1	1	6	10	18	24	23	29	19	31	14	15	11	6	7	-	-	-	4
	White.....F..	202	-	-	-	-	-	-	1	1	1	6	8	18	23	19	25	18	28	13	15	11	6	7	-	-	-	2
	Nonwhite..F..	18	-	-	-	-	-	-	-	-	-	-	2	-	1	4	4	1	3	1	-	-	-	-	-	-	-	2
50	Cancer of breast	138	-	-	-	-	-	-	-	-	-	-	4	8	8	12	16	17	14	15	26	7	5	6	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	129	-	-	-	-	-	-	-	-	-	-	4	8	7	11	13	17	14	14	24	7	4	6	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	2	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	474	-	-	1	1	1	5	2	5	7	8	9	11	20	29	33	52	55	57	64	62	33	15	2	-	-	2
	White.....M..	317	-	-	-	-	-	3	1	2	5	5	7	7	10	16	23	30	33	38	50	47	28	10	1	-	-	1
	F..	132	-	-	1	1	-	2	1	2	2	3	2	4	8	9	6	20	18	17	13	5	4	1	-	-	-
	Nonwhite..M..	16	-	-	-	-	-	-	-	1	-	-	-	-	1	2	3	2	4	2	-	1	-	-	-	-	-	-
	F..	9	-	-	-	-	1	-	-	-	-	-	-	-	1	2	1	-	-	-	1	1	-	1	-	-	-	1
58	Acute rheumatic fever	18	1	-	1	-	-	4	3	4	1	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-
	White.....M..	4	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	12	1	-	-	-	-	-	3	4	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	317	2	-	1	-	-	1	2	4	2	3	4	5	7	13	21	35	45	56	51	40	17	6	2	-	-	-
	White.....M..	110	1	-	1	-	-	1	2	2	1	1	-	2	3	4	4	14	15	18	19	15	4	2	1	-	-	-
	F..	178	1	-	-	-	-	-	-	2	-	2	3	3	3	6	15	18	25	33	30	24	9	4	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-
	F..	25	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	3	5	5	2	1	2	-	1	-	-	-
63b	Exophthalmic goiter	40	-	-	-	-	-	-	-	-	1	-	-	3	1	5	5	4	7	2	8	2	2	-	-	-	-	-
	White.....M..	8	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	-	1	-	1	-	-	-	-	-
	F..	28	-	-	-	-	-	-	-	-	1	-	-	1	-	2	3	3	6	2	7	2	1	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	23	-	-	-	-	-	1	-	-	1	-	1	7	2	1	4	2	-	1	2	1	-	-	-	-	-	-
	White.....M..	17	-	-	-	-	-	1	-	-	-	-	1	5	1	1	4	1	-	1	2	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,467	3	-	-	-	-	1	-	4	4	4	7	15	31	56	78	108	169	206	248	214	201	78	25	8	1	8
	White.....M..	693	2	-	-	-	-	1	-	-	1	2	2	3	12	25	29	55	75	107	128	107	95	34	10	2	1	4
	F..	638	1	-	-	-	-	-	-	3	3	1	1	8	12	16	35	40	69	89	107	92	98	41	12	5	-	1
	Nonwhite..M..	71	-	-	-	-	-	-	-	1	-	1	2	4	2	4	10	7	12	3	6	8	5	3	1	1	-	1
	F..	67	-	-	-	-	-	-	-	-	-	-	2	-	5	9	4	8	13	7	7	7	3	-	-	-	-	2
90-95	Diseases of the heart	3,848	4	4	1	3	3	8	17	13	25	16	43	68	107	152	265	319	402	546	585	535	391	241	71	10	2	17
	White.....M..	2,145	2	2	1	3	2	3	9	5	11	7	17	37	59	88	174	194	250	296	334	286	215	110	29	4	-	7
	F..	1,388	1	1	-	-	1	5	7	7	13	8	18	21	27	37	52	92	119	197	218	228	163	124	38	5	2	4
	Nonwhite..M..	192	1	1	-	-	-	-	-	1	-	1	3	3	10	16	27	20	21	38	20	12	8	4	3	1	-	4
	F..	125	-	-	-	-	-	-	1	-	1	2	5	7	11	11	12	13	12	17	13	9	5	3	1	-	-	2
90a,92b,c 93c, 95b	Chronic rheumatic diseases of the heart	268	-	-	-	-	1	3	10	7	6	6	11	15	13	22	14	18	19	29	39	26	16	10	3	-	-	-
	White.....M..	138	-	-	-	-	1	-	4	3	3	2	5	9	8	11	7	8	13	11	23	17	10	3	-	-	-	-
	F..	107	-	-	-	-	-	3	5	4	3	3	4	5	3	7	6	7	3	16	14	8	6	7	3	-	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	3	-	1	1	1	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	1	-	-	-	2	1	1	2	-	-	3	1	1	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,095	1	-	-	-	-	1	1	2	5	5	15	31	52	50	109	128	165	160	144	111	75	29	6	-	1	4
	White.....M..	738	1	-	-	-	-	-	-	1	2	3	7	16	34	38	89	93	116	112	91	67	49	13	3	-	-	1
	F..	295	-	-	-	-	-	1	1	-	3	1	6	11	8	6	12	30	42	40	47	42	24	16	3	-	1	1
	Nonwhite..M..	37	-	-	-	-	-	-	-	1	-	-	1	1	3	5	7	1	5	6	3	2	-	-	-	-	-	2
	F..	27	-	-	-	-	-	-	-	-	-	1	1	3	7	1	1	4	2	2	3	-	2	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	2,485	3	4	1	3	2	4	6	4	14	5	17	22	42	80	142	173	218	357	402	398	300	202	62	10	1	13
	White.....M..	1,271	1	2	1	3	1	3	5	1	6	2	5	12	17	39	78	93	121	173	220	202	156	94	28	4	-	6
	F..	984	1	1	-	-	1	1	1	3	7	2	8	5	16	24	34	55	74	141	157	178	133	101	32	5	1	3
	Nonwhite..M..	144	1	1	-	-	-	-	-	-	-	-	2	2	6	9	19	18	16	29	16	9	8	4	3	1	-	2
	F..	86	-	-	-	-	-	-	-	-	1	1	2	3	3	8	11	9	7	14	9	9	3	3	1	-	-	2

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	1,188	297	49	16	12	10	18	5	10	9	15	13	14	24	29	36	54	50	83	99	108	109	79	31	10	1	7
	White	593	161	24	6	3	4	9	2	9	4	6	3	7	9	19	24	28	46	41	51	56	38	12	4	-	3
	M	500	112	22	10	6	6	5	2	1	5	9	10	5	7	8	9	15	15	33	54	53	49	39	18	5	-	2
	F	55	14	-	-	2	-	3	-	-	-	-	-	2	4	2	1	8	5	3	3	3	2	1	-	1	-	1
	Nonwhite	40	10	3	-	1	-	1	1	-	-	-	-	-	4	-	2	7	2	1	1	1	2	1	1	-	1	1
	M																										
	F																										
107	Bronchopneumonia	406	155	20	5	4	5	4	-	2	3	5	2	2	3	10	8	12	18	16	22	29	35	25	13	5	1	2
	White	210	84	12	2	-	3	1	-	2	-	2	-	2	1	7	7	6	8	9	12	12	21	10	5	2	-	2
	M	162	54	7	3	3	2	2	-	-	3	3	2	-	1	3	1	2	7	6	9	17	12	15	8	2	-	-
	F	17	9	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	1	-	-
	Nonwhite	17	8	1	-	-	-	1	-	-	-	-	-	-	1	-	-	2	1	-	-	-	2	-	-	-	1	-
	M																										
	F																										
108	Lobar pneumonia	259	38	10	-	6	-	3	1	5	1	6	2	8	7	12	10	14	15	27	31	26	19	14	8	-	-	2
	White	145	25	4	-	3	-	2	-	4	1	3	-	4	3	8	7	8	12	19	10	15	10	6	1	-	-	-
	M	91	12	5	-	2	-	-	-	1	-	3	2	2	3	3	3	2	1	7	20	9	8	7	1	-	-	-
	F	13	-	-	-	1	-	1	-	-	-	-	-	2	1	1	-	2	1	-	1	1	1	-	-	-	-	1
	Nonwhite	10	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	1	-	1	-	1	-	-	-	1
	M																										
	F																										
109	Pneumonia (unspecified)	203	72	11	3	-	2	5	2	-	-	2	1	2	7	3	7	8	11	13	17	17	12	4	3	-	-	1
	White	94	35	5	1	-	1	1	1	-	-	-	1	-	4	3	3	2	6	4	8	7	7	3	2	-	-	-
	M	89	34	5	2	-	1	2	1	-	-	2	-	2	1	-	3	3	4	7	7	9	4	1	-	-	-	1
	F	13	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	2	1	2	1	1	1	-	-	-	-	-
	Nonwhite	7	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	1	-	-	-
	M																										
	F																										
33	Influenza	320	32	8	8	2	3	6	2	3	5	2	8	2	7	4	11	20	6	27	29	36	43	36	13	5	-	2
	White	144	17	3	3	-	-	5	1	3	3	1	2	1	1	1	7	8	2	14	11	17	18	19	4	2	-	1
	M	158	12	5	5	1	3	1	1	-	2	1	6	1	2	2	2	8	3	13	18	18	25	16	9	3	-	1
	F	12	3	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	-	-	1	-	1	1	-	-	-	-
	Nonwhite	6	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	1	-	-	-
	M																										
	F																										
117	Ulcer of stomach or duodenum	59	1	-	1	-	-	-	-	-	1	1	1	4	6	6	7	5	6	9	3	4	2	2	-	-	-	-
	White	44	1	-	1	-	-	-	-	-	1	1	1	2	5	4	5	4	4	9	2	2	-	2	-	-	-	-
	M	12	-	-	1	-	-	-	-	-	-	-	-	1	1	1	2	-	2	-	1	2	2	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																										
	F																										
119,120	Diarrhea, enteritis, etc.*	356	291	30	4	3	-	2	2	1	1	1	-	-	2	1	-	2	1	3	3	2	4	2	1	-	-	-
	White	196	161	16	2	2	-	2	-	1	-	1	-	-	2	-	-	-	1	1	2	2	3	-	-	-	-	-
	M	140	113	14	2	1	-	-	1	-	1	-	-	-	-	1	-	1	-	1	1	-	1	2	1	-	-	-
	F	11	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite	9	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																										
	F																										
121	Appendicitis	72	-	-	2	-	1	2	4	5	3	6	3	4	3	5	6	4	11	3	6	2	1	-	-	-	-	1
	White	37	-	-	1	-	1	1	1	4	2	1	2	2	1	3	5	-	7	1	3	1	1	-	-	-	-	-
	M	24	-	-	1	-	-	-	1	1	1	4	-	-	2	2	1	3	3	2	3	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	2	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	M																										
	F																										
122	Hernia, intestinal obstruction	103	6	2	-	-	-	2	-	1	4	3	1	5	8	6	6	10	8	8	10	9	5	6	2	1	-	-
	White	41	3	1	-	-	-	2	-	-	1	1	1	1	3	2	2	4	3	4	6	4	1	2	-	-	-	-
	M	45	1	1	-	-	-	-	-	1	3	2	-	3	3	1	2	2	4	3	4	5	4	3	2	1	-	-
	F	10	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	1	-	-	-	-	-	-	-	-
	Nonwhite	7	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	1	-	-	-	-	-
	M																										
	F																										
124	Cirrhosis of the liver	79	-	-	-	-	-	-	1	-	1	1	3	6	3	3	9	9	17	10	8	3	4	1	-	-	-	-
	White	48	-	-	-	-	-	-	-	-	-	1	1	4	2	1	5	8	11	8	4	1	1	1	-	-	-	-
	M	26	-	-	-	-	-	-	-	-	1	-	2	2	1	2	2	1	5	2	4	2	2	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	M																										
	F																										
126,127	Biliary calculi, etc.*	63	1	-	-	-	-	1	-	-	1	1	2	-	2	5	9	11	5	12	2	4	3	4	-	-	-	-
	White	24	-	-	-	-	-	1	-	-	-	-	1	-	3	2	5	2	5	1	2	1	1	-	-	-	-	-
	M	37	1	-	-	-	-	-	-	-	-	1	1	-	2	2	7	5	3	7	1	2	2	3	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																										
	F																										
130-132	Nephritis	1,076	6	3	3	-	2	5	6	6	9	19	20	15	39	26	57	68	106	119	169	166	128	82	19	5	-	5
	White	575	4	2	2	-	2	5	5	4	3	9	8	6	17	11	21	39	64	65	89	98	72	40	5	2	-	2
	M	385	1	1	1	-	-	-	1	2	6	9	6	6	12	12	20	18	30	43	61	51	52	37	12	3	-	1
	F	67	1	-	-	-	-	-	-	-	-	-	3	2	5	1	6	9	10	8	7	10	2	3	-	-	-	-
	Nonwhite	49	-	-	-	-	-	-	-	-	-	1	3	1	5	2	10	2	2	3	5	7	2	2	2	-	-	2
	M																										
	F																										
137	Diseases of the prostate	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	12	13	17	12	12	1	1	-	-
	White	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	9	13	16	11	12	1	1	-	-
	Nonwhite	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	1	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated.
	WEST VIRGINIA—Con.																											
140-150	Diseases of pregnancy, etc.*...	89	-	-	-	-	-	-	-	7	17	25	17	15	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	81	-	-	-	-	-	-	-	5	17	21	15	15	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	8	-	-	-	-	-	-	-	2	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	23	-	-	-	-	-	-	-	3	3	7	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	18	-	-	-	-	-	-	-	2	3	5	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	5	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	21	-	-	-	-	-	-	-	2	7	3	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	21	-	-	-	-	-	-	-	2	7	3	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	36	-	-	-	-	-	-	-	2	5	12	4	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	34	-	-	-	-	-	-	-	1	5	11	4	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	9	-	-	-	-	-	-	-	-	2	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	8	-	-	-	-	-	-	-	-	2	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	258	224	9	4	1	1	5	2	5	2	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	146	133	3	1	-	1	3	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	104	83	6	3	1	-	2	1	3	2	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	607	607	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	328	328	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	236	236	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	18	18	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	27	27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	128	-	-	-	-	-	-	1	4	10	14	13	12	10	14	11	10	12	11	4	1	1	-	-	-	-	-	-
	White.....M..	94	-	-	-	-	-	-	1	1	7	9	8	5	9	11	8	9	10	10	4	1	1	-	-	-	-	-	-
	F..	32	-	-	-	-	-	-	-	3	3	4	5	7	1	3	3	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	79	-	-	-	-	-	1	3	3	9	13	13	9	5	11	5	5	2	1	1	-	-	-	-	-	-	-	-
	White.....M..	45	-	-	-	-	-	-	2	3	6	3	8	6	2	7	4	2	2	1	1	-	-	-	-	-	-	-	-
	F..	12	-	-	-	-	-	1	-	-	1	3	4	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	15	-	-	-	-	-	-	-	-	-	4	2	2	1	3	-	3	-	-	-	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	1	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,475	54	31	22	31	8	53	75	98	89	88	85	99	90	103	84	85	95	52	55	63	45	39	17	4	-	14
	White.....M..	983	25	24	11	17	3	31	45	73	64	67	62	80	69	79	57	62	70	38	32	50	21	13	4	2	-	8
	F..	371	23	6	6	10	5	18	27	21	20	11	16	10	7	9	16	14	21	13	20	31	22	26	12	2	-	5
	Nonwhite..M..	102	3	1	2	4	-	4	4	4	4	8	7	7	13	13	11	8	4	2	1	1	-	-	-	-	-	1
	F..	19	3	-	3	-	-	-	1	-	1	-	-	2	1	2	-	1	-	1	2	1	-	-	1	-	-	-
170	Motor-vehicle accidents.....	271	3	5	4	6	3	14	16	29	28	17	17	16	16	15	16	14	17	7	11	11	4	-	-	-	-	3
	White.....M..	199	1	3	1	4	2	8	9	21	22	14	10	11	13	12	12	13	12	6	8	11	3	-	-	-	-	3
	F..	60	2	2	3	2	1	5	6	6	6	3	6	4	1	1	3	1	4	1	2	-	1	-	-	-	-	-
	Nonwhite..M..	10	-	-	-	-	-	1	-	2	-	-	1	1	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,204	51	26	18	25	5	39	59	69	61	69	68	83	74	88	69	71	78	45	44	52	39	39	17	4	-	11
	White.....M..	784	24	21	10	13	1	23	34	52	42	53	52	69	56	67	45	49	58	30	24	19	18	13	4	2	-	5
	F..	311	21	4	3	8	4	13	21	15	14	8	10	6	6	8	13	13	17	12	18	31	21	26	12	2	-	5
	Nonwhite..M..	92	3	1	2	4	-	3	4	2	4	8	6	6	11	12	11	8	3	2	-	1	-	-	-	-	-	1
	F..	17	3	-	3	-	-	-	-	-	1	-	-	2	1	1	-	1	-	1	2	1	-	-	1	-	-	-
182,199, 200	Senility, ill-defined and unknown causes...	721	124	9	5	3	4	7	4	7	4	5	7	11	16	21	26	22	37	49	62	65	90	79	41	15	7	7
	White.....M..	376	83	6	2	1	2	5	1	5	3	1	3	4	10	9	16	12	23	26	35	29	48	40	25	5	1	3
	F..	296	53	3	3	2	2	2	3	2	1	1	2	7	6	8	6	10	9	18	24	29	38	39	16	7	4	1
	Nonwhite..M..	28	4	-	-	-	-	-	-	-	-	1	1	-	-	4	-	-	4	4	1	3	1	-	2	-	1	2
	F..	21	4	-	-	-	-	-	-	-	-	-	1	-	-	-	4	-	1	1	2	2	3	-	-	1	1	1
	All other causes.	1,661	382	20	13	11	7	38	36	37	28	33	38	43	71	75	89	86	88	115	143	112	100	68	19	3	1	7
	White.....M..	829	210	9	6	4	2	27	16	17	10	12	17	15	34	29	45	43	47	64	79	61	45	27	9	1	1	1
	F..	708	140	9	7	7	5	10	15	18	14	15	17	25	27	32	39	33	37	43	59	47	53	40	9	2	-	5
	Nonwhite..M..	79	23	2	-	-	-	1	5	1	1	2	2	1	3	7	5	8	4	8	2	2	2	-	1	-	-	1
	F..	45	9	-	-	-	-	-	-	1	1	4	2	2	7	7	2	2	-	2	5	2	-	1	-	-	-	-

*Refer to complete International List titles, table V, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN																										
	All causes.....	31,674	1,972	164	103	70	58	224	209	314	307	380	475	635	848	1,204	1,798	2,489	2,903	3,387	3,922	3,968	3,569	1,930	622	123	15	5
	White.....M..	17,526	1,121	87	53	43	39	141	137	195	151	180	239	338	446	715	1,046	1,407	1,727	1,961	2,174	2,094	1,842	934	311	46	4	5
	F..	13,706	788	69	46	26	17	79	70	112	142	173	225	273	373	458	725	964	1,146	1,406	1,724	1,858	1715	988	307	74	8	-
	Nonwhite..M..	214	35	5	3	1	1	3	-	2	5	6	3	13	17	23	16	13	20	13	14	6	6	6	2	1	-	-
	F..	168	28	3	1	-	1	1	2	5	9	1	8	11	12	8	11	15	10	7	10	10	6	2	2	2	3	-
1,2	Typhoid and paratyphoid fever..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	55	3	4	3	2	4	13	2	3	3	1	2	-	3	2	2	4	3	-	1	-	-	-	-	-	-	-
	White.....M..	33	2	3	2	2	2	6	2	3	2	-	1	-	1	-	2	2	2	-	1	-	-	-	-	-	-	-
	F..	20	1	-	1	-	2	6	-	-	1	1	1	-	2	2	-	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	17	-	2	-	2	1	3	-	2	-	1	1	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White.....M..	9	-	1	-	2	1	1	-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	8	-	1	-	-	-	2	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	23	17	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	13	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	6	1	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White.....M..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F..	4	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	726	6	2	1	3	-	6	4	22	45	54	61	58	56	56	84	73	75	48	35	22	10	4	1	-	-	-
	White.....M..	454	2	-	-	2	-	3	2	6	13	19	31	31	33	42	62	53	54	33	30	11	6	1	-	-	-	-
	F..	251	3	2	1	1	-	2	-	13	24	35	27	24	17	10	18	20	18	14	4	10	4	3	1	-	-	-
	Nonwhite..M..	22	1	-	-	-	-	1	-	-	2	-	2	2	3	4	4	-	2	1	-	-	-	-	-	-	-	-
	F..	19	-	-	-	-	-	-	2	3	6	-	1	1	3	-	-	-	1	-	1	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	674	3	-	1	1	-	3	4	16	40	51	56	56	54	55	81	69	73	46	31	20	9	4	1	-	-	-
	White.....M..	409	1	-	-	-	-	1	2	4	11	16	29	30	31	41	62	51	53	33	27	11	5	1	-	-	-	-
	F..	224	1	-	1	1	-	1	-	9	21	35	24	23	17	10	15	18	17	12	3	8	4	3	1	-	-	-
	Nonwhite..M..	22	1	-	-	-	-	1	-	-	2	-	2	2	3	4	4	-	2	1	-	-	-	-	-	-	-	-
	F..	19	-	-	-	-	-	-	2	3	6	-	1	1	3	-	-	-	1	-	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	52	3	2	-	2	-	3	-	6	5	3	5	2	2	1	3	4	2	2	4	2	1	-	-	-	-	-
	White.....M..	25	1	-	-	2	-	2	-	2	2	3	2	1	2	1	-	2	1	-	3	-	1	-	-	-	-	-
	F..	27	2	2	-	-	-	1	-	4	3	-	3	1	-	-	3	2	1	2	1	2	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	7	3	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White.....M..	5	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	195	1	1	-	-	-	-	2	2	1	-	7	7	9	20	26	41	34	20	14	8	1	1	-	-	-	-
	White.....M..	136	-	-	-	-	-	-	1	-	1	-	5	2	5	14	22	36	24	11	10	4	1	-	-	-	-	-
	F..	45	1	1	-	-	-	-	1	1	-	-	2	3	2	5	1	5	6	9	3	4	-	1	-	-	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	3	-	1	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
35	Measles.....	43	14	9	4	3	3	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	20	7	4	1	1	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	22	6	5	3	2	-	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)..	31	-	2	-	-	1	6	5	8	1	1	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	20	-	1	-	-	-	4	4	6	1	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	11	-	1	-	-	1	2	1	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Con.																										
45-55	Cancer and other malignant tumors	4,529	1	1	4	4	3	9	7	14	14	19	55	89	155	252	358	519	575	632	689	594	377	132	23	3	-	-
	White..M.	2,260	1	1	3	2	2	5	5	6	4	6	19	25	42	96	147	261	294	343	382	320	215	70	11	-	-	-
	F.	2,242	-	-	1	2	-	4	2	8	10	13	36	61	110	153	210	256	279	283	305	272	160	62	12	3	-	-
	Nonwhite..M.	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	3	1	1	-	-	-	-	-	-
	F.	16	-	-	-	-	1	-	-	-	-	-	-	2	3	2	-	1	-	3	1	1	2	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,274	-	-	1	1	-	2	1	1	1	9	16	30	48	84	147	238	297	341	416	347	210	73	10	1	-	-
	White..M.	1,294	-	-	-	1	-	2	1	1	1	4	5	11	20	49	83	150	177	200	246	189	113	37	4	-	-	-
	F.	965	-	-	1	-	-	-	-	-	-	5	11	19	27	33	64	86	119	137	168	156	96	36	6	1	-	-
	Nonwhite..M.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	-	-	-	-	-	-
	F.	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	1	1	-	-	-	-	-
48,49	Cancer of female genital organs	490	-	-	-	1	1	-	-	1	-	5	16	23	41	48	59	72	62	45	50	42	16	8	-	-	-	-
	White..F.	484	-	-	-	1	-	-	-	1	-	5	16	21	40	47	59	72	62	45	50	42	15	8	-	-	-	-
	Nonwhite..F.	6	-	-	-	-	1	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-
50	Cancer of breast	464	-	-	-	-	-	-	-	-	-	-	6	15	29	56	61	66	66	52	46	31	22	11	3	-	-	-
	White..M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	-	-	-	-	-	-
	F.	458	-	-	-	-	-	-	-	-	-	-	6	15	28	56	59	66	66	51	44	31	22	11	3	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,301	1	1	3	2	2	7	6	12	13	5	17	21	37	64	91	143	150	194	177	174	129	40	10	2	-	-
	White..M.	961	1	1	3	1	2	3	4	5	3	2	14	14	22	47	62	111	117	142	134	131	102	33	7	-	-	-
	F.	335	-	-	-	1	-	4	2	7	10	3	3	6	15	17	28	32	32	50	43	43	27	7	3	2	-	-
	Nonwhite..M.	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	42	-	1	-	-	2	10	6	4	2	5	-	1	3	2	1	-	3	-	1	1	-	-	-	-	-	-
	White..M.	21	-	-	-	-	-	6	3	3	-	-	-	1	2	2	1	-	2	-	1	1	-	-	-	-	-	-
	F.	21	-	1	-	-	2	4	3	1	2	5	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	962	1	-	1	-	1	2	6	5	7	7	9	9	22	31	67	97	135	167	160	137	79	17	2	-	-	-
	White..M.	343	-	-	-	-	1	1	4	2	1	4	6	4	8	12	20	28	53	66	53	44	27	9	-	-	-	-
	F.	601	1	-	1	-	-	1	2	3	6	3	2	5	12	18	42	66	81	101	104	92	51	8	2	-	-	-
	Nonwhite..M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F.	16	-	-	-	-	-	-	-	-	-	-	1	-	2	1	5	3	1	-	1	1	1	-	-	-	-	-
63b	Exophthalmic goiter	126	-	-	1	-	-	-	-	1	1	1	4	2	5	13	12	20	15	24	22	3	2	-	-	-	-	-
	White..M.	25	-	-	-	-	-	-	-	-	-	-	-	-	1	6	1	5	5	5	2	-	-	-	-	-	-	-
	F.	100	-	-	1	-	-	-	-	1	1	1	4	2	4	7	11	15	10	19	19	3	2	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White..M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	48	-	-	-	-	-	1	-	-	1	1	1	7	2	9	8	7	6	2	2	-	1	-	-	-	-	-
	White..M.	44	-	-	-	-	-	1	-	-	-	1	1	7	2	8	7	6	6	2	2	-	1	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,130	7	1	1	-	-	1	1	4	3	5	11	23	48	85	151	235	285	424	503	550	493	226	66	6	-	1
	White..M.	1,525	5	1	1	-	-	-	-	2	1	1	3	13	19	44	70	117	143	215	240	270	240	105	34	-	-	1
	F.	1,586	2	-	-	-	-	1	1	2	2	4	7	9	25	41	80	115	141	209	260	278	252	120	32	6	-	-
	Nonwhite..M.	9	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1	-	1	2	-	1	-	-	-	-	-
	F.	10	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	-	1	2	1	-	-	-	-	-
90-95	Diseases of the heart	9,925	5	-	1	-	1	10	13	17	18	36	51	111	187	303	480	814	1,035	1,190	1,499	1,609	1,429	806	257	44	7	2
	White..M.	5,738	3	-	-	-	1	5	5	12	8	22	26	68	119	212	328	550	649	747	859	867	719	404	133	17	2	2
	F.	4,117	1	-	1	-	-	5	8	4	10	14	23	41	64	85	148	255	379	458	630	736	705	399	121	26	4	-
	Nonwhite..M.	39	-	-	-	-	-	-	-	1	-	-	-	2	3	5	1	5	4	2	7	2	3	3	1	-	-	-
	F.	31	1	-	-	-	-	-	-	-	-	-	2	-	1	1	3	4	3	3	3	4	2	-	2	1	1	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	581	-	-	-	-	-	6	8	14	7	14	19	32	37	36	38	59	52	52	56	66	46	29	8	2	-	-
	White..M.	299	-	-	-	-	-	3	2	10	4	8	8	17	17	20	19	32	34	28	32	32	16	14	2	1	-	-
	F.	274	-	-	-	-	-	3	6	3	3	6	11	15	19	14	19	25	18	24	24	33	30	15	5	1	-	-
	Nonwhite..M.	5	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	2,906	-	-	-	-	-	1	1	2	2	2	10	35	73	135	234	327	409	438	437	365	258	126	25	4	-	2
	White..M.	2,005	-	-	-	-	-	1	-	1	-	2	9	26	59	111	183	250	274	299	297	247	151	76	15	2	-	2
	F.	895	-	-	-	-	-	-	1	1	2	-	1	8	14	23	51	76	135	137	140	117	107	50	10	2	-	-
	Nonwhite..M.	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	6,438	5	-	1	-	1	3	4	1	9	20	22	44	77	132	208	428	574	700	1,006	1,158	1,125	651	224	38	7	-
	White..M.	3,434	3	-	-	-	1	1	3	1	4	12	9	25	43	81	128	269	341	400	530	589	552	314	116	14	2	-
	F.	2,948	1	-	1	-	-	2	1	-	5	8	11	18	31	48	78	154	226	297	466	566	568	334	106	23	4	-
	Nonwhite..M.	30	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	4	1	7	2	3	3	1	-	-	-
	F.	26	1	-	-	-	-	-	-	-	-	-	2	-	1	1	3	3	3	2	3	2	2	-	1	1	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	1,647	252	44	16	10	7	18	11	19	15	14	29	30	35	52	84	76	115	114	143	165	203	122	54	17	2	-
	White..M..	938	138	23	8	6	3	13	7	11	7	5	17	15	17	34	60	58	83	76	81	96	97	61	27	4	1	-
	F..	662	97	17	7	4	4	4	4	8	8	8	11	12	16	13	21	16	31	36	62	78	105	61	27	11	1	-
	Nonwhite..M..	33	9	3	1	-	-	1	-	-	-	1	-	2	2	5	3	-	1	2	-	1	1	-	-	1	-	-
	F..	14	8	1	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-
107	Bronchopneumonia	683	152	24	5	7	5	4	1	5	9	5	9	11	9	15	24	22	30	36	52	76	84	59	28	10	1	-
	White..M..	372	84	14	3	5	2	2	1	2	5	2	4	4	4	7	17	14	21	23	28	39	44	29	14	3	1	-
	F..	295	59	9	2	2	3	2	-	3	4	3	5	6	5	7	6	8	9	12	24	37	40	30	14	5	-	-
	Nonwhite..M..	11	5	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	1	-	-
	F..	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
108	Lobar pneumonia	561	39	8	3	-	1	8	2	8	2	6	16	11	17	28	45	35	63	45	66	52	65	27	11	3	-	-
	White..M..	343	18	3	1	-	-	6	2	6	2	3	11	7	9	20	30	29	47	32	38	26	29	15	9	-	-	-
	F..	194	16	4	2	-	1	1	-	2	-	2	4	3	6	4	13	4	15	12	28	25	35	12	2	3	-	-
	Nonwhite..M..	16	1	1	-	-	-	1	-	-	-	1	-	-	2	4	2	-	1	1	-	1	1	-	-	-	-	-
	F..	8	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	57	14	2	2	-	-	2	1	-	1	1	4	2	1	3	3	2	5	4	2	1	3	1	3	-	-	-
	White..M..	41	10	1	1	-	-	2	1	-	-	-	2	1	1	3	3	2	5	4	2	1	1	-	1	-	-	-
	F..	14	4	-	1	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-
	Nonwhite..M..	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	346	47	10	6	3	1	4	7	6	3	2	-	6	8	6	12	17	17	29	23	36	51	35	12	4	1	-
	White..M..	182	26	5	3	1	1	3	3	3	-	-	-	3	3	4	10	13	10	17	13	20	23	17	3	1	-	-
	F..	159	18	4	2	2	-	1	4	3	3	2	-	3	5	2	2	4	7	12	10	16	28	18	9	3	1	-
	Nonwhite..M..	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	213	1	-	-	-	-	-	-	-	1	2	10	8	15	17	35	33	26	20	18	9	12	5	1	-	-	-
	White..M..	180	1	-	-	-	-	-	-	-	-	2	6	8	14	13	32	31	19	17	14	8	11	3	1	-	-	-
	F..	31	-	-	-	-	-	-	-	-	1	-	4	-	1	4	2	1	7	3	4	1	1	2	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	123	79	7	4	1	1	2	-	-	1	1	2	-	1	-	3	3	2	3	3	3	2	4	1	-	-	-
	White..M..	73	49	2	3	-	1	2	-	-	-	1	1	-	-	-	1	3	2	1	3	2	1	1	-	-	-	-
	F..	42	23	5	1	-	-	-	-	-	1	-	1	-	1	-	2	-	-	2	-	1	1	3	1	-	-	-
	Nonwhite..M..	6	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	201	2	3	6	2	7	10	19	12	4	4	4	11	11	17	13	16	16	15	14	6	7	2	-	-	-	-
	White..M..	121	1	1	4	2	4	5	11	8	2	2	1	7	7	11	9	8	11	11	7	4	3	2	-	-	-	-
	F..	78	1	2	2	-	3	5	8	4	2	2	3	4	4	6	4	7	4	4	7	2	4	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	269	11	2	2	-	-	1	1	1	4	1	5	6	13	12	22	21	26	25	46	33	23	12	2	-	-	-
	White..M..	139	7	2	2	-	-	1	1	-	2	-	4	2	3	5	10	12	15	11	28	14	12	8	-	-	-	-
	F..	125	4	-	-	-	-	-	-	1	2	-	1	4	8	6	11	9	11	14	18	19	11	4	2	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	269	-	-	-	-	-	-	1	1	-	2	5	11	12	25	35	45	33	43	21	22	11	2	-	-	-	-
	White..M..	186	-	-	-	-	-	-	-	1	-	2	2	7	9	18	24	33	31	23	14	14	6	2	-	-	-	-
	F..	80	-	-	-	-	-	-	1	-	-	-	3	4	3	6	10	11	2	20	7	8	5	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	232	-	-	-	-	1	-	-	-	2	2	3	4	12	19	29	37	37	21	25	18	15	5	2	-	-	-
	White..M..	72	-	-	-	-	1	-	-	-	-	-	1	3	2	8	4	8	15	8	9	7	4	2	-	-	-	-
	F..	157	-	-	-	-	-	-	-	-	2	2	2	1	10	11	25	28	20	13	16	11	11	3	2	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,753	2	3	1	-	-	3	5	11	17	12	21	24	49	61	95	120	137	239	223	258	262	160	46	3	1	-
	White..M..	970	1	3	1	-	-	-	4	6	7	6	11	11	29	35	50	68	76	130	129	149	157	73	23	-	1	-
	F..	766	1	-	-	-	-	3	1	5	10	6	9	12	19	24	44	50	57	106	94	109	105	85	23	3	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	2	-	-	-	1	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	1	-	-	-	1	-	-	-	-
137	Diseases of the prostate	237	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	15	38	45	40	60	23	5	2	-	-
	White..M..	236	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	15	37	45	40	60	23	5	2	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Con.																											
140-150	Diseases of pregnancy, etc.*...	109	-	-	-	-	-	-	-	11	20	22	29	20	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	104	-	-	-	-	-	-	-	10	19	21	29	18	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	5	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	34	-	-	-	-	-	-	-	3	8	7	10	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	33	-	-	-	-	-	-	-	3	8	6	10	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	28	-	-	-	-	-	-	-	5	5	4	6	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	28	-	-	-	-	-	-	-	5	5	4	6	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	36	-	-	-	-	-	-	-	3	5	8	11	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	32	-	-	-	-	-	-	-	2	4	8	11	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	11	-	-	-	-	-	-	-	-	4	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	11	-	-	-	-	-	-	-	-	4	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	399	336	10	7	4	2	10	4	3	1	6	5	1	1	3	3	1	1	1	-	-	-	-	-	-	-	-
	White.....M..	225	192	4	5	2	2	7	2	1	-	5	-	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-
	F..	169	141	5	2	2	-	3	2	2	1	1	4	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	633	633	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	326	326	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	292	292	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	387	-	-	-	-	-	-	2	3	8	24	24	36	30	47	49	42	39	32	29	14	7	1	-	-	-	-
	White.....M..	284	-	-	-	-	-	-	2	2	7	15	18	27	17	33	38	33	26	25	23	12	5	1	-	-	-	-
	F..	100	-	-	-	-	-	-	-	1	1	9	6	8	13	13	11	9	12	7	6	2	2	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	27	-	1	-	1	1	-	-	2	5	2	4	2	-	4	3	-	1	-	-	1	-	-	-	-	-	-
	White.....M..	13	-	-	-	1	1	-	-	-	1	1	3	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	F..	11	-	1	-	-	-	-	-	2	4	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,003	65	37	30	30	10	67	74	133	99	85	63	85	74	77	100	108	104	112	142	159	178	125	38	6	-	2
	White.....M..	1,360	46	21	13	21	8	50	56	103	80	64	57	68	63	64	84	89	89	86	85	66	73	52	16	4	-	2
	F..	622	16	15	16	9	2	17	18	29	16	19	6	17	10	10	15	16	15	26	57	93	105	72	21	2	-	-
	Nonwhite..M..	15	1	-	1	-	-	-	-	1	3	2	-	-	-	2	-	3	-	-	-	-	-	1	1	-	-	-
	F..	6	2	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	550	2	8	6	11	3	26	19	69	45	39	29	34	34	26	38	36	33	35	20	21	13	4	-	-	-	1
	White.....M..	432	2	4	1	8	2	19	11	48	33	27	24	25	29	23	33	33	31	31	18	14	11	4	-	-	-	1
	F..	114	-	4	4	3	1	7	8	21	11	12	5	9	4	3	2	3	2	4	2	7	2	-	-	-	-	-
	Nonwhite..M..	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,453	63	29	24	19	7	41	55	84	54	46	34	51	40	51	64	72	71	77	122	138	165	121	38	6	-	1
	White.....M..	928	44	17	12	13	6	31	45	55	47	37	33	43	34	41	51	56	58	55	67	52	62	48	16	4	-	1
	F..	508	16	11	12	6	1	10	10	8	5	7	1	8	6	7	13	13	13	22	55	86	103	72	21	2	-	-
	Nonwhite..M..	13	1	-	-	-	-	-	-	1	2	2	-	-	-	2	-	3	-	-	-	-	-	1	1	-	-	-
	F..	4	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	399	8	-	-	-	-	-	-	1	-	-	-	1	1	1	5	5	9	10	33	48	103	98	51	21	4	-
	White.....M..	206	2	-	-	-	-	-	-	1	-	-	-	1	1	1	4	5	8	4	21	26	57	41	26	10	-	-
	F..	189	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	6	11	22	46	57	25	11	2	-
	Nonwhite..M..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
	All other causes..	2,904	524	28	19	7	13	46	42	35	33	51	66	81	95	94	128	167	176	207	254	267	292	184	73	21	1	-
	White.....M..	1,566	323	17	10	2	9	29	26	22	14	23	24	32	51	51	61	87	107	129	136	148	146	75	35	9	-	-
	F..	1,296	189	10	8	5	3	16	16	13	18	27	41	44	42	40	66	80	68	77	116	117	144	108	38	12	1	-
	Nonwhite..M..	26	7	1	-	-	1	1	-	-	-	1	-	3	2	2	1	-	3	1	-	1	2	-	-	-	-	-
	F..	16	6	-	1	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	2	1	-	1	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING																										
	All causes.....	2,278	232	36	21	10	7	25	21	35	69	45	36	71	79	108	147	170	220	211	257	185	182	94	32	5	2	-
	White.....M..	1,354	111	20	9	4	2	13	14	25	43	30	23	37	52	59	98	117	147	121	155	105	105	55	12	1	-	-
	F..	755	94	8	7	8	3	8	7	9	14	9	8	29	24	38	35	43	56	78	76	73	72	37	19	2	2	-
	Nonwhite..M..	108	16	4	2	-	1	1	-	1	9	3	5	4	3	4	7	8	13	10	8	3	2	1	1	-	-	-
	F..	63	11	4	3	-	1	3	-	2	3	3	2	1	-	7	7	2	4	2	-	4	3	1	-	-	-	-
1,2	Typhoid and paratyphoid fever..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	3	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	8	5	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	10	-	2	2	3	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	5	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms).....	34	-	2	-	-	-	1	1	2	5	1	1	1	5	4	4	3	4	-	-	-	-	-	-	-	-	-
	White.....M..	17	-	1	-	-	-	-	-	-	-	1	-	1	4	2	4	3	1	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	F..	7	-	1	-	-	-	1	-	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*..	29	-	1	-	-	-	-	1	2	4	1	-	1	5	4	3	5	4	-	-	-	-	-	-	-	-	-
	White.....M..	15	-	-	-	-	-	-	-	-	-	1	-	1	4	2	3	3	1	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	F..	6	-	1	-	-	-	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	5	-	1	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	White.....M..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	47	1	-	-	-	-	-	-	-	-	2	-	2	6	5	10	10	5	2	2	-	1	1	-	-	-	-
	White.....M..	32	-	-	-	-	-	-	-	-	-	-	-	1	4	4	8	7	4	1	1	-	1	1	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F..	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
35	Measles.....	10	4	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Con.																										
45-55	Cancer and other malignant tumors	242	1	1	-	-	-	-	1	1	1	2	5	8	8	16	28	27	39	34	28	23	14	5	-	-	-
	White..M..	116	1	1	-	-	-	-	1	1	-	-	3	2	2	4	11	15	22	14	19	12	9	1	-	-	-
	F..	101	-	-	-	-	-	-	-	-	1	-	1	6	5	10	11	9	15	17	7	11	4	4	-	-	-
	Nonwhite..M..	16	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	4	2	3	2	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	2	-	-	-	1	4	1	-	-	-	-	1	-	-	-	-
46	Cancer of digestive organs, peritoneum	124	1	-	-	-	-	-	-	-	-	-	2	2	3	4	13	17	20	23	16	14	5	4	-	-	-
	White..M..	64	1	-	-	-	-	-	-	-	-	-	1	1	1	1	8	6	13	10	11	8	2	1	-	-	-
	F..	42	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	6	5	11	3	6	3	3	-	-	-
	Nonwhite..M..	15	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	4	2	2	2	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-						
48,49	Cancer of female genital organs	32	-	-	-	-	-	-	-	-	1	-	-	2	3	7	5	1	4	3	2	2	1	1	-	-	-
	White..F..	30	-	-	-	-	-	-	-	-	1	-	-	2	3	7	4	1	4	3	2	2	1	1	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
50	Cancer of breast	16	-	-	-	-	-	-	-	-	-	1	1	1	1	1	3	-	3	3	-	2	-	-	-	-	-
	White..F..	15	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	3	3	-	2	-	-	-	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	70	-	1	-	-	-	-	1	1	-	1	2	3	1	4	7	9	12	5	10	5	8	-	-	-	-
	White..M..	52	-	1	-	-	-	-	1	1	-	-	2	1	1	3	3	7	9	4	8	4	7	-	-	-	-
	F..	16	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	2	3	-	2	1	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	3	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	3	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	54	-	-	1	-	-	-	-	1	1	-	1	1	2	3	5	5	7	6	10	7	4	-	-	-	-
	White..M..	21	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	1	2	3	4	3	3	-	-	-	-
	F..	32	-	-	-	-	-	-	-	1	1	-	-	-	2	3	2	4	5	3	6	4	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter	7	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	3	1	1	-	-	-	-	-	-	-
	White..M..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	White..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	187	2	-	-	-	-	-	-	-	-	3	1	-	1	4	8	11	20	31	34	19	22	6	5	-	-
	White..M..	91	1	-	-	-	-	-	-	-	-	2	1	-	1	1	3	8	11	16	20	9	12	3	3	-	-
	F..	66	-	-	-	-	-	-	-	-	-	1	-	-	-	1	5	3	8	12	13	9	9	3	2	-	-
	Nonwhite..M..	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	1	-	-	-	-
90-95	Diseases of the heart	596	1	-	-	-	-	-	2	1	5	3	2	10	17	28	39	50	69	71	98	86	71	31	11	1	-
	White..M..	385	1	-	-	-	-	-	1	-	2	3	1	5	10	19	27	38	50	42	63	55	39	23	5	1	-
	F..	190	-	-	-	-	-	-	1	1	3	-	1	4	7	7	9	11	14	26	32	28	32	8	6	-	-
	Nonwhite..M..	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	4	2	3	2	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	1	-	-	-	-	-
90a,92b, c,93c,95b	Chronic rheumatic diseases of the heart	33	-	-	-	-	-	-	-	1	2	-	-	2	2	1	3	4	4	3	5	3	3	-	-	-	-
	White..M..	18	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	3	-	4	2	1	-	-	-	-
	F..	15	-	-	-	-	-	-	-	1	2	-	-	1	1	-	1	3	-	2	1	1	2	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	189	-	-	-	-	-	-	-	-	-	-	-	3	3	14	19	23	36	24	23	18	17	6	3	-	-
	White..M..	132	-	-	-	-	-	-	-	-	-	-	-	1	3	10	11	20	27	15	16	13	10	4	2	-	-
	F..	51	-	-	-	-	-	-	-	-	-	-	-	1	-	4	6	3	7	8	7	5	7	2	1	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, e,95a,c	Diseases of heart (other forms)	374	1	-	-	-	-	-	2	-	3	3	2	5	12	13	17	23	29	44	70	65	51	25	8	1	-
	White..M..	257	1	-	-	-	-	-	1	-	2	3	1	3	6	8	14	17	20	27	43	40	28	19	3	1	-
	F..	124	-	-	-	-	-	-	1	-	1	-	1	2	6	3	2	5	7	16	24	22	23	6	5	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	1	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Con.																										
107-109, 33	Pneumonia (all forms) and influenza	138	36	12	4	2	1	5	2	–	5	1	–	5	1	7	3	3	8	10	11	3	11	5	5	–	–	–
	White..M..	78	17	7	1	1	–	1	–	–	1	–	–	2	1	4	3	1	8	9	9	2	7	3	1	–	–	–
	F..	43	12	3	1	1	–	2	2	–	2	1	–	2	–	3	–	1	–	–	2	1	4	2	4	–	–	–
	Nonwhite..M..	10	4	1	1	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F..	7	3	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
107	Bronchopneumonia	63	24	6	1	2	1	–	2	–	2	1	–	1	–	3	1	1	2	3	5	–	3	2	3	–	–	–
	White..M..	32	13	4	–	1	–	–	–	–	–	–	–	–	–	1	1	–	2	2	4	–	2	1	1	–	–	–
	F..	22	7	1	–	1	–	–	2	–	1	1	–	1	–	2	–	1	–	–	1	–	1	1	2	–	–	–
	Nonwhite..M..	6	3	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F..	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
108	Lobar pneumonia	39	4	5	2	–	–	–	–	–	2	–	–	2	1	3	2	1	4	6	3	–	3	1	–	–	–	–
	White..M..	24	1	3	–	–	–	–	–	–	–	–	–	–	1	2	2	–	4	6	3	–	1	1	–	–	–	–
	F..	9	2	1	1	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	2	–	–	–	–	–
	Nonwhite..M..	3	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	F..	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
109	Pneumonia (unspecified)	8	4	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White..M..	5	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	F..	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Nonwhite..M..	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F..	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	Influenza	30	4	1	–	–	–	3	–	–	1	–	–	2	–	–	–	1	2	1	3	3	5	2	2	–	–	–
	White..M..	19	2	–	–	–	–	1	–	–	1	–	–	2	–	–	–	1	2	1	2	2	4	1	–	–	–	–
	F..	11	2	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	–	–	–
	Nonwhite..M..	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F..	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117	Ulcer of stomach or duodenum	17	1	–	–	–	–	–	–	–	–	–	–	1	2	2	3	1	4	2	–	–	–	1	–	–	–	–
	White..M..	14	1	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	4	2	–	–	–	1	–	–	–	–
	F..	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Nonwhite..M..	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	F..	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119,120	Diarrhea, enteritis, etc.*	14	9	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	White..M..	4	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F..	7	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Nonwhite..M..	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F..	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
121	Appendicitis	23	–	–	–	–	–	3	1	–	–	2	–	4	2	1	2	3	1	2	1	1	–	–	–	–	–	–
	White..M..	18	–	–	–	–	–	3	1	–	–	1	–	2	1	1	2	2	1	2	1	1	–	–	–	–	–	–
	F..	5	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Nonwhite..M..	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F..	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122	Hernia, intestinal obstruction	10	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	1	1	1	–	–	–	–	–	–
	White..M..	7	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–
	F..	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	Nonwhite..M..	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F..	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124	Cirrhosis of the liver	18	–	–	–	–	–	–	–	–	–	–	1	2	2	3	–	2	4	2	–	–	1	1	–	–	–	–
	White..M..	11	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	2	3	–	–	–	1	1	–	–	–	–
	F..	5	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–
	Nonwhite..M..	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	F..	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
126,127	Biliary calculi, etc.*	10	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	3	1	1	1	1	–	–	–	–	–	–
	White..M..	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	1	–	–	–	–	–	–
	F..	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–
	Nonwhite..M..	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F..	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
130-132	Nephritis	176	–	–	–	–	–	–	1	1	–	3	1	5	2	7	10	11	17	18	29	23	24	22	1	1	–	–
	White..M..	101	–	–	–	–	–	–	–	–	–	2	–	2	2	3	6	7	12	11	19	12	14	11	–	–	–	–
	F..	66	–	–	–	–	–	–	1	1	–	1	1	3	–	2	3	4	2	7	9	10	9	11	1	1	–	–
	Nonwhite..M..	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	1	–	–	–	–	–	–	–
	F..	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1	–	–	–	–	–
137	Diseases of the prostate	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	–	1	1	–	–	–	–
	White..M..	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	–	–	1	–	–	–	–
	Nonwhite..M..	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

*Refer to complete International List titles, table V, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Con.																										
140-150	Diseases of pregnancy, etc.*...	5	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	4	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A, 147	Puerperal septicemia.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma and shock*.....	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations..	33	31	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	19	18	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	12	11	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth..	61	61	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	30	30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	23	23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	27	-	-	-	-	-	-	-	-	1	1	1	2	3	2	4	1	2	5	2	2	1	-	-	-	-
	White.....M..	21	-	-	-	-	-	-	-	-	1	-	1	1	2	2	4	1	2	2	2	2	1	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	8	1	-	-	-	-	-	1	-	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	264	9	7	8	3	3	5	9	21	36	16	15	15	19	11	15	16	8	6	6	9	13	8	5	1	-
	White.....M..	199	6	7	5	1	2	4	8	16	35	16	13	11	14	10	15	14	4	2	4	5	4	2	1	-	-
	F..	58	2	-	3	2	1	1	1	5	-	-	1	4	4	-	-	2	2	4	2	4	9	6	4	1	-
	Nonwhite..M..	6	1	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	57	1	3	1	1	2	1	1	10	1	3	4	6	4	4	2	6	3	1	1	-	1	1	-	-	-
	White.....M..	45	1	3	1	-	2	1	1	6	1	3	3	3	3	3	2	6	2	1	1	-	1	1	-	-	-
	F..	10	-	-	-	1	-	-	-	4	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.	207	8	4	7	2	1	4	8	11	35	13	11	9	15	7	13	10	5	5	5	9	12	7	5	1	-
	White.....M.	154	5	4	4	1	-	3	7	10	34	13	10	8	11	7	13	8	2	1	3	5	3	1	1	-	-
	F.	48	2	-	3	1	1	1	1	1	-	-	-	1	4	-	-	2	1	1	2	4	9	6	4	1	-
	Nonwhite..M.	4	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes...	49	6	3	1	-	-	-	-	-	2	-	-	-	-	3	1	2	4	-	3	2	9	8	3	-	2
	White.....M..	25	2	1	-	-	-	-	-	-	1	-	-	-	-	1	1	2	3	-	2	-	6	5	1	-	-
	F..	13	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	2	2	1	-	2
	Nonwhite..M..	7	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-
	F..	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	All other causes.	225	59	2	4	1	1	7	2	6	9	8	6	11	5	9	11	18	22	14	8	7	9	4	2	-	-
	White.....M..	125	25	-	2	1	-	2	1	5	3	4	2	6	4	4	7	13	16	11	5	3	7	3	1	-	-
	F..	83	30	2	2	-	1	3	1	-	4	3	1	4	1	5	4	4	4	3	3	4	2	1	1	-	-
	Nonwhite..M..	9	1	-	-	-	-	1	-	-	2	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F..	8	3	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table V, Part I.

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
UNITED STATES	1,411,338	551	2,812	422	1,878	1,145	54,731	1,803	580	14,916	1,923	1,361	171,171	1,471	34,948	2,660
Both sexes—White	1,238,629	377	2,353	398	1,251	1,002	39,958	1,395	280	9,415	1,618	1,291	159,445	1,164	32,280	2,417
Nonwhite	172,509	174	459	24	627	143	14,773	408	300	5,501	307	70	11,726	307	2,668	243
Male—White	697,731	230	1,455	200	599	554	25,598	733	161	7,075	780	793	77,162	613	12,001	411
Nonwhite	92,130	88	287	11	270	77	8,121	211	142	3,824	145	42	5,004	135	871	35
Female—White	541,098	147	898	198	652	468	14,362	662	119	2,340	838	498	82,283	551	20,279	2,006
Nonwhite	80,379	86	172	13	357	66	6,652	197	158	1,877	162	28	6,722	172	1,797	208
Urban—White	782,965	165	1,558	199	499	475	24,518	620	95	5,814	730	800	108,814	694	22,495	1,528
Nonwhite	99,347	57	348	15	208	58	9,387	141	86	3,152	102	34	7,714	180	1,812	167
Male—White	431,474	99	943	99	239	253	16,210	337	58	4,310	353	485	52,097	360	7,939	284
Nonwhite	52,330	26	211	6	95	31	5,273	67	42	2,179	51	23	3,311	83	547	23
Female—White	351,491	66	615	100	260	222	8,308	283	37	1,504	377	315	56,717	334	14,556	1,244
Nonwhite	47,017	31	137	9	113	27	4,114	74	44	973	51	11	4,403	97	1,265	144
Places of 100,000 or more—White	387,103	54	907	74	142	171	13,499	137	25	2,867	221	403	57,612	338	11,863	739
Nonwhite	55,812	14	265	10	83	30	6,374	27	11	1,793	27	13	4,701	113	1,103	84
Male—White	214,257	31	544	39	72	93	9,304	74	15	2,165	108	248	28,300	183	4,039	145
Nonwhite	29,842	5	158	4	36	14	3,678	8	4	1,242	15	10	2,083	50	320	12
Female—White	172,866	23	363	35	70	78	4,195	63	10	702	113	155	29,312	155	7,824	594
Nonwhite	25,970	9	107	6	47	16	2,696	19	7	551	12	3	2,618	63	783	72
Places of 25,000 to 100,000—White	157,974	39	274	33	114	99	4,586	140	15	1,301	172	138	21,009	152	4,344	300
Nonwhite	18,187	10	37	2	42	10	1,305	30	19	544	22	4	1,322	28	337	42
Male—White	85,902	24	162	15	51	56	2,939	69	12	939	93	87	9,631	74	1,594	48
Nonwhite	9,392	2	20	-	16	8	686	21	6	379	12	3	554	11	101	6
Female—White	72,072	15	112	18	63	43	1,647	71	3	362	79	49	11,378	78	2,750	252
Nonwhite	8,795	8	17	2	26	4	619	9	13	165	10	1	768	17	236	36
Places of 10,000 to 25,000—White	105,954	29	168	34	94	77	2,778	90	23	733	132	111	13,845	97	2,957	220
Nonwhite	11,321	14	25	2	45	8	795	27	25	282	17	5	757	18	185	20
Male—White	58,155	18	103	18	38	35	1,749	50	17	536	57	71	6,482	47	1,086	41
Nonwhite	5,853	6	17	1	21	4	425	12	13	181	8	3	308	9	65	3
Female—White	47,799	11	65	16	56	42	1,029	40	6	197	75	40	7,363	50	1,871	179
Nonwhite	5,468	8	8	1	24	2	370	15	12	101	9	2	449	9	120	17
Places of 2,500 to 10,000—White	131,954	45	209	58	149	128	3,655	253	32	913	205	150	16,348	107	3,331	269
Nonwhite	14,027	19	21	1	38	12	913	57	31	533	36	12	934	21	187	21
Male—White	73,180	26	134	27	78	69	2,218	144	14	670	95	79	7,684	56	1,220	50
Nonwhite	7,265	13	16	1	22	7	484	26	19	377	16	7	366	13	61	2
Female—White	58,754	17	75	31	71	59	1,437	109	18	243	110	71	8,664	51	2,111	219
Nonwhite	6,764	6	5	-	16	5	429	31	12	156	20	5	568	8	126	19
Rural—White	455,864	212	795	199	752	527	15,440	775	185	3,601	886	491	50,631	470	9,785	889
Nonwhite	73,162	117	111	9	419	85	5,386	267	214	2,349	205	36	4,012	127	856	76
Male—White	266,257	131	512	101	360	281	9,388	396	103	2,765	427	308	25,085	253	4,062	127
Nonwhite	39,800	62	76	5	175	46	2,848	144	100	1,645	94	19	1,693	52	324	12
Female—White	189,607	81	283	98	392	246	6,054	379	82	836	459	183	25,566	217	5,723	762
Nonwhite	33,362	55	35	4	244	39	2,538	123	114	704	111	17	2,319	75	532	64
ALABAMA	26,157	18	78	3	87	58	1,289	61	39	404	86	12	2,081	30	329	33
Both sexes—White	14,818	12	54	1	29	47	543	39	13	109	54	5	1,460	11	223	23
Nonwhite	11,339	6	24	2	58	11	726	22	26	295	32	7	621	19	106	10
Male—White	8,372	6	35	1	18	29	309	13	6	82	29	3	628	7	93	2
Nonwhite	5,921	4	14	2	24	8	349	10	12	185	18	7	208	9	38	1
Female—White	6,446	6	19	-	11	18	234	26	7	27	25	2	632	4	130	21
Nonwhite	5,418	2	10	-	34	3	377	12	14	110	14	-	413	10	68	9
Urban—White	6,032	1	21	1	8	7	237	18	3	61	14	1	631	5	93	8
Nonwhite	4,778	1	10	-	22	4	388	6	8	107	8	-	274	9	55	2
Male—White	3,363	-	17	1	6	5	142	2	1	44	12	1	265	3	38	1
Nonwhite	2,466	1	5	-	10	4	197	2	3	66	4	-	88	4	17	-
Female—White	2,669	1	4	-	2	2	95	16	2	17	2	-	366	2	55	7
Nonwhite	2,310	-	5	-	12	-	191	4	5	41	4	-	186	5	38	2
Places of 100,000 or more—White	1,630	-	3	-	1	1	68	1	-	10	5	-	208	2	19	2
Nonwhite	1,586	1	2	-	2	1	149	1	1	34	3	-	89	1	20	-
Male—White	919	-	2	-	1	1	35	-	-	10	4	-	85	1	9	-
Nonwhite	837	1	1	-	1	1	74	-	-	20	2	-	30	1	6	-
Female—White	711	-	1	-	-	-	33	1	-	-	1	-	123	1	10	2
Nonwhite	749	-	1	-	1	-	75	1	1	14	1	-	59	-	14	-
Places of 25,000 to 100,000—White	1,951	-	11	1	1	3	80	13	-	39	2	1	178	-	31	2
Nonwhite	1,471	-	4	-	8	2	120	1	5	34	-	-	87	4	16	2
Male—White	1,068	-	8	1	1	2	51	-	-	25	1	1	79	-	10	-
Nonwhite	742	-	1	-	2	2	65	1	1	23	-	-	25	1	2	-
Female—White	883	-	3	-	-	1	29	13	-	14	1	-	99	-	21	2
Nonwhite	729	-	3	-	6	-	55	-	4	11	-	-	32	3	14	2
Places of 10,000 to 25,000—White	932	-	5	-	3	-	39	1	2	4	2	-	92	-	20	1
Nonwhite	797	-	1	-	6	1	75	1	-	17	2	-	45	2	8	-
Male—White	529	-	5	-	1	-	27	1	-	3	2	-	39	-	9	1
Nonwhite	411	-	1	-	3	1	36	1	-	9	1	-	16	1	5	-
Female—White	403	-	-	-	2	-	12	-	2	1	-	-	53	-	11	-
Nonwhite	386	-	-	-	3	-	39	-	-	8	1	-	29	1	3	-
Places of 2,500 to 10,000—White	1,519	1	2	-	3	3	50	3	1	8	5	-	153	3	23	3
Nonwhite	922	-	3	-	6	-	44	3	2	22	3	-	53	2	11	-
Male—White	847	-	2	-	3	2	29	1	1	6	5	-	62	2	10	-
Nonwhite	476	-	2	-	4	-	22	-	2	14	1	-	17	1	4	-
Female—White	672	1	-	-	-	1	21	2	-	2	-	-	91	1	13	3
Nonwhite	446	-	1	-	2	-	22	3	-	8	2	-	36	1	7	-
Rural—White	8,786	11	33	-	21	40	306	21	10	48	40	4	829	6	130	15
Nonwhite	6,563	5	14	2	36	7	338	16	18	188	24	7	347	10	51	8
Male—White	5,009	6	18	-	12	24	167	11	5	38	17	2	363	4	55	1
Nonwhite	3,455	3	9	2	14	4	152	8	9	119	14	7	120	5	21	1
Female—White	3,777	5	15	-	9	16	139	10	5	10	23	2	466	2	75	14
Nonwhite	3,108	2	5	-	22	3	186	8	9	69	10	-	227	5	30	7

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic)	Alcoholism (ethylism)	Intracranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Ulcer of stomach or duodenum	Diarrhea, enteritis, and ulceration of intestines	Appendicitis	Cirrhosis of the liver	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
69	77	83	90-95	107-109,33	117	119,120	121	124	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162,199,200	
1,027	1,820	124,250	418,062	81,804	8,765	13,099	7,763	11,485	91,687	6,369	69,449	13,231	6,553	24,282	70,955	29,503	138,842
686	1,608	108,904	383,831	67,281	8,013	10,340	6,760	10,696	76,924	4,648	60,200	12,808	2,973	21,812	63,580	19,829	123,294
341	212	15,346	34,231	14,523	752	2,759	1,023	789	14,763	1,721	9,249	423	3,580	2,470	7,375	9,674	15,548
260	1,441	53,370	226,936	38,185	6,662	5,687	3,983	6,913	41,201	...	34,660	9,176	2,251	17,073	42,824	10,967	67,799
106	173	7,084	18,152	8,083	555	1,430	556	488	7,642	...	5,119	321	2,881	1,990	5,174	5,098	8,015
426	167	55,534	158,895	29,096	1,351	4,653	2,777	3,783	35,723	4,648	25,540	3,632	722	4,739	20,756	8,862	55,495
235	39	8,262	16,079	6,440	197	1,329	467	301	7,121	1,721	4,130	102	699	480	2,201	4,576	7,533
229	1,114	65,411	256,463	39,248	5,621	5,639	4,147	8,145	46,346	2,704	37,820	7,785	1,770	11,868	34,857	8,405	76,371
126	147	8,680	21,606	8,241	512	1,232	620	549	8,165	844	5,445	281	2,434	1,329	3,856	2,509	9,512
81	983	30,661	148,951	22,631	4,696	3,048	2,425	5,264	25,936	...	21,788	5,291	1,298	9,078	21,723	4,472	41,082
39	116	3,861	11,191	4,661	374	614	330	336	4,044	...	3,000	199	1,934	1,047	2,676	1,296	4,644
148	131	34,750	107,532	16,617	925	2,591	1,722	2,881	22,410	2,704	16,032	2,494	472	2,788	13,134	5,933	35,289
87	31	4,819	10,415	3,580	138	618	290	213	4,119	644	2,445	82	500	282	1,180	1,213	4,668
54	618	28,449	134,256	18,902	3,008	2,253	1,897	4,914	20,679	1,141	16,340	3,951	926	5,370	18,374	2,758	35,961
18	85	4,349	13,155	4,432	296	512	320	334	3,790	394	3,101	197	1,461	678	2,008	881	5,153
25	540	13,162	77,510	11,139	2,519	1,225	1,068	3,190	10,400	...	9,387	2,644	696	4,116	10,312	1,470	19,474
5	68	1,950	8,819	2,573	228	259	172	206	1,820	...	1,719	138	1,186	543	1,398	474	2,645
29	78	15,287	56,746	7,763	489	1,028	829	1,724	10,479	1,141	6,953	1,307	230	1,254	6,062	1,288	16,487
13	17	2,399	6,336	1,859	68	253	148	128	1,970	394	1,382	59	275	135	610	407	2,508
55	214	14,277	50,259	8,025	1,139	1,230	841	1,465	9,495	590	8,204	1,818	336	2,501	7,108	1,916	15,987
39	24	1,737	3,677	1,602	88	268	125	106	1,884	182	1,055	40	427	279	710	504	1,686
21	189	6,644	29,052	4,494	951	658	512	931	5,038	...	4,887	1,117	229	1,887	4,238	999	8,460
10	21	766	1,915	912	55	141	65	66	951	...	576	29	324	200	492	249	797
34	25	7,633	21,207	3,531	188	572	329	534	4,457	590	3,517	501	107	614	2,869	917	7,527
29	3	971	1,762	690	33	127	60	40	933	182	479	11	103	79	218	255	889
47	137	10,073	32,794	5,388	695	811	656	807	6,951	404	5,831	1,008	205	1,697	4,935	1,427	10,742
29	14	1,172	2,199	996	58	193	77	44	1,146	110	585	18	247	148	521	455	1,086
14	123	4,647	19,216	3,084	579	430	384	519	3,863	...	3,385	671	152	1,302	3,070	778	5,810
13	12	512	1,117	541	37	92	42	26	594	...	335	14	190	112	369	231	520
33	14	5,426	13,578	2,324	116	381	252	288	3,268	404	2,446	335	53	395	1,865	649	4,932
16	2	860	1,082	455	21	101	35	18	552	110	250	4	57	36	152	224	566
73	145	12,612	39,174	6,933	779	1,345	773	959	9,041	569	7,445	1,210	303	2,298	6,440	2,304	13,681
40	24	1,422	2,575	1,211	70	259	98	65	1,343	158	704	26	299	224	617	669	1,587
21	131	8,208	23,173	3,934	647	735	461	824	4,835	...	4,329	859	221	1,773	4,102	1,225	7,338
11	15	633	1,340	635	54	122	51	38	679	...	370	18	234	192	417	342	682
52	14	6,404	16,001	2,999	132	610	312	335	4,206	569	3,116	351	82	525	2,338	1,079	6,543
29	9	789	1,235	576	16	137	47	27	664	158	334	8	65	32	200	327	705
457	494	43,493	127,348	28,033	2,392	4,701	2,613	2,551	30,578	1,944	22,380	5,023	1,203	9,946	28,723	11,424	48,923
215	65	6,666	12,625	6,282	240	1,527	403	240	6,600	877	3,804	142	1,146	1,141	3,519	7,165	6,236
179	458	22,709	77,985	15,554	1,966	2,639	1,558	1,649	17,265	...	12,872	3,885	953	7,995	21,101	6,495	26,717
87	57	3,223	6,961	3,422	181	816	226	152	3,598	...	2,119	122	947	943	2,498	3,802	3,371
278	36	20,784	49,363	12,479	426	2,082	1,055	902	13,313	1,944	9,506	1,138	250	1,951	7,622	4,929	20,206
148	8	3,443	5,864	2,860	59	711	177	88	3,002	877	1,685	20	199	198	1,021	3,363	2,865
99	31	2,403	5,103	2,076	131	373	189	125	2,161	278	1,755	149	331	504	1,333	2,225	2,303
54	24	1,368	3,142	1,115	89	219	113	75	1,118	116	1,157	134	109	370	822	740	1,430
45	7	1,035	1,961	961	42	154	76	50	1,043	162	598	15	222	134	511	1,485	873
20	25	727	1,927	573	72	124	76	56	651	...	635	100	94	302	574	395	762
9	5	452	1,067	528	26	85	46	25	567	...	349	9	174	107	374	784	445
34	1	641	1,215	542	17	95	37	19	467	116	522	34	15	68	248	345	668
36	2	803	894	433	16	69	30	25	476	162	249	6	48	27	137	701	428
11	11	543	1,481	389	43	69	48	42	430	43	468	55	37	136	285	212	620
12	5	485	891	422	19	57	28	24	418	61	267	5	120	61	205	411	391
4	10	284	919	211	34	34	31	30	255	...	256	36	32	112	174	112	311
3	5	198	471	241	11	27	16	12	229	...	153	3	94	49	151	199	205
7	1	259	562	178	9	35	17	12	195	43	212	19	5	24	111	100	309
9	2	287	420	181	8	30	12	12	189	61	114	2	26	12	54	212	186
2	2	163	424	98	8	8	10	13	100	8	119	17	7	35	72	71	155
1	1	159	273	135	7	9	8	10	86	25	91	-	43	16	46	240	132
1	2	79	272	55	5	3	8	9	57	...	67	13	7	26	40	42	85
-	-	76	160	73	5	4	5	5	51	...	49	-	35	12	32	121	72
1	-	84	152	43	3	5	2	4	43	6	52	4	-	9	32	29	70
1	1	83	113	62	2	5	3	5	35	25	42	-	8	4	14	119	60
4	3	138	541	122	22	22	17	11	122	18	121	12	11	33	87	48	257
4	2	153	302	125	6	16	8	10	150	21	80	1	34	25	84	47	120
2	3	71	325	66	19	12	12	7	65	...	67	5	9	25	56	20	125
1	2	57	148	70	3	8	3	6	80	...	46	1	25	20	68	20	61
2	-	67	216	56	3	10	5	4	57	18	54	7	2	8	31	28	132
3	-	96	154	55	3	8	5	4	70	21	34	-	9	5	16	27	59
2	3	105	209	49	4	16	6	9	70	3	76	9	7	30	52	27	84
3	-	98	151	73	3	19	7	-	87	6	34	1	17	6	29	42	65
1	2	54	139	18	4	8	2	7	38	...	43	6	6	27	31	16	38
2	-	36	82	47	-	10	5	-	41	...	24	1	12	4	20	15	38
1	1	51	70	31	-	8	4	2	32	3	35	3	1	3	21	11	45
1	-	62	69	26	3	9	2	-	46	6	10	-	5	2	9	27	25
3	3	137	307	120	9	23	15	9	138	16	150	17	12	38	74	66	124
4	2	75	165	89	3	13	5	4	95	9	62	3	26	14	46	82	76
-	3	80	183	72	6	11	9	7	75	...	79	12	10	34	47	34	62
-	1	29	81	51	3	5	3	1	57	...	34	1	22	13	31	43	34
3	-	57	124	48	3	12	6	2	63	16	71	5	2	4	27	32	62
4	1	46	84	38	-	8	2	3	38	9	28	2	4	1	15	39	42
43	13	825	1,661	726	46	150	65	33	688	73	689	79	72	234	537	528	810
33	2	550	1,070	539	23	97	48	26	625	101	331	10	102	73	306	1,074	482
16	13	443	1,008	382	38	90	45	26	416	...	379	64	62	190	400	283	451
6	2	234	596	287	15	58	30	13	338	...	196	6	80	58	223	585	240
27	-	382	653	364	8	60	20	7	272	73	310	15	10	44	137	245	359
27	-	316	474	252	8	39	18	13	287	101	135	4	22	15	83	489	242

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 65b
ARIZONA	6,205	7	7	1	37	12	784	27	- -	75	39	7	516	3	53	5
Both sexes.....White	4,898	1	4	1	11	10	535	22	-	47	15	7	435	1	43	3
Nonwhite	1,307	6	3	-	26	2	249	5	-	28	24	-	81	2	10	2
Male.....White	3,221	-	3	1	3	3	387	11	-	32	6	-	230	1	19	-
Nonwhite	746	2	3	-	13	1	138	3	-	12	10	-	54	1	5	-
Female.....White	1,677	1	1	-	8	7	148	11	-	15	9	7	205	-	24	3
Nonwhite	561	4	-	-	13	1	113	2	-	16	14	-	27	1	5	2
Urban.....White	2,884	1	2	-	8	5	305	8	-	24	6	5	262	1	24	2
Nonwhite	245	-	1	-	3	-	32	-	-	2	6	-	16	-	4	2
Male.....White	1,785	-	2	-	2	1	213	4	-	16	3	-	140	1	12	-
Nonwhite	150	-	1	-	1	-	20	-	-	2	3	-	9	-	1	-
Female.....White	1,099	1	-	-	6	4	92	4	-	8	3	5	142	-	12	2
Nonwhite	95	-	-	-	2	-	12	-	-	-	3	-	7	-	3	2
Places of 25,000 to 100,000...White	1,870	1	-	-	5	3	234	4	-	15	5	4	173	-	13	2
Nonwhite	193	-	-	-	2	-	28	-	-	2	4	-	14	-	3	2
Male.....White	1,159	-	-	-	2	1	164	2	-	9	3	-	82	-	8	-
Nonwhite	111	-	-	-	-	-	16	-	-	2	2	-	8	-	1	-
Female.....White	711	1	-	-	3	2	70	2	-	6	2	4	91	-	5	2
Nonwhite	82	-	-	-	2	-	12	-	-	-	2	-	6	-	2	2
Places of 2,500 to 10,000.....White	1,014	-	2	-	3	2	71	4	-	9	1	1	109	1	11	-
Nonwhite	52	-	1	-	1	-	4	-	-	-	2	-	2	-	1	-
Male.....White	626	-	2	-	-	-	49	2	-	7	-	-	58	1	4	-
Nonwhite	39	-	1	-	1	-	4	-	-	-	1	-	1	-	-	-
Female.....White	388	-	-	-	3	2	22	2	-	2	1	1	51	-	7	-
Nonwhite	13	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
Rural.....White	2,014	-	2	1	3	5	230	14	-	23	9	2	153	-	19	1
Nonwhite	1,082	6	2	-	23	2	217	5	-	26	18	-	65	2	6	-
Male.....White	1,436	-	1	1	1	2	174	7	-	16	3	-	90	-	7	-
Nonwhite	596	2	2	-	12	1	116	3	-	10	7	-	45	1	4	-
Female.....White	578	-	1	-	2	3	56	7	-	7	6	2	63	-	12	1
Nonwhite	466	4	-	-	11	1	101	2	-	16	11	-	20	1	2	-
ARKANSAS	14,515	22	22	3	51	41	826	48	87	190	29	5	1,321	21	195	17
Both sexes.....White	10,175	8	16	3	30	32	473	29	43	78	20	3	1,055	13	153	15
Nonwhite	4,340	14	6	-	21	9	353	19	44	112	9	2	266	8	42	4
Male.....White	5,995	7	11	2	13	18	291	17	28	58	11	2	509	6	78	3
Nonwhite	2,318	7	3	-	10	7	186	11	22	74	3	-	100	5	21	1
Female.....White	4,180	1	5	1	17	14	182	12	15	20	9	1	546	7	75	10
Nonwhite	2,022	7	3	-	11	2	167	8	22	38	6	2	166	3	21	3
Urban.....White	3,941	3	7	1	10	11	144	10	10	41	5	2	429	3	58	8
Nonwhite	1,672	5	2	-	6	3	131	6	11	68	4	1	94	2	26	2
Male.....White	2,273	3	4	1	5	7	91	4	8	27	3	1	198	1	24	3
Nonwhite	900	2	1	-	5	2	70	4	6	52	1	-	31	2	14	-
Female.....White	1,668	-	3	-	5	4	53	6	2	14	2	1	231	2	34	5
Nonwhite	772	3	1	-	1	1	61	2	5	16	3	1	63	-	12	2
Places of 25,000 to 100,000...White	1,342	1	3	-	2	2	37	5	4	30	-	-	148	1	23	3
Nonwhite	556	1	-	-	2	2	45	3	-	41	1	-	27	-	16	1
Male.....White	774	1	2	-	-	2	25	2	3	20	-	-	66	-	12	1
Nonwhite	307	-	-	-	1	1	23	2	-	34	1	-	7	-	8	-
Female.....White	585	-	1	-	2	-	12	3	1	10	-	-	82	1	11	2
Nonwhite	249	1	-	-	1	1	22	1	-	7	-	-	20	-	8	1
Places of 10,000 to 25,000....White	1,003	1	1	1	2	4	47	4	4	2	1	-	122	2	16	2
Nonwhite	455	2	-	-	2	-	38	1	4	15	1	1	24	-	7	1
Male.....White	565	1	-	1	1	2	30	1	4	2	-	-	50	1	6	-
Nonwhite	235	-	-	-	2	-	19	1	1	9	-	-	11	-	5	-
Female.....White	438	-	1	-	1	2	17	3	-	-	1	-	72	1	10	2
Nonwhite	220	2	-	-	-	-	19	-	3	6	1	1	13	-	2	1
Places of 2,500 to 10,000.....White	1,596	1	3	-	6	5	60	1	2	9	4	2	159	-	19	3
Nonwhite	661	2	2	-	2	1	48	2	7	12	2	-	43	2	3	-
Male.....White	934	1	2	-	4	3	36	1	1	5	3	1	82	-	6	2
Nonwhite	358	2	1	-	2	1	28	1	5	9	-	-	13	2	1	-
Female.....White	662	-	1	-	2	2	24	-	1	4	1	1	77	-	13	1
Nonwhite	303	-	1	-	-	-	20	1	2	3	2	-	30	-	2	-
Rural.....White	6,234	5	9	2	20	21	329	19	33	37	15	1	626	10	95	5
Nonwhite	2,668	9	4	-	15	6	222	13	33	44	5	1	172	6	16	2
Male.....White	3,722	4	7	1	8	11	200	13	20	31	8	1	311	5	54	-
Nonwhite	1,418	5	2	-	5	5	116	7	16	22	2	-	69	3	7	1
Female.....White	2,512	1	2	1	12	10	129	6	13	6	7	-	315	5	41	5
Nonwhite	1,250	4	2	-	10	1	106	6	17	22	3	1	103	3	9	1
CALIFORNIA	90,802	17	154	20	41	98	3,826	54	9	1,112	101	39	11,540	59	1,890	129
Both sexes.....White	86,717	17	142	20	38	94	3,306	52	8	937	98	39	11,192	52	1,809	122
Nonwhite	4,085	-	12	-	3	2	520	2	1	175	3	-	348	7	81	7
Male.....White	50,658	10	97	14	15	50	2,209	30	5	741	44	24	5,414	25	736	20
Nonwhite	2,684	-	9	-	3	-	361	2	1	132	1	-	199	2	39	4
Female.....White	36,059	7	45	6	23	44	1,097	22	3	196	54	15	5,778	27	1,073	102
Nonwhite	1,401	-	3	-	-	2	159	-	-	43	2	-	149	5	42	3
Urban.....White	83,739	8	111	13	23	69	2,208	38	6	527	75	36	8,744	38	1,400	97
Nonwhite	2,983	-	11	-	2	2	362	1	-	103	2	-	275	6	63	6
Male.....White	56,028	6	73	10	10	37	1,465	23	3	414	38	22	4,125	17	552	17
Nonwhite	1,871	-	8	-	2	-	254	1	-	71	1	-	153	2	31	3
Female.....White	27,715	2	38	3	13	32	743	15	3	113	37	14	4,619	19	848	80
Nonwhite	1,092	-	3	-	-	2	108	-	-	32	1	-	122	4	32	3

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90–95	Pneumonia (all forms) and influenza 107–109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130–132	Diseases of pregnancy, childbirth, and the puerperium 140–150	Congenital malformations and diseases peculiar to the first year 157–161	Suicide 163, 164	Homicide 165–168	Motor-vehicle accidents 170	Other accidents 169, 171–195	Senility, ill-defined and unknown causes 162,199,200	All other causes
2	11	310	1,089	439	42	238	23	30	269	42	424	56	33	199	555	317	553
2	8	287	990	320	34	151	20	28	231	29	335	47	15	172	496	170	448
–	3	45	99	119	8	87	3	2	38	13	89	9	18	27	59	147	105
1	8	158	680	201	26	82	14	17	136	...	198	33	15	146	426	106	280
–	3	27	64	65	7	40	1	1	19	...	52	8	15	23	44	78	59
1	–	111	310	119	8	69	6	11	95	29	137	14	–	26	70	64	168
–	–	16	35	54	1	47	2	1	19	13	37	1	3	4	15	69	46
1	6	177	662	195	23	101	13	19	135	15	211	31	8	79	148	89	298
–	–	14	31	21	1	7	2	–	14	–	19	2	7	5	14	12	30
–	6	98	435	116	18	55	8	9	76	...	129	18	8	61	112	63	189
–	–	9	22	10	1	4	1	–	7	...	12	1	6	5	9	7	19
1	–	79	227	79	5	46	5	10	59	15	82	13	–	18	38	36	109
–	–	5	9	11	–	3	1	–	7	–	7	1	1	–	5	5	11
–	5	108	440	136	18	58	8	15	63	9	127	22	5	54	89	59	195
–	–	9	26	17	1	5	2	–	9	–	14	2	7	2	12	10	22
–	5	58	277	81	14	36	4	8	40	...	74	13	5	41	65	39	130
–	–	4	18	6	1	2	1	–	4	...	9	1	8	2	8	6	14
–	–	52	163	55	4	22	4	7	23	9	53	9	–	13	24	20	65
–	–	5	8	11	–	3	1	–	5	–	5	1	1	–	4	4	8
1	1	69	222	59	5	43	5	4	72	6	84	9	3	25	59	30	103
–	–	5	5	4	–	2	–	–	5	–	5	–	–	3	2	2	8
–	1	42	158	35	4	19	4	1	36	...	55	5	3	20	47	14	58
–	–	5	4	4	–	2	–	–	3	...	3	–	–	3	1	1	5
1	–	27	64	24	1	24	1	3	36	6	29	4	–	5	12	16	44
–	–	–	1	–	–	–	–	–	2	–	2	–	–	–	1	1	3
1	2	90	328	125	11	50	7	9	98	14	124	16	7	93	348	81	150
–	3	29	68	98	7	80	1	2	24	13	70	7	11	22	45	135	75
1	2	58	245	85	8	27	6	8	60	...	69	15	7	85	314	53	91
–	3	18	42	55	6	36	–	1	12	...	40	7	9	18	35	71	40
–	–	32	83	40	3	23	1	1	36	14	55	1	–	8	34	28	59
–	–	11	26	43	1	44	1	1	12	13	30	–	2	4	10	64	35
49	10	1,284	5,008	1,208	77	213	138	88	1,197	114	755	101	131	265	920	685	1,397
25	8	871	2,253	795	59	140	105	72	750	56	624	94	52	220	703	400	981
26	2	413	755	414	18	73	33	16	447	58	131	7	79	43	217	283	416
4	8	482	1,452	454	43	80	70	56	443	...	344	60	40	168	506	221	530
7	1	186	409	223	14	41	17	10	270	...	73	5	66	39	149	158	200
19	–	409	801	341	16	60	35	16	307	56	280	34	12	52	197	179	451
19	1	227	346	191	4	32	16	6	177	58	58	2	13	4	68	125	216
7	4	349	1,000	248	30	51	35	33	288	24	239	32	24	94	233	99	409
7	1	178	332	142	7	19	15	14	187	15	47	4	27	20	69	63	164
1	4	192	646	135	21	30	25	27	174	...	129	19	17	65	147	58	203
2	1	86	186	73	5	12	7	9	112	...	28	3	20	18	45	31	72
6	–	157	354	113	9	21	10	8	114	24	110	13	7	29	86	41	208
5	–	92	146	69	2	7	8	5	75	15	19	1	7	2	24	32	92
4	2	146	322	86	10	9	10	11	111	8	67	14	11	31	73	18	150
2	–	72	124	28	3	4	3	7	73	4	20	–	5	5	11	8	50
1	2	90	204	61	5	4	5	8	63	...	40	7	8	21	43	7	71
–	–	45	66	13	3	2	2	3	47	...	15	–	4	4	8	2	18
3	–	56	118	25	5	5	5	3	48	8	27	7	3	10	30	11	79
2	–	27	58	13	–	2	1	4	26	4	5	–	1	1	5	8	32
1	1	85	271	43	6	16	13	10	84	6	57	8	5	23	57	28	102
4	–	38	83	58	1	8	3	3	45	3	12	3	12	7	18	15	52
–	1	25	190	11	3	7	10	8	53	...	26	5	4	14	41	19	49
1	–	12	44	31	–	4	2	3	23	...	3	2	8	7	11	8	28
1	–	40	81	32	3	9	3	2	31	6	31	3	1	9	18	7	53
3	–	24	39	25	1	2	1	–	22	3	9	1	4	–	7	7	24
2	1	138	407	119	14	26	12	12	93	10	115	10	8	40	103	55	157
1	1	70	125	60	3	9	9	4	69	8	15	1	10	8	40	40	62
–	1	77	252	63	15	19	10	11	58	...	63	7	5	30	63	32	83
1	1	29	76	29	2	6	3	3	42	...	10	1	8	7	28	21	28
2	–	61	155	56	1	7	2	1	35	10	52	3	3	10	40	23	74
–	–	41	49	31	1	3	6	1	27	8	5	–	2	1	12	19	36
16	4	522	1,253	547	29	89	70	39	462	32	385	62	28	126	470	301	572
19	1	235	423	272	11	54	18	2	260	43	84	3	52	25	148	220	252
3	4	270	806	319	22	50	45	29	269	...	215	41	23	103	359	163	327
5	–	100	223	150	9	29	10	1	158	...	45	2	46	21	104	127	128
13	–	252	447	228	7	39	25	10	193	32	170	21	5	23	111	138	245
14	1	135	200	122	2	25	8	1	102	43	39	1	6	2	44	93	124
15	133	7,135	28,637	4,660	767	607	436	1,291	4,319	504	4,590	1,234	436	2,615	4,844	552	9,342
15	128	6,895	27,848	4,377	729	562	408	1,241	4,109	273	4,153	1,183	316	2,487	4,588	527	8,952
–	5	240	789	283	38	45	28	50	210	31	237	51	120	128	256	25	390
8	104	3,237	16,994	2,638	606	317	250	801	2,178	...	2,450	852	221	1,895	3,405	295	4,972
–	5	112	519	196	33	22	11	41	133	...	145	45	93	113	208	17	238
7	24	3,658	10,854	1,739	123	245	158	440	1,930	273	1,703	331	95	592	1,165	252	3,980
–	–	128	270	87	5	23	17	9	77	31	92	8	27	15	48	8	152
9	84	5,184	20,984	3,125	572	387	315	1,010	3,108	197	3,166	846	223	1,481	2,718	295	6,684
–	4	183	610	192	31	25	24	40	160	22	197	36	94	84	127	12	289
3	68	2,327	12,483	1,889	474	205	186	646	1,589	...	1,887	586	161	1,089	1,828	151	3,642
–	4	81	381	129	28	12	9	32	101	...	120	31	72	76	92	7	170
6	16	2,857	8,481	1,236	98	182	129	364	1,519	197	1,278	260	62	392	890	144	3,042
–	–	102	229	63	3	13	15	8	59	22	77	5	22	8	35	5	119

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
CALIFORNIA—Continued																
Places of 100,000 or more.....White.....	37,783	1	71	9	8	45	1,433	18	1	349	38	20	5,316	18	860	52
Nonwhite..	2,230	-	8	-	2	2	298	-	-	80	1	-	215	4	46	5
Male.....White.....	21,486	1	48	8	4	25	988	10	-	275	17	11	2,535	10	347	5
Nonwhite..	1,414	-	6	-	2	-	213	-	-	57	-	-	115	1	24	2
Female.....White.....	16,297	-	23	1	4	20	445	8	1	74	21	9	2,781	8	513	47
Nonwhite..	816	-	2	-	-	2	85	-	-	23	1	-	100	3	22	3
Places of 25,000 to 100,000...White.....	11,340	5	17	2	2	13	327	7	3	73	7	6	1,555	7	233	16
Nonwhite..	392	-	-	-	-	-	31	1	-	13	-	-	33	-	10	1
Male.....White.....	6,131	5	12	1	-	7	193	4	2	57	5	4	695	2	84	4
Nonwhite..	231	-	-	-	-	-	20	1	-	6	-	-	21	-	6	1
Female.....White.....	5,209	-	5	1	2	6	134	3	1	16	2	2	860	5	149	12
Nonwhite..	161	-	-	-	-	-	11	-	-	7	-	-	12	-	4	-
Places of 10,000 to 25,000....White.....	6,661	-	12	1	6	5	192	8	1	39	16	4	861	6	139	16
Nonwhite..	199	-	2	-	-	-	21	-	-	7	1	-	13	2	2	-
Male.....White.....	3,815	-	4	-	3	2	121	6	1	29	9	3	414	2	55	3
Nonwhite..	126	-	1	-	-	-	13	-	-	6	1	-	8	1	-	-
Female.....White.....	2,846	-	8	1	3	3	71	2	-	10	7	1	447	4	84	13
Nonwhite..	73	-	1	-	-	-	8	-	-	1	-	-	5	1	2	-
Places of 2,500 to 10,000.....White.....	7,955	2	11	1	7	6	256	5	1	66	14	6	1,012	5	168	15
Nonwhite..	142	-	1	-	-	-	12	-	-	3	-	-	14	-	5	-
Male.....White.....	4,594	-	9	1	3	3	163	3	-	53	7	4	481	3	66	5
Nonwhite..	100	-	1	-	-	-	8	-	-	2	-	-	9	-	1	-
Female.....White.....	3,361	2	2	-	4	3	93	2	1	13	7	2	531	2	102	8
Nonwhite..	42	-	-	-	-	-	4	-	-	1	-	-	5	-	4	-
Rural.....White.....	22,978	9	31	7	15	25	1,098	14	2	410	23	3	2,448	16	409	25
Nonwhite..	1,122	-	1	-	1	-	158	1	1	72	1	-	73	1	18	1
Male.....White.....	14,632	4	24	4	5	13	744	7	2	327	6	2	1,289	8	184	3
Nonwhite..	813	-	1	-	1	-	107	1	1	61	-	-	46	-	8	1
Female.....White.....	8,346	5	7	3	10	12	354	7	-	83	17	1	1,159	8	225	22
Nonwhite..	309	-	-	-	-	-	51	-	-	11	1	-	27	1	10	-
COLORADO.....	12,258	5	24	2	27	21	419	12	1	95	26	11	1,448	25	220	28
Both sexes.....White.....	11,892	5	22	2	24	21	393	12	1	87	26	11	1,406	24	216	27
Nonwhite..	366	-	2	-	3	-	26	-	-	8	-	-	42	1	4	1
Male.....White.....	7,004	5	17	1	13	10	246	6	-	66	12	8	706	10	92	6
Nonwhite..	230	-	2	-	2	-	19	-	-	7	-	-	27	1	1	-
Female.....White.....	4,888	-	5	1	11	11	147	6	1	21	14	3	700	14	124	21
Nonwhite..	136	-	-	-	1	-	7	-	-	1	-	-	15	-	3	1
Urban.....White.....	8,115	2	17	1	9	12	288	5	1	69	12	8	1,017	13	149	17
Nonwhite..	258	-	1	-	1	-	22	-	-	3	-	-	29	1	4	1
Male.....White.....	4,650	2	14	-	6	7	177	2	-	51	5	5	498	7	63	4
Nonwhite..	150	-	1	-	1	-	15	-	-	2	-	-	17	1	1	-
Female.....White.....	3,465	-	3	1	3	5	111	3	1	18	7	3	519	6	86	13
Nonwhite..	108	-	-	-	-	-	7	-	-	1	-	-	12	-	3	1
Places of 100,000 or more.....White.....	3,857	-	11	1	2	2	144	-	1	27	-	5	535	9	72	6
Nonwhite..	170	-	1	-	1	-	15	-	-	2	-	-	21	1	3	1
Male.....White.....	2,169	-	9	-	1	2	89	-	-	21	-	3	261	6	30	3
Nonwhite..	99	-	1	-	1	-	11	-	-	1	-	-	12	1	1	-
Female.....White.....	1,688	-	2	1	1	-	55	-	1	6	-	2	274	3	42	3
Nonwhite..	71	-	-	-	-	-	4	-	-	1	-	-	9	-	2	1
Places of 25,000 to 100,000...White.....	1,625	1	-	-	5	3	56	2	-	30	4	-	160	2	29	3
Nonwhite..	60	-	-	-	-	-	5	-	-	1	-	-	5	-	1	-
Male.....White.....	949	1	-	-	4	-	32	-	-	21	2	-	80	1	14	1
Nonwhite..	32	-	-	-	-	-	2	-	-	1	-	-	3	-	-	-
Female.....White.....	676	-	-	-	1	3	24	2	-	9	2	-	80	1	15	2
Nonwhite..	28	-	-	-	-	-	3	-	-	-	-	-	2	-	1	-
Places of 10,000 to 25,000....White.....	936	-	5	-	1	4	32	-	-	5	1	1	117	2	17	3
Nonwhite..	11	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-
Male.....White.....	540	-	4	-	1	3	17	-	-	4	-	1	60	-	7	-
Nonwhite..	8	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
Female.....White.....	396	-	1	-	-	1	15	-	-	1	1	-	57	2	10	3
Nonwhite..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Places of 2,500 to 10,000.....White.....	1,697	1	1	-	1	3	56	3	-	7	7	2	205	-	31	5
Nonwhite..	17	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Male.....White.....	992	1	1	-	-	2	39	2	-	5	3	1	97	-	12	-
Nonwhite..	11	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female.....White.....	705	-	-	-	1	1	17	1	-	2	4	1	108	-	19	5
Nonwhite..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural.....White.....	3,777	3	5	1	15	9	105	7	-	18	14	3	389	11	67	10
Nonwhite..	108	-	1	-	2	-	4	-	-	5	-	-	13	-	-	-
Male.....White.....	2,354	3	3	1	7	3	69	4	-	15	7	3	208	3	29	2
Nonwhite..	80	-	1	-	1	-	4	-	-	5	-	-	10	-	-	-
Female.....White.....	1,423	-	2	-	8	6	36	3	-	3	7	-	181	8	38	8
Nonwhite..	28	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-
CONNECTICUT.....	18,919	1	56	3	14	1	661	1	-	149	4	10	2,940	13	628	28
Both sexes.....White.....	18,353	1	50	3	12	1	579	1	-	116	4	10	2,888	12	615	27
Nonwhite..	566	-	6	-	2	-	82	-	-	33	-	-	52	1	13	1
Male.....White.....	9,849	-	28	2	9	1	398	-	-	93	1	6	1,398	5	221	1
Nonwhite..	322	-	3	-	-	-	52	-	-	28	-	-	26	1	2	-
Female.....White.....	8,504	1	22	1	3	-	181	1	-	23	3	4	1,490	7	394	26
Nonwhite..	244	-	3	-	2	-	30	-	-	5	-	-	26	-	11	1
Urban.....White.....	12,752	1	32	1	8	1	440	-	-	79	3	5	2,030	7	442	22
Nonwhite..	476	-	4	-	1	-	65	-	-	25	-	-	46	1	13	1
Male.....White.....	6,894	-	20	-	5	1	308	-	-	62	1	3	1,007	2	153	-
Nonwhite..	267	-	1	-	-	-	41	-	-	21	-	-	25	1	2	-
Female.....White.....	5,858	1	12	1	3	-	134	-	-	17	2	2	1,023	5	289	22
Nonwhite..	209	-	3	-	1	-	24	-	-	4	-	-	21	-	11	1

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 118,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
6	47	2,934	12,515	1,857	367	164	171	711	1,761	114	1,824	535	143	807	1,621	145	4,022
-	3	130	460	140	24	13	18	35	120	15	127	35	68	58	95	6	222
1	36	1,294	7,502	1,133	303	89	100	458	895	...	937	366	107	592	1,096	67	2,226
-	3	55	286	92	21	7	8	28	77	...	78	30	51	54	69	5	130
5	11	1,640	5,013	704	64	75	71	253	886	114	687	169	36	215	525	78	1,796
-	-	75	174	48	3	8	10	7	43	15	49	5	17	4	26	1	92
3	17	947	3,829	562	95	61	59	137	576	34	575	151	28	242	454	46	1,251
-	-	32	90	33	4	4	5	2	19	4	33	1	11	15	7	2	41
2	16	415	2,154	320	82	41	37	83	305	...	331	104	15	174	283	22	674
-	-	14	47	23	4	2	-	1	12	...	22	1	7	11	5	1	26
1	1	532	1,675	242	13	20	22	54	273	34	244	47	13	68	171	24	577
-	-	18	43	10	-	2	5	1	7	4	11	-	4	4	2	1	15
-	9	619	2,141	327	53	59	36	69	339	23	417	80	22	211	273	47	630
-	1	14	31	13	-	3	-	1	11	2	25	-	10	5	16	2	17
-	6	290	1,328	202	44	30	21	43	169	...	260	54	15	160	195	27	321
-	1	8	21	9	-	1	-	1	5	...	14	-	9	5	13	-	9
-	3	329	815	125	9	29	15	26	170	23	157	26	7	51	78	20	309
-	-	6	10	4	-	2	-	-	6	2	11	-	1	-	3	2	8
-	11	684	2,479	399	57	83	49	93	412	28	550	80	30	221	370	57	781
-	-	7	29	6	3	5	1	2	10	1	12	-	5	6	9	2	9
-	10	328	1,501	234	45	45	28	62	222	...	359	62	24	163	254	35	421
-	-	4	27	5	3	2	1	2	7	...	6	-	5	6	5	1	5
-	1	356	978	165	12	38	21	31	190	26	191	18	6	58	116	22	360
-	-	3	2	1	-	3	-	-	3	1	6	-	-	-	4	1	4
6	44	1,711	6,884	1,252	157	195	93	231	1,001	76	987	337	93	1,006	1,870	232	2,268
-	1	57	179	91	7	20	4	10	50	9	40	15	26	42	129	13	101
5	36	910	4,511	749	132	112	64	155	590	...	583	266	60	806	1,577	144	1,330
-	1	31	138	67	5	10	2	9	32	...	25	14	21	37	116	10	68
1	8	801	2,373	503	25	83	29	76	411	76	424	71	33	200	293	88	938
-	-	26	41	24	2	10	2	1	18	9	15	1	5	5	13	3	33
1	23	1,002	3,187	951	88	152	80	93	786	59	693	111	39	228	828	251	1,322
1	22	980	3,110	929	86	148	77	92	766	52	679	109	33	225	802	238	1,286
-	1	42	77	22	2	4	3	1	20	7	14	2	6	3	28	13	36
-	20	515	1,936	535	89	79	48	64	405	...	587	83	27	173	563	148	754
-	1	19	40	17	2	3	2	1	14	...	10	1	5	3	20	7	26
1	2	445	1,174	394	17	69	29	28	361	52	292	26	6	52	239	90	532
-	-	23	37	5	-	1	1	-	6	7	4	1	1	-	6	6	10
1	16	692	2,178	606	56	85	44	64	551	36	433	67	18	129	409	170	940
-	1	30	64	18	2	1	3	-	12	5	11	1	2	1	10	6	29
-	14	381	1,335	354	44	46	30	45	275	...	240	50	13	97	256	105	544
-	1	12	30	14	2	1	2	-	8	...	9	-	1	1	7	2	22
1	2	331	843	252	12	39	14	19	276	36	193	17	5	32	153	65	396
-	-	18	34	4	-	-	1	-	4	5	2	1	1	-	3	4	7
-	14	286	1,055	252	25	20	20	31	273	14	222	37	9	50	214	81	459
-	1	22	40	9	-	1	3	-	7	4	8	-	2	1	6	3	18
-	12	144	642	145	20	12	12	16	122	...	128	25	6	37	139	45	259
-	1	10	17	7	-	1	2	-	4	...	7	-	1	1	5	1	14
-	2	142	413	107	5	8	8	15	151	14	94	12	3	13	75	36	200
-	-	12	23	2	-	-	1	-	3	4	1	-	1	-	1	2	4
-	2	160	399	165	13	12	10	13	98	6	86	9	3	25	87	44	198
-	-	5	15	8	1	-	-	-	2	-	3	1	-	-	3	2	8
-	2	91	251	97	11	5	7	13	55	...	45	7	2	19	45	29	116
-	-	-	8	6	1	-	-	-	2	...	2	-	-	-	1	1	5
-	-	69	148	68	2	7	3	-	43	6	43	2	1	5	42	15	82
-	-	5	7	2	-	-	-	-	-	-	1	1	-	-	2	1	3
1	-	99	255	68	5	15	1	8	58	3	40	6	1	16	30	13	129
-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1
-	-	44	158	44	4	8	1	6	34	...	24	5	1	11	23	8	74
-	-	1	2	-	-	-	-	-	-	...	-	-	-	-	1	-	1
1	-	55	99	24	1	7	-	2	24	3	16	1	-	5	7	5	55
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	147	469	121	13	38	13	12	122	13	85	15	5	38	78	32	174
-	-	2	5	1	1	-	-	-	3	1	-	-	-	-	-	1	2
-	-	82	286	68	9	21	10	10	64	...	45	13	4	30	49	23	115
-	-	1	3	1	1	-	-	-	2	...	-	-	-	-	-	-	2
-	-	65	183	53	4	17	3	2	58	13	40	2	1	8	29	9	59
-	-	1	2	-	-	-	-	-	1	1	-	-	-	-	-	1	-
-	6	268	932	323	30	63	33	28	215	18	246	42	15	96	393	68	346
-	-	12	13	4	-	3	-	1	8	2	3	1	4	2	16	7	7
-	6	154	601	181	25	33	18	19	130	...	147	33	14	76	307	43	210
-	-	7	10	3	-	2	-	1	6	...	1	1	4	2	13	5	4
-	-	114	331	142	5	30	15	9	85	16	99	9	1	20	86	25	136
-	-	5	3	1	-	1	-	-	2	2	2	-	-	-	3	2	3
3	39	1,558	6,350	781	145	68	100	202	1,083	52	832	210	33	232	936	106	1,680
3	38	1,531	6,210	763	141	63	98	196	1,042	48	800	207	26	223	907	100	1,638
-	1	27	140	18	4	5	2	6	41	4	32	3	7	9	29	6	42
1	30	673	3,488	430	128	38	59	121	547	...	428	132	19	180	485	57	870
-	1	16	80	11	2	2	2	4	23	...	16	3	5	8	17	1	19
2	8	858	2,722	333	13	25	39	75	495	48	372	75	7	43	422	43	768
-	-	11	60	7	2	3	-	2	18	4	16	-	2	1	12	5	23
2	26	1,080	4,246	510	110	52	65	159	725	33	580	130	21	149	631	61	1,121
-	1	22	115	18	4	4	1	3	38	4	30	2	5	6	26	5	36
1	20	466	2,388	284	100	31	40	103	395	...	306	86	16	124	331	34	609
-	1	13	67	11	2	2	1	1	21	...	14	2	4	5	15	1	16
1	6	594	1,858	226	10	21	25	56	330	33	274	44	5	25	300	27	512
-	-	9	48	7	2	2	-	2	17	4	16	-	1	1	11	4	20

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
CONNECTICUT—Continued																
Places of 100,000 or more....White	5,091	1	14	1	3	-	154	-	-	28	1	2	856	3	168	8
Nonwhite	314	-	3	-	1	-	43	-	-	14	-	-	32	1	11	1
Male....White	2,773	-	9	-	2	-	110	-	-	21	1	1	416	1	60	-
Nonwhite	177	-	1	-	-	-	27	-	-	13	-	-	19	1	2	-
Female....White	2,318	1	5	1	1	-	44	-	-	7	-	1	440	2	108	8
Nonwhite	137	-	2	-	1	-	16	-	-	1	-	-	13	-	9	1
Places of 25,000 to 100,000...White	5,092	-	15	-	4	1	172	-	-	38	2	2	785	4	190	11
Nonwhite	119	-	-	-	-	-	15	-	-	9	-	-	11	-	2	-
Male....White	2,766	-	9	-	2	1	118	-	-	29	-	2	396	1	69	-
Nonwhite	67	-	-	-	-	-	9	-	-	8	-	-	4	-	-	-
Female....White	2,326	-	6	-	2	-	54	-	-	9	2	-	389	3	121	11
Nonwhite	52	-	-	-	-	-	6	-	-	1	-	-	7	-	2	-
Places of 10,000 to 25,000....White	1,981	-	3	-	1	-	101	-	-	11	-	-	317	-	66	3
Nonwhite	41	-	1	-	-	-	7	-	-	2	-	-	3	-	-	-
Male....White	1,038	-	2	-	1	-	67	-	-	10	-	-	160	-	19	-
Nonwhite	22	-	-	-	-	-	5	-	-	-	-	-	*2	-	-	-
Female....White	943	-	1	-	-	-	34	-	-	1	-	-	157	-	47	3
Nonwhite	19	-	1	-	-	-	2	-	-	2	-	-	1	-	-	-
Places of 2,500 to 10,000....White	588	-	-	-	-	-	13	-	-	2	-	1	72	-	18	-
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male....White	317	-	-	-	-	-	11	-	-	2	-	-	35	-	5	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female....White	271	-	-	-	-	-	2	-	-	-	-	1	37	-	13	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural....White	5,601	-	18	2	4	-	139	1	-	37	1	5	858	5	173	5
Nonwhite	90	-	2	-	1	-	17	-	-	8	-	-	6	-	-	-
Male....White	2,955	-	8	2	4	-	92	-	-	31	-	3	391	3	68	1
Nonwhite	55	-	2	-	-	-	11	-	-	7	-	-	1	-	-	-
Female....White	2,646	-	10	-	-	-	47	1	-	6	1	2	467	2	105	4
Nonwhite	35	-	-	-	1	-	6	-	-	1	-	-	5	-	-	-
DELAWARE	3,345	-	7	1	8	-	123	3	-	43	4	6	360	3	85	7
Both sexes....White	2,718	-	4	1	7	-	75	-	-	15	3	5	315	3	69	6
Nonwhite	627	-	3	1	1	-	48	3	-	28	1	1	45	-	16	1
Male....White	1,463	-	2	1	1	-	41	-	-	13	2	1	157	1	25	2
Nonwhite	334	-	2	-	1	-	30	2	-	13	-	-	22	-	5	-
Female....White	1,255	-	2	1	6	-	34	-	-	2	1	4	158	2	44	4
Nonwhite	293	-	1	-	-	-	18	1	-	15	1	1	23	-	11	1
Urban....White	1,477	-	3	-	1	-	35	-	-	9	1	2	185	2	48	2
Nonwhite	339	-	1	-	-	-	19	1	-	14	-	1	25	-	10	1
Male....White	771	-	2	-	-	-	20	-	-	8	1	-	92	1	13	1
Nonwhite	175	-	1	-	-	-	13	-	-	6	-	-	12	-	-	-
Female....White	706	-	1	-	1	-	15	-	-	1	-	2	93	1	33	1
Nonwhite	164	-	-	-	-	-	6	1	-	8	-	1	13	-	10	1
Places of 100,000 or more....White	1,214	-	3	-	1	-	31	-	-	5	1	2	161	2	41	1
Nonwhite	255	-	1	-	-	-	15	1	-	9	-	-	24	-	9	1
Male....White	628	-	2	-	-	-	17	-	-	4	1	-	79	1	13	1
Nonwhite	133	-	1	-	-	-	10	-	-	4	-	-	12	-	-	-
Female....White	586	-	1	-	1	-	14	-	-	1	-	2	82	1	28	-
Nonwhite	122	-	-	-	-	-	5	1	-	5	-	-	12	-	9	1
Places of 2,500 to 10,000....White	263	-	-	-	-	-	4	-	-	4	-	-	24	-	5	1
Nonwhite	84	-	-	-	-	-	4	-	-	5	-	1	1	-	1	-
Male....White	143	-	-	-	-	-	3	-	-	4	-	-	13	-	-	-
Nonwhite	42	-	-	-	-	-	3	-	-	2	-	-	-	-	-	-
Female....White	120	-	-	-	-	-	1	-	-	-	-	-	11	-	5	1
Nonwhite	42	-	-	-	-	-	1	-	-	3	-	1	1	-	1	-
Rural....White	1,241	-	1	1	6	-	40	-	-	6	2	3	130	1	23	4
Nonwhite	288	-	2	-	1	-	29	2	-	14	1	-	20	-	6	-
Male....White	692	-	-	-	1	-	21	-	-	5	1	1	65	-	12	1
Nonwhite	159	-	1	-	1	-	17	2	-	7	-	-	10	-	5	-
Female....White	549	-	1	1	5	-	19	-	-	1	1	2	65	1	11	3
Nonwhite	129	-	1	-	-	-	12	-	-	7	1	-	10	-	1	-
DISTRICT OF COLUMBIA	8,223	3	14	3	1	-	547	2	-	144	2	12	1,075	5	208	11
Both sexes....White	5,258	3	5	2	1	-	198	2	-	55	1	11	797	2	143	8
Nonwhite	2,965	-	9	1	-	-	349	-	-	89	1	1	278	3	65	3
Male....White	2,846	2	4	1	1	-	129	1	-	48	-	7	389	1	53	2
Nonwhite	1,515	-	2	-	-	-	198	-	-	57	1	-	120	-	19	-
Female....White	2,412	1	1	1	-	-	69	1	-	7	1	4	428	1	90	6
Nonwhite	1,450	-	7	1	-	-	151	-	-	32	-	1	158	3	46	3
FLORIDA	23,500	14	43	-	48	40	823	38	33	372	18	9	2,189	25	412	32
Both sexes....White	16,565	9	32	-	20	32	379	19	16	126	11	7	1,847	12	314	23
Nonwhite	6,935	5	11	-	28	8	444	19	17	246	7	2	342	13	98	9
Male....White	10,378	5	21	-	8	16	258	12	9	100	4	6	949	6	142	1
Nonwhite	3,815	4	8	-	11	3	241	7	8	175	2	1	125	7	37	1
Female....White	6,187	4	11	-	12	16	121	7	7	26	7	1	898	6	172	22
Nonwhite	3,120	1	3	-	17	5	203	12	9	71	5	1	217	6	61	8
Urban....White	10,199	4	15	-	6	11	250	9	6	91	3	3	1,295	3	229	15
Nonwhite	4,471	4	7	-	17	5	325	13	8	207	3	1	228	10	65	8
Male....White	6,075	2	10	-	1	6	170	5	3	75	1	3	680	2	103	1
Nonwhite	2,423	3	5	-	8	2	175	2	5	151	1	1	93	5	24	1
Female....White	4,124	2	5	-	5	5	80	4	3	16	2	-	635	1	126	14
Nonwhite	2,048	1	2	-	9	3	150	11	3	56	2	-	135	5	41	7

URBAN AND RURAL; UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
1	10	386	1,777	187	39	26	18	64	277	16	214	48	9	62	285	26	407
-	1	13	78	13	2	3	1	2	25	1	20	-	5	3	16	4	21
1	6	182	1,001	108	37	15	13	45	150	...	107	35	7	51	155	16	225
-	1	8	45	7	2	1	1	1	15	...	7	-	4	2	9	1	10
-	4	204	776	81	2	11	5	19	127	16	107	13	2	11	130	10	182
-	-	5	33	6	-	2	-	1	10	1	13	-	1	1	7	3	11
-	11	415	1,641	232	52	19	25	75	276	10	246	51	10	56	240	19	490
-	-	8	27	5	1	-	-	1	8	1	7	1	-	3	8	-	12
-	10	188	918	126	47	12	15	50	154	...	134	31	8	46	120	10	270
-	-	4	16	4	-	-	-	-	4	...	5	1	-	5	5	-	4
-	1	227	723	106	5	7	10	25	122	10	112	20	2	10	120	9	220
-	-	4	11	1	1	-	-	1	4	1	2	-	-	-	3	-	8
-	4	201	843	71	12	5	13	14	121	6	91	25	2	22	74	12	163
-	-	1	10	-	1	-	-	-	5	2	2	1	-	-	2	1	3
-	4	76	365	40	10	2	5	7	66	...	47	18	1	19	35	6	78
-	-	1	6	-	-	-	-	-	2	...	2	1	-	-	1	-	2
-	-	125	278	31	2	3	8	7	55	6	44	7	1	3	39	6	85
-	-	-	4	-	1	-	-	-	3	2	-	-	-	-	1	1	1
1	1	58	185	20	7	2	9	8	51	1	29	6	-	9	32	4	61
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
-	-	20	104	12	8	2	7	1	25	...	18	2	-	8	21	2	36
-	-	-	-	-	-	1	-	-	-	...	-	-	-	-	-	-	-
1	1	38	81	8	1	-	2	5	26	1	11	4	-	1	11	2	25
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1	12	471	1,964	253	31	11	33	37	317	15	220	77	5	74	276	39	517
-	5	25	-	-	-	1	1	3	3	-	2	1	2	3	3	1	6
-	10	207	1,100	146	28	7	19	18	152	...	122	46	3	56	154	23	261
-	-	3	13	-	-	-	1	3	2	...	2	1	1	3	2	-	3
1	2	264	864	107	3	4	14	19	165	15	98	31	2	18	122	16	256
-	-	2	12	-	-	1	-	-	1	-	-	-	1	-	1	1	3
-	3	253	1,022	185	17	53	20	18	346	9	163	37	19	60	155	13	322
-	2	207	875	139	14	45	15	17	271	5	129	36	7	51	120	12	270
-	1	46	147	46	3	8	5	1	75	4	34	1	12	9	35	1	52
-	2	99	500	70	13	26	11	8	127	...	77	24	6	45	70	3	137
-	1	22	78	24	2	5	3	1	38	...	18	1	12	5	22	1	26
-	-	108	375	69	1	19	4	9	144	5	52	12	1	6	50	9	133
-	-	24	69	22	1	3	2	-	37	4	16	-	-	4	13	-	26
-	1	109	443	81	6	28	10	13	160	2	78	16	3	19	60	7	155
-	-	29	72	25	3	3	3	-	50	3	18	1	6	2	17	1	34
-	1	50	239	44	5	16	7	7	74	...	45	9	2	18	33	2	81
-	-	12	41	17	2	2	1	-	23	...	7	1	6	1	10	1	19
-	-	59	204	37	1	12	3	6	86	2	33	7	1	1	27	5	74
-	-	17	51	8	1	1	2	-	27	3	11	-	-	1	7	-	15
-	1	87	360	67	5	23	7	12	127	-	60	13	3	16	47	5	133
-	-	23	56	19	2	1	2	-	33	3	12	1	5	1	13	1	25
-	1	37	198	35	4	13	4	7	57	...	35	7	2	15	27	2	66
-	-	9	34	13	1	1	1	-	17	...	3	1	5	-	7	1	13
-	-	50	162	32	1	10	3	5	70	-	25	8	1	1	20	3	67
-	-	14	22	6	1	-	1	-	18	3	9	-	-	1	6	-	10
-	-	22	83	14	1	5	3	1	33	2	18	3	-	3	13	2	22
-	-	6	16	6	1	2	1	-	17	-	6	-	1	1	4	-	11
-	-	13	41	9	1	3	3	-	17	...	10	2	-	3	6	-	15
-	-	3	7	4	1	1	-	-	6	...	4	-	1	1	3	-	6
-	-	9	42	5	-	2	-	1	16	2	8	1	-	-	7	2	7
-	-	3	9	2	-	1	1	-	11	-	2	-	-	-	1	-	5
-	1	99	432	58	8	17	5	4	111	3	51	20	4	32	60	5	115
-	1	17	75	21	-	5	2	1	25	1	18	-	6	7	18	-	18
-	1	49	261	26	8	10	4	1	53	...	32	15	4	27	37	1	58
-	1	10	37	7	-	3	2	1	15	...	11	-	6	4	12	-	7
-	-	49	171	32	-	7	1	3	58	3	19	5	-	5	23	4	59
-	-	7	38	14	-	2	-	-	10	1	5	-	-	3	6	-	11
-	15	537	2,307	388	49	75	38	94	734	33	507	108	58	90	346	22	797
-	10	389	1,591	242	40	24	27	69	468	10	269	90	11	54	235	17	504
-	5	188	716	146	9	51	11	25	286	23	238	16	47	36	111	5	293
-	9	157	940	132	35	12	14	52	225	...	157	49	4	41	128	8	265
-	4	70	358	91	7	28	7	13	127	...	125	8	41	26	71	1	141
-	1	212	651	110	5	12	13	17	243	10	112	41	7	13	107	9	239
-	1	98	358	55	2	23	4	12	139	23	113	8	6	10	40	4	152
37	38	2,164	5,264	1,487	148	237	144	204	1,728	161	1,370	197	292	583	1,964	911	2,495
18	28	1,390	4,235	845	92	123	85	165	1,183	66	993	184	57	418	1,637	535	1,646
21	10	774	1,028	642	56	114	59	39	545	75	377	13	235	145	327	376	849
5	23	747	2,793	504	81	66	57	121	680	...	579	122	44	318	1,379	340	982
8	3	378	577	361	45	56	32	20	308	...	213	10	189	120	231	208	430
11	5	643	1,442	341	11	57	28	44	503	86	414	62	13	100	258	195	664
13	7	396	452	281	11	58	27	19	239	75	164	3	46	25	98	170	419
9	16	839	2,949	495	57	61	46	123	745	45	645	120	37	215	536	242	1,079
14	9	489	679	419	39	66	35	27	358	42	252	8	147	79	195	167	585
2	13	430	1,924	304	50	28	31	91	427	...	364	74	26	151	358	149	611
7	2	218	371	227	30	36	20	13	199	...	147	5	111	65	135	82	279
7	3	409	1,025	191	7	33	15	32	318	45	281	46	11	64	178	93	468
7	7	251	308	192	9	30	15	14	139	42	105	3	36	14	60	85	306

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 65b
FLORIDA—Continued																
Places of 100,000 or more....White.....	3,877	-	10	-	3	2	125	3	1	34	2	2	514	2	87	7
Nonwhite..	1,860	-	1	-	7	3	186	3	3	68	1	1	101	4	28	2
Male.....White.....	2,288	-	7	-	1	-	91	1	1	29	1	2	268	1	37	-
Nonwhite..	1,013	-	1	-	1	1	106	-	1	49	-	1	45	2	10	-
Female.....White.....	1,589	-	3	-	2	2	34	2	-	5	1	-	246	1	50	7
Nonwhite..	847	-	-	-	6	2	80	3	2	17	1	-	56	2	18	2
Places of 25,000 to 100,000...White.....	2,277	-	2	-	1	2	38	2	1	4	-	-	313	-	59	2
Nonwhite..	644	2	3	-	1	-	40	2	-	8	-	-	35	-	12	1
Male.....White.....	1,359	-	2	-	-	2	24	1	1	3	-	-	157	-	33	-
Nonwhite..	322	1	2	-	1	-	18	1	-	6	-	-	12	-	6	-
Female.....White.....	918	-	-	-	1	-	14	1	-	1	-	-	156	-	26	2
Nonwhite..	322	1	1	-	-	-	22	1	-	2	-	-	23	1	6	1
Places of 10,000 to 25,000...White.....	1,714	-	1	-	1	1	33	-	2	7	1	-	207	-	45	6
Nonwhite..	760	2	1	-	6	-	29	3	4	20	1	-	31	3	12	2
Male.....White.....	1,020	-	-	-	-	1	21	-	-	5	-	-	101	-	20	1
Nonwhite..	421	2	-	-	5	-	14	1	3	14	-	-	13	1	2	1
Female.....White.....	694	-	1	-	1	-	12	-	2	2	1	-	106	-	23	5
Nonwhite..	339	-	1	-	1	-	15	2	1	6	1	-	18	2	10	1
Places of 2,500 to 10,000.....White.....	2,331	4	2	-	1	6	54	4	2	46	-	1	281	1	40	-
Nonwhite..	1,207	-	2	-	3	2	70	5	1	113	1	-	61	2	13	3
Male.....White.....	1,408	2	1	-	-	3	34	3	1	38	-	1	134	1	13	-
Nonwhite..	667	-	2	-	1	1	37	-	1	82	1	-	23	2	6	-
Female.....White.....	923	2	1	-	1	3	20	1	1	8	-	-	127	-	27	-
Nonwhite..	540	-	-	-	2	1	33	5	-	31	-	-	38	-	7	3
Rural.....White.....	6,366	5	17	-	14	21	129	10	10	35	8	4	552	9	85	8
Nonwhite..	2,464	1	4	-	11	3	119	6	9	39	4	1	114	3	33	1
Male.....White.....	4,303	3	11	-	7	10	88	7	6	25	3	3	289	4	39	-
Nonwhite..	1,392	1	3	-	3	1	66	5	3	24	1	-	32	2	13	-
Female.....White.....	2,063	2	6	-	7	11	41	3	4	10	5	1	263	5	46	8
Nonwhite..	1,072	-	1	-	8	2	53	1	6	15	3	1	82	1	20	1
GEORGIA.....	29,401	25	62	2	66	41	1,141	59	39	410	68	14	2,290	39	384	26
Both sexes.....White.....	16,615	10	43	1	29	35	437	23	16	117	49	11	1,647	14	257	17
Nonwhite..	12,786	15	19	1	37	6	704	36	23	293	19	3	643	25	127	9
Male.....White.....	9,608	4	26	1	13	16	265	11	7	87	25	8	718	7	129	3
Nonwhite..	6,728	12	11	-	14	4	337	17	9	196	6	2	231	10	43	1
Female.....White.....	7,007	6	17	-	16	19	172	12	9	30	24	3	929	7	128	14
Nonwhite..	6,058	3	8	1	23	2	367	19	14	97	13	1	412	15	84	8
Urban.....White.....	7,146	1	18	1	10	8	189	6	5	49	12	2	811	6	133	8
Nonwhite..	6,186	4	13	1	16	1	370	12	2	110	6	1	346	11	77	5
Male.....White.....	4,048	1	9	1	2	4	117	4	4	36	9	1	338	5	67	1
Nonwhite..	3,124	4	7	-	8	-	172	6	1	75	1	1	115	5	22	-
Female.....White.....	3,098	-	9	-	8	4	72	2	1	13	3	1	473	1	66	7
Nonwhite..	3,062	-	6	1	8	1	198	6	1	35	5	-	231	6	55	5
Places of 100,000 or more.....White.....	1,917	-	4	-	1	1	47	-	1	15	1	-	301	1	34	2
Nonwhite..	1,582	-	4	-	12	-	130	1	-	26	1	-	118	3	31	1
Male.....White.....	1,068	-	3	-	-	-	29	-	1	8	1	-	127	1	20	-
Nonwhite..	799	-	3	-	7	-	60	-	-	16	1	-	34	1	6	-
Female.....White.....	851	-	1	-	1	1	18	-	-	7	-	-	174	-	14	2
Nonwhite..	783	-	1	-	5	-	70	1	-	10	-	-	84	2	25	1
Places of 25,000 to 100,000...White.....	2,080	-	4	-	4	3	57	2	1	21	1	1	233	3	48	1
Nonwhite..	2,090	-	6	-	3	-	129	3	-	44	-	1	110	5	19	3
Male.....White.....	1,202	-	1	-	1	2	36	1	-	19	-	-	105	2	23	-
Nonwhite..	1,079	-	3	-	1	-	65	1	-	33	-	1	43	1	5	-
Female.....White.....	878	-	3	-	3	1	21	1	1	2	1	1	128	1	23	1
Nonwhite..	1,011	-	3	-	2	-	66	2	-	11	-	-	87	4	14	3
Places of 10,000 to 25,000....White.....	1,339	1	7	-	3	1	30	3	1	7	4	-	110	1	25	1
Nonwhite..	1,110	-	2	1	1	1	46	2	1	18	2	-	53	1	14	-
Male.....White.....	763	1	5	-	1	1	18	2	1	3	3	-	42	1	13	-
Nonwhite..	559	-	1	-	-	-	23	1	-	14	-	-	19	1	6	-
Female.....White.....	576	-	2	-	2	-	12	1	-	4	1	-	68	-	12	1
Nonwhite..	551	-	1	1	1	1	23	1	1	4	2	-	34	-	8	-
Places of 2,500 to 10,000.....White.....	1,810	-	3	1	2	3	55	1	2	6	6	1	167	1	28	4
Nonwhite..	1,404	4	1	-	-	-	65	6	1	22	3	-	65	2	13	1
Male.....White.....	1,017	-	-	1	-	1	34	1	2	6	5	1	64	1	11	1
Nonwhite..	687	4	-	-	-	-	26	4	1	12	-	-	19	2	5	-
Female.....White.....	793	-	3	-	2	2	21	-	-	-	1	-	103	-	17	3
Nonwhite..	717	-	1	-	-	-	39	2	-	10	3	-	46	-	8	1
Rural.....White.....	9,469	9	25	-	19	27	248	17	11	68	37	9	836	8	124	9
Nonwhite..	6,600	11	6	-	21	5	334	24	21	183	15	2	297	14	50	4
Male.....White.....	5,580	3	17	-	11	12	148	7	3	51	16	7	380	2	62	2
Nonwhite..	3,604	8	4	-	6	4	165	11	8	121	5	1	116	5	21	1
Female.....White.....	3,909	6	8	-	8	15	100	10	8	17	21	2	458	6	62	7
Nonwhite..	2,996	3	2	-	15	1	169	13	13	62	8	1	181	9	29	3
IDAHO.....	4,673	2	5	6	5	2	109	4	-	30	10	1	535	13	95	16
Both sexes.....White.....	4,566	2	4	6	4	2	96	3	-	26	10	1	528	13	93	16
Nonwhite..	107	-	1	-	1	-	13	1	-	4	-	-	7	-	2	-
Male.....White.....	2,794	2	3	4	3	-	74	3	-	20	5	1	261	11	34	2
Nonwhite..	57	-	1	-	-	-	4	-	-	4	-	-	5	-	1	-
Female.....White.....	1,772	-	1	2	1	2	22	-	-	6	5	-	267	2	59	14
Nonwhite..	50	-	-	-	1	-	9	1	-	-	-	-	2	-	1	-
Urban.....White.....	2,225	1	2	1	2	1	39	2	-	9	3	-	276	8	43	8
Nonwhite..	13	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Male.....White.....	1,296	1	1	-	1	-	33	2	-	6	2	-	127	4	14	2
Nonwhite..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female.....White.....	929	-	1	1	1	1	6	-	-	3	1	-	149	2	29	6
Nonwhite..	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 182,199,200	All other causes
3	8	278	1,045	190	29	30	13	57	280	14	271	59	14	90	166	128	410
3	1	195	275	177	20	15	15	12	106	14	102	5	70	30	74	87	253
2	7	132	697	124	25	14	8	39	148	...	150	34	10	57	92	82	228
-	-	87	162	96	16	11	8	5	63	...	61	4	57	25	46	41	114
1	1	146	348	66	4	16	5	18	132	14	121	25	4	33	74	46	182
3	1	108	113	81	4	4	7	7	43	14	41	1	13	5	28	46	139
-	2	186	756	102	8	11	11	29	143	8	119	23	7	34	113	26	275
6	2	74	121	56	6	10	4	5	60	9	43	3	21	8	24	7	80
-	2	98	495	67	5	6	8	23	85	...	69	16	3	25	68	12	154
3	1	37	63	28	2	5	3	4	34	...	23	1	13	5	21	5	29
-	-	88	261	35	3	5	3	6	58	8	50	7	4	9	45	14	121
3	1	37	58	28	4	5	1	1	26	9	20	2	8	3	3	4	51
2	2	176	440	82	9	11	9	22	124	12	113	17	9	40	129	43	172
4	1	81	91	79	5	17	6	1	83	8	43	-	22	13	48	31	113
-	2	101	277	41	9	5	7	17	70	...	67	9	8	32	94	25	107
3	-	38	40	42	4	7	4	1	53	...	34	-	16	10	37	17	59
2	-	75	163	41	-	6	2	5	54	12	46	8	1	8	35	18	65
1	1	43	51	37	1	10	2	-	30	8	9	-	6	3	11	14	54
4	4	199	708	121	11	9	13	15	198	11	142	21	7	51	128	45	222
1	5	119	192	107	8	24	10	9	89	11	64	-	34	28	49	42	139
-	2	99	455	72	11	3	8	12	124	...	78	15	5	37	104	30	122
1	1	56	106	61	8	13	5	3	49	...	29	-	25	25	51	21	77
4	2	100	253	49	-	6	5	3	74	11	64	6	2	14	24	15	100
-	4	63	86	46	-	11	5	6	40	11	35	-	9	3	18	21	62
7	12	551	1,286	350	35	62	39	42	438	41	348	64	20	203	1,101	293	567
7	1	305	350	223	17	48	24	12	207	33	125	5	68	66	132	209	284
3	10	317	869	200	31	38	26	30	253	...	215	48	18	167	1,021	191	371
1	1	160	206	134	15	20	12	7	107	...	66	5	78	55	96	124	151
4	2	234	417	150	4	24	13	12	185	41	133	16	2	36	80	102	196
6	-	145	144	89	2	28	12	5	100	33	59	-	10	11	38	85	115
132	52	3,181	5,731	2,306	156	432	176	155	2,896	279	1,890	194	460	673	1,588	1,557	2,877
72	33	1,626	3,677	1,084	98	224	109	105	1,581	127	1,121	176	103	474	1,016	597	1,686
60	19	1,555	2,054	1,222	58	208	67	50	1,315	152	769	18	357	199	572	960	1,191
24	27	854	2,314	572	84	119	62	70	910	...	627	135	88	391	742	352	937
15	16	751	1,077	651	41	101	43	35	694	...	451	15	293	158	377	511	606
48	6	792	1,363	512	14	105	47	35	671	127	494	41	15	83	274	245	749
45	3	804	977	571	17	107	24	15	621	152	318	3	64	41	195	449	585
21	24	852	1,743	407	43	77	43	60	710	52	494	64	45	190	348	174	740
24	9	827	1,090	615	31	100	33	26	637	59	343	12	219	92	233	257	604
4	19	322	1,051	218	37	41	20	44	406	...	278	51	38	147	237	100	428
5	7	388	557	333	22	40	22	16	311	...	194	9	172	67	159	128	277
17	5	330	682	189	6	36	23	16	304	52	216	13	9	43	111	74	312
19	2	439	533	282	9	60	11	10	326	59	149	3	47	25	74	129	327
4	6	141	492	76	16	12	13	28	198	9	114	20	10	41	94	27	208
1	4	218	276	119	6	28	6	6	162	13	104	2	64	22	45	15	164
-	4	62	293	36	13	6	7	22	115	...	61	18	8	34	66	16	115
-	3	100	158	61	6	11	3	3	73	...	59	2	54	19	27	7	85
4	2	79	199	40	3	6	6	6	83	9	53	2	2	7	28	11	93
1	1	118	118	58	-	17	3	3	89	13	45	-	10	3	18	8	79
4	6	176	532	125	12	24	12	12	200	13	154	18	13	66	87	49	200
8	4	284	425	223	9	24	11	9	173	18	121	5	78	38	82	95	181
1	4	95	335	70	11	10	4	8	113	...	95	13	10	43	58	28	114
1	3	120	213	128	5	10	7	6	81	...	70	4	61	22	60	49	88
3	2	81	197	55	1	14	8	4	87	13	59	5	3	23	29	21	88
7	1	144	212	95	4	14	4	3	92	18	51	1	18	14	22	46	93
7	6	129	293	97	6	20	5	9	151	8	97	12	13	32	62	47	151
4	1	160	167	138	5	21	8	5	148	13	47	4	35	15	39	51	107
1	6	56	183	58	6	12	4	8	78	...	46	10	11	29	44	33	87
2	1	74	87	69	2	7	7	4	74	...	26	2	28	8	26	30	47
6	-	73	110	39	-	8	1	1	73	8	51	2	2	3	18	14	64
2	-	86	80	69	3	14	1	1	74	13	21	2	7	7	13	21	60
6	6	206	426	109	9	21	13	11	161	22	129	14	9	51	105	51	181
11	-	185	222	135	11	27	8	6	154	15	71	1	41	19	67	96	152
2	5	109	250	54	7	13	5	6	100	...	76	10	7	41	69	23	112
2	-	94	99	75	9	12	5	3	83	...	39	1	29	18	46	42	57
4	1	97	176	55	2	8	8	5	61	22	53	4	2	10	38	28	69
9	-	91	123	60	2	15	3	3	71	15	32	-	12	1	21	54	95
51	9	974	1,934	677	55	147	66	45	871	75	627	112	58	284	668	423	946
36	10	728	964	607	27	108	34	24	678	93	426	6	138	107	339	703	587
20	8	512	1,253	354	47	78	42	26	504	...	349	84	52	244	505	252	509
10	9	363	520	318	19	61	21	19	383	...	257	6	121	91	218	383	329
31	1	462	681	323	8	69	24	19	367	75	278	28	6	40	163	171	437
26	1	365	444	289	8	47	13	5	295	93	169	-	17	16	121	320	258
-	3	402	1,222	289	36	35	39	26	290	30	275	50	7	124	400	140	472
-	3	399	1,207	275	35	31	38	25	285	30	267	50	5	123	396	132	461
-	-	3	15	14	1	4	1	1	5	-	8	-	2	1	4	8	11
-	3	202	805	161	30	13	20	15	170	...	155	35	5	88	315	75	279
-	-	-	8	8	1	3	-	1	4	...	4	-	-	1	3	5	4
-	-	197	402	114	5	18	18	10	115	30	112	15	-	35	81	57	182
-	-	3	7	6	-	1	1	-	1	-	4	-	2	-	1	3	7
-	1	205	641	123	19	16	18	13	146	13	168	26	2	57	112	59	213
-	-	-	2	1	-	-	1	1	-	-	2	-	1	-	1	1	1
-	1	100	424	66	17	6	8	6	90	...	95	17	2	40	73	29	129
-	-	4	2	1	-	-	-	1	-	...	-	-	-	-	1	1	1
-	-	105	217	57	2	10	10	7	56	13	73	9	-	17	39	30	84
-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
IDAHO—Continued																
Places of 25,000 to 100,000...White	401	-	-	-	1	-	12	1	-	-	2	-	56	1	8	-
Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male...White	227	-	-	-	-	-	10	1	-	-	2	-	21	1	3	-
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female...White	174	-	-	-	1	-	2	-	-	-	-	-	35	-	5	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000...White	862	1	1	-	-	-	14	1	-	4	-	-	112	-	15	2
Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Male...White	523	1	1	-	-	-	11	1	-	3	-	-	54	-	5	1
Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female...White	339	-	-	-	-	-	3	-	-	1	-	-	58	-	10	1
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Places of 2,500 to 10,000...White	962	-	1	1	1	1	13	-	-	5	1	-	108	5	20	6
Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male...White	546	-	-	-	1	-	12	-	-	3	-	-	52	3	6	1
Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female...White	416	-	1	1	-	1	1	-	-	2	1	-	56	2	14	5
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural...White	2,341	1	2	5	2	1	57	1	-	17	7	1	252	7	50	8
Nonwhite	94	-	1	-	1	-	13	1	-	4	-	-	6	-	1	-
Male...White	1,498	1	2	4	2	-	41	1	-	14	3	1	134	7	20	-
Nonwhite	49	-	1	-	-	-	4	-	-	4	-	-	5	-	-	-
Female...White	843	-	-	1	-	1	16	-	-	3	4	-	118	-	30	8
Nonwhite	45	-	-	-	1	-	9	1	-	-	-	-	1	-	1	-
ILLINOIS	88,180	16	199	26	44	21	3,218	35	6	857	83	39	12,418	73	2,632	224
Both sexes...White	81,497	16	159	25	37	18	2,442	30	5	662	80	38	11,826	59	2,505	215
Nonwhite	6,683	-	40	1	7	3	776	5	1	195	3	1	592	14	127	9
Male...White	45,471	12	96	11	15	9	1,625	16	3	504	37	21	5,865	29	934	37
Nonwhite	3,586	-	18	-	3	1	452	1	1	140	1	1	271	6	30	2
Female...White	36,026	4	63	14	22	9	817	14	2	158	43	17	5,961	30	1,571	178
Nonwhite	3,097	-	22	1	4	2	324	4	-	55	2	-	321	9	97	7
Urban...White	59,675	12	136	12	19	15	1,777	18	3	379	39	25	9,277	45	1,967	153
Nonwhite	5,924	-	39	1	6	3	700	-	1	86	3	1	562	13	113	9
Male...White	32,834	9	83	2	6	7	1,197	10	2	289	20	12	4,601	22	714	34
Nonwhite	3,154	-	17	-	3	1	401	-	1	61	1	1	256	5	26	2
Female...White	26,841	3	53	10	13	8	580	8	1	90	19	13	4,676	23	1,253	119
Nonwhite	2,770	-	22	1	3	2	299	-	-	25	2	-	306	8	87	7
Places of 100,000 or more...White	33,922	2	93	7	6	2	1,210	12	1	149	8	9	5,523	22	1,211	78
Nonwhite	4,767	-	35	1	6	1	630	-	-	57	-	-	455	9	95	7
Male...White	18,930	2	57	2	3	1	853	7	1	115	3	5	2,803	11	431	19
Nonwhite	2,557	-	15	-	3	-	362	-	-	42	-	-	217	3	21	2
Female...White	14,992	-	36	5	3	1	357	5	-	34	3	4	2,720	11	780	59
Nonwhite	2,210	-	20	1	3	1	268	-	-	15	-	-	238	6	74	5
Places of 25,000 to 100,000...White	11,050	2	21	2	4	5	246	1	1	122	18	4	1,631	11	349	33
Nonwhite	666	-	2	-	-	1	40	-	-	14	1	-	65	2	12	2
Male...White	5,917	1	11	-	-	2	152	-	1	92	9	1	793	6	134	6
Nonwhite	342	-	-	-	-	1	20	-	-	10	-	-	25	2	3	-
Female...White	5,133	1	10	2	4	3	94	1	-	30	9	3	838	5	215	27
Nonwhite	324	-	2	-	-	-	20	-	-	4	1	-	40	-	9	2
Places of 10,000 to 25,000...White	6,196	1	11	1	2	5	168	-	-	65	6	6	832	2	171	16
Nonwhite	289	-	1	-	-	1	22	-	-	13	1	-	24	-	2	-
Male...White	3,382	1	6	-	1	2	106	-	-	49	3	3	401	1	62	3
Nonwhite	148	-	1	-	-	-	12	-	-	8	-	-	6	-	-	-
Female...White	2,814	-	5	1	1	3	62	-	-	16	3	3	431	1	109	13
Nonwhite	141	-	-	-	-	1	10	-	-	5	1	-	18	-	2	-
Places of 2,500 to 10,000...White	8,507	7	11	2	7	3	153	5	1	43	9	6	1,291	10	256	26
Nonwhite	202	-	1	-	-	-	8	-	1	2	1	1	18	2	4	-
Male...White	4,605	5	9	-	2	2	86	3	-	33	5	3	604	4	87	6
Nonwhite	107	-	1	-	-	-	7	-	1	1	1	1	8	-	2	-
Female...White	3,902	2	2	2	5	1	67	2	1	10	4	3	687	6	149	20
Nonwhite	95	-	-	-	-	-	1	-	-	1	-	-	10	2	2	-
Rural...White	21,822	4	23	13	18	3	665	12	2	283	41	13	2,549	14	538	62
Nonwhite	759	-	1	-	1	-	76	5	-	109	-	-	50	1	14	-
Male...White	12,657	3	13	9	9	2	428	6	1	215	17	9	1,264	7	220	3
Nonwhite	432	-	1	-	-	-	51	1	-	79	-	-	15	-	4	-
Female...White	9,185	1	10	4	9	1	237	6	1	68	24	4	1,285	7	318	59
Nonwhite	327	-	-	-	1	-	25	4	-	30	-	-	15	1	10	-
INDIANA	39,376	18	76	14	30	34	1,221	31	3	401	43	30	4,615	31	947	79
Both sexes...White	37,314	17	66	14	28	34	1,045	30	3	331	42	30	4,450	26	897	74
Nonwhite	2,062	1	10	-	2	-	176	1	-	70	1	-	165	5	50	5
Male...White	20,601	14	34	7	7	17	599	13	1	239	16	18	2,034	16	347	15
Nonwhite	1,079	-	9	-	1	-	95	1	-	51	-	-	65	1	13	-
Female...White	16,713	3	32	7	21	17	446	17	2	92	26	12	2,416	10	550	59
Nonwhite	983	1	1	-	1	-	81	-	-	19	1	-	100	4	37	5
Urban...White	21,167	4	40	6	10	19	554	14	2	174	19	13	2,658	16	533	44
Nonwhite	1,879	1	9	-	2	-	150	1	-	49	1	-	154	4	46	5
Male...White	11,468	5	16	4	2	10	328	8	1	112	4	5	1,185	9	197	8
Nonwhite	980	-	8	-	1	-	86	1	-	35	-	-	59	1	11	-
Female...White	9,699	1	24	2	8	9	226	6	1	62	15	8	1,473	7	336	36
Nonwhite	919	1	1	-	1	-	64	-	-	14	1	-	95	3	35	5
Places of 100,000 or more...White	7,482	-	19	-	2	8	220	7	-	89	4	2	978	5	195	14
Nonwhite	1,246	-	8	-	-	-	104	-	-	38	1	-	105	3	32	4
Male...White	4,121	-	8	-	1	3	140	4	-	60	-	1	439	3	72	2
Nonwhite	634	-	7	-	-	-	58	-	-	26	-	-	38	-	6	-
Female...White	3,361	-	11	-	1	5	80	3	-	29	4	1	539	2	123	12
Nonwhite	612	-	1	-	-	-	46	-	-	12	1	-	67	3	26	4

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	-	39	131	12	4	1	6	3	16	-	23	4	2	10	26	6	37
-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
-	-	14	89	5	4	1	4	-	8	...	13	3	2	6	14	3	23
-	-	-	1	-	-	-	-	-	-	...	-	-	-	-	-	1	-
-	-	25	42	7	-	-	2	3	8	-	10	1	-	4	12	3	14
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	1	75	244	52	7	8	5	4	67	9	66	14	-	23	37	18	82
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1
-	1	33	164	29	6	3	2	2	44	...	40	10	-	17	29	12	54
-	-	-	1	-	-	-	-	-	-	...	-	-	-	-	1	-	1
-	-	42	80	23	1	5	3	2	23	9	26	4	-	6	8	6	28
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	91	266	59	8	7	7	6	63	4	79	8	-	24	49	35	94
-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-
-	-	53	171	32	7	2	2	4	38	...	42	4	-	17	30	14	52
-	-	-	-	1	-	-	-	1	-	...	-	-	-	-	-	-	-
-	-	38	95	27	1	5	5	2	25	4	37	4	-	7	19	21	42
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
-	2	194	586	152	18	15	20	12	139	17	99	24	3	66	284	73	248
-	-	3	13	13	1	4	-	-	5	-	6	-	1	1	3	7	10
-	2	102	381	95	13	7	12	9	80	...	60	18	3	48	242	48	150
-	-	-	6	7	1	3	-	-	4	...	4	-	-	1	2	4	3
-	-	92	185	57	3	8	8	3	59	17	39	6	-	18	42	27	98
-	-	3	7	6	-	1	-	-	1	-	2	-	1	-	1	3	7
4	47	6,851	30,895	3,364	620	339	537	886	6,149	254	3,399	760	315	1,355	3,705	480	8,331
2	46	6,375	28,859	2,921	598	303	497	849	5,696	223	3,134	743	145	1,269	3,482	465	7,777
2	1	476	2,036	443	22	36	40	37	453	31	265	17	170	86	223	17	554
1	38	3,115	16,615	1,750	499	179	297	570	2,872	...	1,830	552	112	1,008	2,233	252	4,334
1	1	226	1,045	273	20	16	16	19	219	...	149	13	141	65	152	5	299
1	8	3,260	12,244	1,171	99	124	200	279	2,824	223	1,304	191	31	261	1,249	211	3,443
1	-	250	991	170	2	20	24	18	234	31	116	4	29	21	71	12	255
-	27	4,509	21,595	2,012	498	189	368	680	4,110	162	2,319	521	113	890	2,378	237	5,190
1	1	420	1,850	414	20	29	38	33	398	24	249	16	165	80	204	12	433
-	21	2,100	12,333	1,232	417	107	211	449	1,995	...	1,354	371	88	709	1,498	128	2,815
-	1	193	954	260	18	13	16	17	192	...	139	12	136	60	141	3	224
-	6	2,409	9,282	780	81	82	157	231	2,117	162	965	150	25	181	880	109	2,375
1	-	227	896	154	2	16	22	16	208	24	110	4	29	20	83	9	209
-	11	2,131	13,065	1,084	305	76	192	449	2,314	88	1,190	292	79	469	1,206	29	2,611
1	1	303	1,575	318	15	15	28	26	291	17	182	11	140	64	167	2	317
-	10	1,018	7,510	697	263	45	109	284	1,095	...	688	210	65	375	795	16	1,437
-	1	138	810	204	14	7	12	14	136	...	99	8	117	48	114	1	169
-	1	1,113	5,555	387	42	31	83	165	1,219	88	502	82	14	94	411	13	1,174
1	-	165	765	114	1	8	14	12	155	17	83	3	23	16	53	1	148
-	8	1,002	3,666	395	77	47	85	116	737	34	497	99	18	175	477	83	1,084
-	-	63	165	61	2	7	5	5	54	3	37	4	15	10	24	9	65
-	6	442	2,044	226	62	23	50	81	366	...	280	77	13	136	280	47	566
-	-	28	89	36	1	3	2	2	24	...	26	3	12	8	17	2	28
-	2	560	1,622	169	15	24	35	35	371	34	207	22	5	39	197	36	518
-	-	35	76	25	1	4	3	3	30	3	11	1	3	2	7	7	35
-	3	585	2,082	261	53	19	32	51	403	20	271	51	9	90	295	50	635
-	-	28	60	24	1	5	5	-	28	3	16	-	5	6	8	1	35
-	2	258	1,204	150	40	9	22	37	192	...	173	31	7	71	169	30	349
-	-	14	31	15	1	2	2	-	19	...	7	-	3	4	6	-	17
-	1	327	878	111	13	10	10	14	211	20	98	20	2	19	126	20	286
-	-	14	29	9	-	3	3	-	9	3	9	-	2	2	2	1	18
-	5	781	2,782	272	63	47	59	64	656	20	361	79	7	156	400	75	860
-	-	26	50	11	2	2	2	2	25	1	14	1	5	-	5	-	18
-	3	382	1,575	159	52	30	30	47	340	...	203	53	3	127	254	35	463
-	-	13	24	5	2	1	-	1	13	...	7	1	4	-	4	-	10
-	2	409	1,207	113	11	17	29	17	316	20	158	26	4	29	146	40	397
-	-	13	26	6	-	1	2	1	12	1	7	-	1	-	1	-	8
2	19	1,866	7,264	909	100	114	128	169	1,586	61	815	222	30	379	1,104	226	2,587
1	-	56	186	29	2	7	2	4	55	7	16	1	5	6	19	5	121
1	17	1,015	4,282	518	82	72	86	121	879	...	476	181	24	299	735	124	1,519
1	-	33	91	13	2	3	-	2	27	...	10	1	5	5	11	2	75
1	2	851	2,982	391	18	42	43	48	707	61	339	41	6	80	369	102	1,068
-	-	23	95	16	-	4	2	2	28	7	6	-	-	1	8	3	46
5	44	4,270	11,431	2,227	188	288	221	231	3,235	141	1,620	431	96	774	1,979	439	4,183
5	41	4,054	10,938	2,033	181	269	206	223	3,065	126	1,529	426	68	744	1,895	430	3,994
-	3	216	493	194	7	19	15	8	170	15	91	5	28	30	84	9	189
1	40	2,016	6,485	1,103	146	142	130	128	1,697	...	917	308	51	590	1,130	237	2,103
-	3	100	269	105	6	12	5	5	89	...	42	4	19	26	57	6	95
4	1	2,038	4,453	930	35	127	76	95	1,368	126	612	118	17	154	765	193	1,891
-	-	116	224	89	1	7	10	3	81	15	49	1	9	4	27	3	94
4	28	2,176	6,313	1,078	113	156	124	143	1,707	76	968	211	53	397	1,034	247	2,232
-	3	196	448	190	7	18	15	8	162	15	89	4	27	27	75	7	168
1	27	1,058	3,687	606	87	75	76	84	925	...	588	141	40	317	597	134	1,155
-	3	83	238	103	6	11	5	5	85	...	42	3	18	23	49	5	79
3	1	1,118	2,626	473	26	81	48	59	784	76	400	70	13	80	437	113	1,077
-	-	113	210	87	1	7	10	3	77	15	47	1	9	4	26	2	87
1	6	714	2,242	368	47	52	41	52	622	21	308	88	26	132	343	72	804
-	2	153	282	126	5	8	11	4	94	13	52	2	21	15	49	1	113
1	5	336	1,363	214	37	20	19	36	323	...	184	61	18	105	200	52	414
-	2	66	156	66	4	5	5	2	50	...	24	1	15	14	34	-	55
-	1	378	879	154	10	32	22	16	299	21	124	27	8	27	143	20	390
-	-	87	126	60	1	3	6	2	44	13	28	1	6	1	15	1	58

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
INDIANA—Continued																
Places of 25,000 to 100,000...White	6,650	1	9	3	3	8	164	3	-	43	9	4	825	6	174	13
Nonwhite	519	1	1	-	2	-	41	1	-	10	-	-	36	1	13	1
Male...White	3,633	-	5	2	-	8	98	2	-	28	1	2	367	2	58	1
Nonwhite	269	-	1	-	1	-	25	1	-	9	-	-	14	1	4	-
Female...White	3,017	1	4	1	3	2	66	1	-	15	8	2	458	4	116	12
Nonwhite	250	1	-	-	1	-	16	-	-	1	-	-	22	-	9	1
Places of 10,000 to 25,000...White	2,903	2	2	-	3	1	66	1	-	22	2	4	359	1	64	7
Nonwhite	71	-	-	-	-	-	4	-	-	1	-	-	6	-	1	-
Male...White	1,550	2	1	-	-	-	34	1	-	12	1	2	161	1	23	2
Nonwhite	38	-	-	-	-	-	2	-	-	-	-	-	4	-	1	-
Female...White	1,353	-	1	-	3	1	32	-	-	10	1	2	198	-	41	5
Nonwhite	33	-	-	-	-	-	2	-	-	1	-	-	2	-	-	-
Places of 2,500 to 10,000...White	4,132	1	10	3	2	2	104	3	2	20	4	3	496	4	100	10
Nonwhite	43	-	-	-	-	-	1	-	-	-	-	-	7	-	-	-
Male...White	2,164	1	2	2	1	1	56	1	1	12	2	-	218	3	44	3
Nonwhite	19	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-
Female...White	1,968	-	8	1	1	1	48	2	1	8	2	3	278	1	56	7
Nonwhite	24	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
Rural...White	16,147	13	26	8	18	15	491	16	1	157	23	17	1,792	10	364	30
Nonwhite	183	-	1	-	-	-	26	-	-	21	-	-	11	1	4	-
Male...White	9,133	11	18	3	5	7	271	5	-	127	12	13	849	7	150	7
Nonwhite	119	-	1	-	-	-	9	-	-	16	-	-	6	-	2	-
Female...White	7,014	2	8	5	13	8	220	11	1	30	11	4	943	3	214	23
Nonwhite	64	-	-	-	-	-	17	-	-	5	-	-	5	1	2	-
IOWA	26,094	4	21	16	26	12	341	3	2	191	31	16	3,584	29	643	40
Both sexes...White	25,789	4	20	15	25	12	326	3	2	169	30	14	3,552	29	636	39
Nonwhite	305	-	1	1	1	-	15	-	-	22	1	2	32	-	7	1
Male...White	14,248	1	8	10	15	5	196	1	2	118	17	8	1,720	14	261	5
Nonwhite	165	-	1	-	1	-	10	-	-	14	1	-	18	-	4	-
Female...White	11,541	3	12	5	10	7	130	2	-	51	13	6	1,832	15	375	34
Nonwhite	140	-	-	1	-	-	5	-	-	8	-	2	14	-	3	1
Urban...White	12,754	2	9	4	15	10	185	-	1	118	12	8	1,757	13	318	19
Nonwhite	284	-	-	1	1	-	11	-	-	16	-	2	30	-	7	1
Male...White	6,868	-	3	3	8	5	116	-	1	83	6	6	817	7	125	3
Nonwhite	140	-	-	-	1	-	6	-	-	12	-	-	16	-	4	-
Female...White	5,866	2	6	1	7	5	69	-	-	35	6	2	940	6	193	16
Nonwhite	124	-	-	1	-	-	5	-	-	4	-	2	14	-	3	1
Places of 100,000 or more...White	1,540	-	1	-	1	-	27	-	-	11	1	1	230	1	27	4
Nonwhite	96	-	-	-	-	-	7	-	-	3	-	1	10	-	3	1
Male...White	840	-	-	-	1	-	17	-	-	6	-	1	99	-	8	1
Nonwhite	46	-	-	-	-	-	3	-	-	2	-	-	6	-	2	-
Female...White	700	-	1	-	-	-	10	-	-	5	1	-	131	1	19	3
Nonwhite	50	-	-	-	-	-	4	-	-	1	-	1	4	-	1	1
Places of 25,000 to 100,000...White	4,999	-	8	-	3	6	81	-	-	38	2	6	695	6	130	8
Nonwhite	93	-	-	1	-	-	2	-	-	5	-	1	13	-	2	-
Male...White	2,758	-	3	-	-	3	46	-	-	23	1	5	318	2	43	2
Nonwhite	47	-	-	-	-	-	2	-	-	3	-	-	6	-	1	-
Female...White	2,261	-	5	-	3	3	15	-	-	15	1	1	377	4	87	6
Nonwhite	46	-	-	1	-	-	-	-	-	½	-	1	7	-	1	-
Places of 10,000 to 25,000...White	1,762	1	-	1	5	1	26	-	1	12	4	-	258	3	44	5
Nonwhite	43	-	-	-	-	-	2	-	-	-	-	-	7	-	1	-
Male...White	896	-	-	1	3	1	13	-	1	8	1	-	114	3	17	-
Nonwhite	26	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-
Female...White	866	1	-	-	2	-	13	-	-	4	3	-	144	-	27	5
Nonwhite	17	-	-	-	-	-	1	-	-	-	-	-	3	-	1	-
Places of 2,500 to 10,000...White	4,453	1	-	3	6	3	71	-	-	57	5	1	574	3	117	2
Nonwhite	32	-	-	-	1	-	-	-	-	8	-	-	-	-	1	-
Male...White	2,394	-	-	2	4	1	40	-	-	46	4	-	286	2	57	-
Nonwhite	21	-	-	-	1	-	-	-	-	7	-	-	-	-	1	-
Female...White	2,059	1	-	1	2	2	31	-	-	11	1	1	288	1	60	2
Nonwhite	11	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Rural...White	13,055	2	11	11	10	2	141	3	1	51	18	6	1,795	16	318	20
Nonwhite	41	-	1	-	-	-	4	-	-	6	1	-	2	-	-	-
Male...White	7,380	1	5	7	7	-	80	1	1	35	11	2	903	7	136	2
Nonwhite	25	-	1	-	-	-	4	-	-	2	1	-	2	-	-	-
Female...White	5,675	1	6	4	3	2	61	2	-	16	7	4	892	9	182	18
Nonwhite	16	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
KANSAS	18,535	2	30	14	19	7	357	10	1	167	30	10	2,306	14	479	45
Both sexes...White	17,541	2	28	14	18	7	311	9	1	128	29	9	2,217	13	455	43
Nonwhite	994	-	2	-	1	-	46	1	-	39	1	1	89	1	24	2
Male...White	9,988	2	19	4	11	4	199	5	-	95	12	6	1,077	6	191	5
Nonwhite	580	-	1	-	1	-	27	1	-	27	-	1	40	1	8	-
Female...White	7,553	-	9	10	7	3	112	4	1	33	17	3	1,140	7	264	38
Nonwhite	434	-	1	-	-	-	19	-	-	12	1	-	49	-	16	2
Urban...White	8,614	1	15	9	7	6	154	4	1	68	16	5	1,167	7	227	22
Nonwhite	761	-	2	-	1	-	31	1	-	27	1	1	72	1	18	2
Male...White	4,735	1	9	2	4	3	94	3	-	54	7	4	555	4	96	2
Nonwhite	402	-	1	-	1	-	19	1	-	18	-	1	28	1	7	-
Female...White	3,879	-	6	7	3	3	60	1	1	14	9	1	632	3	131	20
Nonwhite	359	-	1	-	-	-	12	-	-	9	1	-	44	-	11	2
Places of 100,000 or more...White	2,310	-	8	3	-	2	46	1	-	25	6	-	298	3	54	4
Nonwhite	354	-	1	-	-	-	12	-	-	14	-	1	34	1	6	2
Male...White	1,293	-	5	-	-	1	27	1	-	20	2	-	149	2	20	-
Nonwhite	198	-	-	-	-	-	7	-	-	8	-	1	13	1	2	-
Female...White	1,017	-	3	3	-	1	19	-	-	5	4	-	149	1	34	4
Nonwhite	156	-	1	-	-	-	5	-	-	6	-	-	21	-	4	2

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
2	9	706	2,008	370	36	50	42	59	462	26	350	62	13	141	336	70	645
-	1	28	123	56	1	10	4	3	57	2	34	2	6	11	25	4	45
-	9	352	1,168	222	28	26	29	32	262	...	203	42	11	113	202	30	332
-	1	13	60	31	1	6	-	2	30	...	17	2	3	9	14	3	21
2	-	354	840	148	8	24	13	27	200	26	147	20	2	28	134	40	311
-	-	15	63	25	-	4	4	1	27	2	17	-	3	2	11	1	24
-	5	318	874	135	13	24	20	7	238	13	124	18	5	58	160	47	310
-	-	10	29	3	1	-	-	1	8	-	2	-	-	-	-	1	4
-	5	151	501	69	10	14	16	5	133	...	71	13	4	45	85	26	162
-	-	3	16	2	1	-	-	1	5	...	1	-	-	-	-	1	1
-	-	167	373	66	3	10	4	2	105	13	53	5	1	13	75	21	148
-	-	7	13	1	-	-	-	-	3	-	1	-	-	-	-	-	3
1	8	438	1,189	206	17	30	21	25	385	16	186	43	9	66	195	58	475
-	5	14	56	5	-	-	-	-	3	-	1	-	-	1	1	1	4
-	8	219	655	101	12	15	12	11	205	...	110	25	7	54	110	26	247
-	-	1	6	4	-	-	-	-	-	...	-	-	-	-	1	1	2
1	-	219	554	105	5	15	9	14	180	16	76	18	2	12	85	32	228
-	-	4	8	1	-	-	-	-	3	-	1	-	-	1	-	-	2
1	13	1,878	4,625	954	68	113	82	80	1,358	50	561	215	15	347	861	183	1,762
-	-	20	45	4	-	1	-	-	8	-	2	1	1	3	9	2	23
-	13	958	2,798	497	59	67	54	44	774	...	349	167	11	273	533	103	948
-	-	17	31	2	-	1	-	-	4	...	-	1	1	3	8	1	16
1	-	920	1,827	457	9	46	28	36	584	50	212	48	4	74	528	80	814
-	-	3	14	2	-	-	-	-	4	-	2	-	-	-	1	1	7
3	20	2,966	8,050	1,501	146	105	157	118	1,573	83	1,159	300	38	355	1,324	410	2,827
3	20	2,928	7,980	1,469	144	105	154	116	1,557	82	1,153	299	31	352	1,316	407	2,797
-	-	38	70	32	2	-	3	2	16	1	6	1	7	3	8	3	30
-	19	1,458	4,719	769	122	51	92	71	818	...	657	229	20	253	858	191	1,560
-	-	14	35	19	1	-	1	-	10	...	4	1	5	3	5	3	15
3	1	1,470	3,261	700	22	54	62	45	739	82	496	70	11	99	478	216	1,237
-	-	24	35	13	1	-	2	2	6	1	2	-	2	-	3	-	15
2	14	1,414	4,151	683	67	50	67	72	768	43	554	138	16	177	586	162	1,319
-	38	61	27	2	-	3	2	14	1	6	1	7	3	7	3	22	
-	13	654	2,405	374	57	22	42	44	394	...	304	102	9	123	346	73	723
-	-	13	31	16	1	-	1	-	8	...	4	1	5	3	5	3	10
2	1	760	1,726	309	10	28	25	28	374	43	250	36	7	54	240	89	595
-	-	23	30	11	1	-	2	2	6	1	2	-	2	-	2	-	12
-	1	148	550	83	11	4	3	10	83	7	63	13	4	23	61	8	168
-	-	11	29	9	-	-	2	-	4	-	2	1	2	-	3	-	8
-	1	79	324	45	8	2	2	6	40	...	39	10	2	15	32	2	100
-	-	4	10	6	-	-	1	-	2	...	1	1	1	-	2	-	5
-	-	67	226	38	3	2	1	4	43	7	24	3	2	6	29	4	68
-	-	7	19	3	-	-	1	-	2	-	1	-	1	-	1	-	3
2	4	534	1,655	233	34	21	30	41	296	19	251	71	7	77	261	41	459
-	-	15	15	10	2	-	1	2	4	1	2	-	5	1	1	1	9
-	4	229	980	136	31	9	19	27	153	...	150	49	4	59	169	19	254
-	-	6	9	7	1	-	-	-	1	...	2	-	4	1	1	1	2
2	-	305	875	97	3	12	11	14	143	19	101	22	3	18	92	22	205
-	-	9	6	3	1	-	1	2	3	1	-	-	1	-	-	-	7
-	2	192	571	100	5	4	14	8	116	7	76	20	-	20	74	25	167
-	-	4	10	7	-	-	-	-	5	-	1	-	-	1	1	1	3
-	2	78	326	48	3	1	7	4	58	...	32	17	-	14	44	7	93
-	-	1	8	3	-	-	-	-	4	...	1	-	-	1	1	1	1
-	-	114	245	52	2	3	7	4	58	7	44	3	-	6	30	18	74
-	-	3	2	4	-	-	-	-	1	-	-	-	-	-	-	-	2
-	7	542	1,355	267	17	21	20	13	273	10	164	34	5	57	190	90	525
-	6	7	1	-	-	-	-	1	-	1	-	-	1	2	1	2	
-	6	268	775	145	15	10	14	7	143	...	83	26	3	35	101	45	276
-	-	2	4	-	-	-	-	-	1	...	-	-	-	1	1	1	2
-	1	274	580	122	2	11	6	6	130	10	81	8	2	22	89	45	249
-	-	4	3	1	-	-	-	-	-	-	1	-	-	-	1	-	-
1	6	1,514	3,849	786	77	55	87	44	789	39	599	161	15	175	730	245	1,478
-	-	2	9	5	-	-	-	-	2	-	-	-	-	-	1	-	8
-	6	804	2,314	395	65	29	50	27	424	...	353	127	11	130	492	118	837
-	-	1	4	3	-	-	-	-	2	...	-	-	-	-	-	-	5
1	-	710	1,555	391	12	26	37	17	365	39	246	34	4	45	238	127	641
-	-	1	5	2	-	-	-	-	-	-	-	-	-	-	1	-	3
5	6	1,956	5,284	946	109	108	124	86	1,414	64	792	168	59	312	1,178	320	2,113
5	5	1,852	5,045	873	103	101	117	75	1,294	55	760	166	41	302	1,135	308	2,020
-	1	104	239	73	6	7	7	11	120	9	32	2	18	10	43	12	93
1	5	928	3,094	467	88	54	69	41	725	...	436	133	29	234	774	164	1,110
-	1	49	139	46	5	3	4	10	67	...	19	1	14	6	35	9	45
4	-	924	1,951	406	15	47	48	34	569	55	324	33	12	68	361	144	910
-	-	55	100	27	1	4	3	1	53	9	13	1	4	4	8	3	48
2	5	881	2,499	411	55	60	54	43	614	35	457	72	22	120	449	111	1,015
-	1	79	180	59	4	6	5	8	95	9	27	2	14	6	29	6	74
-	5	431	1,499	226	50	36	31	24	337	...	258	59	17	84	261	50	549
-	1	33	99	35	3	2	4	7	50	...	15	1	11	4	22	4	34
2	-	450	1,000	185	5	24	23	19	277	35	199	13	5	36	188	61	466
-	-	46	81	24	1	4	1	1	45	9	12	1	3	2	7	2	40
-	3	198	690	157	22	16	14	15	134	15	139	21	10	44	100	16	266
-	-	28	87	30	4	3	4	6	50	4	8	1	11	5	9	3	32
-	3	91	400	87	21	12	7	11	78	...	84	18	10	27	69	10	140
-	-	9	51	18	3	1	4	6	31	...	6	-	10	3	7	2	15
-	-	107	290	70	1	4	7	4	58	15	55	3	-	17	31	6	126
-	-	17	36	12	1	2	-	-	19	4	2	1	1	2	2	1	17

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 65b
KANSAS—Continued																
Places of 25,000 to 100,000...White	1,056	-	-	2	-	-	20	-	-	9	3	1	168	2	25	2
Nonwhite	105	-	1	-	1	-	4	-	-	2	-	-	9	-	3	-
Male...White	593	-	-	1	-	-	11	-	-	8	2	1	73	1	15	-
Nonwhite	55	-	1	-	1	-	4	-	-	2	-	-	2	-	1	-
Female...White	463	-	-	1	-	-	9	-	-	1	1	-	95	1	10	2
Nonwhite	50	-	-	-	-	-	-	-	-	-	-	-	7	-	2	-
Places of 10,000 to 25,000...White	2,563	-	2	3	3	2	37	3	-	18	4	2	347	2	63	10
Nonwhite	222	-	-	-	-	-	12	-	-	6	1	-	23	-	7	-
Male...White	1,378	-	1	1	1	-	23	2	-	11	1	1	149	1	26	2
Nonwhite	104	-	-	-	-	-	5	-	-	3	-	-	9	-	3	-
Female...White	1,187	-	1	2	2	2	14	1	-	7	3	1	198	1	37	8
Nonwhite	118	-	-	-	-	-	7	-	-	3	1	-	14	-	4	-
Places of 2,500 to 10,000...White	2,885	1	5	1	4	2	51	-	1	18	3	2	354	-	85	6
Nonwhite	80	-	-	-	-	-	3	1	-	5	-	-	6	-	2	-
Male...White	1,473	1	3	-	3	2	33	-	-	15	2	2	164	-	35	-
Nonwhite	45	-	-	-	-	-	3	1	-	5	-	-	4	-	1	-
Female...White	1,212	-	2	1	1	-	18	-	1	1	1	-	190	-	50	6
Nonwhite	35	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
Rural...White	8,927	1	13	5	11	1	157	5	-	60	13	4	1,050	6	128	21
Nonwhite	233	-	-	-	-	-	15	-	-	12	-	-	17	-	6	-
Male...White	5,253	1	10	2	7	1	105	2	-	41	5	2	542	2	95	3
Nonwhite	153	-	-	-	-	-	8	-	-	9	-	-	12	-	1	-
Female...White	3,674	-	3	3	4	-	52	3	-	19	8	2	508	4	133	18
Nonwhite	75	-	-	-	-	-	7	-	-	3	-	-	5	-	5	-
KENTUCKY	28,371	28	79	9	93	39	1,726	125	18	258	52	48	2,703	34	490	47
Both sexes...White	24,750	27	69	8	87	39	1,428	119	13	150	51	47	2,461	31	433	38
Nonwhite	3,621	1	10	1	6	-	298	6	3	106	1	1	242	3	57	9
Male...White	13,811	15	41	5	47	18	735	84	8	112	19	27	1,106	23	205	3
Nonwhite	1,936	1	7	1	3	-	163	2	2	82	1	1	99	2	21	2
Female...White	10,939	12	28	3	40	21	693	35	5	38	32	20	1,355	8	228	35
Nonwhite	1,685	-	3	-	3	-	135	4	1	24	-	-	143	1	36	7
Urban...White	9,241	5	29	1	21	12	449	20	3	71	9	20	1,089	4	205	19
Nonwhite	2,328	1	8	-	4	-	201	3	-	46	-	1	174	1	45	6
Male...White	5,087	3	17	1	14	3	258	10	1	48	4	10	465	2	78	3
Nonwhite	1,232	1	6	-	1	-	115	2	-	38	-	1	69	1	14	1
Female...White	4,154	2	12	-	7	9	193	10	2	23	5	10	604	2	127	16
Nonwhite	1,096	-	2	-	3	-	86	1	-	8	-	-	105	-	31	5
Places of 100,000 or more...White	3,472	-	17	-	8	-	135	3	1	15	-	14	428	1	82	5
Nonwhite	976	-	5	-	2	-	104	-	-	8	-	1	59	-	25	1
Male...White	1,930	-	11	-	4	-	74	1	-	9	-	6	177	1	25	-
Nonwhite	523	-	3	-	-	-	65	-	-	7	-	1	26	-	8	-
Female...White	1,542	-	6	-	4	-	61	2	1	6	-	8	251	-	57	5
Nonwhite	453	-	2	-	2	-	39	-	-	1	-	-	33	-	17	1
Places of 25,000 to 100,000...White	2,657	-	7	-	5	7	157	3	-	45	2	3	297	-	62	5
Nonwhite	529	-	1	-	-	-	41	2	-	25	-	-	46	1	6	2
Male...White	1,482	-	4	-	5	2	93	2	-	32	2	3	134	-	30	2
Nonwhite	286	-	1	-	-	-	21	2	-	22	-	-	17	1	2	-
Female...White	1,175	-	3	-	-	5	64	1	-	13	-	-	163	-	32	3
Nonwhite	243	-	-	-	-	-	20	-	-	3	-	-	29	-	4	2
Places of 10,000 to 25,000...White	779	1	1	-	1	2	37	4	-	2	1	-	102	-	9	3
Nonwhite	244	-	-	-	2	-	15	-	-	2	-	-	18	-	-	2
Male...White	421	1	-	-	1	-	21	1	-	1	-	-	45	-	5	-
Nonwhite	127	-	-	-	1	-	7	-	-	-	-	-	5	-	-	1
Female...White	358	-	1	-	-	2	16	3	-	1	1	-	57	-	4	3
Nonwhite	117	-	-	-	1	-	8	-	-	2	-	-	11	-	-	1
Places of 2,500 to 10,000...White	2,333	4	4	1	7	3	120	10	2	9	6	3	242	3	52	6
Nonwhite	579	1	2	-	-	-	41	1	-	11	-	-	53	-	14	1
Male...White	1,254	2	2	1	4	1	68	6	1	6	2	1	108	1	18	1
Nonwhite	296	1	2	-	-	-	22	-	-	9	-	-	21	-	4	-
Female...White	1,079	2	2	-	3	2	52	4	1	3	4	2	133	2	34	5
Nonwhite	283	-	-	-	-	-	19	1	-	2	-	-	32	-	10	1
Rural...White	16,509	22	40	7	66	27	979	99	10	79	42	27	1,392	27	228	19
Nonwhite	1,293	-	2	1	2	-	97	3	3	60	1	-	68	2	12	3
Male...White	8,724	12	24	4	33	15	479	54	7	64	15	17	641	21	127	-
Nonwhite	704	-	1	1	2	-	48	-	2	44	1	-	30	1	7	1
Female...White	6,785	10	16	3	33	12	500	45	3	15	27	10	751	6	101	19
Nonwhite	589	-	1	-	-	-	49	3	1	16	-	-	38	1	5	2
LOUISIANA	23,567	28	39	2	39	75	1,158	61	28	516	59	12	2,347	25	408	39
Both sexes...White	13,315	8	31	1	11	54	495	27	12	110	18	10	1,551	8	276	21
Nonwhite	10,252	20	8	1	28	21	663	34	16	406	41	2	796	17	132	18
Male...White	7,709	2	23	-	7	29	346	14	5	88	8	4	812	4	105	5
Nonwhite	5,302	5	4	1	16	10	385	17	6	257	23	2	356	5	44	3
Female...White	5,606	6	8	1	4	25	149	13	7	22	10	6	739	4	171	16
Nonwhite	4,950	15	4	-	12	11	278	17	10	149	18	-	440	12	88	15
Urban...White	7,620	3	21	1	6	23	282	9	4	70	7	8	919	4	176	10
Nonwhite	4,993	6	4	1	8	9	359	11	4	235	15	1	424	8	75	12
Male...White	4,277	1	16	-	3	16	199	4	1	55	3	4	455	2	57	2
Nonwhite	2,478	-	2	1	6	3	200	4	1	153	7	1	192	3	22	2
Female...White	3,343	2	5	1	3	7	83	5	3	15	4	4	464	2	119	8
Nonwhite	2,515	6	2	-	2	6	159	7	3	82	8	-	232	5	53	10
Places of 100,000 or more...White	4,121	-	12	-	3	5	152	3	-	34	2	3	553	2	117	4
Nonwhite	2,258	2	4	1	1	6	189	1	-	86	1	-	219	4	33	3
Male...White	2,267	-	12	-	1	2	119	2	-	28	1	1	250	-	41	1
Nonwhite	1,102	-	2	1	1	2	103	-	-	54	1	-	100	3	8	-
Female...White	1,854	-	-	-	2	3	33	1	-	6	1	2	283	2	76	3
Nonwhite	1,156	2	2	-	-	4	86	1	-	32	-	-	119	1	25	3

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-108,33	Ulcer of stomach 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	1	119	281	49	9	6	5	6	73	4	56	9	2	19	66	13	106
-	-	12	27	5	-	1	-	1	15	1	6	1	1	-	7	1	7
-	1	57	179	31	9	5	3	3	41	...	32	7	1	14	35	6	57
-	-	7	13	3	-	-	-	1	9	...	2	1	-	-	3	-	4
-	-	82	102	18	-	1	2	3	32	4	24	2	1	5	31	7	49
-	-	5	14	2	-	-	-	-	6	1	4	-	1	-	4	1	3
-	-	277	762	108	13	22	14	2	198	4	118	20	6	26	145	32	320
-	-	27	55	18	-	1	1	1	22	2	8	-	2	1	10	2	23
-	-	143	455	56	11	10	5	-	113	...	62	15	4	19	75	13	176
-	-	10	29	10	-	-	-	-	7	...	6	-	1	1	9	2	9
-	-	134	307	52	2	12	9	2	85	4	58	5	2	7	70	19	144
-	-	17	26	8	-	1	1	1	15	2	2	-	1	-	1	-	14
2	1	287	766	97	11	16	21	20	209	12	144	22	4	31	138	50	325
-	1	14	11	6	-	1	-	-	8	2	5	-	-	-	3	-	12
-	1	140	465	52	9	9	16	10	107	...	80	19	2	24	82	21	176
-	1	7	6	4	-	-	-	-	3	...	1	-	-	-	3	-	6
2	-	147	301	45	2	7	5	10	102	12	64	3	2	7	56	29	147
-	-	7	5	2	-	1	-	-	5	2	4	-	-	-	-	-	6
3	-	971	2,546	462	48	41	63	32	680	20	303	94	19	182	686	197	1,005
-	-	25	59	14	2	1	2	3	25	-	5	-	4	4	14	6	19
1	-	497	1,595	241	38	18	38	17	388	...	178	74	12	150	513	114	561
-	-	16	40	11	2	1	-	3	17	...	4	-	3	2	13	5	11
2	-	474	951	221	10	23	25	15	292	20	125	20	7	32	173	85	444
-	-	9	19	3	-	-	2	-	8	-	1	-	1	2	1	1	8
28	23	2,762	6,942	2,346	185	470	180	158	1,879	159	1,667	252	240	528	1,596	491	2,722
27	17	2,388	6,007	2,014	173	416	158	145	1,505	139	1,553	245	166	486	1,434	449	2,427
1	6	374	935	332	12	54	22	13	374	20	114	7	74	40	162	42	295
15	17	1,222	3,509	1,127	140	233	96	107	833	...	873	185	139	395	963	203	1,338
1	6	170	509	176	6	23	10	8	198	...	63	5	62	32	112	14	156
14	-	1,166	2,498	887	33	183	62	38	672	139	680	60	27	101	471	246	1,089
-	-	204	426	156	6	31	12	7	176	20	51	2	12	8	50	28	139
4	7	870	2,594	605	69	110	61	92	517	48	551	97	62	158	469	116	876
-	5	240	620	209	10	27	11	9	262	9	70	5	58	24	91	25	165
3	7	441	1,529	350	61	62	36	70	284	...	317	66	46	115	277	47	461
-	5	106	329	111	4	9	8	4	142	...	43	4	48	18	58	9	87
1	-	429	1,085	255	8	48	25	22	233	48	234	31	18	41	192	69	415
-	-	134	291	98	6	18	5	5	120	9	27	1	10	6	35	16	76
1	2	269	1,077	211	25	25	25	34	189	17	232	41	26	62	176	38	315
-	1	73	291	110	4	7	3	3	112	2	30	-	27	9	32	1	66
-	2	143	636	130	23	19	15	26	109	...	138	27	20	46	106	10	172
-	1	34	150	55	3	1	1	1	59	...	18	-	22	6	18	-	44
1	-	126	441	81	2	6	10	8	80	17	94	14	6	16	70	28	141
-	-	59	141	55	1	6	2	2	53	2	12	-	5	3	14	1	22
1	3	259	760	156	23	44	16	34	128	13	135	23	9	43	122	29	266
-	1	47	160	37	1	6	4	4	50	3	13	-	8	5	22	7	37
1	3	124	443	87	21	24	9	27	88	...	82	17	6	27	78	18	138
-	1	21	82	26	1	3	2	3	25	...	9	-	8	4	15	2	18
-	-	135	517	69	2	20	7	7	60	13	53	6	3	16	44	11	128
-	-	26	78	11	-	3	2	1	25	3	4	-	-	1	7	5	19
1	-	84	183	67	4	13	6	7	53	4	34	7	5	8	44	21	75
-	-	28	49	16	1	7	1	2	45	-	12	-	4	4	18	6	14
1	-	41	103	44	3	6	4	4	29	...	17	4	4	8	23	8	47
-	-	14	24	11	-	2	-	-	27	...	8	-	3	2	12	4	6
-	-	43	80	23	1	7	2	3	24	4	17	3	1	-	21	13	28
-	-	14	25	5	1	5	1	2	18	-	4	-	1	2	6	2	8
1	2	258	574	171	17	28	14	17	147	14	150	26	22	45	127	28	222
-	3	92	120	46	4	7	3	-	55	4	15	5	19	6	19	11	46
1	2	133	347	89	14	13	8	13	78	...	80	18	16	34	70	11	104
-	3	37	73	19	-	3	3	-	31	...	8	4	15	6	13	3	19
-	-	125	227	82	3	15	6	4	69	14	70	8	6	9	57	17	118
-	-	55	47	27	4	4	-	-	24	4	7	1	4	-	6	8	27
23	10	1,518	3,413	1,409	104	306	97	53	988	91	1,002	148	104	330	965	333	1,551
1	1	134	315	123	2	27	11	4	112	11	44	2	16	16	71	17	132
10	10	781	1,980	777	79	171	60	37	549	...	556	119	93	270	686	158	877
1	1	64	180	65	2	14	4	2	56	...	20	1	14	14	54	5	69
13	-	737	1,433	632	25	135	37	16	439	91	446	29	11	60	279	177	674
-	-	70	135	58	-	13	7	2	56	11	24	1	2	2	17	12	63
36	23	1,808	6,208	1,744	106	290	144	163	1,749	207	1,614	130	220	434	1,257	483	2,115
16	19	954	3,911	827	65	133	93	124	860	85	865	118	52	290	804	205	1,281
20	4	874	2,297	917	41	157	51	39	889	122	749	12	168	144	453	278	834
8	16	450	2,387	462	51	73	47	88	433	...	506	90	38	241	590	114	682
6	4	392	1,123	481	33	80	28	20	419	...	421	10	129	111	320	151	440
8	3	484	1,544	365	14	60	46	35	427	85	359	28	14	49	214	91	599
14	-	482	1,174	436	8	77	23	19	470	122	328	2	39	33	133	127	394
4	14	499	2,492	413	24	61	54	89	516	38	521	56	34	135	362	66	699
4	2	407	1,148	442	25	68	26	29	411	43	386	3	96	61	182	70	418
2	11	252	1,484	254	18	32	24	63	248	...	310	41	27	108	255	35	355
1	2	174	522	228	18	27	17	15	163	...	219	2	76	47	134	40	198
2	3	267	1,008	179	6	29	30	26	268	38	211	15	7	27	127	31	344
3	-	233	626	216	7	41	9	14	248	43	167	1	20	14	48	30	220
1	4	274	1,487	209	11	22	29	59	293	15	211	32	15	49	181	12	347
1	-	195	639	184	9	15	11	11	147	13	172	1	50	24	65	4	167
1	4	128	866	113	9	16	11	41	129	...	119	23	12	39	116	6	176
-	-	92	276	92	8	7	7	6	58	...	86	1	40	18	52	2	74
-	-	146	621	96	2	6	18	18	164	15	92	9	3	10	65	6	171
1	-	103	363	92	1	8	4	5	91	13	76	-	10	6	13	2	95

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
LOUISIANA—Continued																
Places of 25,000 to 100,000...White	1,209	1	3	-	-	3	40	2	-	8	-	1	144	1	23	2
Nonwhite	1,028	2	-	-	1	-	63	3	1	38	1	-	81	1	17	6
Male...White	691	-	1	-	-	3	27	1	-	7	-	-	71	1	8	-
Nonwhite	515	-	-	-	1	-	38	2	1	21	-	-	37	-	6	1
Female...White	518	1	2	-	-	-	13	1	-	1	-	1	73	-	15	2
Nonwhite	513	2	-	-	-	-	25	1	-	17	1	-	44	1	11	5
Places of 10,000 to 25,000...White	555	-	-	-	-	7	15	1	-	4	-	1	63	-	11	1
Nonwhite	423	-	-	-	3	-	23	1	-	10	3	-	27	-	10	1
Male...White	319	-	-	-	-	6	6	1	-	3	-	1	38	-	3	-
Nonwhite	215	-	-	-	3	-	14	-	-	6	2	-	11	-	2	1
Female...White	236	-	-	-	-	1	9	-	-	1	-	-	25	-	8	1
Nonwhite	208	-	-	-	-	-	9	1	-	4	1	-	16	-	8	-
Places of 2,500 to 10,000...White	1,735	2	6	1	3	8	75	3	4	24	5	3	179	1	25	3
Nonwhite	1,284	2	-	-	3	3	84	6	3	101	10	1	97	3	15	2
Male...White	1,000	1	3	-	2	5	47	-	1	17	2	2	96	1	5	1
Nonwhite	646	-	-	-	1	1	45	2	-	72	4	1	44	-	6	-
Female...White	735	1	3	1	1	3	28	3	3	7	3	1	83	-	20	2
Nonwhite	638	2	-	-	2	2	39	4	3	29	6	-	53	3	9	2
Rural...White	5,695	5	10	-	5	31	213	18	8	40	11	2	632	4	100	11
Nonwhite	5,259	14	4	-	20	12	304	23	12	171	26	1	372	9	57	6
Male...White	3,432	1	7	-	4	13	147	10	4	33	5	-	357	2	48	3
Nonwhite	2,824	5	2	-	10	7	185	13	5	104	16	1	164	2	22	1
Female...White	2,263	4	3	-	1	18	66	8	4	7	6	2	275	2	52	8
Nonwhite	2,435	9	2	-	10	5	119	10	7	67	10	-	208	7	35	5
MAINE	10,279	2	22	2	9	3	279	2	1	52	11	3	1,349	6	203	11
Both sexes...White	10,240	2	22	2	9	2	276	2	1	52	10	3	1,346	6	203	11
Nonwhite	39	-	-	-	-	1	3	-	-	-	1	-	3	-	-	-
Male...White	5,533	2	11	-	2	1	151	-	1	34	7	1	582	5	67	2
Nonwhite	27	-	-	-	-	1	2	-	-	-	1	-	3	-	-	-
Female...White	4,707	-	11	2	7	1	125	2	-	18	3	2	764	1	136	9
Nonwhite	12	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Urban...White	4,412	1	13	2	4	1	146	-	1	36	-	-	584	3	97	5
Nonwhite	19	-	-	-	-	-	2	-	-	-	-	-	3	-	-	-
Male...White	2,297	1	5	-	1	-	77	-	1	21	-	-	240	2	34	1
Nonwhite	11	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-
Female...White	2,115	-	8	2	3	1	69	-	-	15	-	-	344	1	63	4
Nonwhite	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000...White	2,042	1	6	1	2	-	72	-	-	18	-	-	283	1	40	2
Nonwhite	15	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
Male...White	1,071	1	1	-	-	-	41	-	-	10	-	-	115	-	13	-
Nonwhite	9	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
Female...White	971	-	5	1	2	-	31	-	-	8	-	-	168	1	27	2
Nonwhite	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000...White	1,262	-	5	-	2	1	33	-	-	13	-	-	165	1	29	2
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male...White	630	-	3	-	1	-	12	-	-	6	-	-	70	1	11	1
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female...White	632	-	2	-	1	1	21	-	-	7	-	-	95	-	18	1
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000...White	1,108	-	2	1	-	-	41	-	1	7	-	-	138	1	28	1
Nonwhite	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Male...White	596	-	1	-	-	-	24	-	1	5	-	-	55	1	10	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female...White	512	-	1	1	-	-	17	-	-	2	-	-	81	-	18	1
Nonwhite	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Rural...White	5,828	1	9	-	5	1	130	2	-	16	10	3	762	3	106	6
Nonwhite	20	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Male...White	3,236	1	6	-	1	1	74	-	-	13	7	1	342	3	33	1
Nonwhite	16	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Female...White	2,592	-	3	-	4	-	56	2	-	3	3	2	420	-	73	5
Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	22,648	3	57	4	29	15	1,326	13	-	329	26	25	2,595	15	608	37
Both sexes...White	17,702	-	39	3	14	15	713	10	-	133	15	21	2,254	8	538	33
Nonwhite	4,946	3	18	1	15	-	613	3	-	196	11	4	341	7	70	4
Male...White	9,754	-	23	2	6	9	485	8	-	101	8	13	1,124	4	174	6
Nonwhite	2,754	1	11	1	5	-	375	2	-	146	6	4	151	2	18	-
Female...White	7,948	-	16	1	8	6	228	2	-	32	7	8	1,130	4	364	27
Nonwhite	2,192	2	7	-	10	-	238	1	-	50	5	-	190	5	52	4
Urban...White	10,802	-	30	1	8	14	421	4	-	69	6	12	1,478	5	375	23
Nonwhite	3,220	1	13	-	7	-	409	1	-	111	7	3	249	4	45	3
Male...White	5,871	-	18	1	2	8	298	3	-	49	2	7	743	3	123	4
Nonwhite	1,778	-	7	-	3	-	254	1	-	81	3	3	110	2	12	-
Female...White	4,931	-	12	-	6	6	123	1	-	20	4	5	735	2	252	19
Nonwhite	1,442	1	6	-	4	-	155	-	-	30	4	-	139	2	33	3
Places of 100,000 or more...White	8,341	-	23	1	6	13	332	2	-	54	3	10	1,149	5	291	13
Nonwhite	2,850	1	13	-	5	-	378	1	-	101	7	3	219	4	36	3
Male...White	4,508	-	14	1	2	8	245	1	-	39	1	7	578	3	90	2
Nonwhite	1,580	-	7	-	2	-	235	1	-	76	3	3	97	2	9	-
Female...White	3,833	-	9	-	4	5	87	1	-	15	2	3	571	2	201	11
Nonwhite	1,270	1	6	-	3	-	143	-	-	25	4	-	122	2	27	3
Places of 25,000 to 100,000...White	819	-	2	-	1	-	21	-	-	5	-	-	105	-	30	4
Nonwhite	42	-	-	-	-	-	4	-	-	3	-	-	2	-	1	-
Male...White	447	-	2	-	-	-	14	-	-	4	-	-	54	-	13	1
Nonwhite	25	-	-	-	-	-	4	-	-	3	-	-	1	-	-	-
Female...White	372	-	-	-	1	-	7	-	-	1	-	-	51	-	17	3
Nonwhite	17	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	4	76	358	67	5	7	6	12	74	14	105	14	10	29	63	13	122
-	-	75	190	90	10	13	8	10	125	9	93	1	26	9	46	14	95
-	1	34	228	38	3	4	3	8	43	...	61	11	9	24	44	7	54
-	-	26	103	46	5	7	6	6	51	...	52	-	18	9	31	6	42
-	3	42	130	29	2	3	5	4	31	14	44	3	1	5	19	6	68
-	-	49	87	44	5	6	2	4	74	9	41	1	8	-	15	8	53
-	2	35	146	36	2	6	6	3	47	2	67	1	1	12	26	12	48
-	-	42	80	47	3	9	3	3	37	7	36	-	7	9	16	10	36
-	2	19	87	23	2	4	3	2	24	...	38	1	1	7	19	6	23
-	-	19	39	25	2	4	1	1	18	...	22	-	7	5	11	6	16
-	-	16	59	13	-	2	3	1	23	2	29	-	-	5	7	6	25
-	-	23	41	22	1	5	2	2	19	7	14	-	-	4	5	4	20
3	4	114	501	101	6	26	11	15	102	7	138	9	8	45	92	29	182
3	2	95	259	121	3	31	4	5	102	14	85	1	13	19	55	42	120
1	4	51	303	60	4	8	7	12	52	...	92	6	5	38	56	16	102
1	2	37	104	63	3	9	3	2	38	...	49	1	11	15	40	28	66
2	-	63	198	41	2	18	4	3	50	7	46	3	3	7	36	13	80
2	-	58	135	58	-	22	1	3	64	14	36	-	2	4	15	18	54
12	5	435	1,419	414	41	72	39	35	344	47	344	62	18	155	442	139	582
16	2	467	1,149	475	16	89	25	10	478	79	363	9	72	83	271	208	416
6	5	218	883	228	33	41	23	26	185	...	196	49	11	133	355	79	327
5	2	218	601	255	15	53	11	5	256	...	202	8	53	64	186	111	242
6	-	217	536	186	8	31	16	9	159	47	148	13	7	22	87	60	255
11	-	249	548	220	1	36	14	5	222	79	161	1	19	19	85	97	174
-	29	1,053	3,029	582	51	84	45	50	735	40	546	119	12	130	523	230	1,068
-	29	1,051	3,025	577	51	84	43	50	728	40	543	118	11	130	521	229	1,063
-	-	2	4	5	-	-	-	-	7	-	3	1	1	-	2	1	5
-	24	485	1,775	303	41	55	22	34	391	...	301	93	8	108	335	116	576
-	-	1	2	3	-	-	-	-	6	...	1	1	-	-	2	1	3
-	5	566	1,250	274	10	29	21	16	337	40	242	25	3	22	186	113	487
-	-	1	2	2	-	-	-	-	1	-	2	-	1	-	-	-	2
-	20	472	1,301	263	27	28	11	29	286	15	247	52	5	49	188	81	445
-	-	1	3	2	-	-	-	-	1	-	2	-	-	-	-	1	4
-	17	201	731	142	20	18	4	21	141	...	154	37	4	39	116	41	228
-	-	-	2	1	-	-	-	-	-	...	1	-	-	-	-	1	2
-	3	271	570	121	7	10	7	8	145	15	93	15	1	10	72	40	217
-	-	1	1	1	-	-	-	-	1	-	1	-	-	-	-	-	2
-	7	225	627	112	10	18	4	15	119	5	98	22	1	17	91	45	202
-	-	1	2	2	-	-	-	-	-	-	2	-	-	-	-	1	4
-	6	89	360	57	8	12	1	11	59	...	61	17	-	13	55	28	113
-	-	-	1	1	-	-	-	-	-	...	1	-	-	-	-	1	2
-	1	136	267	55	2	6	3	4	60	5	37	5	1	4	36	17	89
-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	2
-	6	131	356	81	7	6	3	8	90	4	83	16	2	20	47	15	138
-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	5	58	187	42	5	3	-	6	39	...	53	9	2	17	28	5	66
-	-	-	1	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	1	73	169	39	2	3	3	2	51	4	30	7	-	3	19	8	72
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	7	116	318	70	10	4	4	6	77	6	66	14	2	12	50	23	105
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	6	54	184	43	7	3	3	4	43	...	40	11	2	9	33	8	49
-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	1	62	134	27	3	1	1	2	34	6	26	3	-	3	17	15	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	9	579	1,724	314	24	56	32	21	442	25	296	66	6	81	333	148	618
-	-	1	1	3	-	-	-	-	6	-	1	1	1	-	2	-	1
-	7	284	1,044	161	21	37	18	13	250	...	147	56	4	69	219	75	348
-	-	1	-	2	-	-	-	-	6	...	-	1	-	-	2	-	1
-	2	295	680	153	3	19	14	8	192	25	149	10	2	12	114	73	270
-	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-
-	40	1,745	6,898	1,250	114	235	80	183	2,024	82	1,130	209	160	382	1,015	79	1,940
-	31	1,360	5,869	799	88	154	69	161	1,502	62	845	201	46	294	822	57	1,546
-	9	385	1,029	451	26	81	11	22	522	20	285	8	114	88	193	22	394
-	27	648	3,329	449	78	77	30	122	760	...	500	135	32	239	520	27	818
-	8	185	546	258	20	43	6	11	258	...	148	7	97	76	139	14	216
-	4	712	2,540	350	10	77	39	39	742	62	345	66	14	55	302	30	728
-	1	200	483	193	6	38	5	11	264	20	157	1	17	12	54	8	178
-	21	787	3,734	461	63	80	42	114	863	43	476	120	28	150	486	28	880
-	5	233	673	325	19	45	8	19	356	12	175	6	88	50	122	8	223
-	19	378	2,071	262	55	43	18	87	415	...	296	73	18	121	284	10	460
-	4	106	335	190	16	24	6	11	170	...	94	5	76	43	88	5	129
-	2	409	1,663	199	8	37	24	27	448	43	180	47	10	29	182	18	420
-	1	127	338	135	3	21	2	8	186	12	81	1	12	7	34	3	94
-	16	589	3,002	368	47	61	33	102	632	34	329	90	28	106	360	18	626
-	4	205	586	299	18	37	7	17	314	9	152	6	83	43	102	5	192
-	14	271	1,648	211	40	32	11	77	291	...	211	54	16	86	223	6	326
-	3	94	294	176	15	19	5	9	144	...	85	5	71	36	75	3	111
-	2	318	1,354	157	7	29	22	25	341	34	118	36	10	20	137	12	300
-	1	111	292	123	3	18	2	8	170	9	67	1	12	7	27	2	81
-	3	65	258	32	4	8	5	4	75	2	32	10	1	12	41	1	98
-	-	5	11	5	-	-	1	-	4	-	1	-	-	-	1	1	3
-	3	39	136	15	4	3	4	3	45	...	16	7	1	10	21	-	52
-	-	3	4	3	-	-	1	-	3	...	-	-	-	-	-	1	2
-	-	26	122	17	-	5	1	1	30	2	16	3	-	2	20	1	46
-	-	2	7	2	-	-	-	-	1	-	1	-	-	-	1	-	1

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
MARYLAND—Continued																
Places of 10,000 to 25,000....White	784	-	1	-	-	1	31	1	-	-	2	-	115	-	26	2
Nonwhite	201	-	-	-	1	-	11	-	-	5	-	-	15	-	5	-
Male....White	457	-	-	-	-	-	19	1	-	-	1	-	59	-	11	1
Nonwhite	105	-	-	-	1	-	9	-	-	2	-	-	4	-	2	-
Female....White	327	-	1	-	-	1	12	-	-	-	1	-	56	-	15	1
Nonwhite	96	-	-	-	-	-	2	-	-	3	-	-	11	-	3	-
Places of 2,500 to 10,000....White	858	-	4	-	1	-	37	1	-	10	1	2	109	-	28	4
Nonwhite	127	-	-	-	1	-	16	-	-	2	-	-	13	-	3	-
Male....White	459	-	2	-	-	-	20	1	-	6	-	-	52	-	9	-
Nonwhite	68	-	-	-	-	-	6	-	-	-	-	-	8	-	1	-
Female....White	399	-	2	-	1	-	17	-	-	4	1	2	57	-	19	4
Nonwhite	59	-	-	-	1	-	10	-	-	2	-	-	5	-	2	-
Rural....White	6,900	-	9	2	6	1	292	6	-	64	9	9	776	3	163	10
Nonwhite	1,726	2	5	1	8	-	204	2	-	65	4	1	92	3	25	1
Male....White	3,883	-	5	1	4	1	187	5	-	52	6	6	361	1	51	2
Nonwhite	976	1	4	1	2	-	121	1	-	65	3	1	41	-	6	-
Female....White	3,017	-	4	1	2	-	105	1	-	12	3	3	395	2	112	8
Nonwhite	750	1	1	-	6	-	83	1	-	20	1	-	51	3	19	1
MASSACHUSETTS	51,688	-	80	13	15	11	1,698	7	6	290	21	17	7,806	37	1,561	45
Both sexes....White	50,710	-	76	13	14	10	1,594	7	6	249	21	17	7,515	37	1,536	45
Nonwhite	978	-	4	-	1	1	104	-	-	41	-	-	91	-	25	-
Male....White	26,604	-	39	5	8	6	1,089	4	5	187	9	13	3,505	19	511	9
Nonwhite	570	-	3	-	1	1	64	-	-	28	-	-	46	-	6	-
Female....White	24,106	-	37	8	6	4	505	3	1	62	12	4	4,010	18	1,025	36
Nonwhite	408	-	1	-	-	-	40	-	-	13	-	-	45	-	19	-
Urban....White	44,779	-	73	9	13	10	1,357	5	4	198	17	15	6,734	34	1,374	40
Nonwhite	875	-	4	-	1	1	84	-	-	35	-	-	82	-	21	-
Male....White	23,334	-	37	3	7	6	920	2	4	148	8	12	3,145	18	453	8
Nonwhite	504	-	3	-	1	1	51	-	-	22	-	-	41	-	4	-
Female....White	21,445	-	36	6	6	4	437	3	-	50	11	3	3,589	16	921	32
Nonwhite	371	-	1	-	-	-	33	-	-	13	-	-	41	-	17	-
Places of 100,000 or more....White	19,897	-	37	3	11	4	752	2	3	81	6	3	3,071	13	578	10
Nonwhite	700	-	2	-	1	1	70	-	-	25	-	-	69	-	16	-
Male....White	10,447	-	16	2	6	1	510	-	3	64	2	2	1,487	10	179	1
Nonwhite	398	-	1	-	1	1	41	-	-	13	-	-	35	-	4	-
Female....White	9,450	-	21	1	5	3	242	2	-	17	4	1	1,584	3	399	9
Nonwhite	302	-	1	-	-	-	29	-	-	12	-	-	34	-	12	-
Places of 25,000 to 100,000....White	13,325	-	17	2	1	3	328	1	1	54	7	7	2,013	12	440	18
Nonwhite	90	-	1	-	-	-	4	-	-	4	-	-	10	-	2	-
Male....White	6,867	-	7	1	1	2	226	-	1	37	2	5	913	5	160	4
Nonwhite	52	-	1	-	-	-	2	-	-	4	-	-	4	-	-	-
Female....White	6,458	-	10	1	-	1	102	1	-	17	5	2	1,100	7	280	14
Nonwhite	38	-	-	-	-	-	2	-	-	-	-	-	6	-	2	-
Places of 10,000 to 25,000....White	8,468	-	13	2	-	1	215	2	-	58	4	3	1,222	7	276	8
Nonwhite	48	-	-	-	-	-	7	-	-	5	-	-	2	-	2	-
Male....White	4,383	-	9	-	-	1	142	2	-	44	2	3	545	2	97	2
Nonwhite	28	-	-	-	-	-	5	-	-	4	-	-	2	-	-	-
Female....White	4,085	-	4	2	-	-	73	-	-	14	2	-	677	5	179	6
Nonwhite	20	-	-	-	-	-	2	-	-	1	-	-	-	-	2	-
Places of 2,500 to 10,000....White	3,089	-	6	2	1	2	62	-	-	5	-	2	428	2	80	4
Nonwhite	37	-	1	-	-	-	3	-	-	1	-	-	1	-	1	-
Male....White	1,637	-	5	-	-	2	42	-	-	3	-	2	200	1	17	1
Nonwhite	26	-	1	-	-	-	3	-	-	1	-	-	-	-	-	-
Female....White	1,452	-	1	2	1	-	20	-	-	2	-	-	228	1	63	3
Nonwhite	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Rural....White	5,931	-	3	4	1	-	237	2	2	51	4	2	781	3	162	5
Nonwhite	103	-	-	-	-	-	20	-	-	6	-	-	9	-	4	-
Male....White	3,270	-	2	2	1	-	169	2	1	39	3	1	360	1	58	1
Nonwhite	66	-	-	-	-	-	13	-	-	6	-	-	5	-	2	-
Female....White	2,661	-	1	2	-	-	68	-	1	12	1	1	421	2	104	4
Nonwhite	37	-	-	-	-	-	7	-	-	-	-	-	4	-	2	-
MICHIGAN	54,374	11	117	8	29	30	1,814	44	1	537	44	47	6,948	49	1,457	130
Both sexes....White	51,114	10	102	8	25	27	1,398	40	1	401	43	47	6,657	40	1,383	123
Nonwhite	3,260	1	15	-	4	3	416	4	-	136	1	-	291	9	74	7
Male....White	29,228	6	64	6	16	14	965	23	1	289	25	25	3,278	20	517	24
Nonwhite	1,724	-	8	-	1	1	232	3	-	99	1	-	128	3	23	1
Female....White	21,886	4	38	2	9	13	433	17	-	112	18	22	3,379	20	866	99
Nonwhite	1,536	1	7	-	3	2	184	1	-	37	-	-	163	6	51	6
Urban....White	31,360	7	74	-	18	17	917	15	1	225	19	29	4,267	30	918	80
Nonwhite	2,609	1	12	-	4	3	344	4	-	77	1	-	186	9	58	6
Male....White	17,548	4	50	-	13	8	643	8	1	156	15	19	2,026	13	322	17
Nonwhite	1,336	-	6	-	1	1	184	3	-	48	1	-	80	3	16	1
Female....White	13,812	3	24	-	5	9	274	7	-	69	4	10	2,241	17	596	63
Nonwhite	1,273	1	6	-	3	2	160	1	-	29	-	-	106	6	42	5
Places of 100,000 or more....White	15,283	4	51	-	7	11	606	8	-	103	3	21	2,209	15	486	41
Nonwhite	2,091	1	12	-	3	1	306	1	-	59	-	-	141	7	49	5
Male....White	8,649	3	35	-	6	6	429	3	-	73	2	15	1,079	6	166	8
Nonwhite	1,071	-	6	-	1	1	169	-	-	38	-	-	62	2	16	1
Female....White	6,634	1	16	-	1	5	177	5	-	30	1	6	1,130	9	320	33
Nonwhite	1,020	1	6	-	2	-	137	1	-	21	-	-	79	5	33	4
Places of 25,000 to 100,000....White	8,016	-	12	-	7	2	169	7	1	82	7	5	987	5	221	18
Nonwhite	308	-	-	-	1	1	21	2	-	14	-	-	30	1	5	1
Male....White	4,450	-	10	-	5	1	117	5	1	56	7	3	444	2	83	2
Nonwhite	166	-	-	-	-	-	8	2	-	7	-	-	14	1	-	-
Female....White	3,566	-	2	-	2	1	52	2	-	26	-	2	543	3	138	16
Nonwhite	142	-	-	-	1	1	15	-	-	7	-	-	18	-	5	1

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	1	65	243	27	5	5	3	6	63	3	58	7	-	14	33	5	69
-	-	15	57	13	-	3	-	1	19	2	18	-	2	2	13	2	17
-	1	34	148	18	5	4	3	5	34	...	33	3	-	11	22	1	45
-	-	5	25	8	-	2	-	1	12	...	9	-	2	2	11	1	9
-	-	31	95	9	-	1	-	1	29	3	25	4	-	3	11	2	26
-	-	10	32	5	-	1	-	-	7	2	9	-	-	-	2	1	8
-	1	68	231	34	7	6	1	2	93	4	57	13	1	18	32	6	87
-	1	8	19	8	1	5	-	1	19	1	4	-	3	5	6	-	11
-	1	34	139	18	6	4	-	2	45	...	36	9	1	14	18	3	39
-	1	4	12	3	1	3	-	1	11	...	-	-	3	5	2	-	7
-	-	34	92	16	1	2	1	-	48	4	21	4	-	4	14	3	48
-	-	4	7	5	-	2	-	-	8	1	4	-	-	-	4	-	4
-	10	573	2,135	338	25	74	27	47	639	19	389	81	18	144	356	29	686
-	4	152	356	126	7	36	3	3	166	8	110	2	26	38	71	14	171
-	8	270	1,258	187	23	34	12	35	345	...	204	62	14	118	256	17	358
-	4	79	211	68	4	19	-	-	88	...	54	2	21	33	51	9	87
-	2	303	877	151	2	40	15	12	294	19	165	19	4	28	120	12	308
-	-	73	145	58	3	17	3	3	78	8	56	-	5	5	20	5	84
5	128	4,731	18,860	2,779	365	192	227	500	2,489	140	1,942	442	59	556	2,197	149	4,740
5	124	4,654	18,392	2,705	363	186	225	495	2,439	131	1,894	440	51	529	2,142	148	4,647
-	4	77	288	74	2	6	2	5	50	9	48	2	8	7	55	1	93
4	109	1,983	10,027	1,498	291	93	126	331	1,204	...	1,060	305	31	418	1,281	74	2,360
-	3	39	158	44	2	5	1	3	30	...	23	1	8	5	40	1	58
1	15	2,671	8,365	1,207	72	93	99	164	1,235	131	834	135	20	111	861	74	2,287
-	1	38	110	30	-	1	1	2	20	9	25	1	-	2	15	-	35
4	117	4,127	16,305	2,342	325	165	192	452	2,137	121	1,700	373	46	451	1,871	126	4,044
-	4	72	240	68	2	6	2	5	46	9	45	2	6	5	49	1	85
3	103	1,751	8,833	1,292	256	82	107	300	1,045	...	948	261	27	357	1,118	61	2,021
-	3	38	140	40	2	5	1	3	27	...	22	1	6	3	37	1	52
1	14	2,376	7,472	1,050	67	83	85	152	1,092	121	752	112	19	94	753	65	2,023
-	1	34	100	28	-	1	1	2	19	9	23	1	-	2	12	-	33
-	93	1,670	7,129	1,098	160	97	88	250	839	46	777	153	28	212	845	29	1,809
-	4	60	189	55	2	5	2	3	41	5	38	2	4	5	35	1	65
-	81	670	3,806	598	130	48	49	176	403	...	428	101	17	175	558	15	931
-	3	30	114	30	2	4	1	2	24	...	20	1	4	3	24	1	39
-	12	1,000	3,323	500	30	49	39	74	436	46	349	52	11	37	307	16	878
-	1	30	75	25	-	1	1	1	17	5	18	1	-	2	11	-	26
1	15	1,285	4,898	668	98	42	57	122	669	48	472	111	12	122	571	50	1,180
-	-	6	27	8	-	1	-	2	4	1	4	-	1	-	4	-	11
1	13	579	2,679	366	73	20	34	80	326	...	256	79	8	98	317	27	549
-	-	4	11	8	-	1	-	1	2	...	2	-	1	-	4	-	7
-	2	706	2,219	302	25	22	23	42	343	48	216	32	4	26	254	23	631
-	-	2	18	-	-	-	-	1	2	1	2	-	-	-	-	-	4
3	5	854	3,185	454	49	22	31	49	413	18	299	78	3	73	338	38	787
-	-	3	11	1	-	-	-	-	1	3	1	-	-	-	6	-	6
2	5	362	1,749	240	38	13	16	25	210	...	186	57	2	54	186	17	392
-	-	2	6	-	-	-	-	-	1	...	-	-	-	-	5	-	3
1	-	492	1,436	194	11	9	15	24	203	18	133	21	1	19	152	19	375
-	-	1	5	1	-	-	-	-	-	3	1	-	-	-	1	-	3
-	4	318	1,093	142	16	4	16	31	216	9	152	31	3	44	117	11	288
-	-	3	13	4	-	-	-	-	-	-	2	-	1	-	4	-	3
-	4	140	599	88	15	1	8	19	106	...	98	24	-	32	77	4	149
-	-	2	9	2	-	-	-	-	-	...	-	-	1	-	4	-	5
-	-	178	494	54	1	3	8	12	110	9	54	7	3	12	40	7	139
-	-	1	4	2	-	-	-	-	-	-	2	-	-	-	-	-	-
1	7	527	2,087	363	40	21	33	43	302	10	194	67	5	78	271	22	803
-	-	5	28	6	-	-	-	-	4	-	3	-	2	2	6	-	8
1	6	232	1,194	206	35	11	19	31	159	...	112	44	4	61	163	13	539
-	-	1	18	4	-	-	-	-	3	...	1	-	2	2	3	-	6
-	1	295	893	157	5	10	14	12	143	10	82	23	1	17	108	9	264
-	-	4	10	2	-	-	-	-	1	-	2	-	-	-	3	-	2
8	33	5,057	16,999	2,852	336	384	294	457	2,709	195	3,038	522	177	1,087	2,306	924	5,754
7	32	4,881	16,236	2,828	318	349	257	440	2,542	163	2,831	510	89	1,041	2,199	902	5,386
1	1	176	763	226	18	35	37	17	167	30	205	12	88	46	107	22	348
2	28	2,457	9,966	1,585	272	186	168	270	1,380	...	1,597	382	65	802	1,449	488	2,899
1	1	74	394	157	14	22	18	13	67	...	96	11	62	32	73	15	174
5	4	2,444	6,270	1,061	46	163	89	170	1,162	163	1,234	128	26	239	750	413	2,487
-	-	102	369	69	4	13	19	4	100	30	109	1	26	14	34	7	174
4	24	2,815	10,041	1,466	230	229	172	316	1,535	117	1,908	314	74	580	1,240	477	3,201
1	1	127	613	183	14	31	36	13	154	30	196	9	83	38	82	21	272
1	21	1,318	6,054	878	203	119	115	195	806	...	1,063	230	57	455	794	245	1,699
1	1	45	305	132	10	19	17	11	61	...	90	8	58	28	59	14	135
3	3	1,497	3,987	588	27	110	57	121	729	117	845	84	17	125	446	232	1,502
-	-	82	308	51	4	12	19	2	93	30	106	1	25	12	23	7	157
1	8	1,228	5,024	715	130	115	89	197	681	57	877	150	47	267	526	144	1,481
1	1	105	488	136	11	26	31	9	127	22	157	8	71	23	59	12	219
-	8	571	3,052	437	116	65	59	114	348	...	488	111	40	213	341	75	781
1	1	35	235	101	9	16	16	9	45	...	74	7	49	19	44	7	107
1	-	658	1,972	278	15	50	30	83	333	57	389	39	7	54	185	69	680
-	-	70	253	35	2	10	15	-	82	22	83	1	22	4	15	5	112
2	10	739	2,520	417	62	60	44	63	400	32	507	81	21	158	318	175	884
-	-	9	72	31	1	4	3	3	17	5	22	1	4	8	11	5	36
1	8	340	1,527	243	52	30	30	41	202	...	292	82	14	124	192	93	463
-	-	3	47	22	-	3	1	1	9	...	10	1	3	4	7	4	21
1	2	399	993	174	10	30	14	22	198	32	215	19	7	34	126	82	421
-	-	6	25	9	1	1	2	2	8	5	12	-	1	4	4	1	15

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
MICHIGAN—Continued																
Places of 10,000 to 25,000....White	3,387	2	6	-	2	1	57	-	-	15	4	2	441	7	93	10
Nonwhite	129	-	-	-	-	-	11	1	-	2	1	-	9	1	3	-
Male....White	1,881	1	2	-	2	1	40	-	-	10	4	1	214	4	28	4
Nonwhite	54	-	-	-	-	-	5	1	-	1	1	-	3	-	-	-
Female....White	1,506	1	4	-	-	-	17	-	-	5	-	1	227	3	65	6
Nonwhite	75	-	-	-	-	-	6	-	-	1	-	-	6	1	3	-
Places of 2,500 to 10,000....White	4,674	1	5	-	2	3	85	-	-	25	5	1	630	3	118	11
Nonwhite	81	-	-	-	-	1	6	-	-	2	-	-	6	-	1	-
Male....White	2,568	-	3	-	-	-	57	-	-	17	2	-	289	1	45	3
Nonwhite	45	-	-	-	-	-	4	-	-	2	-	-	1	-	-	-
Female....White	2,106	1	2	-	2	3	28	-	-	8	3	1	341	2	73	8
Nonwhite	36	-	-	-	-	1	2	-	-	-	-	-	5	-	1	-
Rural....White	19,754	3	28	8	7	10	481	25	-	176	24	18	2,390	10	465	43
Nonwhite	651	-	3	-	-	-	72	-	-	59	-	-	105	-	16	1
Male....White	11,680	2	14	6	3	6	322	15	-	133	10	6	1,252	7	195	7
Nonwhite	388	-	2	-	-	-	48	-	-	51	-	-	48	-	7	-
Female....White	8,074	1	14	2	4	4	159	10	-	43	14	12	1,138	3	270	36
Nonwhite	263	-	1	-	-	-	24	-	-	8	-	-	57	-	9	1
MINNESOTA	26,455	-	42	18	19	17	693	4	2	143	62	37	3,755	28	729	66
Both sexes....White	26,103	-	42	18	18	15	641	3	2	132	58	36	3,727	28	720	64
Nonwhite	350	-	-	-	1	2	52	1	-	11	4	1	28	-	9	2
Male....White	15,041	-	24	8	10	8	396	1	2	103	33	21	1,926	12	282	7
Nonwhite	202	-	-	-	-	1	26	-	-	9	3	-	19	-	2	-
Female....White	11,062	-	18	10	8	7	245	2	-	29	25	15	1,801	16	438	57
Nonwhite	148	-	-	-	1	1	26	1	-	2	1	1	9	-	7	2
Urban....White	14,764	-	26	10	8	6	374	2	1	88	24	18	2,195	13	397	31
Nonwhite	161	-	-	-	-	-	14	-	-	10	-	-	18	-	3	1
Male....White	8,331	-	17	4	5	4	217	1	1	74	14	11	1,095	5	156	3
Nonwhite	105	-	-	-	-	-	9	-	-	8	-	-	13	-	-	-
Female....White	6,433	-	9	6	3	2	157	1	-	14	10	7	1,100	8	241	28
Nonwhite	56	-	-	-	-	-	5	-	-	2	-	-	5	-	3	1
Places of 100,000 or more....White	8,793	-	19	5	4	5	204	2	1	45	15	12	1,432	11	229	20
Nonwhite	140	-	-	-	-	-	12	-	-	6	-	-	15	-	3	1
Male....White	4,938	-	12	2	3	4	120	1	1	34	9	7	709	4	94	2
Nonwhite	91	-	-	-	-	-	8	-	-	4	-	-	10	-	-	-
Female....White	3,855	-	7	3	1	1	84	1	-	11	6	5	723	7	135	18
Nonwhite	49	-	-	-	-	-	4	-	-	2	-	-	5	-	3	1
Places of 25,000 to 100,000....White	418	-	-	-	-	-	7	-	-	4	-	-	62	-	2	-
Nonwhite	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Male....White	229	-	-	-	-	-	3	-	-	3	-	-	28	-	-	-
Nonwhite	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female....White	189	-	-	-	-	-	4	-	-	1	-	-	34	-	2	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000....White	1,852	-	4	3	1	1	60	-	-	11	2	1	220	2	54	4
Nonwhite	5	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Male....White	1,044	-	2	1	-	-	40	-	-	11	1	1	108	1	16	-
Nonwhite	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Female....White	808	-	2	2	1	1	20	-	-	-	1	-	112	1	38	4
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000....White	3,701	-	3	2	3	-	103	-	-	28	7	5	481	-	112	7
Nonwhite	14	-	-	-	-	-	1	-	-	3	-	-	2	-	-	-
Male....White	2,120	-	3	1	2	-	54	-	-	26	4	3	250	-	46	1
Nonwhite	8	-	-	-	-	-	-	-	-	3	-	-	2	-	-	-
Female....White	1,581	-	-	1	1	-	49	-	-	2	3	2	231	-	66	6
Nonwhite	6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Rural....White	11,339	-	16	8	10	9	267	1	1	44	34	18	1,532	15	323	33
Nonwhite	189	-	-	-	1	2	38	1	-	1	4	1	10	-	6	1
Male....White	6,710	-	7	4	5	4	179	-	1	29	19	10	831	7	126	4
Nonwhite	97	-	-	-	-	1	17	-	-	1	3	-	6	-	2	-
Female....White	4,629	-	9	4	5	5	88	1	-	15	15	8	701	8	197	29
Nonwhite	92	-	-	-	1	1	21	1	-	-	1	1	4	-	4	1
MISSISSIPPI	20,866	14	23	4	94	34	831	76	63	319	24	8	1,614	21	297	30
Both sexes....White	9,236	4	10	3	21	17	246	22	13	46	16	5	936	7	153	10
Nonwhite	11,430	10	13	1	73	17	585	54	50	273	8	3	678	14	144	20
Male....White	5,386	3	6	2	11	7	156	8	6	40	10	3	434	3	71	1
Nonwhite	5,848	7	7	-	32	8	281	37	27	172	5	3	266	6	61	2
Female....White	3,870	1	4	1	10	10	90	14	7	6	6	2	502	4	82	9
Nonwhite	5,582	3	6	1	41	9	304	17	23	101	3	-	412	8	83	18
Urban....White	2,966	1	4	2	2	3	61	6	3	21	1	1	339	1	47	3
Nonwhite	2,643	-	9	-	9	2	127	10	12	55	-	2	185	5	34	10
Male....White	1,656	1	3	2	1	1	43	4	-	19	1	1	141	-	20	1
Nonwhite	1,270	-	6	-	3	2	59	7	5	26	-	2	67	4	14	-
Female....White	1,310	-	1	-	1	2	18	2	3	2	-	-	198	1	27	2
Nonwhite	1,373	-	3	-	6	-	68	3	7	29	-	-	118	1	20	10
Places of 25,000 to 100,000....White	671	-	1	-	-	-	26	2	-	2	-	-	67	-	9	-
Nonwhite	531	-	-	-	2	-	27	1	4	7	-	-	40	2	10	4
Male....White	364	-	-	-	-	-	17	1	-	2	-	-	24	-	5	-
Nonwhite	252	-	-	-	-	-	13	1	1	3	-	-	13	1	6	-
Female....White	307	-	1	-	-	-	9	1	-	-	-	-	43	-	4	-
Nonwhite	279	-	-	-	2	-	14	-	3	4	-	-	27	1	4	4
Places of 10,000 to 25,000....White	1,153	1	-	1	1	2	24	2	1	12	1	1	139	-	25	-
Nonwhite	1,133	-	6	-	6	1	55	4	4	28	-	1	86	-	10	4
Male....White	677	1	-	1	-	-	18	2	-	12	1	1	71	-	7	-
Nonwhite	544	-	5	-	2	1	25	3	2	15	-	1	35	-	3	-
Female....White	476	-	-	-	1	2	6	-	1	-	-	-	68	-	16	-
Nonwhite	589	-	1	-	4	-	30	1	2	13	-	-	51	-	7	4

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 165, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
1	4	376	1,017	145	19	28	15	21	174	9	246	43	3	65	194	70	317
-	-	7	30	8	2	1	2	1	5	3	13	-	4	3	10	-	12
-	4	181	591	85	17	15	12	14	94	...	129	30	2	51	131	37	177
-	-	3	8	6	1	-	-	1	3	...	5	-	4	2	7	-	3
1	-	195	426	60	2	13	3	7	80	9	117	13	1	14	63	33	140
-	-	4	22	2	1	1	2	-	2	3	8	-	-	1	3	-	9
-	2	471	1,480	189	19	28	24	35	280	19	278	40	3	90	202	88	539
-	-	6	23	8	-	-	-	-	5	-	4	-	4	4	2	4	5
-	1	226	884	113	19	9	14	26	162	...	154	27	1	67	130	40	278
-	-	4	15	3	-	-	-	-	4	...	1	-	2	1	1	3	4
-	1	245	596	76	-	17	10	9	118	19	124	13	2	23	72	48	261
-	-	2	8	5	-	-	-	-	1	-	3	-	2	3	1	1	1
3	8	2,086	6,195	1,160	88	120	85	124	1,007	46	923	196	15	461	959	425	2,165
-	-	49	150	43	4	4	1	4	13	-	9	3	5	8	25	1	76
1	7	1,119	3,912	687	69	67	53	75	574	...	534	152	6	347	655	244	1,200
-	-	29	89	25	4	3	1	2	8	...	6	3	4	6	14	1	39
2	1	947	2,283	473	19	53	32	49	433	48	389	44	9	114	304	181	985
-	-	20	61	18	-	1	-	2	7	-	3	-	1	2	11	-	37
1	26	2,779	8,071	1,694	190	125	139	165	988	77	1,293	273	36	392	1,372	260	2,979
1	26	2,763	8,002	1,648	186	116	136	164	955	72	1,285	270	32	388	1,352	247	2,956
-	-	16	69	46	4	7	3	1	13	5	8	3	4	4	20	13	23
1	23	1,376	4,884	988	145	72	83	98	542	...	746	204	26	300	864	138	1,718
-	-	5	37	30	4	5	2	-	9	...	6	-	2	4	15	6	17
-	3	1,387	3,118	660	41	44	53	66	413	72	539	66	6	88	488	109	1,238
-	-	11	32	16	-	2	1	1	4	5	2	3	2	-	5	7	6
-	14	1,515	4,643	949	102	62	57	116	494	35	782	152	19	197	704	107	1,623
-	5	48	16	3	-	1	2	1	10	3	3	1	1	2	4	1	12
-	11	719	2,812	570	74	37	41	72	262	...	448	104	14	149	426	54	951
-	3	25	14	3	1	2	-	6	...	2	-	1	2	3	1	12
-	3	796	1,831	379	28	25	16	44	232	35	334	48	5	48	278	53	692
-	-	2	23	4	-	-	-	1	4	3	1	1	-	-	1	-	-
-	10	883	2,859	508	69	32	37	71	265	21	411	94	15	126	440	40	910
-	5	43	17	3	1	2	1	9	1	1	3	1	1	2	4	1	9
-	9	413	1,727	300	47	18	24	46	146	...	238	63	12	94	266	17	516
-	-	3	24	13	3	1	2	-	5	...	2	-	1	2	3	1	9
-	1	470	1,132	206	22	14	13	25	119	21	173	31	3	32	174	23	394
-	-	2	19	4	-	-	-	1	4	1	1	1	-	-	1	-	-
-	-	43	102	85	3	3	1	2	5	-	12	-	-	1	15	2	69
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	23	68	47	3	1	1	-	4	...	7	-	-	-	7	-	34
-	-	-	-	1	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	20	34	38	-	2	-	2	1	-	5	-	-	1	8	2	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	202	463	147	11	11	8	18	82	5	122	24	3	24	90	21	256
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	94	280	92	8	7	6	9	25	...	70	16	1	18	62	14	161
-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	2
-	2	108	203	55	3	4	2	9	37	5	52	8	2	6	28	7	95
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	387	1,199	211	19	16	11	25	162	9	237	34	1	46	159	44	388
-	-	-	4	-	-	-	-	-	1	2	-	-	-	-	-	-	1
-	2	189	737	131	16	11	10	17	87	...	133	25	1	37	91	23	220
-	-	-	1	-	-	-	-	-	1	...	-	-	-	-	-	-	1
-	-	198	462	80	3	5	1	8	75	9	104	9	-	9	68	21	168
-	-	-	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-
1	12	1,248	3,359	699	84	54	79	48	461	37	503	118	13	191	648	140	1,333
-	-	11	21	28	1	6	1	-	3	2	5	2	3	2	16	12	11
1	12	657	2,072	418	71	35	42	26	280	...	298	100	12	151	436	84	787
-	-	2	12	16	1	4	-	-	3	...	4	-	1	2	12	5	5
-	-	591	1,287	281	13	19	37	22	181	37	205	18	1	40	210	56	546
-	-	9	9	12	-	2	1	-	-	2	1	2	2	-	4	7	6
66	17	1,814	3,574	1,414	80	255	157	93	1,896	219	1,040	101	296	338	1,032	3,080	1,742
30	15	861	2,052	615	49	89	56	49	758	71	658	91	51	220	539	605	918
36	2	953	1,522	799	31	166	101	44	1,138	148	382	10	245	113	493	2,475	824
11	15	439	1,281	333	38	52	35	35	417	...	377	67	44	185	395	375	506
9	1	423	760	424	23	87	51	26	616	...	197	10	203	101	336	1,270	397
19	-	422	771	282	11	37	21	14	341	71	281	24	7	35	144	230	412
27	1	530	762	375	8	79	50	18	522	148	185	-	42	17	157	1,205	427
5	5	289	714	152	10	28	19	19	244	20	308	27	15	65	122	122	327
10	1	283	431	194	10	35	31	12	281	36	101	-	71	28	111	326	242
2	5	130	433	89	6	17	13	15	127	...	184	15	13	53	75	66	175
-	-	104	199	98	8	16	14	7	145	...	56	-	56	25	72	172	103
3	-	139	281	63	4	11	6	4	117	20	124	12	2	12	47	56	152
10	1	159	232	96	2	19	17	5	136	36	45	-	15	3	39	154	139
2	2	65	165	25	3	3	-	4	48	3	64	8	3	23	29	35	82
3	-	41	75	49	1	4	8	1	69	6	21	-	20	3	23	62	50
2	2	33	93	9	1	-	-	4	32	...	36	6	3	14	16	19	45
-	-	16	38	29	1	2	5	1	36	...	9	-	18	3	10	29	17
-	-	32	72	16	2	3	-	-	16	3	28	2	-	9	13	16	37
3	-	25	35	20	-	2	3	-	33	8	12	-	2	-	13	33	33
-	2	95	274	52	1	13	10	8	98	8	130	13	4	17	43	49	128
3	-	116	212	83	4	15	7	6	109	16	37	-	23	9	50	144	94
-	2	40	172	35	1	9	8	7	48	...	82	8	3	16	30	31	71
-	-	44	96	38	2	7	2	2	58	...	18	-	18	8	36	80	43
-	-	55	102	17	-	4	2	1	50	8	48	5	1	1	13	18	57
3	-	72	118	45	2	8	5	4	51	16	19	-	5	1	14	64	51

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
MISSISSIPPI—Continued																
Places of 2,500 to 10,000....White	1,142	-	3	1	1	1	11	2	2	7	-	-	133	1	15	3
Nonwhite	979	-	3	-	1	1	45	5	4	20	-	1	59	3	14	2
Male....White	615	-	3	1	1	1	8	1	-	5	-	-	48	-	8	1
Nonwhite	474	-	1	-	1	1	21	3	2	8	-	1	19	3	5	-
Female....White	527	-	-	-	-	-	3	1	2	2	-	-	87	1	7	2
Nonwhite	505	-	2	-	-	-	24	2	2	12	-	-	40	-	9	2
Rural....White	8,270	3	8	1	19	14	185	16	10	25	15	4	597	6	106	7
Nonwhite	8,787	10	4	1	64	15	458	44	38	218	8	1	495	9	110	10
Male....White	3,710	2	3	-	10	6	113	4	6	21	9	2	295	3	51	-
Nonwhite	4,578	7	1	-	29	6	222	30	22	146	5	1	199	2	47	2
Female....White	2,560	1	3	1	9	8	72	12	4	4	6	2	304	3	55	7
Nonwhite	4,209	3	3	1	35	9	236	14	16	72	3	-	294	7	83	8
MISSOURI	42,248	27	82	13	56	29	1,487	46	15	481	65	13	5,281	38	904	88
Both sexes....White	38,157	25	68	13	49	25	1,166	38	12	340	61	13	4,928	33	848	81
Nonwhite	4,091	1	14	-	7	4	321	8	3	141	4	-	353	5	56	7
Male....White	21,226	18	40	6	20	15	765	23	7	251	33	6	2,401	18	359	13
Nonwhite	2,179	-	9	-	5	4	184	5	1	108	1	-	148	2	13	2
Female....White	16,931	8	28	7	29	10	401	15	5	89	28	7	2,527	15	489	68
Nonwhite	1,912	1	5	-	2	-	137	3	2	33	3	-	195	3	43	5
Urban....White	21,931	9	47	6	12	15	636	10	3	229	27	5	3,008	16	535	46
Nonwhite	3,413	-	11	-	5	2	264	4	-	129	2	-	285	4	48	8
Male....White	11,997	7	25	3	3	11	439	4	2	171	12	2	1,463	8	218	9
Nonwhite	1,781	-	7	-	3	2	148	2	-	99	1	-	130	2	9	2
Female....White	9,934	2	22	3	9	4	197	6	1	58	15	3	1,545	6	317	37
Nonwhite	1,632	-	4	-	2	-	116	2	-	30	1	-	155	2	39	4
Places of 100,000 or more....White	12,819	2	31	2	4	5	363	4	1	126	13	2	1,854	9	337	25
Nonwhite	2,630	-	9	-	-	2	217	2	-	88	1	-	220	4	42	2
Male....White	7,074	2	16	-	-	5	269	2	-	97	7	1	922	5	132	6
Nonwhite	1,336	-	6	-	-	2	119	1	-	64	1	-	102	2	9	1
Female....White	5,745	-	15	2	4	-	94	2	1	29	6	1	932	4	205	19
Nonwhite	1,294	-	3	-	-	-	98	1	-	24	-	-	118	2	33	1
Places of 25,000 to 100,000....White	2,545	1	4	1	2	4	66	-	-	46	1	-	344	3	54	5
Nonwhite	125	-	-	-	-	-	5	-	-	13	-	-	14	-	1	-
Male....White	1,388	1	2	1	1	3	44	-	-	33	-	-	155	2	22	2
Nonwhite	69	-	-	-	-	-	4	-	-	11	-	-	7	-	-	-
Female....White	1,159	-	2	-	1	1	22	-	-	13	1	-	189	1	32	3
Nonwhite	56	-	-	-	-	-	1	-	-	2	-	-	7	-	1	-
Places of 10,000 to 25,000....White	2,701	1	3	1	1	1	68	1	-	29	5	2	356	2	73	5
Nonwhite	307	-	2	-	3	-	18	1	-	7	-	-	20	-	4	1
Male....White	1,460	1	1	1	-	-	46	-	-	22	2	1	166	-	40	1
Nonwhite	149	-	1	-	1	-	12	-	-	6	-	-	8	-	-	-
Female....White	1,241	-	2	-	1	1	22	1	-	7	3	1	190	2	33	4
Nonwhite	158	-	1	-	2	-	8	1	-	1	-	-	12	-	4	1
Places of 2,500 to 10,000....White	3,866	5	9	2	5	5	139	5	2	28	8	1	454	2	71	11
Nonwhite	351	-	-	-	2	-	24	1	-	21	1	-	51	-	1	3
Male....White	2,077	3	6	1	2	3	80	2	2	19	3	-	220	1	24	-
Nonwhite	187	-	-	-	2	-	15	1	-	18	-	-	13	-	-	1
Female....White	1,789	2	3	1	3	2	59	3	-	9	5	1	234	1	47	11
Nonwhite	164	-	-	-	-	-	11	-	-	3	1	-	18	-	1	2
Rural....White	16,226	17	21	7	37	10	530	28	9	111	34	8	1,920	17	313	35
Nonwhite	878	1	3	-	2	2	57	4	3	12	2	-	48	1	8	1
Male....White	9,229	11	15	3	17	4	326	19	5	80	21	4	938	10	141	4
Nonwhite	388	-	2	-	2	2	36	3	1	9	-	-	18	-	4	-
Female....White	6,997	6	6	4	20	6	204	9	4	31	13	4	982	7	172	31
Nonwhite	290	1	1	-	-	-	21	1	2	3	2	-	30	1	4	1
MONTANA	5,662	1	3	2	10	6	175	3	-	72	13	6	681	7	126	11
Both sexes....White	5,331	1	3	2	4	5	123	1	-	62	7	6	668	7	125	11
Nonwhite	331	-	-	-	6	1	52	2	-	10	6	-	13	-	1	-
Male....White	3,338	-	3	2	2	2	100	1	-	51	4	3	380	4	59	3
Nonwhite	171	-	-	-	3	1	21	-	-	8	2	-	7	-	1	-
Female....White	1,995	1	-	-	2	3	23	-	-	11	3	3	308	3	66	8
Nonwhite	160	-	-	-	3	-	31	2	-	2	4	-	6	-	-	-
Urban....White	2,809	1	1	1	1	3	69	-	-	35	-	5	359	3	75	4
Nonwhite	25	-	-	-	-	-	3	-	-	3	-	-	4	-	-	-
Male....White	1,690	-	1	1	-	-	54	-	-	29	-	2	178	1	37	-
Nonwhite	16	-	-	-	-	-	2	-	-	3	-	-	3	-	-	-
Female....White	1,119	1	-	-	1	3	15	-	-	6	-	3	181	2	38	4
Nonwhite	9	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Places of 25,000 to 100,000....White	905	-	-	-	-	-	50	-	-	16	-	-	119	-	21	-
Nonwhite	7	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
Male....White	549	-	-	-	-	-	43	-	-	12	-	-	51	-	7	-
Nonwhite	5	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
Female....White	356	-	-	-	-	-	7	-	-	3	-	-	68	-	14	-
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000....White	945	1	1	-	1	2	10	-	-	8	-	4	127	2	28	1
Nonwhite	10	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Male....White	566	-	1	-	-	-	7	-	-	7	-	2	72	1	14	-
Nonwhite	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female....White	379	1	-	-	1	2	3	-	-	1	-	2	55	1	12	1
Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Places of 2,500 to 10,000....White	959	-	-	1	-	1	9	-	-	12	-	1	113	1	28	3
Nonwhite	8	-	-	-	-	-	2	-	-	1	-	-	2	-	-	-
Male....White	575	-	-	1	-	-	4	-	-	10	-	-	55	-	16	-
Nonwhite	5	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-
Female....White	384	-	-	-	-	1	5	-	-	2	-	1	58	1	12	3
Nonwhite	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
3	1	109	275	75	6	12	9	7	98	9	114	6	8	25	50	38	117
4	1	106	146	62	5	18	16	5	103	14	43	-	28	16	38	120	98
-	1	57	138	45	4	8	5	4	47	...	66	1	7	23	29	16	59
-	-	44	65	31	5	7	7	4	51	...	29	-	20	14	26	63	43
3	-	52	107	30	2	4	4	3	51	9	48	5	1	2	21	22	58
4	1	62	81	31	-	9	9	1	52	14	14	-	8	2	12	57	55
25	10	592	1,338	463	39	61	37	30	514	51	350	64	36	155	417	483	591
26	1	690	1,091	605	21	131	70	32	857	112	281	10	174	90	382	2,149	582
9	10	309	348	244	32	35	22	20	290	...	193	52	31	132	320	309	331
9	1	319	561	326	15	71	37	19	471	...	141	10	147	76	264	1,098	294
16	-	283	490	219	7	26	15	10	224	51	157	12	5	23	97	174	260
17	-	371	530	279	6	60	33	13	386	112	140	-	27	14	118	1,051	288
13	34	3,929	12,573	3,049	247	299	264	425	3,478	152	1,610	380	148	597	1,895	395	4,155
10	31	3,562	11,506	2,636	228	270	240	403	3,132	124	1,434	366	70	568	1,764	368	3,744
3	3	367	1,087	413	19	29	24	22	346	28	176	14	78	29	131	27	411
6	31	1,776	6,716	1,408	182	153	130	275	1,683	...	812	260	52	431	1,082	197	2,059
2	2	165	548	222	13	13	10	13	186	...	96	8	64	26	90	12	227
4	-	1,786	4,790	1,230	46	117	110	128	1,449	124	622	106	18	137	682	171	1,685
1	1	202	519	191	6	16	14	9	160	28	80	6	14	3	41	15	184
3	18	1,873	6,894	1,373	145	136	125	291	1,733	59	800	204	50	308	990	138	2,187
1	3	311	890	337	19	18	19	20	280	21	153	12	65	24	107	14	359
2	18	880	3,958	760	118	76	68	203	889	...	447	130	39	235	580	75	1,142
1	2	139	447	175	13	9	8	12	142	...	82	6	52	21	73	5	199
1	-	993	2,936	613	27	60	57	88	844	59	353	74	11	73	410	63	1,045
-	1	172	443	162	8	9	11	8	138	21	71	6	13	3	34	9	160
2	7	994	4,154	754	82	68	70	210	990	29	436	125	23	188	592	50	1,267
-	1	230	699	270	17	8	16	17	191	16	117	9	57	16	85	7	287
1	7	453	2,398	436	70	36	42	148	500	...	236	78	17	145	346	31	666
-	1	98	354	146	11	5	7	10	95	...	65	3	46	15	58	4	181
1	-	541	1,756	318	12	32	28	62	490	29	200	47	6	43	246	19	601
-	-	132	345	124	6	3	9	7	96	16	52	6	11	1	27	3	126
-	4	251	748	192	18	17	11	22	181	7	104	26	7	38	95	16	277
1	-	11	27	14	-	-	-	-	14	-	3	1	3	1	4	1	12
-	4	127	437	100	17	8	4	12	89	...	56	18	7	27	61	3	150
1	-	8	9	6	-	-	-	-	10	...	-	1	2	1	4	-	5
-	-	124	311	92	1	9	7	10	92	7	48	8	-	11	34	13	127
-	-	3	18	8	-	-	-	-	4	-	3	-	1	-	-	1	7
-	3	250	871	149	20	16	20	24	225	9	100	26	7	31	141	17	244
-	2	34	84	21	1	3	-	1	36	2	22	1	2	4	10	1	27
-	3	110	498	74	13	10	12	14	118	...	64	13	7	24	81	8	130
-	1	15	39	9	1	1	-	-	18	...	12	1	2	2	6	-	14
-	-	140	373	75	7	6	8	10	107	9	36	13	-	7	60	9	114
-	1	19	45	12	-	2	-	1	18	2	10	-	-	2	4	1	13
1	4	378	1,121	278	25	35	24	35	337	14	160	27	13	51	162	55	399
-	-	36	80	32	1	7	3	2	39	3	11	1	3	3	8	5	33
1	4	190	625	150	18	22	10	29	182	...	91	21	8	39	92	33	196
-	-	18	45	14	1	3	1	2	19	...	5	1	2	3	5	1	19
-	-	188	496	128	7	13	14	6	155	14	69	6	5	12	70	22	203
-	-	18	35	18	-	4	2	-	20	3	6	-	1	-	3	4	14
7	13	1,689	4,612	1,263	83	134	115	112	1,399	65	634	162	20	260	774	230	1,557
2	-	58	177	76	-	11	5	2	66	7	23	2	13	5	24	13	52
4	13	896	2,758	646	64	77	62	72	794	...	365	130	13	196	502	122	917
1	-	26	101	47	-	4	2	1	44	...	14	2	12	5	17	7	28
3	-	793	1,854	617	19	57	53	40	605	65	269	32	7	64	272	108	640
1	-	30	76	29	-	7	3	1	22	7	9	-	1	-	7	6	24
-	7	539	1,660	300	38	35	35	27	292	16	235	53	13	106	388	209	593
-	7	526	1,628	251	37	22	34	25	283	15	219	51	12	103	367	161	565
-	-	13	32	49	1	13	1	2	9	1	16	2	1	3	21	48	28
-	6	293	1,078	159	32	13	22	16	184	...	126	40	9	75	251	109	329
-	-	8	24	21	-	9	-	1	5	...	10	1	1	-	12	23	13
-	1	233	550	92	5	9	12	9	99	15	93	11	3	28	118	52	236
-	-	5	8	28	1	4	1	1	4	1	6	1	-	3	9	25	15
-	3	258	922	139	15	9	13	15	156	9	138	17	5	41	167	64	281
-	-	2	7	2	-	1	-	1	1	-	-	-	-	-	1	-	-
-	2	140	583	84	13	7	9	11	99	...	76	11	3	29	110	42	188
-	1	4	1	-	1	-	-	-	-	...	-	-	-	-	1	-	-
-	1	118	339	55	2	2	4	4	57	9	62	6	2	12	57	22	113
-	-	1	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-
-	1	80	283	45	2	6	3	6	60	2	37	6	2	12	48	14	93
-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
-	1	41	174	34	1	6	3	5	43	...	18	4	-	9	33	10	54
-	-	-	-	1	-	1	-	-	-	...	-	-	-	-	-	-	-
-	-	39	109	11	1	-	-	1	17	2	19	2	2	3	15	4	39
-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	1	78	331	48	8	2	5	7	41	4	42	9	1	15	56	25	91
-	1	5	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	42	200	29	8	1	4	5	26	...	21	7	1	8	34	14	62
-	1	3	-	-	-	-	-	-	-	...	-	-	-	-	1	-	-
-	1	36	131	19	-	1	1	2	15	4	21	2	-	7	22	9	29
-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	100	308	48	5	1	5	2	55	3	59	2	2	14	63	27	97
-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	57	209	21	4	-	2	1	30	...	37	-	2	12	43	18	52
-	-	-	1	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	43	99	25	1	1	3	1	25	3	22	2	-	2	20	9	45
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13–22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45–55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 65b
MONTANA—Continued																
Rural																
White	2,522	-	2	1	3	2	54	1	-	27	7	1	309	4	50	7
Nonwhite	308	-	-	-	6	1	49	2	-	7	6	-	9	-	1	-
Male																
White	1,646	-	2	1	2	2	46	1	-	22	4	1	182	3	22	3
Nonwhite	155	-	-	-	3	1	19	-	-	5	2	-	4	-	1	-
Female																
White	876	-	-	-	1	-	8	-	-	5	3	-	127	1	28	4
Nonwhite	151	-	-	-	3	-	30	2	-	2	4	-	5	-	-	-
NEBRASKA	12,583	3	15	11	19	9	211	3	1	88	11	10	1,663	12	332	33
Both sexes																
White	12,290	3	14	11	18	9	174	2	1	78	11	10	1,642	12	325	33
Nonwhite	293	-	1	-	1	-	37	1	-	12	-	-	21	-	7	-
Male																
White	7,008	1	7	5	8	5	110	1	1	62	7	3	782	9	133	7
Nonwhite	162	-	1	-	1	-	21	1	-	8	-	-	11	-	3	-
Female																
White	5,282	2	7	6	10	4	84	1	-	14	4	7	860	3	192	26
Nonwhite	131	-	-	-	-	-	16	-	-	4	-	-	10	-	4	-
Urban																
White	5,854	2	7	3	6	3	101	1	-	44	3	3	750	5	136	17
Nonwhite	220	-	-	-	-	-	25	-	-	8	-	-	16	-	5	-
Male																
White	3,183	1	5	1	3	1	68	1	-	36	3	1	373	5	45	4
Nonwhite	117	-	-	-	-	-	15	-	-	5	-	-	8	-	1	-
Female																
White	2,471	1	2	2	3	2	33	-	-	8	-	2	377	-	91	13
Nonwhite	103	-	-	-	-	-	8	-	-	3	-	-	8	-	4	-
Places of 100,000 or more																
White	2,318	1	3	2	1	2	65	1	-	25	2	-	315	1	62	5
Nonwhite	186	-	-	-	-	-	19	-	-	7	-	-	12	-	5	-
Male																
White	1,282	1	2	1	-	1	49	1	-	20	2	-	152	1	11	3
Nonwhite	101	-	-	-	-	-	14	-	-	4	-	-	6	-	1	-
Female																
White	1,036	-	1	1	1	1	16	-	-	5	-	-	163	-	51	2
Nonwhite	85	-	-	-	-	-	5	-	-	3	-	-	6	-	4	-
Places of 25,000 to 100,000																
White	850	-	2	-	2	-	7	-	-	3	-	-	103	2	14	4
Nonwhite	15	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-
Male																
White	462	-	2	-	1	-	5	-	-	3	-	-	49	2	6	1
Nonwhite	8	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Female																
White	388	-	-	-	1	-	2	-	-	-	-	-	54	-	8	3
Nonwhite	7	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000																
White	1,075	1	2	-	1	1	9	-	-	8	-	1	150	2	24	3
Nonwhite	10	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-
Male																
White	627	-	1	-	1	-	5	-	-	8	-	1	81	2	10	-
Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Female																
White	448	1	1	-	-	1	4	-	-	-	-	-	69	-	14	3
Nonwhite	5	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Places of 2,500 to 10,000																
White	1,411	-	-	1	2	-	20	-	-	8	1	2	182	-	36	5
Nonwhite	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Male																
White	812	-	-	-	1	-	9	-	-	5	1	-	91	-	18	-
Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female																
White	599	-	-	1	1	-	11	-	-	3	-	2	91	-	18	5
Nonwhite	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Rural																
White	6,638	1	7	8	12	6	73	1	1	32	8	7	892	7	189	16
Nonwhite	73	-	1	-	1	-	14	1	-	4	-	-	5	-	2	-
Male																
White	3,825	-	2	4	5	4	42	-	1	26	4	2	409	4	88	3
Nonwhite	45	-	1	-	1	-	6	1	-	3	-	-	3	-	2	-
Female																
White	2,811	1	5	4	7	2	31	1	-	6	4	5	483	3	101	13
Nonwhite	28	-	-	-	-	-	8	-	-	1	-	-	2	-	-	-
NEVADA	1,647	1	1	1	1	1	76	6	-	23	2	-	158	1	20	5
Both sexes																
White	1,514	1	1	1	1	1	56	4	-	17	2	-	153	1	20	4
Nonwhite	135	-	-	-	-	-	20	2	-	6	-	-	5	-	-	1
Male																
White	1,109	1	-	-	1	1	50	1	-	15	-	-	86	1	11	-
Nonwhite	74	-	-	-	-	-	11	1	-	4	-	-	4	-	-	-
Female																
White	405	-	1	1	-	-	6	3	-	2	2	-	67	-	9	4
Nonwhite	59	-	-	-	-	-	9	1	-	2	-	-	1	-	-	1
Urban																
White	604	-	-	-	1	-	20	1	-	7	1	-	82	-	10	1
Nonwhite	38	-	-	-	-	-	4	-	-	4	-	-	2	-	-	-
Male																
White	402	-	-	-	1	-	18	-	-	5	-	-	45	-	5	-
Nonwhite	24	-	-	-	-	-	4	-	-	2	-	-	1	-	-	-
Female																
White	202	-	-	-	-	-	2	1	-	2	1	-	37	-	5	1
Nonwhite	14	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
Places of 10,000 to 25,000																
White	264	-	-	-	1	-	8	1	-	3	1	-	37	-	5	1
Nonwhite	9	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Male																
White	182	-	-	-	1	-	8	-	-	3	-	-	19	-	3	-
Nonwhite	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female																
White	82	-	-	-	-	-	-	1	-	-	1	-	18	-	2	1
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Places of 2,500 to 10,000																
White	340	-	-	-	-	-	14	-	-	4	-	-	45	-	5	-
Nonwhite	29	-	-	-	-	-	4	-	-	3	-	-	1	-	-	-
Male																
White	220	-	-	-	-	-	12	-	-	2	-	-	26	-	2	-
Nonwhite	17	-	-	-	-	-	4	-	-	1	-	-	1	-	-	-
Female																
White	120	-	-	-	-	-	2	-	-	2	-	-	19	-	3	-
Nonwhite	12	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Rural																
White	910	1	1	1	-	1	36	3	-	10	1	-	71	1	10	3
Nonwhite	95	-	-	-	-	-	16	2	-	2	-	-	3	-	-	1
Male																
White	707	1	-	-	-	1	32	1	-	10	-	-	41	1	6	-
Nonwhite	50	-	-	-	-	-	7	1	-	2	-	-	3	-	-	-
Female																
White	205	-	1	1	-	-	4	2	-	-	1	-	30	-	4	3
Nonwhite	45	-	-	-	-	-	9	1	-	-	-	-	-	-	-	1

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	4	268	706	112	22	13	21	10	127	6	81	34	7	62	200	97	284
-	-	11	25	47	1	12	1	1	8	1	15	2	1	3	20	48	28
-	4	153	495	75	19	6	13	5	85	...	50	29	6	46	141	67	161
-	-	7	20	20	-	8	-	1	5	...	10	1	1	-	11	23	13
-	-	115	211	37	3	7	8	5	42	6	31	5	1	16	59	30	123
-	-	4	5	27	1	4	1	-	3	1	6	1	-	3	9	25	15
1	19	1,314	3,603	724	89	60	73	104	350	43	612	133	16	177	712	248	1,384
1	18	1,288	3,537	694	88	58	73	103	338	43	598	132	7	175	696	245	1,355
-	1	26	66	30	1	2	-	1	12	-	14	1	9	2	16	3	29
-	18	665	2,193	399	68	30	40	59	486	...	345	97	6	134	451	123	743
-	1	10	37	14	1	2	-	1	7	...	9	1	8	2	10	2	11
1	-	623	1,344	295	20	28	33	34	352	43	253	35	1	41	245	122	612
-	-	16	29	16	-	-	-	-	5	-	5	-	1	-	6	1	18
-	12	570	1,762	297	45	24	31	57	389	15	286	51	5	72	288	85	584
-	1	23	54	22	1	1	-	1	9	-	9	1	9	1	9	3	24
-	12	283	1,084	174	33	15	17	36	227	...	162	34	4	53	168	38	296
-	1	8	31	9	1	1	-	1	5	...	6	1	8	1	4	2	9
-	-	287	678	123	12	9	14	21	162	15	124	17	1	19	120	47	288
-	-	15	23	13	-	-	-	-	4	-	3	-	1	-	5	1	15
-	6	206	759	115	20	8	12	28	135	4	102	18	3	26	118	29	244
-	1	21	45	19	1	1	-	1	8	-	6	1	8	1	9	1	20
-	5	103	453	70	14	7	5	21	79	...	53	10	2	22	73	12	108
-	1	8	26	8	1	1	-	1	4	...	5	1	7	1	4	1	7
-	-	103	306	45	6	1	7	7	56	4	49	8	1	4	45	17	136
-	-	13	19	11	-	-	-	-	4	-	1	-	1	-	5	-	13
-	1	113	289	30	6	4	4	7	63	1	37	10	-	12	41	5	90
-	-	1	5	1	-	-	-	-	1	-	-	-	-	-	-	1	2
-	1	51	171	16	5	3	2	1	39	...	20	5	-	8	17	2	52
-	-	-	3	-	-	-	-	-	1	...	-	-	-	-	-	1	1
-	-	62	118	14	1	1	2	6	24	1	17	5	-	4	24	3	38
-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
-	3	109	297	62	12	8	10	9	87	4	74	7	1	21	56	14	99
-	-	-	2	-	-	-	-	-	-	-	2	-	1	-	-	-	1
-	3	53	189	43	8	2	6	6	53	...	48	7	1	13	32	6	48
-	-	-	1	-	-	-	-	-	-	...	1	-	1	-	-	-	-
-	-	56	108	19	4	6	4	3	34	4	26	-	-	8	24	8	51
-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1
-	2	142	417	90	7	4	5	13	104	6	73	16	1	13	73	37	151
-	-	1	2	2	-	-	-	-	-	-	1	-	-	-	-	1	1
-	2	76	271	45	6	3	4	8	56	...	41	12	1	10	46	18	88
-	-	-	1	1	-	-	-	-	-	...	-	-	-	-	-	-	1
-	-	66	146	45	1	1	1	5	48	6	32	4	-	3	27	19	63
-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-
1	6	718	1,775	397	43	34	42	46	449	28	312	81	2	103	408	160	771
-	-	3	12	8	-	1	-	-	3	-	5	-	-	1	7	-	5
-	6	382	1,109	225	35	15	28	33	259	...	183	63	2	81	283	85	447
-	-	2	6	5	-	1	-	-	2	...	3	-	-	1	6	-	2
1	-	336	666	172	8	19	19	13	190	28	129	18	-	22	125	75	324
-	-	1	6	3	-	-	-	-	1	-	2	-	-	-	1	-	3
-	8	106	359	107	16	6	10	20	78	7	113	25	6	35	258	47	150
-	7	92	343	85	15	6	10	20	72	6	112	21	6	35	248	37	137
-	1	14	16	22	1	-	-	-	6	1	1	4	-	-	10	10	13
-	7	55	266	62	14	3	9	15	52	...	68	17	5	29	225	29	86
-	1	7	9	10	1	-	-	-	4	...	-	4	-	-	7	4	7
-	-	37	77	23	1	3	1	5	20	6	44	4	1	6	23	8	51
-	-	7	7	12	-	-	-	-	2	1	1	-	-	-	3	6	6
-	2	40	143	41	6	1	4	9	31	2	61	6	3	13	47	8	64
-	-	10	4	4	1	-	-	-	2	-	-	-	-	-	2	1	4
-	2	23	112	27	5	-	4	7	22	...	35	2	2	9	35	4	39
-	-	5	3	2	1	-	-	-	2	...	-	-	-	-	2	1	1
-	-	17	31	14	1	1	-	2	9	2	26	4	1	4	12	4	25
-	-	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	16	79	17	4	-	3	3	18	1	22	3	2	4	16	3	18
-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1
-	-	9	61	13	3	-	3	2	11	...	17	1	1	4	11	2	12
-	-	2	1	1	-	-	-	-	-	...	-	-	-	-	-	1	1
-	-	7	18	4	1	-	-	1	7	1	5	2	1	-	5	1	6
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	24	64	24	2	1	1	6	13	1	39	3	1	9	31	5	46
-	-	7	3	3	1	-	-	-	2	-	-	-	-	-	2	-	3
-	2	14	51	14	2	-	1	5	11	...	18	1	1	5	24	2	27
-	-	3	2	1	1	-	-	-	2	...	-	-	-	-	2	-	-
-	-	10	13	10	-	1	-	1	2	1	21	2	-	4	7	3	19
-	-	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	3
-	5	52	200	44	9	5	6	11	41	4	51	15	3	22	201	29	73
-	1	4	12	18	-	-	-	-	4	1	1	4	-	-	8	9	9
-	5	32	154	35	9	3	5	8	30	...	33	15	3	20	190	25	47
-	1	2	6	8	-	-	-	-	2	...	-	4	-	-	5	3	6
-	-	20	46	9	-	2	1	3	11	4	18	-	-	2	11	4	26
-	-	2	6	10	-	-	-	-	2	1	1	-	-	-	3	6	3

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 15-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 65b
NEW HAMPSHIRE	6,189	1	10	1	4	-	105	-	-	44	6	10	857	4	178	8
Both sexes—White	6,177	1	10	1	4	-	105	-	-	44	6	10	856	4	177	8
Nonwhite	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Male—White	3,277	1	4	1	2	-	60	-	-	28	2	6	412	3	60	1
Nonwhite	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female—White	2,900	-	6	-	2	-	45	-	-	16	4	4	444	1	117	7
Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Urban—White	3,639	-	9	1	3	-	66	-	-	34	3	7	508	3	115	5
Nonwhite	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Male—White	1,891	-	3	1	1	-	41	-	-	20	2	4	242	2	33	1
Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female—White	1,748	-	6	-	2	-	25	-	-	14	1	3	264	1	82	4
Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Places of 25,000 to 100,000—White	1,845	-	5	1	1	-	37	-	-	25	3	-	239	2	57	3
Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Male—White	943	-	2	1	-	-	25	-	-	16	2	-	118	1	18	-
Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female—White	902	-	3	-	1	-	12	-	-	7	1	-	121	1	39	3
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000—White	1,248	-	4	-	1	-	22	-	-	8	-	4	184	1	39	2
Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male—White	639	-	1	-	-	-	11	-	-	1	-	3	82	1	11	1
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	609	-	3	-	1	-	11	-	-	5	-	1	102	-	28	1
Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Places of 2,500 to 10,000—White	546	-	-	-	1	-	7	-	-	5	-	3	83	-	19	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male—White	309	-	-	-	1	-	5	-	-	3	-	1	42	-	4	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	237	-	-	-	-	-	2	-	-	2	-	2	41	-	15	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural—White	2,538	1	1	-	1	-	39	-	-	10	3	3	550	1	62	3
Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male—White	1,386	1	1	-	1	-	19	-	-	8	-	2	170	1	27	-
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	1,152	-	-	-	-	-	20	-	-	4	3	1	180	-	35	3
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY	47,815	7	110	10	11	6	1,856	6	1	421	12	56	6,886	63	1,484	78
Both sexes—White	44,347	7	91	8	9	6	1,445	6	1	276	11	51	6,564	59	1,408	73
Nonwhite	3,468	-	19	2	2	-	411	-	-	145	1	5	322	4	76	5
Male—White	24,071	3	49	3	4	5	975	4	1	188	4	29	3,184	26	452	14
Nonwhite	1,854	-	15	1	1	-	245	-	-	103	1	4	160	2	18	1
Female—White	20,276	4	42	5	5	1	470	2	-	78	7	22	3,380	33	956	59
Nonwhite	1,614	-	4	1	1	-	166	-	-	42	-	1	162	2	58	4
Urban—White	34,461	5	74	4	4	3	1,041	1	1	172	10	40	5,320	44	1,123	60
Nonwhite	2,836	-	16	2	-	-	341	-	-	94	-	4	279	3	66	3
Male—White	18,716	3	41	2	2	3	732	-	1	118	4	24	2,588	18	360	13
Nonwhite	1,495	-	13	1	-	-	204	-	-	63	-	4	135	1	15	-
Female—White	15,745	2	33	2	2	-	309	1	-	54	6	16	2,732	26	763	47
Nonwhite	1,341	-	3	1	-	-	137	-	-	51	-	-	144	2	51	3
Places of 100,000 or more—White	12,615	1	28	-	-	-	455	-	-	73	3	11	1,942	15	414	24
Nonwhite	1,454	-	13	1	-	-	204	-	-	58	-	2	119	3	32	3
Male—White	7,086	1	13	-	-	-	315	-	-	50	1	4	1,016	6	125	5
Nonwhite	800	-	11	-	-	-	121	-	-	41	-	2	59	1	8	-
Female—White	5,527	-	15	-	-	-	122	-	-	23	2	7	928	9	289	21
Nonwhite	654	-	2	1	-	-	83	-	-	17	-	-	60	2	24	3
Places of 25,000 to 100,000—White	9,349	2	22	1	-	1	263	-	1	32	3	15	1,465	21	302	16
Nonwhite	684	-	1	-	-	-	62	-	-	17	-	1	80	-	17	-
Male—White	4,988	1	15	-	-	1	185	-	1	20	2	12	686	11	97	4
Nonwhite	333	-	1	-	-	-	38	-	-	10	-	1	43	-	5	-
Female—White	4,361	1	9	1	-	-	78	-	-	12	1	3	779	10	205	12
Nonwhite	351	-	-	-	-	-	24	-	-	7	-	-	37	-	14	-
Places of 10,000 to 25,000—White	5,957	-	10	1	3	-	130	1	-	15	2	4	933	5	184	5
Nonwhite	386	-	1	1	-	-	40	-	-	14	-	1	48	-	9	-
Male—White	3,133	-	6	-	2	-	88	-	-	11	1	4	441	1	71	3
Nonwhite	204	-	-	1	-	-	24	-	-	10	-	1	21	-	1	-
Female—White	2,824	-	4	1	1	-	42	1	-	4	1	-	492	4	113	2
Nonwhite	182	-	1	-	-	-	16	-	-	4	-	-	27	-	8	-
Places of 2,500 to 10,000—White	6,542	2	16	2	1	2	213	-	-	52	2	10	980	3	223	15
Nonwhite	312	-	1	-	-	-	35	-	-	5	-	-	32	-	8	-
Male—White	3,509	1	9	2	-	2	146	-	-	37	-	4	445	-	67	3
Nonwhite	158	-	1	-	-	-	21	-	-	2	-	-	12	-	3	-
Female—White	3,033	1	7	-	1	-	67	-	-	15	2	6	535	3	156	12
Nonwhite	154	-	-	-	-	-	14	-	-	3	-	-	20	-	5	-
Rural—White	9,886	2	17	4	5	3	404	5	-	104	1	11	1,244	15	285	13
Nonwhite	632	-	3	-	2	-	70	-	-	51	1	1	43	1	10	2
Male—White	5,355	-	8	1	2	2	243	4	-	80	-	5	598	8	92	1
Nonwhite	359	-	2	-	1	-	41	-	-	40	1	-	25	1	3	1
Female—White	4,531	2	9	3	3	1	161	1	-	24	1	6	648	7	193	12
Nonwhite	273	-	1	-	1	-	29	-	-	11	-	1	18	-	7	1
NEW MEXICO	5,500	6	9	2	15	19	345	82	5	55	33	4	338	11	54	8
Both sexes—White	4,950	2	8	2	12	17	280	78	3	45	25	4	325	10	48	8
Nonwhite	550	4	1	-	1	2	65	4	-	10	8	-	13	1	6	-
Male—White	3,005	2	7	1	7	10	166	56	2	30	13	1	163	7	25	2
Nonwhite	286	1	1	-	-	2	42	1	-	7	2	-	6	1	2	-
Female—White	1,945	-	1	1	5	7	94	42	1	15	12	3	162	3	23	6
Nonwhite	264	3	-	-	1	-	43	3	-	3	6	-	7	-	4	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
1	11	577	2,041	369	38	28	25	38	377	24	240	80	5	63	302	62	680
1	11	575	2,035	368	38	28	25	38	377	24	240	80	5	63	302	62	679
-	-	2	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1
1	11	259	1,140	193	32	14	17	22	201	...	137	62	3	49	181	29	348
-	-	1	3	1	-	-	-	-	-	...	-	-	-	-	-	-	1
-	-	316	895	175	6	14	8	16	176	24	103	18	2	14	121	33	331
-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	8	350	1,165	208	26	19	15	30	235	13	162	42	4	40	151	30	389
-	-	1	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	8	154	630	113	22	12	11	16	120	...	92	34	3	31	83	13	199
-	-	-	3	1	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	196	535	95	4	7	4	14	115	13	70	8	1	9	68	17	190
-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	172	632	112	15	10	3	20	124	6	86	22	-	11	74	6	178
-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	71	325	57	13	6	2	10	60	...	52	20	-	10	35	1	95
-	-	-	2	1	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	101	307	55	2	4	1	10	64	6	34	2	-	1	39	5	83
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	5	180	349	72	6	5	9	8	82	5	57	12	3	17	53	18	154
-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	5	62	190	44	6	3	7	4	42	...	28	7	2	13	31	8	76
-	-	-	1	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	68	159	26	-	2	2	4	40	5	29	5	1	4	22	10	78
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	48	184	24	5	4	3	2	29	2	19	8	1	12	24	6	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	21	115	12	3	3	2	2	18	...	12	7	1	8	17	4	28
-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	27	69	12	2	1	1	-	11	2	7	1	-	4	7	2	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	3	225	870	160	12	9	10	8	142	11	78	38	1	23	151	32	290
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
1	3	105	510	80	10	2	6	6	81	...	45	28	-	18	98	16	149
-	-	1	-	-	-	-	-	-	-	...	-	-	-	-	-	-	1
-	-	120	360	80	2	7	4	2	61	11	33	10	1	5	53	16	141
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	59	4,106	16,347	2,047	338	258	253	478	2,997	120	1,875	493	87	625	1,942	306	4,476
1	51	3,860	15,552	1,795	323	226	231	455	2,715	95	1,660	485	53	565	1,805	287	4,173
-	8	246	795	252	15	32	22	23	282	25	215	8	34	60	137	19	303
-	45	1,756	8,834	1,061	278	121	149	283	1,330	...	916	331	35	443	1,172	135	2,231
-	6	105	404	152	12	14	14	18	122	...	113	6	29	46	97	7	158
1	6	2,104	6,718	734	45	105	82	172	1,385	95	744	154	18	122	633	152	1,942
-	2	141	391	100	3	18	8	5	160	25	102	2	5	14	40	12	145
1	41	2,956	12,217	1,349	274	179	190	381	2,017	76	1,324	380	41	417	1,408	209	3,099
-	6	200	646	210	14	28	17	20	242	22	184	8	27	45	104	17	238
-	35	1,355	6,964	789	242	93	131	232	998	...	715	256	26	322	896	93	1,660
-	5	88	325	122	11	12	10	15	104	...	101	6	22	34	76	7	121
1	6	1,601	5,253	560	32	86	59	149	1,019	76	609	124	15	95	512	116	1,439
-	1	112	321	82	3	16	7	5	138	22	83	2	5	11	28	10	117
-	22	1,088	4,423	546	65	86	73	158	652	24	475	112	14	162	512	71	1,166
-	5	79	307	107	4	19	7	13	102	9	119	4	18	25	60	8	133
-	20	529	2,558	344	76	44	55	107	330	...	260	61	11	129	322	30	658
-	4	37	167	65	3	10	4	11	45	...	59	3	15	18	41	3	72
-	2	559	1,865	202	9	42	18	51	322	24	215	31	3	33	190	41	508
-	1	42	140	42	1	9	3	2	57	9	60	1	3	7	19	5	61
1	10	778	3,385	343	92	37	53	112	546	24	332	136	10	111	371	46	818
-	1	73	147	55	4	5	6	4	64	7	38	2	7	12	13	4	64
-	7	359	1,916	184	81	15	38	54	268	...	168	90	5	85	223	21	431
-	1	27	60	32	2	1	4	2	30	...	25	1	6	8	11	1	25
1	3	419	1,469	159	11	22	15	48	278	24	164	46	5	26	148	25	387
-	-	46	87	23	2	4	2	2	34	7	13	1	1	4	2	3	38
-	6	545	2,146	224	41	24	31	54	376	15	265	74	8	72	226	39	518
-	-	22	113	30	4	2	4	1	35	2	15	2	2	3	15	2	20
-	5	217	1,200	131	35	13	16	30	182	...	155	49	5	54	132	17	264
-	-	13	61	15	4	-	2	1	13	...	7	2	1	3	10	2	12
-	1	328	946	93	6	11	15	24	194	15	110	25	3	18	94	22	254
-	-	9	52	15	-	2	2	-	22	2	8	-	1	-	5	-	8
-	3	545	2,263	236	56	32	33	57	443	13	252	58	9	72	299	53	597
-	-	36	72	18	2	2	-	2	41	4	12	-	-	5	16	3	21
-	3	250	1,290	130	50	21	22	31	218	...	132	36	5	54	219	25	307
-	-	11	37	10	2	1	-	1	16	...	10	-	-	5	14	1	11
-	-	295	973	106	6	11	11	26	225	13	120	22	4	18	80	28	290
-	-	15	42	8	-	1	-	1	25	4	2	-	-	-	2	2	10
-	10	904	3,335	146	49	47	41	74	698	19	336	105	12	148	397	78	1,074
-	2	46	149	42	1	4	5	3	40	3	31	-	7	15	33	2	65
-	10	401	1,870	272	36	28	18	51	332	...	201	75	9	121	276	42	571
-	1	17	79	30	1	2	4	3	18	...	12	-	7	12	21	-	37
-	-	503	1,465	174	13	19	23	23	366	19	135	30	3	27	121	86	503
-	1	29	70	12	-	3	1	-	22	3	19	-	-	3	12	2	28
10	5	274	769	441	31	294	39	32	246	62	471	31	35	132	463	741	442
10	5	265	747	388	31	230	37	32	254	54	427	31	28	120	433	615	416
-	-	9	22	53	-	64	2	-	12	8	44	-	7	12	30	126	26
7	5	144	491	217	28	133	19	19	116	...	277	22	23	88	350	359	235
-	-	7	10	31	-	35	2	-	6	...	22	-	6	7	23	62	10
3	-	121	256	171	3	97	18	13	118	54	150	9	5	32	83	256	181
-	-	2	12	22	-	29	-	-	6	8	22	-	1	5	7	64	16

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
NEW MEXICO—Continued																
Urban.....White	2,079	1	2	1	8	6	127	42	2	19	8	2	176	6	25	4
Nonwhite	77	-	-	-	-	-	6	1	-	1	-	-	4	-	4	-
Male.....White	1,206	1	1	-	4	5	75	19	1	12	5	-	77	5	9	1
Nonwhite	45	-	-	-	-	-	4	-	-	-	-	-	2	-	2	-
Female.....White	873	-	1	1	4	1	52	23	1	7	3	2	99	1	16	3
Nonwhite	32	-	-	-	-	-	2	1	-	1	-	-	2	-	2	-
Places of 25,000 to 100,000...White	396	-	1	-	1	1	44	13	-	-	4	-	34	2	4	1
Nonwhite	13	-	-	-	-	-	4	-	-	-	-	-	-	-	1	-
Male.....White	220	-	-	-	-	1	28	6	-	-	3	-	9	2	1	-
Nonwhite	8	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Female.....White	176	-	1	-	1	-	18	7	-	-	1	-	25	-	3	1
Nonwhite	5	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Places of 10,000 to 25,000....White	512	1	-	-	2	2	26	10	-	7	-	-	48	1	9	-
Nonwhite	33	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-
Male.....White	293	1	-	-	2	2	13	3	-	3	-	-	23	1	4	-
Nonwhite	21	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Female.....White	219	-	-	-	-	-	13	7	-	4	-	-	25	-	5	-
Nonwhite	12	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Places of 2,500 to 10,000.....White	1,171	-	1	1	5	3	57	19	2	12	4	2	94	3	12	3
Nonwhite	31	-	-	-	-	-	2	-	-	1	-	-	2	-	2	-
Male.....White	693	-	1	-	2	2	36	10	1	9	2	-	45	2	4	1
Nonwhite	16	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-
Female.....White	478	-	-	1	3	1	21	9	1	3	2	2	49	1	8	2
Nonwhite	15	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-
Rural.....White	2,871	1	6	1	4	11	133	36	1	26	17	2	149	4	23	4
Nonwhite	473	4	1	-	1	2	79	3	-	9	8	-	9	1	2	-
Male.....White	1,799	1	6	1	3	5	91	17	1	18	8	1	86	2	16	1
Nonwhite	241	1	1	-	-	2	38	1	-	7	2	-	4	1	-	-
Female.....White	1,072	-	-	-	1	6	42	19	-	8	9	1	63	2	7	3
Nonwhite	232	3	-	-	1	-	41	2	-	2	6	-	5	-	2	-
NEW YORK	152,364	29	326	13	61	11	6,055	35	5	1,602	38	342	22,584	135	5,377	277
Both sexes.....White	144,050	27	280	12	51	10	4,778	30	4	1,117	36	341	21,781	122	5,188	264
Nonwhite	8,314	2	46	1	10	1	1,277	5	1	485	2	1	803	13	189	13
Male.....White	78,665	13	160	9	28	5	3,321	19	2	829	16	228	10,711	71	1,729	49
Nonwhite	4,442	-	27	-	7	-	788	2	1	352	2	-	376	7	56	4
Female.....White	65,385	14	120	3	23	5	1,457	11	2	288	20	113	11,020	51	3,459	215
Nonwhite	3,872	2	19	1	3	1	541	3	-	133	-	1	477	6	133	9
Urban.....White	114,855	26	248	7	36	8	3,664	18	4	824	28	251	18,162	108	4,408	212
Nonwhite	7,569	1	46	1	9	1	1,149	5	1	384	1	-	805	12	177	12
Male.....White	62,293	12	141	6	19	3	2,593	14	2	628	12	165	8,998	65	1,429	42
Nonwhite	4,007	-	27	-	6	-	657	2	1	277	1	-	357	7	54	4
Female.....White	52,562	14	105	1	17	5	1,071	4	2	198	16	86	9,163	45	2,979	170
Nonwhite	3,562	1	19	1	3	1	492	3	-	107	-	-	448	5	123	8
Places of 100,000 or more.....White	88,550	25	198	8	23	7	3,123	9	4	663	20	178	14,664	87	3,536	158
Nonwhite	6,944	1	45	1	9	1	1,096	4	1	351	1	-	747	12	167	10
Male.....White	48,400	10	111	5	13	2	2,242	6	2	514	9	113	7,391	52	1,126	35
Nonwhite	3,653	-	26	-	6	-	823	1	1	253	1	-	331	7	52	3
Female.....White	40,150	15	87	1	10	5	881	3	2	149	11	65	7,273	35	2,410	123
Nonwhite	3,291	1	19	1	3	1	273	3	-	98	-	-	416	5	115	7
Places of 25,000 to 100,000...White	9,777	2	17	-	5	-	199	4	-	63	-	19	1,279	11	329	20
Nonwhite	287	-	-	-	-	-	22	-	-	13	-	-	31	-	2	2
Male.....White	5,095	1	10	-	1	-	124	4	-	41	-	14	594	6	118	1
Nonwhite	160	-	-	-	-	-	14	-	-	7	-	-	12	-	-	1
Female.....White	4,682	1	7	-	4	-	75	-	-	22	-	5	685	5	211	19
Nonwhite	127	-	-	-	-	-	8	-	-	6	-	-	19	-	2	1
Places of 10,000 to 25,000....White	9,215	-	18	-	2	-	187	2	-	71	5	33	1,244	5	316	23
Nonwhite	227	-	1	-	-	-	20	1	-	15	-	-	18	-	4	-
Male.....White	4,854	-	12	-	2	-	126	1	-	49	3	23	556	2	109	3
Nonwhite	142	-	1	-	-	-	14	1	-	13	-	-	11	-	2	-
Female.....White	4,361	-	6	-	-	-	81	1	-	22	2	10	688	3	207	20
Nonwhite	85	-	-	-	-	-	6	-	-	2	-	-	7	-	2	-
Places of 2,500 to 10,000.....White	7,313	1	13	1	6	1	155	3	-	27	3	21	975	5	227	11
Nonwhite	111	-	-	-	-	-	11	-	-	5	-	-	9	-	4	-
Male.....White	3,944	1	8	1	3	1	101	3	-	22	-	16	458	3	76	3
Nonwhite	52	-	-	-	-	-	6	-	-	4	-	-	3	-	-	-
Female.....White	3,369	-	5	-	3	-	54	-	-	5	3	6	517	2	151	8
Nonwhite	59	-	-	-	-	-	5	-	-	1	-	-	6	-	4	-
Rural.....White	29,195	1	34	5	15	2	1,114	12	-	293	8	90	3,569	14	780	52
Nonwhite	745	1	-	-	1	-	128	-	-	101	1	1	48	1	12	1
Male.....White	16,372	1	19	3	9	2	728	5	-	203	4	63	1,712	8	300	7
Nonwhite	435	-	-	-	1	-	79	-	-	75	1	-	19	-	2	-
Female.....White	12,823	-	15	2	6	-	386	7	-	90	4	27	1,857	6	480	45
Nonwhite	310	1	-	-	-	-	49	-	-	26	-	1	29	1	10	1
NORTH CAROLINA	29,390	10	61	5	145	40	1,239	36	25	292	59	40	2,328	44	509	46
Both sexes.....White	19,226	5	46	4	72	34	503	19	16	97	42	35	1,817	23	351	31
Nonwhite	10,164	5	15	1	73	6	736	17	9	195	17	5	511	21	158	15
Male.....White	11,098	3	26	2	38	19	313	9	8	71	23	20	754	9	173	5
Nonwhite	5,268	3	11	1	34	2	370	7	4	135	8	3	196	8	54	2
Female.....White	8,128	2	20	2	34	15	190	10	8	26	19	15	1,063	14	178	26
Nonwhite	4,898	2	4	-	39	4	368	10	5	60	9	2	315	13	104	13
Urban.....White	6,083	-	9	1	9	7	164	6	2	47	7	9	672	9	138	4
Nonwhite	3,610	-	4	-	18	1	247	6	4	78	7	1	214	6	76	6
Male.....White	3,460	-	3	1	4	5	100	4	1	38	3	2	254	3	67	1
Nonwhite	1,806	-	3	-	9	-	120	2	3	53	3	1	77	1	24	2
Female.....White	2,623	-	6	-	5	2	64	2	1	9	4	7	418	6	71	3
Nonwhite	1,804	-	1	-	9	1	127	4	1	25	4	-	137	5	52	4

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
2	2	137	371	158	13	107	19	14	109	26	219	21	10	36	97	98	211
-	-	7	6	12	-	4	1	-	6	2	6	-	3	1	6	4	3
2	2	66	239	91	12	65	10	8	52	...	148	15	9	24	61	64	123
-	-	5	3	6	-	3	1	-	4	...	4	-	3	-	4	2	2
-	-	71	132	67	1	42	9	6	57	26	71	6	1	12	36	34	88
-	-	2	3	6	-	1	-	-	2	2	2	-	-	1	2	2	1
1	-	25	74	22	3	12	1	5	27	3	34	4	-	12	10	21	37
-	-	1	-	2	-	-	-	-	1	1	2	-	-	-	-	1	-
1	-	13	42	13	3	7	-	2	15	...	25	4	-	8	3	16	20
-	-	1	-	2	-	-	-	-	1	...	1	-	-	-	-	-	-
-	-	12	32	9	-	3	1	3	12	3	9	-	-	4	7	5	17
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-
1	-	32	23	36	5	25	7	3	31	6	69	3	1	5	24	17	58
-	-	4	3	4	-	1	1	-	2	-	3	-	2	1	3	2	3
1	-	13	50	20	4	14	5	2	15	...	48	3	1	4	16	10	33
-	-	3	2	1	-	1	1	-	1	...	2	-	2	-	3	1	2
-	-	19	33	16	1	11	2	1	16	6	21	-	-	1	6	7	25
-	-	1	1	3	-	-	-	-	1	-	1	-	-	1	-	1	1
2	-	20	214	100	5	70	11	6	51	17	116	14	9	19	63	60	116
-	-	2	3	6	-	3	-	-	3	1	1	-	1	-	3	1	-
2	-	40	147	58	5	44	5	4	22	...	75	8	8	12	40	38	70
-	-	1	1	3	-	2	-	-	2	...	1	-	1	-	1	1	-
-	-	40	67	42	-	26	6	2	29	17	41	6	1	7	23	22	46
-	-	1	2	3	-	1	-	-	1	1	-	-	-	-	2	-	-
9	3	128	376	230	18	123	18	18	125	28	208	10	18	84	336	517	205
-	-	2	16	41	-	60	1	-	6	6	38	-	4	11	24	122	23
5	3	78	252	126	16	68	9	11	64	...	129	7	14	64	289	295	112
-	-	2	7	25	-	32	1	-	2	...	18	-	3	7	19	60	8
3	-	50	124	104	2	55	9	7	61	28	79	3	4	20	47	222	93
-	-	-	9	16	-	28	-	-	4	6	20	-	1	4	5	62	15
9	243	10,096	57,328	6,569	1,146	668	731	1,633	7,089	425	5,652	1,489	305	1,631	6,143	414	13,903
9	212	9,732	55,260	6,051	1,095	605	689	1,578	6,720	382	5,195	1,441	168	1,541	5,820	392	13,169
-	31	364	2,068	518	51	63	42	55	369	43	457	48	137	90	323	22	734
6	179	4,334	31,251	3,509	924	339	383	974	3,389	...	2,967	960	118	1,180	3,568	195	7,199
-	25	164	1,003	312	44	38	24	35	159	...	257	31	105	71	229	12	363
3	33	5,398	24,009	2,542	171	266	306	604	3,331	382	2,228	481	50	361	2,252	197	5,970
-	6	200	1,065	206	7	25	18	20	210	43	200	17	32	19	94	10	371
8	188	7,013	44,613	4,914	954	492	372	1,400	5,033	298	4,254	1,066	143	1,076	4,543	252	10,034
-	30	332	1,893	471	44	49	39	49	337	41	430	47	133	80	304	17	669
6	159	3,030	25,034	2,852	810	279	309	866	2,463	...	2,419	674	102	812	2,769	132	5,451
-	24	150	907	284	39	27	21	32	144	...	242	30	101	65	215	10	323
2	29	3,983	19,579	2,062	144	213	263	534	2,570	298	1,835	392	41	264	1,774	120	4,583
-	6	182	986	187	5	22	18	17	193	41	188	17	32	15	89	7	346
6	171	4,600	35,038	3,933	749	373	435	1,151	3,451	232	3,083	814	118	774	3,473	169	7,301
-	27	293	1,743	434	41	45	34	46	296	36	393	44	126	65	283	17	575
5	144	2,002	19,680	2,279	640	211	235	710	1,676	...	1,787	510	88	578	2,156	93	3,975
-	21	131	822	261	36	24	18	29	130	...	220	27	96	52	200	10	272
1	27	2,598	15,358	1,654	109	162	200	421	1,775	232	1,396	304	30	196	1,317	76	3,326
-	6	162	921	173	5	21	16	17	166	36	173	17	30	13	83	7	303
1	9	900	3,545	404	68	47	60	108	578	28	432	83	13	106	383	25	1,039
-	1	22	71	19	-	2	3	1	21	4	13	1	3	6	6	-	44
-	7	378	1,953	229	50	26	35	62	290	...	235	56	7	78	218	15	542
-	1	13	42	12	-	1	2	1	7	...	9	1	3	4	4	-	26
1	2	522	1,592	175	18	21	25	46	285	28	197	27	6	28	165	10	497
-	-	9	29	7	-	1	1	-	14	4	4	-	-	2	2	-	18
1	5	787	3,394	342	79	36	44	90	571	21	409	85	7	101	372	35	930
-	1	10	60	10	2	1	1	2	12	-	19	1	4	7	11	-	27
1	5	327	1,688	206	66	21	29	58	278	...	219	47	6	76	218	9	525
-	1	4	32	6	2	1	-	2	5	...	11	1	2	7	9	-	17
-	-	460	1,506	136	13	15	21	32	293	21	190	38	1	25	159	26	405
-	-	6	28	4	-	-	1	-	7	-	8	-	2	-	2	-	10
-	3	726	2,636	235	58	36	33	71	433	17	330	84	5	95	315	23	764
-	1	7	19	6	1	1	1	-	8	1	5	1	-	2	4	-	23
-	3	523	1,513	138	54	21	16	36	219	...	178	61	1	80	182	15	409
-	1	2	11	5	1	1	1	-	2	...	2	1	-	2	2	-	8
-	-	403	1,123	97	4	15	17	35	214	17	152	23	4	15	133	8	355
-	-	5	8	3	-	-	-	-	5	1	3	-	-	-	2	-	15
1	24	2,719	10,647	1,137	141	113	117	178	1,687	84	941	375	25	465	1,277	140	3,135
-	1	32	175	47	7	14	3	6	32	2	27	1	4	10	19	5	65
-	20	1,304	6,217	657	114	60	74	108	926	...	548	286	16	368	799	63	1,748
-	1	14	96	28	5	11	3	3	15	...	15	1	4	6	14	2	40
1	4	1,415	4,430	480	27	53	43	70	761	84	393	89	9	97	478	77	1,387
-	-	18	79	19	2	3	-	3	17	2	12	-	-	4	5	3	25
70	61	3,103	6,390	1,992	132	365	147	117	2,982	266	2,211	221	299	694	1,491	1,052	2,748
47	40	2,052	4,661	1,164	92	276	105	87	1,733	136	1,467	206	104	517	1,093	581	1,770
23	21	1,051	1,729	828	40	289	42	30	1,219	130	744	15	195	177	398	471	978
14	38	1,115	2,913	608	71	154	66	59	963	...	865	153	86	428	786	340	966
8	19	473	885	429	25	160	18	19	633	...	403	12	157	142	278	250	519
33	2	937	1,748	556	21	122	39	28	770	136	602	53	18	89	307	241	804
15	2	578	844	399	15	129	24	11	586	130	341	3	38	35	120	221	459
8	8	600	1,584	304	38	71	31	43	486	39	506	61	37	147	300	103	633
6	6	378	654	285	24	85	17	17	459	33	227	7	92	55	142	101	354
-	7	305	1,007	165	33	39	18	30	281	...	310	39	30	113	185	60	352
3	5	169	328	150	15	49	4	10	227	...	112	4	76	38	97	45	178
8	1	295	577	139	5	32	13	13	205	39	196	22	7	34	115	43	281
3	1	209	328	135	9	36	13	7	232	33	115	3	16	17	45	56	176

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13–22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45–55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
NORTH CAROLINA—Continued																
Places of 100,000 or more																
White	545	–	2	–	–	–	10	–	–	5	1	1	74	1	11	1
Nonwhite	402	–	–	–	3	–	16	–	–	3	1	–	26	2	4	–
Male: White	311	–	1	–	–	–	6	–	–	4	1	–	26	–	3	–
Nonwhite	186	–	–	–	2	–	6	–	–	3	–	–	7	–	2	–
Female: White	234	–	1	–	–	–	4	–	–	1	–	1	48	1	8	1
Nonwhite	216	–	–	–	1	–	10	–	–	–	1	–	19	2	2	–
Places of 25,000 to 100,000																
White	2,409	–	4	1	3	2	90	1	–	23	4	4	264	3	61	2
Nonwhite	1,637	–	1	–	6	1	110	3	–	44	3	–	101	2	44	5
Male: White	1,337	–	1	1	1	1	58	1	–	17	2	2	85	1	30	–
Nonwhite	826	–	1	–	3	–	55	–	–	28	2	–	38	–	13	2
Female: White	1,072	–	3	–	2	1	32	–	–	6	2	2	179	2	31	2
Nonwhite	811	–	–	–	3	1	57	3	–	18	1	–	65	2	31	3
Places of 10,000 to 25,000																
White	1,588	–	2	–	4	3	33	4	1	11	1	2	166	5	30	1
Nonwhite	982	–	2	–	4	–	82	1	4	23	1	–	58	2	19	1
Male: White	912	–	1	–	2	2	18	3	1	10	–	–	72	2	19	1
Nonwhite	496	–	1	–	1	–	39	1	3	16	–	–	21	1	6	–
Female: White	676	–	1	–	2	1	15	1	–	1	1	2	94	3	11	–
Nonwhite	486	–	1	–	3	–	43	–	1	7	1	–	35	1	13	1
Places of 2,500 to 10,000																
White	1,541	–	1	–	2	2	31	1	1	8	1	2	168	–	36	–
Nonwhite	589	–	1	–	5	–	39	2	–	8	2	1	31	–	9	–
Male: White	900	–	–	–	1	2	18	–	–	7	–	–	71	–	15	–
Nonwhite	298	–	1	–	3	–	22	1	–	8	1	1	11	–	3	–
Female: White	641	–	1	–	1	–	13	1	1	1	1	2	97	–	21	–
Nonwhite	291	–	–	–	2	–	17	1	–	–	1	–	20	–	6	–
Rural: White	13,143	5	37	3	63	27	339	13	14	50	35	26	1,145	14	213	27
Nonwhite	8,554	5	11	1	55	5	489	11	5	117	10	4	297	15	82	9
Male: White	7,638	3	23	1	34	14	213	5	7	33	20	18	500	6	106	4
Nonwhite	3,462	3	8	1	25	2	250	5	1	82	5	2	119	7	30	–
Female: White	5,505	2	14	2	29	13	126	8	7	17	15	8	645	8	107	23
Nonwhite	3,092	2	3	–	30	3	239	6	4	35	5	2	178	8	52	9
NORTH DAKOTA	5,116	–	6	6	11	8	86	2	–	23	34	2	851	9	148	6
Both sexes: White	4,989	–	6	6	11	7	71	1	–	21	23	2	843	9	147	6
Nonwhite	127	–	–	–	–	1	15	1	–	2	11	–	8	–	1	–
Male: White	2,995	–	4	4	7	4	43	1	–	19	13	1	375	5	63	2
Nonwhite	63	–	–	–	–	–	5	–	–	1	5	–	5	–	1	–
Female: White	1,994	–	2	2	4	3	28	–	–	2	10	1	288	4	84	4
Nonwhite	64	–	–	–	–	1	10	1	–	1	6	–	3	–	–	–
Urban: White	1,288	–	2	3	–	2	18	–	–	9	12	–	184	–	30	1
Nonwhite	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male: White	748	–	2	2	–	1	14	–	–	8	9	–	99	–	15	–
Nonwhite	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female: White	540	–	–	1	–	1	4	–	–	1	3	–	85	–	17	1
Nonwhite	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Places of 25,000 to 100,000																
White	300	–	1	1	–	–	3	–	–	2	–	–	49	–	4	–
Nonwhite	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male: White	172	–	1	–	–	–	2	–	–	2	–	–	27	–	–	–
Nonwhite	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female: White	128	–	–	1	–	–	1	–	–	–	–	–	22	–	4	–
Nonwhite	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Places of 10,000 to 25,000																
White	490	–	–	1	–	1	8	–	–	5	1	–	80	–	11	1
Nonwhite	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male: White	285	–	–	1	–	1	8	–	–	4	1	–	47	–	4	–
Nonwhite	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female: White	205	–	–	–	–	–	–	–	–	1	–	–	33	–	7	1
Nonwhite	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Places of 2,500 to 10,000																
White	498	–	1	1	–	1	7	–	–	2	11	–	55	–	15	–
Nonwhite	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male: White	291	–	1	1	–	–	4	–	–	2	8	–	25	–	9	–
Nonwhite	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female: White	207	–	–	–	–	1	3	–	–	–	3	–	30	–	6	–
Nonwhite	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rural: White	3,701	–	4	3	11	5	53	1	–	12	11	2	459	9	117	5
Nonwhite	119	–	–	–	–	1	15	1	–	2	11	–	8	–	1	–
Male: White	2,247	–	2	2	7	3	29	1	–	11	4	1	276	5	50	2
Nonwhite	58	–	–	–	–	–	5	–	–	1	5	–	5	–	1	–
Female: White	1,454	–	2	1	4	2	24	–	–	1	7	1	183	4	67	3
Nonwhite	61	–	–	–	–	1	10	1	–	1	6	–	3	–	–	–
OHIO	80,193	19	198	44	87	31	2,787	43	5	873	139	88	10,029	88	2,211	250
Both sexes: White	74,875	18	182	42	71	30	2,125	38	2	659	135	88	9,589	74	2,085	242
Nonwhite	5,518	1	36	2	16	1	662	5	3	214	4	–	440	14	126	8
Male: White	41,073	9	104	16	28	16	1,344	17	2	471	71	55	4,535	45	754	43
Nonwhite	3,051	1	24	1	7	1	390	4	1	148	1	–	198	8	42	2
Female: White	33,802	9	58	26	43	14	781	21	–	188	64	33	5,054	29	1,331	199
Nonwhite	2,467	–	12	1	9	–	272	1	2	66	3	–	242	6	84	6
Urban: White	50,837	8	120	21	39	20	1,410	26	1	459	77	63	6,882	51	1,494	154
Nonwhite	4,870	–	35	2	16	–	572	5	3	180	5	–	398	13	118	7
Male: White	27,497	4	76	8	18	8	938	13	1	322	42	36	3,245	33	515	26
Nonwhite	2,636	–	23	1	7	–	329	4	1	105	1	–	177	7	40	2
Female: White	25,140	4	44	13	21	12	472	13	–	137	35	27	3,617	18	979	128
Nonwhite	2,234	–	12	1	9	–	243	1	2	55	2	–	219	6	78	5
Places of 100,000 or more																
White	28,606	4	90	11	15	12	940	16	1	337	31	32	3,980	32	818	95
Nonwhite	3,933	–	33	2	11	–	509	3	3	144	2	–	312	9	92	5
Male: White	15,816	1	49	5	7	6	630	10	1	243	21	18	1,945	22	269	17
Nonwhite	2,138	–	21	1	4	–	295	2	1	91	1	–	137	4	31	–
Female: White	12,790	3	41	6	8	6	310	6	–	94	10	14	2,035	10	549	78
Nonwhite	1,795	–	12	1	7	–	214	1	2	53	1	–	175	5	61	5

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
1	1	43	171	27	3	12	2	7	21	1	45	6	3	21	29	2	44
-	-	50	70	44	4	12	3	1	34	4	35	2	15	8	10	3	52
-	1	29	107	11	3	10	1	3	9	...	32	2	3	18	20	-	21
-	-	18	31	22	1	4	1	-	13	...	20	1	12	5	7	3	28
1	-	14	64	16	-	2	1	4	12	1	13	4	-	3	9	2	23
-	-	32	39	22	3	8	2	1	21	4	15	1	3	3	3	-	24
3	3	245	653	104	17	20	8	17	187	16	179	32	9	49	115	28	262
1	3	152	318	130	9	25	6	7	229	11	106	2	39	22	54	36	167
-	2	113	414	59	14	12	5	12	105	...	99	21	6	35	72	13	155
1	3	72	157	72	6	17	1	5	116	...	44	1	33	15	37	17	91
3	1	132	239	45	3	8	3	5	82	16	80	11	3	14	43	15	107
-	-	80	161	58	3	8	5	2	113	11	62	1	6	7	17	19	76
3	2	156	377	89	11	18	13	12	140	13	134	13	17	41	84	34	168
3	2	91	163	69	9	33	3	8	122	9	57	1	27	15	45	41	89
-	2	74	239	50	10	7	7	9	83	...	85	10	14	33	47	23	88
-	2	45	86	37	6	20	1	4	61	...	30	1	23	10	31	13	37
3	-	82	138	39	1	11	6	3	57	13	49	3	3	8	37	11	80
3	-	46	77	32	3	13	2	4	61	9	27	-	4	5	14	26	52
1	2	156	383	84	7	21	8	7	138	9	148	10	8	36	72	39	159
2	1	65	103	42	2	15	5	1	74	9	29	2	11	10	33	21	46
-	2	89	247	45	6	10	5	6	84	...	94	6	7	27	46	24	88
2	-	34	52	19	2	8	1	1	37	...	16	1	8	8	22	12	22
1	-	67	136	39	1	11	3	1	54	9	54	4	1	9	26	15	71
-	1	51	51	23	-	7	4	-	37	9	11	1	3	2	11	9	24
39	32	1,452	3,077	860	54	205	74	44	1,247	97	961	145	67	370	793	478	1,137
17	15	673	1,075	543	16	204	25	13	760	97	517	8	103	122	256	370	624
14	31	810	1,906	443	38	115	48	29	682	...	555	114	56	315	601	280	614
5	14	304	559	279	10	111	14	9	406	...	291	8	81	104	181	205	341
25	1	642	1,171	417	16	90	26	15	565	97	406	31	11	55	192	198	523
12	1	369	516	264	6	93	11	4	354	97	226	-	22	18	75	165	283
1	12	509	1,390	277	33	40	30	32	265	24	327	44	5	85	288	174	588
1	11	506	1,372	267	33	36	27	32	265	22	317	44	5	82	284	163	569
-	1	3	18	10	-	4	3	-	-	2	10	-	-	3	4	11	19
-	11	286	869	154	29	19	16	17	144	...	182	32	3	67	187	93	345
-	1	1	9	5	-	2	3	-	-	...	4	-	-	3	1	4	13
1	-	220	503	113	4	17	11	15	121	22	135	12	2	15	97	70	224
-	-	2	9	5	-	2	-	-	-	2	6	-	-	-	3	7	6
-	4	123	370	51	7	4	9	12	62	1	95	14	2	24	75	32	142
-	1	1	2	-	-	-	-	-	-	-	1	-	-	1	-	1	1
-	4	63	220	25	6	1	6	10	32	...	54	11	1	18	48	18	83
-	1	-	2	-	-	-	-	-	-	...	-	-	-	1	-	-	1
-	-	60	150	26	1	3	3	2	30	1	41	3	1	6	27	14	59
-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
-	-	38	92	14	2	2	-	3	7	-	23	3	-	1	12	9	34
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	21	55	5	1	1	-	2	4	...	11	2	-	1	8	6	23
-	-	-	1	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	17	37	9	1	1	-	1	3	-	12	1	-	-	4	3	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	38	124	25	1	2	6	3	34	-	39	6	1	14	24	14	48
-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1
-	3	20	74	12	1	-	5	3	19	...	23	4	1	11	14	7	22
-	1	-	-	-	-	-	-	-	-	...	-	-	-	1	-	-	1
-	-	18	50	13	-	2	1	-	15	-	16	2	-	3	10	7	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	1	47	154	12	4	-	3	6	21	1	33	5	1	9	39	9	60
-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	1	22	91	8	4	-	1	5	9	...	20	5	-	6	26	5	38
-	-	-	1	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	25	63	4	-	-	2	1	12	1	13	-	1	3	13	4	22
-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1	7	383	1,002	216	26	32	16	20	203	21	222	30	3	58	209	131	427
-	-	2	16	10	-	4	3	-	-	2	9	-	-	2	4	10	18
-	7	223	649	129	23	18	10	7	112	...	128	21	2	49	139	75	262
-	-	1	7	5	-	2	3	-	-	...	4	-	-	2	1	4	12
1	-	160	353	87	3	14	8	13	91	21	94	9	1	9	70	56	165
-	-	1	9	5	-	2	-	-	-	2	5	-	-	-	3	6	6
10	70	8,335	24,356	4,519	448	634	385	730	4,925	257	3,414	788	264	1,380	3,833	1,102	7,851
10	60	7,801	23,114	4,068	431	567	360	698	4,558	224	3,162	771	141	1,299	3,624	1,000	7,407
-	10	534	1,242	451	17	47	25	32	367	33	252	17	123	81	209	102	444
7	55	3,854	13,566	2,240	352	334	201	437	2,383	...	1,765	558	88	1,021	2,215	497	3,970
-	9	252	664	288	12	26	10	16	177	...	141	14	92	70	151	54	227
3	5	3,947	9,548	1,828	79	253	159	261	2,175	224	1,377	213	53	278	1,409	503	3,437
-	1	262	558	163	5	21	15	16	190	33	111	3	31	11	58	48	217
7	43	5,051	15,787	2,698	340	349	248	531	2,971	157	2,179	516	107	789	2,376	643	5,040
-	9	472	1,076	414	16	36	23	30	327	33	231	14	116	69	184	92	398
7	38	2,406	9,175	1,505	276	200	138	329	1,503	...	1,245	354	69	619	1,409	311	2,628
-	8	213	587	260	11	18	9	15	154	...	128	11	87	59	129	48	202
-	5	2,645	6,612	1,193	64	149	110	202	1,468	157	934	162	38	170	967	332	2,412
-	1	259	489	154	5	18	14	15	173	33	103	3	29	10	55	44	196
6	23	2,597	9,013	1,542	208	185	125	345	1,534	84	1,160	307	72	428	1,346	389	2,827
-	8	364	865	327	11	29	20	25	250	27	176	11	100	61	135	74	325
6	19	1,245	5,332	891	167	106	70	201	768	...	674	213	48	335	814	198	1,485
-	7	173	456	201	7	13	9	12	117	...	101	9	75	53	97	41	169
-	4	1,352	3,681	651	41	79	56	144	766	84	486	94	24	93	532	191	1,342
-	1	191	399	126	4	16	11	13	133	27	75	2	25	8	38	33	156

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
OHIO—Continued																
Places of 25,000 to 100,000...White	8,177	1	10	3	7	2	188	6	-	42	16	6	1,095	4	236	22
Nonwhite	446	-	1	-	2	-	31	1	-	7	-	-	36	2	17	1
Male...White	4,336	1	9	1	4	-	123	1	-	29	12	5	484	3	88	4
Nonwhite	238	-	1	-	2	-	16	1	-	6	-	-	16	1	4	1
Female...White	3,841	-	1	2	3	2	65	5	-	13	4	1	611	1	148	18
Nonwhite	210	-	-	-	-	-	15	-	-	1	-	-	20	1	13	-
Places of 10,000 to 25,000...White	6,012	2	6	2	6	2	143	3	-	42	16	11	790	7	185	18
Nonwhite	232	-	1	-	2	-	13	1	-	3	-	-	25	2	7	-
Male...White	3,168	1	6	2	1	1	94	2	-	26	7	5	361	2	63	1
Nonwhite	133	-	1	-	1	-	8	1	-	3	-	-	14	2	5	-
Female...White	2,844	1	-	-	5	1	49	1	-	16	9	6	429	5	122	17
Nonwhite	99	-	-	-	1	-	5	-	-	-	-	-	11	-	2	-
Places of 2,500 to 10,000...White	7,842	1	14	5	11	4	139	1	-	38	14	14	997	8	255	19
Nonwhite	257	-	-	-	1	-	19	-	-	6	1	-	23	-	2	1
Male...White	4,177	1	12	-	6	1	91	-	-	24	2	8	455	6	95	4
Nonwhite	127	-	-	-	-	-	10	-	-	5	-	-	10	-	-	1
Female...White	3,665	-	2	5	5	3	48	1	-	14	12	6	542	2	160	15
Nonwhite	130	-	-	-	1	-	9	-	-	1	1	-	13	-	2	-
Rural...White	24,088	10	42	21	32	10	715	12	1	200	58	25	2,727	23	591	88
Nonwhite	648	1	1	-	-	1	90	-	-	54	1	-	44	1	8	1
Male...White	13,576	5	28	8	10	8	406	4	1	149	29	19	1,290	12	239	17
Nonwhite	415	1	1	-	-	1	61	-	-	43	-	-	21	1	2	-
Female...White	10,462	5	14	13	22	2	309	8	-	51	29	6	1,437	11	352	71
Nonwhite	233	-	-	-	-	-	29	-	-	11	1	-	23	-	6	1
OKLAHOMA	18,925	9	18	5	40	34	880	63	19	190	33	8	2,060	22	336	27
Both sexes...White	16,489	6	16	4	26	34	627	51	10	137	24	5	1,922	17	297	22
Nonwhite	2,436	5	2	1	14	-	253	12	9	53	9	3	138	5	39	5
Male...White	9,720	3	11	3	7	18	360	30	6	99	12	2	932	10	159	3
Nonwhite	1,303	1	1	-	3	-	120	6	2	35	4	2	57	2	12	1
Female...White	6,769	3	5	1	19	16	267	21	4	38	12	3	990	7	138	19
Nonwhite	1,133	2	1	1	11	-	133	6	7	18	5	1	81	3	27	4
Urban...White	8,675	4	11	1	11	15	324	30	3	99	13	2	1,046	9	146	8
Nonwhite	1,235	1	-	-	3	-	110	6	4	23	4	2	88	2	24	3
Male...White	5,041	2	7	1	5	7	193	17	2	70	7	1	470	4	68	3
Nonwhite	658	-	-	-	-	-	62	3	-	15	2	1	33	1	5	-
Female...White	3,634	2	4	-	6	8	131	13	1	29	8	1	576	5	80	5
Nonwhite	577	1	-	-	3	-	48	3	4	8	2	1	55	1	19	3
Places of 100,000 or more...White	2,939	2	8	-	4	6	102	6	1	27	6	-	363	2	44	3
Nonwhite	422	-	-	-	3	-	30	2	1	8	2	-	32	1	11	1
Male...White	1,716	1	5	-	2	3	58	3	1	20	4	-	147	1	19	1
Nonwhite	218	-	-	-	-	-	18	-	-	6	2	-	13	1	1	-
Female...White	1,223	1	3	-	2	3	46	3	-	7	2	-	216	1	25	2
Nonwhite	204	-	-	-	3	-	12	2	1	2	-	-	19	-	10	1
Places of 25,000 to 100,000...White	623	-	-	-	-	1	31	1	-	4	2	-	79	1	11	-
Nonwhite	138	-	-	-	-	-	8	1	3	3	1	-	6	-	2	-
Male...White	370	-	-	-	-	-	16	1	-	4	1	-	39	1	6	-
Nonwhite	68	-	-	-	-	-	3	1	-	1	-	-	1	-	1	-
Female...White	253	-	-	-	-	1	15	-	-	-	1	-	40	-	5	-
Nonwhite	69	-	-	-	-	-	5	-	3	2	1	-	5	-	1	-
Places of 10,000 to 25,000...White	2,324	1	1	1	4	-	91	6	1	33	2	1	270	1	43	2
Nonwhite	364	-	-	-	-	-	34	-	-	7	-	-	26	1	7	2
Male...White	1,344	1	-	1	1	-	52	4	1	23	-	-	126	1	20	1
Nonwhite	204	-	-	-	-	-	20	-	-	5	-	-	9	-	2	-
Female...White	980	-	1	-	3	-	39	2	-	10	2	1	144	-	23	1
Nonwhite	160	-	-	-	-	-	14	-	-	2	-	-	17	1	5	2
Places of 2,500 to 10,000...White	2,789	1	2	-	3	8	100	17	1	35	3	1	334	5	48	3
Nonwhite	311	1	-	-	-	-	38	3	-	5	1	2	24	-	4	-
Male...White	1,611	-	2	-	2	4	69	9	-	23	2	1	158	1	21	1
Nonwhite	167	-	-	-	-	-	21	2	-	3	-	1	10	-	1	-
Female...White	1,178	1	-	-	1	4	31	8	1	12	1	-	176	4	27	2
Nonwhite	144	1	-	-	-	-	17	1	-	2	1	1	14	-	3	-
Rural...White	7,814	2	5	3	15	19	303	21	7	38	11	3	876	8	151	14
Nonwhite	1,201	2	2	1	11	-	143	6	5	30	5	1	50	3	15	2
Male...White	4,679	1	4	2	2	11	167	13	4	29	5	1	462	6	73	-
Nonwhite	645	1	1	-	3	-	58	3	2	20	2	1	24	1	7	1
Female...White	3,135	1	1	1	13	8	136	8	3	9	6	2	414	2	78	14
Nonwhite	556	1	1	1	8	-	85	3	3	10	3	-	26	2	8	1
OREGON	13,153	2	26	9	5	12	307	6	2	140	9	28	1,667	15	264	25
Both sexes...White	12,896	2	24	9	4	12	282	6	2	124	8	28	1,644	14	259	25
Nonwhite	257	-	2	-	1	-	25	-	-	16	1	-	23	1	5	-
Male...White	7,792	2	17	4	3	5	194	6	1	97	2	17	836	9	110	7
Nonwhite	169	-	2	-	1	-	14	-	-	12	-	-	12	1	3	-
Female...White	5,104	-	7	5	1	7	88	-	1	27	6	11	808	5	149	18
Nonwhite	88	-	-	-	-	-	11	-	-	4	1	-	11	-	2	-
Urban...White	8,552	2	13	5	1	6	196	4	2	103	2	17	1,137	7	178	17
Nonwhite	121	-	1	-	-	-	8	-	-	7	-	-	11	-	3	-
Male...White	5,089	2	11	3	1	3	143	4	1	81	-	9	570	4	75	4
Nonwhite	90	-	1	-	-	-	5	-	-	6	-	-	7	-	3	-
Female...White	3,463	-	2	2	-	3	53	-	1	22	2	8	567	3	103	13
Nonwhite	31	-	-	-	-	-	3	-	-	1	-	-	4	-	-	-
Places of 100,000 or more...White	4,258	1	6	2	-	3	103	-	1	43	-	16	600	4	85	8
Nonwhite	86	-	1	-	-	-	5	-	-	5	-	-	10	-	2	-
Male...White	2,493	1	5	-	-	2	77	-	-	35	-	8	292	2	35	2
Nonwhite	65	-	1	-	-	-	3	-	-	4	-	-	6	-	2	-
Female...White	1,745	-	1	2	-	1	26	-	1	8	-	8	308	2	50	6
Nonwhite	21	-	-	-	-	-	2	-	-	1	-	-	4	-	-	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	9	698	2,525	414	56	71	45	75	525	27	396	72	16	133	396	97	784
-	-	41	92	50	3	6	2	1	44	3	31	1	16	5	16	9	30
-	8	428	1,432	218	48	38	26	46	290	...	208	46	13	102	227	40	402
-	-	13	45	39	2	5	-	-	21	...	15	1	12	3	12	5	14
-	1	470	1,093	196	8	33	19	29	235	27	188	26	3	31	169	57	382
-	-	28	44	11	1	1	2	1	23	3	16	-	4	2	4	4	16
-	4	656	1,816	321	38	38	33	49	359	19	311	54	7	106	259	56	643
-	-	38	49	16	1	1	1	-	18	1	9	1	-	2	22	4	15
-	4	309	1,023	166	30	24	19	36	185	...	180	33	5	85	151	28	318
-	-	13	27	12	1	-	-	-	12	...	6	1	-	2	15	1	8
-	-	347	793	155	8	14	14	13	174	19	131	21	2	21	118	28	325
-	-	25	22	4	-	1	1	-	6	1	3	-	-	-	7	3	7
1	7	900	2,433	421	38	55	44	62	553	27	312	83	12	122	365	101	786
-	1	29	70	21	1	-	-	4	15	2	15	1	-	1	11	5	28
1	7	424	1,388	230	31	32	23	46	260	...	163	62	3	97	217	45	423
-	1	14	46	8	1	-	-	3	4	...	6	-	-	1	5	1	11
-	-	476	1,045	191	7	23	21	16	293	27	129	21	9	25	148	56	363
-	-	15	24	13	-	-	-	1	11	2	9	1	-	-	6	4	17
3	17	2,750	7,327	1,370	91	238	112	167	1,587	67	983	255	34	510	1,248	357	2,367
-	1	62	166	37	1	11	2	2	40	-	21	3	7	12	25	10	46
-	17	1,448	4,391	735	76	134	63	108	880	...	540	204	19	402	806	186	1,342
-	1	39	97	28	1	8	1	1	23	...	13	3	3	11	22	6	25
3	-	1,302	2,936	635	15	104	49	59	707	67	443	51	15	108	442	171	1,025
-	-	23	69	9	-	3	1	1	17	-	8	-	2	1	3	4	21
51	31	1,845	4,247	1,273	130	224	163	86	1,144	111	1,152	162	95	380	1,090	908	2,089
41	22	1,635	3,854	1,000	123	173	139	75	957	88	1,043	157	46	350	985	742	1,861
10	9	210	393	273	7	51	24	11	187	23	109	5	49	30	105	166	228
16	22	892	2,539	579	104	93	78	46	557	...	608	106	33	258	709	402	1,043
7	6	104	238	153	6	22	14	8	103	...	59	5	41	22	68	91	108
25	-	743	1,315	421	19	80	61	29	400	88	435	51	13	92	276	340	818
3	1	106	155	120	1	29	10	3	84	23	50	-	6	8	37	75	120
18	16	806	2,110	497	66	100	71	46	473	36	586	74	28	182	405	348	1,011
6	6	102	221	132	3	26	16	9	88	13	63	2	38	12	50	61	118
9	16	473	1,376	290	57	56	40	29	267	...	344	49	19	130	278	168	563
5	5	50	133	72	3	12	10	8	44	...	33	2	32	7	34	36	50
9	-	413	732	207	9	44	31	17	206	36	242	25	9	52	127	160	448
1	1	52	88	60	-	14	6	-	44	13	30	-	6	5	16	25	68
5	4	266	752	155	26	39	21	20	150	10	218	34	15	79	162	98	311
1	1	42	76	49	-	9	7	5	27	6	21	-	17	2	15	8	45
4	4	141	494	69	25	24	10	13	81	...	132	22	10	57	114	54	179
1	1	18	47	28	-	3	5	5	11	...	11	-	15	1	10	7	14
1	-	125	258	66	1	15	11	7	69	10	66	12	5	22	48	44	132
-	-	24	29	21	-	6	2	-	16	6	10	-	2	1	5	1	31
-	2	50	187	48	7	5	1	5	35	-	32	4	1	14	19	16	67
-	-	13	26	12	1	2	4	1	17	1	4	1	2	1	3	11	15
-	2	29	128	30	6	3	1	4	18	...	18	3	-	9	10	7	34
-	-	6	19	7	1	2	2	1	7	...	1	1	2	-	1	7	5
-	-	21	59	18	1	2	-	1	17	-	14	1	1	5	9	9	33
-	-	7	7	5	-	-	2	-	10	1	3	-	-	1	2	4	10
6	5	275	496	123	13	27	27	4	125	13	165	19	5	43	103	112	306
3	3	29	72	35	2	2	5	-	20	3	19	1	11	3	18	22	33
2	5	145	332	68	10	12	16	4	75	...	99	12	3	30	71	61	168
3	3	18	40	16	2	3	3	-	13	...	14	1	8	2	13	12	17
4	-	130	164	55	3	15	11	-	50	13	66	7	2	13	32	51	138
-	-	11	32	19	-	5	2	-	7	3	5	-	3	1	5	10	16
7	5	295	675	171	20	29	22	17	163	13	171	17	7	16	121	122	327
2	2	18	47	36	-	7	-	2	24	3	19	-	8	6	14	20	23
3	5	158	424	103	16	17	13	8	93	...	95	12	6	34	83	66	182
1	1	8	27	21	-	4	-	2	13	...	7	-	7	4	10	10	14
4	-	137	251	68	4	12	9	9	70	13	76	5	1	12	38	56	145
1	1	10	20	15	-	3	-	-	11	3	12	-	1	2	4	10	11
23	6	749	1,744	503	57	73	68	29	484	52	457	83	18	168	580	394	850
4	3	108	172	141	4	25	8	3	99	10	46	3	11	18	55	105	110
7	6	419	1,161	289	47	37	38	17	290	...	264	57	14	128	431	214	480
2	3	54	105	81	3	10	4	-	59	...	26	3	9	15	34	55	58
16	-	330	583	214	10	36	30	12	194	52	193	26	4	40	149	180	370
2	-	54	67	60	1	15	4	3	40	10	20	-	2	3	21	50	52
1	28	1,290	3,725	715	91	31	68	79	983	43	529	160	44	253	826	343	1,427
1	27	1,280	3,679	691	90	28	66	78	966	42	518	156	34	252	814	325	1,406
-	1	10	46	24	1	3	2	1	17	1	11	4	10	1	12	18	21
-	27	689	2,371	442	73	19	29	49	547	...	292	118	24	197	585	206	814
-	1	6	33	17	1	2	2	1	13	...	8	4	8	1	9	6	12
1	-	591	1,308	249	17	9	37	29	419	42	226	38	10	55	229	119	592
-	-	4	13	7	-	1	-	-	4	1	3	-	2	-	3	12	9
1	19	847	2,514	449	70	14	50	59	623	23	338	100	21	136	441	186	971
-	-	8	28	9	-	-	2	-	12	1	2	3	6	-	8	1	11
-	19	452	1,586	298	54	8	22	39	355	...	185	75	16	103	293	111	562
-	-	6	22	7	-	-	2	-	9	...	-	3	5	-	6	1	7
1	-	395	928	151	16	6	28	20	268	23	153	25	5	33	148	75	409
-	-	2	6	2	-	-	-	-	3	1	2	-	1	-	2	-	4
1	10	411	1,356	237	38	7	20	40	267	6	127	64	11	75	216	39	439
-	-	5	23	5	-	-	2	-	9	1	2	-	4	-	7	-	5
-	10	193	863	164	29	3	7	26	137	...	81	46	8	53	135	19	260
-	-	4	18	4	-	-	2	-	7	...	-	-	4	-	5	-	5
1	-	218	495	73	9	4	13	14	130	8	46	18	3	22	81	20	179
-	-	1	5	1	-	-	-	-	2	1	2	-	-	-	2	-	-

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
OREGON—Continued																
Places of 25,000 to 100,000...White	777	1	1	-	-	-	31	-	-	25	-	-	74	-	11	-
Nonwhite	9	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
Male...White	490	1	1	-	-	-	26	-	-	20	-	-	41	-	8	-
Nonwhite	6	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
Female...White	287	-	-	-	-	-	5	-	-	5	-	-	33	-	3	-
Nonwhite	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000...White	1,153	-	2	1	-	1	12	-	1	12	1	-	171	-	28	3
Nonwhite	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male...White	693	-	1	1	-	-	10	-	1	11	-	-	79	-	13	1
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female...White	460	-	1	-	-	1	2	-	-	1	1	-	92	-	15	2
Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000...White	2,384	-	4	2	1	2	50	4	-	23	1	1	292	3	54	6
Nonwhite	20	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-
Male...White	1,413	-	4	2	1	1	30	4	-	15	-	1	158	2	19	1
Nonwhite	17	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-
Female...White	971	-	-	-	-	1	20	-	-	8	1	-	134	1	35	5
Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural...White	4,344	-	11	4	3	6	88	2	-	21	6	11	507	7	81	8
Nonwhite	136	-	1	-	1	-	17	-	-	9	1	-	12	1	2	-
Male...White	2,703	-	6	1	2	2	51	2	-	16	2	8	266	5	35	3
Nonwhite	79	-	1	-	1	-	9	-	-	6	-	-	5	1	-	-
Female...White	1,641	-	5	3	1	4	35	-	-	5	4	3	241	2	46	5
Nonwhite	57	-	-	-	-	-	8	-	-	3	1	-	7	-	2	-
PENNSYLVANIA	110,333	27	216	38	95	30	4,020	38	1	992	95	117	13,959	152	3,380	236
Both sexes...White	102,912	24	187	37	87	28	3,128	37	1	681	88	114	13,361	127	3,228	224
Nonwhite	7,421	3	29	1	8	2	892	1	-	311	7	3	598	25	152	12
Male...White	56,307	15	116	20	42	13	2,030	22	1	502	36	77	6,402	58	1,001	33
Nonwhite	4,070	1	21	1	3	-	519	1	-	212	4	2	289	14	38	1
Female...White	46,605	9	71	17	45	15	1,098	15	-	179	52	37	6,959	69	2,227	191
Nonwhite	3,351	2	8	-	5	2	373	-	-	99	3	1	309	11	114	11
Urban...White	68,710	12	128	25	32	13	2,029	19	-	381	51	70	9,425	81	2,273	151
Nonwhite	6,587	3	29	1	6	2	798	-	-	250	4	3	538	23	137	12
Male...White	36,991	6	76	13	11	4	1,353	10	-	267	23	47	4,506	37	689	23
Nonwhite	3,559	1	21	1	2	-	457	-	-	167	3	2	262	13	33	1
Female...White	31,719	6	52	12	21	9	676	9	-	114	28	23	4,919	44	1,584	128
Nonwhite	3,028	2	8	-	4	2	341	-	-	83	1	1	276	10	104	11
Places of 100,000 or more...White	31,347	2	53	6	7	3	1,019	6	-	185	15	20	4,481	36	980	59
Nonwhite	5,146	2	25	1	2	1	649	-	-	215	-	1	428	18	105	6
Male...White	16,877	2	37	4	3	1	703	3	-	137	8	16	2,238	17	288	11
Nonwhite	2,796	1	18	1	1	-	378	-	-	142	-	-	204	9	25	1
Female...White	14,470	-	26	2	4	2	316	3	-	48	7	4	2,243	19	692	48
Nonwhite	2,350	1	7	-	1	1	271	-	-	73	-	1	224	7	80	5
Places of 25,000 to 100,000...White	13,002	6	19	2	4	2	353	3	-	97	8	18	1,755	14	426	35
Nonwhite	677	1	3	-	1	1	70	-	-	18	3	-	53	3	18	1
Male...White	6,961	2	13	1	2	1	227	1	-	65	4	10	793	5	140	4
Nonwhite	373	-	2	-	1	-	36	-	-	15	2	-	30	2	5	-
Female...White	6,041	4	6	1	2	1	126	2	-	32	4	8	962	9	286	31
Nonwhite	304	1	1	-	-	1	34	-	-	3	1	-	23	1	13	1
Places of 10,000 to 25,000...White	11,254	4	16	8	9	5	313	1	-	40	15	8	1,428	20	420	25
Nonwhite	509	-	1	-	3	-	52	-	-	13	-	1	35	3	8	2
Male...White	6,119	2	10	5	2	1	205	1	-	30	4	7	656	11	132	2
Nonwhite	271	-	1	-	-	-	30	-	-	7	-	1	16	2	2	-
Female...White	5,135	2	6	3	7	4	108	-	-	10	11	1	772	9	288	23
Nonwhite	238	-	-	-	3	-	22	-	-	6	-	-	19	1	6	2
Places of 2,500 to 10,000...White	13,107	-	30	9	12	3	344	9	-	59	13	24	1,761	11	447	32
Nonwhite	255	-	-	-	-	-	27	-	-	4	1	1	22	1	6	3
Male...White	7,034	-	16	3	4	1	218	5	-	35	7	14	819	4	129	6
Nonwhite	119	-	-	-	-	-	13	-	-	3	1	1	12	-	1	-
Female...White	6,073	-	14	6	8	2	126	4	-	24	6	10	942	7	318	26
Nonwhite	136	-	-	-	-	-	14	-	-	1	-	-	10	1	5	3
Rural...White	34,202	12	59	12	55	15	1,099	18	1	300	37	44	3,936	46	955	73
Nonwhite	854	-	-	-	2	-	94	1	-	61	3	-	60	2	15	-
Male...White	19,316	9	40	7	31	9	677	12	1	235	13	30	1,896	21	312	10
Nonwhite	511	-	-	-	1	-	62	1	-	45	1	-	27	1	5	-
Female...White	14,886	3	19	5	24	6	422	6	-	65	24	14	2,040	25	643	63
Nonwhite	323	-	-	-	1	-	32	-	-	16	2	-	33	1	10	-
RHODE ISLAND	8,409	3	16	2	7	3	300	1	-	63	7	1	1,074	4	291	13
Both sexes...White	8,226	2	16	2	5	3	281	1	-	58	7	1	1,061	4	284	12
Nonwhite	183	1	-	-	2	-	19	-	-	5	-	-	13	-	7	1
Male...White	4,327	1	12	2	1	3	190	-	-	38	5	1	498	2	86	4
Nonwhite	93	1	-	-	1	-	11	-	-	5	-	-	4	-	1	-
Female...White	3,899	1	4	-	4	-	91	1	-	20	2	-	563	2	198	8
Nonwhite	90	-	-	-	1	-	8	-	-	-	-	-	9	-	6	1
Urban...White	7,419	2	13	2	5	3	266	-	-	56	7	-	978	4	255	10
Nonwhite	174	1	-	-	1	-	19	-	-	5	-	-	13	-	6	1
Male...White	3,877	1	9	2	1	3	178	-	-	38	5	-	458	2	74	3
Nonwhite	89	1	-	-	1	-	11	-	-	5	-	-	4	-	1	-
Female...White	3,542	1	4	-	4	-	88	-	-	18	2	-	520	2	181	7
Nonwhite	85	-	-	-	-	-	8	-	-	-	-	-	9	-	5	1
Places of 100,000 or more...White	2,917	-	7	1	1	2	97	-	-	11	1	-	401	3	100	4
Nonwhite	106	1	-	-	1	-	11	-	-	3	-	-	10	-	4	-
Male...White	1,529	-	5	1	1	2	72	-	-	3	-	-	194	1	25	1
Nonwhite	55	1	-	-	1	-	7	-	-	3	-	-	2	-	1	-
Female...White	1,388	-	2	-	-	-	25	-	-	8	1	-	217	2	75	3
Nonwhite	51	-	-	-	-	-	4	-	-	-	-	-	8	-	3	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	3	60	180	67	2	1	1	5	34	1	15	6	1	8	28	81	141
-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3
-	3	37	116	39	1	1	-	5	18	...	8	3	1	5	17	53	86
-	-	1	-	-	-	-	-	-	-	...	-	-	-	-	-	-	2
-	-	23	64	28	1	-	1	-	16	1	7	3	-	3	11	28	55
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
-	4	117	304	47	9	1	9	5	100	9	72	16	3	18	76	20	111
-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	2
-	4	64	200	30	7	1	6	4	63	...	41	14	2	16	58	9	57
-	-	-	-	-	-	-	-	-	-	...	-	1	-	-	1	-	-
-	-	53	104	17	2	-	3	1	37	9	31	2	1	2	18	11	54
-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2
-	2	259	674	98	21	5	20	9	222	5	124	14	6	35	121	46	280
-	-	2	4	4	-	-	-	-	2	-	-	2	1	-	-	1	1
-	2	158	407	65	17	3	9	4	137	...	55	12	5	29	83	30	159
-	-	1	4	3	-	-	-	-	2	...	-	2	1	-	-	1	-
-	-	101	267	33	4	2	11	5	85	5	69	2	1	6	38	16	121
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
-	8	433	1,165	242	20	14	16	19	343	19	180	56	13	116	373	139	435
-	1	2	18	15	1	3	-	1	5	-	9	1	4	1	4	17	10
-	8	237	785	144	19	11	7	10	192	...	107	43	8	94	292	95	252
-	1	-	11	10	1	2	-	1	4	...	8	1	3	1	3	5	5
-	-	196	380	98	1	3	9	9	151	19	73	13	5	22	81	44	183
-	-	2	7	5	-	1	-	-	1	-	1	-	1	-	1	12	5
5	108	9,083	35,582	6,581	553	769	538	687	8,202	454	4,755	952	197	1,427	4,847	949	11,048
4	101	8,587	33,858	5,905	524	676	507	858	7,647	392	4,295	929	110	1,355	4,571	886	10,355
1	7	496	1,724	676	29	93	31	29	555	62	460	23	87	72	276	63	693
1	92	4,062	19,427	3,461	446	356	294	523	3,908	...	2,395	659	77	1,066	2,981	502	5,689
-	6	225	952	416	20	48	23	21	252	...	265	11	72	55	199	41	358
3	9	4,525	14,431	2,444	78	320	213	335	3,739	392	1,900	270	33	289	1,590	384	4,666
1	1	271	772	260	9	45	8	8	303	62	195	12	15	17	77	22	335
4	74	5,405	23,277	3,812	366	404	323	670	4,874	253	2,904	595	76	786	2,911	576	6,710
-	7	427	1,523	596	28	86	25	25	497	58	421	19	80	65	237	57	630
1	68	2,446	13,163	2,267	313	198	194	421	2,378	...	1,631	400	53	606	1,858	324	3,605
-	6	186	819	368	19	45	19	18	226	...	246	10	66	49	167	37	315
3	6	2,959	10,114	1,545	53	206	129	249	2,496	253	1,273	195	23	180	1,053	252	3,105
-	1	241	704	228	9	41	6	7	271	58	175	9	14	16	70	20	315
2	37	2,235	11,010	1,801	164	178	117	365	2,146	98	1,195	285	42	309	1,224	335	2,922
-	6	318	1,208	461	20	68	16	19	345	46	341	15	69	43	168	49	503
1	34	1,036	6,060	1,096	135	89	66	235	982	...	668	184	33	242	765	197	1,586
-	5	149	629	286	13	38	12	15	154	...	203	8	59	32	123	30	260
1	3	1,199	4,950	705	29	89	51	130	1,164	98	527	101	9	67	459	138	1,336
-	1	169	579	175	7	30	4	4	191	46	138	7	10	11	45	19	243
-	14	1,111	4,384	675	64	78	65	93	842	48	586	117	15	181	579	87	1,321
-	1	47	148	61	4	9	4	4	77	8	36	3	4	11	35	3	50
-	13	499	2,557	373	57	35	44	58	424	...	313	81	9	144	358	37	691
-	1	18	96	35	3	4	4	1	43	...	21	2	2	8	21	3	18
-	1	612	1,827	302	7	43	21	35	418	48	273	36	6	37	221	50	630
-	-	29	52	26	1	5	-	3	34	8	15	1	2	3	14	-	32
1	12	953	3,620	653	66	75	81	96	860	51	563	73	12	123	494	79	1,130
-	-	44	111	54	3	4	5	2	51	1	25	-	4	8	22	3	53
-	10	416	2,112	385	63	35	44	59	443	...	325	53	6	91	330	50	629
-	-	13	64	32	2	3	3	2	23	...	14	-	4	7	18	2	26
1	2	537	1,508	268	3	40	37	37	417	51	238	20	6	32	164	29	501
-	-	31	47	22	1	1	2	-	28	1	12	-	-	1	4	1	28
1	11	1,106	4,263	683	72	73	60	116	1,026	56	560	120	7	173	614	75	1,337
-	-	18	56	20	1	5	-	-	24	3	18	1	3	3	12	2	24
-	11	495	2,434	413	58	39	40	69	529	...	325	82	5	129	405	40	699
-	-	6	30	15	1	-	-	-	6	...	8	-	1	2	5	2	12
1	-	611	1,829	270	14	34	20	47	497	56	235	38	2	44	209	35	638
-	-	12	26	5	-	5	-	-	18	3	10	1	2	1	7	-	12
-	27	3,182	10,581	2,093	158	272	184	188	2,773	139	1,391	334	34	569	1,660	310	3,645
1	-	69	201	80	1	7	6	4	58	4	39	4	7	7	39	6	63
-	24	1,616	6,264	1,194	133	158	100	102	1,530	...	764	259	24	460	1,123	178	2,084
-	-	39	133	48	1	3	4	3	26	...	19	1	6	6	32	4	43
-	3	1,566	4,317	899	25	114	84	86	1,243	139	627	75	10	109	537	132	1,561
1	-	30	68	32	-	4	2	1	32	4	20	3	1	1	7	2	20
-	2	703	3,010	446	57	47	38	92	600	25	354	59	5	78	367	29	712
-	2	687	2,951	436	57	46	38	91	584	24	348	59	4	77	361	27	697
-	-	16	59	10	-	1	-	1	16	1	6	-	1	1	6	2	15
-	2	317	1,598	232	45	26	23	51	305	...	214	44	2	63	198	14	350
-	-	6	30	7	-	1	-	1	7	...	4	-	1	-	4	1	8
-	-	370	1,353	204	12	20	15	40	279	24	134	15	2	14	163	13	347
-	-	10	29	3	-	-	-	-	9	1	2	-	-	1	2	1	7
-	1	614	2,665	382	54	43	33	86	530	23	307	53	4	67	325	20	611
-	-	16	54	9	-	1	-	1	16	1	6	-	1	1	5	2	15
-	1	280	1,440	202	44	25	20	49	275	...	187	39	2	55	172	10	302
-	-	6	28	6	-	1	-	1	7	...	4	-	1	-	3	1	8
-	-	334	1,225	180	10	18	13	37	255	23	120	14	2	12	153	10	309
-	-	10	26	3	-	-	-	-	9	1	2	-	-	1	2	1	7
-	1	271	1,040	154	23	20	13	34	187	7	122	11	2	24	115	9	256
-	-	11	29	6	-	1	-	-	7	1	5	-	1	-	3	2	10
-	1	133	565	85	21	10	10	20	104	...	69	8	1	20	63	4	120
-	-	4	17	4	-	1	-	-	1	...	3	-	1	-	2	1	6
-	-	138	475	69	2	10	3	14	83	7	53	3	1	4	52	5	136
-	-	7	12	2	-	-	-	-	6	1	2	-	-	-	1	1	4

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
RHODE ISLAND—Continued																
Places of 25,000 to 100,000...White	3,382	-	3	1	4	1	106	-	-	41	5	-	434	1	116	5
Nonwhite	56	-	-	-	-	-	5	-	-	2	-	-	2	-	2	1
Male...White	1,760	-	2	1	-	1	71	-	-	32	4	-	220	1	37	2
Nonwhite	26	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-
Female...White	1,602	-	1	-	4	-	35	-	-	9	1	-	214	-	79	3
Nonwhite	30	-	-	-	-	-	2	-	-	-	-	-	1	-	2	1
Places of 10,000 to 25,000...White	829	2	2	-	-	-	24	-	-	4	-	-	105	-	31	1
Nonwhite	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Male...White	432	1	1	-	-	-	13	-	-	3	-	-	39	-	11	-
Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female...White	397	1	1	-	-	-	11	-	-	1	-	-	68	-	20	1
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000...White	311	-	1	-	-	-	39	-	-	-	1	-	38	-	8	-
Nonwhite	5	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-
Male...White	156	-	1	-	-	-	22	-	-	-	1	-	15	-	1	-
Nonwhite	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Female...White	155	-	-	-	-	-	17	-	-	-	-	-	23	-	7	-
Nonwhite	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Rural...White	807	-	3	-	-	-	15	1	-	2	-	1	83	-	29	2
Nonwhite	9	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Male...White	450	-	3	-	-	-	12	-	-	-	-	1	40	-	12	1
Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female...White	357	-	-	-	-	-	3	1	-	2	-	-	43	-	17	1
Nonwhite	5	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA	18,139	37	26	1	91	27	660	35	64	267	41	14	1,280	32	313	15
Both sexes...White	9,064	8	14	1	28	16	199	14	12	48	25	10	816	9	201	7
Nonwhite	9,075	29	12	-	63	11	461	21	52	219	16	4	464	23	112	8
Male...White	5,359	7	6	-	14	11	132	4	6	36	13	5	375	6	76	-
Nonwhite	4,514	14	8	-	18	6	225	7	24	149	6	2	156	11	31	1
Female...White	3,705	1	8	1	14	5	67	10	6	12	12	5	441	3	125	7
Nonwhite	4,561	15	4	-	45	5	236	14	28	70	10	2	308	12	81	7
Urban...White	3,558	-	7	-	12	4	101	7	2	33	8	2	350	-	92	2
Nonwhite	2,799	4	7	-	10	2	200	1	13	85	4	1	178	2	52	1
Male...White	2,052	-	2	-	7	3	67	1	1	25	3	1	156	-	34	-
Nonwhite	1,325	1	5	-	3	2	101	1	5	58	4	1	60	-	12	-
Female...White	1,506	-	5	-	5	1	34	6	1	8	5	1	194	-	58	2
Nonwhite	1,474	3	2	-	7	-	99	-	8	29	-	-	118	2	40	1
Places of 25,000 to 100,000...White	1,588	-	1	-	2	1	49	2	1	23	4	-	146	-	45	1
Nonwhite	1,345	1	5	-	4	-	95	-	4	45	-	-	87	1	27	-
Male...White	914	-	-	-	1	1	36	1	1	18	2	-	61	-	18	-
Nonwhite	636	1	3	-	-	-	43	-	1	28	-	-	33	-	7	-
Female...White	674	-	1	-	1	-	13	1	-	5	2	-	85	-	27	1
Nonwhite	709	-	2	-	4	-	52	-	3	17	-	-	54	1	20	-
Places of 10,000 to 25,000...White	666	-	2	-	4	1	20	1	-	5	2	-	74	-	23	1
Nonwhite	516	2	1	-	4	1	28	-	4	15	1	-	31	-	13	1
Male...White	390	-	1	-	2	1	12	-	-	2	-	-	39	-	6	-
Nonwhite	251	-	1	-	1	1	19	-	2	8	1	-	11	-	1	-
Female...White	276	-	1	-	2	-	8	1	-	1	2	-	35	-	17	1
Nonwhite	265	2	-	-	3	-	9	-	2	5	-	-	20	-	12	1
Places of 2,500 to 10,000...White	1,304	-	4	-	6	2	32	4	1	7	2	2	130	-	24	-
Nonwhite	938	1	1	-	2	1	77	1	5	27	3	1	60	1	12	-
Male...White	748	-	1	-	4	1	19	-	-	5	1	1	56	-	10	-
Nonwhite	438	-	1	-	2	1	39	1	2	20	3	1	16	-	4	-
Female...White	556	-	3	-	2	1	13	4	1	2	1	1	74	-	14	-
Nonwhite	500	1	-	-	-	-	38	-	3	7	-	-	44	1	8	-
Rural...White	5,506	8	7	1	16	12	98	7	10	15	17	8	466	9	109	5
Nonwhite	6,276	25	5	-	55	9	261	20	39	134	12	3	286	21	60	7
Male...White	3,307	7	4	-	7	8	65	3	5	11	10	4	219	6	42	-
Nonwhite	3,189	13	3	-	15	4	124	6	19	93	2	1	96	11	19	1
Female...White	2,199	1	3	1	9	4	33	4	5	4	7	4	247	3	67	5
Nonwhite	3,087	12	2	-	38	5	137	14	20	41	10	2	190	10	41	6
SOUTH DAKOTA	5,650	1	8	2	13	8	178	-	-	32	15	3	724	10	131	7
Both sexes...White	5,272	-	6	2	11	8	85	-	-	27	11	3	698	10	128	7
Nonwhite	378	1	2	-	2	-	93	-	-	5	4	-	26	-	5	-
Male...White	3,119	-	3	1	3	4	51	-	-	21	4	2	359	5	49	2
Nonwhite	191	1	2	-	1	-	52	-	-	2	2	-	10	-	2	-
Female...White	2,153	-	3	1	8	4	34	-	-	6	7	1	339	5	77	5
Nonwhite	187	-	-	-	1	-	41	-	-	3	2	-	16	-	3	-
Urban...White	1,917	-	2	-	5	6	47	-	-	17	5	-	228	4	50	2
Nonwhite	42	-	-	-	-	-	20	-	-	1	2	-	3	-	-	-
Male...White	1,125	-	1	-	2	3	29	-	-	12	1	-	117	2	21	1
Nonwhite	22	-	-	-	-	-	11	-	-	1	1	-	2	-	-	-
Female...White	794	-	1	-	3	3	18	-	-	5	4	-	111	2	29	1
Nonwhite	20	-	-	-	-	-	9	-	-	-	1	-	1	-	-	-
Places of 25,000 to 100,000...White	381	-	-	-	1	-	10	-	-	1	-	-	47	3	10	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male...White	220	-	-	-	-	-	5	-	-	1	-	-	18	1	3	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female...White	161	-	-	-	1	-	5	-	-	-	-	-	31	2	7	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000...White	726	-	-	-	3	5	9	-	-	2	5	-	93	-	14	1
Nonwhite	19	-	-	-	-	-	14	-	-	-	-	-	1	-	-	-
Male...White	441	-	-	-	1	2	4	-	-	2	1	-	52	-	7	1
Nonwhite	10	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-
Female...White	285	-	-	-	2	3	5	-	-	-	4	-	41	-	7	-
Nonwhite	9	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	-	236	1,257	177	25	16	15	34	245	11	134	34	2	30	171	4	253
-	-	5	21	1	-	-	-	1	9	-	1	-	-	1	2	-	5
-	-	99	669	90	20	9	8	19	122	...	84	27	1	24	86	3	128
-	-	2	9	-	-	-	-	1	6	...	1	-	-	-	1	-	2
-	-	137	588	87	5	7	7	15	124	11	50	7	1	6	85	1	125
-	-	3	12	1	-	-	-	-	3	-	-	-	-	1	1	-	3
-	-	77	278	37	5	7	4	14	73	3	42	5	-	11	28	3	73
-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	35	158	20	2	6	2	7	37	...	28	2	-	10	17	1	39
-	-	-	2	2	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	42	120	17	3	1	2	7	36	3	14	3	-	1	11	2	34
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	30	90	14	1	-	1	4	24	2	9	3	-	2	11	4	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	18	48	7	1	-	-	3	12	...	6	2	-	1	6	2	15
-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	17	42	7	-	-	1	1	12	2	3	1	-	1	5	2	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	73	286	54	3	3	5	5	54	1	41	6	-	10	36	7	95
-	-	-	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	37	158	30	1	1	3	2	30	...	27	5	-	8	26	4	48
-	-	-	2	1	-	-	-	-	-	...	-	-	-	-	1	-	-
-	-	36	128	24	2	2	2	3	24	1	14	1	-	2	10	3	38
-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	16	1,754	8,611	1,447	74	417	94	59	1,785	193	1,292	97	194	446	1,003	1,122	1,574
26	13	869	2,128	564	51	133	61	41	772	57	808	89	55	264	627	227	871
32	3	885	1,483	883	23	284	33	18	1,013	136	484	8	139	182	376	895	703
8	13	462	1,376	289	42	83	35	29	417	...	486	66	42	212	487	140	481
12	3	426	743	427	17	143	20	12	485	...	253	6	108	142	236	450	373
18	-	407	752	275	9	50	26	12	355	57	322	23	13	52	140	87	390
20	-	459	740	456	6	141	13	6	528	136	231	2	31	40	140	445	330
9	5	301	833	191	25	46	23	20	275	21	372	44	16	87	183	79	408
6	2	269	472	264	10	73	13	9	332	40	160	3	66	63	119	113	225
1	5	161	535	106	20	26	12	16	140	...	229	31	12	70	118	53	217
2	2	121	225	112	8	34	9	6	144	...	78	2	49	45	70	56	111
8	-	140	298	85	5	20	11	4	135	21	143	13	4	17	65	26	191
4	-	148	247	152	2	39	4	3	188	40	82	1	17	18	49	57	114
2	3	106	376	85	16	15	7	12	118	3	164	21	9	37	76	42	219
4	1	122	211	119	5	33	5	5	166	16	78	1	32	39	58	78	103
-	3	53	241	48	12	11	4	9	58	...	91	13	7	28	50	30	117
-	1	54	108	53	4	15	3	5	75	...	38	1	21	24	34	39	45
2	-	55	135	37	4	4	3	3	60	3	73	8	2	9	26	12	102
4	-	68	103	66	1	18	2	-	91	16	40	-	11	15	24	39	58
4	1	50	156	30	2	12	6	3	60	5	65	10	4	18	40	11	58
1	1	56	96	47	3	10	2	-	59	5	32	1	14	7	22	9	52
2	1	33	106	17	2	8	2	3	27	...	40	6	2	13	28	8	31
1	1	24	46	24	3	6	2	-	28	...	17	-	10	7	10	6	21
4	-	17	50	13	-	4	4	-	33	5	25	4	2	5	12	3	27
-	-	32	50	23	-	4	-	-	31	5	15	1	4	-	12	3	31
3	1	143	301	76	7	19	10	5	97	13	143	13	3	32	67	26	131
1	-	91	165	98	2	30	6	4	107	19	50	1	20	17	39	25	70
1	1	75	188	41	6	7	6	4	55	...	98	12	3	29	40	15	69
1	-	43	71	35	1	13	4	1	41	...	23	1	18	14	26	11	45
2	-	68	113	35	1	12	4	1	42	13	45	1	-	3	27	11	62
-	-	48	94	63	1	17	2	3	66	19	27	-	2	3	13	15	25
17	8	568	1,295	373	26	87	38	21	497	36	436	45	39	177	444	148	463
26	1	616	1,011	619	13	211	20	9	681	96	324	5	73	119	257	782	478
7	8	301	341	183	22	57	23	13	277	...	257	35	30	142	369	87	264
10	1	305	518	315	9	109	11	6	341	...	175	4	59	97	166	394	262
10	-	267	454	190	4	30	15	8	220	36	179	10	9	35	75	61	199
16	-	311	493	304	4	102	9	3	340	96	149	1	14	22	91	388	216
-	8	527	1,493	317	39	35	46	23	274	23	280	59	9	107	327	276	675
-	7	516	1,469	274	38	27	46	22	260	19	365	58	8	102	312	208	647
-	1	11	24	43	1	8	-	1	14	4	15	1	1	5	15	68	28
-	7	293	329	161	31	12	27	18	158	...	162	47	4	77	212	117	366
-	1	6	15	18	-	3	-	-	9	...	10	1	-	3	9	31	13
-	-	223	546	113	7	15	19	4	102	19	103	11	4	25	100	91	281
-	-	5	9	25	1	5	-	1	5	4	5	-	1	2	6	37	15
-	1	171	547	102	13	11	12	9	88	2	102	13	3	31	88	87	271
-	-	-	3	6	-	-	-	1	1	-	1	-	-	1	1	-	2
-	1	104	341	58	11	7	6	7	44	...	60	10	2	27	54	42	157
-	-	-	2	1	-	-	-	-	1	...	1	-	-	1	1	-	-
-	-	67	203	44	2	4	6	2	44	2	42	3	1	4	34	45	114
-	-	-	1	5	-	-	-	1	-	-	-	-	-	-	-	-	2
-	-	35	119	32	3	-	2	3	10	-	32	4	-	10	20	5	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	20	77	20	2	-	1	3	5	...	18	4	-	8	14	2	20
-	-	-	-	-	-	-	-	-	-	...	-	-	-	1	-	-	-
-	-	15	42	12	1	-	1	-	5	-	14	-	-	2	6	3	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	63	233	39	2	6	4	3	42	1	34	4	1	10	36	21	94
-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	1
-	1	41	146	25	2	3	4	2	20	...	23	3	1	9	23	15	53
-	-	-	-	1	-	-	-	-	-	...	1	-	-	-	-	-	-
-	-	22	87	14	-	3	-	1	22	1	11	1	-	1	13	6	41
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
SOUTH DAKOTA—Continued																
Places of 2,500 to 10,000.....White.....	810	-	2	-	1	1	28	-	-	14	-	-	88	1	26	1
Nonwhite..	22	-	-	-	-	-	6	-	-	1	2	-	2	-	-	-
Male.....White.....	462	-	1	-	1	1	20	-	-	9	-	-	49	1	11	-
Nonwhite..	11	-	-	-	-	-	4	-	-	1	1	-	1	-	-	-
Female.....White.....	348	-	1	-	-	-	8	-	-	5	-	-	39	-	15	1
Nonwhite..	11	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-
Rural.....White.....	3,355	-	4	2	6	2	38	-	-	10	6	3	470	6	76	5
Nonwhite..	336	1	2	-	2	-	73	-	-	4	2	-	23	-	5	-
Male.....White.....	1,996	-	2	1	1	1	22	-	-	9	3	2	242	3	28	1
Nonwhite..	169	1	2	-	1	-	41	-	-	1	1	-	8	-	2	-
Female.....White.....	1,359	-	2	1	5	1	16	-	-	1	3	1	228	3	48	4
Nonwhite..	167	-	-	-	1	-	32	-	-	3	1	-	15	-	3	-
TENNESSEE.....	27,854	12	81	5	61	46	1,881	63	13	340	68	16	2,552	36	375	52
Both sexes.....White.....	21,162	8	61	4	37	39	1,332	54	4	154	63	16	2,104	19	287	37
Nonwhite..	6,692	4	20	1	24	7	549	9	9	186	5	-	448	17	88	15
Male.....White.....	11,880	6	47	1	16	20	692	27	3	120	25	12	940	13	150	3
Nonwhite..	3,437	1	15	-	8	3	296	4	3	123	3	-	174	7	26	2
Female.....White.....	9,282	2	14	3	21	19	640	27	1	34	38	4	1,164	6	137	34
Nonwhite..	3,255	3	5	1	16	4	253	5	6	63	2	-	274	10	62	13
Urban.....White.....	7,664	1	13	2	11	10	376	12	1	40	14	6	870	2	120	18
Nonwhite..	4,123	2	19	-	6	4	316	6	3	81	2	-	299	14	61	13
Male.....White.....	4,189	-	9	1	5	4	216	8	-	32	5	4	348	1	52	3
Nonwhite..	2,066	1	14	-	1	2	169	3	2	56	2	-	114	6	19	2
Female.....White.....	3,475	1	4	1	6	6	160	4	1	8	9	2	522	1	68	15
Nonwhite..	2,057	1	5	-	5	2	147	3	1	25	-	-	185	8	42	11
Places of 100,000 or more.....White.....	4,935	-	9	1	4	6	215	6	-	29	8	-	575	1	83	11
Nonwhite..	3,206	1	18	-	6	4	238	3	1	62	2	-	227	14	44	11
Male.....White.....	2,718	-	6	1	2	2	139	4	-	24	3	-	231	1	32	2
Nonwhite..	1,628	1	13	-	1	2	131	1	-	41	2	-	86	6	14	2
Female.....White.....	2,217	-	3	-	2	4	76	2	-	5	5	-	344	-	51	9
Nonwhite..	1,578	-	5	-	5	2	107	2	1	21	-	-	141	8	30	9
Places of 25,000 to 100,000...White.....	185	-	1	-	1	-	12	-	-	3	-	-	22	-	4	1
Nonwhite..	30	-	-	-	-	-	4	-	-	3	-	-	2	-	1	-
Male.....White.....	117	-	-	-	1	-	8	-	-	3	-	-	10	-	3	-
Nonwhite..	20	-	-	-	-	-	1	-	-	3	-	-	2	-	1	-
Female.....White.....	68	-	1	-	-	-	4	-	-	-	-	-	12	-	1	1
Nonwhite..	10	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000....White.....	746	1	2	-	3	1	40	1	-	1	2	1	94	-	9	2
Nonwhite..	339	1	-	-	-	-	30	-	2	7	-	-	27	-	7	1
Male.....White.....	392	-	2	-	1	-	19	1	-	1	1	1	38	-	5	1
Nonwhite..	155	-	-	-	-	-	14	-	2	7	-	-	9	-	3	-
Female.....White.....	354	1	-	-	2	1	21	-	-	-	1	-	56	-	4	1
Nonwhite..	184	1	-	-	-	-	16	-	-	-	-	-	18	-	4	1
Places of 2,500 to 10,000.....White.....	1,798	-	1	1	3	3	109	5	1	7	4	5	179	1	24	4
Nonwhite..	548	-	1	-	-	-	44	3	-	9	-	-	43	-	9	1
Male.....White.....	962	-	1	-	1	2	50	3	-	4	1	3	69	-	12	-
Nonwhite..	263	-	1	-	-	-	23	2	-	5	-	-	17	-	1	-
Female.....White.....	836	-	-	1	2	1	59	2	1	3	3	2	110	1	12	4
Nonwhite..	285	-	-	-	-	-	21	1	-	4	-	-	26	-	8	1
Rural.....White.....	13,498	7	48	2	26	29	956	42	3	114	49	10	1,234	17	167	19
Nonwhite..	2,569	2	1	1	18	3	233	3	6	105	3	-	149	3	27	2
Male.....White.....	7,691	6	38	-	11	16	476	19	3	88	20	8	592	12	98	-
Nonwhite..	1,371	-	1	-	7	1	127	1	1	67	1	-	60	1	7	-
Female.....White.....	5,807	1	10	2	15	13	480	23	-	26	29	2	642	5	69	19
Nonwhite..	1,198	2	-	1	11	2	106	2	5	38	2	-	89	2	20	2
TEXAS.....	61,565	74	97	16	95	129	3,126	455	82	755	181	51	5,655	63	1,005	56
Both sexes.....White.....	50,919	43	87	15	74	114	2,510	393	50	411	154	41	4,989	47	859	43
Nonwhite..	10,646	31	10	1	21	15	616	62	32	344	27	10	666	16	146	13
Male.....White.....	30,030	22	61	7	37	61	1,425	205	26	335	71	21	2,435	22	375	4
Nonwhite..	5,676	17	5	1	10	9	314	31	17	246	14	2	245	7	63	-
Female.....White.....	20,889	21	26	8	37	53	1,085	188	24	76	83	20	2,554	25	484	39
Nonwhite..	4,970	14	5	-	11	6	302	31	15	98	13	8	421	9	83	13
Urban.....White.....	29,710	20	48	9	43	65	1,484	212	15	243	97	25	3,015	26	531	27
Nonwhite..	6,470	17	8	1	12	11	384	25	11	256	11	6	440	8	90	12
Male.....White.....	17,000	11	30	4	25	37	827	122	10	194	40	13	1,408	10	224	4
Nonwhite..	3,400	10	4	1	5	6	192	9	7	181	7	2	164	2	39	-
Female.....White.....	12,710	9	18	5	18	28	657	90	5	49	57	12	1,607	16	307	23
Nonwhite..	3,070	7	4	-	7	5	192	16	4	75	4	4	276	6	51	12
Places of 100,000 or more.....White.....	10,625	5	24	3	11	16	594	22	6	75	18	7	1,206	12	185	12
Nonwhite..	2,687	4	5	-	1	6	183	-	-	70	2	2	193	5	45	4
Male.....White.....	6,036	2	12	3	5	10	351	12	3	57	6	5	573	4	71	2
Nonwhite..	1,437	1	3	-	3	3	95	-	-	56	-	2	65	1	17	-
Female.....White.....	4,589	3	12	-	6	6	243	10	3	18	12	2	633	8	114	10
Nonwhite..	1,250	3	2	-	1	3	88	-	-	14	2	-	128	4	29	4
Places of 25,000 to 100,000...White.....	6,956	10	12	3	12	14	382	35	-	74	31	9	673	6	131	5
Nonwhite..	1,377	1	2	-	1	2	82	2	2	71	5	-	108	1	18	2
Male.....White.....	3,964	5	10	1	9	8	217	22	-	60	14	5	309	2	54	1
Nonwhite..	705	-	-	-	1	1	40	1	2	47	4	-	39	-	8	-
Female.....White.....	2,992	5	2	2	3	6	165	13	-	14	17	4	364	4	77	4
Nonwhite..	672	1	2	-	-	1	42	1	-	24	1	-	69	1	10	2
Places of 10,000 to 25,000....White.....	3,710	-	4	1	4	7	147	24	6	39	11	4	347	-	66	5
Nonwhite..	768	4	1	-	1	1	39	8	2	20	2	1	42	1	13	2
Male.....White.....	2,104	-	3	-	1	4	75	11	5	33	6	1	169	-	26	1
Nonwhite..	375	3	1	-	-	1	16	1	-	9	2	-	19	-	9	-
Female.....White.....	1,606	-	1	1	3	3	72	13	1	6	5	3	178	-	40	4
Nonwhite..	393	1	-	-	1	-	23	7	2	11	-	1	23	1	4	2

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes -
-	-	73	195	31	8	5	6	3	36	1	36	5	2	11	32	61	143
-	-	-	3	4	-	-	-	1	1	-	-	-	-	-	1	-	1
-	-	43	121	13	7	4	1	2	19	...	19	3	1	10	17	25	84
-	-	-	2	-	-	-	-	-	1	...	-	-	-	-	1	-	-
-	-	30	74	18	1	1	5	1	17	1	17	2	1	1	15	36	59
-	-	-	1	4	-	-	-	1	-	-	-	-	-	-	-	-	1
-	6	345	922	172	25	16	34	13	172	17	163	45	5	71	224	121	376
-	1	11	21	37	1	8	-	-	13	4	14	1	1	4	14	68	28
-	6	189	579	103	20	5	21	11	114	...	102	37	2	50	158	75	209
-	1	6	13	17	-	3	-	-	8	...	9	1	-	2	8	31	13
-	-	156	343	69	5	11	13	2	58	17	61	8	3	21	66	46	167
-	-	5	8	20	1	5	-	-	5	4	5	-	1	2	6	37	13
83	28	2,709	6,007	2,264	160	468	160	144	1,785	191	1,618	196	289	466	1,230	1,684	2,771
73	24	2,015	4,702	1,679	113	384	113	122	1,285	141	1,330	185	110	388	987	1,219	2,073
10	4	694	1,305	585	47	84	47	22	500	50	288	11	179	78	243	465	698
31	23	1,051	2,876	840	91	206	61	91	727	...	755	116	102	317	651	671	1,196
2	3	296	652	312	27	44	23	8	266	...	171	9	148	57	164	267	523
42	1	964	1,826	839	22	178	52	31	558	141	575	69	8	71	336	548	877
8	1	398	653	273	20	40	24	14	234	50	117	2	31	21	79	198	375
8	12	733	1,932	481	48	137	43	61	411	48	495	77	31	127	350	325	849
5	3	423	799	361	35	50	33	14	296	29	186	6	137	50	150	266	454
2	11	381	1,172	223	40	66	24	40	243	...	277	40	28	96	220	173	465
1	2	162	392	187	19	25	14	4	155	...	110	5	112	39	101	142	206
6	1	352	760	258	8	71	19	21	168	48	218	37	3	31	130	152	384
4	1	261	407	174	16	25	19	10	141	29	76	1	25	11	49	124	249
2	8	464	1,257	301	25	93	23	46	248	34	299	49	22	79	238	227	572
4	-	321	612	290	28	36	23	8	209	25	155	5	114	41	122	216	366
-	7	243	766	134	19	47	15	29	152	...	170	23	21	57	153	122	313
1	-	126	304	148	17	16	11	-	111	...	91	4	94	33	80	120	172
2	1	221	491	167	6	46	8	17	96	34	129	26	1	22	85	105	259
3	-	195	308	142	11	20	12	8	98	25	64	1	20	8	42	96	194
-	-	31	41	7	2	1	1	-	7	2	15	1	-	2	5	7	19
-	-	5	3	-	-	-	-	-	4	-	3	-	-	-	1	1	3
-	-	17	29	6	2	1	-	-	5	...	10	1	-	1	2	5	13
-	-	2	2	-	-	-	-	-	3	...	3	-	-	-	1	1	1
-	-	14	12	1	-	-	1	-	2	2	5	-	-	1	3	2	6
-	-	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	2
1	2	61	180	50	9	12	6	4	51	2	52	8	-	10	34	29	78
-	-	39	60	29	1	5	4	1	33	2	9	-	10	3	9	24	35
-	2	34	96	25	8	7	4	3	30	...	29	3	-	9	17	11	44
-	-	17	30	14	-	4	-	-	14	...	4	-	8	2	4	11	12
1	-	27	84	25	1	5	2	1	21	2	23	5	-	1	17	18	34
-	-	22	30	15	1	1	4	1	19	2	5	-	2	1	5	13	23
5	2	177	454	123	12	31	13	11	105	10	129	19	9	36	73	62	180
1	3	58	124	42	6	9	6	5	50	2	19	1	13	6	18	25	50
2	2	87	281	58	11	11	5	8	56	...	68	13	7	29	48	35	95
-	2	17	58	25	2	5	3	4	27	...	12	1	10	4	16	10	20
3	-	90	173	65	1	20	8	3	49	10	61	6	2	7	25	27	85
1	1	41	68	17	4	4	3	1	23	2	7	-	3	2	2	15	30
65	12	1,282	2,770	1,198	65	247	70	61	874	93	835	108	78	261	637	894	1,224
5	1	271	506	224	12	34	14	8	204	21	102	5	42	28	93	199	244
29	12	670	1,704	617	51	140	37	51	484	...	478	76	74	221	451	498	731
1	1	134	260	125	8	19	9	4	111	...	61	4	36	18	63	125	118
36	-	612	1,066	581	14	107	33	10	390	93	357	32	5	40	206	396	493
4	-	137	246	99	4	15	5	4	93	21	41	1	6	10	30	74	126
176	58	4,846	13,486	4,263	260	1,822	358	345	3,707	422	4,152	485	549	1,405	4,000	2,779	6,612
133	54	3,804	11,436	3,363	223	1,637	291	299	2,879	310	3,626	470	252	1,253	3,469	2,179	5,411
43	4	1,042	2,050	900	37	185	67	46	828	112	526	15	297	152	531	600	1,201
41	49	2,025	7,353	1,836	181	851	182	197	1,723	...	2,157	348	206	972	2,594	1,227	2,981
14	3	476	1,115	493	22	89	41	31	463	...	281	14	247	117	384	319	586
92	5	1,779	4,083	1,527	42	786	109	102	1,158	310	1,469	122	46	281	875	952	2,430
29	1	566	935	407	15	96	26	15	365	112	245	1	50	35	147	281	615
61	35	2,195	6,982	1,954	145	1,049	171	216	1,633	202	2,308	273	160	659	1,528	1,054	3,225
26	2	660	1,231	527	24	107	47	30	462	71	344	9	232	88	278	266	774
19	31	1,149	4,419	1,060	118	550	103	140	970	...	1,375	191	125	477	1,010	573	1,731
6	2	301	652	289	13	49	29	22	245	...	174	8	193	66	201	144	377
42	4	1,046	2,563	894	27	499	68	76	663	202	933	82	35	182	518	481	1,494
20	-	359	579	238	11	58	18	8	217	71	170	1	39	22	77	122	397
7	13	814	2,707	644	46	312	55	98	547	54	711	122	71	234	503	278	1,213
5	1	279	582	194	10	32	17	16	157	16	157	7	149	36	109	87	312
1	13	426	1,689	363	33	157	29	67	312	...	391	88	56	176	342	147	630
2	1	123	314	105	7	16	9	11	74	...	80	6	126	29	82	49	160
6	-	388	1,018	281	13	155	26	31	235	54	320	34	15	58	161	131	583
3	-	156	268	89	3	16	8	5	83	16	77	1	23	7	27	38	152
20	12	453	1,572	465	38	248	41	53	387	48	618	52	37	133	351	298	735
8	1	121	239	124	6	34	8	8	119	20	72	2	27	15	58	57	163
8	10	231	989	241	34	126	23	32	227	...	387	36	24	94	230	147	408
1	1	56	133	71	3	14	4	6	64	...	36	2	19	9	40	31	72
12	2	222	583	224	4	122	18	21	160	48	231	16	13	39	121	149	327
7	-	65	106	53	3	20	4	2	55	20	36	-	8	6	16	26	91
11	3	283	861	240	24	143	26	27	227	30	292	36	13	89	200	127	413
4	-	105	133	71	3	14	7	3	59	12	36	-	18	8	42	30	86
4	2	142	540	123	19	75	16	15	149	...	182	25	11	59	133	66	208
1	-	43	61	41	1	4	7	2	33	...	19	-	15	5	30	14	38
7	1	141	321	117	5	68	10	12	78	30	110	11	2	30	67	61	205
3	-	62	72	30	2	10	-	1	26	12	17	-	3	3	12	16	48

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
TEXAS—Continued																
Places of 2,500 to 10,000.....White.....	8,419	5	8	2	16	28	361	131	3	55	37	5	789	8	149	5
Nonwhite..	1,638	8	-	1	9	2	80	15	7	95	2	3	97	1	13	4
Male.....White.....	4,896	4	5	-	10	15	184	77	2	44	14	2	357	4	73	-
Nonwhite..	883	6	-	1	4	1	41	7	5	69	1	-	41	1	5	-
Female.....White.....	3,523	1	3	2	6	13	177	54	1	11	23	3	432	4	76	5
Nonwhite..	755	2	-	-	5	1	39	8	2	26	1	3	56	-	8	4
Rural.....White.....	21,209	23	39	6	31	49	1,026	181	35	168	57	16	1,974	21	328	16
Nonwhite..	4,176	14	2	-	9	4	232	37	21	88	16	4	226	8	56	1
Male.....White.....	13,030	11	31	3	12	24	598	83	16	141	31	8	1,027	12	151	-
Nonwhite..	2,276	7	1	-	5	3	122	22	10	65	7	-	81	5	24	-
Female.....White.....	8,179	12	8	3	19	25	428	98	19	27	26	8	947	9	177	16
Nonwhite..	1,900	7	1	-	4	1	110	15	11	23	9	4	145	3	32	1
UTAH.....	4,957	2	16	19	4	-	73	3	1	28	1	-	546	11	111	23
Both sexes.....White.....	4,786	2	16	12	4	-	54	3	1	23	1	-	518	11	104	23
Nonwhite..	171	-	-	1	-	-	19	-	-	5	-	-	28	-	7	-
Male.....White.....	2,792	2	13	7	2	-	37	-	1	14	1	-	247	3	42	6
Nonwhite..	113	-	-	-	-	-	9	-	-	3	-	-	18	-	4	-
Female.....White.....	1,994	-	3	5	2	-	17	3	-	9	-	-	271	8	62	17
Nonwhite..	58	-	-	1	-	-	10	-	-	2	-	-	10	-	3	-
Urban.....White.....	3,050	-	13	9	2	-	39	1	1	16	-	-	341	5	77	13
Nonwhite..	62	-	-	1	-	-	2	-	-	3	-	-	9	-	5	-
Male.....White.....	1,764	-	11	5	1	-	27	-	1	9	-	-	166	2	28	2
Nonwhite..	43	-	-	-	-	-	1	-	-	2	-	-	5	-	3	-
Female.....White.....	1,286	-	2	4	1	-	12	1	-	7	-	-	175	3	49	11
Nonwhite..	19	-	-	1	-	-	1	-	-	1	-	-	4	-	2	-
Places of 100,000 or more.....White.....	1,495	-	5	3	1	-	16	1	-	7	-	-	168	-	32	6
Nonwhite..	37	-	-	1	-	-	2	-	-	1	-	-	6	-	5	-
Male.....White.....	848	-	4	1	-	-	12	-	-	4	-	-	77	-	14	2
Nonwhite..	25	-	-	-	-	-	1	-	-	1	-	-	4	-	3	-
Female.....White.....	647	-	1	2	1	-	4	1	-	3	-	-	91	-	18	4
Nonwhite..	12	-	-	1	-	-	1	-	-	-	-	-	2	-	2	-
Places of 25,000 to 100,000...White.....	471	-	2	1	-	-	10	-	-	1	-	-	62	1	14	2
Nonwhite..	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Male.....White.....	272	-	1	1	-	-	8	-	-	-	-	-	30	-	5	-
Nonwhite..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	199	-	1	-	-	-	2	-	-	1	-	-	32	1	9	2
Nonwhite..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Places of 10,000 to 25,000...White.....	335	-	1	3	-	-	5	-	1	6	-	-	33	1	7	-
Nonwhite..	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Male.....White.....	192	-	1	1	-	-	2	-	1	4	-	-	13	-	2	-
Nonwhite..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	143	-	-	2	-	-	3	-	-	2	-	-	20	1	5	-
Nonwhite..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000.....White.....	749	-	5	2	1	-	8	-	-	2	-	-	78	3	24	5
Nonwhite..	11	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-
Male.....White.....	452	-	5	2	1	-	5	-	-	1	-	-	46	2	7	-
Nonwhite..	9	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Female.....White.....	297	-	-	-	-	-	3	-	-	1	-	-	32	1	17	5
Nonwhite..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Rural.....White.....	1,736	2	3	3	2	-	15	2	-	7	1	-	177	6	27	10
Nonwhite..	109	-	-	-	-	-	17	-	-	2	-	-	19	-	2	-
Male.....White.....	1,028	2	2	2	1	-	10	-	-	5	1	-	81	1	14	4
Nonwhite..	70	-	-	-	-	-	8	-	-	1	-	-	13	-	1	-
Female.....White.....	708	-	1	1	1	-	5	2	-	2	-	-	96	5	13	6
Nonwhite..	39	-	-	-	-	-	9	-	-	1	-	-	6	-	1	-
VERMONT.....	4,274	3	6	-	7	2	124	-	-	32	11	2	527	3	110	5
Both sexes.....White.....	4,270	3	6	-	7	2	123	-	-	32	11	2	527	3	110	5
Nonwhite..	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Male.....White.....	2,280	1	5	-	5	2	85	-	-	20	5	1	248	2	44	-
Nonwhite..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	1,990	2	1	-	2	-	38	-	-	12	6	1	279	1	66	5
Nonwhite..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Urban.....White.....	1,716	-	5	-	2	-	55	-	-	26	3	1	212	1	49	3
Nonwhite..	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Male.....White.....	870	-	4	-	2	-	40	-	-	17	1	1	92	1	17	-
Nonwhite..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	846	-	1	-	-	-	15	-	-	9	2	-	120	-	32	3
Nonwhite..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000...White.....	328	-	3	-	1	-	8	-	-	8	2	-	46	-	13	-
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	166	-	2	-	1	-	2	-	-	6	1	-	18	-	3	-
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	162	-	1	-	-	-	6	-	-	2	1	-	28	-	10	-
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000....White.....	345	-	1	-	-	-	32	-	-	4	-	1	47	-	16	1
Nonwhite..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Male.....White.....	189	-	1	-	-	-	29	-	-	3	-	1	17	-	6	-
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	156	-	-	-	-	-	3	-	-	1	-	-	30	-	10	1
Nonwhite..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000.....White.....	1,043	-	1	-	1	-	15	-	-	14	1	-	119	1	20	2
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	515	-	1	-	1	-	9	-	-	8	-	-	57	1	8	-
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	528	-	-	-	-	-	6	-	-	6	1	-	62	-	12	2
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
23	7	645	1,842	605	37	346	49	38	472	70	687	63	39	203	474	353	864
9	-	155	277	138	5	27	15	3	127	23	79	-	38	29	71	92	213
6	6	350	1,201	333	32	192	35	26	282	...	415	42	34	148	305	213	485
2	-	79	144	72	2	15	9	3	74	...	39	-	33	23	49	50	107
17	1	295	641	272	5	154	14	12	190	70	272	21	5	55	169	140	379
7	-	76	133	66	3	12	6	-	53	23	40	-	5	6	22	42	106
72	19	1,609	4,454	1,409	78	588	120	83	1,246	108	1,318	197	92	594	1,941	1,125	2,186
17	2	382	819	373	13	78	20	16	366	41	182	6	65	64	253	334	427
22	18	876	2,934	776	63	301	79	57	753	...	782	157	81	495	1,584	654	1,250
8	1	175	463	204	9	40	12	9	218	...	107	6	54	51	163	175	209
50	1	733	1,520	633	15	287	41	26	493	108	536	40	11	99	357	471	936
9	1	207	356	169	4	38	8	7	148	41	75	-	11	13	70	159	218
-	5	345	1,476	256	60	40	34	37	223	22	401	42	10	131	347	175	521
-	5	333	1,451	245	60	39	34	35	218	21	390	41	8	129	336	160	509
-	-	12	25	11	-	1	-	2	5	1	11	1	2	2	11	15	12
-	5	148	899	143	49	18	14	19	116	...	236	28	6	100	248	96	292
-	-	9	20	5	-	1	-	2	5	...	9	1	1	2	10	7	7
-	-	185	552	102	11	21	20	16	102	21	154	13	2	29	88	64	217
-	-	3	5	6	-	-	-	-	-	1	2	-	1	-	1	8	5
-	4	213	983	150	43	24	22	26	134	16	238	25	5	84	165	87	314
-	-	4	13	6	-	-	-	-	4	-	3	1	2	1	2	2	4
-	4	89	610	84	34	11	11	14	77	...	149	16	5	67	111	50	180
-	-	3	12	3	-	-	-	-	4	...	1	1	1	1	2	2	2
-	-	124	373	66	9	13	11	12	57	16	89	9	-	17	54	37	134
-	-	1	1	3	-	-	-	-	-	-	2	-	1	-	-	-	2
-	1	100	533	68	25	16	14	14	67	9	99	9	3	45	59	37	157
-	-	1	10	2	-	-	-	-	2	-	2	-	1	-	-	1	3
-	1	44	315	39	19	8	8	7	38	...	62	5	3	33	38	21	93
-	-	1	9	-	-	-	-	-	2	...	1	-	1	-	-	1	1
-	-	56	218	29	6	8	6	7	29	9	37	4	-	12	21	16	64
-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	2
-	2	37	115	21	11	3	3	7	15	2	41	3	-	15	37	22	44
-	-	3	2	-	-	-	-	-	2	-	1	-	1	-	1	-	-
-	2	20	67	10	10	2	-	2	8	...	29	2	-	13	26	13	23
-	-	2	2	-	-	-	-	-	2	...	-	-	-	-	1	-	-
-	-	17	48	11	1	1	3	5	7	2	12	1	-	2	11	9	21
-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
-	1	25	109	19	3	1	1	2	15	2	24	4	-	5	18	6	43
-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	11	78	7	2	-	-	2	7	...	12	3	-	3	11	4	27
-	-	-	-	1	-	-	-	-	-	...	-	-	-	1	-	-	-
-	-	14	31	12	1	1	1	-	8	2	12	1	-	2	7	2	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	51	226	42	4	4	4	3	37	3	74	9	2	19	51	22	70
-	-	-	1	3	-	-	-	-	-	-	-	1	-	-	1	1	1
-	-	14	150	28	3	1	3	3	24	...	46	6	2	18	36	12	37
-	-	-	1	2	-	-	-	-	-	...	-	1	-	-	1	1	1
-	-	37	76	14	1	3	1	-	13	3	28	3	-	1	15	10	33
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	120	468	95	17	15	12	9	84	5	152	16	3	45	171	73	195
-	-	8	12	5	-	1	-	2	1	1	8	-	-	1	9	13	8
-	1	59	289	59	15	7	3	5	39	...	87	12	1	33	137	46	112
-	-	6	8	2	-	1	-	2	1	...	8	-	-	1	8	5	5
-	-	61	179	36	2	8	9	4	45	5	65	4	2	12	34	27	83
-	-	2	4	3	-	-	-	-	-	1	-	-	-	-	1	8	3
1	7	456	1,373	216	26	19	26	22	248	13	204	45	1	34	188	62	501
1	7	455	1,372	216	26	19	26	22	248	13	204	45	1	33	188	62	501
-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	7	191	751	117	21	11	16	15	125	...	121	31	1	31	126	35	263
-	-	1	1	-	-	-	-	-	-	...	-	-	-	1	-	-	-
1	-	264	621	99	5	8	10	7	123	13	83	14	-	2	62	27	238
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	167	582	80	13	6	9	10	89	3	98	12	-	10	66	22	190
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	65	291	41	11	5	5	9	43	...	65	9	-	10	41	8	90
-	-	1	1	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	102	291	39	2	1	4	1	46	3	33	3	-	-	25	14	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	29	108	7	1	2	-	2	11	-	28	1	-	1	12	3	42
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	12	53	3	1	1	-	2	7	...	17	1	-	1	8	1	26
-	-	-	1	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	17	55	4	-	1	-	-	4	-	11	-	-	-	4	2	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	31	97	12	2	1	1	5	24	1	22	2	-	4	9	8	24
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	11	52	6	2	1	1	4	12	...	18	1	-	4	4	4	12
-	-	1	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	20	45	6	-	-	-	1	12	1	4	1	-	-	5	4	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	107	377	61	10	3	8	3	54	2	48	9	-	5	45	11	124
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	42	186	32	8	3	4	3	24	...	30	7	-	5	29	3	52
-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	65	191	29	2	-	4	-	30	2	18	2	-	-	16	8	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
VERMONT—Continued																
Rural.....White.....	2,554	3	1	-	5	2	68	-	-	6	8	1	315	2	61	2
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	1,410	1	1	-	3	2	45	-	-	3	4	-	156	1	27	-
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	1,144	2	-	-	2	-	23	-	-	3	4	1	159	1	34	2
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA.....	28,739	11	95	8	102	25	1,344	71	1	346	50	58	2,598	31	544	49
Both sexes.....White.....	19,483	6	72	6	57	20	557	35	-	121	41	50	2,046	20	395	38
Nonwhite..	9,256	5	23	2	45	5	687	36	1	225	9	6	552	11	149	11
Male.....White.....	11,298	5	49	4	21	14	389	20	-	98	24	33	954	11	156	3
Nonwhite..	5,011	2	12	1	18	3	363	22	1	177	3	5	256	2	51	-
Female.....White.....	8,185	1	23	2	36	6	268	15	-	23	17	17	1,092	9	239	35
Nonwhite..	4,245	3	11	1	27	2	324	14	-	48	6	3	296	9	98	11
Urban.....White.....	8,048	1	24	3	10	3	234	4	-	66	7	26	921	7	182	12
Nonwhite..	3,899	3	10	2	10	2	295	10	1	76	2	1	290	3	66	4
Male.....White.....	4,582	1	16	3	5	3	145	1	-	52	5	17	415	6	64	2
Nonwhite..	2,031	-	2	1	2	2	156	6	1	60	1	1	130	1	21	-
Female.....White.....	3,466	-	8	-	5	-	89	3	-	14	2	9	506	1	118	10
Nonwhite..	1,868	3	8	1	8	-	139	4	-	16	1	-	160	2	45	4
Places of 100,000 or more.....White.....	2,811	-	10	1	1	-	64	-	-	12	1	5	332	3	68	1
Nonwhite..	1,736	-	6	1	4	1	140	4	1	42	-	-	129	2	23	-
Male.....White.....	1,595	-	8	1	1	-	42	-	-	10	-	3	148	2	20	-
Nonwhite..	907	-	1	1	1	1	79	2	1	34	-	-	53	1	8	-
Female.....White.....	1,216	-	2	-	-	-	22	-	-	2	1	2	184	1	48	1
Nonwhite..	829	-	5	-	3	-	61	2	-	8	-	-	76	1	15	-
Places of 25,000 to 100,000...White.....	2,681	-	11	1	5	3	81	1	-	18	4	11	329	2	63	6
Nonwhite..	1,542	1	4	1	5	-	107	3	-	25	2	1	110	1	28	4
Male.....White.....	1,539	-	5	1	2	3	50	-	-	15	3	8	143	2	21	1
Nonwhite..	808	-	1	-	1	-	54	3	-	19	1	1	61	-	7	-
Female.....White.....	1,142	-	6	-	3	-	31	1	-	3	1	3	166	-	42	5
Nonwhite..	734	1	3	1	4	-	53	-	-	6	1	-	49	1	21	4
Places of 10,000 to 25,000....White.....	804	-	1	-	1	-	25	1	-	20	-	-	91	2	16	-
Nonwhite..	206	2	-	-	1	-	20	1	-	4	-	-	15	-	7	-
Male.....White.....	449	-	1	-	-	-	14	-	-	14	-	-	36	2	8	-
Nonwhite..	98	-	-	-	-	-	9	-	-	3	-	-	4	-	4	-
Female.....White.....	355	-	-	-	1	-	11	1	-	6	-	-	55	-	8	-
Nonwhite..	108	2	-	-	1	-	11	1	-	1	-	-	11	-	3	-
Places of 2,500 to 10,000.....White.....	1,752	1	2	1	3	-	64	2	-	16	2	10	169	-	35	5
Nonwhite..	415	-	-	-	-	1	28	2	-	5	-	-	36	-	8	-
Male.....White.....	999	1	2	1	2	-	39	1	-	13	2	6	88	-	15	1
Nonwhite..	218	-	-	-	-	1	14	1	-	4	-	-	12	-	2	-
Female.....White.....	753	-	-	-	1	-	25	1	-	3	-	4	81	-	20	4
Nonwhite..	197	-	-	-	-	-	14	1	-	1	-	-	24	-	6	-
Rural.....White.....	11,435	5	48	3	47	17	423	31	-	55	34	24	1,125	13	213	26
Nonwhite..	5,357	2	13	-	35	3	392	25	-	149	7	7	262	8	83	7
Male.....White.....	6,716	4	33	1	16	11	244	19	-	46	19	16	539	5	92	1
Nonwhite..	2,980	2	10	-	16	1	207	15	-	117	2	4	126	1	30	-
Female.....White.....	4,719	1	15	2	31	6	179	12	-	9	15	8	586	8	121	25
Nonwhite..	2,377	-	3	-	19	2	185	10	-	32	5	3	136	7	53	7
WASHINGTON.....	21,849	5	32	14	14	23	702	23	2	216	15	19	2,658	19	459	44
Both sexes.....White.....	21,187	4	28	14	12	22	605	19	2	186	15	19	2,618	19	453	44
Nonwhite..	662	1	4	-	2	1	97	4	-	30	-	-	40	-	6	-
Male.....White.....	12,851	3	20	2	5	14	414	15	2	141	7	11	1,318	11	194	11
Nonwhite..	409	1	2	-	1	-	51	2	-	25	-	-	25	-	3	-
Female.....White.....	8,336	1	8	12	7	8	191	4	-	45	8	8	1,300	8	259	33
Nonwhite..	253	-	2	-	1	1	46	2	-	5	-	-	15	-	3	-
Urban.....White.....	13,321	3	14	7	3	12	339	11	1	91	11	13	1,786	15	293	30
Nonwhite..	311	1	1	-	-	-	45	2	-	13	-	-	25	-	4	-
Male.....White.....	7,888	3	8	-	-	6	227	8	1	68	3	8	864	8	123	8
Nonwhite..	222	1	1	-	-	-	27	1	-	9	-	-	19	-	1	-
Female.....White.....	5,433	-	6	7	3	6	112	3	-	28	8	5	922	7	170	22
Nonwhite..	89	-	-	-	-	-	18	1	-	4	-	-	6	-	3	-
Places of 100,000 or more.....White.....	8,425	2	6	3	1	6	240	2	1	61	4	6	1,142	9	174	17
Nonwhite..	239	-	-	-	-	-	40	-	-	12	-	-	16	-	4	-
Male.....White.....	4,975	2	3	-	-	4	161	1	1	41	1	5	552	5	75	5
Nonwhite..	168	-	-	-	-	-	25	-	-	8	-	-	12	-	1	-
Female.....White.....	3,450	-	3	3	1	2	79	1	-	20	3	1	590	4	99	12
Nonwhite..	71	-	-	-	-	-	15	-	-	4	-	-	4	-	3	-
Places of 25,000 to 100,000...White.....	1,319	-	2	1	-	1	17	7	-	2	1	1	205	1	35	3
Nonwhite..	13	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-
Male.....White.....	763	-	1	-	-	-	10	5	-	2	1	1	102	-	9	3
Nonwhite..	12	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-
Female.....White.....	556	-	1	1	-	1	7	2	-	-	-	-	103	1	26	-
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000....White.....	1,848	1	3	1	1	3	53	1	-	19	6	5	237	2	46	3
Nonwhite..	28	1	1	-	-	-	3	-	-	1	-	-	4	-	-	-
Male.....White.....	1,142	1	2	-	-	-	39	1	-	16	1	1	119	1	19	-
Nonwhite..	21	1	1	-	-	-	2	-	-	1	-	-	2	-	-	-
Female.....White.....	706	-	1	1	1	3	14	-	-	3	5	4	118	1	27	3
Nonwhite..	7	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
Places of 2,500 to 10,000.....White.....	1,729	-	3	2	1	2	29	1	-	9	-	1	202	3	38	7
Nonwhite..	31	-	-	-	-	-	2	1	-	-	-	-	3	-	-	-
Male.....White.....	1,008	-	2	-	-	2	17	1	-	4	-	1	91	2	20	-
Nonwhite..	21	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
Female.....White.....	721	-	1	2	1	-	12	-	-	5	-	-	111	1	18	7
Nonwhite..	10	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
1	5	288	790	136	13	13	17	12	159	10	106	33	1	23	122	40	311
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	5	126	460	76	10	6	11	6	82	...	56	22	1	21	85	27	173
-	-	-	-	-	-	-	-	-	-	...	-	-	-	1	-	-	-
1	-	162	330	60	3	7	6	6	77	10	50	11	-	2	37	13	138
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	52	2,933	7,176	1,971	158	369	172	157	2,435	183	1,947	259	241	557	1,453	762	2,549
23	37	1,827	5,151	1,188	117	236	109	116	1,525	82	1,410	241	89	407	1,088	511	1,762
7	15	1,106	2,027	783	41	133	63	41	910	101	537	18	152	150	365	251	787
10	32	972	3,161	653	97	144	62	82	861	...	820	169	71	318	778	259	1,028
4	10	541	1,128	419	31	66	34	29	456	...	293	13	123	134	254	140	420
13	5	855	1,990	535	20	92	47	34	664	82	590	72	18	89	310	252	734
3	5	565	899	364	10	67	29	12	454	101	244	5	29	16	111	111	367
7	17	723	2,347	412	64	61	44	64	596	33	592	107	40	138	463	112	728
3	8	473	856	335	24	60	29	19	379	45	198	8	112	47	137	44	346
3	15	360	1,402	249	51	36	28	44	323	...	352	67	28	104	314	51	420
2	6	219	451	175	16	32	14	12	179	...	112	5	92	39	93	25	175
4	2	363	945	163	13	25	16	20	273	33	240	40	12	34	149	61	306
1	2	254	405	160	8	28	15	7	200	46	86	3	20	8	44	19	171
2	7	247	839	122	24	14	15	29	238	7	210	28	13	58	163	37	260
-	3	247	412	152	13	13	11	11	136	17	54	3	57	17	62	16	159
-	7	127	503	72	18	10	8	19	120	...	129	14	10	43	116	18	146
-	2	123	219	71	8	3	4	7	60	...	33	3	49	11	42	9	81
2	-	120	336	50	6	4	7	10	118	7	81	14	3	15	47	19	114
-	1	124	193	81	5	10	7	4	76	17	21	-	8	6	20	7	78
2	5	241	753	122	28	23	13	20	176	15	223	42	17	47	149	34	236
2	5	170	301	144	6	40	16	7	175	22	101	2	45	23	50	15	126
1	5	113	458	67	25	16	7	14	106	...	142	24	11	36	107	16	137
2	4	70	149	80	4	25	9	5	88	...	55	1	37	21	39	6	65
1	-	128	295	55	3	7	6	6	70	15	81	18	6	11	42	18	99
-	1	100	152	64	2	15	7	2	87	22	46	1	8	2	11	9	61
-	-	74	268	61	1	4	5	4	55	2	43	7	4	6	45	9	59
-	-	14	52	9	2	2	-	-	19	2	21	-	2	2	8	2	21
-	-	44	158	42	1	1	3	3	28	...	23	4	2	4	23	4	34
-	-	8	24	4	2	1	-	-	11	...	12	-	-	2	4	1	9
-	-	30	110	19	-	3	2	1	27	2	20	3	2	2	22	5	25
-	-	6	28	5	-	1	-	-	8	2	9	-	2	-	4	1	12
3	5	161	487	107	11	20	11	11	127	9	116	30	6	27	106	32	173
1	-	42	91	30	3	5	2	1	49	5	22	3	8	5	17	11	40
2	3	76	283	68	7	9	10	8	69	...	58	25	5	21	68	13	103
-	-	18	59	20	2	3	1	-	20	...	12	1	6	5	8	9	20
1	2	85	204	39	4	11	1	3	58	9	58	5	1	6	38	19	70
1	-	24	32	10	1	2	1	1	29	5	10	2	2	-	9	2	20
16	20	1,104	2,804	776	53	175	65	52	929	49	818	134	49	269	625	399	1,034
4	7	633	1,171	448	17	73	34	22	531	55	339	10	40	103	228	207	441
7	17	612	1,759	404	46	108	34	38	538	...	468	102	43	214	464	208	608
2	4	322	677	244	15	34	20	17	277	...	181	8	31	95	161	115	245
9	3	492	1,045	372	7	67	31	14	391	49	350	32	6	55	161	191	426
2	3	311	494	204	2	39	14	5	254	55	158	2	9	8	67	92	196
4	80	2,086	6,728	1,218	166	122	112	136	1,118	70	999	284	77	425	1,345	373	2,261
4	78	2,056	6,610	1,148	161	101	110	134	1,088	64	964	279	55	412	1,310	349	2,204
-	2	30	118	70	5	21	2	2	30	6	35	5	22	13	35	24	57
4	74	1,056	4,197	731	136	59	58	85	635	...	601	205	37	331	956	205	1,313
-	2	19	69	42	4	11	2	1	20	...	21	4	15	11	28	14	36
-	4	1,000	2,413	417	25	42	52	49	453	64	363	74	18	81	354	144	891
-	-	11	49	28	1	10	-	1	10	6	14	1	7	2	7	10	21
1	60	1,321	4,258	698	114	53	70	104	721	41	642	170	29	241	675	163	1,331
-	2	16	67	23	5	4	1	2	17	2	15	3	13	8	9	5	28
1	57	666	2,675	440	99	32	35	69	416	...	405	128	21	191	458	90	775
-	2	12	46	19	4	4	1	1	14	...	10	3	9	8	7	3	20
-	3	655	1,583	258	15	21	35	35	305	41	237	42	8	50	217	73	556
-	-	4	21	4	1	-	-	1	3	2	5	-	4	-	2	2	8
-	45	811	2,771	453	78	21	37	75	421	20	375	119	25	154	414	71	861
-	2	15	56	13	5	-	1	2	14	2	8	3	10	5	6	1	24
-	43	396	1,711	280	67	12	16	52	241	...	239	94	18	123	277	35	515
-	2	12	37	12	4	-	1	1	12	...	4	3	7	5	5	-	17
-	2	415	1,060	173	11	9	21	23	180	20	136	25	7	31	137	36	346
-	-	3	19	1	1	-	-	1	2	2	4	-	3	-	1	1	7
-	3	124	402	64	8	9	9	4	76	5	69	17	1	23	53	31	145
-	-	-	2	1	-	1	-	-	-	-	2	-	1	-	2	1	-
-	3	63	254	47	7	6	4	2	48	...	42	13	1	18	31	18	72
-	-	-	1	1	-	1	-	-	-	...	2	-	1	-	2	1	-
-	-	61	148	17	1	3	5	2	28	5	27	4	-	5	22	13	73
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	9	96	502	104	19	5	10	12	110	7	106	19	1	39	104	38	185
-	-	-	4	3	-	1	-	-	2	-	3	-	2	1	-	-	2
1	8	109	323	68	19	3	8	9	70	...	67	13	1	28	81	24	110
-	-	-	3	2	-	1	-	-	1	...	3	-	1	1	-	-	2
-	1	87	179	36	-	2	2	3	40	7	39	6	-	11	23	14	75
-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-
-	3	190	583	77	9	18	14	13	114	9	92	15	2	25	104	23	140
-	-	1	5	6	-	2	-	-	1	-	2	-	-	2	1	3	2
-	3	98	387	45	6	11	7	6	57	...	57	8	1	22	69	13	78
-	-	-	5	4	-	2	-	-	1	...	1	-	-	2	-	2	1
-	-	92	196	32	3	7	7	7	57	9	35	7	1	3	35	10	62
-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	1	1	1

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
WASHINGTON—Continued																
Rural.....White.....	7,866	1	14	7	9	10	266	8	1	95	4	6	832	4	160	14
Nonwhite..	351	-	3	-	2	1	52	2	-	17	-	-	15	-	2	-
Male.....White.....	4,963	-	12	2	5	8	187	7	1	78	4	3	454	3	71	3
Nonwhite..	187	-	1	-	1	-	24	1	-	16	-	-	6	-	2	-
Female.....White.....	2,903	1	2	5	4	2	79	1	-	17	-	3	378	1	89	11
Nonwhite..	164	-	2	-	1	1	28	1	-	1	-	-	9	-	-	-
WEST VIRGINIA.....	16,603	19	39	9	64	20	764	51	2	217	59	24	1,529	18	317	40
Both sexes.....White.....	15,170	18	36	8	56	20	634	50	2	162	57	24	1,444	16	288	36
Nonwhite..	1,433	1	3	1	6	-	130	1	-	55	2	-	85	2	29	4
Male.....White.....	8,691	13	21	3	32	10	350	24	2	113	27	13	677	4	110	8
Nonwhite..	841	1	2	-	2	-	69	-	-	40	1	-	40	2	4	1
Female.....White.....	6,479	5	15	5	26	10	284	26	-	49	30	11	767	12	178	28
Nonwhite..	592	-	1	1	4	-	61	1	-	15	1	-	45	-	25	3
Urban.....White.....	6,041	5	11	4	17	2	268	14	1	101	12	5	666	5	139	13
Nonwhite..	556	-	1	-	1	-	58	-	-	6	2	-	44	2	12	-
Male.....White.....	3,354	4	6	1	7	1	153	6	1	71	3	2	321	1	49	2
Nonwhite..	314	-	1	-	-	-	40	-	-	3	1	-	17	2	2	-
Female.....White.....	2,687	1	5	3	10	1	115	8	-	30	9	3	345	4	90	11
Nonwhite..	242	-	-	-	1	-	18	-	-	3	1	-	27	-	10	-
Places of 25,000 to 100,000...White.....	2,849	2	6	2	9	1	118	9	-	52	6	2	329	2	61	6
Nonwhite..	266	-	1	-	-	-	30	-	-	3	1	-	26	-	7	-
Male.....White.....	1,536	2	3	-	3	-	64	3	-	34	2	-	151	1	24	-
Nonwhite..	141	-	1	-	-	-	22	-	-	1	-	-	9	-	1	-
Female.....White.....	1,313	-	3	2	6	1	49	6	-	18	4	2	178	1	37	6
Nonwhite..	125	-	-	-	-	-	8	-	-	2	1	-	17	-	6	-
Places of 10,000 to 25,000....White.....	1,151	2	1	-	2	-	56	-	1	8	-	1	140	1	39	2
Nonwhite..	135	-	-	-	-	-	19	-	-	-	-	-	9	-	-	-
Male.....White.....	663	1	1	-	-	-	31	-	1	7	-	1	75	-	15	-
Nonwhite..	77	-	-	-	-	-	13	-	-	-	-	-	3	-	-	-
Female.....White.....	488	1	-	-	2	-	25	-	-	1	-	-	65	1	24	2
Nonwhite..	58	-	-	-	-	-	6	-	-	-	-	-	6	-	-	-
Places of 2,500 to 10,000.....White.....	2,041	1	4	2	6	1	99	5	-	41	6	2	197	2	39	5
Nonwhite..	155	-	-	-	1	-	9	-	-	3	1	-	9	2	5	-
Male.....White.....	1,155	1	2	1	4	1	58	3	-	30	1	1	95	-	10	2
Nonwhite..	96	-	-	-	-	-	5	-	-	2	1	-	5	2	1	-
Female.....White.....	886	-	2	1	2	-	41	2	-	11	5	1	102	2	29	3
Nonwhite..	59	-	-	-	1	-	4	-	-	1	-	-	4	-	4	-
Rural.....White.....	9,129	13	25	4	41	18	366	36	1	61	45	19	778	11	149	23
Nonwhite..	877	1	2	1	5	-	72	1	-	49	-	-	41	-	17	4
Male.....White.....	5,337	9	15	2	25	9	197	18	1	42	24	11	356	3	61	6
Nonwhite..	527	1	1	-	2	-	29	-	-	37	-	-	23	-	2	1
Female.....White.....	3,792	4	10	2	16	9	169	18	-	19	21	8	422	8	88	17
Nonwhite..	350	-	1	1	3	-	43	1	-	12	-	-	18	-	15	3
WISCONSIN.....	31,674	2	55	17	23	6	726	7	1	195	43	31	4,529	42	962	126
Both sexes.....White.....	31,292	2	53	17	21	6	685	7	1	181	42	31	4,502	42	944	125
Nonwhite..	382	-	2	-	2	-	41	-	-	14	1	-	27	-	18	1
Male.....White.....	17,526	1	33	9	13	2	434	5	1	136	20	20	2,260	21	343	25
Nonwhite..	214	-	1	-	2	-	22	-	-	9	1	-	11	-	2	-
Female.....White.....	13,766	1	20	8	8	4	251	2	-	45	22	11	2,242	21	601	100
Nonwhite..	168	-	1	-	-	-	19	-	-	5	-	-	16	-	16	1
Urban.....White.....	17,570	2	34	5	7	4	422	4	1	106	18	19	2,700	23	601	66
Nonwhite..	218	-	1	-	-	-	25	-	-	8	-	-	15	-	9	1
Male.....White.....	9,572	1	23	4	6	1	280	3	1	79	7	12	1,314	12	215	14
Nonwhite..	125	-	1	-	-	-	17	-	-	5	-	-	5	-	1	-
Female.....White.....	7,998	1	11	1	1	3	142	1	-	27	11	7	1,386	11	386	52
Nonwhite..	93	-	-	-	-	-	8	-	-	3	-	-	10	-	8	1
Places of 100,000 or more.....White.....	6,132	-	18	1	1	2	229	-	-	59	3	8	976	6	240	31
Nonwhite..	158	-	1	-	-	-	18	-	-	7	-	-	10	-	6	1
Male.....White.....	3,383	-	13	1	1	1	160	-	-	42	-	6	496	2	99	8
Nonwhite..	92	-	1	-	-	-	13	-	-	4	-	-	5	-	1	-
Female.....White.....	2,749	-	5	-	-	1	69	-	-	17	3	2	480	4	141	23
Nonwhite..	66	-	-	-	-	-	5	-	-	3	-	-	5	-	5	1
Places of 25,000 to 100,000...White.....	6,009	1	9	1	3	1	112	3	1	25	7	6	939	11	185	18
Nonwhite..	43	-	-	-	-	-	5	-	-	1	-	-	5	-	2	-
Male.....White.....	3,225	1	6	-	3	-	66	2	1	21	3	3	425	7	58	1
Nonwhite..	21	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-
Female.....White.....	2,784	-	3	1	-	1	46	1	-	4	4	3	514	4	127	17
Nonwhite..	22	-	-	-	-	-	2	-	-	-	-	-	5	-	2	-
Places of 10,000 to 25,000....White.....	2,317	1	4	1	3	1	42	1	-	13	2	4	327	3	61	8
Nonwhite..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male.....White.....	1,301	-	3	1	2	-	28	1	-	9	1	3	171	1	23	3
Nonwhite..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	1,016	1	1	-	1	1	14	-	-	4	1	1	156	2	38	5
Nonwhite..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Places of 2,500 to 10,000.....White.....	3,112	-	3	2	-	-	39	-	-	9	6	1	458	3	95	9
Nonwhite..	7	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Male.....White.....	1,663	-	1	2	-	-	26	-	-	7	3	-	222	2	35	2
Nonwhite..	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female.....White.....	1,449	-	2	-	-	-	13	-	-	2	3	1	236	1	60	7
Nonwhite..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Rural.....White.....	13,722	-	19	12	14	2	263	3	-	75	24	12	1,802	19	343	59
Nonwhite..	164	-	1	-	2	-	16	-	-	6	1	-	12	-	9	-
Male.....White.....	7,954	-	10	5	7	1	154	2	-	57	13	8	946	9	126	11
Nonwhite..	89	-	-	-	2	-	5	-	-	4	1	-	6	-	1	-
Female.....White.....	5,768	-	9	7	7	1	109	1	-	18	11	4	836	10	215	48
Nonwhite..	75	-	1	-	-	-	11	-	-	2	-	-	6	-	8	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
3	18	735	2,352	450	47	48	40	30	367	23	322	109	26	171	635	186	873
-	-	14	51	47	-	17	1	-	13	4	20	2	9	5	26	19	29
3	17	390	1,522	291	37	27	23	16	219	...	196	77	18	140	498	115	538
-	-	7	23	23	-	7	1	-	6	...	11	1	6	3	21	11	16
-	1	345	830	159	10	21	17	14	148	23	126	32	10	31	137	71	335
-	-	7	28	24	-	10	-	-	7	4	9	1	3	2	5	8	13
1	23	1,467	3,848	1,188	59	356	72	79	1,076	89	1,145	128	79	271	1,204	721	1,625
1	19	1,329	3,531	1,093	56	336	61	74	960	81	1,065	126	57	259	1,095	672	1,502
-	4	138	317	95	3	20	11	5	116	8	80	2	22	12	109	49	123
1	17	693	2,145	593	44	198	37	48	575	...	628	94	45	199	784	376	809
-	4	71	192	55	2	11	8	3	67	...	42	1	15	10	92	28	78
-	2	636	1,386	500	12	140	24	26	385	81	437	32	12	60	311	286	693
-	-	67	125	40	1	9	3	2	49	8	38	1	7	2	17	21	45
-	9	568	1,489	351	21	97	28	41	380	26	385	48	16	101	396	182	640
-	2	45	129	36	1	3	5	3	68	2	17	1	9	4	32	18	55
-	8	292	898	183	17	55	18	27	211	...	224	33	11	77	244	103	325
-	2	23	75	19	1	1	4	2	38	...	9	1	5	4	22	8	34
-	1	276	591	168	4	42	10	14	169	26	161	15	5	24	152	79	315
-	-	22	54	17	-	2	1	1	30	2	8	-	4	-	10	10	21
-	4	257	773	162	10	61	8	19	186	10	190	19	6	44	142	84	274
-	1	24	52	15	1	1	4	2	42	1	7	1	3	1	13	9	21
-	3	124	458	82	7	31	5	12	101	...	110	13	3	35	81	47	137
-	1	11	30	5	1	-	3	2	22	...	2	1	3	1	7	5	13
-	1	133	315	80	3	30	3	7	85	10	80	6	3	9	61	37	137
-	-	13	22	10	-	1	1	-	20	1	5	-	-	-	6	4	8
-	2	109	273	62	9	13	8	12	89	5	77	15	3	15	69	38	119
-	1	8	45	10	-	1	-	-	14	1	4	-	3	1	5	4	10
-	2	51	183	31	8	9	6	9	37	...	45	9	1	12	47	23	60
-	1	6	24	6	-	1	-	-	6	...	2	-	1	1	5	2	6
-	-	58	90	31	1	4	2	3	32	5	34	6	2	3	22	15	59
-	-	2	21	4	-	-	-	-	8	1	2	-	2	-	-	2	4
-	3	202	443	127	2	23	12	10	125	11	118	14	7	42	185	60	247
-	-	13	32	11	-	1	1	1	12	-	6	-	3	2	14	5	24
-	3	117	257	70	2	15	7	6	73	...	71	11	7	30	116	33	128
-	-	6	21	8	-	-	1	-	10	...	5	-	1	2	10	1	15
-	-	85	186	57	-	8	5	4	52	11	47	3	-	12	69	27	119
-	-	7	11	3	-	1	-	1	2	-	1	-	2	-	4	4	9
1	10	761	2,042	742	35	239	33	33	580	55	680	78	41	158	699	490	862
-	2	93	188	59	2	17	6	2	48	6	63	1	13	8	77	31	69
1	9	401	1,247	410	27	141	19	21	364	...	404	61	34	122	540	273	494
-	2	48	117	36	1	10	4	1	29	...	33	-	10	6	70	20	44
-	1	360	795	332	8	98	14	12	216	55	276	17	7	36	159	217	378
-	-	45	71	23	1	7	2	1	19	6	30	1	3	2	7	11	24
1	48	3,130	9,925	1,647	213	123	201	269	1,753	109	1,429	387	27	550	1,453	399	3,245
1	47	3,111	9,855	1,600	211	115	199	266	1,736	104	1,400	384	24	546	1,436	395	3,203
-	1	19	70	47	2	8	2	3	17	5	29	3	3	4	17	4	42
1	44	1,525	5,738	938	180	73	121	186	970	...	798	284	13	432	928	206	1,786
-	-	9	39	33	2	6	2	2	9	...	15	3	3	2	13	2	26
-	3	1,586	4,117	662	31	42	78	80	766	104	602	100	11	114	508	189	1,437
-	1	10	31	14	-	2	-	1	8	5	14	-	-	2	4	2	16
-	32	1,712	5,566	843	126	51	93	170	952	57	812	194	13	262	762	178	1,735
-	1	14	51	24	1	1	-	-	14	4	13	1	1	2	4	1	27
-	30	801	3,162	503	108	31	57	122	513	...	474	138	8	208	456	90	899
-	-	8	27	17	1	-	-	-	7	...	10	1	1	1	4	1	18
-	2	911	2,404	340	18	20	36	48	459	57	338	56	5	54	306	88	836
-	1	6	24	7	-	1	-	-	7	4	3	-	-	1	-	-	9
-	10	555	2,049	302	56	14	34	90	269	16	253	55	7	69	238	13	528
-	1	9	35	17	1	1	-	-	9	4	12	1	1	1	3	-	20
-	9	255	1,139	188	48	10	19	87	142	...	145	41	4	57	149	4	277
-	-	5	19	11	1	-	-	-	5	...	9	1	1	-	3	-	13
-	1	300	910	114	8	4	15	23	127	16	108	14	3	12	89	9	251
-	1	4	16	6	-	1	-	-	4	4	3	-	-	1	-	-	7
-	12	572	1,877	262	47	16	32	49	363	25	300	89	3	103	275	65	597
-	-	4	12	4	-	-	-	-	4	-	1	-	-	-	1	-	4
-	12	286	1,084	153	41	10	21	36	201	...	174	57	2	78	154	29	510
-	-	2	6	4	-	-	-	-	1	...	1	-	-	-	1	-	2
-	-	306	793	109	6	6	11	13	162	25	126	32	1	25	121	36	287
-	-	2	6	-	-	-	-	-	3	-	-	-	-	-	-	-	2
-	5	237	695	117	13	6	10	16	125	8	115	20	-	39	109	35	276
-	-	1	3	1	-	-	-	-	1	-	-	-	-	-	-	-	3
-	5	120	410	69	12	4	5	7	65	...	67	15	-	35	71	21	149
-	-	1	2	-	-	-	-	-	1	...	-	-	-	-	-	-	3
-	-	117	285	48	1	2	5	9	60	8	48	5	-	4	38	14	127
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	5	348	945	182	10	15	17	15	195	8	144	30	3	51	140	65	354
-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	-	1	-
-	4	160	529	93	7	7	12	12	105	...	88	25	2	38	82	36	163
-	-	-	-	2	-	-	-	-	-	...	-	-	-	1	-	1	-
-	1	188	416	69	3	8	5	3	90	8	56	5	1	13	58	29	171
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	15	1,399	4,289	757	85	64	106	98	784	47	588	190	11	284	674	217	1,488
-	-	5	19	23	1	7	2	3	3	1	16	2	2	2	13	3	15
1	14	724	2,576	455	72	42	64	64	457	...	324	146	5	224	472	116	867
-	-	1	12	16	1	6	2	2	2	...	5	2	2	1	9	1	8
-	1	675	1,713	322	13	22	42	32	327	47	264	44	6	60	202	101	601
-	-	4	7	7	-	1	-	1	1	1	11	-	-	1	4	2	7

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
WYOMING	2,278	-	3	1	8	10	34	5	-	47	10	-	242	3	54	7
Both sexes....White	2,109	-	2	1	6	10	21	4	-	40	6	-	217	3	52	7
Nonwhite	169	-	1	-	2	-	13	1	-	7	4	-	25	-	1	-
Male....White	1,354	-	2	1	1	5	17	2	-	32	2	-	116	3	21	2
Nonwhite	106	-	1	-	2	-	6	1	-	4	2	-	16	-	-	-
Female....White	755	-	-	-	5	5	4	2	-	8	4	-	101	-	32	5
Nonwhite	63	-	-	-	-	-	7	-	-	3	2	-	9	-	1	-
Urban....White	1,072	-	2	1	2	4	12	2	-	26	2	-	117	1	26	4
Nonwhite	32	-	-	-	-	-	2	-	-	2	-	-	4	-	-	-
Male....White	566	-	2	1	1	2	9	2	-	20	1	-	62	1	10	-
Nonwhite	17	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
Female....White	406	-	-	-	1	2	3	-	-	6	1	-	55	-	16	4
Nonwhite	15	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-
Places of 10,000 to 25,000....White	647	-	2	-	1	1	10	1	-	13	-	-	72	1	12	4
Nonwhite	17	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-
Male....White	376	-	2	-	-	1	8	1	-	8	-	-	38	1	5	-
Nonwhite	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female....White	271	-	-	-	1	-	2	-	-	5	-	-	34	-	7	4
Nonwhite	9	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-
Places of 2,500 to 10,000....White	425	-	-	1	1	3	2	1	-	13	2	-	45	-	14	-
Nonwhite	15	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
Male....White	290	-	-	1	1	1	1	1	-	12	1	-	24	-	5	-
Nonwhite	9	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Female....White	135	-	-	-	-	2	1	-	-	1	1	-	21	-	9	-
Nonwhite	6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Rural....White	1,087	-	-	-	4	6	9	2	-	14	4	-	100	2	27	3
Nonwhite	137	-	1	-	2	-	11	1	-	5	4	-	21	-	1	-
Male....White	688	-	-	-	-	3	8	-	-	12	1	-	54	2	11	2
Nonwhite	89	-	1	-	2	-	5	1	-	3	2	-	15	-	-	-
Female....White	349	-	-	-	4	3	1	2	-	2	3	-	46	-	16	1
Nonwhite	48	-	-	-	-	-	6	-	-	2	2	-	6	-	1	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1944—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
1	3	167	596	138	17	14	23	18	176	5	140	27	8	57	297	49	208
1	3	157	575	121	16	11	23	16	167	4	126	24	6	55	202	38	194
-	-	10	21	17	1	3	-	2	9	1	14	3	2	2	5	11	14
1	3	91	385	78	14	4	18	11	101	...	70	21	4	45	154	25	125
-	-	5	15	10	1	2	-	1	5	...	8	3	2	2	4	7	9
-	-	66	190	43	2	7	5	5	66	4	56	3	2	10	48	13	69
-	-	5	6	7	-	1	-	1	4	1	6	-	-	-	1	4	5
1	3	71	310	57	10	3	13	10	88	2	75	12	5	22	73	19	99
-	-	1	4	5	-	-	-	-	4	-	2	-	1	1	1	2	3
1	3	37	205	34	10	1	11	6	54	...	38	10	3	17	48	11	66
-	-	-	3	3	-	-	-	-	2	...	1	-	1	1	1	2	-
-	-	34	105	23	-	2	2	4	34	2	37	2	2	5	25	8	33
-	-	1	1	2	-	-	-	-	2	-	1	-	-	-	-	-	3
-	2	42	183	27	9	1	7	5	62	1	50	7	4	16	46	9	59
-	-	1	2	2	-	-	-	-	4	-	-	-	1	-	1	-	1
-	2	17	107	15	9	-	6	3	37	...	21	6	3	14	26	4	42
-	-	-	2	1	-	-	-	-	2	...	-	-	1	-	1	-	-
-	-	25	76	12	-	1	1	2	25	1	29	1	1	2	20	5	17
-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1
1	1	29	127	30	1	2	6	5	26	1	25	5	1	6	27	10	40
-	-	-	2	3	-	-	-	-	-	-	2	-	-	1	-	2	2
1	1	20	98	19	1	1	5	3	17	...	17	4	-	3	22	7	24
-	-	-	1	2	-	-	-	-	-	...	1	-	-	1	-	2	-
-	-	9	29	11	-	1	1	2	9	1	8	1	1	3	5	3	16
-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	2
-	-	86	265	64	6	8	10	6	79	2	51	12	1	33	129	19	95
-	-	9	17	12	1	3	-	2	5	1	12	3	1	1	4	9	11
-	-	54	180	44	4	3	7	5	47	...	32	11	1	28	106	14	59
-	-	5	12	7	1	2	-	1	3	...	7	3	1	1	3	5	9
-	-	32	85	20	2	5	3	1	32	2	19	1	-	5	23	5	36
-	-	4	5	5	-	1	-	1	2	1	5	-	-	-	1	4	2

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, poliencephalitis (acute) 36	Cancer and other malignant tumors 45-55
ALABAMA													
Birmingham	3,216	1	5	-	3	2	217	2	1	44	8	-	297
Anniston	283	-	1	-	-	1	10	-	-	1	-	-	23
Gadsden	315	-	2	-	-	-	21	-	-	4	1	-	24
Mobile	1,257	-	11	1	4	2	68	2	2	19	1	-	108
Montgomery	961	-	1	-	1	1	60	-	1	17	-	1	76
Tuscaloosa	608	-	-	-	4	1	41	12	2	32	-	-	33
Bessemer	307	-	2	-	3	-	29	-	-	6	2	-	23
Decatur	133	-	-	-	-	-	8	-	-	1	-	-	11
Dothan	183	-	2	-	2	-	6	-	-	1	1	-	11
Fairfield	135	-	-	-	2	-	12	-	-	3	-	-	14
Florence	200	-	-	-	1	-	11	-	-	-	-	-	12
Huntsville	304	-	1	-	1	-	25	2	1	2	1	-	35
Phenix City	188	-	1	-	-	1	8	-	-	1	-	-	9
Selma	284	-	-	-	-	-	15	-	1	7	-	-	22
ARIZONA													
Phoenix	1,392	1	-	-	4	1	168	1	-	7	4	4	118
Tucson	671	-	-	-	3	2	96	3	-	10	5	-	69
ARKANSAS													
Fort Smith	417	1	2	-	2	1	9	1	3	5	-	-	45
Little Rock	1,481	1	1	-	2	3	73	7	1	66	1	-	130
Blytheville	164	-	1	-	1	2	7	2	4	2	-	-	7
El Dorado	152	1	-	-	-	1	8	-	1	1	2	-	14
Hot Springs	358	1	-	1	-	-	22	-	-	3	-	-	46
Jonesboro	134	-	-	-	-	-	8	-	-	1	-	1	20
North Little Rock	208	-	-	-	1	-	16	2	-	3	-	-	20
Pine Bluff	285	-	-	-	2	1	12	-	1	3	-	-	19
Texarkana[1]	161	1	-	-	-	-	12	1	2	4	-	-	20
CALIFORNIA													
Long Beach	2,503	-	4	-	-	2	44	-	-	20	2	4	320
Los Angeles	19,899	-	32	3	7	24	904	12	-	241	22	7	2,743
Oakland	4,160	-	3	-	-	1	126	2	-	27	4	2	585
Sacramento	1,720	1	1	-	-	3	108	1	-	13	1	-	224
San Diego	2,780	-	11	5	1	15	112	-	-	15	9	5	342
San Francisco	9,151	-	28	1	2	2	459	3	1	113	1	2	1,337
Alameda	485	1	2	-	-	1	13	-	1	-	1	1	64
Alhambra	487	-	-	-	-	1	5	1	-	3	-	-	74
Bakersfield	334	-	-	-	-	1	11	-	-	3	-	-	39
Belvedere (twp.)[2]	269	-	3	-	1	-	26	-	-	4	1	-	33
Berkeley	1,027	-	-	-	-	2	26	1	-	6	-	-	171
Beverly Hills	256	1	-	1	-	-	4	-	-	-	-	-	35
Burbank	424	-	1	-	1	-	7	1	1	2	-	1	62
Fresno	1,025	2	-	-	-	1	72	-	-	15	-	1	125
Glendale	951	-	2	-	-	-	16	-	-	6	-	-	150
Huntington Park	311	-	-	-	-	-	7	-	-	3	1	-	32
Inglewood	355	-	2	-	-	-	9	-	-	-	-	1	51
Pasadena	1,255	-	-	-	-	1	24	2	-	10	1	-	176
Riverside	515	-	-	-	-	1	15	-	-	2	1	-	63
San Bernardino	818	1	3	1	-	2	47	2	-	12	-	-	106
San Jose	726	-	-	-	-	1	12	-	-	9	-	1	93
Santa Ana	450	-	-	-	-	2	10	-	-	2	1	-	46
Santa Barbara	454	-	-	-	-	-	14	1	-	3	-	-	54
Santa Monica	755	-	1	-	-	-	16	-	1	3	-	-	91
South Gate	244	-	1	-	-	-	4	-	-	1	-	1	31
Stockton	653	-	2	-	-	-	20	-	-	4	1	-	72
Albany	98	-	-	-	-	-	3	-	-	2	-	-	16
Anaheim	169	-	-	-	-	-	6	-	-	1	-	1	32
Bell	119	-	-	-	-	-	3	-	-	1	1	-	16
Brawley	111	-	-	-	-	-	5	-	-	1	1	-	9
Burlingame	116	-	2	-	-	-	2	-	-	2	-	-	12
Compton	233	-	1	-	-	-	7	1	-	2	-	1	38
El Centro	92	-	-	-	-	-	6	-	-	1	2	-	11
Eureka	341	-	-	-	-	-	12	-	-	2	-	-	35
Fullerton	122	-	-	-	-	-	3	-	-	3	1	-	18
Lodi	158	-	-	-	-	-	2	-	-	1	-	-	19
Lynwood	151	-	-	-	-	-	2	-	-	-	-	-	24
Maywood	74	-	-	-	-	-	3	-	-	-	-	-	12
Merced	100	-	-	-	-	-	5	1	-	-	-	-	6
Modesto	394	-	-	-	2	1	9	-	-	2	1	-	57
Monrovia	195	-	-	-	-	-	18	-	-	1	-	-	27
Monterey	94	-	-	-	-	1	2	-	-	1	-	-	17
National City	150	-	-	-	-	1	4	-	-	2	1	-	22
Ontario	151	-	1	-	-	-	12	1	-	-	-	-	16
Palo Alto	237	-	-	-	-	-	5	-	-	-	-	-	48
Pomona	306	-	-	-	-	-	8	1	-	-	-	-	38
Redlands	192	-	-	-	-	-	6	-	-	-	-	1	22
Redondo Beach	201	-	-	-	-	-	3	-	-	3	-	-	20
Redwood City	123	-	-	-	-	-	3	-	-	1	-	1	9
Richmond	673	-	5	-	2	2	30	1	-	9	4	-	52
Salinas	125	-	-	-	-	-	5	1	-	-	1	-	13
San Buenaventura	124	-	-	-	-	-	3	-	-	-	-	-	10
San Gabriel	150	-	1	-	-	-	5	1	-	1	-	-	19

See footnotes at end of table.

HAVING, IN 1940, POPULATIONS OF 10,000 OR MORE, 1944

under causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Acute rheumatic fever	Diabetes mellitus	Pellagra (except alcoholic)	Intracranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
58	61	69	83	90-95	107-109,33	119,120	130-132	140-150	157-161	163,164	165-168	170	169, 171-195	162,199,200	
3	39	3	322	697	233	17	186	31	210	17	50	51	118	311	348
-	2	-	21	72	28	7	22	4	27	1	6	11	13	12	21
-	5	1	20	52	28	4	44	4	22	-	4	5	20	19	35
1	16	2	89	342	92	17	120	10	85	5	14	23	51	20	151
3	18	3	124	249	54	6	52	15	46	6	15	13	59	36	104
-	6	2	37	128	45	4	34	6	21	1	6	6	28	8	149
-	4	2	44	60	27	9	37	1	11	-	3	6	15	6	17
-	1	-	15	29	9	-	8	1	10	3	5	4	7	1	20
-	4	2	18	28	9	2	34	2	13	3	2	6	14	4	19
1	1	-	18	33	6	3	10	-	12	-	-	2	3	4	11
-	7	-	23	55	14	7	14	-	13	1	-	2	7	8	25
-	6	-	23	57	16	5	26	2	21	-	5	8	14	25	28
1	2	-	17	38	15	3	13	2	14	2	4	2	4	10	36
-	3	1	45	60	26	6	15	1	18	1	5	6	17	11	24
-	13	-	82	321	93	31	52	8	97	14	8	43	78	54	192
-	3	-	35	145	60	32	20	1	44	10	4	13	23	15	78
-	7	-	35	91	21	6	40	2	36	4	3	13	33	4	53
1	32	6	183	355	91	7	144	10	51	10	13	23	51	22	197
1	-	-	4	38	10	8	6	3	7	2	4	3	14	9	29
-	4	-	14	30	20	1	12	1	3	1	6	4	7	1	20
-	10	2	21	103	13	4	37	1	19	3	-	10	15	3	42
-	2	-	5	50	4	1	17	-	5	-	1	1	4	2	12
1	4	2	12	51	16	3	17	3	15	1	3	4	4	2	26
-	1	1	31	55	22	2	27	1	12	3	2	6	28	15	41
-	2	-	14	27	14	3	13	-	8	1	1	2	3	9	24
-	49	1	214	803	76	8	112	10	115	34	9	63	83	12	318
7	461	5	1,518	6,169	917	88	1,004	70	824	271	115	437	762	72	3,184
5	86	-	353	1,514	245	15	184	12	183	54	22	96	170	20	471
1	44	-	126	613	98	12	74	4	78	22	15	32	75	4	172
5	52	-	200	805	149	34	169	14	210	40	12	75	155	22	322
4	214	-	653	3,070	492	20	358	19	341	149	38	162	471	21	1,210
-	7	-	46	170	27	-	9	-	24	6	2	5	25	2	58
-	7	-	46	198	14	2	24	1	15	7	-	9	16	2	62
-	3	-	23	76	16	8	13	-	45	5	2	11	29	5	44
-	5	-	10	74	19	4	10	-	12	5	2	7	8	1	44
-	23	-	81	352	52	3	55	2	54	16	1	23	43	-	116
-	8	-	29	98	9	-	11	-	3	8	-	2	7	-	40
-	11	-	37	119	17	2	28	6	38	10	-	13	15	2	50
-	20	1	84	280	98	15	54	5	49	4	8	25	44	2	122
-	25	-	93	350	30	2	50	1	34	11	1	18	23	3	136
-	4	-	21	110	13	1	15	2	19	4	1	7	8	1	42
-	8	-	24	123	8	1	18	-	17	3	1	9	10	-	73
1	26	-	117	482	62	3	63	1	32	12	2	14	44	2	180
-	7	-	34	175	16	7	34	2	34	3	3	16	31	-	71
1	9	-	57	234	51	2	43	3	44	14	3	23	37	3	120
-	18	-	64	230	36	3	42	1	49	7	1	23	33	4	99
1	14	-	49	153	27	3	18	2	24	6	3	9	14	6	60
2	8	1	38	156	21	-	18	3	21	7	1	7	17	7	75
-	18	-	72	272	23	1	28	3	33	9	2	14	20	2	126
2	9	-	17	85	8	3	7	1	26	4	-	7	9	2	26
-	13	1	37	182	48	5	60	5	35	11	6	15	28	4	84
-	3	-	5	32	4	-	2	1	12	4	-	2	2	-	10
-	3	-	13	47	7	1	17	2	6	-	-	6	8	1	18
1	2	-	10	39	5	2	6	-	9	1	-	5	4	-	14
-	2	-	3	10	15	9	1	-	21	-	3	2	6	6	17
-	2	-	14	46	5	1	3	-	5	2	1	2	4	-	13
-	3	-	8	68	12	2	25	2	14	3	-	7	11	-	28
1	1	-	8	16	8	6	2	-	9	1	3	6	4	2	5
-	7	-	41	139	7	1	14	-	14	5	1	3	14	2	44
-	1	-	8	39	4	-	8	-	9	4	-	6	3	3	12
-	4	-	16	42	14	1	14	-	4	2	-	9	8	1	21
-	3	-	13	37	2	-	12	-	10	4	-	6	5	-	13
-	3	-	7	24	1	-	4	-	5	1	1	2	1	-	10
-	1	-	4	25	3	5	6	2	12	2	1	4	9	3	11
1	7	-	41	112	19	6	20	2	20	2	2	17	19	7	47
-	2	-	27	64	9	-	12	-	4	2	-	2	3	-	24
-	1	-	13	19	8	-	8	-	9	2	-	1	3	-	9
1	3	-	9	45	8	-	12	-	12	1	-	7	9	1	12
-	2	-	14	40	10	-	12	1	13	3	-	7	9	2	8
1	4	-	35	66	13	3	14	1	5	3	-	5	6	1	27
-	3	-	35	108	26	-	14	-	12	4	1	9	7	1	39
-	10	-	22	69	7	2	1	1	8	2	-	3	5	7	26
-	6	-	19	75	5	1	13	-	13	3	2	10	4	-	24
-	3	-	7	60	2	1	2	-	11	1	1	1	4	-	16
-	12	-	29	162	58	9	31	4	78	8	12	38	53	1	73
-	-	-	15	33	7	3	4	2	8	2	-	8	8	2	13
-	2	-	6	48	2	-	3	1	15	-	-	3	6	-	25
-	6	-	21	43	5	1	5	1	9	1	-	3	4	-	24

TABLE 23:—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 15-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, poliocephalitis (acute) 56	Cancer and other malignant tumors 45-55
CALIFORNIA—Continued													
San Leandro	190	-	-	-	-	-	4	-	-	-	-	-	27
San Mateo	413	-	3	-	-	-	8	-	-	3	-	-	78
Santa Cruz	320	-	-	-	-	-	4	-	-	3	-	-	41
Santa Rosa	224	-	-	-	-	-	4	-	-	1	-	-	25
South Pasadena	188	-	-	-	-	-	4	-	-	-	1	-	31
Vallejo	336	-	1	1	2	-	14	-	1	3	1	-	33
Whittier	210	-	-	-	-	-	3	1	-	-	3	-	21
COLORADO													
Denver	4,027	-	12	1	3	2	159	-	1	29	-	5	556
Colorado Springs	755	-	-	-	-	1	37	-	-	6	-	-	95
Pueblo	930	1	-	-	5	2	24	2	-	25	4	-	70
Boulder	209	-	-	-	-	-	15	-	-	-	-	-	27
Fort Collins	122	-	1	-	-	-	3	-	-	-	1	-	23
Grand Junction	182	-	-	-	1	-	2	-	-	1	-	1	23
Greeley	223	-	1	-	-	-	5	-	-	2	-	-	26
Trinidad	211	-	3	-	-	4	8	-	-	2	-	-	21
CONNECTICUT													
Bridgeport	1,633	1	5	-	3	-	63	-	-	10	1	-	253
Hartford	1,808	-	4	1	-	-	67	-	-	14	-	-	312
New Haven	1,964	-	8	-	1	-	67	-	-	18	-	2	323
Bristol	274	-	3	-	-	-	7	-	-	1	1	-	38
Meriden	462	-	3	-	-	-	39	-	-	3	-	-	78
Middletown	479	-	1	-	-	-	31	-	-	17	-	-	46
New Britain	602	-	2	-	1	-	25	-	-	5	-	-	89
New London	395	-	-	-	2	-	9	-	-	6	-	-	62
Norwalk	489	-	-	-	1	-	14	-	-	3	-	-	69
Stamford	612	-	-	-	-	1	22	-	-	3	-	1	99
Torrington	268	-	-	-	-	-	4	-	-	2	-	-	45
Waterbury	1,012	-	5	-	-	-	26	-	-	3	-	-	157
West Hartford (town)	335	-	-	-	-	-	6	-	-	1	1	-	60
West Haven (town)	285	-	1	-	-	-	4	-	-	3	-	1	53
Ansonia	201	-	-	-	-	-	11	-	-	2	-	-	39
Danbury	345	-	1	-	1	-	5	-	-	2	-	-	52
Derby	112	-	-	-	-	-	3	-	-	2	-	-	12
East Hartford (town)	204	-	1	-	-	-	6	-	-	1	-	-	28
Naugatuck	127	-	-	-	-	-	7	-	-	-	-	-	21
Norwich	397	-	1	-	-	-	30	-	-	2	-	-	65
Shelton	92	-	-	-	-	-	33	-	-	-	-	-	16
Stratford (town)	192	-	1	-	-	-	4	-	-	1	-	-	30
Wallingford	188	-	-	-	-	-	6	-	-	2	-	-	29
Willimantic	164	-	-	-	-	-	5	-	-	1	-	-	30
DELAWARE													
Wilmington	1,469	-	4	-	1	-	46	1	-	14	1	2	185
DISTRICT OF COLUMBIA													
Washington	8,223	3	14	3	1	-	547	2	-	144	2	12	1,075
FLORIDA													
Jacksonville	2,362	-	4	-	5	4	128	5	4	50	1	1	200
Miami	2,026	-	4	-	4	1	115	1	-	33	1	1	237
Tampa	1,349	-	3	-	1	-	68	-	-	17	1	1	178
Miami Beach	293	-	1	-	-	-	2	-	-	1	-	-	33
Orlando	531	-	1	-	-	-	21	-	-	1	-	-	57
Pensacola	580	1	2	-	2	1	24	1	-	5	-	-	66
St. Petersburg	1,078	1	1	-	-	-	14	2	1	3	-	-	151
West Palm Beach	439	-	-	-	-	1	17	1	-	2	-	-	41
Clearwater	131	-	-	-	-	-	1	-	-	3	-	-	11
Daytona Beach	341	-	-	-	2	-	10	-	1	1	-	-	34
Fort Lauderdale	235	-	-	-	1	-	8	1	-	4	-	-	33
Fort Myers	159	-	-	-	-	-	3	-	-	1	1	-	13
Gainesville	192	2	1	-	-	-	9	1	1	1	-	-	15
Key West	244	-	-	-	1	-	7	-	1	-	1	-	26
Lakeland	309	-	-	-	1	-	5	-	-	5	-	-	30
Panama City	211	-	1	-	-	1	4	-	3	1	-	-	8
St. Augustine	161	-	-	-	2	-	4	-	-	3	-	-	18
Sanford	111	-	-	-	-	-	2	-	-	3	-	-	9
Sarasota	198	-	-	-	-	-	6	-	-	1	-	-	29
Tallahassee	182	-	-	-	-	-	3	1	-	4	-	-	12
GEORGIA													
Atlanta[3]	3,499	-	8	-	13	1	177	1	1	41	2	-	419
Augusta	897	-	1	-	3	1	67	1	-	28	-	-	84
Columbus	657	-	1	-	1	1	14	-	1	7	-	-	50
Macon	868	-	3	-	1	1	42	2	-	17	1	1	65
Rome	292	-	-	-	-	-	6	1	-	6	-	-	30
Savannah	1,456	-	5	-	2	-	57	1	-	9	-	1	114
Albany	280	-	3	-	-	-	12	-	-	8	-	-	21
Athens	251	-	-	-	1	-	7	-	-	1	-	-	15
Brunswick	312	-	3	-	-	-	8	-	-	2	2	-	11
Dalton	100	1	-	1	-	-	6	-	-	2	-	-	13
Decatur	182	-	-	-	-	1	7	-	-	-	-	-	19

See footnotes at end of table.

IN 1940, POPULATIONS OF 10,000 OR MORE, 1944—Continued

on p. 454)

Acute rheumatic fever 58	Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	7	-	18	63	7	1	8	-	9	4	1	3	11	-	27
1	9	-	43	135	15	-	14	1	10	3	-	11	13	3	63
-	9	-	31	130	11	-	13	-	20	4	-	3	10	1	40
-	3	-	22	90	11	4	13	1	10	1	2	3	11	2	21
-	5	-	24	70	9	-	10	-	3	1	-	3	3	-	24
2	7	-	22	105	14	3	11	2	37	-	1	17	18	2	39
-	5	-	30	71	7	-	16	1	6	4	-	2	4	1	35
10	75	-	308	1,095	261	21	280	18	230	37	11	51	220	84	558
1	15	-	90	198	50	2	51	3	41	2	-	13	24	12	114
1	15	-	75	216	123	10	49	3	48	8	3	12	66	34	134
-	2	-	28	61	10	1	13	1	8	1	-	-	7	5	35
-	3	-	18	39	2	1	3	-	9	-	-	-	3	1	15
-	4	1	12	49	13	-	15	2	6	2	1	3	12	2	32
-	6	-	27	63	19	4	8	-	8	2	-	8	1	2	41
2	2	-	20	47	24	9	19	-	9	1	-	5	8	3	24
2	46	-	141	590	56	7	64	5	87	20	6	19	74	3	177
1	61	-	100	649	65	8	65	6	73	18	4	28	134	3	195
1	72	1	158	616	79	14	173	6	74	10	4	18	98	24	202
-	15	-	15	72	19	1	31	1	17	2	-	7	10	-	34
-	11	-	40	119	21	2	19	-	18	4	1	6	21	3	74
-	12	-	41	178	29	3	20	2	10	3	-	7	21	1	57
-	22	-	32	192	26	6	47	1	33	6	1	4	29	1	80
-	16	-	31	135	16	-	25	2	9	3	1	1	18	3	56
2	16	-	52	164	28	-	19	1	20	7	-	7	19	-	67
1	22	-	57	179	28	3	41	1	17	7	2	8	33	1	86
1	14	-	23	79	13	-	18	-	14	1	1	1	12	1	39
-	48	-	82	328	32	3	39	3	87	11	3	11	40	7	127
-	10	-	27	113	14	-	12	-	18	7	-	3	32	-	29
-	6	-	23	109	11	1	13	-	10	1	1	4	13	2	29
-	9	-	18	48	9	-	17	2	10	4	1	1	9	1	20
-	13	-	38	127	11	1	20	1	9	3	-	5	14	1	41
-	1	-	18	36	4	-	8	-	3	-	-	1	7	-	17
-	6	-	12	73	5	1	13	1	13	3	-	3	15	-	25
-	2	-	6	52	3	-	6	2	8	1	-	-	5	3	11
-	19	-	35	119	11	2	34	1	17	6	-	5	13	1	36
-	-	-	6	24	1	-	3	-	2	2	-	-	-	-	5
-	5	-	18	75	12	-	6	-	12	3	-	2	2	1	20
-	10	-	29	55	8	-	8	-	6	2	-	3	6	6	18
-	1	-	22	44	7	1	11	1	13	2	1	2	5	-	20
2	50	-	110	416	86	24	160	3	72	14	8	17	60	6	187
5	208	-	537	2,307	388	75	734	33	507	105	58	90	345	22	1,004
2	37	4	200	482	174	20	152	12	174	23	36	52	114	124	354
3	44	2	150	586	117	10	107	10	110	28	28	46	76	25	287
1	34	-	123	252	76	15	127	6	89	13	20	22	50	66	186
-	13	-	20	113	10	-	12	4	14	7	1	-	20	1	42
-	11	1	36	170	31	5	38	3	36	5	6	13	28	7	61
-	7	4	43	140	37	10	22	5	60	3	7	15	38	5	82
1	26	1	126	350	62	3	68	3	34	9	5	8	30	10	169
-	14	-	35	105	18	3	63	2	18	2	9	6	21	10	71
2	5	-	17	25	14	3	12	1	10	-	1	1	2	4	19
-	9	1	51	86	16	2	34	2	14	2	2	5	22	5	42
-	5	-	11	58	13	1	16	1	12	4	2	4	27	4	30
-	1	-	19	30	9	6	11	2	16	-	3	4	10	3	27
-	6	1	25	26	15	2	11	-	18	3	4	4	8	7	32
-	8	-	25	57	9	1	18	2	12	-	3	1	34	12	26
1	3	2	24	73	23	-	23	4	26	-	7	9	20	7	46
-	4	-	22	31	30	3	8	1	18	2	3	11	19	18	23
-	4	-	18	41	6	1	17	-	5	1	-	4	9	3	25
-	2	1	8	18	9	3	12	-	3	1	2	3	10	-	25
-	6	-	25	54	9	2	10	3	8	1	2	3	7	6	26
-	2	1	12	32	8	4	35	4	14	3	2	4	9	5	27
4	65	5	359	768	195	40	360	22	218	22	74	63	139	42	460
-	11	1	107	251	74	7	54	2	47	3	13	16	30	2	96
1	11	-	70	144	67	7	42	3	58	4	13	22	34	30	76
1	14	3	58	187	48	10	101	7	48	5	17	26	33	90	87
1	3	3	26	45	27	3	47	5	29	2	1	3	10	12	32
5	26	5	179	330	132	21	129	14	93	9	48	35	62	10	159
1	6	-	41	56	22	2	30	3	10	2	3	4	13	7	36
-	5	-	36	48	23	1	35	2	13	2	2	4	12	4	40
-	1	1	36	42	51	9	28	3	30	-	15	7	11	23	23
-	1	-	8	11	8	2	4	2	8	3	-	1	7	8	14
-	3	1	13	45	10	4	20	1	17	-	-	1	5	3	32

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55
GEORGIA—Continued													
District 1511, Center Hill (Fulton Co.)[3]	----	----	----	----	----	----	----	----	----	----	----	----	----
East Point	101	-	-	-	-	-	6	-	-	2	-	-	8
Gainesville	115	-	-	-	-	1	1	-	-	-	-	-	6
Griffin	185	-	-	-	1	-	6	1	-	1	-	-	15
La Grange	202	-	1	-	2	-	7	-	-	3	1	-	15
Moultrie	138	-	-	-	-	-	2	-	-	-	1	-	7
Thomasville	168	-	-	-	-	-	5	1	1	-	-	-	14
Valdosta	195	-	-	-	-	-	3	3	1	4	1	-	13
Waycross	222	-	2	-	-	-	6	-	-	2	1	-	6
IDAHO													
Boise City	404	-	-	-	1	-	12	1	-	-	2	-	56
Coeur d'Alene	133	-	-	-	-	-	3	-	-	-	-	-	21
Idaho Falls	135	-	-	-	-	-	1	-	-	1	-	-	16
Lewiston	119	-	-	-	-	-	-	-	-	3	-	-	11
Nampa	145	-	-	-	-	-	4	1	-	-	-	-	19
Pocatello	216	1	1	-	-	-	2	-	-	-	-	-	28
Twin Falls	119	-	-	-	-	-	4	-	-	-	-	-	18
ILLINOIS													
Chicago	37,581	2	122	6	11	3	1,798	12	1	192	6	9	5,829
Peoria	1,128	-	6	2	1	-	42	-	-	14	-	-	149
Alton	373	-	2	-	-	2	4	-	-	4	-	-	58
Aurora	541	-	-	-	-	-	9	-	-	4	-	-	77
Belleville	348	-	1	-	-	-	5	-	-	3	-	-	50
Berwyn	423	-	2	-	-	-	6	-	-	4	-	-	80
Bloomington	404	-	1	-	-	-	7	-	-	4	1	-	39
Cicero	557	-	1	-	-	-	6	-	-	3	-	-	103
Danville	476	-	1	1	-	1	14	-	-	7	-	-	78
Decatur	700	1	-	-	-	1	12	-	-	5	1	1	119
East St. Louis	866	-	4	-	1	-	33	-	-	10	3	-	103
Elgin	788	-	-	1	-	-	39	-	-	51	-	1	82
Evanston	680	-	1	-	-	-	13	-	-	3	-	-	102
Galesburg	354	-	1	-	-	-	4	-	-	5	2	1	51
Joliet	634	-	-	-	-	-	20	-	-	2	-	-	91
Maywood	229	-	1	-	-	-	1	-	-	-	-	-	33
Moline	370	-	2	-	-	-	11	-	-	-	-	-	58
Oak Park	704	-	-	-	-	-	9	-	-	3	-	-	124
Quincy	598	-	-	-	1	-	11	-	1	6	3	-	72
Rockford	904	-	3	-	-	-	17	1	-	9	2	1	133
Rock Island	498	1	1	-	-	2	12	-	-	1	1	-	80
Springfield	959	-	-	-	1	-	32	-	-	10	5	-	117
Waukegan	312	-	2	-	1	-	21	-	-	2	1	-	46
Blue Island	157	-	1	-	-	-	5	-	-	-	-	-	20
Brookfield	99	-	-	-	-	-	4	-	-	-	-	-	12
Cairo	198	-	-	-	-	-	16	-	-	3	-	-	18
Calumet City	87	1	-	-	-	-	2	-	-	-	-	-	9
Canton	128	-	-	-	-	-	1	-	-	2	-	-	17
Centralia	162	-	-	-	-	-	8	-	-	2	2	-	28
Champaign	240	-	1	-	-	-	6	-	-	2	-	-	36
Chicago Heights	228	-	-	-	-	-	6	-	-	1	-	1	29
Dixon	149	-	-	-	-	-	2	-	-	-	1	-	23
East Moline	344	-	-	-	-	-	23	-	-	20	-	-	29
Elmhurst	152	-	-	-	-	-	1	-	-	-	-	1	25
Elmwood Park	101	-	1	-	-	-	-	-	-	-	-	-	15
Forest Park	182	-	1	-	-	-	5	-	-	-	-	-	35
Freeport	312	-	-	-	-	2	4	-	-	5	-	-	49
Granite City	219	-	1	-	-	1	11	-	-	2	1	1	26
Harrisburg	135	-	-	-	-	-	5	-	-	1	-	-	17
Harvey	164	-	-	-	-	1	5	-	-	-	-	-	22
Highland Park	115	-	-	-	-	-	1	-	-	-	-	1	24
Jacksonville	552	-	-	-	-	-	19	-	-	25	-	-	34
Kankakee	259	-	1	-	-	1	5	-	-	-	-	-	47
Kewanee	222	-	-	-	-	-	5	-	-	1	-	-	26
La Grange	108	-	-	-	-	-	2	-	-	-	-	-	16
La Salle	136	-	-	-	-	-	3	-	-	-	-	-	19
Lincoln	199	-	-	-	-	-	16	-	-	2	-	-	28
Mattoon	201	-	1	-	1	-	5	-	-	-	-	-	34
Melrose Park	91	-	1	-	-	-	4	-	-	-	-	-	19
Mount Vernon	178	-	1	-	-	-	10	-	-	2	2	-	29
Ottawa	188	-	1	-	1	-	-	-	-	1	1	-	14
Park Ridge	87	-	-	-	-	-	2	-	-	-	-	-	9
Pekin	202	-	-	-	-	-	3	-	-	4	-	-	18
Sterling	171	-	-	1	-	1	-	-	-	1	-	-	21
Streator	182	-	1	-	-	-	3	-	-	1	-	1	30
Urbana	170	-	1	-	-	-	1	-	-	2	-	-	26
West Frankfort	134	-	-	-	-	-	4	-	-	-	-	-	16
Wilmette	149	-	-	-	-	-	2	-	-	-	-	-	24
Winnetka	86	-	-	-	-	-	2	-	-	1	-	1	12
INDIANA													
Fort Wayne	1,356	-	-	-	1	1	30	4	-	9	2	-	175
Gary	1,107	-	3	-	-	-	39	-	-	10	1	1	141
Indianapolis	5,303	-	20	-	1	6	218	2	-	101	1	1	639
South Bend	962	-	4	-	-	1	37	1	-	7	1	-	128
Anderson	422	-	-	-	-	1	18	1	-	1	1	-	49
East Chicago	473	-	1	-	-	-	29	-	-	4	-	-	57

See footnotes at end of table.

IN 1940, POPULATIONS OF 10,000 OR MORE, 1944—Continued

on p. 454)

Acute rheumatic fever 58	Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	2	-	10	18	10	3	13	-	8	-	1	2	5	-	13
-	1	3	13	25	7	2	17	2	8	-	-	5	4	9	11
-	4	1	25	38	15	3	15	3	6	2	3	8	7	9	19
-	3	1	13	39	17	5	49	2	10	1	5	-	11	4	13
1	-	-	19	29	17	2	9	2	11	1	4	4	8	1	20
-	4	2	27	27	13	1	19	-	7	-	7	4	4	11	21
-	-	-	26	38	20	-	24	-	6	4	3	3	7	15	24
-	9	2	21	44	22	7	36	1	10	1	5	4	7	4	32
1	8	-	39	132	12	1	16	-	23	4	3	10	26	7	50
-	-	-	22	37	10	-	3	-	9	2	-	1	8	2	15
-	2	-	6	41	19	-	9	-	14	2	-	3	4	5	12
-	4	-	13	39	3	4	8	-	10	3	-	2	3	1	15
-	1	-	12	42	6	2	19	1	6	3	-	2	7	-	20
-	7	-	13	49	5	1	24	5	21	4	-	8	13	7	27
-	1	-	9	37	9	1	4	3	6	-	-	7	3	3	14
31	1,269	1	2,337	14,294	1,341	87	2,535	104	1,329	292	213	516	1,337	26	3,858
-	37	-	97	346	61	4	70	1	43	11	6	17	36	5	180
2	9	-	29	104	19	4	22	1	31	2	1	6	20	15	38
1	12	-	57	191	21	2	30	1	30	7	-	5	16	2	76
2	5	-	39	107	8	4	34	1	19	3	-	1	13	3	50
-	20	-	31	135	8	1	26	-	23	1	1	9	11	-	65
-	14	-	43	144	11	1	20	1	17	4	1	11	28	1	56
-	26	-	49	190	13	1	37	3	22	8	1	6	18	1	69
-	10	-	38	144	15	3	48	3	10	2	4	17	22	3	55
1	31	-	66	199	27	5	47	-	27	4	2	11	25	21	94
1	27	-	98	239	53	6	55	7	42	2	12	26	50	4	90
1	17	-	60	260	79	2	27	1	19	6	1	6	40	3	92
-	18	-	53	297	21	2	42	-	29	2	2	5	25	1	64
-	9	-	38	119	12	1	19	1	17	7	-	7	18	2	40
1	23	-	40	178	25	2	56	-	22	6	1	15	43	2	107
1	7	-	19	91	4	1	9	2	16	2	-	6	8	-	28
-	13	-	22	127	10	1	20	2	22	6	-	6	16	2	52
1	20	-	53	280	21	1	47	1	29	7	-	11	17	1	79
-	20	-	73	204	19	7	65	3	22	7	1	3	13	-	67
1	30	-	83	270	33	1	83	3	38	5	4	10	33	6	138
-	16	-	48	169	20	5	17	2	27	7	-	4	18	3	62
1	28	-	108	296	30	3	65	4	53	8	2	14	52	18	112
-	6	-	18	87	7	1	22	1	19	7	-	6	15	4	46
-	2	-	8	60	5	1	14	2	10	3	-	2	8	-	16
-	4	-	9	34	4	-	8	1	3	2	-	3	3	-	12
-	4	-	16	56	16	2	11	-	13	1	1	5	7	7	23
-	2	-	5	28	7	1	8	-	7	3	-	2	2	1	9
-	4	-	10	45	4	-	5	-	5	1	-	5	5	1	23
-	5	-	21	48	4	1	12	1	4	-	2	2	4	2	16
-	5	-	30	74	11	4	19	-	12	3	-	5	9	-	23
-	9	-	11	69	9	-	20	1	13	1	2	6	10	2	36
-	2	-	20	51	4	-	8	-	8	-	1	4	6	1	18
-	9	-	26	120	18	-	8	1	6	3	-	-	18	-	63
-	5	-	12	60	5	1	8	-	10	1	-	1	6	-	16
-	4	-	11	43	1	-	9	-	2	1	-	2	3	-	9
-	8	-	18	53	1	-	16	-	12	-	-	-	1	-	32
-	8	-	32	110	6	-	24	-	12	2	-	4	14	-	40
1	4	-	17	47	9	1	9	2	16	4	-	2	16	12	36
-	5	-	9	40	4	1	16	2	4	2	1	2	7	1	18
-	6	-	17	56	10	-	11	1	10	-	2	3	3	-	17
-	3	-	12	36	3	-	5	-	5	-	-	-	10	2	13
-	12	-	50	216	39	-	24	2	7	2	1	4	31	3	83
-	3	-	35	93	7	-	13	2	11	4	-	3	11	-	23
-	6	-	22	73	14	-	23	-	9	1	-	5	12	2	23
-	4	-	13	37	6	-	7	-	2	-	1	-	4	-	16
-	7	-	8	58	2	1	7	1	3	-	-	2	4	-	21
-	5	-	9	55	9	1	21	-	11	1	-	1	9	-	30
-	6	-	24	49	5	3	15	2	8	3	1	3	15	1	25
-	3	-	7	22	-	1	5	1	9	-	-	5	2	1	11
-	3	-	17	54	6	3	3	1	10	1	1	3	4	8	20
-	2	-	20	76	11	-	14	-	11	2	-	3	15	-	16
-	3	-	9	37	2	-	9	-	1	-	-	1	5	-	9
-	3	-	18	54	19	2	24	-	7	4	-	2	7	2	35
1	3	-	19	53	13	-	10	-	8	-	-	5	17	-	18
-	7	-	13	61	12	-	6	1	8	2	1	4	7	2	22
-	3	-	15	45	6	-	14	-	15	1	-	3	11	2	25
-	6	-	15	37	4	1	13	2	8	1	-	3	8	1	15
-	4	-	20	60	5	-	7	-	5	1	-	1	6	-	14
-	3	-	15	32	4	-	5	-	2	1	-	-	3	-	5
-	47	-	123	378	91	11	131	7	53	9	7	16	79	9	173
1	33	-	109	291	95	13	52	8	61	14	8	24	60	3	140
6	118	1	557	1,554	254	33	474	16	207	47	29	90	201	50	677
1	29	-	78	301	54	3	59	3	39	20	3	17	52	11	113
1	6	-	53	112	23	5	24	-	34	6	-	6	17	7	59
-	19	-	23	138	45	1	18	3	27	3	-	12	34	6	53

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, policencephalitis (acute) 36	Cancer and other malignant tumors 45-55
INDIANA—Continued													
Elkhart	360	-	-	-	-	1	5	-	-	1	-	-	44
Evansville	1,353	-	4	1	1	3	36	-	-	8	3	2	142
Hammond	588	1	2	1	-	-	20	-	-	6	-	-	98
Kokomo	419	-	-	1	-	-	9	1	-	-	-	-	38
Lafayette	434	-	2	-	-	-	5	-	-	3	-	-	62
Marion	352	-	-	-	-	-	12	-	-	-	3	-	45
Michigan City	299	-	-	-	-	-	10	-	-	4	-	-	47
Mishawaka	249	-	-	-	-	-	6	-	-	2	1	-	32
Muncie	575	-	-	-	1	1	22	-	-	10	-	1	67
New Albany	300	-	1	-	-	-	6	-	-	5	-	-	35
Richmond	380	1	-	-	3	-	2	1	-	5	1	1	36
Terre Haute	965	-	-	-	-	2	27	1	-	4	-	-	109
Bedford	155	-	-	-	-	1	3	-	-	-	-	-	15
Bloomington	181	-	-	-	-	-	6	-	-	1	-	-	22
Columbus	178	-	-	-	-	-	10	-	-	2	-	-	19
Connersville	162	-	-	-	-	-	8	-	-	2	-	-	24
Crawfordsville	198	-	-	-	-	-	5	-	-	4	-	1	13
Elwood	160	-	-	-	1	-	4	-	-	1	-	-	20
Frankfort	198	-	-	-	-	-	4	-	-	-	-	1	24
Goshen	153	-	-	-	-	-	1	-	-	1	-	-	16
Huntington	186	-	-	-	-	-	6	-	-	1	-	-	24
Jeffersonville	136	-	-	-	-	-	3	-	-	1	-	-	15
La Porte	249	-	-	-	-	-	1	1	-	-	1	-	40
Logansport	271	-	-	-	2	-	7	-	-	2	1	1	40
New Castle	181	-	1	-	-	-	3	-	-	2	-	-	24
Peru	145	2	-	-	-	-	2	-	-	1	-	1	15
Shelbyville	146	-	-	-	-	-	1	-	-	3	-	-	15
Vincennes	248	-	1	-	-	-	8	-	-	2	-	-	36
Whiting	29	-	-	-	-	-	-	-	-	-	-	-	3
IOWA													
Des Moines	1,638	-	1	-	1	-	34	-	-	14	1	2	240
Burlington	332	-	-	-	1	-	5	-	-	7	-	-	49
Cedar Rapids	660	-	2	-	-	-	8	-	-	7	1	4	108
Clinton	353	-	2	-	-	-	1	-	-	2	-	-	54
Council Bluffs	491	-	1	-	1	-	5	-	-	4	-	-	66
Davenport	764	-	1	-	1	-	16	-	-	-	-	-	101
Dubuque	579	-	-	-	-	-	9	-	-	2	-	-	73
Mason City	258	-	-	-	-	-	1	-	-	5	-	-	37
Ottumwa	330	-	1	-	-	-	4	-	-	-	1	1	35
Sioux City	840	-	1	-	-	6	8	-	-	12	-	-	116
Waterloo	485	-	-	1	-	-	6	-	-	4	-	2	71
Ames	124	-	-	1	-	-	2	-	-	-	-	-	16
Boone	160	-	-	-	-	-	2	-	-	1	1	-	21
Fort Dodge	240	1	-	-	1	-	4	-	-	1	-	-	39
Fort Madison	165	-	-	-	1	-	8	-	-	3	-	-	25
Iowa City	174	-	-	-	-	-	3	-	-	2	2	-	29
Keokuk	233	-	-	-	1	-	5	-	1	2	-	-	25
Marshalltown	221	-	-	-	-	-	2	-	-	1	1	-	32
Muscatine	235	-	-	-	-	1	3	-	-	1	-	-	40
Newton	112	-	-	-	1	-	-	-	-	1	-	-	17
Oskaloosa	141	-	-	-	1	-	1	-	-	-	-	-	21
KANSAS													
Kansas City	1,336	-	6	1	-	2	39	-	-	19	-	1	167
Wichita	1,328	-	3	2	-	-	19	1	-	20	6	-	185
Hutchinson	327	-	-	1	-	-	4	-	-	6	2	1	47
Topeka	834	-	1	1	1	-	20	-	-	5	1	-	130
Arkansas City	133	-	-	-	-	1	2	-	-	1	-	-	25
Atchison	157	-	-	1	-	-	1	-	-	1	-	-	19
Chanute	119	-	-	1	1	-	1	-	-	1	-	-	18
Coffeyville	189	-	-	-	1	-	5	1	-	-	2	-	24
El Dorado	104	-	-	-	-	-	3	-	-	2	-	-	16
Emporia	199	-	-	-	-	-	2	-	-	-	-	-	27
Fort Scott	192	-	1	-	-	-	2	-	-	3	-	-	17
Independence	174	-	-	-	-	1	2	1	-	4	-	1	26
Lawrence	212	-	-	1	-	-	9	-	-	1	-	-	24
Leavenworth	271	-	-	-	-	-	8	-	-	3	-	-	42
Manhattan	147	-	-	-	-	-	1	-	-	1	-	-	23
Newton	131	-	-	-	1	-	1	-	-	1	-	1	18
Ottawa	148	-	-	-	-	-	1	-	-	-	-	-	18
Parsons	182	-	-	-	-	-	3	1	-	2	-	-	19
Pittsburg	169	-	-	-	-	-	5	-	-	2	-	-	23
Salina	258	-	1	-	-	-	3	-	-	2	3	-	31
KENTUCKY													
Louisville	4,448	-	22	-	10	-	239	3	1	23	-	15	487
Ashland	285	-	1	-	1	-	18	-	-	2	2	2	24
Covington	820	-	2	-	1	-	50	-	-	8	-	1	101
Lexington	923	-	2	-	1	1	74	3	-	48	-	-	77
Newport	399	-	1	-	-	4	11	-	-	6	-	-	66
Owensboro	355	-	2	-	-	-	14	-	-	2	-	-	42
Paducah	404	-	-	-	2	2	31	2	-	4	-	-	33

IN 1940, POPULATIONS OF 10,000 OR MORE, 1944—Continued

on p. 454)

Acute rheumatic fever	Diabetes mellitus	Pellagra (except alcoholic)	Intracranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
58	61	69	83	90-95	107-109,33	119,120	130-132	140-150	157-161	163,164	165-168	170	169, 171-195	162,199,200	
-	15	-	49	115	23	1	25	-	15	4	-	4	18	2	38
-	30	1	129	385	84	7	140	6	69	14	8	30	74	4	172
1	15	-	66	166	36	2	21	4	34	3	2	21	27	5	57
-	22	-	41	110	31	8	36	3	29	4	2	14	14	1	55
1	15	-	42	165	18	2	15	1	19	3	-	4	26	6	45
-	5	-	54	93	21	2	29	-	15	-	-	6	16	3	48
1	9	-	21	66	15	1	26	2	16	5	2	6	16	15	37
-	5	-	24	83	12	1	15	-	9	3	-	7	13	5	31
1	9	1	60	162	36	4	25	3	32	2	5	11	34	9	79
1	7	-	32	91	17	5	23	1	19	4	-	4	17	2	30
1	6	-	47	121	23	9	33	-	26	4	-	6	16	3	35
-	24	-	93	324	42	12	89	5	40	9	-	21	39	6	118
-	3	-	17	48	7	2	9	-	11	1	2	3	10	-	23
1	4	-	17	49	10	1	13	2	12	1	-	6	8	5	23
-	3	-	24	53	13	-	7	-	2	2	-	3	16	6	18
-	2	-	15	51	11	2	10	1	6	-	-	2	5	5	20
-	3	-	25	52	4	1	29	1	4	1	-	3	12	3	37
-	4	-	16	50	9	2	13	-	9	-	-	4	8	4	15
-	2	-	25	57	15	2	15	-	6	2	-	6	11	3	25
-	9	-	15	54	8	-	11	-	4	2	-	5	9	3	15
-	7	-	26	61	7	1	7	1	5	1	-	2	9	1	27
-	1	-	10	49	4	2	15	-	4	-	-	3	13	4	12
-	9	-	28	71	9	3	14	2	10	1	-	2	8	5	44
-	3	-	19	97	11	2	23	2	10	1	2	6	14	-	28
-	5	-	17	41	7	3	17	2	14	2	-	7	7	4	25
-	3	-	17	40	9	1	21	1	5	1	-	-	6	1	19
-	1	-	23	49	7	1	14	-	7	-	1	5	5	1	13
-	5	-	33	73	7	1	25	1	13	2	-	1	16	2	20
-	1	-	1	8	-	-	3	-	4	1	-	-	3	1	4
1	30	-	157	579	92	4	87	7	55	14	6	23	64	6	208
2	10	-	50	84	9	2	20	2	13	8	-	3	23	3	41
3	11	-	81	215	21	6	31	1	31	9	-	11	33	2	77
-	7	-	42	132	11	1	14	-	17	4	1	4	15	1	45
-	17	-	42	160	26	3	31	2	19	9	1	7	27	6	64
1	19	-	84	266	46	3	53	-	30	16	2	9	25	9	82
-	20	-	70	208	21	2	30	3	22	5	-	8	29	5	72
-	6	-	24	87	8	-	7	2	23	-	-	4	17	3	34
-	11	-	31	108	19	1	33	1	19	2	1	5	15	4	38
-	20	2	82	249	62	2	38	5	61	14	3	17	48	9	85
-	11	-	43	161	20	1	43	4	18	4	4	10	30	-	52
-	4	-	13	50	3	-	9	-	8	1	-	2	3	2	10
-	2	-	25	50	15	-	11	1	4	5	-	1	7	1	13
-	8	-	22	69	16	-	16	1	16	2	-	4	10	6	24
-	2	-	14	63	10	-	3	2	5	4	-	3	3	1	20
-	5	-	20	51	9	-	6	-	6	-	-	3	8	3	27
1	4	-	21	70	18	1	23	1	8	1	-	3	8	4	36
-	4	-	23	77	12	1	18	-	8	4	-	2	8	7	21
1	8	-	25	74	11	2	21	1	11	1	-	1	10	-	24
1	3	-	10	35	4	-	5	-	8	2	-	1	10	1	13
-	5	-	23	42	9	-	9	1	3	-	-	1	8	1	16
3	31	-	121	399	83	9	101	10	62	6	13	22	52	5	184
1	29	-	103	378	104	10	83	9	85	16	8	27	57	14	188
1	6	-	45	80	18	2	14	1	21	2	1	6	20	6	43
1	22	-	86	228	36	5	74	4	41	8	2	13	53	8	94
-	2	-	15	24	11	2	19	-	6	1	-	-	10	3	11
-	3	-	13	66	10	1	8	-	5	3	-	2	6	1	17
-	1	-	16	28	-	1	9	-	5	4	-	5	4	4	20
1	2	-	19	49	13	2	19	1	5	1	2	1	13	1	27
-	5	-	4	37	4	-	13	1	4	-	-	-	4	-	11
-	8	-	18	58	12	6	19	-	7	2	-	1	14	4	21
-	5	-	21	77	4	-	14	-	8	-	-	1	15	1	23
1	6	-	22	37	12	1	10	-	9	-	-	2	9	5	25
-	7	-	31	59	3	-	19	1	5	2	-	2	20	4	24
-	5	-	26	63	12	-	34	1	11	2	1	6	14	2	41
-	2	-	13	50	7	1	7	-	6	-	1	1	10	1	23
-	7	-	13	41	4	-	9	-	7	-	-	1	6	-	21
-	4	-	21	49	4	1	12	1	5	1	-	-	11	2	18
-	2	-	22	53	11	2	4	-	8	1	1	2	7	-	44
-	4	-	24	55	13	3	10	1	6	2	1	1	3	-	14
-	7	-	26	71	6	3	14	-	29	1	2	2	7	6	44
1	107	1	342	1,368	321	32	301	19	262	41	53	71	208	39	482
-	10	-	30	63	27	4	15	2	21	4	-	10	16	2	31
-	21	-	74	259	35	11	52	3	35	2	5	11	38	2	109
1	20	1	83	268	53	13	55	5	34	3	3	11	28	22	117
-	11	-	34	112	30	6	8	2	13	8	4	5	25	1	51
-	4	-	42	95	13	11	24	2	26	2	3	4	20	5	39
-	2	-	43	123	30	5	24	2	19	4	2	7	16	4	49

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, poliocencephalitis (acute) 36	Cancer and other malignant tumors 45-55
KENTUCKY—Continued													
Bowling Green	208	-	1	-	3	-	11	1	-	-	1	-	22
Fort Thomas	112	-	-	-	-	-	2	-	-	-	-	-	24
Frankfort	161	1	-	-	-	-	8	1	-	1	-	-	14
Henderson	178	-	-	-	-	-	12	-	-	2	-	-	19
Hopkinsville	209	-	-	-	-	-	9	-	-	-	-	-	21
Middlesborough	155	-	-	-	-	2	10	2	-	1	-	-	18
LOUISIANA													
New Orleans	6,379	2	16	1	4	11	341	4	-	120	3	3	752
Alexandria	354	-	1	-	-	-	15	-	1	4	-	-	28
Baton Rouge	428	-	1	-	-	-	17	1	-	11	-	-	50
Monroe	368	-	-	-	-	-	23	-	-	7	-	1	37
Shreveport	1,087	3	1	-	1	3	48	4	-	24	-	-	110
Bogalusa	138	-	-	-	-	-	5	-	-	3	-	1	13
Gretna	112	-	-	-	-	2	2	-	-	1	-	-	19
Lafayette	242	-	-	-	1	4	12	-	-	3	1	-	18
Lake Charles	320	-	-	-	1	1	8	2	-	6	-	-	29
New Iberia	166	-	-	-	1	-	11	-	-	1	2	-	11
MAINE													
Bangor	528	-	1	-	2	-	39	-	-	6	-	-	58
Lewiston	503	-	3	-	-	-	17	-	-	2	-	-	62
Portland	1,026	1	2	1	-	-	17	-	-	8	-	-	165
Auburn	172	-	1	-	-	-	3	-	-	-	-	-	21
Augusta	284	-	-	-	-	1	19	-	-	7	-	-	27
Bath	168	-	1	-	-	-	1	-	-	1	-	-	23
Biddeford	196	-	-	-	1	-	3	-	-	2	-	-	26
South Portland	156	-	1	-	1	-	2	-	-	3	-	-	23
Waterville	169	-	1	-	-	-	3	-	-	-	-	-	30
Westbrook	119	-	1	-	-	-	2	-	-	-	-	-	15
MARYLAND													
Baltimore	11,191	1	36	1	11	13	710	3	-	155	10	13	1,368
Cumberland	454	-	2	-	1	-	11	-	-	4	-	-	55
Hagerstown	407	-	-	-	-	-	14	-	-	4	-	-	52
Annapolis	159	-	-	-	-	-	5	-	-	1	-	-	18
Cambridge	129	-	-	-	-	1	2	-	-	1	-	-	23
District 12 (Baltimore Co.)2	168	-	1	-	1	-	8	-	-	-	-	-	29
District 13 (Baltimore Co.)2	101	-	-	-	-	-	3	-	-	-	2	-	20
Frederick	209	-	-	-	-	-	8	-	-	2	-	-	20
Salisbury	219	-	-	-	-	-	16	1	-	1	-	-	20
MASSACHUSETTS													
Boston	9,933	-	25	-	5	2	491	1	1	68	4	2	1,339
Cambridge	1,412	-	2	-	-	1	58	-	-	10	1	1	215
Fall River	1,614	-	3	-	1	-	64	-	-	2	-	-	430
Lowell	1,245	-	3	-	3	-	34	1	-	2	-	-	204
New Bedford	1,211	-	2	-	-	1	40	-	1	4	-	-	176
Somerville	1,075	-	-	1	2	-	23	-	-	2	-	-	174
Springfield	1,638	-	3	-	-	-	24	-	-	5	1	-	240
Worcester	2,469	-	1	2	1	1	88	-	1	13	-	-	362
Arlington (town)	419	-	1	-	-	-	8	-	-	-	-	-	59
Belmont (town)	230	-	-	-	-	-	4	-	-	-	-	1	37
Beverly	291	-	-	-	-	-	6	-	-	3	-	-	55
Brockton	787	-	-	-	-	-	11	-	-	3	-	-	106
Brookline (town)	716	-	-	-	-	-	8	-	-	4	-	1	127
Chelsea	535	-	2	-	-	-	15	-	-	4	-	-	110
Chicopee	353	-	2	-	-	-	7	-	1	1	-	1	39
Everett	390	-	2	-	-	-	12	-	-	-	-	-	65
Fitchburg	479	-	1	-	-	-	8	-	-	1	-	-	66
Haverhill	597	-	-	-	-	-	10	-	-	3	-	1	83
Holyoke	613	-	-	1	-	-	27	-	-	2	-	1	98
Lawrence	995	-	3	-	1	2	23	1	-	3	3	-	135
Lynn	1,163	-	3	-	-	-	28	-	-	10	1	-	178
Malden	668	-	1	-	-	-	14	-	-	-	-	-	86
Medford	670	-	-	-	-	-	13	-	-	-	-	-	109
Melrose	289	-	-	-	-	-	2	-	-	-	-	-	53
Newton	725	-	-	-	-	-	13	-	-	6	1	1	114
Pittsfield	550	-	2	-	-	-	10	-	-	3	1	-	108
Quincy	738	-	-	-	-	-	21	-	-	1	-	-	117
Revere	312	-	-	-	-	-	3	-	-	1	1	-	38
Salem	524	-	-	1	-	-	15	-	-	-	-	-	69
Taunton	656	-	1	-	-	1	29	-	-	10	-	1	54
Waltham	448	-	-	-	-	-	38	-	-	3	-	-	66
Watertown (town)	267	-	-	-	-	-	7	-	-	-	-	-	51
Adams (town)	118	-	-	-	-	-	5	-	-	1	-	-	19
Amesbury (town)	136	-	-	-	-	-	1	-	-	-	-	-	18
Andover (town)	111	-	-	-	-	-	2	-	-	-	-	-	20
Athol (town)	81	-	-	-	-	-	1	-	-	2	-	-	12
Attleboro	234	-	-	-	-	-	10	-	-	1	-	1	39
Braintree (town)	160	-	1	-	-	-	11	-	-	-	-	-	30
Clinton (town)	173	-	1	-	-	-	3	-	-	-	-	-	23
Danvers (town)	407	-	-	-	-	-	22	1	-	16	-	-	34
Dedham (town)	137	-	3	-	-	-	1	-	-	-	-	-	24
Easthampton (town)	86	-	1	-	-	-	-	-	-	-	-	-	9
Fairhaven (town)	99	-	-	-	-	-	3	-	-	1	-	-	13

See footnotes at end of table.

IN 1940, POPULATIONS OF 10,000 OR MORE, 1944—Continued

on p. 454)

Acute rheumatic fever 58	Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	1	-	21	50	9	3	29	1	12	1	-	3	17	2	20
-	4	-	13	31	10	-	4	1	4	-	-	1	5	-	13
-	1	-	17	35	20	2	13	-	2	3	2	1	11	6	23
-	-	-	26	32	7	3	20	-	14	-	1	4	14	1	23
-	3	-	25	52	22	7	24	-	5	1	1	2	5	5	27
-	-	1	10	32	15	5	8	2	9	2	5	1	10	13	9
6	150	2	469	2,126	393	37	440	28	383	33	65	73	246	16	655
-	9	-	18	89	27	3	33	6	38	1	8	9	12	4	47
1	6	-	27	109	25	2	46	5	34	4	5	4	20	10	50
-	9	-	25	112	18	3	27	4	30	1	4	5	23	2	37
1	16	-	81	238	87	12	93	8	96	9	19	20	54	11	148
-	3	-	13	25	10	3	9	2	24	-	-	1	7	4	15
-	3	-	7	40	5	3	7	1	6	-	1	-	4	-	11
-	6	-	24	47	33	4	9	2	26	-	1	7	15	4	25
-	7	-	17	84	18	3	38	2	31	1	5	9	14	10	34
-	2	-	16	30	17	2	21	2	16	-	1	4	2	4	23
-	14	-	57	176	28	2	25	1	16	5	-	3	15	21	59
1	10	-	58	136	22	5	47	1	33	3	-	3	32	5	63
-	16	-	111	317	64	11	47	3	51	14	1	11	44	20	122
-	4	-	21	58	11	1	10	-	10	1	-	4	8	2	17
-	6	-	25	86	18	1	35	1	9	7	1	1	8	3	29
-	6	-	15	54	6	-	16	-	13	2	-	2	7	1	20
-	5	-	17	49	20	-	11	1	15	-	1	5	7	1	32
-	1	-	19	45	9	2	2	1	16	3	-	3	9	2	14
1	5	-	17	44	7	1	9	-	12	2	-	5	4	4	24
-	2	-	17	21	10	1	8	1	8	1	-	-	4	-	28
9	327	-	794	3,588	667	98	946	43	481	96	109	149	462	23	1,078
-	21	-	29	128	19	6	49	1	17	2	1	6	21	1	80
-	10	-	41	141	18	2	30	1	16	8	-	6	21	1	42
-	9	-	8	52	6	-	12	1	6	1	2	3	9	2	24
-	1	-	10	29	6	-	22	-	14	-	-	2	7	-	11
-	5	-	9	33	6	3	12	2	24	2	-	6	10	-	17
-	2	-	6	31	6	-	6	1	5	-	-	-	1	1	17
-	7	-	22	93	4	3	16	-	12	1	-	2	6	1	12
-	7	-	25	62	12	2	14	1	15	3	-	3	13	1	23
5	284	-	763	3,614	665	44	365	15	398	67	20	104	466	7	1,178
1	31	-	132	476	66	8	58	8	55	13	5	14	59	3	195
1	44	-	113	537	55	10	73	2	63	11	-	13	43	1	148
-	37	-	127	404	44	13	91	4	47	6	1	14	43	2	165
1	47	-	120	412	72	8	57	6	44	11	2	7	39	7	154
1	31	-	107	383	49	4	56	5	45	5	-	14	56	-	117
1	58	-	149	589	52	4	73	6	77	20	2	21	48	7	258
3	62	-	219	903	150	11	107	5	86	22	2	30	126	3	271
-	11	-	40	156	23	2	16	3	20	3	-	4	16	2	55
-	6	-	21	95	11	-	12	1	13	1	-	2	4	-	22
-	13	-	27	100	19	1	10	1	12	4	-	-	8	-	32
-	27	-	101	291	30	-	35	1	28	7	2	8	32	4	101
-	24	-	59	276	34	1	29	3	28	2	-	2	26	2	90
1	18	1	30	188	30	2	23	2	10	5	1	2	25	1	65
1	9	-	35	121	14	5	20	-	16	3	-	8	15	1	54
1	15	-	33	133	14	1	36	1	15	1	1	3	13	1	43
-	9	-	38	178	38	2	28	2	19	8	-	6	30	-	45
1	21	-	56	224	26	4	27	6	14	1	2	4	33	15	66
-	16	-	53	237	23	2	23	-	15	2	-	5	36	1	71
1	32	-	127	358	42	5	53	8	30	14	3	8	41	1	101
2	45	-	123	419	46	3	69	4	33	14	1	9	52	1	122
-	27	-	62	252	31	2	39	7	30	6	-	5	20	1	85
1	25	-	70	281	35	2	31	1	21	3	-	6	30	-	42
-	8	-	24	116	13	2	17	-	8	2	-	-	16	-	28
-	20	-	96	260	37	-	41	3	17	9	1	3	26	-	77
1	18	-	43	186	24	2	23	2	21	6	-	5	26	1	68
1	23	-	70	251	40	1	36	1	37	4	-	8	36	2	89
-	22	-	32	104	21	1	25	1	13	-	-	5	8	3	34
1	18	-	55	182	27	2	20	-	23	7	1	7	21	7	68
1	16	-	40	268	64	2	22	-	20	5	1	16	31	7	67
-	10	-	37	149	21	-	20	1	18	4	-	3	26	-	52
-	9	-	19	100	13	1	18	1	15	-	-	3	4	-	26
-	3	-	8	35	2	-	10	1	7	1	-	5	6	1	14
-	3	-	31	35	11	-	11	2	7	1	-	1	5	1	9
-	2	-	20	41	6	-	5	-	2	2	-	1	3	-	7
-	4	-	10	19	8	1	4	-	2	-	-	2	4	2	10
-	4	-	20	75	11	-	15	-	18	3	-	6	12	-	19
-	5	-	16	56	5	1	8	-	5	1	1	1	2	-	17
-	7	-	17	80	8	-	2	1	5	1	-	2	5	-	18
1	7	2	15	200	33	-	3	-	4	6	-	-	15	5	43
-	2	-	18	47	4	-	4	-	4	1	-	-	8	-	21
-	4	-	12	33	4	-	4	-	5	-	-	2	3	-	9
-	3	-	14	32	3	-	9	1	2	2	-	-	3	2	11

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13–22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45–55
MASSACHUSETTS—Continued													
Framingham (town)	237	-	-	-	-	-	2	-	-	-	-	-	33
Gardner	308	-	-	-	-	-	11	-	-	4	-	-	36
Gloucester	306	-	-	-	-	-	6	-	-	1	-	-	49
Greenfield (town)	227	-	-	-	-	-	4	-	-	-	-	-	40
Leominster	237	-	-	-	-	-	2	-	-	1	-	-	30
Lexington (town)	272	-	-	-	-	-	19	1	-	-	-	-	33
Marblehead (town)	139	-	-	-	-	-	2	-	-	1	-	-	27
Marlborough	203	-	-	-	-	-	5	-	-	1	1	-	23
Methuen (town)	208	-	-	-	-	-	2	-	-	1	-	-	28
Milford (town)	173	-	-	-	-	-	6	-	-	4	-	-	33
Milton (town)	200	-	-	-	-	-	4	-	-	1	-	-	33
Natick (town)	178	-	-	-	-	-	2	-	-	-	-	-	29
Needham (town)	105	-	-	-	-	-	2	-	-	1	-	-	17
Newburyport	215	-	-	1	-	-	6	-	-	2	-	-	40
North Adams	266	-	1	-	-	-	3	-	-	1	-	-	36
Northampton	554	-	-	-	-	-	30	-	-	15	2	-	57
North Attleborough (town)	97	-	-	-	-	-	1	-	-	-	-	-	23
Northbridge (town)	83	-	-	-	-	-	1	-	-	-	-	-	13
Norwood (town)	177	-	-	-	-	-	3	-	-	-	-	-	29
Peabody	207	-	-	-	-	-	5	-	-	-	-	-	22
Plymouth (town)	179	-	-	-	-	-	4	-	-	2	-	-	20
Reading (town)	114	-	-	-	-	-	2	-	-	-	-	1	15
Saugus (town)	106	-	-	-	-	-	1	-	-	-	-	-	20
Southbridge (town)	155	-	-	-	-	-	5	-	-	-	-	-	21
Stoneham (town)	120	-	-	-	-	-	1	-	-	-	-	-	16
Swampscott (town)	102	-	-	-	-	-	2	-	-	-	-	-	20
Wakefield (town)	165	-	-	-	-	-	5	-	-	2	-	-	33
Webster (town)	148	-	-	-	-	-	2	-	-	-	-	-	16
Wellesley (town)	123	-	-	-	-	-	1	-	-	1	-	-	27
Westfield	215	-	2	1	-	-	12	-	-	-	-	-	31
West Springfield (town)	186	-	-	-	-	-	4	-	-	3	-	-	27
Weymouth (town)	262	-	2	-	-	1	3	-	-	-	-	1	37
Winchester (town)	136	-	-	-	-	-	1	-	-	-	-	-	19
Winthrop (town)	195	-	1	-	-	-	-	-	-	-	1	-	28
Woburn	176	-	1	-	-	-	4	-	-	1	-	-	24
MICHIGAN													
Detroit	14,361	3	58	-	8	12	859	8	-	141	2	19	1,916
Flint	1,284	1	3	-	1	-	27	-	-	8	-	1	152
Grand Rapids	1,729	1	2	-	1	-	26	1	-	13	1	1	282
Ann Arbor	335	-	-	-	-	-	11	-	-	-	-	1	58
Battle Creek	611	-	-	-	-	-	15	1	-	2	3	-	75
Bay City	563	-	-	-	1	-	12	-	-	5	-	-	66
Dearborn	416	-	1	-	1	-	15	-	-	3	-	3	47
Hamtramck	372	-	2	-	-	1	26	-	-	-	-	-	41
Highland Park	454	-	-	-	-	-	9	-	-	1	-	-	61
Jackson	665	-	4	-	-	-	15	1	-	6	1	1	91
Kalamazoo	852	-	-	-	-	-	15	1	-	28	1	-	88
Lansing	839	-	2	-	-	-	13	-	-	8	1	-	117
Muskegon	622	-	-	-	1	-	5	6	-	5	1	-	65
Pontiac	750	-	1	-	-	-	21	-	-	28	-	-	82
Port Huron	402	-	1	-	2	-	10	-	-	2	-	-	45
Royal Oak	226	-	1	-	-	-	10	-	-	2	-	-	31
Saginaw	935	-	-	-	3	1	8	-	1	7	-	-	115
Wyandotte	282	-	-	-	-	1	9	-	-	1	-	-	37
Adrian	186	-	-	-	-	-	1	-	-	-	1	-	14
Alpena	160	-	-	-	-	-	5	-	-	1	-	-	19
Benton Harbor	232	-	-	-	-	-	5	-	-	1	1	-	26
Birmingham	93	-	-	-	-	-	-	-	-	1	-	1	7
Ecorse	86	-	-	-	-	-	8	1	-	1	-	-	4
Escanaba	181	-	-	-	-	-	2	-	-	-	-	-	31
Ferndale	155	-	-	-	-	-	4	-	-	-	-	-	27
Grosse Pointe Park	84	-	-	-	-	-	1	-	-	-	-	-	18
Holland	161	1	-	-	-	-	-	-	-	-	-	-	14
Iron Mountain	105	-	1	-	-	-	2	-	-	-	1	-	15
Ironwood	115	-	-	-	-	-	1	-	-	1	-	-	20
Lincoln Park	81	-	1	-	1	1	1	-	-	1	-	-	12
Marquette	179	-	1	-	-	-	2	-	-	2	-	-	20
Menominee	146	-	-	-	-	-	4	-	-	1	-	-	23
Midland	89	-	-	-	-	-	-	-	-	3	-	-	13
Monroe	195	-	2	-	-	-	6	-	-	-	-	-	29
Mount Clemens	218	-	-	-	-	-	5	-	-	1	-	1	21
Muskegon Heights	135	1	-	-	-	-	1	-	-	-	-	-	11
Niles	106	-	-	-	-	-	1	-	-	-	1	-	14
Owosso	182	-	-	-	1	-	3	-	-	-	1	-	28
River Rouge	133	-	-	-	-	-	8	-	-	-	-	-	13
St. Clair Shores	72	-	-	-	-	-	3	-	-	1	-	-	9
Sault Ste. Marie	156	-	-	-	-	-	3	-	-	1	-	-	22
Traverse City	139	-	1	-	-	-	2	-	-	-	-	-	25
Ypsilanti	127	-	-	-	-	-	-	-	2	2	-	-	15
MINNESOTA													
Duluth	1,158	-	1	-	2	-	20	-	-	9	-	4	171
Minneapolis	4,852	-	10	2	1	4	120	2	1	26	12	4	751
St. Paul	2,923	-	8	3	1	1	78	-	-	16	3	4	525
Rochester	420	-	-	-	-	-	7	-	-	5	-	-	62
Albert Lea	125	-	-	-	-	-	-	-	-	-	-	-	17
Austin	173	-	1	1	-	-	5	-	-	-	1	-	30

IN 1940, POPULATIONS OF 10,000 OR MORE, 1944—Continued

on p. 454)

Acute rheumatic fever 58	Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 88	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	10	-	18	108	12	-	13	-	5	2	-	2	9	-	28
-	9	-	24	127	15	1	17	2	6	6	1	-	17	-	32
-	11	-	37	107	12	1	32	-	10	2	-	1	17	-	20
1	9	-	29	57	12	1	22	-	7	1	-	3	10	1	30
-	10	-	16	120	4	-	3	2	17	2	-	-	8	1	21
1	8	-	30	91	30	-	6	-	3	-	-	1	13	-	36
-	5	-	17	44	5	1	3	-	2	-	-	-	7	-	25
-	3	-	25	92	9	3	4	1	6	1	-	2	3	-	24
-	4	-	24	72	8	2	14	-	15	2	-	1	7	1	29
-	3	-	18	50	16	-	8	1	3	2	-	1	9	-	19
-	7	-	12	86	10	-	12	-	6	3	-	-	5	-	21
-	6	-	15	71	6	2	14	-	8	2	-	4	5	-	13
-	5	-	11	40	3	-	3	-	7	-	-	1	2	-	13
-	10	-	21	69	8	-	8	-	7	1	-	-	13	4	25
-	9	-	21	116	6	2	26	2	10	4	-	-	5	-	24
-	16	-	43	214	34	-	19	-	10	8	-	3	33	2	68
-	4	-	12	33	4	1	7	-	4	-	-	1	2	-	5
-	5	-	2	39	2	1	4	-	4	-	-	1	3	-	8
-	6	-	24	53	17	-	10	-	3	1	-	4	5	-	22
1	8	-	33	65	9	-	3	2	6	4	-	1	7	3	38
-	8	-	14	79	8	-	11	1	3	-	1	-	8	1	19
-	4	-	15	41	4	1	3	-	7	2	-	1	2	1	15
-	7	-	9	39	3	-	2	-	7	1	-	1	5	-	11
-	9	-	14	63	7	-	4	1	8	2	-	4	7	-	10
-	7	-	10	41	6	-	11	-	5	2	-	2	6	-	13
-	3	-	12	44	4	-	3	-	1	-	-	1	1	1	10
1	2	1	17	45	15	-	10	-	9	3	-	2	9	1	11
-	7	-	17	62	10	2	4	-	4	-	-	1	8	-	15
1	5	-	9	39	7	-	2	-	5	2	-	3	6	-	15
-	3	-	24	75	12	1	14	-	4	3	-	1	10	1	21
1	5	-	16	84	5	-	9	1	3	1	-	1	5	-	21
-	9	-	23	103	9	-	16	1	13	2	-	2	13	3	24
-	4	-	14	50	6	-	10	-	14	1	-	3	4	1	11
-	11	-	20	79	11	1	4	1	5	1	-	2	5	4	19
-	2	-	29	50	11	-	8	1	12	-	-	3	9	-	21
20	443	2	1,032	4,549	728	121	662	67	843	138	108	223	454	119	1,826
1	28	-	124	378	71	10	74	10	106	9	9	39	39	18	175
1	64	-	178	585	52	10	72	2	85	11	1	28	92	19	201
1	10	-	27	100	16	-	9	-	32	1	-	6	13	11	41
-	13	-	55	191	31	5	23	2	56	7	3	9	20	9	33
1	18	-	48	192	29	7	29	2	37	7	-	12	15	11	73
-	15	-	30	138	17	9	19	2	44	2	1	6	17	2	44
-	14	-	19	113	24	4	14	1	25	11	1	9	12	13	42
-	12	-	45	142	23	5	25	3	20	4	3	10	16	9	66
-	15	-	57	208	34	2	35	5	33	1	-	13	36	7	100
-	27	-	75	336	43	1	35	1	18	10	3	15	42	18	97
-	38	1	96	248	24	3	51	7	46	12	3	18	41	10	100
-	15	-	50	169	51	14	29	2	65	5	3	13	14	14	95
1	10	-	55	192	63	8	40	4	43	7	5	22	25	35	110
2	3	-	50	119	29	3	28	-	18	3	-	4	26	2	55
-	7	-	23	74	8	1	7	1	17	3	-	9	4	5	23
1	21	1	96	292	45	2	58	3	46	5	3	13	37	25	152
-	8	-	22	78	11	-	15	4	29	4	-	7	13	9	34
1	6	-	23	47	13	4	13	-	16	-	-	3	14	6	24
-	3	-	19	55	10	-	7	-	10	3	1	-	8	1	18
-	5	1	21	67	7	3	13	-	19	3	-	8	18	2	32
-	5	-	8	31	1	-	13	-	7	3	-	2	1	1	12
-	3	-	10	18	4	1	1	2	11	2	1	-	7	4	8
-	6	-	29	48	5	1	10	1	13	-	1	4	15	-	15
-	4	-	17	51	5	1	3	-	13	1	-	5	3	5	16
-	7	-	7	28	1	-	8	-	3	-	-	1	1	1	8
1	5	-	24	52	7	-	2	2	10	4	-	1	6	11	21
-	3	-	11	34	5	-	1	-	4	1	-	-	9	2	16
-	4	-	16	25	3	4	10	-	4	2	-	3	9	-	13
-	2	-	6	20	6	-	2	1	10	2	1	3	2	-	9
-	6	-	27	53	4	-	13	1	8	2	-	4	12	11	13
-	2	-	17	45	6	1	12	-	8	1	-	-	8	2	16
-	1	-	4	27	4	1	6	-	8	1	-	2	5	3	11
-	4	-	18	53	10	-	9	1	14	2	-	7	12	3	25
-	5	-	25	66	16	1	11	2	21	2	1	7	7	-	26
-	5	-	7	40	11	4	8	1	11	1	1	6	8	6	13
-	2	-	15	46	2	2	1	-	3	-	1	1	9	-	8
-	4	-	18	50	6	2	11	-	17	2	-	2	9	1	27
1	3	-	10	35	6	1	6	-	12	3	-	-	11	4	20
2	4	-	6	19	2	-	4	-	8	-	-	2	4	-	8
2	3	-	4	46	14	1	4	1	11	7	-	1	12	6	18
1	3	-	23	50	5	2	7	-	3	1	-	-	4	-	12
-	1	-	18	41	-	-	4	-	15	-	-	6	10	1	14
1	27	-	99	413	68	2	26	3	75	17	1	25	51	1	142
5	129	-	476	1,607	287	21	145	9	201	60	11	62	260	18	628
5	76	-	313	862	168	10	103	10	138	18	4	41	133	22	363
-	2	-	43	102	86	3	5	-	12	-	-	1	15	2	75
-	3	-	16	34	7	1	1	1	11	4	-	4	4	2	20
-	6	-	14	39	11	1	5	-	15	1	-	4	5	2	32

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

[See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, poliencephalitis (acute) 36	Cancer and other malignant tumors 45-55
MINNESOTA—Continued													
Brainerd	123	-	1	-	-	-	1	-	-	1	1	-	13
Faribault	155	-	-	1	-	-	16	-	-	-	-	-	23
Fergus Falls	302	-	1	-	-	-	26	-	-	2	-	-	13
Hibbing	123	-	-	-	-	-	-	-	-	2	-	-	17
Mankato	177	-	-	1	-	-	-	-	-	1	-	1	25
St. Cloud	227	-	-	-	1	1	8	-	-	1	-	-	18
South St. Paul	85	-	-	-	-	-	1	-	-	-	-	-	8
Virginia	118	-	-	-	-	-	3	-	-	1	-	-	18
Winona	249	-	1	-	-	-	1	-	-	3	-	-	39
MISSISSIPPI													
Jackson	670	-	1	-	2	-	27	2	1	6	-	-	62
Meridian	532	-	-	-	-	-	26	1	3	3	-	-	45
Biloxi	225	-	1	-	-	1	2	1	-	1	-	-	20
Clarksdale	155	-	1	-	1	-	7	-	1	1	-	-	7
Columbus	201	-	-	-	-	-	14	-	1	-	-	-	15
Greenville	283	-	2	1	1	-	7	2	-	5	1	-	28
Greenwood	165	-	1	-	1	-	3	-	2	4	-	-	15
Gulfport	195	1	1	-	-	-	6	-	-	15	-	1	28
Hattiesburg	258	-	-	-	-	-	4	2	-	1	-	-	32
Laurel	267	-	-	-	-	1	13	-	-	1	-	-	21
Natchez	207	-	-	-	2	1	7	-	1	5	-	1	20
Vicksburg	330	-	-	-	2	-	16	1	-	7	-	-	39
MISSOURI													
Kansas City	5,200	1	15	2	-	3	177	1	1	58	4	1	709
St. Louis	10,249	1	25	-	4	4	403	5	-	156	10	1	1,365
Joplin	541	-	2	-	2	2	25	-	-	8	1	-	75
St. Joseph	1,138	-	-	1	-	-	26	-	-	43	-	-	129
Springfield	705	1	2	-	-	2	17	-	-	5	-	-	108
University City	286	-	-	-	-	-	3	-	-	3	-	-	46
Cape Girardeau	215	-	1	-	2	-	10	1	-	1	1	1	12
Carthage	159	1	-	-	-	-	3	-	-	-	-	-	25
Clayton	224	-	-	-	-	-	3	-	-	7	-	-	24
Columbia	210	-	-	-	-	-	6	1	-	2	-	-	28
Hannibal	274	-	-	1	-	-	6	-	-	2	1	-	29
Independence	216	-	-	-	-	-	4	-	-	4	-	-	23
Jefferson City	204	-	-	-	-	-	9	-	-	2	-	-	17
Kirksville	147	-	-	-	-	1	1	-	-	-	2	-	21
Kirkwood	140	-	-	-	-	-	6	-	-	2	-	-	28
Maplewood	163	-	-	-	-	-	2	-	-	2	-	-	30
Moberly	183	-	1	-	1	-	5	-	-	1	-	1	33
Poplar Bluff	162	-	-	-	-	-	11	-	-	3	-	-	13
Richmond Heights	131	-	2	-	-	-	5	-	-	3	-	-	24
St. Charles	127	-	-	-	-	-	-	-	-	3	-	-	17
Sedalia	305	-	-	-	-	-	11	-	-	3	1	-	33
Webster Groves	148	-	1	-	1	-	4	-	-	1	-	-	19
MONTANA													
Butte	552	-	-	-	-	-	44	-	-	5	-	-	73
Great Falls	360	-	-	-	-	-	7	-	-	11	-	-	47
Anaconda	166	-	-	-	-	-	3	-	-	2	-	3	20
Billings	321	1	1	-	-	1	3	-	-	3	-	-	40
Helena	188	-	-	-	-	-	-	-	-	1	-	-	32
Missoula	280	-	-	-	1	1	4	-	-	3	-	1	36
NEBRASKA													
Omaha	2,504	1	3	2	1	2	84	1	-	32	2	-	327
Lincoln	865	-	2	-	2	-	10	-	-	4	-	-	103
Beatrice	161	-	1	-	-	-	2	-	-	1	-	-	25
Fremont	154	-	-	-	-	-	1	-	-	3	-	-	18
Grand Island	242	-	-	-	1	-	2	-	-	-	-	-	35
Hastings	183	-	-	-	-	-	2	-	-	1	-	-	27
Norfolk	129	1	-	-	-	-	3	-	-	-	-	-	16
North Platte	118	-	1	-	-	-	-	-	-	1	-	-	20
Scottsbluff	103	-	-	-	-	1	-	-	-	2	-	1	12
NEVADA													
Reno	273	-	-	-	1	-	6	1	-	4	1	-	38
NEW HAMPSHIRE													
Concord	559	-	-	-	-	-	17	-	-	15	-	-	63
Manchester	918	-	3	1	1	-	16	-	-	5	2	-	118
Nashua	373	-	2	-	-	-	4	-	-	3	1	-	59
Berlin	142	-	-	-	-	-	-	-	-	-	-	-	26
Claremont (town)	130	-	2	-	-	-	4	-	-	1	-	-	16
Dover	224	-	1	-	-	-	7	-	-	1	-	1	29
Keene	181	-	1	-	-	-	2	-	-	2	-	-	31
Laconia	208	-	-	-	1	-	1	-	-	1	-	2	34
Portsmouth	229	-	-	-	-	-	5	-	-	-	-	-	29
Rochester	143	-	-	-	-	-	3	-	-	1	-	1	19

IN 1940, POPULATIONS OF 10,000 OR MORE, 1944—Continued

on p. 454)

Acute rheumatic fever 58	Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	1	-	17	39	11	3	4	-	5	1	-	3	12	1	9
-	3	-	13	34	8	2	5	-	17	-	-	1	7	-	25
-	4	-	30	54	46	1	4	1	10	2	-	1	10	3	94
1	4	-	9	42	7	-	5	1	11	-	-	2	5	1	16
-	4	-	23	53	10	2	6	-	15	1	-	1	14	1	19
-	10	-	27	60	17	-	9	-	19	3	-	4	11	3	35
-	3	-	10	27	4	-	4	1	8	1	-	-	6	-	12
-	8	-	8	36	8	-	6	-	7	3	2	3	5	-	10
1	8	-	35	66	18	1	13	1	4	8	1	1	11	8	29
-	16	3	49	123	47	2	76	7	47	7	16	11	29	59	77
2	3	2	57	115	27	5	41	2	38	1	7	15	23	38	78
-	1	-	13	53	16	4	27	1	19	3	2	5	10	5	40
-	6	-	13	34	6	2	12	1	7	1	3	2	5	34	11
-	4	-	16	45	11	3	23	4	15	-	1	1	12	19	17
-	3	3	38	70	19	3	12	1	14	2	2	2	12	24	31
-	1	-	13	28	17	2	14	1	7	3	1	1	4	22	25
-	2	-	16	36	11	3	20	-	13	1	3	4	12	2	20
-	6	-	24	55	10	2	20	4	27	1	6	5	7	14	38
-	3	-	36	48	18	3	23	5	46	-	5	4	8	12	20
-	2	-	15	57	13	3	24	2	8	-	1	-	7	21	17
-	5	-	27	60	14	3	32	5	11	2	3	2	16	40	45
2	117	-	419	1,647	427	19	360	18	164	52	21	74	239	24	645
11	262	2	805	3,206	597	57	821	27	389	82	59	130	438	33	1,356
1	7	-	50	125	47	7	38	3	20	5	3	5	26	1	88
1	25	1	117	357	107	4	64	2	48	8	6	12	42	4	141
1	13	-	70	191	39	3	68	2	28	10	-	18	24	12	91
-	10	-	25	102	13	3	25	-	11	4	1	4	7	-	29
-	6	-	24	58	10	6	16	2	18	1	-	4	15	1	25
-	8	-	14	38	9	2	17	2	9	1	-	3	10	2	15
-	12	-	12	78	8	-	16	1	6	5	1	4	16	1	30
-	1	-	34	61	14	2	17	-	13	-	-	1	9	-	21
-	7	-	16	103	15	1	33	1	6	1	-	3	12	1	36
-	8	-	19	75	15	-	16	-	6	2	1	2	14	3	24
-	5	-	23	62	18	1	13	-	8	2	4	1	9	3	27
-	3	-	17	49	15	1	5	-	3	4	-	1	9	1	14
-	1	-	10	58	2	-	6	-	4	2	-	3	7	-	11
1	4	-	14	58	5	-	20	1	1	2	1	2	3	-	17
-	1	-	14	56	13	1	15	-	4	-	-	2	11	3	21
-	4	-	20	30	10	1	19	1	19	1	1	3	9	2	15
-	1	-	9	39	7	-	12	-	4	-	-	-	4	-	21
1	5	-	10	43	5	2	10	-	6	-	-	1	7	-	17
-	5	-	38	93	17	1	38	2	9	1	1	3	12	1	36
-	6	-	10	54	7	1	8	1	6	5	-	2	4	-	18
-	8	-	40	172	26	4	31	1	19	3	2	6	35	8	73
-	13	-	41	111	20	3	30	1	18	3	-	4	13	6	32
-	4	-	19	65	8	-	4	1	5	2	-	2	5	3	20
2	10	-	29	102	15	1	9	2	23	4	1	11	20	7	36
-	6	-	10	70	3	1	10	1	5	1	-	1	16	7	24
-	6	-	21	99	22	-	18	-	9	2	-	1	16	6	34
1	67	-	227	804	134	9	143	4	108	19	11	27	127	30	338
2	14	-	114	294	31	4	64	1	37	10	-	12	41	6	114
-	2	-	22	41	9	-	16	-	8	1	-	1	6	4	22
-	4	-	20	44	9	1	18	1	4	1	-	2	11	2	15
1	9	-	19	76	16	4	18	-	16	-	-	7	11	1	26
-	2	-	20	45	7	3	12	1	21	-	2	4	10	1	25
-	2	-	11	41	6	-	15	-	8	2	-	4	7	2	11
-	2	-	8	23	6	-	6	1	13	1	-	1	7	2	21
1	3	-	9	29	9	-	2	1	6	2	-	2	4	2	17
-	5	-	19	80	18	-	18	1	22	3	2	4	16	4	30
-	19	-	53	196	50	1	35	-	10	5	-	4	23	-	68
1	30	-	87	318	45	9	57	4	56	11	-	5	37	5	107
1	8	-	33	120	18	-	32	2	20	6	-	2	14	1	47
-	10	-	11	27	5	-	15	-	6	2	1	2	9	4	24
-	1	-	11	40	10	2	5	-	9	2	-	1	6	1	19
-	7	-	21	69	17	-	3	-	6	-	1	6	9	6	40
-	1	-	26	53	11	2	12	1	6	4	1	-	6	1	21
1	6	-	21	61	11	-	5	1	8	1	-	1	7	2	39
-	8	-	24	67	14	1	29	1	10	2	-	4	11	1	23
-	7	-	16	35	4	-	13	2	12	1	-	3	5	3	18

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55
NEW JERSEY													
Camden	1,388	-	6	-	-	-	56	-	-	21	-	1	200
Elizabeth	1,150	1	3	-	-	-	33	-	-	9	1	3	175
Jersey City	3,367	-	7	-	-	-	189	-	-	14	1	3	550
Newark	4,917	-	20	-	-	-	253	-	-	30	1	4	702
Paterson	1,552	-	2	-	-	-	40	-	-	12	-	2	243
Trenton	1,693	-	1	1	-	-	68	-	-	45	-	-	191
Atlantic City	933	-	-	1	-	-	35	-	-	10	-	-	139
Bayonne	716	1	3	-	-	-	26	-	-	1	-	1	114
Belleville	261	-	3	-	-	-	5	-	-	3	-	2	44
Bloomfield	380	-	1	-	-	-	10	-	-	1	1	-	68
Clifton	379	-	1	-	-	-	13	-	-	1	-	1	54
East Orange	762	1	-	-	-	-	21	-	-	4	-	2	113
Garfield	178	-	-	-	-	-	5	-	1	1	-	-	24
Hackensack	303	-	1	-	-	-	6	-	-	-	-	-	40
Hoboken	571	-	4	-	-	1	37	-	-	4	-	-	88
Irvington	508	-	-	-	-	-	10	-	-	2	-	-	75
Kearny	354	-	-	-	-	-	7	-	-	1	-	-	53
Montclair	453	-	1	-	-	-	11	-	-	1	-	1	78
New Brunswick	396	-	1	-	-	-	15	-	-	2	-	2	67
North Bergen (twp.)[2]	328	-	1	-	-	-	10	-	-	2	-	1	48
Orange	470	-	2	-	-	-	17	-	-	4	-	-	65
Passaic	573	-	1	-	-	-	22	-	-	6	1	3	86
Perth Amboy	418	-	-	-	-	-	16	-	-	1	-	-	51
Plainfield	447	-	-	-	-	-	10	-	-	2	-	1	76
Teaneck (twp.)[2]	209	-	1	-	-	-	3	-	-	-	1	-	33
Union City	599	-	1	-	-	-	21	-	-	1	-	-	103
West New York	333	-	1	-	-	-	11	-	-	1	-	1	58
West Orange	222	-	1	-	-	-	2	-	-	-	-	-	32
Woodbridge (twp.)[2]	240	-	-	-	-	-	12	-	-	1	-	1	36
Asbury Park	229	-	1	-	-	-	12	-	-	3	-	-	37
Bergenfield	83	-	-	-	-	-	-	-	-	-	-	-	20
Bridgeton	242	-	-	-	1	-	9	-	-	5	-	-	37
Burlington	135	-	-	-	-	-	11	-	-	2	-	-	14
Carteret	91	-	-	-	-	-	3	1	-	1	-	1	10
Cliffside Park	142	-	1	-	-	-	6	-	-	1	-	-	23
Collingswood	160	-	-	-	-	-	2	-	-	-	-	-	22
Cranford (twp.)[2]	117	-	1	-	-	-	1	-	-	-	-	-	18
Dover	141	-	-	-	-	-	1	-	-	1	-	-	22
Englewood	224	-	1	-	-	-	7	-	-	3	-	2	50
Gloucester City	141	-	1	-	-	-	2	-	-	1	-	-	24
Harrison	153	-	-	-	-	-	7	-	-	-	-	-	23
Hawthorne	117	-	-	-	-	-	2	-	-	-	-	-	23
Hillside (twp.)[2]	149	-	-	-	-	-	-	-	-	-	-	-	25
Linden	181	-	-	-	1	-	6	-	-	-	-	-	26
Lodi	103	-	-	-	-	-	7	-	-	-	-	-	11
Long Branch	213	-	1	-	-	-	9	-	-	-	-	-	25
Lyndhurst (twp.)[2]	160	-	1	1	-	-	2	-	-	1	-	1	18
Maplewood (twp.)[2]	216	-	-	-	-	-	3	-	-	-	-	-	38
Milburn (twp.)[2]	106	-	-	-	-	-	1	-	-	-	-	-	18
Millville	218	-	-	-	-	-	3	-	-	-	-	-	29
Morristown	193	-	-	-	-	-	3	-	-	-	-	1	30
Neptune (twp.)[2]	188	-	-	-	-	-	4	-	-	-	-	-	29
North Plainfield	102	-	-	-	-	-	1	-	-	-	-	-	17
Nutley	168	-	-	-	-	-	2	-	-	-	-	-	26
Pennsauken (twp.)[2]	171	-	1	1	-	-	2	-	-	1	-	-	25
Phillipsburg	243	-	-	-	-	-	6	-	-	1	-	-	30
Pleasantville	138	-	1	-	-	-	4	-	-	-	-	-	19
Rahway	190	-	-	-	1	-	4	-	-	-	-	-	35
Red Bank	152	-	1	-	-	-	5	-	-	2	-	-	19
Ridgefield Park	121	-	-	-	-	-	6	-	-	2	-	-	19
Ridgewood	133	-	-	-	-	-	1	-	-	-	-	-	35
Roselle	87	-	-	-	-	-	1	-	-	-	-	-	10
Rutherford	186	-	-	-	-	-	4	-	-	2	1	-	29
South Orange	147	-	-	-	-	-	2	-	-	-	-	-	27
South River	102	-	-	-	-	-	8	-	-	-	-	-	13
Summit	163	-	-	-	-	-	7	-	-	-	-	-	26
Union (twp.)[2]	198	-	-	-	-	-	6	-	-	1	-	-	36
Weehawken (twp.)[2]	185	-	1	-	-	-	8	-	-	1	-	-	23
Westfield	155	-	-	-	-	-	2	-	-	1	1	-	20
NEW MEXICO													
Albuquerque	409	-	1	-	1	1	48	13	-	-	4	-	34
Clovis	136	1	-	-	-	-	6	3	-	1	-	-	16
Hobbs	68	-	-	-	-	-	3	1	-	-	-	-	6
Roswell	147	-	-	-	2	-	11	-	-	-	-	-	12
Santa Fe	194	-	-	-	-	2	6	7	-	6	-	-	16
NEW YORK													
Albany	1,809	-	5	-	-	-	65	-	-	15	-	-	252
Buffalo	6,711	2	19	-	-	1	347	1	1	51	2	49	910
New York City[4]	78,120	20	196	7	32	7	3,561	9	4	848	18	105	13,013
Rochester	3,602	1	18	-	-	-	123	3	-	54	-	15	506
Syracuse	2,441	-	3	-	-	-	51	-	-	10	-	6	353
Utica	1,421	-	-	-	-	-	36	-	-	27	-	1	180
Yonkers	1,390	1	2	-	-	-	36	-	-	9	1	2	197

See footnotes at end of table.

IN 1940, POPULATIONS OF 10,000 OR MORE, 1944—Continued

on p. 454)

Acute rheumatic fever 58	Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
3	42	-	120	397	73	10	137	9	73	11	7	24	53	8	137
3	34	-	96	399	64	7	35	2	39	13	2	21	53	12	145
3	105	-	291	1,139	171	21	127	8	140	19	4	30	147	14	384
6	178	-	328	1,703	185	25	272	5	228	38	18	76	195	31	619
1	42	-	199	482	63	13	95	1	49	20	-	18	63	7	200
2	45	-	133	610	97	29	88	8	65	15	1	18	61	7	208
3	34	-	78	300	56	4	78	6	31	9	3	6	46	1	93
1	24	-	54	240	42	1	55	3	24	8	-	9	29	5	75
1	7	-	16	94	9	-	18	-	17	4	2	1	10	-	25
2	11	-	43	125	7	1	26	1	22	4	-	1	15	2	39
-	13	-	36	128	12	3	25	-	16	6	-	5	13	3	49
1	20	-	67	309	24	3	44	-	32	1	1	8	25	1	85
-	7	-	12	67	4	1	10	-	9	7	-	4	4	1	21
-	9	-	25	103	11	-	31	2	12	2	1	4	14	4	38
2	13	-	38	236	19	2	17	-	11	8	2	5	22	1	61
3	13	-	39	179	18	5	30	-	15	13	1	9	22	7	67
-	13	-	18	146	18	3	26	-	9	3	1	4	17	-	35
-	14	1	40	161	7	2	23	4	15	5	-	7	17	-	65
-	16	-	42	127	17	1	14	2	10	5	1	2	18	7	47
1	12	-	29	126	10	3	21	1	9	8	-	-	7	1	38
-	8	-	53	167	19	-	28	1	24	-	-	4	19	5	54
-	15	-	52	172	31	3	31	2	20	8	4	21	15	2	78
1	19	-	33	140	20	2	34	1	19	8	-	9	18	-	46
-	15	-	40	143	17	2	24	2	15	3	-	4	18	6	69
-	4	-	18	86	5	-	8	-	4	4	-	4	9	2	27
2	24	-	51	216	23	2	28	1	26	12	-	7	14	-	67
2	14	-	29	114	7	3	15	1	6	8	-	3	8	-	51
1	6	-	17	89	12	-	9	1	11	5	-	1	9	2	24
1	8	-	21	64	10	1	15	3	13	7	1	5	15	-	26
-	10	-	15	94	6	-	13	-	6	1	-	3	6	1	21
-	4	-	6	25	3	-	5	-	4	2	-	2	7	-	5
-	5	-	24	72	12	2	17	1	13	4	1	1	11	2	25
-	4	-	8	48	3	-	13	-	9	3	-	3	2	1	14
-	4	-	5	27	14	-	2	-	5	1	5	1	4	-	7
-	5	-	12	54	3	1	6	1	6	2	-	-	3	-	18
-	2	-	18	68	3	-	13	1	8	-	-	2	4	3	14
-	2	-	12	53	5	-	4	1	3	1	-	2	1	2	11
1	6	-	9	47	9	-	8	-	8	2	-	1	10	1	15
-	4	-	23	79	6	1	13	-	12	1	-	1	6	1	14
-	2	-	12	47	11	1	13	1	4	1	-	4	6	-	11
-	-	-	7	55	12	3	11	1	12	-	1	-	5	-	16
-	4	-	6	30	4	1	19	-	7	3	-	3	3	-	12
-	5	-	13	56	9	1	3	-	3	-	-	2	8	-	24
-	7	-	17	54	3	-	6	-	18	4	-	5	7	2	25
-	3	-	8	37	7	-	5	-	5	2	2	4	2	1	9
1	6	-	16	80	6	-	17	-	9	3	-	2	10	5	23
-	4	-	13	53	5	3	9	1	9	2	-	1	4	3	29
1	5	-	21	87	7	2	12	1	3	7	-	1	3	-	25
-	5	-	7	37	2	-	9	-	3	4	-	1	7	-	12
-	7	-	22	77	10	1	14	-	7	-	-	9	6	4	29
-	8	-	16	76	10	-	6	-	1	1	-	1	9	1	30
-	9	-	24	70	4	-	11	-	6	1	-	2	10	1	17
-	3	-	4	39	8	1	12	-	2	-	-	-	2	-	13
-	8	-	11	60	6	2	11	1	13	-	-	1	7	2	18
-	5	-	12	57	10	2	22	-	8	3	-	2	4	1	15
2	8	-	29	67	11	1	29	-	8	4	-	4	10	-	33
-	6	-	13	49	4	-	15	1	5	1	-	-	5	2	13
-	4	-	18	70	7	-	9	-	9	6	-	2	5	-	20
-	5	-	11	59	4	2	10	-	9	1	1	2	3	1	17
-	3	-	12	40	4	-	3	-	6	-	-	-	7	1	18
-	1	-	18	47	3	-	10	2	3	-	-	2	4	-	7
-	1	-	7	24	7	-	8	2	8	2	-	1	2	-	14
-	8	-	29	52	5	1	14	-	5	2	-	1	8	1	24
-	4	-	16	50	3	-	7	1	7	1	-	2	12	-	15
-	3	-	10	37	4	1	3	-	3	2	-	1	11	1	5
-	6	-	16	63	6	-	7	-	8	3	-	2	8	1	10
-	7	-	15	71	6	-	12	-	6	4	-	2	8	2	22
-	5	-	16	87	8	-	5	-	4	1	-	2	6	1	17
-	5	-	16	61	4	-	5	2	15	1	-	-	5	-	17
2	5	1	26	74	24	12	28	4	36	4	-	12	10	22	47
1	3	1	9	22	9	3	7	1	19	-	1	1	5	2	25
-	1	-	5	4	8	5	2	-	11	1	1	-	5	3	12
-	2	-	11	28	6	5	14	3	18	2	1	4	9	1	18
-	4	-	11	32	17	13	10	2	24	-	-	1	8	13	22
-	68	-	134	712	89	2	111	1	65	8	4	13	70	6	189
2	238	-	505	2,344	324	29	330	24	275	61	11	86	247	14	838
91	3,117	6	3,548	30,179	3,615	360	2,900	218	2,801	717	221	648	3,129	151	8,599
1	101	-	293	1,444	135	10	151	4	136	42	4	39	113	1	408
-	69	-	216	969	96	6	108	7	99	13	2	28	88	4	313
2	55	-	79	580	41	3	94	6	51	7	1	15	58	1	184
3	55	-	118	553	67	8	53	8	49	10	1	10	51	9	147

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55
NEW YORK—Continued													
Amsterdam	406	-	-	-	1	-	7	-	-	2	-	-	52
Auburn	470	-	1	-	-	-	9	-	-	2	-	2	58
Binghamton	1,194	-	1	-	-	-	37	2	-	23	-	4	138
Elmira	641	-	1	-	-	-	9	-	-	5	-	5	93
Jamestown	487	-	-	-	-	-	4	-	-	-	-	2	72
Kingston	396	-	-	-	-	-	13	-	-	4	-	-	48
Mount Vernon	623	1	3	-	-	-	14	-	-	3	-	1	90
Newburgh	438	-	-	-	1	-	11	1	-	3	-	-	69
New Rochelle	644	-	1	-	1	-	11	-	-	9	-	-	105
Niagara Falls	764	-	1	-	-	-	15	-	-	5	-	2	95
Poughkeepsie	555	-	2	-	1	-	8	1	-	2	-	2	73
Rome	446	-	1	-	-	-	26	-	-	4	-	-	27
Schenectady	1,067	-	3	-	1	-	23	-	-	4	-	1	161
Troy	1,081	-	-	-	-	-	13	-	-	4	-	-	114
Watertown	498	1	1	-	-	-	15	-	-	4	-	-	62
White Plains	354	-	2	-	-	-	6	-	-	2	-	-	53
Batavia	239	-	-	-	-	-	5	-	-	2	-	2	28
Beacon	187	-	-	-	1	-	8	-	-	8	-	-	26
Cohoes	263	-	-	-	-	-	1	-	-	3	-	-	21
Corning	184	-	-	-	-	-	4	-	-	-	-	1	27
Cortland	226	-	-	-	-	-	1	-	-	1	-	-	18
Dunkirk	207	-	-	-	-	-	5	-	-	1	-	1	25
Endicott	174	-	-	-	-	-	1	-	-	-	-	1	20
Floral Park	133	-	-	-	-	-	2	-	-	-	1	-	32
Freeport	230	-	1	-	-	-	1	-	-	-	-	1	41
Fulton	152	-	1	-	-	-	3	-	-	-	-	1	17
Garden City	123	-	-	-	-	-	2	-	-	1	-	-	25
Geneva	182	-	1	-	-	-	4	-	-	-	-	4	29
Glen Cove	136	-	-	-	-	-	4	-	-	1	-	-	22
Glen Falls	229	-	-	-	-	-	6	-	-	-	-	-	36
Gloversville	331	-	-	-	-	-	6	-	-	2	-	-	37
Hempstead	259	-	-	-	-	-	3	-	-	1	-	-	39
Hornell	183	-	3	-	-	-	4	-	-	2	-	2	28
Hudson	200	-	-	-	-	-	1	-	-	3	-	-	25
Irondequoit (town)	174	-	-	-	-	-	1	-	-	2	-	-	21
Ithaca	251	-	3	-	-	-	8	-	-	1	-	-	28
Johnson City	149	-	-	-	-	-	3	-	-	-	-	2	22
Johnstown	143	-	-	-	-	-	-	-	-	1	-	-	20
Kenmore	148	-	1	-	-	-	2	-	-	-	-	1	33
Lackawanna	233	-	-	-	-	-	18	-	-	2	-	3	26
Little Falls	100	-	-	-	-	-	5	-	-	1	-	-	11
Lockport	331	-	1	-	-	-	6	1	-	2	-	1	41
Lynbrook	152	-	-	-	-	-	4	-	-	2	-	-	25
Mamaroneck	107	-	-	-	-	-	1	-	-	-	-	-	13
Massena	90	-	1	-	-	-	2	-	-	1	-	-	10
Middletown	513	-	-	-	-	-	23	2	-	16	-	-	47
Mineola	95	-	-	-	-	-	1	-	-	-	-	1	13
North Tonawanda	199	-	-	-	-	-	7	-	-	-	-	3	27
Ogdensburg	362	-	-	-	-	-	17	-	-	9	-	1	33
Olean	246	-	1	-	-	-	3	-	-	1	1	3	30
Oneida	145	-	-	-	1	-	3	-	-	1	-	-	14
Oneonta	141	-	-	-	-	-	2	-	-	3	-	-	11
Ossining	183	-	1	-	-	-	6	-	-	4	-	-	23
Oswego	257	-	2	-	-	-	4	-	-	3	-	-	28
Peekskill	204	-	1	-	-	-	3	-	-	2	1	-	31
Plattsburgh	164	-	1	-	-	-	3	-	-	1	-	-	28
Port Chester	216	-	-	-	-	-	3	-	-	4	1	-	33
Rensselaer	151	-	1	-	-	-	2	-	-	1	-	-	23
Rockville Centre	213	-	-	-	-	-	1	-	-	1	1	1	41
Saratoga Springs	197	-	-	-	-	-	8	-	-	1	-	-	28
Scarsdale	124	-	-	-	-	-	2	-	-	-	-	-	29
Tonawanda	175	-	-	-	-	-	4	-	-	1	-	3	18
Valley Stream	174	-	-	-	-	-	2	-	-	-	-	1	35
Watervliet	162	-	-	-	-	-	2	-	-	1	-	-	29
NORTH CAROLINA													
Charlotte	947	-	2	-	3	-	26	-	-	8	2	1	100
Asheville	564	-	-	-	1	-	43	1	-	5	-	-	63
Durham	507	-	2	-	-	-	19	-	-	10	-	-	45
Greensboro	569	-	2	-	-	-	13	-	-	14	2	1	53
High Point	301	-	-	-	-	1	10	1	-	5	2	1	26
Raleigh	667	-	-	1	1	-	36	1	-	9	-	-	54
Rocky Mount	243	-	-	-	4	-	15	-	-	3	2	-	16
Wilmington	508	-	1	-	1	-	15	-	-	4	1	1	41
Winston-Salem	687	-	-	-	2	2	49	1	-	17	-	1	67
Burlington	152	-	1	-	-	-	5	-	-	1	-	1	13
Concord	108	-	-	-	-	-	1	-	-	3	-	-	8
Elizabeth City	156	-	-	-	4	-	5	2	2	2	-	-	16
Fayetteville	304	-	-	-	1	-	15	-	2	3	-	1	30
Gastonia	218	-	-	-	1	1	3	2	-	1	1	-	24
Goldsboro	162	-	-	-	-	-	12	-	1	1	-	-	16
Greenville	115	-	-	-	-	-	8	-	-	4	1	-	5
Hickory	108	-	-	-	-	-	6	-	-	1	-	-	7
Kinston	197	-	-	-	-	1	13	-	-	3	-	-	9
Lexington	73	-	-	-	-	-	1	-	-	1	-	-	6
New Bern	175	-	1	-	-	-	11	-	-	8	-	-	10
Reidsville	113	-	-	-	-	-	5	-	-	1	-	-	15
Salisbury	176	-	2	-	-	-	5	-	-	-	-	-	22
Shelby	110	-	-	-	-	1	1	-	-	1	-	-	8
Statesville	84	-	-	-	-	-	2	-	-	-	-	-	8
Thomasville	92	-	-	-	-	-	2	1	-	1	-	-	7
Wilson	232	-	-	-	2	-	20	-	-	3	-	-	18

IN 1940, POPULATIONS OF 10,000 OR MORE, 1944—Continued

on p. 454)

Acute rheumatic fever 58	Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	20	-	33	132	14	2	19	2	14	3	-	2	28	-	75
-	14	-	51	176	15	-	19	2	17	8	-	7	19	1	69
2	29	1	100	409	66	9	51	4	52	10	2	17	43	4	190
-	18	-	61	225	26	2	38	1	24	5	3	12	26	-	87
-	20	-	52	165	19	2	33	1	13	2	-	5	25	-	72
-	12	-	47	140	11	-	41	-	8	2	-	2	22	1	45
-	17	-	58	225	23	3	36	4	39	6	-	3	21	3	73
1	10	-	45	165	11	1	18	-	12	5	-	3	13	2	67
-	25	-	60	219	43	5	35	3	18	8	2	7	23	1	68
2	28	-	58	231	47	4	58	2	65	6	4	11	40	2	88
1	19	-	57	189	17	4	40	2	26	6	-	10	22	-	73
-	13	-	29	182	18	6	26	1	21	2	1	2	23	-	64
1	47	-	85	375	36	1	68	5	65	11	1	12	24	3	140
2	31	-	102	489	35	5	72	3	29	4	1	7	28	5	137
2	16	-	59	167	25	2	27	-	25	1	1	10	22	3	55
-	12	-	25	127	17	3	18	2	17	5	1	2	10	-	52
1	12	-	21	71	13	-	15	-	17	2	-	3	16	-	31
-	6	-	15	57	11	1	11	-	7	2	-	1	7	1	25
-	10	-	25	117	8	4	10	-	11	3	-	4	10	-	36
-	6	-	14	67	6	1	15	1	11	1	-	3	3	1	23
-	4	-	31	68	21	-	23	1	14	-	-	3	13	-	28
-	4	-	25	49	14	1	9	1	12	2	-	2	11	-	44
-	8	-	14	52	7	-	18	-	18	1	-	3	7	-	24
-	5	-	13	54	1	2	8	-	-	1	-	-	4	-	10
-	7	-	16	81	5	1	9	-	12	3	1	4	12	1	34
-	4	-	15	68	2	1	6	-	7	2	-	2	6	2	15
-	2	-	3	51	4	-	5	-	6	3	-	-	8	-	13
1	8	-	18	51	9	2	14	-	10	-	-	3	6	1	26
-	7	-	11	42	7	-	8	1	4	2	-	-	6	-	21
-	7	-	17	95	8	-	12	-	10	2	-	3	15	-	18
-	13	-	33	131	7	2	15	1	9	6	1	2	16	2	48
-	5	-	13	87	10	-	13	-	26	4	-	9	11	-	38
-	6	-	13	52	14	-	20	-	11	1	-	1	7	2	22
-	8	-	17	77	6	-	9	-	8	-	-	2	13	1	30
-	3	-	17	74	5	2	9	-	8	4	-	3	3	-	22
-	9	-	28	90	7	-	14	2	8	3	-	4	7	1	38
-	6	-	16	61	6	-	7	-	3	1	-	4	4	-	14
-	3	-	17	56	5	-	13	-	2	1	-	2	6	1	16
-	6	-	4	51	3	2	12	-	6	-	1	2	5	-	19
1	9	-	10	69	13	1	13	1	16	1	2	6	9	-	33
-	2	-	8	31	3	1	7	-	5	1	-	2	4	-	19
-	17	-	35	111	9	2	26	-	15	3	6	3	7	1	44
-	7	-	7	66	2	-	3	-	4	2	-	2	8	-	20
-	5	-	4	45	1	-	7	-	4	1	-	1	5	3	17
1	3	-	5	29	7	-	4	2	11	-	-	-	6	1	7
-	10	-	40	192	18	1	63	-	10	4	-	3	28	1	55
-	2	-	9	37	3	1	4	2	4	2	-	-	3	-	13
-	4	-	17	80	9	-	12	1	11	3	-	2	5	-	18
-	10	-	46	176	2	-	5	1	4	1	-	2	5	5	45
-	8	1	20	84	13	1	12	-	18	5	-	1	12	-	32
-	4	-	9	61	5	1	11	-	7	1	-	1	11	-	15
-	5	-	19	59	3	1	7	1	8	1	-	1	4	-	16
-	4	-	10	63	14	-	12	-	3	2	-	2	5	-	34
-	12	-	26	99	10	1	19	-	7	-	-	3	13	1	29
1	11	-	19	72	2	2	9	1	9	5	-	3	6	-	26
-	8	-	13	53	5	1	5	-	15	-	-	2	4	5	20
-	8	-	14	70	10	-	12	2	10	-	-	2	7	1	39
-	8	-	7	47	8	-	27	1	7	-	-	3	4	-	12
-	11	-	16	73	7	-	16	1	3	4	-	3	4	4	26
-	5	-	14	86	6	-	12	-	6	1	-	1	10	-	19
-	3	-	10	39	2	3	2	-	7	3	-	1	5	-	18
-	6	-	13	69	8	1	7	1	9	1	-	2	8	-	24
-	5	-	11	75	3	1	6	-	12	1	-	1	7	-	14
-	4	-	18	66	10	-	7	-	3	-	-	1	7	-	14
3	15	1	93	241	71	24	55	5	80	8	18	29	39	5	118
-	15	-	61	147	32	9	39	2	23	4	8	15	17	14	65
-	16	-	43	118	47	5	56	5	50	7	6	7	25	6	39
-	12	2	50	142	21	5	67	4	52	6	7	10	31	10	65
1	7	-	34	63	11	2	36	1	25	-	3	5	14	9	43
3	15	-	69	169	28	2	82	6	30	3	6	8	25	8	110
-	10	-	25	55	15	2	23	1	22	7	4	5	7	5	22
-	14	-	37	111	44	8	59	5	35	3	10	14	25	7	70
1	16	2	78	166	36	12	54	3	46	4	4	7	22	5	92
-	4	-	12	33	5	2	26	3	12	3	3	5	6	-	17
-	2	-	11	31	10	1	8	1	3	-	2	3	5	8	6
-	2	1	13	32	8	4	15	-	8	-	2	5	9	2	24
-	4	-	37	59	19	9	21	1	33	-	7	5	8	6	43
1	4	3	18	44	12	3	12	4	20	-	9	7	16	8	24
-	1	-	10	32	11	7	17	2	10	-	5	1	16	8	22
1	2	-	17	23	7	2	7	1	4	1	1	4	11	3	13
-	3	-	8	34	9	1	6	1	14	-	2	3	1	3	9
2	5	1	16	35	17	3	24	3	12	3	2	2	12	5	29
1	1	-	5	18	4	-	8	-	9	-	1	2	4	4	8
1	1	1	14	30	16	10	25	-	14	-	3	1	10	-	19
-	1	-	14	25	6	1	7	-	8	1	-	3	8	2	16
-	9	-	27	40	8	2	13	2	7	1	1	1	8	4	24
-	2	-	15	32	7	2	7	-	8	-	1	2	3	3	17
-	-	-	4	25	4	-	13	1	7	2	1	3	2	2	10
-	4	-	10	10	6	-	15	1	8	2	-	4	4	1	15
1	4	-	16	47	9	4	37	2	14	1	4	5	6	16	23

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningo-coccus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, poliencephalitis (acute) 36	Cancer and other malignant tumors 45-55
NORTH DAKOTA													
Fargo	301	-	1	1	-	-	3	-	-	2	-	-	49
Bismarck	130	-	-	-	-	-	3	-	-	4	-	-	17
Grand Forks	201	-	-	-	-	-	2	-	-	1	1	-	32
Minot	168	-	-	1	-	1	3	-	-	-	-	-	31
OHIO													
Akron	2,404	-	5	-	1	1	64	-	-	26	2	10	322
Canton	1,128	-	1	-	2	-	27	-	-	11	6	1	143
Cincinnati	6,329	-	25	3	6	5	361	2	-	96	2	3	835
Cleveland	10,154	3	43	6	10	3	497	4	2	118	11	8	1,436
Columbus	4,129	1	13	3	1	-	161	4	1	81	4	1	495
Dayton	2,794	-	20	1	5	1	132	3	-	66	3	7	315
Toledo	3,871	-	8	-	1	2	169	6	-	62	3	2	519
Youngstown	1,730	-	8	-	-	-	38	-	1	21	2	-	227
Cleveland Heights	447	-	-	-	-	-	5	-	-	2	-	1	78
East Cleveland	402	-	-	-	-	-	4	-	-	2	-	1	60
Elyria	293	-	-	-	1	-	2	-	-	4	-	-	44
Hamilton	674	-	3	-	1	-	26	-	-	3	1	3	86
Lakewood	660	-	1	-	-	-	2	-	-	3	-	-	115
Lima	553	-	1	-	-	-	11	-	-	6	1	-	64
Lorain	484	-	-	-	1	-	14	-	-	3	2	1	85
Mansfield	440	-	2	1	-	-	8	-	-	1	-	-	47
Marion	424	-	-	-	-	-	21	1	-	1	2	-	50
Massillon	315	-	1	-	-	1	6	-	-	-	-	-	38
Middletown	397	-	-	-	-	-	18	2	-	-	-	-	47
Newark	477	-	-	-	1	-	18	-	-	2	1	-	51
Norwood	270	-	-	-	-	-	4	-	-	3	1	-	38
Portsmouth	480	-	-	-	2	1	17	2	-	6	2	-	59
Springfield	964	-	-	1	1	-	14	2	-	7	1	-	101
Steubenville	396	-	1	-	-	-	13	-	-	2	-	-	50
Warren	522	1	1	-	2	-	16	-	-	2	2	-	68
Zanesville	487	-	1	1	-	-	20	-	-	2	3	-	49
Alliance	288	-	-	-	-	-	7	-	-	4	2	2	45
Ashland	188	-	-	-	-	-	4	-	-	-	2	-	28
Ashtabula	262	-	-	-	-	1	7	-	-	3	-	-	37
Barberton	224	-	1	1	-	-	4	-	-	3	-	1	28
Bellaire	167	-	1	-	-	-	2	-	-	2	-	-	17
Cambridge	197	-	-	-	-	-	2	-	-	2	1	-	25
Campbell	64	-	1	-	1	-	1	-	-	-	-	-	11
Chillicothe	221	1	-	-	-	-	7	-	-	2	-	1	32
Coshocton	145	-	-	-	-	-	3	1	-	-	-	-	17
Cuyahoga Falls	178	-	-	-	-	-	4	-	-	1	1	2	33
East Liverpool	335	-	1	-	-	-	12	-	-	2	4	-	35
Euclid	151	-	-	-	-	-	-	-	-	-	-	-	21
Findlay	298	-	-	1	1	-	3	-	-	1	-	1	25
Fostoria	158	-	-	-	-	-	8	1	-	1	-	-	21
Fremont	159	-	-	-	1	-	-	1	-	-	-	-	20
Garfield Heights	107	-	-	-	-	-	5	-	-	-	-	-	18
Ironton	214	-	-	-	1	-	13	-	-	5	-	1	22
Lancaster	248	-	2	-	-	-	10	-	-	3	2	-	37
Marietta	233	-	-	-	-	-	8	1	-	2	-	-	23
Martins Ferry	170	-	-	-	1	-	4	-	-	4	-	-	17
Mount Vernon	160	-	-	-	-	-	4	-	-	-	-	-	16
New Philadelphia	144	-	-	-	-	1	1	-	-	-	-	1	19
Niles	127	-	-	-	-	-	4	-	-	1	1	-	8
Painesville	175	-	-	-	-	-	6	-	-	2	-	-	16
Parma	97	-	-	-	-	-	2	-	-	-	-	-	15
Piqua	209	-	-	-	-	-	4	-	-	1	-	1	22
Salem	162	-	-	-	-	-	11	-	-	1	1	-	29
Sandusky	354	1	1	-	1	-	5	-	-	1	-	-	52
Shaker Heights	171	-	-	-	-	-	2	-	-	1	-	-	27
Struthers	99	-	-	-	-	-	4	-	-	-	-	-	20
Tiffin	231	-	-	-	-	-	5	-	-	3	2	-	38
Wooster	146	-	-	-	1	-	2	-	-	-	-	1	27
Xenia	162	-	-	-	1	-	2	-	-	-	-	-	14
OKLAHOMA													
Oklahoma City	1,909	2	7	-	4	5	61	4	-	18	7	-	219
Tulsa	1,452	-	1	-	3	1	71	4	2	17	1	-	176
Enid	350	-	-	-	-	1	14	-	-	3	2	-	44
Muskogee	411	-	-	-	-	-	25	2	3	4	1	-	41
Ada	151	-	-	1	1	-	5	-	-	3	-	-	20
Ardmore	204	-	-	-	-	-	14	-	-	2	-	-	21
Bartlesville	145	-	-	-	1	-	1	-	-	1	-	-	11
Chickasha	137	-	-	-	-	-	3	2	-	3	-	-	19
Durant	98	-	-	-	1	-	5	-	-	-	-	-	14
El Reno	130	-	-	-	-	-	3	-	-	1	-	-	16
Guthrie	133	-	-	-	-	-	4	-	-	-	-	-	16
Lawton	227	1	-	-	1	-	7	-	-	1	-	-	26
McAlester	172	-	-	-	-	-	14	1	-	-	-	-	17
Norman	292	-	1	-	-	-	18	-	-	19	1	-	21
Okmulgee	206	-	-	-	-	-	10	1	-	-	-	-	21
Ponca City	159	-	-	-	-	-	4	-	-	3	1	-	24
Sapulpa	139	-	-	-	-	-	11	-	-	-	-	-	20
Seminole	108	-	-	-	-	-	6	2	-	3	-	-	12
Shawnee	233	-	-	-	-	-	17	-	1	3	-	1	21
Stillwater	91	-	-	-	-	-	2	-	-	-	-	-	12
Wewoka	68	-	-	-	-	-	1	-	-	1	-	-	5

IN 1940, POPULATIONS OF 10,000 OR MORE, 1944—Continued

on p. 454)

Acute rheumatic fever 58	Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	4	-	38	93	14	2	7	-	23	3	-	1	12	9	39
-	5	-	4	41	5	-	6	-	16	2	-	4	6	2	15
-	3	-	21	44	10	1	21	-	16	3	1	7	8	5	25
-	3	-	13	39	10	1	7	-	7	1	-	4	10	8	24
5	74	-	213	745	153	14	183	9	106	26	10	56	103	11	265
1	43	1	104	361	76	3	45	3	54	10	1	23	46	10	156
7	152	3	576	1,953	335	57	355	13	209	85	45	68	252	80	801
10	332	-	879	3,096	620	22	432	35	404	96	53	119	510	207	1,197
6	84	1	438	1,183	237	23	266	16	159	48	26	65	188	53	571
6	66	1	236	832	136	44	184	9	164	25	17	54	129	15	323
4	98	-	326	1,212	168	41	221	17	161	23	10	62	163	67	506
2	61	-	189	496	124	10	98	8	79	5	10	42	90	20	199
1	22	-	39	178	18	-	15	-	5	9	1	4	16	7	45
-	15	-	28	154	23	-	19	-	10	1	3	7	20	4	51
-	8	-	29	96	18	-	17	2	19	3	-	7	12	2	29
-	23	-	61	189	46	10	47	3	48	4	6	9	36	10	59
-	17	-	94	211	33	2	30	-	25	9	-	6	32	8	72
-	14	-	48	165	23	5	39	1	42	5	1	12	28	17	70
1	16	-	48	148	18	1	36	3	28	2	2	7	18	5	45
-	16	-	49	145	10	1	46	1	12	4	3	5	18	4	68
-	11	-	63	141	14	2	25	1	26	4	-	6	20	2	34
-	9	-	36	90	17	2	17	3	16	4	2	4	13	-	56
1	7	-	39	89	18	16	19	3	18	2	2	8	17	5	25
-	15	-	59	134	20	7	51	-	13	3	1	8	27	3	63
-	2	-	31	91	15	1	13	1	9	2	-	2	11	3	43
-	5	-	37	130	38	13	27	-	27	2	1	11	30	8	62
-	30	-	138	246	63	8	82	4	38	9	5	25	50	11	128
1	13	-	59	111	18	1	22	1	26	3	3	3	18	4	47
1	14	-	37	166	37	-	28	5	40	3	2	13	20	5	59
1	16	-	45	133	35	8	36	2	25	4	-	1	26	8	71
-	7	-	32	80	11	2	18	1	15	-	1	3	10	4	44
-	6	-	22	55	13	1	9	1	8	1	1	5	4	1	27
2	11	-	21	71	13	2	19	1	10	2	-	4	17	-	41
-	8	-	14	74	8	3	9	1	21	-	1	6	6	1	34
1	5	-	10	45	15	2	16	-	5	2	1	3	23	1	16
-	5	-	33	51	19	3	8	-	9	2	-	1	8	3	25
1	-	-	10	10	5	-	5	-	4	2	-	1	4	-	8
2	5	-	18	49	11	1	16	-	20	1	-	1	14	4	36
1	5	-	17	48	7	-	5	3	7	-	-	-	10	1	20
-	7	-	21	56	14	1	9	-	10	3	-	2	3	1	10
-	11	-	37	92	17	4	27	1	23	4	1	10	12	3	39
-	6	-	13	48	9	-	12	-	11	4	1	5	5	1	15
-	3	-	35	104	12	1	21	-	6	2	-	6	12	14	50
-	3	-	16	45	9	-	10	2	8	-	-	2	11	2	19
-	6	-	5	60	7	2	9	2	6	2	-	3	5	-	20
-	4	-	6	32	8	-	8	-	7	2	-	4	2	-	11
-	6	-	19	50	12	3	25	-	16	2	-	4	12	1	22
-	6	-	26	68	12	2	13	-	14	2	-	3	10	-	38
-	6	-	26	84	14	2	18	2	10	2	-	2	12	1	20
-	13	-	17	60	9	1	9	1	6	1	-	2	11	-	14
-	2	-	23	52	8	-	11	-	11	2	-	1	6	3	21
-	1	-	22	42	12	2	5	-	7	1	-	2	5	1	22
-	5	-	10	43	6	1	6	-	11	2	-	4	7	-	18
-	10	-	16	49	14	1	6	-	7	2	-	6	8	1	31
-	2	-	14	26	3	-	2	1	4	1	1	2	4	5	15
1	13	-	40	64	9	-	5	1	7	2	-	2	8	-	29
-	7	-	19	42	4	-	9	2	6	4	-	3	8	-	16
-	8	-	28	102	20	1	27	-	17	4	-	8	20	8	50
-	6	-	23	64	7	-	9	-	7	2	-	1	6	1	15
-	-	-	15	21	6	1	6	-	7	-	-	2	3	-	14
1	7	-	30	80	13	2	5	-	9	1	-	1	4	2	28
-	3	-	15	46	5	1	10	1	1	-	-	6	8	1	18
-	5	-	31	52	5	-	10	-	10	-	-	3	13	-	16
3	29	4	178	474	116	32	100	7	136	14	18	53	114	62	242
-	26	2	130	354	88	16	77	9	103	20	14	28	63	44	202
-	4	-	27	103	33	3	20	-	15	2	-	5	14	4	56
1	9	-	36	110	27	4	32	1	21	3	3	10	8	23	47
-	2	-	20	32	11	1	12	-	6	3	2	4	3	7	18
-	1	3	25	53	17	-	6	1	17	3	3	5	5	2	25
-	2	-	20	36	14	1	8	2	11	1	1	3	7	6	19
-	3	-	18	20	8	1	12	-	8	2	2	1	5	4	26
-	2	-	9	12	4	2	12	-	8	1	2	1	2	7	16
-	3	2	23	32	5	3	2	2	5	-	-	1	4	4	24
-	3	-	22	29	5	-	9	1	8	-	1	1	10	10	14
-	6	-	16	53	15	5	7	3	34	1	-	5	9	12	25
-	5	-	15	23	10	6	13	2	5	-	-	7	13	10	31
1	3	2	35	46	11	5	11	1	15	1	-	2	12	22	65
-	4	2	14	57	5	2	10	1	15	4	1	1	14	12	32
-	3	-	12	36	8	3	11	-	10	2	-	2	10	6	24
-	2	-	17	30	9	3	6	-	6	1	2	1	5	8	18
-	1	-	9	18	11	1	7	2	9	-	2	3	5	2	15
-	7	-	30	50	17	1	10	1	17	-	-	5	5	13	34
-	2	-	13	25	3	1	5	-	5	-	-	3	8	5	7
1	1	-	5	16	5	-	4	-	5	1	-	1	4	4	9

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningo-coccus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 15-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other Malignant tumors 45-55
OREGON													
Portland	4,324	1	7	2	-	3	108	-	1	48	-	16	610
Salem	786	1	1	-	-	-	33	-	-	27	-	-	74
Astoria	184	-	-	-	-	-	2	-	-	3	-	-	23
Bend	128	-	-	-	-	-	-	-	-	1	-	-	23
Eugene	408	-	2	-	-	-	3	-	-	4	1	-	59
Klamath Falls	216	-	-	-	-	-	3	-	1	1	-	-	37
Medford	228	-	-	1	-	1	4	-	-	3	-	-	29
PENNSYLVANIA													
Erie	1,287	-	3	-	2	-	43	-	-	7	-	2	179
Philadelphia	24,224	3	70	3	2	3	1,187	4	-	312	1	10	3,362
Pittsburgh	8,143	1	11	4	5	-	346	2	-	68	14	7	992
Reading	1,279	-	1	-	-	-	45	-	-	8	-	-	169
Scranton	1,560	-	3	-	-	1	47	-	-	5	-	2	207
Aliquippa	213	-	1	-	-	-	13	-	-	1	-	-	25
Allentown	1,160	2	-	1	-	-	41	1	-	24	-	-	161
Altoona	907	-	2	-	1	1	16	-	-	3	1	-	136
Bethlehem	596	-	2	-	-	-	22	1	-	6	-	-	92
Chester	757	-	4	-	1	1	45	-	-	7	1	1	95
Easton	536	-	-	-	-	-	18	-	-	4	-	-	77
Harrisburg	977	1	1	1	-	-	27	-	-	5	-	2	131
Haverford (twp.)[2]	178	-	-	-	-	-	7	-	-	-	-	-	28
Hazleton	416	-	1	-	-	-	13	-	-	1	-	-	44
Johnstown	837	1	3	-	-	-	22	-	-	4	-	3	90
Lancaster	742	-	-	-	-	-	16	1	-	3	-	2	89
Lebanon	356	-	-	-	1	-	5	-	-	-	1	-	54
Lower Merion (twp.)[2]	365	-	-	-	-	-	8	-	-	-	-	1	68
McKeesport	530	-	1	-	-	-	16	-	-	4	2	-	64
New Castle	523	-	2	-	-	-	13	-	-	-	4	1	68
Norristown	686	1	-	-	-	-	29	-	-	25	-	-	51
Sharon	253	-	-	-	-	-	5	-	-	1	-	-	52
Upper Darby (twp.)[2]	557	2	-	-	-	-	15	-	-	2	-	3	94
Washington	382	1	-	-	-	-	8	-	-	7	2	-	43
Wilkes-Barre	1,000	-	-	-	-	-	48	-	-	4	-	1	126
Wilkinsburg	392	-	2	-	-	-	8	-	-	2	-	-	57
Williamsport	563	1	-	-	1	-	13	-	-	3	-	3	68
York	751	-	1	-	1	1	15	-	-	9	-	1	93
Abington (twp.)[2]	159	-	-	-	-	-	3	-	-	-	-	-	33
Ambridge	138	-	-	-	-	-	7	-	-	2	-	-	18
Arnold	70	-	-	-	-	-	4	-	-	-	-	-	8
Beaver Falls	201	1	-	1	3	-	5	-	-	1	-	-	26
Bellevue	140	-	-	-	-	-	1	-	-	1	-	1	30
Berwick	131	-	-	-	-	-	2	-	-	1	-	-	19
Braddock	205	-	-	-	-	-	12	-	-	1	-	-	19
Bradford	174	-	-	-	-	-	2	1	-	-	-	-	24
Bristol	119	-	-	-	-	-	4	-	-	1	-	-	18
Butler	264	-	2	-	-	-	7	-	-	2	2	1	35
Canonsburg	120	-	-	-	-	-	2	-	-	1	1	-	27
Carbondale	206	-	1	-	-	-	3	-	-	-	-	-	24
Carlisle	164	-	-	-	-	-	6	-	-	1	-	-	26
Carnegie	142	-	-	-	-	-	9	-	-	-	1	-	15
Chambersburg	178	-	-	-	-	-	3	-	-	-	1	-	18
Charleroi	96	-	-	-	-	-	-	-	-	2	-	-	12
Cheltenham (twp.)[2]	177	-	-	-	-	-	6	-	-	-	-	-	28
Clairton	135	-	-	-	-	-	7	-	-	2	1	-	13
Coatesville	153	-	-	-	-	-	8	-	-	-	-	-	25
Columbia	134	-	-	-	-	-	6	-	-	-	-	-	11
Connellsville	164	-	1	-	-	-	4	-	-	2	-	-	13
Conshohocken	126	-	-	-	1	-	4	-	-	-	-	-	11
Coraopolis	111	-	-	-	-	-	8	-	-	-	1	-	7
Darby	116	-	-	-	-	-	1	-	-	-	-	-	10
Dickson City	91	-	1	-	-	2	7	-	-	2	-	-	14
Donora	111	-	1	-	-	-	3	-	-	-	-	1	17
Dormont	124	-	-	-	-	-	4	-	-	-	-	-	18
Du Bois	151	-	1	-	-	-	2	-	-	-	-	-	21
Dunmore	220	-	-	-	-	1	12	-	-	-	-	-	22
Duquesne	169	-	1	-	-	-	7	-	-	1	-	-	23
Ellwood City	93	-	-	-	-	-	1	-	-	1	-	-	9
Farrell	108	-	-	-	3	-	8	-	-	-	-	-	9
Greensburg	214	-	-	-	-	-	6	-	-	-	-	-	32
Hanover	154	1	-	-	-	-	2	-	-	1	-	-	23
Hanover (twp.)[2]	41	-	-	-	-	-	2	-	-	-	-	-	3
Harrison (twp.)[2]	98	-	-	-	-	-	1	-	-	1	-	1	11
Homestead	166	-	-	-	-	-	13	-	-	6	-	1	17
Indiana	104	-	-	-	-	-	2	-	-	-	-	-	19
Jeannette	160	-	-	-	-	1	-	-	-	-	-	-	22
Kingston	196	-	1	-	-	-	3	-	-	-	-	-	25
Lansdowne	129	-	-	-	-	-	3	-	-	-	-	-	24
Latrobe	123	-	-	-	-	-	-	-	-	-	-	-	12
Lewistown	160	-	1	-	1	-	4	-	-	2	-	-	14
Lock Haven	135	1	-	1	-	-	2	-	-	-	-	-	18
McKees Rocks	205	-	2	1	1	-	2	-	-	1	3	-	30
Mahanoy City	147	-	-	-	1	-	12	-	-	-	-	-	18
Meadville	251	-	-	-	-	-	6	-	-	1	-	-	15

See footnotes at end of table.

IN 1940, POPULATIONS OF 10,000 OR MORE, 1944—Continued

on p. 454)

Acute rheumatic fever 58	Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
4	87	1	416	1,379	242	7	276	9	129	64	15	75	223	39	562
-	11	-	61	180	67	1	35	1	15	6	1	8	28	81	155
-	5	-	22	46	4	-	12	1	13	5	1	-	18	1	28
-	1	-	10	40	7	-	4	2	11	-	-	1	10	3	15
-	9	-	40	102	11	-	55	3	18	4	-	6	22	14	50
-	6	-	12	51	16	1	7	2	18	2	2	9	16	2	30
-	7	-	33	66	9	-	22	1	12	6	1	2	11	-	20
3	40	-	124	418	70	6	58	2	60	16	4	15	71	18	150
33	735	-	1,521	8,092	1,315	193	1,792	98	1,244	208	92	225	877	186	2,856
13	210	1	701	2,636	734	34	470	34	326	55	18	82	329	164	886
1	53	-	87	495	68	4	80	4	33	14	-	18	40	3	156
2	47	1	120	577	96	9	91	6	72	7	1	12	75	13	186
1	9	-	12	65	13	-	10	1	11	3	2	1	21	-	24
1	36	-	103	349	55	6	60	6	45	11	-	11	44	8	195
2	35	-	94	281	29	1	72	1	37	5	3	10	50	3	124
2	20	-	45	212	35	5	26	-	26	4	1	3	25	4	65
1	17	-	54	213	54	4	61	5	44	5	-	18	42	4	80
2	25	-	55	161	24	2	35	2	11	11	1	4	25	3	78
1	30	-	59	369	41	11	91	2	30	13	2	22	36	10	92
-	4	-	24	68	4	-	8	-	3	2	-	3	5	-	22
-	17	-	26	147	15	5	38	1	28	2	2	7	14	-	55
2	21	-	78	260	53	5	64	3	66	6	3	5	37	6	105
1	28	-	59	274	38	4	43	2	39	6	-	13	31	4	89
1	7	-	39	118	14	5	28	1	19	4	1	11	10	3	34
1	20	-	26	130	13	-	13	1	12	4	-	5	15	1	47
-	9	-	43	161	44	-	41	8	29	2	-	9	26	6	65
1	19	-	50	151	42	4	23	7	23	3	1	7	30	4	70
1	15	-	57	264	37	4	42	1	20	4	-	11	37	11	76
-	10	-	30	65	16	-	13	1	19	1	-	2	12	-	26
-	18	-	37	208	27	2	33	3	16	6	-	14	25	4	48
-	13	-	38	124	25	2	24	1	22	4	1	5	16	4	42
-	38	-	56	346	53	5	89	3	44	5	-	10	43	3	124
-	17	-	37	133	28	4	29	3	12	1	1	3	17	6	32
-	15	-	51	187	35	6	40	2	24	7	-	4	24	3	76
-	21	-	85	246	41	12	36	2	42	11	1	14	29	3	87
-	7	-	17	57	5	-	9	-	4	1	-	1	4	1	17
1	2	-	9	51	4	1	9	1	6	-	-	2	4	-	21
-	4	-	5	17	7	-	2	-	5	-	-	2	3	-	13
2	4	-	22	43	17	-	16	1	15	1	-	3	12	1	27
-	1	-	13	46	11	-	7	1	9	2	1	-	2	-	14
1	8	-	12	51	8	-	4	1	5	1	1	-	6	1	10
-	15	-	14	53	19	7	10	-	17	-	-	-	11	-	27
-	7	-	26	52	13	-	7	-	8	-	-	2	5	5	22
-	4	-	11	31	4	2	1	1	6	-	-	3	6	1	26
-	11	-	25	84	13	1	10	1	11	2	1	3	13	-	40
-	5	-	14	28	5	-	4	-	11	2	-	1	10	1	8
1	11	-	21	62	6	-	29	2	11	-	-	1	10	-	24
-	5	-	17	45	5	-	25	-	6	1	-	1	8	-	18
-	-	-	13	42	11	2	17	-	10	-	-	-	2	2	18
-	3	-	18	59	11	1	26	1	7	2	-	2	11	-	15
2	3	-	7	39	4	-	6	-	3	-	1	2	4	3	8
-	7	-	13	71	9	1	12	2	2	1	1	2	3	-	19
1	2	-	19	37	13	1	7	2	5	3	1	2	5	-	14
-	4	1	9	50	14	-	8	-	7	2	-	2	10	-	13
-	10	-	12	45	6	1	7	-	6	-	-	5	7	1	17
-	3	-	10	47	13	5	20	3	14	3	-	3	6	1	16
-	5	-	13	45	3	2	13	2	5	1	-	1	3	2	17
-	4	-	9	33	9	1	10	1	4	1	-	1	9	2	11
-	5	-	8	32	9	1	12	-	10	1	-	2	8	1	16
-	4	-	5	25	3	1	4	-	2	1	-	-	9	-	11
-	4	-	10	25	13	-	6	1	9	1	1	3	6	-	11
1	3	-	7	48	8	1	10	-	3	2	-	1	4	2	12
-	4	-	11	37	16	1	22	2	9	1	-	4	6	-	14
-	3	-	10	74	13	4	26	-	9	2	-	4	5	3	32
-	8	-	15	53	14	1	8	-	12	-	-	1	8	2	15
-	4	-	10	26	5	1	5	1	3	1	-	2	7	2	16
1	3	-	10	28	7	1	6	1	6	-	-	1	4	-	20
-	8	-	14	89	14	2	9	-	9	3	-	2	7	1	18
-	9	-	17	46	3	1	17	1	6	-	-	1	5	-	21
-	2	-	1	16	1	-	4	-	2	-	-	-	2	1	7
-	8	-	6	31	6	-	9	1	3	1	-	2	7	1	9
-	9	-	9	37	12	1	9	2	9	2	2	1	12	3	21
-	1	-	9	42	3	-	7	-	5	1	-	3	1	-	11
-	2	-	18	47	8	1	14	-	11	-	-	2	10	-	24
-	12	-	12	67	6	1	21	-	14	-	-	3	4	2	25
-	6	-	10	38	5	-	10	1	4	2	-	3	7	1	15
2	9	-	9	42	7	1	3	1	8	1	1	1	2	-	24
-	8	-	12	50	8	2	13	-	10	-	-	3	5	1	26
-	6	-	14	51	5	-	3	-	7	2	1	-	2	-	22
1	3	-	19	53	29	-	14	-	11	1	1	2	7	1	33
3	4	-	5	51	10	-	10	-	3	1	-	-	12	-	17
-	4	-	20	118	15	2	13	4	11	4	1	4	9	2	22

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (miningo-coccus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, policencephalitis (acute) 36	Cancer and other malignant tumors 45-55
PENNSYLVANIA—Continued													
Monessen	154	-	-	-	-	-	4	-	-	4	-	-	21
Mount Carmel	172	-	-	-	-	-	6	-	-	-	-	-	17
Mount Lebanon (twp.)[2]	166	-	-	-	-	-	2	-	-	-	-	1	25
Munhall	120	-	-	-	-	-	5	-	-	-	1	-	17
Nanticoke	218	-	-	-	-	-	14	-	-	-	-	-	19
New Kensington	231	-	-	-	-	-	7	-	-	1	1	-	28
North Braddock	126	-	-	-	-	-	7	-	-	-	-	-	23
Oil City	241	-	-	1	-	-	5	-	-	1	-	-	32
Old Forge	101	-	-	-	-	-	5	-	-	-	-	-	9
Phoenixville	143	-	-	-	-	-	7	-	-	-	-	-	22
Pittston	165	-	-	-	-	1	8	-	-	1	-	-	12
Plains (twp.)[2]	97	-	-	-	-	-	1	-	-	1	-	-	18
Plymouth	174	-	-	-	-	-	4	-	-	1	-	-	29
Pottstown	236	-	-	-	-	-	4	-	-	-	-	1	30
Pottsville	318	-	-	-	1	-	11	-	-	-	-	-	37
Shaler (twp.)[2]	51	-	-	-	-	-	2	-	-	-	-	-	3
Shamokin	311	1	1	2	1	-	10	-	-	1	-	-	35
Shenandoah	243	-	-	-	-	-	12	-	-	1	-	-	23
Steelton	143	-	-	-	-	-	13	-	-	1	-	-	12
Stowe (twp.)[2]	21	-	-	-	-	-	-	-	-	-	-	-	1
Sunbury	211	-	1	-	-	-	-	-	-	1	-	1	27
Swissvale	161	-	-	1	-	-	2	-	-	1	-	1	21
Tamaqua	128	-	-	-	-	-	4	-	-	1	-	-	19
Uniontown	276	-	1	1	-	-	5	-	-	4	2	1	34
Vandergrift	90	-	-	-	-	-	1	-	-	-	1	-	9
Warren	169	-	-	-	-	-	4	-	-	-	-	-	24
Waynesboro	110	-	-	-	-	-	1	-	-	-	-	-	13
West Chester	212	-	2	-	-	-	5	-	-	1	-	-	28
RHODE ISLAND													
Providence[4]	3,023	1	7	1	2	2	108	-	-	14	1	-	411
Central Falls	214	-	-	-	1	-	4	-	-	-	1	-	43
Cranston	888	-	-	-	-	1	29	-	-	29	-	-	73
East Providence (town)	305	-	-	-	-	-	13	-	-	2	-	-	51
Newport	347	-	-	-	-	-	14	-	-	1	1	-	45
Pawtucket	885	-	2	1	-	-	31	-	-	4	2	-	101
Warwick	335	-	1	-	-	-	8	-	-	5	-	-	46
Woonsocket	444	-	-	-	3	-	10	-	-	2	1	-	77
Bristol (town)	112	-	-	-	-	-	11	-	-	1	-	-	19
Cumberland (town)	100	-	1	-	-	-	3	-	-	-	-	-	12
Johnston (town)	94	-	-	-	-	-	2	-	-	-	-	-	4
Lincoln (town)	97	-	-	-	-	-	3	-	-	2	-	-	11
North Providence (town)	127	1	-	-	-	-	1	-	-	-	-	-	18
Westerly (town)	134	1	-	-	-	-	3	-	-	-	-	-	15
West Warwick (town)	172	-	1	-	-	-	1	-	-	1	-	-	27
SOUTH CAROLINA													
Charleston	1,064	1	5	-	2	-	46	1	4	26	1	-	86
Columbia	948	-	-	-	1	1	49	-	1	32	1	-	75
Greenville	512	-	-	-	2	-	31	-	-	9	2	-	41
Spartanburg	409	-	1	-	1	-	18	1	-	1	-	-	31
Anderson	262	-	-	-	3	1	8	-	-	1	2	-	21
Florence	272	2	1	-	5	1	12	-	1	1	-	-	25
Greenwood	142	-	1	-	-	-	5	-	-	3	-	-	15
Orangeburg	147	-	1	-	-	-	3	-	3	4	-	-	9
Rock Hill	162	-	-	-	-	-	5	-	-	2	1	-	14
Sumter	197	-	-	-	-	-	15	1	-	5	-	-	21
SOUTH DAKOTA													
Sioux Falls	382	-	-	-	1	-	10	-	-	1	-	-	47
Aberdeen	184	-	-	-	2	2	3	-	-	-	2	-	17
Huron	146	-	-	-	-	-	2	-	-	-	-	-	22
Mitchell	130	-	-	-	-	-	-	-	-	-	-	-	20
Rapid City	162	-	-	-	1	2	17	-	-	2	-	-	13
Watertown	123	-	-	-	-	1	1	-	-	-	3	-	22
TENNESSEE													
Chattanooga	1,481	-	3	1	1	-	105	1	-	9	3	-	126
Knoxville	1,230	-	5	-	2	5	52	-	-	7	5	-	126
Memphis	3,322	1	13	-	6	3	197	5	1	55	2	-	353
Nashville	2,108	-	6	-	1	2	99	3	-	20	-	-	197
Johnson City	215	-	1	-	1	-	16	-	-	6	-	-	24
Bristol[5]	126	-	-	-	2	-	4	-	-	1	-	-	19
Clarksville	161	-	-	-	-	-	12	-	-	2	-	1	18
Cleveland	106	-	-	-	-	-	7	1	-	-	1	-	12
Columbia	137	-	-	-	-	-	14	-	-	-	-	-	16
Dyersburg	103	-	1	-	-	1	2	-	2	-	-	-	14
Jackson	336	1	1	-	-	-	24	-	-	5	-	-	27
Kingsport	116	1	-	-	1	-	7	-	-	-	1	-	15
TEXAS													
Dallas	2,990	2	4	2	1	5	125	6	3	29	3	-	311
Fort Worth	2,002	-	1	1	2	5	65	6	-	18	3	1	213
Houston	4,603	5	13	-	2	9	282	4	2	69	6	4	523
San Antonio	3,717	2	11	-	7	3	325	6	1	29	8	4	352

See footnotes at end of table.

IN 1940, POPULATIONS OF 10,000 OR MORE, 1944—Continued

on p. 454)

Acute rheumatic fever 58	Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	8	-	16	33	21	-	13	-	7	2	1	2	4	-	18
-	13	-	6	51	13	2	17	-	7	2	-	1	10	2	25
-	5	-	14	62	8	3	6	1	5	1	-	3	7	2	21
-	1	-	10	36	10	-	7	1	9	-	-	1	6	2	14
-	2	-	15	69	10	-	13	1	6	1	1	2	17	2	46
-	10	-	13	55	22	3	25	-	18	3	1	2	5	1	36
-	4	-	10	36	12	2	5	1	4	1	-	2	7	1	11
1	5	-	25	71	9	1	19	2	13	1	-	3	13	4	35
1	4	-	10	28	6	1	7	-	6	1	-	2	3	1	17
-	8	-	8	44	6	-	12	-	5	1	-	2	9	-	19
1	6	-	9	64	10	-	5	1	5	-	-	1	14	1	26
1	1	-	5	31	9	1	12	-	3	-	-	-	4	1	9
-	5	-	15	62	8	-	11	2	7	-	-	-	8	2	20
1	3	-	15	52	8	3	30	1	11	-	-	5	14	-	28
-	15	-	22	103	16	2	29	1	32	-	-	1	12	4	32
-	2	-	6	11	7	-	5	-	1	2	-	1	2	3	6
-	11	-	33	107	23	1	9	1	16	3	-	3	16	1	36
-	12	-	19	91	16	-	14	1	11	1	-	1	10	2	29
-	8	-	9	47	11	-	14	-	1	-	-	2	5	-	20
-	1	-	2	9	3	-	1	-	-	1	-	-	-	-	3
-	10	-	10	77	8	1	37	2	5	1	-	2	7	-	21
2	3	-	14	48	7	-	15	2	11	1	-	1	4	-	27
-	7	-	15	43	4	-	13	-	2	-	-	-	5	-	15
-	11	-	35	69	10	8	21	-	23	1	-	5	14	7	24
-	4	-	13	29	5	1	5	-	-	-	-	-	2	2	18
-	5	-	17	65	5	1	8	1	5	-	-	4	7	-	23
-	6	-	18	48	2	-	4	-	8	-	-	-	-	-	10
-	4	-	23	66	8	2	20	-	15	-	-	1	8	-	29
3	104	-	282	1,069	160	21	194	8	127	11	3	24	118	11	341
-	8	-	12	68	10	1	15	-	15	1	-	1	8	-	26
-	26	-	57	370	59	5	54	3	16	15	1	7	59	-	84
1	7	-	29	105	9	3	30	-	14	3	-	1	8	-	29
-	8	-	31	114	21	1	22	-	20	1	-	3	24	-	41
-	35	-	60	349	39	3	89	5	29	4	1	9	42	2	77
-	11	-	22	124	14	2	21	1	18	5	-	3	11	1	42
-	23	-	30	149	26	1	24	2	23	5	-	7	21	1	40
-	7	-	10	25	6	1	12	1	4	-	-	2	2	1	10
-	3	-	10	38	2	1	11	-	2	-	-	2	4	-	11
-	6	-	12	33	4	2	9	-	6	1	-	1	2	-	12
-	2	-	11	36	7	-	8	-	4	-	-	1	1	-	11
-	3	-	7	52	6	-	11	-	4	1	-	2	2	-	19
-	3	-	10	44	5	2	5	1	10	2	-	2	10	2	19
-	7	-	17	54	9	1	17	1	12	1	-	1	7	-	15
1	21	2	83	193	70	8	72	8	113	8	16	30	52	101	114
-	29	-	70	183	64	29	112	4	57	7	13	16	32	8	164
-	18	2	44	115	44	6	39	6	38	4	7	14	30	5	55
-	4	2	33	96	26	5	61	1	34	3	5	16	20	6	44
-	12	2	23	46	13	2	32	3	28	1	3	9	14	6	32
-	4	-	26	62	25	5	15	1	27	1	8	4	10	6	30
-	1	-	14	43	8	1	14	1	8	1	3	3	15	-	6
-	5	-	7	30	7	3	22	3	9	1	-	4	8	1	27
-	5	1	13	42	10	7	11	1	12	4	1	3	9	2	19
-	9	2	23	29	14	4	25	1	13	3	3	2	6	5	16
3	10	-	35	119	32	-	10	-	32	4	-	11	20	5	42
-	3	-	13	72	5	3	14	1	10	1	-	1	8	-	27
-	1	-	10	40	9	1	11	-	7	2	-	2	9	3	27
-	3	-	14	38	13	-	4	-	6	-	-	4	6	5	17
-	4	-	12	46	8	1	4	-	6	1	1	3	9	10	22
-	3	-	14	37	6	1	9	-	6	-	-	-	4	3	13
2	13	1	150	335	133	33	84	14	95	4	25	19	59	33	182
1	22	2	117	295	91	20	75	13	64	12	26	20	66	41	163
11	57	2	302	798	197	19	154	18	181	27	44	54	142	194	486
1	35	1	216	441	170	57	144	14	114	11	41	27	93	125	290
-	5	-	36	44	7	1	11	2	18	1	-	2	6	8	26
-	2	-	13	21	11	1	10	-	8	1	-	4	6	8	15
-	2	-	20	41	12	2	12	-	10	2	2	2	4	2	17
-	2	-	7	31	10	2	5	1	7	1	1	1	4	4	9
-	1	-	9	30	7	1	19	-	4	1	4	-	4	6	21
-	-	-	10	16	9	1	8	1	5	1	-	-	3	9	20
-	8	-	28	86	21	6	21	1	15	-	2	4	17	20	49
-	1	1	13	15	9	4	9	1	12	2	1	2	5	4	12
2	46	3	281	870	149	25	154	12	182	30	67	66	138	52	422
3	40	4	165	521	123	26	84	10	148	23	36	55	106	58	285
8	78	5	376	1,108	283	47	258	26	284	41	76	80	246	164	624
4	67	-	271	790	283	246	208	22	254	35	41	69	122	91	466

TABLE 23.--DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningo-coccus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 15-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55
TEXAS--Continued													
Abilene	309	-	1	1	-	-	9	1	-	1	-	1	31
Amarillo	470	-	-	-	-	1	9	-	-	3	2	-	49
Austin	1,273	1	1	-	1	3	92	3	-	72	6	1	95
Beaumont	587	1	3	-	-	2	21	1	2	9	3	2	70
Corpus Christi	690	-	2	-	3	2	38	8	-	8	7	-	55
El Paso	1,199	1	4	2	2	4	113	2	-	11	12	1	114
Galveston	724	-	1	-	-	-	39	-	-	15	1	-	92
Laredo	550	5	-	-	6	-	41	7	-	6	2	1	36
Lubbock	332	-	-	-	-	-	16	3	-	2	-	1	29
Port Arthur	427	-	1	-	-	1	21	2	-	3	-	-	43
San Angelo	310	2	-	-	-	-	17	8	-	4	-	-	31
Tyler	269	-	-	-	-	-	9	-	-	-	-	1	15
Waco	720	1	1	-	1	2	29	1	-	6	2	1	83
Wichita Falls	373	-	-	-	-	1	10	1	-	5	1	-	38
Big Spring	126	-	-	-	-	1	6	2	-	2	-	-	9
Borger	91	-	3	-	1	-	1	2	-	1	1	1	4
Brownsville	281	-	-	-	-	-	23	1	2	1	-	-	20
Brownwood	183	-	-	-	1	-	5	-	-	-	-	-	16
Bryan	165	-	-	-	-	-	9	-	-	1	-	-	6
Cleburne	121	-	-	-	-	1	3	-	-	-	-	-	16
Corsicana	176	-	-	-	-	-	6	-	-	-	1	-	17
Del Rio	188	-	-	-	-	-	8	4	-	-	-	-	6
Denison	203	-	-	-	-	-	2	-	-	3	-	-	27
Denton	141	-	-	-	-	1	2	-	-	-	-	-	17
Greenville	160	-	-	-	-	-	5	-	-	2	1	-	8
Harlingen	201	-	1	-	-	1	16	9	1	2	2	2	16
Highland Park	101	-	-	-	-	-	1	-	-	1	-	-	11
Longview	147	-	-	-	-	-	4	-	-	3	2	-	12
McAllen	166	-	-	-	-	1	17	-	1	1	1	1	11
Marshall	210	1	-	-	1	-	7	1	1	4	-	-	12
Palestine	161	2	-	-	-	-	6	-	-	2	1	-	18
Pampa	115	-	-	-	2	-	2	1	-	1	-	-	9
Paris	206	-	-	-	-	-	7	1	-	-	-	-	24
Sherman	186	-	-	-	-	-	6	-	1	-	-	-	27
Sweetwater	88	-	-	-	-	-	5	-	-	-	-	-	11
Temple	179	-	-	-	-	1	8	4	-	-	-	-	12
Terrell	338	-	-	-	-	-	17	2	-	29	-	-	24
Texarkana[6]	249	1	-	-	-	2	10	2	1	3	-	1	27
University Park	116	-	-	-	-	-	5	-	1	1	-	-	19
Victoria	180	-	1	1	-	-	5	3	-	2	4	-	10
UTAH													
Salt Lake City	1,532	-	5	4	1	-	18	1	-	8	-	-	174
Ogden	482	-	2	1	-	-	10	-	-	1	-	-	53
Logan	124	-	1	2	-	-	1	-	-	1	-	-	13
Provo	214	-	-	1	-	-	4	-	1	6	-	-	20
VERMONT													
Burlington	329	-	3	-	1	-	8	-	-	8	2	-	46
Barre	127	-	-	-	-	-	27	-	-	1	-	-	16
Rutland	220	-	1	-	-	-	6	-	-	3	-	1	31
VIRGINIA													
Norfolk	1,982	-	7	1	4	1	64	2	1	16	1	1	149
Richmond	2,565	-	9	1	1	-	140	2	-	38	-	4	312
Alexandria	425	-	4	-	-	-	24	-	-	4	-	1	56
Arlington (county)[7]	510	-	4	-	-	-	18	-	-	5	-	1	65
Danville	334	-	-	-	1	-	16	-	-	1	-	-	28
Lynchburg	474	-	-	1	-	-	17	-	-	3	-	3	50
Newport News	589	-	3	1	1	2	36	1	-	9	1	1	51
Petersburg	404	1	2	-	-	-	33	-	-	2	-	-	38
Portsmouth	758	-	2	-	6	-	30	2	-	11	1	1	45
Roanoke	729	-	-	-	2	1	14	1	-	8	4	5	106
Charlottesville	196	-	-	-	-	-	7	-	-	2	-	-	28
Fredericksburg	103	1	-	-	-	-	3	-	-	2	-	-	9
Martinsville	74	-	1	-	-	-	1	1	-	1	-	-	9
Staunton	347	-	-	-	2	-	18	1	-	18	-	-	29
Suffolk	147	-	-	-	-	-	9	-	-	-	-	-	13
Winchester	143	1	-	-	-	-	7	-	-	1	-	-	18
WASHINGTON													
Seattle	5,283	-	3	-	1	4	203	1	1	46	1	3	730
Spokane	1,686	-	3	3	-	1	28	-	-	6	1	1	209
Tacoma	1,695	2	-	-	-	1	49	1	-	21	2	2	219
Bellingham	426	-	-	-	-	1	8	1	-	1	-	-	70
Everett	458	-	1	-	-	-	5	-	-	-	-	1	81
Yakima	448	-	1	1	-	-	4	7	-	1	1	-	56
Aberdeen	310	-	-	-	-	-	6	-	-	7	-	-	47
Bremerton	286	-	3	-	-	1	10	-	-	2	-	4	36
Hoquiam	64	-	-	-	-	-	2	-	-	2	-	-	5
Longview	125	-	-	-	-	-	1	-	-	1	-	-	15
Olympia	205	-	-	-	-	-	7	-	-	2	-	-	30
Vancouver	391	2	1	1	-	2	5	-	-	3	5	-	50
Walla Walla	342	-	-	-	1	-	21	1	-	3	1	-	43
Wenatchee	153	-	-	-	-	-	4	-	-	-	-	1	15

See footnotes at end of teble.

IN 1940, POPULATIONS OF 10,000 OR MORE, 1944—Continued

on p. 454)

Acute rheumatic fever 58	Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	4	-	24	71	19	17	21	1	34	2	1	7	18	7	38
-	5	-	29	123	20	11	20	4	56	5	2	16	27	22	66
-	24	6	86	272	78	20	81	8	64	8	7	18	56	107	163
-	14	3	49	163	56	12	45	9	59	9	11	12	33	15	85
-	12	-	34	120	74	43	31	7	72	7	5	12	39	14	97
2	22	-	54	201	95	67	65	12	90	5	9	26	41	77	167
-	10	-	65	228	33	4	43	4	44	4	4	9	30	14	84
1	10	6	23	57	55	73	28	6	57	1	-	8	21	37	63
1	9	-	26	63	31	8	28	5	41	-	2	9	17	3	38
1	7	-	38	71	37	4	25	4	47	2	4	11	33	8	64
1	7	1	21	77	15	-	20	1	28	3	3	-	24	15	32
-	9	3	20	77	21	2	14	3	26	2	5	5	11	6	40
1	8	7	80	176	37	16	54	3	40	2	6	13	37	23	90
-	8	2	25	112	18	5	31	1	32	4	5	2	20	7	45
-	2	-	4	36	6	8	4	1	16	-	2	6	6	7	8
-	3	-	3	15	13	2	3	1	10	-	2	5	6	4	10
-	5	-	14	26	19	47	23	1	19	1	1	4	10	30	34
-	4	-	8	38	9	1	19	1	24	2	-	9	10	3	33
-	3	-	18	37	14	11	14	2	18	-	1	5	6	3	17
-	1	1	17	37	9	-	8	-	10	1	-	1	5	5	10
-	-	-	18	49	11	3	5	2	13	4	2	2	8	6	29
-	4	1	11	32	26	30	4	6	18	1	1	-	11	3	22
-	1	-	28	42	17	-	25	2	12	1	-	1	12	8	22
-	5	3	19	38	3	2	8	1	8	-	-	2	2	4	26
-	1	2	6	46	13	1	13	1	14	-	1	2	14	6	24
-	1	-	5	23	15	15	3	5	25	2	1	16	10	1	29
-	2	-	6	39	2	1	5	-	3	-	2	-	4	3	21
-	2	-	8	32	7	3	8	-	10	3	2	8	16	8	25
-	4	1	9	27	13	14	8	2	18	-	-	5	6	5	21
-	4	-	43	39	17	2	10	3	6	-	1	2	10	5	41
1	3	-	21	56	5	1	16	2	3	4	4	2	4	2	8
-	5	1	5	29	10	1	8	2	8	1	2	2	12	4	10
-	4	2	29	28	15	1	20	-	14	1	1	3	15	5	36
-	3	1	19	43	13	2	15	1	9	1	-	5	12	7	21
-	2	-	2	26	6	-	8	-	11	1	1	2	7	3	3
-	5	-	15	37	16	-	7	3	12	4	2	5	15	14	19
-	7	1	36	99	13	5	23	1	10	4	-	-	6	3	58
-	4	1	24	49	16	2	12	2	11	1	2	1	13	14	50
-	1	-	9	40	7	-	4	-	7	3	-	2	3	3	11
-	3	1	11	31	16	5	15	3	19	1	3	7	21	5	13
-	37	-	101	543	70	18	69	9	101	9	4	45	59	38	220
1	14	-	40	117	21	3	17	2	42	3	1	15	38	22	69
-	2	-	7	51	-	-	5	1	9	1	-	4	8	3	15
1	5	-	18	58	20	1	10	1	15	3	-	2	10	3	35
-	13	-	29	109	7	2	11	-	28	1	-	1	12	3	45
-	6	-	6	30	2	1	6	1	10	-	-	1	2	5	13
-	10	-	26	67	10	-	18	-	12	2	-	3	7	3	20
3	48	-	206	562	132	10	119	10	149	14	46	53	121	14	248
2	43	2	288	689	142	17	255	14	115	17	24	22	104	39	285
-	10	-	27	125	24	9	25	3	26	4	10	9	22	5	37
-	12	-	36	152	27	4	20	5	42	9	5	12	31	2	60
-	7	-	40	84	20	11	39	1	30	3	6	2	11	4	30
1	12	2	55	132	17	1	43	4	31	5	4	4	20	7	62
-	8	-	47	133	36	7	54	4	63	4	11	10	36	3	67
-	4	1	41	84	28	9	50	7	28	3	3	4	19	1	46
-	19	-	94	159	77	19	67	7	65	6	19	16	35	7	70
2	19	1	71	185	37	3	53	6	39	10	4	13	25	20	100
-	2	-	26	58	8	2	8	-	15	-	-	1	14	3	22
-	6	-	4	26	5	-	15	-	9	1	1	4	8	1	8
-	1	-	4	19	6	-	2	-	13	-	2	-	6	1	7
1	8	-	33	137	35	1	16	1	7	3	-	-	14	1	22
-	3	-	12	44	4	-	16	3	12	1	2	2	6	2	18
1	3	-	9	36	12	3	17	-	8	2	1	1	5	3	15
4	91	-	511	1,753	293	14	193	16	236	75	25	98	269	34	678
5	41	-	175	512	111	2	121	3	70	30	6	26	77	9	246
-	46	-	140	562	62	5	121	3	77	17	4	35	74	29	223
-	13	-	50	147	16	-	23	1	19	5	-	4	16	11	40
-	16	-	48	125	26	-	32	-	22	7	-	7	18	8	63
1	6	-	26	134	23	10	21	4	30	5	2	12	21	13	69
-	4	-	41	105	14	-	12	-	7	3	1	7	14	6	36
-	4	-	25	67	11	-	15	2	25	8	1	12	17	3	40
-	1	-	9	20	-	-	1	-	6	2	-	1	6	4	5
-	1	1	16	37	4	-	5	1	12	-	-	3	9	3	16
-	3	-	24	58	10	1	4	-	10	2	-	5	14	8	27
1	12	-	38	92	38	4	21	2	26	1	1	7	25	1	53
1	13	-	31	87	19	1	41	-	17	2	-	2	11	8	39
-	8	-	12	40	11	-	13	2	6	1	-	3	8	5	24

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 8	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55
WEST VIRGINIA													
Charleston	759	-	1	1	1	1	48	-	-	8	3	-	80
Clarksburg	346	-	-	-	1	-	9	-	-	3	1	-	43
Huntington	861	-	2	-	6	-	63	7	-	41	3	-	97
Parkersburg	405	-	4	-	-	-	7	-	-	2	-	2	44
Wheeling	724	2	-	1	1	-	16	2	-	1	-	-	91
Beckley	152	1	-	-	-	-	20	-	-	2	-	-	19
Bluefield[8]	228	-	1	-	-	-	17	-	-	1	-	1	27
Fairmont	287	-	-	-	-	-	12	-	-	-	-	-	42
Martinsburg	189	-	-	-	-	-	9	-	-	3	-	-	17
Morgantown	211	-	-	-	1	-	9	-	-	-	-	-	26
Moundsville	143	1	-	-	1	-	11	-	1	1	-	-	14
South Charleston	76	-	-	-	-	-	3	-	-	1	-	-	4
WISCONSIN													
Milwaukee	6,290	-	19	1	1	2	247	-	-	66	3	8	986
Appleton	286	-	-	-	-	-	3	1	-	2	1	-	44
Beloit	295	-	1	-	1	-	4	-	-	2	3	-	30
Eau Claire	267	-	1	-	1	-	6	-	-	-	-	1	37
Fond du Lac	338	-	-	-	-	-	6	-	-	-	-	-	55
Green Bay	462	-	1	-	-	1	3	1	-	1	2	1	71
Kenosha	471	-	1	-	-	-	8	-	-	3	-	-	88
La Crosse	429	-	1	-	-	-	10	1	-	-	-	1	64
Madison	661	-	1	-	-	-	14	-	-	4	-	-	101
Oshkosh	462	-	1	1	-	-	8	-	-	1	1	1	70
Racine	633	-	-	-	-	-	16	-	-	5	-	-	99
Sheboygan	412	-	-	-	-	-	12	-	-	2	-	1	75
Superior	470	-	-	-	-	-	9	-	1	2	-	1	64
Wausau	322	-	-	-	-	-	3	2	-	1	-	-	53
Wauwatosa	248	1	2	-	-	-	7	-	-	-	-	-	46
West Allis	296	-	-	-	1	-	8	-	-	3	-	-	47
Ashland	127	-	-	-	-	-	2	-	-	1	1	-	13
Beaver Dam	118	1	-	-	-	-	3	-	-	1	-	-	24
Chippewa Falls	120	-	-	-	-	-	3	1	-	-	-	-	13
Cudahy	73	-	-	-	-	-	1	-	-	-	-	-	10
Janesville	301	-	-	-	-	-	6	-	-	1	1	1	48
Manitowoc	283	-	-	1	-	-	8	-	-	2	-	-	32
Marinette	171	-	1	-	-	-	-	-	-	1	-	-	20
Marshfield	105	-	-	-	2	-	1	-	-	-	-	-	9
Menasha	92	-	-	-	-	-	2	-	-	2	-	-	15
Neenah	100	-	-	-	-	-	1	-	-	1	-	-	19
Shorewood	115	-	-	-	-	-	1	-	-	2	-	3	19
South Milwaukee	89	-	-	-	-	-	5	-	-	-	-	-	11
Stevens Point	140	-	-	-	-	-	1	-	-	-	-	-	21
Two Rivers	68	-	-	-	-	-	2	-	-	1	-	-	6
Watertown	157	-	-	-	1	-	2	-	-	-	-	-	29
Waukesha	189	-	2	-	-	1	3	-	-	1	-	-	32
Wisconsin Rapids	79	-	1	-	-	-	1	-	-	-	-	-	6
WYOMING													
Casper	200	-	1	-	-	1	3	-	-	9	-	-	23
Cheyenne	233	-	-	-	-	-	4	-	-	4	-	-	24
Laramie	100	-	-	-	1	-	3	1	-	-	-	-	7
Sheridan	131	-	1	-	-	-	1	-	-	1	-	-	21

[1]Includes data for Texarkana, Ark., only.
[2]Since this area is difficult to identify from the information given on the death transcripts, data may be understated or overstated.
[3]Figures for District 1511, Center Hill (Fulton Co.), are included in those for Atlanta.
[4]Comprising Bronx, Brooklyn, Manhattan, Queens, and Richmond Boroughs, treated as a unit.
[5]Includes data for Bristol, Tenn., only.
[6]Includes data for Texarkana, Tex., only.
[7]Classified as urban under a special rule in the 1940 census.
[8]Includes data for Bluefield, W. Va., only.

IN 1940, POPULATIONS OF 10,000 OR MORE, 1944—Continued

on p. 454)

Acute rheumatic fever 58	Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-9S	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
1	13	-	57	163	55	15	59	4	57	8	5	11	36	38	94
-	2	-	29	105	23	1	24	3	33	-	-	6	18	12	33
-	17	-	66	231	51	18	34	3	57	8	3	15	45	14	100
-	10	-	50	108	17	7	30	-	21	1	1	4	19	28	50
1	26	-	79	218	31	21	81	1	29	3	-	9	37	1	75
-	3	-	10	37	6	1	4	1	5	3	1	3	15	3	18
-	4	-	17	63	12	1	19	3	14	1	3	4	10	13	23
-	6	-	26	82	21	3	26	-	17	5	1	2	16	12	38
-	11	-	14	49	11	-	19	-	9	2	-	2	11	8	24
1	9	-	21	48	10	2	10	1	23	3	-	2	11	5	29
-	6	-	22	40	8	5	3	1	3	-	-	1	3	-	22
-	-	-	7	19	4	2	2	-	10	1	1	2	8	1	11
6	246	-	564	2,084	319	15	278	20	265	58	8	70	241	13	772
1	12	-	28	88	14	-	34	2	9	2	1	1	12	-	31
-	11	-	40	104	16	3	11	4	9	3	-	8	18	1	26
-	13	-	26	77	17	-	8	2	15	2	1	3	19	2	36
-	7	-	36	101	9	-	33	1	13	4	-	6	18	7	42
1	10	-	35	159	17	1	16	1	30	10	-	11	22	6	62
2	12	-	32	153	14	1	36	2	18	9	-	11	12	3	66
2	18	-	45	120	18	-	38	1	24	4	-	5	22	6	51
1	15	-	59	207	42	4	45	2	39	10	-	14	29	3	71
1	15	-	56	138	19	1	28	-	26	6	-	7	18	7	57
-	29	-	50	216	22	-	40	2	20	12	1	7	24	3	87
1	13	-	45	131	9	2	14	-	16	7	-	4	14	8	58
1	10	-	42	144	29	3	20	2	27	7	-	12	31	5	60
-	4	-	36	71	15	-	25	3	26	5	-	2	14	11	53
1	6	-	21	94	12	1	10	-	10	1	-	2	5	1	28
-	12	-	25	86	13	-	11	3	19	7	-	10	18	2	31
-	5	-	26	37	9	1	5	-	5	-	-	2	5	2	13
-	6	-	10	27	8	1	4	-	4	2	-	1	6	3	17
-	1	-	12	38	8	-	3	1	7	-	-	3	6	2	22
1	2	-	8	26	4	-	7	-	7	-	-	1	1	-	5
-	8	-	27	92	21	-	13	-	12	6	-	3	14	6	42
-	14	-	27	90	17	1	17	1	16	3	-	4	14	3	33
-	8	-	14	60	12	-	8	-	6	1	-	2	12	6	20
-	3	-	23	24	3	-	4	-	13	-	-	2	4	2	15
1	5	-	9	17	4	1	7	1	4	2	-	2	5	-	15
-	3	-	9	20	6	-	7	2	-	1	-	3	6	2	20
-	5	-	9	45	1	-	4	-	1	1	-	1	2	-	21
1	2	-	9	27	3	-	3	-	4	-	-	1	3	1	17
-	4	-	9	48	3	-	10	1	9	2	-	3	9	-	20
-	1	-	4	21	2	-	6	1	8	1	-	2	3	1	9
-	3	-	14	55	4	-	14	-	4	1	-	-	7	1	22
-	7	-	25	41	3	2	10	1	12	-	-	6	10	3	30
-	5	-	5	30	6	-	4	-	3	-	-	3	2	3	10
1	5	-	13	57	7	-	21	1	14	2	1	8	8	1	24
-	3	-	14	59	13	-	19	-	24	3	3	4	17	3	39
-	1	-	4	20	3	1	17	-	9	-	1	4	15	3	12
-	3	-	12	49	6	-	9	-	3	2	-	-	9	2	12

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		M	F	M	F
	All causes	1,411,338	697,731	541,098	92,130	80,379	26,157	8,372	6,446	5,921	5,418
	I.—Infectious and parasitic diseases	105,769	48,507	30,054	15,453	11,755	2,901	741	615	796	749
1	Typhoid fever	501	203	130	85	83	18	6	6	4	2
2	Paratyphoid fever	50	27	17	3	3	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	80	43	29	6	2	1	-	-	1	-
6	Cerebrospinal (meningococcus) meningitis	2,812	1,455	898	287	172	78	35	19	14	10
7	Anthrax (infection by Bacillus anthracis)	3	3	-	-	-	-	-	-	-	-
8	Scarlet fever	422	200	198	11	13	3	1	-	2	-
9	Whooping cough	1,878	599	652	270	357	87	18	11	24	34
10	Diphtheria (infection by C. diphtheriae)	1,145	534	468	77	66	58	29	18	8	3
11	Erysipelas	219	104	99	8	8	5	-	4	1	-
12	Tetanus	615	284	135	130	66	30	8	9	6	7
13-22	Tuberculosis (all forms)	54,731	25,596	14,362	8,121	6,652	1,269	309	234	349	377
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	652	619	4	28	1	-	-	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	50,060	23,468	13,169	7,337	6,086	1,186	285	218	328	355
14	Tuberculosis of meninges and central nervous system	1,020	395	321	176	128	25	10	8	3	4
15	Tuberculosis of intestines and peritoneum	625	174	204	121	126	12	1	2	4	5
16	Tuberculosis of vertebral column	537	201	157	117	62	13	3	1	5	4
17a	Tuberculosis of bones (except vertebral column)	78	32	27	14	5	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	120	57	29	21	13	5	3	-	1	1
18	Tuberculosis of skin, etc.*	31	13	12	2	4	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	85	29	24	17	15	2	-	-	-	2
20	Tuberculosis of genito-urinary system	381	223	116	25	17	4	3	-	1	-
21	Tuberculosis of other organs	96	35	37	16	8	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	933	314	222	223	174	21	4	5	7	5
22b	Disseminated tuberculosis (other and unspecified)	113	36	40	24	13	1	-	-	-	1
23	Leprosy	24	10	10	3	1	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	1,025	497	344	102	82	22	6	4	7	5
25	Gonococcus infection	241	46	72	32	91	10	1	1	2	6
26	Other diseases due to bacteria (except dysentery)	91	48	23	12	8	-	-	-	-	-
27	Dysentery	1,803	733	662	211	197	61	13	26	10	12
28	Malaria	580	161	119	142	158	39	6	7	12	14
29	Other diseases due to parasitic protozoa (except spirochetes)	15	10	3	1	1	-	-	-	-	-
30	Syphilis (all forms)	14,916	7,075	2,340	3,824	1,677	404	82	27	185	110
30a	Locomotor ataxia (tabes dorsalis)	535	379	92	44	20	1	1	-	-	-
30b	General paralysis of insane	4,628	2,382	678	1,210	358	48	27	13	6	2
30c	Other syphilis of central nervous system	1,588	742	266	413	167	74	6	2	50	16
30d	Aneurysm of aorta	2,807	1,597	380	634	196	58	17	2	32	7
30e	Other syphilis of circulatory system	1,083	423	119	415	126	23	3	1	15	4
30f,g	Congenital, other and unspecified forms of syphilis	4,275	1,552	805	1,108	810	200	28	9	82	81
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	213	92	83	17	21	6	3	2	-	1
33a	Influenza, with respiratory complications specified	10,804	4,375	4,123	1,178	1,128	407	100	124	86	97
33b	Influenza, without respiratory complications specified	6,516	2,731	2,644	536	605	208	46	65	48	49
34	Smallpox	9	5	3	1	-	1	1	-	-	-
35	Measles	1,923	780	836	145	162	86	29	25	18	14
36	Acute poliomyelitis and acute polioencephalitis	1,361	793	498	42	28	12	3	2	7	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	499	252	204	23	20	11	6	2	2	1
37b	Sequelae of encephalitis lethargica	213	119	87	5	2	2	1	1	-	-
38	Other diseases due to filtrable viruses	180	93	63	13	11	3	-	-	3	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	404	229	115	30	30	51	26	19	2	4
40	Ankylostomiasis	6	2	3	1	-	1	-	1	-	-
41	Hydatid disease	25	12	11	-	2	-	-	-	-	-
42	Other diseases caused by helminths	66	24	21	9	12	1	-	-	-	1
43	Mycoses	299	169	81	35	14	3	1	-	2	-
44	Other infectious and parasitic (communicable) diseases	2,100	1,203	721	93	83	24	11	8	3	2
	II.—Cancer and other tumors	177,600	78,997	85,842	5,181	7,580	2,214	649	880	217	468
45-55	Cancer and other malignant tumors	171,171	77,162	82,283	5,004	6,722	2,081	628	832	208	413
45	Cancer of buccal cavity and pharynx	5,379	4,057	959	254	109	80	42	25	7	6
45a-e	Cancer of buccal cavity	3,651	2,779	631	171	70	55	27	18	5	5
45f	Cancer of pharynx	1,728	1,278	328	83	39	25	15	7	2	1
46	Cancer of digestive organs and peritoneum	77,988	39,583	33,630	2,768	2,007	788	273	282	110	123
46a	Cancer of esophagus	2,949	2,113	553	228	55	17	11	4	2	-
46b,c	Cancer of stomach and duodenum	26,030	14,822	9,252	1,242	714	309	120	86	56	47
46f	Cancer of liver and biliary passages	11,177	4,550	5,911	394	322	149	49	59	16	25
46g	Cancer of pancreas	6,046	3,284	2,477	174	111	43	17	14	8	4
46d,e,h,m	Cancer of other digestive organs and peritoneum	31,786	14,814	15,437	730	805	270	76	119	28	47
47	Cancer of respiratory system	12,648	9,331	2,699	457	161	110	71	22	14	3
48	Cancer of uterus	17,152	...	14,650	...	2,502	385	...	203	...	182
49	Cancer of other female genital organs	4,988	...	4,743	...	245	33	...	27	...	6
50	Cancer of breast	16,379	188	15,156	21	1,004	186	1	134	-	51
51	Cancer of male genital organs	10,345	9,581	...	764	...	141	95	...	46	...
52	Cancer of urinary organs (male and female)	8,030	4,920	2,733	220	157	70	31	18	13	8
53	Cancer of skin (except vulva and scrotum)	3,387	2,016	1,263	60	48	76	38	35	2	1
54	Cancer of central nervous system*	2,704	1,620	1,005	46	33	29	13	14	1	1
55	Cancer of other and unspecified organs	12,171	5,856	5,445	414	456	183	64	72	15	32
56a	Nonmalignant tumors of ovary	674	...	587	...	87	12	...	8	...	4
56b	Nonmalignant tumors of uterus	1,902	...	1,331	...	571	53	...	13	...	40
56c	Nonmalignant tumors of other female genital organs	38	...	30	...	8	1	...	...	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	1,224	623	509	44	48	15	3	9	2	1

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944
and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
6,205	3,221	1,677	746	561	14,515	5,995	4,180	2,318	2,022	90,802	50,658	36,059	2,684	1,401	12,258	7,004	4,888	230	136	
1,100	496	238	193	173	1,805	623	416	411	355	6,317	3,688	1,858	539	232	841	486	312	31	12	
7	-	1	2	4	21	6	1	7	7	14	7	7	-	-	5	5	-	-	-	1
-	-	-	-	-	1	1	-	-	-	3	3	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	2	-	1	-	1	6	3	3	-	-	1	1	-	-	-	5
7	3	1	3	-	22	11	5	3	3	154	97	45	9	3	24	17	5	2	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
1	1	-	-	-	3	2	1	-	-	20	14	6	-	-	2	1	1	-	-	8
37	3	8	13	13	51	13	17	10	11	41	15	23	3	-	27	13	11	2	1	9
12	3	7	1	1	41	18	14	7	2	96	50	44	-	2	21	10	11	-	-	10
3	-	1	1	1	4	2	2	-	-	10	2	8	-	-	3	1	2	-	-	11
1	-	-	-	1	12	5	1	4	2	24	22	1	-	1	2	1	1	-	-	12
784	387	148	136	113	826	291	182	186	167	3,826	2,209	1,097	361	159	419	246	147	19	7	13-22
26	25	-	1	-	-	-	-	-	-	37	36	-	1	-	11	10	-	1	-	13a
699	343	135	124	97	792	280	175	173	164	3,437	2,005	981	318	133	378	215	139	17	7	13b,c
24	6	5	6	7	6	3	1	2	-	102	53	38	8	3	6	4	2	-	-	14
8	1	2	-	5	8	2	2	4	-	41	12	15	10	4	1	1	-	-	-	15
7	3	-	2	2	3	1	-	1	1	38	19	14	4	1	5	3	2	-	-	16
1	-	-	1	-	1	1	-	-	-	6	2	3	-	1	-	-	-	-	-	17a
-	-	-	-	-	2	-	-	2	-	6	6	-	-	-	1	1	-	-	-	17b
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	18
-	-	-	-	-	2	1	-	1	-	7	2	3	1	1	-	-	-	-	-	19
3	3	-	-	-	-	-	-	-	-	36	21	11	2	2	6	3	2	1	-	20
3	-	2	1	-	1	1	-	-	-	5	1	4	-	-	1	1	-	-	-	21
11	5	3	1	2	8	1	4	1	2	99	46	26	15	12	8	6	2	-	-	22a
2	1	1	-	-	3	1	-	2	-	9	4	1	2	2	2	2	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	23
6	2	2	2	-	20	4	5	6	5	41	27	13	1	-	12	9	3	-	-	24
-	-	-	-	-	6	-	2	-	4	32	10	16	1	5	1	-	1	-	-	25
-	-	-	-	-	9	7	1	1	-	-	-	-	-	-	-	-	-	-	-	26
27	11	11	3	2	48	17	12	11	8	54	30	22	2	-	12	6	6	-	-	27
-	-	-	-	-	87	28	15	22	22	9	5	3	1	-	1	-	1	-	-	28
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	29
75	32	15	12	16	190	58	20	74	38	1,112	741	198	132	43	95	66	21	7	1	30
4	2	2	-	-	4	3	-	1	-	46	40	5	1	-	6	5	1	-	-	30a
6	4	-	2	-	67	25	7	28	6	305	209	47	40	9	36	25	6	5	-	30b
17	6	3	3	5	15	4	-	6	5	113	71	28	10	4	5	5	-	-	-	30c
11	8	1	2	-	25	10	1	11	3	283	202	41	29	11	18	16	2	-	-	30d
-	-	-	-	-	8	2	-	3	3	62	42	5	13	2	3	-	2	1	-	30e
37	12	9	5	11	71	14	12	24	21	303	177	70	39	17	27	15	10	1	1	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
4	1	2	1	-	4	-	3	-	1	11	3	7	1	-	-	-	-	-	-	32
39	22	12	1	4	229	73	69	47	40	350	185	150	10	5	90	42	46	1	1	33a
31	12	10	6	3	160	57	46	25	32	142	68	66	4	4	68	32	34	-	2	33b
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	34
39	6	9	10	14	29	11	9	3	6	101	44	54	1	2	26	12	14	-	-	35
7	-	7	-	-	5	2	1	-	2	39	24	15	-	-	11	8	3	-	-	36
2	1	1	-	-	2	1	1	-	-	29	18	11	-	-	4	3	1	-	-	37a,c
1	-	1	-	-	1	-	1	-	-	9	5	4	-	-	-	-	-	-	-	37b
2	1	-	1	-	4	1	-	2	1	13	9	3	-	1	-	-	-	-	-	38
-	-	-	-	-	3	3	-	-	-	3	2	1	-	-	4	4	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	42
7	4	2	1	-	4	2	1	1	-	34	16	8	7	3	1	1	-	-	-	43
8	7	-	-	1	20	9	6	2	3	136	74	52	6	4	12	8	4	-	-	44
534	233	215	55	31	1,381	521	568	104	188	11,894	5,511	6,011	206	166	1,518	730	745	27	16	
516	230	205	54	27	1,321	509	546	100	166	11,540	5,414	5,778	199	149	1,448	706	700	27	15	45-55
11	10	1	-	-	68	45	11	8	4	327	259	55	10	3	47	36	10	1	-	45
6	6	-	-	-	40	28	7	4	1	233	184	38	8	3	37	30	6	1	-	45a-e
5	4	1	-	-	28	17	4	4	3	94	75	17	2	-	10	6	4	-	-	45f
236	113	79	40	4	510	223	200	48	39	5,094	2,728	2,196	122	48	666	360	283	17	6	46
5	3	-	1	1	13	7	3	2	1	188	139	34	15	-	12	8	2	2	-	46a
91	53	23	15	-	214	98	77	26	13	1,707	1,057	575	55	20	226	135	83	8	-	46b,c
42	15	16	8	3	116	49	47	10	10	594	247	327	18	2	118	55	59	2	2	46f
22	13	3	6	-	25	13	9	3	-	471	280	180	7	4	71	40	30	1	-	46g
76	29	37	10	-	142	56	64	7	15	2,134	1,005	1,080	27	22	239	122	109	4	4	46d,e,h,m
42	28	10	2	2	75	53	13	4	5	936	717	191	21	7	109	84	22	2	1	47
61	...	48	...	13	204	...	129	...	75	1,090	...	1,042	...	48	132	...	129	...	3	48
7	...	6	...	1	26	...	21	...	5	370	...	366	...	4	35	...	33	...	2	49
33	-	32	-	1	93	2	67	-	24	1,223	14	1,190	1	18	124	3	119	-	2	50
40	33	...	7	...	104	78	...	26	...	659	540	...	19	...	115	111	...	4	...	51
21	13	6	-	2	46	18	21	3	4	582	350	209	15	8	57	36	20	1	-	52
12	9	2	-	1	58	29	25	2	2	221	128	89	2	2	22	15	7	-	-	53
6	4	1	-	1	15	8	6	1	-	240	156	82	1	1	19	13	6	-	-	54
47	20	20	5	2	122	53	53	8	8	798	422	358	8	10	122	48	71	2	1	55
-	...	-	...	-	5	...	1	...	4	59	...	57	...	2	9	...	9	...	-	56a
8	...	4	...	4	17	...	6	...	11	113	...	101	...	12	11	...	11	...	-	56b
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	56c
-	-	-	-	-	7	2	4	-	1	103	58	40	3	2	9	7	2	-	-	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	26	...	18	...	8	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	36	...	27	...	9	1	...	1	...	-
57c	Tumors of other female genital organs (nature unspecified)	26	...	19	...	7	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	2,503	1,212	1,038	133	120	51	18	16	7	10
	III.—Rheumatism, diseases of nutrition, etc. *	45,347	15,453	25,797	1,403	2,694	603	155	230	74	144
58a-d	Acute rheumatic heart diseases	905	389	358	65	93	14	6	1	1	6
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	566	224	193	70	79	16	1	3	8	4
59	Chronic rheumatism and other rheumatic diseases	1,910	656	1,116	60	78	42	10	22	5	5
60	Gout	8	6	1	1	-	-	-	-	-	-
61	Diabetes mellitus	34,948	12,001	20,279	871	1,797	329	93	130	38	68
62	Diseases of pituitary gland	137	52	78	4	3	3	2	1	-	-
63a	Simple goiter	188	45	118	3	22	2	-	1	-	1
63b	Exophthalmic goiter	2,660	411	2,006	35	208	33	2	21	1	9
63c-e	Other diseases of thyroid and parathyroid glands	332	95	211	4	22	3	-	2	-	1
64	Diseases of thymus gland	1,310	736	453	70	51	25	11	3	6	5
65	Diseases of adrenal glands (not specified as tuberculous)	507	225	249	23	10	7	3	2	1	1
66	Other general diseases	548	211	219	57	61	25	6	6	5	8
67	Scurvy	27	17	4	4	2	-	-	-	-	-
68	Beriberi	33	17	12	2	2	2	1	1	-	-
69	Pellagra (except alcoholic)	1,027	260	426	106	235	99	20	34	9	36
70	Rickets	117	52	28	18	19	2	-	2	-	-
71	Other avitaminoses	124	56	46	10	12	1	-	1	-	-
	IV.—Diseases of the blood and blood-forming organs	10,658	5,431	4,526	351	350	142	61	52	13	16
72	Hemorrhagic conditions	724	331	326	42	25	14	6	5	2	1
73a	Pernicious anemia	2,045	924	1,020	36	65	14	5	6	1	2
73b-d	Other anemias (except splenic)	1,168	511	491	74	92	22	10	6	2	4
74a	Leukemias	5,656	3,131	2,231	171	123	73	34	27	7	5
74b	Aleukemias	279	142	120	6	11	4	2	1	-	1
75	Diseases of spleen	549	269	235	19	26	8	2	3	-	3
76	Other diseases of the blood and blood-forming organs	237	123	103	3	8	7	2	4	1	-
	V.—Chronic poisoning and intoxication	1,974	1,547	201	184	42	32	24	1	5	2
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	49	42	5	2	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	1,771	1,399	162	171	39	31	23	1	5	2
78	Lead poisoning	61	48	6	4	3	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	93	58	28	7	-	1	1	-	-	-
	VI.—Diseases of the nervous system, etc. *	140,501	61,400	61,658	8,233	9,210	2,805	862	758	516	669
80	Encephalitis (nonepidemic)	1,476	773	506	116	81	24	7	8	1	8
81	Meningitis (not due to meningococcus)	2,492	1,228	765	294	205	79	25	19	22	13
82	Diseases of spinal cord (see exceptions) *	2,571	1,450	938	94	89	32	14	8	6	4
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	108,951	46,409	48,715	6,365	7,462	2,238	679	584	408	567
83b	Cerebral embolism and thrombosis	10,593	5,019	4,921	315	338	64	22	27	4	11
83c	Cerebral softening	757	384	329	19	25	7	3	4	-	-
83d	Hemiplegia and other paralysis of unspecified origin	3,949	1,558	1,569	385	437	94	23	26	20	25
84	Mental diseases and deficiency (see exception) *	1,685	598	765	140	182	90	29	34	14	13
85	Epilepsy	2,326	1,109	835	222	160	62	22	14	13	13
86	Convulsions (under 5 years)	519	214	174	79	52	27	3	8	14	2
87	Other diseases of nervous system	3,994	2,024	1,724	132	114	59	27	16	9	7
88	Diseases of organs of vision	45	16	19	6	4	3	-	2	1	-
89a	Otitis and other diseases of the ear	842	448	297	52	45	20	6	6	3	5
89b	Diseases of mastoid process	301	170	101	14	16	6	2	2	1	1
	VII.—Diseases of the circulatory system	450,563	242,851	170,850	19,533	17,329	5,448	2,048	1,306	1,124	970
90-95	Diseases of the heart (all forms)	418,062	226,936	156,895	18,152	16,079	5,103	1,927	1,215	1,067	894
90	Pericarditis (except acute rheumatic)	556	284	165	53	54	5	3	1	1	-
91a,b	Bacterial and other acute or subacute endocarditis	2,007	940	771	148	148	28	10	5	4	9
91c	Endocarditis (unspecified, under 45 years)	242	92	88	23	39	6	1	1	2	2
92a-d	Chronic endocarditis and diseases of the valves *	38,577	17,869	15,956	2,472	2,280	943	253	189	282	219
92e	Endocarditis (unspecified, 45 years and over)	2,650	1,264	1,043	170	173	25	9	8	3	5
93a	Acute myocarditis (except rheumatic)	3,936	1,823	1,448	347	318	131	26	33	31	41
93b	Myocarditis (unspecified, under 45 years)	606	195	174	111	126	9	2	2	1	4
93c,d	Chronic myocarditis and myocardial degeneration	189,885	92,922	81,935	7,752	7,276	2,042	691	577	421	353
93e	Other myocarditis (unspecified)	19,503	9,700	7,644	1,087	1,072	174	62	32	40	40
94a	Diseases of coronary arteries	118,809	79,936	33,720	3,043	2,110	1,158	643	241	154	120
94b	Angina pectoris	5,684	3,701	1,565	224	194	110	61	32	12	5
95a	Functional diseases of heart, etc. *	1,164	604	483	36	41	7	3	4	-	-
95b,c	Other and unspecified diseases of heart	34,443	17,606	11,903	2,686	2,248	465	163	90	116	96
96	Aneurysm (except of heart and aorta)	1,472	933	406	77	56	8	3	1	2	2
97	Arteriosclerosis (except coronary or renal sclerosis)	25,887	12,541	11,351	929	766	233	88	70	33	42
98	Gangrene	469	213	149	56	51	10	2	2	1	5
99	Other diseases of arteries	1,967	1,051	777	71	68	13	6	2	2	3
100	Diseases of veins	981	418	486	35	42	10	4	1	4	1
101	Diseases of lymphatic system	78	29	30	11	8	3	2	-	1	-
102	High blood pressure (idiopathic)	1,753	640	698	177	238	60	14	13	12	21
103	Other diseases of circulatory system	194	90	58	25	21	8	2	2	2	2
	VIII.—Diseases of the respiratory system	79,466	39,159	27,622	7,318	5,367	1,673	505	409	437	322
104a	Diseases of nasal fossae	263	100	69	49	45	10	3	1	3	3
104b	Diseases of accessory sinuses	439	256	127	35	21	15	7	3	2	3
105	Diseases of larynx	339	162	110	42	25	8	2	2	1	3
106a	Acute bronchitis	867	402	365	59	41	8	5	1	1	1

*Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	57a
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	57b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
10	3	6	1	-	29	10	9	4	6	76	39	32	4	1	39	17	21	-	1	57d,e
77	27	34	6	10	345	116	133	41	55	2,511	981	1,409	60	61	330	134	189	2	5	
-	-	-	-	-	11	4	4	1	2	44	18	20	2	4	16	7	8	1	-	58a-d
3	1	-	1	1	10	2	3	4	1	15	7	7	-	1	9	3	6	-	-	58e,f
5	2	3	-	-	24	10	11	2	1	113	36	77	-	-	18	7	10	-	1	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
53	19	24	5	5	195	78	75	21	21	1,890	736	1,073	39	42	220	92	124	1	3	61
-	-	-	-	-	2	-	2	-	-	16	6	9	-	1	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	14	3	8	1	2	3	1	2	-	-	63a
5	-	3	-	2	17	5	10	1	3	129	20	102	4	3	28	6	21	-	1	63b
1	1	-	-	-	7	1	2	1	3	26	8	17	-	1	2	2	-	-	-	63c-e
3	1	-	-	2	8	2	1	3	2	162	93	54	9	6	23	12	11	-	-	64
1	-	1	-	-	7	6	1	-	-	53	23	28	2	-	5	2	3	-	-	65
2	1	1	-	-	13	6	4	-	3	15	11	3	1	-	3	1	2	-	-	66
1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	67
-	-	-	-	-	1	-	1	-	-	7	6	1	-	-	-	-	-	-	-	68
2	1	1	-	-	49	4	19	7	19	15	8	7	-	-	1	-	1	-	-	69
1	-	1	-	-	1	-	-	1	-	1	1	-	-	-	1	-	1	-	-	70
-	-	-	-	-	-	-	-	-	-	10	5	3	1	1	-	-	-	-	-	71
27	15	9	3	-	101	47	39	3	12	710	376	308	16	10	85	48	37	-	-	
6	3	2	1	-	6	2	4	-	-	36	23	12	1	-	7	1	6	-	-	72
1	1	-	-	-	17	7	9	-	1	103	38	63	1	1	23	14	9	-	-	73a
5	3	2	-	-	16	5	4	2	5	59	31	21	4	3	7	5	2	-	-	73b-d
13	8	3	2	-	51	26	21	1	3	426	243	171	8	4	44	28	16	-	-	74a
1	-	1	-	-	5	4	-	-	1	23	7	15	-	1	-	-	-	-	-	74b
-	-	-	-	-	5	2	1	-	2	51	26	22	2	1	1	-	1	-	-	75
1	-	1	-	-	1	1	-	-	-	12	8	4	-	-	3	-	3	-	-	76
12	9	-	3	-	12	10	-	1	1	137	108	24	5	-	25	21	3	1	-	
-	-	-	-	-	1	1	-	-	-	5	3	2	-	-	1	1	-	-	-	77a,b
11	8	-	3	-	9	7	-	1	1	128	101	22	5	-	22	19	2	1	-	77c-e
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	78
1	1	-	-	-	2	2	-	-	-	2	2	-	-	-	1	-	1	-	-	79
386	187	144	33	22	1,428	511	462	208	247	7,920	3,654	3,992	134	140	1,171	617	503	28	23	
9	6	2	1	-	20	9	7	3	1	61	34	24	3	-	21	14	4	3	-	80
16	7	5	2	2	23	9	7	4	3	97	54	33	9	1	21	13	6	2	-	81
9	4	5	-	-	13	5	5	2	1	168	101	66	1	-	33	20	13	-	-	82
257	131	89	23	14	1,143	413	358	174	198	6,024	2,660	3,159	100	105	887	451	395	18	23	83a
24	12	12	-	-	35	13	16	2	4	901	469	408	11	13	72	36	35	1	-	83b
-	-	-	-	-	5	2	3	-	-	142	70	62	1	9	7	6	1	-	-	83c
29	13	10	4	2	101	54	32	10	25	68	38	29	-	1	36	22	14	-	-	83d
8	2	6	-	-	21	1	12	3	5	62	27	31	2	2	13	7	6	-	-	84
11	2	7	1	1	22	7	4	8	3	93	45	41	3	4	23	12	11	-	-	85
1	-	1	-	-	3	-	3	-	-	7	3	4	-	-	2	1	1	-	-	86
13	5	7	1	-	28	13	10	1	4	209	104	99	3	3	44	25	16	3	-	87
-	-	-	-	-	-	-	-	-	-	5	2	3	-	-	-	-	-	-	-	88
8	4	-	1	3	11	4	4	1	2	59	28	28	1	2	10	9	1	-	-	89a
1	1	-	-	-	3	1	1	-	1	24	19	5	-	-	2	1	-	1	-	89b
1,175	732	336	69	38	3,228	1,557	880	434	377	31,581	18,560	12,165	564	292	3,461	2,090	1,289	44	38	
1,089	680	310	64	35	3,008	1,452	801	409	346	28,637	16,994	10,854	519	270	3,187	1,936	1,174	40	37	90-95
2	-	1	1	-	8	4	3	1	-	33	19	9	5	-	9	6	3	-	-	90
8	5	2	1	-	32	14	3	8	7	129	74	43	8	4	18	11	5	1	1	91a,b
-	-	-	-	-	5	-	-	4	1	7	2	5	-	-	3	3	-	-	-	91c
130	76	38	10	6	496	202	140	76	78	2,141	1,121	953	37	30	356	171	178	8	4	92a-d
11	8	3	-	-	26	8	3	7	8	101	49	48	3	1	41	18	23	-	-	92e
13	4	7	2	-	55	20	10	11	14	160	89	65	4	2	37	21	15	1	-	93a
2	1	1	-	-	4	-	2	1	1	23	14	7	2	-	8	2	6	-	-	93b
432	280	119	22	11	869	378	276	115	100	14,880	8,218	6,198	303	161	1,122	652	440	13	17	93c,d
77	48	24	4	1	103	44	26	16	17	787	408	346	17	16	253	145	101	2	5	93e
256	172	67	12	5	721	447	162	61	51	8,881	6,159	2,575	110	37	994	702	271	14	7	94a
17	9	6	1	1	107	70	23	8	6	222	137	82	3	-	46	32	14	-	-	94b
3	-	3	-	-	21	9	8	3	1	49	23	26	-	-	5	5	-	-	-	95a
138	77	39	11	11	561	256	145	98	62	1,224	681	497	27	19	295	168	118	6	3	95b,c
4	4	-	-	-	4	1	2	1	-	227	162	60	3	2	14	9	5	-	-	96
55	36	13	5	1	139	60	49	15	15	2,475	1,281	1,138	39	17	204	108	92	3	1	97
3	2	1	-	-	2	1	-	-	1	15	8	6	-	1	2	2	-	-	-	98
10	3	7	-	-	22	13	4	3	2	111	52	56	2	1	24	16	7	1	-	99
6	5	1	-	-	4	-	2	1	1	58	26	31	-	1	12	8	4	-	-	100
-	-	-	-	-	3	-	2	-	1	1	-	1	-	-	-	-	-	-	-	101
5	2	3	-	-	42	8	19	5	10	53	33	19	1	-	18	11	7	-	-	102
3	-	1	-	2	4	2	1	-	1	4	4	-	-	-	-	-	-	-	-	103
492	238	128	74	52	950	379	258	175	138	5,088	2,944	1,838	214	92	973	578	374	19	2	
5	2	-	2	1	4	-	-	2	2	6	3	3	-	-	1	1	-	-	-	104a
2	1	-	1	-	2	-	-	1	1	32	26	4	1	1	4	3	1	-	-	104b
3	-	2	1	-	4	1	1	1	1	14	9	1	3	1	4	3	1	-	-	105
5	2	2	1	-	3	1	-	2	-	47	28	17	1	1	9	4	5	-	-	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	1,923	1,130	692	61	40	28	10	11	5	2
106c	Bronchitis (unspecified)	718	355	278	42	43	6	2	1	2	1
107	Bronchopneumonia (including capillary bronchitis)	30,817	14,367	11,783	2,576	2,091	582	181	167	117	117
108	Lobar pneumonia	27,155	13,694	8,420	3,034	2,007	724	211	163	220	130
109	Pneumonia (unspecified)	6,512	3,018	2,126	759	609	155	35	23	57	40
	A. Atypical or virus pneumonia	774	414	306	35	19	17	9	2	3	3
	B. Pneumonia (all other, unspecified)	5,738	2,604	1,820	724	590	138	26	21	54	37
110	Pleurisy (not specified as tuberculous)	1,756	1,034	477	171	74	28	6	6	9	7
111a	Hemorrhagic infarction and thrombosis of lungs	1,404	688	573	83	60	9	3	2	1	3
111b,c	Acute edema, chronic and unspecified congestion of lungs	2,465	1,080	1,187	94	104	45	20	16	4	5
112	Asthma	2,674	1,414	971	147	142	31	11	6	9	5
113	Pulmonary emphysema	208	156	40	10	2	1	1	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	1,926	1,303	404	156	63	23	8	7	6	2
	IX.—Diseases of the digestive system	69,644	35,168	25,641	4,717	4,118	1,288	467	317	270	234
115a,b,d	Diseases of buccal cavity and adnexa	1,215	537	471	108	99	32	11	10	4	7
115c	Diseases of pharynx and tonsils	1,049	467	400	94	88	25	7	7	7	4
116	Diseases of esophagus	245	138	78	18	11	7	3	2	1	1
117a	Ulcer of stomach	5,932	4,385	927	449	171	103	51	13	24	15
117b	Ulcer of duodenum	2,833	2,277	424	106	26	28	21	4	2	1
118	Other diseases of stomach (except cancer)	1,765	763	457	254	291	60	21	11	10	18
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	10,327	4,613	3,520	1,176	1,018	295	107	68	76	44
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	2,772	1,074	1,133	254	311	78	17	27	9	25
121	Appendicitis	7,783	3,983	2,777	556	467	189	76	37	46	30
122a	Hernia	5,231	2,784	2,012	309	126	52	16	18	13	5
122b	Intestinal obstruction	6,746	2,605	3,107	439	595	126	31	41	23	31
123	Other diseases of intestines	1,615	816	591	104	104	35	12	8	10	5
124a	Cirrhosis of liver (with mention of alcoholism)	1,333	934	326	57	16	9	6	-	3	-
124b	Cirrhosis of liver (without mention of alcoholism)	10,152	5,979	3,457	431	285	116	50	19	22	25
125a	Acute yellow atrophy of liver (nonpuerperal)	602	262	253	39	48	7	4	3	-	-
125b	Other diseases of liver	1,079	467	408	118	86	27	5	7	12	3
126	Biliary calculi	3,932	1,166	2,660	28	78	26	6	17	1	2
127	Other diseases of gallbladder and biliary ducts	3,007	1,024	1,797	61	125	36	12	18	2	4
128	Diseases of pancreas (except diabetes mellitus)	873	431	388	25	29	9	7	-	1	1
129	Peritonitis (cause not stated)	1,153	463	455	91	144	28	4	7	4	13
	X.—Diseases of the genito-urinary system	107,289	51,246	39,225	8,941	7,877	2,423	743	521	657	502
130	Acute nephritis	2,947	1,169	973	408	397	107	30	19	34	24
131a	Arteriosclerotic kidney	60,272	27,066	24,255	4,551	4,400	1,297	389	283	331	294
131b	Other chronic nephritis	23,474	10,630	8,891	2,120	1,833	663	208	147	173	135
132	Nephritis unspecified (10 years and over)	4,994	2,336	1,604	563	491	94	24	18	29	23
133	Other diseases of kidneys and ureters, etc *	3,227	1,467	1,317	245	198	49	7	24	13	5
134	Calculi of urinary passages	1,638	992	561	57	28	27	12	9	5	1
135	Diseases of urinary bladder	754	356	276	91	31	18	5	3	7	3
136	Diseases of urethra (except calculus)	376	208	14	149	5	11	3	-	8	-
137	Diseases of prostate	7,732	6,987	...	745	...	118	64	...	54	...
138	Diseases of other male genital organs (except venereal)	47	35	...	12	...	4	1	...	3	...
139a	Diseases of ovaries, fallopian tubes, and parametria	1,136	...	721	...	415	20	...	6	...	14
139b	Diseases of uterus	660	...	589	...	71	14	...	12	...	2
139c	Diseases of other and unspecified female genital organs	32	...	24	...	8	1	...	-	...	1
	XI.—Diseases of pregnancy, childbirth, and the puerperium	6,369	...	4,648	...	*1,721	278	...	116	...	162
140	Abortion with mention of infection	701	...	488	...	213	24	...	8	...	16
140a,b	Abortion (septic), spontaneous or therapeutic *	554	...	375	...	179	24	...	8	...	16
140c,d	Abortion (septic), self-induced or nontherapeutic *	147	...	113	...	34	-	...	-	...	-
141	Abortion without mention of infection	295	...	207	...	88	16	...	5	...	11
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *	67	...	51	...	16	3	...	-	...	3
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	115	...	78	...	37	7	...	2	...	5
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified *	91	...	62	...	29	6	...	3	...	3
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	22	...	16	...	6	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	63	...	38	...	25	2	...	1	...	1
142b	Ectopic gestation, without mention of infection	282	...	189	...	93	9	...	2	...	7
143a	Placenta praevia (death before delivery)	22	...	14	...	8	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	47	...	31	...	16	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery) *	441	...	280	...	161	28	...	10	...	18
144c,d	Other toxemias of pregnancy (death before delivery) *	148	...	104	...	44	7	...	2	...	5
145	Other diseases and accidents of pregnancy (death before delivery)	257	...	183	...	74	9	...	3	...	6
	A. With mention of infection	151	...	114	...	37	7	...	3	...	4
	B. Without mention of infection	106	...	69	...	37	2	...	-	...	2
146a	Placenta praevia (with childbirth)	225	...	170	...	55	6	...	1	...	5
146b,c	Other hemorrhages of childbirth and puerperium	768	...	608	...	160	26	...	14	...	12
147a,b	Puerperal pyelitis, other general or local puerperal infection *	719	...	460	...	259	34	...	14	...	20
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	642	...	568	...	74	23	...	11	...	12
148a,b	Puerperal eclampsia and nephritis *	749	...	556	...	193	46	...	19	...	27
148c,d	Other puerperal toxemias	202	...	143	...	59	9	...	8	...	1
149	Other accidents and specified conditions of childbirth	438	...	351	...	87	20	...	12	...	8
150	Other and unspecified conditions of childbirth and puerperium	370	...	258	...	112	19	...	6	...	13
	XII.—Diseases of the skin and cellular tissue	1,099	449	463	100	87	26	7	5	6	8
151	Carbuncle and furuncle	156	82	49	13	12	4	1	1	1	1
152	Phlegmon and acute abscess	291	141	93	39	18	12	2	3	4	3
153	Other diseases of skin and cellular tissue	652	226	321	48	57	10	4	1	1	4

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
16	13	3	-	-	16	7	6	1	2	110	62	45	2	1	20	13	7	-	-	106b
6	4	1	1	-	10	3	4	2	1	31	18	12	1	-	5	3	2	-	-	106c
190	83	59	29	19	349	131	94	75	49	2,546	1,365	1,045	92	44	414	231	175	7	1	107
118	61	33	12	12	408	172	112	65	59	1,475	927	428	88	32	315	198	107	9	1	108
61	23	5	17	16	63	21	20	11	11	147	93	50	2	2	64	32	32	-	-	109
2	1	-	1	-	8	3	4	1	-	59	31	27	1	-	6	3	3	-	-	
59	22	5	16	16	55	18	16	10	11	88	62	23	1	2	58	29	29	-	-	
10	5	2	2	1	17	8	4	3	2	160	103	47	9	1	31	22	8	1	-	110
7	4	2	1	-	10	5	1	3	1	72	44	25	3	-	17	8	9	-	-	111a
10	2	3	5	-	10	2	6	2	-	161	81	73	4	3	28	14	14	-	-	111b,c
40	24	13	1	2	26	11	5	6	4	145	86	54	3	2	34	22	10	2	-	112
1	1	-	-	-	1	1	-	-	-	18	11	5	1	1	3	2	1	-	-	113
18	13	3	1	1	27	16	5	1	5	124	88	29	4	3	24	22	2	-	-	114
455	195	126	65	69	877	383	242	126	126	4,830	2,782	1,810	152	86	684	384	269	15	6	
6	3	1	-	2	27	8	4	6	9	57	32	20	3	2	24	14	9	1	-	115a,b,d
8	3	1	3	1	12	5	5	1	1	42	24	16	1	1	11	5	6	-	-	115c
1	-	1	-	-	1	-	-	-	1	21	14	6	-	1	1	1	-	-	-	116
33	20	7	6	-	60	34	10	13	3	467	360	82	23	2	62	47	14	1	-	117a
9	6	1	1	1	17	9	6	1	1	300	246	41	10	3	26	22	3	1	-	117b
19	11	1	5	2	71	26	11	12	22	48	31	12	2	3	16	12	4	-	-	118
213	75	63	35	42	168	62	49	33	24	485	265	183	17	20	122	64	55	2	1	119
25	9	6	5	5	45	18	11	8	8	122	52	62	5	3	30	15	14	1	-	120
23	14	6	1	2	138	70	35	17	16	436	250	158	11	17	80	48	29	2	1	121
12	10	1	1	-	41	21	12	6	2	341	196	134	7	4	51	28	22	1	-	122a
34	13	12	3	6	91	27	35	12	17	432	182	225	13	12	59	28	29	2	-	122b
7	5	-	1	1	20	8	5	2	5	115	65	49	1	-	17	5	10	2	-	123
-	-	-	-	-	6	5	1	-	-	362	229	117	11	5	6	3	3	-	-	124a
30	17	11	1	1	82	51	15	10	6	929	572	323	30	4	87	61	25	1	-	124b
1	1	-	-	-	6	3	3	-	-	51	21	25	3	2	4	1	2	-	1	125a
3	1	2	-	-	16	7	6	-	3	68	29	34	4	1	6	3	3	-	-	125b
8	2	3	1	2	24	13	8	1	2	279	96	177	2	4	39	15	22	1	1	126
19	4	9	2	4	34	11	17	2	4	168	65	96	5	2	21	7	13	-	1	127
-	-	-	-	-	3	2	1	-	-	55	30	23	2	-	12	9	2	-	1	128
4	3	1	-	-	15	3	8	2	2	52	23	27	2	-	10	6	4	-	-	129
311	162	106	22	21	1,394	521	360	318	195	5,322	2,875	2,185	165	97	941	516	399	17	9	
11	4	4	1	2	73	19	16	21	17	107	58	36	9	4	24	15	9	-	-	130
173	90	61	13	9	644	235	165	151	93	3,025	1,517	1,376	84	48	549	276	260	9	4	131a
73	35	28	4	6	385	152	108	76	49	1,054	535	460	35	24	165	90	69	4	2	131b
12	7	2	1	2	95	37	18	22	18	133	69	58	5	1	48	24	23	1	-	132
9	6	3	-	-	51	16	25	6	4	259	134	111	8	6	25	16	7	2	-	133
4	2	2	-	-	23	12	8	2	1	132	94	35	-	3	17	14	3	-	-	134
2	2	-	-	-	9	3	1	4	1	32	11	21	-	-	14	11	2	-	1	135
-	-	-	-	-	8	-	-	8	-	19	14	1	4	-	2	2	-	-	-	136
19	16	...	3	...	75	47	...	28	...	458	439	...	19	...	69	68	...	1	...	137
-	-	...	-	...	-	-	...	-	...	5	4	...	1	...	-	-	...	-	...	138
8	...	6	...	2	24	...	14	...	10	67	...	57	...	10	21	...	19	...	2	139a
-	...	-	...	-	7	...	5	...	2	29	...	28	...	1	6	...	6	...	-	139b
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	139c
42	...	29	...	13	114	...	56	...	58	304	...	273	...	31	59	...	52	...	7	
4	...	4	...	-	9	...	6	...	3	45	...	38	...	7	9	...	9	...	-	140
4	...	4	...	-	8	...	5	...	3	25	...	20	...	5	6	...	6	...	-	140a,b
-	...	-	...	-	1	...	1	...	-	20	...	18	...	2	3	...	3	...	-	140c,d
-	...	-	...	-	6	...	4	...	2	18	...	17	...	1	2	...	1	...	1	141
-	...	-	...	-	4	...	3	...	1	4	...	4	...	-	-	...	-	...	-	141a,c
-	...	-	...	-	1	...	1	...	-	4	...	3	...	1	-	...	-	...	-	141b
-	...	-	...	-	1	...	-	...	1	8	...	8	...	-	-	...	-	...	-	141d
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	2	...	1	...	1	141e,f
-	...	-	...	-	1	...	-	...	1	5	...	4	...	1	1	...	1	...	-	142a
2	...	2	...	-	3	...	-	...	3	19	...	18	...	1	3	...	3	...	-	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143a
1	...	1	...	-	-	...	-	...	-	5	...	3	...	2	-	...	-	...	-	143b,c
4	...	3	...	1	10	...	4	...	6	8	...	8	...	-	-	...	-	...	-	144a,b
-	...	-	...	-	2	...	2	...	-	6	...	6	...	-	1	...	1	...	-	144c,d
1	...	1	...	-	7	...	2	...	5	7	...	7	...	-	4	...	2	...	2	145
-	...	-	...	-	4	...	1	...	3	3	...	3	...	-	4	...	2	...	2	
1	...	1	...	-	3	...	1	...	2	4	...	4	...	-	-	...	-	...	-	
-	...	-	...	-	4	...	1	...	3	10	...	8	...	2	2	...	2	...	-	146a
6	...	3	...	3	15	...	9	...	6	40	...	35	...	5	9	...	8	...	1	146b,c
5	...	2	...	3	13	...	7	...	6	34	...	32	...	2	5	...	5	...	-	147a,b
4	...	3	...	1	9	...	4	...	5	32	...	29	...	3	15	...	13	...	2	147c,d
5	...	5	...	-	19	...	6	...	13	25	...	22	...	3	3	...	3	...	-	148a,b
1	...	-	...	1	4	...	3	...	1	9	...	7	...	2	1	...	-	...	1	148c,d
8	...	4	...	4	7	...	6	...	1	31	...	29	...	2	4	...	4	...	-	149
1	...	1	...	-	5	...	2	...	3	10	...	10	...	-	-	...	-	...	-	150
6	2	-	3	1	15	3	9	3	-	66	29	34	3	-	8	2	6	-	-	
3	1	-	2	-	3	1	2	-	-	9	7	2	-	-	-	-	-	-	-	151
2	1	-	1	-	4	2	2	-	-	13	5	6	2	-	1	-	1	-	-	152
1	-	-	-	1	8	-	5	3	-	44	17	26	1	-	7	2	5	-	-	153

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		M	F	M	F
	XIII.—Diseases of the bones, etc. *	903	466	320	59	58	24	9	4	7	4
154	Osteomyelitis and periostitis	405	237	98	41	29	15	7	1	5	2
155	Other diseases of bones (except tuberculosis)	174	62	98	5	9	4	-	2	-	2
156	Diseases of joints and other organs of movement	324	167	124	13	20	5	2	1	2	-
157	XIV.—Congenital malformations	16,687	8,469	7,029	682	507	308	118	123	42	25
	XV.—Diseases peculiar to the first year of life	52,762	26,191	18,511	4,437	3,623	1,447	517	339	307	224
158	Congenital debility (cause not stated)	2,493	1,034	744	403	312	94	32	18	28	16
159	Premature birth (cause not stated)	33,120	16,012	11,892	2,765	2,451	913	302	280	183	148
160a	Intracranial or spinal hemorrhage	4,198	2,342	1,344	315	197	122	66	33	14	9
160b,c	Other injuries at birth	6,001	3,248	2 159	350	244	181	61	43	44	33
161	Other diseases peculiar to the first year of life	6,950	3,555	2,372	604	419	137	56	25	38	18
162	XVI.—Senility	10,927	4,250	4,964	866	847	382	71	121	103	87
	XVII.—Violent or accidental deaths	115,204	71,430	29,849	10,440	3,485	2,520	1.071	365	666	218
163,164	Suicide	13,231	9,176	3,632	321	102	149	100	34	9	6
163	Suicide by poisoning	3,205	1,610	1,503	49	43	26	8	15	1	2
	Suicide by solid or liquid poisons	1,475	604	820	25	26	21	7	11	1	2
	Suicide by poisonous gases	1,730	1,006	683	24	17	5	1	4	-	-
164a	Suicide by hanging or strangulation	3,062	2,245	747	61	9	13	10	1	2	-
164b	Suicide by drowning	639	325	285	20	9	6	2	2	-	2
164c	Suicide by firearms and explosives	4,808	4,010	642	132	24	91	71	13	5	2
164d	Suicide by cutting or piercing instruments	622	486	115	20	1	3	3	-	-	-
164e	Suicide by jumping from high places	594	342	219	23	10	5	3	2	-	-
164f	Suicide by crushing	163	99	54	9	1	2	1	1	-	-
164g	Suicide by other or unspecified means	138	59	67	7	5	3	2	-	1	-
165-168	Homicide [1]	6,553	2,251	782	2,881	699	331	94	15	174	48
166	Homicide by firearms	3,449	1 214	378	1,558	299	195	59	9	107	20
167	Homicide by cutting or piercing instruments	1,741	352	88	1,021	280	94	16	3	53	22
168	Homicide by other means	1,363	685	256	302	120	42	19	3	14	6
169-195	Accidental deaths	95,237	59,897	25,495	7,164	2,681	1,837	876	316	481	164
169	Railway accidents (except collisions with motor vehicles)	3,456	2,701	294	418	43	114	47	5	59	3
170a	Collisions between automobiles and trains	1,663	1,158	400	76	29	19	15	2	1	1
170b	Collisions between automobiles and streetcars	175	114	43	13	5	2	1	-	1	-
170c	Automobile accidents (except collisions with trains or streetcars)	22,048	15,464	4,242	1,897	445	468	272	65	105	26
170d	Motorcycle accidents (except collisions with automobiles)	396	337	54	4	1	15	14	1	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	643	399	181	43	20	3	1	1	1	-
171b	Other and unspecified road-transport accidents	274	187	42	37	8	8	6	1	1	-
172	Water-transport accidents	995	806	61	121	7	15	11	-	3	1
173	Air-transport accidents	6,656	6,532	86	36	2	85	84	-	1	-
174	Accidents in mines and quarries	1,628	1,484	13	128	3	52	24	-	28	-
175a	Accidents involving agricultural machinery and vehicles	1,050	932	50	64	4	26	16	1	9	-
175b,c	Other agricultural accidents, including injury by animals	1,099	942	75	78	4	23	14	2	6	1
175d	Accidents involving forestry machinery and vehicles	51	44	3	4	-	-	-	-	-	-
175e	Other forestry accidents	251	231	-	20	-	7	5	-	2	-
176	Other accidents involving machinery	1,241	1,010	46	175	10	25	14	1	10	-
177	Food poisoning	553	198	195	74	86	31	6	6	11	8
178	Accidental absorption of poisonous gas	1,907	1,181	602	82	42	6	5	-	1	-
179	Acute accidental poisoning by solids or liquids	1,381	684	476	135	86	31	6	13	5	7
180	Conflagration	3,030	1,346	953	415	316	58	10	11	28	9
181	Accidental burns (except conflagration)	5,314	2,265	1,929	534	586	196	43	57	38	58
182	Accidental mechanical suffocation	1,564	831	464	154	125	38	12	6	12	8
183	Accidental drowning	5,612	3,978	754	789	91	110	44	10	49	7
184	Accidental injury by firearms	2,412	1,778	243	330	61	75	46	2	23	4
185	Accidental injury by cutting or piercing instruments	366	173	64	87	42	20	8	2	7	3
186a	Accidental injury by fall	22,471	9,612	11,947	528	384	201	68	92	24	17
186b	Accidental injury by crushing	468	379	22	60	7	16	8	-	7	1
187	Cataclysm, etc. *	354	149	159	25	21	6	4	2	-	-
188	Injury by animals (except in agriculture and forestry)	161	112	29	19	1	5	2	-	3	-
189	Hunger or thirst	24	10	10	3	1	1	1	-	-	-
190	Excessive cold	185	102	29	42	12	6	2	-	4	-
191	Excessive heat	373	243	59	58	13	2	1	-	1	-
192	Lightning	419	283	56	63	17	36	17	3	16	-
193	Accidents due to electric currents (except lightning)	682	584	53	41	4	28	20	3	4	1
194	Poisoning by venomous animals (except in agriculture and forestry)	78	47	16	9	6	3	1	-	2	-
195a,b	Accidents due to medical or surgical intervention	30	16	6	2	6	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	896	462	315	69	50	14	1	7	2	4
195c,e	Other and unspecified accidents	5,331	3,123	1,534	531	143	92	47	23	17	5
196	Deaths of military personnel during operations of war	60	57	-	3	-	1	1	-	-	-
197	Deaths of civilians due to operations of war	1	1	-	-	-	-	-	-	-	-
198	Legal executions	122	48	-	71	3	2	-	-	2	-
	XVIII.—Ill-defined and unknown causes	18,576	6,717	3,898	4,232	3,729	1,843	324	224	681	614
199	Sudden death	1,373	679	293	250	151	92	37	16	20	19
200a	Ill-defined	6,964	3,286	1,744	1,070	864	500	107	73	167	153
200b	Found dead (cause unknown)	753	361	191	116	85	79	24	13	26	16
200c	Unknown or unspecified	9,486	2,391	1,670	2,796	2,629	1,172	156	122	468	426

* Refer to complete International List titles, table V, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
4	1	1	-	2	8	4	3	1	-	40	22	16	2	-	11	6	5	-	-	
2	1	1	-	-	5	2	2	1	-	13	8	4	1	-	6	4	2	-	-	154
2	-	-	-	2	1	1	-	-	-	12	4	8	-	-	2	-	2	-	-	155
-	-	-	-	-	2	1	1	-	-	15	10	4	1	-	3	2	1	-	-	156
80	49	23	5	3	181	81	77	13	10	1,004	547	412	26	19	171	91	76	4	-	157
344	149	114	47	34	574	263	203	60	48	3,386	1,903	1,291	119	73	522	296	216	6	4	
43	13	9	11	10	33	10	13	5	5	68	41	24	2	1	21	7	13	-	1	158
191	86	72	23	10	360	160	131	40	29	2,114	1,156	818	83	57	317	183	130	3	1	159
14	9	4	-	1	34	22	10	2	-	184	112	58	11	3	44	27	17	-	-	160a
32	19	7	4	2	72	35	28	5	4	551	321	209	13	8	74	43	31	-	-	160b,c
64	22	22	9	11	75	36	21	8	10	489	273	182	10	4	66	36	25	3	2	161
67	26	21	10	10	228	74	75	37	42	369	173	182	10	4	195	109	79	3	4	162
843	620	110	90	23	1,419	775	295	262	87	9,140	6,383	2,201	462	94	1,207	847	323	29	8	
56	33	14	8	1	101	60	34	5	2	1,234	852	331	45	6	111	83	26	1	1	163,164
9	3	6	-	-	21	9	11	-	1	331	170	153	5	3	27	12	14	-	1	163
8	2	6	-	-	21	9	11	-	1	226	95	124	4	3	20	5	14	-	1	
1	1	-	-	-	-	-	-	-	-	105	75	29	1	-	7	7	-	-	-	
6	4	1	1	-	13	5	7	1	-	223	160	47	14	2	21	17	3	1	-	164a
2	1	-	1	-	4	1	3	-	-	33	20	11	2	-	4	1	3	-	-	164b
32	22	5	4	1	52	39	10	2	1	449	370	64	15	-	50	47	3	-	-	164c
5	2	1	2	-	6	4	1	1	-	78	64	11	3	-	5	3	2	-	-	164d
-	-	-	-	-	2	-	2	-	-	84	50	30	4	-	2	2	-	-	-	164e
2	1	1	-	-	1	-	-	1	-	21	12	7	1	1	1	1	-	-	-	164f
-	-	-	-	-	2	2	-	-	-	15	6	8	1	-	1	-	1	-	-	164g
33	15	-	15	3	131	40	12	66	13	436	221	95	93	27	39	27	6	5	1	165-168
12	8	-	3	1	82	19	9	45	9	191	79	55	50	7	25	15	4	5	1	166
10	3	-	6	1	23	6	-	14	3	105	49	11	34	11	6	6	-	-	-	167
11	4	-	6	1	26	15	3	7	1	140	93	29	9	9	8	6	2	-	-	168
754	572	96	67	19	1,183	674	249	188	72	7,457	5,300	1,775	321	61	1,056	736	291	23	6	169-195
24	19	1	4	-	49	33	2	13	1	209	172	22	14	1	23	21	1	1	-	169
34	32	-	1	1	15	11	2	2	-	183	120	55	8	-	17	14	3	-	-	170a
1	1	-	-	-	-	-	-	-	-	41	24	15	2	-	2	1	1	-	-	170b
159	109	25	22	3	246	155	50	37	4	2,327	1,702	509	103	13	204	155	46	3	-	170c
5	4	1	-	-	2	2	-	-	-	62	49	13	-	-	5	3	2	-	-	170d
-	-	-	-	-	-	-	-	-	-	75	48	21	3	3	6	5	1	-	-	171a
2	1	-	1	-	5	2	1	2	-	9	8	1	-	-	3	2	1	-	-	171b
-	-	-	-	-	5	4	-	1	-	72	66	3	3	-	2	2	-	-	-	172
246	241	2	3	-	97	97	-	-	-	951	935	11	4	1	178	173	2	3	-	173
10	9	-	1	-	14	13	-	1	-	17	15	-	2	-	33	33	-	-	-	174
3	2	-	1	-	16	9	-	6	1	47	43	2	2	-	27	23	2	2	-	175a
5	4	-	1	-	17	10	-	7	-	39	34	4	1	-	15	12	1	1	1	175b,c
-	-	-	-	-	2	-	2	-	-	2	2	-	-	-	-	-	-	-	-	175d
-	-	-	-	-	6	5	-	1	-	13	12	-	1	-	-	-	-	-	-	175e
2	1	1	-	-	19	13	-	6	-	98	86	3	8	1	11	10	1	-	-	176
5	3	2	-	-	15	7	3	4	1	24	12	10	2	-	4	2	2	-	-	177
10	8	2	-	-	5	4	1	-	-	102	71	23	5	3	12	8	4	-	-	178
10	5	3	1	1	19	6	7	3	3	151	77	66	6	2	15	10	5	-	-	179
21	11	5	2	3	61	17	16	16	12	218	140	48	23	7	17	8	9	-	-	180
28	10	10	3	5	91	32	29	11	19	276	159	97	10	10	27	13	10	3	1	181
11	4	5	2	-	17	4	4	6	3	103	64	34	2	3	14	8	5	-	1	182
25	14	6	5	-	98	59	10	24	5	320	252	39	26	3	64	40	19	5	-	183
23	16	2	5	-	48	30	6	10	2	147	130	9	8	-	31	24	7	-	-	184
1	-	-	1	-	8	1	3	2	2	19	8	4	3	4	4	2	1	1	-	185
42	21	18	1	2	138	52	70	9	7	1,463	723	715	16	9	283	123	155	2	3	186a
3	2	-	1	-	12	6	1	3	2	34	32	1	1	-	6	5	1	-	-	186b
-	-	-	-	-	30	9	6	9	6	5	5	-	-	-	-	-	-	-	-	187
1	1	-	-	-	4	2	1	1	-	9	6	3	-	-	-	-	-	-	-	188
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	189
6	2	1	1	2	6	2	1	1	2	4	2	2	-	-	1	1	-	-	-	190
8	7	-	1	-	9	7	1	1	-	13	9	4	-	-	-	-	-	-	-	191
1	-	-	-	1	9	6	2	1	-	4	4	-	-	-	6	5	1	-	-	192
9	6	2	1	-	11	9	1	1	-	42	37	4	1	-	4	3	1	-	-	193
2	2	-	-	-	4	4	-	-	-	4	3	1	-	-	-	-	-	-	-	194
1	-	1	-	-	1	1	-	-	-	2	2	-	-	-	1	1	-	-	-	195a,b
8	6	2	-	-	8	4	3	1	-	64	38	26	-	-	9	4	5	-	-	195d
48	31	7	9	1	95	58	26	9	2	308	210	30	67	1	32	25	5	2	-	195c,e
-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	1	1	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	4	1	-	3	-	7	4	-	3	-	-	-	-	-	-	198
250	80	43	68	59	455	147	104	121	83	183	122	50	7	4	56	39	11	4	2	
7	4	2	1	-	53	18	14	14	7	4	3	1	-	-	4	2	1	1	-	199
93	49	27	11	6	154	58	38	37	21	104	75	25	2	2	28	24	4	-	-	200a
5	3	1	-	1	24	8	4	6	6	4	3	1	-	-	1	1	-	-	-	200b
145	24	13	56	52	224	63	48	64	49	71	41	23	5	2	23	12	6	3	2	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	18,919	9,849	8,504	322	244	3,345	1,463	1,255	334	293
	I.—Infections and parasitic diseases	1,041	614	302	85	40	245	81	69	52	43
1	Typhoid fever	1	-	1	-	-	-	-	-	-	-
2	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	1	-	1	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	56	28	22	3	3	7	2	2	2	1
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	2	1	-	-	1	-	1	-	-
9	Whooping cough	14	9	3	-	2	8	1	6	1	-
10	Diphtheria (infection by C. diphtheriae)	1	1	-	-	-	-	-	-	-	-
11	Erysipelas	1	1	-	-	-	-	-	-	-	-
12	Tetanus	2	1	1	-	-	1	-	-	1	-
13-22	Tuberculosis (all forms)	661	398	181	52	30	123	41	34	30	18
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	14	14	-	-	-	-	-	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	602	364	167	45	26	113	39	32	26	16
14	Tuberculosis of meninges and central nervous system	10	2	5	3	-	3	1	1	-	1
15	Tuberculosis of intestines and peritoneum	8	5	2	-	1	1	-	1	-	-
16	Tuberculosis of vertebral column	11	4	3	2	2	2	1	-	-	1
17a	Tuberculosis of bones (except vertebral column)	1	1	-	-	-	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	3	2	1	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	1	-	1	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	1	-	1	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	6	5	1	-	-	1	-	-	1	-
21	Tuberculosis of other organs	-	-	-	-	-	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	4	1	-	2	1	3	-	-	3	-
22b	Disseminated tuberculosis (other and unspecified)	-	-	-	-	-	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	12	7	5	-	-	2	2	-	-	-
25	Gonococcus infection	-	-	-	-	-	1	-	1	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	1	1	-	-	-
27	Dysentery	1	-	1	-	-	3	-	-	2	1
28	Malaria	-	-	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	149	93	23	28	5	43	13	2	13	15
30a	Locomotor ataxia (tabes dorsalis)	7	7	-	-	-	-	-	-	-	-
30b	General paralysis of insane	37	25	6	6	-	12	5	1	4	2
30c	Other syphilis of central nervous system	21	13	4	4	-	2	1	-	-	1
30d	Aneurysm of aorta	35	21	7	5	2	5	2	-	1	2
30e	Other syphilis of circulatory system	10	4	-	5	1	4	2	-	1	1
30f,g	Congenital, other unspecified forms of syphilis	39	23	6	8	2	20	3	1	7	9
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	1	-	1	-	-	-	-	-	-	-
33a	Influenza, with respiratory complications specified	56	27	27	2	-	23	8	9	1	5
33b	Influenza, without respiratory complications specified	17	10	7	-	-	16	7	6	2	1
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	4	1	3	-	-	4	2	1	-	1
36	Acute poliomyelitis and acute polioencephalitis	10	6	4	-	-	6	1	4	-	1
37a,c	Infectious encephalitis lethargica (acute and unqualified)	10	5	5	-	-	2	1	1	-	-
37b	Sequelae of encephalitis lethargica	3	1	2	-	-	2	1	1	-	-
38	Other diseases due to filtrable viruses	3	1	2	-	-	-	-	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	-	-	-	-	-	2	1	1	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	1	1	-	-	-	-	-	-	-	-
43	Mycoses	2	1	1	-	-	-	-	-	-	-
44	Other infectious and parasitic (communicable) diseases	32	21	11	-	-	-	-	-	-	-
	II.—Cancer and other tumors	3,051	1,442	1,554	27	28	376	157	167	26	26
45-55	Cancer and other malignant tumors	2,940	1,398	1,490	26	26	360	157	158	22	23
45	Cancer of buccal cavity and pharynx	97	81	12	2	2	13	11	-	2	-
45a-e	Cancer of buccal cavity	62	50	8	2	2	10	9	-	1	-
45f	Cancer of pharynx	35	31	4	-	-	3	2	-	1	-
46	Cancer of digestive organs and peritoneum	1,415	742	650	15	8	163	79	61	15	8
46a	Cancer of esophagus	61	45	14	2	-	5	3	1	1	-
46b,c	Cancer of stomach and duodenum	415	253	154	5	3	54	29	15	7	3
46f	Cancer of liver and biliary passages	146	58	85	2	1	26	14	9	2	1
46g	Cancer of pancreas	118	63	55	-	-	9	5	4	-	-
46d,e,h,m	Cancer of other digestive organs and peritoneum	675	323	342	6	4	69	28	32	5	4
47	Cancer of respiratory system	245	200	44	1	-	34	24	7	2	1
48	Cancer of uterus	223	...	211	...	12	33	...	34	...	5
49	Cancer of other female genital organs	108	...	108	...	-	10	...	8	...	2
50	Cancer of breast	310	2	304	-	4	38	-	34	-	4
51	Cancer of male genital organs	149	143	...	6	...	15	13	...	2	...
52	Cancer of urinary organs (male and female)	137	94	43	-	-	17	12	4	-	1
53	Cancer of skin (except vulva and scrotum)	38	24	14	-	-	4	4	-	-	-
54	Cancer of central nervous system*	41	21	20	-	-	5	4	1	-	-
55	Cancer of other and unspecified organs	177	91	84	2	-	22	10	9	1	2
56a	Nonmalignant tumors of ovary	9	...	9	...	-	2	...	2	...	-
56b	Nonmalignant tumors of uterus	24	...	22	...	2	7	...	6	...	1
56c	Nonmalignant tumors of other female genital organs	1	...	1	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	22	11	11	-	-	3	-	-	1	2

*Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
8,223	2,846	2,412	1,515	1,450	23,500	10,378	6,187	3,815	3,120	29,401	9,608	7,007	6,728	6,058	4,673	2,794	1,772	57	50	
779	208	105	264	202	2,049	619	345	629	456	2,881	733	498	856	794	276	170	80	12	14	
2	1	1	-	-	14	5	4	4	1	23	4	6	10	3	2	2	-	-	-	1
1	1	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	4	2	1	1	-	-	-	-	-	-	5
14	4	1	2	7	43	21	11	8	3	62	26	17	11	8	5	3	1	1	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
3	1	1	-	1	-	-	-	-	-	2	1	-	-	1	6	4	2	-	-	8
1	1	-	-	-	48	8	12	11	17	66	13	16	14	23	5	3	1	-	1	9
-	-	-	-	-	40	16	16	3	5	41	16	19	4	2	2	-	2	-	-	10
1	1	-	-	-	2	1	1	-	-	2	2	-	-	-	1	-	1	-	-	11
-	-	-	-	-	43	8	4	23	8	35	7	4	18	6	-	-	-	-	-	12
547	129	69	198	151	823	258	121	241	203	1,141	265	172	337	367	109	74	22	4	9	13-22
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	12	12	-	-	-	13a
488	118	59	172	139	789	249	116	229	195	1,067	249	163	313	342	82	52	18	4	8	13b,c
5	2	2	1	-	9	2	1	4	2	12	4	1	6	1	3	1	2	-	-	14
7	1	1	3	2	4	-	1	1	2	9	1	-	5	3	3	2	1	-	-	15
11	3	1	5	2	2	1	-	1	-	9	2	2	2	3	2	2	-	-	-	16
1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	17a
1	-	-	1	-	1	1	-	-	-	4	1	-	3	-	-	-	-	-	-	17b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	19
3	-	1	1	1	4	1	2	1	-	7	4	2	1	-	2	2	-	-	-	20
4	1	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	21
23	1	4	13	5	11	4	-	3	4	28	3	2	5	18	5	3	1	-	1	22a
3	2	-	-	1	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	22b
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	23
7	2	1	2	2	23	8	5	5	5	39	14	7	10	8	7	5	1	1	-	24
-	-	-	-	-	7	-	1	2	4	10	-	2	2	6	-	-	-	-	-	25
1	-	1	-	-	-	-	-	-	-	5	3	-	2	-	1	1	-	-	-	26
2	1	1	-	-	38	12	7	7	12	59	11	12	17	19	4	3	-	-	1	27
-	-	-	-	-	33	9	7	8	9	39	7	9	9	14	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
144	48	7	57	32	372	100	26	175	71	410	87	30	196	97	30	20	6	4	-	30
3	1	-	2	-	4	3	1	-	-	12	3	4	2	3	1	1	-	-	-	30a
25	9	-	11	5	107	29	9	59	10	168	40	13	71	44	5	4	1	-	-	30b
22	6	1	14	1	41	18	2	16	5	23	5	2	12	4	8	3	3	2	-	30c
50	26	3	14	7	64	23	4	33	4	56	16	3	31	6	8	8	-	-	-	30d
14	1	-	8	5	21	7	1	10	3	26	4	1	16	5	1	1	-	-	-	30e
30	5	3	8	14	135	20	9	57	49	125	19	7	64	35	7	3	2	2	-	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
1	1	-	-	-	8	3	2	2	1	7	1	1	4	1	1	-	1	-	-	32
15	4	7	2	2	253	67	54	79	53	466	98	97	134	137	46	19	22	2	3	33a
6	-	2	1	3	170	43	46	43	38	258	74	55	62	67	31	21	10	-	-	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
2	-	1	1	-	18	4	7	2	5	68	25	24	6	13	10	5	5	-	-	35
12	7	4	-	1	9	6	1	1	1	14	8	3	2	1	1	1	-	-	-	36
-	-	-	-	-	9	4	3	-	2	2	1	-	1	-	1	-	1	-	-	37a,c
1	-	1	-	-	2	2	-	-	-	3	3	-	-	-	1	-	1	-	-	37b
3	-	3	-	-	5	1	1	-	3	8	4	1	-	3	1	-	1	-	-	38
1	1	-	-	-	35	18	10	4	3	72	38	16	8	10	2	1	1	-	-	39
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	5	1	-	3	1	2	-	1	-	1	-	-	-	-	-	42
-	-	-	-	-	7	5	2	-	-	5	3	-	1	1	3	3	-	-	-	43
15	6	5	1	3	40	19	5	5	11	36	20	5	5	6	7	5	2	-	-	44
1,124	375	451	125	173	2,311	973	932	131	275	2,422	739	968	242	473	556	267	282	5	2	
1,075	369	428	120	158	2,189	949	898	125	217	2,290	718	929	231	412	535	261	267	5	2	45-55
34	21	3	10	-	90	62	16	8	4	110	50	34	15	11	14	12	2	-	-	45
27	17	2	8	-	54	36	11	5	2	75	31	24	11	9	9	8	1	-	-	45a-e
7	4	1	2	-	36	26	5	3	2	35	19	10	4	2	5	4	1	-	-	45f
440	166	150	68	56	854	400	334	61	59	799	298	283	111	107	270	134	133	2	1	46
22	11	1	8	2	35	24	7	4	-	21	12	3	3	3	6	3	3	-	-	46a
119	46	34	28	11	292	165	73	33	21	286	109	74	59	44	98	64	32	1	1	46b,c
51	12	22	13	4	132	53	65	6	8	141	44	64	14	19	38	16	22	-	-	46f
45	20	15	4	6	70	40	24	4	2	88	41	37	5	5	22	7	14	1	-	46g
203	77	78	15	33	325	118	165	14	28	263	92	105	30	36	106	44	62	-	-	46d,e,h,m
87	53	21	10	3	186	138	39	7	2	142	86	34	18	4	15	12	3	-	-	47
121	...	71	...	50	280	...	196	...	84	418	...	235	...	183	32	...	32	...	-	48
32	...	26	...	6	45	...	39	...	6	45	...	39	...	6	14	...	14	...	-	49
124	2	95	-	27	182	2	140	1	39	206	2	147	2	55	51	-	51	-	-	50
68	49	...	19	...	174	152	...	22	...	153	111	...	42	...	43	42	...	1	...	51
55	30	17	4	4	109	64	34	6	5	88	35	33	10	10	20	12	8	-	-	52
13	6	5	1	1	55	35	15	3	2	73	37	28	5	3	16	13	3	-	-	53
17	8	8	1	-	35	21	14	-	-	47	27	16	2	2	17	15	2	-	-	54
84	34	32	7	11	179	75	71	17	16	209	72	80	26	31	43	21	19	2	1	55
5	...	3	...	2	13	...	6	...	7	11	...	8	...	3	3	...	3	...	-	56a
14	...	5	...	9	47	...	7	...	40	61	...	13	...	48	9	...	9	...	-	56b
-	...	-	...	-	2	...	1	...	1	2	...	1	...	1	-	...	-	...	-	56c
9	-	8	1	-	17	6	8	-	3	17	6	6	4	1	1	1	-	-	-	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	1	...	1	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	54	33	20	1	-	4	-	1	3	-
	III.—Rheumatism, diseases of nutrition, etc.*	725	245	464	4	12	111	34	58	7	12
58a-d	Acute rheumatic heart diseases	9	3	5	1	-	3	1	2	-	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	4	2	2	-	-	-	-	-	-	-
59	Chronic rheumatism and other rheumatic diseases	22	5	17	-	-	3	2	1	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	628	221	394	2	11	85	25	44	5	11
62	Diseases of pituitary gland	4	-	4	-	-	-	-	-	-	-
63a	Simple goiter	2	-	2	-	-	-	-	-	-	-
63b	Exophthalmic goiter	28	1	26	-	1	7	2	4	-	1
63c-e	Other diseases of thyroid and parathyroid glands	5	1	4	-	-	2	1	1	-	-
64	Diseases of thymus gland	13	8	4	1	-	4	1	3	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	4	2	2	-	-	1	-	1	-	-
66	Other general diseases	-	-	-	-	-	5	2	2	1	-
67	Scurvy	1	-	1	-	-	1	-	-	1	-
68	Beriberi	1	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	1	2	-	-	-	-	-	-	-
70	Rickets	1	1	-	-	-	-	-	-	-	-
71	Other avitaminoses	-	-	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	140	77	61	2	-	24	11	12	-	1
72	Hemorrhagic conditions	5	4	1	-	-	1	-	1	-	-
73a	Pernicious anemia	17	6	11	-	-	6	1	4	-	1
73b-d	Other anemias (except splenic)	12	6	5	1	-	4	2	2	-	-
74a	Leukemias	87	51	35	1	-	9	4	5	-	-
74b	Aleukemias	6	4	2	-	-	-	-	-	-	-
75	Diseases of spleen	9	3	6	-	-	3	3	-	-	-
76	Other diseases of the blood and blood-forming organs	4	3	1	-	-	1	1	-	-	-
	V.—Chronic poisoning and intoxication	42	31	10	1	-	3	2	-	1	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	2	2	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	37	28	8	1	-	3	2	-	1	-
78	Lead poisoning	-	-	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	3	1	2	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	1,744	775	935	19	15	291	116	121	27	27
80	Encephalitis (nonepidemic)	12	10	1	1	-	4	1	1	1	1
81	Meningitis (not due to meningococcus)	24	15	7	1	1	5	1	3	-	1
82	Diseases of spinal cord (see exceptions)*	37	20	17	-	-	10	7	1	2	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	1,297	554	719	13	11	219	88	88	20	23
83b	Cerebral embolism and thrombosis	236	106	127	3	-	24	7	14	2	1
83c	Cerebral softening	4	2	2	-	-	1	1	-	-	-
83d	Hemiplegia and other paralysis of unspecified origin	21	11	10	-	-	9	3	6	-	-
84	Mental diseases and deficiency (see exception)*	10	5	4	-	1	1	1	-	-	-
85	Epilepsy	16	10	5	-	1	7	1	4	2	-
86	Convulsions (under 5 years)	4	3	1	-	-	1	-	1	-	-
87	Other diseases of nervous system	72	34	37	-	1	5	3	1	-	1
88	Diseases of organs of vision	-	-	-	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	7	3	3	1	-	4	3	1	-	-
89b	Diseases of mastoid process	4	2	2	-	-	1	-	1	-	-
	VII.—Diseases of the circulatory system	6,745	3,676	2,922	84	63	1,096	531	407	83	75
90-95	Diseases of the heart (all forms)	6,350	3,488	2,722	80	60	1,022	500	375	78	69
90	Pericarditis (except acute rheumatic)	5	3	2	-	-	1	-	-	-	1
91a,b	Bacterial and other acute or subacute endocarditis	26	14	12	-	-	5	2	3	-	-
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	-	-	-	-	-	-
92a-d	Chronic endocarditis and diseases of the valves*	378	172	200	4	2	108	44	29	22	13
92e	Endocarditis (unspecified, 45 years and over)	16	8	8	-	-	6	2	4	-	-
93a	Acute myocarditis (except rheumatic)	62	36	25	1	-	15	2	7	4	2
93b	Myocarditis (unspecified, under 45 years)	4	2	2	-	-	1	-	1	-	-
93c,d	Chronic myocarditis and myocardial degeneration	3,395	1,644	1,672	40	39	446	193	204	20	29
93e	Other myocarditis (unspecified)	177	89	82	2	4	47	21	16	5	5
94a	Diseases of coronary arteries	1,926	1,322	571	22	11	312	200	88	16	8
94b	Angina pectoris	14	11	3	-	-	5	4	1	-	-
95a	Functional diseases of heart, etc.*	3	1	2	-	-	9	3	5	-	1
95b,c	Other and unspecified diseases of heart	344	186	143	11	4	67	29	17	11	10
96	Aneurysm (except of heart and aorta)	28	18	9	1	-	4	2	-	-	2
97	Arteriosclerosis (except coronary or renal sclerosis)	306	142	159	2	3	59	24	28	4	3
98	Gangrene	1	-	1	-	-	1	-	1	-	-
99	Other diseases of arteries	22	9	13	-	-	3	3	-	-	-
100	Diseases of veins	24	11	13	-	-	3	1	-	1	1
101	Diseases of lymphatic system	1	-	1	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	13	8	4	1	-	4	1	3	-	-
103	Other diseases of circulatory system	-	-	-	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	890	507	359	11	13	178	67	67	24	20
104a	Diseases of nasal fossae	3	1	-	-	2	-	-	-	-	-
104b	Diseases of accessory sinuses	5	3	2	-	-	-	-	-	-	-
105	Diseases of larynx	6	4	2	-	-	-	-	-	-	-
106a	Acute bronchitis	14	11	3	-	-	2	-	1	-	1

*Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	2	...	-	...	2	1	...	1	...	-	1	...	1	...	-	57a
-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	57c
21	6	7	4	4	39	18	11	6	4	39	15	10	7	7	7	5	2	-	-	57d,e
243	59	106	21	57	590	183	247	61	99	707	199	237	87	184	150	67	81	1	1	
3	-	1	-	2	12	3	3	3	3	20	6	2	3	9	6	4	2	-	-	58a-d
2	1	-	-	1	13	3	3	4	3	19	1	5	7	6	7	7	-	-	-	58e,f
7	-	5	-	2	27	10	13	1	3	37	9	16	2	10	7	5	2	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	60
208	53	90	19	46	412	142	172	37	61	384	129	128	43	84	95	34	59	1	1	61
1	1	-	-	-	3	-	3	-	-	3	2	-	1	-	1	1	-	-	-	62
-	-	-	-	-	3	1	2	-	-	7	-	3	-	4	1	-	1	-	-	63a
11	2	6	-	3	32	1	22	1	8	26	3	14	1	8	16	2	14	-	-	63b
-	-	-	-	-	4	-	3	1	-	3	2	-	-	1	1	-	1	-	-	63c-e
4	1	1	1	1	19	10	7	1	1	29	13	10	4	2	12	11	1	-	-	64
1	-	1	-	-	6	-	4	1	1	5	2	3	-	-	1	1	-	-	-	65
6	1	2	1	2	14	5	4	2	3	22	4	6	4	8	2	1	1	-	-	66
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	67
-	-	-	-	-	1	-	-	-	1	3	-	1	1	1	-	-	-	-	-	68
-	-	-	-	-	37	5	11	8	13	132	24	48	15	45	-	-	-	-	-	69
-	-	-	-	-	5	2	-	1	2	7	1	-	3	3	-	-	-	-	-	70
-	-	-	-	-	2	1	-	1	-	9	3	1	2	3	-	-	-	-	-	71
46	17	14	7	8	155	83	46	11	15	195	79	67	26	23	38	23	14	-	1	
1	-	1	-	-	9	4	3	2	-	27	9	13	5	-	6	2	4	-	-	72
3	1	-	-	2	25	13	3	4	5	20	7	9	-	4	8	6	2	-	-	73a
5	2	1	1	1	21	6	5	3	7	27	7	8	5	7	1	1	-	-	-	73b-d
29	12	10	4	3	79	48	27	1	3	97	45	30	13	9	18	10	8	-	-	74a
2	1	-	-	1	5	3	2	-	-	7	4	2	1	-	2	1	-	-	1	74b
6	1	2	2	1	14	7	6	1	-	16	6	5	2	3	-	-	-	-	-	75
-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	3	3	-	-	-	76
16	10	1	4	1	43	27	6	3	7	55	30	6	16	3	3	3	-	-	-	
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	77a,b
15	9	1	4	1	38	23	5	3	7	50	25	6	16	3	3	3	-	-	-	77c-e
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	78
1	1	-	-	-	4	3	1	-	-	3	3	-	-	-	-	-	-	-	-	79
616	187	230	90	109	2,450	862	710	435	443	3,535	945	878	842	870	472	241	227	1	3	
11	3	4	2	2	37	20	5	9	3	43	14	7	15	7	5	4	1	-	-	80
12	3	2	4	3	54	18	13	14	9	58	24	11	13	10	16	9	7	-	-	81
13	3	5	4	1	58	34	9	4	11	35	16	8	2	9	9	6	3	-	-	82
440	129	175	52	84	1,933	657	565	344	367	2,835	740	709	674	712	353	175	175	-	3	83a
83	24	32	15	12	138	63	60	11	4	153	49	41	26	37	32	18	14	-	-	83b
3	1	-	1	1	15	5	6	2	2	14	6	7	1	-	2	1	1	-	-	83c
11	3	5	2	1	78	22	12	21	23	179	39	35	50	55	15	8	7	-	-	83d
5	1	1	2	1	7	2	1	4	-	49	7	7	20	15	6	2	4	-	-	84
9	3	-	4	2	34	8	9	8	9	68	20	13	24	11	15	7	8	-	-	85
-	-	-	-	-	19	1	3	9	6	18	5	2	7	4	3	1	1	1	-	86
22	15	4	2	1	66	29	23	7	7	63	17	31	7	8	12	7	5	-	-	87
-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	88
5	2	-	2	1	5	3	2	-	-	14	6	4	2	2	4	3	1	-	-	89a
2	-	2	-	-	4	-	1	1	2	6	2	3	1	-	-	-	-	-	-	89b
2,460	989	709	379	383	5,693	2,970	1,594	629	500	6,204	2,439	1,508	1,181	1,076	1,306	847	440	9	10	
2,307	940	651	358	358	5,264	2,793	1,442	577	452	5,731	2,314	1,363	1,077	977	1,222	805	402	8	7	90-95
7	2	-	2	3	12	-	2	3	7	23	8	5	6	4	3	1	1	-	1	90
21	8	3	6	4	43	13	13	9	8	35	12	6	8	9	5	2	3	-	-	91a,b
-	-	-	-	-	6	2	1	1	2	13	5	4	2	2	1	1	-	-	-	91c
142	42	45	18	37	511	215	142	76	78	625	182	120	170	153	118	55	61	1	1	92a-d
7	3	-	2	2	62	25	19	9	9	63	19	12	17	15	14	10	4	-	-	92e
8	3	3	2	-	111	35	25	26	25	111	23	16	33	39	12	8	4	-	-	93a
4	1	-	2	1	35	6	3	13	13	48	5	2	22	19	3	3	-	-	-	93b
1,056	351	344	178	183	1,693	867	556	151	119	1,751	659	504	323	265	404	253	146	1	4	93c,d
284	92	64	72	66	391	144	119	71	57	485	161	118	105	101	99	57	41	1	-	93e
643	400	161	55	27	1,686	1,140	379	106	61	1,341	767	303	151	120	386	287	96	3	-	94a
8	7	1	-	-	118	70	27	11	10	173	103	30	21	19	35	27	8	-	-	94b
2	1	1	-	-	11	4	5	-	2	35	15	9	5	6	10	6	4	-	-	95a
115	30	29	21	35	585	272	151	101	61	1,028	355	234	214	225	132	95	34	2	1	95b,c
14	8	-	3	3	26	18	3	5	-	16	4	4	5	3	3	3	-	-	-	96
103	30	48	11	14	295	126	125	24	24	316	88	104	73	51	58	29	27	-	2	97
4	1	1	-	2	14	4	3	4	3	14	3	1	4	6	2	2	-	-	-	98
14	6	4	3	1	30	13	10	4	3	32	7	12	5	8	8	4	2	1	1	99
8	2	2	1	3	13	5	4	2	2	20	7	6	2	5	3	1	2	-	-	100
1	1	-	-	-	7	2	1	1	3	-	-	-	-	-	-	-	-	-	-	101
8	1	2	3	2	33	7	6	8	12	67	15	15	12	25	9	2	7	-	-	102
1	-	1	-	-	7	2	-	4	1	8	1	3	3	1	1	1	-	-	-	103
493	171	130	119	73	1,344	534	319	272	219	1,885	505	449	513	418	271	161	99	6	5	
-	-	-	-	-	9	2	2	2	3	12	1	2	6	3	1	-	1	-	-	104a
7	2	2	-	3	6	4	2	-	-	7	2	3	1	1	2	1	1	-	-	104b
1	1	-	-	-	5	3	2	-	-	9	3	2	2	2	2	1	1	-	-	105
4	1	-	2	1	13	4	5	1	3	15	4	5	4	2	3	3	-	-	-	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	29	19	10	-	-	9	4	5	-	-
106c	Bronchitis (unspecified)	6	2	4	-	-	2	-	1	1	-
107	Bronchopneumonia (including capillary bronchitis)	294	152	136	3	3	60	16	25	12	7
108	Lobar pneumonia	348	204	137	4	3	74	33	26	8	7
109	Pneumonia (unspecified)	66	37	26	2	1	12	6	3	1	2
	A. Atypical or virus pneumonia	17	9	8	-	-	4	2	1	1	-
	B. Pneumonia (all other, unspecified)	49	28	18	2	1	8	4	2	-	2
110	Pleurisy (not specified as tuberculous)	17	14	3	-	-	8	3	2	2	1
111a	Hemorrhagic infarction and thrombosis of lungs	18	10	7	1	-	4	1	2	-	1
111b,c	Acute edema, chronic and unspecified congestion of lungs	29	17	11	-	1	4	2	1	-	1
112	Asthma	26	15	10	-	1	-	-	-	-	-
113	Pulmonary emphysema	3	3	-	-	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	26	15	8	1	2	3	2	1	-	-
	IX.—Diseases of the digestive system	869	515	329	14	11	173	86	63	14	10
115a,b,d	Diseases of buccal cavity and adnexa	4	1	2	1	-	2	1	-	-	1
115c	Diseases of pharynx and tonsils	10	6	4	-	-	-	-	-	-	-
116	Diseases of esophagus	2	2	-	-	-	2	1	1	-	-
117a	Ulcer of stomach	88	77	9	2	-	13	11	-	1	1
117b	Ulcer of duodenum	57	51	4	-	2	4	2	1	1	-
118	Other diseases of stomach (except cancer)	7	5	2	-	-	-	-	-	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	44	24	15	2	3	48	25	16	4	3
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	24	14	10	-	-	5	1	3	1	-
121	Appendicitis	100	59	39	2	-	20	11	4	3	2
122a	Hernia	92	58	34	-	-	7	4	2	1	-
122b	Intestinal obstruction	71	32	34	2	3	20	9	9	1	1
123	Other diseases of intestines	25	13	12	-	-	4	3	1	-	-
124a	Cirrhosis of liver (with mention of alcoholism)	15	10	5	-	-	-	-	-	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	187	111	70	4	2	18	8	9	1	-
125a	Acute yellow atrophy of liver (nonpuerperal)	5	4	1	-	-	1	-	1	-	-
125b	Other diseases of liver	13	5	7	-	1	3	1	1	-	1
126	Biliary calculi	67	18	49	-	-	6	4	2	-	-
127	Other diseases of gallbladder and biliary ducts	31	12	19	-	-	13	3	9	-	1
128	Diseases of pancreas (except diabetes mellitus)	17	6	10	1	-	3	1	2	-	-
129	Peritonitis (cause not stated)	10	7	3	-	-	4	1	2	1	-
	X.—Diseases of the genito-urinary system	1,242	657	539	25	21	389	153	153	41	42
130	Acute nephritis	25	12	10	2	1	8	2	2	1	3
131a	Arteriosclerotic kidney	796	393	378	17	8	260	96	111	29	24
131b	Other chronic nephritis	245	131	101	4	9	69	26	28	7	8
132	Nephritis unspecified (10 years and over)	17	11	6	-	-	9	3	3	1	2
133	Other diseases of kidneys and ureters, etc.*	42	24	16	-	2	12	6	5	-	1
134	Calculi of urinary passages	21	11	10	-	-	6	4	2	-	-
135	Diseases of urinary bladder	12	4	8	-	-	1	1	-	-	-
136	Diseases of urethra (except calculus)	4	2	-	2	-	3	-	-	3	-
137	Diseases of prostate	69	69	...	-	...	15	15	...	-	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	9	...	8	...	1	5	...	1	...	4
139b	Diseases of uterus	2	...	2	...	-	1	...	1	...	-
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	52	...	48	...	4	9	...	5	...	4
140	Abortion with mention of infection	7	...	6	...	1	-	...	-	...	-
140a,b	Abortion (septic), spontaneous or therapeutic*	2	...	2	...	-	-	...	-	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic *	5	...	4	...	1	-	...	-	...	-
141	Abortion without mention of infection	1	...	1	...	-	-	...	-	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *	-	...	-	...	-	-	...	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	-	...	-	...	-	-	...	-	...	-
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified *	1	...	1	...	-	-	...	-	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	-	...	-	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	1	...	1	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	1	...	1	...	-	2	...	-	...	2
143a	Placenta praevia (death before delivery)	1	...	1	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)	1	...	1	...	-	-	...	-	...	-
144c,d	Other toxemias of pregnancy (death before delivery)*	1	...	1	...	-	-	...	-	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	1	...	1	...	-	1	...	1	...	-
	A. With mention of infection	1	...	1	...	-	-	...	-	...	-
	B. Without mention of infection	-	...	-	...	-	1	...	1	...	-
146a	Placenta praevia (with childbirth)	-	...	-	...	-	-	...	-	...	-
146b,c	Other hemorrhages of childbirth and puerperium	8	...	7	...	1	3	...	1	...	2
147a,b	Puerperal pyelitis, other general or local puerperal infection *	6	...	6	...	-	-	...	-	...	-
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	7	...	7	...	-	1	...	1	...	-
148a,b	Puerperal eclampsia and nephritis *	6	...	6	...	-	1	...	1	...	-
148c,d	Other puerperal toxemias	-	...	-	...	-	-	...	-	...	-
149	Other accidents and specified conditions of childbirth	3	...	3	...	2	1	...	1	...	-
150	Other and unspecified conditions of childbirth and puerperium	6	...	6	...	-	-	...	-	...	-
	XII.—Diseases of the skin and cellular tissue	16	3	12	-	1	2	-	2	-	-
151	Carbuncle and furuncle	1	-	1	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	1	-	1	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue	14	3	10	-	1	2	-	2	-	-

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
17	7	6	3	1	35	21	10	2	2	25	11	8	4	2	11	8	3	-	-	106b
1	1	-	-	-	14	5	4	4	1	19	8	3	3	5	3	1	1	-	1	106c
173	48	47	47	31	473	198	123	78	74	676	178	204	156	138	99	52	42	2	3	107
153	66	36	37	14	469	150	86	137	96	684	169	118	219	178	83	50	31	2	-	108
41	14	18	4	5	122	46	32	24	20	222	52	38	80	51	30	19	9	2	-	109
5	2	2	1	-	10	5	5	-	-	22	12	6	2	2	2	2	-	-	-	
36	12	16	3	5	112	41	27	24	20	200	41	32	78	49	28	17	9	2	-	
18	7	1	6	4	23	11	4	7	1	40	11	7	13	9	1	1	-	-	-	110
33	8	9	9	7	18	10	6	-	2	11	3	6	-	2	4	1	3	-	-	111a
9	-	4	2	3	56	28	19	3	6	49	12	24	9	4	16	10	5	-	1	111b,c
22	8	4	6	4	74	33	20	11	10	70	29	22	10	9	11	9	2	-	-	112
1	1	-	-	-	2	2	-	-	-	3	2	-	1	-	-	-	-	-	-	113
13	7	3	3	-	25	17	4	3	1	43	19	7	5	12	5	5	-	-	-	114
437	178	103	83	73	1,273	483	284	272	234	1,507	514	362	337	294	237	136	93	6	2	
3	1	-	2	-	29	14	3	6	6	28	6	7	6	9	11	8	3	-	-	115a,b,d
8	2	1	3	2	20	5	7	4	4	34	15	7	6	6	6	5	1	-	-	115c
4	2	-	2	-	4	2	-	1	1	4	1	1	1	1	-	-	-	-	-	116
26	19	1	4	2	106	51	4	42	9	117	57	9	35	16	28	22	5	1	-	117a
23	16	4	3	-	42	30	7	3	2	39	27	5	6	1	8	8	-	-	-	117b
9	2	1	4	2	70	19	4	23	24	66	16	7	26	17	6	5	1	-	-	118
67	11	9	27	20	149	45	37	31	36	339	97	78	82	82	23	6	13	3	1	119
8	1	3	1	3	88	21	20	25	22	93	22	27	19	25	12	7	5	-	-	120
38	14	13	7	4	144	57	28	32	27	176	62	47	43	24	39	20	18	-	1	121
30	16	6	4	4	74	28	18	23	7	65	28	12	21	4	15	11	4	-	-	122a
37	11	19	2	5	156	39	56	32	29	158	38	45	28	47	30	18	12	-	-	122b
20	9	7	2	2	39	13	11	5	10	36	9	9	7	11	1	1	-	-	-	123
5	2	1	2	-	12	10	2	-	-	12	8	-	4	-	4	3	1	-	-	124a
89	50	16	11	12	192	111	42	20	19	143	62	35	31	15	22	12	9	1	-	124b
6	1	2	1	2	7	3	1	2	1	16	6	2	3	5	-	-	-	-	-	125a
15	4	3	2	6	31	8	3	11	9	31	10	9	6	6	5	1	3	1	-	125b
20	7	11	-	2	25	7	15	-	3	36	11	23	2	-	14	6	8	-	-	126
9	1	5	-	3	38	12	13	5	8	61	21	31	3	6	10	2	8	-	-	127
7	5	-	1	1	13	5	5	1	2	11	6	2	-	3	-	-	-	-	-	128
13	4	1	5	3	34	5	8	6	15	42	12	6	8	16	3	1	2	-	-	129
835	262	260	151	162	2,091	849	568	388	286	3,311	1,075	746	806	684	331	202	124	4	1	
16	6	2	3	5	100	27	17	29	27	162	32	23	55	52	8	4	4	-	-	130
627	193	216	109	109	1,092	453	347	163	129	1,805	611	459	390	345	196	114	79	3	-	131a
64	17	23	8	16	412	161	124	70	57	819	243	172	213	191	71	44	26	1	-	131b
27	9	2	7	9	124	39	15	44	26	110	24	17	36	33	15	8	6	-	1	132
30	9	7	8	6	83	33	21	13	16	100	29	30	23	18	7	5	2	-	-	133
9	3	2	2	2	44	20	19	4	1	45	22	17	4	2	2	2	-	-	-	134
3	-	1	1	1	16	7	2	3	4	27	6	3	15	3	4	4	-	-	-	135
2	-	-	2	-	24	5	-	19	-	14	7	-	6	1	-	-	-	-	-	136
34	25	...	9	...	147	104	...	43	...	164	101	...	63	...	21	21	...	-	...	137
2	-	...	2	...	-	-	...	-	...	1	-	...	1	...	-	-	...	-	...	138
18	...	5	...	13	32	...	14	...	18	51	...	18	...	33	5	...	5	...	-	139a
3	...	2	...	1	16	...	9	...	7	11	...	6	...	5	2	...	2	...	-	139b
-	...	-	...	-	1	...	-	...	1	2	...	1	...	1	-	...	-	...	-	139c
33	...	10	...	23	161	...	86	...	75	279	...	127	...	152	30	...	30	...	-	
8	...	1	...	7	14	...	3	...	11	25	...	13	...	12	4	...	4	...	-	140
5	...	-	...	5	13	...	3	...	10	22	...	13	...	9	2	...	2	...	-	140a,b
3	...	1	...	2	1	...	-	...	1	3	...	-	...	3	2	...	2	...	-	140c,d
1	...	1	...	-	7	...	3	...	4	9	...	5	...	4	2	...	2	...	-	141
-	...	-	...	-	1	...	1	...	-	3	...	3	...	-	1	...	1	...	-	141a,c
-	...	-	...	-	5	...	1	...	4	3	...	1	...	2	-	...	-	...	-	141b
-	...	-	...	-	1	...	1	...	-	3	...	1	...	2	1	...	1	...	-	141d
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	141e,f
-	...	-	...	-	1	...	1	...	-	4	...	1	...	3	-	...	-	...	-	142a
1	...	-	...	1	4	...	3	...	1	7	...	3	...	4	1	...	1	...	-	142b
-	...	-	...	-	2	...	-	...	2	3	...	2	...	1	-	...	-	...	-	143a
-	...	-	...	-	1	...	1	...	-	4	...	1	...	3	-	...	-	...	-	143b,c
3	...	1	...	2	16	...	7	...	9	11	...	6	...	5	1	...	1	...	-	144a,b
1	...	-	...	1	3	...	1	...	2	11	...	4	...	7	1	...	1	...	-	144c,d
2	...	1	...	1	5	...	3	...	2	6	...	3	...	3	3	...	3	...	-	145
-	...	-	...	-	4	...	3	...	1	3	...	3	...	-	1	...	1	...	-	
2	...	1	...	1	1	...	-	...	1	3	...	-	...	3	2	...	2	...	-	
1	...	-	...	1	5	...	4	...	1	11	...	7	...	4	2	...	2	...	-	146a
8	...	5	...	3	17	...	12	...	5	26	...	17	...	9	2	...	2	...	-	146b,c
3	...	-	...	3	27	...	14	...	13	41	...	13	...	28	2	...	2	...	-	147a,b
1	...	-	...	1	11	...	6	...	5	9	...	5	...	4	5	...	5	...	-	147c,d
-	...	-	...	-	24	...	15	...	9	60	...	29	...	31	2	...	2	...	-	148a,b
1	...	-	...	1	3	...	1	...	2	16	...	6	...	10	1	...	1	...	-	148c,d
1	...	-	...	1	11	...	8	...	3	11	...	4	...	7	1	...	1	...	-	149
2	...	1	...	1	10	...	4	...	6	25	...	8	...	17	3	...	3	...	-	150
8	1	3	-	4	18	4	4	5	5	27	4	7	6	10	2	-	1	-	1	
2	-	1	-	1	6	3	1	1	1	4	1	1	-	2	-	-	-	-	-	151
2	1	-	-	1	5	-	-	3	2	4	1	-	1	2	-	-	-	-	-	152
4	-	2	-	2	7	1	3	1	2	19	2	6	5	6	2	-	1	-	1	153

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc. *	12	5	7	-	-	1	-	1	-	-
154	Osteomyelitis and periostitis	1	-	1	-	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	5	1	4	-	-	1	-	1	-	-
156	Diseases of joints and other organs of movement	6	4	2	-	-	-	-	-	-	-
157	XIV.—Congenital malformations	277	139	134	4	-	37	20	14	2	1
	XV.—Diseases peculiar to the first year of life	555	289	238	12	16	126	57	38	16	15
158	Congenital debility (cause not stated)	5	1	3	1	-	3	1	-	-	2
159	Premature birth (cause not stated)	335	177	141	9	8	88	39	24	14	11
160a	Intracranial or spinal hemorrhage	43	24	17	2	-	4	1	2	1	-
160b,c	Other injuries at birth	74	42	30	-	2	13	9	3	1	-
161	Other diseases peculiar to the first year of life	98	45	47	-	6	18	7	9	-	2
162	XVI.—Senility	32	9	21	-	2	8	1	7	-	-
	XVII.—Violent or accidental deaths	1,412	817	547	33	15	271	145	69	40	17
163,164	Suicide	210	132	75	3	-	37	24	12	1	-
163	Suicide by poisoning	76	43	33	-	-	9	3	6	-	-
	Suicide by solid or liquid poisons	16	8	8	-	-	2	1	1	-	-
	Suicide by poisonous gases	60	35	25	-	-	7	2	5	-	-
164a	Suicide by hanging or strangulation	66	44	19	3	-	2	1	1	-	-
164b	Suicide by drowning	19	10	9	-	-	4	2	2	-	-
164c	Suicide by firearms and explosives	35	29	6	-	-	20	16	3	1	-
164d	Suicide by cutting or piercing instruments	5	3	2	-	-	1	1	-	-	-
164e	Suicide by jumping from high places	6	1	5	-	-	1	1	-	-	-
164f	Suicide by crushing	2	2	-	-	-	-	-	-	-	-
164g	Suicide by other or unspecified means	1	-	1	-	-	-	-	-	-	-
165-168	Homicide[1]	33	19	7	5	2	19	6	1	12	-
166	Homicide by firearms	14	9	4	1	-	4	2	-	2	-
167	Homicide by cutting or piercing instruments	7	3	2	2	-	8	1	-	7	-
168	Homicide by other means	12	7	1	2	2	7	3	1	3	-
169-195	Accidental deaths	1,168	665	465	25	13	215	115	56	27	17
169	Railway accidents (except collisions with motor vehicles)	18	17	-	1	-	5	5	-	-	-
170a	Collisions between automobiles and trains	7	5	2	-	-	3	2	-	-	1
170b	Collisions between automobiles and streetcars	1	-	1	-	-	1	1	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	216	169	38	8	1	56	42	6	5	3
170d	Motorcycle accidents (except collisions with automobiles)	8	6	2	-	-	-	-	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	3	2	-	1	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	4	4	-	-	-	-	-	-	-	-
172	Water-transport accidents	9	8	1	-	-	5	3	-	2	-
173	Air-transport accidents	25	25	-	-	-	8	8	-	-	-
174	Accidents in mines and quarries	-	-	-	-	-	-	-	-	-	-
175a	Accidents involving agricultural machinery and vehicles	4	4	-	-	-	1	-	-	1	-
175b,c	Other agricultural accidents, including injury by animals	4	4	-	-	-	3	2	-	1	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	-	-	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	10	10	-	-	-	3	3	-	-	-
177	Food poisoning	4	3	1	-	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	38	22	14	2	-	8	2	3	1	2
179	Acute accidental poisoning by solids or liquids	17	10	6	-	1	3	-	1	1	1
180	Conflagration	183	53	122	3	5	16	5	5	4	2
181	Accidental burns (except conflagration)	59	26	28	2	3	15	3	5	5	2
182	Accidental mechanical suffocation	25	17	7	-	1	3	1	-	1	1
183	Accidental drowning	70	55	10	4	1	14	9	2	2	1
184	Accidental injury by firearms	11	11	-	-	-	3	3	-	-	-
185	Accidental injury by cutting or piercing instruments	2	2	-	-	-	1	1	-	-	-
186a	Accidental injury by fall	319	131	187	1	-	47	16	28	1	2
186b	Accidental injury by crushing	2	1	1	-	-	1	1	-	-	-
187	Cataclysm, etc. *	5	4	1	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	1	1	-	-	-	1	1	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	4	4	-	-	-	1	-	-	1	-
191	Excessive heat	3	3	-	-	-	1	-	-	-	1
192	Lightning	1	1	-	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	9	9	-	-	-	1	1	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	21	11	8	1	1	3	1	-	2	-
195c,e	Other and unspecified accidents	85	47	36	2	-	12	5	6	-	1
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	1	1	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	74	48	22	1	3	5	2	2	1	-
199	Sudden death	15	10	3	1	1	-	-	-	-	-
200a	Ill-defined	46	30	15	-	1	3	1	2	-	-
200b	Found dead (cause unknown)	1	-	1	-	-	-	-	-	-	-
200c	Unknown or unspecified	12	8	3	-	1	2	1	-	1	-

* Refer to complete International List titles, table V, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
4	2	1	-	1	17	7	4	4	2	20	8	2	3	7	5	4	1	-	-	
2	1	-	-	1	10	3	2	4	1	13	4	2	3	4	4	3	1	-	-	154
2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	155
-	-	-	-	-	6	3	2	-	1	7	4	-	-	3	1	1	-	-	-	156
95	38	32	18	7	256	113	110	19	14	274	107	95	40	32	63	36	27	-	-	157
412	119	80	107	106	1,114	466	304	194	150	1,616	520	399	411	286	212	119	85	4	4	
9	2	1	4	2	78	13	14	33	18	214	40	23	94	57	8	5	3	-	-	158
284	75	53	77	79	727	306	205	117	99	1,011	330	273	230	178	131	72	54	1	4	159
58	19	14	11	14	87	45	27	8	7	99	29	27	33	10	7	4	3	-	-	160a
19	9	6	2	2	89	47	24	10	8	120	57	36	13	14	32	19	12	1	-	160b,c
42	14	6	13	9	133	55	34	26	18	172	64	40	41	27	34	19	13	2	-	161
13	3	7	1	2	244	97	92	30	25	440	88	99	131	122	81	34	43	3	1	162
600	222	168	146	64	3,024	1,865	433	556	170	2,926	1,359	413	851	303	581	443	131	4	3	
106	49	41	8	8	197	122	62	10	3	194	135	41	15	3	50	35	15	-	-	163,164
62	23	31	2	6	54	21	31	1	1	27	12	12	2	1	7	3	4	-	-	163
10	1	8	-	1	25	8	15	1	1	18	7	9	1	1	3	1	2	-	-	
52	22	23	2	5	29	13	16	-	-	9	5	3	1	-	4	2	2	-	-	
12	11	1	-	-	13	10	3	-	-	22	13	7	2	-	13	10	3	-	-	164a
6	1	1	3	1	17	8	5	3	1	3	2	-	1	-	1	-	1	-	-	164b
11	7	2	2	-	93	70	17	5	1	126	98	19	7	2	25	21	4	-	-	164c
3	3	-	-	-	12	8	3	1	-	6	5	-	1	-	1	-	1	-	-	164d
10	4	5	1	-	6	4	2	-	-	5	3	1	1	-	2	1	1	-	-	164e
1	-	1	-	-	-	-	-	-	-	3	2	-	1	-	1	-	1	-	-	164f
1	-	-	-	1	2	1	1	-	-	2	-	2	-	-	-	-	-	-	-	164g
58	4	7	41	6	292	44	13	189	46	460	88	15	293	64	7	5	-	-	2	165-168
25	2	2	17	4	146	27	6	96	17	265	60	10	169	26	4	3	-	-	1	166
19	-	2	16	1	109	8	2	79	20	156	14	4	108	30	-	-	-	-	-	167
14	2	3	8	1	37	9	5	14	9	39	14	1	16	8	3	2	-	-	1	168
436	169	120	97	50	2,527	1,697	358	351	121	2,261	1,133	357	535	236	524	403	116	4	1	169-195
7	5	-	2	-	50	26	4	18	2	104	50	4	46	4	9	9	-	-	-	169
-	-	-	-	-	25	14	8	2	1	46	27	8	9	2	13	10	3	-	-	170a
3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	170b
87	40	13	25	9	522	290	90	118	24	618	356	75	148	39	111	78	32	1	-	170c
-	-	-	-	-	16	14	2	-	-	9	8	-	1	-	-	-	-	-	-	170d
19	8	5	5	1	3	1	2	-	-	6	3	1	1	1	-	-	-	-	-	171a
1	-	1	-	-	2	2	-	-	-	14	3	2	9	-	2	2	-	-	-	171b
1	-	-	1	-	36	25	3	7	1	27	12	2	12	1	2	2	-	-	-	172
15	14	1	-	-	839	835	3	1	-	225	223	-	2	-	102	101	1	-	-	173
-	-	-	-	-	7	4	1	2	-	3	2	-	1	-	7	7	-	-	-	174
-	-	-	-	-	7	4	-	3	-	7	1	-	6	-	18	18	-	-	-	175a
-	-	-	-	-	10	5	-	5	-	18	13	-	4	1	16	15	1	-	-	175b,c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	175d
1	-	-	1	-	6	3	-	3	-	3	3	-	-	-	8	8	-	-	-	175e
-	-	-	-	-	21	13	-	7	1	31	14	1	15	1	5	5	-	-	-	176
-	-	-	-	-	19	6	3	4	6	27	4	6	6	11	4	2	1	-	1	177
10	5	4	-	1	20	8	11	1	-	22	14	4	2	2	5	4	1	-	-	178
7	5	-	2	-	32	13	13	5	1	39	16	6	6	11	2	1	1	-	-	179
15	2	2	6	5	41	13	11	9	8	85	19	15	28	23	11	8	3	-	-	180
27	3	7	9	8	114	27	31	27	29	178	45	32	45	56	25	8	15	2	-	181
19	8	4	2	5	21	7	5	5	4	50	19	8	10	13	11	7	4	-	-	182
31	14	3	14	-	179	103	18	52	6	125	52	10	58	5	38	33	4	1	-	183
3	2	-	-	1	70	39	4	19	8	87	44	8	27	8	22	16	6	-	-	184
1	-	-	-	1	20	6	2	9	3	14	4	-	6	4	-	-	-	-	-	185
151	50	69	22	10	231	99	108	16	8	320	114	148	29	29	67	32	35	-	-	186a
3	1	-	2	-	9	5	-	4	-	10	6	-	4	-	3	3	-	-	-	186b
-	-	-	-	-	1	1	-	-	-	21	5	9	4	3	-	-	-	-	-	187
1	1	-	-	-	2	1	1	-	-	2	1	-	1	-	-	-	-	-	-	188
-	-	-	-	-	2	1	-	1	-	2	-	-	1	1	-	-	-	-	-	189
-	-	-	-	-	2	-	-	2	-	3	1	-	2	-	1	1	-	-	-	190
2	2	-	-	-	16	12	-	3	1	11	1	-	7	3	-	-	-	-	-	191
-	-	-	-	-	23	16	3	4	-	21	11	2	5	3	3	2	1	-	-	192
2	1	-	1	-	22	21	-	-	1	22	14	1	7	-	6	6	-	-	-	193
-	-	-	-	-	3	3	-	-	-	3	1	-	1	1	2	1	1	-	-	194
-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	1	-	-	-	195a,b
8	1	4	2	1	18	4	7	3	4	14	8	4	1	1	4	3	1	-	-	195d
22	6	7	4	5	137	76	28	21	12	93	39	11	31	12	23	17	6	-	-	195e,e
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	8	2	-	6	-	10	2	-	8	-	-	-	-	-	-	198
9	5	2	-	2	667	243	103	176	145	1,117	264	146	380	327	59	41	14	2	2	
-	-	-	-	-	127	77	15	24	11	189	60	26	64	39	7	5	2	-	-	199
8	4	2	-	2	296	100	45	84	67	270	72	39	89	70	36	26	8	1	1	200a
-	-	-	-	-	31	18	6	6	1	62	20	11	18	13	1	1	-	-	-	200b
1	1	-	-	-	213	48	37	62	66	596	112	70	209	205	15	9	4	1	1	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	88,180	45,471	36,026	3,586	3,097	39,376	20,601	16,713	1,079	983
	I.—Infectious and parasitic diseases	5,401	2,785	1,521	648	447	2,696	1,338	1,048	185	125
1	Typhoid fever	14	11	3	-	-	18	14	3	-	1
2	Paratyphoid fever	2	1	1	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	4	1	3	-	-	1	1	-	-	-
6	Cerebrospinal (meningococcus) meningitis	199	96	63	18	22	76	34	32	9	1
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	26	11	14	-	1	14	7	7	-	-
9	Whooping cough	44	15	22	3	4	30	7	21	1	1
10	Diphtheria (infection by C. diphtheriae)	21	9	9	1	2	34	17	17	-	-
11	Erysipelas	14	4	10	-	-	10	5	5	-	-
12	Tetanus	23	14	7	1	1	19	11	3	5	-
13-22	Tuberculosis (all forms)	3,218	1,625	817	452	324	1,221	599	446	95	81
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	18	17	-	1	-	11	11	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	2,964	1,520	759	406	279	1,099	536	404	85	74
14	Tuberculosis of meninges and central nervous system	60	22	14	11	13	18	11	5	2	-
15	Tuberculosis of intestines and peritoneum	35	11	12	7	5	17	6	9	1	1
16	Tuberculosis of vertebral column	20	5	10	3	2	20	11	8	-	1
17a	Tuberculosis of bones (except vertebral column)	2	-	-	1	1	4	2	2	-	-
17b	Tuberculosis of joints (except vertebral column)	5	2	1	1	1	4	3	1	-	-
18	Tuberculosis of skin, etc. *	1	-	-	1	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc. *	5	2	1	2	-	3	1	2	-	-
20	Tuberculosis of genito-urinary system	25	16	8	1	-	10	7	2	1	-
21	Tuberculosis of other organs	4	3	-	-	1	2	1	1	-	-
22a	Disseminated tuberculosis (acute miliary)	76	25	11	18	22	28	8	10	5	5
22b	Disseminated tuberculosis (other and unspecified)	3	2	1	-	-	5	2	2	1	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	44	24	16	2	2	40	21	16	2	1
25	Gonococcus infection	8	1	2	1	4	4	1	1	2	-
26	Other diseases due to bacteria (except dysentery)	10	6	3	-	1	3	2	1	-	-
27	Dysentery	35	16	14	1	4	31	13	17	1	-
28	Malaria	6	3	2	1	-	3	1	2	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	857	504	158	140	55	401	239	92	51	19
30a	Locomotor ataxia (tabes dorsalis)	42	28	7	3	4	12	8	2	2	-
30b	General paralysis of insane	344	195	59	67	23	176	112	35	21	8
30c	Other syphilis of central nervous system	78	40	15	13	10	35	17	11	4	3
30d	Aneurysm of aorta	188	132	22	26	8	75	52	14	7	2
30e	Other syphilis of circulatory system	58	33	11	11	3	19	9	1	8	1
30f,g	Congenital, other and unspecified forms of syphilis	147	76	44	20	7	84	41	29	9	5
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	9	5	4	-	-	4	2	2	-	-
33a	Influenza, with respiratory complications specified	291	150	116	12	13	353	153	173	14	13
33b	Influenza, without respiratory complications specified	252	122	115	6	9	262	116	138	3	5
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	83	37	43	1	2	43	16	26	-	1
36	Acute poliomyelitis and acute polioencephalitis	39	21	17	1	-	30	18	12	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	26	10	12	3	1	18	12	6	-	-
37b	Sequelae of encephalitis lethargica	11	5	6	-	-	6	4	1	1	-
38	Other diseases due to filtrable viruses	11	5	5	1	-	6	4	2	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	3	3	-	-	-	4	2	2	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	1	1	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	2	-	1	1	-	1	-	1	-	-
43	Mycoses	17	11	5	1	-	13	9	4	-	-
44	Other infectious and parasitic (communicable) diseases	131	74	53	2	2	51	30	18	1	2
	II.—Cancer and other tumors	12,865	5,985	6,231	282	367	4,799	2,099	2,522	67	111
45-55	Cancer and other malignant tumors	12,418	5,865	5,961	271	321	4,615	2,034	2,416	65	100
45	Cancer of buccal cavity and pharynx	388	318	55	10	5	121	97	23	1	-
45a-e	Cancer of buccal cavity	263	221	31	4	4	84	65	18	1	-
45f	Cancer of pharynx	125	97	24	3	1	37	32	5	-	-
46	Cancer of digestive organs and peritoneum	5,948	3,082	2,614	155	97	2,039	1,013	960	34	32
46a	Cancer of esophagus	285	232	35	15	3	47	35	9	2	1
46b,c	Cancer of stomach and duodenum	1,895	1,125	673	69	28	621	377	229	6	9
46f	Cancer of liver and biliary passages	917	378	514	13	12	406	155	238	5	8
46g	Cancer of pancreas	399	201	180	10	8	157	84	68	3	2
46d,e,h,x	Cancer of other digestive organs and peritoneum	2,452	1,146	1,212	48	46	808	362	416	18	12
47	Cancer of respiratory system	977	716	221	33	7	280	194	71	12	3
48	Cancer of uterus	1,224	...	1,102	...	122	512	...	483	...	29
49	Cancer of other female genital organs	330	...	310	...	20	108	...	100	...	8
50	Cancer of breast	1,115	20	1,046	1	48	424	3	406	1	14
51	Cancer of male genital organs	694	656	...	38	...	317	310	...	7	...
52	Cancer of urinary organs (male and female)	617	405	194	11	7	191	128	58	3	2
53	Cancer of skin (except vulva and scrotum)	173	113	57	2	1	102	63	37	-	2
54	Cancer of central nervous system *	210	128	75	4	3	37	22	14	-	1
55	Cancer of other and unspecified organs	742	427	287	17	11	484	204	264	7	9
56a	Nonmalignant tumors of ovary	40	...	35	...	5	13	...	12	...	1
56b	Nonmalignant tumors of uterus	147	...	114	...	33	46	...	38	...	8
56c	Nonmalignant tumors of other female genital organs	4	...	4	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	62	36	19	4	3	23	12	9	1	1

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
26,094	14,248	11,541	165	140	18,535	9,988	7,553	560	434	28,371	13,811	10,939	1,936	1,685	23,567	7,709	5,606	5,302	4,950	
1,244	671	520	32	21	1,036	552	367	70	47	3,254	1,449	1,259	319	227	2,657	694	401	900	662	
3	-	3	-	-	2	2	-	-	-	26	13	12	1	-	26	2	5	5	14	1
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	1	-	1	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	5	-	-	-	2	2	-	-	-	5	3	2	-	-	2	-	1	1	-	5
21	8	12	1	-	30	19	9	1	1	79	41	28	7	3	39	23	8	4	4	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
16	10	5	-	1	14	4	10	-	-	9	5	3	1	-	2	-	1	1	-	8
26	15	10	1	-	19	11	7	1	-	93	47	40	3	3	39	7	4	16	12	9
12	5	7	-	-	7	4	3	-	-	39	18	21	-	-	75	29	25	10	11	10
10	9	1	-	-	3	1	1	1	-	7	4	2	-	1	1	-	-	1	-	11
4	4	-	-	-	11	6	4	-	1	12	8	3	1	-	47	14	6	18	9	12
341	196	130	10	5	357	199	112	27	19	1,726	735	693	163	135	1,158	346	149	385	278	13-22
2	1	1	-	-	6	6	-	-	-	6	4	-	2	-	-	-	-	-	-	13a
312	179	119	9	5	330	180	110	24	16	1,584	679	635	147	123	1,087	331	141	357	258	13b,c
4	2	2	-	-	5	1	2	-	2	49	16	23	6	4	8	3	2	2	1	14
6	5	1	-	-	8	6	-	1	1	26	8	11	3	4	12	2	-	7	3	15
2	2	-	-	-	4	3	-	1	-	14	10	2	2	-	5	-	1	3	1	16
1	1	-	-	-	-	-	-	-	-	3	-	3	-	-	2	-	-	1	1	17a
3	2	1	-	-	-	-	-	-	-	2	1	1	-	-	4	-	1	1	2	17b
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	18
1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	5	-	1	2	2	19
3	-	3	-	-	2	2	-	-	-	10	7	3	-	-	1	-	-	-	1	20
1	1	-	-	-	-	-	-	-	-	3	-	3	-	-	1	-	-	-	1	21
6	2	3	1	-	2	1	-	1	-	23	8	9	2	4	29	8	2	11	8	22a
-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	3	2	-	1	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19	9	7	2	1	23
16	11	4	-	1	10	5	3	-	2	21	9	9	1	2	31	8	13	7	3	24
-	-	-	-	-	2	-	2	-	-	3	-	-	1	2	7	2	-	2	3	25
-	-	-	-	-	-	-	-	-	-	7	1	4	1	1	4	1	-	1	2	26
3	1	2	-	-	10	5	4	1	-	125	64	55	2	4	61	14	13	17	17	27
2	2	-	-	-	1	-	1	-	-	16	8	5	2	1	28	5	7	6	10	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
191	118	51	14	8	167	95	33	27	12	256	112	38	82	24	516	88	22	257	149	30
8	4	2	1	1	6	4	2	-	-	4	2	1	1	-	6	4	-	2	-	30a
66	39	16	8	3	44	24	10	6	4	105	44	15	35	11	103	25	2	59	17	30b
18	10	7	1	-	22	10	4	7	1	31	15	5	11	-	62	15	7	26	14	30c
34	27	6	-	1	38	19	7	9	3	37	19	5	10	3	76	21	3	35	17	30d
8	7	1	-	-	7	7	-	-	-	14	7	-	6	1	67	7	2	43	15	30e
57	31	19	4	3	50	31	10	5	4	65	25	12	19	9	202	16	8	92	86	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
6	5	1	-	-	1	-	1	-	-	4	2	1	-	1	3	-	1	1	1	32
251	112	136	1	2	164	82	71	6	5	400	178	163	29	30	327	77	76	99	75	33a
214	99	111	4	-	139	67	61	5	6	269	123	107	20	19	140	35	38	24	43	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
31	17	13	1	-	30	12	17	-	1	52	19	32	1	-	59	8	10	23	18	35
16	8	6	-	2	10	6	3	1	-	48	27	20	1	-	12	4	6	2	-	36
6	3	3	-	-	14	10	4	-	-	9	6	2	-	1	2	2	-	-	-	37a,c
1	-	-	-	1	3	2	1	-	-	5	4	1	-	-	-	-	-	-	-	37b
4	2	2	-	-	3	1	2	-	-	1	-	-	1	-	4	3	-	1	-	38
-	-	-	-	-	-	-	-	-	-	6	3	3	-	-	13	7	2	3	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	41
1	1	-	-	-	-	-	-	-	-	8	3	5	-	-	10	-	3	3	4	42
3	1	2	-	-	1	-	1	-	-	3	2	1	-	-	7	2	1	3	1	43
60	38	21	-	1	36	19	17	-	-	22	11	9	2	-	23	8	2	8	5	44
3,676	1,738	1,902	18	18	2,383	1,093	1,191	40	59	2,803	1,135	1,412	100	156	2,468	837	782	375	474	
3,584	1,720	1,832	18	14	2,306	1,077	1,140	40	49	2,703	1,106	1,355	99	143	2,347	812	739	356	440	45-55
79	65	13	1	-	79	61	16	1	1	88	47	31	6	4	107	65	12	19	11	45
63	49	13	1	-	66	50	14	1	1	60	34	23	3	-	60	37	10	9	4	45a-e
16	16	-	-	-	13	11	2	-	-	28	13	8	3	4	47	28	2	10	7	45f
1,705	907	779	13	6	1,051	523	499	20	9	1,231	551	589	50	41	913	339	268	187	124	46
33	19	12	2	-	14	12	2	-	-	31	22	7	2	-	31	12	4	11	4	46a
601	370	224	4	3	363	236	115	10	2	370	189	156	16	9	303	111	65	89	38	46b,c
275	113	161	-	1	192	68	122	2	-	282	106	154	12	10	150	46	56	28	20	46f
122	76	46	-	-	96	48	45	2	1	90	42	42	2	4	97	48	22	16	11	46g
674	329	336	7	2	386	159	215	6	6	458	192	230	18	18	332	122	116	43	51	48d,e,h,m
194	132	59	3	-	156	105	43	5	3	129	85	30	9	5	228	156	29	35	8	47
287	...	283	...	4	184	...	168	...	16	331	...	280	...	51	315	...	139	...	176	48
112	...	111	...	1	57	...	53	...	4	49	...	42	...	7	56	...	47	...	9	49
375	2	372	-	1	228	-	216	1	11	228	2	197	1	28	204	1	141	1	61	50
304	304	...	-	...	198	188	...	10	...	180	165	...	15	...	162	87	...	75	...	51
170	112	58	-	-	96	55	39	-	2	107	53	46	5	3	99	52	28	10	9	52
85	51	34	-	-	60	39	20	-	1	105	68	36	1	-	45	25	12	4	4	53
70	40	29	-	1	39	26	13	-	-	51	32	19	-	-	18	9	5	2	2	54
203	107	94	1	1	158	80	73	3	2	204	103	85	12	4	200	78	63	23	36	55
12	...	11	...	1	5	...	5	...	-	10	...	7	...	3	12	...	7	...	5	56a
37	...	35	...	2	35	...	25	...	10	39	...	32	...	7	45	...	21	...	24	56b
2	...	1	...	1	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	56c
22	11	11	-	-	17	9	8	-	-	20	14	5	-	1	11	4	2	4	1	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	6	...	5	...	1	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	3	...	3	...	-	3	...	3	...	-
57c	Tumors of other female genital organs (nature unspecified)	5	...	5	...	-	1	...	1	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	180	84	85	7	4	98	53	43	1	1
	III.—Rheumatism, diseases of nutrition, etc. *	3,164	1,100	1,900	44	120	1,212	433	716	14	49
58a-d	Acute rheumatic heart diseases	52	21	25	3	3	19	9	5	1	4
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	21	8	5	2	6	12	7	5	-	-
59	Chronic rheumatism and other rheumatic diseases	92	31	59	1	1	70	22	47	-	1
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,632	934	1,571	30	97	947	347	550	13	37
62	Diseases of pituitary gland	5	-	5	-	-	2	1	1	-	-
63a	Simple goiter	7	3	4	-	-	8	-	8	-	-
63b	Exophthalmic goiter	224	37	178	2	7	79	15	59	-	5
63c-e	Other diseases of thyroid and parathyroid glands	18	6	10	-	2	6	2	4	-	-
64	Diseases of thymus gland	49	27	18	2	2	27	14	13	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	32	17	13	2	-	14	4	10	-	-
66	Other general diseases	16	7	9	-	-	18	7	10	-	1
67	Scurvy	1	1	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	1	1	1	1	5	1	4	-	-
70	Rickets	5	3	1	-	1	1	1	-	-	-
71	Other avitaminoses	6	4	1	1	-	4	3	-	-	1
	IV.—Diseases of the blood and blood-forming organs	728	391	306	17	14	327	177	138	7	5
72	Hemorrhagic conditions	39	17	21	-	1	16	9	7	-	-
73a	Pernicious anemia	168	72	91	1	4	87	47	37	2	1
73b-d	Other anemias (except splenic)	57	27	27	3	-	34	20	14	-	-
74a	Leukemias	407	245	142	12	8	169	90	72	4	3
74b	Aleukemias	14	9	5	-	-	4	1	3	-	-
75	Diseases of spleen	32	13	17	1	1	13	8	3	1	1
76	Other diseases of the blood and blood-forming organs	11	8	3	-	-	4	2	2	-	-
	V.—Chronic poisoning and intoxication	53	40	8	4	1	48	43	2	3	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	4	4	-	-	-	5	5	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	43	34	8	1	-	39	35	1	3	-
78	Lead poisoning	3	-	-	2	1	2	2	-	-	-
79	Chronic poisoning by other mineral or organic substances	3	2	-	1	-	2	1	1	-	-
	VI.—Diseases of the nervous system, etc. *	7,677	3,562	3,578	259	278	4,735	2,257	2,244	109	125
80	Encephalitis (nonepidemic)	77	41	27	6	3	77	38	37	-	2
81	Meningitis (not due to meningococcus)	114	72	25	8	9	59	33	24	2	-
82	Diseases of spinal cord (see exceptions) *	142	72	60	6	4	62	31	27	2	2
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	5,896	2,631	2,857	189	219	3,870	1,619	1,863	88	100
83b	Cerebral embolism and thrombosis	660	339	281	18	22	228	116	96	7	9
83c	Cerebral softening	59	34	19	4	2	20	12	8	-	-
83d	Hemiplegia and other paralysis of unspecified origin	236	111	103	15	7	152	69	71	5	7
84	Mental diseases and deficiency (see exception) *	59	27	27	3	2	43	17	24	-	2
85	Epilepsy	95	43	40	6	6	56	30	23	2	1
86	Convulsions (under 5 years)	14	6	7	1	-	8	5	2	1	-
87	Other diseases of nervous system	262	146	110	2	4	134	69	62	1	2
88	Diseases of organs of vision	2	1	1	-	-	2	2	-	-	-
89a	Otitis and other diseases of the ear	43	27	15	1	-	18	12	6	-	-
89b	Diseases of mastoid process	18	12	6	-	-	6	4	1	1	-
	VII.—Diseases of the circulatory system	32,791	17,642	13,010	1,099	1,040	12,570	7,083	4,960	289	238
90-95	Diseases of the heart (all forms)	30,895	16,615	12,244	1,045	991	11,431	6,485	4,453	269	224
90	Pericarditis (except acute rheumatic)	25	13	12	-	-	10	4	5	-	1
91a,b	Bacterial and other acute or subacute endocarditis	159	70	74	8	7	63	28	28	3	4
91c	Endocarditis (unspecified, under 45 years)	24	11	10	1	2	11	3	6	1	1
92a-d	Chronic endocarditis and diseases of the valves *	2,283	1,101	1,082	44	56	1,160	583	506	33	38
92e	Endocarditis (unspecified, 45 years and over)	160	74	82	2	2	83	47	30	4	2
93a	Acute myocarditis (except rheumatic)	253	137	101	9	6	161	84	72	4	1
93b	Myocarditis (unspecified, under 45 years)	38	18	12	3	5	14	7	5	-	2
93c,d	Chronic myocarditis and myocardial degeneration	17,338	8,563	7,433	690	652	4,008	1,972	1,828	112	96
93e	Other myocarditis (unspecified)	1,413	721	634	28	30	732	386	312	18	16
94a	Diseases of coronary arteries	5,916	3,995	1,805	63	53	3,626	2,477	1,060	52	37
94b	Angina pectoris	355	250	101	2	2	304	215	84	4	1
95a	Functional diseases of heart, etc. *	39	19	18	1	1	43	28	14	1	-
95b,c	Other and unspecified diseases of heart	2,892	1,643	880	194	175	1,216	651	503	37	25
96	Aneurysm (except of heart and aorta)	72	50	19	2	1	17	14	2	-	1
97	Arteriosclerosis (except coronary or renal sclerosis)	1,556	827	651	44	34	965	500	434	18	13
98	Gangrene	18	12	3	2	1	15	8	7	-	-
99	Other diseases of arteries	112	73	36	2	1	63	40	23	-	-
100	Diseases of veins	58	28	28	-	2	18	7	11	-	-
101	Diseases of lymphatic system	4	2	2	-	-	4	2	2	-	-
102	High blood pressure (idiopathic)	73	33	26	4	10	52	25	25	2	-
103	Other diseases of circulatory system	3	2	1	-	-	5	2	3	-	-
	VIII.—Diseases of respiratory system	3,592	1,900	1,239	293	160	2,084	1,083	824	100	77
104a	Diseases of nasal fossae	8	5	3	-	-	3	2	1	-	-
104b	Diseases of accessory sinuses	25	15	8	1	1	15	11	2	2	-
105	Diseases of larynx	13	2	8	2	1	6	3	3	-	-
106a	Acute bronchitis	47	19	25	3	-	20	4	13	1	2

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	57a
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	57b
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
18	7	11	-	-	20	7	13	-	-	30	15	13	1	1	52	21	13	15	3	57d,e
809	317	483	5	4	621	237	355	9	20	708	294	334	31	49	601	151	223	77	150	
22	9	13	-	-	9	5	4	-	-	16	11	3	1	1	11	2	2	2	5	58a-d
7	5	2	-	-	5	1	3	1	-	18	12	5	1	-	14	2	2	3	7	58e,f
53	18	35	-	-	36	12	24	-	-	50	20	26	1	3	24	7	6	5	6	59
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
643	261	375	4	3	479	191	264	8	16	490	205	228	21	36	408	105	171	44	88	61
1	1	-	-	-	2	-	2	-	-	1	1	-	-	-	2	2	-	-	-	62
3	1	2	-	-	5	1	3	-	1	3	-	3	-	-	4	-	-	-	4	63a
40	5	34	-	1	45	5	38	-	2	47	3	35	2	7	39	5	16	3	15	63b
3	1	2	-	-	6	2	4	-	-	11	3	7	-	1	4	1	2	-	1	63c-e
17	9	7	1	-	19	14	4	-	1	9	5	2	1	1	24	10	6	7	1	64
15	6	9	-	-	5	1	4	-	-	8	5	3	-	-	7	1	6	-	-	65
1	-	1	-	-	3	2	1	-	-	16	10	6	-	-	19	6	3	6	4	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	68
3	-	3	-	-	5	1	4	-	-	28	13	14	1	-	36	8	8	6	14	69
-	-	-	-	-	1	1	-	-	-	8	4	1	3	-	2	-	-	-	2	70
-	-	-	-	-	1	1	-	-	-	3	2	1	-	-	5	1	1	1	2	71
257	134	121	1	1	191	99	87	1	4	217	120	83	7	7	151	54	58	19	20	
10	6	4	-	-	14	9	4	1	-	20	10	10	-	-	18	1	10	4	3	72
71	33	37	-	1	66	30	36	-	-	64	27	35	-	2	12	4	7	-	1	73a
22	8	14	-	-	21	7	12	-	2	28	15	8	4	1	20	7	6	4	3	73b-d
139	77	61	1	-	73	45	27	-	1	86	52	29	2	3	80	33	30	10	7	74a
3	1	2	-	-	6	4	1	-	1	2	2	-	-	-	5	4	-	-	1	74b
7	4	3	-	-	6	2	4	-	-	12	9	1	1	1	11	2	4	1	4	75
5	5	-	-	-	5	2	3	-	-	5	5	-	-	-	5	3	1	-	1	76
20	19	1	-	-	6	5	-	1	-	24	18	-	6	-	24	16	4	4	-	
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	77a,b
20	19	1	-	-	5	4	-	1	-	23	17	-	6	-	23	16	3	4	-	77c-e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	79
3,318	1,659	1,615	19	25	2,198	1,062	1,028	50	58	3,134	1,415	1,310	188	221	2,075	540	551	453	531	
28	17	10	-	1	16	7	9	-	-	39	22	15	2	-	36	16	11	2	7	80
43	27	15	1	-	23	15	8	-	-	76	42	25	6	1	63	18	16	13	16	81
67	42	25	-	-	44	29	13	1	1	60	29	27	-	4	30	15	10	3	2	82
2,705	1,324	1,347	11	23	1,779	848	834	45	52	2,424	1,083	1,005	153	183	1,630	397	429	359	445	83a
231	116	111	3	1	134	63	66	2	3	98	45	46	5	2	81	31	26	12	12	83b
12	8	4	-	-	22	11	11	-	-	25	14	10	-	1	6	2	4	-	-	83c
18	10	8	-	-	21	6	13	2	-	215	80	105	12	18	91	20	25	21	25	83d
48	21	26	1	-	39	13	24	-	2	34	19	11	-	4	42	12	7	14	9	84
39	22	15	2	-	39	21	18	-	-	60	22	30	4	4	38	12	8	12	6	85
1	1	-	-	-	5	5	-	-	-	13	6	6	1	-	13	1	2	7	3	86
113	60	52	1	-	60	35	25	-	-	64	33	26	2	3	33	14	10	4	5	87
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	-	-	1	-	88
12	10	2	-	-	13	8	5	-	-	16	14	1	1	-	9	1	2	5	1	89a
1	1	-	-	-	2	1	1	-	-	9	6	2	-	1	2	1	1	-	-	89b
8,786	5,119	3,593	36	38	5,787	3,358	2,170	152	107	7,578	3,814	2,753	552	459	6,536	2,462	1,636	1 196	1,242	
8,050	4,719	3,261	35	35	5,284	3,094	1,951	139	100	6,942	3,509	2,498	509	426	6,208	2,367	1,544	1,123	1,174	90-95
11	8	3	-	-	13	9	3	1	-	18	9	6	2	1	12	4	3	2	3	90
35	25	10	-	-	21	12	7	-	2	24	7	11	3	3	31	3	7	7	14	91a,b
3	2	1	-	-	1	1	-	-	-	12	5	4	1	2	3	-	-	1	2	91c
949	512	425	8	4	741	396	301	25	19	844	425	324	54	41	635	140	147	171	177	92a-d
67	28	39	-	-	28	15	12	-	1	94	43	41	3	7	50	18	17	9	6	92e
40	23	17	-	-	52	25	22	1	4	88	41	19	20	8	92	22	15	28	24	93a
17	8	9	-	-	3	2	-	1	-	22	5	7	6	4	9	-	3	3	3	93b
2,543	1,332	1,185	13	13	1,825	936	786	55	48	2,358	1,047	989	164	158	3,183	1,112	902	558	611	93c,d
545	270	267	3	5	251	126	108	11	6	376	161	150	30	35	292	118	79	44	51	93e
3,036	2,043	978	7	8	1,891	1,280	562	35	14	1,805	1,082	487	137	99	1,197	684	225	163	125	94a
114	80	34	-	-	106	75	29	-	2	157	102	43	10	2	145	75	24	14	32	94b
33	21	11	-	1	37	28	9	-	-	28	10	16	1	1	19	9	5	2	3	95a
657	367	282	4	4	315	189	112	10	4	1,116	572	401	78	65	540	182	114	121	123	95b,c
25	19	6	-	-	18	10	7	1	-	6	2	3	-	1	22	9	8	3	2	96
594	311	280	1	2	410	216	176	11	7	531	253	215	36	27	195	56	60	40	39	97
11	5	6	-	-	7	2	5	-	-	14	7	4	2	1	8	2	-	3	3	98
63	43	20	-	-	44	28	15	1	-	34	20	11	2	1	12	5	3	3	1	99
15	9	6	-	-	8	2	6	-	-	9	3	4	1	1	11	2	4	3	2	100
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	2	-	1	1	-	101
25	10	14	-	1	13	4	9	-	-	36	17	16	2	1	75	21	16	18	20	102
3	3	-	-	-	3	2	1	-	-	3	1	1	-	1	3	-	-	2	1	103
1,251	684	540	16	11	855	437	361	38	19	2,028	1,009	759	144	116	1,493	434	315	394	350	
4	2	2	-	-	3	3	-	-	-	8	2	6	-	-	2	-	-	1	1	104a
9	8	1	-	-	8	4	4	-	-	9	3	5	1	-	9	5	2	1	1	104b
4	1	3	-	-	1	1	-	-	-	13	4	7	1	1	7	1	2	3	1	105
12	8	4	-	-	8	2	5	1	-	13	6	5	1	1	11	2	4	3	2	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:
(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	118	65	49	3	1	51	26	24	-	1
106c	Bronchitis (unspecified)	43	21	20	-	2	19	11	7	1	-
107	Bronchopneumonia (including capillary bronchitis)	1,437	701	512	135	89	688	324	289	39	36
108	Lobar pneumonia	1,124	641	326	106	51	648	362	215	44	27
109	Pneumonia (unspecified)	260	136	102	14	8	276	148	115	5	8
	A. Atypical or virus pneumonia	33	19	13	1	-	23	11	11	1	-
	B. Pneumonia (all other, unspecified)	227	117	89	13	8	253	137	104	4	8
110	Pleurisy (not specified as tuberculous)	108	74	25	8	1	41	29	8	4	-
111a	Hemorrhagic infarction and thrombosis of lungs	69	39	28	2	-	48	21	27	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	110	41	64	3	2	137	62	73	-	2
112	Asthma	112	63	45	3	1	74	37	34	3	-
113	Pulmonary emphysema	14	10	2	2	-	11	9	2	-	-
114	Other diseases of respiratory system (except tuberculosis)	104	68	22	11	3	47	34	11	1	1
	IX.—Diseases of the digestive system	4,226	2,322	1,649	128	127	1,739	891	752	48	48
115a,b,d	Diseases of buccal cavity and adnexa	50	22	20	5	3	34	19	14	1	-
115c	Diseases of pharynx and tonsils	76	34	39	2	1	31	14	16	-	1
116	Diseases of esophagus	15	8	6	1	-	6	3	3	-	-
117a	Ulcer of stomach	427	342	67	16	2	142	109	27	5	1
117b	Ulcer of duodenum	193	157	32	4	-	46	37	8	1	-
118	Other diseases of stomach (except cancer)	55	30	11	9	5	56	28	21	3	4
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	211	112	72	13	14	197	97	87	9	4
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	128	67	52	3	6	91	45	40	3	3
121	Appendicitis	537	297	200	16	24	221	130	76	5	10
122a	Hernia	396	221	154	11	10	148	79	62	4	3
122b	Intestinal obstruction	451	182	231	16	22	201	67	114	8	12
123	Other diseases of intestines	83	43	31	3	6	34	21	11	1	1
124a	Cirrhosis of liver (with mention of alcoholism)	80	55	17	5	3	16	10	5	1	-
124b	Cirrhosis of liver (without mention of alcoholism)	806	515	262	14	15	215	118	90	4	3
125a	Acute yellow atrophy of liver (nonpuerperal)	33	10	18	2	3	18	12	5	1	-
125b	Other diseases of liver	47	22	20	3	2	36	20	13	1	2
126	Biliary calculi	319	94	217	1	7	73	20	52	-	1
127	Other diseases of gallbladder and biliary ducts	209	62	143	3	1	110	29	79	-	2
128	Diseases of pancreas (except diabetes mellitus)	57	24	32	-	1	26	13	12	1	-
129	Peritonitis (cause not stated)	53	25	25	1	2	38	20	17	-	1
	X.—Diseases of the genito-urinary system	7,314	3,702	3,075	279	258	3,634	1,944	1,492	101	97
130	Acute nephritis	114	59	45	8	2	72	32	37	2	1
131a	Arteriosclerotic kidney	3,828	1,780	1,805	113	130	2,289	1,196	981	53	59
131b	Other chronic nephritis	1,945	896	878	82	89	695	360	288	29	18
132	Nephritis unspecified (10 years and over)	262	137	96	16	13	179	109	62	5	3
133	Other diseases of kidneys and ureters, etc. *	188	92	79	9	8	91	42	40	2	7
134	Calculi of urinary passages	114	69	44	-	1	35	18	15	1	1
135	Diseases of urinary bladder	55	32	22	1	-	32	16	16	-	-
136	Diseases of urethra (except calculus)	37	23	3	11	-	9	7	-	2	-
137	Diseases of prostate	650	611	...	39	...	170	163	...	7	...
138	Diseases of other male genital organs (except venereal)	3	3	...	-	...	1	1	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	64	...	49	...	15	32	...	26	...	6
139b	Diseases of uterus	51	...	51	...	-	28	...	26	...	2
139c	Diseases of other and unspecified female genital organs	3	...	3	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	254	...	223	...	31	141	...	126	...	15
140	Abortion with mention of infection	37	...	34	...	3	16	...	14	...	2
140a,b	Abortion (septic), spontaneous or therapeutic *	25	...	23	...	2	14	...	12	...	2
140c,d	Abortion (septic), self-induced or nontherapeutic *	12	...	11	...	1	2	...	2	...	-
141	Abortion without mention of infection	15	...	14	...	1	7	...	7	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *	4	...	4	...	-	2	...	2	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	6	...	6	...	-	3	...	3	...	-
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified *	4	...	3	...	1	2	...	2	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	1	...	1	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	2	...	2	...	-	6	...	4	...	2
142b	Ectopic gestation, without mention of infection	15	...	13	...	2	11	...	9	...	2
143a	Placenta praevia (death before delivery)	1	...	-	...	1	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	1	...	1	...	-	2	...	2	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery) *	9	...	5	...	4	16	...	13	...	3
144c,d	Other toxemias of pregnancy (death before delivery) *	2	...	2	...	-	2	...	2	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	10	...	8	...	2	7	...	7	...	-
	A. With mention of infection	6	...	6	...	-	4	...	4	...	-
	B. Without mention of infection	4	...	2	...	2	3	...	3	...	-
146a	Placenta praevia (with childbirth)	7	...	6	...	1	4	...	4	...	-
146b,c	Other hemorrhages of childbirth and puerperium	38	...	37	...	1	21	...	19	...	2
147a,b	Puerperal pyelitis, other general or local puerperal infection *	32	...	26	...	6	14	...	12	...	2
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	28	...	26	...	2	16	...	15	...	1
148a,b	Puerperal eclampsia and nephritis *	23	...	19	...	4	10	...	9	...	1
148c,d	Other puerperal toxemias	6	...	5	...	1	1	...	1	...	-
149	Other accidents and specified conditions of childbirth	20	...	19	...	1	6	...	6	...	-
150	Other and unspecified conditions of childbirth and puerperium	8	...	6	...	2	2	...	2	...	-
	XII.—Diseases of the skin and cellular tissue	58	31	22	4	1	27	8	19	-	-
151	Carbuncle and furuncle	5	3	1	1	-	3	1	2	-	-
152	Phlegmon and acute abscess	20	15	3	2	-	10	4	6	-	-
153	Other diseases of skin and cellular tissue	33	13	18	1	1	14	3	11	-	-

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued
and of deaths among armed forces overseas)

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
29	17	12	-	-	33	22	11	-	-	56	37	15	2	2	22	14	5	2	1	106b
13	8	5	-	-	7	3	4	-	-	26	12	11	2	1	9	3	5	1	-	106c
500	272	219	4	5	366	159	180	20	7	771	374	302	51	44	704	178	141	207	178	107
497	261	220	10	6	235	131	82	14	8	582	282	198	56	46	404	121	74	105	104	108
39	25	14	-	-	42	28	12	1	1	324	170	117	20	17	169	51	36	46	36	109
11	8	3	-	-	11	9	2	-	-	1	1	-	-	-	5	1	2	1	1	
28	17	11	-	-	31	19	10	1	1	323	169	117	20	17	164	50	34	45	35	
16	10	5	1	-	12	7	5	-	-	30	20	7	3	-	40	19	7	10	4	110
24	14	10	-	-	17	8	8	-	1	15	9	4	1	1	19	11	4	2	2	111a
39	21	17	1	-	62	33	28	-	1	77	38	34	4	1	35	9	17	2	7	111b,c
44	22	22	-	-	40	22	15	2	1	67	31	33	1	2	40	11	12	6	11	112
5	4	1	-	-	-	-	-	-	-	6	2	4	-	-	3	2	1	-	-	113
16	11	5	-	-	21	14	7	-	-	31	19	11	1	-	19	7	5	5	2	114
1,111	598	499	6	8	871	450	368	34	19	1,511	790	561	74	86	1,163	396	301	246	220	
28	19	8	1	-	27	16	7	2	2	37	21	12	3	1	25	5	10	7	3	115a,b,d
13	9	4	-	-	25	14	11	-	-	22	11	9	1	1	19	7	5	1	6	115c
3	3	-	-	-	4	1	2	1	-	4	1	3	-	-	2	-	1	-	1	116
94	79	14	-	1	76	59	12	4	1	119	84	26	4	5	86	38	11	31	6	117a
52	43	8	1	-	33	29	3	1	-	66	56	7	2	1	20	13	3	2	2	117b
17	13	4	-	-	17	8	7	1	1	56	25	25	3	3	42	9	9	11	13	118
62	35	27	-	-	68	36	28	2	2	375	190	149	19	17	223	63	45	65	50	119
43	16	27	-	-	40	18	19	1	2	95	43	34	4	14	67	10	15	15	27	120
157	92	62	1	2	124	69	48	4	3	120	56	62	10	12	144	47	46	28	23	121
121	63	55	2	1	88	47	37	4	-	71	36	25	7	3	65	23	22	14	6	122a
128	50	76	1	1	86	32	49	3	2	122	41	61	8	12	135	34	38	25	38	122b
33	21	12	-	-	18	9	8	-	1	24	13	8	1	2	29	8	6	11	4	123
13	13	-	-	-	4	3	1	-	-	13	12	1	-	-	10	10	-	-	-	124a
105	58	45	-	2	82	38	33	10	1	145	95	37	6	7	153	79	35	20	19	124b
7	4	3	-	-	12	8	4	-	-	13	4	9	-	-	14	5	5	1	3	125a
15	8	7	-	-	14	4	9	1	-	29	12	12	3	2	35	14	6	8	7	125b
112	33	79	-	-	81	23	57	-	1	38	11	25	1	1	28	5	21	1	2	126
71	26	44	-	1	37	16	18	-	3	70	22	43	1	4	34	13	17	-	4	127
11	3	8	-	-	18	8	10	-	-	15	9	4	1	1	9	4	2	2	1	128
26	10	16	-	-	17	12	5	-	-	17	8	9	-	-	22	9	4	4	5	129
1,907	1,095	795	11	6	1,666	908	622	78	58	2,135	986	733	224	192	2,012	531	482	488	511	
42	24	18	-	-	40	17	21	-	2	97	43	34	7	13	77	19	15	20	23	130
932	476	451	4	1	891	458	352	45	36	1,008	418	392	104	94	1,067	276	245	236	310	131a
490	267	214	4	5	439	226	179	21	13	544	242	190	67	45	498	112	139	133	114	131b
109	51	56	2	-	44	24	17	1	2	230	130	56	20	24	107	26	28	30	23	132
45	26	19	-	-	44	22	17	3	2	57	26	24	2	5	82	18	31	17	16	133
30	21	9	-	-	29	17	12	-	-	21	11	9	1	-	15	7	3	3	2	134
12	7	5	-	-	17	9	7	1	-	21	9	7	5	-	9	4	1	3	1	135
4	4	-	-	-	5	3	1	1	-	4	2	-	2	-	6	-	-	6	-	136
219	218	...	1	...	138	132	...	6	...	121	105	...	16	...	109	69	...	40	...	137
1	1	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	138
10	...	10	...	-	11	...	8	...	3	22	...	12	...	10	34	...	15	...	19	139a
12	...	12	...	-	8	...	8	...	-	10	...	9	...	1	8	...	5	...	3	139b
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	139c
83	...	82	...	1	64	...	55	...	9	159	...	139	...	20	207	...	85	...	122	
8	...	8	...	-	15	...	13	...	2	11	...	11	...	-	20	...	8	...	12	140
6	...	6	...	-	11	...	9	...	2	8	...	8	...	-	15	...	4	...	11	140a,b
2	...	2	...	-	4	...	4	...	-	3	...	3	...	-	5	...	4	...	1	140c,d
3	...	3	...	-	3	...	1	...	2	5	...	5	...	-	6	...	2	...	4	141
2	...	2	...	-	1	...	-	...	1	-	...	-	...	-	1	...	-	...	1	141a,c
-	...	-	...	-	1	...	-	...	1	3	...	3	...	-	3	...	1	...	2	141b
1	...	1	...	-	1	...	1	...	-	2	...	2	...	-	1	...	-	...	1	141d
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	141e,f
1	...	1	...	-	-	...	-	...	-	3	...	3	...	-	1	...	-	...	1	142a
6	...	5	...	1	4	...	4	...	-	5	...	3	...	2	13	...	5	...	8	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	143a
2	...	2	...	-	1	...	1	...	-	2	...	1	...	1	-	...	-	...	-	143b,c
2	...	2	...	-	1	...	-	...	1	11	...	11	...	-	16	...	6	...	10	144a,b
2	...	2	...	-	2	...	2	...	-	4	...	4	...	-	6	...	1	...	5	144c,d
4	...	4	...	-	3	...	2	...	1	5	...	5	...	-	13	...	4	...	9	145
2	...	2	...	-	3	...	2	...	1	2	...	2	...	-	4	...	1	...	3	
2	...	2	...	-	-	...	-	...	-	3	...	3	...	-	9	...	3	...	6	
3	...	3	...	-	-	...	-	...	-	5	...	4	...	1	5	...	3	...	2	146a
11	...	11	...	-	11	...	11	...	-	13	...	12	...	1	24	...	15	...	9	146b,c
6	...	6	...	-	5	...	4	...	1	19	...	16	...	3	36	...	6	...	30	147a,b
10	...	10	...	-	9	...	9	...	-	13	...	12	...	1	11	...	8	...	3	147c,d
14	...	14	...	-	2	...	2	...	-	32	...	30	...	2	24	...	11	...	13	148a,b
4	...	4	...	-	1	...	1	...	-	12	...	10	...	2	9	...	6	...	3	148c,d
4	...	4	...	-	5	...	4	...	1	10	...	6	...	4	12	...	6	...	6	149
3	...	3	...	-	2	...	1	...	1	9	...	6	...	3	10	...	4	...	6	150
23	9	14	-	-	14	8	4	1	1	23	17	5	-	1	23	8	8	3	4	
1	-	1	-	-	3	2	1	-	-	5	4	-	-	1	6	3	2	-	1	151
4	3	1	-	-	1	1	-	-	-	8	6	2	-	-	4	2	1	-	1	152
18	6	12	-	-	10	5	3	1	1	10	7	3	-	-	13	3	5	3	2	153

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc. *	43	22	17	4	-	25	12	11	2	-
154	Osteomyelitis and periostitis	21	12	7	2	-	13	6	5	2	-
155	Other diseases of bones (except tuberculosis)	8	3	4	1	-	2	1	1	-	-
156	Diseases of joints and other organs of movement	14	7	6	1	-	10	5	5	-	-
157	XIV.—Congenital malformations	1,032	554	428	29	21	433	243	182	4	4
	XV.—Diseases peculiar to the first year of life	2,367	1,276	876	120	95	1,187	674	430	38	45
158	Congenital debility (cause not stated)	53	25	22	4	2	47	25	20	-	2
159	Premature birth (cause not stated)	1,343	701	533	59	50	729	406	264	27	32
160a	Intracranial or spinal hemorrhage	323	190	91	27	15	78	46	29	1	2
160b,c	Other injuries at birth	302	173	109	8	12	121	70	48	1	2
161	Other diseases peculiar to the first year of life	346	187	121	22	16	212	127	69	9	7
162	XVI.—Senility	245	90	145	1	9	216	92	120	2	2
	XVII.—Violent or accidental deaths	6,135	3,907	1,732	371	125	3,280	2,079	1,054	106	41
163,164	Suicide	760	552	191	13	4	431	308	118	4	1
163	Suicide by poisoning	119	70	45	2	2	97	53	43	1	-
	Suicide by solid or liquid poisons	59	27	29	1	2	58	32	26	-	-
	Suicide by poisonous gases	60	43	16	1	-	39	21	17	1	-
164a	Suicide by hanging or strangulation	229	164	62	2	1	111	78	32	1	-
164b	Suicide by drowning	35	19	15	-	1	17	10	7	-	-
164c	Suicide by firearms and explosives	256	225	26	5	-	179	148	29	1	1
164d	Suicide by cutting or piercing instruments	52	42	10	-	-	20	15	4	1	-
164e	Suicide by jumping from high places	44	18	23	3	-	3	2	1	-	-
164f	Suicide by crushing	19	13	5	1	-	3	1	2	-	-
164g	Suicide by other or unspecified means	6	1	5	-	-	1	1	-	-	-
165-168	Homicide[1]	313	112	31	141	29	96	51	17	19	9
166	Homicide by firearms	179	69	14	85	11	52	24	11	14	3
167	Homicide by cutting or piercing instruments	73	14	1	45	13	16	6	1	4	5
168	Homicide by other means	61	29	16	11	5	28	21	5	1	1
169-195	Accidental deaths	5,060	3,241	1,510	217	92	2,753	1,720	919	83	31
169	Railway accidents (except collisions with motor vehicles)	281	233	35	11	2	146	112	25	8	1
170a	Collisions between automobiles and trains	131	94	31	4	2	114	79	31	4	-
170b	Collisions between automobiles and streetcars	25	19	2	3	1	3	3	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	1,178	877	225	58	18	639	401	122	22	4
170d	Motorcycle accidents (except collisions with automobiles)	21	18	3	-	-	18	17	1	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	76	47	25	2	2	8	5	3	-	-
171b	Other and unspecified road-transport accidents	13	11	2	-	-	10	9	1	-	-
172	Water-transport accidents	58	46	9	3	-	7	7	-	-	-
173	Air-transport accidents	131	130	-	1	-	69	68	-	1	-
174	Accidents in mines and quarries	109	109	-	-	-	43	41	2	-	-
175a	Accidents involving agricultural machinery and vehicles	62	59	3	-	-	28	23	5	-	-
175b,c	Other agricultural accidents, including injury by animals	32	30	2	-	-	26	24	2	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	-	-	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	85	72	5	8	-	25	23	2	-	-
177	Food poisoning	13	7	5	1	-	9	2	6	-	1
178	Accidental absorption of poisonous gas	68	44	21	1	2	48	32	13	2	1
179	Acute accidental poisoning by solids or liquids	60	32	25	1	2	31	13	17	-	1
180	Conflagration	140	69	46	13	12	51	30	12	7	2
181	Accidental burns (except conflagration)	245	117	104	12	12	153	77	64	7	5
182	Accidental mechanical suffocation	76	36	27	7	6	42	24	13	5	-
183	Accidental drowning	229	181	35	12	1	127	100	18	9	-
184	Accidental injury by firearms	96	69	11	13	3	46	40	5	-	1
185	Accidental injury by cutting or piercing instruments	18	11	4	1	2	12	10	1	1	-
186a	Accidental injury by fall	1,547	676	809	41	21	619	259	346	4	10
186b	Accidental injury by crushing	25	20	1	4	-	32	26	4	1	1
187	Cataclysm, etc. *	4	2	1	1	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	9	6	3	-	-	9	9	-	-	-
189	Hunger or thirst	1	1	-	-	-	1	-	1	-	-
190	Excessive cold	6	4	1	1	-	3	2	1	-	-
191	Excessive heat	19	13	5	1	-	7	3	1	2	1
192	Lightning	17	16	1	-	-	10	10	-	-	-
193	Accidents due to electric currents (except lightning)	26	26	-	-	-	20	18	2	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	1	1	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	2	1	-	-	1
195d	Obstruction, suffocation, or puncture by ingested objects	35	16	16	3	-	20	8	8	4	-
195c,e	Other and unspecified accidents	223	149	53	15	6	375	154	213	6	2
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	2	2	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	235	162	66	4	3	223	145	73	4	1
199	Sudden death	19	16	1	2	-	4	1	3	-	-
200a	Ill-defined	154	100	51	1	2	169	110	55	3	1
200b	Found dead (cause unknown)	6	5	1	-	-	4	3	1	-	-
200c	Unknown or unspecified	56	41	13	1	1	46	31	14	1	-

* Refer to complete International List titles, table V, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
19	13	6	-	-	10	6	3	1	-	23	14	6	3	-	15	6	5	2	2	
8	7	1	-	-	4	3	-	1	-	12	8	2	2	-	6	2	3	1	-	154
-	-	-	-	-	4	1	3	-	-	5	2	2	1	-	4	2	1	-	1	155
11	6	5	-	-	2	2	-	-	-	6	4	2	-	-	5	2	1	1	1	156
326	177	148	1	-	217	106	106	3	2	340	180	147	5	8	242	103	68	37	34	157
833	480	348	3	2	575	330	218	16	11	1,327	693	533	58	43	1,372	403	291	384	294	
22	17	5	-	-	22	13	5	4	-	157	81	58	8	10	63	6	10	27	20	158
523	293	226	3	1	333	196	123	5	9	792	385	344	36	27	903	268	188	246	201	159
87	56	31	-	-	35	20	12	3	-	107	64	40	1	2	102	40	28	17	17	160a
99	58	40	-	1	104	56	44	3	1	138	84	46	7	1	123	41	29	33	20	160b,c
102	56	46	-	-	81	45	34	1	1	133	79	45	6	3	181	48	36	61	36	161
323	140	182	1	-	204	90	109	3	2	371	144	196	9	22	205	46	55	52	52	162
2,021	1,344	658	14	5	1,721	1,173	474	57	17	2,616	1,674	659	211	72	2,045	960	305	573	207	
300	229	70	1	-	168	133	33	1	1	252	185	60	5	2	130	90	28	10	2	163,164
47	25	22	-	-	18	10	8	-	-	54	27	25	-	2	18	5	13	-	-	163
27	11	16	-	-	12	5	7	-	-	39	19	18	-	2	18	5	13	-	-	
20	14	6	-	-	6	5	1	-	-	15	8	7	-	-	-	-	-	-	-	
105	78	27	-	-	39	31	8	-	-	38	29	7	2	-	15	11	3	1	-	164a
10	5	5	-	-	4	1	3	-	-	7	4	3	-	-	5	4	1	-	-	164b
117	106	10	1	-	83	73	9	1	-	128	106	20	2	-	79	62	8	8	1	164c
11	11	-	-	-	10	8	2	-	-	14	12	2	-	-	3	1	1	-	1	164d
6	4	2	-	-	6	3	2	-	1	9	7	2	-	-	7	6	1	-	-	164e
3	-	3	-	-	5	5	-	-	-	-	-	-	-	-	2	-	1	1	-	164f
1	-	1	-	-	3	2	1	-	-	2	-	1	1	-	1	1	-	-	-	164g
38	20	11	5	2	59	29	12	14	4	240	139	27	62	12	220	38	14	129	39	165-168
19	8	5	4	2	35	19	8	7	1	181	109	21	45	6	107	20	10	62	15	166
5	2	2	1	-	10	2	-	6	2	28	11	1	11	5	87	6	1	57	23	167
14	10	4	-	-	14	8	4	1	1	31	19	5	6	1	26	12	3	10	1	168
1,679	1,091	577	8	3	1,490	1,008	429	41	12	2,122	1,348	572	144	58	1,691	831	263	431	166	169,195
66	59	6	-	1	42	37	2	3	-	129	109	15	5	-	54	24	1	27	2	169
44	33	11	-	-	37	27	9	1	-	22	17	3	2	-	25	15	5	2	3	170a
5	4	1	-	-	1	-	-	1	-	2	2	-	-	-	3	2	-	1	-	170b
305	215	87	3	-	266	202	57	5	2	492	358	96	30	8	405	223	44	108	30	170c
1	1	-	-	-	8	5	2	-	1	10	8	2	-	-	1	1	-	-	-	170d
3	2	1	-	-	1	1	-	-	-	8	3	5	-	-	3	3	-	-	-	171a
8	7	1	-	-	3	1	1	1	-	5	3	1	1	-	3	-	-	3	-	171b
12	12	-	-	-	5	3	2	-	-	11	9	1	1	-	41	28	1	11	1	172
125	125	-	-	-	197	194	3	-	-	14	14	-	-	-	122	122	-	-	-	173
11	11	-	-	-	11	11	-	-	-	162	143	1	15	1	2	-	-	2	-	174
55	52	3	-	-	53	50	3	-	-	22	21	-	1	-	9	5	-	4	-	175a
48	46	2	-	-	28	26	2	-	-	50	44	3	3	-	12	6	-	6	-	175b,c
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	2	-	175d
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	9	4	-	5	-	175e
20	16	4	-	-	21	20	-	1	-	25	21	3	1	-	45	31	1	11	2	176
3	-	3	-	-	2	1	1	-	-	27	10	14	2	1	24	7	6	4	7	177
25	15	10	-	-	20	11	9	-	-	12	7	3	1	1	6	3	2	-	1	178
17	11	6	-	-	18	13	4	-	1	28	16	5	7	-	27	8	5	9	5	179
37	22	15	-	-	56	31	18	5	2	71	23	24	16	8	58	14	10	22	12	180
81	45	34	1	1	88	42	39	5	2	148	62	60	5	21	134	31	29	31	43	181
25	17	7	1	-	21	16	4	1	-	36	25	11	-	-	33	9	1	14	9	182
83	73	10	-	-	78	61	12	5	-	108	78	16	14	-	166	83	14	59	10	183
39	37	-	2	-	48	38	7	3	-	99	76	10	12	1	56	34	4	16	2	184
5	2	3	-	-	2	2	-	-	-	13	5	4	3	1	19	1	1	12	5	185
584	227	355	1	1	376	144	227	3	2	500	204	271	11	14	219	84	95	27	13	186a
3	3	-	-	-	2	2	-	-	-	6	6	-	-	-	8	4	-	3	1	186b
5	4	1	-	-	6	5	1	-	-	1	-	1	-	-	5	-	2	1	2	187
3	2	1	-	-	5	4	1	-	-	1	-	1	-	-	3	2	-	1	-	188
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	189
-	-	-	-	-	4	2	1	1	-	4	3	-	1	-	1	1	-	-	-	190
1	1	-	-	-	4	2	1	1	-	10	5	3	2	-	21	11	3	7	-	191
10	10	-	-	-	10	9	1	-	-	10	8	2	-	-	21	8	1	10	2	192
6	6	-	-	-	14	12	2	-	-	13	9	3	-	1	17	13	2	2	-	193
1	-	1	-	-	2	-	2	-	-	2	1	1	-	-	2	1	-	-	1	194
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	1	-	-	1	195a,b
13	8	5	-	-	8	2	6	-	-	12	7	4	1	-	11	6	3	-	2	195d
35	25	10	-	-	52	34	11	6	1	66	47	9	9	1	122	46	33	31	12	195c,e
3	3	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
1	1	-	-	-	3	2	-	1	-	-	-	-	-	-	4	1	-	3	-	198
87	51	34	2	-	116	74	35	6	1	120	59	50	5	6	278	68	36	99	75	
10	9	1	-	-	11	10	1	-	-	14	7	5	1	1	32	8	5	9	10	199
56	31	23	2	-	68	43	22	3	-	20	9	9	1	1	124	43	14	39	28	200a
4	1	3	-	-	11	9	1	1	-	25	13	11	1	-	10	5	-	4	1	200b
17	10	7	-	-	26	12	11	2	1	61	30	25	2	4	112	12	17	47	36	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	10,279	5,533	4,707	27	12	22,648	9,754	7,948	2,754	2,192
	I.—Infectious and parasitic diseases	575	306	263	5	1	2,075	750	391	587	347
1	Typhoid fever	2	2	-	-	-	3	-	-	1	2
2	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	3	1	2	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	22	11	11	-	-	57	23	16	11	7
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	2	-	-	4	2	1	1	-
9	Whooping cough	9	2	7	-	-	29	6	8	5	10
10	Diphtheria(infection by C. diphtheriae)	3	1	1	1	-	15	9	6	-	-
11	Erysipelas	-	-	-	-	-	-	-	-	-	-
12	Tetanus	2	2	-	-	-	2	2	-	-	-
13-22	Tuberculosis (all forms)	279	151	125	2	1	1,326	485	228	375	238
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	2	2	-	-	-	2	2	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	255	139	114	1	1	1,219	460	207	339	213
14	Tuberculosis of meninges and central nervous system	6	2	3	1	-	32	8	6	14	4
15	Tuberculosis of intestines and peritoneum	4	1	3	-	-	16	2	5	4	5
16	Tuberculosis of vertebral column	1	-	1	-	-	17	6	2	6	3
17a	Tuberculosis of bones (except vertebral column)	3	-	3	-	-	1	-	-	1	-
17b	Tuberculosis of joints (except vertebral column)	-	-	-	-	-	2	2	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	1	-	-	-	1
19	Tuberculosis of lymphatic system, etc.*	1	1	-	-	-	3	1	-	1	1
20	Tuberculosis of genito-urinary system	4	3	1	-	-	6	2	3	-	1
21	Tuberculosis of other organs	-	-	-	-	-	2	-	-	1	1
22a	Disseminated tuberculosis (acute miliary)	3	3	-	-	-	22	1	5	8	8
22b	Disseminated tuberculosis (other and unspecified)	-	-	-	-	-	3	1	-	1	1
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	10	8	2	-	-	11	3	6	-	2
25	Gonococcus infection	2	1	1	-	-	3	-	2	1	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	2	1	1	-	-
27	Dysentery	2	-	2	-	-	13	8	2	2	1
28	Malaria	1	1	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	52	34	18	-	-	329	101	32	146	50
30a	Locomotor ataxia (tabes dorsalis)	2	2	-	-	-	8	5	2	1	-
30b	General paralysis of insane	11	7	4	-	-	83	30	3	39	11
30c	Other syphilis of central nervous system	5	3	2	-	-	36	12	5	14	5
30d	Aneurysm of aorta	9	7	2	-	-	74	24	8	32	10
30e	Other syphilis of circulatory system	4	3	1	-	-	29	5	3	19	2
30f,g	Congenital, other and unspecified forms of syphilis	21	12	9	-	-	99	25	11	41	22
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	2	1	1	-	-	7	3	2	2	-
33a	Influenza, with respiratory complications specified	85	37	48	-	-	107	33	34	21	19
33b	Influenza, without respiratory complications specified	59	26	32	1	-	45	15	18	5	7
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	11	7	3	1	-	26	8	7	6	5
36	Acute poliomyelitis and acute polioencephalitis	3	1	2	-	-	25	13	8	4	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	7	4	3	-	-	5	3	2	-	-
37b	Sequelae of encephalitis lethargica	2	1	1	-	-	5	5	-	-	-
38	Other diseases due to filtrable viruses	-	-	-	-	-	5	1	3	1	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	-	-	-	-	-	16	9	5	1	1
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-	-	-
43	Mycoses	1	1	-	-	-	5	3	-	1	1
44	Other infectious and parasitic (communicable) diseases	16	14	2	-	-	35	17	10	4	4
	II.—Cancer and other tumors	1,408	602	802	3	1	2,677	1,151	1,173	155	198
45-55	Cancer and other malignant tumors	1,349	582	764	3	-	2,595	1,124	1,130	151	190
45	Cancer of buccal cavity and pharynx	24	20	4	-	-	82	54	13	13	2
45a-e	Cancer of buccal cavity	18	14	4	-	-	56	40	8	7	1
45f	Cancer of pharynx	6	6	-	-	-	26	14	5	6	1
46	Cancer of digestive organs and peritoneum	661	325	334	2	-	1,083	539	415	76	53
46a	Cancer of esophagus	13	8	5	-	-	56	39	9	6	2
46b,c	Cancer of stomach and duodenum	183	90	92	1	-	338	168	116	38	16
46f	Cancer of liver and biliary passages	101	38	63	-	-	157	66	68	11	12
46g	Cancer of pancreas	41	22	18	1	-	79	52	22	5	-
46d,e,h,m	Cancer of other digestive organs and peritoneum	323	167	156	-	-	453	214	200	16	23
47	Cancer of respiratory system	67	47	20	-	-	247	177	42	20	8
48	Cancer of uterus	159	...	159	...	-	290	...	230	...	60
49	Cancer of other female genital organs	32	...	32	...	-	83	...	75	...	8
50	Cancer of breast	130	1	129	-	-	267	2	223	-	42
51	Cancer of male genital organs	86	85	...	1	...	161	144	...	17	...
52	Cancer of urinary organs (male and female)	59	33	26	-	-	117	68	36	8	5
53	Cancer of skin (except vulva and scrotum)	32	22	10	-	-	39	25	8	3	3
54	Cancer of central nervous system*	9	7	2	-	-	37	22	13	-	2
55	Cancer of other and unspecified organs	90	42	48	-	-	189	93	75	14	7
56a	Nonmalignant tumors of ovary	7	...	7	...	-	10	...	6	...	4
56b	Nonmalignant tumors of uterus	13	...	12	...	1	18	...	15	...	3
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	8	4	4	-	-	19	10	8	1	-

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

, and of deaths among armed forces overseas)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
51,688	26,604	24,106	570	408	54,374	29,228	21,886	1,724	1,536	26,453	15,041	11,062	202	148	20,666	5,366	3,870	5,848	5,582	
2,529	1,559	813	101	56	3,284	1,734	935	360	255	1,454	865	509	44	36	2,210	437	299	769	705	
-	-	-	-	-	7	5	2	-	-	-	-	-	-	-	14	3	1	7	3	1
-	-	-	-	-	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	-	1	-	-	2	1	1	-	-	1	-	1	-	-	2	-	1	-	1	5
80	39	37	3	1	117	64	38	8	7	42	24	18	-	-	23	6	4	7	6	6
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
13	5	8	-	-	8	6	2	-	-	18	8	10	-	-	4	2	1	-	1	8
15	8	6	1	-	29	16	9	1	3	19	10	8	-	1	94	11	10	32	41	9
11	6	4	1	-	30	14	13	1	2	17	8	7	1	1	34	7	10	8	9	10
5	3	2	-	-	15	5	10	-	-	1	1	-	-	-	4	-	3	-	1	11
6	4	2	-	-	13	7	4	2	-	9	7	2	-	-	20	4	1	12	3	12
1,698	1,089	505	64	40	1,814	965	433	232	184	693	396	245	26	26	831	156	90	281	304	13-22
14	14	-	-	-	33	27	-	6	-	13	13	-	-	-	-	-	-	-	-	13a
1,602	1,031	475	60	36	1,594	860	369	200	165	610	347	215	23	25	790	152	81	263	294	13b,c
21	15	5	1	-	53	22	23	7	1	14	6	6	2	-	11	2	3	5	1	14
9	2	7	-	-	16	7	4	1	4	13	5	7	-	1	10	-	3	3	4	15
17	4	8	3	2	28	11	8	5	4	15	7	8	-	-	6	-	-	5	1	16
1	1	-	-	-	3	1	1	1	-	1	1	-	-	-	1	-	-	1	-	17a
2	1	1	-	-	7	2	4	-	1	4	4	-	-	-	1	-	-	1	-	17b
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	18
1	1	-	-	-	3	-	1	1	1	3	3	-	-	-	-	-	-	-	-	19
12	9	3	-	-	16	11	3	-	2	7	4	3	-	-	3	-	1	2	-	20
3	1	2	-	-	1	-	1	-	-	4	2	2	-	-	1	1	-	-	-	21
15	9	4	-	2	55	22	16	11	6	8	3	4	1	-	7	-	2	1	4	22a
1	1	-	-	-	4	1	3	-	-	-	-	-	-	-	1	1	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
31	12	19	-	-	63	29	25	4	5	14	12	2	-	-	20	5	5	5	5	24
-	-	-	-	-	2	-	1	-	1	3	1	2	-	-	19	1	1	4	13	25
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	4	1	-	2	1	26
7	4	3	-	-	44	23	17	3	1	4	1	2	-	1	76	8	14	37	17	27
6	5	1	-	-	1	1	-	-	-	2	2	-	-	-	63	6	7	27	23	28
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	29
290	187	62	28	13	537	289	112	98	37	143	103	29	9	2	319	40	6	172	101	30
16	9	6	-	1	25	17	6	2	-	8	6	2	-	-	4	1	-	1	2	30a
97	72	17	7	1	172	99	30	32	11	38	30	3	5	-	75	19	2	40	14	30b
10	7	2	1	-	55	23	11	14	7	11	8	3	-	-	40	3	-	26	11	30c
92	59	20	8	5	119	79	18	18	4	50	37	10	2	1	21	7	3	9	2	30d
25	11	7	5	2	38	22	5	10	1	5	5	-	-	-	38	-	1	25	12	30e
50	29	10	7	4	128	49	42	23	14	31	17	11	2	1	141	10	-	71	60	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
3	2	1	-	-	17	7	6	2	2	2	1	1	-	-	4	-	1	1	2	32
146	78	66	-	2	175	82	85	4	4	203	124	75	1	3	422	100	88	121	113	33a
63	31	31	1	-	192	102	82	2	6	91	50	39	2	-	172	46	40	36	50	33b
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	1	-	1	-	34
21	9	12	-	-	44	25	18	1	-	62	33	25	3	1	24	10	6	5	3	35
17	13	4	-	-	47	25	22	-	-	37	21	15	-	1	8	3	2	3	-	36
9	5	4	-	-	12	6	6	-	-	7	5	2	-	-	10	6	1	1	2	37a,c
5	3	2	-	-	12	5	7	-	-	7	3	4	-	-	-	-	-	-	-	37b
5	4	1	-	-	4	2	2	-	-	4	3	1	-	-	4	3	1	-	-	38
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	7	5	-	1	1	39
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	40
-	-	-	-	-	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	41
1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	2	1	-	-	1	42
10	3	6	1	-	14	7	7	-	-	7	4	3	-	-	3	2	-	1	-	43
85	48	35	2	-	72	41	29	1	1	65	45	18	2	-	24	9	6	5	4	44
7,849	3,596	4,153	51	49	7,222	3,358	3,551	131	182	3,855	1,967	1,859	19	10	1,719	446	527	271	475	
7,416	3,505	4,010	46	45	6,948	3,278	3,379	128	163	3,755	1,926	1,80	19	9	1,614	434	502	266	412	45-55
264	226	34	2	2	184	144	33	6	1	76	61	12	3	-	60	31	9	13	7	45
163	144	16	1	2	120	94	21	5	-	60	48	9	3	-	40	18	8	10	4	45a-e
101	82	18	1	-	64	50	12	1	1	16	13	3	-	-	20	13	1	3	3	45f
3,628	1,887	1,700	25	16	3,143	1,699	1,324	70	50	1,890	1,107	774	6	3	670	198	199	160	113	46
140	103	36	1	-	118	94	14	8	2	62	47	15	-	-	12	6	2	3	1	46a
1,067	635	411	11	10	1,128	673	405	29	21	803	503	294	4	2	274	71	64	88	51	46b,c
383	171	208	1	3	434	181	245	5	3	211	100	108	2	1	130	38	36	37	19	46f
269	148	139	2	-	265	151	105	5	4	166	101	65	-	-	50	21	19	5	5	46g
1,749	830	906	10	3	1,198	600	555	23	20	648	356	292	-	-	204	62	78	27	37	46d,e,h,m
589	438	139	10	2	542	410	111	16	5	215	153	60	2	-	71	35	18	8	7	47
641	...	634	...	7	693	...	639	...	54	251	...	248	...	3	298	...	117	...	181	48
272	...	268	...	4	226	...	215	...	11	122	...	122	...	-	29	...	19	...	10	49
769	11	753	-	5	620	3	590	1	26	352	2	348	-	2	98	-	54	-	44	50
367	361	...	6	...	424	405	...	19	...	269	266	...	3	...	107	60	...	47	...	51
375	231	142	-	2	355	222	125	5	3	189	124	63	2	-	69	28	15	11	15	52
95	51	43	-	1	89	56	32	1	-	58	38	20	-	-	43	25	12	4	2	53
110	67	43	-	-	108	70	36	1	1	79	43	36	-	-	24	15	7	2	-	54
496	233	254	3	6	564	269	274	9	12	254	132	118	3	1	145	39	52	21	33	55
23	...	22	...	1	29	...	26	...	3	8	...	8	...	-	7	...	3	...	4	56a
54	...	52	...	2	66	...	53	...	13	23	...	23	...	-	53	...	9	...	44	56b
-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	56c
60	33	27	-	-	40	17	22	1	-	42	27	15	-	-	9	3	2	1	3	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	31	16	15	-	-	35	17	14	3	1
	III.—Rheumatism, diseases of nutrition, etc. *	277	103	174	-	-	731	210	418	33	70
58a-d	Acute rheumatic heart diseases	5	4	1	-	-	8	2	2	2	2
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	1	1	-	-	-	7	2	2	-	3
59	Chronic rheumatism and other rheumatic diseases	25	11	14	-	-	25	6	12	3	4
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	203	67	136	-	-	608	174	384	18	52
62	Diseases of pituitary gland	2	2	-	-	-	3	1	1	-	1
63a	Simple goiter	3	2	1	-	-	1	-	1	-	-
63b	Exophthalmic goiter	11	2	9	-	-	37	6	27	-	4
63c-e	Other diseases of thyroid and parathyroid glands	3	-	3	-	-	3	1	2	-	-
64	Diseases of thymus gland	17	12	5	-	-	23	15	3	4	1
65	Diseases of adrenal glands (not specified as tuberculous)	4	2	2	-	-	1	-	1	-	-
66	Other general diseases	2	-	2	-	-	6	2	2	2	-
67	Scurvy	1	-	1	-	-	1	-	-	-	1
68	Beriberi	-	-	-	-	-	1	1	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-
70	Rickets	-	-	-	-	-	6	-	1	3	2
71	Other avitaminoses	-	-	-	-	-	1	-	-	1	-
	IV.—Diseases of the blood and blood-forming organs	70	31	39	-	-	132	56	55	10	11
72	Hemorrhagic conditions	5	2	3	-	-	9	3	3	2	1
73a	Pernicious anemia	21	7	14	-	-	12	-	9	-	3
73b-d	Other anemias (except splenic)	9	3	6	-	-	20	7	7	1	5
74a	Leukemias	24	13	11	-	-	76	40	28	7	1
74b	Aleukemias	3	1	2	-	-	5	3	2	-	-
75	Diseases of spleen	6	4	2	-	-	5	2	3	-	-
76	Other diseases of the blood and blood-forming organs	2	1	1	-	-	5	1	3	-	1
	V.—Chronic poisoning and intoxication	31	26	5	-	-	42	28	4	8	2
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	1	-	1	-	-	1	1	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	28	24	4	-	-	39	26	4	8	1
78	Lead poisoning	1	1	-	-	-	1	-	-	-	1
79	Chronic poisoning by other mineral or organic substances	1	1	-	-	-	1	1	-	-	-
	VI.—Diseases of the nervous system, etc. *	1,186	560	623	2	1	2,007	765	797	214	231
80	Encephalitis (nonepidemic)	8	4	4	-	-	20	14	3	2	1
81	Meningitis (not due to meningococcus)	21	15	6	-	-	48	14	13	12	9
82	Diseases of spinal cord (see exceptions) *	19	12	7	-	-	38	21	12	1	4
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	972	437	533	1	1	1,545	552	632	174	187
83b	Cerebral embolism and thrombosis	72	42	30	-	-	125	63	53	3	6
83c	Cerebral softening	4	2	2	-	-	8	4	3	1	-
83d	Hemiplegia and other paralysis of unspecified origin	5	4	1	-	-	67	29	24	7	7
84	Mental diseases and deficiency (see exception) *	6	2	4	-	-	21	9	8	1	3
85	Epilepsy	29	20	9	-	-	42	20	11	6	5
86	Convulsions (under 5 years)	7	3	4	-	-	9	5	3	-	1
87	Other diseases of nervous system	31	16	15	-	-	62	24	29	3	6
88	Diseases of organs of vision	-	-	-	-	-	1	-	-	1	-
89a	Otitis and other diseases of the ear	9	1	7	1	-	20	9	6	3	2
89b	Diseases of mastoid process	3	2	1	-	-	1	1	-	-	-
	VII.—Diseases of the circulatory system	3,301	1,924	1,372	3	2	7,320	3,488	2,721	595	516
90-95	Diseases of the heart (all forms)	3,029	1,775	1,250	2	2	6,898	3,329	2,540	546	483
90	Pericarditis (except acute rheumatic)	5	4	1	-	-	9	4	2	1	2
91a,b	Bacterial and other acute or subacute endocarditis	16	7	9	-	-	31	14	8	5	4
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	-	2	-	1	1	-
92a-d	Chronic endocarditis and diseases of the valves *	407	193	214	-	-	593	249	214	64	66
92e	Endocarditis (unspecified, 45 years and over)	41	25	16	-	-	32	11	13	4	4
93a	Acute myocarditis (except rheumatic)	22	13	9	-	-	73	27	15	11	20
93b	Myocarditis (unspecified, under 45 years)	1	-	1	-	-	9	2	1	2	4
93c,d	Chronic myocarditis and myocardial degeneration	1,164	630	532	1	1	3,792	1,610	1,604	297	281
93e	Other myocarditis (unspecified)	89	42	46	1	-	190	68	77	22	23
94a	Diseases of coronary arteries	1,015	707	308	-	-	1,759	1,152	462	102	43
94b	Angina pectoris	104	63	41	-	-	57	33	22	1	1
95a	Functional diseases of heart, etc. *	8	2	6	-	-	15	8	7	-	-
95b,c	Other and unspecified diseases of heart	157	89	67	-	1	336	151	114	36	35
96	Aneurysm (except of heart and aorta)	6	4	2	-	-	16	11	3	-	2
97	Arteriosclerosis (except coronary or renal sclerosis)	234	127	107	-	-	347	125	156	37	29
98	Gangrene	2	1	1	-	-	6	4	1	1	-
99	Other diseases of arteries	14	9	5	-	-	19	8	7	4	-
100	Diseases of veins	8	5	3	-	-	16	4	8	3	1
101	Diseases of lymphatic system	-	-	-	-	-	-	-	-	-	-
102	High blood pressure (idopathic)	5	1	4	-	-	18	7	6	4	1
103	Other diseases of circulatory system	3	2	-	1	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	567	306	255	3	3	1,338	504	383	260	191
104a	Diseases of nasal fossae	3	3	-	-	-	8	2	3	2	1
104b	Diseases of accessory sinuses	1	-	1	-	-	10	4	5	1	-
105	Diseases of larynx	4	1	3	-	-	2	-	1	1	-
106a	Acute bronchitis	17	7	10	-	-	19	9	9	1	-

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	1	...	-	...	1	57a
-	...	-	...	-	3	...	2	...	1	-	...	-	...	-	1	...	-	...	1	57b
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
105	58	41	5	1	133	63	66	2	2	25	14	10	-	1	34	9	11	4	10	57d,e
1,794	601	1,165	8	20	1,922	697	1,125	31	69	904	337	556	2	9	474	100	138	90	146	
23	13	10	-	-	28	10	14	2	2	17	8	9	-	-	9	-	2	3	4	58a-d
14	6	8	-	-	21	10	6	1	4	11	4	7	-	-	12	3	2	3	4	58e,f
61	18	42	1	-	76	24	50	-	2	38	13	25	-	-	27	5	12	5	5	59
3	2	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	60
1,561	511	1,025	6	19	1,457	517	866	23	51	729	282	438	2	7	297	71	82	61	83	61
11	4	7	-	-	7	2	5	-	-	3	2	1	-	-	-	-	-	-	-	62
6	2	4	-	-	9	6	3	-	-	2	-	2	-	-	1	-	-	-	1	63a
45	9	36	-	-	130	24	99	1	6	66	7	57	-	2	30	1	9	2	18	63b
11	1	10	-	-	21	6	15	-	-	6	2	4	-	-	4	-	2	-	2	63c-e
22	11	9	1	1	108	63	41	1	3	10	5	5	-	-	5	3	1	1	-	64
22	15	7	-	-	23	12	10	1	-	10	6	4	-	-	3	2	1	-	-	65
3	1	2	-	-	27	14	11	1	1	10	6	4	-	-	15	1	8	4	2	66
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	67
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	68
5	4	1	-	-	8	2	5	1	-	1	1	-	-	-	66	11	19	9	27	69
2	1	1	-	-	3	3	-	-	-	-	-	-	-	-	2	1	-	1	-	70
5	3	2	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	71
341	157	175	6	3	442	220	208	8	6	265	136	125	3	1	104	35	33	18	18	
24	16	8	-	-	25	12	13	-	-	11	7	4	-	-	11	1	3	5	2	72
74	21	51	2	-	113	55	58	-	-	57	25	31	1	-	18	2	7	2	7	73a
32	19	12	-	1	53	20	30	1	2	26	12	13	-	1	15	6	3	3	3	73b-d
175	85	85	3	2	216	117	88	7	4	147	79	66	2	-	51	22	19	6	4	74a
16	5	10	1	-	19	11	8	-	-	4	2	2	-	-	-	-	-	-	-	74b
18	9	9	-	-	7	3	4	-	-	15	7	8	-	-	6	3	1	1	1	75
2	2	-	-	-	9	2	7	-	-	5	4	1	-	-	3	1	-	1	1	76
136	116	16	3	1	37	29	5	3	-	29	26	3	-	-	21	19	-	1	1	
2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	77a,b
126	108	14	3	1	32	27	4	1	-	26	23	3	-	-	17	15	-	1	1	77c-e
7	6	1	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	78
1	1	-	-	-	4	1	1	2	-	2	2	-	-	-	3	3	-	-	-	79
5,237	2,282	2,872	40	43	5,725	2,774	2,728	104	119	3,110	1,554	1,537	8	11	2,006	499	469	463	575	
23	18	5	-	-	57	32	22	2	1	18	11	6	1	-	24	9	6	5	4	80
64	43	19	1	1	125	61	46	12	6	34	20	13	1	-	41	9	7	11	14	81
99	59	40	-	-	99	49	42	5	3	66	37	29	-	-	20	6	7	3	4	82
4,008	1,645	2,300	29	34	4,425	2,114	2,149	71	91	2,444	1,212	1,218	4	10	1,690	396	386	395	513	83a
654	310	332	9	3	469	239	221	-	9	284	134	149	1	-	39	15	9	8	7	83b
15	8	7	-	-	20	11	8	1	-	35	20	15	-	-	6	4	2	-	-	83c
54	20	32	1	1	143	73	66	2	2	16	10	5	-	1	79	24	25	20	10	83d
28	9	19	-	-	50	19	28	-	3	22	7	15	-	-	19	4	6	-	9	84
95	59	34	-	2	85	49	33	2	1	42	26	15	1	-	28	10	8	5	5	85
14	7	6	-	1	16	7	8	1	-	10	5	5	-	-	17	2	3	7	5	86
145	81	64	-	-	199	102	89	5	3	110	57	53	-	-	29	12	8	7	2	87
1	-	1	-	-	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	88
33	20	12	-	1	25	10	12	3	-	20	8	12	-	-	13	7	2	2	2	89a
4	3	1	-	-	11	8	3	-	-	7	5	2	-	-	1	1	-	-	-	89b
20,012	10,627	9,094	173	118	18,285	10,614	6,845	422	404	8,874	5,350	3,453	39	32	3,857	1,387	844	802	824	
18,660	10,027	8,365	158	110	16,999	9,966	6,270	394	369	8,071	4,884	3,118	37	32	3,574	1,281	771	760	762	90-95
8	7	1	-	-	27	21	5	1	-	6	3	3	-	-	13	-	-	5	8	90
84	41	40	3	-	63	31	30	1	1	35	21	14	-	-	34	11	9	4	10	91a,b
4	1	3	-	-	6	1	5	-	-	2	2	-	-	-	4	2	1	-	1	91c
1,310	563	720	10	17	1,469	790	618	37	24	809	411	393	3	2	689	175	134	206	174	92a-d
58	28	29	1	-	146	79	66	-	1	30	14	16	-	-	25	6	5	7	7	92e
120	54	65	1	-	185	103	73	2	7	28	14	14	-	-	50	16	10	11	13	93a
8	2	6	-	-	27	10	12	4	1	5	2	3	-	-	11	2	1	2	6	93b
9,604	4,579	4,866	92	67	6,803	3,587	2,799	208	209	2,876	1,539	1,303	16	18	1,346	425	305	291	325	93c,d
428	231	193	3	1	1,082	586	453	18	25	269	157	111	-	1	138	54	34	24	26	93e
5,601	3,723	1,826	37	15	5,509	3,784	1,567	93	65	3,338	2,334	982	14	8	686	383	152	85	66	94a
107	60	47	-	-	224	154	68	-	2	52	34	17	1	-	101	53	20	14	14	94b
18	9	9	-	-	58	29	29	-	-	34	14	20	-	-	17	2	10	1	4	95a
1,310	729	560	11	10	1,400	791	545	30	34	587	339	242	3	3	460	152	90	110	108	95b,c
41	28	12	1	-	62	39	19	2	2	45	34	11	-	-	11	5	3	1	2	96
1,152	505	629	12	6	973	499	432	19	23	648	372	274	2	-	185	70	53	24	38	97
10	4	6	-	-	31	17	11	1	2	5	3	2	-	-	13	6	1	4	2	98
56	29	25	1	1	93	42	48	1	2	53	28	25	-	-	26	10	6	3	7	99
54	15	38	-	1	35	13	20	1	1	22	12	10	-	-	8	3	2	2	1	100
1	-	1	-	-	3	2	-	1	-	3	2	1	-	-	3	2	-	1	-	101
34	17	16	1	-	73	28	37	3	5	26	14	12	-	-	34	8	7	7	12	102
4	2	2	-	-	16	8	8	-	-	1	1	-	-	-	3	2	1	-	-	103
3,042	1,637	1,328	49	28	3,219	1,763	1,198	182	76	1,707	1,003	659	32	13	993	253	203	305	232	
7	5	2	-	-	8	4	1	2	1	5	1	4	-	-	6	-	1	3	2	104a
6	3	3	-	-	16	11	4	-	1	7	5	2	-	-	11	5	3	3	-	104b
3	1	2	-	-	17	11	6	-	-	7	4	2	1	-	4	1	1	-	2	105
23	10	13	-	-	31	15	15	-	1	27	13	14	-	-	12	2	6	4	-	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	15	9	6	-	-	32	17	11	2	2
106c	Bronchitis (unspecified)	11	6	5	-	-	12	3	4	1	4
107	Bronchopneumonia (including capillary bronchitis)	238	126	109	2	1	466	167	145	80	74
108	Lobar pneumonia	170	96	74	-	-	542	200	123	137	82
109	Pneumonia (unspecified)	30	18	11	-	1	90	34	30	15	11
	A. Atypical or virus pneumonia	6	1	5	-	-	9	4	4	-	1
	B. Pneumonia (all other, unspecified)	24	17	6	-	1	81	30	26	15	10
110	Pleurisy (not specified as tuberculous)	9	7	2	-	-	43	13	15	9	6
111a	Hemorrhagic infarction and thrombosis of lungs	17	9	8	-	-	18	4	12	2	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	15	4	10	1	-	26	10	10	2	4
112	Asthma	26	12	13	-	1	40	23	9	3	5
113	Pulmonary emphysema	1	1	-	-	-	6	5	1	-	-
114	Other diseases of respiratory system (except tuberculosis)	10	7	3	-	-	24	13	5	4	2
	IX.—Diseases of the digestive system	418	242	176	-	-	997	445	346	114	92
115a,b,d	Diseases of buccal cavity and adnexa	10	5	5	-	-	12	3	6	3	-
115c	Diseases of pharynx and tonsils	12	7	5	-	-	15	4	8	-	3
116	Diseases of esophagus	-	-	-	-	-	3	1	1	1	-
117a	Ulcer of stomach	40	32	8	-	-	88	58	7	18	5
117b	Ulcer of duodenum	11	9	2	-	-	26	20	3	2	1
118	Other diseases of stomach (except cancer)	10	5	5	-	-	13	7	5	1	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	64	42	22	-	-	204	69	64	40	31
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	20	13	7	-	-	31	8	13	3	7
121	Appendicitis	43	22	21	-	-	80	30	39	6	5
122a	Hernia	44	28	16	-	-	78	38	29	9	2
122b	Intestinal obstruction	42	15	27	-	-	90	29	37	9	15
123	Other diseases of intestines	12	9	3	-	-	19	9	7	3	-
124a	Cirrhosis of liver (with mention of alcoholism)	3	2	1	-	-	28	20	4	1	3
124b	Cirrhosis of liver (without mention of alcoholism)	47	32	15	-	-	155	102	35	10	8
125a	Acute yellow atrophy of liver (nonpuerperal)	5	2	3	-	-	6	1	3	-	2
125b	Other diseases of liver	3	2	1	-	-	14	4	4	4	2
126	Biliary calculi	25	5	20	-	-	51	15	36	-	-
127	Other diseases of gallbladder and biliary ducts	19	7	12	-	-	49	16	29	1	3
128	Diseases of pancreas (except diabetes mellitus)	1	1	-	-	-	22	8	12	-	2
129	Peritonitis (cause not stated)	7	4	3	-	-	13	3	4	3	3
	X.—Diseases of the genito-urinary system	831	464	360	6	1	2,246	889	781	292	284
130	Acute nephritis	10	1	9	-	-	39	10	10	12	7
131a	Arteriosclerotic kidney	475	260	210	5	-	1,557	579	579	190	209
131b	Other chronic nephritis	232	119	111	1	1	382	150	140	46	46
132	Nephritis unspecified (10 years and over)	18	11	7	-	-	46	21	13	10	2
133	Other diseases of kidneys and ureters, etc.*	16	7	9	-	-	44	19	14	6	5
134	Calculi of urinary passages	8	7	1	-	-	19	9	9	1	-
135	Diseases of urinary bladder	4	4	-	-	-	12	5	5	2	-
136	Diseases of urethra (except calculus)	5	4	1	-	-	10	3	1	5	1
137	Diseases of prostate	51	51	...	-	...	113	93	...	20	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	5	...	5	...	-	20	...	8	...	12
139b	Diseases of uterus	7	...	7	...	-	4	...	2	...	2
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	40	...	40	...	-	82	...	62	...	20
140	Abortion with mention of infection	5	...	5	...	-	9	...	9	...	-
140a,b	Abortion (septic), spontaneous or therapeutic *	3	...	3	...	-	6	...	6	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic *	2	...	2	...	-	3	...	3	...	-
141	Abortion without mention of infection	1	...	1	...	-	1	...	-	...	1
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *	-	...	-	...	-	1	...	-	...	1
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	-	...	-	...	-	-	...	-	...	-
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified *	1	...	1	...	-	-	...	-	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	-	...	-	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	1	...	-	...	1
142b	Ectopic gestation, without mention of infection	1	...	1	...	-	6	...	5	...	1
143a	Placenta praevia (death before delivery)	-	...	-	...	-	2	...	2	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	2	...	2	...	-	5	...	3	...	2
144c,d	Other toxemias of pregnancy (death before delivery) *	1	...	1	...	-	2	...	1	...	1
145	Other diseases and accidents of pregnancy (death before delivery)	-	...	-	...	-	6	...	5	...	1
	A. With mention of infection	-	...	-	...	-	5	...	4	...	1
	B. Without mention of infection	-	...	-	...	-	1	...	1	...	-
146a	Placenta praevia (with childbirth)	2	...	2	...	-	7	...	4	...	3
146b,c	Other hemorrhages of childbirth and puerperium	4	...	4	...	-	8	...	6	...	2
147a,b	Puerperal pyelitis, other general or local puerperal infection *	3	...	3	...	-	6	...	6	...	-
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	8	...	8	...	-	8	...	6	...	2
148a,b	Puerperal eclampsia and nephritis *	6	...	6	...	-	12	...	9	...	3
148c,d	Other puerperal toxemias	-	...	-	...	-	-	...	-	...	-
149	Other accidents and specified conditions of childbirth	7	...	7	...	-	5	...	4	...	1
150	Other and unspecified conditions of childbirth and puerperium	-	...	-	...	-	4	...	2	...	2
	XII.—Diseases of the skin and cellular tissue	6	4	2	-	-	9	8	1	-	-
151	Carbuncle and furuncle	1	1	-	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	3	2	1	-	-	6	5	1	-	-
153	Other diseases of skin and cellular tissue	2	1	1	-	-	3	3	-	-	-

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
77	47	28	2	-	92	58	32	1	1	49	32	16	1	-	22	13	5	-	4	106b
25	16	9	-	-	21	8	12	1	-	11	6	5	-	-	13	4	5	2	2	106c
1,644	836	765	24	19	1,093	563	452	56	22	808	449	338	13	8	286	77	63	81	65	107
796	481	290	17	8	1,024	610	301	83	30	489	299	175	12	3	460	88	81	163	128	108
130	72	55	2	1	368	208	141	12	7	103	66	33	2	2	74	22	10	23	19	109
49	25	22	1	1	31	15	15	-	1	23	17	6	-	-	12	8	3	1	-	
81	47	33	1	-	337	193	126	12	6	80	49	27	2	2	62	14	7	22	19	
67	41	26	-	-	79	45	27	6	1	41	29	11	1	-	12	7	1	3	1	110
66	26	38	2	-	103	49	42	6	6	33	21	11	1	-	12	3	5	2	2	111a
55	22	33	-	-	159	63	91	4	1	50	27	23	-	-	24	14	4	3	3	111b,c
82	42	39	1	-	120	69	44	5	2	55	34	21	-	-	37	10	12	12	3	112
7	6	1	-	-	8	6	1	1	-	2	2	-	-	-	2	1	-	1	-	113
54	29	24	1	-	80	43	29	5	3	20	15	4	1	-	18	6	6	5	1	114
2,236	1,255	946	22	13	2,626	1,463	992	96	75	1,210	695	495	12	8	994	256	186	277	275	
15	6	9	-	-	49	22	24	1	2	26	12	14	-	-	30	7	6	7	10	115a,b,d
27	13	13	1	-	42	18	18	3	3	18	12	6	-	-	28	7	5	6	10	115c
10	6	4	-	-	9	6	3	-	-	12	8	4	-	-	3	1	1	1	-	116
225	175	49	1	-	219	170	36	11	2	115	92	19	4	-	57	26	5	18	8	117a
140	116	23	1	-	117	102	10	3	2	75	53	22	-	-	23	12	6	5	-	117b
21	12	9	-	-	61	39	17	2	3	13	9	4	-	-	48	6	8	14	20	118
125	71	49	4	1	302	146	128	19	9	86	49	31	5	1	199	42	19	72	66	119
67	22	44	1	-	82	40	35	3	4	37	23	13	-	1	56	10	18	15	13	120
227	126	99	1	1	294	168	89	18	19	139	83	53	2	1	157	35	21	51	50	121
228	121	100	4	3	209	134	65	7	3	117	70	47	-	-	44	12	3	19	10	122a
213	90	117	2	4	266	131	116	9	10	122	67	53	1	1	126	31	29	22	44	122b
54	31	23	-	-	68	43	23	2	-	34	15	19	-	-	14	2	7	3	2	123
76	55	20	1	-	23	14	7	2	-	12	9	3	-	-	2	2	-	-	-	124a
424	276	144	2	2	434	256	163	11	4	153	89	63	-	1	91	33	14	26	18	124b
29	13	15	-	1	19	7	7	1	4	13	7	5	-	1	7	1	1	3	2	125a
34	15	19	-	-	45	25	17	1	2	13	10	3	-	-	15	5	1	4	5	125b
154	36	117	1	-	143	41	101	-	1	141	48	93	-	-	26	7	13	1	5	126
82	33	49	-	-	150	54	94	-	2	50	20	28	-	2	44	14	21	4	5	127
52	24	27	1	-	33	15	15	1	2	21	10	11	-	-	6	2	3	1	-	128
33	14	16	2	1	61	32	24	2	3	13	9	4	-	-	18	1	5	5	7	129
2,986	1,573	1,349	39	25	3,290	1,755	1,319	94	122	1,307	805	488	10	4	2,139	479	373	719	568	
52	26	25	1	-	120	56	53	7	4	25	16	9	-	-	100	17	20	29	34	130
1,771	631	907	21	12	1,625	801	722	39	63	627	339	280	5	3	1,042	250	187	317	288	131a
596	305	276	8	7	713	381	294	17	21	243	139	99	4	1	678	127	123	249	179	131b
70	42	27	-	1	251	142	93	4	12	73	48	25	-	-	76	23	11	21	21	132
115	59	54	1	1	132	69	52	9	2	76	41	34	1	-	36	11	12	7	6	133
54	34	18	1	1	64	39	20	5	-	26	18	8	-	-	10	8	1	1	-	134
22	16	6	-	-	44	24	15	4	1	11	3	8	-	-	13	4	2	6	1	135
7	7	-	-	-	12	11	-	-	1	3	3	-	-	-	16	1	-	15	-	136
260	253	...	7	...	240	231	...	9	...	198	198	...	-	...	110	38	...	72	...	137
-	-	...	-	...	1	1	...	-	...	-	-	...	-	...	2	-	...	2	...	138
19	...	17	...	2	51	...	34	...	17	17	...	17	...	-	38	...	6	...	32	139a
18	...	18	...	-	36	...	35	...	1	8	...	8	...	-	18	...	11	...	7	139b
2	...	1	...	1	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	139c
140	...	131	...	9	193	...	163	...	30	77	...	72	...	5	219	...	71	...	148	
11	...	10	...	1	16	...	13	...	3	5	...	5	...	-	18	...	8	...	10	140
10	...	9	...	1	15	...	12	...	3	4	...	4	...	-	15	...	6	...	9	140a,b
1	...	1	...	-	1	...	1	...	-	1	...	1	...	-	3	...	2	...	1	140c,d
15	...	14	...	1	10	...	9	...	1	1	...	1	...	-	9	...	2	...	7	141
5	...	5	...	-	-	...	-	...	-	-	...	-	...	-	3	...	1	...	2	141a,c
6	...	5	...	1	7	...	6	...	1	-	...	-	...	-	3	...	1	...	2	141b
3	...	3	...	-	3	...	3	...	-	1	...	1	...	-	3	...	-	...	3	141d
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	141e,f
2	...	2	...	-	4	...	3	...	1	-	...	-	...	-	2	...	-	...	2	142a
6	...	5	...	1	9	...	2	...	4	3	...	3	...	-	6	...	2	...	4	142b
1	...	-	...	1	1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	143a
1	...	1	...	-	1	...	1	...	-	1	...	1	...	-	4	...	1	...	3	143b,c
7	...	7	...	-	10	...	7	...	3	2	...	-	...	2	36	...	7	...	29	144a,b
3	...	3	...	-	-	...	-	...	-	3	...	3	...	-	10	...	5	...	5	144c,d
7	...	6	...	1	5	...	3	...	2	4	...	4	...	-	14	...	5	...	9	145
4	...	4	...	-	3	...	2	...	1	2	...	2	...	-	8	...	3	...	5	
3	...	2	...	1	2	...	1	...	1	2	...	2	...	-	6	...	2	...	4	
5	...	5	...	-	9	...	9	...	-	2	...	2	...	-	8	...	6	...	2	146a
17	...	16	...	1	32	...	28	...	4	14	...	13	...	1	23	...	10	...	13	146b,c
14	...	13	...	1	18	...	15	...	3	6	...	5	...	1	28	...	1	...	27	147a,b
23	...	23	...	-	27	...	28	...	1	8	...	8	...	-	10	...	4	...	6	147c,d
6	...	6	...	-	25	...	19	...	6	13	...	12	...	1	28	...	12	...	16	148a,b
2	...	2	...	-	4	...	3	...	1	2	...	2	...	-	5	...	1	...	4	148c,d
12	...	10	...	2	15	...	15	...	-	9	...	9	...	-	7	...	2	...	5	149
8	...	8	...	-	7	...	6	...	1	3	...	3	...	-	11	...	5	...	6	150
25	14	11	-	-	44	18	18	3	5	22	16	6	-	-	17	4	3	7	3	
3	2	1	-	-	6	4	2	-	-	2	2	-	-	-	7	3	1	2	1	151
5	4	1	-	-	12	6	2	1	3	10	6	4	-	-	4	1	1	2	-	152
17	8	9	-	-	26	8	14	2	2	10	8	2	-	-	6	-	1	3	2	153

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc. *	9	4	5	-	-	12	6	4	1	1
154	Osteomyelitis and periostitis	5	3	2	-	-	5	1	2	1	1
155	Other diseases of bones (except tuberculosis)	2	-	2	-	-	2	1	1	-	-
156	Diseases of joints and other organs of movement	2	1	1	-	-	5	4	1	-	-
157	XIV.—Congenital malformations	146	86	59	-	1	254	122	91	22	19
	XV.—Diseases peculiar to the first year of life	400	215	183	1	1	876	378	254	126	118
158	Congenital debility (cause not stated)	19	12	7	-	-	26	10	5	9	2
159	Premature birth (cause not stated)	222	106	114	1	1	578	253	169	77	79
160a	Intracranial or spinal hemorrhage	29	16	13	-	-	85	36	21	14	14
160b,c	Other injuries at birth	72	47	25	-	-	60	25	22	7	6
161	Other diseases peculiar to the first year of life	58	34	24	-	-	127	54	37	19	17
162	XVI.—Senility	145	66	79	-	-	38	14	19	3	2
	XVII.—Violent or accidental deaths	784	544	236	3	1	1,771	927	437	323	84
163,164	Suicide	119	93	25	1	-	209	135	66	7	1
163	Suicide by poisoning	19	11	8	-	-	73	29	41	2	1
	Suicide by solid or liquid poisons	4	3	1	-	-	16	4	12	-	-
	Suicide by poisonous gases	15	8	7	-	-	57	25	29	2	1
164a	Suicide by hanging or strangulation	33	24	8	1	-	47	37	9	1	-
164b	Suicide by drowning	7	3	4	-	-	9	5	4	-	-
164c	Suicide by firearms and explosives	50	47	3	-	-	63	57	4	2	-
164d	Suicide by cutting or piercing instruments	7	7	-	-	-	3	2	1	-	-
164e	Suicide by jumping from high places	3	1	2	-	-	8	3	4	1	-
164f	Suicide by crushing	-	-	-	-	-	4	2	1	1	-
164g	Suicide by other or unspecified means	-	-	-	-	-	2	-	2	-	-
165-168	Homicide [1]	12	8	3	-	1	160	32	14	97	17
166	Homicide by firearms	6	2	3	-	1	75	11	4	52	8
167	Homicide by cutting or piercing instruments	2	2	-	-	-	36	-	3	27	6
168	Homicide by other means	4	4	-	-	-	49	21	7	18	3
169-195	Accidental deaths	653	443	208	2	-	1,397	759	357	215	66
169	Railway accidents (except collisions with motor vehicles)	14	11	2	1	-	50	34	4	9	3
170a	Collisions between automobiles and trains	5	2	3	-	-	11	8	1	2	-
170b	Collisions between automobiles and streetcars	-	-	-	-	-	8	5	1	2	-
170c	Automobile accidents (except collisions with trains or streetcars)	122	104	18	-	-	358	222	52	72	12
170d	Motorcycle accidents (except collisions with automobiles)	3	2	1	-	-	5	4	1	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	2	2	-	-	-	23	13	7	2	1
171b	Other and unspecified road-transport accidents	3	3	-	-	-	1	1	-	-	-
172	Water-transport accidents	23	23	-	-	-	14	11	2	1	-
173	Air-transport accidents	38	27	11	-	-	32	30	2	-	-
174	Accidents in mines and quarries	2	2	-	-	-	9	8	1	-	-
175a	Accidents involving agricultural machinery and vehicles	13	11	2	-	-	5	5	-	-	-
175b,c	Other agricultural accidents, including injury by animals	15	15	-	-	-	6	5	-	1	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	10	10	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	14	13	1	-	-	17	11	-	5	1
177	Food poisoning	3	-	3	-	-	3	-	1	2	-
178	Accidental absorption of poisonous gas	8	7	1	-	-	22	13	4	4	1
179	Acute accidental poisoning by solids or liquids	5	3	2	-	-	21	10	6	4	1
180	Conflagration	51	29	22	-	-	54	13	14	11	16
181	Accidental burns (except conflagration)	20	12	8	-	-	93	38	27	17	11
182	Accidental mechanical suffocation	7	4	3	-	-	30	11	11	5	3
183	Accidental drowning	52	47	5	-	-	115	75	7	31	2
184	Accidental injury by firearms	14	12	2	-	-	22	16	1	5	-
185	Accidental injury by cutting or piercing instruments	-	-	-	-	-	4	3	-	1	-
186a	Accidental injury by fall	173	63	110	-	-	346	145	170	21	10
186b	Accidental injury by crushing	3	3	-	-	-	9	5	-	4	-
187	Cataclysm, etc.*	-	-	-	-	-	5	2	1	1	1
188	Injury by animals (except in agriculture and forestry)	2	2	-	-	-	1	1	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	1	-	-	1	-	4	2	-	1	1
191	Excessive heat	5	4	1	-	-	3	2	1	-	-
192	Lightning	-	-	-	-	-	5	4	-	1	-
193	Accidents due to electric currents (except lightning)	6	6	-	-	-	14	12	-	2	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	1	-	1	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	7	4	3	-	-	25	14	5	3	3
195c,e	Other and unspecified accidents	32	22	10	-	-	81	36	37	8	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	1	1	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	4	-	-	4	-
	XVIII.—Ill-defined and unknown causes	85	50	34	1	-	41	13	11	11	6
199	Sudden death	25	18	7	-	-	1	-	-	1	-
200a	Ill-defined	37	18	18	1	-	26	11	8	5	2
200b	Found dead (cause unknown)	8	6	2	-	-	2	-	-	2	-
200c	Unknown or unspecified	15	8	7	-	-	12	2	3	3	4

* Refer to complete International List titles, table V, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
33	15	18	-	-	32	20	9	1	2	13	9	4	-	-	13	3	3	2	5	
6	4	2	-	-	11	8	3	-	-	6	5	1	-	-	7	1	1	2	3	154
9	4	5	-	-	8	3	4	-	1	2	1	1	-	-	2	-	-	-	2	155
18	7	11	-	-	13	9	2	1	1	5	3	2	-	-	4	2	2	-	-	156
565	287	267	5	6	905	460	404	17	24	352	181	168	3	-	176	70	68	24	14	157
1,377	773	567	18	19	2,131	1,137	830	79	85	941	565	371	3	2	864	307	213	173	171	
19	7	12	-	-	93	48	38	3	4	11	9	2	-	-	40	10	4	15	11	158
837	461	352	12	12	1,438	748	572	56	62	593	352	237	3	1	522	171	134	97	120	159
149	94	52	2	1	155	95	51	4	5	69	41	28	-	-	84	41	20	15	8	160a
141	93	44	1	3	164	96	58	5	5	143	92	51	-	-	111	47	31	16	17	160b,c
231	118	107	3	3	281	150	111	11	9	125	71	53	-	1	107	38	24	30	15	161
45	15	30	-	-	392	188	201	2	1	164	79	83	1	1	330	54	72	104	100	162
3,237	2,038	1,127	54	18	4,093	2,697	1,143	178	75	2,073	1,394	648	21	10	1,780	696	210	657	217	
442	305	135	1	1	522	382	128	11	1	273	204	66	-	3	101	67	24	10	-	163,164
164	95	68	-	1	105	57	46	2	-	49	28	21	-	-	12	3	9	-	-	163
38	21	17	-	-	63	25	36	2	-	23	9	14	-	-	12	3	9	-	-	
126	74	51	-	1	42	32	10	-	-	26	19	7	-	-	-	-	-	-	-	
111	86	25	-	-	146	117	28	1	-	87	68	19	-	-	10	4	4	2	-	164a
42	21	21	-	-	44	22	21	1	-	19	13	6	-	-	1	1	-	-	-	164b
68	57	11	-	-	186	159	20	6	1	87	73	11	-	3	69	53	9	7	-	164c
25	21	4	-	-	16	12	3	1	-	12	10	2	-	-	3	1	2	-	-	164d
25	20	4	1	-	15	9	6	-	-	13	9	4	-	-	1	1	-	-	-	164e
3	3	-	-	-	5	4	1	-	-	5	3	2	-	-	-	-	-	-	-	164f
4	2	2	-	-	5	2	3	-	-	1	-	1	-	-	5	4	-	1	-	164g
59	31	20	8	-	177	63	26	62	26	36	26	6	2	2	296	44	7	203	42	165-168
14	12	1	1	-	79	20	17	26	16	14	11	2	-	1	155	28	3	104	20	166
13	4	4	5	-	48	13	2	24	9	5	2	2	1	-	103	8	1	79	15	167
32	15	15	2	-	50	30	7	12	1	17	13	2	1	1	38	8	3	20	7	168
2,733	1,699	972	45	17	3,393	2,251	989	105	48	1,764	1,164	576	19	5	1,370	580	179	437	174	169-195
63	57	5	1	-	69	53	12	4	-	66	56	8	2	-	43	23	1	16	3	169
13	9	4	-	-	93	63	23	3	4	32	27	5	-	-	20	11	6	3	-	170a
2	2	-	-	-	3	2	1	-	-	1	1	-	-	-	-	-	-	-	-	170b
518	404	107	5	2	984	731	214	29	10	356	270	82	4	-	311	167	29	98	17	170c
3	3	-	-	-	7	6	1	-	-	3	2	1	-	-	7	7	-	-	-	170d
25	14	10	1	-	15	7	5	1	2	11	7	4	-	-	-	-	-	-	-	171a
9	7	2	-	-	6	6	-	-	-	6	6	-	-	-	11	2	2	5	2	171b
40	36	2	2	-	14	14	-	-	-	35	33	1	1	-	18	7	-	10	1	172
54	52	1	1	-	64	62	1	1	-	40	38	1	1	-	80	80	-	-	-	173
2	2	-	-	-	30	29	1	-	-	14	14	-	-	-	1	1	-	-	-	174
5	5	-	-	-	34	32	2	-	-	53	50	3	-	-	18	8	1	8	1	175a
11	11	-	-	-	35	32	2	1	-	39	36	3	-	-	21	6	-	15	-	175b,c
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	-	2	-	175d
-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	8	4	-	4	-	175e
21	17	1	1	2	40	36	3	1	-	17	15	1	1	-	22	6	-	16	-	176
4	1	3	-	-	9	4	4	1	-	4	2	1	-	1	26	7	7	2	10	177
114	67	43	4	-	62	39	18	3	2	37	25	12	-	-	5	3	1	1	-	178
29	16	13	-	-	46	27	15	2	2	20	9	11	-	-	21	9	-	9	3	179
75	46	29	4	2	117	63	33	14	7	44	33	9	-	2	51	3	2	22	24	180
138	78	56	3	1	187	94	80	9	4	77	38	39	-	-	151	24	28	47	52	181
43	25	15	1	2	70	49	19	-	2	26	15	10	1	-	20	6	1	7	6	182
198	169	21	8	-	254	206	32	14	2	103	73	27	2	1	118	50	10	50	8	183
29	26	1	2	-	77	69	6	2	-	55	47	7	1	-	83	45	3	28	7	184
11	7	2	1	1	7	5	2	-	-	5	1	4	-	-	9	5	-	2	2	185
1,096	492	592	6	6	885	416	452	7	10	613	281	327	4	1	126	37	56	17	16	186a
11	7	4	-	-	13	12	-	1	-	5	5	-	-	-	12	5	-	6	1	186b
7	6	1	-	-	-	-	-	-	-	2	1	1	-	-	5	2	-	3	-	187
1	1	-	-	-	8	6	2	-	-	3	3	-	-	-	6	2	-	4	-	188
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	189
4	3	1	-	-	6	5	1	-	-	9	7	1	1	-	5	1	-	3	1	190
13	10	3	-	-	14	8	5	1	-	4	4	-	-	-	8	1	1	5	1	191
5	5	-	-	-	7	6	1	-	-	8	6	2	-	-	24	7	3	7	7	192
16	15	1	-	-	37	33	2	2	-	18	18	-	-	-	11	6	1	4	-	193
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3	1	2	-	194
2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	195a,b
42	25	15	1	1	28	18	8	1	1	19	14	5	-	-	9	3	1	3	2	195d
128	84	40	4	-	156	102	44	8	2	37	26	10	1	-	111	38	25	38	10	195c,e
3	3	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	4	-	7	1	198
104	59	44	1	-	532	301	212	13	6	96	59	26	5	6	2,750	321	158	1,166	1,105	
18	11	7	-	-	33	23	10	-	-	10	6	4	-	-	118	51	13	34	20	199
74	41	32	1	-	435	240	177	12	6	51	40	11	-	-	235	62	24	86	63	200a
4	2	2	-	-	18	10	8	-	-	3	2	1	-	-	45	9	7	13	16	200b
8	5	3	-	-	46	28	17	1	-	32	11	10	5	6	2,352	199	114	1,033	1,006	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	42,248	21,226	16,931	2,179	1,912	5,662	3,336	1,995	171	160
	I.—Infectious and parasitic diseases	3,161	1,565	1,003	366	227	368	208	71	40	49
1	Typhoid fever	24	15	8	-	1	1	-	1	-	-
2	Paratyphoid fever	3	3	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	1	-	1	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	82	40	28	9	5	3	3	-	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	13	6	7	-	-	2	2	-	-	-
9	Whooping cough	56	20	29	5	2	10	2	2	3	3
10	Diphtheria (infection by C. diphtheriae)	29	15	10	4	-	6	2	3	1	-
11	Erysipelas	6	3	1	1	1	1	-	1	-	-
12	Tetanus	8	4	3	1	-	1	1	-	-	-
13-22	Tuberculosis (all forms)	1,487	765	401	184	137	175	100	23	21	31
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	11	10	-	1	-	40	40	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	1,380	719	362	173	126	124	55	21	19	29
14	Tuberculosis of meninges and central nervous system	25	10	10	1	4	1	-	-	1	-
15	Tuberculosis of intestines and peritoneum	15	5	9	-	1	1	-	-	-	1
16	Tuberculosis of vertebral column	15	9	5	-	1	1	-	1	-	-
17a	Tuberculosis of bones (except vertebral column)	1	-	1	-	-	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	2	1	-	-	1	-	-	-	-	-
18	Tuberculosis of skin, etc. *	1	-	1	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc. *	2	-	1	1	-	1	-	1	-	-
20	Tuberculosis of genito-urinary system	8	4	2	2	-	1	1	-	-	-
21	Tuberculosis of other organs	3	2	1	-	-	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	21	5	7	5	4	5	3	-	1	1
22b	Disseminated tuberculosis (other and unspecified)	3	-	2	1	-	1	1	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	31	21	9	1	-	4	1	2	1	-
25	Gonococcus infection	5	-	4	-	1	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	8	7	1	-	-	1	1	-	-	-
27	Dysentery	46	23	15	5	3	3	1	-	-	2
28	Malaria	15	7	5	1	2	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	2	1	1	-	-	-	-	-	-	-
30	Syphilis (all forms)	481	251	89	108	33	72	51	11	8	2
30a	Locomotor ataxia (tabes dorsalis)	27	22	1	3	1	6	3	2	1	-
30b	General paralysis of insane	126	61	31	25	9	13	12	1	-	-
30c	Other syphilis of central nervous system	48	30	7	9	2	5	4	1	-	-
30d	Aneurysm of aorta	87	51	13	20	3	22	18	2	2	-
30e	Other syphilis of circulatory system	49	13	4	25	7	1	1	-	-	-
30f,g	Congenital, other and unspecified forms of syphilis	144	74	33	26	11	25	13	5	5	2
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	7	4	2	1	-	-	-	-	-	-
33a	Influenza, with respiratory complications specified	399	167	177	28	27	34	13	13	3	5
33b	Influenza, without respiratory complications specified	263	115	130	9	9	16	11	4	-	1
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	65	33	28	1	3	13	4	3	2	4
36	Acute poliomyelitis and acute polioencephalitis	13	6	7	-	-	6	3	3	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	13	7	4	-	2	6	2	3	-	1
37b	Sequelae of encephalitis lethargica	6	3	2	1	-	-	-	-	-	-
38	Other diseases due to filtrable viruses	6	4	-	1	1	-	-	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	6	2	4	-	-	5	4	-	1	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	3	-	3	-	-	-	-	-	-	-
42	Other diseases caused by helminths	1	-	-	1	-	-	-	-	-	-
43	Mycoses	13	9	1	3	-	3	2	1	-	-
44	Other infectious and parasitic (communicable) diseases	69	34	33	2	-	6	5	1	-	-
	II.—Cancer and other tumors	5,459	2,442	2,653	157	207	704	366	324	7	7
45-55	Cancer and other malignant tumors	5,261	2,401	2,527	148	185	681	360	308	7	6
45	Cancer of buccal cavity and pharynx	179	133	34	8	4	12	10	2	-	-
45a-e	Cancer of buccal cavity	109	83	16	7	3	8	7	1	-	-
45f	Cancer of pharynx	70	50	18	1	1	4	3	1	-	-
46	Cancer of digestive organs and peritoneum	2,437	1,270	1,038	78	51	309	177	124	6	2
46a	Cancer of esophagus	98	70	16	11	1	9	7	2	-	-
46b,c	Cancer of stomach and duodenum	736	436	255	31	14	129	82	43	3	1
46f	Cancer of liver and biliary passages	482	191	266	12	13	53	27	24	2	-
46g	Cancer of pancreas	198	122	64	9	3	18	12	4	1	1
46d,e,h,m	Cancer of other digestive organs and peritoneum	923	451	437	15	20	100	49	51	-	-
47	Cancer of respiratory system	357	261	77	14	5	68	59	8	-	1
48	Cancer of uterus	577	...	508	...	69	45	...	43	...	2
49	Cancer of other female genital organs	161	...	149	...	12	31	...	31	...	-
50	Cancer of breast	474	7	432	2	33	62	-	62	-	-
51	Cancer of male genital organs	321	303	...	18	...	49	48	...	1	...
52	Cancer of urinary organs (male and female)	246	148	86	11	1	39	30	9	-	-
53	Cancer of skin (except vulva and scrotum)	115	73	37	4	1	18	10	8	-	-
54	Cancer of central nervous system *	64	36	24	3	1	6	3	3	-	-
55	Cancer of other and unspecified organs	330	170	142	10	8	42	23	18	-	1
56a	Nonmalignant tumors of ovary	18	...	17	...	1	6	...	6	...	-
56b	Nonmalignant tumors of uterus	69	...	56	...	13	5	...	5	...	-
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	1	...	1	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	58	22	27	4	5	3	2	1	-	-

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
12,583	7,008	5,282	162	131	1,647	1,109	405	74	59	6,189	3,277	2,900	7	5	47,815	24,071	20,276	1,854	1,614	
664	355	253	32	24	134	76	23	19	16	275	149	126	-	-	2,913	1,497	783	391	242	
2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	6	2	4	-	-	1
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
15	7	7	1	-	1	-	1	-	-	10	4	6	-	-	110	49	42	15	4	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
11	5	6	-	-	1	-	1	-	-	1	1	-	-	-	10	3	5	1	1	8
19	8	10	1	-	1	1	-	-	-	4	2	2	-	-	11	4	5	1	1	9
9	5	4	-	-	1	1	-	-	-	-	-	-	-	-	6	5	1	-	-	10
2	1	1	-	-	1	1	-	-	-	1	1	-	-	-	5	5	-	-	-	11
2	2	-	-	-	1	-	1	-	-	-	-	-	-	-	4	4	-	-	-	12
211	110	64	21	16	76	50	6	11	9	105	60	45	-	-	1,856	975	470	245	166	13-22
-	-	-	-	-	11	11	-	-	-	2	2	-	-	-	14	14	-	-	-	13a
190	105	54	17	14	55	37	6	7	5	94	52	42	-	-	1,719	914	428	225	152	13b,c
3	-	1	1	1	4	-	-	2	2	2	1	1	-	-	33	10	10	8	5	14
2	-	2	-	-	1	1	-	-	-	1	-	1	-	-	22	8	7	2	5	15
4	-	3	1	-	-	-	-	-	-	3	2	1	-	-	11	7	3	1	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	17a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	17b
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
1	1	-	-	-	1	-	-	-	-	1	1	-	-	-	5	-	4	1	-	19
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	11	7	4	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	3	1	1	21
7	2	3	2	-	3	1	-	1	1	-	-	-	-	-	26	9	8	6	3	22a
1	-	-	-	1	1	-	-	1	-	2	2	-	-	-	4	-	3	1	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
9	2	7	-	-	1	1	-	-	-	4	3	1	-	-	28	12	10	4	2	24
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	12	6	1	1	4	25
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	26
3	1	1	1	-	6	1	3	1	1	-	-	-	-	-	6	4	2	-	-	27
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	29
88	62	14	8	4	23	15	2	4	2	44	26	18	-	-	421	198	78	103	42	30
6	5	-	-	1	1	1	-	-	-	4	3	1	-	-	11	7	3	1	-	30a
28	23	3	2	-	7	3	2	1	1	9	4	5	-	-	147	78	21	38	10	30b
8	7	-	-	1	3	2	-	1	-	6	6	-	-	-	46	27	6	11	2	30c
16	11	2	1	2	3	2	-	1	-	11	6	5	-	-	82	40	14	19	9	30d
3	1	-	2	-	1	1	-	-	-	2	1	1	-	-	31	14	7	9	1	30e
27	15	9	3	-	8	6	-	1	1	12	6	6	-	-	104	32	27	25	20	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	4	3	1	-	-	32
145	78	64	-	3	10	4	2	2	2	48	20	28	-	-	141	67	46	13	15	33a
88	39	48	-	1	6	1	2	1	2	29	17	12	-	-	79	37	38	1	3	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
11	7	4	-	-	2	-	2	-	-	6	2	4	-	-	12	4	7	1	-	35
10	3	7	-	-	-	-	-	-	-	10	6	4	-	-	56	29	22	4	1	36
2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	29	13	13	2	1	37a,c
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	12	8	3	-	1	37b
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	5	4	1	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	10	8	2	-	-	43
26	17	9	-	-	-	-	-	-	-	11	5	6	-	-	83	51	31	-	1	44
1,723	795	905	11	12	164	87	72	4	1	882	420	461	1	-	7,074	3,243	3,400	163	178	
1,663	782	860	11	10	158	86	67	4	1	857	412	444	1	-	6,886	3,184	3,380	160	162	45-55
59	50	9	-	-	3	2	1	-	-	22	21	1	-	-	216	174	33	9	-	45
40	34	6	-	-	2	2	-	-	-	15	14	1	-	-	145	114	25	6	-	45a-c
19	16	3	-	-	1	-	1	-	-	7	7	-	-	-	71	60	8	3	-	45f
779	405	367	5	2	75	39	32	3	1	440	226	213	1	-	3,304	1,684	1,457	99	64	46
20	16	4	-	-	2	1	1	-	-	13	11	2	-	-	148	108	26	11	3	46a
262	158	99	3	2	36	23	12	1	-	149	95	53	1	-	1,065	603	402	40	20	46b,c
139	51	87	1	-	10	3	6	1	-	53	20	33	-	-	372	161	188	16	7	46f
60	35	24	1	-	10	5	5	-	-	34	17	17	-	-	249	130	111	7	1	46g
298	145	153	-	-	17	7	8	1	1	191	83	108	-	-	1,470	682	730	25	33	46d,e,h,m
89	65	22	1	1	16	15	1	-	-	48	37	11	-	-	624	479	120	21	4	47
140	...	134	...	6	15	...	15	...	-	65	...	65	...	-	535	...	481	...	54	48
61	...	61	...	-	2	...	2	...	-	20	...	20	...	-	216	...	211	...	5	49
169	-	168	-	1	12	-	12	-	-	83	1	82	-	-	700	13	667	-	20	50
125	121	...	4	...	12	12	...	-	...	64	64	...	-	...	314	302	...	12	...	51
69	47	22	-	-	5	5	-	-	-	38	25	13	-	-	380	233	136	9	2	52
37	21	16	-	-	2	2	-	-	-	17	12	5	-	-	114	66	46	1	1	53
36	24	12	-	-	1	-	1	-	-	3	2	1	-	-	103	51	49	3	-	54
99	49	49	1	-	15	11	3	1	-	57	24	33	-	-	380	182	180	6	12	55
4	...	4	...	-	-	...	-	...	-	6	...	6	...	-	25	...	23	...	2	56a
29	...	27	...	2	2	...	2	...	-	8	...	8	...	-	59	...	47	...	12	56b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	56c
16	8	8	-	-	1	-	1	-	-	-	-	-	-	-	40	23	17	-	-	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	1	...	-	...	1	-	...	-	...	-
57b	Tumors of uterus(nature unspecified)	1	...	1	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	51	19	25	5	2	8	4	3	-	1
	III.—Rheumatism, diseases of nutrition, etc. *	1,210	469	653	26	62	170	77	89	2	2
58a-d	Acute rheumatic heart diseases	24	11	12	1	-	4	2	2	-	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	14	7	3	1	3	3	2	1	-	-
59	Chronic rheumatism and other rheumatic diseases	49	20	25	1	3	13	4	7	1	1
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	904	359	489	13	43	126	59	66	1	-
62	Diseases of pituitary gland	4	-	4	-	-	-	-	-	-	-
63a	Simple goiter	8	1	4	-	3	1	-	1	-	-
63b	Exophthalmic goiter	88	13	68	2	5	11	3	8	-	-
63c-e	Other diseases of thyroid and parathroid glands	15	2	13	-	-	1	1	-	-	-
64	Diseases of thymus gland	50	27	18	3	2	2	1	1	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	12	5	5	2	-	4	2	2	-	-
66	Other general diseases	14	8	5	1	-	3	2	-	-	1
67	Scurvy	5	5	-	-	-	-	-	-	-	-
68	Beriberi	2	-	2	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	13	6	4	2	1	-	-	-	-	-
70	Rickets	3	2	-	-	1	-	-	-	-	-
71	Other avitaminoses	5	3	1	-	1	2	1	1	-	-
	IV.—Diseases of the blood and blood-forming organs	312	162	137	4	9	42	22	19	-	1
72	Hemorrhagic conditions	20	9	11	-	-	1	-	1	-	-
73a	Pernicious anemia	75	36	36	1	2	9	2	6	-	1
73b-d	Other anemias (except splenic)	26	11	11	2	2	7	6	1	-	-
74a	Leukemias	159	89	65	1	4	19	11	8	-	-
74b	Aleukemias	8	6	2	-	-	1	-	1	-	-
75	Diseases of spleen	20	8	11	-	1	3	2	1	-	-
76	Other diseases of the blood and blood-forming organs	4	3	1	-	-	2	1	1	-	-
	V.—Chronic poisoning and intoxication	41	34	3	2	2	8	7	1	-	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	1	1	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	33	30	-	2	1	7	6	1	-	-
78	Lead poisoning	3	1	1	-	1	1	1	-	-	-
79	Chronic poisoning by other mineral or organic substances	4	2	2	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc. *	4,394	2,030	1,947	194	223	606	322	268	10	6
80	Encephalitis (nonepidemic)	40	22	11	4	3	9	6	3	-	-
81	Meningitis (not due to meningococcus)	91	51	24	10	6	3	-	3	-	-
82	Diseases of spinal cord (see exceptions)*	86	46	34	3	3	7	6	1	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	3,500	1,588	1,587	140	185	484	264	208	7	5
83b	Cerebral embolism and thrombosis	240	110	102	17	11	32	17	14	1	-
83c	Cerebral softening	27	13	14	-	-	1	-	1	-	-
83d	Hemiplegia and other paralysis of unspecified origin	162	65	83	8	6	22	12	10	-	-
84	Mental diseases and deficiency (see exception)*	40	20	18	-	2	16	4	11	1	-
85	Epilepsy	65	38	23	3	1	5	4	1	-	-
86	Convulsions (under 5 years)	6	4	1	1	-	2	-	1	1	-
87	Other diseases of nervous system	108	57	37	8	6	23	8	14	-	1
88	Diseases of organs of vision	2	1	1	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	21	13	8	-	-	1	-	1	-	-
89b	Diseases of mastoid process	6	2	4	-	-	1	1	-	-	-
	VII.—Diseases of the circulatory system	13,472	7,186	5,145	592	549	1,779	1,135	610	26	8
90-95	Diseases of the heart (all forms)	12,573	6,716	4,790	548	519	1,660	1,078	550	24	8
90	Pericarditis (except acute rheumatic)	34	19	11	2	2	4	2	2	-	-
91a,b	Bacterial and other acute or subacute endocarditis	58	24	27	4	3	8	1	7	-	-
91c	Endocarditis (unspecified, under 45 years)	2	2	-	-	-	1	1	-	-	-
92a-d	Chronic endocarditis and diseases of the valves *	1,560	757	651	73	79	177	102	70	3	2
92e	Endocarditis (unspecified, 45 years and over)	79	41	33	1	4	19	13	5	1	-
93a	Acute myocarditis (except rheumatic)	179	84	64	21	10	18	13	4	1	-
93b	Myocarditis (unspecified, under 45 years)	19	7	6	5	1	1	-	1	-	-
93c,d	Chronic myocarditis and myocardial degeneration	5,832	2,794	2,484	277	277	575	324	243	7	1
93e	Other myocarditis (unspecified)	504	259	222	10	13	121	85	33	1	2
94a	Diseases of coronary arteries	3,278	2,132	965	107	74	517	395	120	1	1
94b	Angina pectoris	224	162	58	4	-	20	14	5	1	-
95a	Functional diseases of heart, etc. *	48	26	20	1	1	12	6	6	-	-
95b,c	Other and unspecified diseases of heart	756	409	249	43	55	187	122	54	9	2
96	Aneurysm (except of heart and aorta)	55	34	13	6	2	2	2	-	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	678	358	278	24	18	87	39	46	2	-
98	Gangrene	23	11	8	3	1	3	2	1	-	-
99	Other diseases of arteries	64	38	23	3	-	14	10	4	-	-
100	Diseases of veins	23	3	19	1	-	8	3	5	-	-
101	Diseases of lymphatic system	1	1	-	-	-	1	-	1	-	-
102	High blood pressure (idiopathic)	50	22	12	7	9	4	1	3	-	-
103	Other diseases of circulatory system	5	3	2	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	2,850	1,378	1,084	219	169	342	198	97	21	26
104a	Diseases of nasal fossae	2	1	1	-	-	4	2	-	-	2
104b	Diseases of accessory sinuses	10	2	6	2	-	3	3	-	-	-
105	Diseases of larynx	5	1	3	-	1	1	1	-	-	-
106a	Acute bronchitis	21	10	7	3	1	1	-	1	-	-

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	—	...	1	57a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	57b
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
10	5	5	-	-	3	1	2	-	-	11	8	3	-	-	61	36	21	3	1	57d,e
436	178	251	3	4	32	14	17	-	1	214	77	136	-	1	1,778	552	1,128	27	71	
9	8	1	-	-	1	1	-	-	-	3	3	-	-	-	47	17	26	2	2	58a-d
3	1	2	-	-	-	-	-	-	-	1	-	1	-	-	16	9	7	-	-	58e,f
30	13	17	-	-	2	2	-	-	-	9	6	3	-	-	57	23	28	3	3	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
332	133	192	3	4	20	11	9	-	-	178	60	117	-	1	1,484	452	956	18	58	61
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	4	3	1	-	-	62
2	1	1	-	-	-	-	-	-	-	1	-	1	-	-	6	1	4	-	1	63a
33	7	26	-	-	5	-	4	-	1	8	1	7	-	-	78	14	59	1	4	63b
3	1	2	-	-	-	-	-	-	-	4	-	4	-	-	11	2	8	-	1	63c-e
10	6	4	-	-	2	-	2	-	-	3	2	1	-	-	40	22	16	-	2	64
5	3	2	-	-	-	-	-	-	-	1	1	-	-	-	16	1	14	1	-	65
7	4	3	-	-	1	-	1	-	-	3	3	-	-	-	9	1	6	2	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	68
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	70
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	6	4	2	-	-	71
125	67	58	-	-	6	6	-	-	-	58	30	28	-	-	352	159	170	14	9	
9	6	3	-	-	-	-	-	-	-	3	-	3	-	-	18	4	13	1	-	72
30	14	16	-	-	1	1	-	-	-	14	6	8	-	-	45	16	28	-	1	73a
9	5	4	-	-	1	1	-	-	-	7	4	3	-	-	38	14	22	2	-	73b-d
66	38	28	-	-	4	4	-	-	-	30	18	12	-	-	214	111	86	10	7	74a
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	11	6	4	-	1	74b
4	1	3	-	-	-	-	-	-	-	2	1	1	-	-	16	5	10	1	-	75
6	2	4	-	-	-	-	-	-	-	1	-	1	-	-	10	3	7	-	-	76
20	19	-	1	-	8	7	-	1	-	11	11	-	-	-	62	47	6	7	2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77a,b
19	18	-	1	-	8	7	-	1	-	11	11	-	-	-	59	45	6	6	2	77c-e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	78
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	79
1,470	760	677	13	20	121	63	42	8	8	644	292	349	2	1	4,603	2,020	2,303	122	158	
17	9	7	-	1	1	1	-	-	-	4	3	1	-	-	34	23	9	1	1	80
16	9	6	1	-	2	-	1	1	-	4	2	1	1	-	64	34	22	5	3	81
23	14	9	-	-	1	1	-	-	-	15	8	7	-	-	87	55	28	2	2	82
1,152	573	555	9	15	91	46	32	7	6	492	224	266	1	1	3,495	1,484	1,787	96	128	83a
114	63	50	1	-	12	9	3	-	-	73	30	43	-	-	499	225	261	6	7	83b
4	2	2	-	-	1	-	1	-	-	3	2	1	-	-	11	6	5	-	-	83c
44	27	16	-	1	2	-	1	-	1	9	3	6	-	-	101	41	51	3	6	83d
14	11	2	-	1	4	2	2	-	-	-	-	-	-	-	66	24	34	2	6	84
30	19	10	1	-	4	2	2	-	-	14	10	4	-	-	65	34	24	4	3	85
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	8	4	3	-	1	86
42	25	16	-	1	1	1	-	-	-	26	8	18	-	-	134	67	65	1	1	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	88
9	5	2	1	1	1	-	-	-	1	4	2	2	-	-	22	12	10	-	-	89a
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	16	11	4	1	-	89b
3,883	2,340	1,470	41	32	392	281	92	11	8	2,263	1,253	1,004	3	3	17,540	9,389	7,296	438	417	
3,603	2,193	1,344	37	29	359	266	77	9	7	2,041	1,140	895	3	3	16,347	8,834	6,718	404	391	90-95
7	4	3	-	-	-	-	-	-	-	3	2	1	-	-	11	5	3	-	-	90
33	22	11	-	-	1	1	-	-	-	4	2	2	-	-	102	47	49	6	-	91a,b
2	-	2	-	-	-	-	-	-	-	1	1	-	-	-	14	7	6	-	1	91c
403	217	176	6	4	41	27	12	1	1	210	113	96	-	1	1,103	481	535	34	53	92a-d
29	13	13	3	-	3	1	2	-	-	16	11	5	-	-	104	50	43	9	2	92e
32	18	13	-	1	2	1	1	-	-	21	4	17	-	-	148	71	70	4	3	93a
4	-	3	1	-	2	1	1	-	-	-	-	-	-	-	16	4	10	-	2	93b
1,198	659	523	9	7	128	91	32	2	3	792	384	407	-	1	7,962	3,787	3,778	195	202	93c,d
233	134	95	2	2	16	10	5	-	1	76	36	40	-	-	1,293	774	464	21	34	93e
1,116	784	319	9	4	126	106	16	3	1	686	448	236	1	1	4,340	2,963	1,245	84	48	94a
102	86	14	2	-	3	3	-	-	-	39	26	13	-	-	70	46	22	1	1	94b
21	12	8	1	-	1	1	-	-	-	9	5	4	-	-	35	22	12	-	1	95a
423	244	164	4	11	36	24	8	3	1	184	108	74	2	-	1,149	574	481	50	44	95b,c
11	6	5	-	-	1	-	1	-	-	4	3	1	-	-	43	28	12	1	2	96
206	110	91	3	2	26	12	11	2	1	195	97	98	-	-	962	434	483	26	19	97
5	4	1	-	-	-	-	-	-	-	3	3	-	-	-	10	5	5	-	-	98
29	16	13	-	-	3	3	-	-	-	11	6	5	-	-	69	39	30	-	-	99
12	3	9	-	-	1	1	-	-	-	5	2	3	-	-	37	19	17	1	-	100
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	101
13	6	5	1	1	2	2	-	-	-	3	1	2	-	-	67	28	29	5	5	102
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	2	-	-	103
663	382	253	14	14	113	73	24	8	8	364	195	168	1	-	2,311	1,227	834	156	94	
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	104a
6	4	2	-	-	-	-	-	-	-	3	2	1	-	-	17	9	5	2	1	104b
6	3	3	-	-	1	1	-	-	-	2	2	-	-	-	10	4	5	1	-	105
7	1	6	-	-	-	-	-	-	-	8	4	4	-	-	37	17	17	1	2	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	72	36	34	2	-	4	1	2	-	1
106c	Bronchitis (unspecified)	14	6	6	-	2	3	1	1	1	-
107	Bronchopneumonia (including capillary bronchitis)	1,098	471	442	91	94	107	55	34	6	12
108	Lobar pneumonia	1,191	603	441	90	57	85	54	26	2	3
109	Pneumonia (unspecified)	98	50	40	4	4	58	26	15	10	7
	A. Atypical or virus pneumonia	11	4	6	1	-	7	4	2	1	-
	B. Pneumonia (all other, unspecified)	87	46	34	3	4	51	22	13	9	7
110	Pleurisy (not specified as tuberculous)	65	40	15	6	4	6	6	-	-	-
111a	Hemorrhagic infarction and thrombosis of lungs	64	35	24	5	-	8	5	3	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	62	34	23	2	3	15	7	8	-	-
112	Asthma	83	48	31	2	2	13	7	5	1	-
113	Pulmonary emphysema	6	4	2	-	-	3	2	-	1	-
114	Other diseases of respiratory system (except tuberculosis)	59	37	9	12	1	31	26	2	-	1
	IX.—Diseases of the digestive system	2,142	1,092	861	94	95	249	142	84	12	11
115a,b,d	Diseases of buccal cavity and adnexa	36	15	19	-	2	5	-	4	1	-
115c	Diseases of pharynx and tonsils	30	14	12	3	1	6	4	1	-	1
116	Diseases of esophagus	7	1	5	1	-	2	1	1	-	-
117a	Ulcer of stomach	171	125	29	12	5	27	21	5	-	1
117b	Ulcer of duodenum	76	57	17	1	1	11	11	-	-	-
118	Other diseases of stomach (except cancer)	61	25	19	9	8	10	6	3	1	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	228	119	88	10	11	31	11	7	9	4
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	71	34	29	3	5	4	2	2	-	-
121	Appendicitis	264	130	110	10	14	35	22	12	-	1
122a	Hernia	167	77	74	12	4	20	12	8	-	-
122b	Intestinal obstruction	215	77	114	7	17	24	12	12	-	-
123	Other diseases of intestines	46	19	19	3	5	4	3	1	-	-
124a	Cirrhosis of liver (with mention of alcoholism)	29	24	3	1	1	1	1	-	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	396	251	125	12	8	26	15	9	1	1
125a	Acute yellow atrophy of liver (nonpuerperal)	21	10	8	2	1	1	1	-	-	-
125b	Other diseases of liver	21	8	9	3	1	1	1	-	-	-
126	Biliary calculi	133	39	90	1	3	19	7	11	-	1
127	Other diseases of gallbladder and biliary ducts	105	40	62	3	-	10	5	3	-	2
128	Diseases of pancreas (except diabetes mellitus)	29	17	12	-	-	5	4	1	-	-
129	Peritonitis (cause not stated)	36	10	17	1	8	7	3	4	-	-
	X.—Diseases of the genito-urinary system	3,981	2,008	1,571	222	180	363	241	112	5	5
130	Acute nephritis	60	26	26	3	5	11	9	2	-	-
131a	Arteriosclerotic kidney	2,214	1,059	942	112	101	168	101	62	2	3
131b	Other chronic nephritis	1,135	564	458	65	48	90	61	27	1	1
132	Nephritis unspecified (10 years and over)	69	34	23	6	6	23	13	8	2	-
133	Other diseases of kidneys and ureters, etc. *	107	55	40	7	5	8	6	2	-	-
134	Calculi of urinary passages	51	28	19	3	1	4	2	2	-	-
135	Diseases of urinary bladder	15	6	7	2	-	5	2	3	-	-
136	Diseases of urethra (except calculus)	12	7	-	4	1	-	-	-	-	-
137	Diseases of prostate	246	226	...	20	...	47	47	...	-	...
138	Diseases of other male genital organs (except venereal)	3	3	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	50	...	39	...	11	5	...	4	...	1
139b	Diseases of uterus	19	...	17	...	2	2	...	2	...	-
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	152	...	124	...	28	16	...	15	...	1
140	Abortion with mention of infection	20	...	13	...	7	5	...	4	...	1
140a,b	Abortion (septic); spontaneous or therapeutic *	16	...	11	...	5	3	...	3	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic *	4	...	2	...	2	2	...	1	...	1
141	Abortion without mention of infection	6	...	5	...	1	1	...	1	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *	2	...	2	...	-	-	...	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	3	...	2	...	1	1	...	1	...	-
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified *	1	...	1	...	-	-	...	-	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	-	...	-	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	3	...	1	...	2	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	7	...	5	...	2	1	...	1	...	-
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	1	...	1	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery) *	9	...	8	...	1	-	...	-	...	-
144c,d	Other toxemias of pregnancy (death before delivery) *	5	...	4	...	1	-	...	-	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	3	...	3	...	-	2	...	2	...	-
	A. With mention of infection	3	...	3	...	-	2	...	2	...	-
	B. Without mention of infection	-	...	-	...	-	-	...	-	...	-
146a	Placenta praevia (with childbirth)	7	...	6	...	1	-	...	-	...	-
146b,c	Other hemorrhages of childbirth and puerperium	17	...	17	...	-	-	...	-	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection *	21	...	16	...	5	1	...	1	...	-
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	17	...	16	...	1	1	...	1	...	-
148a,b	Puerperal eclampsia and nephritis *	17	...	14	...	3	2	...	2	...	-
148c,d	Other puerperal toxemias	4	...	3	...	1	-	...	-	...	-
149	Other accidents and specified conditions of childbirth	9	...	7	...	2	1	...	1	...	-
150	Other and unspecified conditions of childbirth and puerperium	6	...	5	...	1	2	...	2	...	-
	XII.—Diseases of the skin and cellular tissue	19	11	4	3	1	6	4	1	1	-
151	Carbuncle and furuncle	3	2	1	-	-	2	1	-	1	-
152	Phlegmon and acute abcess	6	5	-	1	-	1	1	-	-	-
153	Other diseases of skin and cellular tissue	10	4	3	2	1	3	2	1	-	-

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
14	11	3	-	-	2	2	-	-	-	11	6	5	-	-	62	38	22	1	1	106a
5	2	3	-	-	2	2	-	-	-	3	1	2	-	-	24	16	5	2	1	106c
202	108	78	9	6	34	23	3	5	3	142	71	71	-	-	867	422	341	63	41	107
194	124	64	5	1	40	26	12	1	1	109	63	45	1	-	896	500	292	64	40	108
95	50	40	-	5	17	11	4	1	1	41	22	19	-	-	64	35	17	11	1	109
16	7	8	-	1	1	-	1	-	-	4	2	2	-	-	14	7	5	2	-	
79	43	32	-	4	16	11	3	1	1	37	20	17	-	-	50	28	12	9	1	
13	11	2	-	-	-	-	-	-	-	5	3	2	-	-	59	43	14	2	-	110
27	17	10	-	-	-	-	-	-	-	14	8	6	-	-	47	19	25	1	2	111a
48	19	28	-	1	2	-	2	-	-	11	4	7	-	-	87	35	47	4	1	111b,c
28	21	7	-	-	4	2	2	-	-	14	8	6	-	-	89	49	35	2	3	112
3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	113
14	10	3	-	1	10	9	-	1	-	1	1	-	-	-	48	37	8	2	1	114
624	334	279	7	4	90	64	21	2	3	260	140	120	-	-	2,242	1,224	848	99	71	
11	5	6	-	-	5	4	1	-	-	2	1	1	-	-	28	12	11	2	3	115a,b,d
11	5	5	-	1	1	-	-	-	1	3	2	1	-	-	23	10	11	1	1	115c
4	3	1	-	-	1	1	-	-	-	2	1	1	-	-	7	4	2	1	-	116
54	38	15	1	-	9	7	1	1	-	31	27	4	-	-	230	190	30	7	3	117a
35	30	5	-	-	7	7	-	-	-	7	5	2	-	-	108	88	15	5	-	117b
9	8	1	-	-	3	2	-	-	1	7	6	1	-	-	30	15	12	2	1	118
38	21	15	2	-	4	2	2	-	-	17	9	8	-	-	197	97	77	12	11	119
22	9	13	-	-	2	1	1	-	-	11	5	6	-	-	61	24	28	2	7	120
73	40	33	-	-	10	9	1	-	-	25	17	8	-	-	253	149	82	14	8	121
69	38	30	-	1	10	6	3	-	1	34	22	14	-	-	197	104	89	3	1	122a
68	28	38	1	1	7	4	2	1	-	23	6	17	-	-	222	83	110	15	14	122b
12	5	6	-	1	1	-	1	-	-	4	3	1	-	-	63	33	26	4	-	123
8	7	1	-	-	4	3	1	-	-	4	3	1	-	-	43	29	10	4	-	124a
96	62	33	1	-	16	12	4	-	-	34	19	15	-	-	435	254	162	14	5	124b
6	1	3	1	-	1	1	-	-	-	5	2	3	-	-	14	7	2	3	2	125a
8	5	3	-	-	1	1	-	-	-	1	-	1	-	-	39	17	15	5	2	125b
55	11	44	-	-	4	2	2	-	-	28	5	23	-	-	148	54	88	-	6	126
29	11	18	-	-	2	-	2	-	-	14	5	9	-	-	94	33	55	1	5	127
7	4	3	-	-	1	1	-	-	-	3	1	2	-	-	26	13	12	-	1	128
10	3	6	1	-	1	1	-	-	-	5	3	2	-	-	24	8	11	4	1	129
1,015	613	386	8	8	93	69	22	6	3	433	245	188	-	-	3,406	1,632	1,470	134	170	
20	12	8	-	-	1	1	-	-	-	10	6	4	-	-	84	37	40	3	4	130
586	326	250	6	4	49	31	15	2	1	272	141	130	-	-	2,146	951	994	88	113	131a
182	118	63	-	1	23	17	4	1	1	85	47	38	-	-	639	283	298	22	36	131b
62	30	31	1	-	5	3	1	1	-	11	7	4	-	-	128	59	53	9	7	132
23	11	10	1	1	1	-	1	-	-	11	6	5	-	-	79	38	36	3	2	133
13	11	2	-	-	1	1	-	-	-	5	3	2	-	-	48	35	10	2	1	134
10	4	6	-	-	1	1	-	-	-	3	2	1	-	-	22	11	11	-	-	135
1	1	-	-	-	2	-	-	2	-	3	3	-	-	-	7	7	-	-	-	136
100	100	...	-	...	8	8	...	-	...	30	30	...	-	...	218	211	...	7	...	137
-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	138
8	...	7	...	1	2	...	1	...	1	2	...	2	...	-	21	...	15	...	6	139a
9	...	8	...	1	-	...	-	...	-	2	...	2	...	-	13	...	12	...	1	139b
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	139c
43	...	43	...	-	7	...	6	...	1	24	...	24	...	...	120	...	95	...	25	
-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	20	...	14	...	6	140
-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	11	...	8	...	3	140a,b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	9	...	6	...	3	140c,d
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	9	...	7	...	2	141
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	141a,c
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	4	...	3	...	1	141b
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	141d
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	3	...	2	...	1	141e,f
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	142a
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	6	...	3	...	3	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143b,c
3	...	3	...	-	-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	144a,b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	144c,d
2	...	2	...	-	-	...	-	...	-	1	...	1	...	-	5	...	3	...	2	145
2	...	2	...	-	-	...	-	...	-	1	...	1	...	-	5	...	3	...	2	
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	
3	...	3	...	-	-	...	-	...	-	-	...	-	...	-	6	...	5	...	1	146a
3	...	3	...	-	2	...	2	...	-	6	...	6	...	-	7	...	6	...	1	146b,c
-	...	-	...	-	-	...	-	...	-	4	...	4	...	-	13	...	10	...	3	147a,b
9	..	9	...	-	-	...	-	...	-	3	...	3	...	-	13	...	12	...	1	147c,d
11	...	11	...	-	2	...	2	...	-	7	...	7	...	-	8	...	6	...	2	148a,b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	4	...	4	...	-	148c,d
6	...	6	...	-	1	...	1	...	-	-	...	-	...	-	16	...	13	...	3	149
3	...	3	...	-	-	...	-	...	-	2	...	2	...	-	9	...	9	...	-	150
8	2	6	-	-	1	1	-	-	-	4	2	2	-	-	48	23	23	1	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	151
1	1	-	-	-	-	-	-	-	-	3	1	2	-	-	15	11	3	1	-	152
7	1	6	-	-	1	1	-	-	-	1	1	-	-	-	29	10	18	-	1	153

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc. *	25	12	10	2	1	5	4	1	-	-
154	Osteomyelitis and periostitis	13	8	3	1	1	2	1	1	-	-
155	Other diseases of bones (except tuberculosis)	4	1	2	1	-	-	-	-	-	-
156	Diseases of joints and other organs of movement	8	3	5	-	-	3	3	-	-	-
157	XIV.—Congenital malformations	439	231	188	9	11	51	27	23	1	-
	XV.—Diseases peculiar to the first year of life	1,171	581	434	87	69	184	99	70	9	6
158	Congenital debility (cause not stated)	44	25	16	2	1	7	4	1	-	2
159	Premature birth (cause not stated)	769	368	290	58	53	111	56	46	6	3
160a	Intracranial or spinal hemorrhage	95	53	29	9	4	10	8	1	1	-
160b,c	Other injuries at birth	129	69	53	5	2	32	20	11	1	-
161	Other diseases peculiar to the first year of life	134	66	46	13	9	24	11	11	1	1
162	XVI.—Senility	275	129	137	3	6	89	49	35	2	3
	XVII.—Violent or accidental deaths	3,025	1,828	943	190	64	560	375	158	14	13
163,164	Suicide	380	260	106	8	6	53	40	11	1	1
163	Suicide by poisoning	81	34	43	-	4	8	2	5	-	1
	Suicide by solid or liquid poisons	60	22	35	-	3	6	1	4	-	1
	Suicide by poisonous gases	21	12	8	-	1	2	1	1	-	-
164a	Suicide by hanging or strangulation	60	42	15	2	1	4	3	-	1	-
164b	Suicide by drowning	22	14	7	1	-	2	-	2	-	-
164c	Suicide by firearms and explosives	170	142	25	3	-	30	28	2	-	-
164d	Suicide by cutting or piercing instruments	17	10	6	1	-	7	6	1	-	-
164e	Suicide by jumping from high places	21	14	5	1	1	1	1	-	-	-
164f	Suicide by crushing	1	1	-	-	-	-	-	-	-	-
164g	Suicide by other or unspecified means	8	3	5	-	-	1	-	1	-	-
165-168	Homicide [1]	148	52	18	64	14	13	9	3	1	-
166	Homicide by firearms	80	29	11	33	7	7	6	1	-	-
167	Homicide by cutting or piercing instruments	41	9	1	26	5	2	1	1	-	-
168	Homicide by other means	27	14	6	5	2	4	2	1	1	-
169-195	Accidental deaths	2,492	1,513	819	116	44	494	326	144	12	12
169	Railway accidents (except collisions with motor vehicles)	94	86	2	6	-	15	13	-	2	-
170a	Collisions between automobiles and trains	55	29	25	1	-	7	6	1	-	-
170b	Collisions between automobiles and streetcars	4	3	1	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	530	392	110	25	3	97	67	27	-	3
170d	Motorcycle accidents (except collisions with automobiles)	8	7	1	-	-	2	2	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	31	21	8	-	2	-	-	-	-	-
171b	Other and unspecified road-transport accidents	7	5	2	-	-	3	1	1	-	1
172	Water-transport accidents	22	21	-	1	-	1	-	1	-	-
173	Air-transport accidents	75	74	-	1	-	16	14	1	-	1
174	Accidents in mines and quarries	12	11	-	1	-	21	21	-	-	-
175a	Accidents involving agricultural machinery and vehicles	31	31	-	-	-	16	15	1	-	-
175b,c	Other agricultural accidents, including injury by animals	39	35	4	-	-	19	13	3	2	1
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	2	2	-	-	-
175e	Other forestry accidents	1	1	-	-	-	6	6	-	-	-
176	Other accidents involving machinery	26	21	-	4	1	9	9	-	-	-
177	Food poisoning	17	7	8	2	-	1	-	-	1	-
178	Accidental absorption of poisonous gas	39	27	9	2	1	4	4	-	-	-
179	Acute accidental poisoning by solids or liquids	37	19	10	4	4	11	5	4	-	2
180	Conflagration	56	32	17	3	4	16	6	10	-	-
181	Accidental burns (except conflagration)	166	69	74	13	10	16	7	8	1	-
182	Accidental mechanical suffocation	22	8	10	3	1	4	2	2	-	-
183	Accidental drowning	133	106	19	7	1	44	35	8	1	-
184	Accidental injury by firearms	67	53	11	3	-	20	15	3	2	-
185	Accidental injury by cutting or piercing instruments	13	7	4	1	1	1	-	-	1	-
186a	Accidental injury by fall	791	305	449	24	13	122	59	61	-	2
186b	Accidental injury by crushing	10	9	1	-	-	-	-	-	-	-
187	Cataclysm, etc. *	3	2	1	-	-	1	-	1	-	-
188	Injury by animals (except in agriculture and forestry)	9	7	1	1	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	3	2	-	-	1	5	2	2	-	1
191	Excessive heat	7	5	2	-	-	1	1	-	-	-
192	Lightning	18	15	3	-	-	7	6	1	-	-
193	Accidents due to electric currents (except lightning)	19	17	2	-	-	1	1	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	3	3	-	-	-	2	-	1	1	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	18	8	6	3	1	5	2	2	1	-
195c,e	Other and unspecified accidents	126	75	39	11	1	19	12	6	-	1
196	Deaths of military personnel during operations of war	2	2	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	1	1	-	-	-	-	-	-	-	-
198	Legal executions	2	-	-	2	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	120	68	34	9	9	120	60	17	21	22
199	Sudden death	7	5	1	-	1	8	5	3	-	-
200a	Ill-defined	76	39	28	6	3	57	44	10	-	3
200b	Found dead (cause unknown)	9	5	-	2	2	3	3	-	-	-
200c	Unknown or unspecified	28	19	5	1	3	52	8	4	21	19

* Refer to complete International List titles, table V, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
11	7	4	-	-	-	-	-	-	-	5	2	3	-	-	29	19	7	2	1	
4	3	1	-	-	-	-	-	-	-	2	2	-	-	-	14	10	2	2	-	154
3	2	1	-	-	-	-	-	-	-	2	-	2	-	-	5	2	3	-	-	155
4	2	2	-	-	-	-	-	-	-	1	-	1	-	-	10	7	2	-	1	156
152	88	63	1	-	30	18	12	-	-	93	53	40	-	-	521	246	248	14	13	157
460	257	190	8	5	83	50	32	-	1	147	84	63	-	-	1,354	670	496	99	89	
27	17	9	-	1	1	1	-	-	-	5	1	4	-	-	24	11	9	2	2	158
275	157	111	6	1	53	30	22	-	1	97	62	35	-	-	862	431	292	69	70	159
49	28	17	2	2	4	3	1	-	-	5	2	3	-	-	117	62	43	8	4	160a
54	28	26	-	-	5	3	2	-	-	18	9	9	-	-	133	57	66	7	3	160b,c
55	27	27	-	1	20	13	7	-	-	22	10	12	-	-	218	109	86	13	10	161
167	74	91	2	-	21	14	3	2	2	34	12	22	-	-	200	81	110	3	6	162
1,038	688	322	21	7	326	278	34	11	3	450	295	155	-	-	3,156	1,988	927	180	61	
133	97	35	1	-	25	17	4	4	-	80	62	18	-	-	493	331	154	6	2	163,164
20	10	10	-	-	5	3	1	1	-	19	13	6	-	-	190	104	84	2	-	163
9	4	5	-	-	4	3	-	1	-	4	2	2	-	-	27	14	13	-	-	
11	6	5	-	-	1	-	1	-	-	15	11	4	-	-	163	90	71	2	-	
41	28	13	-	-	4	3	1	-	-	22	21	1	-	-	125	83	39	2	1	164a
7	3	4	-	-	-	-	-	-	-	8	2	6	-	-	21	14	6	1	-	164b
55	48	6	1	-	12	8	2	2	-	25	23	2	-	-	90	83	7	-	-	164c
7	6	1	-	-	1	1	-	-	-	2	2	-	-	-	28	21	7	-	-	164d
1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	30	19	9	1	1	164e
-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	8	7	1	-	-	164f
2	1	1	-	-	-	-	-	-	-	3	1	2	-	-	1	-	1	-	-	164g
16	6	1	8	1	6	5	1	-	-	5	3	2	-	-	87	35	18	29	5	165-168
6	3	-	2	1	3	2	1	-	-	3	2	1	-	-	33	14	6	11	2	166
4	-	-	4	-	1	1	-	-	-	2	1	1	-	-	21	3	2	15	1	167
6	3	1	2	-	2	2	-	-	-	-	-	-	-	-	33	18	10	3	2	168
889	585	286	12	6	293	254	29	7	3	365	230	135	-	-	2,567	1,615	755	143	54	169-195
32	26	6	-	-	22	17	5	-	-	4	4	-	-	-	93	72	11	9	1	169
22	16	6	-	-	2	1	1	-	-	5	5	-	-	-	30	20	9	1	-	170a
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	170b
153	117	34	2	-	32	27	5	-	-	55	42	13	-	-	586	414	113	45	14	170c
1	1	-	-	-	1	1	-	-	-	3	2	1	-	-	8	8	-	-	-	170d
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	7	4	2	1	-	171a
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	10	7	2	1	-	171b
1	1	-	-	-	-	-	-	-	-	5	5	-	-	-	90	85	1	4	-	172
97	96	1	-	-	131	128	3	-	-	10	10	-	-	-	112	110	1	1	-	173
4	4	-	-	-	7	7	-	-	-	1	1	-	-	-	8	8	-	-	-	174
39	38	-	1	-	3	3	-	-	-	4	4	-	-	-	11	10	-	1	-	175a
26	21	5	-	-	-	-	-	-	-	8	8	-	-	-	14	11	1	2	-	175b,c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	175e
4	4	-	-	-	-	-	-	-	-	8	8	-	-	-	31	26	3	2	-	176
7	3	4	-	-	1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	177
24	17	5	1	1	7	6	1	-	-	8	5	3	-	-	135	77	53	4	1	178
7	4	3	-	-	5	3	1	-	1	7	2	5	-	-	30	19	6	2	3	179
22	10	9	1	2	2	-	1	1	-	12	7	5	-	-	82	30	26	13	13	180
40	18	20	1	1	14	11	2	1	-	21	12	9	-	-	100	57	28	4	11	181
11	6	5	-	-	1	-	-	1	-	9	7	2	-	-	38	26	7	4	1	182
35	28	5	2	-	15	14	1	-	-	26	24	2	-	-	153	117	11	23	2	183
25	22	3	-	-	8	8	-	-	-	11	10	1	-	-	26	19	4	3	-	184
1	-	1	-	-	-	-	-	-	-	2	2	-	-	-	10	4	2	3	1	185
260	103	155	-	2	22	13	7	1	1	126	48	78	-	-	802	359	426	12	5	186a
7	7	-	-	-	-	-	-	-	-	1	1	-	-	-	5	5	-	-	-	186b
3	2	1	-	-	3	2	1	-	-	-	-	-	-	-	6	5	1	-	-	187
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	189
1	1	-	-	-	3	1	-	1	1	1	1	-	-	-	3	3	-	-	-	190
1	-	1	-	-	-	-	-	-	-	3	1	2	-	-	14	11	3	-	-	191
6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	5	4	-	1	-	192
4	4	-	-	-	2	2	-	-	-	2	2	-	-	-	19	16	2	1	-	193
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	194
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	195a,b
13	7	6	-	-	2	1	1	-	-	4	2	2	-	-	31	17	12	1	1	195d
37	20	13	4	-	9	7	-	2	-	24	12	12	-	-	104	69	29	5	1	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	2	-	-	2	-	198
81	49	31	-	1	26	15	5	2	4	28	17	11	-	-	106	54	42	4	6	
12	10	2	-	-	1	1	-	-	-	1	1	-	-	-	10	5	5	-	-	199
48	27	20	-	1	19	12	4	1	2	26	16	10	-	-	84	44	30	4	6	200a
10	8	2	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	200b
11	4	7	-	-	5	1	1	1	2	-	-	-	-	-	12	5	7	-	-	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	5,500	3,005	1,945	286	264	152,364	78,665	65,385	4,442	3,872
	I.—Infectious and parasitic diseases	670	328	222	58	62	9,582	5,179	2,514	1,160	731
1	Typhoid fever	5	1	-	1	3	20	8	10	-	2
2	Paratyphoid fever	1	1	-	-	-	9	5	4	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	2	2	-	-	-	4	2	2	-	-
6	Cerebrospinal (meningococcus) meningitis	9	7	1	1	-	326	160	120	27	19
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	1	1	-	-	13	9	3	-	1
9	Whooping cough	13	7	5	-	1	61	28	23	7	3
10	Diphtheria (infection by C. diphtheriae)	19	10	7	2	-	11	5	5	-	1
11	Erysipelas	2	2	-	-	-	20	10	10	-	-
12	Tetanus	-	-	-	-	-	17	15	1	1	-
13-22	Tuberculosis (all forms)	345	166	94	42	43	6,055	3,321	1,457	736	541
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	3	3	-	-	-	24	23	-	1	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	310	149	89	34	38	5,625	3,151	1,330	662	482
14	Tuberculosis of meninges and central nervous system	11	3	1	4	3	85	34	24	13	14
15	Tuberculosis of intestines and peritoneum	5	1	2	1	1	50	13	17	8	12
16	Tuberculosis of vertebral column	3	2	-	1	-	63	16	22	18	7
17a	Tuberculosis of bones (except vertebral column)	-	-	-	-	-	5	2	2	1	-
17b	Tuberculosis of joints (except vertebral column)	1	-	-	1	-	11	6	5	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	3	1	1	1	-
19	Tuberculosis of lymphatic system, etc.*	1	-	-	-	1	9	4	4	-	1
20	Tuberculosis of genito-urinary system	4	4	-	-	-	54	28	21	2	3
21	Tuberculosis of other organs	-	-	-	-	-	13	9	3	1	-
22a	Disseminated tuberculosis (acute miliary)	7	4	2	1	-	96	30	21	25	20
22b	Disseminated tuberculosis (other and unspecified)	-	-	-	-	-	17	4	7	4	2
23	Leprosy	-	-	-	-	-	1	-	-	1	-
24	Septicemia and purulent infection (nonpuerperal)	4	2	2	-	-	51	32	16	3	-
25	Gonococcus infection	3	1	2	-	-	19	5	5	4	5
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	82	36	42	1	3	35	19	11	2	3
28	Malaria	3	2	1	-	-	5	2	2	1	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	1	1	-	-	-
30	Syphilis (all forms)	55	30	15	7	3	1,602	829	288	352	133
30a	Locomotor ataxia (tabes dorsalis)	4	3	-	1	-	68	50	12	3	3
30b	General paralysis of insane	1	1	-	-	-	517	283	89	118	27
30c	Other syphilis of central nervous system	9	5	2	2	-	165	86	32	31	16
30d	Aneurysm of aorta	8	6	1	1	-	315	177	49	67	22
30e	Other syphilis of circulatory system	6	4	1	1	-	146	70	17	47	12
30f,g	Congenital, other and unspecified forms of syphilis	27	11	11	2	3	391	163	89	86	53
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	-	-	-	-	-	12	7	5	-	-
33a	Influenza, with respiratory complications specified	52	30	19	1	2	301	142	147	7	5
33b	Influenza, without respiratory complications specified	22	12	8	1	1	214	94	107	7	6
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	33	13	12	2	6	38	16	20	2	-
36	Acute poliomyelitis and acute polioencephalitis	4	1	3	-	-	342	228	113	-	1
37a,c	Infectious encephalitis lethargica (acute and unqualified)	1	-	1	-	-	83	40	34	4	5
37b	Sequelae of encephalitis lethargica	2	1	1	-	-	46	24	21	1	-
38	Other diseases due to filtrable viruses	4	-	4	-	-	13	7	6	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	1	1	-	-	-	4	1	3	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	6	2	3	-	1
42	Other diseases caused by helminths	1	1	-	-	-	5	4	-	-	1
43	Mycoses	-	-	-	-	-	27	15	11	-	1
44	Other infectious and parasitic (communicable) diseases	5	1	4	-	-	241	146	87	5	3
	II.—Cancer and other tumors	354	166	175	6	7	23,301	10,937	11,430	386	548
45-55	Cancer and other malignant tumors	338	163	162	6	7	22,584	10,711	11,020	376	477
45	Cancer of buccal cavity and pharynx	13	11	1	1	-	715	577	114	21	3
45a-e	Cancer of buccal cavity	9	8	-	1	-	494	404	75	12	3
45f	Cancer of pharynx	4	3	1	-	-	221	173	39	9	-
46	Cancer of digestive organs and peritoneum	152	82	63	4	3	10,541	5,518	4,659	217	147
46a	Cancer of esophagus	3	2	-	1	-	533	363	128	36	6
46b,c	Cancer of stomach and duodenum	71	39	29	1	2	3,272	1,889	1,258	84	41
46f	Cancer of liver and biliary passages	22	9	11	2	-	1,079	446	598	20	15
46g	Cancer of pancreas	10	6	4	-	-	818	429	363	15	11
46d,e,h,m	Cancer of other digestive organs and peritoneum	46	26	19	-	1	4,839	2,391	2,312	62	74
47	Cancer of respiratory system	21	14	6	1	-	2,200	1,741	387	55	17
48	Cancer of uterus	45	...	42	...	3	1,661	...	1,516	...	145
49	Cancer of other female genital organs	5	...	5	...	-	847	...	807	...	40
50	Cancer of breast	28	-	27	-	1	2,399	39	2,262	3	95
51	Cancer of male genital organs	17	17	...	-	...	1,056	1,024	...	32	...
52	Cancer of urinary organs (male and female)	13	8	5	-	-	1,161	731	406	14	10
53	Cancer of skin (except vulva and scrotum)	12	9	3	-	-	331	183	145	2	1
54	Cancer of central nervous system*	5	4	1	-	-	420	258	151	4	7
55	Cancer of other and unspecified organs	27	18	9	-	-	1,253	640	573	28	12
56a	Nonmalignant tumors of ovary	2	...	2	...	-	76	...	68	...	8
56b	Nonmalignant tumors of uterus	5	...	5	...	-	200	...	154	...	46
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	7	...	6	...	1
56d,e	Nonmalignant tumors of other and unspecified organs	2	-	2	-	-	187	95	85	1	6

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
29,390	11,098	8,128	5,268	4,896	5,116	2,995	1,994	63	64	80,193	41,073	33,602	3,051	2,467	18,925	9,720	6,769	1,303	1,133	
2,627	748	556	694	629	270	139	96	13	22	5,794	2,865	1,867	648	414	1,732	758	549	204	221	
10	3	2	3	2	-	-	-	-	-	17	8	8	1	-	9	3	3	1	2	1
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	-	-	1	-	1	1	-	-	-	7	6	1	-	-	2	2	-	-	-	5
61	26	20	11	4	6	4	2	-	-	198	104	58	24	12	18	11	5	1	1	6
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	7
5	2	2	1	-	6	4	2	-	-	44	16	26	1	1	5	3	1	-	1	8
145	38	34	34	39	11	7	4	-	-	87	28	43	7	9	40	7	19	3	11	9
40	19	15	2	4	8	4	3	-	1	31	16	14	1	-	34	18	16	-	-	10
5	2	3	-	-	2	-	1	1	-	13	3	6	1	3	3	1	2	-	-	11
15	7	3	3	2	1	1	-	-	-	22	15	6	1	-	9	4	3	2	-	12
1,239	313	190	370	366	86	43	28	5	10	2,787	1,344	781	390	272	880	360	267	120	133	13-22
4	4	-	-	-	-	-	-	-	-	79	72	1	6	-	3	3	-	-	-	13a
1,141	289	182	326	344	78	39	26	3	10	2,487	1,193	705	346	243	818	331	249	113	125	13b,c
16	6	2	5	3	3	2	-	1	-	47	16	13	10	8	13	3	5	4	1	14
22	-	4	12	6	1	-	-	1	-	29	13	8	4	4	18	6	5	2	5	15
11	2	-	8	1	1	-	1	-	-	34	14	9	7	4	4	3	1	-	-	16
6	3	1	1	1	-	-	-	-	-	8	2	5	-	1	1	1	-	-	-	17a
6	1	-	2	3	-	-	-	-	-	7	1	5	-	1	3	1	1	1	-	17b
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	2	-	-	-	18
3	1	-	2	-	-	-	-	-	-	7	1	2	1	3	-	-	-	-	-	19
5	3	-	-	2	-	-	-	-	-	27	15	10	2	-	7	3	4	-	-	20
2	-	-	2	-	-	-	-	-	-	3	-	2	-	1	1	1	-	-	-	21
22	4	1	11	6	3	2	1	-	-	51	17	14	14	6	9	5	2	-	2	22a
1	-	-	1	-	-	-	-	-	-	6	-	5	-	1	1	1	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
33	14	7	8	4	4	2	2	-	-	43	22	17	4	-	13	8	3	1	1	24
8	-	1	2	5	-	-	-	-	-	9	3	4	2	-	3	-	2	1	-	25
2	2	-	-	-	1	-	-	1	-	3	2	1	-	-	1	-	-	1	-	26
36	9	10	7	10	2	1	-	-	1	43	17	21	4	1	63	30	21	6	6	27
25	8	8	4	5	-	-	-	-	-	5	2	-	1	2	19	6	4	2	7	28
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	29
292	71	26	135	60	23	19	2	1	1	873	471	188	148	66	190	89	38	35	18	30
7	5	-	-	2	2	1	-	1	-	48	36	10	2	-	3	3	-	-	-	30a
65	15	4	36	10	1	1	-	-	-	289	168	58	45	18	56	38	9	8	1	30b
31	12	5	6	8	6	5	1	-	-	102	50	23	18	11	31	17	6	7	1	30c
57	22	4	25	6	3	3	-	-	-	163	90	31	31	11	32	20	6	5	1	30d
16	3	1	11	1	2	2	-	-	-	57	26	14	8	9	13	4	3	6	-	30e
116	14	12	57	33	9	7	1	-	1	214	101	52	44	17	55	17	14	9	15	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
5	-	3	-	2	1	-	1	-	-	17	6	9	-	2	3	2	-	-	1	32
345	94	113	66	72	32	16	15	-	1	724	345	310	41	28	202	87	80	19	16	33a
170	65	48	25	32	26	9	15	-	2	444	218	202	14	10	155	77	55	6	17	33b
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	34
59	23	19	8	9	34	13	10	5	6	139	71	64	1	3	33	12	12	4	5	35
40	20	15	3	2	2	1	1	-	-	88	55	33	-	-	8	2	3	2	1	36
6	1	3	1	1	11	7	4	-	-	29	11	17	-	1	2	1	1	-	-	37a,c
-	-	-	-	-	2	1	1	-	-	15	9	6	-	-	5	3	2	-	-	37b
3	2	1	-	-	-	-	-	-	-	12	6	6	-	-	4	3	1	-	-	38
33	16	10	4	3	-	-	-	-	-	3	2	1	-	-	3	3	-	-	-	39
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	-	1	-	-	41
3	-	1	1	1	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	42
9	4	2	1	2	3	3	-	-	-	15	7	4	2	2	1	1	-	-	-	43
36	9	19	4	4	8	3	5	-	-	115	71	37	5	2	26	15	10	-	1	44
2,447	788	1,113	201	345	674	387	278	6	3	10,369	4,622	5,272	203	272	2,178	962	1,062	59	95	
2,328	754	1,063	196	315	651	375	268	5	3	10,029	4,535	5,054	198	242	2,060	932	990	57	81	45-55
79	44	27	3	5	20	18	2	-	-	296	232	55	8	1	82	57	19	4	2	45
51	30	18	-	3	16	14	2	-	-	214	176	33	5	-	53	39	11	2	1	45a-e
28	14	9	3	2	4	4	-	-	-	82	56	22	3	1	29	18	8	2	1	45f
874	348	326	117	83	332	207	120	4	1	4,545	2,316	2,046	110	73	911	477	379	30	25	46
34	19	9	5	1	9	6	3	-	-	171	132	22	13	4	15	10	4	1	-	46a
344	144	108	60	32	151	98	51	1	1	1,461	827	559	46	29	347	199	133	11	4	46b,c
147	62	57	12	16	52	25	27	-	-	753	308	419	19	7	195	90	90	6	9	46f
47	23	15	7	2	24	17	6	1	-	315	160	143	6	6	57	42	12	1	2	46g
302	100	137	33	32	96	61	33	2	-	1,845	889	903	26	27	297	136	140	11	10	46d,e,h,m
118	66	30	9	13	35	29	6	-	-	697	511	160	22	4	102	74	26	2	-	47
348	...	227	...	121	37	...	36	...	1	1,066	...	988	...	78	260	...	223	...	37	48
83	...	70	...	13	14	...	14	...	-	275	...	269	...	6	48	...	46	...	2	49
224	1	185	-	38	49	-	48	-	1	990	10	930	-	50	158	2	148	-	8	50
126	97	...	29	...	61	61	...	-	...	643	616	...	27	...	133	121	...	12	...	51
80	36	28	11	5	31	21	10	-	-	462	302	145	7	8	71	38	31	1	1	52
74	35	31	2	6	8	6	2	-	-	210	126	81	1	2	89	55	31	2	1	53
63	35	26	1	1	10	5	5	-	-	122	78	39	2	3	23	16	7	-	-	54
259	92	113	24	30	54	28	25	1	-	723	344	341	21	17	183	92	80	6	5	55
13	...	11	...	2	-	...	-	...	-	33	...	30	...	3	20	...	18	...	2	56a
34	...	12	...	22	4	...	4	...	-	105	...	87	...	18	32	...	22	...	10	56b
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	2	...	2	...	-	56c
24	10	10	3	1	3	2	1	-	-	85	40	39	3	3	8	5	3	-	-	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	1	...	-	...	...
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	2	...	2	...	...
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	3	...	1	...	2
57d,e	Tumors of other and unspecified organs (nature unspecified)	7	3	4	-	-	242	131	94	9	8
	III.—Rheumatism, diseases of nutrition, etc. *	113	59	46	3	5	6,226	2,041	3,949	78	158
58a-d	Acute rheumatic heart diseases	6	5	1	-	-	109	57	42	5	5
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	5	2	2	1	-	26	14	9	2	1
59	Chronic rheumatism and other rheumatic diseases	6	2	4	-	-	146	52	89	2	3
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	54	25	23	2	4	5,377	1,729	3,459	56	133
62	Diseases of pituitary gland	1	-	1	-	-	15	4	10	1	-
63a	Simple goiter	-	-	-	-	-	14	2	11	-	1
63b	Exophthalmic goiter	8	2	6	-	-	277	49	215	4	9
63c-e	Other diseases of thyroid and parathyroid glands	1	-	1	-	-	34	9	24	-	1
64	Diseases of thymus gland	6	4	2	-	-	117	70	40	5	2
65	Diseases of adrenal glands (not specified as tuberculous)	2	2	-	-	-	66	31	32	2	1
66	Other general diseases	6	3	3	-	-	17	9	6	-	2
67	Scurvy	3	3	-	-	-	2	-	2	-	-
68	Beriberi	-	-	-	-	-	2	2	-	-	-
69	Pellagra (except alcoholic)	10	7	3	-	-	9	6	3	-	-
70	Rickets	4	3	-	1	-	7	5	1	1	-
71	Other avitaminoses	1	1	-	-	-	8	2	6	-	-
	IV.—Diseases of the blood and blood-forming organs	38	23	14	-	1	1,131	590	499	25	17
72	Hemorrhagic conditions	5	5	-	-	-	53	27	23	2	1
73a	Pernicious anemia	4	2	2	-	-	174	83	87	3	1
73b-d	Other anemias (except splenic)	5	2	2	-	1	93	36	50	4	3
74a	Leukemias	20	12	8	-	-	720	391	304	15	10
74b	Aleukemias	1	-	1	-	-	17	9	8	-	-
75	Diseases of spleen	1	1	-	-	-	55	31	22	1	1
76	Other diseases of the blood and blood-forming organs	2	1	1	-	-	19	13	5	-	1
	V.—Chronic poisoning and intoxication	6	6	-	-	-	262	189	41	26	6
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	-	-	-	-	-	8	6	1	1	-
77c-e	Alcoholism (acute, chronic, and unspecified)	5	5	-	-	-	235	173	32	24	6
78	Lead poisoning	1	1	-	-	-	4	3	1	-	-
79	Chronic poisoning by other mineral or organic substances	-	-	-	-	-	15	7	7	1	-
	VI.—Diseases of the nervous system, etc. *	325	168	140	11	6	11,615	5,097	6,042	226	250
80	Encephalitis (nonepidemic)	8	3	2	2	1	86	50	30	2	4
81	Meningitis (not due to meningococcus)	12	8	3	1	-	215	106	70	22	17
82	Diseases of spinal cord (see exceptions) *	10	4	6	-	-	302	175	117	9	1
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	244	131	105	6	2	8,506	3,626	4,570	139	171
83b	Cerebral embolism and thrombosis	10	6	4	-	-	1,489	639	743	22	25
83c	Cerebral softening	1	-	1	-	-	68	24	41	-	3
83d	Hemiplegia and other paralysis of unspecified origin	19	7	11	1	-	93	45	44	3	1
84	Mental diseases and deficiency (see exception) *	2	-	2	-	-	133	46	77	3	7
85	Epilepsy	8	4	2	-	2	226	110	98	11	7
86	Convulsions (under 5 years)	1	-	1	-	-	13	9	4	-	-
87	Other diseases of nervous system	5	2	2	-	1	410	202	192	11	5
88	Diseases of organs of vision	-	-	-	-	-	3	1	2	-	-
89a	Otitis and other diseases of the ear	4	2	1	1	-	82	41	34	2	5
89b	Diseases of mastoid process	1	1	-	-	-	49	23	20	2	4
	VII.—Diseases of the circulatory system	812	520	269	11	12	61,091	33,077	25,805	1,072	1,137
90-95	Diseases of the heart (all forms)	769	491	256	10	12	57,328	31,251	24,009	1,003	1,065
90	Pericarditis (except acute rheumatic)	1	1	-	-	-	24	11	12	-	1
91a,b	Bacterial and other acute or subacute endocarditis	5	2	3	-	-	133	67	53	9	4
91c	Endocarditis (unspecified, under 45 years)	2	1	1	-	-	8	3	4	-	1
92a-d	Chronic endocarditis and diseases of the valves *	128	70	50	3	5	3,926	1,862	1,919	75	70
92e	Endocarditis (unspecified, 45 years and over)	9	7	1	-	1	142	80	58	1	3
93a	Acute myocarditis (except rheumatic)	13	11	2	-	-	278	137	133	1	7
93b	Myocarditis (unspecified, under 45 years)	-	-	-	-	-	14	6	7	1	-
93c,d	Chronic myocarditis and myocardial degeneration	256	156	93	6	1	34,683	17,273	15,967	653	790
93e	Other myocarditis (unspecified)	46	29	17	-	-	895	470	408	12	5
94a	Diseases of coronary arteries	183	132	50	-	1	14,578	10,048	4,237	178	115
94b	Angina pectoris	26	21	4	-	1	217	142	72	3	-
95a	Functional diseases of heart, etc. *	3	2	1	-	-	32	16	15	-	1
95b,c	Other and unspecified diseases of heart	97	59	34	1	3	2,398	1,136	1,124	70	68
96	Aneurysm (except of heart and aorta)	3	2	1	-	-	236	153	71	6	6
97	Arteriosclerosis (except coronary or renal sclerosis)	28	19	8	1	-	3,104	1,495	1,504	53	52
98	Gangrene	1	-	1	-	-	19	9	9	1	-
99	Other diseases of arteries	4	4	-	-	-	195	90	96	3	6
100	Diseases of veins	5	3	2	-	-	122	49	71	1	1
101	Diseases of lymphatic system	-	-	-	-	-	4	1	1	2	-
102	High blood pressure (idiopathic)	2	1	1	-	-	78	25	43	3	7
103	Other diseases of circulatory system	-	-	-	-	-	5	4	1	-	-
	VIII.—Diseases of the respiratory system	422	207	165	30	20	7,225	3,981	2,674	345	225
104a	Diseases of nasal fossae	4	3	1	-	-	7	3	1	2	1
104b	Diseases of accessory sinuses	-	-	-	-	-	42	28	12	2	-
105	Diseases of larynx	3	2	-	-	1	32	19	9	3	1
106a	Acute bronchitis	3	2	1	-	-	111	63	44	3	1

* Refer to complete International List titles, table V, Part I.

-UNITED STATES AND EACH STATE. 1944—Continued

and of deaths among armed forces overseas)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	57a
2	...	1	...	1	1	...	1	...	-	-	...	-	...	-	2	...	2	...	-	57b
1	...	-	...	1	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	57c
45	24	16	2	3	15	10	4	1	-	114	47	59	2	6	53	25	24	2	2	57d,e
806	252	303	95	156	190	85	103	1	1	2,852	970	1,723	57	102	527	200	258	28	41	
17	4	5	2	6	6	3	3	-	-	60	29	23	5	3	12	5	2	2	3	58a-d
27	5	9	6	7	3	2	1	-	-	28	16	6	3	3	10	5	5	-	-	58e,f
48	15	22	9	2	14	7	6	-	1	118	40	76	1	1	39	13	21	3	2	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
509	173	178	54	104	148	63	84	1	-	2,211	754	1,331	42	84	336	139	158	12	27	61
4	1	1	1	1	-	-	-	-	-	4	1	3	-	-	2	1	1	-	-	62
2	-	-	1	1	2	-	2	-	-	13	6	7	-	-	5	1	3	1	-	63a
46	5	26	2	13	6	2	4	-	-	250	43	199	2	6	27	3	19	1	4	63b
12	5	5	1	1	2	1	1	-	-	15	6	8	1	-	3	-	2	-	1	63c-e
27	16	8	3	-	4	4	-	-	-	69	33	30	3	3	17	9	7	1	-	64
4	1	3	-	-	2	2	-	-	-	30	13	16	-	1	5	2	2	-	1	65
31	10	9	7	5	2	1	1	-	-	31	11	19	-	1	13	4	9	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	68
70	14	33	8	15	1	-	1	-	-	10	7	3	-	-	51	16	25	7	3	69
4	1	1	1	1	-	-	-	-	-	6	4	2	-	-	4	1	2	1	-	70
5	2	3	-	-	-	-	-	-	-	4	4	-	-	-	3	1	2	-	-	71
191	71	78	17	25	54	31	23	-	-	621	332	266	11	12	140	76	55	5	4	
24	10	8	1	5	2	1	1	-	-	43	18	23	1	1	10	5	5	-	-	72
16	8	3	2	3	9	6	3	-	-	136	73	60	-	3	30	12	14	3	1	73a
37	6	17	5	9	3	1	2	-	-	67	35	30	-	2	27	12	12	1	2	73b-d
96	41	40	7	8	37	21	16	-	-	314	171	130	9	4	64	43	19	1	1	74a
-	-	-	-	-	2	2	-	-	-	13	8	5	-	-	2	1	1	-	-	74b
9	1	7	1	-	-	-	-	-	-	38	23	12	1	2	4	2	2	-	-	75
9	5	3	1	-	1	-	1	-	-	10	4	6	-	-	3	1	2	-	-	76
64	39	4	19	2	12	11	-	1	-	82	64	7	10	1	35	25	1	8	1	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	77a,b
61	38	2	19	2	12	11	-	1	-	69	54	5	9	1	31	22	-	8	1	77c-e
1	1	-	-	-	-	-	-	-	-	5	5	-	-	-	2	2	-	-	-	78
2	-	2	-	-	-	-	-	-	-	7	4	2	1	-	2	1	1	-	-	79
3,545	1,273	1,053	565	654	596	331	258	3	4	9,247	4,314	4,332	284	317	2,112	1,032	844	116	120	
54	21	14	14	5	11	5	6	-	-	68	32	29	4	3	39	21	15	2	1	80
62	22	17	12	11	12	6	5	1	-	133	66	47	10	10	30	16	13	1	-	81
50	23	19	6	2	12	8	3	1	-	141	77	56	2	6	25	13	9	1	2	82
2,845	1,010	858	441	536	436	240	194	1	1	7,572	3,476	3,601	234	261	1,613	784	655	89	85	83a
132	58	40	12	22	62	40	22	-	-	597	300	270	13	14	60	28	28	1	3	83b
6	2	1	1	2	2	2	-	-	-	50	24	25	-	1	9	7	2	-	-	83c
120	45	38	19	18	9	4	4	-	1	116	54	51	5	6	163	73	58	14	18	83d
72	14	17	20	21	3	1	2	-	-	75	29	42	1	3	39	17	18	1	3	84
99	32	16	27	24	10	5	5	-	-	134	60	60	7	7	46	23	18	2	3	85
19	6	7	3	3	3	3	4	-	2	30	13	10	1	-	12	4	4	2	2	86
52	25	17	6	4	27	16	11	-	-	266	137	122	5	2	61	38	20	2	1	87
2	-	-	-	2	-	-	-	-	-	2	2	-	-	-	2	-	-	-	2	88
23	12	5	3	3	2	-	2	-	-	53	33	14	2	4	7	5	1	1	-	89a
9	3	4	1	1	1	1	-	-	-	10	5	5	-	-	6	3	3	-	-	89b
6,892	3,087	1,870	999	936	1,502	935	547	11	9	26,352	14,574	10,458	721	599	4,629	2,745	1,468	248	168	
6,390	2,913	1,748	885	844	1,390	869	503	9	9	24,356	13,566	9,548	684	558	4,247	2,539	1,315	238	155	90-95
10	2	3	2	3	1	1	-	-	-	31	16	10	1	4	14	7	2	2	3	90
38	15	12	4	7	6	5	1	-	-	127	63	50	9	5	24	9	12	1	2	91a,b
8	1	2	2	3	2	1	1	-	-	9	5	3	1	-	4	1	3	-	-	91c
689	227	215	133	114	142	78	63	1	-	2,533	1,233	1,116	93	91	412	199	151	38	24	92a-d
35	12	11	8	4	16	10	6	-	-	208	118	78	5	7	56	37	14	3	2	92e
71	22	16	22	11	14	12	2	-	-	243	118	100	11	14	56	24	21	7	4	93a
21	3	5	5	8	5	2	3	-	-	25	9	12	2	2	9	4	4	-	1	93b
2,138	868	688	289	293	541	309	224	3	5	9,804	4,858	4,420	285	241	1,078	584	408	53	33	93c,d
267	101	88	35	43	76	39	37	-	-	1,256	606	563	50	37	394	211	120	33	30	93e
1,583	963	352	146	122	429	316	108	3	2	7,618	5,120	2,251	148	99	1,322	925	341	33	23	94a
205	123	47	13	22	20	14	6	-	-	414	276	129	5	4	126	99	25	1	1	94b
22	14	5	2	1	11	4	7	-	-	68	35	32	-	1	44	22	19	1	2	95a
1,303	562	304	224	213	127	78	45	2	2	2,020	1,109	784	74	53	708	417	195	66	30	95b,c
21	14	4	2	1	1	1	-	-	-	76	41	28	4	3	10	4	4	1	1	96
348	120	90	79	59	85	50	33	2	-	1,648	831	763	28	26	266	148	104	7	7	97
19	4	5	6	4	3	1	2	-	-	29	16	12	1	-	6	5	1	-	-	98
31	16	5	6	4	6	4	2	-	-	125	65	57	1	2	38	22	16	-	-	99
17	9	2	2	4	5	4	1	-	-	59	30	28	1	-	14	9	4	1	-	100
4	1	-	2	1	-	-	-	-	-	4	-	3	-	1	1	-	1	-	-	101
54	10	14	15	15	9	3	6	-	-	45	19	16	1	9	40	16	20	1	3	102
8	-	2	2	4	3	3	-	-	-	10	6	3	1	-	7	2	3	-	2	103
1,798	568	485	397	348	286	177	99	6	4	4,102	2,092	1,601	260	149	1,164	543	377	143	101	
15	4	3	3	5	4	1	2	-	1	9	8	1	-	-	4	2	-	1	1	104a
8	2	2	2	2	1	-	1	-	-	19	10	7	-	2	8	4	2	2	-	104b
18	7	4	4	3	3	2	1	-	-	18	10	5	1	2	5	3	-	-	2	105
27	8	10	5	4	2	1	1	-	-	41	21	18	2	-	8	3	1	2	2	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	5	4	1	-	-	175	119	48	6	2
106c	Bronchitis (unspecified)	5	2	3	-	-	61	31	30	-	-
107	Bronchopneumonia (including capillary bronchitis)	167	80	62	16	9	2,876	1,455	1,192	127	102
108	Lobar pneumonia	145	72	57	8	8	3,046	1,728	1,055	171	92
109	Pneumonia (unspecified)	55	23	25	5	2	132	90	41	-	1
	A. Atypical or virus pneumonia	4	2	2	-	-	57	36	20	-	1
	B. Pneumonia (all other, unspecified)	51	21	23	5	2	75	54	21	-	-
110	Pleurisy (not specified as tuberculous)	6	4	2	-	-	195	122	58	10	5
111a	Hemorrhagic infarction and thrombosis of lungs	5	2	2	1	-	91	37	47	3	4
111b,c	Acute edema, chronic and unspecified congestion of lungs	6	3	3	-	-	91	44	42	-	5
112	Asthma	12	5	7	-	-	176	104	60	4	8
113	Pulmonary emphysema	-	-	-	-	-	30	25	5	-	-
114	Other diseases of respiratory system (except tuberculosis)	6	5	1	-	-	160	113	30	14	3
	IX.—Diseases of the digestive system	517	254	185	40	38	6,996	3,916	2,749	202	129
115a,b,d	Diseases of buccal cavity and adnexa	10	3	4	1	2	81	38	39	3	1
115c	Diseases of pharynx and tonsils	6	4	1	-	1	69	32	28	4	5
116	Diseases of esophagus	1	1	-	-	-	15	11	4	-	-
117a	Ulcer of stomach	24	21	3	-	-	756	604	116	31	5
117b	Ulcer of duodenum	7	7	-	-	-	390	320	55	13	2
118	Other diseases of stomach (except cancer)	19	8	9	1	1	54	32	19	1	2
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	281	129	89	35	28	471	254	163	33	21
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	13	4	8	-	1	197	85	103	5	4
121	Appendicitis	39	19	18	2	-	731	383	306	24	18
122a	Hernia	17	10	6	-	1	660	369	267	17	7
122b	Intestinal obstruction	30	10	18	1	1	616	281	290	19	26
123	Other diseases of intestines	2	1	1	-	-	179	106	69	2	2
124a	Cirrhosis of liver (with mention of alcoholism)	2	1	1	-	-	292	198	81	10	3
124b	Cirrhosis of liver (without mention of alcoholism)	30	18	12	-	-	1,341	776	523	25	17
125a	Acute yellow atrophy of liver (nonpuerperal)	2	1	1	-	-	70	33	30	2	5
125b	Other diseases of liver	3	2	1	-	-	79	42	31	4	2
126	Biliary calculi	13	6	5	-	2	551	168	376	3	4
127	Other diseases of gallbladder and biliary ducts	11	6	5	-	-	253	91	159	1	2
128	Diseases of pancreas (except diabetes mellitus)	2	-	1	-	1	122	61	57	2	2
129	Peritonitis (cause not stated)	5	3	2	-	-	69	32	33	3	1
	X.—Diseases of the genito-urinary system	298	150	135	7	6	8,666	4,565	3,648	206	247
130	Acute nephritis	17	5	11	-	1	300	47	45	6	2
131a	Arteriosclerotic kidney	112	50	58	2	2	5,121	2,425	2,442	116	138
131b	Other chronic nephritis	98	50	42	4	2	1,734	846	793	32	63
132	Nephritis unspecified (10 years and over)	19	11	7	-	1	134	71	51	5	7
133	Other diseases of kidneys and ureters, etc. *	15	7	8	-	-	282	152	113	9	8
134	Calculi of urinary passages	3	2	1	-	-	227	138	82	4	3
135	Diseases of urinary bladder	5	5	-	-	-	45	16	27	1	1
136	Diseases of urethra (except calculus)	-	-	-	-	-	26	21	1	4	-
137	Diseases of prostate	21	20	...	1	...	873	844	...	29	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	5	5	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	4	...	4	...	-	74	...	53	...	21
139b	Diseases of uterus	4	...	4	...	-	43	...	39	...	4
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	2	...	2	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	62	...	54	...	8	425	...	382	...	43
140	Abortion with mention of infection	3	...	3	...	-	48	...	36	...	12
140a,b	Abortion (septic), spontaneous or therapeutic*	3	...	3	...	-	41	...	31	...	10
140c,d	Abortion (septic), self-induced or nontherapeutic*	-	...	-	...	-	7	...	5	...	2
141	Abortion without mention of infection	2	...	1	...	1	18	...	18	...	-
141a,c	Abortion (nonsentic), spontaneous, therapeutic, with toxemia*	1	...	-	...	1	4	...	4	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia	-	...	-	...	-	7	...	7	...	-
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified*	1	...	1	...	-	5	...	5	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	-	...	-	...	-	2	...	2	...	-
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	4	...	3	...	1
142b	Ectopic gestation, without mention of infection	3	...	1	...	2	29	...	22	...	7
143a	Placenta praevia (death before delivery)	-	...	-	...	-	1	...	-	...	1
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	4	...	3	...	1
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	3	...	3	...	-	17	...	16	...	1
144c,d	Other toxemias of pregnancy (death before delivery)*	-	...	-	...	-	5	...	5	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	1	...	1	...	-	18	...	15	...	3
	A. With mention of infection	-	...	-	...	-	11	...	9	...	2
	B. Without mention of infection	1	...	1	...	-	7	...	6	...	1
146a	Placenta praevia (with childbirth)	1	...	1	...	-	12	...	12	...	-
146b,c	Other hemorrhages of childbirth and puerperium	16	...	13	...	3	50	...	45	...	5
147a,b	Puerperal pyelitis, other general or local puerperal infection*	12	...	10	...	2	47	...	43	...	4
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	5	...	5	...	-	58	...	58	...	-
148a,b	Puerperal eclampsia and nephritis*	9	...	9	...	-	36	...	35	...	1
148c,d	Other puerperal toxemias	2	...	2	...	-	15	...	14	...	1
149	Other accidents and specified conditions of childbirth	-	...	-	...	-	44	...	38	...	6
150	Other and unspecified conditions of childbirth and puerperium	5	...	5	...	-	19	...	19	...	-
	XII.—Diseases of the skin and cellular tissue	2	-	2	-	-	98	39	42	3	4
151	Carbuncle and furuncle	1	-	1	-	-	11	5	5	1	-
152	Phlegmon and acute abscess	1	-	1	-	-	21	13	8	-	-
153	Other diseases of skin and cellular tissue	-	-	-	-	-	56	21	29	2	4

* Refer to complete International List titles, table 6, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
34	13	14	4	3	9	8	1	-	-	108	65	36	3	4	35	23	11	-	1	106b
19	12	2	-	5	5	3	-	1	1	49	24	23	-	2	15	7	5	1	2	106c
604	192	169	133	110	123	67	51	3	2	1,732	843	725	96	68	311	130	107	38	36	107
613	188	156	150	119	81	52	28	1	-	1,395	731	483	130	51	288	141	74	49	24	108
260	69	70	55	66	15	10	4	1	-	224	103	108	7	6	317	144	105	41	27	109
26	10	9	4	3	5	4	1	-	-	37	20	16	1	-	9	4	4	1	-	
234	59	61	51	63	10	6	3	1	-	187	83	92	6	6	308	140	101	40	27	
23	9	4	7	3	7	6	1	-	-	80	47	27	5	1	22	10	7	3	2	110
16	9	3	4	-	7	3	4	-	-	84	48	30	5	1	16	6	10	-	-	111a
52	14	17	13	8	16	13	3	-	-	88	33	49	-	6	53	20	27	2	4	111b,c
67	24	18	8	17	8	6	2	-	-	143	63	68	6	6	58	31	23	2	2	112
3	2	1	-	-	-	-	-	-	-	18	13	5	-	-	2	2	-	-	-	113
39	15	12	9	3	5	5	-	-	-	94	73	16	5	-	24	17	5	2	-	114
1,493	519	377	324	273	256	141	102	10	3	3,857	2,065	1,587	115	90	1,081	520	396	83	82	
40	12	13	9	6	6	4	2	-	-	75	36	35	2	2	25	13	9	1	2	115a,b,d
36	8	8	12	8	7	4	3	-	-	60	25	32	2	1	18	8	6	2	2	115c
11	8	-	1	2	-	-	-	-	-	20	12	5	2	1	1	-	1	-	-	116
105	51	16	24	14	21	18	3	-	-	293	228	54	8	3	101	79	16	5	1	117a
27	20	5	1	1	12	11	1	-	-	155	124	25	4	2	29	25	3	1	-	117b
42	13	8	10	11	3	1	2	-	-	70	35	28	3	4	63	26	22	8	7	118
494	135	107	140	112	28	15	10	1	2	504	280	188	20	16	163	68	56	16	23	119
71	19	15	20	17	12	4	7	1	-	130	54	65	6	5	61	25	24	6	6	120
147	66	39	18	24	30	16	11	3	-	385	201	159	10	15	163	78	61	14	10	121
55	25	9	16	5	16	11	5	-	-	358	196	152	7	3	52	31	17	3	1	122a
131	41	40	21	29	28	20	6	2	-	354	140	186	16	12	125	47	55	11	12	122b
38	9	9	10	10	11	3	6	2	-	96	56	34	5	1	15	7	6	-	2	123
5	5	-	-	-	3	2	1	-	-	69	54	11	3	1	3	3	-	-	-	124a
112	54	28	19	11	29	15	14	-	-	661	383	250	13	15	83	43	29	8	3	124b
15	5	7	2	1	-	-	-	-	-	32	18	11	-	3	11	4	5	1	1	125a
28	7	9	7	5	2	1	1	-	-	58	26	27	5	-	19	7	8	3	1	125b
39	9	25	2	3	26	7	19	-	-	257	78	177	-	2	49	16	29	2	2	126
57	18	28	6	5	14	4	9	1	-	180	63	110	4	3	72	26	39	1	6	127
15	7	5	2	1	4	2	1	-	1	46	27	19	-	-	5	4	1	-	-	128
25	7	6	4	8	4	3	1	-	-	54	29	19	5	1	23	10	9	1	3	129
3,208	1,066	824	693	625	322	191	131	-	-	5,773	2,956	2,392	214	211	1,383	713	456	120	94	
140	41	34	35	30	8	4	4	-	-	147	69	61	8	9	57	22	20	3	12	130
2,010	675	536	420	379	137	78	59	-	-	3,383	1,617	1,514	119	133	571	282	203	47	39	131a
664	201	165	149	149	75	40	35	-	-	1,234	609	542	41	42	277	132	100	26	19	131b
138	46	35	29	28	45	22	23	-	-	161	88	58	9	6	239	121	77	27	14	132
60	19	20	8	13	11	8	3	-	-	186	82	80	14	10	50	23	26	-	1	133
35	18	15	1	1	7	6	1	-	-	96	58	37	-	1	21	15	6	-	-	134
11	3	1	6	1	4	1	3	-	-	35	16	17	-	2	19	9	4	4	2	135
10	3	-	7	-	5	5	-	-	-	12	7	2	3	-	3	2	-	1	-	136
96	60	...	36	...	27	27	...	-	...	428	408	...	20	...	118	106	...	12	...	137
2	-	...	2	...	-	-	...	-	...	2	2	...	-	...	1	1	...	-	...	138
26	...	8	...	18	-	...	-	...	-	52	...	45	...	7	17	...	12	...	5	139a
14	...	9	...	5	3	...	3	...	-	36	...	35	...	1	9	...	8	...	1	139b
2	...	1	...	1	-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	139c
266	...	136	...	130	24	...	22	...	2	257	...	224	...	33	111	...	88	...	23	
32	...	12	...	20	1	...	1	...	-	43	...	36	...	7	7	...	3	...	4	140
29	...	9	...	20	-	...	-	...	-	35	...	30	...	5	4	...	2	...	2	140a,b
3	...	3	...	-	1	...	1	...	-	8	...	6	...	2	3	...	1	...	2	140c,d
11	...	3	...	8	-	...	-	...	-	8	...	6	...	2	5	...	4	...	1	141
2	...	1	...	1	-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	141a,c
5	...	-	...	5	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	141b
3	...	1	...	2	-	...	-	...	-	6	...	5	...	1	-	...	-	...	-	141d
1	...	1	...	-	-	...	-	...	-	1	...	-	...	1	2	...	1	...	1	141e,f
3	...	1	...	2	-	...	-	...	-	4	...	3	...	1	1	...	1	...	-	142a
7	...	2	...	5	-	...	-	...	-	14	...	10	...	4	2	...	2	...	-	142b
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	143a
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	143b,c
18	...	8	...	10	-	...	-	...	-	11	...	10	...	1	6	...	4	...	2	144a,b
9	...	4	...	5	2	...	2	...	-	9	...	9	...	-	2	...	2	...	-	144c,d
4	...	2	...	2	1	...	1	...	-	7	...	6	...	1	4	...	3	...	1	145
2	...	1	...	1	-	...	-	...	-	5	...	5	...	-	2	...	1	...	1	
2	...	1	...	1	1	...	1	...	-	2	...	1	...	1	2	...	2	...	-	
12	...	6	...	6	1	...	1	...	-	9	...	7	...	2	4	...	3	...	1	146a
38	...	20	...	18	2	...	2	...	-	29	...	29	...	-	13	...	12	...	1	146b,c
22	...	6	...	16	5	...	4	...	1	23	...	18	...	5	15	...	12	...	3	147a,b
22	...	18	...	4	7	...	7	...	-	33	...	32	...	1	10	...	8	...	2	147c,d
41	...	27	...	14	2	...	2	...	-	20	...	16	...	4	19	...	17	...	2	148a,b
18	...	9	...	9	2	...	1	...	1	9	...	8	...	1	5	...	4	...	1	148c,d
9	...	6	...	3	1	...	1	...	-	18	...	16	...	2	10	...	7	...	3	149
18	...	11	...	7	-	...	-	...	-	19	...	17	...	2	5	...	3	...	2	150
44	19	13	6	6	2	1	1	-	-	47	18	22	5	2	30	18	5	3	4	
5	2	2	-	1	-	-	-	-	-	4	2	2	-	-	3	3	-	-	-	151
6	2	2	2	-	-	-	-	-	-	9	4	3	1	1	7	5	-	1	1	152
33	15	9	4	5	2	1	1	-	-	34	12	17	4	1	20	10	5	2	3	153

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc. *	8	5	3	-	-	91	45	41	1	4
154	Osteomyelitis and periostitis	4	4	-	-	-	38	24	12	-	2
155	Other diseases of bones (except tuberculosis)	1	-	1	-	-	20	6	14	-	-
156	Diseases of joints and other organs of movement	3	1	2	-	-	33	15	15	1	2
157	XIV.—Congenital malformations	74	47	22	4	1	1,618	814	732	41	31
	XV.—Diseases peculiar to the first year of life	397	230	128	18	21	4,034	2,153	1,496	216	169
158	Congenital debility (cause not stated)	40	17	16	1	6	49	23	20	5	1
159	Premature birth (cause not stated)	253	149	86	9	9	2,427	1,250	915	140	122
160a	Intracranial or spinal hemorrhage	12	7	4	-	1	456	256	149	40	11
160b,c	Other injuries at birth	41	25	14	2	-	518	291	211	9	7
161	Other diseases peculiar to the first year of life	51	32	8	6	5	584	333	201	22	28
162	XVI.—Senility	57	28	25	-	4	204	69	131	2	2
	XVII.—Violent or accidental deaths	661	483	129	36	13	9,599	5,849	3,144	443	163
163,164	Suicide	31	22	9	-	-	1,489	960	481	31	17
163	Suicide by poisoning	6	3	3	-	-	515	252	239	13	11
	Suicide by solid or liquid poisons	5	3	2	-	-	138	56	76	3	3
	Suicide by poisonous gases	1	-	1	-	-	377	196	163	10	8
164a	Suicide by hanging or strangulation	3	2	1	-	-	420	315	100	4	1
164b	Suicide by drowning	-	-	-	-	-	72	44	27	1	-
164c	Suicide by firearms and explosives	17	16	1	-	-	230	203	23	4	-
164d	Suicide by cutting or piercing instruments	2	1	1	-	-	80	67	12	1	-
164e	Suicide by jumping from high places	-	-	-	-	-	145	67	70	6	2
164f	Suicide by crushing	1	-	1	-	-	20	10	8	2	-
164g	Suicide by other or unspecified means	2	-	2	-	-	7	2	2	-	3
165-168	Homicide [1]	35	23	5	6	1	305	118	50	105	32
166	Homicide by firearms	19	13	2	4	-	94	44	16	29	5
167	Homicide by cutting or piercing instruments	11	5	3	2	1	102	19	9	62	12
168	Homicide by other means	5	5	-	-	-	109	55	25	14	15
169-195	Accidental deaths	595	438	115	30	12	7,774	4,748	2,613	300	113
169	Railway accidents (except collisions with motor vehicles)	16	13	2	1	-	202	186	12	4	-
170a	Collisions between automobiles and trains	2	2	-	-	-	75	60	14	1	-
170b	Collisions between automobiles and streetcars	-	-	-	-	-	10	7	-	2	1
170c	Automobile accidents (except collisions with trains or streetcars)	130	86	32	7	5	1,530	1,099	345	68	18
170d	Motorcycle accidents (except collisions with automobiles)	-	-	-	-	-	16	14	2	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	-	-	-	-	-	148	104	29	13	2
171b	Other and unspecified road-transport accidents	5	3	1	1	-	18	10	6	-	2
172	Water-transport accidents	-	-	-	-	-	87	77	5	5	-
173	Air-transport accidents	177	176	-	1	-	177	169	6	2	-
174	Accidents in mines and quarries	23	22	-	1	-	13	12	-	1	-
175a	Accidents involving agricultural machinery and vehicles	4	4	-	-	-	41	39	2	-	-
175b,c	Other agricultural accidents, including injury by animals	9	8	1	-	-	59	56	3	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	2	2	-	-	-
175e	Other forestry accidents	-	-	-	-	-	2	2	-	-	-
176	Other accidents involving machinery	6	6	-	-	-	76	67	2	7	-
177	Food poisoning	9	3	6	-	-	9	2	6	1	-
178	Accidental absorption of poisonous gas	9	4	4	1	-	444	260	157	19	8
179	Acute accidental poisoning by solids or liquids	6	3	3	-	-	135	75	46	13	1
180	Conflagration	24	8	14	2	-	196	115	60	12	9
181	Accidental burns (except conflagration)	19	7	10	2	-	343	156	151	20	16
182	Accidental mechanical suffocation	6	4	2	-	-	112	69	29	7	7
183	Accidental drowning	28	18	6	3	1	514	413	55	38	8
184	Accidental injury by firearms	15	10	2	3	-	67	55	8	4	-
185	Accidental injury by cutting or piercing instruments	1	1	-	-	-	13	10	-	2	1
186a	Accidental injury by fall	46	20	22	3	1	2,849	1,225	1,532	55	37
186b	Accidental injury by crushing	5	4	-	1	-	16	15	-	1	-
187	Cataclysm, etc. *	7	4	3	-	-	9	7	2	-	-
188	Injury by animals (except in agriculture and forestry)	2	1	-	1	-	10	8	2	-	-
189	Hunger or thirst	-	-	-	-	-	1	1	-	-	-
190	Excessive cold	8	5	3	-	-	7	5	2	-	-
191	Excessive heat	2	1	1	-	-	26	18	8	-	-
192	Lightning	6	6	-	-	-	10	8	2	-	-
193	Accidents due to electric currents (except lightning)	2	2	-	-	-	39	33	5	1	-
194	Poisoning by venomous animals (except in agriculture and forestry)	2	-	1	-	1	1	1	-	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	2	2	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	6	3	2	1	-	69	36	27	6	-
195c,e	Other and unspecified accidents	18	14	3	1	-	448	332	95	18	3
196	Deaths of military personnel during operations of war	-	-	-	-	-	11	11	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	20	12	-	7	1
	XVIII.—Ill-defined and unknown causes	684	331	231	62	60	210	126	66	10	8
199	Sudden death	5	4	1	-	-	12	9	3	-	-
200a	Ill-defined	83	51	22	6	4	100	62	28	4	6
200b	Found dead (cause unknown)	-	-	-	-	-	4	2	2	-	-
200c	Unknown or unspecified	596	276	208	56	56	94	53	33	6	2

* Refer to complete International List titles, table V, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
30	8	6	8	8	5	2	3	-	-	56	35	18	-	3	10	6	3	-	1	
15	4	1	5	5	1	1	-	-	-	18	16	2	-	-	3	3	-	-	-	154
4	1	1	1	1	2	1	1	-	-	18	8	10	-	-	-	-	-	-	-	155
11	3	4	2	2	2	-	2	-	-	20	11	6	-	3	7	3	3	-	1	156
438	181	167	62	28	77	35	42	-	-	888	464	381	24	19	265	147	95	14	9	157
1,773	684	435	341	313	250	147	93	4	6	2,526	1,321	996	117	92	887	461	340	45	41	
114	26	17	30	41	6	2	3	-	1	107	48	52	6	1	67	37	16	6	8	158
1,146	425	297	213	211	160	94	61	1	4	1,649	842	666	72	69	614	325	240	23	26	159
120	69	24	17	10	23	17	5	1	-	175	96	60	11	8	42	20	20	1	1	160a
182	87	46	28	21	38	23	15	-	-	252	144	95	11	2	69	36	24	6	3	160b,c
211	77	51	53	30	23	11	9	2	1	343	191	123	17	12	95	43	40	9	3	161
262	75	97	44	46	93	42	51	-	-	673	272	365	11	25	517	216	228	41	32	162
2,716	1,455	467	597	197	422	289	126	4	3	6,268	3,884	1,953	328	103	1,733	1,112	432	136	53	
221	153	53	12	3	44	32	12	-	-	788	558	213	14	3	162	106	51	5	-	163,164
42	19	18	2	3	7	3	4	-	-	158	84	73	1	-	29	9	20	-	-	163
33	14	15	1	3	3	1	2	-	-	105	46	58	1	-	27	7	20	-	-	
8	5	3	1	-	4	2	2	-	-	53	38	15	-	-	2	2	-	-	-	
19	14	3	2	-	13	8	5	-	-	211	143	66	2	-	32	22	7	3	-	164a
9	1	6	2	-	1	1	-	-	-	33	17	15	-	1	3	-	3	-	-	164b
137	112	21	4	-	20	17	3	-	-	310	263	37	10	-	86	67	17	2	-	164c
8	5	2	1	-	2	2	-	-	-	25	20	5	-	-	7	6	1	-	-	164d
1	-	-	1	-	1	1	-	-	-	34	22	9	1	2	3	1	2	-	-	164e
1	-	1	-	-	-	-	-	-	-	13	7	6	-	-	1	-	1	-	-	164f
4	2	2	-	-	-	-	-	-	-	4	2	2	-	-	1	1	-	-	-	164g
299	86	18	157	38	5	3	2	-	-	264	88	53	92	31	95	33	13	41	8	165-168
182	55	9	99	19	1	-	1	-	-	137	48	25	53	11	61	20	7	29	5	166
58	6	3	40	9	-	-	-	-	-	61	13	8	25	15	21	7	2	9	3	167
59	25	6	18	10	4	3	1	-	-	66	27	20	14	5	13	6	4	3	-	168
2,185	1,214	396	420	155	373	254	112	4	3	5,213	3,236	1,687	221	69	1,470	967	368	90	45	169-195
73	51	3	18	1	14	13	1	-	-	237	196	26	14	1	47	33	5	8	1	169
43	25	8	8	2	19	19	-	-	-	167	113	50	4	-	33	22	8	1	2	170a
-	-	-	-	-	1	1	-	-	-	11	8	3	-	-	2	1	1	-	-	170b
631	384	80	134	33	65	47	15	3	-	1,176	882	217	66	11	343	233	83	21	6	170c
20	19	1	-	-	-	-	-	-	-	26	18	8	-	-	2	2	-	-	-	170d
-	-	-	-	-	-	-	-	-	-	36	21	13	1	1	7	4	2	1	-	171a
5	4	-	1	-	1	-	-	-	1	15	11	4	-	-	3	3	-	-	-	171b
35	21	1	11	2	5	5	-	-	-	40	34	3	3	-	7	4	3	-	-	172
219	219	-	-	-	3	3	-	-	-	118	113	5	-	-	174	165	5	4	-	173
9	7	-	2	-	5	5	-	-	-	131	117	4	10	-	22	22	-	-	-	174
15	8	-	7	-	28	26	2	-	-	58	56	1	1	-	31	26	4	1	-	175a
28	21	2	5	-	21	17	4	-	-	75	70	5	-	-	44	40	3	1	-	175b,c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
4	2	-	2	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	175e
23	17	-	6	-	6	6	-	-	-	84	74	3	6	1	19	19	-	-	-	176
16	5	5	3	3	3	2	1	-	-	10	4	4	-	2	26	12	7	2	5	177
11	7	3	-	1	11	6	4	-	1	68	44	19	5	-	25	16	7	1	1	178
51	17	11	15	8	6	5	-	-	1	59	31	25	1	2	27	14	9	2	2	179
73	13	12	21	27	14	5	9	-	-	286	171	94	15	6	55	18	19	7	11	180
139	47	37	29	26	18	6	12	-	-	300	152	116	17	15	66	32	30	2	2	181
73	28	15	20	10	4	4	-	-	-	80	42	31	3	4	23	11	5	4	3	182
117	70	14	31	2	25	22	3	-	-	240	182	36	20	2	62	45	10	6	1	183
94	53	10	31	-	11	7	4	-	-	80	64	10	4	2	57	44	6	6	1	184
18	6	3	7	2	1	1	-	-	-	7	5	1	1	-	7	4	1	2	-	185
294	95	158	23	18	80	31	49	-	-	1,496	576	881	26	13	247	105	130	5	7	186a
8	6	1	1	-	-	-	-	-	-	23	20	2	1	-	8	-	1	1	-	186b
3	2	1	-	-	1	1	-	-	-	1	1	-	-	-	3	1	2	-	-	187
7	2	3	2	-	5	2	2	1	-	3	2	1	-	-	7	6	1	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	189
5	1	-	4	-	1	1	-	-	-	16	10	4	2	-	2	-	-	2	-	190
5	-	1	4	-	-	-	-	-	-	10	7	3	-	-	9	8	-	1	-	191
23	14	4	5	-	2	2	-	-	-	14	10	4	-	-	14	7	6	1	-	192
15	14	-	1	-	1	1	-	-	-	37	30	6	1	-	12	12	-	-	-	193
5	3	-	1	1	-	-	-	-	-	-	-	-	-	-	4	-	2	2	-	194
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195a,b
27	10	6	7	4	8	6	2	-	-	48	21	17	6	4	16	8	6	1	1	195d
94	43	17	20	14	15	12	3	-	-	259	149	91	14	5	65	43	13	8	1	195c,e
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	5	5	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
10	2	-	7	1	-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	198
790	265	144	206	175	81	51	19	4	7	429	225	138	43	23	391	186	112	50	43	
115	48	25	30	12	16	12	4	-	-	24	15	6	1	2	12	8	3	-	1	199
259	95	49	55	60	38	29	8	1	-	307	161	96	36	14	208	115	59	22	12	200a
64	26	14	13	12	2	2	-	-	-	12	5	6	-	1	21	15	5	1	-	200b
352	97	56	108	91	25	8	7	3	7	86	44	30	6	6	150	48	45	27	30	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	13,153	7,792	5,104	169	88	110,333	56,307	46,605	4,070	3,351
	I.—Infectious and parasitic diseases	743	450	245	31	17	7,465	3,794	2,304	811	556
1	Typhoid fever	2	2	-	-	-	24	14	8	-	2
2	Paratyphoid fever	-	-	-	-	-	3	1	1	1	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	1	1	-	-	-	2	1	1	-	-
6	Cerebrospinal (meningococcus) meningitis	26	17	7	2	-	216	116	71	21	8
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	4	5	-	-	38	20	17	1	-
9	Whooping cough	5	3	1	1	-	95	42	45	3	5
10	Diphtheria (infection by C. diphtheriae)	12	5	7	-	-	30	13	15	-	2
11	Erysipelas	2	1	1	-	-	14	7	7	-	-
12	Tetanus	1	-	-	-	1	16	8	5	1	2
13-22	Tuberculosis (all forms)	307	194	88	14	11	4,020	2,030	1,098	519	373
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	2	2	-	-	-	161	157	-	4	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	264	172	71	10	11	3,604	1,782	1,016	469	337
14	Tuberculosis of meninges and central nervous system	14	6	5	3	-	86	29	25	15	17
15	Tuberculosis of intestines and peritoneum	6	1	5	-	-	49	12	15	13	9
16	Tuberculosis of vertebral column	3	1	2	-	-	44	12	17	8	7
17a	Tuberculosis of bones (except vertebral column)	1	1	-	-	-	7	3	3	1	-
17b	Tuberculosis of joints (except vertebral column)	1	1	-	-	-	8	4	2	2	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	3	2	1	-	-
19	Tuberculosis of lymphatic system, etc.*	1	1	-	-	-	5	3	2	-	-
20	Tuberculosis of genito-urinary system	4	2	2	-	-	22	17	4	1	-
21	Tuberculosis of other organs	-	-	-	-	-	12	5	6	1	-
22a	Disseminated tuberculosis (acute miliary)	10	6	3	1	-	14	4	5	3	2
22b	Disseminated tuberculosis (other and unspecified)	1	1	-	-	-	5	-	2	2	1
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	10	5	5	-	-	79	44	29	2	4
25	Gonococcus infection	1	1	-	-	-	24	3	9	-	12
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	2	-	2	-	-
27	Dysentery	6	6	-	-	-	38	22	15	1	-
28	Malaria	2	1	1	-	-	1	1	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	1	-	1	-	-
30	Syphilis (all forms)	140	87	27	12	4	992	502	179	212	99
30a	Locomotor ataxia (tabes dorsalis)	6	5	1	-	-	51	36	9	5	1
30b	General paralysis of insane	44	32	9	3	-	328	178	51	69	30
30c	Other syphilis of central nervous system	7	5	1	1	-	118	62	26	23	7
30d	Aneurysm of aorta	39	28	10	1	-	123	59	12	38	14
30e	Other syphilis of circulatory system	11	7	2	1	1	100	37	13	39	11
30f,g	Congenital, other and unspecified forms of syphilis	33	20	4	6	3	272	130	68	38	36
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	1	-	1	-	-	11	5	5	-	1
33a	Influenza, with respiratory complications specified	91	47	43	1	-	925	453	422	26	24
33b	Influenza, without respiratory complications specified	58	29	28	1	-	468	250	198	10	10
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	9	2	6	-	1	95	36	52	4	3
36	Acute poliomyelitis and acute polioencephalitis	28	17	11	-	-	117	77	37	2	1
37a,c	Infectious encephalitis lethargica (acute and unqualified)	1	1	-	-	-	40	18	19	3	-
37b	Sequelae of encephalitis lethargica	3	2	1	-	-	12	6	6	-	-
38	Other diseases due to filtrable viruses	-	-	-	-	-	13	4	7	1	1
39	Typhus fever and typhus-like diseases (due to Rickettsia)	2	2	-	-	-	1	-	1	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	2	1	1	-	-
42	Other diseases caused by helminths	1	-	1	-	-	4	3	1	-	-
43	Mycoses	1	1	-	-	-	9	5	3	-	1
44	Other infectious and parasitic (communicable) diseases	24	12	12	-	-	173	112	49	4	8
	II.—Cancer and other tumors	1,721	848	849	12	12	14,475	6,584	7,248	296	347
45-55	Cancer and other malignant tumors	1,667	836	808	12	11	13,959	6,402	6,959	289	309
45	Cancer of buccal cavity and pharynx	41	34	7	-	-	428	344	65	18	1
45a-e	Cancer of buccal cavity	29	26	3	-	-	303	245	43	14	1
45f	Cancer of pharynx	12	8	4	-	-	125	99	22	4	-
46	Cancer of digestive organs and peritoneum	773	424	334	10	5	6,759	3,489	3,037	144	89
46a	Cancer of esophagus	16	11	3	2	-	294	235	36	19	4
46b,c	Cancer of stomach and duodenum	286	181	100	3	2	2,153	1,273	792	50	38
46f	Cancer of liver and biliary passages	126	60	64	2	-	877	349	497	18	13
46g	Cancer of pancreas	55	32	23	-	-	470	255	208	5	2
46d,e,h,m	Cancer of other digestive organs and peritoneum	290	140	144	3	3	2,965	1,377	1,504	52	32
47	Cancer or respiratory system	112	90	21	1	-	985	736	211	32	6
48	Cancer of uterus	148	...	146	...	2	1,445	...	1,321	...	124
49	Cancer of other female genital organs	56	...	54	...	2	361	...	351	...	10
50	Cancer of breast	161	-	159	-	2	1,308	24	1,237	-	47
51	Cancer of male genital organs	114	114	...	-	...	802	754	...	48	...
52	Cancer of urinary organs (male and female)	81	57	24	-	-	731	455	242	24	10
53	Cancer of skin (except vulva and scrotum)	31	22	9	-	-	191	105	79	4	3
54	Cancer of central nervous system*	25	16	9	-	-	161	98	57	3	3
55	Cancer of other and unspecified organs	125	79	45	1	-	788	397	359	16	16
56a	Nonmalignant tumors of ovary	5	...	5	...	-	67	...	65	...	2
56b	Nonmalignant tumors of uterus	19	...	18	...	1	128	...	99	...	29
56c	Nonmalignant tumors of other female genital organs	1	...	1	...	-	2	...	-	...	2
56d,e	Nonmalignant tumors of other and unspecified organs	12	7	5	-	-	76	45	28	-	3

*Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
8,409	4,327	3,899	93	90	18,139	5,359	3,705	4,514	4,561	5,650	3,119	2,153	191	187	27,854	11,880	9,282	3,437	3,255	
463	280	155	18	10	1,786	343	246	595	602	359	148	102	61	48	3,384	1,272	1,109	546	457	
2	1	-	1	-	37	7	1	14	15	1	-	-	1	-	11[c]	6	1	1	3	1
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	3	1	1	1	-	5
16	12	4	-	-	26	6	8	8	4	8	3	3	2	-	81	47	14	15	5	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
2	2	-	-	-	1	-	1	-	-	2	1	1	-	-	5	1	3	-	1	8
7	1	4	1	1	91	14	14	18	45	13	3	8	1	1	61	16	21	8	16	9
3	3	-	-	-	27	11	5	6	5	8	4	4	-	-	46	20	19	3	4	10
1	1	-	-	-	2	-	2	-	-	-	-	-	-	-	5	4	-	-	1	11
-	-	-	-	-	23	6	-	9	8	3	1	2	-	-	19	8	8	2	1	12
300	190	91	11	8	660	132	67	225	236	178	51	34	52	41	1,881	692	640	296	253	13-22
4	3	1	-	-	-	-	-	-	-	1	1	-	-	-	5	3	-	2	-	13a
283	181	87	8	7	618	123	64	209	222	137	44	28	38	27	1,747	640	609	267	231	13b,c
3	2	1	-	-	3	-	1	-	2	15	-	1	6	8	25	11	5	5	4	14
1	-	-	1	-	7	2	1	2	2	10	1	1	4	4	27	8	7	3	9	15
5	1	1	2	1	4	1	-	2	1	5	1	2	1	1	18	6	6	5	1	16
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	1	-	17a
-	-	-	-	-	3	-	-	1	2	1	-	1	-	-	2	1	1	-	-	17b
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	18
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	19
-	-	-	-	-	2	1	1	-	-	2	1	-	1	-	14	8	4	2	-	20
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	1	-	1	21
3	2	1	-	-	22	5	-	11	6	3	2	1	-	-	32	11	6	9	6	22a
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	1	2	1	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
2	1	-	-	1	17	2	5	8	2	3	3	-	-	-	25	11	6	3	5	24
-	-	-	-	-	6	1	1	1	3	-	-	-	-	-	8	3	-	1	4	25
-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	7	3	4	-	-	26
1	-	1	-	-	35	4	10	7	14	-	-	-	-	-	63	27	27	4	5	27
-	-	-	-	-	64	6	6	24	28	-	-	-	-	-	13	3	1	3	6	28
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	1	1	-	-	-	29
65	38	20	5	-	267	36	12	149	70	32	21	6	2	3	340	120	34	123	63	30
5	4	1	-	-	2	1	-	1	-	2	1	1	-	-	4	2	2	-	-	30a
14	11	2	1	-	77	12	4	51	10	8	7	1	-	-	132	53	10	51	18	30b
10	7	3	-	-	16	1	1	13	1	4	2	2	-	-	37	13	2	15	7	30c
10	5	4	1	-	41	11	2	21	7	4	4	-	-	-	35	15	-	13	7	30d
2	1	1	-	-	14	1	-	8	5	1	1	-	-	-	23	4	-	14	5	30e
22	10	9	3	-	117	10	5	55	47	13	6	2	2	3	109	33	20	30	26	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	5	2	1	-	2	1	1	-	-	-	3	1	1	1	-	32
21	7	14	-	-	275	60	56	65	94	36	21	13	1	1	434	165	156	60	53	33a
12	6	6	-	-	141	22	31	39	49	38	20	18	-	-	229	71	106	20	32	33b
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	34
7	5	2	-	-	41	13	12	6	10	15	4	7	2	2	68	25	38	3	2	35
1	1	-	-	-	14	5	5	2	2	3	2	1	-	-	16	12	4	-	-	36
4	1	3	-	-	4	-	1	3	-	2	2	-	-	-	5	2	2	-	1	37a,c
3	2	1	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	37b
1	1	-	-	-	2	1	-	-	1	-	-	-	-	-	6	5	1	-	-	38
-	-	-	-	-	17	9	3	3	2	-	-	-	-	-	8	4	4	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	2	1	1	-	-	42
1	1	-	-	-	5	1	1	3	-	2	2	-	-	-	8	4	4	-	-	43
15	7	8	-	-	16	3	3	3	7	12	8	4	-	-	35	19	12	2	2	44
1,109	511	583	4	11	1,354	390	471	162	331	745	367	351	10	17	2,695	979	1,220	179	317	
1,074	498	563	4	9	1,280	375	441	156	308	724	359	339	10	16	2,552	940	1,164	174	274	45-55
38	28	10	-	-	63	32	12	10	9	17	12	5	-	-	108	61	34	9	4	45
25	18	7	-	-	43	23	9	5	6	10	8	2	-	-	66	34	22	8	2	45a-e
13	10	3	-	-	20	9	3	5	3	7	4	3	-	-	42	27	12	1	2	45f
512	258	249	2	3	477	162	136	82	97	360	204	142	6	8	1,033	436	415	94	88	46
18	15	3	-	-	35	13	3	12	7	7	6	1	-	-	22	9	9	3	1	46a
141	83	58	-	-	188	65	39	40	44	152	99	52	1	-	394	179	133	41	41	46b,c
45	18	27	-	-	90	30	32	13	15	43	17	25	1	-	186	85	78	11	12	46f
41	19	20	1	1	31	15	8	3	5	26	10	15	-	1	90	47	30	8	5	46g
267	123	141	1	2	133	39	54	14	26	132	72	49	4	7	341	116	165	31	29	46d,e,h,m
80	56	23	1	-	68	41	14	10	3	36	23	12	1	-	147	81	43	12	11	47
79	...	76	...	3	238	...	114	...	124	63	...	58	...	5	344	...	245	...	99	48
38	...	38	...	-	22	...	20	...	2	12	...	12	...	-	47	...	43	...	4	49
119	3	114	-	2	115	1	68	2	44	71	1	69	-	1	231	3	187	1	40	50
56	56	...	-	...	58	35	...	23	...	62	61	...	1	...	173	140	...	33	...	51
54	43	11	-	-	59	31	13	5	10	28	19	8	1	-	110	51	47	5	7	52
18	9	9	-	-	41	20	18	2	1	13	10	3	-	-	78	40	34	3	1	53
13	7	6	-	-	23	12	7	4	-	13	6	7	-	-	46	21	19	4	2	54
67	38	27	1	1	116	41	39	18	18	49	23	23	1	2	235	107	97	13	18	55
4	...	4	...	-	6	...	3	...	3	1	...	-	...	1	13	...	9	...	4	56a
9	...	8	...	1	28	...	14	...	14	4	...	4	...	-	44	...	17	...	27	56b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	56c
6	2	3	-	1	12	4	5	2	1	5	2	3	-	-	25	18	6	1	-	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	1	...	1	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	3	...	3	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	4	...	4	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	17	5	12	-	-	235	137	89	7	2
	III.—Rheumatism, diseases of nutrition, etc. *	349	143	200	4	2	4,171	1,258	2,691	72	150
58a-d	Acute rheumatic heart diseases	10	5	4	1	-	105	41	47	10	7
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	5	4	1	-	-	47	17	22	4	4
59	Chronic rheumatism and other rheumatic diseases	24	8	16	-	-	134	44	86	2	2
60	Gout	-	-	-	-	-	1	1	-	-	-
61	Diabetes mellitus	264	110	149	3	2	3,380	1,001	2,227	38	114
62	Diseases of pituitary gland	1	-	1	-	-	8	3	5	-	-
63a	Simple goiter	3	-	3	-	-	12	4	8	-	-
63b	Exophthalmic goiter	25	7	18	-	-	236	33	191	1	11
63c-e	Other diseases of thyroid and parathyroid glands	1	-	1	-	-	14	5	9	-	-
64	Diseases of thymus gland	5	4	1	-	-	111	69	34	3	5
65	Diseases of adrenal glands (not specified as tuberculous)	6	3	3	-	-	49	18	23	7	1
66	Other general diseases	4	2	2	-	-	49	14	24	7	4
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	2	-	2	-	-
69	Pellagra (except alcoholic)	1	-	1	-	-	5	1	3	-	1
70	Rickets	-	-	-	-	-	10	5	4	-	1
71	Other avitaminoses	-	-	-	-	-	8	2	6	-	-
	IV.—Diseases of the blood and blood-forming organs	123	69	52	1	1	825	429	363	11	22
72	Hemorrhagic conditions	4	2	2	-	-	69	33	31	1	4
73a	Pernicious anemia	21	6	14	-	1	167	78	86	-	3
73b-d	Other anemias (except splenic)	10	5	5	-	-	90	37	42	4	7
74a	Leukemias	68	43	24	1	-	396	229	156	6	5
74b	Aleukemias	9	7	2	-	-	32	17	13	-	2
75	Diseases of spleen	7	4	3	-	-	50	30	20	-	-
76	Other diseases of the blood and blood-forming organs	4	2	2	-	-	21	5	15	-	1
	V.—Chronic poisoning and intoxication	32	31	-	1	-	118	100	10	7	1
77a,b	Alcoholic pellagra and other deficiency states associated alcoholism	-	-	-	-	-	4	4	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	28	27	-	1	-	104	88	9	6	1
78	Lead poisoning	2	2	-	-	-	6	4	1	1	-
79	Chronic poisoning by other mineral or organic substances	2	2	-	-	-	4	4	-	-	-
	VI.—Diseases of the nervous system, etc. *	1,467	795	658	8	6	10,346	4,721	5,026	284	315
80	Encephalitis (nonepidemic)	11	7	4	-	-	112	59	49	4	-
81	Meningitis (not due to meningococcus)	16	11	5	-	-	199	107	56	24	12
82	Diseases of spinal cord (see exceptions)*	27	15	12	-	-	219	127	77	10	5
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	1,121	606	505	6	4	7,666	3,419	3,854	174	219
83b	Cerebral embolism and thrombosis	116	56	60	-	-	1,094	506	512	36	40
83c	Cerebral softening	11	7	4	-	-	43	23	15	4	1
83d	Hemiplegia and other paralysis of unspecified origin	42	20	22	-	-	280	114	144	11	11
84	Mental diseases and deficiency (see exception)*	41	22	17	1	1	92	35	52	2	3
85	Epilepsy	20	14	4	1	1	176	97	70	7	2
86	Convulsions (under 5 years)	2	1	1	-	-	54	23	27	2	2
87	Other diseases of nervous system	47	26	21	-	-	330	169	138	9	14
88	Diseases of organs of vision	1	-	1	-	-	3	1	2	-	-
89a	Otitis and other diseases of the ear	12	10	2	-	-	49	23	23	-	3
89b	Diseases of mastoid process	-	-	-	-	-	29	18	7	1	3
	VII.—Diseases of the circulatory system	4,087	2,568	1,471	34	14	38,436	20,872	15,704	1,024	836
90-95	Diseases of the heart (all forms)	3,725	2,371	1,308	33	13	35,582	19,427	14,431	952	772
90	Pericarditis (except acute rheumatic)	4	2	2	-	-	57	31	23	2	1
91a,b	Bacterial and other acute or subacute endocarditis	19	11	7	1	-	206	96	91	12	7
91c	Endocarditis (unspecified, under 45 years)	1	1	-	-	-	21	8	10	1	2
92a-d	Chronic endocarditis and diseases of the valves*	438	238	191	4	5	3,146	1,510	1,451	98	87
92e	Endocarditis (unspecified, 45 years and over)	21	13	7	-	1	206	111	82	5	8
93a	Acute myocarditis (except rheumatic)	14	10	4	-	-	408	220	173	9	6
93b	Myocarditis (unspecified, under 45 years)	2	-	2	-	-	43	24	10	3	6
93c,d	Chronic myocarditis and myocardial degeneration	1,289	728	548	13	-	16,742	8,144	7,686	489	423
93e	Other myocarditis (unspecified)	127	73	52	2	-	1,680	868	722	49	41
94a	Diseases of coronary arteries	1,470	1,086	372	8	4	10,300	6,902	3,081	192	125
94b	Angina pectoris	52	34	17	1	-	298	204	90	3	1
95a	Functional diseases of heart, etc.*	11	9	2	-	-	77	35	39	2	1
95b,c	Other and unspecified diseases of heart	277	166	104	4	3	2,398	1,274	973	87	64
96	Aneurysm (except of heart and aorta)	26	17	9	-	-	156	91	39	18	8
97	Arteriosclerosis (except coronary or renal sclerosis)	281	149	132	-	-	2,323	1,180	1,057	43	43
98	Gangrene	3	2	1	-	-	38	19	17	1	1
99	Other diseases of arteries	18	12	5	-	1	148	79	62	4	3
100	Diseases of veins	14	8	5	1	-	77	32	41	1	3
101	Diseases of lymphatic system	2	-	2	-	-	1	1	-	-	-
102	High blood pressure (idiopathic)	17	8	9	-	-	109	41	57	5	6
103	Other diseases of circulatory system	1	1	-	-	-	2	2	-	-	-
	VIII.—Diseases of the respiratory system	758	494	239	18	7	6,581	3,631	2,251	440	259
104a	Diseases of nasal fossae	5	2	3	-	-	6	4	1	1	-
104b	Diseases of accessory sinuses	4	3	-	1	-	37	25	9	2	1
105	Diseases of larynx	1	1	-	-	-	22	13	7	2	-
106a	Acute bronchitis	8	7	1	-	-	108	48	47	7	6

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Int. List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57a
-	...	-	...	-	2	...	-	...	2	-	...	-	...	-	-	...	-	...	-	57b
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	3	...	-	...	3	57c
16	11	5	-	-	25	11	7	4	3	11	6	5	-	-	57	21	24	4	8	57d,e
334	99	226	1	8	460	107	175	69	129	173	63	105	2	3	647	233	268	44	102	
3	1	2	-	-	13	1	1	5	6	6	4	2	-	-	11	3	2	3	3	58a-d
1	1	-	-	-	19	5	2	6	6	4	1	3	-	-	25	10	4	4	7	58e,f
7	-	7	-	-	25	7	12	4	2	14	3	11	-	-	50	14	27	3	6	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
291	86	198	1	6	313	76	125	31	81	131	49	77	2	3	375	150	137	26	62	61
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	62
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	63a
13	4	8	-	1	15	-	7	1	7	7	2	5	-	-	52	3	34	2	13	63b
6	2	4	-	-	3	2	1	-	-	2	-	2	-	-	10	6	3	-	1	63c-e
6	3	2	-	1	14	5	5	2	2	5	2	3	-	-	9	5	4	-	-	64
2	-	2	-	-	1	1	-	-	-	1	-	1	-	-	6	3	2	-	1	65
2	1	1	-	-	11	2	2	6	1	2	1	1	-	-	13	5	7	-	1	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	67
1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	58	8	18	12	20	-	-	-	-	-	83	31	42	2	8	69
-	-	-	-	-	5	-	1	1	3	-	-	-	-	-	4	1	2	1	-	70
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	5	-	4	1	-	71
53	23	30	-	-	95	34	32	9	20	48	26	21	1	-	198	104	71	10	13	
7	2	5	-	-	11	2	3	5	1	2	1	1	-	-	16	6	8	-	2	72
9	4	5	-	-	9	3	3	1	2	14	8	6	-	-	42	21	13	3	5	73a
4	3	1	-	-	20	6	7	-	7	5	1	3	1	-	29	15	8	2	4	73b-d
25	11	14	-	-	43	17	15	3	8	25	15	10	-	-	94	52	35	5	2	74a
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-	-	74b
5	2	3	-	-	8	5	2	-	1	1	1	-	-	-	7	5	2	-	-	75
1	-	1	-	-	4	1	2	-	1	1	-	1	-	-	6	5	1	-	-	76
2	2	-	-	-	17	14	-	3	-	9	8	-	1	-	35	25	5	4	1	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	77a,b
2	2	-	-	-	16	13	-	3	-	7	6	-	1	-	26	21	1	3	1	77c-e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	78
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	6	1	4	1	-	79
789	366	405	7	11	1,997	536	450	491	520	617	340	260	10	7	3,126	1,236	1,084	351	455	
3	2	1	-	-	33	13	7	7	6	18	9	9	-	-	29	16	9	4	-	80
11	7	3	1	-	54	13	11	16	14	6	4	1	1	-	74	33	18	13	10	81
18	11	7	-	-	19	15	3	1	-	13	11	2	-	-	55	28	14	4	9	82
582	261	305	6	10	1,547	404	358	386	401	474	260	206	5	3	2,479	973	876	271	359	83a
112	51	61	-	-	105	37	33	16	19	39	26	12	-	1	128	46	54	14	14	83b
3	2	1	-	-	4	2	1	-	1	3	1	2	-	-	10	7	3	-	-	83c
6	3	3	-	-	98	19	17	24	38	11	6	3	1	1	92	25	31	11	25	83d
2	-	2	-	-	41	2	5	14	20	14	7	7	-	-	86	32	16	17	21	84
12	7	5	-	-	43	8	6	15	14	9	5	4	-	-	48	15	17	10	6	85
3	2	1	-	-	14	4	2	5	3	4	2	1	-	1	13	5	5	1	2	86
29	14	14	-	1	28	15	8	4	1	20	7	11	2	-	76	37	26	4	9	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	88
7	5	2	-	-	8	3	1	2	2	4	1	2	1	-	27	14	12	1	-	89a
1	1	-	-	-	3	1	-	1	1	2	1	-	-	1	7	4	2	1	-	89b
3,176	1,668	1,446	32	30	3,965	1,493	853	830	789	1,660	1,030	602	17	11	6,487	3,081	1,981	712	713	
3,010	1,598	1,353	30	29	3,611	1,376	752	743	740	1,493	923	546	15	9	6,007	2,876	1,826	652	653	90-95
-	-	-	-	-	7	2	1	4	-	2	2	-	-	-	20	7	2	3	8	90
12	3	5	1	3	23	5	7	2	9	17	5	12	-	-	26	9	9	4	4	91a,b
-	-	-	-	-	6	1	-	2	3	-	-	-	-	-	10	4	1	-	5	91c
180	81	98	1	-	450	94	89	137	130	124	72	47	5	-	782	323	234	111	114	92a-d
15	8	7	-	-	44	16	9	8	11	16	7	9	-	-	56	21	10	10	15	92e
26	16	9	1	-	20	7	3	6	4	14	6	8	-	-	78	24	18	14	22	93a
1	1	-	-	-	24	1	4	10	9	-	-	-	-	-	23	5	2	6	10	93b
1,673	793	849	13	18	1,180	393	285	239	263	500	278	215	3	4	1,814	794	605	208	207	93c,d
94	48	45	-	1	299	88	76	67	68	154	97	55	1	1	537	215	189	60	73	93e
867	569	281	12	5	834	501	170	89	74	481	348	129	3	1	1,453	902	416	64	71	94a
20	11	8	1	-	186	104	31	23	28	28	21	7	-	-	158	95	40	11	12	94b
4	3	1	-	-	12	4	2	2	4	7	4	3	-	-	29	13	13	3	-	95a
118	65	50	1	2	526	160	75	154	137	150	83	61	3	3	1,021	464	287	158	112	95b,c
7	2	5	-	-	9	4	2	2	1	6	5	1	-	-	4	-	1	1	2	96
135	60	73	1	1	276	96	86	66	28	126	82	41	2	1	320	151	109	30	30	97
1	1	-	-	-	9	-	1	4	4	2	2	-	-	-	6	2	1	3	-	98
7	2	4	1	-	10	3	3	1	3	18	13	5	-	-	30	17	6	3	4	99
7	2	5	-	-	6	2	2	1	1	2	2	-	-	-	19	2	10	2	5	100
2	-	2	-	-	2	1	-	-	1	-	-	-	-	-	2	-	1	-	1	101
5	2	3	-	-	37	9	7	11	10	13	3	9	-	1	89	30	25	18	16	102
2	1	1	-	-	5	2	1	2	-	-	-	-	-	-	10	3	2	3	2	103
476	260	204	9	3	1,174	240	227	361	346	315	155	116	19	25	1,890	739	662	270	219	
-	-	-	-	-	21	-	1	9	11	1	-	1	-	-	13	9	1	2	1	104a
3	-	2	1	-	4	2	-	2	-	2	1	1	-	-	7	4	1	1	1	104b
3	2	1	-	-	7	-	-	4	3	1	-	1	-	-	5	2	-	2	1	105
4	4	-	-	-	6	2	3	-	1	2	1	1	-	-	12	4	1	2	5	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	13	10	3	-	-	168	103	64	1	-
106c	Bronchitis (unspecified)	8	4	4	-	-	56	29	23	3	1
107	Bronchopneumonia (including capillary bronchitis)	291	175	106	7	3	2,356	1,216	895	142	103
108	Lobar pneumonia	221	160	58	2	1	2,666	1,446	870	230	120
109	Pneumonia (unspecified)	54	31	14	6	3	166	96	59	8	3
	A. Atypical or virus pneumonia	9	7	2	-	-	63	33	27	2	1
	B. Pneumonia (all other, unspecified)	45	24	12	6	3	103	63	32	6	2
110	Pleurisy (not specified as tuberculous)	20	13	6	1	-	124	76	36	10	2
111a	Hemorrhagic infarction and thrombosis of lungs	9	4	4	1	-	112	57	40	5	10
111b,c	Acute edema, chronic, and unspecified congestion of lungs	65	39	26	-	-	179	81	88	5	5
112	Asthma	41	32	9	-	-	224	144	70	4	6
113	Pulmonary emphysema	2	2	-	-	-	18	16	2	-	-
114	Other diseases of respiratory system (except tuberculosis)	16	11	5	-	-	339	277	40	20	2
	IX.—Diseases of the digestive system	512	290	211	7	4	4,877	2,506	2,063	174	134
115a,b,d	Diseases of buccal cavity and adnexa	10	5	5	-	-	70	34	35	1	-
115c	Diseases of pharynx and tonsils	15	10	5	-	-	66	32	27	5	2
116	Diseases of esophagus	2	2	-	-	-	15	8	7	-	-
117a	Ulcer of stomach	60	46	13	1	-	375	301	51	15	8
117b	Ulcer of duodenum	31	27	4	-	-	178	145	27	5	1
118	Other diseases of stomach (except cancer)	7	5	2	-	-	97	50	37	3	7
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	18	11	4	2	1	589	288	227	36	38
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	13	8	5	-	-	120	68	93	12	7
121	Appendicitis	68	29	37	2	-	538	294	213	23	8
122a	Hernia	48	30	17	-	1	461	238	209	11	3
122b	Intestinal obstruction	58	26	31	-	1	483	203	238	19	23
123	Other diseases of intestines	12	10	2	-	-	102	46	48	4	4
124a	Cirrhosis of liver (with mention of alcoholism)	12	9	3	-	-	39	32	7	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	67	40	26	1	-	848	491	328	21	8
125a	Acute yellow atrophy of liver (nonpuerperal)	3	2	1	-	-	51	17	26	3	5
125b	Other diseases of liver	7	1	6	-	-	63	28	32	3	-
126	Biliary calculi	31	10	20	1	-	331	91	235	2	3
127	Other diseases of gallbladder and biliary ducts	31	11	19	-	1	226	70	141	2	13
128	Diseases of pancreas (except diabetes mellitus)	8	2	6	-	-	62	31	29	2	-
129	Peritonitis (cause not stated)	11	6	5	-	-	103	39	53	7	4
	X.—Diseases of the genito-urinary system	1,142	670	453	15	4	9,270	4,639	4,005	302	324
130	Acute nephritis	18	11	6	1	-	238	114	111	6	7
131a	Arteriosclerotic kidney	790	436	344	7	3	5,839	2,750	2,717	162	210
131b	Other chronic nephritis	133	74	54	4	1	1,746	854	768	61	63
132	Nephritis unspecified (10 years and over)	42	26	15	1	-	379	190	143	23	23
133	Other diseases of kidneys and ureters, etc. *	36	23	13	-	-	201	93	92	11	5
134	Calculi of urinary passages	11	9	2	-	-	109	65	38	4	2
135	Diseases of urinary bladder	9	5	4	-	-	41	18	21	1	1
136	Diseases of urethra (except calculus)	6	6	-	-	-	23	15	1	7	-
137	Diseases of prostate	82	80	...	2	...	560	534	...	26	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	7	6	...	1	...
139a	Diseases of ovaries, fallopian tubes, and parametria	5	...	5	...	-	70	...	57	...	13
139b	Diseases of uterus	10	...	10	...	-	53	...	53	...	-
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	4	...	4	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	43	...	42	...	1	454	...	392	...	62
140	Abortion with mention of infection	4	...	4	...	-	61	...	45	...	16
140a,b	Abortion (septic), spontaneous or therapeutic *	2	...	2	...	-	42	...	33	...	9
140c,d	Abortion (septic), self-induced or nontherapeutic *	2	...	2	...	-	19	...	12	...	7
141	Abortion without mention of infection	4	...	4	...	-	19	...	13	...	6
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *	1	...	1	...	-	6	...	4	...	2
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	2	...	2	...	-	5	...	5	...	-
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified *	1	...	1	...	-	6	...	3	...	3
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	-	...	-	...	-	2	...	1	...	1
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	3	...	3	...	-	19	...	13	...	6
143a	Placenta praevia (death before delivery)	-	...	-	...	-	2	...	2	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	1	...	1	...	-	5	...	4	...	1
144a,b	Eclampsia and nephritis of pregnancy (death before delivery) *	2	...	2	...	-	21	...	20	...	1
144c,d	Other toxemias of pregnancy (death before delivery) *	1	...	1	...	-	10	...	7	...	3
145	Other diseases and accidents of pregnancy (death before delivery)	1	...	1	...	-	13	...	12	...	1
	A. With mention of infection	1	...	1	...	-	11	...	11	...	-
	B. Without mention of infection	-	...	-	...	-	2	...	1	...	1
146a	Placenta praevia (with childbirth)	2	...	2	...	-	20	...	16	...	4
146b,c	Other hemorrhages of childbirth and puerperium	2	...	2	...	-	50	...	43	...	7
147a,b	Puerperal pyelitis, other general or local puerperal infections *	2	...	2	...	-	45	...	33	...	6
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	10	...	9	...	1	58	...	55	...	3
148a,b	Puerperal eclampsia and nephritis *	3	...	3	...	-	54	...	50	...	4
148c,d	Other puerperal toxemias	-	...	-	...	-	14	...	14	...	-
149	Other accidents and specified conditions of childbirth	4	...	4	...	-	31	...	30	...	1
150	Other and unspecified conditions of childbirth and puerperium	4	...	4	...	-	32	...	29	...	3
	XII.—Diseases of the skin and cellular tissue	7	4	3	-	-	98	39	50	4	5
151	Carbuncle and furuncle	-	-	-	-	-	15	9	6	-	-
152	Phlegmon and acute abscess	3	2	1	-	-	25	12	10	2	1
153	Other diseases of skin and cellular tissue	4	2	2	-	-	58	18	34	2	4

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

end of deaths among armed forces overseas)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
9	8	1	-	-	14	3	6	4	1	10	3	6	1	-	42	18	19	3	2	106b
4	3	1	-	-	9	2	1	5	1	6	1	4	1	-	19	12	2	2	3	106c
199	102	94	2	1	435	86	80	135	130	122	58	47	7	10	762	264	303	97	88	107
200	110	84	4	2	470	102	86	143	139	98	54	27	8	9	687	266	222	113	86	108
14	7	6	1	-	126	19	23	41	43	23	8	8	2	5	162	74	52	22	14	109
9	4	4	1	-	9	2	5	1	1	2	1	1	-	-	14	8	4	2	-	
5	3	2	-	-	117	17	17	40	43	21	7	7	2	5	148	66	48	20	14	
6	3	2	1	-	13	4	4	3	2	7	5	2	-	-	35	11	10	9	5	110
7	3	4	-	-	10	2	5	1	2	5	3	2	-	-	16	7	3	2	4	111a
2	1	1	-	-	16	4	7	2	3	21	11	9	-	1	36	15	16	3	2	111b,c
14	11	3	-	-	27	5	9	4	9	15	8	7	-	-	71	37	24	4	6	112
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	113
11	6	5	-	-	16	9	3	4	-	2	2	-	-	-	31	15	7	8	1	114
392	217	172	3	-	908	274	160	246	228	290	149	121	4	16	1,551	658	500	185	208	
6	4	2	-	-	24	5	9	3	7	9	7	2	-	-	30	12	8	5	5	115a,b,d
7	5	2	-	-	7	4	2	-	1	1	-	1	-	-	40	13	14	5	8	115c
-	-	-	-	-	4	3	1	-	-	2	1	1	-	-	3	1	1	-	1	116
34	25	9	-	-	53	30	3	14	6	24	20	3	-	1	121	66	12	23	20	117a
23	20	3	-	-	21	12	6	3	-	15	11	4	-	-	39	25	10	4	-	117b
5	2	3	-	-	32	6	4	12	10	9	5	3	-	1	82	29	11	17	25	118
32	20	11	1	-	341	75	41	119	106	24	7	10	3	4	382	170	151	30	31	119
15	6	9	-	-	76	8	9	24	35	11	5	5	-	1	86	36	27	14	9	120
38	23	15	-	-	94	35	26	20	13	46	27	19	-	-	160	61	52	23	24	121
35	23	12	-	-	46	18	9	14	5	22	13	8	-	1	72	28	21	20	3	122a
28	10	17	1	-	75	21	13	15	26	29	12	14	-	3	172	59	58	21	33	122b
11	6	5	-	-	9	3	2	1	3	8	4	3	-	1	35	9	13	5	8	123
9	8	-	1	-	11	7	-	4	-	4	4	-	-	-	12	7	3	2	-	124a
83	43	40	-	-	48	22	12	8	6	19	14	4	-	1	132	84	28	6	14	124b
2	2	-	-	-	10	5	4	1	-	2	1	-	1	-	8	4	2	1	1	125a
3	2	1	-	-	12	4	2	3	3	5	3	2	-	-	38	18	10	3	7	125b
26	6	20	-	-	7	4	3	-	-	23	5	17	-	1	39	9	27	-	3	126
24	8	16	-	-	19	7	8	2	2	32	7	23	-	2	53	11	37	2	3	127
7	3	4	-	-	9	1	4	1	3	3	2	1	-	-	12	7	4	-	1	128
4	1	3	-	-	10	4	2	2	2	2	1	1	-	-	35	9	10	4	12	129
692	362	311	9	10	1,967	485	388	533	561	346	213	116	12	5	2,121	924	614	314	269	
10	5	3	-	2	74	6	15	20	33	8	5	2	1	-	78	29	17	18	14	130
441	227	202	6	6	1,218	307	242	315	354	153	83	62	6	2	1,026	443	306	153	124	131a
139	67	70	1	1	358	83	75	104	96	99	61	34	2	2	479	173	174	68	64	131b
10	6	4	-	-	135	21	23	46	45	14	9	4	-	1	202	82	61	27	32	132
17	4	12	1	-	49	10	12	15	12	11	7	2	2	-	64	24	26	7	7	133
12	7	4	-	1	21	13	6	2	-	5	2	3	-	-	26	13	10	3	-	134
2	1	1	-	-	6	-	2	2	2	10	4	6	-	-	20	10	2	7	1	135
1	1	-	-	-	5	1	-	4	-	-	-	-	-	-	11	5	-	6	-	136
45	44	...	1	...	69	44	...	25	...	43	42	...	1	...	170	145	...	25	...	137
-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	138
7	...	7	...	-	25	...	7	...	18	3	...	3	...	-	34	...	10	...	24	139a
8	...	8	...	-	7	...	6	...	1	-	...	-	...	-	9	...	6	...	3	139b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	139c
25	...	24	...	1	193	...	57	...	136	23	...	19	...	4	191	...	141	...	50	
-	...	-	...	-	14	...	4	...	10	3	...	3	...	-	26	...	17	...	9	140
-	...	-	...	-	13	...	3	...	10	3	...	3	...	-	22	...	13	...	9	140a,b
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	4	...	4	...	-	140c,d
-	...	-	...	-	7	...	2	...	5	-	...	-	...	-	11	...	7	...	4	141
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	3	...	3	...	-	141a,c
-	...	-	...	-	5	...	1	...	4	-	...	-	...	-	4	...	3	...	1	141b
-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	4	...	1	...	3	141d
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	141e,f
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	1	...	-	...	1	142a
2	...	2	...	-	6	...	2	...	4	-	...	-	...	-	4	...	1	...	3	142b
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	2	...	1	...	1	143b,c
3	...	3	...	-	20	...	4	...	16	1	...	1	...	-	14	...	11	...	3	144a,b
-	...	-	...	-	9	...	5	...	4	-	...	-	...	-	4	...	4	...	-	144c,d
1	...	1	...	-	8	...	3	...	5	2	...	2	...	-	8	...	8	...	-	145
1	...	1	...	-	4	...	1	...	3	-	...	-	...	-	4	...	4	...	-	
-	...	-	...	-	4	...	2	...	2	2	...	2	...	-	4	...	4	...	-	
-	...	-	...	-	6	...	-	...	6	-	...	-	...	-	2	...	2	...	-	146a
1	...	1	...	-	20	...	4	...	16	2	...	1	...	1	26	...	19	...	7	146b,c
1	...	1	...	-	24	...	6	...	18	4	...	2	...	2	18	...	9	...	9	147a,b
8	...	7	...	1	16	...	10	...	6	4	...	4	...	-	11	...	8	...	3	147c,d
1	...	1	...	-	27	...	9	...	18	5	...	5	...	-	27	...	26	...	1	148a,b
2	...	2	...	-	8	...	1	...	7	-	...	-	...	-	6	...	6	...	-	148c,d
5	...	5	...	-	7	...	2	...	5	1	...	1	...	-	11	...	9	...	2	149
1	...	1	...	-	18	...	5	...	13	1	...	-	...	1	20	...	13	...	7	150
2	1	1	-	-	35	8	7	13	7	4	1	3	-	-	29	10	15	3	1	
-	-	-	-	-	9	4	1	4	-	-	-	-	-	-	5	3	2	-	-	151
-	-	-	-	-	11	1	4	5	1	-	-	-	-	-	11	3	5	2	1	152
2	1	1	-	-	15	3	2	4	6	4	1	3	-	-	13	4	8	1	-	153

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc. *	12	7	4	1	-	82	48	32	-	2
154	Osteomyelitis and periostitis	6	3	2	1	-	34	25	9	-	-
155	Other diseases of bones (except tuberculosis)	-	-	-	-	-	18	8	10	-	-
156	Diseases of joints and other organs of movement	6	4	2	-	-	30	15	13	-	2
157	XIV.—Congenital malformations	127	69	54	2	2	1,226	602	548	39	37
	XV.—Diseases peculiar to the first year of life	402	223	172	6	1	3,529	1,793	1,352	226	158
158	Congenital debility (cause not stated)	11	5	4	2	-	125	64	38	14	9
159	Premature birth (cause not stated)	242	132	107	2	1	2,182	1,056	850	163	113
160a	Intracranial or spinal hemorrhage	21	10	11	-	-	291	171	103	10	7
160b,c	Other injuries at birth	71	45	25	1	-	406	213	168	13	12
161	Other diseases peculiar to the first year of life	57	31	25	1	-	525	289	193	26	17
162	XVI.—Senility	234	133	93	4	4	424	181	230	11	2
	XVII.—Violent or accidental deaths	1,285	925	332	23	5	7,431	4,789	2,182	339	121
163,164	Suicide	160	118	38	4	-	952	659	270	11	12
163	Suicide by poisoning	36	23	13	-	-	246	127	114	3	2
	Suicide by solid or liquid poisons	16	7	9	-	-	62	20	39	2	1
	Suicide by poisonous gases	20	16	4	-	-	184	107	75	1	1
164a	Suicide by hanging or strangulation	27	19	7	1	-	291	213	74	2	2
164b	Suicide by drowning	9	3	6	-	-	40	24	14	-	2
164c	Suicide by firearms and explosives	70	59	9	2	-	275	231	37	4	3
164d	Suicide by cutting or piercing instruments	11	9	1	1	-	42	28	13	1	-
164e	Suicide by jumping from high places	6	4	2	-	-	37	21	12	1	3
164f	Suicide by crushing	1	1	-	-	-	13	9	4	-	-
164g	Suicide by other or unspecified means	-	-	-	-	-	8	6	2	-	-
165-168	Homicide	44	24	10	8	2	197	77	33	72	15
166	Homicide by firearms	24	12	6	5	1	93	35	16	32	10
167	Homicide by cutting or piercing instruments	6	4	1	1	-	37	8	3	24	2
168	Homicide by other means	14	8	3	2	1	67	34	14	16	3
169-195	Accidental deaths	1,079	782	284	10	3	6,274	4,047	1,879	254	94
169	Railway accidents (except collisions with motor vehicles)	19	17	1	1	-	282	250	13	15	4
170a	Collisions between automobiles and trains	29	25	4	-	-	44	35	6	2	1
170b	Collisions between automobiles and streetcars	-	-	-	-	-	28	17	9	1	1
170c	Automobile accidents (except collisions with trains or streetcars)	218	169	48	1	-	1,334	995	273	51	15
170d	Motorcycle accidents (except collisions with automobiles)	6	3	3	-	-	21	19	1	1	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	2	2	-	-	-	75	45	26	2	2
171b	Other and unspecified road-transport accidents	3	3	-	-	-	19	16	3	-	-
172	Water-transport accidents	27	21	6	-	-	27	24	1	2	-
173	Air-transport accidents	49	49	-	-	-	123	119	4	-	-
174	Accidents in mines and quarries	1	1	-	-	-	398	390	3	5	-
175a	Accidents involving agricultural machinery and vehicles	15	13	2	-	-	57	53	4	-	-
175b,c	Other agricultural accidents, including injury by animals	22	21	1	-	-	51	44	7	-	-
175d	Accidents involving forestry machinery and vehicles	24	24	-	-	-	1	1	-	-	-
175e	Other forestry accidents	59	59	-	-	-	5	5	-	-	-
176	Other accidents involving machinery	25	25	-	-	-	106	84	6	16	-
177	Food poisoning	2	1	1	-	-	21	11	8	1	1
178	Accidental absorption of poisonous gas	9	7	2	-	-	207	129	59	12	7
179	Acute accidental poisoning by solids or liquids	12	4	8	-	-	70	33	27	8	2
180	Conflagration	30	18	12	-	-	167	75	57	18	17
181	Accidental burns (except conflagration)	44	24	19	1	-	366	168	157	26	15
182	Accidental mechanical suffocation	14	3	10	1	-	93	58	26	4	5
183	Accidental drowning	95	81	13	1	-	278	201	54	21	2
184	Accidental injury by firearms	34	28	5	1	-	98	77	14	6	1
185	Accidental injury by cutting or piercing instruments	1	1	-	-	-	11	7	3	1	-
186a	Accidental injury by fall	228	93	130	3	2	1,921	862	1,012	30	17
186b	Accidental injury by crushing	14	14	-	-	-	28	27	-	1	-
187	Cataclysm, etc.*	-	-	-	-	-	47	13	33	1	-
188	Injury by animals (except in agriculture and forestry)	-	-	-	-	-	3	2	1	-	-
189	Hunger or thirst	-	-	-	-	-	2	1	1	-	-
190	Excessive cold	1	1	-	-	-	13	10	1	1	1
191	Excessive heat	1	-	1	-	-	22	15	3	3	1
192	Lightning	1	1	-	-	-	5	5	-	-	-
193	Accidents due to electric currents (except lightning)	7	7	-	-	-	44	39	3	2	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	1	1	-	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	1	-	-	1	-
195d	Obstruction, suffocation, or puncture by ingested objects	23	10	11	1	1	74	42	27	3	2
195c,e	Other and unspecified accidents	64	57	7	-	-	231	174	37	20	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	5	5	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	2	1	-	1	-	3	1	-	2	-
	XVIII.—Ill-defined and unknown causes	109	73	26	2	8	525	321	154	30	20
199	Sudden death	4	3	1	-	-	6	3	3	-	-
200a	Ill-defined	56	38	16	1	1	405	248	124	25	8
200b	Found dead (cause unknown)	10	9	1	-	-	30	19	8	1	2
200c	Unknown or unspecified	39	23	8	1	7	84	51	19	4	10

* Refer to complete International List titles, table V, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
4	3	1	-	-	9	1	2	3	3	3	-	3	-	-	15	5	5	3	2	
2	2	-	-	-	5	1	1	1	2	1	-	1	-	-	9	4	2	3	-	154
-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	1	-	1	-	-	155
2	1	1	-	-	2	-	-	1	1	2	-	2	-	-	5	1	2	-	2	156
124	71	53	-	-	221	82	75	34	30	75	52	21	1	1	306	143	122	27	14	157
230	143	81	4	2	1,071	404	247	219	202	205	110	82	9	4	1,312	612	453	144	103	
6	5	1	-	-	53	15	10	17	11	10	3	4	2	1	86	42	31	3	10	158
146	84	58	3	1	757	280	183	140	154	121	58	57	4	2	829	378	290	95	66	159
14	10	4	-	-	73	36	15	14	8	15	13	1	1	-	115	67	33	10	5	160a
32	24	7	1	-	66	25	16	16	9	28	18	10	-	-	150	65	56	16	13	160b,c
32	20	11	-	1	122	48	23	32	19	31	18	10	2	1	132	60	43	20	9	161
17	8	9	-	-	92	13	23	24	32	164	80	73	6	5	353	122	149	46	36	162
509	307	194	5	3	1,745	808	228	496	213	502	340	140	13	9	2,183	1,188	484	378	133	
59	44	15	-	-	97	66	23	6	2	59	47	11	1	-	196	116	69	9	2	163,164
23	15	8	-	-	15	6	8	1	-	3	1	2	-	-	42	16	24	1	1	163
3	2	1	-	-	10	4	5	1	-	2	1	1	-	-	38	13	23	1	1	
20	13	7	-	-	5	2	3	-	-	1	-	1	-	-	4	3	1	-	-	
17	14	3	-	-	9	8	-	1	-	14	12	2	-	-	30	21	8	1	-	164a
3	1	2	-	-	2	-	2	-	-	7	3	4	-	-	10	6	3	1	-	164b
13	11	2	-	-	60	44	10	4	2	31	28	2	1	-	92	64	23	4	1	164c
2	2	-	-	-	6	5	1	-	-	3	3	-	-	-	5	3	1	1	-	164d
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	7	3	3	1	-	164e
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	2	-	-	164f
1	1	-	-	-	2	-	2	-	-	1	-	1	-	-	8	3	5	-	-	164g
5	2	2	1	-	194	42	13	108	31	9	4	4	-	1	289	102	8	148	31	165-168
-	-	-	-	-	101	25	10	52	14	2	2	-	-	-	176	74	2	87	13	166
1	1	-	-	-	62	9	-	41	12	1	-	-	-	1	79	11	2	48	18	167
4	1	2	1	-	31	8	3	15	5	6	2	4	-	-	34	17	4	13	-	168
445	261	177	4	3	1,449	699	192	378	180	434	289	125	12	8	1,686	968	407	221	100	169-195
11	11	-	-	-	43	24	1	13	5	6	4	1	1	-	87	61	4	22	-	169
2	2	-	-	-	12	4	2	4	2	17	10	7	-	-	27	15	6	4	2	170a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	170b
76	61	14	-	1	422	197	49	138	38	90	67	18	3	2	428	292	64	53	19	170c
-	-	-	-	-	12	11	1	-	-	-	-	-	-	-	10	10	-	-	-	170d
4	3	1	-	-	1	-	-	1	-	-	-	-	-	-	6	3	1	2	-	171a
-	-	-	-	-	8	1	-	7	-	3	3	-	-	-	5	4	-	1	-	171b
6	5	1	-	-	31	13	2	16	-	1	1	-	-	-	26	20	1	5	-	172
12	12	-	-	-	193	187	2	4	-	32	32	-	-	-	88	85	3	-	-	173
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	22	19	-	3	-	174
4	4	-	-	-	11	6	1	2	2	28	27	1	-	-	13	11	1	1	-	175a
3	3	-	-	-	7	3	-	4	-	17	14	1	2	-	28	24	1	3	-	175b,c
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	175d
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	175e
6	6	-	-	-	20	14	-	6	-	2	2	-	-	-	25	19	-	6	-	176
2	-	2	-	-	16	2	4	5	5	1	1	-	-	-	24	6	10	4	4	177
22	9	13	-	-	7	3	2	-	2	6	6	-	-	-	10	8	2	-	-	178
3	2	1	-	-	21	5	2	8	6	4	3	-	1	-	26	10	12	2	2	179
14	7	7	-	-	50	11	5	21	13	10	6	4	-	-	54	17	13	16	8	180
24	18	6	-	-	124	30	18	31	45	26	12	14	-	-	125	40	38	21	26	181
11	6	5	-	-	35	10	13	5	7	5	3	2	-	-	36	15	13	3	5	182
26	21	4	1	-	93	38	10	39	6	25	18	7	-	-	99	63	18	15	3	183
5	4	-	1	-	60	33	2	19	6	14	12	2	-	-	56	34	6	10	6	184
1	-	1	-	-	3	1	-	1	1	2	1	-	1	-	17	7	4	3	3	185
189	69	117	2	1	150	54	61	15	20	93	35	55	1	2	310	115	162	19	14	186a
-	-	-	-	-	6	2	1	3	-	3	3	-	-	-	8	6	1	1	-	186b
-	-	-	-	-	17	2	7	3	5	14	6	7	1	-	7	3	4	-	-	187
-	-	-	-	-	2	1	-	-	1	1	1	-	-	-	1	-	1	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
-	-	-	-	-	-	-	-	-	-	4	1	-	1	2	4	1	1	2	-	190
1	1	-	-	-	4	1	-	2	1	3	2	-	-	1	6	2	-	4	-	191
-	-	-	-	-	11	3	3	2	3	5	5	-	-	-	14	8	1	4	1	192
4	3	1	-	-	8	6	-	1	1	3	3	-	-	-	11	9	1	1	-	193
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	194
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	195a,b
6	4	1	-	1	11	5	1	-	5	3	1	1	-	1	19	10	7	2	-	195d
13	10	3	-	-	70	31	5	28	6	13	8	4	1	-	96	44	31	14	7	195c,e
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	4	-	-	4	-	-	-	-	-	-	-	-	-	-	-	198
12	6	4	1	1	1,030	127	64	426	413	112	37	18	25	32	1,331	549	399	221	162	
-	-	-	-	-	39	11	4	11	13	3	-	2	1	-	106	53	33	11	3	199
4	3	1	-	-	373	67	33	137	136	46	28	10	5	3	188	78	52	37	21	200a
2	1	-	-	1	13	5	2	3	3	4	4	-	-	-	73	36	30	5	2	200b
6	2	3	1	-	605	44	25	275	261	59	5	6	19	29	964	376	284	168	136	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	61,565	30,030	20,889	5,676	4,970	4,957	2,792	1,994	113	58
	I.—Infectious and parasitic diseases	6,649	2,958	2,186	842	663	210	116	69	12	13
1	Typhoid fever	70	22	18	17	13	1	1	-	-	-
2	Paratyphoid fever	4	-	3	-	1	1	1	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	6	4	2	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	97	61	26	5	5	16	13	3	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	16	7	8	1	-	13	7	5	-	1
9	Whooping cough	95	37	37	10	11	4	2	2	-	-
10	Diphtheria (infection by C. diphtheriae)	129	61	53	9	6	-	-	-	-	-
11	Erysipelas	11	9	1	1	-	-	-	-	-	-
12	Tetanus	124	60	42	12	10	-	-	-	-	-
13-22	Tuberculosis (all forms)	3,126	1,425	1,085	314	302	73	37	17	9	10
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	4	3	-	-	1	15	15	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	2,953	1,352	1,015	300	286	43	17	14	6	6
14	Tuberculosis of meninges and central nervous system	54	25	24	3	2	6	1	1	2	2
15	Tuberculosis of intestines and peritoneum	25	8	8	3	6	2	1	1	-	-
16	Tuberculosis of vertebral column	15	7	3	3	2	-	-	-	-	-
17a	Tuberculosis of bones (except vertebral column)	2	1	1	-	-	1	1	-	-	-
17b	Tuberculosis of joints (except vertebral column)	4	2	2	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	2	-	2	-	-	1	-	-	-	1
19	Tuberculosis of lymphatic system, etc.*	1	-	-	-	1	-	-	-	-	-
20	Tuberculosis of genito-urinary system	9	6	2	-	1	3	2	1	-	-
21	Tuberculosis of other organs	7	-	2	5	-	1	-	-	-	1
22a	Disseminated tuberculosis (acute miliary)	39	19	18	-	2	1	-	-	1	-
22b	Disseminated tuberculosis (other and unspecified)	11	2	8	-	1	-	-	-	-	-
23	Leprosy	2	-	2	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	83	34	29	7	13	6	3	3	-	-
25	Gonococcus infection	4	-	1	1	2	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	2	1	1	-	-
27	Dysentery	455	205	188	31	31	3	-	3	-	-
28	Malaria	82	26	24	17	15	1	1	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	1	1	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	755	335	76	246	98	28	14	9	3	2
30a	Locomotor ataxia (tabes dorsalis)	16	9	-	6	1	2	2	-	-	-
30b	General paralysis of insane	282	127	23	110	22	5	3	1	-	1
30c	Other syphilis of central nervous system	69	33	9	15	12	3	-	2	1	-
30d	Aneurysm of aorta	114	64	7	35	8	8	3	3	1	1
30e	Other syphilis of circulatory system	63	22	3	27	11	3	2	-	1	-
30f,g	Congenital, other and unspecified forms of syphilis	211	80	34	53	44	7	4	3	-	-
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	20	10	7	1	2	-	-	-	-	-
33a	Influenza, with respiratory complications specified	667	277	236	76	78	29	18	11	-	-
33b	Influenza, without respiratory complications specified	494	190	191	66	47	19	5	14	-	-
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	181	71	83	14	13	1	1	-	-	-
36	Acute poliomyelitis and acute polioencephalitis	51	21	20	2	8	-	-	-	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	11	7	3	1	-	3	3	-	-	-
37b	Sequelae of encephalitis lethargica	1	-	1	-	-	1	1	-	-	-
38	Other diseases due to filtrable viruses	7	4	2	1	-	1	1	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	62	39	16	3	4	3	2	1	-	-
40	Ankylostomiasis	1	-	1	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	1	-	1	-	-	-	-	-	-	-
43	Mycoses	16	6	6	3	1	1	1	-	-	-
44	Other infectious and parasitic (communicable) diseases	77	46	24	4	3	4	4	-	-	-
	II.—Cancer and other tumors	5,988	2,543	2,704	258	483	570	255	285	18	12
45-55	Cancer and other malignant tumors	8,855	2,435	2,554	245	421	546	247	271	18	10
45	Cancer of buccal cavity and pharynx	223	164	38	9	12	14	9	4	1	-
45a-e	Cancer of buccal cavity	129	96	21	4	8	13	8	4	1	-
45f	Cancer of pharynx	94	68	17	5	4	1	1	-	-	-
46	Cancer of digestive organs and peritoneum	2,243	1,057	926	132	128	268	137	113	12	6
46a	Cancer of esophagus	65	37	14	8	6	3	1	1	1	-
46b,c	Cancer of stomach and duodenum	785	397	275	62	51	112	66	38	5	3
46f	Cancer of liver and biliary passages	422	168	212	22	20	39	15	21	2	1
46g	Cancer of pancreas	190	119	57	8	6	16	11	4	1	-
46d,e,h,m	Cancer of other digestive organs and peritoneum	781	336	368	32	45	98	44	49	3	2
47	Cancer of respiratory system	383	269	93	13	8	32	22	9	1	-
48	Cancer of uterus	654	...	505	...	149	53	...	52	...	1
49	Cancer of other female genital organs	132	...	120	...	12	20	...	20	...	-
50	Cancer of breast	444	4	389	3	48	43	-	40	-	3
51	Cancer of male genital organs	363	321	...	42	...	36	35	...	1	...
52	Cancer of urinary organs (male and female)	209	110	84	9	6	20	13	6	1	-
53	Cancer of skin (except vulva and scrotum)	210	133	70	4	3	10	6	3	1	-
54	Cancer of central nervous system*	74	44	27	3	-	7	2	5	-	-
55	Cancer of other and unspecified organs	720	333	302	30	55	43	23	19	1	-
56a	Nonmalignant tumors of ovary	22	...	18	...	4	-	...	-	...	-
56b	Nonmalignant tumors of uterus	64	...	27	...	37	5	...	5	...	-
56c	Nonmalignant tumors of other female genital organs	1	...	1	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	43	18	15	4	6	2	1	1	-	-

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
4,274	2,280	1,990	3	1	28,739	11,298	8,185	5,011	4,245	21,849	12,851	8,336	409	253	16,603	8,691	6,479	841	592	
272	170	101	-	1	2,795	883	601	752	559	1,392	802	438	88	64	1,650	784	646	129	91	
3	1	2	-	-	11	5	1	2	3	5	3	1	1	-	17	11	5	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	-	1	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	5
6	5	1	-	-	95	49	23	12	11	32	20	8	2	2	39	21	15	2	1	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	7
-	-	-	-	-	8	4	2	1	1	14	2	12	-	-	9	3	5	-	1	8
7	5	2	-	-	102	21	36	18	27	14	5	7	1	1	64	32	26	2	4	9
2	2	-	-	-	25	14	6	3	2	23	14	8	-	1	20	10	10	-	-	10
-	-	-	-	-	4	3	1	-	-	5	3	2	-	-	5	3	2	-	-	11
3	3	-	-	-	14	3	2	6	3	2	2	-	-	-	3	2	-	1	-	12
124	85	38	-	1	1,344	389	268	363	324	702	414	191	51	46	764	350	284	69	61	13-22
21	21	-	-	-	5	3	-	2	-	15	15	-	-	-	8	8	-	-	-	13a
92	58	33	-	1	1,216	353	256	309	298	615	373	158	46	38	697	314	264	61	58	13b,c
1	-	1	-	-	19	7	2	5	5	22	8	11	1	2	25	13	9	2	1	14
2	1	1	-	-	22	4	1	8	9	13	4	6	2	1	8	2	5	-	1	15
-	-	-	-	-	21	7	3	8	3	10	3	4	1	2	3	3	-	-	-	16
-	-	-	-	-	3	1	-	2	-	1	1	-	-	-	-	-	-	-	-	17a
1	1	-	-	-	5	1	-	3	1	-	-	-	-	-	4	2	1	1	-	17b
1	-	1	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	18
1	1	-	-	-	1	-	-	1	-	1	-	1	-	-	1	-	-	1	-	19
2	2	-	-	-	13	5	2	3	3	8	3	5	-	-	5	3	1	-	1	20
-	-	-	-	-	3	-	-	3	-	2	2	-	-	-	-	-	-	-	-	21
3	1	2	-	-	31	7	3	18	3	15	5	6	1	3	11	4	3	4	-	22a
-	-	-	-	-	3	1	-	1	1	-	-	-	-	-	2	1	1	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
3	2	1	-	-	19	10	4	3	2	21	10	9	2	-	12	7	5	-	-	24
-	-	-	-	-	10	2	-	1	7	1	-	1	-	-	4	1	3	-	-	25
-	-	-	-	-	9	6	-	2	1	-	-	-	-	-	1	-	1	-	-	26
-	-	-	-	-	71	20	15	22	14	23	15	4	2	2	51	24	26	-	1	27
-	-	-	-	-	1	-	-	1	-	2	2	-	-	-	2	2	-	-	-	28
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	29
32	20	12	-	-	346	98	23	177	48	216	141	45	25	5	217	113	49	40	15	30
2	1	1	-	-	6	4	1	1	-	2	1	1	-	-	2	2	-	-	-	30a
8	4	4	-	-	124	32	6	73	13	66	44	13	9	-	76	40	19	13	4	30b
1	1	-	-	-	35	13	2	16	4	24	18	5	1	-	31	12	8	8	3	30c
10	8	2	-	-	67	24	5	32	6	55	40	9	5	1	31	23	7	1	-	30d
4	3	1	-	-	13	2	1	9	1	12	6	3	2	1	10	3	3	4	-	30e
7	3	4	-	-	101	23	8	46	24	57	32	14	8	3	67	33	12	14	8	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
1	1	-	-	-	3	3	-	-	-	2	-	2	-	-	2	1	-	-	1	32
36	16	20	-	-	357	107	102	81	67	162	82	74	2	4	212	96	103	9	4	33a
31	17	14	-	-	174	49	58	33	34	79	38	38	-	3	108	48	55	3	2	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
11	5	6	-	-	50	24	17	3	6	15	7	8	-	-	59	27	30	1	1	35
2	1	1	-	-	58	33	17	5	3	19	11	8	-	-	24	13	11	-	-	36
2	2	-	-	-	9	3	3	2	1	16	8	8	-	-	5	2	3	-	-	37a,c
-	-	-	-	-	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	37b
-	-	-	-	-	4	2	2	-	-	3	3	-	-	-	-	-	-	-	-	38
-	-	-	-	-	13	7	5	-	1	2	-	2	-	-	5	1	4	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	41
1	1	-	-	-	1	-	1	-	-	2	2	-	-	-	2	2	-	-	-	42
-	-	-	-	-	7	3	1	2	1	2	2	-	-	-	2	1	1	-	-	43
7	4	3	-	-	53	24	14	12	3	30	19	9	2	-	19	11	7	1	-	44
554	258	296	-	-	2,721	990	1,131	264	336	2,730	1,336	1,353	25	16	1,588	698	798	42	50	
527	248	279	-	-	2,598	954	1,092	256	296	2,658	1,318	1,300	25	15	1,529	677	767	40	45	45-55
21	17	4	-	-	75	41	16	13	5	67	49	17	1	-	25	22	3	-	-	45
11	9	2	-	-	55	26	13	11	5	46	37	8	1	-	20	17	3	-	-	45a-e
10	8	2	-	-	20	15	3	2	-	21	12	9	-	-	5	5	-	-	-	45f
227	120	107	-	-	1,082	435	404	144	99	1,263	709	531	15	8	697	359	304	24	10	46
7	3	4	-	-	40	15	10	13	2	44	30	14	-	-	17	14	3	-	-	46a
67	43	24	-	-	359	157	103	70	29	446	293	144	6	3	269	150	106	10	3	46b,c
26	9	17	-	-	201	67	91	20	23	162	80	77	2	3	141	68	66	4	3	46f
13	6	7	-	-	88	43	31	7	7	118	68	49	-	1	41	24	15	2	-	46g
114	59	55	-	-	394	153	169	34	38	493	238	247	7	1	229	103	114	8	4	46d,e,h,m
24	18	6	-	-	169	106	35	19	9	177	144	30	2	1	100	67	26	5	2	47
50	...	50	...	-	333	...	239	...	94	209	...	205	...	4	181	...	163	...	18	48
13	...	13	...	-	67	...	53	...	14	86	...	86	...	-	39	...	39	...	-	49
61	1	60	-	-	239	7	182	-	50	241	-	240	-	1	138	1	129	-	8	50
44	44	...	-	...	176	135	...	41	...	194	192	...	2	...	98	93	...	5	...	51
23	11	12	-	-	107	54	38	10	5	113	67	44	2	-	58	35	19	2	2	52
12	8	4	-	-	75	51	19	3	2	46	23	23	-	-	40	27	12	1	-	53
4	2	2	-	-	49	33	11	4	1	65	38	26	-	-	19	9	10	-	-	54
48	27	21	-	-	226	92	95	22	17	197	95	98	3	1	134	64	62	3	5	55
2	...	2	...	-	13	...	7	...	6	9	...	9	...	-	2	...	2	...	-	56a
8	...	8	...	-	31	...	11	...	20	21	...	21	...	-	13	...	8	...	5	56b
1	...	1	...	-	1	...	-	...	1	1	...	1	...	-	-	...	-	...	-	56c
4	4	-	-	-	20	11	6	1	2	16	8	8	-	-	5	3	1	1	-	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths.)

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	3	...	2	...	1	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	3	...	1	...	2	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	2	...	2	...	-	1	...	1	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	195	90	84	9	12	16	7	7	-	2
	III.—Rheumatism, diseases of nutrition, etc. *	1,559	537	775	96	151	173	64	101	4	4
58a-d	Acute rheumatic heart diseases	20	11	4	1	4	8	2	6	-	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	43	11	21	6	5	3	1	2	-	-
59	Chronic rheumatism and other rheumatic diseases	78	24	51	2	1	15	6	8	-	1
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,005	375	484	63	83	111	42	62	4	3
62	Diseases of pituitary gland	2	1	1	-	-	-	-	-	-	-
63a	Simple goiter	9	1	6	-	2	2	1	1	-	-
63b	Exophthalmic goiter	56	4	39	-	13	23	6	17	-	-
63c-e	Other diseases of thyroid and parathyroid glands	14	4	8	-	2	-	-	-	-	-
64	Diseases of thymus gland	54	24	24	3	3	7	3	4	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	20	10	10	-	-	3	2	1	-	-
66	Other general diseases	48	16	21	4	7	1	1	-	-	-
67	Scurvy	1	1	-	-	-	-	-	-	-	-
68	Beriberi	2	-	2	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	176	41	92	14	29	-	-	-	-	-
70	Rickets	13	6	5	1	1	-	-	-	-	-
71	Other avitaminoses	18	8	7	2	1	-	-	-	-	-
	IV.—Diseases of the blood-forming organs	438	215	172	28	23	55	28	25	2	-
72	Hemorrhagic conditions	40	18	18	2	2	5	2	2	1	-
73a	Pernicious anemia	58	26	27	4	1	9	4	5	-	-
73b-d	Other anemias (except splenic)	77	29	34	6	8	8	4	4	-	-
74a	Leukemias	205	116	69	12	8	26	16	9	1	-
74b	Aleukemias	14	6	6	2	-	2	1	1	-	-
75	Diseases of spleen	29	15	10	2	2	4	-	4	-	-
76	Other diseases of the blood and blood-forming organs	15	5	8	-	2	1	1	-	-	-
	V.—Chronic poisoning and intoxication	69	59	6	3	1	5	5	-	-	-
77a,b	Alcoholic pellagra and other dificiency states associated with alcoholism	4	4	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	54	45	5	3	1	5	5	-	-	-
78	Lead poisoning	5	4	1	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	6	6	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc. *	5,651	2,443	2,046	537	625	408	183	213	9	3
80	Encephalitis (nonepidemic)	112	56	41	6	9	7	5	2	-	-
81	Meningitis (not due to meningococcus)	154	77	51	13	13	14	10	4	-	-
82	Diseases of spinal cord (see exceptions) *	75	50	16	5	4	8	4	4	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	4,171	1,766	1,494	413	498	296	125	162	7	2
83b	Cerebral embolism and thrombosis	217	100	100	7	10	38	19	18	1	-
83c	Cerebral softening	19	9	5	3	2	1	1	-	-	-
83d	Hemiplegia and other paralysis of unspecified origin	439	150	180	53	56	10	3	5	1	1
84	Mental diseases and deficiency (see exception) *	114	43	53	7	11	6	3	3	-	-
85	Epilepsy	108	58	34	10	6	5	2	3	-	-
86	Convulsions (under 5 years)	50	33	7	4	6	1	1	-	-	-
87	Other diseases of nervous system	120	61	45	8	6	15	7	8	-	-
88	Diseases of organs of vision	1	-	-	1	-	1	1	-	-	-
89a	Otitis and other diseases of the ear	54	30	14	7	3	5	2	3	-	-
89b	Diseases of mastoid process	17	10	6	-	1	1	-	1	-	-
	VII.—Diseases of the circulatory system	14,455	7,776	4,465	1,206	1,008	1,580	965	588	21	6
90-95	Diseases of the heart (all forms)	13,486	7,353	4,083	1,115	935	1,476	899	552	20	5
90	Pericarditis (except acute rheumatic)	28	15	9	4	-	3	2	1	-	-
91a,b	Bacterial and other acute or subacute endocarditis	80	33	24	12	11	12	8	4	-	-
91c	Endocarditis (unspecified, under 45 years)	14	4	7	-	3	-	-	-	-	-
92a-d	Chronic endocarditis and diseases of the valves *	860	384	272	102	102	178	102	73	3	-
92e	Endocarditis (unspecified, 45 years and over)	151	60	56	19	16	10	3	7	-	-
93a	Acute myocarditis (except rheumatic)	154	61	47	26	20	26	15	11	-	-
93b	Myocarditis (unspecified, under 45 years)	50	16	8	11	15	-	-	-	-	-
93c,d	Chronic myocarditis and myocardial degeneration	3,810	1,797	1,403	303	307	617	330	273	10	4
93e	Other myocarditis (unspecified)	1,074	518	360	102	94	47	35	12	-	-
94a	Diseases of coronary arteries	4,805	3,180	1,219	223	183	459	336	115	7	1
94b	Angina pectoris	374	218	100	37	19	15	11	4	-	-
95a	Functional diseases of heart, etc. *	115	73	31	5	6	2	2	-	-	-
95b,c	Other and unspecified diseases of heart	1,971	994	547	271	159	107	55	52	-	-
96	Aneurysm (except of heart and aorta)	23	11	6	4	2	1	1	-	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	549	246	234	44	25	76	52	22	1	1
98	Gangrene	47	18	10	11	8	1	-	1	-	-
99	Other diseases of arteries	92	48	28	6	10	5	3	2	-	-
100	Diseases of veins	42	18	21	2	1	10	7	3	-	-
101	Diseases of lymphatic system	7	4	2	1	-	1	1	-	-	-
102	High blood pressure (idiopathic)	182	69	71	18	24	8	2	6	-	-
103	Other diseases of circulatory system	27	9	10	5	3	2	-	2	-	-
	VIII.—Diseases of the respiratory system	3,989	1,804	1,442	411	332	282	161	109	6	6
104a	Diseases of nasal fossae	22	9	8	2	3	3	-	3	-	-
104b	Diseases of accessory sinuses	18	9	5	2	2	2	1	1	-	-
105	Diseases of larynx	26	15	7	4	-	2	1	1	-	-
106a	Acute bronchitis	43	20	20	3	-	4	3	1	-	-

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	57a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	57b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
12	6	6	-	-	58	25	15	7	11	25	10	14	-	1	37	18	18	1	-	57d,e
135	54	81	-	-	767	231	330	64	142	655	289	357	5	4	433	151	244	9	29	
-	-	-	-	-	18	7	4	-	7	14	6	8	-	-	11	1	8	2	-	58a-d
3	2	1	-	-	13	4	5	2	2	5	5	-	-	-	7	3	4	-	-	58e,f
9	5	4	-	-	48	23	18	2	5	36	19	17	-	-	19	8	9	1	1	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
110	44	66	-	-	544	156	239	51	98	459	194	259	3	3	317	110	178	4	25	61
-	-	-	-	-	-	-	-	-	-	5	3	2	-	-	2	-	2	-	-	62
-	-	-	-	-	6	2	3	-	1	7	2	5	-	-	4	-	4	-	-	63a
5	-	5	-	-	49	3	35	-	11	44	11	33	-	-	40	8	28	1	3	63b
1	-	1	-	-	6	2	2	-	2	12	3	8	-	1	1	-	1	-	-	63c-e
4	2	2	-	-	18	7	7	2	2	51	33	16	2	-	19	15	4	-	-	64
2	1	1	-	-	4	2	-	1	1	11	5	6	-	-	4	1	3	-	-	65
-	-	-	-	-	25	12	4	2	7	3	3	-	-	-	4	-	3	1	-	66
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
1	-	1	-	-	30	10	13	4	3	4	4	-	-	-	1	1	-	-	-	69
-	-	-	-	-	2	1	-	-	1	1	-	1	-	-	2	2	-	-	-	70
-	-	-	-	-	4	2	-	-	2	2	-	2	-	-	1	1	-	-	-	71
30	17	13	-	-	178	87	54	24	13	187	121	59	4	3	114	61	48	4	1	
2	-	2	-	-	17	9	3	4	1	14	7	6	1	-	5	3	2	-	-	72
8	4	4	-	-	26	11	6	4	5	31	21	8	1	1	23	13	10	-	-	73a
1	1	-	-	-	22	7	6	7	2	15	11	2	2	-	23	11	8	4	-	73b-d
15	9	6	-	-	88	51	25	7	5	116	78	38	-	-	53	27	25	-	1	74a
1	1	-	-	-	9	3	5	1	-	2	-	1	-	1	1	-	1	-	-	74b
2	1	1	-	-	9	2	6	1	-	7	3	3	-	1	6	4	2	-	-	75
1	1	-	-	-	7	4	3	-	-	2	1	1	-	-	3	3	-	-	-	76
8	7	1	-	-	55	33	7	10	5	82	75	5	2	-	24	18	2	4	-	
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	77a,b
7	7	-	-	-	51	32	5	9	5	80	74	4	2	-	23	17	2	4	-	77c-e
1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	78
-	-	-	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	79
511	216	294	1	-	3,311	1,121	960	617	613	2,364	1,209	1,115	23	17	1,697	799	747	82	69	
4	3	1	-	-	46	21	14	5	6	19	11	7	1	-	17	8	8	1	-	80
6	4	2	-	-	52	14	18	12	8	36	23	11	2	-	56	28	21	5	2	81
7	4	3	-	-	45	24	11	7	3	56	34	20	-	2	28	17	10	1	-	82
388	159	228	1	-	2,599	846	746	486	521	1,891	952	914	17	8	1,311	602	576	66	67	83a
59	31	28	-	-	137	48	55	20	14	129	72	53	2	2	63	34	27	2	-	83b
4	-	4	-	-	18	9	9	-	-	12	8	4	-	-	1	1	-	-	-	83c
5	1	4	-	-	179	69	45	35	30	54	24	29	-	1	92	56	33	3	-	83d
4	1	3	-	-	33	6	11	7	9	40	13	24	-	3	26	10	16	-	-	84
9	4	5	-	-	69	30	9	21	9	30	17	12	-	1	33	14	19	-	-	85
1	-	1	-	-	31	7	8	9	7	2	2	-	-	-	15	5	10	-	-	86
15	6	9	-	-	70	27	29	10	4	84	48	35	1	-	43	20	20	3	-	87
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	88
8	3	5	-	-	20	14	1	3	2	9	4	5	-	-	8	1	6	1	-	89a
1	-	1	-	-	11	6	3	2	-	2	1	1	-	-	3	2	1	-	-	89b
1,534	829	704	1	-	7,668	3,351	2,144	1,194	979	7,290	4,534	2,630	75	51	4,209	2,335	1,541	200	133	
1,373	751	621	1	-	7,178	3,161	1,990	1,128	899	6,728	4,197	2,413	69	49	3,848	2,145	1,386	192	125	90-95
2	1	1	-	-	6	2	1	2	1	6	6	-	-	-	2	1	1	-	-	90
4	2	2	-	-	34	17	9	4	4	33	20	12	-	1	18	11	7	-	-	91a,b
-	-	-	-	-	13	3	1	3	6	4	2	2	-	-	5	2	3	-	-	91c
169	92	77	-	-	844	318	225	168	133	789	446	331	6	6	443	243	168	17	15	92a-d
4	3	1	-	-	78	14	19	20	25	47	22	21	2	2	55	24	25	4	2	92e
4	3	1	-	-	68	23	17	18	10	35	20	15	-	-	43	22	18	3	-	93a
-	-	-	-	-	21	7	1	5	8	5	3	2	-	-	8	3	4	-	1	93b
620	290	329	1	-	2,804	1,095	877	486	346	2,516	1,346	1,126	21	23	1,284	616	548	77	43	93c,d
39	21	18	-	-	489	191	140	78	80	318	185	129	3	1	366	182	151	21	12	93e
394	258	136	-	-	1,832	1,072	455	168	137	2,388	1,776	576	27	9	1,032	692	277	36	27	94a
37	27	10	-	-	149	88	39	14	8	97	69	28	-	-	63	44	18	1	-	94b
6	2	4	-	-	21	8	8	3	2	23	13	9	1	-	23	12	10	1	-	95a
94	52	42	-	-	819	323	198	159	139	467	289	162	9	7	506	293	156	32	25	95b,c
5	3	2	-	-	27	17	3	2	5	20	13	7	-	-	4	3	1	-	-	96
144	68	76	-	-	360	139	120	48	53	434	265	162	5	2	281	152	117	7	5	97
1	1	-	-	-	16	4	2	4	6	6	4	2	-	-	4	1	3	-	-	98
7	3	4	-	-	27	12	8	5	2	50	29	21	-	-	23	13	9	-	1	99
2	2	-	-	-	21	10	7	-	4	17	10	7	-	-	7	3	4	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	101
2	1	1	-	-	35	6	12	7	10	31	13	17	1	-	34	12	19	1	2	102
-	-	-	-	-	4	2	2	-	-	4	3	1	-	-	7	5	2	-	-	103
199	119	80	-	-	1,728	614	459	354	301	1,199	756	375	46	22	1,115	579	440	58	38	
-	-	-	-	-	15	4	5	5	1	1	-	-	1	-	5	2	3	-	-	104a
-	-	-	-	-	13	9	4	-	-	7	7	-	-	-	6	3	3	-	-	104b
-	-	-	-	-	12	4	4	3	1	6	4	1	1	-	7	5	2	-	-	105
5	4	1	-	-	13	3	4	3	3	9	3	6	-	-	7	1	4	1	1	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	88	52	33	3	-	6	2	4	-	-
106c	Bronchitis (unspecified)	40	28	18	1	4	3	2	1	-	-
107	Bronchopneumonia (including capillary bronchitis)	1,111	409	441	87	84	95	51	38	2	4
108	Lobar pneumonia	950	403	323	133	91	95	55	37	2	1
109	Pneumonia (unspecified)	1,041	467	236	131	107	18	14	2	1	1
	A. Atypical or virus pneumonia	39	13	23	2	1	3	3	-	-	-
	B. Pneumonia (all other, unspecified)	1,002	454	313	129	106	15	11	2	1	1
110	Pleurisy (not specified as tuberculous)	76	39	22	8	7	6	4	2	-	-
111a	Hemorrhagic infarction and thrombosis of lungs	89	37	35	10	7	8	5	3	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	212	95	100	8	9	19	4	14	1	-
112	Asthma	166	78	67	8	13	12	10	2	-	-
113	Pulmonary emphysema	8	4	1	2	1	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	90	51	26	9	4	9	9	-	-	-
	IX.—Diseases of the digestive system	4,340	1,986	1,645	350	359	252	137	110	4	1
115a,b,d	Diseases of buccal cavity and adnexa	66	24	29	7	6	5	1	4	-	-
115c	Diseases of pharynx and tonsils	71	31	21	11	8	8	4	3	1	-
116	Diseases of esophagus	13	5	5	2	1	1	1	-	-	-
117a	Ulcer of stomach	199	138	35	11	15	40	31	9	-	-
117b	Ulcer of duodenum	61	43	7	11	-	20	18	2	-	-
118	Other diseases of stomach (except cancer)	251	82	55	50	64	5	4	1	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	1,557	751	671	69	66	29	14	14	1	-
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	265	100	115	20	30	11	4	7	-	-
121	Appendicitis	358	182	109	41	26	34	14	20	-	-
122a	Hernia	164	78	54	22	10	17	7	10	-	-
122b	Intestinal obstruction	367	120	166	34	47	20	10	9	-	1
123	Other diseases of intestines	90	44	28	7	11	1	1	-	-	-
124a	Cirrhosis of liver (with mention of alcoholism)	16	11	3	2	-	3	2	1	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	329	186	99	29	15	34	17	15	2	-
125a	Acute yellow atrophy of liver (nonpuerperal)	31	13	14	3	1	1	-	1	-	-
125b	Other diseases of liver	102	55	23	17	7	1	1	-	-	-
126	Biliary calculi	84	19	58	2	5	7	1	6	-	-
127	Other diseases of gallbladder and biliary ducts	177	57	103	3	14	7	1	6	-	-
128	Diseases of pancreas (except diabetes mellitus)	32	15	13	-	4	5	5	-	-	-
129	Peritonitis (cause not stated)	107	32	37	9	29	3	1	2	-	-
	X.—Diseases of the genito-urinary system	4,514	2,155	1,345	568	446	285	159	120	6	-
130	Acute nephritis	210	80	53	42	35	8	5	3	-	-
131a	Arteriosclerotic kidney	1,853	878	620	188	167	128	63	63	2	-
131b	Other chronic nephritis	1,087	503	316	164	104	75	42	31	2	-
132	Nephritis unspecified (10 years and over)	557	262	167	60	59	12	6	5	1	-
133	Other diseases of kidneys and ureters, etc.*	184	69	74	25	16	12	6	5	1	-
134	Calculi of urinary passages	63	36	21	3	3	11	6	5	-	-
135	Diseases of urinary bladder	49	24	8	14	3	1	1	-	-	-
136	Diseases of urethra (except calculus)	17	8	1	8	-	2	1	1	-	-
137	Diseases of prostate	346	291	...	55	...	29	29	...	-	...
138	Diseases of other male genital organs (except venereal)	4	4	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	80	...	37	...	43	3	...	3	...	-
139b	Diseases of uterus	63	...	48	...	15	4	...	4	...	-
139c	Diseases of other and unspecified female genital organs	1	...	-	...	1	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	422	...	310	...	112	22	...	21	...	1
140	Abortion with mention of infection	45	...	35	...	10	-	...	-	...	-
140a,b	Abortion (septic), spontaneous or therapeutic*	43	...	33	...	10	-	...	-	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic*	2	...	2	...	-	-	...	-	...	-
141	Abortion without mention of infection	26	...	16	...	10	-	...	-	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	4	...	3	...	1	-	...	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	10	...	7	...	3	-	...	-	...	-
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified*	10	...	5	...	5	-	...	-	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	2	...	1	...	1	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	5	...	2	...	3	1	...	1	...	-
142b	Ectopic gestation, without mention of infection	18	...	12	...	6	1	...	1	...	-
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	3	...	1	...	2	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	65	...	47	...	18	1	...	1	...	-
144c,d	Other toxemias of pregnancy (death before delivery)*	12	...	9	...	3	-	...	-	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	24	...	19	...	5	-	...	-	...	-
	A. With mention of infection	15	...	13	...	2	-	...	-	...	-
	B. Without mention of infection	9	...	6	...	3	-	...	-	...	-
146a	Placenta praevia (with childbirth)	18	...	14	...	4	2	...	2	...	-
146b,c	Other hemorrhages of childbirth and puerperium	52	...	41	...	10	2	...	1	...	1
147a,b	Puerperal pyelitis, other general or local puerperal infection*	55	...	37	...	18	1	...	1	...	-
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	17	...	16	...	1	6	...	6	...	-
148a,b	Puerperal eclampsia and nephritis*	30	...	23	...	7	3	...	3	...	-
148c,d	Other puerperal toxemias	7	...	4	...	3	1	...	1	...	-
149	Other accidents and specified conditions of childbirth	21	...	16	...	5	1	...	1	...	-
150	Other and unspecified conditions of childbirth and puerperium	25	...	18	...	7	3	...	3	...	-
	XII.—Diseases of the skin and cellular tissue	67	25	29	8	5	4	2	2	-	-
151	Carbuncle and furuncle	10	4	4	-	2	1	-	1	-	-
152	Phlegmon and acute abscess	23	9	8	5	1	1	1	-	-	-
153	Other diseases of skin and cellular tissue	34	12	17	3	2	2	1	1	-	-

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
5	4	1	-	-	40	19	16	2	3	23	14	8	1	-	22	14	8	-	-	106b
3	1	2	-	-	15	4	5	3	3	3	2	1	-	-	12	8	4	-	-	106c
82	49	33	-	-	638	209	191	124	114	464	269	168	18	9	406	210	162	17	17	107
56	30	26	-	-	535	185	114	131	105	413	276	110	16	11	259	145	91	13	10	108
11	5	6	-	-	267	103	70	50	44	100	66	27	6	1	203	94	89	13	7	109
6	2	4	-	-	21	13	5	2	1	11	8	3	-	-	7	4	2	-	1	
5	3	2	-	-	246	90	65	48	43	89	58	24	6	1	196	90	87	13	6	
7	4	3	-	-	28	9	8	7	4	35	27	7	1	-	16	11	5	-	-	110
7	5	2	-	-	18	8	6	3	1	24	16	8	-	-	36	17	12	6	1	111a
8	5	3	-	-	36	9	16	2	9	43	23	18	1	1	37	13	22	1	1	111b,c
10	8	2	-	-	56	27	12	11	6	38	24	14	-	-	48	16	25	6	1	112
1	1	-	-	-	3	2	-	1	-	5	4	1	-	-	3	3	-	-	-	113
4	3	1	-	-	39	19	4	9	7	28	21	6	1	-	48	37	10	1	-	114
173	94	79	-	-	1,361	557	354	255	195	1,010	577	393	22	18	852	446	333	45	28	
3	1	2	-	-	36	10	8	13	5	30	14	16	-	-	8	3	4	1	-	115a,b,d
1	1	-	-	-	16	4	4	7	1	14	7	6	-	1	12	4	7	1	-	115c
-	-	-	-	-	1	-	1	-	-	7	6	1	-	-	3	1	-	2	-	116
17	13	4	-	-	109	61	14	25	9	90	79	17	2	1	42	31	9	2	-	117a
9	8	1	-	-	49	36	6	6	1	67	57	8	2	-	17	13	3	-	1	117b
4	2	2	-	-	40	21	10	9	9	24	14	8	1	1	27	15	9	1	2	118
14	7	7	-	-	300	123	75	50	52	97	45	31	11	10	321	177	127	9	8	119
5	4	1	-	-	69	21	17	16	15	25	14	11	-	-	35	19	13	2	1	120
26	16	10	-	-	172	62	47	34	29	112	58	52	2	-	72	37	24	8	3	121
10	6	4	-	-	70	20	18	21	11	71	41	30	-	-	32	18	10	3	1	122a
25	11	14	-	-	135	40	42	25	28	104	57	46	-	1	71	23	35	7	6	122b
5	4	1	-	-	33	17	7	5	4	41	30	10	1	-	18	10	6	1	1	123
-	-	-	-	-	6	5	1	-	-	14	12	2	-	-	4	3	1	-	-	124a
22	15	7	-	-	151	77	33	29	12	122	73	47	1	1	75	45	25	3	2	124b
-	-	-	-	-	7	3	2	1	1	11	7	4	-	-	5	1	4	-	-	125a
5	2	3	-	-	18	2	9	4	3	13	5	7	-	1	14	5	7	-	2	125b
13	3	10	-	-	43	17	21	-	5	72	23	46	1	2	30	9	20	-	1	126
11	-	11	-	-	61	20	29	6	6	53	19	34	-	-	33	15	17	1	-	127
-	-	-	-	-	20	11	7	2	-	20	10	9	1	-	9	3	4	2	-	128
3	1	2	-	-	16	7	3	2	4	14	6	8	-	-	24	14	8	2	-	129
307	168	139	-	-	2,713	1,005	719	512	477	1,337	800	505	22	10	1,252	680	434	79	59	
7	6	1	-	-	71	16	18	17	20	37	19	15	2	1	62	40	19	2	1	130
166	81	85	-	-	1,659	567	473	313	306	756	438	303	10	5	583	299	217	36	31	131a
68	35	33	-	-	535	229	138	81	87	257	140	105	8	4	297	165	96	24	12	131b
7	3	4	-	-	170	49	35	45	41	68	38	30	-	-	134	71	53	5	5	132
16	4	12	-	-	56	24	19	7	6	42	24	17	1	-	42	20	20	1	1	133
6	4	2	-	-	26	14	10	2	-	23	16	6	1	-	11	7	3	1	-	134
2	2	-	-	-	15	7	4	2	2	0	4	5	-	-	6	3	3	-	-	135
1	1	-	-	-	9	3	-	6	-	4	3	1	-	-	6	3	-	3	-	136
32	32	...	-	...	134	95	...	30	...	118	118	...	-	...	78	71	...	7	...	137
-	-	...	-	...	1	1	...	-	...	-	-	...	-	...	1	1	...	-	...	138
1	...	1	...	-	17	...	4	...	13	12	...	12	...	-	20	...	13	...	7	139a
1	...	1	...	-	18	...	17	...	1	11	...	11	...	-	12	...	10	...	2	139b
-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	-	...	-	...	-	139c
13	...	13	...	-	183	...	82	...	101	70	...	64	...	6	89	...	81	...	8	
1	...	1	...	-	26	...	8	...	18	6	...	5	...	1	6	...	5	...	1	140
1	...	1	...	-	24	...	8	...	16	4	...	4	...	-	6	...	5	...	1	140a,b
-	...	-	...	-	2	...	-	...	2	2	...	1	...	1	-	...	-	...	-	140c,d
1	...	1	...	-	8	...	4	...	4	7	...	5	...	2	4	...	4	...	-	141
-	...	-	...	-	2	...	-	...	2	2	...	2	...	-	-	...	-	...	-	141a,c
1	...	1	...	-	4	...	3	...	1	2	...	2	...	-	4	...	4	...	-	141b
-	...	-	...	-	1	...	-	...	1	3	...	1	...	2	-	...	-	...	-	141d
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	141e,f
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	142a
-	...	-	...	-	10	...	4	...	6	3	...	2	...	1	4	...	4	...	-	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	143a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	143b,c
2	...	2	...	-	20	...	8	...	12	4	...	4	...	-	12	...	12	...	-	144a,b
-	...	-	...	-	2	...	-	...	2	2	...	2	...	-	3	...	3	...	-	144c,d
1	...	1	...	-	13	...	5	...	8	5	...	5	...	-	5	...	3	...	2	145
-	...	-	...	-	4	...	1	...	3	3	...	3	...	-	3	...	1	...	2	
1	...	1	...	-	9	...	4	...	5	2	...	2	...	-	2	...	2	...	-	
-	...	-	...	-	7	...	3	...	4	4	...	3	...	1	7	...	7	...	-	146a
-	...	-	...	-	16	...	11	...	5	8	...	8	...	-	16	...	14	...	2	146b,c
1	...	1	...	-	25	...	9	...	16	11	...	10	...	1	7	...	6	...	1	147a,b
3	...	3	...	-	9	...	9	...	-	8	...	8	...	-	7	...	6	...	1	147c,d
2	...	2	...	-	17	...	9	...	8	4	...	4	...	-	5	...	5	...	-	148a,b
-	...	-	...	-	5	...	-	...	5	2	...	2	...	-	1	...	1	...	-	148c,d
1	...	1	...	-	10	...	4	...	6	5	...	5	...	-	3	...	3	...	-	149
1	...	1	...	-	15	...	8	...	7	-	...	-	...	-	7	...	6	...	1	150
2	2	-	-	-	21	4	7	5	5	13	6	5	1	1	17	5	12	-	-	
-	-	-	-	-	1	1	-	-	-	3	2	-	-	1	3	2	1	-	-	151
-	-	-	-	-	5	1	2	2	-	4	2	1	1	-	4	-	4	-	-	152
2	2	-	-	-	15	2	5	3	5	6	2	4	-	-	10	3	7	-	-	153

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc *.....	45	21	19	2	3	3	2	1	-	-
154	Osteomyelitis and periostitis.....	22	12	6	1	3	2	2	-	-	-
155	Other diseases of bones (except tuberculosis).....	7	2	5	-	-	-	-	-	-	-
156	Diseases of joints and other organs of movement.....	16	7	8	1	-	1	-	1	-	-
157	XIV.—Congenital malformations.....	810	418	322	41	29	81	42	37	2	-
	XV.—Diseases peculiar to the first year of life.....	3,342	1,739	1,147	240	216	320	194	117	7	2
158	Congenital debility (cause not stated).....	293	142	106	24	21	3	2	1	-	-
159	Premature birth (cause not stated).....	2,127	1,101	724	159	143	186	107	74	3	2
160a	Intracranial or spinal hemorrhage.....	243	140	82	6	15	28	18	9	1	-
160b,c	Other injuries at birth.....	337	185	117	24	11	55	36	16	3	-
161	Other diseases peculiar to the first year of life.....	342	171	118	27	26	48	31	17	-	-
162	XVI.—Senility.....	1,146	445	500	103	98	77	32	44	1	-
	XVII.—Violent or accidental deaths.....	6,448	4,124	1,324	767	233	532	363	132	15	2
163,164	Suicide.....	485	348	122	14	1	42	28	13	1	-
163	Suicide by poisoning.....	95	43	51	1	-	6	4	2	-	-
	Suicide by solid or liquid poisons.....	81	35	45	1	-	5	3	2	-	-
	Suicide by poisonous gases.....	14	8	6	-	-	1	1	-	-	-
164a	Suicide by hanging or strangulation.....	82	64	18	-	-	9	7	2	-	-
164b	Suicide by drowning.....	13	5	7	1	-	2	1	1	-	-
164c	Suicide by firearms and explosives.....	242	200	34	7	1	21	14	6	1	-
164d	Suicide by cutting or piercing instruments.....	24	17	5	2	-	1	-	1	-	-
164e	Suicide by jumping from high places.....	10	8	2	-	-	2	2	-	-	-
164f	Suicide by crushing.....	5	3	2	-	-	-	-	-	-	-
164g	Suicide by other or unspecified means.....	14	8	3	3	-	1	-	1	-	-
165-168	Homicide[1].....	549	206	46	247	50	10	6	2	1	1
166	Homicide by firearms.....	315	123	26	142	24	4	2	2	-	-
167	Homicide by cutting or piercing instruments.....	165	49	3	91	22	1	1	-	-	-
168	Homicide by other means.....	69	34	17	14	4	5	3	-	1	1
169-195	Accidental deaths.....	5,405	3,566	1,156	501	182	478	348	117	12	1
169	Railway accidents (except collisions with motor vehicles).....	174	126	15	29	4	27	24	3	-	-
170a	Collisions between automobiles and trains.....	64	47	11	2	4	6	4	2	-	-
170b	Collisions between automobiles and streetcars.....	6	4	2	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	1,323	910	268	114	31	121	93	26	2	-
170d	Motorcycle accidents (except collisions with automobiles).....	12	11	-	1	-	4	3	1	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles).....	5	5	-	-	-	1	-	1	-	-
171b	Other and unspecified road-transport accidents.....	17	13	-	2	2	1	1	-	-	-
172	Water-transport accidents.....	38	29	3	6	-	-	-	-	-	-
173	Air-transport accidents.....	776	759	14	3	-	43	43	-	-	-
174	Accidents in mines and quarries.....	4	2	-	1	1	24	23	-	1	-
175a	Accidents involving agricultural machinery and vehicles.....	25	23	-	2	-	9	6	-	3	-
175b,c	Other agricultural accidents, including injury by animals.....	17	14	1	2	-	12	12	-	-	-
175d	Accidents involving forestry machinery and vehicles.....	1	1	-	-	-	-	-	-	-	-
175e	Other forestry accidents.....	4	4	-	-	-	1	1	-	-	-
176	Other accidents involving machinery.....	88	68	2	18	-	2	2	-	-	-
177	Food poisoning.....	81	32	27	10	12	1	1	-	-	-
178	Accidental absorption of poisonous gas.....	62	38	17	4	3	7	7	-	-	-
179	Acute accidental poisoning by solids or liquids.....	87	33	42	8	4	5	3	1	1	-
180	Conflagration.....	86	24	23	24	15	7	3	4	-	-
181	Accidental burns (except conflagration).....	400	177	139	40	44	20	13	7	-	-
182	Accidental mechanical suffocation.....	74	40	17	13	4	12	8	3	-	1
183	Accidental drowning.....	356	232	52	66	6	31	18	10	3	-
184	Accidental injury by firearms.....	238	168	25	39	6	23	21	1	1	-
185	Accidental injury by cutting or piercing instruments.....	39	23	6	7	3	1	1	-	-	-
186a	Accidental injury by fall.....	375	192	156	14	13	88	38	50	-	-
186b	Accidental injury by crushing.....	39	32	2	5	-	7	6	1	-	-
187	Cataclysm, etc. *.....	6	1	2	1	2	1	-	1	-	-
188	Injury by animals (except in agriculture and forestry).....	18	13	2	3	-	3	3	-	-	-
189	Hunger or thirst.....	7	1	6	-	-	-	-	-	-	-
190	Excessive cold.....	7	1	4	2	-	-	-	-	-	-
191	Excessive heat.....	71	53	5	10	3	-	-	-	-	-
192	Lightning.....	17	10	4	3	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning).....	43	34	4	5	-	6	4	2	-	-
194	Poisoning by venomous animals (except in agriculture and forestry).	20	15	3	-	2	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention.....	5	2	2	-	1	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects.....	37	20	10	4	3	4	2	2	-	-
195c,e	Other and unspecified accidents.....	783	409	292	63	19	11	8	2	1	-
196	Deaths of military personnel during operations of war.....	-	-	-	-	-	1	-	-	1	-
197	Deaths of civilians due to operations of war.....	-	-	-	-	-	-	-	-	-	-
198	Legal executions.....	9	4	-	5	-	1	1	-	-	-
	XVIII.—Ill-defined and unknown causes.....	1,633	782	452	216	183	98	64	20	6	8
199	Sudden death.....	16	8	5	1	2	4	4	-	-	-
200a	Ill-defined.....	1,106	554	285	146	121	69	50	17	1	1
200b	Found dead (cause unknown).....	12	3	5	4	-	3	2	1	-	-
200c	Unknown or unspecified.....	499	217	157	66	60	22	8	2	5	7

* Refer to complete International List titles, table V, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
2	1	1	-	-	15	4	6	2	3	13	9	3	1	-	15	9	5	1	-	
1	-	1	-	-	10	3	3	1	3	7	4	3	-	-	10	7	2	1	-	154
1	1	-	-	-	2	-	2	-	-	1	1	-	-	-	1	-	1	-	-	155
-	-	-	-	-	3	1	1	1	-	5	4	-	1	-	4	2	2	-	-	156
64	37	27	-	-	345	160	121	32	32	238	144	92	2	-	258	146	104	5	3	157
140	84	56	-	-	1,602	660	469	261	212	761	457	271	19	14	887	482	333	37	35	
4	2	2	-	-	127	41	24	35	27	26	13	10	1	2	78	42	28	4	4	158
91	53	38	-	-	992	398	301	156	137	446	268	161	10	7	607	326	236	18	27	159
9	5	4	-	-	107	54	35	12	6	47	27	17	1	2	47	24	16	4	3	160a
22	16	6	-	-	192	83	67	25	17	112	63	46	2	1	64	41	19	4	-	160b,c
14	8	6	-	-	184	84	42	33	25	130	86	37	5	2	91	49	34	7	1	161
29	15	14	-	-	293	86	125	41	41	183	75	97	5	3	231	121	97	6	7	162
268	189	78	1	-	2,514	1,339	489	525	161	2,135	1,531	527	60	17	1,682	1,122	415	118	27	
45	31	14	-	-	259	169	72	13	5	284	205	74	4	1	128	94	32	1	1	163,164
10	3	7	-	-	52	18	31	3	-	70	43	25	2	-	17	8	9	-	-	165
5	-	5	-	-	25	8	14	3	-	28	14	14	-	-	15	6	9	-	-	
5	3	2	-	-	27	10	17	-	-	42	29	11	2	-	2	2	-	-	-	
11	10	1	-	-	32	25	5	2	-	51	36	14	-	1	21	12	9	-	-	164a
4	-	4	-	-	18	6	10	1	1	20	10	9	1	-	6	2	4	-	-	164b
16	15	1	-	-	145	113	23	6	3	113	89	23	1	-	73	63	8	1	1	164c
3	2	1	-	-	6	4	1	1	-	12	12	-	-	-	3	3	-	-	-	164d
1	1	-	-	-	5	3	2	-	-	15	13	2	-	-	2	1	1	-	-	164e
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	164f
-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	5	4	1	-	-	164g
1	1	-	-	-	241	71	18	123	29	77	37	18	15	7	79	45	12	15	7	165-168
1	1	-	-	-	123	39	9	65	10	28	12	7	6	1	56	29	11	10	6	166
-	-	-	-	-	67	12	2	43	10	20	9	5	4	2	13	7	-	5	1	167
-	-	-	-	-	51	20	7	15	9	29	16	6	3	4	10	9	1	-	-	168
222	157	64	1	-	2,010	1,096	399	388	127	1,770	1,287	435	39	9	1,475	983	371	102	19	169-195
8	8	-	-	-	90	62	2	23	3	63	56	5	2	-	91	78	9	4	-	169
-	-	-	-	-	27	16	6	4	1	5	2	3	-	-	2	2	-	-	-	170a
-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	2	2	-	-	-	170b
34	31	2	1	-	520	296	80	129	15	407	317	77	11	2	263	192	59	10	2	170c
-	-	-	-	-	7	6	-	1	-	13	12	1	-	-	4	3	1	-	-	170d
-	-	-	-	-	17	5	4	5	3	-	-	-	-	-	4	4	-	-	-	171a
-	-	-	-	-	5	3	1	1	-	2	2	-	-	-	3	2	1	-	-	171b
2	2	-	-	-	33	25	-	8	-	22	21	1	-	-	4	1	1	2	-	172
2	2	-	-	-	73	73	-	-	-	119	118	1	-	-	14	13	1	-	-	173
7	7	-	-	-	59	58	-	-	1	5	5	-	-	-	290	239	-	51	-	174
4	4	-	-	-	21	19	-	2	-	20	19	1	-	-	7	7	-	-	-	175a
9	9	-	-	-	23	17	1	5	-	25	23	2	-	-	10	8	2	-	-	175b,c
-	-	-	-	-	-	-	-	-	-	5	4	1	-	-	1	1	-	-	-	175d
2	2	-	-	-	6	4	-	2	-	58	58	-	-	-	5	5	-	-	-	175e
-	-	-	-	-	29	19	-	10	-	14	14	-	-	-	9	9	-	-	-	176
-	-	-	-	-	18	4	4	3	7	12	7	5	-	-	11	5	4	2	-	177
6	5	1	-	-	17	8	5	4	-	57	42	14	1	-	15	7	8	-	-	178
5	2	3	-	-	49	27	8	11	3	24	19	5	-	-	19	11	8	-	-	179
13	8	5	-	-	112	44	22	22	24	46	25	20	1	-	34	17	7	6	4	180
12	6	6	-	-	128	48	28	26	26	75	46	24	3	2	93	40	45	4	4	181
3	2	1	-	-	54	28	15	3	8	36	20	15	-	1	28	13	13	1	1	182
27	19	8	-	-	127	66	14	44	3	149	113	25	11	-	68	46	12	9	1	183
8	8	-	-	-	66	45	8	11	2	49	35	10	4	-	38	28	5	5	-	184
-	-	-	-	-	10	2	1	6	1	2	2	-	-	-	7	3	2	1	1	185
53	27	26	-	-	337	136	161	23	17	336	182	151	2	1	197	95	95	3	4	186a
2	2	-	-	-	9	6	-	3	-	22	22	-	-	-	12	11	-	1	-	186b
-	-	-	-	-	3	1	-	-	2	-	-	-	-	-	101	41	60	-	-	187
-	-	-	-	-	4	2	1	1	-	2	1	1	-	-	2	2	-	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	189
1	-	1	-	-	6	1	2	3	-	4	3	-	1	-	2	2	-	-	-	190
2	2	-	-	-	5	3	-	2	-	1	1	-	-	-	1	1	-	-	-	191
-	-	-	-	-	5	2	-	3	-	3	3	-	-	-	3	2	1	-	-	192
2	2	-	-	-	15	12	-	3	-	14	13	1	-	-	12	12	-	-	-	193
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	194
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	195a,b
2	2	-	-	-	22	8	7	4	3	19	9	8	1	1	5	3	2	-	-	195d
18	7	11	-	-	108	48	26	26	8	161	93	64	2	2	115	76	34	3	2	195c,e
-	-	-	-	-	1	1	-	-	-	2	1	-	1	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	3	2	-	1	-	2	1	-	1	-	-	-	-	-	-	198
33	20	13	-	-	469	173	127	99	70	190	127	47	9	7	490	255	199	22	14	
7	4	3	-	-	88	36	24	21	7	22	14	6	-	2	45	26	17	2	-	199
14	9	5	-	-	146	59	31	30	26	90	66	22	-	2	127	61	51	7	8	200a
1	1	-	-	-	40	14	12	6	8	21	17	4	-	-	63	38	21	4	-	200b
11	6	5	-	-	195	64	60	42	29	57	30	15	9	3	255	130	110	9	6	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH*	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	31,674	17,526	13,766	214	168	2,278	1,354	755	106	63
	I.—Infectious and parasitic diseases	1,589	940	584	39	26	172	103	41	16	12
1	Typhoid fever	-	-	-	-	-	-	-	-	-	-
2	Paratyphoid fever	2	1	1	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	2	2	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	55	33	20	1	1	3	2	-	1	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	17	9	8	-	-	1	1	-	-	-
9	Whooping cough	23	13	8	2	-	8	1	5	2	-
10	Diphtheria (infection by C. diphtheriae)	6	2	4	-	-	10	5	5	-	-
11	Erysipelas	7	2	5	-	-	-	-	-	-	-
12	Tetanus	9	3	6	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	726	434	251	22	19	34	17	4	6	7
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	11	11	-	-	-	1	1	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	663	398	224	22	19	28	14	4	4	6
14	Tuberculosis of meninges and central nervous system	17	9	8	-	-	1	1	-	-	-
15	Tuberculosis of intestines and peritoneum	11	2	9	-	-	1	-	-	1	-
16	Tuberculosis of vertebral column	5	3	2	-	-	2	-	-	1	1
17a	Tuberculosis of bones (except vertebral column)	3	2	1	-	-	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	1	1	-	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	1	1	-	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	7	4	3	-	-	1	1	-	-	-
21	Tuberculosis of other organs	3	1	2	-	-	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	4	2	2	-	-	-	-	-	-	-
22b	Disseminated tuberculosis (other and unspecified)	-	-	-	-	-	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	12	6	6	-	-	6	6	-	-	-
25	Gonococcus infection	3	2	1	-	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	2	1	1	-	-
27	Dysentery	7	5	2	-	-	5	2	2	1	-
28	Malaria	1	1	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	195	136	45	9	5	47	32	8	4	3
30a	Locomotor ataxia (tabes dorsalis)	19	16	3	-	-	-	-	-	-	-
30b	General paralysis of insane	60	41	13	4	2	15	13	-	1	1
30c	Other syphilis of central nervous system	24	20	4	-	-	5	3	1	1	-
30d	Aneurysm of aorta	37	28	9	-	-	8	7	1	-	-
30e	Other syphilis of circulatory system	16	12	2	2	-	-	-	-	-	-
30f,g	Congenital, other and unspecified forms of syphilis	39	19	14	3	3	19	9	6	2	2
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	7	4	3	-	-	1	-	1	-	-
33a	Influenza, with respiratory complications specified	216	106	105	4	1	12	6	6	-	-
33b	Influenza, without respiratory complications specified	130	76	54	-	-	18	13	5	-	-
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	43	20	22	1	-	10	2	4	2	2
36	Acute poliomyelitis and acute polioencephalitis	31	20	11	-	-	-	-	-	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	16	8	8	-	-	1	1	-	-	-
37b	Sequelae of encephalitis lethargica	15	10	5	-	-	-	-	-	-	-
38	Other diseases due to filtrable viruses	2	1	1	-	-	-	-	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	1	-	1	-	-	9	9	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-	-	-
43	Mycoses	9	8	1	-	-	-	-	-	-	-
44	Other infectious and parasitic (communicable) diseases	54	38	16	-	-	5	5	-	-	-
	II.—Cancer and other tumors	4,658	2,296	2,334	11	17	258	123	106	19	10
45-55	Cancer and other malignant tumors	4,529	2,260	2,242	11	16	242	116	101	16	9
45	Cancer of buccal cavity and pharynx	117	95	21	1	-	3	2	1	-	-
45a-e	Cancer of buccal cavity	81	65	15	1	-	3	2	1	-	-
45f	Cancer of pharynx	36	30	6	-	-	-	-	-	-	-
46	Cancer of digestive organs and peritoneum	2,274	1,294	965	7	8	124	64	42	15	3
46a	Cancer of esophagus	95	82	13	-	-	4	2	-	2	-
46b,c	Cancer of stomach and duodenum	849	540	302	6	1	49	26	14	8	1
46f	Cancer of liver and biliary passages	249	110	138	-	1	22	9	12	1	-
46g	Cancer of pancreas	179	96	82	1	-	13	8	4	-	1
46d,e,h,m	Cancer of other digestive organs and peritoneum	902	466	430	-	6	36	19	12	4	1
47	Cancer of respiratory system	274	203	71	-	-	10	7	2	1	-
48	Cancer of uterus	362	...	359	...	3	29	...	27	...	2
49	Cancer of other female genital organs	128	...	125	...	3	3	...	3	...	-
50	Cancer of breast	464	5	458	-	1	16	-	13	-	3
51	Cancer of male genital organs	301	300	...	1	...	17	17	...	-	...
52	Cancer of urinary organs (male and female)	183	133	49	1	-	13	11	2	-	-
53	Cancer of skin (except vulva and scrotum)	77	47	30	-	-	4	3	1	-	-
54	Cancer of central nervous system*	80	45	35	-	-	6	3	3	-	-
55	Cancer of other and unspecified organs	269	138	129	1	1	17	9	7	-	1
56a	Nonmalignant tumors of ovary	22	...	22	...	-	1	...	1	...	-
56b	Nonmalignant tumors of uterus	34	...	34	...	-	2	...	2	...	-
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	30	16	13	-	1	5	3	1	1	-

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

Int. List No.	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	1	...	1	...	-
57b	Tumors of uterus (nature unspecified)	1	...	1	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	42	20	22	-	-	7	4	-	2	1
	III.—Rheumatism, diseases of nutrition, etc. *	1,232	440	772	3	17	76	30	41	2	3
58a-d	Acute rheumatic heart diseases	29	14	15	-	-	2	2	-	-	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	13	7	6	-	-	1	1	-	-	-
59	Chronic rheumatism and other rheumatic diseases	36	15	21	-	-	2	-	2	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	962	343	601	2	16	54	21	32	-	1
62	Diseases of pituitary gland	6	3	3	-	-	1	1	-	-	-
63a	Simple goiter	3	1	2	-	-	1	-	1	-	-
63b	Exophthalmic goiter	126	25	100	-	1	7	2	5	-	-
63c-e	Other diseases of thyroid and parathyroid glands	11	3	8	-	-	-	-	-	-	-
64	Diseases of thymus gland	25	17	8	-	-	3	2	1	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	12	6	5	1	-	4	-	-	2	2
66	Other general diseases	6	4	2	-	-	-	-	-	-	-
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	1	-	-	-	1	1	-	-	-
70	Rickets	2	1	1	-	-	-	-	-	-	-
71	Other avitaminoses	-	-	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	342	191	148	3	-	14	10	4	-	-
72	Hemorrhagic conditions	23	14	9	-	-	1	-	1	-	-
73a	Pernicious anemia	84	43	41	-	-	1	1	-	-	-
73b-d	Other anemias (except splenic)	26	18	8	-	-	2	1	1	-	-
74a	Leukemias	182	103	77	2	-	8	7	1	-	-
74b	Aleukemias	8	2	5	1	-	2	1	1	-	-
75	Diseases of spleen	11	6	5	-	-	-	-	-	-	-
76	Other diseases of the blood and blood-forming organs	8	5	3	-	-	-	-	-	-	-
	V.—Chronic poisoning and intoxication	52	47	3	1	1	4	4	-	-	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	1	1	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	47	43	3	-	1	3	3	-	-	-
78	Lead poisoning	4	3	-	1	-	1	1	-	-	-
79	Chronic poisoning by other mineral or organic substances	-	-	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc. *	3,503	1,733	1,747	12	11	210	114	86	5	5
80	Encephalitis (nonepidemic)	20	14	6	-	-	4	2	2	-	-
81	Meningitis (not due to meningococcus)	51	29	20	2	-	3	1	2	-	-
82	Diseases of spinal cord (see exceptions) *	69	40	29	-	-	10	8	2	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	2,836	1,375	1,444	8	9	146	80	62	4	-
83b	Cerebral embolism and thrombosis	250	129	120	1	-	9	7	2	-	-
83c	Cerebral softening	13	5	8	-	-	-	-	-	-	-
83d	Hemiplegia and other paralysis of unspecified origin	31	16	14	-	1	12	4	2	1	5
84	Mental diseases and deficiency (see exception) *	36	13	23	-	-	3	-	3	-	-
85	Epilepsy	43	23	20	-	-	7	3	4	-	-
86	Convulsions (under 5 years)	12	7	3	1	1	2	-	2	-	-
87	Other diseases of nervous system	118	67	51	-	-	9	6	3	-	-
88	Diseases of organs of vision	1	1	-	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	20	13	7	-	-	4	2	2	-	-
89b	Diseases of mastoid process	3	1	2	-	-	1	1	-	-	-
	VII.—Diseases of the circulatory system	10,696	6,141	4,481	41	33	619	399	199	15	6
90-95	Diseases of the heart (all forms)	9,925	5,738	4,117	39	31	596	385	190	15	6
90	Pericarditis (except acute rheumatic)	12	7	5	-	-	2	1	1	-	-
91a,b	Bacterial and other acute or subacute endocarditis	33	24	8	-	1	5	3	2	-	-
91c	Endocarditis (unspecified, under 45 years)	2	2	-	-	-	-	-	-	-	-
92a-d	Chronic endocarditis and diseases of the valves *	949	489	451	4	5	64	40	22	2	-
92e	Endocarditis (unspecified, 45 years and over)	43	20	23	-	-	2	2	-	-	-
93a	Acute myocarditis (except rheumatic)	73	40	32	1	-	19	15	4	-	-
93b	Myocarditis (unspecified, under 45 years)	6	5	1	-	-	2	-	2	-	-
93c,d	Chronic myocarditis and myocardial degeneration	4,869	2,563	2,267	20	19	250	150	89	6	5
93e	Other myocarditis unspecified)	379	211	164	2	2	31	23	6	1	1
94a	Diseases of coronary arteries	2,854	1,971	877	4	2	181	128	48	5	-
94b	Angina pectoris	52	34	18	-	-	8	4	3	1	-
95a	Functional diseases of heart, etc. *	23	11	11	-	1	1	1	-	-	-
95b,c	Other and unspecified diseases of heart	630	361	260	8	1	31	18	13	-	-
96	Aneurysm (except of heart and aorta)	32	21	11	-	-	-	-	-	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	598	307	287	2	2	14	8	6	-	-
98	Gangrene	6	3	3	-	-	-	-	-	-	-
99	Other diseases of arteries	61	38	23	-	-	4	2	2	-	-
100	Diseases of veins	22	9	13	-	-	4	3	1	-	-
101	Diseases of lymphatic system	2	-	2	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	47	22	25	-	-	1	1	-	-	-
103	Other diseases of circulatory system	3	3	-	-	-	-	-	-	-	-
	VIII.—Diseases of respiratory system	1,591	913	628	36	14	123	71	35	10	7
104a	Diseases of nasal fossae	3	3	-	-	-	-	-	-	-	-
104b	Diseases of accessory sinuses	11	5	5	1	-	-	-	-	-	-
105	Diseases of larynx	7	3	3	1	-	1	-	1	-	-
106a	Acute bronchitis	17	12	4	1	-	-	-	-	-	-

* Refer to complete International List titles, table V, Part I.

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	39	21	18	-	-	1	1	-	-	-
106c	Bronchitis (unspecified)	13	6	7	-	-	-	-	-	-	-
107	Bronchopneumonia (including capillary bronchitis)	683	372	295	11	5	63	32	22	6	3
108	Lobar pneumonia	561	343	194	16	8	39	24	9	3	3
109	Pneumonia (unspecified)	57	41	14	2	-	6	3	1	1	1
	A. Atypical or virus pneumonia	23	17	6	-	-	1	1	-	-	-
	B. Pneumonia (all other, unspecified)	34	24	8	2	-	5	2	1	1	1
110	Pleurisy (not specified as tuberculous)	49	33	15	1	-	2	2	-	-	-
111a	Hemorrhagic infarction and thrombosis of lungs	37	21	16	-	-	3	3	-	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	53	21	31	1	-	1	1	-	-	-
112	Asthma	38	20	17	1	-	3	2	1	-	-
113	Pulmonary emphysema	-	-	-	-	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	23	12	9	1	1	4	3	-	1	-
	IX.—Diseases of the digestive system	1,479	866	587	17	9	108	64	35	6	3
115a,b,d	Diseases of buccal cavity and adnexa	27	18	8	-	1	1	-	1	-	-
115c	Diseases of pharynx and tonsils	14	9	5	-	-	3	1	1	-	1
116	Diseases of esophagus	5	3	2	-	-	-	-	-	-	-
117a	Ulcer of stomach	133	110	21	2	-	13	12	1	-	-
117b	Ulcer of duodenum	80	70	10	-	-	4	2	2	-	-
118	Other diseases of stomach (except cancer)	16	9	7	-	-	5	3	2	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	86	51	28	5	2	12	3	6	2	1
120	Diarrhea enteritis and ulceration of intestines (2 years and over)	37	22	14	1	-	2	1	1	-	-
121	Appendicitis	201	121	78	2	-	23	18	5	-	-
122a	Hernia	135	77	56	2	-	4	2	2	-	-
122b	Intestinal obstruction	134	62	69	1	2	6	5	1	-	-
123	Other diseases of intestines	35	19	15	-	1	3	1	2	-	-
124a	Cirrhosis of liver (with mention of alcoholism)	28	23	5	-	-	1	-	1	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	241	163	75	2	1	17	11	4	1	1
125a	Acute yellow atrophy of liver (nonpuerperal)	13	6	6	1	-	1	-	1	-	-
125b	Other diseases of liver	19	9	10	-	-	1	-	1	-	-
126	Biliary calculi	161	40	119	1	1	7	4	3	-	-
127	Other diseases of gallbladder and biliary ducts	71	32	38	-	1	3	2	1	-	-
128	Diseases of pancreas (except diabetes mellitus)	20	8	12	-	-	-	-	-	-	-
129	Peritonitis (cause not stated)	23	14	9	-	-	2	-	1	1	-
	I.—Diseases of the genito-urinary system	2,145	1,281	839	23	12	200	117	72	6	5
130	Acute nephritis	37	22	15	-	-	5	3	2	-	-
131a	Arteriosclerotic kidney	1,198	658	527	6	7	118	69	43	2	4
131b	Other chronic nephritis	444	245	196	2	1	46	25	19	2	-
132	Nephritis unspecified (10 years and over)	74	45	28	1	-	7	4	2	1	-
133	Other diseases of kidneys and ureters, etc. *	63	32	28	2	1	8	3	5	-	-
134	Calculi of urinary passages	45	26	18	1	-	3	3	-	-	-
135	Diseases of urinary bladder	17	12	5	-	-	2	2	-	-	-
136	Diseases of urethra (except calculus)	5	4	-	1	-	-	-	-	-	-
137	Diseases of prostate	237	236	-	1	-	9	8	-	1	-
138	Diseases of other male genital organs (except venereal)	1	1	-	-	-	-	-	-	-	-
139a	Diseases of ovaries, fallopian tubes, and parametria	13	-	11	-	2	2	-	1	-	1
139b	Diseases of uterus	11	-	11	-	-	-	-	-	-	-
139c	Diseases of other and unspecified female genital organs	-	-	-	-	-	-	-	-	-	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	109	-	104	-	5	5	-	4	-	1
140	Abortion with mention of infection	7	-	7	-	-	1	-	1	-	-
140a,b	Abortion (septic), spontaneous or therapeutic *	7	-	7	-	-	-	-	-	-	-
140c,d	Abortion (septic), self-induced or nontherapeutic *	-	-	-	-	-	1	-	1	-	-
141	Abortion without mention of infection	8	-	6	-	2	-	-	-	-	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *	2	-	2	-	-	-	-	-	-	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	4	-	2	-	2	-	-	-	-	-
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified *	2	-	2	-	-	-	-	-	-	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	-	-	-	-	-	-	-	-	-	-
142a	Ectopic gestation, with mention of infection	1	-	-	-	1	-	-	-	-	-
142b	Ectopic gestation, without mention of infection	4	-	4	-	-	-	-	-	-	-
143a	Placenta praevia (death before delivery)	1	-	1	-	-	-	-	-	-	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	-	-	-	-	-	-	-	-	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery) *	8	-	8	-	-	-	-	-	-	-
144c,d	Other toxemias of pregnancy (death before delivery) *	1	-	1	-	-	1	-	-	-	-
145	Other diseases and accidents of pregnancy (death before delivery)	4	-	4	-	-	-	-	-	-	-
	A. With mention of infection	2	-	2	-	-	-	-	-	-	-
	B. Without mention of infection	2	-	2	-	-	-	-	-	-	-
146a	Placenta praevia (with childbirth)	3	-	3	-	-	1	-	1	-	-
146b,c	Other hemorrhages of childbirth and puerperium	14	-	13	-	1	1	-	-	-	1
147a,b	Puerperal pyelitis, other general or local puerperal infection *	5	-	5	-	-	-	-	-	-	-
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	19	-	19	-	-	-	-	-	-	-
148a,b	Puerperal eclampsia and nephritis *	11	-	11	-	-	-	-	-	-	-
148c,d	Other puerperal toxemias	6	-	6	-	-	-	-	-	-	-
149	Other accidents and specified conditions of childbirth	10	-	9	-	1	1	-	1	-	-
150	Other and unspecified conditions of childbirth and puerperium	7	-	7	-	-	-	-	-	-	-
	XII.—Diseases of the skin and cellular tissue	16	4	12	-	-	-	-	-	-	-
151	Carbuncle and furuncle	2	1	1	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	3	-	3	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue	11	3	8	-	-	-	-	-	-	-

* Refer to complete International List titles, table V, Part I.

UNITED STATES AND EACH STATE, 1944—Continued

and of deaths among armed forces overseas)

Int. List No.	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc. *	17	13	3	-	1	-	-	-	-	-
154	Osteomyelitis and periostitis	7	5	1	-	1	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	4	3	1	-	-	-	-	-	-	-
156	Diseases of joints and other organs of movement	6	5	1	-	-	-	-	-	-	-
157	XIV.—Congenital malformations	399	225	169	2	3	33	19	12	2	-
	XV.—Diseases peculiar to the first year of life	1,030	573	433	13	11	107	51	44	6	6
158	Congenital debility (cause not stated)	22	14	8	-	-	10	4	5	1	-
159	Premature birth (cause not stated)	633	326	292	8	7	61	30	23	5	3
160a	Intracranial or spinal hemorrhage	72	45	26	-	1	9	4	4	-	1
160b,c	Other injuries at birth	147	91	53	2	1	13	7	5	-	1
161	Other diseases peculiar to the first year of life	156	97	54	3	2	14	6	7	-	1
162	XVI.—Senility	338	164	171	1	2	17	8	6	2	1
	XVII.—Violent or accidental deaths	2,417	1,657	733	21	6	300	224	63	12	1
163,164	Suicide	387	284	100	3	-	27	21	3	3	-
163	Suicide by poisoning	82	45	37	-	-	4	2	1	1	-
	Suicide by solid or liquid poisons	22	9	13	-	-	3	1	1	1	-
	Suicide by poisonous gases	60	36	24	-	-	1	1	-	-	-
164a	Suicide by hanging or strangulation	135	105	27	3	-	4	3	1	-	-
164b	Suicide by drowning	27	11	16	-	-	1	1	-	-	-
164c	Suicide by firearms and explosives	113	101	12	-	-	13	12	-	1	-
164d	Suicide by cutting or piercing instruments	14	12	2	-	-	3	1	1	1	-
164e	Suicide by jumping from high places	4	3	1	-	-	1	1	-	-	-
164f	Suicide by crushing	7	6	1	-	-	1	1	-	-	-
164g	Suicide by other or unspecified means	5	1	4	-	-	-	-	-	-	-
165-168	Homicide[1]	27	13	11	3	-	8	4	2	2	-
166	Homicide by firearms	16	6	10	-	-	5	2	1	2	-
167	Homicide by cutting or piercing instruments	2	-	-	2	-	-	-	-	-	-
168	Homicide by other means	9	7	1	1	-	3	2	1	-	-
169-195	Accidental deaths	2,003	1,360	622	15	6	264	199	58	6	1
169	Railway accidents (except collisions with motor vehicles)	57	45	12	-	-	14	13	-	1	-
170a	Collisions between automobiles and trains	56	41	15	-	-	3	2	1	-	-
170b	Collisions between automobiles and streetcars	1	1	-	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	482	379	99	2	2	54	43	9	2	-
170d	Motorcycle accidents (except collisions with automobiles)	11	11	-	-	-	-	-	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	6	4	2	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	10	7	3	-	-	1	-	1	-	-
172	Water-transport accidents	33	29	4	-	-	-	-	-	-	-
173	Air-transport accidents	40	39	-	1	-	46	46	-	-	-
174	Accidents in mines and quarries	7	7	-	-	-	15	15	-	-	-
175a	Accidents involving agricultural machinery and vehicles	38	35	3	-	-	4	4	-	-	-
175b,c	Other agricultural accidents, including injury by animals	55	51	4	-	-	5	5	-	-	-
175d	Accidents involving forestry machinery and vehicles	1	1	-	-	-	-	-	-	-	-
175e	Other forestry accidents	1	1	-	-	-	1	1	-	-	-
176	Other accidents involving machinery	37	33	2	2	-	8	8	-	-	-
177	Food poisoning	1	1	-	-	-	2	1	-	1	-
178	Accidental absorption of poisonous gas	29	20	9	-	-	3	2	1	-	-
179	Acute accidental poisoning by solids or liquids	21	16	5	-	-	5	3	1	-	1
180	Conflagration	37	19	17	1	-	1	1	-	-	-
181	Accidental burns (except conflagration)	76	42	34	-	-	8	-	8	-	-
182	Accidental mechanical suffocation	31	24	7	-	-	8	6	2	-	-
183	Accidental drowning	123	101	17	4	1	18	16	2	-	-
184	Accidental injury by firearms	51	50	1	-	-	7	5	1	1	-
185	Accidental injury by cutting or piercing instruments	3	2	1	-	-	1	-	1	-	-
186a	Accidental injury by fall	679	309	366	3	1	32	9	22	1	-
186b	Accidental injury by crushing	5	5	-	-	-	2	2	-	-	-
187	Cataclysm, etc. *	10	5	5	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	2	2	-	-	-	1	1	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	3	3	-	-	-	4	3	1	-	-
191	Excessive heat	4	4	-	-	-	-	-	-	-	-
192	Lightning	11	9	2	-	-	8	7	1	-	-
193	Accidents due to electric currents (except lightning)	5	4	1	-	-	1	1	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	23	18	3	-	2	1	1	-	-	-
195c,e	Other and unspecified accidents	54	42	10	2	-	11	4	7	-	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	1	-	-	1	-
	XVIII.—Ill-defined and unknown causes	61	42	18	1	-	32	17	7	5	3
199	Sudden death	16	11	5	-	-	1	1	-	-	-
200a	Ill-defined	29	23	6	-	-	19	13	5	1	-
200b	Found dead (cause unknown)	5	2	3	-	-	1	1	-	-	-
200c	Unknown or unspecified	11	6	4	1	-	11	2	2	4	3

* Refer to complete International List titles, table V, Part I.

[1] Includes figures for infanticide (165).

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
UNITED STATES	1,411,338	771,218	545,050	79,918	15,152
ALABAMA	26,157	18,900	6,321	761	175
Autauga	201	154	38	6	3
Baldwin	376	299	70	-	7
Barbour	255	199	56	-	-
Bibb	171	140	31	-	-
Blount	159	134	23	2	-
Bullock	221	200	21	-	-
Butler	240	203	36	-	1
Calhoun	620	437	178	-	5
Anniston	283	204	77	-	2
Balance of county	337	233	101	-	3
Chambers	339	264	74	-	1
Cherokee	89	79	9	-	1
Chilton	214	164	50	-	-
Choctaw	145	108	36	-	1
Clarke	220	194	26	-	-
Clay	124	103	21	-	-
Cleburne	90	81	9	-	-
Coffee	156	120	35	-	1
Colbert	288	201	87	-	-
Conecuh	181	165	14	-	2
Coosa	96	76	19	-	1
Covington	311	219	91	-	1
Crenshaw	161	137	24	-	-
Cullman	261	195	65	-	1
Dale	202	141	61	-	-
Dallas	672	502	167	-	3
Selma	284	186	96	-	2
Balance of county	388	316	71	-	1
De Kalb	302	256	31	-	5
Elmore	297	236	58	1	2
Escambia	293	227	37	10	19
Etowah	568	458	102	-	8
Gadsden	315	251	60	-	4
Balance of county	253	207	42	-	4
Fayette	142	122	20	-	-
Franklin	205	161	39	-	5
Geneva	207	169	38	-	-
Greene	187	178	9	-	-
Hale	240	218	21	-	1
Henry	132	118	14	-	-
Houston	386	284	102	-	-
Dothan	183	128	55	-	-
Balance of county	203	156	47	-	-
Jackson	278	231	47	-	-
Jefferson	4,961	2,941	1,954	57	9
Bessemer	307	230	77	-	-
Birmingham	3,216	1,780	1,422	7	7
Fairfield	135	86	49	-	-
Balance of county	1,303	845	406	50	2
Lamar	95	80	15	-	-
Lauderdale	411	330	77	-	4
Florence	200	149	50	-	1
Balance of county	211	181	27	-	3
Lawrence	193	157	36	-	-
Lee	333	278	54	-	1
Limestone	271	243	26	-	2
Lowndes	216	194	21	-	1
Macon	305	211	94	-	-
Madison	638	533	105	-	-
Huntsville	304	240	64	-	-
Balance of county	334	293	41	-	-
Marengo	334	289	29	-	16
Marion	154	128	23	-	3
Marshall	290	227	61	-	2
Mobile	2,426	1,355	738	315	18
Mobile	1,257	763	448	30	16
Balance of county	1,169	592	290	285	2
Monroe	208	188	20	-	-
Montgomery	1,286	931	323	26	6
Montgomery	961	681	275	-	5
Balance of county	325	250	48	26	1
Morgan	333	256	63	-	14
Decatur	133	95	31	-	7
Balance of county	200	161	32	-	7
Perry	226	191	35	-	-
Pickens	200	179	21	-	-
Pike	304	242	62	-	-
Randolph	190	163	27	-	-
Russell	362	268	93	-	1
Phenix City	183	114	68	-	1
Balance of county	179	154	25	-	-
St. Clair	235	186	48	-	1
Shelby	240	199	40	-	1
Sumter	259	227	30	-	2
Talladega	486	345	133	-	8
Tallapoosa	241	194	45	-	2
Tuscaloosa	963	427	190	344	2
Tuscaloosa	606	181	122	301	2
Balance of county	357	246	68	43	-
Walker	446	300	146	-	-
Washington	122	111	11	-	-
Wilcox	290	259	31	-	-
Winston	110	85	11	-	14
ARIZONA	6,205	3,079	2,845	143	138
Apache	201	71	128	-	2
Cochise	396	184	212	-	-
Coconino	229	100	123	-	6
Gila	268	134	133	-	1
Graham	73	52	19	-	2
Greenlee	71	36	33	1	1
Maricopa	2,359	1,173	998	103	85
Phoenix	1,392	717	613	5	57
Balance of county	967	456	385	98	28
Mohave	166	97	66	2	1
Navajo	336	196	131	-	9
Pima	1,061	593	467	-	1
Tucson	671	424	246	-	1
Balance of county	390	169	221	-	-
Pinal	252	161	186	3	2
Santa Cruz	87	48	39	-	-
Yavapai	265	91	113	34	27
Yuma	341	143	197	-	1
ARKANSAS	14,515	10,111	3,603	624	177
Arkansas	181	148	31	-	2
Ashley	154	129	25	-	-
Baxter	58	46	12	-	-
Benton	407	284	92	2	29
Boone	130	106	24	-	-
Bradley	116	99	17	-	-
Calhoun	55	44	11	-	-
Carroll	119	104	11	-	4
Chicot	202	141	60	-	1
Clark	152	127	24	-	1
Clay	172	125	47	-	-
Cleburne	88	58	29	-	1
Cleveland	70	51	18	-	1
Columbia	202	164	37	-	1
Conway	135	98	37	-	-
Craighead	364	250	114	-	-
Jonesboro	134	86	48	-	-
Balance of county	230	164	66	-	-
Crawford	143	102	40	1	-
Crittenden	376	312	63	-	1
Cross	151	111	36	-	4
Dallas	72	61	11	-	-
Desha	226	137	87	-	2
Drew	130	97	32	-	1
Faulkner	189	126	59	-	4
Franklin	72	57	13	-	2
Fulton	61	53	8	-	-
Garland	453	289	159	-	5
Hot Springs	356	205	146	-	5
Balance of county	97	84	13	-	-
Grant	50	38	12	-	-
Greene	189	147	41	-	1
Hempstead	240	181	58	-	1
Hot Spring	151	112	39	-	-
Howard	94	72	16	-	6
Independence	160	107	51	2	-
Izard	56	39	17	-	-
Jackson	185	161	24	-	-
Jefferson	543	399	138	3	3
Pine Bluff	285	190	95	-	-
Balance of county	258	209	43	3	3
Johnson	112	84	27	-	1
Lafayette	81	66	14	-	1
Lawrence	135	104	22	-	9
Lee	165	140	23	-	2
Lincoln	119	100	14	4	1
Little River	80	57	22	-	1
Logan	146	102	44	-	-
Lonoke	183	149	33	-	1
Madison	71	61	9	-	1
Marion	52	40	12	-	-
Miller	257	203	53	-	1
Texarkana[1]	161	122	39	-	-
Balance of county	96	81	14	-	1
Mississippi	626	478	138	1	9
Blytheville	164	122	42	-	-
Balance of county	462	356	96	1	9
Monroe	164	138	26	-	-

[1]Includes data for Texarkana, Ark., only.

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
ARKANSAS—Continued					
Montgomery	53	42	10	-	1
Nevada	101	85	15	-	1
Newton	26	21	5	-	-
Ouachita	222	174	47	-	1
Perry	35	28	6	-	1
Phillips	434	353	80	-	1
Pike	25	19	5	-	1
Poinsett	238	163	73	-	2
Polk	121	88	10	-	23
Pope	144	119	25	-	-
Prairie	63	45	18	-	-
Pulaski	2,156	942	644	543	27
Little Rock	1,481	472	519	468	22
North Little Rock	206	160	45	-	1
Balance of county	469	310	80	75	4
Randolph	85	70	16	-	-
St. Francis	282	216	55	-	11
Saline	205	94	52	59	1
Scott	53	45	8	-	-
Searcy	64	47	17	-	-
Sebastian	548	307	231	8	2
Fort Smith	417	217	190	8	2
Balance of county	131	90	41	-	-
Sevier	100	71	29	-	-
Sharp	43	37	6	-	-
Stone	43	32	11	-	-
Union	333	258	74	-	1
El Dorado	152	113	39	-	-
Balance of county	181	145	35	-	1
Van Buren	67	55	12	-	-
Washington	334	220	109	1	4
White	229	159	69	-	1
Woodruff	100	67	31	-	2
Yell	72	57	15	-	-
CALIFORNIA	90,802	39,667	44,340	4,685	2,110
Alameda	6,941	3,371	3,262	160	148
Alameda	465	255	199	-	11
Albany	98	54	44	-	-
Berkeley	1,027	500	486	-	41
Oakland	4,160	2,001	1,981	104	74
San Leandro	190	102	82	-	6
Balance of county	1,001	459	470	56	16
Alpine	1	-	1	-	-
Amador	109	51	24	32	2
Butte	634	296	309	-	29
Calaveras	96	53	27	15	1
Colusa	143	60	82	-	1
Contra Costa	1,589	741	829	-	19
Richmond	673	297	369	-	7
Balance of county	916	444	460	-	12
Del Norte	48	23	12	13	-
El Dorado	125	58	44	23	-
Fresno	2,015	809	1,152	3	51
Fresno	1,025	285	708	2	30
Balance of county	990	524	444	1	21
Glenn	109	65	41	-	3
Humboldt	596	229	344	5	18
Eureka	341	99	225	5	12
Balance of county	255	130	119	-	6
Imperial	538	298	236	-	4
Brawley	111	77	34	-	-
El Centro	92	42	50	-	-
Balance of county	335	179	152	-	4
Inyo	122	50	42	5	25
Kern	1,374	570	801	-	3
Bakersfield	334	118	214	-	2
Balance of county	1,040	452	587	-	1
Kings	347	133	189	-	25
Lake	102	61	26	14	1
Lassen	148	67	62	19	-
Los Angeles	35,860	16,683	16,941	1,191	1,045
Alhambra	487	280	190	3	14
Bell	119	54	64	-	1
Belvedere (twp.)[2]	269	125	139	-	5
Beverly Hills	256	173	75	-	8
Burbank	424	194	183	4	43
Compton	233	104	121	3	5
Glendale	951	477	438	3	33
Huntington Park	311	150	153	1	7
Inglewood	353	159	188	1	5
Long Beach	2,303	1,074	1,195	-	34
Los Angeles	19,899	9,149	9,901	202	647
Lynwood	131	60	70	-	1
Maywood	74	41	33	-	-
Monrovia	195	127	63	2	3
Pasadena	1,255	657	548	13	37
Pomona	306	175	111	-	20
Redondo Beach	201	114	80	1	6
San Gabriel	150	79	62	7	2
Santa Monica	735	394	325	-	16
South Gate	244	135	107	-	2
South Pasadena	188	98	61	21	8
Whittier	210	107	100	-	3
Balance of county	6,566	2,757	2,734	980	145
CALIFORNIA—Continued					
Madera	225	67	151	-	7
Marin	617	284	281	42	10
Mariposa	42	16	26	-	-
Mendocino	453	147	142	163	1
Merced	452	166	296	-	-
Merced	100	25	75	-	-
Balance of county	352	141	221	-	-
Modoc	149	53	85	-	11
Mono	14	6	6	-	2
Monterey	787	366	401	-	20
Monterey	94	40	53	-	1
Salinas	125	52	70	-	3
Balance of county	568	274	278	-	16
Napa	917	164	158	582	13
Nevada	203	85	118	-	-
Orange	1,804	912	867	2	23
Anaheim	169	85	81	1	2
Fullerton	122	69	52	-	1
Santa Ana	450	236	207	-	7
Balance of county	1,063	522	527	1	13
Placer	350	149	194	-	7
Plumas	105	39	65	-	1
Riverside	1,455	712	708	19	16
Riverside	515	236	253	19	7
Balance of county	940	476	455	-	9
Sacramento	2,253	848	1,296	16	93
Sacramento	1,720	540	1,105	5	70
Balance of county	533	308	191	11	23
San Benito	138	76	46	16	-
San Bernardino	2,410	965	1,030	366	49
Ontario	151	96	42	-	13
Redlands	192	100	84	1	7
San Bernardino	818	246	565	-	7
Balance of county	1,249	523	339	365	22
San Diego	4,232	1,775	2,288	63	106
National City	150	47	96	-	7
San Diego	2,780	1,117	1,608	4	51
Balance of county	1,302	611	584	59	48
San Francisco, coextensive with San Francisco (city)	9,151	3,671	4,777	611	92
San Joaquin	1,984	664	916	386	18
Lodi	158	71	87	-	-
Stockton	633	277	346	-	10
Balance of county	1,193	316	483	386	8
San Luis Obispo	456	177	264	11	4
San Mateo	1,304	535	642	108	18
Burlingame	116	71	42	-	3
Redwood City	123	80	41	-	2
San Mateo	413	119	290	2	2
Balance of county	652	266	269	106	11
Santa Barbara	893	378	500	-	15
Santa Barbara	454	186	254	-	14
Balance of county	439	192	246	-	1
Santa Clara	2,532	910	1,159	429	34
Palo Alto	237	94	139	-	4
San Jose	726	375	337	1	13
Balance of county	1,569	441	683	428	17
Santa Cruz	731	294	430	2	5
Santa Cruz	320	135	181	2	2
Balance of county	411	159	249	-	3
Shasta	263	122	115	-	26
Sierra	28	17	10	1	-
Siskiyou	263	119	143	-	1
Solano	732	309	397	-	86
Vallejo	336	107	212	-	17
Balance of county	396	202	185	-	69
Sonoma	1,040	418	497	95	30
Santa Rosa	224	90	113	-	21
Balance of county	816	328	384	95	9
Stanislaus	887	356	514	2	15
Modesto	394	112	279	-	3
Balance of county	493	244	235	2	12
Sutter	168	70	96	-	2
Tehama	210	82	127	1	-
Trinity	38	19	18	-	1
Tulare	997	491	460	37	9
Tuolumne	130	61	68	-	1
Ventura	926	289	385	242	10
San Buenaventura	124	58	66	-	-
Balance of county	802	231	319	242	10
Yolo	307	136	152	11	8
Yuba	249	100	148	-	1
COLORADO	12,258	5,633	5,796	704	125
Adams	187	80	105	-	2
Alamosa	75	37	37	-	1
Arapahoe	320	148	169	2	1
Archuleta	27	21	6	-	-
Baca	53	38	12	-	3
Bent	106	35	26	42	3
Boulder	400	154	237	4	5
Boulder	209	56	145	3	5
Balance of county	191	98	92	1	-
Chaffee	87	40	45	-	2

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING IN 1940 A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
COLORADO—Continued					
Cheyenne	22	10	10	-	2
Clear Creek	32	17	15	-	-
Conejos	101	65	36	-	-
Costilla	39	23	16	-	-
Crowley	43	29	14	-	-
Custer	14	8	6	-	-
Delta	173	131	32	4	6
Denver, coextensive with Denver (city)	4,027	1,609	2,323	77	18
Dolores	19	14	5	-	-
Douglas	31	17	14	-	-
Eagle	39	18	21	-	-
Elbert	36	22	13	-	1
El Paso	866	376	353	130	7
Colorado Springs	755	300	319	129	7
Balance of county	111	76	34	1	-
Fremont	244	116	119	8	1
Garfield	106	49	57	-	-
Gilpin	9	2	7	-	-
Grand	22	12	10	-	-
Gunnison	51	22	29	-	-
Hinsdale	4	3	1	-	-
Huerfano	156	118	38	-	-
Jackson	6	3	2	-	1
Jefferson	306	149	139	10	8
Kiowa	27	12	2	-	13
Kit Carson	71	34	37	-	-
Lake	78	45	33	-	-
La Plata	134	63	71	-	-
Larimer	356	166	181	3	6
Fort Collins	122	72	46	3	1
Balance of county	234	94	135	-	5
Las Animas	340	212	126	-	2
Trinidad	211	113	98	-	-
Balance of county	129	99	28	-	2
Lincoln	38	23	15	-	-
Logan	133	57	76	-	-
Mesa	349	201	119	18	11
Grand Junction	182	89	80	10	3
Balance of county	167	112	39	8	8
Mineral	4	2	2	-	-
Moffat	35	18	15	-	2
Montezuma	102	58	44	-	-
Montrose	140	102	38	-	-
Morgan	157	79	78	-	-
Otero	278	146	131	1	-
Ouray	14	7	6	-	1
Park	22	11	11	-	-
Phillips	45	28	16	-	1
Pitkin	28	17	11	-	-
Prowers	112	59	50	-	3
Pueblo	1,128	372	376	379	1
Pueblo	930	274	275	379	1
Balance of county	198	98	100	-	-
Rio Blanco	21	19	2	-	-
Rio Grande	146	68	63	4	11
Routt	77	43	34	-	-
Saguache	57	39	13	-	5
San Juan	18	9	9	-	-
San Miguel	24	15	8	-	1
Sedgwick	37	18	19	-	-
Summit	12	8	4	-	-
Teller	50	18	27	4	1
Washington	57	29	27	-	1
Weld	485	248	215	17	5
Greeley	223	76	129	17	1
Balance of county	262	172	86	-	4
Yuma	82	41	40	1	-
CONNECTICUT	18,919	8,745	8,789	1,154	231
Fairfield	4,630	2,071	2,250	265	44
Bridgeport	1,633	730	896	-	7
Danbury	345	176	160	6	3
Norwalk	489	225	248	-	16
Shelton	92	38	51	2	1
Stamford	612	253	355	1	3
Stratford (town)	192	118	71	-	3
Balance of county	1,267	531	469	256	11
Hartford	4,565	2,072	2,333	102	58
Bristol	274	130	144	-	-
East Hartford (town)	204	99	102	1	2
Hartford	1,808	712	1,048	24	24
New Britain	602	264	308	22	8
West Hartford (town)	333	165	152	8	8
Balance of county	1,344	702	579	47	16
Litchfield	960	505	423	4	28
Torrington	268	125	133	-	10
Balance of county	692	380	290	4	18
Middlesex	831	280	289	250	12
Middletown	479	96	142	239	2
Balance of county	352	184	147	11	10
CONNECTICUT—Continued					
New Haven	5,297	2,493	2,513	262	29
Ansonia	201	131	68	2	-
Derby	112	38	72	-	2
Meriden	462	203	250	7	2
Naugatuck	127	68	52	7	-
New Haven	1,964	831	1,010	120	3
Wallingford	188	57	77	54	-
Waterbury	1,012	433	517	54	8
West Haven (town)	285	165	114	1	5
Balance of county	946	567	353	17	9
New London	1,678	774	615	258	36
New London	395	178	194	14	9
Norwich	397	209	175	5	8
Balance of county	886	387	246	234	19
Tolland	330	181	133	11	5
Windham	628	369	233	7	19
Willimantic	164	91	67	3	3
Balance of county	464	278	166	4	16
DELAWARE	3,345	1,689	1,364	261	31
Kent	516	286	100	124	6
New Castle	2,218	990	1,074	132	22
Wilmington	1,469	619	793	39	18
Balance of county	749	371	281	93	4
Sussex	611	413	190	5	3
DISTRICT OF COLUMBIA	8,223	3,286	4,202	706	29
FLORIDA	23,500	13,675	8,522	695	608
Alachua	470	341	110	16	3
Gainesville	192	125	63	3	1
Balance of county	278	216	47	13	2
Baker	51	28	22	-	1
Bay	354	231	113	7	3
Panama City	211	138	71	-	2
Balance of county	143	93	42	7	1
Bradford	98	79	19	-	-
Brevard	248	185	47	5	11
Broward	481	267	190	-	24
Fort Lauderdale	235	110	113	-	12
Balance of county	246	157	77	-	12
Calhoun	62	49	12	-	1
Charlotte	47	37	10	-	-
Citrus	50	41	9	-	-
Clay	190	103	55	25	7
Collier	40	25	15	-	-
Columbia	220	160	60	-	-
Dade	3,108	1,457	1,544	21	86
Miami	2,026	931	1,023	13	59
Miami Beach	293	130	157	-	6
Balance of county	789	396	364	8	21
De Soto	109	53	55	-	1
Dixie	63	49	11	-	3
Duval	2,851	1,613	1,145	23	70
Jacksonville	2,362	1,296	987	23	56
Balance of county	489	317	158	-	14
Escambia	958	554	396	3	5
Pensacola	580	325	252	1	2
Balance of county	378	229	144	2	3
Flagler	38	30	6	-	2
Franklin	69	49	20	-	-
Gadsden	734	251	54	427	2
Gilchrist	27	21	5	-	1
Glades	15	7	8	-	-
Gulf	52	38	2	-	12
Hamilton	97	78	19	-	-
Hardee	99	69	30	-	-
Hendry	43	19	14	-	10
Hernando	57	40	17	-	-
Highlands	171	122	49	-	-
Hillsborough	2,257	1,154	1,049	5	49
Tampa	1,349	609	693	5	42
Balance of county	908	545	356	-	7
Holmes	102	85	17	-	-
Indian River	100	70	30	-	-
Jackson	274	209	61	1	3
Jefferson	114	104	10	-	-
Lafayette	28	25	3	-	-
Lake	346	207	108	-	31
Lee	238	143	89	5	1
Fort Myers	159	90	64	5	-
Balance of county	79	53	25	-	1
Leon	323	220	102	-	1
Tallahassee	182	104	77	-	1
Balance of county	141	116	25	-	-
Levy	116	92	22	-	2
Liberty	31	24	6	-	1
Madison	156	126	30	-	-
Manatee	264	146	101	8	9
Marion	360	255	104	-	1

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
FLORIDA—Continued					
Martin	62	35	27	-	-
Monroe	268	188	55	4	21
Key West	244	170	49	4	21
Balance of county	24	18	6	-	-
Nassau	121	98	12	-	11
Okaloosa	157	113	38	-	16
Okeechobee	32	21	11	-	-
Orange	877	448	373	13	43
Orlando	581	262	244	4	21
Balance of county	346	186	129	9	22
Osceola	158	92	59	-	7
Palm Beach	958	528	353	12	65
West Palm Beach	439	215	206	12	6
Balance of county	519	313	147	-	59
Pasco	178	129	45	1	3
Pinellas	1,481	748	671	30	32
Clearwater	131	63	65	-	3
St. Petersburg	1,078	553	504	4	17
Balance of county	272	132	102	26	12
Polk	998	582	359	36	16
Lakeland	309	184	118	-	7
Balance of county	684	398	241	36	9
Putnam	243	175	58	-	10
St. Johns	236	154	76	-	6
St. Augustine	161	97	60	-	4
Balance of county	75	57	16	-	2
St. Lucie	125	79	45	1	-
Santa Rosa	141	113	26	-	2
Sarasota	259	128	128	-	3
Sarasota	198	82	113	-	3
Balance of county	61	46	15	-	-
Seminole	248	169	67	7	-
Sanford	111	67	44	-	-
Balance of county	132	102	23	7	-
Sumter	95	67	28	-	-
Suwannee	161	130	31	-	-
Taylor	101	83	15	-	3
Union	71	23	13	35	-
Volusia	747	502	207	9	29
Daytona Beach	341	207	117	-	17
Balance of county	406	295	90	9	12
Wakulla	39	22	16	1	-
Walton	133	108	24	-	1
Washington	100	84	16	-	-
GEORGIA	29,401	20,073	7,961	1,142	225
Appling	77	66	10	-	1
Atkinson	27	24	3	-	-
Bacon	72	54	18	-	-
Baker	45	36	9	-	-
Baldwin	932	99	35	798	-
Banks	42	37	5	-	-
Barrow	131	105	26	-	-
Bartow	219	176	42	-	1
Ben Hill	146	122	24	-	-
Berrien	79	53	26	-	-
Bibb	1,123	624	466	22	11
Macon	868	485	373	-	10
Balance of county	255	139	93	22	1
Bleckley	81	71	10	-	-
Brantley	49	33	16	-	-
Brooks	161	118	38	-	5
Bryan	63	50	13	-	-
Bulloch	186	149	35	-	2
Burke	237	190	45	-	2
Butts	111	92	19	-	-
Calhoun	91	82	7	-	2
Camden	69	62	5	-	2
Candler	51	36	15	-	-
Carroll	277	222	52	2	1
Catoosa	80	53	25	-	2
Charlton	38	26	9	-	3
Chatham	1,884	1,021	774	25	14
Savannah	1,456	790	632	23	11
Balance of county	378	231	142	2	3
Chattahoochee	88	37	49	1	1
Chattooga	91	70	20	-	1
Cherokee	145	109	36	-	-
Clarke	298	169	129	-	-
Athens	251	138	113	-	-
Balance of county	47	31	16	-	-
Clay	53	48	5	-	-
Clayton	82	67	15	-	-
Clinch	31	24	7	-	-
Cobb	335	256	75	2	2
Coffee	187	130	57	-	-
Colquitt	293	208	80	-	5
Moultrie	138	104	31	-	3
Balance of county	155	104	49	-	2

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
GEORGIA—Continued					
Columbia	72	54	18	-	-
Cook	89	83	5	-	1
Coweta	177	133	32	-	12
Crawford	62	53	8	-	1
Crisp	199	153	36	-	10
Dade	35	28	7	-	-
Dawson	11	7	4	-	-
Decatur	258	219	45	1	3
De Kalb	782	507	264	6	5
Atlanta (part)	220	151	67	-	2
Decatur	182	122	58	1	1
Balance of county	380	234	139	5	2
Dodge	105	71	32	-	2
Dooly	117	98	19	-	-
Dougherty	370	285	84	-	1
Albany	280	207	72	-	1
Balance of county	90	78	12	-	-
Douglas	58	50	7	-	1
Early	138	111	25	-	2
Echols	11	9	2	-	-
Effingham	80	69	11	-	-
Elbert	162	125	36	-	1
Emanuel	163	130	33	-	-
Evans	51	34	17	-	-
Fannin	111	100	11	-	-
Fayette	58	51	7	-	-
Floyd	482	317	162	2	1
Rome	292	181	109	1	1
Balance of county	190	136	53	1	-
Forsyth	31	20	9	-	2
Franklin	93	82	11	-	-
Fulton	4,308	2,376	1,759	155	18
Atlanta (part)[3]	3,279	1,734	1,409	124	12
Atlanta (total)[3]	3,499	1,885	1,476	124	14
District 1511, Center Hill[3]					
East Point	101	66	34	-	1
Balance of county	928	576	316	31	5
Gilmer	60	53	7	-	-
Glascock	22	16	6	-	-
Glynn	392	256	118	-	18
Brunswick	312	199	97	-	16
Balance of county	80	57	21	-	2
Gordon	102	73	26	-	3
Grady	164	134	29	-	1
Greene	139	115	24	-	-
Gwinnett	189	149	38	-	2
Habersham	116	86	29	-	1
Hall	258	184	74	-	-
Gainesville	115	85	30	-	-
Balance of county	143	99	44	-	-
Hancock	86	82	4	-	-
Haralson	70	49	21	-	-
Harris	100	83	17	-	-
Hart	110	89	21	-	-
Heard	63	55	8	-	-
Henry	157	131	26	-	-
Houston	114	82	31	-	1
Irwin	81	75	6	-	-
Jackson	116	87	29	-	-
Jasper	116	110	6	-	-
Jeff Davis	53	42	11	-	-
Jefferson	146	118	28	-	-
Jenkins	118	83	19	-	16
Johnson	68	53	10	-	5
Jones	73	63	10	-	-
Lamar	104	94	9	-	1
Lanier	41	38	2	-	1
Laurens	327	231	95	-	1
Lee	85	74	11	-	-
Liberty	103	65	35	-	3
Lincoln	21	17	4	-	-
Long	28	24	4	-	-
Lowndes	325	233	87	-	5
Valdosta	195	133	61	-	1
Balance of county	130	100	26	-	4
Lumpkin	27	24	2	-	1
McDuffie	78	60	18	-	-
McIntosh	75	68	7	-	-
Macon	174	134	40	-	-
Madison	102	81	21	-	-
Marion	76	70	6	-	-
Meriwether	196	171	21	-	4
Miller	75	65	7	-	3
Mitchell	216	183	32	-	1
Monroe	117	94	20	-	3
Montgomery	62	51	11	-	-
Morgan	117	101	16	-	-
Murray	74	60	14	-	-
Muscogee	804	424	375	5	-
Columbus	657	330	327	-	-
Balance of county	147	94	48	5	-

[3] Figures for District 1511, Center Hill, are included in those for Atlanta.

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
GEORGIA—Continued					
Newton	187	161	23	-	3
Oconee	45	40	5	-	-
Oglethorpe	100	76	23	-	1
Paulding	79	59	9	-	11
Peach	123	101	17	-	5
Pickens	77	60	17	-	-
Pierce	112	87	25	-	-
Pike	87	79	8	-	-
Polk	191	156	34	-	1
Pulaski	79	63	16	-	-
Putnam	95	84	11	-	-
Quitman	28	25	3	-	-
Rabun	21	17	4	-	-
Randolph	149	132	17	-	-
Richmond	1,092	600	429	61	2
Augusta	897	477	365	54	1
Balance of county	195	123	64	7	1
Rockdale	52	42	10	-	-
Schley	30	27	3	-	-
Screven	128	102	24	-	2
Seminole	75	55	20	-	-
Spalding	286	222	64	-	-
Griffin	183	144	39	-	-
Balance of county	103	78	25	-	-
Stephens	46	24	22	-	-
Stewart	97	83	13	-	1
Sumter	289	205	84	-	-
Talbot	75	74	1	-	-
Taliaferro	46	40	6	-	-
Tattnall	114	52	22	38	2
Taylor	60	52	8	-	-
Telfair	111	95	14	-	2
Terrell	180	167	13	-	-
Thomas	311	241	60	5	5
Thomasville	168	124	41	3	-
Balance of county	143	117	19	2	5
Tift	181	138	43	-	-
Toombs	113	75	19	19	-
Towns	11	6	5	-	-
Treutlen	51	39	12	-	-
Troup	439	335	102	-	2
La Grange	202	148	53	-	1
Balance of county	237	187	49	-	1
Turner	75	62	13	-	-
Twiggs	77	57	19	-	1
Union	28	24	4	-	-
Upson	186	163	22	-	1
Walker	191	140	46	-	5
Walton	201	150	50	-	1
Ware	305	201	104	-	-
Waycross	222	156	86	-	-
Balance of county	83	65	18	-	-
Warren	92	78	14	-	-
Washington	196	160	36	-	-
Wayne	123	93	30	-	-
Webster	22	21	1	-	-
Wheeler	49	41	8	-	-
White	52	43	9	-	-
Whitfield	171	112	57	-	2
Dalton	100	70	30	-	-
Balance of county	71	42	27	-	2
Wilcox	74	65	9	-	-
Wilkes	138	107	31	-	-
Wilkinson	89	71	17	-	1
Worth	175	147	26	-	2
IDAHO	4,673	2,354	2,039	183	97
Ada	559	273	281	1	4
Boise City	404	190	211	-	3
Balance of county	155	83	70	1	1
Adams	29	8	18	-	3
Bannock	298	135	162	1	-
Pocatello	216	82	134	-	-
Balance of county	82	53	28	1	-
Bear Lake	76	50	12	-	14
Benewah	72	43	22	-	7
Bingham	193	88	50	55	-
Blaine	48	28	19	-	1
Boise	23	9	14	-	-
Bonner	148	72	75	1	-
Bonneville	174	67	106	-	1
Idaho Falls	135	50	84	-	1
Balance of county	39	17	22	-	-
Boundary	53	39	14	-	-
Butte	8	8	-	-	-
Camas	7	6	1	-	-
Canyon	411	180	177	34	20
Nampa	145	56	69	14	6
Balance of county	266	124	108	20	14
Caribou	15	8	7	-	-
Cassia	110	68	41	-	1
IDAHO—Continued					
Clark	4	-	4	-	-
Clearwater	117	42	26	48	1
Custer	27	18	7	-	2
Elmore	65	43	20	-	2
Franklin	74	60	14	-	-
Fremont	59	37	21	-	1
Gem	93	64	29	-	-
Gooding	68	36	32	-	-
Idaho	117	58	57	1	1
Jefferson	54	26	26	-	2
Jerome	108	44	63	-	1
Kootenai	267	93	166	5	3
Coeur d'Alene	133	52	75	4	2
Balance of county	134	41	91	1	1
Latah	182	116	62	1	3
Lemhi	39	26	10	1	2
Lewis	40	23	14	-	3
Lincoln	32	18	13	-	1
Madison	61	34	22	-	5
Minidoka	69	49	19	-	1
Nez Perce	172	74	87	11	-
Lewiston	119	51	61	7	-
Balance of county	53	23	26	4	-
Oneida	33	17	16	-	-
Owyhee	41	23	15	-	3
Payette	79	47	29	-	3
Power	38	22	16	-	-
Shoshone	185	70	94	19	2
Teton	17	9	7	-	1
Twin Falls	293	157	125	5	6
Twin Falls	119	80	34	-	5
Balance of county	174	77	91	5	1
Valley	27	17	8	-	2
Washington	88	49	38	-	1
Yellowstone National Park (part)	-	-	-	-	-
ILLINOIS	88,180	43,023	38,889	5,703	565
Adams	840	371	394	74	1
Quincy	598	251	311	35	1
Balance of county	242	120	83	39	-
Alexander	276	171	105	-	-
Cairo	198	121	77	-	-
Balance of county	78	50	28	-	-
Bond	149	89	60	-	-
Boone	199	88	91	16	4
Brown	85	58	25	-	2
Bureau	447	223	214	8	2
Calhoun	69	52	17	-	-
Carroll	214	131	80	1	2
Cass	179	82	81	10	6
Champaign	683	328	345	-	10
Champaign	240	108	129	-	3
Urbana	170	70	97	-	3
Balance of county	273	150	119	-	4
Christian	394	210	184	-	-
Clark	185	150	33	-	2
Clay	147	115	32	-	-
Clinton	196	122	66	8	-
Centralia (part)	5	3	2	-	-
Balance of county	191	119	64	8	-
Coles	431	281	123	20	7
Mattoon	201	123	61	15	2
Balance of county	230	158	62	5	5
Cook	44,746	20,918	21,752	1,831	245
Berwyn	423	230	191	1	1
Blue Island	157	78	78	-	1
Brookfield	99	52	40	7	-
Calumet City	87	55	32	-	-
Chicago	37,561	17,788	18,901	669	203
Chicago Heights	226	86	136	-	4
Cicero	557	313	243	-	1
Elgin (part)	3	-	3	-	-
Elmwood Park	101	59	42	-	-
Evanston	680	304	341	20	15
Forest Park	182	78	71	33	-
Harvey	164	71	93	-	-
La Grange	108	49	58	-	1
Maywood	229	123	97	7	2
Melrose Park	91	37	54	-	-
Oak Park	704	388	315	1	-
Park Ridge	87	43	44	-	-
Wilmette	149	85	62	-	2
Winnetka	86	50	32	-	4
Balance of county	3,052	1,029	919	1,093	11
Crawford	224	143	61	-	20
Cumberland	94	76	18	-	-
De Kalb	358	183	170	3	2
De Witt	199	101	97	-	1
Douglas	178	110	66	-	2
Du Page	992	549	421	5	17
Elmhurst	152	77	75	-	-
Balance of county	840	472	346	5	17

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
ILLINOIS—Continued					
Edgar	270	184	86	-	-
Edwards	112	88	21	-	3
Effingham	204	130	74	-	-
Fayette	266	203	55	8	-
Ford	163	106	56	-	1
Franklin	536	367	166	2	1
West Frankfort	134	76	57	-	1
Balance of county	402	291	109	2	-
Fulton	455	252	197	3	3
Canton	128	61	67	-	-
Balance of county	327	201	130	3	3
Gallatin	114	86	28	-	-
Greene	251	171	80	-	-
Grundy	203	118	78	6	1
Hamilton	125	95	26	1	3
Hancock	298	200	91	6	1
Hardin	82	68	13	-	1
Henderson	96	45	50	-	1
Henry	494	249	229	12	4
Kewanee	222	91	131	-	-
Balance of county	272	158	98	12	4
Iroquois	270	206	61	3	-
Jackson	381	251	128	-	2
Jasper	129	89	33	-	7
Jefferson	339	287	32	-	20
Mount Vernon	178	149	18	-	11
Balance of county	161	138	14	-	9
Jersey	144	103	41	-	-
Jo Daviess	264	165	97	-	2
Johnson	103	92	10	-	1
Kane	1,768	566	771	427	4
Aurora	541	224	316	-	1
Elgin (part)	785	163	224	396	2
Elgin (total)	788	163	227	396	2
Balance of county	442	179	231	31	1
Kankakee	1,458	313	173	969	3
Kankakee	259	149	107	2	1
Balance of county	1,199	164	66	967	2
Kendall	108	59	49	-	-
Knox	610	298	293	14	5
Galesburg	354	165	188	-	1
Balance of county	256	133	105	14	4
Lake	1,297	515	678	89	15
Highland Park	115	58	54	2	1
Waukegan	312	119	188	-	5
Balance of county	870	338	436	87	9
La Salle	1,131	583	519	20	9
La Salle	136	50	86	-	-
Ottawa	188	111	70	4	3
Streator	182	84	97	-	1
Balance of county	625	338	266	16	5
Lawrence	230	195	29	6	-
Lee	506	186	143	176	1
Dixon	149	77	72	-	-
Balance of county	357	109	71	176	1
Livingston	385	230	137	16	2
Logan	369	117	176	76	-
Lincoln	199	49	104	46	-
Balance of county	170	68	72	30	-
McDonough	326	200	123	2	1
McHenry	408	252	149	1	6
McLean	816	377	436	-	3
Bloomington	404	147	256	-	1
Balance of county	412	230	180	-	2
Macon	920	383	520	11	6
Decatur	700	268	427	-	5
Balance of county	220	115	93	11	1
Macoupin	503	317	179	1	6
Madison	1,764	793	697	272	2
Alton	373	149	224	-	-
Granite City	219	114	105	-	-
Balance of county	1,172	530	368	272	2
Marion	453	296	155	-	2
Centralia (part)	157	98	59	-	-
Centralia (total)	162	101	61	-	-
Balance of county	296	198	96	-	2
Marshall	134	94	38	-	2
Mason	172	106	65	-	1
Massac	187	162	21	-	4
Menard	128	63	63	1	1
Mercer	172	112	58	2	-
Monroe	130	88	36	5	1
Montgomery	362	197	163	-	2
Morgan	692	178	171	341	2
Jacksonville	552	97	116	339	-
Balance of county	140	81	55	2	2
Moultrie	125	72	29	23	1
Ogle	331	191	132	5	3
Peoria	1,826	709	766	339	12
Peoria	1,128	494	618	12	4
Balance of county	698	215	148	327	8
Perry	213	146	67	-	-
Piatt	147	83	64	-	-
Pike	267	171	96	-	-
Pope	84	70	12	-	2
Pulaski	177	148	29	-	-
Putnam	63	38	24	-	1
Randolph	347	221	83	42	1
Richland	150	91	51	-	8
Rock Island	1,400	527	604	264	5
East Moline	344	37	44	263	-
Moline	370	166	203	-	1
Rock Island	496	228	265	-	3
Balance of county	190	96	92	1	1
St. Clair	1,843	895	929	10	9
Belleville	348	189	199	10	-
East St. Louis	866	413	446	-	7
Balance of county	629	343	284	-	2
Saline	411	309	100	2	-
Harrisburg	135	109	24	2	-
Balance of county	276	200	76	-	-
Sangamon	1,337	392	931	10	4
Springfield	959	251	702	3	3
Balance of county	378	141	229	7	1
Schuyler	111	71	40	-	-
Scott	105	74	30	-	1
Shelby	301	213	88	1	4
Stark	105	61	41	-	3
Stephenson	487	222	246	15	4
Freeport	312	123	174	15	-
Balance of county	175	99	72	-	4
Tazewell	499	269	220	-	10
Pekin	202	93	108	-	1
Balance of county	297	176	112	-	9
Union	549	164	46	339	-
Vermilion	1,067	508	426	131	2
Danville	476	228	247	-	1
Balance of county	591	280	179	131	1
Wabash	150	133	16	-	1
Warren	217	128	86	1	2
Washington	151	113	38	-	-
Wayne	192	163	22	1	6
White	229	187	40	-	2
Whiteside	468	278	174	4	12
Sterling	171	87	77	-	7
Balance of county	297	191	97	4	5
Will	1,210	572	589	47	2
Joliet	634	246	387	-	1
Balance of county	576	326	202	47	1
Williamson	546	363	182	-	1
Winnebago	1,272	530	725	11	6
Rockford	904	364	533	1	6
Balance of county	368	166	192	10	-
Woodford	187	115	49	12	11
INDIANA	39,376	24,466	12,609	1,920	381
Adams	188	118	59	2	9
Allen	1,722	765	864	86	7
Fort Wayne	1,356	565	743	41	7
Balance of county	366	200	121	45	-
Bartholomew	318	205	89	2	22
Columbus	178	111	52	1	14
Balance of county	140	94	37	1	8
Benton	115	82	30	4	-
Blackford	146	96	42	7	1
Boone	274	186	82	1	5
Brown	47	34	12	1	-
Carroll	187	130	53	1	3
Cass	660	270	161	223	6
Logansport	271	149	116	-	6
Balance of county	389	121	45	223	-
Clark	306	205	101	-	-
Jeffersonville	136	82	54	-	-
Balance of county	170	123	47	-	-
Clay	295	214	74	6	1
Clinton	340	214	96	30	-
Frankfort	198	112	59	27	-
Balance of county	142	102	37	3	-
Crawford	105	94	11	-	-
Daviess	306	209	95	-	2
Dearborn	292	195	93	3	1
Decatur	253	165	60	27	1
De Kalb	308	215	82	2	9
Delaware	833	460	344	25	4
Muncie	575	301	267	5	2
Balance of county	258	159	77	20	2
Dubois	207	173	29	3	2
Elkhart	785	574	191	13	7
Elkhart	360	247	112	-	1
Goshen	153	110	38	2	3
Balance of county	272	217	41	11	3
Fayette	226	135	82	4	5
Connersville	162	91	64	4	3
Balance of county	64	44	18	-	2
Floyd	412	271	131	9	1
New Albany	300	207	91	2	-
Balance of county	112	64	40	7	1

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
INDIANA—Continued					
Fountain	217	143	66	3	5
Franklin	160	104	35	11	10
Fulton	210	156	36	5	13
Gibson	299	220	66	3	10
Grant	718	439	173	102	4
Marion	352	232	117	2	1
Balance of county	366	207	56	100	3
Greene	330	254	73	3	-
Hamilton	327	222	101	-	4
Hancock	218	166	47	4	1
Harrison	187	166	21	-	-
Hendricks	228	164	53	10	1
Henry	473	263	146	63	1
New Castle	181	109	70	2	-
Balance of county	292	154	76	61	1
Howard	548	387	155	3	3
Kokomo	419	288	130	-	1
Balance of county	129	99	25	3	2
Huntington	367	280	63	21	3
Huntington	186	138	45	-	3
Balance of county	181	142	18	21	-
Jackson	300	213	83	4	-
Jasper	132	77	53	2	-
Jay	267	182	80	4	1
Jefferson	402	187	31	184	-
Jennings	171	126	18	27	-
Johnson	320	220	62	33	5
Knox	507	367	136	3	1
Vincennes	246	179	66	-	1
Balance of county	261	188	70	3	-
Kosciusko	384	287	90	4	3
Lagrange	133	90	43	-	-
Lake	2,626	1,241	1,330	36	19
East Chicago	473	222	251	-	-
Gary	1,107	497	601	1	8
Hammond	588	280	302	-	6
Whiting	29	6	21	1	1
Balance of county	429	236	155	34	4
La Porte	738	351	341	45	1
La Porte	249	108	138	3	-
Michigan City	299	134	140	24	1
Balance of county	190	109	63	18	-
Lawrence	369	246	114	3	6
Bedford	155	91	63	-	1
Balance of county	214	155	51	3	5
Madison	914	593	299	14	8
Anderson	422	256	161	-	5
Elwood	160	101	58	-	1
Balance of county	332	236	80	14	2
Marion	5,850	3,420	2,102	298	30
Indianapolis	5,303	3,105	1,926	242	30
Balance of county	547	315	176	56	-
Marshall	284	208	62	2	12
Martin	68	54	14	-	-
Miami	315	180	117	12	6
Peru	145	63	78	-	4
Balance of county	170	117	39	12	2
Monroe	314	231	67	7	9
Bloomington	181	124	48	6	3
Balance of county	133	107	19	1	6
Montgomery	365	229	124	4	8
Crawfordsville	198	110	84	-	4
Balance of county	167	119	40	4	4
Morgan	242	171	65	4	2
Newton	132	95	37	-	-
Noble	299	196	70	14	19
Ohio	51	40	11	-	-
Orange	207	161	44	1	1
Owen	128	107	19	2	-
Parke	205	141	58	6	-
Perry	167	136	29	2	-
Pike	176	129	39	3	5
Porter	261	173	74	12	2
Posey	221	167	45	3	6
Pulaski	125	102	20	3	-
Putnam	247	165	79	3	-
Randolph	320	212	94	12	2
Ripley	184	129	53	1	1
Rush	236	164	49	6	17
St. Joseph	1,518	889	575	38	16
Mishawaka	249	130	117	-	2
South Bend	962	584	367	-	11
Balance of county	307	175	91	38	3
Scott	95	79	15	1	-
Shelby	312	249	59	2	2
Shelbyville	146	117	28	-	1
Balance of county	166	132	31	2	1
Spencer	171	147	20	4	-
Starke	159	115	40	3	1
Steuben	179	142	29	7	1
Sullivan	280	202	75	2	1
Switzerland	109	88	18	3	-
Tippecanoe	670	284	310	73	3
Lafayette	434	172	232	28	2
Balance of county	236	112	78	45	1
Tipton	157	113	37	4	3
Union	64	51	7	6	-
Vanderburgh	1,567	957	531	52	27
Evansville	1,353	829	467	33	24
Balance of county	214	128	64	19	3
Vermillion	253	144	106	3	-
Vigo	1,332	848	431	51	2
Terre Haute	965	624	330	9	2
Balance of county	367	224	101	42	-
Wabash	336	208	101	19	8
Warren	94	66	23	3	2
Warrick	214	167	44	1	2
Washington	144	121	19	3	1
Wayne	851	431	221	197	2
Richmond	380	276	100	2	2
Balance of county	471	155	121	195	-
Wells	231	157	68	5	1
White	186	122	60	4	-
Whitley	186	122	52	8	4
IOWA	26,094	14,367	9,875	1,406	446
Adair	120	84	27	1	8
Adams	83	52	25	2	4
Allamakee	186	135	38	10	3
Appanoose	256	144	108	2	2
Audubon	95	77	17	-	1
Benton	239	145	80	6	8
Black Hawk	804	397	379	21	7
Waterloo	485	245	234	1	5
Balance of county	319	152	145	20	2
Boone	342	162	101	79	-
Boone	160	91	54	15	-
Balance of county	182	71	47	64	-
Bremer	187	129	56	1	1
Buchanan	364	111	59	190	4
Buena Vista	203	125	75	2	1
Butler	165	127	34	2	2
Calhoun	140	95	41	1	3
Carroll	190	114	69	2	5
Cass	199	115	78	1	5
Cedar	182	128	45	3	6
Cerro Gordo	395	180	186	24	5
Mason City	258	100	134	22	2
Balance of county	137	80	52	2	3
Cherokee	285	105	57	119	4
Chickasaw	151	90	54	1	6
Clarke	98	60	37	-	1
Clay	152	94	49	2	7
Clayton	287	216	56	13	2
Clinton	544	288	243	12	1
Clinton	353	188	164	1	-
Balance of county	191	100	79	11	1
Crawford	171	111	58	1	1
Dallas	269	149	90	11	19
Davis	118	84	27	2	5
Decatur	148	89	56	3	-
Delaware	193	134	48	3	8
Des Moines	443	158	265	13	7
Burlington	332	108	222	-	2
Balance of county	111	50	43	13	5
Dickinson	86	54	29	3	-
Dubuque	770	363	346	59	2
Dubuque	579	255	266	57	1
Balance of county	191	108	80	2	1
Emmet	133	84	28	1	20
Fayette	319	183	112	20	4
Floyd	203	116	81	6	-
Franklin	162	99	54	3	6
Fremont	136	75	54	2	5
Greene	154	90	62	-	2
Grundy	116	77	38	1	-
Guthrie	164	111	42	3	8
Hamilton	184	101	79	3	1
Hancock	121	79	36	4	2
Hardin	239	152	84	2	1
Harrison	218	143	60	2	8
Henry	317	99	65	146	7
Howard	143	103	37	2	1
Humboldt	111	65	45	-	1
Ida	72	52	19	-	1
Iowa	182	125	49	6	2
Jackson	238	126	107	3	2
Jasper	295	172	117	6	-
Newton	112	66	46	-	-
Balance of county	183	106	71	6	-
Jefferson	169	83	82	2	2
Johnson	332	160	166	6	-
Iowa City	174	91	81	2	-
Balance of county	158	69	85	4	-

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
IOWA—Continued					
Jones	209	126	76	6	1
Keokuk	194	139	47	4	4
Kossuth	190	121	66	3	-
Lee	518	229	269	19	1
Fort Madison	165	88	70	7	-
Keokuk	233	83	150	-	-
Balance of county	120	58	49	12	1
Linn	941	457	444	26	14
Cedar Rapids	660	298	355	2	5
Balance of county	281	159	89	24	9
Louisa	136	85	45	5	1
Lucas	137	86	36	10	5
Lyon	112	80	32	-	-
Madison	172	108	55	-	9
Mahaska	261	165	78	14	4
Oskaloosa	141	91	49	-	1
Balance of county	120	74	29	14	3
Marion	320	163	87	60	10
Marshall	383	154	190	37	2
Marshalltown	221	92	128	-	1
Balance of county	162	62	62	37	1
Mills	158	73	42	41	2
Mitchell	129	101	27	1	-
Monona	136	66	69	-	1
Monroe	143	106	29	3	5
Montgomery	174	106	59	2	7
Muscatine	353	180	164	8	1
Muscatine	235	111	123	-	1
Balance of county	118	69	41	8	-
O'Brien	155	108	41	1	5
Osceola	55	34	20	-	1
Page	395	119	93	179	4
Palo Alto	120	83	34	-	3
Plymouth	174	106	66	1	1
Pocahontas	128	90	31	5	2
Polk	1,920	994	850	23	53
Des Moines	1,636	834	761	2	39
Balance of county	284	160	89	21	14
Pottawattamie	678	309	362	-	7
Council Bluffs	491	200	286	-	5
Balance of county	187	109	76	-	2
Poweshiek	216	115	88	9	4
Ringgold	111	85	25	-	1
Sac	148	92	48	-	8
Scott	951	428	488	35	-
Davenport	764	338	417	9	-
Balance of county	187	90	71	26	-
Shelby	127	81	41	5	-
Sioux	209	138	68	1	2
Story	330	182	125	18	5
Ames	124	65	55	-	4
Balance of county	206	117	70	18	1
Tama	226	148	63	9	6
Taylor	167	122	39	2	4
Union	186	108	75	-	3
Van Buren	140	104	32	2	2
Wapello	473	248	194	21	10
Ottumwa	330	174	148	1	7
Balance of county	143	74	46	20	3
Warren	167	118	33	-	16
Washington	206	131	63	9	3
Wayne	153	106	43	1	3
Webster	376	173	193	9	1
Fort Dodge	240	106	134	-	-
Balance of county	136	67	59	9	1
Winnebago	142	101	27	3	11
Winneshiek	230	151	73	5	1
Woodbury	1,127	561	528	20	18
Sioux City	840	358	464	1	17
Balance of county	287	203	64	19	1
Worth	85	63	21	-	1
Wright	165	114	46	2	3
KANSAS	18,535	10,156	7,169	976	234
Allen	264	192	64	8	-
Anderson	104	73	24	-	7
Atchison	239	143	87	8	1
Atchison	157	93	63	1	-
Balance of county	82	50	24	7	1
Barber	77	52	23	-	2
Barton	204	82	120	1	1
Bourbon	282	148	111	2	21
Fort Scott	192	83	91	-	18
Balance of county	90	65	20	2	3
Brown	181	111	48	20	2
Butler	227	109	117	-	1
El Dorado	104	36	67	-	1
Balance of county	123	73	50	-	-
Chase	42	27	15	-	-
Chautauqua	83	57	21	-	5
Cherokee	311	207	94	5	5
Cheyenne	38	30	8	-	-
KANSAS—Continued					
Clark	27	18	8	-	1
Clay	117	74	42	-	1
Cloud	197	96	93	8	-
Coffey	123	96	26	1	-
Comanche	32	20	10	-	2
Cowley	442	216	157	68	1
Arkansas City	133	80	52	-	1
Balance of county	309	136	105	68	-
Crawford	496	301	177	12	6
Pittsburg	169	136	30	-	3
Balance of county	327	165	147	12	3
Decatur	69	50	19	-	-
Dickinson	215	122	79	8	6
Doniphan	118	82	30	1	5
Douglas	323	186	126	10	1
Lawrence	212	112	99	1	-
Balance of county	111	74	27	9	1
Edwards	41	23	18	-	-
Elk	70	54	13	2	1
Ellis	146	84	62	-	-
Ellsworth	92	50	36	6	-
Finney	122	57	65	-	-
Ford	190	79	102	9	-
Franklin	230	130	89	5	6
Ottawa	148	72	70	2	4
Balance of county	82	58	19	3	2
Geary	189	85	103	-	1
Gove	41	19	22	-	-
Graham	49	35	12	-	1
Grant	10	5	5	-	-
Gray	33	18	15	-	-
Greeley	9	3	6	-	-
Greenwood	146	103	38	-	5
Hamilton	22	10	12	-	-
Harper	108	61	47	-	-
Harvey	188	59	123	6	-
Newton	131	37	88	6	-
Balance of county	57	22	35	-	-
Haskell	8	6	1	-	1
Hodgeman	26	14	12	-	-
Jackson	118	92	23	3	-
Jefferson	120	89	30	-	1
Jewell	116	85	27	-	4
Johnson	339	236	93	8	2
Kearny	24	10	14	-	-
Kingman	105	62	41	-	2
Kiowa	48	36	12	-	-
Labette	400	218	121	61	-
Parsons	182	92	35	55	-
Balance of county	218	126	86	6	-
Lane	25	16	6	-	3
Leavenworth	474	162	264	47	1
Leavenworth	271	96	149	25	1
Balance of county	203	66	115	22	-
Lincoln	69	47	19	3	-
Linn	108	84	20	-	4
Logan	21	10	10	-	1
Lyon	282	134	144	3	1
Emporia	199	79	119	-	1
Balance of county	83	55	25	3	-
McPherson	220	128	87	-	5
Marion	178	78	91	8	1
Marshall	189	133	51	1	4
Meade	51	35	16	-	-
Miami	308	137	35	121	15
Mitchell	123	74	47	1	1
Montgomery	582	394	175	12	1
Coffeyville	189	135	54	-	-
Independence	174	88	78	8	-
Balance of county	219	171	43	4	1
Morris	107	76	21	-	10
Morton	17	10	7	-	-
Nemaha	143	63	48	5	27
Neosho	217	149	63	4	1
Chanute	119	76	43	-	-
Balance of county	98	73	20	4	1
Ness	59	34	24	-	1
Norton	111	47	62	1	1
Osage	171	139	26	5	1
Osborne	88	73	13	-	2
Ottawa	84	65	16	1	2
Pawnee	232	32	34	159	7
Phillips	87	79	7	-	1
Pottawatomie	121	79	35	1	6
Pratt	114	54	60	-	-
Rawlins	34	25	8	-	1
Reno	485	207	256	22	-
Hutchinson	327	118	209	-	-
Balance of county	158	89	47	22	-
Republic	119	76	43	-	-
Rice	130	81	46	3	-
Riley	215	107	102	6	-
Manhattan	147	65	82	-	-
Balance of county	68	42	20	6	-

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
KANSAS—Continued					
Rooks	72	45	26	-	1
Rush	60	32	28	-	-
Russell	83	43	40	-	-
Saline	366	178	188	-	-
Salina	258	104	154	-	-
Balance of county	108	74	34	-	-
Scott	24	16	8	-	-
Sedgwick	1,608	652	917	17	22
Wichita	1,328	514	776	17	21
Balance of county	280	138	141	-	1
Seward	95	51	43	-	1
Shawnee	1,196	580	388	216	12
Topeka	834	469	334	24	7
Balance of county	362	111	54	192	5
Sheridan	25	18	7	-	-
Sherman	49	28	21	-	-
Smith	108	92	12	1	3
Stafford	102	54	47	-	1
Stanton	10	3	7	-	-
Stevens	26	16	10	-	-
Sumner	231	135	91	3	2
Thomas	51	35	16	-	-
Trego	32	18	14	-	-
Wabaunsee	62	46	15	-	1
Wallace	18	12	6	-	-
Washington	116	86	23	6	1
Wichita	9	3	6	-	-
Wilson	198	120	65	13	-
Woodson	70	54	15	1	-
Wyandotte	1,559	795	699	64	1
Kansas City	1,336	686	646	3	1
Balance of county	223	109	53	61	-
KENTUCKY	28,371	20,270	7,047	928	126
Adair	174	158	16	-	-
Allen	145	130	15	-	-
Anderson	75	66	9	-	-
Ballard	102	92	10	-	-
Barren	310	257	52	-	1
Bath	120	98	22	-	-
Bell	428	311	117	-	-
Middlesborough	155	105	50	-	-
Balance of county	273	206	67	-	-
Boone	128	92	36	-	-
Bourbon	220	150	69	1	-
Boyd	414	292	120	2	-
Ashland	285	190	94	1	-
Balance of county	129	102	26	1	-
Boyle	198	145	52	-	1
Bracken	86	68	17	-	1
Breathitt	132	115	17	-	-
Breckinridge	167	156	11	-	-
Bullitt	97	79	18	-	-
Butler	118	108	10	-	-
Caldwell	152	129	22	-	1
Calloway	155	118	37	-	-
Campbell	843	506	330	4	3
Fort Thomas	112	64	46	-	2
Newport	399	229	169	1	-
Balance of county	332	213	115	3	1
Carlisle	79	66	13	-	-
Carroll	90	76	14	-	-
Carter	163	150	13	-	-
Casey	108	98	10	-	-
Christian	741	397	86	255	3
Hopkinsville	209	183	25	-	1
Balance of county	532	214	61	255	2
Clark	226	154	72	-	-
Clay	103	80	21	-	2
Clinton	55	42	10	-	3
Crittenden	124	109	10	-	5
Cumberland	81	65	16	-	-
Daviess	525	389	134	-	2
Owensboro	355	256	98	-	1
Balance of county	170	133	36	-	1
Edmonson	92	81	10	-	1
Elliott	39	35	4	-	-
Estill	125	109	16	-	-
Fayette	1,160	554	341	259	6
Lexington	923	448	286	187	2
Balance of county	237	106	55	72	4
Fleming	158	141	17	-	-
Floyd	367	283	80	-	4
Franklin	274	172	86	14	2
Frankfort	161	94	53	12	2
Balance of county	113	78	33	2	-
Fulton	165	140	22	-	3
Gallatin	35	29	6	-	-
Garrard	100	89	11	-	-
Grant	110	90	20	-	-
Graves	371	284	87	-	-

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
KENTUCKY—Continued					
Grayson	178	160	18	-	-
Green	98	91	7	-	-
Greenup	203	148	55	-	-
Hancock	67	53	13	-	1
Hardin	311	224	87	-	-
Harlan	511	416	93	-	2
Harrison	193	139	52	2	-
Hart	139	107	32	-	-
Henderson	333	260	71	-	2
Henderson	178	138	40	-	-
Balance of county	155	122	31	-	2
Henry	155	133	20	2	-
Hickman	87	76	10	-	1
Hopkins	433	376	54	1	2
Jackson	96	83	13	-	-
Jefferson	5,315	2,749	2,221	339	6
Louisville	4,448	2,408	2,030	5	5
Balance of county	867	341	191	334	1
Jessamine	92	65	27	-	-
Johnson	198	160	37	-	1
Kenton	1,129	632	465	30	2
Covington	820	442	348	29	1
Balance of county	309	190	117	1	1
Knott	100	81	19	-	-
Knox	252	222	30	-	-
Larue	110	92	18	-	-
Laurel	180	164	16	-	-
Lawrence	154	120	34	-	-
Lee	58	49	9	-	-
Leslie	59	43	16	-	-
Letcher	303	226	77	-	-
Lewis	160	136	24	-	-
Lincoln	211	197	14	-	-
Livingston	96	88	8	-	-
Logan	259	234	24	-	1
Lyon	68	57	8	3	-
McCracken	558	420	134	3	1
Paducah	404	293	110	-	1
Balance of county	154	127	24	3	-
McCreary	125	100	19	-	6
McLean	104	92	12	-	-
Madison	280	206	73	-	1
Magoffin	62	53	9	-	-
Marion	150	120	20	-	10
Marshall	121	103	17	-	1
Martin	60	49	11	-	-
Mason	231	170	59	2	-
Meade	89	63	26	-	-
Menifee	33	26	3	-	4
Mercer	150	127	23	-	-
Metcalfe	92	86	6	-	-
Monroe	118	112	6	-	-
Montgomery	150	101	48	-	1
Morgan	93	81	10	-	2
Muhlenberg	347	283	62	-	2
Nelson	186	152	27	-	7
Nicholas	113	86	25	-	2
Ohio	210	186	21	-	3
Oldham	98	69	21	8	-
Owen	99	81	17	1	-
Owsley	15	7	8	-	-
Pendleton	103	76	27	-	-
Perry	235	140	95	-	-
Pike	471	333	136	-	2
Powell	55	41	13	-	1
Pulaski	301	268	33	-	-
Robertson	26	25	1	-	-
Rockcastle	87	73	14	-	-
Rowan	81	70	11	-	-
Russell	95	87	8	-	-
Scott	155	109	45	-	1
Shelby	201	149	51	1	-
Simpson	130	100	29	-	1
Spencer	49	41	8	-	-
Taylor	172	150	21	-	1
Todd	166	147	16	-	3
Trigg	106	95	6	-	5
Trimble	51	45	6	-	-
Union	218	185	31	-	2
Warren	401	337	56	-	8
Bowling Green	208	164	41	-	3
Balance of county	193	173	15	-	5
Washington	107	92	13	-	2
Wayne	128	125	3	-	-
Webster	195	176	16	-	3
Whitley	265	218	46	-	1
Wolfe	72	64	8	-	-
Woodford	114	67	46	1	-

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
LOUISIANA	23,567	14,264	8,388	735	180
Acadia	347	248	93	1	5
Allen	139	90	49	-	-
Ascension	186	129	51	-	6
Assumption	173	134	34	-	5
Avoyelles	283	213	69	-	1
Beauregard	153	122	31	-	-
Bienville	167	128	39	-	-
Bossier	279	177	101	-	1
Caddo	1,514	805	680	1	28
Shreveport	1,087	510	552	1	24
Balance of parish	427	295	128	-	4
Calcasieu	572	371	198	-	3
Lake Charles	320	206	112	-	2
Balance of parish	252	165	86	-	1
Caldwell	100	73	26	-	1
Cameron	28	21	7	-	-
Catahoula	95	65	29	-	1
Claiborne	179	138	41	-	-
Concordia	153	126	27	-	-
De Soto	288	212	76	-	-
East Baton Rouge	926	547	377	-	2
Baton Rouge	428	233	193	-	2
Balance of parish	498	314	184	-	-
East Carroll	179	139	38	-	2
East Feliciana	509	104	31	373	1
Evangeline	176	125	51	-	-
Franklin	235	179	56	-	-
Grant	130	75	55	-	-
Iberia	371	272	99	-	-
New Iberia	166	114	52	-	-
Balance of parish	205	158	47	-	-
Iberville	330	210	117	-	3
Jackson	144	100	39	-	5
Jefferson	531	311	220	-	-
Gretna	112	74	38	-	-
Balance of parish	419	237	182	-	-
Jefferson Davis	164	120	44	-	-
Lafayette	416	275	139	-	2
Lafayette	242	150	91	-	1
Balance of parish	174	125	48	-	1
Lafourche	297	212	85	-	-
La Salle	89	61	28	-	-
Lincoln	203	141	62	-	-
Livingston	112	81	29	-	2
Madison	173	122	50	-	1
Morehouse	245	169	76	-	-
Natchitoches	307	231	75	-	1
Orleans, coextensive with New Orleans	6,379	3,201	2,999	160	19
Ouachita	603	318	285	-	-
Monroe	368	157	211	-	-
Balance of parish	235	161	74	-	-
Plaquemines	104	76	28	-	-
Pointe Coupee	217	175	41	-	1
Rapides	1,017	407	420	189	1
Alexandria	354	169	185	-	-
Balance of parish	663	238	235	189	1
Red River	137	96	26	-	15
Richland	244	169	74	-	1
Sabine	154	104	50	-	-
St. Bernard	56	36	20	-	-
St. Charles	96	59	37	-	-
St. Helena	41	31	10	-	-
St. James	148	119	29	-	-
St. John the Baptist	128	99	29	-	-
St. Landry	649	520	126	-	3
St. Martin	197	155	42	-	-
St. Mary	365	269	96	-	-
St. Tammany	238	158	76	-	4
Tangipahoa	427	249	165	-	13
Tensas	165	140	24	-	1
Terrebonne	301	211	90	-	-
Union	151	112	39	-	-
Vermilion	273	208	65	-	-
Vernon	269	152	77	-	40
Washington	275	149	116	-	10
Bogalusa	138	66	64	-	8
Balance of parish	137	83	52	-	2
Webster	282	180	101	-	1
West Baton Rouge	107	88	19	-	-
West Carroll	107	74	32	-	1
West Feliciana	112	84	17	11	-
Winn	132	99	33	-	-
MAINE	10,279	6,236	3,461	382	200
Androscoggin	908	469	365	51	23
Auburn	172	95	64	8	5
Lewiston	503	214	232	43	14
Balance of county	233	160	69	-	4
Aroostook	840	559	277	1	3
Cumberland	1,935	998	896	21	20
Portland	1,026	439	571	4	12
South Portland	156	102	52	-	2
Westbrook	119	75	43	-	1
Balance of county	634	382	230	17	5
Franklin	223	162	55	1	5
Hancock	410	311	94	-	5
Kennebec	1,037	564	332	112	29
Augusta	284	113	64	102	5
Waterville	169	92	74	1	2
Balance of county	584	359	194	9	22
Knox	381	292	57	8	24
Lincoln	254	167	82	-	5
Oxford	408	248	141	1	18
Penobscot	1,244	721	340	168	15
Bangor	528	227	128	168	5
Balance of county	716	494	212	-	10
Piscataquis	234	163	67	-	4
Sagadahoc	286	154	111	7	14
Bath	168	84	71	7	6
Balance of county	118	70	40	-	8
Somerset	399	274	117	2	6
Waldo	300	202	84	1	13
Washington	412	302	108	-	2
York	1,008	650	335	9	14
Biddeford	196	112	84	-	-
Balance of county	812	538	251	9	14
MARYLAND	22,648	12,836	8,510	1,163	139
Allegany	854	454	378	22	-
Cumberland	454	221	212	21	-
Balance of county	400	233	166	1	-
Anne Arundel	923	474	262	184	3
Annapolis	159	86	71	2	-
Balance of county	764	388	191	182	3
Baltimore	1,858	1,001	573	277	17
District 12[2]	168	93	75	-	-
District 13[2]	101	58	43	-	-
Balance of county	1,599	850	455	277	17
Baltimore (city)	11,191	6,014	4,844	263	70
Calvert	130	96	34	-	-
Caroline	232	178	54	-	-
Carroll	640	300	132	206	2
Cecil	457	222	141	92	2
Charles	184	114	69	-	1
Dorchester	365	271	59	34	1
Cambridge	129	98	30	1	-
Balance of county	236	173	29	33	1
Frederick	681	387	260	29	5
Frederick	209	127	76	5	1
Balance of county	472	260	184	24	4
Garrett	201	148	50	3	-
Harford	407	267	128	9	3
Howard	165	115	49	-	1
Kent	180	129	45	2	4
Montgomery	817	486	328	-	3
Prince Georges	909	460	418	13	18
Queen Annes	155	125	29	-	1
St. Marys	203	146	52	4	1
Somerset	297	234	62	1	-
Talbot	258	188	66	1	3
Washington	793	519	249	22	3
Hagerstown	407	250	149	7	1
Balance of county	386	269	100	15	2
Wicomico	464	299	164	1	-
Salisbury	219	114	104	1	-
Balance of county	245	185	60	-	-
Worcester	274	209	64	-	1
MASSACHUSETTS	51,688	25,021	20,888	5,099	680
Barnstable	539	339	187	8	5
Berkshire	1,391	781	580	13	17
Adams (town)	118	82	32	3	1
North Adams	266	167	89	7	3
Pittsfield	550	252	295	-	3
Balance of county	457	280	164	3	10
Bristol	4,536	2,380	1,406	725	25
Attleboro	234	112	109	8	5
Fairhaven (town)	99	81	17	1	-
Fall River	1,614	744	520	343	7
New Bedford	1,211	742	393	71	5
North Attleborough (town)	97	62	32	1	2
Taunton	656	248	133	280	-
Balance of county	625	396	202	21	6
Dukes	74	42	31	-	1

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. -Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
MASSACHUSETTS—Continued					
Essex	6,108	3,024	2,342	627	110
Amesbury (town)	136	67	41	23	5
Andover (town)	111	72	24	12	3
Beverly	291	136	151	3	1
Danvers (town)	407	67	35	302	3
Gloucester	306	144	125	28	9
Haverhill	597	268	244	69	16
Lawrence	995	502	476	14	3
Lynn	1,163	594	476	63	30
Marblehead (town)	139	73	63	1	2
Methuen (town)	208	115	54	37	2
Newburyport	215	108	86	18	3
Peabody	207	102	90	8	7
Salem	524	273	240	9	2
Saugus (town)	106	68	35	-	3
Swampscott (town)	102	76	21	-	5
Balance of county	596	359	181	40	16
Franklin	592	358	230	2	2
Greenfield (town)	227	101	126	-	-
Balance of county	365	257	104	2	2
Hampden	3,586	1,791	1,492	256	47
Chicopee	353	191	125	34	3
Holyoke	613	236	338	38	1
Springfield	1,638	809	694	112	23
Westfield	215	131	81	-	3
West Springfield (town)	186	114	65	-	7
Balance of county	581	310	189	72	10
Hampshire	1,008	398	312	280	18
Easthampton (town)	86	44	41	-	1
Northampton	554	127	148	271	8
Balance of county	368	227	123	9	9
Middlesex	10,805	5,471	4,441	715	178
Arlington (town)	419	261	153	1	4
Belmont (town)	230	147	67	15	1
Cambridge	1,412	546	671	185	10
Everett	390	232	150	5	3
Framingham (town)	237	123	94	8	12
Lexington (town)	272	93	21	151	7
Lowell	1,245	540	638	57	15
Malden	668	326	303	35	4
Marlborough	208	126	67	9	1
Medford	670	346	298	11	15
Melrose	289	157	121	8	3
Natick (town)	178	97	70	9	2
Newton	725	403	292	17	13
Reading (town)	114	80	31	1	2
Somerville	1,075	549	426	65	35
Stoneham (town)	120	68	45	5	2
Wakefield (town)	165	111	46	6	2
Waltham	448	206	198	39	5
Watertown (town)	267	178	81	3	5
Winchester (town)	138	75	62	-	1
Woburn	176	102	73	1	-
Balance of county	1,364	705	539	84	36
Nantucket	53	29	23	-	1
Norfolk	3,768	1,956	1,262	486	59
Braintree (town)	160	111	34	7	8
Brookline (town)	716	360	266	79	11
Dedham (town)	137	88	46	2	1
Milton (town)	200	132	58	2	8
Needham (town)	105	72	32	-	1
Norwood (town)	177	73	97	5	2
Quincy	738	347	348	27	16
Wellesley (town)	123	68	52	-	3
Weymouth (town)	262	162	93	7	-
Balance of county	1,145	543	236	357	9
Plymouth	2,156	1,285	642	198	31
Brockton	787	406	232	141	8
Plymouth (town)	179	119	59	-	1
Balance of county	1,190	760	351	57	22
Suffolk	10,973	4,327	5,550	991	105
Boston	9,933	3,843	5,180	811	99
Chelsea	535	189	183	162	1
Revere	312	165	106	18	3
Winthrop (town)	193	110	81	-	2
Worcester	6,109	2,840	2,390	798	81
Athol (town)	81	54	18	6	3
Clinton (town)	173	101	65	3	4
Fitchburg	479	236	233	3	7
Gardner	308	107	92	109	-
Leominster	237	145	79	4	9
Milford (town)	173	88	77	6	2
Northbridge (town)	83	52	30	-	1
Southbridge (town)	155	104	49	-	2
Webster (town)	148	101	45	-	2
Worcester	2,469	946	1,175	331	17
Balance of county	1,803	906	527	336	34
MICHIGAN	54,374	28,371	20,924	4,168	911
Alcona	63	49	12	1	1
Alger	111	48	58	5	-
Allegan	461	291	137	30	3
Alpena	219	120	95	4	-
Alpena	160	79	77	4	-
Balance of county	59	41	18	-	-
Antrim	108	81	20	4	2
Arenac	111	78	33	-	-
Baraga	86	72	14	-	-
Barry	270	175	84	3	8
Bay	804	472	275	30	27
Bay City	563	324	209	5	25
Balance of county	241	148	66	25	2
Benzie	95	63	29	2	1
Berrien	1,058	609	315	111	23
Benton Harbor	232	122	109	-	1
Niles	106	63	38	-	5
Balance of county	720	424	168	111	17
Branch	360	190	129	39	2
Calhoun	1,338	638	522	155	23
Battle Creek	611	281	324	1	5
Balance of county	727	357	198	154	18
Cass	283	186	92	4	1
Charlevoix	140	88	52	-	-
Cheboygan	134	79	44	-	11
Chippewa	263	133	128	1	1
Sault Ste. Marie	156	61	95	-	-
Balance of county	107	72	33	1	1
Clare	95	76	16	1	2
Clinton	303	212	77	2	12
Crawford	29	13	16	-	-
Delta	324	168	150	6	-
Escanaba	181	74	107	-	-
Balance of county	143	94	43	6	-
Dickinson	244	173	58	12	1
Iron Mountain	105	80	25	-	-
Balance of county	139	93	33	12	1
Eaton	444	334	85	13	12
Emmet	160	96	63	1	-
Genesee	1,903	973	911	-	19
Flint	1,284	590	680	-	14
Balance of county	619	383	231	-	5
Gladwin	100	71	28	1	-
Gogebic	330	177	152	-	1
Ironwood	115	76	39	-	-
Balance of county	215	101	113	-	1
Grand Traverse	492	155	58	248	31
Traverse City	139	91	41	1	6
Balance of county	353	64	17	247	25
Gratiot	359	264	60	31	4
Hillsdale	340	224	106	4	6
Houghton	563	373	165	23	2
Huron	299	204	88	6	1
Ingham	1,351	742	551	37	21
Lansing	839	428	397	-	14
Balance of county	512	314	154	37	7
Ionia	434	283	94	42	15
Iosco	71	58	13	-	-
Iron	147	77	53	17	-
Isabella	259	181	59	12	7
Jackson	1,021	506	431	34	50
Jackson	665	288	337	-	40
Balance of county	356	218	94	34	10
Kalamazoo	1,270	515	444	299	12
Kalamazoo	852	272	315	253	12
Balance of county	418	243	129	46	-
Kalkaska	51	37	14	-	-
Kent	2,557	1,426	852	208	71
Grand Rapids	1,729	973	649	56	51
Balance of county	828	453	203	152	20
Keweenaw	40	29	11	-	-
Lake	72	51	21	-	-
Lapeer	431	248	74	102	7
Leelanau	73	51	12	6	4
Lenawee	686	455	200	10	21
Adrian	186	111	67	-	8
Balance of county	500	344	133	10	13
Livingston	313	191	110	9	3
Luce	180	41	17	116	6
Mackinac	71	57	14	-	-
Macomb	999	590	393	5	11
Mount Clemens	218	106	109	-	3
St. Clair Shores	72	42	29	-	1
Balance of county	709	442	255	5	7
Manistee	220	161	48	3	8
Marquette	487	250	231	5	1
Marquette	179	81	94	4	-
Balance of county	308	169	137	1	1
Mason	220	135	84	-	1
Mecosta	207	137	59	6	5
Menominee	241	88	153	-	-
Menominee	146	45	101	-	-
Balance of county	95	43	52	-	-
Midland	194	123	66	1	4
Midland	89	47	38	-	4
Balance of county	105	76	28	1	-
Missaukee	77	63	11	-	3
Monroe	590	361	212	9	8
Monroe	195	102	89	1	3
Balance of county	395	259	123	8	5

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
MICHIGAN—Continued					
Montcalm	401	293	95	7	6
Montmorency	33	28	5	-	-
Muskegon	1,104	550	504	26	24
Muskegon	622	300	296	7	19
Muskegon Heights	135	69	66	-	-
Balance of county	347	181	142	19	5
Newaygo	223	158	56	1	8
Oakland	2,359	1,093	1,015	199	52
Birmingham	93	47	43	-	3
Ferndale	155	86	68	-	1
Pontiac	750	230	318	188	14
Royal Oak	226	110	109	-	7
Balance of county	1,135	620	477	11	27
Oceana	207	114	73	19	1
Ogemaw	95	75	17	3	-
Ontonagon	105	61	30	7	7
Osceola	172	113	55	2	2
Oscoda	22	17	5	-	-
Otsego	57	42	14	-	1
Ottawa	568	379	162	5	22
Holland	161	103	55	-	3
Balance of county	407	276	107	5	19
Presque Isle	87	71	15	1	-
Roscommon	29	21	7	-	1
Saginaw	1,380	771	529	74	6
Saginaw	935	477	387	69	2
Balance of county	445	294	142	5	4
St. Clair	894	594	276	18	6
Port Huron	402	247	152	-	3
Balance of county	492	347	124	18	3
St. Joseph	397	251	133	9	4
Sanilac	315	243	63	3	7
Schoolcraft	91	71	19	-	1
Shiawassee	482	334	123	16	9
Owosso	182	122	55	1	4
Balance of county	300	212	68	15	5
Tuscola	444	275	77	66	26
Van Buren	467	288	174	1	4
Washtenaw	1,086	440	320	322	4
Ann Arbor	335	150	184	-	1
Ypsilanti	127	78	48	-	1
Balance of county	624	212	88	322	2
Wayne	19,006	8,215	8,795	1,729	267
Dearborn	416	230	178	-	8
Detroit	14,361	6,629	7,404	131	197
Ecorse	86	39	44	-	3
Grosse Pointe Park	84	67	15	-	2
Hamtramck	372	178	191	-	3
Highland Park	454	206	237	7	4
Lincoln Park	81	43	37	-	1
River Rouge	133	89	41	-	3
Wyandotte	282	121	155	-	6
Balance of county	2,737	613	493	1,591	40
Wexford	198	133	63	2	-
MINNESOTA	26,453	12,274	12,145	1,781	253
Aitkin	139	90	49	-	-
Anoka	243	100	73	67	3
Becker	230	124	96	-	10
Beltrami	225	93	127	3	2
Benton	109	62	47	-	-
St. Cloud (part)	18	10	8	-	-
Balance of county	91	52	39	-	-
Big Stone	87	54	32	-	1
Blue Earth	366	168	191	3	4
Mankato	177	63	108	3	3
Balance of county	189	105	83	-	1
Brown	191	99	88	1	3
Carlton	305	118	61	124	2
Carver	138	68	64	2	4
Cass	191	89	93	6	3
Chippewa	134	82	49	-	3
Chisago	168	88	57	20	3
Clay	199	96	101	-	2
Clearwater	79	50	28	-	1
Cook	13	11	2	-	-
Cottonwood	123	63	58	-	2
Crow-Wing	284	149	115	12	8
Brainerd	123	60	47	12	4
Balance of county	161	89	68	-	4
Dakota	385	158	169	56	2
South St. Paul	85	37	48	-	-
Balance of county	300	121	121	56	2
Dodge	133	102	29	1	1
Douglas	196	118	50	9	19
Faribault	216	168	44	3	1
Fillmore	210	147	48	-	15
Freeborn	249	147	99	-	3
Albert Lea	125	68	56	-	1
Balance of county	124	79	43	-	2
Goodhue	347	155	191	-	1

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
MINNESOTA—Continued					
Grant	80	46	33	-	1
Hennepin	5,650	2,299	3,186	139	26
Minneapolis	4,852	1,940	2,774	116	22
Balance of county	798	359	412	23	4
Houston	154	81	73	-	-
Hubbard	96	58	28	10	-
Isanti	164	77	56	30	1
Itasca	228	112	88	12	16
Jackson	116	63	51	-	2
Kanabec	76	45	31	-	-
Kandiyohi	282	123	84	75	-
Kittson	84	34	49	-	1
Koochiching	156	58	97	-	1
Lac qui Parle	119	49	69	1	-
Lake	74	34	40	-	-
Lake of the Woods	44	34	7	-	3
Le Sueur	160	114	46	-	-
Lincoln	88	41	47	-	-
Lyon	186	97	84	3	2
McLeod	182	107	75	-	-
Mahnomen	54	38	16	-	-
Marshall	156	77	79	-	-
Martin	205	136	69	-	-
Meeker	151	70	81	-	-
Mille Lacs	172	92	74	2	4
Morrison	234	117	100	16	1
Mower	304	160	133	5	6
Austin	173	82	82	5	4
Balance of county	131	78	51	-	2
Murray	87	48	39	-	-
Nicollet	428	76	68	281	3
Nobles	154	80	70	-	4
Norman	112	63	49	-	-
Olmsted	543	164	160	214	5
Rochester	420	74	129	214	3
Balance of county	123	90	31	-	2
Otter Tail	627	253	167	205	2
Fergus Falls	302	42	55	205	-
Balance of county	325	211	112	-	2
Pennington	136	51	83	1	1
Pine	179	108	69	2	-
Pipestone	108	63	45	-	-
Polk	321	131	178	4	8
Pope	124	62	62	-	-
Ramsey	3,128	1,185	1,751	185	7
St. Paul	2,923	1,103	1,651	162	7
Balance of county	205	82	100	23	-
Red Lake	59	30	29	-	-
Redwood	173	116	49	3	5
Renville	187	130	56	-	1
Rice	314	135	113	66	-
Faribault	155	49	49	57	-
Balance of county	159	86	64	9	-
Rock	68	52	16	-	-
Roseau	123	78	45	-	-
St. Louis	2,084	782	1,214	79	9
Duluth	1,158	363	709	78	8
Hibbing	123	42	81	-	-
Virginia	118	47	71	-	-
Balance of county	685	330	353	1	1
Scott	162	109	24	29	-
Sherburne	90	37	34	12	7
St. Cloud (part)	23	4	2	12	5
Balance of county	67	33	32	-	2
Sibley	124	91	33	-	-
Stearns	575	283	249	42	1
St. Cloud (part)	186	57	117	12	-
St. Cloud (total)	227	71	127	24	5
Balance of county	389	226	132	30	1
Steele	169	101	55	13	-
Stevens	106	58	47	-	1
Swift	125	76	46	-	4
Todd	234	144	84	-	6
Traverse	65	43	21	-	1
Wabasha	191	104	85	-	2
Wadena	140	76	60	-	4
Waseca	119	89	28	-	2
Washington	263	125	131	4	3
Watonwan	116	52	24	37	3
Wilkin	78	37	40	-	1
Winona	372	222	143	-	7
Winona	249	148	96	-	5
Balance of county	123	74	47	-	2
Wright	265	188	74	3	5
Yellow Medicine	128	76	47	1	4
MISSISSIPPI	20,666	15,605	4,408	565	88
Adams	351	259	89	3	-
Natchez	207	150	57	-	-
Balance of county	144	109	32	3	-
Alcorn	252	202	49	1	-
Amite	183	146	37	-	-
Attala	278	222	54	2	-

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
MISSISSIPPI—Continued					
Benton	56	49	7	-	-
Bolivar	743	575	164	4	-
Calhoun	126	100	20	-	6
Carroll	175	160	15	-	-
Chickasaw	176	144	32	-	-
Choctaw	80	72	8	-	-
Claiborne	133	111	22	-	-
Clarke	187	148	39	-	-
Clay	191	162	10	-	19
Coahoma	519	437	79	-	3
Clarksdale	155	116	39	-	-
Balance of county	364	321	40	-	3
Copiah	300	251	47	2	-
Covington	118	98	20	-	-
De Soto	215	181	34	-	-
Forrest	438	272	165	-	1
Hattiesburg	258	150	107	-	1
Balance of county	180	122	58	-	-
Franklin	118	95	23	-	-
George	79	60	19	-	-
Greene	48	36	12	-	-
Grenada	206	150	55	-	1
Hancock	119	84	33	1	1
Harrison	646	395	203	42	6
Biloxi	225	137	88	-	-
Gulfport	195	93	61	36	5
Balance of county	226	165	54	6	1
Hinds	1,085	682	392	10	1
Jackson	670	365	299	5	1
Balance of county	415	317	93	5	-
Holmes	370	314	55	-	1
Humphreys	235	205	29	-	1
Issaquena	45	41	4	-	-
Itawamba	118	101	17	-	-
Jackson	251	167	83	-	1
Jasper	155	129	25	-	1
Jefferson	132	113	19	-	-
Jefferson Davis	106	88	17	-	1
Jones	478	308	154	9	7
Laurel	267	164	98	-	5
Balance of county	211	144	56	9	2
Kemper	173	145	27	-	1
Lafayette	198	164	34	-	-
Lamar	87	64	21	-	2
Lauderdale	734	423	230	80	1
Meridian	532	271	181	79	1
Balance of county	202	152	49	1	-
Lawrence	102	84	18	-	-
Leake	137	119	17	-	1
Lee	301	232	68	-	1
Leflore	501	442	56	3	-
Greenwood	165	135	30	-	-
Balance of county	336	307	26	3	-
Lincoln	270	178	92	-	-
Lowndes	366	295	71	-	-
Columbus	201	147	54	-	-
Balance of county	165	148	17	-	-
Madison	357	301	56	-	-
Marion	205	134	71	-	-
Marshall	216	188	28	-	-
Monroe	343	305	37	-	1
Montgomery	138	115	23	-	-
Neshoba	198	128	68	1	1
Newton	184	136	48	-	-
Noxubee	245	212	31	-	2
Oktibbeha	199	173	25	-	1
Panola	263	230	32	-	1
Pearl River	176	118	58	-	-
Perry	65	42	23	-	-
Pike	393	290	102	1	-
Pontotoc	167	148	19	-	-
Prentiss	161	115	43	-	3
Quitman	263	218	44	-	1
Rankin	568	140	43	385	-
Scott	178	139	38	-	1
Sharkey	141	113	28	-	-
Simpson	169	111	57	-	1
Smith	126	96	30	-	-
Stone	62	55	7	-	-
Sunflower	545	452	80	11	2
Tallahatchie	306	267	38	1	-
Tate	157	142	15	-	-
Tippah	136	108	16	1	11
Tishomingo	115	94	21	-	-
Tunica	266	237	28	1	-
Union	178	133	45	-	-
Walthall	141	81	60	-	-
Warren	474	313	159	2	-
Vicksburg	330	197	132	1	-
Balance of county	144	116	27	1	-
Washington	764	584	171	5	4
Greenville	283	190	91	-	2
Balance of county	481	394	80	5	2
Wayne	110	93	17	-	-
Webster	98	74	24	-	-
Wilkinson	265	218	47	-	-
Winston	171	147	23	-	1
Yalobusha	167	146	21	-	-
Yazoo	375	306	67	-	2
MISSOURI	42,248	24,089	15,566	2,171	422
Adair	234	139	92	1	2
Kirksville	147	74	70	1	2
Balance of county	87	65	22	-	-
Andrew	124	101	22	-	1
Atchison	101	60	40	1	-
Audrain	230	139	89	2	-
Barry	209	158	34	-	17
Barton	143	115	23	-	5
Bates	196	141	50	4	1
Benton	109	95	12	-	2
Bollinger	95	70	25	-	-
Boone	367	265	91	4	7
Columbia	210	137	62	4	7
Balance of county	157	128	29	-	-
Buchanan	1,262	599	413	234	16
St. Joseph	1,138	504	386	232	16
Balance of county	124	95	27	2	-
Butler	339	220	115	3	1
Poplar Bluff	162	91	69	1	1
Balance of county	177	129	46	2	-
Caldwell	157	126	28	1	2
Callaway	458	134	68	254	2
Camden	71	57	13	-	1
Cape Girardeau	383	217	165	1	-
Cape Girardeau	215	104	111	-	-
Balance of county	168	113	54	1	-
Carroll	180	139	38	1	2
Carter	38	24	14	-	-
Cass	239	170	61	5	3
Cedar	127	109	10	-	8
Charitton	189	155	30	3	1
Christian	126	105	18	1	2
Clark	102	71	30	1	-
Clay	415	260	123	29	3
Clinton	130	107	22	-	1
Cole	296	183	90	23	-
Jefferson City	204	110	71	23	-
Balance of county	92	73	19	-	-
Cooper	194	140	53	1	-
Crawford	98	76	18	1	3
Dade	109	94	8	-	7
Dallas	87	72	15	-	-
Daviess	133	115	15	2	1
De Kalb	113	92	20	1	-
Dent	116	87	29	-	-
Douglas	131	117	13	-	1
Dunklin	363	263	90	5	5
Franklin	340	230	97	2	11
Gasconade	126	95	29	1	1
Gentry	143	118	21	4	-
Greene	996	522	311	42	21
Springfield	705	435	242	10	18
Balance of county	291	187	69	32	3
Grundy	168	143	25	-	-
Harrison	171	110	54	2	5
Henry	252	191	52	1	8
Hickory	57	46	7	-	4
Holt	128	93	32	1	2
Howard	137	108	26	1	2
Howell	193	165	23	2	3
Iron	110	70	24	15	1
Jackson	5,927	2,873	2,730	233	91
Independence	216	110	99	4	3
Kansas City	5,200	2,481	2,565	69	85
Balance of county	511	282	66	160	3
Jasper	1,065	587	456	9	13
Carthage	159	92	64	-	3
Joplin (part)	531	239	285	-	7
Joplin (total)	541	246	288	-	7
Balance of county	375	256	107	9	3
Jefferson	328	225	97	6	-
Johnson	257	196	55	5	1
Knox	111	89	22	-	-
Laclede	177	127	49	-	1
Lafayette	284	231	45	7	1
Lawrence	289	193	84	8	4
Lewis	132	102	29	1	-
Lincoln	139	112	25	2	-
Linn	258	204	47	1	6
Livingston	209	173	33	3	-
McDonald	134	105	25	-	4
Macon	277	209	68	-	-
Madison	93	79	14	-	-

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
MISSOURI—Continued					
Maries	75	48	27	-	-
Marion	386	202	170	12	2
Hannibal	274	134	139	1	-
Balance of county	112	68	31	11	2
Mercer	95	80	4	5	8
Miller	130	100	28	-	2
Mississippi	199	158	41	-	-
Moniteau	154	117	34	1	2
Monroe	176	134	33	6	3
Montgomery	134	88	40	5	1
Morgan	86	74	12	-	-
New Madrid	343	263	79	-	1
Newton	287	194	87	4	2
Joplin (part)	10	7	3	-	-
Balance of county	277	187	84	4	2
Nodaway	296	193	89	8	6
Oregon	97	80	16	-	1
Osage	105	89	36	-	-
Ozark	77	65	12	-	-
Pemiscot	382	310	67	3	2
Perry	119	91	28	-	-
Pettis	427	279	144	3	1
Sedalia	305	190	114	-	1
Balance of county	122	89	30	3	-
Phelps	212	136	68	5	3
Pike	223	152	62	4	5
Platte	124	100	21	-	3
Polk	144	123	17	2	2
Pulaski	141	80	55	1	5
Putnam	115	89	21	2	3
Ralls	96	66	29	1	-
Randolph	305	200	104	-	1
Moberly	185	106	77	-	-
Balance of county	122	94	27	-	1
Ray	192	160	25	3	4
Reynolds	64	53	11	-	-
Ripley	115	84	30	1	-
St. Charles	242	144	81	16	1
St. Charles	127	66	53	8	-
Balance of county	115	78	28	8	1
St. Clair	116	99	17	-	-
St. Francois	418	225	71	124	-
St. Louis	2,791	1,181	1,373	220	17
Clayton	224	52	169	-	3
Kirkwood	140	71	64	4	1
Maplewood	183	81	56	46	-
Richmond Heights	131	49	82	-	-
University City	286	145	124	16	1
Webster Groves	148	86	61	-	1
Balance of county	1,699	717	817	154	11
St. Louis (city)	10,249	4,059	5,612	543	35
Ste. Genevieve	88	71	15	2	-
Saline	366	248	68	46	6
Schuyler	76	59	14	-	3
Scotland	89	60	27	-	2
Scott	288	194	93	1	-
Shannon	69	48	20	-	1
Shelby	150	117	17	3	13
Stoddard	257	197	58	2	-
Stone	67	56	11	-	-
Sullivan	145	109	24	1	11
Taney	91	78	12	-	1
Texas	187	134	30	3	-
Vernon	456	172	67	216	1
Warren	71	54	12	5	-
Washington	132	114	17	-	1
Wayne	90	68	22	-	-
Webster	161	129	31	1	-
Worth	50	43	7	-	-
Wright	155	133	22	-	-
MONTANA	5,662	2,388	2,955	283	56
Beaverhead	68	38	26	4	-
Big Horn	123	65	44	-	14
Blaine	62	25	35	-	2
Broadwater	34	20	13	-	1
Carbon	99	66	32	-	1
Carter	23	13	8	-	2
Cascade	455	114	340	1	-
Great Falls	360	84	276	-	-
Balance of county	95	30	64	1	-
Chouteau	54	20	34	-	-
Custer	110	25	85	-	-
Daniels	24	7	17	-	-
Dawson	69	30	38	-	1
Deer Lodge	382	77	137	168	-
Anaconda	166	67	99	-	-
Balance of county	216	10	38	168	-
Fallon	24	11	13	-	-
Fergus	157	53	104	-	-
Flathead	250	130	95	19	6
Gallatin	169	77	90	2	-
Garfield	13	5	8	-	-
Glacier	108	56	51	-	1
Golden Valley	17	13	4	-	-
Granite	26	14	12	-	-
Hill	107	32	74	-	1
Jefferson	37	21	14	2	-
Judith Basin	25	11	14	-	-
Lake	150	78	69	-	3
Lewis and Clark	269	88	177	4	-
Helena	188	62	126	-	-
Balance of county	81	26	51	4	-
Liberty	25	14	11	-	-
Lincoln	60	35	25	-	-
McCone	18	10	8	-	-
Madison	61	45	15	1	-
Meagher	19	13	6	-	-
Mineral	25	9	16	-	-
Missoula	320	116	203	-	1
Missoula	280	94	185	-	1
Balance of county	40	22	18	-	-
Musselshell	52	27	14	11	-
Park	124	54	65	1	6
Petroleum	9	6	3	-	-
Phillips	56	30	26	-	-
Pondera	59	17	42	-	-
Powder River	16	10	6	-	-
Powell	65	29	34	1	1
Prairie	19	12	6	-	1
Ravalli	122	63	59	-	-
Richland	88	56	32	-	-
Roosevelt	90	45	39	-	6
Rosebud	69	45	24	-	-
Sanders	83	32	50	-	1
Sheridan	72	33	39	-	-
Silver Bow	630	265	364	-	1
Butte	552	218	333	-	1
Balance of county	78	47	31	-	-
Stillwater	45	20	6	19	-
Sweet Grass	41	25	14	1	1
Teton	53	23	30	-	-
Toole	54	26	25	1	2
Treasure	7	5	2	-	-
Valley	86	44	42	-	-
Wheatland	29	19	9	-	1
Wibaux	20	8	12	-	-
Yellowstone	430	183	216	28	3
Billings	521	133	185	-	3
Balance of county	109	50	31	28	-
Yellowstone National Park (part)	-	-	-	-	-
NEBRASKA	12,585	6,933	4,887	561	222
Adams	391	145	95	151	-
Hastings	183	102	75	6	-
Balance of county	208	43	20	145	-
Antelope	118	79	38	-	1
Arthur	4	1	3	-	-
Banner	9	4	5	-	-
Blaine	11	10	1	-	-
Boone	106	59	31	13	3
Box Butte	135	61	73	-	1
Boyd	52	26	22	-	4
Brown	69	35	34	-	-
Buffalo	242	148	88	6	2
Burt	96	65	29	-	2
Butler	107	70	32	-	5
Cass	161	95	47	11	8
Cedar	108	81	27	-	-
Chase	43	25	18	-	-
Cherry	70	28	36	-	6
Cheyenne	82	23	59	-	-
Clay	111	81	27	2	1
Colfax	96	66	30	-	-
Cuming	101	58	42	-	1
Custer	186	107	52	-	7
Dakota	71	39	32	-	-
Dawes	106	55	46	-	5
Dawson	160	105	55	-	-
Deuel	26	18	8	-	-
Dixon	98	60	30	-	8
Dodge	254	148	95	10	1
Fremont	154	79	65	9	1
Balance of county	100	69	30	1	-
Douglas	2,621	1,233	1,291	60	37
Omaha	2,504	1,186	1,242	40	36
Balance of county	117	47	49	20	1
Dundy	24	16	8	-	-
Fillmore	91	58	23	1	9
Franklin	66	55	11	-	-
Frontier	57	49	8	-	-
Furnas	110	60	45	-	5

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
NEBRASKA—Continued					
Gage	371	149	156	64	2
Beatrice	161	62	98	-	1
Balance of county	210	87	58	64	1
Garden	31	20	9	-	2
Garfield	38	30	6	-	-
Gosper	15	7	5	-	3
Grant	8	5	3	-	-
Greeley	61	39	17	-	5
Hall	312	146	156	10	-
Grand Island	242	107	126	9	-
Balance of county	70	39	30	1	-
Hamilton	111	75	38	-	-
Harlan	68	50	15	-	1
Hayes	12	6	6	-	-
Hitchcock	53	37	16	-	-
Holt	151	76	54	-	1
Hooker	4	2	1	1	-
Howard	75	42	18	-	15
Jefferson	147	91	54	2	-
Johnson	68	56	11	-	1
Kearney	83	52	15	15	1
Keith	56	26	29	-	1
Keya Paha	14	9	5	-	-
Kimball	33	15	18	-	-
Knox	148	104	43	-	1
Lancaster	1,093	520	459	100	14
Lincoln	885	441	394	17	13
Balance of county	228	79	65	83	1
Lincoln	200	104	94	-	2
North Platte	113	58	55	-	-
Balance of county	87	46	39	-	2
Logan	7	5	2	-	-
Loup	4	3	-	-	1
McPherson	2	2	-	-	-
Madison	325	158	81	85	1
Norfolk	129	74	55	-	-
Balance of county	196	84	26	85	1
Merrick	90	55	34	-	1
Morrill	52	24	28	-	-
Nance	73	41	20	-	12
Nemaha	127	74	41	-	12
Nuckolls	92	60	26	-	6
Otoe	175	99	70	2	4
Pawnee	74	43	29	2	-
Perkins	31	27	3	-	1
Phelps	84	60	24	-	-
Pierce	66	48	18	-	-
Platte	170	87	82	1	-
Polk	73	44	21	2	6
Red Willow	116	71	44	-	1
Richardson	182	117	63	-	2
Rock	18	8	8	-	-
Saline	141	93	43	3	2
Sarpy	88	49	38	-	1
Saunders	174	107	64	-	3
Scotts Bluff	255	128	108	-	1
Scottsbluff	103	48	55	-	-
Balance of county	152	78	53	-	1
Seward	109	79	30	-	-
Sheridan	94	39	50	-	5
Sherman	58	43	15	-	-
Sioux	16	10	6	-	-
Stanton	50	34	16	-	-
Thayer	124	102	22	-	-
Thomas	13	9	3	-	1
Thurston	91	45	46	-	-
Valley	97	69	27	-	1
Washington	104	59	38	5	2
Wayne	62	27	32	-	3
Webster	99	83	16	-	-
Wheeler	4	2	1	-	1
York	175	107	53	15	-
NEVADA	1,647	711	817	65	54
Churchill	67	29	32	-	6
Clark	295	107	156	-	32
Douglas	21	16	5	-	-
Elko	117	56	54	7	-
Esmeralda	18	6	4	7	1
Eureka	12	6	2	4	-
Humboldt	66	34	32	-	-
Lander	21	11	10	-	-
Lincoln	40	20	20	-	-
Lyon	46	32	14	-	-
Mineral	48	14	34	-	-
Nye	137	88	45	-	4
Ormsby	42	21	16	5	-
Pershing	36	19	14	2	1
Storey	9	4	5	-	-
Washoe	558	208	308	40	2
Reno	273	123	138	10	2
Balance of county	285	85	170	30	-
White Pine	114	40	66	-	8
NEW HAMPSHIRE	6,189	3,207	2,286	579	117
Belknap	328	177	111	36	2
Laconia	203	93	76	33	1
Balance of county	125	84	35	3	1
Carroll	219	115	91	13	-
Cheshire	401	228	136	30	7
Keene	181	97	80	1	3
Balance of county	220	131	56	29	4
Coos	388	221	138	29	-
Berlin	142	71	71	-	-
Balance of county	246	150	67	29	-
Grafton	525	328	160	30	7
Hillsborough	1,738	836	811	66	25
Manchester	918	441	452	15	10
Nashua	375	156	202	10	5
Balance of county	447	239	157	41	10
Merrimack	958	386	269	282	21
Concord	559	153	136	266	4
Balance of county	399	233	133	16	17
Rockingham	778	432	274	40	32
Portsmouth	229	119	100	8	2
Balance of county	549	313	174	32	30
Strafford	572	357	173	23	19
Dover	224	113	81	23	7
Rochester	143	90	48	-	5
Balance of county	205	154	44	-	7
Sullivan	284	127	123	30	4
Claremont (town)	130	64	66	-	-
Balance of county	154	63	57	30	4
NEW JERSEY	47,815	25,807	20,555	3,397	256
Atlantic	1,710	982	612	111	5
Atlantic City	933	552	396	2	3
Pleasantville	158	101	57	-	-
Balance of county	639	349	179	109	2
Bergen	3,995	2,148	1,731	74	42
Bergenfield	83	49	34	-	-
Cliffside Park	142	88	52	-	2
Englewood	224	100	121	-	3
Garfield	178	112	65	-	1
Hackensack	303	144	156	1	2
Lodi	103	57	42	4	-
Lyndhurst (twp.)[2]	160	92	67	-	1
Ridgefield Park	121	71	50	-	-
Ridgewood	133	84	44	-	5
Rutherford	186	108	75	-	3
Teaneck (twp.)[2]	209	101	106	-	2
Balance of county	2,153	1,142	919	69	23
Burlington	1,253	757	380	113	3
Burlington	135	85	48	1	1
Balance of county	1,118	672	332	112	2
Camden	3,057	1,717	1,214	94	32
Camden	1,388	719	659	2	8
Collingswood	160	103	51	5	1
Gloucester City	141	84	56	-	1
Pennsauken (twp.)[2]	171	118	49	-	4
Balance of county	1,197	693	399	87	18
Cape May	560	371	128	52	9
Cumberland	962	544	299	119	-
Bridgeton	242	151	97	14	-
Millville	218	154	64	-	-
Balance of county	502	259	138	105	-
Essex	9,314	4,257	4,539	475	43
Belleville	261	145	115	-	1
Bloomfield	380	189	181	1	9
East Orange	762	459	302	-	1
Irvington	508	272	225	5	6
Maplewood (twp.)[2]	216	128	81	6	1
Millburn (twp.)[2]	108	65	41	-	-
Montclair	455	241	201	5	6
Newark	4,917	2,014	2,761	131	11
Nutley	168	96	71	-	1
Orange	470	215	240	11	4
South Orange	147	98	49	-	-
West Orange	222	136	85	-	1
Balance of county	704	199	187	316	2
Gloucester	858	586	271	18	3
Hudson	7,070	3,075	3,667	313	15
Bayonne	718	392	325	-	1
Harrison	153	73	80	-	-
Hoboken	571	223	346	-	2
Jersey City	3,367	1,343	1,992	25	7
Kearny	354	194	160	-	-
North Bergen (twp.)[2]	328	181	130	13	4
Union City	599	323	275	-	1
Weehawken (twp.)[2]	185	93	92	-	-
West New York	333	160	173	-	-
Balance of county	464	96	93	275	-
Hunterdon	460	303	130	17	10
Mercer	2,650	1,078	1,083	478	11
Trenton	1,693	689	654	345	5
Balance of county	957	389	429	133	6

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
NEW JERSEY—Continued					
Middlesex	2,148	1,179	925	28	18
Carteret	91	53	38	-	-
New Brunswick	396	174	219	-	3
Perth Amboy	418	255	182	1	-
South River	102	71	30	-	1
Woodbridge (twp.)[2]	240	124	99	16	1
Balance of county	901	522	555	11	15
Monmouth	2,566	1,185	948	405	28
Asbury Park	229	122	106	-	1
Long Branch	213	114	98	-	1
Neptune (two.)[2]	188	83	91	12	2
Red Bank	152	75	76	-	1
Balance of county	1,784	791	577	393	23
Morris	1,997	744	536	710	7
Dover	141	68	73	-	-
Morristown	193	85	107	-	1
Balance of county	1,663	591	356	710	6
Ocean	548	311	227	8	4
Passaic	3,230	1,647	1,379	195	9
Clifton	379	240	136	1	2
Hawthorne	117	83	34	-	-
Passaic	573	278	288	5	2
Paterson	1,552	769	747	34	2
Balance of county	609	277	174	155	3
Salem	452	264	178	8	4
Somerset	849	415	281	146	7
North Plainfield	102	58	33	11	-
Balance of county	747	357	248	135	7
Sussex	347	222	118	6	1
Union	3,179	1,681	1,475	19	4
Cranford (twp.)[2]	117	73	37	7	-
Elizabeth	1,150	550	597	3	-
Hillside (twp.)[2]	149	76	73	-	-
Linden	181	102	78	-	1
Plainfield	447	220	225	-	2
Rahway	190	107	82	1	-
Roselle	87	54	33	-	-
Summit	163	80	83	-	-
Union (twp.)[2]	198	123	74	-	1
Westfield	155	99	56	-	-
Balance of county	342	197	137	8	-
Warren	610	361	238	10	1
Phillipsburg	243	135	107	-	1
Balance of county	367	226	131	10	-
NEW MEXICO	5,500	3,318	2,010	75	97
Bernalillo	839	516	292	-	31
Albuquerque	409	188	204	-	17
Balance of county	430	328	88	-	14
Catron	34	26	7	-	1
Chaves	224	113	110	-	1
Roswell	147	75	71	-	1
Balance of county	77	38	39	-	-
Colfax	172	96	76	-	-
Curry	206	106	97	-	3
Clovis	136	56	77	-	3
Balance of county	70	50	20	-	-
De Baca	61	37	24	-	-
Dona Ana	295	210	85	-	-
Eddy	274	141	128	-	5
Grant	231	127	103	-	1
Guadalupe	70	52	17	-	1
Harding	34	25	8	-	1
Hidalgo	55	34	21	-	-
Lea	119	63	51	-	5
Hobbs	68	25	39	-	4
Balance of county	51	38	12	-	1
Lincoln	77	38	37	-	2
Luna	98	60	37	-	1
McKinley	372	145	226	-	1
Mora	98	70	28	-	-
Otero	149	114	32	-	3
Quay	97	57	36	-	4
Rio Arriba	208	165	42	-	1
Roosevelt	103	65	35	-	3
Sandoval	117	88	26	-	3
San Juan	165	50	114	-	1
San Miguel	384	190	120	74	-
Santa Fe	254	145	105	1	3
Santa Fe	194	96	95	1	2
Balance of county	60	49	10	-	1
Sierra	89	57	30	-	2
Socorro	108	88	12	-	8
Taos	153	102	51	-	-
Torrance	124	100	15	-	9
Union	83	59	24	-	-
Valencia	229	179	43	-	7
New York	152,364	67,907	69,880	13,087	1,490
Albany	2,864	1,525	1,084	194	61
Albany	1,809	909	759	116	25
Cohoes	263	168	94	-	1
Watervliet	162	117	44	-	1
Balance of county	630	331	187	78	34
Allegany	501	305	171	16	9
Broome	1,974	744	901	304	25
Binghamton	1,194	581	515	276	22
Endicott	174	66	108	-	-
Johnson City	149	58	90	-	1
Balance of county	457	239	188	28	2
Cattaraugus	840	487	328	21	4
Olean	246	122	124	-	-
Balance of county	594	365	204	21	4
Cayuga	861	426	366	23	46
Auburn	470	182	255	11	22
Balance of county	391	244	111	12	24
Chautauqua	1,462	807	600	47	8
Dunkirk	207	98	107	1	1
Jamestown	487	242	238	4	3
Balance of county	768	467	255	42	4
Chemung	916	419	471	21	5
Elmira	641	263	371	4	3
Balance of county	275	156	100	17	2
Chenango	500	268	167	54	11
Clinton	549	307	194	48	-
Plattsburgh	164	77	84	3	-
Balance of county	385	230	110	45	-
Columbia	574	329	204	38	3
Hudson	200	95	74	31	-
Balance of county	374	234	130	7	3
Cortland	450	241	181	24	4
Cortland	226	111	112	-	3
Balance of county	224	130	69	24	1
Delaware	528	356	151	16	5
Dutchess	2,093	652	649	784	8
Beacon	187	78	60	48	1
Poughkeepsie	555	255	276	24	-
Balance of county	1,351	319	313	712	7
Erie	9,277	4,264	4,137	807	69
Buffalo	6,711	3,021	3,298	337	55
Kenmore	148	90	48	7	3
Lackawanna	253	87	146	-	-
Tonawanda	175	99	75	-	1
Balance of county	2,010	967	570	463	10
Essex	450	265	150	14	21
Franklin	337	339	189	6	3
Fulton	657	346	283	7	21
Gloversville	331	172	143	2	14
Johnstown	143	88	53	2	-
Balance of county	183	86	87	3	7
Genesee	541	289	208	22	22
Batavia	259	107	125	-	7
Balance of county	302	182	83	22	15
Greene	386	237	126	18	5
Hamilton	41	30	11	-	-
Herkimer	759	426	262	16	35
Little Falls	100	43	40	-	17
Balance of county	659	383	222	16	18
Jefferson	1,096	596	441	14	45
Watertown	498	213	273	3	9
Balance of county	598	383	168	11	36
Lewis	277	160	100	16	1
Livingston	545	272	146	118	9
Madison	556	328	192	13	23
Oneida	145	78	61	4	2
Balance of county	411	250	131	9	21
Monroe	4,950	2,086	1,977	762	105
Irondequoit (town)	174	93	75	-	6
Rochester	3,602	1,538	1,842	344	78
Balance of county	1,154	455	260	418	21
Montgomery	712	377	328	6	3
Amsterdam	406	203	196	4	3
Balance of county	306	174	130	2	-
Nassau	4,055	2,172	1,762	74	47
Floral Park	133	89	43	-	1
Freeport	250	143	87	-	-
Garden City	123	76	45	1	1
Glen Cove	136	52	84	-	-
Hemstead	259	120	132	-	7
Lynbrook	152	101	50	-	1
Mineola	95	36	59	-	-
Rockville Centre	213	131	60	21	1
Valley Stream	174	102	55	18	1
Balance of county	2,540	1,522	1,149	34	35
New York City[4]	78,120	31,645	40,957	5,046	472
Niagara	1,761	813	853	82	13
Lockport	331	134	168	24	5
Niagara Falls	764	284	477	-	3
North Tonawanda	199	120	79	-	-
Balance of county	467	275	129	58	5

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.
[4]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
NEW YORK—Continued					
Oneida	2,910	1,264	1,028	576	42
Rome	446	147	206	92	1
Utica	1,421	601	588	234	18
Balance of county	1,043	516	254	250	23
Onondaga	5,449	1,757	1,580	62	50
Syracuse	2,441	1,175	1,186	49	31
Balance of county	1,008	582	394	13	19
Ontario	671	325	287	58	3
Geneva	187	96	86	4	1
Balance of county	484	227	201	54	2
Orange	1,952	915	673	342	2
Middletown	513	147	155	231	-
Newburgh	458	182	207	49	-
Balance of county	981	586	331	62	2
Orleans	380	229	125	25	1
Oswego	848	556	248	28	16
Fulton	152	97	54	-	1
Oswego	257	145	106	1	5
Balance of county	439	314	88	27	10
Otsego	634	385	216	18	17
Oneonta	141	69	69	-	3
Balance of county	493	314	147	18	14
Putnam	212	140	65	-	7
Rensselaer	1,725	930	650	115	30
Rensselaer	151	93	56	-	2
Troy	1,081	500	454	114	13
Balance of county	493	337	140	1	15
Rockland	1,158	373	325	458	2
St. Lawrence	1,259	600	415	221	23
Massena	90	48	32	-	10
Ogdensburg	382	83	86	191	2
Balance of county	807	469	297	30	11
Saratoga	851	571	243	29	8
Saratoga Springs	197	118	78	1	-
Balance of county	654	453	165	28	8
Schenectady	1,446	769	575	94	8
Schenectady	1,067	577	478	5	7
Balance of county	379	192	97	89	1
Schoharie	283	200	49	3	11
Schuyler	169	101	66	-	2
Seneca	585	186	154	258	5
Steuben	1,078	586	462	20	10
Corning	184	102	82	-	-
Hornell	183	78	104	-	1
Balance of county	711	406	276	20	9
Suffolk	3,647	1,201	794	1,644	8
Sullivan	485	284	185	11	5
Tioga	379	226	134	4	15
Tompkins	484	274	189	11	10
Ithaca	251	152	117	-	2
Balance of county	233	142	72	11	8
Ulster	1,099	587	475	25	14
Kingston	596	200	168	19	9
Balance of county	703	387	307	4	5
Warren	482	307	155	4	16
Glens Falls	229	148	75	-	6
Balance of county	253	159	80	4	10
Washington	651	421	155	25	32
Wayne	634	355	172	101	6
Westchester	5,607	2,509	2,694	325	79
Mamaroneck	107	59	46	-	2
Mount Vernon	623	268	318	11	26
New Rochelle	644	247	374	12	11
Ossining	185	75	71	37	2
Peekskill	204	119	79	4	2
Port Chester	216	85	130	-	1
Scarsdale	124	59	63	-	2
White Plains	354	188	186	-	-
Yonkers	1,390	642	684	44	20
Balance of county	1,762	789	745	217	15
Wyoming	360	211	127	18	4
Yates	236	138	92	5	1
NORTH CAROLINA	29,390	19,303	8,995	972	120
Alamance	454	303	120	3	8
Burlington	152	91	55	-	6
Balance of county	282	212	65	3	2
Alexander	128	99	28	-	1
Alleghany	44	38	6	-	-
Anson	230	200	29	1	-
Ashe	164	134	29	-	1
Avery	88	63	25	-	-
Beaufort	369	287	81	-	1
Bertie	225	193	30	-	2
Bladen	259	185	56	-	-
Brunswick	180	97	63	-	-
Buncombe	1,008	572	423	3	8
Asheville	564	311	249	-	4
Balance of county	442	261	174	3	4
Burke	379	122	109	148	-
Cabarrus	326	219	108	-	1
Concord	103	66	37	-	-
Balance of county	223	153	69	-	1
Caldwell	252	183	67	2	-
Camden	54	45	8	-	1
Carteret	178	135	43	-	-
Caswell	148	119	25	1	1
Catawba	384	244	117	1	2
Hickory	108	64	44	-	-
Balance of county	256	180	73	1	2
Chatham	198	137	61	-	-
Cherokee	104	70	32	1	1
Chowan	120	99	21	-	-
Clay	32	26	6	-	-
Cleveland	333	205	126	1	1
Shelby	110	43	67	-	-
Balance of county	223	162	59	1	1
Columbus	387	265	118	4	-
Craven	440	316	119	5	-
New Bern	175	117	58	-	-
Balance of county	265	199	61	5	-
Cumberland	652	370	275	4	3
Fayetteville	304	137	161	3	3
Balance of county	348	233	114	1	-
Currituck	47	40	6	-	1
Dare	49	38	11	-	-
Davidson	354	249	103	1	1
Lexington	73	53	20	-	-
Thomasville	92	55	36	-	1
Balance of county	189	141	47	1	-
Davie	130	89	37	1	3
Duplin	294	238	54	-	2
Durham	663	344	288	30	1
Durham	507	257	249	1	-
Balance of county	156	87	39	29	1
Edgecombe	411	277	132	2	-
Rocky Mount (part)	102	63	39	-	-
Balance of county	309	214	93	2	-
Forsyth	1,045	551	472	21	1
Winston-Salem	687	349	337	-	1
Balance of county	358	202	135	21	-
Franklin	237	177	46	6	8
Gaston	622	429	184	8	1
Gastonia	218	123	95	-	-
Balance of county	404	306	89	8	1
Gates	90	80	10	-	-
Graham	39	27	8	-	4
Granville	276	192	78	5	1
Greene	105	80	25	-	-
Guilford	1,272	684	543	39	6
Greensboro	589	259	296	13	1
High Point	301	165	134	-	2
Balance of county	402	260	113	26	3
Halifax	420	295	123	2	-
Harnett	300	209	91	-	-
Haywood	225	152	67	1	5
Henderson	202	139	63	-	-
Hertford	147	118	29	-	-
Hoke	170	105	65	-	-
Hyde	66	56	9	-	1
Iredell	399	234	159	6	-
Statesville	84	44	40	-	-
Balance of county	315	190	119	6	-
Jackson	115	97	16	2	-
Johnston	414	309	102	3	-
Jones	72	49	23	-	-
Lee	164	102	62	-	-
Lenoir	428	274	133	20	1
Kinston	197	119	77	-	1
Balance of county	231	155	56	20	-
Lincoln	168	116	51	1	-
McDowell	152	116	36	-	-
Macon	99	79	20	-	-
Madison	149	124	25	-	-
Martin	202	167	31	1	3
Mecklenburg	1,583	748	594	16	5
Charlotte	947	484	459	-	4
Balance of county	418	264	135	16	1
Mitchell	97	73	23	-	1
Montgomery	116	91	24	1	-
Moore	230	133	93	4	-
Nash	459	297	150	12	-
Rocky Mount (part)	141	85	56	-	-
Rocky Mount (total)	243	148	95	-	-
Balance of county	318	212	94	12	-
New Hanover	728	317	399	10	2
Wilmington	508	215	290	1	2
Balance of county	220	102	109	9	-
Northampton	161	132	28	1	-
Onslow	230	144	72	-	14
Orange	177	134	43	-	-
Pamlico	81	68	13	-	-

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
NORTH CAROLINA—Continued					
Pasquotank	242	187	42	1	12
Elizabeth City	156	114	32	-	10
Balance of county	86	73	10	1	2
Pender	191	140	49	-	2
Perquimans	96	81	14	-	1
Person	141	97	40	-	4
Pitt	462	366	92	3	1
Greenville	115	82	33	-	-
Balance of county	347	284	59	3	1
Polk	84	52	32	-	-
Randolph	302	207	93	2	-
Richmond	365	280	75	10	-
Robeson	659	483	157	19	-
Rockingham	442	306	126	10	-
Reidsville	113	74	39	-	-
Balance of county	329	232	87	10	-
Rowan	524	345	166	11	2
Salisbury	176	102	73	-	1
Balance of county	348	243	93	11	1
Rutherford	322	244	78	-	-
Sampson	365	297	66	2	-
Scotland	215	159	56	-	-
Stanly	249	177	68	4	-
Stokes	128	92	34	1	1
Surry	307	227	77	3	-
Swain	44	26	18	-	-
Transylvania	94	72	22	-	-
Tyrrell	47	37	10	-	-
Union	301	220	74	7	-
Vance	275	197	75	3	-
Wake	1,084	513	369	202	-
Raleigh	667	220	245	202	-
Balance of county	417	293	124	-	-
Warren	221	192	27	1	1
Washington	126	101	25	-	-
Watauga	74	48	26	-	-
Wayne	744	313	110	318	3
Goldsboro	162	118	41	-	3
Balance of county	582	195	69	318	-
Wilkes	358	259	98	1	-
Wilson	508	345	159	4	-
Wilson	232	152	80	-	-
Balance of county	276	193	79	4	-
Yadkin	129	85	42	2	-
Yancey	71	58	11	1	1
NORTH DAKOTA	5,116	2,485	2,369	229	33
Adams	43	24	17	-	2
Barnes	155	81	69	5	-
Benson	110	51	52	-	7
Billings	14	6	8	-	-
Bottineau	110	42	68	-	-
Bowman	46	30	15	-	1
Burke	53	31	21	-	1
Burleigh	173	56	115	2	-
Bismarck	130	39	89	2	-
Balance of county	43	17	26	-	-
Cass	460	213	241	4	2
Fargo	301	136	162	1	2
Balance of county	159	77	79	3	-
Cavalier	111	60	51	-	-
Dickey	87	48	36	-	3
Divide	52	25	27	-	-
Dunn	47	21	26	-	-
Eddy	35	9	26	-	-
Emmons	57	42	15	-	-
Foster	39	18	21	-	-
Golden Valley	18	4	14	-	-
Grand Forks	339	140	151	48	-
Grand Forks	201	81	117	3	-
Balance of county	138	59	34	45	-
Grant	42	26	16	-	-
Griggs	52	34	17	-	1
Hettinger	58	33	25	-	-
Kidder	47	25	22	-	-
La Moure	72	54	16	-	2
Logan	47	27	20	-	-
McHenry	81	40	41	-	-
McIntosh	54	40	14	-	-
McKenzie	57	31	26	-	-
McLean	101	48	53	-	-
Mercer	63	33	23	-	7
Morton	204	108	88	8	-
Mountrail	84	42	42	-	-
Nelson	82	45	36	-	1
Oliver	16	11	5	-	-
Pembina	122	83	39	-	-
Pierce	64	21	43	-	-
Ramsey	136	53	80	3	-
Ransom	82	58	24	-	-
Renville	53	30	22	-	1

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
NORTH DAKOTA—Continued					
Richland	147	72	75	-	-
Rolette	103	39	63	-	1
Sargent	62	47	15	-	-
Sheridan	42	23	19	-	-
Sioux	40	22	18	-	-
Slope	13	9	4	-	-
Stark	114	56	57	-	1
Steele	40	26	14	-	-
Stutsman	300	61	104	135	-
Towner	49	26	22	-	1
Traill	98	68	29	-	1
Walsh	169	97	48	24	-
Ward	276	114	162	-	-
Minot	163	65	98	-	-
Balance of county	113	49	64	-	-
Wells	73	37	35	-	1
Williams	124	45	79	-	-
OHIO	80,193	46,452	28,891	3,999	851
Adams	223	185	38	-	-
Allen	909	504	350	50	5
Lima	553	283	265	-	5
Balance of county	356	221	85	50	-
Ashland	382	258	107	12	5
Ashland	188	120	61	6	1
Balance of county	194	138	46	6	4
Ashtabula	886	548	254	74	10
Ashtabula	262	142	116	3	1
Balance of county	624	406	138	71	9
Athens	626	387	91	144	4
Auglaize	361	254	94	10	3
Belmont	1,051	715	304	27	5
Bellaire	167	109	58	-	-
Martins Ferry	170	95	75	-	-
Balance of county	714	511	171	27	5
Brown	276	235	41	-	-
Butler	1,340	668	655	12	5
Hamilton	674	290	382	-	2
Middletown	337	179	158	-	-
Balance of county	329	199	115	12	3
Carroll	191	149	29	13	-
Champaign	363	261	98	3	1
Clark	1,259	747	405	101	6
Springfield	954	584	339	36	5
Balance of county	295	163	66	65	1
Clermont	355	275	72	7	1
Clinton	323	261	45	13	4
Columbiana	1,075	733	305	15	22
East Liverpool	335	213	119	-	3
Salem	162	92	64	1	5
Balance of county	578	428	122	14	14
Coshocton	329	223	96	8	2
Coshocton	145	82	59	2	2
Balance of county	184	141	37	6	-
Crawford	445	278	144	12	11
Cuyahoga	13,271	7,180	5,619	376	116
Cleveland	10,154	5,191	4,544	327	92
Cleveland Heights	447	351	84	11	1
East Cleveland	402	252	146	3	1
Euclid	151	99	49	1	2
Garfield Heights	107	66	34	1	6
Lakewood	660	417	230	11	2
Parma	97	65	18	12	2
Shaker Heights	171	123	47	-	1
Balance of county	1,082	596	467	10	9
Darke	473	343	97	27	6
Defiance	297	218	67	9	3
Delaware	350	242	99	3	6
Erie	567	286	244	31	6
Sandusky	354	158	185	6	5
Balance of county	213	128	59	25	1
Fairfield	509	348	148	13	-
Lancaster	248	147	101	-	-
Balance of county	261	201	47	13	-
Fayette	285	198	37	34	16
Franklin	5,070	2,774	1,879	370	47
Columbus	4,129	2,210	1,586	299	34
Balance of county	941	564	293	71	13
Fulton	268	182	67	16	3
Gallia	383	206	53	123	1
Geauga	210	166	39	4	1
Greene	454	327	103	19	5
Xenia	162	120	37	3	2
Balance of county	292	207	66	16	3
Guernsey	470	334	125	9	2
Cambridge	197	129	66	-	2
Balance of county	273	205	59	9	-
Hamilton	8,050	3,788	3,701	543	28
Cincinnati	6,329	2,815	3,155	335	24
Norwood	270	179	90	-	1
Balance of county	1,461	794	456	208	3

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
OHIO—Continued					
Hancock	524	343	154	16	11
Findlay	298	202	84	3	9
Fostoria (part)	48	12	36	-	-
Balance of county	178	129	34	13	2
Hardin	357	205	121	20	11
Harrison	213	165	43	2	3
Henry	241	184	43	9	5
Highland	367	277	77	10	3
Hocking	214	174	36	4	-
Holmes	172	127	39	6	-
Huron	492	344	120	18	10
Jackson	301	234	58	3	6
Jefferson	888	524	330	27	7
Steubenville	396	199	193	2	2
Balance of county	492	325	137	25	5
Knox	393	229	153	3	8
Mount Vernon	160	79	80	1	-
Balance of county	233	150	73	2	8
Lake	551	345	184	13	9
Painesville	175	91	82	-	2
Balance of county	376	254	102	13	7
Lawrence	497	322	171	4	-
Ironton	214	126	88	-	-
Balance of county	283	196	83	4	-
Licking	827	553	241	6	27
Newark	477	300	158	-	19
Balance of county	350	253	83	6	8
Logan	384	288	85	11	5
Lorain	1,256	741	483	22	10
Elyria	298	158	125	7	3
Lorain	484	269	211	1	3
Balance of county	479	314	147	14	4
Lucas	4,285	1,910	1,957	335	83
Toledo	3,871	1,632	1,833	329	77
Balance of county	414	278	124	6	6
Madison	266	179	64	19	4
Mahoning	2,332	1,095	1,172	50	15
Campbell	64	37	27	-	-
Struthers	99	61	37	-	1
Youngstown (part)	1,730	739	979	1	11
Youngstown (total)	1,730	739	979	1	11
Balance of county	439	258	129	49	3
Marion	565	373	183	5	4
Marion	424	283	137	-	4
Balance of county	141	90	46	5	-
Medina	394	251	113	14	16
Meigs	263	218	40	3	2
Mercer	283	165	98	19	1
Miami	659	441	188	18	12
Piqua	209	138	68	-	3
Balance of county	450	303	120	18	9
Monroe	195	165	27	3	-
Montgomery	3,640	1,887	1,501	220	32
Dayton	2,794	1,384	1,247	142	21
Balance of county	846	503	254	78	11
Morgan	160	118	40	-	2
Morrow	183	144	34	3	2
Muskingum	805	491	292	18	4
Zanesville	487	252	219	14	2
Balance of county	318	239	73	4	2
Noble	148	119	28	1	-
Ottawa	282	163	108	11	-
Paulding	142	92	47	3	-
Perry	341	273	46	15	7
Pickaway	383	222	60	98	3
Pike	136	111	24	1	-
Portage	506	331	160	7	8
Preble	296	215	64	10	7
Putnam	227	167	51	9	-
Richland	804	466	312	13	13
Mansfield	440	252	184	-	4
Balance of county	364	214	128	13	9
Ross	598	383	130	77	8
Chillicothe	221	140	81	-	-
Balance of county	377	243	49	77	8
Sandusky	473	292	159	9	13
Fremont	159	108	49	-	2
Balance of county	314	184	110	9	11
Scioto	841	581	254	5	1
Portsmouth	480	295	184	-	1
Balance of county	361	286	70	5	-
Seneca	574	399	125	32	18
Fostoria (part)	110	82	22	-	6
Fostoria (total)	158	94	58	-	6
Tiffin	231	146	59	14	12
Balance of county	233	171	44	18	-
Shelby	274	197	63	12	2
Stark	2,740	1,440	925	353	22
Alliance	288	198	88	-	2
Canton	1,128	637	476	7	8
Massillon	315	166	140	7	2
Balance of county	1,009	439	221	339	10
Summit	3,392	1,759	1,382	187	64
Akron	2,404	1,236	1,099	37	32
Barberton	224	130	91	-	3
Cuyahoga Falls	178	107	61	-	10
Balance of county	586	286	131	150	19
Trumbull	1,308	705	562	33	8
Niles	127	78	48	-	1
Warren	522	222	295	5	-
Youngstown (part)	-	-	-	-	-
Balance of county	659	405	219	28	7
Tuscarawas	805	545	210	40	10
New Philadelphia	144	95	42	5	2
Balance of county	661	450	168	35	8
Union	250	193	43	13	1
Van Wert	271	168	93	7	3
Vinton	110	94	13	3	-
Warren	382	269	79	30	4
Washington	552	371	170	7	4
Marietta	233	143	86	-	4
Balance of county	319	228	84	7	-
Wayne	530	363	110	41	16
Wooster	146	90	50	-	6
Balance of county	384	273	60	41	10
Williams	327	263	53	9	2
Wood	543	382	138	10	13
Wyandot	190	149	29	4	8
OKLAHOMA	18,925	11,734	6,189	803	199
Adair	144	112	29	-	3
Alfalfa	103	67	35	-	1
Atoka	138	109	21	-	8
Beaver	58	40	18	-	-
Beckham	167	104	62	-	1
Blaine	160	102	58	-	-
Bryan	244	183	60	-	1
Durant	98	69	28	-	1
Balance of county	146	114	32	-	-
Caddo	316	214	101	-	1
Canadian	229	158	65	3	3
El Reno	130	88	41	-	1
Balance of county	99	70	24	3	2
Carter	363	279	63	8	13
Ardmore	204	152	39	7	6
Balance of county	159	127	24	1	7
Cherokee	138	107	31	-	-
Choctaw	195	150	45	-	-
Cimarron	27	17	10	-	-
Cleveland	381	120	83	178	-
Norman	292	62	53	177	-
Balance of county	89	58	30	1	-
Coal	80	62	15	-	3
Comanche	375	226	148	-	1
Lawton	227	135	91	-	1
Balance of county	148	91	57	-	-
Cotton	77	57	20	-	-
Craig	339	114	44	181	-
Creek	413	314	98	-	1
Sapulpa	139	94	45	-	-
Balance of county	274	220	53	-	1
Custer	193	107	85	-	1
Delaware	120	101	16	-	3
Dewey	63	49	11	-	3
Ellis	67	49	16	-	2
Garfield	486	241	187	54	4
Enid	350	153	140	54	3
Balance of county	136	88	47	-	1
Garvin	245	176	68	-	1
Grady	284	206	78	-	-
Chickasha	137	97	40	-	-
Balance of county	147	109	38	-	-
Grant	97	54	41	-	2
Greer	74	54	18	1	1
Harmon	68	50	18	-	-
Harper	29	18	11	-	-
Haskell	98	82	16	-	-
Hughes	186	116	69	-	1
Jackson	192	167	25	-	-
Jefferson	112	67	44	-	1
Johnston	87	65	21	-	1
Kay	436	216	211	1	8
Ponca City	159	67	90	-	2
Balance of county	277	149	121	1	6
Kingfisher	117	79	35	-	3
Kiowa	164	95	68	-	1
Latimer	67	60	27	-	-
Le Flore	275	208	66	-	1
Lincoln	232	171	59	-	2
Logan	239	142	81	15	1
Guthrie	133	78	39	15	1
Balance of county	106	64	42	-	-
Love	63	56	6	-	1
McClain	83	59	24	-	-

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
OKLAHOMA—Continued					
McCurtain	275	212	62	-	1
McIntosh	176	135	34	-	7
Major	78	59	15	-	4
Marshall	85	71	14	-	-
Mayes	164	98	66	-	-
Murray	119	76	33	-	10
Muskogee	757	399	260	98	-
Muskogee	411	228	183	-	-
Balance of county	346	171	77	98	-
Noble	114	86	27	-	1
Nowata	154	104	47	-	3
Okfuskee	165	116	49	-	-
Oklahoma	2,255	1,178	1,010	45	22
Oklahoma City	1,909	985	872	36	16
Balance of county	346	193	138	9	6
Okmulgee	479	324	149	1	5
Okmulgee	206	124	79	-	3
Balance of county	273	200	70	1	2
Osage	232	146	53	30	3
Ottawa	358	221	135	-	2
Pawnee	133	89	41	2	1
Payne	277	193	82	1	1
Stillwater	91	58	32	-	1
Balance of county	186	135	50	1	-
Pittsburg	398	250	124	23	1
McAlester	172	94	56	21	1
Balance of county	226	156	68	2	-
Pontotoc	261	174	85	-	2
Ada	151	101	50	-	-
Balance of county	110	73	35	-	2
Pottawatomie	409	261	146	-	2
Shawnee	233	135	98	-	-
Balance of county	176	126	48	-	2
Pushmataha	131	107	23	-	1
Roger Mills	41	24	17	-	-
Rogers	174	115	57	-	2
Seminole	336	208	127	-	1
Seminole	108	59	48	-	1
Wewoka	63	36	27	-	-
Balance of county	165	113	52	-	-
Sequoyah	146	116	30	-	-
Stephens	214	130	83	-	1
Texas	75	58	16	-	1
Tillman	152	122	26	-	4
Tulsa	1,828	938	853	8	29
Tulsa	1,452	732	703	1	16
Balance of county	376	206	150	7	13
Wagoner	125	104	20	-	1
Washington	234	154	78	2	-
Bartlesville	145	88	56	1	-
Balance of county	89	66	22	1	-
Washita	129	83	46	-	-
Woods	123	74	46	-	3
Woodward	284	86	28	152	18
OREGON	13,153	6,053	5,897	831	372
Baker	192	94	87	10	1
Benton	197	103	93	-	1
Clackamas	676	376	285	6	9
Clatsop	275	119	156	-	-
Astoria	184	51	133	-	-
Balance of county	91	68	23	-	-
Columbia	171	102	69	-	-
Coos	335	147	185	3	-
Crook	44	24	18	-	2
Curry	40	25	15	-	-
Deschutes	195	73	97	7	18
Bend	128	46	75	7	-
Balance of county	67	27	22	-	18
Douglas	336	164	124	35	13
Gilliam	25	13	12	-	-
Grant	50	26	24	-	-
Harney	41	23	16	-	2
Hood River	101	38	59	2	2
Jackson	492	243	220	12	17
Medford	228	92	131	-	5
Balance of county	264	151	89	12	12
Jefferson	31	16	12	-	3
Josephine	209	94	112	-	3
Klamath	357	144	197	11	5
Klamath Falls	216	70	143	1	2
Balance of county	141	74	54	10	3
Lake	48	23	22	-	3
Lane	696	330	340	12	14
Eugene	403	133	249	12	9
Balance of county	293	197	91	-	5
Lincoln	140	88	46	3	3
Linn	356	190	144	9	13
Malheur	110	54	52	-	4
Marion	1,157	425	291	408	32
Salem	786	203	182	380	21
Balance of county	371	223	109	28	11
OREGON—Continued					
Morrow	33	21	11	-	1
Multnomah	5,023	2,265	2,392	170	196
Portland	4,324	1,942	2,254	50	78
Balance of county	699	323	138	120	118
Polk	161	98	62	-	1
Sherman	14	10	3	-	1
Tillamook	134	71	51	-	12
Umatilla	380	135	158	86	1
Union	177	60	111	-	6
Wallowa	41	20	21	-	-
Wasco	183	74	108	-	1
Washington	365	174	133	54	4
Wheeler	18	8	10	-	-
Yamhill	350	182	161	3	4
PENNSYLVANIA	110,333	59,869	42,588	7,316	560
Adams	440	300	127	11	2
Allegheny	15,721	8,278	6,350	1,023	70
Bellevue	140	87	53	-	-
Braddock	205	101	103	-	1
Carnegie	142	86	56	-	-
Clairton	135	78	54	-	3
Coraopolis	111	66	44	-	1
Dormont	124	84	40	-	-
Duquesne	169	106	62	-	1
Harrison (twp.)[2]	98	44	54	-	-
Homestead	166	65	101	-	-
McKeesport	530	317	205	-	8
McKees Rocks	205	114	89	-	2
Mount Lebanon (twp.)[2]	166	90	58	14	4
Munhall	120	58	60	-	2
North Braddock	126	74	52	-	-
Pittsburgh	8,143	4,359	3,604	153	27
Shaler (twp.)[2]	51	35	16	-	-
Stowe (twp.)[2]	21	14	7	-	-
Swissvale	161	94	62	5	-
Wilkinsburg	392	210	165	11	6
Balance of county	4,516	2,196	1,465	840	15
Armstrong	737	542	177	18	-
Beaver	1,440	834	525	81	-
Aliquippa	213	129	84	-	-
Ambridge	138	88	50	-	-
Beaver Falls	201	108	93	-	-
Ellwood City (part)	4	3	1	-	-
Balance of county	884	506	297	81	-
Bedford	402	304	90	7	1
Berks	2,810	1,618	925	259	8
Reading	1,279	750	524	1	4
Balance of county	1,531	868	401	258	4
Blair	1,587	986	514	85	2
Altoona	907	562	343	-	2
Balance of county	680	424	171	85	-
Bradford	647	389	222	30	6
Bucks	1,168	655	444	52	17
Bristol	119	69	47	-	3
Balance of county	1,049	586	397	52	14
Butler	929	597	286	45	1
Butler	264	172	91	-	1
Balance of county	665	425	195	45	-
Cambria	2,034	1,154	781	85	14
Johnstown	837	449	378	-	10
Balance of county	1,197	705	403	85	4
Cameron	63	42	20	-	1
Carbon	621	381	193	45	2
Centre	473	308	130	35	-
Chester	1,723	858	592	245	28
Coatesville	153	93	58	-	2
Phoenixville	143	75	66	-	2
West Chester	212	84	105	16	7
Balance of county	1,215	606	363	229	17
Clarion	390	298	82	10	-
Clearfield	939	566	334	38	1
Du Bois	151	84	67	-	-
Balance of county	788	482	267	38	1
Clinton	364	202	162	-	-
Lock Haven	135	74	61	-	-
Balance of county	229	128	101	-	-
Columbia	528	323	202	-	3
Berwick	131	84	46	-	1
Balance of county	397	239	156	-	2
Crawford	849	473	330	43	3
Meadville	251	114	132	5	-
Balance of county	598	359	198	38	3
Cumberland	797	507	265	23	2
Carlisle	164	90	74	-	-
Balance of county	633	417	191	23	2
Dauphin	2,211	1,193	646	354	18
Harrisburg	977	562	401	1	13
Steelton	143	98	44	-	1
Balance of county	1,091	533	201	353	4

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
PENNSYLVANIA—Continued					
Delaware	3,210	1,801	1,201	180	28
Chester	757	402	352	1	2
Darby	116	61	44	10	1
Haverford (twp.)[2]	178	127	50	-	1
Lansdowne	129	82	46	-	1
Upper Darby (twp.)[2]	557	297	161	93	6
Balance of county	1,473	832	548	76	17
Elk	329	171	146	11	1
Erie	2,079	1,247	696	109	27
Erie	1,287	746	510	20	11
Balance of county	792	501	186	89	16
Fayette	1,943	1,268	587	84	4
Connellsville	184	108	56	-	-
Uniontown	276	165	111	-	-
Balance of county	1,503	995	420	84	4
Forest	43	31	11	1	-
Franklin	798	511	246	38	3
Chambersburg	178	130	44	4	-
Waynesboro	110	68	40	-	2
Balance of county	510	313	162	34	1
Fulton	98	77	21	-	-
Greene	475	319	151	23	2
Huntingdon	458	313	129	13	3
Indiana	730	458	243	27	4
Indiana	104	73	30	-	1
Balance of county	626	385	213	27	3
Jefferson	497	336	149	12	-
Juniata	168	131	37	-	-
Lackawanna	3,192	1,813	1,137	237	5
Carbondale	206	118	90	-	-
Dickson City	91	65	28	-	-
Dunmore	220	109	78	33	-
Old Forge	101	56	45	-	-
Scranton	1,560	937	615	4	4
Balance of county	1,014	552	281	200	1
Lancaster	2,367	1,407	708	248	4
Columbia	134	76	57	1	-
Lancaster	742	424	302	16	-
Balance of county	1,491	907	349	231	4
Lawrence	968	577	360	27	4
Ellwood City (part)	89	57	30	-	2
Ellwood City (total)	95	60	31	-	2
New Castle	523	295	222	6	2
Balance of county	356	227	108	21	-
Lebanon	815	548	240	21	6
Lebanon	356	233	121	2	-
Balance of county	459	315	119	19	6
Lehigh	2,000	952	852	191	5
Allentown	1,180	489	526	144	1
Bethlehem (part)	151	76	73	-	2
Balance of county	669	387	253	47	2
Luzerne	4,399	2,712	1,545	124	18
Hanover (twp.)[2]	41	32	9	-	-
Hazleton	416	245	159	-	12
Kingston	196	128	68	-	-
Nanticoke	218	138	80	-	-
Pittston	165	104	61	-	-
Plains (twp.)[2]	97	67	30	-	-
Plymouth	174	108	68	-	-
Wilkes-Barre	1,000	592	401	7	-
Balance of county	2,092	1,300	669	117	6
Lycoming	1,149	647	447	55	-
Williamsport	563	290	266	7	-
Balance of county	586	357	181	48	-
McKean	547	301	250	14	2
Bradford	174	91	82	-	1
Balance of county	373	210	168	14	1
Mercer	1,077	595	424	52	6
Farrell	108	45	62	-	1
Sharon	253	119	133	-	1
Balance of county	716	431	229	52	4
Mifflin	468	296	164	8	-
Lewistown	180	81	79	-	-
Balance of county	308	215	85	8	-
Monroe	343	250	99	14	-
Montgomery	3,378	1,737	1,188	399	54
Abington (twp.)[2]	159	90	61	1	7
Cheltenham (twp.)[2]	177	101	62	13	1
Conshohocken	128	69	59	-	-
Lower Merion (twp.)[2]	365	200	163	1	1
Norristown	686	196	164	324	2
Pottstown	258	118	118	-	2
Balance of county	1,627	965	561	60	41
Montour	344	97	46	200	1
Northampton	1,846	1,051	739	50	6
Bethlehem (part)	445	255	209	-	1
Bethlehem (total)	596	311	282	-	3
Easton	538	292	241	4	1
Balance of county	863	524	289	46	4
Northumberland	1,364	894	392	53	25
Mount Carmel	172	114	58	-	-
Shamokin	311	227	84	-	-
Sunbury	211	124	72	-	15
Balance of county	670	429	178	53	10
Perry	301	226	69	5	1
Philadelphia, coextensive with Philadelphia (city)	24,224	10,007	12,721	1,383	113
Pike	101	73	28	-	-
Potter	218	127	66	25	-
Schuylkill	2,440	1,472	840	124	4
Mahanoy City	147	83	64	-	-
Pottsville	318	173	144	-	1
Shenandoah	243	150	93	-	-
Tamaqua	128	71	57	-	-
Balance of county	1,604	995	482	124	3
Snyder	240	161	47	30	2
Somerset	747	479	217	48	3
Sullivan	87	54	33	-	-
Susquehanna	382	248	119	11	4
Tioga	412	259	137	16	-
Union	204	143	50	9	2
Venango	816	420	269	125	2
Oil City	241	140	100	-	1
Balance of county	575	280	169	125	1
Warren	718	281	120	314	3
Warren	169	111	57	-	1
Balance of county	549	170	63	314	2
Washington	1,985	1,189	671	107	18
Canonsburg	120	60	60	-	-
Charleroi	98	59	37	-	2
Donora	111	68	43	-	-
Washington	382	236	134	1	11
Balance of county	1,276	766	397	106	7
Wayne	381	240	86	55	2
Westmoreland	3,054	1,777	929	321	7
Arnold	70	43	27	-	-
Greensburg	214	138	71	1	4
Jeannette	180	94	68	-	-
Latrobe	123	71	52	-	-
Monessen	164	103	51	-	-
New Kensington	231	128	102	-	1
Vandergrift	90	68	22	-	-
Balance of county	1,992	1,152	538	320	2
Wyoming	217	158	58	-	1
York	1,868	1,229	563	65	11
Hanover	154	98	56	-	-
York	751	446	300	-	5
Balance of county	963	685	207	65	6
RHODE ISLAND	8,409	4,517	3,222	598	72
Bristol	252	166	76	8	2
Bristol (town)	112	64	39	8	1
Balance of county	140	102	37	-	1
Kent	654	417	219	2	16
Warwick	335	204	120	2	9
West Warwick (town)	172	121	50	-	1
Balance of county	147	92	49	-	6
Newport	521	257	256	4	4
Newport	347	164	177	4	2
Balance of county	174	93	79	-	2
Providence	6,335	3,427	2,808	569	39
Central Falls	214	141	72	-	1
Cranston	888	275	222	384	7
Cumberland (town)	100	65	35	-	-
East Providence (town)	305	187	114	-	4
Johnston (town)	94	58	35	-	1
Lincoln (town)	97	69	28	1	1
North Providence (town)	127	80	46	1	-
Pawtucket	885	556	298	49	2
Providence	3,023	1,589	1,359	75	20
Woonsocket	444	256	203	5	-
Balance of county	368	191	118	54	3
Washington	459	250	165	15	11
Westerly (town)	134	78	46	-	10
Balance of county	305	172	117	15	1
SOUTH CAROLINA	18,138	12,763	4,839	486	51
Abbeville	182	150	31	-	1
Aiken	487	361	126	-	-
Allendale	104	90	14	-	-
Anderson	666	475	187	3	1
Anderson	262	155	106	-	1
Balance of county	404	320	81	3	-
Bamberg	154	130	24	-	-
Barnwell	178	156	22	-	-
Beaufort	309	265	35	-	9
Berkeley	254	216	38	-	-
Calhoun	140	122	18	-	-

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
SOUTH CAROLINA—Continued					
Charleston	1,799	948	850	-	1
Charleston	1,064	497	566	-	1
Balance of county	735	451	284	-	-
Cherokee	233	160	72	1	-
Chester	277	240	37	-	-
Chesterfield	286	218	49	1	-
Clarendon	308	281	27	-	-
Colleton	244	198	38	-	-
Darlington	455	354	101	-	-
Dillon	266	217	35	-	14
Dorchester	238	179	57	-	-
Edgefield	148	128	20	-	-
Fairfield	157	137	19	-	1
Florence	730	521	208	1	-
Florence	272	168	106	-	-
Balance of county	458	355	102	1	-
Georgetown	232	186	45	-	1
Greenville	1,282	743	537	1	1
Greenville	512	225	287	-	-
Balance of county	770	518	250	1	1
Greenwood	355	303	49	-	1
Greenwood	142	119	23	-	-
Balance of county	211	184	26	-	1
Hampton	167	140	24	-	3
Horry	413	338	72	-	3
Jasper	98	90	6	-	2
Kershaw	254	205	49	-	-
Lancaster	253	205	48	-	-
Laurens	344	277	54	12	1
Lee	236	205	30	-	1
Lexington	333	223	109	1	-
McCormick	92	85	7	-	-
Marion	287	182	104	-	1
Marlboro	286	235	51	-	-
Newberry	238	187	47	-	4
Oconee	261	214	47	-	-
Orangeburg	673	491	182	-	-
Orangeburg	147	76	71	-	-
Balance of county	526	415	111	-	-
Pickens	254	199	54	-	1
Richland	1,613	591	557	464	1
Columbia	948	330	402	215	1
Balance of county	665	261	155	249	-
Saluda	98	86	12	-	-
Spartanburg	1,126	756	367	2	1
Spartanburg	409	256	152	-	1
Balance of county	717	500	215	2	-
Sumter	558	429	129	-	-
Sumter	197	108	89	-	-
Balance of county	361	321	40	-	-
Union	251	200	51	-	-
Williamsburg	354	293	61	-	-
York	500	356	141	-	3
Rock Hill	162	85	77	-	-
Balance of county	338	271	64	-	3
SOUTH DAKOTA	5,650	3,017	2,288	258	109
Armstrong	-	-	-	-	-
Aurora	42	27	15	-	-
Beadle	204	85	105	-	14
Huron	146	62	78	-	6
Balance of county	58	23	27	-	8
Bennett	23	16	5	-	2
Bon Homme	87	65	22	-	-
Brookings	126	57	63	-	5
Brown	296	159	129	-	8
Aberdeen	184	92	90	-	2
Balance of county	112	67	39	-	6
Brule	50	26	23	1	-
Buffalo	25	16	9	-	-
Butte	77	41	36	-	-
Campbell	50	34	16	-	-
Charles Mix	117	68	48	-	1
Clark	68	46	22	-	-
Clay	84	50	34	-	-
Codington	175	79	94	1	1
Watertown	123	51	70	1	1
Balance of county	52	28	24	-	-
Corson	35	25	10	-	-
Custer	47	27	20	-	-
Davison	173	87	82	-	4
Mitchell	130	65	65	-	2
Balance of county	43	24	17	-	2
Day	98	50	45	-	3
Deuel	54	37	17	-	-
Dewey	49	34	15	-	-
Douglas	31	18	11	-	2
Edmunds	60	36	22	-	2
Fall River	96	33	58	1	4
Faulk	41	19	20	-	2
Grant	85	54	31	-	-
Gregory	77	42	34	-	1
Haakon	32	15	12	-	5
Hamlin	71	40	10	21	-
Hand	49	31	18	-	-
Hanson	44	21	23	-	-
Harding	18	10	8	-	-
Hughes	70	28	42	-	-
Hutchinson	76	58	15	-	3
Hyde	22	13	9	-	-
Jackson	21	16	1	-	4
Jerauld	32	21	11	-	-
Jones	20	13	6	-	1
Kingsbury	82	61	15	4	2
Lake	105	62	43	-	-
Lawrence	146	77	59	10	-
Lincoln	108	69	35	1	3
Lyman	49	30	18	-	1
McCook	58	40	17	-	1
McPherson	58	32	18	8	2
Marshall	70	40	29	-	1
Meade	74	49	21	-	4
Mellette	46	34	8	-	4
Miner	59	44	14	-	1
Minnehaha	532	214	302	9	7
Sioux Falls	382	140	230	5	7
Balance of county	150	74	72	4	-
Moody	81	53	28	-	-
Pennington	225	99	124	1	1
Rapid City	162	64	97	1	-
Balance of county	63	35	27	-	1
Perkins	41	30	11	-	-
Potter	38	26	8	-	4
Roberts	144	89	55	-	-
Sanborn	51	28	22	-	1
Shannon	89	35	52	1	1
Spink	164	95	42	27	2
Stanley	10	3	7	-	-
Sully	9	5	4	-	-
Todd	74	42	32	-	-
Tripp	67	36	31	-	-
Turner	87	60	22	-	5
Union	71	42	28	-	1
Walworth	56	41	13	-	2
Washabaugh	16	11	2	-	3
Washington	11	5	6	-	-
Yankton	286	45	67	175	1
Ziebach	39	25	14	-	-
TENNESSEE	27,854	18,847	7,650	1,190	187
Anderson	221	137	72	-	12
Bedford	197	143	53	1	-
Benton	98	83	14	-	1
Bledsoe	73	59	12	-	2
Blount	307	230	77	-	-
Bradley	256	197	54	3	2
Cleveland	106	74	32	-	-
Balance of county	150	123	22	3	2
Campbell	264	206	51	2	5
Cannon	85	72	11	-	-
Carroll	265	241	21	2	1
Carter	225	162	62	1	-
Cheatham	71	66	5	-	-
Chester	84	62	20	-	2
Claiborne	179	136	43	-	-
Clay	51	46	5	-	-
Cocke	219	178	39	2	-
Coffee	254	177	54	-	3
Crockett	136	124	12	-	-
Cumberland	129	106	23	-	-
Davidson	3,038	1,582	1,069	361	26
Nashville	2,108	1,147	888	53	20
Balance of county	930	435	181	308	6
Decatur	79	67	11	-	1
De Kalb	126	110	16	-	-
Dickson	163	133	25	-	5
Dyer	317	263	50	4	-
Dyersburg	103	79	24	-	-
Balance of county	214	184	26	4	-
Fayette	256	224	31	-	1
Fentress	54	42	11	-	1
Franklin	159	138	20	-	1
Gibson	426	365	54	2	5
Giles	263	210	44	8	1
Grainger	142	123	18	-	1
Greene	359	254	104	1	-
Grundy	85	72	11	-	-
Hamblen	177	132	45	-	-
Hamilton	1,965	1,067	819	48	29
Chattanooga	1,481	784	668	6	23
Balance of county	482	283	151	42	6
Hancock	52	41	11	-	-
Hardeman	452	146	24	282	-
Hardin	143	130	13	-	-
Hawkins	198	148	50	-	-
Haywood	250	210	30	-	10
Henderson	155	134	21	-	-
Henry	248	198	48	2	2
Hickman	103	92	10	-	1
Houston	75	65	10	-	-

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
TENNESSEE—Continued					
Humphreys	125	105	18	-	-
Jackson	93	85	8	-	-
Jefferson	157	136	21	-	-
Johnson	119	107	10	1	1
Knox	1,998	1,082	723	207	8
Knoxville	1,230	678	545	2	5
Balance of county	768	384	178	205	1
Lake	105	86	16	-	3
Lauderdale	244	203	37	3	1
Lawrence	167	153	34	-	-
Lewis	34	30	4	-	-
Lincoln	251	206	44	1	-
Loudon	184	147	36	-	1
McMinn	280	212	67	1	-
McNairy	178	161	15	1	1
Macon	103	98	4	1	-
Madison	554	402	138	-	14
Jackson	336	228	98	-	10
Balance of county	218	174	40	-	4
Marion	181	146	33	-	2
Marshall	164	125	39	-	-
Maury	429	362	64	2	1
Columbia	137	116	21	-	-
Balance of county	292	246	43	2	1
Meigs	42	32	10	-	-
Monroe	197	165	32	-	-
Montgomery	347	292	51	3	1
Clarksville	161	129	31	-	1
Balance of county	186	163	20	3	-
Moore	30	27	3	-	-
Morgan	62	53	8	-	1
Obion	350	271	53	4	2
Overton	89	75	14	-	-
Perry	59	59	-	-	-
Pickett	16	11	4	-	1
Polk	109	95	13	-	1
Putnam	177	149	25	3	2
Rhea	153	124	29	-	-
Roane	278	214	59	3	2
Robertson	259	216	42	1	-
Rutherford	413	277	79	56	1
Scott	96	85	6	-	5
Sequatchie	45	40	5	-	-
Sevier	188	155	33	-	-
Shelby	4,147	1,944	2,019	176	8
Memphis	3,322	1,563	1,730	22	7
Balance of county	825	381	289	154	1
Smith	118	93	24	-	1
Stewart	87	77	10	-	-
Sullivan	481	352	123	-	6
Bristol[5]	126	86	34	-	6
Kingsport	116	79	37	-	-
Balance of county	239	187	52	-	-
Sumner	278	219	54	-	5
Tipton	223	163	59	-	1
Trousdale	60	54	6	-	-
Unicoi	102	78	24	-	-
Union	66	54	12	-	-
Van Buren	21	19	2	-	-
Warren	191	161	28	2	-
Washington	431	284	144	2	1
Johnson City	215	120	95	-	-
Balance of county	216	164	49	2	1
Wayne	99	87	8	1	3
Weakley	285	245	38	2	-
White	157	128	28	1	-
Williamson	229	175	51	-	3
Wilson	234	181	52	-	1
TEXAS	61,565	39,783	19,427	1,702	653
Anderson	337	262	74	-	1
Palestine	161	118	43	-	-
Balance of county	176	144	31	-	1
Andrews	6	3	1	-	2
Angelina	262	182	78	-	2
Aransas	32	26	6	-	-
Archer	46	32	14	-	-
Armstrong	19	17	2	-	-
Atascosa	162	145	17	-	-
Austin	183	143	38	1	1
Bailey	30	16	14	-	-
Bandera	34	25	9	-	-
Bastrop	252	184	67	-	1
Baylor	44	21	22	-	1
Bee	188	144	36	-	8
Bell	515	347	165	2	1
Temple	179	119	60	-	-
Balance of county	336	228	105	2	1
Bexar	4,706	2,648	1,748	293	17
San Antonio	3,717	2,147	1,549	10	11
Balance of county	989	501	199	283	6
Blanco	38	32	6	-	-
Borden	3	2	1	-	-

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
TEXAS—Continued					
Bosque	124	98	25	-	1
Bowie	538	399	134	2	1
Texarkana[6]	249	176	72	1	-
Balance of county	287	223	62	1	1
Brazoria	273	161	88	2	22
Brazos	269	196	73	-	-
Bryan	165	112	53	-	-
Balance of county	104	84	20	-	-
Brewster	59	57	1	-	1
Briscoe	18	18	-	-	-
Brooks	58	53	5	-	-
Brown	320	184	136	-	-
Brownwood	183	101	82	-	-
Balance of county	137	83	54	-	-
Burleson	151	142	9	-	-
Burnet	72	60	12	-	-
Caldwell	248	200	48	-	-
Calhoun	49	35	14	-	-
Callahan	82	70	9	-	3
Cameron	994	830	154	-	10
Brownsville	281	246	33	-	2
Harlingen	201	127	67	-	7
Balance of county	512	457	54	-	1
Camp	78	68	10	-	-
Carson	29	19	8	-	2
Cass	240	195	45	-	-
Castro	23	21	2	-	-
Chambers	51	36	15	-	-
Cherokee	532	226	94	211	1
Childress	125	81	44	-	-
Clay	62	40	22	-	-
Cochran	35	30	5	-	-
Coke	14	9	5	-	-
Coleman	182	120	40	1	1
Collin	336	259	74	1	2
Collingsworth	78	48	30	-	-
Colorado	173	141	31	-	1
Comal	150	110	37	-	3
Comanche	146	118	27	-	1
Concho	41	31	10	-	-
Cooke	228	151	76	-	1
Coryell	162	110	47	-	5
Cottle	41	26	14	-	1
Crane	15	7	8	-	-
Crockett	28	20	8	-	-
Crosby	75	64	10	-	1
Culberson	15	15	-	-	-
Dallam	52	28	24	-	-
Dallas	4,103	2,223	1,840	31	9
Dallas	2,990	1,608	1,376	4	4
Highland Park	101	62	39	-	-
University Park	116	66	49	-	1
Balance of county	896	489	376	27	4
Dawson	104	95	9	-	-
Deaf Smith	47	40	7	-	-
Delta	52	46	6	-	-
Denton	311	212	87	-	12
Denton	141	80	55	-	6
Balance of county	170	132	32	-	6
De Witt	272	215	57	-	-
Dickens	40	28	12	-	-
Dimmit	108	92	15	-	1
Donley	62	47	4	-	11
Duval	124	108	16	-	-
Eastland	250	168	81	1	-
Ector	108	71	37	-	-
Edwards	20	13	7	-	-
Ellis	431	331	91	1	8
El Paso	1,642	942	686	2	12
El Paso	1,199	626	565	-	8
Balance of county	443	316	121	2	4
Erath	184	123	61	-	-
Falls	327	265	62	-	-
Fannin	326	232	89	1	4
Fayette	286	218	60	2	6
Fisher	95	70	25	-	-
Floyd	79	65	12	-	2
Foard	29	26	3	-	-
Fort Bend	291	215	73	2	1
Franklin	65	51	14	-	-
Freestone	185	160	24	-	1
Frio	137	127	10	-	-
Gaines	45	37	7	-	1
Galveston	943	457	474	1	11
Galveston	724	334	385	1	4
Balance of county	219	123	89	-	7
Garza	36	30	6	-	-
Gillespie	119	95	24	-	-
Glasscock	4	2	2	-	-
Goliad	79	64	15	-	-
Gonzales	245	226	17	-	2

[5] Includes data for Bristol, Tenn., only.
[6] Includes data for Texarkana, Tex., only.

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
TEXAS—Continued					
Gray	180	80	71	-	29
Pampa	115	41	51	-	23
Balance of county	65	39	20	-	6
Grayson	680	404	261	11	4
Denison	203	112	91	-	-
Sherman	136	89	96	-	1
Balance of county	291	203	74	11	3
Gregg	428	230	182	-	16
Longview	147	76	70	-	1
Balance of county	281	154	112	-	15
Grimes	154	113	39	-	2
Guadalupe	253	219	33	-	1
Hale	128	72	55	-	1
Hall	93	52	40	-	1
Hamilton	99	83	16	-	-
Hansford	17	7	10	-	-
Hardeman	90	57	33	-	-
Hardin	127	91	31	-	5
Harris	5,328	2,756	2,529	12	31
Houston	4,603	2,309	2,262	8	24
Balance of county	725	447	267	4	7
Harrison	448	345	102	-	1
Marshall	210	140	69	-	1
Balance of county	238	205	33	-	-
Hartley	40	15	25	-	-
Haskell	95	59	36	-	-
Hays	182	139	43	-	-
Hemphill	27	23	4	-	-
Henderson	211	185	28	-	-
Hidalgo	1,238	1,030	178	7	23
McAllen	186	119	47	-	-
Balance of county	1,072	911	131	7	23
Hill	339	271	67	-	1
Hockley	79	52	27	-	-
Hood	56	41	15	-	-
Hopkins	223	164	33	-	26
Houston	209	195	13	-	1
Howard	176	99	56	20	1
Big Spring	126	75	48	2	1
Balance of county	50	24	8	18	-
Hudspeth	19	12	7	-	-
Hunt	433	332	100	-	1
Greenville	160	123	37	-	-
Balance of county	273	209	63	-	1
Hutchinson	154	65	83	-	6
Borger	91	46	44	-	1
Balance of county	43	19	19	-	5
Irion	8	6	2	-	-
Jack	69	40	28	-	1
Jackson	97	82	15	-	-
Jasper	157	120	36	-	1
Jeff Davis	7	6	1	-	-
Jefferson	1,386	794	558	-	34
Beaumont	687	391	272	-	24
Port Arthur	427	221	197	-	9
Balance of county	272	182	89	-	1
Jim Hogg	42	39	3	-	-
Jim Wells	180	139	41	-	-
Johnson	278	201	75	-	-
Cleburne	121	90	31	-	-
Balance of county	155	111	44	-	-
Jones	157	99	58	-	-
Karnes	156	123	33	-	-
Kaufman	546	246	73	223	4
Terrell	338	83	30	223	2
Balance of county	208	163	43	-	2
Kendall	79	65	12	-	2
Kenedy	5	3	2	-	-
Kent	15	14	-	-	1
Kerr	137	78	57	2	-
Kimble	31	26	5	-	-
King	2	2	-	-	-
Kinney	31	28	3	-	-
Kleberg	155	112	43	-	-
Knox	71	37	34	-	-
Lamar	428	280	148	-	-
Paris	206	128	78	-	-
Balance of county	222	152	70	-	-
Lamb	120	56	64	-	-
Lampasas	87	70	17	-	-
La Salle	74	67	7	-	-
Lavaca	249	176	72	-	1
Lee	117	95	21	-	1
Leon	124	111	13	-	-
Liberty	228	142	69	-	15
Limestone	246	186	59	-	1
Lipscomb	29	22	7	-	-
Live Oak	68	55	13	-	-
Llano	39	36	2	-	1
Loving	-	-	-	-	-
Lubbock	468	250	214	-	4
Lubbock	332	165	164	-	3
Balance of county	136	85	50	-	1
Lynn	65	48	16	-	1
McCulloch	98	58	38	-	2
McLennan	1,205	692	402	107	4
Waco	720	402	315	2	1
Balance of county	485	290	87	105	3
McMullen	7	7	-	-	-
Madison	66	61	5	-	-
Marion	108	97	11	-	-
Martin	16	13	3	-	-
Mason	37	28	9	-	-
Matagorda	240	163	74	-	3
Maverick	130	111	18	-	1
Medina	209	156	51	-	2
Menard	26	22	4	-	-
Midland	118	84	34	-	-
Milam	256	208	38	4	6
Mills	45	33	12	-	-
Mitchell	81	69	11	-	1
Montague	160	119	40	-	1
Montgomery	159	106	53	-	-
Moore	43	17	25	-	1
Morris	94	76	15	-	3
Motley	24	23	1	-	-
Nacogdoches	211	164	44	-	3
Navarro	372	265	105	-	2
Corsicana	176	109	66	-	1
Balance of county	196	156	39	-	1
Newton	83	67	15	-	1
Nolan	133	75	50	-	8
Sweetwater	88	50	30	-	8
Balance of county	45	25	20	-	-
Nueces	1,195	803	378	-	14
Corpus Christi	690	381	302	-	7
Balance of county	505	422	76	-	7
Ochiltree	35	23	12	-	-
Oldham	12	5	7	-	-
Orange	299	154	83	-	62
Palo Pinto	195	135	42	-	18
Panola	130	109	20	-	1
Parker	165	118	46	-	1
Parmer	28	17	11	-	-
Pecos	73	56	9	-	8
Polk	168	135	33	-	-
Potter	507	179	324	1	3
Amarillo (part)	466	160	302	1	3
Amarillo (total)	470	165	303	1	3
Balance of county	41	19	22	-	-
Presidio	86	74	11	-	1
Rains	34	30	4	-	-
Randall	41	28	13	-	-
Amarillo (part)	4	3	1	-	-
Balance of county	37	25	12	-	-
Reagan	14	9	5	-	-
Real	17	13	4	-	-
Red River	237	197	40	-	-
Reeves	108	102	4	-	2
Refugio	87	51	36	-	-
Roberts	4	2	1	-	1
Robertson	230	202	27	-	1
Rockwall	46	36	9	-	1
Runnels	149	103	42	-	4
Rusk	319	248	69	-	2
Sabine	72	61	11	-	-
San Augustine	67	58	9	-	-
San Jacinto	48	40	8	-	-
San Patricio	296	248	47	-	3
San Saba	86	72	13	-	1
Schleicher	18	13	5	-	-
Scurry	67	52	15	-	-
Shackelford	29	25	4	-	-
Shelby	229	198	31	-	-
Sherman	13	9	4	-	-
Smith	578	435	116	-	27
Tyler	269	181	76	-	12
Balance of county	309	254	40	-	15
Somervell	33	31	2	-	-
Starr	106	100	6	-	-
Stephens	90	51	39	-	-
Sterling	10	6	4	-	-
Stonewall	22	15	7	-	-
Sutton	30	23	6	-	1
Swisher	55	43	12	-	-
Tarrant	2,458	1,158	1,245	46	9
Fort Worth	2,002	929	1,059	5	9
Balance of county	456	229	186	41	-
Taylor	525	243	202	80	-
Abilene	309	147	148	16	-
Balance of county	216	96	56	64	-
Terrell	36	30	4	-	2
Terry	67	46	20	-	1
Throckmorton	21	16	5	-	-
Titus	138	104	34	-	-
Tom Green	381	200	176	4	1
San Angelo	310	165	144	-	1
Balance of county	71	35	32	4	-

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
TEXAS—Continued					
Travis	1,415	574	433	402	4
Austin	1,273	486	381	402	4
Balance of county	140	88	52	-	-
Trinity	83	69	14	-	-
Tyler	85	61	22	-	-
Upshur	145	120	22	-	3
Upton	23	14	9	-	-
Uvalde	143	115	28	-	-
Val Verde	228	173	23	-	32
Del Rio	188	141	17	-	30
Balance of county	40	32	6	-	2
Van Zandt	206	173	32	-	1
Victoria	307	237	70	-	-
Victoria	180	121	59	-	-
Balance of county	127	116	11	-	-
Walker	167	123	22	22	-
Waller	75	53	22	-	-
Ward	82	46	34	-	2
Washington	247	200	46	-	1
Webb	601	491	103	7	-
Laredo	550	446	97	7	-
Balance of county	51	45	6	-	-
Wharton	254	148	103	-	3
Wheeler	89	65	24	-	-
Wichita	725	280	249	196	-
Wichita Falls	573	195	178	-	-
Balance of county	352	85	71	196	-
Wilbarger	138	99	39	-	-
Willacy	152	124	22	-	6
Williamson	384	278	103	3	-
Wilson	146	127	18	-	1
Winkler	38	19	17	-	2
Wise	190	143	45	-	2
Wood	180	148	27	-	5
Yoakum	6	4	2	-	-
Young	133	89	43	1	-
Zapata	34	31	3	-	-
Zavala	137	119	18	-	-
UTAH	4,957	2,723	2,017	151	66
Beaver	33	28	5	-	-
Box Elder	152	64	88	-	-
Cache	255	185	68	-	2
Logan	124	91	32	-	1
Balance of county	129	92	36	-	1
Carbon	175	97	70	2	6
Daggett	2	1	1	-	-
Davis	147	89	58	-	-
Duchesne	50	36	13	-	1
Emery	56	43	13	-	-
Garfield	28	25	3	-	-
Grand	20	10	10	-	-
Iron	53	29	24	-	-
Juab	61	41	20	-	-
Kane	14	9	4	-	1
Millard	112	59	41	-	12
Morgan	10	7	3	-	-
Piute	18	10	8	-	-
Rich	10	6	4	-	-
Salt Lake	1,949	924	986	5	34
Salt Lake City	1,532	684	811	5	32
Balance of county	417	240	175	-	2
San Juan	25	14	11	-	-
Sanpete	155	131	24	-	-
Sevier	88	61	26	-	1
Summit	57	29	28	-	-
Tooele	120	84	32	3	1
Uintah	62	38	24	-	-
Utah	578	298	164	113	3
Provo	214	84	49	81	-
Balance of county	364	214	115	32	3
Wasatch	41	32	9	-	-
Washington	55	41	13	-	1
Wayne	16	8	4	1	3
Weber	617	326	263	27	1
Ogden	482	251	230	-	1
Balance of county	135	75	33	27	-
VERMONT	4,274	2,429	1,583	237	25
Addison	209	123	85	-	1
Bennington	277	153	114	3	7
Caledonia	270	179	90	1	-
Chittenden	562	278	279	4	1
Burlington	329	151	173	4	1
Balance of county	233	127	106	-	-
Essex	63	48	14	-	1
Franklin	314	207	101	6	-
Grand Isle	32	25	7	-	-
Lamoille	133	93	40	-	-
Orange	202	113	89	-	-
Orleans	252	182	68	2	-
Rutland	579	320	240	13	6
Rutland	220	104	108	7	1
Balance of county	359	216	132	6	5
Washington	570	261	196	113	-
Barre	127	72	55	-	-
Balance of county	443	189	141	113	-
Windham	396	199	100	91	6
Windsor	415	248	160	4	3
VIRGINIA[7]	28,739	18,239	8,854	1,440	206
Accomack	421	265	51	4	1
Albemarle	263	164	98	-	1
Alexandria (city)	425	200	211	2	12
Alleghany	161	85	76	-	-
Amelia	78	59	18	-	1
Amherst	227	136	34	55	2
Appomattox	83	71	11	-	1
Arlington[8]	510	268	232	-	12
Augusta	455	306	98	48	3
Bath	67	45	21	-	1
Bedford	315	209	60	45	1
Bland	54	44	10	-	-
Botetourt	137	96	38	3	-
Bristol (city)[9]	118	78	38	-	2
Brunswick	153	128	24	-	1
Buchanan	230	159	71	-	-
Buckingham	127	110	17	-	-
Buena Vista (city)	42	31	11	-	-
Campbell	203	149	49	-	5
Caroline	129	101	28	-	-
Carroll	175	146	29	-	-
Charles City	50	41	9	-	-
Charlotte	138	108	28	-	2
Charlottesville (city)	196	120	75	-	1
Chesterfield	241	170	66	-	5
Clarke	96	58	37	-	1
Clifton Forge (city)	76	42	34	-	-
Craig	29	22	7	-	-
Culpeper	155	120	30	-	3
Cumberland	78	65	13	-	-
Danville (city)	334	194	140	-	-
Dickenson	148	118	29	-	1
Dinwiddie	514	115	39	360	-
Elizabeth City	308	135	173	-	-
Essex	72	59	13	-	-
Fairfax	398	225	156	7	10
Fauquier	194	136	55	-	3
Floyd	98	77	21	-	-
Fluvanna	95	83	12	-	-
Franklin	175	133	42	-	-
Frederick	124	72	49	2	1
Fredericksburg (city)	103	56	47	-	-
Giles	130	99	31	-	-
Gloucester	122	100	21	-	1
Goochland	91	65	11	16	1
Grayson	156	135	19	1	1
Greene	47	42	5	-	-
Greensville	140	117	23	-	-
Halifax	398	338	59	-	1
Hampton (city)	117	44	73	-	-
Hanover	208	169	38	-	1
Harrisonburg (city)	124	52	72	-	-
Henrico	218	160	55	-	1
Henry	189	138	50	-	1
Highland	42	37	4	1	-
Hopewell (city)	64	38	26	-	-
Isle of Wight	168	135	28	-	-
James City	47	38	6	-	3
King and Queen	80	70	10	-	-
King George	53	37	16	-	-
King William	88	71	17	-	-
Lancaster	118	101	16	-	1
Lee	285	230	55	-	-
Loudoun	198	144	53	-	1
Louisa	138	115	22	-	1
Lunenburg	158	130	27	-	1
Lynchburg (city)	474	278	169	9	20
Madison	88	88	20	-	-
Martinsville (city)	74	42	32	-	-
Mathews	83	70	12	-	1
Mecklenburg	289	227	61	-	1
Middlesex	94	71	21	-	2
Montgomery	241	161	79	-	1
Nansemond	262	222	32	-	8
Nelson	125	91	34	-	-
New Kent	48	33	15	-	-
Newport News (city)	589	239	348	-	2
Norfolk	536	335	199	1	1
Norfolk (city)	1,982	996	970	5	11

[7]Cities of Virginia are independent, each having the same status as a county. Places having populations of 10,000 or more include: Alexandria, Arlington County, [8]Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, New Port News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

[8]Classified as urban under a special rule in the 1940 census.

[9]Includes data for Bristol, Va., only.

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
VIRGINIA[7]—Continued					
Northampton	234	177	55	-	2
Northumberland	98	92	6	-	-
Nottoway	236	166	70	-	-
Orange	156	105	51	-	-
Page	122	89	32	1	-
Patrick	113	90	23	-	-
Petersburg (city)	404	291	89	18	6
Pittsylvania	525	336	151	29	9
Portsmouth (city)	788	422	333	1	2
Powhatan	51	46	5	-	-
Prince Edward	150	112	37	-	1
Prince George	154	107	45	1	1
Prince William	156	98	47	9	2
Princess Anne	388	155	232	-	1
Pulaski	182	102	75	5	-
Radford (city)	85	46	39	-	-
Rappahannock	82	63	18	-	1
Richmond	68	51	17	-	-
Richmond (city)	2,565	1,376	951	224	14
Roanoke	398	216	98	84	-
Roanoke (city)	729	417	281	24	7
Rockbridge	255	195	40	-	-
Rockingham	288	180	105	2	1
Russell	209	152	54	-	3
Scott	230	191	38	1	-
Shenandoah	228	168	51	1	8
Smyth	303	167	56	80	-
Southampton	238	197	41	-	-
South Norfolk (city)	78	48	30	-	-
Spotsylvania	101	71	30	-	-
Stafford	122	91	31	-	-
Staunton (city)	347	90	29	227	1
Suffolk (city)	147	90	49	-	8
Surry	66	53	12	-	1
Sussex	155	131	24	-	-
Tazewell	330	219	111	-	-
Warren	126	89	35	-	2
Warwick	172	83	87	-	2
Washington	288	216	69	2	1
Westmoreland	100	84	16	-	-
Williamsburg (city)	209	19	23	167	-
Winchester (city)	143	82	59	-	2
Wise	448	340	105	3	-
Wythe	186	125	42	1	-
York	112	76	35	1	-
WASHINGTON	21,849	8,922	11,225	1,254	448
Adams	54	30	12	-	12
Asotin	108	49	51	-	8
Benton	119	66	32	-	21
Chelan	336	134	198	2	2
Wenatchee	153	51	102	-	-
Balance of county	183	83	96	2	2
Clallam	222	88	117	3	14
Clark	802	289	489	4	20
Vancouver	391	84	293	4	10
Balance of county	411	205	196	-	10
Columbia	70	36	34	-	-
Cowlitz	358	144	189	-	25
Longview	125	37	74	-	14
Balance of county	213	107	95	-	11
Douglas	48	25	22	-	1
Ferry	52	21	31	-	-
Franklin	105	40	62	-	1
Garfield	27	19	7	-	1
Grant	74	46	22	-	6
Grays Harbor	574	247	306	7	14
Aberdeen	310	87	214	-	9
Hoquiam	64	41	16	7	-
Balance of county	200	119	76	-	5
Island	92	54	37	-	1
Jefferson	102	44	48	-	10
King	8,706	2,840	3,698	105	63
Seattle	5,283	2,086	3,082	75	40
Balance of county	1,423	754	616	30	23
Kitsap	639	219	348	51	21
Bremerton	288	85	189	-	12
Balance of county	355	134	159	51	9
Kittitas	199	65	134	-	-
Klickitat	115	48	67	-	-
Lewis	473	218	202	1	52
Lincoln	130	75	54	-	1
Mason	126	47	79	-	-
Okanogan	202	81	108	1	12
Pacific	156	76	78	-	2
Pend Oreille	59	27	32	-	-
Pierce	2,732	929	1,287	476	40
Tacoma	1,695	590	1,061	13	31
Balance of county	1,037	339	226	463	9
San Juan	25	19	4	-	-
Skagit	691	195	201	286	9
Skamania	22	8	14	-	-
WASHINGTON—Continued					
Snohomish	1,016	518	484	7	7
Everett	458	175	280	-	3
Balance of county	558	343	204	7	4
Spokane	2,345	852	1,191	255	47
Spokane	1,686	687	955	10	34
Balance of county	659	165	236	245	13
Stevens	175	65	109	-	1
Thurston	359	181	171	-	7
Olympia	205	74	127	-	4
Balance of county	154	107	44	-	3
Wahkiakum	35	16	16	-	3
Walla Walla	479	191	235	38	15
Walla Walla	342	96	213	21	12
Balance of county	137	95	22	17	3
Whatcom	693	304	367	18	4
Bellingham	426	153	252	18	3
Balance of county	267	151	115	-	1
Whitman	259	101	155	-	3
Yakima	1,094	515	554	-	25
Yakima	448	153	288	-	7
Balance of county	646	362	266	-	18
WEST VIRGINIA	16,603	10,945	5,097	517	44
Barbour	181	138	42	1	-
Berkeley	306	180	126	-	-
Martinsburg	189	101	88	-	-
Balance of county	117	79	38	-	-
Boone	201	154	45	-	2
Braxton	125	108	17	-	-
Brooke	225	135	85	5	-
Cabell	1,002	510	379	109	4
Huntington (part)	854	412	343	95	4
Huntington (total)	881	429	353	95	4
Balance of county	148	98	36	14	-
Calhoun	77	61	15	-	1
Clay	95	83	12	-	-
Doddridge	105	86	17	-	-
Fayette	604	418	176	10	-
Gilmer	76	71	5	-	-
Grant	80	68	12	-	-
Greenbrier	281	224	56	-	1
Hampshire	112	85	27	-	-
Hancock	215	130	85	-	-
Hardy	81	70	11	-	-
Harrison	856	628	225	3	-
Clarksburg	346	216	130	-	-
Balance of county	510	412	95	3	-
Jackson	157	103	54	-	-
Jefferson	178	138	39	1	-
Kanawha	1,727	1,079	641	3	4
Charleston	759	443	316	-	-
South Charleston	78	37	39	-	-
Balance of county	892	599	286	3	4
Lewis	371	129	55	187	-
Lincoln	150	111	37	1	1
Logan	486	334	144	1	7
McDowell	769	441	328	-	-
Marion	638	428	207	3	-
Fairmont	287	184	101	2	-
Balance of county	351	244	106	1	-
Marshall	357	205	126	26	-
Moundsville	143	70	58	15	-
Balance of county	214	135	68	11	-
Mason	274	194	29	47	4
Mercer	577	368	200	2	7
Bluefield[10]	228	130	94	-	4
Balance of county	349	238	106	2	3
Mineral	218	149	69	-	-
Mingo	291	185	106	-	2
Monongalia	488	304	180	4	-
Morgantown	211	129	81	1	-
Balance of county	277	175	99	3	-
Monroe	109	90	19	-	-
Morgan	74	57	17	-	-
Nicholas	178	152	26	-	-
Ohio	841	420	405	12	4
Wheeling	724	360	359	1	4
Balance of county	117	60	46	11	-
Pendleton	68	54	14	-	-
Pleasants	78	68	9	-	1
Pocahontas	102	66	35	1	-
Preston	260	203	55	2	-
Putnam	144	118	26	-	-
Raleigh	665	424	239	-	2
Beckley	152	85	67	-	-
Balance of county	513	339	172	-	2
Randolph	244	171	69	1	3
Ritchie	115	99	15	-	1
Roane	252	116	42	94	-
Summers	201	169	30	2	-
Taylor	200	160	40	-	-
Tucker	108	84	22	-	-

[7]Cities of Virginia are independent, each having the same status as a county. Places having populations of 10,000 or more include: Alexandria, Arlington County,[8] Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

[10]Includes data for Bluefield, W. Va., only.

TABLE 25.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1944—Continued.

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
WEST VIRGINIA—Continued					
Tyler	132	101	31	-	-
Upshur	203	152	51	-	-
Wayne	222	174	48	-	-
Huntington (part)	27	17	10	-	-
Balance of county	195	157	38	-	-
Webster	122	106	16	-	-
Wetzel	182	122	58	2	-
Wirt	53	39	14	-	-
Wood	615	370	245	-	-
Parkersburg	405	229	176	-	-
Balance of county	210	141	69	-	-
Wyoming	158	115	43	-	-
WISCONSIN	31,874	15,683	14,009	1,740	242
Adams	65	43	21	1	-
Ashland	250	92	150	8	-
Ashland	127	46	73	8	-
Balance of county	103	46	57	-	-
Barron	301	181	115	-	5
Bayfield	165	57	108	-	-
Brown	776	376	364	34	2
Green Bay	462	220	230	10	2
Balance of county	314	156	134	24	-
Buffalo	147	87	60	-	-
Burnett	104	58	45	-	1
Calumet	144	97	47	-	-
Chippewa	413	191	157	64	1
Chippewa Falls	120	52	65	3	-
Balance of county	293	139	92	61	1
Clark	333	216	100	17	-
Columbia	412	212	172	20	8
Crawford	185	115	69	-	1
Dane	1,355	556	603	178	18
Madison	661	261	386	6	8
Balance of county	694	295	217	172	10
Dodge	529	298	205	25	1
Beaver Dam	118	52	86	-	-
Watertown (part)	28	22	4	-	-
Balance of county	385	224	135	25	1
Door	206	120	51	-	35
Douglas	627	182	396	48	1
Superior	470	151	319	-	-
Balance of county	157	31	77	48	1
Dunn	254	180	84	9	1
Eau Claire	421	171	232	17	1
Eau Claire	267	95	171	-	1
Balance of county	154	76	61	17	-
Florence	33	23	10	-	-
Fond du Lac	677	330	302	45	-
Fond du Lac	338	151	174	13	-
Balance of county	339	179	128	32	-
Forest	85	59	25	-	1
Grant	422	280	107	25	10
Green	241	131	91	19	-
Green Lake	162	99	61	-	2
Iowa	249	135	103	6	5
Iron	105	70	35	-	-
Jackson	176	107	63	3	3
Jefferson	432	252	128	44	8
Watertown (part)	131	75	47	9	-
Watertown (total)	157	97	51	9	-
Balance of county	301	177	81	35	8
Juneau	193	130	59	4	-
Kenosha	816	280	339	13	4
Kenosha	471	193	268	8	2
Balance of county	145	87	71	5	2
Kewaunee	170	121	43	1	5
La Crosse	603	232	332	39	-
La Crosse	429	165	258	6	-
Balance of county	174	67	74	33	-
Lafayette	169	120	46	1	2
Langlade	216	155	60	-	1
Lincoln	208	75	132	1	-
Manitowoc	585	281	279	23	2
Manitowoc	263	116	144	22	1
Two Rivers	68	32	35	-	1
Balance of county	234	133	100	1	-
Marathon	657	284	292	59	2
Wausau	322	108	155	59	-
Balance of county	315	176	137	-	2
Marinette	368	163	174	31	-
Marinette	171	71	90	10	-
Balance of county	197	92	84	21	-
Marquette	110	74	31	-	5
Milwaukee	7,902	3,357	4,064	429	52
Cudahy	73	38	35	-	-
Milwaukee	6,280	2,674	3,420	156	40
Shorewood	115	63	52	-	-
South Milwaukee	89	48	41	-	-
WISCONSIN—Continued					
Milwaukee—Continued					
Wauwatosa	248	133	94	19	2
West Allis	296	121	164	7	4
Balance of county	791	280	258	247	6
Monroe	332	199	112	21	-
Oconto	236	132	102	1	1
Oneida	182	86	92	4	-
Outagamie	584	346	227	9	2
Appleton	286	173	112	-	1
Balance of county	298	173	115	9	1
Ozaukee	160	81	78	-	1
Pepin	78	44	33	-	1
Pierce	209	126	82	1	-
Polk	231	161	67	-	3
Portage	315	177	130	7	1
Stevens Point	140	75	59	6	-
Balance of county	175	102	71	1	1
Price	167	94	69	3	1
Racine	921	423	429	68	1
Racine	633	286	337	9	1
Balance of county	288	137	92	59	-
Richland	199	98	86	11	4
Rock	916	460	421	26	9
Beloit	295	144	149	-	2
Janesville	301	146	154	-	1
Balance of county	320	170	118	26	6
Rusk	152	80	65	6	1
St. Croix	265	154	85	22	4
Sauk	380	222	136	17	5
Sawyer	102	45	57	-	-
Shawano	356	180	144	31	1
Sheboygan	770	337	414	17	2
Sheboygan	412	150	262	-	-
Balance of county	358	187	152	17	2
Taylor	145	82	63	-	-
Trempealeau	236	133	99	4	-
Vernon	295	159	118	18	-
Vilas	74	47	27	-	-
Walworth	446	264	159	20	3
Washburn	122	76	45	-	1
Washington	256	145	98	13	-
Waukesha	634	381	194	50	9
Waukesha	189	114	72	-	3
Balance of county	445	267	122	50	6
Waupaca	412	221	123	56	12
Waushara	145	101	42	2	-
Winnebago	970	476	332	159	3
Menasha	92	48	43	-	1
Neenah	100	58	42	-	-
Oshkosh	462	261	177	23	1
Balance of county	316	109	70	136	1
Wood	360	203	147	10	-
Marshfield	105	45	54	6	-
Wisconsin Rapids	79	51	28	-	-
Balance of county	176	107	65	4	-
WYOMING	2,278	993	1,121	113	51
Albany	117	36	79	1	1
Laramie	100	29	69	1	1
Balance of county	17	7	10	-	-
Big Horn	92	60	31	-	1
Campbell	30	17	13	-	-
Carbon	121	54	65	2	-
Converse	51	23	26	-	2
Crook	31	19	6	6	-
Fremont	160	90	51	13	6
Goshen	82	47	35	-	-
Hot Springs	57	38	18	1	2
Johnson	49	16	33	-	-
Laramie	292	125	167	1	1
Cheyenne	253	96	156	-	1
Balance of county	39	27	31	1	-
Lincoln	58	28	28	-	2
Natrona	254	108	146	-	-
Casper	200	66	134	-	-
Balance of county	54	42	12	-	-
Niobrara	40	13	25	-	2
Park	152	53	74	-	25
Platte	68	31	37	-	-
Sheridan	189	66	91	32	-
Sheridan	131	55	76	-	-
Balance of county	58	11	15	32	-
Sublette	20	7	13	-	-
Sweetwater	211	66	144	-	1
Teton	17	10	7	-	-
Uinta	111	44	9	57	1
Washakie	33	21	12	-	-
Weston	41	25	9	-	7
Yellowstone National Park (part)	2	-	2	-	-
Yellowstone National Park (total)	2	-	2	-	-

Note.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

TABLE 26.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: UNITED STATES AND EACH STATE, 1944

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
UNITED STATES													
Under 1 year	111,127	10,492	9,095	9,806	9,059	8,892	8,969	9,155	9,160	8,986	9,470	8,719	9,324
Under 1 day	32,052	2,569	2,305	2,725	2,643	2,912	2,995	2,896	2,844	2,642	2,618	2,409	2,494
1 day	9,219	787	647	726	760	795	863	839	794	783	783	705	737
2 days	5,819	477	453	527	448	491	506	505	502	472	482	505	451
3 to 6 days	8,680	802	741	768	668	670	647	764	760	681	718	687	774
7 to 13 days	6,024	592	504	453	450	414	427	499	530	540	571	501	548
14 to 20 days	3,900	402	335	324	265	252	232	290	334	363	407	341	355
21 to 29 days	3,802	339	295	286	257	198	214	215	282	278	322	300	316
Under 1 month	68,996	5,968	5,280	5,809	5,491	5,732	5,884	6,008	6,046	5,759	5,901	5,448	5,670
1 month	7,985	807	721	753	620	597	521	578	624	682	733	635	714
2 months	6,480	690	593	578	560	429	433	425	460	530	641	523	618
3 months	5,479	595	490	511	477	396	367	390	354	424	484	474	517
4 months	4,486	505	361	413	359	306	348	324	330	333	414	382	411
5 months	3,870	419	358	390	325	286	316	302	283	292	306	286	297
6 months	3,219	359	306	309	266	261	238	261	237	229	257	228	274
7 months	2,735	290	249	278	276	188	230	219	222	186	198	195	204
8 months	2,386	241	222	254	215	219	175	175	182	174	153	166	210
9 months	2,058	232	168	193	185	180	177	183	170	138	154	131	147
10 months	1,749	174	174	176	142	158	132	158	121	120	134	129	131
11 months	1,684	212	163	148	148	140	148	132	131	119	95	122	131
ALABAMA													
Under 1 year	3,389	335	294	286	264	256	322	268	273	256	266	270	299
Under 1 day	896	67	59	73	62	75	116	69	73	69	83	80	70
1 to 6 days	730	73	74	67	58	55	57	55	64	49	52	66	60
7 to 13 days	178	21	17	18	11	9	15	12	11	16	11	15	22
14 to 29 days	220	25	22	24	19	15	19	17	10	16	21	13	19
1 to 11 months	1,365	149	122	104	114	102	115	115	115	106	99	96	128
ARIZONA													
Under 1 year	979	83	77	72	89	92	72	105	73	71	77	83	85
Under 1 day	190	22	16	17	13	14	16	23	11	17	14	11	16
1 to 6 days	152	16	12	12	11	11	6	16	17	11	11	17	12
7 to 13 days	39	1	2	1	5	1	3	4	4	3	3	4	8
14 to 29 days	64	3	3	6	7	9	4	2	6	3	8	5	8
1 to 11 months	534	41	44	36	53	57	43	60	35	37	41	46	41
ARKANSAS													
Under 1 year	1,433	148	97	127	129	112	126	136	116	118	134	101	89
Under 1 day	344	33	27	18	32	36	39	38	36	22	28	17	18
1 to 6 days	273	34	15	24	21	26	25	34	26	24	18	14	12
7 to 13 days	86	7	5	8	10	3	12	11	7	7	5	7	4
14 to 29 days	94	12	3	11	8	7	4	7	7	6	9	12	8
1 to 11 months	636	62	47	66	58	40	46	46	40	59	74	51	47
CALIFORNIA													
Under 1 year	6,177	573	511	503	439	539	524	528	496	517	507	494	546
Under 1 day	2,237	192	175	175	166	212	190	207	189	200	173	174	184
1 to 6 days	1,338	128	104	106	117	110	123	119	109	107	118	85	117
7 to 13 days	285	35	18	18	23	14	25	25	21	31	23	23	29
14 to 29 days	378	38	36	31	16	31	19	30	42	23	43	36	33
1 to 11 months	1,939	180	178	173	117	172	167	147	135	156	155	176	183
COLORADO													
Under 1 year	1,183	123	91	117	86	93	77	84	92	117	127	105	71
Under 1 day	332	26	25	36	23	25	38	36	23	28	24	32	10
1 to 6 days	240	24	20	16	16	18	16	14	24	21	26	26	19
7 to 13 days	49	9	8	2	2	4	1	-	2	7	4	3	7
14 to 29 days	70	6	6	4	8	7	4	3	5	10	10	4	3
1 to 11 months	492	58	32	59	37	39	18	31	38	51	63	40	26
CONNECTICUT													
Under 1 year	1,054	91	95	103	105	104	84	73	75	83	75	76	90
Under 1 day	359	26	27	36	30	35	34	26	27	40	25	28	30
1 to 6 days	269	20	27	24	32	29	23	18	19	14	21	18	24
7 to 13 days	57	2	10	6	4	4	4	5	6	5	2	3	6
14 to 29 days	60	6	11	4	5	7	3	4	2	5	4	6	3
1 to 11 months	309	37	20	33	34	29	20	20	21	19	23	26	27
DELAWARE													
Under 1 year	292	28	32	23	29	27	25	20	13	23	31	20	21
Under 1 day	74	8	1	6	9	14	7	10	1	6	4	3	5
1 to 6 days	47	2	4	6	5	1	6	2	2	5	5	2	7
7 to 13 days	21	1	4	-	3	3	2	1	2	-	2	-	3
14 to 29 days	34	4	7	3	2	3	5	2	1	3	2	2	-
1 to 11 months	116	13	16	8	10	6	5	5	7	9	18	13	6
DISTRICT OF COLUMBIA													
Under 1 year	706	55	45	62	51	65	55	65	51	76	58	54	69
Under 1 day	245	12	18	24	19	30	21	22	23	23	17	14	22
1 to 6 days	162	8	6	15	8	10	18	15	10	28	14	14	16
7 to 13 days	47	6	2	3	2	1	3	4	8	3	9	-	6
14 to 29 days	71	10	3	3	4	1	5	9	4	8	10	8	6
1 to 11 months	181	19	16	17	18	23	8	15	6	14	8	18	19

TABLE 26.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: UNITED STATES AND EACH STATE, 1944—Continued.

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
FLORIDA													
Under 1 year	2,202	210	167	185	163	157	192	203	182	180	168	187	208
Under 1 day	648	51	45	55	39	51	71	57	70	57	56	46	50
1 to 6 days	487	52	28	43	33	33	34	48	35	45	43	40	53
7 to 13 days	148	14	11	9	9	11	13	14	8	13	15	13	18
14 to 29 days	127	13	13	7	9	7	5	10	12	13	8	14	16
1 to 11 months	792	80	70	71	73	55	69	74	57	52	46	74	71
GEORGIA													
Under 1 year	3,407	334	274	277	287	241	282	283	284	290	282	245	328
Under 1 day	874	85	53	74	88	50	62	76	84	70	75	70	86
1 to 6 days	738	67	61	55	61	50	59	64	68	79	61	53	60
7 to 13 days	218	20	17	16	22	12	16	20	14	20	24	12	20
14 to 29 days	214	22	19	15	15	14	19	21	17	11	24	16	21
1 to 11 months	1,363	139	124	117	101	115	126	102	101	110	98	94	141
IDAHO													
Under 1 year	416	40	43	33	34	32	31	27	28	35	42	32	39
Under 1 day	135	9	12	9	13	11	13	8	13	14	12	11	10
1 to 6 days	99	11	8	2	11	8	8	5	9	4	17	3	13
7 to 13 days	21	2	2	3	-	1	2	-	1	2	1	5	2
14 to 29 days	19	1	2	2	-	1	1	2	1	4	1	4	-
1 to 11 months	142	17	19	17	10	11	7	12	4	11	11	9	14
ILLINOIS													
Under 1 year	4,602	435	382	466	377	361	340	350	384	358	387	369	398
Under 1 day	1,511	110	111	136	117	133	133	142	141	121	121	122	124
1 to 6 days	1,124	83	89	100	84	86	89	102	97	86	99	99	110
7 to 13 days	218	25	11	25	14	14	23	18	22	22	15	12	16
14 to 29 days	254	20	26	33	21	16	17	11	21	21	19	25	24
1 to 11 months	1,495	196	145	172	141	112	78	77	103	103	133	111	124
INDIANA													
Under 1 year	2,462	236	204	240	201	176	172	191	205	188	218	204	227
Under 1 day	640	72	43	59	47	56	55	59	48	40	64	39	58
1 to 6 days	581	33	40	52	43	44	49	48	62	53	52	59	46
7 to 13 days	149	10	12	15	8	7	12	20	10	16	14	6	19
14 to 29 days	162	13	23	15	12	3	6	11	17	19	16	17	10
1 to 11 months	930	108	86	99	91	66	50	53	68	60	72	83	94
IOWA													
Under 1 year	1,540	169	136	146	144	149	120	101	117	117	109	110	122
Under 1 day	510	47	43	35	44	44	44	42	47	43	42	40	39
1 to 6 days	392	38	34	34	36	37	32	34	34	33	28	26	26
7 to 13 days	75	8	6	9	3	9	4	5	4	11	3	7	6
14 to 29 days	98	13	7	18	6	6	10	8	8	5	4	6	7
1 to 11 months	465	63	46	50	55	53	30	12	24	25	32	31	44
KANSAS													
Under 1 year	1,163	121	75	109	91	102	92	88	96	81	105	98	105
Under 1 day	369	32	18	32	35	36	27	37	32	25	33	33	29
1 to 6 days	268	34	17	20	21	25	21	15	29	17	24	26	19
7 to 13 days	62	8	1	4	2	3	10	4	5	5	9	2	9
14 to 29 days	59	3	6	8	3	3	1	4	7	4	5	7	8
1 to 11 months	405	44	33	45	30	35	33	28	23	30	34	30	40
KENTUCKY													
Under 1 year	2,997	279	264	296	226	227	235	288	254	240	269	195	224
Under 1 day	717	50	43	73	55	76	88	62	60	52	55	49	54
1 to 6 days	591	47	47	59	60	57	51	51	42	44	53	36	44
7 to 13 days	182	19	28	17	16	13	9	12	18	13	16	10	11
14 to 29 days	225	23	28	30	13	14	9	11	18	23	17	13	26
1 to 11 months	1,282	140	118	117	82	67	78	152	116	108	128	87	89
LOUISIANA													
Under 1 year	2,824	282	239	223	192	246	230	251	227	223	214	248	254
Under 1 day	750	51	58	54	54	74	56	84	71	70	63	60	55
1 to 6 days	516	40	42	36	40	44	39	50	56	53	39	37	40
7 to 13 days	189	30	10	10	12	20	14	15	18	17	11	15	17
14 to 29 days	199	22	16	14	8	13	16	15	16	16	16	26	21
1 to 11 months	1,170	139	113	109	78	95	105	87	66	67	85	105	121
MAINE													
Under 1 year	829	81	71	79	94	70	64	59	73	64	75	40	59
Under 1 day	263	26	13	22	25	35	25	20	27	21	18	11	20
1 to 6 days	155	12	12	14	14	9	18	18	16	10	12	13	7
7 to 13 days	26	1	2	-	3	1	2	1	6	6	2	1	1
14 to 29 days	39	4	5	3	4	2	1	3	3	3	7	1	3
1 to 11 months	346	38	39	40	48	23	18	17	21	24	36	14	28

TABLE 26.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
MARYLAND													
Under 1 year	1,821	182	159	178	157	134	149	122	158	164	155	136	127
Under 1 day	489	36	32	42	52	45	53	42	43	46	33	28	37
1 to 6 days	364	32	27	40	28	35	39	32	25	32	27	33	14
7 to 13 days	115	17	13	7	11	6	7	7	12	8	10	5	12
14 to 29 days	136	14	11	12	12	4	8	7	14	15	18	14	7
1 to 11 months	717	83	76	77	54	44	42	34	64	63	67	56	57
MASSACHUSETTS													
Under 1 year	2,585	259	244	267	217	222	206	166	240	196	188	190	190
Under 1 day	876	69	85	85	68	78	70	57	94	82	62	66	60
1 to 6 days	610	61	49	59	34	59	59	48	69	43	45	41	43
7 to 13 days	125	15	19	11	8	6	9	11	11	7	12	8	8
14 to 29 days	152	9	12	12	16	8	11	6	21	11	12	19	15
1 to 11 months	822	105	79	100	91	71	57	44	45	53	57	56	64
MICHIGAN													
Under 1 year	4,343	457	374	398	361	363	324	330	320	334	387	345	355
Under 1 day	1,285	107	104	123	106	132	112	115	105	94	98	96	93
1 to 6 days	995	98	67	77	71	96	99	85	86	64	76	83	93
7 to 13 days	222	33	27	9	18	10	18	16	15	17	19	25	15
14 to 29 days	303	34	18	20	26	16	19	28	22	30	33	30	27
1 to 11 months	1,538	185	158	164	140	109	76	86	92	129	161	111	127
MINNESOTA													
Under 1 year	1,756	172	157	153	151	154	152	128	149	127	137	125	151
Under 1 day	642	47	52	46	51	61	68	44	61	59	52	43	58
1 to 6 days	375	39	26	33	28	34	34	33	29	21	31	28	39
7 to 13 days	66	5	5	7	3	6	6	5	8	8	3	4	5
14 to 29 days	95	6	5	9	9	7	10	11	13	6	5	7	7
1 to 11 months	578	75	69	58	60	46	34	34	38	33	46	43	42
MISSISSIPPI													
Under 1 year	2,513	277	205	216	183	184	195	210	191	205	201	218	228
Under 1 day	688	68	53	42	52	64	63	67	52	63	50	69	45
1 to 6 days	458	45	34	50	29	29	30	39	33	44	42	30	53
7 to 13 days	152	17	10	9	11	14	7	15	18	9	15	13	14
14 to 29 days	163	23	13	16	9	7	9	15	8	12	18	18	20
1 to 11 months	1,052	124	95	99	82	70	86	74	80	77	76	93	96
MISSOURI													
Under 1 year	2,558	221	210	203	210	197	203	199	236	228	209	215	227
Under 1 day	722	46	47	56	71	66	75	58	73	55	60	63	52
1 to 6 days	491	30	43	41	36	43	38	39	47	44	41	44	45
7 to 13 days	154	12	17	6	14	9	10	14	14	16	14	16	12
14 to 29 days	206	16	16	18	15	11	4	11	18	25	24	25	23
1 to 11 months	985	117	87	82	74	68	76	77	84	88	70	67	95
MONTANA													
Under 1 year	395	42	37	30	30	29	31	33	36	32	39	28	28
Under 1 day	122	16	7	7	11	6	12	15	14	12	9	5	8
1 to 6 days	85	7	10	9	10	6	6	7	7	4	9	5	5
7 to 13 days	15	3	1	-	-	-	2	2	1	-	1	4	1
14 to 29 days	15	1	-	2	1	-	1	1	1	2	5	1	-
1 to 11 months	158	15	19	12	8	17	10	8	13	14	15	13	14
NEBRASKA													
Under 1 year	810	63	57	65	64	87	64	57	85	57	68	71	72
Under 1 day	311	21	14	22	23	39	32	23	30	28	26	26	7
1 to 6 days	193	12	14	18	10	19	14	17	20	10	23	16	
7 to 13 days	25	3	1	2	-	5	1	3	3	2	1	3	
14 to 29 days	36	7	2	-	3	3	4	-	7	3	3	1	
1 to 11 months	245	20	26	23	28	21	13	14	25	14	15	25	
NEVADA													
Under 1 year	152	13	10	17	17	8	7	15	10	9	24	11	
Under 1 day	58	7	3	4	8	2	3	4	5	4	10	5	
1 to 6 days	41	3	3	7	5	1	2	5	3	2	3	5	
7 to 13 days	5	-	-	1	-	-	-	1	-	-	2		
14 to 29 days	5	1	1	-	1	-	-	1	-	1	-		
1 to 11 months	43	2	3	5	3	5	2	4	2	2	9		
NEW HAMPSHIRE													
Under 1 year	322	41	30	29	30	22	29	15	25	27	26		
Under 1 day	120	11	9	9	12	7	14	8	7	9	13		
1 to 6 days	53	9	6	4	2	5	3	2	6	9	2		
7 to 13 days	12	2	2	2	-	-	1	1	1	1	1		
14 to 29 days	18	2	1	1	-	3	1	1	2	1			
1 to 11 months	119	17	12	13	16	7	10	3	9	7			

TABLE 26.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
NEW JERSEY													
Under 1 year	2,593	228	201	216	224	228	229	215	224	200	212	218	198
Under 1 day	830	66	56	60	67	68	100	80	76	74	60	58	65
1 to 6 days	622	52	46	47	53	48	43	67	42	48	54	63	59
7 to 13 days	143	15	6	6	11	13	12	15	19	11	10	17	8
14 to 29 days	178	5	14	9	16	19	22	11	17	15	28	13	9
1 to 11 months	820	90	79	94	77	80	52	42	70	52	60	67	57
NEW MEXICO													
Under 1 year	1,389	90	88	100	93	108	101	119	158	180	137	127	93
Under 1 day	247	17	17	19	18	22	25	20	22	22	21	21	23
1 to 6 days	208	16	16	29	20	20	15	20	15	16	13	17	11
7 to 13 days	55	5	3	4	2	6	2	3	9	5	7	6	2
14 to 29 days	86	10	9	5	6	5	4	3	5	11	8	14	6
1 to 11 months	793	42	43	43	47	55	55	73	102	125	88	69	51
NEW YORK													
Under 1 year	7,585	625	558	642	694	655	582	624	648	598	696	579	639
Under 1 day	2,645	193	175	231	256	219	223	258	234	215	222	210	209
1 to 6 days	1,786	140	129	136	138	179	131	167	150	141	167	156	152
7 to 13 days	413	36	24	21	42	31	27	29	35	39	60	37	32
14 to 29 days	491	51	42	40	35	35	36	31	38	52	70	28	33
1 to 11 months	2,200	205	188	214	223	191	165	139	186	151	177	148	213
NORTH CAROLINA													
Under 1 year	4,115	416	367	356	306	283	376	336	333	320	335	314	373
Under 1 day	993	73	74	78	75	103	108	84	75	83	92	78	70
1 to 6 days	791	81	60	76	55	53	68	73	60	66	59	58	82
7 to 13 days	209	23	22	20	11	11	13	14	21	21	19	14	20
14 to 29 days	311	43	29	27	15	13	20	31	36	20	22	25	30
1 to 11 months	1,811	196	182	155	150	103	167	134	141	130	143	139	171
NORTH DAKOTA													
Under 1 year	479	48	35	39	54	38	43	36	21	42	40	37	46
Under 1 day	158	20	12	10	18	12	15	13	9	8	11	14	16
1 to 6 days	98	7	6	4	15	10	13	11	3	5	13	4	7
7 to 13 days	38	2	2	4	2	2	2	6	1	5	4	2	6
14 to 29 days	25	3	3	2	3	1	1	1	-	6	1	1	3
1 to 11 months	160	16	12	19	16	13	12	5	8	18	11	16	14
OHIO													
Under 1 year	5,147	467	422	472	479	384	349	436	424	476	457	373	408
Under 1 day	1,561	111	122	134	146	129	133	169	156	113	125	106	117
1 to 6 days	1,096	94	81	84	98	104	90	102	68	107	98	86	84
7 to 13 days	274	23	21	24	25	20	20	24	19	26	22	24	26
14 to 29 days	313	26	29	24	33	17	8	21	35	31	33	28	28
1 to 11 months	1,903	213	169	206	177	114	98	120	146	199	179	129	153
OKLAHOMA													
Under 1 year	1,923	199	135	152	123	157	148	161	184	167	173	163	161
Under 1 day	553	48	23	42	36	64	53	50	53	54	47	33	40
1 to 6 days	367	40	32	30	20	31	27	33	38	28	32	35	21
7 to 13 days	112	13	12	4	8	9	8	6	14	11	4	14	9
14 to 29 days	127	15	6	7	5	11	8	12	9	16	10	10	18
1 to 11 months	764	83	62	69	54	42	52	60	60	58	80	71	73
OREGON													
Under 1 year	736	80	76	79	61	59	44	61	60	44	50	60	62
Under 1 day	258	25	27	29	21	26	15	22	24	11	15	20	23
1 to 6 days	198	17	16	16	19	11	16	22	14	13	15	18	16
7 to 13 days	37	2	5	2	2	2	4	3	7	2	3	2	3
14 to 29 days	43	4	3	6	2	3	1	2	6	4	4	3	5
1 to 11 months	205	32	25	26	17	17	8	12	9	14	13	17	15
PENNSYLVANIA													
Under 1 year	7,136	686	548	681	637	563	537	574	594	606	575	562	573
Under 1 day	2,095	173	136	208	163	167	185	185	188	184	145	189	172
1 to 6 days	1,462	123	107	128	125	127	131	136	133	118	125	105	104
7 to 13 days	455	30	33	43	32	44	23	43	43	39	46	41	38
14 to 29 days	546	51	37	40	48	33	37	29	50	58	61	48	54
1 to 11 months	2,578	309	235	262	269	192	161	181	180	207	198	179	205
RHODE ISLAND													
Under 1 year	486	48	51	62	51	41	37	38	29	33	42	29	25
Under 1 day	152	9	14	18	15	16	12	15	12	10	14	10	7
1 to 6 days	108	12	3	12	9	8	6	10	9	7	14	11	7
7 to 13 days	19	-	-	-	1	6	4	-	2	2	1	2	1
14 to 29 days	35	4	5	6	4	1	2	-	3	6	3	1	-
1 to 11 months	172	23	29	26	22	10	13	13	3	8	10	5	10

TABLE 26.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
SOUTH CAROLINA													
Under 1 year	2,828	293	287	222	193	199	263	219	222	225	250	206	249
Under 1 day	632	46	54	65	49	52	65	49	48	52	67	38	47
1 to 6 days	607	60	60	55	42	34	51	43	55	57	42	50	58
7 to 13 days	132	12	13	5	13	10	6	12	5	12	16	13	15
14 to 29 days	172	26	19	15	11	8	10	10	13	16	17	16	11
1 to 11 months	1,285	149	141	82	78	95	131	105	101	88	108	89	118
SOUTH DAKOTA													
Under 1 year	445	53	46	40	36	41	46	36	27	24	26	27	43
Under 1 day	111	8	12	11	4	11	12	12	7	10	8	6	10
1 to 6 days	111	13	9	9	9	11	16	9	10	3	4	6	12
7 to 13 days	25	4	3	1	2	1	3	3	3	3	-	1	1
14 to 29 days	24	8	-	-	1	1	3	3	-	3	1	2	2
1 to 11 months	174	20	22	19	20	17	12	9	7	5	13	12	18
TENNESSEE													
Under 1 year	3,106	309	257	289	237	218	253	272	269	251	267	228	256
Under 1 day	834	67	72	72	62	74	86	75	84	62	67	56	57
1 to 6 days	578	50	52	56	60	50	41	45	50	51	39	45	39
7 to 13 days	169	15	17	17	16	15	5	15	9	17	11	14	18
14 to 29 days	228	30	14	20	12	13	19	23	16	16	20	20	25
1 to 11 months	1,297	147	102	124	87	66	102	114	110	105	130	93	117
TEXAS													
Under 1 year	8,354	733	595	626	633	739	820	821	670	611	708	694	710
Under 1 day	1,748	142	115	120	136	161	189	161	151	161	155	119	138
1 to 6 days	1,740	124	130	107	114	128	164	174	186	169	154	137	153
7 to 13 days	457	35	37	33	35	34	33	41	42	32	60	37	37
14 to 29 days	416	50	39	35	28	30	26	26	34	27	37	42	42
1 to 11 months	3,993	381	274	331	320	380	408	419	257	222	302	359	340
UTAH													
Under 1 year	548	42	39	54	45	47	43	44	52	36	50	43	53
Under 1 day	181	11	11	10	10	27	16	19	15	15	18	13	16
1 to 6 days	150	13	13	18	15	5	10	16	18	6	12	12	12
7 to 13 days	32	3	3	1	2	1	4	1	5	2	4	3	3
14 to 29 days	33	1	-	4	2	5	3	1	4	3	3	2	5
1 to 11 months	152	14	12	21	16	9	10	7	10	10	13	13	17
VERMONT													
Under 1 year	277	12	25	30	26	24	15	20	29	21	31	21	23
Under 1 day	107	4	6	11	14	6	8	12	12	6	10	8	10
1 to 6 days	50	3	3	8	7	4	2	2	3	3	7	5	3
7 to 13 days	11	-	-	1	1	1	1	-	-	-	5	1	1
14 to 29 days	13	2	1	-	-	2	-	-	5	2	-	-	1
1 to 11 months	96	3	15	10	4	11	4	6	9	10	9	7	8
VIRGINIA													
Under 1 year	3,261	328	275	291	255	230	249	281	250	275	315	252	260
Under 1 day	921	82	55	90	79	86	83	88	68	81	85	55	69
1 to 6 days	646	64	57	58	45	49	62	50	54	54	48	65	40
7 to 13 days	185	26	17	14	6	12	15	14	13	16	20	15	19
14 to 29 days	233	22	19	17	21	14	11	13	22	18	25	21	30
1 to 11 months	1,276	134	127	112	104	69	80	116	93	106	137	96	102
WASHINGTON													
Under 1 year	1,506	121	114	138	141	130	119	100	116	99	161	150	117
Under 1 day	463	34	34	49	48	49	32	29	46	29	45	36	32
1 to 6 days	348	21	18	33	34	34	43	28	31	15	37	36	18
7 to 13 days	96	4	5	7	13	5	4	3	7	16	10	13	9
14 to 29 days	97	7	9	7	6	6	2	11	3	9	14	13	10
1 to 11 months	502	55	48	42	40	36	38	29	29	30	55	52	48
WEST VIRGINIA													
Under 1 year	2,149	174	200	190	154	113	147	192	224	203	200	164	188
Under 1 day	458	37	49	42	42	43	40	40	36	27	26	36	40
1 to 6 days	394	38	32	41	31	28	38	33	37	29	24	27	35
7 to 13 days	133	12	12	19	7	1	5	11	18	9	15	15	9
14 to 29 days	198	19	25	20	11	3	7	14	13	21	22	16	27
1 to 11 months	966	68	82	68	63	38	57	94	120	117	113	70	76
WISCONSIN													
Under 1 year	1,972	173	180	212	179	171	150	160	129	147	138	163	170
Under 1 day	522	44	44	52	53	62	52	60	51	48	55	50	51
1 to 6 days	503	39	47	48	40	38	49	50	36	43	37	35	41
7 to 13 days	76	4	8	8	3	3	6	6	7	6	4	12	9
14 to 29 days	103	13	11	5	11	9	9	11	8	8	4	7	12
1 to 11 months	668	73	70	99	72	59	34	33	32	42	38	59	57
WYOMING													
Under 1 year	232	17	16	17	17	21	15	15	18	17	29	27	23
Under 1 day	76	11	4	4	6	8	6	4	7	7	10	8	1
1 to 6 days	33	1	5	3	3	4	2	2	-	1	2	5	5
7 to 13 days	17	-	-	1	2	1	1	3	1	-	3	2	3
14 to 29 days	14	-	1	-	-	3	2	1	1	-	1	4	1
1 to 11 months	92	5	6	9	6	5	4	5	9	9	13	8	13

TABLE 27.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1944

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	WHITE			NONWHITE		
		Total	Male	Female	Total	Male	Female
UNITED STATES							
Under 1 year	111,127	90,807	51,997	38,610	20,520	11,267	9,253
Under 1 month	68,996	57,932	33,598	24,334	11,064	6,193	4,871
Alabama							
Under 1 year	3,389	1,853	1,035	818	1,536	873	663
Under 1 month	2,024	1,178	646	532	846	502	344
Arizona							
Under 1 year	979	684	392	292	295	163	132
Under 1 month	445	344	206	138	101	60	41
Arkansas							
Under 1 year	1,433	1,019	561	458	414	220	194
Under 1 month	797	624	343	281	173	100	73
California							
Under 1 year	6,177	5,793	3,390	2,403	384	238	146
Under 1 month	4,238	3,998	2,351	1,647	240	149	91
Colorado							
Under 1 year	1,183	1,163	647	516	20	13	7
Under 1 month	691	680	388	292	11	7	4
Connecticut							
Under 1 year	1,054	1,005	549	456	49	22	27
Under 1 month	745	712	388	324	33	15	18
Delaware							
Under 1 year	292	220	119	101	72	37	35
Under 1 month	176	141	83	58	35	20	15
District of Columbia							
Under 1 year	706	347	204	143	359	189	170
Under 1 month	525	260	153	107	265	141	124
Florida							
Under 1 year	2,202	1,389	798	591	813	451	362
Under 1 month	1,410	938	558	380	472	267	205
Georgia							
Under 1 year	3,407	1,779	990	789	1,628	905	723
Under 1 month	2,039	1,121	626	495	918	528	390
Idaho							
Under 1 year	416	396	228	168	20	9	11
Under 1 month	274	266	155	111	8	4	4
Illinois							
Under 1 year	4,602	4,136	2,396	1,740	466	266	200
Under 1 month	3,107	2,853	1,682	1,171	274	157	117
Indiana							
Under 1 year	2,462	2,303	1,338	965	159	77	82
Under 1 month	1,532	1,442	871	571	90	43	47
Iowa							
Under 1 year	1,540	1,523	879	644	17	11	6
Under 1 month	1,075	1,066	605	461	9	5	4
Kansas							
Under 1 year	1,163	1,097	635	462	66	45	21
Under 1 month	758	725	433	292	33	19	14
Kentucky							
Under 1 year	2,997	2,745	1,549	1,196	252	138	114
Under 1 month	1,715	1,594	913	681	121	66	55
Louisiana							
Under 1 year	2,824	1,318	763	555	1,506	857	649
Under 1 month	1,654	822	481	341	832	474	358
Maine							
Under 1 year	829	823	446	377	6	4	2
Under 1 month	483	479	263	216	4	2	2
Maryland							
Under 1 year	1,821	1,247	714	533	574	301	273
Under 1 month	1,104	796	474	322	308	152	156
Massachusetts							
Under 1 year	2,585	2,510	1,415	1,095	75	40	35
Under 1 month	1,763	1,721	974	747	42	25	17
Michigan							
Under 1 year	4,343	4,013	2,274	1,739	330	171	159
Under 1 month	2,805	2,590	1,471	1,119	215	107	108
Minnesota							
Under 1 year	1,756	1,716	1,001	715	40	26	14
Under 1 month	1,178	1,173	685	488	5	4	1
Mississippi							
Under 1 year	2,513	995	571	424	1,518	799	719
Under 1 month	1,461	680	383	297	781	407	374
Missouri							
Under 1 year	2,558	2,234	1,252	982	324	173	151
Under 1 month	1,573	1,377	787	590	196	110	86
Montana							
Under 1 year	395	316	184	132	79	50	29
Under 1 month	237	218	123	95	19	15	4
Nebraska							
Under 1 year	810	774	444	330	36	21	15
Under 1 month	565	550	322	228	15	10	5
Nevada							
Under 1 year	152	139	86	53	13	3	10
Under 1 month	109	108	67	41	1	-	1
New Hampshire							
Under 1 year	322	321	187	134	1	1	-
Under 1 month	203	203	119	84	-	-	-
New Jersey							
Under 1 year	2,593	2,258	1,280	978	335	191	144
Under 1 month	1,773	1,563	876	687	210	110	100
New Mexico							
Under 1 year	1,389	1,215	728	487	174	87	87
Under 1 month	596	531	343	188	65	39	26
New York							
Under 1 year	7,555	6,821	3,958	2,863	714	406	308
Under 1 month	5,335	4,857	2,831	2,026	478	268	210
North Carolina							
Under 1 year	4,115	2,425	1,420	1,005	1,690	917	773
Under 1 month	2,304	1,444	870	574	860	478	382
North Dakota							
Under 1 year	479	452	270	182	27	11	16
Under 1 month	319	311	181	130	8	4	4
Ohio							
Under 1 year	5,147	4,689	2,631	2,058	458	260	198
Under 1 month	3,244	2,975	1,689	1,286	269	157	112
Oklahoma							
Under 1 year	1,923	1,598	926	672	325	167	158
Under 1 month	1,159	1,019	593	426	140	70	70
Oregon							
Under 1 year	736	705	398	307	31	20	11
Under 1 month	531	521	294	227	10	6	4
Pennsylvania							
Under 1 year	7,136	6,350	3,614	2,736	786	450	336
Under 1 month	4,558	4,117	2,316	1,801	441	255	186
Rhode Island							
Under 1 year	486	470	280	190	16	7	9
Under 1 month	314	308	187	121	6	4	2
South Carolina							
Under 1 year	2,828	1,274	741	533	1,554	822	732
Under 1 month	1,543	784	475	309	759	413	346
South Dakota							
Under 1 year	445	368	214	154	77	33	44
Under 1 month	271	251	156	95	20	10	10
Tennessee							
Under 1 year	3,106	2,484	1,369	1,115	622	354	268
Under 1 month	1,809	1,478	831	647	331	197	134
Texas							
Under 1 year	8,354	7,156	4,130	3,026	1,198	648	552
Under 1 month	4,361	3,708	2,259	1,449	653	366	287
Utah							
Under 1 year	548	530	320	210	18	11	7
Under 1 month	396	384	230	154	12	8	4
Vermont							
Under 1 year	277	277	167	110	-	-	-
Under 1 month	181	181	109	72	-	-	-
Virginia							
Under 1 year	3,261	2,169	1,245	924	1,092	583	509
Under 1 month	1,985	1,408	790	618	577	315	262
Washington							
Under 1 year	1,506	1,397	857	540	109	66	43
Under 1 month	1,004	957	595	362	47	32	15
West Virginia							
Under 1 year	2,149	1,997	1,170	827	152	82	70
Under 1 month	1,185	1,099	660	439	84	45	39
Wisconsin							
Under 1 year	1,972	1,909	1,121	788	63	35	28
Under 1 month	1,304	1,272	714	558	32	17	15
Wyoming							
Under 1 year	232	205	111	94	27	16	11
Under 1 month	140	125	69	56	15	8	7

TABLE 28.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1944

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITAL		MATERNITY HOSPITAL		CHILDREN'S HOSPITAL		OTHER HOSPITALS AND INSTITUTIONS	
		White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
UNITED STATES													
Under 1 year	111,127	90,607	20,520	28,861	12,596	56,176	7,281	1,557	100	2,077	344	1,936	199
Under 1 day	32,052	27,569	4,483	5,141	2,177	20,859	2,158	787	59	97	38	705	51
1 to 6 days	23,718	19,872	3,846	3,600	2,197	15,105	1,551	497	24	249	37	421	37
7 to 13 days	6,024	4,769	1,255	1,420	794	3,029	425	87	5	141	21	92	10
14 to 29 days	7,202	5,722	1,480	2,026	881	3,276	538	95	7	242	42	85	12
1 to 11 months	42,131	32,675	9,456	16,674	6,547	13,927	2,609	91	5	1,348	206	635	89
ALABAMA													
Under 1 year	3,389	1,853	1,536	927	1,246	839	273	10	12	48	2	29	5
Under 1 day	898	561	335	227	234	319	92	3	6	4	2	8	1
1 to 6 days	730	419	311	166	255	232	51	3	5	6	-	12	-
7 to 13 days	178	86	92	52	78	32	13	1	-	1	-	-	1
14 to 29 days	220	112	108	69	94	37	13	2	-	2	-	2	1
1 to 11 months	1,365	675	690	413	585	219	104	1	1	35	-	7	-
ARIZONA													
Under 1 year	979	684	295	281	133	384	144	24	2	-	-	35	16
Under 1 day	190	156	34	23	7	107	25	13	2	-	-	13	-
1 to 6 days	152	120	32	23	17	73	14	10	-	-	-	14	1
7 to 13 days	39	25	14	7	6	15	8	1	-	-	-	2	2
14 to 29 days	64	43	21	19	10	23	10	-	-	-	-	1	1
1 to 11 months	534	340	194	189	93	146	89	-	-	-	-	5	12
ARKANSAS													
Under 1 year	1,433	1,019	414	547	354	419	59	-	-	24	-	29	1
Under 1 day	344	283	61	134	40	142	21	-	-	-	-	7	-
1 to 6 days	273	213	60	94	56	106	3	-	-	2	-	11	1
7 to 13 days	86	62	24	40	22	20	2	-	-	1	-	1	-
14 to 29 days	94	66	28	35	22	28	6	-	-	2	-	1	-
1 to 11 months	636	395	241	244	214	123	27	-	-	19	-	9	-
CALIFORNIA													
Under 1 year	6,177	5,793	384	959	76	4,312	288	128	1	138	6	256	13
Under 1 day	2,237	2,116	121	107	9	1,814	106	62	-	4	-	129	6
1 to 6 days	1,338	1,265	73	53	7	1,094	63	38	1	16	-	64	2
7 to 13 days	285	271	14	36	2	200	11	16	-	13	1	6	-
14 to 29 days	378	346	32	79	5	237	26	9	-	12	-	9	1
1 to 11 months	1,939	1,795	144	684	53	967	82	3	-	93	5	48	4
COLORADO													
Under 1 year	1,183	1,163	20	463	6	648	11	1	-	55	3	16	-
Under 1 day	332	327	5	65	1	256	4	-	-	1	-	5	-
1 to 6 days	240	236	4	50	2	169	1	1	-	9	1	7	-
7 to 13 days	49	49	-	14	-	30	-	-	-	5	-	-	-
14 to 29 days	70	68	2	33	1	31	1	-	-	4	-	-	-
1 to 11 months	492	483	9	301	2	162	5	-	-	16	2	4	-
CONNECTICUT													
Under 1 year	1,054	1,005	49	122	11	842	38	6	-	2	-	33	-
Under 1 day	359	340	19	9	1	326	18	3	-	-	-	2	-
1 to 6 days	269	265	4	-	-	261	4	1	-	1	-	2	-
7 to 13 days	57	54	3	1	-	53	3	-	-	-	-	-	-
14 to 29 days	60	53	7	7	2	44	5	1	-	1	-	1	-
1 to 11 months	309	293	16	105	8	158	8	1	-	1	-	28	-
DELAWARE													
Under 1 year	292	220	72	51	38	168	34	-	-	1	-	-	-
Under 1 day	74	55	19	7	8	48	11	-	-	-	-	-	-
1 to 6 days	47	37	10	5	4	32	6	-	-	-	-	-	-
7 to 13 days	21	17	4	2	-	15	4	-	-	-	-	-	-
14 to 29 days	34	32	2	7	1	25	1	-	-	-	-	-	-
1 to 11 months	116	79	37	30	25	48	12	-	-	1	-	-	-
DISTRICT OF COLUMBIA													
Under 1 year	706	347	359	38	39	235	261	17	12	54	47	5	-
Under 1 day	245	144	101	8	12	120	80	14	8	1	1	1	-
1 to 6 days	162	79	83	2	2	73	75	2	3	2	3	-	-
7 to 13 days	47	17	30	1	1	9	29	1	-	6	-	-	-
14 to 29 days	71	20	51	2	4	12	40	-	1	5	6	1	-
1 to 11 months	181	87	94	25	20	21	37	-	-	40	37	3	-
FLORIDA													
Under 1 year	2,202	1,389	813	350	580	984	216	10	-	1	-	44	17
Under 1 day	648	465	183	84	117	358	61	4	-	-	-	19	5
1 to 6 days	487	321	166	47	119	259	41	4	-	-	-	11	6
7 to 13 days	148	83	65	18	49	83	16	-	-	-	-	2	-
14 to 29 days	127	69	58	18	46	49	12	1	-	-	-	1	-
1 to 11 months	792	451	341	183	249	255	86	1	-	1	-	11	6

TABLE 28.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITAL		MATERNITY HOSPITAL		CHILDREN'S HOSPITAL		OTHER HOSPITALS AND INSTITUTIONS	
		White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
GEORGIA													
Under 1 year	3,407	1,779	1,628	766	1,277	951	341	2	-	41	1	39	9
Under 1 day	874	531	343	148	245	355	95	2	-	3	-	23	3
1 to 6 days	738	401	337	132	273	256	62	-	-	5	-	8	2
7 to 13 days	213	91	122	47	98	41	24	-	-	2	-	1	-
14 to 29 days	214	98	116	57	88	37	28	-	-	4	-	-	-
1 to 11 months	1,368	658	710	382	573	242	132	-	-	27	1	7	4
IDAHO													
Under 1 year	416	396	20	113	3	255	17	2	-	-	-	26	-
Under 1 day	155	150	5	17	-	98	5	1	-	-	-	14	-
1 to 6 days	99	96	3	10	-	81	3	-	-	-	-	5	-
7 to 13 days	21	21	-	7	-	13	-	-	-	-	-	1	-
14 to 29 days	19	19	-	4	-	11	-	1	-	-	-	3	-
1 to 11 months	142	130	12	75	3	52	9	-	-	-	-	3	-
ILLINOIS													
Under 1 year	4,602	4,136	466	886	130	3,017	325	87	1	89	1	77	9
Under 1 day	1,511	1,396	115	137	18	1,205	97	48	1	-	-	6	1
1 to 6 days	1,124	1,005	119	68	18	894	100	29	-	5	1	9	-
7 to 13 days	218	204	14	37	4	160	10	3	-	4	-	-	-
14 to 29 days	254	228	26	75	6	156	20	3	-	10	-	4	-
1 to 11 months	1,495	1,303	192	549	86	622	98	4	-	70	-	58	8
INDIANA													
Under 1 year	2,462	2,303	159	797	77	1,381	78	34	-	77	3	14	1
Under 1 day	640	612	28	126	13	464	14	16	-	1	-	5	1
1 to 6 days	581	543	38	98	11	418	27	15	-	8	-	4	-
7 to 13 days	149	136	13	33	4	95	9	1	-	9	-	-	-
14 to 29 days	162	151	11	61	6	82	4	1	-	7	1	-	-
1 to 11 months	930	861	69	479	43	324	24	1	-	52	2	5	-
IOWA													
Under 1 year	1,540	1,523	17	388	7	1,125	8	6	2	3	-	53	-
Under 1 day	510	507	3	66	-	419	3	2	-	-	-	20	-
1 to 6 days	392	389	3	40	-	328	2	2	1	1	-	18	-
7 to 13 days	75	74	1	9	1	62	-	1	-	-	-	2	-
14 to 29 days	98	96	2	21	1	71	-	-	1	1	-	3	-
1 to 11 months	465	457	8	202	5	243	3	1	-	1	-	10	-
KANSAS													
Under 1 year	1,165	1,097	68	270	34	801	31	-	1	3	-	23	-
Under 1 day	369	350	19	48	7	296	11	-	1	-	-	6	-
1 to 6 days	288	280	8	30	4	223	4	-	-	-	-	7	-
7 to 13 days	62	59	3	12	2	42	1	-	-	-	-	5	-
14 to 29 days	59	56	3	18	2	37	1	-	-	-	-	1	-
1 to 11 months	405	372	33	162	19	203	14	-	-	3	-	4	-
KENTUCKY													
Under 1 year	2,997	2,745	252	1,768	187	862	65	8	-	87	-	20	-
Under 1 day	717	671	46	369	28	286	18	6	-	2	-	8	-
1 to 6 days	591	552	39	298	26	238	13	1	-	13	-	4	-
7 to 13 days	182	165	19	109	15	44	4	-	-	10	-	-	-
14 to 29 days	225	208	17	135	11	60	6	-	-	12	-	1	-
1 to 11 months	1,282	1,151	131	859	107	234	24	1	-	50	-	7	-
LOUISIANA													
Under 1 year	2,824	1,318	1,506	384	879	891	619	2	-	1	-	40	8
Under 1 day	750	420	330	67	159	335	170	-	-	-	-	18	1
1 to 6 days	516	251	265	37	138	206	125	-	-	-	-	8	2
7 to 13 days	189	80	109	25	63	49	46	1	-	-	-	5	-
14 to 29 days	199	71	128	25	62	45	64	-	-	1	-	-	2
1 to 11 months	1,170	496	674	230	457	256	214	1	-	-	-	9	3
MAINE													
Under 1 year	829	823	6	318	1	467	4	6	-	20	-	12	1
Under 1 day	265	265	-	47	-	210	-	2	-	-	-	4	-
1 to 6 days	155	152	3	34	1	109	1	4	-	1	-	4	1
7 to 13 days	26	26	-	10	-	15	-	-	-	-	-	1	-
14 to 29 days	39	38	1	20	-	18	1	-	-	-	-	-	-
1 to 11 months	346	344	2	207	-	115	2	-	-	19	-	3	-
MARYLAND													
Under 1 year	1,821	1,247	574	374	275	820	284	12	-	26	9	15	6
Under 1 day	489	376	113	78	49	288	63	8	-	-	-	2	1
1 to 6 days	364	259	105	39	39	213	65	2	-	2	-	3	1
7 to 13 days	115	77	38	17	14	58	23	1	-	1	1	-	-
14 to 29 days	136	84	52	26	19	51	33	1	-	5	-	1	-
1 to 11 months	717	451	266	214	154	210	100	-	-	18	8	9	4

TABLE 28.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITAL		MATERNITY HOSPITAL		CHILDREN'S HOSPITAL		OTHER HOSPITALS AND INSTITUTIONS	
		White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
MASSACHUSETTS													
Under 1 year	2,585	2,510	75	377	16	1,733	50	142	9	215	-	43	-
Under 1 day	876	854	22	42	3	717	16	74	3	13	-	8	-
1 to 6 days	610	599	11	14	1	476	7	52	3	50	-	7	-
7 to 13 days	125	120	5	13	-	77	4	10	1	18	-	2	-
14 to 29 days	152	148	4	19	2	87	1	4	1	29	-	9	-
1 to 11 months	822	789	33	289	10	376	22	2	1	105	-	17	-
MICHIGAN													
Under 1 year	4,343	4,013	330	941	63	2,691	147	35	1	213	108	133	11
Under 1 day	1,285	1,183	102	166	12	955	67	15	-	15	19	52	4
1 to 6 days	995	932	63	85	8	778	38	11	1	30	14	28	2
7 to 13 days	222	198	24	25	-	147	9	4	-	15	14	7	1
14 to 29 days	305	277	28	60	5	173	4	4	-	34	17	6	-
1 to 11 months	1,538	1,423	115	605	38	658	29	1	-	119	44	40	4
MINNESOTA													
Under 1 year	1,756	1,716	40	547	20	1,278	19	20	-	21	1	50	-
Under 1 day	642	640	2	56	-	545	2	8	-	3	-	28	-
1 to 6 days	375	372	3	27	1	327	2	8	-	-	-	10	-
7 to 13 days	66	66	-	9	-	54	-	1	-	-	-	2	-
14 to 29 days	95	95	-	29	-	59	-	1	-	4	-	2	-
1 to 11 months	578	543	35	226	19	293	15	2	-	14	1	8	-
MISSISSIPPI													
Under 1 year	2,513	995	1,518	422	1,343	548	171	4	-	-	-	21	4
Under 1 day	688	350	338	111	288	222	50	3	-	-	-	14	-
1 to 6 days	458	211	247	85	210	123	35	-	-	-	-	3	2
7 to 13 days	152	57	95	32	84	24	10	-	-	-	-	1	1
14 to 29 days	163	62	101	34	96	28	5	-	-	-	-	-	-
1 to 11 months	1,052	315	737	160	665	151	71	1	-	-	-	3	1
MISSOURI													
Under 1 year	2,558	2,234	324	871	134	1,180	178	65	4	70	4	50	4
Under 1 day	722	627	95	167	22	419	69	26	4	1	-	14	-
1 to 6 days	491	441	50	128	18	280	31	18	-	10	1	5	-
7 to 13 days	154	125	29	51	13	64	16	4	-	2	-	4	-
14 to 29 days	206	184	22	77	4	90	17	11	-	4	1	2	-
1 to 11 months	985	857	128	448	77	527	45	4	-	53	2	25	4
MONTANA													
Under 1 year	395	316	79	60	44	248	35	1	-	-	-	7	-
Under 1 day	122	115	7	10	1	103	6	-	-	-	-	2	-
1 to 6 days	85	80	5	4	-	75	5	-	-	-	-	1	-
7 to 13 days	15	13	2	1	1	12	1	-	-	-	-	-	-
14 to 29 days	15	10	5	2	4	8	1	-	-	-	-	-	-
1 to 11 months	158	98	60	43	38	50	22	1	-	-	-	4	-
NEBRASKA													
Under 1 year	810	774	36	177	13	586	23	2	-	5	-	24	-
Under 1 day	311	305	6	48	-	245	6	2	-	-	-	10	-
1 to 6 days	193	187	6	19	1	161	5	-	-	1	-	6	-
7 to 13 days	25	23	2	7	1	15	1	-	-	-	-	1	-
14 to 29 days	36	35	1	9	-	24	1	-	-	1	-	1	-
1 to 11 months	245	224	21	94	11	121	10	-	-	3	-	6	-
NEVADA													
Under 1 year	152	139	13	15	8	108	5	-	-	1	-	15	-
Under 1 day	58	57	1	4	-	43	1	-	-	-	-	10	-
1 to 6 days	41	41	-	-	-	37	-	-	-	1	-	3	-
7 to 13 days	5	5	-	-	-	5	-	-	-	-	-	-	-
14 to 29 days	5	5	-	1	-	4	-	-	-	-	-	-	-
1 to 11 months	43	31	12	10	8	19	4	-	-	-	-	2	-
NEW HAMPSHIRE													
Under 1 year	322	321	1	63	-	234	1	11	-	8	-	5	-
Under 1 day	120	120	-	4	-	110	-	6	-	-	-	-	-
1 to 6 days	53	53	-	4	-	41	-	5	-	1	-	2	-
7 to 13 days	12	12	-	1	-	11	-	-	-	-	-	-	-
14 to 29 days	18	18	-	5	-	12	-	-	-	1	-	-	-
1 to 11 months	119	118	1	49	-	60	1	-	-	6	-	3	-
NEW JERSEY													
Under 1 year	2,593	2,258	335	312	74	1,714	228	153	16	40	9	39	8
Under 1 day	830	725	105	56	16	584	74	77	14	-	-	8	1
1 to 6 days	622	553	69	22	5	468	62	54	-	3	-	6	2
7 to 13 days	143	134	9	16	1	110	7	5	-	1	-	2	1
14 to 29 days	178	151	27	21	3	114	22	9	2	6	-	1	-
1 to 11 months	820	695	125	197	49	438	63	8	-	30	9	22	4

TABLE 28.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITAL		MATERNITY HOSPITAL		CHILDREN'S HOSPITAL		OTHER HOSPITALS AND INSTITUTIONS	
		White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
NEW MEXICO													
Under 1 year	1,389	1,215	174	741	58	451	115	-	-	-	-	43	1
Under 1 day	247	227	20	98	6	119	14	-	-	-	-	12	-
1 to 6 days	208	182	26	82	14	90	12	-	-	-	-	10	-
7 to 13 days	55	42	13	22	6	17	7	-	-	-	-	3	-
14 to 29 days	86	80	6	48	3	29	3	-	-	-	-	3	-
1 to 11 months	793	684	109	493	29	176	79	-	-	-	-	15	1
NEW YORK													
Under 1 year	7,535	6,821	714	913	103	5,309	579	307	9	144	10	148	13
Under 1 day	2,645	2,393	252	137	20	2,051	228	150	2	19	-	36	2
1 to 6 days	1,786	1,626	160	44	11	1,446	141	89	2	22	5	25	1
7 to 13 days	413	389	24	39	2	313	21	18	1	14	-	5	-
14 to 29 days	491	449	42	58	7	355	31	18	1	14	2	6	1
1 to 11 months	2,200	1,964	236	635	63	1,148	158	32	3	75	3	76	9
NORTH CAROLINA													
Under 1 year	4,115	2,425	1,690	1,089	1,271	1,276	408	2	1	23	-	35	10
Under 1 day	993	687	306	208	206	458	98	-	1	-	-	21	3
1 to 6 days	791	483	308	136	208	340	97	1	-	3	-	3	3
7 to 13 days	209	98	111	49	90	47	21	-	-	-	-	2	-
14 to 29 days	311	176	135	102	105	71	29	-	-	3	-	-	1
1 to 11 months	1,811	981	830	594	662	360	165	1	-	17	-	9	3
NORTH DAKOTA													
Under 1 year	479	452	27	128	10	310	17	-	-	-	-	14	-
Under 1 day	158	154	4	27	2	120	2	-	-	-	-	7	-
1 to 6 days	98	95	3	16	-	76	3	-	-	-	-	3	-
7 to 13 days	38	38	-	8	-	28	-	-	-	-	-	2	-
14 to 29 days	25	24	1	12	-	11	1	-	-	-	-	1	-
1 to 11 months	160	141	19	65	8	75	11	-	-	-	-	1	-
OHIO													
Under 1 year	5,147	4,689	458	1,389	161	2,952	252	145	8	185	36	18	1
Under 1 day	1,561	1,440	121	232	29	1,109	79	84	6	11	7	4	-
1 to 6 days	1,096	1,001	95	149	21	790	68	38	2	16	4	8	-
7 to 13 days	274	251	23	69	6	166	16	6	-	10	1	-	-
14 to 29 days	313	283	30	103	9	153	18	6	-	19	2	-	1
1 to 11 months	1,903	1,714	189	836	96	734	71	9	-	129	22	6	-
OKLAHOMA													
Under 1 year	1,923	1,598	325	629	226	925	97	2	-	2	-	40	2
Under 1 day	553	511	42	169	22	321	18	-	-	-	-	21	2
1 to 6 days	367	319	48	96	36	212	12	-	-	-	-	11	-
7 to 13 days	112	87	25	41	18	45	7	-	-	-	-	1	-
14 to 29 days	127	102	25	35	18	65	7	1	-	-	-	1	-
1 to 11 months	764	579	185	288	132	282	53	1	-	2	-	6	-
OREGON													
Under 1 year	736	705	31	106	14	515	11	3	-	47	1	34	5
Under 1 day	258	254	4	9	-	230	2	2	-	1	-	12	2
1 to 6 days	193	188	5	3	2	173	3	1	-	2	-	9	-
7 to 13 days	37	37	-	2	-	29	-	-	-	2	-	4	-
14 to 29 days	43	42	1	12	-	25	1	-	-	5	-	-	-
1 to 11 months	205	184	21	80	12	58	5	-	-	37	1	9	3
PENNSYLVANIA													
Under 1 year	7,136	6,350	786	1,650	172	4,358	540	100	15	179	56	63	3
Under 1 day	2,095	1,879	216	330	43	1,468	161	49	8	7	4	25	-
1 to 6 days	1,462	1,327	135	177	14	1,106	115	20	3	10	2	14	1
7 to 13 days	455	414	41	81	9	330	28	8	3	7	1	8	-
14 to 29 days	546	497	49	125	6	335	35	14	1	21	7	4	-
1 to 11 months	2,578	2,233	345	959	100	1,119	201	9	-	134	42	12	2
RHODE ISLAND													
Under 1 year	486	470	16	100	3	262	6	92	5	-	-	16	2
Under 1 day	152	149	3	18	-	90	1	40	2	-	-	1	-
1 to 6 days	108	105	3	3	-	58	-	43	3	-	-	1	-
7 to 13 days	19	19	-	1	-	15	-	3	-	-	-	-	-
14 to 29 days	35	35	-	7	-	23	-	4	-	-	-	1	-
1 to 11 months	172	162	10	71	3	76	5	2	-	-	-	13	2
SOUTH CAROLINA													
Under 1 year	2,828	1,274	1,554	568	1,277	692	268	1	1	1	-	12	8
Under 1 day	632	356	276	106	200	243	72	1	1	-	-	6	3
1 to 6 days	607	295	312	104	261	188	50	-	-	-	-	3	1
7 to 13 days	132	64	68	34	57	30	11	-	-	-	-	-	-
14 to 29 days	172	69	103	39	85	30	17	-	-	-	-	-	1
1 to 11 months	1,285	490	795	285	674	201	118	-	-	1	-	3	3

TABLE 28.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1944—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITAL		MATERNITY HOSPITAL		CHILDREN'S HOSPITAL		OTHER HOSPITALS AND INSTITUTIONS	
		White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
SOUTH DAKOTA													
Under 1 year	445	368	77	111	43	242	34	-	-	-	-	15	-
Under 1 day	111	109	2	24	-	75	2	-	-	-	-	10	-
1 to 6 days	111	101	10	21	6	77	4	-	-	-	-	3	-
7 to 13 days	25	22	3	6	1	15	2	-	-	-	-	1	-
14 to 29 days	24	19	5	9	2	9	3	-	-	-	-	1	-
1 to 11 months	174	117	57	51	34	66	23	-	-	-	-	-	-
TENNESSEE													
Under 1 year	3,106	2,484	622	1,374	372	988	254	8	-	66	13	48	3
Under 1 day	834	693	141	293	61	376	77	4	-	1	2	19	1
1 to 6 days	578	465	113	215	65	230	46	2	-	6	2	12	-
7 to 13 days	169	136	33	98	22	33	10	2	-	3	1	-	-
14 to 29 days	228	184	44	100	27	71	15	-	-	13	2	-	-
1 to 11 months	1,297	1,006	291	668	197	278	86	-	-	45	6	17	2
TEXAS													
Under 1 year	8,354	7,156	1,198	3,855	857	3,021	321	60	-	82	20	138	10
Under 1 day	1,748	1,516	232	475	119	981	104	31	-	-	3	49	6
1 to 6 days	1,740	1,495	245	541	163	883	75	28	-	9	3	34	4
7 to 13 days	457	364	93	210	70	137	22	-	-	8	1	9	-
14 to 29 days	416	333	85	207	60	112	21	1	-	7	2	6	-
1 to 11 months	3,993	3,448	545	2,422	425	928	109	-	-	58	11	40	-
UTAH													
Under 1 year	548	530	18	114	8	398	8	4	-	10	-	4	2
Under 1 day	181	176	5	23	1	142	3	4	-	4	-	3	1
1 to 6 days	150	148	2	9	2	125	-	-	-	4	-	-	-
7 to 13 days	32	31	1	4	-	25	1	-	-	2	-	-	-
14 to 29 days	33	29	4	2	1	27	2	-	-	-	-	-	1
1 to 11 months	152	146	6	76	4	69	2	-	-	-	-	1	-
VERMONT													
Under 1 year	277	277	-	81	-	193	-	2	-	-	-	1	-
Under 1 day	107	107	-	14	-	92	-	1	-	-	-	-	-
1 to 6 days	50	50	-	10	-	39	-	1	-	-	-	-	-
7 to 13 days	11	11	-	2	-	9	-	-	-	-	-	-	-
14 to 29 days	13	13	-	3	-	10	-	-	-	-	-	-	-
1 to 11 months	96	96	-	52	-	43	-	-	-	-	-	1	-
VIRGINIA													
Under 1 year	3,261	2,169	1,092	908	793	1,179	273	18	-	39	13	25	13
Under 1 day	921	693	228	208	152	460	73	11	-	4	-	10	3
1 to 6 days	648	440	206	138	149	288	52	4	-	6	1	4	4
7 to 13 days	185	121	64	58	44	59	17	-	-	2	1	2	2
14 to 29 days	233	154	79	70	56	82	20	-	-	2	2	-	1
1 to 11 months	1,276	761	515	434	392	290	111	3	-	25	9	9	3
WASHINGTON													
Under 1 year	1,506	1,397	109	212	44	1,067	52	8	-	4	-	86	13
Under 1 day	463	448	15	19	1	405	12	5	-	-	-	19	2
1 to 6 days	348	333	15	7	6	312	8	2	-	-	-	12	1
7 to 13 days	96	86	10	3	2	75	6	-	-	1	-	7	2
14 to 29 days	97	90	7	16	-	64	6	-	-	-	-	10	1
1 to 11 months	502	440	62	167	35	251	20	1	-	3	-	38	7
WEST VIRGINIA													
Under 1 year	2,149	1,997	152	1,126	104	861	46	-	-	2	-	8	2
Under 1 day	458	423	35	242	27	179	6	-	-	-	-	2	2
1 to 6 days	394	362	32	187	19	174	13	-	-	-	-	1	-
7 to 13 days	133	127	6	69	5	57	1	-	-	-	-	1	-
14 to 29 days	198	187	11	84	5	101	6	-	-	2	-	-	-
1 to 11 months	966	898	68	544	48	350	20	-	-	-	-	4	-
WISCONSIN													
Under 1 year	1,972	1,909	63	417	23	1,376	39	19	-	68	1	29	-
Under 1 day	622	607	15	74	-	511	15	10	-	2	-	10	-
1 to 6 days	503	497	6	44	3	437	3	8	-	4	-	4	-
7 to 13 days	76	69	7	9	3	55	4	-	-	4	-	1	-
14 to 29 days	103	99	4	25	3	62	1	1	-	11	-	-	-
1 to 11 months	668	637	31	285	14	311	16	-	-	47	1	14	-
WYOMING													
Under 1 year	232	205	27	55	9	142	18	-	-	2	-	6	-
Under 1 day	76	68	8	6	-	60	8	-	-	-	-	2	-
1 to 6 days	33	28	5	6	1	20	4	-	-	-	-	2	-
7 to 13 days	17	15	2	3	-	11	2	-	-	-	-	1	-
14 to 29 days	14	14	-	3	-	10	-	-	-	1	-	-	-
1 to 11 months	92	80	12	37	8	41	4	-	-	1	-	1	-

TABLE 29.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: UNITED STATES, 1944

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	111,127	10,492	9,095	9,806	9,059	8,892	8,969	9,155	9,160	8,986	9,470	8,719	9,324
Cerebrospinal (meningococcus) meningitis.....6	320	45	28	46	38	30	14	15	19	10	20	25	32
Scarlet fever.....8	13	2	1	1	3	1	2	-	-	-	-	1	2
Whooping cough.....9	1,323	132	102	112	113	104	119	157	119	123	93	74	75
Diphtheria (infection by C. diphtheriae).....10	89	17	8	11	5	2	5	2	3	4	9	8	15
Tuberculosis (all forms).....13-22	468	42	37	47	46	38	63	38	38	39	30	21	29
Tuberculosis of the respiratory system, etc.*.....13	250	24	21	31	22	20	31	23	19	19	14	12	14
Tuberculosis of the meninges, etc.*.....14	102	10	5	6	15	7	15	7	7	9	7	4	10
Tuberculosis (other forms).....15-22	116	8	11	10	9	11	17	8	12	11	9	5	5
Dysentery.....27	991	18	14	32	37	77	121	186	153	125	114	76	40
Malaria.....28	54	2	1	2	1	1	14	11	10	5	4	2	1
Syphilis.....30	746	58	70	53	63	74	63	53	63	57	67	68	57
Measles.....35	536	47	80	133	121	83	39	12	10	4	1	5	1
Diseases of the thymus gland.....64	1,075	106	109	111	97	86	74	75	63	72	103	83	98
Meningitis (not due to meningococcus).....81	606	72	77	60	68	62	42	19	30	31	42	49	54
Intracranial lesions of vascular origin.....83	172	16	18	16	14	21	16	11	13	7	11	14	15
Convulsions.....86	347	26	39	30	34	30	26	29	37	23	24	22	27
Diseases of the ear and mastoid process.....89	248	35	26	25	22	23	14	14	7	15	18	21	28
Diseases of the heart.....90-95	181	24	16	13	12	16	13	19	11	10	15	13	19
Pneumonia (all forms) and influenza.....107-109,33	15,674	2,528	1,963	1,968	1,585	1,104	707	644	679	770	1,009	1,181	1,558
Bronchopneumonia, etc.*.....107	8,777	1,119	1,024	1,103	923	668	438	409	437	484	633	680	859
Lobar pneumonia.....108	2,784	410	338	341	297	221	151	112	132	137	176	209	280
Pneumonia (unspecified).....109	1,939	281	236	239	178	118	88	86	78	110	121	168	235
Influenza.....33	2,174	716	365	285	187	97	49	37	32	39	79	124	184
Other diseases of respiratory system.....104-106,110-114	1,089	128	133	140	125	77	47	48	56	62	75	81	119
Ulcer of stomach or duodenum.....117	18	2	1	2	1	3	1	1	-	2	-	3	2
Diarrhea, enteritis, etc.*.....119	9,239	588	578	592	475	580	933	1,147	1,175	1,259	1,204	756	574
Intestinal obstruction.....122b	587	48	45	58	56	46	54	47	56	55	60	35	47
Other diseases of digestive system.....115,116,118,121,123-129	633	57	43	52	54	62	60	48	46	40	55	64	52
Nephritis.....130,131	134	13	16	12	11	10	9	11	11	10	8	11	11
Congenital malformations.....157	14,205	1,277	1,175	1,242	1,114	1,133	1,133	1,185	1,205	1,140	1,174	1,205	1,242
Congenital debility.....158	2,493	220	185	206	181	157	197	211	216	221	282	194	223
Premature birth.....159	33,120	2,733	2,346	2,699	2,682	2,942	2,970	2,946	2,924	2,792	2,673	2,584	2,629
Injury at birth.....160	10,199	868	785	905	817	885	917	907	819	824	835	805	834
Other diseases peculiar to the first year of life.....161	6,950	608	547	588	514	553	607	618	678	582	588	518	553
Asphyxia (cause not specified), atelectasis.....161a	4,010	351	293	337	300	303	366	358	408	336	348	292	318
Infection of the umbilicus, etc.*.....161b,c	2,940	255	254	251	214	250	241	258	270	246	240	226	255
Homicide.....165-168	111	10	12	14	9	11	12	4	5	5	12	6	11
Accidental deaths.....169-195	2,853	332	260	253	263	193	192	169	192	177	214	254	354
Accidental mechanical suffocation.....182	1,312	168	122	128	122	85	80	56	68	69	99	128	189
Other accidental deaths.....169-181,183-195	1,541	164	138	125	141	108	112	113	124	108	115	128	165
Ill-defined and unknown causes.....199,200	4,421	467	403	405	336	323	319	363	342	347	341	341	434
All other causes	2,232	181	177	198	182	165	186	187	180	195	190	201	190

*Refer to complete International List titles, table V, Part I.

TABLE 30.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: UNITED STATES, 1944

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ALL RACES, BOTH SEXES.....All causes	111,127	32,052	9,219	5,819	8,680	6,024	3,900	3,302	68,996	7,985	6,480	5,479	4,488	3,870	3,219	2,735	2,386	2,058	1,749	1,684
Cerebrospinal (meningococcus) meningitis...6	320	-	-	-	1	2	3	7	13	21	23	34	31	45	31	31	18	27	22	24
Scarlet fever.....8	13	-	-	-	-	-	2	-	2	1	2	2	-	1	2	1	-	1	-	1
Whooping cough.....9	1,323	-	1	1	2	4	10	41	59	197	195	169	125	94	90	87	92	80	61	74
Diphtheria (infection by C. diphtheriae)..10	89	-	-	-	1	1	1	1	4	6	5	5	4	7	7	5	13	7	9	17
Tuberculosis (all forms).....13-22	468	2	-	-	1	1	-	4	8	21	20	19	36	41	44	50	44	57	64	64
Tuberculosis of resp. sys. etc.*.....13	250	2	-	-	1	1	-	3	7	13	10	9	18	21	22	21	23	34	36	36
Tuberculosis of meninges, etc.*.....14	102	-	-	-	-	-	-	-	-	3	3	2	6	8	8	20	9	11	17	15
Tuberculosis (other forms).....15-22	116	-	-	-	-	-	-	1	1	5	7	8	12	12	14	9	12	12	11	13
Dysentery.....27	991	-	-	-	2	26	20	24	72	125	111	124	131	95	81	67	60	48	43	34
Malaria.....28	54	1	1	-	2	5	-	-	9	4	4	6	7	3	3	4	5	5	1	3
Syphilis.....30	746	131	40	21	49	50	35	30	356	117	88	57	38	16	27	15	9	15	4	4
Measles.....35	536	-	2	1	-	10	10	9	32	39	21	40	37	38	44	52	55	62	67	49
Diseases of thymus gland.....64	1,075	90	61	67	75	63	44	42	442	147	149	96	77	54	29	23	21	14	12	11
Meningitis (not due to meningococcus).....81	606	1	3	1	14	10	28	18	73	62	68	58	60	54	59	38	53	32	23	26
Intracranial lesions of vascular origin...83	172	2	1	1	2	6	1	-	13	46	14	14	18	17	11	5	11	6	8	9
Convulsions.....86	347	8	5	21	64	33	10	11	152	33	25	24	21	18	9	16	11	8	15	15
Diseases of ear and mastoid process.....89	248	-	-	-	1	2	2	7	12	30	27	28	23	28	23	17	17	21	9	13
Diseases of the heart.....90-95	181	8	6	7	13	6	8	8	56	17	23	10	9	16	11	10	7	2	9	11
Pneumonia (all forms), influenza..107-109,33	15,674	104	157	213	546	606	628	650	2,902	1,857	1,948	1,723	1,487	1,280	1,071	917	773	630	576	510
Bronchopneumonia, etc.*.....107	8,777	70	103	133	325	379	413	398	1,819	1,128	1,090	943	828	677	567	448	386	341	302	248
Lobar pneumonia.....108	2,784	14	15	28	90	87	89	100	423	300	370	319	274	234	206	186	166	98	99	109
Pneumonia (unspecified).....109	1,939	17	37	43	103	89	69	98	454	211	248	232	170	152	104	106	75	73	58	56
Influenza.....33	2,174	3	2	9	28	51	55	58	206	218	240	229	215	217	194	177	146	118	117	97
Other dis. of resp. system...104-106,110-114	1,089	22	12	12	27	44	35	46	198	168	117	123	85	81	68	55	54	44	49	47
Ulcer of stomach or duodenum.....117	18	1	1	1	4	1	1	1	10	3	1	-	1	1	-	1	-	-	1	-
Diarrhea, enteritis, etc.*.....119	9,239	7	4	18	77	346	545	513	1,510	1,513	1,127	1,039	877	805	684	556	424	379	284	261
Intestinal obstruction.....122b	587	-	-	2	-	1	1	4	8	84	69	72	59	67	54	53	43	31	26	21
Ot. dis. of dig. sys.115,116,118,121,123-129	633	3	4	12	33	45	29	25	151	74	65	68	30	53	34	37	39	28	29	27
Nephritis.....130,131	134	5	2	3	10	11	6	4	41	16	10	10	8	12	5	7	9	6	6	4
Congenital malformations.....157	14,205	2,997	1,068	859	1,652	1,238	754	627	9,195	1,276	851	634	509	391	328	285	236	208	146	146
Congenital debility.....158	2,493	439	161	110	204	150	112	127	1,303	348	248	176	106	85	69	41	38	39	22	18
Premature birth.....159	33,120	18,909	4,667	2,323	2,760	1,949	924	533	32,065	661	211	79	51	25	11	4	4	3	2	4
Injury at birth.....160	10,199	5,599	1,590	1,030	1,192	389	108	77	9,985	71	34	21	12	15	11	10	12	8	11	9
Other diseases peculiar to first year....161	6,950	2,580	1,034	802	1,207	502	189	131	6,445	181	98	58	57	35	23	17	13	10	6	7
Asphyxia (cause not specified)*.....161a	4,010	2,022	761	444	391	137	48	39	3,842	58	34	26	19	14	6	3	4	3	1	-
Infection of umbilicus, etc.*.....161b,c	2,940	558	273	358	816	365	141	92	2,603	123	64	32	38	21	17	14	9	7	5	7
Homicide.....165-168	111	55	9	1	4	-	3	3	75	5	3	7	2	5	2	2	5	3	2	-
Accidental deaths.....169-195	2,853	80	28	39	96	63	82	91	479	401	411	349	253	193	164	129	115	118	110	131
Accidental mechanical suffocation....182	1,312	16	8	19	35	26	43	61	208	279	272	209	122	85	53	33	22	12	9	8
Other accidental deaths..169-181,183-195	1,541	64	20	20	61	37	39	30	271	122	139	140	131	108	111	96	93	106	101	123
Ill-defined and unknown causes.....199,200	4,421	895	312	223	458	287	200	194	2,569	423	338	280	194	161	103	106	86	67	48	48
All other causes.....All other causes	2,232	113	50	51	183	173	111	76	757	238	174	154	138	134	121	114	119	101	86	96
ALL RACES, MALE.....All causes	63,264	18,341	5,359	3,473	5,170	3,406	2,201	1,841	38,791	4,649	3,674	3,013	2,503	2,172	1,751	1,539	1,263	1,109	935	860
Cerebrospinal (meningococcus) meningitis...6	191	-	-	-	1	2	1	2	6	16	14	20	20	29	12	16	12	18	15	13
Scarlet fever.....8	5	-	-	-	-	-	1	-	1	1	1	1	-	-	1	-	-	-	-	-
Whooping cough.....9	612	-	-	1	1	3	7	15	27	93	100	78	59	46	44	35	42	35	24	29
Diphtheria (infection by C. diphtheriae)..10	49	-	-	-	-	-	-	1	1	5	2	4	3	4	5	3	6	4	3	9
Tuberculosis (all forms).....13-22	257	2	-	-	-	-	-	2	4	12	10	10	20	26	27	25	30	26	34	33
Tuberculosis of resp. sys. etc.*.....13	146	2	-	-	-	-	-	1	3	8	5	5	10	16	15	11	15	15	25	18
Tuberculosis of meninges, etc.*.....14	50	-	-	-	-	-	-	-	-	2	-	2	5	4	6	9	6	6	5	5
Tuberculosis (other forms).....15-22	61	-	-	-	-	-	-	1	1	2	5	3	5	6	6	5	9	5	4	10
Dysentery.....27	557	-	-	-	2	14	13	17	46	72	68	70	81	54	41	32	30	24	20	19
Malaria.....28	28	-	1	-	-	1	-	-	2	3	1	3	3	3	1	3	2	3	1	3
Syphilis.....30	390	64	21	7	23	27	24	20	186	69	40	32	18	8	9	9	4	10	2	3
Measles.....35	270	-	2	-	-	4	4	6	16	22	11	25	19	23	19	27	27	29	30	22
Diseases of thymus gland.....64	668	51	37	51	44	39	25	26	273	88	100	64	45	36	14	15	10	9	7	7
Meningitis (not due to meningococcus).....81	366	1	2	-	10	9	17	9	48	36	43	35	38	28	33	24	30	23	12	16
Intracranial lesions of vascular origin...83	102	2	-	1	-	5	-	-	8	33	6	9	8	10	4	3	8	3	5	5
Convulsions.....86	201	4	1	14	42	20	7	5	93	21	15	13	12	9	5	8	6	3	8	8
Diseases of ear and mastoid process.....89	145	-	-	-	1	-	1	5	7	20	13	15	14	16	13	12	8	14	5	8
Diseases of the heart.....90-95	109	3	5	4	7	4	6	6	35	9	14	6	6	9	3	9	4	2	6	6
Pneumonia (all forms), influenza..107-109,33	8,745	63	98	129	337	354	352	364	1,697	1,056	1,089	949	841	704	585	528	381	340	312	255
Bronchopneumonia, etc.*.....107	4,899	39	62	73	195	231	239	226	1,065	637	607	518	471	375	322	255	190	189	160	112
Lobar pneumonia.....108	1,554	8	9	19	62	46	50	58	252	177	200	175	147	127	109	119	78	54	56	60
Pneumonia (unspecified).....109	1,110	14	27	31	60	53	42	54	281	128	156	120	87	89	50	61	35	37	36	30
Influenza.....33	1,182	2	-	6	20	24	21	26	99	114	136	136	136	113	104	95	78	60	60	51
Other dis. of resp. system...104-106,110-114	643	15	7	7	17	23	19	25	113	93	65	66	53	51	43	38	37	25	30	29
Ulcer of stomach or duodenum.....117	10	1	-	-	2	-	1	1	5	2	1	-	1	1	-	-	-	-	-	-
Diarrhea, enteritis, etc.*.....119	5,215	7	1	6	51	207	316	302	890	784	648	559	501	440	367	302	229	206	152	137
Intestinal obstruction.....122b	380	-	-	1	-	-	-	3	4	57	39	48	33	45	37	37	30	23	15	12
Ot. dis. of dig. sys.115,116,118,121,123-129	356	3	2	6	24	24	17	16	92	42	38	37	18	32	16	18	19	15	18	15
Nephritis.....130,131	66	2	2	3	4	7	6	3	27	8	3	4	4	5	-	2	5	4	3	1
Congenital malformations.....157	7,829	1,516	601	520	941	659	427	358	5,020	766	493	339	265	212	186	154	134	113	75	72
Congenital debility.....158	1,437	257	94	71	127	87	67	73	776	213	138	89	53	49	36	19	25	19	11	9
Premature birth.....159	18,777	10,869	2,615	1,303	1,579	1,081	498	262	18,207	372	110	37	22	12	5	3	4	2	1	2
Injury at birth.....160	6,255	3,380	1,010	640	754	237	62	39	6,122	48	23	11	6	10	7	4	8	5	5	6
Other diseases peculiar to first year....161	4,159	1,485	628	511	750	264	120	66	3,844	108	64	34	35	22	18	12	8	5	5	4
Asphyxia (cause not specified)*.....161a	2,383	1,165	462	287	247	70	27	18	2,276	35	24	14	13	10	4	2	3	1	1	-
Infection of umbilicus, etc.*.....161b,c	1,776	320	166	224	503	214	93	48	1,588	73	40	20	22	12	14	10	5	4	4	4
Homicide.....165-168	57	27	5	1	3	-	2	3	41	1	3	2	1	3	1	1	1	2	1	-
Accidental deaths.....169-195	1,649	46	15	24	53	34	47	50	269	244	237	209	136	122	91	83	62	67	66	63
Accidental mechanical suffocation....182	781	7	5	12	16	13	22	37	112	179	163	128	73	52	29	21	11	6	3	4
Other accidental deaths..169-181,183-195	868	39	10	12	37	21	25	13	157	65	74	81	63	70	62	62	51	61	63	59
Ill-defined and unknown causes.....199,200	2,444	487	181	136	270	169	103	111	1,457	222	172	160	101	90	60	56	44	30	25	29
All other causes.....All other causes	1,292	56	31	37	127	112	58	53	474	133	103	84	87	73	68	61	62	52	48	49

*Refer to complete International List titles, table V, Part I.

TABLE 30.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: UNITED STATES, 1944—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ALL RACES, FEMALE.....All causes	47,863	13,711	3,880	2,346	3,510	2,618	1,699	1,461	29,205	3,336	2,806	2,466	1,983	1,698	1,468	1,196	1,118	949	814	824
Cerebrospinal (meningococcus) meningitis...6	129	-	-	-	-	-	2	5	7	5	9	14	11	16	19	15	6	9	7	11
Scarlet fever.....8	8	-	-	-	-	-	1	-	1	-	1	1	-	1	1	1	-	1	-	1
Whooping cough.....9	711	-	1	-	1	1	3	26	32	104	95	91	66	48	46	52	50	45	37	45
Diphtheria (infection by C. diphtheriae)..10	40	-	-	-	1	1	1	-	3	1	3	1	1	3	2	2	7	3	6	8
Tuberculosis (all forms).....13-22	211	-	-	-	1	1	-	2	4	9	10	9	16	15	17	25	14	31	30	31
Tuberculosis of resp. sys. etc.*.....13	104	-	-	-	1	1	-	2	4	5	5	4	8	5	7	10	8	19	11	18
Tuberculosis of meninges, etc.*.....14	52	-	-	-	-	-	-	-	-	1	3	-	1	4	2	11	3	5	12	10
Tuberculosis (other forms).....15-22	55	-	-	-	-	-	-	-	-	3	2	5	7	8	8	4	3	7	7	3
Dysentery.....27	434	-	-	-	-	12	7	7	26	53	43	54	50	41	40	35	30	24	23	15
Malaria.....28	26	1	-	-	2	4	-	-	7	1	3	3	4	-	2	1	3	2	-	-
Syphilis.....30	356	67	19	14	26	23	11	10	170	48	48	25	20	8	18	6	5	5	2	1
Measles.....35	266	-	-	1	-	6	6	3	16	17	10	15	18	15	25	25	28	33	37	27
Diseases of thymus gland.....64	407	39	24	16	31	24	19	16	169	59	49	32	32	18	15	8	11	5	5	4
Meningitis (not due to meningococcus).....81	240	-	1	1	4	1	11	7	25	26	25	23	22	26	26	14	23	9	11	10
Intracranial lesions of vascular origin...83	70	-	1	-	2	1	1	-	5	13	8	5	10	7	7	2	3	3	3	4
Convulsions.....86	146	4	4	7	22	13	3	6	59	12	10	11	9	9	4	8	5	5	7	7
Diseases of ear and mastoid process.....89	105	-	-	-	-	2	1	2	5	10	14	13	9	12	10	5	9	7	4	5
Diseases of the heart.....90-95	72	5	1	3	6	2	2	2	21	8	9	4	3	7	8	1	3	-	3	5
Pneumonia (all forms), influenza..107-109,33	6,929	41	59	84	209	252	274	286	1,205	801	849	774	646	576	486	389	392	290	264	257
Bronchopneumonia, etc.*.....107	3,878	31	41	60	130	148	174	170	754	491	483	425	357	302	245	195	196	152	142	136
Lobar pneumonia.....108	1,230	6	6	9	28	41	39	42	171	123	170	144	127	107	97	67	88	44	43	49
Pneumonia (unspecified).....109	829	3	10	12	43	36	27	42	173	83	92	112	83	63	54	45	40	36	22	26
Influenza.....33	992	1	2	3	8	27	34	32	107	104	104	93	79	104	90	82	68	58	57	46
Other dis. of resp. system...104-106,110-114	446	7	5	5	10	21	16	21	85	75	52	57	32	30	25	17	17	19	19	18
Ulcer of stomach or duodenum.....117	8	-	1	1	2	1	-	-	5	1	-	-	-	-	-	1	-	-	1	-
Diarrhea, enteritis, etc.*.....119	4,024	-	3	12	26	139	229	211	620	529	479	480	376	365	317	234	195	173	132	124
Intestinal obstruction.....122b	207	-	-	1	-	1	1	1	4	27	30	24	26	22	17	16	13	8	11	9
Ot. dis. of dig. sys.115,116,118,121,123-129	277	-	2	6	9	21	12	9	59	32	27	31	12	21	18	19	20	13	11	14
Nephritis.....130,131	68	3	-	-	6	4	-	1	14	8	7	6	4	7	5	5	4	2	3	3
Congenital malformations.....157	6,376	1,481	467	339	711	579	327	271	4,175	510	358	295	244	179	142	131	102	95	71	74
Congenital debility.....158	1,056	182	67	39	77	63	45	54	527	135	110	87	53	36	33	22	13	20	11	9
Premature birth.....159	14,343	8,040	2,052	1,020	1,181	868	426	271	13,858	289	101	42	29	13	6	1	-	1	1	2
Injury at birth.....160	3,944	2,219	580	390	438	152	46	38	3,863	23	11	10	6	5	4	6	4	3	6	3
Other diseases peculiar to first year....161	2,791	1,095	406	291	457	218	69	65	2,601	73	34	24	22	13	5	5	5	5	1	3
Asphyxia (cause not specified)*.....161a	1,627	857	299	157	144	67	21	21	1,586	23	10	12	6	4	2	1	1	2	-	-
Infection of umbilicus, etc.*.....161b,c	1,164	238	107	134	313	151	48	44	1,035	50	24	12	16	9	3	4	4	3	1	3
Homicide.....165-168	54	28	4	-	1	-	1	-	34	4	-	5	1	2	1	1	4	1	1	-
Accidental deaths.....169-195	1,204	34	13	15	43	29	35	41	210	157	174	140	117	71	73	46	55	51	44	68
Accidental mechanical suffocation....182	531	9	3	7	19	13	21	24	96	100	109	81	49	33	24	12	11	6	6	4
Other accidental deaths..169-181,183-195	673	25	10	8	24	16	14	17	114	57	65	59	68	38	49	34	42	45	38	64
Ill-defined and unknown causes.....199,200	1,977	408	131	87	188	118	97	83	1,112	201	166	120	93	71	43	50	42	37	23	19
All other causes.....	940	57	19	14	56	61	53	23	283	105	71	70	51	61	53	53	57	49	40	47
WHITE, BOTH SEXES.....All causes	90,607	27,569	7,874	4,938	7,060	4,769	3,093	2,629	57,932	6,298	5,064	4,249	3,454	2,983	2,435	2,070	1,826	1,597	1,383	1,316
Cerebrospinal (meningococcus) meningitis...6	268	-	-	-	1	2	2	6	11	20	20	28	26	37	25	28	15	23	18	21
Scarlet fever.....8	11	-	-	-	-	-	2	-	2	1	-	2	-	1	2	1	-	1	-	1
Whooping cough.....9	919	-	1	1	1	1	9	34	47	147	149	109	82	63	58	50	61	61	42	50
Diphtheria (infection by C. diphtheriae)..10	68	-	-	-	-	1	1	1	3	4	3	3	3	5	5	3	11	7	6	15
Tuberculosis (all forms).....13-22	297	2	-	-	1	-	-	2	5	17	14	10	21	27	28	33	29	33	42	38
Tuberculosis of resp. sys. etc.*.....13	143	2	-	-	1	-	-	1	4	9	5	4	11	12	14	10	16	19	20	19
Tuberculosis of meninges, etc.*.....14	72	-	-	-	-	-	-	-	-	3	2	1	2	5	7	17	6	7	13	9
Tuberculosis (other forms).....15-22	82	-	-	-	-	-	-	1	1	5	7	5	8	10	7	6	7	7	9	10
Dysentery.....27	792	-	-	-	1	21	17	21	60	98	86	98	106	72	68	54	52	40	32	25
Malaria.....28	24	1	-	-	2	2	-	-	5	1	2	2	5	1	2	2	1	1	1	1
Syphilis.....30	287	47	15	6	21	19	10	11	129	44	37	28	13	9	13	7	-	2	2	3
Measles.....35	430	-	2	-	-	8	9	7	26	27	18	28	25	29	36	45	45	52	57	42
Diseases of thymus gland.....64	985	87	57	63	69	54	42	38	410	135	136	90	69	46	27	19	19	12	12	10
Meningitis (not due to meningococcus).....81	471	1	3	1	12	8	23	15	63	57	55	42	46	40	44	24	35	27	15	23
Intracranial lesions of vascular origin...83	138	1	1	1	2	4	1	-	10	39	9	12	10	13	11	5	9	6	5	9
Convulsions.....86	256	8	4	17	46	19	7	10	111	23	19	18	15	13	8	13	9	5	12	10
Diseases of ear and mastoid process.....89	212	-	-	-	1	2	2	6	11	25	23	24	16	25	22	15	14	19	7	11
Diseases of the heart.....90-95	160	7	4	6	9	6	7	7	46	15	21	10	7	13	11	10	7	2	8	10
Pneumonia (all forms), influenza..107-109,33	11,696	76	129	170	416	447	476	510	2,224	1,404	1,468	1,297	1,101	947	753	660	558	468	442	374
Bronchopneumonia, etc.*.....107	6,691	52	86	109	258	295	316	303	1,417	870	850	713	650	511	399	334	278	253	231	185
Lobar pneumonia.....108	2,065	11	12	21	70	66	71	89	340	221	278	243	201	165	152	136	116	63	76	74
Pneumonia (unspecified).....109	1,409	12	30	32	74	53	46	72	319	155	176	177	109	115	76	70	61	59	47	45
Influenza.....33	1,531	1	1	8	16	33	43	46	148	158	164	164	141	156	126	120	103	93	88	70
Other dis. of resp. system...104-106,110-114	865	18	11	6	17	32	26	36	146	131	93	105	84	69	58	42	41	40	41	35
Ulcer of stomach or duodenum.....117	17	1	1	-	4	1	1	1	9	3	1	-	1	1	-	1	-	-	1	-
Diarrhea, enteritis, etc.*.....119	7,552	4	4	14	50	292	469	415	1,248	1,070	889	821	675	623	521	422	336	298	231	218
Intestinal obstruction.....122b	499	-	-	1	-	1	1	3	6	70	64	60	48	58	44	47	40	22	21	19
Ot. dis. of dig. sys.115,116,118,121,123-129	486	2	4	11	24	34	20	21	116	55	49	50	26	41	28	31	31	17	23	21
Nephritis.....130,131	99	3	2	2	7	11	3	4	32	9	10	6	7	10	1	4	6	6	4	4
Congenital malformations.....157	13,249	2,849	1,003	809	1,536	1,155	708	584	8,644	1,195	788	571	465	363	294	256	215	189	136	133
Congenital debility.....158	1,778	319	118	79	117	86	74	88	891	254	181	132	84	59	56	31	30	33	14	13
Premature birth.....159	27,904	16,277	3,978	1,980	2,250	1,519	701	404	27,109	494	163	60	35	19	10	3	4	2	2	3
Injury at birth.....160	9,093	5,026	1,430	902	1,043	337	96	69	8,903	64	31	19	11	12	11	9	9	6	10	8
Other diseases peculiar to first year....161	5,927	2,242	899	701	1,029	409	152	105	5,537	137	75	47	49	28	15	12	9	7	5	6
Asphyxia (cause not specified)*.....161a	3,518	1,752	675	402	344	121	44	33	3,371	50	31	23	17	13	5	3	2	2	1	-
Infection of umbilicus, etc.*.....161b,c	2,409	490	224	299	685	288	108	72	2,166	87	44	24	32	15	10	9	7	5	4	6
Homicide.....165-168	90	46	7	1	4	-	3	5	64	5	-	3	2	5	1	2	4	3	1	-
Accidental deaths.....169-195	2,267	50	14	22	69	38	62	69	324	334	327	294	214	163	126	98	94	94	92	107
Accidental mechanical suffocation....182	1,069	11	2	10	25	12	36	44	140	237	221	173	110	73	43	26	20	12	8	6
Other accidental deaths..169-181,183-195	1,198	39	12	12	44	26	26	25	184	97	106	121	104	90	83	72	74	82	84	101
Ill-defined and unknown causes.....199,200	2,105	396	140	108	187	115	83	96	1,125	228	182	145	115	82	52	47	43	31	29	28
All other causes.....	1,860	106	47	37	141	155	86	63	615	192	151	135	113	109	105	98	99	90	74	79

*Refer to complete International List titles, table V, Part I.

TABLE 30.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: UNITED STATES, 1944—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
WHITE, MALE.....All causes	51,997	15,882	4,619	2,933	4,218	2,711	1,775	1,460	33,598	3,730	2,920	2,542	1,951	1,679	1,333	1,168	965	867	749	697
Cerebrospinal (meningococcus) meningitis...6	158	-	-	-	1	2	-	2	5	16	15	15	17	24	8	14	9	15	10	12
Scarlet fever.....8	4	-	-	-	-	-	1	-	1	1	-	1	-	-	1	-	-	-	-	-
Whooping cough.....9	436	-	-	1	1	1	7	12	22	72	83	50	41	33	27	19	27	26	17	19
Diphtheria (infection by C. diphtheriae)..10	38	-	-	-	-	-	-	1	1	4	2	2	3	3	4	2	4	4	1	8
Tuberculosis (all forms).....11-22	163	2	-	-	-	-	-	1	3	10	7	7	10	18	17	17	18	15	24	19
Tuberculosis of resp. sys. etc.*.....13	85	2	-	-	-	-	-	-	2	6	2	5	5	10	8	6	9	8	17	9
Tuberculosis of meninges, etc.*.....14	34	-	-	-	-	-	-	-	-	2	-	1	2	3	5	7	4	4	3	3
Tuberculosis (other forms).....15-22	44	-	-	-	-	-	-	1	1	2	5	3	3	5	4	4	5	1	4	7
Dysentery.....27	453	-	-	-	1	11	11	15	38	58	51	58	67	39	35	27	25	23	16	16
Malaria.....28	10	-	-	-	-	1	-	-	1	1	-	1	3	1	-	1	-	-	1	1
Syphilis.....30	153	23	7	4	12	11	7	7	71	27	19	16	5	3	4	3	-	1	1	3
Measles.....35	211	-	2	-	-	2	3	4	11	14	8	17	13	17	15	22	24	27	24	19
Diseases of thymus gland.....64	616	51	36	47	40	34	23	25	256	82	91	60	42	31	13	11	9	8	7	6
Meningitis (not due to meningococcus).....81	290	1	2	-	8	8	15	8	42	34	35	25	31	22	26	16	19	19	5	16
Intracranial lesions of vascular origin...83	82	1	-	1	-	3	-	-	5	28	4	8	5	8	4	3	6	3	3	5
Convulsions.....86	146	4	-	12	29	11	5	5	66	16	11	8	9	9	5	5	5	1	6	5
Diseases of ear and mastoid process.....89	129	-	-	-	1	-	1	4	6	16	11	15	9	15	15	11	7	14	4	8
Diseases of the heart.....90-95	98	3	3	3	3	4	5	5	26	8	14	6	6	9	3	9	4	2	5	6
Pneumonia (all forms), influenza..107-109,33	6,544	46	82	105	259	258	269	286	1,305	811	825	706	651	522	403	374	274	249	246	198
Bronchopneumonia,etc.*.....107	3,733	29	52	63	156	181	185	171	837	497	468	391	364	280	224	188	155	137	125	89
Lobar pneumonia.....108	1,155	6	7	14	49	32	36	52	196	132	145	133	114	89	81	86	58	32	45	46
Pneumonia (unspecified).....109	822	10	23	23	44	31	30	43	204	94	115	91	63	68	33	40	27	30	31	26
Influenza.....33	836	1	-	5	10	14	18	20	68	88	97	91	90	85	65	60	56	50	49	37
Other dis. of resp. system...104-106,110-114	510	13	6	4	10	16	14	20	83	66	53	59	44	42	38	30	24	24	25	22
Ulcer of stomach or duodenum.....117	10	1	-	-	2	-	1	1	5	2	1	-	1	1	-	-	-	-	-	-
Diarrhea, enteritis, etc.*.....119	4,187	4	1	5	34	175	276	238	733	657	513	451	386	343	281	242	179	163	124	115
Intestinal obstruction.....122b	324	-	-	-	-	-	-	2	2	46	34	37	30	39	32	34	28	17	14	11
Ot. dis. of dig. sys.115,116,118,121,123-129	276	2	2	6	19	19	12	14	74	28	30	26	14	26	14	13	16	10	15	10
Nephritis.....130,131	49	1	2	2	2	7	3	3	20	4	3	2	3	5	-	1	4	4	2	1
Congenital malformations.....157	7,283	1,429	569	487	877	623	399	326	4,710	716	456	300	237	192	163	141	124	106	71	67
Congenital debility.....158	1,034	191	70	45	71	55	45	52	529	162	103	67	39	34	33	16	20	17	7	7
Premature birth.....159	16,012	9,467	2,243	1,111	1,307	856	390	202	15,576	285	85	26	14	10	5	2	4	2	1	2
Injury at birth.....160	5,590	3,039	915	556	656	209	57	35	5,467	45	21	11	5	8	7	4	8	4	4	6
Other diseases peculiar to first year....161	3,555	1,295	550	443	638	238	100	51	3,315	81	48	27	28	18	13	10	5	3	4	3
Asphyxia (cause not specified)*.....161a	2,096	1,012	417	260	211	62	27	14	2,003	31	21	12	11	9	4	2	1	1	1	-
Infection of umbilicus, etc.*.....161b,c	1,459	283	133	185	427	176	73	37	1,312	50	27	15	17	9	9	8	4	2	3	3
Homicide.....165-168	47	22	5	1	3	-	2	3	36	1	-	1	1	3	-	1	1	2	1	-
Accidental deaths.....169-195	1,343	28	9	10	37	19	39	39	181	208	203	182	116	102	75	66	49	50	57	54
Accidental mechanical suffocation....182	655	5	2	5	11	5	20	27	75	154	139	111	68	42	25	19	10	6	2	4
Other accidental deaths..169-181,183-195	688	23	7	5	26	14	19	12	106	54	64	71	48	60	50	47	39	44	55	50
Ill-defined and unknown causes.....199,200	1,184	208	85	81	114	61	48	57	654	126	105	85	67	44	34	23	20	15	14	17
All other causes	1,062	51	30	29	93	87	42	42	374	105	91	73	74	58	60	51	50	45	40	41
WHITE, FEMALE.....All causes	38,610	11,687	3,255	2,005	2,842	2,058	1,518	1,169	24,334	2,588	2,144	1,907	1,503	1,304	1,102	902	863	750	634	619
Cerebrospinal (meningococcus) meningitis...6	110	-	-	-	-	-	2	4	6	4	7	13	9	13	17	12	6	8	6	9
Scarlet fever.....8	7	-	-	-	-	-	1	-	1	-	-	1	-	1	1	1	-	1	-	1
Whooping cough.....9	483	1	-	-	-	2	22	25	75	66	59	41	30	31	31	34	35	25	51
Diphtheria (infection by C. diphtheriae)..10	30	-	-	-	1	1	-	2	-	1	1	-	2	1	1	7	3	5	7
Tuberculosis (all forms).....11-22	134	-	-	-	1	-	-	1	2	7	7	3	11	9	11	16	11	20	18	19
Tuberculosis of resp. sys. etc.*.....13	58	-	-	-	1	-	-	1	2	3	3	1	6	2	6	4	7	11	3	10
Tuberculosis of meninges, etc.*.....14	38	-	-	-	-	-	-	-	-	1	2	-	-	2	2	10	2	3	10	6
Tuberculosis (other forms).....15-22	38	-	-	-	-	-	-	-	-	3	2	2	5	5	3	2	2	6	5	3
Dysentery.....27	339	-	-	-	-	10	6	6	22	40	35	40	39	33	33	27	27	17	16	10
Malaria.....28	14	1	-	-	2	1	-	-	4	-	2	1	2	-	2	1	1	1	-	-
Syphilis.....30	134	24	8	2	9	8	3	4	58	17	18	12	8	6	9	4	-	1	1	-
Measles.....35	219	-	-	-	-	6	6	3	15	13	10	11	12	12	21	23	21	25	33	23
Diseases of thymus gland.....64	369	36	21	16	29	20	19	13	154	53	45	30	27	15	14	8	10	4	5	4
Meningitis (not due to meningococcus).....81	181	-	1	1	4	-	8	7	21	23	20	17	15	18	18	8	18	8	10	7
Intracranial lesions of vascular origin...83	56	-	1	-	2	1	1	-	5	11	5	4	5	5	7	2	3	3	2	4
Convulsions.....86	110	4	4	5	17	8	2	5	45	7	8	10	6	4	3	8	4	4	6	5
Diseases of ear and mastoid process.....89	83	-	-	-	-	2	1	2	5	9	12	9	7	10	9	4	7	5	3	3
Diseases of the heart.....90-95	62	4	1	3	6	2	2	2	20	7	7	4	1	4	8	1	3	-	3	4
Pneumonia (all forms), influenza..107-109,33	5,152	30	47	65	157	189	207	224	919	593	643	591	470	425	350	286	284	219	196	176
Bronchopneumonia, etc.*.....107	2,958	23	34	46	100	114	131	132	580	373	382	322	286	231	175	146	143	116	108	96
Lobar pneumonia.....108	912	5	5	7	21	34	35	37	144	89	133	110	87	76	71	50	60	31	33	28
Pneumonia (unspecified).....109	587	2	7	9	30	22	16	29	115	61	61	86	48	47	45	30	34	29	16	19
Influenza.....33	695	-	1	3	6	19	25	26	80	70	67	73	51	71	61	60	47	45	38	33
Other dis. of resp. system...104-106,110-114	355	5	5	2	7	16	12	16	63	65	40	46	20	27	20	12	17	16	16	13
Ulcer of stomach or duodenum.....117	7	-	1	-	2	1	-	-	4	1	-	-	-	-	1	-	-	-	1	-
Diarrhea, enteritis, etc.*.....119	3,165	-	5	9	16	117	193	177	515	413	378	370	289	280	240	180	157	135	107	103
Intestinal obstruction.....122b	175	-	-	1	-	1	1	1	4	24	30	23	18	19	12	13	12	5	7	8
Ot. dis. of dig. sys.115,116,118,121,123-129	212	-	2	5	5	15	8	7	42	27	19	24	12	15	14	18	15	7	8	11
Nephritis.....130,131	50	2	-	-	5	4	-	1	12	5	7	4	4	5	1	3	2	2	2	3
Congenital malformations.....157	5,966	1,420	454	322	659	532	309	258	3,954	479	332	271	228	171	131	115	91	83	65	66
Congenital debility.....158	744	128	48	34	46	41	29	36	382	92	78	65	45	25	25	15	10	16	7	6
Premature birth.....159	11,892	6,810	1,735	869	943	663	311	202	11,533	209	78	34	21	9	5	1	-	-	1	1
Injury at birth.....160	3,503	1,987	515	346	387	128	39	34	3,436	19	10	8	6	4	4	5	1	2	6	2
Other diseases peculiar to first year....161	2,372	947	349	258	391	171	52	54	2,222	56	27	20	21	10	2	2	4	4	1	3
Asphyxia (cause not specified)*.....161a	1,422	740	258	142	133	59	17	19	1,368	19	10	11	6	4	1	1	1	1	-	-
Infection of umbilicus, etc.*.....161b,c	950	207	91	116	258	112	35	35	854	37	17	9	15	6	1	1	3	3	1	3
Homicide.....165-168	43	24	2	-	1	-	1	-	28	4	-	2	1	2	1	1	3	1	-	-
Accidental deaths.....169-195	824	22	5	12	32	19	23	30	143	128	124	112	98	61	51	32	45	44	35	33
Accidental mechanical suffocation....182	414	6	-	5	14	7	16	17	65	83	82	62	42	31	18	7	10	6	6	2
Other accidental deaths..169-181,183-195	510	16	5	7	18	12	7	13	78	43	42	50	56	30	33	25	35	38	29	31
Ill-defined and unknown causes.....199,200	921	188	55	47	73	54	35	39	491	102	77	60	48	38	18	24	23	16	15	9
All other causes	798	55	17	8	48	48	44	21	241	87	80	62	39	51	45	47	49	45	34	38

*Refer to complete International List titles, table V, Part I.

TABLE 30.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: UNITED STATES, 1944—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEGRO, BOTH SEXES.....All causes	19,234	4,324	1,300	841	1,545	1,197	770	629	10,606	1,593	1,308	1,134	945	806	706	599	503	409	306	319
Cerebrospinal (meningococcus) meningitis...8	48	-	-	-	-	-	1	1	2	1	3	4	5	8	6	5	2	4	5	3
Scarlet fever.....8	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough.....9	373	-	-	-	1	2	1	7	11	46	41	56	41	29	30	34	26	18	18	23
Diphtheria (infection by C. diphtheriae)..10	19	-	-	-	1	-	-	-	1	2	1	2	1	2	2	2	1	-	3	2
Tuberculosis (all forms).....13-22	132	-	-	-	-	1	-	2	3	4	4	6	10	9	10	16	15	20	16	19
Tuberculosis of resp. sys. etc.*.....13	82	-	-	-	-	1	-	2	3	4	3	2	6	6	5	10	7	11	13	12
Tuberculosis of meninges, etc.*.....14	20	-	-	-	-	-	-	-	-	-	1	1	1	1	-	3	3	4	2	4
Tuberculosis (other forms).....15-22	30	-	-	-	-	-	-	-	-	-	-	3	3	2	5	3	5	5	1	3
Dysentery.....27	179	-	-	-	1	5	3	3	12	25	21	25	24	19	12	9	7	7	10	8
Malaria.....28	30	-	1	-	-	3	-	-	4	3	2	4	2	2	1	2	4	4	-	2
Syphilis.....30	431	77	22	15	28	30	25	17	212	69	48	28	23	7	14	8	8	11	2	1
Measles.....35	84	-	-	1	-	2	1	2	6	11	2	10	10	7	6	5	9	6	8	4
Diseases of thymus gland.....64	80	3	3	2	6	8	2	4	28	11	9	6	7	8	2	4	2	2	-	1
Meningitis (not due to meningococcus).....81	125	-	-	-	2	2	4	1	9	5	11	14	12	14	14	13	18	5	7	3
Intracranial lesions of vascular origin...83	32	1	-	-	-	2	-	-	3	6	5	2	7	4	-	-	2	-	3	-
Convulsions.....86	88	-	1	4	18	14	3	-	40	10	8	6	6	4	1	3	2	3	3	4
Diseases of ear and mastoid process.....89	29	-	-	-	-	-	-	1	1	3	4	3	8	3	1	2	1	2	2	1
Diseases of the heart.....90-95	20	1	2	1	4	-	1	1	10	2	2	-	2	3	-	-	-	-	1	-
Pneumonia (all forms), influenza..107-109,33	3,682	28	26	42	126	154	142	131	649	435	448	387	357	308	283	238	201	142	111	123
Bronchopneumonia, etc.*.....107	1,923	18	16	23	67	80	92	90	386	248	224	207	161	155	144	107	101	77	55	58
Lobar pneumonia.....108	669	3	2	7	19	21	17	10	79	76	88	70	68	63	49	46	46	32	18	34
Pneumonia (unspecified).....109	482	5	7	11	28	35	21	19	126	54	64	49	55	33	27	32	13	11	10	6
Influenza.....33	608	2	1	1	12	18	12	12	58	57	72	61	73	57	63	53	41	22	28	23
Other dis. of resp. system...104-106,110-114	205	4	1	5	10	12	9	9	50	34	23	15	20	12	9	9	11	4	8	10
Ulcer of stomach or duodenum.....117	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*.....119	1,688	3	-	4	26	48	75	92	248	228	212	198	176	164	149	99	68	73	40	33
Intestinal obstruction.....122b	82	-	-	1	-	-	-	1	2	14	5	12	10	7	10	4	3	9	4	2
Ot. dis. of dig. sys.115,116,118,121,123-129	134	1	-	1	8	10	9	4	33	19	14	18	4	11	5	5	7	8	5	5
Nephritis.....130,131	33	2	-	1	3	-	3	-	9	7	-	4	1	2	3	3	3	-	1	-
Congenital malformations.....157	902	139	64	47	108	78	43	38	517	76	59	61	42	27	33	27	21	18	9	12
Congenital debility.....158	672	116	41	31	85	52	35	38	396	85	63	42	21	20	13	9	8	6	5	4
Premature birth.....159	5,048	2,545	670	332	493	415	216	124	4,795	161	47	19	16	6	1	1	-	1	-	1
Injury at birth.....160	1,057	545	156	123	144	49	10	7	1,034	6	3	2	1	3	-	1	3	2	1	1
Other diseases peculiar to first year....161	952	322	128	92	161	86	32	24	845	40	23	9	7	6	8	5	4	3	1	1
Asphyxia (cause not specified)*.....161a	471	258	82	39	46	18	4	5	450	8	3	3	2	1	1	-	2	1	-	-
Infection of umbilicus, etc.*.....161b,c	481	64	46	53	115	70	28	19	395	32	20	8	5	5	7	5	2	2	1	1
Homicide.....165-168	19	9	2	-	-	-	-	-	11	-	2	4	-	-	-	-	1	-	1	-
Accidental deaths.....169-195	554	30	14	15	24	24	18	19	144	64	85	53	36	27	35	28	21	24	17	22
Accidental mechanical suffocation....182	234	5	6	8	10	14	7	15	65	42	51	35	10	10	9	7	2	-	1	2
Other accidental deaths..169-181,183-195	320	25	8	7	14	10	11	4	79	22	32	18	26	17	26	21	19	24	16	20
Ill-defined and unknown causes.....199,200	2,180	492	166	111	256	163	114	93	1,395	183	144	126	74	70	43	51	35	26	14	19
All other causes.....	354	6	3	14	42	37	23	10	135	43	22	18	24	24	15	16	20	11	11	15
NEGRO, MALE.....All causes	10,589	2,367	717	513	910	657	408	357	5,929	889	693	608	500	446	383	336	278	221	160	146
Cerebrospinal (meningococcus) meningitis...6	29	-	-	-	-	-	1	-	1	-	1	3	3	5	4	2	2	3	4	1
Scarlet fever.....8	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough.....9	161	-	-	-	-	1	-	3	4	19	16	25	16	12	17	14	13	8	7	10
Diphtheria (infection by C. diphtheriae)..10	10	-	-	-	-	-	-	-	-	1	-	2	-	1	1	1	1	-	2	1
Tuberculosis (all forms).....13-22	73	-	-	-	-	-	-	1	1	2	1	1	7	4	6	7	12	12	9	11
Tuberculosis of resp. sys. etc*.....13	47	-	-	-	-	-	-	1	1	2	1	-	5	3	4	4	6	6	8	7
Tuberculosis of meninges, etc.*.....14	10	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	2	1	1	1
Tuberculosis (other forms).....15-22	16	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	4	-	3
Dysentery.....27	95	-	-	-	1	3	2	2	8	13	14	11	14	12	6	4	5	1	4	3
Malaria.....28	18	-	1	-	-	-	-	-	1	2	1	2	-	2	1	2	2	3	-	2
Syphilis.....30	224	37	12	2	11	15	17	12	106	41	21	16	12	5	5	6	4	7	1	-
Measles.....35	48	-	-	-	-	2	1	2	5	7	2	7	5	4	3	4	2	2	5	2
Diseases of thymus gland.....64	45	-	1	2	4	4	2	1	14	5	7	4	2	5	1	4	1	1	-	1
Meningitis (not due to meningococcus).....81	71	-	-	-	2	1	2	1	6	2	6	9	6	6	7	8	11	4	6	-
Intracranial lesions of vascular origin...83	19	1	-	-	-	2	-	-	3	4	2	1	3	2	-	-	2	-	2	-
Convulsions.....86	54	-	1	2	13	9	2	-	27	5	4	5	3	-	-	3	1	2	2	2
Diseases of ear and mastoid process.....89	14	-	-	-	-	-	-	1	1	2	2	-	5	1	-	1	1	-	1	-
Diseases of the heart.....90-95	11	-	2	1	4	-	1	1	9	1	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms), influenza..107-109,33	2,033	17	14	23	75	92	78	72	371	238	250	214	192	168	165	144	101	83	56	51
Bronchopneumonia, etc.*.....107	1,072	10	9	9	37	47	51	52	215	137	126	109	98	89	87	62	52	47	30	22
Lobar pneumonia.....108	373	2	1	5	12	14	13	5	52	43	52	37	30	35	26	32	20	20	12	14
Pneumonia (unspecified).....109	260	4	4	8	16	21	11	9	73	33	36	26	20	18	16	17	7	6	4	4
Influenza.....33	328	1	-	1	10	10	3	6	31	25	36	42	46	26	36	33	22	10	10	11
Other dis. of resp. system...104-106,110-114	120	2	1	2	7	7	5	5	29	24	11	6	8	9	5	5	11	1	5	6
Ulcer of stomach or duodenum.....117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*.....119	925	3	-	1	17	27	40	61	149	116	123	96	100	66	79	55	42	40	20	19
Intestinal obstruction.....122b	53	-	-	1	-	-	-	1	2	11	5	11	2	4	5	3	2	6	1	1
Ot. dis. of dig. sys.115,116,118,121,123-129	75	1	-	-	5	4	5	2	17	14	7	11	4	5	2	4	3	2	3	3
Nephritis.....130,131	17	1	-	1	2	-	3	-	7	4	-	2	1	-	-	1	1	-	1	-
Congenital malformations.....157	515	82	31	31	60	33	27	27	291	47	36	37	27	19	22	11	10	6	4	5
Congenital debility.....158	385	65	23	26	53	31	19	21	238	48	34	22	13	12	3	3	5	2	4	1
Premature birth.....159	2,670	1,351	366	187	259	214	105	57	2,539	85	24	11	8	2	-	1	-	-	-	-
Injury at birth.....160	636	323	91	80	97	28	5	3	627	2	2	-	1	2	-	-	-	1	1	-
Other diseases peculiar to first year....161	564	182	75	63	102	41	18	14	495	24	16	5	6	4	5	2	3	2	1	1
Asphyxia (cause not specified)*.....161a	276	147	43	26	35	8	-	3	262	4	3	2	2	1	-	-	2	-	-	-
Infection of umbilicus, etc.*.....161b,c	288	35	32	37	67	33	18	11	233	20	13	3	4	3	5	2	1	2	1	1
Homicide.....165-168	8	5	-	-	-	-	-	-	5	-	2	1	-	-	-	-	-	-	-	-
Accidental deaths.....169-195	291	18	6	12	14	15	7	11	83	36	34	26	18	18	15	14	13	17	8	9
Accidental mechanical suffocation....182	123	2	3	6	5	8	2	10	36	25	24	17	4	9	4	2	1	-	1	-
Other accidental deaths..169-181,183-195	168	16	3	6	9	7	5	1	47	11	10	9	14	9	11	12	12	17	7	9
Ill-defined and unknown causes.....199,200	1,186	274	92	71	150	104	53	51	795	91	59	70	51	43	24	27	18	11	7	10
All other causes.....	218	5	1	8	34	24	15	8	95	25	12	10	13	15	7	10	12	7	5	7

*Refer to complete International List titles, table V, Part I.

TABLE 30.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: UNITED STATES, 1944—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEGRO, FEMALE.....All causes	8,665	1,957	583	328	635	540	362	272	4,677	724	615	526	445	360	323	263	225	188	146	173
Cerebrospinal (meningococcus) meningitis...6	19	-	-	-	-	-	-	1	1	1	2	1	2	3	2	3	-	1	1	2
Scarlet fever.....9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough.....9	212	-	-	-	1	1	1	4	7	27	25	51	25	17	13	20	13	10	11	13
Diphtheria (infection by C. diphtheriae)..10	9	-	-	-	1	-	-	-	1	1	1	-	1	1	1	1	-	-	1	1
Tuberculosis (all forms).....13-22	59	-	-	-	-	1	-	1	2	2	3	5	3	5	4	9	3	8	7	8
Tuberculosis of resp. sys. etc.*.....13	35	-	-	-	-	1	-	1	2	2	2	2	1	3	1	6	1	5	5	5
Tuberculosis of meninges, etc.*.....14	10	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	2	1	3
Tuberculosis (other forms).....15-22	14	-	-	-	-	-	-	-	-	-	-	3	2	1	3	2	1	1	1	-
Dysentery.....27	84	-	-	-	-	2	1	1	4	12	7	14	10	7	6	5	2	6	6	5
Malaria.....28	12	-	-	-	-	3	-	-	3	1	1	2	2	-	-	-	2	1	-	-
Syphilis.....30	207	40	10	11	17	15	8	5	106	28	27	12	11	2	9	2	4	4	1	1
Measles.....35	36	-	-	1	-	-	-	-	1	4	-	3	5	3	3	1	7	4	3	2
Diseases of thymus gland.....64	35	3	2	-	2	4	-	3	14	6	2	2	5	3	1	-	1	1	-	-
Meningitis (not due to meningococcus).....81	54	-	-	-	-	1	2	-	3	3	5	5	6	8	7	5	7	1	1	3
Intracranial lesions of vascular origin...83	13	-	-	-	-	-	-	-	-	2	3	1	4	2	-	-	-	-	1	-
Convulsions.....86	34	-	-	2	5	5	1	-	13	5	2	1	3	4	1	-	1	1	1	2
Diseases of ear and mastoid process.....89	15	-	-	-	-	-	-	-	-	1	2	3	1	2	1	1	-	2	1	1
Diseases of the heart.....90-95	9	1	-	-	-	-	-	-	1	1	2	-	2	3	-	-	-	-	-	-
Pneumonia (all forms), influenza..107-109,33	1,649	11	12	19	51	62	64	59	278	197	198	173	165	140	118	94	100	59	55	72
Bronchopneumonia, etc.*.....107	851	8	7	14	30	33	41	38	171	111	98	98	65	66	57	45	49	30	25	36
Lobar pneumonia.....108	296	1	1	2	7	7	4	5	27	33	36	33	38	28	23	14	26	12	6	20
Pneumonia (unspecified).....109	222	1	3	3	12	14	10	10	53	21	28	23	35	15	11	15	6	5	6	4
Influenza.....33	280	1	1	-	2	8	9	6	27	32	36	19	27	31	27	20	19	12	18	12
Other dis. of resp. system...104-106,110-114	85	2	-	3	3	5	4	4	21	10	12	9	12	3	4	4	-	3	3	4
Ulcer of stomach or duodenum.....117	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*.....119	763	-	-	3	9	21	35	31	99	112	89	102	76	78	70	44	26	33	20	14
Intestinal obstruction.....122b	29	-	-	-	-	-	-	-	-	3	-	1	8	3	5	1	1	3	3	1
Ot. dis. of dig. sys.115,116,118,121,123-129	59	-	-	1	3	6	4	2	16	5	7	7	-	6	3	1	4	6	2	2
Nephritis.....130,131	16	1	-	-	1	-	-	-	2	3	-	2	-	2	3	2	2	-	-	-
Congenital malformations.....157	387	57	33	16	48	45	16	11	226	29	23	24	15	8	11	16	11	12	5	7
Congenital debility.....158	287	51	18	5	30	21	16	17	158	37	29	20	8	8	10	6	3	4	1	3
Premature birth.....159	2,378	1,194	304	145	234	201	111	67	2,256	76	23	8	8	4	1	-	-	1	-	1
Injury at birth.....160	421	222	65	43	47	21	5	4	407	4	1	2	-	1	-	1	3	1	-	1
Other diseases peculiar to first year....161	388	140	53	29	59	45	14	10	350	16	7	4	1	2	3	3	1	1	-	-
Asphyxia (cause not specified)*.....161a	195	111	39	13	11	8	4	2	188	4	-	1	-	-	1	-	-	1	-	-
Infection of umbilicus, etc.*.....161b,c	193	29	14	16	48	37	10	8	162	12	7	3	1	2	2	3	1	-	-	-
Homicide.....165-168	11	4	2	-	-	-	-	-	6	-	-	3	-	-	-	-	1	-	1	-
Accidental deaths.....169-195	263	12	8	3	10	9	11	8	61	28	49	27	18	9	20	14	8	7	9	13
Accidental mechanical suffocation....182	111	3	3	2	5	6	5	5	29	17	27	18	6	1	5	5	1	-	-	2
Other accidental deaths..169-181,183-195	152	9	5	1	5	3	6	3	32	11	22	9	12	8	15	9	7	7	9	11
Ill-defined and unknown causes.....199,200	994	218	74	40	106	59	61	42	600	92	85	56	43	27	19	24	17	15	7	9
All other causes.....	136	1	2	6	8	13	8	2	40	18	10	8	11	9	8	6	8	4	6	8
OTHER RACES, BOTH SEXES.....All causes	1,286	159	45	40	75	58	37	44	458	94	108	96	87	81	78	66	57	52	60	49
Cerebrospinal (meningococcus) meningitis...6	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-
Scarlet fever.....8	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough.....9	31	-	-	-	-	1	-	-	1	4	5	4	2	2	2	3	5	1	1	1
Diphtheria (infection by C. diphtheriae)..10	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Tuberculosis (all forms).....13-22	39	-	-	-	-	-	-	-	-	-	2	3	5	5	6	1	-	4	6	7
Tuberculosis of resp. sys. etc.*.....13	25	-	-	-	-	-	-	-	-	-	2	3	1	3	3	1	-	4	3	5
Tuberculosis of meninges, etc.*.....14	10	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	2	2
Tuberculosis (other forms).....15-22	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-
Dysentery.....27	20	-	-	-	-	-	-	-	-	2	4	1	1	4	1	4	1	1	1	-
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	28	7	3	2	-	1	-	2	15	4	3	1	2	-	-	-	1	2	-	-
Measles.....35	22	-	-	-	-	-	-	-	-	1	1	2	2	2	2	2	1	4	2	3
Diseases of thymus gland.....64	10	1	1	2	-	1	-	-	4	1	4	-	1	-	-	-	-	-	-	-
Meningitis (not due to meningococcus).....81	10	-	-	-	-	-	1	-	1	-	2	2	2	-	1	1	-	-	1	-
Intracranial lesions of vascular origin...83	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Convulsions.....86	3	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	1
Diseases of ear and mastoid process.....89	7	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	2	-	-	1
Diseases of the heart.....90-95	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms), influenza..107-109,33	296	-	2	1	4	5	8	9	29	18	32	39	29	25	35	19	14	20	23	13
Bronchopneumonia, etc.*.....107	163	-	1	1	2	4	5	3	16	10	16	23	17	11	24	7	7	11	18	5
Lobar pneumonia.....108	50	-	1	-	1	-	1	1	4	3	4	6	5	6	5	4	4	3	5	1
Pneumonia (unspecified).....109	48	-	-	-	1	1	2	5	9	2	8	6	6	4	1	4	1	3	1	3
Influenza.....33	35	-	-	-	-	-	-	-	-	3	4	4	1	4	5	4	2	3	1	4
Other dis. of resp. system...104-106,110-114	19	-	-	1	-	-	-	1	2	3	1	3	1	-	1	4	2	-	-	2
Ulcer of stomach or duodenum.....117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*.....119	199	-	-	-	1	6	1	6	14	15	26	20	26	18	14	15	20	8	13	10
Intestinal obstruction.....122b	6	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	1	-
Ot. dis. of dig. sys.115,116,118,121,123-129	11	-	-	-	1	1	-	-	2	-	2	-	-	1	1	1	1	1	1	1
Nephritis.....130,131	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Congenital malformations.....157	54	9	1	3	8	5	3	5	34	5	4	2	2	1	1	2	-	1	1	1
Congenital debility.....158	43	4	2	-	4	2	3	1	16	9	4	2	1	6	-	1	-	-	3	1
Premature birth.....159	168	87	19	11	17	15	7	5	161	6	1	-	-	-	-	-	-	-	-	-
Injury at birth.....160	49	28	4	5	5	3	2	1	48	1	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year....161	71	16	7	9	17	7	5	2	63	4	-	2	1	1	-	-	-	-	-	-
Asphyxia (cause not specified)*.....161a	21	12	4	3	1	-	-	1	21	-	-	-	-	-	-	-	-	-	-	-
Infection of umbilicus, etc.*.....161b,c	50	4	3	6	16	7	5	1	42	4	-	2	1	1	-	-	-	-	-	-
Homicide.....165-168	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Accidental deaths.....169-195	32	-	-	2	3	1	2	3	11	3	1	2	3	3	3	3	-	-	1	2
Accidental mechanical suffocation....182	9	-	-	1	-	-	-	2	3	-	-	1	2	2	1	-	-	-	-	-
Other accidental deaths..169-181,183-195	23	-	-	1	3	1	2	1	8	3	1	1	1	1	2	3	-	-	1	2
Ill-defined and unknown causes.....199,200	136	7	6	4	15	9	3	5	49	12	12	9	5	9	8	8	8	10	3	3
All other causes.....	18	1	-	-	-	1	2	3	7	3	1	1	1	1	1	-	-	-	1	2

*Refer to complete International List titles, table V, Part I.

TABLE 30.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: UNITED STATES, 1944—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
OTHER RACES, MALE.....All causes	698	92	23	27	42	38	18	24	264	50	61	63	52	47	35	35	27	21	26	17
Cerebrospinal (meningococcus) meningitis...6	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-
Scarlet fever.....8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough.....9	15	-	-	-	-	1	-	-	1	2	1	3	2	1	-	2	2	1	-	-
Diphtheria (infection by C. diphtheriae)..10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis (all forms).....13-22	21	-	-	-	-	-	-	-	-	-	2	2	3	4	4	1	-	1	1	3
Tuberculosis of resp. sys. etc.*.....13	14	-	-	-	-	-	-	-	-	-	2	2	-	3	3	1	-	1	-	2
Tuberculosis of meninges, etc.*.....14	6	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	1	1
Tuberculosis (other forms).....15-22	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dysentery.....27	9	-	-	-	-	-	-	-	-	1	3	1	-	3	-	1	-	-	-	-
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	13	4	2	1	-	1	-	1	9	1	-	-	1	-	-	-	-	2	-	-
Measles.....35	11	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	1	-	1	1
Diseases of thymus gland.....64	7	-	-	2	-	1	-	-	3	1	2	-	1	-	-	-	-	-	-	-
Meningitis (not due to meningococcus).....81	5	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	1	-
Intracranial lesions of vascular origin...83	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions.....86	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of ear and mastoid process.....89	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Diseases of the heart.....90-95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms), influenza..107-109,33	168	-	2	1	3	4	5	6	21	7	24	29	18	14	17	10	6	8	10	4
Bronchopneumonia, etc.*.....107	94	-	1	1	2	3	3	3	13	3	13	18	11	6	11	3	3	5	7	1
Lobar pneumonia.....108	28	-	1	-	1	-	1	1	4	2	3	5	3	3	2	1	2	2	1	-
Pneumonia (unspecified).....109	28	-	-	-	-	1	1	2	4	1	5	3	4	3	1	4	1	1	1	-
Influenza.....33	18	-	-	-	-	-	-	-	-	1	3	3	-	2	3	2	-	-	1	3
Other dis. of resp. system...104-108,110-114	13	-	-	1	-	-	-	-	1	3	1	1	1	-	-	3	2	-	-	1
Ulcer of stomach or duodenum.....117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*.....119	103	-	-	-	-	5	-	3	8	11	12	12	15	11	7	5	8	3	8	3
Intestinal obstruction.....122b	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
Ot. dis. of dig. sys.115,116,118,121,123-129	5	-	-	-	-	1	-	-	1	-	1	-	-	1	-	1	-	1	-	-
Nephritis.....130,131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations.....157	31	5	1	2	4	3	1	3	19	3	1	2	1	1	1	2	-	1	-	-
Congenital debility.....158	18	1	1	-	3	1	3	-	9	3	1	-	1	3	-	-	-	-	-	1
Premature birth.....159	95	51	6	5	13	11	3	3	92	2	1	-	-	-	-	-	-	-	-	-
Injury at birth.....160	29	18	4	4	1	-	-	1	28	1	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year....161	40	8	3	5	10	5	2	1	34	3	-	2	1	-	-	-	-	-	-	-
Asphyxia (cause not specified)*.....161a	11	6	2	1	1	-	-	1	11	-	-	-	-	-	-	-	-	-	-	-
Infection of umbilicus, etc.*.....161b,c	29	2	1	4	9	5	2	-	23	3	-	2	1	-	-	-	-	-	-	-
Homicide.....165-168	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Accidental deaths.....169-195	15	-	-	2	2	-	1	-	5	-	-	1	2	2	1	3	-	-	1	-
Accidental mechanical suffocation....182	3	-	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
Other accidental deaths..169-181,183-195	12	-	-	1	2	-	1	-	4	-	-	1	1	1	3	-	-	-	1	-
Ill-defined and unknown causes.....199,200	74	5	4	4	6	4	2	3	28	5	8	5	3	3	2	6	6	4	2	2
All other causes.....	12	-	-	-	-	1	1	3	5	3	-	1	-	-	1	-	-	-	1	1
OTHER RACES, FEMALE.....All causes	588	67	22	15	33	20	19	20	194	44	47	33	35	34	43	31	30	31	34	32
Cerebrospinal (meningococcus) meningitis...6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever.....8	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough.....9	16	-	-	-	-	-	-	-	-	2	4	1	-	1	2	1	3	-	1	1
Diphtheria (infection by C. diphtheriae)..10	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Tuberculosis (all forms).....13-22	18	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	3	5	4
Tuberculosis of resp. sys. etc.*.....13	11	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	3	3	3
Tuberculosis of meninges, etc.*.....14	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1
Tuberculosis (other forms).....15-22	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-
Dysentery.....27	11	-	-	-	-	-	-	-	-	1	1	-	1	1	1	3	1	1	1	-
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	15	3	1	1	-	-	-	1	6	3	3	1	1	-	-	1	-	-	-	-
Measles.....35	11	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	4	1	2
Diseases of thymus gland.....64	3	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus).....81	5	-	-	-	-	-	1	-	1	-	-	1	1	-	1	1	-	-	-	-
Intracranial lesions of vascular origin...83	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Convulsions.....86	2	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Diseases of ear and mastoid process.....89	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	1
Diseases of the heart.....90-95	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms), influenza..107-109,33	128	-	-	-	1	1	3	3	8	11	8	10	11	11	16	9	8	12	13	9
Bronchopneumonia, etc.*.....107	69	-	-	-	-	1	2	-	3	7	3	5	6	5	13	4	4	6	9	4
Lobar pneumonia.....108	22	-	-	-	-	-	-	-	-	1	1	1	2	3	3	3	2	1	4	1
Pneumonia (unspecified).....109	20	-	-	-	1	-	1	3	5	1	3	3	2	1	-	-	-	2	-	3
Influenza.....33	17	-	-	-	-	-	-	-	-	2	1	1	1	2	2	2	2	3	-	1
Other dis. of resp. system...104-108,110-114	6	-	-	-	-	-	-	1	1	-	-	2	-	-	1	1	-	-	-	1
Ulcer of stomach or duodenum.....117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*.....119	96	-	-	-	1	1	1	3	6	4	14	8	11	7	7	10	12	5	5	7
Intestinal obstruction.....122b	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-
Ot. dis. of dig. sys.115,116,118,121,123-129	6	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	1	-	1	1
Nephritis.....130,131	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Congenital malformations.....157	23	4	-	1	4	2	2	2	15	2	3	-	1	-	-	-	-	-	1	1
Congenital debility.....158	25	3	1	-	1	1	-	1	7	6	3	2	-	3	-	1	-	-	3	-
Premature birth.....159	73	56	13	6	4	4	4	2	69	4	-	-	-	-	-	-	-	-	-	-
Injury at birth.....160	20	10	-	1	4	3	2	-	20	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year....161	31	8	4	4	7	2	3	1	29	1	-	-	-	1	-	-	-	-	-	-
Asphyxia (cause not specified)*.....161a	10	6	2	2	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Infection of umbilicus, etc.*.....161b,c	21	2	2	2	7	2	3	1	19	1	-	-	-	1	-	-	-	-	-	-
Homicide.....165-168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental deaths.....169-195	17	-	-	-	1	1	1	3	6	3	1	1	1	1	2	-	-	-	-	2
Accidental mechanical suffocation....182	6	-	-	-	-	-	-	2	2	-	-	1	1	1	1	-	-	-	-	-
Other accidental deaths..169-181,183-195	11	-	-	-	1	1	1	1	4	3	1	-	-	-	1	-	-	-	-	2
Ill-defined and unknown causes.....199,200	62	2	2	-	9	5	1	2	21	7	4	4	2	6	6	2	2	6	1	1
All other causes.....	6	1	-	-	-	-	1	-	2	-	1	-	1	1	-	-	-	-	-	1

*Refer to complete International List titles, table V, Part I.

TABLE 31.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY RACE, URBAN AND RURAL: UNITED STATES, 1944

(By place of residence. Exclusive of stillbirths)

CAUSE OF DEATH	TOTAL					WHITE					NONWHITE				
	Total deaths under 1 year	Urban			Rural	Total	Urban			Rural	Total	Urban			Rural
		Total	Places of 10,000 or more	Places of 2,500 to 10,000			Total	Places of 10,000 or more	Places of 2,500 to 10,000			Total	Places of 10,000 or more	Places of 2,500 to 10,000	
All causes	111,127	63,482	50,591	12,891	47,645	90,607	53,316	42,059	11,257	37,291	20,520	10,166	8,532	1,634	10,354
Cerebrospinal (meningococcus) meningitis....6	320	206	182	24	114	268	172	152	20	96	52	34	30	4	18
Scarlet fever....8	13	7	4	3	6	11	7	4	3	4	2	–	–	–	2
Whooping cough....9	1,323	486	349	137	837	919	362	250	112	557	404	124	99	25	280
Diphtheria (infection by C. diphtheriae)....10	89	36	27	9	53	68	28	22	6	40	21	8	5	3	13
Tuberculosis (all forms)....13–22	468	289	245	44	179	297	185	149	36	112	171	104	96	8	67
Tuberculosis of the respiratory system, etc.*....13	250	159	133	26	91	145	92	72	20	51	107	67	61	6	40
Tuberculosis of the meninges, etc.*....14	102	52	42	10	50	72	37	28	9	35	30	15	14	1	15
Tuberculosis (other forms)....15–22	116	78	70	8	38	82	56	49	7	26	34	22	21	1	12
Dysentery....27	991	422	224	198	569	792	350	183	167	442	199	72	41	31	127
Malaria....28	54	10	8	2	44	24	3	3	–	21	30	7	5	2	23
Syphilis....30	746	437	355	82	309	287	187	148	39	100	459	250	207	43	209
Measles....35	536	223	148	75	313	430	186	126	60	244	106	37	22	15	69
Diseases of the thymus gland....64	1,075	661	523	138	414	985	600	469	131	385	90	61	54	7	29
Meningitis (not due to meningococcus)....81	606	326	270	56	280	471	249	203	46	222	135	77	67	10	58
Intracranial lesions of vascular origin....83	172	111	87	24	61	138	90	69	21	48	34	21	18	3	13
Convulsions....86	347	143	88	55	204	256	114	67	47	142	91	29	21	8	62
Diseases of the ear and mastoid process....89	248	136	108	28	112	212	115	89	26	97	36	21	19	2	15
Diseases of the heart....90–95	181	100	76	24	81	160	90	66	24	70	21	10	10	–	11
Pneumonia (all forms) and influenza....107–108,33	15,674	7,980	6,248	1,732	7,694	11,696	6,035	4,665	1,370	5,661	3,978	1,945	1,583	362	2,033
Bronchopneumonia, etc.*....107	8,777	4,956	4,041	915	3,821	6,691	3,740	2,997	743	2,951	2,086	1,216	1,044	172	870
Lobar pneumonia....108	2,784	1,369	1,050	319	1,415	2,065	1,055	787	268	1,010	719	334	263	71	385
Pneumonia (unspecified)....109	1,939	820	572	248	1,119	1,409	633	444	189	776	530	187	128	59	343
Influenza....33	2,174	835	585	250	1,339	1,531	627	457	190	904	643	208	148	60	435
Other diseases of respiratory system....104–106,110–114	1,089	636	526	110	453	865	551	434	97	334	224	105	92	13	119
Ulcer of stomach or duodenum....117	18	13	12	1	5	17	12	11	1	5	1	1	1	–	–
Diarrhea, enteritis, etc.*....119	9,259	4,928	3,789	1,139	4,311	7,352	4,035	3,053	982	3,317	1,887	893	716	177	994
Intestinal obstruction....122b	587	330	253	77	257	499	275	207	68	226	88	57	46	11	31
Other diseases of digestive system...115,116,118,120,125–129	633	297	228	69	336	488	252	175	77	236	145	65	53	12	80
Nephritis....130,131	134	62	48	14	72	99	46	33	13	53	35	16	15	1	19
Congenital malformations....137	14,205	8,886	7,276	1,610	5,319	13,249	8,303	6,745	1,558	4,946	956	583	531	52	373
Congenital debility....138	2,493	1,050	701	349	1,443	1,778	784	509	275	994	715	266	192	74	449
Premature birth....139	33,120	20,887	17,025	3,862	12,233	27,904	17,699	14,223	3,476	10,205	5,216	3,188	2,802	386	2,028
Injury at birth....160	10,199	6,494	5,149	1,345	3,705	9,083	5,804	4,563	1,241	3,289	1,106	690	586	104	416
Other diseases peculiar to the first year of life....161	6,950	4,459	3,694	765	2,491	5,927	3,864	3,171	693	2,063	1,023	595	523	72	428
Asphyxia (cause not specified), atelectasis....161a	4,010	2,777	2,334	443	1,233	3,518	2,421	2,008	413	1,097	492	356	328	30	136
Infection of the umbilicus, etc.*....161b,c	2,940	1,682	1,360	322	1,258	2,409	1,443	1,163	280	966	531	239	197	42	292
Homicide....165–168	111	72	66	6	39	90	58	52	6	32	21	14	14	–	7
Accidental deaths....169–195	2,853	1,522	1,231	291	1,331	2,267	1,243	994	249	1,024	586	279	237	42	307
Accidental mechanical suffocation....182	1,312	710	576	134	602	1,069	598	480	118	471	243	112	96	16	131
Other accidental deaths....169–181,183–195	1,541	812	655	157	729	1,198	645	514	131	553	343	167	141	26	176
Ill-defined and unknown causes....199,200	4,421	1,025	692	333	3,396	2,105	604	396	208	1,501	2,316	421	296	125	1,895
All other causes	2,252	1,248	979	269	984	1,860	1,055	828	227	805	372	193	151	42	179

*Refer to complete International List titles, table V, Part I.