

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. NIH/NCCIH - National Center for Complementary and Integrative Health

Module:Adult, Section: CIH: Complementary and Integrative Health

Question ID	Variable	Added	Question Text	Universe
CIH.0010.00.3	CHIRO_A		During the past 12 months, have you seen or talked to a chiropractor about your own health?	Sample Adults 18+
CIH.0020.00.3	CHIROPAIN_A		During the past 12 months, did you see a chiropractor ...to treat or manage physical pain?	Sample Adults 18+ who saw a chiropractor in the past 12 months
CIH.0030.00.3	CHIROHLTH_A		* Read if necessary: <i>During the past 12 months, did you see a chiropractor</i> ...to restore your overall health?	Sample Adults 18+ who saw a chiropractor in the past 12 months
CIH.0040.00.3	ACU_A		During the past 12 months, did you see a practitioner of acupuncture?	Sample Adults 18+
CIH.0050.00.3	ACUPAIN_A		During the past 12 months, did you see a practitioner of acupuncture ...to treat or manage physical pain?	Sample Adults 18+ who saw a practitioner of acupuncture in the past 12 months
CIH.0060.00.3	ACUHLTH_A		* Read if necessary: <i>During the past 12 months, did you see a practitioner of acupuncture</i> ...to restore your overall health?	Sample Adults 18+ who saw a practitioner of acupuncture in the past 12 months
CIH.0070.00.3	MASS_A		During the past 12 months, did you see a practitioner of massage?	Sample Adults 18+
CIH.0080.00.3	MASSPAIN_A		During the past 12 months, did you see a practitioner of massage ...to treat or manage physical pain?	Sample Adults 18+ who saw a practitioner of massage in the past 12 months

CIH.0090.00.3	MASSHLTH_A		<p>* Read if necessary: <i>During the past 12 months, did you see a practitioner of massage</i></p> <p>...to restore your overall health?</p>	Sample Adults 18+ who saw a practitioner of massage in the past 12 months
CIH.0100.00.3	NATUR_A		<p>A naturopath (NAY-cher-uh-path) is a licensed doctor who went to naturopathic medical school and uses both standard medical tests as well as massage, acupuncture, exercise, nutritional counseling, and natural therapies such as herbs. During the past 12 months, did you see a practitioner of naturopathy (NAY-cher-AH-puh-thee)?</p>	Sample Adults 18+
CIH.0110.00.3	NATURPAIN_A		<p>During the past 12 months, did you see a naturopath (NAY-cher-uh-path)</p> <p>...to treat or manage physical pain?</p>	Sample Adults 18+ who saw a naturopath in the past 12 months
CIH.0120.00.3	NATURHLTH_A		<p>* Read if necessary: <i>During the past 12 months, did you see a naturopath (NAY-cher-uh-path)</i></p> <p>...to restore your overall health?</p>	Sample Adults 18+ who saw a naturopath in the past 12 months
CIH.0130.00.3	ARTTHPY_A		<p>Art therapists work with patients to make artwork to help with emotions. During the past 12 months, did you see an art therapist?</p>	Sample Adults 18+
CIH.0140.00.3	MUSICTHPY_A		<p>Music therapists use music with patients to promote healing and quality of life. During the past 12 months, did you see a music therapist?</p>	Sample Adults 18+
CIH.0150.00.3	MEDITATE_A		<p>Meditation includes Mindfulness, Mantra, and Spiritual meditation. In meditation a person focuses, stills, or quiets the mind. During the past 12 months, did you use any of these types of meditation?</p>	Sample Adults 18+
CIH.0160.00.3	MEDIPAIN_A		<p>During the past 12 months, did you use meditation</p> <p>...to treat or manage physical pain?</p>	Sample Adults 18+ who used meditation in the past 12 months

CIH.0170.00.3	MEDIHLTH_A		<p>* Read if necessary: <i>During the past 12 months, did you use meditation</i></p> <p>...to restore your overall health?</p>	Sample Adults 18+ who used meditation in the past 12 months
CIH.0180.00.3	GIPR_A		<p>Guided imagery uses visualization to relax. Progressive relaxation uses tensing and relaxing muscle groups. During the past 12 months, did you use guided imagery or progressive relaxation?</p>	Sample Adults 18+
CIH.0190.00.3	GIPRPAIN_A		<p>During the past 12 months, did you use guided imagery or progressive relaxation</p> <p>...to treat or manage physical pain?</p>	Sample Adults 18+ who used guided imagery or progressive relaxation in the past 12 months
CIH.0200.00.3	GIPRHLTH_A		<p>* Read if necessary: <i>During the past 12 months, did you use guided imagery or progressive relaxation</i></p> <p>...to restore your overall health?</p>	Sample Adults 18+ who used guided imagery or progressive relaxation in the past 12 months
CIH.0210.00.3	YOGA_A		<p>During the past 12 months, did you practice Yoga as part of a class or on your own?</p>	Sample Adults 18+
CIH.0220.00.3	YOGABRTH_A		<p>Breathing exercises may involve actively controlling the way air is drawn in, or the rate or depth of breathing. Did you do breathing exercises as part of Yoga?</p>	Sample Adults 18+ who used yoga in the past 12 months
CIH.0230.00.3	YOGAMED_A		<p>Did you do meditation as part of Yoga?</p>	Sample Adults 18+ who used yoga in the past 12 months
CIH.0240.00.3	YOGAPAIN_A		<p>During the past 12 months, did you use Yoga</p> <p>...to treat or manage physical pain?</p>	Sample Adults 18+ who used yoga in the past 12 months
CIH.0250.00.3	YOGAHLTH_A		<p>* Read if necessary: <i>During the past 12 months, did you use Yoga</i></p> <p>...to restore your overall health?</p>	Sample Adults 18+ who used yoga in the past 12 months

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. NIH/NCCIH - National Center for Complementary and Integrative Health

Module:Child, Section: CIH: Complementary and Integrative Health

Question ID	Variable	Added	Question Text	Universe
CIH.0010.00.3	CHIRO_C		During the past 12 months, has ^SCNAME seen or talked to a chiropractor about ^hisher_C own health?	Sample Children 4-17
CIH.0020.00.3	CHIROPAIN_C		During the past 12 months, did ^SCNAME see a chiropractor ...to treat or manage physical pain?	Sample Children 4-17 who saw a chiropractor in the past 12 months
CIH.0030.00.3	CHIROHLTH_C		* Read if necessary: <i>During the past 12 months, did ^SCNAME see a chiropractor</i> ...to restore ^hisher_C overall health?	Sample Children 4-17 who saw a chiropractor in the past 12 months
CIH.0040.00.3	ACU_C		During the past 12 months, did ^SCNAME see a practitioner of acupuncture?	Sample Children 4-17
CIH.0050.00.3	ACUPAIN_C		During the past 12 months, did ^SCNAME see a practitioner of acupuncture ...to treat or manage physical pain?	Sample Children 4-17 who saw a practitioner of acupuncture in the past 12 months
CIH.0060.00.3	ACUHLTH_C		* Read if necessary: <i>During the past 12 months, did ^SCNAME see a practitioner of acupuncture</i> ...to restore ^hisher_C overall health?	Sample Children 4-17 who saw a practitioner of acupuncture in the past 12 months
CIH.0070.00.3	MASS_C		During the past 12 months, did ^SCNAME see a practitioner of massage?	Sample Children 4-17
CIH.0080.00.3	MASSPAIN_C		During the past 12 months, did ^SCNAME see a practitioner of massage ...to treat or manage physical pain?	Sample Children 4-17 who saw a practitioner of massage in the past 12 months

CIH.0090.00.3	MASSHLTH_C		<p>* Read if necessary: <i>During the past 12 months, did ^SCNAME see a practitioner of massage</i></p> <p>...to restore ^hisher_C overall health?</p>	Sample Children 4-17 who saw a practitioner of massage in the past 12 months
CIH.0100.00.3	NATUR_C		<p>A naturopath (NAY-cher-uh-path) is a licensed doctor who went to naturopathic medical school and uses both standard medical tests as well as massage, acupuncture, exercise, nutritional counseling, and natural therapies such as herbs. During the past 12 months, did ^SCNAME see a practitioner of naturopathy (NAY-cher-AH-puh-thee)?</p>	Sample Children 4-17
CIH.0110.00.3	NATURPAIN_C		<p>During the past 12 months, did ^SCNAME see a naturopath (NAY-cher-uh-path)</p> <p>...to treat or manage physical pain?</p>	Sample Children 4-17 who saw a naturopath in the past 12 months
CIH.0120.00.3	NATURHLTH_C		<p>* Read if necessary: <i>During the past 12 months, did ^SCNAME see a naturopath (NAY-cher-uh-path)</i></p> <p>...to restore ^hisher_C overall health?</p>	Sample Children 4-17 who saw a naturopath in the past 12 months
CIH.0130.00.3	ARTTHPY_C		<p>Art therapists work with patients to make artwork to help with emotions. During the past 12 months, did ^SCNAME see an art therapist?</p>	Sample Children 4-17
CIH.0140.00.3	MUSICTHPY_C		<p>Music therapists use music with patients to promote healing and quality of life. During the past 12 months, did ^SCNAME see a music therapist?</p>	Sample Children 4-17
CIH.0150.00.3	MEDITATE_C		<p>Meditation includes Mindfulness, Mantra, and Spiritual meditation. In meditation a person focuses, stills, or quiets the mind. During the past 12 months, did ^SCNAME use any of these types of meditation?</p>	Sample Children 4-17
CIH.0160.00.3	MEDIPAIN_C		<p>During the past 12 months, did ^SCNAME use meditation</p> <p>...to treat or manage physical pain?</p>	Sample Children 4-17 who used meditation in the past 12 months

CIH.0170.00.3	MEDIHLTH_C		<p>* Read if necessary: <i>During the past 12 months, did ^SCNAME use meditation</i></p> <p>...to restore ^hisher_C overall health?</p>	Sample Children 4-17 who used meditation in the past 12 months
CIH.0180.00.3	GIPR_C		<p>Guided imagery uses visualization to relax. Progressive relaxation uses tensing and relaxing muscle groups. During the past 12 months, did ^SCNAME use guided imagery or progressive relaxation?</p>	Sample Children 4-17
CIH.0190.00.3	GIPRPAIN_C		<p>During the past 12 months, did ^SCNAME use guided imagery or progressive relaxation</p> <p>...to treat or manage physical pain?</p>	Sample Children 4-17 who used guided imagery or progressive relaxation in the past 12 months
CIH.0200.00.3	GIPRHLTH_C		<p>* Read if necessary: <i>During the past 12 months, did ^SCNAME use guided imagery or progressive relaxation</i></p> <p>...to restore ^hisher_C overall health?</p>	Sample Children 4-17 who used guided imagery or progressive relaxation in the past 12 months
CIH.0210.00.3	YOGA_C		<p>During the past 12 months, did ^SCNAME practice Yoga as part of a class or on ^hisher_C own?</p>	Sample Children 4-17
CIH.0220.00.3	YOGABRTH_C		<p>Breathing exercises may involve actively controlling the way air is drawn in, or the rate or depth of breathing. Did ^SCNAME do breathing exercises as part of Yoga?</p>	Sample Children 4-17 who used yoga in the past 12 months
CIH.0230.00.3	YOGAMED_C		<p>Did ^SCNAME do meditation as part of Yoga?</p>	Sample Children 4-17 who used yoga in the past 12 months
CIH.0240.00.3	YOGAPAIN_C		<p>During the past 12 months, did ^SCNAME use Yoga</p> <p>...to treat or manage physical pain?</p>	Sample Children 4-17 who used yoga in the past 12 months
CIH.0250.00.3	YOGAHLTH_C		<p>* Read if necessary: <i>During the past 12 months, did ^SCNAME use Yoga</i></p> <p>...to restore ^hisher_C overall health?</p>	Sample Children 4-17 who used yoga in the past 12 months

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion
- . NIH/NCI - National Cancer Institute

Module:Adult, Section: DNU: Diet and Nutrition

Question ID	Variable	Added	Question Text	Universe
DNU.0010.01.3	SODANO_A		<p>* 1 of 2</p> <p>These questions are about the different kinds of foods you ate or drank during the past month, that is, the past 30 days. When answering, please include meals and snacks eaten at home, at work or school, in restaurants, and any place else. During the past month, how often did you drink REGULAR SODA or pop that contains sugar? Do NOT include diet soda. You can tell me per day, per week, or per month.</p>	Sample Adults 18+
DNU.0010.02.3	SODATP_A		<p>* 2 of 2</p> <p>Enter time period.</p>	Sample Adults 18+ who drank soda in the past month
DNU.0020.01.3	FRJUICNO_A		<p>* 1 of 2</p> <p>* Read if necessary: <i>During the past month...</i></p> <p>How often did you drink 100% PURE fruit juice such as orange, mango, apple, grape and pineapple juices? Do NOT include fruit flavored drinks with added sugar or fruit juice you made at home and added sugar to.</p> <p>* Read if necessary: <i>You can tell me per day, per week, or per month.</i></p> <p>* Enter '0' for never.</p>	Sample Adults 18+
DNU.0020.02.3	FRJUICTP_A		<p>* 2 of 2</p> <p>Enter time period.</p>	Sample Adults 18+ who drank pure fruit juice in the past month

DNU.0030.01.3	COFFEENO_A		<p>* 1 of 2</p> <p>* Read if necessary: <i>During the past month...</i></p> <p>How often did you drink COFFEE or tea that had sugar or honey added to it? Include coffee and tea you sweetened yourself and presweetened tea and coffee drinks such as Arizona Iced Tea® and Frappuccino. Do not include artificially sweetened coffee or diet tea.</p> <p>* Read if necessary: <i>You can tell me per day, per week, or per month.</i></p> <p>* Enter '0' for never.</p>	Sample Adults 18+
DNU.0030.02.3	COFFEENOTP_A		<p>* 2 of 2</p> <p>Enter time period.</p>	Sample Adults 18+ who drank coffee or tea with sugar in the past month
DNU.0040.01.3	SPORDRNO_A		<p>* 1 of 2</p> <p>* Read if necessary: <i>During the past month...</i></p> <p>How often did you drink SPORTS and ENERGY drinks such as Gatorade®, Red Bull®, and Vitamin water®?</p> <p>* Read if necessary: <i>You can tell me per day, per week, or per month.</i></p> <p>* Enter '0' for never.</p>	Sample Adults 18+
DNU.0040.02.3	SPORDRTP_A		<p>* 2 of 2</p> <p>Enter time period.</p>	Sample Adults 18+ who drank sport or energy drinks in the past month

DNU.0050.01.3	FRTDRNO_A		<p>* 1 of 2</p> <p>* Read if necessary: <i>During the past month...</i></p> <p>How often did you drink sweetened fruit drinks, such as Kool-aid®, cranberry and lemonade? Include fruit drinks you made at home and added sugar to.</p> <p>* Read if necessary: <i>You can tell me per day, per week, or per month.</i></p> <p>* Enter '0' for never.</p>	Sample Adults 18+
DNU.0050.02.3	FRTDRTP_A		<p>* 2 of 2</p> <p>Enter time period.</p>	Sample Adults 18+ who drank sweetened fruit drinks in the past month
DNU.0060.01.3	FRUITNO_A		<p>* 1 of 2</p> <p>* Read if necessary: <i>During the past month...</i></p> <p>How often did you eat FRUIT? Include fresh, frozen, or canned fruit. Do NOT include juices.</p> <p>* Read if necessary: <i>You can tell me per day, per week, or per month.</i></p> <p>* Enter '0' for never.</p>	Sample Adults 18+
DNU.0060.02.3	FRUITTP_A		<p>* 2 of 2</p> <p>Enter time period.</p>	Sample Adults 18+ who ate fruit in the past month
DNU.0070.01.3	SALADNO_A		<p>* 1 of 2</p> <p>* Read if necessary: <i>During the past month...</i></p> <p>How often did you eat a green leafy or lettuce SALAD, with or without other vegetables?</p> <p>* Read if necessary: <i>You can tell me per day, per week, or per month.</i></p> <p>* Enter '0' for never.</p>	Sample Adults 18+

¹Questions on lung cancer screening were removed at the end of quarter 2 due to recommendations to defer non-urgent care during the COVID-19 pandemic.

DNU.0070.02.3	SALADTP_A		<p>* 2 of 2</p> <p>Enter time period.</p>	Sample Adults 18+ who ate salad in the past month
DNU.0080.01.3	FRIESNO_A		<p>* 1 of 2</p> <p>* Read if necessary: <i>During the past month...</i></p> <p>How often did you eat any kind of FRIED POTATOES, including french fries, home fries, or hash brown potatoes?</p> <p>* Read if necessary: <i>You can tell me per day, per week, or per month.</i></p> <p>* Enter '0' for never.</p>	Sample Adults 18+
DNU.0080.02.3	FRIESTP_A		<p>* 2 of 2</p> <p>Enter time period.</p>	Sample Adults 18+ who ate fried potatoes in the past month
DNU.0090.01.3	POTATONO_A		<p>* 1 of 2</p> <p>* Read if necessary: <i>During the past month...</i></p> <p>How often did you eat any OTHER KINDS OF POTATOES, such as baked, boiled, mashed potatoes, sweet potatoes, or potato salad?</p> <p>* Read if necessary: <i>You can tell me per day, per week, or per month.</i></p> <p>* Enter '0' for never.</p>	Sample Adults 18+
DNU.0090.02.3	POTATOTP_A		<p>* 2 of 2</p> <p>Enter time period.</p>	Sample Adults 18+ who ate other kinds of potatoes in the past month

DNU.0100.01.3	BEANSNO_A		<p>* 1 of 2</p> <p>* Read if necessary: <i>During the past month...</i></p> <p>How often did you eat refried beans, baked beans, beans in soup, pork and beans or any other type of cooked dried beans? Do NOT include green beans.</p> <p>* Read if necessary: <i>You can tell me per day, per week, or per month.</i></p> <p>* Enter '0' for never.</p>	Sample Adults 18+
DNU.0100.02.3	BEANSTP_A		<p>* 2 of 2</p> <p>Enter time period.</p>	Sample Adults 18+ who ate beans in the past month
DNU.0110.01.3	OVEGNO_A		<p>* 1 of 2</p> <p>* Read if necessary: <i>During the past month...</i></p> <p>^VEGEXCLUDE often did you eat OTHER VEGETABLES?</p> <p>* Read if necessary: <i>You can tell me per day, per week, or per month.</i></p> <p>* Enter '0' for never.</p>	Sample Adults 18+
DNU.0110.02.3	OVEGTP_A		<p>* 2 of 2</p> <p>Enter time period.</p>	Sample Adults 18+ who ate other vegetables in the past month
DNU.0120.01.3	SALSANO_A		<p>* 1 of 2</p> <p>* Read if necessary: <i>During the past month...</i></p> <p>How often did you have Mexican-type SALSA made with tomato?</p> <p>* Read if necessary: <i>You can tell me per day, per week, or per month.</i></p> <p>* Enter '0' for never.</p>	Sample Adults 18+
DNU.0120.02.3	SALSATP_A		<p>* 2 of 2</p> <p>Enter time period.</p>	Sample Adults 18+ who ate salsa in the past month

DNU.0130.01.3	PIZZANO_A		<p>* 1 of 2</p> <p>* Read if necessary: <i>During the past month...</i></p> <p>How often did you eat PIZZA? Include frozen pizza, fast food pizza, and homemade pizza.</p> <p>* Read if necessary: <i>You can tell me per day, per week, or per month.</i></p> <p>* Enter '0' for never.</p>	Sample Adults 18+
DNU.0130.02.3	PIZZATP_A		<p>* 2 of 2</p> <p>Enter time period.</p>	Sample Adults 18+ who ate pizza in the past month
DNU.0140.01.3	TOMSAUNO_A		<p>* 1 of 2</p> <p>* Read if necessary: <i>During the past month...</i></p> <p>How often did you have TOMATO SAUCES such as with spaghetti or noodles or mixed into foods such as lasagna? Do NOT include tomato sauce on pizza.</p> <p>* Read if necessary: <i>You can tell me per day, per week, or per month.</i></p> <p>* Enter '0' for never.</p>	Sample Adults 18+
DNU.0140.02.3	TOMSAUTP_A		<p>* 2 of 2</p> <p>Enter time period.</p>	Sample Adults 18+ who ate tomato sauce in the past month

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion
- . NIH/NCI - National Cancer Institute

Module:Adult, Section: CIG: Cigarettes and E-cigarettes w/ Cigarette History and Smoking Quit Methods

Question ID	Variable	Added	Question Text	Universe
CIG.0170.00.3	FQUITA1_A		Thinking back to when you stopped smoking completely, did you use ANY of the following products ...A nicotine patch?	Sample Adults 18+ who quit smoking in the past 2 years
CIG.0180.00.3	FQUITA2_A		* Read if necessary: <i>Thinking back to when you stopped smoking completely, did you use ANY of the following products</i> ...A nicotine gum or lozenge (LA-zenj)?	Sample Adults 18+ who quit smoking in the past 2 years
CIG.0190.00.3	FQUITA3_A		* Read if necessary: <i>Thinking back to when you stopped smoking completely, did you use ANY of the following products</i> ...A nicotine containing nasal spray or inhaler?	Sample Adults 18+ who quit smoking in the past 2 years
CIG.0200.00.3	FQUITA4_A		* Read if necessary: <i>Thinking back to when you stopped smoking completely, did you use ANY of the following products</i> ...A prescription pill called Chantix (CHAN-tix) or Varenicline (vuh-REN-ih-klin)?	Sample Adults 18+ who quit smoking in the past 2 years
CIG.0210.00.3	FQUITA5_A		* Read if necessary: <i>Thinking back to when you stopped smoking completely, did you use ANY of the following products</i> ...A prescription pill called Zyban (ZI-ban), Bupropion (byoo-PRO-pee-on), or Wellbutrin (well-BYOO-trin)?	Sample Adults 18+ who quit smoking in the past 2 years

CIG.0220.00.3	FQUITB1_A		Thinking back to when you stopped smoking completely, did you use ANY of the following ...A telephone help line or quit line?	Sample Adults 18+ who quit smoking in the past 2 years
CIG.0230.00.3	FQUITB2_A		* Read if necessary: <i>Thinking back to when you stopped smoking completely, did you use ANY of the following</i> ...One-on-one counseling?	Sample Adults 18+ who quit smoking in the past 2 years
CIG.0240.00.3	FQUITB3_A		* Read if necessary: <i>Thinking back to when you stopped smoking completely, did you use ANY of the following</i> ...A stop smoking clinic, class, or support group?	Sample Adults 18+ who quit smoking in the past 2 years
CIG.0260.00.3	CQUITA1_A		Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following products ...A nicotine patch?	Sample Adults 18+ who tried to quit smoking in the past 12 months
CIG.0270.00.3	CQUITA2_A		* Read if necessary: <i>Thinking back to when you tried to QUIT smoking IN THE PAST 12 MONTHS, did you use ANY of the following products</i> ...A nicotine gum or lozenge (LA-zenj)?	Sample Adults 18+ who tried to quit smoking in the past 12 months
CIG.0280.00.3	CQUITA3_A		* Read if necessary: <i>Thinking back to when you tried to QUIT smoking IN THE PAST 12 MONTHS, did you use ANY of the following products</i> ...A nicotine containing nasal spray or inhaler?	Sample Adults 18+ who tried to quit smoking in the past 12 months
CIG.0290.00.3	CQUITA4_A		* Read if necessary: <i>Thinking back to when you tried to QUIT smoking IN THE PAST 12 MONTHS, did you use ANY of the following products</i> ...A prescription pill called Chantix (CHAN-tix) or Varenicline (vuh-REN-ih-klin)?	Sample Adults 18+ who tried to quit smoking in the past 12 months

CIG.0300.00.3	CQUITA5_A	<p>* Read if necessary: <i>Thinking back to when you tried to QUIT smoking IN THE PAST 12 MONTHS, did you use ANY of the following products</i></p> <p>...A prescription pill called Zyban (ZI-ban), Bupropion (byoo-PRO-pee-on), or Wellbutrin (well-BYOO-trin)?</p>	Sample Adults 18+ who tried to quit smoking in the past 12 months
CIG.0310.00.3	CQUITB1_A	<p>Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following</p> <p>...A telephone help line or quit line?</p>	Sample Adults 18+ who tried to quit smoking in the past 12 months
CIG.0320.00.3	CQUITB2_A	<p>* Read if necessary: <i>Thinking back to when you tried to QUIT smoking IN THE PAST 12 MONTHS, did you use ANY of the following</i></p> <p>...One-on-one counseling?</p>	Sample Adults 18+ who tried to quit smoking in the past 12 months
CIG.0330.00.3	CQUITB3_A	<p>* Read if necessary: <i>Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following</i></p> <p>...A stop smoking clinic, class, or support group?</p>	Sample Adults 18+ who tried to quit smoking in the past 12 months
CIG.0350.00.3	QWANT_A	Would you like to completely quit smoking cigarettes?	Sample Adults 18+ who are everyday or someday smokers

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NCIPC - National Center for Injury Prevention and Control

Module:Child, Section: SLE: Stressful Life Events

Question ID	Variable	Added	Question Text	Universe
SLE.0060.00.3	PUTDOWN_C		Has ^SCNAME ever lived with a parent or adult who frequently swore at ^himher_C, insulted ^himher_C, or put ^himher_C down?	Sample Children 0-17
SLE.0070.00.3	BNEEDS_C		Has there ever been a time when ^SCNAME's basic needs were NOT met, such as having enough to eat, being able to go to a doctor when ^heshe_C was sick, or having a safe place to stay?	Sample Children 0-17

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NCEZID - National Center for Emerging and Zoonotic Infectious Diseases

Module:Adult, Section: CFS: Chronic Fatigue Section

Question ID	Variable	Added	Question Text	Universe
CFS.0010.00.3	CFSEV_A		<p>Read if necessary: <i>Have you EVER been told by a doctor or other health professional that you had ...Chronic Fatigue Syndrome (CFS) or Myalgic Encephalomyelitis (My-AL-jick In-seff-ah-low-my-uh-LIE-tiss) (ME)?</i></p>	Sample Adults 18+
CFS.0020.00.3	CFSNOW_A		<p>Do you still have Chronic Fatigue Syndrome (CFS) or ME?</p> <p>* Read if necessary: <i>ME is also known as Myalgic Encephalomyelitis (My-AL-jick In-seff-ah-Low-my-uh-LIE-tiss).</i></p>	Sample Adults 18+ who have been told by a doctor or other health professional that they had Chronic Fatigue Syndrome or Myalgic Encephalomyelitis

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. FDA/CTP - Center for Tobacco Products

Module:Adult, Section: OTB: Other Tobacco

Question ID	Variable	Added	Question Text	Universe
OTB.0010.00.3	CIGAREV_A		<p>Have you ever smoked a regular cigar, cigarillo, or a little filtered cigar EVEN ONE TIME?</p> <p>* Read if necessary: <i>"Cigarillos" are medium cigars that sometimes are sold with plastic or wooden tips. Some common brands are Black and Mild, Swisher Sweets, Dutch Masters and Phillies Blunts. Cigarillos are usually sold individually or in packs of 5 or fewer. Little filtered cigars look like cigarettes and are usually brown in color. Like cigarettes, little filtered cigars have a spongy filter and are sold in packs of 20. Some common brands are Prime Time and Winchester.</i></p> <p>* Read if necessary: <i>Do not include electronic cigars or e-cigars.</i></p>	Sample adults 18+
OTB.0020.00.3	CIGARCUR_A		Do you NOW smoke regular cigars, cigarillos, or little filtered cigars every day, some days, or not at all?	Sample adults 18+ who have ever smoked a regular cigar, cigarillo, or filtered cigar
OTB.0030.00.3	CIGAR30D_A		On how many of the past 30 days have you smoked a regular cigar, cigarillo, or little filtered cigar?	Sample adults 18+ who now smoke a regular cigar, cigarillo, or little filtered cigar some days or not at all

OTB.0040.00.3	PIPEEV_A	<p>Have you EVER smoked a pipe filled with tobacco - either a regular pipe, water pipe, or hookah EVEN ONE TIME?</p> <p><i>* Read if necessary: A hookah is a type of water pipe. It is sometimes called a "narghile" (NAR-ge-Lee) pipe. Do not include electronic hookah or e-hookahs.</i></p> <p><i>* Read if necessary: Do not include electronic pipes or e-pipes.</i></p> <p><i>Read if necessary: Do not include pipes filled with substances other than tobacco.</i></p>	Sample adults 18+
OTB.0050.00.3	PIPECUR_A	<p>Do you NOW smoke pipes filled with tobacco - either regular pipes, water pipes, or hookahs, every day, some days, or not at all?</p> <p><i>* Read if necessary: Do not include pipes filled with substances other than tobacco.</i></p>	Sample adults 18+ who have ever smoked a regular pipe, water pipe or hookah filled with tobacco
OTB.0060.00.3	SMOKESEV_A	<p>Smokeless tobacco products are placed in the mouth or nose and can include chewing tobacco, snuff, dip, snus (SNOOSE), or dissolvable tobacco.</p> <p>Have you ever used smokeless tobacco products EVEN ONE TIME?</p> <p><i>* Read if necessary: Do not include nicotine replacement therapy products such as patch, gum, lozenge, or spray, which are considered smoking cessation treatments.</i></p>	Sample adults 18+
OTB.0070.00.3	SMOKELSCUR_A	<p>Do you NOW use smokeless tobacco products every day, some days, or not at all?</p>	Sample adults 18+ who have ever used smokeless tobacco products

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. FDA/CTP - Center for Tobacco Products

Module:Adult, Section: CIG: Cigarettes and E-cigarettes w/ Cigarette History and Smoking Quit Methods

Question ID	Variable	Added	Question Text	Universe
CIG.0075.00.3	MENTHOLC_A		Do you usually smoke menthol or non-menthol cigarettes?	Sample Adults 18+ who currently smoke cigarettes every day or some days
CIG.0120.00.3	MENTHOLF_A		Thinking back to the 12 MONTHS BEFORE YOU QUIT SMOKING CIGARETTES, during that time, did you usually smoke menthol or non-menthol cigarettes?	Sample Adults 18+ who are former smokers
CIG.0250.00.3	FQITE_A		Thinking back to when you stopped smoking completely, did you try to quit by switching to electronic or e-cigarettes?	Sample Adults 18+ who quit smoking in the past 2 years and who have ever used e-cigarettes
CIG.0340.00.3	CQITE_A		Thinking back to when you tried to QUIT smoking IN THE PAST 12 MONTHS, did you try to quit by switching to electronic or e-cigarettes?	Sample Adults 18+ who tried to quit smoking in the past 12 months and have ever used e-cigarettes

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NCIRD - National Center for Immunization and Respiratory Diseases

Module:Adult, Section: IMS: Immunization with 2022 supplements

Question ID	Variable	Added	Question Text	Universe
IMS.0010.00.3	PREGFLUYR_A		Were you pregnant any time ^AUGUSTYEAR?	Female sample adults 18-49 years or age is refused or don't know and who are not currently pregnant or don't know if they are currently pregnant or who are currently pregnant and the interview occurred between April-July
IMS.0020.00.3	LIVEBIRTH_A		During the past 12 months, did you have a pregnancy that ended in a live birth?	Female sample adults aged 18-49 of age or age is refused or don't know who did not refuse to answer if they are currently pregnant or if they were pregnant in between August and March
IMS.0050.00.3	FLUPREG_A		Did you get a flu vaccination before or during your current pregnancy?	Female Sample Adults 18-49 or refused or don't know their age who are currently pregnant and received a flu vaccination in the past 12 months and the interview takes place in Jan-March or Aug-Dec

IMS.0060.00.3	FLUPREG2_A		Earlier you said you were pregnant sometime ^AUGUSTYEAR. Did you get a flu vaccination before, during, or after your pregnancy?	Female Sample Adults 18-49 years of age or refused or don't know their age who reported a pregnancy during August-March and received a flu vaccination in the past 12 months
IMS.0061.00.3	SHTCVD191_A		<p>The next questions are about coronavirus or COVID-19 vaccination. Have you had at least one dose of a COVID-19 vaccination?</p> <p>* Read if necessary: <i>The COVID-19 vaccination has been available since 2020.</i></p> <p>* Read if necessary: <i>There are three vaccines for COVID-19 approved for use in the United States. The first is made by Pfizer, is called Comirnaty® (koe-mir'-na-tee), and requires two initial shots. The second is made by Moderna and also requires two initial shots. The third is made by Johnson and Johnson and requires one initial shot.</i></p>	Sample Adults 18+
IMS.0062.00.3	SHTCVD19NM_A		How many COVID-19 vaccinations have you received?	Sample Adults 18+ who have received a COVID-19 vaccination
IMS.0063.01.3	CVDVAC1M_A		<p>* 1 of 2</p> <p>During what month and year did you receive your most recent COVID-19 vaccination?</p> <p>* Enter month of most recent COVID-19 vaccination.</p>	Sample Adults 18+ who have had one or more COVID-19 vaccinations
IMS.0063.02.3	CVDVAC1Y_A		<p>* 2 of 2</p> <p>* Enter year of most recent COVID-19 vaccination.</p>	Sample Adults 18+ who gave month of most recent COVID-19 vaccination or don't know

IMS.0064.01.3	CVDVAC2M_A		<p>* 1 of 2</p> <p>During what month and year did you receive your next most recent COVID-19 vaccination?</p> <p>* Enter month of the next most recent COVID-19 vaccination.</p>	Sample Adults 18+ who have had two or more COVID-19 vaccinations
IMS.0064.02.3	CVDVAC2Y_A		<p>* 2 of 2</p> <p>* Enter year of next most recent COVID-19 vaccination.</p>	Sample Adults 18+ who gave month of second COVID-19 vaccination or don't know
IMS.0065.00.3	SHOTTYPE_A		<p>^FIRST_A brand of COVID-19 vaccine did you receive?</p> <p>* Read if necessary: <i>There are three vaccines for COVID-19 approved for use in the United States. The first is made by Pfizer, is called Comirnaty® (koe-mir'-na-tee), and requires two initial shots. The second is made by Moderna and also requires two initial shots. The third is made by Johnson and Johnson and requires one initial shot.</i></p>	Sample Adults 18+ who had at least one COVID-19 vaccination
IMS.0090.00.3	SHTSHINGL1_A		<p>Have you had a vaccine for shingles?</p> <p>* Read if necessary: <i>Shingles is an illness that results in a rash or blisters on the skin, and is usually painful. There are two vaccines that have been used to prevent shingles. The first was Zostavax®, which was available from 2006 through 2020 and required one shot. The other is Shingrix®, which has been available since 2017 and requires two shots.</i></p>	Sample Adults 50+ or adults 18+ who have a weakened immune system
IMS.0100.00.3	SHINGYEAR_A		<p>What year did you get your most recent shingles vaccine?</p>	Sample Adults who have ever had a shingles vaccine
IMS.0110.00.3	SHINGWHEN1_A		<p>Was it before 2017?</p>	Sample Adults who have ever had a shingles vaccine and did not know the year

IMS.0120.00.3	SHINGRIX2_A		There are two vaccines that have been used to prevent shingles. The first was Zostavax®, which was available from 2006 through 2020 and required one shot. The other is Shingrix®, which has been available since 2017 and requires two shots. Have you ever had any Shingrix® shots?	Sample Adults who had a shingles vaccine from 2017-2020
IMS.0140.00.3	SHINGRIXN2_A		How many Shingrix® shots have you ever had?	Sample Adults who had a Shingrix vaccine
IMS.0150.00.3	SHINGRIXFS_A		Shingrix® is the only shingles vaccine which has been available since 2021 and requires two shots. Was your most recent Shingrix® shot in ^SHINGYEAR_A your first or second Shingrix® shot? <i>* Read if necessary: There are two vaccines that have been used to prevent shingles. The first was Zostavax®, which was available from 2006 through 2020 and required one shot. The other is Shingrix®, which has been available since 2017 and requires two shots.</i>	Sample Adults whose most recent shingles vaccine was in 2021 or later
IMS.0170.00.3	TDAPPREG_A		A Tdap vaccination is a tetanus booster shot that also includes pertussis (per-TUH-sis) or whooping cough vaccine. Earlier you said that you had a pregnancy that ended in a live birth during the past 12 months. Did you receive a Tdap vaccine during this pregnancy?	Female Sample Adults 18-49 or age is refused or don't know who had a live birth in the past 12 months
IMS.0180.00.3	SHTTETANUS_A		Have you received a tetanus shot in the past 10 years?	Sample Adults 18+ who did not have a Tdap vaccine during a recent pregnancy

IMS.0190.00.3	SHTTDAP_A		There are currently two types of tetanus shots available. One is the Td or tetanus-diphtheria vaccine and the others are called Tdap or Adacel® or Boostrix®. They are similar except the Tdap shot also includes a pertussis (per-TUH-sis) or whooping cough vaccine. Thinking back to your most recent tetanus shot, did your health care provider tell you or did the vaccine information sheet say the vaccine included the pertussis or whooping cough vaccine?	Sample Adults 18+ who had a tetanus shot in the past 10 years
IMS.0200.00.3	SHTHPV_A		HPV is the Human Papillomavirus. Have you ever received an HPV shot or vaccine?	Sample Adults 18-64
IMS.0210.00.3	SHTHPVAGE_A		How old were you when you received your first HPV shot? * Enter 1 if reported age is 1 or younger. * Read if necessary: HPV stands for Human Papillomavirus.	Sample Adults 18-64 who had an HPV shot
IMS.0220.00.3	WORKHEALTH_A		In your work or volunteer activities, do you provide direct medical care to patients, such as being a doctor, nurse, dentist, therapist, home health care worker, or emergency responder?	Sample Adults 18+
IMS.0230.00.3	WRKHLTHFC_A		Even if you do not provide direct medical care to patients, do you do any kind of work or volunteer activities in a health care facility, such as in a hospital, doctor's office, dentist's office, clinic, nursing home, or residential care home?	Sample Adults 18+ who do not provide medical care to patients or refused or don't know

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NCIRD - National Center for Immunization and Respiratory Diseases

Module:Adult, Section: ISN: Immunosuppression

Question ID	Variable	Added	Question Text	Universe
ISN.0010.00.3	MEDRXTRT_A		<p>In the past 12 months, have you taken prescription medication or had any medical treatments that a doctor or other health professional told you would weaken your immune system?</p> <p><i>* Read if necessary: Examples include steroid or corticosteroid (Core-tih-coe-STAIR-oid) pills, such as prednisone (PRED-nuh-sown), or other oral or injected medications for treating many types of autoimmune conditions or certain cancers.</i></p>	Sample Adults 18+
ISN.0020.00.3	HLTHCOND_A		<p>Do you currently have a health condition that a doctor or other health professional told you weakens the immune system^MEDTRT?</p> <p><i>* Read if necessary: Examples include certain kinds of Leukemia, Lymphoma, or HIV infection.</i></p>	Sample Adults 18+

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NCIRD - National Center for Immunization and Respiratory Diseases

Module:Child, Section: CVV: COVID-19 vaccination

Question ID	Variable	Added	Question Text	Universe
CVV.0010.00.3	SHTCVD191_C		<p>The next questions are about coronavirus or COVID-19 vaccination.</p> <p>Has ^SCNAME had at least one dose of a COVID-19 vaccination?</p> <p>^COVIDAGES</p> <p><i>*Read if necessary: There are three vaccines for COVID-19 approved for use in the United States. The first is made by Pfizer, is called Comirnaty® (koe-mir'-na-tee), and requires two initial shots. The second is made by Moderna and also requires two initial shots. The third is made by Johnson and Johnson and requires one initial shot.</i></p>	Sample Children 5-17
CVV.0020.00.3	SHTCVD19NM_C		How many COVID-19 vaccinations has ^SCNAME received?	Sample Children 5-17 who have received at least one COVID-19 vaccination
CVV.0030.01.3	CVDVAC1M_C		<p>* 1 of 2</p> <p>During what month and year did ^SCNAME receive ^hisher_C most recent COVID-19 vaccination?</p> <p>* Enter month of most recent COVID-19 vaccination.</p>	Sample Children 5-17 who have had one or more COVID-19 vaccinations
CVV.0030.02.3	CVDVAC1Y_C		<p>* 2 of 2</p> <p>* Enter year of most recent COVID-19 vaccination.</p>	Sample Children 5-17 who gave month of most recent COVID-19 vaccination or don't know

CVV.0040.01.3	CVDVAC2M_C		<p>* 1 of 2</p> <p>During what month and year did ^SCNAME receive ^hisher_C next most recent COVID-19 vaccination?</p> <p>* Enter month of the next most recent COVID-19 vaccination.</p>	Sample Children 5-17 who have had two or more COVID-19 vaccinations
CVV.0040.02.3	CVDVAC2Y_C		<p>* 2 of 2</p> <p>* Enter year of next most recent COVID-19 vaccination.</p>	Sample Children 5-17 who gave month of second COVID-19 vaccination or don't know
CVV.0050.00.3	SHOTTYPE_C		<p>^FIRST_C brand of COVID-19 vaccine did ^SCNAME receive?</p> <p>*Read if necessary: <i>There are three vaccines for COVID-19 approved for use in the United States. The first is made by Pfizer, is called Comirnaty® (koe-mir'-na-tee), and requires two initial shots. The second is made by Moderna and also requires two initial shots. The third is made by Johnson and Johnson and requires one initial shot.</i></p>	Sample Children 5-17 who had at least one COVID-19 vaccination

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NCIRD - National Center for Immunization and Respiratory Diseases

Module:Child, Section: HPV: HPV Vaccination

Question ID	Variable	Added	Question Text	Universe
HPV.0010.00.3	SHTHPV_C		HPV is the Human Papillomavirus. Has ^SCNAME ever received an HPV shot or vaccine?	Sample children 9-17 years old.
HPV.0020.00.3	SHTHPVAGE_C		How old was ^SCNAME when ^heshe_C received ^hisher_C first HPV shot? * Read if necessary: HPV stands for Human Papillomavirus. Enter 1 if reported age is 1 or younger	Sample children 9-17 years old who have received an HPV shot.

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. HHS/Administration for Community Living

Module:Adult, Section: ADO: Age of Disability Onset

Question ID	Variable	Added	Question Text	Universe
ADO.0010.00.3	DEVDONSET_A		You said that you have difficulty with ^DIFF. Did ^THISDIFF begin before age 22?	Sample Adults age 22+ who said they had a lot of difficulty or could not do the following activities at all: Walking or climbing stairs, communicating, remembering or concentrating, self-care, or doing errands alone

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion

Module:Adult, Section: DIB: Diabetes

Question ID	Variable	Added	Question Text	Universe
DIB.0070.00.3	DIBINSTIME_A		Thinking back to when you were first diagnosed with diabetes, how long was it before you started taking insulin?	Sample Adults 18+ who have diabetes and currently take insulin
DIB.0080.00.3	DIBINSSTOP_A		Since you started taking insulin, have you ever stopped taking it for more than 6 months?	Sample Adults 18+ who have diabetes and are taking insulin
DIB.0090.00.3	DIBINSSTYR_A		Was this only during the first year after you were diagnosed with diabetes?	Sample Adults 18+ who have diabetes, who started taking insulin less than 1 year from when they were diagnosed with diabetes, and who stopped taking insulin for more than 6 months

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion

Module:Adult, Section: EPI: Epilepsy

Question ID	Variable	Added	Question Text	Universe
EPI.0010.00.3	EPIEV_A		Have you ever been told by a doctor or other health professional that you have a seizure disorder or epilepsy?	Sample Adults 18+
EPI.0020.00.3	EPIMED_A		Are you currently taking any medicine to control your seizure disorder or epilepsy?	Sample Adults 18+ who ever had epilepsy
EPI.0030.00.3	EPINUMSEIZ_A		<p>Today is ^CURRENTDATE. Think back to the last year about the same time. About how many seizures of any type have you had during the past 12 months?</p> <p><i>* Read if necessary: Some people may call it a "convulsion," "fit," "falling out spell," "episode," "attack," "drop attack," "staring spell," or "out-of-touch."</i></p> <p>* If the respondent mentions and counts "auras" as seizures accept the response.</p> <p>* If the respondent indicates that he/she has had nothing more than an aura and is unsure about counting the aura(s), do NOT count auras as seizures.</p>	Sample Adults 18+ who ever had epilepsy
EPI.0040.00.3	EPIDR_A		During the past 12 months, have you seen a neurologist or epilepsy specialist for your seizure disorder or epilepsy?	Sample Adults 18+ who ever had epilepsy

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion

Module:Adult, Section: LSF: Life Satisfaction

Question ID	Variable	Added	Question Text	Universe
LSF.0010.00.3	LSATIS4_A		In general, how satisfied are you with your life? Are you very satisfied, satisfied, dissatisfied, or very dissatisfied?	Sample Adults 18+

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion

Module:Child, Section: LS1: Satisfaction with life first section

Question ID	Variable	Added	Question Text	Universe
LS1.0010.00.3	LSATIS11_C		Using a scale of 0 to 10, where 0 means "very dissatisfied" and 10 means "very satisfied", how do you think ^SCNAME feels about ^hisher_C life as a whole these days?	Sample Children 12-17

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. USDA - United States Department of Agriculture

Module:Adult, Section: FDS: Food Security

Question ID	Variable	Added	Question Text	Universe
FDS.0010.00.3	FDSINTRO_A		<p>These next questions are about whether ^youyourfamily_A ^waswere always able to afford the food you needed in the last 30 days. I'm going to read you several statements that people have made about their food situation. For these statements, please tell me whether the statement was often true, sometimes true, or never true for ^youyourfamily_A in the last 30 days.</p> <p>* Enter '1' to continue.</p>	<p>Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people.</p>

FDS.0020.00.3	FDSRUNOUT_A		<p>The first statement is "^Iwe_A worried whether ^myour_A food would run out before ^Iwe_A got money to buy more." Was that often true, sometimes true, or never true for ^youyourfamily_A in the last 30 days?</p>	<p>The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people.</p>
FDS.0030.00.3	FDSLAST_A		<p>"The food that ^Iwe_A bought just didn't last, and ^Iwe_A didn't have money to get more." Was that often true, sometimes true, or never true for ^youyourfamily_A in the last 30 days?</p>	<p>The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people.</p>

FDS.0040.00.3	FDSBALANCE_A		<p>^IWe_A couldn't afford to eat balanced meals." Was that often true, sometimes true, or never true for ^youyourfamily_A in the last 30 days?</p>	<p>The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people.</p>
---------------	--------------	--	--	---

FDS.0050.00.3	FDSSKIP_A		<p>In the last 30 days, did ^youorother_A ever cut the size of your meals or skip meals because there wasn't enough money for food?</p>	<p>The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered often true or sometimes true in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals</p>
---------------	-----------	--	---	--

FDS.0060.00.3	FDSSKIPDYS_A		In the last 30 days, how many days did this happen?	<p>The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent said that they or other adults in their family cut the size of their meals or skipped meals due to cost.</p>
---------------	--------------	--	---	--

FDS.0070.00.3	FDSLESS_A		<p>In the last 30 days, did ^youorother_A ever eat less than you felt you should because there wasn't enough money for food?</p>	<p>The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.</p>
---------------	-----------	--	--	--

FDS.0080.00.3	FDSHUNGRY_A		<p>In the last 30 days, were ^youorother_A ever hungry but didn't eat because there wasn't enough money for food?</p>	<p>The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.</p>
---------------	-------------	--	---	--

FDS.0090.00.3	FDSWEIGHT_A		<p>In the last 30 days, did ^youorother_A lose weight because there wasn't enough money for food?</p>	<p>The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.</p>
---------------	-------------	--	---	--

FDS.0100.00.3	FDSNOTEAT_A		<p>In the last 30 days, did ^youorother_A ever not eat for a whole day because there wasn't enough money for food?</p>	<p>The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered they cut the size of the meals, skipped meals, were hungry but didn't eat, or lost weight in the last 30 days because there wasn't enough money for food.</p>
---------------	-------------	--	--	--

FDS.0110.00.3	FDSNEDAYS_A		In the last 30 days, how many days did this happen?	<p>The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent didn't eat for a whole day in last 30 days because there wasn't enough money for food</p>
---------------	-------------	--	---	---

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. USDA - United States Department of Agriculture

Module:Adult, Section: F00: Food Related Programs

Question ID	Variable	Added	Question Text	Universe
FOO.0020.00.3	FSNAP30D_A		<p>Did ^YOUFAMLVHERE_A receive ^FSSNAPNM in the LAST 30 days?</p> <p><i>* Read if necessary: This program puts money on a SNAP EBT card that you can only use to buy food.</i></p>	Sample Adults 18+ living in families where someone received food stamps in the last 12 months

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. USDA - United States Department of Agriculture

Module:Child, Section: FDS: Food Security

Question ID	Variable	Added	Question Text	Universe
FDS.0010.00.3	FDSINTRO_C		<p>These next questions are about whether you were always able to afford the food you needed in the last 30 days. I'm going to read you several statements that people have made about their food situation. For these statements, please tell me whether the statement was often true, sometimes true, or never true for your family in the last 30 days.</p> <p>Enter '1' to continue.</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent</p>

FDS.0020.00.3	FDSRUNOUT_C		<p>The first statement is "We worried whether our food would run out before we got money to buy more." Was that often true, sometimes true, or never true for your family in the last 30 days?</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent</p>
FDS.0030.00.3	FDSLAST_C		<p>"The food that we bought just didn't last, and we didn't have money to get more." Was that often true, sometimes true, or never true for your family in the last 30 days?</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent</p>

FDS.0040.00.3	FDSBALANCE_C		<p>"We couldn't afford to eat balanced meals." Was that often true, sometimes true, or never true for your family in the last 30 days?</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent</p>
---------------	--------------	--	--	---

FDS.0050.00.3	FDSSKIP_C		<p>In the last 30 days, did ^youorother_C ever cut the size of your meals or skip meals because there wasn't enough money for food?</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.</p>
---------------	-----------	--	---	---

FDS.0060.00.3	FDSSKIPDYS_C		In the last 30 days, how many days did this happen?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent answered they skipped meals due to cost
---------------	--------------	--	---	--

FDS.0070.00.3	FDSLESS_C		<p>In the last 30 days, did ^youorother_C ever eat less than you felt you should because there wasn't enough money for food?</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.</p>
---------------	-----------	--	--	---

FDS.0080.00.3	FDSHUNGRY_C		<p>In the last 30 days, were ^youorother_C ever hungry but didn't eat because there wasn't enough money for food?</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.</p>
---------------	-------------	--	---	---

FDS.0090.00.3	FDSWEIGHT_C		<p>In the last 30 days, did ^youorother_C lose weight because there wasn't enough money for food?</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.</p>
---------------	-------------	--	---	---

FDS.0100.00.3	FDSNOTEAT_C		<p>In the last 30 days, did ^youorother_C ever not eat for a whole day because there wasn't enough money for food?</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered they cut the size of the meals, skipped meals, were hungry but didn't eat, or lost weight in the last 30 days because there wasn't enough money for food.</p>
---------------	-------------	--	--	---

FDS.0110.00.3	FDSNEDAYS_C		In the last 30 days, how many days did this happen?	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and adults in the family have ever not eaten for a whole day because there wasn't enough money for food in the last 30 days</p>
---------------	-------------	--	---	---

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. USDA - United States Department of Agriculture

Module:Child, Section: F00: Food Related Programs

Question ID	Variable	Added	Question Text	Universe
FOO.0020.00.3	FSNAP30D_C		<p>Did any family members living here receive ^FSSNAPNM in the LAST 30 days?</p> <p><i>*Read if necessary: This program puts money on a SNAP EBT card that you can only use to buy food.</i></p>	<p>Sample Child 0-17 and someone in the family received food stamps in the past 12 months</p>

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. NIH/NIDCD - National Institute on Deafness and Other Communication Disorders

Module:Adult, Section: VSL: Voice, Swallowing, Speech, and Language Communication Disorders

Question ID	Variable	Added	Question Text	Universe
VSL.0010.00.3	VSLVYR_A		During the past 12 months, did you have problems or difficulty with your VOICE, such as having a hoarse, raspy, tired, or strained voice, or trouble speaking loud enough to be heard?	Sample Adults 18+
VSL.0020.00.3	VSLVDYS_A		During the past 12 months, about how many days, weeks, or months did you have problems or difficulty with your voice? * Do not read categories unless the respondent says they don't know, at which time you can read the wording in parentheses.	Sample Adults 18+ who had a voice problem in the past 12 months
VSL.0030.00.3	VSLVDIF_A		During the past 12 months, how much difficulty did you have with your voice? Would you say a little, a lot, or somewhere in between?	Sample Adults 18+ who had a voice problem in the past 12 months
VSL.0040.00.3	VSLSWYR_A		During the past 12 months, did you have problems or difficulty with SWALLOWING, such as having difficulty eating solid food, taking pills, or drinking liquids?	Sample Adults 18+
VSL.0050.00.3	VSLSWDYS_A		During the past 12 months, about how many days, weeks, or months did you have problems or difficulty with swallowing? * Do not read categories unless the respondent says they don't know, at which time you can read the wording in parentheses.	Sample Adults 18+ who had a swallowing problem in the past 12 months
VSL.0060.00.3	VSLSWDIF_A		During the past 12 months, how much difficulty did you have with swallowing? Would you say a little, a lot, or somewhere in between?	Sample Adults 18+ who had a swallowing problem in the past 12 months

VSL.0070.00.3	VSLSPYR_A		<p>During the past 12 months, did you have problems or difficulty with your SPEECH, such as stuttering, repeating words, or not being able to pronounce words correctly?</p> <p><i>* Read if necessary: This refers to the Language you are most comfortable with, not a second or third Language.</i></p>	Sample Adults 18+
VSL.0080.00.3	VSLSPDYS_A		<p>During the past 12 months, about how many days, weeks, or months did you have problems or difficulty with your speech?</p> <p>Do not read categories unless the respondent says they don't know, at which time you can read the wording in parentheses.</p>	Sample Adults 18+ who had a speech problem in the past 12 months
VSL.0090.00.3	VSLSPDIF_A		<p>During the past 12 months, how much difficulty did you have with your speech? Would you say a little, a lot, or somewhere in between?</p>	Sample Adults 18+ who had a speech problem in the past 12 months
VSL.0100.00.3	VSLSPST_A		<p>During the past 12 months, did your speech problems or difficulty include stuttering, trouble pronouncing words correctly, or both?</p>	Sample Adults 18+ who had a speech problem in the past 12 months
VSL.0110.00.3	VSLGYSR_A		<p>During the past 12 months, did you have problems or difficulty with LANGUAGE, such as difficulty using, learning, or understanding words, sentences, or conversational interactions?</p> <p><i>* Read if necessary: This refers to the Language you are most comfortable with, not a second or third Language.</i></p>	Sample Adults 18+
VSL.0120.00.3	VSLGYS_A		<p>During the past 12 months, about how many days, weeks, or months did you have problems or difficulty with language?</p> <p>* Do not read categories unless the respondent says they don't know, at which time you can read the wording in parentheses.</p>	Sample Adults 18+ who had a language problem in the past 12 months
VSL.0130.00.3	VSLGYSIF_A		<p>During the past 12 months, how much difficulty did you have with language? Would you say a little, a lot, or somewhere in between?</p>	Sample Adults 18+ who had a language problem in the past 12 months

VSL.0140.00.3	VSLBRAIN_A		Did any of your ^VSLTYPE_A problems or difficulty follow a head or brain injury or stroke?	Sample Adults 18+ who had a voice, swallowing, speech, or language problem in the past 12 months
VSL.0150.00.3	VSLPA_A		During the past 12 months, did you see a speech-language pathologist, doctor, or other health care professional for evaluation, treatment, or rehabilitation services of your ^VSLTYPE_A problems or difficulty? * Read if necessary: <i>Health care professionals can include early intervention specialists, ENT doctors, otolaryngologists, audiologists, rehabilitation specialists, occupational or physical therapists, internal medicine doctors, neurologists, gerontologists, and others.</i>	Sample Adults 18+ who had a voice, swallowing, speech, or language problem in the past 12 months
VSL.0160.00.3	VSLPALF_A		How did those evaluation, treatment, or rehabilitation services affect your life as a whole? Has your life improved greatly, improved somewhat, stayed the same, or gotten worse?	Sample Adults 18+ who saw a speech-language pathologist or doctor for treatment
VSL.0170.00.3	VSLBTWR_A		During the past 12 months, did your problems or difficulty with ^VSLTYPE_A get a lot better, get a little better, stay the same, get a little worse, or get a lot worse?	Sample Adults 18+ who had a voice, swallowing, speech, or language problem in the past 12 months

2022 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. NIH/NIDCD - National Institute on Deafness and Other Communication Disorders

Module:Child, Section: VSL: Voice, Swallowing, Speech, and Language Communication Disorders

Question ID	Variable	Added	Question Text	Universe
VSL.0010.00.3	VSLVYR_C		During the past 12 months, did ^SCNAME have problems or difficulty with ^hisher_C VOICE, such as having a hoarse, raspy, tired, or strained voice, or trouble speaking loud enough to be heard?	Sample Children 3-17
VSL.0020.00.3	VSLVDYS_C		During the past 12 months, about how many days, weeks, or months did ^heshe_C have problems or difficulty with ^hisher_C voice? * Do not read categories unless the respondent says they don't know, at which time you can read the wording in parentheses.	Sample Children 3-17 who had a voice problem in the past 12 months
VSL.0030.00.3	VSLVDIF_C		During the past 12 months, how much difficulty did ^heshe_C have with ^hisher_C voice? Would you say a little, a lot, or somewhere in between?	Sample Children 3-17 who had a voice problem in the past 12 months
VSL.0040.00.3	VSLSWYR_C		During the past 12 months, did ^SCNAME have problems or difficulty with SWALLOWING, such as having difficulty eating solid food, taking pills, or drinking liquids?	Sample Children 3-17
VSL.0050.00.3	VSLSWDYS_C		During the past 12 months, about how many days, weeks, or months did ^heshe_C have problems or difficulty with swallowing? * Do not read categories unless the respondent says they don't know, at which time you can read the wording in parentheses.	Sample Children 3-17 who had a swallowing problem in the past 12 months
VSL.0060.00.3	VSLSWDIF_C		During the past 12 months, how much difficulty did ^heshe_C have with swallowing? Would you say a little, a lot, or somewhere in between?	Sample Children 3-17 who had a swallowing problem in the past 12 months

VSL.0070.00.3	VSLSPYR_C		<p>During the past 12 months, did ^SCNAME have problems or difficulty with ^hisher_C SPEECH, such as stuttering, repeating words, or not being able to pronounce words correctly?</p> <p><i>* Read if necessary: This refers to the Language ^heshe_C is most comfortable with, not a second or third Language.</i></p>	Sample Children 3-17
VSL.0080.00.3	VSLSPDYS_C		<p>During the past 12 months, about how many days, weeks, or months did ^heshe_C have problems or difficulty with ^hisher_C speech?</p> <p>Do not read categories unless the respondent says they don't know, at which time you can read the wording in parentheses.</p>	Sample Children 3-17 who had a speech problem in the past 12 months
VSL.0090.00.3	VSLSPDIF_C		<p>During the past 12 months, how much difficulty did ^heshe_C have with ^hisher_C speech? Would you say a little, a lot, or somewhere in between?</p>	Sample Children 3-17 who had a speech problem in the past 12 months
VSL.0100.00.3	VSLSPST_C		<p>During the past 12 months, did ^SCNAME's speech problems or difficulty include stuttering, trouble pronouncing words correctly, or both?</p>	Sample Children 3-17 who had a speech problem in the past 12 months
VSL.0110.00.3	VSLGYSR_C		<p>During the past 12 months, did ^SCNAME have problems or difficulty with LANGUAGE, such as difficulty using, learning, or understanding words, sentences, or conversational interactions?</p> <p><i>* Read if necessary: This refers to the Language ^heshe_C is most comfortable with, not a second or third Language.</i></p>	Sample Children 3-17
VSL.0120.00.3	VSLGSDYS_C		<p>During the past 12 months, about how many days, weeks, or months did ^heshe_C have problems or difficulty with language?</p> <p>* Do not read categories unless the respondent says they don't know, at which time you can read the wording in parentheses.</p>	Sample Children 3-17 who had a language problem in the past 12 months

VSL.0130.00.3	VSLLGDIFF_C		During the past 12 months, how much difficulty did ^heshe_C have with language? Would you say a little, a lot, or somewhere in between?	Sample Children 3-17 who had a language problem in the past 12 months
VSL.0140.00.3	VSLBRAIN_C		Did any of ^SCNAME's ^VSLTYPE_C problems or difficulty follow a head or brain injury?	Sample Children 3-17 who had a voice, swallowing, speech, or language problem in the past 12 months
VSL.0150.00.3	VSLPA_C		During the past 12 months, did ^SCNAME see a speech-language pathologist, doctor, or other health care professional for evaluation, treatment, or rehabilitation services of ^hisher_C ^VSLTYPE_C problems or difficulty? <i>* Read if necessary: Health care professionals can include early intervention specialists, ENT doctors, otolaryngologists, audiologists, rehabilitation specialists, occupational or physical therapists, internal medicine doctors, neurologists, gerontologists, and others.</i>	Sample Children 3-17 who had a voice, swallowing, speech, or language problem in the past 12 months
VSL.0160.00.3	VSLPALF_C		How did those evaluation, treatment, or rehabilitation services affect ^hisher_C life as a whole? Has ^hisher_C life improved greatly, improved somewhat, stayed the same, or gotten worse?	Sample Children 3-17 saw a speech-language pathologist or doctor for treatment
VSL.0170.00.3	VSLBTWR_C		During the past 12 months, did ^hisher_C problems or difficulty with ^VSLTYPE_C get a lot better, get a little better, stay the same, get a little worse, or get a lot worse?	Sample Children 3-17 who had a voice, speech, swallowing, or language problem in the past 12 months