

HHL D - 1
 2000 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 43,437 RECORDS

Variable Name	Question	Document modified 09/12/01
Question No.	Variable Universe	
Location	Universe Description	
	Variable Label	
Freq.	Value / Value Labels	

RECTYPE	Generated variable	
Generated	HH = ALL*	
	All households*	
1-2	Record Type	
	43,437	10 Household

Sources: None

Recodes: None

Keywords: record type

Notes: * The universe for most of the variables in this file includes responding households and households that were type 'A' non-response (HH = ALL). Type 'B' or 'C' non-responding household are not included in this file. Other variables in this file have a universe of responding households only (HH = RESPONDING) or non-responding households only (HH = TYPE A).

SRVY_YR	Generated variable	
Generated	HH = ALL	
	All households	
3-6	Processing Year	
	43,437	2000 2000

Sources: None

Recodes: None

Keywords: survey year

Notes: None

HHLD - 2
 2000 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 43,437 RECORDS

Variable Name	Question	Document modified 09/12/01
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

HHX Generated	Generated variable
	HH = ALL
	All households
7-12	Household Serial Number

Sources: None
 Recodes: None
 Keywords: household number
 Notes: Use this variable to identify individual households.

INTV_QRT Generated	Generated variable
	HH = ALL
	All households
13	Interviewing Quarter
9,554	1 Quarter 1
11,162	2 Quarter 2
11,512	3 Quarter 3
11,209	4 Quarter 4

Sources: None
 Recodes: None
 Keywords: interview quarter
 Notes: None

HHL D - 3
 2000 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 43,437 RECORDS

Variable Name	Question	Document modified 09/12/01
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
<hr/>		
ASSIGNWK	Generated variable	
Generated	HH = ALL	
	All households	
14-15	Assignment Week	
	01 Week 1	2,552
	02 Week 2	2,569
	03 Week 3	3,502
	04 Week 4	3,543
	05 Week 5	3,520
	06 Week 6	3,450
	07 Week 7	3,574
	08 Week 8	3,439
	09 Week 9	3,397
	10 Week 10	3,530
	11 Week 11	3,432
	12 Week 12	3,488
	13 Week 13	3,441

Sources: None
 Recodes: None
 Keywords: assignment week; interview week
 Notes: None

HHL D - 4
 2000 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 43,437 RECORDS

Variable Name	Question	Document modified 09/12/01
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
<hr/>		
INT_M_P	Generated variable	
Generated	HH = ALL	
	All households	
16-17	Date of Interview - Month	
	01 January	1,979
	02 February	3,749
	03 March	3,785
	04 April	3,590
	05 May	3,841
	06 June	3,737
	07 July	3,757
	08 August	4,132
	09 September	3,565
	10 October	3,930
	11 November	3,728
	12 December	3,644
	98 Not ascertained	

Sources: INT_DATE
 Recodes: None
 Keywords: interview month
 Notes: None

HHLd - 5
 2000 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 43,437 RECORDS

Variable Name	Question	Document modified 09/12/01
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

INT_Y_P	Generated variable
Generated	HH = ALL
	All households
18-21	Date of Interview - Year
	See note below*.

Sources: INT_DATE
 Recodes: None
 Keywords: interview year
 Notes: * 9998 = Not ascertained. A few interviews were completed in January of the following year.

LIVQRT	Enter appropriate type of housing unit.
Front Sec.	HH = ALL
	All households
22-23	Type of Living Quarters
40,692	01 House, apartment, flat, condo
38	02 HU in nontransient hotel, motel
2	03 HU-permanent in transient hotel, motel
15	04 HU in rooming house
2,006	05 Mobile home/trailer w/no permanent rooms added
271	06 Mobile home/trailer w/1+ permanent rooms added
27	07 HU not specified above
37	08 Quarters not HU in room or board house
0	09 Unit not permanent-transient hotel, motel
0	10 Unoccupied site for mobile home/trailer/tent
158	11 Student quarters in college dormitory
90	12 Group quarter unit not specified above
101	98 Not ascertained

Sources: None
 Recodes: None
 Keywords: housing type
 Notes: The interviewer answered this question, and it was asked at the household level. Housing unit is abbreviated as HU. Data for variable came from the Front Section of the instrument.

HHLD - 6
 2000 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 43,437 RECORDS

Variable Name	Question	Document modified 09/12/01
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

NON_INTV	Recode	
Recode	HH = TYPE A	
	Non-responding type A households	
24	Category of type A non-response	
3,179	1 Refused	
1,068	2 No one home - repeated calls	
280	3 Temporarily absent	
30	4 Language problem	
247	5 Other	
38,633	<Blank: Not in Universe>	

Sources: OUTCOME
 Recodes: None
 Keywords: non-response; type a; household non-response
 Notes: Data for this recode came from the Back Section of the instrument.

TELENUM	What is the telephone number here?	
Recode	HH = RESPONDING	
	Responding households	
25	Telephone number	
35,001	1 Gave a telephone number	
1,151	2 No telephone service	
2,275	7 Refused	
9	8 Not ascertained	
197	9 Don't know	
4,804	<Blank: Not in Universe>	

Sources: TEL_NUM
 Recodes: None
 Keywords: telephone number; working telephone
 Notes: This question was asked at the household level, and it resides in the Front Section of the instrument.

HHLd - 7
 2000 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 43,437 RECORDS

Variable Name	Question	Document modified 09/12/01
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

INSIDE	Is there at least one telephone INSIDE your home that is currently working?	
Front Sec.		
	HH = RESPONDING and TELENUM ne 2	
	Responding households and households who gave a phone number, refused, not ascertained, or don't know phone number	
26	Working phone inside home	
37,104	1 Yes	
275	2 No	
81	7 Refused	
10	8 Not ascertained	
12	9 Don't know	
5,955	<Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: telephone number; working telephone

Notes: This question was asked at the household level, and it resides in the Front Section of the instrument.

HHL - 8
 2000 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 43,437 RECORDS

Variable Name	Question	Document modified 09/12/01
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
NOSERV	During the past 12 months, has your household been without telephone service for more than 1 week?	
Front Sec.	HH = RESPONDING and TELENUM ne 2 and INSIDE ne 2	
	Responding households and households who gave a phone number, refused, not ascertained, or don't know phone number and households with working phone, refused, not ascertained, or don't know if working phone	
27	Without telephone service past 12 months	
	714	1 Yes
	36,197	2 No
	163	7 Refused
	10	8 Not ascertained
	123	9 Don't know
	6,230	<Blank: Not in universe>

Sources: None

Recodes: None

Keywords: telephone service

Notes: This question was asked at the household level, and it resides in the Front Section of the instrument.

HHL D - 9
 2000 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 43,437 RECORDS

Variable Name	Question	Document modified 09/12/01
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
HOWLNGWK	For how long was your household without telephone service in the past 12 months?	
Recode	HH = RESPONDING and TELENUM = 2 or INSIDE = 2 or NOSERV = 1	
	Responding households without telephone service	
28-29	Number of weeks w/o telephone service	
	237 00 One week or less	
	40 01 More than one week, up to two weeks	
	165 02 More than two weeks, up to three weeks	
	1,578 03-51 See note below*.	
	29 97 Refused	
	0 98 Not ascertained	
	91 99 Don't know	
	41,297 <Blank: Not in universe>	

Sources: HOWLONG1; HOWLONG2

Recodes: None

Keywords: no telephone service; weeks without telephone

Notes: * Interpretation of each value for this variable follows the logic of the value labels provided for values '01 and '02'. Thus, '03' is interpreted as more than three weeks, up to four weeks. A value of '51' is interpreted as more than 51 weeks, up to 52 weeks. This question was asked at the household level, and it resides in the Front Section of the instrument. This recode was developed from the combination of HOWLONG1 and HOWLONG2.

HHL D - 10
 2000 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 43,437 RECORDS

Variable Name	Question	Document modified 09/12/01
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
NOWAF_HH	Is {Person} now on full-time active duty with the armed forces?	
HHC recode	HH = RESPONDING and AGE = > 15 and < 65	
	Responding households and any household w/persons 16 to 64 years	
30	Armed Forces member in HH	
	256	1 Armed Forces member in HH
	32,553	2 No Armed Forces member in HH*
	10,628	<Blank: Not in Universe>

Sources: None

Recodes: None

Keywords: active duty; armed forces

Notes: * This includes refusals, not ascertains, and don't knows. Data is recoded from HHC.310; this variable indicates whether there is an active duty Armed Forces member present in the household.

ACPT_FAM	Generated variable	
Generated	HH = RESPONDING	
	Responding households	
31-32	Number of families responding in HH	
	38,633	01-30
	4,804	<Blank: Not in Universe>

Sources: None

Recodes: None

Keywords: number of families; responding families

Notes: This variable is a count of the number of families who responded in the household.

HHL - 11
 2000 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 43,437 RECORDS

Variable Name	Question	Document modified 09/12/01
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

REJ_FAM	Generated variable	
Generated	HH = RESPONDING	
	Responding households	
33-34	Number of families not responding in HH	
	38,633	00-29
	4,804	<Blank: Not in Universe>

Sources: None
 Recodes: None
 Keywords: number of families; non-responding families
 Notes: This variable is a count of the number of families who did not respond in the household.

ACPT_PER	Generated variable	
Generated	HH = RESPONDING	
	Responding households	
35-36	Number of persons responding in HH	
	38,633	01-30
	4,804	<Blank: Not in Universe>

Sources: None
 Recodes: None
 Keywords: number of persons; responding persons
 Notes: This variable is a count of the number of persons who responded in the household.

HHL D - 12
 2000 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 43,437 RECORDS

Variable Name	Question	Document modified 09/12/01
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

REJ_PER Generated	Generated variable	
	HH = RESPONDING	
	Responding households	
37-38	Number of persons not responding in HH	
	38,633	00-29
	4,804	<Blank: Not in Universe>

Sources: None
 Recodes: None
 Keywords: number of persons; non-responding persons
 Notes: This variable is a count of the number of persons who did not respond in the household.

ACPTCHLD Generated	Generated variable	
	HH = RESPONDING	
	Responding households	
39-40	Number of children that responded in HH*	
	38,633	00-29
	4,804	<Blank: Not in Universe>

Sources: None
 Recodes: None
 Keywords: number of children; responding children
 Notes: * Children did not respond for themselves, but data collected on children came from an adult proxy respondent. This variable, then, is a count of the number of children in the household for which there was data.

HHLD - 13
 2000 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 43,437 RECORDS

Variable Name	Question	Document modified 09/12/01
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
<hr/>		
LNG_INTV	In which language was the interview conducted?	
Front Sec.	HH = RESPONDING	
	Responding households	
41	Language of interview	
	1 English	30,829
	2 Spanish	1,742
	3 English and Spanish	699
	4 Other	126
	8 Not ascertained	5,237
	<Blank: Not in Universe>	4,804

Sources: None
 Recodes: None
 Keywords: interview language
 Notes: The interviewer answered this question, and it was asked at the household level.

REGION		
UCF	ALL	
	All records	
42	Region	
	1 Northeast	8,435
	2 Midwest	9,702
	3 South	15,305
	4 West	9,995

Sources: None
 Recodes: None
 Keywords: united states; region
 Notes: Data from Unit Control File.

HHL D - 14
 2000 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 43,437 RECORDS

Variable Name	Question	Document modified 09/12/01
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

MSASIZEP	Recode	
UCF Recode	ALL	
	All records	
43	Geographic Distribution - MSA size	
5,480	1 5,000,000 or more	
5,390	2 2,500,000 - 4,999,999	
11,104	3 1,000,000 - 2,499,999	
5,137	4 500,000 - 999,999	
4,815	5 250,000 - 499,999	
3,580	6 Under 250,000	
7,931	7 Non-MSA	

Sources: MSA_SIZE
 Recodes: None
 Keywords: msa size
 Notes: Data from Unit Control File.

WTIA_HH	Generated variable	
Generated	ALL	
	All records	
44-49	Weight - Interim Annual	

Sources: None
 Recodes: None
 Keywords: interim weight
 Notes: Format of data has an implied decimal (XXXXX.X). In general, this weight reflects probability of selection for the household. It does not include non-response or post-stratification adjustments.

HHL - 15
 2000 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 43,437 RECORDS

Variable Name	Question	Document modified 09/12/01
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

WTFA_HH	Generated variable
Generated	HH = RESPONDING
	Responding households
50-55	Weight - Final Annual

Sources: None
 Recodes: None
 Keywords: final weight; annual; household weight
 Notes: In general, this weight includes probability of selection and adjustment for non-response. This weight does not include post-stratification adjustments to Census control totals for number of civilian, non-institutionalized households. Type 'A' non-response households have a zero weight for this variable.

STRATUM	Generated variable
Generated	ALL
	All records
56-58	Stratum for variance estimation

Sources: None
 Recodes: None
 Keywords: variance estimation
 Notes: Variable used in variance estimation; consult documentation on variance estimation using NHIS data for specific information.

HHLD - 16
 2000 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 43,437 RECORDS

Variable Name	Question	Document modified 09/12/01
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
<hr/>		
PSU	Generated variable	
Generated	ALL	
	All records	
59	PSU for variance estimation	

Sources: None

Recodes: None

Keywords: variance estimation

Notes: Variable used in variance estimation; consult documentation on variance estimation using NHIS data for specific information.
