

HHL D - 1
 2002 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 40,377 RECORDS

Variable Name	Question	Document modified 10/27/03
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

RECTYPE	Generated variable	
Generated		
	HH = ALL*	
	All households*	
1-2	Record Type	
40,377	10 Household	

Sources: None

Recodes: None

Keywords: record type

Notes: * The universe for most of the variables in this file includes responding households and households that were type 'A' non-response (HH = ALL). Type 'B' or 'C' non-responding household are not included in this file. Other variables in this file have a universe of responding households only (HH = RESPONDING) or non-responding households only (HH = TYPE A).

SRVY_YR	Generated variable	
Generated		
	HH = ALL	
	All households	
3-6	Processing Year	
40,377	2002 2002	

Sources: None

Recodes: None

Keywords: survey year

Notes: None

HHLd - 2
 2002 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 40,377 RECORDS

Variable Name	Question	Document modified 10/27/03
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

HHX
Generated

Generated variable

HH = ALL

All households

7-12

Household Serial Number

Sources: None
 Recodes: None
 Keywords: household number
 Notes: Use this variable to identify individual households.

INTV_QRT
Generated

Generated variable

HH = ALL

All households

13

Interviewing Quarter

9,751	1	Quarter 1
10,664	2	Quarter 2
10,184	3	Quarter 3
9,778	4	Quarter 4

Sources: None
 Recodes: None
 Keywords: interview quarter
 Notes: None

HHL D - 3
 2002 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 40,377 RECORDS

Variable Name	Question	Document modified 10/27/03
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

ASSIGNWK Generated variable
 Generated

HH = ALL

All households

14-15 Assignment Week

1,780		01	Week 1
892		02	Week 2
2,713		03	Week 3
2,770		04	Week 4
3,666		05	Week 5
3,539		06	Week 6
3,658		07	Week 7
3,558		08	Week 8
3,537		09	Week 9
3,607		10	Week 10
3,546		11	Week 11
3,632		12	Week 12
3,479		13	Week 13

Sources: None
 Recodes: None
 Keywords: assignment week; interview week
 Notes: None

HHLd - 4
 2002 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 40,377 RECORDS

Variable Name	Question	Document modified 10/27/03
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
<hr/>		
INT_M_P	Generated variable	
Generated	HH = ALL	
	All households	
16-17	Date of Interview - Month	
	01 January	2,141
	02 February	3,528
	03 March	3,776
	04 April	3,211
	05 May	3,794
	06 June	3,880
	07 July	2,438
	08 August	3,955
	09 September	3,954
	10 October	2,566
	11 November	3,368
	12 December	3,766
	98 Not ascertained	0

Sources: INT_DATE
 Recodes: None
 Keywords: interview month
 Notes: None

HHL D - 5
 2002 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 40,377 RECORDS

Variable Name	Question	Document modified 10/27/03
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

INT_Y_P Generated	Generated variable
	HH = ALL
	All households
18-21	Date of Interview - Year
	See note below*.

Sources: INT_DATE
 Recodes: None
 Keywords: interview year
 Notes: * 9998 = Not ascertained. A few interviews were completed in January of the following year.

LIVQRT Front Sec.	Enter appropriate type of housing unit.
	HH = ALL
	All households

22-23	Type of Living Quarters
37,823	01 House, apartment, flat, condo
19	02 HU in nontransient hotel, motel
5	03 HU-permanent in transient hotel, motel
14	04 HU in rooming house
1,875	05 Mobile home/trailer w/no permanent rooms added
239	06 Mobile home/trailer w/1+ permanent rooms added
31	07 HU not specified above
38	08 Quarters not HU in room or board house
1	09 Unit not permanent-transient hotel, motel
2	10 Unoccupied site for mobile home/trailer/tent
112	11 Student quarters in college dormitory
126	12 Group quarter unit not specified above
92	98 Not ascertained

Sources: None
 Recodes: None
 Keywords: housing type
 Notes: The interviewer answered this question, and it was asked at the household level. Housing unit is abbreviated as HU. Data for variable came from the Front Section of the instrument.

HHL D - 6
 2002 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 40,377 RECORDS

Variable Name	Question	Document modified 10/27/03
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

NON_INTV	Recode	
Recode		
	HH = TYPE A	
	Non-responding type A households	
24	Category of type A non-response	
	2,849 1 Refused	
	811 2 No one home - repeated calls	
	272 3 Temporarily absent	
	26 4 Language problem	
	258 5 Other	
	36,161 <Blank: Not in Universe>	

Sources: OUTCOME
 Recodes: None
 Keywords: non-response; type a; household non-response
 Notes: Data for this recode came from the Back Section of the instrument.

TELENUM	What is the telephone number here?	
Recode		
	HH = RESPONDING	
	Responding households	
25	Telephone number	
	32,153 1 Gave a telephone number	
	895 2 No telephone service	
	1,692 7 Refused	
	1,255 8 Not ascertained	
	166 9 Don't know	
	4,216 <Blank: Not in Universe>	

Sources: TEL_NUM
 Recodes: None
 Keywords: telephone number; working telephone
 Notes: This question was asked at the household level, and it resides in the Front Section of the instrument.

HHLd - 7
 2002 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 40,377 RECORDS

Variable Name	Question	Document modified 10/27/03
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
<hr/>		
INSIDE	Is there at least one telephone INSIDE your home that is currently working?	
Front Sec.	HH = RESPONDING and TELENUM ne 2	
	Responding households and households who gave a phone number, refused, not ascertained, or don't know phone number	
26	Working phone inside home	
34,416	1 Yes	
446	2 No	
73	7 Refused	
311	8 Not ascertained	
20	9 Don't know	
5,111	<Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: telephone number; working telephone

Notes: This question was asked at the household level, and it resides in the Front Section of the instrument.

HHL D - 8
 2002 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 40,377 RECORDS

Variable Name	Question	Document modified 10/27/03
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
<hr/>		
NOSERV	During the past 12 months, has your household been without telephone service for more than 1 week?	
Front Sec.	HH = RESPONDING and TELENUM ne 2 and INSIDE ne 2	
	Responding households and households who gave a phone number, refused, not ascertained, or don't know phone number and households with working phone, refused, not ascertained, or don't know if working phone	
27	Without telephone service past 12 months	
	746	1 Yes
	33,456	2 No
	178	7 Refused
	313	8 Not ascertained
	127	9 Don't know
	5,557	<Blank: Not in universe>

Sources: None

Recodes: None

Keywords: telephone service

Notes: This question was asked at the household level, and it resides in the Front Section of the instrument.

HHL D - 9
 2002 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 40,377 RECORDS

Variable Name	Question	Document modified 10/27/03
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
HOWLNGWK	For how long was your household without telephone service in the past 12 months?	
Recode	HH = RESPONDING and TELENUM = 2 or INSIDE = 2 or NOSERV = 1	
	Responding households without telephone service	
28-29	Number of weeks w/o telephone service	
	207 00 One week or less	
	30 01 More than one week, up to two weeks	
	175 02 More than two weeks, up to three weeks	
	1,534 03-51 See note below*.	
	36 97 Refused	
	3 98 Not ascertained	
	102 99 Don't know	
	38,290 <Blank: Not in universe>	

Sources: HOWLONG1; HOWLONG2

Recodes: None

Keywords: no telephone service; weeks without telephone

Notes: * Interpretation of each value for this variable follows the logic of the value labels provided for values '01 and '02'. Thus, '03' is interpreted as more than three weeks, up to four weeks. A value of '51' is interpreted as more than 51 weeks, up to 52 weeks. This question was asked at the household level, and it resides in the Front Section of the instrument. This recode was developed from the combination of HOWLONG1 and HOWLONG2.

HHLd - 10
 2002 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 40,377 RECORDS

Variable Name	Question	Document modified 10/27/03
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

NOWAF_HH	Is {Person} now on full-time active duty with the armed forces?	
HHC recode		HH = RESPONDING and AGE = >15 and <65
		Responding households and any household w/persons 16 to 64 years
30	Armed Forces member in HH	
240	1 Armed Forces member in HH	
30,437	2 No Armed Forces member in HH*	
9,700	<Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: active duty; armed forces

Notes: * This includes refusals, not ascertains, and don't knows. Data is recoded from HHC.310; this variable indicates whether there is an active duty Armed Forces member present in the household.

ACPT_FAM	Generated variable	
Generated		HH = RESPONDING
		Responding households
31-32	Number of families responding in HH	
36,161	01-08	
4,216	<Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: number of families; responding families

Notes: This variable is a count of the number of families who responded in the household.

HHL D - 11
 2002 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 40,377 RECORDS

Variable Name	Question	Document modified 10/27/03
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

REJ_FAM	Generated variable	
Generated	HH = RESPONDING	
	Responding households	
33-34	Number of families not responding in HH	
	36,161 00-07	
	4,216 <Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: number of families; non-responding families
 Notes: This variable is a count of the number of families who did not respond in the household.

ACPT_PER	Generated variable	
Generated	HH = RESPONDING	
	Responding households	
35-36	Number of persons responding in HH	
	36,161 01-30	
	4,216 <Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: number of persons; responding persons
 Notes: This variable is a count of the number of persons who responded in the household.

HHL D - 12
 2002 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 40,377 RECORDS

Variable Name	Question	Document modified 10/27/03
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

REJ_PER Generated	Generated variable	
	HH = RESPONDING	
	Responding households	
37-38	Number of persons not responding in HH	
	36,161 00-29	
	4,216 <Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: number of persons; non-responding persons
 Notes: This variable is a count of the number of persons who did not respond in the household.

ACPTCHLD Generated	Generated variable	
	HH = RESPONDING	
	Responding households	
39-40	Number of children that responded in HH*	
	36,161 00-29	
	4,216 <Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: number of children; responding children
 Notes: *Children did not respond for themselves, but data collected on children came from an adult proxy respondent. This variable, then, is a count of the number of children in the household for which there was data.

HHL D - 13
 2002 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 40,377 RECORDS

Variable Name	Question	Document modified 10/27/03
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

LNG_INTV	In which language was the interview conducted?	
Front Sec.		
	HH = RESPONDING	
	Responding households	
41	Language of interview	
33,373	1 English	
1,767	2 Spanish	
839	3 English and Spanish	
158	4 Other	
24	8 Not ascertained	
4,216	<Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: interview language
 Notes: The interviewer answered this question, and it was asked at the household level.

REGION	ALL	
UCF		
	All records	
42	Region	
7,646	1 Northeast	
8,835	2 Midwest	
14,728	3 South	
9,168	4 West	

Sources: None
 Recodes: None
 Keywords: united states; region
 Notes: Data from Unit Control File.

HHL D - 14
2002 NATIONAL HEALTH INTERVIEW SURVEY
HOUSEHOLD - PUBLIC USE
40,377 RECORDS

Variable Name	Question	Document modified 10/27/03
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
	Value / Value Labels	

WTIA_HH	Generated variable
Generated	
	ALL
	All records
43-48	Weight - Interim Annual

Sources: None

Recodes: None

Keywords: interim weight

Notes: Format of data has an implied decimal (XXXXX.X). In general, this weight reflects probability of selection for the household. It does not include non-response or post-stratification adjustments.

WTFA_HH	Generated variable
Generated	
	HH = RESPONDING
	Responding households
49-54	Weight - Final Annual

Sources: None

Recodes: None

Keywords: final weight; annual; household weight

Notes: In general, this weight includes probability of selection and adjustment for non-response. This weight does not include post-stratification adjustments to Census control totals for number of civilian, non-institutionalized households. Type 'A' non-response households have a zero weight for this variable.

HHLd - 15
 2002 NATIONAL HEALTH INTERVIEW SURVEY
 HOUSEHOLD - PUBLIC USE
 40,377 RECORDS

Variable Name	Question	Document modified 10/27/03
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

STRATUM	Generated variable	
Generated	ALL	
	All records	
55-57	Stratum for variance estimation	

Sources: None
 Recodes: None
 Keywords: variance estimation
 Notes: Variable used in variance estimation; consult documentation on variance estimation using NHIS data for specific information.

PSU	Generated variable	
Generated	ALL	
	All records	
58	PSU for variance estimation	

Sources: None
 Recodes: None
 Keywords: variance estimation
 Notes: Variable used in variance estimation; consult documentation on variance estimation using NHIS data for specific information.
