

2013 National Health Interview Survey (NHIS) 1
 Functioning and Disability Public Use File (funcdisb)
 IDN Variables Thursday, June 5, 2014
 Unweighted Frequencies

**Continuous variables in the frequency
 report only show the range of valid numbers**

IDN.000_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
25 Income Imputation	0	0.00
30 Sample Adult	0	0.00
38 Functioning and Disability	17326	100.00
40 Sample Child	0	0.00
60 Family	0	0.00
63 Family Disability Questions	0	0.00
65 Paradata	0	0.00
70 Injury/Poisoning Episode	0	0.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
Survey Year	17326	100.00

IDN.000_04.000: Household Number

HHX	Frequency	Percent
Range of Values	17326	100.00

IDN.000_25.000: Interview Quarter

INTV_QRT	Frequency	Percent
1 Quarter 1	4159	24.00
2 Quarter 2	4160	24.01
3 Quarter 3	4637	26.76
4 Quarter 4	4370	25.22

IDN.000_30.000: Interview Month

INTV_MON	Frequency	Percent
01 January	1366	7.88
02 February	1389	8.02
03 March	1404	8.10
04 April	1412	8.15
05 May	1371	7.91
06 June	1377	7.95
07 July	1579	9.11
08 August	1524	8.80
09 September	1534	8.85
10 October	1634	9.43
11 November	1678	9.68
12 December	1058	6.11

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 IDN Variables Thursday, June 5, 2014
 Unweighted Frequencies

IDN.000_35.000: Family Number

FMX	Frequency	Percent
01-25 Family number 1 - 25	17326	100.00

IDN.000_40.000: Person Number (Within family)

FPX	Frequency	Percent
01-25 Person number 1 thru 25	17326	100.00

IDN.000_70.000: Weight - Final Annual Functioning and Disability file

WTFA_AFD	Frequency	Percent
Range of Values	17326	100.00

2013 National Health Interview Survey (NHIS) 3
Functioning and Disability Public Use File (funcdisb)
UCF Variables Thursday, June 5, 2014
Unweighted Frequencies

UCF.000_00.000: Pseudo-stratum for public-use file variance estimation

STRAT_P	Frequency	Percent
001-300	17326	100.00

UCF.000_00.000: Pseudo-PSU for public-use file variance estimation

PSU_P	Frequency	Percent
01-02	17326	100.00

2013 National Health Interview Survey (NHIS)
Functioning and Disability Public Use File (funcdisb)
FDB Variables Thursday, June 5, 2014
Unweighted Frequencies

FDB.001_00.000: Disability Questions flag

FDRN_FLG

- 1 Families selected to receive AFD (sample adults) section
2 Families selected to receive FDB (all persons 1 year and older) section

FDB.001_00.000: Disability Questions flag

Table with 2 columns: Frequency, Percent. Row 1: 17326, 100.00. Row 2: 0, 0.00.

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

AFD.090_00.000: Does respondent wear glasses?

VIS_0	Frequency	Percent
1 Yes	10474	60.45
2 No	6288	36.29
7 Refused	31	0.18
8 Not ascertained	528	3.05
9 Don't know	5	0.03

AFD.100_00.000: Degree of difficulty seeing

VIS_SS2	Frequency	Percent
1 No difficulty	13690	79.01
2 Some difficulty	2708	15.63
3 A lot of difficulty	333	1.92
4 Cannot do at all/unable to do	36	0.21
7 Refused	21	0.12
8 Not ascertained	532	3.07
9 Don't know	6	0.03

AFD.140_00.000: Do you use a hearing aid?

HEAR_1R	Frequency	Percent
1 Yes	578	3.34
2 No	16190	93.44
7 Refused	23	0.13
8 Not ascertained	532	3.07
9 Don't know	3	0.02

AFD.145_00.000: How often do you use a hearing aid?

HEAR_2R	Frequency	Percent
1 All of the time	323	55.88
2 Some of the time	174	30.10
3 Rarely	51	8.82
4 Never	29	5.02
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.17

Frequency Missing = 16748

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

AFD.150_00.000: Degree of difficulty hearing

HEAR_SS2	Frequency	Percent
1 No difficulty	13680	78.96
2 Some difficulty	2753	15.89
3 A lot of difficulty	310	1.79
4 Cannot do at all/unable to do	23	0.13
7 Refused	24	0.14
8 Not ascertained	534	3.08
9 Don't know	2	0.01

AFD.170_00.000: Difficulty hearing conversation with one person in quiet room

HEAR_3	Frequency	Percent
1 No difficulty	15249	90.94
2 Some difficulty	1316	7.85
3 A lot of difficulty	162	0.97
4 Cannot do at all/unable to do	10	0.06
7 Refused	27	0.16
8 Not ascertained	1	0.01
9 Don't know	4	0.02

Frequency Missing = 557

AFD.170_00.001: Diff hearing one person in noisier room even w/ hearing aid

HEAR_4	Frequency	Percent
1 No difficulty	11697	69.80
2 Some difficulty	4191	25.01
3 A lot of difficulty	779	4.65
4 Cannot do at all/unable to do	48	0.29
7 Refused	28	0.17
8 Not ascertained	0	0.00
9 Don't know	15	0.09

Frequency Missing = 568

AFD.180_00.000: Degree of difficulty walking or climbing steps

MOB_SS2	Frequency	Percent
1 No difficulty	13424	77.48
2 Some difficulty	2165	12.50
3 A lot of difficulty	792	4.57
4 Cannot do at all/unable to do	380	2.19
7 Refused	25	0.14
8 Not ascertained	536	3.09
9 Don't know	4	0.02

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

AFD.200_00.000: Use equipment or receive help for getting around?

MOB_2R	Frequency	Percent
1 Yes	1474	8.51
2 No	15289	88.24
7 Refused	23	0.13
8 Not ascertained	538	3.11
9 Don't know	2	0.01

AFD.200_00.001: Use cane or walking stick?

MOB_3A	Frequency	Percent
1 Yes	982	66.62
2 No	492	33.38
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 15852

AFD.200_00.002: Use a walker or Zimmer frame?

MOB_3B2	Frequency	Percent
1 Yes	590	40.03
2 No	883	59.91
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.07

Frequency Missing = 15852

AFD.200_00.003: Use crutches?

MOB_3C	Frequency	Percent
1 Yes	115	7.80
2 No	1359	92.20
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 15852

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

AFD.200_00.004: Use a wheelchair or scooter?

MOB_3D2	Frequency	Percent
1 Yes	377	25.58
2 No	1097	74.42
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 15852

AFD.200_00.005: Use artificial limb (leg/foot)?

MOB_3E2	Frequency	Percent
1 Yes	74	5.02
2 No	1400	94.98
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 15852

AFD.200_00.006: Use someone's assistance?

MOB_3F	Frequency	Percent
1 Yes	565	38.33
2 No	909	61.67
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 15852

AFD.200_00.007: Use other type of equipment or help?

MOB_3G	Frequency	Percent
1 Yes	178	12.08
2 No	1296	87.92
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 15852

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

AFD.210_00.000: Diff walking 100 yards on level ground w/o aid or equipment

MOB_4	Frequency	Percent
1 No difficulty	13892	84.65
2 Some difficulty	1369	8.34
3 A lot of difficulty	491	2.99
4 Cannot do at all/unable to do	623	3.80
7 Refused	27	0.16
8 Not ascertained	2	0.01
9 Don't know	7	0.04

Frequency Missing = 915

AFD.220_00.000: Diff walking 1/3rd mile on level ground w/o aid or equipment

MOB_5	Frequency	Percent
1 No difficulty	13025	82.51
2 Some difficulty	1650	10.45
3 A lot of difficulty	708	4.48
4 Cannot do at all/unable to do	347	2.20
7 Refused	29	0.18
8 Not ascertained	2	0.01
9 Don't know	25	0.16

Frequency Missing = 1540

AFD.230_00.000: Diff walking up or down 12 steps w/o aid or equipment

MOB_6	Frequency	Percent
1 No difficulty	13557	82.61
2 Some difficulty	1767	10.77
3 A lot of difficulty	616	3.75
4 Cannot do at all/unable to do	431	2.63
7 Refused	29	0.18
8 Not ascertained	4	0.02
9 Don't know	7	0.04

Frequency Missing = 915

2013 National Health Interview Survey (NHIS) 10
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

AFD.240_00.000: Diff walking 100 yards on level ground w/ aid or equipment

MOB_7	Frequency	Percent
1 No difficulty	332	30.26
2 Some difficulty	271	24.70
3 A lot of difficulty	162	14.77
4 Cannot do at all/unable to do	329	29.99
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	0.27

Frequency Missing = 16229

AFD.250_00.000: Diff walking 1/3rd mile on level ground w/ aid or equipment

MOB_8	Frequency	Percent
1 No difficulty	272	35.42
2 Some difficulty	218	28.39
3 A lot of difficulty	163	21.22
4 Cannot do at all/unable to do	112	14.58
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	0.39

Frequency Missing = 16558

AFD.270_00.000: Degree of difficulty communicating using usual language

COM_SS	Frequency	Percent
1 No difficulty	15874	91.62
2 Some difficulty	745	4.30
3 A lot of difficulty	94	0.54
4 Cannot do at all/unable to do	43	0.25
7 Refused	25	0.14
8 Not ascertained	543	3.13
9 Don't know	2	0.01

AFD.290_00.000: Use sign language?

COM_2	Frequency	Percent
1 Yes	504	2.91
2 No	16253	93.81
7 Refused	22	0.13
8 Not ascertained	543	3.13
9 Don't know	4	0.02

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

AFD.300_00.000: Degree of difficulty remembering or concentrating

COG_SS	Frequency	Percent
1 No difficulty	13719	79.18
2 Some difficulty	2632	15.19
3 A lot of difficulty	382	2.20
4 Cannot do at all/unable to do	20	0.12
7 Refused	25	0.14
8 Not ascertained	543	3.13
9 Don't know	5	0.03

AFD.310_00.000: Difficulty remembering, concentrating, or both?

COG_1	Frequency	Percent
1 Difficulty remembering only	983	32.08
2 Difficulty concentrating only	388	12.66
3 Difficulty with both remembering and concentrating	1659	54.14
7 Refused	28	0.91
8 Not ascertained	0	0.00
9 Don't know	6	0.20

Frequency Missing = 14262

AFD.320_00.000: How often have difficulty remembering?

COG_2	Frequency	Percent
1 Sometimes	1916	71.60
2 Often	513	19.17
3 All of the time	216	8.07
7 Refused	26	0.97
8 Not ascertained	0	0.00
9 Don't know	5	0.19

Frequency Missing = 14650

AFD.330_00.000: Amount of things you have difficulty remembering?

COG_3	Frequency	Percent
1 A few things	2119	79.19
2 A lot of things	386	14.42
3 Almost everything	134	5.01
7 Refused	26	0.97
8 Not ascertained	0	0.00
9 Don't know	11	0.41

Frequency Missing = 14650

2013 National Health Interview Survey (NHIS) 12
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

AFD.360_00.000: Degree of difficulty with self-care

UB_SS	Frequency	Percent
1 No difficulty	16029	92.51
2 Some difficulty	544	3.14
3 A lot of difficulty	114	0.66
4 Cannot do at all/unable to do	68	0.39
7 Refused	25	0.14
8 Not ascertained	544	3.14
9 Don't know	2	0.01

AFD.370_00.000: Diff raising 2 liter bottle of water from waist to eye level

UB_1	Frequency	Percent
1 No difficulty	15677	90.48
2 Some difficulty	743	4.29
3 A lot of difficulty	167	0.96
4 Cannot do at all/unable to do	166	0.96
7 Refused	24	0.14
8 Not ascertained	545	3.15
9 Don't know	4	0.02

AFD.380_00.000: Degree of difficulty using hands and fingers

UB_2	Frequency	Percent
1 No difficulty	15199	87.72
2 Some difficulty	1229	7.09
3 A lot of difficulty	255	1.47
4 Cannot do at all/unable to do	70	0.40
7 Refused	25	0.14
8 Not ascertained	545	3.15
9 Don't know	3	0.02

AFD.410_00.000: How often feel worried, nervous, or anxious?

ANX_1	Frequency	Percent
1 Daily	1632	9.42
2 Weekly	1872	10.80
3 Monthly	1558	8.99
4 A few times a year	4898	28.27
5 Never	6714	38.75
7 Refused	63	0.36
8 Not ascertained	550	3.17
9 Don't know	39	0.23

2013 National Health Interview Survey (NHIS) 13
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

AFD.420_00.000: Take medication for worried, nervous, or anxious feelings?

ANX_2	Frequency	Percent
1 Yes	1601	9.24
2 No	15105	87.18
7 Refused	55	0.32
8 Not ascertained	550	3.17
9 Don't know	15	0.09

AFD.430_00.000: Level of feelings when last felt worried, nervous, or anxious?

ANX_3R	Frequency	Percent
1 A little	5744	56.66
2 A lot	1189	11.73
3 Somewhere in between a little and a lot	3092	30.50
7 Refused	68	0.67
8 Not ascertained	2	0.02
9 Don't know	43	0.42

Frequency Missing = 7188

AFD.450_00.000: How often do you feel depressed?

DEP_1	Frequency	Percent
1 Daily	756	4.36
2 Weekly	926	5.34
3 Monthly	1038	5.99
4 A few times a year	4012	23.16
5 Never	9929	57.31
7 Refused	69	0.40
8 Not ascertained	555	3.20
9 Don't know	41	0.24

AFD.460_00.000: Take medication for depression?

DEP_2	Frequency	Percent
1 Yes	1460	8.43
2 No	15225	87.87
7 Refused	61	0.35
8 Not ascertained	557	3.21
9 Don't know	23	0.13

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

AFD.470_00.000: How depressed you felt last time you were depressed?

DEP_3R	Frequency	Percent
1 A little	3847	55.07
2 A lot	970	13.88
3 Somewhere in between a little and a lot	2051	29.36
7 Refused	70	1.00
8 Not ascertained	2	0.03
9 Don't know	46	0.66

Frequency Missing = 10340

AFD.500_00.000: Frequency of pain in past 3 months

PAIN_2	Frequency	Percent
1 Never	6636	38.30
2 Some days	6556	37.84
3 Most days	1227	7.08
4 Every day	2245	12.96
7 Refused	63	0.36
8 Not ascertained	564	3.26
9 Don't know	35	0.20

AFD.520_00.000: How much pain you had last time you had pain?

PAIN_4	Frequency	Percent
1 A little	4865	48.04
2 A lot	1869	18.46
3 Somewhere in between a little and a lot	3296	32.55
7 Refused	63	0.62
8 Not ascertained	3	0.03
9 Don't know	30	0.30

Frequency Missing = 7200

AFD.540_00.000: How often felt very tired or exhausted in past 3 months

TIRED_1	Frequency	Percent
1 Never	5619	32.43
2 Some days	8391	48.43
3 Most days	1632	9.42
4 Every day	1019	5.88
7 Refused	61	0.35
8 Not ascertained	569	3.28
9 Don't know	35	0.20

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

AFD.550_00.000: How long most recent tired or exhausted feelings lasted?

TIRED_2	Frequency	Percent
1 Some of the day	8036	72.15
2 Most of the day	1955	17.55
3 All of the day	1036	9.30
7 Refused	62	0.56
8 Not ascertained	0	0.00
9 Don't know	49	0.44

Frequency Missing = 6188

AFD.560_00.000: Level of tiredness last time felt very tired or exhausted

TIRED_3	Frequency	Percent
1 A little	4912	44.10
2 A lot	2087	18.74
3 Somewhere in between a little and a lot	4030	36.18
7 Refused	64	0.57
8 Not ascertained	2	0.02
9 Don't know	43	0.39

Frequency Missing = 6188

AFD.000_00.000: Record completion status

RCS_AFD	Frequency	Percent
1 Not ascertained answers only	526	3.04
2 Refused and don't know answers only	15	0.09
3 Refused, DK, and not ascertained answers only	2	0.01
4 At least one valid answer	16783	96.87