# Variable Information:

Variable: RECTYPE
Module: General

Section: IDN : Identifier

File(s): Adult, Adultinc, Child, Childinc, Paradata

Data Type: Numeric

Length: 2

Question Text:

**Description:** Record type

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:

Question ID:

Keywords:

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

**RECTYPE** Record type

Code	Description	Frequency	Percent
10	Sample Adult	29522	100.00
20	Sample Child	0	0.00
30	Sample Adult Income	0	0.00
40	Sample Child Income	0	0.00
50	Paradata	0	0.00

# Variable Information:

Variable: SRVY\_YR
Module: General

Section: IDN : Identifier

File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 4

Question Text:

**Description:** Year of the National Health Interview Survey

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:

Question ID:

Keywords:

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

SRVY\_YR Year of the National Health Interview Survey

Code	Description	Frequency	Percent
1963-current	Survey year	29522	100.00
year			

### <u>Variable Information:</u>

Variable: HHX

Module: General

Section: IDN : Identifier

File(s): Adult, Adultinc, Child, Childinc, Paradata

Data Type: Character

Length: 7

Question Text:

**Description:** Randomly assigned household number unique to a household

Recode:

Universe: All

Universe Description: All cases

Sources:

Question ID:

Keywords:

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

HHX Randomly assigned household number unique to a household

Code	Description	Frequency	Percent
	Range of values	29522	100.00

Variable Information:

Variable: WTFA\_A

Module: General

Section: IDN : Identifier

File(s): Adult
Data Type: Numeric

Length: 10

Question Text:

Description: Weight - Final Annual

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID:

Keywords:

Notes:

**Evaluation Report:** 

**Unweighted frequencies:** 

WTFA\_A Weight - Final Annual

Code	Description	Frequency	Percent
	Range of values	29522	100.00

#### Variable Information:

Variable: URBRRL
Module: General

Section: UCF : Unit Control File

File(s): Adult, Child

Data Type: Numeric

Length: 1

Question Text:

**Description:** 2013 NCHS Urban-Rural Classification Scheme for Counties

Recode: Yes

Universe: HHX ne ' '

Universe Description: All households

Sources:

Question ID:

Keywords:

Notes: Information about the 2013 NCHS Urban-Rural classification scheme for counties

is available at https://www.cdc.gov/nchs/data\_access/urban\_rural.htm. Large central metro are counties (or county equivalents) in metropolitan statistical areas (MSA) of 1 million or more population that 1) contain the entire population of the largest principal city of the MSA, or 2) are completely contained in the largest principal city of the MSA, or 3) contain at least 250,000 residents of any principal city of the MSA. Large fringe metro are counties (or county equivalents) in MSAs of 1 million or more population that do not qualify as large central. Medium and small metro are counties (or county equivalents) in MSAs of 250,000 to 999,999 population or in MSAs of less than 250,000 population. Nonmetropolitan are counties (or county equivalents) in

micropolitan statistical areas and non-core counties.

#### **Evaluation Report:**

#### Unweighted frequencies:

URBRRL 2013 NCHS Urban-Rural Classification Scheme for Counties

Code	Description	Frequency	Percent
1	Large central metro	8914	30.19
2	Large fringe metro	6854	23.22
3	Medium and small metro	9232	31.27
4	Nonmetropolitan	4522	15.32

# Variable Information:

Variable: REGION
Module: General

Section: UCF : Unit Control File

File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Household region

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:

Question ID:

Keywords:

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

**REGION** Household region

Code	Description	Frequency	Percent
1	Northeast	4630	15.68
2	Midwest	6469	21.91
3	South	10954	37.10
4	West	7469	25.30

### Variable Information:

Variable: PSTRAT

Module: General

Section: UCF : Unit Control File

File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 3

Question Text:

**Description:** Pseudo-stratum for public-use file variance estimation

Recode:

Universe: All

Universe Description: All cases

Sources:

Question ID:

Keywords:

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

PSTRAT Pseudo-stratum for public-use file variance estimation

Code	Description	Frequency	Percent
	Range of values	29522	100.00

### Variable Information:

Variable: PPSU

Module: General

Section: UCF : Unit Control File

File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 3

Question Text:

**Description:** Pseudo-PSU for public-use file variance estimation

Recode:

Universe: All

Universe Description: All cases

Sources:

Question ID:

Keywords:

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

PPSU Pseudo-PSU for public-use file variance estimation

Code	Description	Frequency	Percent
	Range of values	29522	100.00

# Variable Information:

Variable: HHRESPSA\_FLG

Module: General

Section: FLG : Flag

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \*\* Instrument Flag \*\*

Description: Sample Adult is the household respondent or the proxy who lives in the

household

Recode:

Universe: HHSTAT\_A = 1

Universe Description: Sample adults 18+

Sources:

Question ID: GEN.0650.00.1

Keywords:

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

HHRESPSA\_FLG Sample Adult is the household respondent or the proxy who lives in the household

Code	Description	Frequency	Percent
1	Yes	20885	100.00

# Variable Information:

Variable: INTV\_QRT
Module: General

Section: GEN : Miscellaneous

File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Interview quarter

Recode: Yes

Universe: HHX ne ' '

Universe Description: All households

Sources:

Question ID:

Keywords:

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

Code	Description	Frequency	Percent
1	Quarter 1	7418	25.13
2	Quarter 2	7310	24.76
3	Quarter 3	7419	25.13
4	Quarter 4	7375	24.98

# Variable Information:

Variable: INTV\_MON

Module: General

Section: GEN : Miscellaneous

File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 2

Recode:

Universe: HHX ne .

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

Code	Description	Frequency	Percent
01	January	2577	8.73
02	February	2406	8.15
03	March	2435	8.25
04	April	2513	8.51
05	May	2378	8.06
06	June	2419	8.19
07	July	2554	8.65
08	August	2533	8.58
09	September	2332	7.90
10	October	2637	8.93
11	November	2437	8.25
12	December	2301	7.79

Variable Information:

Variable: HHSTAT\_A

Module: General

Section: GEN : Miscellaneous

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \*\* Instrument Variable \*\*

**Description:** Indicates person is the Sample Adult

Recode:

Universe: All
Universe Description: All

Sources:

**Question ID:** GEN.0540.00.1

Keywords:
Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

Code	Description	Frequency	Percent
1	Person is sample adult	29522	100.00

# Variable Information:

Variable: ASTATNEW Module: General

Section: GEN : Miscellaneous

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Recoded ASTAT

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

 ${\tt Question\ ID:}$ 

Keywords:

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

ASTATNEW Recoded ASTAT

Code	Description	Frequency	Percent
0	Not applicable/None eligible	(	0.00
1	Completed	28108	95.21
2	HH member selected	(	0.00
3	Reached Sample Adult	(	0.00
4	Started HIS section	(	0.00
5	Sufficient Partial	1414	4.79
6	HH member selected and no longer eligible	6	0.00
7	Refused	6	0.00

Variable Information:

Variable: AVAIL\_A Module: General

Section: GEN : Miscellaneous

File(s): Adult
Data Type: Numeric

Question Text: \* The next questions must be answered by ^SANAME. Probe as necessary to

determine the availability of ^SANAME.

\* If Sample Adult refuses to participate enter CTRL-R.

\* Read if necessary: The next questions are about ^SANAME.

^Awayschool ^IshesheArethey\_A ^stayinghere available now?

^ONCAMPSA

Fills: ^SANAME..... Sample Adult's name

^Awayschool..... Earlier, you said ^SANAME is living away at school

or college.

^IshesheArethey\_A..... Is he/Is she/Are they

^stayinghere..... staying here and

^ONCAMPSA..... FR instructions for on-campus SA

**Description:** Sample Adult Available

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: VFY.0020.00.1

Keywords: Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

AVAIL\_A Sample Adult Available

Code	Description	Frequency	Percent
1	Available	28152	95.36
2	Not Available or not able to answer right now	126	0.43
3	Physical or mental condition prohibits responding	553	1.87
7	Refused	1	0.00
8	Not Ascertained	690	2.34

Variable Information:

Variable: PROXY\_A Module: General

Section: GEN : Miscellaneous

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Proxy interviews can be done for sample adults that have a mental or physical

condition that prevents them from responding for themselves.

Is a family member or caregiver that is knowledgeable about  ${\ensuremath{}^{\mathsf{SANAME'}}}{\mathsf{s}}$  health

available?

**Description:** Proxy Available

Recode:

Universe: HHSTAT\_A=1 and AVAIL\_A=3

Universe Description: Sample adults 18+ and sample adult's physical or mental condition prohibits

responding

Sources:

Question ID: VFY.0030.00.1

Keywords:

Notes:

**Evaluation Report:** 

# <u>Unweighted frequencies:</u>

PROXY\_A Proxy Available

Code	Description	Frequency	Percent
1	Yes	537	97.11
2	No	15	2.71
7	Refused	0	0.00
8	Not Ascertained	1	0.18
9	Don't Know	0	0.00

### <u>Variable Information:</u>

Variable: PROXYREL\_A

Module: General

Section: GEN : Miscellaneous

File(s): Adult
Data Type: Numeric

Length: 1

**Description:** Proxy's Relationship to Sample Adult

Recode:

Universe: HHSTAT\_A=1 and PROXY\_A=1

Universe Description: Sample adults 18+ and knowledgeable proxy is available

Sources:

Question ID: VFY.0040.00.1

Keywords:

Notes:

# <u>Unweighted frequencies:</u>

**Evaluation Report:** 

PROXYREL\_A Proxy's Relationship to Sample Adult

Code	Description	Frequency	Percent
1	Relative who lives in household	430	80.07
2	Relative who doesn't live in household	78	14.53
3	Nonrelative who lives in household	11	2.05
4	Nonrelative who does not live in household	18	3.35
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

# Variable Information:

Variable: SEX\_A

Module: Roster

Section: HHC : Household Composition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Sex of Sample Adult

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID:

Keywords:

Notes:

**Evaluation Report:** 

# **Unweighted frequencies:**

SEX\_A Sex of Sample Adult

Code	Description	Frequency	Percent
1	Male	13457	45.58
2	Female	16059	54.40
7	Refused	4	0.01
8	Not Ascertained	0	0.00
9	Don't Know	2	0.01

# Variable Information:

Variable: AGEP\_A
Module: Roster

Section: HHC : Household Composition

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age of SA (top coded)

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: Question ID:

Keywords:

Notes: Top-coded for public use

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

AGEP\_A Age of SA (top coded)

Code	Description	Frequency	Percent
18-84	18-84 years	28346	96.02
85	85+ years	1111	3.76
97	Refused	59	0.20
98	Not Ascertained	0	0.00
99	Don't Know	6	0.02

#### Variable Information:

Variable: AGE65
Module: Roster

Section: HHC : Household Composition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^AreIs ^youALIAS less than 65 years old or 65 years or older?

Fills: ^AreIs..... Are/Is

**Description:** Age 65 or older

Recode:

Universe: AGE18=2

Universe Description: Person is 18 years or older but refused or don't know specific age

Sources:

Question ID: HHC.0240.00.1

Keywords:

Notes: This variable is collected during rostering from a household respondent who

answered refuse or don't know to the age of a household member who is subsequently selected as the Sample Adult, and for whom the household

respondent indicated that the person is 18 and over. AGE65 may be inconsistent with AGEP\_A because AGEP\_A is confirmed with the Sample Adult respondent and uses date of birth to verify age. Analysts may use AGE65 when AGEP\_A is unknown for categorizing Sample Adults less than age 65 and 65 and over.

#### **Evaluation Report:**

#### **Unweighted frequencies:**

AGE65 Age 65 or older

Code	Description	Frequency	Percent
1	Less than 65	68	55.74
2	65 or older	47	38.52
7	Refused	6	4.92
8	Not Ascertained	0	0.00
9	Don't Know	1	0.82

# Variable Information:

Variable: HISP\_A Module: Roster

Section: HHC : Household Composition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Recode: Hispanic ethnicity of SA

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HISP\_FINAL

Question ID:

Keywords: Hispanic origin

Notes: This variable includes imputed Hispanic origin when unknown.

**Evaluation Report:** 

#### **Unweighted frequencies:**

HISP\_A Recode: Hispanic ethnicity of SA

Code	Description	Frequency	Percent
1	Yes	4417	14.96
2	No	25105	85.04
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

### Variable Information:

Variable: HISPALLP\_A

Module: Roster

Section: HHC : Household Composition

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Single and multiple race groups with Hispanic origin

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: NATORG; RACE; RACE\_SP; RACE\_VRBAT, RACEFULL, HISP\_FINAL

Question ID:

Keywords: race; Hispanic origin

Notes: This variable is a public use recode of the full detail variable RACEFULL

combined with Hispanic origin for sample adult. It also includes imputed data

when race and Hispanic origin are unknown.

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

HISPALLP\_A Single and multiple race groups with Hispanic origin

Code	Description	Frequency	Percent
01	Hispanic	4418	14.97
02	Non-Hispanic White only	19495	66.04
03	Non-Hispanic Black/African American only	3216	10.89
04	Non-Hispanic Asian only	1668	5.65
05	Non-Hispanic AIAN only	193	0.65
06	Non-Hispanic AIAN and any other group	216	0.73
07	Other single and multiple races	316	1.07
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

### Variable Information:

Variable: RACEALLP\_A

Module: Roster

Section: HHC : Household Composition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Single and multiple race groups

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: RACAEFULL

Question ID:

Keywords: race

Notes: This variable includes imputed data when race is unknown. Race was not imputed

for Hispanic persons who did not identify with one of the race categories

available, and is coded as "not ascertained" in this variable.

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

RACEALLP\_A Single and multiple race groups

Code	Description	Frequency	Percent
1	White only	21992	74.49
2	Black/African American only	3344	11.33
3	Asian only	1693	5.73
4	AIAN only	275	0.93
5	AIAN and any other group	248	0.84
6	Other single and multiple races	373	1.26
7	Refused	16	0.05
8	Not Ascertained	1554	5.26
9	Don't know	27	0.09

### Variable Information:

Variable: HISDETP\_A

Module: Roster

Section: HHC : Household Composition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Hispanic origin detail

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HISP\_FINAL; HISPTYPE01\_A - HISPTYPE07\_A

Question ID:

Keywords: ethnicity; national origin

Notes: This variable provides Hispanic origin group detail for sample adults

**Evaluation Report:** 

#### **Unweighted frequencies:**

HISDETP\_A Hispanic origin detail

Code	Description	Frequency	Percent
1	Hispanic (Mexican/Mexican American)	2410	8.16
2	Hispanic (all other groups)	1958	6.63
3	Not Hispanic	25105	85.04
7	Refused	0	0.00
8	Not Ascertained	44	0.15
9	Don't Know	5	0.02

Variable Information:

Variable: AFNOW Module: Roster

Section: HHC : Household Composition

File(s): Adult, Child

Data Type: Numeric

Length: 1

Question Text: ^AreyouIsALIASIsanyone now on full-time active duty with the Armed Forces?

\*Read if necessary: Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for service in the U.S. or in a foreign country, in support of military or humanitarian

operations.

Fills: ^AreyouIsALIASIsanyone.. Are you/Is ^ALIASNAME/Is anyone in the household

**Description:** Full-time active duty screener

Recode:

Universe: PCNT18PLUS gt 0 and PCNT gt PCNTAGEGUESS and PCNTAGEAF gt 0

Universe Description: At least one person in the household is greater than 18 and at least one

person's age is not guessed and at least one non-deleted person age 17-64 years

old or who is greater than or equal to 18 or whose age was guessed to be

greater than or equal to 18

Sources:

Question ID: HHC.0330.00.1

Keywords:
Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

AFNOW Full-time active duty screener

Code	Description	Frequency	Percent
1	Yes	220	1.03
2	No	21201	98.96
7	Refused	1	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.00

# Variable Information:

Variable: EDUCP\_A Module: Roster

Section: HHC : Household Composition

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Educational level of sample adult

Recode: Yes

Universe: HHSTAT=1

Universe Description: Sample adults 18+

Sources:

Question ID:

**Keywords:** schooling; education

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

EDUCP\_A Educational level of sample adult

Code	Description	Frequency	Percent
00	Never attended/kindergarten only	0	0.00
01	Grade 1-11	2030	6.88
02	12th grade, no diploma	495	1.68
03	GED or equivalent	696	2.36
04	High School Graduate	6818	23.09
05	Some college, no degree	4339	14.70
06	Associate degree: occupational, technical, or vocational program	1159	3.93
07	Associate degree: academic program	2651	8.98
08	Bachelor's degree (Example: BA, AB, BS, BBA)	6792	23.01
09	Master's degree (Example: MA, MS, MEng, MEd, MBA)	3285	11.13
10	Professional School or Doctoral degree (Example: MD, DDS, DVM, JD, PhD, EdD)	1113	3.77
97	Refused	46	0.16
98	Not Ascertained	0	0.00
99	Don't Know	98	0.33

# Variable Information:

Variable: PCNT18UPTC

Module: Roster

Section: HHC : Household Composition

File(s): Adult, Child

Data Type: Numeric

Length: 1

Question Text:

Description: Top-coded count of persons 18 or older in the household

Recode: Yes

Universe: HHX ne ' '

Universe Description: All households

Sources:

Question ID:

Keywords:

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

PCNT18UPTC Top-coded count of persons 18 or older in the household

Code	Description	Frequency	Percent
0	0 adults	0	0.00
1	1 adult	10757	36.44
2	2 adults	14376	48.70
3	3+ adults	4389	14.87
8	Not Ascertained	0	0.00

# Variable Information:

Variable: PCNTLT18TC

Module: Roster

Section: HHC : Household Composition

File(s): Adult, Child

Data Type: Numeric

Length: 1

Question Text:

**Description:** Top-coded count of persons under 18 in the household

Recode: Yes

Universe: HHX ne ' '

Universe Description: All households

Sources:

Question ID:

Keywords:

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

PCNTLT18TC Top-coded count of persons under 18 in the household

Code	Description	Frequency	Percent
0	0 children	22077	74.78
1	1 child	3201	10.84
2	2 children	2728	9.24
3	3+ children	1516	5.14
8	Not Ascertained	0	0.00

# Variable Information:

Variable: PCNTADLT\_A

Module: Roster

Section: FAM : Family Composition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Number of adults in Sample Adult family, top-coded 3+

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: PCNTADLTI\_A

Question ID:

**Keywords:** family composition

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

PCNTADLT\_A Number of adults in Sample Adult family, top-coded 3+

Code	Description	Frequency	Percent
1	1 adult	11254	38.12
2	2 adults	14145	47.91
3	3+ adults	4123	13.97
8	Not Ascertained	0	0.00

# Variable Information:

Variable: PCNTKIDS\_A

Module: Roster

Section: FAM : Family Composition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Number of children in Sample Adult family, top-coded 3+

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: PCNTKIDSI\_A

Question ID:

**Keywords:** family composition

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

PCNTKIDS\_A Number of children in Sample Adult family, top-coded 3+

Code	Description	Frequency	Percent
0	0 children	22094	74.84
1	1 child	3198	10.83
2	2 children	2723	9.22
3	3+ children	1507	5.10
8	Not Ascertained	0	0.00

### Variable Information:

Variable: OVER65FLG\_A

Module: Roster

Section: FAM : Family Composition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Indicator for at least 1 person aged 65+ in SA family

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: AGE\_FINAL; AGEGUESS; AGE18; FAMILYA\_FLG

Question ID:

**Keywords:** elderly; household structure

Notes:

Evaluation Report:

#### **Unweighted frequencies:**

OVER65FLG\_A Indicator for at least 1 person aged 65+ in SA family

Code	Description	Frequency	Percent
0	None	18254	61.83
1	1 or more	11268	38.17

### Variable Information:

Variable: MLTFAMFLG\_A

Module: Roster

Section: FAM : Family Composition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Indicator for multifamily households

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+
Sources: ONEFAM\_FLG; TOTPERS

Question ID:

**Keywords:** household structure; multigenerational

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

MLTFAMFLG\_A Indicator for multifamily households

Code	Description	Frequency	Percent
1	Multiple families in household	656	2.22
2	Only one family in household	28866	97.78
9	Unknown	0	0.00

### <u>Variable Information:</u>

Variable: MAXEDUCP\_A

Module: Roster

Section: FAM : Family Composition

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Highest level of education of all the adults in the SA's family

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: EDUC; AGE18PLUS; FAMILYA\_FLG; HHSTAT\_A

Question ID:

**Keywords:** schooling; educational attainment

Notes:

Evaluation Report:

#### **Unweighted frequencies:**

MAXEDUCP\_A Highest level of education of all the adults in the SA's family

Code	Description	Frequency	Percent
00	Never attended/kindergarten only	0	0.00
01	Grade 1-11	1240	4.21
02	12th grade, no diploma	367	1.25
03	GED or equivalent	489	1.66
04	High School Graduate	5432	18.45
05	Some college, no degree	3991	13.55
06	Associate degree: occupational, technical, or vocational program	1315	4.47
07	Associate degree: academic program	2865	9.73
08	Bachelor's degree (Example: BA, AB, BS, BBA)	7536	25.59
09	Master's degree (Example: MA, MS, MEng, MEd, MBA)	4495	15.27
10	Professional School or Doctoral degree (Example: MD, DDS, DVM, JD, PhD, EdD)	1714	5.82
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

### <u>Variable Information:</u>

Variable: PHSTAT\_A
Module: Adult

Section: HIS : Health Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Would you say your health in general is excellent, very good, good, fair, or

poor?

**Description:** General health status

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: HIS.0010.00.1

**Keywords:** respondent-assessed health; well-being; overall health

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

### **Unweighted frequencies:**

PHSTAT\_A General health status

Code	Description	Frequency	Percent
1	Excellent	6046	20.48
2	Very Good	9880	33.47
3	Good	8742	29.61
4	Fair	3723	12.61
5	Poor	1111	3.76
7	Refused	12	0.04
8	Not Ascertained	0	0.00
9	Don't Know	8	0.03

### <u>Variable Information:</u>

Variable: LSATIS4\_A

Module: Adult

Section: LSF : Life Satisfaction

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In general, how satisfied are you with your life? Are you very satisfied,

satisfied, dissatisfied, or very dissatisfied?

**Description:** Life satisfaction/dissatisfaction

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: LSF.0010.00.3

**Keywords:** subjective well-being; quality of life

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

LSATIS4\_A Life satisfaction/dissatisfaction

Code	Description	Frequency	Percent
1	Very satisfied	1288	2 43.64
2	Satisfied	1523	9 51.62
3	Dissatisfied	107	9 3.65
4	Very dissatisfied	24	5 0.83
7	Refused	3	4 0.12
8	Not Ascertained		0.00
9	Don't Know	4	3 0.15

Variable Information:

Variable: HYPEV\_A
Module: Adult

Section: HYP: Hypertension

File(s): Adult
Data Type: Numeric

Question Text: Have you EVER been told by a doctor or other health professional that you had

...Hypertension, also called high blood pressure?

\* Enter '1' if respondent is taking medication to control his/her high blood

pressure.

**Description:** Ever been told you had hypertension

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: HYP.0020.00.1

Keywords: HBP; high blood pressure

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

### **Unweighted frequencies:**

HYPEV\_A Ever been told you had hypertension

Code	Description	Frequency	Percent
1	Yes	11094	37.58
2	No	18377	62.25
7	Refused	35	0.12
8	Not Ascertained	0	0.00
9	Don't Know	16	0.05

Variable Information:

Variable: HYPDIF\_A

Module: Adult

Section: HYP: Hypertension

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Were you told on two or more DIFFERENT visits that you had hypertension or high

blood pressure?

\* Enter '1' if respondent is taking medication to control his/her high blood

pressure.

**Description:** Told had hypertension on two or more visits

Recode:

Universe: HHSTAT\_A=1 and HYPEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had hypertension

Sources:

Question ID: HYP.0030.00.1

Keywords: HBP; high blood pressure

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

HYPDIF\_A Told had hypertension on two or more visits

Code	Description	Frequency	Percent
1	Yes	9499	85.62
2	No	1562	14.08
7	Refused	5	0.05
8	Not Ascertained	0	0.00
9	Don't Know	28	0.25

## Variable Information:

Variable: HYP12M\_A

Module: Adult

Section: HYP: Hypertension

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you had hypertension or high blood pressure?

\* Enter '1' if respondent is taking medication to control his/her high blood

pressure.

**Description:** Hypertension, past 12 months

Recode:

Universe: HHSTAT\_A=1 and HYPDIF\_A=1

Universe Description: Sample adults 18+ who were told they had hypertension on 2 or more visits

Sources:

Question ID: HYP.0040.00.1

Keywords: HBP; high blood pressure

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

HYP12M\_A Hypertension, past 12 months

Code	Description	Frequency	Percent
1	Yes	7753	81.62
2	No	1708	17.98
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	38	0.40

Variable Information:

Variable: HYPMED\_A

Module: Adult

**Section:** HYP : Hypertension

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Are you NOW taking any medication prescribed by a doctor for your high blood

pressure?

Description: Now taking high blood pressure medication

Recode:

Universe: HHSTAT\_A=1 and HYPEV\_A=1

Universe Description: Sample adults 18+ who were ever told they have hypertension

Sources:

Question ID: HYP.0050.00.1

Keywords: HBP; antihypertensive drugs; high blood pressure

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

### **Unweighted frequencies:**

HYPMED\_A Now taking high blood pressure medication

Code	Description	Frequency	Percent
1	Yes	9147	82.45
2	No	1936	17.45
7	Refused	3	0.03
8	Not Ascertained	0	0.00
9	Don't Know	8	0.07

## Variable Information:

Variable: CHLEV\_A
Module: Adult

Section: CHL : Cholesterol

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER been told by a doctor or other health professional that you had

high cholesterol?

st Enter '1' if respondent is taking medication to control his/her high

cholesterol.

**Description:** Ever told you had high cholesterol

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CHL.0010.00.1

**Keywords:** hypercholesterolemia; hyperlipidemia

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

## **Unweighted frequencies:**

CHLEV\_A Ever told you had high cholesterol

Code	Description	Frequency	Percent
1	Yes	9604	32.53
2	No	19831	67.17
7	Refused	31	0.11
8	Not Ascertained	0	0.00
9	Don't Know	56	0.19

## Variable Information:

Variable: CHL12M\_A
Module: Adult

Section: CHL : Cholesterol

File(s): Adult
Data Type: Numeric

Question Text: During the past 12 months, have you had high cholesterol?

\* Enter '1' if respondent is taking medication to control his/her high

cholesterol.

Description: High cholesterol, past 12 months

Recode:

Length:

Universe: HHSTAT\_A=1 and CHLEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had high cholesterol

Sources:

Question ID: CHL.0020.00.1

**Keywords:** hypercholesterolemia; hyperlipidemia

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

## **Unweighted frequencies:**

CHL12M\_A High cholesterol, past 12 months

Code	Description	Frequency	Percent
1	Yes	6547	68.17
2	No	2906	30.26
7	Refused	3	0.03
8	Not Ascertained	0	0.00
9	Don't Know	148	1.54

Variable Information:

Variable: CHLMED\_A
Module: Adult

Section: CHL : Cholesterol

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Are you NOW taking any medication prescribed by a doctor to help lower your

cholesterol?

**Description:** Now taking cholesterol medication

Recode:

Universe: HHSTAT\_A=1 and CHLEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had high cholesterol

Sources:

Question ID: CHL.0030.00.1

**Keywords:** hypercholesterolemia; hyperlipidemia

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

### **Unweighted frequencies:**

CHLMED\_A Now taking cholesterol medication

Code	Description	Frequency	Percent
1	Yes	6508	67.76
2	No	3078	32.05
7	Refused	1	0.01
8	Not Ascertained	0	0.00
9	Don't Know	17	0.18

## <u>Variable Information:</u>

Variable: CHDEV\_A

Module: Adult

Section: CVC : Cardiovascular Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER been told by a doctor or other health professional that you had

...Coronary heart disease?

**Description:** Ever been told you had coronary heart disease

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CVC.0010.00.1

Keywords: atherosclerotic heart disease; coronary artery disease

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

CHDEV\_A Ever been told you had coronary heart disease

Code	Description	Frequency	Percent
1	Yes	1833	6.21
2	No	27597	93.48
7	Refused	29	0.10
8	Not Ascertained	0	0.00
9	Don't Know	63	0.21

## <u>Variable Information:</u>

Variable: ANGEV\_A
Module: Adult

Section: CVC : Cardiovascular Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...Angina, also called angina pectoris?

**Description:** Ever been told you had angina

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CVC.0020.00.1

**Keywords:** ischemic chest pain; coronary artery disease

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

ANGEV\_A Ever been told you had angina

Code	Description	Frequency	Percent
1	Yes	567	1.92
2	No	28874	97.81
7	Refused	27	0.09
8	Not Ascertained	0	0.00
9	Don't Know	54	0.18

## <u>Variable Information:</u>

Variable: MIEV\_A
Module: Adult

Section: CVC : Cardiovascular Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

 $\ldots$ A heart attack, also called myocardial infarction?

**Description:** Ever been told you had a heart attack

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CVC.0030.00.1

**Keywords:** myocardial infarction; coronary artery disease

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

MIEV\_A Ever been told you had a heart attack

Code	Description	Frequency	Percent
1	Yes	1097	3.72
2	No	28382	96.14
7	Refused	26	0.09
8	Not Ascertained	0	0.00
9	Don't Know	17	0.06

## <u>Variable Information:</u>

Variable: STREV\_A
Module: Adult

Section: CVC : Cardiovascular Conditions

File(s): Adult
Data Type: Numeric

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...A stroke?

**Description:** Ever been told you had a stroke

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CVC.0040.00.1

Keywords: cerebrovascular accident; artery disease

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

STREV\_A Ever been told you had a stroke

Code	Description	Frequency	Percent
1	Yes	1133	3.84
2	No	28351	96.03
7	Refused	24	0.08
8	Not Ascertained	0	0.00
9	Don't Know	14	0.05

## Variable Information:

Variable: ASPMEDEV\_A

Module: Adult

Section: ASP : Aspirin

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Has a doctor or other health professional EVER told you to take a low-dose

aspirin each day to prevent or control heart disease?

\* If the respondent volunteers they have been told to take an aspirin every

other day or "regularly" for these reasons, enter 1 for "yes."

**Description:** Told to take low-dose aspirin

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85)

Universe Description: Sample adults 40+

Sources:

Question ID: ASP.0010.00.2

Keywords: low-dose aspirin; heart disease; prevention

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

ASPMEDEV\_A Told to take low-dose aspirin

Code	Description	Frequency	Percent
1	Yes	5828	27.74
2	No	15141	72.07
7	Refused	13	0.06
8	Not Ascertained	1	0.00
9	Don't Know	25	0.12

#### Variable Information:

Variable: ASPMEDNOWN\_A

Module: Adult

Section: ASP : Aspirin

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Are you NOW following this advice?

\* If the respondent provides an answer such as "sometimes," "occasionally," or

"from time to time," enter '1' for "yes."

**Description:** Now following aspirin advice

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and ASPMEDEV\_A=1

Universe Description: Sample adults 40+ who have ever been advised to take a low-dose aspirin every

day to prevent or control heart disease

Sources:

Question ID: ASP.0020.00.2

**Keywords:** low-dose aspirin; heart disease; prevention

Notes:

**Evaluation Report:** 

## Unweighted frequencies:

## ASPMEDNOWN\_A Now following aspirin advice

Code	Description	Frequency	Percent
1	Yes	4302	73.82
2	No	1523	26.13
7	Refused	2	0.03
8	Not Ascertained	0	0.00
9	Don't Know	1	0.02

## Variable Information:

Variable: ASPMEDSTP\_A

Module: Adult

Section: ASP : Aspirin

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did a doctor or other health professional advise you to stop taking a low-dose

aspirin every day?

**Description:** Advise to stop taking aspirin

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and ASPMEDNOWN\_A=2

Universe Description: Sample adults 40+ who have ever been advised to take aspirin every day, but are

not currently following that advice

Sources:

Question ID: ASP.0030.00.2

Keywords: low-dose aspirin; heart disease

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

ASPMEDSTP\_A Advise to stop taking aspirin

Code	Description	Frequency	Percent
1	Yes	763	50.10
2	No	753	49.44
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	7	0.46

## Variable Information:

Variable: ASPONOWN\_A

Module: Adult

Section: ASP : Aspirin

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: On your own, are you now taking a low-dose aspirin each day to prevent or

control heart disease?

**Description:** Taking low dose-aspirin on own

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and ASPMEDEV\_A IN (2,7,9)

Universe Description: Sample adults 40+ who have not been advised to take aspirin every day or

refused or don't know

Sources:

Question ID: ASP.0040.00.2

Keywords: low-dose aspirin; heart disease

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

ASPONOWN\_A Taking low dose-aspirin on own

Code	Description	Frequency	Percent
1	Yes	702	4.62
2	No	14457	95.24
7	Refused	13	0.09
8	Not Ascertained	0	0.00
9	Don't Know	7	0.05

## <u>Variable Information:</u>

Variable: ASEV\_A
Module: Adult

Section: AST : Asthma

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER been told by a doctor or other health professional that you had

asthma?

**Description:** Ever had asthma

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: AST.0010.00.1

**Keywords:** respiratory condition; trouble breathing; breathing problem; lungs

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

### **Unweighted frequencies:**

ASEV\_A Ever had asthma

Code	Description	Frequency	Percent
1	Yes	4353	14.74
2	No	25138	85.15
7	Refused	21	0.07
8	Not Ascertained	0	0.00
9	Don't Know	10	0.03

<u>Variable Information:</u>

Variable: ASTILL\_A

Module: Adult

Section: AST : Asthma

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** Do you still have asthma?

**Description:** Still have asthma

Recode:

Universe: HHSTAT\_A=1 and ASEV\_A=1

Universe Description: Sample adults 18+ who were ever told they have asthma

Sources:

Question ID: AST.0020.00.1

Keywords: current asthma; respiratory condition; trouble breathing; breathing problem;

lungs

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

### **Unweighted frequencies:**

ASTILL\_A Still have asthma

Code	Description	Frequency	Percent
1	Yes	2647	60.81
2	No	1672	38.41
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	34	0.78

## Variable Information:

Variable: ASAT12M\_A

Module: Adult

Section: AST : Asthma

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you had an episode of asthma or an asthma

attack?

**Description:** Asthma episode

Recode:

Universe: HHSTAT\_A=1 and ASEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had asthma, past 12 months

Sources:

Question ID: AST.0030.00.1

**Keywords:** respiratory condition; trouble breathing; breathing problem; lungs

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

### **Unweighted frequencies:**

## ASAT12M\_A Asthma episode

Code	Description	Frequency	Percent
1	Yes	1168	26.83
2	No	3184	73.14
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.02

## Variable Information:

Variable: ASER12M\_A

Module: Adult

Section: AST : Asthma

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you had to visit an emergency room or urgent

care center because of asthma?

**Description:** Asthma ER visit

Recode:

Universe: HHSTAT\_A=1 and ASEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had asthma

Sources:

Question ID: AST.0040.00.1

Keywords: asthma emergency; asthma episode; asthma attack; respiratory condition; trouble

breathing; breathing problem; lungs

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

## **Unweighted frequencies:**

ASER12M\_A Asthma ER visit

Code	Description	Frequency	Percent
1	Yes	277	6.36
2	No	4075	93.61
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.02

## <u>Variable Information:</u>

Variable: CANEV\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER been told by a doctor or other health professional that you had

...Cancer or a malignancy of any kind?

**Description:** Ever been told you had cancer

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CAN.0010.00.1

Keywords: malignant growth

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

CANEV\_A Ever been told you had cancer

Code	Description	Frequency	Percent
1	Yes	3762	12.74
2	No	25722	87.13
7	Refused	28	0.09
8	Not Ascertained	0	0.00
9	Don't Know	10	0.03

## Variable Information:

Variable: BLADDCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Bladder cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: urinary tract cancer; bladder carcinoma

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that bladder cancer was one of those cancers mentioned.

**Evaluation Report:** 

## **Unweighted frequencies:**

BLADDCAN\_A Bladder cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	101	2.68
2	Not mentioned	3643	96.84
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## <u>Variable Information:</u>

Variable: BLADDAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had bladder cancer

Recode: Yes

Universe: HHSTAT\_A=1 and BLADDCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had bladder cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: urinary tract cancer; bladder carcinoma

Notes: Top-coded for public use.

**Evaluation Report:** 

#### **Unweighted frequencies:**

BLADDAGETC\_A Age when first told had bladder cancer

Code	Description	Frequency	Percent
01-84	1-84 years	92	91.09
85	85+ years	6	5.94
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	3	2.97

## Variable Information:

Variable: BLOODCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Blood cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: leukemia; lymphoma; myeloma

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that blood cancer was one of those cancers mentioned.

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

BLOODCAN\_A Blood cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	26	0.69
2	Not mentioned	3718	98.83
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## <u>Variable Information:</u>

Variable: BLOODAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had blood cancer

Recode: Yes

Universe: HHSTAT\_A=1 and BLOODCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had blood cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: leukemia; lymphoma; myeloma
Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

BLOODAGETC\_A Age when first told had blood cancer

Code	Description	Frequency	Percent
01-84	1-84 years	26	100.00
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

## <u>Variable Information:</u>

Variable: BONECAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:**Bone cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: bone neoplasm; sarcoma

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that bone cancer was one of those cancers mentioned.

**Evaluation Report:** 

#### **Unweighted frequencies:**

BONECAN\_A Bone cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	21	0.56
2	Not mentioned	3723	98.96
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## <u>Variable Information:</u>

Variable: BONEAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had bone cancer

Recode: Yes

Universe: HHSTAT\_A=1 and BONECAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had bone cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: bone neoplasm; sarcoma

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

BONEAGETC\_A Age when first told had bone cancer

Code	Description	Frequency	Percent
01-84	1-84 years	19	90.48
85	85+ years	2	9.52
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

## Variable Information:

Variable: BRAINCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Brain cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: central nervous system (CNS) and spinal cord

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that brain cancer was one of those cancers mentioned.

**Evaluation Report:** 

#### **Unweighted frequencies:**

BRAINCAN\_A Brain cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	32	0.85
2	Not mentioned	3712	98.67
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## <u>Variable Information:</u>

Variable: BRAINAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had brain cancer

Recode: Yes

Universe: HHSTAT\_A=1 and BRAINCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had brain cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: central nervous system (CNS) and spinal cord

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

BRAINAGETC\_A Age when first told had brain cancer

Code	Description	Frequency	Percent
01-84	1-84 years	31	96.88
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	1	3.13

## Variable Information:

Variable: BREASCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Breast cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: breast carcinoma; breast adenocarcinomas; malignant breast tumor

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that breast cancer was one of those cancers mentioned.

**Evaluation Report:** 

#### **Unweighted frequencies:**

BREASCAN\_A Breast cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	753	20.02
2	Not mentioned	2992	79.53
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	9	0.24

## Variable Information:

Variable: BREASAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had breast cancer

Recode: Yes

Universe: HHSTAT\_A=1 and BREASCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had breast cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: breast carcinoma; breast adenocarcinomas; malignant breast tumor
Notes: This is bottom-coded at 18 and top-coded at 85 for public use.

**Evaluation Report:** 

#### **Unweighted frequencies:**

BREASAGETC\_A Age when first told had breast cancer

Code	Description	Frequency	Percent
18	18 years or younger	5	0.66
19-84	19-84 years	729	96.81
85	85+ years	9	1.20
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	10	1.33

#### Variable Information:

Variable: CERVICAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Cervical cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1 and SEX\_A=2

Universe Description: Female sample adults 18+ who were ever told they have cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: high-risk HPV strains; gynecologic cancer; reproductive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that cervical cancer was one of those cancers mentioned

among females.

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

CERVICAN\_A Cervical cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	176	8.20
2	Not mentioned	1959	91.29
7	Refused	4	0.19
8	Not Ascertained	0	0.00
9	Don't Know	7	0.33

## Variable Information:

Variable: CERVIAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had cervical cancer

Recode: Yes

Universe: HHSTAT\_A=1 and CERVICAN\_A=1

Universe Description: Female sample adults 18+ who were ever told they had cervical cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: high-risk HPV strains; gynecologic cancer; reproductive cancer

Notes: This is bottom-coded at 18 and top-coded at 85 for public use.

**Evaluation Report:** 

#### **Unweighted frequencies:**

CERVIAGETC\_A Age when first told had cervical cancer

Code	Description	Frequency	Percent
18	18 years or younger	10	5.68
19-84	19-84 years	165	93.75
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	1	0.57

## Variable Information:

Variable: COLONCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Colon cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** large intestine; bowel; gastrointestinal (GI); digestive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that colon cancer was one of those cancers mentioned.

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

COLONCAN\_A Colon cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	195	5.18
2	Not mentioned	3549	94.34
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## Variable Information:

Variable: COLONAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had colon cancer

Recode: Yes

Universe: HHSTAT\_A=1 and COLONCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had colon cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

**Keywords:** large intestine; bowel; gastrointestinal (GI); digestive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

COLONAGETC\_A Age when first told had colon cancer

Code	Description	Frequency	Percent
01-84	1-84 years	184	94.36
85	85+ years	8	4.10
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	3	1.54

## Variable Information:

Variable: ESOPHCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Esophageal cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: esophagus; esophageal carcinoma; digestive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that esophageal cancer was one of those cancers

mentioned.

**Evaluation Report:** 

### **Unweighted frequencies:**

ESOPHCAN\_A Esophageal cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	17	0.45
2	Not mentioned	3727	99.07
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## Variable Information:

Variable: ESOPHAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had esophageal cancer

Recode: Yes

Universe: HHSTAT\_A=1 and ESOPHCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had esophageal cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: esophagus; esophageal carcinoma; digestive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

 $\textbf{ESOPHAGETC\_A} \quad \textbf{Age when first told had esophageal cancer}$ 

Code	Description	Frequency	Percent
01-84	1-84 years	17	100.00
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

## Variable Information:

Variable: GALLBCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Gallbladder cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: Carcinoma of the gallbladder; digestive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that gallbladder cancer was one of those cancers

mentioned.

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

GALLBCAN\_A Gallbladder cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	3	0.08
2	Not mentioned	3741	99.44
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## Variable Information:

Variable: GALLBAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had gallbladder cancer

Recode: Yes

Universe: HHSTAT\_A=1 and GALLBCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had gallbladder cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: Carcinoma of the gallbladder; digestive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

GALLBAGETC\_A Age when first told had gallbladder cancer

Code	Description	Frequency	Percent
01-84	1-84 years	2	66.67
85	85+ years	1	33.33
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

## Variable Information:

Variable: LARYNCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Larynx-trachea cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: laryngeal; tracheal carcinomas; head and neck cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that larynx-tracheal cancer was one of those cancers

mentioned.

**Evaluation Report:** 

### **Unweighted frequencies:**

LARYNCAN\_A Larynx-trachea cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	9	0.24
2	Not mentioned	3735	99.28
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## Variable Information:

Variable: LARYNAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had larynx-trachea cancer

Recode: Yes

Universe: HHSTAT\_A=1 and LARYNCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had larynx-trachea cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: laryngeal; tracheal carcinomas; head and neck cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

LARYNAGETC\_A Age when first told had larynx-trachea cancer

Code	Description	Frequency	Percent
01-84	1-84 years	9	100.00
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

## <u>Variable Information:</u>

Variable: LEUKECAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Leukemia mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: bone marrow; blood cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that leukemia was one of those cancers mentioned.

**Evaluation Report:** 

#### **Unweighted frequencies:**

LEUKECAN\_A Leukemia mentioned

Code	Description	Frequency	Percent
1	Mentioned	61	1.62
2	Not mentioned	3683	97.90
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## <u>Variable Information:</u>

Variable: LEUKEAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had leukemia

Recode: Yes

Universe: HHSTAT\_A=1 and LEUKECAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had leukemia

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: bone marrow; blood cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

LEUKEAGETC\_A Age when first told had leukemia

Code	Description	Frequency	Percent
01-84	1-84 years	59	96.72
85	85+ years	1	1.64
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	1	1.64

## Variable Information:

Variable: LIVERCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Liver cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: hepatic cancer; hepatocellular carcinoma; bile duct cancer; digestive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that liver cancer was one of those cancers mentioned.

**Evaluation Report:** 

#### **Unweighted frequencies:**

LIVERCAN\_A Liver cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	19	0.51
2	Not mentioned	3725	99.02
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## Variable Information:

Variable: LIVERAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had liver cancer

Recode: Yes

Universe: HHSTAT\_A=1 and LIVERCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had liver cancer

Sources: CANKIND1\_A- CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: hepatic cancer; hepatocellular carcinoma; bile duct cancer; digestive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

LIVERAGETC\_A Age when first told had liver cancer

Code	Description	Frequency	Percent
01-84	1-84 years	18	94.74
85	85+ years	1	5.26
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

## Variable Information:

Variable: LUNGCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 1

Question Text:

**Description:** Lung cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: lung carcinoma; pulmonary cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that lung cancer was one of those cancers mentioned.

**Evaluation Report:** 

#### **Unweighted frequencies:**

LUNGCAN\_A Lung cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	145	3.85
2	Not mentioned	3599	95.67
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## Variable Information:

Variable: LUNGAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had lung cancer

Recode: Yes

Universe: HHSTAT\_A=1 and LUNGCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had lung cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: lung carcinoma; pulmonary cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

LUNGAGETC\_A Age when first told had lung cancer

Code	Description	Frequency	Percent
01-84	1-84 years	141	97.24
85	85+ years	1	0.69
97	Refused	1	0.69
98	Not Ascertained	0	0.00
99	Don't Know	2	1.38

## Variable Information:

Variable: LYMPHCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Lymphoma cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: Lymphatic; lymph nodes; Hodgkin or non-Hodgkin lymphoma; blood cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that lymphoma was one of those cancers mentioned.

**Evaluation Report:** 

#### **Unweighted frequencies:**

LYMPHCAN\_A Lymphoma cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	107	2.84
2	Not mentioned	3637	96.68
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## Variable Information:

Variable: LYMPHAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had lymphoma

Recode: Yes

Universe: HHSTAT\_A=1 and LYMPHCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had lymphoma

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: Lymphatic; lymph nodes; Hodgkin or non-Hodgkin lymphoma; blood cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

 $\textbf{LYMPHAGETC\_A} \quad \textbf{Age when first told had lymphoma}$ 

Code	Description	Frequency	Percent
01-84	1-84 years	105	98.13
85	85+ years	1	0.93
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	1	0.93

## Variable Information:

Variable: MELANCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Melanoma cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: malignant melanocytes anywhere on the body

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that melanoma cancer was one of those cancers mentioned.

**Evaluation Report:** 

#### **Unweighted frequencies:**

MELANCAN\_A Melanoma cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	193	5.13
2	Not mentioned	3551	94.39
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## <u>Variable Information:</u>

Variable: MELANAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had melanoma cancer

Recode: Yes

Universe: HHSTAT\_A=1 and MELANCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had melanoma cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: malignant melanocytes anywhere on the body

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

MELANAGETC\_A Age when first told had melanoma cancer

Code	Description	Frequency	Percent
01-84	1-84 years	187	96.89
85	85+ years	6	3.11
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

#### Variable Information:

Variable: MOUTHCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Mouth, tongue or lip cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: high-risk HPV strains; oral cavity; oropharyngeal

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that mouth, tongue or lip cancer were one of those

cancers mentioned.

**Evaluation Report:** 

### **Unweighted frequencies:**

MOUTHCAN\_A Mouth, tongue or lip cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	13	0.35
2	Not mentioned	3731	99.18
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## Variable Information:

Variable: MOUTHAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had mouth, tongue or lip cancer

Recode: Yes

Universe: HHSTAT\_A=1 and MOUTHCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had mouth, tongue or lip cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: high-risk HPV strains; oral cavity; oropharyngeal

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

MOUTHAGETC\_A Age when first told had mouth, tongue or lip cancer

Code	Description	Frequency	Percent
01-84	1-84 years	13	100.00
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

## Variable Information:

Variable: OVARYCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Ovarian cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1 and SEX\_A=2

Universe Description: Female sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** gynecologic cancer; reproductive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that ovarian cancer was one of those cancers mentioned

among females.

**Evaluation Report:** 

## **Unweighted frequencies:**

OVARYCAN\_A Ovarian cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	74	3.45
2	Not mentioned	2061	96.04
7	Refused	4	0.19
8	Not Ascertained	0	0.00
9	Don't Know	7	0.33

## <u>Variable Information:</u>

Variable: OVARYAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had ovarian cancer

Recode: Yes

Universe: HHSTAT\_A=1 and OVARYCAN\_A=1

Universe Description: Female sample adults 18+ who were ever told they had ovarian cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

**Keywords:** gynecologic cancer; reproductive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

OVARYAGETC\_A Age when first told had ovarian cancer

Code	Description	Frequency	Percent
01-84	1-84 years	74	100.00
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

## Variable Information:

Variable: PANCRCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Pancreatic cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: pancreatic adenocarcinoma; digestive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that pancreatic cancer was one of those cancers

mentioned.

**Evaluation Report:** 

### **Unweighted frequencies:**

PANCRCAN\_A Pancreatic cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	20	0.53
2	Not mentioned	3724	98.99
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## <u>Variable Information:</u>

Variable: PANCRAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had pancreatic cancer

Recode: Yes

Universe: HHSTAT\_A=1 and PANCRCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had pancreatic cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: pancreatic adenocarcinoma; digestive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

PANCRAGETC\_A Age when first told had pancreatic cancer

Code	Description	Frequency	Percent
01-84	1-84 years	20	100.00
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

## Variable Information:

Variable: PROSTCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Prostate cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1 and SEX\_A=1

Universe Description: Male sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: Prostatic carcinoma; male reproductive cancers

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that prostate cancer was one of those cancers mentioned

among males.

**Evaluation Report:** 

### **Unweighted frequencies:**

PROSTCAN\_A Prostate cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	483	29.89
2	Not mentioned	1126	69.68
7	Refused	4	0.25
8	Not Ascertained	0	0.00
9	Don't Know	3	0.19

## Variable Information:

Variable: PROSTAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had prostate cancer

Recode: Yes

Universe: HHSTAT\_A=1 and PROSTCAN\_A=1

Universe Description: Male sample adults 18+ who were ever told they had prostate cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: prostatic carcinoma; male reproductive cancers

Notes: This is bottom-coded at 18 and top-coded at 85 for public use.

**Evaluation Report:** 

#### **Unweighted frequencies:**

 $\label{eq:prostagetc_A} \textbf{PROSTAGETC\_A} \quad \textbf{Age when first told had prostate cancer}$ 

Code	Description	Frequency	Percent
18	18 years or younger	3	0.62
19-84	19-84 years	472	97.72
85	85+ years	1	0.21
97	Refused	1	0.21
98	Not Ascertained	0	0.00
99	Don't Know	6	1.24

## Variable Information:

Variable: RECTUCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Rectal cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: rectum; bowel cancer; digestive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that rectal cancer was one of those cancers mentioned.

**Evaluation Report:** 

## **Unweighted frequencies:**

RECTUCAN\_A Rectal cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	20	0.53
2	Not mentioned	3724	98.99
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## <u>Variable Information:</u>

Variable: RECTUAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had rectal cancer

Recode: Yes

Universe: HHSTAT\_A=1 and RECTUCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had rectal cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

**Keywords:** rectum; bowel cancer; digestive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

RECTUAGETC\_A Age when first told had rectal cancer

Code	Description	Frequency	Percent
01-84	1-84 years	20	100.00
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

## Variable Information:

Variable: SKNMCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Skin melanoma cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: malignant melanocytes of the skin; skin cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that skin melanoma cancer was one of those cancers

mentioned.

**Evaluation Report:** 

### **Unweighted frequencies:**

SKNMCAN\_A Skin melanoma cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	342	9.09
2	Not mentioned	3402	90.43
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## Variable Information:

Variable: SKNMAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had skin melanoma cancer

Recode: Yes

Universe: HHSTAT\_A=1 and SKNMCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had skin melanoma cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: malignant melanocytes of the skin; skin cancer

Notes: This is bottom-coded at 18 and top-coded at 85 for public use.

**Evaluation Report:** 

#### **Unweighted frequencies:**

SKNMAGETC\_A Age when first told had skin melanoma cancer

Code	Description	Frequency	Percent
18	18 years or younger	12	3.51
19-84	19-84 years	314	91.81
85	85+ years	8	2.34
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	8	2.34

## Variable Information:

Variable: SKNNMCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Skin non-melanoma cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: Basal or squamous cells of the skin; skin cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that skin non-melanoma cancer was one of those cancers

mentioned.

**Evaluation Report:** 

### **Unweighted frequencies:**

SKNNMCAN\_A Skin non-melanoma cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	815	21.66
2	Not mentioned	2929	77.86
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## Variable Information:

Variable: SKNNMAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told skin non-melanoma cancer

Recode: Yes

Universe: HHSTAT\_A=1 and SKNNMCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had skin non-melanoma cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A- CANAGE3\_A

Question ID:

Keywords: Basal or squamous cells of the skin; skin cancer

Notes: This is bottom-coded at 18 and top-coded at 85 for public use.

**Evaluation Report:** 

#### **Unweighted frequencies:**

 $\textbf{SKNNMAGETC\_A} \quad \textbf{Age when first told skin non-melanoma cancer}$ 

Code	Description	Frequency	Percent
18	18 years or younger	14	1.72
19-84	19-84 years	777	95.34
85	85+ years	10	1.23
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	14	1.72

## Variable Information:

Variable: SKNDKCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Skin cancer (don't know what kind) mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: skin cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that skin cancer but don't know what kind was one of

those cancers mentioned.

**Evaluation Report:** 

### **Unweighted frequencies:**

SKNDKCAN\_A Skin cancer (don't know what kind) mentioned

Code	Description	Frequency	Percent
1	Mentioned	215	5.72
2	Not mentioned	3529	93.81
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## Variable Information:

Variable: SKNDKAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had skin cancer (don't know what kind)

Recode: Yes

Universe: HHSTAT\_A=1 and SKNDKCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had skin cancer (don't know what

kind)

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: skin cancer

Notes: This is bottom-coded at 18 and top-coded at 85 for public use.

**Evaluation Report:** 

## **Unweighted frequencies:**

SKNDKAGETC\_A Age when first told had skin cancer (don't know what kind)

Code	Description	Frequency	Percent
18	18 years or younger	1	0.47
19-84	19-84 years	195	90.70
85	85+ years	8	3.72
97	Refused	1	0.47
98	Not Ascertained	0	0.00
99	Don't Know	10	4.65

## <u>Variable Information:</u>

Variable: STOMACAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Stomach cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** gastric; digestive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that stomach cancer was one of those cancers mentioned.

**Evaluation Report:** 

#### **Unweighted frequencies:**

STOMACAN\_A Stomach cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	21	0.56
2	Not mentioned	3723	98.96
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## <u>Variable Information:</u>

Variable: STOMAAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had stomach cancer

Recode: Yes

Universe: HHSTAT\_A=1 and STOMACAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had stomach cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: gastric; digestive cancer
Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

 $\textbf{STOMAAGETC\_A} \quad \textbf{Age when first told had stomach cancer}$ 

Code	Description	Frequency	Percent
01-84	1-84 years	21	100.00
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

## Variable Information:

Variable: THROACAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Throat - pharynx cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: head and neck cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that throat (pharyngeal) cancer was one of those cancers

mentioned.

**Evaluation Report:** 

### **Unweighted frequencies:**

THROACAN\_A Throat - pharynx cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	42	1.12
2	Not mentioned	3702	98.41
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## <u>Variable Information:</u>

Variable: THROAAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had throat-pharynx cancer

Recode: Yes

Universe: HHSTAT\_A=1 and THROACAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had throat-pharynx cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: head and neck cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

THROAAGETC\_A Age when first told had throat-pharynx cancer

Code	Description	Frequency	Percent
01-84	1-84 years	41	97.62
85	85+ years	1	2.38
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

## Variable Information:

Variable: THYROCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Thyroid cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: thyroid gland carcinoma; head and neck cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that thyroid cancer was one of those cancers mentioned.

**Evaluation Report:** 

### **Unweighted frequencies:**

THYROCAN\_A Thyroid cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	109	2.90
2	Not mentioned	3635	96.62
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

## Variable Information:

Variable: THYROAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had thyroid cancer

Recode: Yes

Universe: HHSTAT\_A=1 and THYROCAN\_A =1

Universe Description: Sample adults 18+ who were ever told they had thyroid cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: thyroid gland carcinoma; head and neck cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

 $\textbf{THYROAGETC\_A} \quad \textbf{Age when first told had thyroid cancer}$ 

Code	Description	Frequency	Percent
01-84	1-84 years	107	98.17
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	2	1.83

## Variable Information:

Variable: UTERUCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Uterine cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1 and SEX\_A=2

Universe Description: Female sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: endometrial cancer; gynecologic cancer; reproductive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that uterine cancer was one of those cancers mentioned

among females.

**Evaluation Report:** 

## **Unweighted frequencies:**

UTERUCAN\_A Uterine cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	107	4.99
2	Not mentioned	2028	94.50
7	Refused	4	0.19
8	Not Ascertained	0	0.00
9	Don't Know	7	0.33

## Variable Information:

Variable: UTERUAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had uterine cancer

Recode: Yes

Universe: HHSTAT\_A=1 and UTERUCAN\_A=1

Universe Description: Female sample adults 18+ who were ever told they had uterine cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: endometrial cancer; gynecologic cancer; reproductive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

UTERUAGETC\_A Age when first told had uterine cancer

Code	Description	Frequency	Percent
01-84	1-84 years	105	98.13
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	2	1.87

### Variable Information:

Variable: HDNCKCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Head and neck cancers mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: Cancers of the mouth; tongue; lip; larynx; trachea; throat or pharynx

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that larynx-tracheal, mouth/tongue/lip, or throat

(pharyngeal) cancer were mentioned.

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

HDNCKCAN\_A Head and neck cancers mentioned

Code	Description	Frequency	Percent
1	Mentioned	64	1.70
2	Not mentioned	3680	97.82
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

### Variable Information:

Variable: HDNCKAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had head or neck cancer

Recode: Yes

Universe: HHSTAT\_A=1 and HDNCKCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had head or neck cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: Cancers of the mouth; tongue; lip; larynx; trachea; throat or pharynx

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

 $\label{eq:hdnckagetc_A} \textbf{HDNCKAGETC\_A} \quad \text{Age when first told had head or neck cancer}$ 

Code	Description	Frequency	Percent
01-84	1-84 years	63	98.44
85	85+ years	1	1.56
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

### Variable Information:

Variable: COLRCCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Colorectal cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: large intestine or rectum; bowel; digestive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that colon or rectal cancer was one of those cancers

mentioned.

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

COLRCCAN\_A Colorectal cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	215	5.72
2	Not mentioned	3529	93.81
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	10	0.27

### Variable Information:

Variable: COLRCAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had colon or rectal cancer

Recode: Yes

Universe: HHSTAT\_A=1 and COLRCCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had colon or rectal cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: large intestine or rectum; bowel; digestive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### **Unweighted frequencies:**

 ${\tt COLRCAGETC\_A}$  Age when first told had colon or rectal cancer

Code	Description	Frequency	Percent
01-84	1-84 years	204	94.88
85	85+ years	8	3.72
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	3	1.40

### Variable Information:

Variable: OTHERCANP\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Other cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** malignant growth

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This is a public use recode that indicates that other kind of cancer, not included in previous cancer kind recodes, was mentioned. This recode also includes kidney and testicular cancer, which are not available as separate

variables in the public-use file.

### **Evaluation Report:**

### <u>Unweighted frequencies:</u>

OTHERCANP\_A Other cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	314	8.35
2	Not mentioned	3431	91.20
7	Refused	8	0.21
8	Not Ascertained	0	0.00
9	Don't Know	9	0.24

#### Variable Information:

Variable: OTHERAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had other cancer

Recode: Yes

Universe: HHSTAT\_A=1 and OTHERCANP\_A IN (1,7,9)

Universe Description: Sample adults 18+ who were ever told they had other cancer, including kidney or

testicular cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

**Keywords:** malignant growth

Notes: This is bottom-coded at 18 and top-coded at 85 for public use. This recode

includes sample adults who provided an age when first told to have other kind of cancer, and starting in 2022, age of cancer diagnosis for those who answered refused or don't know to kind of cancer but provided an age for that

unspecified cancer. Age of other cancer is system missing when age for the

unspecified cancer type was refused.

**Evaluation Report:** 

### Unweighted frequencies:

OTHERAGETC\_A Age when first told had other cancer

Code	Description	Frequency	Percent
18	18 years or younger	9	2.74
19-84	19-84 years	310	94.22
85	85+ years	6	1.82
97	Refused	1	0.30
98	Not Ascertained	0	0.00
99	Don't Know	3	0.91

### Variable Information:

Variable: NUMCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Number of reported types of cancers

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: CANEV\_A and CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** multiple types of malignant growth

Notes: This recode indicates the number of different kinds of cancer mentioned.

**Evaluation Report:** 

#### **Unweighted frequencies:**

NUMCAN\_A Number of reported types of cancers

Code	Description	Frequency	Percent
0	No cancer	25722	87.13
1-3	1-3 cancers	3748	12.70
4	4 or more cancers	14	0.05
7	Refused	28	0.09
8	Not Ascertained	0	0.00
9	Don't Know	10	0.03

### Variable Information:

Variable: PREDIB\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Has a doctor or other health professional EVER told you that you had

prediabetes or borderline diabetes?

**Description:** Ever had prediabetes

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: DIB.0010.00.1

Keywords: borderline diabetes; prediabetic; impaired fasting glucose; impaired glucose

tolerance; high blood sugar

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

### **Unweighted frequencies:**

PREDIB\_A Ever had prediabetes

	·		
Code	Description	Frequency	Percent
1	Yes	5241	17.75
2	No	24226	82.06
7	Refused	29	0.10
8	Not Ascertained	0	0.00
9	Don't Know	26	0.09

#### Variable Information:

Variable: GESDIB\_A
Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Has a doctor or other health professional EVER told you that you had

gestational diabetes, a type of diabetes that occurs ONLY during pregnancy?

\* Read if necessary: Gestational diabetes is diabetes that you did not have prior to being pregnant and goes away after you are pregnant. Pregnant women are usually screened for gestational diabetes during the 24th to 28th week of

pregnancy.

**Description:** Gestational diabetes

Recode:

Sources:

Question ID: DIB.0020.00.1

**Keywords:** diabetes during pregnancy; sugar in the blood; high blood sugar; sugar

diabetes; endocrine

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### **Unweighted frequencies:**

GESDIB\_A Gestational diabetes

Code	Description	Frequency	Percent
1	Yes	1012	6.30
2	No	15012	93.48
7	Refused	9	0.06
8	Not Ascertained	0	0.00
9	Don't Know	26	0.16

### <u>Variable Information:</u>

Variable: DIBEV\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^NOTPREGDM a doctor or other health professional EVER told you that you had

diabetes?

Fills: ^NOTPREGDM..... Has/Not including (gestational diabetes,

prediabetes), has

**Description:** Ever had diabetes

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: DIB.0030.00.1

Keywords: sugar diabetes; high blood sugar; diabetic; endocrine

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

DIBEV\_A Ever had diabetes

Code	Description	Frequency	Percent
1	Yes	3294	11.16
2	No	26195	88.73
7	Refused	23	0.08
8	Not Ascertained	0	0.00
9	Don't Know	10	0.03

### <u>Variable Information:</u>

Variable: DIBAGETC\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age first diagnosed w/diabetes

Recode: Yes

Universe: HHSTAT\_A=1 and DIBEV\_A=1

Universe Description: Sample adults 18+ who were told they had diabetes

Sources: DIBAGE\_A

Question ID:

Keywords: age of diagnosis; sugar diabetes; sugar in the blood; endocrine

Notes: This recode is the age first diagnosed with diabetes and is top-coded at 85 for

confidentiality.

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

DIBAGETC\_A Age first diagnosed w/diabetes

Code	Description	Frequency	Percent
01-84	1-84 years	3158	95.87
85	85+ years	12	0.36
97	Refused	3	0.09
98	Not Ascertained	0	0.00
99	Don't Know	121	3.67

#### Variable Information:

Variable: DIFYRSTC1\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

**Description:** Years since first diagnosed w/diabetes

Recode: Yes

Universe: HHSTAT\_A=1 and DIBEV\_A=1

Universe Description: Sample adults 18+ who were told they had diabetes

Sources: DIBAGE\_A; AGE\_FINAL

Question ID:

**Keywords:** years since diagnosis; duration of diabetes; years/time with diabetes; sugar in

the blood; endocrine

Notes: This recode is the calculation of years since first diagnosed with diabetes

(the difference between age at diabetes diagnosis and current age). For persons 85 or older, this difference may be underestimated because age and age of diabetes diagnosis are top-coded at 85. For some with 1 year difference,

diagnosis will be within the past year.

#### **Evaluation Report:**

### **Unweighted frequencies:**

DIFYRSTC1\_A Years since first diagnosed w/diabetes

Code	Description	Frequency	Percent
00	Within past year	93	2.82
01-84	1-84 years	3064	93.02
96	Age 85+ and diagnosed at age 85+	12	0.36
97	Refused	3	0.09
98	Not Ascertained	0	0.00
99	Don't Know	122	3.70

### Variable Information:

Variable: DIBPILL\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Are you NOW taking diabetic pills to lower your blood sugar? These are

sometimes called oral agents or oral hypoglycemic agents.

**Description:** Taking diabetic pills

Recode:

Universe: HHSTAT\_A=1 and (PREDIB\_A=1 or DIBEV\_A=1)

Universe Description: Sample adults 18+ who were told they had prediabetes and/or diabetes

Sources:

Question ID: DIB.0050.00.1

Keywords: prediabetes; oral medication; diabetes treatment; high blood sugar; endocrine

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### **Unweighted** frequencies:

DIBPILL\_A Taking diabetic pills

Code	Description	Frequency	Percent
1	Yes	2959	46.76
2	No	3364	53.16
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	5	0.08

Variable Information:

Variable: DIBINS\_A
Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Insulin can be taken by shot or pump. Are you NOW taking insulin?

**Description:** Taking insulin

Recode:

Universe: HHSTAT\_A=1 and (PREDIB\_A=1 or DIBEV\_A=1)

Universe Description: Sample adults 18+ who were told they had prediabetes and/or diabetes

Sources:

Question ID: DIB.0060.00.1

**Keywords:** insulin use; insulin shot; insulin pump; high blood sugar; diabetes treatment

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### **Unweighted frequencies:**

DIBINS\_A Taking insulin

Code	Description	Frequency	Percent
1	Yes	1080	17.07
2	No	5244	82.87
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	0.06

### Variable Information:

Variable: DIBINSTIME\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Thinking back to when you were first diagnosed with diabetes, how long was it

before you started taking insulin?

**Description:** Time from diabetes to insulin

Recode:

Universe: HHSTAT\_A=1 and DIBEV\_A=1 and DIBINS\_A=1

Universe Description: Sample adults 18+ who have diabetes and take insulin

Sources:

Question ID: DIB.0070.00.3

Keywords: insulin use; duration; diabetes treatment; insulin therapy; high blood sugar

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

DIBINSTIME\_A Time from diabetes to insulin

Code	Description	Frequency	Percent
1	Less than 1 month	267	25.48
2	1 month to less than 6 months	78	7.44
3	6 months to less than 1 year	61	5.82
4	1 year or more	610	58.21
7	Refused	4	0.38
8	Not Ascertained	0	0.00
9	Don't Know	28	2.67

### <u>Variable Information:</u>

Variable: DIBINSSTOP\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Since you started taking insulin, have you ever stopped taking it for more than

6 months?

**Description:** Ever stop using insulin

Recode:

Universe: HHSTAT\_A=1 and DIBEV\_A=1 and DIBINS\_A=1

Universe Description: Sample adults 18+ who have diabetes and take insulin

Sources:

Question ID: DIB.0080.00.3

**Keywords:** insulin use; diabetes treatment; high blood sugar; not on insulin; diabetic

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

DIBINSSTOP\_A Ever stop using insulin

Code	Description	Frequency	Percent
1	Yes	77	7.35
2	No	970	92.56
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.10

### Variable Information:

Variable: DIBINSSTYR\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Was this only during the first year after you were diagnosed with diabetes?

**Description:** Only stop insulin in first year

Recode:

Universe: HHSTAT\_A=1 and DIBINSTIME\_A IN (1,2,3) and DIBINSSTOP\_A=1

Universe Description: Sample adults 18+ who have diabetes, who started taking insulin less than 1

year from when they were diagnosed with diabetes, and who stopped taking

insulin for more than 6 months.

Sources:

Question ID: DIB.0090.00.3

Keywords: insulin use; not on insulin; diabetes treatment; high blood sugar; diabetic

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

DIBINSSTYR\_A Only stop insulin in first year

Code	Description	Frequency	Percent
1	Yes	10	33.33
2	No	20	66.67
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

### Variable Information:

Variable: DIBTYPE\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: According to your doctor or other health professional, what type of diabetes do

you have? Is it type 1, type 2, or some other type? If you don't remember or

weren't told, that's OK.

**Description:** Diabetes type

Recode:

Universe: HHSTAT\_A=1 and DIBEV\_A=1

Universe Description: Sample adults 18+ who were told they had diabetes

Sources:

Question ID: DIB.0130.00.1

**Keywords:** type of diabetes; sugar diabetes; onset diabetes; high blood sugar; endocrine

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

DIBTYPE\_A Diabetes type

Code	Description	Frequency	Percent
1	Type 1	269	8.17
2	Type 2	2789	84.67
3	Other type of diabetes	64	1.94
7	Refused	4	0.12
8	Not Ascertained	0	0.00
9	Don't Know	168	5.10

### Variable Information:

Variable: COPDEV\_A
Module: Adult

Section: CON: Other Chronic Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER been told by a doctor or other health professional that you had

...Chronic Obstructive Pulmonary Disease, C.O.P.D., emphysema, or chronic

bronchitis?

**Description:** Ever been told you had COPD, emphysema, or chronic bronchitis?

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CON.0010.00.1

**Keywords:** breathing difficulty; pulmonary

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

### Unweighted frequencies:

COPDEV\_A Ever been told you had COPD, emphysema, or chronic bronchitis?

Code	Description	Frequency	Percent
1	Yes	1612	5.46
2	No	27868	94.40
7	Refused	19	0.06
8	Not Ascertained	0	0.00
9	Don't Know	23	0.08

### <u>Variable Information:</u>

Variable: ARTHEV\_A Module: Adult

Section: CON : Other Chronic Conditions

File(s): Adult Data Type: Numeric

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

 $\ldots$  Some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia (fy-bro-my-AL-jee-uh)?

Description: Ever had arthritis

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CON.0020.00.1

Keywords: joint inflammation

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

ARTHEV\_A Ever had arthritis

Code	Description	Frequency	Percent
1	Yes	7731	26.19
2	No	21748	73.67
7	Refused	21	0.07
8	Not Ascertained	0	0.00
9	Don't Know	22	0.07

### <u>Variable Information:</u>

Variable: DEMENEV\_A

Module: Adult

Section: CON : Other Chronic Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...Dementia, including Alzheimer's disease?

**Description:** Ever had dementia

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CON.0030.00.1

**Keywords:** memory; forgetful; Alzheimer's disease

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

DEMENEV\_A Ever had dementia

Code	Description	Frequency	Percent
1	Yes	371	1.26
2	No	29126	98.66
7	Refused	17	0.06
8	Not Ascertained	0	0.00
9	Don't Know	8	0.03

### Variable Information:

Variable: ANXEV\_A
Module: Adult

Section: CON: Other Chronic Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...Any type of anxiety disorder?

\* Read if necessary: Some common types of anxiety disorders include generalized anxiety disorder, social anxiety disorder, panic disorder, post-traumatic

stress disorder, obsessive-compulsive disorder, and phobias.

**Description:** Ever had anxiety disorder

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CON.0040.00.1

Keywords: panic disorder; PTSD; OCD; phobia

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

ANXEV\_A Ever had anxiety disorder

Code	Description	Frequency	Percent
1	Yes	5431	18.40
2	No	24035	81.41
7	Refused	32	0.11
8	Not Ascertained	0	0.00
9	Don't Know	24	0.08

### Variable Information:

Variable: DEPEV\_A
Module: Adult

Section: CON: Other Chronic Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...Any type of depression?

\* Read if necessary: Some common types of depression include major depression (or major depressive disorder), bipolar depression, dysthymia, post-partum

depression, and seasonal affective disorder.

**Description:** Ever had depression

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CON.0050.00.1

**Keywords:** post-partum depression; bipolar; seasonal affective disorder

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

DEPEV\_A Ever had depression

Code	Description	Frequency	Percent
1	Yes	5769	19.54
2	No	23708	80.31
7	Refused	28	0.09
8	Not Ascertained	0	0.00
9	Don't Know	17	0.06

### Variable Information:

Variable: HEPEV\_A

Module: Adult

Section: SCE : Sponsored Conditions-Ever

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER been told by a doctor or other health professional that you had

...Hepatitis?

**Description:** Ever had hepatitis

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: SCE.0010.00.3

**Keywords:** liver inflammation

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

HEPEV\_A Ever had hepatitis

Code	Description	Frequency	Percent
1	Yes	621	2.10
2	No	28865	97.77
7	Refused	18	0.06
8	Not Ascertained	0	0.00
9	Don't Know	18	0.06

### <u>Variable Information:</u>

Variable: CROHNSEV\_A

Module: Adult

Section: SCE : Sponsored Conditions-Ever

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...Crohn's (Croans) disease?

**Description:** Ever had Crohn's disease

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SCE.0020.00.3

**Keywords:** inflammatory bowel disease

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

CROHNSEV A Ever had Crohn's disease

Code	Description	Frequency	Percent
1	Yes	180	0.61
2	No	29305	99.26
7	Refused	18	0.06
8	Not Ascertained	0	0.00
9	Don't Know	19	0.06

### <u>Variable Information:</u>

Variable: ULCCOLEV\_A

Module: Adult

Section: SCE : Sponsored Conditions-Ever

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...Ulcerative Colitis?

**Description:** Ever had ulcerative colitis

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SCE.0030.00.3

**Keywords:** inflammatory bowel disease

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

ULCCOLEV\_A Ever had ulcerative colitis

Code	Description	Frequency	Percent
1	Yes	436	1.48
2	No	29043	98.38
7	Refused	16	0.05
8	Not Ascertained	0	0.00
9	Don't Know	27	0.09

### <u>Variable Information:</u>

Variable: PSOREV\_A
Module: Adult

Section: SCE : Sponsored Conditions-Ever

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...Psoriasis (sore-EYE-ah-sis)?

**Description:** Ever had psoriasis

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SCE.0040.00.3

**Keywords:** chronic inflammatory skin disease

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

PSOREV\_A Ever had psoriasis

Code	Description	Frequency	Percent
1	Yes	942	3.19
2	No	28544	96.69
7	Refused	17	0.06
8	Not Ascertained	0	0.00
9	Don't Know	19	0.06

### Variable Information:

Variable: CFSEV\_A
Module: Adult

Section: CFS : Chronic Fatigue Section

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...Chronic Fatigue Syndrome (CFS) or Myalgic Encephalomyelitis (My-AL-jick In-

seff-ah-low-my-uh-LIE-tiss) (ME)?

**Description:** Ever had Chronic Fatigue Syndrome

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** CFS.0010.00.3

**Keywords:** myalgic encephelomyelitis; extreme tiredness

Notes: In 2021, this question was fielded in the RCN section.

**Evaluation Report:** 

### **Unweighted frequencies:**

CFSEV\_A Ever had Chronic Fatigue Syndrome

Code	Description	Frequency	Percent
1	Yes	481	1.63
2	No	29002	98.24
7	Refused	19	0.06
8	Not Ascertained	0	0.00
9	Don't Know	20	0.07

#### Variable Information:

Variable: CFSNOW\_A
Module: Adult

Section: CFS : Chronic Fatigue Section

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you still have Chronic Fatigue Syndrome (CFS) or ME?

\* Read if necessary: ME is also known as Myalgic Encephalomyelitis (My-AL-jick

In-seff-ah-low-my-uh-LIE-tiss).

**Description:** Still have Chronic Fatigue Syndrome

Recode:

Universe: HHSTAT\_A=1 and CFSEV\_A=1

Universe Description: Sample adults 18+ who have been told by a doctor or other health professional

that they had Chronic Fatigue Syndrome or Myalgic Encephalomyelitis

Sources:

Question ID: CFS.0020.00.3

**Keywords:** myalgic encephelomyelitis; extreme tiredness

Notes: In 2021, this question was fielded in the RCN section.

**Evaluation Report:** 

### **Unweighted frequencies:**

CFSNOW\_A Still have Chronic Fatigue Syndrome

Code	Description	Frequency	Percent
1	Yes	371	77.13
2	No	101	21.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	9	1.87

#### Variable Information:

Variable: MEDRXTRT\_A

Module: Adult

Section: ISN : Immunosuppression

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the past 12 months, have you taken prescription medication or had any

medical treatments that a doctor or other health professional told you would

weaken your immune system?

\* Read if necessary: Examples include steroid or corticosteroid (Core-tih-coe-STAIR-oid) pills, such as prednisone (PRED-nuh-sown), or other oral or injected

medications for treating many types of autoimmune conditions or certain

cancers.

**Description:** Weakened immune system due to prescriptions

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: ISN.0010.00.3

**Keywords:** took medicine; drugs; rx; immunosuppression; immunocompromised

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

MEDRXTRT\_A Weakened immune system due to prescriptions

Code	Description	Frequency	Percent
1	Yes	1528	5.18
2	No	27889	94.47
7	Refused	24	0.08
8	Not Ascertained	0	0.00
9	Don't Know	81	0.27

### Variable Information:

Variable: HLTHCOND\_A

Module: Adult

Section: ISN : Immunosuppression

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you currently have a health condition that a doctor or other health

professional told you weakens the immune system^MEDTRT?

\* Read if necessary: Examples include certain kinds of Leukemia, Lymphoma, or

HIV infection.

Fills: ^MEDTRT..... , even without related medications or treatments

**Description:** Weakened immune system due to health condition

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: ISN.0020.00.3

**Keywords:** immunosuppression; immunocompromised; underlying health conditions

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

 $\label{eq:hlthcond} \textbf{HLTHCOND\_A} \qquad \text{Weakened immune system due to health condition}$ 

Code	Description	Frequency	Percent
1	Yes	1532	5.19
2	No	27881	94.44
7	Refused	27	0.09
8	Not Ascertained	0	0.00
9	Don't Know	82	0.28

### Variable Information:

Variable: EPIEV\_A

Module: Adult

Section: EPI : Epilepsy

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you ever been told by a doctor or other health professional that you have

a seizure disorder or epilepsy?

**Description:** Ever had epilepsy

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: EPI.0010.00.3

Keywords: neurological disorder

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

EPIEV\_A Ever had epilepsy

Code	Description	Frequency	Percent
1	Yes	568	1.92
2	No	28925	97.98
7	Refused	21	0.07
8	Not Ascertained	0	0.00
9	Don't Know	8	0.03

### <u>Variable Information:</u>

Variable: EPIMED\_A

Module: Adult

Section: EPI : Epilepsy

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Are you currently taking any medicine to control your seizure disorder or

epilepsy?

**Description:** Take medication for epilepsy

Recode:

Universe: HHSTAT\_A=1 and EPIEV\_A=1

Universe Description: Sample adults 18+ who ever had epilepsy

Sources:

Question ID: EPI.0020.00.3

Keywords: neurological disorder

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

EPIMED\_A Take medication for epilepsy

Code	Description	Frequency	Percent
1	Yes	319	56.16
2	No	249	43.84
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

#### Variable Information:

Variable: EPINUMSEZP\_A

Module: Adult

Section: EPI : Epilepsy

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Today is ^CURRENTDATE. Think back to the last year about the same time. About

how many seizures of any type have you had during the past 12 months?

\* Read if necessary: Some people may call it a "convulsion," "fit," "falling out spell," "episode," "attack," "drop attack," "staring spell," or "out-of-touch."

\* If the respondent mentions and counts "auras" as seizures accept the

response.

\* If the respondent indicates that he/she has had nothing more than an aura and

is unsure about counting the aura(s), do NOT count auras as seizures.

Fills: ^CURRENTDATE...... This fill will show the current date

**Description:** How many seizures past 12 months

Recode: Yes

Universe: HHSTAT\_A=1 and EPIEV\_A=1

Universe Description: Sample adults 18+ who ever had epilepsy

Sources: EPINUMSEIZ\_A

Question ID:

Keywords: neurological disorder

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

EPINUMSEZP\_A How many seizures past 12 months

Code	Description	Frequency	Percent
0	0	355	62.50
1	1	55	9.68
2	2 or 3	63	11.09
3	4 or more	90	15.85
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't know	5	0.88

<u>Variable Information:</u>

Variable: EPIDR\_A

Module: Adult

Section: EPI : Epilepsy

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you seen a neurologist or epilepsy specialist

for your seizure disorder or epilepsy?

**Description:** See a doctor for epilepsy

Recode:

Universe: HHSTAT\_A=1 and EPIEV\_A=1

Universe Description: Sample adults 18+ who ever had epilepsy

Sources:

Question ID: EPI.0040.00.3

Keywords: neurological disorder

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

EPIDR\_A See a doctor for epilepsy

Code	Description	Frequency	Percent
1	Yes	271	47.71
2	No	295	51.94
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	0.35

### <u>Variable Information:</u>

Variable: VIMDREV\_A

Module: Adult

Section: SVC : Vision Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER been told by a doctor or other heath professional that you had

...Diabetic retinopathy (rett-in-AH-pathy)?

**Description:** Ever had diabetic retinopathy

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SVC.0010.00.3

**Keywords:** vision problems; eye disease; diabetes complication

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

VIMDREV\_A Ever had diabetic retinopathy

Code	Description	Frequency	Percent
1	Yes	370	1.25
2	No	29098	98.56
7	Refused	20	0.07
8	Not Ascertained	0	0.00
9	Don't Know	34	0.12

#### Variable Information:

Variable: VIMLSDR\_A

Module: Adult

**Section:** SVC : Vision Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you lost any vision due to diabetic retinopathy (rett-in-AH-pathy)?

**Description:** Lost vision due to diabetic retinopathy

Recode:

Universe: HHSTAT\_A=1 and VIMDREV\_A=1

Universe Description: Sample Adults 18+ who have ever been told they had diabetic retinopathy

Sources:

Question ID: SVC.0020.00.3

Keywords: vision loss; eye disease; vision impairment; diabetes complication

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

VIMLSDR\_A Lost vision due to diabetic retinopathy

Code	Description	Frequency	Percent
1	Yes	173	46.76
2	No	195	52.70
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	0.54

### Variable Information:

Variable: VIMGLEV\_A

Module: Adult

Section: SVC : Vision Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER been told by a doctor or other heath professional that you had

...Glaucoma?

**Description:** Ever had glaucoma

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SVC.0030.00.3

**Keywords:** vision problems; eye disease

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

VIMGLEV\_A Ever had glaucoma

Code	Description	Frequency	Percent
1	Yes	1088	3.69
2	No	28385	96.15
7	Refused	19	0.06
8	Not Ascertained	0	0.00
9	Don't Know	30	0.10

### Variable Information:

Variable: VIMLSGL\_A

Module: Adult

Section: SVC : Vision Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you lost any vision due to glaucoma?

**Description:** Lost vision due to glaucoma

Recode:

Universe: HHSTAT\_A=1 and VIMGLEV\_A=1

Universe Description: Sample Adults 18+ who have ever been told they had glaucoma

Sources:

Question ID: SVC.0040.00.3

**Keywords:** vision loss; eye disease; vision impairment

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

VIMLSGL\_A Lost vision due to glaucoma

Code	Description	Frequency	Percent
1	Yes	345	31.71
2	No	723	66.45
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	20	1.84

#### <u>Variable Information:</u>

Variable: VIMMDEV\_A

Module: Adult

Section: SVC : Vision Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER been told by a doctor or other heath professional that you had

...Macular Degeneration?

**Description:** Ever had macular degeneration

Recode:

Universe: HHSTAT\_A=1 and (45<=AGEP\_A<=85)</pre>

Universe Description: Sample Adults 45+

Sources:

Question ID: SVC.0050.00.3

**Keywords:** vision problems; eye disease

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

VIMMDEV\_A Ever had macular degeneration

Code	Description	Frequency	Percent
1	Yes	778	4.14
2	No	17973	95.57
7	Refused	16	0.09
8	Not Ascertained	0	0.00
9	Don't Know	40	0.21

#### Variable Information:

Variable: VIMLSMD\_A

Module: Adult

Section: SVC : Vision Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you lost any vision due to macular degeneration?

**Description:** Lost vision due to macular degeneration

Recode:

Universe: HHSTAT\_A=1 and (45<=AGEP\_A<=85) and VIMMDEV\_A=1

Universe Description: Sample Adults 45+ who have ever been told they had macular degeneration

Sources:

Question ID: SVC.0060.00.3

**Keywords:** vision loss; eye disease; vision impairment

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

VIMLSMD\_A Lost vision due to macular degeneration

Code	Description	Frequency	Percent
1	Yes	343	44.09
2	No	425	54.63
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	10	1.29

#### Variable Information:

Variable: VIMCSURG\_A

Module: Adult

Section: SVC : Vision Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER had cataract surgery?

**Description:** Ever had cataract surgery

Recode:

Universe: HHSTAT\_A=1 and (45<=AGEP\_A<=85)</pre>

Universe Description: Sample Adults 45+

Sources:

Question ID: SVC.0070.00.3

**Keywords:** vision problems; eye disease; vision impairment; surgical treatment

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

VIMCSURG\_A Ever had cataract surgery

Code	Description	Frequency	Percent
1	Yes	4330	23.02
2	No	14440	76.78
7	Refused	16	0.09
8	Not Ascertained	0	0.00
9	Don't Know	21	0.11

#### Variable Information:

Variable: VIMCAEV\_A

Module: Adult

Section: SVC : Vision Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER been told by a doctor or other heath professional that you had

...Cataracts?

**Description:** Ever had cataracts

Recode:

Universe: HHSTAT\_A=1 and (45<=AGEP\_A<=85) and VIMCSURG\_A IN (2,7,9)

Universe Description: Sample Adults 45+ who have not had cataract surgery or refused or don't know

Sources:

Question ID: SVC.0080.00.3

**Keywords:** vision problems; eye disease

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

VIMCAEV\_A Ever had cataracts

Code	Description	Frequency	Percent
1	Yes	2154	14.88
2	No	12268	84.74
7	Refused	18	0.12
8	Not Ascertained	0	0.00
9	Don't Know	37	0.26

#### Variable Information:

Variable: VIMLSCA\_A

Module: Adult

Section: SVC : Vision Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you lost any vision due to cataracts?

**Description:** Lost vision due to cataracts

Recode:

Universe: HHSTAT\_A=1 and (45<=AGEP\_A<=85) and VIMCAEV\_A=1

Universe Description: Sample Adults 45+ who have ever been told they had cataracts

Sources:

**Question ID:** SVC.0090.00.3

**Keywords:** vision loss; eye disease; vision impairment

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

VIMLSCA\_A Lost vision due to cataracts

Code	Description	Frequency	Percent
1	Yes	481	22.33
2	No	1652	76.69
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	21	0.97

#### <u>Variable Information:</u>

Variable: PREGNOW\_A

Module: Adult

Section: BMI : Current pregnancy, height, weight

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Are you currently pregnant?

**Description:** Pregnant now

Recode:

Universe: HHSTAT\_A=1 and SEX\_A=2 and ((18<=AGEP\_A<=49) or AGEP\_A IN (97,99))

Universe Description: Female sample adults 18-49 or age is don't know or refused

Sources:

Question ID: BMI.0010.00.1

Keywords: antenatal; prenatal

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

PREGNOW\_A Pregnant now

Code	Description	Frequency	Percent
1	Yes	212	3.16
2	No	6502	96.80
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.04

#### Variable Information:

Variable: HEIGHTTC\_A

Module: Adult

Section: BMI : Current pregnancy, height, weight

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Height without shoes (inches), Public Use

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HEIGHT\_A

Question ID:

**Keywords:** height without shoes; stature

Notes: HEIGHTTC\_A includes values of 63-76 inches for men and 59-70 inches for women.

Not available (96) refers to persons who had extreme values in either height or weight or both. Additionally since 2019, all sample adults for whom sex was answered as don't know or refused were also coded as 96 for height and 996 for weight due to the sex-specific height and weight limits for public data

release. See Survey Description Document for details.

#### **Evaluation Report:**

#### **Unweighted frequencies:**

HEIGHTTC\_A Height without shoes (inches), Public Use

Code	Description	Frequency	Percent
59-76	59-76 inches	27440	92.95
96	Not available	1951	6.61
97	Refused	35	0.12
98	Not Ascertained	14	0.05
99	Don't Know	82	0.28

#### Variable Information:

Variable: WEIGHTLBTC\_A

Module: Adult

Section: BMI : Current pregnancy, height, weight

File(s): Adult
Data Type: Numeric

Length: 3

Question Text:

Description: Weight without shoes (pounds), Public Use

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+
Sources: WEIGHTLB\_A; WTLB\_A

Question ID:

**Keywords:** body weight; weight in lbs

Notes: Not available (996) refers to persons who had sex-specific extreme values for

either height or weight or both, that cannot be released for reasons of confidentiality. Additionally since 2019, all sample adults for whom sex was answered as don't know or refused were also coded as 96 for height and 996 for weight due to the sex-specific height and weight limits for public data release. WEIGHTLBTC\_A includes values of 126-299 lbs for men and 100-274 lbs for women. Pregnant women, aged 18-49 years, were not excluded from this question and they may be identified using the variable PREGNOW\_A. See Survey

Description Document for details.

#### Evaluation Report:

#### Unweighted frequencies:

WEIGHTLBTC\_A Weight without shoes (pounds), Public Use

Code	Description	Frequency	Percent
100-299	100-299 pounds	27037	91.58
996	Not available	1951	6.61
997	Refused	303	1.03
998	Not Ascertained	0	0.00
999	Don't Know	231	0.78

Variable Information:

Variable: BMICAT\_A
Module: Adult

Section: BMI : Current pregnancy, height, weight

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Categorical Body Mass Index, Public Use

BMI\_A; BMI\_A\_1

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Question ID:

Sources:

**Keywords:** Body Mass Index; height; weight; BMI category; underweight; healthy weight;

overweight; obese; obesity

Notes: BMI was calculated using the inhouse version of the height and weight

variables, which contain the greater range of height and weight values than are available on the public use file. The range of possible BMI values listed (0001 -9994) does not reflect actual calculated BMI values at the extremes of the range, but rather, allows for the theoretical possibility of such unlikely values. BMI = [Weight (kg)/[Height (m) squared]] rounded to 2 decimal places. Conversion factors: 1 kilogram (kg) = 2.20462 pounds; 1 meter (m) = 39.37008 inches. For both men and women, underweight is BMI < 18.5; healthy weight is

BMI 18.5 to <25; overweight is BMI >= 25 to <30; obese is BMI >= 30.

**Evaluation Report:** 

**Unweighted frequencies:** 

BMICAT\_A Categorical Body Mass Index, Public Use

Code	Description	Frequency	Percent
1	Underweight	458	1.55
2	Healthy weight	8871	30.05
3	Overweight	9938	33.66
4	0bese	9625	32.60
9	Unknown	630	2.13

#### Variable Information:

Variable: WEARGLSS\_A

Module: Adult

Section: VIS : Vision

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you wear glasses or contact lenses?

\* Read if necessary: Persons who wear glasses to read or to do other occasional

tasks should answer yes to this question.

**Description:** Wear glasses/contact lenses

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: VIS.0020.00.1

Keywords: vision problems; corrective lenses; eyesight; visual acuity; functional

limitation; Washington Group

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

WEARGLSS\_A Wear glasses/contact lenses

Code	Description	Frequency	Percent
1	Yes	19823	67.15
2	No	9696	32.84
7	Refused	3	0.01
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

#### Variable Information:

Variable: VISIONDF\_A

Module: Adult

Section: VIS : Vision

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have difficulty ^AGLASSCNTS? Would you say no difficulty, some

difficulty, a lot of difficulty, or you cannot do this at all?

Fills: ^AGLASSCNTS..... seeing, even when wearing glasses or contact

Lenses/seeing

**Description:** Difficulty seeing

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: VIS.0030.00.1

**Keywords:** vision problems; trouble seeing; eyesight; visual acuity; functional

limitation; Washington Group

Notes: This question is part of the Washington Group Composite Disability Indicator

for adults.

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Report.aspx?1216

#### **Unweighted frequencies:**

VISIONDF\_A Difficulty seeing

Code	Description	Frequency	Percent
1	No difficulty	23740	80.41
2	Some difficulty	5293	17.93
3	A lot of difficulty	443	1.50
4	Cannot do at all	36	0.12
7	Refused	4	0.01
8	Not Ascertained	0	0.00
9	Don't Know	6	0.02

### Variable Information:

Variable: HEARAID\_A

Module: Adult

Section: HEA : Hearing

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you use a hearing aid?

**Description:** Use hearing aid

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: HEA.0010.00.1

**Keywords:** assistive device; functional limitation; auditory difficulty; Washington Group

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

HEARAID\_A Use hearing aid

Code	Description	Frequency	Percent
1	Yes	1734	5.87
2	No	27784	94.11
7	Refused	4	0.01
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

#### Variable Information:

Variable: HEARAIDFR\_A

Module: Adult

Section: HEA : Hearing

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How often do you use your hearing aid(s)? Would you say all of the time, some

of the time, rarely, or never?

**Description:** How often use hearing aid

Recode:

Universe: HHSTAT\_A=1 and HEARAID\_A=1

Universe Description: Sample adults 18+ who use a hearing aid

Sources:

Question ID: HEA.0020.00.1

**Keywords:** auditory difficulty; functional limitation; assistive device; Washington Group

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

HEARAIDFR\_A How often use hearing aid

Code	Description	Frequency	Percent
1	All of the time	936	53.63
2	Some of the time	579	33.39
3	Rarely	166	9.23
4	Never	64	3.69
7	Refused		0.00
8	Not Ascertained	(	0.00
9	Don't Know	:	0.06

#### Variable Information:

Variable: HEARINGDF\_A

Module: Adult

Section: HEA : Hearing

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have difficulty hearing^HEARAID? Would you say no difficulty, some

difficulty, a lot of difficulty, or you cannot do this at all?

Fills: ^HEARAID....., even when using your hearing aid(s)

Description: Difficulty hearing

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: HEA.0030.00.1

Keywords: auditory difficulty; functional limitation; Washington Group

Notes: This question is part of the Washington Group Composite Disability Indicator

for adults.

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Report.aspx?1216

#### <u>Unweighted frequencies:</u>

#### HEARINGDF\_A Difficulty hearing

Code	Description	Frequency	Percent
1	No difficulty	2427	9 82.24
2	Some difficulty	468	2 15.86
3	A lot of difficulty	52	7 1.79
4	Cannot do at all	2	7 0.09
7	Refused		3 0.01
8	Not Ascertained		0.00
9	Don't Know		4 0.01

Variable Information:

Variable: DIFF\_A
Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have difficulty walking or climbing steps? Would you say no difficulty,

some difficulty, a lot of difficulty, or you cannot do this at all?

Description: Difficulty walking or climbing steps

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: MOB.0010.00.1

Keywords: ambulatory problem; functional limitation; Washington Group

Notes: This question is part of the Washington Group Composite Disability Indicator

for adults.

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Report.aspx?1216

### **Unweighted frequencies:**

DIFF\_A Difficulty walking or climbing steps

Code	Description	Frequency	Percent
1	No difficulty	22865	77.45
2	Some difficulty	4710	15.95
3	A lot of difficulty	1581	5.36
4	Cannot do at all	356	1.21
7	Refused	8	0.03
8	Not Ascertained	0	0.00
9	Don't Know	2	0.01

### Variable Information:

Variable: EQUIP\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you use any equipment or receive help for getting around?

**Description:** Use equipment to get around

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: MOB.0020.00.1

**Keywords:** mobility aids; functional limitation; ambulatory problem; Washington Group

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

**EQUIP\_A** Use equipment to get around

Code	Description	Frequency	Percent
1	Yes	2759	9.35
2	No	26758	90.64
7	Refused	5	0.02
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

#### Variable Information:

Variable: WLK100\_A
Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have difficulty walking 100 yards on level ground, that would be about

the length of one football field or one city block? Would you say no

difficulty, some difficulty, a lot of difficulty, or you cannot do this at all?

**Description:** Difficulty walking 100 yards

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A IN (2,7,9)

Universe Description: Sample adults 18+ who do not use equipment or receive help for getting around

or refused or don't know

Sources:

Question ID: MOB.0030.00.1

**Keywords:** ambulatory problem; functional limitation; Washington Group

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

WLK100\_A Difficulty walking 100 yards

Code	Description	Frequency	Percent
1	No difficulty	2409	90.03
2	Some difficulty	204	7.64
3	A lot of difficulty	41	5 1.55
4	Cannot do at all	18	7 0.70
7	Refused		7 0.03
8	Not Ascertained		0.00
9	Don't Know	1	3 0.05

#### Variable Information:

Variable: WLK13M\_A
Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have difficulty walking a third of a mile on level ground, that would be

the length of five football fields or five city blocks?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty walking 1/3 mile

Recode:

Universe: HHSTAT\_A=1 and WLK100\_A IN (1,2,3,7,9)

Universe Description: Sample adults 18+ who have no difficulty, some difficulty, or a lot of

difficulty walking 100 yards or refused or don't know

Sources:

Question ID: MOB.0040.00.1

**Keywords:** ambulatory problem; functional limitation; Washington Group

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

WLK13M\_A Difficulty walking 1/3 mile

Code	Description	Frequency	Percent
1	No difficulty	22405	84.31
2	Some difficulty	2723	10.25
3	A lot of difficulty	823	3.10
4	Cannot do at all	542	2.04
7	Refused	7	0.03
8	Not Ascertained	0	0.00
9	Don't Know	76	0.29

Variable Information:

Variable: STEPS\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have difficulty walking up or down 12 steps?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, you cannot do this at all?

**Description:** Difficulty walking steps

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A IN (2,7,9)

Universe Description: Sample adults 18+ who do not use equipment or receive help for getting around

or refused or don't know

Sources:

Question ID: MOB.0050.00.1

Keywords: ambulatory problem; functional limitation; Washington Group

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

STEPS\_A Difficulty walking steps

Code	Description	Frequ	ency	Percent
1	No difficulty		23196	86.67
2	Some difficulty		2853	10.66
3	A lot of difficulty		566	2.11
4	Cannot do at all		129	0.48
7	Refused		6	0.02
8	Not Ascertained		0	0.00
9	Don't Know		13	0.05

#### <u>Variable Information:</u>

Variable: CANEWLKR\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Do you use any of the following...

...Cane or walker?

Description: Use cane or walker

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A=1

Universe Description: Sample adults 18+ who use equipment or receive help for getting around

Sources:

Question ID: MOB.0060.00.1

**Keywords:** walking stick; Zimmer frame; functional limitation; ambulatory problem;

Washington Group; mobility aids

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

CANEWLKR\_A Use cane or walker

Code	Description	Frequency	Percent
1	Yes	2446	88.66
2	No	311	11.27
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	0.07

#### <u>Variable Information:</u>

Variable: WCHAIR\_A
Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Do you use any of the following?

 $\ldots$ Wheelchair or scooter?

**Description:** Use wheelchair or scooter

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A=1

Universe Description: Sample adults 18+ who use equipment or receive help for getting around

Sources:

Question ID: MOB.0070.00.1

**Keywords:** electric chair; functional limitation; ambulatory problem; Washington Group;

mobility aids

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

WCHAIR\_A Use wheelchair or scooter

Code	Description	Frequency	Percent
1	Yes	719	26.06
2	No	2040	73.94
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

#### Variable Information:

Variable: PERASST\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Do you use any of the following?

...Someone's assistance?

**Description:** Use someone's assistance

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A=1

Universe Description: Sample adults 18+ who use equipment or receive help for getting around

Sources:

Question ID: MOB.0080.00.1

Keywords: use help; functional limitation; mobility aids; amount; ambulatory problem;

Washington Group

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

PERASST\_A Use someone's assistance

Code	Description	Frequency	Percent
1	Yes	1134	41.10
2	No	1625	58.90
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

#### Variable Information:

Variable: NOEQWLK100\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: WITHOUT THE USE OF YOUR AID, do you have difficulty walking 100 yards on level

ground, that would be about the length of one football field or one city block?

Would you say no difficulty, some difficulty, a lot of difficulty, or you

cannot do this at all?

Description: Difficulty walking 100 yards without aid

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A=1

Universe Description: Sample adults 18+ who use equipment or receive help for getting around

Sources:

Question ID: MOB.0090.00.1

**Keywords:** ambulatory problem; functional limitation; Washington Group

Notes: ambulatory problem; difficulty; no equipment; mobility; functional limitation

**Evaluation Report:** 

#### **Unweighted frequencies:**

NOEQWLK100\_A Difficulty walking 100 yards without aid

Code	Description	Frequency	Percent
1	No difficulty	536	19.43
2	Some difficulty	627	22.73
3	A lot of difficulty	588	21.31
4	Cannot do at all	1000	36.25
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	8	0.29

#### Variable Information:

Variable: NOEQWLK13M\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: WITHOUT THE USE OF YOUR AID, do you have difficulty walking a third of a mile

on level ground, that would be the length of five football fields or five city

blocks?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty walking 1/3 mile without aid

Recode:

Universe: HHSTAT\_A=1 and NOEQWLK100\_A IN (1,2,3,7,9)

Universe Description: Sample adults 18+ who have no difficulty, some difficulty, or a lot of

difficulty walking 100 yards without the use of their aid or refused or don't

know

Sources:

Question ID: MOB.0100.00.1

**Keywords:** ambulatory problem; functional limitation; Washington Group

Notes:

Evaluation Report:

### <u>Unweighted frequencies:</u>

NOEQWLK13M\_A Difficulty walking 1/3 mile without aid

Code	Description	Frequency	Percent
1	No difficulty	322	18.31
2	Some difficulty	403	22.91
3	A lot of difficulty	473	26.89
4	Cannot do at all	545	30.98
7	Refused	6	0.00
8	Not Ascertained	6	0.00
9	Don't Know	16	0.91

#### Variable Information:

Variable: NOEQSTEPS\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: WITHOUT THE USE OF YOUR AID, do you have difficulty walking up or down 12

steps?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty walking steps without equipment

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A=1

Universe Description: Sample adults 18+ who use equipment or receive help for getting around

Sources:

Question ID: MOB.0110.00.1

Keywords: ambulatory problem; functional limitation; Washington Group

Notes:

Evaluation Report:

### <u>Unweighted frequencies:</u>

NOEQSTEPS\_A Difficulty walking steps without equipment

Code	Description	Frequency	Percent
1	No difficulty	47:	17.07
2	Some difficulty	710	25.95
3	A lot of difficulty	658	23.85
4	Cannot do at all	90:	32.69
7	Refused		0.04
8	Not Ascertained		0.00
9	Don't Know	1:	0.40

#### Variable Information:

Variable: EQWLK100\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: WHEN USING YOUR AID, do you have difficulty walking 100 yards on level ground,

that would be about the length of one football field or one city block?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

Description: Difficulty walking 100 yards with aid

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A=1 and WCHAIR\_A IN (2,7,9)

Universe Description: Sample adults 18+ who use equipment or receive help for getting around but do

not use a wheelchair or scooter or refused or don't know

Sources:

Question ID: MOB.0120.00.1

Keywords: ambulatory problem; functional limitation; mobility aids; Washington Group

Notes: ambulatory problem; difficulty; no equipment; mobility; functional limitation

**Evaluation Report:** 

### **Unweighted frequencies:**

EQWLK100\_A Difficulty walking 100 yards with aid

Code	Description	Frequency	Percent
1	No difficulty	745	36.52
2	Some difficulty	599	29.36
3	A lot of difficulty	350	17.16
4	Cannot do at all	334	16.37
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	12	0.59

#### Variable Information:

Variable: EQWLK13M\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: WHEN USING YOUR AID, do you have difficulty walking a third of a mile on level

ground, that would be the length of five football fields or five city blocks?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty walking 1/3 mile with aid

Recode:

Universe: HHSTAT\_A=1 and EQWLK100\_A IN (1,2,3,7,9)

Universe Description: Sample adults 18+ who have no difficulty, some difficulty, or a lot of

difficulty walking 100 yards, when using their aid or refused or don't know

Sources:

Question ID: MOB.0130.00.1

**Keywords:** ambulatory problem; functional limitation; mobility aids; Washington Group

Notes:

Evaluation Report:

### **Unweighted frequencies:**

EQWLK13M\_A Difficulty walking 1/3 mile with aid

Code	Description	Frequency	Percent
1	No difficulty	454	26.61
2	Some difficulty	445	26.08
3	A lot of difficulty	395	23.15
4	Cannot do at all	385	22.57
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	27	1.58

#### Variable Information:

Variable: EQSTEPS\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: WHEN USING YOUR AID, do you have difficulty walking up or down 12 steps?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty walking steps with equipment

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A=1 and WCHAIR\_A IN (2,7,9)

Universe Description: Sample adults 18+ who use equipment or receive help for getting around but do

not use a wheelchair or scooter or refused or don't know

Sources:

Question ID: MOB.0140.00.1

**Keywords:** ambulatory problem; functional limitation; mobility aids; Washington Group

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

EQSTEPS\_A Difficulty walking steps with equipment

Code	Description	Frequency	Percent
1	No difficulty	551	27.01
2	Some difficulty	661	32.40
3	A lot of difficulty	439	21.52
4	Cannot do at all	374	18.33
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	15	0.74

#### Variable Information:

Variable: COMDIFF\_A

Module: Adult

Section: COM : Communication

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Using your usual language, do you have difficulty communicating, for example,

understanding or being understood?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty communicating

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: COM.0010.00.1

Keywords: communication; speech; speaking; Washington Group; disability

Notes: This question is part of the Washington Group Composite Disability Indicator

for adults.

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

COMDIFF\_A Difficulty communicating

Code	Description	Frequency	Percent
1	No difficulty	27796	94.15
2	Some difficulty	1471	4.98
3	A lot of difficulty	218	0.74
4	Cannot do at all	30	0.10
7	Refused	4	0.01
8	Not Ascertained	0	0.00
9	Don't Know	3	0.01

#### Variable Information:

Variable: COGMEMDFF\_A

Module: Adult

Section: COG : Cognition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have difficulty remembering or concentrating?

\*Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty remembering/concentrating

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: COG.0010.00.1

**Keywords:** cognition; memory; attention; Washington Group; disability

Notes: This question is part of the Washington Group Composite Disability Indicator

for adults.

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Report.aspx?1216

### **Unweighted frequencies:**

### COGMEMDFF\_A Difficulty remembering/concentrating

Code	Description	Frequency	Percent
1	No difficulty	23142	78.39
2	Some difficulty	5544	18.78
3	A lot of difficulty	792	2.68
4	Cannot do at all	33	0.11
7	Refused	6	0.02
8	Not Ascertained	0	0.00
9	Don't Know	5	0.02

#### Variable Information:

Variable: COGTYPEDFF\_A

Module: Adult

Section: COG : Cognition

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** Is that a difficulty with remembering, concentrating, or both?

**Description:** Remembering/concentrating or both

Recode:

Universe: HHSTAT\_A=1 and COGMEMDFF\_A IN (2,3,4)

Universe Description: Sample adults 18+ who have some difficulty, a lot of difficulty, or are unable

to remember or concentrate

Sources:

Question ID: COG.0020.00.1

**Keywords:** cognition; memory; attention; Washington Group; disability

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

COGTYPEDFF\_A Remembering/concentrating or both

Code	Description	Frequency	Percent
1	Difficulty remembering only	2342	36.77
2	Difficulty concentrating only	864	13.57
3	Difficulty with both remembering and concentrating	3149	49.44
7	Refused	1	0.02
8	Not Ascertained	0	0.00
9	Don't Know	13	0.20

#### Variable Information:

Variable: COGFRQDFF\_A

Module: Adult

Section: COG : Cognition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How often do you have difficulty remembering? Would you say sometimes, often,

or all of the time?

**Description:** Difficulty remembering-how often

Recode:

Universe: HHSTAT\_A=1 and COGTYPEDFF\_A IN (1,3)

Universe Description: Sample adults 18+ who have difficulty remembering or remembering and

concentrating

Sources:

**Question ID:** COG.0030.00.1

**Keywords:** cognition; memory; attention; Washington Group; disability

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

COGFRQDFF\_A Difficulty remembering-how often

Code	Description	Frequency	Percent
1	Sometimes	3969	72.28
2	Often	1033	18.81
3	All of the time	486	8.85
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.05

#### Variable Information:

Variable: COGAMTDFF\_A

Module: Adult

Section: COG : Cognition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have difficulty remembering a few things, a lot of things, or almost

everything?

Description: Difficulty remembering-how much

Recode:

Universe: HHSTAT\_A=1 and COGTYPEDFF\_A IN (1,3)

Universe Description: Sample adults 18+ who have difficulty remembering or remembering and

concentrating

Sources:

**Question ID:** COG.0040.00.1

**Keywords:** cognition; memory; attention; Washington Group; disability

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

COGAMTDFF\_A Difficulty remembering-how much

Code	Description	Frequency	Percent
1	A few things	4510	82.13
2	A lot of things	718	13.08
3	Almost everything	255	4.64
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	8	0.15

### Variable Information:

Variable: UPPSLFCR\_A

Module: Adult

Section: UPP : Self-care and Upper Body

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have difficulty with self care, such as washing all over or dressing?

Would you say no difficulty, some difficulty, a lot of difficulty, or you

cannot do this at all?

**Description:** Difficulty with self care

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: UPP.0010.00.1

**Keywords:** motor skills; Washington Group

Notes: This question is part of the Washington Group Composite Disability Indicator

for adults.

**Evaluation Report:** 

#### Unweighted frequencies:

UPPSLFCR\_A Difficulty with self care

Code	Description	Frequency	Percent
1	No difficulty	2801	94.90
2	Some difficulty	1114	3.77
3	A lot of difficulty	25	0.87
4	Cannot do at all	12	0.43
7	Refused		0.02
8	Not Ascertained		0.00
9	Don't Know		0.00

### Variable Information:

Variable: UPPRAISE\_A

Module: Adult

Section: UPP : Self-care and Upper Body

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have difficulty raising a 2 liter bottle of water or soda from waist to

eye level?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty raising soda bottle

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: UPP.0020.00.1

**Keywords:** motor skills; Washington Group

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

UPPRAISE\_A Difficulty raising soda bottle

Code	Description	Frequency	Percent
1	No difficulty	27897	94.50
2	Some difficulty	1122	3.80
3	A lot of difficulty	272	0.92
4	Cannot do at all	188	0.64
7	Refused	4	0.01
8	Not Ascertained	0	0.00
9	Don't Know	39	0.13

### Variable Information:

Variable: UPPOBJCT\_A

Module: Adult

Section: UPP : Self-care and Upper Body

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have difficulty using your hands and fingers, such as picking up small

objects, for example, a button or pencil, or opening or closing containers or

bottles?

\*Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty using hands and fingers

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: UPP.0030.00.1

**Keywords:** motor skills; Washington Group

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

UPPOBJCT\_A Difficulty using hands and fingers

Code	Description	Frequency	Percent
1	No difficulty	26532	89.87
2	Some difficulty	2383	8.07
3	A lot of difficulty	503	1.70
4	Cannot do at all	97	0.33
7	Refused	5	0.02
8	Not Ascertained	0	0.00
9	Don't Know	2	0.01

Variable Information:

Variable: DISAB3\_A
Module: Adult

Section: UPP : Self-care and Upper Body

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: The Washington Group Short Set Composite Disability Indicator

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: VISIONDF\_A; HEARINGDF\_A; DIFF\_A; COMDIFF\_A; UPPSLFCR\_A; COGMEMDFF\_A

Question ID:

**Keywords:** motor skills; Washington Group

Notes: The final recode variable created for Washington Group Adult Composite

Disability Indicator. Disability is defined by the reported level of difficulty (no difficulty, some difficulty, a lot of difficulty, or cannot do at all) in six functioning domains: seeing (even if wearing glasses), hearing (even if wearing hearing aids), mobility (walking or climbing stairs), communication (understanding or being understood by others), cognition (remembering or concentrating), and self-care (such as washing all over or dressing). Sample adults who responded "a lot of difficulty" or "cannot do at all" to at least

one question were considered to have a disability.

#### **Evaluation Report:**

#### **Unweighted frequencies:**

DISAB3\_A The Washington Group Short Set Composite Disability Indicator

Code	Description	Frequency	Percent
1	Yes	3148	10.66
2	No	26373	89.33
9	Don't Know	1	0.00

### Variable Information:

Variable: SOCERRNDS\_A

Module: Adult

Section: SOC : Social Functioning

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Because of a physical, mental, or emotional condition, do you have difficulty

doing errands alone such as visiting a doctor's office or shopping?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty doing errands alone

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** SOC.0010.00.1

Keywords: functional limitation; disability; independent living

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

SOCERRNDS\_A Difficulty doing errands alone

Code	Description	Frequency	Percent
1	No difficulty	26598	90.10
2	Some difficulty	1564	5.30
3	A lot of difficulty	490	1.66
4	Cannot do at all	859	2.91
7	Refused	5	0.02
8	Not Ascertained	0	0.00
9	Don't Know	6	0.02

### Variable Information:

Variable: SOCSCLPAR\_A

Module: Adult

Section: SOC : Social Functioning

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Because of a physical, mental, or emotional condition, do you have difficulty

participating in social activities such as visiting friends, attending clubs

and meetings, or going to parties?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty participating in social activities

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** SOC.0020.00.1

**Keywords:** functional limitation; disability; independent living

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

SOCSCLPAR\_A Difficulty participating in social activities

Code	Description	Frequency	Percent
1	No difficulty	25945	87.88
2	Some difficulty	2179	7.38
3	A lot of difficulty	859	2.91
4	Cannot do at all	522	1.77
7	Refused	11	0.04
8	Not Ascertained	0	0.00
9	Don't Know	6	0.02

### Variable Information:

Variable: SOCWRKLIM\_A

Module: Adult

Section: SOC : Social Functioning

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Are you limited in the kind OR amount of work you can do because of a physical,

mental or emotional problem?

\* Read if necessary: Work includes paid work, volunteer work, school work, and

homework.

**Description:** Work limited due to health problem

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: SOC.0030.00.1

Keywords: functional limitation; disability; independent living

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

SOCWRKLIM\_A Work limited due to health problem

Code	Description	Frequency	Percent
1	Yes	6335	21.46
2	No	23147	78.41
7	Refused	16	0.05
8	Not Ascertained	0	0.00
9	Don't Know	24	0.08

#### Variable Information:

Variable: DEVDONSET\_A

Module: Adult

Section: ADO : Age of Disability Onset

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: You said that you have difficulty with ^DIFF. Did ^THISDIFF begin before age

22?

Fills: ^DIFF..... walking/climbing steps/walking or climbing

steps/communicating/remembering/concentrating/remem
bering or concentrating/self-care/doing errands

aLone

^THISDIFF..... this difficulty/any of these difficulties

**Description:** Difficulty doing activities before age 22

Recode:

Universe:  $HHSTAT_A=1$  and  $(22<=AGEP_A<=85)$  and  $(DIFF_A IN (3,4) or WLK100_A IN (3,4) or$ 

WLK13M $^-$ A IN (3,4) or NOEQWLK100 $^-$ A IN (3,4) or NOEQWLK13M $^-$ A IN (3,4) or STEPS $^-$ A IN (3,4) or NOEQSTEPS $^-$ A IN (3,4) or COMDIFF $^-$ A IN (3,4) or COGMEMDFF $^-$ A IN (3,4)

or UPPSLFCR\_A IN (3,4) or SOCERRNDS\_A IN (3,4))

Universe Description: Sample adults age 22+ who said they had a lot of difficulty or could not do the

following activities at all: Walking or climbing stairs, communicating,

remembering or concentrating, self-care, or doing errands alone

Sources:

Question ID: ADO.0010.00.3

**Keywords:** functional limitation; disability; age of onset

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

DEVDONSET\_A Difficulty doing activities before age 22

Code	Description	Frequency	Percent
1	Yes	524	11.54
2	No	4002	88.17
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	13	0.29

#### Variable Information:

Variable: NOTCOV\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Coverage status as used in Health United States

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: MEDICARE\_A; MEDICAID\_A; PRIVATE\_A; CHIP\_A; OTHPUB\_A; OTHGOV\_A; MILITARY\_A

Question ID:

Keywords: Uninsured; insured

Notes: Adults are considered uninsured if they did not have private health insurance,

Medicare, Medicaid, State Children's Health Insurance Program (CHIP), a statesponsored health plan, other government programs, or military health plan (includes TRICARE, VA, and CHAMP-VA) at the time of interview. This definition

of uninsured matches that used in Health United States.

#### **Evaluation Report:**

### **Unweighted frequencies:**

NOTCOV\_A Coverage status as used in Health United States

Code	Description	Frequency	Percent
1	Not covered	2031	6.88
2	Covered	27399	92.81
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	92	0.31

### Variable Information:

Variable: COVER\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Health insurance hierarchy under 65

Recode: Yes

Universe: HHSTAT\_A=1 and (AGEP\_A <=64 or AGE65=1)

Universe Description: Sample adults 18-64

Sources: MEDICARE\_A; MEDICAID\_A; PRIVATE\_A; CHIP\_A; OTHPUB\_A; OTHGOV\_A; MILITARY\_A

Question ID:

Keywords: Hierarchy Private; Medicaid; Other Coverage; Uninsured

Notes: This is a hierarchical variable. Adults under age 65 are assigned the first

type of insurance in the list that they have.

**Evaluation Report:** 

#### **Unweighted frequencies:**

COVER\_A Health insurance hierarchy under 65

Code	Description	Frequency	Percent
1	Private	13795	69.60
2	Medicaid and other public	3002	15.15
3	Other coverage	964	4.86
4	Uninsured	1981	10.00
5	Don't Know	77	0.39

### Variable Information:

Variable: COVER65\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Health Insurance hierarchy 65+

Recode: Yes

Universe: HHSTAT\_A=1 and (AGEP\_A>=65 or AGE65=2)

Universe Description: Sample adults 65+

Sources: MEDICARE\_A; MEDICAID\_A; PRIVATE\_A; CHIP\_A; OTHPUB\_A; OTHGOV\_A; MILITARY\_A;

MCCHOICE\_A; MCHMO\_A; MCADVR\_A; PLN1PAY4\_A; PLN2PAY4\_A

Question ID:

Keywords: Hierarchy; Private; Medicare Advantage; Dual-eligible; Medicaid

Notes: This is a hierarchical variable for adults aged 65 and over. This hierarchy de-

duplicates reports of both private and Medicare Advantage coverage giving

preference to Medicare Advantage in the hierarchy.

**Evaluation Report:** 

#### Unweighted frequencies:

COVER65\_A Health Insurance hierarchy 65+

Code	Description	Frequency	Percent
1	Private	3372	34.75
2	Dual eligible	789	8.13
3	Medicare Advantage	3569	36.78
4	Medicare only excluding Medicare Advantage	1088	11.21
5	Other coverage	798	8.22
6	Uninsured	50	0.52
7	Don't Know	37	0.38

### Variable Information:

Variable: SINCOVDE\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

^INADDITIONARE you covered by a SEPARATE plan that only pays for dental

services?

Fills: ^INADDITIONARE...... In addition to ^HITYPEANOSS, are/Are

^HITYPEANOSS..... Type of health care plans without single service

plans

**Description:** Single service plan - dental

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INS.0050.00.1
Keywords: Single service

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

SINCOVDE\_A Single service plan - dental

Code	Description	Frequency	Percent
1	Yes	1069	36.24
2	No	1853	4 62.78
7	Refused	3	2 0.11
8	Not Ascertained		0.00
9	Don't Know	25	0.87

### Variable Information:

Variable: SINCOVVS\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Are you covered by a SEPARATE plan that only pays for vision services?

**Description:** Single service plan - vision

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INS.0060.00.1
Keywords: Single service

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

SINCOVVS\_A Single service plan - vision

Code	Description	Frequency	Percent
1	Yes	8090	27.40
2	No	21088	71.43
7	Refused	33	0.11
8	Not Ascertained	0	0.00
9	Don't Know	311	1.05

### Variable Information:

Variable: SINCOVRX\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Are you covered by a SEPARATE plan that only pays for prescriptions?

**Description:** Single service plan - prescription

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INS.0070.00.1
Keywords: Single service

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

SINCOVRX\_A Single service plan - prescription

Code	Description	Frequency	Percent
1	Yes	4327	14.66
2	No	24871	84.25
7	Refused	33	0.11
8	Not Ascertained	0	0.00
9	Don't Know	291	0.99

### Variable Information:

Variable: MEDICARE\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Medicare recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND02\_A; MCAREPRB\_A

Question ID:

Keywords: Medicare

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

MEDICARE\_A Medicare recode

Code	Description	Frequency	Percent
1	Yes, information	10024	33.95
2	Yes, but no information	26	0.09
3	No	19369	65.61
7	Refused	43	0.15
8	Not Ascertained	2	0.01
9	Don't Know	58	0.20

### <u>Variable Information:</u>

Variable: MCPART\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

What type of Medicare coverage do you have? Is it Part A - hospital insurance,

Part B - medical insurance, or both?

**Description:** Type of Medicare coverage

Recode:

Sources:

Question ID: INS.0090.00.1
Keywords: Medicare

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

MCPART\_A Type of Medicare coverage

Code	Description	Frequency	Percent
1	Part A- hospital only	457	4.55
2	Part B- medical only	134	1.33
3	Both Part A and Part B	9231	91.85
7	Refused	2	0.02
8	Not Ascertained	34	0.34
9	Don't Know	192	1.91

### Variable Information:

Variable: MCCHOICE\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

Are you enrolled in a Medicare Advantage plan?

**Description:** Enrolled in Medicare Advantage Plan

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A in (1,2) and MCPART\_A in (2,3,7,8,9)

Universe Description: Sample adults 18+ with Medicare with Part B coverage or not known if they have

Part B coverage

Sources:

Question ID: INS.0100.00.1

Keywords: Medicare Advantage; Medicare Part C; Medicare Plus Choice; HMO

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

MCCHOICE\_A Enrolled in Medicare Advantage Plan

Code	Description	Frequency	Percent
1	Yes	4030	42.01
2	No	5094	53.10
7	Refused	8	0.08
8	Not Ascertained	26	0.27
9	Don't Know	435	4.53

### Variable Information:

Variable: MCHMO\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Are you under a Medicare managed care arrangement, such as an HMO, that is, a

Health Maintenance Organization?

**Description:** Medicare HMO

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A in (1,2) and MCPART\_A in (2,3,7,8,9)

Universe Description: Sample adults 18+ with Medicare with Part B coverage or not known if they have

Part B coverage

Sources:

Question ID: INS.0110.00.1

Keywords: Medicare Advantage; Medicare Part C; Medicare Plus Choice; HMO

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

MCHMO\_A Medicare HMO

Code	Description	Frequency	Percent
1	Yes	2299	23.97
2	No	6658	69.40
7	Refused	11	0.11
8	Not Ascertained	34	0.35
9	Don't Know	591	6.16

### Variable Information:

Variable: MCADVR\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Medicare Advantage Plan

Recode: Yes

Universe: HHSTAT\_A=1 and MEDICARE\_A in (1,2) and MCPART\_A in (2,3,7,8,9) and (MCCHOICE\_A

 $= 1 \text{ or } MCHMO\_A = 1)$ 

Universe Description: Sample adults 18+ with a Medicare Advantage or Medicare HMO plan

Sources: MCANAME\_A

Question ID:

Keywords: Medicare Advantage; Medicare Part C; Medicare Plus Choice; Supplemental

Notes: Verbatim responses to MCANAME\_A are coded to Medicare Advantage or private plan

not Medicare Advantage (e.g. Medicare supplemental plan)

**Evaluation Report:** 

### **Unweighted frequencies:**

MCADVR\_A Medicare Advantage Plan

Code	Description	Frequency	Percent
1	Medicare Advantage	4195	91.73
2	Private plan not Medicare Advantage	88	1.92
7	Refused	33	0.72
8	Not Ascertained	55	1.20
9	Don't Know	202	4.42

### Variable Information:

Variable: MCDNCOV\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Does ^MEDADVNAME\_A pay for any of the costs for dental care?

Fills: ^MEDADVNAME\_A..... {value of MCANAME\_A}

**Description:** Medicare Advantage Plan pays for any dental care costs

Recode:

Universe: HHSTAT\_A=1 and (MCCHOICE\_A=1 or MCHMO\_A=1)

Universe Description: Sample adults 18+ with a Medicare Advantage plan or a Medicare managed care

arrangement

Sources:

Question ID: INS.0121.00.1

**Keywords:** benefit

Notes: This question was fielded starting in 2022

**Evaluation Report:** 

### **Unweighted frequencies:**

MCDNCOV\_A Medicare Advantage Plan pays for any dental care costs

Code	Description	Frequency	Percent
1	Yes	2895	63.31
2	No	1512	33.06
7	Refused	3	0.07
8	Not Ascertained	13	0.28
9	Don't Know	150	3.28

### Variable Information:

Variable: MCVSCOV\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Does ^MEDADVNAME\_A pay for any of the costs for routine vision care, such as

glasses and contact lenses?

Fills: ^MEDADVNAME\_A..... {value of MCANAME\_A}

Description: Medicare Advantage Plan pays for any vision care costs

Recode:

Universe: HHSTAT\_A=1 and (MCCHOICE\_A=1 or MCHMO\_A=1)

Universe Description: Sample adults 18+ with a Medicare Advantage plan or a Medicare managed care

arrangement

Sources:

Question ID: INS.0122.00.1

Keywords: benefit

Notes: This question was fielded starting in 2022

**Evaluation Report:** 

### **Unweighted frequencies:**

MCVSCOV\_A Medicare Advantage Plan pays for any vision care costs

Code	Description	Frequency	Percent
1	Yes	3314	72.47
2	No	1091	23.86
7	Refused	5	0.11
8	Not Ascertained	13	0.28
9	Don't Know	150	3.28

### <u>Variable Information:</u>

Variable: MCPARTD\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Are you enrolled in Medicare Part D, also known as the Medicare Prescription

Drug Plan?

**Description:** Medicare Part D

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A in (1,2)
Universe Description: Sample adults 18+ with Medicare

Sources:

Question ID: INS.0130.00.1

**Keywords:** Medicare; Prescription drug benefit; Part D

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

MCPARTD\_A Medicare Part D

Code	Description	Frequency	Percent
1	Yes	5035	50.10
2	No	4530	45.07
7	Refused	7	0.07
8	Not Ascertained	28	0.28
9	Don't Know	450	4.48

### Variable Information:

Variable: MEDICAID\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Medicaid recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND03\_A; MCAIDPRB\_A

Question ID:

Keywords: Medicaid; Title 19; Title XIX

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

MEDICAID\_A Medicaid recode

Code	Description	Frequency	Percent
1	Yes, information	3789	12.83
2	Yes, but no information	69	0.23
3	No	25583	86.66
7	Refused	35	0.12
8	Not Ascertained	0	0.00
9	Don't Know	46	0.16

### Variable Information:

Variable: MAXCHNG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Was your Medicaid obtained through Healthcare.gov or the ^MARKETPLACE?

Fills: ^MARKETPLACE..... Health Insurance marketplace names

**Description:** Medicaid through Marketplace

Recode:

Universe: HHSTAT\_A=1 and MEDICAID\_A in (1,2)
Universe Description: Sample adults 18+ with Medicaid

Sources:

Question ID: INS.0150.00.1

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

MAXCHNG\_A Medicaid through Marketplace

Code	Description	Frequency	Percent
1	Yes	1419	36.78
2	No	200	51.97
7	Refused		0.16
8	Not Ascertained	7"	7 2.00
9	Don't Know	35:	9.10

### <u>Variable Information:</u>

Variable: MAPREM\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

A health insurance premium is the amount you or a family member pay each month for health care coverage. Do you or a family member pay a premium for this

Medicaid plan?

Description: Medicaid premium

Recode:

Sources:

Question ID: INS.0160.00.1

Keywords: Premium

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

MAPREM\_A Medicaid premium

Code	Description	Frequency	Percent
1	Yes	166	4.30
2	No	3551	92.04
7	Refused	5	0.13
8	Not Ascertained	69	1.79
9	Don't Know	67	1.74

### Variable Information:

Variable: MADEDUC\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does

your Medicaid plan have an annual deductible?

\* Read if necessary: A deductible is different from a copay (copayment).

**Description:** Medicaid deductible

Recode:

Universe: HHSTAT\_A=1 and MEDICAID\_A in (1,2)

Universe Description: Sample adults 18+ with Medicaid

Sources:

Question ID: INS.0170.00.1
Keywords: Deductible

Notes:

Evaluation Report:

### Unweighted frequencies:

MADEDUC\_A Medicaid deductible

Code	Description	Frequency	Percent
1	Yes	134	3.47
2	No	3461	89.71
7	Refused	6	0.16
8	Not Ascertained	69	1.79
9	Don't Know	188	4.87

### Variable Information:

Variable: MAHDHP\_A
Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible

amounts here.

Fills: ^HDHPDED..... Deductible threshold (may change in future year)

**Description:** Medicaid HDHP

Recode:

Universe: HHSTAT\_A=1 and MEDICAID\_A in (1,2) and MADEDUC\_A = 1
Universe Description: Sample adults 18+ with Medicaid that has a deductible

Sources:

Question ID: INS.0180.00.1

Keywords: High deductible

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

MAHDHP\_A Medicaid HDHP

Code	Description	Frequency	Percent
1	Deductible is less than \$1,500	86	64.18
2	Deductible is \$1,500 or more	28	20.90
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	20	14.93

Variable Information:

Variable: MAFLG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Medicaid reassignment flag

Recode: Yes

Universe: HHSTAT\_A=1 and MEDICAID\_A in (1,2)

Universe Description: Sample adults 18+ with Medicaid

Sources: HIPNAM1\_A; HIPNAM2\_A

Question ID:

Keywords:

Notes: Flag indicating Sample Adult was reassigned from private health insurance to

Medicaio

**Evaluation Report:** 

**Unweighted frequencies:** 

MAFLG\_A Medicaid reassignment flag

Code	Description	Frequency	Percent
1	Reassigned to Medicaid from private	52	100.00

### Variable Information:

Variable: PRIVATE\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Private health insurance recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND01\_A; HIKIND03\_A

Question ID:

**Keywords:** Private health insurance

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

PRIVATE\_A Private health insurance recode

Code	Description	Frequency	Percent
1	Yes, information	18068	61.20
2	Yes, but no information	1	0.00
3	No	11327	38.37
7	Refused	49	0.17
8	Not Ascertained	0	0.00
9	Don't Know	77	0.26

### Variable Information:

Variable: EXCHANGE\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Plan through Health Insurance Exchange, NCHS algorithm

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A = 1

Universe Description: Sample adults 18+ with private health insurance with information

Sources: HIPNAM1\_A; HIPNAM2\_A; MACHMN\_A; CHNAME\_A; OPNAME\_A; OGNAME\_A

Question ID:

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes: Indicates Sample Adult is on an exchange plan based on NCHS algorithm

**Evaluation Report:** 

#### **Unweighted frequencies:**

EXCHANGE\_A Plan through Health Insurance Exchange, NCHS algorithm

Code	Description	Frequency	Percent
1	Exchange plan	1239	6.86
2	Not exchange plan	16829	93.14
8	Not Ascertained	0	0.00

#### Variable Information:

Variable: POLHLD1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

I am going to ask you some questions about ^FIRSTPLANA. Health insurance plans are usually obtained in one person's name even if other family members are covered by that plan. That person is called the policyholder. Are you the

policyholder for ^THISPLANA?

Fills: ^FIRSTPLANA..... this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

^THISPLANA..... this plan/^HIPNAM1\_A/^HIPNAM2\_A

**Description:** Policyholder for private plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources: POLHLD\_A

Question ID: INS.0370.01.1

Keywords: Policyholder

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

POLHLD1\_A Policyholder for private plan 1

Code	Description	Frequency	Percent
1	Yes	13643	75.51
2	No	3753	20.77
7	Refused	6	0.03
8	Not Ascertained	655	3.62
9	Don't Know	12	0.07

### Variable Information:

Variable: PRPLCOV1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Does this plan cover someone other than yourself?

**Description:** Plan coverage for others - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and POLHLD1\_A in (1,7,9)

Universe Description: Sample adults 18+ with private health insurance who are the policyholder or do

not know or refused if they are the policyholder for plan  ${\bf 1}$ 

Sources: PRPLCOV\_A
Question ID: INS.0380.01.1

**Keywords:** Policyholder

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

PRPLCOV1\_A Plan coverage for others - plan 1

Code	Description	Frequency	Percent
1	Yes	4651	34.05
2	No	8988	65.79
7	Refused	11	0.08
8	Not Ascertained	1	0.01
9	Don't Know	10	0.07

### Variable Information:

Variable: PRPOLH1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

How are you related to the policyholder? Are you the policyholder's child,

spouse, former spouse, or are you related in some other way?

**Description:** Relation to policyholder - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and POLHLD1\_A=2

Universe Description: Sample adults 18+ with private health insurance who are not the policyholder

for plan 1

Sources: PRPOLH\_A

Question ID: INS.0390.01.1

Keywords: Relation to policyholder

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

PRPOLH1\_A Relation to policyholder - plan 1

Code	Description	Frequency	Percent
1	Child	78	20.86
2	Spouse	279	3 74.42
3	Former spouse	2	9 0.77
4	Some other relationship	13	3.70
7	Refused		6 0.16
8	Not Ascertained		0.00
9	Don't Know		0.08

### Variable Information:

Variable: PRPLCOV1\_C\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Description: Response to PRPLCOV1\_C or PRPLCOV2\_C from child - plan 1

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and (FRMCP1\_1\_A=1 or FRMCP2\_1\_A=1)

Universe Description: Sample adults 18+ with private health insurance (plan 1) who share the sample

child's plan 1 or plan 2, response to PRPLCOV1\_C or PRPLCOV2\_C from sample

child

Sources: PRPLCOV1\_C; PRPLCOV2\_C

Question ID:

Keywords: Policyholder

Notes: Sample child's plan is shared with sample adult. Response to PRPLCOV1\_C or

PRPLCOV2\_C (unedited)

**Evaluation Report:** 

### **Unweighted frequencies:**

 $\label{eq:prplcov1_C_A} \textbf{PRPLCOV1\_C or PRPLCOV2\_C} \quad \textbf{from child - plan 1}$ 

Code	Description	Frequency	Percent
1	Yes	25	100.00
2	No	0	0.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

#### Variable Information:

Variable: PLNWRKR1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: Which one of these categories best describes how this plan was obtained? Was it

obtained through an employer or union, purchased directly, obtained through Healthcare.gov or the Affordable Care Act, also known as Obamacare, obtained through a state or local government or community program or obtained in some

other way?

Description: How plan was originally obtained - plan 1

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources: PLNWRK1\_A; PLNWKSP1\_A

Question ID:

**Keywords:** Employer-based; directly purchase

Notes: Includes both responses to PLNWRK1\_A and additional answer categories based on

editing of verbatim responses in PLNWKSP1\_A

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

PLNWRKR1\_A How plan was originally obtained - plan 1

Code	Description	Frequency	Percent
01	Through an employer, union, or professional organization	13513	74.79
02	Purchased directly	2944	16.29
03	Through Healthcare.gov or the Affordable Care Act, also known as Obamacare	584	3.23
04	Through a state or local government or community program	304	1.68
05	Other	26	0.14
06	Through school	30	0.17
07	Through parents	18	0.10
08	Through other relative	2	0.01
97	Refused	11	0.06
98	Not Ascertained	529	2.93
99	Don't Know	108	0.60

#### Variable Information:

Variable: PLNEXCHG1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Was the plan obtained through Healthcare.gov or the ^MARKETPLACE?

Fills: ^MARKETPLACE..... Health Insurance marketplace names

Description: Health plan obtained through Marketplace - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and PLNWRKR1\_A in (2,4,5,6,7,8,97,99)

Universe Description: Sample adults 18+ with private health insurance who indicated that their plan

was directly purchased, obtained through a state, local, government or

community program, obtained in some other way, or refused/don't know how it was

obtained - plan 1

Sources: PLNEXCHG\_A
Question ID: INS.0420.01.1

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes: Do not use this variable alone to determine whether a private plan was obtained

through an exchange.

**Evaluation Report:** 

### **Unweighted frequencies:**

PLNEXCHG1\_A Health plan obtained through Marketplace - plan 1

Code	Description	Frequency	Percent
1	Yes	570	16.56
2	No	2633	76.47
7	Refused	8	0.23
8	Not Ascertained	0	0.00
9	Don't Know	232	6.74

## <u>Variable Information:</u>

Variable: PLN1PAY1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by self or family - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources: PLNPAY\_A

Question ID: INS.0430.11.1

Keywords:

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

PLN1PAY1\_A Paid for by self or family - plan 1

Code	Description	Frequency	Percent
1	Mentioned	14559	80.57
2	Not mentioned	2630	14.56
7	Refused	17	0.09
8	Not Ascertained	654	3.62
9	Don't Know	209	1.16

## Variable Information:

Variable: PLN1PAY2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by employer or union - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources: PLNPAY\_A

Question ID: INS.0430.12.1

Keywords:

Notes:

**Evaluation Report:** 

## <u>Unweighted frequencies:</u>

PLN1PAY2\_A Paid for by employer or union - plan 1

Code	Description	Frequency	Percent
1	Mentioned	10171	56.29
2	Not mentioned	7018	38.84
7	Refused	17	0.09
8	Not Ascertained	654	3.62
9	Don't Know	209	1.16

## Variable Information:

Variable: PLN1PAY3\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by someone outside the household - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources: PLNPAY\_A

Question ID: INS.0430.13.1

Keywords:

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

PLN1PAY3\_A Paid for by someone outside the household - plan 1

Code	Description	Frequency	Percent
1	Mentioned	195	1.08
2	Not mentioned	16994	94.05
7	Refused	17	0.09
8	Not Ascertained	654	3.62
9	Don't Know	209	1.16

## <u>Variable Information:</u>

Variable: PLN1PAY4\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by Medicare - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources: PLNPAY\_A

Question ID: INS.0430.14.1

Keywords:

Notes:

Evaluation Report:

## **Unweighted frequencies:**

PLN1PAY4\_A Paid for by Medicare - plan 1

Code	Description	Frequency	Percent
1	Mentioned	342	1.89
2	Not mentioned	16847	93.24
7	Refused	17	0.09
8	Not Ascertained	654	3.62
9	Don't Know	209	1.16

## Variable Information:

Variable: PLN1PAY5\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by Medicaid - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources: PLNPAY\_A

Question ID: INS.0430.15.1

Keywords:

Notes:

Evaluation Report:

## **Unweighted frequencies:**

PLN1PAY5\_A Paid for by Medicaid - plan 1

Code	Description	Frequency	Percent
1	Mentioned	70	0.39
2	Not mentioned	17119	94.74
7	Refused	17	0.09
8	Not Ascertained	654	3.62
9	Don't Know	209	1.16

## Variable Information:

Variable: PLN1PAY6\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

Description: Paid for by other government program - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources: PLNPAY\_A

Question ID: INS.0430.16.1

Keywords:

Notes:

**Evaluation Report:** 

## <u>Unweighted frequencies:</u>

PLN1PAY6\_A Paid for by other government program - plan 1

Code	Description	Frequency	Percent
1	Mentioned	149	0.82
2	Not mentioned	17040	94.31
7	Refused	17	0.09
8	Not Ascertained	654	3.62
9	Don't Know	209	1.16

#### Variable Information:

Variable: HICOSTR1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 5

Question Text: ?[F1]

How much ^DOYOUFAM currently spend for health insurance premiums for

^FIRSTPLANA? Please include payroll deductions for premiums.

Fills: ^DOYOUFAM..... do you/does your family

^FIRSTPLANA..... this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

Description: Out-of-pocket premium cost - plan 1

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and PLN1PAY1\_A =1

Universe Description: Sample adults 18+ with private health insurance with plan paid by self or

family - plan 1

Sources: HICOSTN1\_A; HICOSTT1\_A

Question ID:

**Keywords:** Premium

Notes: This recode annualizes the amount spent on the sample adult's health insurance

premiums - plan 1

**Evaluation Report:** 

#### **Unweighted frequencies:**

HICOSTR1\_A Out-of-pocket premium cost - plan 1

Code	Description	Frequency	Percent
00001-39999	\$1 - \$39,999	10958	75.27
40000	\$40,000 or more	47	0.32
99997	Refused	255	1.75
99998	Not Ascertained	0	0.00
99999	Don't Know	3299	22.66

## Variable Information:

Variable: PRDEDUC1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does

this health plan have an annual deductible?

\* Read if necessary: A deductible is different from a copay (copayment).

**Description:** Deductible - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources: PRDEDUC\_A

Question ID: INS.0450.01.1

Keywords: Deductible

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

PRDEDUC1\_A Deductible - plan 1

Code	Description	Frequency	Percent
1	Yes	12554	69.48
2	No	4068	22.51
7	Refused	55	0.30
8	Not Ascertained	7	0.04
9	Don't Know	1385	7.67

#### Variable Information:

Variable: PRHDHP1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Is the ^FAM\_A annual deductible for medical care for this plan less than ^HDHPAMT\_A, or ^HDHPAMT\_A or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include

those deductible amounts here.

Fills: ^FAM\_A.... family

^HDHPAMT\_A.....^HDHPDED\_family/^HDHPDED

^HDHPDED\_family..... Family deductible threshold (may change in future

year)

^HDHPDED..... Deductible threshold (may change in future year)

Description: High deductible health plan - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and PRDEDUC1\_A=1

Universe Description: Sample adults 18+ with private health insurance who have a deductible for plan

1

Sources: PRHDHP\_A
Question ID: INS.0460.01.1

Question ib. 103.0400.01.1

Keywords: Consumer directed; High deductible; HDHP; CDHP

Notes: For a plan that covers only one person the deductible threshold is \$1,500. For

a plan that covers two or more persons the deductible threshold is \$3,000

**Evaluation Report:** 

## **Unweighted frequencies:**

PRHDHP1\_A High deductible health plan - plan 1

Code	Description	Frequency	Percent
1	Less than ^HDHPAMT_A	5937	47.29
2	^HDHPAMT_A or more	5483	43.68
7	Refused	25	0.20
8	Not Ascertained	0	0.00
9	Don't Know	1109	8.83

#### Variable Information:

Variable: HSAHRA1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: There are special accounts or funds that can be used to pay for medical

expenses, sometimes referred to as Health Savings Accounts or HSAs, Health Reimbursement Accounts or HRAs, Personal Care accounts, Personal Medical funds, or Choice funds. These are DIFFERENT from Flexible Spending Accounts or FSAs.

Is there one of these accounts or funds with this plan?

Description: Health Savings Accounts / Health Reimbursement Accounts - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and PRDEDUC1\_A=1 and PRHDHP1\_A in (2,7,8,9)

Universe Description: Sample adults 18+ with private health insurance who have or do not know if they

have a high deductible for plan 1

Sources: HSAHRA\_A

Question ID: INS.0470.01.1

Keywords: Consumer directed; CDHP; HSA; HRA

Notes:

**Evaluation Report:** 

## Unweighted frequencies:

HSAHRA1\_A Health Savings Accounts / Health Reimbursement Accounts - plan 1

Code	Description	Frequency	Percent
1	Yes	2461	37.19
2	No	3756	56.76
7	Refused	11	0.17
8	Not Ascertained	179	2.71
9	Don't Know	210	3.17

#### Variable Information:

Variable: PRRXCOV1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Does 'FIRSTPLANA pay for any of the costs for medications prescribed by a

doctor?

\* Read if necessary: Even if you have not used this benefit, please answer if this plan would cover at least some of the costs if you were prescribed

medications.

Fills: ^FIRSTPLANA...... this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

Description: Plan pays for prescription drug - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources: PRRXCOV\_A
Question ID: INS.0480.01.1

**Keywords:** Medications; Prescriptions

Notes:

**Evaluation Report:** 

## <u>Unweighted frequencies:</u>

PRRXCOV1\_A Plan pays for prescription drug - plan 1

Code	Description	Frequency	Percent
1	Yes	14940	82.68
2	No	2058	11.39
7	Refused	16	0.09
8	Not Ascertained	654	3.62
9	Don't Know	401	2.22

#### Variable Information:

Variable: PRDNCOV1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Does ^FIRSTPLANA pay for any of the costs for dental care?

\* Read if necessary: Even if you have not used this benefit, please answer if this plan would cover at least some of the costs if you did have dental care.

Fills: ^FIRSTPLANA...... this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

Description: Plan pays for dental care - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources: PRDNCOV\_A

Question ID: INS.0490.01.1

Keywords: Dental care

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

PRDNCOV1\_A Plan pays for dental care - plan 1

Code	Description	Frequency	Percent
1	Yes	6858	37.95
2	No	10119	56.00
7	Refused	19	0.11
8	Not Ascertained	648	3.59
9	Don't Know	425	2.35

#### Variable Information:

Variable: PRVSCOV1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Does ^FIRSTPLANA pay for any of the costs for routine vision care, such as

glasses and contact lenses?

\* Read if necessary: Even if you have not used this benefit, please answer if this plan would cover at least some of the costs if you did have vision care.

Fills: ^FIRSTPLANA..... this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

Description: Plan pays for vision care - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources: PRVSCOV\_A

Question ID: INS.0500.01.1

Keywords: Vision care

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

PRVSCOV1\_A Plan pays for vision care - plan 1

Code	Description	Frequency	Percent
1	Yes	7781	43.06
2	No	8994	49.78
7	Refused	16	0.09
8	Not Ascertained	648	3.59
9	Don't Know	630	3.49

## Variable Information:

Variable: EXCHPR1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Exchange company coding NCHS - plan 1

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A=1 and (HIKIND01\_A=1 or HIKIND03\_A=1)

Universe Description: Sample adults 18+ with private health insurance who initially indicated private

health insurance - plan 1

Sources: HIPNAM1\_A

Question ID:

Keywords: Private health insurance; Exchange

Notes: Internal coding of insurance plan names from private plan verbatim fields into

four categories - plan 1

**Evaluation Report:** 

## **Unweighted frequencies:**

EXCHPR1\_A Exchange company coding NCHS - plan 1

Code	Description	Frequency	Percent
1	Company provides exchange plans	11373	65.28
2	Not an exchange company	5071	29.11
3	Exchange Portal or exact exchange plan name	124	0.71
8	Not Ascertained	853	4.90

<u>Variable Information:</u>

Variable: PRFLG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text:

**Description:** Private reassignment flag

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources:

Question ID:

**Keywords:** Private health insurance

Notes: Flag indicating Sample Adult was reassigned from public health coverage

(Medicaid, CHIP, state-sponsored plan, other government) to private

**Evaluation Report:** 

#### **Unweighted frequencies:**

PRFLG\_A Private reassignment flag

Code	Description	Frequency	Percent
1	Reassigned to private from public	647	100.00

## Variable Information:

Variable: PXCHNG1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text:

Description: Marketplace or state exchange, reassigned from public to private

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and PRFLG\_A=1

Universe Description: Sample adults 18+ with private health insurance whose information was

originally collected in Medicaid, CHIP, state-sponsored plan, or other  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ 

government program

Sources: MAXCHNG\_A; CHXCHNG\_A; OPXCHNG\_A

Question ID:

**Keywords:** Private health insurance; Exchange

Notes: Indicates that plan was obtained on Healthcare.gov, Health Insurance

Marketplace or state-based exchange for a plan that has been reassigned from

public to private

**Evaluation Report:** 

## **Unweighted frequencies:**

PXCHNG1\_A Marketplace or state exchange, reassigned from public to private

Code	Description	Frequency	Percent
1	Yes	384	59.35
2	No	253	39.10
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	10	1.55

## Variable Information:

Variable: PRPREM1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Premium on plan reassigned from public to private

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and PRFLG\_A=1

Universe Description: Sample adults 18+ with private health insurance whose information was

originally collected in Medicaid, CHIP, state-sponsored plan, or other

government program

Sources: MAPREM\_A; CHPREM\_A; OPPREM\_A; OGPREM\_A

Question ID:

Keywords: Private health insurance; Premium; Enrollment fee

Notes: Indicates that there is an enrollment fee or premium for a plan that has been

reassigned from public to private

**Evaluation Report:** 

### **Unweighted frequencies:**

PRPREM1\_A Premium on plan reassigned from public to private

Code	Description	Frequency	Percent
1	Yes	417	64.45
2	No	214	33.08
7	Refused	1	0.15
8	Not Ascertained	0	0.00
9	Don't Know	15	2.32

## Variable Information:

Variable: PLEXCHPR1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text:

Description: Exchange company coding, NCHS, reassigned from public to private

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and PRFLG\_A=1

Universe Description: Sample adults 18+ with private health insurance whose information was

originally collected in Medicaid, CHIP, state-sponsored plan, or other  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ 

government program

Sources: MACHMN\_A; CHNAME\_A; OPNAME\_A; OGNAME\_A

Question ID:

Keywords: Private health insurance; Exchange

Notes: Plan has been reassigned from public to private and this is the internal coding

from verbatim fields into four categories.

**Evaluation Report:** 

### **Unweighted frequencies:**

PLEXCHPR1\_A Exchange company coding, NCHS, reassigned from public to private

Code	Description	Frequency	Percent
1	Company provides exchange plans	287	44.36
2	Not an exchange company	178	27.51
3	Exchange Portal or exact exchange plan name	130	20.09
8	Not Ascertained	52	8.04

#### Variable Information:

Variable: POLHLD2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

I am going to ask you some questions about ^FIRSTPLANA. Health insurance plans are usually obtained in one person's name even if other family members are covered by that plan. That person is called the policyholder. Are you the

policyholder for ^THISPLANA?

Fills: ^FIRSTPLANA..... this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

^THISPLANA..... this plan/^HIPNAM1\_A/^HIPNAM2\_A

**Description:** Policyholder for private plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne ' '

Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources: POLHLD\_A

Question ID: INS.0370.02.1
Keywords: Policyholder

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

POLHLD2\_A Policyholder for private plan 2

Code	Description	Frequency	Percent
1	Yes	364	69.47
2	No	157	29.96
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.57

## Variable Information:

Variable: PRPLCOV2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Does this plan cover someone other than yourself?

**Description:** Plan coverage for others - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne ' ' and POLHLD2\_A in (1,7,9)

Universe Description: Sample adults 18+ with private health insurance who are the policyholder or do

not know or refused if they are the policyholder for plan 2

Sources: PRPLCOV\_A

Question ID: INS.0380.02.1

Keywords:

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

PRPLCOV2\_A Plan coverage for others - plan 2

Code	Description	Frequency	Percent
1	Yes	126	34.33
2	No	239	65.12
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	0.54

## Variable Information:

Variable: PRPOLH2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

How are you related to the policyholder? Are you the policyholder's child,

spouse, former spouse, or are you related in some other way?

**Description:** Relation to policyholder - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl' and POLHLD2\_A =2

Universe Description: Sample adults 18+ with private health insurance who are not the policyholder

for plan 2

Sources: PRPOLH\_A

Question ID: INS.0390.02.1

Keywords: Relation to policyholder

Notes:

**Evaluation Report:** 

## <u>Unweighted frequencies:</u>

PRPOLH2\_A Relation to policyholder - plan 2

Code	Description	Frequency	Percent
1	Child	30	19.11
2	Spouse	118	75.16
3	Former spouse	2	1.27
4	Some other relationship	4	2.55
7	Refused	2	1.27
8	Not Ascertained	0	0.00
9	Don't Know	1	0.64

## Variable Information:

Variable: PRPLCOV2\_C\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Description: Response to PRPLCOV1\_C or PRPLCOV2\_C from child - plan 2

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl' and (FRMCP1\_2\_A=1 or

FRMCP2\_2\_A=1)

Universe Description: Sample adults 18+ with private health insurance (plan 2) who share the sample

child's plan 1 or plan 2, response to PRPLCOV1\_C or PRPLCOV2\_C from sample

child

Sources: PRPLCOV1\_C; PRPLCOV2\_C

Question ID:

Keywords: Policyholder

Notes: Sample child's plan is shared with sample adult. Response to PRPLCOV1\_C or

PRPLCOV2\_C (unedited)

**Evaluation Report:** 

### **Unweighted frequencies:**

 $\label{eq:prplcov2_c_A} \textbf{PRPLCOV2\_C a} \quad \textbf{Response to PRPLCOV1\_C or PRPLCOV2\_C from child - plan 2}$ 

Code	Description	Frequency	Percent
1	Yes	4	100.00
2	No	0	0.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

#### Variable Information:

Variable: PLNWRKR2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: Which one of these categories best describes how this plan was obtained? Was it

obtained through an employer or union, purchased directly, obtained through Healthcare.gov or the Affordable Care Act, also known as Obamacare, obtained through a state or local government or community program or obtained in some

other way?

Description: How plan was originally obtained - plan 2

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'
Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources: PLNWRK2\_A; PLNWKSP2\_A

Question ID:

**Keywords:** Employer-based; directly purchased

Notes: Includes both responses to PLNWRK2\_A and additional answer categories based on

editing of verbatim responses in PLNWKSP2\_A

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

PLNWRKR2\_A How plan was originally obtained - plan 2

Code	Description	Frequency	Percent
01	Through an employer, union, or professional organization	384	73.28
02	Purchased directly	109	20.80
03	Through Healthcare.gov or the Affordable Care Act, also known as Obamacare	5	0.95
04	Through a state or local government or community program	19	3.63
05	Other	2	0.38
06	Through school	0	0.00
07	Through parents	0	0.00
08	Through other relative	0	0.00
97	Refused	1	0.19
98	Not Ascertained	0	0.00
99	Don't Know	4	0.76

### Variable Information:

Variable: PLNEXCHG2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Was the plan obtained through Healthcare.gov or the ^MARKETPLACE?

Fills: ^MARKETPLACE..... Health Insurance marketplace names

**Description:** Health plan obtained through Marketplace - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'b1' and PLNWRKR2\_A in

(2,4,5,6,7,8,97,99)

Universe Description: Sample adults 18+ with private health insurance who indicated that their plan

was directly purchased, obtained through a state, local, government or community program, obtained in some other way, or refused/don't know how it was

obtained - plan 2

Sources: PLNEXCHG\_A
Question ID: INS.0420.02.1

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes: Do not use this variable alone to determine whether a private plan was obtained

through an exchange.

**Evaluation Report:** 

### **Unweighted frequencies:**

PLNEXCHG2\_A Health plan obtained through Marketplace - plan 2

Code	Description	Frequency	Percent
1	Yes	19	14.07
2	No	107	79.26
7	Refused	1	0.74
8	Not Ascertained	0	0.00
9	Don't Know	8	5.93

## Variable Information:

Variable: PLN2PAY1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by self or family - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'
Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources: PLNPAY\_A

Question ID: INS.0430.21.1

Keywords:

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

PLN2PAY1\_A Paid for by self or family - plan 2

Code	Description	Frequency	Percent
1	Mentioned	408	77.86
2	Not mentioned	101	19.27
7	Refused	2	0.38
8	Not Ascertained	0	0.00
9	Don't Know	13	2.48

## Variable Information:

Variable: PLN2PAY2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by employer or union - plan 2

Recode:

Length:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'
Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources: PLNPAY\_A

Question ID: INS.0430.22.1

Keywords:

Notes:

Evaluation Report:

## <u>Unweighted frequencies:</u>

PLN2PAY2\_A Paid for by employer or union - plan 2

Code	Description	Frequency	Percent
1	Mentioned	272	51.91
2	Not mentioned	237	45.23
7	Refused	2	0.38
8	Not Ascertained	0	0.00
9	Don't Know	13	2.48

## Variable Information:

Variable: PLN2PAY3\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by someone outside the household - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'
Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources: PLNPAY\_A

Question ID: INS.0430.23.1

Keywords:

Notes:

**Evaluation Report:** 

## <u>Unweighted frequencies:</u>

PLN2PAY3\_A Paid for by someone outside the household - plan 2

Code	Description	Frequency	Percent
1	Mentioned	4	0.76
2	Not mentioned	505	96.37
7	Refused	2	0.38
8	Not Ascertained	0	0.00
9	Don't Know	13	2.48

## Variable Information:

Variable: PLN2PAY4\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by Medicare - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'
Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources: PLNPAY\_A

Question ID: INS.0430.24.1

Keywords:

Notes:

Evaluation Report:

## **Unweighted frequencies:**

PLN2PAY4\_A Paid for by Medicare - plan 2

Code	Description	Frequency	Percent
1	Mentioned	8	1.53
2	Not mentioned	501	95.61
7	Refused	2	0.38
8	Not Ascertained	0	0.00
9	Don't Know	13	2.48

## Variable Information:

Variable: PLN2PAY5\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by Medicaid - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'
Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources: PLNPAY\_A

Question ID: INS.0430.25.1

Keywords:

Notes:

Evaluation Report:

## **Unweighted frequencies:**

PLN2PAY5\_A Paid for by Medicaid - plan 2

Code	Description	Frequency	Percent
1	Mentioned	2	0.38
2	Not mentioned	507	96.76
7	Refused	2	0.38
8	Not Ascertained	0	0.00
9	Don't Know	13	2.48

## Variable Information:

Variable: PLN2PAY6\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by other government program - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'
Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources: PLNPAY\_A

Question ID: INS.0430.26.1

Keywords:
Notes:

Evaluation Report:

## <u>Unweighted frequencies:</u>

PLN2PAY6\_A Paid for by other government program - plan 2

Code	Description	Frequency	Percent
1	Mentioned	11	2.10
2	Not mentioned	498	95.04
7	Refused	2	0.38
8	Not Ascertained	0	0.00
9	Don't Know	13	2.48

#### Variable Information:

Variable: HICOSTR2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 5

Question Text: ?[F1]

How much ^DOYOUFAM currently spend for health insurance premiums for

^FIRSTPLANA? Please include payroll deductions for premiums.

Fills: ^DOYOUFAM..... do you/does your family

^FIRSTPLANA..... this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

**Description:** Out-of-pocket premium cost - plan 2

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl' and PLN2PAY1\_A =1

Universe Description: Sample adults 18+ with private health insurance with plan paid by self or

family - plan 2

Sources: HICOSTN2\_A; HICOSTT2\_A

Question ID:

**Keywords:** Premium

Notes: This recode annualizes the amount spent on the sample adult's health insurance

premiums - plan 2

**Evaluation Report:** 

#### **Unweighted frequencies:**

HICOSTR2\_A Out-of-pocket premium cost - plan 2

Code	Description	Frequency	Percent
00001-39999	\$1 - \$39,999	280	68.63
40000	\$40,000 or more	0	0.00
99997	Refused	6	1.47
99998	Not Ascertained	0	0.00
99999	Don't Know	122	29.90

## Variable Information:

Variable: PRDEDUC2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does

this health plan have an annual deductible?

\* Read if necessary: A deductible is different from a copay (copayment).

**Description:** Deductible - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'

Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources: PRDEDUC\_A

Question ID: INS.0450.02.1

Keywords: Deductible

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

PRDEDUC2\_A Deductible - plan 2

Code	Description	Frequency	Percent
1	Yes	207	39.50
2	No	223	42.56
7	Refused	5	0.95
8	Not Ascertained	0	0.00
9	Don't Know	89	16.98

#### Variable Information:

Variable: PRHDHP2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult Data Type: Numeric

Length:

Question Text: ?[F1]

> Is the  $^FAM_A$  annual deductible for medical care for this plan less than ^HDHPAMT\_A, or ^HDHPAMT\_A or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include

those deductible amounts here.

Fills: ^FAM\_A.... family

> ^HDHPAMT\_A..... ^HDHPDED\_family/^HDHPDED

^HDHPDED\_family..... Family deductible threshold (may change in future

year)

^HDHPDED..... Deductible threshold (may change in future year)

Description: High deductible health plan - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl' and PRDEDUC2\_A=1

Universe Description: Sample adults 18+ with private health insurance who have a deductible for plan

Sources: PRHDHP A

Question ID: INS.0460.02.1

Keywords: Consumer directed; High deductible; HDHP; CDHP

Notes: For a plan that covers only one person the deductible threshold is \$1,500. For

a plan that covers two or more persons the deductible threshold is \$3,000.

**Evaluation Report:** 

## **Unweighted frequencies:**

PRHDHP2\_A High deductible health plan - plan 2

Code	Description	Frequency	Percent
1	Less than ^HDHPAMT_A	133	64.25
2	^HDHPAMT_A or more	55	26.57
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	19	9.18

#### Variable Information:

Variable: HSAHRA2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: There are special accounts or funds that can be used to pay for medical

expenses, sometimes referred to as Health Savings Accounts or HSAs, Health Reimbursement Accounts or HRAs, Personal Care accounts, Personal Medical funds, or Choice funds. These are DIFFERENT from Flexible Spending Accounts or FSAs.

Is there one of these accounts or funds with this plan?

**Description:** Health Savings Accounts / Health Reimbursement Accounts - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl' and PRDEDUC2\_A=1 and

PRHDHP2\_A in (2,7,8,9)

Universe Description: Sample adults 18+ with private health insurance who have or do not know if they

have a high deductible for plan 2

Sources: HSAHRA\_A
Question ID: INS.0470.02.1

Keywords: Consumer directed; CDHP; HSA; HRA

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

HSAHRA2\_A Health Savings Accounts / Health Reimbursement Accounts - plan 2

Code	Description	Frequency	Percent
1	Yes	19	25.68
2	No	52	70.27
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	4.05

#### Variable Information:

Variable: PRRXCOV2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Does ^FIRSTPLANA pay for any of the costs for medications prescribed by a

doctor?

\* Read if necessary: Even if you have not used this benefit, please answer if this plan would cover at least some of the costs if you were prescribed

medications.

Fills: ^FIRSTPLANA...... this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

**Description:** Plan pays for prescription drug - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'
Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources: PRRXCOV\_A
Question ID: INS.0480.02.1

**Keywords:** Medications; Prescriptions

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

PRRXCOV2\_A Plan pays for prescription drug - plan 2

Code	Description	Frequency	Percent
1	Yes	277	52.86
2	No	200	38.17
7	Refused	2	0.38
8	Not Ascertained	0	0.00
9	Don't Know	45	8.59

#### Variable Information:

Variable: PRDNCOV2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Does ^FIRSTPLANA pay for any of the costs for dental care?

\* Read if necessary: Even if you have not used this benefit, please answer if this plan would cover at least some of the costs if you did have dental care.

Fills: ^FIRSTPLANA...... this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

**Description:** Plan pays for dental care - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'
Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources: PRDNCOV\_A
Question ID: INS.0490.02.1

Keywords: Dental care

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

PRDNCOV2\_A Plan pays for dental care - plan 2

Code	Description	Frequency	Percent
1	Yes	297	56.68
2	No	215	41.03
7	Refused	2	0.38
8	Not Ascertained	0	0.00
9	Don't Know	10	1.91

#### Variable Information:

Variable: PRVSCOV2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Does ^FIRSTPLANA pay for any of the costs for routine vision care, such as

glasses and contact lenses?

\* Read if necessary: Even if you have not used this benefit, please answer if this plan would cover at least some of the costs if you did have vision care.

Fills: ^FIRSTPLANA..... this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

**Description:** Plan pays for vision care - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'

Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources: PRVSCOV\_A

Question ID: INS.0500.02.1

Keywords: Vision care

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

PRVSCOV2\_A Plan pays for vision care - plan 2

Code	Description	Frequency	Percent
1	Yes	195	37.21
2	No	314	59.92
7	Refused	2	0.38
8	Not Ascertained	0	0.00
9	Don't Know	13	2.48

### Variable Information:

Variable: EXCHPR2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Exchange company coding NCHS - plan 2

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A=1 and (HIKIND01\_A=1 or HIKIND03\_A=1) and HIPNAM2\_A ne

'bl'

Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources: HIPNAM2\_A

Question ID:

Keywords: Private health insurance; Exchange

Notes: Internal coding of insurance plan names from private plan verbatim fields into

four categories - plan 2

**Evaluation Report:** 

### **Unweighted frequencies:**

EXCHPR2\_A Exchange company coding NCHS - plan 2

Code	Description	Frequency	Percent
1	Company provides exchange plans	183	34.92
2	Not an exchange company	232	44.27
3	Exchange Portal or exact exchange plan name	0	0.00
8	Not Ascertained	109	20.80

Variable Information:

Variable: CHIP\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Children's Health Insurance Program (CHIP) recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND05\_A

Question ID:

Keywords: CHIP

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

CHIP\_A Children's Health Insurance Program (CHIP) recode

Code	Description	Frequency	Percent
1	Yes, information	3	0.01
2	Yes, but no information	0	0.00
3	No	29393	99.56
7	Refused	49	0.17
8	Not Ascertained	0	0.00
9	Don't Know	77	0.26

### Variable Information:

Variable: CHXCHNG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Was your CHIP plan obtained through Healthcare.gov or the ^MARKETPLACE?

Fills: ^MARKETPLACE..... Health Insurance marketplace names

Description: CHIP through Marketplace

Recode:

Universe: HHSTAT\_A=1 and CHIP\_A in (1,2)

Universe Description: Sample adults 18+ with Children's Health Insurance Program (CHIP)

Sources:

Question ID: INS.0520.00.1

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes:

Evaluation Report:

#### <u>Unweighted frequencies:</u>

CHXCHNG\_A CHIP through Marketplace

Code	Description	Frequency	Percent
1	Yes	1	33.33
2	No	1	33.33
7	Refused	0	0.00
8	Not Ascertained	e	0.00
9	Don't Know	1	33.33

<u>Variable Information:</u>

Variable: CHPREM\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

A health insurance premium is the amount you or a family member pays each month for health care coverage. Do you or a family member pay a premium for this CHIP

plan?

Description: Pay CHIP premium

Recode:

Universe: HHSTAT\_A=1 and CHIP\_A in (1,2)

Universe Description: Sample adults 18+ with Children's Health Insurance Program (CHIP)

Sources:

Question ID: INS.0530.00.1

Keywords: Premium

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

CHPREM\_A Pay CHIP premium

Code	Description	Frequency	Percent
1	Yes	1	33.33
2	No	2	66.67
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

### Variable Information:

Variable: CHDEDUC\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does

your CHIP plan have an annual deductible?

\* Read if necessary: A deductible is different from a copay (copayment).

**Description:** CHIP deductible

Recode:

Universe: HHSTAT\_A=1 and CHIP\_A in (1,2)

Universe Description: Sample adults 18+ with Children's Health Insurance Program (CHIP)

Sources:

Question ID: INS.0540.00.1
Keywords: Deductible

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

CHDEDUC\_A CHIP deductible

Code	Description	Frequency	Percent
1	Yes	1	33.33
2	No	1	33.33
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	33.33

### Variable Information:

Variable: CHHDHP\_A
Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible

amounts here.

Fills: ^HDHPDED..... Deductible threshold (may change in future year)

Description: CHIP HDHP

Recode:

Universe: HHSTAT\_A=1 and CHIP\_A in (1,2) and CHDEDUC\_A=1

Universe Description: Sample adults 18+ with Children's Health insurance Program (CHIP) with a

deductible

Sources:

Question ID: INS.0550.00.1

Keywords:
Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

CHHDHP\_A CHIP HDHP

Code	Description	Frequency	Percent
1	Deductible is less than \$1,500	1	100.00
2	Deductible is \$1,500 or more	0	0.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

<u>Variable Information:</u>

Variable: CHFLG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** CHIP reassignment flag

Recode: Yes

Universe: HHSTAT\_A=1 and CHIP\_A in (1,2)

Universe Description: Sample adults 18+ with Children's Health Insurance Program (CHIP)

Sources:

Question ID:

Keywords:

Notes: Flag indicating Sample Adult was reassigned from private health insurance to

State Children's Health Insurance Program (CHIP)

**Evaluation Report:** 

**Unweighted frequencies:** 

CHFLG\_A CHIP reassignment flag

Code	Description	Frequency	Percent
1	Reassigned to CHIP from private	0	

### Variable Information:

Variable: OTHPUB\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** State-sponsored health plan recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND08\_A

Question ID:

**Keywords:** State-sponsored health plan

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

OTHPUB\_A State-sponsored health plan recode

Code	Description	Frequency	Percent
1	Yes, information	167	0.57
2	Yes, but no information	0	0.00
3	No	29229	99.01
7	Refused	49	0.17
8	Not Ascertained	0	0.00
9	Don't Know	77	0.26

### Variable Information:

Variable: OPXCHNG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Was your state-sponsored plan obtained through Healthcare.gov or the

^MARKETPLACE?

Fills: ^MARKETPLACE..... Health Insurance marketplace names

**Description:** State-sponsored plan through Marketplace

Recode:

Universe: HHSTAT\_A=1 and OTHPUB\_A in (1,2)

Universe Description: Sample adults 18+ with state-sponsored plan

Sources:

Question ID: INS.0570.00.1

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

OPXCHNG\_A State-sponsored plan through Marketplace

Code	Description	Frequency	Percent
1	Yes	29	17.37
2	No	122	73.05
7	Refused	2	1.20
8	Not Ascertained	0	0.00
9	Don't Know	14	8.38

### Variable Information:

Variable: OPPREM\_A Module: Adult

Section: INS : Health Insurance

File(s): Adult Data Type: Numeric

Length:

Question Text: ?[F1]

A health insurance premium is the amount you or a family member pays each month

for health care coverage. Do you or a family member pay a premium for this

state-sponsored plan?

Description: Pay premium for state-sponsored plan

Recode:

Universe: HHSTAT\_A=1 and OTHPUB\_A in (1,2)

Universe Description: Sample adults 18+ with state-sponsored plan

Sources:

Question ID: INS.0580.00.1

Keywords: Premium

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

OPPREM\_A Pay premium for state-sponsored plan

Code	Description	Frequency	Percent
1	Yes	44	26.35
2	No	115	68.86
7	Refused	2	1.20
8	Not Ascertained	0	0.00
9	Don't Know	6	3.59

### Variable Information:

Variable: OPDEDUC\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does

your state-sponsored plan have an annual deductible?

\* Read if necessary: A deductible is different from a copay (copayment).

**Description:** State-sponsored plan deductible

Recode:

Universe: HHSTAT\_A=1 and OTHPUB\_A in (1,2)

Universe Description: Sample adults 18+ with state-sponsored plan

Sources:

Question ID: INS.0590.00.1
Keywords: Deductible

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

OPDEDUC\_A State-sponsored plan deductible

Code	Description	Frequency	Percent
1	Yes	50	29.94
2	No	104	62.28
7	Refused	2	1.20
8	Not Ascertained	0	0.00
9	Don't Know	11	6.59

### Variable Information:

Variable: OPHDHP\_A
Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible

amounts here.

Fills: ^HDHPDED..... Deductible threshold (may change in future year)

**Description:** State-sponsored plan HDHP

Recode:

Universe: HHSTAT\_A=1 and OTHPUB\_A in (1,2) and OPDEDUC\_A=1

Universe Description: Sample adults 18+ with state-sponsored plan with a deductible

Sources:

Question ID: INS.0600.00.1

Keywords: Consumer directed; High deductible; HDHP; CDHP

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

OPHDHP\_A State-sponsored plan HDHP

Code	Description	Frequency	Percent
1	Deductible is less than \$1,500	28	56.00
2	Deductible is \$1,500 or more	12	24.00
7	Refused	1	2.00
8	Not Ascertained	0	0.00
9	Don't Know	9	18.00

### Variable Information:

Variable: PLEXCHOP\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Exchange company coding, NCHS (state-sponsored plan)

Recode: Yes

Universe: HHSTAT\_A=1 and OTHPUB\_A in (1,2)

Universe Description: Sample adults 18+ with state-sponsored plan

Sources: OPNAME\_A

Question ID:

**Keywords:** State-sponsored health plan

Notes: Internal coding of other state-sponsored plan name from verbatim field into

four categories

**Evaluation Report:** 

#### **Unweighted frequencies:**

PLEXCHOP\_A Exchange company coding, NCHS (state-sponsored plan)

Code	Description	Frequency	Percent
1	Company provides exchange plans	94	56.29
2	Not an exchange company	44	26.35
3	Exchange Portal or exact exchange plan name	0	0.00
8	Not Ascertained	29	17.37

<u>Variable Information:</u>

Variable: OPFLG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** State-sponsored reassignment flag

Recode: Yes

Universe: HHSTAT\_A=1 and OTHPUB\_A in (1,2)

Universe Description: Sample adults 18+ with state-sponsored plan

Sources:

Question ID:

**Keywords:** State-sponsored health plan

Notes: Flag indicating Sample Adult was reassigned from private health insurance to

other state-sponsored coverage

**Evaluation Report:** 

#### **Unweighted frequencies:**

OPFLG\_A State-sponsored reassignment flag

Code	Description	Frequency	Percent
1	Reassigned to other public from private	0	

### Variable Information:

Variable: OTHGOV\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Other government program recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND09\_A

Question ID:

Keywords: Other government program

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

OTHGOV\_A Other government program recode

Code	Description	Frequency	Percent
1	Yes, information	69	0.23
2	Yes, but no information	0	0.00
3	No	29327	99.34
7	Refused	49	0.17
8	Not Ascertained	0	0.00
9	Don't Know	77	0.26

### Variable Information:

Variable: OGXCHNG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Was your other government plan obtained through Healthcare.gov or the

^MARKETPLACE?

Fills: ^MARKETPLACE..... Health Insurance marketplace names

**Description:** Other government program through Marketplace

Recode:

Universe: HHSTAT\_A=1 and OTHGOV\_A in (1,2)

Universe Description: Sample adults 18+ with other government coverage

Sources:

Question ID: INS.0620.00.1

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

 ${\tt OGXCHNG\_A} \qquad {\tt Other \ government \ program \ through \ Marketplace}$ 

Code	Description	Frequency	Percent
1	Yes	11	15.94
2	No	56	81.16
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	2.90

### Variable Information:

Variable: OGPREM\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

A health insurance premium is the amount you or a family member pays each month

for health care coverage. Do you or a family member pay a premium for your

other government plan?

**Description:** Pay premium for other government program

Recode:

Universe: HHSTAT\_A=1 and OTHGOV\_A in (1,2)

Universe Description: Sample adults 18+ with other government coverage

Sources:

Question ID: INS.0630.00.1

Keywords: Premium

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

OGPREM\_A Pay premium for other government program

Code	Description	Frequency	Percent
1	Yes	31	44.93
2	No	35	50.72
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	4.35

### Variable Information:

Variable: OGDEDUC\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does

your other government plan have an annual deductible?

\* Read if necessary: A deductible is different from a copay (copayment).

**Description:** Other government program deductible

Recode:

Universe: HHSTAT\_A=1 and OTHGOV\_A in (1,2)

Universe Description: Sample adults 18+ with other government coverage

Sources:

Question ID: INS.0640.00.1
Keywords: Deductible

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

OGDEDUC\_A Other government program deductible

Code	Description	Frequency	Percent
1	Yes	22	31.88
2	No	42	60.87
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	5	7.25

### Variable Information:

Variable: OGHDHP\_A
Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible

amounts here.

Fills: ^HDHPDED..... Deductible threshold (may change in future year)

**Description:** Other government program HDHP

Recode:

Universe: HHSTAT\_A=1 and OTHGOV\_A in (1,2) and OGDEDUC\_A=1

Universe Description: Sample adults 18+ with other government coverage with a deductible

Sources:

Question ID: INS.0650.00.1

Keywords: Consumer directed; High deductible; HDHP; CDHP

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

OGHDHP\_A Other government program HDHP

Code	Description	Frequency	Percent
1	Deductible is less than \$1,500	9	40.91
2	Deductible is \$1,500 or more	13	59.09
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

### Variable Information:

Variable: PLEXCHOG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Exchange company coding, NCHS (other government program)

Recode: Yes

Universe: HHSTAT\_A=1 and OTHGOV\_A in (1,2)

Universe Description: Sample adults 18+ with other government coverage

Sources: OGNAME\_A

Question ID:

Keywords: Other government program

Notes: Internal coding of other government plan name from verbatim field into four

categories

**Evaluation Report:** 

#### **Unweighted frequencies:**

PLEXCHOG\_A Exchange company coding, NCHS (other government program)

Code	Description	Frequency	Percent
1	Company provides exchange plans	38	55.07
2	Not an exchange company	12	17.39
3	Exchange Portal or exact exchange plan name	0	0.00
8	Not Ascertained	19	27.54

<u>Variable Information:</u>

Variable: OGFLG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Other government reassignment flag

Recode: Yes

Universe: HHSTAT\_A=1 and OTHGOV\_A in (1,2)

Universe Description: Sample adults 18+ with other government coverage

Sources:

Question ID:

Keywords: Other government program

Notes: Flag indicating Sample Adult was reassigned from private health insurance to

other government coverage

**Evaluation Report:** 

**Unweighted frequencies:** 

OGFLG\_A Other government reassignment flag

Code	Description	Frequency	Percent
1	Reassigned to other government from private	0	

### Variable Information:

Variable: MILITARY\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Military health care coverage recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND06\_A; VAHOSP\_A; VACAREEV\_A

Question ID:

Keywords: VA; TRICARE(CHAMPUS); CHAMP-VA; Military health care

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

MILITARY\_A Military health care coverage recode

Code	Description	Frequency	Percent
1	Yes, information	1811	6.13
2	Yes, but no information	0	0.00
3	No	27588	93.45
7	Refused	48	0.16
8	Not Ascertained	0	0.00
9	Don't Know	75	0.25

### Variable Information:

Variable: MILSPC1R\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Types of military health care - VA health care

Recode: Yes

Universe: HHSTAT\_A=1 and MILITARY\_A in (1,2)

Universe Description: Sample adults 18+ with military health care coverage

Sources: MILSPC1\_A; VAHOSP\_A; VACAREEV\_A

Question ID:

Keywords: VA health care

Notes: This incorporates original response to VA coverage (from MILSPC1\_A) plus

positive responses to VAHOSP\_A or VACAREEV\_A in the VET section.

**Evaluation Report:** 

#### **Unweighted** frequencies:

MILSPC1R\_A Types of military health care - VA health care

Code	Description	Frequency	Percent
1	Mentioned	1242	68.58
2	Not mentioned	564	31.14
7	Refused	2	0.11
8	Not Ascertained	0	0.00
9	Don't Know	3	0.17

### Variable Information:

Variable: MILSPC2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Earlier I recorded that you are covered by military related health care. What

types of military related health care are you covered by?

\* Enter all that apply, separate with commas.

**Description:** Types of military health care - TRICARE

Recode:

Universe: HHSTAT\_A=1 and MILITARY\_A in (1,2)

Universe Description: Sample adults 18+ with military health care coverage

Sources: MILSPC\_A

Question ID: INS.0660.02.1

Keywords: TRICARE (CHAMPUS)

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

MILSPC2\_A Types of military health care - TRICARE

Code	Description	Frequency	Percent
1	Mentioned	767	42.35
2	Not mentioned	1028	56.76
7	Refused	3	0.17
8	Not Ascertained	0	0.00
9	Don't Know	13	0.72

### Variable Information:

Variable: MILSPC3\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Earlier I recorded that you are covered by military related health care. What

types of military related health care are you covered by?

\* Enter all that apply, separate with commas.

**Description:** Types of military health care - CHAMP-VA

Recode:

Universe: HHSTAT\_A=1 and MILITARY\_A in (1,2)

Universe Description: Sample adults 18+ with military health care coverage

Sources: MILSPC\_A

Question ID: INS.0660.03.1

Keywords: CHAMP-VA

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

MILSPC3\_A Types of military health care - CHAMP-VA

	31		
Code	Description	Frequency	Percent
1	Mentioned	51	2.82
2	Not mentioned	1744	96.30
7	Refused	3	0.17
8	Not Ascertained	0	0.00
9	Don't Know	13	0.72

Variable Information:

Variable: IHS\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Indian Health Service recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND07\_A

Question ID:

Keywords: Indian Health Service

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

IHS\_A Indian Health Service recode

Code	Description	Frequency	Percent
1	Yes	121	0.41
2	No	29275	99.16
7	Refused	49	0.17
8	Not Ascertained	0	0.00
9	Don't Know	77	0.26

### Variable Information:

Variable: HILAST\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How long has it been since you last had health care coverage that paid for

doctor's visits or hospital stays?

**Description:** How long since last health coverage

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

 $OTHPUB\_A=3 \ and \ OTHGOV\_A=3 \ and \ MILITARY\_A=3 \ and \ IHS\_A=2$ 

Universe Description: Sample adults 18+ without coverage

Sources:

Question ID: INS.0670.00.1
Keywords: Uninsured

Notes: Do not use HILAST\_A to estimate uninsured adults.

**Evaluation Report:** 

### **Unweighted frequencies:**

HILAST\_A How long since last health coverage

Code	Description	Frequency	Percent
0	Never	291	14.63
1	Within the past year (anytime less than 12 months ago)	529	26.60
2	Within the last 2 years (1 year but less than 2 years ago)	237	11.92
3	Within the last 3 years (2 years but less than 3 years ago)	136	6.84
4	Within the last 5 years (3 years but less than 5 years ago)	193	9.70
5	Within the last 10 years (5 years but less than 10 years ago)	209	10.51
6	10 years ago or more	256	12.87
7	Refused	2	0.10
8	Not Ascertained	120	6.03
9	Don't Know	16	0.80

### Variable Information:

Variable: HILASTMY\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: In the past 12 months, how many months were you without coverage?

\* If less than 1 month, enter '1'.

**Description:** Number of months without coverage

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2 and HILAST\_A=1

Universe Description: Sample adults 18+ without coverage for less than a year

Sources:

Question ID: INS.0680.00.1

Keywords:
Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

HILASTMY\_A Number of months without coverage

Code	Description	Frequency	Percent
01-12	Range of values	523	98.87
97	Refused	1	0.19
98	Not Ascertained	0	0.00
99	Don't Know	5	0.95

#### Variable Information:

Variable: HISTOPJOB\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Think about the last time that you did have health care coverage that paid for doctor's visits or hospital stays. I am going to read a list of reasons why someone might no longer be enrolled in coverage. Please tell me, yes or no, if this is a reason why you are no longer enrolled in your last health care plan.

You or the policyholder retired, lost a job, or changed employers?

**Description:** Lost job or changed employers

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2 and HILAST\_A in (1,2,3)

Universe Description: Sample adults 18+ without coverage for less than 3 years

Sources:

Question ID: INS.0690.00.1
Keywords: Uninsured

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

HISTOPJOB\_A Lost job or changed employers

Code	Description	Frequency	Percent
1	Yes	458	50.78
2	No	441	48.89
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.33

#### Variable Information:

Variable: HISTOPMISS\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Are you no longer enrolled in your last health care plan

because...

You missed a deadline for signing up or paying for the coverage?

**Description:** Missed deadline

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2 and HILAST\_A in (1,2,3)

Universe Description: Sample adults 18+ without coverage for less than 3 years

Sources:

Question ID: INS.0700.00.1

Keywords: Uninsured

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

### HISTOPMISS\_A Missed deadline

Code	Description	Frequency	Percent
1	Yes	111	12.31
2	No	788	87.36
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.33

#### Variable Information:

Variable: HISTOPAGE\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Are you no longer enrolled in your last health care plan

because...

You became ineligible because of your age or because you left school?

**Description:** Ineligible because of age/left school

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2 and HILAST\_A in (1,2,3)

Universe Description: Sample adults 18+ without coverage for less than 3 years

Sources:

Question ID: INS.0710.00.1

Keywords: Uninsured

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

 $\label{eq:histopage} \textbf{HISTOPAGE\_A} \hspace{0.5cm} \textbf{Ineligible because of age/left school}$ 

Code	Description	Frequency	Percent
1	Yes	75	8.31
2	No	825	91.46
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	0.22

#### Variable Information:

Variable: HISTOPCOST\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Are you no longer enrolled in your last health care plan

because...

The cost for your coverage increased?

**Description:** Cost increase

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2 and HILAST\_A in (1,2,3)

Universe Description: Sample adults 18+ without coverage for less than 3 years

Sources:

Question ID: INS.0720.00.1

Keywords: Uninsured

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

### **HISTOPCOST\_A** Cost increase

Code	Description	Frequency	Percent
1	Yes	166	18.40
2	No	733	81.26
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.33

### Variable Information:

Variable: HISTOPELIG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

\* Read if necessary: Are you no longer enrolled in your last health care plan

because...

You had Medicaid or other public coverage, but were no longer eligible?

**Description:** Not eligible for Medicaid, CHIP, or other public coverage

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2 and HILAST\_A in (1,2,3)

Universe Description: Sample adults 18+ without coverage for less than 3 years

Sources:

Question ID: INS.0730.00.1

Keywords: Uninsured

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

HISTOPELIG\_A Not eligible for Medicaid, CHIP, or other public coverage

Code	Description	Frequency	Percent
1	Yes	130	14.41
2	No	765	84.81
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	7	0.78

### Variable Information:

Variable: RSNHICOST\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: 'INSREASONS Are you currently uninsured because coverage is not affordable?

Fills: ^INSREASONS..... RSNHICOST\_A Introduction

**Description:** Not affordable

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

 $OTHPUB\_A=3 \ and \ OTHGOV\_A=3 \ and \ MILITARY\_A=3 \ and \ IHS\_A=2$ 

Universe Description: Sample adults 18+ without coverage

Sources:

Question ID: INS.0740.00.1
Keywords: Uninsured

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

RSNHICOST\_A Not affordable

Code	Description	Frequency	Percent
1	Yes	1193	59.98
2	No	662	33.28
7	Refused	3	0.15
8	Not Ascertained	120	6.03
9	Don't Know	11	0.55

### Variable Information:

Variable: RSNHIWANT\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: There are other reasons that people do not have health insurance coverage.

^PLUSCOSTA you currently uninsured because...

...you do not need or want coverage?

Fills: ^PLUSCOSTA..... In addition to cost, are/Are

**Description:** Do not need or want coverage

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2

Universe Description: Sample adults 18+ without coverage

Sources:

Question ID: INS.0750.00.1

Keywords: Uninsured

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

RSNHIWANT\_A Do not need or want coverage

Code	Description	Frequency	Percent
1	Yes	504	25.34
2	No	1351	67.92
7	Refused	4	0.20
8	Not Ascertained	120	6.03
9	Don't Know	10	0.50

### Variable Information:

Variable: RSNHIELIG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: There are other reasons that people do not have health

insurance coverage. ^PLUSCOSTA you currently uninsured because...

...you are not eligible for coverage?

Fills: ^PLUSCOSTA..... In addition to cost, are/Are

**Description:** Not eligible for coverage

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2

Universe Description: Sample adults 18+ without coverage

Sources:

Question ID: INS.0760.00.1

Keywords: Uninsured

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

RSNHIELIG\_A Not eligible for coverage

Code	Description	Frequency	Percent
1	Yes	471	23.68
2	No	1318	66.26
7	Refused	4	0.20
8	Not Ascertained	120	6.03
9	Don't Know	76	3.82

#### Variable Information:

Variable: RSNHICONF\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: There are other reasons that people do not have health

insurance coverage. ^PLUSCOSTA you currently uninsured because...

 $\ldots$ the process of signing up for coverage is too difficult or confusing?

Fills: ^PLUSCOSTA..... In addition to cost, are/Are

**Description:** Signing up too difficult or confusing

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

 $\label{eq:othpub_A=3} \text{ and } \text{OTHGOV\_A=3} \text{ and } \text{MILITARY\_A=3} \text{ and } \text{IHS\_A=2}$ 

Universe Description: Sample adults 18+ without coverage

Sources:

Question ID: INS.0770.00.1

Keywords: Uninsured

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

 ${f RSNHICONF\_A}$  Signing up too difficult or confusing

Code	Description	Frequency	Percent
1	Yes	414	20.81
2	No	1428	71.79
7	Refused	4	0.20
8	Not Ascertained	120	6.03
9	Don't Know	23	1.16

### Variable Information:

Variable: RSNHIMEET\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: There are other reasons that people do not have health

insurance coverage. ^PLUSCOSTA you currently uninsured because...

...you cannot find a plan that meets your needs?

Fills: ^PLUSCOSTA..... In addition to cost, are/Are

**Description:** Cannot find a plan that meets the needs

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2

Universe Description: Sample adults 18+ without coverage

Sources:

Question ID: INS.0780.00.1

Keywords: Uninsured

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

 ${f RSNHIMEET\_A}$  Cannot find a plan that meets the needs

Code	Description	Frequency	Percent
1	Yes	347	17.45
2	No	1492	75.01
7	Refused	4	0.20
8	Not Ascertained	120	6.03
9	Don't Know	26	1.31

### Variable Information:

Variable: RSNHIWAIT\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: There are other reasons that people do not have health

insurance coverage. ^PLUSCOSTA you currently uninsured because...

...you applied for coverage but it has not started yet?

Fills: ^PLUSCOSTA..... In addition to cost, are/Are

**Description:** Coverage has not started yet

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2

Universe Description: Sample adults 18+ without coverage

Sources:

Question ID: INS.0790.00.1

Keywords: Uninsured

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

RSNHIWAIT\_A Coverage has not started yet

Code	Description	Frequency	Percent
1	Yes	180	9.05
2	No	1678	84.36
7	Refused	4	0.20
8	Not Ascertained	120	6.03
9	Don't Know	7	0.35

### <u>Variable Information:</u>

Variable: RSNHIOTH\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Is there another reason that you currently do not have health insurance

coverage?

**Description:** Another reason

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

 $OTHPUB\_A=3 \ and \ OTHGOV\_A=3 \ and \ MILITARY\_A=3 \ and \ IHS\_A=2$ 

Universe Description: Sample adults 18+ without coverage

Sources:

Question ID: INS.0800.00.1

Keywords: Uninsured

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

RSNHIOTH\_A Another reason

	<u>-                                      </u>		
Code	Description	 Frequency	Percent
1	Yes	92	4.63
2	No	1765	88.74
7	Refused	5	0.25
8	Not Ascertained	120	6.03
9	Don't Know	7	0.35

### Variable Information:

Variable: RSNHIJOB\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Is there another reason that you currently do not have health insurance

coverage?

Description: Lost job

Recode: Yes

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

 $OTHPUB\_A=3 \ and \ OTHGOV\_A=3 \ and \ MILITARY\_A=3 \ and \ IHS\_A=2$ 

Universe Description: Sample adults 18+ without coverage

Sources: RSNHIOTHSP\_A

Question ID:

Keywords: Uninsured

Notes: This variable was added as a result of coding the verbatim responses in

RSNHIOTHSP\_A.

**Evaluation Report:** 

### **Unweighted frequencies:**

RSNHIJOB\_A Lost job

Code	Description	Frequency	Percent
1	Yes	84	4.22
2	No	1785	89.74
7	Refused	0	0.00
8	Not Ascertained	120	6.03
9	Don't Know	0	0.00

### Variable Information:

Variable: RSNHIMISS\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Is there another reason that you currently do not have health insurance

coverage?

**Description:** Missed deadline

Recode: Yes

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

 $OTHPUB\_A=3 \ and \ OTHGOV\_A=3 \ and \ MILITARY\_A=3 \ and \ IHS\_A=2$ 

Universe Description: Sample adults 18+ without coverage

Sources: RSNHIOTHSP\_A

Question ID:

Keywords: Uninsured

Notes: This variable was added as a result of coding the verbatim responses in

RSNHIOTHSP\_A.

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

#### RSNHIMISS\_A Missed deadline

Code	Description	Frequency	Percent
1	Yes	17	0.85
2	No	1852	93.11
7	Refused	0	0.00
8	Not Ascertained	120	6.03
9	Don't Know	0	0.00

#### Variable Information:

Variable: HINOTYR\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the past 12 months, was there any time when you did NOT have ANY health

insurance or coverage?

Description: No health coverage during the past 12 months

Recode:

Universe: HHSTAT\_A=1 and (HIKIND01\_A=1 or HIKIND02\_A=1 or HIKIND03\_A=1 or HIKIND04\_A=1 or

HIKIND05\_A=1 or HIKIND06\_A=1 or HIKIND07\_A=1 or HIKIND08\_A=1 or HIKIND09\_A=1 or

MCAIDPRB\_A=1 or MCAREPRB\_A=1)

Universe Description: Sample adults 18+ with health insurance coverage indicated at the time of data

collection

Sources:

Question ID: INS.0820.00.1

Keywords: Uninsured

Notes: Do not use HINOTYR\_A to estimate the uninsured or those with coverage. This

variable is based on the original responses to the questions about type of health insurance coverage. There are some adults for whom it is later

determined through the editing process that they do not have coverage and are

included in the universe for this question.

#### **Evaluation Report:**

### <u>Unweighted frequencies:</u>

HINOTYR\_A No health coverage during the past 12 months

Code	Description	Frequency	Percent
1	Yes	961	3.49
2	No	26566	96.43
7	Refused	6	0.02
8	Not Ascertained	0	0.00
9	Don't Know	16	0.06

#### Variable Information:

Variable: HINOTMYR\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: In the past 12 months, about how many months were you without coverage?

\* If less than 1 month, enter '1'.

**Description:** Months without coverage in the past 12 months

Recode:

Universe: HHSTAT\_A=1 and(HIKIND01\_A=1 or HIKIND02\_A=1 or HIKIND03\_A=1 or HIKIND04\_A=1 or

HIKIND05\_A=1 or HIKIND06\_A=1 or HIKIND07\_A=1 or HIKIND08\_A=1 or HIKIND09\_A=1 or

 $MCAIDPRB\_A=1$  or  $MCAREPRB\_A=1$ ) and  $HINOTYR\_A=1$ 

Universe Description: Sample adults 18+ with health insurance coverage indicated at the time of data

collection who had a period of uninsurance in the past 12 months

Sources:

Question ID: INS.0830.00.1

Keywords: Uninsured

Notes: Do not use HINOTMYR\_A to estimate the uninsured or those with coverage. This

variable is based on the original responses to the questions about type of health insurance coverage. There are some adults for whom it is later

determined through the editing process that they do not have coverage and are

included in the universe for this question.

#### **Evaluation Report:**

#### <u>Unweighted frequencies:</u>

HINOTMYR\_A Months without coverage in the past 12 months

Code	Description	Frequency	Percent
01-12	Range of values	948	98.65
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	13	1.35

#### Variable Information:

Variable: MILSPC1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Earlier I recorded that you are covered by military related health care. What

types of military related health care are you covered by?

\* Enter all that apply, separate with commas.

**Description:** Types of military health care - VA health care original response

Recode:

Universe: HHSTAT\_A=1 and MILITARY\_A in (1,2)

Universe Description: Sample adults 18+ with military health care coverage

Sources: MILSPC\_A

Question ID: INS.0660.01.1

Keywords: VA health care

Notes: Use with caution. This is the original response to VA coverage in the INS

section, and does not take into account responses to VAHOSP\_A or VACAREEV\_A in

the VET section.

**Evaluation Report:** 

#### **Unweighted frequencies:**

MILSPC1\_A Types of military health care - VA health care original response

Code	Description	Frequency	Percent
1	Mentioned	651	46.27
2	Not mentioned	740	52.59
7	Refused	3	0.21
8	Not Ascertained	0	0.00
9	Don't Know	13	0.92

### Variable Information:

Variable: HICOV\_A
Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

The next questions are about health insurance. Include health insurance obtained through employment or purchased directly as well as government programs like Medicare, Medicaid, and the Children's Health Insurance Program that provide medical care or help pay medical bills. Are you covered by any

kind of health insurance or some other kind of health care plan?

**Description:** Have health insurance

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INS.0010.00.1

Keywords:

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

Evaluation Report:

### <u>Unweighted frequencies:</u>

HICOV\_A Have health insurance

Code	Description	Frequency	Percent
1	Yes	27682	93.77
2	No	1799	6.09
7	Refused	17	0.06
8	Not Ascertained	0	0.00
9	Don't Know	24	0.08

#### Variable Information:

Variable: HIKIND01\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service,

a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - private health insurance

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND\_A

Question ID: INS.0020.01.1

**Keywords:** Private health insurance

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### **Unweighted frequencies:**

HIKIND01\_A Kind(s) of health insurance - private health insurance

Code	Description	Frequency	Percent
1	Mentioned	15973	54.11
2	Not mentioned	13423	45.47
7	Refused	49	0.17
8	Not Ascertained	0	0.00
9	Don't Know	77	0.26

#### Variable Information:

Variable: HIKIND02\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service,

a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - Medicare

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND\_A

Question ID: INS.0020.02.1

**Keywords:** Medicare

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### **Unweighted frequencies:**

HIKIND02\_A Kind(s) of health insurance - Medicare

Code	Description	Frequency	Percent
1	Mentioned	9343	31.65
2	Not mentioned	20053	67.93
7	Refused	49	0.17
8	Not Ascertained	0	0.00
9	Don't Know	77	0.26

Variable Information:

Variable: HIKIND03\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service,

a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - Medicare supplement (Medigap)

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND\_A

Question ID: INS.0020.03.1

**Keywords:** Medicare supplement (Medigap)

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### **Unweighted frequencies:**

HIKIND03\_A Kind(s) of health insurance - Medicare supplement (Medigap)

Code	Description	Frequency	Percent
1	Mentioned	2338	7.92
2	Not mentioned	27058	91.65
7	Refused	49	0.17
8	Not Ascertained	0	0.00
9	Don't Know	77	0.26

#### Variable Information:

Variable: HIKIND04\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service,

a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - Medicaid

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND\_A

Question ID: INS.0020.04.1

**Keywords:** Medicaid

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### **Unweighted frequencies:**

HIKIND04\_A Kind(s) of health insurance - Medicaid

Code	Description	Frequency	Percent
1	Mentioned	3436	11.64
2	Not mentioned	25960	87.93
7	Refused	49	0.17
8	Not Ascertained	0	0.00
9	Don't Know	77	0.26

#### Variable Information:

Variable: HIKIND05\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service,

a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - CHIP

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND\_A

Question ID: INS.0020.05.1

Keywords: CHIP

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### **Unweighted frequencies:**

HIKIND05\_A Kind(s) of health insurance - CHIP

Code	Description	Frequency	Percent
1	Mentioned	18	0.06
2	Not mentioned	29378	99.51
7	Refused	49	0.17
8	Not Ascertained	0	0.00
9	Don't Know	77	0.26

#### Variable Information:

Variable: HIKIND06\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service,

a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - military related health care

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND\_A

Question ID: INS.0020.06.1

Keywords: Military related health care: TRICARE (CHAMP-US); VA health care; CHAMP-VA

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### **Unweighted frequencies:**

HIKIND06\_A Kind(s) of health insurance - military related health care

Code	Description	Frequency	Percent
1	Mentioned	1366	4.63
2	Not mentioned	28030	94.95
7	Refused	49	0.17
8	Not Ascertained	0	0.00
9	Don't Know	77	0.26

#### Variable Information:

Variable: HIKIND07\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service,

a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

Description: Kind(s) of health insurance - Indian Health Service

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND\_A

Question ID: INS.0020.07.1

**Keywords:** Indian Health Service

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### **Unweighted frequencies:**

HIKIND07\_A Kind(s) of health insurance - Indian Health Service

Code	Description	Frequency	Percent
1	Mentioned	120	0.41
2	Not mentioned	29276	99.17
7	Refused	49	0.17
8	Not Ascertained	0	0.00
9	Don't Know	77	0.26

#### Variable Information:

Variable: HIKIND08\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service,

a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - State-sponsored health plan

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND\_A

Question ID: INS.0020.08.1

**Keywords:** State-sponsored health plan

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### **Unweighted frequencies:**

 ${\tt HIKIND08\_A} \qquad {\tt Kind(s)} \ \, {\tt of} \ \, {\tt health} \ \, {\tt insurance} \, \, {\tt -} \, \, {\tt State-sponsored} \, \, {\tt health} \, \, {\tt plan}$ 

Code	Description	Frequency	Percent
1	Mentioned	864	2.93
2	Not mentioned	28532	96.65
7	Refused	49	0.17
8	Not Ascertained	0	0.00
9	Don't Know	77	0.26

#### Variable Information:

Variable: HIKIND09\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service,

a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - Other government program

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND\_A

Question ID: INS.0020.09.1

Keywords: Other government program

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### **Unweighted frequencies:**

HIKIND09\_A Kind(s) of health insurance - Other government program

Code	Description	Frequency	Percent
1	Mentioned	407	1.38
2	Not mentioned	28989	98.19
7	Refused	49	0.17
8	Not Ascertained	0	0.00
9	Don't Know	77	0.26

#### Variable Information:

Variable: HIKIND10\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service,

a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - No coverage of any type

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND\_A

Question ID: INS.0020.10.1
Keywords: Uninsured

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### **Unweighted frequencies:**

HIKIND10\_A Kind(s) of health insurance - No coverage of any type

Code	Description	Frequency	Percent
1	Mentioned	2007	6.80
2	Not mentioned	27389	92.77
7	Refused	49	0.17
8	Not Ascertained	0	0.00
9	Don't Know	77	0.26

### Variable Information:

Variable: MCAREPRB\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

Are you covered by Medicare?

**Description:** Medicare coverage probe

Recode:

Universe: HHSTAT\_A=1 and (AGEP\_A >=65 or AGE65=2) and (HIKIND02\_A in (2,7,8,9) or HICOV\_A

in (2,7,8,9))

Universe Description: Sample adults 65+ who did not indicate Medicare

Sources:

Question ID: INS.0030.00.1

Keywords: Medicare probe

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

### **Unweighted frequencies:**

MCAREPRB\_A Medicare coverage probe

Code	Description	Frequency	Percent
1	Yes	697	56.35
2	No	512	41.39
7	Refused	14	1.13
8	Not Ascertained	0	0.00
9	Don't Know	14	1.13

### Variable Information:

Variable: MCAIDPRB\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

There is a program called Medicaid that pays for health care for persons in

need. ^STATEMA Are you covered by Medicaid?

Fills: ^STATEMA..... In ^STATENAME it is also called ^STMEDICAID.

^STATENAME..... State name

^STMEDICAID..... State Medicaid name

**Description:** Medicaid coverage probe

Recode:

Universe: HHSTAT\_A=1 and (AGEP\_A <=64 or AGE65=1) and HIKIND10\_A in (1,7,8,9)

Universe Description: Sample adults 18-64 who have indicated they are uninsured or refused or don't

know their type of health insurance

Sources:

Question ID: INS.0040.00.1

Keywords: Medicaid probe

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

### **Unweighted frequencies:**

MCAIDPRB\_A Medicaid coverage probe

Code	Description	Frequency	Percent
1	Yes	73	3.68
2	No	1864	93.95
7	Refused	18	0.91
8	Not Ascertained	0	0.00
9	Don't Know	29	1.46

#### Variable Information:

Variable: PAYBLL12M\_A

Module: Adult

Section: PAY: Difficulty Paying for Health Care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

In the past 12 months, did ^youanyone have problems paying or were unable to

pay any medical bills?

\* Read if necessary: Include bills for doctors, dentists, hospitals,

therapists, medication, equipment, nursing home or home care.

Fills: ^youanyone..... you/anyone in the family

**Description:** Problems paying medical bills, past 12m

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: PAY.0020.00.1

**Keywords:** medical bills; cost

Notes: During the interview, an introduction to this section asked respondents to

include bills for doctors, dentists, hospitals, therapists, medication,

equipment, nursing home or home care.

Evaluation Report: https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

#### <u>Unweighted frequencies:</u>

PAYBLL12M\_A Problems paying medical bills, past 12m

Code	Description	Frequency	Percent
1	Yes	2897	9.81
2	No	26483	89.71
7	Refused	23	0.08
8	Not Ascertained	76	0.26
9	Don't Know	43	0.15

#### Variable Information:

Variable: PAYNOBLLNW\_A

Module: Adult

Section: PAY: Difficulty Paying for Health Care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^DoyouDoesanyoneinfam currently have any medical bills that you are unable to

pay at all?

Fills: ^DoyouDoesanyoneinfam... Do you/Does anyone in your family

**Description:** Unable to pay medical bills

Recode:

Universe: HHSTAT\_A=1 and PAYBLL12M\_A IN (1,7,9)

Universe Description: Sample adults 18+ who said they/anyone in their family had problems paying

their medical bills in the past 12 months or refused or don't know

Sources:

Question ID: PAY.0030.00.1

**Keywords:** medical bills; cost

Notes: During the interview, an introduction to this section asked respondents to

include bills for doctors, dentists, hospitals, therapists, medication,

equipment, nursing home or home care.

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

#### <u>Unweighted frequencies:</u>

PAYNOBLLNW\_A Unable to pay medical bills

Code	Description	Frequency	Percent
1	Yes	171	1 57.75
2	No	118	8 40.09
7	Refused	1	7 0.57
8	Not Ascertained		4 0.13
9	Don't Know	4	3 1.45

### Variable Information:

Variable: PAYWORRY\_A

Module: Adult

Section: PAY: Difficulty Paying for Health Care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: If you get sick or have an accident, how worried are you that you will be able

to pay your medical bills? Are you very worried, somewhat worried, or not at

all worried?

Description: Get sick or have accident, worry about paying medical bills

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: PAY.0040.00.1

**Keywords:** medical bills; cost

Notes: During the interview, an introduction to this section asked respondents to

include bills for doctors, dentists, hospitals, therapists, medication,

equipment, nursing home or home care.

Evaluation Report: https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

### **Unweighted frequencies:**

PAYWORRY\_A Get sick or have accident, worry about paying medical bills

Code	Description	Frequency	Percent
1	Very worried	3721	12.60
2	Somewhat worried	8718	29.53
3	Not at all worried	16911	57.28
7	Refused	23	0.08
8	Not Ascertained	94	0.32
9	Don't Know	55	0.19

#### Variable Information:

Variable: EVERCOVD\_A

Module: Adult

Section: CVL : Long COVID

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you ever had COVID-19?

\* Read if necessary: Include being told by a doctor or other health professional that you had or likely had COVID-19. Also include antibodies or blood tests as well as other forms of testing for COVID-19, such as a nasal swabbing or throat swabbing. Also include if you had close contact with someone

who had COVID-19 and you had symptoms.

**Description:** Ever had COVID-19

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: CVL.0020.00.3

Keywords: COVID-19; coronavirus; covid

Notes: The question was revised in 2023. This variable is similar to CVDDIAG\_A and

POSTEST\_A fielded in 2022.

Evaluation Report:

### <u>Unweighted frequencies:</u>

EVERCOVD\_A Ever had COVID-19

Code	Description	Frequency	Percent
1	Yes	15354	52.01
2	No	13832	46.85
7	Refused	48	0.16
8	Not Ascertained	130	0.44
9	Don't Know	158	0.54

#### Variable Information:

Variable: LONGCOVD1\_A

Module: Adult

Section: CVL : Long COVID

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did you have any symptoms lasting 3 months or longer that you did not have

prior to having COVID-19?

\* Read if necessary: Long term symptoms may include tiredness or fatigue, difficulty thinking, concentrating, forgetfulness or memory problems, sometimes referred to as "brain fog," difficulty breathing or shortness of breath, joint

or muscle pain, fast-beating or pounding heart (also known as heart palpitations), chest pain, dizziness on standing, ^menstrual changes to

taste/smell, and inability to exercise.

Fills: ^menstrual..... menstrual changes

Description: Had COVID-19 symptoms for 3 or more months

Recode:

Universe: HHSTAT\_A=1 and EVERCOVD\_A=1

Universe Description: Sample Adults 18+ who have ever had COVID-19

Sources:

Question ID: CVL.0030.00.3

Keywords: COVID-19; covid; coronavirus

Notes: Question fielded since quarter 1 of 2023

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

 $\textbf{LONGCOVD1\_A} \qquad \text{Had COVID-19 symptoms for 3 or more months}$ 

Code	Description	Frequency	Percent
1	Yes	2398	15.62
2	No	12893	83.97
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	63	0.41

### <u>Variable Information:</u>

Variable: SYMPNOW1\_A

Module: Adult

Section: CVL : Long COVID

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have symptoms NOW?

**Description:** Currently has COVID-19 symptoms

Recode:

Universe: HHSTAT\_A=1 and LONGCOVD1\_A=1

Universe Description: Sample Adults 18+ who have ever had COVID-19 and had symptoms lasting 3 months

or longer

Sources:

Question ID: CVL.0040.00.3

Keywords: covid; COVID-19; coronavirus

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

**SYMPNOW1\_A** Currently has COVID-19 symptoms

Code	Description	Frequency	Percent
1	Yes	1063	44.33
2	No	1319	55.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	16	0.67

### Variable Information:

Variable: LCVDACT\_A

Module: Adult

Section: CVL : Long COVID

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** How much do these long-term symptoms reduce your ability to carry out day-to-

day activities compared with the time before you had COVID-19? Would you say

not at all, a little, or a lot?

**Description:** COVID-19 impacts activities

Recode:

Universe: HHSTAT\_A=1 and SYMPNOW1\_A=1

Universe Description: Sample Adults 18+ with COVID-19 symptoms lasting 3 months or longer that they

did not have prior to having coronavirus or COVID-19 and they have symptoms now

Sources:

Question ID: CVL.0050.00.3

Keywords: covid; COVID-19; coronavirus

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

LCVDACT\_A COVID-19 impacts activities

Code	Description	Frequency	Percent
1	Not at all	353	33.21
2	A little	469	44.12
3	A lot	237	22.30
7	Refused	0	0.00
8	Not Ascertained	1	0.09
9	Don't Know	3	0.28

### Variable Information:

Variable: DENPREV\_A

Module: Adult

Section: DNC : Dental Care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: About how long has it been since you last had a dental examination or cleaning?

\* Read if necessary: Include cleanings from all types of dental care providers such as dentists, orthodontists, oral surgeons, dental hygienists, and all

other dental specialists.

**Description:** Time since last dental exam or cleaning

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: DNC.0020.00.2

Keywords: dental visit; oral health

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

DENPREV\_A Time since last dental exam or cleaning

Code	Description	Frequency	Percent
0	Never	179	0.61
1	Within the past year (anytime less than 12 months ago)	19444	65.86
2	Within the last 2 years (1 year but less than 2 years ago)	3406	11.54
3	Within the last 3 years (2 years but less than 3 years ago)	1748	5.92
4	Within the last 5 years (3 years but less than 5 years ago)	1635	5.54
5	Within the last 10 years (5 years but less than 10 years ago)	1171	3.97
6	10 years ago or more	1675	5.67
7	Refused	25	0.08
8	Not Ascertained	157	0.53
9	Don't Know	82	0.28

### <u>Variable Information:</u>

Variable: DENDL12M\_A

Module: Adult

Section: DNC : Dental Care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you DELAYED getting dental care because of the

cost?

**Description:** Delayed dental care due to cost, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: DNC.0030.00.2

Keywords: dental visit; oral health; unmet health needs

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

DENDL12M\_A Delayed dental care due to cost, past 12 months

Code	Description	Frequency	Percent
1	Yes	5351	18.13
2	No	23985	81.24
7	Refused	12	0.04
8	Not Ascertained	162	0.55
9	Don't Know	12	0.04

### <u>Variable Information:</u>

Variable: DENNG12M\_A

Module: Adult

Section: DNC : Dental Care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, was there any time when you needed dental care, but

DID NOT GET IT because of the cost?

**Description:** Needed dental care but did not get it due to cost, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: DNC.0040.00.2

Keywords: dental visit; oral health; forgone care; unmet health needs

Notes:

**Evaluation Report:** 

#### **Unweighted** frequencies:

DENNG12M\_A Needed dental care but did not get it due to cost, past 12 months

Code	Description	Frequency	Percent
1	Yes	4282	14.50
2	No	25047	84.84
7	Refused	13	0.04
8	Not Ascertained	163	0.55
9	Don't Know	17	0.06

### Variable Information:

Variable: LASTDR\_A
Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: About how long has it been since you last saw a doctor or other health

professional about your health?

\* Read if necessary: Do not include appointments by video or phone.

\* Read if necessary: Include doctors seen while a patient in a hospital.

\* Read if necessary: Do not include dental care.

**Description:** Time since last saw doctor

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: UTZ.0020.00.1

**Keywords:** doctor visit; health care provider; health care use

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1192

### **Unweighted frequencies:**

LASTDR\_A Time since last saw doctor

Code	Description	Frequency	Percent
0	Never	58	0.20
1	Within the past year (anytime less than 12 months ago)	25368	85.93
2	Within the last 2 years (1 year but less than 2 years ago)	1925	6.52
3	Within the last 3 years (2 years but less than 3 years ago)	697	2.36
4	Within the last 5 years (3 years but less than 5 years ago)	578	1.96
5	Within the last 10 years (5 years but less than 10 years ago)	338	1.14
6	10 years ago or more	323	1.09
7	Refused	21	0.07
8	Not Ascertained	189	0.64
9	Don't Know	25	0.08

#### Variable Information:

Variable: WELLNESS\_A

Module: Adult

UTZ : Utilization Section:

File(s): Adult Data Type: Numeric

Length:

Question Text: Was this a wellness visit, physical, or general purpose check-up?

> \* Read if necessary: This kind of visit typically includes: blood pressure, cholesterol, and blood sugar checks, height and weight measurements, and vaccinations. The doctor or other health professional may also discuss topics related to your health such as smoking, alcohol use, diet and exercise. These visits are usually scheduled in advance and occur when you are not sick or injured.

\* Read if necessary: If a wellness exam was combined with a sick care visit, include this visit.

\* Read if necessary: An obstetrician/gynecologist (OB/GYN) may perform this

visit.

Was last visit a wellness visit Description:

Recode:

Universe: HHSTAT\_A=1 and LASTDR\_A IN (1,2,3,4,5,6)

Universe Description: Sample adults 18+ who reported to have seen a doctor

Sources:

Question ID: UTZ.0030.00.1

Keywords: preventive care; wellness visit; health care use

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

WELLNESS\_A Was last visit a wellness visit

Code	Description	Frequency		Percent
1	Yes	23	949	81.94
2	No	5	197	17.78
7	Refused		14	0.05
8	Not Ascertained		3	0.01
9	Don't Know		66	0.23

#### Variable Information:

Variable: WELLVIS\_A

Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** About how long has it been since you last saw a doctor or other health professional for a wellness visit, physical, or general purpose check-up?

\* Read if necessary: This kind of visit typically includes: blood pressure, cholesterol, and blood sugar checks, height and weight measurements, and vaccinations. The doctor or other health professional may also discuss topics related to your health such as smoking, alcohol use, diet and exercise. These visits are usually scheduled in advance and occur when you are not sick or

injured.

\* Read if necessary: If a wellness exam was combined with a sick care visit,

include this visit.

\* Read if necessary: An obstetrician/gynecologist (OB/GYN) may perform this

visit.

**Description:** Time since last wellness visit

Recode:

Universe: HHSTAT\_A=1 and WELLNESS\_A IN (2,7,9)

Universe Description: Sample adults 18+ who reported to have seen a doctor, but the last visit was

not a wellness visit or they didn't know or refused whether it was a wellness

visit

Sources:

Question ID: UTZ.0040.00.1

**Keywords:** preventive care; wellness visit; health care use

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

WELLVIS\_A Time since last wellness visit

Code	Description	Frequency	Percent
0	Never	108	2.05
1	Within the past year (anytime less than 12 months ago)	2982	56.51
2	Within the last 2 years (1 year but less than 2 years ago)	757	14.35
3	Within the last 3 years (2 years but less than 3 years ago)	335	6.35
4	Within the last 5 years (3 years but less than 5 years ago)	367	6.95
5	Within the last 10 years (5 years but less than 10 years ago)	267	5.06
6	10 years ago or more	365	6.92
7	Refused	6	0.11
8	Not Ascertained	0	0.00
9	Don't Know	90	1.71

### Variable Information:

Variable: USUALPL\_A

Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Is there a place that you USUALLY go to if you are sick and need health care?

**Description:** Have a usual place for care

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: UTZ.0050.00.1

Keywords: regular doctor; access; primary care; health care use

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

USUALPL\_A Have a usual place for care

Code	Description	Frequency	Percent
1	Yes	25958	87.93
2	There is NO place	2728	9.24
3	There is MORE THAN ONE place	620	2.10
7	Refused	7	0.02
8	Not Ascertained	193	0.65
9	Don't Know	16	0.05

#### Variable Information:

Variable: USPLKIND\_A

Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: What kind of place 'ISITGOMSTOFT - a doctor's office or health center; an

urgent care center, a clinic in a drug store or grocery store; a hospital emergency room; a VA Medical Center or VA outpatient clinic; or some other

place?

\* Read if necessary: A doctor's office or health center is a place where you see the same doctor or the same group of doctors every visit, where you usually need to make an appointment ahead of time, and where your medical records are on file.

\* Read if necessary: Urgent care centers and clinics in a drug store or grocery store are places where you do not need to make an appointment ahead of time, and do not usually see the same health care provider at each visit.

Fills: ^ISITGOMSTOFT..... is it/do you go to most often

**Description:** Type of place for usual care

Recode:

Universe: HHSTAT\_A=1 and USUALPL\_A IN (1,3,7,9)

Universe Description: Sample adults 18+ with one or more usual places of care or don't know or

refused

Sources:

Question ID: UTZ.0060.00.1

Keywords: usual place; primary care; health care use

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

USPLKIND\_A Type of place for usual care

Code	Description	Frequency	Percent
1	A doctor's office or health center	23339	87.74
2	Urgent care center or clinic in a drug store or grocery store	2014	7.57
3	Hospital emergency room	451	1.70
4	A VA Medical Center or VA outpatient clinic	508	1.91
5	Some other place	178	0.67
6	Does not go to one place most often	88	0.33
7	Refused	9	0.03
8	Not Ascertained	4	0.02
9	Don't Know	10	0.04

#### Variable Information:

Variable: URGNT12MTC\_A

Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, how many times have you gone to an urgent care

center or a clinic in a drug store or grocery store about your health?

\* Enter 96 if number is 96 or greater.

\* Read if necessary: Urgent care centers and clinics in drug stores or grocery stores are places where you do not need to make an appointment ahead of time, and do not usually see the same health care provider at each visit.

\* Read if necessary: This is different from a hospital emergency room.

Description: Number of times visited urgent care, past 12 months, top-coded

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: URGENT12M\_A

Question ID:

**Keywords:** walk-in clinic; health care use

Notes: This is a top-code created for the Public Use file.

**Evaluation Report:** 

#### **Unweighted** frequencies:

URGNT12MTC\_A Number of times visited urgent care, past 12 months, top-coded

Code	Description	Frequency	Percent
0	0 times	20228	68.52
1	1 time	4967	16.82
2	2 times	2429	8.23
3	3 times	817	2.77
4	4 times	322	1.09
5	5+ times	483	1.64
7	Refused	17	0.06
8	Not Ascertained	213	0.72
9	Don't Know	46	0.16

### Variable Information:

Variable: EMERG12MTC\_A

Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, how many times have you gone to a hospital emergency

room about your health?

\* Read if necessary: This includes emergency room visits that resulted in a

hospital admission.

\* Enter 96 if number of times is 96 or more.

Description: Number of times visited hospital emergency room, past 12 months, top-coded

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: EMERGE12M\_A

Question ID:

Keywords: emergency room (ER) visit; emergency department (ED) visit; health care use

Notes: This is a top-code created for the Public Use file.

Evaluation Report:

#### **Unweighted frequencies:**

EMERG12MTC\_A Number of times visited hospital emergency room, past 12 months, top-coded

Code	Description	Frequency	Percent
0	0 times	23140	78.38
1	1 time	3954	13.39
2	2 times	1394	4.72
3	3 times	394	1.33
4	4+ times	369	1.25
7	Refused	22	0.07
8	Not Ascertained	217	0.74
9	Don't Know	32	0.11

### Variable Information:

Variable: HOSPONGT\_A

Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you been hospitalized overnight? ^PAST12MER\_A

Fills: ^PAST12MER\_A..... Do not include an overnight stay in the emergency

room.

**Description:** Hospitalized overnight, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: UTZ.0090.00.1

**Keywords:** hospital stay; health care use

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

### **Unweighted frequencies:**

HOSPONGT\_A Hospitalized overnight, past 12 months

Code	Description	Frequency	Percent
1	Yes	2871	9.72
2	No	26401	89.43
7	Refused	16	0.05
8	Not Ascertained	220	0.75
9	Don't Know	14	0.05

### <u>Variable Information:</u>

Variable: MEDDL12M\_A

Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you DELAYED getting medical care because of the

cost?

**Description:** Delayed medical care due to cost, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: UTZ.0100.00.1

Keywords: delay; cost; health care use; unmet health needs

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

MEDDL12M\_A Delayed medical care due to cost, past 12 months

Code	Description	Frequency	Percent
1	Yes	1931	6.54
2	No	27352	92.65
7	Refused	6	0.02
8	Not Ascertained	222	0.75
9	Don't Know	11	0.04

### <u>Variable Information:</u>

Variable: MEDNG12M\_A

Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, was there any time when you needed medical care, but

DID NOT GET IT because of the cost?

**Description:** Needed medical care but did not get it due to cost, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: UTZ.0110.00.1

Keywords: forgone care; cost; health care use; unmet health needs

Notes:

**Evaluation Report:** 

#### **Unweighted** frequencies:

MEDNG12M\_A Needed medical care but did not get it due to cost, past 12 months

Code	Description	Frequency	Percent
1	Yes	1716	5.81
2	No	27560	93.35
7	Refused	12	0.04
8	Not Ascertained	223	0.76
9	Don't Know	11	0.04

### Variable Information:

Variable: VIRAPP12M\_A

Module: Adult

Section: TLH : Telehealth

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you had an appointment with a doctor, nurse, or

other health professional by video or by phone?

**Description:** Virtual medical appointment, past 12m

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: TLH.0010.00.1

**Keywords:** virtual medical appointment; health care utilization; telemedicine; telehealth;

health care use

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

VIRAPP12M\_A Virtual medical appointment, past 12m

Code	Description	Frequency	Percent
1	Yes	8064	27.32
2	No	21193	71.79
7	Refused	6	0.02
8	Not Ascertained	238	0.81
9	Don't Know	21	0.07

### Variable Information:

Variable: ACCSSINT\_A

Module: Adult

Section: HIT : Internet access and health information technology

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have access to the Internet?

**Description:** Internet access

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: HIT.0010.00.4

Keywords: Access to care

Notes: Question fielded since quarter 3 of 2022.

**Evaluation Report:** 

#### **Unweighted frequencies:**

ACCSSINT\_A Internet access

Code	Description	Frequency	Percent
1	Yes	26906	91.14
2	No	2353	7.97
7	Refused	4	0.01
8	Not Ascertained	251	0.85
9	Don't Know	8	0.03

### <u>Variable Information:</u>

Variable: ACCSSHOM\_A

Module: Adult

Section: HIT : Internet access and health information technology

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have access to the Internet from your home?

**Description:** Internet access at home

Recode:

Universe: HHSTAT\_A=1 and ACCSSINT\_A=1

Universe Description: Sample adults 18+ with access to the Internet

Sources:

Question ID: HIT.0020.00.4

Keywords: Access to care

Notes: Question fielded since quarter 3 of 2022.

**Evaluation Report:** 

#### **Unweighted frequencies:**

ACCSSHOM\_A Internet access at home

Code	Description	Frequency	Percent
1	Yes	26257	97.59
2	No	646	2.40
7	Refused	0	0.00
8	Not Ascertained	2	0.01
9	Don't Know	1	0.00

### Variable Information:

Variable: HITLOOK\_A

Module: Adult

Section: HIT : Internet access and health information technology

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you used the Internet for any of the following

reasons?

To look for health or medical information.

\* Read if necessary: Include Internet and data use through a computer, tablet,

smartphone, or other electronic device.

**Description:** Used internet for health information

Recode:

Universe: HHSTAT\_A=1 and ACCSSINT\_A=1

Universe Description: Sample adults 18+ with access to the Internet

Sources:

Question ID: HIT.0030.00.4
Keywords: Access to care

Notes: Question fielded since quarter 3 and quarter 4 of 2022.

**Evaluation Report:** 

#### **Unweighted frequencies:**

HITLOOK\_A Used internet for health information

Code	Description	Frequency	Percent
1	Yes	17153	63.75
2	No	9702	36.06
7	Refused	9	0.03
8	Not Ascertained	10	0.04
9	Don't Know	32	0.12

#### Variable Information:

Variable: HITCOMM\_A

Module: Adult

Section: HIT : Internet access and health information technology

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: During the past 12 months, have you used the Internet for

any of the following reasons?

To communicate with a doctor or doctor's office.

\* Read if necessary: Include Internet and data use through a computer, tablet,

smartphone, or other electronic device.

**Description:** Communicated with doctor's office

Recode:

Universe: HHSTAT\_A=1 and ACCSSINT\_A=1

Universe Description: Sample adults 18+ with access to the Internet

Sources:

Question ID: HIT.0040.00.4

Keywords: Access to care

Notes: Question fielded since quarter 3 and quarter 4 of 2022.

**Evaluation Report:** 

#### **Unweighted frequencies:**

HITCOMM\_A Communicated with doctor's office

Code	Description	Frequency	Percent
1	Yes	12721	47.28
2	No	14153	52.60
7	Refused	6	0.02
8	Not Ascertained	12	0.04
9	Don't Know	14	0.05

#### Variable Information:

Variable: HITTEST\_A

Module: Adult

Section: HIT : Internet access and health information technology

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: During the past 12 months, have you used the Internet for

any of the following reasons?

To look up medical test results.

\* Read if necessary: Include Internet and data use through a computer, tablet,

smartphone, or other electronic device.

**Description:** Used internet for test results

Recode:

Universe: HHSTAT\_A=1 and ACCSSINT\_A=1

Universe Description: Sample adults 18+ with access to the Internet

Sources:

Question ID: HIT.0050.00.4
Keywords: Access to care

Notes: Question fielded since quarter 3 and quarter 4 of 2022.

**Evaluation Report:** 

#### **Unweighted frequencies:**

HITTEST\_A Used internet for test results

Code	Description	Frequency	Percent
1	Yes	14214	52.83
2	No	12655	47.03
7	Refused	5	0.02
8	Not Ascertained	13	0.05
9	Don't Know	19	0.07

### <u>Variable Information:</u>

Variable: RX12M\_A
Module: Adult

Section: PMD : Prescription Medication

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: At any time in the past 12 months, did you take prescription medication?

**Description:** Took prescription medication, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: PMD.0010.00.1

**Keywords:** prescribed medicine; drugs; rx

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### **Unweighted frequencies:**

RX12M\_A Took prescription medication, past 12 months

Code	Description	Frequency	Percent
1	Yes	21425	72.57
2	No	7781	26.36
7	Refused	34	0.12
8	Not Ascertained	269	0.91
9	Don't Know	13	0.04

### Variable Information:

Variable: RXSK12M\_A

Module: Adult

Section: PMD : Prescription Medication

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, were any of the following true for you?

 $\dots$ You skipped medication doses to save money.

**Description:** Skipped medication doses to save money, past 12m

Recode:

Universe: HHSTAT\_A=1 and RX12M\_A=1

Universe Description: Sample adults 18+ who have taken prescription medication in the past 12 months

Sources:

Question ID: PMD.0020.00.1

Keywords: prescribed medicine; drugs; rx; cost; nonadherence

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/report.aspx?1238

#### **Unweighted frequencies:**

RXSK12M\_A Skipped medication doses to save money, past 12m

Code	Description	Frequency	Percent
1	Yes	891	4.16
2	No	20529	95.82
7	Refused	1	0.00
8	Not Ascertained	1	0.00
9	Don't Know	3	0.01

### Variable Information:

Variable: RXLS12M\_A

Module: Adult

Section: PMD : Prescription Medication

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: During the past 12 months, were any of the following true

for you?

...You took less medication to save money.

**Description:** Took less medication to save money, past 12 months

Recode:

Universe: HHSTAT\_A=1 and RX12M\_A=1

Universe Description: Sample adults 18+ who have taken prescription medication in the past 12 months

Sources:

Question ID: PMD.0030.00.1

Keywords: prescribed medicine; drugs; rx; cost; nonadherence

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/report.aspx?1238

### Unweighted frequencies:

RXLS12M\_A Took less medication to save money, past 12 months

Code	Description	Frequency	Percent
1	Yes	1010	4.71
2	No	20410	95.26
7	Refused	0	0.00
8	Not Ascertained	2	0.01
9	Don't Know	3	0.01

### Variable Information:

Variable: RXDL12M\_A

Module: Adult

Section: PMD : Prescription Medication

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: During the past 12 months, were any of the following true

for you?

...You DELAYED filling a prescription to save money.

Description: Delayed filling prescription to save money, past 12 months

Recode:

Universe: HHSTAT\_A=1 and RX12M\_A=1

Universe Description: Sample adults 18+ who have taken prescription medication in the past 12 months

Sources:

Question ID: PMD.0040.00.1

**Keywords:** prescribed medicine; drugs; rx; cost; nonadherence

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/report.aspx?1238

### Unweighted frequencies:

RXDL12M\_A Delayed filling prescription to save money, past 12 months

Code	Description	Frequency	Percent
1	Yes	1267	5.91
2	No	20152	94.06
7	Refused	0	0.00
8	Not Ascertained	3	0.01
9	Don't Know	3	0.01

### Variable Information:

Variable: RXDG12M\_A

Module: Adult

Section: PMD : Prescription Medication

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, was there any time when you needed prescription

medication, but DID NOT GET IT because of the cost?

Description: Needed prescription medication but did not get it due to cost, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: PMD.0050.00.1

**Keywords:** prescribed medicine; drugs; rx; cost; forgone care; nonadherence

Notes:

**Evaluation Report:** 

#### **Unweighted** frequencies:

RXDG12M\_A Needed prescription medication but did not get it due to cost, past 12 months

Code	Description	Frequency	Percent
1	Yes	1671	5.66
2	No	27565	93.37
7	Refused	7	0.02
8	Not Ascertained	274	0.93
9	Don't Know	5	0.02

<u>Variable Information:</u>

Variable: BPLAST\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When was the last time you had your blood pressure checked by a doctor, nurse,

or other health professional?

Description: Last time blood pressure checked

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: PRV.0010.00.2

Keywords: cardiovascular disease; HBP; hypertension; health care service utilization

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

BPLAST\_A Last time blood pressure checked

Code	Description	Frequency	Percent
0	Never	106	0.36
1	Within the past year (anytime less than 12 months ago)	25907	87.75
2	Within the last 2 years (1 year but less than 2 years ago)	1625	5.50
3	Within the last 3 years (2 years but less than 3 years ago)	588	1.99
4	Within the last 5 years (3 years but less than 5 years ago)	445	1.51
5	Within the last 10 years (5 years but less than 10 years ago)	258	0.87
6	10 years ago or more	217	0.74
7	Refused	14	0.05
8	Not Ascertained	294	1.00
9	Don't Know	68	0.23

### <u>Variable Information:</u>

Variable: CHOLLAST\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When was the last time you had your cholesterol checked by a doctor, nurse, or

other health professional?

**Description:** Last time cholesterol checked

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: PRV.0020.00.2

Keywords: cardiovascular disease; lipoprotein; LDL; HDL; health care service utilization

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

CHOLLAST\_A Last time cholesterol checked

Code	Description	Frequency	Percent
0	Never	1238	4.19
1	Within the past year (anytime less than 12 months ago)	21825	73.93
2	Within the last 2 years (1 year but less than 2 years ago)	2678	9.07
3	Within the last 3 years (2 years but less than 3 years ago)	981	3.32
4	Within the last 5 years (3 years but less than 5 years ago)	753	2.55
5	Within the last 10 years (5 years but less than 10 years ago)	481	1.63
6	10 years ago or more	456	1.54
7	Refused	23	0.08
8	Not Ascertained	297	1.01
9	Don't Know	790	2.68

### Variable Information:

Variable: DIBLAST1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When was the last time you had a blood test for high blood sugar or diabetes by

a doctor, nurse, or other health professional?

**Description:** Last time blood sugar test, if never told had diabetes

Recode:

Universe: HHSTAT\_A=1 and DIBEV\_A IN (2,7,9)

Universe Description: Sample adults 18+ who have not been told they have diabetes

Sources:

Question ID: PRV.0030.00.2

**Keywords:** hyperglycemia; hemoglobin; glucose; health care service utilization

Notes:

**Evaluation Report:** 

#### **Unweighted** frequencies:

DIBLAST1\_A Last time blood sugar test, if never told had diabetes

Code	Description	Frequency	Percent
0	Never	1894	7.22
1	Within the past year (anytime less than 12 months ago)	18000	68.63
2	Within the last 2 years (1 year but less than 2 years ago)	2488	9.49
3	Within the last 3 years (2 years but less than 3 years ago)	943	3.60
4	Within the last 5 years (3 years but less than 5 years ago)	736	2.81
5	Within the last 10 years (5 years but less than 10 years ago)	500	1.91
6	10 years ago or more	520	1.98
7	Refused	25	0.10
8	Not Ascertained	274	1.04
9	Don't Know	848	3.23

#### Variable Information:

Variable: DIBA1CLAST\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: An A-one-C test is used to measure the average level of blood sugar over the

past three months. When was the last time you had your A1C checked by a doctor,

nurse, or other health professional?

\* Read if necessary: A1C values typically range between 5 and 13.9. For many people with diabetes the goal is to have an A1C of 7 or less, but your goal may be different depending on what you and your doctor determine is best for you.

**Description:** Last time A1C test, if ever told had diabetes

Recode:

Universe: HHSTAT\_A=1 and DIBEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had diabetes

Sources:

Question ID: PRV.0033.00.3

**Keywords:** hyperglycemia; hemoglobin; glucose; health care service utilization

Notes:

Evaluation Report:

#### **Unweighted frequencies:**

DIBA1CLAST\_A Last time A1C test, if ever told had diabetes

Code	Description	Frequency	Percent
0	Never	34	1.03
1	Within the past year (anytime less than 12 months ago)	3090	93.81
2	Within the last 2 years (1 year but less than 2 years ago)	69	2.09
3	Within the last 3 years (2 years but less than 3 years ago)	16	0.49
4	Within the last 5 years (3 years but less than 5 years ago)	11	0.33
5	Within the last 10 years (5 years but less than 10 years ago)	2	0.06
6	10 years ago or more	5	0.15
7	Refused	0	0.00
8	Not Ascertained	32	0.97
9	Don't Know	35	1.06

#### Variable Information:

Variable: DIBA1CNMT\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: About how many times in the past 12 months has a doctor, nurse, or other health

professional checked your A-one-C?

\* Read if necessary: A1C values typically range between 5 and 13.9. For many people with diabetes the goal is to have an A1C of 7 or less, but your goal may be different depending on what you and your doctor determine is best for you.

\* If respondent reports more than 96 A1C tests, enter '96'.

Description: Number of A1C tests past 12 months - topcoded

Recode: Yes

Universe: HHSTAT\_A=1 and DIBA1CLAST\_A=1

Universe Description: Sample adults 18+ who had their A1C checked in the past 12 months

Sources: DIBA1CNUM\_A

Question ID:

**Keywords:** hyperglycemia; hemoglobin; glucose; health care service utilization

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

DIBA1CNMT\_A Number of A1C tests past 12 months - topcoded

Code	Description	Frequency	Percent
1	1	596	19.29
2	2	977	31.62
3	3	474	15.34
4	4	809	26.18
5	5 or more	160	5.18
7	Refused	2	0.06
8	Not Ascertained	4	0.13
9	Don't Know	68	2.20

### Variable Information:

Variable: COLORECTEV\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: These next questions are about colorectal cancer screening. Colonoscopy and

sigmoidoscopy are exams to check for colon cancer. Have you ever had either of

these exams?

\* Read if necessary: Colonoscopy (colon-OS-copy) and sigmoidoscopy (sigmoid-OS-copy) are exams in which a doctor inserts a tube into the rectum to look for

polyps or cancer.

**Description:** Ever had a colonoscopy or sigmoidoscopy

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85)

Universe Description: Sample adults 40+

Sources:

Question ID: PRV.0040.00.2

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

Evaluation Report:

## **Unweighted frequencies:**

COLORECTEV\_A Ever had a colonoscopy or sigmoidoscopy

Code	Description	Frequency	Percent
1	Yes	13024	62.00
2	No	7649	36.41
7	Refused	18	0.09
8	Not Ascertained	255	1.21
9	Don't Know	62	0.30

#### Variable Information:

Variable: COLORECTYP\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you had a colonoscopy, a sigmoidoscopy, or both?

\* Read if necessary: For a colonoscopy, the doctor checks the entire colon, and you are given medication through a needle in your arm to make you sleepy, and told to have someone take you home. For a sigmoidoscopy, the doctor checks only part of the colon and you are fully awake.

Enter 'DK' if respondent has had a colonoscopy or sigmoidoscopy, but doesn't

know which.

Description: Had a colonoscopy or sigmoidoscopy or both

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLORECTEV\_A=1

Universe Description: Sample adults 40+ who have had a colonoscopy or sigmoidoscopy or both

Sources:

Question ID: PRV.0050.00.2

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

## Unweighted frequencies:

COLORECTYP\_A Had a colonoscopy or sigmoidoscopy or both

Code	Description	Frequency	Percent
1	Colonoscopy	11785	90.49
2	Sigmoidoscopy	124	0.95
3	Both	1067	8.19
7	Refused	0	0.00
8	Not Ascertained	1	0.01
9	Don't Know	47	0.36

### Variable Information:

Variable: COLWHEN\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: About how long has it been since your MOST RECENT colonoscopy?

**Description:** Most recent colonoscopy

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLORECTYP\_A IN (1,3)

Universe Description: Sample adults 40+ who have ever had a colonoscopy or both a colonoscopy and a

sigmoidoscopy

Sources:

Question ID: PRV.0060.00.2

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

COLWHEN\_A Most recent colonoscopy

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	2810	21.86
2	Within the past 2 years (1 year but less than 2 years ago)	2194	17.07
3	Within the past 3 years (2 years but less than 3 years ago)	1797	13.98
4	Within the past 5 years (3 years but less than 5 years ago)	2647	20.60
5	Within the past 10 years (5 years but less than 10 year ago)	2212	17.21
6	10 years ago or more	1109	8.63
7	Refused	6	0.05
8	Not Ascertained	1	0.01
9	Don't Know	76	0.59

#### Variable Information:

Variable: COLREASON1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: What was the MAIN reason you had this most recent colonoscopy - was it part of

a routine exam, because of a problem, as a follow-up test of an earlier test or

screening exam, or some other reason?

**Description:** Main reason for recent colonoscopy

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLORECTYP\_A IN (1,3)

Universe Description: Sample Adults 40+ who ever had a colonoscopy or both a colonoscopy and a

sigmoidoscopy

Sources:

Question ID: PRV.0070.00.3

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes: This question and variable name were updated in 2023 to specify 'most recent'

test.

**Evaluation Report:** 

### **Unweighted frequencies:**

COLREASON1\_A Main reason for recent colonoscopy

Code	Description	Frequency	Percent
1	Part of a routine exam	1014	4 78.93
2	Because of a problem	155	7 12.11
3	Follow-up test of an earlier test or screening exam	79	0 6.15
4	Other reason	33	3 2.59
7	Refused		3 0.02
8	Not Ascertained		1 0.01
9	Don't Know	2	4 0.19

### Variable Information:

Variable: COLSIGWHEN\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When was your MOST RECENT colonoscopy or sigmoidoscopy?

**Description:** Most recent colonoscopy or sigmoidoscopy

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLORECTYP\_A=9

Universe Description: Sample adults 40+ who have ever had a colonoscopy or sigmoidoscopy but don't

know which type

Sources:

Question ID: PRV.0090.00.2

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

COLSIGWHEN\_A Most recent colonoscopy or sigmoidoscopy

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	5	10.64
2	Within the past 2 years (1 year but less than 2 years ago)	3	6.38
3	Within the past 3 years (2 years but less than 3 years ago)	7	14.89
4	Within the past 5 years (3 years but less than 5 years ago)	6	12.77
5	Within the past 10 years (5 years but less than 10 year ago)	8	17.02
6	10 years ago or more	6	12.77
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	12	25.53

### Variable Information:

Variable: SIGWHEN\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When was your MOST RECENT sigmoidoscopy?

**Description:** Most recent sigmoidoscopy

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLORECTYP\_A IN (2,3)

Universe Description: Sample adults 40+ who have ever had a sigmoidoscopy or both a colonoscopy and a

sigmoidoscopy

Sources:

Question ID: PRV.0100.00.2

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

SIGWHEN\_A Most recent sigmoidoscopy

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	228	19.14
2	Within the past 2 years (1 year but less than 2 years ago)	135	11.34
3	Within the past 3 years (2 years but less than 3 years ago)	103	8.65
4	Within the past 5 years (3 years but less than 5 years ago)	162	13.60
5	Within the past 10 years (5 years but less than 10 year ago)	175	14.69
6	10 years ago or more	357	29.97
7	Refused	3	0.25
8	Not Ascertained	0	0.00
9	Don't Know	28	2.35

#### Variable Information:

Variable: CTCOLEV1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: CT colonography, sometimes called virtual colonoscopy, is a test that looks for

cancer in the colon. Unlike regular colonoscopies, you do not need medication to make you sleepy during the test. In this test, your colon is filled with air and you are moved through a donut-shaped X-ray machine as you lie on your back

and then your stomach. Have you ever had a CT colonography or virtual

colonoscopy?

**Description:** Ever had a colonography or virtual colonoscopy

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85)

Universe Description: Sample adults 40+

Sources:

Question ID: PRV.0120.00.2

Keywords: large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

CTCOLEV1\_A Ever had a colonography or virtual colonoscopy

Code	Description	Frequency	Percent
1	Yes	737	3.51
2	No	19813	94.31
7	Refused	20	0.10
8	Not Ascertained	266	1.27
9	Don't Know	172	0.82

### Variable Information:

Variable: CTCOLWHEN1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When was your most recent CT colonography or virtual colonoscopy?

**Description:** Most recent colonography or virtual colonoscopy

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and CTCOLEV1\_A=1

Universe Description: Sample adults 40+ who have had a CT colonography or virtual colonoscopy

Sources:

Question ID: PRV.0130.00.2

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### **Unweighted** frequencies:

CTCOLWHEN1\_A Most recent colonography or virtual colonoscopy

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	228	30.94
2	Within the past 2 years (1 year but less than 2 years ago)	121	16.42
3	Within the past 3 years (2 years but less than 3 years ago)	98	13.30
4	Within the past 5 years (3 years but less than 5 years ago)	109	14.79
5	Within the past 10 years (5 years but less than 10 year ago)	98	13.30
6	10 years ago or more	73	9.91
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	10	1.36

### Variable Information:

Variable: FITHEV1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: The following questions are about the blood stool or fecal occult blood test,

fecal immunochemical or FIT test. These are tests to determine whether you have blood in your stool or bowel movement and can be done at home using a kit. You use a stick or brush to obtain a small amount of stool at home and send it back

to the doctor or lab.

Have you ever had a blood stool or FIT test, using a HOME test kit?

**Description:** Ever had home blood stool test or FIT

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85)

Universe Description: Sample adults 40+

Sources:

Question ID: PRV.0140.00.2

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

Evaluation Report:

### Unweighted frequencies:

FITHEV1\_A Ever had home blood stool test or FIT

Code	Description	Frequency	Percent
1	Yes	4606	21.92
2	No	15995	76.14
7	Refused	15	0.07
8	Not Ascertained	282	1.34
9	Don't Know	110	0.52

### Variable Information:

Variable: FITHWHEN1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When was your most recent blood stool or FIT test, using a home test kit?

**Description:** Most recent home blood stool test or FIT

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and FITHEV1\_A=1

Universe Description: Sample adults 40+ who have ever had a home blood stool or FIT test

Sources:

Question ID: PRV.0150.00.2

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

FITHWHEN1\_A Most recent home blood stool test or FIT

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	1802	39.12
2	Within the past 2 years (1 year but less than 2 years ago)	768	16.67
3	Within the past 3 years (2 years but less than 3 years ago)	430	9.34
4	Within the past 5 years (3 years but less than 5 years ago)	505	10.96
5	Within the past 10 years (5 years but less than 10 year ago)	470	10.20
6	10 years ago or more	561	12.18
7	Refused	1	0.02
8	Not Ascertained	1	0.02
9	Don't Know	68	1.48

### Variable Information:

Variable: COLOGUARD1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Cologuard or FIT-DNA is a new type of stool test for colon cancer. Unlike other

stool tests, Cologuard looks for changes in DNA in addition to checking for blood in your stool. The Cologuard test is shipped to your home in a box that

includes a container for your stool sample.

Have you ever had a Cologuard test?

**Description:** Ever had Cologuard

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85)

Universe Description: Sample adults 40+

Sources:

Question ID: PRV.0160.00.3

Keywords: large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

### COLOGUARD1\_A Ever had Cologuard

Code	Description	Frequency	Percent
1	Yes	2496	11.88
2	No	17967	85.52
7	Refused	17	0.08
8	Not Ascertained	286	1.36
9	Don't Know	242	1.15

### Variable Information:

Variable: FITCOLG1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Was the blood stool or FIT test you reported earlier conducted as part of a

Cologuard test?

Description: Blood stool or FIT was part of Cologuard test

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLOGUARD1\_A=1 and FITHEV1\_A=1

Universe Description: Sample adults 40+ who ever had a blood stool or FIT test using a home test kit

and ever had a Cologuard test

Sources:

Question ID: PRV.0170.00.3

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

FITCOLG1\_A Blood stool or FIT was part of Cologuard test

Code	Description	Frequency	Percent
1	Yes	1076	81.52
2	No	196	14.85
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	48	3.64

### Variable Information:

Variable: CGUARDWHE1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When did you have your most recent Cologuard test?

Description: Most recent Cologuard

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLOGUARD1\_A=1 and (FITCOLG1\_A IN (2,7,9)

or FITHEV1\_A IN (2,7,9)

Universe Description: Sample adults 40+ who ever had a Cologuard test and, if they had a home FIT

test, did not say the Cologuard was part of the FIT test or they did not have a

home FIT test or don't know or refused

Sources:

Question ID: PRV.0180.00.3

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

### CGUARDWHE1\_A Most recent Cologuard

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	595	41.90
2	Within the past 2 years (1 year but less than 2 years ago)	328	23.10
3	Within the past 3 years (2 years but less than 3 years ago)	160	11.27
4	Within the past 5 years (3 years but less than 5 years ago)	185	13.03
5	Within the past 10 years (5 years but less than 10 year ago)	81	5.70
6	10 years ago or more	58	4.08
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	13	0.92

#### Variable Information:

Variable: COLPROB1\_A

Module: Adult

Section: PRV: Preventive screening

File(s): Adult Data Type: Numeric

Length:

Question Text: In the past 12 MONTHS, did a doctor or other health professional RECOMMEND that

you be tested to look for problems in your colon or rectum?

Description: Doctor recommended testing to look for problems in colon or rectum

Recode:

Universe. HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLWHEN\_A IN (.,6,7,9) and SIGWHEN\_A IN

(.,5,6,7,9) and COLSIGWHEN\_A IN (.,5,6,7,9) and CTCOLWHEN1\_A IN (.,5,6,7,9) and

FITCOLGCUR\_FLG\_A=.

Universe Description: Sample adults 40+ who never had a colonoscopy or had a colonoscopy over 10

years ago, or don't know or refused when they had a colonoscopy, and never had a sigmoidoscopy or had a sigmoidoscopy over 5 years ago, or don't know or refused when they had a sigmoidoscopy, or had a sigmoidoscopy or colonoscopy but don't know which over 5 years ago, and never had a CT colonography or had a CT colonography over 5 years ago, or don't know or refused when they had a CT colonography, and never had a FIT test or had a FIT over 1 year ago and did not, did not know, or refused to say if they had a Cologuard test, or had a FIT that did not, don't know, or refused to say if it included a Cologuard test over 1 year ago or don't know or refused when they had a FIT test or had a FIT test that included a Cologuard more than 3 years ago or don't know or refused when to say they had a FIT test and never had a Cologuard test or had a

Cologuard test more than 3 years ago, or don't know or refused when they had a

Cologuard test

Sources:

Question ID: PRV.0190.00.3

large intestine; bowel; digestive cancer; adenomas; health care service Keywords:

utilization

Notes: FITCOLGCUR FLG A mentioned in the variable universe is a variable used in the

programming of the questionnaire to summarize a set of values from FITCOLG1\_A,

FITHWHEN1\_A, and CGUARDWHE1\_A. See "universe description" for details.

FITCOLGCUR\_FLG\_A is set to 1 when FITHWHEN1\_A=1, set to 2 when FITCOLG1\_A=1 and FITHWHEN1\_A Iin (1,2,3) or when CGUARDWHE1\_A in (1,2,3), else set to blank.

**Evaluation Report:** 

#### Unweighted frequencies:

COLPROB1 A Doctor recommended testing to look for problems in colon or rectum

Code	Description	Frequency	Percent
1	Yes	961	12.48
2	No	6411	83.28
7	Refused	15	0.19
8	Not Ascertained	278	3.61
9	Don't Know	33	0.43

#### Variable Information:

Variable: COLTEST1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Which tests to check for colon cancer did the doctor or other health

professional recommend to you? Possible tests include stool blood or fecal

occult blood or FIT test; Cologuard or FIT DNA test; sigmoidoscopy; colonoscopy; CT colonography or virtual colonoscopy; or other.

\* Enter all that apply, separate with commas.

Doctor recommended stool blood test, fecal occult blood, or FIT test

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLPROB1\_A=1
Universe Description: Sample adults 40+ who had a colon test recommended

Sources: COLTEST\_A

Question ID: PRV.0200.01.3

Keywords: large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

# Unweighted frequencies:

COLTEST1\_A Doctor recommended stool blood test, fecal occult blood, or FIT test

Code	Description	Frequency	Percent
1	Mentioned	128	13.32
2	Not mentioned	792	82.41
7	Refused	1	0.10
8	Not Ascertained	0	0.00
9	Don't Know	40	4.16

#### Variable Information:

Variable: COLTEST2\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Which tests to check for colon cancer did the doctor or other health

professional recommend to you? Possible tests include stool blood or fecal

occult blood or FIT test; Cologuard or FIT DNA test; sigmoidoscopy; colonoscopy; CT colonography or virtual colonoscopy; or other.

\* Enter all that apply, separate with commas.

**Description:** Doctor recommended Cologuard or FIT DNA test

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLPROB1\_A=1

Universe Description: Sample adults 40+ who had a colon test recommended

Sources: COLTEST\_A

Question ID: PRV.0200.02.3

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

# Unweighted frequencies:

COLTEST2\_A Doctor recommended Cologuard or FIT DNA test

Code	Description	Frequency	Percent
1	Mentioned	174	18.11
2	Not mentioned	746	77.63
7	Refused	1	0.10
8	Not Ascertained	0	0.00
9	Don't Know	40	4.16

#### Variable Information:

Variable: COLTEST3\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Which tests to check for colon cancer did the doctor or other health

professional recommend to you? Possible tests include stool blood or fecal

occult blood or FIT test; Cologuard or FIT DNA test; sigmoidoscopy; colonoscopy; CT colonography or virtual colonoscopy; or other.

\* Enter all that apply, separate with commas.

**Description:** Doctor recommended sigmoidoscopy

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLPROB1\_A=1

Universe Description: Sample adults 40+ who had a colon test recommended

Sources: COLTEST\_A

Question ID: PRV.0200.03.3

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

# Unweighted frequencies:

COLTEST3\_A Doctor recommended sigmoidoscopy

Code	Description	Frequency	Percent
1	Mentioned	5	0.52
2	Not mentioned	915	95.21
7	Refused	1	0.10
8	Not Ascertained	0	0.00
9	Don't Know	40	4.16

#### Variable Information:

Variable: COLTEST4\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Which tests to check for colon cancer did the doctor or other health

professional recommend to you? Possible tests include stool blood or fecal

occult blood or FIT test; Cologuard or FIT DNA test; sigmoidoscopy; colonoscopy; CT colonography or virtual colonoscopy; or other.

\* Enter all that apply, separate with commas.

**Description:** Doctor recommended colonoscopy

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLPROB1\_A=1

Universe Description: Sample adults 40+ who had a colon test recommended

Sources: COLTEST\_A

Question ID: PRV.0200.04.3

Keywords: large intestine; bowel; digestive cancer; adenomas; health care service

 ${\tt utilization}$ 

Notes:

**Evaluation Report:** 

# Unweighted frequencies:

COLTEST4\_A Doctor recommended colonoscopy

Code	Description	Frequency	Percent
1	Mentioned	662	68.89
2	Not mentioned	258	26.85
7	Refused	1	0.10
8	Not Ascertained	0	0.00
9	Don't Know	40	4.16

#### Variable Information:

Variable: COLTEST5\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Which tests to check for colon cancer did the doctor or other health

professional recommend to you? Possible tests include stool blood or fecal

occult blood or FIT test; Cologuard or FIT DNA test; sigmoidoscopy; colonoscopy; CT colonography or virtual colonoscopy; or other.

\* Enter all that apply, separate with commas.

**Description:** Doctor recommended CT colonography or virtual colonoscopy

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLPROB1\_A=1
Universe Description: Sample adults 40+ who had a colon test recommended

Sources: COLTEST\_A

Question ID: PRV.0200.05.3

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

# Unweighted frequencies:

COLTEST5\_A Doctor recommended CT colonography or virtual colonoscopy

Code	Description	Frequency	Percent
1	Mentioned	5	0.52
2	Not mentioned	915	95.21
7	Refused	1	0.10
8	Not Ascertained	0	0.00
9	Don't Know	40	4.16

#### Variable Information:

Variable: COLTEST6\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Which tests to check for colon cancer did the doctor or other health

professional recommend to you? Possible tests include stool blood or fecal

occult blood or FIT test; Cologuard or FIT DNA test; sigmoidoscopy; colonoscopy; CT colonography or virtual colonoscopy; or other.

\* Enter all that apply, separate with commas.

**Description:** Doctor recommended other test for colon cancer

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLPROB1\_A=1

Universe Description: Sample adults 40+ who had a colon test recommended

Sources: COLTEST\_A

Question ID: PRV.0200.06.3

Keywords: large intestine; bowel; digestive cancer; adenomas; health care service

 ${\tt utilization}$ 

Notes:

**Evaluation Report:** 

# Unweighted frequencies:

COLTEST6\_A Doctor recommended other test for colon cancer

Code	Description	Frequency	Percent
1	Mentioned	35	3.64
2	Not mentioned	885	92.09
7	Refused	1	0.10
8	Not Ascertained	0	0.00
9	Don't Know	40	4.16

### Variable Information:

Variable: PSATEST\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: A PSA test is a blood test to detect prostate cancer. It is also called a

prostate-specific antigen test. Have you EVER had a PSA test?

**Description:** Ever had a PSA test

Recode:

Universe: HHSTAT\_A=1 and SEX\_A=1 and (40<=AGEP\_A<=85)

Universe Description: Male Sample Adults 40+

Sources:

Question ID: PRV.0210.00.3

**Keywords:** prostatic carcinoma; male reproductive cancers; urologic disease; health care

service utilization

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

PSATEST\_A Ever had a PSA test

Code	Description	Frequency	Percent
1	Yes	4544	47.92
2	No	4416	46.57
7	Refused	10	0.11
8	Not Ascertained	137	1.44
9	Don't Know	376	3.96

### Variable Information:

Variable: PSAWHEN\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: About how long has it been since your MOST RECENT PSA test?

**Description:** Most recent PSA test

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and SEX\_A=1 and PSATEST\_A=1

Universe Description: Male Sample Adults 40+ who ever had a PSA test

Sources:

Question ID: PRV.0220.00.3

**Keywords:** prostatic carcinoma; male reproductive cancers; urologic disease; health care

service utilization

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

PSAWHEN\_A Most recent PSA test

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	3039	66.88
2	Within the past 2 years (1 year but less than 2 years ago)	598	13.16
3	Within the past 3 years (2 years but less than 3 years ago)	262	5.77
4	Within the past 5 years (3 years but less than 5 years ago)	244	5.37
5	Within the past 10 years (5 years but less than 10 year ago)	181	3.98
6	10 years ago or more	132	2.90
7	Refused	0	0.00
8	Not Ascertained	1	0.02
9	Don't Know	87	1.91

### Variable Information:

Variable: PSAREASON\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: What was the MAIN reason you had this PSA test - was it part of a routine exam,

because of a problem, or some other reason?

**Description:** Main reason had a PSA test

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and SEX\_A=1 and PSATEST\_A=1

Universe Description: Male Sample Adults 40+ who have ever had a PSA test

Sources:

Question ID: PRV.0230.00.3

**Keywords:** prostatic carcinoma; male reproductive cancers; urologic disease; health care

service utilization

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

PSAREASON\_A Main reason had a PSA test

Code	Description	Frequency	Percent
1	Part of a routine exam	3831	84.31
2	Because of a problem	558	12.28
3	Other reason	144	3.17
7	Refused	0	0.00
8	Not Ascertained	3	0.07
9	Don't Know	8	0.18

### Variable Information:

Variable: PSA5YR1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How many PSA tests have you had in the LAST 5 years?

**Description:** Number of PSA tests-last 5 years

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and SEX\_A=1 and (1<=PSAWHEN\_A<=5 or PSAWHEN\_A

IN (8,9))

Universe Description: Male Sample Adults 40+ who ever had a PSA test but not more than 10 years ago

or refused or don't know

Sources:

Question ID: PRV.0250.00.3

Keywords: prostatic carcinoma; male reproductive cancers; urologic disease; health care

service utilization

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

PSA5YR1\_A Number of PSA tests-last 5 years

Code	Description	Frequency	Percent
0	0 tests	158	3.58
1	1 test	967	21.92
2	2 tests	619	14.03
3	3 tests	417	9.45
4	4 tests	202	4.58
5	5 tests	1333	30.21
6	6 or more tests	508	11.51
7	Refused	1	0.02
8	Not Ascertained	3	0.07
9	Don't Know	204	4.62

#### Variable Information:

Variable: CERVICEV1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: There are two different kinds of tests to check for cervical cancer. One is a

Pap smear or Pap test and the other is the HPV or Human Papillomavirus test.

Have you EVER HAD a test or tests to check for cervical cancer?

\* Read if necessary: These are routine tests for women in which a doctor or other health professional takes a sample from the cervix with a swab or brush

and sends it to the Lab.

**Description:** Ever had cervical cancer screening test

Recode:

Universe: HHSTAT\_A=1 and SEX\_A=2
Universe Description: Female Sample Adults 18+

Sources:

Question ID: PRV.0280.00.2

**Keywords:** high-risk HPV strains; gynecologic cancer; reproductive cancer; health care

service utilization

Notes:

**Evaluation Report:** 

# Unweighted frequencies:

CERVICEV1\_A Ever had cervical cancer screening test

Code	Description	Frequency	Percent
1	Yes	12682	78.97
2	No	3032	18.88
7	Refused	15	0.09
8	Not Ascertained	237	1.48
9	Don't Know	93	0.58

### Variable Information:

Variable: CERVICWHEN\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When did you have your MOST RECENT test to check for cervical cancer?

**Description:** Most recent cervical cancer test

Recode:

Universe: HHSTAT\_A=1 and SEX\_A=2 and CERVICEV1\_A=1

Universe Description: Female Sample Adults 18+ who have ever had a cervical cancer test

Sources:

Question ID: PRV.0290.00.2

**Keywords:** high-risk HPV strains; gynecologic cancer; reproductive cancer; health care

service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CERVICWHEN\_A Most recent cervical cancer test

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	4407	34.75
2	Within the past 2 years (1 year but less than 2 years ago)	2366	18.66
3	Within the past 3 years (2 years but less than 3 years ago)	1300	10.25
4	Within the past 5 years (3 years but less than 5 years ago)	1277	10.07
5	Within the past 10 years (5 years but less than 10 year ago)	1145	9.03
6	10 years ago or more	2023	15.95
7	Refused	11	0.09
8	Not Ascertained	0	0.00
9	Don't Know	153	1.21

### <u>Variable Information:</u>

Variable: HYSTEV2\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: A hysterectomy is when the uterus or womb is removed, this is different from

having your tubes tied. Have you had a hysterectomy?

**Description:** Had hysterectomy

Recode:

Universe: HHSTAT\_A=1 and SEX\_A=2
Universe Description: Female Sample Adults 18+

Sources:

Question ID: PRV.0350.00.2

**Keywords:** reproductive health

Notes: The universe of this question was updated in 2023 to be asked of all females.

**Evaluation Report:** 

## **Unweighted frequencies:**

HYSTEV2\_A Had hysterectomy

Code	Description	Frequency	Percent
1	Yes	3443	21.44
2	No	12333	76.80
7	Refused	21	0.13
8	Not Ascertained	241	1.50
9	Don't Know	21	0.13

### Variable Information:

Variable: MAMEV\_A
Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER HAD a mammogram?

st Read if necessary: A mammogram is an x-ray taken only of the breast by a

machine that presses against the breast.

Description: Ever had mammogram

Recode:

Universe: HHSTAT\_A=1 and (30<=AGEP\_A<=85) and SEX\_A=2

Universe Description: Female Sample Adults 30+

Sources:

Question ID: PRV.0360.00.2

**Keywords:** breast carcinoma; malignant breast tumor; health care service utilization

Notes:

**Evaluation Report:** 

## Unweighted frequencies:

MAMEV\_A Ever had mammogram

Code	Description	Frequency	Percent
1	Yes	11050	78.38
2	No	2788	19.78
7	Refused	9	0.06
8	Not Ascertained	220	1.56
9	Don't Know	31	0.22

### Variable Information:

Variable: MAMWHEN\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: About how long has it been since your MOST RECENT mammogram?

**Description:** Most recent mammogram

Recode:

Universe: HHSTAT\_A=1 and (30<=AGEP\_A<=85) and SEX\_A=2 and MAMEV\_A=1

Universe Description:

Female Sample Adults 30+ who have ever had a mammogram

Sources:

Question ID: PRV.0370.00.2

**Keywords:** breast carcinoma; malignant breast tumor; health care service utilization

Notes:

**Evaluation Report:** 

# <u>Unweighted frequencies:</u>

MAMWHEN\_A Most recent mammogram

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	6681	60.46
2	Within the past 2 years (1 year but less than 2 years ago)	1756	15.89
3	Within the past 3 years (2 years but less than 3 years ago)	700	6.33
4	Within the past 5 years (3 years but less than 5 years ago)	705	6.38
5	Within the past 10 years (5 years but less than 10 year ago)	569	5.15
6	10 years ago or more	563	5.10
7	Refused	9	0.08
8	Not Ascertained	1	0.01
9	Don't Know	66	0.60

### Variable Information:

Variable: MAMREASON\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: What was the MAIN reason you had this mammogram - was it part of a routine

exam, because of a problem, or some other reason?

Description: Main reason for mammogram

Recode:

Universe: HHSTAT\_A=1 and (30<=AGEP\_A<=85) and SEX\_A=2 and MAMEV\_A=1

Universe Description: Female Sample Adults 30+ who have ever had a mammogram

Sources:

Question ID: PRV.0390.00.3

**Keywords:** breast carcinoma; malignant breast tumor; health care service utilization

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

MAMREASON\_A Main reason for mammogram

Code	Description	Frequency	Percent
1	Part of a routine exam	9996	90.46
2	Because of a problem	780	7.06
3	Other reason	262	2.37
7	Refused	2	0.02
8	Not Ascertained	3	0.03
9	Don't Know	7	0.06

#### Variable Information:

Variable: MAMNOT1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: What is the most important reason why you have ^MAMNEVER2YEARS\_A?

\* Do not read choices, select answer category based on respondent's answer.

Fills: ^MAMNEVER2YEARS\_A..... NEVER had a mammogram/NOT had a mammogram in the

past 2 years

Description: Most important reason for no mammogram

Recode:

Universe: HHSTAT\_A=1 and (30<=AGEP\_A<=85) and SEX\_A=2 and (MAMEV\_A=2 or MAMWHEN\_A IN

(3,4,5,6))

Universe Description: Female Sample Adults 30+ who never had a mammogram or had a mammogram more than

2 years ago

Sources:

Question ID: PRV.0410.00.3

**Keywords:** breast carcinoma; malignant breast tumor; health care service utilization

Notes:

# **Evaluation Report:**

#### <u>Unweighted frequencies:</u>

 ${\bf MAMNOT1\_A} \qquad {\bf Most\ important\ reason\ for\ no\ mammogram}$ 

Code	Description	Frequency	Percent
01	No reason/never thought about it	1048	19.68
02	Didn't need it/didn't know I needed this type of test	495	9.30
03	Doctor didn't order it/didn't say I needed it	1111	20.86
04	Haven't had any problems	463	8.69
05	Put it off/didn't get around to it	347	6.52
06	Too expensive/no insurance/cost	172	3.23
07	Too painful, unpleasant, or embarrassing	138	2.59
08	Don't have a doctor	31	0.58
09	I am too old	279	5.24
10	I am too young	824	15.47
11	Other	406	7.62
97	Refused	3	0.06
98	Not Ascertained	1	0.02
99	Don't Know	7	0.13

Variable Information:

Variable: MRIHAD\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: A breast MRI, or magnetic resonance image, shows what is inside the breast,

like a mammogram, but does not require squeezing the breast. Before getting a breast MRI, you are given a dye through a needle in the arm. During the test, you lie on your stomach and the bed moves into a tunnel-shaped machine. Have

you EVER HAD a breast MRI?

**Description:** Ever had breast MRI

Recode:

Universe: HHSTAT\_A=1 and (30<=AGEP\_A<=85) and SEX\_A=2

Universe Description: Female Sample Adults 30+

Sources:

Question ID: PRV.0420.00.3

**Keywords:** breast carcinoma; malignant breast tumor; health care service utilization

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

MRIHAD\_A Ever had breast MRI

Code	Description	Frequency	Percent
1	Yes	1409	9.99
2	No	12344	87.56
7	Refused	11	0.08
8	Not Ascertained	230	1.63
9	Don't Know	104	0.74

### Variable Information:

Variable: MRIWHEN\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: About how long has it been since your MOST RECENT breast MRI?

**Description:** Most recent breast MRI

Recode:

Universe: HHSTAT\_A=1 and (30<=AGEP\_A<=85) and SEX\_A=2 and MRIHAD\_A=1
Universe Description: Female Sample Adults 30+ who have ever had a breast MRI

Sources:

Question ID: PRV.0430.00.3

**Keywords:** breast carcinoma; malignant breast tumor; health care service utilization

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

MRIWHEN\_A Most recent breast MRI

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	500	35.49
2	Within the past 2 years (1 year but less than 2 years ago)	216	15.33
3	Within the past 3 years (2 years but less than 3 years ago)	132	9.37
4	Within the past 5 years (3 years but less than 5 years ago)	186	13.20
5	Within the past 10 years (5 years but less than 10 year ago)	160	11.36
6	10 years ago or more	194	13.77
7	Refused	3	0.21
8	Not Ascertained	0	0.00
9	Don't Know	18	1.28

### Variable Information:

Variable: MRIREA\_A
Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: What was the MAIN reason you had this breast MRI?

\* Enter response into correct category below.

**Description:** Main reason for breast MRI

Recode:

Universe: HHSTAT\_A=1 and (30<=AGEP\_A<=85) and SEX\_A=2 and MRIHAD\_A=1
Universe Description: Female Sample Adults 30+ who have ever had a breast MRI

Sources:

Question ID: PRV.0440.00.3

**Keywords:** breast carcinoma; malignant breast tumor; health care service utilization

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

MRIREA\_A Main reason for breast MRI

Code	Description	Frequency	Percent
1	A follow up of an abnormal mammogram	536	38.04
2	Because of a breast problem	330	23.42
3	I am high risk due to family history, genetic test, or another reason	145	10.29
4	Part of a routine exam	331	23.49
5	Other	58	4.12
7	Refused	2	0.14
8	Not Ascertained	1	0.07
9	Don't Know	6	0.43

#### Variable Information:

Variable: GTPOSS1\_A

Module: Adult

Section: GCT : Genetic Cancer Testing

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: The next few questions refer to genetic TESTING for cancer risk. This is

testing to see if you carry genes which may predict a greater chance of developing cancer at some point in your life. This does NOT include tests to determine if you have cancer now. For example, a common genetic test detects mutations or changes in BRCA (braca) genes to determine risk for breast and

ovarian cancer.

Have you EVER DISCUSSED the possibility of getting a genetic test for cancer

risk with a doctor or other health care professional?

Description: Ever discussed genetic cancer risk test with doctor

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: GCT.0010.00.3

**Keywords:** hereditary cancer; medical test; inherited gene variant risk

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

GTPOSS1\_A Ever discussed genetic cancer risk test with doctor

Code	Description	Frequency	Percent
1	Yes	2379	8.06
2	No	26603	90.11
7	Refused	11	0.04
8	Not Ascertained	449	1.52
9	Don't Know	80	0.27

### Variable Information:

Variable: GTGRISK\_A

Module: Adult

Section: GCT : Genetic Cancer Testing

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER HAD a genetic test to determine if you are at greater risk of

developing cancer in the FUTURE?

Include any genetic testing for cancer done by a medical provider or genetic counselor, or from genetic health tests, such as 23andMe or Color Genomics

ordered online or bought in stores.

**Description:** Ever had a genetic test

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: GCT.0020.00.3

Keywords: cancer risk; medical test; inherited gene variant risk; hereditary cancer

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

GTGRISK\_A Ever had a genetic test

Code	Description	Frequency	Percent
1	Yes	1607	5.44
2	No	27334	92.59
7	Refused	11	0.04
8	Not Ascertained	459	1.55
9	Don't Know	111	0.38

### Variable Information:

Variable: FHCANEV\_A

Module: Adult

Section: FHC : Family History of Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: These next questions are about your family history of cancer. When answering

these questions, only think about relatives who you are related to biologically

or by blood and do not include those who you are related to by marriage.

Have any of your biological parents, sisters, brothers or children ever been

diagnosed with cancer, other than skin cancer?

**Description:** Family ever had cancer

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: FHC.0010.00.3

Keywords: inherited gene variant risk; hereditary cancer

Notes:

Evaluation Report: https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

#### **Unweighted frequencies:**

FHCANEV\_A Family ever had cancer

Code	Description	Frequency	Percent
1	Yes	12742	43.16
2	No	15960	54.06
7	Refused	41	0.14
8	Not Ascertained	486	1.65
9	Don't Know	293	0.99

### Variable Information:

Variable: FHBCANEV\_A

Module: Adult

Section: FHC : Family History of Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have any of your biological parents, sisters, brothers or children ever been

diagnosed with breast cancer?

**Description:** Family ever had breast cancer

Recode:

Universe: HHSTAT\_A=1 and FHCANEV\_A=1

Universe Description: Sample Adults 18+ whose biological parents, sisters, brothers or children have

been diagnosed with cancer (other than skin cancer)

Sources:

Question ID: FHC.0020.00.3

Keywords: inherited gene variant risk; hereditary cancer

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

## **Unweighted frequencies:**

FHBCANEV\_A Family ever had breast cancer

Code	Description	Frequency	Percent
1	Yes	4029	31.62
2	No	8631	67.74
7	Refused	4	0.03
8	Not Ascertained	1	0.01
9	Don't Know	77	0.60

### Variable Information:

Variable: FHBCANNUM\_A

Module: Adult

Section: FHC : Family History of Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How many of your biological parents, sisters, brothers or children have been

diagnosed with breast cancer?

Description: Number of family members with breast cancer

Recode:

Universe: HHSTAT\_A=1 and FHBCANEV\_A=1

Universe Description: Sample Adults 18+ whose family members have ever been diagnosed with breast

cancer

Sources:

Question ID: FHC.0030.00.3

Keywords: inherited gene variant risk; hereditary cancer

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

## **Unweighted frequencies:**

FHBCANNUM\_A Number of family members with breast cancer

Code	Description	Frequency	Percent
1	1 relative	3188	79.13
2	2 relatives	580	14.40
3	3 or more relatives	258	6.40
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.07

### Variable Information:

Variable: FHBCAN50\_A

Module: Adult

Section: FHC : Family History of Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How many of them were diagnosed with breast cancer before the age of 50?

**Description:** Number of family members with breast cancer before age 50

Recode:

Universe: HHSTAT\_A=1 and FHBCANNUM\_A IN (1,2,3)

Universe Description: Sample Adults 18+ who have 1 or more family members diagnosed with breast

cancer

Sources:

Question ID: FHC.0040.00.3

Keywords: inherited gene variant risk; hereditary cancer

Notes: Responses to this question have not been edited for reasonableness with

preceding question, FHBCANNUM\_A.

**Evaluation Report:** 

### **Unweighted frequencies:**

FHBCAN50\_A Number of family members with breast cancer before age 50

Code	Description	Frequency	Percent
0	0 relatives	2175	54.02
1	1 relative	1522	37.80
2	2 relatives	135	3.35
3	3 or more relatives	53	1.32
7	Refused	1	0.02
8	Not Ascertained	0	0.00
9	Don't Know	140	3.48

### Variable Information:

Variable: FHOVCANEV\_A

Module: Adult

Section: FHC : Family History of Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Has your biological mother, sisters, or daughters ever been diagnosed with

ovarian cancer?

**Description:** Family ever had ovarian cancer

Recode:

Universe: HHSTAT\_A=1 and FHCANEV\_A=1

Universe Description: Sample Adults 18+ whose biological parents, sisters, brothers or children have

been diagnosed with cancer (other than skin cancer)

Sources:

Question ID: FHC.0050.00.3

Keywords: inherited gene variant risk; hereditary cancer

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

FHOVCANEV\_A Family ever had ovarian cancer

Code	Description	Frequency	Percent
1	Yes	1142	8.96
2	No	11395	89.43
7	Refused	6	0.05
8	Not Ascertained	1	0.01
9	Don't Know	198	1.55

### Variable Information:

Variable: FHOVCANNUM\_A

Module: Adult

Section: FHC : Family History of Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Including your biological sisters, daughters, and mother, how many have been

diagnosed with ovarian cancer?

**Description:** Number of family members with ovarian cancer

Recode:

Universe: HHSTAT\_A=1 and FHOVCANEV\_A=1

Universe Description: Sample Adults 18+ whose family members have ever been diagnosed with ovarian

cancer

Sources:

Question ID: FHC.0060.00.3

Keywords: inherited gene variant risk; hereditary cancer

Notes:

**Evaluation Report:** 

# Unweighted frequencies:

FHOVCANNUM\_A Number of family members with ovarian cancer

Code	Description	Frequency	Percent
1	1 relative	1016	88.97
2	2 relatives	88	7.71
3	3 or more relatives	34	2.98
7	Refused	1	0.09
8	Not Ascertained	0	0.00
9	Don't Know	3	0.26

#### Variable Information:

Variable: FHCANRISK\_A

Module: Adult

Section: FHC : Family History of Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you ever talked with your doctor or other health care provider about what

your family history of cancer might mean for your own health and cancer risk?

Description: Talked to doctor about family risk of cancer

Recode:

Universe: HHSTAT\_A=1 and FHCANEV\_A=1

Universe Description: Sample Adults 18+ whose biological parents, sisters, brothers or children have

been diagnosed with cancer (other than skin cancer)

Sources:

Question ID: FHC.0070.00.3

Keywords: inherited gene variant risk; hereditary cancer

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

### **Unweighted frequencies:**

FHCANRISK\_A Talked to doctor about family risk of cancer

Code	Description	Frequency	Percent
1	Yes	5853	45.93
2	No	6845	53.72
7	Refused	3	0.02
8	Not Ascertained	1	0.01
9	Don't Know	40	0.31

#### Variable Information:

Variable: PREGFLUYR\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Were you pregnant any time ^AUGUSTYEAR?

Fills: ^AUGUSTYEAR..... period of pregnancy

^LASTYEAR..... Last year

^YEAR..... Year of Interview

**Description:** Was sample adult pregnant last flu season

Recode:

Universe: HHSTAT\_A=1 and SEX\_A=2 and  $((18 < AGEP_A < 49))$  or AGEP\_A IN (97,99) and

(PREGNOW\_A IN (2,9) or (PREGNOW\_A=1 and INTV\_MON IN (4,5,6,7)))

Universe Description: Female sample adults 18-49 years or don't know or refuse age and who are not

currently pregnant or don't know if they're currently pregnant or Female sample  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left$ 

adults 18-49 years who are currently pregnant and the interview occurred

between April-July.

Sources:

Question ID: IMS.0010.00.3

Keywords: pregnancy; prenatal; prevention; vaccine; influenza

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

PREGFLUYR\_A Was sample adult pregnant last flu season

Code	Description	Frequency	Percent
1	Yes	311	4.73
2	No	6125	93.24
7	Refused	2	0.03
8	Not Ascertained	129	1.96
9	Don't Know	2	0.03

### Variable Information:

Variable: LIVEBIRTH\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you have a pregnancy that ended in a live birth?

**Description:** Any live births

Recode:

Universe: HHSTAT\_A=1 and SEX\_A=2 and (18<=AGEP\_A<=49 or AGEP\_A IN (97,99)) and PREGNOW\_A

ne 7 and PREGFLUYR\_A ne 7

Universe Description: Female sample adults 18-49 or age is don't know or refused who did not refuse

to say if they are currently pregnant or if they were pregnant in August-March

Sources:

Question ID: IMS.0020.00.3

**Keywords:** delivery; baby; childbirth

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

LIVEBIRTH\_A Any live births

Code	Description	Frequency	Percent
1	Yes	351	5.23
2	No	6233	92.82
7	Refused	0	0.00
8	Not Ascertained	131	1.95
9	Don't Know	0	0.00

### Variable Information:

Variable: SHTFLU12M\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: There are two types of flu vaccinations. One is a shot and the other is a

spray, mist, or drop in the nose. During the past 12 months, have you had a flu

vaccination?

\* Read if necessary: A flu vaccination is usually given in the fall and

protects against influenza for the flu season.

**Description:** Flu vaccine, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: IMS.0030.00.1

Keywords: flu shot; flu vaccination; influenza

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

SHTFLU12M\_A Flu vaccine, past 12 months

Code	Description	Frequency	Percent
1	Yes	15055	51.00
2	No	13821	46.82
7	Refused	47	0.16
8	Not Ascertained	520	1.76
9	Don't Know	79	0.27

### Variable Information:

Variable: SHTFLUM\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: \* 1 of 2

During what month and year did you receive your most recent flu vaccine?

**Description:** Month of last flu vaccine

Recode:

Universe: HHSTAT\_A=1 and SHTFLU12M\_A=1

Universe Description: Sample adults 18+ who have had a flu shot in the past 12 months

Sources:

Question ID: IMS.0040.01.1

Keywords: flu shot; flu vaccination; influenza

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

SHTFLUM\_A Month of last flu vaccine

Code	Description	Fr	requency	Percent
01	January		584	3.88
02	February		385	2.56
03	March		220	1.46
04	April		133	0.88
05	May		125	0.83
06	June		122	0.81
07	July		129	0.86
08	August		416	2.76
09	September		2786	18.51
10	October		6022	40.00
11	November		2586	17.18
12	December		855	5.68
97	Refused		10	0.07
98	Not Ascertained		1	0.01
99	Don't Know		681	4.52

### <u>Variable Information:</u>

Variable: SHTFLUY\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 4

Question Text: \* 2 of 2

\* Enter year of most recent flu vaccine.

**Description:** Year of last flu vaccine

Recode:

Universe: HHSTAT\_A=1 and ((1<=SHTFLUM\_A<=12) or SHTFLUM\_A=99)</pre>

Universe Description: Sample adults 18+ who gave a month for their last flu shot or who didn't know

the month

Sources:

Question ID: IMS.0040.02.1

Keywords: flu shot; flu vaccination; influenza

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

SHTFLUY\_A Year of last flu vaccine

Code	Description	Frequency	Percent
Year	Year	14946	99.35
9997	Refused	4	0.03
9998	Not Ascertained	1	0.01
9999	Don't Know	93	0.62

#### Variable Information:

Variable: FLUPREG\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did you get a flu vaccination before or during your current pregnancy?

**Description:** Was flu shot before or during pregnancy

Recode:

Universe: HHSTAT\_A=1 and ((18<=AGEP\_A<=49) or AGEP\_A IN (97,99)) and SEX\_A=2 and

PREGNOW\_A=1 and SHTFLU12M\_A=1 and INTV\_MON IN (1,2,3,8,9,10,11,12)

Universe Description: Female sample adults 18-49 (or don't know or refuse their age) and who are

currently pregnant and received a flu vaccination in the past 12 months and the

interview takes place in Jan-March or Aug-Dec.

Sources:

Question ID: IMS.0050.00.3

Keywords: pregnancy; prenatal; prevention; vaccine; influenza

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

FLUPREG\_A Was flu shot before or during pregnancy

Code	Description	Frequency	Percent
1	Before pregnancy	32	51.61
2	During pregnancy	30	48.39
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

#### Variable Information:

Variable: FLUPREG2\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Earlier you said you were pregnant sometime ^AUGUSTYEAR. Did you get a flu

vaccination before, during, or after your pregnancy?

Fills: ^AUGUSTYEAR..... period of pregnancy

^LASTYEAR..... Last year

^YEAR..... Year of Interview

Description: Earlier pregnancy and flu vaccine

Recode:

Universe: HHSTAT\_A=1 and ((18<=AGEP\_A<=49) or AGEP\_A IN (97,99)) and SEX\_A=2 and

PREGFLUYR\_A=1 and SHTFLU12M\_A=1

Universe Description: Female sample adults 18-49 years of age or don't know or refuse age who

reported a pregnancy during August-March and received a flu vaccination in the

past 12 months.

Sources:

Question ID: IMS.0060.00.3

Keywords: pregnancy; prenatal; prevention; vaccine; influenza

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

FLUPREG2\_A Earlier pregnancy and flu vaccine

Code	Description	Frequency	Percent
1	Before pregnancy	39	25.16
2	During pregnancy	77	49.68
3	After pregnancy	38	24.52
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.65

### Variable Information:

Variable: SHTCVD191\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: The next questions are about coronavirus or COVID-19 vaccination. Have you had

at least one dose of a COVID-19 vaccination?

\* Read if necessary: The COVID-19 vaccination has been available since 2020.

\* Read if necessary: COVID-19 vaccines approved for use in the United States are made by Pfizer-BioNTech, also called Comirnaty® (koe-mir'-na-tee), Moderna,

also called Spikevax®, Johnson and Johnson, and Novavax.

**Description:** COVID-19 vaccination

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: IMS.0061.00.3

**Keywords:** vaccine

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

### SHTCVD191\_A COVID-19 vaccination

Code	Description	Frequency	Percent
1	Yes	23530	79.70
2	No	5306	17.97
7	Refused	116	0.39
8	Not Ascertained	536	1.82
9	Don't Know	34	0.12

### <u>Variable Information:</u>

Variable: SHTCVD19NM1\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How many COVID-19 vaccinations have you received?

**Description:** Number of COVID-19 vaccinations

Recode:

Universe: HHSTAT\_A=1 and SHTCVD191\_A=1

Universe Description: Sample Adults 18+ who have received a COVID-19 vaccination

Sources:

Question ID: IMS.0062.00.3

Keywords: vaccine dose; coronavirus

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

SHTCVD19NM1\_A Number of COVID-19 vaccinations

Code	Description	Frequency	Percent
1	1 vaccination	1499	6.37
2	2 vaccinations	7332	31.16
3	3 vaccinations	7666	32.58
4	4 vaccinations	4800	20.40
5	5 vaccinations	1777	7.55
6	6 or more vaccinations	368	1.56
7	Refused	17	0.07
8	Not Ascertained	4	0.02
9	Don't Know	67	0.28

### Variable Information:

Variable: CVDVAC1M1\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: \* 1 of 2

During what month and year did you receive your MOST RECENT COVID-19

vaccination?

\* Enter month of most recent COVID-19 vaccination.

**Description:** Month of most recent COVID-19 vaccination

Recode:

Universe: HHSTAT\_A=1 and SHTCVD19NM1\_A IN (1,2,3,4,5,6)

Universe Description: Sample Adults 18+ who have had one or more COVID-19 vaccinations

Sources:

Question ID: IMS.0063.01.3

Keywords: coronavirus; vaccine

Notes: Variables on timing of COVID-19 vaccination have not been edited for

reasonableness.

**Evaluation Report:** 

### **Unweighted frequencies:**

CVDVAC1M1\_A Month of most recent COVID-19 vaccination

Code	Description	Frequency	Percent
01	January	1347	5.75
02	February	1152	4.91
03	March	1523	6.50
04	April	1645	7.02
05	May	1260	5.37
06	June	1105	4.71
07	July	880	3.75
08	August	1055	4.50
09	September	2202	9.39
10	October	3531	15.06
11	November	2373	10.12
12	December	1770	7.55
97	Refused	47	0.20
98	Not Ascertained	2	0.01
99	Don't Know	3550	15.14

### Variable Information:

Variable: CVDVAC1Y1\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 4

Question Text: \* 2 of 2

\* Enter year of most recent COVID-19 vaccination.

**Description:** Year of most recent COVID-19 vaccination

Recode:

Universe: HHSTAT\_A=1 and (1<=CVDVAC1M1\_A<=12 or CVDVAC1M1\_A=99)

Universe Description: Sample Adults 18+ who gave month of most recent COVID-19 vaccination or don't

know

Sources:

Question ID: IMS.0063.02.3

Keywords: coronavirus; vaccine

Notes: Variables on timing of COVID-19 vaccination have not been edited for

reasonableness.

**Evaluation Report:** 

### **Unweighted frequencies:**

CVDVAC1Y1\_A Year of most recent COVID-19 vaccination

Code	Description	Frequency	Percent
2000-2030	Range of values	22881	97.81
9997	Refused	1	0.00
9998	Not Ascertained	2	0.01
9999	Don't Know	509	2.18

### Variable Information:

Variable: SHOTTYPE2\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^FIRST\_A brand of COVID-19 vaccine did you receive?

\* Read if necessary: COVID-19 vaccines approved for use in the United States are made by Pfizer-BioNTech, also called Comirnaty® (koe-mir'-na-tee), Moderna,

also called Spikevax®, Johnson and Johnson, and Novavax.

Fills: ^FIRST\_A..... For your first shot, which/Which

**Description:** Brand of first COVID-19 shot

Recode:

Universe: HHSTAT\_A=1 and SHTCVD19NM1\_A IN (1,2,3,4,5,6)

Universe Description: Sample Adults 18+ who had at least one COVID-19 vaccination

Sources:

Question ID: IMS.0065.00.3

Keywords: coronavirus; vaccine

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

 $\textbf{SHOTTYPE2\_A} \qquad \textbf{Brand of first COVID-19 shot}$ 

Code	Description	Frequency	Percent
1	Pfizer-BioNTech Comirnaty® shot	12234	52.19
2	Moderna Spikevax® shot	8832	37.68
3	Johnson and Johnson (Janssen) shot	1483	6.33
4	Novavax shot	10	0.04
5	One of the brands that requires two initial shots, but not sure which brand	86	0.37
6	None of these brands	92	0.39
7	Refused	17	0.07
8	Not Ascertained	8	0.03
9	Don't Know	680	2.90

### Variable Information:

Variable: SHTPNUEV\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: A pneumonia shot is also known as a pneumococcal vaccine. Have you EVER had a

pneumonia shot?

\* Read if necessary: There are two types of pneumonia shots: polysaccharide (polly-SACK-ah-ride), also known as Pneumovax®, and conjugate, also known as

Prevnar® or Vaxneuvance®.

**Description:** Ever had pneumonia shot

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: IMS.0070.00.1

**Keywords:** pneumonia; pneumonia shot; pneumonia vaccine

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

SHTPNUEV\_A Ever had pneumonia shot

Code	Description	Frequency	Percent
1	Yes	8830	29.91
2	No	19337	65.50
7	Refused	42	0.14
8	Not Ascertained	555	1.88
9	Don't Know	758	2.57

### <u>Variable Information:</u>

Variable: SHTPNEUNB\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How many pneumonia shots have you ever had?

**Description:** Number of pneumonia shots

Recode:

Universe: HHSTAT\_A=1 and SHTPNUEV\_A=1

Universe Description: Sample adults 18+ who have ever had a pneumonia shot

Sources:

Question ID: IMS.0080.00.1

**Keywords:** pneumonia; pneumonia shot; pneumonia vaccine

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

SHTPNEUNB\_A Number of pneumonia shots

Code	Description	Frequency	Percent
1	One pneumonia shot	3999	45.29
2	Two pneumonia shots	2944	33.34
3	More than two pneumonia shots	1368	15.49
7	Refused	8	0.09
8	Not Ascertained	0	0.00
9	Don't Know	511	5.79

#### Variable Information:

Variable: SHTSHINGL1\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you had a vaccine for shingles?

\* Read if necessary: Shingles is an illness that results in a rash or blisters on the skin, and is usually painful. There are two vaccines that have been used to prevent shingles. The first was Zostavax®, which was available in the U.S. from 2006 through 2020 and required one shot. The other is Shingrix®, which has

been available since 2017 and requires two shots.

**Description:** Ever had a shingles vaccination

Recode:

Universe: HHSTAT\_A=1 and (( $50 < AGEP_A < 85$ ) or MEDRXTRT\_A=1 or HLTHCOND\_A=1)

Universe Description: Sample adults 50+ or adults 18+ who have a weakened immune system

Sources:

**Question ID:** IMS.0090.00.3

**Keywords:** herpes zoster; chicken pox; rash; varicella zoster virus; VZV

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

SHTSHINGL1\_A Ever had a shingles vaccination

Code	Description	Frequency	Percent
1	Yes	7247	41.08
2	No	9867	55.93
7	Refused	22	0.12
8	Not Ascertained	328	1.86
9	Don't Know	179	1.01

### Variable Information:

Variable: SHINGYEARP\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 4

Question Text:

**Description:** Year of most recent Shingles vaccine

Recode: Yes

Universe: HHSTAT\_A=1 and ((50<=AGEP\_A<=85) or MEDRXTRT\_A=1 or HLTHCOND\_A=1) and

SHTSHINGL1\_A=1

Universe Description: Sample adults 50+ or adults 18+ who have a weakened immune system who had a

shingles vaccine

Sources: SHINGYEAR\_A

Question ID:

**Keywords:** shingles; herpes zoster; chicken pox; rash; vaccine; prevention; varicella

zoster virus; VZV

Notes: Shingles vaccines have been licensed for use in the U.S. since 2006, so

responses of years before 2006 were collapsed into one category.

**Evaluation Report:** 

### Unweighted frequencies:

SHINGYEARP\_A Year of most recent Shingles vaccine

Code	Description	Frequency	Percent
2006-present year	2006-present year	6452	89.03
9996	Reported year before 2006	47	0.65
9997	Refused	10	0.14
9998	Not Ascertained	3	0.04
9999	Don't Know	735	10.14

### Variable Information:

Variable: SHINGWHEN1\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Was it before 2017?

**Description:** Was last shingles shot before 2017

Recode:

Universe: HHSTAT\_A=1 and ((50<=AGEP\_A<=85) or MEDRXTRT\_A=1 or HLTHCOND\_A=1) and

SHINGYEAR\_A IN (9997,9999)

Universe Description: Sample Adult 50+ or adults 18+ who have a weakened immune system who had a

shingles vaccination and refused or don't know the year they had it

Sources:

Question ID: IMS.0110.00.3

Keywords: shingles; herpes zoster; chicken pox; rash; vaccine; prevention; varicella

zoster virus; VZV

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

SHINGWHEN1\_A Was last shingles shot before 2017

Code	Description	Frequency	Percent
1	Yes	357	47.92
2	No	278	37.32
7	Refused	1	0.13
8	Not Ascertained	0	0.00
9	Don't Know	109	14.63

#### Variable Information:

Variable: SHINGRIX3\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: There are two vaccines that have been used to prevent shingles. The first was

Zostavax $^{\circ}$ , which was available in the U.S. from 2006 through 2020 and required one shot. The other is Shingrix $^{\circ}$ , which has been available since 2017 and

requires two shots. Have you ever had any Shingrix® shots?

**Description:** Ever had Shingrix vaccination

Recode:

Universe: HHSTAT\_A=1 and ((50<=AGEP\_A<=85) or MEDRXTRT\_A=1 or HLTHCOND\_A=1) and

(SHINGWHEN1\_A IN (2,7,9) or 2017<=SHINGYEAR\_A<=2020)

Universe Description: Sample Adults 50+ or adults 18+ who have a weakened immune system who ever had

a shingles vaccine in 2017 through 2020

Sources:

Question ID: IMS.0120.00.3

**Keywords:** herpes zoster; chicken pox; rash; vaccine; prevention; varicella zoster virus;

VZV

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

SHINGRIX3\_A Ever had Shingrix vaccination

Code	Description		Frequency	Percent
1	Yes		1542	67.31
2	No		505	22.04
7	Refused		3	0.13
8	Not Ascertained		0	0.00
9	Don't Know		241	10.52

### Variable Information:

Variable: SHINGRIXN3\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How many Shingrix® shots have you ever had?

**Description:** How many Shingrix shots

Recode:

Universe: HHSTAT\_A=1 and ((50<=AGEP\_A<=85) or MEDRXTRT\_A=1 or HLTHCOND\_A=1) and

SHINGRIX3\_A=1

Universe Description: Sample Adults 50+ or adults 18+ who have a weakened immune system who had a

Shingrix vaccine

Sources:

Question ID: IMS.0140.00.3

**Keywords:** shingles; herpes zoster; chicken pox; rash; vaccine; prevention; quantity;

varicella zoster virus; VZV

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

SHINGRIXN3\_A How many Shingrix shots

Code	Description	Frequency	Percent
1	One Shingrix shot	205	13.29
2	Two Shingrix shots	1325	85.93
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	12	0.78

#### Variable Information:

Variable: SHINGRIXFS1\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Shingrix $^{\circ}$  is the only shingles vaccine that has been available in the U.S.

since 2021 and requires two shots. Was your most recent Shingrix® shot in

^SHINGYEAR\_A your first or second Shingrix® shot?

\* Read if necessary: There are two vaccines that have been used to prevent shingles. The first was Zostavax®, which was available in the U.S. from 2006 through 2020 and required one shot. The other is Shingrix®, which has been

available since 2017 and requires two shots.

**Description:** First or second Shingrix shot

Recode:

Universe: HHSTAT\_A=1 and ((50<=AGEP\_A<=85) or MEDRXTRT\_A=1 or HLTHCOND\_A=1) and

SHINGYEAR\_A in (2021,2022,2023)

Universe Description: Sample Adults 50+ or adults 18+ who have a weakened immune system who had a

most recent shingles vaccine in or after 2021

Sources:

Question ID: IMS.0150.00.3

Keywords: shingles; herpes zoster; chicken pox; rash; vaccine; prevention; varicella

zoster virus; VZV

Notes:

Evaluation Report:

### Unweighted frequencies:

SHINGRIXFS1\_A First or second Shingrix shot

Code	Description	Frequency	Percent
1	First shot	1150	28.40
2	Second shot	2779	68.62
7	Refused	2	0.05
8	Not Ascertained	0	0.00
9	Don't Know	119	2.94

#### Variable Information:

Variable: TDAPPREG\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: A Tdap vaccination is a tetanus booster shot that also includes pertussis (per-

TUH-sis) or whooping cough vaccine. Earlier you said that you had a pregnancy that ended in a live birth during the past 12 months. Did you receive a Tdap

vaccine during this pregnancy?

**Description:** Have a Tdap booster shot

Recode:

Universe: HHSTAT\_A=1 and (AGEP\_A <= 49 or AGEP\_A IN (97,99)) and SEX\_A=2 and

LIVEBIRTH\_A=1

Universe Description: Female sample adults less than 49 years old or who don't know or refused their

age who had a live birth in the past 12 months

Sources:

Question ID: IMS.0170.00.3

**Keywords:** pertussis; whooping cough; Td; tdap; pregnancy; prenatal

Notes:

Evaluation Report:

#### **Unweighted frequencies:**

TDAPPREG\_A Have a Tdap booster shot

Code	Description	Frequency	Percent
1	Yes	227	64.67
2	No	106	30.20
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	18	5.13

#### Variable Information:

Variable: SHTHEPB1\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: The hepatitis B vaccine is given in two or three separate doses. Although it

can be given as a combination vaccination with hepatitis A, it is different from the hepatitis A vaccine. Have you EVER received the hepatitis B vaccine?

\* Read if necessary: The hepatitis B vaccine has been available since 1982 for newborn infants, adolescents, and people who may be exposed to the Hepatitis B virus. Since 2022, it is recommended for all persons under age 60, and for persons aged 60 years and older who may be exposed to the Hepatitis B virus.

**Description:** Hepatitis B vaccine

Recode:

Universe: HHSTAT\_A=1 and (32<=AGEP\_A<=85)</pre>

Universe Description: Sample adults 32+

Sources:

Question ID: IMS.0180.00.3
Keywords: vaccination; liver

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

SHTHEPB1\_A Hepatitis B vaccine

Code	Description	Frequency	Percent
1	Yes	6970	28.14
2	No	15312	61.82
7	Refused	42	0.17
8	Not Ascertained	485	1.96
9	Don't Know	1960	7.91

### <u>Variable Information:</u>

Variable: LIVEHEP\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you ever lived with someone who had hepatitis?

**Description:** Live with someone with hepatitis

Recode:

Universe: HHSTAT\_A=1 and HEPEV\_A IN (2,7,9)

Universe Description: Sample adults 18+ who did not ever have hepatitis or refused or don't know

Sources:

Question ID: IMS.0190.00.3

Keywords: liver

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

LIVEHEP\_A Live with someone with hepatitis

Code	Description	Frequency	Percent
1	Yes	1052	3.64
2	No	27164	93.99
7	Refused	15	0.05
8	Not Ascertained	555	1.92
9	Don't Know	115	0.40

### Variable Information:

Variable: WORKHEALTH\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In your work or volunteer activities, do you provide direct medical care to

patients, such as being a doctor, nurse, dentist, therapist, home health care

worker, or emergency responder?

**Description:** Currently provide medical care to patients

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: IMS.0220.00.3

Keywords: job; work; volunteer; emergency responder; safety personnel

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

WORKHEALTH\_A Currently provide medical care to patients

Code	Description	Frequency	Percent
1	Yes	2295	7.77
2	No	26643	90.25
7	Refused	4	0.01
8	Not Ascertained	576	1.95
9	Don't Know	4	0.01

#### Variable Information:

Variable: WRKHLTHFC\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Even if you do not provide direct medical care to patients, do you do any kind

of work or volunteer activities in a health care facility, such as in a hospital, doctor's office, dentist's office, clinic, nursing home, or

residential care home?

Description: Currently volunteer or work in health care

Recode:

Universe: HHSTAT\_A=1 and WORKHEALTH\_A IN (2,7,9)

Universe Description: Sample adults 18+ who do not provide medical care to patients or don't know or

refused if they do

Sources:

Question ID: IMS.0230.00.3

**Keywords:** work; volunteer; emergency responder; safety personnel

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

WRKHLTHFC\_A Currently volunteer or work in health care

Code	Description	Frequency	Percent
1	Yes	899	3.37
2	No	25738	96.57
7	Refused	6	0.02
8	Not Ascertained	5	0.02
9	Don't Know	3	0.01

### <u>Variable Information:</u>

Variable: TRAVEL\_A

Module: Adult

Section: IMS : Immunization with 2023 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Since 1995, have you traveled to any countries OTHER than Japan, Australia, New

Zealand, Canada, and those in Europe?

**Description:** Travel to other countries since 1995

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: IMS.0240.00.3
Keywords: international

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

TRAVEL\_A Travel to other countries since 1995

Code	Description	Frequency	Percent
1	Yes	11373	38.52
2	No	17517	59.34
7	Refused	9	0.03
8	Not Ascertained	590	2.00
9	Don't Know	33	0.11

### <u>Variable Information:</u>

Variable: EYEEX12M\_A

Module: Adult

Section: PTC : Physical and other therapeutic care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you had an eye exam from an eye specialist such

as an optometrist, ophthalmologist, or eye doctor?

**Description:** Had eye exam, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: PTC.0010.00.2

**Keywords:** vision test; specialist; examination

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

EYEEX12M\_A Had eye exam, past 12 months

Code	Description	Frequency	Percent
1	Yes	16250	55.04
2	No	12636	42.80
7	Refused	9	0.03
8	Not Ascertained	603	2.04
9	Don't Know	24	0.08

### Variable Information:

Variable: THERA12M\_A

Module: Adult

Section: PTC : Physical and other therapeutic care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you receive physical therapy, speech therapy,

rehabilitative therapy, or occupational therapy?

\* Read if necessary: Do not include mental health therapy.

**Description:** Received physical/speech/rehabilitative/occupational therapy, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: PTC.0020.00.2

Keywords: therapist; specialist; PT; OT; RT

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

THERA12M\_A Received physical/speech/rehabilitative/occupational therapy, past 12 months

Code	Description	Frequency	Percent
1	Yes	4208	14.25
2	No	24696	83.65
7	Refused	5	0.02
8	Not Ascertained	607	2.06
9	Don't Know	6	0.02

### Variable Information:

Variable: HOMEHC12M\_A

Module: Adult

Section: PTC : Physical and other therapeutic care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you receive care at home from a nurse or other

health professional?

**Description:** Received care at home, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: PTC.0030.00.2

Keywords: visiting nurse; home care; home health; foregone care; coronavirus pandemic

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/report.aspx?1238

#### **Unweighted** frequencies:

HOMEHC12M\_A Received care at home, past 12 months

Code	Description	Frequency	Percent
1	Yes	1414	4.79
2	No	27488	93.11
7	Refused	3	0.01
8	Not Ascertained	615	2.08
9	Don't Know	2	0.01

### Variable Information:

Variable: ANXFREQ\_A

Module: Adult

Section: ANX : Anxiety

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How often do you feel worried, nervous or anxious? Would you say daily, weekly,

monthly, a few times a year, or never?

\* If respondent asks whether they are to answer about their emotional states after taking mood-regulating medications, say: "Please answer based on your

usual use of medication."

Description: How often feel worried, nervous, or anxious

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: ANX.0010.00.1

**Keywords:** worry; uneasiness; Washington Group

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

ANXFREQ\_A How often feel worried, nervous, or anxious

Code	Description	Frequency	Percent
1	Daily	3849	13.04
2	Weekly	4267	14.45
3	Monthly	3376	11.44
4	A few times a year	8877	30.07
5	Never	8384	28.40
7	Refused	44	0.15
8	Not Ascertained	655	2.22
9	Don't Know	76	0.24

### <u>Variable Information:</u>

Variable: ANXMED\_A

Module: Adult

Section: ANX : Anxiety

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you take prescription medication for these feelings?

Description: Take medication for worried/nervous/anxious feelings

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: ANX.0020.00.1

**Keywords:** worry; rx; anti-anxiety medicine

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### **Unweighted frequencies:**

ANXMED\_A Take medication for worried/nervous/anxious feelings

Code	Description	Frequency	Percent
1	Yes	4329	14.66
2	No	24470	82.89
7	Refused	44	0.15
8	Not Ascertained	657	2.23
9	Don't Know	22	0.07

#### Variable Information:

Variable: ANXLEVEL\_A

Module: Adult

Section: ANX : Anxiety

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Thinking about the last time you felt worried, nervous or anxious, how would

you describe the level of these feelings? Would you say a little, a lot, or

somewhere in between?

**Description:** Level of feelings when last felt worried/nervous/anxious

Recode:

Universe: HHSTAT\_A=1 and (ANXFREQ\_A IN (1,2,3,4,7,9) or ANXMED\_A IN (1,7,9))

Universe Description: Sample adults 18+ who feel worried, anxious, or nervous daily, weekly, monthly,

a few times a year or don't know or refused how often OR who do take medication for these feelings or don't know or refused if they take medication for these

feelings

Sources:

Question ID: ANX.0030.00.1

Keywords: worry; anxiety; severity; Washington Group

Notes:

Evaluation Report:

#### <u>Unweighted frequencies:</u>

ANXLEVEL\_A Level of feelings when last felt worried/nervous/anxious

Code	Description	Frequency	Percent
1	A little	10248	49.65
2	A lot	2380	11.53
3	Somewhere in between a little and a lot	7881	38.18
7	Refused	55	0.27
8	Not Ascertained	4	0.02
9	Don't Know	72	0.35

### Variable Information:

Variable: DEPFREQ\_A

Module: Adult

Section: DEP : Depression

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How often do you feel depressed? Would you say daily, weekly, monthly, a few

times a year, or never?

\* If respondent asks whether they are to answer about their emotional states after taking mood-regulating medications, say: "Please answer based on your

usual use of medication."

**Description:** How often depressed

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: DEP.0010.00.1

**Keywords:** feelings of sadness; emotional difficulty; Washington Group

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

DEPFREQ\_A How often depressed

Code	Description	Frequency	Percent
1	Daily	126	9 4.30
2	Weekly	181	6.16
3	Monthly	231	7.83
4	A few times a year	830	9 28.15
5	Never	1501	50.86
7	Refused	5	0.19
8	Not Ascertained	66	2.26
9	Don't Know	7	7 0.26

### <u>Variable Information:</u>

Variable: DEPMED\_A

Module: Adult

Section: DEP : Depression

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you take prescription medication for depression?

**Description:** Take medication for depression

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: DEP.0020.00.1

Keywords: feelings of sadness; emotional difficulty; antidepressants

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### **Unweighted frequencies:**

DEPMED\_A Take medication for depression

Code	Description	Frequency	Percent
1	Yes	3553	12.04
2	No	25235	85.48
7	Refused	39	0.13
8	Not Ascertained	669	2.27
9	Don't Know	26	0.09

#### Variable Information:

Variable: DEPLEVEL\_A

Module: Adult

Section: DEP : Depression

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Thinking about the last time you felt depressed, how depressed did you feel?

Would you say a little, a lot, or somewhere in between?

**Description:** Level of how depressed

Recode:

Universe: HHSTAT\_A=1 and (DEPFREQ\_A IN (1,2,3,4,7,9) or DEPMED\_A IN (1,7,9))

Universe Description: Sample adults 18+ who feel depressed daily, weekly, monthly, a few times a year

or refused or don't know how often they feel depressed OR who do take

medication or refused or don't know if they take medication for depression.

Sources:

Question ID: DEP.0030.00.1

**Keywords:** feelings of sadness; emotional difficulty; severity; Washington Group

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

DEPLEVEL\_A Level of how depressed

Code	Description	Frequency	Percent
1	A little	7094	50.31
2	A lot	1860	13.19
3	Somewhere in between a little and a lot	5019	35.59
7	Refused	65	0.46
8	Not Ascertained	2	0.01
9	Don't Know	61	0.43

Variable Information:

Variable: MHRX\_A Module: Adult

Section: MHC : Mental Health Care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you take prescription medication to help you

with any other emotions or with your concentration, behavior or mental health?

**Description:** Took medication for other emotions/concentration/behavior/mental health, past

12 months

Recode:

Universe: HHSTAT\_A=1 and ANXMED\_A IN (2,7,9) and DEPMED\_A IN (2,7,9)

Universe Description: Sample adults 18+ who have not taken medication for anxiety or don't know or

refused AND have not taken medication for depression or don't know or refused

Sources:

Question ID: MHC.0010.00.1

**Keywords:** prescribed medication; drugs; rx

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1192

#### **Unweighted frequencies:**

MHRX\_A Took medication for other emotions/concentration/behavior/mental health, past 12 months

Code	Description	Frequency	Percent
1	Yes	620	2.61
2	No	23111	97.14
7	Refused	39	0.16
8	Not Ascertained	7	0.03
9	Don't Know	15	0.06

### Variable Information:

Variable: MHTHRPY\_A

Module: Adult

Section: MHC : Mental Health Care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you receive counseling or therapy from a mental

health professional such as a psychiatrist, psychologist, psychiatric nurse, or

clinical social worker?

Description: Received counseling/therapy from mental health professional, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: MHC.0020.00.1

**Keywords:** mental health therapist; specialist

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

MHTHRPY\_A Received counseling/therapy from mental health professional, past 12 months

Code	Description	Frequency	Percent
1	Yes	3804	12.89
2	No	24980	84.61
7	Refused	45	0.15
8	Not Ascertained	686	2.32
9	Don't Know	7	0.02

#### Variable Information:

Variable: MHTPYNOW\_A

Module: Adult

Section: MHC : Mental Health Care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Are you currently receiving counseling or therapy from a mental health

professional?

Description: Currently receiving counseling/therapy from mental health professional

Recode:

Universe: HHSTAT\_A=1 and MHTHRPY\_A IN (1,7,9)

Universe Description: Sample adults 18+ who have received, or refused or don't know if they have

received counseling or therapy from a mental health professional in the past 12

months

Sources:

Question ID: MHC.0030.00.1

**Keywords:** mental health therapist; specialist

Notes: In a prior question in this section, respondents were given examples of mental

health professionals: psychiatrist, psychologist, psychiatric nurse, clinical

social worker.

**Evaluation Report:** 

#### **Unweighted frequencies:**

MHTPYNOW\_A Currently receiving counseling/therapy from mental health professional

Code	Description	Frequency	Percent
1	Yes	2516	65.25
2	No	1292	33.51
7	Refused	45	1.17
8	Not Ascertained	1	0.03
9	Don't Know	2	0.05

### Variable Information:

Variable: MHTHDLY\_A

Module: Adult

Section: MHC : Mental Health Care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you DELAYED getting counseling or therapy from

a mental health professional because of the cost?

**Description:** Delayed counseling, therapy due to cost, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: MHC.0040.00.1

Keywords: mental health therapist; specialist; unmet health needs

Notes: In a prior question in this section, respondents were given examples of mental

health professionals: psychiatrist, psychologist, psychiatric nurse, clinical

social worker.

**Evaluation Report:** 

#### Unweighted frequencies:

MHTHDLY\_A Delayed counseling, therapy due to cost, past 12 months

Code	Description	Frequency	Percent
1	Yes	1585	5.37
2	No	27199	92.13
7	Refused	34	0.12
8	Not Ascertained	694	2.35
9	Don't Know	10	0.03

### Variable Information:

Variable: MHTHND\_A

Module: Adult

Section: MHC : Mental Health Care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, was there any time when you needed counseling or

therapy from a mental health professional, but DID NOT GET IT because of the

cost?

Description: Needed counseling, therapy but did not get it due to cost, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: MHC.0050.00.1

**Keywords:** mental health therapist; specialist; forgone care; unmet health needs

Notes: In a prior question in this section, respondents were given examples of mental

health professionals: psychiatrist, psychologist, psychiatric nurse, clinical

social worker.

**Evaluation Report:** 

### **Unweighted frequencies:**

MHTHND\_A Needed counseling, therapy but did not get it due to cost, past 12 months

Code	Description	Frequency	Percent
1	Yes	1487	5.04
2	No	27298	92.47
7	Refused	31	0.11
8	Not Ascertained	696	2.36
9	Don't Know	10	0.03

### Variable Information:

Variable: PHQ41\_A

Module: Adult

Section: MHA : Brief mental health assessment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Over the last two weeks, how often have you been bothered by

...Little interest or pleasure in doing things?

Would you say not at all, several days, more than half the days, or nearly

every day?

**Description:** How often little interest in things, past 2 weeks

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: MHA.0020.00.4

**Keywords:** depression; anhedonia; decreased ability to feel pleasure

Notes: This question is part of the PHQ-2 scale.

**Evaluation Report:** 

### **Unweighted frequencies:**

PHQ41\_A How often little interest in things, past 2 weeks

Code	Description	Frequency	Percent
1	Not at all	22937	77.69
2	Several days	3955	13.40
3	More than half the days	825	2.79
4	Nearly every day	947	3.21
7	Refused	50	0.17
8	Not Ascertained	749	2.54
9	Don't Know	59	0.20

### Variable Information:

Variable: PHQ42\_A

Module: Adult

Section: MHA : Brief mental health assessment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Over the last two weeks, how often have you been bothered by

...Feeling down, depressed, or hopeless?

Would you say not at all, several days, more than half the days, or nearly

every day?

**Description:** How often feeling down, past 2 weeks

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: MHA.0030.00.4

**Keywords:** depression; discouraged; despairing

Notes: This question is part of the PHQ-2 scale.

**Evaluation Report:** 

### **Unweighted frequencies:**

PHQ42\_A How often feeling down, past 2 weeks

Code	Description	Frequency	Percent
1	Not at all	23107	78.27
2	Several days	4067	13.78
3	More than half the days	733	2.48
4	Nearly every day	756	2.56
7	Refused	52	0.18
8	Not Ascertained	756	2.56
9	Don't Know	51	0.17

#### Variable Information:

Variable: PHQ2SCREEN\_A

Module: Adult

Section: MHA : Brief mental health assessment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** PHQ-2 screener result

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+
Sources: PHQ41\_A; PHQ42\_A

Question ID:

Keywords: depression; screener

Notes: This recode summarizes the two-item Patient Health Questionnaire depression

scale (PHQ-2) into negative (values 0-2) or positive (values 3-6) scores. This two-item scale is a subset of the 8-item PHQ-8, and is meant not meant to be

diagnostic but rather a screener for further evaluation.

### **Evaluation Report:**

### **Unweighted frequencies:**

### PHQ2SCREEN\_A PHQ-2 screener result

Code	Description	Frequency	Percent
1	Positive	1988	6.73
2	Negative	26635	90.22
8	Not Ascertained	899	3.05

#### Variable Information:

Variable: PHQ43\_A Module: Adult

Section: MHA : Brief mental health assessment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Over the last two weeks, how often have you been bothered

bу

...Feeling nervous, anxious, or on edge?

\* Read if necessary: Would you say not at all, several days, more than half the

days, or nearly every day?

Description: How often felt nervous/anxious/on edge, past 2 weeks

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: MHA.0040.00.4

**Keywords:** generalized anxiety disorder; mental health; uneasiness

Notes: This question is part of the GAD-2 scale.

**Evaluation Report:** 

#### **Unweighted frequencies:**

PHQ43\_A How often felt nervous/anxious/on edge, past 2 weeks

Code	Description	Frequency	Percent
1	Not at all	19797	67.06
2	Several days	6514	22.06
3	More than half the days	1029	3.49
4	Nearly every day	1316	4.46
7	Refused	51	0.17
8	Not Ascertained	759	2.57
9	Don't Know	56	0.19

#### Variable Information:

Variable: PHQ44\_A Module: Adult

Section: MHA : Brief mental health assessment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Over the last two weeks, how often have you been bothered

bу

...Not being able to stop or control worrying?

\* Read if necessary: Would you say not at all, several days, more than half the

days, or nearly every day?

**Description:** How often can't stop/control worrying, past 2 weeks

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: MHA.0050.00.4

**Keywords:** generalized anxiety disorder; mental health; excessive worry

Notes: This question is part of the GAD-2 scale.

Evaluation Report:

#### **Unweighted frequencies:**

PHQ44\_A How often can't stop/control worrying, past 2 weeks

Code	Description	Frequency	Percent
1	Not at all	23027	78.00
2	Several days	3744	12.68
3	More than half the days	756	2.56
4	Nearly every day	1125	3.81
7	Refused	53	0.18
8	Not Ascertained	760	2.57
9	Don't Know	57	0.19

#### Variable Information:

Variable: GAD2SCREEN\_A

Module: Adult

Section: MHA : Brief mental health assessment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** GAD-2 screener result

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+
Sources: PHQ43\_A; PHQ44\_A

Question ID:

**Keywords:** generalized anxiety disorder; mental health

Notes: This recode summarizes the two-item Generalized Anxiety Disorder scale (GAD-2)

into negative (values 0-2) or positive (values 3-6) scores. This two-item scale is a subset of the seven-item GAD-7, and is meant not meant to be diagnostic

but rather a screener for further evaluation.

#### **Evaluation Report:**

### Unweighted frequencies:

#### GAD2SCREEN\_A GAD-2 screener result

Code	Description	Frequency	Percent
1	Positive	2537	8.59
2	Negative	26085	88.36
8	Not Ascertained	900	3.05

#### Variable Information:

Variable: DISCRIM1\_A

Module: Adult

Section: EDS : Everyday Discrimination

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: These next questions are about times and places where you were treated

unfairly. In your day-to-day life how often have any of the following things happened to you? You are treated with less courtesy or respect than other people. Would you say at least once a week, a few times a month, a few times a

year, less than once a year, or never?

**Description:** Treated with less courtesy or respect

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: EDS.0010.00.4

Keywords: Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

DISCRIM1\_A Treated with less courtesy or respect

Code	Description	Frequency	Percent
1	At least once a week	1747	5.92
2	A few times a month	1851	6.27
3	A few times a year	4127	13.98
4	Less than once a year	5026	17.02
5	Never	15834	53.63
7	Refused	55	0.19
8	Not Ascertained	805	2.73
9	Don't Know	77	0.26

#### Variable Information:

Variable: DISCRIM2\_A

Module: Adult

Section: EDS : Everyday Discrimination

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: In your day-to-day life how often have any of the

following things happened to you?

Compared to other people, you receive poorer service at restaurants or stores. Would you say at least once a week, a few times a month, a few times a year,

less than once a year, or never?

**Description:** Receive poor service at restaurant or store

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: EDS.0020.00.4

Keywords:
Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

DISCRIM2\_A Receive poor service at restaurant or store

Code	Description	Frequency	Percent
1	At least once a week	415	1.41
2	A few times a month	809	2.74
3	A few times a year	2693	9.12
4	Less than once a year	3722	12.61
5	Never	20951	70.97
7	Refused	42	0.14
8	Not Ascertained	815	2.76
9	Don't Know	75	0.25

#### Variable Information:

Variable: DISCRIM3\_A

Module: Adult

Section: EDS : Everyday Discrimination

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: In your day-to-day life how often have any of the

following things happened to you?

People act as if they think you are not smart.

\* Read if necessary: Would you say at least once a week, a few times a month, a

few times a year, less than once a year, or never?

**Description:** Treated as not smart

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

**Question ID:** EDS.0030.00.4

Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

DISCRIM3\_A Treated as not smart

Code	Description	Frequency	Percent
1	At least once a week	1000	3.39
2	A few times a month	1077	3.65
3	A few times a year	2559	8.67
4	Less than once a year	2577	8.73
5	Never	21307	72.17
7	Refused	56	0.19
8	Not Ascertained	823	2.79
9	Don't Know	123	0.42

#### Variable Information:

Variable: DISCRIM4\_A

Module: Adult

Section: EDS : Everyday Discrimination

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: In your day-to-day life how often have any of the

following things happened to you?

People act as if they are afraid of you.

\* Read if necessary: Would you say at least once a week, a few times a month, a

few times a year, less than once a year, or never?

**Description:** People act afraid of you

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

**Question ID:** EDS.0040.00.4

Keywords:

Notes:

Evaluation Report:

### <u>Unweighted frequencies:</u>

DISCRIM4\_A People act afraid of you

Code	Description	Frequency	Percent
1	At least once a week	460	1.56
2	A few times a month	487	1.65
3	A few times a year	1309	4.43
4	Less than once a year	1495	5.06
5	Never	24809	84.04
7	Refused	49	0.17
8	Not Ascertained	826	2.80
9	Don't Know	87	0.29

#### Variable Information:

Variable: DISCRIM5\_A

Module: Adult

Section: EDS : Everyday Discrimination

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: In your day-to-day life how often have any of the

following things happened to you?

You are threatened or harassed.

\* Read if necessary: Would you say at least once a week, a few times a month, a

few times a year, less than once a year, or never?

**Description:** You are threatened or harassed

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: EDS.0050.00.4

Keywords:
Notes:

Evaluation Report:

### Unweighted frequencies:

DISCRIM5\_A You are threatened or harassed

Code	Description	Frequency	Percent
1	At least once a week	358	1.21
2	A few times a month	439	1.49
3	A few times a year	1153	3.91
4	Less than once a year	2002	6.78
5	Never	24660	83.53
7	Refused	49	0.17
8	Not Ascertained	826	2.80
9	Don't Know	35	0.12

#### Variable Information:

Variable: VIGIL1\_A

Module: Adult

Section: HVS : Heightened Vigilance

File(s): Adult Data Type: Numeric

Length:

Question Text: In your day-to-day life, how often do you try to prepare for possible insults

from other people before leaving home? Would you say at least once a week, a few times a month, a few times a year, less than once a year, or never?

Description: Prepare for possible insults before leaving home

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: HVS.0010.00.4

Keywords:

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

VIGIL1\_A Prepare for possible insults before leaving home

Code	Description	Frequency	Percent
1	At least once a week	1521	5.15
2	A few times a month	696	2.36
3	A few times a year	1039	3.52
4	Less than once a year	1377	4.66
5	Never	23954	81.14
7	Refused	46	0.16
8	Not Ascertained	833	2.82
9	Don't Know	56	0.19

#### Variable Information:

Variable: VIGIL2\_A
Module: Adult

Section: HVS : Heightened Vigilance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: In your day-to-day life, how often do you...

Feel that you always have to be very careful about your appearance to get  $\operatorname{\mathsf{good}}$ 

service or avoid being harassed?

\* Read if necessary: Would you say at least once a week, a few times a month, a

few times a year, less than once a year, or never?

Description: Careful about your appearance in order to get good service or avoid harassment

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: HVS.0020.00.4

Keywords:

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

VIGIL2\_A Careful about your appearance in order to get good service or avoid harassment

Code	Description	Frequency	Percent
1	At least once a week	1363	4.62
2	A few times a month	769	2.60
3	A few times a year	1247	4.22
4	Less than once a year	1237	4.19
5	Never	23960	81.16
7	Refused	42	0.14
8	Not Ascertained	839	2.84
9	Don't Know	65	0.22

#### Variable Information:

Variable: VIGIL3\_A
Module: Adult

Section: HVS : Heightened Vigilance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: In your day-to-day life, how often do you...

Carefully watch what you say and how you say it?

\* Read if necessary: Would you say at least once a week, a few times a month, a

few times a year, less than once a year, or never?

Description: Watch what you say and how you say it

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: HVS.0030.00.4

Keywords: Notes:

Evaluation Report:

#### **Unweighted frequencies:**

VIGIL3\_A Watch what you say and how you say it

Code	Description	Frequency	Percent
1	At least once a week	6984	23.66
2	A few times a month	2569	8.70
3	A few times a year	3048	10.32
4	Less than once a year	1616	5.47
5	Never	14308	48.47
7	Refused	49	0.17
8	Not Ascertained	846	2.87
9	Don't Know	102	0.35

#### Variable Information:

Variable: VIGIL4\_A
Module: Adult

Section: HVS : Heightened Vigilance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: In your day-to-day life, how often do you...

Try to avoid certain social situations and places?

\* Read if necessary: Would you say at least once a week, a few times a month, a

few times a year, less than once a year, or never?

\* Read if necessary: These could be situations like social gatherings but they could also be places like stores, banks, or hospitals or even governmental

offices like the Department of Motor Vehicles.

**Description:** Avoid certain situations and places

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: HVS.0040.00.4

Keywords:

Notes:

### **Evaluation Report:**

### <u>Unweighted frequencies:</u>

VIGIL4\_A Avoid certain situations and places

Code	Description	Frequency	Percent
1	At least once a week	2604	8.82
2	A few times a month	2160	7.32
3	A few times a year	3597	12.18
4	Less than once a year	1904	6.45
5	Never	18271	61.89
7	Refused	47	0.16
8	Not Ascertained	849	2.88
9	Don't Know	90	0.30

#### Variable Information:

Variable: PAIFRQ3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the past three months, how often did you have pain? Would you say never,

some days, most days, or every day?

\* If respondent asks whether they are to answer about their pain when taking their medications, say: "Please answer based on your usual use of medication."

**Description:** How often had pain, past 3 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: PAI.0020.00.2

Keywords: ache

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

PAIFRQ3M\_A How often had pain, past 3 months

Code	Description	Frequency	Percent
1	Never	8752	29.65
2	Some days	12111	41.02
3	Most days	2945	9.98
4	Every day	4791	16.23
7	Refused	22	0.07
8	Not Ascertained	887	3.00
9	Don't Know	14	0.05

#### <u>Variable Information:</u>

Variable: PAIAMNT\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Thinking about the last time you had pain, how much pain did you have? Would

you say a little, a lot, or somewhere in between?

**Description:** How much pain last time

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past 3

months

Sources:

Question ID: PAI.0030.00.2

Keywords: ache

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

PAIAMNT\_A How much pain last time

Code	Description	Frequ	ency	Percent
1	A little		8434	42.50
2	A lot		3550	17.89
3	Somewhere in between a little and a lot		7849	39.55
7	Refused		0	0.00
8	Not Ascertained		4	0.02
9	Don't Know		10	0.05

#### Variable Information:

Variable: PAIWKLM3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Over the past three months, how often did your pain limit your life or work

activities? Would you say never, some days, most days, or every day?

Description: How often pain limits life or work

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past 3

months

Sources:

Question ID: PAI.0040.00.2

Keywords: ache

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

PAIWKLM3M\_A How often pain limits life or work

Code	Description	Frequency	Percent
1	Never	932	1 46.96
2	Some days	741	2 37.35
3	Most days	147	7.45
4	Every day	162	1 8.17
7	Refused		0.01
8	Not Ascertained		0.03
9	Don't Know		8 0.04

#### Variable Information:

Variable: PAIAFFM3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Over the past three months, how often did YOUR pain affect your family and

significant others? Would you say never, some days, most days, or every day?

**Description:** How often pain impacts family

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past 3

months

Sources:

Question ID: PAI.0050.00.2
Keywords: ache; impact

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

PAIAFFM3M\_A How often pain impacts family

Code	Description	Frequency	Percent
1	Never	14056	70.82
2	Some days	4280	21.56
3	Most days	689	3.47
4	Every day	770	3.88
7	Refused	4	0.02
8	Not Ascertained	8	0.04
9	Don't Know	40	0.20

#### Variable Information:

Variable: PAIBACK3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: The next set of questions are about the amount of pain you experience in

different locations.

Over the past three months, how much have you been bothered by

...Back pain? Would you say not at all, a little, a lot, or somewhere in

between?

Description: Back pain

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past 3

months

Sources:

Question ID: PAI.0060.00.2

**Keywords:** ache

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

PAIBACK3M\_A Back pain

Code	Description	Frequency	Percent
1	Not at all	6153	31.00
2	A little	6634	33.43
3	A lot	3805	19.17
4	Somewhere in between a little and a lot	3221	16.23
7	Refused	6	0.03
8	Not Ascertained	21	0.11
9	Don't Know	7	0.04

#### Variable Information:

Variable: PAIULMB3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Over the past three months, how much have you been

bothered by

...Pain in your hands, arms, or shoulders?

\* Read if necessary: Would you say not at all, a little, a lot, or somewhere in

between?

**Description:** Pain in hands

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past 3

months

Sources:

Question ID: PAI.0070.00.2

Keywords: ache

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

PAIULMB3M\_A Pain in hands

Code	Description	Frequency	Percent
1	Not at all	8522	42.94
2	A little	5994	30.20
3	A lot	2867	14.45
4	Somewhere in between a little and a lot	2429	12.24
7	Refused	4	0.02
8	Not Ascertained	23	0.12
9	Don't Know	8	0.04

#### Variable Information:

Variable: PAILLMB3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Over the past three months, how much have you been

bothered by

...Pain in your hips, knees, or feet?

\* Read if necessary: Would you say not at all, a little, a lot, or somewhere in

between?

**Description:** Pain in hips

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past 3

months

Sources:

Question ID: PAI.0080.00.2

**Keywords:** ache

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

PAILLMB3M\_A Pain in hips

Code	Description	Frequency	Percent
1	Not at all	6181	31.14
2	A little	6353	32.01
3	A lot	4154	20.93
4	Somewhere in between a little and a lot	3123	15.74
7	Refused	5	0.03
8	Not Ascertained	23	0.12
9	Don't Know	8	0.04

Variable Information:

Variable: PAIHDFC3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Over the past three months, how much have you been

bothered by

...Headache or migraine?

\* Read if necessary: Would you say not at all, a little, a lot, or somewhere in

between?

**Description:** Migraine

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past 3

months

Sources:

Question ID: PAI.0090.00.2

**Keywords:** ache

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

PAIHDFC3M\_A Migraine

Code	Description	Frequency	Percent
1	Not at all	11738	59.14
2	A little	4999	25.17
3	A lot	1492	7.52
4	Somewhere in between a little and a lot	1589	8.01
7	Refused	4	0.02
8	Not Ascertained	25	0.13
9	Don't Know	4	0.02

#### Variable Information:

Variable: PAIAPG3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Over the past three months, how much have you been

bothered by

...Abdominal, pelvic, or genital pain?

\* Read if necessary: Would you say not at all, a little, a lot, or somewhere in

between?

Description: Abdominal pain

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past 3

months

Sources:

Question ID: PAI.0100.00.2

**Keywords:** ache

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

PAIAPG3M\_A Abdominal pain

Code	Description	Frequency	Percent
1	Not at all	15765	79.43
2	A little	2305	11.61
3	A lot	866	4.36
4	Somewhere in between a little and a lot	862	4.34
7	Refused	16	0.05
8	Not Ascertained	26	0.13
9	Don't Know	13	0.07

#### Variable Information:

Variable: PAITOOTH3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Over the past three months, how much have you been

bothered by

...Toothache or jaw pain?

\* Read if necessary: Would you say not at all, a little, a lot, or somewhere in

between?

**Description:** Toothache or jaw pain

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past 3

months

Sources:

Question ID: PAI.0110.00.2

**Keywords:** ache

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

PAITOOTH3M\_A Toothache or jaw pain

Code	Description	Frequency	Percent
1	Not at all	163	82.16
2	A little	22	11.42
3	A lot	6	3.16
4	Somewhere in between a little and a lot	6	3.08
7	Refused		6 0.03
8	Not Ascertained		0.14
9	Don't Know		4 0.02

#### Variable Information:

Variable: REPSTRAIN\_A

Module: Adult

Section: REP : Repetitive Strain Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: The next set of questions asks about injuries.

The first question is about repetitive strain injuries. By this, we mean injuries caused by repeating the same movement over an extended period. Examples include carpal tunnel syndrome, tennis elbow, or tendonitis.

During the past 3 months, did you have any injuries due to repetitive strain?

**Description:** Repetitive strain injuries in the past 3 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: REP.0010.00.2
Keywords: injuries; RSI

Notes:

Evaluation Report: https://wwwn.cdc.gov/QBank/Reports.aspx#/Reports/1202

#### **Unweighted frequencies:**

REPSTRAIN\_A Repetitive strain injuries in the past 3 months

Code	Description	Frequency	Percent
1	Yes	2698	9.14
2	No	25852	87.57
7	Refused	11	0.04
8	Not Ascertained	933	3.16
9	Don't Know	28	0.09

#### Variable Information:

Variable: REPLIMIT\_A

Module: Adult

Section: REP : Repetitive Strain Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Were any repetitive strain injuries serious enough to limit your usual

activities for at least 24 hours?

**Description:** Limited by repetitive strain injury in the past 3 months

Recode:

Universe: HHSTAT\_A=1 and REPSTRAIN\_A=1

Universe Description: Sample adults 18+ who had repetitive strain injury in the past 3 months

Sources:

Question ID: REP.0020.00.2

Keywords: injury; RSI; activity limitation

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Reports.aspx#/Reports/1202

#### **Unweighted frequencies:**

REPLIMIT\_A Limited by repetitive strain injury in the past 3 months

Code	Description	Frequency	Percent
1	Yes	1329	49.26
2	No	1366	50.63
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.11

#### Variable Information:

Variable: REPSAWDOC\_A

Module: Adult

Section: REP : Repetitive Strain Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: For the next questions, please think only about the repetitive strain injuries

that limited your usual activities for at least 24 hours after the injury

occurred.

During the past 3 months, did you talk to or see a doctor or other health

professional about your repetitive strain injuries?

**Description:** Saw a doctor about repetitive strain injury

Recode:

Universe: HHSTAT\_A=1 and REPLIMIT\_A=1

Universe Description: Sample adults 18+ who had repetitive strain injury in the past 3 months which

limited their usual activities for at least 24 hours

Sources:

Question ID: REP.0030.00.2

Keywords: injury; RSI; doctor; health care use; health care utilization

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

REPSAWDOC\_A Saw a doctor about repetitive strain injury

Code	Description	Frequency	Percent
1	Yes	745	56.06
2	No	583	43.87
7	Refused	1	0.08
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

#### <u>Variable Information:</u>

Variable: REPWRKDYTC\_A

Module: Adult

Section: REP : Repetitive Strain Injury

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Number of days missed due to repetitive strain injury

Recode: Yes

Universe: HHSTAT\_A=1 and REPLIMIT\_A=1

Universe Description:

Sources: REPWRKDAYS\_A

Question ID:

Keywords: injury; unplanned absence; RSI

Notes: Recode: Top code the number of work days missed in the past 3 months at 10 or

more days.

**Evaluation Report:** 

#### **Unweighted frequencies:**

REPWRKDYTC\_A Number of days missed due to repetitive strain injury

Code	Description	Frequency	Percent
00	0 days	975	73.36
01-09	1-9 days	188	14.15
10	10+ days	68	5.12
91	Did not work	92	6.92
97	Refused	0	0.00
98	Not Ascertained	1	0.08
99	Don't Know	5	0.38

#### Variable Information:

Variable: REPFUTWRK\_A

Module: Adult

Section: REP : Repetitive Strain Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you expect to miss any more days of work because of your repetitive strain

injuries?

**Description:** Expected workdays missed due to repetitive strain injury

Recode:

Universe: HHSTAT\_A=1 and (1<=REPWRKDAYS\_A<=90 or REPWRKDAYS\_A=99)

Universe Description: Sample adults 18+ who missed at least one day of work due to repetitive strain

injury in past 3 months or don't know

Sources:

Question ID: REP.0050.00.2

Keywords: injury; unplanned absence; RSI

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

REPFUTWRK\_A Expected workdays missed due to repetitive strain injury

Code	Description	Frequency	Percent
1	Yes	118	45.21
2	No	137	52.49
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	6	2.30

#### Variable Information:

Variable: REPSTOPCHG\_A

Module: Adult

Section: REP : Repetitive Strain Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did you stop working or change jobs because of your

repetitive strain injuries?

\* Enter 'no' if respondent says they did not work in the past 3 months.

Description: Stopped working or changed job due to repetitive strain injury

Recode:

Universe: HHSTAT\_A=1 and (0<=REPWRKDAYS\_A<=90 or REPWRKDAYS\_A=97 or REPWRKDAYS\_A=99)

Universe Description: Sample adults 18+ who have missed 0 or more days of work due to repetitive

strain injury in past 3 months or refused or don't know

Sources:

Question ID: REP.0060.00.2

Keywords: injury; RSI; activity limitation

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

 $\textbf{REPSTOPCHG\_A} \quad \textbf{Stopped working or changed job due to repetitive strain injury}$ 

Code	Description	Frequency	Percent
1	Yes	99	8.01
2	No	1136	91.91
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.08

#### Variable Information:

Variable: REPREDUCE\_A

Module: Adult

Section: REP : Repetitive Strain Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did you make a major change in your work activities,

such as taking on fewer hours or lighter duties, because of your repetitive

strain injuries?

\* Enter 'no' if respondent says they did not work in the past 3 months.

Description: Reduced work or changed tasks due to repetitive strain injury

Recode:

Universe: HHSTAT\_A=1 and (0<=REPWRKDAYS\_A<=90 or REPWRKDAYS\_A=97 or REPWRKDAYS\_A=99)

Universe Description: Sample adults 18+ who missed 0 or more days of work due to repetitive strain

injury in past 3 months or refused or don't know

Sources:

Question ID: REP.0070.00.2

Keywords: injury; RSI; activity limitation

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

REPREDUCE\_A Reduced work or changed tasks due to repetitive strain injury

Code	Description	Frequency	Percent
1	Yes	275	22.25
2	No	960	77.67
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.08

#### Variable Information:

Variable: REPWRKCAUS\_A

Module: Adult

Section: REP : Repetitive Strain Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you ever been told by a doctor or other health professional that any of

your repetitive strain injuries were likely to be work-related?

**Description:** Did repetitive strain injury occur while working

Recode:

Universe: HHSTAT\_A=1 and REPLIMIT\_A=1

Universe Description: Sample adults 18+ who had repetitive strain injury in the past 3 months which

limited their usual activities for at least 24 hours

Sources:

Question ID: REP.0080.00.2

**Keywords:** work injuries; RSI

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

REPWRKCAUS\_A Did repetitive strain injury occur while working

Code	Description	Frequency	Percent
1	Yes	396	29.80
2	No	925	69.60
7	Refused	2	0.15
8	Not Ascertained	1	0.08
9	Don't Know	5	0.38

#### Variable Information:

Variable: ANYINJURY\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^NOTREPS the past 3 months, did you have an accident or an injury where any

part of your body was hurt?

Fills: NOT INCLUDING ANY OF THE REPETITIVE STRAIN INJURIES

YOU JUST MENTIONED, during/During

**Description:** Any injury in the past 3 months (not including repetitive strain injuries)

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Keywords:

Question ID: INJ.0020.00.2

Notes: During the interview, an introduction to this section told respondents that the

next set of questions asks about sudden injuries. People can be injured accidentally or on purpose. They may hurt themselves or others may cause them  $\frac{1}{2}$ 

to be hurt.

injuries

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Reports.aspx#/Reports/1202

#### <u>Unweighted frequencies:</u>

ANYINJURY\_A Any injury in the past 3 months (not including repetitive strain injuries)

Code	Description	Frequency	Percent
1	Yes	3010	10.20
2	No	25550	86.55
7	Refused	12	0.04
8	Not Ascertained	948	3.21
9	Don't Know	2	0.01

#### <u>Variable Information:</u>

Variable: INJLIMIT\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did any of these injuries limit your usual activities for at least 24 hours

after the injury occurred?

**Description:** Limited by injury in the past 3 months

Recode:

Universe: HHSTAT\_A=1 and ANYINJURY\_A=1

Universe Description: Sample adults 18+ who had injury(ies) in the past 3 months

Sources:

Question ID: INJ.0030.00.2

Keywords: injuries; activity limitation

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

INJLIMIT\_A Limited by injury in the past 3 months

Code	Description	Frequency	Percent
1	Yes	1960	65.12
2	No	1046	34.75
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	0.13

#### <u>Variable Information:</u>

Variable: NUMINJTC\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Number of injuries in the past 3 months

Recode: Yes

Universe: HHSTAT\_A=1 and INJLIMIT\_A=1

Universe Description: Sample adults 18+ who had injury(ies) in the past 3 months which limited usual

activities for at least 24 hours

Sources: NUMINJ\_A

Question ID:

Keywords: injuries

Notes: Recode: Top coded 10 or more injuries

**Evaluation Report:** 

#### **Unweighted frequencies:**

NUMINJTC\_A Number of injuries in the past 3 months

Code	Description	Frequency	Percent
00	0	0	0.00
01-09	1-9	1935	98.72
10	10+	16	0.82
97	Refused	1	0.05
98	Not Ascertained	0	0.00
99	Don't Know	8	0.41

#### Variable Information:

Variable: INJHOME\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did ^siginj\_A occur while you were at your home?

\* Read if necessary: Include the yards, garage, basement, and other places on

the home property.

Fills: ^siginj\_A..... your significant injury/any of your significant

injuries

**Description:** Did injury occur at home

Recode:

Universe: HHSTAT\_A=1 and INJLIMIT\_A=1

Universe Description: Sample adults 18+ who had injury(ies) in the past 3 months which limited usual

activities for at least 24 hours

Sources:

Question ID: INJ.0050.00.2

Keywords: home injuries

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

INJHOME\_A Did injury occur at home

Code	Description	Frequency	Percent
1	Yes	1064	54.29
2	No	888	45.31
7	Refused	1	0.05
8	Not Ascertained	1	0.05
9	Don't Know	6	0.31

Variable Information:

Variable: INJWORK\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did ^siginj\_A occur while you were working at a job

or business?

\* Enter 'no' if respondent says they did not work in the past 3 months.

Fills: ^siginj\_A..... your significant injury/any of your significant

injuries

**Description:** Did injury occur at work

Recode:

Universe: HHSTAT\_A=1 and ((2<=NUMINJ\_A<=96 or NUMINJ\_A IN (97,99)) or (NUMINJ\_A=1 and

 $INJHOME\_A$  IN (2,7,9)))

Universe Description: Sample adults 18+ who had 2 or more injuries in the past 3 months or don't know

or refused or who had 1 injury in the past 3 months but did not report an

injury at home

Sources:

Question ID: INJ.0060.00.2

Keywords: work injuries

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Reports.aspx#/Reports/1202

#### <u>Unweighted frequencies:</u>

INJWORK\_A Did injury occur at work

Code	Description	Frequency	Percent
1	Yes	249	21.43
2	No	909	78.23
7	Refused		0.00
8	Not Ascertained	:	0.09
9	Don't Know		0.26

#### Variable Information:

Variable: INJSPORTS\_A

Module: Adult

Section: INJ : Injury

File(s): Adult Data Type: Numeric

Length:

Question Text: During the past 3 months, did ^siginj\_A occur while you were playing sports or

exercising, including walking, biking, or running, playing baseball, basketball, football or doing any other physical activity?

\* Read if necessary: Include recreational sports such as skating, skiing,

tennis, golf, bowling, or fishing.

^siginj\_A..... Fills: your significant injury/any of your significant

injuries

Description: Did injury occur while playing sports or exercising

Recode:

Universe: HHSTAT\_A=1 and INJLIMIT\_A=1

Sample adults 18+ who had injury(ies) in the past 3 months which limited usual Universe Description:

activities for at least 24 hours

Sources:

INJ.0070.00.2 Question ID: Keywords: athletic injuries

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Reports.aspx#/Reports/1202

#### <u>Unweighted frequencies:</u>

INJSPORTS\_A Did injury occur while playing sports or exercising

Code	Description	Frequency	Percent
1	Yes	564	28.78
2	No	1390	70.92
7	Refused	1	0.05
8	Not Ascertained	1	0.05
9	Don't Know	4	0.20

## Variable Information:

Variable: INJFALL\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did ^siginj\_A occur as a result of a fall or falling?

Fills: ^siginj\_A..... your significant injury/any of your significant

injuries

Did injury occur because of a fall

Recode:

Universe: HHSTAT\_A=1 and INJLIMIT\_A=1

Universe Description: Sample adults 18+ who had injury(ies) in the past 3 months which limited usual

activities for at least 24 hours

Sources:

Question ID: INJ.0080.00.2
Keywords: injuries; fall

Notes:

**Evaluation Report:** 

## <u>Unweighted frequencies:</u>

INJFALL\_A Did injury occur because of a fall

Code	Description	Frequency	Percent
1	Yes	968	49.39
2	No	987	50.36
7	Refused	2	0.10
8	Not Ascertained	1	0.05
9	Don't Know	2	0.10

## Variable Information:

Variable: INJFALLHOM\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did any fall occur while you were at your home?

**Description:** Did fall occur at home

Recode:

Universe: HHSTAT\_A=1 and (2<=NUMINJ\_A<=96 or NUMINJ\_A IN (97,99)) and INJFALL\_A=1 and

INJHOME A=1

Universe Description: Sample adults 18+ who had 2 or more significant injuries or don't know or

refused, and were injured as a result of a fall or falling, and who were also

injured at home

Sources:

Question ID: INJ.0090.00.2

**Keywords:** fall; home injuries

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

 $\textbf{INJFALLHOM\_A} \quad \textbf{Did fall occur at home}$ 

Code	Description	Frequency	Percent
1	Yes	178	95.70
2	No	8	4.30
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

## Variable Information:

Variable: INJFALLWRK\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did any fall occur while you were working at a job or business?

**Description:** Did fall occur at work

Recode:

Universe: HHSTAT\_A=1 and (2<=NUMINJ\_A<=96 or NUMINJ\_A in (97,99)) and INJFALL\_A=1 and

INJWORK A=1

Universe Description: Sample adults 18+ who had 2 or more significant injuries or don't know or

refused, and were injured as a result of a fall or falling, and who were also

injured at work

Sources:

Question ID: INJ.0100.00.2

**Keywords:** fall; work injuries

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

 $\textbf{INJFALLWRK\_A} \quad \textbf{Did fall occur at work}$ 

Code	Description	Frequency	Percent
1	Yes	14	53.85
2	No	12	46.15
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

#### Variable Information:

Variable: INJMOTOR\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did ^siginj\_A occur as a result of being in a motor

vehicle crash or being hit by a motor vehicle while walking or biking?

\* Read if necessary: Motor vehicles include cars, trucks, vans, buses, motorcycles, motorized scooters, motorized wheelchairs, motorized carts, tractors, ATVs, snowmobiles, dune buggies, and other motorized vehicles.

Fills: ^siginj\_A..... your significant injury/any of your significant

injuries

Description: Injury caused by a motor vehicle crash or collision

Recode:

Universe: HHSTAT\_A=1 and INJLIMIT\_A=1

Universe Description: Sample adults 18+ who had injury(ies) in the past 3 months which limited usual

activities for at least 24 hours

Sources:

Question ID: INJ.0110.00.2

Keywords: injuries; transportation accident

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

Code	Description	Frequency	Percent
1	Yes	142	7.24
2	No	1815	92.60
7	Refused	2	0.10
8	Not Ascertained	1	0.05
9	Don't Know	0	0.00

## Variable Information:

Variable: INJMVTYPE1\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Were you a driver, passenger, bicyclist, pedestrian, or doing something else

when this occurred?

\* Enter all that apply, separate with commas.

**Description:** Motor vehicle accident - driver

Recode:

Universe: HHSTAT\_A=1 and INJMOTOR\_A=1

Universe Description: Sample adults 18+ who had significant injury(ies) from a motor vehicle accident

Sources: INJMVTYPE\_A

Question ID: INJ.0120.01.2

**Keywords:** injuries; transportation accident

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

INJMVTYPE1\_A Motor vehicle accident - driver

Code	Description	Frequency	Percent
1	Mentioned	90	63.38
2	Not mentioned	51	35.92
7	Refused	1	0.70
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

## Variable Information:

Variable: INJMVTYPE2\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Were you a driver, passenger, bicyclist, pedestrian, or doing something else

when this occurred?

\* Enter all that apply, separate with commas.

**Description:** Motor vehicle accident - passenger

Recode:

Universe: HHSTAT\_A=1 and INJMOTOR\_A=1

Universe Description: Sample adults 18+ who had significant injury(ies) from a motor vehicle accident

Sources: INJMVTYPE\_A

Question ID: INJ.0120.02.2

**Keywords:** injuries; transportation accident

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

INJMVTYPE2\_A Motor vehicle accident - passenger

Code	Description	Frequency	Percent
1	Mentioned	23	16.20
2	Not mentioned	118	83.10
7	Refused	1	0.70
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

## Variable Information:

Variable: INJMVTYPE3\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Were you a driver, passenger, bicyclist, pedestrian, or doing something else

when this occurred?

\* Enter all that apply, separate with commas.

**Description:** Motor vehicle accident - bicyclist

Recode:

Universe: HHSTAT\_A=1 and INJMOTOR\_A=1

Universe Description: Sample adults 18+ who had significant injury(ies) from a motor vehicle accident

Sources: INJMVTYPE\_A

Question ID: INJ.0120.03.2

**Keywords:** injuries; transportation accident

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

INJMVTYPE3\_A Motor vehicle accident - bicyclist

Code	Description	Frequency	Percent
1	Mentioned	9	6.34
2	Not mentioned	132	92.96
7	Refused	1	0.70
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

## Variable Information:

Variable: INJMVTYPE4\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Were you a driver, passenger, bicyclist, pedestrian, or doing something else

when this occurred?

\* Enter all that apply, separate with commas.

**Description:** Motor vehicle accident - pedestrian

Recode:

Universe: HHSTAT\_A=1 and INJMOTOR\_A=1

Universe Description: Sample adults 18+ who had significant injury(ies) from a motor vehicle accident

Sources: INJMVTYPE\_A

Question ID: INJ.0120.04.2

**Keywords:** injuries; transportation accident

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

INJMVTYPE4\_A Motor vehicle accident - pedestrian

Code	Description	Frequency	Percent
1	Mentioned	14	9.86
2	Not mentioned	127	89.44
7	Refused	1	0.70
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

## Variable Information:

Variable: INJMVTYPE5\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Were you a driver, passenger, bicyclist, pedestrian, or doing something else

when this occurred?

\* Enter all that apply, separate with commas.

**Description:** Motor vehicle accident - something else

Recode:

Universe: HHSTAT\_A=1 and INJMOTOR\_A=1

Universe Description: Sample adults 18+ who had significant injury(ies) from a motor vehicle accident

Sources: INJMVTYPE\_A

Question ID: INJ.0120.05.2

Keywords: injuries; transportation accident

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

INJMVTYPE5\_A Motor vehicle accident - something else

Code	Description	Frequency	Percent
1	Mentioned	6	4.23
2	Not mentioned	135	95.07
7	Refused	1	0.70
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

## Variable Information:

Variable: INJCHORES\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did ^siginj\_A occur while you were doing household

activities, such as housework, cooking, home maintenance, or yardwork?

Fills: ^siginj\_A..... your significant injury/any of your significant

injuries

**Description:** Did injury occur while doing household activities

Recode:

Universe: HHSTAT\_A=1 and INJLIMIT\_A=1

Universe Description: Sample adults 18+ who had injury(ies) in the past 3 months which limited usual

activities for at least 24 hours

Sources:

Question ID: INJ.0130.00.2
Keywords: home injuries

Notes:

**Evaluation Report:** 

## <u>Unweighted frequencies:</u>

 $\textbf{INJCHORES\_A} \quad \ \text{Did injury occur while doing household activities} \\$ 

Code	Description	Frequency	Percent
1	Yes	599	30.56
2	No	1354	69.08
7	Refused	2	0.10
8	Not Ascertained	2	0.10
9	Don't Know	3	0.15

## Variable Information:

Variable: INJSAWDOC\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did you see or talk to a doctor or other health

professional about ^siginj\_A?

Fills: ^siginj\_A..... your significant injury/any of your significant

injuries

**Description:** Saw a doctor about injury

Recode:

Universe: HHSTAT\_A=1 and INJLIMIT\_A=1

Universe Description: Sample adults 18+ who had injury(ies) in the past 3 months which limited their

usual activities for at least 24 hours

Sources:

Question ID: INJ.0140.00.2

Keywords: injuries; health care use; health care utilization

Notes:

Evaluation Report:

## <u>Unweighted frequencies:</u>

INJSAWDOC\_A Saw a doctor about injury

Code	Description	Frequency	Percent
1	Yes	1249	63.72
2	No	709	36.17
7	Refused	0	0.00
8	Not Ascertained	2	0.10
9	Don't Know	0	0.00

#### Variable Information:

Variable: INJER\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did you go to an emergency room because of ^siginj\_A?

Fills: 'siginj\_A..... your significant injury/any of your significant

injuries

**Description:** Visited ER for injury

Recode:

Universe: HHSTAT\_A=1 and INJSAWDOC\_A=1 and (1<=EMERGE12M\_A<=96 or EMERGE12M\_A IN (97,99))

Universe Description: Sample adults 18+ who saw a doctor about their injury(ies) and either went to

an ER at least once in the past 12 months or don't know or refused

Sources:

Question ID: INJ.0150.00.2

**Keywords:** injuries; emergency room; ER; health care use; health care utilization

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

INJER\_A Visited ER for injury

Code	Description	Frequency	Percent
1	Yes	458	70.57
2	No	191	29.43
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

## Variable Information:

Variable: INJHOSP\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 3 months, were you hospitalized overnight because of ^siginj\_A?

Fills: ^siginj\_A..... your significant injury/any of your significant

injuries

**Description:** Hospitalized for injury

Recode:

Universe: HHSTAT\_A=1 and INJSAWDOC\_A=1 and HOSPONGT\_A IN (1,7,9)

Universe Description: Sample adults 18+ who saw a doctor about their injury(ies) and reported being

hospitalized at least once in the past 12 months or don't know or refused

Sources:

Question ID: INJ.0160.00.2

Keywords: injuries; hospitalization; health care use; health care utilization

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

INJHOSP\_A Hospitalized for injury

Code	Description	Frequency	Percent
1	Yes	123	48.24
2	No	132	51.76
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

## Variable Information:

Variable: INJBONES\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did you have any broken bones as a result of

^siginj\_A?

Fills: ^siginj\_A..... your significant injury/any of your significant

injuries

**Description:** Did injury cause broken bones

Recode:

Universe: HHSTAT\_A=1 and INJSAWDOC\_A=1

Universe Description: Sample adults 18+ who saw a doctor about their injury(ies)

Sources:

Question ID: INJ.0170.00.2

**Keywords:** injuries; fractures

Notes:

**Evaluation Report:** 

## <u>Unweighted frequencies:</u>

INJBONES\_A Did injury cause broken bones

Code	Description	Frequency	Percent
1	Yes	244	19.54
2	No	997	79.82
7	Refused	2	0.16
8	Not Ascertained	1	0.08
9	Don't Know	5	0.40

## Variable Information:

Variable: INJSTITCH\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did you get any stitches or staples because of

^siginj\_A?

Fills: ^siginj\_A..... your significant injury/any of your significant

injuries

**Description:** Did injury require stitches or staples

Recode:

Universe: HHSTAT\_A=1 and INJSAWDOC\_A=1

Universe Description: Sample adults 18+ who saw a doctor about their injury(ies)

Sources:

Question ID: INJ.0180.00.2

Keywords: injuries; health care use; health care utilization

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

 $\textbf{INJSTITCH\_A} \quad \ \text{Did injury require stitches or staples}$ 

Code	Description	Frequency	Percent
1	Yes	194	15.53
2	No	1052	84.23
7	Refused	2	0.16
8	Not Ascertained	1	0.08
9	Don't Know	0	0.00

## Variable Information:

Variable: INJWRKDYTC\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Number of workdays missed due to injury in the past 3 months

Recode: Yes

Universe: HHSTAT\_A=1 and INJLIMIT\_A=1

Universe Description: Sample adults 18+ who had injury(ies) in the past 3 months which limited their

usual activities for at least 24 hours

Sources: INJWRKDAYS\_A

Question ID:

**Keywords:** injuries; unplanned absence

Notes: Recode: Top coded the number of workdays missed in the past 3 months at 10 or

more days

**Evaluation Report:** 

## **Unweighted frequencies:**

INJWRKDYTC\_A Number of workdays missed due to injury in the past 3 months

Code	Description	Frequency	Percent
00	0 days	1324	67.55
01-09	1-9 days	383	19.54
10	10+ days	131	6.68
91	Did not work	112	5.71
97	Refused	2	0.10
98	Not Ascertained	5	0.26
99	Don't Know	3	0.15

## Variable Information:

Variable: INJFUTWRK\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you expect to miss any more days of work because of ^siginj\_A that occurred

during the past 3 months?

Fills: ^siginj\_A..... your significant injury/any of your significant

injuries

**Description:** Expected workdays missed due to injury

Recode:

Universe: HHSTAT\_A=1 and (1<=INJWRKDAYS\_A<=90 or INJWRKDAYS\_A=99)

Universe Description: Sample adults 18+ who have missed at least one day of work due to injury(ies)

in the past 3 months or don't know

Sources:

Question ID: INJ.0200.00.2

Keywords: injuries; unplanned absence

Notes:

**Evaluation Report:** 

## <u>Unweighted frequencies:</u>

INJFUTWRK\_A Expected workdays missed due to injury

Code	Description	Frequency	Percent	
1	Yes		91 17	7.60
2	No	4	19 81	1.04
7	Refused		0 0	0.00
8	Not Ascertained		1 6	0.19
9	Don't Know		6 1	1.16

#### Variable Information:

Variable: INJSTOPCHG\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did you stop working or change jobs because of

^siginj\_A?

st Enter 'no' if respondent says they did not work in the past 3 months.

Fills: ^siginj\_A..... your significant injury/any of your significant

injuries

**Description:** Stopped working or changed jobs due to injury

Recode:

Universe: HHSTAT\_A=1 and (0<=INJWRKDAYS\_A<=90 or INJWRKDAYS\_A=97 or INJWRKDAYS\_A=99)

Universe Description: Sample adults 18+ who have missed 0 or more days of work due to injury(ies) in

the past 3 months or refused or don't know

Sources:

Question ID: INJ.0210.00.2

**Keywords:** injuries; activity limitation

Notes:

Evaluation Report:

#### <u>Unweighted frequencies:</u>

 $\textbf{INJSTOPCHG\_A} \quad \textbf{Stopped working or changed jobs due to injury}$ 

Code	Description	Frequency	Percent
1	Yes	101	5.48
2	No	1739	94.36
7	Refused	2	0.11
8	Not Ascertained	1	0.05
9	Don't Know	0	0.00

#### Variable Information:

Variable: INJREDUCE\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did you make a major change in your work activities,

such as taking on fewer hours or lighter duties, because of ^siginj\_A?

\* Enter 'no' if respondent says they did not work in the past 3 months.

Fills: ^siginj\_A..... your significant injury/any of your significant

injuries

**Description:** Reduced work or changed tasks due to injury

Recode:

Universe: HHSTAT\_A=1 and (0<=INJWRKDAYS\_A<=90 or INJWRKDAYS\_A=97 or INJWRKDAYS\_A=99)

Universe Description: Sample adults 18+ who have missed 0 or more days of work due to injury(ies) in

the past 3 months or refused or don't know

Sources:

Question ID: INJ.0220.00.2

**Keywords:** injuries; activity limitation

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

 $\label{local_local_local} \textbf{INJREDUCE\_A} \hspace{0.5cm} \textbf{Reduced work or changed tasks due to injury}$ 

Code	Description	Frequency	Percent
1	Yes	339	18.39
2	No	1501	81.44
7	Refused	2	0.11
8	Not Ascertained	1	0.05
9	Don't Know	0	0.00

#### Variable Information:

Variable: TBILCDCMG\_A

Module: Adult

Section: TBI : Concussions - past 12 months

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, as a result of a blow or jolt to the head, have you

been knocked out or lost consciousness, been dazed or confused, or had a gap in

your memory?

\* Read if necessary: Please think about all head injuries, for example, from playing sports, car accidents, falls, or being hit by something or someone that

may have occurred in the past 12 months.

Description: Lost consciousness, dazed or confused, or had gap in memory, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: TBI.0020.00.3

Keywords: traumatic brain injury; TBI; serious head injury

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

TBILCDCMG\_A Lost consciousness, dazed or confused, or had gap in memory, past 12 months

Code	Description	Frequency	Percent
1	Yes	586	1.98
2	No	27944	94.65
7	Refused	15	0.05
8	Not Ascertained	965	3.27
9	Don't Know	12	0.04

#### Variable Information:

Variable: TBIHLSBMC\_A

Module: Adult

Section: TBI : Concussions - past 12 months

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, as a result of a blow or jolt to the head, have you

had headaches, sensitivity to light or noise, balance problems, or changes in

mood or behavior?

\* Read if necessary: Please think about all head injuries, for example, from playing sports, car accidents, falls, or being hit by something or someone that

may have occurred in the past 12 months.

**Description:** Headache, sensitivities, balance problems or mood change, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: TBI.0030.00.3

Keywords:

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

TBIHLSBMC\_A Headache, sensitivities, balance problems or mood change, past 12 months

Code	Description	Frequency	Percent
1	Yes	662	2.24
2	No	27867	94.39
7	Refused	18	0.06
8	Not Ascertained	967	3.28
9	Don't Know	8	0.03

#### Variable Information:

Variable: TBISPORT\_A

Module: Adult

Section: TBI : Concussions - past 12 months

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^CDCMG\_A Were you playing a sport or participating in a physical or

recreational activity, such as jogging, biking, or pick-up games, when you

experienced any of these blows or jolts to the head?

\* Read if necessary: Include team or league sports competitions or practices.

\* Read if necessary: Include organized and non-organized sports.

\* Read if necessary: A pick-up game is when a group of players get together and

spontaneously start a game, like basketball or soccer.

Fills: ^CDCMG\_A..... Think about the blows or jolts to the head that

caused you to lose consciousness...

Description: Blow or jolt to head while playing sports or rec activity, past 12 months

Recode:

Universe: HHSTAT\_A=1 and (TBILCDCMG\_A=1 or TBIHLSBMC\_A=1)

Universe Description: Sample Adults 18+ who experienced TBI symptoms from a blow or jolt to the head

over the past 12 months

Sources:

Question ID: TBI.0040.00.3

Keywords: traumatic brain injury; TBI; serious head injury

Notes:

**Evaluation Report:** 

## Unweighted frequencies:

TBISPORT\_A Blow or jolt to head while playing sports or rec activity, past 12 months

Code	Description	Frequency	Percent
1	Yes	136	14.50
2	No	801	85.39
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.11

#### Variable Information:

Variable: TBILEAGUE\_A

Module: Adult

Section: TBI : Concussions - past 12 months

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Were you participating in an organized team or league sports competition or

practice when you experienced any of these blows or jolts to the head?

Description: Blow or jolt to head while playing organized sports, past 12 months

Recode:

Universe: HHSTAT\_A=1 and TBISPORT\_A=1

Universe Description: Sample Adults 18+ who experienced TBI symptoms from a blow or jolt to the head

over the past 12 months and had a sports or recreational injury

Sources:

Question ID: TBI.0050.00.3

Keywords: traumatic brain injury; TBI; serious head injury

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

TBILEAGUE\_A Blow or jolt to head while playing organized sports, past 12 months

Code	Description	Frequency	Percent
1	Yes	39	28.68
2	No	97	71.32
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

## Variable Information:

Variable: TBIEVAL\_A

Module: Adult

Section: TBI : Concussions - past 12 months

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, as a result of a blow or jolt to the head, were you

evaluated for a concussion or brain injury by a doctor, nurse, paramedic,

athletic trainer, or other health professional?

**Description:** Evaluated for concussion, past 12 months

Recode:

Universe: HHSTAT\_A=1 and (TBILCDCMG\_A=1 or TBIHLSBMC\_A=1)

Universe Description: Sample Adults 18+ who experienced TBI symptoms from a blow or jolt to the head

over the past 12 months

Sources:

Question ID: TBI.0060.00.3

Keywords: traumatic brain injury; TBI; serious head injury

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

TBIEVAL\_A Evaluated for concussion, past 12 months

Code	Description	Frequency	Percent
1	Yes	400	42.64
2	No	535	57.04
7	Refused	0	0.00
8	Not Ascertained	1	0.11
9	Don't Know	2	0.21

## Variable Information:

Variable: JNTSYMP\_A

Module: Adult

Section: ART : Arthritis

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: The next questions refer to your joints. Please do NOT include the back or

neck.

DURING THE PAST 30 DAYS, have you had any symptoms of pain, aching, or

stiffness in or around a joint?

**Description:** Arthritis symptoms, past 30 days

Recode:

Universe: HHSTAT\_A=1 and ARTHEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had arthritis or related condition

Sources:

Question ID: ART.0010.00.3

**Keywords:** pain; stiffness; joint inflammation

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

JNTSYMP\_A Arthritis symptoms, past 30 days

Code	Description	Frequency	Percent
1	Yes	5749	74.36
2	No	1746	22.58
7	Refused	1	0.01
8	Not Ascertained	234	3.03
9	Don't Know	1	0.01

## Variable Information:

Variable: JNTPN\_A

Module: Adult

**Section:** ART: Arthritis

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: Please think about the past 30 days, keeping in mind all of your joint pain or

aching and whether or not you have taken medication. DURING THE PAST 30 DAYS, how bad was your joint pain ON AVERAGE? Please answer on a scale of 0 to 10 where 0 is no pain or aching and 10 is pain or aching as bad as it can be.

**Description:** Arthritis pain, past 30 days

Recode:

Universe: HHSTAT\_A=1 and JNTSYMP\_A=1

Universe Description: Sample adults 18+ who have had any symptoms of pain, aching, or stiffness in or

around a joint during the past 30 days

Sources:

Question ID: ART.0020.00.3

**Keywords:** pain; stiffness; joint inflammation

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

JNTPN\_A Arthritis pain, past 30 days

Code	Description	Frequency	Percent
00-10	Range of values	5723	99.55
97	Refused	2	0.03
98	Not Ascertained	1	0.02
99	Don't Know	23	0.40

## Variable Information:

Variable: ARTHLMT\_A

Module: Adult

**Section:** ART: Arthritis

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Earlier, you said that a doctor or other health professional had told you that

you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia (fy-bro-my-AL-jee-uh). Are you now limited in any way in any of

your usual activities because of arthritis or joint symptoms?

**Description:** Arthritis activity limitations

Recode:

Universe: HHSTAT\_A=1 and ARTHEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had arthritis or related condition

Sources:

Question ID: ART.0030.00.3

**Keywords:** limitations in work activities; joint inflammation

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

ARTHLMT\_A Arthritis activity limitations

Code	Description	Frequency	Percent
1	Yes	3526	45.61
2	No	3955	51.16
7	Refused	3	0.04
8	Not Ascertained	235	3.04
9	Don't Know	12	0.16

## Variable Information:

Variable: ARTHWRK\_A

Module: Adult

**Section:** ART : Arthritis

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** In this next question we are referring to work for pay. Do arthritis or joint

symptoms now affect whether you work, the type of work you do, or the amount of

work you do?

**Description:** Arthritis work limitations

Recode:

Universe: HHSTAT\_A=1 and ARTHEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had arthritis or related condition

Sources:

Question ID: ART.0040.00.3

Keywords: limitations in work activities; joint inflammation

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

ARTHWRK\_A Arthritis work limitations

Code	Description	Frequency	Percent
1	Yes	2034	26.31
2	No	5435	70.30
7	Refused	5	0.06
8	Not Ascertained	237	3.07
9	Don't Know	20	0.26

## Variable Information:

Variable: ARTHPH\_A

Module: Adult

**Section:** ART : Arthritis

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Has a doctor or other health professional EVER suggested physical activity or

exercise to help your arthritis or joint symptoms?

**Description:** Physical activity to help with arthritis

Recode:

Universe: HHSTAT\_A=1 and ARTHEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had arthritis or related condition

Sources:

Question ID: ART.0050.00.3

**Keywords:** doctor or health professional advice; physical activity; joint inflammation

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

ARTHPH\_A Physical activity to help with arthritis

Code	Description	Frequency	Percent
1	Yes	4097	52.99
2	No	3370	43.59
7	Refused	2	0.03
8	Not Ascertained	238	3.08
9	Don't Know	24	0.31

## <u>Variable Information:</u>

Variable: SMKEV\_A Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you smoked at least 100 cigarettes in your ENTIRE LIFE?

**Description:** Ever smoked 100 cigarettes

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CIG.0020.00.1

**Keywords:** smoking; nicotine; tobacco use

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1192 /

https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

## **Unweighted frequencies:**

SMKEV\_A Ever smoked 100 cigarettes

Code	Description	Frequency	Percent
1	Yes	10373	35.14
2	No	18111	61.35
7	Refused	25	0.08
8	Not Ascertained	990	3.35
9	Don't Know	23	0.08

## Variable Information:

Variable: SMKNOW\_A

Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you NOW smoke cigarettes every day, some days, or not at all?

**Description:** Now smoke cigarettes

Recode:

Universe: HHSTAT\_A=1 and SMKEV\_A=1

Universe Description: Sample adults 18+ who ever smoked 100 cigarettes

Sources:

Question ID: CIG.0030.00.1

**Keywords:** smoking; nicotine; tobacco use

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1192 /

https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

## **Unweighted frequencies:**

SMKNOW\_A Now smoke cigarettes

Code	Description	Frequency	Percent
1	Every day	2347	22.63
2	Some days	788	7.60
3	Not at all	7235	69.75
7	Refused	2	0.02
8	Not Ascertained	0	0.00
9	Don't Know	1	0.01

## <u>Variable Information:</u>

Variable: SMKCIGST\_A

Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Cigarette smoking status

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+
Sources: SMKEV\_A; SMKNOW\_A

Question ID:

**Keywords:** smoking; nicotine; tobacco use

Notes: Some day smokers includes those who reported smoking zero days in the past 30

days.

**Evaluation Report:** 

#### **Unweighted frequencies:**

SMKCIGST\_A Cigarette smoking status

Code	Description	Frequency	Percent
1	Current every day smoker	2347	7.95
2	Current some day smoker	788	2.67
3	Former smoker	7235	24.51
4	Never smoker	18111	61.35
5	Smoker, current status unknown	3	0.01
9	Unknown if ever smoked	1038	3.52

## Variable Information:

Variable: CIGNOW\_A
Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: On average, about how many cigarettes do you NOW smoke a day?

\* Enter '1' if less than 1 cigarette.

\* Enter '95' if 95 or more cigarettes.

**Description:** Number of cigarettes a day

Recode:

Universe: HHSTAT\_A=1 and SMKNOW\_A=1

Universe Description: Sample adults 18+ who are current every day smokers

Sources:

Question ID: CIG.0040.00.1

**Keywords:** smoking; nicotine; tobacco use

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

CIGNOW\_A Number of cigarettes a day

Code	Description	Frequency	Percent
01-95	Range of values	2330	99.28
97	Refused	3	0.13
98	Not Ascertained	1	0.04
99	Don't Know	13	0.55

## <u>Variable Information:</u>

Variable: SMK30D\_A
Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: On how many of the past 30 days did you smoke a cigarette?

\* Enter '0' for None.

**Description:** Number of days smoked past month

Recode:

Universe: HHSTAT\_A=1 and SMKNOW\_A=2

Universe Description: Sample adults 18+ who are current some day smokers

Sources:

Question ID: CIG.0050.00.1

**Keywords:** smoking; nicotine; tobacco use

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

SMK30D\_A Number of days smoked past month

Code	Description	Frequency	Percent
00-30	Range of values	773	98.10
97	Refused	2	0.25
98	Not Ascertained	0	0.00
99	Don't Know	13	1.65

Variable Information:

Variable: CIG30D\_A
Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: On average, when you smoked during the past 30 days, about how many cigarettes

did you smoke a day?

\* Enter '1' if less than 1.

\* Enter '95' if 95 or more cigarettes.

**Description:** Number of cigarettes on days smoked past month

Recode:

Universe: HHSTAT\_A=1 and  $((1 \le SMK30D_A \le 30)$  or  $SMK30D_A$  IN (97,99))

Universe Description: Sample adults 18+ who are someday smokers and have smoked in the past 30 days

or refused or don't know

Sources:

Question ID: CIG.0060.00.1

**Keywords:** smoking; nicotine; tobacco use

Notes:

**Evaluation Report:** 

## Unweighted frequencies:

CIG30D\_A Number of cigarettes on days smoked past month

Code	Description	Frequency	Percent
01-95	Range of values	743	98.54
97	Refused	2	0.27
98	Not Ascertained	0	0.00
99	Don't Know	9	1.19

## Variable Information:

Variable: MENTHOLC\_A

Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you usually smoke menthol or non-menthol cigarettes?

**Description:** Smoke menthol or non-menthol cigarettes

Recode:

Universe: HHSTAT\_A=1 and SMKNOW\_A IN (1,2)

Universe Description: Sample adults 18+ who currently smoke cigarettes every day or some days

Sources:

**Question ID:** CIG.0065.00.3

Keywords: flavored tobacco; smoking; nicotine; tobacco use

Notes: MENTHOLC\_A was fielded in 2023 beginning in March.

**Evaluation Report:** 

### **Unweighted frequencies:**

MENTHOLC\_A Smoke menthol or non-menthol cigarettes

Code	Description	Frequency	Percent
1	Menthol	822	31.62
2	Non-menthol	1685	64.81
3	No usual type	88	3.38
7	Refused	1	0.04
8	Not ascertained	0	0.00
9	Don't know	4	0.15

### Variable Information:

Variable: ECIGEV\_A
Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you ever used an e-cigarette or other electronic vaping product, even just

one time, in your entire life?

\* Read if necessary: Electronic cigarettes (e-cigarettes) and other electronic vaping products include JUULs, vape pens, e-cigars, and others. These products are battery-powered and usually contain nicotine and flavors such as fruit, mint, or candy.

\* These questions concern electronic vaping products for nicotine use.

\* Do not include marijuana use.

**Description:** Ever used electronic cigarettes

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CIG.0070.00.1

Keywords: e-cigs; vaping; electronic nicotine delivery systems (ENDS); nicotine; tobacco

use

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

# <u>Unweighted frequencies:</u>

ECIGEV\_A Ever used electronic cigarettes

Code	Description	Frequency	Percent
1	Yes	5034	17.05
2	No	23470	79.50
7	Refused	20	0.07
8	Not Ascertained	993	3.36
9	Don't Know	5	0.02

## Variable Information:

Variable: ECIGNOW\_A

Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you NOW use e-cigarettes or other electronic vaping products every day, some

days, or not at all?

\* These questions concern electronic vaping products for nicotine use.

\* Do not include marijuana use.

**Description:** Now use electronic cigarettes

Recode:

Universe: HHSTAT\_A=1 and ECIGEV\_A=1

Universe Description: Sample adults 18+ who have ever used e-cigarettes

Sources:

Question ID: CIG.0080.00.1

**Keywords:** e-cigs; vaping; electronic nicotine delivery systems (ENDS); nicotine; tobacco

use

Notes:

**Evaluation Report:** 

# Unweighted frequencies:

ECIGNOW\_A Now use electronic cigarettes

Code	Description	Frequency	Percent
1	Every day	776	15.42
2	Some days	738	14.66
3	Not at all	3518	69.88
7	Refused	1	0.02
8	Not Ascertained	0	0.00
9	Don't Know	1	0.02

# Variable Information:

Variable: SMKECIGST\_A

Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Electronic cigarette use status

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+
Sources: ECIGEV\_A; ECIGNOW\_A

Question ID:

**Keywords:** e-cigs; vaping; electronic nicotine delivery systems (ENDS); nicotine; tobacco

use

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

**SMKECIGST\_A** Electronic cigarette use status

Code	Description	Frequency	Percent
1	Current e-cigarette user	1514	5.13
2	Used e-cigarette, not current user	3518	11.92
3	Never e-cigarette user	23470	79.50
4	E-cigarette user, current status unknown	2	0.01
9	Unknown if ever used e-cigarette	1018	3.45

### Variable Information:

Variable: CIGAREV\_A

Module: Adult

Section: OTB : Other Tobacco

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you ever smoked a regular cigar, cigarillo, or a little filtered cigar

EVEN ONE TIME?

\* Read if necessary: "Cigarillos" are medium cigars that sometimes are sold with plastic or wooden tips. Some common brands are Black and Mild, Swisher Sweets, Dutch Masters and Phillies Blunts. Cigarillos are usually sold individually or in packs of 5 or fewer. Little filtered cigars look like cigarettes and are usually brown in color. Like cigarettes, little filtered cigars have a spongy filter and are sold in packs of 20. Some common brands are

Prime Time and Winchester.

\* Read if necessary: Do not include electronic cigars or e-cigars.

**Description:** Ever smoked a cigar

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: OTB.0010.00.3

Keywords: roll of tobacco; nicotine; tobacco use

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

CIGAREV\_A Ever smoked a cigar

Code	Description	Frequency	Percent
1	Yes	8304	28.13
2	No	20183	68.37
7	Refused	21	0.07
8	Not Ascertained	995	3.37
9	Don't Know	19	0.06

## <u>Variable Information:</u>

Variable: CIGARCUR\_A

Module: Adult

Section: OTB : Other Tobacco

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you NOW smoke regular cigars, cigarillos, or little filtered cigars every

day, some days, or not at all?

**Description:** Now smoke cigars

Recode:

Universe: HHSTAT\_A=1 and CIGAREV\_A=1

Universe Description: Sample adults 18+ who have ever smoked a regular cigar, cigarillo, or filtered

cigar

Sources:

Question ID: OTB.0020.00.3

Keywords: roll of tobacco; nicotine; tobacco use

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

CIGARCUR\_A Now smoke cigars

Code	Description	Frequency	Percent
1	Every day	154	1.85
2	Some days	848	10.21
3	Not at all	7298	87.89
7	Refused	0	0.00
8	Not Ascertained	1	0.01
9	Don't Know	3	0.04

## Variable Information:

Variable: CIGAR30D\_A

Module: Adult

Section: OTB : Other Tobacco

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: On how many of the past 30 days have you smoked a regular cigar, cigarillo, or

little filtered cigar?

**Description:** How many days smoked a cigar, past 30 days

Recode:

Universe: HHSTAT\_A=1 and CIGARCUR\_A IN (2,3)

Universe Description: Sample adults 18+ who now smoke a regular cigar, cigarillo, or little filtered

cigar some days or not at all

Sources:

**Question ID:** OTB.0030.00.3

Keywords: roll of tobacco; nicotine; tobacco use

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

CIGAR30D\_A How many days smoked a cigar, past 30 days

Code	Description	Frequency	Percent
00-30	Range of values	8137	99.89
97	Refused	0	0.00
98	Not Ascertained	2	0.02
99	Don't Know	7	0.09

### Variable Information:

Variable: PIPEEV\_A
Module: Adult

Section: OTB : Other Tobacco

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER smoked a pipe filled with tobacco - either a regular pipe, water

pipe, or hookah EVEN ONE TIME?

\* Read if necessary: A hookah is a type of water pipe. It is sometimes called a "narghile" (NAR-ge-lee) pipe. Do not include electronic hookah or e-hookahs.

\* Read if necessary: Do not include electronic pipes or e-pipes.

Read if necessary: Do not include pipes filled with substances other than

tobacco.

**Description:** Ever smoked a pipe filled with tobacco

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** OTB.0040.00.3

**Keywords:** bowl of tobacco; nicotine; tobacco use

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

PIPEEV\_A Ever smoked a pipe filled with tobacco

Code	Description	Frequency	Percent
1	Yes	4063	13.76
2	No	24426	82.74
7	Refused	20	0.07
8	Not Ascertained	998	3.38
9	Don't Know	15	0.05

## Variable Information:

Variable: PIPECUR\_A

Module: Adult

Section: OTB : Other Tobacco

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you NOW smoke pipes filled with tobacco - either regular pipes, water pipes,

or hookahs, every day, some days, or not at all?

\* Read if necessary: Do not include pipes filled with substances other than

tobacco.

**Description:** Now smoked pipe filled with tobacco

Recode:

Universe: HHSTAT\_A=1 and PIPEEV\_A=1

Universe Description: Sample adults 18+ who have ever smoked a regular pipe, water pipe or hookah

filled with tobacco

Sources:

**Question ID:** OTB.0050.00.3

**Keywords:** bowl of tobacco; nicotine; tobacco use

Notes:

Evaluation Report:

## **Unweighted frequencies:**

PIPECUR\_A Now smoked pipe filled with tobacco

Code	Description	Frequency	Percent
1	Every day	27	0.66
2	Some days	220	5.41
3	Not at all	3816	93.92
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

## Variable Information:

Variable: SMOKELSEV\_A

Module: Adult

Section: OTB : Other Tobacco

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Smokeless tobacco products are placed in the mouth or nose and can include

chewing tobacco, snuff, dip, snus (SNOOSE), or dissolvable tobacco.

Have you ever used smokeless tobacco products EVEN ONE TIME?

\* Read if necessary: Do not include nicotine replacement therapy products such as patch, gum, lozenge, or spray, which are considered smoking cessation

treatments.

**Description:** Ever used smokeless tobacco

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** OTB.0060.00.3

**Keywords:** spitting tobacco; nicotine; tobacco use

Notes:

**Evaluation Report:** 

## <u>Unweighted frequencies:</u>

SMOKELSEV\_A Ever used smokeless tobacco

Code	Description	Frequency	Percent
1	Yes	2935	9.94
2	No	25561	86.58
7	Refused	17	0.06
8	Not Ascertained	1001	3.39
9	Don't Know	8	0.03

## Variable Information:

Variable: SMOKELSCUR\_A

Module: Adult

Section: OTB : Other Tobacco

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you NOW use smokeless tobacco products every day, some days, or not at all?

**Description:** Now use smokeless tobacco

Recode:

Universe: HHSTAT\_A=1 and SMOKELSEV\_A=1

Universe Description: Sample adults 18+ who have ever used smokeless tobacco products

Sources:

**Question ID:** OTB.0070.00.3

**Keywords:** spitting tobacco; nicotine; tobacco use

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

 ${\bf SMOKELSCUR\_A} \quad {\bf Now} \ {\bf use} \ {\bf smokeless} \ {\bf tobacco}$ 

Code	Description	Frequency	Percent
1	Every day	372	12.67
2	Some days	206	7.02
3	Not at all	2357	80.31
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

## <u>Variable Information:</u>

Variable: AVISEXAM\_A

Module: Adult

Section: SVI : Sponsored Vision Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When was the last time you had an eye exam in which the pupils were dilated

using eye drops? This may have made you temporarily sensitive to bright light.

**Description:** Last time had eye exam

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SVI.0010.00.3

**Keywords:** eyesight; health care services; vision care

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

AVISEXAM\_A Last time had eye exam

Code	Description	Frequency	Percent
0	Never	4173	14.14
1	Within the past year (anytime less than 12 months ago)	12282	41.60
2	Within the last 2 years (1 year but less than 2 years ago)	4271	14.47
3	Within the last 3 years (2 years but less than 3 years ago)	2075	7.03
4	Within the last 5 years (3 years but less than 5 years ago)	1699	5.76
5	5 years ago or more	3624	12.28
7	Refused	21	0.07
8	Not Ascertained	1020	3.46
9	Don't Know	357	1.21

## Variable Information:

Variable: AVISREH\_A

Module: Adult

Section: SVI : Sponsored Vision Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you use any vision rehabilitation services, such as job training,

counseling, or training in daily living skills and mobility?

**Description:** Use vision rehabilitation services

Recode:

Universe: HHSTAT\_A=1 and VISIONDF\_A IN (2,3,4)

Universe Description: Sample Adults 18+ who have difficulty seeing

Sources:

Question ID: SVI.0020.00.3

Keywords: health services; disability; visual impairment; vision care

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

## **Unweighted frequencies:**

AVISREH\_A Use vision rehabilitation services

Code	Description	Frequency	Percent
1	Yes	64	1.11
2	No	5510	95.46
7	Refused	3	0.05
8	Not Ascertained	189	3.27
9	Don't Know	6	0.10

## Variable Information:

Variable: AVISDEV\_A

Module: Adult

Section: SVI : Sponsored Vision Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you use any assistance or adaptive devices, such as telescopic or other

prescriptive lenses, magnifiers, large print or talking materials, closed

circuit television or video magnifier, screen reader, white cane, or guide dog?

**Description:** Use vision assistive devices

Recode:

Universe: HHSTAT\_A=1 and VISIONDF\_A IN (2,3,4)

Universe Description: Sample Adults 18+ who have difficulty seeing

Sources:

Question ID: SVI.0030.00.3

Keywords: vision assistance; vision problems; vision impairment; vision care

Notes:

Evaluation Report: https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

### **Unweighted frequencies:**

AVISDEV\_A Use vision assistive devices

Code	Description	Frequency	Percent
1	Yes	980	16.98
2	No	4593	79.57
7	Refused	2	0.03
8	Not Ascertained	190	3.29
9	Don't Know	7	0.12

### Variable Information:

Variable: AVISSADV\_A

Module: Adult

Section: SVI : Sponsored Vision Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Has a health professional EVER advised you that vision rehabilitation services

and assistive, adaptive, or accessibility devices are available to help with

your vision difficulties?

**Description:** Health professional recommend services

Recode:

Universe: HHSTAT\_A=1 and (AVISREH\_A IN (2,7,9) or AVISDEV\_A IN (2,7,9))

Universe Description: Sample Adults 18+ who do not use rehabilitation services or assistive devices

Sources:

Question ID: SVI.0040.00.3

Keywords: health care services; medical advice; vision impairment; vision care

Notes:

Evaluation Report: https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

### **Unweighted frequencies:**

AVISSADV\_A Health professional recommend services

Code	Description	Frequency	Percent
1	Yes	365	6.58
2	No	5156	92.93
7	Refused	2	0.04
8	Not Ascertained	1	0.02
9	Don't Know	24	0.43

## Variable Information:

Variable: VIMREAD\_A

Module: Adult

Section: SVI : Sponsored Vision Items

File(s): Adult Data Type: Numeric

Length:

Question Text: Do you wear prescription eyeglasses or contact lenses to read books or

newspapers, write, or do other things that require you to see up close, such as cooking, sewing or fixing things?

Description: Need eyeglasses or contacts to read up close

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SVI.0050.00.3

Keywords: corrective lenses; nearsightedness; myopia

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

VIMREAD\_A Need eyeglasses or contacts to read up close

Code	Description	Frequency	Percent
1	Yes	14749	49.96
2	No	13715	46.46
7	Refused	8	0.03
8	Not Ascertained	1032	3.50
9	Don't Know	18	0.06

## <u>Variable Information:</u>

Variable: VIMDRIVE\_A

Module: Adult

Section: SVI : Sponsored Vision Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you wear prescription eyeglasses or contact lenses to drive, read road and

street signs, watch TV, or see things in the distance?

**Description:** Need eyeglasses or contacts to see in distance

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SVI.0060.00.3

**Keywords:** corrective lenses; farsightedness; hyperopia

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

VIMDRIVE\_A Need eyeglasses or contacts to see in distance

Code	Description	Frequency	Percent
1	Yes	14655	49.64
2	No	13807	46.77
7	Refused	8	0.03
8	Not Ascertained	1034	3.50
9	Don't Know	18	0.06

## Variable Information:

Variable: AHEARST1\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

These next questions are about your hearing WITHOUT the use of hearing aids or

other listening devices.

Without a hearing aid or other listening devices, is your hearing excellent, good, a little trouble hearing, moderate trouble, a lot of trouble, or are you

deaf?

**Description:** Hearing ability

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SHE.0010.00.3

**Keywords:** hearing ability; without hearing devices

Notes:

Evaluation Report: https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

## **Unweighted frequencies:**

# AHEARST1\_A Hearing ability

Code	Description	Frequency	Percent
1	Excellent	13415	45.44
2	Good	9595	32.50
3	A little trouble hearing	3261	11.05
4	Moderate trouble	1330	4.51
5	A lot of trouble	773	2.62
6	Deaf	89	0.30
7	Refused	5	0.02
8	Not Ascertained	1045	3.54
9	Don't Know	9	0.03

## Variable Information:

Variable: HRWHISP\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Without a hearing aid or other listening devices, can you usually HEAR and

UNDERSTAND what a person says without seeing his or her face if that person

WHISPERS to you from across a quiet room?

**Description:** Hear whispers

Recode:

Universe: HHSTAT\_A=1 and AHEARST1\_A IN (1,2,3,4,5,7,9)

Universe Description: Sample Adults 18+ who are not deaf or refused or don't know

Sources:

Question ID: SHE.0020.00.3

Keywords: hearing ability; without hearing devices; whispering

Notes:

**Evaluation Report:** 

# <u>Unweighted frequencies:</u>

HRWHISP\_A Hear whispers

Code	Description	Frequency	Percent
1	Yes	21451	75.56
2	No	6421	22.62
7	Refused	9	0.03
8	Not Ascertained	11	0.04
9	Don't Know	496	1.75

## Variable Information:

Variable: EARINFECT\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you had an ear infection accompanied by

earache, or fluid in the ear, and/or temporary hearing loss?

\* Read if necessary: Temporary hearing loss includes "muffled" hearing.

**Description:** Ear infection past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SHE.0030.00.3

**Keywords:** otitis media; middle ear infection

Notes:

**Evaluation Report:** 

# **Unweighted frequencies:**

EARINFECT\_A Ear infection past 12 months

Code	Description	Frequency	Percent
1	Yes	1692	5.73
2	No	26739	90.57
7	Refused	7	0.02
8	Not Ascertained	1069	3.62
9	Don't Know	15	0.05

## Variable Information:

Variable: EARINFECT3\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you had three or more ear infections

accompanied by earache, or fluid in the ear, and/or temporary hearing loss?

**Description:** 3 or more ear infections

Recode:

Universe: HHSTAT\_A=1 and EARINFECT\_A=1

Universe Description: Sample Adults 18+ who have had an ear infection in the past 12 months

Sources:

Question ID: SHE.0040.00.3

Keywords: otitis media; health care use

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

EARINFECT3\_A 3 or more ear infections

Code	Description	Frequency	Percent
1	Yes	308	18.20
2	No	1378	81.44
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	6	0.35

## Variable Information:

Variable: CBALHDINJ\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In your LIFETIME, have you EVER had a significant head injury or concussion?

**Description:** Lifetime significant head injury

Recode:

Universe: HHSTAT\_A=1 and TBILCDCMG\_A IN (2,7,9) and TBIHLSBMC\_A IN (2,7,9)

Universe Description: Sample Adults 18+ who have not lost consciousness and have not had symptoms of

a head injury in the past 12 months

Sources:

Question ID: SHE.0050.00.3

**Keywords:** head injury; concussion

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

CBALHDINJ\_A Lifetime significant head injury

Code	Description	Frequency	Percent
1	Yes	5533	20.03
2	No	21876	79.21
7	Refused	12	0.04
8	Not Ascertained	101	0.37
9	Don't Know	95	0.34

#### Variable Information:

Variable: CBALHDNO\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^HEADINJ many significant head injuries or concussions have you had in your

LIFETIME?

Fills: ^HEADINJ..... Counting any injuries you told me about earlier,

how/How

**Description:** Number of lifetime head injuries

Recode:

Universe: HHSTAT\_A=1 and (TBILCDCMG\_A=1 or TBIHLSBMC\_A=1 or CBALHDINJ\_A=1)

Universe Description: Sample Adults 18+ who have had a significant head injury in the past 12 months

or lifetime

Sources:

Question ID: SHE.0060.00.3

**Keywords:** head injury; concussion

Notes: For a small number of respondents there are inconsistencies in the response to

the number of lifetime significant head injuries or concussions, and 1) responses to questions collected earlier in the interview in the TBI section about symptoms as a result of a blow or jolt to the head in the past 12 months (TBILCDCMG\_A and TBIHLSBMC\_A), and 2) the response to the preceding question in this section (SHE) that asked whether the Sample Adult ever had a significant head injury or concussion in their lifetime but not in the past 12 months (CBALHDINJ\_A). Analysts using these data are encouraged to consider the impact

of these inconsistencies, if applicable, to their analyses.

# **Evaluation Report:**

### <u>Unweighted frequencies:</u>

CBALHDNO\_A Number of lifetime head injuries

Code	Description	Frequency	Percent
0	0	170	2.63
1	1	3225	49.84
2	2	1461	22.58
3	3	673	10.40
4	4	269	4.16
5	5 or more	600	9.27
7	Refused	2	0.03
8	Not Ascertained	3	0.05
9	Don't Know	68	1.05

## Variable Information:

Variable: HRTEST\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: A hearing test by a specialist is one that is done in a sound-proof booth or

room, or with headphones. Have you ever had your hearing tested by a hearing

specialist?

\* Read if necessary: Hearing specialists include audiologists, ear nose and

throat (ENT) doctors, and trained technicians or occupational nurses.

**Description:** Ever had hearing test

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SHE.0070.00.3

**Keywords:** hearing evaluation; health care use

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

HRTEST A Ever had hearing test

·····			
Code	Description	Frequency	Percent
1	Yes	15301	51.83
2	No	12945	43.85
7	Refused	10	0.03
8	Not Ascertained	1078	3.65
9	Don't Know	188	0.64

## Variable Information:

Variable: HRTESTLAST\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** When was the last time you had your hearing tested by a hearing specialist?

\* Read if necessary: Do not count tests done before 6 months of age.

**Description:** How long since hearing test

Recode:

Universe: HHSTAT\_A=1 and HRTEST\_A=1

Universe Description: Sample Adults 18+ and who have had their hearing tested

Sources:

Question ID: SHE.0080.00.3

Keywords: hearing evaluation; health care use

Notes:

**Evaluation Report:** 

## <u>Unweighted frequencies:</u>

HRTESTLAST\_A How long since hearing test

Code	Description	Frequency	Percent
1	Less than a year ago	2117	13.84
2	1 to 2 years ago	1951	12.75
3	3 to 4 years ago	1618	10.57
4	5 to 9 years ago	2516	16.44
5	10 or more years ago	6956	45.46
7	Refused	3	0.02
8	Not Ascertained	4	0.03
9	Don't Know	136	0.89

## Variable Information:

Variable: HRAIDAQR\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Earlier, you told me that you use a hearing aid. Was that hearing aid fit by a

health care professional, or was it purchased online or over the counter

without assistance from a health care professional?

**Description:** Hearing aid fit or purchased

Recode:

Universe: HHSTAT\_A=1 and HEARAID\_A=1

Universe Description: Sample Adults 18+ who wear a hearing aid

Sources:

Question ID: SHE.0090.00.3

Keywords: hearing evaluation; health care use

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

HRAIDAQR\_A Hearing aid fit or purchased

Code	Description	Frequency	Percent
1	Hearing aid fit by a health care professional	1572	90.66
2	Hearing aid purchased online or over the counter without assistance from a health care professional	111	6.40
7	Refused	2	0.12
8	Not Ascertained	44	2.54
9	Don't Know	5	0.29

### Variable Information:

Variable: BALDIZZ\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: These next questions are about dizziness or balance problems. Do not include

times when drinking alcohol, using recreational drugs, or taking medications

that cause dizziness.

During the past 12 months, have you had a problem with dizziness, vertigo, lightheadedness, blurred vision when moving head, feeling like you are going to

pass out or faint, or with unsteadiness or feeling off-balance?

\* Read if necessary: Vertigo is a sensation of feeling off-balance from

rotation, rocking, or other motion, such as riding a carousel.

**Description:** Balance or dizziness problem past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SHE.0100.00.3

**Keywords:** vestibular system

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

BALDIZZ\_A Balance or dizziness problem past 12 months

Code	Description	Frequency	Percent
1	Yes	6192	20.97
2	No	22197	75.19
7	Refused	14	0.05
8	Not Ascertained	1093	3.70
9	Don't Know	26	0.09

## Variable Information:

Variable: BALDPROB\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, how much of a problem did you have with dizziness or

balance? Would you say it was...

\* Read answer categories below.

**Description:** How big of a balance or dizziness problem

Recode:

Universe: HHSTAT\_A=1 and BALDIZZ\_A=1

Universe Description: Sample Adults 18+ who have had a problem with balance or dizziness in the past

12 months

Sources:

Question ID: SHE.0110.00.3
Keywords: vestibular system

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

BALDPROB\_A How big of a balance or dizziness problem

Code	Description	Frequency	Percent
1	No problem	624	10.08
2	A small problem	3374	54.49
3	A moderate problem	1445	23.34
4	A big problem	501	8.09
5	A very big problem	242	3.91
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	6	0.10

## Variable Information:

Variable: BALDHP\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER seen a doctor or other health professional for evaluation or

treatment of your difficulties with dizziness or balance?

**Description:** Health provider for balance or dizziness problem

Recode:

Universe: HHSTAT\_A=1 and BALDIZZ\_A=1

Universe Description: Sample Adults 18+ who have had a problem with balance or dizziness in the past

12 months

Sources:

Question ID: SHE.0120.00.3

**Keywords:** vestibular system; health care use

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

BALDHP\_A Health provider for balance or dizziness problem

Code	Description	Frequency	Percent
1	Yes	3352	54.13
2	No	2834	45.77
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	6	0.10

## Variable Information:

Variable: BFALL12M\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: The next questions are about falling. By falls or falling, we mean unexpectedly

dropping to the floor or ground from a standing, walking, or bending position.

During the past 12 months, have you fallen at least one time?

**Description:** Fallen past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SHE.0130.00.3

Keywords: falling; falls; unexpectedly dropping to floor

Notes:

**Evaluation Report:** 

# **Unweighted frequencies:**

BFALL12M\_A Fallen past 12 months

Code	Description	Frequency	Percent
1	Yes	5090	17.24
2	No	23286	78.88
7	Refused	14	0.05
8	Not Ascertained	1105	3.74
9	Don't Know	27	0.09

# Variable Information:

Variable: BFALLTIMES\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, how many times have you fallen?

**Description:** Number of falls past 12 months

Recode:

Universe: HHSTAT\_A=1 and BFALL12M\_A=1

Universe Description: Sample Adults 18+ who have fallen at once in the past 12 months

Sources:

Question ID: SHE.0140.00.3

Keywords: falling; falls; unexpectedly falling to floor

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

BFALLTIMES\_A Number of falls past 12 months

Code	Description	Fre	equency	Percent
1	1 time		2486	48.84
2	2 times		1119	21.98
3	3 to 4 times		884	17.37
4	5 to 7 times		308	6.05
5	8 or more times		281	5.52
7	Refused		3	0.06
8	Not Ascertained		0	0.00
9	Don't Know		9	0.18

## Variable Information:

Variable: HRTINNITUS\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you been bothered by ringing, roaring, or

buzzing in your ears or head that lasts for 5 minutes or more?

\* Read if necessary: Tinnitus (TIN-uh-tus) is the medical term for ringing,

roaring or buzzing in the ears or head.

**Description:** Tinnitus past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SHE.0150.00.3
Keywords: hearing symptoms

Notes:

**Evaluation Report:** 

## <u>Unweighted frequencies:</u>

HRTINNITUS\_A Tinnitus past 12 months

Code	Description	Frequency	Percent
1	Yes	4172	14.13
2	No	24190	81.94
7	Refused	11	0.04
8	Not Ascertained	1106	3.75
9	Don't Know	43	0.15

## <u>Variable Information:</u>

Variable: HRTINLNG\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How long have you been bothered by this ringing, roaring, or buzzing in your

ears or head?

Description: Tinnitus how long

Recode:

Universe: HHSTAT\_A=1 and HRTINNITUS\_A=1

Universe Description: Sample Adults 18+ who have been bothered by ringing, roaring, or buzzing in

ears or head in the past 12 months

Sources:

Question ID: SHE.0160.00.3
Keywords: hearing symptoms

Notes:

**Evaluation Report:** 

# **Unweighted frequencies:**

HRTINLNG\_A Tinnitus how long

Code	Description	Frequency	Percent
1	Less than 1 year	71	7 17.19
2	1 to 2 years	540	12.94
3	3 to 4 years	48.	11.58
4	5 to 9 years	64:	15.39
5	10 years or more	175:	41.99
7	Refused		0.02
8	Not Ascertained		0.00
9	Don't Know	33	0.89

## Variable Information:

Variable: HRTINPROB\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, how much of a problem is this ringing, roaring, or

buzzing in your ears or head? Would you say it is...

\* Read answer categories below.

**Description:** Tinnitus how big a problem

Recode:

Universe: HHSTAT\_A=1 and HRTINNITUS\_A=1

Universe Description: Sample Adults 18+ who have been bothered by ringing, roaring, or buzzing in

ears or head in the past 12 months

Sources:

Question ID: SHE.0170.00.3
Keywords: hearing symptoms

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

HRTINPROB\_A Tinnitus how big a problem

Code	Description	Frequency	Percent
1	No problem	1066	25.41
2	A small problem	1950	46.74
3	A moderate problem	852	20.42
4	A big problem	213	5.11
5	A very big problem	92	2.21
7	Refused		0.00
8	Not Ascertained		0.00
9	Don't Know		0.12

### Variable Information:

Variable: HRTINMEDSP\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the past 5 years, have you been evaluated or treated for the ringing,

roaring, or buzzing in your ears or head by a medical specialist in hearing,

such as an Ear, Nose and Throat doctor, audiologist, neurologist, or

psychiatrist?

\* Read if necessary: Include otolaryngologists (oh-toe-lair-in-GAH-luh-gists),

otologists, and neuro-otologists.

**Description:** Medical specialist for tinnitus

Recode:

Universe: HHSTAT\_A=1 and HRTINNITUS\_A=1

Universe Description: Sample Adults 18+ who have been bothered by ringing, roaring, or buzzing in

ears or head in the past 12 months

Sources:

Question ID: SHE.0180.00.3

**Keywords:** hearing symptoms; health care use; evaluation

Notes:

Evaluation Report:

### **Unweighted frequencies:**

 $\textbf{HRTINMEDSP\_A} \quad \texttt{Medical specialist for tinnitus}$ 

Code	Description	Frequency	Percent
1	Yes	1144	27.42
2	No	3024	72.48
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	0.10

### Variable Information:

Variable: HRLOUDJOB\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: The next few questions are about your current or previous exposure to loud and

very loud sounds or noises. First, we will ask about exposure to loud noises or sounds while working. Loud means so loud that you must speak in a raised voice

to be heard.

Have you EVER had a job, or combination of jobs, where you were exposed to loud

sounds or noise for 4 or more hours a day, several days a week?

**Description:** Ever exposed to loud noise at job

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SHE.0190.00.3

**Keywords:** occupational noise exposure

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/report.aspx?1238

### **Unweighted frequencies:**

HRLOUDJOB\_A Ever exposed to loud noise at job

Code	Description	Frequency	Percent
1	Yes	7542	25.55
2	No	20816	70.51
7	Refused	11	0.04
8	Not Ascertained	1123	3.80
9	Don't Know	30	0.10

#### Variable Information:

Variable: HRLOUDJBYR\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In your LIFETIME, how many years have you had a job, or combination of jobs,

where you were exposed to LOUD sounds or noise for 4 or more hours a day,

several days a week?

\* Read if necessary: Loud means so loud that you must speak in a raised voice

to be heard.

\* Read if necessary: Include only the length of time in each job that you were

exposed to loud sounds or noise for 4 for more hours a day, several days a

week.

**Description:** Years exposed to loud sounds at job

Recode:

Universe: HHSTAT\_A=1 and HRLOUDJOB\_A=1

Universe Description: Sample Adults 18+ who have been exposed to loud noise at work

Sources:

Question ID: SHE.0200.00.3

**Keywords:** occupational noise exposure

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/report.aspx?1238

#### **Unweighted frequencies:**

 $\label{eq:hrloudjbyr_A} \textbf{HRLOUDJBYR\_A} \quad \text{Years exposed to loud sounds at job}$ 

Code	Description	Frequency	Percent
1	Less than 1 year	637	8.45
2	1 to 2 years	913	12.11
3	3 to 4 years	973	12.90
4	5 to 9 years	1202	15.94
5	10 years or more	3798	50.36
7	Refused	3	0.04
8	Not Ascertained	1	0.01
9	Don't Know	15	0.20

### Variable Information:

Variable: HRLOUDJB12M\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you had a job, or combination of jobs, where

you were exposed to LOUD sounds or noise for 4 or more hours a day, several

days a week?

\* Read if necessary: Loud means so loud that you must speak in a raised voice

to be heard.

**Description:** Exposed to loud sounds past 12 months

Recode:

Universe: HHSTAT\_A=1 and HRLOUDJOB\_A=1

Universe Description: Sample Adults 18+ who have been exposed to loud noise at work

Sources:

Question ID: SHE.0210.00.3

**Keywords:** occupational noise exposure

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/report.aspx?1238

#### **Unweighted frequencies:**

HRLOUDJB12M\_A Exposed to loud sounds past 12 months

Code	Description	Frequency	Percent
1	Yes	2740	36.33
2	No	4799	63.63
7	Refused	1	0.01
8	Not Ascertained	2	0.03
9	Don't Know	0	0.00

### Variable Information:

Variable: HRJOBPROT\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, how often did you wear hearing protection such as

ear plugs or ear muffs when exposed to LOUD sounds or noise at work? Would you

say...

\* Read answer categories below.

**Description:** Job exposure hearing protection

Recode:

Universe: HHSTAT\_A=1 and HRLOUDJB12M\_A=1

Universe Description: Sample Adults 18+ who have been exposed to loud noise at work in the past 12

month:

Sources:

Question ID: SHE.0220.00.3

**Keywords:** occupational noise exposure; protective equipment; hearing protection

Notes:

Evaluation Report:

### Unweighted frequencies:

HRJOBPROT\_A Job exposure hearing protection

Code	Description	Frequency	Percent
1	Always	890	32.48
2	Usually	323	11.79
3	About half the time	241	8.80
4	Seldom	268	9.78
5	Never	1016	37.08
7	Refused	1	0.04
8	Not Ascertained	1	0.04
9	Don't Know	0	0.00

### Variable Information:

Variable: HRFIREEV\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Using firearms is another way people are exposed to loud noises. Have you EVER

used guns or firearms for any reason?

st Read if necessary: Include target shooting, hunting, military service, and

job-related firearm use.

\* Read if necessary: Firearms include pistols, shotguns, rifles, and other

types of guns. Do not include BB or pellet guns.

**Description:** Ever used a firearm

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SHE.0230.00.3
Keywords: noise exposure

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

HRFIREEV\_A Ever used a firearm

Code	Description	Frequency	Percent
1	Yes	11446	38.77
2	No	16820	56.97
7	Refused	92	0.31
8	Not Ascertained	1134	3.84
9	Don't Know	30	0.10

### <u>Variable Information:</u>

Variable: HRFIRETOTR\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How many total rounds have you EVER fired?

\* Read categories if necessary.

\* Read if necessary: One round is equal to one shot.

**Description:** Firearm total rounds

Recode:

Universe: HHSTAT\_A=1 and HRFIREEV\_A=1

Universe Description: Sample Adults 18+ who have used firearms or guns

Sources:

Question ID: SHE.0240.00.3
Keywords: noise exposure

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

### HRFIRETOTR\_A Firearm total rounds

Code	Description	Frequency	Percent
1	Less than 100 rounds	4555	39.80
2	100 to less than 1,000 rounds	3209	28.04
3	1,000 to less than 10,000 rounds	2135	18.65
4	10,000 rounds or more	1284	11.22
7	Refused	44	0.38
8	Not Ascertained	0	0.00
9	Don't Know	219	1.91

### Variable Information:

Variable: HRFIRE12M\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you use guns or firearms for any reason?

\* Read if necessary: Include target shooting, hunting, military service, and

job-related firearm use.

\* Read if necessary: Firearms include pistols, shotguns, rifles, and other

types of guns. Do not include BB or pellet guns.

**Description:** Firearm rounds past 12 months

Recode:

Universe: HHSTAT\_A=1 and HRFIREEV\_A=1

Universe Description: Sample Adults 18+ who have ever used firearms or guns

Sources:

Question ID: SHE.0250.00.3
Keywords: noise exposure

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

HRFIRE12M\_A Firearm rounds past 12 months

Code	Description	Frequency	Percent
1	Yes	3600	31.45
2	No	7813	68.26
7	Refused	25	0.22
8	Not Ascertained	2	0.02
9	Don't Know	6	0.05

### Variable Information:

Variable: HRFIREPROT\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, when shooting firearms how often did you wear

hearing protection, such as ear plugs or ear muffs? Would you say...

\* Read answer categories below.

**Description:** Firearm hearing protection

Recode:

Universe: HHSTAT\_A=1 and HRFIRE12M\_A=1

Universe Description: Sample Adults 18+ who have used firearms or guns in the past 12 months

Sources:

Question ID: SHE.0260.00.3

**Keywords:** noise exposure; protective equipment; hearing protection

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

HRFIREPROT\_A Firearm hearing protection

Code	Description	Frequency	Percent
1	Always	2325	64.58
2	Usually	361	10.03
3	About half the time	209	5.81
4	Seldom	133	3.69
5	Never	572	15.89
7	Refused	6	0.00
8	Not Ascertained	6	0.00
9	Don't Know	6	0.00

#### Variable Information:

Variable: HRVLOUD12M\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: The next question asks about other VERY LOUD sounds. VERY LOUD means so loud

you must shout in order to be understood by someone standing 3 feet or arm's length away from you. This includes noise from power tools, machinery, recreational vehicles, racing or speedways, some sporting events, and other things. Do not include exposure to very loud noises or sounds you may have had

while working.

During the past 12 months, outside of work, have you been exposed to VERY LOUD

sounds or noise 10 or more times?

**Description:** Exposed to very loud sounds past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SHE.0270.00.3
Keywords: noise exposure

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

HRVLOUD12M\_A Exposed to very loud sounds past 12 months

Code	Description	Frequency	Percent
1	Yes	3753	12.71
2	No	24584	83.27
7	Refused	11	0.04
8	Not Ascertained	1148	3.89
9	Don't Know	26	0.09

#### Variable Information:

Variable: HRVLDPROT\_A

Module: Adult

Section: SHE : Sponsored Hearing Items

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, how often have you worn earplugs or ear muffs when

exposed to VERY LOUD sounds or noise outside of work? Would you say...

\* Read answer categories below.

\* Read if necessary: VERY LOUD means so loud you must shout in order to be

understood by someone standing 3 feet (arm's length) away from you.

**Description:** Very loud sounds hearing protection

Recode:

Universe: HHSTAT\_A=1 and HRVLOUD12M\_A=1

Universe Description: Sample Adults 18+ who have been exposed to very loud noise 10 or more times in

the past 12 months

Sources:

Question ID: SHE.0280.00.3

**Keywords:** noise exposure; protective equipment; hearing protection

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

 ${\bf HRVLDPROT\_A} \hspace{0.5cm} {\bf Very \ loud \ sounds \ hearing \ protection}$ 

Code	Description	Frequency	Percent
1	Always	597	15.91
2	Usually	440	11.72
3	About half the time	396	10.55
4	Seldom	527	14.04
5	Never	1790	47.70
7	Refused	1	0.03
8	Not Ascertained	0	0.00
9	Don't Know	2	0.05

#### Variable Information:

Variable: HRJBEXP12M\_A

Module: Adult

Section: SWE : Sponsored Work Exposure

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: The next set of questions ask about your exposure to chemicals and tobacco

smoke in your job.

During the past 12 months, did you work in a job where you were exposed to any of the following: solvents, industrial glues, heavy metals, pesticides or motor

engine exhaust?

\* Read if necessary: Solvents are liquids, not including water, used for dissolving other substances, such as dry-cleaning fluids, thinners, components of paints, industrial cleaners and paint removers. Industrial glues are adhesives that include acrylic, epoxy, hot melt, polyurethane, silicone, thermoset and industrial sealants. Heavy metals include lead, nickel, mercury,

cadmium, arsenic, chromium, zinc and copper.

**Description:** Job exposure to chemicals, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SWE.0010.00.3

**Keywords:** chemical exposure; workplace hazards; work environment; occupational safety and

health; working conditions

Notes:

Evaluation Report: https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

#### **Unweighted frequencies:**

 $\label{eq:hrjbexp12M} \textbf{HRJBEXP12M\_A} \quad \text{Job exposure to chemicals, past 12 months}$ 

Code	Description	Frequency	Percent
1	Yes	2681	9.08
2	No	25649	86.88
7	Refused	13	0.04
8	Not Ascertained	1158	3.92
9	Don't Know	21	0.07

### Variable Information:

Variable: HRJBEXP4HR\_A

Module: Adult

Section: SWE : Sponsored Work Exposure

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Were you exposed for 4 or more hours a week?
Description: Job exposure to chemicals 4 or more hours

Recode:

Universe: HHSTAT\_A=1 and HRJBEXP12M\_A=1

Universe Description: Sample Adults 18+ who were exposed to chemicals in the past 12 months

Sources:

Question ID: SWE.0020.00.3

**Keywords:** chemical exposure; workplace hazards; work environment; occupational safety and

health; working conditions

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

#### **Unweighted** frequencies:

HRJBEXP4HR\_A Job exposure to chemicals 4 or more hours

Code	Description	Frequency	Percent
1	Yes	1671	62.33
2	No	1000	37.30
7	Refused	2	0.07
8	Not Ascertained	1	0.04
9	Don't Know	7	0.26

#### Variable Information:

Variable: HRJBEXPTB\_A

Module: Adult

Section: SWE : Sponsored Work Exposure

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you work in a job where you were exposed for 4

or more hours a week to tobacco smoke from other people?

\* Read if necessary: Tobacco smoke includes smoke from cigarettes, cigars, pipes, cigarillos, and hookahs. Do not include e-cigarettes or vaping devices

that do not contain tobacco.

**Description:** Job exposure to tobacco smoke 4 or more hours, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SWE.0030.00.3

**Keywords:** secondhand smoke; workplace exposure; workplace hazards; work environment;

occupational safety and health

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

#### <u>Unweighted frequencies:</u>

HRJBEXPTB\_A Job exposure to tobacco smoke 4 or more hours, past 12 months

Code	Description	Frequency	Percent
1	Yes	984	3.33
2	No	27345	92.63
7	Refused	13	0.04
8	Not Ascertained	1168	3.96
9	Don't Know	12	0.04

<u>Variable Information:</u>

Variable: ORIENT\_A

Module: Adult

Section: ORN : Sexual Orientation

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you think of yourself as 'gaylesbian; straight, that is, not 'gaylesbian;

bisexual; something else; or you don't know the answer?

Fills: ^gaylesbian..... Gay/Lesbian or gay

**Description:** Sexual orientation

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** ORN.0020.00.1

Keywords: Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

ORIENT\_A Sexual orientation

Code	Description	Frequency	Percent
1	^GayLesbian	593	2.01
2	Straight, that is, not ^gaylesbian	26575	90.02
3	Bisexual	585	1.98
4	Something else	181	0.61
5	I don't know the answer	166	0.56
7	Refused	226	0.77
8	Not Ascertained	1196	4.05

### Variable Information:

Variable: MARITAL\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: The next questions are about marriage and cohabitation. Are you now married,

living with a partner together as an unmarried couple, or neither?

\* If respondent answers both married and living with a different partner

together as an unmarried couple, enter living with partner.

**Description:** Sample adult's current marital status

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: MAR.0010.00.1

Keywords: cohabitating; relationship; civil status; domestic partnership; single

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

MARITAL\_A Sample adult's current marital status

Code	Description	Frequency	Percent
1	Married	12960	43.90
2	Living with a partner together as an unmarried couple	1881	6.37
3	Neither	13449	45.56
7	Refused	47	0.16
8	Not Ascertained	1182	4.00
9	Don't Know	3	0.01

### Variable Information:

Variable: SPOUSLIV\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** Does your spouse live here?

**Description:** Sample adult's spouse lives here

Recode:

Universe: HHSTAT\_A=1 and MARITAL\_A=1

Universe Description: Sample adults 18+ who are married

Sources:

Question ID: MAR.0020.00.1

**Keywords:** civil status; marital status

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

SPOUSLIV\_A Sample adult's spouse lives here

Code	Description	Frequency	Percent
1	Yes	12221	94.30
2	No	732	5.65
7	Refused	2	0.02
8	Not Ascertained	1	0.01
9	Don't Know	4	0.03

### Variable Information:

Variable: SPOUSEP\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Does your spouse not live here because you and your spouse are legally

separated?

**Description:** Sample adult's spouse does not reside here due to legal separation

Recode:

Universe: HHSTAT\_A=1 and SPOUSLIV\_A=2

Universe Description: Sample adults 18+ whose spouse is not living in the household

Sources:

Question ID: MAR.0060.00.1

Keywords: divorce; marital status; civil status

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

SPOUSEP\_A Sample adult's spouse does not reside here due to legal separation

Code	Description	Frequency	Percent
1	Yes	194	26.50
2	No	528	72.13
7	Refused	4	0.55
8	Not Ascertained	0	0.00
9	Don't Know	6	0.82

### Variable Information:

Variable: EVRMARRIED\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you ever been married?

**Description:** Sample adult has ever been married

Recode:

Universe: HHSTAT\_A=1 and MARITAL\_A IN (2,3,7,9)

Universe Description: Sample adults 18+ who are living with unmarried partner or who are not married

or living with an unmarried partner or refused to say or don't know their

current marital status

Sources:

Question ID: MAR.0100.00.1

Keywords: civil status; marital status

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

EVRMARRIED\_A Sample adult has ever been married

Code	Description	Frequency	Percent
1	Yes	7986	51.92
2	No	7327	47.64
7	Refused	58	0.38
8	Not Ascertained	3	0.02
9	Don't Know	6	0.04

### <u>Variable Information:</u>

Variable: MARSTAT\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Current marital status of sample adult

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: MARITAL\_A; SPOUSLIV\_A; EVRMARRIED\_A; WIDIVSEP\_A

Question ID:

Keywords: civil status

Notes: Marital status recode with categories comparable to R\_MARITL from the 1997-2018

NHIS.

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

MARSTAT\_A Current marital status of sample adult

Code	Description	Frequency	Percent
1	Married, spouse is present	12217	41.38
2	Married, spouse is not present	736	2.49
3	Married, spouse presence unknown	7	0.02
4	Widowed	2938	9.95
5	Divorced	3979	13.48
6	Separated	401	1.36
7	Never married	6079	20.59
8	Living with a partner	1881	6.37
9	Unknown marital status	1284	4.35

### <u>Variable Information:</u>

Variable: LEGMSTAT\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Legal marital status of sample adult

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description:

**Sources:** MARSTAT\_A; LEGALSTAT\_A

Question ID:

Keywords: civil status

Notes: Legal marital status recode with categories comparable to CDCMSTAT from the

1997- 2018 NHIS.

**Evaluation Report:** 

### **Unweighted frequencies:**

LEGMSTAT\_A Legal marital status of sample adult

Code	Description	Frequency	Percent
1	Separated	441	1.49
2	Divorced	4449	15.07
3	Married	12995	44.02
4	Single/never married	7320	24.80
5	Widowed	3029	10.26
9	Unknown legal marital status	1288	4.36

### Variable Information:

Variable: SPOUSESEX\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Sex of sample adult's spouse

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=1 and 1<=SPOUSWHO\_A<=25

Universe Description: Sample adults 18+ who are currently married and spouse has a person number that

is not zero or blank

Sources: SPOUSSEX\_A; SPOUNEWSEX\_A; SEX\_FINAL

Question ID: Keywords:

Notes: Corrected recode based on responses to SEX\_FINAL, SPOUSSEX\_A and SPOUNEWSEX\_A.

**Evaluation Report:** 

### **Unweighted frequencies:**

SPOUSESEX\_A Sex of sample adult's spouse

Code	Description	Frequency	Percent
1	Male	6203	50.78
2	Female	6012	49.21
7	Refused	1	0.01
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

### Variable Information:

Variable: SASPPRACE\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Race of sample adult and spouse or partner are the same

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A IN (1, 2) and (1<=SPOUSWHO\_A<=25 or

1<=PARTNERWHO\_A<=25)

Universe Description: Sample adults 18+ who are currently married or cohabiting and their spouse or

partner has a person number that is not zero or blank

Sources: SPOUSRACE\_A; PRTNRRACE\_A

Question ID:

**Keywords:** mixed-race

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

SASPPRACE\_A Race of sample adult and spouse or partner are the same

Code	Description	Frequency	Percent
1	Yes	12702	90.16
2	No	1386	9.84
3	Unknown	0	0.00

### Variable Information:

Variable: SASPPHISP\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Hispanic ethnicity of sample adult and spouse or partner are the same

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A IN (1, 2) and (1<=SPOUSWHO\_A<=25 or

1<=PARTNERWHO\_A<=25)

Universe Description: Sample adults 18+ who are currently married or cohabiting and their spouse or

partner has a person number that is not zero or blank

Sources: SPOUSHISP\_A; PRTNRHISP\_A

Question ID:

Keywords: hispanic origin; mixed-race

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

SASPPHISP\_A Hispanic ethnicity of sample adult and spouse or partner are the same

Code	Description	Frequency	Percent
1	Yes	13097	92.97
2	No	991	7.03
3	Unknown	0	0.00

### <u>Variable Information:</u>

Variable: SPOUSAGETC\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age of sample adult's spouse, top-coded

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=1 and 1<=SPOUSWHO\_A<=25

Universe Description: Sample adults 18+ who are currently married and spouse has a person number that

is not zero or blank

Sources: AGE\_FINAL

Question ID:

Keywords:

Notes: Top-coded at 85 and bottom-coded at 20 for public use.

**Evaluation Report:** 

### **Unweighted frequencies:**

SPOUSAGETC\_A Age of sample adult's spouse, top-coded

Code	Description	Frequency	Percent
20	20 years or younger	8	0.07
21-84	21-84 years	11910	97.49
85	85+ years	248	2.03
97	Refused	39	0.32
98	Not Ascertained	0	0.00
99	Don't Know	12	0.10

### <u>Variable Information:</u>

Variable: SPOUSEDUCP\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Education level of sample adult's spouse

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=1 and 1<=SPOUSWHO\_A<=25

Universe Description: Sample adults 18+ who are currently married and spouse has a person number that

is not zero or blank

Sources: EDUC

Question ID:

**Keywords:** schooling; educational attainment

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

SPOUSEDUCP\_A Education level of sample adult's spouse

Code	Description	Frequency	Percent
01	Grade 0-11	624	5.11
02	12th grade, no diploma	147	1.20
03	GED or equivalent	204	1.67
04	High School Graduate	2646	21.66
05	Some college, no degree	1458	11.93
06	Associate degree: occupational, technical, or vocational program	438	3.59
07	Associate degree: academic program	1106	9.05
08	Bachelor's degree (Example: BA, AB, BS, BBA)	3147	25.76
09	Master's degree (Example: MA, MS, MEng, MEd, MBA)	1748	14.31
10	Professional School or Doctoral degree (Example: MD, DDS, DVM, JD, PhD, EdD)	649	5.31
97	Refused	20	0.16
98	Not Ascertained	0	0.00
99	Don't Know	30	0.25

### Variable Information:

Variable: SPOUSWRK\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult

Data Type: Numeric

Length: 1

Question Text:

**Description:** Working status of sample adult's spouse

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=1 and 1<=SPOUSWHO\_A<=25 and SPOUSAGE\_A not in

(997,999)

Universe Description: Sample adults 18+ who are currently married and spouse has a person number that

is not zero or blank and spouse's age is not equal to don't know or refused

Sources: FEMWORK\_A; FEMWORK\_C

Question ID:

**Keywords:** employed; job

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

SPOUSWRK\_A Working status of sample adult's spouse

Code	Description	Frequency	Percent
1	Yes	7533	61.92
2	No	4572	37.58
7	Refused	20	0.16
8	Not Ascertained	37	0.30
9	Don't Know	4	0.03

### Variable Information:

Variable: SPOUSWKFT\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Sample adult's spouse is working full-time

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=1 and 1<=SPOUSWHO\_A<=25 and SPOUSWRK\_A=1

Universe Description: Sample adults 18+ who are currently married and spouse has a person number that

is not zero or blank and spouse worked for pay at a job or business

Sources: SPOUSWRK\_A; FEMWKFT\_A; FEMWKFT\_C

Question ID:

**Keywords:** employed; job; weekly hours

Notes: Working 35 or more hours per week is considered full-time.

**Evaluation Report:** 

#### **Unweighted** frequencies:

SPOUSWKFT\_A Sample adult's spouse is working full-time

Code	Description	Frequency	Percent
1	Yes	6456	85.70
2	No	1064	14.12
7	Refused	4	0.05
8	Not Ascertained	0	0.00
9	Don't Know	9	0.12

### Variable Information:

Variable: PRTNRSEX\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Sex of the sample adult's partner

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=2 and 1<=PARTNERWHO\_A<=25

Universe Description: Sample adults 18+ who are currently living with a partner who has a person

number that is not zero or blank

Sources: SEX\_FINAL; PARTNERSEX\_A; PARTNEWSEX\_A

Question ID:

**Keywords:** domestic partnership; cohabitating

Notes: Corrected recode based on responses to SEX\_FINAL, PARTNERSEX\_A and

PARTNEWSEX\_A.

**Evaluation Report:** 

### **Unweighted frequencies:**

PRTNRSEX\_A Sex of the sample adult's partner

Code	Description	Frequency	Percent
1	Male	978	52.27
2	Female	893	47.73
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

### Variable Information:

Variable: PRTNRAGETC\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age of sample adult's partner, top-coded

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=2 and 1<=PARTNERWHO\_A<=25

Universe Description: Sample adults 18+ who are currently living with a partner who has a person

number that is not zero or blank

Sources: AGE\_FINAL

Question ID:

**Keywords:** domestic partnership; cohabitating

Notes: Top-coded at 85 and bottom-coded at 20 for public use.

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

PRTNRAGETC\_A Age of sample adult's partner, top-coded

Code	Description	Frequency	Percent
20	20 years or younger	46	2.46
21-84	21-84 years	1813	96.90
85	85+ years	3	0.16
97	Refused	4	0.21
98	Not Ascertained	(	0.00
99	Don't Know	5	0.27

### <u>Variable Information:</u>

Variable: PRTNREDUCP\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Education level of sample adult's partner

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=2 and 1<=PARTNERWHO\_A<=25

Universe Description: Sample adults 18+ who are living with a partner who has a person number that is

not zero or blank

Sources: EDUC

Question ID:

**Keywords:** schooling; educational attainment; domestic partnership; cohabitating

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

PRTNREDUCP\_A Education level of sample adult's partner

Code	Description	Frequency	Percent
01	Grade 0-11	161	8.61
02	12th grade, no diploma	21	1.12
03	GED or equivalent	59	3.16
04	High School Graduate	527	28.18
05	Some college, no degree	271	14.49
06	Associate degree: occupational, technical, or vocational program	81	4.33
07	Associate degree: academic program	144	7.70
08	Bachelor's degree (Example: BA, AB, BS, BBA)	416	22.25
09	Master's degree (Example: MA, MS, MEng, MEd, MBA)	149	7.97
10	Professional School or Doctoral degree (Example: MD, DDS, DVM, JD, PhD, EdD)	30	1.60
97	Refused	3	0.16
98	Not Ascertained	0	0.00
99	Don't Know	8	0.43

### Variable Information:

Variable: PRTNRWRK\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Working status of sample adult's partner

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=2 and 1<=PARTNERWHO\_A<=25 and PRTNRAGE\_A not in

(997,999)

Universe Description: Sample adults 18+ who are currently living with a partner and partner has a

person number that is not zero or blank and partner's age is not equal to don't

know or refused

Sources: FEMWORK\_A; FEMWORK\_C

Question ID:

Keywords: employed; job; domestic partnership; cohabitating

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PRTNRWRK\_A Working status of sample adult's partner

Code	Description	Frequency	Percent
1	Yes	1404	75.40
2	No	412	22.13
7	Refused	4	0.21
8	Not Ascertained	41	2.20
9	Don't Know	1	0.05

### Variable Information:

Variable: PRTNRWKFT\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Sample adult's partner is working full-time

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=2 and 1<=PARTNERWHO\_A<=25 and PRTNRWRK\_A=1

Universe Description: Sample adults 18+ who are currently living with a partner and partner has a

person number that is not zero or blank and partner worked for pay at a job or

business

Sources: FEMWKFT\_A; FEMWKFT\_C

Question ID:

Keywords: employed; job; weekly hours; domestic partnership; cohabitating

Notes: Working 35 or more hours per week is considered full-time.

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

PRTNRWKFT\_A Sample adult's partner is working full-time

Code	Description	Frequency	Percent
1	Yes	1216	86.61
2	No	180	12.82
7	Refused	4	0.28
8	Not Ascertained	0	0.00
9	Don't Know	4	0.28

### Variable Information:

Variable: SAPARENTSC\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Sample adult relationship to sample child

Recode: Yes

Universe: HHSTAT\_A = 1

Universe Description: Sample adults 18+

Sources: SAMEFAM\_FLG; PARENTS\_FINAL01-PARENTS\_FINAL04

Question ID:

Keywords: family structure; parent; parental relationship

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

SAPARENTSC\_A Sample adult relationship to sample child

Code	Description	Frequency	Percent
1	Sample adult is parent of sample child	5548	18.79
2	Sample adult is not parent of sample child	819	2.77
3	No sample child in sample adult's family	22989	77.87
9	Unknown	166	0.56

### Variable Information:

Variable: PARSTAT\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Parental Status of sample adult

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: PARENTS\_FINAL01-PARENTS\_FINAL04

Question ID:

**Keywords:** family structure; parent; dependents; children

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

PARSTAT\_A Parental Status of sample adult

Code	Description	Frequency	Percent
1	Yes, the sample adult is a parent of a child residing in the family	6352	21.52
2	There are minor children residing in family but sample adult is not their parent	905	3.07
3	There are no minor children residing in the family	22077	74.78
9	Unknown	188	0.64

<u>Variable Information:</u>

Variable: AFVET\_A

Module: Adult

Section: VET : Veterans Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did you ever serve on active duty in the U.S. Armed Forces, military Reserves,

or National Guard?

**Description:** Ever serve active duty military

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: VET.0010.00.1

**Keywords:** military; armed forces

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

AFVET\_A Ever serve active duty military

Code	Description	Frequency	Percent
1	Yes	2520	8.54
2	No	25765	87.27
7	Refused	15	0.05
8	Not Ascertained	1218	4.13
9	Don't Know	4	0.01

### <u>Variable Information:</u>

Variable: AFVETTRN\_A

Module: Adult

Section: VET : Veterans Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Were you on active duty ONLY for training in the Reserves or National Guard?

**Description:** Reserves or National Guard

Recode:

Universe: HHSTAT\_A=1 and AFVET\_A=1

Universe Description: Sample adults 18+ who have ever served in the armed forces

Sources:

Question ID: VET.0020.00.1

**Keywords:** armed forces; military

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

AFVETTRN\_A Reserves or National Guard

Code	Description	Frequency	Percent
1	Yes	471	18.69
2	No	2047	81.23
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	0.08

### Variable Information:

Variable: COMBAT\_A

Module: Adult

Section: VET : Veterans Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did you ever serve in a foreign country during a time of armed conflict or on a

humanitarian or peace-keeping mission?

**Description:** Ever served abroad during armed conflict

Recode:

Universe: HHSTAT\_A=1 and AFVET\_A=1 and AFVETTRN\_A IN (2,7,9)

Universe Description: Adults 18+ who have ever served in the armed forces and were not only activated

for training in the Reserves or National Guard or refused or don't know

Sources:

Question ID: VET.0030.00.1

**Keywords:** armed forces; military

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

COMBAT\_A Ever served abroad during armed conflict

Code	Description	Frequency	Percent
1	Yes	1202	58.66
2	No	841	41.04
7	Refused	3	0.15
8	Not Ascertained	0	0.00
9	Don't Know	3	0.15

## <u>Variable Information:</u>

Variable: VADISB\_A

Module: Adult

Section: VET : Veterans Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have a VA service-connected disability rating?

**Description:** Have VA disability rating

Recode:

Universe: HHSTAT\_A=1 and AFVET\_A=1

Universe Description: Sample adults 18+ who have ever served in the armed forces

Sources:

Question ID: VET.0040.00.1

**Keywords:** armed forces; military

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

VADISB\_A Have VA disability rating

Code	Description	Frequency	Percent
1	Yes	812	32.22
2	No	1691	67.10
7	Refused	3	0.12
8	Not Ascertained	0	0.00
9	Don't Know	14	0.56

#### Variable Information:

Variable: VAHOSP\_A
Module: Adult

Section: VET : Veterans Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you receive any care at a Veteran's Health

Administration facility or receive any other health care paid for by the VA?

\* Read if necessary: Veteran's Health Administration facilities include VA hospitals, VA medical centers, VA outpatient clinics, and VA nursing homes.

**Description:** Receive care at VA facility

Recode:

Universe: HHSTAT\_A=1 and AFVET\_A=1

Universe Description: Sample adults 18+ who have ever served in the armed forces

Sources:

Question ID: VET.0050.00.1

**Keywords:** armed forces; military

Notes: Do not use this variable to estimate adults with VA coverage. To estimate

adults with VA coverage, use MILSPC1R\_A in the INS section that incorporates the response from MILSPC1\_A in the INS section plus positive responses to

VAHOSP\_A or VACAREEV\_A.

**Evaluation Report:** 

### **Unweighted frequencies:**

VAHOSP\_A Receive care at VA facility

Code	Description	Frequency	Percent
1	Yes	852	33.81
2	No	1664	66.03
7	Refused	3	0.12
8	Not Ascertained	0	0.00
9	Don't Know	1	0.04

#### Variable Information:

Variable: VACAREEV\_A

Module: Adult

Section: VET : Veterans Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you ever enrolled in or used VA health care?

**Description:** Ever use VA health care

Recode:

Universe: HHSTAT\_A=1 and VAHOSP\_A IN (2,7,9) and MILSPC1\_A ne 1

Universe Description: Sample adults 18+ who have ever served in the armed forces and did not recieve

care at a VHA facility or other health care paid for by the VA in the past 12

months and did not report VA health care when asked about insurance

Sources:

Question ID: VET.0060.00.1

**Keywords:** armed forces; military

Notes: Do not use this variable to estimate adults with VA coverage. To estimate

adults with VA coverage, use MILSPC1R\_A in the INS section that incorporates the response from MILSPC1\_A in the INS section plus positive responses to

VAHOSP\_A or VACAREEV\_A.

**Evaluation Report:** 

## **Unweighted frequencies:**

VACAREEV\_A Ever use VA health care

Code	Description	Frequency	Percent
1	Yes	274	17.22
2	No	1310	82.34
7	Refused	2	0.13
8	Not Ascertained	0	0.00
9	Don't Know	5	0.31

## Variable Information:

Variable: NATUSBORN\_A

Module: Adult

Section: NAT : Nativity

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^Askverify\_A Were you born in the United States or a U.S. territory?

Fills: ^Askverify\_A..... FR Instruction

**Description:** Born in U.S. or U.S. territory

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: NAT.0010.00.1

**Keywords:** United States; birthplace

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

NATUSBORN\_A Born in U.S. or U.S. territory

Code	Description	Frequency	Percent
1	Yes	23586	79.89
2	No	4702	15.93
7	Refused	17	0.06
8	Not Ascertained	1216	4.12
9	Don't Know	1	0.00

## Variable Information:

Variable: YRSINUS\_A

Module: Adult

Section: NAT : Nativity

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Years that sample adult has been in the United States

Recode: Yes

Universe: HHSTAT\_A=1 and NATUSBORN\_A=2

Universe Description: Sample adults 18+ born outside of the United States or US territory

Sources: NATUSBORN\_A; NATUSLG\_A

Question ID:

**Keywords:** birthplace; foreign born

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

YRSINUS\_A Years that sample adult has been in the United States

Code	Description	Frequency	Percent
1	Less than 1 year	49	1.04
2	1 to less than 5 years	348	7.40
3	5 to less than 10 years	499	10.61
4	10 to less than 15 years	373	7.93
5	15 years or more	3305	70.29
9	Unknown	128	2.72

## Variable Information:

Variable: CITZNSTP\_A

Module: Adult

Section: NAT : Nativity

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Citizenship status

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: NATUSBORN\_A; CITIZEN\_A; NATCTZN\_A

Question ID:

**Keywords:** nativity; naturalized

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

CITZNSTP\_A Citizenship status

Code	Description	Frequency	Percent
1	Yes, a citizen of the United States	26342	89.23
2	No, not a citizen of the United States	1907	6.46
7	Refused	43	0.15
8	Not Ascertained	1224	4.15
9	Don't Know	6	0.02

## Variable Information:

Variable: LANGHM\_A
Module: Adult

Section: LNG : Language Spoken at Home

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* If the interview is being conducted in a language other than English, do not

read this question and enter '1' for yes.

Do you speak a language other than English at home?

**Description:** Other language spoken at home

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: LNG.0010.00.4

Keywords: multilingual; language; English; Spanish

Notes: Fielded since quarter 2 of 2023

**Evaluation Report:** 

## **Unweighted frequencies:**

LANGHM\_A Other language spoken at home

Code	Description	Frequency	Percent
1	Yes	4049	18.32
2	No	17145	77.57
7	Refused	7	0.03
8	Not Ascertained	902	4.08
9	Don't Know	1	0.00

## <u>Variable Information:</u>

Variable: LANGSPECR\_A

Module: Adult

Section: LNG : Language Spoken at Home

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Language at home, public use

Recode: Yes

Universe: HHSTAT\_A=1 and LANGHM\_A=1

Universe Description: Sample Adults 18+ who speak a language other than English at home

Sources: LANGCODE\_A; LANGSPEC\_A; LANGSPECSP\_A

Question ID:

Keywords: language at home; Spanish; other language

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

LANGSPECR\_A Language at home, public use

Code	Description	Frequency	Percent
1	Spanish	2422	59.82
2	Other Language	1595	39.39
7	Refused	7	0.17
8	Not Ascertained	1	0.02
9	Don't Know	24	0.59

## Variable Information:

Variable: LANGMED\_A

Module: Adult

Section: LNG : Language Spoken at Home

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When you watch television, read news online or in print, or listen to the

radio, which language do you use most often?

**Description:** Language for TV, news, radio

Recode:

Universe: HHSTAT\_A=1 and LANGHM\_A=1

Universe Description: Sample Adults 18+ who speak a language other than English at home

Sources:

Question ID: LNG.0050.00.4

**Keywords:** digital media; communication; language at home; primary language

Notes: Fielded since quarter 2 of 2023

**Evaluation Report:** 

### **Unweighted frequencies:**

LANGMED\_A Language for TV, news, radio

Code	Description	Frequency	Percent
1	English	2619	64.68
2	Other language	1405	34.70
7	Refused	6	0.15
8	Not Ascertained	2	0.05
9	Don't Know	17	0.42

## Variable Information:

Variable: LANGDOC\_A

Module: Adult

Section: LNG : Language Spoken at Home

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When you see a doctor or other health care professional, which language do you

use most often?

Description: Language at doctor

Recode:

Universe: HHSTAT\_A=1 and LANGHM\_A=1

Universe Description: Sample Adults 18+ who speak a language other than English at home

Sources:

Question ID: LNG.0060.00.4

Keywords: health care services; health care provider; language at home; primary language

Notes: Fielded since quarter 2 of 2023

**Evaluation Report:** 

### **Unweighted frequencies:**

LANGDOC\_A Language at doctor

Code	Description	Frequency	Percent
1	English	2928	72.31
2	Other language	1106	27.32
7	Refused	2	0.05
8	Not Ascertained	2	0.05
9	Don't Know	11	0.27

### Variable Information:

Variable: LANGSOC\_A

Module: Adult

Section: LNG : Language Spoken at Home

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When you participate in social activities, such as visiting friends, attending

clubs and meetings, or going to parties, which language do you use most often?

**Description:** Language socially

Recode:

Universe: HHSTAT\_A=1 and LANGHM\_A=1 and SOCSCLPAR\_A IN (1,2,3)

Universe Description: Sample Adults 18+ who speak a language other than English at home and who did

not answer unable to do, refused, or don't know when asked if they have difficulty participating in social activities such as visiting friends,

attending clubs and meetings, or going to parties

Sources:

Question ID: LNG.0070.00.4

**Keywords:** social; difficulty participating in social activities; primary language; social

environment

Notes: Fielded since quarter 2 of 2023

Evaluation Report:

### **Unweighted frequencies:**

LANGSOC\_A Language socially

Code	Description	Frequency	Percent
1	English	2255	56.76
2	Other language	1689	42.51
7	Refused	4	0.10
8	Not Ascertained	2	0.05
9	Don't Know	23	0.58

## Variable Information:

Variable: SCHCURENR\_A

Module: Adult

Section: SCH : Schooling

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Are you currently enrolled in or attending school?

\* Read if necessary: School includes high school, college, trade school, and

professional school. Students may be enrolled part-time or full-time.

**Description:** Currently in school

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: SCH.0010.00.1

Keywords: student; studying; school attendance

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

## **Unweighted frequencies:**

SCHCURENR\_A Currently in school

Code	Description	Frequency	Percent
1	Yes	1641	5.56
2	No	26639	90.23
7	Refused	5	0.02
8	Not Ascertained	1236	4.19
9	Don't Know	1	0.00

## Variable Information:

Variable: SCHDYMSSTC\_A

Module: Adult

Section: SCH : Schooling

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

Days of school missed due to illness or injury past 12 months, top-coded

Recode: Yes

Universe: HHSTAT\_A=1 and SCHCURENR\_A=1

Universe Description: Sample adults 18+ who are currently enrolled in school

Sources: SCHDYSMSS\_A

Question ID:

Keywords: student; studying; school attendance; unplanned absences

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

SCHDYMSSTC\_A Days of school missed due to illness or injury past 12 months, top-coded

Code	Description	Frequency	Percent
00	None	1161	70.75
01-39	1-39 days	459	27.97
40	40+ days	12	0.73
97	Refused	1	0.06
98	Not Ascertained	0	0.00
99	Don't Know	8	0.49

## Variable Information:

Variable: EMPLASTWK\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: LAST WEEK, did you work for pay at a job or business?

\* If the respondent says ^heshetheywork, but not for pay, at a family-owned job

or business, enter '1' for yes.

Fills: ^heshetheywork...... he works/she works/they work

**Description:** Worked for pay last week

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: EMP.0010.00.1

Keywords: Working; employed

Notes: This variable has not been edited. Recode EMPWRKLSW1\_A has been edited to

account for temporary absence, seasonal or contract work in the past 12 months,

and those who were working at a job or business but NOT for pay.

**Evaluation Report:** 

## **Unweighted frequencies:**

EMPLASTWK\_A Worked for pay last week

Code	Description	Frequency	Percent
1	Yes	15641	52.98
2	No	12616	42.73
7	Refused	20	0.07
8	Not Ascertained	1244	4.21
9	Don't Know	1	0.00

## Variable Information:

Variable: EMPNOWRK\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did you have a job or business LAST WEEK, but were temporarily absent due to

illness, vacation, family or maternity leave, or some other reason?

**Description:** Temporarily absent from work last week

Recode:

Universe: HHSTAT\_A=1 and EMPLASTWK\_A=2

Universe Description: Sample adults 18+ who were not working for pay at a job or business last week

Sources:

Question ID: EMP.0020.00.1

**Keywords:** leave of absence; sick leave; time off

Notes:

**Evaluation Report:** 

#### **Unweighted** frequencies:

EMPNOWRK\_A Temporarily absent from work last week

Code	Description	Frequency	Percent
1	Yes	561	4.45
2	No	12052	95.53
7	Refused	2	0.02
8	Not Ascertained	1	0.01
9	Don't Know	0	0.00

## Variable Information:

Variable: EMPWHYNOT\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: What is the MAIN reason you were not working for pay at a job or business last

week?

\* Probe if necessary.

**Description:** Main reason not working

Recode:

Universe: HHSTAT\_A=1 and EMPNOWRK\_A=2

Universe Description: Sample adults 18+ who were not working for pay and were not on temporary leave

from a job or business last week

Sources:

Question ID: EMP.0030.00.1

**Keywords:** out of work; not in the labor force; labor force nonparticipants

Notes:

**Evaluation Report:** 

## <u>Unweighted frequencies:</u>

EMPWHYNOT\_A Main reason not working

Code	Description	Frequency	Percent
01	Unemployed, laid off, looking for work	458	3.80
02	Seasonal/contract work	125	1.04
03	Retired	7924	65.75
04	Unable to work for health reasons/disabled	1675	13.90
05	Taking care of house or family	1018	8.45
06	Going to school	378	3.14
07	Working at a family-owned job or business not for pay	52	0.43
08	0ther	409	3.39
97	Refused	11	0.09
98	Not Ascertained	1	0.01
99	Don't Know	1	0.01

#### Variable Information:

Variable: EMPWHENWRK\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When was the last time you worked for pay at a job or business, even if only

for a few days?

**Description:** Last time worked

Recode:

Universe: HHSTAT\_A=1 and EMPWHYNOT\_A IN (1,2,3,4,5,6,8,97,99)

Universe Description: Sample adults 18+ whose main reason for not working last week was because they

couldn't find work, did seasonal or contract work, were retired, unable to work for health reasons, taking care of the house/family, going to school, or some

other reason, or refused or don't know

Sources:

Question ID: EMP.0040.00.1

**Keywords:** employment gap; duration of unemployment; time since last worked

Notes: This variable has not been edited. Recode EMPLSTWOR1\_A has been edited to

include those who were working at a job or business but NOT for pay.

**Evaluation Report:** 

### **Unweighted frequencies:**

## EMPWHENWRK\_A Last time worked

Code	Description	Frequency	Percent
1	Within the past 12 months	1546	12.88
2	1-5 years ago	2677	22.31
3	Over 5 years ago	7247	60.40
4	Never worked	499	4.16
7	Refused	16	0.13
8	Not Ascertained	6	0.00
9	Don't Know	14	0.12

#### Variable Information:

Variable: EMPWRKLSW1\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Worked last week

Recode: Yes

Universe: HHSTAT\_A = 1

Universe Description: Sample adults 18+

Sources: EMPLASTWK\_A; EMPNOWRK\_A; EMPWHYNOT\_A; EMPWHENWRK\_A; FEMWORK\_A; FEMWORK\_C

Question ID:

**Keywords:** Working; employed

Notes: This recode indicates sample adults who were working in the last week. It also

takes into account sample adults' responses to EMPWHYNOT\_A and EMPWHENWRK\_A: those who were performing seasonal or contract work and worked in the past 12 months or those who were working at a job or business but NOT for pay are coded as 1 on EMPWRKLSW1\_A. Note that this recode was updated starting in 2021 and is not directly comparable to the EMPWRKLSWK\_A recode in 2020, which coded all seasonal/contract workers as 1 because they were not asked when they last

worked.

## **Evaluation Report:**

## <u>Unweighted frequencies:</u>

## EMPWRKLSW1\_A Worked last week

Code	Description	Frequency	Percent
1	Yes	16385	55.50
2	No	11891	40.28
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1246	4.22

#### Variable Information:

Variable: EMPLSTWOR1\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Last time worked for pay

Recode: Yes

Universe: HHSTAT\_A=1 and (EMPWHYNOT\_A IN (1,2,3,4,5,6,7,8,97,99))

Universe Description: Sample adults 18+ whose main reason for not working last week was because they

couldn't find work, performed seasonal or contract work, were retired, unable to work for health reasons, taking care of the house/family, going to school, worked at a job or business but not for pay, or some other reason, or refused

or didn't know the main reason they were not working last week

Sources: EMPWHENWRK\_A; EMPWHYNOT\_A

Question ID:

Keywords: employment gap; duration of unemployment; time since last worked

Notes: Sample adults who said their main reason for not working last week was because

they were working at a job or business but not for pay were not asked EMPWHENWRK\_A and are coded as 8 on EMPLSTWOR1\_A. Note that this recode was updated starting in 2021 and is not directly comparable to the EMPLSTWORK\_A recode in 2020, which also coded seasonal/contract workers as 8 because they

were not asked when they last worked.

**Evaluation Report:** 

#### **Unweighted frequencies:**

EMPLSTWOR1\_A Last time worked for pay

Code	Description	Frequency	Percent
1	Within the past 12 months	1546	12.83
2	1-5 years ago	2677	22.21
3	Over 5 years ago	7247	60.14
4	Never worked	499	4.14
7	Refused	16	0.13
8	Not Ascertained	52	0.43
9	Don't Know	14	0.12

#### Variable Information:

Variable: EMPWKHRS3\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Hours worked per week (topcoded for Public Use)

Recode: Yes

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

(EMPWHYNOT\_A=2 and EMPWHENWRK\_A=1))

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or worked but not for pay at a family business or

had seasonal/contract work in the past 12 months

Sources: EMPHOURS A

Question ID:

**Keywords:** work hours; work schedule; weekly hours

Notes: Hours worked in a usual week are topcoded at 95 for confidentiality. Note that

this recode was updated starting in 2021 and is not directly comparable to the EMPWKHRS2\_A recode in 2020, which coded all seasonal/contract workers and those working at a job or business but not for pay as 98 because they were not asked

about their work hours.

**Evaluation Report:** 

### Unweighted frequencies:

EMPWKHRS3\_A Hours worked per week (topcoded for Public Use)

Code	Description	Frequency	Percent
01-94	1-94 hours	16215	99.14
95	95+ hours	31	0.19
97	Refused	31	0.19
98	Not Ascertained	7	0.04
99	Don't Know	71	0.43

#### Variable Information:

Variable: EMPWRKFT1\_A

Adult Module:

Section: EMP : Employment

File(s): Adult Data Type: Numeric

Length:

Question Text:

Description: Usually work 35+ hours per week

Recode:

Universe: HHSTAT\_A=1 and (EMPFULLTIM\_A in (1,2,7,9) or  $(1 \leftarrow EMPHOURS_A \leftarrow 999)$  or

(EMPLASTWK\_A=8 and (FEMWKFT\_A in (1,2) or FEMWKFT\_C in (1,2))))

Universe Description: Sample adults 18+ with valid responses to EMPFULLTIM A or EMPHOURS\_A, or who

were coded 8 on EMPLASTWK\_A but had valid responses to FEMWKFT\_A or FEMWKFT\_C

Sources: EMPLASTWK\_A; EMPFULLTIM\_A; EMPHOURS\_A; FEMWKFT\_A; FEMWKFT\_C

Question ID:

Keywords: full-time employment; full-time job; work schedule; weekly hours

Notes: EMPWRKFT1\_A indicates full- or part-time status for all adults who were working

last week OR had a job or business but were temporarily absent last week OR who performed seasonal or contract work and worked in the past 12 months OR who worked at a job or business but NOT for pay (using info from FEMWKFT\_A or FEMWKFT\_C as necessary). Note that this recode is not directly comparable to the EMPWRKFT A recode in 2020, which coded all seasonal/contract workers and

those working at a job or business but not for pay as 8 because they were not

asked about their work hours/full-time status.

#### Evaluation Report:

## **Unweighted frequencies:**

EMPWRKFT1\_A Usually work 35+ hours per week

Code	Description	Frequency	Percent
1	Yes	13102	80.00
2	No	3251	19.85
7	Refused	17	0.10
8	Not Ascertained	2	0.01
9	Don't Know	6	0.04

#### Variable Information:

Variable: EMPSICKLV\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^LASTJOB paid sick leave available if you ^workneed it?

Fills: ^LASTJOB..... When you last worked, was/Regarding your job or

business, is

^workneed..... needed/need

**Description:** Paid sick leave

Recode:

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week; who work, but not for pay at family business or who are not currently working but who had some period of employment in the past 12

months

Sources:

Question ID: EMP.0070.00.1

**Keywords:** employee benefits; sick pay; paid sick days

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

EMPSICKLV\_A Paid sick leave

Code	Description	Frequency	Percent
1	Yes	11963	67.21
2	No	5670	31.85
7	Refused	16	0.09
8	Not Ascertained	9	0.05
9	Don't Know	142	0.80

#### Variable Information:

Variable: EMPHEALINS\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^LASTJOB health insurance offered to you through your workplace?

Fills: ^LASTJOB..... When you last worked, was/Regarding your job or

business, is

**Description:** Health insurance offered

Recode:

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week; who work, but not for pay at family business or who are not currently working but who had some period of employment in the past 12

months

Sources:

Question ID: EMP.0080.00.1

**Keywords:** employee benefits; health coverage

Notes:

Evaluation Report:

#### <u>Unweighted frequencies:</u>

 $\textbf{EMPHEALINS\_A} \quad \textbf{Health insurance offered}$ 

Code	Description	Frequency	Percent
1	Yes	12420	69.78
2	No	5276	29.64
7	Refused	12	0.07
8	Not Ascertained	10	0.06
9	Don't Know	82	0.46

### Variable Information:

Variable: EMPDYSMSS3\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 3

Question Text:

Description: Days missed work, past 12 months (top-coded)

Recode: Yes

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week; who work, but not for pay at family business or who are not currently working but who had some period of employment in the past 12

months

Sources: EMPDAYMISS\_A

Question ID:

**Keywords:** Work days missed; sick days; sick leave; medical leave

Notes: Note that this recode was updated starting in 2021 and is not directly

comparable to the EMPDYSMSS2\_A recode in 2020, which included all

seasonal/contract workers in the universe. Only seasonal/contract workers who

worked in the past 12 months are in universe for EMPDYSMSS3\_A.

**Evaluation Report:** 

### **Unweighted frequencies:**

EMPDYSMSS3\_A Days missed work, past 12 months (top-coded)

Code	Description	Frequency	Percent
000-129	0-129 days	17551	98.60
130	130+ days	93	0.52
997	Refused	26	0.15
998	Not Ascertained	11	0.06
999	Don't Know	119	0.67

#### Variable Information:

Variable: EMDINDSTN1\_A

Module: Adult

Section: EMD : Detailed Employment

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Detailed 2-digit recode for sample adult's industry

Recode: Yes

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or who work, but not for pay at a family-owned job or business, or who did not have a job or business last week but had a job or

business in the past 12 months

Sources: EMDINDUST\_A

Question ID:

**Keywords:** work; employment; business; sector

Notes: Based on 2017 NAICS industry subsectors. Note that this recode is not directly

comparable to the EMDINDSTR1\_A recode in 2020, which included all

seasonal/contract workers in the universe. Only seasonal/contract workers who

worked in the past 12 months are in universe for EMDINDSTN1\_A.

**Evaluation Report:** 

### **Unweighted frequencies:**

EMDINDSTN1\_A Detailed 2-digit recode for sample adult's industry

Code	Description	Frequency	Percent
01	Crop production	143	0.80
02	Animal production and aquaculture	70	0.39
03	Forestry and logging	14	0.08
04	Fishing, hunting, and trapping	10	0.06
05	Support activities for agriculture and forestry	21	0.12
06	Oil and gas extraction	9	0.05
07	Mining (except oil and gas)	20	0.11
08	Support activities for mining	48	0.27
09	Utilities industries	156	0.88
10	Construction industries	1231	6.92
11	Food manufacturing	182	1.02
12	Beverage and tobacco product manufacturing	43	0.24
13	Textile mills	11	0.06
14	Textile product mills	14	0.08
15	Apparel manufacturing	19	0.11
16	Leather and allied product manufacturing	1	0.01
17	Wood product manufacturing	39	0.22
18	Paper manufacturing	29	0.16
19	Printing and related support activities	38	0.21
20	Petroleum and coal products manufacturing	24	0.13
21	Chemical manufacturing	154	0.87

22	Plastics and rubber products manufacturing	47	0.26
23	Nonmetallic mineral product manufacturing	46	0.26
24	Primary metal manufacturing	42	0.24
25	Fabricated metal product manufacturing	110	0.62
26	Machinery manufacturing	145	0.81
27	Computer and electronic product manufacturing	109	0.61
28	Electrical equipment, appliance, and component manufacturing	32	0.18
29	Transportation equipment manufacturing	254	1.43
30	Furniture and related product manufacturing	43	0.24
31	Miscellaneous manufacturing	178	1.00
32	Merchant wholesalers, durable goods	141	0.79
33	Merchant wholesalers, nondurable goods	167	0.94
34	Non-specified wholesale trade	7	0.04
35	Motor vehicle and parts dealers	154	0.87
36	Furniture and home furnishings stores	36	0.20
37	Electronics and appliance stores	38	0.21
38	Building material and garden equipment and supplies dealers	141	0.79
39	Food and beverage stores	281	1.58
40	Health and personal care stores	117	0.66
41	Gasoline stations	46	0.26
42	Clothing, shoe, jewelry, luggage, and leather goods stores	117	0.66
43	Sporting goods, camera, hobby, book and music stores	52	0.29
44	General merchandise stores	262	1.47
45	Miscellaneous store retailers	127	0.71
46	Nonstore retailers and non-specified retail trade	138	0.78
47	Transportation (including support activities for transportation)	510	2.87
48	Postal service, couriers, and messengers	243	1.37
49	Warehousing and storage	107	0.60
50	Newspaper, periodical, book, and software publishing industries	79	0.44
51	Motion picture, video, and sound recording industries	63	0.35
52	Broadcasting and telecommunications	101	0.57
53	Libraries and archives, internet publishing, web search portals, data processing and hosting services, and other information services	94	0.53
54	Monetary authorities central bank	226	1.27
55	Credit intermediation and related activities	184	1.03
56	Securities, commodity contracts, and other financial investments and related activities	144	0.81
57	Insurance carriers and related activities	351	1.97
58	Real estate	311	1.75
59	Automotive and other consumer goods rental and leasing services	26	0.15
60	Commercial, industrial, and other intangible assets (except copyrighted works)	13	0.07
61	Professional, scientific, and technical services industries	1701	9.56
62	Management of companies and enterprises industries	18	0.10
63	Administrative and support and waste management and remediation services industries	739	4.15
64	Education services industries	1648	9.26
65	Ambulatory health care services	1083	6.08
66	Hospitals	833	4.68
67	Nursing and residential care facilities	269	1.51
68	Social assistance	417	2.34
69	Performing arts, spectator sports, promoters, agents, artists, writers and related industries	125	0.70
70	Museums, historical sites, and similar institutions	57	0.32

71	Amusement, gambling, and recreation industries	209	1.17
72	Accommodation	155	0.87
73	Food services and drinking places	825	4.63
74	Repair and maintenance	212	1.19
75	Personal services (barber shops, beauty salons, nail salons, laundry, funeral homes and cemetaries)	288	1.62
76	Religious, grantmaking, civic, labor, professional, and similar organizations	275	1.54
77	Private households	88	0.49
78	Public administration industries	966	5.43
79	Armed forces	6	0.03
97	Refused, classified	240	1.35
98	Not ascertained	69	0.39
99	Don't know	19	0.11

#### Variable Information:

Variable: EMDINDSTN2\_A

Module: Adult

Section: EMD : Detailed Employment

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Simple 2-digit recode for sample adult's industry

Recode: Yes

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or who work, but not for pay at a family-owned job or business, or who did not have a job or business last week but had a job or

business in the past 12 months

Sources: EMDINDUST\_A

Question ID:

**Keywords:** work; employment; business; sector

Notes: Based on 2017 NAICS industry sectors. Note that this recode is not directly

comparable to the EMDINDSTR2\_A recode in 2020, which included all

seasonal/contract workers in the universe. Only seasonal/contract workers who

worked in the past 12 months are in universe for EMDINDSTN2\_A.

**Evaluation Report:** 

### **Unweighted frequencies:**

EMDINDSTN2\_A Simple 2-digit recode for sample adult's industry

Code	Description	Frequency	Percent
01	Agriculture, Forestry, Fishing, and Hunting Industries	258	1.45
02	Mining Industries	77	0.43
03	Utilities Industries	156	0.88
04	Construction Industries	1231	6.92
05	Manufacturing Industries	1560	8.76
06	Wholesale Trade Industries	315	1.77
07	Retail Trade Industries	1509	8.48
08	Transportation and Warehousing Industries	860	4.83
09	Information Industries	337	1.89
10	Finance and Insurance Industries	905	5.08
11	Real Estate and Rental and Leasing Industries	350	1.97
12	Professional, Scientific, and Technical Services Industries	1701	9.56
13	Management of Companies and Enterprises Industries	18	0.10
14	Administrative and Support and Waste Management and Remediation Services Industries	739	4.15
15	Education Services Industries	1648	9.26
16	Health Care and Social Assistance Industries	2602	14.62
17	Arts, Entertainment, and Recreation Industries	391	2.20
18	Accommodation and Food Services Industries	980	5.51
19	Other Services (except Public Administration) Industries	863	4.85
20	Public Administration Industries	966	5.43
21	Armed Forces	6	0.03

97	Refused, classified	240	1.35
98	Not ascertained	69	0.39
99	Don't know	19	0.11

#### Variable Information:

Variable: EMDOCCUPN1\_A

Module: Adult

Section: EMD : Detailed Employment

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Detailed 2-digit recode for sample adult's occupation

Recode: Yes

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or who work, but not for pay at a family-owned job or business, or who did not have a job or business last week but had a job or

business in the past 12 months

Sources: EMDKIND1\_A

Question ID:

**Keywords:** work; employment; career; job title

Notes: Based on 2018 SOC occupation subgroups. Note that this recode is not directly

comparable to the EMDOCCUPR1\_A recode in 2020, which included all

seasonal/contract workers in the universe. Only seasonal/contract workers who

worked in the past 12 months are in universe for EMDOCCUPN1\_A.

**Evaluation Report:** 

### **Unweighted frequencies:**

EMDOCCUPN1\_A Detailed 2-digit recode for sample adult's occupation

Code	Description	Frequency	Percent
01	Chief executives; general and operations managers; legislators	266	1.49
02	Advertising, marketing, promotions, public relations, and sales managers	125	0.70
03	Administrative services, compensation/benefits, human resources, training, production, purchasing, and transportion/distribution, and other operations managers	373	2.10
04	All other management occupations	1273	7.15
05	Business operations specialists	804	4.52
06	Financial specialists	431	2.42
07	Computer specialists	741	4.16
08	Mathematical science occupations	69	0.39
09	Architects, surveyors, and cartographers	36	0.20
10	Engineers	287	1.61
11	Drafters, engineering, and mapping technicians	86	0.48
12	Life scientists	65	0.37
13	Physical scientists	89	0.50
14	Social scientists and related workers	55	0.31
15	Life, physical, and social science technicians	56	0.31
16	Counselors, social workers, and other community and social service specialists	300	1.69
17	Religious workers	61	0.34
18	Lawyers, judges, and related workers	160	0.90

19	Legal support workers	60	0.34
20	Postsecondary teachers	160	0.90
21	Primary, secondary, and special education school teachers	640	3.60
22	Other teachers and instructors	149	0.84
23	Librarians, curators, and archivists	36	0.20
24	Other educational instruction and library occupations	141	0.79
25	Art and design workers	150	0.84
26	Entertainers and performers, sports and related workers	72	0.40
27	Media and communication workers	114	0.64
28	Media and communication equipment workers	52	0.29
29	Health diagnosing and treating practitioners	854	4.80
30	Health technologists and technicians	308	1.73
31	Other healthcare practitioners and technical occupations	11	0.06
32	Nursing, psychiatric, and home health aides	410	2.30
33			
34	Occupational and physical therapist assistants and aides	10	0.06
	Other healthcare support occupations	158	0.89
35	First-line supervisors/managers, protective service workers	21	0.12
36	Fire fighting and prevention workers	36	0.20
37	Law enforcement workers	92	0.52
38	Other protective service workers	166	0.93
39	Supervisors, food preparation and serving workers	103	0.58
40	Cooks and food preparation workers	307	1.72
41	Food and beverage serving workers	317	1.78
42	Other food preparation and serving related workers	77	0.43
43	Supervisors, building and grounds cleaning and maintenance workers	34	0.19
44	Building cleaning and pest control workers	439	2.47
45	Grounds maintenance workers	119	0.67
46	Supervisors, personal care and service workers	24	0.13
47	Animal care and service workers	37	0.21
48	Entertainment attendants and related workers	42	0.24
49	Funeral service workers	6	0.03
50	Personal appearance workers	127	0.71
51	Transportation, tourism, and lodging attendants	21	0.12
52	Other personal care and service workers	180	1.01
53	Supervisors, sales workers	326	1.83
54	Retail sales workers	497	2.79
55	Sales representatives, services	189	1.06
56	Sales representatives, wholesale and manufacturing	114	0.64
57	Other sales and related workers	183	1.03
58	Supervisors, office and administrative support workers	99	0.56
59	Communications equipment operators	3	0.02
60	Financial clerks	266	1.49
61	Information and record clerks	654	3.67
62	Material recording, scheduling, dispatching, and distributing workers	315	1.77
63	Secretaries and administrative assistants	240	1.35
64	Other office and administrative support workers	362	2.03
65	Supervisors, farming, fishing, and forestry workers	8	0.04
66	Agricultural workers	83	0.47
67	Fishing and hunting workers	4	0.02
107			0.03
	Forest, conservation, and logging workers	51	
68	Forest, conservation, and logging workers  Supervisors, construction and extraction workers	5 87	
	Forest, conservation, and logging workers  Supervisors, construction and extraction workers  Construction trades workers	87 691	0.49

72	Other construction and related workers	44	0.25
73	Extraction workers	18	0.10
74	Supervisors of installation, maintenance, and repair workers	19	0.11
75	Electrical and electronic equipment mechanics, installers, and repairers	46	0.26
76	Vehicle and mobile equipment mechanics, installers, and repairers	173	0.97
77	Other installation, maintenance, and repair occupations	249	1.40
78	Supervisors, production workers	72	0.40
79	Assemblers and fabricators	112	0.63
80	Food processing workers	88	0.49
81	Metal workers and plastic workers	161	0.90
82	Printing workers	15	0.08
83	Textile, apparel, and furnishings workers	43	0.24
84	Woodworkers	14	0.08
85	Plant and system operators	32	0.18
86	Other production occupations	331	1.86
87	Supervisors, transportation and material moving workers	23	0.13
88	Air transportation workers	30	0.17
89	Motor vehicle operators	476	2.67
90	Rail transportation workers	14	0.08
91	Water transportation workers	7	0.04
92	Other transportation workers	27	0.15
93	Material moving workers	575	3.23
94	Military specific occupations	8	0.04
97	Refused, classified	224	1.26
98	Not ascertained	98	0.55
99	Don't know	21	0.12

#### Variable Information:

Variable: EMDOCCUPN2\_A

Module: Adult

Section: EMD : Detailed Employment

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Simple 2-digit recode for sample adult's occupation

Recode: Yes

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or who work, but not for pay at a family-owned job or business, or who did not have a job or business last week but had a job or

business in the past 12 months

Sources: EMDKIND1\_A

Question ID:

**Keywords:** work; employment; career; job title

Notes: Based on 2018 SOC major occupation groups. Note that this recode is not

directly comparable to the EMDOCCUPR2\_A recode in 2020, which included all seasonal/contract workers in the universe. Only seasonal/contract workers who

worked in the past 12 months are in universe for EMDOCCUPN2\_A.

**Evaluation Report:** 

### **Unweighted frequencies:**

EMDOCCUPN2\_A Simple 2-digit recode for sample adult's occupation

Code	Description	Frequency	Percent
01	Management Occupations	2037	11.44
02	Business and Financial Operations Occupations	1235	6.94
03	Computer and Mathematical Occupations	810	4.55
04	Architecture and Engineering Occupations	409	2.30
05	Life, Physical, and Social Science Occupations	265	1.49
06	Community and Social Services Occupations	361	2.03
07	Legal Occupations	220	1.24
08	Educational Instruction and Library Occupations	1126	6.33
09	Arts, Design, Entertainment, Sports and Media Occupations	388	2.18
10	Healthcare Practitioners and Technical Occupations	1173	6.59
11	Healthcare Support Occupations	578	3.25
12	Protective Service Occupations	315	1.77
13	Food Preparation and Serving Related Occupations	804	4.52
14	Building and Grounds Cleaning and Maintenance Occupations	592	3.33
15	Personal Care and Service Occupations	437	2.46
16	Sales and Related Occupations	1309	7.35
17	Office and Administrative Support Occupations	1939	10.89
18	Farming, Fishing, and Forestry Occupations	100	0.56
19	Construction and Extraction Occupations	844	4.74
20	Installation, Maintenance, and Repair Occupations	487	2.74
21	Production Occupations	868	4.88

22	Transportation and Material Moving Occupations	1152	6.47
23	Military Specific Occupations	8	0.04
97	Refused, classified	224	1.26
98	Not ascertained	98	0.55
99	Don't know	21	0.12

## Variable Information:

Variable: EMDSUPER\_A

Module: Adult

Section: EMD : Detailed Employment

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** ^DoDid you supervise other employees as part of your job?

Fills: ^DoDid..... Do/Did

**Description:** Supervise other employees

Recode:

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or who work, but not for pay at a family-owned job or business, or who did not have a job or business last week but had a job or

business in the past 12 months

Sources:

Question ID: EMD.0050.00.2

Keywords: supervisor; manager; management; boss; director

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

EMDSUPER\_A Supervise other employees

Code	Description	Frequency	Percent
1	Yes	5906	33.18
2	No	11750	66.01
7	Refused	93	0.52
8	Not Ascertained	35	0.20
9	Don't Know	16	0.09

#### Variable Information:

Variable: EMDWRKCAT1\_A

Module: Adult

Section: EMD : Detailed Employment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Which of these BEST describes your MAIN job or ^WRKCAT?

\* Read answer choices.

Fills: ^WRKCAT..... work situation/business in the past 12 months

**Description:** Type of main job

Recode:

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or who work, but not for pay at a family-owned job or business, or who did not have a job or business last week but had a job or

business in the past 12 months

Sources:

Question ID: EMD.0060.00.2

Keywords: work; employee; class of worker

Notes:

**Evaluation Report:** 

## <u>Unweighted frequencies:</u>

 ${\bf EMDWRKCAT1\_A} \quad {\bf Type \ of \ main \ job}$ 

Code	Description	Frequency	Percent
1	Employee of a PRIVATE company for wages	12797	71.89
2	A FEDERAL government employee	570	3.20
3	A STATE government employee	1201	6.75
4	A LOCAL government employee	1019	5.72
5	Self-employed in OWN business, professional practice or farm	1942	10.91
6	Working WITHOUT PAY in a family-owned business or farm	49	0.28
7	Refused	89	0.50
8	Not Ascertained	37	0.21
9	Don't Know	96	0.54

### <u>Variable Information:</u>

Variable: CEVOLUN1\_A

Module: Adult

Section: VOL : Volunteer Activities

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you spend any time volunteering for any

organization or association?

**Description:** Volunteer for organization or association

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: VOL.0010.00.4

Keywords: Community engagement

Notes: Question fielded since quarter 3 and quarter 4 of 2022.

**Evaluation Report:** 

#### **Unweighted** frequencies:

CEVOLUN1\_A Volunteer for organization or association

Code	Description	Frequency	Percent
1	Yes	6756	22.88
2	No	21449	72.65
7	Refused	24	0.08
8	Not Ascertained	1288	4.36
9	Don't Know	5	0.02

### Variable Information:

Variable: CEVOLUN2\_A

Module: Adult

Section: VOL : Volunteer Activities

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Some people don't think of activities they do infrequently or for children's

schools or youth organizations as volunteer activities. During the past 12

months, have you done any of these types of activities?

**Description:** Other volunteer activities

Recode:

Universe: HHSTAT\_A=1 and CEVOLUN1\_A IN (2,9)

Universe Description: Sample adults 18+ who did not spend time volunteering in the past 12 months or

don't know

Sources:

Question ID: VOL.0020.00.4

Keywords: Community engagement

Notes: Question fielded since quarter 3 and quarter 4 of 2022.

**Evaluation Report:** 

### **Unweighted frequencies:**

CEVOLUN2\_A Other volunteer activities

Code	Description	Frequency	Percent
1	Yes	1256	5.85
2	No	20190	94.11
7	Refused	2	0.01
8	Not Ascertained	2	0.01
9	Don't Know	4	0.02

#### Variable Information:

Variable: PCNTADWKP1\_A

Module: Adult

Section: FEM : Employment of family members

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Number of adults in sample adult's family who are working (top-coded)

Recode: Yes

Universe: HHSTAT\_A = 1

Universe Description: Sample adults 18+

Sources: EMPWRKLSW1\_A; FEMWORK\_A; FEMWORK\_C; FAMILYA\_FLG

Question ID:

Keywords: Related adults; employed

Notes: Information on FEMWORK\_A and FEMWORK\_C was collected in the Adult and Child

interviews and then replicated to the records of appropriate family members in the Person file. This recode is top-coded at 3. Users should be aware that categories 0, 1, 2 and 3 are actual counts but categories 5, 6, 7, and 8 are NOT counts and are labels indicating cases where the work status of some or all adult family members could not be ascertained. This recode differs from the 2022 recode PCNTADTWKP\_A where a value of 8 (not ascertained) was assigned to sample adults who had any adult family members with unknown work status.

### **Evaluation Report:**

### **Unweighted frequencies:**

PCNTADWKP1\_A Number of adults in sample adult's family who are working (top-coded)

Code	Description	Frequency	Percent
0	0 adults	8652	29.31
1	1 adult	10246	34.71
2	2 adults	7604	25.76
3	3+ adults (at least 3, may have unknown)	1599	5.42
5	at least 2 adults, has unknown	13	0.04
6	at least 1 adult, has unknown	117	0.40
7	0 adults, has unknown	54	0.18
8	not ascertained (all unknown)	1237	4.19

#### Variable Information:

Variable: PCNTADWFP1\_A

Module: Adult

Section: FEM : Employment of family members

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Number of adults in sample adult's family who are working full-time (top-coded)

Recode: Yes

Universe: HHSTAT\_A = 1

Universe Description: Sample adults 18+

Sources: EMPWRKFT1\_A; FEMWKFT\_A; FEMWKFT\_C; FAMILYA\_FLG

Question ID:

**Keywords:** Related adults; employed full-time; full-time employment

Notes: Information on FEMWKFT\_A and FEMWKFT\_C was collected in the Adult and Child

interviews and then replicated to the records of appropriate family members in the Person file. This recode is top-coded at 3. Users should be aware that categories 0, 1, 2, and 3 are actual counts but categories 5, 6, 7, and 8 are NOT counts and are labels indicating cases where the full-time work status of some or all adult family members could not be ascertained. This recode differs from the 2022 recode PCNTADTWFP\_A where a value of 8 (not ascertained) was assigned to sample adults who had any adult family members with unknown full-

time work status.

#### Evaluation Report:

#### **Unweighted frequencies:**

PCNTADWFP1\_A Number of adults in sample adult's family who are working full-time (top-coded)

Code	Description	Frequency	Percent
0	0 adults	10986	37.21
1	1 adult	10268	34.78
2	2 adults	5882	19.92
3	3+ adults (at least 3, may have unknown)	862	2.92
5	at least 2 adults, has unknown	23	0.08
6	at least 1 adult, has unknown	125	0.42
7	0 adults, has unknown	115	0.39
8	not ascertained (all unknown)	1261	4.27

Variable Information:

Variable: INCWRKO\_A

Module: Adult

Section: INC : Family Income

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In ^LASTYEAR, did ^YOUFAM18YRS receive income from wages, salaries,

commissions, bonuses, tips, or self-employment?

^INCSAFAMoptional

Fills: ^LASTYEAR..... Last year

^YOUFAM18YRS..... you/you or any family members 18 or older

^INCSAFAMoptional..... Read if necessary: For the purpose of this survey,

your family includes ^FAMVERSA\_fill

^FAMVERSA\_fill..... List of all people in Sample Adult's family

**Description:** Income from wages

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INC.0020.00.1

**Keywords:** financial sources

Notes:

**Evaluation Report:** 

**Unweighted frequencies:** 

INCWRKO\_A
Income from wages

Code	Description	Frequency	Percent
1	Yes	20219	68.49
2	No	7777	26.34
7	Refused	207	0.70
8	Not Ascertained	1272	4.31
9	Don't Know	47	0.16

Variable Information:

Variable: INCINTER\_A

Module: Adult

Section: INC : Family Income

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In ^LASTYEAR, did ^YOUFAMHERE receive income from interest-bearing accounts or

investments, dividends from stocks or mutual funds, net rental income, royalty

income, or income from estates and trusts?

Fills: ^LASTYEAR..... Last year

^YOUFAMHERE..... you/you or any family members

**Description:** Income from accounts

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INC.0030.00.1
Keywords: financial sources

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

Code	Description	Frequency	Percent
1	Yes	8711	29.51
2	No	18852	63.86
7	Refused	436	1.48
8	Not Ascertained	1279	4.33
9	Don't Know	244	0.83

### Variable Information:

Variable: INCSSRR\_A

Module: Adult

Section: INC : Family Income

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: In ^LASTYEAR, did ^YOUFAMHERE receive...

Income from Social Security or Railroad Retirement?

Fills: ^LASTYEAR..... Last year

^YOUFAMHERE..... you/you or any family members

**Description:** Income from SS/Railroad Retirement

Recode:

Universe: HHSTAT\_A=1 and (INCINTER\_A IN (1,2,9) or INCWRKO\_A IN (1,2,9))

Universe Description: Sample adults 18+ and the sample adult did not refuse both the income from

wages and income from accounts questions

Sources:

Question ID: INC.0040.00.1

**Keywords:** financial sources

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

Code	Description	Frequency	Percent
1	Yes	1003	2 35.73
2	No	1782	63.50
7	Refused	11	5 0.41
8	Not Ascertained		9 0.03
9	Don't Know	9	2 0.33

### Variable Information:

Variable: INCSSISSDI\_A

Module: Adult

Section: INC : Family Income

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \*Read if necessary: In ^LASTYEAR, did ^YOUFAMHERE receive...

Supplemental Security Income, SSI, or Social Security Disability Income, SSDI,

which are different from Social Security?

Fills: ^LASTYEAR..... Last year

^YOUFAMHERE..... you/you or any family members

**Description:** Family income from SSDI

Recode:

Universe: HHSTAT\_A=1and (INCINTER\_A IN (1,2,9) or INCWRKO\_A IN (1,2,9))

Universe Description: Sample adults 18+ and the sample adult did not refuse both the income from

wages and income from accounts questions

Sources:

Question ID: INC.0050.00.1

Keywords: financial sources

Notes:

**Evaluation Report:** 

## Unweighted frequencies:

INCSSISSDI\_A Family income from SSDI

	<del>-</del>		
Code	Description	Frequency	Percent
1	Yes	24	92 8.88
2	No	253	46 90.28
7	Refused	1	11 0.40
8	Not Ascertained		9 0.03
9	Don't Know	1	18 0.42

### <u>Variable Information:</u>

Variable: SSISSDIBTH\_A

Module: Adult

Section: INC : Family Income

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Was this Supplemental Security Income, SSI, Social Security Disability Income,

SSDI, or both?

**Description:** Which family income SSI/SSDI

Recode:

Universe: HHSTAT\_A=1 and INCSSISSDI\_A=1

Universe Description: Sample adults 18+ where someone in the family gets SSI or SSDI

Sources:

Question ID: INC.0060.00.1
Keywords: financial sources

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

SSISSDIBTH\_A Which family income SSI/SSDI

Code	Description	Frequency	Percent
1	SSI	958	38.44
2	SSDI	1179	47.31
3	Both SSI and SSDI	294	11.80
7	Refused	3	0.12
8	Not Ascertained	1	0.04
9	Don't Know	57	2.29

### Variable Information:

Variable: SSISSDIDSB\_A

Module: Adult

Section: INC : Family Income

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Was this received as a disability benefit?

**Description:** SSI/SSDI due to disability

Recode:

Universe: HHSTAT\_A=1 and INCSSISSDI\_A=1

Universe Description: Sample adults 18+ where someone in the family gets SSI or SSDI and sample

child and sample adult are in the same family and the INC section has not been completed OR the sample adult and sample child are not in the same family OR sample adult and sample child are in the same family, sample child respondent answered all questions asked in the INC section with dk/rf and sample adult is

not the sample child respondent

Sources:

Question ID: INC.0070.00.1

Keywords: financial sources

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

SSISSDIDSB\_A SSI/SSDI due to disability

Code	Description	Frequency	Percent
1	Yes	1997	80.14
2	No	470	18.86
7	Refused	2	0.08
8	Not Ascertained	1	0.04
9	Don't Know	22	0.88

### Variable Information:

Variable: INCWELF\_A

Module: Adult

Section: INC : Family Income

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In ^LASTYEAR, did ^YOUFAMHERE receive...

Any public assistance or welfare payments from the state or local welfare

office?

Fills: ^LASTYEAR.... Last year

^YOUFAMHERE..... you/you or any family members

**Description:** Income from public assistance

Recode:

Universe: HHSTAT\_A=1 and (INCINTER\_A IN (1,2,9) or INCWRKO\_A IN (1,2,9))

Universe Description: Sample adults 18+ and the sample adult did not refuse both the income from

wages and income from accounts questions

Sources:

Question ID: INC.0100.00.1

**Keywords:** financial sources

Notes:

**Evaluation Report:** 

## <u>Unweighted frequencies:</u>

INCWELF\_A
Income from public assistance

Code	Description	Frequency	Percent
1	Yes	91	3.25
2	No	2698	7 96.12
7	Refused	9	9 0.35
8	Not Ascertained	1.	4 0.05
9	Don't Know	6	3 0.22

### Variable Information:

Variable: INCRETIRE\_A

Module: Adult

Section: INC : Family Income

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: In ^LASTYEAR, did ^YOUFAMHERE receive...

Income from retirement, survivor, or disability pensions?

Fills: ^LASTYEAR..... Last year

^YOUFAMHERE..... you/you or any family members

**Description:** Income from retirement

Recode:

Universe: HHSTAT\_A=1 and (INCINTER\_A IN (1,2,9) or INCWRKO\_A IN (1,2,9))

Universe Description: Sample adults 18+ and the sample adult did not refuse both the income from

wages and income from accounts questions

Sources:

Question ID: INC.0110.00.1
Keywords: financial sources

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

INCRETIRE\_A Income from retirement

Code	Description	Frequenc	у	Percent
1	Yes		5853	20.85
2	No		21968	78.24
7	Refused		133	0.47
8	Not Ascertained		14	0.05
9	Don't Know		108	0.38

### Variable Information:

Variable: INCOTHR\_A

Module: Adult

Section: INC : Family Income

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: In ^LASTYEAR, did ^YOUFAMHERE receive...

Any other sources of income such as VA payments from the Veterans Benefits Administration, unemployment compensation, child support, or alimony?

Fills: ^LASTYEAR..... Last year

^YOUFAMHERE..... you/you or any family members

**Description:** Income from other sources

Recode:

Universe: HHSTAT\_A=1 and (INCINTER\_A IN (1,2,9) or INCWRKO\_A IN (1,2,9))

Universe Description: Sample adults 18+ and the sample adult did not refuse both the income from

wages and income from accounts questions

Sources:

Question ID: INC.0120.00.1

Keywords: financial sources

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

INCOTHR\_A Income from other sources

Code	Description	Frequency	Percent
1	Yes	2065	7.36
2	No	25813	91.94
7	Refused	117	0.42
8	Not Ascertained	14	0.05
9	Don't Know	67	0.24

### Variable Information:

Variable: IMPNUM\_A

Module: Adult

Section: INC : Family Income

File(s): Adult, Adultinc

Data Type: Numeric

Length: 2

Question Text:

**Description:** Imputation num

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID:

Keywords:

Notes: The codebook includes imputation 1 from the 10 imputations available.

**Evaluation Report:** 

#### **Unweighted frequencies:**

IMPNUM\_A Imputation num

Code	Description	Frequency	Percent
01-10	Imputation number	29522	100.00

### Variable Information:

Variable: POVRATTC\_A

Module: Adult

Section: INC : Family Income

File(s): Adult, Adultinc

Data Type: Numeric

Length: 5

Question Text:

**Description:** SA family poverty ratio (top-coded)

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: INCTOTAL\_A

Question ID:
Keywords:
Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

POVRATTC\_A SA family poverty ratio (top-coded)

Code	Description	Frequency	Percent
00.00-10.99	0.00 to 10.99	27701	93.83
11.00	11.00+	1821	6.17

### Variable Information:

Variable: RATCAT\_A

Module: Adult

Section: INC : Family Income

File(s): Adult, Adultinc

Data Type: Numeric

Length: 2

Question Text:

Description: Ratio of family income to poverty threshold for SA's family

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: INCTOTAL\_A PCNT\_A INC100FILL\_A INC250FILL\_A INC138FILL\_A INC75K\_A INC100K\_A

INC138K\_A INC150K\_A INC250K\_A INC400K\_A INC100PCT\_A INC138PCT\_A INC200PCT\_A

INC250PCT\_A INC400PCT\_A

Question ID:

**Keywords:** income; poverty

Notes: Published poverty thresholds for the previous calendar year were obtained from

the Census Bureau and used in these calculations. Please see the Survey

Description Document for more information.

**Evaluation Report:** 

## Unweighted frequencies:

RATCAT\_A Ratio of family income to poverty threshold for SA's family

Code	Description	Frequency	Percent
01	0.00 - 0.49	862	2.92
02	0.50 - 0.74	933	3.16
03	0.75 - 0.99	1313	4.45
04	1.00 - 1.24	1151	3.90
05	1.25 - 1.49	1524	5.16
06	1.50 - 1.74	1290	4.37
07	1.75 - 1.99	1419	4.81
08	2.00 - 2.49	2461	8.34
09	2.50 - 2.99	2550	8.64
10	3.00 - 3.49	2004	6.79
11	3.50 - 3.99	1806	6.12
12	4.00 - 4.49	1618	5.48
13	4.50 - 4.99	1416	4.80
14	5.00 or greater	9175	31.08
98	Not Ascertained	0	0.00

### Variable Information:

Variable: IMPINCFLG\_A

Module: Adult

Section: INC : Family Income

File(s): Adult, Adultinc

Data Type: Numeric

Length: 1

Question Text:

**Description:** Imputed SA family income imputation flag

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID:

Keywords:

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

Code	Description	Frequency	Percent
Blank	No Sample Adult or Sample Child in household	0	0.00
0	Income reported	22522	76.29
1	Income imputed; no other information	2967	10.05
2	Income imputed; reported in income brackets	4033	13.66

### Variable Information:

Variable: INCTCFLG\_A

Module: Adult

Section: INC : Family Income

File(s): Adult, Adultinc

Data Type: Numeric

Length: 1

Question Text:

**Description:** Sample adult family income top-code flag

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID:

Keywords:

Notes:

Evaluation Report:

#### **Unweighted frequencies:**

Code	Description	Frequency	Percent
0	No	28292	95.83
1	Yes	1230	4.17

### Variable Information:

Variable: FSNAP12M\_A

Module: Adult

Section: FOO : Food Related Programs

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: At any time in the last 12 months did ^YOUFAMLVHERE\_A receive ^FSSNAPNM?

\* Read if necessary: This program puts money on a SNAP EBT card that you can

only use to buy food.

Fills: ^YOUFAMLVHERE\_A..... you/any family members living here/you or any

family members living at ^HNO ^HNOSUF ^STRNAME

^FSSNAPNM..... food stamp benefits/[state food stamp program name]

**Description:** Receive food stamps, past 12m

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** F00.0010.00.1

**Keywords:** income; food stamps

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

FSNAP12M\_A Receive food stamps, past 12m

Code	Description	Frequency	Percent
1	Yes	3350	11.35
2	No	24723	83.74
7	Refused	107	0.36
8	Not Ascertained	1306	4.42
9	Don't Know	36	0.12

Variable Information:

Variable: FSNAP30D\_A

Module: Adult

Section: FOO : Food Related Programs

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did ^YOUFAMLVHERE\_A receive ^FSSNAPNM in the LAST 30 days?

\* Read if necessary: This program puts money on a SNAP EBT card that you can

only use to buy food.

Fills: ^YOUFAMLVHERE\_A..... you/any family members living here/you or any

family members living at ^HNO ^HNOSUF ^STRNAME

^FSSNAPNM..... food stamp benefits/[state food stamp program name]

**Description:** Receive food stamps, past 30d

Recode:

Universe: HHSTAT\_A=1 and FSNAP12M\_A=1

Universe Description: Sample adults 18+ living in families where someone received food stamps in the

last 12 months

Sources:

**Question ID:** F00.0020.00.3

**Keywords:** income; food stamps

Notes:

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

FSNAP30D\_A Receive food stamps, past 30d

Code	Description	Frequency	Percent
1	Yes	2787	83.19
2	No	551	16.45
7	Refused	1	0.03
8	Not Ascertained	0	0.00
9	Don't Know	11	0.33

#### Variable Information:

Variable: FWIC12M\_A

Module: Adult

Section: FOO : Food Related Programs

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: At any time in the last 12 months did ^YOUFAMLVHERE\_A receive benefits from the

WIC program, that is, the Women, Infants, and Children program?

Fills: ^YOUFAMLVHERE\_A..... you/any family members living here/you or any

family members living at ^HNO ^HNOSUF ^STRNAME

**Description:** Receive WIC benefits, past 12m

Recode:

Universe: HHSTAT\_A=1 and (PCNTF1255\_A >= 1 or PCNTC05\_A >= 1)

Universe Description: Sample adults 18+ living in families with females 12-55 years of age or

children 0-5 years of age

Sources:

**Question ID:** F00.0030.00.1

Keywords:

Notes: The universe description for this question is based on rostering information

for the number of females ages 12-55 (PCNTF1255\_A ) and the number of children ages 0-5 (PCNTC05\_A) in the sample adult family, and these variable are not

available in the public use file.

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

FWIC12M\_A Receive WIC benefits, past 12m

Code	Description	Frequency	Percent
1	Yes	781	5.74
2	No	12144	89.24
7	Refused	14	0.10
8	Not Ascertained	650	4.78
9	Don't Know	19	0.14

#### Variable Information:

Variable: FLUNCH12M1\_A

Module: Adult

Section: FOO : Food Related Programs

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: At any time in the last 12 months, did ^SCCHILDFAM\_A receive free or reduced-

price breakfasts or lunches at school?

\* Read if necessary: The National School Lunch Program and the School Breakfast Program provide cash assistance to states to operate breakfast and Lunch programs in schools and residential childcare institutions. The programs provide low-price or free breakfasts and Lunches to Low-income children in

kindergarten through 12th grade.

Fills: ^SCCHILDFAM\_A..... ^ALIASNAME/any child in your family

^ALIASNAME...... {Value of ALIAS}

**Description:** Receive free/reduced meals at school

Recode:

Universe: HHSTAT\_A=1 and PCNTC517\_A ge 1

Universe Description: Sample Adults 18+ living in families with children between the ages of 5-17

Sources:

**Question ID:** F00.0040.00.1

Keywords:

Notes: In 2023, this question replaces FLUNCH12M\_A from 2019-2022, where the question

text "reduced-cost" was replace with "reduced-price."

**Evaluation Report:** 

### <u>Unweighted frequencies:</u>

FLUNCH12M1\_A Receive free/reduced meals at school

Code	Description	Frequency	Percent
1	Yes	2800	45.99
2	No	2950	48.46
7	Refused	8	0.13
8	Not Ascertained	290	4.76
9	Don't Know	40	0.66

### Variable Information:

Variable: FDSRUNOUT\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: The first statement is "^IWe\_A worried whether ^myour\_A food would run out

before 'Iwe\_A got money to buy more." Was that often true, sometimes true, or

never true for ^youyourfamily\_A in the last 30 days?

^myour\_A.... my/our

^youyourfamily\_A..... you/your family

Description: Worry food would run out

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: FDS.0020.00.3

Keywords: food security; worried about food; run out

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

FDSRUNOUT\_A Worry food would run out

Code	Description	Frequency	Percent
1	Often true	1117	3.78
2	Sometimes true	2189	7.41
3	Never true	24843	84.15
7	Refused	27	0.09
8	Not Ascertained	1334	4.52
9	Don't Know	12	0.04

### Variable Information:

Variable: FDSLAST\_A

Module: Adult

FDS : Food Security Section:

File(s): Adult Data Type: Numeric

Length:

"The food that ^Iwe\_A bought just didn't last, and ^Iwe\_A didn't have money to Question Text:

get more." Was that often true, sometimes true, or never true for ^youyourfamily\_A in the last 30 days?

Fills: ^Iwe\_A.....

> ^youyourfamily\_A..... you/your family

Description: Food didn't last

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: FDS.0030.00.3

Keywords: food security; balanced meals

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

FDSLAST\_A Food didn't last

Code	Description	Frequency	Percent
1	Often true	903	3.06
2	Sometimes true	1958	6.63
3	Never true	25284	85.64
7	Refused	27	0.09
8	Not Ascertained	1334	4.52
9	Don't Know	16	0.05

### Variable Information:

Variable: FDSBALANCE\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: 'IWe\_A couldn't afford to eat balanced meals." Was that often true, sometimes

true, or never true for ^youyourfamily\_A in the last 30 days?

^youyourfamily\_A..... you/your family

**Description:** Couldn't afford to eat balanced meals

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: FDS.0040.00.3

Keywords: food security; balanced meals

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

FDSBALANCE\_A Couldn't afford to eat balanced meals

Code	Description	Frequency	Percent
1	Often true	941	3.19
2	Sometimes true	1834	6.21
3	Never true	25369	85.93
7	Refused	26	0.09
8	Not Ascertained	1335	4.52
9	Don't Know	17	0.06

#### Variable Information:

Variable: FDSSKIP\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the last 30 days, did ^youorother\_A ever cut the size of your meals or skip

meals because there wasn't enough money for food?

Fills: ^youorother\_A..... you/you or other adults in your family

**Description:** Cut the size of meals or skip meals

Recode:

Universe: HHSTAT\_A=1 and (FDSRUNOUT\_A IN (1,2) or FDSLAST\_A IN (1,2) or FDSBALANCE\_A IN

(1,2))

Universe Description: Sample adults 18+ and respondent answered often true or sometimes true that in

the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have

money to get more or couldn't afford to eat balanced meals

Sources:

Question ID: FDS.0050.00.3

**Keywords:** food security; cut meals; skip meals

Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

 $\label{eq:fdskip} \textbf{FDSSKIP\_A} \qquad \text{Cut the size of meals or skip meals}$ 

Code	Description	Frequency	Percent
1	Yes	1506	36.83
2	No	2575	62.97
7	Refused	2	0.05
8	Not Ascertained	1	0.02
9	Don't Know	5	0.12

### Variable Information:

Variable: FDSSKIPDYS\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult

Data Type: Numeric

Length: 2

Question Text: In the last 30 days, how many days did this happen?

Description: How many days did you/adults in the family cut the size of meals or skip meals

Recode:

Universe: HHSTAT\_A=1 and FDSSKIP\_A=1

Universe Description: Sample adults 18+ who skipped meals due to cost

Sources:

**Question ID:** FDS.0060.00.3

**Keywords:** food security; cut meals; skip meals

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

FDSSKIPDYS\_A How many days did you/adults in the family cut the size of meals or skip meals

Code	Description	Frequency	Percent
01-30	Range of values	1454	96.55
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	52	3.45

#### Variable Information:

Variable: FDSLESS\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the last 30 days, did ^youorother\_A ever eat less than you felt you should

because there wasn't enough money for food?

Fills: ^youorother\_A..... you/you or other adults in your family

**Description:** Eat less than should

Recode:

Universe: HHSTAT\_A=1 and (FDSRUNOUT\_A IN (1,2) or FDSLAST\_A IN (1,2) or FDSBALANCE\_A IN

(1,2))

Universe Description: Sample adults 18+ where respondent answered often true or sometimes true that

in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have

money to get more or couldn't afford to eat balanced meals

Sources:

Question ID: FDS.0070.00.3

**Keywords:** food security; eat less

Notes:

Evaluation Report:

## **Unweighted frequencies:**

FDSLESS\_A Eat less than should

Code	Description	Frequency	Percent
1	Yes	1503	36.76
2	No	2574	62.95
7	Refused	3	0.07
8	Not Ascertained	1	0.02
9	Don't Know	8	0.20

#### Variable Information:

Variable: FDSHUNGRY\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the last 30 days, were ^youorother\_A ever hungry but didn't eat because

there wasn't enough money for food?

Fills: ^youorother\_A..... you/you or other adults in your family

**Description:** Ever hungry because not enough money for food

Recode:

Universe: HHSTAT\_A=1 and (FDSRUNOUT\_A IN (1,2) or FDSLAST\_A IN (1,2) or FDSBALANCE\_A IN

(1,2))

Universe Description: Sample adults 18+ and respondent answered often true or sometimes true that in

the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have

money to get more or couldn't afford to eat balanced meals

Sources:

Question ID: FDS.0080.00.3

**Keywords:** food security; hungry

Notes:

Evaluation Report:

#### <u>Unweighted frequencies:</u>

 $\begin{tabular}{ll} \textbf{FDSHUNGRY\_A} & Ever hungry because not enough money for food \\ \end{tabular}$ 

Code	Description	Frequency	Percent
1	Yes	967	23.65
2	No	3113	76.13
7	Refused	3	0.07
8	Not Ascertained	1	0.02
9	Don't Know	5	0.12

#### Variable Information:

Variable: FDSWEIGHT\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the last 30 days, did ^youorother\_A lose weight because there wasn't enough

money for food?

Fills: ^yourother\_A..... you/you or other adults in your family

Description: Lose weight because not enough money for food

Recode:

Universe: HHSTAT\_A=1 and (FDSRUNOUT\_A IN (1,2) or FDSLAST\_A IN (1,2) or FDSBALANCE\_A IN

(1,2))

Universe Description: Sample adults 18+ where respondent answered often true or sometimes true that

in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have

money to get more or couldn't afford to eat balanced meals

Sources:

Question ID: FDS.0090.00.3

**Keywords:** food security; lose weight

Notes:

Evaluation Report:

#### <u>Unweighted frequencies:</u>

 $\label{posterior} \textbf{FDSWEIGHT\_A} \hspace{0.5cm} \textbf{Lose weight because not enough money for food} \\$ 

Code	Description	Frequency	Percent
1	Yes	639	15.63
2	No	3405	83.27
7	Refused	3	0.07
8	Not Ascertained	1	0.02
9	Don't Know	41	1.00

#### Variable Information:

Variable: FDSNOTEAT\_A

Module: Adult

Section: FDS : Food Security

Adult File(s): Data Type: Numeric

Length:

Question Text: In the last 30 days, did ^youorother\_A ever not eat for a whole day because

there wasn't enough money for food?

Fills: ^youorother\_A..... you/you or other adults in your family

Description:  $\hbox{not eat for a whole day}\\$ 

Recode:

Universe: HHSTAT\_A=1 and (FDSSKIP\_A=1 or FDSLESS\_A=1 or FDSHUNGRY\_A=1 or FDSWEIGHT\_A=1)

Sample adults 18+ and respondent answered they skipped meals, cut the size of the meals, were hungry but didn't eat, or lost weight in the last 30 days  $\,$ Universe Description:

because there wasn't enough money for food

Sources:

Question ID: FDS.0100.00.3

Keywords: food security; not eat

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

FDSNOTEAT\_A not eat for a whole day

Code	Description	Frequency	Percent
1	Yes	376	19.89
2	No	1511	79.95
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.16

### <u>Variable Information:</u>

Variable: FDSNEDAYS\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: In the last 30 days, how many days did this happen?

**Description:** How many days not eat

Recode:

Universe: HHSTAT\_A=1 and FDSNOTEAT\_A=1

Universe Description: Sample adults 18+ and respondent didn't eat for a whole day in last 30 days

because there wasn't enough money for food

Sources:

Question ID: FDS.0110.00.3

**Keywords:** food security; not eat

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

FDSNEDAYS\_A How many days not eat

Code	Description	Frequency	Percent
01-30	Range of values	371	98.67
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	5	1.33

#### Variable Information:

Variable: FDSCAT3\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult Data Type: Numeric

Length:

Question Text:

Description: Adult 3 category food security recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

FDSRUNOUT\_A; FDSLAST\_A; FDSBALANCE\_A; FDSSKIP\_A; FDSSKIPDYS\_A; FDSLESS\_A; FDSHUNGRY\_A; FDSWEIGHT\_A; FDSNOTEAT\_A; FDSNEDAYS\_A Sources:

Question ID:

Keywords: food security

Notes: The food security status of the household was determined by responses to 10

food security questions (FDSRUNOUT\_C/FDSRUNOUT\_C through

FDSNEDAYS\_A/FDSNEDAYS\_C) asked in the adult or child interview. The questions measured the households' food situation based on the past 30 days.

**Evaluation Report:** 

## **Unweighted frequencies:**

FDSCAT3\_A Adult 3 category food security recode

Code	Description	Frequency	Percent
1	Food secure	25710	87.09
2	Low food security	1359	4.60
3	Very low food security	1086	3.68
8	Not Ascertained	1367	4.63

#### Variable Information:

Variable: FDSCAT4\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult Data Type: Numeric

Length:

Question Text:

Description: Adult 4 category food security recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

FDSRUNOUT\_A; FDSLAST\_A; FDSBALANCE\_A; FDSSKIP\_A; FDSSKIPDYS\_A; FDSLESS\_A; FDSHUNGRY\_A; FDSWEIGHT\_A; FDSNOTEAT\_A; FDSNEDAYS\_A Sources:

Question ID:

Keywords: food security

Notes: The food security status of the household was determined by responses to 10

food security questions (FDSRUNOUT\_C/FDSRUNOUT\_C through

FDSNEDAYS\_A/FDSNEDAYS\_C) asked in the adult or child interview. The questions measured the households' food situation based on the past 30 days.

**Evaluation Report:** 

### **Unweighted frequencies:**

FDSCAT4\_A Adult 4 category food security recode

Code	Description	Frequency	Percent
1	High food security	24066	81.52
2	Marginal food security	1644	5.57
3	Low food security	1359	4.60
4	Very low food security	1086	3.68
8	Not Ascertained	1367	4.63

Variable Information:

Variable: HOUYRSLIV\_A

Module: Adult

Section: HOU : Housing

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: About how long ^YRSLIV?

Fills: ^YRSLIV..... have you lived at ^HNO ^HNOSUF ^STRNAME/have you

lived in this house/apartment

**Description:** Length of time in house or apartment

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: HOU.0010.00.1

Keywords:
Notes:

**Evaluation Report:** 

#### <u>Unweighted frequencies:</u>

 ${\bf HOUYRSLIV\_A} \quad \text{ Length of time in house or apartment}$ 

Code	Description	Frequency	Percent
1	Less than 1 year	3033	10.27
2	1 to 3 years	6083	20.60
3	4 to 10 years	7330	24.83
4	11 to 20 years	4841	16.40
5	More than 20 years	6759	22.89
7	Refused	81	0.27
8	Not Ascertained	1379	4.67
9	Don't Know	16	0.05

Variable Information:

Variable: HOUTENURE\_A

Module: Adult

Section: HOU : Housing

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^HOUTEN owned or rented by you ^SOMEFAM\_A?

\* If house has a mortgage, record as owned.

Fills: ^HOUTEN..... Is this house/apartment at ^HNO ^HNOSUF ^STRNAME/IS

this house/apartment

^SOMEFAM\_A..... or someone in your family

**Description:** Residence owned or rented

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: HOU.0020.00.1
Keywords: house tenure

Notes:

**Evaluation Report:** 

## **Unweighted frequencies:**

HOUTENURE\_A Residence owned or rented

Code	Description	Frequency	Percent
1	Owned or being bought	19056	64.55
2	Rented	8412	28.49
3	Other arrangement	632	2.14
7	Refused	68	0.23
8	Not Ascertained	1343	4.55
9	Don't Know	11	0.04

#### Variable Information:

Variable: HOUGVASST\_A

Module: Adult

Section: HOU : Housing

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^HOUGVT paying lower rent because the Federal, State, or local government is

paying part of the cost?

\* Read if necessary: Federal, State, or Local government housing programs for persons with low income may take many forms. Government housing assistance could come from monetary assistance to help pay rent, a program called "Section 8," direct payments to landlords, vouchers, or other types of assistance from a local bousing authority. Living in public housing is considered housing.

local housing authority. Living in public housing is considered housing

assistance from the government.

Fills: ^HOUGVT..... Are you/Are you or anyone in your family/Is your

family at ^HNO ^HNOSUF ^STRNAME

**Description:** Paying lower rent

Recode:

Universe: HHSTAT\_A=1 and HOUTENURE\_A=2

Universe Description: Sample adults 18+ with a house/apartment that is being rented

Sources:

Question ID: HOU.0030.00.1

Keywords: low rent

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

HOUGVASST\_A Paying lower rent

Code	Description	Frequency	Percent
1	Yes	1083	12.87
2	No	7273	86.46
7	Refused	13	0.15
8	Not Ascertained	0	0.00
9	Don't Know	43	0.51

### <u>Variable Information:</u>

Variable: HOUSECOST\_A

Module: Adult

Section: SDH : Housing Costs

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, was there a time when you were not able to pay your

mortgage, rent or utility bills?

Description: Had trouble paying for housing

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample Adults 18+

Sources:

Question ID: SDH.0010.00.4

**Keywords:** difficulty with living expenses

Notes:

**Evaluation Report:** 

#### **Unweighted frequencies:**

HOUSECOST\_A Had trouble paying for housing

Code	Description	Frequency	Percent
1	Yes	1989	6.74
2	No	26077	88.33
7	Refused	48	0.16
8	Not Ascertained	1382	4.68
9	Don't Know	26	0.09

### Variable Information:

Variable: TRANSPOR\_A

Module: Adult

Section: TBH : Transportation Barrier to Care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the past 12 months, has a lack of reliable transportation kept you from

medical appointments, meetings, work, or from getting things you needed for

daily living?

**Description:** Delay care in the past 12 months because no reliable transportation

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: TBH.0010.00.4

Keywords:

Notes:

**Evaluation Report:** 

### **Unweighted frequencies:**

TRANSPOR\_A Delay care in the past 12 months because no reliable transportation

Code	Description	Frequency	Percent
1	Yes	1935	6.55
2	No	26173	88.66
7	Refused	24	0.08
8	Not Ascertained	1384	4.69
9	Don't Know	6	0.02

### <u>Variable Information:</u>

Variable: CEMMETNG\_A

Module: Adult

Section: CIV : Civic Engagement

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you attend a public meeting, such as a zoning or

school board meeting, that discussed a local issue?

Description: Attend public meeting

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CIV.0010.00.4

Keywords: Community involvement

Notes: Question fielded since quarter 3 and quarter 4 of 2022.

**Evaluation Report:** 

#### **Unweighted frequencies:**

CEMMETNG\_A Attend public meeting

Code	Description	Frequency	Percent
1	Yes	3037	10.29
2	No	25036	84.80
7	Refused	42	0.14
8	Not Ascertained	1392	4.72
9	Don't Know	15	0.05

### <u>Variable Information:</u>

Variable: CEVOTELC\_A

Module: Adult

Section: CIV : Civic Engagement

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did you vote in the LAST LOCAL elections, such as for mayor, councilmembers, or

school board?

**Description:** Vote in last local elections

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CIV.0020.00.4

Keywords: Community involvement

Notes: Question fielded since quarter 3 and quarter 4 of 2022.

**Evaluation Report:** 

#### **Unweighted frequencies:**

CEVOTELC\_A Vote in last local elections

Code	Description	Frequency	Percent
1	Yes	15856	53.71
2	No	12132	41.09
7	Refused	77	0.26
8	Not Ascertained	1393	4.72
9	Don't Know	64	0.22