

**CASEID** (1 - 12)

Respondent ID number

<u>Value</u>	<u>Label</u>	<u>Total</u>
	Total	7643

**Universe:**

Applicable for all respondents

**rscrinf** (13 - 13)

Whether R is screener informant. (screener variable)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4605
5	NO	3038
	Total	7643

**Universe:**

Applicable for all respondents

**RDORMRES** (14 - 14)

Whether R is part of the sample dormitory residents. (screener variable)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	189
5	NO	7454
	Total	7643

**Universe:**

Applicable for all respondents

**ROSTSCRN** (15 - 15)

Number of HH members based on screener.(computed)

NSFG Cycle 6 Female Respondent File Section A

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	1 HOUSEHOLD MEMBER	808
2	2 HOUSEHOLD MEMBERS	1903
3	3 HOUSEHOLD MEMBERS	1864
4	4 HOUSEHOLD MEMBERS	1740
5	5 HOUSEHOLD MEMBERS	846
6	6 HOUSEHOLD MEMBERS	306
7	7 HOUSEHOLD MEMBERS	104
8	8 OR MORE HOUSEHOLD MEMBERS	72
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents (This variable has been recoded for the Public Use File)

**RSCREENHISP** (16 - 16)

R's Hispanic origin in screener.(computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	1514
5	NO	6129
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**RSCREENRACE** (17 - 17)

R's race as reported in screener.(computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7
1-3	OTHER RACE GROUPS	536
4	BLACK OR AFRICAN AMERICAN	1677
5	WHITE	5423
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section A

**Universe:**

Applicable for all respondents

**AGE\_A** (18 - 19)

**AA-1:** First, I'd like to know your age and date of birth. How old are you?

<u>Value</u>	<u>Label</u>	<u>Total</u>
15	15 YEARS	216
16	16 YEARS	224
17	17 YEARS	235
18	18 YEARS	234
19	19 YEARS	241
20	20 YEARS	256
21	21 YEARS	269
22	22 YEARS	287
23	23 YEARS	283
24	24 YEARS	270
25	25 YEARS	264
26	26 YEARS	261
27	27 YEARS	257
28	28 YEARS	253
29	29 YEARS	259
30	30 YEARS	294
31	31 YEARS	277
32	32 YEARS	274
33	33 YEARS	257
34	34 YEARS	254
35	35 YEARS	262
36	36 YEARS	265
37	37 YEARS	272
38	38 YEARS	255
39	39 YEARS	213
40	40 YEARS	258
41	41 YEARS	251
42	42 YEARS	215
43	43 YEARS	255

NSFG Cycle 6 Female Respondent File Section A

44	44 YEARS	232
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***age\_r*** (20 - 21)

R's age at interview.(computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
15	15 YEARS	217
16	16 YEARS	223
17	17 YEARS	234
18	18 YEARS	235
19	19 YEARS	241
20	20 YEARS	258
21	21 YEARS	267
22	22 YEARS	287
23	23 YEARS	282
24	24 YEARS	269
25	25 YEARS	267
26	26 YEARS	260
27	27 YEARS	255
28	28 YEARS	252
29	29 YEARS	262
30	30 YEARS	292
31	31 YEARS	278
32	32 YEARS	273
33	33 YEARS	257
34	34 YEARS	255
35	35 YEARS	262
36	36 YEARS	266
37	37 YEARS	271
38	38 YEARS	256
39	39 YEARS	215
40	40 YEARS	256
41	41 YEARS	250
42	42 YEARS	215

NSFG Cycle 6 Female Respondent File Section A

43	43 YEARS	253
44	44 YEARS	235
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***cmbirth*** (22 - 25)

Century month of R's birth.(computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
301-1164	BEFORE 1997	7643
1165-1239	JANUARY 1997 OR LATER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***agescrn*** (26 - 27)

R's age at screener.(computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
15	15 YEARS	217
16	16 YEARS	223
17	17 YEARS	234
18	18 YEARS	235
19	19 YEARS	241
20	20 YEARS	258
21	21 YEARS	267
22	22 YEARS	287
23	23 YEARS	282
24	24 YEARS	269
25	25 YEARS	267
26	26 YEARS	260
27	27 YEARS	255
28	28 YEARS	252
29	29 YEARS	262

NSFG Cycle 6 Female Respondent File Section A

30	30 YEARS	292
31	31 YEARS	278
32	32 YEARS	273
33	33 YEARS	257
34	34 YEARS	255
35	35 YEARS	262
36	36 YEARS	266
37	37 YEARS	271
38	38 YEARS	256
39	39 YEARS	215
40	40 YEARS	256
41	41 YEARS	250
42	42 YEARS	215
43	43 YEARS	253
44	44 YEARS	235
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARSTAT** (28 - 28)

**AB-1:** Now I'd like to ask about your marital status. Please look at Card 1. What is your current marital status?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	MARRIED	3080
2	NOT MARRIED BUT LIVING TOGETHER WITH A PARTNER OF THE OPPOSITE SEX	732
3	WIDOWED	49
4	DIVORCED	557
5	SEPARATED, BECAUSE YOU AND YOUR SPOUSE ARE NOT GETTING ALONG	279
6	NEVER BEEN MARRIED	2946
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**FMARSTAT** (29 - 29)

**AB-2:** What is your formal marital status? That is, are you

NSFG Cycle 6 Female Respondent File Section A

widowed, divorced, separated, or have you never been married?

Value	Label	Total
.	inapplicable	6911
3	WIDOWED	2
4	DIVORCED	129
5	SEPARATED, BECAUSE YOU AND YOUR SPOUSE ARE NOT GETTING ALONG	30
6	NEVER BEEN MARRIED	571
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R is cohabiting (AB-1 [MARSTAT](#) = 2)

**fmarit** (30 - 30)

R's formal marital status at time of interview.(computed)

Value	Label	Total
1	MARRIED	3080
2	WIDOWED	51
3	DIVORCED	686
4	SEPARATED	309
5	NEVER MARRIED	3517
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable for all respondents

**evrmarry** (31 - 31)

Whether R was ever married.(computed)

Value	Label	Total
0	NEVER MARRIED	3517
1	EVER MARRIED	4126
<b>Total</b>		<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section A

Applicable for all respondents

**HISP** (32 - 32)

**AC-1:** Now I have some questions about your ethnic background and your race. (You may have already told me this, but) Are you Hispanic or Latino, or of Spanish origin?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	1589
5	NO	6051
8	Refused	1
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**HISPGRP** (33 - 33)

**AC-2:** Are you Puerto Rican, Cuban, Mexican, or a member of some other group?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6054
1	MEXICAN OR MEXICAN-AMERICAN	925
2	ANOTHER HISPANIC OR LATINO GROUP	660
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is Hispanic (AC-1 [HISP](#) = 1) (This variable has been recoded for the Public Use File)

**NUMRACE** (34 - 34)

Number of races R reported for self.



**NSFG Cycle 6 Female Respondent File Section A**

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	SINGLE RACE REPORTED	7350
2	2 OR MORE RACES REPORTED	293
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 race is reported (see AC-3 RRACE1) (This variable has been recoded for the Public Use File)

***roscnt*** (35 - 35)

Number of HH members based on HH roster. (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	1 HOUSEHOLD MEMBER	657
2	2 HOUSEHOLD MEMBERS	1758
3	3 HOUSEHOLD MEMBERS	1878
4	4 HOUSEHOLD MEMBERS	1835
5	5 HOUSEHOLD MEMBERS	947
6	6 HOUSEHOLD MEMBERS	342
7	7 HOUSEHOLD MEMBERS	133
8	8 OR MORE HOUSEHOLD MEMBERS	93
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents (This variable has been recoded for the Public Use File)

***HPLOCALE*** (36 - 36)

**AD-8:** Please look at Card 4. Where is your (husband/partner) currently living?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	3831
1	H/P LIVES IN HOUSEHOLD WITH R	3603
2	H/P DOES NOT LIVE IN HOUSEHOLD WITH R	202
8	Refused	3
9	Don't know	4

NSFG Cycle 6 Female Respondent File Section A

Total

7643

**Universe:**

Applicable if R is currently married or cohabiting (AB-1 MARSTAT=1 or 2). (This variable has been recoded for the Public Use File)

***manrel*** (37 - 37)

Whether man in HH is R's husband or cohabiting partner. (computed)

Value	Label	Total
.	inapplicable	3910
1	HUSBAND	2969
2	MALE COHABITING PARTNER	764
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if there is a husband or partner in the HH (AD-5 RELAR[x]=1 or 2 and AD-3 SEX[x]=2)

***fl\_rage*** (38 - 38)

Whether R's age at screener differs from age at interview. (computed)

Value	Label	Total
0	NO	7643
1	YES	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***fl\_rrace*** (39 - 39)

Whether R's race at screener differs from race at interview. (computed)

Value	Label	Total
-------	-------	-------

NSFG Cycle 6 Female Respondent File Section A

0	NO	7262
1	YES	381
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***fl\_rhisp*** (40 - 40)

Whether R's hispanic origin differs from hispanic origin at interview.(computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	NO	7487
1	YES	156
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***GOSCHOL*** (41 - 41)

**AF-1:** I'd like to talk about your education. I'd like to talk only about regular school. By regular school I mean elementary, junior high, high school, college, or graduate school. Are you now going to, or on vacation from, regular school?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	1998
5	NO	5645
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***VACA*** (42 - 42)

**AF-2:** Are you currently on vacation from regular school?

NSFG Cycle 6 Female Respondent File Section A

Value	Label	Total
.	inapplicable	5645
1	YES	692
5	NO	1306
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently attending school (AF-1 [GOSCHOL](#) = 1)

**HIGRADE** (43 - 44)

**AF-3:** Please look at Card A\_3. What (is the highest grade or year of (regular) school you have ever attended?) /(grade or year of school are you in/were you in before vacation began)?

Value	Label	Total
9	9TH GRADE OR LESS	711
10	10TH GRADE	462
11	11TH GRADE	608
12	12TH GRADE	1646
13	1 YEAR OF COLLEGE OR LESS	937
14	2 YEARS OF COLLEGE	917
15	3 YEARS OF COLLEGE	501
16	4 YEARS OF COLLEGE/GRAD SCHOOL	981
17	5 YEARS OF COLLEGE/GRAD SCHOOL	337
18	6 YEARS OF COLLEGE/GRAD SCHOOL	275
19	7 OR MORE YEARS OF COLLEGE AND/OR GRAD SCHOOL	265
99	DON'T KNOW	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents (This variable has been recoded for the Public Use File)

**COMPGRD** (45 - 45)

**AF-4:** (Did you complete/Have you completed) (that/your highest) (grade/year) of school?

NSFG Cycle 6 Female Respondent File Section A

Value	Label	Total
.	inapplicable	17
1	YES	5049
5	NO	2572
9	Don't know	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had any formal schooling (AF-3 [HIGRADE](#) = 1-19)

**HAVEDIP** (46 - 46)

**AF-5:** Do you have either a high school diploma or a GED certificate, or both?

Value	Label	Total
.	inapplicable	756
1	YES	5913
5	NO	973
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has completed 12 years of school ([AF-3 [HIGRADE](#) > 12] or [AF-3 [HIGRADE](#) = 12 and AF-4 [COMPGRD](#) = 1]) or highest grade R attended was 12, but she didn't complete it and isn't currently in school (AF-3 [HIGRADE](#) = 12 and AF-4 [COMPGRD](#) NE 1 and AF-1 [GOSCHOL](#) NE 1) or R did not go to 12th grade and is not currently in school (AF-3 [HIGRADE](#) < 12 and AF-1 [GOSCHOL](#) NE 1) or R's highest grade attended is unknown (AF-3 [HIGRADE](#) = DK/RF)

**DIPGED** (47 - 47)

**AF-6:** (Which one do you have?)

Value	Label	Total
.	inapplicable	1730
1	HIGH SCHOOL DIPLOMA	5304

NSFG Cycle 6 Female Respondent File Section A

2	GED	537
3	BOTH	72
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has a diploma, a GED, or both (AF-5 [HAVEDIP](#) = 1)

**cmhsgrad** (48 - 51)

Century month of R's high school graduation.(computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	2299
301-1164	BEFORE 1997	4123
1165-1239	JANUARY 1997 OR LATER	1221
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has a high school diploma (AF-5 [HAVEDIP](#) = 1)

**HAVEDEG** (52 - 52)

**AF-10:** Do you have any college or university degrees?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3430
1	YES	2147
5	NO	2066
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has attended school past the 12th grade (AF-3 [HIGRADE](#) = 13-19)

**DEGREES** (53 - 53)

**AF-11:** Please look at Card 7. What is the highest college or university degree you have?

NSFG Cycle 6 Female Respondent File Section A

Value	Label	Total
.	inapplicable	5496
1	ASSOCIATE S DEGREE	553
2	BACHELOR S DEGREE	1171
3	MASTER S DEGREE	295
4	DOCTORATE DEGREE	34
5	PROFESSIONAL SCHOOL DEGREE	92
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has a college degree (AF-10 [HAVEDEG](#) = 1)

**wthparnw** (54 - 54)

Whether R is living with parents.(computed)

Value	Label	Total
1	R LIVES WITH BOTH BIOLOGICAL OR ADOPTIVE PARENTS	807
2	R LIVES WITH OTHER OR NO PARENTAL FIGURES	6836
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents (This variable has been recoded for the Public Use File)

**ONOWN** (55 - 55)

**AG-0a:** (Before you turned 18, did you ever live/Have you ever lived) away from your parents or guardians? Please include times you were away at college or in the Armed Forces. But, do not include times you were away at boarding school for elementary, middle, or high school, or living in an institution or jail or group home. Also, please do not include temporary supervised arrangements such as summer camp.

Value	Label	Total
.	inapplicable	26

**NSFG Cycle 6 Female Respondent File Section A**

1	YES	1795
5	NO	5821
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is 18 or older (AGER > 17) or R is under 18 and lives with parents or parent-figures (AGER < 18 and [wthparnw](#) = 1,2, or 3)

**INTACT** (56 - 56)

**AG-1:** Between your birth and (the present time/the time you first started living on your own/your 18th birthday), (have you always lived/did you always live) with both your (biological/adoptive) mother and (biological/adoptive) father?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	275
1	YES	4799
5	NO	2569
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is not currently living in intact HH, is under 18 and has lived on own ([wthparnw](#) = 3 or 4 and AGER < 18 and AG-0a [ONOWN](#) = 1) or R is not currently living in intact HH, is over 17 and has or has not lived on own ([wthparnw](#) = 3 or 4, AGER > 17 and AG-0a [ONOWN](#) = 1 or 5) or R is currently living in intact HH, is over 17, and has or has not lived on own ([wthparnw](#) = 1 or 2, AGER > 17 and AG-0a [ONOWN](#) = 1 or 5) or R is currently living in intact HH, is under 18, and has or has not lived on own ([wthparnw](#) = 1 or 2, AGER < 18 and AG-0a [ONOWN](#) = 1 or 5)

**PARMARR** (57 - 57)

**AG-2:** Were your biological parents married to each other at the time you were born?



NSFG Cycle 6 Female Respondent File Section A

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	6359
5	NO	1221
8	Refused	2
9	Don't know	61
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**LVSIT14F** (58 - 58)

**AG-3:** Now, think about when you were 14 years old. Looking at Card 9, what female and male parents or parent-figures were you living with at age 14?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	4799
1	BIOLOGICAL MOTHER	2164
2	OTHER MOTHER-FIGURE	566
3	NO MOTHER-FIGURE	111
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not live with both parents while growing up ([intact18](#) NE 1) (This variable has been recoded for the Public Use File)

**LVSIT14M** (59 - 59)

**AG-4:** (Now tell me the male parent or parent-figure you were living with when you were 14 years old.)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	4799
1	BIOLOGICAL FATHER	678
2	STEPFATHER	623
3	NO FATHER-FIGURE PRESENT	1038

**NSFG Cycle 6 Female Respondent File Section A**

4	OTHER	498
8	Refused	2
9	Don't know	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not live with both parents while growing up ([intact18](#) NE 1) (This variable has been recoded for the Public Use File)

**WOMRASDU** (60 - 60)

**AG-5:** Who, if anyone, do you think of as the woman who mostly raised you when you were growing up?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	4799
1	BIOLOGICAL MOTHER	2048
2	OTHER MOTHER-FIGURE	745
3	NO MOTHER-FIGURE	50
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not live with both parents while growing up ([intact18](#) NE 1) (This variable has been recoded for the Public Use File)

**MOMDEGRE** (61 - 61)

**AG-6:** Please look at Card 17. What is the highest level of education (she/your mother) completed?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	51
1	LESS THAN HIGH SCHOOL	1994
2	HIGH SCHOOL GRAD OR GED	2546
3	SOME COLLEGE	1633
4	BACHELOR'S DEGREE OR HIGHER	1321

**NSFG Cycle 6 Female Respondent File Section A**

9	Don't know	98
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R had a mother or mother-figure while growing up (AG-5 [WOMRASDU](#) NE 9) (This variable has been recoded for the Public Use File)

**MOMWORKD** (62 - 62)

**AG-7:** During most of the time you were growing up, that is when you were between the ages of 5 and 15, did she usually work full-time, part-time or did she not work for pay at all?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	51
1	FULL-TIME	3739
2	PART-TIME	1281
3	EQUAL AMOUNTS FULL-TIME AND PART-TIME	241
4	NOT AT ALL (FOR PAY)	2311
8	Refused	1
9	Don't know	19
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R had a mother or mother-figure while growing up (AG-5 [WOMRASDU](#) NE 9)

**MOMCHILD** (63 - 64)

**AG-8:** (Including yourself/Altogether), how many children did (she/your mother/your biological mother) have who were born alive to her?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	1
0	NO CHILDREN	103
1	1 CHILD	608
2	2 CHILDREN	1869

**NSFG Cycle 6 Female Respondent File Section A**

3	3 CHILDREN	1729
4	4 CHILDREN	1195
5	5 CHILDREN	707
6	6 OR MORE CHILDREN	1423
99	DON'T KNOW	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R lived with both biological or adoptive parents from birth to age 18 (INTACT18=1) or provided a valid response to who was the woman who raised her (AG-5 [WOMRASDU](#) ne RF,DK) (This variable has been recoded for the Public Use File)

***MOMFSTCH*** (65 - 66)

**AG-9:** How old was (she/your biological mother) when she had her first child who was born alive?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	112
1	LESS THAN 18 YEARS	1267
2	18-19 YEARS	1467
3	20-24 YEARS	2902
4	25-29 YEARS	1142
5	30 OR OLDER	460
98	REFUSED	3
99	DON'T KNOW	290
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's mother or mother-figure had at least one child born alive (AG-8 [MOMCHILD](#) NE 0, DK or RF) (This variable has been recoded for the Public Use File)

***MOM18*** (67 - 67)

**AG-10:** Was she under 18, 18 to 19, 20 to 24, or 25 or older?

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section A**

.	inapplicable	7350
1	UNDER 18	59
2	18 TO 19	59
3	20 TO 24	94
4	25 OR OLDER	39
8	Refused	1
9	Don't know	41
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R's mother or mother-figure had at least one child born alive and R doesn't know age at first birth (AG-8 [MOMCHILD](#) NE 0 and AG-9 [MOMFSTCH](#) = DK/RF)

**MANRASDU** (68 - 68)

**AG-11:** Who, if anyone, do you think of as the man who mostly raised you when you were growing up?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	4799
1	BIOLOGICAL FATHER	1094
2	STEPFATHER	526
3	NO FATHER-FIGURE PRESENT	527
4	OTHER	693
8	Refused	3
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not live with both parents while growing up ([intact18](#) NE 1) (This variable has been recoded for the Public Use File)

**DADDEGRE** (69 - 69)

**AG-12:** Please look at Card 17. What is the highest level of education (he/your father) completed?

NSFG Cycle 6 Female Respondent File Section A

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	531
1	LESS THAN HIGH SCHOOL	1775
2	HIGH SCHOOL GRAD OR GED	2161
3	SOME COLLEGE	1302
4	BACHELOR'S DEGREE OR HIGHER	1658
8	Refused	2
9	Don't know	214
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R had a father or father-figure while growing up (AG-11 [MANRASDU](#) NE 9, DK or RF) (This variable has been recoded for the Public Use File)

***bothbiol*** (70 - 70)

Whether R lives with both biological parents or not.(computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	NO	6853
1	YES	790
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***intact18*** (71 - 71)

Whether R lived in intact family from bith to age 18.(computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4799
5	NO	2844
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**onown18** (72 - 72)

Whether R lived on own before age 18.(computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	1821
5	NO	5821
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**numbabes** (73 - 74)

Number of babies born alive to R (parity) (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	0 BABIES	3229
1	1 BABY	1519
2	2 BABIES	1603
3	3 BABIES	828
4	4 BABIES	309
5-95	5 OR MORE BABIES	154
97	Not ascertained	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**totplacd** (75 - 75)

Number of R's biological children she (or someone) placed for adoption (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	2610
0	NONE	4975
1-4	1 OR MORE CHILDREN	58
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been pregnant ([everpreg](#)=1)

**nplaced** (76 - 76)

Number of R's biological children she placed for adoption (based on BPA) (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------



NSFG Cycle 6 Female Respondent File Section B

0	NONE	7633
1-4	1 OR MORE CHILDREN	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***ndied*** (77 - 77)

Number of R's biological children that died shortly after birth (based on BDS) (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	NONE	7636
1-4	1 OR MORE CHILDREN	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***nadoptv*** (78 - 78)

Number of R's biological children living with adoptive families (based on WHERE NOW) (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	NONE	7595
1-4	1 OR MORE CHILDREN	48
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***hasbabes*** (79 - 79)

Whether R has had any live births (computed)

Value Label Total

NSFG Cycle 6 Female Respondent File Section B

1 YES 4414  
 5 NO 3229  
**Total 7643**

**Universe:**

Applicable for all respondents

***cmlastlb*** (80 - 83)

CM for R's most recent live birth (computed)

Value	Label	Total
.	inapplicable	3229
301-1164	BEFORE 1997	2007
1165-1239	JANUARY 1997 OR LATER	2399
9998	Refused	4
9999	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had a live birth ([hasbabes=yes](#))

***cmfstprg*** (84 - 87)

CM for R's first completed pregnancy (computed)

Value	Label	Total
.	inapplicable	2699
301-1164	BEFORE 1997	3630
1165-1239	JANUARY 1997 OR LATER	1303
9998	Refused	6
9999	Don't know	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had a completed pregnancy (([BB-1 NUMPREGS=1](#) and [currpreg=5](#)) or ([BB-1 NUMPREGS](#) > 1))

***cmlstprg*** (88 - 91)

NSFG Cycle 6 Female Respondent File Section B

CM for R's most recent completed pregnancy (computed)

Value	Label	Total
.	inapplicable	2699
301-1164	BEFORE 1997	2049
1165-1239	JANUARY 1997 OR LATER	2868
9998	Refused	6
9999	Don't know	21
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been pregnant ([everpreg=yes](#)) but she is not currently pregnant for the first time (BB-1 [NUMPREGS](#) > 1 or (BB-1 [NUMPREGS](#)=1 and [currpreg=no](#)))

**MENARCHE** (92 - 93)

**BA-1:** How old were you when you had your first menstrual period?

Value	Label	Total
1-9	UNDER 10 YEARS	268
10	10 YEARS	427
11	11 YEARS	1088
12	12 YEARS	2118
13	13 YEARS	1904
14	14 YEARS	951
15-95	15 YEARS OR OLDER	854
96	PERIODS HAVE NOT YET BEGUN	3
98	Refused	2
99	Don't know	28
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**PREGNOWQ** (94 - 94)

**BA-2:** Are you pregnant now?

NSFG Cycle 6 Female Respondent File Section B

Value	Label	Total
.	inapplicable	3
1	YES	344
5	NO	7283
9	DON'T KNOW	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has reached menarche or R did not know or refused to give her age at first menstrual period (BA-1 [MENARCHE](#) LT 96 or [MENARCHE](#)=DK/RF)

**MAYBPREG** (95 - 95)

**BA-3:** Do you think you are probably pregnant or not?

Value	Label	Total
.	inapplicable	7630
1	PROBABLY PREGNANT	8
5	PROBABLY NOT PREGNANT	3
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R does not know if she is currently pregnant (BA-2 [PREGNOWQ](#)=DK)

**NUMPREGS** (96 - 97)

**BB-1:** (Including this pregnancy,) how many times have you been pregnant in your life?

Value	Label	Total
.	inapplicable	3
00	NONE	2600
01	1 PREGNANCY	1267
02	2 PREGNANCIES	1432

NSFG Cycle 6 Female Respondent File Section B

03	3 PREGNANCIES	1110
04	4 PREGNANCIES	611
05	5 PREGNANCIES	305
06	6 PREGNANCIES	150
07-95	7 OR MORE PREGNANCIES	158
98	Refused	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has reached menarche (BA-1 [MENARCHE](#) LT 96)

***everpreg*** (98 - 98)

Whether R has ever been pregnant (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	5033
5	NO	2610
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***currpreg*** (99 - 99)

Whether R is currently pregnant (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	352
5	NO	7291
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***moscurrp*** (100 - 100)

Number of Months Currently Pregnant (computed)

NSFG Cycle 6 Female Respondent File Section B

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7291
0-11	0-11 MONTHS	352
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently pregnant ([currpreg=yes](#))

**GIVEADPT** (101 - 101)

**BI-1:** (Not including the (number) child(ren) that you already told me about,) have you ever placed (a/another) child born to you for adoption?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3
1	YES	33
5	NO	7605
8	Refused	1
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has reached menarche (BA-1 [MENARCHE](#) LT 96)

**NGIVENAD** (102 - 102)

**BI-2:** (Not including the child(ren) that you already told me about,) how many (other) children have you placed for adoption?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7610
0	NONE	0
1-4	1 OR MORE CHILDREN	33
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever placed a child born to her for adoption

NSFG Cycle 6 Female Respondent File Section B

(BI-1 [GIVEADPT=1](#))

**OTHERKID** (103 - 103)

**BJ-1:** (Not counting the child(ren) born to you,) have any children lived with you under your care and responsibility?

Value	Label	Total
.	inapplicable	674
1	YES	829
5	NO	6138
8	Refused	1
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is 18 years or older (age\_r ge 18)

**NOTHRKID** (104 - 105)

**BJ-2:** How many children?

Value	Label	Total
.	inapplicable	6814
1	1 CHILD	486
2	2 CHILDREN	188
3-95	3 OR MORE CHILDREN	152
98	Refused	2
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that any child not born to her ever lived under her care and responsibility (BJ-1 [OTHERKID=1](#))

**SEXOTHKD** (106 - 106)

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female? (1st child)

NSFG Cycle 6 Female Respondent File Section B

Value	Label	Total
.	inapplicable	6817
1	MALE	412
2	FEMALE	414
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that any child not born to her ever lived under her care and responsibility (BJ-1 [OTHERKID=1](#))

**RELOTHKD** (107 - 107)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (1st child)

Value	Label	Total
.	inapplicable	6817
1	YOUR STEPCHILD (BY BIRTH OR ADOPTION)	154
2	THE CHILD OF A RELATIVE BY BLOOD	322
3	THE CHILD OF A RELATIVE BY MARRIAGE	53
4	THE CHILD OF A FRIEND	63
5	YOUR BOYFRIEND OR PARTNER S CHILD	94
6	RELATED TO YOU IN SOME OTHER WAY	54
7	UNRELATED TO YOU PREVIOUSLY IN ANY WAY	84
8	Refused	1
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that any child not born to her ever lived under her care and responsibility (BJ-1 [OTHERKID=1](#))

**ADPTOTKD** (108 - 108)

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (1st child)



**NSFG Cycle 6 Female Respondent File Section B**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6817
1	YES, ADOPTED	52
3	YES, BECAME GUARDIAN	132
5	NO, NEITHER	642
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that any child not born to her ever lived under her care and responsibility (BJ-1 [OTHERKID=1](#))

**TRYADOPT** (109 - 109)

**BJ-7a:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD]? (1st child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7511
1	YES	7
5	NO	125
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R became legal guardian to this child (BJ-6 [ADPTOTKD=3](#))

**TRYEITHR** (110 - 110)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian? (1st child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7001
1	YES, TRYING TO ADOPT	6
2	YES, TRYING TO BECOME GUARDIAN	3
5	NO, NEITHER	632
9	Don't know	1

NSFG Cycle 6 Female Respondent File Section B

Total

7643

**Universe:**

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD](#)=5)

**STILHERE** (111 - 111)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you? (1st child)

Value	Label	Total
.	inapplicable	6913
1	YES	144
5	NO	585
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if not already clear from household roster that this child is living in household with R (based on matching BJ-3 OKDNAM to NAME[x] and BJ-5 [RELOTHKD](#) to RELAR[x])

**cmokdcam** (112 - 115)

CM for Date Non-Biological Child Came to Live with R - 1st (computed)

Value	Label	Total
.	inapplicable	7403
301-1164	BEFORE 1997	57
1165-1239	JANUARY 1997 OR LATER	181
9999	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE](#)=1 or DK or blank)

**OTHKDFOS** (116 - 116)

**NSFG Cycle 6 Female Respondent File Section B**

**BJ-10:** Was [OTHER NONBIO CHILD] a foster or related child who was placed in your home by a court, child welfare department, or social service agency? (1st child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7495
1	YES	29
5	NO	119
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE](#)=1 or DK or blank), and child is neither a stepchild nor R's partner's child (BJ-5 [RELOTHKD](#)=2, 3, 4, 6, 7, DK, or RF)

***cmokddob*** (117 - 120)

CM for Non-Biological Child s Date of Birth - 1st (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7390
301-1164	BEFORE 1997	179
1165-1239	JANUARY 1997 OR LATER	72
9998	Refused	1
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD](#)=1)

***OTHKDSPN*** (121 - 121)

**BJ-12:** Is [OTHER NONBIO CHILD] Hispanic or Latino, or of Spanish origin? (1st child)

NSFG Cycle 6 Female Respondent File Section B

Value	Label	Total
.	inapplicable	7610
1	YES	9
5	NO	24
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD](#)=1))

**OTHKDRAC1** (122 - 122)

**BJ-13:** Which of the groups on Card 2 describes [OTHER NONBIO CHILD'S] race? Please select one or more groups. (1st child; 1st mention)

Value	Label	Total
.	inapplicable	7610
1-3	OTHER RACE GROUPS	4
4	BLACK OR AFRICAN AMERICAN	9
5	WHITE	20
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD](#)=1))

**OTHKDRAC2** (123 - 123)

**BJ-13:** Which of the groups on Card 2 describes [OTHER NONBIO CHILD'S] race? Please select one or more groups. (1st child; 2nd mention)

Value	Label	Total
.	inapplicable	7642

**NSFG Cycle 6 Female Respondent File Section B**

1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	0
5	WHITE	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reports more than 1 race for this child (see BJ-13 [OTHKDRAC1](#))

**KDBSTRAC** (124 - 124)

**BJ-14:** Which of these groups, that is (RACES REPORTED FOR 1st NONBIO CHILD), would you say best describes (his/her) racial background?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	0
5	WHITE	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reports more than 1 race for this child (BJ-13 [OTHKDRAC2](#) NE blank)

**OKBORNUS** (125 - 125)

**BJ-15:** Was (she/he/this child) born in the United States or in another country? (1st nonbio child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7610
1	UNITED STATES	28
5	ANOTHER COUNTRY	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD](#)=7,

**NSFG Cycle 6 Female Respondent File Section B**

and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD](#)=1))

**OKDISABL1** (126 - 126)

**BJ-16:** Does [OTHER NONBIO CHILD] have a physical disability, an emotional disturbance, or mental retardation? (1st child; 1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7610
1	PHYSICAL DISABILITY	2
2	EMOTIONAL DISTURBANCE	4
3	MENTAL RETARDATION	0
4	NONE OF THE ABOVE	27
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD](#)=1))

**SEXOTHKD2** (127 - 127)

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female? (2nd child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7303
1	MALE	186
2	FEMALE	154
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 1 child not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 1)

**RELOTHKD2** (128 - 128)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (2nd child)

Value	Label	Total
.	inapplicable	7303
1	YOUR STEPCHILD (BY BIRTH OR ADOPTION)	60
2	THE CHILD OF A RELATIVE BY BLOOD	128
3	THE CHILD OF A RELATIVE BY MARRIAGE	25
4	THE CHILD OF A FRIEND	27
5	YOUR BOYFRIEND OR PARTNER S CHILD	41
6	RELATED TO YOU IN SOME OTHER WAY	18
7	UNRELATED TO YOU PREVIOUSLY IN ANY WAY	41
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R reported that more than 1 child not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 1)

**ADPTOTKD2** (129 - 129)

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (2nd child)

Value	Label	Total
.	inapplicable	7303
1	YES, ADOPTED	20
3	YES, BECAME GUARDIAN	47
5	NO, NEITHER	273
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R reported that more than 1 child not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 1)

**TRYADOPT2** (130 - 130)

**NSFG Cycle 6 Female Respondent File Section B**

**BJ-7a:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD]?(2nd child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7596
1	YES	4
5	NO	43
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R became legal guardian to this child (BJ-6 [ADPTOTKD2=3](#))

**TRYEITHR2** (131 - 131)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian? (2nd child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7370
1	YES, TRYING TO ADOPT	2
2	YES, TRYING TO BECOME GUARDIAN	3
5	NO, NEITHER	268
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD2=5](#))

**STILHERE2** (132 - 132)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you? (2nd child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7326
1	YES	57
5	NO	260



NSFG Cycle 6 Female Respondent File Section B

Total 7643

**Universe:**

Applicable if not already clear from household roster that this child is living in household with R (based on matching BJ-3 OKDNAM2 to NAME[x] and BJ-5 [RELOTHKD2](#) to RELAR[x])

**cmokdcam2** (133 - 136)

CM for Date Non-Biological Child Came to Live with R - 2nd (computed)

Value	Label	Total
.	inapplicable	7563
301-1164	BEFORE 1997	18
1165-1239	JANUARY 1997 OR LATER	61
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE2](#)=1 or DK or blank)

**OTHKDFOS2** (137 - 137)

**BJ-10:** Was [OTHER NONBIO CHILD] a foster or related child who was placed in your home by a court, child welfare department, or social service agency? (2nd child)

Value	Label	Total
.	inapplicable	7590
1	YES	21
5	NO	32
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE2](#)=1 or DK or blank), and child is neither a stepchild nor R's partner's child (BJ-5

NSFG Cycle 6 Female Respondent File Section B

[RELOTHKD2](#)=2, 3, 4, 6, 7, DK, or RF)

**cmokddob2** (138 - 141)

CM for Non-Biological Child's Date of Birth - 2nd (computed)

Value	Label	Total
.	inapplicable	7561
301-1164	BEFORE 1997	61
1165-1239	JANUARY 1997 OR LATER	20
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE2](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD2](#)=1)

**OTHKDSPN2** (142 - 142)

**BJ-12:** Is [OTHER NONBIO CHILD] Hispanic or Latino, or of Spanish origin? (2nd child)

Value	Label	Total
.	inapplicable	7629
1	YES	2
5	NO	12
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD2](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE2](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD2](#)=1))

**OTHKDRAC6** (143 - 143)

**BJ-13:** Which of the groups on Card 2 describes [OTHER NONBIO CHILD'S] race? Please select one or more groups. (2nd child; 1st

**NSFG Cycle 6 Female Respondent File Section B**

mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7629
1-3	OTHER RACE GROUPS	1
4	BLACK OR AFRICAN AMERICAN	5
5	WHITE	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD2](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE2](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD2](#)=1))

**OKBORNUS2** (144 - 144)

**BJ-15:** Was (she/he/this child) born in the United States or in another country? (2nd nonbio child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7629
1	UNITED STATES	13
5	ANOTHER COUNTRY	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD2](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE2](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD2](#)=1))

**OKDISABL5** (145 - 145)

**BJ-16:** Does [OTHER NONBIO CHILD] have a physical disability, an emotional disturbance, or mental retardation?(2nd child; 1st mention)

**NSFG Cycle 6 Female Respondent File Section B**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7629
1	PHYSICAL DISABILITY	0
2	EMOTIONAL DISTURBANCE	1
3	MENTAL RETARDATION	0
4	NONE OF THE ABOVE	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD2](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE2](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD2](#)=1))

**SEXOTHKD3** (146 - 146)

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female? (3rd child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7491
1	MALE	74
2	FEMALE	78
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 2 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 2)

**RELOTHKD3** (147 - 147)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (3rd child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7491
1	YOUR STEPCHILD (BY BIRTH OR ADOPTION)	23
2	THE CHILD OF A RELATIVE BY BLOOD	53

**NSFG Cycle 6 Female Respondent File Section B**

3	THE CHILD OF A RELATIVE BY MARRIAGE	15
4	THE CHILD OF A FRIEND	12
5	YOUR BOYFRIEND OR PARTNER S CHILD	16
6	RELATED TO YOU IN SOME OTHER WAY	8
7	UNRELATED TO YOU PREVIOUSLY IN ANY WAY	25
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 2 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 2)

**ADPTOTKD3** (148 - 148)

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (3rd child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7491
1	YES, ADOPTED	4
3	YES, BECAME GUARDIAN	19
5	NO, NEITHER	129
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 2 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 2)

**TRYADOPT3** (149 - 149)

**BJ-7a:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD]? (3rd child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7624
1	YES	2
5	NO	17
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section B**

Applicable if R became legal guardian to this child (BJ-6 [ADPTOTKD3=3](#))

**TRYEITHR3** (150 - 150)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian? (3rd child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7514
1	YES, TRYING TO ADOPT	0
2	YES, TRYING TO BECOME GUARDIAN	0
5	NO, NEITHER	129
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD3=5](#))

**STILHERE3** (151 - 151)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you?(3rd child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7500
1	YES	19
5	NO	124
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if not already clear from household roster that this child is living in household with R (based on matching BJ-3 OKDNAM3 to NAME[x] and BJ-5 [RELOTHKD3](#) to RELAR[x])

**cmokdcam3** (152 - 155)

CM for Date Non-biological child Came to Live with R- 3rd (computed)

NSFG Cycle 6 Female Respondent File Section B

Value	Label	Total
.	inapplicable	7615
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	26
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE3](#)=1 or DK or blank)

**OTHKDFOS3** (156 - 156)

**BJ-10:** Was [OTHER NONBIO CHILD] a foster or related child who was placed in your home by a court, child welfare department, or social service agency? (3rd child)

Value	Label	Total
.	inapplicable	7621
1	YES	7
5	NO	15
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE3](#)=1 or DK or blank), and child is neither a stepchild nor R's partner's child (BJ-5 [RELOTHKD3](#)=2, 3, 4, 6, 7, DK, or RF)

**cmokddob3** (157 - 160)

CM for Non-Biological child's Date of Birth-3rd (computed)

Value	Label	Total
.	inapplicable	7615
301-1164	BEFORE 1997	16
1165-1239	JANUARY 1997 OR LATER	11
9999	Don't know	1

NSFG Cycle 6 Female Respondent File Section B

Total 7643

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE3](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD3](#)=1)

**OTHKDSPN3** (161 - 161)

**BJ-12:** Is [OTHER NONBIO CHILD] Hispanic or Latino, or of Spanish origin? (3rd child)

Value	Label	Total
.	inapplicable	7639
1	YES	0
5	NO	4
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD3](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE3](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD3](#)=1))

**OTHKDRAC11** (162 - 162)

**BJ-13:** Which of the groups on Card 2 describes [OTHER NONBIO CHILD'S] race? Please select one or more groups. (3rd child; 1st mention)

Value	Label	Total
.	inapplicable	7639
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	1
5	WHITE	3
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6



**NSFG Cycle 6 Female Respondent File Section B**

[RELOTHKD3](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE3](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD3](#)=1))

**OKBORNUS3** (163 - 163)

**BJ-15:** Was (she/he/this child) born in the United States or in another country?(3rd nonbio child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1	UNITED STATES	4
5	ANOTHER COUNTRY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD3](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE3](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD3](#)=1))

**OKDISABL9** (164 - 164)

**BJ-16:** Does [OTHER NONBIO CHILD] have a physical disability, an emotional disturbance, or mental retardation? (3rd child; 1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1	PHYSICAL DISABILITY	0
2	EMOTIONAL DISTURBANCE	0
3	MENTAL RETARDATION	0
4	NONE OF THE ABOVE	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD3](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE3](#)=1 or DK or blank),

**NSFG Cycle 6 Female Respondent File Section B**

or child was adopted by R (BJ-6 [ADPTOTKD3=1](#)))

**SEXOTHKD4** (165 - 165)

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female? (4th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7565
1	MALE	35
2	FEMALE	43
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 3 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 3)

**RELOTHKD4** (166 - 166)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (4th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7565
1	YOUR STEPCHILD (BY BIRTH OR ADOPTION)	7
2	THE CHILD OF A RELATIVE BY BLOOD	27
3	THE CHILD OF A RELATIVE BY MARRIAGE	9
4	THE CHILD OF A FRIEND	8
5	YOUR BOYFRIEND OR PARTNER S CHILD	7
6	RELATED TO YOU IN SOME OTHER WAY	4
7	UNRELATED TO YOU PREVIOUSLY IN ANY WAY	16
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 3 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 3)

**ADPTOTKD4** (167 - 167)

**NSFG Cycle 6 Female Respondent File Section B**

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (4th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7565
1	YES, ADOPTED	2
3	YES, BECAME GUARDIAN	5
5	NO, NEITHER	71
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 3 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 3)

**TRYADOPT4** (168 - 168)

**BJ-7a:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD]? (4th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7638
1	YES	2
5	NO	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R became legal guardian to this child (BJ-6 [ADPTOTKD4](#)=3)

**TRYEITHR4** (169 - 169)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian? (4th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7572
1	YES, TRYING TO ADOPT	0

**NSFG Cycle 6 Female Respondent File Section B**

2	YES, TRYING TO BECOME GUARDIAN	0
5	NO, NEITHER	71
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD4](#)=5)

**STILHERE4** (170 - 170)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you? (4th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7571
1	YES	5
5	NO	67
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if not already clear from household roster that this child is living in household with R (based on matching BJ-3 OKDNAM4 to NAME[x] and BJ-5 [RELOTHKD4](#) to RELAR[x])

**cmokdcam4** (171 - 174)

CM for Date Non-Biological Child Came to Live with R- 4th (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7632
301-1164	BEFORE 1997	3
1165-1239	JANUARY 1997 OR LATER	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE4](#)=1 or DK or blank)

**OTHKDFOS4** (175 - 175)

**NSFG Cycle 6 Female Respondent File Section B**

**BJ-10:** Was [OTHER NONBIO CHILD] a foster or related child who was placed in your home by a court, child welfare department, or social service agency? (4th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7636
1	YES	2
5	NO	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE4](#)=1 or DK or blank), and child is neither a stepchild nor R's partner's child (BJ-5 [RELOTHKD4](#)=2, 3, 4, 6, 7, DK, or RF)

***cmokddob4*** (176 - 179)

CM for Non-Biological Child's Date of Birth -4th (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7631
301-1164	BEFORE 1997	11
1165-1239	JANUARY 1997 OR LATER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE4](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD4](#)=1)

***OTHKDSPN4*** (180 - 180)

**BJ-12:** Is [OTHER NONBIO CHILD] Hispanic or Latino, or of Spanish origin? (4th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

NSFG Cycle 6 Female Respondent File Section B

.	inapplicable	7641
1	YES	0
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD4](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE4](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD4](#)=1))

**OTHKDRAC16** (181 - 181)

**BJ-13:** Which of the groups on Card 2 describes [OTHER NONBIO CHILD'S] race? Please select one or more groups. (4th child; 1st mention)

Value	Label	Total
.	inapplicable	7641
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	0
5	WHITE	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD4](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE4](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD4](#)=1))

**OKBORNUS4** (182 - 182)

**BJ-15:** Was (she/he/this child) born in the United States or in another country? (4th nonbio child)

Value	Label	Total
.	inapplicable	7641
1	UNITED STATES	2
5	ANOTHER COUNTRY	0

**NSFG Cycle 6 Female Respondent File Section B**

**Total**                      **7643**

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD4](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE4](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD4](#)=1))

**OKDISABL13** (183 - 183)

**BJ-16:** Does [OTHER NONBIO CHILD] have a physical disability, an emotional disturbance, or mental retardation? (4th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	PHYSICAL DISABILITY	0
2	EMOTIONAL DISTURBANCE	0
3	MENTAL RETARDATION	0
4	NONE OF THE ABOVE	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD4](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE4](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD4](#)=1))

**SEXOTHKD5** (184 - 184)

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female? (5th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7596
1	MALE	18
2	FEMALE	29
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section B**

Applicable if R reported that more than 4 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 4)

**RELOTHKD5** (185 - 185)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (5th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7596
1	YOUR STEPCHILD (BY BIRTH OR ADOPTION)	3
2	THE CHILD OF A RELATIVE BY BLOOD	13
3	THE CHILD OF A RELATIVE BY MARRIAGE	4
4	THE CHILD OF A FRIEND	8
5	YOUR BOYFRIEND OR PARTNER S CHILD	4
6	RELATED TO YOU IN SOME OTHER WAY	3
7	UNRELATED TO YOU PREVIOUSLY IN ANY WAY	12
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 4 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 4)

**ADPTOTKD5** (186 - 186)

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (5th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7596
1	YES, ADOPTED	1
3	YES, BECAME GUARDIAN	3
5	NO, NEITHER	43
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 4 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 4)



**TRYADOPT5** (187 - 187)

**BJ-7a:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD]? (5th child)

Value	Label	Total
.	inapplicable	7640
1	YES	0
5	NO	3
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R became legal guardian to this child (BJ-6 [ADPTOTKD5=3](#))

**TRYEITHR5** (188 - 188)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian? (5th child)

Value	Label	Total
.	inapplicable	7600
1	YES, TRYING TO ADOPT	1
2	YES, TRYING TO BECOME GUARDIAN	1
5	NO, NEITHER	41
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD5=5](#))

**STILHERE5** (189 - 189)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you? (5th child)

Value	Label	Total
.	inapplicable	7599

**NSFG Cycle 6 Female Respondent File Section B**

1	YES	4
5	NO	40
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if not already clear from household roster that this child is living in household with R (based on matching BJ-3 OKDNAM5 to NAME[x] and BJ-5 [RELOTHKD5](#) to RELAR[x])

**cmokdcam5** (190 - 193)

CM for Date Non-Biological Child Came to Live with R-5th (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7636
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE5](#)=1 or DK or blank)

**OTHKDFOS5** (194 - 194)

**BJ-10:** Was [OTHER NONBIO CHILD] a foster or related child who was placed in your home by a court, child welfare department, or social service agency? (5th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7638
1	YES	3
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE5](#)=1 or DK or blank), and child is neither a stepchild nor R's partner's child (BJ-5

NSFG Cycle 6 Female Respondent File Section B

[RELOTHKD5](#)=2, 3, 4, 6, 7, DK, or RF)

**cmokddob5** (195 - 198)

CM for Non-Biological Child's Date of Birth -5th (computed)

Value	Label	Total
.	inapplicable	7636
301-1164	BEFORE 1997	6
1165-1239	JANUARY 1997 OR LATER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE5](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD5](#)=1)

**OTHKDSPN5** (199 - 199)

**BJ-12:** Is [OTHER NONBIO CHILD] Hispanic or Latino, or of Spanish origin? (5th child)

Value	Label	Total
.	inapplicable	7641
1	YES	1
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD5](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE5](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD5](#)=1))

**OTHKDRAC21** (200 - 200)

**BJ-13:** Which of the groups on Card 2 describes [OTHER NONBIO CHILD'S] race? Please select one or more groups. (5th child; 1st mention)

**NSFG Cycle 6 Female Respondent File Section B**

<b>Value Label</b>	<b>Total</b>
. inapplicable	7641
1-3 OTHER RACE GROUPS	0
4 BLACK OR AFRICAN AMERICAN	0
5 WHITE	2
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD5](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE5](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD5](#)=1))

**OKBORNUS5** (201 - 201)

**BJ-15:** Was (she/he/this child) born in the United States or in another country? (5th nonbio child)

<b>Value Label</b>	<b>Total</b>
. inapplicable	7641
1 UNITED STATES	2
5 ANOTHER COUNTRY	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD5](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE5](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD5](#)=1))

**OKDISABL17** (202 - 202)

**BJ-16:** Does [OTHER NONBIO CHILD] have a physical disability, an emotional disturbance, or mental retardation? (5th child; 1st mention)

<b>Value Label</b>	<b>Total</b>
--------------------	--------------

**NSFG Cycle 6 Female Respondent File Section B**

.	inapplicable	7641
1	PHYSICAL DISABILITY	0
2	EMOTIONAL DISTURBANCE	0
3	MENTAL RETARDATION	0
4	NONE OF THE ABOVE	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD5](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE5](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD5](#)=1))

**SEXOTHKD6** (203 - 203)

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female? (6th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7611
1	MALE	15
2	FEMALE	17
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 5 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 5)

**RELOTHKD6** (204 - 204)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (6th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7611
1	YOUR STEPCHILD (BY BIRTH OR ADOPTION)	2
2	THE CHILD OF A RELATIVE BY BLOOD	8
3	THE CHILD OF A RELATIVE BY MARRIAGE	1

**NSFG Cycle 6 Female Respondent File Section B**

4	THE CHILD OF A FRIEND	7
5	YOUR BOYFRIEND OR PARTNER S CHILD	3
6	RELATED TO YOU IN SOME OTHER WAY	2
7	UNRELATED TO YOU PREVIOUSLY IN ANY WAY	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 5 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 5)

**ADPTOTKD6** (205 - 205)

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (6th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7611
1	YES, ADOPTED	0
3	YES, BECAME GUARDIAN	2
5	NO, NEITHER	30
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 5 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 5)

**TRYADOPT6** (206 - 206)

**BJ-7a:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD]? (6th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	YES	0
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R became legal guardian to this child (BJ-6)

[ADPTOTKD6](#)=3)

**TRYEITHR6** (207 - 207)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian? (6th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7613
1	YES, TRYING TO ADOPT	0
2	YES, TRYING TO BECOME GUARDIAN	1
5	NO, NEITHER	29
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD6](#)=5)

**STILHERE6** (208 - 208)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you? (6th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7612
1	YES	4
5	NO	27
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if not already clear from household roster that this child is living in household with R (based on matching BJ-3 OKDNAM6 to NAME[x] and BJ-5 [RELOTHKD6](#) to RELAR[x])

**cmokdcam6** (209 - 212)

CM for DATE Non-Biological Child Came to Live with R - 6th (computed)

NSFG Cycle 6 Female Respondent File Section B

Value	Label	Total
.	inapplicable	7638
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE6](#)=1 or DK or blank)

**OTHKDFOS6** (213 - 213)

**BJ-10:** Was [OTHER NONBIO CHILD] a foster or related child who was placed in your home by a court, child welfare department, or social service agency? (6th child)

Value	Label	Total
.	inapplicable	7640
1	YES	2
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE6](#)=1 or DK or blank), and child is neither a stepchild nor R's partner's child (BJ-5 [RELOTHKD6](#)=2, 3, 4, 6, 7, DK, or RF)

**cmokddob6** (214 - 217)

CM for Non-Biological Child's Date of Birth- 6th (computed)

Value	Label	Total
.	inapplicable	7638
301-1164	BEFORE 1997	4
1165-1239	JANUARY 1997 OR LATER	0
9999	Don't know	1
	<b>Total</b>	<b>7643</b>



NSFG Cycle 6 Female Respondent File Section B

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE6](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD6](#)=1)

**OTHKDSPN6** (218 - 218)

**BJ-12:** Is [OTHER NONBIO CHILD] Hispanic or Latino, or of Spanish origin? (6th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	YES	1
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD6](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE6](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD6](#)=1))

**OTHKDRAC26** (219 - 219)

**BJ-13:** Which of the groups on Card 2 describes [OTHER NONBIO CHILD'S] race? Please select one or more groups. (6th child; 1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1-3	OTHER RACE GROUPS	1
4	BLACK OR AFRICAN AMERICAN	0
5	WHITE	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD6](#)=7, and (R still lives with this child or R does not know

**NSFG Cycle 6 Female Respondent File Section B**

if child still lives with her (BJ-8 [STILHERE6](#)=1 or DK or blank),  
or child was adopted by R (BJ-6 [ADPTOTKD6](#)=1))

**OKBORNUS6** (220 - 220)

**BJ-15:** Was (she/he/this child) born in the United States or in another country? (6th nonbio child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	UNITED STATES	2
5	ANOTHER COUNTRY	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD6](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE6](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD6](#)=1))

**OKDISABL21** (221 - 221)

**BJ-16:** Does [OTHER NONBIO CHILD] have a physical disability, an emotional disturbance, or mental retardation? (6th child; 1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	PHYSICAL DISABILITY	0
2	EMOTIONAL DISTURBANCE	1
3	MENTAL RETARDATION	0
4	NONE OF THE ABOVE	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD6](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE6](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD6](#)=1))

**SEXOTHKD7** (222 - 222)

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female?  
(7th child)

Value	Label	Total
.	inapplicable	7626
1	MALE	10
2	FEMALE	7
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R reported that more than 6 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 6)

**RELOTHKD7** (223 - 223)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (7th child)

Value	Label	Total
.	inapplicable	7626
1	YOUR STEPCHILD (BY BIRTH OR ADOPTION)	0
2	THE CHILD OF A RELATIVE BY BLOOD	4
3	THE CHILD OF A RELATIVE BY MARRIAGE	0
4	THE CHILD OF A FRIEND	3
5	YOUR BOYFRIEND OR PARTNER S CHILD	3
6	RELATED TO YOU IN SOME OTHER WAY	1
7	UNRELATED TO YOU PREVIOUSLY IN ANY WAY	6
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R reported that more than 6 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 6)

**ADPTOTKD7** (224 - 224)

**NSFG Cycle 6 Female Respondent File Section B**

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (7th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7626
1	YES, ADOPTED	0
3	YES, BECAME GUARDIAN	1
5	NO, NEITHER	16
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R reported that more than 6 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 6)

***TRYADOPT7*** (225 - 225)

**BJ-7a:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD]? (7th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	YES	0
5	NO	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R became legal guardian to this child (BJ-6 [ADPTOTKD7](#)=3)

***TRYEITHR7*** (226 - 226)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian? (7th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7627
1	YES, TRYING TO ADOPT	0

**NSFG Cycle 6 Female Respondent File Section B**

2	YES, TRYING TO BECOME GUARDIAN	1
5	NO, NEITHER	15
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD7](#)=5)

***STILHERE7*** (227 - 227)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you? (7th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7627
1	YES	2
5	NO	14
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if not already clear from household roster that this child is living in household with R (based on matching BJ-3 OKDNAM7 to NAME[x] and BJ-5 [RELOTHKD7](#) to RELAR[x])

***cmokdcam7*** (228 - 231)

CM for Date Non-Biological Child Came to Live with R - 7th (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE7](#)=1 or DK or blank)

***OTHKDFOS7*** (232 - 232)

**NSFG Cycle 6 Female Respondent File Section B**

**BJ-10:** Was [OTHER NONBIO CHILD] a foster or related child who was placed in your home by a court, child welfare department, or social service agency? (7th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	YES	1
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE7](#)=1 or DK or blank), and child is neither a stepchild nor R's partner's child (BJ-5 [RELOTHKD7](#)=2, 3, 4, 6, 7, DK, or RF)

***cmokddob7*** (233 - 236)

CM for Non-Biological Child's Date of Birth - 7th (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	1
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE7](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD7](#)=1)

***OTHKDSPN7*** (237 - 237)

**BJ-12:** Is [OTHER NONBIO CHILD] Hispanic or Latino, or of Spanish origin? (7th child)

NSFG Cycle 6 Female Respondent File Section B

Value	Label	Total
.	inapplicable	7642
1	YES	0
5	NO	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD7](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE7](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD7](#)=1))

**OTHKDRAC31** (238 - 238)

**BJ-13:** Which of the groups on Card 2 describes [OTHER NONBIO CHILD'S] race? Please select one or more groups. (7th child; 1st mention)

Value	Label	Total
.	inapplicable	7642
1-3	OTHER RACE GROUPS	1
4	BLACK OR AFRICAN AMERICAN	0
5	WHITE	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD7](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE7](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD7](#)=1))

**OKBORNUS7** (239 - 239)

**BJ-15:** Was (she/he/this child) born in the United States or in another country? (7th nonbio child)

Value	Label	Total
.	inapplicable	7642
1	UNITED STATES	1

**NSFG Cycle 6 Female Respondent File Section B**

5 ANOTHER COUNTRY 0  
**Total 7643**

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD7](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE7](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD7](#)=1))

**OKDISABL25** (240 - 240)

**BJ-16:** Does [OTHER NONBIO CHILD] have a physical disability, an emotional disturbance, or mental retardation? (7th child; 1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	PHYSICAL DISABILITY	1
2	EMOTIONAL DISTURBANCE	0
3	MENTAL RETARDATION	0
4	NONE OF THE ABOVE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD7](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE7](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD7](#)=1))

**SEXOTHKD8** (241 - 241)

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female? (8th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7633
1	MALE	6
2	FEMALE	4
	<b>Total</b>	<b>7643</b>



**NSFG Cycle 6 Female Respondent File Section B**

**Universe:**

Applicable if R reported that more than 7 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 7)

**RELOTHKD8** (242 - 242)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (8th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7633
1	YOUR STEPCHILD (BY BIRTH OR ADOPTION)	0
2	THE CHILD OF A RELATIVE BY BLOOD	2
3	THE CHILD OF A RELATIVE BY MARRIAGE	0
4	THE CHILD OF A FRIEND	2
5	YOUR BOYFRIEND OR PARTNER S CHILD	1
6	RELATED TO YOU IN SOME OTHER WAY	0
7	UNRELATED TO YOU PREVIOUSLY IN ANY WAY	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 7 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 7)

**ADPTOTKD8** (243 - 243)

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (8th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7633
1	YES, ADOPTED	1
3	YES, BECAME GUARDIAN	0
5	NO, NEITHER	9
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section B**

Applicable if R reported that more than 7 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 7)

**TRYEITHR8** (244 - 244)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian? (8th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7634
1	YES, TRYING TO ADOPT	0
2	YES, TRYING TO BECOME GUARDIAN	0
5	NO, NEITHER	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD8](#)=5)

**STILHERE8** (245 - 245)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you? (8th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7633
1	YES	1
5	NO	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if not already clear from household roster that this child is living in household with R (based on matching BJ-3 OKDNAM8 to NAME[x] and BJ-5 [RELOTHKD8](#) to RELAR[x])

**cmokdcam8** (246 - 249)

CM for Date Non-Biological Child Came to Live with R - 8th (computed)

NSFG Cycle 6 Female Respondent File Section B

Value	Label	Total
.	inapplicable	7642
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE8](#)=1 or DK or blank)

***OTHKDFOS8*** (250 - 250)

**BJ-10:** Was [OTHER NONBIO CHILD] a foster or related child who was placed in your home by a court, child welfare department, or social service agency? (8th child)

Value	Label	Total
.	inapplicable	7642
1	YES	1
5	NO	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE8](#)=1 or DK or blank), and child is neither a stepchild nor R's partner's child (BJ-5 [RELOTHKD8](#)=2, 3, 4, 6, 7, DK, or RF)

***cmokddob8*** (251 - 254)

CM for Non-Biological Child's Date of Birth - 8th (computed)

Value	Label	Total
.	inapplicable	7642
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE8](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD8](#)=1)

**OTHKDSPN8** (255 - 255)

**BJ-12:** Is [OTHER NONBIO CHILD] Hispanic or Latino, or of Spanish origin? (8th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	0
5	NO	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD8](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE8](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD8](#)=1))

**OTHKDRAC36** (256 - 256)

**BJ-13:** Which of the groups on Card 2 describes [OTHER NONBIO CHILD'S] race? Please select one or more groups. (8th child; 1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1-3	OTHER RACE GROUPS	1
4	BLACK OR AFRICAN AMERICAN	0
5	WHITE	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD8](#)=7, and (R still lives with this child or R does not know

**NSFG Cycle 6 Female Respondent File Section B**

if child still lives with her (BJ-8 [STILHERE8](#)=1 or DK or blank),  
or child was adopted by R (BJ-6 [ADPTOTKD8](#)=1))

**OTHKDRAC37** (257 - 257)

**BJ-13:** Which of the groups on Card 2 describes [OTHER NONBIO CHILD'S] race? Please select one or more groups. (8th child; 2nd mention)

Value	Label	Total
.	inapplicable	7642
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	0
5	WHITE	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reports more than 1 race for this child (see BJ-13 [OTHKDRAC36](#))

**KDBSTRAC8** (258 - 258)

**BJ-14:** Which of these groups, that is (RACES REPORTED FOR 8th NONBIO CHILD), would you say best describes (his/her) racial background?

Value	Label	Total
.	inapplicable	7642
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	0
5	WHITE	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reports more than 1 race for this child (BJ-13 [OTHKDRAC37](#) NE blank)

**OKBORNUS8** (259 - 259)

**NSFG Cycle 6 Female Respondent File Section B**

**BJ-15:** Was (she/he/this child) born in the United States or in another country? (8th nonbio child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	UNITED STATES	1
5	ANOTHER COUNTRY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD8](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE8](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD8](#)=1))

**OKDISABL29** (260 - 260)

**BJ-16:** Does [OTHER NONBIO CHILD] have a physical disability, an emotional disturbance, or mental retardation? (8th child; 1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	PHYSICAL DISABILITY	0
2	EMOTIONAL DISTURBANCE	1
3	MENTAL RETARDATION	0
4	NONE OF THE ABOVE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if child is unrelated to R in any way (BJ-6 [RELOTHKD8](#)=7, and (R still lives with this child or R does not know if child still lives with her (BJ-8 [STILHERE8](#)=1 or DK or blank), or child was adopted by R (BJ-6 [ADPTOTKD8](#)=1))

**SEXOTHKD9** (261 - 261)

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female? (9th child)

**NSFG Cycle 6 Female Respondent File Section B**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7638
1	MALE	3
2	FEMALE	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 8 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 8)

**RELOTHKD9** (262 - 262)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (9th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7638
1	YOUR STEPCHILD (BY BIRTH OR ADOPTION)	0
2	THE CHILD OF A RELATIVE BY BLOOD	1
3	THE CHILD OF A RELATIVE BY MARRIAGE	0
4	THE CHILD OF A FRIEND	1
5	YOUR BOYFRIEND OR PARTNER S CHILD	0
6	RELATED TO YOU IN SOME OTHER WAY	0
7	UNRELATED TO YOU PREVIOUSLY IN ANY WAY	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 8 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 8)

**ADPTOTKD9** (263 - 263)

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (9th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section B**

.	inapplicable	7638
1	YES, ADOPTED	0
3	YES, BECAME GUARDIAN	0
5	NO, NEITHER	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 8 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 8)

**TRYEITHR9** (264 - 264)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian? (9th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7638
1	YES, TRYING TO ADOPT	0
2	YES, TRYING TO BECOME GUARDIAN	0
5	NO, NEITHER	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD9](#)=5)

**STILHERE9** (265 - 265)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you? (9th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7638
1	YES	0
5	NO	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if not already clear from household roster that this



**NSFG Cycle 6 Female Respondent File Section B**

child is living in household with R (based on matching BJ-3 OKDNAM9 to NAME[x] and BJ-5 [RELOTHKD9](#) to RELAR[x])

**SEXOTHKD10** (266 - 266)

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female? (10th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7638
1	MALE	0
2	FEMALE	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 9 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 9)

**RELOTHKD10** (267 - 267)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (10th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7638
1	YOUR STEPCHILD (BY BIRTH OR ADOPTION)	1
2	THE CHILD OF A RELATIVE BY BLOOD	1
3	THE CHILD OF A RELATIVE BY MARRIAGE	0
4	THE CHILD OF A FRIEND	0
5	YOUR BOYFRIEND OR PARTNER S CHILD	0
6	RELATED TO YOU IN SOME OTHER WAY	0
7	UNRELATED TO YOU PREVIOUSLY IN ANY WAY	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 9 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 9)

**ADPTOTKD10** (268 - 268)

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (10th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7638
1	YES, ADOPTED	0
3	YES, BECAME GUARDIAN	0
5	NO, NEITHER	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 9 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 9)

**TRYEITHR10** (269 - 269)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian? (10th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7638
1	YES, TRYING TO ADOPT	0
2	YES, TRYING TO BECOME GUARDIAN	0
5	NO, NEITHER	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD10](#)=5)

**STILHERE10** (270 - 270)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you? (10th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section B**

.	inapplicable	7638
1	YES	0
5	NO	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if not already clear from household roster that this child is living in household with R (based on matching BJ-3 OKDNAM10 to NAME[x] and BJ-5 [RELOTHKD10](#) to RELAR[x])

**SEXOTHKD11** (271 - 271)

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female? (11th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	MALE	1
2	FEMALE	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 10 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 10)

**RELOTHKD11** (272 - 272)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (11th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	YOUR STEPCHILD (BY BIRTH OR ADOPTION)	0
2	THE CHILD OF A RELATIVE BY BLOOD	2
3	THE CHILD OF A RELATIVE BY MARRIAGE	0
4	THE CHILD OF A FRIEND	0
5	YOUR BOYFRIEND OR PARTNER S CHILD	0

**NSFG Cycle 6 Female Respondent File Section B**

6	RELATED TO YOU IN SOME OTHER WAY	0
7	UNRELATED TO YOU PREVIOUSLY IN ANY WAY	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 10 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 10)

**ADPTOTKD11** (273 - 273)

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (11th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	YES, ADOPTED	0
3	YES, BECAME GUARDIAN	0
5	NO, NEITHER	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 10 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 10)

**TRYEITHR11** (274 - 274)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian? (11th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	YES, TRYING TO ADOPT	0
2	YES, TRYING TO BECOME GUARDIAN	0
5	NO, NEITHER	3
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section B

**Universe:**

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD11](#)=5)

**STILHERE11** (275 - 275)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you? (11th child)

Value	Label	Total
.	inapplicable	7640
1	YES	0
5	NO	3
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if not already clear from household roster that this child is living in household with R (based on matching BJ-3 OKDNAM11 to NAME[x] and BJ-5 [RELOTHKD11](#) to RELAR[x])

**SEXOTHKD12** (276 - 276)

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female? (12th child)

Value	Label	Total
.	inapplicable	7640
1	MALE	1
2	FEMALE	2
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R reported that more than 11 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 11)

**RELOTHKD12** (277 - 277)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (12th

NSFG Cycle 6 Female Respondent File Section B

child)

Value	Label	Total
.	inapplicable	7640
1	YOUR STEPCHILD (BY BIRTH OR ADOPTION)	0
2	THE CHILD OF A RELATIVE BY BLOOD	1
3	THE CHILD OF A RELATIVE BY MARRIAGE	0
4	THE CHILD OF A FRIEND	0
5	YOUR BOYFRIEND OR PARTNER S CHILD	0
6	RELATED TO YOU IN SOME OTHER WAY	0
7	UNRELATED TO YOU PREVIOUSLY IN ANY WAY	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 11 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 11)

**ADPTOTKD12** (278 - 278)

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (12th child)

Value	Label	Total
.	inapplicable	7640
1	YES, ADOPTED	0
3	YES, BECAME GUARDIAN	0
5	NO, NEITHER	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 11 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 11)

**TRYEITHR12** (279 - 279)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian?

NSFG Cycle 6 Female Respondent File Section B

(12th child)

Value	Label	Total
.	inapplicable	7640
1	YES, TRYING TO ADOPT	0
2	YES, TRYING TO BECOME GUARDIAN	0
5	NO, NEITHER	3
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD12](#)=5)

**STILHERE12** (280 - 280)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you? (12th child)

Value	Label	Total
.	inapplicable	7640
1	YES	0
5	NO	3
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if not already clear from household roster that this child is living in household with R (based on matching BJ-3 OKDNAM12 to NAME[x] and BJ-5 [RELOTHKD12](#) to RELAR[x])

**SEXOTHKD13** (281 - 281)

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female? (13th child)

Value	Label	Total
.	inapplicable	7641
1	MALE	1
2	FEMALE	1
<b>Total</b>		<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section B**

**Universe:**

Applicable if R reported that more than 12 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 12)

**RELOTHKD13** (282 - 282)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (13th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	YOUR STEPCHILD (BY BIRTH OR ADOPTION)	0
2	THE CHILD OF A RELATIVE BY BLOOD	1
3	THE CHILD OF A RELATIVE BY MARRIAGE	0
4	THE CHILD OF A FRIEND	0
5	YOUR BOYFRIEND OR PARTNER S CHILD	0
6	RELATED TO YOU IN SOME OTHER WAY	0
7	UNRELATED TO YOU PREVIOUSLY IN ANY WAY	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 12 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 12)

**ADPTOTKD13** (283 - 283)

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (13th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	YES, ADOPTED	0
3	YES, BECAME GUARDIAN	0
5	NO, NEITHER	2
	<b>Total</b>	<b>7643</b>



**Universe:**

Applicable if R reported that more than 12 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 12)

**TRYEITHR13** (284 - 284)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian? (13th child)

Value	Label	Total
.	inapplicable	7641
1	YES, TRYING TO ADOPT	0
2	YES, TRYING TO BECOME GUARDIAN	0
5	NO, NEITHER	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD13](#)=5)

**STILHERE13** (285 - 285)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you? (13th child)

Value	Label	Total
.	inapplicable	7641
1	YES	0
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if not already clear from household roster that this child is living in household with R (based on matching BJ-3 OKDNAM13 to NAME[x] and BJ-5 [RELOTHKD13](#) to RELAR[x])

**SEXOTHKD14** (286 - 286)

**NSFG Cycle 6 Female Respondent File Section B**

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female? (14th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	MALE	1
2	FEMALE	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 13 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 13)

**RELOTHKD14** (287 - 287)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (14th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	YOUR STEPCHILD (BY BIRTH OR ADOPTION)	0
2	THE CHILD OF A RELATIVE BY BLOOD	1
3	THE CHILD OF A RELATIVE BY MARRIAGE	0
4	THE CHILD OF A FRIEND	0
5	YOUR BOYFRIEND OR PARTNER S CHILD	0
6	RELATED TO YOU IN SOME OTHER WAY	0
7	UNRELATED TO YOU PREVIOUSLY IN ANY WAY	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 13 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 13)

**ADPTOTKD14** (288 - 288)

**NSFG Cycle 6 Female Respondent File Section B**

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (14th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	YES, ADOPTED	0
3	YES, BECAME GUARDIAN	0
5	NO, NEITHER	2
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R reported that more than 13 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 13)

**TRYEITHR14** (289 - 289)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian? (14th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	YES, TRYING TO ADOPT	0
2	YES, TRYING TO BECOME GUARDIAN	0
5	NO, NEITHER	2
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD14](#)=5)

**STILHERE14** (290 - 290)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you? (14th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641

**NSFG Cycle 6 Female Respondent File Section B**

1	YES	0
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if not already clear from household roster that this child is living in household with R (based on matching BJ-3 OKDNAM14 to NAME[x] and BJ-5 [RELOTHKD14](#) to RELAR[x])

**SEXOTHKD15** (291 - 291)

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female? (15th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	MALE	0
2	FEMALE	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 14 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 14)

**RELOTHKD15** (292 - 292)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (15th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YOUR STEPCHILD (BY BIRTH OR ADOPTION)	0
2	THE CHILD OF A RELATIVE BY BLOOD	0
3	THE CHILD OF A RELATIVE BY MARRIAGE	0
4	THE CHILD OF A FRIEND	0
5	YOUR BOYFRIEND OR PARTNER S CHILD	0
6	RELATED TO YOU IN SOME OTHER WAY	0

**NSFG Cycle 6 Female Respondent File Section B**

7	UNRELATED TO YOU PREVIOUSLY IN ANY WAY	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 14 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 14)

**ADPTOTKD15** (293 - 293)

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (15th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES, ADOPTED	0
3	YES, BECAME GUARDIAN	0
5	NO, NEITHER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 14 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 14)

**TRYEITHR15** (294 - 294)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian? (15th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES, TRYING TO ADOPT	0
2	YES, TRYING TO BECOME GUARDIAN	0
5	NO, NEITHER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section B

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD15](#)=5)

**STILHERE15** (295 - 295)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you? (15th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	0
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if not already clear from household roster that this child is living in household with R (based on matching BJ-3 OKDNAM15 to NAME[x] and BJ-5 [RELOTHKD15](#) to RELAR[x])

**SEXOTHKD16** (296 - 296)

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female? (16th child)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	MALE	0
2	FEMALE	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 15 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 15)

**RELOTHKD16** (297 - 297)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (16th child)

**NSFG Cycle 6 Female Respondent File Section B**

<b>Value Label</b>	<b>Total</b>
. inapplicable	7642
1 YOUR STEPCHILD (BY BIRTH OR ADOPTION)	0
2 THE CHILD OF A RELATIVE BY BLOOD	0
3 THE CHILD OF A RELATIVE BY MARRIAGE	0
4 THE CHILD OF A FRIEND	0
5 YOUR BOYFRIEND OR PARTNER S CHILD	0
6 RELATED TO YOU IN SOME OTHER WAY	0
7 UNRELATED TO YOU PREVIOUSLY IN ANY WAY	1
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 15 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 15)

**ADPTOTKD16** (298 - 298)

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (16th child)

<b>Value Label</b>	<b>Total</b>
. inapplicable	7642
1 YES, ADOPTED	0
3 YES, BECAME GUARDIAN	0
5 NO, NEITHER	1
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 15 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 15)

**TRYEITHR16** (299 - 299)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian? (16th child)

NSFG Cycle 6 Female Respondent File Section B

Value	Label	Total
.	inapplicable	7642
1	YES, TRYING TO ADOPT	0
2	YES, TRYING TO BECOME GUARDIAN	0
5	NO, NEITHER	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD16](#)=5)

**STILHERE16** (300 - 300)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you? (16th child)

Value	Label	Total
.	inapplicable	7642
1	YES	0
5	NO	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if not already clear from household roster that this child is living in household with R (based on matching BJ-3 OKDNAM16 to NAME[x] and BJ-5 [RELOTHKD16](#) to RELAR[x])

**SEXOTHKD17** (301 - 301)

**BJ-4:** [ASK IF NECESSARY:] Is [OTHER NONBIO CHILD] male or female? (17th child)

Value	Label	Total
.	inapplicable	7642
1	MALE	0
2	FEMALE	1
<b>Total</b>		<b>7643</b>



**NSFG Cycle 6 Female Respondent File Section B**

**Universe:**

Applicable if R reported that more than 16 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 16)

**RELOTHKD17** (302 - 302)

**BJ-5:** Please look at Card 20. When [OTHER NONBIO CHILD] began living with you, how was (she/he/this child) related to you? (17th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	YOUR STEPCHILD (BY BIRTH OR ADOPTION)	0
2	THE CHILD OF A RELATIVE BY BLOOD	0
3	THE CHILD OF A RELATIVE BY MARRIAGE	0
4	THE CHILD OF A FRIEND	0
5	YOUR BOYFRIEND OR PARTNER S CHILD	0
6	RELATED TO YOU IN SOME OTHER WAY	0
7	UNRELATED TO YOU PREVIOUSLY IN ANY WAY	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that more than 16 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 16)

**ADPTOTKD17** (303 - 303)

**BJ-6:** Did you legally adopt [OTHER NONBIO CHILD] or become [OTHER NONBIO CHILD]'s legal guardian? (17th child)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	YES, ADOPTED	0
3	YES, BECAME GUARDIAN	0
5	NO, NEITHER	1
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section B

**Universe:**

Applicable if R reported that more than 16 children not born to her ever lived under her care and responsibility (BJ-2 [NOTHRKID](#) GT 16)

**TRYEITHR17** (304 - 304)

**BJ-7b:** Are you in the process of trying to legally adopt [OTHER NONBIO CHILD] or to become (his/her/this child's) legal guardian? (17th child)

Value	Label	Total
.	inapplicable	7642
1	YES, TRYING TO ADOPT	0
2	YES, TRYING TO BECOME GUARDIAN	0
5	NO, NEITHER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R neither adopted nor became legal guardian to this child (BJ-6 [ADPTOTKD17](#)=5)

**STILHERE17** (305 - 305)

**BJ-8:** Is [OTHER NONBIO CHILD] still living with you? (17th child)

Value	Label	Total
.	inapplicable	7642
1	YES	0
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if not already clear from household roster that this child is living in household with R (based on matching BJ-3 OKDNAM17 to NAME[x] and BJ-5 [RELOTHKD17](#) to RELAR[x])

**everadpt** (306 - 306)

**NSFG Cycle 6 Female Respondent File Section B**

R's experience with adoption (based on BJ series) (computed)

<u>Value Label</u>	<u>Total</u>
. INAPPLICABLE	674
1 YES, HAS ADOPTED A CHILD	201
3 NO, BUT IS CURRENTLY TRYING TO ADOPT SPECIFIC CHILD	8
5 NO, AND NOT TRYING TO ADOPT A SPECIFIC CHILD	6760
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SEEKADPT** (307 - 307)

**BK-1:** (Not counting children who have lived with you or children who live with you now,/At this time,) are you (currently) seeking to adopt a child?

<u>Value Label</u>	<u>Total</u>
. inapplicable	674
1 YES	113
5 NO	6850
8 Refused	1
9 Don't know	5
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is 18 years or older (age\_r ge 18)

**CONTAGEM** (308 - 308)

**BK-2:** (Not counting things you've done for any children you are currently in the process of adopting,) have you placed a newspaper ad or contacted an adoption agency, a lawyer, a doctor, or other source about adopting (another) child?

<u>Value Label</u>	<u>Total</u>
. inapplicable	7530
1 YES	41

**NSFG Cycle 6 Female Respondent File Section B**

5	NO	72
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported she is currently seeking to adopt a (nother) child (BK-1 [SEEKADPT=1](#))

**TRYLONG** (309 - 309)

**BK-3:** (Again, not counting things you've done for any children you have adopted or are currently in the process of adopting,) how long have you been seeking to adopt (a/another) child?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7602
1	LESS THAN 1 YEAR	21
2	1-2 YEARS	13
3	OR LONGER THAN 2 YEARS	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if reported taking some specific steps toward adoption (BK-2 [CONTAGEM=1](#))

**KNOWADPT** (310 - 310)

**BK-4:** Are you seeking to adopt a child whom you know?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7530
1	YES	24
5	NO	89
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported she is currently seeking to adopt a (nother) child (BK-1 [SEEKADPT=1](#))

**CHOSESEX** (311 - 311)

NSFG Cycle 6 Female Respondent File Section B

**BK-5:** If you could choose exactly the child you wanted, would you prefer to adopt a boy or a girl?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7554
1	BOY	22
2	GIRL	33
3	INDIFFERENT	34
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is not seeking to adopt a child she knows (BK-4 [KNOWADPT](#)=5, DK, or RF)

***TYPESEXF*** (312 - 312)

**BK-6a:** Would you accept a girl?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7621
1	YES	18
5	NO	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said she would prefer adopting a a boy (BK-5 [CHOSESEX](#)=1)

***TYPESEXM*** (313 - 313)

**BK-6b:** Would you accept a boy?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7610
1	YES	27
5	NO	5
9	Don't know	1

NSFG Cycle 6 Female Respondent File Section B

Total 7643

**Universe:**

Applicable if R said she would prefer adopting a a girl (BK-5 [CHOSESEX=2](#))

**CHOSRACE** (314 - 314)

**BK-7:** If you could choose exactly the child you wanted, would you prefer to adopt a black child, a white child, or a child of some other race?

Value	Label	Total
.	inapplicable	7554
1	BLACK	15
2	WHITE	13
3	SOME OTHER RACE	12
4	INDIFFERENT	48
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is not seeking to adopt a child she knows (BK-4 [KNOWADPT=5](#), DK, or RF)

**TYPRACBK** (315 - 315)

**BK-8a:** Would you accept a black child?

Value	Label	Total
.	inapplicable	7617
1	YES	17
5	NO	7
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said she would prefer adopting a non-black child (BK-7 [CHOSRACE=2](#) or 3)

**TYPRACWH** (316 - 316)

**BK-8b:** Would you accept a white child?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7615
1	YES	21
5	NO	6
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said she would prefer adopting a non-white child (BK-7 [CHOSRACE](#)=1 or 3)

**TYPRACOT** (317 - 317)

**BK-8c:** Would you accept a child of some other race, neither black nor white?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7614
1	YES	26
5	NO	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said she would prefer adopting a black or white child (BK-7 [CHOSRACE](#)=1 or 2)

**CHOSEAGE** (318 - 318)

**BK-9:** (If you could choose exactly the child you wanted), Would you prefer to adopt a child younger than 2 years, a child 2 to 5 years old, a child 6 to 12 years old, or a child 13 years old or older?

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section B**

.	inapplicable	7554
1	A CHILD YOUNGER THAN 2 YEARS	45
2	A CHILD 2 - 5 YEARS OLD	23
3	A CHILD 6 - 12 YEARS OLD	9
4	A CHILD 13 YEARS OLD OR OLDER	3
5	INDIFFERENT	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is not seeking to adopt a child she knows (BK-4 [KNOWADPT](#)=5, DK, or RF)

**TYPAGE2M** (319 - 319)

**BK-10a:** Would you accept a child younger than 2 years?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7608
1	YES	28
5	NO	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said she would prefer adopting a child older than 2 (BK-9 [CHOSEAGE](#)=2, 3, or 4)

**TYPAGE5M** (320 - 320)

**BK-10b:** Would you accept a child 2 to 5 years old?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7586
1	YES	42
5	NO	14
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said she would prefer adopting a child other than



NSFG Cycle 6 Female Respondent File Section B

ages 2-5 (BK-9 [CHOSEAGE](#)=1, 3, or 4)

**TYPAG12M** (321 - 321)

**BK-10c:** Would you accept a child 6 to 12 years old?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7572
1	YES	30
5	NO	38
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said she would prefer adopting a child other than ages 6-12 (BK-9 [CHOSEAGE](#)=1, 2, or 4)

**TYPAG13M** (322 - 322)

**BK-10d:** Would you accept a child 13 years old or older?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7566
1	YES	15
5	NO	62
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said she would prefer adopting a child younger than 13 (BK-9 [CHOSEAGE](#)=1, 2, or 3)

**CHOSDISB** (323 - 323)

**BK-11:** (If you could choose exactly the child you wanted), Would you prefer to adopt a child with no disability, a child with a mild disability, or a child with a severe disability?

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section B**

.	inapplicable	7554
1	A CHILD WITH NO DISABILITY	44
2	A CHILD WITH A MILD DISABILITY	23
3	A CHILD WITH A SEVERE DISABILITY	1
4	INDIFFERENT	21
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is not seeking to adopt a child she knows (BK-4 [KNOWADPT](#)=5, DK, or RF)

***TYPDISBN*** (324 - 324)

**BK-12a:** Would you accept a child with no disability?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7619
1	YES	24
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said she would prefer to adopt a child with some level of disability (BK-11 [CHOSDISB](#)=2 or 3)

***TYPDISBM*** (325 - 325)

**BK-12b:** Would you accept a child with a mild disability?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7598
1	YES	36
5	NO	8
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said she would prefer to adopt a child with something other than "mild disability" (BK-11 [CHOSDISB](#)=1 or 3)

**TYPDISBS** (326 - 326)

**BK-12c:** Would you accept a child with a severe disability?

Value	Label	Total
.	inapplicable	7576
1	YES	5
5	NO	60
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said she would prefer to adopt a child with something other than "severe disability" (BK-11 [CHOSDISB](#)=1 or 2)

**CHOSENUM** (327 - 327)

**BK-13:** (If you could choose exactly the child you wanted),  
Would you prefer to adopt a single child or 2 or more brothers and sisters at once?

Value	Label	Total
.	inapplicable	7554
1	A SINGLE CHILD	54
2	2 OR MORE BROTHERS AND SISTERS AT ONCE	22
3	INDIFFERENT	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is not seeking to adopt a child she knows (BK-4 [KNOWADPT](#)=5, DK, or RF)

**TYPNUM1M** (328 - 328)

**BK-14a:** Would you accept a single child?

Value	Label	Total
.	inapplicable	7621

NSFG Cycle 6 Female Respondent File Section B

1	YES	22
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said she would prefer to adopt 2 or more siblings at once (BK-13 [CHOSENUM=2](#))

**TYPNUM2M** (329 - 329)

**BK-14b:** Would you accept 2 or more brothers and sisters at once?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7589
1	YES	24
5	NO	30
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said she would prefer to adopt a single child (BK-13 [CHOSENUM=1](#))

**EVWNTANO** (330 - 330)

**BL-1:** (Not counting any children you are currently in the process of adopting,) have you ever considered adopting (another) child?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	787
1	YES	2227
5	NO	4626
8	Refused	2
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is 18 years or older (age\_r ge 18) and R is not currently seeking to adopt a(nother) child (BK-1 [SEEKADPT=5](#), DK, or RF)

***EVCONTAG*** (331 - 331)

**BL-2:** (Not counting any children you are in the process of adopting,) did you ever contact an adoption agency, a lawyer, a doctor, or other source about adopting (a/another) child?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5416
1	YES	199
5	NO	2028
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever considered adopting a(nother) child (BL-1 [EVBWNTANO=1](#))

***TURNDOWN*** (332 - 332)

**BL-3:** Were you turned down for adoption, unable to find a child to adopt, or did you decide not to pursue adoption any further?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7444
1	TURNDOWN	10
2	UNABLE TO FIND CHILD	7
3	DECIDED NOT TO PURSUE	179
8	Refused	1
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported taking specific steps toward adoption (BL-2 [EVCONTAG=1](#))

***YQUITTRY*** (333 - 333)

**BL-4:** What were your reasons for deciding not to pursue adoption any further? Were they reasons having to do with the adoption process itself, reasons related to your own situation, or both?

**NSFG Cycle 6 Female Respondent File Section B**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7464
1	ADOPTION PROCESS ONLY	19
2	OWN SITUATION ONLY	111
3	BOTH	49
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said she decided not to pursue adoption any further (BL-3 [TURNDOWN](#)=3)

***APROCESS1*** (334 - 334)

**BL-5:** Tell me which reasons related to adoption made you decide not to pursue adoption. Was it because the fees were too high, there were not enough kids available, or some other reason? (1st mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7575
1	FEES WERE TOO HIGH	23
2	THERE WERE NOT ENOUGH KIDS AVAILABLE	3
3	SOME OTHER REASON	42
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported any reasons other than "own situation only" for deciding not to pursue adoption any further (BL-4 [YQUITTRY](#)=1 or 3)

***APROCESS2*** (335 - 335)

**BL-5:** Tell me which reasons related to adoption made you decide not to pursue adoption. Was it because the fees were too high, there were not enough kids available, or some other reason? (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section B**

.	inapplicable	7637
1	FEES WERE TOO HIGH	0
2	THERE WERE NOT ENOUGH KIDS AVAILABLE	2
3	SOME OTHER REASON	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 reason related to the adoption process for deciding not to pursue adoption any further (see BL-5 [APROCESS1](#))

**APROCESS3** (336 - 336)

**BL-5:** Tell me which reasons related to adoption made you decide not to pursue adoption. Was it because the fees were too high, there were not enough kids available, or some other reason? (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	FEES WERE TOO HIGH	0
2	THERE WERE NOT ENOUGH KIDS AVAILABLE	0
3	SOME OTHER REASON	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 2 reasons related to the adoption process for deciding not to pursue adoption any further (see BL-5 [APROCESS1](#))

***TIMESMAR*** (337 - 338)

**CA-1:** (Including your present marriage,) how many times have you been married?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	3517
1	1 TIME	3428
2	2 TIMES	582
3	3 TIMES	90
4	4 TIMES	15
5	5 TIMES	3
98	REFUSED	6
99	DON'T KNOW	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been married (fmarit = 1, 2, 3, or 4)

***HSBVERIF*** (339 - 339)

**CA-2b:** And you told me that your current husband is [CURRENT HUSBAND'S NAME REPORTED EARLIER]?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	4687
1	YES	2954
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married (AB-1 MARSTAT = 1) and she has previously reported her husband's name (chpname ne blank)

***cmmarrhx*** (340 - 343)

Century Month for Date of 1st Marriage (Computed)



NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	3525
301-1164	BEFORE 1997	2928
1165-1239	JANUARY 1997 OR LATER	1161
9997	Not ascertained	1
9998	Refused	9
9999	Don't know	19
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been married (fmarit = 1, 2, 3, or 4)

**AGEMARHX** (344 - 345)

**CB-2:** How old were you when you got married (this [1st] time)?

Value	Label	Total
.	INAPPLICABLE	7553
LOW-17	UNDER 18 YEARS	21
18-44	18-44 YEARS	55
98	REFUSED	6
99	DON'T KNOW	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if month and year of marriage were not reported (cmmarrhx = blank or DK or RF) or if R reported only the year but not the specific month of marriage (CB-1 WHMARHX\_M = 13, 14, 15, 16, DK, or RF)

**HXAGEMAR** (346 - 347)

**CB-3:** How old was (1st HUSBAND) when you got married?

Value	Label	Total
.	INAPPLICABLE	3525
LOW-24	UNDER 25 YEARS	1979
25-44	25-44 YEARS	2036

**NSFG Cycle 6 Female Respondent File Section C**

45-95	45 YEARS OR OLDER	69
98	REFUSED	9
99	DON'T KNOW	25
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been married (fmarit = 1, 2, 3, or 4)

**cmhsbdbobx** (348 - 351)

Century Month for 1st Husband's Date of Birth (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3525
LOW-840	BEFORE 1970	2758
841-1239	1970 OR LATER	1226
9998	REFUSED	15
9999	DON'T KNOW	119
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been married (fmarit = 1, 2, 3, or 4)

**LVTOGHX** (352 - 352)

**CB-5:** Some couples live together without being married. By living together, we mean having a sexual relationship while sharing the same usual address. Did you and (1st HUSBAND) live together before you got married?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3525
1	YES	2002
5	NO	2106
8	Refused	8
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section C**

Applicable if R has ever been married (fmarit = 1, 2, 3, or 4)

***cmpmcohx*** (353 - 356)

Century Month Date When R Began Living (premaritally) with 1st husband (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	5641
301-1164	BEFORE 1997	1524
1165-1239	JANUARY 1997 OR LATER	447
9998	Refused	3
9999	Don't know	28
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported cohabiting with this partner before marriage (CB-5 [LVTOGHX=1](#))

***ENGAGHX*** (357 - 357)

**CB-7:** At the time you began living together, were you and he engaged to be married or have definite plans to get married? (1st HUSBAND)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	5641
1	YES	1148
5	NO	851
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported cohabiting with this partner before marriage (CB-5 [LVTOGHX=1](#))

***HISPHX*** (358 - 358)

**CB-8:** (Is/Was) (1st HUSBAND) Hispanic or Latino, or of Spanish

NSFG Cycle 6 Female Respondent File Section C

origin?

Value	Label	Total
.	inapplicable	3525
1	YES	865
5	NO	3245
8	Refused	5
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if this is R's first husband (marrcntr=1) or R is currently married to or separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 1 or 5)

**RACEHX1** (359 - 359)

**CB-9:** Which of the groups on Card 2 describes (1st HUSBAND)'s racial background? Please select one or more groups. [1st MENTIONED]

Value	Label	Total
.	inapplicable	3525
1-3	OTHER RACE GROUPS	351
4	BLACK OR AFRICAN AMERICAN	667
5	WHITE	3071
8	Refused	7
9	Don't know	22
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if this is R's first husband (marrcntr=1) or R is currently married to or separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 1 or 5)

**RACEHX2** (360 - 360)

**CB-9:** Which of the groups on Card 2 describes (1st HUSBAND)'s racial background? Please select one or more groups. [2nd

NSFG Cycle 6 Female Respondent File Section C

MENTIONED]

<u>Value Label</u>	<u>Total</u>
. inapplicable	7573
1-3 OTHER RACE GROUPS	15
4 BLACK OR AFRICAN AMERICAN	8
5 WHITE	47
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 race for 1st or current/separated husband (see CB-9 [RACEHX1](#))

**RACEHX3** (361 - 361)

**CB-9:** Which of the groups on Card 2 describes (1st HUSBAND)'s racial background? Please select one or more groups. [3rd MENTIONED]

<u>Value Label</u>	<u>Total</u>
. inapplicable	7637
1-3 OTHER RACE GROUPS	2
4 BLACK OR AFRICAN AMERICAN	1
5 WHITE	3
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 2 races for 1st or current/separated husband (see CB-9 [RACEHX1](#))

**RACEHX4** (362 - 362)

**CB-9:** Which of the groups on Card 2 describes (1st HUSBAND)'s racial background? Please select one or more groups. [4th MENTIONED]

<u>Value Label</u>	<u>Total</u>
. inapplicable	7642

**NSFG Cycle 6 Female Respondent File Section C**

1-3	OTHER RACE GROUPS	1
4	BLACK OR AFRICAN AMERICAN	0
5	WHITE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 3 races for 1st or current/separated husband (see CB-9 [RACEHX1](#))

**BSTRACHX** (363 - 363)

**CB-10:** Which of these groups, that is (RACES REPORTED FOR 1st HUSBAND), would you say best describes his racial background?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7573
1-3	OTHER RACE GROUPS	15
4	BLACK OR AFRICAN AMERICAN	16
5	WHITE	36
8	Refused	1
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's reported more than one race for her 1st or current/separated husband (CB-9 [RACEHX2](#) NE BLANK)

**CHEDMARN** (364 - 364)

**CB-11:** Please look at Card 11. What is the highest level of education (1st HUSBAND IF CURRENT OR SEPARATED) has completed?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	4840
1	LESS THAN HIGH SCHOOL	391
2	HIGH SCHOOL GRADUATE OR GED	767
3	SOME COLLEGE BUT NO DEGREE	542
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	273
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	534

**NSFG Cycle 6 Female Respondent File Section C**

6	GRADUATE OR PROFESSIONAL SCHOOL	291
8	Refused	2
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married to or separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 1 or 5)

**MARBEFHX** (365 - 365)

**CB-12:** At the time you and he were married, had (1st HUSBAND) been married before?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3525
1	YES	615
5	NO	3490
8	Refused	4
9	Don't know	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been married (fmarit = 1, 2, 3, or 4)

**KIDSHX** (366 - 366)

**CB-13:** When you and he got married, did he have any children, either biological or adopted, from any previous relationships? (1st HUSBAND)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3525
1	YES	680
5	NO	3424
8	Refused	5
9	Don't know	9
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section C

**Universe:**

Applicable if R has ever been married (fmarit = 1, 2, 3, or 4)

**NUMKDSHX** (367 - 368)

**CB-14:** How many children did he have? (1st HUSBAND)

Value	Label	Total
.	INAPPLICABLE	6963
1	1 CHILD	375
2	2 CHILDREN	173
3-30	3 OR MORE CHILDREN	131
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported this husband had any children from a previous relationship (CB-13 [KIDSHX](#) = 1)

**KIDLIVHX** (369 - 369)

**CB-15:** Did (this child/any of his children from previous relationships) ever live with you and (1st HUSBAND)?

Value	Label	Total
.	inapplicable	6963
1	YES	208
5	NO	472
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported this husband had any children from a previous relationship (CB-13 [KIDSHX](#) = 1)

**CHKID18A** (370 - 370)

**CB-16a:** Is this child aged 18 years or younger now? (1st HUSBAND IF HE IS CURRENT HUSBAND)



NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7445
1	YES	137
5	NO	60
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married to this husband (marrcntr = CA-1 [TIMESMAR](#) AND AB-1 MARSTAT = 1) and he had one child from a previous relationship (CB-14 [NUMKDSHX](#) = 1)

**CHKID18B** (371 - 371)

**CB-16b:** How many, if any, of these [NUMBER FROM CB-14 NUMKDSHX] children are aged 18 years or younger now? (1st HUSBAND IF HE IS CURRENT HUSBAND)

Value	Label	Total
.	INAPPLICABLE	7475
0	NONE	68
1-10	1 OR MORE CHILDREN	100
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married to this husband (marrcntr = CA-1 [TIMESMAR](#) AND AB-1 MARSTAT = 1) and he had more than one child from a previous relationship (CB-14 [NUMKDSHX](#) > 1)

**WHRCHKDS1** (372 - 372)

**CB-17:** Where does (this child (aged 18 or younger) / these (NUMBER FROM CB-16b CHKID18B) children aged 18 or younger) live now? In this household with you and (1st HUSBAND IF HE IS CURRENT HUSBAND), with his or her mother, with grandparents or other relatives, or somewhere else? [1ST MENTIONED]

Value	Label	Total
-------	-------	-------

**NSFG Cycle 6 Female Respondent File Section C**

.	inapplicable	7406
1	IN THIS HOUSEHOLD	37
2	WITH THEIR MOTHER	159
3	WITH GRANDPARENTS OR OTHER RELATIVES	18
4	SOMEWHERE ELSE	21
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's current husband has one or more children from a previous relationship that is aged 18 or under (CB-16a [CHKID18A](#) = 1 or CB-16b [CHKID18B](#) >= 1)

**WHRCHKDS2** (373 - 373)

**CB-17:** Where does (this child (aged 18 or younger) / these (NUMBER FROM CB-16b CHKID18B) children aged 18 or younger) live now? In this household with you and (1st HUSBAND IF HE IS CURRENT HUSBAND), with his or her mother, with grandparents or other relatives, or somewhere else? [2nd MENTIONED]

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7629
1	IN THIS HOUSEHOLD	2
2	WITH THEIR MOTHER	7
3	WITH GRANDPARENTS OR OTHER RELATIVES	2
4	SOMEWHERE ELSE	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that her current husband's child(ren) under 18 from a previous relationship live in more than 1 place (see CB-17 [WHRCHKDS1](#))

**WHRCHKDS3** (374 - 374)

**CB-17:** Where does (this child (aged 18 or younger) / these (NUMBER FROM CB-16b CHKID18B) children aged 18 or younger) live now? In this household with you and (1st HUSBAND IF HE IS CURRENT HUSBAND), with his or her mother, with grandparents or other

**NSFG Cycle 6 Female Respondent File Section C**

relatives, or somewhere else? [3rd MENTIONED]

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	IN THIS HOUSEHOLD	0
2	WITH THEIR MOTHER	0
3	WITH GRANDPARENTS OR OTHER RELATIVES	0
4	SOMEWHERE ELSE	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that her current husband's child(ren) under 18 from a previous relationship live in more than 2 places (see CB-17 [WHRCHKDS1](#))

**SUPPORCH** (375 - 375)

**CB-18:** Does (1st HUSBAND IF HE IS CURRENT HUSBAND) regularly contribute to the financial support of (this child/these children) aged 18 or under?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7436
1	YES	167
5	NO	38
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that her current husband's child(ren) from a previous relationship live in any place other than "in this household" (CB-17 [WHRCHKDS1](#)-4 includes codes 2 or 3 or 4)

**MARENDHX** (376 - 376)

**CB-19:** How did your (1st) marriage end?

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

NSFG Cycle 6 Female Respondent File Section C

.	inapplicable	6583
1	DEATH OF HUSBAND	44
2	DIVORCE	979
3	ANNULMENT	25
8	Refused	3
9	Don't know	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is not married to or separated from this husband (marrcntr < CA-1 [TIMESMAR](#) or (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT NE 1 or 5))

**cmhsbdiex** (377 - 380)

Century Month for Date When 1st Husband Died (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7599
301-1164	BEFORE 1997	27
1165-1239	JANUARY 1997 OR LATER	16
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported this marriage ended by death of husband (CB-19 [MARENDHX](#) = 1)

**cmdivorcx** (381 - 384)

Century Month for Date of Divorce or Annulment From 1st Husband (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6639
301-1164	BEFORE 1997	607
1165-1239	JANUARY 1997 OR LATER	375
9998	Refused	2
9999	Don't know	20

NSFG Cycle 6 Female Respondent File Section C

Total 7643

**Universe:**

Applicable if R reported this marriage ended in divorce or annulment (CB-19 [MARENDHX](#) = 2 or 3)

**cmstphsbx** (385 - 388)

Century Month for Date R Stopped Living with 1st Husband (Computed)

Value	Label	Total
.	inapplicable	6627
301-1164	BEFORE 1997	713
1165-1239	JANUARY 1997 OR LATER	283
9998	Refused	2
9999	Don't know	18
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not report how many times she has been married (CA-1 [TIMESMAR](#)=DK or RF), if R reported the marriage ended in divorce or annulment (CB-19 [MARENDHX](#) = 2 or 3), if R is separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 5), or if R did not report how marriage ended (CB-19 [MARENDHX](#) = DK or RF)

**cmmarrhx2** (389 - 392)

Century Month for Date of 2nd Marriage (Computed)

Value	Label	Total
.	inapplicable	6953
301-1164	BEFORE 1997	405
1165-1239	JANUARY 1997 OR LATER	281
9997	Not ascertained	2
9999	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section C**

Applicable if R has been married at least twice (CA-1 [TIMESMAR](#) GE 2)

**AGEMARHX2** (393 - 394)

**CB-2:** How old were you when you got married this (2ND) time?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7623
LOW-17	UNDER 18 YEARS	0
18-44	18-44 YEARS	19
98	REFUSED	0
99	DON'T KNOW	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if month and year of marriage were not reported ([cmmarrhx2](#) = blank or DK or RF) or if R reported only the year but not the specific month of marriage (CB-1 WHMARHX\_M2 = 13, 14, 15, 16, DK, or RF)

**HXAGEMAR2** (395 - 396)

**CB-3:** How old was (2nd HUSBAND) when you got married?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	6953
LOW-24	UNDER 25 YEARS	114
25-44	25-44 YEARS	504
45-95	45 YEARS OR OLDER	62
98	REFUSED	0
99	DON'T KNOW	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least twice (CA-1 [TIMESMAR](#) GE 2)

**cmhsbdobx2** (397 - 400)

NSFG Cycle 6 Female Respondent File Section C

Century Month for 2nd Husband's Date of Birth (Computed)

Value	Label	Total
.	INAPPLICABLE	6953
LOW-840	BEFORE 1970	554
841-1239	1970 OR LATER	105
9998	REFUSED	0
9999	DON'T KNOW	31
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least twice (CA-1 [TIMESMAR](#) GE 2)

**LVTOGHX2** (401 - 401)

**CB-5:** Some couples live together without being married. By living together, we mean having a sexual relationship while sharing the same usual address. Did you and (2nd HUSBAND) live together before you got married?

Value	Label	Total
.	inapplicable	6953
1	YES	478
5	NO	211
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least twice (CA-1 [TIMESMAR](#) GE 2)

**cmpmcohx2** (402 - 405)

Century Month Date When R Began Living (premaritally) with 2nd husband (Computed)

Value	Label	Total
-------	-------	-------

**NSFG Cycle 6 Female Respondent File Section C**

.	inapplicable	7165
301-1164	BEFORE 1997	346
1165-1239	JANUARY 1997 OR LATER	124
9999	Don't know	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported cohabiting with this partner before marriage (CB-5 [LVTOGHX2=1](#))

**ENGAGHX2** (406 - 406)

**CB-7:** At the time you began living together, were you and he engaged to be married or have definite plans to get married? (2nd HUSBAND)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7165
1	YES	234
5	NO	244
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported cohabiting with this partner before marriage (CB-5 [LVTOGHX2=1](#))

**HISPHX2** (407 - 407)

**CB-8:** (Is/Was) (2nd HUSBAND) Hispanic or Latino, or of Spanish origin?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7177
1	YES	82
5	NO	384
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married to or separated from this



**NSFG Cycle 6 Female Respondent File Section C**

husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 1 or 5)

**RACEHX6** (408 - 408)

**CB-9:** Which of the groups on Card 2 describes (2nd HUSBAND)'s racial background? Please select one or more groups. [1st MENTIONED]

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7177
1-3	OTHER RACE GROUPS	27
4	BLACK OR AFRICAN AMERICAN	60
5	WHITE	378
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married to or separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 1 or 5)

**RACEHX7** (409 - 409)

**CB-9:** Which of the groups on Card 2 describes (2nd HUSBAND)'s racial background? Please select one or more groups. [2nd MENTIONED]

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7635
1-3	OTHER RACE GROUPS	2
4	BLACK OR AFRICAN AMERICAN	1
5	WHITE	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 race for current/separated husband (see CB-9 [RACEHX6](#))

**BSTRACHX2** (410 - 410)

**NSFG Cycle 6 Female Respondent File Section C**

**CB-10:** Which of these groups, that is (RACES REPORTED FOR 2nd HUSBAND), would you say best describes his racial background?

Value	Label	Total
.	inapplicable	7635
1-3	OTHER RACE GROUPS	3
4	BLACK OR AFRICAN AMERICAN	1
5	WHITE	4
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R's reported more than one race for her current/separated husband (CB-9 [RACEHX7](#) NE BLANK)

**CHEDMARN2** (411 - 411)

**CB-11:** Please look at Card 11. What is the highest level of education (2nd HUSBAND IF CURRENT OR SEPARATED) has completed?

Value	Label	Total
.	inapplicable	7177
1	LESS THAN HIGH SCHOOL	56
2	HIGH SCHOOL GRADUATE OR GED	160
3	SOME COLLEGE BUT NO DEGREE	108
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	50
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	59
6	GRADUATE OR PROFESSIONAL SCHOOL	32
9	Don't know	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R is currently married to or separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 1 or 5)

**MARBEFH2** (412 - 412)

**CB-12:** At the time you and he were married, had (2nd HUSBAND) been married before?

NSFG Cycle 6 Female Respondent File Section C

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6953
1	YES	318
5	NO	369
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least twice (CA-1 [TIMESMAR](#) GE 2)

**KIDSHX2** (413 - 413)

**CB-13:** When you and he got married, did he have any children, either biological or adopted, from any previous relationships? (2nd HUSBAND)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6953
1	YES	287
5	NO	402
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least twice (CA-1 [TIMESMAR](#) GE 2)

**NUMKDSHX2** (414 - 414)

**CB-14:** How many children did he have? (2nd HUSBAND)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7356
1	1 CHILD	121
2	2 CHILDREN	88
3-30	3 OR MORE CHILDREN	78
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported this husband had any children from a previous relationship (CB-13 [KIDSHX2](#) = 1)

**KIDLIVHX2** (415 - 415)

**CB-15:** Did (this child/any of his children from previous relationships) ever live with you and (2ND HUSBAND)?

Value	Label	Total
.	inapplicable	7356
1	YES	116
5	NO	171
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported this husband had any children from a previous relationship (CB-13 [KIDSHX2](#) = 1)

**CHKID18A2** (416 - 416)

**CB-16a:** Is this child aged 18 years or younger now? (2nd HUSBAND IF HE IS CURRENT HUSBAND)

Value	Label	Total
.	inapplicable	7565
1	YES	52
5	NO	26
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married to this husband (marrcntr = CA-1 [TIMESMAR](#) AND AB-1 MARSTAT = 1) and he had one child from a previous relationship (CB-14 [NUMKDSHX2](#) = 1)

**CHKID18B2** (417 - 418)

**CB-16b:** How many, if any, of these [NUMBER FROM CB-14 NUMKDSHX2]

**NSFG Cycle 6 Female Respondent File Section C**

children are aged 18 years or younger now? (2nd HUSBAND IF HE IS CURRENT HUSBAND)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7543
0	NONE	35
1-10	1 OR MORE CHILDREN	64
99	Don't know	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R is currently married to this husband (marrcntr = CA-1 [TIMESMAR](#) AND AB-1 MARSTAT = 1) and he had more than one child from a previous relationship (CB-14 [NUMKDSHX2](#) > 1)

**WHRCHKDS5** (419 - 419)

**CB-17:** Where does (this child (aged 18 or younger) / these (NUMBER FROM CB-16b [CHKID18B2](#)) children aged 18 or younger) live now? In this household with you and (2nd HUSBAND IF HE IS CURRENT HUSBAND), with his or her mother, with grandparents or other relative, or somewhere else? [1st MENTIONED]

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7527
1	IN THIS HOUSEHOLD	24
2	WITH THEIR MOTHER	78
3	WITH GRANDPARENTS OR OTHER RELATIVES	3
4	SOMEWHERE ELSE	10
9	Don't know	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R's current husband has one or more children from a previous relationship that is aged 18 or under (CB-16a [CHKID18A2](#) = 1 or CB-16b [CHKID18B2](#) >= 1)

**WHRCHKDS6** (420 - 420)

**NSFG Cycle 6 Female Respondent File Section C**

**CB-17:** Where does (this child (aged 18 or younger) / these (NUMBER FROM CB-16b CHKID18B2) children aged 18 or younger) live now? In this household with you and (2nd HUSBAND IF HE IS CURRENT HUSBAND), with his or her mother, with grandparents or other relatives, or somewhere else? [2nd MENTIONED]

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7631
1	IN THIS HOUSEHOLD	1
2	WITH THEIR MOTHER	10
3	WITH GRANDPARENTS OR OTHER RELATIVES	1
4	SOMEWHERE ELSE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that her current husband's child(ren) under 18 from a previous relationship live in more than 1 place (see CB-17 [WHRCHKDS5](#))

**WHRCHKDS7** (421 - 421)

**CB-17:** Where does (this child (aged 18 or younger) / these (NUMBER FROM CB-16b CHKID18B2) children aged 18 or younger) live now? In this household with you and (2nd HUSBAND IF HE IS CURRENT HUSBAND), with his or her mother, with grandparents or other relatives, or somewhere else? [3rd MENTIONED]

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	IN THIS HOUSEHOLD	1
2	WITH THEIR MOTHER	0
3	WITH GRANDPARENTS OR OTHER RELATIVES	0
4	SOMEWHERE ELSE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that her current husband's child(ren) under 18 from a previous relationship live in more than 2 places (see CB-17 [WHRCHKDS5](#))

**SUPPORCH2** (422 - 422)

**CB-18:** Does (2nd HUSBAND IF HE IS CURRENT HUSBAND) regularly contribute to the financial support of (this child/these children) aged 18 or under?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7543
1	YES	81
5	NO	18
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that her current husband's child(ren) from a previous relationship live in any place other than "in this household" (CB-17 [WHRCHKDS5](#)-8 includes codes 2 or 3 or 4)

**MARENDHX2** (423 - 423)

**CB-19:** How did your (2nd) marriage end?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7514
1	DEATH OF HUSBAND	4
2	DIVORCE	116
3	ANNULMENT	7
8	Refused	1
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is not married to or separated from this husband (marrcntr < CA-1 [TIMESMAR](#) or (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT NE 1 or 5))

**cmhsbdiex2** (424 - 427)

Century Month for Date When 2nd Husband Died (Computed)

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7639
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported this marriage ended by death of husband (CB-19 [MARENDHX2](#) = 1)

***cmdivorcx2*** (428 - 431)

Century Month for Date of Divorce or Annulment From 2nd Husband

Value	Label	Total
.	inapplicable	7520
301-1164	BEFORE 1997	70
1165-1239	JANUARY 1997 OR LATER	49
9999	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported this marriage ended in divorce or annulment (CB-19 [MARENDHX2](#) = 2 or 3)

***cmstphsbx2*** (432 - 435)

Century Month for Date R Stopped Living with 2nd Husband (Computed)

Value	Label	Total
.	inapplicable	7518
301-1164	BEFORE 1997	75
1165-1239	JANUARY 1997 OR LATER	40
9998	Refused	2
9999	Don't know	8
	<b>Total</b>	<b>7643</b>



NSFG Cycle 6 Female Respondent File Section C

**Universe:**

Applicable if R reported the marriage ended in divorce or annulment (CB-19 [MARENDHX2](#) = 2 or 3), if R is separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 5), or if R did not report how marriage ended (CB-19 [MARENDHX2](#) = DK or RF)

***cmmarrhx3*** (436 - 439)

Century Month for Date of 3rd Marriage

Value	Label	Total
.	inapplicable	7535
301-1164	BEFORE 1997	59
1165-1239	JANUARY 1997 OR LATER	49
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 3 times (CA-1 [TIMESMAR](#) GE 3)

***AGEMARHX3*** (440 - 441)

**CB-2:** How old were you when you got married this (3rd) time?

Value	Label	Total
.	INAPPLICABLE	7639
LOW-17	UNDER 18 YEARS	0
18-44	18-44 YEARS	4
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if month and year of marriage were not reported ([cmmarrhx3](#) = blank or DK or RF) or if R reported only the year but not the specific month of marriage (CB-1 WHMARHX\_M3 = 13 or 14 or 15 or 16 or DK or RF)

***HXAGEMAR3*** (442 - 443)

NSFG Cycle 6 Female Respondent File Section C

**CB-3:** How old was (3rd HUSBAND) when you got married?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7535
LOW-24	UNDER 25 YEARS	8
25-44	25-44 YEARS	84
45-95	45 YEARS OR OLDER	15
98	REFUSED	0
99	DON'T KNOW	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 3 times (CA-1 [TIMESMAR](#) GE 3)

**cmhsbdobx3** (444 - 447)

Century Month for 3rd Husband's Date of Birth

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7535
LOW-840	BEFORE 1970	98
841-1239	1970 OR LATER	6
9998	REFUSED	0
9999	DON'T KNOW	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 3 times (CA-1 [TIMESMAR](#) GE 3)

**LVTOGHX3** (448 - 448)

**CB-5:** Some couples live together without being married. By living together, we mean having a sexual relationship while sharing the same usual address. Did you and (3rd HUSBAND) live together before you got married?

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7535
1	YES	72
5	NO	36
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 3 times (CA-1 [TIMESMAR](#) GE 3)

***cmpmcohx3*** (449 - 452)

Century Month Date When R Began Living (premaritally) with 3rd husband (Computed)

Value	Label	Total
.	inapplicable	7571
301-1164	BEFORE 1997	45
1165-1239	JANUARY 1997 OR LATER	27
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported cohabiting with this partner before marriage (CB-5 [LVTOGHX3](#)=1)

***ENGAGHX3*** (453 - 453)

**CB-7:** At the time you began living together, were you and he engaged to be married or have definite plans to get married? (3rd HUSBAND)

Value	Label	Total
.	inapplicable	7571
1	YES	39
5	NO	33
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported cohabiting with this partner before

marriage (CB-5 [LVTOGHX3](#)=1)

**HISPHX3** (454 - 454)

**CB-8:** (Is/Was) (3rd HUSBAND) Hispanic or Latino, or of Spanish origin?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7571
1	YES	4
5	NO	68
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married to or separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 1 or 5 )

**RACEHX11** (455 - 455)

**CB-9:** Which of the groups on Card 2 describes (3rd HUSBAND)'s racial background? Please select one or more groups. [1st MENTIONED]

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7571
1-3	OTHER RACE GROUPS	1
4	BLACK OR AFRICAN AMERICAN	8
5	WHITE	63
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married to or separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 1 or 5 )

**CHEDMARN3** (456 - 456)

**CB-11:** Please look at Card 11. What is the highest level of education (3rd HUSBAND IF CURRENT OR SEPARATED) has completed?

**NSFG Cycle 6 Female Respondent File Section C**

<b>Value Label</b>	<b>Total</b>
. inapplicable	7571
1 LESS THAN HIGH SCHOOL	17
2 HIGH SCHOOL GRADUATE OR GED	18
3 SOME COLLEGE BUT NO DEGREE	14
4 2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	11
5 4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	8
6 GRADUATE OR PROFESSIONAL SCHOOL	4
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married to or separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 1 or 5 )

**MARBEFH3** (457 - 457)

**CB-12:** At the time you and he were married, had (3rd HUSBAND) been married before?

<b>Value Label</b>	<b>Total</b>
. inapplicable	7535
1 YES	67
5 NO	41
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 3 times (CA-1 [TIMESMAR](#) GE 3)

**KIDSHX3** (458 - 458)

**CB-13:** When you and he got married, did he have any children, either biological or adopted, from any previous relationships? (3rd HUSBAND)

<b>Value Label</b>	<b>Total</b>
. inapplicable	7535
1 YES	57

NSFG Cycle 6 Female Respondent File Section C

5	NO	51
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 3 times (CA-1 [TIMESMAR](#) GE 3)

**NUMKDSHX3** (459 - 460)

**CB-14:** How many children did he have? (3rd HUSBAND)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7586
1	1 CHILD	15
2	2 CHILDREN	27
3-30	3 OR MORE CHILDREN	15
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported this partner had any children from a previous relationship (CB-13 [KIDSHX3](#) = 1)

**KIDLIVHX3** (461 - 461)

**CB-15:** Did (this child/any of his children from previous relationships) ever live with you and (3RD HUSBAND)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7586
1	YES	19
5	NO	38
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported this partner had any children from a previous relationship (CB-13 [KIDSHX3](#) = 1)

**CHKID18A3** (462 - 462)

**NSFG Cycle 6 Female Respondent File Section C**

**CB-16a:** Is this child aged 18 years or younger now? (3rd HUSBAND IF HE IS CURRENT HUSBAND)

Value	Label	Total
.	inapplicable	7633
1	YES	8
5	NO	2
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R is currently married to this husband (marrcntr = CA-1 [TIMESMAR](#) AND AB-1 MARSTAT = 1) and he had one child from a previous relationship (CB-14 [NUMKDSHX3](#) = 1)

**CHKID18B3** (463 - 463)

**CB-16b:** How many, if any, of these [NUMBER FROM CB-14 NUMKDSHX3] children are aged 18 years or younger now? (3rd HUSBAND IF HE IS CURRENT HUSBAND)

Value	Label	Total
.	INAPPLICABLE	7619
0	NONE	11
1-10	1 OR MORE CHILDREN	13
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R is currently married to this husband (marrcntr = CA-1 [TIMESMAR](#) AND AB-1 MARSTAT = 1) and he had more than one child from a previous relationship (CB-14 [NUMKDSHX3](#) > 1)

**WHRCHKDS9** (464 - 464)

**CB-17:** Where does (this child (aged 18 or younger) / these (NUMBER FROM CB-16b CHKID18B3) children aged 18 or younger) live now? In this household with you and (3rd HUSBAND IF HE IS CURRENT HUSBAND), with his or her mother, with grandparents or other relatives, or somewhere else? [1st MENTIONED]

**NSFG Cycle 6 Female Respondent File Section C**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7622
1	IN THIS HOUSEHOLD	4
2	WITH THEIR MOTHER	15
3	WITH GRANDPARENTS OR OTHER RELATIVES	1
4	SOMEWHERE ELSE	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's current husband has one or more children from a previous relationship that is aged 18 or under (CB-16a [CHKID18A3](#) = 1 or CB-16b [CHKID18B3](#) >= 1)

**WHRCHKDS10** (465 - 465)

**CB-17:** Where does (this child (aged 18 or younger) / these (NUMBER FROM CB-16b [CHKID18B3](#)) children aged 18 or younger) live now? In this household with you and (3rd HUSBAND IF HE IS CURRENT HUSBAND), with his or her mother, with grandparents or other relatives, or somewhere else? [2nd MENTIONED]

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	IN THIS HOUSEHOLD	0
2	WITH THEIR MOTHER	1
3	WITH GRANDPARENTS OR OTHER RELATIVES	0
4	SOMEWHERE ELSE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R current husband's child(ren) under 18 from a previous relationship live in more than 1 place (see CB-17 [WHRCHKDS9](#) )

**SUPPORCH3** (466 - 466)

**CB-18:** Does (3rd HUSBAND IF HE IS CURRENT HUSBAND) regularly contribute to the financial support of (this child/these children) aged 18 or under?



NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7625
1	YES	14
5	NO	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that her current husband's child(ren) from a previous relationship live in any place other than "in this household" (CB-17 [WHRCHKDS9](#)-12 includes codes 2 or 3 or 4)

**MARENDHX3** (467 - 467)

**CB-19:** How did your (3rd) marriage end?

Value	Label	Total
.	inapplicable	7625
1	DEATH OF HUSBAND	0
2	DIVORCE	18
3	ANNULMENT	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is not married to or separated from this husband (marrcntr < CA-1 [TIMESMAR](#) or (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT ne 1 or 5))

**cmdivorcx3** (468 - 471)

Century Month for Date of Divorce or Annulment From 3rd Husband (Computed)

Value	Label	Total
.	inapplicable	7625
301-1164	BEFORE 1997	5
1165-1239	JANUARY 1997 OR LATER	12
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section C

**Universe:**

Applicable if R reported this marriage ended in divorce or annulment (CB-19 [MARENDHX3](#) = 2 or 3)

**cmstphsbx3** (472 - 475)

Century Month for Date R Stopped Living with 3rd Husband (Computed)

Value	Label	Total
.	inapplicable	7625
301-1164	BEFORE 1997	5
1165-1239	JANUARY 1997 OR LATER	11
9999	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported the marriage ended in divorce or annulment (CB-19 [MARENDHX3](#) = 2 or 3), if R is separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 5), or if R did not report how marriage ended (CB-19 [MARENDHX3](#) = DK or RF)

**cmmarrhx4** (476 - 479)

Century Month for Date of 4th Marriage (Computed)

Value	Label	Total
.	inapplicable	7625
301-1164	BEFORE 1997	5
1165-1239	JANUARY 1997 OR LATER	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 4 times (CA-1 [TIMESMAR](#) GE 4)

**HXAGEMAR4** (480 - 481)

**CB-3:** How old was (4th HUSBAND) when you got married?

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	INAPPLICABLE	7625
LOW-24	UNDER 25 YEARS	1
25-44	25-44 YEARS	15
45-95	45 YEARS OR OLDER	1
98	REFUSED	0
99	DON'T KNOW	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 4 times (CA-1 [TIMESMAR](#) GE 4)

**cmhsbdobx4** (482 - 485)

Century Month for 4th Husband's Date of Birth (Computed)

Value	Label	Total
.	INAPPLICABLE	7625
LOW-840	BEFORE 1970	16
841-1239	1970 OR LATER	1
9998	REFUSED	0
9999	DON'T KNOW	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 4 times (CA-1 [TIMESMAR](#) GE 4)

**LVTOGHX4** (486 - 486)

**CB-5:** Some couples live together without being married. By living together, we mean having a sexual relationship while sharing the same usual address. Did you and (4th HUSBAND) live together before you got married?

Value	Label	Total
-------	-------	-------

NSFG Cycle 6 Female Respondent File Section C

.	inapplicable	7625
1	YES	13
5	NO	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 4 times (CA-1 [TIMESMAR](#) GE 4)

***cmpmcohx4*** (487 - 490)

Century Month for Date When R Began Living (premaritally) with 4th husband (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7630
301-1164	BEFORE 1997	5
1165-1239	JANUARY 1997 OR LATER	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported cohabiting with this partner before marriage (CB-5 [LVTOGHX4](#)=1)

***ENGAGHX4*** (491 - 491)

**CB-7:** At the time you began living together, were you and he engaged to be married or have definite plans to get married? (4th HUSBAND)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7630
1	YES	7
5	NO	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported cohabiting with this partner before marriage (CB-5 [LVTOGHX4](#)=1)

**HISPHX4** (492 - 492)

**CB-8:** (Is/Was) (4th HUSBAND) Hispanic or Latino, or of Spanish origin?

Value	Label	Total
.	inapplicable	7632
1	YES	1
5	NO	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married to or separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 1 or 5 )

**RACEHX16** (493 - 493)

**CB-9:** Which of the groups on Card 2 describes (4th HUSBAND)'s racial background? Please select one or more groups. [1st MENTIONED]

Value	Label	Total
.	inapplicable	7632
1-3	OTHER RACE GROUPS	2
4	BLACK OR AFRICAN AMERICAN	0
5	WHITE	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married to or separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 1 or 5 )

**RACEHX17** (494 - 494)

**CB-9:** Which of the groups on Card 2 describes (4th HUSBAND)'s racial background? Please select one or more groups. [2nd MENTIONED]

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7642
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	0
5	WHITE	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 race for current/separated husband (see CB-9 [RACEHX16](#))

**BSTRACHX4** (495 - 495)

**CB-10:** Which of these groups, that is (RACES REPORTED FOR 4th HUSBAND), would you say best describes his racial background?

Value	Label	Total
.	inapplicable	7642
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	0
5	WHITE	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's reported more than one race for her current/separated husband (CB-9 [RACEHX17](#)\_ NE BLANK)

**CHEDMARN4** (496 - 496)

**CB-11:** Please look at Card 11. What is the highest level of education (4th HUSBAND IF CURRENT OR SEPARATED) has completed?

Value	Label	Total
.	inapplicable	7632
1	LESS THAN HIGH SCHOOL	1
2	HIGH SCHOOL GRADUATE OR GED	4
3	SOME COLLEGE BUT NO DEGREE	3
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	2
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	1

**NSFG Cycle 6 Female Respondent File Section C**

6	GRADUATE OR PROFESSIONAL SCHOOL	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married to or separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 1 or 5 )

**MARBEFH4** (497 - 497)

**CB-12:** At the time you and he were married, had (4th HUSBAND) been married before?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7625
1	YES	14
5	NO	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 4 times (CA-1 [TIMESMAR](#) GE 4)

**KIDSH4** (498 - 498)

**CB-13:** When you and he got married, did he have any children, either biological or adopted, from any previous relationships? (4th HUSBAND)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7625
1	YES	10
5	NO	7
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 4 times (CA-1 [TIMESMAR](#) GE 4)

**NUMKDSHX4** (499 - 499)

**CB-14:** How many children did he have? (4th HUSBAND)

Value	Label	Total
.	INAPPLICABLE	7633
1	1 CHILD	5
2	2 CHILDREN	3
3-30	3 OR MORE CHILDREN	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported this partner had any children from a previous relationship (CB-13 [KIDSHX4](#) = 1)

**KIDLIVHX4** (500 - 500)

**CB-15:** Did (this child/any of his children from previous relationships) ever live with you and (4th HUSBAND)?

Value	Label	Total
.	inapplicable	7633
1	YES	4
5	NO	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported this partner had any children from a previous relationship (CB-13 [KIDSHX4](#) = 1)

**CHKID18A4** (501 - 501)

**CB-16a:** Is this child aged 18 years or younger now? (4th HUSBAND IF HE IS CURRENT HUSBAND)

Value	Label	Total
.	inapplicable	7640
1	YES	2



**NSFG Cycle 6 Female Respondent File Section C**

5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married to this husband (marrcntr = CA-1 [TIMESMAR](#) AND AB-1 MARSTAT = 1) and he had one child from a previous relationship (CB-14 [NUMKDSHX4](#) = 1)

**CHKID18B4** (502 - 502)

**CB-16b:** How many, if any, of these [NUMBER FROM CB-14 NUMKDSHX4] children are aged 18 years or younger now? (4th HUSBAND IF HE IS CURRENT HUSBAND)

Value	Label	Total
.	INAPPLICABLE	7640
0	NONE	1
1-10	1 OR MORE CHILDREN	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married to this husband (marrcntr = CA-1 [TIMESMAR](#) AND AB-1 MARSTAT = 1) and he had more than one child from a previous relationship (CB-14 [NUMKDSHX4](#) > 1)

**WHRCHKDS13** (503 - 503)

**CB-17:** Where does (this child (aged 18 or younger) / these (NUMBER FROM CB-16b CHKID18B4) children aged 18 or younger) live now? In this household with you and (4th HUSBAND IF HE IS CURRENT HUSBAND), with his or her mother, with grandparents or other relatives, or somewhere else? [1st MENTIONED]

Value	Label	Total
.	inapplicable	7639
1	IN THIS HOUSEHOLD	0
2	WITH THEIR MOTHER	4
3	WITH GRANDPARENTS OR OTHER RELATIVES	0
4	SOMEWHERE ELSE	0

**NSFG Cycle 6 Female Respondent File Section C**

**Total**

**7643**

**Universe:**

Applicable if R's current husband has one or more children from a previous relationship that is aged 18 or under (CB-16a [CHKID18A4](#) = 1 or CB-16b [CHKID18B4](#) >= 1)

**WHRCHKDS14** (504 - 504)

**CB-17:** Where does (this child (aged 18 or younger) / these (NUMBER FROM CB-16b [CHKID18B4](#)) children aged 18 or younger) live now? In this household with you and (4th HUSBAND IF HE IS CURRENT HUSBAND), with his or her mother, with grandparents or other relatives, or somewhere else? [2nd MENTIONED]

<b>Value Label</b>	<b>Total</b>
. inapplicable	7642
1 IN THIS HOUSEHOLD	0
2 WITH THEIR MOTHER	0
3 WITH GRANDPARENTS OR OTHER RELATIVES	0
4 SOMEWHERE ELSE	1
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that that her current husband's child (ren) under 18 from a previous relationship live in more than 1 place (see CB-17 [WHRCHKDS13](#))

**SUPPORCH4** (505 - 505)

**CB-18:** Does (4th HUSBAND IF HE IS CURRENT HUSBAND) regularly contribute to the financial support of (this child/these children) aged 18 or under?

<b>Value Label</b>	<b>Total</b>
. inapplicable	7639
1 YES	4
5 NO	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported current husband's children of previous relationships live in any place other than "in this household" (CB-17 [WHRCHKDS13](#)-16 includes codes 2 or 3 or 4)

**MARENDHX4** (506 - 506)

**CB-19:** How did your (4th) marriage end?

Value	Label	Total
.	inapplicable	7640
1	DEATH OF HUSBAND	0
2	DIVORCE	3
3	ANNULMENT	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is not married to or separated from this husband (marrcntr < CA-1 [TIMESMAR](#) or (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT ne 1 or 5))

**cmdivorcx4** (507 - 510)

Century Month for Date of Divorce or Annulment From 4th Husband (Computed)

Value	Label	Total
.	inapplicable	7640
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported this marriage ended in divorce or annulment (CB-19 [MARENDHX4](#) = 2 or 3)

**cmstphsbx4** (511 - 514)

**NSFG Cycle 6 Female Respondent File Section C**

Century Month for Date R Stopped Living with 4th Husband (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported the marriage ended in divorce or annulment (CB-19 [MARENDHX4](#) = 2 or 3), if R is separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 5), or if R did not report how marriage ended (CB-19 [MARENDHX4](#) = DK or RF)

***cmmarrhx5*** (515 - 518)

Century Month for Date of 5th Marriage

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 5 times (CA-1 [TIMESMAR](#) GE 5)

***HXAGEMAR5*** (519 - 520)

**CB-3:** How old was (5th HUSBAND) when you got married?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7640
LOW-24	UNDER 25 YEARS	0
25-44	25-44 YEARS	3
45-95	45 YEARS OR OLDER	0
98	REFUSED	0

NSFG Cycle 6 Female Respondent File Section C

99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 5 times (CA-1 [TIMESMAR](#) GE 5)

**cmhsbdbobx5** (521 - 523)

Century Month for 5th Husband's Date of Birth

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7640
LOW-840	BEFORE 1970	2
841-1239	1970 OR LATER	1
9998	REFUSED	0
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 5 times (CA-1 [TIMESMAR](#) GE 5)

**LVTOGHX5** (524 - 524)

**CB-5:** Some couples live together without being married. By living together, we mean having a sexual relationship while sharing the same usual address. Did you and (5th HUSBAND) live together before you got married?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	YES	1
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 5 times (CA-1 [TIMESMAR](#) GE 5)

***cmpmcohx5*** (525 - 528)

Century Month for Date When R Began Living (premaritally) with 5th husband (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported cohabiting with this partner before marriage (CB-5 [LVTOGHX5](#)=1)

***ENGAGHX5*** (529 - 529)

**CB-7:** At the time you began living together, were you and he engaged to be married or have definite plans to get married? (5th HUSBAND)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	YES	0
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported cohabiting with this partner before marriage (CB-5 [LVTOGHX5](#)=1)

***HISPHX5*** (530 - 530)

**CB-8:** (Is/Was) (5th HUSBAND) Hispanic or Latino, or of Spanish origin?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642

**NSFG Cycle 6 Female Respondent File Section C**

1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married to or separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 1 or 5 )

**RACEHX21** (531 - 531)

**CB-9:** Which of the groups on Card 2 describes (5th HUSBAND)'s racial background? Please select one or more groups. [1st MENTIONED]

<u>Value Label</u>	<u>Total</u>
. inapplicable	7642
1-3 OTHER RACE GROUPS	0
4 BLACK OR AFRICAN AMERICAN	0
5 WHITE	1
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married to or separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 1 or 5 )

**CHEDMARN5** (532 - 532)

**CB-11:** Please look at Card 11. What is the highest level of education (5th HUSBAND IF HE IS CURRENT OR SEPARATED) has completed?

<u>Value Label</u>	<u>Total</u>
. inapplicable	7642
1 LESS THAN HIGH SCHOOL	0
2 HIGH SCHOOL GRADUATE OR GED	0
3 SOME COLLEGE BUT NO DEGREE	0
4 2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	0
5 4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	1
6 GRADUATE OR PROFESSIONAL SCHOOL	0

NSFG Cycle 6 Female Respondent File Section C

Total

7643

**Universe:**

Applicable if R is currently married to or separated from this husband (marrcntr = CA-1 [TIMESMAR](#) and AB-1 MARSTAT = 1 or 5 )

**MARBEFH5** (533 - 533)

**CB-12:** At the time you and he were married, had (5th HUSBAND) been married before?

Value	Label	Total
.	inapplicable	7640
1	YES	3
5	NO	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has been married at least 5 times (CA-1 [TIMESMAR](#) GE 5)

**KIDSH5** (534 - 534)

**CB-13:** When you and he got married, did he have any children, either biological or adopted, from any previous relationships? (5th HUSBAND)

Value	Label	Total
.	inapplicable	7640
1	YES	2
5	NO	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has been married at least 5 times (CA-1 [TIMESMAR](#) GE 5)

**NUMKDSH5** (535 - 535)



NSFG Cycle 6 Female Respondent File Section C

**CB-14:** How many children did he have? (5th HUSBAND)

Value	Label	Total
.	INAPPLICABLE	7641
1	1 CHILD	0
2	2 CHILDREN	1
3-30	3 OR MORE CHILDREN	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported this partner had any children from a previous relationship (CB-13 [KIDSHX5](#) = 1)

**KIDLIVHX5** (536 - 536)

**CB-15:** Did (this child/any of his children from previous relationships) ever live with you and (5th HUSBAND)?

Value	Label	Total
.	inapplicable	7641
1	YES	1
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported this partner had any children from a previous relationship (CB-13 [KIDSHX5](#) = 1)

**cmmarrch** (537 - 540)

Century Month for Date of Marriage to Current Husband (Computed)

Value	Label	Total
.	inapplicable	4563
301-1164	BEFORE 1997	1812
1165-1239	JANUARY 1997 OR LATER	1261
9997	Not ascertained	1
9998	Refused	3

NSFG Cycle 6 Female Respondent File Section C

9999	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married (AB-1 MARSTAT = 1)

***cmdobch*** (541 - 544)

Century Month for Current Husband's Date of Birth (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	4563
LOW-840	BEFORE 1970	2030
841-1239	1970 OR LATER	1031
9997	Not ascertained	1
9998	REFUSED	5
9999	DON'T KNOW	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married (AB-1 MARSTAT = 1)

***prevhusb*** (545 - 545)

Number of former husbands (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	2944
0	NONE	3409
1	1 FORMER HUSBAND	1068
2-5	2 OR MORE FORMER HUSBANDS	222
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever married (fmarit = 1,2,3, or 4)

***cmstrtcp*** (546 - 549)

Century Month for date when R began cohabiting w/current partner

NSFG Cycle 6 Female Respondent File Section C

(Computed)

Value	Label	Total
.	inapplicable	6879
301-1164	BEFORE 1997	155
1165-1239	JANUARY 1997 OR LATER	600
9998	Refused	4
9999	Don't know	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported a current cohabiting partner, regardless of her formal marital status (manrel = 2 or AB-1 MARSTAT = 2)

**CPHERAGE** (550 - 551)

**CC-3:** How old were you when you began living with (CURRENT COHABITING PARTNER)?

Value	Label	Total
.	INAPPLICABLE	7583
LOW-17	UNDER 18 YEARS	8
18-44	18-44 YEARS	46
98	REFUSED	5
99	DON'T KNOW	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not report a specific mo/yr of cohab start ([cmstrtcp](#) = DK or RF) or (CC-1 WNSTRTCP\_M = 13 or 14 or 15 or 16)

**CPHISAGE** (552 - 553)

**CC-4:** How old was (CURRENT COHABITING PARTNER) when you began living together?

Value	Label	Total
.	INAPPLICABLE	6879

NSFG Cycle 6 Female Respondent File Section C

LOW-24 UNDER 25 YEARS	296
25-44 25-44 YEARS	412
45-95 45 YEARS OR OLDER	47
98 REFUSED	5
99 DON'T KNOW	4
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported a current cohabiting partner, regardless of her formal marital status (manrel = 2 or AB-1 MARSTAT = 2)

**cmdobcp** (554 - 557)

Century Month For Current Cohabiting Partner's Date Of Birth

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	6879
LOW-840	BEFORE 1970	309
841-1239	1970 OR LATER	444
9998	REFUSED	6
9999	DON'T KNOW	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported a current cohabiting partner, regardless of her formal marital status (manrel = 2 or AB-1 MARSTAT = 2)

**CPENGAG1** (558 - 558)

**CC-6:** At the time you began living together, were you and he engaged to be married or have definite plans to get married? (CURRENT COHABITING PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6879
1	YES	252
5	NO	509
8	Refused	2
9	Don't know	1

NSFG Cycle 6 Female Respondent File Section C

Total 7643

**Universe:**

Applicable if R reported a current cohabiting partner, regardless of her formal marital status (manrel = 2 or AB-1 MARSTAT = 2)

**WILLMARR** (559 - 559)

**CC-7:** Please look at Card 21. What is the chance that you and [CURRENT COHABITING PARTNER] will marry each other?

Value	Label	Total
.	inapplicable	6879
1	NO CHANCE	57
2	A LITTLE CHANCE	79
3	50-50 CHANCE	128
4	A PRETTY GOOD CHANCE	176
5	AN ALMOST CERTAIN CHANCE	318
8	Refused	3
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported a current cohabiting partner, regardless of her formal marital status (manrel = 2 or AB-1 MARSTAT = 2)

**CPHISP** (560 - 560)

**CC-8:** Is (CURRENT COHABITING PARTNER) Hispanic or Latino, or of Spanish origin?

Value	Label	Total
.	inapplicable	6879
1	YES	214
5	NO	549
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section C

Applicable if R reported a current cohabiting partner, regardless of her formal marital status (manrel = 2 or AB-1 MARSTAT = 2)

**CPRACE1** (561 - 561)

**CC-9:** Which of the groups on Card 2 describes (CURRENT COHABITING PARTNER)'s racial background? Please select one or more groups. [1st MENTIONED]

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6879
1-3	OTHER RACE GROUPS	76
4	BLACK OR AFRICAN AMERICAN	175
5	WHITE	510
8	Refused	2
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported a current cohabiting partner, regardless of her formal marital status (manrel = 2 or AB-1 MARSTAT = 2)

**CPRACE2** (562 - 562)

**CC-9:** Which of the groups on Card 2 describes (CURRENT COHABITING PARTNER)'s racial background? Please select one or more groups. [2nd MENTIONED]

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7623
1-3	OTHER RACE GROUPS	2
4	BLACK OR AFRICAN AMERICAN	3
5	WHITE	15
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 race for current cohabiting partner (see CC-9 [CPRACE1](#))

NSFG Cycle 6 Female Respondent File Section C

**CPBESTR** (563 - 563)

**CC-10:** Which of these groups, that is (RACES REPORTED FOR CURRENT COHABITING PARTNER), would you say best describes (CURRENT COHABITING PARTNER)'s racial background?

Value	Label	Total
.	inapplicable	7623
1-3	OTHER RACE GROUPS	7
4	BLACK OR AFRICAN AMERICAN	5
5	WHITE	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 race for current cohabiting partner (CC-9 [CPRACE2](#) ne BLANK)

**CPEDUC** (564 - 564)

**CC-11:** Please look at Card 11. What is the highest level of education (CURRENT COHABITING PARTNER) has completed?

Value	Label	Total
.	inapplicable	6879
1	LESS THAN HIGH SCHOOL	171
2	HIGH SCHOOL GRADUATE OR GED	273
3	SOME COLLEGE BUT NO DEGREE	147
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	50
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	85
6	GRADUATE OR PROFESSIONAL SCHOOL	29
8	Refused	1
9	Don't know	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported a current cohabiting partner, regardless of her formal marital status (manrel = 2 or AB-1 MARSTAT = 2)

**CPMARBEF** (565 - 565)

NSFG Cycle 6 Female Respondent File Section C

**CC-12:** Has (CURRENT COHABITING PARTNER) ever been married?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6879
1	YES	240
5	NO	522
8	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported a current cohabiting partner, regardless of her formal marital status (manrel = 2 or AB-1 MARSTAT = 2)

**CPKIDS** (566 - 566)

**CC-13:** When you and (CURRENT COHABITING PARTNER) first began living together, did he have any children, either biological or adopted, from any previous relationships?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6879
1	YES	267
5	NO	489
8	Refused	4
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported a current cohabiting partner, regardless of her formal marital status (manrel = 2 or AB-1 MARSTAT = 2)

**CPNUMKDS** (567 - 568)

**CC-14:** How many children did he have? (CURRENT COHABITING PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7376
1	1 CHILD	122



**NSFG Cycle 6 Female Respondent File Section C**

2	2 CHILDREN	75
3-30	3 OR MORE CHILDREN	69
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that her current cohabiting partner had any children from a previous relationship (CC-13 [CPKIDS=1](#))

**CPKIDLIV** (569 - 569)

**CC-15:** Did (this child/any of his children) ever live with you and (CURRENT COHABITING PARTNER)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7376
1	YES	60
5	NO	207
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that her current cohabiting partner had any children from a previous relationship (CC-13 [CPKIDS=1](#))

**CPKID18A** (570 - 570)

**CC-16a:** Is this child aged 18 years or younger now? (CURRENT COHABITING PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7521
1	YES	99
5	NO	22
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that her current cohabiting partner had 1 child from a previous relationship (CC-14 [CPNUMKDS=1](#))

**CPKID18B** (571 - 572)

**CC-16b:** How many, if any, of these [NUMBER FROM CC-14 CPNUMKDS] children, are aged 18 years or younger now? (CURRENT COHABITING PARTNER)

Value	Label	Total
.	INAPPLICABLE	7499
0	NONE	26
1-10	1 OR MORE CHILDREN	117
98	Refused	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R reported that her current cohabiting partner had more than 1 child from a previous relationship (CC-14 [CPNUMKDS](#) > 1)

**WHRCPKDS1** (573 - 573)

**CC-17:** Where does (this child (aged 18 or younger) / these (NUMBER FROM CC-16b CPKID18B) children aged 18 or younger) live now? In this household with you and (CURRENT COHABITING PARTNER), with his or her mother, with grandparents or other relatives, or somewhere else? [1st MENTIONED]

Value	Label	Total
.	inapplicable	7427
1	IN THIS HOUSEHOLD	30
2	WITH THEIR MOTHER	159
3	WITH GRANDPARENTS OR OTHER RELATIVES	14
4	SOMEWHERE ELSE	12
9	Don't know	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R reported that her current cohabiting partner had at least 1 child from a previous relationship who was 18 years or less (CC-16a [CPKID18A](#) = 1 or CC-16b [CPKID18B](#) >= 1)

**NSFG Cycle 6 Female Respondent File Section C**

**WHRCPKDS2** (574 - 574)

**CC-17:** Where does (this child (aged 18 or younger) / these (NUMBER FROM CC-16b CPKID18B) children aged 18 or younger) live now? In this household with you and (CURRENT COHABITING PARTNER), with his or her mother, with grandparents or other relatives, or somewhere else? [2nd MENTIONED]

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7618
1	IN THIS HOUSEHOLD	2
2	WITH THEIR MOTHER	7
3	WITH GRANDPARENTS OR OTHER RELATIVES	12
4	SOMEWHERE ELSE	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that current cohabiting partner's child (ren) from a previous relationship lived in more than 1 place (see CC-17 [WHRCPKDS1](#))

**SUPPORCP** (575 - 575)

**CC-18:** Does (CURRENT COHABITING PARTNER) regularly contribute to the financial support of (this child/these children)?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7446
1	YES	166
5	NO	29
8	Refused	1
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported current cohabiting partner's child(ren) who are 18 years or less live anyplace other than "in this household" (CC-17 [WHRCPKDS1](#)-4 includes codes 2 or 3 or 4)

**cmstrthp** (576 - 579)

Century Month for date R began living with current husband or cohab partner (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	3919
301-1164	BEFORE 1997	2200
1165-1239	JANUARY 1997 OR LATER	1517
9998	Refused	5
9999	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is married or cohabiting (AB-1 MARSTAT = 1 or 2)

**cmdobhp** (580 - 583)

Century Month for R's current husband or cohabiting partner's Date of Birth (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	6997
LOW-840	BEFORE 1970	258
841-1239	1970 OR LATER	384
9998	REFUSED	3
9999	DON'T KNOW	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is married or cohabiting (AB-1 MARSTAT = 1 or 2)

**evrcohab** (584 - 584)

Whether R has ever lived with a nonmarital partner (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	3906

NSFG Cycle 6 Female Respondent File Section C

5 NO 3737  
**Total 7643**

**Universe:**

Applicable for all respondents

**LIVEOTH** (585 - 585)

**CD-1:** (Not counting anyone we've already talked about/Besides (CHPNAME AND (fill in all husbands named in HUSBNAMEX)),) have you ever lived together with (any other/a) man?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	1687
5	NO	5949
8	Refused	6
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**HMOTHMEN** (586 - 587)

**CD-2:** With how many (other) men have you ever lived?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	5956
1	1 MAN	1176
2	2 MEN	360
3-95	3 OR MORE MEN	145
98	Refused	4
99	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported ever living with any (other) man (CD-1 [LIVEOTH](#) = 1)

**prevcohb** (588 - 589)

Number of former cohabiting partners (Computed)

Value	Label	Total
0	NONE	5962
1	1 FORMER COHABITING PARTNER	1176
2	2 FORMER COHABITING PARTNER	360
3-95	3 OR MORE FORMER COHABITING PARTNERS	145
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**cmcohstx** (590 - 593)

Century Month for Start Date of Cohabitation with R's 1st Former Partner (computed)

Value	Label	Total
.	inapplicable	5962
301-1164	BEFORE 1997	1140
1165-1239	JANUARY 1997 OR LATER	517
9998	Refused	3
9999	Don't know	21
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 1 or more former cohabiting partners ([prevcohb](#) > 0)

**HERAGECX** (594 - 595)

**CD-5:** How old were you when you began living with (1st FORMER COHAB PARTNER)?

Value	Label	Total
.	INAPPLICABLE	7162

**NSFG Cycle 6 Female Respondent File Section C**

LOW-17 UNDER 18 YEARS	106
18-44 18-44 YEARS	366
98 REFUSED	3
99 DON'T KNOW	6
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not report specific mo/yr when she began living together with 1st former cohabiting partner (([cmcohstx](#) = DK or RF) OR (CD-4 STRTOTHX\_M = 13 or 14 or 15 or 16))

**HISAGECX** (596 - 597)

**CD-6:** How old was he when you began living together? (1st FORMER COHAB PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	5962
LOW-24 UNDER 25 YEARS		961
25-44 25-44 YEARS		665
45-95 45 YEARS OR OLDER		27
98 REFUSED		2
99 DON'T KNOW		26
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R reported 1 or more former cohabiting partners ([prevcoh](#) > 0)

**cmdobcx** (598 - 601)

Century Month for 1st former cohabiting partner's Date of Birth (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	5962
LOW-840 BEFORE 1970		774
841-1239 1970 OR LATER		671
9998 REFUSED		3

**NSFG Cycle 6 Female Respondent File Section C**

9999	DON'T KNOW	233
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 1 or more former cohabiting partners  
([prevcohb](#) > 0)

**ENGAG1CX** (602 - 602)

**CD-8:** At the time you began living together in (M/Y corresponding to cmcohstx), were you and he engaged to be married or have definite plans to get married? (1st FORMER COHAB PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5962
1	YES	488
5	NO	1189
8	Refused	1
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 1 or more former cohabiting partners  
([prevcohb](#) > 0)

**HISPCX** (603 - 603)

**CD-9:** Was (1st FORMER COHAB PARTNER) Hispanic or Latino, or of Spanish origin?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5962
1	YES	325
5	NO	1353
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for R's 1st former cohab partner (cohbcntr=1)



**RACECX1** (604 - 604)

**CD-10:** Which of the groups on Card 2 describes (1st FORMER COHAB PARTNER)'s racial background? Please select one or more groups. [1st MENTIONED]

Value	Label	Total
.	inapplicable	5962
1-3	OTHER RACE GROUPS	131
4	BLACK OR AFRICAN AMERICAN	521
5	WHITE	1018
9	Don't know	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for R's 1st former cohab partner (cohbctr=1)

**RACECX2** (605 - 605)

**CD-10:** Which of the groups on Card 2 describes (1st FORMER COHAB PARTNER)'s racial background? Please select one or more groups. [2nd MENTIONED]

Value	Label	Total
.	inapplicable	7609
1-3	OTHER RACE GROUPS	5
4	BLACK OR AFRICAN AMERICAN	6
5	WHITE	23
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 race of 1st former cohab partner (see CD-10 [RACECX1](#))

**BSTRACCX** (606 - 606)

**CD-11:** Which of these groups, that is (RACES REPORTED FOR 1st FORMER COHAB PARTNER), would you say best describes his racial background?

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7609
1-3	OTHER RACE GROUPS	3
4	BLACK OR AFRICAN AMERICAN	12
5	WHITE	19
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's reported more than one race for her 1st former cohab partner (CD-10 [RACECX2](#) NE BLANK)

**MAREVCX** (607 - 607)

**CD-12:** When you began living together in (M/Y corresponding to cmcohstx), had (1ST FORMER COHAB PARTNER) ever been married?

Value	Label	Total
.	inapplicable	5962
1	YES	332
5	NO	1338
8	Refused	1
9	Don't know	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 1 or more former cohabiting partners ([prevcohb](#) > 0)

**CXKIDS** (608 - 608)

**CD-13:** When you and he began living together, did he have any children, either biological or adopted, from any previous relationships? (1st FORMER COHAB PARTNER)

Value	Label	Total
.	inapplicable	5962
1	YES	537

NSFG Cycle 6 Female Respondent File Section C

5	NO	1132
8	Refused	1
9	Don't know	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 1 or more former cohabiting partners  
([prevcohb](#) > 0)

**cmstpcohx** (609 - 612)

Century Month for Date when R stopped cohabiting with 1st former cohab partner

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	5962
301-1164	BEFORE 1997	868
1165-1239	JANUARY 1997 OR LATER	776
9998	Refused	5
9999	Don't know	32
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 1 or more former cohabiting partners  
([prevcohb](#) > 0)

**cmcohstx2** (613 - 616)

Century Month for Start Date of Cohabitation with R's 2nd Former Partner (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7138
301-1164	BEFORE 1997	288
1165-1239	JANUARY 1997 OR LATER	205
9998	Refused	2
9999	Don't know	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 2 or more former cohabiting partners  
([prevcohb](#) > 1)

**HERAGECX2** (617 - 618)

**CD-5:** How old were you when you began living with (2ND FORMER COHAB PARTNER)?

Value	Label	Total
.	INAPPLICABLE	7510
LOW-17	UNDER 18 YEARS	8
18-44	18-44 YEARS	117
98	REFUSED	2
99	DON'T KNOW	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not report specific mo/yr when she began living together with 2nd former cohabiting partner (([cmcohstx2](#) = DK or RF) OR (CD-4 STRTOTHX\_M2 = 13 or 14 or 15 or 16))

**HISAGECX2** (619 - 620)

**CD-6:** How old was he when you began living together? (2ND FORMER COHAB PARTNER)

Value	Label	Total
.	INAPPLICABLE	7138
LOW-24	UNDER 25 YEARS	183
25-44	25-44 YEARS	291
45-95	45 YEARS OR OLDER	16
98	REFUSED	2
99	DON'T KNOW	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 2 or more former cohab partners ([prevcohb](#) > 1)

**cmdobcx2** (621 - 624)

Century Month for 2nd former cohabiting partner's Date of Birth  
(Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7138
LOW-840	BEFORE 1970	242
841-1239	1970 OR LATER	163
9998	REFUSED	1
9999	DON'T KNOW	99
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 2 or more former cohabiting partners  
([prevcohb](#) > 1)

**ENGAG1CX2** (625 - 625)

**CD-8:** At the time you began living together in (M/Y corresponding to cmcohstx2), were you and he engaged to be married or have definite plans to get married? (2ND FORMER COHAB PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7138
1	YES	130
5	NO	372
8	Refused	1
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 2 or more former cohabiting partners  
([prevcohb](#) > 1)

**MAREVCX2** (626 - 626)

**CD-12:** When you began living together in (M/Y corresponding to cmcohstx2), had (2ND FORMER COHAB PARTNER) ever been married?

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7138
1	YES	139
5	NO	357
8	Refused	1
9	Don't know	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 2 or more former cohabiting partners ([prevcohb](#) > 1)

**CXKIDS2** (627 - 627)

**CD-13:** When you and he began living together, did he have any children, either biological or adopted, from any previous relationships? (2ND FORMER COHAB PARTNER)

Value	Label	Total
.	inapplicable	7138
1	YES	215
5	NO	283
8	Refused	1
9	Don't know	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 2 or more former cohabiting partners ([prevcohb](#) > 1)

**cmstpcohx2** (628 - 631)

Century Month for Date when R stopped cohabiting with 2nd former cohab partner (Computed)

Value	Label	Total
.	inapplicable	7138

NSFG Cycle 6 Female Respondent File Section C

301-1164	BEFORE 1997	197
1165-1239	JANUARY 1997 OR LATER	286
9997	Not ascertained	1
9998	Refused	4
9999	Don't know	17
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 2 or more former cohabiting partners  
([prevcohb](#) > 1)

**cmcohistx3** (632 - 635)

Center Month for Start Date of Cohabitation with R's 3rd Former Partner

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7498
301-1164	BEFORE 1997	76
1165-1239	JANUARY 1997 OR LATER	63
9998	Refused	1
9999	Don't know	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 3 or more former cohabiting partners  
([prevcohb](#) > 2)

**HERAGECX3** (636 - 637)

**CD-5:** How old were you when you began living with (3RD FORMER COHAB PARTNER)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7608
LOW-17	UNDER 18 YEARS	1
18-44	18-44 YEARS	28
98	REFUSED	1
99	DON'T KNOW	5

NSFG Cycle 6 Female Respondent File Section C

Total 7643

**Universe:**

Applicable if R did not report specific mo/yr when she began living together with 3rd former cohabiting partner (([cmcohstx3](#) = DK or RF) OR (CD-4 STRTOTHX\_M3 = 13 or 14 or 15 or 16))

**HISAGECX3** (638 - 639)

**CD-6:** How old was he when you began living together? (3RD FORMER COHAB PARTNER)

Value	Label	Total
.	INAPPLICABLE	7498
LOW-24	UNDER 25 YEARS	38
25-44	25-44 YEARS	94
45-95	45 YEARS OR OLDER	5
98	REFUSED	1
99	DON'T KNOW	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 3 or more former cohabiting partners ([prevcohb](#) > 2)

**cmdobcx3** (640 - 643)

Century Month for 3rd former cohabiting partner's Date of Birth

Value	Label	Total
.	INAPPLICABLE	7498
LOW-840	BEFORE 1970	76
841-1239	1970 OR LATER	39
9998	REFUSED	1
9999	DON'T KNOW	29
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 3 or more former cohabiting partners



NSFG Cycle 6 Female Respondent File Section C

([prevcohb](#) > 2)

**ENGAG1CX3** (644 - 644)

**CD-8:** At the time you began living together in (M/Y corresponding to cmcohstx3), were you and he engaged to be married or have definite plans to get married? (3RD FORMER COHAB PARTNER)

Value	Label	Total
.	inapplicable	7498
1	YES	33
5	NO	111
8	Refused	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R reported 3 or more former cohabiting partners ([prevcohb](#) > 2)

**MAREVCX3** (645 - 645)

**CD-12:** When you began living together in (M/Y corresponding to cmcohstx3), had (3RD FORMER COHAB PARTNER) ever been married?

Value	Label	Total
.	inapplicable	7498
1	YES	45
5	NO	97
8	Refused	1
9	Don't know	2
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R reported 3 or more former cohabiting partners ([prevcohb](#) > 2)

**CXKIDS3** (646 - 646)

**CD-13:** When you and he began living together, did he have any

**NSFG Cycle 6 Female Respondent File Section C**

children, either biological or adopted, from any previous relationships? (3RD FORMER COHAB PARTNER)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7498
1	YES	59
5	NO	85
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 3 or more former cohabiting partners ([prevcohb](#) > 2)

**cmstpcohx3** (647 - 650)

Century Month for Date when R stopped cohabiting with 3rd former cohab partner (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7498
301-1164	BEFORE 1997	48
1165-1239	JANUARY 1997 OR LATER	88
9998	Refused	2
9999	Don't know	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 3 or more former cohabiting partners ([prevcohb](#) > 2)

**cmcohstx4** (651 - 654)

Century Month for Start Date of Cohabitation with R's 4th Former Partner (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7602

**NSFG Cycle 6 Female Respondent File Section C**

301-1164	BEFORE 1997	19
1165-1239	JANUARY 1997 OR LATER	18
9998	Refused	1
9999	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 4 or more former cohabiting partners ([prevcohb](#) > 3)

**HERAGECX4** (655 - 656)

**CD-5:** How old were you when you began living with (4TH FORMER COHAB PARTNER)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7629
LOW-17	UNDER 18 YEARS	0
18-44	18-44 YEARS	11
98	REFUSED	2
99	DON'T KNOW	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not report specific mo/yr when she began living together with 4th former cohabiting partner (([cmcohstx4](#) = DK or RF) OR (CD-4 STRTOTHX\_M4 = 13 or 14 or 15 or 16))

**HISAGECX4** (657 - 658)

**CD-6:** How old was he when you began living together? (4TH FORMER COHAB PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7602
LOW-24	UNDER 25 YEARS	10
25-44	25-44 YEARS	27
45-95	45 YEARS OR OLDER	1
98	REFUSED	2

NSFG Cycle 6 Female Respondent File Section C

99	DON'T KNOW	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 4 or more former cohabiting partners  
([prevcohb](#) > 3)

**cmdobcx4** (659 - 662)

Century Month for 4th former cohabiting partner's Date of Birth  
(Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7602
LOW-840	BEFORE 1970	21
841-1239	1970 OR LATER	12
9998	REFUSED	2
9999	DON'T KNOW	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 4 or more former cohabiting partners  
([prevcohb](#) > 3)

**ENGAG1CX4** (663 - 663)

**CD-8:** At the time you began living together in (M/Y corresponding to cmcohstx4), were you and he engaged to be married or have definite plans to get married? (4TH FORMER COHAB PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7602
1	YES	6
5	NO	33
8	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 4 or more former cohabiting partners

([prevcohb](#) > 3)

**MAREVCX4** (664 - 664)

**CD-12:** When you began living together in (M/Y corresponding to cmcohstx4), had (4TH FORMER COHAB PARTNER) ever been married?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7602
1	YES	12
5	NO	27
8	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 4 or more former cohabiting partners ([prevcohb](#) > 3)

**CXKIDS4** (665 - 665)

**CD-13:** When you and he began living together, did he have any children, either biological or adopted, from any previous relationships? (4TH FORMER COHAB PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7602
1	YES	16
5	NO	23
8	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 4 or more former cohabiting partners ([prevcohb](#) > 3)

**cmstpcohx4** (666 - 669)

Century Month for Date when R stopped cohabiting with 4th former cohab partner (Computed)

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7602
301-1164	BEFORE 1997	16
1165-1239	JANUARY 1997 OR LATER	21
9998	Refused	3
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 4 or more former cohabiting partners  
([prevcohb](#) > 3)

**cmcohstx5** (670 - 673)

Century Month for Start Date of Cohabitation with R's 5th Former Partner (Computed)

Value	Label	Total
.	inapplicable	7623
301-1164	BEFORE 1997	9
1165-1239	JANUARY 1997 OR LATER	10
9998	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 5 or more former cohabiting partners  
([prevcohb](#) > 4)

**HERAGECX5** (674 - 675)

**CD-5:** How old were you when you began living with (5TH FORMER COHAB PARTNER)?

Value	Label	Total
.	INAPPLICABLE	7639
LOW-17	UNDER 18 YEARS	0
18-44	18-44 YEARS	3

NSFG Cycle 6 Female Respondent File Section C

98	REFUSED	1
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not report specific mo/yr when she began living together with 5th former cohabiting partner (([cmcohstx5](#) = DK or RF) OR (CD-4 STRTOTHX\_M5 = 13 or 14 or 15 or 16))

**HISAGECX5** (676 - 677)

**CD-6:** How old was he when you began living together? (5TH FORMER COHAB PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7623
LOW-24	UNDER 25 YEARS	2
25-44	25-44 YEARS	15
45-95	45 YEARS OR OLDER	2
98	REFUSED	1
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 5 or more former cohabiting partners ([prevcohb](#) > 4)

**cmdobcx5** (678 - 681)

Century Month for 5th former cohabiting partner's Date of Birth (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7623
LOW-840	BEFORE 1970	13
841-1239	1970 OR LATER	2
9998	REFUSED	1
9999	DON'T KNOW	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 5 or more former cohabiting partners  
([prevcohb](#) > 4)

**ENGAG1CX5** (682 - 682)

**CD-8:** At the time you began living together in (M/Y corresponding to cmcohstx5), were you and he engaged to be married or have definite plans to get married? (5TH FORMER COHAB PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7623
1	YES	3
5	NO	16
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 5 or more former cohabiting partners  
([prevcohb](#) > 4)

**MAREVCX5** (683 - 683)

**CD-12:** When you began living together in (M/Y corresponding to cmcohstx5), had (5TH FORMER COHAB PARTNER) ever been married?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7623
1	YES	6
5	NO	13
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 5 or more former cohabiting partners  
([prevcohb](#) > 4)

**CXKIDS5** (684 - 684)



NSFG Cycle 6 Female Respondent File Section C

**CD-13:** When you and he began living together, did he have any children, either biological or adopted, from any previous relationships? (5TH FORMER COHAB PARTNER)

Value	Label	Total
.	inapplicable	7623
1	YES	6
5	NO	13
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 5 or more former cohabiting partners ([prevcohb](#) > 4)

**cmstpcohx5** (685 - 688)

Century Month for Date when R stopped cohabiting with 5th former cohab partner (Computed)

Value	Label	Total
.	inapplicable	7623
301-1164	BEFORE 1997	7
1165-1239	JANUARY 1997 OR LATER	12
9998	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 5 or more former cohabiting partners ([prevcohb](#) > 4)

**cmcohstx6** (689 - 692)

Century Month for Start Date of Cohabitation with R's 6th Former Partner (Computed)

Value	Label	Total
.	inapplicable	7631

**NSFG Cycle 6 Female Respondent File Section C**

301-1164	BEFORE 1997	3
1165-1239	JANUARY 1997 OR LATER	7
9998	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 6 or more former cohabiting partners ([prevcohb](#) > 5)

**HERAGECX6** (693 - 694)

**CD-5:** How old were you when you began living with (6TH FORMER COHAB PARTNER)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7640
LOW-17	UNDER 18 YEARS	0
18-44	18-44 YEARS	1
98	REFUSED	2
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not report specific mo/yr when she began living together with 6th former cohabiting partner (([cmcohstx6](#) = DK or RF) OR (CD-4 STRTOTHX\_M6 = 13 or 14 or 15 or 16))

**HISAGECX6** (695 - 696)

**CD-6:** How old was he when you began living together? (6TH FORMER COHAB PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7631
LOW-24	UNDER 25 YEARS	2
25-44	25-44 YEARS	5
45-95	45 YEARS OR OLDER	2
98	REFUSED	3
99	DON'T KNOW	0

NSFG Cycle 6 Female Respondent File Section C

Total 7643

**Universe:**

Applicable if R reported 6 or more former cohabiting partners  
([prevcohb](#) > 5)

**cmdobcx6** (697 - 700)

Century Month for 6th former cohabiting partner's Date of Birth  
(Computed)

Value	Label	Total
.	INAPPLICABLE	7631
LOW-840	BEFORE 1970	4
841-1239	1970 OR LATER	3
9998	REFUSED	2
9999	DON'T KNOW	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 6 or more former cohabiting partners  
([prevcohb](#) > 5)

**ENGAG1CX6** (701 - 701)

**CD-8:** At the time you began living together in (M/Y corresponding to cmcohstx6), were you and he engaged to be married or have definite plans to get married? (6TH FORMER COHAB PARTNER)

Value	Label	Total
.	inapplicable	7631
1	YES	2
5	NO	7
8	Refused	2
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 6 or more former cohabiting partners

([prevcohb](#) > 5)

**MAREVCX6** (702 - 702)

**CD-12:** When you began living together in (M/Y corresponding to cmcohstx6), had (6TH FORMER COHAB PARTNER) ever been married?

Value	Label	Total
.	inapplicable	7631
1	YES	6
5	NO	3
8	Refused	2
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 6 or more former cohabiting partners ([prevcohb](#) > 5)

**CXKIDS6** (703 - 703)

**CD-13:** When you and he began living together, did he have any children, either biological or adopted, from any previous relationships? (6TH FORMER COHAB PARTNER)

Value	Label	Total
.	inapplicable	7631
1	YES	5
5	NO	4
8	Refused	2
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 6 or more former cohabiting partners ([prevcohb](#) > 5)

**cmstpcohx6** (704 - 707)

**NSFG Cycle 6 Female Respondent File Section C**

Century Month for Date when R stopped cohabiting with 6th former cohab partner (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7631
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	6
9998	Refused	2
9999	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 6 or more former cohabiting partners ([prevcohb](#) > 5)

***cmcohistx7*** (708 - 711)

Century Month for Start Date of Cohabitation with R's 7th Former Partner (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7639
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	2
9998	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 7 or more former cohabiting partners ([prevcohb](#) > 6)

***HERAGECX7*** (712 - 713)

**CD-5:** How old were you when you began living with (7TH FORMER COHAB PARTNER)?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7641

NSFG Cycle 6 Female Respondent File Section C

LOW-17 UNDER 18 YEARS	0
18-44 18-44 YEARS	1
98 REFUSED	1
99 DON'T KNOW	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not report specific mo/yr when she began living together with 7th former cohabiting partner (([cmcohstx7](#) = DK or RF) OR (CD-4 STRTOTHX\_M7+D363 = 13 or 14 or 15 or 16))

**HISAGECX7** (714 - 715)

**CD-6:** How old was he when you began living together? (7TH FORMER COHAB PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7639
LOW-24 UNDER 25 YEARS		1
25-44 25-44 YEARS		2
45-95 45 YEARS OR OLDER		0
98 REFUSED		1
99 DON'T KNOW		0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R reported 7 or more former cohabiting partners ([prevcohb](#) > 6)

**cmdobcx7** (716 - 719)

Century Month for 7th former cohabiting partner's Date of Birth (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7639
LOW-840 BEFORE 1970		0
841-1239 1970 OR LATER		2
9998 REFUSED		1

NSFG Cycle 6 Female Respondent File Section C

9999 DON'T KNOW 1  
**Total 7643**

**Universe:**

Applicable if R reported 7 or more former cohabiting partners  
 ([prevcohb](#) > 6)

**ENGAG1CX7** (720 - 720)

**CD-8:** At the time you began living together in (M/Y corresponding to cmcohstx7), were you and he engaged to be married or have definite plans to get married? (7TH FORMER COHAB PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1	YES	1
5	NO	2
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 7 or more former cohabiting partners  
 ([prevcohb](#) > 6)

**MAREVCX7** (721 - 721)

**CD-12:** When you began living together in (M/Y corresponding to cmcohstx7), had (7TH FORMER COHAB PARTNER) ever been married?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1	YES	1
5	NO	2
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 7 or more former cohabiting partners  
 ([prevcohb](#) > 6)

**CXKIDS7** (722 - 722)

**CD-13:** When you and he began living together, did he have any children, either biological or adopted, from any previous relationships? (7TH FORMER COHAB PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1	YES	2
5	NO	1
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 7 or more former cohabiting partners ([prevcohb](#) > 6)

**cmstpcohx7** (723 - 726)

Century Month for Date when R stopped cohabiting with 7th former cohab partner (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	2
9998	Refused	1
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 7 or more former cohabiting partners ([prevcohb](#) > 6)

**cmcohstx8** (727 - 730)

Century Month for Start Date of Cohabitation with R's 8th Former Partner (Computed)



NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7641
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	0
9998	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 8 or more former cohabiting partners ([prevcohb](#) > 7)

**HERAGECX8** (731 - 732)

**CD-5:** How old were you when you began living with (8TH FORMER COHAB PARTNER)?

Value	Label	Total
.	INAPPLICABLE	7642
LOW-17	UNDER 18 YEARS	0
18-44	18-44 YEARS	0
98	REFUSED	1
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not report specific mo/yr when she began living together with 8th former cohabiting partner (([cmcohstx8](#) = DK or RF) OR (CD-4 STRTOTHX\_M8 = 13 or 14 or 15 or 16))

**HISAGECX8** (733 - 734)

**CD-6:** How old was he when you began living together? (8TH FORMER COHAB PARTNER)

Value	Label	Total
.	INAPPLICABLE	7641
LOW-24	UNDER 25 YEARS	0
25-44	25-44 YEARS	1

**NSFG Cycle 6 Female Respondent File Section C**

45-95	45 YEARS OR OLDER	0
98	REFUSED	1
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 8 or more former cohabiting partners  
([prevcohb](#) > 7)

***cmdobcx8*** (735 - 738)

Century Month for 8th former cohabiting partner's Date of Birth  
(Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7641
LOW-840	BEFORE 1970	1
841-1239	1970 OR LATER	0
9998	REFUSED	1
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 8 or more former cohabiting partners  
([prevcohb](#) > 7)

***ENGAG1CX8*** (739 - 739)

**CD-8:** At the time you began living together in (M/Y corresponding to cmcohstx8), were you and he engaged to be married or have definite plans to get married? (8TH FORMER COHAB PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	YES	0
5	NO	1
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 8 or more former cohabiting partners  
([prevcoh](#) > 7)

**MAREVCX8** (740 - 740)

**CD-12:** When you began living together in (M/Y corresponding to cmcohstx8), had (8TH FORMER COHAB PARTNER) ever been married?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	YES	0
5	NO	1
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 8 or more former cohabiting partners  
([prevcoh](#) > 7)

**CXKIDS8** (741 - 741)

**CD-13:** When you and he began living together, did he have any children, either biological or adopted, from any previous relationships? (8TH FORMER COHAB PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	YES	1
5	NO	0
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 8 or more former cohabiting partners  
([prevcoh](#) > 7)

**cmstpcohx8** (742 - 745)

**NSFG Cycle 6 Female Respondent File Section C**

Century Month for Date when R stopped cohabiting with 8th former cohab partner (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	1
9998	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported 8 or more former cohabiting partners ([prevcohb](#) > 7)

***rhadsex*** (746 - 746)

Whether R Has Ever Had Sex (Heterosexual Vaginal Intercourse) (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	6785
5	NO	858
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***EVERSEX*** (747 - 747)

**CE-1:** At any time in your life, have you ever had sexual intercourse with a man, that is, made love, had sex, or gone all the way?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	5927
1	YES	858
5	NO	850
8	Refused	8

**NSFG Cycle 6 Female Respondent File Section C**

**Total**                    **7643**

**Universe:**

Applicable if R has never been married, never cohabited, and never been pregnant (fmarit = 5 or 0 and [evrcohab](#) = 5 and everpreg = 5 )

**YNOSEX** (748 - 748)

**CE-2:** As you know, some people have had sexual intercourse by your age and others have not. Please look at Card 22 which lists some reasons that people give for not having sexual intercourse. What would you say is the most important reason why you have not had sexual intercourse up to now?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6785
1	AGAINST RELIGION OR MORALS	347
2	DON'T WANT TO GET PREGNANT	125
3	DON'T WANT TO GET SEXUALLY TRANSMITTED DISEASE	59
4	HAVEN'T FOUND RIGHT PERSON YET	176
5	IN A RELATIONSHIP, BUT WAITING FOR THE RIGHT TIME	48
6	OTHER	99
8	Refused	3
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has never had sex with a man ([rhadsex](#) = 5)

**cmfstsex** (749 - 752)

Century Month for Date of First Sexual Intercourse (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	857
301-1164	BEFORE 1997	5327
1165-1239	JANUARY 1997 OR LATER	1326
9996	R INSISTS SHE HAS NEVER HAD SEX	3
9998	REFUSED	48

NSFG Cycle 6 Female Respondent File Section C

9999	DON'T KNOW	82
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported ever having sex with a man ([rhadsex](#) = 1)

**AGEFSTSX** (753 - 754)

**CE-4:** That very first time that you had sexual intercourse with a man, how old were you?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	860
0-14	UNDER 15 YEARS	1027
15-17	15-17 YEARS	3103
18-19	18-19 YEARS	1328
20-44	20 YEARS OR OLDER	1266
98	Refused	29
99	Don't know	30
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported ever having sex with a man ([rhadsex](#) = 1)

**C\_SEX18** (755 - 755)

**CE-5:** Were you less than 18 years old or were you 18 years or older?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7584
1	LESS THAN 18 YEARS	31
2	18 YEARS OR OLDER	13
8	Refused	11
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R she did not know or refused to report her age at

NSFG Cycle 6 Female Respondent File Section C

first sex with a man (CE-4 [AGEFSTSX](#) = DK/RF)

**C\_SEX15** (756 - 756)

**CE-6:** Were you less than 15 years old or were you 15 or older?

Value	Label	Total
.	inapplicable	7612
1	LESS THAN 15 YEARS	15
2	15 YEARS OR OLDER	14
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R she did not know or refused to report her age at first sex with a man (CE-4 [AGEFSTSX](#) = DK/RF) but was less than 18 (CE-5 [C\\_SEX18](#) = 1 or DK)

**C\_SEX20** (757 - 757)

**CE-7:** Were you less than 20 years old or were you 20 or older?

Value	Label	Total
.	inapplicable	7615
1	LESS THAN 20 YEARS	7
2	20 YEARS OR OLDER	5
8	Refused	13
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R she did not know or refused to report her age at first sex with a man (CE-4 [AGEFSTSX](#) = DK/RF) but was older than 18 (CE-5 [C\\_SEX18](#) = 2)

**GRFSTSX** (758 - 759)

**CE-8:** What grade or year of school were you in that first time you had intercourse with a male?

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	INAPPLICABLE	3472
1-6	BEFORE 7TH GRADE	136
7	7TH GRADE	206
8	8TH GRADE	385
9	9TH GRADE	811
10	10TH GRADE	999
11	11TH GRADE	885
12	12TH GRADE	429
13-16	IN COLLEGE	53
96	NOT IN SCHOOL	225
98	Refused	23
99	Don't know	19
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported her age at 1st sex was less than 18 years (CE-4 [AGEFSTSX](#) le 17 or (CE-4 [AGEFSTSX](#) = DK/RF and CE-5 [C\\_SEX18](#) = 2))

**SXMTONCE** (760 - 760)

**CE-9:** Have you had sexual intercourse more than once?

Value	Label	Total
.	inapplicable	6331
1	YES	1234
5	NO	75
8	Refused	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever had sex with a man ([rhadsex](#) = 1) but has never been married and never cohabited ([fmarit](#) = 0 or 5 and [evrcohab](#) = 5)

**TALKPAR1** (761 - 761)



**NSFG Cycle 6 Female Respondent File Section C**

**CF-1:** The next questions are about how you learned about sex and birth control. (Before you were 18 years old,) which, if any, of the topics shown on Card 23 (did you ever talk/have you ever talked) with a parent or guardian about? [1st MENTIONED]

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6493
1	HOW TO SAY NO TO SEX	596
2	METHODS OF BIRTH CONTROL	134
3	WHERE TO GET BIRTH CONTROL	15
4	SEXUALLY TRANSMITTED DISEASES	54
5	HOW TO USE A CONDOM	10
6	NONE OF THE ABOVE	341
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R was less than 20 years of age at time of screener (agescrn LE 19)

**TALKPAR2** (762 - 762)

**CF-1:** The next questions are about how you learned about sex and birth control. (Before you were 18 years old,) which, if any, of the topics shown on Card 23 (did you ever talk/have you ever talked) with a parent or guardian about? [2nd MENTIONED]

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6971
1	HOW TO SAY NO TO SEX	25
2	METHODS OF BIRTH CONTROL	410
3	WHERE TO GET BIRTH CONTROL	88
4	SEXUALLY TRANSMITTED DISEASES	130
5	HOW TO USE A CONDOM	19
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 sex education topic discussed with parents (see CF-1 [TALKPAR1](#))

**TALKPAR3** (763 - 763)

**CF-1:** The next questions are about how you learned about sex and birth control. (Before you were 18 years old,) which, if any, of the topics shown on Card 23 (did you ever talk/have you ever talked) with a parent or guardian about? [3rd MENTIONED]

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7127
1	HOW TO SAY NO TO SEX	15
2	METHODS OF BIRTH CONTROL	28
3	WHERE TO GET BIRTH CONTROL	313
4	SEXUALLY TRANSMITTED DISEASES	123
5	HOW TO USE A CONDOM	37
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 2 sex education topics discussed with parents (see CF-1 [TALKPAR1](#))

**TALKPAR4** (764 - 764)

**CF-1:** The next questions are about how you learned about sex and birth control. (Before you were 18 years old,) which, if any, of the topics shown on Card 23 (did you ever talk/have you ever talked) with a parent or guardian about? [4th MENTIONED]

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7290
1	HOW TO SAY NO TO SEX	8
2	METHODS OF BIRTH CONTROL	5
3	WHERE TO GET BIRTH CONTROL	10
4	SEXUALLY TRANSMITTED DISEASES	288
5	HOW TO USE A CONDOM	42
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 3 sex education topics discussed with parents (see CF-1 [TALKPAR1](#))

**TALKPAR5** (765 - 765)

**CF-1:** The next questions are about how you learned about sex and birth control. (Before you were 18 years old,) which, if any, of the topics shown on Card 23 (did you ever talk/have you ever talked) with a parent or guardian about? [5th MENTIONED]

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7407
1	HOW TO SAY NO TO SEX	6
2	METHODS OF BIRTH CONTROL	3
3	WHERE TO GET BIRTH CONTROL	4
4	SEXUALLY TRANSMITTED DISEASES	2
5	HOW TO USE A CONDOM	221
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 4 sex education topics discussed with parents (see CF-1 [TALKPAR1](#))

**SEDNO** (766 - 766)

**CF-2:** Now I'm interested in knowing about formal sex education you may have had. (Before you were 18, did you ever have/ Have you ever had) any formal instruction at school, church, a community center or some other place about how to say no to sex?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6493
1	YES	982
5	NO	168
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R was less than 20 years of age at time of screener (agescrn LE 19)

**SEDNOG** (767 - 768)

**NSFG Cycle 6 Female Respondent File Section C**

**CF-3:** What grade were you in when you first received instruction on how to say no to sex?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6661
1-4	< 5TH GRADE	40
5	5TH GRADE	173
6	6TH GRADE	219
7	7TH GRADE	196
8	8TH GRADE	155
9	9TH GRADE	137
10-12	10TH THRU 12TH GRADES	60
96	NOT IN SCHOOL AT THE TIME OF INSTRUCTION	2
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R reported receiving instruction about how to say no to sex (CF-2 [SEDNO](#)=1)

**SEDNOSX** (769 - 769)

**CF-4:** Did you receive instruction about how to say no to sex before or after the first time you had sex?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7607
1	BEFORE	28
2	AFTER	8
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had sex with man ([rhadsex](#)=1) and it is not apparent whether instruction on this topic came before or after R first had sex with a man ((CE-8 [GRFSTSX](#) NE 96 or DK or RF and CE-8 [GRFSTSX](#) = CF-3 [SEDNOG](#)) or (CE-8 [GRFSTSX](#) = DK/RF or CF-3 [SEDNOG](#) = DK/RF))

**SEDBC** (770 - 770)

**NSFG Cycle 6 Female Respondent File Section C**

**CF-5:** (Before you were 18, did you ever have/ Have you ever had) any formal instruction at school, church, a community center or some other place about methods of birth control?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6493
1	YES	808
5	NO	342
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R was less than 20 years of age at time of screener (agescrn LE 19)

**SEDBCG** (771 - 772)

**CF-6:** What grade were you in when you first received instruction on methods of birth control?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6835
1-4	< 5TH GRADE	13
5	5TH GRADE	61
6	6TH GRADE	106
7	7TH GRADE	140
8	8TH GRADE	148
9	9TH GRADE	212
10-12	10TH THRU 12TH GRADES	121
96	NOT IN SCHOOL AT THE TIME OF INSTRUCTION	6
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving instruction about methods of birth control (CF-5 [SEDBC=1](#))

**SEDBCSX** (773 - 773)

**CF-7:** Did you receive instruction about methods of birth control

**NSFG Cycle 6 Female Respondent File Section C**

before or after the first time you had sex?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7584
1	BEFORE	36
2	AFTER	23
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had sex with man ([rhadsex](#)=1) and it is not apparent whether instruction on this topic came before or after R first had sex with a man ((CE-8 [GRFSTSX](#) NE 96 or DK or RF and CE-8 [GRFSTSX](#) = CF-6 [SEDBCG](#)) or (CE-8 [GRFSTSX](#) = DK/RF or CF-6 [SEDBCG](#) = DK/RF))

**PLEDGE** (774 - 774)

**CF-8:** (Did you ever take/Have you ever taken) a public or written pledge to remain a virgin until marriage?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6493
1	YES	149
5	NO	999
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R was less than 20 years of age at time of screener ([agescrn](#) LE 19)

**SAMEMAN** (775 - 775)

**CG-2:** Please look at this screen. Is (FIRST PARTNER) someone we talked about earlier? That is, was he someone you've been married to or lived with?

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

NSFG Cycle 6 Female Respondent File Section C

.	inapplicable	2184
1	YES	2125
5	NO	3324
8	Refused	8
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been married or ever cohabited (fmarit = 1 or 2 or 3 or 4 or [evrcohab](#) = 1)

**FPAGE** (776 - 777)

**CG-4:** How old was (FIRST PARTNER) when you had sexual intercourse with him that first time?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	1061
0-14	UNDER 15 YEARS	185
15-17	15-17 YEARS	1859
18-19	18-19 YEARS	1631
20-95	20 YEARS OR OLDER	2733
98	REFUSED	30
99	DON'T KNOW	144
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is 18 years or older (age\_r GE 18) and R has ever had sex with a man ([rhadsex](#)=1)

**FPRELAGE** (778 - 778)

**CG-4b:** Was he older than you, younger than you, or the same age? (FIRST PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7469
1	OLDER	123
2	YOUNGER	5

NSFG Cycle 6 Female Respondent File Section C

3	SAME AGE	19
8	Refused	16
9	Don't know	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not know or refused to report her first sexual partner's age at time of first sex (CG-4 [FPAGE](#) = DK/RF)

**FPRELYRS** (779 - 779)

**CG-4c:** By how many years? (FIRST PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7515
1	1-2 YEARS	26
2	3-5 YEARS	40
3	6-10 YEARS	23
4	MORE THAN 10 YEARS	21
8	Refused	5
9	Don't know	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reports her first sexual partner at time of first sex was either older or younger than herself (CG-4b [FPRELAGE](#) = 1 OR 2)

**KNOWFP** (780 - 781)

**CG-5:** Please look at Card 24. At the time you first had sexual intercourse with (FIRST PARTNER), how would you describe your relationship with him?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
1	MARRIED TO HIM	580
2	ENGAGED TO HIM	320
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	186



**NSFG Cycle 6 Female Respondent File Section C**

4	GOING WITH HIM OR GOING STEADY	4115
5	GOING OUT WITH HIM ONCE IN A WHILE	504
6	JUST FRIENDS	653
7	HAD JUST MET HIM	151
8	SOMETHING ELSE	251
98	REFUSED	21
99	DON'T KNOW	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sex with a man ([rhadsex](#) = 1)

**STILFPSX** (782 - 782)

**CG-6:** Do you consider him to be a current sexual partner? (FIRST PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	4677
1	YES	299
5	NO	2658
8	Refused	7
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is not currently married or cohabiting (AB-1 MARSTAT NE 1 or 2), but she has been ever been married or ever cohabited (fmarit=1,2,3,4 or [evrcohab](#)=1 and CG-2 [SAMEMAN](#) NE blank)

**cmlsexfp** (783 - 786)

Century Month for Date of Last Sex With 1st Sexual Partner (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	858
301-1164	BEFORE 1997	3590
1165-1239	JANUARY 1997 OR LATER	2695

**NSFG Cycle 6 Female Respondent File Section C**

9996	ONLY HAD SEX ONCE WITH THIS PARTNER	288
9998	REFUSED	63
9999	DON'T KNOW	149
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever had sex with a man ([rhadsex](#) = 1)

***cmfplast*** (787 - 790)

Century Month for Date of Last or Only Sex With 1st Sexual Partner  
(Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
301-1164	BEFORE 1997	3843
1165-1239	JANUARY 1997 OR LATER	2725
9998	Refused	64
9999	Don't know	153
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever had sex with a man ([rhadsex](#) = 1)

***WHICH1ST*** (791 - 791)

**CG-8:** Which came first, your first sexual intercourse or your first menstrual period?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7335
1	SEXUAL INTERCOURSE	57
2	MENSTRUAL PERIOD	246
8	Refused	1
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's age at first sex is equal to her age at 1st

NSFG Cycle 6 Female Respondent File Section C

period (CE-5 [AGEFSTSX](#) = BA-1 MENARCHE)

**SEXAFMEN** (792 - 792)

**CG-9:** Since your first menstrual period, have you had sexual intercourse?

Value	Label	Total
.	inapplicable	7613
1	YES	25
5	NO	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R first had sex before menarche ( CE-5 [AGEFSTSX](#) LT BA-1 MENARCHE or CG-8 [WHICH1ST](#)=1) and she has never been married, never been pregnant, and never cohabited (chpname = BLANK and everpreg = 5 and [evrcohab](#) = 5)

**cmsexafm** (793 - 796)

Century Month for Date of 1st Sex After Menarche (Computed)

Value	Label	Total
.	INAPPLICABLE	7388
301-1164	BEFORE 1997	178
1165-1239	JANUARY 1997 OR LATER	17
9996	R INSISTS SHE HAS NOT HAD SEX SINCE MENARCHE	2
9998	REFUSED	26
9999	DON'T KNOW	32
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that she has had sex since menarche (CG-9 [SEXAFMEN](#)=1), or her 1st sex was before menarche (CE-5 [AGEFSTSX](#) LT BA-1 MENARCHE) but she ever been married, ever been pregnant, or ever cohabited (chpname NE blank or everpreg=1 or [evrcohab](#)=1)

**AGESXAFM** (797 - 798)

NSFG Cycle 6 Female Respondent File Section C

**CG-11:** Thinking back after your first menstrual period, how old were you when you had sexual intercourse for the first time?

Value	Label	Total
.	INAPPLICABLE	7448
0-14	UNDER 15 YEARS	73
15-17	15-17 YEARS	90
18-19	18-19 YEARS	21
20-44	20 YEARS OR OLDER	6
98	Refused	2
99	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not report exact month and year of her first sex after menarche ([cmsexafm](#) ne BLANK and ([cmsexafm](#) < 9996 or [cmsexafm](#) = DK or RF)

**AFMEN18** (799 - 799)

**CG-12:** Were you less than 18 years old or were you 18 years or older?

Value	Label	Total
.	inapplicable	7640
1	LESS THAN 18 YEARS	2
2	18 YEARS OR OLDER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not know her age of first sex after menarche (CG-11 [AGESXAFM](#) = DK)

**AFMEN15** (800 - 800)

**CG-13:** Were you less than 15 years old or were you 15 or older?

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7641
1	LESS THAN 15 YEARS	0
2	15 YEARS OR OLDER	1
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported age of 1st sex after menarche was less than 18 years or did not know her age of 1st sex after menarche (CG-12 [AFMEN18](#) = 1 or DK)

**AFMEN20** (801 - 801)

**CG-14:** Were you less than 20 years old or were you 20 or older?

Value	Label	Total
.	inapplicable	7642
1	LESS THAN 20 YEARS	0
2	20 YEARS OR OLDER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported age of first sex after menarche was 18 years or older (CG-12 [AFMEN18](#) = 2)

**LIFEPRT** (802 - 804)

**CH-1:** Counting all your male sexual partners, even those you had intercourse with only once, how many men have you had sexual intercourse with in your life?

Value	Label	Total
.	inapplicable	858
1	1 PARTNER	1570
2	2 PARTNERS	829
3	3 PARTNERS	757
4	4 PARTNERS	648
5	5 PARTNERS	677

**NSFG Cycle 6 Female Respondent File Section C**

6	6 PARTNERS	387
7	7 PARTNERS	275
8	8 PARTNERS	213
9	9 PARTNERS	112
10-19	10-19 PARTNERS	743
20-49	20-49 PARTNERS	310
50	50 OR MORE PARTNERS	57
998	Refused	104
999	Don't know	103
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever had sex with a man ([rhadsex](#) = 1) (This variable has been recoded for the Public Use File)

***LIFEPRT\_LO*** (805 - 807)

**CH-1b:** (ENTER LOWER BOUND OF RANGE FOR NUMBER OF MALE PARTNERS IN LIFETIME.)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7436
1	1 PARTNER	22
2	2 PARTNERS	7
3	3 PARTNERS	8
4	4 PARTNERS	10
5	5 PARTNERS	15
6	6 PARTNERS	3
7	7 PARTNERS	6
8	8 PARTNERS	2
9	9 PARTNERS	4
10-19	10-19 PARTNERS	29
20-49	20-49 PARTNERS	18
50	50 OR MORE PARTNERS	10
998	Refused	52
999	Don't know	21
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not know or refused to report the number of

**NSFG Cycle 6 Female Respondent File Section C**

male sexual partners she had in her lifetime (CH-1 [LIFEPRT](#) = DK or RF) (This variable has been recoded for the Public Use File)

***LIFEPRT\_HI*** (808 - 810)

**CH-1c:** (ENTER UPPER BOUND OF RANGE FOR NUMBER OF MALE PARTNERS IN LIFETIME.)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7436
1	1 PARTNER	0
2	2 PARTNERS	8
3	3 PARTNERS	7
4	4 PARTNERS	5
5	5 PARTNERS	13
6	6 PARTNERS	7
7	7 PARTNERS	6
8	8 PARTNERS	2
9	9 PARTNERS	2
10-19	10-19 PARTNERS	39
20-49	20-49 PARTNERS	28
50	50 OR MORE PARTNERS	15
998	Refused	53
999	Don't know	22
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not know or refused to report the number of male sexual partners she had in her lifetime (CH-1 [LIFEPRT](#) = DK or RF) (This variable has been recoded for the Public Use File)

***MON12PRT*** (811 - 813)

**CH-2:** During the last 12 months, that is, since (M/Y of 1 YR before INTERVIEW DATE), how many men, if any, have you had sexual intercourse with? Please count every male sexual partner, even those you had sex with only once.

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

NSFG Cycle 6 Female Respondent File Section C

.	INAPPLICABLE	858
0	NONE	570
1	1 PARTNER	5330
2	2 PARTNERS	528
3	3 PARTNERS	190
4-20	4-20 PARTNERS	146
998	Refused	17
999	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever had sex with a man ([rhadsex](#) = 1)

**MON12PRT\_LO** (814 - 816)

**CH-2b:** (ENTER LOWER BOUND OF RANGE FOR NUMBER OF MALE PARTNERS IN LAST 12 MONTHS.)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7622
0	NONE	0
1	1 PARTNER	4
2	2 PARTNERS	1
3	3 PARTNERS	0
4-20	4-20 PARTNERS	0
998	Refused	13
999	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not know or refused to report the number of male sexual partners she had in the last 12 months (CH-2 [MON12PRT](#) = DK or RF)

**MON12PRT\_HI** (817 - 819)

**CH-2c:** (ENTER UPPER BOUND OF RANGE FOR NUMBER OF MALE PARTNERS IN LAST 12 MONTHS.)



NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	INAPPLICABLE	7622
0	NONE	0
1	1 PARTNER	0
2	2 PARTNERS	3
3	3 PARTNERS	1
4-20	4-20 PARTNERS	1
998	Refused	13
999	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not know or refused to report the number of male sexual partners she had in the last 12 months (CH-2 [MON12PRT](#) = DK or RF)

**parts12** (820 - 821)

Number of Partners in Last 12 Months (Computed)

Value	Label	Total
.	INAPPLICABLE	858
0	NONE	570
1	1 PARTNER	5330
2	2 PARTNERS	528
3	3 PARTNERS	190
4-20	4-20 PARTNERS	146
98	Refused	18
99	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever had sex with a man ([rhadsex](#) = 1)

**PTSB4MAR** (822 - 823)

**CH-3:** Including your (former) husband, how many male sexual partners did you have before you got married (the first time)?

**NSFG Cycle 6 Female Respondent File Section C**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	3517
0	NONE	605
1	1 PARTNER	1194
2	2 PARTNERS	525
3	3 PARTNERS	414
4	4 PARTNERS	324
5	5 PARTNERS	260
6	6 PARTNERS	138
7	7 PARTNERS	100
8	8 PARTNERS	78
9	9 PARTNERS	54
10-19	10-19 PARTNERS	266
20-49	20-49 PARTNERS	92
50	50 OR MORE PARTNERS	12
98	Refused	32
99	Don't know	32
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been married (fmarit = 1 or 2 or 3 or 4)  
 (This variable has been recoded for the Public Use File)

***PTSB4MAR\_LO*** (824 - 825)

**CH-3b:** (ENTER LOWER BOUND OF RANGE FOR NUMBER OF MALE PARTNERS BEFORE MARRIAGE.)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7579
0	NONE	0
1	1 PARTNER	11
2	2 PARTNERS	0
3	3 PARTNERS	0
4	4 PARTNERS	1
5	5 PARTNERS	2
6	6 PARTNERS	1
7	7 PARTNERS	3
8	8 PARTNERS	0

**NSFG Cycle 6 Female Respondent File Section C**

9	9 PARTNERS	1
10-19	10-19 PARTNERS	7
20-49	20-49 PARTNERS	1
50	50 OR MORE PARTNERS	0
98	Refused	25
99	Don't know	12
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not know or refused to report the number of male sexual partners she had before her first marriage (CH-3 [PTSB4MAR](#) = DK or RF) (This variable has been recoded for the Public Use File)

***PTSB4MAR\_HI*** (826 - 827)

**CH-3c:** (ENTER UPPER BOUND OF RANGE FOR NUMBER OF MALE PARTNERS BEFORE MARRIAGE.)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7579
0	NONE	0
1	1 PARTNER	0
2	2 PARTNERS	6
3	3 PARTNERS	1
4	4 PARTNERS	0
5	5 PARTNERS	3
6	6 PARTNERS	1
7	7 PARTNERS	0
8	8 PARTNERS	1
9	9 PARTNERS	1
10-19	10-19 PARTNERS	13
20-49	20-49 PARTNERS	3
50	50 OR MORE PARTNERS	0
98	Refused	23
99	Don't know	12
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R could not report the number of her sexual partners

**NSFG Cycle 6 Female Respondent File Section C**

before her first marriage (CH-3 [PTSB4MAR](#) = DK or RF) (This variable has been recoded for the Public Use File)

**WHOSNC1Y** (828 - 828)

**CI-1:** You mentioned that you have had one sexual partner since (M/Y of 1 YR before INTERVIEW DATE). Is that (CURRENT HUSBAND/PARTNER)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5180
1	YES	2450
5	NO	11
8	Refused	1
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R had only 1 partner in last 12 months and R is currently married or cohabiting ([parts12](#)=1 and AB-1 MARSTAT=1 or 2)

**TALKALL** (829 - 829)

**CI-3:** Have we already talked about (PRT1YNAMEX)? That is, is he your first partner, (or have you been married to or lived with him)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5140
1	YES	1129
5	NO	1370
8	Refused	1
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had 2 or more partners in the last 12 months ([parts12](#) GE 2), or if R only had 1 partner in the last 12 months, but he was not her current husband or cohabiting partner

NSFG Cycle 6 Female Respondent File Section C

([parts12](#)=1 and CI-1 [WHOSNC1Y](#) NE 1)

**P1YRAGE** (830 - 831)

**CI-5:** Thinking now of (1st REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3166
0-17	UNDER 18 YEARS	461
18-19	18-19 YEARS	584
20-24	20-24 YEARS	1374
25-34	25-34 YEARS	1538
35-44	35-44 YEARS	490
98	Refused	12
99	Don't know	18
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had 1 or more partners in the last 12 months ([parts12](#) GE 1) and this partner is not her first partner (firstflag01 NE 1)

**P1YHSAGE** (832 - 833)

**CI-6:** And how old was he when you first had sexual intercourse with him? (1st REPORTED RECENT PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3250
0-17	UNDER 18 YEARS	154
18-19	18-19 YEARS	370
20-24	20-24 YEARS	1234
25-34	25-34 YEARS	1751
35-44	35-44 YEARS	662
45-95	45 YEARS OR OLDER	184
98	Refused	10
99	Don't know	28
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section C**

**Universe:**

Applicable if R has had 1 or more partners in the last 12 months ([parts12](#) GE 1) and this partner is not her first partner (firstflag01 NE 1) and R is 18 years or older (age\_r GE 18)

**P1YRF** (834 - 835)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (1st REPORTED RECENT PARTNER), how would you describe your relationship with him?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	3166
1	MARRIED TO HIM	123
2	ENGAGED TO HIM	223
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	283
4	GOING WITH HIM OR GOING STEADY	2553
5	GOING OUT WITH HIM ONCE IN A WHILE	509
6	JUST FRIENDS	485
7	HAD JUST MET HIM	210
8	SOMETHING ELSE	87
98	REFUSED	2
99	DON'T KNOW	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had 1 or more partners in the last 12 months ([parts12](#) GE 1) and this partner is not her first partner (firstflag01 NE 1)

**cmfsexx** (836 - 839)

Century Month for date when first had sex with 1st partner reported in last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	1493
301-1164	BEFORE 1997	2842

**NSFG Cycle 6 Female Respondent File Section C**

1165-1239	JANUARY 1997 OR LATER	3235
9998	Refused	22
9999	Don't know	51
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had 1 or more partners in the last 12 months ([parts12](#) GE 1) and this partner is not her first partner (firstflag01 NE 1)

**P1YCURRP** (840 - 840)

**CI-9:** Do you consider (1st REPORTED RECENT PARTNER) to be a current sexual partner?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5679
1	YES	1109
5	NO	852
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had 1 or more partners in the last 12 months ([parts12](#) GE 1) and this partner is not her first partner (firstflag01 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly01=3 or 4))

**pcurrntx** (841 - 841)

Whether or not partner is current - 1st partner reported in last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3165
1	YES	3623
5	NO	855
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section C

**Universe:**

Applicable if R has had 1 or more partners in the last 12 months ([parts12](#) GE 1) and this partner is not her first partner (firstflag01 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3, 4, or 6) or (relprtly01=3 or 4))

***cmlsexx*** (842 - 845)

Century Month for date when last had sex with 1st partner reported in last 12 months (Computed)

Value	Label	Total
.	INAPPLICABLE	1493
301-1164	BEFORE 1997	50
1165-1239	JANUARY 1997 OR LATER	6032
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	32
9998	REFUSED	19
9999	DON'T KNOW	17
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had 1 or more partners in the last 12 months ([parts12](#) GE 1) and this partner is not her first partner (firstflag01 NE 1)

***cmlstsxx*** (846 - 849)

Century Month for Last or Only Sex With 1st Partner Reported in Last 12 months (Computed)

Value	Label	Total
.	inapplicable	1493
301-1164	BEFORE 1997	54
1165-1239	JANUARY 1997 OR LATER	6060
9998	Refused	19
9999	Don't know	17
	<b>Total</b>	<b>7643</b>



**NSFG Cycle 6 Female Respondent File Section C**

**Universe:**

Applicable if R has had 1 or more partners in the last 12 months ([parts12](#) GE 1) and this partner is not her first partner (firstflag01 NE 1)

**P1YEDUC** (850 - 850)

**CI-11:** Please look at Card 11. What is the highest level of education he has completed? (1st REPORTED RECENT PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6356
1	LESS THAN HIGH SCHOOL	165
2	HIGH SCHOOL GRADUATE OR GED	457
3	SOME COLLEGE BUT NO DEGREE	282
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	118
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	169
6	GRADUATE OR PROFESSIONAL SCHOOL	76
8	Refused	2
9	Don't know	18
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had 1 or more partners in the last 12 months ([parts12](#) GE 1), this partner is current (CI-9 [PLYCURRP](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly01=3 or 4))

**P1YHISP** (851 - 851)

**CI-12:** Is (1st REPORTED RECENT PARTNER) Hispanic or Latino, or of Spanish origin?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6356
1	YES	214
5	NO	1071

**NSFG Cycle 6 Female Respondent File Section C**

8	Refused	1
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had 1 or more partners in the last 12 months ([parts12](#) GE 1), this partner is current (CI-9 [P1YCURRP](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly01=3 or 4))

**P1YRACE1** (852 - 852)

**CI-13:** Which of the groups on Card 2 describes (1st REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [1st MENTIONED]

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6356
1-3	OTHER RACE GROUPS	102
4	BLACK OR AFRICAN AMERICAN	527
5	WHITE	649
8	Refused	5
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had 1 or more partners in the last 12 months ([parts12](#) GE 1), this partner is current (CI-9 [P1YCURRP](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly01=3 or 4))

**P1YRACE2** (853 - 853)

**CI-13:** Which of the groups on Card 2 describes (1st REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [2nd MENTIONED]

NSFG Cycle 6 Female Respondent File Section C

<u>Value Label</u>	<u>Total</u>
. inapplicable	7620
1-3 OTHER RACE GROUPS	3
4 BLACK OR AFRICAN AMERICAN	4
5 WHITE	16
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 race for this partner (see (see CI-13 [P1YRACE1](#)))

**P1YRACE3** (854 - 854)

**CI-13:** Which of the groups on Card 2 describes (1st REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [3rd MENTIONED]

<u>Value Label</u>	<u>Total</u>
. inapplicable	7640
1-3 OTHER RACE GROUPS	1
4 BLACK OR AFRICAN AMERICAN	0
5 WHITE	2
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 2 races for this partner (see (see CI-13 [P1YRACE1](#)))

**P1YRACEB** (855 - 855)

**CI-14:** Which of these groups, that is (RACES REPORTED FOR 1st REPORTED RECENT PARTNER), would you say best describes his racial background?

<u>Value Label</u>	<u>Total</u>
. inapplicable	7620
1-3 OTHER RACE GROUPS	8
4 BLACK OR AFRICAN AMERICAN	7
5 WHITE	7

**NSFG Cycle 6 Female Respondent File Section C**

9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 race for this partner (CI-13 [P1YRACE2](#) NE BLANK)

**P1YRN** (856 - 856)

**CI-15:** Please look at Card 24. How would you describe your current relationship with (1st REPORTED RECENT PARTNER)?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6550
1	MARRIED TO HIM	20
2	ENGAGED TO HIM	131
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	70
4	GOING WITH HIM OR GOING STEADY	592
5	GOING OUT WITH HIM ONCE IN A WHILE	93
6	JUST FRIENDS	114
7	HAD JUST MET HIM	1
8	SOMETHING ELSE	72
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had 1 or more partners in the last 12 months ([parts12](#) GE 1), this partner has been explicitly reported as current (CI-9 [P1YCURRP](#)=1), and the relationship has lasted longer than 1 month (([cmlsexx](#) -[cmfsexx](#)) GE 1)

**P1YRAGE2** (857 - 858)

**CI-5:** Thinking now of (2ND REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	6797

**NSFG Cycle 6 Female Respondent File Section C**

0-17	UNDER 18 YEARS	102
18-19	18-19 YEARS	126
20-24	20-24 YEARS	240
25-34	25-34 YEARS	263
35-44	35-44 YEARS	111
97	Not ascertained	1
98	Refused	1
99	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 1 partner in the last 12 months ([parts12](#) GT 1) and this partner is not her first partner (firstflag02 NE 1)

**P1YHSAGE2** (859 - 860)

**CI-6:** And how old was he when you first had sexual intercourse with him? (2ND REPORTED RECENT PARTNER)

<u>Value Label</u>	<u>Total</u>	
.	INAPPLICABLE	6842
0-17	UNDER 18 YEARS	25
18-19	18-19 YEARS	74
20-24	20-24 YEARS	232
25-34	25-34 YEARS	270
35-44	35-44 YEARS	143
45-95	45 YEARS OR OLDER	39
98	Refused	1
99	Don't know	17
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 1 partner in the last 12 months ([parts12](#) GT 1) and this partner is not her first partner (firstflag02 NE 1)

**P1YRF2** (861 - 862)

**CI-7:** Please look at Card 24. At the time you first had sexual

**NSFG Cycle 6 Female Respondent File Section C**

intercourse with (2ND REPORTED RECENT PARTNER), how would you describe your relationship with him?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6797
1	MARRIED TO HIM	2
2	ENGAGED TO HIM	5
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	21
4	GOING WITH HIM OR GOING STEADY	316
5	GOING OUT WITH HIM ONCE IN A WHILE	150
6	JUST FRIENDS	247
7	HAD JUST MET HIM	72
8	SOMETHING ELSE	30
98	REFUSED	0
99	DON'T KNOW	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 1 partner in the last 12 months ([parts12](#) GT 1) and this partner is not her first partner (firstflag02 NE 1)

**cmfsexx2** (863 - 866)

Century Month for date when first had sex with 2nd partner reported in last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6765
301-1164	BEFORE 1997	84
1165-1239	JANUARY 1997 OR LATER	779
9997	Not ascertained	7
9998	Refused	2
9999	Don't know	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 1 partner in the last 12 months ([parts12](#) GT 1) and this partner is not her first partner

NSFG Cycle 6 Female Respondent File Section C

(firstflag02 NE 1)

**P1YCURRP2** (867 - 867)

**CI-9:** Do you consider (2ND REPORTED RECENT PARTNER) to be a current sexual partner?

Value	Label	Total
.	inapplicable	6837
1	YES	328
5	NO	475
9	Don't know	3
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 1 partner in the last 12 months ([parts12](#) GT 1) and this partner is not her first partner (firstflag02 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly02=3 or 4))

**pcurrntx2** (868 - 868)

Whether or not partner is current - 2nd partner in last 12 months (Computed)

Value	Label	Total
.	inapplicable	6798
1	YES	368
5	NO	477
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 1 partner in the last 12 months ([parts12](#) GT 1) and this partner is not her first partner (firstflag02 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly02=3 or 4))

NSFG Cycle 6 Female Respondent File Section C

***cmlsexx2*** (869 - 872)

Century Month for date when last had sex with 2nd partner reported in last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	6765
301-1164	BEFORE 1997	12
1165-1239	JANUARY 1997 OR LATER	819
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	33
9997	Not ascertained	7
9998	REFUSED	1
9999	DON'T KNOW	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 1 partner in the last 12 months ([parts12](#) GT 1) and this partner is not her first partner (firstflag02 NE 1)

***cmlstsxx2*** (873 - 876)

CM for Last or Only Sex With 2nd Partner Reported in Last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6765
301-1164	BEFORE 1997	13
1165-1239	JANUARY 1997 OR LATER	851
9997	Not ascertained	7
9998	Refused	1
9999	Don't know	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 1 partner in the last 12 months ([parts12](#) GT 1) and this partner is not her first partner (firstflag02 NE 1)



**P1YEDUC2** (877 - 877)

**CI-11:** Please look at Card 11. What is the highest level of education he has completed? (2ND REPORTED RECENT PARTNER)

Value	Label	Total
.	inapplicable	7292
1	LESS THAN HIGH SCHOOL	33
2	HIGH SCHOOL GRADUATE OR GED	104
3	SOME COLLEGE BUT NO DEGREE	71
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	41
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	67
6	GRADUATE OR PROFESSIONAL SCHOOL	25
9	Don't know	10
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 1 partner in the last 12 months ([parts12](#) GT 1), this partner is current (CI-9 [P1YCURRP2](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly02=3 or 4))

**P1YHISP2** (878 - 878)

**CI-12:** Is (2ND REPORTED RECENT PARTNER) Hispanic or Latino, or of Spanish origin?

Value	Label	Total
.	inapplicable	7292
1	YES	47
5	NO	304
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 1 partner in the last 12 months ([parts12](#) GT 1), this partner is current (CI-9 [P1YCURRP2](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly02=3 or 4))

4))

**P1YRACE6** (879 - 879)

**CI-13:** Which of the groups on Card 2 describes (2ND REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [1st MENTIONED]

Value	Label	Total
.	inapplicable	7292
1-3	OTHER RACE GROUPS	21
4	BLACK OR AFRICAN AMERICAN	128
5	WHITE	201
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 1 partner in the last 12 months ([parts12](#) GT 1), this partner is current (CI-9 [P1YCURRP2](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly02=3 or 4))

**P1YRACE7** (880 - 880)

**CI-13:** Which of the groups on Card 2 describes (2ND REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [2nd MENTIONED]

Value	Label	Total
.	inapplicable	7635
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	1
5	WHITE	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 race for this partner (see (see CI-13 [P1YRACE6](#)))

**P1YRACEB2** (881 - 881)

**CI-14:** Which of these groups, that is (RACES REPORTED FOR 2ND REPORTED RECENT PARTNER), would you say best describes his racial background?

Value	Label	Total
.	inapplicable	7635
1-3	OTHER RACE GROUPS	2
4	BLACK OR AFRICAN AMERICAN	2
5	WHITE	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 race for this partner (CI-13 [P1YRACE7](#) NE BLANK)

**P1YRN2** (882 - 882)

**CI-15:** Please look at Card 24. How would you describe your current relationship with (2ND REPORTED RECENT PARTNER)?

Value	Label	Total
.	inapplicable	7316
1	MARRIED TO HIM	6
2	ENGAGED TO HIM	15
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	10
4	GOING WITH HIM OR GOING STEADY	177
5	GOING OUT WITH HIM ONCE IN A WHILE	51
6	JUST FRIENDS	45
7	HAD JUST MET HIM	0
8	SOMETHING ELSE	23
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 1 partner in the last 12 months ([parts12](#) GT 1), this partner has been explicitly reported as

**NSFG Cycle 6 Female Respondent File Section C**

current (CI-9 [P1YCURRP2=1](#)), and the relationship has lasted longer than 1 month (([cmlsexx2](#) -[cmfsexx2](#)) GE 1)

**P1YRAGE3** (883 - 884)

**CI-5:** Thinking now of (3RD REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7312
0-17	UNDER 18 YEARS	40
18-19	18-19 YEARS	61
20-24	20-24 YEARS	91
25-34	25-34 YEARS	92
35-44	35-44 YEARS	43
98	Refused	1
99	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 2 partners in the last 12 months ([parts12](#) GT 2) and this partner is not her first partner (firstflag03 NE 1)

**P1YHSAGE3** (885 - 886)

**CI-6:** And how old was he when you first had sexual intercourse with him? (3ND REPORTED RECENT PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7335
0-17	UNDER 18 YEARS	8
18-19	18-19 YEARS	38
20-24	20-24 YEARS	91
25-34	25-34 YEARS	106
35-44	35-44 YEARS	44
45-95	45 YEARS OR OLDER	16
98	Refused	1
99	Don't know	4

NSFG Cycle 6 Female Respondent File Section C

Total 7643

**Universe:**

Applicable if R has had more than 2 partners in the last 12 months ([parts12](#) GT 2) and this partner is not her first partner (firstflag03 NE 1)

**P1YRF3** (887 - 888)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (3RD REPORTED RECENT PARTNER), how would you describe your relationship with him?

Value	Label	Total
.	inapplicable	7312
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	2
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	5
4	GOING WITH HIM OR GOING STEADY	75
5	GOING OUT WITH HIM ONCE IN A WHILE	69
6	JUST FRIENDS	106
7	HAD JUST MET HIM	51
8	SOMETHING ELSE	21
98	REFUSED	1
99	DON'T KNOW	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 2 partners in the last 12 months ([parts12](#) GT 2) and this partner is not her first partner (firstflag03 NE 1)

**cmfsexx3** (889 - 892)

Century Month for date when first had sex with 3rd partner reported in last 12 months (Computed)

Value	Label	Total
.	inapplicable	7301

**NSFG Cycle 6 Female Respondent File Section C**

301-1164	BEFORE 1997	23
1165-1239	JANUARY 1997 OR LATER	317
9998	Refused	1
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 2 partners in the last 12 months ([parts12](#) GT 2) and this partner is not her first partner (firstflag03 NE 1)

***P1YCURRP3*** (893 - 893)

**CI-9:** Do you consider (3RD REPORTED RECENT PARTNER) to be a current sexual partner?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7316
1	YES	103
5	NO	223
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 2 partners in the last 12 months ([parts12](#) GT 2) and this partner is not her first partner (firstflag03 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly03=3 or 4))

***pcurrntx3*** (894 - 894)

Whether or not partner is current - 3rd partner in last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7313
1	YES	107
5	NO	223

**NSFG Cycle 6 Female Respondent File Section C**

**Total                    7643**

**Universe:**

Applicable if R has had more than 2 partners in the last 12 months ([parts12](#) GT 2) and this partner is not her first partner (firstflag03 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly03=3 or 4))

***cmlsexx3*** (895 - 898)

Century Month for date when last had sex with 3rd partner reported in last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7301
301-1164	BEFORE 1997	5
1165-1239	JANUARY 1997 OR LATER	321
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	14
9997	Not ascertained	1
9998	REFUSED	1
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 2 partners in the last 12 months ([parts12](#) GT 2) and this partner is not her first partner (firstflag03 NE 1)

***cmlstsxx3*** (899 - 902)

CM for Last or Only Sex With 3rd Partner Reported in Last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7301
301-1164	BEFORE 1997	5
1165-1239	JANUARY 1997 OR LATER	335
9997	Not ascertained	1

**NSFG Cycle 6 Female Respondent File Section C**

9998	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 2 partners in the last 12 months ([parts12](#) GT 2) and this partner is not her first partner (firstflag03 NE 1)

**P1YEDUC3** (903 - 903)

**CI-11:** Please look at Card 11. What is the highest level of education he has completed? (3RD REPORTED RECENT PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7529
1	LESS THAN HIGH SCHOOL	12
2	HIGH SCHOOL GRADUATE OR GED	33
3	SOME COLLEGE BUT NO DEGREE	30
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	14
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	16
6	GRADUATE OR PROFESSIONAL SCHOOL	4
9	Don't know	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 2 partners in the last 12 months ([parts12](#) GT 2), this partner is current (CI-9 [P1YCURRP3](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly03=3 or 4))

**P1YHISP3** (904 - 904)

**CI-12:** Is (3RD REPORTED RECENT PARTNER) Hispanic or Latino, or of Spanish origin?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7529
1	YES	14



**NSFG Cycle 6 Female Respondent File Section C**

5	NO	100
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 2 partners in the last 12 months ([parts12](#) GT 2), this partner is current (CI-9 [P1YCURRP3](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly03=3 or 4))

**P1YRACE11** (905 - 905)

**CI-13:** Which of the groups on Card 2 describes (3RD REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [1st MENTIONED]

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7529
1-3	OTHER RACE GROUPS	7
4	BLACK OR AFRICAN AMERICAN	48
5	WHITE	58
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 2 partners in the last 12 months ([parts12](#) GT 2), this partner is current (CI-9 [P1YCURRP3](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly03=3 or 4))

**P1YRACE12** (906 - 906)

**CI-13:** Which of the groups on Card 2 describes (3RD REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [2nd MENTIONED]

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7639

**NSFG Cycle 6 Female Respondent File Section C**

1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	0
5	WHITE	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 race for this partner (see (see CI-13 [P1YRACE11](#)))

**P1YRACEB3** (907 - 907)

**CI-14:** Which of these groups, that is (RACES REPORTED FOR 3RD REPORTED RECENT PARTNER), would you say best describes his racial background?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1-3	OTHER RACE GROUPS	2
4	BLACK OR AFRICAN AMERICAN	2
5	WHITE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 race for this partner (CI-13 [P1YRACE12](#) NE BLANK)

**P1YRN3** (908 - 908)

**CI-15:** Please look at Card 24. How would you describe your current relationship with (3RD REPORTED RECENT PARTNER)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7543
1	MARRIED TO HIM	1
2	ENGAGED TO HIM	3
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	8
4	GOING WITH HIM OR GOING STEADY	35
5	GOING OUT WITH HIM ONCE IN A WHILE	24
6	JUST FRIENDS	21

**NSFG Cycle 6 Female Respondent File Section C**

7	HAD JUST MET HIM	2
8	SOMETHING ELSE	6
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 2 partners in the last 12 months ([parts12](#) GT 2), this partner has been explicitly reported as current (CI-9 [PIYCURRP3](#)=1), and the relationship has lasted longer than 1 month (([cmlsexx3](#) -[cmfsexx3](#)) GE 1)

**P1YRAGE4** (909 - 910)

**CI-5:** Thinking now of (4TH REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7497
0-17	UNDER 18 YEARS	14
18-19	18-19 YEARS	34
20-24	20-24 YEARS	44
25-34	25-34 YEARS	39
35-44	35-44 YEARS	14
98	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 3 partners in the last 12 months ([parts12](#) GT 3) and this partner is not her first partner (firstflag04 NE 1)

**P1YHSAGE4** (911 - 912)

**CI-6:** And how old was he when you first had sexual intercourse with him? (4TH REPORTED RECENT PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7503

**NSFG Cycle 6 Female Respondent File Section C**

0-17	UNDER 18 YEARS	5
18-19	18-19 YEARS	19
20-24	20-24 YEARS	40
25-34	25-34 YEARS	44
35-44	35-44 YEARS	22
45-95	45 YEARS OR OLDER	1
98	Refused	1
99	Don't know	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 3 partners in the last 12 months ([parts12](#) GT 3) and this partner is not her first partner (firstflag04 NE 1)

**P1YRF4** (913 - 914)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (4TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

Value	Label	Total
.	inapplicable	7497
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	1
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	3
4	GOING WITH HIM OR GOING STEADY	29
5	GOING OUT WITH HIM ONCE IN A WHILE	23
6	JUST FRIENDS	53
7	HAD JUST MET HIM	28
8	SOMETHING ELSE	7
98	REFUSED	2
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 3 partners in the last 12 months ([parts12](#) GT 3) and this partner is not her first partner (firstflag04 NE 1)

**cmfsexx4** (915 - 918)

Century Month for date when first had sex with 4th partner reported in last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7491
301-1164	BEFORE 1997	11
1165-1239	JANUARY 1997 OR LATER	139
9997	Not ascertained	1
9998	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 3 partners in the last 12 months ([parts12](#) GT 3) and this partner is not her first partner (firstflag04 NE 1)

**P1YCURRP4** (919 - 919)

**CI-9:** Do you consider (4TH REPORTED RECENT PARTNER) to be a current sexual partner?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7501
1	YES	39
5	NO	102
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 3 partners in the last 12 months ([parts12](#) GT 3) and this partner is not her first partner (firstflag04 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly04=3 or 4))

**pcurrntx4** (920 - 920)

NSFG Cycle 6 Female Respondent File Section C

Whether or not partner is current - 4th partner in last 12 months  
(Computed)

Value	Label	Total
.	inapplicable	7497
1	YES	43
5	NO	103
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 3 partners in the last 12 months ([parts12](#) GT 3) and this partner is not her first partner (firstflag04 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly04=3 or 4))

***cmlsexx4*** (921 - 924)

Century Month for date when last had sex with 4th partner reported in last 12 months (Computed)

Value	Label	Total
.	INAPPLICABLE	7491
301-1164	BEFORE 1997	4
1165-1239	JANUARY 1997 OR LATER	135
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	10
9997	Not ascertained	1
9998	REFUSED	1
9999	DON'T KNOW	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 3 partners in the last 12 months ([parts12](#) GT 3) and this partner is not her first partner (firstflag04 NE 1)

***cmlstsxx4*** (925 - 928)

CM for Last or Only Sex With 4th Partner Reported in Last 12

NSFG Cycle 6 Female Respondent File Section C

months (Computed)

Value	Label	Total
.	inapplicable	7491
301-1164	BEFORE 1997	4
1165-1239	JANUARY 1997 OR LATER	145
9997	Not ascertained	1
9998	Refused	1
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 3 partners in the last 12 months ([parts12](#) GT 3) and this partner is not her first partner (firstflag04 NE 1)

**P1YEDUC4** (929 - 929)

**CI-11:** Please look at Card 11. What is the highest level of education he has completed? (4TH REPORTED RECENT PARTNER)

Value	Label	Total
.	inapplicable	7599
1	LESS THAN HIGH SCHOOL	1
2	HIGH SCHOOL GRADUATE OR GED	23
3	SOME COLLEGE BUT NO DEGREE	6
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	6
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	4
6	GRADUATE OR PROFESSIONAL SCHOOL	3
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 3 partners in the last 12 months ([parts12](#) GT 3), this partner is current (CI-9 [P1YCURRP4](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly04=3 or 4))

**P1YHISP4** (930 - 930)

**CI-12:** Is (4TH REPORTED RECENT PARTNER) Hispanic or Latino, or of Spanish origin?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7599
1	YES	1
5	NO	43
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 3 partners in the last 12 months ([parts12](#) GT 3), this partner is current (CI-9 [P1YCURRP4](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly04=3 or 4))

**P1YRACE16** (931 - 931)

**CI-13:** Which of the groups on Card 2 describes (4TH REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [1st MENTIONED]

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7599
1-3	OTHER RACE GROUPS	6
4	BLACK OR AFRICAN AMERICAN	12
5	WHITE	26
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 3 partners in the last 12 months ([parts12](#) GT 3), this partner is current (CI-9 [P1YCURRP4](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly04=3 or 4))

**P1YRN4** (932 - 932)



**NSFG Cycle 6 Female Respondent File Section C**

**CI-15:** Please look at Card 24. How would you describe your current relationship with (4TH REPORTED RECENT PARTNER)?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7605
1	MARRIED TO HIM	3
2	ENGAGED TO HIM	2
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	1
4	GOING WITH HIM OR GOING STEADY	15
5	GOING OUT WITH HIM ONCE IN A WHILE	8
6	JUST FRIENDS	7
7	HAD JUST MET HIM	0
8	SOMETHING ELSE	2
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 3 partners in the last 12 months ([parts12](#) GT 3), this partner has been explicitly reported as current (CI-9 [P1YCURRP4](#)=1), and the relationship has lasted longer than 1 month (([cmlsexx4](#) -[cmfsexx4](#)) GE 1)

**P1YRAGE5** (933 - 934)

**CI-5:** Thinking now of (5TH REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7574
0-17	UNDER 18 YEARS	12
18-19	18-19 YEARS	16
20-24	20-24 YEARS	19
25-34	25-34 YEARS	16
35-44	35-44 YEARS	5
98	Refused	1
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section C

**Universe:**

Applicable if R has had more than 4 partners in the last 12 months ([parts12](#) GT 4) and this partner is not her first partner (firstflag05 NE 1)

**P1YHSAGE5** (935 - 936)

**CI-6:** And how old was he when you first had sexual intercourse with him? (5TH REPORTED RECENT PARTNER)

Value	Label	Total
.	INAPPLICABLE	7577
0-17	UNDER 18 YEARS	3
18-19	18-19 YEARS	10
20-24	20-24 YEARS	29
25-34	25-34 YEARS	12
35-44	35-44 YEARS	5
45-95	45 YEARS OR OLDER	1
98	Refused	1
99	Don't know	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 4 partners in the last 12 months ([parts12](#) GT 4) and this partner is not her first partner (firstflag05 NE 1)

**P1YRF5** (937 - 938)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (5TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

Value	Label	Total
.	inapplicable	7574
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	1
4	GOING WITH HIM OR GOING STEADY	15

**NSFG Cycle 6 Female Respondent File Section C**

5	GOING OUT WITH HIM ONCE IN A WHILE	6
6	JUST FRIENDS	30
7	HAD JUST MET HIM	11
8	SOMETHING ELSE	5
98	REFUSED	1
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 4 partners in the last 12 months ([parts12](#) GT 4) and this partner is not her first partner (firstflag05 NE 1)

**cmfsexx5** (939 - 942)

Century Month for date when first had sex with 5th partner reported in last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7568
301-1164	BEFORE 1997	7
1165-1239	JANUARY 1997 OR LATER	66
9998	Refused	1
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 4 partners in the last 12 months ([parts12](#) GT 4) and this partner is not her first partner (firstflag05 NE 1)

**P1YCURRP5** (943 - 943)

**CI-9:** Do you consider (5TH REPORTED RECENT PARTNER) to be a current sexual partner?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7577
1	YES	15

NSFG Cycle 6 Female Respondent File Section C

5	NO	50
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 4 partners in the last 12 months ([parts12](#) GT 4) and this partner is not her first partner (firstflag05 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly05=3 or 4))

***pcurrntx5*** (944 - 944)

Whether or not partner is current - 5th partner in last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7574
1	YES	18
5	NO	51
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 4 partners in the last 12 months ([parts12](#) GT 4) and this partner is not her first partner (firstflag05 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly05=3 or 4))

***cmlsexx5*** (945 - 948)

Century Month for date when last had sex with 5th partner reported in last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7568
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	66
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	7

**NSFG Cycle 6 Female Respondent File Section C**

9998	REFUSED	1
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 4 partners in the last 12 months ([parts12](#) GT 4) and this partner is not her first partner (firstflag05 NE 1)

***cmlstsxx5*** (949 - 952)

CM for Last or Only Sex With 5th Partner Reported in Last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7568
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	73
9998	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 4 partners in the last 12 months ([parts12](#) GT 4) and this partner is not her first partner (firstflag05 NE 1)

***P1YEDUC5*** (953 - 953)

**CI-11:** Please look at Card 11. What is the highest level of education he has completed? (5TH REPORTED RECENT PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7622
1	LESS THAN HIGH SCHOOL	2
2	HIGH SCHOOL GRADUATE OR GED	9
3	SOME COLLEGE BUT NO DEGREE	6
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	2
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	1
6	GRADUATE OR PROFESSIONAL SCHOOL	0

**NSFG Cycle 6 Female Respondent File Section C**

9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 4 partners in the last 12 months ([parts12](#) GT 4), this partner is current (CI-9 [P1YCURRP5](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly05=3 or 4))

**P1YHISP5** (954 - 954)

**CI-12:** Is (5TH REPORTED RECENT PARTNER) Hispanic or Latino, or of Spanish origin?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7622
1	YES	5
5	NO	16
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 4 partners in the last 12 months ([parts12](#) GT 4), this partner is current (CI-9 [P1YCURRP5](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly05=3 or 4))

**P1YRACE21** (955 - 955)

**CI-13:** Which of the groups on Card 2 describes (5TH REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [1st MENTIONED]

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7622
1-3	OTHER RACE GROUPS	1
4	BLACK OR AFRICAN AMERICAN	5
5	WHITE	14

**NSFG Cycle 6 Female Respondent File Section C**

9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 4 partners in the last 12 months ([parts12](#) GT 4), this partner is current (CI-9 [P1YCURRP5](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly05=3 or 4))

**P1YRACE22** (956 - 956)

**CI-13:** Which of the groups on Card 2 describes (5TH REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [2nd MENTIONED]

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	1
5	WHITE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 race for this partner (see (see CI-13 [P1YRACE21](#)))

**P1YRACEB5** (957 - 957)

**CI-14:** Which of these groups, that is (RACES REPORTED FOR 5TH REPORTED RECENT PARTNER), would you say best describes his racial background?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	1
5	WHITE	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section C

**Universe:**

Applicable if R reported more than 1 race for this partner (CI-13 [P1YRACE22](#) NE BLANK)

**P1YRN5** (958 - 958)

**CI-15:** Please look at Card 24. How would you describe your current relationship with (5TH REPORTED RECENT PARTNER)?

Value	Label	Total
.	inapplicable	7629
1	MARRIED TO HIM	1
2	ENGAGED TO HIM	1
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	6
5	GOING OUT WITH HIM ONCE IN A WHILE	2
6	JUST FRIENDS	1
7	HAD JUST MET HIM	0
8	SOMETHING ELSE	3
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 4 partners in the last 12 months ([parts12](#) GT 4), this partner has been explicitly reported as current (CI-9 [P1YCURRP5](#)=1), and the relationship has lasted longer than 1 month (([cmlsexx5](#) -[cmfsexx5](#)) GE 1)

**P1YRAGE6** (959 - 960)

**CI-5:** Thinking now of (6TH REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

Value	Label	Total
.	INAPPLICABLE	7612
0-17	UNDER 18 YEARS	5
18-19	18-19 YEARS	8



**NSFG Cycle 6 Female Respondent File Section C**

20-24	20-24 YEARS	7
25-34	25-34 YEARS	4
35-44	35-44 YEARS	4
98	Refused	2
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 5 partners in the last 12 months ([parts12](#) GT 5) and this partner is not her first partner (firstflag06 NE 1)

**P1YHSAGE6** (961 - 962)

**CI-6:** And how old was he when you first had sexual intercourse with him? (6TH REPORTED RECENT PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7614
0-17	UNDER 18 YEARS	2
18-19	18-19 YEARS	2
20-24	20-24 YEARS	13
25-34	25-34 YEARS	4
35-44	35-44 YEARS	3
45-95	45 YEARS OR OLDER	0
98	Refused	2
99	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 5 partners in the last 12 months ([parts12](#) GT 5) and this partner is not her first partner (firstflag06 NE 1)

**P1YRF6** (963 - 964)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (6TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

**NSFG Cycle 6 Female Respondent File Section C**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7612
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	5
5	GOING OUT WITH HIM ONCE IN A WHILE	2
6	JUST FRIENDS	14
7	HAD JUST MET HIM	5
8	SOMETHING ELSE	3
98	REFUSED	2
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 5 partners in the last 12 months ([parts12](#) GT 5) and this partner is not her first partner (firstflag06 NE 1)

***cmfsexx6*** (965 - 968)

Century Month for date when first had sex with 6th partner reported in last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7606
301-1164	BEFORE 1997	4
1165-1239	JANUARY 1997 OR LATER	30
9998	Refused	2
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 5 partners in the last 12 months ([parts12](#) GT 5) and this partner is not her first partner (firstflag06 NE 1)

***P1YCURRP6*** (969 - 969)

NSFG Cycle 6 Female Respondent File Section C

**CI-9:** Do you consider (6TH REPORTED RECENT PARTNER) to be a current sexual partner?

Value	Label	Total
.	inapplicable	7612
1	YES	6
5	NO	23
8	Refused	2
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 5 partners in the last 12 months ([parts12](#) GT 5) and this partner is not her first partner (firstflag06 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly06=3 or 4))

***pcurrntx6*** (970 - 970)

Whether or not partner is current - 6th partner in last 12 months (Computed)

Value	Label	Total
.	inapplicable	7612
1	YES	6
5	NO	25
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 5 partners in the last 12 months ([parts12](#) GT 5) and this partner is not her first partner (firstflag06 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly06=3 or 4))

***cmlsexx6*** (971 - 974)

Century Month for date when last had sex with 6th partner reported in last 12 months (Computed)

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	INAPPLICABLE	7606
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	32
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	3
9998	REFUSED	2
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 5 partners in the last 12 months ([parts12](#) GT 5) and this partner is not her first partner (firstflag06 NE 1)

***cmlstsxx6*** (975 - 978)

CM for Last or Only Sex With 6th Partner Reported in Last 12 months (Computed)

Value	Label	Total
.	inapplicable	7606
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	35
9998	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 5 partners in the last 12 months ([parts12](#) GT 5) and this partner is not her first partner (firstflag06 NE 1)

***P1YEDUC6*** (979 - 979)

**CI-11:** Please look at Card 11. What is the highest level of education he has completed? (6TH REPORTED RECENT PARTNER)

Value	Label	Total
.	inapplicable	7637

**NSFG Cycle 6 Female Respondent File Section C**

1	LESS THAN HIGH SCHOOL	2
2	HIGH SCHOOL GRADUATE OR GED	1
3	SOME COLLEGE BUT NO DEGREE	1
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	0
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	0
6	GRADUATE OR PROFESSIONAL SCHOOL	0
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 5 partners in the last 12 months ([parts12](#) GT 5), this partner is current (CI-9 [P1YCURRP6](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly06=3 or 4))

**P1YHISP6** (980 - 980)

**CI-12:** Is (6TH REPORTED RECENT PARTNER) Hispanic or Latino, or of Spanish origin?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7637
1	YES	0
5	NO	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 5 partners in the last 12 months ([parts12](#) GT 5), this partner is current (CI-9 [P1YCURRP6](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly06=3 or 4))

**P1YRACE26** (981 - 981)

**CI-13:** Which of the groups on Card 2 describes (6TH REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [1st MENTIONED]

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7637
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	4
5	WHITE	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 5 partners in the last 12 months ([parts12](#) GT 5), this partner is current (CI-9 [P1YCURRP6](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly06=3 or 4))

**P1YRN6** (982 - 982)

**CI-15:** Please look at Card 24. How would you describe your current relationship with (6TH REPORTED RECENT PARTNER)?

Value	Label	Total
.	inapplicable	7637
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	1
4	GOING WITH HIM OR GOING STEADY	1
5	GOING OUT WITH HIM ONCE IN A WHILE	0
6	JUST FRIENDS	2
7	HAD JUST MET HIM	1
8	SOMETHING ELSE	1
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 5 partners in the last 12 months ([parts12](#) GT 5), this partner has been explicitly reported as current (CI-9 [P1YCURRP6](#)=1), and the relationship has lasted longer than 1 month (([cmlsexx6](#) -[cmfsexx6](#)) GE 1)

**P1YRAGE7** (983 - 984)

**CI-5:** Thinking now of (7TH REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7622
0-17	UNDER 18 YEARS	2
18-19	18-19 YEARS	5
20-24	20-24 YEARS	6
25-34	25-34 YEARS	2
35-44	35-44 YEARS	3
98	Refused	2
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 6 partners in the last 12 months ([parts12](#) GT 6) and this partner is not her first partner (firstflag07 NE 1)

**P1YHSAGE7** (985 - 986)

**CI-6:** And how old was he when you first had sexual intercourse with him? (7TH REPORTED RECENT PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7623
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	5
20-24	20-24 YEARS	6
25-34	25-34 YEARS	1
35-44	35-44 YEARS	1
45-95	45 YEARS OR OLDER	1
98	Refused	2
99	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section C**

Applicable if R has had more than 6 partners in the last 12 months  
([parts12](#) GT 6) and this partner is not her first partner  
(firstflag07 NE 1)

**P1YRF7** (987 - 988)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (7TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7622
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	2
5	GOING OUT WITH HIM ONCE IN A WHILE	4
6	JUST FRIENDS	7
7	HAD JUST MET HIM	5
8	SOMETHING ELSE	1
98	REFUSED	2
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 6 partners in the last 12 months  
([parts12](#) GT 6) and this partner is not her first partner  
(firstflag07 NE 1)

**cmfsexx7** (989 - 992)

Century Month for date when first had sex with 7th partner reported in last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7617
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	21
9998	Refused	2



NSFG Cycle 6 Female Respondent File Section C

9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 6 partners in the last 12 months ([parts12](#) GT 6) and this partner is not her first partner (firstflag07 NE 1)

**P1YCURRP7** (993 - 993)

**CI-9:** Do you consider (7TH REPORTED RECENT PARTNER) to be a current sexual partner?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7622
1	YES	3
5	NO	16
8	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 6 partners in the last 12 months ([parts12](#) GT 6) and this partner is not her first partner (firstflag07 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly07=3 or 4))

**pcurrntx7** (994 - 994)

Whether or not partner is current - 7th partner in last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7622
1	YES	3
5	NO	18
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section C**

Applicable if R has had more than 6 partners in the last 12 months ([parts12](#) GT 6) and this partner is not her first partner (firstflag07 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly07=3 or 4))

***cmlsexx7*** (995 - 998)

Century Month for date when last had sex with 7th partner reported in last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7617
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	23
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	1
9998	REFUSED	2
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 6 partners in the last 12 months ([parts12](#) GT 6) and this partner is not her first partner (firstflag07 NE 1)

***cmlstsxx7*** (999 - 1002)

CM for Last or Only Sex With 7th Partner Reported in Last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7617
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	24
9998	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 6 partners in the last 12 months

**NSFG Cycle 6 Female Respondent File Section C**

([parts12](#) GT 6) and this partner is not her first partner  
(firstflag07 NE 1)

**P1YEDUC7** (1003 - 1003)

**CI-11:** Please look at Card 11. What is the highest level of education he has completed? (7TH REPORTED RECENT PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1	LESS THAN HIGH SCHOOL	0
2	HIGH SCHOOL GRADUATE OR GED	2
3	SOME COLLEGE BUT NO DEGREE	2
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	0
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	0
6	GRADUATE OR PROFESSIONAL SCHOOL	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 6 partners in the last 12 months ([parts12](#) GT 6), this partner is current (CI-9 [P1YCURRP7](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly07=3 or 4))

**P1YHISP7** (1004 - 1004)

**CI-12:** Is (7TH REPORTED RECENT PARTNER) Hispanic or Latino, or of Spanish origin?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1	YES	0
5	NO	4
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 6 partners in the last 12 months ([parts12](#) GT 6), this partner is current (CI-9 [P1YCURRP7](#)=1 or CG-6

**NSFG Cycle 6 Female Respondent File Section C**

[STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly07=3 or 4))

**P1YRACE31** (1005 - 1005)

**CI-13:** Which of the groups on Card 2 describes (7TH REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [1st MENTIONED]

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7639
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	2
5	WHITE	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 6 partners in the last 12 months ([parts12](#) GT 6), this partner is current (CI-9 [P1YCURRP7](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly07=3 or 4))

**P1YRN7** (1006 - 1006)

**CI-15:** Please look at Card 24. How would you describe your current relationship with (7TH REPORTED RECENT PARTNER)?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0
5	GOING OUT WITH HIM ONCE IN A WHILE	0
6	JUST FRIENDS	2
7	HAD JUST MET HIM	0
8	SOMETHING ELSE	1

**NSFG Cycle 6 Female Respondent File Section C**

98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 6 partners in the last 12 months ([parts12](#) GT 6), this partner has been explicitly reported as current (CI-9 [P1YCURRP7](#)=1), and the relationship has lasted longer than 1 month (([cmlsexx7](#) -[cmfsexx7](#)) GE 1)

**P1YRAGE8** (1007 - 1008)

**CI-5:** Thinking now of (8TH REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7629
0-17	UNDER 18 YEARS	2
18-19	18-19 YEARS	3
20-24	20-24 YEARS	3
25-34	25-34 YEARS	1
35-44	35-44 YEARS	2
98	Refused	2
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 7 partners in the last 12 months ([parts12](#) GT 7) and this partner is not her first partner ([firstflag08](#) NE 1)

**P1YHSAGE8** (1009 - 1010)

**CI-6:** And how old was he when you first had sexual intercourse with him? (8TH REPORTED RECENT PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7629
0-17	UNDER 18 YEARS	2

**NSFG Cycle 6 Female Respondent File Section C**

18-19	18-19 YEARS	0
20-24	20-24 YEARS	4
25-34	25-34 YEARS	3
35-44	35-44 YEARS	0
45-95	45 YEARS OR OLDER	1
98	Refused	2
99	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 7 partners in the last 12 months ([parts12](#) GT 7) and this partner is not her first partner (firstflag08 NE 1)

**P1YRF8** (1011 - 1012)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (8TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7629
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	3
5	GOING OUT WITH HIM ONCE IN A WHILE	3
6	JUST FRIENDS	1
7	HAD JUST MET HIM	4
8	SOMETHING ELSE	1
98	REFUSED	2
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 7 partners in the last 12 months ([parts12](#) GT 7) and this partner is not her first partner (firstflag08 NE 1)

**cmfsexx8** (1013 - 1016)

NSFG Cycle 6 Female Respondent File Section C

Century Month for date when first had sex with 8th partner reported in last 12 months (Computed)

Value	Label	Total
.	inapplicable	7623
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	14
9997	Not ascertained	1
9998	Refused	2
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 7 partners in the last 12 months ([parts12](#) GT 7) and this partner is not her first partner (firstflag08 NE 1)

**P1YCURRP8** (1017 - 1017)

**CI-9:** Do you consider (8TH REPORTED RECENT PARTNER) to be a current sexual partner?

Value	Label	Total
.	inapplicable	7629
1	YES	2
5	NO	10
8	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 7 partners in the last 12 months ([parts12](#) GT 7) and this partner is not her first partner (firstflag08 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly08=3 or 4))

**pcurrntx8** (1018 - 1018)

NSFG Cycle 6 Female Respondent File Section C

Whether or not partner is current - 8th partner in last 12 months  
(Computed)

Value	Label	Total
.	inapplicable	7629
1	YES	2
5	NO	12
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 7 partners in the last 12 months ([parts12](#) GT 7) and this partner is not her first partner (firstflag08 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly08=3 or 4))

***cmlsexx8*** (1019 - 1022)

Century Month for date when last had sex with 8th partner reported in last 12 months (Computed)

Value	Label	Total
.	INAPPLICABLE	7623
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	17
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	0
9997	Not ascertained	1
9998	REFUSED	2
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 7 partners in the last 12 months ([parts12](#) GT 7) and this partner is not her first partner (firstflag08 NE 1)

***cmlstsexx8*** (1023 - 1026)

CM for Last or Only Sex With 8th Partner Reported in Last 12



NSFG Cycle 6 Female Respondent File Section C

months (Computed)

Value	Label	Total
.	inapplicable	7623
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	17
9997	Not ascertained	1
9998	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 7 partners in the last 12 months ([parts12](#) GT 7) and this partner is not her first partner (firstflag08 NE 1)

**P1YEDUC8** (1027 - 1027)

**CI-11:** Please look at Card 11. What is the highest level of education he has completed? (8TH REPORTED RECENT PARTNER)

Value	Label	Total
.	inapplicable	7641
1	LESS THAN HIGH SCHOOL	0
2	HIGH SCHOOL GRADUATE OR GED	1
3	SOME COLLEGE BUT NO DEGREE	0
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	0
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	0
6	GRADUATE OR PROFESSIONAL SCHOOL	0
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 7 partners in the last 12 months ([parts12](#) GT 7), this partner is current (CI-9 [P1YCURRP8](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly08=3 or 4))

**P1YHISP8** (1028 - 1028)

NSFG Cycle 6 Female Respondent File Section C

**CI-12:** Is (8TH REPORTED RECENT PARTNER) Hispanic or Latino, or of Spanish origin?

Value	Label	Total
.	inapplicable	7641
1	YES	0
5	NO	2
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 7 partners in the last 12 months ([parts12](#) GT 7), this partner is current (CI-9 [P1YCURRP8](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly08=3 or 4))

**P1YRACE36** (1029 - 1029)

**CI-13:** Which of the groups on Card 2 describes (8TH REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [1st MENTIONED]

Value	Label	Total
.	inapplicable	7641
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	0
5	WHITE	2
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 7 partners in the last 12 months ([parts12](#) GT 7), this partner is current (CI-9 [P1YCURRP8](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly08=3 or 4))

**P1YRN8** (1030 - 1030)

**CI-15:** Please look at Card 24. How would you describe your current

NSFG Cycle 6 Female Respondent File Section C

relationship with (8TH REPORTED RECENT PARTNER)?

Value	Label	Total
.	inapplicable	7641
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0
5	GOING OUT WITH HIM ONCE IN A WHILE	1
6	JUST FRIENDS	0
7	HAD JUST MET HIM	1
8	SOMETHING ELSE	0
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 7 partners in the last 12 months ([parts12](#) GT 7), this partner has been explicitly reported as current (CI-9 [P1YCURRP8](#)=1), and the relationship has lasted longer than 1 month (([cmlsexxx8](#) -[cmfsexxx8](#)) GE 1)

**P1YRAGE9** (1031 - 1032)

**CI-5:** Thinking now of (9TH REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

Value	Label	Total
.	INAPPLICABLE	7632
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	5
20-24	20-24 YEARS	2
25-34	25-34 YEARS	1
35-44	35-44 YEARS	1
98	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 8 partners in the last 12 months

NSFG Cycle 6 Female Respondent File Section C

([parts12](#) GT 8) and this partner is not her first partner  
(firstflag09 NE 1)

**P1YHSAGE9** (1033 - 1034)

**CI-6:** And how old was he when you first had sexual intercourse with him? (9TH REPORTED RECENT PARTNER)

Value	Label	Total
.	INAPPLICABLE	7632
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	4
20-24	20-24 YEARS	1
25-34	25-34 YEARS	1
35-44	35-44 YEARS	0
45-95	45 YEARS OR OLDER	1
98	Refused	2
99	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 8 partners in the last 12 months ([parts12](#) GT 8) and this partner is not her first partner (firstflag09 NE 1)

**P1YRF9** (1035 - 1036)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (9TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

Value	Label	Total
.	inapplicable	7632
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	2
5	GOING OUT WITH HIM ONCE IN A WHILE	1
6	JUST FRIENDS	3

**NSFG Cycle 6 Female Respondent File Section C**

7	HAD JUST MET HIM	2
8	SOMETHING ELSE	1
98	REFUSED	2
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 8 partners in the last 12 months ([parts12](#) GT 8) and this partner is not her first partner (firstflag09 NE 1)

**cmfsexx9** (1037 - 1040)

Century Month for date when first had sex with 9th partner reported in last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7627
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	11
9998	Refused	2
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 8 partners in the last 12 months ([parts12](#) GT 8) and this partner is not her first partner (firstflag09 NE 1)

**P1YCURRP9** (1041 - 1041)

**CI-9:** Do you consider (9TH REPORTED RECENT PARTNER) to be a current sexual partner?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7632
1	YES	2
5	NO	7
8	Refused	2

NSFG Cycle 6 Female Respondent File Section C

Total 7643

**Universe:**

Applicable if R has had more than 8 partners in the last 12 months ([parts12](#) GT 8) and this partner is not her first partner (firstflag09 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly09=3 or 4))

***pcurrntx9*** (1042 - 1042)

Whether or not partner is current - 9th partner in last 12 months (Computed)

Value	Label	Total
.	inapplicable	7632
1	YES	2
5	NO	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 8 partners in the last 12 months ([parts12](#) GT 8) and this partner is not her first partner (firstflag09 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly09=3 or 4))

***cmlsexx9*** (1043 - 1046)

Century Month for date when last had sex with 9th partner reported in last 12 months (Computed)

Value	Label	Total
.	INAPPLICABLE	7627
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	14
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	0
9998	REFUSED	2
9999	DON'T KNOW	0

NSFG Cycle 6 Female Respondent File Section C

Total

7643

**Universe:**

Applicable if R has had more than 8 partners in the last 12 months (parts12 GT 8) and this partner is not her first partner (firstflag09 NE 1)

**cmlstsxx9** (1047 - 1050)

CM for Last or Only Sex With 9th Partner Reported in Last 12 months (Computed)

Value	Label	Total
.	inapplicable	7627
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	14
9998	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 8 partners in the last 12 months (parts12 GT 8) and this partner is not her first partner (firstflag09 NE 1)

**P1YEDUC9** (1051 - 1051)

CI-11: Please look at Card 11. What is the highest level of education he has completed? (9TH REPORTED RECENT PARTNER)

Value	Label	Total
.	inapplicable	7641
1	LESS THAN HIGH SCHOOL	1
2	HIGH SCHOOL GRADUATE OR GED	1
3	SOME COLLEGE BUT NO DEGREE	0
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	0
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	0
6	GRADUATE OR PROFESSIONAL SCHOOL	0
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section C**

**Universe:**

Applicable if R has had more than 8 partners in the last 12 months ([parts12](#) GT 8), this partner is current (CI-9 [P1YCURRP9](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly09=3 or 4))

**P1YHISP9** (1052 - 1052)

**CI-12:** Is (9TH REPORTED RECENT PARTNER) Hispanic or Latino, or of Spanish origin?

<u>Value Label</u>	<u>Total</u>
. inapplicable	7641
1 YES	0
5 NO	2
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 8 partners in the last 12 months ([parts12](#) GT 8), this partner is current (CI-9 [P1YCURRP9](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly09=3 or 4))

**P1YRACE41** (1053 - 1053)

**CI-13:** Which of the groups on Card 2 describes (9TH REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [1st MENTIONED]

<u>Value Label</u>	<u>Total</u>
. inapplicable	7641
1-3 OTHER RACE GROUPS	0
4 BLACK OR AFRICAN AMERICAN	0
5 WHITE	2
<b>Total</b>	<b>7643</b>

**Universe:**



**NSFG Cycle 6 Female Respondent File Section C**

Applicable if R has had more than 8 partners in the last 12 months ([parts12](#) GT 8), this partner is current (CI-9 [P1YCURRP9](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly09=3 or 4))

**P1YRN9** (1054 - 1054)

**CI-15:** Please look at Card 24. How would you describe your current relationship with (9TH REPORTED RECENT PARTNER)?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0
5	GOING OUT WITH HIM ONCE IN A WHILE	0
6	JUST FRIENDS	1
7	HAD JUST MET HIM	0
8	SOMETHING ELSE	1
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 8 partners in the last 12 months ([parts12](#) GT 8), this partner has been explicitly reported as current (CI-9 [P1YCURRP9](#)=1), and the relationship has lasted longer than 1 month (([cmlsexx9](#) -[cmfsexx9](#)) GE 1)

**P1YRAGE10** (1055 - 1056)

**CI-5:** Thinking now of (10TH REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7634
0-17	UNDER 18 YEARS	1

**NSFG Cycle 6 Female Respondent File Section C**

18-19	18-19 YEARS	1
20-24	20-24 YEARS	2
25-34	25-34 YEARS	1
35-44	35-44 YEARS	1
98	Refused	2
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 9 partners in the last 12 months ([parts12](#) GT 9) and this partner is not her first partner (firstflag10 NE 1)

**P1YHSAGE10** (1057 - 1058)

**CI-6:** And how old was he when you first had sexual intercourse with him? (10TH REPORTED RECENT PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7634
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	2
20-24	20-24 YEARS	0
25-34	25-34 YEARS	1
35-44	35-44 YEARS	1
45-95	45 YEARS OR OLDER	1
98	Refused	2
99	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 9 partners in the last 12 months ([parts12](#) GT 9) and this partner is not her first partner (firstflag10 NE 1)

**P1YRF10** (1059 - 1060)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (10TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

**NSFG Cycle 6 Female Respondent File Section C**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7634
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	2
5	GOING OUT WITH HIM ONCE IN A WHILE	1
6	JUST FRIENDS	1
7	HAD JUST MET HIM	2
8	SOMETHING ELSE	1
98	REFUSED	2
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 9 partners in the last 12 months ([parts12](#) GT 9) and this partner is not her first partner (firstflag10 NE 1)

**cmfsexx10** (1061 - 1064)

Century Month for date when first had sex with 10th partner reported in last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7629
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	9
9998	Refused	2
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 9 partners in the last 12 months ([parts12](#) GT 9) and this partner is not her first partner (firstflag10 NE 1)

**P1YCURRP10** (1065 - 1065)

NSFG Cycle 6 Female Respondent File Section C

**CI-9:** Do you consider (10TH REPORTED RECENT PARTNER) to be a current sexual partner?

Value	Label	Total
.	inapplicable	7634
1	YES	4
5	NO	3
8	Refused	2
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 9 partners in the last 12 months ([parts12](#) GT 9) and this partner is not her first partner (firstflag10 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly10=3 or 4))

***pcurrntx10*** (1066 - 1066)

Whether or not partner is current - 10th partner in last 12 months (Computed)

Value	Label	Total
.	inapplicable	7634
1	YES	4
5	NO	5
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 9 partners in the last 12 months ([parts12](#) GT 9) and this partner is not her first partner (firstflag10 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly10=3 or 4))

***cmlsexx10*** (1067 - 1070)

Century Month for date when last had sex with 10th partner reported in last 12 months (Computed)

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	INAPPLICABLE	7629
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	12
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	0
9998	REFUSED	2
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 9 partners in the last 12 months ([parts12](#) GT 9) and this partner is not her first partner (firstflag10 NE 1)

***cmlstsxx10*** (1071 - 1074)

CM for Last or Only Sex With 10th Partner Reported in Last 12 months (Computed)

Value	Label	Total
.	inapplicable	7629
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	12
9998	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 9 partners in the last 12 months ([parts12](#) GT 9) and this partner is not her first partner (firstflag10 NE 1)

***P1YEDUC10*** (1075 - 1075)

**CI-11:** Please look at Card 11. What is the highest level of education he has completed? (10TH REPORTED RECENT PARTNER)

Value	Label	Total
-------	-------	-------

**NSFG Cycle 6 Female Respondent File Section C**

.	inapplicable	7639
1	LESS THAN HIGH SCHOOL	0
2	HIGH SCHOOL GRADUATE OR GED	1
3	SOME COLLEGE BUT NO DEGREE	2
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	0
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	0
6	GRADUATE OR PROFESSIONAL SCHOOL	0
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 9 partners in the last 12 months ([parts12](#) GT 9), this partner is current (CI-9 [P1YCURRP10](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly10=3 or 4))

**P1YHISP10** (1076 - 1076)

**CI-12:** Is (10TH REPORTED RECENT PARTNER) Hispanic or Latino, or of Spanish origin?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1	YES	0
5	NO	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 9 partners in the last 12 months ([parts12](#) GT 9), this partner is current (CI-9 [P1YCURRP10](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly10=3 or 4))

**P1YRACE46** (1077 - 1077)

**CI-13:** Which of the groups on Card 2 describes (10TH REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [1st MENTIONED]

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7639
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	1
5	WHITE	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 9 partners in the last 12 months ([parts12](#) GT 9), this partner is current (CI-9 [P1YCURRP10](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly10=3 or 4))

**P1YRN10** (1078 - 1078)

**CI-15:** Please look at Card 24. How would you describe your current relationship with (10TH REPORTED RECENT PARTNER)?

Value	Label	Total
.	inapplicable	7639
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	1
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0
5	GOING OUT WITH HIM ONCE IN A WHILE	1
6	JUST FRIENDS	0
7	HAD JUST MET HIM	1
8	SOMETHING ELSE	1
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 9 partners in the last 12 months ([parts12](#) GT 9), this partner has been explicitly reported as current (CI-9 [P1YCURRP10](#)=1), and the relationship has lasted longer than 1 month (([cmlsexx10](#) -[cmfsexx10](#)) GE 1)

**P1YRAGE11** (1079 - 1080)

**CI-5:** Thinking now of (11TH REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7639
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	1
20-24	20-24 YEARS	1
25-34	25-34 YEARS	1
35-44	35-44 YEARS	0
99	Don't know	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 10 partners in the last 12 months ([parts12](#) GT 10) and this partner is not her first partner (firstflag11 NE 1)

**P1YHSAGE11** (1081 - 1082)

**CI-6:** And how old was he when you first had sexual intercourse with him? (11TH REPORTED RECENT PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7639
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	0
20-24	20-24 YEARS	2
25-34	25-34 YEARS	0
35-44	35-44 YEARS	0
45-95	45 YEARS OR OLDER	0
99	Don't know	2
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 10 partners in the last 12



**NSFG Cycle 6 Female Respondent File Section C**

months ([parts12](#) GT 10) and this partner is not her first partner (firstflag11 NE 1)

**P1YRF11** (1083 - 1083)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (11TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

Value	Label	Total
.	inapplicable	7639
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0
5	GOING OUT WITH HIM ONCE IN A WHILE	0
6	JUST FRIENDS	1
7	HAD JUST MET HIM	2
8	SOMETHING ELSE	1
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 10 partners in the last 12 months ([parts12](#) GT 10) and this partner is not her first partner (firstflag11 NE 1)

**cmfsexx11** (1084 - 1087)

Century Month for date when first had sex with 11th partner reported in last 12 months (Computed)

Value	Label	Total
.	inapplicable	7634
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	6
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 10 partners in the last 12 months ([parts12](#) GT 10) and this partner is not her first partner (firstflag11 NE 1)

***P1YCURRP11*** (1088 - 1088)

**CI-9:** Do you consider (11TH REPORTED RECENT PARTNER) to be a current sexual partner?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1	YES	2
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 10 partners in the last 12 months ([parts12](#) GT 10) and this partner is not her first partner (firstflag11 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly11=3 or 4))

***pcurrntx11*** (1089 - 1089)

Whether or not partner is current - 11th partner in last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1	YES	2
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 10 partners in the last 12 months ([parts12](#) GT 10) and this partner is not her first partner (firstflag11 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6)

NSFG Cycle 6 Female Respondent File Section C

or (relprtly11=3 or 4))

**cmlsexx11** (1090 - 1093)

Century Month for date when last had sex with 11th partner reported in last 12 months (Computed)

Value	Label	Total
.	INAPPLICABLE	7634
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	9
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	0
9998	REFUSED	0
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 10 partners in the last 12 months ([parts12](#) GT 10) and this partner is not her first partner (firstflag11 NE 1)

**cmlstsxx11** (1094 - 1097)

CM for Last or Only Sex With 11th Partner Reported in Last 12 months (Computed)

Value	Label	Total
.	inapplicable	7634
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 10 partners in the last 12 months ([parts12](#) GT 10) and this partner is not her first partner (firstflag11 NE 1)

**P1YEDUC11** (1098 - 1098)

**NSFG Cycle 6 Female Respondent File Section C**

**CI-11:** Please look at Card 11. What is the highest level of education he has completed? (11TH REPORTED RECENT PARTNER)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	LESS THAN HIGH SCHOOL	0
2	HIGH SCHOOL GRADUATE OR GED	0
3	SOME COLLEGE BUT NO DEGREE	0
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	2
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	0
6	GRADUATE OR PROFESSIONAL SCHOOL	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 10 partners in the last 12 months ([parts12](#) GT 10), this partner is current (CI-9 [P1YCURRP11](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly11=3 or 4))

**P1YHISP11** (1099 - 1099)

**CI-12:** Is (11TH REPORTED RECENT PARTNER) Hispanic or Latino, or of Spanish origin?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	YES	0
5	NO	2
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 10 partners in the last 12 months ([parts12](#) GT 10), this partner is current (CI-9 [P1YCURRP11](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly11=3 or 4))

**P1YRACE51** (1100 - 1100)

**NSFG Cycle 6 Female Respondent File Section C**

**CI-13:** Which of the groups on Card 2 describes (11TH REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [1st MENTIONED]

<b>Value Label</b>	<b>Total</b>
. inapplicable	7641
1-3 OTHER RACE GROUPS	0
4 BLACK OR AFRICAN AMERICAN	0
5 WHITE	2
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 10 partners in the last 12 months ([parts12](#) GT 10), this partner is current (CI-9 [PLYCURRP11](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly11=3 or 4))

**P1YRN11** (1101 - 1101)

**CI-15:** Please look at Card 24. How would you describe your current relationship with (11TH REPORTED RECENT PARTNER)?

<b>Value Label</b>	<b>Total</b>
. inapplicable	7641
1 MARRIED TO HIM	0
2 ENGAGED TO HIM	0
3 LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4 GOING WITH HIM OR GOING STEADY	0
5 GOING OUT WITH HIM ONCE IN A WHILE	1
6 JUST FRIENDS	0
7 HAD JUST MET HIM	0
8 SOMETHING ELSE	1
98 REFUSED	0
99 DON'T KNOW	0
<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section C**

Applicable if R has had more than 10 partners in the last 12 months ([parts12](#) GT 10), this partner has been explicitly reported as current (CI-9 [PLYCURRP11](#)=1), and the relationship has lasted longer than 1 month (([cmlsexx11](#) -[cmfsexx11](#)) GE 1)

**P1YRAGE12** (1102 - 1103)

**CI-5:** Thinking now of (12TH REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7640
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	0
20-24	20-24 YEARS	1
25-34	25-34 YEARS	1
35-44	35-44 YEARS	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 11 partners in the last 12 months ([parts12](#) GT 11) and this partner is not her first partner ([firstflag12](#) NE 1)

**P1YHSAGE12** (1104 - 1105)

**CI-6:** And how old was he when you first had sexual intercourse with him? (12TH REPORTED RECENT PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7640
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	0
20-24	20-24 YEARS	1
25-34	25-34 YEARS	1
35-44	35-44 YEARS	0
45-95	45 YEARS OR OLDER	0
99	Don't know	1

NSFG Cycle 6 Female Respondent File Section C

Total 7643

**Universe:**

Applicable if R has had more than 11 partners in the last 12 months ([parts12](#) GT 11) and this partner is not her first partner (firstflag12 NE 1)

**P1YRF12** (1106 - 1106)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (12TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

Value	Label	Total
.	inapplicable	7640
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0
5	GOING OUT WITH HIM ONCE IN A WHILE	0
6	JUST FRIENDS	1
7	HAD JUST MET HIM	1
8	SOMETHING ELSE	1
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 11 partners in the last 12 months ([parts12](#) GT 11) and this partner is not her first partner (firstflag12 NE 1)

**cmfsexx12** (1107 - 1110)

Century Month for date when first had sex with 12th partner reported in last 12 months (Computed)

Value	Label	Total
.	inapplicable	7635

**NSFG Cycle 6 Female Respondent File Section C**

301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	5
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 11 partners in the last 12 months ([parts12](#) GT 11) and this partner is not her first partner (firstflag12 NE 1)

***P1YCURRP12*** (1111 - 1111)

**CI-9:** Do you consider (12TH REPORTED RECENT PARTNER) to be a current sexual partner?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	YES	1
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 11 partners in the last 12 months ([parts12](#) GT 11) and this partner is not her first partner (firstflag12 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly12=3 or 4))

***pcurrntx12*** (1112 - 1112)

Whether or not partner is current - 12th partner in last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	YES	1
5	NO	2
	<b>Total</b>	<b>7643</b>



**NSFG Cycle 6 Female Respondent File Section C**

**Universe:**

Applicable if R has had more than 11 partners in the last 12 months ([parts12](#) GT 11) and this partner is not her first partner (firstflag12 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly12=3 or 4))

***cmlsexx12*** (1113 - 1116)

Century Month for date when last had sex with 12th partner reported in last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7635
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	8
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	0
9998	REFUSED	0
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 11 partners in the last 12 months ([parts12](#) GT 11) and this partner is not her first partner (firstflag12 NE 1)

***cmlstsxx12*** (1117 - 1120)

CM for Last or Only Sex With 12th Partner Reported in Last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7635
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 11 partners in the last 12

**NSFG Cycle 6 Female Respondent File Section C**

months ([parts12](#) GT 11) and this partner is not her first partner (firstflag12 NE 1)

**P1YEDUC12** (1121 - 1121)

**CI-11:** Please look at Card 11. What is the highest level of education he has completed? (12TH REPORTED RECENT PARTNER)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	LESS THAN HIGH SCHOOL	0
2	HIGH SCHOOL GRADUATE OR GED	0
3	SOME COLLEGE BUT NO DEGREE	0
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	0
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	1
6	GRADUATE OR PROFESSIONAL SCHOOL	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 11 partners in the last 12 months ([parts12](#) GT 11), this partner is current (CI-9 [P1YCURRP12](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly12=3 or 4))

**P1YHISP12** (1122 - 1122)

**CI-12:** Is (12TH REPORTED RECENT PARTNER) Hispanic or Latino, or of Spanish origin?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	YES	0
5	NO	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 11 partners in the last 12 months ([parts12](#) GT 11), this partner is current (CI-9 [P1YCURRP12](#)=1

**NSFG Cycle 6 Female Respondent File Section C**

or CG-6 [STILFPSX=1](#)), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly12=3 or 4))

**P1YRACE56** (1123 - 1123)

**CI-13:** Which of the groups on Card 2 describes (12TH REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [1st MENTIONED]

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	0
5	WHITE	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 11 partners in the last 12 months ([parts12](#) GT 11), this partner is current (CI-9 [P1YCURRP12=1](#) or CG-6 [STILFPSX=1](#)), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly12=3 or 4))

**P1YRN12** (1124 - 1124)

**CI-15:** Please look at Card 24. How would you describe your current relationship with (12TH REPORTED RECENT PARTNER)?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0
5	GOING OUT WITH HIM ONCE IN A WHILE	0
6	JUST FRIENDS	0
7	HAD JUST MET HIM	0
8	SOMETHING ELSE	1

**NSFG Cycle 6 Female Respondent File Section C**

98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 11 partners in the last 12 months ([parts12](#) GT 11), this partner has been explicitly reported as current (CI-9 [P1YCURRP12](#)=1), and the relationship has lasted longer than 1 month (([cmlsexx12](#) -[cmfsexx12](#)) GE 1)

**P1YRAGE13** (1125 - 1126)

**CI-5:** Thinking now of (13TH REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7640
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	0
20-24	20-24 YEARS	1
25-34	25-34 YEARS	1
35-44	35-44 YEARS	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 12 partners in the last 12 months ([parts12](#) GT 12) and this partner is not her first partner (firstflag13 NE 1)

**P1YHSAGE13** (1127 - 1128)

**CI-6:** And how old was he when you first had sexual intercourse with him? (13TH REPORTED RECENT PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7640
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	0

NSFG Cycle 6 Female Respondent File Section C

20-24	20-24 YEARS	2
25-34	25-34 YEARS	0
35-44	35-44 YEARS	0
45-95	45 YEARS OR OLDER	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 12 partners in the last 12 months ([parts12](#) GT 12) and this partner is not her first partner (firstflag13 NE 1)

**P1YRF13** (1129 - 1129)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (13TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

Value	Label	Total
.	inapplicable	7640
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0
5	GOING OUT WITH HIM ONCE IN A WHILE	0
6	JUST FRIENDS	1
7	HAD JUST MET HIM	1
8	SOMETHING ELSE	1
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 12 partners in the last 12 months ([parts12](#) GT 12) and this partner is not her first partner (firstflag13 NE 1)

**cmfsexx13** (1130 - 1133)

Century Month for date when first had sex with 13th partner

**NSFG Cycle 6 Female Respondent File Section C**

reported in last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7635
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	5
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 12 partners in the last 12 months ([parts12](#) GT 12) and this partner is not her first partner (firstflag13 NE 1)

***P1YCURRP13*** (1134 - 1134)

**CI-9:** Do you consider (13TH REPORTED RECENT PARTNER) to be a current sexual partner?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	YES	1
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 12 partners in the last 12 months ([parts12](#) GT 12) and this partner is not her first partner (firstflag13 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly13=3 or 4))

***pcurrntx13*** (1135 - 1135)

Whether or not partner is current - 13th partner in last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640

NSFG Cycle 6 Female Respondent File Section C

1	YES	1
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 12 partners in the last 12 months ([parts12](#) GT 12) and this partner is not her first partner (firstflag13 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly13=3 or 4))

***cmlsexx13*** (1136 - 1139)

Century Month for date when last had sex with 13th partner reported in last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7635
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	8
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	0
9998	REFUSED	0
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 12 partners in the last 12 months ([parts12](#) GT 12) and this partner is not her first partner (firstflag13 NE 1)

***cmlstsxx13*** (1140 - 1143)

CM for Last or Only Sex With 13th Partner Reported in Last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7635
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	8

NSFG Cycle 6 Female Respondent File Section C

Total 7643

**Universe:**

Applicable if R has had more than 12 partners in the last 12 months ([parts12](#) GT 12) and this partner is not her first partner (firstflag13 NE 1)

**P1YEDUC13** (1144 - 1144)

**CI-11:** Please look at Card 11. What is the highest level of education he has completed? (13TH REPORTED RECENT PARTNER)

Value Label	Total
. inapplicable	7642
1 LESS THAN HIGH SCHOOL	1
2 HIGH SCHOOL GRADUATE OR GED	0
3 SOME COLLEGE BUT NO DEGREE	0
4 2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	0
5 4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	0
6 GRADUATE OR PROFESSIONAL SCHOOL	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 12 partners in the last 12 months ([parts12](#) GT 12), this partner is current (CI-9 [P1YCURRP13](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly13=3 or 4))

**P1YHISP13** (1145 - 1145)

**CI-12:** Is (13TH REPORTED RECENT PARTNER) Hispanic or Latino, or of Spanish origin?

Value Label	Total
. inapplicable	7642
1 YES	0
5 NO	1
<b>Total</b>	<b>7643</b>



**NSFG Cycle 6 Female Respondent File Section C**

**Universe:**

Applicable if R has had more than 12 partners in the last 12 months ([parts12](#) GT 12), this partner is current (CI-9 [P1YCURRP13](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly13=3 or 4))

**P1YRACE61** (1146 - 1146)

**CI-13:** Which of the groups on Card 2 describes (13TH REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [1st MENTIONED]

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	1
5	WHITE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 12 partners in the last 12 months ([parts12](#) GT 12), this partner is current (CI-9 [P1YCURRP13](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly13=3 or 4))

**P1YRN13** (1147 - 1147)

**CI-15:** Please look at Card 24. How would you describe your current relationship with (13TH REPORTED RECENT PARTNER)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0

**NSFG Cycle 6 Female Respondent File Section C**

5	GOING OUT WITH HIM ONCE IN A WHILE	0
6	JUST FRIENDS	0
7	HAD JUST MET HIM	0
8	SOMETHING ELSE	1
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 12 partners in the last 12 months ([parts12](#) GT 12), this partner has been explicitly reported as current (CI-9 [PLYCURRP13](#)=1), and the relationship has lasted longer than 1 month (([cmlsexx13](#) -[cmfsexx13](#)) GE 1)

**P1YRAGE14** (1148 - 1149)

**CI-5:** Thinking now of (14TH REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7640
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	0
20-24	20-24 YEARS	1
25-34	25-34 YEARS	1
35-44	35-44 YEARS	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 13 partners in the last 12 months ([parts12](#) GT 13) and this partner is not her first partner (firstflag14 NE 1)

**P1YHSAGE14** (1150 - 1151)

**CI-6:** And how old was he when you first had sexual intercourse with him? (14TH REPORTED RECENT PARTNER)

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	INAPPLICABLE	7640
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	1
20-24	20-24 YEARS	1
25-34	25-34 YEARS	0
35-44	35-44 YEARS	0
45-95	45 YEARS OR OLDER	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 13 partners in the last 12 months ([parts12](#) GT 13) and this partner is not her first partner (firstflag14 NE 1)

**P1YRF14** (1152 - 1152)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (14TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

Value	Label	Total
.	inapplicable	7640
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0
5	GOING OUT WITH HIM ONCE IN A WHILE	0
6	JUST FRIENDS	1
7	HAD JUST MET HIM	1
8	SOMETHING ELSE	1
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 13 partners in the last 12 months ([parts12](#) GT 13) and this partner is not her first partner (firstflag14 NE 1)

**cmfsexx14** (1153 - 1156)

Century Month for date when first had sex with 14th partner reported in last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7635
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	5
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 13 partners in the last 12 months ([parts12](#) GT 13) and this partner is not her first partner (firstflag14 NE 1)

**P1YCURRP14** (1157 - 1157)

**CI-9:** Do you consider (14TH REPORTED RECENT PARTNER) to be a current sexual partner?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	YES	1
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 13 partners in the last 12 months ([parts12](#) GT 13) and this partner is not her first partner (firstflag14 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly14=3 or 4))

**pcurrntx14** (1158 - 1158)

Whether or not partner is current - 14th partner in last 12 months

NSFG Cycle 6 Female Respondent File Section C

(Computed)

Value	Label	Total
.	inapplicable	7640
1	YES	1
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 13 partners in the last 12 months ([parts12](#) GT 13) and this partner is not her first partner (firstflag14 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly14=3 or 4))

***cmlsexx14*** (1159 - 1162)

Century Month for date when last had sex with 14th partner reported in last 12 months (Computed)

Value	Label	Total
.	INAPPLICABLE	7635
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	7
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	0
9998	REFUSED	0
9999	DON'T KNOW	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 13 partners in the last 12 months ([parts12](#) GT 13) and this partner is not her first partner (firstflag14 NE 1)

***cmlstsxx14*** (1163 - 1166)

CM for Last or Only Sex With 14th Partner Reported in Last 12 months (Computed)

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7635
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	7
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 13 partners in the last 12 months ([parts12](#) GT 13) and this partner is not her first partner (firstflag14 NE 1)

**P1YEDUC14** (1167 - 1167)

**CI-11:** Please look at Card 11. What is the highest level of education he has completed? (14TH REPORTED RECENT PARTNER)

Value	Label	Total
.	inapplicable	7642
1	LESS THAN HIGH SCHOOL	1
2	HIGH SCHOOL GRADUATE OR GED	0
3	SOME COLLEGE BUT NO DEGREE	0
4	2-YEAR COLLEGE DEGREE (E.G., ASSOCIATE S DEGREE)	0
5	4-YEAR COLLEGE GRADUATE (E.G., BA, BS)	0
6	GRADUATE OR PROFESSIONAL SCHOOL	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 13 partners in the last 12 months ([parts12](#) GT 13), this partner is current (CI-9 [P1YCURRP14](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly14=3 or 4))

**P1YHISP14** (1168 - 1168)

**CI-12:** Is (14TH REPORTED RECENT PARTNER) Hispanic or Latino, or of Spanish origin?

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7642
1	YES	0
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 13 partners in the last 12 months ([parts12](#) GT 13), this partner is current (CI-9 [P1YCURRP14](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly14=3 or 4))

**P1YRACE66** (1169 - 1169)

**CI-13:** Which of the groups on Card 2 describes (14TH REPORTED RECENT PARTNER)'s racial background? Please select one or more groups. [1ST MENTIONED]

Value	Label	Total
.	inapplicable	7642
1-3	OTHER RACE GROUPS	0
4	BLACK OR AFRICAN AMERICAN	0
5	WHITE	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 13 partners in the last 12 months ([parts12](#) GT 13), this partner is current (CI-9 [P1YCURRP14](#)=1 or CG-6 [STILFPSX](#)=1), and he is not her current or separated husband or cohabiting partner ((AB-1 MARSTAT=3, 4, or 6) or (relprtly14=3 or 4))

**P1YRN14** (1170 - 1170)

**CI-15:** Please look at Card 24. How would you describe your current relationship with (14TH REPORTED RECENT PARTNER)?

Value	Label	Total
-------	-------	-------

**NSFG Cycle 6 Female Respondent File Section C**

.	inapplicable	7642
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0
5	GOING OUT WITH HIM ONCE IN A WHILE	0
6	JUST FRIENDS	0
7	HAD JUST MET HIM	0
8	SOMETHING ELSE	1
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 13 partners in the last 12 months ([parts12](#) GT 13), this partner has been explicitly reported as current (CI-9 [PIYCURRP14](#)=1), and the relationship has lasted longer than 1 month (([cmlsexx14](#) -[cmfsexx14](#)) GE 1)

**P1YRAGE15** (1171 - 1172)

**CI-5:** Thinking now of (15TH REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7641
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	0
20-24	20-24 YEARS	1
25-34	25-34 YEARS	1
35-44	35-44 YEARS	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 14 partners in the last 12 months ([parts12](#) GT 14) and this partner is not her first partner ([firstflag15](#) NE 1)

**P1YHSAGE15** (1173 - 1174)



NSFG Cycle 6 Female Respondent File Section C

**CI-6:** And how old was he when you first had sexual intercourse with him? (15TH REPORTED RECENT PARTNER)

Value	Label	Total
.	INAPPLICABLE	7641
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	0
20-24	20-24 YEARS	1
25-34	25-34 YEARS	1
35-44	35-44 YEARS	0
45-95	45 YEARS OR OLDER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 14 partners in the last 12 months ([parts12](#) GT 14) and this partner is not her first partner (firstflag15 NE 1)

**P1YRF15** (1175 - 1175)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (15TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

Value	Label	Total
.	inapplicable	7641
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0
5	GOING OUT WITH HIM ONCE IN A WHILE	0
6	JUST FRIENDS	1
7	HAD JUST MET HIM	1
8	SOMETHING ELSE	0
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section C**

**Universe:**

Applicable if R has had more than 14 partners in the last 12 months ([parts12](#) GT 14) and this partner is not her first partner (firstflag15 NE 1)

**cmfsexx15** (1176 - 1179)

Century Month for date when first had sex with 15th partner reported in last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7636
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 14 partners in the last 12 months ([parts12](#) GT 14) and this partner is not her first partner (firstflag15 NE 1)

**P1YCURRP15** (1180 - 1180)

**CI-9:** Do you consider (15TH REPORTED RECENT PARTNER) to be a current sexual partner?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	YES	0
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 14 partners in the last 12 months ([parts12](#) GT 14) and this partner is not her first partner (firstflag15 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly15=3 or 4))

***pcurrntx15*** (1181 - 1181)

Whether or not partner is current - 15th partner in last 12 months  
(Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	YES	0
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 14 partners in the last 12 months ([parts12](#) GT 14) and this partner is not her first partner (firstflag15 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly15=3 or 4))

***cmlsexx15*** (1182 - 1185)

Century Month for date when last had sex with 15th partner reported in last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7636
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	7
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	0
9998	REFUSED	0
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 14 partners in the last 12 months ([parts12](#) GT 14) and this partner is not her first partner (firstflag15 NE 1)

***cmlstsxx15*** (1186 - 1189)

**NSFG Cycle 6 Female Respondent File Section C**

CM for Last or Only Sex With 15th Partner Reported in Last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7636
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 14 partners in the last 12 months ([parts12](#) GT 14) and this partner is not her first partner (firstflag15 NE 1)

**P1YRAGE16** (1190 - 1191)

**CI-5:** Thinking now of (16TH REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7641
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	1
20-24	20-24 YEARS	0
25-34	25-34 YEARS	1
35-44	35-44 YEARS	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 15 partners in the last 12 months ([parts12](#) GT 15) and this partner is not her first partner (firstflag16 NE 1)

**P1YHSAGE16** (1192 - 1193)

**CI-6:** And how old was he when you first had sexual intercourse with him? (16TH REPORTED RECENT PARTNER)

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	INAPPLICABLE	7641
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	0
20-24	20-24 YEARS	2
25-34	25-34 YEARS	0
35-44	35-44 YEARS	0
45-95	45 YEARS OR OLDER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 15 partners in the last 12 months ([parts12](#) GT 15) and this partner is not her first partner (firstflag16 NE 1)

**P1YRF16** (1194 - 1194)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (16TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

Value	Label	Total
.	inapplicable	7641
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0
5	GOING OUT WITH HIM ONCE IN A WHILE	0
6	JUST FRIENDS	1
7	HAD JUST MET HIM	1
8	SOMETHING ELSE	0
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 15 partners in the last 12 months ([parts12](#) GT 15) and this partner is not her first partner (firstflag16 NE 1)

**cmfsexx16** (1195 - 1198)

Century Month for date when first had sex with 16th partner reported in last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7636
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 15 partners in the last 12 months ([parts12](#) GT 15) and this partner is not her first partner (firstflag16 NE 1)

**P1YCURRP16** (1199 - 1199)

**CI-9:** Do you consider (16TH REPORTED RECENT PARTNER) to be a current sexual partner?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	YES	0
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 15 partners in the last 12 months ([parts12](#) GT 15) and this partner is not her first partner (firstflag16 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly16=3 or 4))

**pcurrntx16** (1200 - 1200)

Whether or not partner is current - 16th partner in last 12 months (Computed)

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7641
1	YES	0
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 15 partners in the last 12 months ([parts12](#) GT 15) and this partner is not her first partner (firstflag16 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly16=3 or 4))

***cmlsexx16*** (1201 - 1204)

Century Month for date when last had sex with 16th partner reported in last 12 months (Computed)

Value	Label	Total
.	INAPPLICABLE	7636
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	7
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	0
9998	REFUSED	0
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 15 partners in the last 12 months ([parts12](#) GT 15) and this partner is not her first partner (firstflag16 NE 1)

***cmlstsxx16*** (1205 - 1208)

CM for Last or Only Sex With 16th Partner Reported in Last 12 months (Computed)

Value	Label	Total
.	inapplicable	7636

**NSFG Cycle 6 Female Respondent File Section C**

301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 15 partners in the last 12 months ([parts12](#) GT 15) and this partner is not her first partner (firstflag16 NE 1)

**P1YRAGE17** (1209 - 1210)

**CI-5:** Thinking now of (17TH REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	0
20-24	20-24 YEARS	0
25-34	25-34 YEARS	1
35-44	35-44 YEARS	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 16 partners in the last 12 months ([parts12](#) GT 16) and this partner is not her first partner (firstflag17 NE 1)

**P1YHSAGE17** (1211 - 1212)

**CI-6:** And how old was he when you first had sexual intercourse with him? (17TH REPORTED RECENT PARTNER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	0
20-24	20-24 YEARS	1
25-34	25-34 YEARS	0



NSFG Cycle 6 Female Respondent File Section C

35-44	35-44 YEARS	0
45-95	45 YEARS OR OLDER	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 16 partners in the last 12 months ([parts12](#) GT 16) and this partner is not her first partner (firstflag17 NE 1)

**P1YRF17** (1213 - 1213)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (17TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

Value	Label	Total
.	inapplicable	7642
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0
5	GOING OUT WITH HIM ONCE IN A WHILE	0
6	JUST FRIENDS	0
7	HAD JUST MET HIM	1
8	SOMETHING ELSE	0
98	REFUSED	0
99	DON'T KNOW	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 16 partners in the last 12 months ([parts12](#) GT 16) and this partner is not her first partner (firstflag17 NE 1)

**cmfsexx17** (1214 - 1217)

Century Month for date when first had sex with 17th partner reported in last 12 months (Computed)

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7637
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 16 partners in the last 12 months ([parts12](#) GT 16) and this partner is not her first partner (firstflag17 NE 1)

**P1YCURRP17** (1218 - 1218)

**CI-9:** Do you consider (17TH REPORTED RECENT PARTNER) to be a current sexual partner?

Value	Label	Total
.	inapplicable	7642
1	YES	0
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 16 partners in the last 12 months ([parts12](#) GT 16) and this partner is not her first partner (firstflag17 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly17=3 or 4))

**pcurrntx17** (1219 - 1219)

Whether or not partner is current - 17th partner in last 12 months (Computed)

Value	Label	Total
.	inapplicable	7642
1	YES	0
5	NO	1
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section C

**Universe:**

Applicable if R has had more than 16 partners in the last 12 months ([parts12](#) GT 16) and this partner is not her first partner (firstflag17 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly17=3 or 4))

***cmlsexx17*** (1220 - 1223)

Century Month for date when last had sex with 17th partner reported in last 12 months (Computed)

Value	Label	Total
.	INAPPLICABLE	7637
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	6
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	0
9998	REFUSED	0
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 16 partners in the last 12 months ([parts12](#) GT 16) and this partner is not her first partner (firstflag17 NE 1)

***cmlstsxx17*** (1224 - 1227)

CM for Last or Only Sex With 17th Partner Reported in Last 12 months (Computed)

Value	Label	Total
.	inapplicable	7637
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 16 partners in the last 12

NSFG Cycle 6 Female Respondent File Section C

months ([parts12](#) GT 16) and this partner is not her first partner (firstflag17 NE 1)

**P1YRAGE18** (1228 - 1229)

**CI-5:** Thinking now of (18TH REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

Value	Label	Total
.	INAPPLICABLE	7642
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	0
20-24	20-24 YEARS	0
25-34	25-34 YEARS	1
35-44	35-44 YEARS	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 17 partners in the last 12 months ([parts12](#) GT 17) and this partner is not her first partner (firstflag18 NE 1)

**P1YHSAGE18** (1230 - 1231)

**CI-6:** And how old was he when you first had sexual intercourse with him? (18TH REPORTED RECENT PARTNER)

Value	Label	Total
.	INAPPLICABLE	7642
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	1
20-24	20-24 YEARS	0
25-34	25-34 YEARS	0
35-44	35-44 YEARS	0
45-95	45 YEARS OR OLDER	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 17 partners in the last 12

**NSFG Cycle 6 Female Respondent File Section C**

months ([parts12](#) GT 17) and this partner is not her first partner (firstflag18 NE 1)

**P1YRF18** (1232 - 1232)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (18TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

Value	Label	Total
.	inapplicable	7642
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0
5	GOING OUT WITH HIM ONCE IN A WHILE	0
6	JUST FRIENDS	0
7	HAD JUST MET HIM	1
8	SOMETHING ELSE	0
98	REFUSED	0
99	DON'T KNOW	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 17 partners in the last 12 months ([parts12](#) GT 17) and this partner is not her first partner (firstflag18 NE 1)

**cmfsexx18** (1233 - 1236)

Century Month for date when first had sex with 18th partner reported in last 12 months (Computed)

Value	Label	Total
.	inapplicable	7637
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	4
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 17 partners in the last 12 months ([parts12](#) GT 17) and this partner is not her first partner (firstflag18 NE 1)

**P1YCURRP18** (1237 - 1237)

**CI-9:** Do you consider (18TH REPORTED RECENT PARTNER) to be a current sexual partner?

Value	Label	Total
.	inapplicable	7642
1	YES	0
5	NO	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 17 partners in the last 12 months ([parts12](#) GT 17) and this partner is not her first partner (firstflag18 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly18=3 or 4))

**pcurrntx18** (1238 - 1238)

Whether or not partner is current - 18th partner in last 12 months (Computed)

Value	Label	Total
.	inapplicable	7642
1	YES	0
5	NO	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 17 partners in the last 12 months ([parts12](#) GT 17) and this partner is not her first partner (firstflag18 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly18=3 or 4))

***cmlsexx18*** (1239 - 1242)

Century Month for date when last had sex with 18th partner reported in last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7637
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	6
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	0
9998	REFUSED	0
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 17 partners in the last 12 months ([parts12](#) GT 17) and this partner is not her first partner (firstflag18 NE 1)

***cmlstsxx18*** (1243 - 1246)

CM for Last or Only Sex With 18th Partner Reported in Last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7637
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 17 partners in the last 12 months ([parts12](#) GT 17) and this partner is not her first partner (firstflag18 NE 1)

***P1YRAGE19*** (1247 - 1248)

**CI-5:** Thinking now of (19TH REPORTED RECENT PARTNER), how old were

NSFG Cycle 6 Female Respondent File Section C

you when you first had sexual intercourse with him?

Value	Label	Total
.	INAPPLICABLE	7642
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	0
20-24	20-24 YEARS	0
25-34	25-34 YEARS	1
35-44	35-44 YEARS	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 18 partners in the last 12 months ([parts12](#) GT 18) and this partner is not her first partner (firstflag19 NE 1)

**P1YHSAGE19** (1249 - 1250)

**CI-6:** And how old was he when you first had sexual intercourse with him? (19TH REPORTED RECENT PARTNER)

Value	Label	Total
.	INAPPLICABLE	7642
0-17	UNDER 18 YEARS	0
18-19	18-19 YEARS	0
20-24	20-24 YEARS	0
25-34	25-34 YEARS	0
35-44	35-44 YEARS	0
45-95	45 YEARS OR OLDER	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 18 partners in the last 12 months ([parts12](#) GT 18) and this partner is not her first partner (firstflag19 NE 1)

**P1YRF19** (1251 - 1251)



**NSFG Cycle 6 Female Respondent File Section C**

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (19TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0
5	GOING OUT WITH HIM ONCE IN A WHILE	0
6	JUST FRIENDS	0
7	HAD JUST MET HIM	1
8	SOMETHING ELSE	0
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 18 partners in the last 12 months ([parts12](#) GT 18) and this partner is not her first partner (firstflag19 NE 1)

**cmfsexx19** (1252 - 1255)

Century Month for date when first had sex with 19th partner reported in last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7637
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 18 partners in the last 12 months ([parts12](#) GT 18) and this partner is not her first partner (firstflag19 NE 1)

**P1YCURRP19** (1256 - 1256)

**CI-9:** Do you consider (19TH REPORTED RECENT PARTNER) to be a current sexual partner?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	0
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 18 partners in the last 12 months ([parts12](#) GT 18) and this partner is not her first partner (firstflag19 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly19=3 or 4))

**pcurrntx19** (1257 - 1257)

Whether or not partner is current - 19th partner in last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	0
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 18 partners in the last 12 months ([parts12](#) GT 18) and this partner is not her first partner (firstflag19 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly19=3 or 4))

**cmsexx19** (1258 - 1261)

Century Month for date when last had sex with 19th partner reported in last 12 months (Computed)

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	INAPPLICABLE	7637
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	6
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	0
9998	REFUSED	0
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 18 partners in the last 12 months ([parts12](#) GT 18) and this partner is not her first partner (firstflag19 NE 1)

***cmlstsxx19*** (1262 - 1265)

CM for Last or Only Sex With 19th Partner Reported in Last 12 months (Computed)

Value	Label	Total
.	inapplicable	7637
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 18 partners in the last 12 months ([parts12](#) GT 18) and this partner is not her first partner (firstflag19 NE 1)

***P1YRAGE20*** (1266 - 1267)

**CI-5:** Thinking now of (20TH REPORTED RECENT PARTNER), how old were you when you first had sexual intercourse with him?

Value	Label	Total
.	INAPPLICABLE	7642

NSFG Cycle 6 Female Respondent File Section C

0-17 UNDER 18 YEARS	0
18-19 18-19 YEARS	0
20-24 20-24 YEARS	0
25-34 25-34 YEARS	1
35-44 35-44 YEARS	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 19 partners in the last 12 months ([parts12](#) GT 19) and this partner is not her first partner (firstflag20 NE 1)

**P1YHSAGE20** (1268 - 1269)

**CI-6:** And how old was he when you first had sexual intercourse with him? (20TH REPORTED RECENT PARTNER)

<u>Value Label</u>	<u>Total</u>
. INAPPLICABLE	7642
0-17 UNDER 18 YEARS	0
18-19 18-19 YEARS	1
20-24 20-24 YEARS	0
25-34 25-34 YEARS	0
35-44 35-44 YEARS	0
45-95 45 YEARS OR OLDER	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 19 partners in the last 12 months ([parts12](#) GT 19) and this partner is not her first partner (firstflag20 NE 1)

**P1YRF20** (1270 - 1270)

**CI-7:** Please look at Card 24. At the time you first had sexual intercourse with (20TH REPORTED RECENT PARTNER), how would you describe your relationship with him?

<u>Value Label</u>	<u>Total</u>
--------------------	--------------

**NSFG Cycle 6 Female Respondent File Section C**

.	inapplicable	7642
1	MARRIED TO HIM	0
2	ENGAGED TO HIM	0
3	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	0
4	GOING WITH HIM OR GOING STEADY	0
5	GOING OUT WITH HIM ONCE IN A WHILE	0
6	JUST FRIENDS	1
7	HAD JUST MET HIM	0
8	SOMETHING ELSE	0
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 19 partners in the last 12 months ([parts12](#) GT 19) and this partner is not her first partner (firstflag20 NE 1)

**cmfsexx20** (1271 - 1274)

Century Month for date when first had sex with 20th partner reported in last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7637
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 19 partners in the last 12 months ([parts12](#) GT 19) and this partner is not her first partner (firstflag20 NE 1)

**P1YCURRP20** (1275 - 1275)

**CI-9:** Do you consider (20TH REPORTED RECENT PARTNER) to be a current sexual partner?

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
.	inapplicable	7642
1	YES	0
5	NO	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 19 partners in the last 12 months ([parts12](#) GT 19) and this partner is not her first partner (firstflag20 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly20=3 or 4))

***pcurrntx20*** (1276 - 1276)

Whether or not partner is current - 20th partner in last 12 months (Computed)

Value	Label	Total
.	inapplicable	7642
1	YES	0
5	NO	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had more than 19 partners in the last 12 months ([parts12](#) GT 19) and this partner is not her first partner (firstflag20 NE 1), and she not currently married to, separated from, or cohabiting with this partner ((AB-1 MARSTAT= 3,4, or 6) or (relprtly20=3 or 4))

***cmlsexx20*** (1277 - 1280)

Century Month for date when last had sex with 20th partner reported in last 12 months (Computed)

Value	Label	Total
.	INAPPLICABLE	7637
301-1164	BEFORE 1997	0

**NSFG Cycle 6 Female Respondent File Section C**

1165-1239	JANUARY 1997 OR LATER	6
9996	ONLY HAD SEX ONCE WITH THIS PARTNER	0
9998	REFUSED	0
9999	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 19 partners in the last 12 months ([parts12](#) GT 19) and this partner is not her first partner (firstflag20 NE 1)

***cm1stsxx20*** (1281 - 1284)

CM for Last or Only Sex With 20th Partner Reported in Last 12 months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7637
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 19 partners in the last 12 months ([parts12](#) GT 19) and this partner is not her first partner (firstflag20 NE 1)

***cm1stsx12*** (1285 - 1288)

Century Month of last sexual intercourse in last 12 months?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1614
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	6028
9997	Not ascertained	1
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section C**

Applicable if R had any sexual partners in the last 12 months  
([parts12](#) GE 1)

**LASTSEX** (1289 - 1289)

**CI-16:** Before we move on to the next section of the interview, let me make sure I have everything correct so far. You reported that you last had sex with (NAMES OF RECENT PARTNERS) in (M/Y OF LAST SEX WITH THEM). Is that correct?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7554
1	YES	87
5	NO	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had 2 or more partners in the last 12 months ([parts12](#) ge 2) and R reported the same month and year for her last sex with 2 or more recent partners (([cmlstsx12](#) = [cmlstsx](#) or [cmfplast](#) for more than 1 partner and month for all of the partners was reported as 1-12, not season or DK/RF)

**cmdatlst** (1290 - 1293)

Century Month for date when last had sex with a male partner-if before last 12 months (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7133
301-1164	BEFORE 1997	107
1165-1239	JANUARY 1997 OR LATER	370
9998	Refused	19
9999	Don't know	14
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever had sex with a man ([rhadsex](#) = 1) but had no partners in last 12 months ([parts12](#)=0)



**WHOLAST** (1294 - 1294)

**CI-19:** Who was this last sexual partner?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7133
1	A FORMER HUSBAND	72
2	A FORMER COHABITING PARTNER	75
3	YOUR FIRST SEXUAL PARTNER	79
4	SOME OTHER MAN	270
8	Refused	13
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever had sex with a man ([rhadsex](#) = 1) but had no partners in last 12 months ([parts12](#)=0)

**lifeprts** (1295 - 1297)

Number of Male Sexual Partners in Lifetime (Computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	NONE	962
1	1 PARTNER	1575
2	2 PARTNERS	833
3	3 PARTNERS	759
4	4 PARTNERS	651
5	5 PARTNERS	684
6	6 PARTNERS	390
7	7 PARTNERS	279
8	8 PARTNERS	215
9	9 PARTNERS	116
10-19	10-19 PARTNERS	766
20-49	20-49 PARTNERS	326
50	50 OR MORE PARTNERS	64
998	Refused	3
999	Don't know	20

NSFG Cycle 6 Female Respondent File Section C

Total 7643

**Universe:**

Applicable for all respondents

***cmlastsex*** (1298 - 1301)

Century Month when last had sex with a male partner - defined for all R's (Computed)

Value	Label	Total
.	inapplicable	858
301-1164	BEFORE 1997	247
1165-1239	JANUARY 1997 OR LATER	6460
9997	Not ascertained	78
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever had sex with a man ([rhadsex=1](#))

***currprtt*** (1302 - 1303)

Number of current male sexual partners-including curr H/P (Computed)

Value	Label	Total
0	NONE	2696
1	1 PARTNER	4785
2-95	2 OR MORE PARTNERS	162
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***currprts*** (1304 - 1305)

Number of current nonmarital, noncoresidential male sexual partners (Computed)

NSFG Cycle 6 Female Respondent File Section C

Value	Label	Total
0	NONE	5881
1	1 PARTNER	1650
2-95	2 OR MORE PARTNERS	112
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***cmpart1y1*** (1306 - 1309)

Century Month for Date of Last or Only Sex with Most Recent Male Partner in Last 12 Months (Computed)

Value	Label	Total
.	inapplicable	3198
301-1164	BEFORE 1997	13
1165-1239	JANUARY 1997 OR LATER	4431
9997	Not ascertained	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R had any sexual partners in the last 12 months ([parts12](#) GE 1)

***cmpart1y2*** (1310 - 1313)

Century Month for Date of Last or Only Sex With 2nd Most Recent Male Partner in Last 12 Months (Computed)

Value	Label	Total
.	inapplicable	6870
301-1164	BEFORE 1997	11
1165-1239	JANUARY 1997 OR LATER	762
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R had 2 or more sexual partners in the last 12

NSFG Cycle 6 Female Respondent File Section C

months ([parts12](#) GE 2)

***cmpart1y3*** (1314 - 1317)

Century Month for Date of Last or Only Sex With 3rd Most Recent Male Partner in Last 12 Months (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7347
301-1164	BEFORE 1997	8
1165-1239	JANUARY 1997 OR LATER	288
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R had 3 or more sexual partners in the last 12 months ([parts12](#) GE 3)

**EVERTUBS** (1318 - 1318)

**DA-1:** Have you ever had both of your tubes tied, cut, or removed? This procedure is often called a tubal ligation or tubal sterilization.

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	1172
3	IF VOLUNTEERED: OPERATION FAILED	4
5	NO	6464
6	IF VOLUNTEERED: OPERATION ALREADY REVERSED	1
8	Refused	1
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**EVERHYST** (1319 - 1319)

**DA-2:** Have you ever had a hysterectomy, that is, surgery to remove your uterus?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	352
1	YES	282
5	NO	7007
8	Refused	1
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is not currently pregnant (currpreg=5)

**EVEROVRS** (1320 - 1320)

**DA-3:** Have you ever had both of your ovaries removed?

NSFG Cycle 6 Female Respondent File Section D

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	352
1	YES	118
5	NO	7170
8	Refused	1
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is not currently pregnant (currpreg=5)

**EVEROTHR** (1321 - 1321)

**DA-4:** Have you ever had any other operation that makes it impossible for you to have a(nother) baby?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	81
5	NO	7558
8	Refused	1
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WHTOOPRC** (1322 - 1322)

**DA-5a:** Codes for Spontaneous Description of Other Operation

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7562
1	OPERATION AFFECTS ONLY ONE TUBE	15
2	OPERATION AFFECTS ONLY ONE OVARY	7
3	SOME OTHER OPERATION	35
4	OTHER STERILIZING OPERATION	24
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported another female sterilizing operation (DA-4 [EVEROTHR](#) = 1) and R volunteers this information

***ONOTFUNC*** (1323 - 1323)

**DA-6:** Many women who have only one (tube tied/ovary removed) can still have babies because they are not completely sterile. As far as you know, are you completely sterile from this operation, that is, does it make it impossible for you to have a baby in the future?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7621
1	YES	15
5	NO	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentions that only 1 tube or ovary was affected (DA-5a [WHTOOPRC](#)=1 or 2)

***DFNLSTRL*** (1324 - 1324)

**DA-7:** As far as you know, are you completely sterile from this operation, that is, does it make it impossible for you to have a baby in the future?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7608
1	YES	26
5	NO	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if DA-5a [WHTOOPRC](#) = 3 (SOME OTHER OPERATION)

***anyfster*** (1325 - 1325)

**NSFG Cycle 6 Female Respondent File Section D**

Respondent Ever Had Sterilizing Operation Regardless of Reversal  
(COMPUTED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	1321
5	NO	6322
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***fstrop12*** (1326 - 1326)

Respondent Had Sterilizing Operation in Last 12 Months (COMPUTED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	157
5	NO	7486
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had a female sterilization operation  
([anyfster](#)=1)

***ANYOPSMN*** (1327 - 1327)

**DA-8:** Has (NAME OF CURRENT HUSBAND OR COHABITING PARTNER) ever had a vasectomy or any other operation that would make it impossible for him to father a baby in the future?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	3905
1	YES	359
5	NO	3376
8	Refused	1
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**



**NSFG Cycle 6 Female Respondent File Section D**

Applicable if R is currently married or cohabiting (chpname NE blank)

**WHATOPSM** (1328 - 1328)

**DA-9:** What type of operation did (NAME OF CURRENT HUSBAND OR COHABITING PARTNER) have?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7284
1	VASECTOMY	356
2	OTHER OPERATION	3
5	IF VOLUNTEERED: OPERATION FAILED	0
6	IF VOLUNTEERED: OPERATION ALREADY REVERSED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's current husband or cohabiting partner had a sterilization operation (DA-8 [ANYOPSMN=1](#))

**DFNLSTRX** (1329 - 1329)

**DA-10:** As far as you know, is he completely sterile from this operation, that is, does it make it impossible for him to father a baby in the future?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	YES	2
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if DA-9 [WHATOPSM=2](#) (OTHER OPERATION)

**anymster** (1330 - 1330)

R's Current H/P Ever Had Sterilizing Operation Regardless of Reversal (COMPUTED)

NSFG Cycle 6 Female Respondent File Section D

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3905
1	YES	358
5	NO	3380
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married or cohabiting (chpname NE blank)

***PLCFEMOP*** (1331 - 1332)

**DB-2:** Looking at Card 25, please tell me where this operation was performed. (TUBAL LIGATION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7137
1	PRIVATE DOCTOR S OFFICE	8
2	HMO FACILITY	9
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, OR PUBLIC HEALTH CLINIC	11
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	3
5	EMPLOYER OR COMPANY CLINIC	0
6	SCHOOL OR SCHOOL-BASED CLINIC	2
7	HOSPITAL OUTPATIENT CLINIC	137
8	HOSPITAL EMERGENCY ROOM	23
9	HOSPITAL REGULAR ROOM	308
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	0
20	SOME OTHER PLACE	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if tubal sterilization was reported in Jan 1997 or later ([cmtublig](#) ge cmjan97)

***INPATIEN*** (1333 - 1333)

**DB-2a:** When you had your tubal ligation, did you stay overnight in the hospital?

NSFG Cycle 6 Female Respondent File Section D

<u>Value Label</u>	<u>Total</u>
. inapplicable	7175
1 YES	280
5 NO	188
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if tubal sterilization was reported in Jan 1997 or later ([cmtublig](#) ge cmjan97) and R reported any hospital site for the operation (DB-2 [PLCFEMOP](#)=7, 8, or 9)

**PAYRSTER1** (1334 - 1334)

**DB-2b:** Looking at Card 16, please tell me all of the ways in which the bill for this operation was paid. (1st MENTION FOR TUBAL LIGATION)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7137
1 INSURANCE	286
2 CO-PAYMENT OR OUT-OF-POCKET PAYMENT	16
3 MEDICAID	189
4 NO PAYMENT REQUIRED	9
5 SOME OTHER WAY	6
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if tubal sterilization was reported in Jan 1997 or later ([cmtublig](#) ge cmjan97)

**PAYRSTER2** (1335 - 1335)

**DB-2b:** Looking at Card 16, please tell me all of the ways in which the bill for this operation was paid. (2nd MENTION FOR TUBAL LIGATION)

<u>Value Label</u>	<u>Total</u>
--------------------	--------------

**NSFG Cycle 6 Female Respondent File Section D**

.	inapplicable	7507
1	INSURANCE	5
2	CO-PAYMENT OR OUT-OF-POCKET PAYMENT	120
3	MEDICAID	9
4	NO PAYMENT REQUIRED	1
5	SOME OTHER WAY	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 form of payment was reported for tubal sterilization in Jan 1997 or later (see DB-2b [PAYRSTER1](#))

**PAYRSTER3** (1336 - 1336)

**DB-2b:** Looking at Card 16, please tell me all of the ways in which the bill for this operation was paid. (3rd MENTION FOR TUBAL LIGATION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	INSURANCE	0
2	CO-PAYMENT OR OUT-OF-POCKET PAYMENT	1
3	MEDICAID	1
4	NO PAYMENT REQUIRED	0
5	SOME OTHER WAY	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 2 forms of payment were reported for tubal sterilization in Jan 1997 or later (see DB-2b [PAYRSTER1](#))

**RHADALL** (1337 - 1337)

**DB-3a:** At the time you had your tubal ligation, had you, yourself, had all the children you wanted?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7137
1	YES	454

**NSFG Cycle 6 Female Respondent File Section D**

5	NO	52
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if tubal sterilization was reported in Jan 1997 or later ([cmtublig](#) ge cmjan97)

**HHADALL** (1338 - 1338)

**DB-3b:** And what about your (husband/partner/husband or partner) (at the time)? At the time you had your tubal ligation, had he had all the children he wanted?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7137
1	YES	385
5	NO	87
6	R VOLUNTEERED SHE WAS NOT IN A RELATIONSHIP WITH A MAN AT TIME SHE HAD THIS OPERATION	21
9	Don't know	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if tubal sterilization was reported in Jan 1997 or later ([cmtublig](#) ge cmjan97)

**FMEDREAS1** (1339 - 1339)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your tubal ligation? (1st MENTION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7137
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	49
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	54
3	YOU WOULD PROBABLY LOSE A PREGNANCY	11
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	5
5	SOME OTHER MEDICAL REASON	22
6	NO MEDICAL REASON FOR OPERATION	365

NSFG Cycle 6 Female Respondent File Section D

Total

7643

**Universe:**

Applicable if tubal sterilization was reported in Jan 1997 or later ([cmtublig](#) ge cmjan97)

**FMEDREAS2** (1340 - 1340)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your tubal ligation? (2nd MENTION)

Value	Label	Total
.	inapplicable	7610
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	2
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	16
3	YOU WOULD PROBABLY LOSE A PREGNANCY	8
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	3
5	SOME OTHER MEDICAL REASON	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 medical reason for her tubal sterilization in Jan 1997 or later (see DB-4 [FMEDREAS1](#))

**FMEDREAS3** (1341 - 1341)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your tubal ligation? (3rd MENTION)

Value	Label	Total
.	inapplicable	7632
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	0
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	0
3	YOU WOULD PROBABLY LOSE A PREGNANCY	7
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	3
5	SOME OTHER MEDICAL REASON	1
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section D

Applicable if R reported more than 2 medical reasons for her tubal sterilization in Jan 1997 or later (see DB-4 [FMEDREAS1](#))

**FMEDREAS4** (1342 - 1342)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your tubal ligation? (4th MENTION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	0
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	0
3	YOU WOULD PROBABLY LOSE A PREGNANCY	0
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	1
5	SOME OTHER MEDICAL REASON	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 3 medical reasons for her tubal sterilization in Jan 1997 or later (see DB-4 [FMEDREAS1](#))

**FMEDREAS5** (1343 - 1343)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your tubal ligation? (5th MENTION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	0
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	0
3	YOU WOULD PROBABLY LOSE A PREGNANCY	0
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	0
5	SOME OTHER MEDICAL REASON	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 4 medical reasons for her tubal sterilization in Jan 1997 or later (see DB-4 [FMEDREAS1](#))

**BCREAS** (1344 - 1344)

**DB-5a:** At the time you had your tubal ligation, had you (or your (husband/partner/husband or partner)) been having problems with your method or methods of birth control?

Value	Label	Total
.	inapplicable	7137
1	YES	77
5	NO	399
6	NO, NOT USING ANY METHOD AT THE TIME	30
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if tubal sterilization was reported in Jan 1997 or later ([cmtublig](#) ge cmjan97)

**BCWHYF** (1345 - 1345)

**DB-5b:** Was there a health or medical problem with the method of birth control you or your partner was using, or did you not like the method for some other reason? (TUBAL LIGATION)

Value	Label	Total
.	inapplicable	7566
1	HEALTH OR MEDICAL PROBLEM	28
2	SOME OTHER REASON	45
3	BOTH	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported problems with her method(s) of birth control as a reason for her tubal sterilization (DB-5a [BCREAS](#)=1)

**MINCDNNR** (1346 - 1346)

**DB-6:** You mentioned that the reasons for your tubal ligation were that... (REASONS REPORTED BY RESPONDENT IN DB-4 FMEDREAS1-6). Which one of these was the main reason that you had your tubal ligation?



**NSFG Cycle 6 Female Respondent File Section D**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7225
1	YOU HAD ALL THE CHILDREN YOU WANTED	267
2	YOUR HUSBAND OR PARTNER HAD ALL THE CHILDREN HE WANTED	20
3	MEDICAL REASONS	81
4	PROBLEMS WITH OTHER METHODS OF BIRTH CONTROL	11
5	SOME OTHER REASON	34
8	Refused	1
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 type of reason for her tubal sterilization (across DB-3a [RHADALL](#), DB-3b [HHADALL](#), DB-4 FMEDREAS, and DB-5a [BCREAS](#))

**PLCFEMOP2** (1347 - 1347)

**DB-2:** Looking at Card 25, please tell me where this operation was performed. (HYSTERECTOMY)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7486
1	PRIVATE DOCTOR S OFFICE	1
2	HMO FACILITY	3
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, OR PUBLIC HEALTH CLINIC	2
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	0
5	EMPLOYER OR COMPANY CLINIC	0
6	SCHOOL OR SCHOOL-BASED CLINIC	0
7	HOSPITAL OUTPATIENT CLINIC	6
8	HOSPITAL EMERGENCY ROOM	7
9	HOSPITAL REGULAR ROOM	138
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	0
20	SOME OTHER PLACE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if hysterectomy was reported in Jan 1997 or later

NSFG Cycle 6 Female Respondent File Section D

([cmhyst](#) ge cmjan97)

**PAYRSTER6** (1348 - 1348)

**DB-2b:** Looking at Card 16, please tell me all of the ways in which the bill for this operation was paid. (1st MENTION FOR HYSTERECTOMY)

Value	Label	Total
.	inapplicable	7486
1	INSURANCE	123
2	CO-PAYMENT OR OUT-OF-POCKET PAYMENT	10
3	MEDICAID	20
4	NO PAYMENT REQUIRED	2
5	SOME OTHER WAY	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if hysterectomy was reported in Jan 1997 or later ([cmhyst](#) ge cmjan97)

**PAYRSTER7** (1349 - 1349)

**DB-2b:** Looking at Card 16, please tell me all of the ways in which the bill for this operation was paid. (2nd MENTION FOR HYSTERECTOMY)

Value	Label	Total
.	inapplicable	7578
1	INSURANCE	2
2	CO-PAYMENT OR OUT-OF-POCKET PAYMENT	62
3	MEDICAID	0
4	NO PAYMENT REQUIRED	1
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 form of payment was reported for hysterectomy in Jan 1997 or later (see DB-2b [PAYRSTER6](#))

**RHADALL2** (1350 - 1350)

**DB-3a:** At the time you had your hysterectomy, had you, yourself, had all the children you wanted?

Value	Label	Total
.	inapplicable	7486
1	YES	107
5	NO	48
9	Don't know	2
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if hysterectomy was reported in Jan 1997 or later  
([cmhyst](#) ge cmjan97)

**HHADALL2** (1351 - 1351)

**DB-3b:** And what about your (husband/partner/husband or partner) (at the time)? At the time you had your hysterectomy, had he had all the children he wanted?

Value	Label	Total
.	inapplicable	7486
1	YES	96
5	NO	38
6	R VOLUNTEERED SHE WAS NOT IN A RELATIONSHIP WITH A MAN AT TIME SHE HAD THIS OPERATION	20
9	Don't know	3
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if hysterectomy was reported in Jan 1997 or later  
([cmhyst](#) ge cmjan97)

**FMEDREAS7** (1352 - 1352)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your hysterectomy? (1st MENTION)

NSFG Cycle 6 Female Respondent File Section D

Value	Label	Total
.	inapplicable	7486
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	136
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	5
3	YOU WOULD PROBABLY LOSE A PREGNANCY	0
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	0
5	SOME OTHER MEDICAL REASON	15
6	NO MEDICAL REASON FOR OPERATION	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if hysterectomy was reported in Jan 1997 or later  
([cmhyst](#) ge cmjan97)

**FMEDREAS8** (1353 - 1353)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your hysterectomy? (2st MENTION)

Value	Label	Total
.	inapplicable	7617
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	0
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	11
3	YOU WOULD PROBABLY LOSE A PREGNANCY	6
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	1
5	SOME OTHER MEDICAL REASON	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 medical reason for her hysterectomy in Jan 1997 or later (see DB-4 [FMEDREAS7](#))

**FMEDREAS9** (1354 - 1354)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your hysterectomy? (3rd MENTION)

**NSFG Cycle 6 Female Respondent File Section D**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7635
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	0
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	0
3	YOU WOULD PROBABLY LOSE A PREGNANCY	4
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	2
5	SOME OTHER MEDICAL REASON	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 2 medical reasons for her hysterectomy in Jan 1997 or later (see DB-4 [FMEDREAS7](#))

**FMEDREAS10** (1355 - 1355)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your hysterectomy? (4th MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	0
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	0
3	YOU WOULD PROBABLY LOSE A PREGNANCY	0
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	2
5	SOME OTHER MEDICAL REASON	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 3 medical reasons for her hysterectomy in Jan 1997 or later (see DB-4 [FMEDREAS7](#))

**FMEDREAS11** (1356 - 1356)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your hysterectomy? (5th MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	0

**NSFG Cycle 6 Female Respondent File Section D**

2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	0
3	YOU WOULD PROBABLY LOSE A PREGNANCY	0
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	0
5	SOME OTHER MEDICAL REASON	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 4 medical reasons for her hysterectomy in Jan 1997 or later (see DB-4 [FMEDREAS7](#))

**BCREAS2** (1357 - 1357)

**DB-5a:** At the time you had your hysterectomy, had you (or your (husband/partner/husband or partner)) been having problems with your method or methods of birth control?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7486
1	YES	4
5	NO	130
6	NO, NOT USING ANY METHOD AT THE TIME	23
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if hysterectomy was reported in Jan 1997 or later ([cmhyst](#) ge cmjan97)

**BCWHYF2** (1358 - 1358)

**DB-5b:** Was there a health or medical problem with the method of birth control you or your partner was using, or did you not like the method for some other reason? (HYSTERECTOMY)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1	HEALTH OR MEDICAL PROBLEM	3
2	SOME OTHER REASON	1
3	BOTH	0
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section D**

**Universe:**

Applicable if R reported problems with her method(s) of birth control as a reason for her hysterectomy (DB-5a [BCREAS2](#)=1)

**MINCDNRR2** (1359 - 1359)

**DB-6:** You mentioned that the reasons for your hysterectomy were that... (REASONS REPORTED BY RESPONDENT IN DB-4 [FMEDREAS7-12](#)). Which one of these was the main reason that you had your hysterectomy?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7513
1	YOU HAD ALL THE CHILDREN YOU WANTED	13
2	YOUR HUSBAND OR PARTNER HAD ALL THE CHILDREN HE WANTED	0
3	MEDICAL REASONS	115
4	PROBLEMS WITH OTHER METHODS OF BIRTH CONTROL	0
5	SOME OTHER REASON	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 type of reason for her hysterectomy (across DB-3a [RHADALL2](#), DB-3b [HHADALL2](#), DB-4 [FMEDREAS7](#), and DB-5a [BCREAS2](#))

**PLCFEMOP3** (1360 - 1360)

**DB-2:** Looking at Card 25, please tell me where this operation was performed. (OVARY REMOVAL)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7583
1	PRIVATE DOCTOR S OFFICE	0
2	HMO FACILITY	1
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, OR PUBLIC HEALTH CLINIC	2
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	0
5	EMPLOYER OR COMPANY CLINIC	0
6	SCHOOL OR SCHOOL-BASED CLINIC	0

**NSFG Cycle 6 Female Respondent File Section D**

7	HOSPITAL OUTPATIENT CLINIC	3
8	HOSPITAL EMERGENCY ROOM	3
9	HOSPITAL REGULAR ROOM	51
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	0
20	SOME OTHER PLACE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if ovary removal was reported in Jan 1997 or later  
([cmovarem](#) ge cmjan97)

**PAYRSTER11** (1361 - 1361)

**DB-2b:** Looking at Card 16, please tell me all of the ways in which the bill for this operation was paid. (1st MENTION FOR OVARY REMOVAL)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7583
1 INSURANCE	47
2 CO-PAYMENT OR OUT-OF-POCKET PAYMENT	4
3 MEDICAID	8
4 NO PAYMENT REQUIRED	1
5 SOME OTHER WAY	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if ovary removal was reported in Jan 1997 or later  
([cmovarem](#) ge cmjan97)

**PAYRSTER12** (1362 - 1362)

**DB-2b:** Looking at Card 16, please tell me all of the ways in which the bill for this operation was paid. (2nd MENTION FOR OVARY REMOVAL)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7617
1 INSURANCE	0



**NSFG Cycle 6 Female Respondent File Section D**

2	CO-PAYMENT OR OUT-OF-POCKET PAYMENT	24
3	MEDICAID	0
4	NO PAYMENT REQUIRED	1
5	SOME OTHER WAY	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 form of payment was reported for ovary removal in Jan 1997 or later (see DB-2b [PAYRSTER11](#))

**RHADALL3** (1363 - 1363)

**DB-3a:** At the time you had your ovary removal, had you, yourself, had all the children you wanted?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7583
1	YES	35
5	NO	24
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if ovary removal was reported in Jan 1997 or later ([cmovarem](#) ge cmjan97)

**HHADALL3** (1364 - 1364)

**DB-3b:** And what about your (husband/partner/husband or partner) (at the time)? At the time you had your ovary removal, had he had all the children he wanted?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7583
1	YES	33
5	NO	19
6	R VOLUNTEERED SHE WAS NOT IN A RELATIONSHIP WITH A MAN AT TIME SHE HAD THIS OPERATION	7
9	Don't know	1

Total

7643

**Universe:**

Applicable if ovary removal was reported in Jan 1997 or later  
([cmovarem](#) ge cmjan97)

**FMEDREAS13** (1365 - 1365)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your ovary removal? (1st MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7583
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	54
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	3
3	YOU WOULD PROBABLY LOSE A PREGNANCY	0
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	0
5	SOME OTHER MEDICAL REASON	3
6	NO MEDICAL REASON FOR OPERATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if ovary removal was reported in Jan 1997 or later  
([cmovarem](#) ge cmjan97)

**FMEDREAS14** (1366 - 1366)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your ovary removal? (2nd MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7632
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	0
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	4
3	YOU WOULD PROBABLY LOSE A PREGNANCY	3
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	1
5	SOME OTHER MEDICAL REASON	3
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section D**

**Universe:**

Applicable if R reported more than 1 medical reason for her ovary removal in Jan 1997 or later (see DB-4 [FMEDREAS13](#))

**FMEDREAS15** (1367 - 1367)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your ovary removal? (3rd MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7638
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	0
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	0
3	YOU WOULD PROBABLY LOSE A PREGNANCY	2
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	2
5	SOME OTHER MEDICAL REASON	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 2 medical reasons for her ovary removal in Jan 1997 or later (see DB-4 [FMEDREAS13](#))

**FMEDREAS16** (1368 - 1368)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your ovary removal? (4th MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	0
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	0
3	YOU WOULD PROBABLY LOSE A PREGNANCY	0
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	1
5	SOME OTHER MEDICAL REASON	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 3 medical reasons for her ovary removal in Jan 1997 or later (see DB-4 [FMEDREAS13](#))

**BCREAS3** (1369 - 1369)

**DB-5a:** At the time you had your ovary removal, had you (or your (husband/partner/husband or partner)) been having problems with your method or methods of birth control?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7583
1	YES	2
5	NO	49
6	NO, NOT USING ANY METHOD AT THE TIME	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if ovary removal was reported in Jan 1997 or later ([cmovarem](#) ge cmjan97)

**BCWHYF3** (1370 - 1370)

**DB-5b:** Was there a health or medical problem with the method of birth control you or your partner was using, or did you not like the method for some other reason? (OVARY REMOVAL)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	HEALTH OR MEDICAL PROBLEM	2
2	SOME OTHER REASON	0
3	BOTH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported problems with her method(s) of birth control as a reason for her ovary removal (DB-5a [BCREAS3](#)=1)

**MINCDNNR3** (1371 - 1371)

**DB-6:** You mentioned that the reasons for your ovary removal were that... (REASONS REPORTED BY RESPONDENT IN DB-4 FMEDREAS13-18). Which one of these was the main reason that you had your ovary

NSFG Cycle 6 Female Respondent File Section D

removal?

Value	Label	Total
.	inapplicable	7598
1	YOU HAD ALL THE CHILDREN YOU WANTED	2
2	YOUR HUSBAND OR PARTNER HAD ALL THE CHILDREN HE WANTED	0
3	MEDICAL REASONS	43
4	PROBLEMS WITH OTHER METHODS OF BIRTH CONTROL	0
5	SOME OTHER REASON	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 type of reason for her ovary removal (across DB-3a [RHADALL3](#), DB-3b [HHADALL3](#), DB-4 [FMEDREAS13](#), and DB-5a [BCREAS3](#))

**PLCFEMOP4** (1372 - 1373)

**DB-2:** Looking at Card 25, please tell me where this operation was performed. (OTHER FEMALE OPERATION)

Value	Label	Total
.	inapplicable	7612
1	PRIVATE DOCTOR S OFFICE	1
2	HMO FACILITY	1
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, OR PUBLIC HEALTH CLINIC	0
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	1
5	EMPLOYER OR COMPANY CLINIC	0
6	SCHOOL OR SCHOOL-BASED CLINIC	0
7	HOSPITAL OUTPATIENT CLINIC	7
8	HOSPITAL EMERGENCY ROOM	2
9	HOSPITAL REGULAR ROOM	18
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	1
20	SOME OTHER PLACE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if other female sterilization operation was reported in Jan 1997 or later ([cmotsurg](#) ge cmjan97)

**PAYRSTER16** (1374 - 1374)

**DB-2b:** Looking at Card 16, please tell me all of the ways in which the bill for this operation was paid. (1st MENTION FOR OTHER FEMALE OPERATION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7612
1	INSURANCE	16
2	CO-PAYMENT OR OUT-OF-POCKET PAYMENT	2
3	MEDICAID	12
4	NO PAYMENT REQUIRED	0
5	SOME OTHER WAY	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if other female sterilization operation was reported in Jan 1997 or later ([cmotsurg](#) ge [cmjan97](#))

**PAYRSTER17** (1375 - 1375)

**DB-2b:** Looking at Card 16, please tell me all of the ways in which the bill for this operation was paid. (2nd MENTION FOR OTHER FEMALE OPERATION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7634
1	INSURANCE	1
2	CO-PAYMENT OR OUT-OF-POCKET PAYMENT	7
3	MEDICAID	1
4	NO PAYMENT REQUIRED	0
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 form of payment was reported for other female sterilization operation in Jan 1997 or later (see DB-2b [PAYRSTER16](#))

**RHADALL4** (1376 - 1376)

**DB-3a:** At the time you had your operation that made it impossible for you to have a baby, had you, yourself, had all the children you wanted?

Value	Label	Total
.	inapplicable	7612
1	YES	24
5	NO	7
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if other female sterilization operation was reported in Jan 1997 or later ([cmotsurg](#) ge cmjan97)

**HHADALL4** (1377 - 1377)

**DB-3b:** And what about your (husband/partner/husband or partner) (at the time)? At the time you had your operation that made it impossible for you to have a baby, had he had all the children he wanted?

Value	Label	Total
.	inapplicable	7612
1	YES	22
5	NO	3
6	R VOLUNTEERED SHE WAS NOT IN A RELATIONSHIP WITH A MAN AT TIME SHE HAD THIS OPERATION	6
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if other female sterilization operation was reported in Jan 1997 or later ([cmotsurg](#) ge cmjan97)

**FMEDREAS19** (1378 - 1378)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your operation that made it impossible for you

**NSFG Cycle 6 Female Respondent File Section D**

to have a baby? (1st MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7612
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	7
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	5
3	YOU WOULD PROBABLY LOSE A PREGNANCY	0
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	0
5	SOME OTHER MEDICAL REASON	5
6	NO MEDICAL REASON FOR OPERATION	13
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if other female sterilization operation was reported in Jan 1997 or later ([cmotsurg](#) ge cmjan97)

**FMEDREAS20** (1379 - 1379)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your operation that made it impossible for you to have a baby? (2nd MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7639
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	0
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	1
3	YOU WOULD PROBABLY LOSE A PREGNANCY	1
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	2
5	SOME OTHER MEDICAL REASON	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 medical reason for her other female sterilization operation in Jan 1997 or later (see DB-4 [FMEDREAS19](#))

**FMEDREAS21** (1380 - 1380)



**NSFG Cycle 6 Female Respondent File Section D**

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your operation that made it impossible for you to have a baby? (3rd MENTION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	0
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	0
3	YOU WOULD PROBABLY LOSE A PREGNANCY	0
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	1
5	SOME OTHER MEDICAL REASON	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 2 medical reasons for her other female sterilization operation in Jan 1997 or later (see DB-4 [FMEDREAS19](#))

**FMEDREAS22** (1381 - 1381)

**DB-4:** Please look at Card 26. Did you have any of these medical reasons for having your operation that made it impossible for you to have a baby? (4th MENTION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	MEDICAL PROBLEMS WITH YOUR FEMALE ORGANS	1
2	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	0
3	YOU WOULD PROBABLY LOSE A PREGNANCY	0
4	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	0
5	SOME OTHER MEDICAL REASON	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 3 medical reasons for her other female sterilization operation in Jan 1997 or later (see DB-4 [FMEDREAS19](#))

**BCREAS4** (1382 - 1382)

**NSFG Cycle 6 Female Respondent File Section D**

**DB-5a:** At the time you had your operation that made it impossible for you to have a baby, had you or your (husband/partner/husband or partner) been having problems with your method or methods of birth control?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7612
1	YES	6
5	NO	21
6	NO, NOT USING ANY METHOD AT THE TIME	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if other female sterilization operation was reported in Jan 1997 or later ([cmotsurg](#) ge cmjan97)

**BCWHYF4** (1383 - 1383)

**DB-5b:** Was there a health or medical problem with the method of birth control you or your partner was using, or did you not like the method for some other reason? (OTHER FEMALE OPERATION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7637
1	HEALTH OR MEDICAL PROBLEM	3
2	SOME OTHER REASON	3
3	BOTH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported problems with her method(s) of birth control as a reason for her other female sterilization operation (DB-5a [BCREAS4](#)=1)

**MINCDNNR4** (1384 - 1384)

**DB-6:** You mentioned that the reasons for your operation that made it impossible for you to have a baby were that... (REASONS REPORTED BY RESPONDENT IN DB-4 FMEDREAS19-24). Which one of these

**NSFG Cycle 6 Female Respondent File Section D**

was the main reason that you had your operation that made it impossible for you to have a baby?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7617
1	YOU HAD ALL THE CHILDREN YOU WANTED	13
2	YOUR HUSBAND OR PARTNER HAD ALL THE CHILDREN HE WANTED	0
3	MEDICAL REASONS	13
4	PROBLEMS WITH OTHER METHODS OF BIRTH CONTROL	0
5	SOME OTHER REASON	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 type of reason for her other female sterilization operation (across DB-3a [RHADALL4](#), DB-3b [HHADALL4](#), DB-4 [FMEDREAS19](#), and DB-5a [BCREAS4](#))

***cmtublig*** (1385 - 1388)

Date (century month) for Respondent's Tubal Ligation/Sterilization (COMPUTED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6470
301-1164	BEFORE 1997	664
1165-1239	JANUARY 1997 OR LATER	506
9998	Refused	1
9999	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if tubal sterilization was reported (DA-1 [EVERTUBS](#)=1 or 6)

***cmhyst*** (1389 - 1392)

Date (century month) for Respondent's Hysterectomy (COMPUTED)

NSFG Cycle 6 Female Respondent File Section D

Value	Label	Total
.	inapplicable	7361
301-1164	BEFORE 1997	123
1165-1239	JANUARY 1997 OR LATER	157
9998	Refused	1
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if hysterectomy was reported (DA-2 [EVERHYST=1](#))

**cmovarem** (1393 - 1396)

Date (century month) For Respondent's Ovary Removal (COMPUTED)

Value	Label	Total
.	inapplicable	7525
301-1164	BEFORE 1997	57
1165-1239	JANUARY 1997 OR LATER	60
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if ovary removal was reported (DA-3 [EVEROVRS=1](#))

**cmotsurg** (1397 - 1400)

Date (century month) For Respondent's Other Sterilizing Operation (COMPUTED)

Value	Label	Total
.	inapplicable	7578
301-1164	BEFORE 1997	33
1165-1239	JANUARY 1997 OR LATER	31
9999	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if other female sterilization operation was reported

NSFG Cycle 6 Female Respondent File Section D

(DA-4 [EVEROTHR=1](#))

**cmoper1** (1401 - 1404)

Date (century month) For Respondent's 1st (or only) Sterilizing Operation (COMPUTED)

Value	Label	Total
.	inapplicable	6326
301-1164	BEFORE 1997	737
1165-1239	JANUARY 1997 OR LATER	580
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had a female sterilization operation ([anyfster=1](#))

**plcoper1** (1405 - 1406)

Place where R had her first (or only) sterilization operation (if >= Jan 97) (COMPUTED)

Value	Label	Total
.	inapplicable	7063
1	PRIVATE DOCTOR S OFFICE	9
2	HMO FACILITY	10
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, OR PUBLIC HEALTH CLINIC	10
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	4
5	EMPLOYER OR COMPANY CLINIC	0
6	SCHOOL OR SCHOOL-BASED CLINIC	2
7	HOSPITAL OUTPATIENT CLINIC	142
8	HOSPITAL EMERGENCY ROOM	25
9	HOSPITAL REGULAR ROOM	372
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	1
20	SOME OTHER PLACE	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported any sterilization operation in January

1997 or later ([cmoper1](#) ge 1165)

**OPERSAME** (1407 - 1407)

**DB-6b:** Did you have the tubal ligation and hysterectomy in the same operation in [M/Y], or were these separate operations?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7610
1	SAME OPERATION	29
5	SEPARATE OPERATION	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported both a tubal sterilization and a hysterectomy (DA-1 [EVERTUBS](#)=1 or 6 and DA-2 [EVERHYST](#)=1)

**OPERSAME2** (1408 - 1408)

**DB-6b:** Did you have the tubal ligation and ovary removal in the same operation in [M/Y], or were these separate operations?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7618
1	SAME OPERATION	22
5	SEPARATE OPERATION	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported both a tubal sterilization and an ovary removal (DA-1 [EVERTUBS](#)=1 or 6 and DA-3 [EVEROVRS](#)=1)

**OPERSAME3** (1409 - 1409)

**DB-6b:** Did you have the tubal ligation and the other surgery that made it impossible for you to have a baby in the same operation in [M/Y], or were these separate operations?

NSFG Cycle 6 Female Respondent File Section D

Value	Label	Total
.	inapplicable	7609
1	SAME OPERATION	29
5	SEPARATE OPERATION	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported both a tubal sterilization and another female sterilization operation (DA-1 [EVERTUBS](#)=1 or 6 and DA-4 [EVEROTHR](#)=1)

**OPERSAME4** (1410 - 1410)

**DB-6b:** Did you have the hysterectomy and ovary removal in the same operation in [M/Y], or were these separate operations?

Value	Label	Total
.	inapplicable	7552
1	SAME OPERATION	80
5	SEPARATE OPERATION	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported both a hysterectomy and an ovary removal (DA-2 [EVERHYST](#)=1 and DA-3 [EVEROVRS](#)=1)

**OPERSAME5** (1411 - 1411)

**DB-6b:** Did you have the hysterectomy and the other surgery that made it impossible for you to have a baby in the same operation in [M/Y], or were these separate operations?

Value	Label	Total
.	inapplicable	7638
1	SAME OPERATION	5
5	SEPARATE OPERATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section D**

Applicable if R reported both a hysterectomy and another female sterilization operation (DA-2 [EVERHYST](#)=1 and DA-4 [EVEROTHR](#)=1)

***OPERSAME6*** (1412 - 1412)

**DB-6b:** Did you have the ovary removal and the other surgery that made it impossible for you to have a baby in the same operation in [M/Y], or were these separate operations?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7629
1	SAME OPERATION	12
5	SEPARATE OPERATION	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported both an ovary removal and another female sterilization operation (DA-3 [EVEROVRS](#)=1 and DA-4 [EVEROTHR](#)=1)

***cmmaleop*** (1413 - 1416)

Date (century month) for Respondent's Current Husband/Partner's Sterilizing Operation (COMPUTED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7285
301-1164	BEFORE 1997	150
1165-1239	JANUARY 1997 OR LATER	190
9998	Refused	1
9999	Don't know	17
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's current husband or cohabiting partner had a sterilization operation (DA-9 [WHATOPSM](#)= 1 or 6)

***WITHIMOP*** (1417 - 1417)

**DB-8:** You may have already told me this, but were you in a



**NSFG Cycle 6 Female Respondent File Section D**

relationship with him at the time he had his (vasectomy/sterilizing operation)?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7636
1	YES	6
5	NO	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if male sterilization operation occurred in Jan 1997 or later and before R married this spouse ([cmmaleop](#) ge cmjan97 and [cmmaleop](#) lt cmmarrch), or operation occurred in Jan 1997 or later and R is cohabiting with this partner ([cmmaleop](#) ge cmjan97 and AB-2 MARSTAT=2)

**PLACOPMN** (1418 - 1419)

**DB-9:** Looking at Card 25, please tell me where this operation was performed.

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7436
1	PRIVATE DOCTOR S OFFICE	136
2	HMO FACILITY	8
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, OR PUBLIC HEALTH CLINIC	2
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	4
5	EMPLOYER OR COMPANY CLINIC	0
6	SCHOOL OR SCHOOL-BASED CLINIC	0
7	HOSPITAL OUTPATIENT CLINIC	37
8	HOSPITAL EMERGENCY ROOM	3
9	HOSPITAL REGULAR ROOM	3
10	URGENT CARE CENTER, URGY-CARE, OR WALK-IN FACILITY	1
20	SOME OTHER PLACE	2
99	Don't know	11
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if male sterilization operation occurred in Jan 1997 or

**NSFG Cycle 6 Female Respondent File Section D**

later ([cmmaleop](#) ge cmjan97) and it occurred during their relationship (DB-8 [WITHIMOP](#)=1 or blank)

**PAYMSTER1** (1420 - 1420)

**DB-10:** Looking at Card 16, please tell me all of the ways in which the bill for (NAME OF CURRENT HUSBAND OR COHABITING PARTNER)'s operation was paid. (1st MENTION)

Value	Label	Total
.	inapplicable	7436
1	INSURANCE	151
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	33
3	MEDICAID	5
4	NO PAYMENT REQUIRED	3
5	SOME OTHER WAY	4
9	Don't know	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if male sterilization operation occurred in Jan 1997 or later ([cmmaleop](#) ge cmjan97) and it occurred during their relationship (DB-8 [WITHIMOP](#)=1 or blank)

**PAYMSTER2** (1421 - 1421)

**DB-10:** Looking at Card 16, please tell me all of the ways in which the bill for (NAME OF CURRENT HUSBAND OR COHABITING PARTNER)'s operation was paid. (2ND MENTION)

Value	Label	Total
.	inapplicable	7544
1	INSURANCE	7
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	90
3	MEDICAID	1
4	NO PAYMENT REQUIRED	1
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section D

**Universe:**

Applicable if more than 1 form of payment was reported for male sterilization operation that occurred in Jan 1997 or later, and during their relationship (see DB-10 [PAYMSTER1](#))

**PAYMSTER3** (1422 - 1422)

**DB-10:** Looking at Card 16, please tell me all of the ways in which the bill for (NAME OF CURRENT HUSBAND OR COHABITING PARTNER)'s operation was paid. (3rd MENTION)

Value	Label	Total
.	inapplicable	7642
1	INSURANCE	0
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	0
3	MEDICAID	0
4	NO PAYMENT REQUIRED	1
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 2 forms of payment were reported for male sterilization operation that occurred in Jan 1997 or later, and during their relationship (see DB-10 [PAYMSTER1](#))

**RHADALLM** (1423 - 1423)

**DB-11a:** At the time (NAME OF CURRENT HUSBAND OR COHABITING PARTNER) had his (vasectomy/sterilizing operation), had you, yourself, had all the children you wanted?

Value	Label	Total
.	inapplicable	7436
1	YES	179
5	NO	25
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section D**

Applicable if male sterilization operation occurred in Jan 1997 or later ([cmmaleop](#) ge cmjan97) and it occurred during their relationship (DB-8 [WITHIMOP](#)=1 or blank)

**HHADALLM** (1424 - 1424)

**DB-11b:** And what about him? At the time he had his (vasectomy/sterilizing operation), had he had all the children he wanted?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7436
1	YES	195
5	NO	11
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if male sterilization operation occurred in Jan 1997 or later ([cmmaleop](#) ge cmjan97) and it occurred during their relationship (DB-8 [WITHIMOP](#)=1 or blank)

**MEDREAS1** (1425 - 1425)

**DB-12:** Please look at Card 27. Did he have any of these medical reasons for having his (vasectomy/sterilizing operation)? (1st MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7436
1	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	19
2	YOU WOULD PROBABLY LOSE A PREGNANCY	3
3	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	2
4	HE HAD HEALTH PROBLEM THAT REQUIRED THE OPERATION	1
5	SOME OTHER MEDICAL REASON	6
6	NO MEDICAL REASON FOR OPERATION	175
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section D**

Applicable if male sterilization operation occurred in Jan 1997 or later ([cmmaleop](#) ge cmjan97) and it occurred during their relationship (DB-8 [WITHIMOP](#)=1 or blank)

**MEDREAS2** (1426 - 1426)

**DB-12:** Please look at Card 27. Did he have any of these medical reasons for having his (vasectomy/sterilizing operation)? (2nd MENTION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1	PREGNANCY WOULD BE DANGEROUS TO YOUR HEALTH	0
2	YOU WOULD PROBABLY LOSE A PREGNANCY	3
3	YOU WOULD PROBABLY HAVE AN UNHEALTHY CHILD	0
4	HE HAD HEALTH PROBLEM THAT REQUIRED THE OPERATION	0
5	SOME OTHER MEDICAL REASON	0
6	NO MEDICAL REASON FOR OPERATION	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if more than 1 medical reason was reported for male sterilization operation that occurred in Jan 1997 or later, and during their relationship (see DB-12 [MEDREAS1](#))

**BCREASM** (1427 - 1427)

**DB-13a:** At the time he had his vasectomy, had you or (NAME OF CURRENT HUSBAND OR COHABITING PARTNER) been having problems with your method or methods of birth control?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7436
1	YES	34
5	NO	159
6	NO, NOT USING ANY METHOD AT THE TIME	10
8	Refused	1
9	Don't know	3
<b>Total</b>		<b>7643</b>

NSFG Cycle 6 Female Respondent File Section D

**Universe:**

Applicable if male sterilization operation occurred in Jan 1997 or later ([cmmaleop](#) ge cmjan97) and it occurred during their relationship (DB-8 [WITHIMOP](#)=1 or blank)

**BCWHYM** (1428 - 1428)

**DB-13b:** Was there a health or medical problem with the method of birth control you or he was using, or did you not like the method for some other reason?

Value	Label	Total
.	inapplicable	7609
1	HEALTH OR MEDICAL PROBLEM	13
2	SOME OTHER REASON	21
3	BOTH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported birth control reasons for the operation (BC-13a [BCREASM](#)=1)

**MINCDNMN** (1429 - 1429)

**DB-14:** You mentioned that the reasons that (NAME OF CURRENT HUSBAND OR COHABITING PARTNER) had (vasectomy/sterilizing operation) were that... (REASONS REPORTED BY RESPONDENT IN DB-12 MEDREAS1-6). Which one of these was the main reason that he had (vasectomy/sterilizing operation)?

Value	Label	Total
.	inapplicable	7461
1	YOU HAD ALL THE CHILDREN YOU WANTED	81
2	YOUR HUSBAND OR PARTNER HAD ALL THE CHILDREN HE WANTED	64
3	MEDICAL REASONS	11
4	PROBLEMS WITH OTHER METHODS OF BIRTH CONTROL	1
5	SOME OTHER REASON NOT MENTIONED ABOVE	23
9	Don't know	2

NSFG Cycle 6 Female Respondent File Section D

Total

7643

**Universe:**

Applicable if R reported more than 1 type of reason for her husband or cohabiting partner's sterilization operation (across DB-11a [RHADALLM](#), DB-11b [HHADALLM](#), DB-12 MEDREAS, and DB-13a [BCREASM](#))

**REVSTUBL** (1430 - 1430)

**DC-1:** (Have you ever had surgery to reverse your tubal sterilization? / Earlier you mentioned that you had your tubal sterilization reversed. Is this correct?)

Value	Label	Total
.	inapplicable	6470
1	YES	8
5	NO	1165
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if tubal sterilization was reported (DA-1 [EVERTUBS](#)=1 or 6)

**cmligrev** (1431 - 1434)

Date (century month) of Respondent's Reversal of Tubal Sterilization (COMPUTED)

Value	Label	Total
.	inapplicable	7635
301-1164	BEFORE 1997	4
1165-1239	JANUARY 1997 OR LATER	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported a reversal of tubal sterilization (DC-1 [REVSTUBL](#)=1)

**REVSVASX** (1435 - 1435)

**NSFG Cycle 6 Female Respondent File Section D**

**DC-3:** (Has (NAME OF CURRENT HUSBAND OR COHABITING PARTNER) ever had surgery to reverse his vasectomy? / Earlier you mentioned that (NAME OF CURRENT HUSBAND OR COHABITING PARTNER) has had his vasectomy reversed. Is this correct?)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7287
1	YES	8
5	NO	348
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's current husband or cohabiting partner had a sterilization operation (DA-9 [WHATOPSM](#)= 1 or 6)

**cmvasrev** (1436 - 1439)

Date (century month) For Respondent's Current Husband/Partner's Vasectomy Reversal (COMPUTED)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7635
301-1164	BEFORE 1997	5
1165-1239	JANUARY 1997 OR LATER	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's current husband or cohabiting partner had a vasectomy reversal (DC-3 [REVSVASX](#)=1)

**rsurgstr** (1440 - 1440)

Whether Respondent is Surgically Sterile at Interview (COMPUTED)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	1313
5	NO	6330
	<b>Total</b>	<b>7643</b>



**Universe:**

Applicable for all respondents

***psurgstr*** (1441 - 1441)

Whether Respondent's Current Husband/Partner is Surgically Sterile at Interview (COMPUTED)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	350
5	NO	7293
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***onlytbvs*** (1442 - 1442)

Whether Respondent and Husband/Partner's Only Sterilizing Operations were Tubal Ligation or Vasectomy (COMPUTED)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	1313
5	NO	6330
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RWANTRVT*** (1443 - 1443)

**DC-5:** As things look to you now, if your tubal sterilization could be reversed safely, would you want to have it reversed?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6658
1	DEFINITELY YES	146
2	PROBABLY YES	126

NSFG Cycle 6 Female Respondent File Section D

3	PROBABLY NO	124
4	DEFINITELY NO	586
8	Refused	1
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's only reported sterilization operations are a tubal sterilization or a vasectomy ([onlytbvs](#)=1) and R did not report a reversal of tubal sterilization (DC-1 [REVSTUBL](#)=5, DK, or RF)

**MANWANTT** (1444 - 1444)

**DC-6:** Would (NAME OF CURRENT HUSBAND OR COHABITING PARTNER) like you to have your tubal sterilization reversed?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7025
1	DEFINITELY YES	90
2	PROBABLY YES	83
3	PROBABLY NO	103
4	DEFINITELY NO	338
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married or cohabiting (chpname NE blank)

**RWANTREV** (1445 - 1445)

**DC-7:** As things look to you now, if (NAME OF CURRENT HUSBAND OR COHABITING PARTNER)'s vasectomy could be reversed safely, would you want to have it reversed?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7623
1	DEFINITELY YES	4

NSFG Cycle 6 Female Respondent File Section D

2	PROBABLY YES	1
3	PROBABLY NO	1
4	DEFINITELY NO	14
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's only reported sterilization operations are a tubal sterilization or a vasectomy ([onlytbvs=1](#)) and R did not report a vasectomy reversal (DC-3 [RESVASX=5](#), DK, or RF)

**MANWANTR** (1446 - 1446)

**DC-8:** Would (NAME OF CURRENT HUSBAND OR COHABITING PARTNER) like to have his vasectomy reversed?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7623
1	DEFINITELY YES	0
2	PROBABLY YES	1
3	PROBABLY NO	0
4	DEFINITELY NO	19
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's only reported sterilization operations are a tubal sterilization or a vasectomy ([onlytbvs=1](#)) and R did not report a vasectomy reversal (DC-3 [RESVASX=5](#), DK, or RF)

**VASANY** (1447 - 1447)

**DD-1:** Did (your former husband/the man you used to live with/any of the (NUMBER) men you used to live with/any of your (NUMBER) former husbands/any of the (NUMBER) men you used to live with, including your (NUMBER) former husband(s)) ever have a vasectomy -- either before you began living together or during the time you lived together?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5032

NSFG Cycle 6 Female Respondent File Section D

1	YES	136
5	NO	2463
8	Refused	3
9	Don't know	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has any former husbands or cohabiting partners  
(prevhusb>0 or prevcohb>0)

**POSIBLPG** (1448 - 1448)

**DE-1:** Now I have a few more questions about your physical ability to have a(nother) baby at some time in the future. Some women are not physically able to have children. As far as you know, is it physically possible for you, yourself, to have a (nother) baby?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1665
1	YES	5744
5	NO	177
8	Refused	2
9	Don't know	55
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is neither surgically sterile nor pregnant  
([rsurgstr](#)=no and [currpreg](#)=no)

**REASIMPR** (1449 - 1449)

**DE-2:** What is the reason it is impossible for you to have a baby in the future? Is it ...

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7466
1	AN ACCIDENT OR ILLNESS	32
2	MENOPAUSE	19

**NSFG Cycle 6 Female Respondent File Section D**

3	SOME OTHER REASON	90
4	UNKNOWN REASONS	36
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that it is not physically possible for her to have a(nother) baby (DE-1 [POSIBLPG=5](#))

**POSIBLMN** (1450 - 1450)

**DE-3:** What about (NAME OF CURRENT HUSBAND OR COHABITING PARTNER)? As far as you know, is it physically possible for him to father a baby in the future?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5303
1	YES	2285
5	NO	35
8	Refused	1
9	Don't know	19
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is neither surgically sterile nor pregnant ([rsurgstr=no](#) and [currpreg=no](#)), she is currently married or cohabiting ([chpname](#) NE blank), and her H/P is not surgically sterile ([psurgstr=no](#))

**REASIMPP** (1451 - 1451)

**DE-4:** What is the reason it is impossible for (NAME OF CURRENT HUSBAND OR COHABITING PARTNER) to father a baby in the future? Is it ...

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7608
1	AN ACCIDENT OR ILLNESS	8
2	SOME OTHER REASON	17
3	UNKNOWN REASONS	10

NSFG Cycle 6 Female Respondent File Section D

Total 7643

**Universe:**

Applicable if R reported that it is not physically possible for her current husband or cohabiting partner to father a baby in the future (DE-3 [POSIBLMN=5](#))

**CANHAVER** (1452 - 1452)

**DF-1:** Some women are physically able to have a(nother) baby, but have difficulty getting pregnant or carrying the baby to term. As far as you know, would you, yourself, have any difficulty getting pregnant (again) or carrying a(nother) baby (after this pregnancy)?

Value	Label	Total
.	inapplicable	1490
1	YES	600
5	NO	5454
8	Refused	2
9	Don't know	97
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R did not report it was physically impossible for her to have a(nother) baby (DE-1 [POSIBLPG=1](#), DK, RF)

**READDIFF1** (1453 - 1453)

**DF-2:** Please look at Card 28. What is the reason that it would be difficult for you to have a(nother) baby? (1st MENTION)

Value	Label	Total
.	inapplicable	7043
1	YOU HAVE DIFFICULTY GETTING PREGNANT	283
2	YOU HAVE DIFFICULTY CARRYING BABY TO TERM	138
3	PREGNANCY IS DANGEROUS TO YOUR HEALTH	57
4	YOU ARE LIKELY TO HAVE AN UNHEALTHY BABY	7
5	SOME OTHER REASON	113
9	Don't know	2

NSFG Cycle 6 Female Respondent File Section D

Total

7643

**Universe:**

Applicable if R reported that is physically difficult for her to have a(nother) baby (DF-1 [CANHAVER=1](#))

**REASDIFF2** (1454 - 1454)

**DF-2:** Please look at Card 28. What is the reason that it would be difficult for you to have a(nother) baby? (2nd MENTION)

Value	Label	Total
.	inapplicable	7551
1	YOU HAVE DIFFICULTY GETTING PREGNANT	2
2	YOU HAVE DIFFICULTY CARRYING BABY TO TERM	39
3	PREGNANCY IS DANGEROUS TO YOUR HEALTH	29
4	YOU ARE LIKELY TO HAVE AN UNHEALTHY BABY	5
5	SOME OTHER REASON	17
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 reason why it is physically difficult for her to have a(nother) baby (see DF-2 [REASDIFF1](#))

**REASDIFF3** (1455 - 1455)

**DF-2:** Please look at Card 28. What is the reason that it would be difficult for you to have a(nother) baby? (3rd MENTION)

Value	Label	Total
.	inapplicable	7631
1	YOU HAVE DIFFICULTY GETTING PREGNANT	0
2	YOU HAVE DIFFICULTY CARRYING BABY TO TERM	0
3	PREGNANCY IS DANGEROUS TO YOUR HEALTH	4
4	YOU ARE LIKELY TO HAVE AN UNHEALTHY BABY	4
5	SOME OTHER REASON	4
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section D

Applicable if R reported more than 2 reasons why it is physically difficult for her to have a(nother) baby (see DF-2 [READDIFF1](#))

**READIFF4** (1456 - 1456)

**DF-2:** Please look at Card 28. What is the reason that it would be difficult for you to have a(nother) baby? (4th MENTION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	YOU HAVE DIFFICULTY GETTING PREGNANT	0
2	YOU HAVE DIFFICULTY CARRYING BABY TO TERM	0
3	PREGNANCY IS DANGEROUS TO YOUR HEALTH	0
4	YOU ARE LIKELY TO HAVE AN UNHEALTHY BABY	2
5	SOME OTHER REASON	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 3 reasons why it is physically difficult for her to have a(nother) baby (see DF-2 [READDIFF1](#))

**READIFF5** (1457 - 1457)

**DF-2:** Please look at Card 28. What is the reason that it would be difficult for you to have a(nother) baby? (5th MENTION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YOU HAVE DIFFICULTY GETTING PREGNANT	0
2	YOU HAVE DIFFICULTY CARRYING BABY TO TERM	0
3	PREGNANCY IS DANGEROUS TO YOUR HEALTH	0
4	YOU ARE LIKELY TO HAVE AN UNHEALTHY BABY	0
5	SOME OTHER REASON	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 4 reasons why it is physically difficult for her to have a(nother) baby (see DF-2 [READDIFF1](#))



**CANHAVEM** (1458 - 1458)

**DF-3:** As far as you know, does (NAME OF CURRENT HUSBAND OR COHABITING PARTNER) have any difficulty fathering a baby?

Value	Label	Total
.	inapplicable	5070
1	YES	59
5	NO	2497
8	Refused	1
9	Don't know	16
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married or cohabiting (chpname ne blank), R's husband or cohabiting partner is not surgically sterile ([psurgstr=no](#)), and R did not report that it is physically impossible for her husband or cohabiting partner to father a baby in the future (DE-3 [POSIBLMN=1](#), DK, RF)

**PREGNONO** (1459 - 1459)

**DF-4:** At any time has a medical doctor ever advised you never to become pregnant (again)?

Value	Label	Total
.	inapplicable	1313
1	YES	250
5	NO	6077
8	Refused	1
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is not surgically sterile ([rsurgstr=no](#))

**REASONO1** (1460 - 1460)

**DF-5:** Please look at Card 29 and tell me why the doctor advised

**NSFG Cycle 6 Female Respondent File Section D**

you not to become pregnant? (1st MENTION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7393
1	DANGEROUS FOR YOU	157
2	DANGEROUS FOR YOUR BABY	27
3	SOME OTHER REASON	65
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that a doctor ever advised her never to become pregnant (again) (DF-4 [PREGNONO=1](#))

**REASONO2** (1461 - 1461)

**DF-5:** Please look at Card 29 and tell me why the doctor advised you not to become pregnant? (2nd MENTION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7590
1	DANGEROUS FOR YOU	2
2	DANGEROUS FOR YOUR BABY	43
3	SOME OTHER REASON	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that a doctor ever advised her never to become pregnant (again) (DF-4 [PREGNONO=1](#)), and R reported more than 1 reason (see DF-5 [REASONO1](#))

**REASONO3** (1462 - 1462)

**DF-5:** Please look at Card 29 and tell me why the doctor advised you not to become pregnant? (3rd MENTION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639

**NSFG Cycle 6 Female Respondent File Section D**

1	DANGEROUS FOR YOU	0
2	DANGEROUS FOR YOUR BABY	0
3	SOME OTHER REASON	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported that a doctor ever advised her never to become pregnant (again) (DF-4 [PREGNONO=1](#)), and R reported more than 2 reasons (see DF-5 [REASNONO1](#))

***rstrstat*** (1463 - 1463)

Respondent's Sterility Status at Time of Interview (COMPUTED)

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	NOT STERILE	6153
1	SURGICALLY STERILE	1313
2	NONSURGICALLY STERILE	177
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***pstrstat*** (1464 - 1464)

Respondent's Current Husband/Partner's Sterility Status at Time of Interview (COMPUTED)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3905
0	NOT STERILE	3353
1	SURGICALLY STERILE	350
2	NONSURGICALLY STERILE	35
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married or cohabiting (chpname ne blank)

**PILL** (1465 - 1465)

**EA-1:** Have you ever used birth control pills?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	5589
5	NO	2047
8	Refused	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**CONDOM** (1466 - 1466)

**EA-2:** Have you ever used condoms or rubbers with a partner?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
1	YES	6038
5	NO	742
8	Refused	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male (rhadsex=1)

**VASECTMY** (1467 - 1467)

**EA-3:** Have you ever had sex with a partner who had a vasectomy?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
1	YES	719
5	NO	6036
8	Refused	5

NSFG Cycle 6 Female Respondent File Section E Part I

9	Don't know	25
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
(rhadsex=1)

**WIDRAWAL** (1468 - 1468)

**EA-4:** Have you ever had sex with a partner who used withdrawal or "pulling out"?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
1	YES	3764
5	NO	3012
8	Refused	5
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
(rhadsex=1)

**DEPOPROV** (1469 - 1469)

**EA-5:** (Have you ever used) Depo-Provera or injectables (or shots)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	1330
5	NO	6306
8	Refused	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**NORPLANT** (1470 - 1470)

NSFG Cycle 6 Female Respondent File Section E Part I

**EA-6:** (Have you ever used) Norplant (implants)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	164
5	NO	7472
8	Refused	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**RHYTHM** (1471 - 1471)

**EA-7:** Have you ever used rhythm or safe period by calendar to prevent pregnancy?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
1	YES	1105
5	NO	5675
8	Refused	4
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male (rhadsex=1)

**TEMPSAFE** (1472 - 1472)

**EA-8:** (Have you ever used) Natural family planning or safe period by temperature or cervical mucus test to prevent pregnancy?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
1	YES	230
5	NO	6549
8	Refused	5

NSFG Cycle 6 Female Respondent File Section E Part I

9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male (rhadsex=1)

**MORNPILL** (1473 - 1473)

**EA-9:** (Have you ever used) "Morning after" pills or Emergency Contraception?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
1	YES	312
5	NO	6468
8	Refused	4
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male (rhadsex=1)

**ECTIMESX** (1474 - 1475)

**EA-9a:** How many different times have you used emergency contraception?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7331
1	1 TIME	220
2-14	2-14 TIMES	92
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever used emergency contraception (EA-9 [MORNPILL](#)=1)

**ECREASON1** (1476 - 1476)

**EA-9b:** Did you use emergency contraception because you were worried your birth control method would not work, you didn't use birth control that time, or for some other reason?

Value	Label	Total
.	inapplicable	7331
1	YOU WERE WORRIED YOUR BIRTH CONTROL METHOD WOULD NOT WORK	115
2	YOU DIDN'T USE BIRTH CONTROL THAT TIME	139
3	SOME OTHER REASON	58
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has ever used emergency contraception (EA-9 [MORNPILL](#)=1)

**ECREASON2** (1477 - 1477)

**EA-9b:** Did you use emergency contraception because you were worried your birth control method would not work, you didn't use birth control that time, or for some other reason?

Value	Label	Total
.	inapplicable	7622
1	YOU WERE WORRIED YOUR BIRTH CONTROL METHOD WOULD NOT WORK	3
2	YOU DIDN'T USE BIRTH CONTROL THAT TIME	11
3	SOME OTHER REASON	7
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 reasons for using emergency contraception (see EA-9b [ECREASON1](#))

**DIAFRAGM** (1478 - 1478)

**EA-10:** (Have you ever used) a diaphragm with or without jelly or cream?



NSFG Cycle 6 Female Respondent File Section E Part I

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
1	YES	499
5	NO	6281
8	Refused	4
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
(rhadsex=1)

**WOCONDOM** (1479 - 1479)

**EA-11:** (Have you ever used) Female condoms or vaginal pouches?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
1	YES	164
5	NO	6617
8	Refused	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
(rhadsex=1)

**FOAMALON** (1480 - 1480)

**EA-12:** (Have you ever used) Foam?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
1	YES	815
5	NO	5965
8	Refused	4
9	Don't know	1
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part I

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
(rhadsex=1)

**JELCRMAL** (1481 - 1481)

**EA-13:** (Have you ever used) Jelly or cream (other than with a diaphragm)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
1	YES	501
5	NO	6279
8	Refused	4
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
(rhadsex=1)

**CERVLCAP** (1482 - 1482)

**EA-14:** (Have you ever used) A Cervical cap?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
1	YES	38
5	NO	6743
8	Refused	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
(rhadsex=1)

**SUPPOSIT** (1483 - 1483)

**EA-15:** (Have you ever used) A Suppository or an insert?

NSFG Cycle 6 Female Respondent File Section E Part I

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
1	YES	519
5	NO	6262
8	Refused	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male (rhadsex=1)

**TODAYSPG** (1484 - 1484)

**EA-16:** (Have you ever used) The Today™ sponge?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
1	YES	468
5	NO	6312
8	Refused	4
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male (rhadsex=1)

**IUD** (1485 - 1485)

**EA-17:** (Have you ever used) An IUD, coil, or loop?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
1	YES	384
5	NO	6397
8	Refused	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
(rhadsex=1)

**LUNELLE** (1486 - 1486)

**EA-18:** (Have you ever used) Lunelle, a once-a-month injection?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	77
5	NO	7559
8	Refused	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**PATCH** (1487 - 1487)

**EA-19:** (Have you ever used) The contraceptive patch?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	60
5	NO	7576
8	Refused	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OTHRMETH** (1488 - 1488)

**EA-20:** Have you used any other methods?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	79
5	NO	7558

NSFG Cycle 6 Female Respondent File Section E Part I

8 Refused 6  
**Total 7643**

**Universe:**

Applicable for all respondents

***newmeth*** (1489 - 1490)

Code for other method specified in EA-20

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7564
1	ABSTINENCE	23
2	TUBAL LIGATION/FEMALE STERILIZATION	14
3	VAGINAL CONTRACEPTIVE FILM	13
4	OTHER METHOD, NOT SHOWN SEPARATELY	8
5	RESPONSE WAS CODED AS A METHOD IN EA-1 THROUGH EA-19	14
97	NOT ASCERTAINED	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method other than one asked about in EA-1 [PILL](#) through EA-19 [PATCH](#) (EA-20 [OTHRMETH=1](#))

***everused*** (1491 - 1491)

R ever used any method (from EA series and sterilization from Sect D) (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	6764
5	NO	879
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable for all respondents

***METHDISS*** (1492 - 1492)

**NSFG Cycle 6 Female Respondent File Section E Part I**

**EA-22:** Some people try a method and then don't use it again, or stop using it, because they are not satisfied with the method. Did you ever stop using a method because you were not satisfied with it in some way?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	879
1	YES	3130
5	NO	3632
8	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R ever used a method of contraception ([everused](#)=1)

***METHSTOP01*** (1493 - 1494)

**EA-23:** Please look at Card 31. What method or methods did you stop because you were not satisfied?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	4513
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1489
4	CONDOM	416
5	PARTNER S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	3
7	WITHDRAWAL, PULLING OUT	225
8	DEPO-PROVERA, INJECTABLES	367
9	NORPLANT (TM) IMPLANTS	35
10	RHYTHM OR SAFE PERIOD BY CALENDAR	41
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	4
12	DIAPHRAGM	123
13	FEMALE CONDOM, VAGINAL POUCH	15
14	FOAM	125
15	JELLY OR CREAM	32
16	CERVICAL CAP	4

**NSFG Cycle 6 Female Respondent File Section E Part I**

17	SUPPOSITORY, INSERT	61
18	TODAY (TM) SPONGE	95
19	IUD, COIL, OR LOOP	73
20	OTHER METHOD	4
24	LUNELLE INJECTABLE (MONTHLY SHOT)	9
25	CONTRACEPTIVE PATCH	7
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R ever stopped using a method due to dissatisfaction  
(EA-22 [METHDISS](#)=1)

***METHSTOP02*** (1495 - 1496)

**EA-23:** Please look at Card 31. What method or methods did you stop because you were not satisfied? (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6544
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	117
4	CONDOM	248
5	PARTNER S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	171
8	DEPO-PROVERA, INJECTABLES	150
9	NORPLANT (TM) IMPLANTS	21
10	RHYTHM OR SAFE PERIOD BY CALENDAR	49
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	9
12	DIAPHRAGM	61
13	FEMALE CONDOM, VAGINAL POUCH	10
14	FOAM	90
15	JELLY OR CREAM	29
16	CERVICAL CAP	3
17	SUPPOSITORY, INSERT	43
18	TODAY (TM) SPONGE	39
19	IUD, COIL, OR LOOP	44

**NSFG Cycle 6 Female Respondent File Section E Part I**

20	OTHER METHOD	3
24	LUNELLE INJECTABLE (MONTHLY SHOT)	8
25	CONTRACEPTIVE PATCH	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#))

***METHSTOP03*** (1497 - 1498)

**EA-23:** Please look at Card 31. What method or methods did you stop because you were not satisfied?(3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7208
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	19
4	CONDOM	32
5	PARTNER S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	83
8	DEPO-PROVERA, INJECTABLES	50
9	NORPLANT (TM) IMPLANTS	6
10	RHYTHM OR SAFE PERIOD BY CALENDAR	48
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	8
12	DIAPHRAGM	23
13	FEMALE CONDOM, VAGINAL POUCH	5
14	FOAM	39
15	JELLY OR CREAM	24
16	CERVICAL CAP	5
17	SUPPOSITORY, INSERT	41
18	TODAY (TM) SPONGE	28
19	IUD, COIL, OR LOOP	12
20	OTHER METHOD	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	5
25	CONTRACEPTIVE PATCH	5



NSFG Cycle 6 Female Respondent File Section E Part I

Total

7643

**Universe:**

Applicable if R mentioned at least 3 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#))

**METHSTOP04** (1499 - 1500)

**EA-23:** Please look at Card 31. What method or methods did you stop because you were not satisfied? (4th mention)

Value	Label	Total
.	inapplicable	7459
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	7
4	CONDOM	5
5	PARTNER S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLES	11
9	NORPLANT (TM) IMPLANTS	3
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	8
12	DIAPHRAGM	27
13	FEMALE CONDOM, VAGINAL POUCH	3
14	FOAM	31
15	JELLY OR CREAM	17
16	CERVICAL CAP	3
17	SUPPOSITORY, INSERT	16
18	TODAY (TM) SPONGE	18
19	IUD, COIL, OR LOOP	4
20	OTHER METHOD	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	2
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 4 methods stopped due to

**NSFG Cycle 6 Female Respondent File Section E Part I**

dissatisfaction (see EA-23 [METHSTOP01](#))

**METHSTOP05** (1501 - 1502)

**EA-23:** Please look at Card 31. What method or methods did you stop because you were not satisfied? (5th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7560
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	2
5	PARTNER S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	13
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	16
15	JELLY OR CREAM	7
16	CERVICAL CAP	2
17	SUPPOSITORY, INSERT	10
18	TODAY (TM) SPONGE	13
19	IUD, COIL, OR LOOP	7
20	OTHER METHOD	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 5 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#))

**METHSTOP06** (1503 - 1504)

**NSFG Cycle 6 Female Respondent File Section E Part I**

**EA-23:** Please look at Card 31. What method or methods did you stop because you were not satisfied? (6th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7604
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	3
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	7
15	JELLY OR CREAM	8
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	7
18	TODAY (TM) SPONGE	9
19	IUD, COIL, OR LOOP	0
20	OTHER METHOD	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 6 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#))

**METHSTOP07** (1505 - 1506)

**EA-23:** Please look at Card 31. What method or methods did you stop because you were not satisfied?(7th mention)

**NSFG Cycle 6 Female Respondent File Section E Part I**

<b>Value Label</b>	<b>Total</b>
. inapplicable	7625
1 OFFICE USE ONLY	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	0
4 CONDOM	2
5 PARTNER S VASECTOMY	0
6 STERILIZING OPERATION/TUBAL LIGATION	0
7 WITHDRAWAL, PULLING OUT	0
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	0
SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11 PLANNING	0
12 DIAPHRAGM	0
13 FEMALE CONDOM, VAGINAL POUCH	0
14 FOAM	0
15 JELLY OR CREAM	4
16 CERVICAL CAP	1
17 SUPPOSITORY, INSERT	4
18 TODAY (TM) SPONGE	6
19 IUD, COIL, OR LOOP	0
20 OTHER METHOD	1
24 LUNELLE INJECTABLE (MONTHLY SHOT)	0
25 CONTRACEPTIVE PATCH	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 7 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#))

***METHSTOP08*** (1507 - 1508)

**EA-23:** Please look at Card 31. What method or methods did you stop because you were not satisfied? (8th mention)

<b>Value Label</b>	<b>Total</b>
. inapplicable	7631

**NSFG Cycle 6 Female Respondent File Section E Part I**

1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	4
18	TODAY (TM) SPONGE	4
19	IUD, COIL, OR LOOP	1
20	OTHER METHOD	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 8 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#))

**METHSTOP09** (1509 - 1510)

**EA-23:** Please look at Card 31. What method or methods did you stop because you were not satisfied?(9th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7637
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1

**NSFG Cycle 6 Female Respondent File Section E Part I**

4	CONDOM	0
5	PARTNER S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	2
19	IUD, COIL, OR LOOP	3
20	OTHER METHOD	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 9 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#))

***METHSTOP10*** (1511 - 1512)

**EA-23:** Please look at Card 31. What method or methods did you stop because you were not satisfied?(10th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part I**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	OTHER METHOD	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 10 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#))

**REASDISS101** (1513 - 1514)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (1st method, 1st reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	5195
1	TOO EXPENSIVE	57
2	TOO DIFFICULT TO USE	90
3	TOO MESSY	26
4	YOUR PARTNER DID NOT LIKE IT	150
5	YOU HAD SIDE EFFECTS	1306
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	129
7	YOU WORRIED THE METHOD WOULD NOT WORK	47
8	THE METHOD FAILED, YOU BECAME PREGNANT	144

**NSFG Cycle 6 Female Respondent File Section E Part I**

9	THE METHOD DID NOT PROTECT AGAINST DISEASE	7
	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD	
10	NOT USE THE METHOD AGAIN	68
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	104
12	TOO DIFFICULT TO OBTAIN THE METHOD	22
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	120
14	OTHER	178
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R ever stopped using the pill, condom, Depo-Provera, or Norplant due to dissatisfaction (EA-20 [METHSTOP01](#) through [METHSTOP10](#)=3,4,8, or 9)

**REASDISS102** (1515 - 1516)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (1st method, 2nd reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6851
1	TOO EXPENSIVE	12
2	TOO DIFFICULT TO USE	30
3	TOO MESSY	16
4	YOUR PARTNER DID NOT LIKE IT	38
5	YOU HAD SIDE EFFECTS	121
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	75
7	YOU WORRIED THE METHOD WOULD NOT WORK	38
8	THE METHOD FAILED, YOU BECAME PREGNANT	53
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	27
	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD	
10	NOT USE THE METHOD AGAIN	67
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	89
12	TOO DIFFICULT TO OBTAIN THE METHOD	13
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	143
14	OTHER	70
	<b>Total</b>	<b>7643</b>

**Universe:**



**NSFG Cycle 6 Female Respondent File Section E Part I**

Applicable if R mentioned at least 2 reasons for stopping use of a method due to dissatisfaction (see EA-24 [REASDISS101](#))

**REASDISS103** (1517 - 1518)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (1st method, 3rd reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7400
1	TOO EXPENSIVE	3
2	TOO DIFFICULT TO USE	5
3	TOO MESSY	3
4	YOUR PARTNER DID NOT LIKE IT	12
5	YOU HAD SIDE EFFECTS	9
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	12
7	YOU WORRIED THE METHOD WOULD NOT WORK	25
8	THE METHOD FAILED, YOU BECAME PREGNANT	18
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	9
10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	15
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	36
12	TOO DIFFICULT TO OBTAIN THE METHOD	10
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	62
14	OTHER	24
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 3 reasons for stopping use of a method due to dissatisfaction (see EA-24 [REASDISS101](#))

**REASDISS104** (1519 - 1520)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (1st method, 4th reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section E Part I**

.	inapplicable	7579
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	3
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	2
5	YOU HAD SIDE EFFECTS	2
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	3
7	YOU WORRIED THE METHOD WOULD NOT WORK	5
8	THE METHOD FAILED, YOU BECAME PREGNANT	6
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	4
	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD	
10	NOT USE THE METHOD AGAIN	7
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	13
12	TOO DIFFICULT TO OBTAIN THE METHOD	1
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	8
14	OTHER	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 4 reasons for stopping use of a method due to dissatisfaction (see EA-24 [REASDISS101](#))

**REASDISS105** (1521 - 1522)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (1st method, 5th reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7622
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	1
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	1
7	YOU WORRIED THE METHOD WOULD NOT WORK	2
8	THE METHOD FAILED, YOU BECAME PREGNANT	1
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0

**NSFG Cycle 6 Female Respondent File Section E Part I**

10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	1
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	4
12	TOO DIFFICULT TO OBTAIN THE METHOD	2
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	7
14	OTHER	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 5 reasons for stopping use of a method due to dissatisfaction (see EA-24 [REASDISS101](#))

**REASDISS106** (1523 - 1524)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (1st method, 6th reason)

Value	Label	Total
.	inapplicable	7638
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	1
8	THE METHOD FAILED, YOU BECAME PREGNANT	0
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	1
10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	0
12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	3
14	OTHER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 6 reasons for stopping use of a method due to dissatisfaction (see EA-24 [REASDISS101](#))

NSFG Cycle 6 Female Respondent File Section E Part I

**REASDISS107** (1525 - 1526)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (1st method, 7th reason)

Value	Label	Total
.	inapplicable	7639
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	1
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	1
12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	0
14	OTHER	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 7 reasons for stopping use of a method due to dissatisfaction (see EA-24 [REASDISS101](#))

**REASDISS108** (1527 - 1528)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (1st method, 8th reason)

Value	Label	Total
.	inapplicable	7641
1	TOO EXPENSIVE	0

**NSFG Cycle 6 Female Respondent File Section E Part I**

2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	0
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	1
	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD	
10	NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	0
12	TOO DIFFICULT TO OBTAIN THE METHOD	1
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	0
14	OTHER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 8 reasons for stopping use of a method due to dissatisfaction (see EA-24 [REASDISS101](#))

**REASDISS109** (1529 - 1530)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (1st method, 9th reason)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	0
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD	
10	NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	1

**NSFG Cycle 6 Female Respondent File Section E Part I**

12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	1
14	OTHER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 9 reasons for stopping use of a method due to dissatisfaction (see EA-24 [REASDISS101](#))

**REASDISS110** (1531 - 1532)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (1st method, 10th reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	0
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD	
10	NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	0
12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	0
14	OTHER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 10 reasons for stopping use of a method due to dissatisfaction (see EA-24 [REASDISS101](#))

**REASDISS201** (1533 - 1534)

**NSFG Cycle 6 Female Respondent File Section E Part I**

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (2nd method, 1st reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7164
1	TOO EXPENSIVE	10
2	TOO DIFFICULT TO USE	19
3	TOO MESSY	20
4	YOUR PARTNER DID NOT LIKE IT	78
5	YOU HAD SIDE EFFECTS	165
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	5
7	YOU WORRIED THE METHOD WOULD NOT WORK	15
8	THE METHOD FAILED, YOU BECAME PREGNANT	17
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	16
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	50
12	TOO DIFFICULT TO OBTAIN THE METHOD	1
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	40
14	OTHER	43
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#))

**REASDISS202** (1535 - 1536)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (2nd method, 2nd reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7485
1	TOO EXPENSIVE	1
2	TOO DIFFICULT TO USE	11
3	TOO MESSY	10
4	YOUR PARTNER DID NOT LIKE IT	22

**NSFG Cycle 6 Female Respondent File Section E Part I**

5	YOU HAD SIDE EFFECTS	14
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	4
7	YOU WORRIED THE METHOD WOULD NOT WORK	10
8	THE METHOD FAILED, YOU BECAME PREGNANT	5
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	3
	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD	
10	NOT USE THE METHOD AGAIN	5
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	32
12	TOO DIFFICULT TO OBTAIN THE METHOD	2
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	29
14	OTHER	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 2 reasons for stopping use of 2nd method (see EA-24 [REASDISS101](#))

**REASDISS203** (1537 - 1538)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (2nd method, 3rd reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7591
1	TOO EXPENSIVE	2
2	TOO DIFFICULT TO USE	1
3	TOO MESSY	4
4	YOUR PARTNER DID NOT LIKE IT	7
5	YOU HAD SIDE EFFECTS	5
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	1
7	YOU WORRIED THE METHOD WOULD NOT WORK	6
8	THE METHOD FAILED, YOU BECAME PREGNANT	2
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD	
10	NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	16
12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	5



**NSFG Cycle 6 Female Respondent File Section E Part I**

14	OTHER	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 3 reasons for stopping use of 2nd method (see EA-24 [REASDISS101](#))

**REASDISS204** (1539 - 1540)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (2nd method, 4th reason)

Value	Label	Total
.	inapplicable	7627
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	4
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	1
7	YOU WORRIED THE METHOD WOULD NOT WORK	1
8	THE METHOD FAILED, YOU BECAME PREGNANT	1
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	4
12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	4
14	OTHER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 4 reasons for stopping use of 2nd method (see EA-24 [REASDISS101](#))

**REASDISS205** (1541 - 1542)

**NSFG Cycle 6 Female Respondent File Section E Part I**

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (2nd method, 5th reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7637
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	1
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	1
8	THE METHOD FAILED, YOU BECAME PREGNANT	0
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	2
12	TOO DIFFICULT TO OBTAIN THE METHOD	1
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	0
14	OTHER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 5 reasons for stopping use of 2nd method (see EA-24 [REASDISS101](#))

**REASDISS206** (1543 - 1544)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (2nd method, 6th reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0

**NSFG Cycle 6 Female Respondent File Section E Part I**

4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	1
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	0
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	0
12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	0
14	OTHER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 6 reasons for stopping use of 2nd method (see EA-24 [REASDISS101](#))

**REASDISS207** (1545 - 1545)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (2nd method, 7th reason)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	1
8	THE METHOD FAILED, YOU BECAME PREGNANT	0
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	0
12	TOO DIFFICULT TO OBTAIN THE METHOD	0

**NSFG Cycle 6 Female Respondent File Section E Part I**

13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	0
14	OTHER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 7 reasons for stopping use of 2nd method (see EA-24 [REASDISS101](#))

**REASDISS208** (1546 - 1546)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (2nd method, 8th reason)

Value	Label	Total
.	inapplicable	7642
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	1
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	0
12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	0
14	OTHER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 8 reasons for stopping use of 2nd method (see EA-24 [REASDISS101](#))

**REASDISS209** (1547 - 1547)

**NSFG Cycle 6 Female Respondent File Section E Part I**

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (2nd method, 9th reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	0
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	1
	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD	
10	NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	0
12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	0
14	OTHER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 9 reasons for stopping use of 2nd method (see EA-24 [REASDISS101](#))

**REASDISS210** (1548 - 1549)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (2nd method, 10th reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0

**NSFG Cycle 6 Female Respondent File Section E Part I**

3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	0
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	1
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	0
12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	0
14	OTHER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 10 reasons for stopping use of 2nd method (see EA-24 [REASDISS101](#))

**REASDISS211** (1550 - 1551)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (2nd method, 11th reason)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	0
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	1

**NSFG Cycle 6 Female Respondent File Section E Part I**

12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	0
14	OTHER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 11 reasons for stopping use of 2nd method (see EA-24 [REASDISS101](#))

**REASDISS212** (1552 - 1553)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (2nd method, 12th reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	0
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	0
12	TOO DIFFICULT TO OBTAIN THE METHOD	1
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	0
14	OTHER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 12 reasons for stopping use of 2nd method (see EA-24 [REASDISS101](#))

NSFG Cycle 6 Female Respondent File Section E Part I

**REASDISS213** (1554 - 1555)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (2nd method, 13th reason)

Value	Label	Total
.	inapplicable	7642
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	0
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	0
12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	1
14	OTHER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 13 reasons for stopping use of 2nd method (see EA-24 [REASDISS101](#))

**REASDISS214** (1556 - 1557)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (2nd method, 14th reason)

Value	Label	Total
.	inapplicable	7642
1	TOO EXPENSIVE	0



**NSFG Cycle 6 Female Respondent File Section E Part I**

2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	0
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD	
10	NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	0
12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	0
14	OTHER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 14 reasons for stopping use of 2nd method (see EA-24 [REASDISS101](#))

**REASDISS301** (1558 - 1559)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (3rd method, 1st reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7585
1	TOO EXPENSIVE	1
2	TOO DIFFICULT TO USE	1
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	35
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	1
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	1
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD	
10	NOT USE THE METHOD AGAIN	4

**NSFG Cycle 6 Female Respondent File Section E Part I**

11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	0
12	TOO DIFFICULT TO OBTAIN THE METHOD	2
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	7
14	OTHER	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 3 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#))

**REASDISS302** (1560 - 1561)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (3rd method, 2nd reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7628
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	4
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	1
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	1
10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	2
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	4
12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	2
14	OTHER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 3 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 2 reasons for stopping use of 3rd method (see EA-24 [REASDISS101](#))

NSFG Cycle 6 Female Respondent File Section E Part I

**REASDISS303** (1562 - 1563)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (3rd method, 3rd reason)

Value	Label	Total
.	inapplicable	7636
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	0
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	2
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	1
12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	4
14	OTHER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 3 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 3 reasons for stopping use of 3rd method (see EA-24 [REASDISS101](#))

**REASDISS304** (1564 - 1565)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (3rd method, 4th reason)

Value	Label	Total
.	inapplicable	7642
1	TOO EXPENSIVE	0

**NSFG Cycle 6 Female Respondent File Section E Part I**

2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	0
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD	
10	NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	1
12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	0
14	OTHER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 3 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 4 reasons for stopping use of 3rd method (see EA-24 [REASDISS101](#))

**REASDISS305** (1566 - 1566)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (3rd method, 5th reason)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	1
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	0
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD	
10	NOT USE THE METHOD AGAIN	0

**NSFG Cycle 6 Female Respondent File Section E Part I**

11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	0
12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	0
14	OTHER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 3 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#)) and at least 5 reasons for stopping use of 3rd method (see EA-24 [REASDISS101](#))

**REASDISS401** (1567 - 1568)

**EA-24:** Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]? (4th method, 1st reason)

Value	Label	Total
.	inapplicable	7641
1	TOO EXPENSIVE	0
2	TOO DIFFICULT TO USE	0
3	TOO MESSY	0
4	YOUR PARTNER DID NOT LIKE IT	0
5	YOU HAD SIDE EFFECTS	0
6	YOU WERE WORRIED YOU MIGHT HAVE SIDE EFFECTS	0
7	YOU WORRIED THE METHOD WOULD NOT WORK	0
8	THE METHOD FAILED, YOU BECAME PREGNANT	1
9	THE METHOD DID NOT PROTECT AGAINST DISEASE	0
10	BECAUSE OF OTHER HEALTH PROBLEMS, A DOCTOR TOLD YOU THAT YOU SHOULD NOT USE THE METHOD AGAIN	0
11	THE METHOD DECREASED YOUR SEXUAL PLEASURE	0
12	TOO DIFFICULT TO OBTAIN THE METHOD	0
13	DID NOT LIKE THE CHANGES TO YOUR MENSTRUAL CYCLE	0
14	OTHER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 4 methods stopped due to dissatisfaction (see EA-23 [METHSTOP01](#))

NSFG Cycle 6 Female Respondent File Section E Part I

**numdiss** (1569 - 1569)

Total number of responses to EA-20 METHSTOP that equal pill, condom, depo-provera, or Norplant (computed)

Value	Label	Total
.	inapplicable	5195
1	1	1969
2-HIGH 2 OR MORE		479
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if at least one method R stopped using due to dissatisfaction was pill, condom, depo-provera, or Norplant implants (any of [METHSTOP01](#) through [METHSTOP10](#)=3,4,8, or 9)

**FIRSMETH01** (1570 - 1571)

**EB-1:** The very first time you ever used a birth control method, which method on Card 33 did you use? If you used more than one method that first time, please tell me about each one. For example, a woman's partner might use a condom and she might use the pill on the same occasion. (1st mention)

Value	Label	Total
.	inapplicable	879
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2844
4	CONDOM	2980
5	PARTNER'S VASECTOMY	14
6	STERILIZING OPERATION/TUBAL LIGATION	31
7	WITHDRAWAL, PULLING OUT	455
8	DEPO-PROVERA, INJECTABLES	132
9	NORPLANT (TM) IMPLANTS	12
10	RHYTHM OR SAFE PERIOD BY CALENDAR	59
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	11
12	DIAPHRAGM	24

**NSFG Cycle 6 Female Respondent File Section E Part I**

13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	41
15	JELLY OR CREAM	7
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	16
18	TODAY (TM) SPONGE	13
19	IUD, COIL, OR LOOP	57
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	10
21	OTHER METHOD	21
22	RESPONDENT WAS STERILE	2
23	RESPONDENT'S PARTNER WAS STERILE	4
24	LUNELLE INJECTABLE (MONTHLY SHOT)	9
25	CONTRACEPTIVE PATCH	2
98	Refused	7
99	Don't know	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused=1](#))

***FIRSMETH02*** (1572 - 1573)

**EB-1:** The very first time you ever used a birth control method, which method on Card 33 did you use? If you used more than one method that first time, please tell me about each one. For example, a woman's partner might use a condom and she might use the pill on the same occasion. (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6750
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	88
4	CONDOM	574
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	106
8	DEPO-PROVERA, INJECTABLES	25
9	NORPLANT (TM) IMPLANTS	1

**NSFG Cycle 6 Female Respondent File Section E Part I**

10	RHYTHM OR SAFE PERIOD BY CALENDAR	16
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	5
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	29
15	JELLY OR CREAM	13
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	10
18	TODAY (TM) SPONGE	6
19	IUD, COIL, OR LOOP	7
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	5
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	1
23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 2 methods used the first time she used a method (see EB-1 [FIRSMETH01](#))

***FIRSMETH03*** (1574 - 1575)

**EB-1:** The very first time you ever used a birth control method, which method on Card 33 did you use? If you used more than one method that first time, please tell me about each one. For example, a woman's partner might use a condom and she might use the pill on the same occasion. (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7583
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	3
4	CONDOM	5
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	23



**NSFG Cycle 6 Female Respondent File Section E Part I**

8	DEPO-PROVERA, INJECTABLES	7
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	3
14	FOAM	3
15	JELLY OR CREAM	4
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 3 methods used the first time she used a method (see EB-1 [FIRSMETH01](#))

**FIRSMETH04** (1576 - 1577)

**EB-1:** The very first time you ever used a birth control method, which method on Card 33 did you use? If you used more than one method that first time, please tell me about each one. For example, a woman's partner might use a condom and she might use the pill on the same occasion. (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7628
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	3
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part I**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	2
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned at least 4 methods used the first time she used a method (see EB-1 [FIRSMETH01](#))

***numfirms*** (1578 - 1578)

total number of responses in EB-1 FIRSMETH (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	879
0	0	18
1	1	5857
2-25	2 OR MORE	889
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R ever used a method of contraception ([everused](#)=1)

**numfirm1** (1579 - 1579)

total number of responses in EB-1 FIRSMETH (prescription methods)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	879
0	0	3096
1	1	3593
2-25	2 OR MORE	75
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R ever used a method of contraception ([everused](#)=1)

**numfirm2** (1580 - 1580)

total number of responses in EB-1 FIRSMETH (non-prescription methods)(computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	879
0	0	3553
1	1	3187
2-25	2 OR MORE	24
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R ever used a method of contraception ([everused](#)=1)

**drugdev** (1581 - 1581)

Yes if 1st method was drug or device, no otherwise (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	879
1	YES	6212
5	NO	552

NSFG Cycle 6 Female Respondent File Section E Part I

Total 7643

**Universe:**

applicable if R ever used a method of contraception ([everused](#)=1)

**FIRSTIME1** (1582 - 1582)

**EB-2:** Please look at Card 34. Thinking again of the very first time you ever used a method of birth control, when was it? Was it the first time you had intercourse, less than a month after your first intercourse, one to three months after your first intercourse, four to twelve months after your first intercourse, or more than twelve months after your first intercourse?

Value	Label	Total
.	inapplicable	4094
1	OFFICE USE ONLY	4
2	THE FIRST TIME YOU HAD INTERCOURSE	2651
3	LESS THAN A MONTH AFTER YOUR FIRST INTERCOURSE	281
4	ONE TO THREE MONTHS AFTER YOUR FIRST INTERCOURSE	153
5	FOUR TO TWELVE MONTHS AFTER YOUR FIRST INTERCOURSE	132
6	MORE THAN TWELVE MONTHS AFTER YOUR FIRST INTERCOURSE	301
8	Refused	7
9	Don't know	20
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male ([rhadsex](#)=1) and R's first method(s) ever used was not a continuous method(s) (EB-1 [FIRSMETH01](#)-[FIRSMETH04](#)=4,7,10,11,12,13,14,15,16,17,18, or 20)

**FIRSTIME2** (1583 - 1583)

**EB-2:** Please look at Card 34. Thinking again of the very first time you ever used a method of birth control, when was it? Was it before your first intercourse, the first time you had intercourse, less than a month after your first intercourse, one to three months after your first intercourse, four to twelve months after your first intercourse, or more than twelve months after your

**NSFG Cycle 6 Female Respondent File Section E Part I**

first intercourse?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	4563
1	BEFORE YOUR FIRST INTERCOURSE	1286
2	THE FIRST TIME YOU HAD INTERCOURSE	286
3	LESS THAN A MONTH AFTER YOUR FIRST INTERCOURSE	222
4	ONE TO THREE MONTHS AFTER YOUR FIRST INTERCOURSE	278
5	FOUR TO TWELVE MONTHS AFTER YOUR FIRST INTERCOURSE	260
6	MORE THAN TWELVE MONTHS AFTER YOUR FIRST INTERCOURSE	736
8	Refused	3
9	Don't know	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male (rhadsex=1) and R's first method(s) ever used was a continuous method(s) (EB-1 [FIRSMETH01-FIRSMETH04](#)=3,5,8,9,19,21,22,23,24, or 25))

**NOMETH** (1584 - 1586)

**EB-2a:** Including your first sex, how many times did you have sexual intercourse before you used a method of birth control?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	5280
1	1 TIME	472
2	2 TIMES	252
3	3 TIMES	217
4	4 TIMES	113
5	5 TIMES	157
6-10	6-10 TIMES	256
11-50	11-50 TIMES	297
51-995	MORE THAN 50 TIMES	135
998	Refused	21
999	Don't know	443
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part I

**Universe:**

Applicable if R's first method use was after first sex (EB-2 [FIRSTIME1](#)=3,4,5, or 6 or EB-2 [FIRSTIME2](#)=3,4,5 or 6)

**cmfstuse** (1587 - 1590)

Date (century month) of first method use - partial universe  
(computed)

(Now, please look at your calendar, and tell me in what month and year you first used a method (for any reason)).

Value	Label	Total
.	inapplicable	3822
301-1164	BEFORE 1997	2876
1165-1239	JANUARY 1997 OR LATER	831
9998	Refused	17
9999	Don't know	97
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's first method use was after first sex (EB-2 [FIRSTIME1](#)=3,4,5, or 6 or EB-2 [FIRSTIME2](#)=3,4,5 or 6) or before first sex ([FIRSTIME2](#)=1) or R refused or did not know the timing of her first method use (EB-2 [FIRSTIME1](#)=DK/RF or [FIRSTIME2](#)=DK/RF)

**cmfirms** (1591 - 1594)

Date (century month) of first method use - total universe  
(computed)

Value	Label	Total
.	inapplicable	885
301-1164	BEFORE 1997	5081
1165-1239	JANUARY 1997 OR LATER	1527
9998	Refused	32
9999	Don't know	118
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section E Part I**

applicable if R has ever had sexual intercourse with a male (rhadsex=1) and has ever used a method of contraception ([everused](#)=1)

**AGEFSTUS** (1595 - 1596)

**EB-4:** How old were you the first time you used a method for any reason?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	3822
0-14	UNDER 15 YEARS	443
15-17	15-17 YEARS	1477
18-19	18-19 YEARS	820
20-44	20 YEARS OR OLDER	1057
98	Refused	8
99	Don't know	16
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's first method use was after first sex (EB-2 [FIRSTIME1](#)=3,4,5, or 6 or EB-2 [FIRSTIME2](#)=3,4,5 or 6) or before first sex (EB-2 [FIRSTIME2](#)=1) or R refused or did not know the timing of her first method use (EB-2 [FIRSTIME1](#)=RF/DK or EB-2 [FIRSTIME2](#)=RF/DK)

**PLACGOTF1** (1597 - 1598)

**EB-5:** Please look at Card 36. Where did you get the [FIRST METHOD USED] (1st non-prescription method mentioned)?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6417
1	PRIVATE DOCTOR S OFFICE	32
2	HMO FACILITY	4
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	69
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	44
5	EMPLOYER OR COMPANY CLINIC	1
6	SCHOOL OR SCHOOL-BASED CLINIC	24

**NSFG Cycle 6 Female Respondent File Section E Part I**

7	HOSPITAL OUTPATIENT CLINIC	1
8	HOSPITAL EMERGENCY ROOM	1
9	HOSPITAL REGULAR ROOM	2
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	0
11	FRIEND	90
12	PARTNER OR SPOUSE	605
13	DRUG STORE	287
20	SOME OTHER PLACE	60
99	Don't know	6
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R is under 25 (AGE\_R<25) and first method used was a drug or device (any of EB-1 [FIRSMETH01-05=3,4,6,8,9,12,13,14,15,16,17,18,19,20,24](#) or 25) and if first method was non-prescription (EB-1 [FIRSMETH01-FIRSMETH05](#) not equal to 3,8,9,12,19,20,24,25)

**PLACGOTF2** (1599 - 1600)

**EB-5:** Please look at Card 36. Where did you get the [FIRST METHOD USED] (2nd non-prescription method mentioned)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7627
1	PRIVATE DOCTOR S OFFICE	0
2	HMO FACILITY	0
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	1
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	0
5	EMPLOYER OR COMPANY CLINIC	0
6	SCHOOL OR SCHOOL-BASED CLINIC	0
7	HOSPITAL OUTPATIENT CLINIC	0
8	HOSPITAL EMERGENCY ROOM	0
9	HOSPITAL REGULAR ROOM	0
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	0
11	FRIEND	1
12	PARTNER OR SPOUSE	1
13	DRUG STORE	12
20	SOME OTHER PLACE	1



**NSFG Cycle 6 Female Respondent File Section E Part I**

**Total**

**7643**

**Universe:**

applicable if R mentioned at least 2 drug or device, non-prescription methods used the first time she used a method (see EB-5 [PLACGOTF1](#))

**PLACGOTF9** (1601 - 1602)

**EB-5:** Please look at Card 36. Where did you get the [FIRST METHOD USED]? (1st prescription method mentioned)?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6850
1	PRIVATE DOCTOR S OFFICE	468
2	HMO FACILITY	24
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, OR PUBLIC HEALTH CLINIC	136
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	96
5	EMPLOYER OR COMPANY CLINIC	3
6	SCHOOL OR SCHOOL-BASED CLINIC	20
7	HOSPITAL OUTPATIENT CLINIC	22
8	HOSPITAL EMERGENCY ROOM	2
9	HOSPITAL REGULAR ROOM	9
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	2
20	SOME OTHER PLACE	11
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R is under 25 (AGE\_R<25) and first method used was a drug or device (any of EB-1 [FIRSMETH01-05=3,4,6,8,9,12,13,14,15,16,17,18,19,20,24](#) or 25) and if first method was prescription (EB-1 [FIRSMETH01-05](#) = 3,8,9,12,19,20,24,25)

**PLACGOTF10** (1603 - 1604)

**EB-5:** Please look at Card 36. Where did you get the [FIRST METHOD USED]? (2nd prescription method mentioned)?

<b>Value</b>	<b>Label</b>	<b>Total</b>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section E Part I**

.	inapplicable	7635
1	PRIVATE DOCTOR S OFFICE	1
2	HMO FACILITY	0
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, OR PUBLIC HEALTH CLINIC	2
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	3
5	EMPLOYER OR COMPANY CLINIC	0
6	SCHOOL OR SCHOOL-BASED CLINIC	0
7	HOSPITAL OUTPATIENT CLINIC	0
8	HOSPITAL EMERGENCY ROOM	1
9	HOSPITAL REGULAR ROOM	0
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	1
20	SOME OTHER PLACE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R mentioned at least 2 drug or device, prescription methods used the first time she used a method (see EB-5 [PLACGOTF9](#))

**USEFRSTS** (1605 - 1605)

**EB-6:** Did you use any birth control method the first time you had intercourse?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6455
1	YES	1034
5	NO	148
8	Refused	3
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if first method use was before first intercourse [(EB-2 [FIRSTIME2](#)=1 and [cmfirsm](#)<=cmfstsex) or (EB-1 [FIRSTIME2](#)=1 or blank and [cmfirsm](#)=RF/DK or cmfstsex=RF/DK)]

**usefstsx** (1606 - 1606)

Whether R used a method at first sex - total universe (computed)

NSFG Cycle 6 Female Respondent File Section E Part I

Value	Label	Total
.	inapplicable	1219
1	YES	3948
5	NO	2470
7	NOT ASCERTAINED	6
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R has ever had sexual intercourse with a male (rhadsex=1) and has ever used a method of contraception ([everused](#)=1)

**NOMETH2** (1607 - 1609)

**EB-7:** Including your first sex, how many times did you have sexual intercourse before you used a method of birth control during sexual intercourse?

Value	Label	Total
.	INAPPLICABLE	7489
1	1 TIME	48
2	2 TIMES	21
3	3 TIMES	10
4	4 TIMES	7
5	5 TIMES	2
6-10	6-10 TIMES	8
11-50	11-50 TIMES	6
51-995	MORE THAN 50 TIMES	3
998	Refused	9
999	Don't know	40
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R did not use a method at first intercourse or R did not know or refused to report whether she used a method at first intercourse (EB-6 [USEFRSTS](#)=5, DK or RF)

**MTHFRSTS01** (1610 - 1611)

**NSFG Cycle 6 Female Respondent File Section E Part I**

**EB-8:** Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. (1st mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6609
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	887
4	CONDOM	114
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES	8
9	NORPLANT (TM) IMPLANTS	2
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	2
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	0
98	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used a method of contraception at first sexual intercourse (EB-6 [USEFRSTS=1](#) or EB-2 [FIRSTIME1=2](#) or EB-2 [FIRSTIME2=2](#))

NSFG Cycle 6 Female Respondent File Section E Part I

**MTHFRSTS02** (1612 - 1613)

**EB-8:** Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. (2nd mention)

Value	Label	Total
.	inapplicable	7282
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	32
4	CONDOM	306
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	7
8	DEPO-PROVERA, INJECTABLES	11
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 2 methods at first intercourse (see EB-8 [MTHFRSTS01](#))

NSFG Cycle 6 Female Respondent File Section E Part I

**MTHFRSTS03** (1614 - 1615)

**EB-8:** Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. (3rd mention)

Value	Label	Total
.	inapplicable	7635
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods at first intercourse (see EB-8 [MTHFRSTS01](#))

NSFG Cycle 6 Female Respondent File Section E Part I

**MTHFRSTS04** (1616 - 1616)

**EB-8:** Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. (4th mention)

Value	Label	Total
.	inapplicable	7643
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods at first intercourse (see EB-8 [MTHFRSTS01](#))

NSFG Cycle 6 Female Respondent File Section E Part I

**mtfstx01** (1617 - 1618)

Method used at first sex - total universe (1st mention)(computed)

Value	Label	Total
.	inapplicable	3694
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1121
4	CONDOM	2327
5	PARTNER'S VASECTOMY	8
6	STERILIZING OPERATION/TUBAL LIGATION	4
7	WITHDRAWAL, PULLING OUT	365
8	DEPO-PROVERA, INJECTABLES	16
9	NORPLANT (TM) IMPLANTS	2
10	RHYTHM OR SAFE PERIOD BY CALENDAR	34
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	5
12	DIAPHRAGM	11
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	17
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	5
18	TODAY (TM) SPONGE	6
19	IUD, COIL, OR LOOP	7
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	7
21	OTHER METHOD	4
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	2
24	LUNELLE INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	0
98	Refused	2
99	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used a method of contraception at first sexual intercourse (EB-6 [USEFRSTS](#)=1 or EB-2 [FIRSTIME1](#)=2 or EB-2



NSFG Cycle 6 Female Respondent File Section E Part I

[FIRSTIME2=2](#))

***mthfstx02*** (1619 - 1620)

Method used at first sex - total universe (2nd mention)(computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7002
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	50
4	CONDOM	431
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	76
8	DEPO-PROVERA, INJECTABLES	18
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	10
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	2
13	FEMALE CONDOM, VAGINAL POUCH	3
14	FOAM	18
15	JELLY OR CREAM	10
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	9
18	TODAY (TM) SPONGE	4
19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	4
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 2 methods of contraception at first sexual intercourse (see [mthfstx01](#))

NSFG Cycle 6 Female Respondent File Section E Part I

***mthfstsx03*** (1621 - 1622)

Method used at first sex - total universe (3rd mention)(computed)

Value	Label	Total
.	inapplicable	7614
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	4
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	8
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	2
15	JELLY OR CREAM	2
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods of contraception at first sexual intercourse (see [mthfstsx01](#))

***mthfstsx04*** (1623 - 1624)

NSFG Cycle 6 Female Respondent File Section E Part I

Method used at first sex - total universe (4th mention)(computed)

Value	Label	Total
.	inapplicable	7638
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods of contraception at first sexual intercourse (see [mthfstsx01](#))

***mthfstsx05*** (1625 - 1626)

Method used at first sex - total universe (5th mention)(computed)

**NSFG Cycle 6 Female Respondent File Section E Part I**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 5 methods of contraception at first sexual intercourse (see [mthfstsx01](#))

**INTR\_EC3** (1627 - 1627)

**EC-3:** Many women have times when they are not having intercourse at all, for example, because of pregnancy, separation, not dating anyone, illness, or other reasons. I'd like to know the months

NSFG Cycle 6 Female Respondent File Section E Part I

since (the first time you had intercourse, which was in [DATE OF FIRST SEX]/ January, 1998) that you did not have intercourse at all for the entire month. First, let's make sure you have other information on your calendar.

Since ([DATE OF FIRST SEX]/January 1998), have there been any times when you were not having intercourse at all for one month or more?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	858
1	YES	4309
5	NO	2424
7	Not ascertained	7
8	Refused	16
9	Don't know	29
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male (rhadsex=1)

**MONSX1177** (1628 - 1628)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) January 1998 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4306
5	NO	3266
7	NOT ASCERTAINED	8
8	REFUSED	5
9	DON'T KNOW	58
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1178** (1629 - 1629)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) February 1998 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	4275
5	NO	3293
7	NOT ASCERTAINED	12
8	REFUSED	4
9	DON'T KNOW	59
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1179** (1630 - 1630)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) March 1998 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	4284
5	NO	3290
7	NOT ASCERTAINED	9
8	REFUSED	4
9	DON'T KNOW	56
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1180** (1631 - 1631)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) April 1998 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4300
5	NO	3273
7	NOT ASCERTAINED	10
8	REFUSED	4
9	DON'T KNOW	56
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1181** (1632 - 1632)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) May 1998 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4332
5	NO	3244
7	NOT ASCERTAINED	6
8	REFUSED	4
9	DON'T KNOW	57
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1182** (1633 - 1633)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) June 1998 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	4351
5	NO	3222
7	NOT ASCERTAINED	7
8	REFUSED	4
9	DON'T KNOW	59
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1183** (1634 - 1634)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) July 1998 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	4398
5	NO	3178
7	NOT ASCERTAINED	7
8	REFUSED	4
9	DON'T KNOW	56
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents



**MONSX1184** (1635 - 1635)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) August 1998 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4389
5	NO	3185
7	NOT ASCERTAINED	7
8	REFUSED	5
9	DON'T KNOW	57
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1185** (1636 - 1636)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) September 1998 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4392
5	NO	3179
7	NOT ASCERTAINED	9
8	REFUSED	4
9	DON'T KNOW	59
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1186** (1637 - 1637)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) October 1998 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4398
5	NO	3175
7	NOT ASCERTAINED	7
8	REFUSED	4
9	DON'T KNOW	59
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1187** (1638 - 1638)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) November 1998 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4442
5	NO	3132
7	NOT ASCERTAINED	7
8	REFUSED	4
9	DON'T KNOW	58
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1188** (1639 - 1639)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) December 1998 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	4432
5	NO	3141
7	NOT ASCERTAINED	9
8	REFUSED	4
9	DON'T KNOW	57
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1189** (1640 - 1640)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) January 1999 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	4485
5	NO	3102
7	NOT ASCERTAINED	6
8	REFUSED	4
9	DON'T KNOW	46
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section E Part I

**MONSX1190** (1641 - 1641)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) February 1999 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	4476
5	NO	3104
7	NOT ASCERTAINED	9
8	REFUSED	4
9	DON'T KNOW	50
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1191** (1642 - 1642)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) March 1999 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	4515
5	NO	3065
7	NOT ASCERTAINED	8
8	REFUSED	4
9	DON'T KNOW	51
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section E Part I

**MONSX1192** (1643 - 1643)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) April 1999 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4540
5	NO	3042
7	NOT ASCERTAINED	7
8	REFUSED	4
9	DON'T KNOW	50
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1193** (1644 - 1644)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) May 1999 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4554
5	NO	3025
7	NOT ASCERTAINED	7
8	REFUSED	4
9	DON'T KNOW	53
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1194** (1645 - 1645)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) June 1999 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4605
5	NO	2972
7	NOT ASCERTAINED	9
8	REFUSED	4
9	DON'T KNOW	53
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1195** (1646 - 1646)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) July 1999 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4618
5	NO	2962
7	NOT ASCERTAINED	8
8	REFUSED	4
9	DON'T KNOW	51
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1196** (1647 - 1647)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) August 1999 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4615
5	NO	2962
7	NOT ASCERTAINED	9
8	REFUSED	4
9	DON'T KNOW	53
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1197** (1648 - 1648)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) September 1999 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4586
5	NO	2991
7	NOT ASCERTAINED	9
8	REFUSED	4
9	DON'T KNOW	53
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1198** (1649 - 1649)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) October 1999 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	4629
5	NO	2948
7	NOT ASCERTAINED	10
8	REFUSED	4
9	DON'T KNOW	52
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1199** (1650 - 1650)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) November 1999 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	4659
5	NO	2918
7	NOT ASCERTAINED	10
8	REFUSED	4
9	DON'T KNOW	52
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents



**MONSX1200** (1651 - 1651)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) December 1999 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	4700
5	NO	2878
7	NOT ASCERTAINED	9
8	REFUSED	4
9	DON'T KNOW	52
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1201** (1652 - 1652)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) January 2000 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	4707
5	NO	2888
7	NOT ASCERTAINED	9
8	REFUSED	4
9	DON'T KNOW	35
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1202** (1653 - 1653)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) February 2000 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	4670
5	NO	2917
7	NOT ASCERTAINED	14
8	REFUSED	4
9	DON'T KNOW	38
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1203** (1654 - 1654)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) March 2000 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	4718
5	NO	2867
7	NOT ASCERTAINED	14
8	REFUSED	5
9	DON'T KNOW	39
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1204** (1655 - 1655)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) April 2000 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4766
5	NO	2821
7	NOT ASCERTAINED	13
8	REFUSED	4
9	DON'T KNOW	39
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1205** (1656 - 1656)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) May 2000 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4802
5	NO	2786
7	NOT ASCERTAINED	11
8	REFUSED	5
9	DON'T KNOW	39
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1206** (1657 - 1657)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) June 2000 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4780
5	NO	2809
7	NOT ASCERTAINED	12
8	REFUSED	5
9	DON'T KNOW	37
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1207** (1658 - 1658)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) July 2000 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4834
5	NO	2756
7	NOT ASCERTAINED	11
8	REFUSED	3
9	DON'T KNOW	39
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1208** (1659 - 1659)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) August 2000 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4843
5	NO	2746
7	NOT ASCERTAINED	10
8	REFUSED	4
9	DON'T KNOW	40
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1209** (1660 - 1660)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) September 2000 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4890
5	NO	2701
7	NOT ASCERTAINED	10
8	REFUSED	4
9	DON'T KNOW	38
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1210** (1661 - 1661)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) October 2000 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4914
5	NO	2678
7	NOT ASCERTAINED	8
8	REFUSED	4
9	DON'T KNOW	39
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1211** (1662 - 1662)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) November 2000 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4922
5	NO	2667
7	NOT ASCERTAINED	11
8	REFUSED	4
9	DON'T KNOW	39
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1212** (1663 - 1663)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) December 2000 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4996
5	NO	2595
7	NOT ASCERTAINED	9
8	REFUSED	4
9	DON'T KNOW	39
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1213** (1664 - 1664)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) January 2001 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	5012
5	NO	2591
7	NOT ASCERTAINED	6
8	REFUSED	3
9	DON'T KNOW	31
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1214** (1665 - 1665)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) February 2001 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4949
5	NO	2647
7	NOT ASCERTAINED	11
8	REFUSED	4
9	DON'T KNOW	32
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1215** (1666 - 1666)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) March 2001 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4978
5	NO	2624
7	NOT ASCERTAINED	7
8	REFUSED	3
9	DON'T KNOW	31
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents



**MONSX1216** (1667 - 1667)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) April 2001 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4961
5	NO	2639
7	NOT ASCERTAINED	8
8	REFUSED	4
9	DON'T KNOW	31
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1217** (1668 - 1668)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) May 2001 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	5044
5	NO	2560
7	NOT ASCERTAINED	6
8	REFUSED	4
9	DON'T KNOW	29
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1218** (1669 - 1669)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) June 2001 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	5024
5	NO	2579
7	NOT ASCERTAINED	5
8	REFUSED	4
9	DON'T KNOW	31
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1219** (1670 - 1670)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) July 2001 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	5074
5	NO	2530
7	NOT ASCERTAINED	5
8	REFUSED	4
9	DON'T KNOW	30
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1220** (1671 - 1671)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) August 2001 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	5082
5	NO	2526
7	NOT ASCERTAINED	3
8	REFUSED	4
9	DON'T KNOW	28
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1221** (1672 - 1672)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) September 2001 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	5083
5	NO	2526
7	NOT ASCERTAINED	4
8	REFUSED	3
9	DON'T KNOW	27
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section E Part I

**MONSX1222** (1673 - 1673)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) October 2001 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	5124
5	NO	2482
7	NOT ASCERTAINED	5
8	REFUSED	3
9	DON'T KNOW	29
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1223** (1674 - 1674)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) November 2001 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	5147
5	NO	2461
7	NOT ASCERTAINED	5
8	REFUSED	3
9	DON'T KNOW	27
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1224** (1675 - 1675)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) December 2001 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	5214
5	NO	2398
7	NOT ASCERTAINED	4
8	REFUSED	3
9	DON'T KNOW	24
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1225** (1676 - 1676)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) January 2002 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	5222
5	NO	2401
7	NOT ASCERTAINED	3
8	REFUSED	3
9	DON'T KNOW	14
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MONSX1226** (1677 - 1677)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) February 2002 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1
1	YES	5207
5	NO	2418
7	NOT ASCERTAINED	4
8	REFUSED	4
9	DON'T KNOW	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's date of interview was February 2002 or later (cmintvw>=1226)

**MONSX1227** (1678 - 1678)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) March 2002 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1
1	YES	5217
5	NO	2408
7	NOT ASCERTAINED	5
8	REFUSED	3
9	DON'T KNOW	9
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part I

**Universe:**

Applicable if R's date of interview was March 2002 or later  
(cmintvw>=1227)

**MONSX1228** (1679 - 1679)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) April 2002 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	156
1	YES	5118
5	NO	2351
7	NOT ASCERTAINED	5
8	REFUSED	4
9	DON'T KNOW	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's date of interview was April 2002 or later  
(cmintvw>=1228)

**MONSX1229** (1680 - 1680)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) May 2002 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	781
1	YES	4682
5	NO	2163

**NSFG Cycle 6 Female Respondent File Section E Part I**

7	NOT ASCERTAINED	5
8	REFUSED	4
9	DON'T KNOW	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's date of interview was May 2002 or later  
(cmintvw>=1229)

**MONSX1230** (1681 - 1681)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) June 2002 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1312
1	YES	4335
5	NO	1984
7	NOT ASCERTAINED	2
8	REFUSED	3
9	DON'T KNOW	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's date of interview was June 2002 or later  
(cmintvw>=1230)

**MONSX1231** (1682 - 1682)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) July 2002 (computed)



**NSFG Cycle 6 Female Respondent File Section E Part I**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	1790
1	YES	4018
5	NO	1822
7	NOT ASCERTAINED	3
8	REFUSED	3
9	DON'T KNOW	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's date of interview was July 2002 or later  
(cmintvw>=1231)

**MONSX1232** (1683 - 1683)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) August 2002 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	2678
1	YES	3387
5	NO	1568
7	NOT ASCERTAINED	1
8	REFUSED	3
9	DON'T KNOW	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's date of interview was August 2002 or later  
(cmintvw>=1232)

**MONSX1233** (1684 - 1684)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

**NSFG Cycle 6 Female Respondent File Section E Part I**

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) September 2002 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	3502
1	YES	2826
5	NO	1307
7	NOT ASCERTAINED	1
8	REFUSED	3
9	DON'T KNOW	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's date of interview was September 2002 or later (cmintvw>=1233)

**MONSX1234** (1685 - 1685)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) October 2002 (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	4420
1	YES	2190
5	NO	1024
7	NOT ASCERTAINED	1
8	REFUSED	4
9	DON'T KNOW	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's date of interview was October 2002 or later (cmintvw>=1234)

NSFG Cycle 6 Female Respondent File Section E Part I

**MONSX1235** (1686 - 1686)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) November 2002 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5374
1	YES	1503
5	NO	759
7	NOT ASCERTAINED	0
8	REFUSED	3
9	DON'T KNOW	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's date of interview was November 2002 or later (cmintvw>=1235)

**MONSX1236** (1687 - 1687)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) December 2002 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6152
1	YES	1019
5	NO	467
7	NOT ASCERTAINED	1
8	REFUSED	2
9	DON'T KNOW	2
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part I

**Universe:**

Applicable if R's date of interview was December 2002 or later  
(cmintvw>=1236)

**MONSX1237** (1688 - 1688)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) January 2003 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6601
1	YES	668
5	NO	330
7	NOT ASCERTAINED	44
8	REFUSED	0
9	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's date of interview was January 2003 or later  
(cmintvw>=1237)

**MONSX1238** (1689 - 1689)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) February 2003 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7146
1	YES	309
5	NO	171
7	NOT ASCERTAINED	17

**NSFG Cycle 6 Female Respondent File Section E Part I**

8	REFUSED	0
9	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's date of interview was February 2003 or later  
(cmintvw>=1238)

**MONSX1239** (1690 - 1690)

**EC-8:** (Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?)

If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with [January 1998/DATE OF FIRST SEX].) March 2003 (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7601
1	YES	17
5	NO	25
7	NOT ASCERTAINED	0
8	REFUSED	0
9	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's date of interview was March 2003 (cmintvw>=1239)

NSFG Cycle 6 Female Respondent File Section E Part II

**cmstrtmc** (1691 - 1694)

Century month for date of starting month of method calendar  
(computed)

Value	Label	Total
.	INAPPLICABLE	879
1189	JANUARY 1999	5944
1190-1200	FEB-DEC 1999	211
1201-1212	2000	252
1213-1224	2001	224
1225-1236	2002	126
1237-1239	JAN-MARCH 2003	0
9999	Don't know	7
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R ever used a method of contraception ([everused](#)=1)

**cmendmc** (1695 - 1698)

Century month for date of ending month of method calendar(computed)

Value	Label	Total
.	inapplicable	879
1225-1239	JAN 2002 - MAR 2003	6764
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R ever used a method of contraception ([everused](#)=1)

**METHHIST011** (1699 - 1700)

**ED-6:** ENTER METHOD USED IN JANUARY 1999 (1st mention)

Value	Label	Total
.	inapplicable	1699

**NSFG Cycle 6 Female Respondent File Section E Part II**

1	NO METHOD USED	1833
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1463
4	CONDOM	902
5	PARTNER'S VASECTOMY	226
6	STERILIZING OPERATION/TUBAL LIGATION	814
7	WITHDRAWAL, PULLING OUT	201
8	DEPO-PROVERA, INJECTABLES (SHOT)	240
9	NORPLANT (TM) IMPLANTS	28
10	RHYTHM OR SAFE PERIOD BY CALENDAR	32
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	12
12	DIAPHRAGM	17
13	FEMALE CONDOM, VAGINAL POUCH	3
14	FOAM	4
15	JELLY OR CREAM	5
16	CERVICAL CAP	2
17	SUPPOSITORY, INSERT	8
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	68
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	17
22	RESPONDENT WAS STERILE	31
23	RESPONDENT'S PARTNER WAS STERILE	9
24	LUNELLE INJECTABLE (MONTHLY SHOT)	3
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
97	Not ascertained	1
98	Refused	11
99	Don't know	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before January 1999 ([cmfirsm](#)<=cmjan99)

***METHHIST012*** (1701 - 1702)

**ED-6:** ENTER METHOD USED IN JANUARY 1999 (2nd mention)

**NSFG Cycle 6 Female Respondent File Section E Part II**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7125
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	27
4	CONDOM	220
5	PARTNER'S VASECTOMY	6
6	STERILIZING OPERATION/TUBAL LIGATION	55
7	WITHDRAWAL, PULLING OUT	113
8	DEPO-PROVERA, INJECTABLES (SHOT)	21
9	NORPLANT (TM) IMPLANTS	2
10	RHYTHM OR SAFE PERIOD BY CALENDAR	32
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	3
12	DIAPHRAGM	9
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	7
15	JELLY OR CREAM	10
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	3
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	5
23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in January 1999 (see [METHHIST011](#))

**METHHIST013** (1703 - 1704)

**ED-6:** ENTER METHOD USED IN JANUARY 1999 (3rd mention)



**NSFG Cycle 6 Female Respondent File Section E Part II**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7586
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	4
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES (SHOT)	5
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	3
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	4
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in January 1999 (see [METHHIST011](#))

**METHHIST014** (1705 - 1706)

**ED-6:** ENTER METHOD USED IN JANUARY 1999 (4th mention)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7634
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	2
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in January 1999 (see [METHHIST011](#))

**CMDATBGN** (1707 - 1710)

Date (century month) began using method/method combination  
(computed)

**NSFG Cycle 6 Female Respondent File Section E Part II**

When did you start using (this method/that method combination)? If you used (this method/that method combination) on and off prior to (DATE OF START OF CALENDAR), please tell me when you started using the method (combination) most recently prior to (DATE OF START OF CALENDAR).

(If you used the methods at different times during that month, please tell me when you started using the pill most recently before (DATE OF START OF CALENDAR).)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	3532
301-1164	BEFORE 1997	2201
1165-1239	JANUARY 1997 OR LATER	1799
9997	Not ascertained	1
9998	Refused	18
9999	Don't know	92
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before January 1999 ([cmfirsm](#)<cmjan99)

***SIMSEQ*** (1711 - 1711)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Jan 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7186
1	SAME TIME	335
2	DIFFERENT TIMES	122
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in January 1999 ([nummult](#)=2)

***MTHUSIMX01*** (1712 - 1713)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Jan 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7587
1	NONE	8
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	18
4	CONDOM	24
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 1999 ([nummult](#)>2)

**MTHUSIMX02** (1714 - 1715)

**ED-11:** During that month, which (of those methods/other methods),

**NSFG Cycle 6 Female Respondent File Section E Part II**

if any, did you use at the same time? (2nd method used in 1st  
 combo - Jan 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7601
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	14
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	5
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	3
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 1999  
 ([nummult](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX01](#) ne 1)

**MTHUSIMX03** (1716 - 1717)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Jan 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7619
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	10
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 1999  
 ([nummult](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX01](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX04** (1718 - 1719)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Jan 1999)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in January 1999 ([nummult](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX03](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX26** (1720 - 1721)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Jan 1999)

Value	Label	Total
.	inapplicable	7595
1	NONE	26
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	6
4	CONDOM	11
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 1999 ([nummult](#)>2)



NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX27** (1722 - 1723)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Jan 1999)

Value	Label	Total
.	inapplicable	7629
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	4
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 1999 ([nummult](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX26](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX28** (1724 - 1725)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Jan 1999)

Value	Label	Total
.	inapplicable	7637
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 1999  
 ([nummult](#)>2) and R used at least 2 method combinations, with at

NSFG Cycle 6 Female Respondent File Section E Part II

least 2 methods in the 2nd method combination ([MTHUSIMX26](#) ne 1)

**MTHUSIMX29** (1726 - 1726)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Jan 1999)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in January 1999

NSFG Cycle 6 Female Respondent File Section E Part II

([nummult](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX28](#) ne 1)

**MTHUSIMX51** (1727 - 1727)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Jan 1999)

Value	Label	Total
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	3
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 3 methods in January 1999 ([nummult](#)>2)

**MTHUSIMX52** (1728 - 1728)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Jan 1999)

Value	Label	Total
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section E Part II

applicable if R used at least 3 methods in January 1999  
 ([nummult](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX51](#) ne 1)

**MTHUSIMX53** (1729 - 1730)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - Jan 1999)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 3 methods in January 1999  
 (nummult>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination (MTHUSIMX51 ne 1)

**MTHUSIMX54** (1731 - 1731)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Jan 1999)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

NSFG Cycle 6 Female Respondent File Section E Part II

Total

7643

**Universe:**

applicable if R used at least 4 methods in January 1999  
([nummult](#)>3) and R used at least 3 method combinations, with at  
least 3 methods in the 3rd method combination ([MTHUSIMX53](#) ne 1)

**nummult** (1732 - 1732)

Number of methods reported in Jan 1999 (computed)

Value	Label	Total
.	inapplicable	1699
0	0	24
1	1	5407
2-25	2 OR MORE	513
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first  
method use was on or before January 1999 ([cmfirsm](#)<cmjan99)

**METHHISTO21** (1733 - 1734)

**ED-6:** ENTER METHOD USED IN FEBRUARY 1999 (1st mention)

Value	Label	Total
.	inapplicable	1684
1	NO METHOD USED	1904
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1446
4	CONDOM	853
5	PARTNER'S VASECTOMY	224
6	STERILIZING OPERATION/TUBAL LIGATION	836
7	WITHDRAWAL, PULLING OUT	194
8	DEPO-PROVERA, INJECTABLES (SHOT)	240
9	NORPLANT (TM) IMPLANTS	28
10	RHYTHM OR SAFE PERIOD BY CALENDAR	32



**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	11
12	DIAPHRAGM	18
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	4
15	JELLY OR CREAM	3
16	CERVICAL CAP	2
17	SUPPOSITORY, INSERT	7
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	64
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	21
22	RESPONDENT WAS STERILE	27
23	RESPONDENT'S PARTNER WAS STERILE	11
24	LUNELLE INJECTABLE (MONTHLY SHOT)	4
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	12
99	Don't know	15
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before February 1999 ([cmfirsm](#)<=cmfeb99)

***METHHISTO22*** (1735 - 1736)

**ED-6:** ENTER METHOD USED IN FEBRUARY 1999 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7141
1	NO METHOD USED	1
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	17
4	CONDOM	212
5	PARTNER'S VASECTOMY	12
6	STERILIZING OPERATION/TUBAL LIGATION	56
7	WITHDRAWAL, PULLING OUT	110
8	DEPO-PROVERA, INJECTABLES (SHOT)	23

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	33
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	5
12	DIAPHRAGM	8
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	5
15	JELLY OR CREAM	9
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	2
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	3
23	RESPONDENT'S PARTNER WAS STERILE	2
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in February 1999 (see [METHHIST021](#))

**METHHIST023** (1737 - 1738)

**ED-6:** ENTER METHOD USED IN FEBRUARY 1999 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7599
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	4
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	10
8	DEPO-PROVERA, INJECTABLES (SHOT)	3

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	15
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	2
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in February 1999 (see [METHHIST021](#))

**METHHIST024** (1739 - 1740)

**ED-6:** ENTER METHOD USED IN FEBRUARY 1999 (4th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7635
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in February 1999 (see [METHHIST021](#))

***SAMEAllYear2*** (1741 - 1741)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (February 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	YES	0
5	NO	1
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year

NSFG Cycle 6 Female Respondent File Section E Part II

(ED-6 [METHHIST021](#)=55)

**SIMSEQ2** (1742 - 1742)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (February 1999)

Value	Label	Total
.	inapplicable	7191
1	SAME TIME	343
2	DIFFERENT TIMES	109
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in February 1999 ([nummult2](#)=2)

**MTHUSIMX101** (1743 - 1744)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Feb 1999)

Value	Label	Total
.	inapplicable	7599
1	NONE	6
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	14
4	CONDOM	19
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 1999  
 ([nummult2](#)>2)

***MTHUSIMX102*** (1745 - 1746)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Feb 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7610
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	12
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	3
7	WITHDRAWAL, PULLING OUT	13
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 1999  
 ([nummult2](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX101](#) ne 1)

**MTHUSIMX103** (1747 - 1748)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Feb 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7618
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	11

**NSFG Cycle 6 Female Respondent File Section E Part II**

	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 1999  
 ([nummult2](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX101](#) ne 1)

***MTHUSIMX104*** (1749 - 1750)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Feb 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in February 1999 ([nummult2](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX103](#) ne 1)

***MTHUSIMX126*** (1751 - 1752)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Feb 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7605
1	NONE	20
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	4
4	CONDOM	10
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 1999  
 ([nummult2](#)>2)

**MTHUSIMX127** (1753 - 1754)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Feb 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7629
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	3
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 1999  
 ([nummult2](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX126](#) ne 1)

***MTHUSIMX128*** (1755 - 1756)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - Feb 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7634
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 1999  
 ([nummult2](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX126](#) ne 1)

**MTHUSIMX129** (1757 - 1757)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - Feb 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in February 1999  
 ([nummult2](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX128](#) ne 1)

***MTHUSIMX151*** (1758 - 1758)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - Feb. 1999)

<u>Value Label</u>	<u>Total</u>
--------------------	--------------

**NSFG Cycle 6 Female Respondent File Section E Part II**

.	inapplicable	7640
1	NONE	1
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 1999  
 ([nummult2](#)>2)

***MTHUSIMX152*** (1759 - 1759)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Feb. 1999)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 1999 ([nummult2](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX151](#) ne 1)

**MTHUSIMX153** (1760 - 1761)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Feb. 1999)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 1999 ([nummult2](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX151](#) ne 1)

**MTHUSIMX154** (1762 - 1762)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd



NSFG Cycle 6 Female Respondent File Section E Part II

combo - Feb. 1999)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in February 1999 ([nummult2](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX153](#) ne 1)

**nummult2** (1763 - 1763)

NSFG Cycle 6 Female Respondent File Section E Part II

Number of Methods Reported in (Feb 1999) (Computed)

Value	Label	Total
.	inapplicable	1684
0	0	27
1	1	5436
2-25	2 OR MORE	496
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before February 1999 ([cmfirsm](#)<1190)

**METHHIST031** (1764 - 1765)

**ED-6:** ENTER METHOD USED IN MARCH 1999 (1st mention)

Value	Label	Total
.	inapplicable	1673
1	NO METHOD USED	1855
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1448
4	CONDOM	864
5	PARTNER'S VASECTOMY	229
6	STERILIZING OPERATION/TUBAL LIGATION	847
7	WITHDRAWAL, PULLING OUT	210
8	DEPO-PROVERA, INJECTABLES (SHOT)	256
9	NORPLANT (TM) IMPLANTS	29
10	RHYTHM OR SAFE PERIOD BY CALENDAR	35
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	11
12	DIAPHRAGM	17
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	6
15	JELLY OR CREAM	2
16	CERVICAL CAP	2
17	SUPPOSITORY, INSERT	7
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	63

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	18
22	RESPONDENT WAS STERILE	30
23	RESPONDENT'S PARTNER WAS STERILE	11
24	LUNELLE INJECTABLE (MONTHLY SHOT)	5
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
97	Not ascertained	1
98	Refused	11
99	Don't know	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before March 1999 ([cmfirsm](#)<=cmmar99)

***METHHISTO32*** (1766 - 1767)

**ED-6:** ENTER METHOD USED IN MARCH 1999 (2nd mention)

Value	Label	Total
.	inapplicable	7145
1	NO METHOD USED	1
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	210
5	PARTNER'S VASECTOMY	12
6	STERILIZING OPERATION/TUBAL LIGATION	54
7	WITHDRAWAL, PULLING OUT	114
8	DEPO-PROVERA, INJECTABLES (SHOT)	20
9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	33
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	4
12	DIAPHRAGM	7
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	5
15	JELLY OR CREAM	10
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	3
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	3
23	RESPONDENT'S PARTNER WAS STERILE	2
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in March 1999 (see [METHHIST031](#))

**METHHIST033** (1768 - 1769)

**ED-6:** ENTER METHOD USED IN MARCH 1999 (3rd mention)

Value	Label	Total
.	inapplicable	7597
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	3
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLES (SHOT)	3
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	16
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	2
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in March 1999 (see [METHHIST031](#))

**METHHIST034** (1770 - 1771)

**ED-6:** ENTER METHOD USED IN MARCH 1999 (4th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7635
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in March 1999 (see [METHHIST031](#))

**SAMEAllYear3** (1772 - 1772)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (March 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	YES	0
5	NO	0
8	Refused	1
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST031](#)=55)

**SIMSEQ3** (1773 - 1773)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (March 1999)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7194
1	SAME TIME	342
2	DIFFERENT TIMES	107
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in March 1999 ([nummult3=2](#))

**MTHUSIMX201** (1774 - 1775)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Mar 1999)

Value	Label	Total
.	inapplicable	7597
1	NONE	10
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	12
4	CONDOM	17
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 1999 ([nummult3](#)>2)

***MTHUSIMX202*** (1776 - 1777)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Mar 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7610
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	9
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 1999 ([nummult3](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX201](#) ne 1)

**MTHUSIMX203** (1778 - 1779)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Mar 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7620
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	8
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 1999 ([nummult3](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX201](#) ne 1)

**MTHUSIMX204** (1780 - 1781)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Mar 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in March 1999 ([nummult3](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX203](#) ne 1)

***MTHUSIMX226*** (1782 - 1783)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - March 1999)

Value	Label	Total
.	inapplicable	7607
1	NONE	18
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	6
4	CONDOM	8
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 1999 ([nummult3](#)>2)

***MTHUSIMX227*** (1784 - 1785)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - March 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7630
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 1999 ([nummult3](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX226](#) ne 1)

***MTHUSIMX228*** (1786 - 1787)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - March 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7632
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 1999 ([nummult3](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX226](#) ne 1)

**MTHUSIMX229** (1788 - 1788)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - March 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in March 1999 ([nummult3](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX228](#) ne 1)

**MTHUSIMX251** (1789 - 1790)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - March 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	NONE	2
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 1999 ([nummult3](#)>2)

**MTHUSIMX252** (1791 - 1791)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - March 1999)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 1999 ([nummult3](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX251](#) ne 1)

***MTHUSIMX253*** (1792 - 1792)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - March 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 1999 ([nummult3](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX251](#) ne 1)

***MTHUSIMX254*** (1793 - 1793)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - March 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in March 1999 ([nummult3](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX253](#) ne 1)

**nummult3** (1794 - 1794)

Number of methods reported in Mar 1999 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1673
0	0	22
1	1	5453

NSFG Cycle 6 Female Respondent File Section E Part II

2-25 2 OR MORE 495  
**Total 7643**

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before March 1999 ([cmfirsm](#)<1191)

**METHHIST041** (1795 - 1796)

**ED-6:** ENTER METHOD USED IN APRIL 1999 (1st mention)

Value	Label	Total
.	inapplicable	1655
1	NO METHOD USED	1852
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1444
4	CONDOM	876
5	PARTNER'S VASECTOMY	230
6	STERILIZING OPERATION/TUBAL LIGATION	850
7	WITHDRAWAL, PULLING OUT	216
8	DEPO-PROVERA, INJECTABLES (SHOT)	253
9	NORPLANT (TM) IMPLANTS	30
10	RHYTHM OR SAFE PERIOD BY CALENDAR	35
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	9
12	DIAPHRAGM	14
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	6
15	JELLY OR CREAM	6
16	CERVICAL CAP	2
17	SUPPOSITORY, INSERT	8
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	66
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	19
22	RESPONDENT WAS STERILE	28
23	RESPONDENT'S PARTNER WAS STERILE	13
24	LUNELLE INJECTABLE (MONTHLY SHOT)	5
25	CONTRACEPTIVE PATCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	12
99	Don't know	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused=1](#)) and date of first method use was on or before April 1999 ([cmfirsm<=cmapr99](#))

**METHHISTO42** (1797 - 1798)

**ED-6:** ENTER METHOD USED IN APRIL 1999 (2nd mention)

Value	Label	Total
.	inapplicable	7153
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	203
5	PARTNER'S VASECTOMY	13
6	STERILIZING OPERATION/TUBAL LIGATION	54
7	WITHDRAWAL, PULLING OUT	115
8	DEPO-PROVERA, INJECTABLES (SHOT)	19
9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	34
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	7
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	5
15	JELLY OR CREAM	9
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	2
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	2
23	RESPONDENT'S PARTNER WAS STERILE	2

**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in April 1999 (see [METHHIST041](#))

**METHHIST043** (1799 - 1800)

**ED-6:** ENTER METHOD USED IN APRIL 1999 (3rd mention)

Value	Label	Total
.	inapplicable	7602
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	4
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES (SHOT)	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	16
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	4
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	2
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in April 1999 (see [METHHIST041](#))

**METHHIST044** (1801 - 1802)

**ED-6:** ENTER METHOD USED IN APRIL 1999 (4th mention)

Value	Label	Total
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in April 1999 (see [METHHIST041](#))

***SAMEAllYear4*** (1803 - 1803)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (April 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	YES	0
5	NO	1
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST041](#)=55)

***SIMSEQ4*** (1804 - 1804)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (April 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7196
1	SAME TIME	336
2	DIFFERENT TIMES	111
	<b>Total</b>	<b>7643</b>

**Universe:**



NSFG Cycle 6 Female Respondent File Section E Part II

applicable if R used two methods in April 1999 ([nummult4=2](#))

**MTHUSIMX301** (1805 - 1806)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - April 1999

Value	Label	Total
.	inapplicable	7602
1	NONE	12
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	8
4	CONDOM	16
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section E Part II

applicable if R used at least 3 methods in April 1999 ([nummult4=2](#))

**MTHUSIMX302** (1807 - 1808)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - April 1999)

Value	Label	Total
.	inapplicable	7615
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	7
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 1999 ([nummult4>2](#))

NSFG Cycle 6 Female Respondent File Section E Part II

and R used at least 2 methods in the first method combination  
([MTHUSIMX301](#) ne 1)

**MTHUSIMX303** (1809 - 1810)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - April 1999)

Value	Label	Total
.	inapplicable	7622
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	8
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 3 methods in April 1999 ([nummult4](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX301](#) ne 1)

**MTHUSIMX304** (1811 - 1812)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - April 1999)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

NSFG Cycle 6 Female Respondent File Section E Part II

Total

7643

**Universe:**

applicable if R used at least 4 methods in April 1999 ([nummult4](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX303](#) ne 1)

**MTHUSIMX326** (1813 - 1814)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - April 1999)

Value	Label	Total
.	inapplicable	7614
1	NONE	11
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	4
4	CONDOM	11
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 1999 ([nummult4](#)>2)

**MTHUSIMX327** (1815 - 1816)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - April 1999)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7629
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	0
4 CONDOM	3
5 PARTNER'S VASECTOMY	1
6 STERILIZING OPERATION/TUBAL LIGATION	1
7 WITHDRAWAL, PULLING OUT	5
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	2
SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11 PLANNING	1
12 DIAPHRAGM	0
13 FEMALE CONDOM, VAGINAL POUCH	0
14 FOAM	1
15 JELLY OR CREAM	0
16 CERVICAL CAP	0
17 SUPPOSITORY, INSERT	0
18 TODAY (TM) SPONGE	0
19 IUD, COIL, OR LOOP	0
20 EMERGENCY CONTRACEPTION	0
21 OTHER METHOD	0
22 R'S STERILITY	0
23 R'S PARTNER'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 1999 ([nummult4](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX326](#) ne 1)

***MTHUSIMX328*** (1817 - 1818)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - April 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7633
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 1999 ([nummult4](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX326](#) ne 1)

**MTHUSIMX329** (1819 - 1819)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - April 1999)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7643
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	0
4 CONDOM	0
5 PARTNER'S VASECTOMY	0
6 STERILIZING OPERATION/TUBAL LIGATION	0
7 WITHDRAWAL, PULLING OUT	0
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	0
SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11 PLANNING	0
12 DIAPHRAGM	0
13 FEMALE CONDOM, VAGINAL POUCH	0
14 FOAM	0
15 JELLY OR CREAM	0
16 CERVICAL CAP	0
17 SUPPOSITORY, INSERT	0
18 TODAY (TM) SPONGE	0
19 IUD, COIL, OR LOOP	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in April 1999 ([nummult4](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX328](#) ne 1)

***MTHUSIMX351*** (1820 - 1820)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - April 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 1999 ([nummult4](#)>2)

**MTHUSIMX352** (1821 - 1821)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - April 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 1999 ([nummult4](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX351](#) ne 1)

***MTHUSIMX353*** (1822 - 1823)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - April 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 1999 ([nummult4](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX351](#) ne 1)

**MTHUSIMX354** (1824 - 1824)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - April 1999)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in April 1999 ([nummult4](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX353](#) ne 1)

***nummult4*** (1825 - 1825)

Number of methods reported in April 1999 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1655
0	0	25
1	1	5475
2-25	2 OR MORE	488
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before April 1999 ([cmfirsm](#)<1192)

***METHHIST051*** (1826 - 1827)

**ED-6:** ENTER METHOD USED IN MAY 1999 (1st mention)

**NSFG Cycle 6 Female Respondent File Section E Part II**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	1639
1	NO METHOD USED	1866
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1445
4	CONDOM	875
5	PARTNER'S VASECTOMY	231
6	STERILIZING OPERATION/TUBAL LIGATION	857
7	WITHDRAWAL, PULLING OUT	213
8	DEPO-PROVERA, INJECTABLES (SHOT)	250
9	NORPLANT (TM) IMPLANTS	29
10	RHYTHM OR SAFE PERIOD BY CALENDAR	39
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	12
12	DIAPHRAGM	15
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	5
15	JELLY OR CREAM	4
16	CERVICAL CAP	2
17	SUPPOSITORY, INSERT	7
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	65
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	15
22	RESPONDENT WAS STERILE	28
23	RESPONDENT'S PARTNER WAS STERILE	13
24	LUNELLE INJECTABLE (MONTHLY SHOT)	6
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	13
99	Don't know	12
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before May 1999 ([cmfirmsm](#)<=cmmay99)

**METHHIST052** (1828 - 1829)

**ED-6:** ENTER METHOD USED IN MAY 1999 (2nd mention)

**NSFG Cycle 6 Female Respondent File Section E Part II**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7151
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	15
4	CONDOM	201
5	PARTNER'S VASECTOMY	13
6	STERILIZING OPERATION/TUBAL LIGATION	56
7	WITHDRAWAL, PULLING OUT	114
8	DEPO-PROVERA, INJECTABLES (SHOT)	22
9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	33
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	4
12	DIAPHRAGM	7
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	6
15	JELLY OR CREAM	10
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	2
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	2
23	RESPONDENT'S PARTNER WAS STERILE	2
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in May 1999 (see [METHHIST051](#))

**METHHIST053** (1830 - 1831)

**ED-6:** ENTER METHOD USED IN MAY 1999 (3rd mention)

**NSFG Cycle 6 Female Respondent File Section E Part II**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7600
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	3
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	8
8	DEPO-PROVERA, INJECTABLES (SHOT)	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in May 1999 (see [METHHIST051](#))

**METHHIST054** (1832 - 1833)

**ED-6:** ENTER METHOD USED IN MAY 1999 (4th mention)



**NSFG Cycle 6 Female Respondent File Section E Part II**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7634
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in May 1999 (see [METHHIST051](#))

***SAMEAllYear5*** (1834 - 1834)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this

NSFG Cycle 6 Female Respondent File Section E Part II

is the interview year]. Is that correct? (May 1999)

Value	Label	Total
.	inapplicable	7641
1	YES	0
5	NO	2
<b>Total</b>		<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST051](#)=55)

**SIMSEQ5** (1835 - 1835)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (May 1999)

Value	Label	Total
.	inapplicable	7198
1	SAME TIME	336
2	DIFFERENT TIMES	109
<b>Total</b>		<b>7643</b>

**Universe:**

applicable if R used two methods in May 1999 ([nummult5](#)=2)

**MTHUSIMX401** (1836 - 1837)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - May 1999)

Value	Label	Total
.	inapplicable	7600
1	NONE	11
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	10

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	14
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	1
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 1999 ([nummult5](#)>2)

***MTHUSIMX402*** (1838 - 1839)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - May 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7614
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	7
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 1999 ([nummult5](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX401](#) ne 1)

**MTHUSIMX403** (1840 - 1841)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - May 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7621
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	7
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 1999 ([nummult5](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX401](#) ne 1)

***MTHUSIMX404*** (1842 - 1843)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - May 1999)

<u>Value Label</u>	<u>Total</u>
--------------------	--------------

NSFG Cycle 6 Female Respondent File Section E Part II

.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in May 1999 ([nummult5](#)>3)  
and R used at least 3 methods in first method combination  
([MTHUSIMX403](#) ne 1)

**MTHUSIMX426** (1844 - 1845)

**ED-11:** During that month, which (of those methods/other methods),  
if any, did you use at the same time? (1st method used in 2nd  
combo - May 1999)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7611
1	NONE	11
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	5
4	CONDOM	12
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	1
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 1999 ([nummult5](#)>2)

**MTHUSIMX427** (1846 - 1847)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - May 1999)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7628
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	3
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 1999 ([nummult5](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX426](#) ne 1)

**MTHUSIMX428** (1848 - 1849)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - May 1999)



NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7632
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 1999 ([nummult5](#)>2)  
and R used at least 2 method combinations, with at least 2 methods  
in the 2nd method combination ([MTHUSIMX426](#) ne 1)

**MTHUSIMX429** (1850 - 1850)

**ED-11:** During that month, which (of those methods/other methods),  
if any, did you use at the same time? (4th method used in 2nd

NSFG Cycle 6 Female Respondent File Section E Part II

combo - May 1999)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in May 1999 ([nummult5](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX428](#) ne 1)

**MTHUSIMX451** (1851 - 1851)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - May 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 1999 ([nummult5](#)>2)

**MTHUSIMX452** (1852 - 1852)

**ED-11:** During that month, which (of those methods/other methods),

**NSFG Cycle 6 Female Respondent File Section E Part II**

if any, did you use at the same time? (2nd method used in 3rd  
 combo - May 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 1999 ([nummult5](#)>2)  
 and R used at least 3 method combinations, with at least 2 methods  
 in the 3rd method combination ([MTHUSIMX451](#) ne 1)

**MTHUSIMX453** (1853 - 1854)

NSFG Cycle 6 Female Respondent File Section E Part II

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - May 1999)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 1999 ([nummult5](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX451](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX454** (1855 - 1855)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - May 1999)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in May 1999 ([nummult5](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX453](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**nummult5** (1856 - 1856)

Number of methods reported in May 1999 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1639
0	0	25
1	1	5491
2-25	2 OR MORE	488
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused=1](#)) and date of first method use was on or before May 1999 ([cmfirsm<1193](#))

**METHHIST061** (1857 - 1858)

**ED-6:** ENTER METHOD USED IN JUNE 1999 (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1610
1	NO METHOD USED	1876
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1455
4	CONDOM	877
5	PARTNER'S VASECTOMY	230
6	STERILIZING OPERATION/TUBAL LIGATION	858
7	WITHDRAWAL, PULLING OUT	215
8	DEPO-PROVERA, INJECTABLES (SHOT)	247
9	NORPLANT (TM) IMPLANTS	30
10	RHYTHM OR SAFE PERIOD BY CALENDAR	37
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	11
12	DIAPHRAGM	16
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	3
15	JELLY OR CREAM	5
16	CERVICAL CAP	2

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	9
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	67
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	18
22	RESPONDENT WAS STERILE	29
23	RESPONDENT'S PARTNER WAS STERILE	14
24	LUNELLE INJECTABLE (MONTHLY SHOT)	6
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	13
99	Don't know	12
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before June 1999 ([cmfirsm](#)<=cmjun99)

***METHHIST062*** (1859 - 1860)

**ED-6:** ENTER METHOD USED IN JUNE 1999 (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7140
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	15
4	CONDOM	216
5	PARTNER'S VASECTOMY	11
6	STERILIZING OPERATION/TUBAL LIGATION	58
7	WITHDRAWAL, PULLING OUT	115
8	DEPO-PROVERA, INJECTABLES (SHOT)	18
9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	31
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	5
12	DIAPHRAGM	6
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	7



**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	9
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	2
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	2
23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in June 1999 (see [METHHIST061](#))

**METHHIST063** (1861 - 1862)

**ED-6:** ENTER METHOD USED IN JUNE 1999 (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7595
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	3
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	3
7	WITHDRAWAL, PULLING OUT	10
8	DEPO-PROVERA, INJECTABLES (SHOT)	4
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	16
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	5
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in June 1999 (see [METHHIST061](#))

**METHHIST064** (1863 - 1864)

**ED-6:** ENTER METHOD USED IN JUNE 1999 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in June 1999 (see [METHHIST061](#))

**SAMEAllYear6** (1865 - 1865)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (June 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	YES	1
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST061](#)=55)

**SIMSEQ6** (1866 - 1866)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (June 1999)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7192
1	SAME TIME	345
2	DIFFERENT TIMES	106
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in June 1999 ([nummult6=2](#))

**MTHUSIMX501** (1867 - 1868)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - June 1999)

Value	Label	Total
.	inapplicable	7595
1	NONE	12
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	13
4	CONDOM	15
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	1
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 1999 ([nummult6](#)>2)

***MTHUSIMX502*** (1869 - 1870)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - June 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7612
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	11
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 1999 ([nummult6](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX501](#) ne 1)

**MTHUSIMX503** (1871 - 1872)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - June 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7618
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	3
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	8
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	3
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 1999 ([nummult6](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX501](#) ne 1)

***MTHUSIMX504*** (1873 - 1874)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - June 1999)

<b>Value Label</b>	<b>Total</b>
. inapplicable	7642
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	0
4 CONDOM	0
5 PARTNER'S VASECTOMY	0
6 STERILIZING OPERATION/TUBAL LIGATION	0
7 WITHDRAWAL, PULLING OUT	0
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	0
11 SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12 DIAPHRAGM	0
13 FEMALE CONDOM, VAGINAL POUCH	0
14 FOAM	0
15 JELLY OR CREAM	0
16 CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in June 1999 ([nummult6](#)>3)  
 and R used at least 3 methods in first method combination  
 ([MTHUSIMX503](#) ne 1)

**MTHUSIMX526** (1875 - 1876)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - June 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7607
1	NONE	16
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	6
4	CONDOM	8
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	1
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 1999 ([nummult6](#)>2)

***MTHUSIMX527*** (1877 - 1878)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - June 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7630
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	5
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 1999 ([nummult6](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX526](#) ne 1)

***MTHUSIMX528*** (1879 - 1880)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - June 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7632
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 1999 ([nummult6](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX526](#) ne 1)

***MTHUSIMX529*** (1881 - 1881)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - June 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in June 1999 ([nummult6](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX528](#) ne 1)

***MTHUSIMX551*** (1882 - 1882)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - June 1999)

Select next set of methods used simultaneously. Code all that apply.

AND CURRENT METHOD IS PILL, GO TO EJ SERIES

AND CURRENT METHOD IS NOT PILL, GO TO SECTION F

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 1999 ([nummult6](#)>2)

**MTHUSIMX552** (1883 - 1883)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - June 1999)

Select next set of methods used simultaneously. Code all that apply.

AND CURRENT METHOD IS PILL, GO TO EJ SERIES

AND CURRENT METHOD IS NOT PILL, GO TO SECTION F

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 1999 ([nummult6](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX551](#) ne 1)

**MTHUSIMX553** (1884 - 1885)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - June 1999)

Select next set of methods used simultaneously. Code all that apply.

AND CURRENT METHOD IS PILL, GO TO EJ SERIES

AND CURRENT METHOD IS NOT PILL, GO TO SECTION F

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 1999 ([nummult6](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX551](#) ne 1)

**MTHUSIMX554** (1886 - 1886)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd

**NSFG Cycle 6 Female Respondent File Section E Part II**

combo - June 1999)

Select next set of methods used simultaneously. Code all that apply.

AND CURRENT METHOD IS PILL, GO TO EJ SERIES

AND CURRENT METHOD IS NOT PILL, GO TO SECTION F

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in June 1999 ([nummult6](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX553](#) ne 1)



NSFG Cycle 6 Female Respondent File Section E Part II

**nummult6** (1887 - 1887)

Number of methods reported in June 1999 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1610
0	0	25
1	1	5509
2-25	2 OR MORE	499
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused=1](#)) and date of first method use was on or before June 1999 ([cmfirsm<1194](#))

**METHHIST071** (1888 - 1889)

**ED-6:** ENTER METHOD USED IN JULY 1999 (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1576
1	NO METHOD USED	1879
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1459
4	CONDOM	886
5	PARTNER'S VASECTOMY	235
6	STERILIZING OPERATION/TUBAL LIGATION	868
7	WITHDRAWAL, PULLING OUT	220
8	DEPO-PROVERA, INJECTABLES (SHOT)	244
9	NORPLANT (TM) IMPLANTS	30
10	RHYTHM OR SAFE PERIOD BY CALENDAR	35
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	12
12	DIAPHRAGM	16
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	5
15	JELLY OR CREAM	5
16	CERVICAL CAP	2

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	9
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	69
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	15
22	RESPONDENT WAS STERILE	29
23	RESPONDENT'S PARTNER WAS STERILE	14
24	LUNELLE INJECTABLE (MONTHLY SHOT)	7
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	13
99	Don't know	12
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before July 1999 ([cmfirsm](#)<=cmjul99)

***METHHIST072*** (1890 - 1891)

**ED-6:** ENTER METHOD USED IN JULY 1999 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7131
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	15
4	CONDOM	216
5	PARTNER'S VASECTOMY	11
6	STERILIZING OPERATION/TUBAL LIGATION	56
7	WITHDRAWAL, PULLING OUT	118
8	DEPO-PROVERA, INJECTABLES (SHOT)	20
9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	32
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	5
12	DIAPHRAGM	7
13	FEMALE CONDOM, VAGINAL POUCH	4
14	FOAM	5

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	7
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	5
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	3
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	2
23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in July 1999 (see [METHHIST071](#))

**METHHIST073** (1892 - 1893)

**ED-6:** ENTER METHOD USED IN JULY 1999 (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7593
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	4
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES (SHOT)	4
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	5
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in July 1999 (see [METHHIST071](#))

**METHHIST074** (1894 - 1895)

**ED-6:** ENTER METHOD USED IN JULY 1999 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in July 1999 (see [METHHIST071](#))

**SAMEAllYear7** (1896 - 1896)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (July 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST071](#)=55)

**SIMSEQ7** (1897 - 1897)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (July 1999)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7184
1	SAME TIME	352
2	DIFFERENT TIMES	107
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in July 1999 ([nummult7=2](#))

**MTHUSIMX601** (1898 - 1899)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - July 1999)

Value	Label	Total
.	inapplicable	7593
1	NONE	14
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	15
4	CONDOM	14
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 1999 ([nummult7](#)>2)

**MTHUSIMX602** (1900 - 1901)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - July 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7608
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	15
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	10
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 1999 ([nummult7](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX601](#) ne 1)

**MTHUSIMX603** (1902 - 1903)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - July 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7614
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	9
8	DEPO-PROVERA, INJECTABLES	3
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	8
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	3
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 1999 ([nummult7](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX601](#) ne 1)

***MTHUSIMX604*** (1904 - 1905)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - July 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in July 1999 ([nummult7](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX603](#) ne 1)

***MTHUSIMX626*** (1906 - 1906)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - July 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7607
1	NONE	16
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	8
4	CONDOM	10
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 1999 ([nummult7](#)>2)

***MTHUSIMX627*** (1907 - 1908)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - July 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7628
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	6
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 1999 ([nummult7](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX626](#) ne 1)

**MTHUSIMX628** (1909 - 1910)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - July 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7630
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 1999 ([nummult7](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX626](#) ne 1)

***MTHUSIMX629*** (1911 - 1911)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - July 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in July 1999 ([nummult7](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX628](#) ne 1)

***MTHUSIMX651*** (1912 - 1912)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - July 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 1999 ([nummult7>2](#))

***MTHUSIMX652*** (1913 - 1913)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - July 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 1999 ([nummult7](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX651](#) ne 1)

**MTHUSIMX653** (1914 - 1915)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - July 1999)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 1999 ([nummult7](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX651](#) ne 1)

***MTHUSIMX654*** (1916 - 1916)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - July 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in July 1999 ([nummult7](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX653](#) ne 1)

***nummult7*** (1917 - 1917)

Number of Methods Reported in July 1999 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1576
0	0	25
1	1	5533
2-25	2 OR MORE	509
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before July 1999 ([cmfirsm](#)<1195)

**METHHIST081** (1918 - 1919)

**ED-6:** ENTER METHOD USED IN AUGUST 1999 (1st mention)

Value	Label	Total
.	inapplicable	1552
1	NO METHOD USED	1884
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1477
4	CONDOM	890
5	PARTNER'S VASECTOMY	235
6	STERILIZING OPERATION/TUBAL LIGATION	874
7	WITHDRAWAL, PULLING OUT	218
8	DEPO-PROVERA, INJECTABLES (SHOT)	240
9	NORPLANT (TM) IMPLANTS	29
10	RHYTHM OR SAFE PERIOD BY CALENDAR	34
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	12
12	DIAPHRAGM	15
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	3
15	JELLY OR CREAM	4
16	CERVICAL CAP	2
17	SUPPOSITORY, INSERT	10
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	70
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	14
22	RESPONDENT WAS STERILE	28
23	RESPONDENT'S PARTNER WAS STERILE	14
24	LUNELLE INJECTABLE (MONTHLY SHOT)	8
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	13

NSFG Cycle 6 Female Respondent File Section E Part II

99	Don't know	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before August 1999 ([cmfirmsm](#)<=cmaug99)

**METHHIST082** (1920 - 1921)

**ED-6:** ENTER METHOD USED IN AUGUST 1999 (2nd mention)

Value	Label	Total
.	inapplicable	7132
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	18
4	CONDOM	217
5	PARTNER'S VASECTOMY	11
6	STERILIZING OPERATION/TUBAL LIGATION	57
7	WITHDRAWAL, PULLING OUT	118
8	DEPO-PROVERA, INJECTABLES (SHOT)	21
9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	31
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	8
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	6
15	JELLY OR CREAM	7
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	3
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	2
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

NSFG Cycle 6 Female Respondent File Section E Part II

55 SAME METHOD USED THRU END OF YEAR 0  
**Total** 7643

**Universe:**

Applicable if R used at least 2 methods in August 1999 (see [METHHIST081](#))

**METHHIST083** (1922 - 1923)

**ED-6:** ENTER METHOD USED IN AUGUST 1999 (3rd mention)

Value	Label	Total
.	inapplicable	7595
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	3
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES (SHOT)	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	18
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	5
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

NSFG Cycle 6 Female Respondent File Section E Part II

55 SAME METHOD USED THRU END OF YEAR 0  
**Total** 7643

**Universe:**

Applicable if R used at least 3 methods in August 1999 (see [METHHIST081](#))

**METHHIST084** (1924 - 1925)

**ED-6:** ENTER METHOD USED IN AUGUST 1999 (4th mention)

Value	Label	Total
.	inapplicable	7635
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

NSFG Cycle 6 Female Respondent File Section E Part II

55 SAME METHOD USED THRU END OF YEAR  
**Total**

0  
**7643**

**Universe:**

Applicable if R used at least 4 methods in August 1999 (see [METHHIST081](#))

**SAMEAllYear8** (1926 - 1926)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (August 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	YES	1
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST081](#)=55)

**SIMSEQ8** (1927 - 1927)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (August 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7183
1	SAME TIME	355
2	DIFFERENT TIMES	105
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in August 1999 ([nummult8](#)=2)

**MTHUSIMX701** (1928 - 1929)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - August 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7595
1	NONE	11
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	15
4	CONDOM	15
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 1999 ([nummult8](#)>2)

**MTHUSIMX702** (1930 - 1931)



**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - August 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7607
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	14
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 1999 ([nummult8](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX701](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX703** (1932 - 1933)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - August 1999)

Value	Label	Total
.	inapplicable	7615
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	10
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	9
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	3
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 1999 ([nummult8](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX701](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX704** (1934 - 1935)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - August 1999)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in August 1999 ([nummult8](#)>3) and R used at least 3 methods in first method

NSFG Cycle 6 Female Respondent File Section E Part II

combination ([MTHUSIMX703](#) ne 1)

**MTHUSIMX726** (1936 - 1937)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - August 1999)

Value	Label	Total
.	inapplicable	7606
1	NONE	17
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	7
4	CONDOM	9
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section E Part II

applicable if R used at least 3 methods in August 1999 ([nummult8](#)>2)

**MTHUSIMX727** (1938 - 1939)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - August 1999)

Value	Label	Total
.	inapplicable	7628
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 1999

NSFG Cycle 6 Female Respondent File Section E Part II

([nummult8](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX726](#) ne 1)

**MTHUSIMX728** (1940 - 1941)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - August 1999)

Value	Label	Total
.	inapplicable	7632
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 3 methods in August 1999  
 ([nummult8](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX726](#) ne 1)

**MTHUSIMX729** (1942 - 1942)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - August 1999)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

NSFG Cycle 6 Female Respondent File Section E Part II

Total

7643

**Universe:**

applicable if R used at least 4 methods in August 1999  
 ([nummult8](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX728](#) ne 1)

**MTHUSIMX751** (1943 - 1944)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - August 1999)

Value	Label	Total
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 1999 ([nummult8](#)>2)

**MTHUSIMX752** (1945 - 1946)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - August 1999)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7641
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	0
4 CONDOM	0
5 PARTNER'S VASECTOMY	0
6 STERILIZING OPERATION/TUBAL LIGATION	0
7 WITHDRAWAL, PULLING OUT	1
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	0
SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11 PLANNING	0
12 DIAPHRAGM	0
13 FEMALE CONDOM, VAGINAL POUCH	0
14 FOAM	0
15 JELLY OR CREAM	0
16 CERVICAL CAP	1
17 SUPPOSITORY, INSERT	0
18 TODAY (TM) SPONGE	0
19 IUD, COIL, OR LOOP	0
20 EMERGENCY CONTRACEPTION	0
21 OTHER METHOD	0
22 R'S STERILITY	0
23 R'S PARTNER'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 1999  
 ([nummult8](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX751](#) ne 1)

**MTHUSIMX753** (1947 - 1948)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - August 1999)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 1999  
 ([nummult8](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX751](#) ne 1)

***MTHUSIMX754*** (1949 - 1949)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - August 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in August 1999 ([nummult8](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX753](#) ne 1)

**nummult8** (1950 - 1950)

Number of Methods Reported in August 1999 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1552
0	0	26
1	1	5557
2-25	2 OR MORE	508
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before August 1999 ([cmfirsm](#)<1196)

**METHHIST091** (1951 - 1952)

**ED-6:** ENTER METHOD USED IN SEPTEMBER 1999 (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1536
1	NO METHOD USED	1892
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1488
4	CONDOM	879

**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	239
6	STERILIZING OPERATION/TUBAL LIGATION	879
7	WITHDRAWAL, PULLING OUT	220
8	DEPO-PROVERA, INJECTABLES (SHOT)	229
9	NORPLANT (TM) IMPLANTS	30
10	RHYTHM OR SAFE PERIOD BY CALENDAR	34
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	16
12	DIAPHRAGM	15
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	3
15	JELLY OR CREAM	3
16	CERVICAL CAP	2
17	SUPPOSITORY, INSERT	11
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	70
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	16
22	RESPONDENT WAS STERILE	28
23	RESPONDENT'S PARTNER WAS STERILE	14
24	LUNELLE INJECTABLE (MONTHLY SHOT)	9
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14
99	Don't know	14
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before September 1999 ([cmfirsm](#)<=cmsep99)

**METHHIST092** (1953 - 1954)

**ED-6:** ENTER METHOD USED IN SEPTEMBER 1999 (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7127
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	14
4	CONDOM	222
5	PARTNER'S VASECTOMY	10
6	STERILIZING OPERATION/TUBAL LIGATION	57
7	WITHDRAWAL, PULLING OUT	120
8	DEPO-PROVERA, INJECTABLES (SHOT)	24
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	31
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	10
13	FEMALE CONDOM, VAGINAL POUCH	3
14	FOAM	5
15	JELLY OR CREAM	8
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	3
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	2
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in September 1999 (see [METHHIST091](#))

**METHHIST093** (1955 - 1956)

**ED-6:** ENTER METHOD USED IN SEPTEMBER 1999 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7593
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	13
8	DEPO-PROVERA, INJECTABLES (SHOT)	3
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	19
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	5
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in September 1999 (see [METHHIST091](#))

**METHHIST094** (1957 - 1958)

**ED-6:** ENTER METHOD USED IN SEPTEMBER 1999 (4th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in September 1999 (see [METHHIST091](#))

***SAMEAllYear9*** (1959 - 1959)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (September 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642



NSFG Cycle 6 Female Respondent File Section E Part II

1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST091](#)=55)

**SIMSEQ9** (1960 - 1960)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (September 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7180
1	SAME TIME	360
2	DIFFERENT TIMES	103
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in September 1999 ([nummult9](#)=2)

**MTHUSIMX801** (1961 - 1962)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - September 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7593
1	NONE	11
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	15
4	CONDOM	14
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 1999  
 ([nummult9](#)>2)

***MTHUSIMX802*** (1963 - 1964)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - September 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7605
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	14
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	11

**NSFG Cycle 6 Female Respondent File Section E Part II**

8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	7
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 1999  
 ([nummult9](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX801](#) ne 1)

**MTHUSIMX803** (1965 - 1966)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - September 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7614
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLES	3
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	8
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	3
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 1999  
 ([nummult9](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX801](#) ne 1)

***MTHUSIMX804*** (1967 - 1968)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - September 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in September 1999  
 ([nummult9](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX803](#) ne 1)

**MTHUSIMX826** (1969 - 1970)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - September 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7604
1	NONE	18

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	8
4	CONDOM	9
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 1999  
 ([nummult9](#)>2)

**MTHUSIMX827** (1971 - 1972)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - September 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7626

**NSFG Cycle 6 Female Respondent File Section E Part II**

1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	6
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 1999  
 ([nummult9](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX826](#) ne 1)

***MTHUSIMX828*** (1973 - 1974)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - September 1999)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7631
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 1999  
 ([nummult9](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX826](#) ne 1)

**MTHUSIMX829** (1975 - 1975)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - September 1999)



NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in September 1999 ([nummult9](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX828](#) ne 1)

**MTHUSIMX851** (1976 - 1976)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd

**NSFG Cycle 6 Female Respondent File Section E Part II**

combo - September 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 1999  
 ([nummult9](#)>2)

**MTHUSIMX852** (1977 - 1977)

**ED-11:** During that month, which (of those methods/other methods),

**NSFG Cycle 6 Female Respondent File Section E Part II**

if any, did you use at the same time? (2nd method used in 3rd  
 combo - September 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 1999  
 ([nummult9](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX851](#) ne 1)

**MTHUSIMX853** (1978 - 1979)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - September 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 1999 ([nummult9](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX851](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX854** (1980 - 1980)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - September 1999)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in September 1999 ([nummult9](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX853](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**nummult9** (1981 - 1981)

Number of Methods Reported in (September 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1536
0	0	28
1	1	5566
2-25	2 OR MORE	513
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before September 1999 ([cmfirsm](#)<1197)

**METHHIST101** (1982 - 1983)

**ED-6:** ENTER METHOD USED IN OCTOBER 1999 (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1515
1	NO METHOD USED	1867
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1502
4	CONDOM	893
5	PARTNER'S VASECTOMY	239
6	STERILIZING OPERATION/TUBAL LIGATION	889
7	WITHDRAWAL, PULLING OUT	228
8	DEPO-PROVERA, INJECTABLES (SHOT)	229
9	NORPLANT (TM) IMPLANTS	30
10	RHYTHM OR SAFE PERIOD BY CALENDAR	32
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	15
12	DIAPHRAGM	16
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	5
15	JELLY OR CREAM	4
16	CERVICAL CAP	2

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	10
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	71
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	16
22	RESPONDENT WAS STERILE	27
23	RESPONDENT'S PARTNER WAS STERILE	15
24	LUNELLE INJECTABLE (MONTHLY SHOT)	7
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	13
99	Don't know	16
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before October 1999 ([cmfirsm](#)<=cmoct99)

**METHHIST102** (1984 - 1985)

**ED-6:** ENTER METHOD USED IN OCTOBER 1999 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7118
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	20
4	CONDOM	229
5	PARTNER'S VASECTOMY	11
6	STERILIZING OPERATION/TUBAL LIGATION	62
7	WITHDRAWAL, PULLING OUT	109
8	DEPO-PROVERA, INJECTABLES (SHOT)	23
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	32
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	3
12	DIAPHRAGM	7
13	FEMALE CONDOM, VAGINAL POUCH	3
14	FOAM	6

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	9
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	4
18	TODAY (TM) SPONGE	2
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	2
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in October 1999 (see [METHHIST101](#))

**METHHIST103** (1986 - 1987)

**ED-6:** ENTER METHOD USED IN OCTOBER 1999 (3rd mention)

Value	Label	Total
.	inapplicable	7594
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	3
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES (SHOT)	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	19
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	5
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	2
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in October 1999 (see [METHHIST101](#))

**METHHIST104** (1988 - 1989)

**ED-6:** ENTER METHOD USED IN OCTOBER 1999 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7637
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in October 1999 (see [METHHIST101](#))

**SAMEAllYear10** (1990 - 1990)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (October 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST101](#)=55)

**SIMSEQ10** (1991 - 1991)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (October 1999)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7170
1	SAME TIME	369
2	DIFFERENT TIMES	104
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in October 99 ([nummult10=2](#))

**MTHUSIMX901** (1992 - 1993)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - October 1999)

Value	Label	Total
.	inapplicable	7594
1	NONE	10
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	15
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 1999  
 ([nummult10](#)>2)

***MTHUSIMX902*** (1994 - 1995)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - October 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7606
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	13
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	13
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 1999  
 (nummult10>2) and R used at least 2 methods in the first method  
 combination (MTHUSIMX901 ne 1)

**MTHUSIMX903** (1996 - 1997)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - October 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7616
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	10
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	9
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 1999  
 ([nummult10](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX901](#) ne 1)

**MTHUSIMX904** (1998 - 1999)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - October 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in October 1999  
 ([nummult10](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX903](#) ne 1)

***MTHUSIMX926*** (2000 - 2001)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - October 1999)

Value	Label	Total
.	inapplicable	7604
1	NONE	16
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	8
4	CONDOM	9
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 1999  
 ([nummult10](#)>2)

***MTHUSIMX927*** (2002 - 2003)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - October 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7627
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	6
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 1999  
 ([nummult10](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX926](#) ne 1)

***MTHUSIMX928*** (2004 - 2005)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - October 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7632
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3

**NSFG Cycle 6 Female Respondent File Section E Part II**

	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 1999  
 ([nummult10](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX926](#) ne 1)

***MTHUSIMX929*** (2006 - 2006)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - October 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in October 1999 ([nummult10](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX928](#) ne 1)

***MTHUSIMX951*** (2007 - 2007)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - October 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 1999  
 ([nummult10](#)>2)

**MTHUSIMX952** (2008 - 2008)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - October 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 1999  
 ([nummult10](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX951](#) ne 1)

***MTHUSIMX953*** (2009 - 2010)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - October 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 1999  
 ([nummult10](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX951](#) ne 1)

**MTHUSIMX954** (2011 - 2012)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - October 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in October 1999  
 ([nummult10](#)>3) and R used at least 3 method combinations, with at  
 least 3 methods in the 3rd method combination ([MTHUSIMX953](#) ne 1)

**nummult10** (2013 - 2013)

Number of Methods Reported in (October 1999) (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1515
0	0	29

**NSFG Cycle 6 Female Respondent File Section E Part II**

1	1	5577
2-25	2 OR MORE	522
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused=1](#)) and date of first method use was on or before October 1999 ([cmfirsm<1198](#))

**METHHIST111** (2014 - 2015)

**ED-6:** ENTER METHOD USED IN NOVEMBER 1999 (1st mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	1505
1	NO METHOD USED	1843
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1492
4	CONDOM	926
5	PARTNER'S VASECTOMY	240
6	STERILIZING OPERATION/TUBAL LIGATION	897
7	WITHDRAWAL, PULLING OUT	222
8	DEPO-PROVERA, INJECTABLES (SHOT)	232
9	NORPLANT (TM) IMPLANTS	31
10	RHYTHM OR SAFE PERIOD BY CALENDAR	34
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	15
12	DIAPHRAGM	16
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	3
15	JELLY OR CREAM	4
16	CERVICAL CAP	2
17	SUPPOSITORY, INSERT	11
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	74
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	15
22	RESPONDENT WAS STERILE	29
23	RESPONDENT'S PARTNER WAS STERILE	15
24	LUNELLE INJECTABLE (MONTHLY SHOT)	8



**NSFG Cycle 6 Female Respondent File Section E Part II**

25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	13
99	Don't know	15
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before November 1999 ([cmfirsm](#)<=cmnov99)

***METHHIST112*** (2016 - 2017)

**ED-6:** ENTER METHOD USED IN NOVEMBER 1999 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7116
1	NO METHOD USED	1
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	24
4	CONDOM	226
5	PARTNER'S VASECTOMY	10
6	STERILIZING OPERATION/TUBAL LIGATION	61
7	WITHDRAWAL, PULLING OUT	115
8	DEPO-PROVERA, INJECTABLES (SHOT)	23
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	33
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	3
12	DIAPHRAGM	7
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	6
15	JELLY OR CREAM	8
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	3
18	TODAY (TM) SPONGE	2
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	2

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in November 1999 (see [METHHIST111](#))

**METHHIST113** (2018 - 2019)

**ED-6:** ENTER METHOD USED IN NOVEMBER 1999 (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7597
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES (SHOT)	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	18
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in November 1999 (see [METHHIST111](#))

**METHHIST114** (2020 - 2021)

**ED-6:** ENTER METHOD USED IN NOVEMBER 1999 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in November 1999 (see [METHHIST111](#))

**SAMEAllYear11** (2022 - 2022)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (November 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	YES	1
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST111](#)=55)

**SIMSEQ11** (2023 - 2023)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (November 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7164
1	SAME TIME	374
2	DIFFERENT TIMES	105
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section E Part II

applicable if R used two methods in November 1999 ([nummult11=2](#))

**MTHUSIMX1001** (2024 - 2025)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - November 1999)

Value	Label	Total
.	inapplicable	7597
1	NONE	9
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	15
4	CONDOM	14
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 1999

NSFG Cycle 6 Female Respondent File Section E Part II

([nummult11](#)>2)

**MTHUSIMX1002** (2026 - 2027)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - November 1999)

Value	Label	Total
.	inapplicable	7607
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	14
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	13
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 1999

NSFG Cycle 6 Female Respondent File Section E Part II

([nummult11](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX1001](#) ne 1)

**MTHUSIMX1003** (2028 - 2029)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - November 1999)

Value	Label	Total
.	inapplicable	7618
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	9
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	9
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 3 methods in November 1999  
 ([nummult11](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX1001](#) ne 1)

**MTHUSIMX1004** (2030 - 2031)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - November 1999)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0



NSFG Cycle 6 Female Respondent File Section E Part II

Total

7643

**Universe:**

applicable if R used at least 4 methods in November 1999  
 ([nummult11](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX1003](#) ne 1)

**MTHUSIMX1026** (2032 - 2033)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - November 1999)

Value	Label	Total
.	inapplicable	7606
1	NONE	16
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	7
4	CONDOM	9
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 1999  
 ([nummult11](#)>2)

***MTHUSIMX1027*** (2034 - 2035)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - November 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7626
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	4
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 1999  
 ([nummult11](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX1026](#) ne 1)

**MTHUSIMX1028** (2036 - 2037)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - November 1999)

Value	Label	Total
.	inapplicable	7632
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 1999  
 ([nummult11](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX1026](#) ne 1)

***MTHUSIMX1029*** (2038 - 2038)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - November 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in November 1999  
 ([nummult11](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX1028](#) ne 1)

***MTHUSIMX1051*** (2039 - 2039)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - November 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 1999  
 ([nummult11](#)>2)

***MTHUSIMX1052*** (2040 - 2040)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - November 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 1999 ([nummult11](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX1051](#) ne 1)

**MTHUSIMX1053** (2041 - 2042)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - November 1999)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 1999  
 ([nummult11](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX1051](#) ne 1)

***MTHUSIMX1054*** (2043 - 2043)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - November 1999)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in November 1999 ([nummult11](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX1053](#) ne 1)

***nummult11*** (2044 - 2044)

Number of Methods Reported in (November 1999) (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1505
0	0	28
1	1	5585
2-25	2 OR MORE	525
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before November 1999 ([cmfirsm](#)<1199)

***METHHIST121*** (2045 - 2046)

**ED-6:** ENTER METHOD USED IN DECEMBER 1999 (1st mention)

**NSFG Cycle 6 Female Respondent File Section E Part II**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	1488
1	NO METHOD USED	1848
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1499
4	CONDOM	923
5	PARTNER'S VASECTOMY	240
6	STERILIZING OPERATION/TUBAL LIGATION	895
7	WITHDRAWAL, PULLING OUT	227
8	DEPO-PROVERA, INJECTABLES (SHOT)	234
9	NORPLANT (TM) IMPLANTS	31
10	RHYTHM OR SAFE PERIOD BY CALENDAR	35
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	15
12	DIAPHRAGM	16
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	3
15	JELLY OR CREAM	4
16	CERVICAL CAP	2
17	SUPPOSITORY, INSERT	9
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	73
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	18
22	RESPONDENT WAS STERILE	30
23	RESPONDENT'S PARTNER WAS STERILE	14
24	LUNELLE INJECTABLE (MONTHLY SHOT)	7
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14
99	Don't know	18
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before December 1999 ([cmfirsm](#)<=cmdec99)

**METHHIST122** (2047 - 2048)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-6:** ENTER METHOD USED IN DECEMBER 1999 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7110
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	23
4	CONDOM	230
5	PARTNER'S VASECTOMY	10
6	STERILIZING OPERATION/TUBAL LIGATION	63
7	WITHDRAWAL, PULLING OUT	110
8	DEPO-PROVERA, INJECTABLES (SHOT)	27
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	35
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	3
12	DIAPHRAGM	8
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	6
15	JELLY OR CREAM	8
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	3
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	2
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in December 1999 (see [METHHIST121](#))

**METHHIST123** (2049 - 2050)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-6:** ENTER METHOD USED IN DECEMBER 1999 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7596
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	14
8	DEPO-PROVERA, INJECTABLES (SHOT)	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in December 1999 (see [METHHIST121](#))

**METHHIST124** (2051 - 2052)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-6:** ENTER METHOD USED IN DECEMBER 1999 (4th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in December 1999 (see [METHHIST121](#))

**SAMEAllYear12** (2053 - 2053)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (December 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	YES	1
5	NO	0
<b>Total</b>		<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST121](#)=55)

***SIMSEQ12*** (2054 - 2054)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (December 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7160
1	SAME TIME	378
2	DIFFERENT TIMES	105
<b>Total</b>		<b>7643</b>

**Universe:**

applicable if R used two methods in December 1999 (nummut12=2)

***MTHUSIMX1101*** (2055 - 2056)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - December 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7596
1	NONE	10

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	13
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 1999  
 ([nummult12](#)>2)

***MTHUSIMX1102*** (2057 - 2058)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - December 1999)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7607

**NSFG Cycle 6 Female Respondent File Section E Part II**

1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	14
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	13
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 1999  
 ([nummult12](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX1101](#) ne 1)

**MTHUSIMX1103** (2059 - 2060)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - December 1999)



NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7618
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	10
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	7
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 1999  
 ([nummult12](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX1101](#) ne 1)

**MTHUSIMX1104** (2061 - 2062)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - December 1999)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in December 1999 ([nummult12](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX1103](#) ne 1)

**MTHUSIMX1126** (2063 - 2064)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd

**NSFG Cycle 6 Female Respondent File Section E Part II**

combo - December 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7606
1	NONE	14
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	9
4	CONDOM	9
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 1999  
 ([nummult12](#)>2)

**MTHUSIMX1127** (2065 - 2066)

**ED-11:** During that month, which (of those methods/other methods),

**NSFG Cycle 6 Female Respondent File Section E Part II**

if any, did you use at the same time? (2nd method used in 2nd  
 combo - December 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7624
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	6
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 1999  
 ([nummult12](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX1126](#) ne 1)

**MTHUSIMX1128** (2067 - 2068)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - December 1999)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7630
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 1999 ([nummult12](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX1126](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX1129** (2069 - 2069)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - December 1999)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in December 1999 ([nummult12](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX1128](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX1151** (2070 - 2070)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - December 1999)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 1999  
 ([nummult12](#)>2)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX1152** (2071 - 2071)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - December 1999)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 1999 ([nummult12](#)>2) and R used at least 3 method combinations, with at



NSFG Cycle 6 Female Respondent File Section E Part II

least 2 methods in the 3rd method combination ([MTHUSIMX1151](#) ne 1)

**MTHUSIMX1153** (2072 - 2073)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - December 1999)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 1999

NSFG Cycle 6 Female Respondent File Section E Part II

([nummult12](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX1151](#) ne 1)

**MTHUSIMX1154** (2074 - 2074)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - December 1999)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 4 methods in December 1999 ([nummult12](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX1153](#) ne 1)

**nummult12** (2075 - 2075)

Number of Methods Reported in (December 1999) (Computed)

Value	Label	Total
.	inapplicable	1488
0	0	32
1	1	5593
2-25	2 OR MORE	530
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before December 1999 ([cmfirsm](#)<1200)

**METHHIST131** (2076 - 2077)

**ED-6:** ENTER METHOD USED IN JANUARY 2000 (1st mention)

Value	Label	Total
.	inapplicable	1455
1	NO METHOD USED	1940
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1451
4	CONDOM	909
5	PARTNER'S VASECTOMY	252
6	STERILIZING OPERATION/TUBAL LIGATION	906
7	WITHDRAWAL, PULLING OUT	214
8	DEPO-PROVERA, INJECTABLES (SHOT)	237
9	NORPLANT (TM) IMPLANTS	31
10	RHYTHM OR SAFE PERIOD BY CALENDAR	41
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	18
12	DIAPHRAGM	10

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	3
15	JELLY OR CREAM	2
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	11
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	68
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	17
22	RESPONDENT WAS STERILE	29
23	RESPONDENT'S PARTNER WAS STERILE	14
24	LUNELLE INJECTABLE (MONTHLY SHOT)	3
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	13
99	Don't know	17
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before January 2000 ([cmfirmsm](#)<=cmjan00)

***METHHIST132*** (2078 - 2079)

**ED-6:** ENTER METHOD USED IN JANUARY 2000 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7124
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	23
4	CONDOM	209
5	PARTNER'S VASECTOMY	5
6	STERILIZING OPERATION/TUBAL LIGATION	66
7	WITHDRAWAL, PULLING OUT	118
8	DEPO-PROVERA, INJECTABLES (SHOT)	23
9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	28

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	4
12	DIAPHRAGM	8
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	7
15	JELLY OR CREAM	9
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	5
18	TODAY (TM) SPONGE	2
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	4
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in January 2000 (see [METHHIST131](#))

**METHHIST133** (2080 - 2081)

**ED-6:** ENTER METHOD USED IN JANUARY 2000 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7597
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	3
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	4
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	1
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in January 2000 (see [METHHIST131](#))

**METHHIST134** (2082 - 2083)

**ED-6:** ENTER METHOD USED IN JANUARY 2000 (4th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in January 2000 (see [METHHIST131](#))

**SIMSEQ13** (2084 - 2084)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Jan 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7176
1	SAME TIME	363
2	DIFFERENT TIMES	103
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in January 2000 ([nummult13=2](#))

**MTHUSIMX1201** (2085 - 2086)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Jan 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7597
1	NONE	5
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	16
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	3
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2000  
 ([nummult13](#)>2)

**MTHUSIMX1202** (2087 - 2088)



NSFG Cycle 6 Female Respondent File Section E Part II

ED-11: During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Jan 2000)

Value	Label	Total
.	inapplicable	7605
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	13
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	14
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2000 ([nummult13](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX1201](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX1203** (2089 - 2090)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Jan 2000)

Value	Label	Total
.	inapplicable	7615
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	9
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	10
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2000 ([nummult13](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX1201](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX1204** (2091 - 2092)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Jan 2000)

Value	Label	Total
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in January 2000  
 ([nummult13](#)>3) and R used at least 3 methods in first method

NSFG Cycle 6 Female Respondent File Section E Part II

combination ([MTHUSIMX1203](#) ne 1)

**MTHUSIMX1226** (2093 - 2094)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Jan 2000)

Value	Label	Total
.	inapplicable	7602
1	NONE	19
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	9
4	CONDOM	8
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2000

NSFG Cycle 6 Female Respondent File Section E Part II

(nummult13>2)

**MTHUSIMX1227** (2095 - 2096)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Jan 2000)

Value	Label	Total
.	inapplicable	7626
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	6
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2000

NSFG Cycle 6 Female Respondent File Section E Part II

([nummult13](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX1226](#) ne 1)

**MTHUSIMX1228** (2097 - 2098)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Jan 2000)

Value	Label	Total
.	inapplicable	7633
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 3 methods in January 2000  
 ([nummult13](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX1226](#) ne 1)

**MTHUSIMX1229** (2099 - 2100)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - Jan 2000)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

NSFG Cycle 6 Female Respondent File Section E Part II

Total

7643

**Universe:**

applicable if R used at least 4 methods in January 2000  
 ([nummult13](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX1228](#) ne 1)

**MTHUSIMX1251** (2101 - 2102)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - Jan 2000)

Value	Label	Total
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2000  
 ([nummult13](#)>2)

**MTHUSIMX1252** (2103 - 2104)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Jan 2000)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7640
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	0
4 CONDOM	1
5 PARTNER'S VASECTOMY	0
6 STERILIZING OPERATION/TUBAL LIGATION	0
7 WITHDRAWAL, PULLING OUT	1
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	0
SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11 PLANNING	0
12 DIAPHRAGM	0
13 FEMALE CONDOM, VAGINAL POUCH	0
14 FOAM	0
15 JELLY OR CREAM	0
16 CERVICAL CAP	1
17 SUPPOSITORY, INSERT	0
18 TODAY (TM) SPONGE	0
19 IUD, COIL, OR LOOP	0
20 EMERGENCY CONTRACEPTION	0
21 OTHER METHOD	0
22 R'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2000 ([nummult13](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX1251](#) ne 1)

**MTHUSIMX1253** (2105 - 2106)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Jan 2000)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2000 ([nummult13](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX1251](#) ne 1)

***MTHUSIMX1254*** (2107 - 2108)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Jan 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in January 2000 ([nummult13](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX1253](#) ne 1)

**nummult13** (2109 - 2109)

Number of Methods Reported in Jan 2000 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1455
0	0	30
1	1	5645
2-25	2 OR MORE	513
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before January 2000 ([cmfirsm](#)<1201)

**METHHIST141** (2110 - 2111)

**ED-6:** ENTER METHOD USED IN FEBRUARY 2000 (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1434
1	NO METHOD USED	1959
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1454

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	908
5	PARTNER'S VASECTOMY	252
6	STERILIZING OPERATION/TUBAL LIGATION	907
7	WITHDRAWAL, PULLING OUT	208
8	DEPO-PROVERA, INJECTABLES (SHOT)	245
9	NORPLANT (TM) IMPLANTS	32
10	RHYTHM OR SAFE PERIOD BY CALENDAR	38
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	14
12	DIAPHRAGM	10
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	4
15	JELLY OR CREAM	6
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	10
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	68
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	15
22	RESPONDENT WAS STERILE	28
23	RESPONDENT'S PARTNER WAS STERILE	14
24	LUNELLE INJECTABLE (MONTHLY SHOT)	4
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	13
99	Don't know	18
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before February 2000 ([cmfirsm](#)<=cmfeb00)

**METHHIST142** (2112 - 2113)

**ED-6:** ENTER METHOD USED IN FEBRUARY 2000 (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7134
1	NO METHOD USED	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	15
4	CONDOM	197
5	PARTNER'S VASECTOMY	7
6	STERILIZING OPERATION/TUBAL LIGATION	72
7	WITHDRAWAL, PULLING OUT	122
8	DEPO-PROVERA, INJECTABLES (SHOT)	20
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	30
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	10
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	6
15	JELLY OR CREAM	9
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	4
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	3
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	4
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in February 2000 (see [METHHIST141](#))

**METHHIST143** (2114 - 2115)

**ED-6:** ENTER METHOD USED IN FEBRUARY 2000 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7598
1	NO METHOD USED	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	10
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	3
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	6
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in February 2000 (see [METHHIST141](#))

**METHHIST144** (2116 - 2117)

**ED-6:** ENTER METHOD USED IN FEBRUARY 2000 (4th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7637
1	NO METHOD USED	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in February 2000 (see [METHHIST141](#))

**sameallyear14** (2118 - 2118)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (February 2000)

Value Label            Total



NSFG Cycle 6 Female Respondent File Section E Part II

.	inapplicable	7641
1	YES	1
5	NO	0
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year  
(ED-6 [METHHIST141](#)=55)

**SIMSEQ14** (2119 - 2119)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (February 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7183
1	SAME TIME	359
2	DIFFERENT TIMES	100
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in February 2000 ([nummult14](#)=2)

**MTHUSIMX1301** (2120 - 2121)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Feb 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7598
1	NONE	6
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	13
4	CONDOM	18
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2000  
 ([nummult14](#)>2)

***MTHUSIMX1302*** (2122 - 2123)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Feb 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7605
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	13

**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	14
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2000 ([nummult14](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX1301](#) ne 1)

**MTHUSIMX1303** (2124 - 2125)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Feb 2000)

Value	Label	Total
.	inapplicable	7617
1	NONE	0
2	OFFICE USE ONLY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	10
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2000  
 ([nummult14](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX1301](#) ne 1)

**MTHUSIMX1304** (2126 - 2127)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Feb 2000)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7640

**NSFG Cycle 6 Female Respondent File Section E Part II**

1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in February 2000  
 ([nummult14](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX1303](#) ne 1)

***MTHUSIMX1326*** (2128 - 2129)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Feb 2000)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7604
1	NONE	19
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	6
4	CONDOM	9
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2000  
 ([nummult14](#)>2)

**MTHUSIMX1327** (2130 - 2131)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Feb 2000)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7627
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	4
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2000 ([nummult14](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX1326](#) ne 1)

**MTHUSIMX1328** (2132 - 2133)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd

NSFG Cycle 6 Female Respondent File Section E Part II

combo - Feb 2000)

Value	Label	Total
.	inapplicable	7633
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2000 ([nummult14](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX1326](#) ne 1)

**MTHUSIMX1329** (2134 - 2135)

**ED-11:** During that month, which (of those methods/other methods),  
243 of 914



**NSFG Cycle 6 Female Respondent File Section E Part II**

if any, did you use at the same time? (4th method used in 2nd  
 combo - Feb 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in February 2000  
 ([nummult14](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX1328](#) ne 1)

**MTHUSIMX1351** (2136 - 2136)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Feb 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2000  
 ([nummult14](#)>2)

**MTHUSIMX1352** (2137 - 2137)

NSFG Cycle 6 Female Respondent File Section E Part II

ED-11: During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Feb 2000)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2000 ([nummult14](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX1351](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX1353** (2138 - 2139)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Feb 2000)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2000 ([nummult14](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX1351](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX1354** (2140 - 2141)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Feb 2000)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in February 2000 ([nummult14](#)>3) and R used at least 3 method combinations, with at

NSFG Cycle 6 Female Respondent File Section E Part II

least 3 methods in the 3rd method combination ([MTHUSIMX1353](#) ne 1)

**nummult14** (2142 - 2142)

Number of Methods Reported in Feb 2000

Value	Label	Total
.	inapplicable	1434
0	0	31
1	1	5673
2-25	2 OR MORE	505
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before February 2000 ([cmfirsm](#)<1202)

**METHHIST151** (2143 - 2144)

**ED-6:** ENTER METHOD USED IN MARCH 2000 (1st mention)

Value	Label	Total
.	inapplicable	1415
1	NO METHOD USED	1957
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1439
4	CONDOM	924
5	PARTNER'S VASECTOMY	253
6	STERILIZING OPERATION/TUBAL LIGATION	917
7	WITHDRAWAL, PULLING OUT	220
8	DEPO-PROVERA, INJECTABLES (SHOT)	244
9	NORPLANT (TM) IMPLANTS	31
10	RHYTHM OR SAFE PERIOD BY CALENDAR	39
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	14
12	DIAPHRAGM	10
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	4
15	JELLY OR CREAM	3

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	10
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	70
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	13
22	RESPONDENT WAS STERILE	28
23	RESPONDENT'S PARTNER WAS STERILE	16
24	LUNELLE INJECTABLE (MONTHLY SHOT)	3
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
97	Not ascertained	1
98	Refused	13
99	Don't know	16
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before March 2000 ([cmfirsm](#)<=cmmar00)

***METHHIST152*** (2145 - 2146)

**ED-6:** ENTER METHOD USED IN MARCH 2000 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7136
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	198
5	PARTNER'S VASECTOMY	5
6	STERILIZING OPERATION/TUBAL LIGATION	70
7	WITHDRAWAL, PULLING OUT	120
8	DEPO-PROVERA, INJECTABLES (SHOT)	25
9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	31
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	9

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	6
15	JELLY OR CREAM	10
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	3
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	4
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in March 2000 (see [METHHIST151](#))

***METHHIST153*** (2147 - 2148)

**ED-6:** ENTER METHOD USED IN MARCH 2000 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7600
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	5
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in March 2000 (see [METHHIST151](#))

***METHHIST154*** (2149 - 2150)

**ED-6:** ENTER METHOD USED IN MARCH 2000 (4th mention)

Value	Label	Total
.	inapplicable	7637
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in March 2000 (see [METHHIST151](#))

***SAMEAllYear15*** (2151 - 2151)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (March 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	YES	1
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST151](#)=55)

***SIMSEQ15*** (2152 - 2152)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month?

NSFG Cycle 6 Female Respondent File Section E Part II

(March 2000)

Value	Label	Total
.	inapplicable	7182
1	SAME TIME	362
2	DIFFERENT TIMES	99
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in March 2000 ([nummult15=2](#))

**MTHUSIMX1401** (2153 - 2154)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - March 2000)

Value	Label	Total
.	inapplicable	7600
1	NONE	6
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	14
4	CONDOM	17
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2000 ([nummult15](#)>2)

**MTHUSIMX1402** (2155 - 2156)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - March 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7608
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	12
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	14
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2000  
 ([nummult15](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX1401](#) ne 1)

***MTHUSIMX1403*** (2157 - 2158)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - March 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7618
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	7
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	10
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2000  
 ([nummult15](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX1401](#) ne 1)

***MTHUSIMX1404*** (2159 - 2160)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - March 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in March 2000  
 ([nummult15](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX1403](#) ne 1)

**MTHUSIMX1426** (2161 - 2162)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - March 2000)

Value	Label	Total
.	inapplicable	7606
1	NONE	18
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	6
4	CONDOM	8
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2000 ([nummult15](#)>2)

**MTHUSIMX1427** (2163 - 2164)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - March 2000)

Value	Label	Total
.	inapplicable	7628
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	4
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2000  
 ([nummult15](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX1426](#) ne 1)

***MTHUSIMX1428*** (2165 - 2166)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - March 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7633
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2000  
 ([nummult15](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX1426](#) ne 1)

***MTHUSIMX1429*** (2167 - 2168)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - March 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in March 2000 ([nummult15](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX1428](#) ne 1)

***MTHUSIMX1451*** (2169 - 2169)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - March 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2000 ([nummult15](#)>2)

***MTHUSIMX1452*** (2170 - 2170)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - March 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2000  
 ([nummult15](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX1451](#) ne 1)

***MTHUSIMX1453*** (2171 - 2172)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - March 2000)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2000  
 ([nummult15](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX1451](#) ne 1)

***MTHUSIMX1454*** (2173 - 2174)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - March 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in March 2000 ([nummult15](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX1453](#) ne 1)

**nummult15** (2175 - 2175)

Number of Methods Reported in Mar 2000 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1415
0	0	29
1	1	5695
2-25	2 OR MORE	504
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before March 2000 ([cmfirsm](#)<1203)

**METHHIST161** (2176 - 2177)

**ED-6:** ENTER METHOD USED IN APRIL 2000 (1st mention)

Value	Label	Total
.	inapplicable	1386
1	NO METHOD USED	1955
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1449
4	CONDOM	907
5	PARTNER'S VASECTOMY	257
6	STERILIZING OPERATION/TUBAL LIGATION	925
7	WITHDRAWAL, PULLING OUT	219
8	DEPO-PROVERA, INJECTABLES (SHOT)	256
9	NORPLANT (TM) IMPLANTS	31
10	RHYTHM OR SAFE PERIOD BY CALENDAR	40
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	13
12	DIAPHRAGM	13
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	5
15	JELLY OR CREAM	4
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	11
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	73
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	15
22	RESPONDENT WAS STERILE	30
23	RESPONDENT'S PARTNER WAS STERILE	17
24	LUNELLE INJECTABLE (MONTHLY SHOT)	3
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	13



NSFG Cycle 6 Female Respondent File Section E Part II

99	Don't know	18
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before April 2000 ([cmfirsm](#)<=cmapr00)

**METHHIST162** (2178 - 2179)

**ED-6:** ENTER METHOD USED IN APRIL 2000 (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7116
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	19
4	CONDOM	216
5	PARTNER'S VASECTOMY	6
6	STERILIZING OPERATION/TUBAL LIGATION	69
7	WITHDRAWAL, PULLING OUT	122
8	DEPO-PROVERA, INJECTABLES (SHOT)	20
9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	32
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	3
12	DIAPHRAGM	9
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	6
15	JELLY OR CREAM	11
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	3
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	4
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in April 2000 (see [METHHIST161](#))

**METHHIST163** (2180 - 2181)

**ED-6:** ENTER METHOD USED IN APRIL 2000 (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7594
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	14
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	16
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	6
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in April 2000 (see [METHHIST161](#))

**METHHIST164** (2182 - 2183)

**ED-6:** ENTER METHOD USED IN APRIL 2000 (4th mention)

Value	Label	Total
.	inapplicable	7635
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

NSFG Cycle 6 Female Respondent File Section E Part II

55 SAME METHOD USED THRU END OF YEAR  
**Total**

0  
**7643**

**Universe:**

Applicable if R used at least 4 methods in April 2000 (see [METHHIST161](#))

**sameallyear16** (2184 - 2184)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (April 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST161](#)=55)

**SIMSEQ16** (2185 - 2185)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (April 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7167
1	SAME TIME	379
2	DIFFERENT TIMES	97
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in April 2000 ([nummult16](#)=2)

**MTHUSIMX1501** (2186 - 2187)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - April 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7594
1	NONE	6
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	17
4	CONDOM	20
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2000 ([nummult16](#)>2)

**MTHUSIMX1502** (2188 - 2189)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - April 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7601
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	16
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	14
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2000 ([nummult16](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX1501](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX1503** (2190 - 2191)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - April 2000)

Value	Label	Total
.	inapplicable	7612
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	10
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	10
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2000 ([nummult16](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX1501](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX1504** (2192 - 2193)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - April 2000)

Value	Label	Total
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in April 2000 ([nummult16](#)>3) and R used at least 3 methods in first method



NSFG Cycle 6 Female Respondent File Section E Part II

combination ([MTHUSIMX1503](#) ne 1)

**MTHUSIMX1526** (2194 - 2195)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - April 2000)

Value	Label	Total
.	inapplicable	7600
1	NONE	21
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	10
4	CONDOM	7
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section E Part II**

applicable if R used at least 3 methods in April 2000 ([nummult16](#)>2)

**MTHUSIMX1527** (2196 - 2197)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - April 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7624
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	8
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2000

NSFG Cycle 6 Female Respondent File Section E Part II

([nummult16](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX1526](#) ne 1)

**MTHUSIMX1528** (2198 - 2199)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - April 2000)

Value	Label	Total
.	inapplicable	7631
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 3 methods in April 2000  
 ([nummult16](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX1526](#) ne 1)

**MTHUSIMX1529** (2200 - 2201)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - April 2000)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

NSFG Cycle 6 Female Respondent File Section E Part II

Total

7643

**Universe:**

applicable if R used at least 4 methods in April 2000  
 ([nummult16](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX1528](#) ne 1)

**MTHUSIMX1551** (2202 - 2202)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - April 2000)

Value	Label	Total
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2000 ([nummult16](#)>2)

**MTHUSIMX1552** (2203 - 2203)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - April 2000)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7641
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	0
4 CONDOM	1
5 PARTNER'S VASECTOMY	0
6 STERILIZING OPERATION/TUBAL LIGATION	0
7 WITHDRAWAL, PULLING OUT	1
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	0
SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11 PLANNING	0
12 DIAPHRAGM	0
13 FEMALE CONDOM, VAGINAL POUCH	0
14 FOAM	0
15 JELLY OR CREAM	0
16 CERVICAL CAP	0
17 SUPPOSITORY, INSERT	0
18 TODAY (TM) SPONGE	0
19 IUD, COIL, OR LOOP	0
20 EMERGENCY CONTRACEPTION	0
21 OTHER METHOD	0
22 R'S STERILITY	0
23 R'S PARTNER'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2000  
 ([nummult16](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX1551](#) ne 1)

**MTHUSIMX1553** (2204 - 2205)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - April 2000)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2000  
 ([nummult16](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX1551](#) ne 1)

**MTHUSIMX1554** (2206 - 2207)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - April 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in April 2000 ([nummult16](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX1553](#) ne 1)

**nummult16** (2208 - 2208)

Number of Methods Reported in Apr 2000 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1386
0	0	31
1	1	5701
2-25	2 OR MORE	525
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before April 2000 ([cmfirsm](#)<1204)

**METHHIST171** (2209 - 2210)

**ED-6:** ENTER METHOD USED IN MAY 2000 (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1364
1	NO METHOD USED	1958
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1454
4	CONDOM	915

**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	260
6	STERILIZING OPERATION/TUBAL LIGATION	930
7	WITHDRAWAL, PULLING OUT	223
8	DEPO-PROVERA, INJECTABLES (SHOT)	257
9	NORPLANT (TM) IMPLANTS	31
10	RHYTHM OR SAFE PERIOD BY CALENDAR	39
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	16
12	DIAPHRAGM	10
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	4
15	JELLY OR CREAM	2
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	10
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	73
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	14
22	RESPONDENT WAS STERILE	30
23	RESPONDENT'S PARTNER WAS STERILE	16
24	LUNELLE INJECTABLE (MONTHLY SHOT)	4
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	13
99	Don't know	17
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before May 2000 ([cmfirsm](#)<=cmmay00)

***METHHIST172*** (2211 - 2212)

**ED-6:** ENTER METHOD USED IN MAY 2000 (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7117
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	19
4	CONDOM	209
5	PARTNER'S VASECTOMY	7
6	STERILIZING OPERATION/TUBAL LIGATION	71
7	WITHDRAWAL, PULLING OUT	126
8	DEPO-PROVERA, INJECTABLES (SHOT)	16
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	33
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	10
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	6
15	JELLY OR CREAM	10
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	5
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	4
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in May 2000 (see [METHHIST171](#))

**METHHIST173** (2213 - 2214)

**ED-6:** ENTER METHOD USED IN MAY 2000 (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7594
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	15
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	15
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	6
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in May 2000 (see [METHHIST171](#))

**METHHIST174** (2215 - 2216)

**ED-6:** ENTER METHOD USED IN MAY 2000 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7637
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in May 2000 (see [METHHIST171](#))

***SAMEAllYear17*** (2217 - 2217)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (May 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642

NSFG Cycle 6 Female Respondent File Section E Part II

1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST171](#)=55)

**SIMSEQ17** (2218 - 2218)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (May 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7168
1	SAME TIME	373
2	DIFFERENT TIMES	102
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in May 2000 ([nummult17](#)=2)

**MTHUSIMX1601** (2219 - 2220)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - May 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7594
1	NONE	7
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	18
4	CONDOM	16
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	3
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2000 ([nummult17](#)>2)

***MTHUSIMX1602*** (2221 - 2222)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - May 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7603
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	18
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2000 ([nummult17](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX1601](#) ne 1)

**MTHUSIMX1603** (2223 - 2224)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - May 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7617
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1



**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	9
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	7
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2000 ([nummult17](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX1601](#) ne 1)

***MTHUSIMX1604*** (2225 - 2226)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - May 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in May 2000 ([nummult17](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX1603](#) ne 1)

**MTHUSIMX1626** (2227 - 2228)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - May 2000)

Value	Label	Total
.	inapplicable	7601
1	NONE	21
2	OFFICE USE ONLY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	9
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2000 ([nummult17](#)>2)

**MTHUSIMX1627** (2229 - 2230)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - May 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7627
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	6
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2000 ([nummult17](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX1626](#) ne 1)

***MTHUSIMX1628*** (2231 - 2232)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - May 2000)

<u>Value Label</u>	<u>Total</u>
--------------------	--------------

**NSFG Cycle 6 Female Respondent File Section E Part II**

.	inapplicable	7635
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2000 ([nummult17](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX1626](#) ne 1)

***MTHUSIMX1629*** (2233 - 2234)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - May 2000)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in May 2000 ([nummult17](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX1628](#) ne 1)

**MTHUSIMX1651** (2235 - 2235)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - May 2000)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2000 ([nummult17](#)>2)

**MTHUSIMX1652** (2236 - 2236)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - May 2000)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2000 ([nummult17](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX1651](#) ne 1)

**MTHUSIMX1653** (2237 - 2238)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd



NSFG Cycle 6 Female Respondent File Section E Part II

combo - May 2000)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2000 ([nummult17](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX1651](#) ne 1)

**MTHUSIMX1654** (2239 - 2240)

**ED-11:** During that month, which (of those methods/other methods),

**NSFG Cycle 6 Female Respondent File Section E Part II**

if any, did you use at the same time? (4th method used in 3rd  
 combo - May 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in May 2000 ([nummult17](#)>3)  
 and R used at least 3 method combinations, with at least 3 methods  
 in the 3rd method combination ([MTHUSIMX1653](#) ne 1)

**nummult17** (2241 - 2241)

NSFG Cycle 6 Female Respondent File Section E Part II

Number of Methods Reported in May 2000 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1364
0	0	30
1	1	5725
2-25	2 OR MORE	524
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused=1](#)) and date of first method use was on or before May 2000 ([cmfirsm<1205](#))

**METHHIST181** (2242 - 2243)

**ED-6:** ENTER METHOD USED IN JUNE 2000 (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1337
1	NO METHOD USED	1949
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1477
4	CONDOM	908
5	PARTNER'S VASECTOMY	264
6	STERILIZING OPERATION/TUBAL LIGATION	940
7	WITHDRAWAL, PULLING OUT	212
8	DEPO-PROVERA, INJECTABLES (SHOT)	269
9	NORPLANT (TM) IMPLANTS	30
10	RHYTHM OR SAFE PERIOD BY CALENDAR	42
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	14
12	DIAPHRAGM	10
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	3
15	JELLY OR CREAM	3
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	10
18	TODAY (TM) SPONGE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	75
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	16
22	RESPONDENT WAS STERILE	30
23	RESPONDENT'S PARTNER WAS STERILE	16
24	LUNELLE INJECTABLE (MONTHLY SHOT)	5
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	13
99	Don't know	18
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before June 2000 ([cmfirsm](#)<=cmjun00)

***METHHIST182*** (2244 - 2245)

**ED-6:** ENTER METHOD USED IN JUNE 2000 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7116
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	212
5	PARTNER'S VASECTOMY	8
6	STERILIZING OPERATION/TUBAL LIGATION	70
7	WITHDRAWAL, PULLING OUT	131
8	DEPO-PROVERA, INJECTABLES (SHOT)	15
9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	33
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	5
12	DIAPHRAGM	9
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	7
15	JELLY OR CREAM	8
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	5
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	3
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in June 2000 (see [METHHIST181](#))

**METHHIST183** (2246 - 2247)

**ED-6:** ENTER METHOD USED IN JUNE 2000 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7594
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	15
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	15
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	6
16	CERVICAL CAP	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in June 2000 (see [METHHIST181](#))

**METHHIST184** (2248 - 2249)

**ED-6:** ENTER METHOD USED IN JUNE 2000 (4th mention)

Value	Label	Total
.	inapplicable	7637
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in June 2000 (see [METHHIST181](#))

**SAMEAllYear18** (2250 - 2250)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (June 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST181](#)=55)

**SIMSEQ18** (2251 - 2251)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (June 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section E Part II**

.	inapplicable	7167
1	SAME TIME	370
2	DIFFERENT TIMES	106
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in June 2000 ([nummult18=2](#))

***MTHUSIMX1701*** (2252 - 2253)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - June 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7594
1	NONE	8
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	18
4	CONDOM	14
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	3
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2000 ([nummult18](#)>2)

**MTHUSIMX1702** (2254 - 2255)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - June 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7604
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	18
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	R'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2000 ([nummult18](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX1701](#) ne 1)

**MTHUSIMX1703** (2256 - 2257)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - June 2000)

Value	Label	Total
.	inapplicable	7617
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	9
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	8
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2000 ([nummult18](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX1701](#) ne 1)

***MTHUSIMX1704*** (2258 - 2259)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - June 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in June 2000 ([nummult18](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX1703](#) ne 1)

***MTHUSIMX1726*** (2260 - 2261)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - June 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7602
1	NONE	21
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	8
4	CONDOM	6
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2000 ([nummult18](#)>2)

***MTHUSIMX1727*** (2262 - 2263)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - June 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7628
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2000 ([nummult18](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX1726](#) ne 1)

***MTHUSIMX1728*** (2264 - 2265)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - June 2000)

<b>Value Label</b>	<b>Total</b>
. inapplicable	7635
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	0
4 CONDOM	0
5 PARTNER'S VASECTOMY	2
6 STERILIZING OPERATION/TUBAL LIGATION	0
7 WITHDRAWAL, PULLING OUT	2
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	2
SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11 PLANNING	0
12 DIAPHRAGM	0
13 FEMALE CONDOM, VAGINAL POUCH	1
14 FOAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2000 ([nummult18](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX1726](#) ne 1)

**MTHUSIMX1729** (2266 - 2267)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - June 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in June 2000 ([nummult18](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX1728](#) ne 1)

***MTHUSIMX1751*** (2268 - 2268)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - June 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2000 ([nummult18](#)>2)

***MTHUSIMX1752*** (2269 - 2269)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - June 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2000 ([nummult18](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX1751](#) ne 1)

***MTHUSIMX1753*** (2270 - 2271)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - June 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2000 ([nummult18](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX1751](#) ne 1)

***MTHUSIMX1754*** (2272 - 2273)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - June 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in June 2000 ([nummult18](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX1753](#) ne 1)

**nummult18** (2274 - 2274)

Number of Methods Reported in June 2000 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1337
0	0	31
1	1	5750
2-25	2 OR MORE	525
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first

NSFG Cycle 6 Female Respondent File Section E Part II

method use was on or before June 2000 ([cmfirsm<1206](#))

**METHHIST191** (2275 - 2276)

**ED-6:** ENTER METHOD USED IN JULY 2000 (1st mention)

Value	Label	Total
.	inapplicable	1308
1	NO METHOD USED	1959
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1472
4	CONDOM	917
5	PARTNER'S VASECTOMY	263
6	STERILIZING OPERATION/TUBAL LIGATION	947
7	WITHDRAWAL, PULLING OUT	207
8	DEPO-PROVERA, INJECTABLES (SHOT)	275
9	NORPLANT (TM) IMPLANTS	31
10	RHYTHM OR SAFE PERIOD BY CALENDAR	40
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	16
12	DIAPHRAGM	10
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	5
15	JELLY OR CREAM	3
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	9
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	78
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	13
22	RESPONDENT WAS STERILE	33
23	RESPONDENT'S PARTNER WAS STERILE	16
24	LUNELLE INJECTABLE (MONTHLY SHOT)	7
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	13
99	Don't know	18
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

Applicable if R ever used a method ([everused=1](#)) and date of first method use was on or before July 2000 ([cmfirsm<=cmjul00](#))

**METHHIST192** (2277 - 2278)

**ED-6:** ENTER METHOD USED IN JULY 2000 (2nd mention)

Value	Label	Total
.	inapplicable	7108
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	215
5	PARTNER'S VASECTOMY	12
6	STERILIZING OPERATION/TUBAL LIGATION	68
7	WITHDRAWAL, PULLING OUT	129
8	DEPO-PROVERA, INJECTABLES (SHOT)	15
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	35
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	9
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	7
15	JELLY OR CREAM	8
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	6
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	4
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

Applicable if R used at least 2 methods in July 2000 (see [METHHIST191](#))

**METHHIST193** (2279 - 2280)

**ED-6:** ENTER METHOD USED IN JULY 2000 (3rd mention)

Value	Label	Total
.	inapplicable	7590
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	18
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	18
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	5
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section E Part II**

Applicable if R used at least 3 methods in July 2000 (see [METHHIST191](#))

**METHHIST194** (2281 - 2282)

**ED-6:** ENTER METHOD USED IN JULY 2000 (4th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7637
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**



NSFG Cycle 6 Female Respondent File Section E Part II

Applicable if R used at least 4 methods in July 2000 (see [METHHIST191](#))

**SAMEAllYear19** (2283 - 2283)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (July 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST191](#)=55)

**SIMSEQ19** (2284 - 2284)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (July 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7162
1	SAME TIME	376
2	DIFFERENT TIMES	105
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in July 2000 ([nummult19](#)=2)

**MTHUSIMX1801** (2285 - 2286)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - July 2000)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7591
1	NONE	12
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	18
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	3
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2000 ([nummult19](#)>2)

**MTHUSIMX1802** (2287 - 2288)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - July 2000)

**NSFG Cycle 6 Female Respondent File Section E Part II**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7604
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	17
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2000 ([nummult19](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX1801](#) ne 1)

**MTHUSIMX1803** (2289 - 2290)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st

NSFG Cycle 6 Female Respondent File Section E Part II

combo - July 2000)

Value	Label	Total
.	inapplicable	7616
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	8
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2000 ([nummult19](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX1801](#) ne 1)

**MTHUSIMX1804** (2291 - 2292)

**ED-11:** During that month, which (of those methods/other methods),

**NSFG Cycle 6 Female Respondent File Section E Part II**

if any, did you use at the same time? (4th method used in 1st  
 combo - July 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in July 2000 ([nummult19](#)>3)  
 and R used at least 3 methods in first method combination  
 ([MTHUSIMX1803](#) ne 1)

**MTHUSIMX1826** (2293 - 2294)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - July 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7603
1	NONE	23
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	6
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2000 ([nummult19](#)>2)

**MTHUSIMX1827** (2295 - 2296)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - July 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7630
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	4
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2000 ([nummult19](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX1826](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX1828** (2297 - 2298)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - July 2000)

Value	Label	Total
.	inapplicable	7637
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2000 ([nummult19](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX1826](#) ne 1)



NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX1829** (2299 - 2300)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - July 2000)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in July 2000 ([nummult19](#)>3) and R used at least 2 method combinations, with at least 3 methods

NSFG Cycle 6 Female Respondent File Section E Part II

in the 2nd method combination ([MTHUSIMX1828](#) ne 1)

**MTHUSIMX1851** (2301 - 2301)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - July 2000)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section E Part II

applicable if R used at least 3 methods in July 2000 ([nummult19](#)>2)

**MTHUSIMX1852** (2302 - 2302)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - July 2000)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2000 ([nummult19](#)>2)

NSFG Cycle 6 Female Respondent File Section E Part II

and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX1851](#) ne 1)

**MTHUSIMX1853** (2303 - 2304)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - July 2000)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 3 methods in July 2000 ([nummult19](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX1851](#) ne 1)

**MTHUSIMX1854** (2305 - 2306)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - July 2000)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

NSFG Cycle 6 Female Respondent File Section E Part II

Total

7643

**Universe:**

applicable if R used at least 4 methods in July 2000 ([nummult19](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX1853](#) ne 1)

**nummult19** (2307 - 2307)

Number of Methods Reported in July 2000 (Computed)

Value	Label	Total
.	inapplicable	1308
0	0	31
1	1	5771
2-25	2 OR MORE	533
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before July 2000 ([cmfirsm](#)<1207)

**METHHIST201** (2308 - 2309)

**ED-6:** ENTER METHOD USED IN AUGUST 2000 (1st mention)

Value	Label	Total
.	inapplicable	1294
1	NO METHOD USED	1949
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1472
4	CONDOM	933
5	PARTNER'S VASECTOMY	263
6	STERILIZING OPERATION/TUBAL LIGATION	956
7	WITHDRAWAL, PULLING OUT	205
8	DEPO-PROVERA, INJECTABLES (SHOT)	273
9	NORPLANT (TM) IMPLANTS	30
10	RHYTHM OR SAFE PERIOD BY CALENDAR	45

**NSFG Cycle 6 Female Respondent File Section E Part II**

	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	15
12	DIAPHRAGM	10
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	3
15	JELLY OR CREAM	4
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	10
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	81
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	14
22	RESPONDENT WAS STERILE	32
23	RESPONDENT'S PARTNER WAS STERILE	15
24	LUNELLE INJECTABLE (MONTHLY SHOT)	7
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	13
99	Don't know	18
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before August 2000 ([cmfirsm](#)<=cmaug00)

***METHHIST202*** (2310 - 2311)

**ED-6:** ENTER METHOD USED IN AUGUST 2000 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7105
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	209
5	PARTNER'S VASECTOMY	11
6	STERILIZING OPERATION/TUBAL LIGATION	71
7	WITHDRAWAL, PULLING OUT	135
8	DEPO-PROVERA, INJECTABLES (SHOT)	15

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	34
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	3
12	DIAPHRAGM	9
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	8
15	JELLY OR CREAM	8
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	6
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	3
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	5
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in August 2000 (see [METHHIST201](#))

**METHHIST203** (2312 - 2313)

**ED-6:** ENTER METHOD USED IN AUGUST 2000 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7596
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	2
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	13
8	DEPO-PROVERA, INJECTABLES (SHOT)	1



**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	6
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in August 2000 (see [METHHIST201](#))

**METHHIST204** (2314 - 2315)

**ED-6:** ENTER METHOD USED IN AUGUST 2000 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in August 2000 (see [METHHIST201](#))

**SAMEAllYear20** (2316 - 2316)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Aug 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST201](#)=55)

**SIMSEQ20** (2317 - 2317)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Aug 2000)

Value	Label	Total
.	inapplicable	7156
1	SAME TIME	381
2	DIFFERENT TIMES	106
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in August 2000 ([nummult20=2](#))

**MTHUSIMX1901** (2318 - 2319)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Aug 2000)

Value	Label	Total
.	inapplicable	7596
1	NONE	12
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	12
4	CONDOM	18
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2000  
 ([nummult20](#)>2)

**MTHUSIMX1902** (2320 - 2321)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Aug 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7610
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	10
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	14
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2000  
 ([nummult20](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX1901](#) ne 1)

***MTHUSIMX1903*** (2322 - 2323)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Aug 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7623
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	7
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2000  
 ([nummult20](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX1901](#) ne 1)

**MTHUSIMX1904** (2324 - 2325)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Aug 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2

**NSFG Cycle 6 Female Respondent File Section E Part II**

	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in August 2000  
 ([nummult20](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX1903](#) ne 1)

***MTHUSIMX1926*** (2326 - 2327)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Aug 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7608
1	NONE	16
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	7
4	CONDOM	6
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2000  
 ([nummult20](#)>2)

***MTHUSIMX1927*** (2328 - 2329)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Aug 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7629
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	4
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	4



**NSFG Cycle 6 Female Respondent File Section E Part II**

8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2000  
 ([nummult20](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX1926](#) ne 1)

***MTHUSIMX1928*** (2330 - 2331)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - Aug 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7637
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2000  
 ([nummult20](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX1926](#) ne 1)

**MTHUSIMX1929** (2332 - 2333)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - Aug 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in August 2000  
 ([nummult20](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX1928](#) ne 1)

**MTHUSIMX1951** (2334 - 2334)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - Aug 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2000  
 ([nummult20](#)>2)

**MTHUSIMX1952** (2335 - 2335)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Aug 2000)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7641

**NSFG Cycle 6 Female Respondent File Section E Part II**

1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2000  
 ([nummult20](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX1951](#) ne 1)

***MTHUSIMX1953*** (2336 - 2337)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - Aug 2000)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2000  
 ([nummult20](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX1951](#) ne 1)

**MTHUSIMX1954** (2338 - 2339)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Aug 2000)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in August 2000 ([nummult20](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX1953](#) ne 1)

**nummult20** (2340 - 2340)

Number of Methods Reported in Aug 2000 (Computed)

NSFG Cycle 6 Female Respondent File Section E Part II

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1294
0	0	31
1	1	5784
2-25	2 OR MORE	534
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused=1](#)) and date of first method use was on or before August 2000 ([cmfirsm<1208](#))

**METHHIST211** (2341 - 2342)

**ED-6:** ENTER METHOD USED IN SEPTEMBER 2000 (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1284
1	NO METHOD USED	1941
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1485
4	CONDOM	911
5	PARTNER'S VASECTOMY	265
6	STERILIZING OPERATION/TUBAL LIGATION	965
7	WITHDRAWAL, PULLING OUT	214
8	DEPO-PROVERA, INJECTABLES (SHOT)	276
9	NORPLANT (TM) IMPLANTS	30
10	RHYTHM OR SAFE PERIOD BY CALENDAR	44
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	15
12	DIAPHRAGM	10
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	4
15	JELLY OR CREAM	3
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	9
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	84
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	16
22	RESPONDENT WAS STERILE	31
23	RESPONDENT'S PARTNER WAS STERILE	15
24	LUNELLE INJECTABLE (MONTHLY SHOT)	7
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	13
99	Don't know	20
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before September 2000 ([cmfirsm](#)<=cmsep00)

**METHHIST212** (2343 - 2344)

**ED-6:** ENTER METHOD USED IN SEPTEMBER 2000 (2nd mention)

Value	Label	Total
.	inapplicable	7108
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	19
4	CONDOM	207
5	PARTNER'S VASECTOMY	9
6	STERILIZING OPERATION/TUBAL LIGATION	71
7	WITHDRAWAL, PULLING OUT	132
8	DEPO-PROVERA, INJECTABLES (SHOT)	16
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	36
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	9
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	6
15	JELLY OR CREAM	9
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	6
18	TODAY (TM) SPONGE	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	5
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in September 2000 (see [METHHIST211](#))

**METHHIST213** (2345 - 2346)

**ED-6:** ENTER METHOD USED IN SEPTEMBER 2000 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7591
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	15
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	18
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	7
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in September 2000 (see [METHHIST211](#))

**METHHIST214** (2347 - 2348)

**ED-6:** ENTER METHOD USED IN SEPTEMBER 2000 (4th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in September 2000 (see [METHHIST211](#))

***SAMEAllYear21*** (2349 - 2349)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Sept 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST211](#)=55)

***SIMSEQ21*** (2350 - 2350)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Sept 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7162
1	SAME TIME	373

NSFG Cycle 6 Female Respondent File Section E Part II

2 DIFFERENT TIMES 108  
**Total 7643**

**Universe:**

applicable if R used two methods in September 2000 ([nummult21=2](#))

**MTHUSIMX2001** (2351 - 2352)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Sep 2000)

Value	Label	Total
.	inapplicable	7592
1	NONE	12
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	15
4	CONDOM	19
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2000  
 ([nummult21](#)>2)

**MTHUSIMX2002** (2353 - 2354)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Sep 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7606
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	14
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2000  
 ([nummult21](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX2001](#) ne 1)

**MTHUSIMX2003** (2355 - 2356)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Sep 2000)

Value	Label	Total
.	inapplicable	7618
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	8
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	7
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2000  
 ([nummult21](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX2001](#) ne 1)

**MTHUSIMX2004** (2357 - 2358)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Sep 2000)

<b>Value Label</b>	<b>Total</b>
. inapplicable	7640
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	0
4 CONDOM	0
5 PARTNER'S VASECTOMY	0
6 STERILIZING OPERATION/TUBAL LIGATION	0
7 WITHDRAWAL, PULLING OUT	0
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	2
SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11 PLANNING	0
12 DIAPHRAGM	0
13 FEMALE CONDOM, VAGINAL POUCH	0
14 FOAM	0
15 JELLY OR CREAM	0
16 CERVICAL CAP	0
17 SUPPOSITORY, INSERT	1
18 TODAY (TM) SPONGE	0
19 IUD, COIL, OR LOOP	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in September 2000  
 ([nummult21](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX2003](#) ne 1)

**MTHUSIMX2026** (2359 - 2360)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Sep 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7604
1	NONE	17
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	10
4	CONDOM	6
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2000  
 ([nummult21](#)>2)

***MTHUSIMX2027*** (2361 - 2362)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Sep 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7626
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	7
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2000  
 ([nummult21](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX2026](#) ne 1)

***MTHUSIMX2028*** (2363 - 2364)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - Sep 2000)

Value Label	Total
. inapplicable	7632
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	0
4 CONDOM	0
5 PARTNER'S VASECTOMY	2
6 STERILIZING OPERATION/TUBAL LIGATION	0
7 WITHDRAWAL, PULLING OUT	4
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	2
SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11 PLANNING	1
12 DIAPHRAGM	0
13 FEMALE CONDOM, VAGINAL POUCH	0
14 FOAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2000  
 ([nummult21](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX2026](#) ne 1)

**MTHUSIMX2029** (2365 - 2366)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - Sep 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in September 2000  
 ([nummult21](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX2028](#) ne 1)

***MTHUSIMX2051*** (2367 - 2367)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - Sep 2000)

<b>Value Label</b>	<b>Total</b>
. inapplicable	7640
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	2
4 CONDOM	1
5 PARTNER'S VASECTOMY	0
6 STERILIZING OPERATION/TUBAL LIGATION	0
7 WITHDRAWAL, PULLING OUT	0
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2000  
 ([nummult21](#)>2)

***MTHUSIMX2052*** (2368 - 2368)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Sep 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2000 ([nummult21](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX2051](#) ne 1)

***MTHUSIMX2053*** (2369 - 2370)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Sep 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2000  
 ([nummult21](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX2051](#) ne 1)

***MTHUSIMX2054*** (2371 - 2372)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Sep 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in September 2000  
 ([nummult21](#)>3) and R used at least 3 method combinations, with at  
 least 3 methods in the 3rd method combination ([MTHUSIMX2053](#) ne 1)

**nummult21** (2373 - 2373)

Number of Methods Reported in Sep 2000 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1284
0	0	33
1	1	5794
2-25	2 OR MORE	532
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section E Part II**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before September 2000 ([cmfirsm](#)<1209)

**METHHIST221** (2374 - 2375)

**ED-6:** ENTER METHOD USED IN OCTOBER 2000 (1st mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	1264
1	NO METHOD USED	1943
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1495
4	CONDOM	918
5	PARTNER'S VASECTOMY	267
6	STERILIZING OPERATION/TUBAL LIGATION	973
7	WITHDRAWAL, PULLING OUT	205
8	DEPO-PROVERA, INJECTABLES (SHOT)	281
9	NORPLANT (TM) IMPLANTS	29
10	RHYTHM OR SAFE PERIOD BY CALENDAR	41
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	14
12	DIAPHRAGM	11
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	3
15	JELLY OR CREAM	4
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	10
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	82
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	16
22	RESPONDENT WAS STERILE	30
23	RESPONDENT'S PARTNER WAS STERILE	15
24	LUNELLE INJECTABLE (MONTHLY SHOT)	7
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	13
99	Don't know	19
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before October 2000 ([cmfirsm](#)<=cmoct00)

**METHHIST222** (2376 - 2377)

**ED-6:** ENTER METHOD USED IN OCTOBER 2000 (2nd mention)

Value	Label	Total
.	inapplicable	7091
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	17
4	CONDOM	213
5	PARTNER'S VASECTOMY	10
6	STERILIZING OPERATION/TUBAL LIGATION	73
7	WITHDRAWAL, PULLING OUT	146
8	DEPO-PROVERA, INJECTABLES (SHOT)	14
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	36
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	8
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	5
15	JELLY OR CREAM	9
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	5
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	5
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

Applicable if R used at least 2 methods in October 2000 (see [METHHIST221](#))

**METHHIST223** (2378 - 2379)

**ED-6:** ENTER METHOD USED IN OCTOBER 2000 (3rd mention)

Value	Label	Total
.	inapplicable	7591
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	16
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	18
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	6
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

Applicable if R used at least 3 methods in October 2000 (see [METHHIST221](#))

**METHHIST224** (2380 - 2381)

**ED-6:** ENTER METHOD USED IN OCTOBER 2000 (4th mention)

Value	Label	Total
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in October 2000 (see [METHHIST221](#))

***SAMEAllYear22*** (2382 - 2382)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Oct 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST221](#)=55)

***SIMSEQ22*** (2383 - 2383)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Oct 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7145
1	SAME TIME	388
2	DIFFERENT TIMES	110
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in October 2000 ([nummult22](#)=2)

***MTHUSIMX2101*** (2384 - 2385)

**ED-11:** During that month, which (of those methods/other methods),

**NSFG Cycle 6 Female Respondent File Section E Part II**

if any, did you use at the same time? (1st method used in 1st  
 combo - Oct 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7592
1	NONE	11
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	18
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2000  
 ([nummult22](#)>2)

**MTHUSIMX2102** (2386 - 2387)

**ED-11:** During that month, which (of those methods/other methods),

**NSFG Cycle 6 Female Respondent File Section E Part II**

if any, did you use at the same time? (2nd method used in 1st  
 combo - Oct 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7605
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	15
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2000  
 ([nummult22](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX2101](#) ne 1)

**MTHUSIMX2103** (2388 - 2389)



**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Oct 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7617
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2000 ([nummult22](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX2101](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX2104** (2390 - 2391)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Oct 2000)

Value	Label	Total
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in October 2000 ([nummult22](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX2103](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX2126** (2392 - 2393)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Oct 2000)

Value	Label	Total
.	inapplicable	7603
1	NONE	18
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	10
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2000  
([nummult22](#)>2)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX2127** (2394 - 2395)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Oct 2000)

Value	Label	Total
.	inapplicable	7626
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	8
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2000 ([nummult22](#)>2) and R used at least 2 method combinations, with at

NSFG Cycle 6 Female Respondent File Section E Part II

least 2 methods in the 2nd method combination ([MTHUSIMX2126](#) ne 1)

**MTHUSIMX2128** (2396 - 2397)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Oct 2000)

Value	Label	Total
.	inapplicable	7633
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	3
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2000

NSFG Cycle 6 Female Respondent File Section E Part II

([nummult22](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX2126](#) ne 1)

**MTHUSIMX2129** (2398 - 2399)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Oct 2000)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 4 methods in October 2000  
 ([nummult22](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX2128](#) ne 1)

**MTHUSIMX2151** (2400 - 2400)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - Oct 2000)

Value	Label	Total
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

NSFG Cycle 6 Female Respondent File Section E Part II

Total

7643

**Universe:**

applicable if R used at least 3 methods in October 2000

([nummult22](#)>2)

**MTHUSIMX2152** (2401 - 2401)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Oct 2000)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2000  
 ([nummult22](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX2151](#) ne 1)

**MTHUSIMX2153** (2402 - 2403)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - Oct 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2000 ([nummult22](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX2151](#) ne 1)

**MTHUSIMX2154** (2404 - 2405)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Oct 2000)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in October 2000 ([nummult22](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX2153](#) ne 1)

**nummult22** (2406 - 2406)

Number of Methods Reported in Oct 2000 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1264
0	0	32
1	1	5798
2-25	2 OR MORE	549
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before October 2000 ([cmfirsm](#)<1210)

**METHHIST231** (2407 - 2408)

**ED-6:** ENTER METHOD USED IN NOVEMBER 2000 (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1253
1	NO METHOD USED	1920
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1510
4	CONDOM	917
5	PARTNER'S VASECTOMY	269

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	978
7	WITHDRAWAL, PULLING OUT	215
8	DEPO-PROVERA, INJECTABLES (SHOT)	280
9	NORPLANT (TM) IMPLANTS	30
10	RHYTHM OR SAFE PERIOD BY CALENDAR	41
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	13
12	DIAPHRAGM	13
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	3
15	JELLY OR CREAM	4
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	9
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	82
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	3
21	OTHER METHOD	20
22	RESPONDENT WAS STERILE	27
23	RESPONDENT'S PARTNER WAS STERILE	15
24	LUNELLE INJECTABLE (MONTHLY SHOT)	7
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14
99	Don't know	17
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before November 2000 ([cmfirmsm](#)<=cmnov00)

***METHHIST232*** (2409 - 2410)

**ED-6:** ENTER METHOD USED IN NOVEMBER 2000 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7082
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	19

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	220
5	PARTNER'S VASECTOMY	10
6	STERILIZING OPERATION/TUBAL LIGATION	76
7	WITHDRAWAL, PULLING OUT	138
8	DEPO-PROVERA, INJECTABLES (SHOT)	16
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	37
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	7
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	5
15	JELLY OR CREAM	10
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	5
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	3
22	RESPONDENT WAS STERILE	5
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in November 2000 (see [METHHIST231](#))

**METHHIST233** (2411 - 2412)

**ED-6:** ENTER METHOD USED IN NOVEMBER 2000 (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7593
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	2
5	PARTNER'S VASECTOMY	3
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	15
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	6
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in November 2000 (see [METHHIST231](#))

**METHHIST234** (2413 - 2414)

**ED-6:** ENTER METHOD USED IN NOVEMBER 2000 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in November 2000 (see [METHHIST231](#))

***SAMEAllYear23*** (2415 - 2415)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Nov 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	1

NSFG Cycle 6 Female Respondent File Section E Part II

5 NO 0  
**Total 7643**

**Universe:**

applicable if R said she used the same method for the whole year  
(ED-6 [METHHIST231](#)=55)

**SIMSEQ23** (2416 - 2416)

**ED-10:** Did you use those methods together, that is, at the same  
time, or did you use them at different times during the month?  
(Nov 2000)

Value	Label	Total
.	inapplicable	7136
1	SAME TIME	397
2	DIFFERENT TIMES	110
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in November 2000 ([nummult23](#)=2)

**MTHUSIMX2201** (2417 - 2418)

**ED-11:** During that month, which (of those methods/other methods),  
if any, did you use at the same time? (1st method used in 1st  
combo - Nov 2000)

Value	Label	Total
.	inapplicable	7594
1	NONE	9
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	19
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2000  
 ([nummult23](#)>2)

**MTHUSIMX2202** (2419 - 2420)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Nov 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7606
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	14
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2000  
 ([nummult23](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX2201](#) ne 1)

***MTHUSIMX2203*** (2421 - 2422)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Nov 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7617
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	3
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	8
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	8
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2000  
 ([nummult23](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX2201](#) ne 1)

***MTHUSIMX2204*** (2423 - 2424)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Nov 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in November 2000 ([nummult23](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX2203](#) ne 1)

**MTHUSIMX2226** (2425 - 2426)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Nov 2000)

Value	Label	Total
.	inapplicable	7603
1	NONE	18
2	OFFICE USE ONLY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	10
4	CONDOM	8
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2000  
 ([nummult23](#)>2)

**MTHUSIMX2227** (2427 - 2428)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Nov 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7625
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	7
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2000  
 ([nummult23](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX2226](#) ne 1)

***MTHUSIMX2228*** (2429 - 2430)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - Nov 2000)

<u>Value Label</u>	<u>Total</u>
--------------------	--------------

**NSFG Cycle 6 Female Respondent File Section E Part II**

.	inapplicable	7633
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2000  
 ([nummult23](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX2226](#) ne 1)

***MTHUSIMX2229*** (2431 - 2432)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - Nov 2000)

**NSFG Cycle 6 Female Respondent File Section E Part II**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in November 2000  
 ([nummult23](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX2228](#) ne 1)

**MTHUSIMX2251** (2433 - 2433)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - Nov 2000)



NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2000  
 ([nummult23](#)>2)

**MTHUSIMX2252** (2434 - 2434)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Nov 2000)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2000 ([nummult23](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX2251](#) ne 1)

**MTHUSIMX2253** (2435 - 2436)

**ED-11:** During that month, which (of those methods/other methods),

**NSFG Cycle 6 Female Respondent File Section E Part II**

if any, did you use at the same time? (3rd method used in 3rd  
 combo - Nov 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2000  
 ([nummult23](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX2251](#) ne 1)

***MTHUSIMX2254*** (2437 - 2438)

NSFG Cycle 6 Female Respondent File Section E Part II

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Nov 2000)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in November 2000 ([nummult23](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX2253](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**nummult23** (2439 - 2439)

Number of Methods Reported in Nov 2000 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1253
0	0	31
1	1	5803
2-25	2 OR MORE	556
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before November 2000 ([cmfirsm](#)<1211)

**METHHIST241** (2440 - 2441)

**ED-6:** ENTER METHOD USED IN DECEMBER 2000 (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1236
1	NO METHOD USED	1890
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1518
4	CONDOM	949
5	PARTNER'S VASECTOMY	271
6	STERILIZING OPERATION/TUBAL LIGATION	982
7	WITHDRAWAL, PULLING OUT	221
8	DEPO-PROVERA, INJECTABLES (SHOT)	275
9	NORPLANT (TM) IMPLANTS	30
10	RHYTHM OR SAFE PERIOD BY CALENDAR	42
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	13
12	DIAPHRAGM	11
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	4
15	JELLY OR CREAM	4
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	8

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	84
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	20
22	RESPONDENT WAS STERILE	30
23	RESPONDENT'S PARTNER WAS STERILE	15
24	LUNELLE INJECTABLE (MONTHLY SHOT)	7
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14
99	Don't know	17
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before December 2000 ([cmfirsm](#)<=cmdec00)

***METHHIST242*** (2442 - 2443)

**ED-6:** ENTER METHOD USED IN DECEMBER 2000 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7070
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	13
4	CONDOM	228
5	PARTNER'S VASECTOMY	9
6	STERILIZING OPERATION/TUBAL LIGATION	83
7	WITHDRAWAL, PULLING OUT	140
8	DEPO-PROVERA, INJECTABLES (SHOT)	21
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	37
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	7
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	4
15	JELLY OR CREAM	9

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	4
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	3
22	RESPONDENT WAS STERILE	6
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in December 2000 (see [METHHIST241](#))

**METHHIST243** (2444 - 2445)

**ED-6:** ENTER METHOD USED IN DECEMBER 2000 (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7598
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	3
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	15
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	6

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in December 2000 (see [METHHIST241](#))

**METHHIST244** (2446 - 2447)

**ED-6:** ENTER METHOD USED IN DECEMBER 2000 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in December 2000 (see [METHHIST241](#))

**SAMEAllYear24** (2448 - 2448)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Dec 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST241](#)=55)

**SIMSEQ24** (2449 - 2449)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Dec 2000)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7118
1	SAME TIME	415
2	DIFFERENT TIMES	110
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in December 2000 ([nummult24=2](#))

**MTHUSIMX2301** (2450 - 2451)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Dec 2000)

Value	Label	Total
.	inapplicable	7599
1	NONE	11
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	13
4	CONDOM	15
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2000  
 ([nummult24](#)>2)

**MTHUSIMX2302** (2452 - 2453)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Dec 2000)

Value	Label	Total
.	inapplicable	7611
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	12
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2000  
 ([nummult24](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX2301](#) ne 1)

**MTHUSIMX2303** (2454 - 2455)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Dec 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7620
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	3
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	8
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2000  
 ([nummult24](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX2301](#) ne 1)

***MTHUSIMX2304*** (2456 - 2457)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Dec 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in December 2000  
 ([nummult24](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX2303](#) ne 1)

***MTHUSIMX2326*** (2458 - 2458)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Dec 2000)

<b>Value Label</b>	<b>Total</b>
.    inapplicable	7610
1    NONE	16
2    OFFICE USE ONLY	0
3    BIRTH CONTROL PILLS	7
4    CONDOM	6
5    PARTNER'S VASECTOMY	0
6    STERILIZING OPERATION/TUBAL LIGATION	0
7    WITHDRAWAL, PULLING OUT	4
8    DEPO-PROVERA, INJECTABLES	0
9    NORPLANT (TM) IMPLANTS	0
10   RHYTHM OR SAFE PERIOD BY CALENDAR	0
11   SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12   DIAPHRAGM	0
13   FEMALE CONDOM, VAGINAL POUCH	0
14   FOAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2000  
 ([nummult24](#)>2)

***MTHUSIMX2327*** (2459 - 2460)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Dec 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7630
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	4
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2000  
 ([nummult24](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX2326](#) ne 1)

***MTHUSIMX2328*** (2461 - 2462)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - Dec 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7635
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2000  
 ([nummult24](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX2326](#) ne 1)

***MTHUSIMX2329*** (2463 - 2464)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - Dec 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in December 2000 ([nummult24](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX2328](#) ne 1)

***MTHUSIMX2351*** (2465 - 2465)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Dec 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2000  
 ([nummult24](#)>2)

**MTHUSIMX2352** (2466 - 2466)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Dec 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2000 ([nummult24](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX2351](#) ne 1)

**MTHUSIMX2353** (2467 - 2468)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Dec 2000)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2000  
 ([nummult24](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX2351](#) ne 1)

***MTHUSIMX2354*** (2469 - 2470)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Dec 2000)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in December 2000  
 ([nummult24](#)>3) and R used at least 3 method combinations, with at  
 least 3 methods in the 3rd method combination ([MTHUSIMX2353](#) ne 1)

**nummult24** (2471 - 2471)

Number of Methods Reported in Dec 2000 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1236
0	0	31
1	1	5807
2-25	2 OR MORE	569

NSFG Cycle 6 Female Respondent File Section E Part II

Total 7643

**Universe:**

Applicable if R ever used a method ([everused=1](#)) and date of first method use was on or before December 2000 ([cmfirsm<1212](#))

**METHHIST251** (2472 - 2473)

**ED-6:** ENTER METHOD USED IN JANUARY 2001 (1st mention)

Value	Label	Total
.	inapplicable	1216
1	NO METHOD USED	1938
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1492
4	CONDOM	925
5	PARTNER'S VASECTOMY	270
6	STERILIZING OPERATION/TUBAL LIGATION	1003
7	WITHDRAWAL, PULLING OUT	232
8	DEPO-PROVERA, INJECTABLES (SHOT)	266
9	NORPLANT (TM) IMPLANTS	27
10	RHYTHM OR SAFE PERIOD BY CALENDAR	43
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	15
12	DIAPHRAGM	13
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	8
15	JELLY OR CREAM	5
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	8
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	82
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	19
22	RESPONDENT WAS STERILE	28
23	RESPONDENT'S PARTNER WAS STERILE	14
24	LUNELLE INJECTABLE (MONTHLY SHOT)	9
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

98	Refused	15
99	Don't know	12
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused=1](#)) and date of first method use was on or before January 2001 ([cmfirsm<=cmjan01](#))

**METHHIST252** (2474 - 2475)

**ED-6:** ENTER METHOD USED IN JANUARY 2001 (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7097
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	12
4	CONDOM	227
5	PARTNER'S VASECTOMY	9
6	STERILIZING OPERATION/TUBAL LIGATION	79
7	WITHDRAWAL, PULLING OUT	130
8	DEPO-PROVERA, INJECTABLES (SHOT)	18
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	39
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	5
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	4
15	JELLY OR CREAM	6
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	3
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	4
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in January 2001 (see [METHHIST251](#))

**METHHIST253** (2476 - 2477)

**ED-6:** ENTER METHOD USED IN JANUARY 2001 (3rd mention)

Value	Label	Total
.	inapplicable	7599
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	14
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in January 2001 (see [METHHIST251](#))

**METHHIST254** (2478 - 2479)

**ED-6:** ENTER METHOD USED IN JANUARY 2001 (4th mention)

Value	Label	Total
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in January 2001 (see [METHHIST251](#))

**SIMSEQ25** (2480 - 2480)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Jan 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7146
1	SAME TIME	381
2	DIFFERENT TIMES	116
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in January 2001 ([nummult25=2](#))

**MTHUSIMX2401** (2481 - 2482)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Jan 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7600
1	NONE	9
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	13
4	CONDOM	18
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2001  
 ([nummult25](#)>2)

**MTHUSIMX2402** (2483 - 2484)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Jan 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7610
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	13
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2001  
 ([nummult25](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX2401](#) ne 1)

***MTHUSIMX2403*** (2485 - 2486)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Jan 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7616
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	9
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	10
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2001 ([nummult25](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX2401](#) ne 1)

**MTHUSIMX2404** (2487 - 2488)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Jan 2001)

Value	Label	Total
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in January 2001  
 ([nummult25](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX2403](#) ne 1)

**MTHUSIMX2426** (2489 - 2489)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Jan 2001)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7609

**NSFG Cycle 6 Female Respondent File Section E Part II**

1	NONE	21
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	4
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2001  
 ([nummult25](#)>2)

***MTHUSIMX2427*** (2490 - 2491)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Jan 2001)

<u>Value Label</u>	<u>Total</u>
--------------------	--------------



**NSFG Cycle 6 Female Respondent File Section E Part II**

.	inapplicable	7633
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	3
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2001  
 ([nummult25](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX2426](#) ne 1)

***MTHUSIMX2428*** (2492 - 2493)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - Jan 2001)

**NSFG Cycle 6 Female Respondent File Section E Part II**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7636
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2001 ([nummult25](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX2426](#) ne 1)

***MTHUSIMX2429*** (2494 - 2495)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Jan 2001)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in January 2001 ([nummult25](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX2428](#) ne 1)

**MTHUSIMX2451** (2496 - 2496)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd

NSFG Cycle 6 Female Respondent File Section E Part II

combo - Jan 2001)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2001  
 ([nummult25](#)>2)

**MTHUSIMX2452** (2497 - 2497)

**ED-11:** During that month, which (of those methods/other methods),

**NSFG Cycle 6 Female Respondent File Section E Part II**

if any, did you use at the same time? (2nd method used in 3rd  
 combo - Jan 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2001  
 ([nummult25](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX2451](#) ne 1)

**MTHUSIMX2453** (2498 - 2499)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Jan 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2001 ([nummult25](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX2451](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX2454** (2500 - 2501)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Jan 2001)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in January 2001 ([nummult25](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX2453](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**nummult25** (2502 - 2502)

Number of Methods Reported in Jan 2001 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1216
0	0	27
1	1	5860
2-25	2 OR MORE	540
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before January 2001 ([cmfirsm](#)<1213)

**METHHIST261** (2503 - 2504)

**ED-6:** ENTER METHOD USED IN FEBRUARY 2001 (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1200
1	NO METHOD USED	1983
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1470
4	CONDOM	900
5	PARTNER'S VASECTOMY	276
6	STERILIZING OPERATION/TUBAL LIGATION	1014
7	WITHDRAWAL, PULLING OUT	226
8	DEPO-PROVERA, INJECTABLES (SHOT)	267
9	NORPLANT (TM) IMPLANTS	27
10	RHYTHM OR SAFE PERIOD BY CALENDAR	43
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	16
12	DIAPHRAGM	13
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	7
15	JELLY OR CREAM	5
16	CERVICAL CAP	1



**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	7
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	82
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	3
21	OTHER METHOD	18
22	RESPONDENT WAS STERILE	33
23	RESPONDENT'S PARTNER WAS STERILE	15
24	LUNELLE INJECTABLE (MONTHLY SHOT)	6
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
97	Not ascertained	2
98	Refused	14
99	Don't know	14
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before February 2001 ([cmfirsm](#)<=cmfeb01)

**METHHIST262** (2505 - 2506)

**ED-6:** ENTER METHOD USED IN FEBRUARY 2001 (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7103
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	12
4	CONDOM	217
5	PARTNER'S VASECTOMY	10
6	STERILIZING OPERATION/TUBAL LIGATION	78
7	WITHDRAWAL, PULLING OUT	128
8	DEPO-PROVERA, INJECTABLES (SHOT)	20
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	39
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	4
13	FEMALE CONDOM, VAGINAL POUCH	2

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	4
15	JELLY OR CREAM	8
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	4
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	3
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	4
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in February 2001 (see [METHHIST261](#))

***METHHIST263*** (2507 - 2508)

**ED-6:** ENTER METHOD USED IN FEBRUARY 2001 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7598
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	3
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	14
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	16
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in February 2001 (see [METHHIST261](#))

***METHHIST264*** (2509 - 2510)

**ED-6:** ENTER METHOD USED IN FEBRUARY 2001 (4th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	2
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in February 2001 (see [METHHIST261](#))

***SAMEAllYear26*** (2511 - 2511)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Feb 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1	YES	1
5	NO	3
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST261](#)=55)

***SIMSEQ26*** (2512 - 2512)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Feb 2001)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7151
1	SAME TIME	376
2	DIFFERENT TIMES	116
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in February 2001 ([nummult26=2](#))

**MTHUSIMX2501** (2513 - 2514)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Feb 2001)

Value	Label	Total
.	inapplicable	7599
1	NONE	10
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	13
4	CONDOM	18
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2001  
 ([nummult26](#)>2)

**MTHUSIMX2502** (2515 - 2516)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Feb 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7610
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	12
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2001  
 ([nummult26](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX2501](#) ne 1)

***MTHUSIMX2503*** (2517 - 2518)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Feb 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7616
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	9
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	9
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2001  
 ([nummult26](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX2501](#) ne 1)

***MTHUSIMX2504*** (2519 - 2520)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Feb 2001)

<b>Value Label</b>	<b>Total</b>
. inapplicable	7640
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	0
4 CONDOM	0
5 PARTNER'S VASECTOMY	0
6 STERILIZING OPERATION/TUBAL LIGATION	0
7 WITHDRAWAL, PULLING OUT	0
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	2
11 SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12 DIAPHRAGM	0
13 FEMALE CONDOM, VAGINAL POUCH	0
14 FOAM	1



**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in February 2001  
 ([nummult26](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX2503](#) ne 1)

**MTHUSIMX2526** (2521 - 2521)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Feb 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7609
1	NONE	21
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	6
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2001  
 ([nummult26](#)>2)

***MTHUSIMX2527*** (2522 - 2523)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Feb 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7631
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	3
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2001  
 ([nummult26](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX2526](#) ne 1)

***MTHUSIMX2528*** (2524 - 2525)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - Feb 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7636
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2001 ([nummult26](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX2526](#) ne 1)

***MTHUSIMX2529*** (2526 - 2527)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Feb 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in February 2001  
 ([nummult26](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX2528](#) ne 1)

***MTHUSIMX2551*** (2528 - 2528)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - Feb 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2001  
 ([nummult26](#)>2)

**MTHUSIMX2552** (2529 - 2529)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Feb 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2001  
 ([nummult26](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX2551](#) ne 1)

***MTHUSIMX2553*** (2530 - 2531)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - Feb 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2001  
 ([nummult26](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX2551](#) ne 1)

***MTHUSIMX2554*** (2532 - 2533)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Feb 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in February 2001  
 ([nummult26](#)>3) and R used at least 3 method combinations, with at  
 least 3 methods in the 3rd method combination ([MTHUSIMX2553](#) ne 1)

**nummult26** (2534 - 2534)

Number of Methods Reported in Feb 2001 (Computed

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1200
0	0	28

**NSFG Cycle 6 Female Respondent File Section E Part II**

1	1	5879
2-25	2 OR MORE	536
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused=1](#)) and date of first method use was on or before February 2001 ([cmfirsm<1214](#))

**METHHIST271** (2535 - 2536)

**ED-6:** ENTER METHOD USED IN MARCH 2001 (1st mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	1184
1	NO METHOD USED	1978
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1469
4	CONDOM	917
5	PARTNER'S VASECTOMY	276
6	STERILIZING OPERATION/TUBAL LIGATION	1020
7	WITHDRAWAL, PULLING OUT	227
8	DEPO-PROVERA, INJECTABLES (SHOT)	271
9	NORPLANT (TM) IMPLANTS	27
10	RHYTHM OR SAFE PERIOD BY CALENDAR	43
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	17
12	DIAPHRAGM	12
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	7
15	JELLY OR CREAM	4
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	9
18	TODAY (TM) SPONGE	2
19	IUD, COIL, OR LOOP	80
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	18
22	RESPONDENT WAS STERILE	31
23	RESPONDENT'S PARTNER WAS STERILE	15
24	LUNELLE INJECTABLE (MONTHLY SHOT)	6

**NSFG Cycle 6 Female Respondent File Section E Part II**

25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14
99	Don't know	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before March 2001 ([cmfirsm](#)<=cmmar01)

***METHHIST272*** (2537 - 2538)

**ED-6:** ENTER METHOD USED IN MARCH 2001 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7083
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	234
5	PARTNER'S VASECTOMY	13
6	STERILIZING OPERATION/TUBAL LIGATION	75
7	WITHDRAWAL, PULLING OUT	126
8	DEPO-PROVERA, INJECTABLES (SHOT)	22
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	36
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	5
12	DIAPHRAGM	4
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	5
15	JELLY OR CREAM	7
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	3
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	4
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	5

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in March 2001 (see [METHHIST271](#))

***METHHIST273*** (2539 - 2540)

**ED-6:** ENTER METHOD USED IN MARCH 2001 (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7595
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	16
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	18
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in March 2001 (see [METHHIST271](#))

**METHHIST274** (2541 - 2542)

**ED-6:** ENTER METHOD USED IN MARCH 2001 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in March 2001 (see [METHHIST271](#))

**SAMEAllYear27** (2543 - 2543)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Mar 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST271](#)=55)

**SIMSEQ27** (2544 - 2544)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Mar 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7133
1	SAME TIME	400
2	DIFFERENT TIMES	110
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section E Part II

applicable if R used two methods in March 2001 ([nummult27=2](#))

**MTHUSIMX2601** (2545 - 2546)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Mar 2001)

Value	Label	Total
.	inapplicable	7596
1	NONE	11
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	18
4	CONDOM	14
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section E Part II**

applicable if R used at least 3 methods in March 2001 ([nummult27](#)>2)

**MTHUSIMX2602** (2547 - 2548)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Mar 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7608
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	16
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	10
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2001



NSFG Cycle 6 Female Respondent File Section E Part II

([nummult27](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX2601](#) ne 1)

**MTHUSIMX2603** (2549 - 2550)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Mar 2001)

Value	Label	Total
.	inapplicable	7620
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	7
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	9
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 3 methods in March 2001  
 ([nummult27](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX2601](#) ne 1)

**MTHUSIMX2604** (2551 - 2552)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Mar 2001)

Value	Label	Total
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

NSFG Cycle 6 Female Respondent File Section E Part II

Total

7643

**Universe:**

applicable if R used at least 4 methods in March 2001  
 ([nummult27](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX2603](#) ne 1)

**MTHUSIMX2626** (2553 - 2553)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Mar 2001)

Value	Label	Total
.	inapplicable	7607
1	NONE	22
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	8
4	CONDOM	4
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2001 ([nummult27](#)>2)

**MTHUSIMX2627** (2554 - 2555)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Mar 2001)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7632
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	0
4 CONDOM	3
5 PARTNER'S VASECTOMY	0
6 STERILIZING OPERATION/TUBAL LIGATION	1
7 WITHDRAWAL, PULLING OUT	4
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	1
SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11 PLANNING	0
12 DIAPHRAGM	0
13 FEMALE CONDOM, VAGINAL POUCH	0
14 FOAM	0
15 JELLY OR CREAM	0
16 CERVICAL CAP	0
17 SUPPOSITORY, INSERT	1
18 TODAY (TM) SPONGE	0
19 IUD, COIL, OR LOOP	0
20 EMERGENCY CONTRACEPTION	1
21 OTHER METHOD	0
22 R'S STERILITY	0
23 R'S PARTNER'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2001  
 ([nummult27](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX2626](#) ne 1)

**MTHUSIMX2628** (2556 - 2557)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - Mar 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7638
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2001  
 ([nummult27](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX2626](#) ne 1)

**MTHUSIMX2629** (2558 - 2559)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - Mar 2001)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in March 2001  
 ([nummult27](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX2628](#) ne 1)

***MTHUSIMX2651*** (2560 - 2560)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - Mar 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2001 ([nummult27](#)>2)

**MTHUSIMX2652** (2561 - 2561)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Mar 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2001 ([nummult27](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX2651](#) ne 1)

***MTHUSIMX2653*** (2562 - 2562)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Mar 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2001 ([nummult27](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX2651](#) ne 1)

**MTHUSIMX2654** (2563 - 2564)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Mar 2001)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in March 2001  
 ([nummult27](#)>3) and R used at least 3 method combinations, with at  
 least 3 methods in the 3rd method combination ([MTHUSIMX2653](#) ne 1)

**nummult27** (2565 - 2565)

Number of Methods Reported in Mar 2001 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1184
0	0	27
1	1	5875
2-25	2 OR MORE	557
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first  
 method use was on or before March 2001 ([cmfirsm](#)<1215)

**METHHIST281** (2566 - 2567)

**ED-6:** ENTER METHOD USED IN APRIL 2001 (1st mention)

**NSFG Cycle 6 Female Respondent File Section E Part II**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	1166
1	NO METHOD USED	1987
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1476
4	CONDOM	915
5	PARTNER'S VASECTOMY	278
6	STERILIZING OPERATION/TUBAL LIGATION	1023
7	WITHDRAWAL, PULLING OUT	225
8	DEPO-PROVERA, INJECTABLES (SHOT)	271
9	NORPLANT (TM) IMPLANTS	27
10	RHYTHM OR SAFE PERIOD BY CALENDAR	42
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	16
12	DIAPHRAGM	12
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	6
15	JELLY OR CREAM	4
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	8
18	TODAY (TM) SPONGE	2
19	IUD, COIL, OR LOOP	82
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	18
22	RESPONDENT WAS STERILE	35
23	RESPONDENT'S PARTNER WAS STERILE	15
24	LUNELLE INJECTABLE (MONTHLY SHOT)	6
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14
99	Don't know	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before April 2001 ([cmfirsm](#)<=cmapr01)

***METHHIST282*** (2568 - 2569)

**ED-6:** ENTER METHOD USED IN APRIL 2001 (2nd mention)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7085
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	18
4	CONDOM	227
5	PARTNER'S VASECTOMY	13
6	STERILIZING OPERATION/TUBAL LIGATION	79
7	WITHDRAWAL, PULLING OUT	127
8	DEPO-PROVERA, INJECTABLES (SHOT)	21
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	37
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	5
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	5
15	JELLY OR CREAM	6
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	3
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	3
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	5
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in April 2001 (see [METHHIST281](#))

**METHHIST283** (2570 - 2571)

**ED-6:** ENTER METHOD USED IN APRIL 2001 (3rd mention)

**NSFG Cycle 6 Female Respondent File Section E Part II**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7594
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	2
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	14
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	18
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in April 2001 (see [METHHIST281](#))

**METHHIST284** (2572 - 2573)

**ED-6:** ENTER METHOD USED IN APRIL 2001 (4th mention)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in April 2001 (see [METHHIST281](#))

**SAMEAllYear28** (2574 - 2574)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this

**NSFG Cycle 6 Female Respondent File Section E Part II**

is the interview year]. Is that correct? (Apr 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST281](#)=55)

***SIMSEQ28*** (2575 - 2575)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Apr 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7138
1	SAME TIME	399
2	DIFFERENT TIMES	106
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in April 2001 ([nummult28](#)=2)

***MTHUSIMX2701*** (2576 - 2577)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Apr 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7595
1	NONE	11
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	14



**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	17
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2001 ([nummult28](#)>2)

***MTHUSIMX2702*** (2578 - 2579)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Apr 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7608
1	NONE	0
2	OFFICE USE ONLY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	0
4	CONDOM	14
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	13
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2001  
 ([nummult28](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX2701](#) ne 1)

**MTHUSIMX2703** (2580 - 2581)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Apr 2001)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7616

**NSFG Cycle 6 Female Respondent File Section E Part II**

1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	7
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	11
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2001  
 ([nummult28](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX2701](#) ne 1)

***MTHUSIMX2704*** (2582 - 2583)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Apr 2001)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in April 2001  
 ([nummult28](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX2703](#) ne 1)

**MTHUSIMX2726** (2584 - 2584)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Apr 2001)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7606
1	NONE	21
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	8
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2001 ([nummult28](#)>2)

**MTHUSIMX2727** (2585 - 2586)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Apr 2001)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7629
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2001 ([nummult28](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX2726](#) ne 1)

**MTHUSIMX2728** (2587 - 2588)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd

NSFG Cycle 6 Female Respondent File Section E Part II

combo - Apr 2001)

Value	Label	Total
.	inapplicable	7635
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2001 ([nummult28](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX2726](#) ne 1)

**MTHUSIMX2729** (2589 - 2590)

**ED-11:** During that month, which (of those methods/other methods),  
490 of 914

**NSFG Cycle 6 Female Respondent File Section E Part II**

if any, did you use at the same time? (4th method used in 2nd  
 combo - Apr 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in April 2001  
 ([nummult28](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX2728](#) ne 1)

**MTHUSIMX2751** (2591 - 2591)



**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Apr 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	1
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2001 ([nummult28](#)>2)

**MTHUSIMX2752** (2592 - 2592)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Apr 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2001 ([nummult28](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX2751](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX2753** (2593 - 2593)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Apr 2001)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2001 ([nummult28](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX2751](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX2754** (2594 - 2595)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Apr 2001)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in April 2001 ([nummult28](#)>3) and R used at least 3 method combinations, with at

NSFG Cycle 6 Female Respondent File Section E Part II

least 3 methods in the 3rd method combination ([MTHUSIMX2753](#) ne 1)

**nummult28** (2596 - 2596)

Number of Methods Reported in Apr 2001 (Computed)

Value	Label	Total
.	inapplicable	1166
0	0	27
1	1	5897
2-25	2 OR MORE	553
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before April 2001 ([cmfirsm](#)<1216)

**METHHIST291** (2597 - 2598)

**ED-6:** ENTER METHOD USED IN MAY 2001 (1st mention)

Value	Label	Total
.	inapplicable	1142
1	NO METHOD USED	1941
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1498
4	CONDOM	953
5	PARTNER'S VASECTOMY	286
6	STERILIZING OPERATION/TUBAL LIGATION	1028
7	WITHDRAWAL, PULLING OUT	227
8	DEPO-PROVERA, INJECTABLES (SHOT)	269
9	NORPLANT (TM) IMPLANTS	27
10	RHYTHM OR SAFE PERIOD BY CALENDAR	39
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	16
12	DIAPHRAGM	13
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	7
15	JELLY OR CREAM	3

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	9
18	TODAY (TM) SPONGE	3
19	IUD, COIL, OR LOOP	82
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	17
22	RESPONDENT WAS STERILE	33
23	RESPONDENT'S PARTNER WAS STERILE	14
24	LUNELLE INJECTABLE (MONTHLY SHOT)	8
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14
99	Don't know	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before May 2001 ([cmfirsm](#)<=cmmay01)

***METHHIST292*** (2599 - 2600)

**ED-6:** ENTER METHOD USED IN MAY 2001 (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7065
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	26
4	CONDOM	232
5	PARTNER'S VASECTOMY	11
6	STERILIZING OPERATION/TUBAL LIGATION	79
7	WITHDRAWAL, PULLING OUT	137
8	DEPO-PROVERA, INJECTABLES (SHOT)	24
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	39
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	4
13	FEMALE CONDOM, VAGINAL POUCH	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	5
15	JELLY OR CREAM	5
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	3
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	4
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in May 2001 (see [METHHIST291](#))

**METHHIST293** (2601 - 2602)

**ED-6:** ENTER METHOD USED IN MAY 2001 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7596
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	15
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in May 2001 (see [METHHIST291](#))

***METHHIST294*** (2603 - 2604)

**ED-6:** ENTER METHOD USED IN MAY 2001 (4th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7635
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in May 2001 (see [METHHIST291](#))

***SAMEAllYear29*** (2605 - 2605)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (May 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	YES	1
5	NO	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST291](#)=55)

***SIMSEQ29*** (2606 - 2606)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (May 2001)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7114
1	SAME TIME	423
2	DIFFERENT TIMES	106
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in May 2001 ([nummult29=2](#))

**MTHUSIMX2801** (2607 - 2608)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - May 2001)

Value	Label	Total
.	inapplicable	7597
1	NONE	7
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	14
4	CONDOM	18
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2001 ([nummult29](#)>2)

***MTHUSIMX2802*** (2609 - 2610)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - May 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7605
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	17
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	13
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2001 ([nummult29](#)>2)  
and R used at least 2 methods in the first method combination  
([MTHUSIMX2801](#) ne 1)

**MTHUSIMX2803** (2611 - 2612)

**ED-11:** During that month, which (of those methods/other methods),  
if any, did you use at the same time? (3rd method used in 1st  
combo - May 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7615
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	11
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2001 ([nummult29](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX2801](#) ne 1)

***MTHUSIMX2804*** (2613 - 2614)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - May 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in May 2001 ([nummult29](#)>3)  
and R used at least 3 methods in first method combination  
([MTHUSIMX2803](#) ne 1)

**MTHUSIMX2826** (2615 - 2615)

**ED-11:** During that month, which (of those methods/other methods),  
if any, did you use at the same time? (1st method used in 2nd  
combo - May 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7604
1	NONE	22
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	8
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2001 ([nummult29](#)>2)

**MTHUSIMX2827** (2616 - 2617)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - May 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7628
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2001 ([nummult29](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX2826](#) ne 1)

***MTHUSIMX2828*** (2618 - 2619)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - May 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7632
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1



**NSFG Cycle 6 Female Respondent File Section E Part II**

12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2001 ([nummult29](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX2826](#) ne 1)

***MTHUSIMX2829*** (2620 - 2621)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - May 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in May 2001 ([nummult29](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX2828](#) ne 1)

***MTHUSIMX2851*** (2622 - 2622)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - May 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	1
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2001 ([nummult29](#)>2)

***MTHUSIMX2852*** (2623 - 2623)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - May 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2001 ([nummult29](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX2851](#) ne 1)

**MTHUSIMX2853** (2624 - 2624)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - May 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2001 ([nummult29](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX2851](#) ne 1)

***MTHUSIMX2854*** (2625 - 2626)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - May 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in May 2001 ([nummult29](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX2853](#) ne 1)

**nummult29** (2627 - 2627)

Number of Methods Reported in May 2001 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1142
0	0	27
1	1	5899
2-25	2 OR MORE	575
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before May 2001 ([cmfirsm](#)<1217)

**METHHIST301** (2628 - 2629)

**ED-6:** ENTER METHOD USED IN JUNE 2001 (1st mention)

Value	Label	Total
.	inapplicable	1119
1	NO METHOD USED	1973
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1505
4	CONDOM	942
5	PARTNER'S VASECTOMY	289
6	STERILIZING OPERATION/TUBAL LIGATION	1032
7	WITHDRAWAL, PULLING OUT	214
8	DEPO-PROVERA, INJECTABLES (SHOT)	269
9	NORPLANT (TM) IMPLANTS	27
10	RHYTHM OR SAFE PERIOD BY CALENDAR	37
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	15
12	DIAPHRAGM	12
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	8
15	JELLY OR CREAM	3
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	9
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	83
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	16
22	RESPONDENT WAS STERILE	37
23	RESPONDENT'S PARTNER WAS STERILE	14
24	LUNELLE INJECTABLE (MONTHLY SHOT)	9
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14

NSFG Cycle 6 Female Respondent File Section E Part II

99	Don't know	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before June 2001 ([cmfirsm](#)<=cmjun01)

**METHHIST302** (2630 - 2631)

**ED-6:** ENTER METHOD USED IN JUNE 2001 (2nd mention)

Value	Label	Total
.	inapplicable	7074
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	20
4	CONDOM	228
5	PARTNER'S VASECTOMY	12
6	STERILIZING OPERATION/TUBAL LIGATION	80
7	WITHDRAWAL, PULLING OUT	135
8	DEPO-PROVERA, INJECTABLES (SHOT)	26
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	38
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	4
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	3
15	JELLY OR CREAM	5
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	3
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	3
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	5
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0



NSFG Cycle 6 Female Respondent File Section E Part II

55 SAME METHOD USED THRU END OF YEAR 0  
**Total** 7643

**Universe:**

Applicable if R used at least 2 methods in June 2001 (see [METHHIST301](#))

**METHHIST303** (2632 - 2633)

**ED-6:** ENTER METHOD USED IN JUNE 2001 (3rd mention)

Value	Label	Total
.	inapplicable	7597
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	15
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	16
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	1
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in June 2001 (see [METHHIST301](#))

**METHHIST304** (2634 - 2635)

**ED-6:** ENTER METHOD USED IN JUNE 2001 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

NSFG Cycle 6 Female Respondent File Section E Part II

55 SAME METHOD USED THRU END OF YEAR  
**Total**

0  
**7643**

**Universe:**

Applicable if R used at least 4 methods in June 2001 (see [METHHIST301](#))

**SAMEAllYear30** (2636 - 2636)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Jun 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST301](#)=55)

**SIMSEQ30** (2637 - 2637)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Jun 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7122
1	SAME TIME	416
2	DIFFERENT TIMES	105
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in June 2001 ([nummult30](#)=2)

**MTHUSIMX2901** (2638 - 2639)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Jun 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7598
1	NONE	8
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	14
4	CONDOM	18
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2001 ([nummult30](#)>2)

**MTHUSIMX2902** (2640 - 2641)

NSFG Cycle 6 Female Respondent File Section E Part II

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Jun 2001)

Value	Label	Total
.	inapplicable	7607
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	14
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	10
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2001 ([nummult30](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX2901](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX2903** (2642 - 2643)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Jun 2001)

Value	Label	Total
.	inapplicable	7617
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	7
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	9
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	1
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2001 ([nummult30](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX2901](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX2904** (2644 - 2645)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Jun 2001)

Value	Label	Total
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in June 2001 ([nummult30](#)>3) and R used at least 3 methods in first method combination

NSFG Cycle 6 Female Respondent File Section E Part II

([MTHUSIMX2903](#) ne 1)

**MTHUSIMX2926** (2646 - 2647)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Jun 2001)

Value	Label	Total
.	inapplicable	7606
1	NONE	18
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	7
4	CONDOM	7
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>



NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 3 methods in June 2001 ([nummult30](#)>2)

**MTHUSIMX2927** (2648 - 2649)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Jun 2001)

Value	Label	Total
.	inapplicable	7629
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section E Part II**

applicable if R used at least 3 methods in June 2001 ([nummult30](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX2926](#) ne 1)

**MTHUSIMX2928** (2650 - 2651)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Jun 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7632
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 3 methods in June 2001 ([nummult30](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX2926](#) ne 1)

**MTHUSIMX2929** (2652 - 2653)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Jun 2001)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

NSFG Cycle 6 Female Respondent File Section E Part II

Total

7643

**Universe:**

applicable if R used at least 4 methods in June 2001 ([nummult30](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX2928](#) ne 1)

**MTHUSIMX2951** (2654 - 2654)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Jun 2001)

Value	Label	Total
.	inapplicable	7641
1	NONE	1
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2001 ([nummult30](#)>2)

**MTHUSIMX2952** (2655 - 2655)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Jun 2001)

<u>Value Label</u>	<u>Total</u>
.    inapplicable	7642
1    NONE	0
2    OFFICE USE ONLY	0
3    BIRTH CONTROL PILLS	0
4    CONDOM	1
5    PARTNER'S VASECTOMY	0
6    STERILIZING OPERATION/TUBAL LIGATION	0
7    WITHDRAWAL, PULLING OUT	0
8    DEPO-PROVERA, INJECTABLES	0
9    NORPLANT (TM) IMPLANTS	0
10   RHYTHM OR SAFE PERIOD BY CALENDAR	0
11   SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12   DIAPHRAGM	0
13   FEMALE CONDOM, VAGINAL POUCH	0
14   FOAM	0
15   JELLY OR CREAM	0
16   CERVICAL CAP	0
17   SUPPOSITORY, INSERT	0
18   TODAY (TM) SPONGE	0
19   IUD, COIL, OR LOOP	0
20   EMERGENCY CONTRACEPTION	0
21   OTHER METHOD	0
22   R'S STERILITY	0
23   R'S PARTNER'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2001 ([nummult30](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX2951](#) ne 1)

**MTHUSIMX2953** (2656 - 2656)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Jun 2001)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2001 ([nummult30](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX2951](#) ne 1)

**MTHUSIMX2954** (2657 - 2658)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Jun 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in June 2001 ([nummult30](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX2953](#) ne 1)

**nummult30** (2659 - 2659)

Number of Methods Reported in Jun 2001 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1119
0	0	27
1	1	5931
2-25	2 OR MORE	566
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before June 2001 ([cmfirsm](#)<1218)

**METHHIST311** (2660 - 2661)

**ED-6:** ENTER METHOD USED IN JULY 2001 (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1097
1	NO METHOD USED	1967
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1525
4	CONDOM	951



**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	286
6	STERILIZING OPERATION/TUBAL LIGATION	1040
7	WITHDRAWAL, PULLING OUT	217
8	DEPO-PROVERA, INJECTABLES (SHOT)	268
9	NORPLANT (TM) IMPLANTS	26
10	RHYTHM OR SAFE PERIOD BY CALENDAR	34
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	14
12	DIAPHRAGM	12
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	6
15	JELLY OR CREAM	5
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	9
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	81
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	3
21	OTHER METHOD	13
22	RESPONDENT WAS STERILE	36
23	RESPONDENT'S PARTNER WAS STERILE	15
24	LUNELLE INJECTABLE (MONTHLY SHOT)	10
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14
99	Don't know	12
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before July 2001 ([cmfirsm](#)<=cmjul01)

**METHHIST312** (2662 - 2663)

**ED-6:** ENTER METHOD USED IN JULY 2001 (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7073
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	17
4	CONDOM	221
5	PARTNER'S VASECTOMY	11
6	STERILIZING OPERATION/TUBAL LIGATION	81
7	WITHDRAWAL, PULLING OUT	139
8	DEPO-PROVERA, INJECTABLES (SHOT)	25
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	37
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	7
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	4
15	JELLY OR CREAM	5
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	5
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	3
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	7
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in July 2001 (see [METHHIST311](#))

**METHHIST313** (2664 - 2665)

**ED-6:** ENTER METHOD USED IN JULY 2001 (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7599
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES (SHOT)	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	18
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in July 2001 (see [METHHIST311](#))

**METHHIST314** (2666 - 2667)

**ED-6:** ENTER METHOD USED IN JULY 2001 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7635
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in July 2001 (see [METHHIST311](#))

***SAMEAllYear31*** (2668 - 2668)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Jul 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642

NSFG Cycle 6 Female Respondent File Section E Part II

1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST311](#)=55)

**SIMSEQ31** (2669 - 2669)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Jul 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7118
1	SAME TIME	415
2	DIFFERENT TIMES	110
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in July 2001 ([nummult31](#)=2)

**MTHUSIMX3001** (2670 - 2671)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Jul 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7600
1	NONE	9
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	14
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2001 ([nummult31](#)>2)

***MTHUSIMX3002*** (2672 - 2673)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Jul 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7610
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	16
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	11

**NSFG Cycle 6 Female Respondent File Section E Part II**

8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2001 ([nummult31](#)>2)  
and R used at least 2 methods in the first method combination  
([MTHUSIMX3001](#) ne 1)

**MTHUSIMX3003** (2674 - 2675)

**ED-11:** During that month, which (of those methods/other methods),  
if any, did you use at the same time? (3rd method used in 1st  
combo - Jul 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7617
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	8
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	9
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2001 ([nummult31](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX3001](#) ne 1)

***MTHUSIMX3004*** (2676 - 2677)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Jul 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in July 2001 ([nummult31](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX3003](#) ne 1)

**MTHUSIMX3026** (2678 - 2678)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Jul 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7609
1	NONE	20

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	6
4	CONDOM	4
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2001 ([nummult31](#)>2)

**MTHUSIMX3027** (2679 - 2680)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Jul 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7631
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2001 ([nummult31](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX3026](#) ne 1)

***MTHUSIMX3028*** (2681 - 2682)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Jul 2001)

<u>Value Label</u>	<u>Total</u>
--------------------	--------------

NSFG Cycle 6 Female Respondent File Section E Part II

.	inapplicable	7634
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2001 ([nummult31](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX3026](#) ne 1)

***MTHUSIMX3029*** (2683 - 2684)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Jul 2001)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in July 2001 ([nummult31](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX3028](#) ne 1)

**MTHUSIMX3051** (2685 - 2685)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Jul 2001)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2001 ([nummult31](#)>2)

**MTHUSIMX3052** (2686 - 2686)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Jul 2001)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2001 ([nummult31](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX3051](#) ne 1)

**MTHUSIMX3053** (2687 - 2688)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd

NSFG Cycle 6 Female Respondent File Section E Part II

combo - Jul 2001)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2001 ([nummult31](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX3051](#) ne 1)

**MTHUSIMX3054** (2689 - 2690)

**ED-11:** During that month, which (of those methods/other methods),  
547 of 914



NSFG Cycle 6 Female Respondent File Section E Part II

if any, did you use at the same time? (4th method used in 3rd  
 combo - Jul 2001)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in July 2001 ([nummult31](#)>3)  
 and R used at least 3 method combinations, with at least 3 methods  
 in the 3rd method combination ([MTHUSIMX3053](#) ne 1)

**nummult31** (2691 - 2691)

NSFG Cycle 6 Female Respondent File Section E Part II

Number of Methods Reported in Jul 2001 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1097
0	0	26
1	1	5952
2-25	2 OR MORE	568
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before July 2001 ([cmfirsm](#)<1219)

**METHHIST321** (2692 - 2693)

**ED-6:** ENTER METHOD USED IN AUGUST 2001 (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1074
1	NO METHOD USED	1981
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1527
4	CONDOM	921
5	PARTNER'S VASECTOMY	292
6	STERILIZING OPERATION/TUBAL LIGATION	1052
7	WITHDRAWAL, PULLING OUT	219
8	DEPO-PROVERA, INJECTABLES (SHOT)	282
9	NORPLANT (TM) IMPLANTS	26
10	RHYTHM OR SAFE PERIOD BY CALENDAR	35
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	16
12	DIAPHRAGM	13
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	7
15	JELLY OR CREAM	5
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	9
18	TODAY (TM) SPONGE	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	80
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	14
22	RESPONDENT WAS STERILE	37
23	RESPONDENT'S PARTNER WAS STERILE	15
24	LUNELLE INJECTABLE (MONTHLY SHOT)	11
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14
99	Don't know	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before August 2001 ([cmfirsm](#)<=cmaug01)

***METHHIST322*** (2694 - 2695)

**ED-6:** ENTER METHOD USED IN AUGUST 2001 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7066
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	18
4	CONDOM	241
5	PARTNER'S VASECTOMY	9
6	STERILIZING OPERATION/TUBAL LIGATION	79
7	WITHDRAWAL, PULLING OUT	137
8	DEPO-PROVERA, INJECTABLES (SHOT)	21
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	37
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	3
12	DIAPHRAGM	5
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	4
15	JELLY OR CREAM	6
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	4
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	3
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	7
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in August 2001 (see [METHHIST321](#))

**METHHIST323** (2696 - 2697)

**ED-6:** ENTER METHOD USED IN AUGUST 2001 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7599
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	16
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in August 2001 (see [METHHIST321](#))

**METHHIST324** (2698 - 2699)

**ED-6:** ENTER METHOD USED IN AUGUST 2001 (4th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in August 2001 (see [METHHIST321](#))

**SAMEAllYear32** (2700 - 2700)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Aug 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST321](#)=55)

**SIMSEQ32** (2701 - 2701)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Aug 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section E Part II**

.	inapplicable	7114
1	SAME TIME	424
2	DIFFERENT TIMES	105
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in August 2001 ([nummult32=2](#))

***MTHUSIMX3101*** (2702 - 2703)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Aug 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7599
1	NONE	8
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	16
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2001  
 ([nummult32](#)>2)

**MTHUSIMX3102** (2704 - 2705)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Aug 2001)

Value	Label	Total
.	inapplicable	7608
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	15
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	13
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2001  
 ([nummult32](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX3101](#) ne 1)

***MTHUSIMX3103*** (2706 - 2707)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Aug 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7618
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	8
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	9
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2001  
 ([nummult32](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX3101](#) ne 1)

***MTHUSIMX3104*** (2708 - 2709)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Aug 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in August 2001  
 ([nummult32](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX3103](#) ne 1)

**MTHUSIMX3126** (2710 - 2711)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Aug 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7607
1	NONE	19
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	9
4	CONDOM	4
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2001  
 ([nummult32](#)>2)

***MTHUSIMX3127*** (2712 - 2713)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Aug 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7626
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	2
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2001  
 ([nummult32](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX3126](#) ne 1)

***MTHUSIMX3128*** (2714 - 2715)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - Aug 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7633
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2001  
 ([nummult32](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX3126](#) ne 1)

***MTHUSIMX3129*** (2716 - 2717)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - Aug 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in August 2001  
 ([nummult32](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX3128](#) ne 1)

***MTHUSIMX3151*** (2718 - 2718)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - Aug 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2001  
 ([nummult32](#)>2)

**MTHUSIMX3152** (2719 - 2719)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Aug 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1



**NSFG Cycle 6 Female Respondent File Section E Part II**

8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2001  
 ([nummult32](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX3151](#) ne 1)

***MTHUSIMX3153*** (2720 - 2721)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - Aug 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2001  
 ([nummult32](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX3151](#) ne 1)

***MTHUSIMX3154*** (2722 - 2723)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Aug 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in August 2001  
 ([nummult32](#)>3) and R used at least 3 method combinations, with at  
 least 3 methods in the 3rd method combination ([MTHUSIMX3153](#) ne 1)

**nummult32** (2724 - 2724)

Number of Methods Reported in Aug 2001 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1074
0	0	25
1	1	5971
2-25	2 OR MORE	573

NSFG Cycle 6 Female Respondent File Section E Part II

Total 7643

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before August 2001([cmfirsm](#)<1220)

**METHHIST331** (2725 - 2726)

**ED-6:** ENTER METHOD USED IN SEPTEMBER 2001 (1st mention)

Value	Label	Total
.	inapplicable	1057
1	NO METHOD USED	1965
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1524
4	CONDOM	949
5	PARTNER'S VASECTOMY	296
6	STERILIZING OPERATION/TUBAL LIGATION	1061
7	WITHDRAWAL, PULLING OUT	220
8	DEPO-PROVERA, INJECTABLES (SHOT)	272
9	NORPLANT (TM) IMPLANTS	26
10	RHYTHM OR SAFE PERIOD BY CALENDAR	33
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	15
12	DIAPHRAGM	13
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	7
15	JELLY OR CREAM	5
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	11
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	83
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	14
22	RESPONDENT WAS STERILE	36
23	RESPONDENT'S PARTNER WAS STERILE	16
24	LUNELLE INJECTABLE (MONTHLY SHOT)	10
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

98	Refused	14
99	Don't know	12
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before September 2001 ([cmfirsm](#)<=cmsep01)

**METHHIST332** (2727 - 2728)

**ED-6:** ENTER METHOD USED IN SEPTEMBER 2001 (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7073
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	21
4	CONDOM	221
5	PARTNER'S VASECTOMY	10
6	STERILIZING OPERATION/TUBAL LIGATION	78
7	WITHDRAWAL, PULLING OUT	139
8	DEPO-PROVERA, INJECTABLES (SHOT)	26
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	37
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	3
12	DIAPHRAGM	6
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	4
15	JELLY OR CREAM	6
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	7
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	3
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	7
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in September 2001 (see [METHHIST331](#))

**METHHIST333** (2729 - 2730)

**ED-6:** ENTER METHOD USED IN SEPTEMBER 2001 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7592
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	13
8	DEPO-PROVERA, INJECTABLES (SHOT)	3
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	23
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	4
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in September 2001 (see [METHHIST331](#))

**METHHIST334** (2731 - 2732)

**ED-6:** ENTER METHOD USED IN SEPTEMBER 2001 (4th mention)

Value	Label	Total
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in September 2001 (see [METHHIST331](#))

**SAMEAllYear33** (2733 - 2733)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Sep 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST331](#)=55)

**SIMSEQ33** (2734 - 2734)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Sep 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7128
1	SAME TIME	411
2	DIFFERENT TIMES	104
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in September 2001 ([nummult33](#)=2)



NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX3201** (2735 - 2736)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Sep 2001)

Value	Label	Total
.	inapplicable	7592
1	NONE	10
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	14
4	CONDOM	22
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2001  
 ([nummult33](#)>2)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX3202** (2737 - 2738)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Sep 2001)

Value	Label	Total
.	inapplicable	7603
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	12
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	18
8	DEPO-PROVERA, INJECTABLES	3
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2001 ([nummult33](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX3201](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX3203** (2739 - 2740)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Sep 2001)

Value	Label	Total
.	inapplicable	7615
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	13
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	4
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2001 ([nummult33](#)>2) and R used at least 2 methods in the first method

NSFG Cycle 6 Female Respondent File Section E Part II

combination ([MTHUSIMX3201](#) ne 1)

**MTHUSIMX3204** (2741 - 2742)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Sep 2001)

Value	Label	Total
.	inapplicable	7638
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in September 2001

NSFG Cycle 6 Female Respondent File Section E Part II

([nummult33](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX3203](#) ne 1)

**MTHUSIMX3226** (2743 - 2744)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Sep 2001)

Value	Label	Total
.	inapplicable	7602
1	NONE	21
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	7
4	CONDOM	7
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 3 methods in September 2001  
([nummult33](#)>2)

**MTHUSIMX3227** (2745 - 2746)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Sep 2001)

Value	Label	Total
.	inapplicable	7625
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	6
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	2
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 3 methods in September 2001  
 (nummult33>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination (MTHUSIMX3226 ne 1)

**MTHUSIMX3228** (2747 - 2748)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - Sep 2001)

Value	Label	Total
.	inapplicable	7634
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

NSFG Cycle 6 Female Respondent File Section E Part II

Total

7643

**Universe:**

applicable if R used at least 3 methods in September 2001  
 ([nummult33](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX3226](#) ne 1)

**MTHUSIMX3229** (2749 - 2750)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - Sep 2001)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in September 2001  
 ([nummult33](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX3228](#) ne 1)

**MTHUSIMX3251** (2751 - 2751)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - Sep 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2001  
 ([nummult33](#)>2)

**MTHUSIMX3252** (2752 - 2752)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Sep 2001)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2001  
 ([nummult33](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX3251](#) ne 1)

**MTHUSIMX3253** (2753 - 2754)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - Sep 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2001  
 ([nummult33](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX3251](#) ne 1)

***MTHUSIMX3254*** (2755 - 2756)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Sep 2001)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in September 2001 ([nummult33](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX3253](#) ne 1)

**nummult33** (2757 - 2757)

Number of Methods Reported in Sep 2001 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1057
0	0	26
1	1	5994
2-25	2 OR MORE	566
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before September 2001 ([cmfirsm](#)<1221)

**METHHIST341** (2758 - 2759)

**ED-6:** ENTER METHOD USED IN OCTOBER 2001 (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1043
1	NO METHOD USED	1954

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1518
4	CONDOM	964
5	PARTNER'S VASECTOMY	301
6	STERILIZING OPERATION/TUBAL LIGATION	1064
7	WITHDRAWAL, PULLING OUT	222
8	DEPO-PROVERA, INJECTABLES (SHOT)	269
9	NORPLANT (TM) IMPLANTS	26
10	RHYTHM OR SAFE PERIOD BY CALENDAR	36
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	17
12	DIAPHRAGM	14
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	6
15	JELLY OR CREAM	5
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	7
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	85
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	14
22	RESPONDENT WAS STERILE	40
23	RESPONDENT'S PARTNER WAS STERILE	16
24	LUNELLE INJECTABLE (MONTHLY SHOT)	11
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14
99	Don't know	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before October 2001 ([cmfirsm](#)<=cmoct01)

***METHHIST342*** (2760 - 2761)

**ED-6:** ENTER METHOD USED IN OCTOBER 2001 (2nd mention)

<u>Value Label</u>	<u>Total</u>
--------------------	--------------

**NSFG Cycle 6 Female Respondent File Section E Part II**

.	inapplicable	7054
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	19
4	CONDOM	235
5	PARTNER'S VASECTOMY	13
6	STERILIZING OPERATION/TUBAL LIGATION	81
7	WITHDRAWAL, PULLING OUT	138
8	DEPO-PROVERA, INJECTABLES (SHOT)	23
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	38
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	5
12	DIAPHRAGM	6
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	5
15	JELLY OR CREAM	5
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	9
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	7
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	1
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in October 2001 (see [METHHIST341](#))

**METHHIST343** (2762 - 2763)

**ED-6:** ENTER METHOD USED IN OCTOBER 2001 (3rd mention)

Value Label	Total
-------------	-------

---

**NSFG Cycle 6 Female Respondent File Section E Part II**

.	inapplicable	7595
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	14
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	22
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	4
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in October 2001 (see [METHHIST341](#))

**METHHIST344** (2764 - 2765)

**ED-6:** ENTER METHOD USED IN OCTOBER 2001 (4th mention)

Value Label	Total
-------------	-------

---



**NSFG Cycle 6 Female Respondent File Section E Part II**

.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in October 2001 (see [METHHIST341](#))

***SAMEAllYear34*** (2766 - 2766)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Oct 2001)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST341](#)=55)

**SIMSEQ34** (2767 - 2767)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Oct 2001)

Value	Label	Total
.	inapplicable	7106
1	SAME TIME	432
2	DIFFERENT TIMES	105
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in October 2001 ([nummult34](#)=2)

**MTHUSIMX3301** (2768 - 2769)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Oct 2001)

Value	Label	Total
.	inapplicable	7595
1	NONE	9
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	14
4	CONDOM	20
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2001  
 ([nummult34](#)>2)

***MTHUSIMX3302*** (2770 - 2771)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Oct 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7605
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	14
5	PARTNER'S VASECTOMY	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	14
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2001  
 ([nummult34](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX3301](#) ne 1)

***MTHUSIMX3303*** (2772 - 2773)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Oct 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7617
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	11
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	4
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2001  
 ([nummult34](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX3301](#) ne 1)

**MTHUSIMX3304** (2774 - 2775)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Oct 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7638
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in October 2001  
 ([nummult34](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX3303](#) ne 1)

***MTHUSIMX3326*** (2776 - 2777)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Oct 2001)

<u>Value Label</u>	<u>Total</u>
--------------------	--------------

**NSFG Cycle 6 Female Respondent File Section E Part II**

.	inapplicable	7604
1	NONE	21
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	7
4	CONDOM	6
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2001  
 ([nummult34](#)>2)

***MTHUSIMX3327*** (2778 - 2779)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Oct 2001)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7627
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	3
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	7
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2001 ([nummult34](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX3326](#) ne 1)

**MTHUSIMX3328** (2780 - 2781)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Oct 2001)



NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7634
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2001 ([nummult34](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX3326](#) ne 1)

**MTHUSIMX3329** (2782 - 2783)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd

NSFG Cycle 6 Female Respondent File Section E Part II

combo - Oct 2001)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in October 2001 ([nummult34](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX3328](#) ne 1)

**MTHUSIMX3351** (2784 - 2784)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Oct 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2001  
 ([nummult34](#)>2)

**MTHUSIMX3352** (2785 - 2785)

NSFG Cycle 6 Female Respondent File Section E Part II

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Oct 2001)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2001 ([nummult34](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX3351](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX3353** (2786 - 2787)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Oct 2001)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2001 ([nummult34](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX3351](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX3354** (2788 - 2789)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Oct 2001)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in October 2001 ([nummult34](#)>3) and R used at least 3 method combinations, with at

NSFG Cycle 6 Female Respondent File Section E Part II

least 3 methods in the 3rd method combination ([MTHUSIMX3353](#) ne 1)

**nummult34** (2790 - 2790)

Number of Methods Reported in Oct 2001 (Computed)

Value	Label	Total
.	inapplicable	1043
0	0	27
1	1	5988
2-25	2 OR MORE	585
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before October 2001 ([cmfirsm](#)<1222)

**METHHIST351** (2791 - 2792)

**ED-6:** ENTER METHOD USED IN NOVEMBER 2001 (1st mention)

Value	Label	Total
.	inapplicable	1029
1	NO METHOD USED	1947
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1508
4	CONDOM	978
5	PARTNER'S VASECTOMY	304
6	STERILIZING OPERATION/TUBAL LIGATION	1067
7	WITHDRAWAL, PULLING OUT	228
8	DEPO-PROVERA, INJECTABLES (SHOT)	273
9	NORPLANT (TM) IMPLANTS	23
10	RHYTHM OR SAFE PERIOD BY CALENDAR	41
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	16
12	DIAPHRAGM	15
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	8
15	JELLY OR CREAM	5

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	8
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	84
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	15
22	RESPONDENT WAS STERILE	38
23	RESPONDENT'S PARTNER WAS STERILE	15
24	LUNELLE INJECTABLE (MONTHLY SHOT)	11
25	CONTRACEPTIVE PATCH	1
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14
99	Don't know	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before November 2001 ([cmfirsm](#)<=cmnov01)

**METHHIST352** (2793 - 2794)

**ED-6:** ENTER METHOD USED IN NOVEMBER 2001 (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7044
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	18
4	CONDOM	246
5	PARTNER'S VASECTOMY	12
6	STERILIZING OPERATION/TUBAL LIGATION	84
7	WITHDRAWAL, PULLING OUT	135
8	DEPO-PROVERA, INJECTABLES (SHOT)	22
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	40
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	5
12	DIAPHRAGM	6
13	FEMALE CONDOM, VAGINAL POUCH	1



**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	4
15	JELLY OR CREAM	6
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	8
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	3
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	7
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in November 2001 (see [METHHIST351](#))

***METHHIST353*** (2795 - 2796)

**ED-6:** ENTER METHOD USED IN NOVEMBER 2001 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7599
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	13
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	22
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	4
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in November 2001 (see [METHHIST351](#))

***METHHIST354*** (2797 - 2798)

**ED-6:** ENTER METHOD USED IN NOVEMBER 2001 (4th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in November 2001 (see [METHHIST351](#))

***SAMEAllYear35*** (2799 - 2799)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Nov 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST351](#)=55)

***SIMSEQ35*** (2800 - 2800)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Nov 2001)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7092
1	SAME TIME	449
2	DIFFERENT TIMES	102
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in November 2001 ([nummult35=2](#))

**MTHUSIMX3401** (2801 - 2802)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Nov 2001)

Value	Label	Total
.	inapplicable	7599
1	NONE	8
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	13
4	CONDOM	19
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2001  
 ([nummult35](#)>2)

**MTHUSIMX3402** (2803 - 2804)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Nov 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7608
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	13
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	13
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2001  
 ([nummult35](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX3401](#) ne 1)

**MTHUSIMX3403** (2805 - 2806)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Nov 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7618
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	11
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	4
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2001  
 ([nummult35](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX3401](#) ne 1)

***MTHUSIMX3404*** (2807 - 2808)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Nov 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in November 2001  
 ([nummult35](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX3403](#) ne 1)

**MTHUSIMX3426** (2809 - 2810)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Nov 2001)

Value	Label	Total
.	inapplicable	7607
1	NONE	19
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	8
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2001  
 ([nummult35](#)>2)

***MTHUSIMX3427*** (2811 - 2812)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Nov 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7628
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	3
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	7
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2001 ([nummult35](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX3426](#) ne 1)

***MTHUSIMX3428*** (2813 - 2814)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Nov 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7635
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2001 ([nummult35](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX3426](#) ne 1)

***MTHUSIMX3429*** (2815 - 2816)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Nov 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in November 2001  
 ([nummult35](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX3428](#) ne 1)

***MTHUSIMX3451*** (2817 - 2817)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - Nov 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2001  
 ([nummult35](#)>2)

***MTHUSIMX3452*** (2818 - 2818)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Nov 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2001  
 ([nummult35](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX3451](#) ne 1)

***MTHUSIMX3453*** (2819 - 2820)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - Nov 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2001  
 ([nummult35](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX3451](#) ne 1)

**MTHUSIMX3454** (2821 - 2822)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Nov 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in November 2001  
 ([nummult35](#)>3) and R used at least 3 method combinations, with at  
 least 3 methods in the 3rd method combination ([MTHUSIMX3453](#) ne 1)

**nummult35** (2823 - 2823)

Number of Methods Reported in Nov 2001 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1029
0	0	25



NSFG Cycle 6 Female Respondent File Section E Part II

1	1	5994
2-25	2 OR MORE	595
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused=1](#)) and date of first method use was on or before November 2001 ([cmfirsm<1223](#))

**METHHIST361** (2824 - 2825)

**ED-6:** ENTER METHOD USED IN DECEMBER 2001 (1st mention)

Value	Label	Total
.	inapplicable	1012
1	NO METHOD USED	1918
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1526
4	CONDOM	1001
5	PARTNER'S VASECTOMY	303
6	STERILIZING OPERATION/TUBAL LIGATION	1073
7	WITHDRAWAL, PULLING OUT	229
8	DEPO-PROVERA, INJECTABLES (SHOT)	268
9	NORPLANT (TM) IMPLANTS	23
10	RHYTHM OR SAFE PERIOD BY CALENDAR	41
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	16
12	DIAPHRAGM	16
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	7
15	JELLY OR CREAM	3
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	9
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	85
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	16
22	RESPONDENT WAS STERILE	40
23	RESPONDENT'S PARTNER WAS STERILE	15
24	LUNELLE INJECTABLE (MONTHLY SHOT)	12

**NSFG Cycle 6 Female Respondent File Section E Part II**

25	CONTRACEPTIVE PATCH	1
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14
99	Don't know	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused=1](#)) and date of first method use was on or before December 2001 ([cmfirsm<=cmdec01](#))

***METHHIST362*** (2826 - 2827)

**ED-6:** ENTER METHOD USED IN DECEMBER 2001 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7021
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	19
4	CONDOM	238
5	PARTNER'S VASECTOMY	13
6	STERILIZING OPERATION/TUBAL LIGATION	86
7	WITHDRAWAL, PULLING OUT	149
8	DEPO-PROVERA, INJECTABLES (SHOT)	26
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	45
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	4
12	DIAPHRAGM	8
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	6
15	JELLY OR CREAM	6
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	8
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	4
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	7

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in December 2001 (see [METHHIST361](#))

**METHHIST363** (2828 - 2829)

**ED-6:** ENTER METHOD USED IN DECEMBER 2001 (3rd mention)

Value	Label	Total
.	inapplicable	7593
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	13
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	24
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	5
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in December 2001 (see [METHHIST361](#))

**METHHIST364** (2830 - 2831)

**ED-6:** ENTER METHOD USED IN DECEMBER 2001 (4th mention)

Value	Label	Total
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in December 2001 (see [METHHIST361](#))

**SAMEAllYear36** (2832 - 2832)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Dec 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	YES	1
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST361](#)=55)

**SIMSEQ36** (2833 - 2833)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Dec 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7075
1	SAME TIME	458
2	DIFFERENT TIMES	110
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section E Part II

applicable if R used two methods in December 2001 ([nummult36=2](#))

**MTHUSIMX3501** (2834 - 2834)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Dec 2001)

Value	Label	Total
.	inapplicable	7593
1	NONE	10
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	15
4	CONDOM	21
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2001

NSFG Cycle 6 Female Respondent File Section E Part II

([nummult36](#)>2)

**MTHUSIMX3502** (2835 - 2836)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Dec 2001)

Value	Label	Total
.	inapplicable	7604
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	15
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	15
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2001

NSFG Cycle 6 Female Respondent File Section E Part II

([nummult36](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX3501](#) ne 1)

**MTHUSIMX3503** (2837 - 2838)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Dec 2001)

Value	Label	Total
.	inapplicable	7617
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	7
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	12
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>



NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 3 methods in December 2001  
 ([nummult36](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX3501](#) ne 1)

**MTHUSIMX3504** (2839 - 2840)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Dec 2001)

Value	Label	Total
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0

NSFG Cycle 6 Female Respondent File Section E Part II

Total

7643

**Universe:**

applicable if R used at least 4 methods in December 2001  
 ([nummult36](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX3503](#) ne 1)

**MTHUSIMX3526** (2841 - 2842)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Dec 2001)

Value	Label	Total
.	inapplicable	7603
1	NONE	20
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	5
4	CONDOM	8
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2001  
 ([nummult36](#)>2)

***MTHUSIMX3527*** (2843 - 2844)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Dec 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7628
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	3
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2001  
 ([nummult36](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX3526](#) ne 1)

**MTHUSIMX3528** (2845 - 2846)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - Dec 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7634
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2001 ([nummult36](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX3526](#) ne 1)

***MTHUSIMX3529*** (2847 - 2848)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Dec 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in December 2001 ([nummult36](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX3528](#) ne 1)

***MTHUSIMX3551*** (2849 - 2849)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Dec 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	NONE	1
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2001  
 ([nummult36](#)>2)

**MTHUSIMX3552** (2850 - 2850)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Dec 2001)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2001  
 ([nummult36](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX3551](#) ne 1)

**MTHUSIMX3553** (2851 - 2852)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - Dec 2001)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2001  
 ([nummult36](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX3551](#) ne 1)

***MTHUSIMX3554*** (2853 - 2854)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Dec 2001)

<b>Value Label</b>	<b>Total</b>	
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in December 2001 ([nummult36](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX3553](#) ne 1)

**nummult36** (2855 - 2855)

Number of Methods Reported in Dec 2001 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1012
0	0	25
1	1	5988
2-25	2 OR MORE	618
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before December 2001 ([cmfirsm](#)<1224)

**METHHIST371** (2856 - 2857)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-6:** ENTER METHOD USED IN JANUARY 2002 (1st mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	995
1	NO METHOD USED	1963
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1517
4	CONDOM	1001
5	PARTNER'S VASECTOMY	311
6	STERILIZING OPERATION/TUBAL LIGATION	1088
7	WITHDRAWAL, PULLING OUT	216
8	DEPO-PROVERA, INJECTABLES (SHOT)	262
9	NORPLANT (TM) IMPLANTS	23
10	RHYTHM OR SAFE PERIOD BY CALENDAR	42
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	14
12	DIAPHRAGM	14
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	3
15	JELLY OR CREAM	3
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	8
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	80
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	18
22	RESPONDENT WAS STERILE	34
23	RESPONDENT'S PARTNER WAS STERILE	13
24	LUNELLE INJECTABLE (MONTHLY SHOT)	10
25	CONTRACEPTIVE PATCH	2
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14
99	Don't know	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before January 2002 ([cmfirsm](#)<=cmjan02)

NSFG Cycle 6 Female Respondent File Section E Part II

**METHHIST372** (2858 - 2859)

**ED-6:** ENTER METHOD USED IN JANUARY 2002 (2nd mention)

Value	Label	Total
.	inapplicable	7044
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	11
4	CONDOM	231
5	PARTNER'S VASECTOMY	15
6	STERILIZING OPERATION/TUBAL LIGATION	78
7	WITHDRAWAL, PULLING OUT	145
8	DEPO-PROVERA, INJECTABLES (SHOT)	27
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	36
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	4
12	DIAPHRAGM	8
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	7
15	JELLY OR CREAM	11
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	6
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	9
23	RESPONDENT'S PARTNER WAS STERILE	2
24	LUNELLE INJECTABLE (MONTHLY SHOT)	2
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in January 2002 (see [METHHIST371](#))

## NSFG Cycle 6 Female Respondent File Section E Part II

**METHHIST373** (2860 - 2861)

ED-6: ENTER METHOD USED IN JANUARY 2002 (3rd mention)

Value	Label	Total
.	inapplicable	7590
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	14
8	DEPO-PROVERA, INJECTABLES (SHOT)	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	22
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	4
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in January 2002 (see [METHHIST371](#))

NSFG Cycle 6 Female Respondent File Section E Part II

**METHHIST374** (2862 - 2863)

**ED-6:** ENTER METHOD USED IN JANUARY 2002 (4th mention)

Value	Label	Total
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in January 2002 (see [METHHIST371](#))

NSFG Cycle 6 Female Respondent File Section E Part II

**SIMSEQ37** (2864 - 2864)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Jan 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7105
1	SAME TIME	442
2	DIFFERENT TIMES	96
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in January 2002 ([nummult37=2](#))

**MTHUSIMX3601** (2865 - 2866)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Jan 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7590
1	NONE	9
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	14
4	CONDOM	22
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2002  
 ([nummult37](#)>2)

**MTHUSIMX3602** (2867 - 2868)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Jan 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7600
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	16
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	16
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2002  
 ([nummult37](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX3601](#) ne 1)

**MTHUSIMX3603** (2869 - 2870)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Jan 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7614
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	9
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	11
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2002  
 ([nummult37](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX3601](#) ne 1)

***MTHUSIMX3604*** (2871 - 2872)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Jan 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7638
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in January 2002 ([nummult37](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX3603](#) ne 1)

***MTHUSIMX3626*** (2873 - 2874)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Jan 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7599
1	NONE	20
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	8
4	CONDOM	8
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2002  
 ([nummult37](#)>2)

***MTHUSIMX3627*** (2875 - 2876)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Jan 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7624
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	5
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	6

**NSFG Cycle 6 Female Respondent File Section E Part II**

8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2002  
 ([nummult37](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX3626](#) ne 1)

***MTHUSIMX3628*** (2877 - 2878)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - Jan 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7633
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2002  
 ([nummult37](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX3626](#) ne 1)

***MTHUSIMX3629*** (2879 - 2880)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - Jan 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in January 2002  
([nummult37](#)>3) and R used at least 2 method combinations, with at  
least 3 methods in the 2nd method combination ([MTHUSIMX3628](#) ne 1)

**MTHUSIMX3651** (2881 - 2881)

**ED-11:** During that month, which (of those methods/other methods),  
if any, did you use at the same time? (1st method used in 3rd  
combo - Jan 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2002  
 ([nummult37](#)>2)

***MTHUSIMX3652*** (2882 - 2882)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Jan 2002)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7641



**NSFG Cycle 6 Female Respondent File Section E Part II**

1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2002  
 ([nummult37](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX3651](#) ne 1)

***MTHUSIMX3653*** (2883 - 2884)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - Jan 2002)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2002  
 ([nummult37](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX3651](#) ne 1)

**MTHUSIMX3654** (2885 - 2886)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Jan 2002)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in January 2002 ([nummult37](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX3653](#) ne 1)

**nummult37** (2887 - 2887)

Number of Methods Reported in Jan 2002 (Computed)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	995
0	0	22
1	1	6034
2-25	2 OR MORE	592
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused=1](#)) and date of first method use was on or before January 2002 ([cmfirsm<1225](#))

**METHHIST381** (2888 - 2889)

**ED-6:** ENTER METHOD USED IN FEBRUARY 2002 (1st mention)

Value	Label	Total
.	inapplicable	974
1	NO METHOD USED	1970
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1514
4	CONDOM	1005
5	PARTNER'S VASECTOMY	313
6	STERILIZING OPERATION/TUBAL LIGATION	1092
7	WITHDRAWAL, PULLING OUT	215
8	DEPO-PROVERA, INJECTABLES (SHOT)	266
9	NORPLANT (TM) IMPLANTS	22
10	RHYTHM OR SAFE PERIOD BY CALENDAR	46
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	15
12	DIAPHRAGM	14
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	3
15	JELLY OR CREAM	3
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	7
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	84
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	12
22	RESPONDENT WAS STERILE	34
23	RESPONDENT'S PARTNER WAS STERILE	14
24	LUNELLE INJECTABLE (MONTHLY SHOT)	11
25	CONTRACEPTIVE PATCH	2
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14
99	Don't know	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before February 2002 ([cmfirsm](#)<=cmfeb02) and R's date of interview was Feb 2002 or later ([cmintvw](#)>= 1226)

***METHHIST382*** (2890 - 2891)

**ED-6:** ENTER METHOD USED IN FEBRUARY 2002 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7048
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	13
4	CONDOM	217
5	PARTNER'S VASECTOMY	14
6	STERILIZING OPERATION/TUBAL LIGATION	89
7	WITHDRAWAL, PULLING OUT	145
8	DEPO-PROVERA, INJECTABLES (SHOT)	24
9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	38
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	4
12	DIAPHRAGM	7
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	8
15	JELLY OR CREAM	7
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	4

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	3
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	5
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	10
23	RESPONDENT'S PARTNER WAS STERILE	2
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in February 2002 (see [METHHIST381](#)) and R's date of interview was Feb 2002 or later (cmintvw>= 1226)

**METHHIST383** (2892 - 2893)

**ED-6:** ENTER METHOD USED IN FEBRUARY 2002 (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7593
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	3
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	10
8	DEPO-PROVERA, INJECTABLES (SHOT)	3
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	20
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	4
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in February 2002 (see [METHHIST381](#)) and R's date of interview was Feb 2002 or later (cmintvw>= 1226)

**METHHIST384** (2894 - 2895)

**ED-6:** ENTER METHOD USED IN FEBRUARY 2002 (4th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7635
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in February 2002 (see [METHHIST381](#)) and R's date of interview was Feb 2002 or later (cmintvw>= 1226)

**SAMEAllYear38** (2896 - 2896)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Feb 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7538
1	YES	105
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST381](#)=55) and R's date of interview was Feb 2002 or later (cmintvw>= 1226)

**SIMSEQ38** (2897 - 2897)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Feb 2002)



NSFG Cycle 6 Female Respondent File Section E Part II

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7103
1	SAME TIME	439
2	DIFFERENT TIMES	101
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in February 2002 ([nummult38=2](#)) and R's date of interview was Feb 2002 or later (cmintvw>= 1226)

**MTHUSIMX3701** (2898 - 2899)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Feb 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7593
1	NONE	7
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	11
4	CONDOM	25
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2002  
 (nummult38>2) and R's date of interview was Feb 2002 or later  
 (cmintvw>= 1226)

**MTHUSIMX3702** (2900 - 2901)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 1st  
 combo - Feb 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7601
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	11
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	3
7	WITHDRAWAL, PULLING OUT	15
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2002 ([nummult38](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX3701](#) ne 1) and R's date of interview was Feb 2002 or later (cmintvw>= 1226)

**MTHUSIMX3703** (2902 - 2903)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Feb 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7616
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	8
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	10
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	3
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2002 ([nummult38](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX3701](#) ne 1) and R's date of interview was Feb 2002 or later (cmintvw>= 1226)

**MTHUSIMX3704** (2904 - 2905)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Feb 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7638
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in February 2002  
 (nummult38>3) and R used at least 3 methods in first method  
 combination (MTHUSIMX3703 ne 1) and R's date of interview was Feb  
 2002 or later (cmintvw>= 1226)

**MTHUSIMX3726** (2906 - 2907)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Feb 2002)

Value	Label	Total
.	inapplicable	7600
1	NONE	18
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	5
4	CONDOM	14
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2002  
 ([nummult38](#)>2) and R's date of interview was Feb 2002 or later  
 (cmintvw>= 1226)

***MTHUSIMX3727*** (2908 - 2909)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 2nd  
 combo - Feb 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7623
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	8
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2002  
 ([nummult38](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX3726](#) ne 1)  
 and R's date of interview was Feb 2002 or later (cmintvw>= 1226)

***MTHUSIMX3728*** (2910 - 2911)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - Feb 2002)

Value	Label	Total
.	inapplicable	7632
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2002 ([nummult38](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX3726](#) ne 1) and R's date of interview was Feb 2002 or later (cmintvw>= 1226)

**MTHUSIMX3729** (2912 - 2913)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Feb 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in February 2002  
 ([nummult38](#)>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination ([MTHUSIMX3728](#) ne 1)  
 and R's date of interview was Feb 2002 or later (cmintvw>= 1226)

***MTHUSIMX3751*** (2914 - 2914)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - Feb 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	NONE	1
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2002  
 ([nummult38](#)>2) and R's date of interview was Feb 2002 or later  
 (cmintvw>= 1226)

**MTHUSIMX3752** (2915 - 2915)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 3rd  
 combo - Feb 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2002 ([nummult38](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX3751](#) ne 1) and R's date of interview was Feb 2002 or later (cmintvw>= 1226)

**MTHUSIMX3753** (2916 - 2917)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Feb 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2002  
 ([nummult38](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX3751](#) ne 1)  
 and R's date of interview was Feb 2002 or later (cmintvw>= 1226)

**MTHUSIMX3754** (2918 - 2919)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Feb 2002)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7642

**NSFG Cycle 6 Female Respondent File Section E Part II**

1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in February 2002  
 ([nummult38](#)>3) and R used at least 3 method combinations, with at  
 least 3 methods in the 3rd method combination ([MTHUSIMX3753](#) ne 1)  
 and R's date of interview was Feb 2002 or later (cmintvw>= 1226)

***nummult38*** (2920 - 2920)

Number of Methods Reported in Feb 2002 (Computed)

<u>Value Label</u>	<u>Total</u>
--------------------	--------------

**NSFG Cycle 6 Female Respondent File Section E Part II**

.	inapplicable	974
0	0	22
1	1	6057
2-25	2 OR MORE	590
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before February 2002 ([cmfirsm](#)<1226) and R's date of interview was Feb 2002 or later ([cmintvw](#)>= 1226)

***METHHIST391*** (2921 - 2922)

**ED-6:** ENTER METHOD USED IN MARCH 2002 (1st mention)

Value	Label	Total
.	inapplicable	966
1	NO METHOD USED	1961
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1502
4	CONDOM	1004
5	PARTNER'S VASECTOMY	315
6	STERILIZING OPERATION/TUBAL LIGATION	1111
7	WITHDRAWAL, PULLING OUT	218
8	DEPO-PROVERA, INJECTABLES (SHOT)	266
9	NORPLANT (TM) IMPLANTS	22
10	RHYTHM OR SAFE PERIOD BY CALENDAR	49
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	15
12	DIAPHRAGM	12
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	4
15	JELLY OR CREAM	2
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	9
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	83
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	12

**NSFG Cycle 6 Female Respondent File Section E Part II**

22	RESPONDENT WAS STERILE	35
23	RESPONDENT'S PARTNER WAS STERILE	16
24	LUNELLE INJECTABLE (MONTHLY SHOT)	11
25	CONTRACEPTIVE PATCH	4
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14
99	Don't know	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before March 2002 ([cmfirsm](#)<=cmmar02) and R's date of interview was Mar 2002 or later ([cmintvw](#)>= 1227)

***METHHIST392*** (2923 - 2924)

**ED-6:** ENTER METHOD USED IN MARCH 2002 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7048
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	17
4	CONDOM	220
5	PARTNER'S VASECTOMY	14
6	STERILIZING OPERATION/TUBAL LIGATION	82
7	WITHDRAWAL, PULLING OUT	148
8	DEPO-PROVERA, INJECTABLES (SHOT)	28
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	36
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	8
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	8
15	JELLY OR CREAM	7
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	5
18	TODAY (TM) SPONGE	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	3
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	10
23	RESPONDENT'S PARTNER WAS STERILE	2
24	LUNELLE INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in March 2002 (see [METHHIST391](#)) and R's date of interview was Mar 2002 or later (cmintvw >= 1227)

**METHHIST393** (2925 - 2926)

**ED-6:** ENTER METHOD USED IN MARCH 2002 (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7590
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	4
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES (SHOT)	3
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	20
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	4
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in March 2002 (see [METHHIST391](#)) and R's date of interview was Mar 2002 or later (cmintvw >= 1227)

**METHHIST394** (2927 - 2928)

**ED-6:** ENTER METHOD USED IN MARCH 2002 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7635
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in March 2002 (see [METHHIST391](#)) and R's date of interview was Mar 2002 or later (cmintvw>= 1227)

**SAMEAllYear39** (2929 - 2929)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Mar 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7533
1	YES	110
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST391](#)=55) and R's date of interview was Mar 2002 or later (cmintvw>= 1227)

**SIMSEQ39** (2930 - 2930)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Mar 2002)

NSFG Cycle 6 Female Respondent File Section E Part II

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7105
1	SAME TIME	439
2	DIFFERENT TIMES	99
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in March 2002 ([nummult39=2](#)) and R's date of interview was Mar 2002 or later (cmintvw>= 1227)

**MTHUSIMX3801** (2931 - 2932)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Mar 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7590
1	NONE	6
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	14
4	CONDOM	23
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2002  
 ([nummult39](#)>2) and R's date of interview was Mar 2002 or later  
 (cmintvw>= 1227)

***MTHUSIMX3802*** (2933 - 2934)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 1st  
 combo - Mar 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7598
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	14
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	16
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2002  
 ([nummult39](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX3801](#) ne 1) and R's date of interview was Mar  
 2002 or later (cmintvw>= 1227)

***MTHUSIMX3803*** (2935 - 2936)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Mar 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7611
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	10
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	11
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	4
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2002 ([nummult39](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX3801](#) ne 1) and R's date of interview was Mar 2002 or later (cmintvw>= 1227)

**MTHUSIMX3804** (2937 - 2938)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Mar 2002)

Value	Label	Total
.	inapplicable	7637
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in March 2002  
 ([nummult39](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX3803](#) ne 1) and R's date of interview was Mar  
 2002 or later (cmintvw>= 1227)

**MTHUSIMX3826** (2939 - 2940)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Mar 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7596
1	NONE	24
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	6
4	CONDOM	11
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2002  
 ([nummult39](#)>2) and R's date of interview was Mar 2002 or later  
 (cmintvw>= 1227)

***MTHUSIMX3827*** (2941 - 2942)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 2nd  
 combo - Mar 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7624
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	3
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	7
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1



**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2002  
 ([nummult39](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX3826](#) ne 1)  
 and R's date of interview was Mar 2002 or later (cmintvw>= 1227)

***MTHUSIMX3828*** (2943 - 2944)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - Mar 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7632
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2002 ([nummult39](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX3826](#) ne 1) and R's date of interview was Mar 2002 or later (cmintvw>= 1227)

**MTHUSIMX3829** (2945 - 2946)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Mar 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in March 2002 ([nummult39](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX3828](#) ne 1) and R's date of interview was Mar 2002 or later (cmintvw>= 1227)

***MTHUSIMX3851*** (2947 - 2947)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Mar 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	NONE	1
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2002  
 ([nummult39](#)>2) and R's date of interview was Mar 2002 or later  
 (cmintvw>= 1227)

**MTHUSIMX3852** (2948 - 2948)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 3rd  
 combo - Mar 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2002  
 ([nummult39](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX3851](#) ne 1)  
 and R's date of interview was Mar 2002 or later (cmintvw>= 1227)

**MTHUSIMX3853** (2949 - 2950)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - Mar 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2002  
 ([nummult39](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX3851](#) ne 1)  
 and R's date of interview was Mar 2002 or later (cmintvw>= 1227)

***MTHUSIMX3854*** (2951 - 2952)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Mar 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in March 2002  
 ([nummult39](#)>3) and R used at least 3 method combinations, with at  
 least 3 methods in the 3rd method combination ([MTHUSIMX3853](#) ne 1)  
 and R's date of interview was Mar 2002 or later (cmintvw>= 1227)

**nummult39** (2953 - 2953)

Number of Methods Reported in Mar 2002 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	966

NSFG Cycle 6 Female Respondent File Section E Part II

0	0	22
1	1	6064
2-25	2 OR MORE	591
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before March 2002 ([cmfirsm](#)<1227) and R's date of interview was Mar 2002 or later ([cmintvw](#)>= 1227)

**METHHIST401** (2954 - 2955)

**ED-6:** ENTER METHOD USED IN APRIL 2002 (1st mention)

Value	Label	Total
.	inapplicable	1089
1	NO METHOD USED	1939
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1459
4	CONDOM	980
5	PARTNER'S VASECTOMY	308
6	STERILIZING OPERATION/TUBAL LIGATION	1096
7	WITHDRAWAL, PULLING OUT	211
8	DEPO-PROVERA, INJECTABLES (SHOT)	263
9	NORPLANT (TM) IMPLANTS	21
10	RHYTHM OR SAFE PERIOD BY CALENDAR	50
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	15
12	DIAPHRAGM	12
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	3
15	JELLY OR CREAM	4
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	9
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	85
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	11
22	RESPONDENT WAS STERILE	34



**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	15
24	LUNELLE INJECTABLE (MONTHLY SHOT)	11
25	CONTRACEPTIVE PATCH	4
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	14
99	Don't know	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before April 2002 ([cmfirstm](#)<=cmapr02) and R's date of interview was Apr 2002 or later ([cmintvw](#)>= 1228)

***METHHIST402*** (2956 - 2957)

**ED-6:** ENTER METHOD USED IN APRIL 2002 (2nd mention)

Value	Label	Total
.	inapplicable	7068
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	17
4	CONDOM	208
5	PARTNER'S VASECTOMY	16
6	STERILIZING OPERATION/TUBAL LIGATION	79
7	WITHDRAWAL, PULLING OUT	144
8	DEPO-PROVERA, INJECTABLES (SHOT)	24
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	33
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	6
13	FEMALE CONDOM, VAGINAL POUCH	3
14	FOAM	8
15	JELLY OR CREAM	8
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	4
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	3

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	3
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	10
23	RESPONDENT'S PARTNER WAS STERILE	3
24	LUNELLE INJECTABLE (MONTHLY SHOT)	2
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in April 2002 (see [METHHIST401](#)) and R's date of interview was Apr 2002 or later (cmintvw>= 1228)

**METHHIST403** (2958 - 2959)

**ED-6:** ENTER METHOD USED IN APRIL 2002 (3rd mention)

Value	Label	Total
.	inapplicable	7598
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLES (SHOT)	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	2
15	JELLY OR CREAM	3
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in April 2002 (see [METHHIST401](#)) and R's date of interview was Apr 2002 or later (cmintvw >= 1228)

**METHHIST404** (2960 - 2961)

**ED-6:** ENTER METHOD USED IN APRIL 2002 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7636
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in April 2002 (see [METHHIST401](#)) and R's date of interview was Apr 2002 or later (cmintvw>= 1228)

**SAMEAllYear40** (2962 - 2962)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Apr 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7532
1	YES	111
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST401](#)=55) and R's date of interview was Apr 2002 or later (cmintvw>= 1228)

**SIMSEQ40** (2963 - 2963)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Apr 2002)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7117
1	SAME TIME	428
2	DIFFERENT TIMES	98
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in April 2002 ([nummult40=2](#)) and R's date of interview was Apr 2002 or later ([cmintvw>= 1228](#))

**MTHUSIMX3901** (2964 - 2965)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Apr 2002)

Value	Label	Total
.	inapplicable	7598
1	NONE	5
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	13
4	CONDOM	19
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2002  
 (nummult40>2) and R's date of interview was Apr 2002 or later  
 (cmintvw>= 1228)

**MTHUSIMX3902** (2966 - 2967)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 1st  
 combo - Apr 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7604
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	14
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	13
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2002  
 (nummult40>2) and R used at least 2 methods in the first method  
 combination (MTHUSIMX3901 ne 1) and R's date of interview was Apr  
 2002 or later (cmintvw>= 1228)

**MTHUSIMX3903** (2968 - 2969)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Apr 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7616
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	9
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	9
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	2
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2002 ([nummult40](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX3901](#) ne 1) and R's date of interview was Apr 2002 or later (cmintvw>= 1228)

**MTHUSIMX3904** (2970 - 2971)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Apr 2002)

Value	Label	Total
.	inapplicable	7637
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in April 2002  
 ([nummult40](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX3903](#) ne 1) and R's date of interview was Apr  
 2002 or later (cmintvw>= 1228)

***MTHUSIMX3926*** (2972 - 2973)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Apr 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7603
1	NONE	23
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	6
4	CONDOM	7
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2002  
 (nummult40>2) and R's date of interview was Apr 2002 or later  
 (cmintvw>= 1228)

**MTHUSIMX3927** (2974 - 2975)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 2nd  
 combo - Apr 2002)

Value	Label	Total
.	inapplicable	7629
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2002  
 ([nummult40](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX3926](#) ne 1)  
 and R's date of interview was Apr 2002 or later (cmintvw>= 1228)

***MTHUSIMX3928*** (2976 - 2977)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - Apr 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7636
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2002 ([nummult40](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX3926](#) ne 1) and R's date of interview was Apr 2002 or later (cmintvw>= 1228)

**MTHUSIMX3929** (2978 - 2979)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Apr 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in April 2002 ([nummult40](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX3928](#) ne 1) and R's date of interview was Apr 2002 or later (cmintvw>= 1228)

***MTHUSIMX3951*** (2980 - 2980)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Apr 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2002  
 ([nummult40](#)>2) and R's date of interview was Apr 2002 or later  
 (cmintvw>= 1228)

**MTHUSIMX3952** (2981 - 2981)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 3rd  
 combo - Apr 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2002  
 ([nummult40](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX3951](#) ne 1)  
 and R's date of interview was Apr 2002 or later (cmintvw>= 1228)

**MTHUSIMX3953** (2982 - 2983)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - Apr 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in April 2002  
 ([nummult40](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX3951](#) ne 1)  
 and R's date of interview was Apr 2002 or later (cmintvw>= 1228)

**MTHUSIMX3954** (2984 - 2985)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Apr 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in April 2002  
 ([nummult40](#)>3) and R used at least 3 method combinations, with at  
 least 3 methods in the 3rd method combination ([MTHUSIMX3953](#) ne 1)  
 and R's date of interview was Apr 2002 or later (cmintvw>= 1228)

**nummult40** (2986 - 2986)

Number of Methods Reported in Apr 2002 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1089

NSFG Cycle 6 Female Respondent File Section E Part II

0	0	21
1	1	5962
2-25	2 OR MORE	571
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before April 2002 ([cmfirsm](#)<1228) and R's date of interview was Apr 2002 or later ([cmintvw](#)>= 1228)

**METHHIST411** (2987 - 2988)

**ED-6:** ENTER METHOD USED IN MAY 2002 (1st mention)

Value	Label	Total
.	inapplicable	1637
1	NO METHOD USED	1746
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1347
4	CONDOM	885
5	PARTNER'S VASECTOMY	295
6	STERILIZING OPERATION/TUBAL LIGATION	1023
7	WITHDRAWAL, PULLING OUT	201
8	DEPO-PROVERA, INJECTABLES (SHOT)	241
9	NORPLANT (TM) IMPLANTS	21
10	RHYTHM OR SAFE PERIOD BY CALENDAR	44
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	14
12	DIAPHRAGM	11
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	5
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	8
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	75
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	11
22	RESPONDENT WAS STERILE	27

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	12
24	LUNELLE INJECTABLE (MONTHLY SHOT)	11
25	CONTRACEPTIVE PATCH	3
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	12
99	Don't know	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before May 2002 ([cmfirsm](#)<=cmmay02) and R's date of interview was May 2002 or later (cmintvw>= 1229)

**METHHIST412** (2989 - 2990)

**ED-6:** ENTER METHOD USED IN MAY 2002 (2nd mention)

Value	Label	Total
.	inapplicable	7135
1	NO METHOD USED	1
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	11
4	CONDOM	192
5	PARTNER'S VASECTOMY	13
6	STERILIZING OPERATION/TUBAL LIGATION	75
7	WITHDRAWAL, PULLING OUT	115
8	DEPO-PROVERA, INJECTABLES (SHOT)	24
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	33
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	3
12	DIAPHRAGM	5
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	7
15	JELLY OR CREAM	8
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	5
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	3

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	10
23	RESPONDENT'S PARTNER WAS STERILE	2
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in May 2002 (see [METHHIST411](#)) and R's date of interview was May 2002 or later (cmintvw >= 1229)

**METHHIST413** (2991 - 2992)

**ED-6:** ENTER METHOD USED IN MAY 2002 (3rd mention)

Value	Label	Total
.	inapplicable	7603
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	16
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	3
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in May 2002 (see [METHHIST411](#)) and R's date of interview was May 2002 or later (cmintvw >= 1229)

**METHHIST414** (2993 - 2994)

**ED-6:** ENTER METHOD USED IN MAY 2002 (4th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7637
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in May 2002 (see [METHHIST411](#)) and R's date of interview was May 2002 or later (cmintvw>= 1229)

**SAMEAllYear41** (2995 - 2995)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (May 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7543
1	YES	100
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST411](#)=55) and R's date of interview was May 2002 or later (cmintvw>= 1229)

**SIMSEQ41** (2996 - 2996)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (May 2002)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7178
1	SAME TIME	378
2	DIFFERENT TIMES	87
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in May 2002 ([nummult41](#)=2) and R's date of interview was May 2002 or later ([cmintvw](#)>= 1229)

**MTHUSIMX4001** (2997 - 2998)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - May 2002)

Value	Label	Total
.	inapplicable	7604
1	NONE	5
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	12
4	CONDOM	13
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	8
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2002 ([nummult41](#)>2)  
and R's date of interview was May 2002 or later (cmintvw>= 1229)

***MTHUSIMX4002*** (2999 - 3000)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - May 2002)

Value	Label	Total
.	inapplicable	7609
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	13
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	9
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2002 ([nummult41](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX4001](#) ne 1) and R's date of interview was May 2002 or later (cmintvw>= 1229)

***MTHUSIMX4003*** (3001 - 3002)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - May 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7620
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	7
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	9
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2002 ([nummult41](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX4001](#) ne 1) and R's date of interview was May 2002 or later (cmintvw>= 1229)

**MTHUSIMX4004** (3003 - 3004)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - May 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7638
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in May 2002 ([nummult41](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX4003](#) ne 1) and R's date of interview was May 2002 or later (cmintvw>= 1229)

***MTHUSIMX4026*** (3005 - 3005)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - May 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7609
1	NONE	17
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	7
4	CONDOM	6
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2002 ([nummult41](#)>2) and R's date of interview was May 2002 or later (cmintvw>= 1229)

***MTHUSIMX4027*** (3006 - 3007)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - May 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7629
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	3
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2002 ([nummult41](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4026](#) ne 1) and R's date of interview was May 2002 or later (cmintvw>= 1229)

**MTHUSIMX4028** (3008 - 3009)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - May 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7635
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2002 ([nummult41](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4026](#) ne 1) and R's date of interview was May 2002 or later (cmintvw>= 1229)

**MTHUSIMX4029** (3010 - 3011)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - May 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in May 2002 ([nummult41](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX4028](#) ne 1) and R's date of interview was May 2002 or later (cmintvw>= 1229)

***MTHUSIMX4051*** (3012 - 3012)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - May 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2002 ([nummult41](#)>2) and R's date of interview was May 2002 or later (cmintvw>= 1229)

***MTHUSIMX4052*** (3013 - 3013)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - May 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2002 ([nummult41](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX4051](#) ne 1) and R's date of interview was May 2002 or later (cmintvw>= 1229)

**MTHUSIMX4053** (3014 - 3015)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - May 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in May 2002 ([nummult41](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX4051](#) ne 1) and R's date of interview was May 2002 or later (cmintvw>= 1229)

***MTHUSIMX4054*** (3016 - 3017)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - May 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in May 2002 ([nummult41](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX4053](#) ne 1) and R's date of interview was May 2002 or later (cmintvw>= 1229)

**nummult41** (3018 - 3018)

Number of Methods Reported in May 2002 (Computed)

<u>Value Label</u>	<u>Total</u>
. inapplicable	1637

**NSFG Cycle 6 Female Respondent File Section E Part II**

0	0	21
1	1	5481
2-25	2 OR MORE	504
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before May 2002 ([cmfirsm](#)<1229) and R's date of interview was May 2002 or later ([cmintvw](#)>= 1229)

***METHHIST421*** (3019 - 3020)

**ED-6:** ENTER METHOD USED IN JUNE 2002 (1st mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	2094
1	NO METHOD USED	1606
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1227
4	CONDOM	828
5	PARTNER'S VASECTOMY	282
6	STERILIZING OPERATION/TUBAL LIGATION	963
7	WITHDRAWAL, PULLING OUT	183
8	DEPO-PROVERA, INJECTABLES (SHOT)	224
9	NORPLANT (TM) IMPLANTS	18
10	RHYTHM OR SAFE PERIOD BY CALENDAR	40
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	12
12	DIAPHRAGM	10
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	3
15	JELLY OR CREAM	3
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	7
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	63
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	9
22	RESPONDENT WAS STERILE	22

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	10
24	LUNELLE INJECTABLE (MONTHLY SHOT)	13
25	CONTRACEPTIVE PATCH	8
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	11
99	Don't know	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before June 2002 ([cmfirsm](#)<=cmjun02) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

**METHHIST422** (3021 - 3022)

**ED-6:** ENTER METHOD USED IN JUNE 2002 (2nd mention)

Value	Label	Total
.	inapplicable	7152
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	15
4	CONDOM	182
5	PARTNER'S VASECTOMY	14
6	STERILIZING OPERATION/TUBAL LIGATION	67
7	WITHDRAWAL, PULLING OUT	116
8	DEPO-PROVERA, INJECTABLES (SHOT)	24
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	32
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	4
12	DIAPHRAGM	4
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	5
15	JELLY OR CREAM	5
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	5
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	2

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	10
23	RESPONDENT'S PARTNER WAS STERILE	2
24	LUNELLE INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	1
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in June 2002 (see [METHHIST421](#)) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

***METHHIST423*** (3023 - 3024)

**ED-6:** ENTER METHOD USED IN JUNE 2002 (3rd mention)

Value	Label	Total
.	inapplicable	7602
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in June 2002 (see [METHHIST421](#)) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

**METHHIST424** (3025 - 3026)

**ED-6:** ENTER METHOD USED IN JUNE 2002 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7638
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in June 2002 (see [METHHIST421](#)) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

***SAMEAllYear42*** (3027 - 3027)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Jun 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7543
1	YES	100
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST421](#)=55) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

***SIMSEQ42*** (3028 - 3028)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Jun 2002)



NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7196
1	SAME TIME	366
2	DIFFERENT TIMES	81
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in June 2002 ([nummult42](#)=2) and R's date of interview was Jun 2002 or later ([cmintvw](#)>= 1230)

**MTHUSIMX4101** (3029 - 3029)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Jun 2002)

Value	Label	Total
.	inapplicable	7603
1	NONE	5
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	14
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2002 ([nummult42](#)>2) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

**MTHUSIMX4102** (3030 - 3031)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Jun 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7608
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	16
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	10
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2002 ([nummult42](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX4101](#) ne 1) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

***MTHUSIMX4103*** (3032 - 3033)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Jun 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7622
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	7
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	10
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2002 ([nummult42](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX4101](#) ne 1) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

**MTHUSIMX4104** (3034 - 3035)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Jun 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in June 2002 ([nummult42](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX4103](#) ne 1) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

**MTHUSIMX4126** (3036 - 3036)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Jun 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7608
1	NONE	18
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	7
4	CONDOM	7
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2002 ([nummult42](#)>2) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

***MTHUSIMX4127*** (3037 - 3038)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Jun 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7629
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	4
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2002 ([nummult42](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4126](#) ne 1) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

**MTHUSIMX4128** (3039 - 3040)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Jun 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7635
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2002 ([nummult42](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4126](#) ne 1) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

**MTHUSIMX4129** (3041 - 3042)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Jun 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in June 2002 ([nummult42](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX4128](#) ne 1) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

***MTHUSIMX4151*** (3043 - 3043)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Jun 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2002 ([nummult42](#)>2) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

***MTHUSIMX4152*** (3044 - 3044)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Jun 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2002 ([nummult42](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX4151](#) ne 1) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

**MTHUSIMX4153** (3045 - 3046)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Jun 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in June 2002 ([nummult42](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX4151](#) ne 1) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

***MTHUSIMX4154*** (3047 - 3048)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Jun 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in June 2002 ([nummult42](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX4153](#) ne 1) and R's date of interview was Jun 2002 or later (cmintvw>= 1230)

**nummult42** (3049 - 3049)

Number of Methods Reported in Jun 2002 (Computed)

<u>Value Label</u>	<u>Total</u>
. inapplicable	2094

NSFG Cycle 6 Female Respondent File Section E Part II

0	0	17
1	1	5045
2-25	2 OR MORE	487
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before June 2002 ([cmfirsm](#)<1230) and R's date of interview was Jun 2002 or later ([cmintvw](#)>= 1230)

**METHHIST431** (3050 - 3051)

**ED-6:** ENTER METHOD USED IN JULY 2002 (1st mention)

Value	Label	Total
.	inapplicable	2505
1	NO METHOD USED	1473
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1142
4	CONDOM	754
5	PARTNER'S VASECTOMY	272
6	STERILIZING OPERATION/TUBAL LIGATION	898
7	WITHDRAWAL, PULLING OUT	176
8	DEPO-PROVERA, INJECTABLES (SHOT)	198
9	NORPLANT (TM) IMPLANTS	18
10	RHYTHM OR SAFE PERIOD BY CALENDAR	38
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	11
12	DIAPHRAGM	9
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	4
15	JELLY OR CREAM	3
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	7
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	58
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	12
22	RESPONDENT WAS STERILE	19

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	7
24	LUNELLE INJECTABLE (MONTHLY SHOT)	12
25	CONTRACEPTIVE PATCH	8
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	11
99	Don't know	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before July 2002 ([cmfirsm](#)<=cmjul02) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

**METHHIST432** (3052 - 3053)

**ED-6:** ENTER METHOD USED IN JULY 2002 (2nd mention)

Value	Label	Total
.	inapplicable	7175
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	173
5	PARTNER'S VASECTOMY	13
6	STERILIZING OPERATION/TUBAL LIGATION	66
7	WITHDRAWAL, PULLING OUT	110
8	DEPO-PROVERA, INJECTABLES (SHOT)	21
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	28
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	4
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	3
15	JELLY OR CREAM	8
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	4
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	3

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	10
23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	4
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in July 2002 (see [METHHIST431](#)) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

***METHHIST433*** (3054 - 3055)

**ED-6:** ENTER METHOD USED IN JULY 2002 (3rd mention)

Value	Label	Total
.	inapplicable	7608
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	3
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	12
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	13
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in July 2002 (see [METHHIST431](#)) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

**METHHIST434** (3056 - 3057)

**ED-6:** ENTER METHOD USED IN JULY 2002 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in July 2002 (see [METHHIST431](#)) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

**SAMEAllYear43** (3058 - 3058)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Jul 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7554
1	YES	89
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST431](#)=55) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

**SIMSEQ43** (3059 - 3059)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Jul 2002)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7214
1	SAME TIME	359
2	DIFFERENT TIMES	70
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in July 2002 ([nummult43](#)=2) and R's date of interview was Jul 2002 or later ([cmintvw](#)>= 1231)

**MTHUSIMX4201** (3060 - 3060)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Jul 2002)

Value	Label	Total
.	inapplicable	7609
1	NONE	6
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	13
4	CONDOM	12
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2002 ([nummult43](#)>2) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

**MTHUSIMX4202** (3061 - 3062)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Jul 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7615
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	12
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	10
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2002 ([nummult43](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX4201](#) ne 1) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

***MTHUSIMX4203*** (3063 - 3064)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Jul 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7626
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2002 ([nummult43](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX4201](#) ne 1) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

**MTHUSIMX4204** (3065 - 3066)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Jul 2002)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7640
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	0
4 CONDOM	0
5 PARTNER'S VASECTOMY	0
6 STERILIZING OPERATION/TUBAL LIGATION	0
7 WITHDRAWAL, PULLING OUT	0
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	1
SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11 PLANNING	0
12 DIAPHRAGM	0
13 FEMALE CONDOM, VAGINAL POUCH	0
14 FOAM	1
15 JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in July 2002 ([nummult43](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX4203](#) ne 1) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

***MTHUSIMX4226*** (3067 - 3067)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Jul 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7615
1	NONE	15
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	7
4	CONDOM	4
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2002 ([nummult43](#)>2) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

***MTHUSIMX4227*** (3068 - 3069)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Jul 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7632
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	7
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2002 ([nummult43](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4226](#) ne 1) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

**MTHUSIMX4228** (3070 - 3071)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Jul 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2002 ([nummult43](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4226](#) ne 1) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

***MTHUSIMX4229*** (3072 - 3072)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Jul 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in July 2002 ([nummult43](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX4228](#) ne 1) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

***MTHUSIMX4251*** (3073 - 3073)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Jul 2002)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2002 ([nummult43](#)>2) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

***MTHUSIMX4252*** (3074 - 3074)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Jul 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2002 ([nummult43](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX4251](#) ne 1) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

**MTHUSIMX4253** (3075 - 3076)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Jul 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in July 2002 ([nummult43](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX4251](#) ne 1) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

***MTHUSIMX4254*** (3077 - 3077)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Jul 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7643
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in July 2002 ([nummult43](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX4253](#) ne 1) and R's date of interview was Jul 2002 or later (cmintvw>= 1231)

**nummult43** (3078 - 3078)

Number of Methods Reported in Jul 2002 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	2505

NSFG Cycle 6 Female Respondent File Section E Part II

0	0	17
1	1	4658
2-25	2 OR MORE	463
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before July 2002 ([cmfirsm](#)<1231) and R's date of interview was Jul 2002 or later ([cmintvw](#)>= 1231)

**METHHIST441** (3079 - 3080)

**ED-6:** ENTER METHOD USED IN AUGUST 2002 (1st mention)

Value	Label	Total
.	inapplicable	3299
1	NO METHOD USED	1259
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	973
4	CONDOM	633
5	PARTNER'S VASECTOMY	229
6	STERILIZING OPERATION/TUBAL LIGATION	746
7	WITHDRAWAL, PULLING OUT	148
8	DEPO-PROVERA, INJECTABLES (SHOT)	162
9	NORPLANT (TM) IMPLANTS	11
10	RHYTHM OR SAFE PERIOD BY CALENDAR	34
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	11
12	DIAPHRAGM	10
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	3
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	6
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	53
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	9
22	RESPONDENT WAS STERILE	17



**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	6
24	LUNELLE INJECTABLE (MONTHLY SHOT)	7
25	CONTRACEPTIVE PATCH	8
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	12
99	Don't know	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before August 2002 ([cmfirsm](#)<=cmaug02) and R's date of interview was Aug 2002 or later ([cmintvw](#)>= 1232)

**METHHIST442** (3081 - 3082)

**ED-6:** ENTER METHOD USED IN AUGUST 2002 (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7236
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	16
4	CONDOM	155
5	PARTNER'S VASECTOMY	12
6	STERILIZING OPERATION/TUBAL LIGATION	58
7	WITHDRAWAL, PULLING OUT	91
8	DEPO-PROVERA, INJECTABLES (SHOT)	14
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	25
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	4
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	3
15	JELLY OR CREAM	5
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	3
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	8
23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	5
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in August 2002 (see [METHHIST441](#)) and R's date of interview was Aug 2002 or later (cmintvw>= 1232)

**METHHIST443** (3083 - 3084)

**ED-6:** ENTER METHOD USED IN AUGUST 2002 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7607
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	3
4	CONDOM	3
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLES (SHOT)	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	12
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in August 2002 (see [METHHIST441](#)) and R's date of interview was Aug 2002 or later (cmintvw>= 1232)

**METHHIST444** (3085 - 3086)

**ED-6:** ENTER METHOD USED IN AUGUST 2002 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7638
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in August 2002 (see [METHHIST441](#)) and R's date of interview was Aug 2002 or later (cmintvw>= 1232)

**SAMEAllYear44** (3087 - 3087)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Aug 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7567
1	YES	76
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST441](#)=55) and R's date of interview was Aug 2002 or later (cmintvw>= 1232)

**SIMSEQ44** (3088 - 3088)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Aug 2002)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7273
1	SAME TIME	311
2	DIFFERENT TIMES	59
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in August 2002 ([nummult44=2](#)) and R's date of interview was Aug 2002 or later (`cmintvw >= 1232`)

**MTHUSIMX4301** (3089 - 3089)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Aug 2002)

Value	Label	Total
.	inapplicable	7608
1	NONE	4
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	15
4	CONDOM	12
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	4
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2002  
 ([nummult44](#)>2) and R's date of interview was Aug 2002 or later  
 (cmintvw>= 1232)

***MTHUSIMX4302*** (3090 - 3091)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 1st  
 combo - Aug 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7612
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	14
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	9
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2002  
 (nummult44>2) and R used at least 2 methods in the first method  
 combination (MTHUSIMX4301 ne 1) and R's date of interview was Aug  
 2002 or later (cmintvw>= 1232)

**MTHUSIMX4303** (3092 - 3093)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Aug 2002)

Value	Label	Total
.	inapplicable	7625
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	7
8	DEPO-PROVERA, INJECTABLES	1
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2002  
 ([nummult44](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX4301](#) ne 1) and R's date of interview was Aug  
 2002 or later (cmintvw>= 1232)

**MTHUSIMX4304** (3094 - 3095)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Aug 2002)

Value	Label	Total
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in August 2002  
 ([nummult44](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX4303](#) ne 1) and R's date of interview was Aug  
 2002 or later (cmintvw>= 1232)

***MTHUSIMX4326*** (3096 - 3096)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Aug 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7612
1	NONE	16
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	7
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2002  
 (nummult44>2) and R's date of interview was Aug 2002 or later  
 (cmintvw>= 1232)

***MTHUSIMX4327*** (3097 - 3098)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 2nd  
 combo - Aug 2002)

Value	Label	Total
.	inapplicable	7630
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	3
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2002  
 ([nummult44](#)>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination ([MTHUSIMX4326](#) ne 1)  
 and R's date of interview was Aug 2002 or later (cmintvw>= 1232)

**MTHUSIMX4328** (3099 - 3100)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 2nd  
 combo - Aug 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7638
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2002 ([nummult44](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4326](#) ne 1) and R's date of interview was Aug 2002 or later (cmintvw>= 1232)

**MTHUSIMX4329** (3101 - 3101)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Aug 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in August 2002 ([nummult44](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX4328](#) ne 1) and R's date of interview was Aug 2002 or later (cmintvw>= 1232)

***MTHUSIMX4351*** (3102 - 3102)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Aug 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2002  
 ([nummult44](#)>2) and R's date of interview was Aug 2002 or later  
 (cmintvw>= 1232)

**MTHUSIMX4352** (3103 - 3103)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 3rd  
 combo - Aug 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2002  
 ([nummult44](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX4351](#) ne 1)  
 and R's date of interview was Aug 2002 or later (cmintvw>= 1232)

**MTHUSIMX4353** (3104 - 3105)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - Aug 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in August 2002  
 ([nummult44](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX4351](#) ne 1)  
 and R's date of interview was Aug 2002 or later (cmintvw>= 1232)

***MTHUSIMX4354*** (3106 - 3106)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Aug 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7643
1	NONE	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in August 2002  
 ([nummult44](#)>3) and R used at least 3 method combinations, with at  
 least 3 methods in the 3rd method combination ([MTHUSIMX4353](#) ne 1)  
 and R's date of interview was Aug 2002 or later (cmintvw>= 1232)

**nummult44** (3107 - 3107)

Number of Methods Reported in Aug 2002 (Computed)

<u>Value Label</u>	<u>Total</u>
.	inapplicable 3298

NSFG Cycle 6 Female Respondent File Section E Part II

0	0	18
1	1	3922
2-25	2 OR MORE	405
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before August 2002 ([cmfirsm](#)<1232) and R's date of interview was Aug 2002 or later ([cmintvw](#)>= 1232)

**METHHIST451** (3108 - 3109)

**ED-6:** ENTER METHOD USED IN SEPTEMBER 2002 (1st mention)

Value	Label	Total
.	inapplicable	4025
1	NO METHOD USED	1037
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	824
4	CONDOM	514
5	PARTNER'S VASECTOMY	190
6	STERILIZING OPERATION/TUBAL LIGATION	617
7	WITHDRAWAL, PULLING OUT	130
8	DEPO-PROVERA, INJECTABLES (SHOT)	132
9	NORPLANT (TM) IMPLANTS	9
10	RHYTHM OR SAFE PERIOD BY CALENDAR	29
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	8
12	DIAPHRAGM	9
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	3
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	5
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	49
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	10
22	RESPONDENT WAS STERILE	7

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	3
24	LUNELLE INJECTABLE (MONTHLY SHOT)	7
25	CONTRACEPTIVE PATCH	16
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	10
99	Don't know	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before September 2002 ([cmfirsm](#)<=cmsep02) and R's date of interview was Sep 2002 or later ([cmintvw](#)>= 1233)

***METHHIST452*** (3110 - 3111)

**ED-6:** ENTER METHOD USED IN SEPTEMBER 2002 (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7317
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	11
4	CONDOM	117
5	PARTNER'S VASECTOMY	12
6	STERILIZING OPERATION/TUBAL LIGATION	44
7	WITHDRAWAL, PULLING OUT	73
8	DEPO-PROVERA, INJECTABLES (SHOT)	12
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	23
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	4
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	3
15	JELLY OR CREAM	5
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	3
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	3
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	7
23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	3
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in September 2002 (see [METHHIST451](#)) and R's date of interview was Sep 2002 or later (cmintvw>= 1233)

**METHHIST453** (3112 - 3113)

**ED-6:** ENTER METHOD USED IN SEPTEMBER 2002 (3rd mention)

Value	Label	Total
.	inapplicable	7612
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	3
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	9
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	10
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	1
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in September 2002 (see [METHHIST451](#)) and R's date of interview was Sep 2002 or later (cmintvw >= 1233)

**METHHIST454** (3114 - 3115)

**ED-6:** ENTER METHOD USED IN SEPTEMBER 2002 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in September 2002 (see [METHHIST451](#)) and R's date of interview was Sep 2002 or later (cmintvw>= 1233)

***SAMEAllYear45*** (3116 - 3116)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Sep 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7580
1	YES	63
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST451](#)=55) and R's date of interview was Sep 2002 or later (cmintvw>= 1233)

***SIMSEQ45*** (3117 - 3117)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Sep 2002)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7350
1	SAME TIME	242
2	DIFFERENT TIMES	51
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in September 2002 ([nummult45=2](#)) and R's date of interview was Sep 2002 or later (cmintvw>= 1233)

**MTHUSIMX4401** (3118 - 3118)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Sep 2002)

Value	Label	Total
.	inapplicable	7614
1	NONE	3
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	10
4	CONDOM	14
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2002  
 (nummult45>2) and R's date of interview was Sep 2002 or later  
 (cmintvw>= 1233)

**MTHUSIMX4402** (3119 - 3120)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 1st  
 combo - Sep 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7617
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	10
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	9
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1



**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2002  
 (nummult45>2) and R used at least 2 methods in the first method  
 combination (MTHUSIMX4401 ne 1) and R's date of interview was Sep  
 2002 or later (cmintvw>= 1233)

**MTHUSIMX4403** (3121 - 3122)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Sep 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7625
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	7
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2002 ([nummult45](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX4401](#) ne 1) and R's date of interview was Sep 2002 or later (cmintvw>= 1233)

**MTHUSIMX4404** (3123 - 3124)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Sep 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in September 2002 ([nummult45](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX4403](#) ne 1) and R's date of interview was Sep 2002 or later (cmintvw>= 1233)

**MTHUSIMX4426** (3125 - 3125)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Sep 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7617
1	NONE	16
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	3
4	CONDOM	4
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2002  
 (nummult45>2) and R's date of interview was Sep 2002 or later  
 (cmintvw>= 1233)

***MTHUSIMX4427*** (3126 - 3127)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 2nd  
 combo - Sep 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7634
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	2
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2002 ([nummult45](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4426](#) ne 1) and R's date of interview was Sep 2002 or later (cmintvw>= 1233)

**MTHUSIMX4428** (3128 - 3129)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Sep 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7639
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2002 ([nummult45](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4426](#) ne 1) and R's date of interview was Sep 2002 or later (cmintvw>= 1233)

**MTHUSIMX4429** (3130 - 3130)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Sep 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in September 2002 ([nummult45](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX4428](#) ne 1) and R's date of interview was Sep 2002 or later (cmintvw>= 1233)

***MTHUSIMX4451*** (3131 - 3131)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Sep 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2002  
 ([nummult45](#)>2) and R's date of interview was Sep 2002 or later  
 (cmintvw>= 1233)

**MTHUSIMX4452** (3132 - 3132)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 3rd  
 combo - Sep 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2002 ([nummult45](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX4451](#) ne 1) and R's date of interview was Sep 2002 or later (cmintvw>= 1233)

**MTHUSIMX4453** (3133 - 3134)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Sep 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in September 2002 ([nummult45](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX4451](#) ne 1) and R's date of interview was Sep 2002 or later (cmintvw>= 1233)

***MTHUSIMX4454*** (3135 - 3135)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Sep 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7643
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in September 2002  
 ([nummult45](#)>3) and R used at least 3 method combinations, with at  
 least 3 methods in the 3rd method combination ([MTHUSIMX4453](#) ne 1)  
 and R's date of interview was Sep 2002 or later (cmintvw>= 1233)

**nummult45** (3136 - 3136)

Number of Methods Reported in Sep 2002 (Computed)

<u>Value Label</u>	<u>Total</u>
. inapplicable	4023

NSFG Cycle 6 Female Respondent File Section E Part II

0	0	18
1	1	3280
2-25	2 OR MORE	322
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before September 2002 ([cmfirsm](#)<1233) and R's date of interview was Sep 2002 or later ([cmintvw](#)>= 1233)

***METHHIST461*** (3137 - 3138)

**ED-6:** ENTER METHOD USED IN OCTOBER 2002 (1st mention)

Value	Label	Total
.	inapplicable	4826
1	NO METHOD USED	805
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	651
4	CONDOM	402
5	PARTNER'S VASECTOMY	161
6	STERILIZING OPERATION/TUBAL LIGATION	485
7	WITHDRAWAL, PULLING OUT	86
8	DEPO-PROVERA, INJECTABLES (SHOT)	100
9	NORPLANT (TM) IMPLANTS	7
10	RHYTHM OR SAFE PERIOD BY CALENDAR	22
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	7
12	DIAPHRAGM	5
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	39
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	7
22	RESPONDENT WAS STERILE	6

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	3
24	LUNELLE INJECTABLE (MONTHLY SHOT)	4
25	CONTRACEPTIVE PATCH	16
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	4
99	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before October 2002 ([cmfirsm](#)<=cmoct02) and R's date of interview was Oct 2002 or later (cmintvw>= 1234)

**METHHIST462** (3139 - 3140)

**ED-6:** ENTER METHOD USED IN OCTOBER 2002 (2nd mention)

Value	Label	Total
.	inapplicable	7389
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	6
4	CONDOM	94
5	PARTNER'S VASECTOMY	9
6	STERILIZING OPERATION/TUBAL LIGATION	32
7	WITHDRAWAL, PULLING OUT	55
8	DEPO-PROVERA, INJECTABLES (SHOT)	10
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	24
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	2
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	3
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	3
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	2

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	6
23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	3
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in October 2002 (see [METHHIST461](#)) and R's date of interview was Oct 2002 or later (cmintvw>= 1234)

**METHHIST463** (3141 - 3142)

**ED-6:** ENTER METHOD USED IN OCTOBER 2002 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7622
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	9
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	5
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	1
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in October 2002 (see [METHHIST461](#)) and R's date of interview was Oct 2002 or later (cmintvw >= 1234)

**METHHIST464** (3143 - 3144)

**ED-6:** ENTER METHOD USED IN OCTOBER 2002 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in October 2002 (see [METHHIST461](#)) and R's date of interview was Oct 2002 or later (cmintvw>= 1234)

**SAMEAllYear46** (3145 - 3145)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Oct 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7599
1	YES	44
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST461](#)=55) and R's date of interview was Oct 2002 or later (cmintvw>= 1234)

**SIMSEQ46** (3146 - 3146)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Oct 2002)



NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7413
1	SAME TIME	190
2	DIFFERENT TIMES	40
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in October 2002 ([nummult46=2](#)) and R's date of interview was Oct 2002 or later ([cmintvw>= 1234](#))

**MTHUSIMX4501** (3147 - 3147)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Oct 2002)

Value	Label	Total
.	inapplicable	7622
1	NONE	1
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	9
4	CONDOM	11
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2002  
 (nummult46>2) and R's date of interview was Oct 2002 or later  
 (cmintvw>= 1234)

**MTHUSIMX4502** (3148 - 3149)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 1st  
 combo - Oct 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7623
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	9
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2002  
 (nummult46>2) and R used at least 2 methods in the first method  
 combination (MTHUSIMX4501 ne 1) and R's date of interview was Oct  
 2002 or later (cmintvw>= 1234)

**MTHUSIMX4503** (3150 - 3151)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Oct 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7630
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2002  
 ([nummult46](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX4501](#) ne 1) and R's date of interview was Oct  
 2002 or later (cmintvw>= 1234)

**MTHUSIMX4504** (3152 - 3153)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Oct 2002)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7640
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	0
4 CONDOM	0
5 PARTNER'S VASECTOMY	0
6 STERILIZING OPERATION/TUBAL LIGATION	0
7 WITHDRAWAL, PULLING OUT	0
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	0
SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11 PLANNING	0
12 DIAPHRAGM	0
13 FEMALE CONDOM, VAGINAL POUCH	0
14 FOAM	1
15 JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in October 2002  
 ([nummult46](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX4503](#) ne 1) and R's date of interview was Oct  
 2002 or later (cmintvw>= 1234)

***MTHUSIMX4526*** (3154 - 3154)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Oct 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7623
1	NONE	10
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	6
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2002  
 (nummult46>2) and R's date of interview was Oct 2002 or later  
 (cmintvw>= 1234)

***MTHUSIMX4527*** (3155 - 3156)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 2nd  
 combo - Oct 2002)

Value	Label	Total
.	inapplicable	7634
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2002 ([nummult46](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4526](#) ne 1) and R's date of interview was Oct 2002 or later (cmintvw>= 1234)

***MTHUSIMX4528*** (3157 - 3158)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Oct 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2002 ([nummult46](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4526](#) ne 1) and R's date of interview was Oct 2002 or later (cmintvw>= 1234)

***MTHUSIMX4529*** (3159 - 3159)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Oct 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in October 2002 ([nummult46](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX4528](#) ne 1) and R's date of interview was Oct 2002 or later (cmintvw>= 1234)

***MTHUSIMX4551*** (3160 - 3160)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Oct 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2002  
 ([nummult46](#)>2) and R's date of interview was Oct 2002 or later  
 (cmintvw>= 1234)

**MTHUSIMX4552** (3161 - 3161)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 3rd  
 combo - Oct 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2002 ([nummult46](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX4551](#) ne 1) and R's date of interview was Oct 2002 or later (cmintvw>= 1234)

**MTHUSIMX4553** (3162 - 3163)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Oct 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in October 2002  
 ([nummult46](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX4551](#) ne 1)  
 and R's date of interview was Oct 2002 or later (cmintvw>= 1234)

**MTHUSIMX4554** (3164 - 3164)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Oct 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7643
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in October 2002  
 ([nummult46](#)>3) and R used at least 3 method combinations, with at  
 least 3 methods in the 3rd method combination ([MTHUSIMX4553](#) ne 1)  
 and R's date of interview was Oct 2002 or later (cmintvw>= 1234)

**nummult46** (3165 - 3165)

Number of Methods Reported in Oct 2002 (Computed)

<u>Value Label</u>	<u>Total</u>
. inapplicable	4824

NSFG Cycle 6 Female Respondent File Section E Part II

0	0	10
1	1	2558
2-25	2 OR MORE	251
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before October 2002 ([cmfirsm](#)<1234) and R's date of interview was Oct 2002 or later ([cmintvw](#)>= 1234)

**METHHIST471** (3166 - 3167)

**ED-6:** ENTER METHOD USED IN NOVEMBER 2002 (1st mention)

Value	Label	Total
.	inapplicable	5679
1	NO METHOD USED	552
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	440
4	CONDOM	298
5	PARTNER'S VASECTOMY	116
6	STERILIZING OPERATION/TUBAL LIGATION	338
7	WITHDRAWAL, PULLING OUT	62
8	DEPO-PROVERA, INJECTABLES (SHOT)	67
9	NORPLANT (TM) IMPLANTS	6
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	5
12	DIAPHRAGM	2
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	2
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	29
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	4
22	RESPONDENT WAS STERILE	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	15
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	4
99	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before November 2002 ([cmfirsm](#)<=cmnov02) and R's date of interview was Nov 2002 or later (cmintvw>= 1235)

**METHHIST472** (3168 - 3169)

**ED-6:** ENTER METHOD USED IN NOVEMBER 2002 (2nd mention)

Value	Label	Total
.	inapplicable	7475
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	7
4	CONDOM	59
5	PARTNER'S VASECTOMY	8
6	STERILIZING OPERATION/TUBAL LIGATION	21
7	WITHDRAWAL, PULLING OUT	42
8	DEPO-PROVERA, INJECTABLES (SHOT)	6
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	15
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	3
23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	2
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in November 2002 (see [METHHIST471](#)) and R's date of interview was Nov 2002 or later (cmintvw>= 1235)

**METHHIST473** (3170 - 3171)

**ED-6:** ENTER METHOD USED IN NOVEMBER 2002 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7623
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	7
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in November 2002 (see [METHHIST471](#)) and R's date of interview was Nov 2002 or later (cmintvw>= 1235)

**METHHIST474** (3172 - 3173)

**ED-6:** ENTER METHOD USED IN NOVEMBER 2002 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7638
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in November 2002 (see [METHHIST471](#)) and R's date of interview was Nov 2002 or later (cmintvw>= 1235)

***SAMEAllYear47*** (3174 - 3174)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Nov 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7620
1	YES	23
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST471](#)=55) and R's date of interview was Nov 2002 or later (cmintvw>= 1235)

***SIMSEQ47*** (3175 - 3175)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Nov 2002)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7497
1	SAME TIME	117
2	DIFFERENT TIMES	29
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in November 2002 ([nummult47=2](#)) and R's date of interview was Nov 2002 or later ([cmintvw>= 1235](#))

**MTHUSIMX4601** (3176 - 3177)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Nov 2002)

Value	Label	Total
.	inapplicable	7623
1	NONE	2
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	11
4	CONDOM	6
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2002  
 ([nummult47](#)>2) and R's date of interview was Nov 2002 or later  
 (cmintvw>= 1235)

***MTHUSIMX4602*** (3178 - 3179)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 1st  
 combo - Nov 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7625
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	11
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2002 ([nummult47](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX4601](#) ne 1) and R's date of interview was Nov 2002 or later (cmintvw>= 1235)

***MTHUSIMX4603*** (3180 - 3181)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Nov 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7630
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2002 ([nummult47](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX4601](#) ne 1) and R's date of interview was Nov 2002 or later (cmintvw>= 1235)

**MTHUSIMX4604** (3182 - 3183)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Nov 2002)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7639
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	0
4 CONDOM	0
5 PARTNER'S VASECTOMY	0
6 STERILIZING OPERATION/TUBAL LIGATION	0
7 WITHDRAWAL, PULLING OUT	0
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	2
SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11 PLANNING	0
12 DIAPHRAGM	0
13 FEMALE CONDOM, VAGINAL POUCH	0
14 FOAM	1
15 JELLY OR CREAM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in November 2002  
 ([nummult47](#)>3) and R used at least 3 methods in first method  
 combination ([MTHUSIMX4603](#) ne 1) and R's date of interview was Nov  
 2002 or later (cmintvw>= 1235)

***MTHUSIMX4626*** (3184 - 3184)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 2nd  
 combo - Nov 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7625
1	NONE	12
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	4
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2002  
 ([nummult47](#)>2) and R's date of interview was Nov 2002 or later  
 (cmintvw>= 1235)

***MTHUSIMX4627*** (3185 - 3186)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 2nd  
 combo - Nov 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7637
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2002 ([nummult47](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4626](#) ne 1) and R's date of interview was Nov 2002 or later (cmintvw>= 1235)

**MTHUSIMX4628** (3187 - 3188)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Nov 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2002 ([nummult47](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4626](#) ne 1) and R's date of interview was Nov 2002 or later (cmintvw>= 1235)

**MTHUSIMX4629** (3189 - 3189)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Nov 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in November 2002 ([nummult47](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX4628](#) ne 1) and R's date of interview was Nov 2002 or later (cmintvw>= 1235)

***MTHUSIMX4651*** (3190 - 3190)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Nov 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2002  
 ([nummult47](#)>2) and R's date of interview was Nov 2002 or later  
 (cmintvw>= 1235)

**MTHUSIMX4652** (3191 - 3191)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 3rd  
 combo - Nov 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2002 ([nummult47](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX4651](#) ne 1) and R's date of interview was Nov 2002 or later (cmintvw>= 1235)

**MTHUSIMX4653** (3192 - 3193)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Nov 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in November 2002 ([nummult47](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX4651](#) ne 1) and R's date of interview was Nov 2002 or later (cmintvw>= 1235)

***MTHUSIMX4654*** (3194 - 3194)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Nov 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7643
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in November 2002  
 ([nummult47](#)>3) and R used at least 3 method combinations, with at  
 least 3 methods in the 3rd method combination ([MTHUSIMX4653](#) ne 1)  
 and R's date of interview was Nov 2002 or later (cmintvw>= 1235)

**nummult47** (3195 - 3195)

Number of Methods Reported in Nov 2002 (Computed)

<u>Value Label</u>	<u>Total</u>
. inapplicable	5678

NSFG Cycle 6 Female Respondent File Section E Part II

0	0	8
1	1	1791
2-25	2 OR MORE	166
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before November 2002 ([cmfirsm](#)<1235) and R's date of interview was Nov 2002 or later ([cmintvw](#)>= 1235)

**METHHIST481** (3196 - 3197)

**ED-6:** ENTER METHOD USED IN DECEMBER 2002 (1st mention)

Value	Label	Total
.	inapplicable	6342
1	NO METHOD USED	356
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	294
4	CONDOM	202
5	PARTNER'S VASECTOMY	79
6	STERILIZING OPERATION/TUBAL LIGATION	224
7	WITHDRAWAL, PULLING OUT	41
8	DEPO-PROVERA, INJECTABLES (SHOT)	43
9	NORPLANT (TM) IMPLANTS	5
10	RHYTHM OR SAFE PERIOD BY CALENDAR	11
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	3
12	DIAPHRAGM	3
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	19
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	1



**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	11
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	2
99	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before December 2002 ([cmfirsm](#)<=cmdec02) and R's date of interview was Dec 2002 or later (cmintvw>= 1236)

***METHHIST482*** (3198 - 3199)

**ED-6:** ENTER METHOD USED IN DECEMBER 2002 (2nd mention)

Value	Label	Total
.	inapplicable	7530
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	3
4	CONDOM	41
5	PARTNER'S VASECTOMY	6
6	STERILIZING OPERATION/TUBAL LIGATION	17
7	WITHDRAWAL, PULLING OUT	31
8	DEPO-PROVERA, INJECTABLES (SHOT)	4
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	7
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	1
23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	1
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in December 2002 (see [METHHIST481](#)) and R's date of interview was Dec 2002 or later (cmintvw>= 1236)

**METHHIST483** (3200 - 3201)

**ED-6:** ENTER METHOD USED IN DECEMBER 2002 (3rd mention)

Value	Label	Total
.	inapplicable	7633
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in December 2002 (see [METHHIST481](#)) and R's date of interview was Dec 2002 or later (cmintvw>= 1236)

**METHHIST484** (3202 - 3203)

**ED-6:** ENTER METHOD USED IN DECEMBER 2002 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	2
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in December 2002 (see [METHHIST481](#)) and R's date of interview was Dec 2002 or later (cmintvw>= 1236)

**SAMEAllYear48** (3204 - 3204)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Dec 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7636
1	YES	7
5	NO	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST481](#)=55) and R's date of interview was Dec 2002 or later (cmintvw>= 1236)

**SIMSEQ48** (3205 - 3205)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Dec 2002)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7541
1	SAME TIME	80
2	DIFFERENT TIMES	22
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in December 2002 ([nummult48=2](#)) and R's date of interview was Dec 2002 or later ([cmintvw>= 1236](#))

**MTHUSIMX4701** (3206 - 3206)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Dec 2002)

Value	Label	Total
.	inapplicable	7633
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	4
4	CONDOM	5
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2002  
 (nummult48>2) and R's date of interview was Dec 2002 or later  
 (cmintvw>= 1236)

**MTHUSIMX4702** (3207 - 3208)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 1st  
 combo - Dec 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7633
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	4
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2002 ([nummult48](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX4701](#) ne 1) and R's date of interview was Dec 2002 or later (cmintvw>= 1236)

***MTHUSIMX4703*** (3209 - 3210)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Dec 2002)

Value	Label	Total
.	inapplicable	7637
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2002 ([nummult48](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX4701](#) ne 1) and R's date of interview was Dec 2002 or later (cmintvw>= 1236)

**MTHUSIMX4704** (3211 - 3212)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Dec 2002)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7641
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	0
4 CONDOM	0
5 PARTNER'S VASECTOMY	0
6 STERILIZING OPERATION/TUBAL LIGATION	0
7 WITHDRAWAL, PULLING OUT	0
8 DEPO-PROVERA, INJECTABLES	0
9 NORPLANT (TM) IMPLANTS	0
10 RHYTHM OR SAFE PERIOD BY CALENDAR	0
SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11 PLANNING	0
12 DIAPHRAGM	0
13 FEMALE CONDOM, VAGINAL POUCH	0
14 FOAM	1
15 JELLY OR CREAM	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in December 2002 ([nummult48](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX4703](#) ne 1) and R's date of interview was Dec 2002 or later (cmintvw>= 1236)

***MTHUSIMX4726*** (3213 - 3214)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Dec 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7633
1	NONE	5
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2002  
 (nummult48>2) and R's date of interview was Dec 2002 or later  
 (cmintvw>= 1236)

***MTHUSIMX4727*** (3215 - 3216)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 2nd  
 combo - Dec 2002)

Value	Label	Total
.	inapplicable	7638
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2002 ([nummult48](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4726](#) ne 1) and R's date of interview was Dec 2002 or later (cmintvw>= 1236)

**MTHUSIMX4728** (3217 - 3217)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Dec 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2002 ([nummult48](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4726](#) ne 1) and R's date of interview was Dec 2002 or later (cmintvw>= 1236)

**MTHUSIMX4729** (3218 - 3218)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Dec 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in December 2002 ([nummult48](#)>3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination ([MTHUSIMX4728](#) ne 1) and R's date of interview was Dec 2002 or later (cmintvw>= 1236)

***MTHUSIMX4751*** (3219 - 3219)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Dec 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2002  
 (nummult48>2) and R's date of interview was Dec 2002 or later  
 (cmintvw>= 1236)

**MTHUSIMX4752** (3220 - 3220)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 3rd  
 combo - Dec 2002)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2002 ([nummult48](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX4751](#) ne 1) and R's date of interview was Dec 2002 or later (cmintvw>= 1236)

**MTHUSIMX4753** (3221 - 3222)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Dec 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in December 2002 ([nummult48](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX4751](#) ne 1) and R's date of interview was Dec 2002 or later (cmintvw>= 1236)

***MTHUSIMX4754*** (3223 - 3223)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Dec 2002)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7643
1	NONE	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in December 2002  
 ([nummult48](#)>3) and R used at least 3 method combinations, with at  
 least 3 methods in the 3rd method combination ([MTHUSIMX4753](#) ne 1)  
 and R's date of interview was Dec 2002 or later (cmintvw>= 1236)

**nummult48** (3224 - 3224)

Number of Methods Reported in Dec 2002 (Computed)

<u>Value Label</u>	<u>Total</u>
. inapplicable	6341

**NSFG Cycle 6 Female Respondent File Section E Part II**

0	0	5
1	1	1185
2-25	2 OR MORE	112
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before December 2002 ([cmfirsm](#)<1236) and R's date of interview was Dec 2002 or later ([cmintvw](#)>= 1236)

***METHHIST491*** (3225 - 3226)

**ED-6:** ENTER METHOD USED IN JANUARY 2003 (1st mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6768
1	NO METHOD USED	254
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	190
4	CONDOM	130
5	PARTNER'S VASECTOMY	55
6	STERILIZING OPERATION/TUBAL LIGATION	152
7	WITHDRAWAL, PULLING OUT	23
8	DEPO-PROVERA, INJECTABLES (SHOT)	27
9	NORPLANT (TM) IMPLANTS	3
10	RHYTHM OR SAFE PERIOD BY CALENDAR	8
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	17
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	3
22	RESPONDENT WAS STERILE	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	7
55	SAME METHOD USED THRU END OF YEAR	0
98	Refused	1
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before January 2003 ([cmfirm](#)<=cmjan03) and R's date of interview was Jan 2003 or later (cmintvw>= 1237)

**METHHIST492** (3227 - 3228)

**ED-6:** ENTER METHOD USED IN JANUARY 2003 (2nd mention)

Value	Label	Total
.	inapplicable	7567
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	23
5	PARTNER'S VASECTOMY	4
6	STERILIZING OPERATION/TUBAL LIGATION	9
7	WITHDRAWAL, PULLING OUT	27
8	DEPO-PROVERA, INJECTABLES (SHOT)	4
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	2
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	2
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in January 2003 (see [METHHIST491](#)) and R's date of interview was Jan 2003 or later (cmintvw>= 1237)

**METHHIST493** (3229 - 3230)

**ED-6:** ENTER METHOD USED IN JANUARY 2003 (3rd mention)

Value	Label	Total
.	inapplicable	7637
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in January 2003 (see [METHHIST491](#)) and R's date of interview was Jan 2003 or later (cmintvw>= 1237)

**METHHIST494** (3231 - 3232)

**ED-6:** ENTER METHOD USED IN JANUARY 2003 (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in January 2003 (see [METHHIST491](#)) and R's date of interview was Jan 2003 or later (cmintvw>= 1237)

**SIMSEQ49** (3233 - 3233)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Jan 2003)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7574
1	SAME TIME	50
2	DIFFERENT TIMES	19
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in January 2003 ([nummult49](#)=2) and R's date of interview was Jan 2003 or later (cmintvw>= 1237)

**MTHUSIMX4801** (3234 - 3234)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Jan 2003)

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section E Part II**

.	inapplicable	7637
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	4
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2003  
 ([nummult49](#)>2) and R's date of interview was Jan 2003 or later  
 (cmintvw>= 1237)

**MTHUSIMX4802** (3235 - 3235)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 1st  
 combo - Jan 2003)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7637
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	3
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2003 ([nummult49](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX4801](#) ne 1) and R's date of interview was Jan 2003 or later (cmintvw>= 1237)

**MTHUSIMX4803** (3236 - 3237)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st



NSFG Cycle 6 Female Respondent File Section E Part II

combo - Jan 2003)

Value	Label	Total
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2003 ([nummult49](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX4801](#) ne 1) and R's date of interview was Jan 2003 or later (cmintvw>= 1237)

**MTHUSIMX4804** (3238 - 3239)

NSFG Cycle 6 Female Respondent File Section E Part II

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Jan 2003)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in January 2003 ([nummult49](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX4803](#) ne 1) and R's date of interview was Jan 2003 or later (cmintvw>= 1237)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX4826** (3240 - 3240)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Jan 2003)

Value	Label	Total
.	inapplicable	7637
1	NONE	4
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2003 ([nummult49](#)>2) and R's date of interview was Jan 2003 or later

NSFG Cycle 6 Female Respondent File Section E Part II

(cmintvw>= 1237)

**MTHUSIMX4827** (3241 - 3241)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Jan 2003)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2003

NSFG Cycle 6 Female Respondent File Section E Part II

([nummult49](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4826](#) ne 1) and R's date of interview was Jan 2003 or later (cmintvw>= 1237)

**MTHUSIMX4828** (3242 - 3242)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Jan 2003)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 3 methods in January 2003  
 (nummult49>2) and R used at least 2 method combinations, with at  
 least 2 methods in the 2nd method combination (MTHUSIMX4826 ne 1)  
 and R's date of interview was Jan 2003 or later (cmintvw>= 1237)

**MTHUSIMX4829** (3243 - 3243)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 2nd  
 combo - Jan 2003)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0

NSFG Cycle 6 Female Respondent File Section E Part II

25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in January 2003  
 (nummult49>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination (MTHUSIMX4828 ne 1)  
 and R's date of interview was Jan 2003 or later (cmintvw>= 1237)

**MTHUSIMX4851** (3244 - 3244)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - Jan 2003)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2003  
 ([nummult49](#)>2) and R's date of interview was Jan 2003 or later  
 (cmintvw>= 1237)

**MTHUSIMX4852** (3245 - 3245)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 3rd  
 combo - Jan 2003)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2003  
 ([nummult49](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX4851](#) ne 1)  
 and R's date of interview was Jan 2003 or later (cmintvw>= 1237)

**MTHUSIMX4853** (3246 - 3246)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - Jan 2003)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in January 2003  
 (nummult49>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination (MTHUSIMX4851 ne 1)  
 and R's date of interview was Jan 2003 or later (cmintvw>= 1237)

**MTHUSIMX4854** (3247 - 3247)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Jan 2003)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in January 2003 ([nummult49](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX4853](#) ne 1) and R's date of interview was Jan 2003 or later (cmintvw>= 1237)

**nummult49** (3248 - 3248)

Number of Methods Reported in Jan 2003 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6768
0	0	2
1	1	798
2-25	2 OR MORE	75
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before January 2003 ([cmfirsm](#)<1237) and R's date of interview was Jan 2003 or later (cmintvw>= 1237)

**METHHIST501** (3249 - 3250)

**ED-6:** ENTER METHOD USED IN FEBRUARY 2003 (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7224
1	NO METHOD USED	131

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	84
4	CONDOM	63
5	PARTNER'S VASECTOMY	26
6	STERILIZING OPERATION/TUBAL LIGATION	69
7	WITHDRAWAL, PULLING OUT	10
8	DEPO-PROVERA, INJECTABLES (SHOT)	14
9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	10
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	2
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	4
55	SAME METHOD USED THRU END OF YEAR	0
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before February 2003 ([cmfirsm](#)<=cmfeb03) and R's date of interview was Feb 2003 or later ([cmintvw](#)>= 1238)

***METHHIST502*** (3251 - 3252)

**ED-6:** ENTER METHOD USED IN FEBRUARY 2003 (2nd mention)

Value Label	Total
-------------	-------

---

**NSFG Cycle 6 Female Respondent File Section E Part II**

.	inapplicable	7608
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	11
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	4
7	WITHDRAWAL, PULLING OUT	13
8	DEPO-PROVERA, INJECTABLES (SHOT)	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	1
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in February 2003 (see [METHHIST501](#)) and R's date of interview was Feb 2003 or later (cmintvw >= 1238)

**METHHIST503** (3253 - 3254)

**ED-6:** ENTER METHOD USED IN FEBRUARY 2003 (3rd mention)

**NSFG Cycle 6 Female Respondent File Section E Part II**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7638
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in February 2003 (see [METHHIST501](#)) and R's date of interview was Feb 2003 or later (cmintvw>= 1238)

**METHHIST504** (3255 - 3256)

**ED-6:** ENTER METHOD USED IN FEBRUARY 2003 (4th mention)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7641
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in February 2003 (see [METHHIST501](#)) and R's date of interview was Feb 2003 or later (cmintvw >= 1238)

**SAMEAllYear50** (3257 - 3257)

**ED-8:** I'm about to enter that you used [METHOD] every month from

**NSFG Cycle 6 Female Respondent File Section E Part II**

[THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Feb 2003)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	YES	3
5	NO	0
<b>Total</b>		<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST501](#)=55) and R's date of interview was Feb 2003 or later (cmintvw>= 1238)

**SIMSEQ50** (3258 - 3258)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Feb 2003)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7613
1	SAME TIME	21
2	DIFFERENT TIMES	9
<b>Total</b>		<b>7643</b>

**Universe:**

applicable if R used two methods in February 2003 ([nummult50](#)=2) and R's date of interview was Feb 2003 or later (cmintvw>= 1238)

**MTHUSIMX4901** (3259 - 3259)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Feb 2003)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7638
1	NONE	0



**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	3
4	CONDOM	2
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2003  
 (nummult50>2) and R's date of interview was Feb 2003 or later  
 (cmintvw>= 1238)

***MTHUSIMX4902*** (3260 - 3260)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 1st  
 combo - Feb 2003)

Value Label	Total
. inapplicable	7638

**NSFG Cycle 6 Female Respondent File Section E Part II**

1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	3
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2003  
 ([nummult50](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX4901](#) ne 1) and R's date of interview was Feb  
 2003 or later (cmintvw>= 1238)

**MTHUSIMX4903** (3261 - 3262)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 1st  
 combo - Feb 2003)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7640
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	1
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2003 ([nummult50](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX4901](#) ne 1) and R's date of interview was Feb 2003 or later (cmintvw>= 1238)

**MTHUSIMX4904** (3263 - 3264)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st

NSFG Cycle 6 Female Respondent File Section E Part II

combo - Feb 2003)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in February 2003 ([nummult50](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX4903](#) ne 1) and R's date of interview was Feb 2003 or later (cmintvw>= 1238)

**MTHUSIMX4926** (3265 - 3265)

**NSFG Cycle 6 Female Respondent File Section E Part II**

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Feb 2003)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7638
1	NONE	3
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2003  
 ([nummult50](#)>2) and R's date of interview was Feb 2003 or later  
 (cmintvw>= 1238)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX4927** (3266 - 3266)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Feb 2003)

Value	Label	Total
.	inapplicable	7641
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2003 ([nummult50](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4926](#) ne 1)

NSFG Cycle 6 Female Respondent File Section E Part II

and R's date of interview was Feb 2003 or later (cmintvw>= 1238)

**MTHUSIMX4928** (3267 - 3267)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Feb 2003)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2003

NSFG Cycle 6 Female Respondent File Section E Part II

([nummult50](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX4926](#) ne 1) and R's date of interview was Feb 2003 or later (cmintvw>= 1238)

**MTHUSIMX4929** (3268 - 3268)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Feb 2003)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>



NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 4 methods in February 2003  
 (nummult50>3) and R used at least 2 method combinations, with at  
 least 3 methods in the 2nd method combination (MTHUSIMX4928 ne 1)  
 and R's date of interview was Feb 2003 or later (cmintvw>= 1238)

**MTHUSIMX4951** (3269 - 3269)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (1st method used in 3rd  
 combo - Feb 2003)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0

NSFG Cycle 6 Female Respondent File Section E Part II

25 CONTRACEPTIVE PATCH 0  
**Total** 7643

**Universe:**

applicable if R used at least 3 methods in February 2003  
 (nummult50>2) and R's date of interview was Feb 2003 or later  
 (cmintvw>= 1238)

**MTHUSIMX4952** (3270 - 3270)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 3rd  
 combo - Feb 2003)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2003  
 ([nummult50](#)>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination ([MTHUSIMX4951](#) ne 1)  
 and R's date of interview was Feb 2003 or later (cmintvw>= 1238)

**MTHUSIMX4953** (3271 - 3271)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - Feb 2003)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in February 2003 ([nummult50](#)>2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination ([MTHUSIMX4951](#) ne 1) and R's date of interview was Feb 2003 or later (cmintvw>= 1238)

***MTHUSIMX4954*** (3272 - 3272)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Feb 2003)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in February 2003 ([nummult50](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX4953](#) ne 1) and R's date of interview was Feb 2003 or later ([cmintvw](#)>= 1238)

**nummult50** (3273 - 3273)

Number of Methods Reported in Feb 2003 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7224
0	0	1
1	1	383
2-25	2 OR MORE	35
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before February 2003 ([cmfirsm](#)<1238) and R's date of interview was Feb 2003 or later ([cmintvw](#)>= 1238)

**METHHIST511** (3274 - 3274)

**ED-6:** ENTER METHOD USED IN MARCH 2003 (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7603
1	NO METHOD USED	20
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	4

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	3
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	8
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES (SHOT)	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before March 2003 ([cmfirsm](#)<=cmmar03) and R's date of interview was Mar 2003 or later ([cmintvw](#)>= 1239)

**METHHIST512** (3275 - 3275)

**ED-6:** ENTER METHOD USED IN MARCH 2003 (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in March 2003 (see [METHHIST511](#)) and R's date of interview was Mar 2003 or later (cmintvw>= 1239)

**METHHIST513** (3276 - 3276)

**ED-6:** ENTER METHOD USED IN MARCH 2003 (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	NO METHOD USED	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in March 2003 (see [METHHIST511](#)) and R's date of interview was Mar 2003 or later (cmintvw>= 1239)

**METHHIST514** (3277 - 3277)

**ED-6:** ENTER METHOD USED IN MARCH 2003 (4th mention)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7643



**NSFG Cycle 6 Female Respondent File Section E Part II**

1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in March 2003 (see [METHHIST511](#)) and R's date of interview was Mar 2003 or later (cmintvw>= 1239)

***SAMEAllYear51*** (3278 - 3278)

**ED-8:** I'm about to enter that you used [METHOD] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct? (Mar 2003)

NSFG Cycle 6 Female Respondent File Section E Part II

<u>Value Label</u>	<u>Total</u>
. inapplicable	7642
1 YES	1
5 NO	0
<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R said she used the same method for the whole year (ED-6 [METHHIST511](#)=55) and R's date of interview was Mar 2003 or later (cmintvw>= 1239)

**SIMSEQ51** (3279 - 3279)

**ED-10:** Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (Mar 2003)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7641
1 SAME TIME	2
2 DIFFERENT TIMES	0
<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used two methods in March 2003 ([nummult51](#)=2) and R's date of interview was Mar 2003 or later (cmintvw>= 1239)

**MTHUSIMX5001** (3280 - 3280)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Mar 2003)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7642
1 NONE	0
2 OFFICE USE ONLY	0
3 BIRTH CONTROL PILLS	1
4 CONDOM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2003  
 ([nummult51](#)>2) and R's date of interview was Mar 2003 or later  
 (cmintvw>= 1239)

**MTHUSIMX5002** (3281 - 3281)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Mar 2003)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2003 ([nummult51](#)>2) and R used at least 2 methods in the first method combination ([MTHUSIMX5001](#) ne 1) and R's date of interview was Mar 2003 or later (cmintvw>= 1239)

***MTHUSIMX5003*** (3282 - 3282)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Mar 2003)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7643
1	NONE	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2003  
 ([nummult51](#)>2) and R used at least 2 methods in the first method  
 combination ([MTHUSIMX5001](#) ne 1) and R's date of interview was Mar  
 2003 or later (cmintvw>= 1239)

***MTHUSIMX5004*** (3283 - 3283)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 1st  
 combo - Mar 2003)

**Value Label**

**Total**

**NSFG Cycle 6 Female Respondent File Section E Part II**

.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in March 2003 ([nummult51](#)>3) and R used at least 3 methods in first method combination ([MTHUSIMX5003](#) ne 1) and R's date of interview was Mar 2003 or later (cmintvw>= 1239)

**MTHUSIMX5026** (3284 - 3284)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Mar 2003)

NSFG Cycle 6 Female Respondent File Section E Part II

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2003  
 ([nummult51](#)>2) and R's date of interview was Mar 2003 or later  
 (cmintvw>= 1239)

**MTHUSIMX5027** (3285 - 3285)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 2nd

NSFG Cycle 6 Female Respondent File Section E Part II

combo - Mar 2003)

Value	Label	Total
.	inapplicable	7642
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2003 ([nummult51](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX5026](#) ne 1) and R's date of interview was Mar 2003 or later (cmintvw>= 1239)

**MTHUSIMX5028** (3286 - 3286)



NSFG Cycle 6 Female Respondent File Section E Part II

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Mar 2003)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods in March 2003 ([nummult51](#)>2) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination ([MTHUSIMX5026](#) ne 1) and R's date of interview was Mar 2003 or later ([cmintvw](#)>= 1239)

NSFG Cycle 6 Female Respondent File Section E Part II

**MTHUSIMX5029** (3287 - 3287)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Mar 2003)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in March 2003 ([nummult51](#)>3) and R used at least 2 method combinations, with at

**NSFG Cycle 6 Female Respondent File Section E Part II**

least 3 methods in the 2nd method combination ([MTHUSIMX5028](#) ne 1) and R's date of interview was Mar 2003 or later (cmintvw>= 1239)

**MTHUSIMX5051** (3288 - 3288)

**ED-11:** During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Mar 2003)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section E Part II

applicable if R used at least 3 methods in March 2003  
 (nummult51>2) and R's date of interview was Mar 2003 or later  
 (cmintvw>= 1239)

**MTHUSIMX5052** (3289 - 3289)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (2nd method used in 3rd  
 combo - Mar 2003)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part II

**Universe:**

applicable if R used at least 3 methods in March 2003  
 (nummult51>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination (MTHUSIMX5051 ne 1)  
 and R's date of interview was Mar 2003 or later (cmintvw>= 1239)

**MTHUSIMX5053** (3290 - 3290)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (3rd method used in 3rd  
 combo - Mar 2003)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0
23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0

NSFG Cycle 6 Female Respondent File Section E Part II

25 CONTRACEPTIVE PATCH 0  
**Total** 7643

**Universe:**

applicable if R used at least 3 methods in March 2003  
 (nummult51>2) and R used at least 3 method combinations, with at  
 least 2 methods in the 3rd method combination (MTHUSIMX5051 ne 1)  
 and R's date of interview was Mar 2003 or later (cmintvw>= 1239)

**MTHUSIMX5054** (3291 - 3291)

**ED-11:** During that month, which (of those methods/other methods),  
 if any, did you use at the same time? (4th method used in 3rd  
 combo - Mar 2003)

Value	Label	Total
.	inapplicable	7643
1	NONE	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	R'S STERILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

23	R'S PARTNER'S STERILITY	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods in March 2003 ([nummult51](#)>3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination ([MTHUSIMX5053](#) ne 1) and R's date of interview was Mar 2003 or later (cmintvw>= 1239)

**nummult51** (3292 - 3292)

Number of Methods Reported in Mar 2003 (Computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7603
0	0	0
1	1	37
2-25	2 OR MORE	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before March 2003 ([cmfirsm](#)<1239) and R's date of interview was Mar 2003 or later (cmintvw>= 1239)

**currmeth1** (3293 - 3294)

Method used in month of interview (1st mention) (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	879
1	NO METHOD USED	2018
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1448
4	CONDOM	977
5	PARTNER'S VASECTOMY	324
6	STERILIZING OPERATION/TUBAL LIGATION	1148

**NSFG Cycle 6 Female Respondent File Section E Part II**

7	WITHDRAWAL, PULLING OUT	219
8	DEPO-PROVERA, INJECTABLES (SHOT)	252
9	NORPLANT (TM) IMPLANTS	20
10	RHYTHM OR SAFE PERIOD BY CALENDAR	45
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	15
12	DIAPHRAGM	11
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	5
15	JELLY OR CREAM	4
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	8
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	95
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	20
22	RESPONDENT WAS STERILE	34
23	RESPONDENT'S PARTNER WAS STERILE	14
24	LUNELLE INJECTABLE (MONTHLY SHOT)	10
25	CONTRACEPTIVE PATCH	23
55	SAME METHOD USED THRU END OF YEAR	1
97	Not ascertained	44
98	Refused	15
99	Don't know	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused=1](#))

***currmeth2*** (3295 - 3296)

Method used in month of interview (2nd mention) (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7052
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	22
4	CONDOM	196



**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	17
6	STERILIZING OPERATION/TUBAL LIGATION	87
7	WITHDRAWAL, PULLING OUT	147
8	DEPO-PROVERA, INJECTABLES (SHOT)	29
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	34
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	3
12	DIAPHRAGM	7
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	5
15	JELLY OR CREAM	11
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	5
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	4
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	3
22	RESPONDENT WAS STERILE	9
23	RESPONDENT'S PARTNER WAS STERILE	2
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	5
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in the month of interview  
(see [currmeth1](#))

**currmeth3** (3297 - 3298)

Method used in month of interview (3rd mention) (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7600
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	1

**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	14
8	DEPO-PROVERA, INJECTABLES (SHOT)	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	13
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	3
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	4
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	1
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in the month of interview  
(see [currmeth1](#))

***currmeth4*** (3299 - 3300)

Method used in month of interview (4th mention) (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7638
1	NO METHOD USED	0
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	3
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in the month of interview  
(see [currmeth1](#))

***lastmonmeth1*** (3301 - 3302)

Method used in month before interview (1st mention) (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	911
1	NO METHOD USED	1934
2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1475
4	CONDOM	1044

**NSFG Cycle 6 Female Respondent File Section E Part II**

5	PARTNER'S VASECTOMY	325
6	STERILIZING OPERATION/TUBAL LIGATION	1146
7	WITHDRAWAL, PULLING OUT	229
8	DEPO-PROVERA, INJECTABLES (SHOT)	254
9	NORPLANT (TM) IMPLANTS	22
10	RHYTHM OR SAFE PERIOD BY CALENDAR	44
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	16
12	DIAPHRAGM	11
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	4
15	JELLY OR CREAM	4
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	8
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	93
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	17
22	RESPONDENT WAS STERILE	35
23	RESPONDENT'S PARTNER WAS STERILE	16
24	LUNELLE INJECTABLE (MONTHLY SHOT)	10
25	CONTRACEPTIVE PATCH	18
55	SAME METHOD USED THRU END OF YEAR	1
98	Refused	14
99	Don't know	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever used a method ([everused](#)=1) and date of first method use was on or before the month prior to interview month ([cmfirsm](#)<= cmintvw - 1)

***lastmonmeth2*** (3303 - 3304)

Method used in month before interview (2nd mention) (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7014
1	NO METHOD USED	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	14
4	CONDOM	222
5	PARTNER'S VASECTOMY	20
6	STERILIZING OPERATION/TUBAL LIGATION	88
7	WITHDRAWAL, PULLING OUT	158
8	DEPO-PROVERA, INJECTABLES (SHOT)	31
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	39
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	2
12	DIAPHRAGM	8
13	FEMALE CONDOM, VAGINAL POUCH	3
14	FOAM	5
15	JELLY OR CREAM	11
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	5
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	2
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	4
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	9
23	RESPONDENT'S PARTNER WAS STERILE	2
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	5
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 2 methods in the month prior to interview month (see [lastmonmeth1](#))

***lastmonmeth3*** (3305 - 3306)

Method used in month before interview (3rd mention) (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7592
1	NO METHOD USED	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	2
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	14
8	DEPO-PROVERA, INJECTABLES (SHOT)	2
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	17
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	5
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	1
15	JELLY OR CREAM	4
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	1
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	1
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 3 methods in the month prior to interview month (see [lastmonmeth1](#))

***lastmonmeth4*** (3307 - 3308)

Method used in month before interview (4th mention) (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7634
1	NO METHOD USED	0

**NSFG Cycle 6 Female Respondent File Section E Part II**

2	SAME AS PREVIOUS MONTH	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	6
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
55	SAME METHOD USED THRU END OF YEAR	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used at least 4 methods in the month prior to interview month (see [lastmonmeth1](#))

NSFG Cycle 6 Female Respondent File Section E Part III

**USELSTP** (3309 - 3309)

**EF-1:** Looking at Card 33, the (last) time you had intercourse with [LAST PARTNER IN PAST 12 MONTHS] in [DATE], did you or he use any method?

Value	Label	Total
.	inapplicable	1557
1	YES	4504
5	NO	1571
8	Refused	5
9	Don't know	6
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R had at least 1 sexual partner in the past 12 months (parts12>0) and last partner in past 12 months was not the first partner or was the first partner but R had sex with him more than once (prt12nam1 ne first partner or prt12nam1=first partner and cmlsexfp ne 9996)

**LSTMTHP11** (3310 - 3311)

**EF-2:** Which method or methods on Card 33 did you use? (last partner in past 12 mons,last sex: 1st method)

Value	Label	Total
.	inapplicable	3139
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1365
4	CONDOM	1248
5	PARTNER'S VASECTOMY	338
6	STERILIZING OPERATION/TUBAL LIGATION	784
7	WITHDRAWAL, PULLING OUT	272
8	DEPO-PROVERA, INJECTABLE	234
9	NORPLANT (TM) IMPLANTS	18
10	RHYTHM OR SAFE PERIOD BY CALENDAR	46



**NSFG Cycle 6 Female Respondent File Section E Part III**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	11
12	DIAPHRAGM	12
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	5
15	JELLY OR CREAM	5
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	5
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	87
20	EMERGENCY CONTRACEPTION	5
21	OTHER METHOD	8
22	RESPONDENT WAS STERILE	10
23	RESPONDENT'S PARTNER WAS STERILE	16
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	8
25	CONTRACEPTIVE PATCH	18
98	Refused	2
99	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used a method at last intercourse with last partner in the past 12 months (EF-1 [USELSTP=1](#))

**LSTMTHP12** (3312 - 3313)

**EF-2:** Which method or methods on Card 33 did you use? (last partner in past 12 mons, last sex: 2nd method)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7002
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	19
4	CONDOM	301
5	PARTNER'S VASECTOMY	12
6	STERILIZING OPERATION/TUBAL LIGATION	88
7	WITHDRAWAL, PULLING OUT	109
8	DEPO-PROVERA, INJECTABLE	35

**NSFG Cycle 6 Female Respondent File Section E Part III**

9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	28
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	3
12	DIAPHRAGM	6
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	5
15	JELLY OR CREAM	9
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	6
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	4
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	6
23	RESPONDENT'S PARTNER WAS STERILE	2
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	6
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 2 methods at last intercourse with last partner in the past 12 months (see EF-2 [LSTMTHP11](#))

**LSTMTHP13** (3314 - 3315)

**EF-2:** Which method or methods on Card 33 did you use? (last partner in past 12 mons, last sex: 3rd method)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7609
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	3
4	CONDOM	1
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	9
8	DEPO-PROVERA, INJECTABLE	2

**NSFG Cycle 6 Female Respondent File Section E Part III**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	9
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	6
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods at last intercourse with last partner in the past 12 months (see EF-2 [LSTMTHP11](#))

**LSTMTHP14** (3316 - 3317)

**EF-2:** Which method or methods on Card 33 did you use? (last partner in past 12 mons, last sex: 4th method)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7637
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLE	0

**NSFG Cycle 6 Female Respondent File Section E Part III**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	4
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods at last intercourse with last partner in the past 12 months (see EF-2 [LSTMTHP11](#))

**USEFSTP** (3318 - 3318)

**EF-3:** Looking at Card 33, the first time you had intercourse with [LAST PARTNER IN PAST 12 MONTHS] in [DATE], did you or he use any method?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3135
1	YES	3499
5	NO	993
8	Refused	4
9	Don't know	12
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R had at least 1 sexual partner in the past 12

**NSFG Cycle 6 Female Respondent File Section E Part III**

months (partsl2>0) and had sex more than once with last partner in past 12 months (cmlsexx ne 9996) and last partner in past 12 months was not the first partner (prt12nam1 ne first partner)

**FSTMTHP11** (3319 - 3320)

**EF-4:** Which method or methods on Card 33 did you use? (last partner in past 12 mons,first sex: 1st method)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	4145
1	OFFICE USE ONLY	2
2	OFFICE USE ONLY	1
3	BIRTH CONTROL PILLS	1185
4	CONDOM	1594
5	PARTNER'S VASECTOMY	67
6	STERILIZING OPERATION/TUBAL LIGATION	239
7	WITHDRAWAL, PULLING OUT	198
8	DEPO-PROVERA, INJECTABLE	96
9	NORPLANT (TM) IMPLANTS	18
10	RHYTHM OR SAFE PERIOD BY CALENDAR	9
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	18
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	6
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	6
18	TODAY (TM) SPONGE	11
19	IUD, COIL, OR LOOP	31
20	EMERGENCY CONTRACEPTION	2
21	OTHER METHOD	3
22	RESPONDENT WAS STERILE	2
23	RESPONDENT'S PARTNER WAS STERILE	3
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	3
25	CONTRACEPTIVE PATCH	1
99	Don't know	2
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part III

**Universe:**

applicable if R used a method at first intercourse with last partner in the past 12 months (EF-3 [USEFSTP=1](#))

**FSTMTHP12** (3321 - 3322)

**EF-4:** Which method or methods on Card 33 did you use? (last partner in past 12 mons, first sex: 2nd method)

Value	Label	Total
.	inapplicable	6952
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	56
4	CONDOM	416
5	PARTNER'S VASECTOMY	13
6	STERILIZING OPERATION/TUBAL LIGATION	66
7	WITHDRAWAL, PULLING OUT	63
8	DEPO-PROVERA, INJECTABLE	33
9	NORPLANT (TM) IMPLANTS	3
10	RHYTHM OR SAFE PERIOD BY CALENDAR	8
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	6
15	JELLY OR CREAM	6
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	4
18	TODAY (TM) SPONGE	4
19	IUD, COIL, OR LOOP	6
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	2
23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part III

**Universe:**

applicable if R used at least 2 methods at last intercourse with last partner in the past 12 months (see EF-2 [FSTMTHP11](#))

**FSTMTHP13** (3323 - 3324)

**EF-4:** Which method or methods on Card 33 did you use? (last partner in past 12 mons, first sex: 3rd method)

Value	Label	Total
.	inapplicable	7621
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	1
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	4
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLE	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section E Part III**

applicable if R used at least 3 methods at last intercourse with last partner in the past 12 months (see EF-2 [FSTMTHP11](#))

**FSTMTHP14** (3325 - 3326)

**EF-4:** Which method or methods on Card 33 did you use? (last partner in past 12 mons, first sex: 4th method)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLE	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	1
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods at last intercourse with



NSFG Cycle 6 Female Respondent File Section E Part III

last partner in the past 12 months (see EF-2 [FSTMTHP11](#))

**USELSTP2** (3327 - 3327)

**EF-1:** Looking at Card 33, the (last) time you had intercourse with [2ND-TO-LAST PARTNER IN PAST 12 MONTHS] in [DATE], did you or he use any method?

Value	Label	Total
.	inapplicable	6784
1	YES	698
5	NO	158
8	Refused	1
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R had at least 2 sexual partners in the past 12 months (parts12>1) and 2nd-to-last partner in past 12 months was not the first partner or was the first partner but R had sex with him more than once (prt12nam2 ne first partner or prt12nam2=first partner and cmlsexfp ne 9996)

**LSTMTHP21** (3328 - 3329)

**EF-2:** Which method or methods on Card 33 did you use? (2nd-to-last partner in past 12 mons,last sex: 1st method)

Value	Label	Total
.	inapplicable	6945
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	215
4	CONDOM	299
5	PARTNER'S VASECTOMY	16
6	STERILIZING OPERATION/TUBAL LIGATION	68
7	WITHDRAWAL, PULLING OUT	56
8	DEPO-PROVERA, INJECTABLE	27
9	NORPLANT (TM) IMPLANTS	0

**NSFG Cycle 6 Female Respondent File Section E Part III**

10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	5
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	3
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	1
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	2
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used a method at last intercourse with 2nd-to-last partner in the past 12 months (EF-1 [USELSTP2=1](#))

**LSTMTHP22** (3330 - 3331)

**EF-2:** Which method or methods on Card 33 did you use? (2nd-to-last partner in past 12 mons, last sex: 2nd method)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7478
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	8
4	CONDOM	91
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	15
7	WITHDRAWAL, PULLING OUT	21
8	DEPO-PROVERA, INJECTABLE	18

**NSFG Cycle 6 Female Respondent File Section E Part III**

9	NORPLANT (TM) IMPLANTS	2
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	2
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	4
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	1
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	2
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 2 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 [LSTMTHP21](#))

**LSTMTHP23** (3332 - 3332)

**EF-2:** Which method or methods on Card 33 did you use? (2nd-to-last partner in past 12 mons, last sex: 3rd method)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7636
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	7
8	DEPO-PROVERA, INJECTABLE	0

**NSFG Cycle 6 Female Respondent File Section E Part III**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 [LSTMTHP21](#))

**LSTMTHP24** (3333 - 3333)

**EF-2:** Which method or methods on Card 33 did you use? (2nd-to-last partner in past 12 mons, last sex: 4th method)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLE	0

**NSFG Cycle 6 Female Respondent File Section E Part III**

9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 [LSTMTHP21](#))

**USEFSTP2** (3334 - 3334)

**EF-3:** Looking at Card 33, the first time you had intercourse with [2ND-TO-LAST PARTNER IN PAST 12 MONTHS] in [DATE], did you or he use any method?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6840
1	YES	665
5	NO	136
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R had at least 2 sexual partners in the past 12 months (parts12>1) and had sex more than once with 2nd-to-last

**NSFG Cycle 6 Female Respondent File Section E Part III**

partner in past 12 months (cmlsexx2 ne 9996) and 2nd-to-last partner in past 12 months was not the first partner (prt12nam2 ne first partner)

**FSTMTHP21** (3335 - 3336)

**EF-4:** Which method or methods on Card 33 did you use? (2nd-to-last partner in past 12 mons,first sex: 1st method)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6978
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	194
4	CONDOM	323
5	PARTNER'S VASECTOMY	10
6	STERILIZING OPERATION/TUBAL LIGATION	55
7	WITHDRAWAL, PULLING OUT	43
8	DEPO-PROVERA, INJECTABLE	28
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	1
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	2
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	3
22	RESPONDENT WAS STERILE	1
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	1
99	Don't know	1
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part III

**Universe:**

applicable if R used a method at first intercourse with 2nd-to-last partner in the past 12 months (EF-3 [USEFSTP2=1](#))

**FSTMTHP22** (3337 - 3338)

**EF-4:** Which method or methods on Card 33 did you use? (2nd-to-last partner in past 12 mons, first sex: 2nd method)

Value	Label	Total
.	inapplicable	7458
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	7
4	CONDOM	113
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	21
7	WITHDRAWAL, PULLING OUT	16
8	DEPO-PROVERA, INJECTABLE	18
9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	3
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	1
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part III

**Universe:**

applicable if R used at least 2 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 [FSTMTHP21](#))

**FSTMTHP23** (3339 - 3339)

**EF-4:** Which method or methods on Card 33 did you use? (2nd-to-last partner in past 12 mons, first sex: 3rd method)

Value	Label	Total
.	inapplicable	7638
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	1
6	STERILIZING OPERATION/TUBAL LIGATION	1
7	WITHDRAWAL, PULLING OUT	3
8	DEPO-PROVERA, INJECTABLE	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**



**NSFG Cycle 6 Female Respondent File Section E Part III**

applicable if R used at least 3 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 [FSTMTHP21](#))

**FSTMTHP24** (3340 - 3340)

**EF-4:** Which method or methods on Card 33 did you use? (2nd-to-last partner in past 12 mons, first sex: 4th method)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7643
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLE	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods at last intercourse with

**NSFG Cycle 6 Female Respondent File Section E Part III**

2nd-to-last partner in the past 12 months (see EF-2 [FSTMTHP21](#))

**USELSTP3** (3341 - 3341)

**EF-1:** Looking at Card 33, the (last) time you had intercourse with [3RD-TO-LAST PARTNER IN PAST 12 MONTHS] in [DATE], did you or he use any method?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7310
1	YES	281
5	NO	51
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R had at least 3 sexual partners in the past 12 months (parts12>2) and 3rd-to-last partner in past 12 months was not the first partner or was the first partner but R had sex with him more than once (prt12nam3 ne first partner or prt12nam3=first partner and cmlsexfp ne 9996)

**LSTMTHP31** (3342 - 3343)

**EF-2:** Which method or methods on Card 33 did you use? (3rd-to-last partner in past 12 mons,last sex: 1st method)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7362
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	72
4	CONDOM	144
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	19
7	WITHDRAWAL, PULLING OUT	23
8	DEPO-PROVERA, INJECTABLE	16
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1

**NSFG Cycle 6 Female Respondent File Section E Part III**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	2
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used a method at last intercourse with 3rd-to-last partner in the past 12 months (EF-1 [USELSTP3=1](#))

**LSTMTHP32** (3344 - 3345)

**EF-2:** Which method or methods on Card 33 did you use? (3rd-to-last partner in past 12 mons, last sex: 2nd method)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7575
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1
4	CONDOM	35
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	7
7	WITHDRAWAL, PULLING OUT	11
8	DEPO-PROVERA, INJECTABLE	9
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0

**NSFG Cycle 6 Female Respondent File Section E Part III**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	2
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 2 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 [LSTMTHP31](#))

**LSTMTHP33** (3346 - 3347)

**EF-2:** Which method or methods on Card 33 did you use? (3rd-to-last partner in past 12 mons, last sex: 3rd method)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7641
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	1
8	DEPO-PROVERA, INJECTABLE	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0

**NSFG Cycle 6 Female Respondent File Section E Part III**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 [LSTMTHP31](#))

**LSTMTHP34** (3348 - 3348)

**EF-2:** Which method or methods on Card 33 did you use? (3rd-to-last partner in past 12 mons, last sex: 4th method)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7643
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLE	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0

**NSFG Cycle 6 Female Respondent File Section E Part III**

11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 [LSTMTHP31](#))

**USEFSTP3** (3349 - 3349)

**EF-3:** Looking at Card 33, the first time you had intercourse with [3RD-TO-LAST PARTNER IN PAST 12 MONTHS] in [DATE], did you or he use any method?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7335
1	YES	262
5	NO	45
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R had at least 3 sexual partners in the past 12 months (parts12>2) and had sex more than once with 3rd-to-last partner in past 12 months (cmlsexx3 ne 9996) and 3rd-to-last partner in past 12 months was not the first partner (prt12nam3 ne

NSFG Cycle 6 Female Respondent File Section E Part III

first partner)

**FSTMTHP31** (3350 - 3351)

**EF-4:** Which method or methods on Card 33 did you use? (3rd-to-last partner in past 12 mons, first sex: 1st method)

Value	Label	Total
.	inapplicable	7381
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	69
4	CONDOM	137
5	PARTNER'S VASECTOMY	2
6	STERILIZING OPERATION/TUBAL LIGATION	18
7	WITHDRAWAL, PULLING OUT	18
8	DEPO-PROVERA, INJECTABLE	15
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	1
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used a method at first intercourse with 3rd-to-last partner in the past 12 months (EF-3 [USEFSTP3=1](#))

NSFG Cycle 6 Female Respondent File Section E Part III

**FSTMTHP32** (3352 - 3353)

**EF-4:** Which method or methods on Card 33 did you use? (3rd-to-last partner in past 12 mons,first sex: 2nd method)

Value	Label	Total
.	inapplicable	7575
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	4
4	CONDOM	39
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	5
7	WITHDRAWAL, PULLING OUT	6
8	DEPO-PROVERA, INJECTABLE	10
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	1
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	1
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	1
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 2 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 [FSTMTHP31](#))



NSFG Cycle 6 Female Respondent File Section E Part III

**FSTMTHP33** (3354 - 3354)

**EF-4:** Which method or methods on Card 33 did you use? (3rd-to-last partner in past 12 mons,first sex: 3rd method)

Value	Label	Total
.	inapplicable	7641
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	2
8	DEPO-PROVERA, INJECTABLE	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 [FSTMTHP31](#))

NSFG Cycle 6 Female Respondent File Section E Part III

**FSTMTHP34** (3355 - 3355)

**EF-4:** Which method or methods on Card 33 did you use? (3rd-to-last partner in past 12 mons,first sex: 4th method)

Value	Label	Total
.	inapplicable	7643
1	OFFICE USE ONLY	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER'S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	0
8	DEPO-PROVERA, INJECTABLE	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	0
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	0
15	JELLY OR CREAM	0
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	0
19	IUD, COIL, OR LOOP	0
20	EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	0
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE, INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 [FSTMTHP31](#))

**WYNOTUSE** (3356 - 3356)

NSFG Cycle 6 Female Respondent File Section E Part III

**EH-1:** Is the reason you are not using a method of birth control now because you, yourself, want to become pregnant as soon as possible?

Value	Label	Total
.	inapplicable	6839
1	YES	294
5	NO	506
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R is not currently pregnant (currpreg=5) and R had sex in month of interview (EC-8 [MONSX1177](#) through [MONSX1239](#) corresponding to cmintvw=1) and R is not sterilized [(rstrstat ne 1) and (ED-6 [METHHIST011](#) through [METHHIST514](#) corresponding to cmintvw ne 6)] and R did not use a method in month of interview (ED-6 [METHHIST011](#) through [METHHIST514](#) corresponding to cmintvw=1)

**HPPREGQ** (3357 - 3357)

**EH-2:** And your partner, does he want you to become pregnant as soon as possible?

Value	Label	Total
.	inapplicable	6839
1	YES	334
5	NO	465
9	Don't know	5
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R is not currently pregnant (currpreg=5) and R had sex in month of interview (EC-8 [MONSX1177](#) through [MONSX1239](#) corresponding to cmintvw=1) and R is not sterilized [(rstrstat ne 1) and (ED-6 [METHHIST011](#) through [METHHIST514](#) corresponding to cmintvw ne 6)] and R did not use a method in month of interview (ED-6 [METHHIST011](#) through [METHHIST514](#) corresponding to cmintvw=1)

**DURTRY\_N** (3358 - 3359)

**EH-2a:** How long have you been trying to become pregnant? (number of months or years)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7349
0-95	0-95	285
98	Refused	2
99	Don't know	7
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R is trying to become pregnant (EH-1 [WYNOTUSE=1](#))

**DURTRY\_P** (3360 - 3360)

**EH-2b:** (How long have you been trying to become pregnant?)  
(whether number in EH-2a DURTRY\_N was months or years)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7367
1	MONTHS	151
2	YEARS	125
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R is trying to become pregnant (EH-1 [WYNOTUSE=1](#))

**numplac1** (3361 - 3361)

Number of non-prescription methods used last month (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3951
0	NONE	2660
1	1 METHOD	1010
2	2 METHODS	21

NSFG Cycle 6 Female Respondent File Section E Part III

3	3 METHODS	1
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if the method(s) R used in the month before interview was a drug or device (any of ED-6 [METHHIST011](#) through [METHHIST514](#) for cmintvw =3,4,6,8,9,12,13,14,15,16,17,18,19,20,24 or 25)

**numplac2** (3362 - 3362)

Number of prescription methods used last month (computed)

Value	Label	Total
.	INAPPLICABLE	3951
0	NONE	2186
1	1 METHOD	1501
2	2 METHODS	5
3	3 METHODS	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if the method(s) R used in the month before interview was a drug or device (any of ED-6 [METHHIST011](#) through [METHHIST514](#) for cmintvw =3,4,6,8,9,12,13,14,15,16,17,18,19,20,24 or 25)

**PLACCUR1** (3363 - 3364)

**EH-3:** Please look at Card 36. You may have already told me, but where did you get the [METHOD] you used last month? (non-prescription method - 1st mentioned)

Value	Label	Total
.	inapplicable	6611
1	PRIVATE DOCTOR S OFFICE	28
2	HMO FACILITY	4
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	66
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	48
5	EMPLOYER OR COMPANY CLINIC	2

**NSFG Cycle 6 Female Respondent File Section E Part III**

6	SCHOOL OR SCHOOL-BASED CLINIC	3
7	HOSPITAL OUTPATIENT CLINIC	2
8	HOSPITAL EMERGENCY ROOM	1
9	HOSPITAL REGULAR ROOM	0
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	0
11	FRIEND	17
12	PARTNER OR SPOUSE	204
13	DRUG STORE	575
20	SOME OTHER PLACE	80
99	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if the method(s) R used in the month before interview was a drug or device (any of ED-6 [METHHIST011](#) through [METHHIST514](#) for cmintvw =3,4,6,8,9,12,13,14,15,16,17,18,19,20,24 or 25) and if 1st method mentioned was non-prescription (ED-6 [METHHIST011](#) through [METHHIST514](#) corresponding to cmintvw-1 not equal to 3,8,9,12,21,24,25)

**PLACCUR2** (3365 - 3366)

**EH-3:** Please look at Card 36. You may have already told me, but where did you get the [METHOD] you used last month? (non-prescription method - 2nd mentioned)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7621
1	PRIVATE DOCTOR S OFFICE	0
2	HMO FACILITY	0
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	0
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	2
5	EMPLOYER OR COMPANY CLINIC	0
6	SCHOOL OR SCHOOL-BASED CLINIC	0
7	HOSPITAL OUTPATIENT CLINIC	0
8	HOSPITAL EMERGENCY ROOM	0
9	HOSPITAL REGULAR ROOM	0
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	0

**NSFG Cycle 6 Female Respondent File Section E Part III**

11	FRIEND	0
12	PARTNER OR SPOUSE	0
13	DRUG STORE	20
20	SOME OTHER PLACE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 2 drug/device, nonprescription methods in month prior to interview (see EH-3 [PLACCUR1](#))

**PLACCUR3** (3367 - 3368)

**EH-3:** Please look at Card 36. You may have already told me, but where did you get the [METHOD] you used last month? (non-prescription method - 3rd mentioned)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	PRIVATE DOCTOR S OFFICE	0
2	HMO FACILITY	0
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	0
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	0
5	EMPLOYER OR COMPANY CLINIC	0
6	SCHOOL OR SCHOOL-BASED CLINIC	0
7	HOSPITAL OUTPATIENT CLINIC	0
8	HOSPITAL EMERGENCY ROOM	0
9	HOSPITAL REGULAR ROOM	0
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	0
11	FRIEND	0
12	PARTNER OR SPOUSE	0
13	DRUG STORE	1
20	SOME OTHER PLACE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 drug/device, nonprescription methods in month prior to interview (see EH-3 [PLACCUR1](#))

**PLACCUR4** (3369 - 3369)

**EH-3:** Please look at Card 36. You may have already told me, but where did you get the [METHOD] you used last month? (non-prescription method - 4th mentioned)

Value	Label	Total
.	inapplicable	7643
1	PRIVATE DOCTOR S OFFICE	0
2	HMO FACILITY	0
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	0
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	0
5	EMPLOYER OR COMPANY CLINIC	0
6	SCHOOL OR SCHOOL-BASED CLINIC	0
7	HOSPITAL OUTPATIENT CLINIC	0
8	HOSPITAL EMERGENCY ROOM	0
9	HOSPITAL REGULAR ROOM	0
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	0
11	FRIEND	0
12	PARTNER OR SPOUSE	0
13	DRUG STORE	0
20	SOME OTHER PLACE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 drug/device, nonprescription methods in month prior to interview (see EH-3 [PLACCUR1](#))

**PLACCUR9** (3370 - 3371)

**EH-3:** Please look at Card 36. You may have already told me, but where did you get the [METHOD] you used last month? (prescription method - 1st mentioned)

Value	Label	Total
.	inapplicable	6137
1	PRIVATE DOCTOR S OFFICE	896
2	HMO FACILITY	80



**NSFG Cycle 6 Female Respondent File Section E Part III**

3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	180
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	157
5	EMPLOYER OR COMPANY CLINIC	6
6	SCHOOL OR SCHOOL-BASED CLINIC	23
7	HOSPITAL OUTPATIENT CLINIC	30
8	HOSPITAL EMERGENCY ROOM	1
9	HOSPITAL REGULAR ROOM	12
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	1
20	SOME OTHER PLACE	117
99	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if the method(s) R used in the month before interview was a drug or device (any of ED-6 [METHHIST011](#) through [METHHIST514](#) for cmintvw =3,4,6,8,9,12,13,14,15,16,17,18,19,20,24 or 25) and if 1st method mentioned was prescription (ED-6 [METHHIST011](#) through [METHHIST514](#) corresponding to cmintvw = 3,8,9,12,21,24,25)

**PLACCUR10** (3372 - 3372)

**EH-3:** Please look at Card 36. You may have already told me, but where did you get the [METHOD] you used last month? (prescription method - 2nd mentioned)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7638
1	PRIVATE DOCTOR S OFFICE	2
2	HMO FACILITY	0
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	3
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	0
5	EMPLOYER OR COMPANY CLINIC	0
6	SCHOOL OR SCHOOL-BASED CLINIC	0
7	HOSPITAL OUTPATIENT CLINIC	0
8	HOSPITAL EMERGENCY ROOM	0
9	HOSPITAL REGULAR ROOM	0
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	0
20	SOME OTHER PLACE	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section E Part III

**Universe:**

applicable if R used at least 2 drug/device, prescription methods in month prior to interview (see EH-3 [PLACCUR9](#))

**PLACCUR11** (3373 - 3373)

**EH-3:** Please look at Card 36. You may have already told me, but where did you get the [METHOD] you used last month? (prescription method - 3rd mentioned)

Value	Label	Total
.	inapplicable	7643
1	PRIVATE DOCTOR S OFFICE	0
2	HMO FACILITY	0
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	0
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	0
5	EMPLOYER OR COMPANY CLINIC	0
6	SCHOOL OR SCHOOL-BASED CLINIC	0
7	HOSPITAL OUTPATIENT CLINIC	0
8	HOSPITAL EMERGENCY ROOM	0
9	HOSPITAL REGULAR ROOM	0
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	0
20	SOME OTHER PLACE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 3 drug/device, prescription methods in month prior to interview (see EH-3 [PLACCUR9](#))

**PLACCUR12** (3374 - 3374)

**EH-3:** Please look at Card 36. You may have already told me, but where did you get the [METHOD] you used last month? (prescription method - 4th mentioned)

Value	Label	Total
.	inapplicable	7643
1	PRIVATE DOCTOR S OFFICE	0

**NSFG Cycle 6 Female Respondent File Section E Part III**

2	HMO FACILITY	0
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	0
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	0
5	EMPLOYER OR COMPANY CLINIC	0
6	SCHOOL OR SCHOOL-BASED CLINIC	0
7	HOSPITAL OUTPATIENT CLINIC	0
8	HOSPITAL EMERGENCY ROOM	0
9	HOSPITAL REGULAR ROOM	0
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	0
20	SOME OTHER PLACE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used at least 4 drug/device, prescription methods in month prior to interview (see EH-3 [PLACCUR9](#))

**YUSEPILL1** (3375 - 3375)

**EJ-1:** Now I would like to know all of the reasons for your recent pill use. Have you used it for birth control, cramps or pain during menstrual period, treatment for acne, treatment for endometriosis, or for some other reason? (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6115
1	BIRTH CONTROL	1287
2	CRAMPS, OR PAIN DURING MENSTRUAL PERIODS	107
3	TREATMENT FOR ACNE	29
4	ENDOMETRIOSIS	18
5	OTHER REASONS	87
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used the pill in current month or in prior month (ED-6 [METHHIST011](#) through [METHHIST514](#) corresponding to cmintvw or cmintvw-1=3)

**YUSEPILL2** (3376 - 3376)

**EJ-1:** Now I would like to know all of the reasons for your recent

**NSFG Cycle 6 Female Respondent File Section E Part III**

pill use. Have you used it for birth control, cramps or pain during menstrual period, treatment for acne, treatment for endometriosis, or for some other reason? (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7056
1	BIRTH CONTROL	45
2	CRAMPS, OR PAIN DURING MENSTRUAL PERIODS	326
3	TREATMENT FOR ACNE	78
4	ENDOMETRIOSIS	16
5	OTHER REASONS	122
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R mentioned at least 2 reasons for recent pill use (see EJ-1 [YUSEPILL1](#))

**YUSEPILL3** (3377 - 3377)

**EJ-1:** Now I would like to know all of the reasons for your recent pill use. Have you used it for birth control, cramps or pain during menstrual period, treatment for acne, treatment for endometriosis, or for some other reason? (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7499
1	BIRTH CONTROL	13
2	CRAMPS, OR PAIN DURING MENSTRUAL PERIODS	8
3	TREATMENT FOR ACNE	74
4	ENDOMETRIOSIS	11
5	OTHER REASONS	38
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R mentioned at least 3 reasons for recent pill use (see EJ-1 [YUSEPILL1](#))

**YUSEPILL4** (3378 - 3378)

**NSFG Cycle 6 Female Respondent File Section E Part III**

**EJ-1:** Now I would like to know all of the reasons for your recent pill use. Have you used it for birth control, cramps or pain during menstrual period, treatment for acne, treatment for endometriosis, or for some other reason? (4th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7625
1	BIRTH CONTROL	0
2	CRAMPS, OR PAIN DURING MENSTRUAL PERIODS	0
3	TREATMENT FOR ACNE	1
4	ENDOMETRIOSIS	8
5	OTHER REASONS	9
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R mentioned at least 4 reasons for recent pill use (see EJ-1 [YUSEPILL1](#))

**YUSEPILL5** (3379 - 3379)

**EJ-1:** Now I would like to know all of the reasons for your recent pill use. Have you used it for birth control, cramps or pain during menstrual period, treatment for acne, treatment for endometriosis, or for some other reason? (5th mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	BIRTH CONTROL	0
2	CRAMPS, OR PAIN DURING MENSTRUAL PERIODS	0
3	TREATMENT FOR ACNE	0
4	ENDOMETRIOSIS	0
5	OTHER REASONS	2
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R mentioned at least 5 reasons for recent pill use (see EJ-1 [YUSEPILL1](#))

**TYPEPILL2** (3380 - 3382)

NSFG Cycle 6 Female Respondent File Section E Part III

**EJ-2:** This chart shows types of oral contraceptive pills that are available for women today. Please tell me the number next to the type that you are currently using or used most recently.

Value	Label	Total
.	inapplicable	6115
1	OVCON-35	13
2	OVCON-35 21 DAY	2
3	OVCON-35 28 DAY	21
4	OVCON-50	2
5	OVCON-50 21 DAY	0
6	OVCON-50 28 DAY	6
7	DEMULEN 1/35	1
8	DEMULEN 1/35 21 DAY	4
9	DEMULEN 1/35 28 DAY	13
10	DEMULEN 1/50	3
11	DEMULEN 1/50 21 DAY	1
12	DEMULEN 1/50 28 DAY	4
13	ESTROSTEP 28 DAY	34
14	LEVLEN	0
15	LEVLEN 21 DAY	5
16	LEVLEN 28 DAY	16
17	TRI-LEVLEN	0
18	TRI-LEVLEN 21 DAY	4
19	TRI-LEVLEN 28 DAY	26
20	LO/OVRAL	3
21	LO/OVRAL 21 DAY	4
22	LO/OVRAL 28 DAY	46
23	NORDETTE	2
24	NORDETTE 21 DAY	6
25	NORDETTE 28 DAY	12
26	OVRAL	1
27	OVRAL 21 DAY	0
28	OVRAL 28 DAY	4
29	TRIPHASIL	5
30	TRIPHASIL 21 DAY	13
31	TRIPHASIL 28 DAY	41
32	OVRETTE	5

NSFG Cycle 6 Female Respondent File Section E Part III

33	LOESTRIN	2
34	LOESTRIN 21 1/20 21 DAY	4
35	LOESTRIN FE 1/20 28 DAY	46
36	LOESTRIN FE 1.5/30 21 DAY	6
37	LOESTRIN FE 1.5/30 28 DAY	37
38	BREVICON	0
39	BREVICON 21 DAY	0
40	BREVICON 28 DAY	1
41	NORINYL 1+35	0
42	NORINYL 1+35 21 DAY	0
43	NORINYL 1+35 28 DAY	21
44	NORINYL 1+50	0
45	NORINYL 1+50 21 DAY	0
46	NORINYL 1+50 28 DAY	3
47	TRI-NORINYL	0
48	TRI-NORINYL 21 DAY	4
49	TRI-NORINYL 28 DAY	8
50	JANEST 28 DAY	8
51	DESOGEN 28 DAY	43
52	ORTHO-NOVUM 1/35	1
53	ORTHO-NOVUM 1/35 21 DAY	4
54	ORTHO-NOVUM 1/35 21 DAY	2
55	ORTHO-NOVUM 1/35 28 DAY	29
56	ORTHO-NOVUM 1/35 28 DAY	5
57	MODICON	0
58	MODICON 21 DAY	3
59	MODICON 21 DAY	1
60	MODICON 28 DAY	4
61	MODICON 28 DAY	2
62	ORTHO-NOVUM 1/50	0
63	ORTHO-NOVUM 1/50 21 DAY	1
64	ORTHO-NOVUM 1/50 21 DAY	1
65	ORTHO-NOVUM 1/50 28 DAY	5
66	ORTHO-NOVUM 1/50 28 DAY	1
67	ORTHO-NOVUM 10/11	1
68	ORTHO-NOVUM 10/11 21 DAY	0
69	ORTHO-NOVUM 10/11 21 DAY	4
70	ORTHO-NOVUM 10/11 28 DAY	1
71	ORTHO-NOVUM 10/11 28 DAY	5
72	ORTHO-NOVUM 7/7/7	0

**NSFG Cycle 6 Female Respondent File Section E Part III**

73	ORTHO-NOVUM 7/7/7 21 DAY	4
74	ORTHO-NOVUM 7/7/7 21 DAY	1
75	ORTHO-NOVUM 7/7/7 28 DAY	54
76	ORTHO-NOVUM 7/7/7 28 DAY	13
77	ORTHO-CYCLEN	8
78	ORTHO-CYCLEN 21 DAY	16
79	ORTHO-CYCLEN 28 DAY	66
80	ORTHO-CYCLEN 28 DAY	29
81	ORTHO TRI-CYCLEN	6
82	ORTHO TRI-CYCLEN 21 DAY	35
83	ORTHO TRI-CYCLEN 28 DAY	264
84	ORTHO TRI-CYCLEN 28 DAY	81
85	ORTHO-CEPT	2
86	ORTHO-CEPT 21 DAY	2
87	ORTHO-CEPT 28 DAY	20
88	ORTHO-CEPT 28 DAY	4
89	NOR-Q.D. CONTINUOUS	9
90	MICRONOR	0
91	MICRONOR 28 DAY	19
92	MICRONOR 28 DAY	6
93	ALESSE	1
94	ALESSE 21 DAY	9
95	ALESSE 28 DAY	86
96	LEVLITE	1
97	LEVLITE 21 DAY	3
98	LEVLITE 28 DAY	23
99	MIRCETTE 28 DAY	66
100	YASMIN	4
997	NOT ASCERTAINED	25
998	REFUSED	1
999	DON'T KNOW	120
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R used the pill in current month or in month prior to interview or in 2nd month prior to interview (ED-6 [METHHIST011](#) through [METHHIST514](#) corresponding to cmintvw or cmintvw-1=3 or cmintvw-2=3)

**PST4WKSX** (3383 - 3385)



NSFG Cycle 6 Female Respondent File Section E Part III

**EL-1:** Now please think about the last four weeks. How many times have you had sexual intercourse with a male in the last four weeks?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1506
0-100	0-100	6053
998	Refused	39
999	Don't know	45
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R had sexual intercourse in the past 12 months (EC-8 [MONSX1177](#) through [MONSX1239](#) for any of 12 months prior to cmintvw=1)

**PSWKCOND1** (3386 - 3386)

**EL-2:** Did you use a condom?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7152
1	YES	172
5	NO	319
	<b>Total</b>	<b>7643</b>

**Universe:**

applicable if R only had sex once in the past 4 weeks (EL-1 [PST4WKSX](#)=1) and R ever used the condom (EA-2 [CONDOM](#)=1)

**PSWKCOND2** (3387 - 3389)

**EL-3:** How many of those times did you use a condom?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3652
0-100	0-100	3990
999	Don't know	1

NSFG Cycle 6 Female Respondent File Section E Part III

Total 7643

**Universe:**

applicable if R had sex more than once in the past 4 weeks (EL-1 [PST4WKSX](#)>1) and R ever used the condom (EA-2 [CONDOM](#)=1)

**P12MOCON** (3390 - 3390)

**EL-4:** Please look at the Card 48. Thinking back over the past 12 months, that is, since (DATE OF INTERVIEW MINUS 12 MONS), would you say you used a condom with your partner for sexual intercourse every time, most of the time, about half of the time, some of the time, or none of the time?

Value	Label	Total
.	inapplicable	2115
1	EVERY TIME	851
2	MOST OF THE TIME	626
3	ABOUT HALF OF THE TIME	251
4	SOME OF THE TIME	797
5	NONE OF THE TIME	3000
8	Refused	1
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R had sexual intercourse in the past 12 months (EC-8 [MONSX1177](#) through [MONSX1239](#) for any of 12 months prior to cmintvw=1) and R ever used the condom (EA-2 [CONDOM](#)=1)

**BTHCON12** (3391 - 3391)

**FA-1b:** (In the past 12 months, have you received) A method of birth control or a prescription for a method?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	2682
5	NO	4955
8	Refused	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MEDTST12** (3392 - 3392)

**FA-1c:** (In the past 12 months, have you received) A check-up or medical test related to using a birth control method?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	1879
5	NO	5756
8	Refused	7
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**BCCNS12** (3393 - 3393)

**FA-1d:** (In the past 12 months, have you received) Counseling or information about birth control?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	1526
5	NO	6109

NSFG Cycle 6 Female Respondent File Section F

8	Refused	7
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**STCNS12** (3394 - 3394)

**FA-1e:** (In the past 12 months, have you received) Counseling or information about getting sterilized?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	372
5	NO	7262
8	Refused	7
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**EMCON12** (3395 - 3395)

**FA-1f:** (In the past 12 months, have you received) Emergency contraception or the 'Morning-after pill,' or a prescription for it?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7331
1	YES	93
5	NO	218
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R earlier reported ever using emergency contraception (EA-9 MORNPILL=1)

**ECCNS12** (3396 - 3396)

**FA-1g:** (In the past 12 months, have you received) Counseling or information about Emergency contraception or the 'Morning-after pill?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	288
5	NO	7347
8	Refused	7
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**FOLLOW12** (3397 - 3397)

**FA-2:** Earlier you mentioned you have used the [METHOD(S) MENTIONED FROM SECTION E] in the past 12 months. Did you receive (it/any/either) of them at a visit to a doctor or medical care provider within the past 12 months?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7380
1	YES	0
5	NO	254
6	DIDN'T USE MEDICAL METHOD(S) REPORTED IN SECTION E	8
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported not receiving any services in past 12 months, but earlier reported using a drug or device method in the past 12 months

**PRGTST12** (3398 - 3398)

**FA-3a:** (You may have already told me, but/In the past 12 months have you received) A pregnancy test?

NSFG Cycle 6 Female Respondent File Section F

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	1648
5	NO	5991
8	Refused	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**ABORT12** (3399 - 3399)

**FA-3b:** (In the past 12 months have you received) An abortion?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	96
5	NO	7544
8	Refused	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**PAP12** (3400 - 3400)

**FA-3c:** (In the past 12 months have you received) A Pap smear?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4968
5	NO	2670
8	Refused	3
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**PELVIC12** (3401 - 3401)

NSFG Cycle 6 Female Respondent File Section F

**FA-3d:** (In the past 12 months have you received) A pelvic exam?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4517
5	NO	3114
8	Refused	5
9	Don't know	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**PRENAT12** (3402 - 3402)

**FA-3e:** (You may have told me this already, but in the past 12 months have your received) prenatal care?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6783
1	YES	601
5	NO	258
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R had a pregnancy within the last 12 months  
(cmlstprg ge cmlstyr)

**PARTUM12** (3403 - 3403)

**FA-3f:** (In the past 12 months have you received) Post-pregnancy care?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7038
1	YES	495
5	NO	109
8	Refused	1

NSFG Cycle 6 Female Respondent File Section F

Total 7643

**Universe:**

Applicable if R's most recent live birth was within the last 12 months (cmlastlb ge cmlstyr)

**STDTST12** (3404 - 3404)

**FA-3g:** In the past 12 months, have you received counseling for, or been tested or treated for a sexually transmitted disease?

Value	Label	Total
1	YES	1092
5	NO	6541
8	Refused	6
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**NUMBCVIS** (3405 - 3405)

**FA-4:** You said that in the past 12 months you received the following services: (SERVICES REPORTED in fstrop12, FA-1b BTHCON12 thru FA-1G ECCNS12 AND FA-3a PRGTST12 thru FA-3g STDTST12). Did you receive those services during a single visit, or in more than one visit?

Value	Label	Total
.	inapplicable	1973
1	SINGLE VISIT	3535
5	MORE THAN ONE VISIT	2118
8	Refused	7
9	Don't know	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving 1 or more services in the last 12 months (numsvcl2 ge 1)



**BC12PLCX** (3406 - 3407)

**FA-5:** Please look at Card 25. During the past 12 months, that is since (MONTH/YEAR), where did you receive a method of birth control or a prescription for a method?

Value	Label	Total
.	inapplicable	6388
1	PRIVATE DOCTOR'S OFFICE	747
2	HMO FACILITY	64
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	191
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	134
5	EMPLOYER OR COMPANY CLINIC	7
6	SCHOOL OR SCHOOL-BASED CLINIC	27
7	HOSPITAL OUTPATIENT CLINIC	39
8	HOSPITAL EMERGENCY ROOM	3
9	HOSPITAL REGULAR ROOM	19
10	URGENT CARE CENTER, URGENT CARE OR WALK-IN FACILITY	2
20	SOME OTHER PLACE	16
98	Refused	2
99	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving a method of birth control or a prescription for a method in last 12 months and reported more than one visit to a medical provider (FA-1b [BTHCON12](#)=1 and FA-4 [NUMBCVIS](#)=5))

**BC12PLCX2** (3408 - 3409)

**FA-5:** Please look at Card 25. During the past 12 months, that is since (MONTH/YEAR), where did you receive a check-up or medical test related to using a birth control method?

Value	Label	Total
.	inapplicable	6741
1	PRIVATE DOCTOR'S OFFICE	534

**NSFG Cycle 6 Female Respondent File Section F**

2	HMO FACILITY	57
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	143
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	96
5	EMPLOYER OR COMPANY CLINIC	4
6	SCHOOL OR SCHOOL-BASED CLINIC	19
7	HOSPITAL OUTPATIENT CLINIC	30
8	HOSPITAL EMERGENCY ROOM	1
9	HOSPITAL REGULAR ROOM	12
10	URGENT CARE CENTER, URGY-CARE OR WALK-IN FACILITY	0
20	SOME OTHER PLACE	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving a check-up or medical test related to using birth control method in last 12 months and reported more than one visit to a medical provider (FA-1c [MEDTST12](#)=1 and FA-4 [NUMBCVIS](#)=5)

**BC12PLCX3** (3410 - 3411)

**FA-5:** Please look at Card 25. During the past 12 months, that is since (MONTH/YEAR), where did you receive counseling or information about birth control?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6783
1	PRIVATE DOCTOR'S OFFICE	449
2	HMO FACILITY	51
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	145
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	116
5	EMPLOYER OR COMPANY CLINIC	6
6	SCHOOL OR SCHOOL-BASED CLINIC	30
7	HOSPITAL OUTPATIENT CLINIC	31
8	HOSPITAL EMERGENCY ROOM	1
9	HOSPITAL REGULAR ROOM	15
10	URGENT CARE CENTER, URGY-CARE OR WALK-IN FACILITY	1
20	SOME OTHER PLACE	15
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section F**

Applicable if R reported receiving counseling or information about birth control in last 12 months and reported more than one visit to a medical provider (FA-1d [BCCNS12](#)=1 and FA-4 [NUMBCVIS](#)=5)

**BC12PLCX4** (3412 - 3413)

**FA-5:** Please look at Card 25. During the past 12 months, that is since (MONTH/YEAR), where did you receive counseling or information about getting sterilized?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7400
1	PRIVATE DOCTOR'S OFFICE	156
2	HMO FACILITY	6
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	38
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	14
5	EMPLOYER OR COMPANY CLINIC	1
6	SCHOOL OR SCHOOL-BASED CLINIC	6
7	HOSPITAL OUTPATIENT CLINIC	10
8	HOSPITAL EMERGENCY ROOM	0
9	HOSPITAL REGULAR ROOM	10
10	URGENT CARE CENTER, URGY-CARE OR WALK-IN FACILITY	0
20	SOME OTHER PLACE	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving counseling or information about getting sterilized in last 12 months and reported more than one visit to a medical provider (FA-1e [STCNS12](#)=1 and FA-4 [NUMBCVIS](#)=5)

**BC12PLCX5** (3414 - 3415)

**FA-5:** Please look at Card 25. During the past 12 months, that is since (MONTH/YEAR), where did you receive emergency contraception or the 'morning-after pill,' or a prescription for it?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7578
1	PRIVATE DOCTOR'S OFFICE	13

**NSFG Cycle 6 Female Respondent File Section F**

2	HMO FACILITY	4
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	9
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	27
5	EMPLOYER OR COMPANY CLINIC	0
6	SCHOOL OR SCHOOL-BASED CLINIC	4
7	HOSPITAL OUTPATIENT CLINIC	4
8	HOSPITAL EMERGENCY ROOM	0
9	HOSPITAL REGULAR ROOM	0
10	URGENT CARE CENTER, URGI-CARE OR WALK-IN FACILITY	1
20	SOME OTHER PLACE	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving emergency contraception or the "morning-after pill," or a prescription for it in last 12 months and reported more than one visit to a medical provider (FA-1f [EMCON12=1](#) and FA-4 [NUMBCVIS=5](#))

**BC12PLCX6** (3416 - 3417)

**FA-5:** Please look at Card 25. During the past 12 months, that is since (MONTH/YEAR), where did you receive counseling or information about emergency contraception or the 'morning-after pill?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7466
1	PRIVATE DOCTOR'S OFFICE	46
2	HMO FACILITY	4
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	47
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	47
5	EMPLOYER OR COMPANY CLINIC	4
6	SCHOOL OR SCHOOL-BASED CLINIC	12
7	HOSPITAL OUTPATIENT CLINIC	8
8	HOSPITAL EMERGENCY ROOM	1
9	HOSPITAL REGULAR ROOM	2
10	URGENT CARE CENTER, URGI-CARE OR WALK-IN FACILITY	2
20	SOME OTHER PLACE	4
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section F**

**Universe:**

Applicable if R reported receiving counseling or information about emergency contraception or the "morning-after pill in last 12 months and reported more than one visit to a medical provider (FA-1g [ECCNS12](#)=1 and FA-4 [NUMBCVIS](#)=5)

**BC12PLCX7** (3418 - 3419)

**FA-5:** Please look at Card 25. During the past 12 months, that is since (MONTH/YEAR), where did you receive a pregnancy test?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6503
1	PRIVATE DOCTOR'S OFFICE	580
2	HMO FACILITY	60
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	212
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	88
5	EMPLOYER OR COMPANY CLINIC	4
6	SCHOOL OR SCHOOL-BASED CLINIC	12
7	HOSPITAL OUTPATIENT CLINIC	67
8	HOSPITAL EMERGENCY ROOM	36
9	HOSPITAL REGULAR ROOM	15
10	URGENT CARE CENTER, URGI-CARE OR WALK-IN FACILITY	3
20	SOME OTHER PLACE	61
98	Refused	1
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving a pregnancy test in last 12 months and reported more than one visit to a medical provider (FA-3a [PRGTST12](#)=1 and FA-4 [NUMBCVIS](#)=5)

**BC12PLCX8** (3420 - 3421)

**FA-5:** Please look at Card 25. During the past 12 months, that is since (MONTH/YEAR), where did you receive an abortion?

<b>Value</b>	<b>Label</b>	<b>Total</b>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section F**

.	inapplicable	7562
1	PRIVATE DOCTOR'S OFFICE	26
2	HMO FACILITY	2
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	8
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	30
5	EMPLOYER OR COMPANY CLINIC	0
6	SCHOOL OR SCHOOL-BASED CLINIC	0
7	HOSPITAL OUTPATIENT CLINIC	8
8	HOSPITAL EMERGENCY ROOM	1
9	HOSPITAL REGULAR ROOM	2
10	URGENT CARE CENTER, URGY-CARE OR WALK-IN FACILITY	1
20	SOME OTHER PLACE	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving an abortion in last 12 months and reported more than one visit to a medical provider (FA-3b [ABORT12=1](#) and FA-4 [NUMBCVIS=5](#))

**BC12PLCX9** (3422 - 3423)

**FA-5:** Please look at Card 25. During the past 12 months, that is since (MONTH/YEAR), where did you receive a pap smear?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5736
1	PRIVATE DOCTOR'S OFFICE	1231
2	HMO FACILITY	121
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	275
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	126
5	EMPLOYER OR COMPANY CLINIC	9
6	SCHOOL OR SCHOOL-BASED CLINIC	25
7	HOSPITAL OUTPATIENT CLINIC	67
8	HOSPITAL EMERGENCY ROOM	16
9	HOSPITAL REGULAR ROOM	21
10	URGENT CARE CENTER, URGY-CARE OR WALK-IN FACILITY	1
20	SOME OTHER PLACE	15
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section F**

Applicable if R reported receiving a pap smear in last 12 months and reported more than one visit to a medical provider (FA-3c [PAP12](#)=1 and FA-4 [NUMBCVIS](#)=5)

**BC12PLCX10** (3424 - 3425)

**FA-5:** Please look at Card 25. During the past 12 months, that is since (MONTH/YEAR), where did you receive a pelvic exam?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	5872
1	PRIVATE DOCTOR'S OFFICE	1152
2	HMO FACILITY	117
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	224
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	111
5	EMPLOYER OR COMPANY CLINIC	6
6	SCHOOL OR SCHOOL-BASED CLINIC	25
7	HOSPITAL OUTPATIENT CLINIC	65
8	HOSPITAL EMERGENCY ROOM	28
9	HOSPITAL REGULAR ROOM	24
10	URGENT CARE CENTER, URGI-CARE OR WALK-IN FACILITY	2
20	SOME OTHER PLACE	17
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving a pelvic exam in last 12 months and reported more than one visit to a medical provider (FA-3d [PELVIC12](#)=1 and FA-4 [NUMBCVIS](#)=5)

**BC12PLCX11** (3426 - 3427)

**FA-5:** Please look at Card 25. During the past 12 months, that is since (MONTH/YEAR), where did you receive prenatal care?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7086
1	PRIVATE DOCTOR'S OFFICE	387
2	HMO FACILITY	29
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	72

**NSFG Cycle 6 Female Respondent File Section F**

4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	23
5	EMPLOYER OR COMPANY CLINIC	1
6	SCHOOL OR SCHOOL-BASED CLINIC	0
7	HOSPITAL OUTPATIENT CLINIC	24
8	HOSPITAL EMERGENCY ROOM	3
9	HOSPITAL REGULAR ROOM	8
10	URGENT CARE CENTER, URGI-CARE OR WALK-IN FACILITY	1
20	SOME OTHER PLACE	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving prenatal care in last 12 months and reported more than one visit to a medical provider (FA-3e [PRENAT12](#)=1 and FA-4 [NUMBCVIS](#)=5)

**BC12PLCX12** (3428 - 3429)

**FA-5:** Please look at Card 25. During the past 12 months, that is since (MONTH/YEAR), where did you receive post-pregnancy care?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7185
1	PRIVATE DOCTOR'S OFFICE	297
2	HMO FACILITY	20
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	59
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	14
5	EMPLOYER OR COMPANY CLINIC	2
6	SCHOOL OR SCHOOL-BASED CLINIC	0
7	HOSPITAL OUTPATIENT CLINIC	24
8	HOSPITAL EMERGENCY ROOM	1
9	HOSPITAL REGULAR ROOM	32
10	URGENT CARE CENTER, URGI-CARE OR WALK-IN FACILITY	0
20	SOME OTHER PLACE	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving post-pregnancy care in last 12 months and reported more than one visit to a medical provider (FA-3f [PARTUM12](#)=1 and FA-4 [NUMBCVIS](#)=5)



**BC12PLCX13** (3430 - 3431)

**FA-5:** Please look at Card 25. During the past 12 months, that is since (MONTH/YEAR), where did you receive counseling for, or been tested or treated for a sexually transmitted disease ?

Value	Label	Total
.	inapplicable	6982
1	PRIVATE DOCTOR'S OFFICE	346
2	HMO FACILITY	35
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	135
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	61
5	EMPLOYER OR COMPANY CLINIC	4
6	SCHOOL OR SCHOOL-BASED CLINIC	16
7	HOSPITAL OUTPATIENT CLINIC	32
8	HOSPITAL EMERGENCY ROOM	11
9	HOSPITAL REGULAR ROOM	10
10	URGENT CARE CENTER, URGI-CARE OR WALK-IN FACILITY	1
20	SOME OTHER PLACE	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving STD counseling/testing/treatment in last 12 months and reported more than one visit to a medical provider (FA-3g [STDTST12=1](#) and FA-4 [NUMBCVIS=5](#))

**BC12PLCX14** (3432 - 3433)

**FA-5:** Please look at Card 25. During the past 12 months, that is since (MONTH/YEAR), where did you receive (SERVICES REPORTED in fstrop12, FA-1b BTHCON12 thru FA-1G ECCNS12 AND FA-3a PRGTST12 thru FA-3g STDTST12)?

Value	Label	Total
.	inapplicable	4107
1	PRIVATE DOCTOR'S OFFICE	2411
2	HMO FACILITY	230
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	427
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	177

**NSFG Cycle 6 Female Respondent File Section F**

5	EMPLOYER OR COMPANY CLINIC	17
6	SCHOOL OR SCHOOL-BASED CLINIC	50
7	HOSPITAL OUTPATIENT CLINIC	115
8	HOSPITAL EMERGENCY ROOM	18
9	HOSPITAL REGULAR ROOM	26
10	URGENT CARE CENTER, URG-CARE OR WALK-IN FACILITY	10
20	SOME OTHER PLACE	48
98	Refused	4
99	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving all family planning/medical services in one visit in last 12 months (FA-4 [NUMBCVIS=1](#))

**PGTSTBC2** (3434 - 3434)

**FA-5a:** During your visit in the past 12 months when you received a pregnancy test, did a doctor or medical provider talk to you about using birth control?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5995
1	YES	824
5	NO	821
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received a pregnancy test from a medical provider in last 12 months (FA-3a [PRGTST12=1](#))

**PAPPLBC2** (3435 - 3435)

**FA-5b:** During your visit in the past 12 months when you received a Pap smear or a pelvic exam, did a doctor or medical provider talk to you about using birth control?

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section F**

.	inapplicable	2495
1	YES	2410
5	NO	2729
8	Refused	1
9	Don't know	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received a pap smear or pelvic exam from a medical provider in last 12 months (FA-3c [PAP12](#)=1 or FA-3d [PELVIC12](#)=1)

**PAPPELEC** (3436 - 3436)

**FA-5c:** During your visit in the past 12 months when you received a Pap test or a pelvic exam, did a doctor or medical provider talk to you about using emergency contraception or the 'morning-after pill'?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	2495
1	YES	362
5	NO	4781
8	Refused	1
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received a pap smear or pelvic exam from a medical provider in last 12 months (FA-3c [PAP12](#)=1 or FA-3d [PELVIC12](#)=1)

**STDTSCON** (3437 - 3437)

**FA-5d:** During your visit in the past 12 months when you received STD testing or treatment, did a doctor or medical provider talk to you about using condoms to prevent disease?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6551
1	YES	597

**NSFG Cycle 6 Female Respondent File Section F**

5	NO	491
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received STD counseling/testing/treatment in last 12 months (FA-3g [STDTST12=1](#) )

**BC12PAY11** (3438 - 3438)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (a method of birth control or a prescription for a method) was paid. (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6388
1	INSURANCE	607
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	272
3	MEDICAID	220
4	NO PAYMENT REQUIRED	112
5	SOME OTHER WAY	40
8	Refused	1
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received more than 1 family planning service in the last 12 months

**BC12PAY12** (3439 - 3439)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (a method of birth control or a prescription for a method) was paid. (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7160
1	INSURANCE	34
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	406

**NSFG Cycle 6 Female Respondent File Section F**

3	MEDICAID	17
4	NO PAYMENT REQUIRED	15
5	SOME OTHER WAY	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 form of payment was reported for method of BC/prescription (see FA-6 [BC12PAY11](#))

**BC12PAY13** (3440 - 3440)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (a method of birth control or a prescription for a method) was paid. (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7624
1	INSURANCE	0
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	2
3	MEDICAID	5
4	NO PAYMENT REQUIRED	11
5	SOME OTHER WAY	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 2 forms of payment were reported for method of BC/prescription (see FA-6 [BC12PAY11](#))

**BC12PAY21** (3441 - 3441)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (a check-up or medical test related to using a birth control method) was paid. (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6741
1	INSURANCE	484
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	174
3	MEDICAID	157

**NSFG Cycle 6 Female Respondent File Section F**

4	NO PAYMENT REQUIRED	61
5	SOME OTHER WAY	26
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received more than 1 family planning service in the last 12 months

**BC12PAY22** (3442 - 3442)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (a check-up or medical test related to using a birth control method) was paid. (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7308
1	INSURANCE	22
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	288
3	MEDICAID	12
4	NO PAYMENT REQUIRED	5
5	SOME OTHER WAY	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 form of payment was reported for check up for BC (see FA-6 [BC12PAY21](#))

**BC12PAY23** (3443 - 3443)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (a check-up or medical test related to using a birth control method) was paid. (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	INSURANCE	0
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	0
3	MEDICAID	2
4	NO PAYMENT REQUIRED	1

**NSFG Cycle 6 Female Respondent File Section F**

5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 2 forms of payment were reported for check up for BC (see FA-6 [BC12PAY21](#))

**BC12PAY31** (3444 - 3444)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (counseling or information about birth control) was paid. (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6783
1	INSURANCE	402
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	107
3	MEDICAID	160
4	NO PAYMENT REQUIRED	169
5	SOME OTHER WAY	21
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received more than 1 family planning service in the last 12 months

**BC12PAY32** (3445 - 3445)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (counseling or information about birth control) was paid. (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7381
1	INSURANCE	8
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	238
3	MEDICAID	8
4	NO PAYMENT REQUIRED	6

**NSFG Cycle 6 Female Respondent File Section F**

5	SOME OTHER WAY	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 form of payment was reported for counseling about BC (see FA-6 [BC12PAY31](#))

**BC12PAY33** (3446 - 3446)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (counseling or information about birth control) was paid. (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7639
1	INSURANCE	0
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	0
3	MEDICAID	2
4	NO PAYMENT REQUIRED	2
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 2 forms of payment were reported for counseling about BC (see FA-6 [BC12PAY31](#))

**BC12PAY41** (3447 - 3447)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (counseling or information about getting sterilized) was paid. (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7400
1	INSURANCE	118
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	18
3	MEDICAID	64
4	NO PAYMENT REQUIRED	34
5	SOME OTHER WAY	9



**NSFG Cycle 6 Female Respondent File Section F**

**Total** **7643**

**Universe:**

Applicable if R received more than 1 family planning service in the last 12 months

**BC12PAY42** (3448 - 3448)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (counseling or information about getting sterilized) was paid. (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7572
1	INSURANCE	2
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	64
3	MEDICAID	4
4	NO PAYMENT REQUIRED	0
5	SOME OTHER WAY	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 form of payment was reported for counseling sterilization (see FA-6 [BC12PAY41](#))

**BC12PAY43** (3449 - 3449)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (counseling or information about getting sterilized) was paid. (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	INSURANCE	0
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	0
3	MEDICAID	1
4	NO PAYMENT REQUIRED	0
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section F**

**Universe:**

Applicable if more than 2 forms of payment were reported for counseling sterilization (see FA-6 [BC12PAY41](#))

**BC12PAY51** (3450 - 3450)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (emergency contraception or the 'morning-after' pill) was paid. (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7578
1	INSURANCE	12
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	28
3	MEDICAID	7
4	NO PAYMENT REQUIRED	16
5	SOME OTHER WAY	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received more than 1 family planning service in the last 12 months

**BC12PAY52** (3451 - 3451)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (emergency contraception or the 'morning-after' pill) was paid. (2nd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7637
1	INSURANCE	0
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	3
3	MEDICAID	1
4	NO PAYMENT REQUIRED	2
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section F**

**Universe:**

Applicable if more than 1 form of payment was reported for EC/prescription (see FA-6 [BC12PAY51](#))

**BC12PAY53** (3452 - 3452)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (emergency contraception or the 'morning-after' pill) was paid. (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7642
1	INSURANCE	0
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	0
3	MEDICAID	0
4	NO PAYMENT REQUIRED	1
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 2 forms of payment were reported for EC/prescription (see FA-6 [BC12PAY51](#))

**BC12PAY61** (3453 - 3453)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (counseling or information about emergency contraception or 'the morning-after pill') was paid. (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7466
1	INSURANCE	45
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	33
3	MEDICAID	31
4	NO PAYMENT REQUIRED	61
5	SOME OTHER WAY	7
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section F**

Applicable if R received more than 1 family planning service in the last 12 months

**BC12PAY62** (3454 - 3454)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (counseling or information about emergency contraception or 'the morning-after pill' was paid. (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7619
1	INSURANCE	1
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	20
3	MEDICAID	2
4	NO PAYMENT REQUIRED	1
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 form of payment was reported for counseling EC(see FA-6 [BC12PAY61](#))

**BC12PAY63** (3455 - 3455)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (counseling or information about emergency contraception or 'the morning-after pill') was paid. (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	INSURANCE	0
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	0
3	MEDICAID	0
4	NO PAYMENT REQUIRED	1
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 2 forms of payment were reported for

**NSFG Cycle 6 Female Respondent File Section F**

counseling EC(see FA-6 [BC12PAY61](#))

**BC12PAY71** (3456 - 3456)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (a pregnancy test) was paid. (1st mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6503
1	INSURANCE	575
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	169
3	MEDICAID	238
4	NO PAYMENT REQUIRED	118
5	SOME OTHER WAY	36
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received more than 1 family planning service in the last 12 months

**BC12PAY72** (3457 - 3457)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (a pregnancy test) was paid. (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7307
1	INSURANCE	18
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	299
3	MEDICAID	13
4	NO PAYMENT REQUIRED	3
5	SOME OTHER WAY	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 form of payment was reported for pregnancy test (see FA-6 [BC12PAY71](#))

NSFG Cycle 6 Female Respondent File Section F

**BC12PAY73** (3458 - 3458)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (a pregnancy test) was paid. (3rd mention)

Value	Label	Total
.	inapplicable	7641
1	INSURANCE	0
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	1
3	MEDICAID	1
4	NO PAYMENT REQUIRED	0
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 2 forms of payment were reported for pregnancy test (see FA-6 [BC12PAY71](#))

**BC12PAY81** (3459 - 3459)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (an abortion) was paid. (1st mention)

Value	Label	Total
.	inapplicable	7562
1	INSURANCE	23
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	36
3	MEDICAID	13
4	NO PAYMENT REQUIRED	1
5	SOME OTHER WAY	7
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received more than 1 family planning service in the last 12 months

**BC12PAY82** (3460 - 3460)

**NSFG Cycle 6 Female Respondent File Section F**

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (an abortion) was paid. (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7632
1	INSURANCE	0
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	9
3	MEDICAID	1
4	NO PAYMENT REQUIRED	0
5	SOME OTHER WAY	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 form of payment was reported for abortion (see FA-6 [BC12PAY81](#))

**BC12PAY91** (3461 - 3461)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (a pap smear) was paid. (1st mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	5736
1	INSURANCE	1147
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	263
3	MEDICAID	346
4	NO PAYMENT REQUIRED	107
5	SOME OTHER WAY	43
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received more than 1 family planning service in the last 12 months

**BC12PAY92** (3462 - 3462)

**FA-6:** Looking at Card 16, please tell me all of the ways in which

**NSFG Cycle 6 Female Respondent File Section F**

the bill for (a pap smear) was paid.  
(2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6954
1	INSURANCE	20
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	631
3	MEDICAID	25
4	NO PAYMENT REQUIRED	4
5	SOME OTHER WAY	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 form of payment was reported for pap smear (see FA-6 [BC12PAY91](#))

**BC12PAY93** (3463 - 3463)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (a pap smear) was paid.  
(3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	INSURANCE	0
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	0
3	MEDICAID	1
4	NO PAYMENT REQUIRED	1
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 2 forms of payment were reported for pap smear (see FA-6 [BC12PAY91](#))

**BC12PAY101** (3464 - 3464)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (a pelvic exam) was paid. (1st mention)



**NSFG Cycle 6 Female Respondent File Section F**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	5872
1	INSURANCE	1098
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	234
3	MEDICAID	315
4	NO PAYMENT REQUIRED	85
5	SOME OTHER WAY	38
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received more than 1 family planning service in the last 12 months

**BC12PAY102** (3465 - 3465)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (a pelvic exam) was paid. (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6986
1	INSURANCE	13
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	610
3	MEDICAID	20
4	NO PAYMENT REQUIRED	5
5	SOME OTHER WAY	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 form of payment was reported for pelvic exam (see FA-6 [BC12PAY101](#))

**BC12PAY103** (3466 - 3466)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (a pelvic exam) was paid. (3rd mention)

**NSFG Cycle 6 Female Respondent File Section F**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	INSURANCE	1
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	0
3	MEDICAID	1
4	NO PAYMENT REQUIRED	0
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 2 forms of payment were reported for pelvic exam (see FA-6 [BC12PAY101](#))

**BC12PAY111** (3467 - 3467)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (prenatal care) was paid. (1st mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7086
1	INSURANCE	339
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	27
3	MEDICAID	167
4	NO PAYMENT REQUIRED	15
5	SOME OTHER WAY	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received more than 1 family planning service in the last 12 months

**BC12PAY112** (3468 - 3468)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (prenatal care) was paid. (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7462
1	INSURANCE	4

**NSFG Cycle 6 Female Respondent File Section F**

2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	163
3	MEDICAID	14
4	NO PAYMENT REQUIRED	0
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 form of payment was reported for prenatal (see FA-6 [BC12PAY111](#))

**BC12PAY113** (3469 - 3469)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (prenatal care) was paid. (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7640
1	INSURANCE	0
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	0
3	MEDICAID	2
4	NO PAYMENT REQUIRED	1
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 2 forms of payment were reported for prenatal (see FA-6 [BC12PAY111](#))

**BC12PAY121** (3470 - 3470)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (post-pregnancy care) was paid. (1st mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7185
1	INSURANCE	282
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	18
3	MEDICAID	140
4	NO PAYMENT REQUIRED	9

**NSFG Cycle 6 Female Respondent File Section F**

5	SOME OTHER WAY	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received more than 1 family planning service in the last 12 months

**BC12PAY122** (3471 - 3471)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (post-pregnancy care) was paid. (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7487
1	INSURANCE	3
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	141
3	MEDICAID	12
4	NO PAYMENT REQUIRED	0
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 form of payment was reported for post-pregnancy care (see FA-6 [BC12PAY121](#))

**BC12PAY123** (3472 - 3472)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (post-pregnancy care) was paid. (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	INSURANCE	0
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	0
3	MEDICAID	2
4	NO PAYMENT REQUIRED	0
5	SOME OTHER WAY	0
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section F**

**Universe:**

Applicable if more than 2 forms of payment were reported for post-pregnancy care (see FA-6 [BC12PAY121](#))

**BC12PAY131** (3473 - 3473)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (counseling for, or been tested or treated for a sexually transmitted disease) was paid. (1st mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6982
1	INSURANCE	321
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	89
3	MEDICAID	145
4	NO PAYMENT REQUIRED	86
5	SOME OTHER WAY	19
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received more than 1 family planning service in the last 12 months

**BC12PAY132** (3474 - 3474)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (counseling for, or been tested or treated for a sexually transmitted disease) was paid. (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7455
1	INSURANCE	4
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	170
3	MEDICAID	11
4	NO PAYMENT REQUIRED	1
5	SOME OTHER WAY	2
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section F**

**Universe:**

Applicable if more than 1 form of payment was reported for counseling/test/treat/STD (see FA-6 [BC12PAY131](#))

**BC12PAY133** (3475 - 3475)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (counseling for, or been tested or treated for a sexually transmitted disease) was paid. (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	INSURANCE	0
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	0
3	MEDICAID	1
4	NO PAYMENT REQUIRED	1
5	SOME OTHER WAY	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 2 forms of payment were reported for counseling/test/treat/STD (see FA-6 [BC12PAY131](#))

**BC12PAY141** (3476 - 3476)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (SERVICES REPORTED in fstrop12, FA-1b BTHCON12 thru FA-1G ECCNS12 AND FA-3a PRGTST12 thru FA-3g STDTST12) was paid. (1st mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	4107
1	INSURANCE	2227
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	574
3	MEDICAID	398
4	NO PAYMENT REQUIRED	225
5	SOME OTHER WAY	98
8	Refused	4
9	Don't know	10

**NSFG Cycle 6 Female Respondent File Section F**

**Total** **7643**

**Universe:**

Applicable if R received more than 1 family planning service in the last 12 months

**BC12PAY142** (3477 - 3477)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (SERVICES REPORTED in fstrop12, FA-1b BTHCON12 thru FA-1G ECCNS12 AND FA-3a PRGTST12 thru FA-3g STDTST12) was paid. (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6097
1	INSURANCE	103
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	1398
3	MEDICAID	25
4	NO PAYMENT REQUIRED	13
5	SOME OTHER WAY	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 form of payment was reported for all services in 1 visit (see FA-6 [BC12PAY141](#))

**BC12PAY143** (3478 - 3478)

**FA-6:** Looking at Card 16, please tell me all of the ways in which the bill for (SERVICES REPORTED in fstrop12, FA-1b BTHCON12 thru FA-1G ECCNS12 AND FA-3a PRGTST12 thru FA-3g STDTST12) was paid. (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7632
1	INSURANCE	0
2	CO-PAYMENT, OR OUT-OF-POCKET PAYMENT	6
3	MEDICAID	0
4	NO PAYMENT REQUIRED	3

**NSFG Cycle 6 Female Respondent File Section F**

5	SOME OTHER WAY	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 2 forms of payment were reported for all services in 1 visit (see FA-6 [BC12PAY141](#))

**REGCAR12** (3479 - 3479)

**FA-9:** Is this Clinic (Rec'd Method BC or Prescription) your regular place for medical care, or do you go somewhere else for medical care?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7228
1	REGULAR PLACE	262
2	REGULAR PLACE, BUT GO TO MORE THAN 1 PLACE REGULARLY	22
3	USUALLY GO SOMEWHERE ELSE	112
4	NO USUAL PLACE	16
8	Refused	1
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving a method of birth control or a prescription for a method in last 12 months at a clinic or hospital (FA-5 [BC12PLCX](#)=3,4,6,7,8,9, or 10)

**REGCAR13** (3480 - 3480)

**FA-9:** Is this Clinic (Rec'd Check-up for Birth Control) your regular place for medical care, or do you go somewhere else for medical care?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7342
1	REGULAR PLACE	211
2	REGULAR PLACE, BUT GO TO MORE THAN 1 PLACE REGULARLY	14
3	USUALLY GO SOMEWHERE ELSE	58



**NSFG Cycle 6 Female Respondent File Section F**

4	NO USUAL PLACE	14
8	Refused	2
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving a check-up or medical test related to using birth control in last 12 months at a clinic or hospital (FA-5 [BC12PLCX2](#)=3,4,6,7,8,9, or 10)

**REGCAR14** (3481 - 3481)

**FA-9:** Is this Clinic (Rec'd counselign for BC) your regular place for medical care, or do you go somewhere else for medical care?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7304
1	REGULAR PLACE	209
2	REGULAR PLACE, BUT GO TO MORE THAN 1 PLACE REGULARLY	16
3	USUALLY GO SOMEWHERE ELSE	97
4	NO USUAL PLACE	13
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving counseling or information about birth control in last 12 months at a clinic or hospital (FA-5 [BC12PLCX3](#)=3,4,6,7,8,9, or 10)

**REGCAR15** (3482 - 3482)

**FA-9:** Is this Clinic (Rec'd counseling for sterilization) your regular place for medical care, or do you go somewhere else for medical care?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7565
1	REGULAR PLACE	47
2	REGULAR PLACE, BUT GO TO MORE THAN 1 PLACE REGULARLY	3

**NSFG Cycle 6 Female Respondent File Section F**

3	USUALLY GO SOMEWHERE ELSE	22
4	NO USUAL PLACE	4
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving counseling or information about getting sterilized in last 12 months at a clinic or hospital (FA-5 [BC12PLCX4](#)=3,4,6,7,8,9, or 10)

**REGCAR16** (3483 - 3483)

**FA-9:** Is this Clinic (Rec'd EC/prescription) your regular place for medical care, or do you go somewhere else for medical care?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7598
1	REGULAR PLACE	21
2	REGULAR PLACE, BUT GO TO MORE THAN 1 PLACE REGULARLY	1
3	USUALLY GO SOMEWHERE ELSE	21
4	NO USUAL PLACE	1
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving emergency contraception in last 12 months at a clinic or hospital (FA-5 [BC12PLCX5](#)=3,4,6,7,8,9, or 10)

**REGCAR17** (3484 - 3484)

**FA-9:** Is this Clinic (Rec'd counseling on EC) your regular place for medical care, or do you go somewhere else for medical care?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7524
1	REGULAR PLACE	60
2	REGULAR PLACE, BUT GO TO MORE THAN 1 PLACE REGULARLY	6
3	USUALLY GO SOMEWHERE ELSE	44

**NSFG Cycle 6 Female Respondent File Section F**

4	NO USUAL PLACE	5
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving counseling or information about emergency contraception in last 12 months at a clinic or hospital (FA-5 [BC12PLCX6](#)=3,4,6,7,8,9, or 10)

**REGCAR18** (3485 - 3485)

**FA-9:** Is this Clinic (Rec'd pregnancy test) your regular place for medical care, or do you go somewhere else for medical care?

<u>Value Label</u>	<u>Total</u>
. inapplicable	7210
1 REGULAR PLACE	283
2 REGULAR PLACE, BUT GO TO MORE THAN 1 PLACE REGULARLY	16
3 USUALLY GO SOMEWHERE ELSE	103
4 NO USUAL PLACE	27
8 Refused	2
9 Don't know	2
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving a pregnancy test in last 12 months at a clinic or hospital (FA-5 [BC12PLCX7](#)=3,4,6,7,8,9, or 10)

**REGCAR19** (3486 - 3486)

**FA-9:** Is this Clinic (Rec'd an abortion) your regular place for medical care, or do you go somewhere else for medical care?

<u>Value Label</u>	<u>Total</u>
. inapplicable	7593
1 REGULAR PLACE	13
2 REGULAR PLACE, BUT GO TO MORE THAN 1 PLACE REGULARLY	2
3 USUALLY GO SOMEWHERE ELSE	30
4 NO USUAL PLACE	4

NSFG Cycle 6 Female Respondent File Section F

8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving an abortion in last 12 months at a clinic or hospital (FA-5 [BC12PLCX8](#)=3,4,6,7,8,9, or 10)

**REGCAR20** (3487 - 3487)

**FA-9:** Is this Clinic (Rec'd a pap smear) your regular place for medical care, or do you go somewhere else for medical care?

<u>Value Label</u>	<u>Total</u>
. inapplicable	7112
1 REGULAR PLACE	391
2 REGULAR PLACE, BUT GO TO MORE THAN 1 PLACE REGULARLY	21
3 USUALLY GO SOMEWHERE ELSE	88
4 NO USUAL PLACE	26
8 Refused	3
9 Don't know	2
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving a pap smear in last 12 months at a clinic or hospital (FA-5 [BC12PLCX9](#)=3,4,6,7,8,9, or 10)

**REGCAR21** (3488 - 3488)

**FA-9:** Is this Clinic (Rec'd pelvic exam) your regular place for medical care, or do you go somewhere else for medical care?

<u>Value Label</u>	<u>Total</u>
. inapplicable	7163
1 REGULAR PLACE	345
2 REGULAR PLACE, BUT GO TO MORE THAN 1 PLACE REGULARLY	20
3 USUALLY GO SOMEWHERE ELSE	87
4 NO USUAL PLACE	22
8 Refused	4
9 Don't know	2

**NSFG Cycle 6 Female Respondent File Section F**

**Total**

**7643**

**Universe:**

Applicable if R reported receiving a pelvic exam in last 12 months at a clinic or hospital (FA-5 [BC12PLCX10](#)=3,4,6,7,8,9, or 10)

**REGCAR22** (3489 - 3489)

**FA-9:** Is this Clinic (Rec'd prenatal) your regular place for medical care, or do you go somewhere else for medical care?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7512
1	REGULAR PLACE	102
2	REGULAR PLACE, BUT GO TO MORE THAN 1 PLACE REGULARLY	3
3	USUALLY GO SOMEWHERE ELSE	18
4	NO USUAL PLACE	7
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving prenatal care in last 12 months at a clinic or hospital (FA-5 [BC12PLCX11](#)=3,4,6,7,8,9, or 10)

**REGCAR23** (3490 - 3490)

**FA-9:** Is this Clinic (Rec'd post-pregnancy care) your regular place for medical care, or do you go somewhere else for medical care?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7513
1	REGULAR PLACE	98
2	REGULAR PLACE, BUT GO TO MORE THAN 1 PLACE REGULARLY	3
3	USUALLY GO SOMEWHERE ELSE	20
4	NO USUAL PLACE	8
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section F**

**Universe:**

Applicable if R reported receiving post-pregnancy care in last 12 months at a clinic or hospital (FA-5 [BC12PLCX12](#)=3,4,6,7,8,9, or 10)

**REGCAR24** (3491 - 3491)

**FA-9:** Is this Clinic (Rec'd counsel/test/treat/STD) your regular place for medical care, or do you go somewhere else for medical care?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7377
1	REGULAR PLACE	155
2	REGULAR PLACE, BUT GO TO MORE THAN 1 PLACE REGULARLY	17
3	USUALLY GO SOMEWHERE ELSE	79
4	NO USUAL PLACE	11
8	Refused	2
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving counseling/test/treatment for STD in last 12 months at a clinic or hospital (FA-5 [BC12PLCX13](#)=3,4,6,7,8,9, or 10)

**REGCAR25** (3492 - 3492)

**FA-9:** Is this Clinic (Rec'd all services in 1 visit) your regular place for medical care, or do you go somewhere else for medical care?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6820
1	REGULAR PLACE	524
2	REGULAR PLACE, BUT GO TO MORE THAN 1 PLACE REGULARLY	30
3	USUALLY GO SOMEWHERE ELSE	200
4	NO USUAL PLACE	67
8	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving family planning/medical services in the last 12 months (all in one visit) at a clinic or hospital (FA-5 [BC12PLCX14](#)=3,4,6,7,8,9, or 10)

**STCLSAME** (3493 - 3493)

**FA-10:** Did you receive your sterilizing operation from the same clinic you named earlier or from a different clinic?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7448
1	SAME CLINIC	55
2	DIFFERENT CLINIC	139
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R had a sterilization at a clinic in the last 12 months and only selected 1 clinic from the clinic database in a previous loop (R\_STCLIN eq 1 and idclin=1)

**STREGCAR** (3494 - 3494)

**FA-12:** Is this clinic your regular place for medical care, or do you usually go somewhere else for medical care?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6735
1	REGULAR PLACE	344
2	REGULAR PLACE, BUT GO TO MORE THAN 1 PLACE REGULARLY	33
3	USUALLY GO SOMEWHERE ELSE	449
4	NO USUAL PLACE	78
8	Refused	3
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R had a sterilization at a clinic in the last 12

NSFG Cycle 6 Female Respondent File Section F

months and had not yet selected a clinic or had selected more than 1 clinic from the previous loop and did not find this clinic in the database (R\_STCLIN=1 and idclin=0 or idclin >1)

**FCONDOM** (3495 - 3495)

**FA-13a:** (In the past 12 months, have you received) Free condoms (from a clinic)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5927
1	YES	601
5	NO	1114
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported using a clinic in the last 12 months (idclinic ge 1)

**FFOAM** (3496 - 3496)

**FA-13b:** (In the past 12 months, have you received) Free foam or jelly (from a clinic)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5927
1	YES	118
5	NO	1597
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported using a clinic in the last 12 months (idclinic ge 1)

**FORAL** (3497 - 3497)

**FA-13c:** (In the past 12 months, have you received) Free oral



NSFG Cycle 6 Female Respondent File Section F

contraceptive pills (from a clinic)?

Value	Label	Total
.	inapplicable	5927
1	YES	333
5	NO	1381
8	Refused	1
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported using a clinic in the last 12 months (idclinic ge 1)

**RORAL** (3498 - 3498)

**FA-13d:** (In the past 12 months, have you received) Reduced-price oral contraceptive pills (from a clinic)?

Value	Label	Total
.	inapplicable	5927
1	YES	163
5	NO	1552
8	Refused	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported using a clinic in the last 12 months (idclinic ge 1)

**SLSCSRV** (3499 - 3499)

**FA-14:** In the past 12 months, have you paid for any clinic services on a sliding scale based on your income?

Value	Label	Total
.	inapplicable	6964
1	YES	233

**NSFG Cycle 6 Female Respondent File Section F**

5	NO	443
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported using a clinic in the last 12 months and method of payment was co-payment or out of pocket payment for any service in the last 12 months

**FSTSV12** (3500 - 3500)

**FB-1:** You told me that in the last 12 months you received (a) birth control service(s) from a doctor or medical care provider. (Were any of these services/Was this) the first birth control service you ever received in your life?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5945
1	YES	527
5	NO	1160
8	Refused	4
9	Don't know	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is 15-24 and reported using medical services in last 12 months (AGER=15-24 and numsvc12 GE 1)

**cmfstsvc** (3501 - 3504)

CM Received 1st Birth Control Service [computed]

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6128
301-1164	BEFORE 1997	364
1165-1239	JANUARY 1997 OR LATER	1124
9998	Refused	3
9999	Don't know	24
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section F

**Universe:**

Applicable for all respondents younger than 25 who received one or more services (AGER < 25 and drugdeve GE 1)

**B4AFSTIN** (3505 - 3505)

**FB-4:** Was it before or after the first time you had intercourse (in [DATE OF FIRST INTERCOURSE])?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7524
1	BEFORE	51
2	AFTER	63
8	Refused	3
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R had sex and the date of 1st service receipt is unknown or the same as date of 1st sex (rhadsex=1 and (([cmfstsvc](#)=dk or rf or [cmfstsvc](#)=cmfstsex or cmfstsex=dk)

**TMAFTIN** (3506 - 3506)

**FB-5:** How long after your first intercourse did you receive your first birth control service(s)? Was it...

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7628
1	LESS THAN A MONTH AFTER YOUR FIRST INTERCOURSE,	2
2	ONE TO THREE MONTHS AFTER YOUR FIRST INTERCOURSE,	1
3	FOUR TO TWELVE MONTHS AFTER YOUR FIRST INTERCOURSE,	2
4	MORE THAN A YEAR AFTER YOUR FIRST INTERCOURSE?	5
8	Refused	1
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section F**

Applicable if R had 1st service after 1st sexual intercourse if first time received birth control service was after first intercourse (FB-4 [B4AFSTIN=2](#))

**BCPLCFST** (3507 - 3508)

**FB-7:** Please look at Card 25. Where did you receive your first birth control service(s)?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6474
1	PRIVATE DOCTOR'S OFFICE	616
2	HMO FACILITY	42
3	COMMUNITY HEALTH CLINIC, COMMUNITY CLINIC, PUBLIC HEALTH CLINIC	221
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	178
5	EMPLOYER OR COMPANY CLINIC	1
6	SCHOOL OR SCHOOL-BASED CLINIC	32
7	HOSPITAL OUTPATIENT CLINIC	25
8	HOSPITAL EMERGENCY ROOM	5
9	HOSPITAL REGULAR ROOM	26
10	URGENT CARE CENTER, URGI-CARE OR WALK-IN FACILITY	2
20	SOME OTHER PLACE	16
98	Refused	2
99	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if received 1 or more family planning service in the last 12 months (drugdeve GE 1)

**EVERFPC** (3509 - 3509)

**FC-1:** Since your first menstrual period (when you were [AGE AT MENARCHE]), have you ever visited a clinic for any kind of medical or birth control service?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	5834
1	YES	375

**NSFG Cycle 6 Female Respondent File Section F**

5	NO	1432
8	Refused	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is younger than 25 years old and did not receive any service at a clinic in the last 12 months ([BCPLCFST](#) ne 3, 4, 6, 7,8, 9, 10) AND (idclinic < 1) and (PLCFEMOP ne 3, 4, 6, 7,8, 9, 10) and (MENARCHE NE 96)

***KNDMDHLP*** (3510 - 3511)

**FC-2:** What kind of medical help did you receive at the clinic?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7268
1	A METHOD OF BIRTH CONTROL (OR PRESCRIPTION)	172
2	BIRTH CONTROL COUNSELING	28
3	EMERGENCY CONTRACEPTION	4
4	COUNSELING ABOUT EMERGENCY CONTRACEPTION	0
5	A CHECK-UP OR TEST FOR BIRTH CONTROL	8
6	A PREGNANCY TEST	28
7	AN ABORTION	13
8	A PAP SMEAR OR PELVIC EXAM	54
9	POST-PREGNANCY CARE	3
10	STD OR HIV TESTING/TREATMENT/COUNSELING	9
20	OTHER	53
98	Refused	1
99	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever visited a clinic for any kind of medical or birth control service since her 1st menstrual period (FC-1 [EVERFPC=1](#))

**RWANT** (3512 - 3512)

**GA-1:** (Looking to the future, do/If it were possible would) you, yourself, want to have (a/nother) baby at some time (after this pregnancy is over/in the future)?

Value	Label	Total
1	YES	4447
5	NO	3032
8	Refused	4
9	Don't know	160
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**PROBWANT** (3513 - 3513)

**GA-1a:** (Do you think you probably want or probably do not want/If it were possible do you think you would probably want or probably not want) to have (a/nother) baby at some time (after this pregnancy is over/in the future)?

Value	Label	Total
.	inapplicable	7483
1	PROBABLY WANT	67
2	PROBABLY DO NOT WANT	57
8	Refused	1
9	Don't know	35
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said "don't know" to wanting (more) children (GA-1 [RWANT](#)=DK)

**PWANT** (3514 - 3514)

**GA-2:** (If it were possible, would/Looking to the future, does/

**NSFG Cycle 6 Female Respondent File Section G**

Does) (NAME OF CURRENT HUSBAND OR COHABITING PARTNER) want to have (a/nother) baby at some time (after this pregnancy is over/in the future)? Would you say...

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	3831
1	DEFINITELY YES	1453
2	PROBABLY YES	559
3	PROBABLY NO	451
4	DEFINITELY NO	1307
8	Refused	2
9	Don't know	40
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married or cohabiting (AB-1 MARSTAT=1 or 2)

**JINTEND** (3515 - 3515)

**GB-1:** Do you and (NAME OF CURRENT HUSBAND OR COHABITING PARTNER) intend to have (a/nother) baby at some time (after this pregnancy is over/in the future)? (Intend refers to what you and your (husband/partner) are actually going to try to do.)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	5077
1	YES	1408
5	NO	1092
8	Refused	2
9	Don't know	64
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married or cohabiting and both partners are physically able to have children (AB-1 MARSTAT=1 or 2 and rstrstat=0 and pstrstat=0)

**JSUREINT** (3516 - 3516)

**NSFG Cycle 6 Female Respondent File Section G**

**GB-2:** Of course, sometimes things do not work out exactly as we intend them to, or something makes us change our minds. In your case, how sure are you that you and (NAME OF CURRENT HUSBAND OR COHABITING PARTNER) will (not) have (a/nother) baby (after this pregnancy is over)? Would you say ...

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	5143
1	VERY SURE	1381
2	SOMEWHAT SURE	859
3	NOT AT ALL SURE	259
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said they intend or do not intend to have (more) children (GB-1 [JINTEND](#)=1 or 5)

**JINTENDN** (3517 - 3518)

**GB-3:** (Not counting your current pregnancy,) How many (more) babies do you and (NAME OF CURRENT HUSBAND OR COHABITING PARTNER) intend to have? (Intend refers to what you and your (husband/partner) are actually going to try to do.)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6235
0	NONE	4
1	1 CHILD	713
2	2 CHILDREN	473
3	3 CHILDREN	125
4-95	4 OR MORE CHILDREN	79
98	REFUSED	1
99	DON'T KNOW	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said they intend to have (more) children (GB-1 [JINTEND](#)=1)



**JEXPECTL** (3519 - 3520)

**GB-4:** Many people aren't sure, but still have some idea about the future. As you expect things to work out for you and (NAME OF CURRENT HUSBAND OR COHABITING PARTNER), what is the largest number of (additional) babies you and he expect to have (after this pregnancy is over)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7566
0	NONE	2
1	1 CHILD	35
2	2 CHILDREN	11
3	3 CHILDREN	3
4-95	4 OR MORE CHILDREN	9
98	Refused	1
99	Don't know	16
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R does not know if they intend (more) children or R does not know how many (more) children they intend (GB-1 [JINTEND=DK](#) or GB-3 [JINTENDN=DK](#))

**JEXPECTS** (3521 - 3521)

**GB-5:** What is the smallest number of (additional) babies you and he expect to have (after this pregnancy is over)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7585
0	NONE	24
1	1 CHILD	27
2-95	2 OR MORE CHILDREN	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said that the largest number of (additional)

**NSFG Cycle 6 Female Respondent File Section G**

children they intend is one or more (GB-4 [JEXPECTL](#) >0)

**INTEND** (3522 - 3522)

**GC-1:** Looking to the future, do you intend to have (a/nother) baby at some time (after this pregnancy is over)? (Intend refers to what you are actually going to try to do.)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5199
1	YES	2219
5	NO	175
9	Don't know	50
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is not married or cohabiting and is able to have children and reported yes or don't know to wanting (more) children (AB-1 MARSTAT=3,4,5, or 6 and rstrstat=0 and GA-1 [RWANT](#)=1 or DK)

**SUREINT** (3523 - 3523)

**GC-2:** Of course, sometimes things do not work out exactly as we intend them to, or something makes us change our minds. In your case, how sure are you that you will (not) have (a/nother) baby (after this pregnancy is over)? Would you say very sure, somewhat sure, or not at all sure?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5249
1	VERY SURE	1217
2	SOMEWHAT SURE	944
3	NOT AT ALL SURE	231
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R intends or does not intend to have (more) children (GC-1 [INTEND](#)=1 or 5)

**INTENDN** (3524 - 3525)

**GC-3:** (Not counting your current pregnancy,) How many (more) babies do you intend to have?

Value	Label	Total
.	inapplicable	5249
0	NONE	64
1	1 CHILD	680
2	2 CHILDREN	1062
3	3 CHILDREN	365
4-95	4 OR MORE CHILDREN	200
98	REFUSED	3
99	DON'T KNOW	20
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R intends to have (more) children (GC-1 [INTEND=1](#))

**EXPECTL** (3526 - 3527)

**GC-4:** Many people aren't sure, but still have some idea about the future. As you expect things to work out for you, what is the largest number of (additional) babies you, yourself, expect to have (after this pregnancy is over)?

Value	Label	Total
.	INAPPLICABLE	7573
0	NONE	1
1	1 CHILD	25
2	2 CHILDREN	21
3	3 CHILDREN	9
4-95	4 OR MORE CHILDREN	5
99	Don't know	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R doesn't know if she intends to have (more) children or does not know the number she intends (GC-1 [INTEND=DK](#))

NSFG Cycle 6 Female Respondent File Section G

or GC-3 [INTENDN](#)=DK)

**EXPECTS** (3528 - 3529)

**GC-5:** What is the smallest number of (additional) babies you, yourself, expect to have (after this pregnancy is over)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7578
0	NONE	21
1	1 CHILD	31
2-95	2 OR MORE CHILDREN	8
99	Don't know	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R said that the largest number of (additional) children she intend is one or more (GC-4 [EXPECTL](#) >0)

**HLPPRG** (3530 - 3530)

**HA-1:** (During any of your relationships,) (have/did) you (or your husband/or your husband or partner at the time) ever been to a doctor or other medical care provider to talk about ways to help you become pregnant?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	471
1	YES	569
5	NO	6596
8	Refused	6
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male (rhadsex=1) or is 18 years or older (age\_r >= 18)

**HOWMANYR** (3531 - 3531)

**HA-2:** In how many of your relationships did you seek medical help in order to become pregnant?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7235
1	ONE	384
2	MORE THAN ONE	21
8	Refused	1
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had more than 1 sexual partner in lifetime (lifeprts > 1) and R reported any medical help to become pregnant (HA-1 [HLPPRG](#)=1)

**SEEKWHO1** (3532 - 3532)

NSFG Cycle 6 Female Respondent File Section H

**HA-3:** Was that with your current (husband/partner) or another partner?

Value	Label	Total
.	inapplicable	7324
1	CURRENT HUSBAND/PARTNER	285
5	ANOTHER PARTNER	34
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married, cohabiting, or separated and sought medical help in order to become pregnant in one relationship (AB-1 MARSTAT = 1, 2 or 5 and HA-2 [HOWMANYR](#) = 1)

**SEEKWHO2** (3533 - 3533)

**HA-4:** Have you sought help with your current (husband/partner)?

Value	Label	Total
.	inapplicable	7626
1	YES	12
5	NO	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married, cohabiting, or separated, and sought medical help in order to become pregnant in more than one relationship (AB-1 MARSTAT = 1, 2 or 5 and HA-2 [HOWMANYR](#) ne 1)

**TYPALLPG** (3534 - 3534)

**HA-5:** (Think about all of the medical help you or your partners have ever received to help you become pregnant.) Which of the services shown on Card 52 (have/did) you or (your husband/partner/previous partner/they) (had/have) (to help you become pregnant)? (1st MENTIONED)

Value	Label	Total
-------	-------	-------

**NSFG Cycle 6 Female Respondent File Section H**

.	inapplicable	7074
1	ADVICE	370
2	INFERTILITY TESTING	120
3	DRUGS TO IMPROVE YOUR OVULATION	39
4	SURGERY TO CORRECT BLOCKED TUBES	7
5	ARTIFICIAL INSEMINATION	8
6	OTHER TYPES OF MEDICAL HELP	21
8	Refused	1
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported ever seeking any medical help to get pregnant (HA-1 [HLPPRG](#) = 1)

***TYPALLPG2*** (3535 - 3535)

**HA-5:** (Think about all of the medical help you or your partners have ever received to help you become pregnant.) Which of the services shown on Card 52 (have/did) you or (your husband/partner/previous partner/they) (had/have) (to help you become pregnant)? (2nd MENTIONED)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7317
1	ADVICE	28
2	INFERTILITY TESTING	192
3	DRUGS TO IMPROVE YOUR OVULATION	73
4	SURGERY TO CORRECT BLOCKED TUBES	10
5	ARTIFICIAL INSEMINATION	4
6	OTHER TYPES OF MEDICAL HELP	19
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable of R reported ever seeking more than 1 type of medical help (see HA-5 [TYPALLPG](#))

***TYPALLPG3*** (3536 - 3536)

**HA-5:** (Think about all of the medical help you or your partners

**NSFG Cycle 6 Female Respondent File Section H**

have ever received to help you become pregnant.) Which of the services shown on Card 52 (have/did) you or (your husband/partner/previous partner/they) (had/have) (to help you become pregnant)? (3rd MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7463
1	ADVICE	6
2	INFERTILITY TESTING	6
3	DRUGS TO IMPROVE YOUR OVULATION	125
4	SURGERY TO CORRECT BLOCKED TUBES	10
5	ARTIFICIAL INSEMINATION	14
6	OTHER TYPES OF MEDICAL HELP	19
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable of R reported ever seeking more than 2 types of medical help (see HA-5 [TYPALLPG](#))

***TYPALLPG4*** (3537 - 3537)

**HA-5:** (Think about all of the medical help you or your partners have ever received to help you become pregnant.) Which of the services shown on Card 52 (have/did) you or (your husband/partner/previous partner/they) (had/have) (to help you become pregnant)? (4th MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7561
1	ADVICE	1
2	INFERTILITY TESTING	0
3	DRUGS TO IMPROVE YOUR OVULATION	4
4	SURGERY TO CORRECT BLOCKED TUBES	26
5	ARTIFICIAL INSEMINATION	35
6	OTHER TYPES OF MEDICAL HELP	16
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable of R reported ever seeking more than 3 types of medical



help (see HA-5 [TYPALLPG](#))

**TYPALLPG5** (3538 - 3538)

**HA-5:** (Think about all of the medical help you or your partners have ever received to help you become pregnant.) Which of the services shown on Card 52 (have/did) you or (your husband/partner/previous partner/they) (had/have) (to help you become pregnant)? (5th MENTIONED)

Value	Label	Total
.	inapplicable	7609
1	ADVICE	2
2	INFERTILITY TESTING	0
3	DRUGS TO IMPROVE YOUR OVULATION	0
4	SURGERY TO CORRECT BLOCKED TUBES	1
5	ARTIFICIAL INSEMINATION	13
6	OTHER TYPES OF MEDICAL HELP	18
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable of R reported ever seeking more than 4 types of medical help (see HA-5 [TYPALLPG](#))

**TYPALLPG6** (3539 - 3539)

**HA-5:** (Think about all of the medical help you or your partners have ever received to help you become pregnant.) Which of the services shown on Card 52 (have/did) you or (your husband/partner/previous partner/they) (had/have) (to help you become pregnant)? (6th MENTIONED)

Value	Label	Total
.	inapplicable	7640
1	ADVICE	0
2	INFERTILITY TESTING	0
3	DRUGS TO IMPROVE YOUR OVULATION	0
4	SURGERY TO CORRECT BLOCKED TUBES	0
5	ARTIFICIAL INSEMINATION	1

**NSFG Cycle 6 Female Respondent File Section H**

6	OTHER TYPES OF MEDICAL HELP	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported ever seeking more than 5 types of medical help (see HA-5 [TYPALLPG](#))

**WHOTEST** (3540 - 3540)

**HA-5a:** Who was it that had infertility testing? Was it you, him, or both of you?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7325
1	YOU	83
3	HIM	29
5	BOTH OF YOU	206
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned receiving infertility testing (HA-5 [TYPALLPG](#) or [TYPALLPG2](#)-6 includes code 2)

**WHARTIN** (3541 - 3541)

**HA-5b:** Were you inseminated with sperm from your husband or partner only, from some other donor only, or from both?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7568
1	HUSBAND OR PARTNER	65
3	DONOR	8
5	BOTH HUSBAND OR PARTNER AND DONOR	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned receiving artificial insemination (HA-5 [TYPALLPG](#) or [TYPALLPG2](#)-6 includes code 5)

NSFG Cycle 6 Female Respondent File Section H

**OTMEDHEP** (3542 - 3542)

**HA-5c:** Which of these other types of medical help listed on Card 53 did either of you receive for becoming pregnant? (1st MENTIONED)

Value	Label	Total
.	inapplicable	7548
1	YOU HAD SURGERY OR DRUG TREATMENT FOR ENDOMETRIOSIS	23
2	IN VITRO FERTILIZATION (IVF)	16
3	YOU HAD SURGERY OR DRUG TREATMENT FOR UTERINE FIBROIDS	1
4	YOU HAD SOME OTHER PELVIC SURGERY	8
5	OTHER MEDICAL HELP	44
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R mentioned receiving "other types of medical help" (HA-5 [TYPALLPG](#) or [TYPALLPG2](#)-6 includes code 6)

**OTMEDHEP2** (3543 - 3543)

**HA-5c:** Which of these other types of medical help listed on Card 53 did either of you receive for becoming pregnant? (2nd MENTIONED)

Value	Label	Total
.	inapplicable	7618
1	YOU HAD SURGERY OR DRUG TREATMENT FOR ENDOMETRIOSIS	0
2	IN VITRO FERTILIZATION (IVF)	3
3	YOU HAD SURGERY OR DRUG TREATMENT FOR UTERINE FIBROIDS	5
4	YOU HAD SOME OTHER PELVIC SURGERY	8
5	OTHER MEDICAL HELP	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving more than 1 "other types of medical help" (see HA-5c [OTMEDHEP](#))

**OTMEDHEP3** (3544 - 3544)

**NSFG Cycle 6 Female Respondent File Section H**

**HA-5c:** Which of these other types of medical help listed on Card 53 did either of you receive for becoming pregnant? (3rd MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7636
1	YOU HAD SURGERY OR DRUG TREATMENT FOR ENDOMETRIOSIS	0
2	IN VITRO FERTILIZATION (IVF)	0
3	YOU HAD SURGERY OR DRUG TREATMENT FOR UTERINE FIBROIDS	0
4	YOU HAD SOME OTHER PELVIC SURGERY	3
5	OTHER MEDICAL HELP	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving more than 2 "other types of medical help" (see HA-5c [OTMEDHEP](#))

**OTMEDHEP4** (3545 - 3545)

**HA-5c:** Which of these other types of medical help listed on Card 53 did either of you receive for becoming pregnant? (4th MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	YOU HAD SURGERY OR DRUG TREATMENT FOR ENDOMETRIOSIS	0
2	IN VITRO FERTILIZATION (IVF)	0
3	YOU HAD SURGERY OR DRUG TREATMENT FOR UTERINE FIBROIDS	0
4	YOU HAD SOME OTHER PELVIC SURGERY	0
5	OTHER MEDICAL HELP	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving more than 3 "other types of medical help" (see HA-5c [OTMEDHEP](#))

**INSCOVPG** (3546 - 3546)

**HA-6:** Did either of you have private health insurance to cover any of the costs of medical help for becoming pregnant?

NSFG Cycle 6 Female Respondent File Section H

Value	Label	Total
.	inapplicable	7074
1	YES	425
5	NO	141
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported seeking any medical help to get pregnant (HA-1 [HLPPRG](#) = 1)

***cmpgvis1*** (3547 - 3550)

Date (century month) of First Visit for Medical Help to Get Pregnant (COMPUTED)

Value	Label	Total
.	inapplicable	7074
301-1164	BEFORE 1997	296
1165-1239	JANUARY 1997 OR LATER	263
9998	Refused	1
9999	Don't know	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported seeking any medical help to get pregnant (HA-1 [HLPPRG](#) = 1)

***TRYLONG2*** (3551 - 3552)

**HA-8:** When you first went for medical help (in M/Y for R's 1st visit for medical help to become pregnant), how many months or years had you (and your (husband/partner)) been trying to become pregnant? (NUMBER)

Value	Label	Total
.	INAPPLICABLE	7074
0-95	0-95	559

**NSFG Cycle 6 Female Respondent File Section H**

98	REFUSED	1
99	DON'T KNOW	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported seeking any medical help to get pregnant (HA-1 [HLPPRG](#) = 1)

***UNIT\_TRYLONG*** (3553 - 3553)

**HA-8:** (When you first went for medical help (in M/Y for R's 1st visit for medical help to become pregnant), how many months or years had you (and your (husband/partner)) been trying to become pregnant?) (UNITS - MONTHS OR YEARS)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7166
1	MONTHS	209
2	YEARS	268
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported seeking any medical help to get pregnant (HA-1 [HLPPRG](#) = 1)

***HLPPGNOW*** (3554 - 3554)

**HA-9:** Are you currently pursuing medical help to become pregnant?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7074
1	YES	69
5	NO	498
8	Refused	1
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported seeking any medical help to get pregnant

NSFG Cycle 6 Female Respondent File Section H

(HA-1 [HLPPRG](#) = 1)

**cmpgvisl** (3555 - 3558)

Date (century month) of Last/Most Recent Visit for Medical Help to Get Pregnant (COMPUTED)

Value	Label	Total
.	INAPPLICABLE	7074
301-1164	BEFORE 1997	203
1165-1239	JANUARY 1997 OR LATER	323
9996	ONLY HAD 1 VISIT	30
9998	REFUSED	1
9999	DON'T KNOW	12
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported currently pursuing medical help to get pregnant (HA-9 [HLPPGNOW](#) = 1)

**NUMVSTPG** (3559 - 3560)

**HA-11:** During the last 12 months, that is, since [M/Y of 1 YR before INTERVIEW DATE], how many visits have you (or your (husband/partner)) made to a doctor or other medical care provider to help you get pregnant?

Value	Label	Total
.	INAPPLICABLE	7504
1	1 VISIT	57
2	2 VISITS	18
3	3 VISITS	21
4	4 VISITS	7
5-95	5 OR MORE VISITS	33
99	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported pursuing medical help to get pregnant and

**NSFG Cycle 6 Female Respondent File Section H**

either 1st or most recent visit is within last 12 months ([cmpgvis1](#) >= cmlstyr or (9996 > [cmpgvis1](#) >= cmlstyr))

***prgvisit*** (3561 - 3562)

Number of Visits in Last 12 Months for Medical Help to Get Pregnant (COMPUTED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	474
0	NO VISITS IN LAST 12 MONTHS	7033
1	1 VISIT	57
2	2 VISITS	18
3	3 VISITS	21
4	4 VISITS	7
5-95	5 OR MORE VISITS	33
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male (rhadsex=1) or is 18 years or older (age\_r >= 18)

***HLPMC*** (3563 - 3563)

**HB-1:** (Not counting routine check-ups, prenatal care, or advice about a pregnancy,) have you ever been to a doctor or other medical care provider to talk about ways to help you prevent miscarriage or pregnancy loss?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	471
1	YES	397
5	NO	6768
8	Refused	6
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male



**NSFG Cycle 6 Female Respondent File Section H**

(rhadsex=1) or is 18 years or older (age\_r >= 18)

**TYPALLMC** (3564 - 3564)

**HB-2:** Which of the services shown on Card 54 have you ever received to help you prevent miscarriage or pregnancy loss? (1st MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7246
1	INSTRUCTIONS TO TAKE COMPLETE BED REST	153
2	INSTRUCTIONS TO LIMIT YOUR PHYSICAL ACTIVITY	76
3	TESTING TO DIAGNOSE PROBLEMS RELATED TO MISCARRIAGE	73
4	DRUGS TO PREVENT MISCARRIAGE, SUCH AS PROGESTERONE SUPPOSITORIES	33
5	STITCHES IN YOUR CERVIX, ALSO KNOWN AS THE "PURSE-STRING" PROCEDURE	9
6	ANY OTHER TYPES OF MEDICAL HELP	51
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported miscarriage services (HB-1 [HLPMC=1](#))

**TYPALLMC2** (3565 - 3565)

**HB-2:** Which of the services shown on Card 54 have you ever received to help you prevent miscarriage or pregnancy loss? (2nd MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7436
1	INSTRUCTIONS TO TAKE COMPLETE BED REST	13
2	INSTRUCTIONS TO LIMIT YOUR PHYSICAL ACTIVITY	125
3	TESTING TO DIAGNOSE PROBLEMS RELATED TO MISCARRIAGE	30
4	DRUGS TO PREVENT MISCARRIAGE, SUCH AS PROGESTERONE SUPPOSITORIES	25
5	STITCHES IN YOUR CERVIX, ALSO KNOWN AS THE "PURSE-STRING" PROCEDURE	3
6	ANY OTHER TYPES OF MEDICAL HELP	11
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section H**

Applicable if R reported receiving more than 1 type of miscarriage service (see HB-2 [TYPALLMC](#))

**TYPALLMC3** (3566 - 3566)

**HB-2:** Which of the services shown on Card 54 have you ever received to help you prevent miscarriage or pregnancy loss? (3rd MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7545
1	INSTRUCTIONS TO TAKE COMPLETE BED REST	3
2	INSTRUCTIONS TO LIMIT YOUR PHYSICAL ACTIVITY	4
3	TESTING TO DIAGNOSE PROBLEMS RELATED TO MISCARRIAGE	51
4	DRUGS TO PREVENT MISCARRIAGE, SUCH AS PROGESTERONE SUPPOSITORIES	25
5	STITCHES IN YOUR CERVIX, ALSO KNOWN AS THE "PURSE-STRING" PROCEDURE	5
6	ANY OTHER TYPES OF MEDICAL HELP	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving more than 2 types of miscarriage service (see HB-2 [TYPALLMC](#))

**TYPALLMC4** (3567 - 3567)

**HB-2:** Which of the services shown on Card 54 have you ever received to help you prevent miscarriage or pregnancy loss? (4th MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7605
1	INSTRUCTIONS TO TAKE COMPLETE BED REST	0
2	INSTRUCTIONS TO LIMIT YOUR PHYSICAL ACTIVITY	0
3	TESTING TO DIAGNOSE PROBLEMS RELATED TO MISCARRIAGE	2
4	DRUGS TO PREVENT MISCARRIAGE, SUCH AS PROGESTERONE SUPPOSITORIES	28
5	STITCHES IN YOUR CERVIX, ALSO KNOWN AS THE "PURSE-STRING" PROCEDURE	2
6	ANY OTHER TYPES OF MEDICAL HELP	6
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section H**

**Universe:**

Applicable if R reported receiving more than 3 types of miscarriage service (see HB-2 [TYPALLMC](#))

**TYPALLMC5** (3568 - 3568)

**HB-2:** Which of the services shown on Card 54 have you ever received to help you prevent miscarriage or pregnancy loss? (5th MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7628
1	INSTRUCTIONS TO TAKE COMPLETE BED REST	0
2	INSTRUCTIONS TO LIMIT YOUR PHYSICAL ACTIVITY	0
3	TESTING TO DIAGNOSE PROBLEMS RELATED TO MISCARRIAGE	0
4	DRUGS TO PREVENT MISCARRIAGE, SUCH AS PROGESTERONE SUPPOSITORIES	0
5	STITCHES IN YOUR CERVIX, ALSO KNOWN AS THE "PURSE-STRING" PROCEDURE	6
6	ANY OTHER TYPES OF MEDICAL HELP	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving more than 4 types of miscarriage service (see HB-2 [TYPALLMC](#))

**MISCNUM** (3569 - 3570)

**HB-3:** When you first went for medical help for preventing miscarriage, how many pregnancies had you lost, if any?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7246
0	NONE	179
1	1 PREGNANCY	131
2	2 PREGNANCIES	52
3-95	3 OR MORE PREGNANCIES	34
99	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section H**

Applicable if R reported receiving miscarriage services (HB-1 [HLPMC=1](#))

**INFRTPRB** (3571 - 3571)

**HB-4:** Looking at Card 55, when you went for medical help to (become pregnant/ prevent miscarriage/ to become pregnant and prevent miscarriage), were you ever told that you or your husband or partner had any of the following infertility problems shown on the card? (1st MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6794
1	PROBLEMS WITH OVULATION	179
2	BLOCKED TUBES	40
3	OTHER TUBE OR PELVIC PROBLEMS	55
4	ENDOMETRIOSIS	59
5	SEMEN OR SPERM PROBLEMS	60
6	ANY OTHER INFERTILITY PROBLEMS	18
7	NONE OF THESE PROBLEMS	437
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported receiving medical help to get pregnant or to prevent miscarriage (HA-1 PLPPRG=1 or HB-1 [HLPMC=1](#))

**INFRTPRB2** (3572 - 3572)

**HB-4:** Looking at Card 55, when you went for medical help to (become pregnant/ prevent miscarriage/ to become pregnant and prevent miscarriage), were you ever told that you or your husband or partner had any of the following infertility problems shown on the card? (2nd MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7487
1	PROBLEMS WITH OVULATION	9
2	BLOCKED TUBES	25

**NSFG Cycle 6 Female Respondent File Section H**

3	OTHER TUBE OR PELVIC PROBLEMS	40
4	ENDOMETRIOSIS	30
5	SEMEN OR SPERM PROBLEMS	38
6	ANY OTHER INFERTILITY PROBLEMS	14
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 infertility problem (see HB-4 [INFRTPRB](#))

**INFRTPRB3** (3573 - 3573)

**HB-4:** Looking at Card 55, when you went for medical help to (become pregnant/ prevent miscarriage/ to become pregnant and prevent miscarriage), were you ever told that you or your husband or partner had any of the following infertility problems shown on the card? (3rd MENTIONED)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7582
1	PROBLEMS WITH OVULATION	3
2	BLOCKED TUBES	2
3	OTHER TUBE OR PELVIC PROBLEMS	12
4	ENDOMETRIOSIS	14
5	SEMEN OR SPERM PROBLEMS	12
6	ANY OTHER INFERTILITY PROBLEMS	18
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 2 infertility problems (see HB-4 [INFRTPRB](#))

**INFRTPRB4** (3574 - 3574)

**HB-4:** Looking at Card 55, when you went for medical help to (become pregnant/ prevent miscarriage/ to become pregnant and prevent miscarriage), were you ever told that you or your husband or partner had any of the following infertility problems shown on the card? (4th MENTIONED)

**NSFG Cycle 6 Female Respondent File Section H**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7626
1	PROBLEMS WITH OVULATION	0
2	BLOCKED TUBES	1
3	OTHER TUBE OR PELVIC PROBLEMS	1
4	ENDOMETRIOSIS	5
5	SEMEN OR SPERM PROBLEMS	5
6	ANY OTHER INFERTILITY PROBLEMS	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 3 infertility problems (see HB-4 [INFRTPRB](#))

**INFRTPRB5** (3575 - 3575)

**HB-4:** Looking at Card 55, when you went for medical help to (become pregnant/ prevent miscarriage/ to become pregnant and prevent miscarriage), were you ever told that you or your husband or partner had any of the following infertility problems shown on the card? (5th MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	PROBLEMS WITH OVULATION	0
2	BLOCKED TUBES	0
3	OTHER TUBE OR PELVIC PROBLEMS	0
4	ENDOMETRIOSIS	0
5	SEMEN OR SPERM PROBLEMS	2
6	ANY OTHER INFERTILITY PROBLEMS	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 4 infertility problems (see HB-4 [INFRTPRB](#))

**INFRTPRB6** (3576 - 3576)

**HB-4:** Looking at Card 55, when you went for medical help to

**NSFG Cycle 6 Female Respondent File Section H**

(become pregnant/ prevent miscarriage/ to become pregnant and prevent miscarriage), were you ever told that you or your husband or partner had any of the following infertility problems shown on the card? (6th MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	PROBLEMS WITH OVULATION	0
2	BLOCKED TUBES	0
3	OTHER TUBE OR PELVIC PROBLEMS	0
4	ENDOMETRIOSIS	0
5	SEMEN OR SPERM PROBLEMS	0
6	ANY OTHER INFERTILITY PROBLEMS	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 5 infertility problems (see HB-4 [INFRTPRB](#))

***DUCHFREQ*** (3577 - 3577)

**HC-1:** Some women douche after intercourse or at other times, while other women do not. Looking at Card 56, during the past 12 months, that is, since [M/Y of 1 YR before INTERVIEW DATE], how often, if at all, did you douche?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	NEVER DOUCHED	4905
2	DOUCHED ONCE A MONTH OR LESS	1633
3	DOUCHED 2-3 TIMES A MONTH	648
4	DOUCHED ONCE A WEEK	217
5	DOUCHED 2-3 TIMES A WEEK	138
6	DOUCHED 4-6 TIMES A WEEK	45
7	DOUCHED EVERY DAY	32
8	Refused	16
9	Don't know	9
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section H

Applicable for all respondents

**DUCHWHEN** (3578 - 3578)

**HC-2:** When you douched in the past 12 months, was it only after sexual intercourse, only at other times, or both?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	4930
1	ONLY AFTER SEXUAL INTERCOURSE	153
2	ONLY AT OTHER TIMES	1598
3	BOTH	957
8	Refused	3
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported douching in the last 12 months (2 <= HC-1 [DUCHFREQ](#) <= 7)

**PID** (3579 - 3579)

**HD-1:** Have you ever been treated for an infection in your fallopian tubes, womb, or ovaries, also called a pelvic infection, pelvic inflammatory disease, or P.I.D.?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	414
5	NO	7219
8	Refused	5
9	Don't know	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**PIDSYMPT** (3580 - 3580)

**HD-2:** Were you having any symptoms, such as pain or vaginal



**NSFG Cycle 6 Female Respondent File Section H**

discharge or bleeding, that caused you to go for treatment?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7224
1	YES	362
5	NO	57
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported either ever being treated for? P.I.D. or not knowing if she was ever treated for P.I.D. (HD-1 [PID](#) = 1 or DK)

***PIDTX*** (3581 - 3582)

**HD-3:** How many different times have you been treated for a pelvic infection or P.I.D.?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7229
1	1 TIME	268
2-95	2 OR MORE TIMES	143
99	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported ever being treated for P.I.D. (HD-1 [PID](#) = 1)

***cmpidlst*** (3583 - 3586)

Date (century month) of Last/Most Recent PID Treatment (COMPUTED)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7229
301-1164	BEFORE 1997	184
1165-1239	JANUARY 1997 OR LATER	215
9998	Refused	2
9999	Don't know	13

NSFG Cycle 6 Female Respondent File Section H

Total 7643

**Universe:**

Applicable if R reported ever being treated for P.I.D. (HD-1 [PID](#) = 1)

**DIABETES** (3587 - 3587)

**HD-5:** Has a doctor or other medical care provider ever told you that you had diabetes or 'sugar'?

Value	Label	Total
1	YES	369
5	NO	7268
8	Refused	3
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**GESTDIAB** (3588 - 3588)

**HD-6:** Were you ever told you had diabetes when you were not pregnant?

Value	Label	Total
.	inapplicable	7310
1	YES	111
5	NO	222
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R was ever pregnant and reported diabetes (everpreg = 1 AND HD-8a [DIABETES](#) = 1)

**OVACYST** (3589 - 3589)

**HD-7:** (You may have already told me this, but) Has a doctor or

**NSFG Cycle 6 Female Respondent File Section H**

other medical care provider ever told you had an ovarian cyst?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	1041
5	NO	6597
8	Refused	3
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**UF** (3590 - 3590)

**HD-8:** (You may have already told me this, but) Has a doctor or other medical care provider ever told you had fibroid tumors or myomas in your uterus?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	507
5	NO	7129
8	Refused	3
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**ENDO** (3591 - 3591)

**HD-9:** (You may have already told me this, but) Has a doctor or other medical care provider ever told you had endometriosis?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	397
5	NO	7235
8	Refused	4
9	Don't know	7

NSFG Cycle 6 Female Respondent File Section H

Total 7643

**Universe:**

Applicable for all respondents

**OVUPROB** (3592 - 3592)

**HD-10:** (You may have already told me this, but) Has a doctor or other medical care provider ever told you had problems with ovulation or menstruation?

Value	Label	Total
1	YES	1229
5	NO	6408
8	Refused	3
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**LIMITED** (3593 - 3593)

**HD-11:** The following 2 questions are about other health problems or impairments you may have.  
Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Label	Total
1	YES	696
5	NO	6942
8	Refused	3
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**EQUIPMNT** (3594 - 3594)

NSFG Cycle 6 Female Respondent File Section H

**HD-12:** Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	114
5	NO	7526
8	Refused	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DONBLD85*** (3595 - 3595)

**HE-1:** First, I'll ask you about blood donations you may have made to the Red Cross or other blood banks because all blood donated in recent years has been routinely tested for HIV before it can be used. (Since March 1985,) Have you (ever) donated blood at the Red Cross, at a bloodmobile, at a blood drive, or at other blood banks?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	2198
5	NO	5438
8	Refused	3
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***HIVTEST*** (3596 - 3596)

**HE-2:** (Apart from testing that may have been done with your blood donations,) Have you ever had your blood tested for HIV, the virus that causes AIDS?

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section H**

1	YES	4458
5	NO	3135
8	Refused	4
9	Don't know	46
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**cmhivtst** (3597 - 3600)

Date (century month) of Last (or Most Recent) HIV Test (COMPUTED)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3185
301-1164	BEFORE 1997	888
1165-1239	JANUARY 1997 OR LATER	3531
9998	Refused	4
9999	Don't know	35
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported any HIV testing apart from blood donation (HE-2 [HIVTEST](#)=1)

**PLCHIV** (3601 - 3602)

**HE-4:** Please look at Card 72. Where did you have that blood test for HIV in [M/Y reported in cmhivtst]?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3185
1	PRIVATE DOCTOR S OFFICE	1972
2	HMO FACILITY	228
3	COMMUNITY HEALTH CENTER, COMMUNITY CLINIC, OR PUBLIC HEALTH CLINIC	830
4	FAMILY PLANNING OR PLANNED PARENTHOOD CLINIC	216
5	EMPLOYER OR COMPANY CLINIC	90
6	SCHOOL OR SCHOOL-BASED CLINIC	80
7	HOSPITAL OUTPATIENT CLINIC	313

**NSFG Cycle 6 Female Respondent File Section H**

8	HOSPITAL EMERGENCY ROOM	69
9	HOSPITAL REGULAR ROOM	257
10	URGENT CARE CENTER, URGI-CARE, OR WALK-IN FACILITY	31
11	YOUR WORKSITE	69
12	YOUR HOME	109
20	SOME OTHER PLACE	191
98	Refused	1
99	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported any HIV testing apart from blood donation (HE-2 [HIVTEST](#)=1)

***HIVTST*** (3603 - 3603)

**HE-5:** Please look at Card 73. Why did you have that HIV test? (1st MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	3185
1	FOR A HOSPITALIZATION OR SURGICAL PROCEDURE	213
2	TO APPLY FOR HEALTH OR LIFE INSURANCE	197
3	JUST TO FIND OUT IF YOU WERE INFECTED	1307
4	BECAUSE OF A REFERRAL BY A DOCTOR	130
5	TO APPLY FOR A MARRIAGE LICENSE	131
6	BECAUSE YOU WERE PREGNANT OR BECAUSE IT WAS PART OF PRENATAL CARE	1523
7	SOME OTHER REASON	952
8	Refused	1
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported any HIV testing apart from blood donation (HE-2 [HIVTEST](#)=1)

***HIVTST2*** (3604 - 3604)

**HE-5:** Please look at Card 73. Why did you have that HIV test? (2nd MENTIONED)

**NSFG Cycle 6 Female Respondent File Section H**

<b>Value Label</b>	<b>Total</b>
. inapplicable	7420
1 FOR A HOSPITALIZATION OR SURGICAL PROCEDURE	10
2 TO APPLY FOR HEALTH OR LIFE INSURANCE	2
3 JUST TO FIND OUT IF YOU WERE INFECTED	39
4 BECAUSE OF A REFERRAL BY A DOCTOR	29
5 TO APPLY FOR A MARRIAGE LICENSE	8
6 BECAUSE YOU WERE PREGNANT OR BECAUSE IT WAS PART OF PRENATAL CARE	40
7 SOME OTHER REASON	95
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 reason for last HIV test (see H3-5 [HIVTST](#))

***HIVTST3*** (3605 - 3605)

**HE-5:** Please look at Card 73. Why did you have that HIV test? (3rd MENTIONED)

<b>Value Label</b>	<b>Total</b>
. inapplicable	7631
1 FOR A HOSPITALIZATION OR SURGICAL PROCEDURE	0
2 TO APPLY FOR HEALTH OR LIFE INSURANCE	0
3 JUST TO FIND OUT IF YOU WERE INFECTED	2
4 BECAUSE OF A REFERRAL BY A DOCTOR	2
5 TO APPLY FOR A MARRIAGE LICENSE	0
6 BECAUSE YOU WERE PREGNANT OR BECAUSE IT WAS PART OF PRENATAL CARE	6
7 SOME OTHER REASON	2
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 2 reasons for last HIV test (see H3-5 [HIVTST](#))

***TALKDOCT*** (3606 - 3606)

**HE-6:** Did a doctor or other medical care provider talk with you



NSFG Cycle 6 Female Respondent File Section H

about AIDS after you had this HIV test?

Value	Label	Total
.	inapplicable	3185
1	YES	1389
5	NO	3055
8	Refused	1
9	Don't know	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported any HIV testing apart from blood donation (HE-2 [HIVTEST](#)=1)

**AIDSTALK** (3607 - 3608)

**HE-7:** Looking at Card 74, what topics related to HIV or AIDS were covered in the discussion you had with the doctor or other health professional? (1st MENTIONED)

Value	Label	Total
.	inapplicable	6254
1	HOW HIV/AIDS IS TRANSMITTED	1053
2	HOW TO PREVENT TRANSMISSION OF HIV/AIDS	109
3	OTHER SEXUALLY TRANSMITTED DISEASES LIKE GONORRHEA, SYPHILIS, OR HERPES	35
4	THE CORRECT USE OF CONDOMS	17
5	NEEDLE CLEANING/USING CLEAN NEEDLES	7
6	DANGERS OF NEEDLE SHARING	5
7	ABSTINENCE FROM SEX (NOT HAVING SEX)	9
8	BIRTH CONTROL METHODS	23
9	SAFE SEX PRACTICES	47
10	OTHER	78
99	Don't know	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported talking with a doctor or medical care provider about AIDS (HE-6 [TALKDOCT](#)=1)

**AIDSTALK02** (3609 - 3610)

**HE-7:** Looking at Card 74, what topics related to HIV or AIDS were covered in the discussion you had with the doctor or other health professional? (2nd MENTIONED)

Value	Label	Total
.	inapplicable	6475
1	HOW HIV/AIDS IS TRANSMITTED	30
2	HOW TO PREVENT TRANSMISSION OF HIV/AIDS	927
3	OTHER SEXUALLY TRANSMITTED DISEASES LIKE GONORRHEA, SYPHILIS, OR HERPES	84
4	THE CORRECT USE OF CONDOMS	37
5	NEEDLE CLEANING/USING CLEAN NEEDLES	10
6	DANGERS OF NEEDLE SHARING	7
7	ABSTINENCE FROM SEX (NOT HAVING SEX)	12
8	BIRTH CONTROL METHODS	12
9	SAFE SEX PRACTICES	40
10	OTHER	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported talking with a doctor or medical care provider about more than 1 HIV or AIDS topics (see HE-7 [AIDSTALK](#))

**AIDSTALK03** (3611 - 3612)

**HE-7:** Looking at Card 74, what topics related to HIV or AIDS were covered in the discussion you had with the doctor or other health professional? (3rd MENTIONED)

Value	Label	Total
.	inapplicable	6650
1	HOW HIV/AIDS IS TRANSMITTED	16
2	HOW TO PREVENT TRANSMISSION OF HIV/AIDS	22
3	OTHER SEXUALLY TRANSMITTED DISEASES LIKE GONORRHEA, SYPHILIS, OR HERPES	664
4	THE CORRECT USE OF CONDOMS	89
5	NEEDLE CLEANING/USING CLEAN NEEDLES	37

**NSFG Cycle 6 Female Respondent File Section H**

6	DANGERS OF NEEDLE SHARING	26
7	ABSTINENCE FROM SEX (NOT HAVING SEX)	40
8	BIRTH CONTROL METHODS	32
9	SAFE SEX PRACTICES	54
10	OTHER	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported talking with a doctor or medical care provider about more than 2 HIV or AIDS topics (see HE-7 [AIDSTALK](#))

**AIDSTALK04** (3613 - 3614)

**HE-7:** Looking at Card 74, what topics related to HIV or AIDS were covered in the discussion you had with the doctor or other health professional? (4th MENTIONED)

<u>Value Label</u>	<u>Total</u>
. inapplicable	6816
1 HOW HIV/AIDS IS TRANSMITTED	6
2 HOW TO PREVENT TRANSMISSION OF HIV/AIDS	9
3 OTHER SEXUALLY TRANSMITTED DISEASES LIKE GONORRHEA, SYPHILIS, OR HERPES	16
4 THE CORRECT USE OF CONDOMS	436
5 NEEDLE CLEANING/USING CLEAN NEEDLES	62
6 DANGERS OF NEEDLE SHARING	57
7 ABSTINENCE FROM SEX (NOT HAVING SEX)	74
8 BIRTH CONTROL METHODS	61
9 SAFE SEX PRACTICES	98
10 OTHER	8
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported talking with a doctor or medical care provider about more than 3 HIV or AIDS topics (see HE-7 [AIDSTALK](#))

**AIDSTALK05** (3615 - 3616)

**HE-7:** Looking at Card 74, what topics related to HIV or AIDS were covered in the discussion you had with the doctor or other health

**NSFG Cycle 6 Female Respondent File Section H**

professional? (5th MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6982
1	HOW HIV/AIDS IS TRANSMITTED	6
2	HOW TO PREVENT TRANSMISSION OF HIV/AIDS	2
3	OTHER SEXUALLY TRANSMITTED DISEASES LIKE GONORRHEA, SYPHILIS, OR HERPES	3
4	THE CORRECT USE OF CONDOMS	7
5	NEEDLE CLEANING/USING CLEAN NEEDLES	293
6	DANGERS OF NEEDLE SHARING	76
7	ABSTINENCE FROM SEX (NOT HAVING SEX)	87
8	BIRTH CONTROL METHODS	83
9	SAFE SEX PRACTICES	102
10	OTHER	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported talking with a doctor or medical care provider about more than 4 HIV or AIDS topics (see HE-7 [AIDSTALK](#))

**AIDSTALK06** (3617 - 3618)

**HE-7:** Looking at Card 74, what topics related to HIV or AIDS were covered in the discussion you had with the doctor or other health professional? (6th MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7114
1	HOW HIV/AIDS IS TRANSMITTED	1
2	HOW TO PREVENT TRANSMISSION OF HIV/AIDS	5
3	OTHER SEXUALLY TRANSMITTED DISEASES LIKE GONORRHEA, SYPHILIS, OR HERPES	1
4	THE CORRECT USE OF CONDOMS	3
5	NEEDLE CLEANING/USING CLEAN NEEDLES	7
6	DANGERS OF NEEDLE SHARING	278
7	ABSTINENCE FROM SEX (NOT HAVING SEX)	64
8	BIRTH CONTROL METHODS	67
9	SAFE SEX PRACTICES	95

**NSFG Cycle 6 Female Respondent File Section H**

10	OTHER	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported talking with a doctor or medical care provider about more than 5 HIV or AIDS topics (see HE-7 [AIDSTALK](#))

**AIDSTALK07** (3619 - 3620)

**HE-7:** Looking at Card 74, what topics related to HIV or AIDS were covered in the discussion you had with the doctor or other health professional? (7th MENTIONED)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7240
1	HOW HIV/AIDS IS TRANSMITTED	0
2	HOW TO PREVENT TRANSMISSION OF HIV/AIDS	0
3	OTHER SEXUALLY TRANSMITTED DISEASES LIKE GONORRHEA, SYPHILIS, OR HERPES	3
4	THE CORRECT USE OF CONDOMS	0
5	NEEDLE CLEANING/USING CLEAN NEEDLES	1
6	DANGERS OF NEEDLE SHARING	3
7	ABSTINENCE FROM SEX (NOT HAVING SEX)	256
8	BIRTH CONTROL METHODS	57
9	SAFE SEX PRACTICES	80
10	OTHER	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported talking with a doctor or medical care provider about more than 6 HIV or AIDS topics (see HE-7 [AIDSTALK](#))

**AIDSTALK08** (3621 - 3622)

**HE-7:** Looking at Card 74, what topics related to HIV or AIDS were covered in the discussion you had with the doctor or other health professional? (8th MENTIONED)

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section H**

.	inapplicable	7326
1	HOW HIV/AIDS IS TRANSMITTED	0
2	HOW TO PREVENT TRANSMISSION OF HIV/AIDS	0
3	OTHER SEXUALLY TRANSMITTED DISEASES LIKE GONORRHEA, SYPHILIS, OR HERPES	0
4	THE CORRECT USE OF CONDOMS	0
5	NEEDLE CLEANING/USING CLEAN NEEDLES	3
6	DANGERS OF NEEDLE SHARING	1
7	ABSTINENCE FROM SEX (NOT HAVING SEX)	3
8	BIRTH CONTROL METHODS	238
9	SAFE SEX PRACTICES	67
10	OTHER	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported talking with a doctor or medical care provider about more than 7 HIV or AIDS topics (see HE-7 [AIDSTALK](#))

**AIDSTALK09** (3623 - 3624)

**HE-7:** Looking at Card 74, what topics related to HIV or AIDS were covered in the discussion you had with the doctor or other health professional? (9th MENTIONED)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7395
1	HOW HIV/AIDS IS TRANSMITTED	2
2	HOW TO PREVENT TRANSMISSION OF HIV/AIDS	0
3	OTHER SEXUALLY TRANSMITTED DISEASES LIKE GONORRHEA, SYPHILIS, OR HERPES	1
4	THE CORRECT USE OF CONDOMS	0
5	NEEDLE CLEANING/USING CLEAN NEEDLES	1
6	DANGERS OF NEEDLE SHARING	3
7	ABSTINENCE FROM SEX (NOT HAVING SEX)	2
8	BIRTH CONTROL METHODS	2
9	SAFE SEX PRACTICES	231
10	OTHER	6
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section H**

Applicable if R reported talking with a doctor or medical care provider about more than 8 HIV or AIDS topics (see HE-7 [AIDSTALK](#))

**AIDSTALK10** (3625 - 3626)

**HE-7:** Looking at Card 74, what topics related to HIV or AIDS were covered in the discussion you had with the doctor or other health professional? (10th MENTIONED)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7597
1	HOW HIV/AIDS IS TRANSMITTED	0
2	HOW TO PREVENT TRANSMISSION OF HIV/AIDS	0
3	OTHER SEXUALLY TRANSMITTED DISEASES LIKE GONORRHEA, SYPHILIS, OR HERPES	0
4	THE CORRECT USE OF CONDOMS	0
5	NEEDLE CLEANING/USING CLEAN NEEDLES	0
6	DANGERS OF NEEDLE SHARING	0
7	ABSTINENCE FROM SEX (NOT HAVING SEX)	0
8	BIRTH CONTROL METHODS	0
9	SAFE SEX PRACTICES	0
10	OTHER	46
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported talking with a doctor or medical care provider about more than 9 HIV or AIDS topics (see HE-7 [AIDSTALK](#))

**RETROVIR** (3627 - 3627)

**HE-8:** Please tell me if you think the following statement is definitely true, probably true, probably false, or definitely false, or if you don't know whether it is true or false.  
 "There is a treatment available for pregnant women who are infected with the HIV virus to prevent passing the virus to their baby.

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	DEFINITELY TRUE	1374

**NSFG Cycle 6 Female Respondent File Section H**

2	PROBABLY TRUE	1934
3	PROBABLY FALSE	1419
4	DEFINITELY FALSE	894
5	DON'T KNOW IF TRUE OR FALSE	2003
8	Refused	3
9	Don't know	16
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***PREGHIV*** (3628 - 3628)

**HE-9:** The last time you were pregnant (before you became pregnant this time), were you tested for the HIV virus when you visited the doctor for prenatal care?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6783
1	YES	569
5	NO	249
6	NEVER WENT FOR PRENATAL CARE	18
8	Refused	1
9	Don't know	23
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's last completed pregnancy was within last 12 months (everpreg = 1 and cmlstprg >= cmlstyr)



**COVER12** (3629 - 3629)

**IA-1:** Now I have some questions about health insurance and coverage of medical expenses in the past year. Card 75 lists some examples of types of health care coverage. In the past 12 months, that is, since [INTERVIEW MONTH, 2001], was there any time that you did not have any health insurance or coverage?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	1933
5	NO	5684
8	Refused	4
9	Don't know	22
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**NUMNOCOV** (3630 - 3631)

**IA-2:** In how many of the past 12 months were you without coverage?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	5710
1	1 MONTH	147
2	2 MONTHS	108
3	3 MONTHS	150
4	4 MONTHS	105
5	5 MONTHS	72
6	6 MONTHS	143
7	7 MONTHS	44
8	8 MONTHS	67
9	9 MONTHS	53
10	10 MONTHS	36
11	11 MONTHS	51
12	12 MONTHS	950
98	Refused	1
99	Don't know	6

NSFG Cycle 6 Female Respondent File Section I

Total 7643

**Universe:**

Applicable if R did not have insurance coverage for some portion of the past 12 months (IA-1 [COVER12](#) = 1)

**COVERHOW01** (3632 - 3633)

**IA-3:** Card 76 shows different types of health care coverage. In the past 12 months, that is since [INTERVIEW MONTH, 2001], which of these were you covered by? (1ST MENTION)

Value	Label	Total
.	inapplicable	950
1	A PRIVATE HEALTH INSURANCE PLAN (FROM EMPLOYER OR WORKPLACE; PURCHASED DIRECTLY; THROUGH A STATE OR LOCAL GOVERNMENT PROGRAM OR COMMUNITY PROGRAM)	5104
2	MEDICAID	989
3	MEDICARE	155
4	MEDI-GAP	4
5	MILITARY HEALTH CARE, INCLUDING: THE VA, CHAMPUS, TRICARE, CHAMP-VA	98
6	INDIAN HEALTH SERVICE	23
7	CHIP (CHILDREN S HEALTH INSURANCE PROGRAM)	40
8	SINGLE-SERVICE PLAN (EG. DENTAL, VISION, PRESCRIPTIONS)	33
9	STATE-SPONSORED HEALTH PLAN	80
10	OTHER GOVERNMENT HEALTH CARE	93
98	Refused	7
99	Don't know	67
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R had insurance coverage for some portion of the past 12 months (IA-2 [NUMNOCOV](#) < 12) or R did not provide an answer (IA-2 [NUMNOCOV](#) = DK/RF)

**COVERHOW02** (3634 - 3635)

**IA-3:** (Card 76 shows different types of health care coverage. In the past 12 months, that is since [INTERVIEW MONTH, 2001], which of these were you covered by?) (2ND MENTION)

**NSFG Cycle 6 Female Respondent File Section I**

<b>Value Label</b>	<b>Total</b>
. inapplicable	6988
1 A PRIVATE HEALTH INSURANCE PLAN (FROM EMPLOYER OR WORKPLACE; PURCHASED DIRECTLY; THROUGH A STATE OR LOCAL GOVERNMENT PROGRAM OR COMMUNITY PROGRAM)	79
2 MEDICAID	116
3 MEDICARE	56
4 MEDI-GAP	1
5 MILITARY HEALTH CARE, INCLUDING: THE VA, CHAMPUS, TRICARE, CHAMP-VA	31
6 INDIAN HEALTH SERVICE	9
7 CHIP (CHILDREN S HEALTH INSURANCE PROGRAM)	12
8 SINGLE-SERVICE PLAN (EG. DENTAL, VISION, PRESCRIPTIONS)	306
9 STATE-SPONSORED HEALTH PLAN	27
10 OTHER GOVERNMENT HEALTH CARE	18
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 type of insurance coverage is reported

**COVERHOW03** (3636 - 3636)

**IA-3:** (Card 76 shows different types of health care coverage. In the past 12 months, that is since [INTERVIEW MONTH, 2001], which of these were you covered by?) (3RD MENTION)

<b>Value Label</b>	<b>Total</b>
. inapplicable	7628
1 A PRIVATE HEALTH INSURANCE PLAN (FROM EMPLOYER OR WORKPLACE; PURCHASED DIRECTLY; THROUGH A STATE OR LOCAL GOVERNMENT PROGRAM OR COMMUNITY PROGRAM)	1
2 MEDICAID	1
3 MEDICARE	0
4 MEDI-GAP	0
5 MILITARY HEALTH CARE, INCLUDING: THE VA, CHAMPUS, TRICARE, CHAMP-VA	1
6 INDIAN HEALTH SERVICE	2
7 CHIP (CHILDREN S HEALTH INSURANCE PROGRAM)	0
8 SINGLE-SERVICE PLAN (EG. DENTAL, VISION, PRESCRIPTIONS)	9
9 STATE-SPONSORED HEALTH PLAN	1
10 OTHER GOVERNMENT HEALTH CARE	0

**NSFG Cycle 6 Female Respondent File Section I**

**Total**

**7643**

**Universe:**

Applicable if more than 2 types of insurance coverage are reported

***NOWCOVER01*** (3637 - 3638)

**IA-4:** Which of these, if any, are you covered by now? (1ST MENTION)

<b>Value Label</b>	<b>Total</b>
. inapplicable	6032
1 A PRIVATE HEALTH INSURANCE PLAN (FROM EMPLOYER OR WORKPLACE; PURCHASED DIRECTLY; THROUGH A STATE OR LOCAL GOVERNMENT PROGRAM OR COMMUNITY PROGRAM)	842
2 MEDICAID	241
3 MEDICARE	39
4 MEDI-GAP	0
5 MILITARY HEALTH CARE, INCLUDING: THE VA, CHAMPUS, TRICARE, CHAMP-VA	23
6 INDIAN HEALTH SERVICE	2
7 CHIP (CHILDREN S HEALTH INSURANCE PLAN	14
8 SINGLE-SERVICE PLAN (EG. DENTAL, VISION, PRESCRIPTIONS)	7
9 STATE-SPONSORED HEALTH PLAN	22
10 OTHER GOVERNMENT HEALTH CARE	20
11 NOT COVERED BY ANY INSURANCE	341
98 Refused	5
99 Don't know	55
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R lacked insurance coverage for some portion of the last 12 months (IA-2 [NUMNOCOV](#) < 12) or had more than one type of coverage

***NOWCOVER02*** (3639 - 3640)

**IA-4:** (Which of these, if any, are you covered by now?) (2ND MENTION)

<b>Value Label</b>	<b>Total</b>
--------------------	--------------

**NSFG Cycle 6 Female Respondent File Section I**

.	inapplicable	7189
1	A PRIVATE HEALTH INSURANCE PLAN (FROM EMPLOYER OR WORKPLACE; PURCHASED DIRECTLY; THROUGH A STATE OR LOCAL GOVERNMENT PROGRAM OR COMMUNITY PROGRAM)	12
2	MEDICAID	45
3	MEDICARE	49
4	MEDI-GAP	1
5	MILITARY HEALTH CARE, INCLUDING: THE VA, CHAMPUS, TRICARE, CHAMP-VA	20
6	INDIAN HEALTH SERVICE	9
7	CHIP (CHILDREN S HEALTH INSURANCE PLAN	8
8	SINGLE-SERVICE PLAN (EG. DENTAL, VISION, PRESCRIPTIONS)	295
9	STATE-SPONSORED HEALTH PLAN	9
10	OTHER GOVERNMENT HEALTH CARE	6
11	NOT COVERED BY ANY INSURANCE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if more than 1 type of insurance coverage is reported

***NOWCOVER03*** (3641 - 3641)

**IA-4:** (Which of these, if any, are you covered by now?) (3RD MENTION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7635
1	A PRIVATE HEALTH INSURANCE PLAN (FROM EMPLOYER OR WORKPLACE; PURCHASED DIRECTLY; THROUGH A STATE OR LOCAL GOVERNMENT PROGRAM OR COMMUNITY PROGRAM)	0
2	MEDICAID	0
3	MEDICARE	0
4	MEDI-GAP	0
5	MILITARY HEALTH CARE, INCLUDING: THE VA, CHAMPUS, TRICARE, CHAMP-VA	0
6	INDIAN HEALTH SERVICE	1
7	CHIP (CHILDREN S HEALTH INSURANCE PLAN	0
8	SINGLE-SERVICE PLAN (EG. DENTAL, VISION, PRESCRIPTIONS)	7
9	STATE-SPONSORED HEALTH PLAN	0
10	OTHER GOVERNMENT HEALTH CARE	0
11	NOT COVERED BY ANY INSURANCE	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section I

**Universe:**

Applicable if more than 2 types of insurance coverage are reported

**SAMEADD** (3642 - 3642)

**IB-1:** Now I have some questions about where you live. Were you living at this same address on April 1, 2000?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4571
5	NO	3066
8	Refused	5
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**CNTRY00** (3643 - 3643)

**IB-2:** Were you living in the United States on April 1, 2000?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	4571
1	YES	2862
5	NO	201
8	Refused	8
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R was not at this address on April 1, 2000 (IB-1 [SAMEADD](#) = 5 or DK/RF)

**BRNOUT** (3644 - 3644)

**IB-8:** Were you born outside of the United States?

NSFG Cycle 6 Female Respondent File Section I

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	1299
5	NO	6324
8	Refused	13
9	Don't know	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**YRSTRUS** (3645 - 3648)

Year R came to the U.S. to stay(computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6344
1950-2003	1950-2003	1273
9998	REFUSED	17
9999	DON'T KNOW	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R was born outside the U.S. (IB-8 [BRNOUT](#) = 1) (This variable has been recoded for the Public Use File)

**PAYDU** (3649 - 3649)

**IB-10:** This next question is about your residence. Are your current living quarters owned or being bought by you or someone in your household, rented for cash, or occupied without payment of cash rent?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	OWNED OR BEING BOUGHT BY YOU OR SOMEONE IN YOUR HOUSEHOLD	3788
2	RENTED	3837
8	Refused	7
9	Don't know	11
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section I**

**Universe:**

Applicable for all respondents (This variable has been recoded for the Public Use File)

**RELRAISD** (3650 - 3651)

**IC-1:** Now I have a few questions about religion. Please look at Card 77. In what religion were you raised, if any?

Value Label	Total
1 NO RELIGION	630
2 CATHOLIC	2796
3 BAPTIST/SOUTHERN BAPTIST	1594
4 METHODIST, LUTHERAN, PRESBYTERIAN, EPISCOPAL, CHURCH OF CHRIST	1179
5 FUNDAMENTALIST PROTESTANT	471
6 OTHER PROTESTANT DENOMINATION	356
7 PROTESTANT-NO SPECIFIC DENOMINATION	195
8 OTHER NON-CHRISTIAN RELIGION	398
98 REFUSED	13
99 DON'T KNOW	11
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents (This variable has been recoded for the Public Use File)

**ATTND14** (3652 - 3652)

**IC-3:** Please look at Card 79. When you were 14, about how often did you usually attend religious services?

Value Label	Total
. inapplicable	5130
1 MORE THAN ONCE A WEEK	477
2 ONCE A WEEK	875
3 1-3 TIMES PER MONTH	373
4 LESS THAN ONCE A MONTH	373
5 NEVER	411
8 Refused	2



**NSFG Cycle 6 Female Respondent File Section I**

9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R was less than 25 years of age at the time of the screener (agescrn < 25)

**RELCURR** (3653 - 3654)

**IC-4:** Please look at Card 77. What religion are you now, if any?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	NO RELIGION	1107
2	CATHOLIC	2250
3	BAPTIST/SOUTHERN BAPTIST	1396
4	METHODIST, LUTHERAN, PRESBYTERIAN, EPISCOPAL, CHURCH OF CHRIST	1001
5	FUNDAMENTALIST PROTESTANT	493
6	OTHER PROTESTANT DENOMINATION	501
7	PROTESTANT-NO SPECIFIC DENOMINATION	424
8	OTHER NON-CHRISTIAN RELIGION	448
98	REFUSED	17
99	DON'T KNOW	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents (This variable has been recoded for the Public Use File)

**FUNDAM** (3655 - 3655)

**IC-6:** Please look at Card 80. Which of these do you consider yourself to be, if any?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	1261
1	A BORN AGAIN CHRISTIAN	2037
2	A CHARISMATIC	104
3	AN EVANGELICAL	114
4	A FUNDAMENTALIST	54

**NSFG Cycle 6 Female Respondent File Section I**

5	NONE OF THE ABOVE	4052
8	Refused	2
9	Don't know	19
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reports any religious affiliation other than Jewish or Muslim (IC-4 RELNOW = 2,4,5,6,7,8,9 or IC-5 RELNOW1 = 12,13,14,15,16,17,18,19,20,21,22,23,24,26,27,28,29)

**RELDLIFE** (3656 - 3656)

**IC-7:** Currently, how important is religion in your daily life? Would you say it is very important, somewhat important, or not important?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1108
1	VERY IMPORTANT	3861
2	SOMEWHAT IMPORTANT	2279
3	NOT IMPORTANT	382
8	Refused	8
9	Don't know	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reports a current religious affiliation, doesn't know, or refuses to answer (IC-4 RELNOW = 2-11 or DK/RF or IC-5 RELNOW1=12-29 or DK/RF)

**ATTNDNOW** (3657 - 3657)

**IC-8:** Please look at Card 79. About how often do you attend religious services?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	MORE THAN ONCE A WEEK	948
2	ONCE A WEEK	1637
3	1-3 TIMES PER MONTH	1271

**NSFG Cycle 6 Female Respondent File Section I**

4	LESS THAN ONCE A MONTH	2047
5	NEVER	1725
8	Refused	11
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***EVWRK6MO*** (3658 - 3658)

**ID-1:** Now I'm interested in knowing if you've ever worked full-time, for 6 months or longer. If you've ever taken leave from work, such as family leave, vacations, disability leave, strikes and temporary layoffs, that counts as still working, as long as you were still officially employed.

Have you ever worked for pay, full-time, for six months or longer?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	5650
5	NO	1986
8	Refused	6
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***cmbfstwk*** (3659 - 3662)

Century month R began 1st full time work of 6+ months.(computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	1905
301-1164	BEFORE 1997	3981
1165-1239	JANUARY 1997 OR LATER	1606
9997	Not ascertained	83
9998	Refused	7
9999	Don't know	61

NSFG Cycle 6 Female Respondent File Section I

Total 7643

**Universe:**

Applicable if R ever worked for pay full time for 6 months or longer (ID-1 [EVWRK6MO](#) = 1)

***EVRNTWRK*** (3663 - 3663)

**ID-3:** Since you started that first period of work, has there ever been a time lasting 6 months or longer when you weren't working full-time? (Remember, family leave, disability leave, strikes, temporary layoffs, maternity leave, and similar situations count as working if your employer considered you as still employed there.)

Value	Label	Total
.	inapplicable	1993
1	YES	3081
5	NO	2565
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has worked full time for 6 months or longer (ID-1 [EVWRK6MO](#) = 1)

***WRK12MOS*** (3664 - 3665)

**ID-4:** Now I'd like to ask about your work experience in the last 12 months. By work, I mean any job for pay that was regularly scheduled, for which you were expected to show up. Please include full-time, part-time, and temporary or summer jobs. In the last 12 months, that is since [INTERVIEW MONTH, 2001], for how many months did you have any job for pay?

Value	Label	Total
0	NO MONTHS	1568
1	1 MONTH	267
2	2 MONTHS	160

NSFG Cycle 6 Female Respondent File Section I

3	3 MONTHS	227
4	4 MONTHS	185
5	5 MONTHS	176
6	6 MONTHS	244
7	7 MONTHS	145
8	8 MONTHS	196
9	9 MONTHS	199
10	10 MONTHS	224
11	11 MONTHS	172
12	12 MONTHS	3864
98	Refused	8
99	Don't know	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all

**FPT12MOS** (3666 - 3666)

**ID-5:** In the last 12 months, did you work all full-time, all part-time or some of each?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	1584
1	FULL-TIME	3574
2	PART-TIME	1405
3	SOME OF EACH	1076
8	Refused	1
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R worked for any portion of the past 12 months (ID-4 [WRK12MOS](#) > 0)

**DOLASTWK1** (3667 - 3668)

**IE-1:** Please look at Card 81. Last week, what were you doing? Were you working, keeping house, going to school, or something else? (1ST MENTION)

**NSFG Cycle 6 Female Respondent File Section I**

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	WORKING	4424
	NOT WORKING AT JOB DUE TO TEMPORARY ILLNESS, VACATION, STRIKE, ETC./	
2	MATERNITY OR FAMILY LEAVE	316
3	UNEMPLOYED, LAID OFF, OR LOOKING FOR WORK	262
4	KEEPING HOUSE/TAKING CARE OF FAMILY	1670
5	GOING TO SCHOOL	665
6	ON PERMANENT DISABILITY/SOMETHING ELSE	302
98	REFUSED	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents (This variable has been recoded for the Public Use File)

***DOLASTWK2*** (3669 - 3669)

**IE-1:** (Please look at Card 81. Last week, what were you doing? Were you working, keeping house, going to school, or something else?) (2ND MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	2053
1	WORKING	157
	NOT WORKING AT JOB DUE TO TEMPORARY ILLNESS, VACATION, STRIKE, ETC./	
2	MATERNITY OR FAMILY LEAVE	127
3	UNEMPLOYED, LAID OFF, OR LOOKING FOR WORK	75
4	KEEPING HOUSE/TAKING CARE OF FAMILY	4459
5	GOING TO SCHOOL	510
6	ON PERMANENT DISABILITY/SOMETHING ELSE	262
98	REFUSED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 1 activity in the past week (This variable has been recoded for the Public Use File)

***DOLASTWK3*** (3670 - 3670)

**NSFG Cycle 6 Female Respondent File Section I**

**IE-1:** (Please look at Card 81. Last week, what were you doing? Were you working, keeping house, going to school, or something else?) (3RD MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	4298
1	WORKING	57
2	NOT WORKING AT JOB DUE TO TEMPORARY ILLNESS, VACATION, STRIKE, ETC./ MATERNITY OR FAMILY LEAVE	21
3	UNEMPLOYED, LAID OFF, OR LOOKING FOR WORK	50
4	KEEPING HOUSE/TAKING CARE OF FAMILY	2581
5	GOING TO SCHOOL	220
6	ON PERMANENT DISABILITY/SOMETHING ELSE	416
98	REFUSED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 2 activities in the past week  
(This variable has been recoded for the Public Use File)

***DOLASTWK4*** (3671 - 3671)

**IE-1:** (Please look at Card 81. Last week, what were you doing? Were you working, keeping house, going to school, or something else?) (4TH MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	6801
1	WORKING	11
2	NOT WORKING AT JOB DUE TO TEMPORARY ILLNESS, VACATION, STRIKE, ETC./ MATERNITY OR FAMILY LEAVE	11
3	UNEMPLOYED, LAID OFF, OR LOOKING FOR WORK	11
4	KEEPING HOUSE/TAKING CARE OF FAMILY	171
5	GOING TO SCHOOL	152
6	ON PERMANENT DISABILITY/SOMETHING ELSE	486
98	REFUSED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

**NSFG Cycle 6 Female Respondent File Section I**

Applicable if R reported more than 3 activities in the past week  
(This variable has been recoded for the Public Use File)

**DOLASTWK5** (3672 - 3672)

**IE-1:** (Please look at Card 81. Last week, what were you doing? Were you working, keeping house, going to school, or something else?)(5TH MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7562
1	WORKING	1
2	NOT WORKING AT JOB DUE TO TEMPORARY ILLNESS, VACATION, STRIKE, ETC./ MATERNITY OR FAMILY LEAVE	3
3	UNEMPLOYED, LAID OFF, OR LOOKING FOR WORK	1
4	KEEPING HOUSE/TAKING CARE OF FAMILY	4
5	GOING TO SCHOOL	5
6	ON PERMANENT DISABILITY/SOMETHING ELSE	67
98	REFUSED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported more than 4 activities in the past week  
(This variable has been recoded for the Public Use File)

**DOLASTWK6** (3673 - 3673)

**IE-1:** (Please look at Card 81. Last week, what were you doing? Were you working, keeping house, going to school, or something else?) (6TH MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7641
1	WORKING	0
2	NOT WORKING AT JOB DUE TO TEMPORARY ILLNESS, VACATION, STRIKE, ETC./ MATERNITY OR FAMILY LEAVE	1
3	UNEMPLOYED, LAID OFF, OR LOOKING FOR WORK	0
4	KEEPING HOUSE/TAKING CARE OF FAMILY	0
5	GOING TO SCHOOL	0
6	ON PERMANENT DISABILITY/SOMETHING ELSE	1



NSFG Cycle 6 Female Respondent File Section I

98 REFUSED  
**Total**

0  
**7643**

**Universe:**

Applicable if R reported more than 5 activities in the past week  
 (This variable has been recoded for the Public Use File)

***rwrkst*** (3674 - 3674)

Whether R is employed.(computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	4988
5	NO	2655
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***everwork*** (3675 - 3675)

Whether R ever worked at all.(computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	6840
5	NO	803
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RPAYJOB*** (3676 - 3676)

**IE-2:** Did you ever work at a job or business for pay on a regular basis?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6868

NSFG Cycle 6 Female Respondent File Section I

1	YES	169
5	NO	602
8	Refused	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently not working and has never worked ([rwrkst](#) = 5 and [everwork](#) = 5)

**RNUMJOB** (3677 - 3677)

**IE-3:** How many jobs did you work (last week / during the last week you worked)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	606
0	NO JOBS	0
1	1 JOB	6424
2	2 JOBS	516
3-6	3 OR MORE JOBS	81
8	Refused	5
9	Don't know	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently working ([rwrkst](#) = 1) or R is not currently working, but has worked in the past ([rwrkst](#) = 5 and [everwork](#) = 1)

**RFTPTX** (3678 - 3678)

**IE-4:** (Please think about the last week you worked on your (primary) job. Did / At your primary job, do/ Do) you work part-time or full-time, or some of each? By full-time I mean 35 or more hours a week.

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	606
1	FULL-TIME	4602

NSFG Cycle 6 Female Respondent File Section I

2	PART-TIME	2083
3	SOME OF EACH	333
8	Refused	5
9	Don't know	14
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently working ([rwrkst](#)=1 or IE-3 [RNUMJOB](#) > 0)

**rearnty** (3679 - 3679)

Whether R is currently working or ever worked at all.(computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	7037
5	NO	606
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SPLSTWK1** (3680 - 3681)

**IF-1:** Please look at Card 82. Last week, what was (HUSBAND/  
PARTNER'S NAME) doing? Was he working, keeping house, going to  
school, or something else? (1ST MENTION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3831
1	WORKING	3223
2	NOT WORKING AT JOB DUE TO TEMPORARY ILLNESS, VACATION, STRIKE, PATERNITY/FAMILY LEAVE, ETC.	113
3	UNEMPLOYED, LAID OFF, OR LOOKING FOR WORK	132
4	KEEPING HOUSE OR TAKING CARE OF FAMILY	154
5	OTHER	175
98	REFUSED	6
99	DON'T KNOW	9
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section I**

**Universe:**

Applicable if R is currently married or cohabiting (AB-1 MARSTAT = 1 or 2) (This variable has been recoded for the Public Use File)

**SPLSTWK2** (3682 - 3682)

**IF-1:** (Please look at Card 82. Last week, what was (HUSBAND/PARTNER'S NAME) doing? Was he working, keeping house, going to school, or something else?) (2ND MENTION)

Value	Label	Total
.	inapplicable	5720
1	WORKING	55
2	NOT WORKING AT JOB DUE TO TEMPORARY ILLNESS, VACATION, STRIKE, PATERNITY/FAMILY LEAVE, ETC.	54
3	UNEMPLOYED, LAID OFF, OR LOOKING FOR WORK	21
4	KEEPING HOUSE OR TAKING CARE OF FAMILY	1540
5	OTHER	253
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's husband or partner was doing more than 1 activity last week (This variable has been recoded for the Public Use File)

**SPLSTWK3** (3683 - 3683)

**IF-1:** (Please look at Card 82. Last week, what was (HUSBAND/PARTNER) doing? Was he working, keeping house, going to school, or something else?) (3RD MENTION)

Value	Label	Total
.	inapplicable	6635
1	WORKING	13
2	NOT WORKING AT JOB DUE TO TEMPORARY ILLNESS, VACATION, STRIKE, PATERNITY/FAMILY LEAVE, ETC.	5
3	UNEMPLOYED, LAID OFF, OR LOOKING FOR WORK	8
4	KEEPING HOUSE OR TAKING CARE OF FAMILY	765

**NSFG Cycle 6 Female Respondent File Section I**

5	OTHER	217
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's husband or partner was doing more than 2 activities last week (This variable has been recoded for the Public Use File)

**SPLSTWK4** (3684 - 3684)

**IF-1:** (Please look at Card 82. Last week, what was (HUSBAND/PARTNER'S NAME) doing? Was he working, keeping house, going to school, or something else?) (4TH MENTION)

<u>Value Label</u>	<u>Total</u>
. inapplicable	7420
1 WORKING	4
2 NOT WORKING AT JOB DUE TO TEMPORARY ILLNESS, VACATION, STRIKE, PATERNITY/FAMILY LEAVE, ETC.	1
3 UNEMPLOYED, LAID OFF, OR LOOKING FOR WORK	2
4 KEEPING HOUSE OR TAKING CARE OF FAMILY	46
5 OTHER	170
98 REFUSED	0
99 DON'T KNOW	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's husband or partner was doing more than 3 activities last week

**SPLSTWK5** (3685 - 3685)

**IF-1:** (Please look at Card 82. Last week, what was (HUSBAND/PARTNER'S NAME) doing? Was he working, keeping house, going to school, or something else?) (5TH MENTION)

<u>Value Label</u>	<u>Total</u>
--------------------	--------------

**NSFG Cycle 6 Female Respondent File Section I**

.	inapplicable	7626
1	WORKING	0
2	NOT WORKING AT JOB DUE TO TEMPORARY ILLNESS, VACATION, STRIKE, PATERNITY/FAMILY LEAVE, ETC.	0
3	UNEMPLOYED, LAID OFF, OR LOOKING FOR WORK	0
4	KEEPING HOUSE OR TAKING CARE OF FAMILY	1
5	OTHER	16
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's husband or partner was doing more than 4 activities last week

**SPLSTWK6** (3686 - 3686)

**IF-1:** (Please look at Card 82. Last week, what was (HUSBAND/PARTNER'S NAME) doing? Was he working, keeping house, going to school, or something else?) (6TH MENTION)

Value	Label	Total
.	inapplicable	7641
1	WORKING	0
2	NOT WORKING AT JOB DUE TO TEMPORARY ILLNESS, VACATION, STRIKE, PATERNITY/FAMILY LEAVE, ETC.	0
3	UNEMPLOYED, LAID OFF, OR LOOKING FOR WORK	0
4	KEEPING HOUSE OR TAKING CARE OF FAMILY	0
5	OTHER	2
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's husband or partner was doing more than 5 activities last week

**spwrkst** (3687 - 3687)

Whether husband/partner is employed.(computed)

NSFG Cycle 6 Female Respondent File Section I

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3831
1	YES	3415
5	NO	397
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married or cohabiting (AB-1 MARSTAT = 1 or 2)

**SPPAYJOB** (3688 - 3688)

**IF-2:** Did he ever work at a job or business for pay on a regular basis?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7246
1	YES	343
5	NO	46
8	Refused	6
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's husband or partner was not working last week ([spwrkst](#) = 5)

**SPNUMJOB** (3689 - 3689)

**IF-3:** How many jobs did he work (last week/ during the last week he worked)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3885
0	NO JOBS	0
1	1 JOB	3414
2	2 JOBS	302

**NSFG Cycle 6 Female Respondent File Section I**

3-6	3 OR MORE JOBS	27
9	Don't know	15
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's husband or partner has worked for pay on a regular basis (IF-2 [SPPAYJOB](#) = 1)

**SPFTPTX** (3690 - 3690)

**IF-4:** (Please think about the last week he worked on his (primary) job. Did/At his primary job, does/Does) he work part time or full time, or some of each? By full time I mean 35 or more hours a week.

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3885
1	FULL-TIME	3401
2	PART-TIME	211
3	SOME OF EACH	136
9	Don't know	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's husband or partner worked at least 1 job last week (IF-3 [SPNUMJOB](#) > 0)

**spearnty** (3691 - 3691)

Whether husband/partner is currently working or ever worked at all. (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3839
1	YES	3758
5	NO	46
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married or cohabiting (AB-1 MARSTAT =



NSFG Cycle 6 Female Respondent File Section I

1 or 2)

**CHCARANY** (3692 - 3692)

**IG-1:** In the past four weeks (has your child/have any of your children, aged 12 or under,) been cared for in any regular arrangement such as a day care, nursery school, play group, babysitter, after school care, relative, or some other child care arrangement? (By 'regular' I mean at least once a week for a month or more.)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3949
1	YES	1867
5	NO	1823
8	Refused	3
9	Don't know	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has children (numchild > 0)

**CHCARTYP01** (3693 - 3694)

**IG-2:** Please look at Card 83. Which of these, if any, have you used for (any of your children/your child) in the past four weeks? (1ST MENTION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5776
1	CHILD S OTHER PARENT/STEPPARENT	160
2	CHILD S BROTHER/SISTER 13+	62
3	CHILD S BROTHER/SISTER UNDER 13	6
4	CHILD S GRANDPARENT	544
5	OTHER RELATIVE	164
6	NONRELATIVE OR BABYSITTER	244
7	DAY CARE CENTER	274
8	NURSERY/ PRESCHOOL	125
9	FAMILY DAY CARE	73

**NSFG Cycle 6 Female Respondent File Section I**

10	FEDERALLY-FUNDED HEAD START PROGRAM	14
11	KINDERGARTEN/SCHOOL (GRADES 1-12)	41
12	BEFORE OR AFTER SCHOOL CARE	134
13	CHILD CARES FOR SELF	3
14	OTHER	23
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has used a childcare arrangement in the past 4 weeks (IG-1 [CHCARANY](#) = 1)

**CHCARTYPO2** (3695 - 3696)

**IG-2:** (Please look at Card 83. Which of these, if any, have you used for (any of your children/your child) in the past four weeks?) (2ND MENTION)

<u>Value Label</u>	<u>Total</u>
. inapplicable	6853
1 CHILD S OTHER PARENT/STEPPARENT	24
2 CHILD S BROTHER/SISTER 13+	25
3 CHILD S BROTHER/SISTER UNDER 13	7
4 CHILD S GRANDPARENT	159
5 OTHER RELATIVE	129
6 NONRELATIVE OR BABYSITTER	108
7 DAY CARE CENTER	84
8 NURSERY/ PRESCHOOL	56
9 FAMILY DAY CARE	19
10 FEDERALLY-FUNDED HEAD START PROGRAM	6
11 KINDERGARTEN/SCHOOL (GRADES 1-12)	87
12 BEFORE OR AFTER SCHOOL CARE	54
13 CHILD CARES FOR SELF	11
14 OTHER	21
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has used more than 1 childcare arrangement in the past 4 weeks

**CHCARTY03** (3697 - 3698)

**IG-2:** (Please look at Card 83. Which of these, if any, have you used for (any of your children/your child) in the past four weeks?) (3RD MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7283
1	CHILD S OTHER PARENT/STEPPARENT	14
2	CHILD S BROTHER/SISTER 13+	3
3	CHILD S BROTHER/SISTER UNDER 13	2
4	CHILD S GRANDPARENT	29
5	OTHER RELATIVE	66
6	NONRELATIVE OR BABYSITTER	54
7	DAY CARE CENTER	36
8	NURSERY/ PRESCHOOL	25
9	FAMILY DAY CARE	9
10	FEDERALLY-FUNDED HEAD START PROGRAM	4
11	KINDERGARTEN/SCHOOL (GRADES 1-12)	50
12	BEFORE OR AFTER SCHOOL CARE	41
13	CHILD CARES FOR SELF	13
14	OTHER	14
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has used more than 2 childcare arrangements in the past 4 weeks

**CHCARTY04** (3699 - 3700)

**IG-2:** (Please look at Card 83. Which of these, if any, have you used for (any of your children/your child) in the past four weeks?) (4TH MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7500
1	CHILD S OTHER PARENT/STEPPARENT	3
2	CHILD S BROTHER/SISTER 13+	1
3	CHILD S BROTHER/SISTER UNDER 13	1

**NSFG Cycle 6 Female Respondent File Section I**

4	CHILD S GRANDPARENT	5
5	OTHER RELATIVE	9
6	NONRELATIVE OR BABYSITTER	34
7	DAY CARE CENTER	13
8	NURSERY/ PRESCHOOL	12
9	FAMILY DAY CARE	8
10	FEDERALLY-FUNDED HEAD START PROGRAM	1
11	KINDERGARTEN/SCHOOL (GRADES 1-12)	25
12	BEFORE OR AFTER SCHOOL CARE	17
13	CHILD CARES FOR SELF	10
14	OTHER	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has used more than 3 childcare arrangements in the past 4 weeks

**CHCARTYPO5** (3701 - 3702)

**IG-2:** (Please look at Card 83. Which of these, if any, have you used for (any of your children/your child) in the past four weeks?) (5TH MENTION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7600
1	CHILD S OTHER PARENT/STEPPARENT	0
2	CHILD S BROTHER/SISTER 13+	0
3	CHILD S BROTHER/SISTER UNDER 13	0
4	CHILD S GRANDPARENT	1
5	OTHER RELATIVE	0
6	NONRELATIVE OR BABYSITTER	3
7	DAY CARE CENTER	9
8	NURSERY/ PRESCHOOL	3
9	FAMILY DAY CARE	3
10	FEDERALLY-FUNDED HEAD START PROGRAM	1
11	KINDERGARTEN/SCHOOL (GRADES 1-12)	9
12	BEFORE OR AFTER SCHOOL CARE	8
13	CHILD CARES FOR SELF	2
14	OTHER	4

**NSFG Cycle 6 Female Respondent File Section I**

**Total**

**7643**

**Universe:**

Applicable if R has used more than 4 childcare arrangements in the past 4 weeks

**CHCARTYP06** (3703 - 3704)

**IG-2:** (Please look at Card 83. Which of these, if any, have you used for (any of your children/your child) in the past four weeks?) (6TH MENTION)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7630
1	CHILD S OTHER PARENT/STEPPARENT	0
2	CHILD S BROTHER/SISTER 13+	0
3	CHILD S BROTHER/SISTER UNDER 13	0
4	CHILD S GRANDPARENT	0
5	OTHER RELATIVE	0
6	NONRELATIVE OR BABYSITTER	0
7	DAY CARE CENTER	1
8	NURSERY/ PRESCHOOL	3
9	FAMILY DAY CARE	0
10	FEDERALLY-FUNDED HEAD START PROGRAM	1
11	KINDERGARTEN/SCHOOL (GRADES 1-12)	2
12	BEFORE OR AFTER SCHOOL CARE	4
13	CHILD CARES FOR SELF	1
14	OTHER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has used more than 5 childcare arrangements in the past 4 weeks

**CHCARTYP07** (3705 - 3706)

**IG-2:** (Please look at Card 83. Which of these, if any, have you used for (any of your children/your child) in the past four weeks?) (7TH MENTION)

**NSFG Cycle 6 Female Respondent File Section I**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7640
1	CHILD S OTHER PARENT/STEPPARENT	0
2	CHILD S BROTHER/SISTER 13+	0
3	CHILD S BROTHER/SISTER UNDER 13	0
4	CHILD S GRANDPARENT	0
5	OTHER RELATIVE	0
6	NONRELATIVE OR BABYSITTER	0
7	DAY CARE CENTER	0
8	NURSERY/ PRESCHOOL	0
9	FAMILY DAY CARE	1
10	FEDERALLY-FUNDED HEAD START PROGRAM	0
11	KINDERGARTEN/SCHOOL (GRADES 1-12)	0
12	BEFORE OR AFTER SCHOOL CARE	1
13	CHILD CARES FOR SELF	1
14	OTHER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has used more than 6 childcare arrangements in the past 4 weeks

**CHCARTY08** (3707 - 3708)

**IG-2:** (Please look at Card 83. Which of these, if any, have you used for (any of your children/your child) in the past four weeks?) (8TH MENTION)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	7642
1	CHILD S OTHER PARENT/STEPPARENT	0
2	CHILD S BROTHER/SISTER 13+	0
3	CHILD S BROTHER/SISTER UNDER 13	0
4	CHILD S GRANDPARENT	0
5	OTHER RELATIVE	0
6	NONRELATIVE OR BABYSITTER	0
7	DAY CARE CENTER	0
8	NURSERY/ PRESCHOOL	0

**NSFG Cycle 6 Female Respondent File Section I**

9	FAMILY DAY CARE	0
10	FEDERALLY-FUNDED HEAD START PROGRAM	0
11	KINDERGARTEN/SCHOOL (GRADES 1-12)	1
12	BEFORE OR AFTER SCHOOL CARE	0
13	CHILD CARES FOR SELF	0
14	OTHER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has used more than 7 childcare arrangements in the past 4 weeks

**BETTER** (3709 - 3709)

**IH-1:** It is better for a person to get married than to go through life being single. Do you strongly agree, agree, disagree, or strongly disagree?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	STRONGLY AGREE	1138
2	AGREE	2687
3	DISAGREE	2553
4	STRONGLY DISAGREE	895
5	IF R INSISTS: NEITHER AGREE NOR DISAGREE	357
8	Refused	3
9	Don't know	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**STAYTOG** (3710 - 3710)

**IH-2:** Divorce is usually the best solution when a couple can't seem to work out their marriage problems.

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	STRONGLY AGREE	802
2	AGREE	2817

**NSFG Cycle 6 Female Respondent File Section I**

3	DISAGREE	2839
4	STRONGLY DISAGREE	989
5	IF R INSISTS: NEITHER AGREE NOR DISAGREE	192
8	Refused	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SAMESEX** (3711 - 3711)

**IH-3:** Sexual relations between two adults of the same sex are all right. Do you strongly agree, agree, disagree, or strongly disagree?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	STRONGLY AGREE	684
2	AGREE	2552
3	DISAGREE	2009
4	STRONGLY DISAGREE	1961
5	IF R INSISTS: NEITHER AGREE NOR DISAGREE	417
8	Refused	11
9	Don't know	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**ANYACT** (3712 - 3712)

**IH-4:** Any sexual act between two consenting adults is all right.

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	STRONGLY AGREE	1101
2	AGREE	4469
3	DISAGREE	1374
4	STRONGLY DISAGREE	488
5	IF R INSISTS: NEITHER AGREE NOR DISAGREE	190
8	Refused	10



NSFG Cycle 6 Female Respondent File Section I

9	Don't know	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SXOK18** (3713 - 3713)

**IH-5:** It is all right for unmarried 18 year olds to have sexual intercourse if they have strong affection for each other.

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	STRONGLY AGREE	370
2	AGREE	3532
3	DISAGREE	2445
4	STRONGLY DISAGREE	1055
5	IF R INSISTS: NEITHER AGREE NOR DISAGREE	228
8	Refused	8
9	Don't know	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SXOK16** (3714 - 3714)

**IH-6:** It is all right for unmarried 16 year olds to have sexual intercourse if they have strong affection for each other.

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	STRONGLY AGREE	86
2	AGREE	953
3	DISAGREE	3502
4	STRONGLY DISAGREE	2966
5	IF R INSISTS: NEITHER AGREE NOR DISAGREE	129
8	Refused	5
9	Don't know	2
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section I

**Universe:**

Applicable for all respondents

**CHREWARD** (3715 - 3715)

**IH-7:** The rewards of being a parent are worth it, despite the cost and the work it takes.

Value	Label	Total
1	STRONGLY AGREE	4373
2	AGREE	2799
3	DISAGREE	227
4	STRONGLY DISAGREE	73
5	IF R INSISTS: NEITHER AGREE NOR DISAGREE	142
8	Refused	6
9	Don't know	23
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**CHSUPPOR** (3716 - 3716)

**IH-8:** It is okay for an unmarried female to have a child. Would you say you strongly agree, agree, disagree, or strongly disagree?)

Value	Label	Total
1	STRONGLY AGREE	1264
2	AGREE	4082
3	DISAGREE	1547
4	STRONGLY DISAGREE	512
5	IF R INSISTS: NEITHER AGREE NOR DISAGREE	228
8	Refused	7
9	Don't know	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**GAYADOPT** (3717 - 3717)

**IH-9:** Gay or lesbian adults should have the right to adopt children.

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	STRONGLY AGREE	1072
2	AGREE	3173
3	DISAGREE	1785
4	STRONGLY DISAGREE	1197
5	IF R INSISTS: NEITHER AGREE NOR DISAGREE	386
8	Refused	10
9	Don't know	20
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OKCOHAB** (3718 - 3718)

**IH-10:** A young couple should not live together unless they are married.

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	STRONGLY AGREE	703
2	AGREE	1913
3	DISAGREE	3776
4	STRONGLY DISAGREE	1026
5	IF R INSISTS: NEITHER AGREE NOR DISAGREE	218
8	Refused	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WARM** (3719 - 3719)

**IH-11:** A working mother can establish just as warm and secure a relationship with her children as a mother who does not work.

NSFG Cycle 6 Female Respondent File Section I

Value	Label	Total
1	STRONGLY AGREE	2203
2	AGREE	4108
3	DISAGREE	1079
4	STRONGLY DISAGREE	149
5	IF R INSISTS: NEITHER AGREE NOR DISAGREE	97
8	Refused	3
9	Don't know	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**ACHIEVE** (3720 - 3720)

**IH-12:** It is much better for everyone if the man earns the main living and the woman takes care of the home and family.

Value	Label	Total
1	STRONGLY AGREE	610
2	AGREE	1919
3	DISAGREE	3364
4	STRONGLY DISAGREE	1530
5	IF R INSISTS: NEITHER AGREE NOR DISAGREE	206
8	Refused	6
9	Don't know	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**FAMILY** (3721 - 3721)

**IH-13:** It is more important for a man to spend a lot of time with his family than to be successful at his career. Do you strongly agree, agree, disagree, or strongly disagree?

NSFG Cycle 6 Female Respondent File Section I

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	STRONGLY AGREE	1312
2	AGREE	4065
3	DISAGREE	1634
4	STRONGLY DISAGREE	135
5	IF R INSISTS: NEITHER AGREE NOR DISAGREE	479
8	Refused	4
9	Don't know	14
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**REACTSLF** (3722 - 3722)

**IH-14:** If you got pregnant now how would you feel? Would you be very upset, a little upset, a little pleased, or very pleased?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	6493
1	VERY UPSET	667
2	A LITTLE UPSET	301
3	A LITTLE PLEASED	110
4	VERY PLEASED	67
5	IF R INSISTS: SHE WOULDN'T CARE	3
9	Don't know	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R was less than 20 years of age at the time of the screener (agescrn < 20)

**CHBOTHER** (3723 - 3723)

**IH-15:** If it turns out that you do not have any children, would that bother you a great deal, some, a little, or not at all?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	4464

**NSFG Cycle 6 Female Respondent File Section I**

1	A GREAT DEAL	1281
2	SOME	925
3	A LITTLE	441
4	NOT AT ALL	523
8	Refused	4
9	Don't know	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has no biological or adopted children (hasbabes = 5 and everadopt = 5)

**LESSPLSR** (3724 - 3724)

**II-2:** Please look at Card 21. What is the chance that if your partner used a condom during sex, you would feel less physical pleasure?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5130
1	NO CHANCE	766
2	A LITTLE CHANCE	713
3	50-50 CHANCE	527
4	A PRETTY GOOD CHANCE	243
5	AN ALMOST CERTAIN CHANCE	131
8	Refused	15
9	Don't know	118
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R was less than 25 years of age at the time of the screener (agescrn < 25)

**EMBARRAS** (3725 - 3725)

**II-4:** Please look at Card 21. What is the chance that it would be embarrassing for you and a new partner to discuss using a condom?

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section I**

.	inapplicable	5130
1	NO CHANCE	1538
2	A LITTLE CHANCE	419
3	50-50 CHANCE	203
4	A PRETTY GOOD CHANCE	184
5	AN ALMOST CERTAIN CHANCE	132
8	Refused	12
9	Don't know	25
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R was less than 25 years of age at the time of the screener (agescrn < 25)

**APPREC1** (3726 - 3726)

**II-5:** Please look at Card 21. What is the chance that if a new partner used a condom, you would appreciate it?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5130
1	NO CHANCE	81
2	A LITTLE CHANCE	62
3	50-50 CHANCE	96
4	A PRETTY GOOD CHANCE	503
5	AN ALMOST CERTAIN CHANCE	1720
8	Refused	14
9	Don't know	37
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R was less than 25 years of age at the time of the screener (agescrn < 25)

**ACASILANG** (3727 - 3727)

**II-6:** Language to be used in ACASI.

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

NSFG Cycle 6 Female Respondent File Section I

1	ENGLISH	7077
2	SPANISH	566
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents



**WAGE** (3728 - 3728)

**JI-1a:** In the year 2001, did you (or any members of your family living here) receive any wages and salaries, including tips, bonuses and overtime?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	6173
5	NO	1337
7	Not ascertained	7
8	Refused	81
9	Don't know	45
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SELFINC** (3729 - 3729)

**JI-1b:** In the year 2001, did you (or any members of your family living here) receive any income from self employment including business and farm income?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	1462
5	NO	6061
7	Not ascertained	7
8	Refused	62
9	Don't know	51
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SOCSEC** (3730 - 3730)

**JI-1c:** (In the year 2001, did you (or any members of your family living here) receive) any income from Social Security or Railroad

Retirement?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	636
5	NO	6882
7	Not ascertained	7
8	Refused	50
9	Don't know	68
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DISABIL** (3731 - 3731)

**JI-1d:** (In the year 2001, did you (or any members of your family living here) receive) any income from any disability pension (other than Social Security or Railroad Retirement)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	386
5	NO	7159
7	Not ascertained	7
8	Refused	44
9	Don't know	47
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**RETIRE** (3732 - 3732)

**JI-1e:** (In the year 2001, did you (or any members of your family living here) receive) any income from any retirement or survivor pension (other than Social Security or Railroad Retirement)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	257

**NSFG Cycle 6 Female Respondent File Section J**

5	NO	7285
7	Not ascertained	7
8	Refused	39
9	Don't know	55
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SSI** (3733 - 3733)

**JI-1f:** (In the year 2001, did you (or any members of your family living here) receive) any income from Supplemental Security Income (SSI)?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	429
5	NO	7089
7	Not ascertained	7
8	Refused	46
9	Don't know	72
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**UNEMP** (3734 - 3734)

**JI-1g:** (In the year 2001, did you (or any members of your family living here) receive) any income from unemployment compensation?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	647
5	NO	6889
7	Not ascertained	7
8	Refused	41
9	Don't know	59
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section J

**Universe:**

Applicable for all respondents

**CHLDSUPP** (3735 - 3735)

**JI-1h:** (In the year 2001, did you (or any members of your family living here) receive) any income from child support?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	1090
5	NO	6485
7	Not ascertained	7
8	Refused	35
9	Don't know	26
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**INTEREST** (3736 - 3736)

**JI-1i:** (In the year 2001, did you (or any members of your family living here) receive) any income from interest from savings or other bank accounts?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	2330
5	NO	5127
7	Not ascertained	7
8	Refused	51
9	Don't know	128
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DIVIDEND** (3737 - 3737)

**JI-1j:** (In the year 2001, did you (or any members of your family

**NSFG Cycle 6 Female Respondent File Section J**

living here) receive) any income from dividends received from stocks or mutual funds, or net rental income from property, royalties, estates or trusts?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	1362
5	NO	6097
7	Not ascertained	7
8	Refused	52
9	Don't know	125
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OTHINC*** (3738 - 3738)

**JI-1k:** In the year 2001, did you (or any members of your family living here) receive any income from any other source, such as alimony, contributions from family or others, Veteran's Administration (VA) payments, or Worker's Compensation?

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	462
5	NO	7031
7	Not ascertained	7
8	Refused	48
9	Don't know	95
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***TOINCWMY*** (3739 - 3739)

**JI-2:** The next question will ask about (your total income/ the total combined income of your family) in the year 2001. Remember, this item is important and your answers will be kept confidential. Will it be easier for you to report the total income per week, per month, or per year?

**NSFG Cycle 6 Female Respondent File Section J**

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	WEEKLY	1639
2	MONTHLY	2031
3	YEARLY	3966
7	Not ascertained	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**TOTINC** (3740 - 3741)

**JI-3:** Which category on represents (your total (weekly/monthly/yearly) income/ the total combined (weekly/monthly/yearly) income of your family) in the year 2001, including income from all the sources you just went through, such as wages, salaries, Social Security or retirement benefits, help from relatives, and so forth? Please enter the amount before taxes.

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	UNDER \$96 (WEEKLY)/UNDER \$417 (MONTHLY)/UNDER \$5,000 (YEARLY)	287
2	\$96-\$143 (WEEKLY)/\$417-624 (MONTHLY)/\$5,000-7,499 (YEARLY)	281
3	\$144-191 (WEEKLY)/\$625-832 (MONTHLY)/\$7,500-9,999 (YEARLY)	237
4	\$192-239 (WEEKLY)/\$833-1,041 (MONTHLY)/\$10,000-12,499 (YEARLY)	384
5	\$240-288 (WEEKLY)/\$1,042-1,249 (MONTHLY)/\$12,500-14,999 (YEARLY)	401
6	\$289-384 (WEEKLY)/\$1,250-1,666 (MONTHLY)/\$15,000-19,999 (YEARLY)	497
7	\$385-480 (WEEKLY)/\$1,667-2,082 (MONTHLY)/\$20,000-24,999 (YEARLY)	521
8	\$481-576 (WEEKLY)/\$2,083-2,499 (MONTHLY)/\$25,000-29,999 (YEARLY)	537
9	\$577-672 (WEEKLY)/\$2,500-2,916 (MONTHLY)/\$30,000-34,999 (YEARLY)	547
10	\$673-768 (WEEKLY)/\$2,917-3,332 (MONTHLY)/\$35,000-39,999 (YEARLY)	412
11	\$769-961 (WEEKLY)/\$3,333-4,166 (MONTHLY)/\$40,000-49,999 (YEARLY)	599
12	\$962-1,153 (WEEKLY)/\$4,167-4,999 (MONTHLY)/\$50,000-59,999 (YEARLY)	605
13	\$1,154-1,441 (WEEKLY)/\$5,000-6,249 (MONTHLY)/\$60,000-74,999 (YEARLY)	575
14	\$1,442 OR MORE (WEEKLY)/\$6,250 OR MORE (MONTHLY)/\$75,000 OR MORE (YEARLY)	1130
97	Not ascertained	7
98	Refused	257
99	Don't know	366

NSFG Cycle 6 Female Respondent File Section J

Total

7643

**Universe:**

Applicable for all respondents

**PUBASST** (3742 - 3742)

**JI-4:** At any time in the year 2001, even for one month, did you or any members of your family living here receive any government payments because your income was low, such as public assistance or welfare?

Value	Label	Total
1	YES	827
5	NO	6639
7	Not ascertained	7
8	Refused	73
9	Don't know	97
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**PUBASTYP1** (3743 - 3743)

**JI-5:** In the year 2001, did you or any members of your family living here receive welfare or public assistance payments sometimes called Aid to Families with Dependent Children (AFDC), Aid to Dependent Children (ADC), or some other type of assistance payments? [1st MENTIONED]

Value	Label	Total
.	inapplicable	6808
1	YOUR STATE'S PUBLIC ASSISTANCE PROGRAM	475
2	GENERAL ASSISTANCE/EMERGENCY ASSISTANCE/OTHER ASSISTANCE	324
7	Not ascertained	7
8	Refused	9
9	Don't know	20
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported any government payments because of low income (JI-4 [PUBASST=1](#)) (This variable has been recoded for the Public Use File)

**FOODSTMP** (3744 - 3744)

**JI-6:** In the year 2001, did you or any members of your family living here receive food stamps?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	1122
5	NO	6433
7	Not ascertained	7
8	Refused	50
9	Don't know	31
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WIC** (3745 - 3745)

**JI-7:** In the year 2001, did you or any members of your family living here receive WIC, the Women, Infants, and Children Nutrition Program?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	1092
5	NO	6472
7	Not ascertained	7
8	Refused	39
9	Don't know	33
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents



**HLPTRANS** (3746 - 3746)

**JI-8a:** In the year 2001, did you or any members of your family living here receive the following type of government assistance because your income was low...

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	266
5	NO	7272
7	Not ascertained	7
8	Refused	46
9	Don't know	52
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**HLPCHLDC** (3747 - 3747)

**JI-8b:** (In the year 2001, did you or any members of your family living here receive the following type of government assistance because your income was low...) Any child care services or assistance so you or they could go to work or school or training?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	476
5	NO	7084
7	Not ascertained	7
8	Refused	41
9	Don't know	35
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**HLPJOB** (3748 - 3748)

**JI-8c:** (In the year 2001, did you or any members of your family living here receive the following type of government assistance because your income was low...) A social services or Welfare

NSFG Cycle 6 Female Respondent File Section J

office's help with job training, a Job Club, a job search program, or anything else to help you or anyone in the household try to find a job?

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	410
5	NO	7148
7	Not ascertained	7
8	Refused	34
9	Don't know	44
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**AGER** (3749 - 3750)

R's age at interview

<u>Value</u>	<u>Label</u>	<u>Total</u>
15	15 YEARS	217
16	16 YEARS	223
17	17 YEARS	234
18	18 YEARS	235
19	19 YEARS	241
20	20 YEARS	258
21	21 YEARS	267
22	22 YEARS	287
23	23 YEARS	282
24	24 YEARS	269
25	25 YEARS	267
26	26 YEARS	260
27	27 YEARS	255
28	28 YEARS	252
29	29 YEARS	262
30	30 YEARS	292
31	31 YEARS	278
32	32 YEARS	273
33	33 YEARS	257
34	34 YEARS	255
35	35 YEARS	262
36	36 YEARS	266
37	37 YEARS	271
38	38 YEARS	256
39	39 YEARS	215
40	40 YEARS	256
41	41 YEARS	250
42	42 YEARS	215
43	43 YEARS	253
44	44 YEARS	235
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section Recodes

Applicable for all respondents

**FMARITAL** (3751 - 3751)

Formal (legal) marital status

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	MARRIED	3080
2	WIDOWED	51
3	DIVORCED	686
4	SEPARATED	309
5	NEVER MARRIED	3517
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**EDUCAT** (3752 - 3753)

Education (number of years of schooling)

<u>Value</u>	<u>Label</u>	<u>Total</u>
9	9TH GRADE OR LESS	993
10	10TH GRADE	542
11	11TH GRADE	553
12	12TH GRADE	1792
13	1 YEAR OF COLLEGE/GRAD SCHOOL	805
14	2 YEARS OF COLLEGE/GRAD SCHOOL	835
15	3 YEARS OF COLLEGE/GRAD SCHOOL	435
16	4 YEARS OF COLLEGE/GRAD SCHOOL	920
17	5 YEARS OF COLLEGE/GRAD SCHOOL	303
18	6 YEARS OF COLLEGE/GRAD SCHOOL	235
19	7+ YEARS OF COLLEGE/GRAD SCHOOL	230
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**HIEDUC** (3754 - 3755)

**NSFG Cycle 6 Female Respondent File Section Recodes**

Highest completed year of school or highest degree received

<b>Value</b>	<b>Label</b>	<b>Total</b>
5	9TH GRADE OR LESS	806
6	10TH GRADE	450
7	11TH GRADE	415
8	12TH GRADE, NO DIPLOMA (NOR GED)	32
9	HIGH SCHOOL GRADUATE (DIPLOMA OR GED)	2171
10	SOME COLLEGE BUT NO DEGREE	1624
11	ASSOCIATE DEGREE IN COLLEGE/UNIVERSITY	553
12	BACHELOR'S DEGREE	1171
13	MASTER'S DEGREE	295
14	DOCTORATE DEGREE	34
15	PROFESSIONAL DEGREE	92
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***HISPANIC*** (3756 - 3756)

Hispanic origin of respondent

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	HISPANIC	1589
2	NON-HISPANIC	6054
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RACE*** (3757 - 3757)

Race of respondent

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	BLACK	1670

NSFG Cycle 6 Female Respondent File Section Recodes

2 WHITE 5292  
3 OTHER 681  
**Total 7643**

**Universe:**

Applicable for all respondents

**HISPRACE** (3758 - 3758)

Race & Hispanic origin of respondent

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	HISPANIC	1589
2	NON-HISPANIC WHITE	4139
3	NON-HISPANIC BLACK	1530
4	NON-HISPANIC OTHER	385
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**NUMKDHH** (3759 - 3759)

Number of bio/adopt/related/legal children under age 18 in household

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	NO CHILDREN	3563
1	1 CHILD	1636
2	2 CHILDREN	1500
3	3 CHILDREN	666
4	4 CHILDREN	196
5	5 CHILDREN OR MORE	82
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**NUMFMHH** (3760 - 3760)

NSFG Cycle 6 Female Respondent File Section Recodes

Number of family members in household

<u>Value Label</u>	<u>Total</u>
0 NO FAMILY MEMBERS	942
1 1 FAMILY MEMBER	1716
2 2 FAMILY MEMBERS	1826
3 3 FAMILY MEMBERS	1740
4 4 FAMILY MEMBERS	906
5 5 FAMILY MEMBERS	313
6 6 FAMILY MEMBERS	118
7 7 FAMILY MEMBERS OR MORE	78
8 Refused	4
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**INTCTFAM** (3761 - 3761)

Intact status of childhood family

<u>Value Label</u>	<u>Total</u>
1 TWO BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	4799
2 ANYTHING OTHER THAN 2 BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	2844
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**PARAGE14** (3762 - 3762)

Parental living situation at age 14

<u>Value Label</u>	<u>Total</u>
1 R LIVED WITH BOTH BIOLOGICAL OR ADOPTIVE PARENTS AT AGE 14	5279
2 R LIVED WITH 1 BIOLOGICAL PARENT AND 1 ADOPTIVE OR STEP PARENT AT AGE 14	734

**NSFG Cycle 6 Female Respondent File Section Recodes**

	R LIVED IN ANY OTHER PARENTAL SITUATION OR A NONPARENTAL SITUATION	
3	AT AGE 14	1630
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**EDUCMOM** (3763 - 3764)

Mother's (or mother-figure's) education

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	LESS THAN HIGH SCHOOL	2024
2	HIGH SCHOOL GRAD OR GED	2583
3	SOME COLLEGE	1650
4	BACHELOR'S DEGREE OR HIGHER	1336
95	NO MOTHER-FIGURE	50
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGEMOMB1** (3765 - 3766)

Age of mother (or mother-figure) at first birth

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	LESS THAN 18 YEARS	1332
2	18-19 YEARS	1533
3	20-24 YEARS	3017
4	25-29 YEARS	1192
5	30 OR OLDER	466
96	MOTHER-FIGURE HAD NO CHILDREN	103
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGER\_I** (3767 - 3767)



NSFG Cycle 6 Female Respondent File Section Recodes

AGER Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***FMARITAL\_I*** (3768 - 3768)

FMARITAL Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***EDUCAT\_I*** (3769 - 3769)

EDUCAT Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7640
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**HIEDUC\_I** (3770 - 3770)

HIEDUC Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7638
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**HISPANIC\_I** (3771 - 3771)

HISPANIC Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7640
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**RACE\_I** (3772 - 3772)

RACE Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**HISPRACE\_I** (3773 - 3773)

HISPRACE Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**NUMKDHH\_I** (3774 - 3774)

NUMKDHH Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**NUMFMHH\_I** (3775 - 3775)

NUMFMHH Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**INTCTFAM\_I** (3776 - 3776)

INTCTFAM Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**PARAGE14\_I** (3777 - 3777)

PARAGE14 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**EDUCMOM\_I** (3778 - 3778)

EDUCMOM Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7544
1	MULTIPLE REGRESSION IMPUTATION	99
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**AGEMOMB1\_I** (3779 - 3779)

AGEMOMB1 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7592
1 MULTIPLE REGRESSION IMPUTATION	51
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**RCURPREG** (3780 - 3780)

Whether R is currently pregnant

<u>Value Label</u>	<u>Total</u>
1 YES (CURRENTLY PREGNANT)	352
2 NO (NOT CURRENTLY PREGNANT)	7291
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**PREGNUM** (3781 - 3782)

CAPI-based total number of pregnancies

<u>Value Label</u>	<u>Total</u>
0 NONE	2610
1 1 PREGNANCY	1267
2 2 PREGNANCIES	1432
3 3 PREGNANCIES	1110
4 4 PREGNANCIES	611
5 5 PREGNANCIES	305
6 6 PREGNANCIES	150

**NSFG Cycle 6 Female Respondent File Section Recodes**

7-95	7 OR MORE PREGNANCIES	158
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**COMPREG** (3783 - 3784)

CAPI-based total number of completed pregnancies

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	NONE	2698
1	1 PREGNANCY	1283
2	2 PREGNANCIES	1409
3	3 PREGNANCIES	1067
4	4 PREGNANCIES	590
5	5 PREGNANCIES	296
6	6 PREGNANCIES	153
7-95	7 OR MORE PREGNANCIES	147
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**LOSSNUM** (3785 - 3786)

CAPI-based total # of spontaneous pregnancy losses

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	2698
0	NONE	3412
1	1 PREGNANCY	1090
2	2 PREGNANCIES	292
3-95	3 OR MORE PREGNANCIES	151
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had a completed pregnancy ([COMPREG](#)>0)

**ABORTION** (3787 - 3787)

CAPI-based total # of induced abortions

Value	Label	Total
.	INAPPLICABLE	2698
0	NONE	3718
1	1 PREGNANCY	815
2	2 PREGNANCIES	290
3-95	3 OR MORE PREGNANCIES	122
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had a completed pregnancy ([COMPREG](#)>0)

**LBPREGS** (3788 - 3789)

CAPI-based total # of pregs ending in live birth

Value	Label	Total
.	INAPPLICABLE	2698
0	NONE	532
1	1 PREGNANCY	1539
2	2 PREGNANCIES	1640
3	3 PREGNANCIES	813
4-95	4 OR MORE PREGNANCIES	421
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had a completed pregnancy ([COMPREG](#)>0)

**PARITY** (3790 - 3791)

CAPI-based total # of live births (accounting for mult birth)

Value	Label	Total
0	0 BABIES	3230
1	1 BABY	1519

**NSFG Cycle 6 Female Respondent File Section Recodes**

2	2 BABIES	1603
3	3 BABIES	828
4	4 BABIES	309
5-95	5 OR MORE BABIES	154
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***BIRTHS5*** (3792 - 3792)

Number of live births in last 5 years

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	2698
0	0 BIRTHS	2752
1	1 BIRTH	1639
2	2 BIRTHS	485
3-95	3 OR MORE BIRTHS	69
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had a completed pregnancy ([COMPREG](#)>0)

***OUTCOM01*** (3793 - 3793)

Outcome of pregnancy - 1st

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	2610
1	LIVE BIRTH	3366
2	INDUCED ABORTION	835
3	STILLBIRTH	41
4	MISCARRIAGE	655
5	ECTOPIC PREGNANCY	48
6	CURRENT PREGNANCY	88
	<b>Total</b>	<b>7643</b>

**Universe:**



NSFG Cycle 6 Female Respondent File Section Recodes

Applicable if R has ever been pregnant ([PREGNUM](#) > 0)

**OUTCOM02** (3794 - 3794)

Outcome of pregnancy - 2nd

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3877
1	LIVE BIRTH	2691
2	INDUCED ABORTION	407
3	STILLBIRTH	32
4	MISCARRIAGE	475
5	ECTOPIC PREGNANCY	57
6	CURRENT PREGNANCY	104
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 2 times ([PREGNUM](#) > 1)

**OUTCOM03** (3795 - 3795)

Outcome of pregnancy - 3rd

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	5309
1	LIVE BIRTH	1599
2	INDUCED ABORTION	251
3	STILLBIRTH	18
4	MISCARRIAGE	342
5	ECTOPIC PREGNANCY	43
6	CURRENT PREGNANCY	81
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 3 times ([PREGNUM](#) > 2)

**OUTCOM04** (3796 - 3796)

Outcome of pregnancy - 4th

NSFG Cycle 6 Female Respondent File Section Recodes

<u>Value Label</u>	<u>Total</u>
. INAPPLICABLE	6419
1 LIVE BIRTH	791
2 INDUCED ABORTION	151
3 STILLBIRTH	15
4 MISCARRIAGE	204
5 ECTOPIC PREGNANCY	25
6 CURRENT PREGNANCY	38
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 4 times ([PREGNUM](#) > 3)

**OUTCOM05** (3797 - 3797)

Outcome of pregnancy - 5th

<u>Value Label</u>	<u>Total</u>
. INAPPLICABLE	7030
1 LIVE BIRTH	377
2 INDUCED ABORTION	98
3 STILLBIRTH	7
4 MISCARRIAGE	104
5 ECTOPIC PREGNANCY	10
6 CURRENT PREGNANCY	17
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 5 times ([PREGNUM](#) > 4)

**OUTCOM06** (3798 - 3798)

Outcome of pregnancy - 6th

<u>Value Label</u>	<u>Total</u>
. INAPPLICABLE	7335
1 LIVE BIRTH	178

**NSFG Cycle 6 Female Respondent File Section Recodes**

2	INDUCED ABORTION	44
3	STILLBIRTH	4
4	MISCARRIAGE	70
5	ECTOPIC PREGNANCY	4
6	CURRENT PREGNANCY	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 6 times ([PREGNUM](#) > 5)

***OUTCOM07*** (3799 - 3799)

Outcome of pregnancy - 7th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7485
1	LIVE BIRTH	75
2	INDUCED ABORTION	39
3	STILLBIRTH	2
4	MISCARRIAGE	28
5	ECTOPIC PREGNANCY	3
6	CURRENT PREGNANCY	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 7 times ([PREGNUM](#) > 6)

***OUTCOM08*** (3800 - 3800)

Outcome of pregnancy - 8th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7565
1	LIVE BIRTH	38
2	INDUCED ABORTION	19
3	STILLBIRTH	0
4	MISCARRIAGE	19
5	ECTOPIC PREGNANCY	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

6	CURRENT PREGNANCY	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 8 times ([PREGNUM](#) > 7)

**OUTCOM09** (3801 - 3801)

Outcome of pregnancy - 9th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7605
1	LIVE BIRTH	19
2	INDUCED ABORTION	9
3	STILLBIRTH	0
4	MISCARRIAGE	8
5	ECTOPIC PREGNANCY	0
6	CURRENT PREGNANCY	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 9 times ([PREGNUM](#) > 8)

**OUTCOM10** (3802 - 3802)

Outcome of pregnancy - 10th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7626
1	LIVE BIRTH	6
2	INDUCED ABORTION	6
3	STILLBIRTH	0
4	MISCARRIAGE	5
5	ECTOPIC PREGNANCY	0
6	CURRENT PREGNANCY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 10 times ([PREGNUM](#) > 9)

NSFG Cycle 6 Female Respondent File Section Recodes

**OUTCOM11** (3803 - 3803)

Outcome of pregnancy - 11th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7635
1	LIVE BIRTH	5
2	INDUCED ABORTION	2
3	STILLBIRTH	0
4	MISCARRIAGE	1
5	ECTOPIC PREGNANCY	0
6	CURRENT PREGNANCY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 11 times ([PREGNUM](#) > 10)

**OUTCOM12** (3804 - 3804)

Outcome of pregnancy - 12th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7638
1	LIVE BIRTH	2
2	INDUCED ABORTION	1
3	STILLBIRTH	1
4	MISCARRIAGE	1
5	ECTOPIC PREGNANCY	0
6	CURRENT PREGNANCY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 12 times ([PREGNUM](#) > 11)

**OUTCOM13** (3805 - 3805)

Outcome of pregnancy - 13th

NSFG Cycle 6 Female Respondent File Section Recodes

Value	Label	Total
.	INAPPLICABLE	7640
1	LIVE BIRTH	0
2	INDUCED ABORTION	0
3	STILLBIRTH	0
4	MISCARRIAGE	3
5	ECTOPIC PREGNANCY	0
6	CURRENT PREGNANCY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 13 times ([PREGNUM](#) > 12)

**OUTCOM14** (3806 - 3806)

Outcome of pregnancy - 14th

Value	Label	Total
.	INAPPLICABLE	7640
1	LIVE BIRTH	0
2	INDUCED ABORTION	0
3	STILLBIRTH	0
4	MISCARRIAGE	2
5	ECTOPIC PREGNANCY	0
6	CURRENT PREGNANCY	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 14 times ([PREGNUM](#) > 13)

**OUTCOM15** (3807 - 3807)

Outcome of pregnancy - 15th

Value	Label	Total
.	INAPPLICABLE	7642
1	LIVE BIRTH	0
2	INDUCED ABORTION	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

3	STILLBIRTH	0
4	MISCARRIAGE	1
5	ECTOPIC PREGNANCY	0
6	CURRENT PREGNANCY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 15 times ([PREGNUM](#) > 14)

**OUTCOM16** (3808 - 3808)

Outcome of pregnancy - 16th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	LIVE BIRTH	0
2	INDUCED ABORTION	0
3	STILLBIRTH	0
4	MISCARRIAGE	1
5	ECTOPIC PREGNANCY	0
6	CURRENT PREGNANCY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 16 times ([PREGNUM](#) > 15)

**OUTCOM17** (3809 - 3809)

Outcome of pregnancy - 17th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	LIVE BIRTH	1
2	INDUCED ABORTION	0
3	STILLBIRTH	0
4	MISCARRIAGE	0
5	ECTOPIC PREGNANCY	0
6	CURRENT PREGNANCY	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Total**                      **7643**

**Universe:**

Applicable if R has been pregnant at least 17 times ([PREGNUM](#) > 16)

**OUTCOM18** (3810 - 3810)

Outcome of pregnancy - 18th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
1	LIVE BIRTH	0
2	INDUCED ABORTION	0
3	STILLBIRTH	0
4	MISCARRIAGE	1
5	ECTOPIC PREGNANCY	0
6	CURRENT PREGNANCY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 18 times ([PREGNUM](#) > 17)

**OUTCOM19** (3811 - 3811)

Outcome of pregnancy - 19th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
1	LIVE BIRTH	0
2	INDUCED ABORTION	0
3	STILLBIRTH	0
4	MISCARRIAGE	1
5	ECTOPIC PREGNANCY	0
6	CURRENT PREGNANCY	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 19 times ([PREGNUM](#) > 18)



**NSFG Cycle 6 Female Respondent File Section Recodes**

***DATEND01*** (3812 - 3815)

CM date when pregnancy ended - 1st

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	2698
301-1164	BEFORE 1997	3639
1165-1239	JANUARY 1997 OR LATER	1306
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 1 completed pregnancy ([COMPREG](#) > 0)

***DATEND02*** (3816 - 3819)

CM date when pregnancy ended - 2nd

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	3981
301-1164	BEFORE 1997	2435
1165-1239	JANUARY 1997 OR LATER	1227
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 2 completed pregnancies ([COMPREG](#) > 1)

***DATEND03*** (3820 - 3823)

CM date when pregnancy ended - 3rd

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	5390
301-1164	BEFORE 1997	1349
1165-1239	JANUARY 1997 OR LATER	904
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Universe:**

Applicable if R has had at least 3 completed pregnancies ([COMPREG](#) > 2)

***DATEND04*** (3824 - 3827)

CM date when pregnancy ended - 4th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	6457
301-1164	BEFORE 1997	641
1165-1239	JANUARY 1997 OR LATER	545
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 4 completed pregnancies ([COMPREG](#) > 3)

***DATEND05*** (3828 - 3831)

CM date when pregnancy ended - 5th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7047
301-1164	BEFORE 1997	297
1165-1239	JANUARY 1997 OR LATER	299
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 5 completed pregnancies ([COMPREG](#) > 4)

***DATEND06*** (3832 - 3835)

CM date when pregnancy ended - 6th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7343

NSFG Cycle 6 Female Respondent File Section Recodes

301-1164	BEFORE 1997	153
1165-1239	JANUARY 1997 OR LATER	147
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 6 completed pregnancies ([COMPREG](#) > 5)

**DATEND07** (3836 - 3839)

CM date when pregnancy ended - 7th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7496
301-1164	BEFORE 1997	64
1165-1239	JANUARY 1997 OR LATER	83
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 7 completed pregnancies ([COMPREG](#) > 6)

**DATEND08** (3840 - 3843)

CM date when pregnancy ended - 8th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7567
301-1164	BEFORE 1997	33
1165-1239	JANUARY 1997 OR LATER	43
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 8 completed pregnancies ([COMPREG](#) > 7)

**DATEND09** (3844 - 3847)

CM date when pregnancy ended - 9th

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7607
301-1164	BEFORE 1997	20
1165-1239	JANUARY 1997 OR LATER	16
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 9 completed pregnancies ([COMPREG](#) > 8)

***DATEND10*** (3848 - 3851)

CM date when pregnancy ended - 10th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7626
301-1164	BEFORE 1997	4
1165-1239	JANUARY 1997 OR LATER	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 10 completed pregnancies ([COMPREG](#) > 9)

***DATEND11*** (3852 - 3855)

CM date when pregnancy ended - 11th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7635
301-1164	BEFORE 1997	4
1165-1239	JANUARY 1997 OR LATER	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 11 completed pregnancies ([COMPREG](#) > 10)

NSFG Cycle 6 Female Respondent File Section Recodes

**DATEND12** (3856 - 3859)

CM date when pregnancy ended - 12th

Value	Label	Total
.	INAPPLICABLE	7638
301-1164	BEFORE 1997	3
1165-1239	JANUARY 1997 OR LATER	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 12 completed pregnancies ([COMPREG](#) > 11)

**DATEND13** (3860 - 3863)

CM date when pregnancy ended - 13th

Value	Label	Total
.	INAPPLICABLE	7640
301-1164	BEFORE 1997	3
1165-1239	JANUARY 1997 OR LATER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 13 completed pregnancies ([COMPREG](#) > 12)

**DATEND14** (3864 - 3867)

CM date when pregnancy ended - 14th

Value	Label	Total
.	INAPPLICABLE	7641
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable if R has had at least 14 completed pregnancies ([COMPREG](#) > 13)

**DATEND15** (3868 - 3871)

CM date when pregnancy ended - 15th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 15 completed pregnancies ([COMPREG](#) > 14)

**DATEND16** (3872 - 3875)

CM date when pregnancy ended - 16th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 16 completed pregnancies ([COMPREG](#) > 15)

**DATEND17** (3876 - 3879)

CM date when pregnancy ended - 17th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642

NSFG Cycle 6 Female Respondent File Section Recodes

301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 17 completed pregnancies ([COMPREG](#) > 16)

**DATEND18** (3880 - 3883)

CM date when pregnancy ended - 18th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 18 completed pregnancies ([COMPREG](#) > 17)

**DATEND19** (3884 - 3887)

CM date when pregnancy ended - 19th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 19 completed pregnancies ([COMPREG](#) > 18)

**AGEPRG01** (3888 - 3891)

Age when pregnancy ended - 1st

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	2698
0-1999	UNDER 20 YEARS	2134
2000-2499	20-24 YEARS	1534
2500-2999	25-29 YEARS	830
3000-4499	30-44 YEARS	447
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 1 completed pregnancy ([COMPREG](#) > 0)

**AGEPRG02** (3892 - 3895)

Age when pregnancy ended - 2nd

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	3981
0-1999	UNDER 20 YEARS	758
2000-2499	20-24 YEARS	1295
2500-2999	25-29 YEARS	918
3000-4499	30-44 YEARS	691
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 2 completed pregnancies ([COMPREG](#) > 1)

**AGEPRG03** (3896 - 3899)

Age when pregnancy ended - 3rd

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	5390
0-1999	UNDER 20 YEARS	208
2000-2499	20-24 YEARS	771
2500-2999	25-29 YEARS	645



**NSFG Cycle 6 Female Respondent File Section Recodes**

3000-4499	30-44 YEARS	629
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 3 completed pregnancies ([COMPREG](#) > 2)

**AGEPRG04** (3900 - 3903)

Age when pregnancy ended - 4th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	6457
0-1999	UNDER 20 YEARS	51
2000-2499	20-24 YEARS	363
2500-2999	25-29 YEARS	374
3000-4499	30-44 YEARS	398
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 4 completed pregnancies ([COMPREG](#) > 3)

**AGEPRG05** (3904 - 3907)

Age when pregnancy ended - 5th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7047
0-1999	UNDER 20 YEARS	18
2000-2499	20-24 YEARS	167
2500-2999	25-29 YEARS	195
3000-4499	30-44 YEARS	216
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 5 completed pregnancies ([COMPREG](#) > 4)

NSFG Cycle 6 Female Respondent File Section Recodes

**AGEPRG06** (3908 - 3911)

Age when pregnancy ended - 6th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7343
0-1999	UNDER 20 YEARS	9
2000-2499	20-24 YEARS	77
2500-2999	25-29 YEARS	107
3000-4499	30-44 YEARS	107
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 6 completed pregnancies ([COMPREG](#) > 5)

**AGEPRG07** (3912 - 3915)

Age when pregnancy ended - 7th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7496
0-1999	UNDER 20 YEARS	3
2000-2499	20-24 YEARS	27
2500-2999	25-29 YEARS	48
3000-4499	30-44 YEARS	69
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 7 completed pregnancies ([COMPREG](#) > 6)

**AGEPRG08** (3916 - 3919)

Age when pregnancy ended - 8th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7567

**NSFG Cycle 6 Female Respondent File Section Recodes**

0-1999	UNDER 20 YEARS	1
2000-2499	20-24 YEARS	7
2500-2999	25-29 YEARS	29
3000-4499	30-44 YEARS	39
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 8 completed pregnancies ([COMPREG](#) > 7)

**AGEPRG09** (3920 - 3923)

Age when pregnancy ended - 9th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7607
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	3
2500-2999	25-29 YEARS	12
3000-4499	30-44 YEARS	21
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 9 completed pregnancies ([COMPREG](#) > 8)

**AGEPRG10** (3924 - 3927)

Age when pregnancy ended - 10th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7626
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	2
2500-2999	25-29 YEARS	6
3000-4499	30-44 YEARS	9
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section Recodes

Applicable if R has had at least 10 completed pregnancies ([COMPREG](#) > 9)

**AGEPRG11** (3928 - 3931)

Age when pregnancy ended - 11th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7635
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	6
3000-4499	30-44 YEARS	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 11 completed pregnancies ([COMPREG](#) > 10)

**AGEPRG12** (3932 - 3935)

Age when pregnancy ended - 12th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7638
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	4
3000-4499	30-44 YEARS	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 12 completed pregnancies ([COMPREG](#) > 11)

**AGEPRG13** (3936 - 3939)

Age when pregnancy ended - 13th

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7640
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	2
3000-4499	30-44 YEARS	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 13 completed pregnancies ([COMPREG](#) > 12)

**AGEPRG14** (3940 - 3943)

Age when pregnancy ended - 14th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7641
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	2
3000-4499	30-44 YEARS	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 14 completed pregnancies ([COMPREG](#) > 13)

**AGEPRG15** (3944 - 3947)

Age when pregnancy ended - 15th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	0
3000-4499	30-44 YEARS	1

NSFG Cycle 6 Female Respondent File Section Recodes

Total 7643

**Universe:**

Applicable if R has had at least 15 completed pregnancies ([COMPREG](#) > 14)

**AGEPRG16** (3948 - 3951)

Age when pregnancy ended - 16th

Value	Label	Total
.	INAPPLICABLE	7642
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	0
3000-4499	30-44 YEARS	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 16 completed pregnancies ([COMPREG](#) > 15)

**AGEPRG17** (3952 - 3955)

Age when pregnancy ended - 17th

Value	Label	Total
.	INAPPLICABLE	7642
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	0
3000-4499	30-44 YEARS	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 17 completed pregnancies ([COMPREG](#) > 16)

**AGEPRG18** (3956 - 3959)

NSFG Cycle 6 Female Respondent File Section Recodes

Age when pregnancy ended - 18th

Value	Label	Total
.	INAPPLICABLE	7642
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	0
3000-4499	30-44 YEARS	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 18 completed pregnancies ([COMPREG](#) > 17)

**AGEPRG19** (3960 - 3963)

Age when pregnancy ended - 19th

Value	Label	Total
.	INAPPLICABLE	7642
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	0
3000-4499	30-44 YEARS	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 19 completed pregnancies ([COMPREG](#) > 18)

**DATCON01** (3964 - 3967)

CM date when pregnancy began - 1st

Value	Label	Total
.	INAPPLICABLE	2610
301-1164	BEFORE 1997	3784

**NSFG Cycle 6 Female Respondent File Section Recodes**

1165-1239 JANUARY 1997 OR LATER 1249  
**Total 7643**

**Universe:**

Applicable if R has ever been pregnant ([PREGNUM](#) > 0)

**DATCON02** (3968 - 3971)

CM date when pregnancy began - 2nd

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	3877
301-1164	BEFORE 1997	2572
1165-1239	JANUARY 1997 OR LATER	1194
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 2 times ([PREGNUM](#) > 1)

**DATCON03** (3972 - 3975)

CM date when pregnancy began - 3rd

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	5309
301-1164	BEFORE 1997	1448
1165-1239	JANUARY 1997 OR LATER	886
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 3 times ([PREGNUM](#) > 2)

**DATCON04** (3976 - 3979)

CM date when pregnancy began - 4th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	6419



**NSFG Cycle 6 Female Respondent File Section Recodes**

301-1164	BEFORE 1997	691
1165-1239	JANUARY 1997 OR LATER	533
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 4 times ([PREGNUM](#) > 3)

**DATCON05** (3980 - 3983)

CM date when pregnancy began - 5th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7030
301-1164	BEFORE 1997	330
1165-1239	JANUARY 1997 OR LATER	283
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 5 times ([PREGNUM](#) > 4)

**DATCON06** (3984 - 3987)

CM date when pregnancy began - 6th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7335
301-1164	BEFORE 1997	169
1165-1239	JANUARY 1997 OR LATER	139
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 6 times ([PREGNUM](#) > 5)

**DATCON07** (3988 - 3991)

CM date when pregnancy began - 7th

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section Recodes**

.	INAPPLICABLE	7485
301-1164	BEFORE 1997	65
1165-1239	JANUARY 1997 OR LATER	93
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 7 times ([PREGNUM](#) > 6)

**DATCON08** (3992 - 3995)

CM date when pregnancy began - 8th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7565
301-1164	BEFORE 1997	33
1165-1239	JANUARY 1997 OR LATER	45
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 8 times ([PREGNUM](#) > 7)

**DATCON09** (3996 - 3999)

CM date when pregnancy began - 9th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7605
301-1164	BEFORE 1997	20
1165-1239	JANUARY 1997 OR LATER	18
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 9 times ([PREGNUM](#) > 8)

**DATCON10** (4000 - 4003)

CM date when pregnancy began - 10th

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7626
301-1164	BEFORE 1997	7
1165-1239	JANUARY 1997 OR LATER	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 10 times ([PREGNUM](#) > 9)

**DATCON11** (4004 - 4007)

CM date when pregnancy began - 11th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7635
301-1164	BEFORE 1997	5
1165-1239	JANUARY 1997 OR LATER	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 11 times ([PREGNUM](#) > 10)

**DATCON12** (4008 - 4011)

CM date when pregnancy began - 12th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7638
301-1164	BEFORE 1997	4
1165-1239	JANUARY 1997 OR LATER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 12 times ([PREGNUM](#) > 11)

**DATCON13** (4012 - 4015)

CM date when pregnancy began - 13th

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7640
301-1164	BEFORE 1997	3
1165-1239	JANUARY 1997 OR LATER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 13 times ([PREGNUM](#) > 12)

***DATCON14*** (4016 - 4019)

CM date when pregnancy began - 14th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7640
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 14 times ([PREGNUM](#) > 13)

***DATCON15*** (4020 - 4023)

CM date when pregnancy began - 15th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 15 times ([PREGNUM](#) > 14)

***DATCON16*** (4024 - 4027)

CM date when pregnancy began - 16th

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 16 times ([PREGNUM](#) > 15)

***DATCON17*** (4028 - 4031)

CM date when pregnancy began - 17th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 17 times ([PREGNUM](#) > 16)

***DATCON18*** (4032 - 4035)

CM date when pregnancy began - 18th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 18 times ([PREGNUM](#) > 17)

***DATCON19*** (4036 - 4039)

**NSFG Cycle 6 Female Respondent File Section Recodes**

CM date when pregnancy began - 19th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 19 times ([PREGNUM](#) > 18)

**AGECON01** (4040 - 4043)

Age when pregnancy began - 1st

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	2610
0-1999	UNDER 20 YEARS	2380
2000-2499	20-24 YEARS	1462
2500-2999	25-29 YEARS	812
3000-4499	30-44 YEARS	379
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been pregnant ([PREGNUM](#) > 0)

**AGECON02** (4044 - 4047)

Age when pregnancy began - 2nd

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	3877
0-1999	UNDER 20 YEARS	956
2000-2499	20-24 YEARS	1265
2500-2999	25-29 YEARS	916
3000-4499	30-44 YEARS	629
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Universe:**

Applicable if R has been pregnant at least 2 times ([PREGNUM](#) > 1)

**AGECON03** (4048 - 4051)

Age when pregnancy began - 3rd

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	5309
0-1999	UNDER 20 YEARS	285
2000-2499	20-24 YEARS	814
2500-2999	25-29 YEARS	638
3000-4499	30-44 YEARS	597
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 3 times ([PREGNUM](#) > 2)

**AGECON04** (4052 - 4055)

Age when pregnancy began - 4th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	6419
0-1999	UNDER 20 YEARS	80
2000-2499	20-24 YEARS	397
2500-2999	25-29 YEARS	365
3000-4499	30-44 YEARS	382
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 4 times ([PREGNUM](#) > 3)

**AGECON05** (4056 - 4059)

Age when pregnancy began - 5th

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section Recodes**

.	INAPPLICABLE	7030
0-1999	UNDER 20 YEARS	29
2000-2499	20-24 YEARS	182
2500-2999	25-29 YEARS	194
3000-4499	30-44 YEARS	208
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 5 times ([PREGNUM](#) > 4)

**AGECON06** (4060 - 4063)

Age when pregnancy began - 6th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7335
0-1999	UNDER 20 YEARS	9
2000-2499	20-24 YEARS	89
2500-2999	25-29 YEARS	107
3000-4499	30-44 YEARS	103
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 6 times ([PREGNUM](#) > 5)

**AGECON07** (4064 - 4067)

Age when pregnancy began - 7th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7485
0-1999	UNDER 20 YEARS	3
2000-2499	20-24 YEARS	35
2500-2999	25-29 YEARS	50
3000-4499	30-44 YEARS	70
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 7 times ([PREGNUM](#) > 6)



NSFG Cycle 6 Female Respondent File Section Recodes

**AGECON08** (4068 - 4071)

Age when pregnancy began - 8th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7565
0-1999	UNDER 20 YEARS	2
2000-2499	20-24 YEARS	9
2500-2999	25-29 YEARS	30
3000-4499	30-44 YEARS	37
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 8 times ([PREGNUM](#) > 7)

**AGECON09** (4072 - 4075)

Age when pregnancy began - 9th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7605
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	4
2500-2999	25-29 YEARS	14
3000-4499	30-44 YEARS	20
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 9 times ([PREGNUM](#) > 8)

**AGECON10** (4076 - 4079)

Age when pregnancy began - 10th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7626
0-1999	UNDER 20 YEARS	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

2000-2499	20-24 YEARS	2
2500-2999	25-29 YEARS	7
3000-4499	30-44 YEARS	8
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 10 times ([PREGNUM](#) > 9)

**AGECON11** (4080 - 4083)

Age when pregnancy began - 11th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7635
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	6
3000-4499	30-44 YEARS	2
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 11 times ([PREGNUM](#) > 10)

**AGECON12** (4084 - 4087)

Age when pregnancy began - 12th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7638
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	4
3000-4499	30-44 YEARS	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 12 times ([PREGNUM](#) > 11)

**AGECON13** (4088 - 4091)

**NSFG Cycle 6 Female Respondent File Section Recodes**

Age when pregnancy began - 13th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7640
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	2
3000-4499	30-44 YEARS	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 13 times ([PREGNUM](#) > 12)

**AGECON14** (4092 - 4095)

Age when pregnancy began - 14th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7640
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	2
3000-4499	30-44 YEARS	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 14 times ([PREGNUM](#) > 13)

**AGECON15** (4096 - 4099)

Age when pregnancy began - 15th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

3000-4499	30-44 YEARS	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 15 times ([PREGNUM](#) > 14)

**AGECON16** (4100 - 4103)

Age when pregnancy began - 16th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	0
3000-4499	30-44 YEARS	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 16 times ([PREGNUM](#) > 15)

**AGECON17** (4104 - 4107)

Age when pregnancy began - 17th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	0
3000-4499	30-44 YEARS	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 17 times ([PREGNUM](#) > 16)

**AGECON18** (4108 - 4111)

Age when pregnancy began - 18th

**NSFG Cycle 6 Female Respondent File Section Recodes**

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	0
3000-4499	30-44 YEARS	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 18 times ([PREGNUM](#) > 17)

**AGECON19** (4112 - 4115)

Age when pregnancy began - 19th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
0-1999	UNDER 20 YEARS	0
2000-2499	20-24 YEARS	0
2500-2999	25-29 YEARS	0
3000-4499	30-44 YEARS	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 19 times ([PREGNUM](#) > 18)

**MAROUT01** (4116 - 4116)

Formal marital status when pregnancy ended - 1st

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	2698
1	MARRIED	2039
2	DIVORCED	99
3	WIDOWED	3
4	SEPARATED	26
5	NEVER MARRIED	2778

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Total**                    **7643**

**Universe:**

Applicable if R has had at least 1 completed pregnancy ([COMPREG](#) > 0)

**MAROUT02** (4117 - 4117)

Formal marital status when pregnancy ended - 2nd

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3981
1	MARRIED	1968
2	DIVORCED	180
3	WIDOWED	7
4	SEPARATED	40
5	NEVER MARRIED	1467
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 2 completed pregnancies ([COMPREG](#) > 1)

**MAROUT03** (4118 - 4118)

Formal marital status when pregnancy ended - 3rd

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	5391
1	MARRIED	1239
2	DIVORCED	185
3	WIDOWED	5
4	SEPARATED	42
5	NEVER MARRIED	781
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 3 completed pregnancies ([COMPREG](#) > 2)

NSFG Cycle 6 Female Respondent File Section Recodes

**MAROUT04** (4119 - 4119)

Formal marital status when pregnancy ended - 4th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	6457
1	MARRIED	623
2	DIVORCED	122
3	WIDOWED	6
4	SEPARATED	35
5	NEVER MARRIED	400
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 4 completed pregnancies ([COMPREG](#) > 3)

**MAROUT05** (4120 - 4120)

Formal marital status when pregnancy ended - 5th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7047
1	MARRIED	287
2	DIVORCED	64
3	WIDOWED	6
4	SEPARATED	28
5	NEVER MARRIED	211
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 5 completed pregnancies ([COMPREG](#) > 4)

**MAROUT06** (4121 - 4121)

Formal marital status when pregnancy ended - 6th

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7343
1	MARRIED	130
2	DIVORCED	33
3	WIDOWED	1
4	SEPARATED	24
5	NEVER MARRIED	112
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 6 completed pregnancies ([COMPREG](#) > 5)

**MAROUT07** (4122 - 4122)

Formal marital status when pregnancy ended - 7th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7496
1	MARRIED	59
2	DIVORCED	26
3	WIDOWED	2
4	SEPARATED	12
5	NEVER MARRIED	48
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 7 completed pregnancies ([COMPREG](#) > 6)

**MAROUT08** (4123 - 4123)

Formal marital status when pregnancy ended - 8th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7567
1	MARRIED	34
2	DIVORCED	10



**NSFG Cycle 6 Female Respondent File Section Recodes**

3	WIDOWED	1
4	SEPARATED	7
5	NEVER MARRIED	24
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 8 completed pregnancies ([COMPREG](#) > 7)

**MAROUT09** (4124 - 4124)

Formal marital status when pregnancy ended - 9th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7607
1	MARRIED	18
2	DIVORCED	6
3	WIDOWED	0
4	SEPARATED	1
5	NEVER MARRIED	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 9 completed pregnancies ([COMPREG](#) > 8)

**MAROUT10** (4125 - 4125)

Formal marital status when pregnancy ended - 10th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7626
1	MARRIED	7
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	3
5	NEVER MARRIED	6
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable if R has had at least 10 completed pregnancies ([COMPREG](#) > 9)

**MAROUT11** (4126 - 4126)

Formal marital status when pregnancy ended - 11th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7635
1	MARRIED	2
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	1
5	NEVER MARRIED	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 11 completed pregnancies ([COMPREG](#) > 10)

**MAROUT12** (4127 - 4127)

Formal marital status when pregnancy ended - 12th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7638
1	MARRIED	1
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	0
5	NEVER MARRIED	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 12 completed pregnancies ([COMPREG](#) > 11)

**MAROUT13** (4128 - 4128)

**NSFG Cycle 6 Female Respondent File Section Recodes**

Formal marital status when pregnancy ended - 13th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7640
1	MARRIED	1
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	0
5	NEVER MARRIED	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 13 completed pregnancies ([COMPREG](#) > 12)

**MAROUT14** (4129 - 4129)

Formal marital status when pregnancy ended - 14th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7641
1	MARRIED	1
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	0
5	NEVER MARRIED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 14 completed pregnancies ([COMPREG](#) > 13)

**MAROUT15** (4130 - 4130)

Formal marital status when pregnancy ended - 15th

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section Recodes**

.	INAPPLICABLE	7642
1	MARRIED	0
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	0
5	NEVER MARRIED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 15 completed pregnancies ([COMPREG](#) > 14)

**MAROUT16** (4131 - 4131)

Formal marital status when pregnancy ended - 16th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	MARRIED	0
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	0
5	NEVER MARRIED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 16 completed pregnancies ([COMPREG](#) > 15)

**MAROUT17** (4132 - 4132)

Formal marital status when pregnancy ended - 17th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	MARRIED	0
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	0

NSFG Cycle 6 Female Respondent File Section Recodes

5	NEVER MARRIED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 17 completed pregnancies ([COMPREG](#) > 16)

**MAROUT18** (4133 - 4133)

Formal marital status when pregnancy ended - 18th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	MARRIED	0
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	0
5	NEVER MARRIED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 18 completed pregnancies ([COMPREG](#) > 17)

**MAROUT19** (4134 - 4134)

Formal marital status when pregnancy ended - 19th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	MARRIED	0
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	0
5	NEVER MARRIED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 19 completed pregnancies ([COMPREG](#))

NSFG Cycle 6 Female Respondent File Section Recodes

> 18)

**RMAROUT01** (4135 - 4135)

Informal marital status when pregnancy ended - 1st

Value	Label	Total
.	INAPPLICABLE	2698
1	MARRIED	2020
2	DIVORCED	72
3	WIDOWED	2
4	SEPARATED	25
5	COHABITING	794
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	2032
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 1 completed pregnancy ([COMPREG](#) > 0)

**RMAROUT02** (4136 - 4136)

Informal marital status when pregnancy ended - 2nd

Value	Label	Total
.	INAPPLICABLE	3981
1	MARRIED	1958
2	DIVORCED	137
3	WIDOWED	6
4	SEPARATED	37
5	COHABITING	458
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	1066
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 2 completed pregnancies ([COMPREG](#) > 1)

**RMAROUT03** (4137 - 4137)

**NSFG Cycle 6 Female Respondent File Section Recodes**

Informal marital status when pregnancy ended - 3rd

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	5390
1	MARRIED	1228
2	DIVORCED	143
3	WIDOWED	4
4	SEPARATED	36
5	COHABITING	325
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	517
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 3 completed pregnancies ([COMPREG](#) > 2)

***RMAROUT04*** (4138 - 4138)

Informal marital status when pregnancy ended - 4th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	6457
1	MARRIED	617
2	DIVORCED	85
3	WIDOWED	3
4	SEPARATED	27
5	COHABITING	205
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	249
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 4 completed pregnancies ([COMPREG](#) > 3)

***RMAROUT05*** (4139 - 4139)

Informal marital status when pregnancy ended - 5th

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7047
1	MARRIED	279
2	DIVORCED	42
3	WIDOWED	4
4	SEPARATED	22
5	COHABITING	112
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	137
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 5 completed pregnancies ([COMPREG](#) > 4)

***RMAROUT06*** (4140 - 4140)

Informal marital status when pregnancy ended - 6th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7343
1	MARRIED	126
2	DIVORCED	23
3	WIDOWED	1
4	SEPARATED	17
5	COHABITING	57
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	76
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 6 completed pregnancies ([COMPREG](#) > 5)

***RMAROUT07*** (4141 - 4141)

Informal marital status when pregnancy ended - 7th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7496



**NSFG Cycle 6 Female Respondent File Section Recodes**

1	MARRIED	57
2	DIVORCED	19
3	WIDOWED	2
4	SEPARATED	8
5	COHABITING	34
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	27
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 7 completed pregnancies ([COMPREG](#) > 6)

***RMAROUT08*** (4142 - 4142)

Informal marital status when pregnancy ended - 8th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7567
1	MARRIED	34
2	DIVORCED	8
3	WIDOWED	1
4	SEPARATED	5
5	COHABITING	14
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	14
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 8 completed pregnancies ([COMPREG](#) > 7)

***RMAROUT09*** (4143 - 4143)

Informal marital status when pregnancy ended - 9th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7607
1	MARRIED	18
2	DIVORCED	4
3	WIDOWED	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

4	SEPARATED	1
5	COHABITING	6
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 9 completed pregnancies ([COMPREG](#) > 8)

***RMAROUT10*** (4144 - 4144)

Informal marital status when pregnancy ended - 10th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7626
1	MARRIED	7
2	DIVORCED	0
3	WIDOWED	0
4	SEPARATED	3
5	COHABITING	4
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 10 completed pregnancies ([COMPREG](#) > 9)

***RMAROUT11*** (4145 - 4145)

Informal marital status when pregnancy ended - 11th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7635
1	MARRIED	2
2	DIVORCED	0
3	WIDOWED	0
4	SEPARATED	1
5	COHABITING	3
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	2

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Total**

**7643**

**Universe:**

Applicable if R has had at least 11 completed pregnancies ([COMPREG](#) > 10)

***RMAROUT12*** (4146 - 4146)

Informal marital status when pregnancy ended - 12th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7638
1	MARRIED	1
2	DIVORCED	0
3	WIDOWED	0
4	SEPARATED	0
5	COHABITING	3
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	1
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable if R has had at least 12 completed pregnancies ([COMPREG](#) > 11)

***RMAROUT13*** (4147 - 4147)

Informal marital status when pregnancy ended - 13th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7640
1	MARRIED	1
2	DIVORCED	0
3	WIDOWED	0
4	SEPARATED	0
5	COHABITING	1
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	1
<b>Total</b>		<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section Recodes

Applicable if R has had at least 13 completed pregnancies ([COMPREG](#) > 12)

**RMAROUT14** (4148 - 4148)

Informal marital status when pregnancy ended - 14th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7641
1	MARRIED	1
2	DIVORCED	0
3	WIDOWED	0
4	SEPARATED	0
5	COHABITING	1
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 14 completed pregnancies ([COMPREG](#) > 13)

**RMAROUT15** (4149 - 4149)

Informal marital status when pregnancy ended - 15th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	MARRIED	0
2	DIVORCED	0
3	WIDOWED	0
4	SEPARATED	0
5	COHABITING	1
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 15 completed pregnancies ([COMPREG](#) > 14)

NSFG Cycle 6 Female Respondent File Section Recodes

**RMAROUT16** (4150 - 4150)

Informal marital status when pregnancy ended - 16th

Value	Label	Total
.	INAPPLICABLE	7642
1	MARRIED	0
2	DIVORCED	0
3	WIDOWED	0
4	SEPARATED	0
5	COHABITING	1
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 16 completed pregnancies ([COMPREG](#) > 15)

**RMAROUT17** (4151 - 4151)

Informal marital status when pregnancy ended - 17th

Value	Label	Total
.	INAPPLICABLE	7642
1	MARRIED	0
2	DIVORCED	0
3	WIDOWED	0
4	SEPARATED	0
5	COHABITING	1
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 17 completed pregnancies ([COMPREG](#) > 16)

**RMAROUT18** (4152 - 4152)

Informal marital status when pregnancy ended - 18th

NSFG Cycle 6 Female Respondent File Section Recodes

Value	Label	Total
.	INAPPLICABLE	7642
1	MARRIED	0
2	DIVORCED	0
3	WIDOWED	0
4	SEPARATED	0
5	COHABITING	1
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 18 completed pregnancies ([COMPREG](#) > 17)

**RMAROUT19** (4153 - 4153)

Informal marital status when pregnancy ended - 19th

Value	Label	Total
.	INAPPLICABLE	7642
1	MARRIED	0
2	DIVORCED	0
3	WIDOWED	0
4	SEPARATED	0
5	COHABITING	1
6	NEVER MARRIED, NOT COHABITING AT TIME OF PREGNANCY OUTCOME	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had at least 19 completed pregnancies ([COMPREG](#) > 18)

**MARCON01** (4154 - 4154)

Formal marital status when pregnancy began - 1st

Value	Label	Total
-------	-------	-------

**NSFG Cycle 6 Female Respondent File Section Recodes**

.	INAPPLICABLE	2610
1	MARRIED	1705
2	DIVORCED	97
3	WIDOWED	4
4	SEPARATED	12
5	NEVER MARRIED	3215
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been pregnant ([PREGNUM](#) > 0)

**MARCON02** (4155 - 4155)

Formal marital status when pregnancy began - 2nd

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3877
1	MARRIED	1895
2	DIVORCED	190
3	WIDOWED	7
4	SEPARATED	39
5	NEVER MARRIED	1635
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 2 times ([PREGNUM](#) > 1)

**MARCON03** (4156 - 4156)

Formal marital status when pregnancy began - 3rd

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	5309
1	MARRIED	1208
2	DIVORCED	208
3	WIDOWED	5
4	SEPARATED	41
5	NEVER MARRIED	872

NSFG Cycle 6 Female Respondent File Section Recodes

Total 7643

**Universe:**

Applicable if R has been pregnant at least 3 times ([PREGNUM](#) > 2)

**MARCON04** (4157 - 4157)

Formal marital status when pregnancy began - 4th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	6419
1	MARRIED	624
2	DIVORCED	138
3	WIDOWED	4
4	SEPARATED	31
5	NEVER MARRIED	427
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 4 times ([PREGNUM](#) > 3)

**MARCON05** (4158 - 4158)

Formal marital status when pregnancy began - 5th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7030
1	MARRIED	286
2	DIVORCED	70
3	WIDOWED	4
4	SEPARATED	28
5	NEVER MARRIED	225
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 5 times ([PREGNUM](#) > 4)

**MARCON06** (4159 - 4159)



**NSFG Cycle 6 Female Respondent File Section Recodes**

Formal marital status when pregnancy began - 6th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7335
1	MARRIED	131
2	DIVORCED	33
3	WIDOWED	1
4	SEPARATED	24
5	NEVER MARRIED	119
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 6 times ([PREGNUM](#) > 5)

**MARCON07** (4160 - 4160)

Formal marital status when pregnancy began - 7th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7485
1	MARRIED	62
2	DIVORCED	28
3	WIDOWED	2
4	SEPARATED	14
5	NEVER MARRIED	52
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 7 times ([PREGNUM](#) > 6)

**MARCON08** (4161 - 4161)

Formal marital status when pregnancy began - 8th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7565
1	MARRIED	34
2	DIVORCED	11

**NSFG Cycle 6 Female Respondent File Section Recodes**

3	WIDOWED	1
4	SEPARATED	7
5	NEVER MARRIED	25
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 8 times ([PREGNUM](#) > 7)

**MARCON09** (4162 - 4162)

Formal marital status when pregnancy began - 9th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7605
1	MARRIED	18
2	DIVORCED	7
3	WIDOWED	0
4	SEPARATED	2
5	NEVER MARRIED	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 9 times ([PREGNUM](#) > 8)

**MARCON10** (4163 - 4163)

Formal marital status when pregnancy began - 10th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7626
1	MARRIED	6
2	DIVORCED	2
3	WIDOWED	0
4	SEPARATED	3
5	NEVER MARRIED	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 10 times ([PREGNUM](#) > 9)

NSFG Cycle 6 Female Respondent File Section Recodes

**MARCON11** (4164 - 4164)

Formal marital status when pregnancy began - 11th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7635
1	MARRIED	2
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	1
5	NEVER MARRIED	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 11 times ([PREGNUM](#) > 10)

**MARCON12** (4165 - 4165)

Formal marital status when pregnancy began - 12th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7638
1	MARRIED	1
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	0
5	NEVER MARRIED	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 12 times ([PREGNUM](#) > 11)

**MARCON13** (4166 - 4166)

Formal marital status when pregnancy began - 13th

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section Recodes**

.	INAPPLICABLE	7640
1	MARRIED	1
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	0
5	NEVER MARRIED	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 13 times ([PREGNUM](#) > 12)

**MARCON14** (4167 - 4167)

Formal marital status when pregnancy began - 14th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7640
1	MARRIED	1
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	0
5	NEVER MARRIED	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 14 times ([PREGNUM](#) > 13)

**MARCON15** (4168 - 4168)

Formal marital status when pregnancy began - 15th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	MARRIED	0
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	0
5	NEVER MARRIED	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Total**                    **7643**

**Universe:**

Applicable if R has been pregnant at least 15 times ([PREGNUM](#) > 14)

**MARCON16** (4169 - 4169)

Formal marital status when pregnancy began - 16th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	MARRIED	0
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	0
5	NEVER MARRIED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 16 times ([PREGNUM](#) > 15)

**MARCON17** (4170 - 4170)

Formal marital status when pregnancy began - 17th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	MARRIED	0
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	0
5	NEVER MARRIED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 17 times ([PREGNUM](#) > 16)

**MARCON18** (4171 - 4171)

**NSFG Cycle 6 Female Respondent File Section Recodes**

Formal marital status when pregnancy began - 18th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	MARRIED	0
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	0
5	NEVER MARRIED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 18 times ([PREGNUM](#) > 17)

**MARCON19** (4172 - 4172)

Formal marital status when pregnancy began - 19th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	MARRIED	0
2	DIVORCED	1
3	WIDOWED	0
4	SEPARATED	0
5	NEVER MARRIED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 19 times ([PREGNUM](#) > 18)

**CEBOW** (4173 - 4173)

Number of children born out of wedlock

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3230
0	NONE	2208
1	1 CHILD	1210

**NSFG Cycle 6 Female Respondent File Section Recodes**

2	2 CHILDREN	554
3-95	3 OR MORE CHILDREN	441
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had a live birth ([PARITY](#) > 0)

**CEBOWC** (4174 - 4174)

Number of children born in cohabiting unions

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3230
0	NONE	3478
1	1 CHILD	658
2	2 CHILDREN	178
3-95	3 OR MORE CHILDREN	99
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had a live birth ([PARITY](#) > 0)

**DATBABY1** (4175 - 4178)

CM date of 1st live birth

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3230
301-1164	BEFORE 1997	3125
1165-1239	JANUARY 1997 OR LATER	1288
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had a live birth ([PARITY](#) > 0)

**AGEBABY1** (4179 - 4182)

Age at 1st live birth

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	3230
0-1999	UNDER 20 YEARS	1500
2000-2499	20-24 YEARS	1460
2500-2999	25-29 YEARS	900
3000-4499	30-44 YEARS	553
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had a live birth ([PARITY](#) > 0)

**LIV1CHLD** (4183 - 4183)

Living arrangements of 1st liveborn child

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	3230
1	CHILD LIVES WITH R	4117
2	CHILD IS DEAD	42
3	CHILD LIVES WITH ADOPTIVE PARENTS/FAMILY	26
4	CHILD LIVES WITH BIOLOGICAL FATHER	79
5	CHILD'S LIVING ARRANGEMENTS ARE OTHER OR UNKNOWN	149
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had a live birth ([PARITY](#) > 0)

**RCURPREG\_I** (4184 - 4184)

RCURPREG Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**



NSFG Cycle 6 Female Respondent File Section Recodes

Applicable for all respondents

**PREGNUM\_I** (4185 - 4185)

PREGNUM Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**COMPREG\_I** (4186 - 4186)

COMPREG Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**LOSSNUM\_I** (4187 - 4187)

LOSSNUM Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7612
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	31
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable for all respondents

***ABORTION\_I*** (4188 - 4188)

ABORTION Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7612
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	31
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***LBPREGS\_I*** (4189 - 4189)

LBPREGS Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7612
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	31
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***PARITY\_I*** (4190 - 4190)

PARITY Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7612
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	31
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable for all respondents

***BIRTHS5\_I*** (4191 - 4191)

BIRTHS5 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7612
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	31
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OUTCOM01\_I*** (4192 - 4192)

OUTCOM01 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OUTCOM02\_I*** (4193 - 4193)

OUTCOM02 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7641
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	2

NSFG Cycle 6 Female Respondent File Section Recodes

Total 7643

**Universe:**

Applicable for all respondents

**OUTCOM03\_I** (4194 - 4194)

OUTCOM03 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7639
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OUTCOM04\_I** (4195 - 4195)

OUTCOM04 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7639
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OUTCOM05\_I** (4196 - 4196)

OUTCOM05 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7635
1	MULTIPLE REGRESSION IMPUTATION	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

2	LOGICAL IMPUTATION	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OUTCOM06\_I*** (4197 - 4197)

OUTCOM06 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7637
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OUTCOM07\_I*** (4198 - 4198)

OUTCOM07 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7638
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OUTCOM08\_I*** (4199 - 4199)

OUTCOM08 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7638

**NSFG Cycle 6 Female Respondent File Section Recodes**

1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OUTCOM09\_I*** (4200 - 4200)

OUTCOM09 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OUTCOM10\_I*** (4201 - 4201)

OUTCOM10 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7641
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OUTCOM11\_I*** (4202 - 4202)

OUTCOM11 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

NSFG Cycle 6 Female Respondent File Section Recodes

0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OUTCOM12\_I** (4203 - 4203)

OUTCOM12 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OUTCOM13\_I** (4204 - 4204)

OUTCOM13 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OUTCOM14\_I** (4205 - 4205)

OUTCOM14 Imputation Flag

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OUTCOM15\_I*** (4206 - 4206)

OUTCOM15 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OUTCOM16\_I*** (4207 - 4207)

OUTCOM16 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OUTCOM17\_I*** (4208 - 4208)

OUTCOM17 Imputation Flag



**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OUTCOM18\_I*** (4209 - 4209)

OUTCOM18 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OUTCOM19\_I*** (4210 - 4210)

OUTCOM19 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATEND01\_I*** (4211 - 4211)

DATEND01 Imputation Flag

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7613
1	MULTIPLE REGRESSION IMPUTATION	27
2	LOGICAL IMPUTATION	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATEND02\_I*** (4212 - 4212)

DATEND02 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7614
1	MULTIPLE REGRESSION IMPUTATION	27
2	LOGICAL IMPUTATION	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATEND03\_I*** (4213 - 4213)

DATEND03 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7621
1	MULTIPLE REGRESSION IMPUTATION	18
2	LOGICAL IMPUTATION	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATEND04\_I*** (4214 - 4214)

NSFG Cycle 6 Female Respondent File Section Recodes

DATEND04 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7621
1	MULTIPLE REGRESSION IMPUTATION	18
2	LOGICAL IMPUTATION	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATEND05\_I** (4215 - 4215)

DATEND05 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7620
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATEND06\_I** (4216 - 4216)

DATEND06 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7625
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATEND07\_I** (4217 - 4217)

NSFG Cycle 6 Female Respondent File Section Recodes

DATEND07 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7627
1 MULTIPLE REGRESSION IMPUTATION	8
2 LOGICAL IMPUTATION	8
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATEND08\_I** (4218 - 4218)

DATEND08 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7631
1 MULTIPLE REGRESSION IMPUTATION	7
2 LOGICAL IMPUTATION	5
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATEND09\_I** (4219 - 4219)

DATEND09 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7638
1 MULTIPLE REGRESSION IMPUTATION	1
2 LOGICAL IMPUTATION	4
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**DATEND10\_I** (4220 - 4220)

DATEND10 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7641
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATEND11\_I** (4221 - 4221)

DATEND11 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATEND12\_I** (4222 - 4222)

DATEND12 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**DATEND13\_I** (4223 - 4223)

DATEND13 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATEND14\_I** (4224 - 4224)

DATEND14 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATEND15\_I** (4225 - 4225)

DATEND15 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

***DATEND16\_I*** (4226 - 4226)

DATEND16 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATEND17\_I*** (4227 - 4227)

DATEND17 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATEND18\_I*** (4228 - 4228)

DATEND18 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

***DATEND19\_I*** (4229 - 4229)

DATEND19 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1 MULTIPLE REGRESSION IMPUTATION	0
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***AGEPRG01\_I*** (4230 - 4230)

AGEPRG01 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7602
1 MULTIPLE REGRESSION IMPUTATION	40
2 LOGICAL IMPUTATION	1
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***AGEPRG02\_I*** (4231 - 4231)

AGEPRG02 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7605
1 MULTIPLE REGRESSION IMPUTATION	36
2 LOGICAL IMPUTATION	2
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents



NSFG Cycle 6 Female Respondent File Section Recodes

**AGEPRG03\_I** (4232 - 4232)

AGEPRG03 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7615
1	MULTIPLE REGRESSION IMPUTATION	24
2	LOGICAL IMPUTATION	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGEPRG04\_I** (4233 - 4233)

AGEPRG04 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7617
1	MULTIPLE REGRESSION IMPUTATION	21
2	LOGICAL IMPUTATION	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGEPRG05\_I** (4234 - 4234)

AGEPRG05 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7619
1	MULTIPLE REGRESSION IMPUTATION	15
2	LOGICAL IMPUTATION	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**AGEPRG06\_I** (4235 - 4235)

AGEPRG06 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7624
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGEPRG07\_I** (4236 - 4236)

AGEPRG07 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7627
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGEPRG08\_I** (4237 - 4237)

AGEPRG08 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7631
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	8
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section Recodes

Applicable for all respondents

**AGEPRG09\_I** (4238 - 4238)

AGEPRG09 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7638
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGEPRG10\_I** (4239 - 4239)

AGEPRG10 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7641
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGEPRG11\_I** (4240 - 4240)

AGEPRG11 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable for all respondents

**AGEPRG12\_I** (4241 - 4241)

AGEPRG12 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGEPRG13\_I** (4242 - 4242)

AGEPRG13 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGEPRG14\_I** (4243 - 4243)

AGEPRG14 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable for all respondents

**AGEPRG15\_I** (4244 - 4244)

AGEPRG15 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGEPRG16\_I** (4245 - 4245)

AGEPRG16 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGEPRG17\_I** (4246 - 4246)

AGEPRG17 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Total** **7643**

**Universe:**

Applicable for all respondents

**AGEPRG18\_I** (4247 - 4247)

AGEPRG18 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGEPRG19\_I** (4248 - 4248)

AGEPRG19 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATCON01\_I** (4249 - 4249)

DATCON01 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7520
1	MULTIPLE REGRESSION IMPUTATION	28

**NSFG Cycle 6 Female Respondent File Section Recodes**

2	LOGICAL IMPUTATION	95
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATCON02\_I*** (4250 - 4250)

DATCON02 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7614
1	MULTIPLE REGRESSION IMPUTATION	27
2	LOGICAL IMPUTATION	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATCON03\_I*** (4251 - 4251)

DATCON03 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7621
1	MULTIPLE REGRESSION IMPUTATION	18
2	LOGICAL IMPUTATION	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATCON04\_I*** (4252 - 4252)

DATCON04 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7620

**NSFG Cycle 6 Female Respondent File Section Recodes**

1	MULTIPLE REGRESSION IMPUTATION	18
2	LOGICAL IMPUTATION	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATCON05\_I*** (4253 - 4253)

DATCON05 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7620
1	MULTIPLE REGRESSION IMPUTATION	15
2	LOGICAL IMPUTATION	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATCON06\_I*** (4254 - 4254)

DATCON06 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7625
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATCON07\_I*** (4255 - 4255)

DATCON07 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------



NSFG Cycle 6 Female Respondent File Section Recodes

0	QUESTIONNAIRE DATA (NOT IMPUTED)	7626
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATCON08\_I** (4256 - 4256)

DATCON08 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7631
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATCON09\_I** (4257 - 4257)

DATCON09 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7638
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATCON10\_I** (4258 - 4258)

DATCON10 Imputation Flag

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7641
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATCON11\_I*** (4259 - 4259)

DATCON11 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATCON12\_I*** (4260 - 4260)

DATCON12 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATCON13\_I*** (4261 - 4261)

DATCON13 Imputation Flag

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATCON14\_I*** (4262 - 4262)

DATCON14 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATCON15\_I*** (4263 - 4263)

DATCON15 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***DATCON16\_I*** (4264 - 4264)

DATCON16 Imputation Flag

NSFG Cycle 6 Female Respondent File Section Recodes

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1 MULTIPLE REGRESSION IMPUTATION	0
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATCON17\_I** (4265 - 4265)

DATCON17 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1 MULTIPLE REGRESSION IMPUTATION	0
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATCON18\_I** (4266 - 4266)

DATCON18 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1 MULTIPLE REGRESSION IMPUTATION	0
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATCON19\_I** (4267 - 4267)

NSFG Cycle 6 Female Respondent File Section Recodes

DATCON19 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGECON01\_I** (4268 - 4268)

AGECON01 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7601
1	MULTIPLE REGRESSION IMPUTATION	42
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGECON02\_I** (4269 - 4269)

AGECON02 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7605
1	MULTIPLE REGRESSION IMPUTATION	38
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGECON03\_I** (4270 - 4270)

NSFG Cycle 6 Female Respondent File Section Recodes

AGECON03 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7615
1 MULTIPLE REGRESSION IMPUTATION	28
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGECON04\_I** (4271 - 4271)

AGECON04 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7616
1 MULTIPLE REGRESSION IMPUTATION	26
2 LOGICAL IMPUTATION	1
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGECON05\_I** (4272 - 4272)

AGECON05 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7619
1 MULTIPLE REGRESSION IMPUTATION	21
2 LOGICAL IMPUTATION	3
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**AGECON06\_I** (4273 - 4273)

AGECON06 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7624
1	MULTIPLE REGRESSION IMPUTATION	15
2	LOGICAL IMPUTATION	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGECON07\_I** (4274 - 4274)

AGECON07 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7626
1	MULTIPLE REGRESSION IMPUTATION	12
2	LOGICAL IMPUTATION	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGECON08\_I** (4275 - 4275)

AGECON08 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7631
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	4
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**AGECON09\_I** (4276 - 4276)

AGECON09 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7638
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGECON10\_I** (4277 - 4277)

AGECON10 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7641
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGECON11\_I** (4278 - 4278)

AGECON11 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents



**AGECON12\_I** (4279 - 4279)

AGECON12 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGECON13\_I** (4280 - 4280)

AGECON13 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGECON14\_I** (4281 - 4281)

AGECON14 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGECON15\_I** (4282 - 4282)

AGECON15 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1 MULTIPLE REGRESSION IMPUTATION	0
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGECON16\_I** (4283 - 4283)

AGECON16 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1 MULTIPLE REGRESSION IMPUTATION	0
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGECON17\_I** (4284 - 4284)

AGECON17 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1 MULTIPLE REGRESSION IMPUTATION	0
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**AGECON18\_I** (4285 - 4285)

AGECON18 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGECON19\_I** (4286 - 4286)

AGECON19 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAROUT01\_I** (4287 - 4287)

MAROUT01 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7419
1	MULTIPLE REGRESSION IMPUTATION	224
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**MAROUT02\_I** (4288 - 4288)

MAROUT02 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7370
1	MULTIPLE REGRESSION IMPUTATION	273
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAROUT03\_I** (4289 - 4289)

MAROUT03 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7430
1	MULTIPLE REGRESSION IMPUTATION	213
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAROUT04\_I** (4290 - 4290)

MAROUT04 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7493
1	MULTIPLE REGRESSION IMPUTATION	150
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section Recodes

Applicable for all respondents

**MAROUT05\_I** (4291 - 4291)

MAROUT05 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7541
1	MULTIPLE REGRESSION IMPUTATION	102
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAROUT06\_I** (4292 - 4292)

MAROUT06 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7578
1	MULTIPLE REGRESSION IMPUTATION	65
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAROUT07\_I** (4293 - 4293)

MAROUT07 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7605
1	MULTIPLE REGRESSION IMPUTATION	38
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Universe:**

Applicable for all respondents

**MAROUT08\_I** (4294 - 4294)

MAROUT08 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7626
1	MULTIPLE REGRESSION IMPUTATION	17
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAROUT09\_I** (4295 - 4295)

MAROUT09 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7637
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAROUT10\_I** (4296 - 4296)

MAROUT10 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7640
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable for all respondents

**MAROUT11\_I** (4297 - 4297)

MAROUT11 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAROUT12\_I** (4298 - 4298)

MAROUT12 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAROUT13\_I** (4299 - 4299)

MAROUT13 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0

NSFG Cycle 6 Female Respondent File Section Recodes

Total 7643

**Universe:**

Applicable for all respondents

**MAROUT14\_I** (4300 - 4300)

MAROUT14 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAROUT15\_I** (4301 - 4301)

MAROUT15 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAROUT16\_I** (4302 - 4302)

MAROUT16 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0



**NSFG Cycle 6 Female Respondent File Section Recodes**

2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAROUT17\_I** (4303 - 4303)

MAROUT17 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAROUT18\_I** (4304 - 4304)

MAROUT18 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAROUT19\_I** (4305 - 4305)

MAROUT19 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643

**NSFG Cycle 6 Female Respondent File Section Recodes**

1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RMAROUT01\_I*** (4306 - 4306)

RMAROUT01 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7424
1	MULTIPLE REGRESSION IMPUTATION	219
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RMAROUT02\_I*** (4307 - 4307)

RMAROUT02 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7380
1	MULTIPLE REGRESSION IMPUTATION	263
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RMAROUT03\_I*** (4308 - 4308)

RMAROUT03 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section Recodes**

0	QUESTIONNAIRE DATA (NOT IMPUTED)	7447
1	MULTIPLE REGRESSION IMPUTATION	196
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RMAROUT04\_I*** (4309 - 4309)

RMAROUT04 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7504
1	MULTIPLE REGRESSION IMPUTATION	139
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RMAROUT05\_I*** (4310 - 4310)

RMAROUT05 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7553
1	MULTIPLE REGRESSION IMPUTATION	90
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RMAROUT06\_I*** (4311 - 4311)

RMAROUT06 Imputation Flag

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7583
1	MULTIPLE REGRESSION IMPUTATION	59
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RMAROUT07\_I*** (4312 - 4312)

RMAROUT07 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7612
1	MULTIPLE REGRESSION IMPUTATION	31
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RMAROUT08\_I*** (4313 - 4313)

RMAROUT08 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7626
1	MULTIPLE REGRESSION IMPUTATION	17
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RMAROUT09\_I*** (4314 - 4314)

RMAROUT09 Imputation Flag

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7637
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RMAROUT10\_I*** (4315 - 4315)

RMAROUT10 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7640
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RMAROUT11\_I*** (4316 - 4316)

RMAROUT11 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RMAROUT12\_I*** (4317 - 4317)

RMAROUT12 Imputation Flag

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RMAROUT13\_I*** (4318 - 4318)

RMAROUT13 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RMAROUT14\_I*** (4319 - 4319)

RMAROUT14 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RMAROUT15\_I*** (4320 - 4320)

NSFG Cycle 6 Female Respondent File Section Recodes

RMAROUT15 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**RMAROUT16\_I** (4321 - 4321)

RMAROUT16 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**RMAROUT17\_I** (4322 - 4322)

RMAROUT17 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**RMAROUT18\_I** (4323 - 4323)

NSFG Cycle 6 Female Respondent File Section Recodes

RMAROUT18 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**RMAROUT19\_I** (4324 - 4324)

RMAROUT19 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARCON01\_I** (4325 - 4325)

MARCON01 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7458
1	MULTIPLE REGRESSION IMPUTATION	176
2	LOGICAL IMPUTATION	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents



NSFG Cycle 6 Female Respondent File Section Recodes

**MARCON02\_I** (4326 - 4326)

MARCON02 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7394
1	MULTIPLE REGRESSION IMPUTATION	249
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARCON03\_I** (4327 - 4327)

MARCON03 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7436
1	MULTIPLE REGRESSION IMPUTATION	207
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARCON04\_I** (4328 - 4328)

MARCON04 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7498
1	MULTIPLE REGRESSION IMPUTATION	145
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**MARCON05\_I** (4329 - 4329)

MARCON05 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7543
1	MULTIPLE REGRESSION IMPUTATION	100
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARCON06\_I** (4330 - 4330)

MARCON06 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7579
1	MULTIPLE REGRESSION IMPUTATION	64
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARCON07\_I** (4331 - 4331)

MARCON07 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7603
1	MULTIPLE REGRESSION IMPUTATION	40
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**MARCON08\_I** (4332 - 4332)

MARCON08 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7626
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARCON09\_I** (4333 - 4333)

MARCON09 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARCON10\_I** (4334 - 4334)

MARCON10 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7640
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**MARCON11\_I** (4335 - 4335)

MARCON11 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1 MULTIPLE REGRESSION IMPUTATION	1
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARCON12\_I** (4336 - 4336)

MARCON12 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1 MULTIPLE REGRESSION IMPUTATION	0
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARCON13\_I** (4337 - 4337)

MARCON13 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1 MULTIPLE REGRESSION IMPUTATION	0
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**MARCON14\_I** (4338 - 4338)

MARCON14 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARCON15\_I** (4339 - 4339)

MARCON15 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARCON16\_I** (4340 - 4340)

MARCON16 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**MARCON17\_I** (4341 - 4341)

MARCON17 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARCON18\_I** (4342 - 4342)

MARCON18 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARCON19\_I** (4343 - 4343)

MARCON19 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section Recodes

Applicable for all respondents

**CEBOW\_I** (4344 - 4344)

CEBOW Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7612
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	31
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**CEBOWC\_I** (4345 - 4345)

CEBOWC Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7612
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	31
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATBABY1\_I** (4346 - 4346)

DATBABY1 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7604
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	31
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable for all respondents

**AGEBABY1\_I** (4347 - 4347)

AGEBABY1 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7592
1	MULTIPLE REGRESSION IMPUTATION	20
2	LOGICAL IMPUTATION	31
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**LIV1CHLD\_I** (4348 - 4348)

LIV1CHLD Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7612
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	31
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**RMARITAL** (4349 - 4349)

Informal marital status

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	CURRENTLY MARRIED	3080
2	NOT MARRIED BUT LIVING WITH OPP SEX PARTNER	732
3	WIDOWED	49
4	DIVORCED	557



**NSFG Cycle 6 Female Respondent File Section Recodes**

5	SEPARATED FOR REASONS OF MARITAL DISCORD	279
6	NEVER BEEN MARRIED	2946
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**FMARNO** (4350 - 4350)

Number of times R has been married

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	NEVER BEEN MARRIED	3517
1	1 TIME	3436
2	2 TIMES	582
3	3 TIMES	90
4	4 TIMES	15
5	5 TIMES	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARDAT01** (4351 - 4354)

CM date when marriage began - 1st

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3517
301-1164	BEFORE 1997	2952
1165-1239	JANUARY 1997 OR LATER	1174
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least once ([FMARNO](#) > 0)

**MARDAT02** (4355 - 4358)

CM date when marriage began - 2nd

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	6953
301-1164	BEFORE 1997	408
1165-1239	JANUARY 1997 OR LATER	282
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 2 times ([FMARNO](#) > 1)

**MARDAT03** (4359 - 4362)

CM date when marriage began - 3rd

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7535
301-1164	BEFORE 1997	59
1165-1239	JANUARY 1997 OR LATER	49
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 3 times ([FMARNO](#) > 2)

**MARDAT04** (4363 - 4366)

CM date when marriage began - 4th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7625
301-1164	BEFORE 1997	5
1165-1239	JANUARY 1997 OR LATER	13
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 4 times ([FMARNO](#) > 3)

**MARDAT05** (4367 - 4370)

**NSFG Cycle 6 Female Respondent File Section Recodes**

CM date when marriage began - 5th

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7640
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 5 times ([FMARNO](#) > 4)

**MARDIS01** (4371 - 4374)

CM date when marriage ended - 1st

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	6093
301-1164	BEFORE 1997	1038
1165-1239	JANUARY 1997 OR LATER	512
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least once ([FMARNO](#) > 0) and R's 1st marriage is not intact ([FMARITAL](#) NE 1)

**MARDIS02** (4375 - 4378)

CM date when marriage ended - 2nd

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7385
301-1164	BEFORE 1997	147
1165-1239	JANUARY 1997 OR LATER	111
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 2 times ([FMARNO](#) > 1) and R's 2nd marriage is not intact ([FMARITAL](#) NE 1)

NSFG Cycle 6 Female Respondent File Section Recodes

**MARDIS03** (4379 - 4382)

CM date when marriage ended - 3rd

Value	Label	Total
.	INAPPLICABLE	7597
301-1164	BEFORE 1997	10
1165-1239	JANUARY 1997 OR LATER	36
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 3 times ([FMARNO](#) > 2) and R's 3rd marriage is not intact ([FMARITAL](#) NE 1)

**MARDIS04** (4383 - 4386)

CM date when marriage ended - 4th

Value	Label	Total
.	INAPPLICABLE	7634
301-1164	BEFORE 1997	1
1165-1239	JANUARY 1997 OR LATER	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 4 times ([FMARNO](#) > 3) and R's 4th marriage is not intact ([FMARITAL](#) NE 1)

**MARDIS05** (4387 - 4390)

CM date when marriage ended - 5th

Value	Label	Total
.	INAPPLICABLE	7641
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	2
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable if R has been married at least 5 times ([FMARNO](#) > 4) and R's 5th marriage is not intact ([FMARITAL](#) NE 1)

**MAREND01** (4391 - 4391)

How marriage ended - 1st

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	6093
1	DIVORCED OR ANNULLED	1232
2	SEPARATED	260
3	WIDOWED	58
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least once ([FMARNO](#) > 0) and R's 1st marriage is not intact ([FMARITAL](#) NE 1)

**MAREND02** (4392 - 4392)

How marriage ended - 2nd

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7385
1	DIVORCED OR ANNULLED	211
2	SEPARATED	36
3	WIDOWED	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 2 times ([FMARNO](#) > 1) and R's 2nd marriage is not intact ([FMARITAL](#) NE 1)

**MAREND03** (4393 - 4393)

How marriage ended - 3rd

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7597
1	DIVORCED OR ANNULLED	36
2	SEPARATED	10
3	WIDOWED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 3 times ([FMARNO](#) > 2) and R's 3rd marriage is not intact ([FMARITAL](#) NE 1)

**MAREND04** (4394 - 4394)

How marriage ended - 4th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7634
1	DIVORCED OR ANNULLED	6
2	SEPARATED	3
3	WIDOWED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been married at least 4 times ([FMARNO](#) > 3) and R's 4th marriage is not intact ([FMARITAL](#) NE 1)

**MAREND05** (4395 - 4395)

How marriage ended - 5th

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7641
1	DIVORCED OR ANNULLED	2
2	SEPARATED	0
3	WIDOWED	0
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section Recodes

Applicable if R has been married at least 5 times ([FMARNO](#) > 4) and R's 5th marriage is not intact ([FMARITAL](#) NE 1)

**FMAR1AGE** (4396 - 4397)

Age at first marriage

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3517
0-19	UNDER 20 YEARS	1033
20-24	20-24 YEARS	1742
25-29	25-29 YEARS	950
30-34	30-34 YEARS	299
35-44	35-44 YEARS	102
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been married ([FMARITAL](#) NE 5)

**AGEDISS1** (4398 - 4399)

Age at dissolution of first marriage

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	6093
0-19	UNDER 20 YEARS	162
20-24	20-24 YEARS	501
25-29	25-29 YEARS	469
30-34	30-34 YEARS	268
35-44	35-44 YEARS	150
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's first marriage dissolved ([FMARNO](#) > 1 or ([FMARNO](#)=1 and [MARDIS01](#) NE inapp))

**AGEDD1** (4400 - 4401)

Age at divorce or death: 1st marriage

NSFG Cycle 6 Female Respondent File Section Recodes

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	6353
0-19	UNDER 20 YEARS	89
20-24	20-24 YEARS	376
25-29	25-29 YEARS	389
30-34	30-34 YEARS	247
35-44	35-44 YEARS	189
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's first marriage dissolved ([FMARNO](#) > 1 or ([FMARNO](#)=1 and [MARDIS01](#) NE inapp), but only in divorce or death and not in separation ([MAREND01](#)=1 or 3))

**MAR1DISS** (4402 - 4404)

Months btw/1st marriage & dissolution (or interview)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3517
0-12	1 YEAR OR LESS	465
13-24	13-24 MONTHS	412
25-36	25-36 MONTHS	390
37-48	37-48 MONTHS	334
49-60	49-60 MONTHS	277
61-995	MORE THAN 5 YEARS	2248
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been married ([FMARITAL](#) NE 5)

**DD1REMAR** (4405 - 4407)

Months btw/divorce or death (1st marriage) and remarriage (or interview)

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------



**NSFG Cycle 6 Female Respondent File Section Recodes**

.	INAPPLICABLE	6353
0-12	1 YEAR OR LESS	234
13-24	13-24 MONTHS	189
25-36	25-36 MONTHS	158
37-48	37-48 MONTHS	126
49-60	49-60 MONTHS	99
61-995	MORE THAN 5 YEARS	484
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R's first marriage dissolved ([FMARNO](#) > 1 or ([FMARNO](#)=1 and [MARDIS01](#) NE inapp)), but only in divorce or death and not in separation ([MAREND01](#)=1 or 3))

**MAR1BIR1** (4408 - 4410)

Months btw/1st marriage & 1st birth (or interview)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	2430
0	LESS THAN 1 MONTH	26
1-12	1-12 MONTHS	841
13-24	13-24 MONTHS	630
25-36	25-36 MONTHS	439
37-887	MORE THAN 3 YEARS	1306
888	FIRST BIRTH OCCURRED BEFORE FIRST MARRIAGE	1971
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been married ([FMARITAL](#) NE 5) or ever had a live birth ([PARITY](#) > 0)

**MAR1CON1** (4411 - 4413)

Months btw/1st marriage & 1st conception (or interview)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	2108

**NSFG Cycle 6 Female Respondent File Section Recodes**

0	LESS THAN 1 MONTH	86
1-12	1-12 MONTHS	700
13-24	13-24 MONTHS	423
25-36	25-36 MONTHS	317
37-994	MORE THAN 3 YEARS	794
995	FIRST CONCEPTION BEFORE FIRST MARRIAGE	1806
996	HAS BEEN PREGNANT, BUT HAS NEVER BEEN MARRIED	1409
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been pregnant ([PREGNUM](#) > 0) or ever been married ([FMARITAL](#) NE 5)

**CON1MAR1** (4414 - 4416)

Months btw/1st conception & 1st marriage (or interview)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	2112
0	LESS THAN 1 MONTH	2
1-12	1-12 MONTHS	599
13-24	13-24 MONTHS	309
25-36	25-36 MONTHS	284
37-994	MORE THAN 3 YEARS	2021
995	FIRST CONCEPTION AFTER OR IN SAME MONTH AS FIRST MARRIAGE	1818
996	HAS BEEN MARRIED, BUT HAS NEVER BEEN PREGNANT	498
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been pregnant ([PREGNUM](#) > 0) or ever been married ([FMARITAL](#) NE 5)

**B1PREMAR** (4417 - 4417)

Whether R's first birth was premarital

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3230

NSFG Cycle 6 Female Respondent File Section Recodes

1	YES	1971
2	NO	2442
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had a live birth ([PARITY](#) > 0)

**COHEVER** (4418 - 4418)

Whether R ever cohabited outside of marriage

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES, EVER COHABITED (LIVED WITH A MAN OUTSIDE OF MARRIAGE)	3904
2	NO, NEVER COHABITED (LIVED WITH A MAN OUTSIDE OF MARRIAGE)	3739
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**EVMARCOH** (4419 - 4419)

Whether R ever married OR cohabited

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES, EVER MARRIED OR COHABITED	5515
2	NO, NEVER MARRIED OR COHABITED	2128
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**COHAB1** (4420 - 4423)

Date of 1st cohabitation (incl. premar cohab)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3739
301-1164	BEFORE 1997	2653

**NSFG Cycle 6 Female Respondent File Section Recodes**

1165-1239 JANUARY 1997 OR LATER 1251

**Total** **7643**

**Universe:**

Applicable if R ever cohabited outside of marriage ([COHEVER=1](#))

**COHSTAT** (4424 - 4424)

Cohabitation experience relative to 1st marriage

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	NEVER COHABITED OUTSIDE OF MARRIAGE	3739
2	FIRST COHABITED BEFORE FIRST MARRIAGE	3493
3	FIRST COHABITED AFTER FIRST MARRIAGE	411
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**COHOUT** (4425 - 4425)

Outcome of 1st cohabitation

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	3739
1	INTACT COHABITATION	543
2	INTACT MARRIAGE	1116
3	DISSOLVED MARRIAGE	749
4	DISSOLVED COHABITATION	1496
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever cohabited outside of marriage ([COHEVER=1](#))

**COH1DUR** (4426 - 4428)

Duration (in months) of R's first cohabitation

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	3739
0-12	1 YEAR OR LESS	1434
13-24	13-24 MONTHS	855
25-36	25-36 MONTHS	529
37-48	37-48 MONTHS	317
49-60	49-60 MONTHS	241
61-995	MORE THAN 5 YEARS	528
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R ever cohabited outside of marriage ([COHEVER=1](#))

**HADSEX** (4429 - 4429)

Whether R has ever had sexual intercourse with a male

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES, R EVER HAD INTERCOURSE	6785
2	NO, R NEVER HAD INTERCOURSE	858
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SEXEVER** (4430 - 4430)

Whether R has ever had sexual intercourse with a male since menarche

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES (R HAS HAD SEX AFTER 1ST PERIOD)	6776
2	NO (NO PERIOD, NO SEX AT ALL, OR NO SEX SINCE 1ST PERIOD)	867
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**VR1STAG** (4431 - 4432)

**NSFG Cycle 6 Female Respondent File Section Recodes**

Age at first intercourse (even if before menarche)

<u>Value Label</u>	<u>Total</u>
. INAPPLICABLE	858
0-14 UNDER 15 YEARS	1065
15-17 15-17 YEARS	3119
18-19 18-19 YEARS	1338
20-44 20 YEARS OR OLDER	1263
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
([HADSEX=1](#))

**SEX1AGE** (4433 - 4434)

Age at first intercourse since menarche

<u>Value Label</u>	<u>Total</u>
. INAPPLICABLE	867
0-14 UNDER 15 YEARS	998
15-17 15-17 YEARS	3141
18-19 18-19 YEARS	1363
20-44 20 YEARS OR OLDER	1274
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male since  
menarche ([SEXEVER=1](#))

**VRY1STSX** (4435 - 4438)

CM date of first intercourse (even if before menarche)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	858
301-1164	BEFORE 1997	5451

**NSFG Cycle 6 Female Respondent File Section Recodes**

1165-1239 JANUARY 1997 OR LATER 1334  
**Total 7643**

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
 ([HADSEX](#)=1)

**DATESEX1** (4439 - 4442)

CM date of first intercourse since menarche

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	867
301-1164	BEFORE 1997	5433
1165-1239	JANUARY 1997 OR LATER	1343
9595	NEVER HAD PERIOD BUT HAS HAD INTERCOURSE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male since  
 menarche ([SEXEVER](#)=1)

**SEXONCE** (4443 - 4443)

Whether R has only had sex once

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	858
1	YES (R HAS HAD SEX ONLY ONCE)	75
2	NO (R HAS HAD SEX MORE THAN ONCE)	6710
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
 ([HADSEX](#)=1)

**FSEXPAGE** (4444 - 4446)

Age of R's first sexual partner at time of first sex

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	858
0-14	UNDER 15 YEARS	205
15-17	15-17 YEARS	1996
18-19	18-19 YEARS	1682
20-95	20 YEARS OR OLDER	2773
900-995	ESTIMATED AGE	129
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
([HADSEX=1](#))

**SEXMAR** (4447 - 4449)

Mos btw/1st intercourse (even if before menarche) & 1st marriage  
(or interview)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	858
0	FIRST INTERCOURSE IN SAME MONTH AS MARRIAGE	533
1-12	1-12 MONTHS	491
13-24	13-24 MONTHS	448
25-36	25-36 MONTHS	577
37-995	MORE THAN 3 YEARS AFTER FIRST INTERCOURSE	4665
996	FIRST INTERCOURSE AFTER FIRST MARRIAGE	71
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
([HADSEX=1](#))

**SEX1FOR** (4450 - 4452)

Mos btw/1st intercourse since menarche & 1st marriage (or  
interview)



**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	867
0	SAME MONTH AS MARRIAGE	532
1-12	1-12 MONTHS	494
13-24	13-24 MONTHS	460
25-36	25-36 MONTHS	582
37-995	MORE THAN 3 YEARS AFTER FIRST INTERCOURSE AFTER MENARCHE	4634
996	AFTER FIRST MARRIAGE	74
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male since menarche ([SEXEVER](#)=1)

**PARTS1YR** (4453 - 4454)

CAPI-based number of opposite-sex partners in last 12 mos

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	858
0	NONE	766
1	1 PARTNER	5162
2	2 PARTNERS	523
3	3 PARTNERS	190
4-20	4-20 PARTNERS	144
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male ([HADSEX](#)=1)

**LSEXDATE** (4455 - 4458)

CM date of last or most recent sexual intercourse

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	858
301-1164	BEFORE 1997	264
1165-1239	JANUARY 1997 OR LATER	6521

NSFG Cycle 6 Female Respondent File Section Recodes

Total

7643

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
([HADSEX=1](#))

**LSEXRAGE** (4459 - 4460)

R's age at last or most recent sexual intercourse

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	858
0-17	UNDER 18 YEARS	281
18-19	18-19 YEARS	399
20-24	20-24 YEARS	1285
25-34	25-34 YEARS	2601
35-45	35-45 YEARS	2219
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
([HADSEX=1](#))

**LIFPRTNR** (4461 - 4462)

CAPI-based number of opposite-sex partners in lifetime

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	NONE	858
1	1 PARTNER	1598
2	2 PARTNERS	843
3	3 PARTNERS	770
4	4 PARTNERS	663
5	5 PARTNERS	695
6	6 PARTNERS	394
7	7 PARTNERS	288
8	8 PARTNERS	220
9	9 PARTNERS	119
10-19	10-19 PARTNERS	797

**NSFG Cycle 6 Female Respondent File Section Recodes**

20-49	20-49 PARTNERS	331
50	50 OR MORE PARTNERS	67
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RMARITAL\_I*** (4463 - 4463)

RMARITAL Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***FMARNO\_I*** (4464 - 4464)

FMARNO Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7635
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***MARDAT01\_I*** (4465 - 4465)

MARDAT01 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

NSFG Cycle 6 Female Respondent File Section Recodes

0	QUESTIONNAIRE DATA (NOT IMPUTED)	7606
1	MULTIPLE REGRESSION IMPUTATION	37
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARDAT02\_I** (4466 - 4466)

MARDAT02 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7639
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARDAT03\_I** (4467 - 4467)

MARDAT03 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARDAT04\_I** (4468 - 4468)

MARDAT04 Imputation Flag

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***MARDAT05\_I*** (4469 - 4469)

MARDAT05 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***MARDIS01\_I*** (4470 - 4470)

MARDIS01 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7134
1	MULTIPLE REGRESSION IMPUTATION	509
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***MARDIS02\_I*** (4471 - 4471)

MARDIS02 Imputation Flag

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7508
1	MULTIPLE REGRESSION IMPUTATION	135
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARDIS03\_I** (4472 - 4472)

MARDIS03 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7614
1	MULTIPLE REGRESSION IMPUTATION	29
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARDIS04\_I** (4473 - 4473)

MARDIS04 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7637
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MARDIS05\_I** (4474 - 4474)

MARDIS05 Imputation Flag

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7641
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAREND01\_I** (4475 - 4475)

MAREND1 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7521
1	MULTIPLE REGRESSION IMPUTATION	122
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAREND02\_I** (4476 - 4476)

MAREND2 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7606
1	MULTIPLE REGRESSION IMPUTATION	37
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAREND03\_I** (4477 - 4477)

NSFG Cycle 6 Female Respondent File Section Recodes

MAREND3 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAREND04\_I** (4478 - 4478)

MAREND4 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAREND05\_I** (4479 - 4479)

MAREND5 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**FMAR1AGE\_I** (4480 - 4480)



NSFG Cycle 6 Female Respondent File Section Recodes

FMAR1AGE Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7595
1 MULTIPLE REGRESSION IMPUTATION	48
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGEDISS1\_I** (4481 - 4481)

AGEDISS1 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7141
1 MULTIPLE REGRESSION IMPUTATION	502
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**AGEDD1\_I** (4482 - 4482)

AGEDD1 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7360
1 MULTIPLE REGRESSION IMPUTATION	282
2 LOGICAL IMPUTATION	1
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**MAR1DISS\_I** (4483 - 4483)

MAR1DISS Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7117
1	MULTIPLE REGRESSION IMPUTATION	523
2	LOGICAL IMPUTATION	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DD1REMAR\_I** (4484 - 4484)

DD1REMAR Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7357
1	MULTIPLE REGRESSION IMPUTATION	283
2	LOGICAL IMPUTATION	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MAR1BIR1\_I** (4485 - 4485)

MAR1BIR1 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7574
1	MULTIPLE REGRESSION IMPUTATION	38
2	LOGICAL IMPUTATION	31
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**MAR1CON1\_I** (4486 - 4486)

MAR1CON1 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7531
1	MULTIPLE REGRESSION IMPUTATION	57
2	LOGICAL IMPUTATION	55
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**CON1MAR1\_I** (4487 - 4487)

CON1MAR1 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7484
1	MULTIPLE REGRESSION IMPUTATION	65
2	LOGICAL IMPUTATION	94
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**B1PREMAR\_I** (4488 - 4488)

B1PREMAR Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7581
1	MULTIPLE REGRESSION IMPUTATION	30
2	LOGICAL IMPUTATION	32
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**COHEVER\_I** (4489 - 4489)

COHEVER Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**EVMARCOH\_I** (4490 - 4490)

EVMARCOH Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**COHAB1\_I** (4491 - 4491)

COHAB1 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7528
1	MULTIPLE REGRESSION IMPUTATION	103
2	LOGICAL IMPUTATION	12
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**COHSTAT\_I** (4492 - 4492)

COHSTAT Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7582
1	MULTIPLE REGRESSION IMPUTATION	49
2	LOGICAL IMPUTATION	12
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**COHOUT\_I** (4493 - 4493)

COHOUT Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7483
1	MULTIPLE REGRESSION IMPUTATION	103
2	LOGICAL IMPUTATION	57
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**COH1DUR\_I** (4494 - 4494)

COH1DUR Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7483
1	MULTIPLE REGRESSION IMPUTATION	148
2	LOGICAL IMPUTATION	12
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**HADSEX\_I** (4495 - 4495)

HADSEX Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SEXEVER\_I** (4496 - 4496)

SEXEVER Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7580
1	MULTIPLE REGRESSION IMPUTATION	63
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**VRY1STAG\_I** (4497 - 4497)

VRY1STAG Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7426
1	MULTIPLE REGRESSION IMPUTATION	30
2	LOGICAL IMPUTATION	187
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**SEX1AGE\_I** (4498 - 4498)

SEX1AGE Imputation Flag

Value	Label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7392
1	MULTIPLE REGRESSION IMPUTATION	70
2	LOGICAL IMPUTATION	181
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**VR1STSX\_I** (4499 - 4499)

VR1STSX Imputation Flag

Value	Label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7334
1	MULTIPLE REGRESSION IMPUTATION	30
2	LOGICAL IMPUTATION	279
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATESEX1\_I** (4500 - 4500)

DATESEX1 Imputation Flag

Value	Label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7309
1	MULTIPLE REGRESSION IMPUTATION	34
2	LOGICAL IMPUTATION	300
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section Recodes

Applicable for all respondents

**SEXONCE\_I** (4501 - 4501)

SEXONCE Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7641
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**FSEXPAGE\_I** (4502 - 4502)

FSEXPAGE Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7577
1	MULTIPLE REGRESSION IMPUTATION	60
2	LOGICAL IMPUTATION	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SEXMAR\_I** (4503 - 4503)

SEXMAR Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7303
1	MULTIPLE REGRESSION IMPUTATION	155
2	LOGICAL IMPUTATION	185
	<b>Total</b>	<b>7643</b>



**NSFG Cycle 6 Female Respondent File Section Recodes**

**Universe:**

Applicable for all respondents

***SEX1FOR\_I*** (4504 - 4504)

SEX1FOR Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7286
1	MULTIPLE REGRESSION IMPUTATION	160
2	LOGICAL IMPUTATION	197
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***PARTS1YR\_I*** (4505 - 4505)

PARTS1YR Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7624
1	MULTIPLE REGRESSION IMPUTATION	19
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***LSEXDATE\_I*** (4506 - 4506)

LSEXDATE Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7566
1	MULTIPLE REGRESSION IMPUTATION	43
2	LOGICAL IMPUTATION	34
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable for all respondents

**LSEXRAGE\_I** (4507 - 4507)

LSEXRAGE Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7550
1	MULTIPLE REGRESSION IMPUTATION	92
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**LIFPRTNR\_I** (4508 - 4508)

LIFPRTNR Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7567
1	MULTIPLE REGRESSION IMPUTATION	75
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**STRLOPER** (4509 - 4509)

Type of sterilization operation "in effect"

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	TUBAL LIGATION OR STERILIZATION	1067
2	HYSTERECTOMY	213
3	VASECTOMY	308

**NSFG Cycle 6 Female Respondent File Section Recodes**

4	OTHER OPERATION OR TYPE UNKNOWN	31
5	NOT SURGICALLY STERILE	6024
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**tubs** (4510 - 4510)

R currently sterile from tubal ligation

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	1165
2	NO	6478
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**vasect** (4511 - 4511)

R's H/P currently sterile from vasectomy

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3905
1	YES	348
2	NO	3390
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married or cohabiting ([RMARITAL](#)=1 or 2) and reported her husband's or partner's first name or initials (chpname NE blank)

**hyst** (4512 - 4512)

R currently sterile from hysterectomy

NSFG Cycle 6 Female Respondent File Section Recodes

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	282
2	NO	7361
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***ovarect*** (4513 - 4513)

R currently sterile from ovary removal

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	118
2	NO	7525
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***othr*** (4514 - 4514)

R currently sterile from other sterilizing operation

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	65
2	NO	7578
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***othrm*** (4515 - 4515)

R's H/P curr sterile from operation other than vasectomy

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	3905

**NSFG Cycle 6 Female Respondent File Section Recodes**

1	YES	2
2	NO	3736
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married or cohabiting ([RMARITAL](#)=1 or 2) and reported her husband's or partner's first name or initials (chpname NE blank)

**FECUND** (4516 - 4516)

Fecundity status

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	SURGICALLY STERILE, CONTRACEPTIVE	1499
2	SURGICALLY STERILE, NONCONTRACEPTIVE	120
3	STERILE, NONSURGICAL	194
4	SUBFECUND	681
5	LONG INTERVAL (INFERTILE FOR 36+ MONTHS)	61
6	FECUND	5088
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**anybc36** (4517 - 4517)

Any method use in 36 months before interview

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	6070
2	NO	1573
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**nosex36** (4518 - 4518)

NSFG Cycle 6 Female Respondent File Section Recodes

Any months of NONintercourse in 36 months before interview

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	2702
2	NO	4941
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**INFERT** (4519 - 4519)

Infertility status

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3831
1	SURGICALLY STERILE	1137
2	INFERTILE	286
3	FECUND	2389
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R is currently married or cohabiting ([RMARITAL](#)=1 or 2)

**anybc12** (4520 - 4520)

Any method use in 12 months before interview

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	5573
2	NO	2070
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**ANYMTHD** (4521 - 4521)

**NSFG Cycle 6 Female Respondent File Section Recodes**

Ever used any method for any reason

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	6764
2	NO	879
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***NOSEX12*** (4522 - 4523)

Number of months of nonintercourse in the 12 months prior to interview

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	NONE	3820
1	1 MONTH	450
2	2 MONTHS	353
3	3 MONTHS	300
4	4 MONTHS	220
5	5 MONTHS	177
6	6 MONTHS	191
7	7 MONTHS	154
8	8 MONTHS	170
9	9 MONTHS	137
10	10 MONTHS	137
11	11 MONTHS	139
12	12 MONTHS	537
95	NEVER HAD INTERCOURSE	858
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***SEXP3MO*** (4524 - 4524)

Whether R had sex in past 3 months (from mons of nonintercourse

NSFG Cycle 6 Female Respondent File Section Recodes

series)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	858
1	YES	5766
2	NO	1019
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
([HADSEX=1](#))

**SEX3MO** (4525 - 4525)

Whether R had sex in past 3 months (from sexual partner dates)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	858
1	YES	5424
2	NO	1361
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
([HADSEX=1](#))

**CONSTAT1** (4526 - 4527)

Current contraceptive status (1st priority code)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	FEMALE STERILIZATION	1203
2	MALE STERILIZATION	337
3	NORPLANT IMPLANT	21
4	LUNELLE (INJECTABLE)	10
5	DEPO-PROVERA (INJECTABLE)	282
6	PILL	1467
7	CONTRACEPTIVE PATCH	29



**NSFG Cycle 6 Female Respondent File Section Recodes**

8	MORNING-AFTER PILL	2
9	IUD	98
10	DIAPHRAGM	11
11	(MALE) CONDOM	873
12	FEMALE CONDOM/VAGINAL POUCH	2
13	FOAM	3
14	CERVICAL CAP	1
15	TODAY (TM) SPONGE	1
16	SUPPOSITORY OR INSERT	9
17	JELLY OR CREAM ALONE	4
18	PERIODIC ABSTINENCE: NFP, CERVICAL MUCUS TEST OR TEMPERATURE RHYTHM	18
19	PERIODIC ABSTINENCE: CALENDAR RHYTHM	58
20	WITHDRAWAL	172
21	OTHER METHOD	18
30	PREGNANT	352
31	SEEKING PREGNANCY	346
32	POSTPARTUM	81
33	STERILE--NONSURGICAL--FEMALE	112
34	STERILE--NONSURGICAL--MALE	21
35	STERILE--SURGICAL--FEMALE (NONCONTRACEPTIVE)	120
36	STERILE--SURGICAL--MALE (NONCONTRACEPTIVE)	0
38	STERILE--UNKNOWN REASONS--MALE	4
40	OTHER NON-USER--NEVER HAD INTERCOURSE SINCE FIRST PERIOD	780
41	OTHER NON-USER--HAD INTERCOURSE BUT NOT IN 3 MONTHS PRIOR TO INTERVIEW	573
42	OTHER NON-USER--HAD INTERCOURSE IN 3 MONTHS PRIOR TO INTERVIEW	635
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**CONSTAT2** (4528 - 4529)

2nd priority code for current contraceptive status

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	FEMALE STERILIZATION	0
2	MALE STERILIZATION	45
3	NORPLANT IMPLANT	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

4	LUNELLE (INJECTABLE)	0
5	DEPO-PROVERA (INJECTABLE)	3
6	PILL	19
7	CONTRACEPTIVE PATCH	0
8	MORNING-AFTER PILL	0
9	IUD	1
10	DIAPHRAGM	8
11	(MALE) CONDOM	313
12	FEMALE CONDOM/VAGINAL POUCH	2
13	FOAM	7
14	CERVICAL CAP	0
15	TODAY (TM) SPONGE	2
16	SUPPOSITORY OR INSERT	5
17	JELLY OR CREAM ALONE	12
18	PERIODIC ABSTINENCE: NFP, CERVICAL MUCUS TEST OR TEMPERATURE RHYTHM	3
19	PERIODIC ABSTINENCE: CALENDAR RHYTHM	30
20	WITHDRAWAL	172
21	OTHER METHOD	5
30	PREGNANT	0
31	SEEKING PREGNANCY	0
32	POSTPARTUM	0
33	STERILE--NONSURGICAL--FEMALE	89
34	STERILE--NONSURGICAL--MALE	10
35	STERILE--SURGICAL--FEMALE (NONCONTRACEPTIVE)	0
36	STERILE--SURGICAL--MALE (NONCONTRACEPTIVE)	0
38	STERILE--UNKNOWN REASONS--MALE	12
40	OTHER NON-USER--NEVER HAD INTERCOURSE SINCE FIRST PERIOD	0
	OTHER NON-USER--HAD INTERCOURSE BUT NOT IN 3 MONTHS PRIOR TO	
41	INTERVIEW	0
42	OTHER NON-USER--HAD INTERCOURSE IN 3 MONTHS PRIOR TO INTERVIEW	0
88	INAPPLICABLE--NO 2ND, 3RD OR 4TH METHOD REPORTED	6905
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**CONSTAT3** (4530 - 4531)

3rd priority code for current contraceptive status

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	FEMALE STERILIZATION	0
2	MALE STERILIZATION	0
3	NORPLANT IMPLANT	0
4	LUNELLE (INJECTABLE)	0
5	DEPO-PROVERA (INJECTABLE)	0
6	PILL	0
7	CONTRACEPTIVE PATCH	0
8	MORNING-AFTER PILL	0
9	IUD	0
10	DIAPHRAGM	0
11	(MALE) CONDOM	2
12	FEMALE CONDOM/VAGINAL POUCH	1
13	FOAM	0
14	CERVICAL CAP	0
15	TODAY (TM) SPONGE	0
16	SUPPOSITORY OR INSERT	1
17	JELLY OR CREAM ALONE	3
18	PERIODIC ABSTINENCE: NFP, CERVICAL MUCUS TEST OR TEMPERATURE RHYTHM	0
19	PERIODIC ABSTINENCE: CALENDAR RHYTHM	8
20	WITHDRAWAL	32
21	OTHER METHOD	0
30	PREGNANT	0
31	SEEKING PREGNANCY	0
32	POSTPARTUM	0
33	STERILE--NONSURGICAL--FEMALE	11
34	STERILE--NONSURGICAL--MALE	3
35	STERILE--SURGICAL--FEMALE (NONCONTRACEPTIVE)	0
36	STERILE--SURGICAL--MALE (NONCONTRACEPTIVE)	0
38	STERILE--UNKNOWN REASONS--MALE	0
40	OTHER NON-USER--NEVER HAD INTERCOURSE SINCE FIRST PERIOD	0
41	OTHER NON-USER--HAD INTERCOURSE BUT NOT IN 3 MONTHS PRIOR TO INTERVIEW	0
42	OTHER NON-USER--HAD INTERCOURSE IN 3 MONTHS PRIOR TO INTERVIEW	0
88	INAPPLICABLE--NO 2ND, 3RD OR 4TH METHOD REPORTED	7582
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**CONSTAT4** (4532 - 4533)

4th priority code for current contraceptive status

Value	Label	Total
1	FEMALE STERILIZATION	0
2	MALE STERILIZATION	0
3	NORPLANT IMPLANT	0
4	LUNELLE (INJECTABLE)	0
5	DEPO-PROVERA (INJECTABLE)	0
6	PILL	0
7	CONTRACEPTIVE PATCH	0
8	MORNING-AFTER PILL	0
9	IUD	0
10	DIAPHRAGM	0
11	(MALE) CONDOM	0
12	FEMALE CONDOM/VAGINAL POUCH	0
13	FOAM	1
14	CERVICAL CAP	0
15	TODAY (TM) SPONGE	0
16	SUPPOSITORY OR INSERT	0
17	JELLY OR CREAM ALONE	1
18	PERIODIC ABSTINENCE: NFP, CERVICAL MUCUS TEST OR TEMPERATURE RHYTHM	0
19	PERIODIC ABSTINENCE: CALENDAR RHYTHM	0
20	WITHDRAWAL	4
21	OTHER METHOD	0
30	PREGNANT	0
31	SEEKING PREGNANCY	0
32	POSTPARTUM	0
33	STERILE--NONSURGICAL--FEMALE	0
34	STERILE--NONSURGICAL--MALE	1
35	STERILE--SURGICAL--FEMALE (NONCONTRACEPTIVE)	0
36	STERILE--SURGICAL--MALE (NONCONTRACEPTIVE)	0
38	STERILE--UNKNOWN REASONS--MALE	0
40	OTHER NON-USER--NEVER HAD INTERCOURSE SINCE FIRST PERIOD	0
41	OTHER NON-USER--HAD INTERCOURSE BUT NOT IN 3 MONTHS PRIOR TO INTERVIEW	0
42	OTHER NON-USER--HAD INTERCOURSE IN 3 MONTHS PRIOR TO INTERVIEW	0
88	INAPPLICABLE--NO 2ND, 3RD OR 4TH METHOD REPORTED	7636

NSFG Cycle 6 Female Respondent File Section Recodes

Total

7643

**Universe:**

Applicable for all respondents

**PILLR** (4534 - 4534)

Ever used the pill for any reason

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	5602
2	NO	2041
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**CONDOMR** (4535 - 4535)

Ever used condom

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	858
1	YES	6049
2	NO	736
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
([HADSEX=1](#))

**SEX1MTHD1** (4536 - 4537)

Contraceptive method used at first sex, if any: 1st mentioned

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	858
1	PILL	1286

**NSFG Cycle 6 Female Respondent File Section Recodes**

2	CONDOM	2344
3	PARTNERS VASECTOMY	15
4	FEMALE STERILIZING OPERATION/TUBAL LIGATION	5
5	WITHDRAWAL	365
6	DEPO-PROVERA, INJECTABLES	20
7	NORPLANT	2
8	RHYTHM OR SAFE PERIOD BY CALENDAR	34
9	SAFE PERIOD BY TEMP OR CERVICAL MUCUS TEST / NATURAL FAMILY PLANNING	5
10	DIAPHRAGM	11
11	FEMALE CONDOM, VAGINAL POUCH	0
12	FOAM	17
13	JELLY OR CREAM	3
14	CERVICAL CAP	0
15	SUPPOSITORY, INSERT	5
16	TODAY SPONGE	6
17	IUD, COIL, LOOP	7
18	EMERGENCY CONTRACEPTION	7
19	OTHER METHOD	7
20	RESPONDENT STERILE (ASIDE FROM STERILIZING OPERATION ABOVE)	1
21	RESPONDENT'S PARTNER STERILE (ASIDE FROM VASECTOMY ABOVE)	4
22	LUNELLE INJECTABLE	1
23	CONTRACEPTIVE PATCH	0
95	NEVER USED A METHOD	154
96	DID NOT USE A METHOD AT 1ST INTERCOURSE	2486
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male  
([HADSEX=1](#))

**SEX1MTHD2** (4538 - 4539)

Contraceptive method used at first sex, if any: 2nd mentioned

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	4315
1	PILL	55
2	CONDOM	468
3	PARTNERS VASECTOMY	1

**NSFG Cycle 6 Female Respondent File Section Recodes**

4	FEMALE STERILIZING OPERATION/TUBAL LIGATION	1
5	WITHDRAWAL	77
6	DEPO-PROVERA, INJECTABLES	19
7	NORPLANT	0
8	RHYTHM OR SAFE PERIOD BY CALENDAR	12
9	SAFE PERIOD BY TEMP OR CERVICAL MUCUS TEST / NATURAL FAMILY PLANNING	2
10	DIAPHRAGM	2
11	FEMALE CONDOM, VAGINAL POUCH	3
12	FOAM	19
13	JELLY OR CREAM	10
14	CERVICAL CAP	0
15	SUPPOSITORY, INSERT	9
16	TODAY SPONGE	4
17	IUD, COIL, LOOP	1
18	EMERGENCY CONTRACEPTION	4
19	OTHER METHOD	0
20	RESPONDENT STERILE (ASIDE FROM STERILIZING OPERATION ABOVE)	0
21	RESPONDENT'S PARTNER STERILE (ASIDE FROM VASECTOMY ABOVE)	1
22	LUNELLE INJECTABLE	0
23	CONTRACEPTIVE PATCH	0
95	NEVER USED A METHOD	154
96	DID NOT USE A METHOD AT 1ST INTERCOURSE	2486
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male (HADSEX=1) and R used a second method at first sex (mthfstsx02 not blank)

**SEX1MTHD3** (4540 - 4541)

Contraceptive method used at first sex, if any: 3rd mentioned

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	4970
1	PILL	2
2	CONDOM	4
3	PARTNERS VASECTOMY	0
4	FEMALE STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

5	WITHDRAWAL	12
6	DEPO-PROVERA, INJECTABLES	2
7	NORPLANT	0
8	RHYTHM OR SAFE PERIOD BY CALENDAR	3
9	SAFE PERIOD BY TEMP OR CERVICAL MUCUS TEST / NATURAL FAMILY PLANNING	1
10	DIAPHRAGM	0
11	FEMALE CONDOM, VAGINAL POUCH	2
12	FOAM	2
13	JELLY OR CREAM	2
14	CERVICAL CAP	0
15	SUPPOSITORY, INSERT	1
16	TODAY SPONGE	0
17	IUD, COIL, LOOP	0
18	EMERGENCY CONTRACEPTION	2
19	OTHER METHOD	0
20	RESPONDENT STERILE (ASIDE FROM STERILIZING OPERATION ABOVE)	0
21	RESPONDENT'S PARTNER STERILE (ASIDE FROM VASECTOMY ABOVE)	0
22	LUNELLE INJECTABLE	0
23	CONTRACEPTIVE PATCH	0
95	NEVER USED A METHOD	154
96	DID NOT USE A METHOD AT 1ST INTERCOURSE	2486
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male ([HADSEX](#)=1) and R used a third method at first sex (mthfstsx03 not blank)

**SEX1MTHD4** (4542 - 4543)

Contraceptive method used at first sex, if any: 4th mentioned

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	4998
1	PILL	1
2	CONDOM	0
3	PARTNERS VASECTOMY	0
4	FEMALE STERILIZING OPERATION/TUBAL LIGATION	0
5	WITHDRAWAL	0



**NSFG Cycle 6 Female Respondent File Section Recodes**

6	DEPO-PROVERA, INJECTABLES	0
7	NORPLANT	0
8	RHYTHM OR SAFE PERIOD BY CALENDAR	2
9	SAFE PERIOD BY TEMP OR CERVICAL MUCUS TEST / NATURAL FAMILY PLANNING	0
10	DIAPHRAGM	0
11	FEMALE CONDOM, VAGINAL POUCH	0
12	FOAM	1
13	JELLY OR CREAM	1
14	CERVICAL CAP	0
15	SUPPOSITORY, INSERT	0
16	TODAY SPONGE	0
17	IUD, COIL, LOOP	0
18	EMERGENCY CONTRACEPTION	0
19	OTHER METHOD	0
20	RESPONDENT STERILE (ASIDE FROM STERILIZING OPERATION ABOVE)	0
21	RESPONDENT'S PARTNER STERILE (ASIDE FROM VASECTOMY ABOVE)	0
22	LUNELLE INJECTABLE	0
23	CONTRACEPTIVE PATCH	0
95	NEVER USED A METHOD	154
96	DID NOT USE A METHOD AT 1ST INTERCOURSE	2486
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male ([HADSEX](#)=1) and R used a fourth method at first sex (mthfstsx04 not blank)

***MTHUSE12*** (4544 - 4545)

Whether used any contraceptive method at last sex in past 12 months

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	1624
1	USED A METHOD	4408
2	DID NOT USE A METHOD	1514
95	NEVER USED A METHOD	97
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had sexual intercourse with an opposite-sex

**NSFG Cycle 6 Female Respondent File Section Recodes**

partner in the last 12 months ([PARTS1YR](#) > 0)

**METH12M1** (4546 - 4547)

Contraceptive method used at last sex past 12 mos: 1st mentioned

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	3235
1	PILL	1335
2	CONDOM	1222
3	PARTNER'S VASECTOMY	333
4	FEMALE STERILIZING OPERATION/TUBAL LIGATION	769
5	WITHDRAWAL	270
6	DEPO-PROVERA, INJECTABLES	225
7	NORPLANT	17
8	RHYTHM OR SAFE PERIOD BY CALENDAR	47
9	SAFE PERIOD BY TEMP OR CERVICAL MUCUS, NATURAL FAMILY PLANNING	11
10	DIAPHRAGM	10
11	FEMALE CONDOM, VAGINAL POUCH	2
12	FOAM	5
13	JELLY OR CREAM	5
14	CERVICAL CAP	1
15	SUPPOSITORY, INSERT	5
16	TODAY SPONGE	1
17	IUD, COIL, LOOP	85
18	EMERGENCY CONTRACEPTION	5
19	OTHER METHOD	7
20	RESPONDENT STERILE (ASIDE FROM STERILIZING OPERATION ABOVE)	10
21	RESPONDENT'S PARTNER STERILE (ASIDE FROM VASECTOMY ABOVE)	17
22	LUNELLE INJECTABLE	8
23	CONTRACEPTIVE PATCH	18
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons ([PARTS1YR](#) > 0) and used a method at last sex in the past 12 mons ([MTHUSE12](#)=1)

**METH12M2** (4548 - 4549)

NSFG Cycle 6 Female Respondent File Section Recodes

Contraceptive method used at last sex past 12 mos: 2nd mentioned

Value	Label	Total
.	INAPPLICABLE	7019
1	PILL	20
2	CONDOM	288
3	PARTNER'S VASECTOMY	12
4	FEMALE STERILIZING OPERATION/TUBAL LIGATION	86
5	WITHDRAWAL	108
6	DEPO-PROVERA, INJECTABLES	35
7	NORPLANT	1
8	RHYTHM OR SAFE PERIOD BY CALENDAR	27
9	SAFE PERIOD BY TEMP OR CERVICAL MUCUS, NATURAL FAMILY PLANNING	3
10	DIAPHRAGM	6
11	FEMALE CONDOM, VAGINAL POUCH	0
12	FOAM	5
13	JELLY OR CREAM	9
14	CERVICAL CAP	0
15	SUPPOSITORY, INSERT	6
16	TODAY SPONGE	0
17	IUD, COIL, LOOP	4
18	EMERGENCY CONTRACEPTION	0
19	OTHER METHOD	0
20	RESPONDENT STERILE (ASIDE FROM STERILIZING OPERATION ABOVE)	5
21	RESPONDENT'S PARTNER STERILE (ASIDE FROM VASECTOMY ABOVE)	2
22	LUNELLE INJECTABLE	1
23	CONTRACEPTIVE PATCH	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons ([PARTS1YR](#) > 0) and used more than one method at last sex in the past 12 mons (mthfstsx02 not blank)

**METH12M3** (4550 - 4551)

Contraceptive method used at last sex past 12 mos: 3rd mentioned

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7609
1	PILL	3
2	CONDOM	1
3	PARTNER'S VASECTOMY	0
4	FEMALE STERILIZING OPERATION/TUBAL LIGATION	1
5	WITHDRAWAL	9
6	DEPO-PROVERA, INJECTABLES	2
7	NORPLANT	0
8	RHYTHM OR SAFE PERIOD BY CALENDAR	9
9	SAFE PERIOD BY TEMP OR CERVICAL MUCUS, NATURAL FAMILY PLANNING	2
10	DIAPHRAGM	0
11	FEMALE CONDOM, VAGINAL POUCH	1
12	FOAM	0
13	JELLY OR CREAM	6
14	CERVICAL CAP	0
15	SUPPOSITORY, INSERT	0
16	TODAY SPONGE	0
17	IUD, COIL, LOOP	0
18	EMERGENCY CONTRACEPTION	0
19	OTHER METHOD	0
20	RESPONDENT STERILE (ASIDE FROM STERILIZING OPERATION ABOVE)	0
21	RESPONDENT'S PARTNER STERILE (ASIDE FROM VASECTOMY ABOVE)	0
22	LUNELLE INJECTABLE	0
23	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons ([PARTS1YR](#) > 0) and used more than two methods at last sex in the past 12 mons (mthfstsx03 not blank)

***METH12M4*** (4552 - 4553)

Contraceptive method used at last sex past 12 mos: 4th mentioned

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7637
1	PILL	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

2	CONDOM	0
3	PARTNER'S VASECTOMY	0
4	FEMALE STERILIZING OPERATION/TUBAL LIGATION	0
5	WITHDRAWAL	0
6	DEPO-PROVERA, INJECTABLES	0
7	NORPLANT	0
8	RHYTHM OR SAFE PERIOD BY CALENDAR	4
9	SAFE PERIOD BY TEMP OR CERVICAL MUCUS, NATURAL FAMILY PLANNING	0
10	DIAPHRAGM	0
11	FEMALE CONDOM, VAGINAL POUCH	0
12	FOAM	1
13	JELLY OR CREAM	0
14	CERVICAL CAP	0
15	SUPPOSITORY, INSERT	1
16	TODAY SPONGE	0
17	IUD, COIL, LOOP	0
18	EMERGENCY CONTRACEPTION	0
19	OTHER METHOD	0
20	RESPONDENT STERILE (ASIDE FROM STERILIZING OPERATION ABOVE)	0
21	RESPONDENT'S PARTNER STERILE (ASIDE FROM VASECTOMY ABOVE)	0
22	LUNELLE INJECTABLE	0
23	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons ([PARTS1YR](#) > 0) and used more than three methods at last sex in the past 12 mons (mthfstsx04 not blank)

**MTHUSE3** (4554 - 4555)

Whether used any contraceptive method at last sex in past 3 mos

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	2219
1	USED A METHOD AT LAST INTERCOURSE IN PAST 3 MONTHS	3994
2	DID NOT USE A METHOD AT LAST INTERCOURSE IN PAST 3 MONTHS	1348
95	NEVER USED A METHOD	82

NSFG Cycle 6 Female Respondent File Section Recodes

Total

7643

**Universe:**

Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 months ([SEX3MO=1](#))

**METH3M1** (4556 - 4557)

Contraceptive method used last sex past 3 mos: 1st mentioned

Value	Label	Total
.	INAPPLICABLE	3649
1	PILL	1212
2	CONDOM	1035
3	PARTNER'S VASECTOMY	320
4	FEMALE STERILIZING OPERATION/TUBAL LIGATION	729
5	WITHDRAWAL	252
6	DEPO-PROVERA, INJECTABLES	206
7	NORPLANT	15
8	RHYTHM OR SAFE PERIOD BY CALENDAR	44
9	SAFE PERIOD BY TEMP OR CERV MUCUS TEST	11
10	DIAPHRAGM	10
11	FEMALE CONDOM, VAGINAL POUCH	2
12	FOAM	5
13	JELLY OR CREAM	5
14	CERVICAL CAP	1
15	SUPPOSITORY, INSERT	5
16	TODAY SPONGE	1
17	IUD, COIL, LOOP	81
18	EMERGENCY CONTRACEPTION	4
19	OTHER METHOD	6
20	RESPONDENT STERILE (ASIDE FROM OP ABOVE)	9
21	R'S PARTNER STERILE (ASIDE FROM OP ABOVE)	15
22	LUNELLE INJECTABLE	8
23	CONTRACEPTIVE PATCH	18
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had sexual intercourse with an opposite-sex

**NSFG Cycle 6 Female Respondent File Section Recodes**

partner in the last 3 mons ([SEX3MO=1](#)) and used a method at last sex in the past 3 mons ([MTHUSE3=1](#))

**METH3M2** (4558 - 4559)

Contraceptive method used last sex past 3 mos: 2nd mentioned

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7113
1	PILL	17
2	CONDOM	238
3	PARTNER'S VASECTOMY	12
4	FEMALE STERILIZING OPERATION/TUBAL LIGATION	77
5	WITHDRAWAL	94
6	DEPO-PROVERA, INJECTABLES	26
7	NORPLANT	1
8	RHYTHM OR SAFE PERIOD BY CALENDAR	24
9	SAFE PERIOD BY TEMP OR CERV MUCUS TEST	3
10	DIAPHRAGM	5
11	FEMALE CONDOM, VAGINAL POUCH	0
12	FOAM	5
13	JELLY OR CREAM	8
14	CERVICAL CAP	0
15	SUPPOSITORY, INSERT	4
16	TODAY SPONGE	0
17	IUD, COIL, LOOP	3
18	EMERGENCY CONTRACEPTION	0
19	OTHER METHOD	0
20	RESPONDENT STERILE (ASIDE FROM OP ABOVE)	5
21	R'S PARTNER STERILE (ASIDE FROM OP ABOVE)	2
22	LUNELLE INJECTABLE	0
23	CONTRACEPTIVE PATCH	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons ([SEX3MO=1](#)) and used a second method at last sex in the past 3 mons (mthfstsx02 not blank or EF-2 LSTMTHP02 not blank)

NSFG Cycle 6 Female Respondent File Section Recodes

**METH3M3** (4560 - 4561)

Contraceptive method used last sex past 3 mos: 3rd mentioned

Value	Label	Total
.	INAPPLICABLE	7610
1	PILL	3
2	CONDOM	1
3	PARTNER'S VASECTOMY	0
4	FEMALE STERILIZING OPERATION/TUBAL LIGATION	1
5	WITHDRAWAL	9
6	DEPO-PROVERA, INJECTABLES	2
7	NORPLANT	0
8	RHYTHM OR SAFE PERIOD BY CALENDAR	8
9	SAFE PERIOD BY TEMP OR CERV MUCUS TEST	2
10	DIAPHRAGM	0
11	FEMALE CONDOM, VAGINAL POUCH	1
12	FOAM	0
13	JELLY OR CREAM	6
14	CERVICAL CAP	0
15	SUPPOSITORY, INSERT	0
16	TODAY SPONGE	0
17	IUD, COIL, LOOP	0
18	EMERGENCY CONTRACEPTION	0
19	OTHER METHOD	0
20	RESPONDENT STERILE (ASIDE FROM OP ABOVE)	0
21	R'S PARTNER STERILE (ASIDE FROM OP ABOVE)	0
22	LUNELLE INJECTABLE	0
23	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons ([SEX3MO=1](#)) and used a third method at last sex in the past 3 mons (mthfstsx03 not blank or EF-2 LSTMTHP03 not blank)

**METH3M4** (4562 - 4563)



**NSFG Cycle 6 Female Respondent File Section Recodes**

Contraceptive method used last sex past 3 mos: 4th mentioned

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7637
1	PILL	0
2	CONDOM	0
3	PARTNER'S VASECTOMY	0
4	FEMALE STERILIZING OPERATION/TUBAL LIGATION	0
5	WITHDRAWAL	0
6	DEPO-PROVERA, INJECTABLES	0
7	NORPLANT	0
8	RHYTHM OR SAFE PERIOD BY CALENDAR	4
9	SAFE PERIOD BY TEMP OR CERV MUCUS TEST	0
10	DIAPHRAGM	0
11	FEMALE CONDOM, VAGINAL POUCH	0
12	FOAM	1
13	JELLY OR CREAM	0
14	CERVICAL CAP	0
15	SUPPOSITORY, INSERT	1
16	TODAY SPONGE	0
17	IUD, COIL, LOOP	0
18	EMERGENCY CONTRACEPTION	0
19	OTHER METHOD	0
20	RESPONDENT STERILE (ASIDE FROM OP ABOVE)	0
21	R'S PARTNER STERILE (ASIDE FROM OP ABOVE)	0
22	LUNELLE INJECTABLE	0
23	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons ([SEX3MO](#)=1) and used a fourth method at last sex in the past 3 mons (mthfstsx04 not blank or EF-2 LSTMTHP04 not blank)

***NUMP3MOS*** (4564 - 4565)

Number of male partners in last 3 mos

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	858
0	NONE	1361
1	1 PARTNER	5183
2-95	2 OR MORE PARTNERS	241
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***FMETHOD1*** (4566 - 4567)

First method ever used: 1st mentioned

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	879
1	PILL	2847
2	CONDOM	2983
3	PARTNER'S VASECTOMY	14
4	FEMALE STERILIZING OPERATION/TUBAL LIGATION	36
5	WITHDRAWAL	455
6	DEPO-PROVERA, INJECTABLES	133
7	NORPLANT (TM)	12
8	RHYTHM OR SAFE PERIOD BY CALENDAR	59
9	SAFE PERIOD BY TEMP OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	11
10	DIAPHRAGM	24
11	FEMALE CONDOM, VAGINAL POUCH	1
12	FOAM	41
13	JELLY OR CREAM	7
14	CERVICAL CAP	1
15	SUPPOSITORY, INSERT	16
16	TODAY SPONGE	13
17	IUD, COIL, LOOP	57
18	EMERGENCY CONTRACEPTION	10
19	OTHER METHOD	26
20	RESPONDENT STERILE (ASIDE FROM OPERATION ABOVE)	3
21	RESPONDENT'S PARTNER STERILE (ASIDE FROM VASECTOMY ABOVE)	4
22	LUNELLE INJECTABLE	9
23	CONTRACEPTIVE PATCH	2

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Total**

**7643**

**Universe:**

Applicable if R has ever used a contraceptive method ([ANYMTHD=1](#))

***FMETHOD2*** (4568 - 4569)

First method ever used: 2nd mentioned

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	6754
1	PILL	87
2	CONDOM	572
3	PARTNER'S VASECTOMY	0
4	FEMALE STERILIZING OPERATION/TUBAL LIGATION	2
5	WITHDRAWAL	105
6	DEPO-PROVERA, INJECTABLES	25
7	NORPLANT (TM)	1
8	RHYTHM OR SAFE PERIOD BY CALENDAR	16
9	SAFE PERIOD BY TEMP OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	2
10	DIAPHRAGM	5
11	FEMALE CONDOM, VAGINAL POUCH	2
12	FOAM	29
13	JELLY OR CREAM	13
14	CERVICAL CAP	0
15	SUPPOSITORY, INSERT	10
16	TODAY SPONGE	6
17	IUD, COIL, LOOP	7
18	EMERGENCY CONTRACEPTION	5
19	OTHER METHOD	0
20	RESPONDENT STERILE (ASIDE FROM OPERATION ABOVE)	1
21	RESPONDENT'S PARTNER STERILE (ASIDE FROM VASECTOMY ABOVE)	1
22	LUNELLE INJECTABLE	0
23	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever used a contraceptive method ([ANYMTHD=1](#)) and used a 2nd method the first time (EB-1 FIRSMETH02 not blank)

NSFG Cycle 6 Female Respondent File Section Recodes

**FMETHOD3** (4570 - 4571)

First method ever used: 3rd mentioned

Value	Label	Total
.	INAPPLICABLE	7586
1	PILL	3
2	CONDOM	3
3	PARTNER'S VASECTOMY	1
4	FEMALE STERILIZING OPERATION/TUBAL LIGATION	2
5	WITHDRAWAL	22
6	DEPO-PROVERA, INJECTABLES	7
7	NORPLANT (TM)	0
8	RHYTHM OR SAFE PERIOD BY CALENDAR	5
9	SAFE PERIOD BY TEMP OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	1
10	DIAPHRAGM	0
11	FEMALE CONDOM, VAGINAL POUCH	3
12	FOAM	3
13	JELLY OR CREAM	4
14	CERVICAL CAP	0
15	SUPPOSITORY, INSERT	1
16	TODAY SPONGE	0
17	IUD, COIL, LOOP	0
18	EMERGENCY CONTRACEPTION	2
19	OTHER METHOD	0
20	RESPONDENT STERILE (ASIDE FROM OPERATION ABOVE)	0
21	RESPONDENT'S PARTNER STERILE (ASIDE FROM VASECTOMY ABOVE)	0
22	LUNELLE INJECTABLE	0
23	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever used a contraceptive method ([ANYMTHD=1](#)) and used a 3rd method the first time (EB-1 FIRSMETH03 not blank)

**FMETHOD4** (4572 - 4573)

First method ever used: 4th mentioned

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7631
1	PILL	1
2	CONDOM	1
3	PARTNER'S VASECTOMY	0
4	FEMALE STERILIZING OPERATION/TUBAL LIGATION	0
5	WITHDRAWAL	1
6	DEPO-PROVERA, INJECTABLES	0
7	NORPLANT (TM)	0
8	RHYTHM OR SAFE PERIOD BY CALENDAR	4
9	SAFE PERIOD BY TEMP OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	0
10	DIAPHRAGM	0
11	FEMALE CONDOM, VAGINAL POUCH	0
12	FOAM	1
13	JELLY OR CREAM	2
14	CERVICAL CAP	0
15	SUPPOSITORY, INSERT	0
16	TODAY SPONGE	0
17	IUD, COIL, LOOP	1
18	EMERGENCY CONTRACEPTION	1
19	OTHER METHOD	0
20	RESPONDENT STERILE (ASIDE FROM OPERATION ABOVE)	0
21	RESPONDENT'S PARTNER STERILE (ASIDE FROM VASECTOMY ABOVE)	0
22	LUNELLE INJECTABLE	0
23	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever used a contraceptive method ([ANYMTHD=1](#)) and used a 4th method the first time (EB-1 FIRSMETH04 not blank)

**DATEUSE1** (4574 - 4578)

Date R used first method for the first time

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	1012
301-1164	BEFORE 1997	5104

**NSFG Cycle 6 Female Respondent File Section Recodes**

1165-1239	JANUARY 1997 OR LATER	1426
9301-91164	BEFORE 1997 (ESTIMATED)	91
91165-91239	JANUARY 1997 OR LATER (ESTIMATED)	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male ([HADSEX=1](#)) and has ever used a contraceptive method ([ANYMTHD=1](#))

**SOURCEM1** (4579 - 4580)

Source of method used in month prior to interview (1st method)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5365
1	CLINIC: TITLE X=YES; HEALTH DEPARTMENT=YES	101
2	CLINIC: TITLE X=YES; HEALTH DEPARTMENT =NO	105
3	CLINIC: TITLE X=NO; HEALTH DEPARTMENT=YES	15
4	CLINIC: TITLE X=NO; HEALTH DEPARTMENT=NO	113
5	CLINIC: TITLE X=YES; AGENCY UNKNOWN	25
6	CLINIC: TITLE X=NO; AGENCY UNKNOWN	105
7	EMPLOYER OR COMPANY CLINIC	11
8	PRIVATE DOCTOR'S OFFICE OR HMO	962
9	SOME OTHER PLACE	184
10	FRIEND	16
11	PARTNER OR SPOUSE	149
12	DRUG STORE	492
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used a method in the month before interview that was a drug or device (ED-6 METHHISTnnnn = 3,4,8,9,12,13,14,15,16,17,18,19,20,24, or 25)

**SOURCEM2** (4581 - 4582)

Source of method used in month prior to interview (2nd method)

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section Recodes**

.	inapplicable	7389
1	CLINIC: TITLE X=YES; HEALTH DEPARTMENT=YES	12
2	CLINIC: TITLE X=YES; HEALTH DEPARTMENT =NO	15
3	CLINIC: TITLE X=NO; HEALTH DEPARTMENT=YES	2
4	CLINIC: TITLE X=NO; HEALTH DEPARTMENT=NO	13
5	CLINIC: TITLE X=YES; AGENCY UNKNOWN	2
6	CLINIC: TITLE X=NO; AGENCY UNKNOWN	6
7	EMPLOYER OR COMPANY CLINIC	0
8	PRIVATE DOCTOR'S OFFICE OR HMO	42
9	SOME OTHER PLACE	10
10	FRIEND	0
11	PARTNER OR SPOUSE	55
12	DRUG STORE	97
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used a 2nd method in the month before interview that was a drug or device (ED-6 METHHISTnnnn = 3,4,8,9,12,13,14,15,16,17,18,19,20,24, or 25)

**SOURCEM3** (4583 - 4584)

Source of method used in month prior to interview (3rd method)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	7631
1	CLINIC: TITLE X=YES; HEALTH DEPARTMENT=YES	10
2	CLINIC: TITLE X=YES; HEALTH DEPARTMENT =NO	0
3	CLINIC: TITLE X=NO; HEALTH DEPARTMENT=YES	0
4	CLINIC: TITLE X=NO; HEALTH DEPARTMENT=NO	0
5	CLINIC: TITLE X=YES; AGENCY UNKNOWN	0
6	CLINIC: TITLE X=NO; AGENCY UNKNOWN	0
7	EMPLOYER OR COMPANY CLINIC	0
8	PRIVATE DOCTOR'S OFFICE OR HMO	0
9	SOME OTHER PLACE	0
10	FRIEND	0
11	PARTNER OR SPOUSE	0
12	DRUG STORE	2
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Universe:**

Applicable if R used a 3rd method in the month before interview that was a drug or device (ED-6 METHHISTnnnn = 3,4,8,9,12,13,14,15,16,17,18,19,20,24, or 25)

**SOURCEM4** (4585 - 4585)

Source of method used in month prior to interview (4th method)

<b>Value Label</b>	<b>Total</b>
. inapplicable	7643
1 CLINIC: TITLE X=YES; HEALTH DEPARTMENT=YES	0
2 CLINIC: TITLE X=YES; HEALTH DEPARTMENT =NO	0
3 CLINIC: TITLE X=NO; HEALTH DEPARTMENT=YES	0
4 CLINIC: TITLE X=NO; HEALTH DEPARTMENT=NO	0
5 CLINIC: TITLE X=YES; AGENCY UNKNOWN	0
6 CLINIC: TITLE X=NO; AGENCY UNKNOWN	0
7 EMPLOYER OR COMPANY CLINIC	0
8 PRIVATE DOCTOR'S OFFICE OR HMO	0
9 SOME OTHER PLACE	0
10 FRIEND	0
11 PARTNER OR SPOUSE	0
12 DRUG STORE	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R used a 4th method in the month before interview that was a drug or device (ED-6 METHHISTnnnn = 3,4,8,9,12,13,14,15,16,17,18,19,20,24, or 25)

**OLDWP01** (4586 - 4586)

Wantedness of 1st pregnancy--R's partner--cycle 4 version

<b>Value Label</b>	<b>Total</b>
. INAPPLICABLE	2610
1 LATER, OVERDUE	289
2 RIGHT TIME	1980



**NSFG Cycle 6 Female Respondent File Section Recodes**

3	TOO SOON, MISTIMED	1241
4	DIDN'T CARE, INDIFFERENT	86
5	UNWANTED	1076
6	DON'T KNOW, NOT SURE	361
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been pregnant ([PREGNUM](#) > 0)

**OLDWP02** (4587 - 4587)

Wantedness of 2nd pregnancy--R's partner--cycle 4 version

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3877
1	LATER, OVERDUE	227
2	RIGHT TIME	1973
3	TOO SOON, MISTIMED	673
4	DIDN'T CARE, INDIFFERENT	66
5	UNWANTED	641
6	DON'T KNOW, NOT SURE	186
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 2 times ([PREGNUM](#) > 1)

**OLDWP03** (4588 - 4588)

Wantedness of 3rd pregnancy--R's partner--cycle 4 version

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	5309
1	LATER, OVERDUE	136
2	RIGHT TIME	1160
3	TOO SOON, MISTIMED	367
4	DIDN'T CARE, INDIFFERENT	39
5	UNWANTED	504
6	DON'T KNOW, NOT SURE	128

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Total** **7643**

**Universe:**

Applicable if R has been pregnant at least 3 times ([PREGNUM](#) > 2)

**OLDWP04** (4589 - 4589)

Wantedness of 4th pregnancy--R's partner--cycle 4 version

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	6419
1	LATER, OVERDUE	71
2	RIGHT TIME	602
3	TOO SOON, MISTIMED	191
4	DIDN'T CARE, INDIFFERENT	26
5	UNWANTED	271
6	DON'T KNOW, NOT SURE	63
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 4 times ([PREGNUM](#) > 3)

**OLDWP05** (4590 - 4590)

Wantedness of 5th pregnancy--R's partner--cycle 4 version

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7030
1	LATER, OVERDUE	30
2	RIGHT TIME	281
3	TOO SOON, MISTIMED	94
4	DIDN'T CARE, INDIFFERENT	9
5	UNWANTED	160
6	DON'T KNOW, NOT SURE	39
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 5 times ([PREGNUM](#) > 4)

NSFG Cycle 6 Female Respondent File Section Recodes

**OLDWP06** (4591 - 4591)

Wantedness of 6th pregnancy--R's partner--cycle 4 version

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7335
1	LATER, OVERDUE	14
2	RIGHT TIME	140
3	TOO SOON, MISTIMED	33
4	DIDN'T CARE, INDIFFERENT	10
5	UNWANTED	89
6	DON'T KNOW, NOT SURE	22
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 6 times ([PREGNUM](#) > 5)

**OLDWP07** (4592 - 4592)

Wantedness of 7th pregnancy--R's partner--cycle 4 version

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7485
1	LATER, OVERDUE	9
2	RIGHT TIME	64
3	TOO SOON, MISTIMED	25
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	48
6	DON'T KNOW, NOT SURE	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 7 times ([PREGNUM](#) > 6)

**OLDWP08** (4593 - 4593)

Wantedness of 8th pregnancy--R's partner--cycle 4 version

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7565
1	LATER, OVERDUE	2
2	RIGHT TIME	35
3	TOO SOON, MISTIMED	15
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	18
6	DON'T KNOW, NOT SURE	7
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 8 times ([PREGNUM](#) > 7)

**OLDWP09** (4594 - 4594)

Wantedness of 9th pregnancy--R's partner--cycle 4 version

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7605
1	LATER, OVERDUE	4
2	RIGHT TIME	17
3	TOO SOON, MISTIMED	5
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	11
6	DON'T KNOW, NOT SURE	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 9 times ([PREGNUM](#) > 8)

**OLDWP10** (4595 - 4595)

Wantedness of 10th pregnancy--R's partner--cycle 4 version

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7626
1	LATER, OVERDUE	1
2	RIGHT TIME	7

**NSFG Cycle 6 Female Respondent File Section Recodes**

3	TOO SOON, MISTIMED	2
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	7
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 10 times ([PREGNUM](#) > 9)

**OLDWP11** (4596 - 4596)

Wantedness of 11th pregnancy--R's partner--cycle 4 version

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7635
1	LATER, OVERDUE	0
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	3
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	3
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 11 times ([PREGNUM](#) > 10)

**OLDWP12** (4597 - 4597)

Wantedness of 12th pregnancy--R's partner--cycle 4 version

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7638
1	LATER, OVERDUE	0
2	RIGHT TIME	3
3	TOO SOON, MISTIMED	0
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	2
6	DON'T KNOW, NOT SURE	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Total** 7643

**Universe:**

Applicable if R has been pregnant at least 12 times ([PREGNUM](#) > 11)

**OLDWP13** (4598 - 4598)

Wantedness of 13th pregnancy--R's partner--cycle 4 version

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7640
1	LATER, OVERDUE	0
2	RIGHT TIME	2
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 13 times ([PREGNUM](#) > 12)

**OLDWP14** (4599 - 4599)

Wantedness of 14th pregnancy--R's partner--cycle 4 version

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7640
1	LATER, OVERDUE	0
2	RIGHT TIME	2
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 14 times ([PREGNUM](#) > 13)

NSFG Cycle 6 Female Respondent File Section Recodes

**OLDWP15** (4600 - 4600)

Wantedness of 15th pregnancy--R's partner--cycle 4 version

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	0
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 15 times ([PREGNUM](#) > 14)

**OLDWP16** (4601 - 4601)

Wantedness of 16th pregnancy--R's partner--cycle 4 version

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	0
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 16 times ([PREGNUM](#) > 15)

**OLDWP17** (4602 - 4602)

Wantedness of 17th pregnancy--R's partner--cycle 4 version

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value Label</b>	<b>Total</b>
. INAPPLICABLE	7642
1 LATER, OVERDUE	0
2 RIGHT TIME	1
3 TOO SOON, MISTIMED	0
4 DIDN'T CARE, INDIFFERENT	0
5 UNWANTED	0
6 DON'T KNOW, NOT SURE	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 17 times ([PREGNUM](#) > 16)

**OLDWP18** (4603 - 4603)

Wantedness of 18th pregnancy--R's partner--cycle 4 version

<b>Value Label</b>	<b>Total</b>
. INAPPLICABLE	7642
1 LATER, OVERDUE	0
2 RIGHT TIME	1
3 TOO SOON, MISTIMED	0
4 DIDN'T CARE, INDIFFERENT	0
5 UNWANTED	0
6 DON'T KNOW, NOT SURE	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 18 times ([PREGNUM](#) > 17)

**OLDWP19** (4604 - 4604)

Wantedness of 19th pregnancy--R's partner--cycle 4 version

<b>Value Label</b>	<b>Total</b>
. INAPPLICABLE	7642
1 LATER, OVERDUE	0
2 RIGHT TIME	1



**NSFG Cycle 6 Female Respondent File Section Recodes**

3	TOO SOON, MISTIMED	0
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 19 times ([PREGNUM](#) > 18)

**OLDWR01** (4605 - 4605)

Wantedness of 1st pregnancy--Respondent--cycle 4 version

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	2610
1	LATER, OVERDUE	334
2	RIGHT TIME	1790
3	TOO SOON, MISTIMED	2074
4	DIDN'T CARE, INDIFFERENT	81
5	UNWANTED	746
6	DON'T KNOW, NOT SURE	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been pregnant ([PREGNUM](#) > 0)

**OLDWR02** (4606 - 4606)

Wantedness of 2nd pregnancy--Respondent--cycle 4 version

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	3877
1	LATER, OVERDUE	239
2	RIGHT TIME	1890
3	TOO SOON, MISTIMED	956
4	DIDN'T CARE, INDIFFERENT	57
5	UNWANTED	616
6	DON'T KNOW, NOT SURE	8

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Total** **7643**

**Universe:**

Applicable if R has been pregnant at least 2 times ([PREGNUM](#) > 1)

**OLDWR03** (4607 - 4607)

Wantedness of 3rd pregnancy--Respondent--cycle 4 version

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	5309
1	LATER, OVERDUE	122
2	RIGHT TIME	1147
3	TOO SOON, MISTIMED	499
4	DIDN'T CARE, INDIFFERENT	34
5	UNWANTED	523
6	DON'T KNOW, NOT SURE	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 3 times ([PREGNUM](#) > 2)

**OLDWR04** (4608 - 4608)

Wantedness of 4th pregnancy--Respondent--cycle 4 version

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	6419
1	LATER, OVERDUE	68
2	RIGHT TIME	563
3	TOO SOON, MISTIMED	223
4	DIDN'T CARE, INDIFFERENT	22
5	UNWANTED	338
6	DON'T KNOW, NOT SURE	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 4 times ([PREGNUM](#) > 3)

NSFG Cycle 6 Female Respondent File Section Recodes

**OLDWR05** (4609 - 4609)

Wantedness of 5th pregnancy--Respondent--cycle 4 version

Value	Label	Total
.	INAPPLICABLE	7030
1	LATER, OVERDUE	28
2	RIGHT TIME	251
3	TOO SOON, MISTIMED	114
4	DIDN'T CARE, INDIFFERENT	7
5	UNWANTED	207
6	DON'T KNOW, NOT SURE	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 5 times ([PREGNUM](#) > 4)

**OLDWR06** (4610 - 4610)

Wantedness of 6th pregnancy--Respondent--cycle 4 version

Value	Label	Total
.	INAPPLICABLE	7335
1	LATER, OVERDUE	9
2	RIGHT TIME	125
3	TOO SOON, MISTIMED	45
4	DIDN'T CARE, INDIFFERENT	4
5	UNWANTED	122
6	DON'T KNOW, NOT SURE	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 6 times ([PREGNUM](#) > 5)

**OLDWR07** (4611 - 4611)

Wantedness of 7th pregnancy--Respondent--cycle 4 version

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7485
1	LATER, OVERDUE	8
2	RIGHT TIME	62
3	TOO SOON, MISTIMED	21
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	63
6	DON'T KNOW, NOT SURE	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 7 times ([PREGNUM](#) > 6)

**OLDWR08** (4612 - 4612)

Wantedness of 8th pregnancy--Respondent--cycle 4 version

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7565
1	LATER, OVERDUE	0
2	RIGHT TIME	38
3	TOO SOON, MISTIMED	9
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	27
6	DON'T KNOW, NOT SURE	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 8 times ([PREGNUM](#) > 7)

**OLDWR09** (4613 - 4613)

Wantedness of 9th pregnancy--Respondent--cycle 4 version

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7605
1	LATER, OVERDUE	1
2	RIGHT TIME	14

**NSFG Cycle 6 Female Respondent File Section Recodes**

3	TOO SOON, MISTIMED	6
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	17
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 9 times ([PREGNUM](#) > 8)

**OLDWR10** (4614 - 4614)

Wantedness of 10th pregnancy--Respondent--cycle 4 version

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7626
1	LATER, OVERDUE	2
2	RIGHT TIME	6
3	TOO SOON, MISTIMED	2
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	7
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 10 times ([PREGNUM](#) > 9)

**OLDWR11** (4615 - 4615)

Wantedness of 11th pregnancy--Respondent--cycle 4 version

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7635
1	LATER, OVERDUE	0
2	RIGHT TIME	0
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	6
6	DON'T KNOW, NOT SURE	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Total** **7643**

**Universe:**

Applicable if R has been pregnant at least 11 times ([PREGNUM](#) > 10)

**OLDWR12** (4616 - 4616)

Wantedness of 12th pregnancy--Respondent--cycle 4 version

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7638
1	LATER, OVERDUE	0
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	3
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 12 times ([PREGNUM](#) > 11)

**OLDWR13** (4617 - 4617)

Wantedness of 13th pregnancy--Respondent--cycle 4 version

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7640
1	LATER, OVERDUE	0
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	2
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 13 times ([PREGNUM](#) > 12)

NSFG Cycle 6 Female Respondent File Section Recodes

**OLDWR14** (4618 - 4618)

Wantedness of 14th pregnancy--Respondent--cycle 4 version

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7640
1	LATER, OVERDUE	0
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	2
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 14 times ([PREGNUM](#) > 13)

**OLDWR15** (4619 - 4619)

Wantedness of 15th pregnancy--Respondent--cycle 4 version

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	0
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 15 times ([PREGNUM](#) > 14)

**OLDWR16** (4620 - 4620)

Wantedness of 16th pregnancy--Respondent--cycle 4 version

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	0
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 16 times ([PREGNUM](#) > 15)

**OLDWR17** (4621 - 4621)

Wantedness of 17th pregnancy--Respondent--cycle 4 version

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	0
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 17 times ([PREGNUM](#) > 16)

**OLDWR18** (4622 - 4622)

Wantedness of 18th pregnancy--Respondent--cycle 4 version

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	0



**NSFG Cycle 6 Female Respondent File Section Recodes**

3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 18 times ([PREGNUM](#) > 17)

**OLDWR19** (4623 - 4623)

Wantedness of 19th pregnancy--Respondent--cycle 4 version

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	0
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 19 times ([PREGNUM](#) > 18)

**WANTRP01** (4624 - 4624)

Wantedness of 1st pregnancy--Respondent

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	2610
1	LATER, OVERDUE	334
2	RIGHT TIME	1790
3	TOO SOON, MISTIMED	2075
4	DIDN'T CARE, INDIFFERENT	81
5	UNWANTED	745
6	DON'T KNOW, NOT SURE	8

NSFG Cycle 6 Female Respondent File Section Recodes

Total 7643

**Universe:**

Applicable if R has ever been pregnant ([PREGNUM](#) > 0)

**WANTRP02** (4625 - 4625)

Wantedness of 2nd pregnancy--Respondent

Value	Label	Total
.	INAPPLICABLE	3877
1	LATER, OVERDUE	239
2	RIGHT TIME	1890
3	TOO SOON, MISTIMED	957
4	DIDN'T CARE, INDIFFERENT	57
5	UNWANTED	615
6	DON'T KNOW, NOT SURE	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 2 times ([PREGNUM](#) > 1)

**WANTRP03** (4626 - 4626)

Wantedness of 3rd pregnancy--Respondent

Value	Label	Total
.	INAPPLICABLE	5309
1	LATER, OVERDUE	122
2	RIGHT TIME	1147
3	TOO SOON, MISTIMED	499
4	DIDN'T CARE, INDIFFERENT	34
5	UNWANTED	523
6	DON'T KNOW, NOT SURE	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 3 times ([PREGNUM](#) > 2)

NSFG Cycle 6 Female Respondent File Section Recodes

**WANTRP04** (4627 - 4627)

Wantedness of 4th pregnancy--Respondent

Value	Label	Total
.	INAPPLICABLE	6419
1	LATER, OVERDUE	68
2	RIGHT TIME	563
3	TOO SOON, MISTIMED	223
4	DIDN'T CARE, INDIFFERENT	22
5	UNWANTED	338
6	DON'T KNOW, NOT SURE	10
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 4 times ([PREGNUM](#) > 3)

**WANTRP05** (4628 - 4628)

Wantedness of 5th pregnancy--Respondent

Value	Label	Total
.	INAPPLICABLE	7030
1	LATER, OVERDUE	28
2	RIGHT TIME	251
3	TOO SOON, MISTIMED	114
4	DIDN'T CARE, INDIFFERENT	7
5	UNWANTED	207
6	DON'T KNOW, NOT SURE	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 5 times ([PREGNUM](#) > 4)

**WANTRP06** (4629 - 4629)

Wantedness of 6th pregnancy--Respondent

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value Label</b>	<b>Total</b>
. INAPPLICABLE	7335
1 LATER, OVERDUE	9
2 RIGHT TIME	125
3 TOO SOON, MISTIMED	45
4 DIDN'T CARE, INDIFFERENT	4
5 UNWANTED	122
6 DON'T KNOW, NOT SURE	3
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 6 times ([PREGNUM](#) > 5)

**WANTRP07** (4630 - 4630)

Wantedness of 7th pregnancy--Respondent

<b>Value Label</b>	<b>Total</b>
. INAPPLICABLE	7485
1 LATER, OVERDUE	8
2 RIGHT TIME	62
3 TOO SOON, MISTIMED	21
4 DIDN'T CARE, INDIFFERENT	1
5 UNWANTED	63
6 DON'T KNOW, NOT SURE	3
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 7 times ([PREGNUM](#) > 6)

**WANTRP08** (4631 - 4631)

Wantedness of 8th pregnancy--Respondent

<b>Value Label</b>	<b>Total</b>
. INAPPLICABLE	7565
1 LATER, OVERDUE	0
2 RIGHT TIME	38

**NSFG Cycle 6 Female Respondent File Section Recodes**

3	TOO SOON, MISTIMED	9
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	27
6	DON'T KNOW, NOT SURE	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 8 times ([PREGNUM](#) > 7)

**WANTRP09** (4632 - 4632)

Wantedness of 9th pregnancy--Respondent

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7605
1	LATER, OVERDUE	1
2	RIGHT TIME	14
3	TOO SOON, MISTIMED	6
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	17
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 9 times ([PREGNUM](#) > 8)

**WANTRP10** (4633 - 4633)

Wantedness of 10th pregnancy--Respondent

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7626
1	LATER, OVERDUE	2
2	RIGHT TIME	6
3	TOO SOON, MISTIMED	2
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	7
6	DON'T KNOW, NOT SURE	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Total** **7643**

**Universe:**

Applicable if R has been pregnant at least 10 times ([PREGNUM](#) > 9)

**WANTRP11** (4634 - 4634)

Wantedness of 11th pregnancy--Respondent

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7635
1	LATER, OVERDUE	0
2	RIGHT TIME	0
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	6
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 11 times ([PREGNUM](#) > 10)

**WANTRP12** (4635 - 4635)

Wantedness of 12th pregnancy--Respondent

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7638
1	LATER, OVERDUE	0
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	3
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 12 times ([PREGNUM](#) > 11)

NSFG Cycle 6 Female Respondent File Section Recodes

**WANTRP13** (4636 - 4636)

Wantedness of 13th pregnancy--Respondent

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7640
1	LATER, OVERDUE	0
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	2
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 13 times ([PREGNUM](#) > 12)

**WANTRP14** (4637 - 4637)

Wantedness of 14th pregnancy--Respondent

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7640
1	LATER, OVERDUE	0
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	2
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 14 times ([PREGNUM](#) > 13)

**WANTRP15** (4638 - 4638)

Wantedness of 15th pregnancy--Respondent

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	0
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 15 times ([PREGNUM](#) > 14)

**WANTRP16** (4639 - 4639)

Wantedness of 16th pregnancy--Respondent

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	0
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 16 times ([PREGNUM](#) > 15)

**WANTRP17** (4640 - 4640)

Wantedness of 17th pregnancy--Respondent

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	0



**NSFG Cycle 6 Female Respondent File Section Recodes**

3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 17 times ([PREGNUM](#) > 16)

**WANTRP18** (4641 - 4641)

Wantedness of 18th pregnancy--Respondent

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	0
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 18 times ([PREGNUM](#) > 17)

**WANTRP19** (4642 - 4642)

Wantedness of 19th pregnancy--Respondent

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	0
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Total** **7643**

**Universe:**

Applicable if R has been pregnant at least 19 times ([PREGNUM](#) > 18)

**WANTP01** (4643 - 4643)

Wantedness of 1st pregnancy--R's partner

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	2610
1	LATER, OVERDUE	290
2	RIGHT TIME	1981
3	TOO SOON, MISTIMED	1244
4	DIDN'T CARE, INDIFFERENT	86
5	UNWANTED	1076
6	DON'T KNOW, NOT SURE	356
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever been pregnant ([PREGNUM](#) > 0)

**WANTP02** (4644 - 4644)

Wantedness of 1st pregnancy--R's partner

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	3877
1	LATER, OVERDUE	227
2	RIGHT TIME	1974
3	TOO SOON, MISTIMED	677
4	DIDN'T CARE, INDIFFERENT	67
5	UNWANTED	641
6	DON'T KNOW, NOT SURE	180
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 2 times ([PREGNUM](#) > 1)

NSFG Cycle 6 Female Respondent File Section Recodes

**WANTP03** (4645 - 4645)

Wantedness of 1st pregnancy--R's partner

Value	Label	Total
.	INAPPLICABLE	5309
1	LATER, OVERDUE	137
2	RIGHT TIME	1161
3	TOO SOON, MISTIMED	369
4	DIDN'T CARE, INDIFFERENT	42
5	UNWANTED	504
6	DON'T KNOW, NOT SURE	121
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 3 times ([PREGNUM](#) > 2)

**WANTP04** (4646 - 4646)

Wantedness of 1st pregnancy--R's partner

Value	Label	Total
.	INAPPLICABLE	6419
1	LATER, OVERDUE	71
2	RIGHT TIME	602
3	TOO SOON, MISTIMED	191
4	DIDN'T CARE, INDIFFERENT	27
5	UNWANTED	271
6	DON'T KNOW, NOT SURE	62
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 4 times ([PREGNUM](#) > 3)

**WANTP05** (4647 - 4647)

Wantedness of 1st pregnancy--R's partner

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value Label</b>	<b>Total</b>
. INAPPLICABLE	7030
1 LATER, OVERDUE	30
2 RIGHT TIME	281
3 TOO SOON, MISTIMED	97
4 DIDN'T CARE, INDIFFERENT	10
5 UNWANTED	160
6 DON'T KNOW, NOT SURE	35
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 5 times ([PREGNUM](#) > 4)

**WANTP06** (4648 - 4648)

Wantedness of 1st pregnancy--R's partner

<b>Value Label</b>	<b>Total</b>
. INAPPLICABLE	7335
1 LATER, OVERDUE	14
2 RIGHT TIME	140
3 TOO SOON, MISTIMED	33
4 DIDN'T CARE, INDIFFERENT	11
5 UNWANTED	90
6 DON'T KNOW, NOT SURE	20
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 6 times ([PREGNUM](#) > 5)

**WANTP07** (4649 - 4649)

Wantedness of 1st pregnancy--R's partner

<b>Value Label</b>	<b>Total</b>
. INAPPLICABLE	7485
1 LATER, OVERDUE	9
2 RIGHT TIME	64

**NSFG Cycle 6 Female Respondent File Section Recodes**

3	TOO SOON, MISTIMED	26
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	48
6	DON'T KNOW, NOT SURE	9
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 7 times ([PREGNUM](#) > 6)

**WANTP08** (4650 - 4650)

Wantedness of 1st pregnancy--R's partner

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7565
1	LATER, OVERDUE	2
2	RIGHT TIME	35
3	TOO SOON, MISTIMED	17
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	18
6	DON'T KNOW, NOT SURE	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 8 times ([PREGNUM](#) > 7)

**WANTP09** (4651 - 4651)

Wantedness of 1st pregnancy--R's partner

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7605
1	LATER, OVERDUE	4
2	RIGHT TIME	17
3	TOO SOON, MISTIMED	5
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	11
6	DON'T KNOW, NOT SURE	1

NSFG Cycle 6 Female Respondent File Section Recodes

Total 7643

**Universe:**

Applicable if R has been pregnant at least 9 times ([PREGNUM](#) > 8)

**WANTP10** (4652 - 4652)

Wantedness of 1st pregnancy--R's partner

Value	Label	Total
.	INAPPLICABLE	7626
1	LATER, OVERDUE	1
2	RIGHT TIME	7
3	TOO SOON, MISTIMED	2
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	7
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 10 times ([PREGNUM](#) > 9)

**WANTP11** (4653 - 4653)

Wantedness of 1st pregnancy--R's partner

Value	Label	Total
.	INAPPLICABLE	7635
1	LATER, OVERDUE	0
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	3
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	3
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 11 times ([PREGNUM](#) > 10)

NSFG Cycle 6 Female Respondent File Section Recodes

**WANTP12** (4654 - 4654)

Wantedness of 1st pregnancy--R's partner

Value	Label	Total
.	INAPPLICABLE	7638
1	LATER, OVERDUE	0
2	RIGHT TIME	3
3	TOO SOON, MISTIMED	0
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	2
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 12 times ([PREGNUM](#) > 11)

**WANTP13** (4655 - 4655)

Wantedness of 1st pregnancy--R's partner

Value	Label	Total
.	INAPPLICABLE	7640
1	LATER, OVERDUE	0
2	RIGHT TIME	2
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 13 times ([PREGNUM](#) > 12)

**WANTP14** (4656 - 4656)

Wantedness of 1st pregnancy--R's partner

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7640
1	LATER, OVERDUE	0
2	RIGHT TIME	2
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 14 times ([PREGNUM](#) > 13)

**WANTP15** (4657 - 4657)

Wantedness of 1st pregnancy--R's partner

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	0
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 15 times ([PREGNUM](#) > 14)

**WANTP16** (4658 - 4658)

Wantedness of 1st pregnancy--R's partner

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	1



**NSFG Cycle 6 Female Respondent File Section Recodes**

3	TOO SOON, MISTIMED	0
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 16 times ([PREGNUM](#) > 15)

**WANTP17** (4659 - 4659)

Wantedness of 1st pregnancy--R's partner

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	0
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 17 times ([PREGNUM](#) > 16)

**WANTP18** (4660 - 4660)

Wantedness of 1st pregnancy--R's partner

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	0
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Total** **7643**

**Universe:**

Applicable if R has been pregnant at least 18 times ([PREGNUM](#) > 17)

**WANTP19** (4661 - 4661)

Wantedness of 1st pregnancy--R's partner

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	7642
1	LATER, OVERDUE	0
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	0
4	DIDN'T CARE, INDIFFERENT	0
5	UNWANTED	0
6	DON'T KNOW, NOT SURE	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has been pregnant at least 19 times ([PREGNUM](#) > 18)

**WANTP5** (4662 - 4662)

Number of wanted pregnancies in the last 5 years

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	4820
0	NONE	422
1	1 PREGNANCY	1556
2	2 PREGNANCIES	620
3	3 PREGNANCIES	184
4-95	4 OR MORE PREGNANCIES	41
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R had a pregnancy within the past 5 years (DATEND is not blank and is within 60 months of cmintvw)

NSFG Cycle 6 Female Respondent File Section Recodes

**STRLOPER\_I** (4663 - 4663)

STRLOPER Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**FECUND\_I** (4664 - 4664)

FECUND Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**INFERT\_I** (4665 - 4665)

INFERT Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7615
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	28
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**ANYMTHD\_I** (4666 - 4666)

ANYMTHD Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**NOSEX12\_I** (4667 - 4667)

NOSEX12 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7502
1	MULTIPLE REGRESSION IMPUTATION	76
2	LOGICAL IMPUTATION	65
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SEXP3MO\_I** (4668 - 4668)

SEXP3MO Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7580
1	MULTIPLE REGRESSION IMPUTATION	63
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**SEX3MO\_I** (4669 - 4669)

SEX3MO Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7567
1	MULTIPLE REGRESSION IMPUTATION	74
2	LOGICAL IMPUTATION	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**CONSTAT1\_I** (4670 - 4670)

CONSTAT1 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7588
1	MULTIPLE REGRESSION IMPUTATION	30
2	LOGICAL IMPUTATION	25
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**CONSTAT2\_I** (4671 - 4671)

CONSTAT2 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7588
1	MULTIPLE REGRESSION IMPUTATION	50
2	LOGICAL IMPUTATION	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**CONSTAT3\_I** (4672 - 4672)

CONSTAT3 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7588
1 MULTIPLE REGRESSION IMPUTATION	55
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**CONSTAT4\_I** (4673 - 4673)

CONSTAT4 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7588
1 MULTIPLE REGRESSION IMPUTATION	55
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**PILLR\_I** (4674 - 4674)

PILLR Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1 MULTIPLE REGRESSION IMPUTATION	7
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**CONDOMR\_I** (4675 - 4675)

CONDOMR Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7638
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SEX1MTHD1\_I** (4676 - 4676)

SEX1MTHD1 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7586
1	MULTIPLE REGRESSION IMPUTATION	35
2	LOGICAL IMPUTATION	22
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SEX1MTHD2\_I** (4677 - 4677)

SEX1MTHD2 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7589
1	MULTIPLE REGRESSION IMPUTATION	54
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**SEX1MTHD3\_I** (4678 - 4678)

SEX1MTHD3 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7589
1	MULTIPLE REGRESSION IMPUTATION	54
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SEX1MTHD4\_I** (4679 - 4679)

SEX1MTHD4 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7589
1	MULTIPLE REGRESSION IMPUTATION	54
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MTHUSE12\_I** (4680 - 4680)

MTHUSE12 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7611
1	MULTIPLE REGRESSION IMPUTATION	32
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**



NSFG Cycle 6 Female Respondent File Section Recodes

Applicable for all respondents

**METH12M1\_I** (4681 - 4681)

METH12M1 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7606
1	MULTIPLE REGRESSION IMPUTATION	35
2	LOGICAL IMPUTATION	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**METH12M2\_I** (4682 - 4682)

METH12M2 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7606
1	MULTIPLE REGRESSION IMPUTATION	35
2	LOGICAL IMPUTATION	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**METH12M3\_I** (4683 - 4683)

METH12M3 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7606
1	MULTIPLE REGRESSION IMPUTATION	37
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable for all respondents

**METH12M4\_I** (4684 - 4684)

METH12M4 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7606
1	MULTIPLE REGRESSION IMPUTATION	37
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**MTHUSE3\_I** (4685 - 4685)

MTHUSE3 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7562
1	MULTIPLE REGRESSION IMPUTATION	79
2	LOGICAL IMPUTATION	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**METH3M1\_I** (4686 - 4686)

METH3M1 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7568
1	MULTIPLE REGRESSION IMPUTATION	65
2	LOGICAL IMPUTATION	10
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable for all respondents

**METH3M2\_I** (4687 - 4687)

METH3M2 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7568
1	MULTIPLE REGRESSION IMPUTATION	72
2	LOGICAL IMPUTATION	3
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**METH3M3\_I** (4688 - 4688)

METH3M3 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7568
1	MULTIPLE REGRESSION IMPUTATION	73
2	LOGICAL IMPUTATION	2
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**METH3M4\_I** (4689 - 4689)

METH3M4 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7568
1	MULTIPLE REGRESSION IMPUTATION	73
2	LOGICAL IMPUTATION	2

NSFG Cycle 6 Female Respondent File Section Recodes

Total 7643

**Universe:**

Applicable for all respondents

***NUMP3MOS\_I*** (4690 - 4690)

NUMP3MOS Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7412
1	MULTIPLE REGRESSION IMPUTATION	216
2	LOGICAL IMPUTATION	15
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***FMETHOD1\_I*** (4691 - 4691)

FMETHOD1 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7625
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	8
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***FMETHOD2\_I*** (4692 - 4692)

FMETHOD2 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0

**NSFG Cycle 6 Female Respondent File Section Recodes**

2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**FMETHOD3\_I** (4693 - 4693)

FMETHOD3 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**FMETHOD4\_I** (4694 - 4694)

FMETHOD4 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**DATEUSE1\_I** (4695 - 4695)

DATEUSE1 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7479

**NSFG Cycle 6 Female Respondent File Section Recodes**

1	MULTIPLE REGRESSION IMPUTATION	99
2	LOGICAL IMPUTATION	65
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***SOURCEM1\_I*** (4696 - 4696)

SOURCEM1 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7547
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	80
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***SOURCEM2\_I*** (4697 - 4697)

SOURCEM2 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7627
1	MULTIPLE REGRESSION IMPUTATION	11
2	LOGICAL IMPUTATION	5
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***SOURCEM3\_I*** (4698 - 4698)

SOURCEM3 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section Recodes**

0	QUESTIONNAIRE DATA (NOT IMPUTED)	7634
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***SOURCEM4\_I*** (4699 - 4699)

SOURCEM4 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7634
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OLDWP01\_I*** (4700 - 4700)

OLDWP01 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7627
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OLDWP02\_I*** (4701 - 4701)

OLDWP02 Imputation Flag

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7631
1	MULTIPLE REGRESSION IMPUTATION	12
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OLDWP03\_I*** (4702 - 4702)

OLDWP03 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7629
1	MULTIPLE REGRESSION IMPUTATION	14
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OLDWP04\_I*** (4703 - 4703)

OLDWP04 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7633
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***OLDWP05\_I*** (4704 - 4704)

OLDWP05 Imputation Flag



**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7632
1	MULTIPLE REGRESSION IMPUTATION	11
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWP06\_I** (4705 - 4705)

OLDWP06 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7637
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWP07\_I** (4706 - 4706)

OLDWP07 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7637
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWP08\_I** (4707 - 4707)

OLDWP08 Imputation Flag

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7639
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWP09\_I** (4708 - 4708)

OLDWP09 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWP10\_I** (4709 - 4709)

OLDWP10 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWP11\_I** (4710 - 4710)

NSFG Cycle 6 Female Respondent File Section Recodes

OLDWP11 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWP12\_I** (4711 - 4711)

OLDWP12 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWP13\_I** (4712 - 4712)

OLDWP13 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWP14\_I** (4713 - 4713)

NSFG Cycle 6 Female Respondent File Section Recodes

OLDWP14 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWP15\_I** (4714 - 4714)

OLDWP15 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWP16\_I** (4715 - 4715)

OLDWP16 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**OLDWP17\_I** (4716 - 4716)

OLDWP17 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWP18\_I** (4717 - 4717)

OLDWP18 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWP19\_I** (4718 - 4718)

OLDWP19 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**OLDWR01\_I** (4719 - 4719)

OLDWR01 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7585
1	MULTIPLE REGRESSION IMPUTATION	58
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWR02\_I** (4720 - 4720)

OLDWR02 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7599
1	MULTIPLE REGRESSION IMPUTATION	44
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWR03\_I** (4721 - 4721)

OLDWR03 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7606
1	MULTIPLE REGRESSION IMPUTATION	37
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**OLDWR04\_I** (4722 - 4722)

OLDWR04 Imputation Flag

Value	Label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7623
1	MULTIPLE REGRESSION IMPUTATION	20
2	LOGICAL IMPUTATION	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWR05\_I** (4723 - 4723)

OLDWR05 Imputation Flag

Value	Label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7625
1	MULTIPLE REGRESSION IMPUTATION	18
2	LOGICAL IMPUTATION	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWR06\_I** (4724 - 4724)

OLDWR06 Imputation Flag

Value	Label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7638
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	0
<b>Total</b>		<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**OLDWR07\_I** (4725 - 4725)

OLDWR07 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7637
1 MULTIPLE REGRESSION IMPUTATION	6
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWR08\_I** (4726 - 4726)

OLDWR08 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7640
1 MULTIPLE REGRESSION IMPUTATION	3
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWR09\_I** (4727 - 4727)

OLDWR09 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1 MULTIPLE REGRESSION IMPUTATION	1
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents



NSFG Cycle 6 Female Respondent File Section Recodes

**OLDWR10\_I** (4728 - 4728)

OLDWR10 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWR11\_I** (4729 - 4729)

OLDWR11 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWR12\_I** (4730 - 4730)

OLDWR12 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**OLDWR13\_I** (4731 - 4731)

OLDWR13 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWR14\_I** (4732 - 4732)

OLDWR14 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWR15\_I** (4733 - 4733)

OLDWR15 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section Recodes

Applicable for all respondents

**OLDWR16\_I** (4734 - 4734)

OLDWR16 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWR17\_I** (4735 - 4735)

OLDWR17 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OLDWR18\_I** (4736 - 4736)

OLDWR18 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Universe:**

Applicable for all respondents

***OLDWR19\_I*** (4737 - 4737)

OLDWR19 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***WANTRP01\_I*** (4738 - 4738)

WANTRP01 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7585
1	MULTIPLE REGRESSION IMPUTATION	58
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***WANTRP02\_I*** (4739 - 4739)

WANTRP02 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7599
1	MULTIPLE REGRESSION IMPUTATION	44
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable for all respondents

**WANTRP03\_I** (4740 - 4740)

WANTRP03 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7606
1	MULTIPLE REGRESSION IMPUTATION	37
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTRP04\_I** (4741 - 4741)

WANTRP04 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7623
1	MULTIPLE REGRESSION IMPUTATION	20
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTRP05\_I** (4742 - 4742)

WANTRP05 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7625
1	MULTIPLE REGRESSION IMPUTATION	18
2	LOGICAL IMPUTATION	0

NSFG Cycle 6 Female Respondent File Section Recodes

Total 7643

**Universe:**

Applicable for all respondents

**WANTRP06\_I** (4743 - 4743)

WANTRP06 Imputation Flag

Value	Label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7638
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTRP07\_I** (4744 - 4744)

WANTRP07 Imputation Flag

Value	Label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7637
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTRP08\_I** (4745 - 4745)

WANTRP08 Imputation Flag

Value	Label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7640
1	MULTIPLE REGRESSION IMPUTATION	3

**NSFG Cycle 6 Female Respondent File Section Recodes**

2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTRP09\_I** (4746 - 4746)

WANTRP09Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTRP10\_I** (4747 - 4747)

WANTRP10 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTRP11\_I** (4748 - 4748)

WANTRP11 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643

**NSFG Cycle 6 Female Respondent File Section Recodes**

1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTRP12\_I** (4749 - 4749)

WANTRP12 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTRP13\_I** (4750 - 4750)

WANTRP13 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTRP14\_I** (4751 - 4751)

WANTRP14 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------



NSFG Cycle 6 Female Respondent File Section Recodes

0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTRP15\_I** (4752 - 4752)

WANTRP15 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTRP16\_I** (4753 - 4753)

WANTRP16 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTRP17\_I** (4754 - 4754)

WANTRP17 Imputation Flag

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***WANTRP18\_I*** (4755 - 4755)

WANTRP18 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***WANTRP19\_I*** (4756 - 4756)

WANTRP19 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***WANTP01\_I*** (4757 - 4757)

WANTP01 Imputation Flag

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7622
1	MULTIPLE REGRESSION IMPUTATION	21
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTP02\_I** (4758 - 4758)

WANTP02 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7625
1	MULTIPLE REGRESSION IMPUTATION	18
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTP03\_I** (4759 - 4759)

WANTP03 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7622
1	MULTIPLE REGRESSION IMPUTATION	21
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTP04\_I** (4760 - 4760)

WANTP04 Imputation Flag

**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7632
1	MULTIPLE REGRESSION IMPUTATION	11
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTP05\_I** (4761 - 4761)

WANTP05 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7628
1	MULTIPLE REGRESSION IMPUTATION	15
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTP06\_I** (4762 - 4762)

WANTP06 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7635
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTP07\_I** (4763 - 4763)

NSFG Cycle 6 Female Respondent File Section Recodes

WANTP07 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7635
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTP08\_I** (4764 - 4764)

WANTP08 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7637
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTP09\_I** (4765 - 4765)

WANTP09 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTP10\_I** (4766 - 4766)

NSFG Cycle 6 Female Respondent File Section Recodes

WANTP10 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1 MULTIPLE REGRESSION IMPUTATION	0
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTP11\_I** (4767 - 4767)

WANTP11 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1 MULTIPLE REGRESSION IMPUTATION	0
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTP12\_I** (4768 - 4768)

WANTP12 Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1 MULTIPLE REGRESSION IMPUTATION	0
2 LOGICAL IMPUTATION	0
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**NSFG Cycle 6 Female Respondent File Section Recodes**

**WANTP13\_I** (4769 - 4769)

WANTP13 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTP14\_I** (4770 - 4770)

WANTP14 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTP15\_I** (4771 - 4771)

WANTP15 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**WANTP16\_I** (4772 - 4772)

WANTP16 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTP17\_I** (4773 - 4773)

WANTP17 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTP18\_I** (4774 - 4774)

WANTP18 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents



NSFG Cycle 6 Female Respondent File Section Recodes

**WANTP19\_I** (4775 - 4775)

WANTP19 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**WANTP5\_I** (4776 - 4776)

WANTP5 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7537
1	MULTIPLE REGRESSION IMPUTATION	106
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**R\_STCLIN** (4785 - 4785)

Whether R had sterilizing operation at a clinic in last 12 months

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	NO	7494
1	YES	149
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R had a sterilizing operation in the last 12 months  
(fstrop12 eq 1 )

NSFG Cycle 6 Female Respondent File Section Recodes

**FPTIT12** (4777 - 4777)

Type of clinic used for fp services in last 12 months

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	6506
1	TITLE X CLINIC	499
2	NON-TITLE X CLINIC	638
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received any family planning service from a medical care provider in the last 12 months at a clinic or hospital (FA-5 BC12PLCX thru BC12PLCX6=3,4,6,7,8,9,10 or [R\\_STCLIN](#)=1 or (FA-4 NUMBCVIS=1 and BC12PLCX14=3,4,6,7,8,9,10)

**FPTITMED** (4778 - 4778)

Type of clinic used for medical services in last 12 months

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	6103
1	TITLE X CLINIC	617
2	NON-TITLE X CLINIC	923
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received any medical service from a medical care provider in the last 12 months at a clinic or hospital (FA-5 BC12PLCX7 thru BC12PLCX13= 3,4,6,7,8,9,10 or (FA-4 NUMBCVIS=1 and BC12PLCX14=3,4,6,7,8,9,10)

**FPREGFP** (4779 - 4779)

Title X clinic used for FP svcs: regular place for care

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7161

**NSFG Cycle 6 Female Respondent File Section Recodes**

1	YES	301
2	NO	181
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received any family planning service at a Title X clinic in the last 12 months (FPTITBC=1,2,5 or FPTITCHK=1,2,5 or FPTITCBC=1,2,5 or FPTITCST=1, 2,5 or FPTITEC=1,2,5 or FPTITCEC=1, 2,5 or FPTITSTE=1,2,5).

***FPREGMED*** (4780 - 4780)

Title X clinic used for med svcs: regular place for care

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7044
1	YES	392
2	NO	207
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R received any medical service at a Title X clinic in the last 12 months (FPTITPRE=1,2,5 or FPTITABO=1,2,5 or FPTITPAP=1,2,5 or FPTITPEL=1,2,5 or FPTITPRN=1,2,5 or FPTITPPR=1,2,5 or FPTITSTD=1,2,5).

***FPTIT12\_I*** (4781 - 4781)

FPTIT12 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7601
1	MULTIPLE REGRESSION IMPUTATION	42
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**FPTITMED\_I** (4782 - 4782)

FPTITMED Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7589
1	MULTIPLE REGRESSION IMPUTATION	54
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**FPREGFP\_I** (4783 - 4783)

FPREGFP Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**FPREGMED\_I** (4784 - 4784)

FPREGMED Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7642
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Section Recodes

**INTENT** (4786 - 4786)

Intentions for additional births

Value	Label	Total
1	R INTENDS TO HAVE (MORE) CHILDREN	3628
2	R DOES NOT INTEND TO HAVE (MORE) CHILDREN	3900
3	R DOES NOT KNOW HER INTENT	115
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**ADDEXP** (4787 - 4789)

Central number of additional births expected

Value	Label	Total
0	NO ADDITIONAL BIRTHS	3739
5	.5 ADDITIONAL BIRTHS	27
10	1 ADDITIONAL BIRTH	1443
15	1.5 ADDITIONAL BIRTHS	26
20	2 ADDITIONAL BIRTHS	1585
25	2.5 ADDITIONAL BIRTHS	7
30	3 ADDITIONAL BIRTHS	516
35	3.5 ADDITIONAL BIRTHS	2
40	4 ADDITIONAL BIRTHS	207
50	5 ADDITIONAL BIRTHS	54
60	6 ADDITIONAL BIRTHS	18
70	7 ADDITIONAL BIRTHS	6
80	8 ADDITIONAL BIRTHS	0
90	9 ADDITIONAL BIRTHS	2
100-995	10 OR MORE ADDITIONAL BIRTHS	11
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**INTENT\_I** (4790 - 4790)

NSFG Cycle 6 Female Respondent File Section Recodes

INTENT Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7574
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	67
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**ADDEXP\_I** (4791 - 4791)

ADDEXP Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7540
1	MULTIPLE REGRESSION IMPUTATION	30
2	LOGICAL IMPUTATION	73
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**ANYPRGHP** (4792 - 4792)

Any medical help to become pregnant

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	471
1	YES	569
2	NO	6603
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male (rhadsex=1) or is 18 years or older (age\_r ge 18)

NSFG Cycle 6 Female Respondent File Section Recodes

**ANYMSCHP** (4793 - 4793)

Any medical help to prevent miscarriage

Value	Label	Total
.	INAPPLICABLE	471
1	YES	397
2	NO	6775
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male (rhadsex=1) or is 18 years or older (age\_r ge 18)

**INFEVER** (4794 - 4794)

Ever used infertility services of any kind

Value	Label	Total
.	INAPPLICABLE	471
1	YES	849
2	NO	6323
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R has ever had sexual intercourse with a male (rhadsex=1) or is 18 years or older (age\_r ge 18)

**OVULATE** (4795 - 4795)

Infertility services: drugs to improve ovulation

Value	Label	Total
.	INAPPLICABLE	7074
1	REPORTED	241
2	NOT REPORTED	328
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG=1)

**TUBES** (4796 - 4796)

Infertility services: surgery to correct blocked tubes

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7074
1	REPORTED	54
2	NOT REPORTED	515
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG=1)

**INFERTR** (4797 - 4797)

Infertility services: infertility testing on R

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7074
1	REPORTED	289
2	NOT REPORTED	280
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG=1)

**INFERTH** (4798 - 4798)

Infertility services: infertility testing on H/P

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7074



**NSFG Cycle 6 Female Respondent File Section Recodes**

1	REPORTED	235
2	NOT REPORTED	334
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG=1)

**ADVICE** (4799 - 4799)

Infertility services: advice

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7074
1	REPORTED	407
2	NOT REPORTED	162
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG=1)

**INSEM** (4800 - 4800)

Infertility services: artificial insemination

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7074
1	REPORTED	75
2	NOT REPORTED	494
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG=1)

**INVITRO** (4801 - 4801)

Infertility services: in vitro fertilization or other assisted

NSFG Cycle 6 Female Respondent File Section Recodes

reproduction

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7074
1	REPORTED	19
2	NOT REPORTED	550
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG=1)

**ENDOMET** (4802 - 4802)

Infertility services: surgery or drug treatment for endometriosis

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7074
1	REPORTED	23
2	NOT REPORTED	546
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG=1)

**FIBROIDS** (4803 - 4803)

Infertility services: surgery for uterine fibroids

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	7074
1	REPORTED	6
2	NOT REPORTED	563
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG=1)

NSFG Cycle 6 Female Respondent File Section Recodes

**PIDTREAT** (4804 - 4804)

Ever been treated for PID

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	415
2	NO	7228
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**EVHIVTST** (4805 - 4805)

Ever had an HIV test

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	NO HIV TEST REPORTED	2298
1	YES, ONLY AS PART OF BLOOD DONATION	859
2	YES, ONLY OUTSIDE OF BLOOD DONATION	3146
3	YES, IN BOTH CONTEXTS	1340
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**ANYPRGHP\_I** (4806 - 4806)

ANYPRGHP Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

NSFG Cycle 6 Female Respondent File Section Recodes

Applicable for all respondents

**ANYMSCHP\_I** (4807 - 4807)

ANYMSCHP Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**INFEVER\_I** (4808 - 4808)

INFEVER Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7634
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**OVULATE\_I** (4809 - 4809)

OVULATE Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**NSFG Cycle 6 Female Respondent File Section Recodes**

**Universe:**

Applicable for all respondents

***TUBES\_I*** (4810 - 4810)

TUBES Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***INFERTR\_I*** (4811 - 4811)

INFERTR Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***INFERTH\_I*** (4812 - 4812)

INFERTH Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable for all respondents

**ADVICE\_I** (4813 - 4813)

ADVICE Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**INSEM\_I** (4814 - 4814)

INSEM Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**INVITRO\_I** (4815 - 4815)

INVITRO Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	0

NSFG Cycle 6 Female Respondent File Section Recodes

Total 7643

**Universe:**

Applicable for all respondents

**ENDOMET\_I** (4816 - 4816)

ENDOMET Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**FIBROIDS\_I** (4817 - 4817)

FIBROIDS Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7636
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**PIDTREAT\_I** (4818 - 4818)

PIDTREAT Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7633
1	MULTIPLE REGRESSION IMPUTATION	9

**NSFG Cycle 6 Female Respondent File Section Recodes**

2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**EVHIVTST\_I** (4819 - 4819)

EVHIVTST Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7590
1	MULTIPLE REGRESSION IMPUTATION	53
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**INSURANC** (4820 - 4820)

Health insurance coverage status

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	NOT COVERED BY ANY HEALTH INSURANCE	1306
2	COVERED BY A PRIVATE HEALTH INSURANCE PLAN ONLY	4836
3	COVERED BY MEDICAID (MENTIONED AT ALL)	981
4	COVERED BY PUBLIC/GOVERNMENT/STATE/MILITARY HEALTH CARE (MENTIONED AT ALL)	520
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**METRO** (4821 - 4821)

Place of residence (metropolitan-non-metropolitan)



**NSFG Cycle 6 Female Respondent File Section Recodes**

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	MSA, CENTRAL CITY	3610
2	MSA, OTHER	2891
3	NOT MSA	1142
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**RELIGION** (4822 - 4822)

Current religious affiliation

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	NO RELIGION	1110
2	CATHOLIC	2261
3	PROTESTANT	3822
4	OTHER RELIGIONS	450
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**LABORFOR** (4823 - 4823)

Labor force status

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	WORKING FULL-TIME	3291
2	WORKING PART-TIME	1362
3	WORKING-TEMP ILL/ETC	278
4	WORKING-MATERNITY OR FAMILY LEAVE	64
5	NOT WORKING BUT LOOKING FOR WORK	353
6	SCHOOL	437
7	KEEPING HOUSE	1550
8	CARING FOR FAMILY	104
9	OTHER	204
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable for all respondents

***INSURANC\_I*** (4824 - 4824)

INSURANC Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7583
1	MULTIPLE REGRESSION IMPUTATION	54
2	LOGICAL IMPUTATION	6
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***METRO\_I*** (4825 - 4825)

METRO Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7643
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***RELIGION\_I*** (4826 - 4826)

RELIGION Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7620
1	MULTIPLE REGRESSION IMPUTATION	22
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>7643</b>

NSFG Cycle 6 Female Respondent File Section Recodes

**Universe:**

Applicable for all respondents

**LABORFOR\_I** (4827 - 4827)

LABORFOR Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7638
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**POVERTY** (4828 - 4830)

Poverty level income

<u>Value</u>	<u>Label</u>	<u>Total</u>
000-099	0-99 PERCENT OF POVERTY LEVEL	1606
100-199	100-199 PERCENT OF POVERTY LEVEL	1688
200-299	200-299 PERCENT OF POVERTY LEVEL	1331
300-399	300-399 PERCENT OF POVERTY LEVEL	1089
400-499	400-499 PERCENT OF POVERTY LEVEL	1004
500	500 PERCENT OF POVERTY LEVEL OR GREATER	925
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**TOTINCR** (4831 - 4832)

Total income of R's family

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

**NSFG Cycle 6 Female Respondent File Section Recodes**

1	UNDER \$5000	299
2	\$5000-\$7499	301
3	\$7500-\$9999	266
4	\$10,000-\$12,499	421
5	\$12,500-\$14,999	445
6	\$15,000-\$19,999	559
7	\$20,000-\$24,999	583
8	\$25,000-\$29,999	606
9	\$30,000-\$34,999	607
10	\$35,000-\$39,999	468
11	\$40,000-\$49,999	647
12	\$50,000-\$59,000	658
13	\$60,000-\$74,999	623
14	\$75,000 OR MORE	1160
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***PUBASSIS*** (4833 - 4833)

Whether R received public assistance in 2001

<u>Value Label</u>	<u>Total</u>
1 YES (R RECEIVED PUBLIC ASSISTANCE IN 2001)	2122
2 NO (R DID NOT RECEIVE PUBLIC ASSISTANCE IN 2001)	5521
<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***POVERTY\_I*** (4834 - 4834)

POVERTY Imputation Flag

<u>Value Label</u>	<u>Total</u>
0 QUESTIONNAIRE DATA (NOT IMPUTED)	7013
1 MULTIPLE REGRESSION IMPUTATION	630
2 LOGICAL IMPUTATION	0

NSFG Cycle 6 Female Respondent File Section Recodes

Total 7643

**Universe:**

Applicable for all respondents

**TOTINCR\_I** (4835 - 4835)

TOTINCR Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7013
1	MULTIPLE REGRESSION IMPUTATION	630
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**PUBASSIS\_I** (4836 - 4836)

PUBASSIS Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	7487
1	MULTIPLE REGRESSION IMPUTATION	156
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

NSFG Cycle 6 Female Respondent File Weights

**BASEWGT** (4837 - 4854)

Base weight

<u>Value</u>	<u>Label</u>	<u>Total</u>
MIN	64.5771007	
MAX	99707.83	
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**ADJ\_MOD\_BASEWGT** (4855 - 4872)

Adjusted modified base weight

<u>Value</u>	<u>Label</u>	<u>Total</u>
MIN	71.2011939	
MAX	157143.69	
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**FINALWGT** (4873 - 4890)

Final post-stratified and adjusted weight

<u>Value</u>	<u>Label</u>	<u>Total</u>
MIN	118.6567897	
MAX	261879.95	
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SECU\_R** (4891 - 4891)

NSFG Cycle 6 Female Respondent File Weights

Scrambled version of the sampling error computational unit

<u>Value</u>	<u>Label</u>	<u>Total</u>
1		3899
2		3744
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**SEST** (4892 - 4893)

Scrambled version of the stratum

<u>Value</u>	<u>Label</u>	<u>Total</u>
MIN	1	
MAX	84	
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**cmintvw** (4894 - 4897)

Century month of interview date (computed; respondent variable)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1225-1239	JAN 2002 - MAR 2003	7643
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

**cmlstyr** (4898 - 4901)

Century month of month of interview minus 1 year

NSFG Cycle 6 Female Respondent File Weights

<u>Value</u>	<u>Label</u>	<u>Total</u>
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	7643
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***SCREENTIME*** (4902 - 4909)

Time of screener

<u>Value</u>	<u>Label</u>	<u>Total</u>
MIN	00:00:16	
MAX	23:56:21	
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents

***intvlngh*** (4910 - 4927)

Interview Length in Minutes

<u>Value</u>	<u>Label</u>	<u>Total</u>
MIN	13.5126667	
MAX	306.2380000	
	<b>Total</b>	<b>7643</b>

**Universe:**

Applicable for all respondents