Table P-13a. Age-adjusted percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2013

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Total	100.0	17.1 (0.67)	9.2 (0.54)	19.2 (0.66)	31.2 (0.68)	23.3 (0.77)
Sex						
Male	100.0	15.4 (0.74)	8.7 (0.62)	18.7 (0.74)	31.7 (0.76)	25.6 (0.88)
Female	100.0	19.0 (0.86)	9.8 (0.64)	20.0 (0.80)	30.6 (0.87)	20.5 (0.85)
Age						
Under 12 years	100.0	32.8 (2.37)	16.1 (1.98)	18.8 (1.87)	12.7 (1.52)	19.6 (2.11)
12-17 years	100.0	23.0 (1.94)	8.0 (1.30)	19.4 (2.04)	24.1 (2.11)	25.5 (2.19)
18-44 years	100.0	12.4 (0.46)	8.5 (0.41)	20.5 (0.61)	33.0 (0.72)	25.5 (0.79)
45-64 years	100.0	10.9 (0.66)	5.6 (0.43)	17.2 (0.76)	45.1 (1.01)	21.2 (0.84)
Race						
One race[2]	100.0	17.0 (0.68)	9.2 (0.55)	19.3 (0.67)	31.0 (0.68)	23.5 (0.79)
White	100.0	16.7 (0.77)	8.5 (0.59)	18.9 (0.77)	30.9 (0.75)	25.0 (0.93)
Black or African American	100.0	19.0 (1.77)	12.0 (1.46)	21.6 (1.48)	34.1 (1.94)	13.2 (1.05)
American Indian or Alaska Native	100.0	*9.1 (3.52)	18.1 (4.78)	17.6 (4.39)	30.3 (3.74)	24.9 (4.23)
Asian	100.0	17.7 (2.59)	9.4 (2.08)	18.0 (2.47)	24.8 (2.63)	30.0 (2.60)
Native Hawaiian or Other Pacific Islander	100.0	*	21.7 (1.50)	*21.9 (8.68)	29.4 (8.50)	*22.9 (7.56)
Two or more races[3]	100.0	19.6 (3.48)	9.0 (2.38)	20.8 (3.02)	37.9 (4.47)	12.7 (2.57)
Black or African American, white	100.0	21.0 (4.78)	*10.1 (4.76)	33.5 (5.35)	23.9 (5.41)	*11.6 (5.08)
American Indian or Alaska Native, white	100.0	*16.1 (7.61)	*14.9 (6.95)	14.0 (3.82)	37.4 (5.38)	17.6 (5.17)
Hispanic or Latino origin[4] and race						
Hispanic or Latino	100.0	11.7 (0.81)	6.6 (0.66)	16.1 (0.89)	23.2 (0.85)	42.3 (1.29)
Mexican or Mexican American	100.0	11.2 (0.93)	6.4 (0.79)	15.4 (1.02)	23.6 (1.05)	43.3 (1.53)
Not Hispanic or Latino	100.0	20.4 (0.99)	10.8 (0.75)	20.9 (0.91)	35.3 (0.95)	12.7 (0.85)
White, single race	100.0	21.1 (1.25)	10.3 (0.93)	21.0 (1.20)	36.1 (1.11)	11.5 (1.15)
Black or African American, single race	100.0	19.6 (1.90)	11.4 (1.41)	21.9 (1.58)	34.9 (2.09)	12.2 (1.20)
Education[5]						
Less than a high school diploma	100.0	6.6 (0.57)	3.8 (0.39)	12.0 (0.75)	30.4 (1.15)	47.1 (1.46)
High school diploma or GED[6]	100.0	10.3 (0.63)	6.5 (0.49)	17.2 (0.82)	43.8 (1.04)	22.2 (0.89)
Some college	100.0	15.2 (0.92)	8.5 (0.63)	22.2 (1.01)	43.4 (1.24)	10.8 (0.71)
Bachelor's degree or higher	100.0	16.8 (1.26)	11.2 (1.07)	23.0 (1.45)	35.6 (1.61)	13.3 (1.08)
Family income[7]						
Less than $35,000	100.0	14.4 (0.89)	9.4 (0.84)	20.1 (0.95)	29.9 (0.75)	26.2 (1.10)
$35,000 or more	100.0	20.2 (1.10)	9.3 (0.75)	19.0 (0.96)	31.5 (1.10)	19.9 (1.01)
$35,000-$49,999	100.0	18.4 (1.66)	10.4 (1.17)	16.7 (1.15)	33.4 (1.68)	21.0 (1.69)
$50,000-$74,999	100.0	17.6 (1.66)	9.8 (1.32)	21.2 (1.59)	30.1 (1.79)	21.3 (1.68)
$75,000-$99,999	100.0	27.0 (3.25)	7.0 (1.41)	20.2 (3.22)	30.3 (2.31)	15.6 (2.23)
$100,000 or more	100.0	26.7 (3.73)	8.3 (1.92)	17.9 (2.12)	31.7 (3.30)	15.5 (2.86)
Poverty status[8]						
Poor	100.0	14.3 (1.13)	7.9 (0.92)	20.5 (1.36)	27.7 (0.93)	29.7 (1.51)
Near poor	100.0	14.5 (1.15)	10.5 (1.05)	18.5 (0.99)	32.9 (1.24)	23.6 (1.30)
Not poor	100.0	22.6 (1.40)	9.7 (0.87)	20.2 (1.21)	31.7 (1.29)	15.8 (0.97)

Table P-13a. Age-adjusted percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2013

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Place of residence[9]						
Large MSA	100.0	17.1 (0.92)	8.3 (0.58)	19.5 (0.90)	30.1 (0.91)	25.0 (0.98)
Small MSA	100.0	17.4 (1.22)	10.2 (1.21)	20.4 (1.26)	31.1 (1.24)	20.9 (1.38)
Not in MSA	100.0	16.3 (1.69)	10.3 (1.53)	16.4 (1.30)	35.2 (1.86)	21.8 (2.23)
Region						
Northeast	100.0	18.6 (2.12)	8.5 (1.57)	22.8 (2.62)	24.2 (1.62)	25.9 (2.91)
Midwest	100.0	20.1 (1.80)	10.1 (1.33)	21.4 (1.76)	35.6 (1.99)	12.8 (1.78)
South	100.0	15.1 (1.00)	9.4 (0.78)	18.1 (0.95)	31.6 (1.01)	25.7 (1.12)
West	100.0	17.5 (1.20)	8.5 (1.10)	18.5 (1.07)	30.7 (1.20)	24.8 (1.36)
Hispanic or Latino origin[4], race, and sex						
Hispanic or Latino, male	100.0	10.4 (0.91)	6.0 (0.79)	14.9 (0.96)	22.8 (1.02)	45.8 (1.42)
Hispanic or Latina, female	100.0	13.3 (1.00)	7.4 (0.75)	17.6 (1.14)	23.7 (1.02)	37.9 (1.44)
Not Hispanic or Latino:						
White, single race, male	100.0	19.3 (1.33)	9.8 (1.04)	21.0 (1.35)	36.9 (1.19)	13.0 (1.32)
White, single race, female	100.0	23.1 (1.60)	10.9 (1.18)	21.1 (1.42)	35.1 (1.52)	9.8 (1.30)
Black or African American, single race, male	100.0	17.1 (2.11)	12.5 (1.98)	19.5 (1.88)	36.6 (2.31)	14.2 (1.53)
Black or African American, single race, female	100.0	22.1 (2.55)	10.5 (1.31)	24.3 (2.31)	33.0 (2.63)	10.1 (1.55)
Hispanic or Latino origin[4], race, and poverty status						
Hispanic or Latino:						
Poor	100.0	10.8 (1.29)	5.3 (0.93)	16.2 (1.58)	20.0 (1.32)	47.6 (2.23)
Near poor	100.0	10.5 (1.46)	7.2 (1.12)	17.2 (1.49)	24.3 (1.59)	40.8 (1.86)
Not poor	100.0	16.0 (2.15)	6.3 (1.10)	18.1 (2.09)	27.3 (1.89)	32.2 (1.97)
Not Hispanic or Latino:						
White, single race						
Poor	100.0	14.2 (2.57)	9.0 (2.03)	27.6 (3.39)	33.7 (1.75)	15.4 (2.91)
Near poor	100.0	17.8 (2.16)	13.3 (2.25)	18.3 (1.66)	39.0 (2.01)	11.6 (2.49)
Not poor	100.0	26.8 (2.05)	10.4 (1.31)	20.8 (1.72)	33.0 (1.72)	9.1 (1.20)
Black or African American, single race						
Poor	100.0	21.2 (3.41)	11.3 (2.57)	22.2 (2.70)	30.3 (1.88)	15.0 (2.64)
Near poor	100.0	17.8 (3.19)	11.6 (2.55)	21.0 (2.23)	38.4 (3.74)	11.3 (1.73)
Not poor	100.0	21.3 (3.96)	12.3 (2.37)	23.3 (4.20)	33.9 (4.64)	9.1 (1.51)

Table P-13a. Age-adjusted percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2013

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

[1]Based on the question (asked of persons currently without health insurance coverage), "Not including Single Service Plans, about how long has it been since [person] last had health care coverage?" The weighted percentage of unknown length of time since last had health insurance coverage among currently uninsured persons under age 65 was 6.0%.

[2]Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

[3]Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

[4]Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

[5]Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using two age groups: 25-44 and 45-64.

[6]GED is General Educational Development high school equivalency diploma.

[7]Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

[8]"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

[9]MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently uninsured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. Unless otherwise specified, estimates are age adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 0-11, 12-17, 18-44, and 45-64. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from http://www.cdc.gov/nchs/nhis/SHS/tables.htm). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey. 2015. Available from: http://www.cdc.gov/nchs/nhis/SHS/tables.htm.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

Table P-13b. Frequency distribution (number in thousands) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2013

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Total	44,142	5,680	3,352	8,068	14,475	9,928
Sex						
Male	23,787	2,665	1,634	4,041	7,945	6,003
Female	20,355	3,015	1,717	4,027	6,530	3,925
Age						
Under 12 years	2,673	803	393	461	312	481
12-17 years	2,174	455	158	384	478	505
18-44 years	26,768	3,127	2,138	5,173	8,320	6,425
45-64 years	12,527	1,295	662	2,051	5,366	2,518
Race						
One race[2]	43,152	5,530	3,280	7,884	14,137	9,790
White	33,563	4,289	2,395	5,976	11,045	8,088
Black or African American	6,668	945	657	1,443	2,319	879
American Indian or Alaska Native	732	*31	*55	91	185	141
Asian	2,126	261	169	360	567	664
Native Hawaiian or Other Pacific Islander	62	*	*	*	*21	*
Two or more races[3]	990	150	71	184	338	139
Black or African American, white	316	*62	*24	86	85	*
American Indian or Alaska Native, white	361	*28	*27	*46	131	*56
Hispanic or Latino origin[4] and race						
Hispanic or Latino	15,241	1,321	833	2,245	3,670	6,531
Mexican or Mexican American	10,868	909	561	1,531	2,616	4,764
Not Hispanic or Latino	28,901	4,359	2,518	5,823	10,805	3,398
White, single race	19,497	3,082	1,630	3,918	7,686	1,984
Black or African American, single race	6,291	902	616	1,382	2,234	756
Education[5]						
Less than a high school diploma	8,238	527	302	955	2,387	3,781
High school diploma or GED[6]	10,038	981	624	1,639	4,140	2,131
Some college	8,742	1,281	722	1,868	3,585	908
Bachelor's degree or higher	4,287	655	437	899	1,403	520
Family income[7]						
Less than $35,000	21,443	2,298	1,640	4,047	7,223	5,447
$35,000 or more	19,273	3,047	1,521	3,533	6,175	3,681
$35,000-$49,999	7,963	1,105	650	1,395	2,773	1,694
$50,000-$74,999	6,407	949	519	1,280	1,967	1,320
$75,000-$99,999	2,613	556	188	471	824	358
$100,000 or more	2,292	437	163	387	611	308
Poverty status[8]						
Poor	10,814	1,193	734	2,048	3,373	3,073
Near poor	12,711	1,463	1,103	2,345	4,347	2,967
Not poor	14,794	2,435	1,208	2,818	4,920	2,329

Table P-13b. Frequency distribution (number in thousands) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2013

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Place of residence[9]						
Large MSA	23,391	2,997	1,678	4,251	7,367	5,803
Small MSA	13,448	1,779	1,112	2,591	4,397	2,726
Not in MSA	7,302	904	561	1,226	2,711	1,399
Region						
Northeast	5,063	750	357	1,040	1,370	1,214
Midwest	7,730	1,186	699	1,581	2,838	885
South	19,702	2,212	1,472	3,414	6,579	4,993
West	11,647	1,532	824	2,034	3,688	2,837
Hispanic or Latino origin[4], race, and sex						
Hispanic or Latino, male	8,374	602	372	1,068	1,987	3,965
Hispanic or Latina, female	6,868	719	461	1,177	1,683	2,566
Not Hispanic or Latino:						
White, single race, male	10,532	1,494	847	2,013	4,272	1,224
White, single race, female	8,965	1,588	783	1,906	3,414	760
Black or African American, single race, male	3,295	401	306	686	1,219	468
Black or African American, single race, female	2,996	502	310	695	1,015	287
Hispanic or Latino origin[4], race, and poverty status						
Hispanic or Latino:						
Poor	4,506	374	212	657	957	2,154
Near poor	4,997	410	310	809	1,253	2,076
Not poor	3,702	395	204	588	1,047	1,272
Not Hispanic or Latino:						
White, single race						
Poor	3,652	449	269	835	1,524	500
Near poor	4,934	662	523	971	2,121	477
Not poor	8,331	1,652	715	1,652	3,000	703
Black or African American, single race						
Poor	2,011	288	195	442	726	273
Near poor	1,827	276	170	400	666	222
Not poor	1,668	247	193	381	564	166

Table P-13b. Frequency distribution (number in thousands) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2013

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

[1]Based on the question (asked of persons currently without health insurance coverage), "Not including Single Service Plans, about how long has it been since [person] last had health care coverage?" The weighted percentage of unknown length of time since last had health insurance coverage among currently uninsured persons under age 65 was 6.0%.

[2]Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

[3]Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

[4]Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

[5]Shown only for persons aged 25 and over.

[6]GED is General Educational Development high school equivalency diploma.

[7]Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

[8]"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

[9]MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently uninsured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the frequencies, but they were included in the "All persons currently uninsured under age 65" column. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from http://www.cdc.gov/nchs/nhis/SHS/tables.htm). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey. 2015. Available from: http://www.cdc.gov/nchs/nhis/SHS/tables.htm.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

Table P-13c. Crude percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2013

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Total	100.0	13.7 (0.45)	8.1 (0.35)	19.4 (0.52)	34.9 (0.64)	23.9 (0.67)
Sex						
Male	100.0	12.0 (0.51)	7.3 (0.41)	18.1 (0.58)	35.6 (0.75)	26.9 (0.78)
Female	100.0	15.7 (0.58)	8.9 (0.44)	21.0 (0.68)	34.0 (0.78)	20.4 (0.70)
Age						
Under 12 years	100.0	32.8 (2.37)	16.1 (1.98)	18.8 (1.87)	12.7 (1.52)	19.6 (2.11)
12-17 years	100.0	23.0 (1.94)	8.0 (1.30)	19.4 (2.04)	24.1 (2.11)	25.5 (2.19)
18-44 years	100.0	12.4 (0.46)	8.5 (0.41)	20.5 (0.61)	33.0 (0.72)	25.5 (0.79)
45-64 years	100.0	10.9 (0.66)	5.6 (0.43)	17.2 (0.76)	45.1 (1.01)	21.2 (0.84)
Race						
One race[2]	100.0	13.6 (0.45)	8.1 (0.35)	19.4 (0.53)	34.8 (0.64)	24.1 (0.68)
White	100.0	13.5 (0.53)	7.5 (0.39)	18.8 (0.60)	34.7 (0.73)	25.4 (0.80)
Black or African American	100.0	15.1 (1.02)	10.5 (0.85)	23.1 (1.14)	37.1 (1.43)	14.1 (0.94)
American Indian or Alaska Native	100.0	6.1 (1.75)	*10.9 (4.14)	18.1 (4.14)	36.8 (4.63)	28.1 (4.92)
Asian	100.0	12.9 (1.62)	8.4 (1.59)	17.8 (1.86)	28.1 (2.26)	32.9 (2.41)
Native Hawaiian or Other Pacific Islander	100.0	*	*	*24.8 (9.28)	*33.7 (11.33)	*27.5 (11.05)
Two or more races[3]	100.0	17.0 (3.16)	8.1 (1.91)	20.8 (2.87)	38.3 (4.05)	15.7 (3.45)
Black or African American, white	100.0	19.8 (5.88)	*7.8 (3.24)	27.6 (4.72)	27.2 (6.35)	*17.5 (7.77)
American Indian or Alaska Native, white	100.0	*9.7 (3.73)	*9.5 (3.80)	16.0 (4.18)	45.5 (6.20)	19.3 (4.59)
Hispanic or Latino origin[4] and race						
Hispanic or Latino	100.0	9.0 (0.56)	5.7 (0.44)	15.4 (0.69)	25.1 (0.84)	44.7 (1.19)
Mexican or Mexican American	100.0	8.8 (0.64)	5.4 (0.54)	14.8 (0.79)	25.2 (1.01)	45.9 (1.42)
Not Hispanic or Latino	100.0	16.2 (0.61)	9.4 (0.46)	21.6 (0.70)	40.2 (0.82)	12.6 (0.55)
White, single race	100.0	16.8 (0.80)	8.9 (0.56)	21.4 (0.90)	42.0 (1.01)	10.8 (0.68)
Black or African American, single race	100.0	15.3 (1.05)	10.5 (0.85)	23.5 (1.18)	37.9 (1.47)	12.8 (0.95)
Education[5]						
Less than a high school diploma	100.0	6.6 (0.56)	3.8 (0.39)	12.0 (0.74)	30.0 (1.14)	47.5 (1.48)
High school diploma or GED[6]	100.0	10.3 (0.63)	6.6 (0.50)	17.2 (0.82)	43.5 (1.05)	22.4 (0.90)
Some college	100.0	15.3 (0.91)	8.6 (0.65)	22.3 (1.01)	42.9 (1.24)	10.9 (0.72)
Bachelor's degree or higher	100.0	16.7 (1.26)	11.2 (1.07)	23.0 (1.45)	35.8 (1.65)	13.3 (1.08)
Family income[7]						
Less than $35,000	100.0	11.1 (0.50)	7.9 (0.46)	19.6 (0.65)	35.0 (0.78)	26.4 (0.87)
$35,000 or more	100.0	17.0 (0.82)	8.5 (0.57)	19.7 (0.81)	34.4 (1.02)	20.5 (0.87)
$35,000-$49,999	100.0	14.5 (1.14)	8.5 (0.77)	18.3 (1.12)	36.4 (1.53)	22.2 (1.29)
$50,000-$74,999	100.0	15.7 (1.29)	8.6 (0.99)	21.2 (1.36)	32.6 (1.64)	21.9 (1.50)
$75,000-$99,999	100.0	23.2 (2.80)	7.9 (1.57)	19.7 (2.75)	34.4 (2.66)	14.9 (1.92)
$100,000 or more	100.0	22.9 (3.02)	8.6 (1.61)	20.3 (2.20)	32.1 (2.75)	16.2 (2.62)
Poverty status[8]						
Poor	100.0	11.5 (0.72)	7.0 (0.59)	19.7 (0.99)	32.4 (1.09)	29.5 (1.19)
Near poor	100.0	12.0 (0.80)	9.0 (0.70)	19.2 (0.81)	35.6 (1.15)	24.3 (1.02)
Not poor	100.0	17.8 (0.92)	8.8 (0.61)	20.6 (0.93)	35.9 (1.12)	17.0 (0.87)

Table P-13c. Crude percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2013

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Place of residence[9]						
Large MSA	100.0	13.6 (0.65)	7.6 (0.41)	19.2 (0.68)	33.3 (0.82)	26.3 (0.90)
Small MSA	100.0	14.1 (0.76)	8.8 (0.76)	20.6 (1.02)	34.9 (1.18)	21.6 (1.21)
Not in MSA	100.0	13.3 (1.11)	8.3 (0.87)	18.0 (1.24)	39.9 (1.80)	20.6 (1.74)
Region						
Northeast	100.0	15.9 (1.30)	7.5 (0.86)	22.0 (1.70)	29.0 (1.72)	25.7 (2.13)
Midwest	100.0	16.5 (1.31)	9.7 (0.95)	22.0 (1.34)	39.5 (1.70)	12.3 (1.12)
South	100.0	11.8 (0.63)	7.9 (0.46)	18.3 (0.77)	35.2 (0.97)	26.7 (1.06)
West	100.0	14.0 (0.83)	7.5 (0.78)	18.6 (0.92)	33.8 (1.11)	26.0 (1.20)
Hispanic or Latino origin[4], race, and sex						
Hispanic or Latino, male	100.0	7.5 (0.60)	4.7 (0.52)	13.4 (0.75)	24.9 (1.00)	49.6 (1.34)
Hispanic or Latina, female	100.0	10.9 (0.72)	7.0 (0.54)	17.8 (0.94)	25.5 (0.98)	38.8 (1.29)
Not Hispanic or Latino:						
White, single race, male	100.0	15.2 (0.89)	8.6 (0.67)	20.4 (0.95)	43.4 (1.20)	12.4 (0.80)
White, single race, female	100.0	18.8 (1.02)	9.3 (0.72)	22.5 (1.22)	40.4 (1.28)	9.0 (0.82)
Black or African American, single race, male	100.0	13.0 (1.19)	9.9 (1.10)	22.3 (1.57)	39.6 (1.80)	15.2 (1.26)
Black or African American, single race, female	100.0	17.9 (1.52)	11.0 (1.09)	24.8 (1.57)	36.1 (1.86)	10.2 (1.07)
Hispanic or Latino origin[4], race, and poverty status						
Hispanic or Latino:						
Poor	100.0	8.6 (0.90)	4.9 (0.65)	15.1 (1.26)	22.0 (1.36)	49.5 (1.99)
Near poor	100.0	8.4 (1.03)	6.4 (0.76)	16.6 (1.11)	25.8 (1.45)	42.7 (1.65)
Not poor	100.0	11.3 (1.29)	5.8 (0.83)	16.8 (1.51)	29.9 (1.78)	36.3 (1.95)
Not Hispanic or Latino:						
White, single race						
Poor	100.0	12.5 (1.39)	7.5 (1.08)	23.4 (1.99)	42.6 (2.10)	14.0 (1.43)
Near poor	100.0	13.9 (1.40)	11.0 (1.37)	20.4 (1.49)	44.6 (2.00)	10.0 (1.33)
Not poor	100.0	21.4 (1.39)	9.3 (0.88)	21.4 (1.33)	38.9 (1.60)	9.1 (0.92)
Black or African American, single race						
Poor	100.0	15.0 (1.74)	10.2 (1.54)	23.0 (1.95)	37.7 (2.32)	14.2 (1.79)
Near poor	100.0	15.9 (2.17)	9.8 (1.55)	23.0 (2.15)	38.4 (2.76)	12.8 (1.73)
Not poor	100.0	15.9 (1.93)	12.4 (1.66)	24.6 (2.68)	36.3 (2.74)	10.7 (1.66)

Table P-13c. Crude percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2013

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

[1]Based on the question (asked of persons currently without health insurance coverage), "Not including Single Service Plans, about how long has it been since [person] last had health care coverage?" The weighted percentage of unknown length of time since last had health insurance coverage among currently uninsured persons under age 65 was 6.0%.

[2]Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

[3]Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

[4]Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

[5]Shown only for persons aged 25 and over.

[6]GED is General Educational Development high school equivalency diploma.

[7]Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

[8]"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

[9]MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently uninsured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from http://www.cdc.gov/nchs/nhis/SHS/tables.htm). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey. 2015. Available from: http://www.cdc.gov/nchs/nhis/SHS/tables.htm.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.