

Table P-6a. Age-adjusted annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by external cause and selected characteristics: United States, 2013

Selected characteristic	Fall ¹	Struck by a person or an object ¹	Transportation ¹	Overexertion ¹	Cutting or piercing instruments ¹	Other causes (injury) ¹	Poisoning ¹
Total	47.07 (2.77)	17.59 (1.60)	12.57 (1.42)	14.34 (1.42)	6.56 (0.87)	29.34 (2.01)	1.92 (0.55)
Sex							
Male	38.11 (3.52)	19.34 (2.39)	10.00 (1.74)	15.67 (2.13)	9.18 (1.56)	36.89 (3.28)	*
Female	54.81 (4.05)	15.88 (2.24)	15.16 (2.20)	13.18 (1.87)	4.04 (0.83)	22.04 (2.40)	*2.98 (1.00)
Age							
Under 12 years	41.67 (5.99)	20.77 (4.11)	*8.74 (2.93)	*4.60 (2.01)	*3.10 (1.40)	19.33 (3.94)	*
12-17 years	39.11 (8.47)	39.13 (8.60)	*6.39 (2.54)	*12.32 (4.23)	*4.29 (2.03)	59.17 (10.41)	*
18-44 years	30.66 (3.62)	14.82 (2.32)	18.77 (2.84)	17.53 (2.75)	7.95 (1.71)	25.87 (3.12)	*1.99 (0.88)
45-64 years	47.02 (5.30)	13.95 (2.68)	10.83 (2.20)	18.60 (2.80)	7.43 (2.12)	32.03 (4.02)	*1.73 (0.74)
65-74 years	79.10 (13.31)	*7.37 (2.83)	*	*9.51 (3.84)	*9.86 (3.91)	32.87 (8.42)	-
75 years and over	145.96 (19.91)	*20.50 (8.34)	*	*13.74 (6.26)	*	*24.11 (7.43)	*
Race							
One race ²	47.16 (2.83)	17.70 (1.64)	12.35 (1.44)	14.21 (1.42)	6.68 (0.89)	29.03 (2.05)	*1.84 (0.55)
White	50.62 (3.32)	18.22 (1.85)	12.31 (1.68)	16.03 (1.74)	7.10 (1.05)	29.86 (2.40)	*2.01 (0.65)
Black or African American	32.41 (5.46)	15.33 (3.99)	12.87 (3.34)	*7.19 (2.26)	*6.23 (2.09)	29.78 (4.94)	-
American Indian or Alaska Native	*80.61 (30.86)	*	*	*	-	*51.04 (24.87)	*
Asian	26.44 (7.01)	*15.15 (5.29)	*8.61 (3.37)	*	*	*13.02 (5.62)	-
Native Hawaiian or Other Pacific Islander	*	-	*	*	-	-	-
Two or more races ³	*52.39 (18.55)	*21.39 (10.09)	*27.20 (12.19)	*	*	*77.65 (36.48)	*
Black or African American, white	*	-	*	*	-	*	*
American Indian or Alaska Native, white	*104.78 (39.44)	*42.54 (19.20)	*	*	*	*	*
Hispanic or Latino origin⁴ and race							
Hispanic or Latino	35.77 (5.79)	10.55 (2.32)	12.21 (2.69)	10.54 (2.72)	6.05 (1.74)	15.66 (3.39)	*
Mexican or Mexican American	42.70 (9.14)	12.52 (3.27)	15.26 (3.96)	*9.02 (2.90)	*6.84 (2.16)	*15.78 (5.07)	*
Not Hispanic or Latino	50.29 (3.14)	18.97 (1.87)	12.70 (1.66)	15.38 (1.67)	6.71 (1.03)	32.47 (2.37)	2.32 (0.68)
White, single race	55.69 (3.93)	20.57 (2.27)	12.92 (2.11)	17.55 (2.14)	7.55 (1.30)	33.92 (2.98)	*2.55 (0.85)
Black or African American, single race	31.66 (5.47)	14.64 (4.07)	13.49 (3.50)	*7.51 (2.36)	*5.70 (2.03)	30.24 (5.14)	-
Education⁵							
Less than a high school diploma	56.41 (10.06)	*8.39 (2.84)	*11.60 (4.23)	*15.75 (5.29)	*8.22 (3.19)	15.34 (4.35)	*
High school diploma or GED ⁶	50.80 (6.25)	15.27 (3.63)	12.49 (3.12)	14.10 (3.32)	*8.04 (2.51)	23.74 (3.93)	*
Some college	73.23 (8.55)	17.71 (4.13)	15.94 (3.76)	21.05 (4.13)	*7.55 (2.45)	44.04 (5.91)	*
Bachelor's degree or higher	37.14 (5.75)	13.04 (3.27)	10.46 (2.80)	16.10 (3.39)	*8.40 (2.53)	27.38 (4.44)	*
Family income⁷							
Less than \$35,000	52.87 (5.10)	21.19 (3.17)	15.66 (2.90)	16.61 (3.02)	9.22 (2.09)	33.97 (3.77)	*3.07 (1.32)
\$35,000 or more	48.22 (3.97)	17.80 (2.19)	12.80 (1.85)	14.67 (1.82)	5.56 (1.01)	29.00 (2.61)	*1.46 (0.61)
\$35,000-\$49,999	39.00 (6.24)	21.18 (4.86)	*10.15 (3.54)	*12.65 (3.87)	*5.77 (2.44)	44.13 (7.17)	*
\$50,000-\$74,999	53.24 (8.44)	14.36 (4.05)	21.68 (4.74)	14.37 (3.49)	*7.18 (2.21)	26.93 (4.81)	*
\$75,000-\$99,999	54.92 (9.16)	21.66 (5.82)	*8.60 (3.37)	11.51 (3.43)	*	22.74 (5.02)	*
\$100,000 or more	44.21 (6.99)	16.04 (3.33)	8.95 (2.42)	18.43 (3.82)	*5.99 (1.94)	28.60 (5.36)	*
Poverty status⁸							
Poor	56.75 (7.88)	22.11 (4.61)	17.76 (4.34)	16.89 (4.64)	*10.78 (3.58)	39.90 (6.83)	*5.94 (2.69)
Near poor	59.68 (8.15)	16.86 (3.74)	15.78 (3.82)	16.14 (3.74)	*5.14 (1.72)	31.20 (5.10)	*
Not poor	47.55 (3.95)	18.86 (2.30)	12.62 (1.94)	14.55 (1.84)	6.20 (1.13)	29.03 (2.74)	*1.55 (0.70)

Table P-6a. Age-adjusted annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by external cause and selected characteristics: United States, 2013

Selected characteristic	Fall ¹	Struck by a person or an object ¹	Transportation ¹	Overexertion ¹	Cutting or piercing instruments ¹	Other causes (injury) ¹	Poisoning ¹
Health insurance coverage ⁹							
Under 65 years:							
Private	35.79 (3.19)	19.48 (2.29)	10.90 (1.89)	15.37 (1.99)	6.26 (1.29)	30.69 (2.91)	*1.48 (0.69)
Medicaid	73.38 (12.25)	24.07 (5.77)	28.86 (7.19)	*16.00 (5.36)	*9.87 (3.72)	28.43 (5.85)	*7.67 (3.53)
Other	81.63 (20.43)	*	*	*33.25 (14.67)	*	*36.88 (14.52)	-
Uninsured	23.73 (5.69)	12.56 (3.23)	16.63 (4.31)	*9.19 (2.87)	*4.70 (1.61)	22.47 (4.41)	*
65 years and over:							
Private	120.51 (18.83)	*14.60 (5.72)	*	*18.16 (6.15)	*7.21 (3.29)	30.09 (7.72)	*
Medicare and Medicaid	148.48 (39.29)	*	*	-	*	*	-
Medicare only	88.13 (17.91)	*	*	*	*	*19.34 (6.90)	-
Other	*145.03 (52.30)	*	*	*	-	*	-
Uninsured	-	-	-	-	-	-	-
Place of residence ¹⁰							
Large MSA	38.69 (3.51)	14.83 (2.14)	11.45 (1.80)	12.99 (1.87)	6.05 (1.17)	30.59 (3.00)	*1.81 (0.72)
Small MSA	59.11 (5.70)	22.46 (3.03)	13.02 (2.38)	17.57 (2.73)	6.32 (1.64)	28.33 (3.38)	*
Not in MSA	53.13 (6.89)	17.97 (3.93)	16.52 (4.81)	12.69 (3.77)	8.53 (2.07)	27.56 (5.31)	*
Region							
Northeast	43.71 (5.76)	18.92 (4.60)	*8.72 (2.86)	9.86 (2.75)	*7.02 (2.22)	28.38 (4.92)	*
Midwest	56.09 (7.07)	15.48 (3.01)	11.22 (3.05)	13.15 (2.92)	7.78 (2.18)	35.14 (4.88)	*5.17 (2.04)
South	45.59 (4.44)	16.79 (2.61)	13.72 (2.35)	15.03 (2.36)	3.97 (1.06)	30.73 (3.24)	*
West	44.33 (5.46)	20.12 (3.25)	14.56 (3.07)	17.69 (3.30)	8.95 (1.95)	22.32 (3.55)	*

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on the questions, "Of the [number] times that [person] was injured, how many of those times was the injury serious enough that a medical professional was consulted?" and "Of the [number] times that [person] was poisoned, how many of those times was the poisoning serious enough that a medical professional was consulted?" Injury and poisoning episodes are classified according to the external cause of the episode using categories based on the International Classification of Diseases, 9th revision, Clinical Modification (ICD-9-CM) external cause codes (E codes). The category "Transportation" includes motor vehicle, bicycle, motorcycle, pedestrian, train, boat, and airplane. The category "Other" includes fire/burn/scald-related, animal or insect bite, machinery, other (not specified) and unknown causes. The category "Poisoning" excludes food poisoning and allergic reaction. Rates of episodes have been annualized in this table. Estimates from this report should not be compared with estimates from 2003 or earlier.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 25-44, 45-64, 65-74, and 75 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and the Injury and Poisoning Episode file and were weighted using the Person weight. Unknowns for the columns were excluded from the denominator when calculating rates. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age adjusted using the projected 2000 U.S. population as the standard population and using six age groups: 0-11, 12-17, 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

Table P-6b. Annualized frequency (number in thousands) of medically consulted injury and poisoning episodes, by external cause and selected characteristics: United States, 2013

Selected characteristic	Fall ¹	Struck by a person or an object ¹	Transportation ¹	Overexertion ¹	Cutting or piercing instruments ¹	Other causes (injury) ¹	Poisoning ¹
Total	14,951	5,344	3,810	4,508	2,073	9,195	583
Sex							
Male	5,774	2,866	1,486	2,390	1,389	5,615	*
Female	9,178	2,478	2,324	2,117	684	3,581	*459
Age							
Under 12 years	2,034	1,014	*427	*225	*151	943	*
12-17 years	965	966	*158	*304	*106	1,460	*
18-44 years	3,425	1,656	2,097	1,958	888	2,891	*223
45-64 years	3,869	1,148	891	1,531	611	2,636	*142
65-74 years	1,982	*185	*	*238	*247	823	-
75 years and over	2,677	*376	*	*252	*	*442	*
Race							
One race ²	14,684	5,229	3,654	4,391	2,069	8,891	541
White	12,853	4,286	2,869	3,976	1,779	7,347	*463
Black or African American	1,173	603	511	*290	*245	1,201	-
American Indian or Alaska Native	*228	*	*	*	-	*149	*
Asian	385	*243	*160	*	*	*194	-
Native Hawaiian or Other Pacific Islander	*	-	*	*	-	-	-
Two or more races ³	*267	*115	*156	*	*	*304	*
Black or African American, white	*	-	*	*	-	*	*
American Indian or Alaska Native, white	*203	*85	*	*	*	*	*
Hispanic or Latino origin ⁴ and race							
Hispanic or Latino	1,458	645	667	520	316	820	*
Mexican or Mexican American	896	508	523	305	*229	498	*
Not Hispanic or Latino	13,494	4,699	3,143	3,988	1,756	8,376	567
White, single race	11,505	3,763	2,329	3,456	1,512	6,589	*449
Black or African American, single race	1,094	547	511	*290	*215	1,163	-
Education ⁵							
Less than a high school diploma	1,791	*209	*313	*392	*193	442	*
High school diploma or GED ⁶	3,046	830	591	777	*443	1,351	*
Some college	4,062	920	894	1,221	*474	2,569	*
Bachelor's degree or higher	2,166	757	656	1,025	539	1,691	*
Family income ⁷							
Less than \$35,000	5,195	1,788	1,354	1,421	791	3,046	*257
\$35,000 or more	8,729	3,267	2,383	2,791	1,101	5,552	*276
\$35,000-\$49,999	1,584	829	*381	*478	*233	1,680	*
\$50,000-\$74,999	2,548	668	1,050	754	*380	1,403	*
\$75,000-\$99,999	1,842	674	*311	438	*	791	*
\$100,000 or more	2,756	1,096	641	1,121	*398	1,678	*
Poverty status ⁸							
Poor	2,090	987	739	684	*443	1,664	*241
Near poor	3,087	858	774	795	*247	1,549	*
Not poor	8,372	3,224	2,164	2,706	1,149	5,241	*250

Table P-6b. Annualized frequency (number in thousands) of medically consulted injury and poisoning episodes, by external cause and selected characteristics: United States, 2013

Selected characteristic	Fall ¹	Struck by a person or an object ¹	Transportation ¹	Overexertion ¹	Cutting or piercing instruments ¹	Other causes (injury) ¹	Poisoning ¹
Health insurance coverage ⁹							
Under 65 years:							
Private	5713.0	2994.0	1751.0	2620.0	1016.0	5035.0	*223
Medicaid	2584.0	1032.0	954.0	531.0	*372	1360.0	*241
Other	1037.0	*	*	*353	*	*385	-
Uninsured	958.0	610.0	761.0	*513	*255	1085.0	*
65 years and over:							
Private	2,519	*298	*	*384	*164	631	*
Medicare and Medicaid	443	*	*	-	*	*	-
Medicare only	1,261	*	*	*	*	*296	-
Other	*436	*	*	*	-	*	-
Uninsured	-	-	-	-	-	-	-
Place of residence ¹⁰							
Large MSA	6,477	2,436	1,946	2,193	1,026	5,141	*294
Small MSA	5,761	2,085	1,206	1,717	596	2,765	*
Not in MSA	2,713	823	*658	597	451	1,290	*
Region							
Northeast	2,395	1,010	*461	542	*415	1,503	*
Midwest	4,007	1,043	750	926	531	2,400	*349
South	5,367	1,872	1,592	1,739	470	3,653	*
West	3,183	1,419	1,006	1,300	657	1,639	*

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on the questions, "Of the [number] times that [person] was injured, how many of those times was the injury serious enough that a medical professional was consulted?" and "Of the [number] times that [person] was poisoned, how many of those times was the poisoning serious enough that a medical professional was consulted?" Injury and poisoning episodes are classified according to the external cause of the episode using categories based on the International Classification of Diseases, 9th revision, Clinical Modification (ICD-9-CM) external cause codes (E codes). The category "Transportation" includes motor vehicle, bicycle, motorcycle, pedestrian, train, boat, and airplane. The category "Other" includes fire/burn/scald-related, animal or insect bite, machinery, other (not specified) and unknown causes. The category "Poisoning" excludes food poisoning and allergic reaction. Counts of episodes have been annualized in this table. Estimates from this report should not be compared with estimates from 2003 or earlier.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and the Injury and Poisoning Episode file and were weighted using the Person weight. Unknowns for the columns were excluded from the frequencies. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

Table P-6c. Crude annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by external cause and selected characteristics: United States, 2013

Selected characteristic	Struck by a person or an object ¹				Cutting or piercing instruments ¹		Other causes (injury) ¹		Poisoning ¹
	Fall ¹	Transportation ¹	Overexertion ¹						
Total	48.09 (2.84)	17.19 (1.56)	12.26 (1.36)	14.50 (1.40)	6.67 (0.89)	29.58 (2.01)	1.87 (0.53)		
Sex									
Male	38.02 (3.51)	18.87 (2.32)	9.78 (1.68)	15.74 (2.09)	9.15 (1.54)	36.97 (3.29)	*		
Female	57.72 (4.26)	15.58 (2.17)	14.62 (2.09)	13.32 (1.85)	4.30 (0.88)	22.52 (2.43)	*2.88 (0.95)		
Age									
Under 12 years	41.67 (5.99)	20.77 (4.11)	*8.74 (2.93)	*4.60 (2.01)	*3.10 (1.40)	19.33 (3.94)	*		
12-17 years	39.11 (8.47)	39.13 (8.60)	*6.39 (2.54)	*12.32 (4.23)	*4.29 (2.03)	59.17 (10.41)	*		
18-44 years	30.66 (3.62)	14.82 (2.32)	18.77 (2.84)	17.53 (2.75)	7.95 (1.71)	25.87 (3.12)	*1.99 (0.88)		
45-64 years	47.02 (5.30)	13.95 (2.68)	10.83 (2.20)	18.60 (2.80)	7.43 (2.12)	32.03 (4.02)	*1.73 (0.74)		
65-74 years	79.10 (13.31)	*7.37 (2.83)	*	*9.51 (3.84)	*9.86 (3.91)	32.87 (8.42)	-		
75 years and over	145.96 (19.91)	*20.50 (8.34)	*	*13.74 (6.26)	*	*24.11 (7.43)	*		
Race									
One race ²	48.30 (2.90)	17.20 (1.58)	12.02 (1.38)	14.44 (1.41)	6.80 (0.91)	29.24 (2.04)	1.78 (0.53)		
White	52.60 (3.47)	17.54 (1.77)	11.74 (1.58)	16.27 (1.72)	7.28 (1.07)	30.07 (2.38)	*1.89 (0.60)		
Black or African American	29.72 (4.82)	15.28 (3.96)	12.94 (3.35)	*7.36 (2.29)	*6.22 (2.07)	30.44 (5.05)	-		
American Indian or Alaska Native	*82.18 (31.42)	*	*	*	-	*53.50 (26.31)	*		
Asian	22.87 (6.06)	*14.39 (5.00)	*9.51 (3.73)	*	*	*11.51 (5.13)	-		
Native Hawaiian or Other Pacific Islander	*	-	*	*	-	-	-		
Two or more races ³	*39.04 (13.35)	*16.83 (6.52)	*22.81 (9.73)	*	*	*44.48 (16.03)	*		
Black or African American, white	*	-	*	*	-	*	*		
American Indian or Alaska Native, white	*104.08 (41.72)	*43.29 (19.37)	*	*	*	*	*		
Hispanic or Latino origin⁴ and race									
Hispanic or Latino	27.26 (4.03)	12.06 (2.59)	12.47 (2.74)	9.72 (2.33)	5.92 (1.63)	15.33 (2.96)	*		
Mexican or Mexican American	25.87 (4.76)	14.67 (3.64)	15.11 (3.82)	*8.81 (2.64)	6.61 (1.97)	14.38 (3.71)	*		
Not Hispanic or Latino	52.42 (3.25)	18.25 (1.78)	12.21 (1.55)	15.49 (1.62)	6.82 (1.04)	32.54 (2.34)	2.20 (0.63)		
White, single race	58.75 (4.10)	19.21 (2.08)	11.89 (1.88)	17.65 (2.04)	7.72 (1.31)	33.65 (2.85)	*2.30 (0.75)		
Black or African American, single race	29.12 (4.82)	14.57 (4.02)	13.59 (3.52)	*7.73 (2.41)	*5.71 (2.01)	30.95 (5.26)	-		
Education⁵									
Less than a high school diploma	65.78 (11.88)	*7.69 (2.63)	*11.51 (4.07)	*14.39 (4.54)	*7.09 (2.76)	16.23 (4.54)	*		
High school diploma or GED ⁶	55.58 (6.54)	15.14 (3.56)	10.78 (2.53)	14.18 (3.28)	*8.08 (2.42)	24.65 (4.08)	*		
Some college	70.25 (8.18)	15.91 (3.50)	15.47 (3.55)	21.12 (4.01)	*8.19 (2.73)	44.43 (5.89)	*		
Bachelor's degree or higher	33.91 (4.97)	11.85 (2.73)	10.28 (2.76)	16.06 (3.19)	8.44 (2.49)	26.48 (4.20)	*		
Family income⁷									
Less than \$35,000	57.66 (5.49)	19.84 (2.94)	15.03 (2.76)	15.77 (2.85)	8.78 (1.97)	33.81 (3.78)	*2.85 (1.21)		
\$35,000 or more	45.65 (3.64)	17.08 (2.01)	12.46 (1.77)	14.59 (1.71)	5.76 (1.03)	29.03 (2.57)	*1.44 (0.58)		
\$35,000-\$49,999	41.38 (6.62)	21.65 (4.98)	*9.95 (3.40)	*12.48 (3.84)	*6.09 (2.57)	43.90 (7.19)	*		
\$50,000-\$74,999	50.50 (7.77)	13.25 (3.58)	20.81 (4.48)	14.95 (3.51)	*7.53 (2.36)	27.81 (4.91)	*		
\$75,000-\$99,999	52.31 (8.38)	19.15 (4.79)	*8.84 (3.44)	12.42 (3.61)	*	22.45 (4.95)	*		
\$100,000 or more	40.94 (5.93)	16.29 (3.34)	9.53 (2.55)	16.66 (3.11)	*5.91 (1.85)	24.94 (4.22)	*		
Poverty status⁸									
Poor	48.47 (6.54)	22.90 (4.58)	17.15 (4.21)	15.86 (4.42)	*10.26 (3.28)	38.59 (6.23)	*5.60 (2.51)		
Near poor	60.70 (8.03)	16.88 (3.77)	15.23 (3.72)	15.63 (3.59)	*4.86 (1.63)	30.47 (4.99)	*		
Not poor	46.38 (3.80)	17.86 (2.12)	11.98 (1.80)	14.99 (1.82)	6.36 (1.14)	29.03 (2.69)	*1.38 (0.60)		

Table P-6c. Crude annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by external cause and selected characteristics: United States, 2013

Selected characteristic	Fall ¹	Struck by a person or an object ¹	Transportation ¹	Overexertion ¹	Cutting or piercing instruments ¹	Other causes (injury) ¹	Poisoning ¹
Health insurance coverage ⁹							
Under 65 years:							
Private	34.89 (3.05)	18.28 (2.12)	10.69 (1.80)	16.00 (1.99)	6.21 (1.26)	30.75 (2.87)	*1.36 (0.60)
Medicaid	55.38 (7.94)	22.12 (4.73)	20.44 (4.77)	11.38 (3.41)	*7.98 (2.52)	29.15 (5.01)	*5.17 (2.32)
Other	99.02 (20.24)	*14.11 (6.97)	*	*33.69 (12.77)	*	*36.79 (11.45)	-
Uninsured	21.70 (4.54)	13.82 (3.60)	17.25 (3.86)	*11.62 (3.67)	*5.79 (1.95)	24.57 (4.60)	*
65 years and over:							
Private	117.88 (18.58)	*13.93 (5.30)	*	*17.98 (6.02)	*7.70 (3.58)	29.51 (7.45)	*
Medicare and Medicaid	147.27 (38.92)	*	*	-	*	*	-
Medicare only	82.94 (16.72)	*	*	*	*	*19.47 (6.91)	-
Other	*142.75 (49.64)	*	*	*	-	*	-
Uninsured	-	-	-	-	-	-	-
Place of residence ¹⁰							
Large MSA	38.62 (3.53)	14.53 (2.08)	11.60 (1.80)	13.08 (1.86)	6.11 (1.18)	30.65 (3.00)	*1.75 (0.68)
Small MSA	59.79 (5.68)	21.64 (2.89)	12.51 (2.23)	17.82 (2.68)	6.18 (1.55)	28.69 (3.44)	*
Not in MSA	57.98 (7.18)	17.58 (3.75)	14.07 (4.14)	12.76 (3.50)	9.65 (2.56)	27.57 (5.21)	*
Region							
Northeast	44.73 (5.73)	18.86 (4.47)	*8.62 (2.71)	10.13 (2.73)	*7.75 (2.48)	28.07 (4.85)	*
Midwest	57.73 (7.43)	15.04 (2.95)	10.81 (2.89)	13.35 (2.92)	7.65 (2.10)	34.59 (4.76)	*5.03 (1.99)
South	46.05 (4.36)	16.06 (2.48)	13.66 (2.32)	14.92 (2.29)	4.03 (1.06)	31.34 (3.27)	*
West	44.59 (5.56)	19.87 (3.15)	14.10 (2.95)	18.21 (3.32)	9.21 (2.06)	22.96 (3.70)	*

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on the questions, "Of the [number] times that [person] was injured, how many of those times was the injury serious enough that a medical professional was consulted?" and "Of the [number] times that [person] was poisoned, how many of those times was the poisoning serious enough that a medical professional was consulted?" Injury and poisoning episodes are classified according to the external cause of the episode using categories based on the International Classification of Diseases, 9th revision, Clinical Modification (ICD-9-CM) external cause codes (E codes). The category "Transportation" includes motor vehicle, bicycle, motorcycle, pedestrian, train, boat, and airplane. The category "Other" includes fire/burn/scald-related, animal or insect bite, machinery, other (not specified) and unknown causes. The category "Poisoning" excludes food poisoning and allergic reaction. Rates of episodes have been annualized in this table. Estimates from this report should not be compared with estimates from 2003 or earlier.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and the Injury and Poisoning Episode file and were weighted using the Person weight. Unknowns for the columns were excluded from the denominator when calculating rates. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.