

Table P-12a. Age-adjusted percent distribution (with standard errors) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and age-adjusted percentages (with standard errors) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) ¹	Did not have coverage throughout the past 12 months (currently insured) ¹	6 months or less without coverage (currently insured) ¹	7-12 months without coverage (currently insured) ¹
Total	100.0	95.6 (0.14)	4.4 (0.14)	3.4 (0.12)	1.0 (0.06)
Sex					
Male	100.0	95.7 (0.16)	4.3 (0.16)	3.3 (0.15)	1.0 (0.07)
Female	100.0	95.5 (0.16)	4.5 (0.16)	3.5 (0.14)	1.0 (0.07)
Age					
Under 12 years	100.0	96.4 (0.27)	3.6 (0.27)	2.9 (0.25)	0.6 (0.10)
12-17 years	100.0	97.0 (0.28)	3.0 (0.28)	2.4 (0.27)	0.6 (0.12)
18-44 years	100.0	94.1 (0.20)	5.9 (0.20)	4.4 (0.18)	1.3 (0.09)
45-64 years	100.0	97.0 (0.15)	3.0 (0.15)	2.2 (0.13)	0.8 (0.07)
Race					
One race ²	100.0	95.6 (0.14)	4.4 (0.14)	3.3 (0.12)	1.0 (0.06)
White	100.0	95.5 (0.16)	4.5 (0.16)	3.5 (0.15)	1.0 (0.07)
Black or African American	100.0	95.4 (0.36)	4.6 (0.36)	3.2 (0.31)	1.1 (0.17)
American Indian or Alaska Native	100.0	97.0 (0.95)	3.0 (0.95)	1.6 (0.72)	1.3 (0.59)
Asian	100.0	97.1 (0.40)	2.9 (0.40)	2.1 (0.34)	0.6 (0.16)
Native Hawaiian or Other Pacific Islander	100.0	**96.7 (1.53)	*	1.3 (0.98)	*
Two or more races ³	100.0	94.0 (0.94)	6.0 (0.94)	4.6 (0.79)	1.3 (0.57)
Black or African American, white	100.0	**95.9 (1.56)	*	*	0.4 (0.31)
American Indian or Alaska Native, white	100.0	90.3 (2.61)	9.7 (2.61)	*	*
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	100.0	94.9 (0.33)	5.1 (0.33)	3.5 (0.29)	1.6 (0.19)
Mexican or Mexican American	100.0	95.0 (0.43)	5.0 (0.43)	3.4 (0.38)	1.7 (0.23)
Not Hispanic or Latino	100.0	95.7 (0.15)	4.3 (0.15)	3.3 (0.14)	0.9 (0.06)
White, single race	100.0	95.6 (0.19)	4.4 (0.19)	3.5 (0.17)	0.8 (0.07)
Black or African American, single race	100.0	95.4 (0.38)	4.6 (0.38)	3.3 (0.32)	1.2 (0.18)
Education ⁵					
Less than a high school diploma	100.0	92.8 (0.63)	7.2 (0.63)	4.7 (0.50)	2.5 (0.37)
High school diploma or GED ⁶	100.0	94.2 (0.33)	5.8 (0.33)	4.1 (0.28)	1.6 (0.17)
Some college	100.0	94.4 (0.27)	5.6 (0.27)	4.1 (0.23)	1.4 (0.13)
Bachelor's degree or higher	100.0	96.5 (0.20)	3.5 (0.20)	3.1 (0.19)	0.4 (0.06)

Table P-12a. Age-adjusted percent distribution (with standard errors) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and age-adjusted percentages (with standard errors) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) ¹	Did not have coverage throughout the past 12 months (currently insured) ¹	6 months or less without coverage (currently insured) ¹	7-12 months without coverage (currently insured) ¹
Family income ⁷					
Less than \$35,000	100.0	92.8 (0.36)	7.2 (0.36)	5.0 (0.30)	2.1 (0.19)
\$35,000 or more	100.0	96.3 (0.16)	3.7 (0.16)	3.0 (0.15)	0.7 (0.06)
\$35,000–\$49,999	100.0	93.1 (0.49)	6.9 (0.49)	5.3 (0.46)	1.5 (0.22)
\$50,000–\$74,999	100.0	95.0 (0.39)	5.0 (0.39)	4.0 (0.36)	0.9 (0.15)
\$75,000–\$99,999	100.0	96.3 (0.42)	3.7 (0.42)	3.0 (0.39)	0.7 (0.15)
\$100,000 or more	100.0	97.8 (0.20)	2.2 (0.20)	1.9 (0.19)	0.3 (0.06)
Poverty status ⁸					
Poor	100.0	94.0 (0.45)	6.0 (0.45)	3.8 (0.36)	2.1 (0.27)
Near poor	100.0	92.1 (0.42)	7.9 (0.42)	5.6 (0.37)	2.2 (0.20)
Not poor	100.0	96.5 (0.16)	3.5 (0.16)	2.9 (0.15)	0.6 (0.05)
Place of residence ⁹					
Large MSA	100.0	95.8 (0.18)	4.2 (0.18)	3.3 (0.17)	0.8 (0.08)
Small MSA	100.0	95.6 (0.24)	4.4 (0.24)	3.4 (0.22)	1.0 (0.09)
Not in MSA	100.0	94.5 (0.45)	5.5 (0.45)	3.8 (0.37)	1.7 (0.24)
Region					
Northeast	100.0	96.3 (0.32)	3.7 (0.32)	2.9 (0.29)	0.8 (0.14)
Midwest	100.0	95.1 (0.28)	4.9 (0.28)	3.8 (0.26)	1.0 (0.11)
South	100.0	95.5 (0.23)	4.5 (0.23)	3.4 (0.21)	1.0 (0.10)
West	100.0	95.6 (0.28)	4.4 (0.28)	3.3 (0.25)	1.0 (0.13)
Hispanic or Latino origin ⁴ , race, and sex					
Hispanic or Latino, male	100.0	95.1 (0.41)	4.9 (0.41)	3.3 (0.34)	1.6 (0.25)
Hispanic or Latina, female	100.0	94.7 (0.42)	5.3 (0.42)	3.6 (0.36)	1.5 (0.21)
Not Hispanic or Latino:					
White, single race, male	100.0	95.6 (0.21)	4.4 (0.21)	3.5 (0.20)	0.8 (0.08)
White, single race, female	100.0	95.6 (0.22)	4.4 (0.22)	3.5 (0.19)	0.8 (0.10)
Black or African American, single race, male	100.0	95.6 (0.49)	4.4 (0.49)	3.1 (0.41)	1.1 (0.23)
Black or African American, single race, female	100.0	95.2 (0.46)	4.8 (0.46)	3.4 (0.41)	1.2 (0.22)

Table P-12a. Age-adjusted percent distribution (with standard errors) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and age-adjusted percentages (with standard errors) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) ¹	Did not have coverage throughout the past 12 months (currently insured) ¹	6 months or less without coverage (currently insured) ¹	7-12 months without coverage (currently insured) ¹
Hispanic or Latino origin ⁴ , race, and poverty status					
Hispanic or Latino:					
Poor	100.0	93.7 (1.07)	6.3 (1.07)	3.5 (0.72)	2.6 (0.78)
Near poor	100.0	93.5 (0.76)	6.5 (0.76)	4.1 (0.60)	2.4 (0.44)
Not poor	100.0	95.3 (0.46)	4.7 (0.46)	3.6 (0.43)	1.0 (0.21)
Not Hispanic or Latino:					
White, single race					
Poor	100.0	93.6 (0.74)	6.4 (0.74)	4.3 (0.60)	2.0 (0.40)
Near poor	100.0	91.1 (0.62)	8.9 (0.62)	6.5 (0.57)	2.2 (0.30)
Not poor	100.0	96.4 (0.20)	3.6 (0.20)	3.0 (0.18)	0.5 (0.07)
Black or African American, single race					
Poor	100.0	93.4 (1.01)	6.6 (1.01)	4.0 (0.82)	2.5 (0.60)
Near poor	100.0	92.8 (0.92)	7.2 (0.92)	5.0 (0.77)	1.8 (0.43)
Not poor	100.0	96.8 (0.50)	3.2 (0.50)	2.7 (0.48)	0.4 (0.13)

¹Estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), and is not shown.

²Complement of the estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf).

¹"Had coverage during the past 12 months" and "Did not have coverage during the past 12 months" are based on the question (asked of persons who currently had health insurance), "In the past 12 months, was there any time when [person] did not have any health insurance or coverage?" "6 months or less without coverage" and "7-12 months without coverage" are based on the question (asked of persons who currently had health insurance coverage), "In the past 12 months, about how many months was [person] without coverage?" Number of months without coverage was collapsed into two categories for presentation in this table.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using two age groups: 25-44 and 45-64.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently insured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. Persons having any period without health insurance coverage includes persons with unknown duration of period without coverage. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 0-11, 12-17, 18-44, and 45-64. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2017 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2017.

Table P-12b. Frequency distribution (number in thousands) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and frequencies (number in thousands) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) ¹	Did not have coverage throughout the past 12 months (currently insured) ¹	6 months or less without coverage (currently insured) ¹	7-12 months without coverage (currently insured) ¹
Total	239,072	228,128	10,161	7,738	2,252
Sex					
Male	116,977	111,727	4,830	3,676	1,076
Female	122,095	116,401	5,330	4,062	1,176
Age (years)					
Under 12 years	46,130	44,377	1,641	1,340	275
12-17 years	23,236	22,493	706	558	140
18-44 years	94,759	88,762	5,563	4,167	1,270
45-64 years	74,947	72,496	2,250	1,673	568
Race					
One race ²	232,174	221,627	9,777	7,437	2,181
White	180,819	172,467	7,818	6,063	1,687
Black or African American	32,101	30,532	1,390	980	345
American Indian or Alaska Native	2,632	2,548	81	43	35
Asian	15,983	15,463	465	342	100
Native Hawaiian or Other Pacific Islander	639	**617	*	9	*
Two or more races ³	6,898	6,501	384	301	71
Black or African American, white	2,448	2,348	90	74	8
American Indian or Alaska Native, white	1,678	1,530	148	*	*
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	42,057	39,803	2,060	1,431	605
Mexican or Mexican American	25,278	23,927	1,205	833	369
Not Hispanic or Latino	197,015	188,326	8,101	6,307	1,647
White, single race	144,462	138,062	6,058	4,852	1,152
Black or African American, single race	29,977	28,477	1,321	930	336
Education ⁵					
Less than a high school diploma	11,635	10,851	719	477	242
High school diploma or GED ⁶	33,126	31,252	1,683	1,178	469
Some college	41,307	39,047	2,179	1,604	541
Bachelor's degree or higher	57,331	55,231	1,971	1,735	222

Table P-12b. Frequency distribution (number in thousands) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and frequencies (number in thousands) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) ¹	Did not have coverage throughout the past 12 months (currently insured) ¹	6 months or less without coverage (currently insured) ¹	7-12 months without coverage (currently insured) ¹
Family income ⁷					
Less than \$35,000	48,442	44,919	3,401	2,368	1,007
\$35,000 or more	161,017	154,837	5,777	4,694	1,007
\$35,000–\$49,999	20,968	19,479	1,410	1,082	301
\$50,000–\$74,999	34,362	32,576	1,677	1,333	314
\$75,000–\$99,999	28,822	27,727	1,034	839	187
\$100,000 or more	76,865	75,054	1,657	1,441	205
Poverty status ⁸					
Poor	27,582	25,954	1,544	1,000	515
Near poor	37,639	34,715	2,779	1,968	755
Not poor	158,931	153,153	5,381	4,451	881
Place of residence ⁹					
Large MSA	139,718	133,484	5,700	4,444	1,150
Small MSA	71,017	67,796	3,030	2,303	680
Not in MSA	28,337	26,849	1,431	991	422
Region					
Northeast	45,484	43,710	1,626	1,261	347
Midwest	53,233	50,552	2,537	1,964	508
South	83,128	79,359	3,528	2,660	818
West	57,227	54,507	2,470	1,853	579
Hispanic or Latino origin ⁴ , race, and sex					
Hispanic or Latino, male	20,674	19,586	971	671	296
Hispanic or Latina, female	21,383	20,216	1,089	760	309
Not Hispanic or Latino:					
White, single race, male	71,467	68,304	2,986	2,395	565
White, single race, female	72,994	69,758	3,072	2,457	587
Black or African American, single race, male	13,858	13,203	571	401	141
Black or African American, single race, female	16,120	15,274	751	529	194

Table P-12b. Frequency distribution (number in thousands) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and frequencies (number in thousands) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) ¹	Did not have coverage throughout the past 12 months (currently insured) ¹	6 months or less without coverage (currently insured) ¹	7-12 months without coverage (currently insured) ¹
Hispanic or Latino origin ⁴ , race, and poverty status					
Hispanic or Latino:					
Poor	7,776	7,366	385	242	132
Near poor	10,757	10,095	623	390	224
Not poor	20,651	19,619	957	741	212
Not Hispanic or Latino:					
White, single race					
Poor	10,746	10,033	691	467	214
Near poor	16,908	15,400	1,449	1,071	366
Not poor	108,796	104,891	3,688	3,106	554
Black or African American, single race					
Poor	6,400	5,987	379	231	142
Near poor	6,495	6,029	418	292	101
Not poor	14,610	14,102	442	371	62

¹Corresponding crude percentage for the frequency is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), so the frequency is not shown.

²Complement of the corresponding crude percentage for the frequency is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf).

³"Had coverage during the past 12 months" and "Did not have coverage during the past 12 months" are based on the question (asked of persons who currently had health insurance), "In the past 12 months, was there any time when [person] did not have any health insurance or coverage?" "6 months or less without coverage" and "7-12 months without coverage" are based on the question (asked of persons who currently had health insurance coverage), "In the past 12 months, about how many months was [person] without coverage?" Number of months without coverage was collapsed into two categories for presentation in this table.

⁴Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

⁵Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁶Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁷Shown only for persons aged 25 and over.

⁸GED is General Educational Development high school equivalency diploma.

⁹Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

¹⁰"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

¹¹MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTE: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently insured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the frequencies, but they were included in the "All persons currently insured under age 65" column, and unknowns for duration of noncoverage are included in the "had coverage" column. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2017 National Health Interview Survey. National Health Interview Survey. 2018. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2017.

Table P-12c. Crude percent distribution (with standard errors) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and crude percentages (with standard errors) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) ¹	Did not have coverage throughout the past 12 months (currently insured) ¹	6 months or less without coverage (currently insured) ¹	7-12 months without coverage (currently insured) ¹
Total	100.0	95.7 (0.13)	4.3 (0.13)	3.2 (0.12)	0.9 (0.06)
Sex					
Male	100.0	95.9 (0.15)	4.1 (0.15)	3.2 (0.14)	0.9 (0.07)
Female	100.0	95.6 (0.15)	4.4 (0.15)	3.3 (0.14)	1.0 (0.07)
Age					
Under 12 years	100.0	96.4 (0.27)	3.6 (0.27)	2.9 (0.25)	0.6 (0.10)
12-17 years	100.0	97.0 (0.28)	3.0 (0.28)	2.4 (0.27)	0.6 (0.12)
18-44 years	100.0	94.1 (0.20)	5.9 (0.20)	4.4 (0.18)	1.3 (0.09)
45-64 years	100.0	97.0 (0.15)	3.0 (0.15)	2.2 (0.13)	0.8 (0.07)
Race					
One race ²	100.0	95.8 (0.13)	4.2 (0.13)	3.2 (0.12)	0.9 (0.06)
White	100.0	95.7 (0.15)	4.3 (0.15)	3.4 (0.14)	0.9 (0.07)
Black or African American	100.0	95.6 (0.35)	4.4 (0.35)	3.1 (0.30)	1.1 (0.16)
American Indian or Alaska Native	100.0	96.9 (0.98)	3.1 (0.98)	1.6 (0.75)	1.3 (0.61)
Asian	100.0	97.1 (0.39)	2.9 (0.39)	2.1 (0.33)	0.6 (0.16)
Native Hawaiian or Other Pacific Islander	100.0	**96.5 (1.62)	*	1.4 (0.99)	*
Two or more races ³	100.0	94.4 (0.90)	5.6 (0.90)	4.4 (0.80)	1.0 (0.44)
Black or African American, white	100.0	96.3 (1.12)	3.7 (1.12)	3.1 (1.07)	0.3 (0.24)
American Indian or Alaska Native, white	100.0	91.2 (2.45)	8.8 (2.45)	*	*
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	100.0	95.1 (0.33)	4.9 (0.33)	3.4 (0.30)	1.4 (0.17)
Mexican or Mexican American	100.0	95.2 (0.43)	4.8 (0.43)	3.3 (0.40)	1.5 (0.20)
Not Hispanic or Latino	100.0	95.9 (0.14)	4.1 (0.14)	3.2 (0.13)	0.8 (0.06)
White, single race	100.0	95.8 (0.17)	4.2 (0.17)	3.4 (0.15)	0.8 (0.07)
Black or African American, single race	100.0	95.6 (0.36)	4.4 (0.36)	3.1 (0.31)	1.1 (0.17)
Education ⁵					
Less than a high school diploma	100.0	93.8 (0.52)	6.2 (0.52)	4.1 (0.42)	2.1 (0.29)
High school diploma or GED ⁶	100.0	94.9 (0.28)	5.1 (0.28)	3.6 (0.24)	1.4 (0.15)
Some college	100.0	94.7 (0.25)	5.3 (0.25)	3.9 (0.22)	1.3 (0.12)
Bachelor's degree or higher	100.0	96.6 (0.19)	3.4 (0.19)	3.0 (0.19)	0.4 (0.06)

Table P-12c. Crude percent distribution (with standard errors) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and crude percentages (with standard errors) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) ¹	Did not have coverage throughout the past 12 months (currently insured) ¹	6 months or less without coverage (currently insured) ¹	7-12 months without coverage (currently insured) ¹
Family income ⁷					
Less than \$35,000	100.0	93.0 (0.35)	7.0 (0.35)	4.9 (0.30)	2.1 (0.19)
\$35,000 or more	100.0	96.4 (0.15)	3.6 (0.15)	2.9 (0.14)	0.6 (0.06)
\$35,000–\$49,999	100.0	93.3 (0.49)	6.7 (0.49)	5.2 (0.45)	1.4 (0.21)
\$50,000–\$74,999	100.0	95.1 (0.38)	4.9 (0.38)	3.9 (0.35)	0.9 (0.14)
\$75,000–\$99,999	100.0	96.4 (0.39)	3.6 (0.39)	2.9 (0.36)	0.6 (0.15)
\$100,000 or more	100.0	97.8 (0.19)	2.2 (0.19)	1.9 (0.18)	0.3 (0.06)
Poverty status ⁸					
Poor	100.0	94.4 (0.45)	5.6 (0.45)	3.6 (0.37)	1.9 (0.25)
Near poor	100.0	92.6 (0.41)	7.4 (0.41)	5.2 (0.36)	2.0 (0.20)
Not poor	100.0	96.6 (0.15)	3.4 (0.15)	2.8 (0.14)	0.6 (0.05)
Place of residence ⁹					
Large MSA	100.0	95.9 (0.17)	4.1 (0.17)	3.2 (0.16)	0.8 (0.07)
Small MSA	100.0	95.7 (0.23)	4.3 (0.23)	3.3 (0.21)	1.0 (0.09)
Not in MSA	100.0	94.9 (0.40)	5.1 (0.40)	3.5 (0.33)	1.5 (0.22)
Region					
Northeast	100.0	96.4 (0.31)	3.6 (0.31)	2.8 (0.27)	0.8 (0.13)
Midwest	100.0	95.2 (0.27)	4.8 (0.27)	3.7 (0.25)	1.0 (0.11)
South	100.0	95.7 (0.22)	4.3 (0.22)	3.2 (0.20)	1.0 (0.09)
West	100.0	95.7 (0.27)	4.3 (0.27)	3.3 (0.24)	1.0 (0.13)
Hispanic or Latino origin ⁴ , race, and sex					
Hispanic or Latino, male	100.0	95.3 (0.40)	4.7 (0.40)	3.3 (0.35)	1.4 (0.23)
Hispanic or Latina, female	100.0	94.9 (0.43)	5.1 (0.43)	3.6 (0.38)	1.4 (0.20)
Not Hispanic or Latino:					
White, single race, male	100.0	95.8 (0.20)	4.2 (0.20)	3.4 (0.18)	0.8 (0.08)
White, single race, female	100.0	95.8 (0.20)	4.2 (0.20)	3.4 (0.17)	0.8 (0.09)
Black or African American, single race, male	100.0	95.9 (0.47)	4.1 (0.47)	2.9 (0.39)	1.0 (0.21)
Black or African American, single race, female	100.0	95.3 (0.45)	4.7 (0.45)	3.3 (0.40)	1.2 (0.22)

Table P-12c. Crude percent distribution (with standard errors) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and crude percentages (with standard errors) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) ¹	Did not have coverage throughout the past 12 months (currently insured) ¹	6 months or less without coverage (currently insured) ¹	7-12 months without coverage (currently insured) ¹
Hispanic or Latino origin ⁴ , race, and poverty status					
Hispanic or Latino:					
Poor	100.0	95.0 (0.90)	5.0 (0.90)	3.1 (0.75)	1.7 (0.49)
Near poor	100.0	94.2 (0.68)	5.8 (0.68)	3.6 (0.54)	2.1 (0.41)
Not poor	100.0	95.3 (0.46)	4.7 (0.46)	3.6 (0.43)	1.0 (0.21)
Not Hispanic or Latino:					
White, single race					
Poor	100.0	93.6 (0.75)	6.4 (0.75)	4.4 (0.61)	2.0 (0.39)
Near poor	100.0	91.4 (0.61)	8.6 (0.61)	6.4 (0.56)	2.2 (0.29)
Not poor	100.0	96.6 (0.17)	3.4 (0.17)	2.9 (0.16)	0.5 (0.06)
Black or African American, single race					
Poor	100.0	94.1 (0.96)	5.9 (0.96)	3.6 (0.77)	2.2 (0.57)
Near poor	100.0	93.5 (0.86)	6.5 (0.86)	4.5 (0.73)	1.6 (0.37)
Not poor	100.0	97.0 (0.45)	3.0 (0.45)	2.5 (0.43)	0.4 (0.13)

¹Estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), and is not shown.

²Complement of the estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf).

³"Had coverage during the past 12 months" and "Did not have coverage during the past 12 months" are based on the question (asked of persons who currently had health insurance), "In the past 12 months, was there any time when [person] did not have any health insurance or coverage?" "6 months or less without coverage" and "7-12 months without coverage" are based on the question (asked of persons who currently had health insurance coverage), "In the past 12 months, about how many months was [person] without coverage?" Number of months without coverage was collapsed into two categories for presentation in this table.

⁴Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

⁵Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁶Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁷Shown only for persons aged 25 and over.

⁸GED is General Educational Development high school equivalency diploma.

⁹Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

¹⁰"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

¹¹MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently insured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. Persons having any period without health insurance coverage includes persons with unknown duration of period without coverage. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2017 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2017.