

Table P-13a. Age-adjusted percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2018

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
Total	100.0	27.8 (1.31)	13.4 (1.05)	8.9 (0.70)	18.8 (1.00)	31.2 (1.20)
Sex						
Male	100.0	27.4 (1.53)	12.4 (1.14)	9.1 (0.90)	17.2 (1.03)	33.8 (1.49)
Female	100.0	28.4 (1.61)	14.4 (1.33)	8.7 (0.85)	20.5 (1.33)	27.9 (1.42)
Age						
Under 12 years	100.0	47.2 (4.32)	18.0 (3.29)	8.2 (1.88)	14.8 (2.93)	11.8 (3.12)
12-17 years	100.0	28.4 (3.55)	18.5 (3.10)	10.3 (2.38)	16.1 (3.20)	26.6 (3.80)
18-44 years	100.0	24.6 (1.07)	12.4 (0.88)	9.8 (0.74)	21.3 (1.03)	32.0 (1.21)
45-64 years	100.0	18.1 (1.29)	9.6 (1.00)	7.4 (0.84)	18.5 (1.18)	46.5 (1.55)
Race						
One race ²	100.0	28.0 (1.33)	13.0 (1.03)	9.0 (0.71)	18.7 (1.01)	31.4 (1.23)
White	100.0	26.5 (1.51)	13.6 (1.22)	8.8 (0.84)	19.2 (1.25)	32.0 (1.40)
Black or African American	100.0	35.6 (3.08)	9.8 (1.52)	9.4 (1.53)	16.5 (1.82)	28.7 (3.04)
American Indian or Alaska Native	100.0	35.8 (6.28)	*	*	15.5 (3.90)	41.9 (6.15)
Asian	100.0	26.7 (5.51)	*	12.7 (3.35)	16.1 (3.17)	27.7 (6.78)
Native Hawaiian or Other Pacific Islander	100.0	*	*	*	*	*
Two or more races ³	100.0	23.2 (3.64)	23.4 (6.26)	*	20.3 (4.98)	26.1 (3.95)
Black or African American, white	100.0	*	*	*	*	*
American Indian or Alaska Native, white	100.0	23.6 (4.86)	*	*	*	52.7 (6.43)
Hispanic or Latino origin⁴ and race						
Hispanic or Latino	100.0	26.3 (2.11)	12.7 (1.81)	10.4 (1.36)	16.8 (1.69)	33.8 (2.05)
Mexican or Mexican American	100.0	25.7 (2.46)	13.1 (2.22)	11.7 (1.71)	15.3 (1.75)	34.2 (2.28)
Not Hispanic or Latino	100.0	28.1 (1.66)	13.8 (1.35)	8.3 (0.82)	19.7 (1.27)	30.1 (1.51)
White, single race	100.0	26.4 (1.98)	13.7 (1.66)	7.9 (1.05)	21.3 (1.77)	30.7 (1.90)
Black or African American, single race	100.0	35.5 (3.25)	9.6 (1.58)	9.1 (1.58)	16.2 (1.84)	29.5 (3.16)
Education⁵						
Less than a high school diploma	100.0	16.8 (1.83)	9.7 (1.52)	6.8 (1.10)	21.2 (1.96)	45.5 (2.37)
High school diploma or GED ⁶	100.0	17.9 (1.41)	11.7 (1.19)	8.9 (0.99)	20.2 (1.43)	41.3 (1.76)
Some college	100.0	22.5 (1.57)	10.4 (1.13)	9.8 (1.16)	19.8 (1.37)	37.5 (1.76)
Bachelor's degree or higher	100.0	28.4 (2.47)	13.9 (1.85)	7.5 (1.32)	18.2 (2.06)	32.0 (2.51)
Family income⁷						
Less than \$35,000	100.0	31.2 (2.21)	10.1 (1.35)	8.9 (1.30)	18.8 (1.68)	31.1 (1.50)
\$35,000 or more	100.0	27.8 (1.67)	15.7 (1.59)	9.0 (0.93)	18.7 (1.37)	28.8 (1.54)
\$35,000-\$49,999	100.0	29.1 (3.44)	12.9 (2.82)	7.5 (1.20)	18.4 (2.22)	32.2 (2.54)
\$50,000-\$74,999	100.0	23.8 (2.35)	20.4 (3.06)	7.4 (1.26)	19.8 (2.49)	28.5 (2.94)
\$75,000-\$99,999	100.0	28.1 (4.67)	12.7 (3.48)	13.8 (3.10)	17.6 (2.48)	27.9 (3.93)
\$100,000 or more	100.0	32.7 (3.87)	14.5 (3.29)	10.4 (2.69)	17.1 (3.13)	25.3 (3.08)
Poverty status⁸						
Poor	100.0	31.5 (2.87)	8.9 (1.80)	7.8 (1.61)	18.7 (2.27)	33.2 (2.13)
Near poor	100.0	27.2 (2.42)	15.4 (2.27)	9.7 (1.39)	18.3 (1.79)	29.4 (1.70)
Not poor	100.0	27.5 (1.86)	14.3 (1.62)	9.3 (1.02)	18.4 (1.44)	30.5 (1.86)

Table P-13a. Age-adjusted percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2018

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
Place of residence ⁹						
Large MSA	100.0	28.2 (1.77)	13.0 (1.36)	9.8 (0.97)	17.7 (1.31)	31.3 (1.79)
Small MSA	100.0	28.7 (2.56)	12.3 (1.80)	8.4 (1.23)	20.6 (1.83)	30.0 (1.63)
Not in MSA	100.0	24.4 (2.58)	17.2 (3.50)	6.9 (1.79)	19.6 (2.71)	31.9 (2.33)
Region						
Northeast	100.0	29.5 (4.35)	13.5 (3.70)	9.3 (2.52)	13.9 (2.70)	33.8 (5.70)
Midwest	100.0	28.2 (2.57)	14.7 (2.90)	8.6 (1.51)	18.5 (2.28)	30.0 (2.32)
South	100.0	27.1 (1.86)	12.5 (1.30)	8.8 (0.99)	19.4 (1.25)	32.2 (1.71)
West	100.0	26.7 (2.73)	14.7 (2.30)	9.6 (1.57)	19.5 (2.49)	29.6 (2.30)
Hispanic or Latino origin ⁴ , race, and sex						
Hispanic or Latino, male	100.0	27.4 (2.37)	13.4 (2.22)	10.7 (1.70)	14.4 (1.84)	34.1 (2.37)
Hispanic or Latina, female	100.0	25.1 (2.54)	12.0 (1.98)	10.1 (1.62)	19.4 (2.15)	33.4 (2.56)
Not Hispanic or Latino:						
White, single race, male	100.0	24.7 (2.29)	12.6 (1.90)	8.9 (1.50)	19.8 (1.82)	34.0 (2.22)
White, single race, female	100.0	28.8 (2.37)	15.0 (2.03)	6.9 (1.12)	22.8 (2.25)	26.4 (2.19)
Black or African American, single race, male	100.0	34.2 (4.58)	9.2 (1.76)	6.7 (1.43)	16.8 (2.29)	33.3 (5.07)
Black or African American, single race, female	100.0	37.5 (3.92)	10.2 (2.28)	12.3 (2.88)	15.6 (2.43)	24.4 (2.66)
Hispanic or Latino origin ⁴ , race, and poverty status						
Hispanic or Latino:						
Poor	100.0	31.0 (5.32)	*	*	19.0 (3.99)	36.4 (4.15)
Near poor	100.0	23.9 (3.46)	16.0 (3.78)	12.5 (2.46)	16.8 (2.75)	30.9 (3.04)
Not poor	100.0	28.2 (3.66)	14.3 (3.04)	10.9 (2.24)	14.4 (2.28)	32.2 (3.30)
Not Hispanic or Latino:						
White, single race						
Poor	100.0	36.0 (4.22)	7.8 (2.15)	*	17.9 (3.07)	33.1 (3.77)
Near poor	100.0	28.5 (3.81)	12.5 (2.86)	8.2 (2.34)	22.0 (3.52)	28.8 (2.61)
Not poor	100.0	25.6 (2.28)	15.1 (2.31)	8.7 (1.43)	20.6 (2.22)	30.1 (2.44)
Black or African American, single race						
Poor	100.0	29.6 (4.70)	8.4 (2.36)	*	17.3 (3.02)	31.2 (3.26)
Near poor	100.0	35.5 (5.87)	*	*	13.6 (2.58)	31.5 (4.47)
Not poor	100.0	35.3 (5.14)	9.3 (2.66)	8.9 (1.90)	18.6 (3.75)	27.9 (6.45)

Table P-13a. Age-adjusted percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2018

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
-------------------------	---	----------------------------------	--------------------------	---------------------------	-------------------------------------	--------------------

^{*}Estimate does not meet NCHS standards of reliability.

¹Based on the question (asked of persons currently without health insurance coverage), "Not including Single Service Plans, about how long has it been since [person] last had health care coverage?" The weighted percentage of unknown length of time since last had health insurance coverage among currently uninsured persons under age 65 was 6.0%.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using two age groups: 25-44 and 45-64.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently uninsured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 0-11, 12-17, 18-44, and 45-64. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2018 National Health Interview Survey. National Center for Health Statistics. 2019. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2018.

Table P-13b. Frequency distribution (number in thousands) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2018

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
Total	29,581	4,804	2,416	1,767	3,877	6,799
Sex						
Male	16,186	2,430	1,237	965	1,973	4,028
Female	13,394	2,374	1,179	801	1,904	2,771
Age						
Under 12 years	2,234	644	246	112	201	161
12-17 years	1,556	286	186	104	162	267
18-44 years	17,351	2,825	1,428	1,122	2,443	3,678
45-64 years	8,440	1,050	556	428	1,070	2,694
Race						
One race ²	28,728	4,627	2,304	1,717	3,741	6,608
White	21,962	3,369	1,812	1,252	2,864	5,167
Black or African American	4,367	933	364	348	668	1,089
American Indian or Alaska Native	1,024	114	*	*	*	152
Asian	1,291	195	110	102	154	190
Native Hawaiian or Other Pacific Islander	84	*	*	*	*	*
Two or more races ³	853	177	*	*	136	191
Black or African American, white	322	*	*	*	*	*
American Indian or Alaska Native, white	286	50	*	*	*	*
Hispanic or Latino origin ⁴ and race						
Hispanic or Latino	10,924	1,382	720	639	1,065	2,167
Mexican or Mexican American	7,447	888	511	479	664	1,483
Not Hispanic or Latino	18,656	3,422	1,696	1,127	2,812	4,632
White, single race	11,994	2,153	1,139	672	1,903	3,179
Black or African American, single race	4,057	888	332	317	623	1,061
Education ⁵						
Less than a high school diploma	5,645	480	278	195	607	1,302
High school diploma or GED ⁶	6,981	878	579	437	999	2,015
Some college	5,357	961	446	419	845	1,576
Bachelor's degree or higher	3,155	621	304	166	393	687
Family income ⁷						
Less than \$35,000	11,150	1,826	797	653	1,491	2,813
\$35,000 or more	14,237	2,518	1,402	911	1,912	3,076
\$35,000-\$49,999	3,978	676	294	228	566	1,033
\$50,000-\$74,999	4,480	725	616	252	624	957
\$75,000-\$99,999	2,196	457	211	217	341	495
\$100,000 or more	3,582	660	281	214	380	591
Poverty status ⁸						
Poor	5,993	890	334	285	738	1,428
Near poor	8,456	1,383	797	531	1,091	1,935
Not poor	12,760	2,284	1,156	872	1,753	2,991

Table P-13b. Frequency distribution (number in thousands) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2018

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
Place of residence ⁹						
Large MSA	16,101	2,646	1,273	1,052	2,000	3,416
Small MSA	8,859	1,525	675	521	1,292	2,215
Not in MSA	4,621	633	468	194	586	1,168
Region						
Northeast	2,898	580	207	179	312	610
Midwest	5,470	1,016	510	319	693	1,295
South	14,902	2,248	1,141	856	2,101	3,576
West	6,310	960	557	413	771	1,317
Hispanic or Latino origin ⁴ , race, and sex						
Hispanic or Latino, male	5,929	690	404	337	465	1,133
Hispanic or Latina, female	4,995	692	316	302	599	1,034
Not Hispanic or Latino:						
White, single race, male	6,586	1,059	580	394	1,009	1,965
White, single race, female	5,408	1,093	559	278	894	1,215
Black or African American, single race, male	2,285	467	176	147	363	671
Black or African American, single race, female	1,771	420	157	170	260	390
Hispanic or Latino origin ⁴ , race, and poverty status						
Hispanic or Latino:						
Poor	2,613	313	88	*	231	466
Near poor	3,899	470	311	282	397	751
Not poor	3,391	532	292	237	332	752
Not Hispanic or Latino:						
White, single race						
Poor	1,655	303	100	60	271	545
Near poor	2,754	554	291	156	437	767
Not poor	6,807	1,258	668	429	1,050	1,715
Black or African American, single race						
Poor	1,182	197	93	114	185	345
Near poor	1,173	259	117	78	177	340
Not poor	1,341	325	114	117	235	316

Table P-13b. Frequency distribution (number in thousands) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2018

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
-------------------------	--	-------------------------------	--------------------------	---------------------------	----------------------------------	--------------------

^{*}Corresponding crude percentage for the frequency does not meet NCHS standards of reliability, so the frequency is not shown.

¹Based on the question (asked of persons currently without health insurance coverage), "Not including Single Service Plans, about how long has it been since [person] last had health care coverage?" The weighted percentage of unknown length of time since last had health insurance coverage among currently uninsured persons under age 65 was 6.0%.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently uninsured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the frequencies, but they were included in the "All persons currently uninsured under age 65" column. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2018 National Health Interview Survey. National Center for Health Statistics. 2019. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2018.

Table P-13c. Crude percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2018

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
Total	100.0	24.4 (1.00)	12.3 (0.79)	9.0 (0.58)	19.7 (0.84)	34.6 (1.07)
Sex						
Male	100.0	22.9 (1.20)	11.6 (0.93)	9.1 (0.77)	18.6 (0.96)	37.9 (1.34)
Female	100.0	26.3 (1.22)	13.1 (0.97)	8.9 (0.73)	21.1 (1.12)	30.7 (1.30)
Age						
Under 12 years	100.0	47.2 (4.32)	18.0 (3.29)	8.2 (1.88)	14.8 (2.93)	11.8 (3.12)
12-17 years	100.0	28.4 (3.55)	18.5 (3.10)	10.3 (2.38)	16.1 (3.20)	26.6 (3.80)
18-44 years	100.0	24.6 (1.07)	12.4 (0.88)	9.8 (0.74)	21.3 (1.03)	32.0 (1.21)
45-64 years	100.0	18.1 (1.29)	9.6 (1.00)	7.4 (0.84)	18.5 (1.18)	46.5 (1.55)
Race						
One race ²	100.0	24.4 (1.02)	12.1 (0.79)	9.0 (0.60)	19.7 (0.86)	34.8 (1.09)
White	100.0	23.3 (1.18)	12.5 (0.95)	8.7 (0.69)	19.8 (1.04)	35.7 (1.28)
Black or African American	100.0	27.4 (2.60)	10.7 (1.49)	10.2 (1.32)	19.6 (2.04)	32.0 (2.53)
American Indian or Alaska Native	100.0	34.9 (6.80)	*	*	*	46.4 (6.74)
Asian	100.0	26.0 (5.17)	14.7 (4.34)	13.6 (3.40)	20.5 (4.26)	25.3 (4.91)
Native Hawaiian or Other Pacific Islander	100.0	*	*	*	*	*
Two or more races ³	100.0	26.6 (4.17)	*	*	20.5 (4.39)	28.7 (4.79)
Black or African American, white	100.0	*	*	*	*	*
American Indian or Alaska Native, white	100.0	24.1 (6.51)	*	*	*	*
Hispanic or Latino origin ⁴ and race						
Hispanic or Latino	100.0	23.1 (1.93)	12.1 (1.60)	10.7 (1.26)	17.8 (1.53)	36.3 (2.11)
Mexican or Mexican American	100.0	22.1 (2.37)	12.7 (2.06)	11.9 (1.62)	16.5 (1.67)	36.9 (2.59)
Not Hispanic or Latino	100.0	25.0 (1.12)	12.4 (0.90)	8.2 (0.65)	20.5 (0.99)	33.8 (1.20)
White, single race	100.0	23.8 (1.29)	12.6 (1.10)	7.4 (0.77)	21.0 (1.28)	35.1 (1.45)
Black or African American, single race	100.0	27.6 (2.72)	10.3 (1.52)	9.8 (1.34)	19.3 (2.09)	32.9 (2.65)
Education ⁵						
Less than a high school diploma	100.0	16.8 (1.84)	9.7 (1.52)	6.8 (1.10)	21.2 (1.96)	45.5 (2.37)
High school diploma or GED ⁶	100.0	17.9 (1.40)	11.8 (1.21)	8.9 (0.99)	20.3 (1.45)	41.1 (1.78)
Some college	100.0	22.6 (1.58)	10.5 (1.14)	9.9 (1.18)	19.9 (1.39)	37.1 (1.81)
Bachelor's degree or higher	100.0	28.6 (2.49)	14.0 (1.90)	7.7 (1.34)	18.1 (2.06)	31.6 (2.53)
Family income ⁷						
Less than \$35,000	100.0	24.1 (1.56)	10.5 (0.93)	8.6 (0.85)	19.7 (1.22)	37.1 (1.59)
\$35,000 or more	100.0	25.6 (1.41)	14.3 (1.33)	9.3 (0.86)	19.5 (1.23)	31.3 (1.51)
\$35,000-\$49,999	100.0	24.2 (2.53)	10.5 (2.01)	8.1 (1.19)	20.2 (2.19)	37.0 (2.77)
\$50,000-\$74,999	100.0	22.9 (2.06)	19.4 (2.83)	7.9 (1.33)	19.7 (2.20)	30.2 (2.79)
\$75,000-\$99,999	100.0	26.6 (3.50)	12.2 (2.42)	12.6 (2.30)	19.8 (2.69)	28.7 (3.12)
\$100,000 or more	100.0	31.0 (3.51)	13.2 (2.75)	10.1 (2.39)	17.9 (2.79)	27.8 (3.25)
Poverty status ⁸						
Poor	100.0	24.2 (2.42)	9.1 (1.35)	7.8 (1.21)	20.1 (1.83)	38.9 (2.48)
Near poor	100.0	24.1 (1.80)	13.9 (1.69)	9.2 (1.08)	19.0 (1.50)	33.7 (1.86)
Not poor	100.0	25.2 (1.41)	12.8 (1.13)	9.6 (0.90)	19.4 (1.24)	33.0 (1.56)

Table P-13c. Crude percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2018

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
Place of residence ⁹						
Large MSA	100.0	25.5 (1.41)	12.3 (1.07)	10.1 (0.84)	19.3 (1.17)	32.9 (1.50)
Small MSA	100.0	24.5 (1.82)	10.8 (1.18)	8.4 (1.01)	20.7 (1.38)	35.6 (1.77)
Not in MSA	100.0	20.8 (1.97)	15.3 (2.59)	6.4 (1.32)	19.2 (2.24)	38.3 (2.75)
Region						
Northeast	100.0	30.7 (3.40)	11.0 (2.16)	9.5 (1.76)	16.5 (2.95)	32.3 (4.16)
Midwest	100.0	26.5 (1.94)	13.3 (1.96)	8.3 (1.16)	18.1 (1.62)	33.8 (2.30)
South	100.0	22.7 (1.47)	11.5 (0.98)	8.6 (0.83)	21.2 (1.17)	36.0 (1.44)
West	100.0	23.9 (2.24)	13.9 (2.10)	10.3 (1.44)	19.2 (2.03)	32.8 (2.50)
Hispanic or Latino origin ⁴ , race, and sex						
Hispanic or Latino, male	100.0	22.8 (2.39)	13.3 (2.19)	11.1 (1.59)	15.4 (1.80)	37.4 (2.65)
Hispanic or Latina, female	100.0	23.5 (2.14)	10.7 (1.55)	10.3 (1.47)	20.4 (1.95)	35.1 (2.44)
Not Hispanic or Latino:						
White, single race, male	100.0	21.2 (1.53)	11.6 (1.21)	7.9 (1.05)	20.2 (1.43)	39.2 (1.78)
White, single race, female	100.0	27.1 (1.73)	13.8 (1.46)	6.9 (0.94)	22.1 (1.68)	30.1 (1.86)
Black or African American, single race, male	100.0	25.6 (3.34)	9.6 (1.81)	8.0 (1.65)	19.9 (2.47)	36.8 (3.67)
Black or African American, single race, female	100.0	30.1 (3.43)	11.2 (2.07)	12.2 (2.15)	18.6 (2.89)	27.9 (2.91)
Hispanic or Latino origin ⁴ , race, and poverty status						
Hispanic or Latino:						
Poor	100.0	26.3 (5.00)	7.4 (2.15)	*	19.4 (3.39)	39.2 (4.65)
Near poor	100.0	21.2 (2.80)	14.1 (3.24)	12.8 (2.21)	17.9 (2.52)	34.0 (3.31)
Not poor	100.0	24.8 (3.28)	13.6 (2.56)	11.1 (2.17)	15.5 (2.20)	35.1 (3.31)
Not Hispanic or Latino:						
White, single race						
Poor	100.0	23.7 (3.68)	7.8 (1.67)	4.7 (1.41)	21.2 (3.05)	42.6 (4.17)
Near poor	100.0	25.1 (2.78)	13.2 (2.17)	7.1 (1.45)	19.8 (2.28)	34.8 (2.86)
Not poor	100.0	24.6 (1.67)	13.0 (1.47)	8.4 (1.11)	20.5 (1.70)	33.5 (1.95)
Black or African American, single race						
Poor	100.0	21.1 (3.71)	9.9 (2.49)	12.2 (2.76)	19.8 (3.26)	36.9 (4.03)
Near poor	100.0	26.7 (4.85)	12.0 (3.04)	8.0 (2.43)	18.2 (3.68)	35.0 (4.13)
Not poor	100.0	29.3 (4.15)	10.3 (2.68)	10.5 (2.25)	21.2 (3.80)	28.6 (5.03)

Table P-13c. Crude percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2018

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
-------------------------	--	-------------------------------	--------------------------	---------------------------	----------------------------------	--------------------

¹Estimate does not meet NCHS standards of reliability.

¹Based on the question (asked of persons currently without health insurance coverage), "Not including Single Service Plans, about how long has it been since [person] last had health care coverage?" The weighted percentage of unknown length of time since last had health insurance coverage among currently uninsured persons under age 65 was 6.0%.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently uninsured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2018 National Health Interview Survey. National Center for Health Statistics. 2019. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2018.