




# U.S. Decennial Life Tables for 1989-91

Volume II, State Life Tables Number 19, Louisiana

From the CENTERS FOR DISEASE CONTROL AND PREVENTION/National Center for Health Statistics



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES  
Centers for Disease Control and Prevention  
National Center for Health Statistics



**Copyright information**

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

---

**Suggested citation**

National Center for Health Statistics. U.S. decennial life tables for 1989–91, vol II, State life tables no. 19, Louisiana. Hyattsville, Maryland. 1998.

---

**Library of Congress Cataloging Card Number 85-600190**

---


For sale by the U.S. Government Printing Office  
Superintendent of Documents  
Mail Stop: SSOP  
Washington, DC 20402-9328

---

# U.S. Decennial Life Tables for 1989-91

---

Volume II, State Life Tables Number 19, Louisiana



---

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES  
Centers for Disease Control and Prevention  
National Center for Health Statistics

Hyattsville, Maryland  
March 1998

DHHS Publication No. PHS-98-1151-19

## **National Center for Health Statistics**

Edward J. Sondik, Ph.D., *Director*

Jack R. Anderson, *Deputy Director*

Jack R. Anderson, *Acting Associate Director for International Statistics*

Lester R. Curtin, Ph.D., *Acting Associate Director for Research and Methodology*

Jennifer H. Madans, Ph.D., *Acting Associate Director for Analysis, Epidemiology, and Health Promotion*

P. Douglas Williams, *Acting Associate Director for Data Standards, Program Development, and Extramural Programs*

Edward L. Hunter, *Associate Director for Planning, Budget, and Legislation*

Jennifer H. Madans, Ph.D., *Acting Associate Director for Vital and Health Statistics Systems*

Stephen E. Nieberding, *Associate Director for Management*

Charles J. Rothwell, *Associate Director for Data Processing and Services*

## **Division of Vital Statistics**

Mary Anne Freedman, *Director*

James A. Weed, Ph.D., *Deputy Director*

Robert J. Armstrong, *Actuarial Adviser*

Harry M. Rosenberg, Ph.D., *Chief, Mortality Statistics Branch*

Nicholas F. Pace, *Chief, Systems, Programming, and Statistical Resources Branch*

# Contents

Acknowledgments.....	iv
Abstract.....	1
Introduction.....	1
Methodology.....	1
Results and discussion.....	2
Explanation of the columns of the life table.....	2
References.....	3

## Detailed tables

Average lifetime in years by race and sex: United States and each State in rank order, 1989–91.....	4
1. Life table for the total population: Louisiana, 1989–91.....	6
2. Life table for males: Louisiana, 1989–91.....	8
3. Life table for females: Louisiana, 1989–91.....	10
4. Life table for the white population: Louisiana, 1989–91.....	12
5. Life table for white males: Louisiana, 1989–91.....	14
6. Life table for white females: Louisiana, 1989–91.....	16
7. Life table for the population other than white: Louisiana, 1989–91.....	18
8. Life table for males other than white: Louisiana, 1989–91.....	20
9. Life table for females other than white: Louisiana, 1989–91.....	22
10. Life table for the black population: Louisiana, 1989–91.....	24
11. Life table for black males: Louisiana, 1989–91.....	26
12. Life table for black females: Louisiana, 1989–91.....	28
13. Standard errors of the probability of dying: Louisiana, 1989–91.....	30
14. Standard errors of the average remaining lifetime: Louisiana, 1989–91.....	32

## Acknowledgments

This report was prepared in the Division of Vital Statistics (DVS) under the guidance of an ad hoc committee chaired by Robert J. Armstrong and included Stephen C. Goss and Alice H. Wade of the Office of the Actuary, Social Security Administration; Gregory K. Spencer and Frederick W. Hollmann of the U.S. Bureau of the Census; and David P. Johnson, Lester R. Curtin, Nonie Atkinson, Kenneth D. Kochanek, Harry M. Rosenberg, Jeffrey D. Maurer, and Joseph D. Farrell from the National Center for Health Statistics.

Nonie Atkinson, formerly of the Office of Research and Methodology (ORM), was responsible for the overall computer systems analysis and design and played a major role in writing the programs to produce the life tables and their variances. Lester R. Curtin, also of ORM, consulted on methodological issues including the preparation of standard errors for the life tables.

Joseph D. Farrell, Charles E. Royer, and David P. Johnson of the Systems, Programming, and Statistical Resources Branch

of DVS coordinated data processing and developed computer processes that eased the workload of the actuarial statistician and the Publications Branch. They also provided major programming support in summarizing data basic to the calculation of the life tables.

Gregory K. Spencer and Frederick W. Hollmann of the U.S. Bureau of the Census furnished the modified-race populations that were used in the production of these tables.

Stephen C. Goss, Felicite C. Bell, and Bertram M. Kestenbaum of the Office of the Actuary, Social Security Administration, provided mortality data from the Medicare Program that were used at age 85 years and over. Vanetta A. Harrington of the Systems, Programming, and Statistical Resources Branch, DVS, provided content review, and Robert N. Anderson of the Mortality Statistics Branch, DVS, provided peer review. This report was edited by Patricia Keaton-Williams and Demarius V. Miller and typeset by Jacqueline M. Davis of the Publications Branch, Division of Data Services.

# Louisiana Life Tables: 1989–91

by Robert J. Armstrong, M.S.  
Division of Vital Statistics

## Abstract

The life tables in this report are current life tables for Louisiana based on age-specific death rates for the period 1989–91. The death rates were calculated using data from the 1990 census of population and deaths occurring in the United States to residents of Louisiana in the 3 years 1989–91. Presented are tables for the white population, the population other than white, and the black population, separately by sex and for both sexes combined, and also for the total population and for total males and total females. Standard errors of the probability of dying and of life expectancy are also provided.

## Introduction

The life tables in this report are current life tables for Louisiana based on age-specific death rates for the period 1989–91. With the exception of those aged 95 years and over (and to a lesser extent those aged 85–94 years), the death rates were calculated using data from the 1990 census of population and deaths occurring in the United States to residents of Louisiana in the 3 years 1989–91. Other publications in this decennial series present life tables for the United States and the other individual States. Generally, these reports show life tables calculated for the white population, the population other than white, and the black population separately by sex and for both sexes combined. Each of these reports also shows life tables for the total population, for total males, and for total females. Standard errors of the probability of dying and of life expectancy are also provided. However, life tables for the population other than white and for the black population in a State are not published when the total number of deaths for either males or females during the 3-year period is less than 700.

These life tables are the most recent in a series for the States that began with the 1939–41 period. Each of the tables in the series is based on a census of population and deaths in a 3-year period centered on the census year. Because State life tables are not currently produced on an annual basis, the decennial life tables are the only source of State life expectancy data available at the National Center for Health Statistics (NCHS).

---

**Keywords:** Louisiana • decennial life tables • 1989–91 • life expectancy

This report is 1 of 51 reports containing life tables for the individual States and the District of Columbia. A separate report describes the methods and formulas by which these life tables were prepared in *U.S. Decennial Life Tables for 1989–91, Volume I, Number 2, Methodology of the National and State Life Tables* (1).

## Methodology

The general methodology, with a few modifications, used in preparing these life tables was developed by Thomas N. E. Greville for the 1939–41 decennial life tables (2). The life tables are based on a complete count of deaths to residents of Louisiana that occurred anywhere in the United States during the 3 years of 1989, 1990, and 1991 and on the 1990 census of population for Louisiana. However, sometimes the observed death rates that these data produced did not meet certain well-established criteria, such as steadily increasing mortality with increasing age. For example, when the pattern of age-specific death rates at some ages was jagged rather than smooth or when the rates by race or sex were inconsistent, the observed death rates were adjusted slightly by moving deaths from one age group to another within the race-sex group. The total number of deaths in a race-sex group was never changed. Certain other adjustments were made. In accordance with standard practice, deaths for which age was not stated were allocated proportionately among the various age groups.

The population data used differ from the official data published by the U.S. Bureau of the Census because of age reporting problems in the 1990 census. Age was based on the respondents' direct reports of age at last birthday in the 1990 census. It was apparent that many respondents had reported their age at either the time of completion of the census form or at the time of the interview by an enumerator, which could have occurred several months after the April 1 reference date. As a result, reported age was biased upward and had to be modified.

Between the ages of 5 and 94 years, death rates were calculated using the total number of deaths in 1989–91 and 3 times the population shown in the 1990 census. However, since population counts at ages under 2 years are considered to be less reliable than those at other ages, life-table values at ages under 2 years were derived from the reported numbers of births for each of the years 1987 to 1991. At ages 2–4 years, the denominator of the death rates used the populations at ages

$x-1$ ,  $x$ , and  $x+1$  (instead of 3 times the population at age  $x$ ). Death rates at ages 95 years and over, where the data from the census and from registered deaths are scanty and the accuracy of the reporting of age is not as good as at younger ages, are based on data from the Medicare program. However, when the data from the Medicare program were judged to be unreliable (usually after age 97), an algorithm was used to produce the death rates. The new algorithm, which differed from the one used for the 1979–81 decennial life tables, incremented the death rates more rapidly resulting in lower life expectancies at the extreme ages than in the previous reports. The rates based on the Medicare program and on the algorithm are differentiated by race and sex but not by State, so the same rates are used for each State. As a consequence, the probabilities of dying and the life expectancies at ages 85 years and over may fail to adequately reflect variation in mortality among the States, but such variation is in general smaller than differences associated with race and sex. Death rates at ages 85–94 years were adjusted to provide a smooth transition between the death rates based on the census and registered deaths and those derived from the Medicare program.

The population and death statistics at ages under 85 years are known to be subject to reporting errors, but these were not considered to be serious enough to require adjustment prior to the calculation of the life tables. In some instances, fluctuations due to small numbers of deaths produced anomalous life-tables values, which were eliminated by minor redistribution of deaths by age. For a complete description of the methodology used in preparing these life tables, see *U.S. Decennial Life Tables for 1989–91, Volume 1, Number 2, Methodology of the National and State Life Tables* (1).

## Results and discussion

The life tables in this report are current life tables and are based on age-specific death rates for the period 1989–91. They may also be characterized as “cross-sectional.” They assume that a hypothetical cohort is traced from birth until the death of the last survivor and that it is subject throughout its existence to the age-specific death rates observed for 1989–91. For example, [table 3](#) is a life table for females. This table shows the progression of a cohort starting with 100,000 live births who were subjected to the average annual death rates observed among females in Louisiana in the 3-year period 1989–91 during its passage through successive years of age.

Column 7 of [table 3](#) shows the average number of years of life remaining to those in the cohort who attain each birthday. This average remaining lifetime is commonly called the expectation of life, and the expectation of life at birth is frequently used as a measure of comparative longevity. According to the 1989–91 life tables for Louisiana, the expectation of life at birth is 69.10 years for total males and 76.90 years for total females. Among the 50 States and the District of Columbia in the expectation of life at birth for the total population, Louisiana ranks 49th.

The ranking table shows the average lifetime (or expectation of life at birth) by race and sex for the population of the

United States, each State, and the District of Columbia. The States are ranked using the life expectancy at birth for the total population of the State.

These life tables are based on a complete count of resident deaths in Louisiana during the 3 years 1989, 1990, and 1991. As such, they are not subject to sampling error. However, even complete counts may be considered as one of a large series of possible results that could have arisen under the same circumstances. This type of variation is known as random error. The standard errors shown in this report reflect random error only, not other errors such as misreporting of age on death certificates or in the census.

The probabilities of dying and the expectation of life presented in this report are “point estimates.” They do not give the reader an indication of how accurate they are. Therefore standard errors of these two measures are also presented. Standard errors can be used to develop confidence intervals within which the “point estimates” are believed to lie. Standard errors of the probability of dying and of life expectancy contain six and three decimal places, respectively, and are shown in [tables 13](#) and [14](#). In both cases, the standard errors contain one place more than the corresponding variable in the life tables. In computing confidence intervals, the limits are rounded to the same number of decimal places that the variable has in the life table.

Even though 68 percent confidence intervals are rarely used because of their high degree of uncertainty, they are shown here to demonstrate the method of construction of confidence intervals. To obtain a 68 percent confidence interval for the probability of dying at any age, take the point estimate from column 2 of the appropriate life table and add and subtract one standard error from the table that gives the standard errors of the probability of dying ([table 13](#)). The 95 percent confidence interval is obtained by adding and subtracting two standard errors. For example, the probability that a 50-year-old white female will die before her 51st birthday is 0.00364 with a standard error of 0.000287. Therefore, the 68 percent confidence interval is from 0.00335 to 0.00393 and the 95 percent confidence interval is from 0.00307 to 0.00421. The life expectancy of a 50-year-old white female is 30.96 years with a standard error of 0.057 years. The 68 percent confidence interval for the life expectancy is therefore from 30.90 to 31.02 years and the 95 percent confidence interval is from 30.85 to 31.07 years.

## Explanation of the columns of the life table

*Column 1—Age interval ( $x$  to  $x+1$ )*—The age interval shown in column 1 is the interval of 1 year between the two exact ages indicated. For instance, “21–22” indicates the interval between the 21st birthday and the 22d, in other words, the 22d year of life.

*Column 2—Proportion dying ( $q_x$ )*—This column shows the proportion of the members of the life-table cohort alive at the beginning of the indicated year of age who will die before reaching the next birthday on the basis of the mortality rates of



1989–91 in Louisiana. For example, for females who reach age 21, the proportion dying before reaching their 22d birthday is 0.00070—out of every 1,000 female babies surviving to age 21, 0.70 will die before reaching their 22d birthday.

*Column 3—Number surviving ( $l_x$ )*—This column shows the number of persons, starting with a cohort of 100,000 live births, who will survive to the birthday marking the beginning of the indicated year of age. Thus out of 100,000 female babies born alive in the cohort of [table 3](#), 99,037 will complete the first year of life and enter the second, 98,305 will reach age 21, and 64,211 will live to age 75.

*Column 4—Number dying ( $d_x$ )*—This column shows the number dying in each successive age interval out of 100,000 live births. Thus out of 100,000 females born alive, 963 will die in the first year of life, 69 in the 22d year, and 2,306 in the 76th year. Each figure in column 4 is the difference between two successive figures in column 3.

*Columns 5 and 6—Stationary population ( $L_x$  and  $T_x$ )*—Suppose that a group of 100,000 persons like that assumed in columns 3 and 4 is born every year, and that the proportion dying in each such group in each age interval throughout the lives of the members is exactly that shown in column 2. If there were no migration and if the births were evenly distributed over the year, the survivors of these births would constitute what is called a stationary population, because in such a population the number of persons living in any given age interval would never change. When an individual left an age interval, whether by death or growing older and entering the next higher age interval, his place would immediately be taken by someone entering from the next lower age interval. Thus a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that population among the various age intervals. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, will reach the exact age that marks the beginning of the age interval indicated in column 1, and column 4 shows the number of persons who will die each year in that year of age interval.

Column 5,  $L_x$ , shows the number of females in the stationary population in the indicated year of age. For example, the figure shown in [table 3](#) for the year of age 21–22 is 98,271. This means that in a stationary population supported by

100,000 annual births, and with proportions dying in each age interval always in accordance with column 2, a census taken on any date would show 98,271 persons at age 21 (that is, between exact ages 21 and 22 years).

Column 6,  $T_x$ , shows the total number of persons in the stationary population in the indicated year of age and all subsequent years of age. For example, in the stationary population of females described in the preceding paragraph, column 6 shows that there would be at any given moment a total of 5,619,847 persons who had reached their 21st birthday. The population at all ages 0 and above (in other words, the total female population of the stationary community) would be 7,692,643.

*Column 7—Average remaining lifetime ( ${}^o e_x$ )*—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age, on the basis of a given set of age-specific rates of dying. In order to relate these figures to the preceding columns of the life table, it is necessary to observe that the figures in column 5 of the life tables can also be interpreted in terms of a single life-table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time in years lived between two indicated birthdays by all those reaching the younger age among the survivors of a cohort of 100,000 live births. Thus the figure of 98,271 for females in Louisiana in the year of age 21–22 is the total number of years of life lived between their 21st and 22d birthdays by the 98,305 (column 3) who reached their 21st birthday out of the original cohort of 100,000 females born alive. The corresponding figure (5,619,847) in column 6 is the total number of years lived after attaining age 21 by the 98,305 reaching that exact age. This number of years divided by the number of persons (5,619,847 divided by 98,305) gives 57.17 years as the average remaining lifetime at age 21 for females in Louisiana.

## References

1. U.S. decennial life tables for 1989–91, volume I, number 2, methodology of the national and State life tables. In progress.
2. Greville TNE. United States life tables and actuarial tables, 1939–41. Washington: U.S. Government Printing Office. 1947.

Average lifetime in years by race and sex: United States and each State in rank order, 1989-91

Rank	Area	Total			White			All other					
								Total			Black		
		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
1	Hawaii	78.21	75.37	81.26	77.92	75.12	81.09	78.40	75.49	81.48	*	*	*
2	Minnesota	77.76	74.53	80.85	77.97	74.78	81.02	73.05	69.46	76.80	*	*	*
3	Utah	77.70	74.93	80.38	77.77	75.00	80.44	*	*	*	*	*	*
4	North Dakota	77.62	74.35	80.99	77.99	74.74	81.32	*	*	*	*	*	*
5	Iowa	77.29	73.89	80.54	77.38	73.98	80.62	*	*	*	*	*	*
6	Colorado	76.96	73.79	80.01	77.06	73.88	80.13	75.71	72.63	78.61	72.41	68.96	75.89
7	Nebraska	76.92	73.57	80.17	77.21	73.87	80.44	71.14	67.64	74.52	*	*	*
8	Connecticut	76.91	73.62	79.97	77.44	74.25	80.37	72.31	67.82	76.61	70.84	66.04	75.44
8	South Dakota	76.91	73.17	80.77	77.91	74.30	81.59	*	*	*	*	*	*
10	Idaho	76.88	73.88	79.93	76.89	73.90	79.93	*	*	*	*	*	*
11	Wisconsin	76.87	73.61	80.03	77.18	73.99	80.27	72.37	68.27	76.25	70.96	66.42	75.27
12	Washington	76.82	73.84	79.74	76.92	73.97	79.81	76.09	72.72	79.59	71.34	67.91	75.58
13	Kansas	76.76	73.40	79.99	77.06	73.72	80.25	72.77	69.25	76.26	71.22	67.48	75.04
14	Massachusetts	76.72	73.32	79.80	76.90	73.54	79.95	75.08	71.29	78.60	72.45	68.17	76.50
14	New Hampshire	76.72	73.52	79.77	76.68	73.48	79.74	*	*	*	*	*	*
16	Rhode Island	76.54	73.00	79.77	76.80	73.31	79.97	*	*	*	*	*	*
16	Vermont	76.54	73.29	79.68	76.50	73.25	79.65	*	*	*	*	*	*
18	Oregon	76.44	73.21	79.67	76.51	73.28	79.73	75.24	72.02	78.45	*	*	*
19	Maine	76.35	72.98	79.61	76.35	72.98	79.61	*	*	*	*	*	*
20	Montana	76.23	73.05	79.49	76.72	73.59	79.92	*	*	*	*	*	*
21	Wyoming	76.21	73.16	79.29	76.34	73.27	79.46	*	*	*	*	*	*
22	Arizona	76.10	72.66	79.58	76.42	73.04	79.84	72.76	68.89	76.81	70.84	67.20	74.90
23	California	75.86	72.53	79.19	75.92	72.61	79.26	75.79	72.34	79.18	69.65	65.43	74.07
24	Florida	75.84	72.10	79.60	76.82	73.19	80.46	69.82	65.40	74.19	68.77	64.26	73.28
25	New Mexico	75.74	72.20	79.33	76.08	72.66	79.53	73.41	68.97	77.93	*	*	*
26	New Jersey	75.42	72.16	78.49	76.46	73.37	79.34	70.73	66.59	74.66	68.47	63.87	72.88
27	Indiana	75.39	71.99	78.62	75.82	72.44	79.03	70.76	66.99	74.35	69.80	65.87	73.56
28	Pennsylvania	75.38	71.91	78.66	76.15	72.81	79.28	69.34	64.69	73.78	68.27	63.33	73.02
	United States	75.37	71.83	78.81	76.13	72.72	79.45	71.25	66.97	75.39	69.16	64.47	73.73
29	Ohio	75.32	71.99	78.45	75.93	72.70	78.95	70.86	66.70	74.82	70.15	65.80	74.29
30	Missouri	75.25	71.54	78.82	76.02	72.43	79.48	69.65	65.00	74.07	68.81	63.87	73.52
31	Virginia	75.22	71.77	78.56	76.34	73.04	79.48	71.17	67.03	75.27	70.05	65.75	74.37
32	Texas	75.14	71.41	78.87	75.75	72.08	79.42	71.25	67.08	75.38	69.79	65.36	74.23
33	Oklahoma	75.10	71.63	78.49	75.21	71.76	78.59	74.81	71.17	78.21	70.85	67.10	74.48
34	Michigan	75.04	71.71	78.24	76.18	73.06	79.14	69.22	64.68	73.65	68.49	63.68	73.18
35	Illinois	74.90	71.34	78.31	76.16	72.83	79.33	69.25	64.58	73.79	67.46	62.41	72.39
36	Alaska	74.83	71.60	78.60	75.83	72.82	79.40	71.67	67.65	76.17	*	*	*
37	Maryland	74.79	71.31	78.13	76.30	73.20	79.23	70.76	66.27	75.15	69.69	64.99	74.31
38	Delaware	74.76	71.63	77.74	75.76	72.75	78.62	70.06	66.39	73.63	69.26	65.51	72.91
39	New York	74.68	70.86	78.32	75.61	72.01	79.03	71.53	66.70	75.97	69.33	63.86	74.35
40	North Carolina	74.48	70.58	78.27	75.89	72.21	79.44	69.83	64.96	74.55	69.38	64.38	74.24
41	Kentucky	74.37	70.72	77.97	74.65	71.01	78.24	70.79	66.78	74.63	70.16	66.06	74.13
42	Arkansas	74.33	70.54	78.13	75.20	71.54	78.89	69.63	64.87	74.13	68.93	64.03	73.58
43	Tennessee	74.32	70.38	78.18	75.27	71.38	79.10	69.43	64.99	73.59	68.97	64.41	73.24
44	West Virginia	74.26	70.53	77.93	74.37	70.66	78.02	71.20	66.77	75.46	69.75	65.00	74.36
45	Nevada	74.18	70.96	77.76	74.44	71.26	77.99	72.74	69.15	76.42	*	*	*
46	Alabama	73.64	69.59	77.61	75.01	71.12	78.85	69.59	64.79	74.05	69.23	64.37	73.76
47	Georgia	73.61	69.65	77.46	75.24	71.46	78.94	69.21	64.49	73.65	68.79	63.98	73.34
48	South Carolina	73.51	69.59	77.34	75.33	71.62	78.97	69.09	64.37	73.57	68.82	64.07	73.35
49	Louisiana	73.05	69.10	76.93	74.87	71.15	78.54	68.99	64.33	73.43	68.62	63.84	73.16
50	Mississippi	73.03	68.90	77.10	74.78	70.74	78.82	69.54	64.84	73.91	69.41	64.66	73.82
51	District Of Columbia	67.99	61.97	74.23	76.09	71.36	81.06	64.97	58.14	72.03	64.44	57.53	71.61

\* Figure does not meet standards of reliability and precision.

## **Detailed tables**

**Table 1. Life table for the total population: Louisiana, 1989–91**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
0–1	.01102	100,000	1,102	99,131	7,304,511	73.05
1–2	.00089	98,898	88	98,854	7,205,380	72.86
2–3	.00060	98,810	59	98,781	7,106,526	71.92
3–4	.00046	98,751	45	98,728	7,007,745	70.96
4–5	.00038	98,706	38	98,687	6,909,017	70.00
5–6	.00031	98,668	31	98,652	6,810,330	69.02
6–7	.00028	98,637	27	98,624	6,711,678	68.04
7–8	.00025	98,610	25	98,597	6,613,054	67.06
8–9	.00022	98,585	21	98,575	6,514,457	66.08
9–10	.00019	98,564	19	98,554	6,415,882	65.09
10–11	.00017	98,545	17	98,537	6,317,328	64.11
11–12	.00018	98,528	18	98,519	6,218,791	63.12
12–13	.00025	98,510	24	98,498	6,120,272	62.13
13–14	.00039	98,486	38	98,467	6,021,774	61.14
14–15	.00058	98,448	57	98,419	5,923,307	60.17
15–16	.00080	98,391	79	98,352	5,824,888	59.20
16–17	.00101	98,312	99	98,262	5,726,536	58.25
17–18	.00118	98,213	116	98,155	5,628,274	57.31
18–19	.00132	98,097	129	98,032	5,530,119	56.37
19–20	.00141	97,968	138	97,899	5,432,087	55.45
20–21	.00150	97,830	147	97,756	5,334,188	54.53
21–22	.00159	97,683	156	97,605	5,236,432	53.61
22–23	.00165	97,527	161	97,447	5,138,827	52.69
23–24	.00168	97,366	163	97,285	5,041,380	51.78
24–25	.00167	97,203	162	97,122	4,944,095	50.86
25–26	.00165	97,041	160	96,961	4,846,973	49.95
26–27	.00163	96,881	158	96,802	4,750,012	49.03
27–28	.00164	96,723	159	96,643	4,653,210	48.11
28–29	.00169	96,564	163	96,483	4,556,567	47.19
29–30	.00176	96,401	170	96,316	4,460,084	46.27
30–31	.00184	96,231	177	96,142	4,363,768	45.35
31–32	.00192	96,054	184	95,962	4,267,626	44.43
32–33	.00199	95,870	191	95,774	4,171,664	43.51
33–34	.00205	95,679	196	95,582	4,075,890	42.60
34–35	.00211	95,483	201	95,382	3,980,308	41.69
35–36	.00217	95,282	206	95,179	3,884,926	40.77
36–37	.00225	95,076	215	94,969	3,789,747	39.86
37–38	.00235	94,861	223	94,750	3,694,778	38.95
38–39	.00247	94,638	233	94,521	3,600,028	38.04
39–40	.00261	94,405	247	94,281	3,505,507	37.13
40–41	.00277	94,158	261	94,028	3,411,226	36.23
41–42	.00295	93,897	278	93,758	3,317,198	35.33
42–43	.00316	93,619	295	93,472	3,223,440	34.43
43–44	.00340	93,324	318	93,164	3,129,968	33.54
44–45	.00368	93,006	342	92,836	3,036,804	32.65
45–46	.00401	92,664	371	92,478	2,943,968	31.77
46–47	.00440	92,293	407	92,090	2,851,490	30.90
47–48	.00483	91,886	443	91,664	2,759,400	30.03
48–49	.00529	91,443	484	91,201	2,667,736	29.17
49–50	.00577	90,959	525	90,697	2,576,535	28.33
50–51	.00631	90,434	570	90,149	2,485,838	27.49
51–52	.00692	89,864	622	89,553	2,395,689	26.66
52–53	.00760	89,242	678	88,903	2,306,136	25.84
53–54	.00833	88,564	738	88,194	2,217,233	25.04
54–55	.00912	87,826	801	87,426	2,129,039	24.24

**Table 1. Life table for the total population: Louisiana, 1989–91—Con.**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
55–56	.00996	87,025	867	86,591	2,041,613	23.46
56–57	.01085	86,158	934	85,691	1,955,022	22.69
57–58	.01183	85,224	1,008	84,720	1,869,331	21.93
58–59	.01290	84,216	1,087	83,672	1,784,611	21.19
59–60	.01404	83,129	1,167	82,546	1,700,939	20.46
60–61	.01517	81,962	1,243	81,341	1,618,393	19.75
61–62	.01631	80,719	1,316	80,061	1,537,052	19.04
62–63	.01755	79,403	1,394	78,706	1,456,991	18.35
63–64	.01894	78,009	1,477	77,271	1,378,285	17.67
64–65	.02048	76,532	1,568	75,747	1,301,014	17.00
65–66	.02212	74,964	1,658	74,135	1,225,267	16.34
66–67	.02381	73,306	1,745	72,434	1,151,132	15.70
67–68	.02559	71,561	1,831	70,645	1,078,698	15.07
68–69	.02752	69,730	1,920	68,770	1,008,053	14.46
69–70	.02967	67,810	2,012	66,804	939,283	13.85
70–71	.03209	65,798	2,111	64,743	872,479	13.26
71–72	.03480	63,687	2,217	62,579	807,736	12.68
72–73	.03773	61,470	2,319	60,310	745,157	12.12
73–74	.04074	59,151	2,410	57,947	684,847	11.58
74–75	.04377	56,741	2,483	55,499	626,900	11.05
75–76	.04684	54,258	2,542	52,987	571,401	10.53
76–77	.05013	51,716	2,592	50,420	518,414	10.02
77–78	.05379	49,124	2,642	47,803	467,994	9.53
78–79	.05807	46,482	2,699	45,132	420,191	9.04
79–80	.06306	43,783	2,762	42,402	375,059	8.57
80–81	.06876	41,021	2,820	39,611	332,657	8.11
81–82	.07493	38,201	2,862	36,770	293,046	7.67
82–83	.08146	35,339	2,879	33,899	256,276	7.25
83–84	.08816	32,460	2,862	31,029	222,377	6.85
84–85	.09516	29,598	2,817	28,190	191,348	6.46
85–86	.10271	26,781	2,750	25,406	163,158	6.09
86–87	.11161	24,031	2,682	22,689	137,752	5.73
87–88	.12124	21,349	2,589	20,055	115,063	5.39
88–89	.13135	18,760	2,464	17,528	95,008	5.06
89–90	.14214	16,296	2,316	15,138	77,480	4.75
90–91	.15456	13,980	2,161	12,900	62,342	4.46
91–92	.16881	11,819	1,995	10,822	49,442	4.18
92–93	.18350	9,824	1,803	8,922	38,620	3.93
93–94	.19751	8,021	1,584	7,229	29,698	3.70
94–95	.21093	6,437	1,358	5,759	22,469	3.49
95–96	.22502	5,079	1,143	4,507	16,710	3.29
96–97	.24126	3,936	949	3,462	12,203	3.10
97–98	.25689	2,987	768	2,603	8,741	2.93
98–99	.27175	2,219	603	1,918	6,138	2.77
99–100	.28751	1,616	464	1,384	4,220	2.61
100–101	.30418	1,152	351	976	2,836	2.46
101–102	.32182	801	258	673	1,860	2.32
102–103	.34049	543	185	451	1,187	2.19
103–104	.36024	358	129	293	736	2.05
104–105	.38113	229	87	186	443	1.93
105–106	.40324	142	57	113	257	1.81
106–107	.42663	85	36	67	144	1.70
107–108	.45137	49	22	37	77	1.59
108–109	.47755	27	13	21	40	1.49
109–110	.50525	14	7	10	19	1.39

**Table 2. Life table for males: Louisiana, 1989-91**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
0-1	.01234	100,000	1,234	99,030	6,909,663	69.10
1-2	.00089	98,766	89	98,721	6,810,633	68.96
2-3	.00064	98,677	63	98,646	6,711,912	68.02
3-4	.00051	98,614	50	98,589	6,613,266	67.06
4-5	.00042	98,564	42	98,543	6,514,677	66.10
5-6	.00032	98,522	32	98,507	6,416,134	65.12
6-7	.00030	98,490	29	98,475	6,317,627	64.14
7-8	.00027	98,461	27	98,448	6,219,152	63.16
8-9	.00024	98,434	24	98,422	6,120,704	62.18
9-10	.00021	98,410	20	98,400	6,022,282	61.20
10-11	.00018	98,390	18	98,382	5,923,882	60.21
11-12	.00020	98,372	19	98,362	5,825,500	59.22
12-13	.00031	98,353	31	98,338	5,727,138	58.23
13-14	.00055	98,322	54	98,295	5,628,800	57.25
14-15	.00087	98,268	85	98,225	5,530,505	56.28
15-16	.00123	98,183	121	98,123	5,432,280	55.33
16-17	.00158	98,062	155	97,985	5,334,157	54.40
17-18	.00187	97,907	182	97,816	5,236,172	53.48
18-19	.00208	97,725	203	97,623	5,138,356	52.58
19-20	.00222	97,522	217	97,413	5,040,733	51.69
20-21	.00236	97,305	229	97,191	4,943,320	50.80
21-22	.00250	97,076	242	96,955	4,846,129	49.92
22-23	.00259	96,834	251	96,708	4,749,174	49.04
23-24	.00262	96,583	253	96,457	4,652,466	48.17
24-25	.00261	96,330	251	96,204	4,556,009	47.30
25-26	.00257	96,079	247	95,956	4,459,805	46.42
26-27	.00254	95,832	244	95,710	4,363,849	45.54
27-28	.00255	95,588	243	95,466	4,268,139	44.65
28-29	.00261	95,345	249	95,221	4,172,673	43.76
29-30	.00271	95,096	257	94,968	4,077,452	42.88
30-31	.00281	94,839	267	94,705	3,982,484	41.99
31-32	.00291	94,572	275	94,435	3,887,779	41.11
32-33	.00299	94,297	282	94,156	3,793,344	40.23
33-34	.00305	94,015	286	93,872	3,699,188	39.35
34-35	.00310	93,729	291	93,584	3,605,316	38.47
35-36	.00316	93,438	294	93,291	3,511,732	37.58
36-37	.00323	93,144	301	92,993	3,418,441	36.70
37-38	.00333	92,843	309	92,688	3,325,448	35.82
38-39	.00345	92,534	320	92,374	3,232,760	34.94
39-40	.00360	92,214	331	92,049	3,140,386	34.06
40-41	.00377	91,883	346	91,709	3,048,337	33.18
41-42	.00396	91,537	363	91,356	2,956,628	32.30
42-43	.00420	91,174	383	90,982	2,865,272	31.43
43-44	.00448	90,791	406	90,588	2,774,290	30.56
44-45	.00482	90,385	436	90,166	2,683,702	29.69
45-46	.00524	89,949	471	89,714	2,593,536	28.83
46-47	.00573	89,478	512	89,222	2,503,822	27.98
47-48	.00628	88,966	559	88,686	2,414,600	27.14
48-49	.00687	88,407	607	88,104	2,325,914	26.31
49-50	.00750	87,800	658	87,471	2,237,810	25.49
50-51	.00820	87,142	715	86,785	2,150,339	24.68
51-52	.00900	86,427	778	86,038	2,063,554	23.88
52-53	.00990	85,649	847	85,226	1,977,516	23.09
53-54	.01088	84,802	923	84,340	1,892,290	22.31
54-55	.01196	83,879	1,003	83,377	1,807,950	21.55

Table 2. Life table for males: Louisiana, 1989–91—Con.

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
55–56	.01310	82,876	1,086	82,333	1,724,573	20.81
56–57	.01431	81,790	1,171	81,204	1,642,240	20.08
57–58	.01562	80,619	1,259	79,989	1,561,036	19.36
58–59	.01699	79,360	1,349	78,686	1,481,047	18.66
59–60	.01842	78,011	1,437	77,293	1,402,361	17.98
60–61	.01982	76,574	1,517	75,816	1,325,068	17.30
61–62	.02125	75,057	1,596	74,258	1,249,252	16.64
62–63	.02285	73,461	1,678	72,623	1,174,994	15.99
63–64	.02470	71,783	1,773	70,896	1,102,371	15.36
64–65	.02680	70,010	1,876	69,072	1,031,475	14.73
65–66	.02904	68,134	1,979	67,145	962,403	14.13
66–67	.03135	66,155	2,073	65,118	895,258	13.53
67–68	.03382	64,082	2,167	62,998	830,140	12.95
68–69	.03651	61,915	2,261	60,784	767,142	12.39
69–70	.03953	59,654	2,358	58,475	706,358	11.84
70–71	.04295	57,296	2,461	56,066	647,883	11.31
71–72	.04678	54,835	2,565	53,552	591,817	10.79
72–73	.05089	52,270	2,660	50,940	538,265	10.30
73–74	.05502	49,610	2,730	48,245	487,325	9.82
74–75	.05909	46,880	2,770	45,495	439,080	9.37
75–76	.06323	44,110	2,789	42,715	393,585	8.92
76–77	.06768	41,321	2,797	39,923	350,870	8.49
77–78	.07245	38,524	2,791	37,128	310,947	8.07
78–79	.07784	35,733	2,782	34,343	273,819	7.66
79–80	.08402	32,951	2,768	31,567	239,476	7.27
80–81	.09126	30,183	2,755	28,806	207,909	6.89
81–82	.09926	27,428	2,722	26,067	179,103	6.53
82–83	.10733	24,706	2,652	23,380	153,036	6.19
83–84	.11461	22,054	2,528	20,790	129,656	5.88
84–85	.12104	19,526	2,363	18,345	108,866	5.58
85–86	.12745	17,163	2,188	16,069	90,521	5.27
86–87	.13559	14,975	2,030	13,960	74,452	4.97
87–88	.14527	12,945	1,881	12,005	60,492	4.67
88–89	.15692	11,064	1,736	10,196	48,487	4.38
89–90	.17050	9,328	1,590	8,533	38,291	4.10
90–91	.18609	7,738	1,440	7,018	29,758	3.85
91–92	.20334	6,298	1,281	5,658	22,740	3.61
92–93	.22079	5,017	1,108	4,463	17,082	3.40
93–94	.23600	3,909	922	3,448	12,619	3.23
94–95	.24827	2,987	742	2,616	9,171	3.07
95–96	.26004	2,245	584	1,953	6,555	2.92
96–97	.27536	1,661	457	1,433	4,602	2.77
97–98	.28943	1,204	349	1,030	3,169	2.63
98–99	.30390	855	260	725	2,139	2.50
99–100	.31910	595	190	501	1,414	2.37
100–101	.33505	405	135	337	913	2.25
101–102	.35181	270	95	223	576	2.13
102–103	.36940	175	65	142	353	2.02
103–104	.38787	110	43	89	211	1.91
104–105	.40726	67	27	54	122	1.81
105–106	.42762	40	17	31	68	1.71
106–107	.44900	23	10	18	37	1.61
107–108	.47145	13	6	9	19	1.52
108–109	.49503	7	4	5	10	1.43
109–110	.51978	3	1	3	5	1.35

Table 3. Life table for females: Louisiana, 1989-91

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
0-1	.00963	100,000	963	99,235	7,692,643	76.93
1-2	.00088	99,037	88	98,993	7,593,408	76.67
2-3	.00055	98,949	54	98,922	7,494,415	75.74
3-4	.00041	98,895	41	98,875	7,395,493	74.78
4-5	.00035	98,854	35	98,836	7,296,618	73.81
5-6	.00030	98,819	29	98,805	7,197,782	72.84
6-7	.00025	98,790	25	98,777	7,098,977	71.86
7-8	.00022	98,765	22	98,754	7,000,200	70.88
8-9	.00020	98,743	19	98,734	6,901,446	69.89
9-10	.00017	98,724	17	98,715	6,802,712	68.91
10-11	.00016	98,707	16	98,698	6,703,997	67.92
11-12	.00016	98,691	16	98,683	6,605,299	66.93
12-13	.00018	98,675	18	98,666	6,506,616	65.94
13-14	.00022	98,657	22	98,647	6,407,950	64.95
14-15	.00029	98,635	28	98,621	6,309,303	63.97
15-16	.00036	98,607	35	98,589	6,210,682	62.98
16-17	.00043	98,572	42	98,551	6,112,093	62.01
17-18	.00049	98,530	49	98,506	6,013,542	61.03
18-19	.00055	98,481	54	98,454	5,915,036	60.06
19-20	.00060	98,427	58	98,398	5,816,582	59.10
20-21	.00065	98,369	64	98,337	5,718,184	58.13
21-22	.00070	98,305	69	98,271	5,619,847	57.17
22-23	.00074	98,236	72	98,200	5,521,576	56.21
23-24	.00075	98,164	74	98,127	5,423,376	55.25
24-25	.00076	98,090	75	98,053	5,325,249	54.29
25-26	.00076	98,015	74	97,978	5,227,196	53.33
26-27	.00077	97,941	76	97,903	5,129,218	52.37
27-28	.00079	97,865	77	97,827	5,031,315	51.41
28-29	.00082	97,788	80	97,748	4,933,488	50.45
29-30	.00087	97,708	85	97,665	4,835,740	49.49
30-31	.00092	97,623	90	97,578	4,738,075	48.53
31-32	.00097	97,533	95	97,486	4,640,497	47.58
32-33	.00103	97,438	100	97,388	4,543,011	46.62
33-34	.00109	97,338	107	97,284	4,445,623	45.67
34-35	.00116	97,231	113	97,175	4,348,339	44.72
35-36	.00124	97,118	120	97,058	4,251,164	43.77
36-37	.00133	96,998	129	96,934	4,154,106	42.83
37-38	.00143	96,869	138	96,800	4,057,172	41.88
38-39	.00155	96,731	150	96,657	3,960,372	40.94
39-40	.00168	96,581	162	96,500	3,863,715	40.00
40-41	.00183	96,419	176	96,331	3,767,215	39.07
41-42	.00200	96,243	192	96,147	3,670,884	38.14
42-43	.00218	96,051	209	95,946	3,574,737	37.22
43-44	.00238	95,842	228	95,728	3,478,791	36.30
44-45	.00260	95,614	249	95,490	3,383,063	35.38
45-46	.00286	95,365	272	95,229	3,287,573	34.47
46-47	.00316	95,093	301	94,942	3,192,344	33.57
47-48	.00349	94,792	331	94,626	3,097,402	32.68
48-49	.00383	94,461	362	94,280	3,002,776	31.79
49-50	.00418	94,099	394	93,902	2,908,496	30.91
50-51	.00458	93,705	429	93,491	2,814,594	30.04
51-52	.00503	93,276	468	93,042	2,721,103	29.17
52-53	.00551	92,808	512	92,552	2,628,061	28.32
53-54	.00603	92,296	556	92,018	2,535,509	27.47
54-55	.00658	91,740	604	91,438	2,443,491	26.64



**Table 3. Life table for females: Louisiana, 1989-91—Con.**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
55-56	.00716	91,136	652	90,810	2,352,053	25.81
56-57	.00779	90,484	705	90,131	2,261,243	24.99
57-58	.00851	89,779	764	89,397	2,171,112	24.18
58-59	.00934	89,015	831	88,600	2,081,715	23.39
59-60	.01024	88,184	903	87,733	1,993,115	22.60
60-61	.01115	87,281	973	86,794	1,905,382	21.83
61-62	.01207	86,308	1,042	85,787	1,818,588	21.07
62-63	.01304	85,266	1,112	84,710	1,732,801	20.32
63-64	.01410	84,154	1,186	83,561	1,648,091	19.58
64-65	.01524	82,968	1,265	82,336	1,564,530	18.86
65-66	.01646	81,703	1,345	81,031	1,482,194	18.14
66-67	.01773	80,358	1,424	79,646	1,401,163	17.44
67-68	.01906	78,934	1,504	78,182	1,321,517	16.74
68-69	.02050	77,430	1,587	76,636	1,243,335	16.06
69-70	.02210	75,843	1,676	75,005	1,166,699	15.38
70-71	.02390	74,167	1,773	73,281	1,091,694	14.72
71-72	.02595	72,394	1,878	71,455	1,018,413	14.07
72-73	.02824	70,516	1,992	69,520	946,958	13.43
73-74	.03070	68,524	2,104	67,472	877,438	12.80
74-75	.03327	66,420	2,209	65,316	809,966	12.19
75-76	.03590	64,211	2,306	63,058	744,650	11.60
76-77	.03874	61,905	2,398	60,706	681,592	11.01
77-78	.04203	59,507	2,501	58,257	620,886	10.43
78-79	.04602	57,006	2,623	55,694	562,629	9.87
79-80	.05077	54,383	2,761	53,003	506,935	9.32
80-81	.05611	51,622	2,897	50,173	453,932	8.79
81-82	.06186	48,725	3,014	47,219	403,759	8.29
82-83	.06818	45,711	3,116	44,153	356,540	7.80
83-84	.07511	42,595	3,200	40,995	312,387	7.33
84-85	.08283	39,395	3,263	37,764	271,392	6.89
85-86	.09132	36,132	3,300	34,482	233,628	6.47
86-87	.10104	32,832	3,317	31,174	199,146	6.07
87-88	.11110	29,515	3,279	27,875	167,972	5.69
88-89	.12105	26,236	3,176	24,649	140,097	5.34
89-90	.13124	23,060	3,026	21,547	115,448	5.01
90-91	.14310	20,034	2,867	18,600	93,901	4.69
91-92	.15702	17,167	2,696	15,819	75,301	4.39
92-93	.17156	14,471	2,482	13,230	59,482	4.11
93-94	.18579	11,989	2,228	10,875	46,252	3.86
94-95	.19988	9,761	1,951	8,786	35,377	3.62
95-96	.21475	7,810	1,677	6,971	26,591	3.40
96-97	.23143	6,133	1,419	5,424	19,620	3.20
97-98	.24775	4,714	1,168	4,129	14,196	3.01
98-99	.26375	3,546	935	3,079	10,067	2.84
99-100	.27957	2,611	730	2,245	6,988	2.68
100-101	.29635	1,881	558	1,602	4,743	2.52
101-102	.31413	1,323	415	1,116	3,141	2.37
102-103	.33298	908	303	756	2,025	2.23
103-104	.35296	605	213	499	1,269	2.10
104-105	.37413	392	147	319	770	1.97
105-106	.39658	245	97	196	451	1.84
106-107	.42038	148	62	117	255	1.72
107-108	.44560	86	38	67	138	1.61
108-109	.47233	48	23	36	71	1.50
109-110	.50068	25	12	19	35	1.40

**Table 4. Life table for the white population: Louisiana, 1989–91**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
0-1	.00792	100,000	792	99,369	7,486,960	74.87
1-2	.00069	99,208	68	99,174	7,387,591	74.47
2-3	.00046	99,140	45	99,118	7,288,417	73.52
3-4	.00035	99,095	35	99,077	7,189,299	72.55
4-5	.00030	99,060	29	99,046	7,090,222	71.57
5-6	.00024	99,031	24	99,019	6,991,176	70.60
6-7	.00022	99,007	22	98,997	6,892,157	69.61
7-8	.00021	98,985	20	98,975	6,793,160	68.63
8-9	.00019	98,965	19	98,955	6,694,185	67.64
9-10	.00016	98,946	16	98,938	6,595,230	66.65
10-11	.00014	98,930	15	98,922	6,496,292	65.67
11-12	.00015	98,915	15	98,908	6,397,370	64.68
12-13	.00022	98,900	21	98,890	6,298,462	63.68
13-14	.00036	98,879	36	98,861	6,199,572	62.70
14-15	.00054	98,843	54	98,816	6,100,711	61.72
15-16	.00076	98,789	74	98,752	6,001,895	60.75
16-17	.00095	98,715	94	98,668	5,903,143	59.80
17-18	.00110	98,621	108	98,567	5,804,475	58.86
18-19	.00117	98,513	116	98,456	5,705,908	57.92
19-20	.00120	98,397	118	98,338	5,607,452	56.99
20-21	.00122	98,279	120	98,219	5,509,114	56.06
21-22	.00125	98,159	122	98,098	5,410,895	55.12
22-23	.00126	98,037	123	97,976	5,312,797	54.19
23-24	.00125	97,914	123	97,852	5,214,821	53.26
24-25	.00124	97,791	121	97,731	5,116,969	52.33
25-26	.00121	97,670	118	97,611	5,019,238	51.39
26-27	.00120	97,552	117	97,494	4,921,627	50.45
27-28	.00120	97,435	117	97,376	4,824,133	49.51
28-29	.00124	97,318	121	97,258	4,726,757	48.57
29-30	.00130	97,197	127	97,134	4,629,499	47.63
30-31	.00137	97,070	133	97,003	4,532,365	46.69
31-32	.00144	96,937	140	96,867	4,435,362	45.76
32-33	.00150	96,797	145	96,725	4,338,495	44.82
33-34	.00154	96,652	149	96,578	4,241,770	43.89
34-35	.00158	96,503	152	96,427	4,145,192	42.95
35-36	.00163	96,351	157	96,272	4,048,765	42.02
36-37	.00169	96,194	163	96,112	3,952,493	41.09
37-38	.00176	96,031	169	95,947	3,856,381	40.16
38-39	.00186	95,862	178	95,773	3,760,434	39.23
39-40	.00197	95,684	188	95,589	3,664,661	38.30
40-41	.00209	95,496	200	95,396	3,569,072	37.37
41-42	.00223	95,296	213	95,190	3,473,676	36.45
42-43	.00239	95,083	227	94,969	3,378,486	35.53
43-44	.00259	94,856	246	94,733	3,283,517	34.62
44-45	.00282	94,610	267	94,477	3,188,784	33.70
45-46	.00310	94,343	293	94,196	3,094,307	32.80
46-47	.00343	94,050	322	93,889	3,000,111	31.90
47-48	.00379	93,728	355	93,551	2,906,222	31.01
48-49	.00415	93,373	388	93,179	2,812,671	30.12
49-50	.00454	92,985	422	92,773	2,719,492	29.25
50-51	.00498	92,563	462	92,332	2,626,719	28.38
51-52	.00550	92,101	506	91,848	2,534,387	27.52
52-53	.00608	91,595	557	91,316	2,442,539	26.67
53-54	.00670	91,038	610	90,733	2,351,223	25.83
54-55	.00739	90,428	668	90,094	2,260,490	25.00

**Table 4. Life table for the white population: Louisiana, 1989–91—Con.**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
55–56	.00810	89,760	728	89,396	2,170,396	24.18
56–57	.00889	89,032	791	88,637	2,081,000	23.37
57–58	.00980	88,241	865	87,808	1,992,363	22.58
58–59	.01086	87,376	949	86,902	1,904,555	21.80
59–60	.01202	86,427	1,038	85,908	1,817,653	21.03
60–61	.01319	85,389	1,126	84,825	1,731,745	20.28
61–62	.01436	84,263	1,210	83,658	1,646,920	19.55
62–63	.01557	83,053	1,294	82,406	1,563,262	18.82
63–64	.01687	81,759	1,379	81,070	1,480,856	18.11
64–65	.01827	80,380	1,468	79,646	1,399,786	17.41
65–66	.01973	78,912	1,557	78,133	1,320,140	16.73
66–67	.02126	77,355	1,645	76,532	1,242,007	16.06
67–68	.02294	75,710	1,737	74,842	1,165,475	15.39
68–69	.02483	73,973	1,836	73,055	1,090,633	14.74
69–70	.02698	72,137	1,947	71,164	1,017,578	14.11
70–71	.02944	70,190	2,066	69,157	946,414	13.48
71–72	.03218	68,124	2,193	67,027	877,257	12.88
72–73	.03516	65,931	2,318	64,772	810,230	12.29
73–74	.03821	63,613	2,431	62,398	745,458	11.72
74–75	.04131	61,182	2,527	59,918	683,060	11.16
75–76	.04447	58,655	2,609	57,351	623,142	10.62
76–77	.04791	56,046	2,685	54,704	565,791	10.10
77–78	.05174	53,361	2,761	51,981	511,087	9.58
78–79	.05620	50,600	2,843	49,178	459,106	9.07
79–80	.06136	47,757	2,930	46,292	409,928	8.58
80–81	.06720	44,827	3,013	43,320	363,636	8.11
81–82	.07351	41,814	3,074	40,278	320,316	7.66
82–83	.08025	38,740	3,109	37,186	280,038	7.23
83–84	.08730	35,631	3,110	34,076	242,852	6.82
84–85	.09484	32,521	3,084	30,978	208,776	6.42
85–86	.10312	29,437	3,036	27,919	177,798	6.04
86–87	.11281	26,401	2,978	24,912	149,879	5.68
87–88	.12311	23,423	2,884	21,981	124,967	5.34
88–89	.13351	20,539	2,742	19,169	102,986	5.01
89–90	.14420	17,797	2,566	16,513	83,817	4.71
90–91	.15631	15,231	2,381	14,041	67,304	4.42
91–92	.17030	12,850	2,188	11,756	53,263	4.14
92–93	.18494	10,662	1,972	9,676	41,507	3.89
93–94	.19934	8,690	1,732	7,824	31,831	3.66
94–95	.21339	6,958	1,485	6,215	24,007	3.45
95–96	.22760	5,473	1,246	4,850	17,792	3.25
96–97	.24414	4,227	1,032	3,711	12,942	3.06
97–98	.26009	3,195	831	2,780	9,231	2.89
98–99	.27538	2,364	651	2,039	6,451	2.73
99–100	.29135	1,713	499	1,463	4,412	2.58
100–101	.30824	1,214	374	1,027	2,949	2.43
101–102	.32612	840	274	703	1,922	2.29
102–103	.34504	566	195	468	1,219	2.15
103–104	.36505	371	136	303	751	2.03
104–105	.38622	235	91	190	448	1.90
105–106	.40862	144	59	115	258	1.78
106–107	.43232	85	37	67	143	1.67
107–108	.45740	48	22	38	76	1.56
108–109	.48393	26	12	19	38	1.46
109–110	.51200	14	7	11	19	1.36

**Table 5. Life table for white males: Louisiana, 1989-91**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
0-1	.00907	100,000	907	99,287	7,114,847	71.15
1-2	.00069	99,093	68	99,060	7,015,560	70.80
2-3	.00049	99,025	48	99,001	6,916,500	69.85
3-4	.00037	98,977	36	98,959	6,817,499	68.88
4-5	.00031	98,941	31	98,926	6,718,540	67.90
5-6	.00025	98,910	24	98,898	6,619,614	66.93
6-7	.00024	98,886	23	98,875	6,520,716	65.94
7-8	.00023	98,863	23	98,851	6,421,841	64.96
8-9	.00021	98,840	21	98,829	6,322,990	63.97
9-10	.00018	98,819	18	98,810	6,224,161	62.99
10-11	.00016	98,801	16	98,793	6,125,351	62.00
11-12	.00017	98,785	17	98,776	6,026,558	61.01
12-13	.00028	98,768	28	98,755	5,927,782	60.02
13-14	.00050	98,740	49	98,715	5,829,027	59.03
14-15	.00079	98,691	78	98,653	5,730,312	58.06
15-16	.00112	98,613	110	98,558	5,631,659	57.11
16-17	.00142	98,503	140	98,433	5,533,101	56.17
17-18	.00165	98,363	163	98,282	5,434,668	55.25
18-19	.00178	98,200	174	98,113	5,336,386	54.34
19-20	.00182	98,026	179	97,936	5,238,273	53.44
20-21	.00184	97,847	180	97,757	5,140,337	52.53
21-22	.00188	97,667	184	97,576	5,042,580	51.63
22-23	.00189	97,483	184	97,391	4,945,004	50.73
23-24	.00188	97,299	183	97,207	4,847,613	49.82
24-25	.00186	97,116	181	97,025	4,750,406	48.91
25-26	.00183	96,935	177	96,846	4,653,381	48.01
26-27	.00179	96,758	174	96,671	4,556,535	47.09
27-28	.00180	96,584	174	96,498	4,459,864	46.18
28-29	.00186	96,410	179	96,320	4,363,366	45.26
29-30	.00196	96,231	189	96,136	4,267,046	44.34
30-31	.00207	96,042	199	95,943	4,170,910	43.43
31-32	.00217	95,843	208	95,739	4,074,967	42.52
32-33	.00225	95,635	215	95,527	3,979,228	41.61
33-34	.00229	95,420	219	95,311	3,883,701	40.70
34-35	.00232	95,201	221	95,090	3,788,390	39.79
35-36	.00235	94,980	223	94,869	3,693,300	38.88
36-37	.00240	94,757	228	94,643	3,598,431	37.98
37-38	.00248	94,529	234	94,412	3,503,788	37.07
38-39	.00258	94,295	243	94,174	3,409,376	36.16
39-40	.00272	94,052	256	93,924	3,315,202	35.25
40-41	.00288	93,796	270	93,661	3,221,278	34.34
41-42	.00305	93,526	285	93,384	3,127,617	33.44
42-43	.00325	93,241	303	93,089	3,034,233	32.54
43-44	.00347	92,938	323	92,777	2,941,144	31.65
44-45	.00374	92,615	346	92,442	2,848,367	30.75
45-46	.00408	92,269	377	92,081	2,755,925	29.87
46-47	.00448	91,892	411	91,686	2,663,844	28.99
47-48	.00491	91,481	449	91,256	2,572,158	28.12
48-49	.00536	91,032	488	90,788	2,480,902	27.25
49-50	.00584	90,544	529	90,279	2,390,114	26.40
50-51	.00638	90,015	574	89,728	2,299,835	25.55
51-52	.00702	89,441	627	89,128	2,210,107	24.71
52-53	.00776	88,814	690	88,469	2,120,979	23.88
53-54	.00863	88,124	761	87,744	2,032,510	23.06
54-55	.00962	87,363	840	86,943	1,944,766	22.26

**Table 5. Life table for white males: Louisiana, 1989-91—Con.**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
55-56	.01067	86,523	923	86,061	1,857,823	21.47
56-57	.01180	85,600	1,010	85,096	1,771,762	20.70
57-58	.01307	84,590	1,105	84,037	1,686,666	19.94
58-59	.01449	83,485	1,210	82,880	1,602,629	19.20
59-60	.01600	82,275	1,317	81,617	1,519,749	18.47
60-61	.01752	80,958	1,418	80,249	1,438,132	17.76
61-62	.01904	79,540	1,515	78,782	1,357,883	17.07
62-63	.02064	78,025	1,611	77,220	1,279,101	16.39
63-64	.02238	76,414	1,710	75,559	1,201,881	15.73
64-65	.02429	74,704	1,814	73,797	1,126,322	15.08
65-66	.02630	72,890	1,917	71,931	1,052,525	14.44
66-67	.02840	70,973	2,016	69,965	980,594	13.82
67-68	.03073	68,957	2,119	67,897	910,629	13.21
68-69	.03338	66,838	2,231	65,723	842,732	12.61
69-70	.03641	64,607	2,352	63,431	777,009	12.03
70-71	.03987	62,255	2,482	61,014	713,578	11.46
71-72	.04373	59,773	2,614	58,466	652,564	10.92
72-73	.04793	57,159	2,740	55,789	594,098	10.39
73-74	.05225	54,419	2,843	52,997	538,309	9.89
74-75	.05662	51,576	2,920	50,116	485,312	9.41
75-76	.06122	48,656	2,979	47,167	435,196	8.94
76-77	.06619	45,677	3,023	44,165	388,029	8.50
77-78	.07140	42,654	3,046	41,131	343,864	8.06
78-79	.07696	39,608	3,048	38,085	302,733	7.64
79-80	.08305	36,560	3,036	35,041	264,648	7.24
80-81	.09002	33,524	3,018	32,015	229,607	6.85
81-82	.09779	30,506	2,983	29,015	197,592	6.48
82-83	.10592	27,523	2,915	26,065	168,577	6.13
83-84	.11393	24,608	2,804	23,206	142,512	5.79
84-85	.12183	21,804	2,656	20,475	119,306	5.47
85-86	.13028	19,148	2,495	17,901	98,831	5.16
86-87	.14054	16,653	2,340	15,482	80,930	4.86
87-88	.15187	14,313	2,174	13,226	65,448	4.57
88-89	.16394	12,139	1,990	11,144	52,222	4.30
89-90	.17657	10,149	1,792	9,253	41,078	4.05
90-91	.19018	8,357	1,589	7,562	31,825	3.81
91-92	.20522	6,768	1,389	6,073	24,263	3.59
92-93	.22084	5,379	1,188	4,785	18,190	3.38
93-94	.23610	4,191	990	3,696	13,405	3.20
94-95	.25013	3,201	800	2,801	9,709	3.03
95-96	.26329	2,401	632	2,085	6,908	2.88
96-97	.27914	1,769	494	1,522	4,823	2.73
97-98	.29399	1,275	375	1,087	3,301	2.59
98-99	.30869	900	278	761	2,214	2.46
99-100	.32413	622	201	522	1,453	2.33
100-101	.34033	421	144	349	931	2.21
101-102	.35735	277	99	228	582	2.10
102-103	.37522	178	67	145	354	1.99
103-104	.39398	111	43	89	209	1.88
104-105	.41368	68	28	54	120	1.78
105-106	.43436	40	18	31	66	1.68
106-107	.45608	22	10	17	35	1.58
107-108	.47888	12	6	9	18	1.49
108-109	.50282	6	3	5	9	1.41
109-110	.52797	3	2	2	4	1.32

**Table 6. Life table for white females: Louisiana, 1989–91**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
0-1	.00671	100,000	671	99,454	7,853,859	78.54
1-2	.00068	99,329	68	99,295	7,754,405	78.07
2-3	.00042	99,261	43	99,239	7,655,110	77.12
3-4	.00034	99,218	33	99,202	7,555,871	76.15
4-5	.00028	99,185	27	99,171	7,456,669	75.18
5-6	.00023	99,158	24	99,146	7,357,498	74.20
6-7	.00021	99,134	20	99,124	7,258,352	73.22
7-8	.00018	99,114	18	99,105	7,159,228	72.23
8-9	.00016	99,096	17	99,088	7,060,123	71.25
9-10	.00015	99,079	14	99,072	6,961,035	70.26
10-11	.00013	99,065	13	99,059	6,861,963	69.27
11-12	.00013	99,052	13	99,045	6,762,904	68.28
12-13	.00016	99,039	15	99,032	6,663,859	67.29
13-14	.00021	99,024	21	99,013	6,564,827	66.30
14-15	.00029	99,003	29	98,988	6,465,814	65.31
15-16	.00038	98,974	37	98,956	6,366,826	64.33
16-17	.00046	98,937	46	98,914	6,267,870	63.35
17-18	.00052	98,891	51	98,865	6,168,956	62.38
18-19	.00056	98,840	56	98,812	6,070,091	61.41
19-20	.00057	98,784	56	98,756	5,971,279	60.45
20-21	.00058	98,728	57	98,700	5,872,523	59.48
21-22	.00059	98,671	59	98,641	5,773,823	58.52
22-23	.00060	98,612	59	98,583	5,675,182	57.55
23-24	.00060	98,553	60	98,523	5,576,599	56.58
24-25	.00060	98,493	59	98,464	5,478,076	55.62
25-26	.00060	98,434	59	98,404	5,379,612	54.65
26-27	.00060	98,375	59	98,346	5,281,208	53.68
27-28	.00061	98,316	60	98,285	5,182,862	52.72
28-29	.00062	98,256	62	98,225	5,084,577	51.75
29-30	.00065	98,194	63	98,163	4,986,352	50.78
30-31	.00067	98,131	66	98,097	4,888,189	49.81
31-32	.00070	98,065	69	98,030	4,790,092	48.85
32-33	.00074	97,996	73	97,960	4,692,062	47.88
33-34	.00078	97,923	76	97,885	4,594,102	46.92
34-35	.00083	97,847	82	97,806	4,496,217	45.95
35-36	.00090	97,765	88	97,721	4,398,411	44.99
36-37	.00097	97,677	94	97,630	4,300,690	44.03
37-38	.00105	97,583	103	97,531	4,203,060	43.07
38-39	.00112	97,480	109	97,426	4,105,529	42.12
39-40	.00121	97,371	118	97,312	4,008,103	41.16
40-41	.00130	97,253	126	97,190	3,910,791	40.21
41-42	.00141	97,127	137	97,058	3,813,601	39.26
42-43	.00154	96,990	149	96,916	3,716,543	38.32
43-44	.00170	96,841	164	96,759	3,619,627	37.38
44-45	.00190	96,677	184	96,585	3,522,868	36.44
45-46	.00214	96,493	207	96,389	3,426,283	35.51
46-47	.00241	96,286	232	96,171	3,329,894	34.58
47-48	.00270	96,054	259	95,925	3,233,723	33.67
48-49	.00299	95,795	286	95,652	3,137,798	32.76
49-50	.00329	95,509	314	95,352	3,042,146	31.85
50-51	.00364	95,195	346	95,022	2,946,794	30.96
51-52	.00404	94,849	383	94,657	2,851,772	30.07
52-53	.00445	94,466	421	94,256	2,757,115	29.19
53-54	.00486	94,045	456	93,817	2,662,859	28.31
54-55	.00528	93,589	494	93,342	2,569,042	27.45

Table 6. Life table for white females: Louisiana, 1989–91—Con.

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
55–56	.00570	93,095	531	92,829	2,475,700	26.59
56–57	.00619	92,564	573	92,277	2,382,871	25.74
57–58	.00680	91,991	626	91,678	2,290,594	24.90
58–59	.00755	91,365	689	91,021	2,198,916	24.07
59–60	.00840	90,676	762	90,294	2,107,895	23.25
60–61	.00927	89,914	834	89,498	2,017,601	22.44
61–62	.01015	89,080	904	88,628	1,928,103	21.64
62–63	.01106	88,176	975	87,689	1,839,475	20.86
63–64	.01204	87,201	1,050	86,676	1,751,786	20.09
64–65	.01307	86,151	1,126	85,588	1,665,110	19.33
65–66	.01417	85,025	1,205	84,422	1,579,522	18.58
66–67	.01533	83,820	1,285	83,177	1,495,100	17.84
67–68	.01658	82,535	1,369	81,851	1,411,923	17.11
68–69	.01798	81,166	1,459	80,436	1,330,072	16.39
69–70	.01957	79,707	1,560	78,927	1,249,636	15.68
70–71	.02139	78,147	1,672	77,311	1,170,709	14.98
71–72	.02346	76,475	1,794	75,578	1,093,398	14.30
72–73	.02575	74,681	1,923	73,720	1,017,820	13.63
73–74	.02818	72,758	2,050	71,733	944,100	12.98
74–75	.03069	70,708	2,170	69,622	872,367	12.34
75–76	.03325	68,538	2,279	67,398	802,745	11.71
76–77	.03607	66,259	2,390	65,064	735,347	11.10
77–78	.03946	63,869	2,520	62,609	670,283	10.49
78–79	.04373	61,349	2,683	60,008	607,674	9.91
79–80	.04889	58,666	2,868	57,232	547,666	9.34
80–81	.05472	55,798	3,053	54,272	490,434	8.79
81–82	.06092	52,745	3,213	51,138	436,162	8.27
82–83	.06762	49,532	3,350	47,857	385,024	7.77
83–84	.07482	46,182	3,455	44,455	337,167	7.30
84–85	.08272	42,727	3,534	40,960	292,712	6.85
85–86	.09141	39,193	3,583	37,402	251,752	6.42
86–87	.10142	35,610	3,611	33,804	214,350	6.02
87–88	.11184	31,999	3,579	30,209	180,546	5.64
88–89	.12212	28,420	3,470	26,685	150,337	5.29
89–90	.13259	24,950	3,309	23,296	123,652	4.96
90–91	.14471	21,641	3,131	20,075	100,356	4.64
91–92	.15894	18,510	2,942	17,039	80,281	4.34
92–93	.17382	15,568	2,706	14,214	63,242	4.06
93–94	.18842	12,862	2,424	11,650	49,028	3.81
94–95	.20275	10,438	2,116	9,380	37,378	3.58
95–96	.21737	8,322	1,809	7,418	27,998	3.36
96–97	.23434	6,513	1,526	5,749	20,580	3.16
97–98	.25091	4,987	1,252	4,361	14,831	2.97
98–99	.26715	3,735	997	3,237	10,470	2.80
99–100	.28318	2,738	776	2,350	7,233	2.64
100–101	.30017	1,962	589	1,668	4,883	2.49
101–102	.31818	1,373	437	1,154	3,215	2.34
102–103	.33727	936	315	779	2,061	2.20
103–104	.35750	621	222	509	1,282	2.07
104–105	.37895	399	151	324	773	1.94
105–106	.40169	248	100	197	449	1.81
106–107	.42579	148	63	117	252	1.70
107–108	.45134	85	38	66	135	1.59
108–109	.47842	47	23	35	69	1.48
109–110	.50712	24	12	19	34	1.38

**Table 7. Life table for the population other than white: Louisiana, 1989–91**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
0-1	.01512	100,000	1,512	98,815	6,899,018	68.99
1-2	.00117	98,488	115	98,431	6,800,203	69.05
2-3	.00081	98,373	80	98,333	6,701,772	68.13
3-4	.00063	98,293	62	98,262	6,603,439	67.18
4-5	.00052	98,231	50	98,206	6,505,177	66.22
5-6	.00042	98,181	42	98,160	6,406,971	65.26
6-7	.00036	98,139	35	98,121	6,308,811	64.28
7-8	.00031	98,104	31	98,089	6,210,690	63.31
8-9	.00027	98,073	26	98,060	6,112,601	62.33
9-10	.00023	98,047	22	98,036	6,014,541	61.34
10-11	.00021	98,025	21	98,015	5,916,505	60.36
11-12	.00022	98,004	21	97,993	5,818,490	59.37
12-13	.00029	97,983	29	97,969	5,720,497	58.38
13-14	.00043	97,954	42	97,933	5,622,528	57.40
14-15	.00064	97,912	63	97,881	5,524,595	56.42
15-16	.00087	97,849	84	97,807	5,426,714	55.46
16-17	.00110	97,765	108	97,711	5,328,907	54.51
17-18	.00133	97,657	130	97,592	5,231,196	53.57
18-19	.00155	97,527	150	97,452	5,133,604	52.64
19-20	.00175	97,377	171	97,291	5,036,152	51.72
20-21	.00198	97,206	193	97,110	4,938,861	50.81
21-22	.00221	97,013	214	96,906	4,841,751	49.91
22-23	.00239	96,799	232	96,683	4,744,845	49.02
23-24	.00248	96,567	239	96,447	4,648,162	48.13
24-25	.00251	96,328	243	96,207	4,551,715	47.25
25-26	.00252	96,085	241	95,964	4,455,508	46.37
26-27	.00253	95,844	243	95,723	4,359,544	45.49
27-28	.00257	95,601	245	95,478	4,263,821	44.60
28-29	.00264	95,356	252	95,230	4,168,343	43.71
29-30	.00275	95,104	262	94,973	4,073,113	42.83
30-31	.00287	94,842	272	94,706	3,978,140	41.94
31-32	.00297	94,570	281	94,429	3,883,434	41.06
32-33	.00307	94,289	289	94,144	3,789,005	40.18
33-34	.00317	94,000	298	93,851	3,694,861	39.31
34-35	.00327	93,702	306	93,549	3,601,010	38.43
35-36	.00338	93,396	316	93,238	3,507,461	37.55
36-37	.00350	93,080	326	92,918	3,414,223	36.68
37-38	.00367	92,754	340	92,584	3,321,305	35.81
38-39	.00387	92,414	358	92,235	3,228,721	34.94
39-40	.00413	92,056	380	91,866	3,136,486	34.07
40-41	.00443	91,676	406	91,473	3,044,620	33.21
41-42	.00477	91,270	436	91,052	2,953,147	32.36
42-43	.00515	90,834	468	90,600	2,862,095	31.51
43-44	.00554	90,366	500	90,116	2,771,495	30.67
44-45	.00597	89,866	537	89,597	2,681,379	29.84
45-46	.00647	89,329	578	89,041	2,591,782	29.01
46-47	.00706	88,751	627	88,438	2,502,741	28.20
47-48	.00773	88,124	681	87,783	2,414,303	27.40
48-49	.00845	87,443	739	87,074	2,326,520	26.61
49-50	.00921	86,704	799	86,305	2,239,446	25.83
50-51	.01002	85,905	860	85,475	2,153,141	25.06
51-52	.01089	85,045	926	84,582	2,067,666	24.31
52-53	.01184	84,119	996	83,621	1,983,084	23.57
53-54	.01290	83,123	1,072	82,587	1,899,463	22.85
54-55	.01406	82,051	1,154	81,474	1,816,876	22.14



Table 7. Life table for the population other than white: Louisiana, 1989–91—Con.

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
55–56	.01529	80,897	1,237	80,279	1,735,402	21.45
56–57	.01656	79,660	1,319	79,000	1,655,123	20.78
57–58	.01781	78,341	1,395	77,643	1,576,123	20.12
58–59	.01900	76,946	1,462	76,215	1,498,480	19.47
59–60	.02013	75,484	1,520	74,724	1,422,265	18.84
60–61	.02119	73,964	1,567	73,180	1,347,541	18.22
61–62	.02231	72,397	1,615	71,590	1,274,361	17.60
62–63	.02367	70,782	1,676	69,943	1,202,771	16.99
63–64	.02541	69,106	1,756	68,228	1,132,828	16.39
64–65	.02747	67,350	1,850	66,425	1,064,600	15.81
65–66	.02970	65,500	1,946	64,527	998,175	15.24
66–67	.03191	63,554	2,028	62,540	933,648	14.69
67–68	.03409	61,526	2,097	60,478	871,108	14.16
68–69	.03619	59,429	2,151	58,353	810,630	13.64
69–70	.03831	57,278	2,194	56,181	752,277	13.13
70–71	.04062	55,084	2,238	53,965	696,096	12.64
71–72	.04322	52,846	2,284	51,705	642,131	12.15
72–73	.04598	50,562	2,325	49,400	590,426	11.68
73–74	.04878	48,237	2,353	47,060	541,026	11.22
74–75	.05151	45,884	2,363	44,703	493,966	10.77
75–76	.05416	43,521	2,357	42,342	449,263	10.32
76–77	.05689	41,164	2,342	39,993	406,921	9.89
77–78	.05997	38,822	2,329	37,658	366,928	9.45
78–79	.06372	36,493	2,325	35,330	329,270	9.02
79–80	.06824	34,168	2,331	33,003	293,940	8.60
80–81	.07354	31,837	2,342	30,666	260,937	8.20
81–82	.07927	29,495	2,338	28,326	230,271	7.81
82–83	.08519	27,157	2,313	26,000	201,945	7.44
83–84	.09082	24,844	2,257	23,716	175,945	7.08
84–85	.09614	22,587	2,171	21,501	152,229	6.74
85–86	.10163	20,416	2,075	19,378	130,728	6.40
86–87	.10825	18,341	1,986	17,349	111,350	6.07
87–88	.11575	16,355	1,893	15,408	94,001	5.75
88–89	.12442	14,462	1,799	13,563	78,593	5.43
89–90	.13435	12,663	1,701	11,813	65,030	5.14
90–91	.14600	10,962	1,601	10,161	53,217	4.85
91–92	.15887	9,361	1,487	8,618	43,056	4.60
92–93	.17102	7,874	1,347	7,201	34,438	4.37
93–94	.18022	6,527	1,176	5,939	27,237	4.17
94–95	.18729	5,351	1,002	4,850	21,298	3.98
95–96	.19586	4,349	852	3,923	16,448	3.78
96–97	.20830	3,497	728	3,133	12,525	3.58
97–98	.22089	2,769	612	2,463	9,392	3.39
98–99	.23370	2,157	504	1,905	6,929	3.21
99–100	.24726	1,653	409	1,448	5,024	3.04
100–101	.26160	1,244	325	1,082	3,576	2.87
101–102	.27677	919	255	791	2,494	2.71
102–103	.29282	664	194	568	1,703	2.56
103–104	.30981	470	146	397	1,135	2.42
104–105	.32778	324	106	271	738	2.28
105–106	.34679	218	76	180	467	2.14
106–107	.36690	142	52	116	287	2.01
107–108	.38818	90	35	73	171	1.89
108–109	.41070	55	22	44	98	1.78
109–110	.43452	33	15	25	54	1.66

**Table 8. Life table for males other than white: Louisiana, 1989–91**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
0–1	.01671	100,000	1,671	98,688	6,432,961	64.33
1–2	.00118	98,329	116	98,271	6,334,273	64.42
2–3	.00087	98,213	86	98,170	6,236,002	63.49
3–4	.00072	98,127	71	98,092	6,137,832	62.55
4–5	.00059	98,056	58	98,027	6,039,740	61.59
5–6	.00045	97,998	44	97,977	5,941,713	60.63
6–7	.00039	97,954	38	97,935	5,843,736	59.66
7–8	.00034	97,916	33	97,900	5,745,801	58.68
8–9	.00029	97,883	29	97,868	5,647,901	57.70
9–10	.00024	97,854	24	97,842	5,550,033	56.72
10–11	.00021	97,830	20	97,820	5,452,191	55.73
11–12	.00023	97,810	23	97,798	5,354,371	54.74
12–13	.00036	97,787	36	97,769	5,256,573	53.76
13–14	.00063	97,751	61	97,721	5,158,804	52.77
14–15	.00099	97,690	97	97,642	5,061,083	51.81
15–16	.00141	97,593	137	97,524	4,963,441	50.86
16–17	.00182	97,456	177	97,367	4,865,917	49.93
17–18	.00222	97,279	216	97,171	4,768,550	49.02
18–19	.00258	97,063	250	96,938	4,671,379	48.13
19–20	.00291	96,813	282	96,671	4,574,441	47.25
20–21	.00328	96,531	317	96,372	4,477,770	46.39
21–22	.00366	96,214	352	96,039	4,381,398	45.54
22–23	.00395	95,862	379	95,672	4,285,359	44.70
23–24	.00412	95,483	393	95,287	4,189,687	43.88
24–25	.00418	95,090	397	94,891	4,094,400	43.06
25–26	.00419	94,693	397	94,495	3,999,509	42.24
26–27	.00420	94,296	396	94,098	3,905,014	41.41
27–28	.00425	93,900	399	93,701	3,810,916	40.58
28–29	.00434	93,501	405	93,299	3,717,215	39.76
29–30	.00447	93,096	416	92,888	3,623,916	38.93
30–31	.00459	92,680	425	92,467	3,531,028	38.10
31–32	.00470	92,255	434	92,038	3,438,561	37.27
32–33	.00480	91,821	441	91,601	3,346,523	36.45
33–34	.00491	91,380	448	91,155	3,254,922	35.62
34–35	.00502	90,932	457	90,704	3,163,767	34.79
35–36	.00515	90,475	466	90,241	3,073,063	33.97
36–37	.00530	90,009	477	89,771	2,982,822	33.14
37–38	.00547	89,532	490	89,287	2,893,051	32.31
38–39	.00567	89,042	505	88,789	2,803,764	31.49
39–40	.00591	88,537	523	88,276	2,714,975	30.66
40–41	.00619	88,014	545	87,741	2,626,699	29.84
41–42	.00653	87,469	571	87,183	2,538,958	29.03
42–43	.00693	86,898	603	86,596	2,451,775	28.21
43–44	.00742	86,295	640	85,975	2,365,179	27.41
44–45	.00801	85,655	686	85,312	2,279,204	26.61
45–46	.00869	84,969	739	84,599	2,193,892	25.82
46–47	.00950	84,230	800	83,830	2,109,293	25.04
47–48	.01044	83,430	872	82,994	2,025,463	24.28
48–49	.01150	82,558	949	82,084	1,942,469	23.53
49–50	.01265	81,609	1,033	81,092	1,860,385	22.80
50–51	.01390	80,576	1,120	80,017	1,779,293	22.08
51–52	.01523	79,456	1,210	78,851	1,699,276	21.39
52–53	.01662	78,246	1,300	77,596	1,620,425	20.71
53–54	.01802	76,946	1,387	76,253	1,542,829	20.05
54–55	.01945	75,559	1,470	74,824	1,466,576	19.41

**Table 8. Life table for males other than white: Louisiana, 1989–91—Con.**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
55–56	.02095	74,089	1,552	73,313	1,391,752	18.78
56–57	.02248	72,537	1,630	71,723	1,318,439	18.18
57–58	.02393	70,907	1,697	70,058	1,246,716	17.58
58–59	.02525	69,210	1,747	68,337	1,176,658	17.00
59–60	.02649	67,463	1,787	66,569	1,108,321	16.43
60–61	.02759	65,676	1,813	64,770	1,041,752	15.86
61–62	.02879	63,863	1,838	62,943	976,982	15.30
62–63	.03042	62,025	1,887	61,082	914,039	14.74
63–64	.03267	60,138	1,965	59,155	852,957	14.18
64–65	.03544	58,173	2,062	57,143	793,802	13.65
65–66	.03846	56,111	2,157	55,032	736,659	13.13
66–67	.04142	53,954	2,235	52,837	681,627	12.63
67–68	.04435	51,719	2,293	50,572	628,790	12.16
68–69	.04722	49,426	2,334	48,259	578,218	11.70
69–70	.05015	47,092	2,362	45,911	529,959	11.25
70–71	.05346	44,730	2,391	43,534	484,048	10.82
71–72	.05717	42,339	2,421	41,129	440,514	10.40
72–73	.06089	39,918	2,430	38,703	399,385	10.01
73–74	.06420	37,488	2,407	36,285	360,682	9.62
74–75	.06708	35,081	2,353	33,904	324,397	9.25
75–76	.06955	32,728	2,276	31,590	290,493	8.88
76–77	.07219	30,452	2,199	29,352	258,903	8.50
77–78	.07557	28,253	2,135	27,186	229,551	8.12
78–79	.08041	26,118	2,100	25,068	202,365	7.75
79–80	.08680	24,018	2,085	22,975	177,297	7.38
80–81	.09481	21,933	2,079	20,894	154,322	7.04
81–82	.10340	19,854	2,053	18,827	133,428	6.72
82–83	.11124	17,801	1,980	16,811	114,601	6.44
83–84	.11647	15,821	1,843	14,899	97,790	6.18
84–85	.11898	13,978	1,663	13,147	82,891	5.93
85–86	.12040	12,315	1,483	11,573	69,744	5.66
86–87	.12368	10,832	1,339	10,163	58,171	5.37
87–88	.12969	9,493	1,232	8,877	48,008	5.06
88–89	.14000	8,261	1,156	7,683	39,131	4.74
89–90	.15446	7,105	1,098	6,556	31,448	4.43
90–91	.17255	6,007	1,036	5,489	24,892	4.14
91–92	.19270	4,971	958	4,492	19,403	3.90
92–93	.21205	4,013	851	3,587	14,911	3.72
93–94	.22356	3,162	707	2,809	11,324	3.58
94–95	.22632	2,455	556	2,177	8,515	3.47
95–96	.22903	1,899	435	1,682	6,338	3.34
96–97	.24048	1,464	352	1,288	4,656	3.18
97–98	.25250	1,112	281	972	3,368	3.03
98–99	.26513	831	220	721	2,396	2.88
99–100	.27838	611	170	526	1,675	2.74
100–101	.29230	441	129	377	1,149	2.61
101–102	.30692	312	96	264	772	2.47
102–103	.32226	216	69	181	508	2.35
103–104	.33837	147	50	122	327	2.23
104–105	.35529	97	34	80	205	2.11
105–106	.37306	63	24	51	125	2.00
106–107	.39171	39	15	31	74	1.89
107–108	.41130	24	10	19	43	1.79
108–109	.43186	14	6	11	24	1.69
109–110	.45345	8	4	6	13	1.59

**Table 9. Life table for females other than white: Louisiana, 1989–91**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
0-1	.01348	100,000	1,348	98,949	7,343,287	73.43
1-2	.00115	98,652	113	98,595	7,244,338	73.43
2-3	.00074	98,539	74	98,502	7,145,743	72.52
3-4	.00053	98,465	52	98,439	7,047,241	71.57
4-5	.00044	98,413	44	98,391	6,948,802	70.61
5-6	.00039	98,369	38	98,350	6,850,411	69.64
6-7	.00033	98,331	33	98,315	6,752,061	68.67
7-8	.00028	98,298	27	98,284	6,653,746	67.69
8-9	.00024	98,271	24	98,259	6,555,462	66.71
9-10	.00022	98,247	21	98,237	6,457,203	65.72
10-11	.00020	98,226	20	98,216	6,358,966	64.74
11-12	.00020	98,206	20	98,195	6,260,750	63.75
12-13	.00021	98,186	21	98,176	6,162,555	62.76
13-14	.00024	98,165	24	98,153	6,064,379	61.78
14-15	.00028	98,141	27	98,127	5,966,226	60.79
15-16	.00032	98,114	32	98,098	5,868,099	59.81
16-17	.00038	98,082	37	98,064	5,770,001	58.83
17-18	.00045	98,045	44	98,023	5,671,937	57.85
18-19	.00054	98,001	52	97,975	5,573,914	56.88
19-20	.00064	97,949	63	97,918	5,475,939	55.91
20-21	.00076	97,886	74	97,850	5,378,021	54.94
21-22	.00088	97,812	85	97,769	5,280,171	53.98
22-23	.00097	97,727	95	97,679	5,182,402	53.03
23-24	.00102	97,632	100	97,582	5,084,723	52.08
24-25	.00105	97,532	102	97,481	4,987,141	51.13
25-26	.00106	97,430	104	97,378	4,889,660	50.19
26-27	.00109	97,326	106	97,274	4,792,282	49.24
27-28	.00114	97,220	110	97,165	4,695,008	48.29
28-29	.00121	97,110	118	97,051	4,597,843	47.35
29-30	.00131	96,992	127	96,929	4,500,792	46.40
30-31	.00142	96,865	137	96,796	4,403,863	45.46
31-32	.00152	96,728	148	96,654	4,307,067	44.53
32-33	.00162	96,580	156	96,502	4,210,413	43.59
33-34	.00172	96,424	166	96,341	4,113,911	42.66
34-35	.00182	96,258	175	96,170	4,017,570	41.74
35-36	.00192	96,083	185	95,990	3,921,400	40.81
36-37	.00204	95,898	196	95,800	3,825,410	39.89
37-38	.00220	95,702	211	95,597	3,729,610	38.97
38-39	.00242	95,491	230	95,376	3,634,013	38.06
39-40	.00268	95,261	256	95,133	3,538,637	37.15
40-41	.00300	95,005	284	94,863	3,443,504	36.25
41-42	.00334	94,721	317	94,563	3,348,641	35.35
42-43	.00368	94,404	347	94,231	3,254,078	34.47
43-44	.00400	94,057	376	93,868	3,159,847	33.60
44-45	.00430	93,681	403	93,480	3,065,979	32.73
45-46	.00465	93,278	434	93,061	2,972,499	31.87
46-47	.00507	92,844	471	92,609	2,879,438	31.01
47-48	.00552	92,373	510	92,118	2,786,829	30.17
48-49	.00599	91,863	550	91,588	2,694,711	29.33
49-50	.00647	91,313	591	91,017	2,603,123	28.51
50-51	.00697	90,722	632	90,406	2,512,106	27.69
51-52	.00752	90,090	677	89,751	2,421,700	26.88
52-53	.00818	89,413	732	89,047	2,331,949	26.08
53-54	.00899	88,681	797	88,283	2,242,902	25.29
54-55	.00994	87,884	873	87,448	2,154,619	24.52

**Table 9. Life table for females other than white: Louisiana, 1989–91—Con.**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
55–56	.01097	87,011	955	86,533	2,067,171	23.76
56–57	.01204	86,056	1,037	85,537	1,980,638	23.02
57–58	.01315	85,019	1,117	84,461	1,895,101	22.29
58–59	.01425	83,902	1,196	83,304	1,810,640	21.58
59–60	.01534	82,706	1,269	82,072	1,727,336	20.89
60–61	.01640	81,437	1,336	80,769	1,645,264	20.20
61–62	.01749	80,101	1,401	79,401	1,564,495	19.53
62–63	.01869	78,700	1,470	77,965	1,485,094	18.87
63–64	.02007	77,230	1,550	76,455	1,407,129	18.22
64–65	.02161	75,680	1,635	74,862	1,330,674	17.58
65–66	.02327	74,045	1,723	73,183	1,255,812	16.96
66–67	.02495	72,322	1,805	71,420	1,182,629	16.35
67–68	.02661	70,517	1,876	69,579	1,111,209	15.76
68–69	.02823	68,641	1,938	67,672	1,041,630	15.18
69–70	.02989	66,703	1,993	65,707	973,958	14.60
70–71	.03165	64,710	2,048	63,685	908,251	14.04
71–72	.03364	62,662	2,108	61,608	844,566	13.48
72–73	.03593	60,554	2,176	59,466	782,958	12.93
73–74	.03850	58,378	2,247	57,254	723,492	12.39
74–75	.04122	56,131	2,314	54,974	666,238	11.87
75–76	.04404	53,817	2,370	52,632	611,264	11.36
76–77	.04692	51,447	2,414	50,239	558,632	10.86
77–78	.04990	49,033	2,447	47,809	508,393	10.37
78–79	.05309	46,586	2,473	45,350	460,584	9.89
79–80	.05665	44,113	2,499	42,863	415,234	9.41
80–81	.06055	41,614	2,520	40,354	372,371	8.95
81–82	.06489	39,094	2,536	37,826	332,017	8.49
82–83	.07000	36,558	2,560	35,278	294,191	8.05
83–84	.07610	33,998	2,587	32,705	258,913	7.62
84–85	.08319	31,411	2,613	30,105	226,208	7.20
85–86	.09115	28,798	2,625	27,486	196,103	6.81
86–87	.09986	26,173	2,613	24,867	168,617	6.44
87–88	.10844	23,560	2,555	22,282	143,750	6.10
88–89	.11650	21,005	2,447	19,781	121,468	5.78
89–90	.12446	18,558	2,310	17,404	101,687	5.48
90–91	.13356	16,248	2,170	15,163	84,283	5.19
91–92	.14409	14,078	2,028	13,063	69,120	4.91
92–93	.15450	12,050	1,862	11,119	56,057	4.65
93–94	.16378	10,188	1,669	9,354	44,938	4.41
94–95	.17267	8,519	1,471	7,784	35,584	4.18
95–96	.18338	7,048	1,292	6,402	27,800	3.94
96–97	.19682	5,756	1,133	5,189	21,398	3.72
97–98	.21089	4,623	975	4,135	16,209	3.51
98–99	.22557	3,648	823	3,237	12,074	3.31
99–100	.23911	2,825	675	2,487	8,837	3.13
100–101	.25346	2,150	545	1,878	6,350	2.95
101–102	.26866	1,605	431	1,389	4,472	2.79
102–103	.28478	1,174	335	1,006	3,083	2.63
103–104	.30187	839	253	713	2,077	2.47
104–105	.31998	586	188	492	1,364	2.33
105–106	.33918	398	135	331	872	2.19
106–107	.35953	263	94	216	541	2.05
107–108	.38110	169	65	137	325	1.93
108–109	.40397	104	42	83	188	1.80
109–110	.42821	62	26	49	105	1.69

**Table 10. Life table for the black population: Louisiana, 1989–91**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
0-1	.01563	100,000	1,563	98,778	6,861,597	68.62
1-2	.00118	98,437	116	98,379	6,762,819	68.70
2-3	.00082	98,321	81	98,281	6,664,440	67.78
3-4	.00065	98,240	63	98,208	6,566,159	66.84
4-5	.00054	98,177	53	98,151	6,467,951	65.88
5-6	.00043	98,124	42	98,103	6,369,800	64.92
6-7	.00037	98,082	36	98,063	6,271,697	63.94
7-8	.00032	98,046	32	98,030	6,173,634	62.97
8-9	.00028	98,014	27	98,001	6,075,604	61.99
9-10	.00024	97,987	23	97,975	5,977,603	61.00
10-11	.00021	97,964	21	97,953	5,879,628	60.02
11-12	.00023	97,943	23	97,931	5,781,675	59.03
12-13	.00030	97,920	29	97,906	5,683,744	58.04
13-14	.00045	97,891	44	97,869	5,585,838	57.06
14-15	.00066	97,847	64	97,815	5,487,969	56.09
15-16	.00089	97,783	87	97,740	5,390,154	55.12
16-17	.00113	97,696	111	97,641	5,292,414	54.17
17-18	.00137	97,585	133	97,518	5,194,773	53.23
18-19	.00159	97,452	155	97,375	5,097,255	52.31
19-20	.00180	97,297	176	97,209	4,999,880	51.39
20-21	.00204	97,121	198	97,022	4,902,671	50.48
21-22	.00228	96,923	220	96,813	4,805,649	49.58
22-23	.00246	96,703	238	96,584	4,708,836	48.69
23-24	.00256	96,465	247	96,342	4,612,252	47.81
24-25	.00259	96,218	249	96,094	4,515,910	46.93
25-26	.00259	95,969	249	95,844	4,419,816	46.05
26-27	.00261	95,720	250	95,596	4,323,972	45.17
27-28	.00265	95,470	253	95,344	4,228,376	44.29
28-29	.00274	95,217	260	95,087	4,133,032	43.41
29-30	.00286	94,957	272	94,820	4,037,945	42.52
30-31	.00298	94,685	282	94,544	3,943,125	41.64
31-32	.00310	94,403	293	94,257	3,848,581	40.77
32-33	.00320	94,110	301	93,959	3,754,324	39.89
33-34	.00331	93,809	310	93,654	3,660,365	39.02
34-35	.00341	93,499	319	93,340	3,566,711	38.15
35-36	.00352	93,180	327	93,016	3,473,371	37.28
36-37	.00365	92,853	339	92,683	3,380,355	36.41
37-38	.00381	92,514	352	92,338	3,287,672	35.54
38-39	.00403	92,162	371	91,976	3,195,334	34.67
39-40	.00429	91,791	394	91,594	3,103,358	33.81
40-41	.00461	91,397	421	91,186	3,011,764	32.95
41-42	.00496	90,976	451	90,750	2,920,578	32.10
42-43	.00535	90,525	485	90,283	2,829,828	31.26
43-44	.00577	90,040	519	89,780	2,739,545	30.43
44-45	.00623	89,521	558	89,242	2,649,765	29.60
45-46	.00677	88,963	602	88,662	2,560,523	28.78
46-47	.00740	88,361	653	88,034	2,471,861	27.97
47-48	.00809	87,708	710	87,353	2,383,827	27.18
48-49	.00883	86,998	769	86,614	2,296,474	26.40
49-50	.00960	86,229	828	85,815	2,209,860	25.63
50-51	.01041	85,401	889	84,957	2,124,045	24.87
51-52	.01129	84,512	954	84,035	2,039,088	24.13
52-53	.01226	83,558	1,024	83,046	1,955,053	23.40
53-54	.01333	82,534	1,101	81,983	1,872,007	22.68
54-55	.01451	81,433	1,181	80,843	1,790,024	21.98

**Table 10. Life table for the black population: Louisiana, 1989–91—Con.**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
55–56	.01577	80,252	1,266	79,619	1,709,181	21.30
56–57	.01706	78,986	1,347	78,312	1,629,562	20.63
57–58	.01831	77,639	1,422	76,928	1,551,250	19.98
58–59	.01950	76,217	1,486	75,474	1,474,322	19.34
59–60	.02062	74,731	1,541	73,961	1,398,848	18.72
60–61	.02167	73,190	1,586	72,397	1,324,887	18.10
61–62	.02277	71,604	1,631	70,788	1,252,490	17.49
62–63	.02414	69,973	1,689	69,129	1,181,702	16.89
63–64	.02589	68,284	1,768	67,400	1,112,573	16.29
64–65	.02796	66,516	1,859	65,587	1,045,173	15.71
65–66	.03021	64,657	1,954	63,680	979,586	15.15
66–67	.03243	62,703	2,033	61,686	915,906	14.61
67–68	.03462	60,670	2,101	59,620	854,220	14.08
68–69	.03674	58,569	2,151	57,493	794,600	13.57
69–70	.03887	56,418	2,194	55,321	737,107	13.07
70–71	.04121	54,224	2,234	53,107	681,786	12.57
71–72	.04382	51,990	2,278	50,851	628,679	12.09
72–73	.04659	49,712	2,316	48,554	577,828	11.62
73–74	.04937	47,396	2,340	46,226	529,274	11.17
74–75	.05208	45,056	2,346	43,883	483,048	10.72
75–76	.05469	42,710	2,336	41,542	439,165	10.28
76–77	.05742	40,374	2,318	39,214	397,623	9.85
77–78	.06049	38,056	2,302	36,905	358,409	9.42
78–79	.06426	35,754	2,298	34,605	321,504	8.99
79–80	.06881	33,456	2,302	32,305	286,899	8.58
80–81	.07414	31,154	2,309	30,000	254,594	8.17
81–82	.07989	28,845	2,305	27,692	224,594	7.79
82–83	.08584	26,540	2,278	25,401	196,902	7.42
83–84	.09149	24,262	2,220	23,152	171,501	7.07
84–85	.09687	22,042	2,135	20,974	148,349	6.73
85–86	.10249	19,907	2,040	18,887	127,375	6.40
86–87	.10914	17,867	1,950	16,892	108,488	6.07
87–88	.11655	15,917	1,855	14,989	91,596	5.75
88–89	.12501	14,062	1,758	13,182	76,607	5.45
89–90	.13464	12,304	1,657	11,476	63,425	5.15
90–91	.14599	10,647	1,554	9,870	51,949	4.88
91–92	.15860	9,093	1,442	8,372	42,079	4.63
92–93	.17052	7,651	1,305	6,998	33,707	4.41
93–94	.17938	6,346	1,138	5,777	26,709	4.21
94–95	.18595	5,208	969	4,723	20,932	4.02
95–96	.19386	4,239	821	3,829	16,209	3.82
96–97	.20590	3,418	704	3,065	12,380	3.62
97–98	.21821	2,714	592	2,418	9,315	3.43
98–99	.23087	2,122	490	1,877	6,897	3.25
99–100	.24426	1,632	399	1,432	5,020	3.08
100–101	.25843	1,233	318	1,074	3,588	2.91
101–102	.27342	915	251	790	2,514	2.75
102–103	.28927	664	192	568	1,724	2.59
103–104	.30605	472	144	400	1,156	2.45
104–105	.32380	328	106	275	756	2.31
105–106	.34258	222	76	184	481	2.17
106–107	.36245	146	53	119	297	2.04
107–108	.38348	93	36	75	178	1.92
108–109	.40572	57	23	46	103	1.80
109–110	.42925	34	15	26	57	1.69

**Table 11. Life table for black males: Louisiana, 1989–91**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
0-1	.01727	100,000	1,727	98,646	6,384,324	63.84
1-2	.00122	98,273	120	98,213	6,285,678	63.96
2-3	.00089	98,153	87	98,110	6,187,465	63.04
3-4	.00075	98,066	74	98,029	6,089,355	62.09
4-5	.00062	97,992	60	97,962	5,991,326	61.14
5-6	.00046	97,932	45	97,910	5,893,364	60.18
6-7	.00040	97,887	40	97,867	5,795,454	59.21
7-8	.00035	97,847	34	97,830	5,697,587	58.23
8-9	.00030	97,813	30	97,798	5,599,757	57.25
9-10	.00025	97,783	24	97,771	5,501,959	56.27
10-11	.00022	97,759	22	97,748	5,404,188	55.28
11-12	.00024	97,737	24	97,725	5,306,440	54.29
12-13	.00038	97,713	37	97,695	5,208,715	53.31
13-14	.00065	97,676	63	97,644	5,111,020	52.33
14-15	.00102	97,613	100	97,563	5,013,376	51.36
15-16	.00145	97,513	142	97,443	4,915,813	50.41
16-17	.00188	97,371	182	97,280	4,818,370	49.48
17-18	.00229	97,189	223	97,077	4,721,090	48.58
18-19	.00266	96,966	258	96,837	4,624,013	47.69
19-20	.00301	96,708	291	96,562	4,527,176	46.81
20-21	.00339	96,417	327	96,254	4,430,614	45.95
21-22	.00379	96,090	364	95,908	4,334,360	45.11
22-23	.00410	95,726	392	95,530	4,238,452	44.28
23-24	.00427	95,334	407	95,130	4,142,922	43.46
24-25	.00434	94,927	412	94,721	4,047,792	42.64
25-26	.00435	94,515	411	94,310	3,953,071	41.82
26-27	.00437	94,104	411	93,899	3,858,761	41.01
27-28	.00442	93,693	414	93,486	3,764,862	40.18
28-29	.00452	93,279	421	93,069	3,671,376	39.36
29-30	.00466	92,858	433	92,641	3,578,307	38.54
30-31	.00480	92,425	444	92,203	3,485,666	37.71
31-32	.00492	91,981	453	91,754	3,393,463	36.89
32-33	.00504	91,528	461	91,298	3,301,709	36.07
33-34	.00515	91,067	469	90,832	3,210,411	35.25
34-35	.00526	90,598	476	90,360	3,119,579	34.43
35-36	.00539	90,122	486	89,880	3,029,219	33.61
36-37	.00554	89,636	496	89,388	2,939,339	32.79
37-38	.00571	89,140	509	88,885	2,849,951	31.97
38-39	.00592	88,631	525	88,369	2,761,066	31.15
39-40	.00617	88,106	544	87,834	2,672,697	30.33
40-41	.00647	87,562	567	87,279	2,584,863	29.52
41-42	.00683	86,995	593	86,698	2,497,584	28.71
42-43	.00725	86,402	627	86,089	2,410,886	27.90
43-44	.00777	85,775	666	85,441	2,324,797	27.10
44-45	.00839	85,109	715	84,752	2,239,356	26.31
45-46	.00912	84,394	770	84,009	2,154,604	25.53
46-47	.00998	83,624	834	83,207	2,070,595	24.76
47-48	.01096	82,790	908	82,337	1,987,388	24.01
48-49	.01207	81,882	988	81,388	1,905,051	23.27
49-50	.01327	80,894	1,073	80,357	1,823,663	22.54
50-51	.01456	79,821	1,163	79,239	1,743,306	21.84
51-52	.01594	78,658	1,254	78,032	1,664,067	21.16
52-53	.01735	77,404	1,343	76,733	1,586,035	20.49
53-54	.01878	76,061	1,428	75,346	1,509,302	19.84
54-55	.02021	74,633	1,508	73,879	1,433,956	19.21



Table 11. Life table for black males: Louisiana, 1989-91—Con.

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
55-56	.02170	73,125	1,587	72,331	1,360,077	18.60
56-57	.02322	71,538	1,662	70,707	1,287,746	18.00
57-58	.02466	69,876	1,723	69,015	1,217,039	17.42
58-59	.02596	68,153	1,769	67,269	1,148,024	16.84
59-60	.02717	66,384	1,804	65,482	1,080,755	16.28
60-61	.02825	64,580	1,824	63,668	1,015,273	15.72
61-62	.02941	62,756	1,846	61,833	951,605	15.16
62-63	.03103	60,910	1,890	59,965	889,772	14.61
63-64	.03330	59,020	1,965	58,037	829,807	14.06
64-65	.03612	57,055	2,061	56,024	771,770	13.53
65-66	.03918	54,994	2,155	53,917	715,746	13.02
66-67	.04219	52,839	2,229	51,724	661,829	12.53
67-68	.04518	50,610	2,287	49,466	610,105	12.06
68-69	.04811	48,323	2,325	47,161	560,639	11.60
69-70	.05110	45,998	2,350	44,823	513,478	11.16
70-71	.05448	43,648	2,378	42,459	468,655	10.74
71-72	.05827	41,270	2,405	40,068	426,196	10.33
72-73	.06200	38,865	2,409	37,660	386,128	9.94
73-74	.06525	36,456	2,379	35,267	348,468	9.56
74-75	.06801	34,077	2,318	32,918	313,201	9.19
75-76	.07033	31,759	2,233	30,642	280,283	8.83
76-77	.07284	29,526	2,151	28,451	249,641	8.46
77-78	.07616	27,375	2,085	26,332	221,190	8.08
78-79	.08104	25,290	2,049	24,266	194,858	7.70
79-80	.08755	23,241	2,035	22,223	170,592	7.34
80-81	.09573	21,206	2,030	20,191	148,369	7.00
81-82	.10445	19,176	2,003	18,174	128,178	6.68
82-83	.11238	17,173	1,930	16,208	110,004	6.41
83-84	.11761	15,243	1,793	14,347	93,796	6.15
84-85	.12005	13,450	1,614	12,643	79,449	5.91
85-86	.12169	11,836	1,441	11,115	66,806	5.64
86-87	.12509	10,395	1,300	9,745	55,691	5.36
87-88	.13109	9,095	1,192	8,499	45,946	5.05
88-89	.14126	7,903	1,117	7,345	37,447	4.74
89-90	.15545	6,786	1,055	6,259	30,102	4.44
90-91	.17312	5,731	992	5,235	23,843	4.16
91-92	.19272	4,739	913	4,283	18,608	3.93
92-93	.21142	3,826	809	3,421	14,325	3.74
93-94	.22221	3,017	670	2,682	10,904	3.61
94-95	.22420	2,347	527	2,083	8,222	3.50
95-96	.22659	1,820	412	1,615	6,139	3.37
96-97	.23792	1,408	335	1,240	4,524	3.21
97-98	.24982	1,073	268	939	3,284	3.06
98-99	.26231	805	211	700	2,345	2.91
99-100	.27542	594	164	512	1,645	2.77
100-101	.28920	430	124	368	1,133	2.63
101-102	.30365	306	93	259	765	2.50
102-103	.31884	213	68	179	506	2.38
103-104	.33478	145	49	121	327	2.25
104-105	.35152	96	33	79	206	2.14
105-106	.36909	63	24	51	127	2.02
106-107	.38755	39	15	32	76	1.92
107-108	.40693	24	10	19	44	1.81
108-109	.42727	14	6	12	25	1.71
109-110	.44864	8	3	6	13	1.61

**Table 12. Life table for black females: Louisiana, 1989-91**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
0-1	.01392	100,000	1,392	98,915	7,315,651	73.16
1-2	.00115	98,608	114	98,551	7,216,736	73.19
2-3	.00075	98,494	74	98,457	7,118,185	72.27
3-4	.00054	98,420	53	98,394	7,019,728	71.32
4-5	.00045	98,367	44	98,345	6,921,334	70.36
5-6	.00040	98,323	39	98,304	6,822,989	69.39
6-7	.00034	98,284	34	98,267	6,724,685	68.42
7-8	.00029	98,250	28	98,236	6,626,418	67.44
8-9	.00025	98,222	25	98,210	6,528,182	66.46
9-10	.00022	98,197	22	98,186	6,429,972	65.48
10-11	.00021	98,175	20	98,165	6,331,786	64.49
11-12	.00021	98,155	21	98,145	6,233,621	63.51
12-13	.00022	98,134	21	98,124	6,135,476	62.52
13-14	.00024	98,113	24	98,101	6,037,352	61.53
14-15	.00028	98,089	28	98,075	5,939,251	60.55
15-16	.00033	98,061	32	98,045	5,841,176	59.57
16-17	.00038	98,029	38	98,010	5,743,131	58.59
17-18	.00046	97,991	45	97,968	5,645,121	57.61
18-19	.00055	97,946	53	97,920	5,547,153	56.63
19-20	.00065	97,893	64	97,861	5,449,233	55.67
20-21	.00078	97,829	76	97,791	5,351,372	54.70
21-22	.00090	97,753	88	97,709	5,253,581	53.74
22-23	.00099	97,665	97	97,617	5,155,872	52.79
23-24	.00105	97,568	102	97,517	5,058,255	51.84
24-25	.00107	97,466	104	97,414	4,960,738	50.90
25-26	.00109	97,362	106	97,309	4,863,324	49.95
26-27	.00111	97,256	109	97,201	4,766,015	49.00
27-28	.00116	97,147	113	97,091	4,668,814	48.06
28-29	.00125	97,034	121	96,974	4,571,723	47.11
29-30	.00135	96,913	131	96,848	4,474,749	46.17
30-31	.00147	96,782	142	96,711	4,377,901	45.23
31-32	.00158	96,640	152	96,564	4,281,190	44.30
32-33	.00168	96,488	163	96,407	4,184,626	43.37
33-34	.00178	96,325	171	96,239	4,088,219	42.44
34-35	.00188	96,154	182	96,063	3,991,980	41.52
35-36	.00199	95,972	190	95,877	3,895,917	40.59
36-37	.00211	95,782	203	95,681	3,800,040	39.67
37-38	.00227	95,579	217	95,470	3,704,359	38.76
38-39	.00249	95,362	238	95,243	3,608,889	37.84
39-40	.00277	95,124	263	94,993	3,513,646	36.94
40-41	.00309	94,861	293	94,714	3,418,653	36.04
41-42	.00344	94,568	325	94,405	3,323,939	35.15
42-43	.00380	94,243	358	94,064	3,229,534	34.27
43-44	.00414	93,885	389	93,690	3,135,470	33.40
44-45	.00447	93,496	418	93,288	3,041,780	32.53
45-46	.00485	93,078	451	92,852	2,948,492	31.68
46-47	.00531	92,627	492	92,382	2,855,640	30.83
47-48	.00578	92,135	532	91,869	2,763,258	29.99
48-49	.00625	91,603	572	91,317	2,671,389	29.16
49-50	.00671	91,031	611	90,725	2,580,072	28.34
50-51	.00718	90,420	649	90,095	2,489,347	27.53
51-52	.00771	89,771	693	89,425	2,399,252	26.73
52-53	.00837	89,078	745	88,705	2,309,827	25.93
53-54	.00921	88,333	814	87,926	2,221,122	25.14
54-55	.01020	87,519	892	87,073	2,133,196	24.37

**Table 12. Life table for black females: Louisiana, 1989-91—Con.**

Age in years	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of year of age (3)	Number dying during year of age (4)	In year of age (5)	In this year of age and all subsequent years (6)	Average number of years of life remaining at beginning of year of age (7)
Period of life between two exact ages stated (1)	Proportion of persons alive at beginning of year of age dying during year (2)	$l_x$	$d_x$	$L_x$	$T_x$	${}^o e_x$
x to x+1	$q_x$					
55-56	.01128	86,627	977	86,139	2,046,123	23.62
56-57	.01238	85,650	1,061	85,119	1,959,984	22.88
57-58	.01352	84,589	1,143	84,017	1,874,865	22.16
58-59	.01463	83,446	1,221	82,836	1,790,848	21.46
59-60	.01572	82,225	1,292	81,579	1,708,012	20.77
60-61	.01677	80,933	1,358	80,254	1,626,433	20.10
61-62	.01785	79,575	1,420	78,865	1,546,179	19.43
62-63	.01905	78,155	1,489	77,410	1,467,314	18.77
63-64	.02043	76,666	1,567	75,882	1,389,904	18.13
64-65	.02198	75,099	1,651	74,274	1,314,022	17.50
65-66	.02365	73,448	1,736	72,580	1,239,748	16.88
66-67	.02532	71,712	1,816	70,804	1,167,168	16.28
67-68	.02698	69,896	1,886	68,953	1,096,364	15.69
68-69	.02859	68,010	1,944	67,038	1,027,411	15.11
69-70	.03023	66,066	1,997	65,068	960,373	14.54
70-71	.03198	64,069	2,050	63,044	895,305	13.97
71-72	.03396	62,019	2,106	60,966	832,261	13.42
72-73	.03625	59,913	2,172	58,827	771,295	12.87
73-74	.03884	57,741	2,242	56,620	712,468	12.34
74-75	.04161	55,499	2,309	54,345	655,848	11.82
75-76	.04449	53,190	2,367	52,006	601,503	11.31
76-77	.04743	50,823	2,410	49,618	549,497	10.81
77-78	.05045	48,413	2,442	47,192	499,879	10.33
78-79	.05364	45,971	2,466	44,737	452,687	9.85
79-80	.05717	43,505	2,488	42,261	407,950	9.38
80-81	.06102	41,017	2,502	39,766	365,889	8.92
81-82	.06531	38,515	2,516	37,257	325,923	8.46
82-83	.07041	35,999	2,534	34,732	288,666	8.02
83-84	.07656	33,465	2,562	32,184	253,934	7.59
84-85	.08377	30,903	2,589	29,608	221,750	7.18
85-86	.09196	28,314	2,604	27,012	192,142	6.79
86-87	.10082	25,710	2,592	24,414	165,130	6.42
87-88	.10948	23,118	2,531	21,853	140,716	6.09
88-89	.11751	20,587	2,419	19,377	118,863	5.77
89-90	.12535	18,168	2,278	17,029	99,486	5.48
90-91	.13431	15,890	2,134	14,823	82,457	5.19
91-92	.14470	13,756	1,990	12,761	67,634	4.92
92-93	.15492	11,766	1,823	10,854	54,873	4.66
93-94	.16388	9,943	1,630	9,128	44,019	4.43
94-95	.17229	8,313	1,432	7,597	34,891	4.20
95-96	.18244	6,881	1,255	6,254	27,294	3.97
96-97	.19556	5,626	1,101	5,075	21,040	3.74
97-98	.20946	4,525	947	4,052	15,965	3.53
98-99	.22414	3,578	802	3,176	11,913	3.33
99-100	.23758	2,776	660	2,446	8,737	3.15
100-101	.25184	2,116	533	1,850	6,291	2.97
101-102	.26695	1,583	422	1,372	4,441	2.80
102-103	.28297	1,161	329	996	3,069	2.64
103-104	.29994	832	249	708	2,073	2.49
104-105	.31794	583	186	490	1,365	2.34
105-106	.33702	397	134	330	875	2.20
106-107	.35724	263	94	217	545	2.07
107-108	.37867	169	64	137	328	1.94
108-109	.40139	105	42	84	191	1.82
109-110	.42548	63	27	49	107	1.70

Table 13. Standard errors of the probability of dying: Louisiana, 1989-91

Exact age in years	Total			White			All other					
	Both sexes	Male	Female	Both sexes	Male	Female	Total			Black		
							Both sexes	Male	Female	Both sexes	Male	Female
0	.000224	.000331	.000299	.000252	.000376	.000332	.000399	.000587	.000538	.000414	.000609	.000558
1	.000064	.000090	.000091	.000074	.000103	.000106	.000113	.000160	.000159	.000116	.000165	.000163
2	.000054	.000079	.000075	.000061	.000089	.000085	.000100	.000145	.000136	.000102	.000150	.000139
3	.000047	.000070	.000064	.000053	.000076	.000075	.000087	.000132	.000114	.000090	.000138	.000117
4	.000043	.000063	.000058	.000049	.000070	.000068	.000079	.000118	.000104	.000082	.000123	.000107
5	.000038	.000055	.000053	.000043	.000061	.000061	.000071	.000103	.000097	.000073	.000107	.000100
6	.000036	.000052	.000049	.000041	.000059	.000057	.000065	.000096	.000089	.000068	.000099	.000092
7	.000034	.000050	.000046	.000040	.000059	.000054	.000061	.000090	.000082	.000063	.000093	.000085
8	.000032	.000047	.000043	.000038	.000056	.000051	.000056	.000083	.000076	.000059	.000086	.000079
9	.000030	.000044	.000041	.000036	.000052	.000048	.000052	.000076	.000072	.000054	.000079	.000075
10	.000028	.000041	.000039	.000034	.000049	.000046	.000050	.000071	.000070	.000052	.000074	.000073
11	.000029	.000043	.000040	.000035	.000052	.000047	.000051	.000075	.000070	.000054	.000078	.000073
12	.000035	.000055	.000042	.000042	.000067	.000051	.000060	.000094	.000073	.000062	.000098	.000075
13	.000044	.000073	.000047	.000054	.000089	.000060	.000073	.000124	.000077	.000076	.000129	.000080
14	.000054	.000092	.000054	.000067	.000113	.000070	.000089	.000157	.000084	.000093	.000163	.000086
15	.000063	.000110	.000060	.000079	.000134	.000079	.000105	.000188	.000091	.000109	.000196	.000093
16	.000071	.000125	.000066	.000088	.000151	.000087	.000118	.000215	.000098	.000123	.000224	.000101
17	.000077	.000136	.000070	.000094	.000163	.000093	.000131	.000240	.000108	.000136	.000250	.000111
18	.000081	.000144	.000074	.000098	.000169	.000096	.000143	.000263	.000119	.000149	.000274	.000123
19	.000084	.000150	.000078	.000099	.000170	.000097	.000154	.000284	.000131	.000160	.000296	.000135
20	.000088	.000155	.000081	.000099	.000171	.000097	.000166	.000307	.000144	.000173	.000320	.000148
21	.000091	.000161	.000085	.000100	.000172	.000098	.000178	.000330	.000156	.000185	.000345	.000161
22	.000092	.000164	.000087	.000100	.000172	.000098	.000187	.000348	.000165	.000194	.000364	.000170
23	.000092	.000164	.000087	.000099	.000170	.000098	.000192	.000359	.000169	.000199	.000376	.000175
24	.000092	.000163	.000087	.000097	.000168	.000096	.000193	.000363	.000171	.000201	.000381	.000177
25	.000090	.000161	.000086	.000095	.000164	.000095	.000194	.000366	.000172	.000201	.000383	.000178
26	.000089	.000160	.000086	.000093	.000161	.000093	.000194	.000368	.000174	.000202	.000386	.000180
27	.000089	.000159	.000086	.000092	.000160	.000093	.000196	.000371	.000177	.000204	.000390	.000184
28	.000090	.000160	.000087	.000093	.000161	.000093	.000198	.000375	.000183	.000207	.000394	.000190
29	.000091	.000161	.000089	.000095	.000164	.000094	.000202	.000380	.000189	.000211	.000400	.000197
30	.000092	.000164	.000091	.000096	.000167	.000096	.000206	.000385	.000196	.000215	.000405	.000204
31	.000094	.000165	.000093	.000098	.000170	.000097	.000209	.000389	.000203	.000219	.000409	.000212
32	.000095	.000167	.000096	.000100	.000172	.000100	.000213	.000394	.000210	.000223	.000415	.000219
33	.000097	.000170	.000100	.000102	.000175	.000103	.000217	.000402	.000217	.000228	.000422	.000227
34	.000100	.000173	.000104	.000104	.000178	.000107	.000223	.000411	.000225	.000234	.000433	.000235
35	.000103	.000177	.000108	.000107	.000181	.000113	.000230	.000422	.000234	.000241	.000444	.000244
36	.000106	.000182	.000113	.000111	.000186	.000119	.000237	.000435	.000244	.000248	.000457	.000255
37	.000110	.000187	.000119	.000114	.000191	.000125	.000247	.000449	.000257	.000258	.000472	.000268
38	.000114	.000193	.000126	.000118	.000197	.000131	.000258	.000467	.000275	.000271	.000491	.000287
39	.000119	.000200	.000133	.000123	.000204	.000137	.000273	.000487	.000296	.000286	.000512	.000309
40	.000124	.000207	.000140	.000128	.000211	.000143	.000290	.000511	.000321	.000304	.000537	.000335
41	.000130	.000215	.000149	.000133	.000220	.000150	.000309	.000538	.000348	.000324	.000566	.000364
42	.000137	.000225	.000158	.000140	.000230	.000159	.000330	.000569	.000376	.000346	.000600	.000393
43	.000145	.000238	.000169	.000148	.000243	.000170	.000352	.000607	.000404	.000370	.000639	.000422
44	.000154	.000254	.000181	.000159	.000259	.000184	.000377	.000650	.000432	.000396	.000685	.000452
45	.000166	.000272	.000195	.000171	.000278	.000200	.000405	.000699	.000464	.000426	.000737	.000486
46	.000178	.000293	.000210	.000184	.000299	.000217	.000437	.000756	.000500	.000459	.000797	.000524
47	.000192	.000315	.000226	.000198	.000321	.000235	.000471	.000816	.000537	.000494	.000860	.000562
48	.000205	.000337	.000242	.000212	.000343	.000252	.000504	.000878	.000571	.000528	.000925	.000596
49	.000218	.000358	.000257	.000225	.000364	.000269	.000535	.000940	.000602	.000560	.000990	.000627
50	.000231	.000381	.000273	.000240	.000386	.000287	.000567	.001004	.000632	.000592	.001055	.000657
51	.000246	.000406	.000290	.000256	.000412	.000307	.000599	.001070	.000664	.000625	.001123	.000688
52	.000261	.000432	.000307	.000272	.000439	.000327	.000633	.001136	.000701	.000659	.001190	.000725
53	.000276	.000458	.000325	.000289	.000469	.000344	.000670	.001200	.000744	.000697	.001256	.000769
54	.000292	.000485	.000342	.000305	.000499	.000361	.000708	.001263	.000793	.000736	.001319	.000819
55	.000307	.000513	.000358	.000322	.000530	.000376	.000748	.001326	.000843	.000775	.001381	.000871
56	.000322	.000540	.000375	.000338	.000561	.000393	.000786	.001387	.000892	.000814	.001442	.000921
57	.000338	.000566	.000393	.000356	.000593	.000411	.000821	.001442	.000938	.000848	.001496	.000968
58	.000352	.000591	.000411	.000374	.000624	.000432	.000850	.001488	.000979	.000878	.001540	.001009
59	.000366	.000614	.000428	.000391	.000654	.000453	.000876	.001528	.001015	.000903	.001578	.001045

Table 13. Standard errors of the probability of dying: Louisiana, 1989–91—Con.

Exact age in years	Total			White			All other					
							Total			Black		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
60	.000379	.000635	.000444	.000408	.000681	.000473	.000899	.001562	.001048	.000924	.001610	.001077
61	.000392	.000657	.000460	.000424	.000708	.000492	.000922	.001600	.001081	.000948	.001645	.001110
62	.000406	.000682	.000478	.000441	.000738	.000512	.000953	.001651	.001120	.000978	.001695	.001148
63	.000424	.000714	.000497	.000460	.000773	.000534	.000994	.001724	.001167	.001019	.001768	.001195
64	.000444	.000751	.000519	.000482	.000814	.000558	.001043	.001813	.001223	.001068	.001859	.001251
65	.000465	.000791	.000542	.000504	.000857	.000582	.001096	.001907	.001282	.001121	.001955	.001309
66	.000486	.000832	.000566	.000528	.000902	.000608	.001148	.002001	.001341	.001173	.002051	.001368
67	.000511	.000880	.000593	.000555	.000955	.000638	.001205	.002105	.001405	.001230	.002156	.001431
68	.000541	.000937	.000626	.000589	.001020	.000675	.001268	.002224	.001475	.001293	.002277	.001501
69	.000576	.001004	.000664	.000630	.001098	.000720	.001339	.002361	.001554	.001364	.002416	.001579
70	.000618	.001084	.000709	.000678	.001189	.000773	.001421	.002525	.001642	.001447	.002581	.001667
71	.000664	.001173	.000759	.000732	.001292	.000831	.001512	.002706	.001741	.001538	.002764	.001766
72	.000711	.001267	.000811	.000787	.001402	.000892	.001603	.002883	.001843	.001630	.002942	.001868
73	.000756	.001358	.000861	.000841	.001512	.000951	.001685	.003032	.001943	.001711	.003090	.001968
74	.000799	.001444	.000909	.000892	.001620	.001006	.001757	.003152	.002037	.001784	.003210	.002064
75	.000842	.001533	.000957	.000945	.001734	.001062	.001826	.003259	.002131	.001853	.003316	.002160
76	.000890	.001634	.001011	.001004	.001864	.001125	.001903	.003383	.002233	.001931	.003441	.002265
77	.000947	.001750	.001075	.001072	.002010	.001201	.001998	.003551	.002350	.002027	.003609	.002384
78	.001016	.001891	.001155	.001154	.002181	.001297	.002126	.003795	.002497	.002157	.003857	.002531
79	.001100	.002065	.001252	.001253	.002385	.001413	.002291	.004125	.002677	.002323	.004191	.002712
80	.001199	.002274	.001362	.001366	.002627	.001544	.002490	.004538	.002887	.002522	.004607	.002921
81	.001308	.002513	.001484	.001492	.002906	.001685	.002711	.004998	.003123	.002744	.005071	.003157
82	.001431	.002781	.001622	.001635	.003226	.001846	.002955	.005483	.003398	.002989	.005558	.003433
83	.001569	.003068	.001783	.001799	.003583	.002032	.003211	.005937	.003717	.003247	.006015	.003755
84	.001726	.003378	.001971	.001988	.003987	.002249	.003484	.006359	.004086	.003522	.006442	.004127
85	.001911	.003741	.002191	.002213	.004475	.002507	.003791	.006803	.004515	.003835	.006900	.004562
86	.002137	.004198	.002455	.002489	.005092	.002815	.004168	.007380	.005020	.004215	.007492	.005072
87	.002404	.004761	.002760	.002811	.005838	.003171	.004627	.008155	.005599	.004676	.008281	.005655
88	.002717	.005457	.003108	.003181	.006716	.003574	.005207	.009265	.006273	.005257	.009401	.006332
89	.003092	.006324	.003517	.003610	.007751	.004040	.005950	.010824	.007084	.006001	.010969	.007148
90	.003576	.007468	.004042	.004154	.009053	.004635	.006959	.013082	.008153	.007013	.013234	.008225
91	.004213	.009020	.004732	.004867	.010777	.005415	.008312	.016310	.009561	.008375	.016471	.009647
92	.004995	.011005	.005569	.005745	.012958	.006368	.009957	.020597	.011231	.010030	.020762	.011334
93	.005872	.013280	.006507	.006763	.015589	.007462	.011591	.024976	.012919	.011671	.025130	.013034
94	.006799	.015598	.007515	.007909	.018609	.008691	.012943	.028005	.014445	.013017	.028141	.014554
95	.007035	.016018	.007768	.008166	.019114	.008920	.013201	.027997	.014822	.013115	.027577	.014876
96	.008359	.019121	.009224	.009716	.022915	.010597	.015384	.031965	.017479	.015340	.031404	.017658
97	.010039	.023130	.011065	.011685	.027832	.012723	.018164	.037646	.020774	.017965	.037012	.020752
98	.012249	.028663	.013485	.014308	.034516	.015562	.021422	.046271	.024291	.021075	.045311	.024141
99	.014874	.035533	.016278	.017433	.043126	.018829	.025055	.053398	.028523	.024622	.052217	.028315
100	.018438	.044514	.020122	.021738	.054444	.023406	.029295	.062992	.033226	.029079	.063076	.033168
101	.023300	.056540	.025395	.027642	.069625	.029725	.035069	.076372	.039585	.034317	.075554	.038943
102	.030060	.073681	.032687	.035922	.091918	.038492	.042827	.092212	.048497	.041992	.090384	.047965
103	.039723	.097318	.043207	.047945	.123494	.051313	.053025	.112176	.060364	.051800	.110685	.059274
104	.051833	.132090	.055905	.063935	.174300	.067669	.061734	.132206	.069967	.060501	.128724	.069290
105	.067281	.172611	.072494	.084732	.234802	.089463	.073661	.159417	.083186	.071524	.158454	.080925
106	.092498	.227308	.100614	.121394	.350943	.127346	.089259	.169590	.105555	.084894	.158958	.101683
107	.119307	.296657	.129488	.157425	.416479	.167828	.113945	.257238	.127133	.110407	.241462	.125308
108	.169587	.396560	.186689	.238434	.652462	.252751	.142610	.278725	.166466	.137621	.266964	.162208
109	.233120	.513622	.260652	.336833	.962034	.354752	.188743	.329562	.231275	.182697	.327866	.222076

Table 14. Standard errors of the average remaining lifetime: Louisiana, 1989-91

Exact age in years	Total			White			All other					
							Total			Black		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	.046	.065	.062	.053	.075	.071	.087	.124	.118	.089	.127	.121
1	.043	.062	.058	.050	.070	.066	.084	.120	.113	.086	.122	.115
2	.043	.061	.057	.050	.070	.066	.084	.120	.113	.086	.122	.115
3	.043	.061	.057	.049	.070	.066	.084	.119	.112	.085	.122	.114
4	.043	.061	.057	.049	.070	.065	.083	.119	.112	.085	.122	.114
5	.043	.061	.057	.049	.070	.065	.083	.119	.112	.085	.122	.114
6	.043	.061	.057	.049	.070	.065	.083	.119	.112	.085	.121	.114
7	.043	.061	.057	.049	.069	.065	.083	.119	.112	.085	.121	.114
8	.043	.061	.057	.049	.069	.065	.083	.119	.111	.085	.121	.113
9	.043	.061	.057	.049	.069	.065	.083	.119	.111	.085	.121	.113
10	.043	.061	.057	.049	.069	.065	.083	.119	.111	.085	.121	.113
11	.043	.061	.056	.049	.069	.065	.083	.119	.111	.085	.121	.113
12	.043	.061	.056	.049	.069	.064	.083	.119	.111	.085	.121	.113
13	.043	.061	.056	.049	.069	.064	.083	.119	.111	.085	.121	.113
14	.042	.060	.056	.049	.069	.064	.083	.118	.111	.084	.121	.113
15	.042	.060	.056	.048	.069	.064	.083	.118	.111	.084	.121	.113
16	.042	.060	.056	.048	.068	.064	.083	.118	.111	.084	.121	.113
17	.042	.060	.056	.048	.068	.064	.082	.118	.111	.084	.120	.113
18	.042	.059	.056	.048	.067	.064	.082	.117	.111	.084	.120	.113
19	.042	.059	.056	.048	.067	.063	.082	.117	.110	.084	.120	.112
20	.042	.059	.056	.047	.066	.063	.082	.117	.110	.083	.119	.112
21	.041	.058	.055	.047	.066	.063	.082	.116	.110	.083	.119	.112
22	.041	.058	.055	.047	.065	.063	.081	.116	.110	.083	.118	.112
23	.041	.057	.055	.046	.065	.062	.081	.115	.110	.083	.117	.112
24	.041	.057	.055	.046	.065	.062	.081	.114	.109	.082	.117	.111
25	.040	.057	.055	.046	.064	.062	.080	.114	.109	.082	.116	.111
26	.040	.056	.055	.046	.064	.062	.080	.113	.109	.082	.116	.111
27	.040	.056	.054	.046	.063	.062	.080	.113	.109	.081	.115	.111
28	.040	.056	.054	.045	.063	.062	.079	.112	.109	.081	.114	.110
29	.040	.055	.054	.045	.063	.061	.079	.112	.108	.081	.114	.110
30	.040	.055	.054	.045	.063	.061	.079	.111	.108	.080	.113	.110
31	.040	.055	.054	.045	.062	.061	.079	.111	.108	.080	.113	.110
32	.039	.055	.054	.045	.062	.061	.078	.110	.108	.080	.113	.110
33	.039	.054	.054	.045	.062	.061	.078	.110	.108	.080	.112	.109
34	.039	.054	.054	.045	.061	.061	.078	.110	.107	.079	.112	.109
35	.039	.054	.053	.044	.061	.061	.078	.109	.107	.079	.111	.109
36	.039	.054	.053	.044	.061	.060	.078	.109	.107	.079	.111	.109
37	.039	.053	.053	.044	.061	.060	.077	.109	.107	.079	.111	.108
38	.039	.053	.053	.044	.060	.060	.077	.108	.106	.079	.110	.108
39	.038	.053	.053	.044	.060	.060	.077	.108	.106	.078	.110	.108
40	.038	.053	.053	.044	.060	.060	.077	.107	.106	.078	.109	.108
41	.038	.053	.052	.043	.060	.059	.077	.107	.106	.078	.109	.107
42	.038	.052	.052	.043	.059	.059	.076	.107	.105	.078	.109	.107
43	.038	.052	.052	.043	.059	.059	.076	.106	.105	.077	.108	.106
44	.038	.052	.052	.043	.059	.059	.076	.106	.104	.077	.107	.106
45	.037	.052	.052	.043	.058	.059	.075	.105	.104	.076	.107	.105
46	.037	.051	.051	.042	.058	.058	.075	.104	.103	.076	.106	.105
47	.037	.051	.051	.042	.058	.058	.074	.104	.103	.075	.105	.104
48	.037	.050	.051	.042	.057	.058	.074	.103	.102	.075	.105	.103
49	.036	.050	.050	.042	.057	.057	.073	.102	.101	.074	.104	.103
50	.036	.050	.050	.041	.056	.057	.073	.101	.101	.074	.103	.102
51	.036	.049	.049	.041	.056	.056	.072	.100	.100	.073	.102	.101
52	.035	.049	.049	.041	.055	.056	.071	.099	.099	.072	.100	.100
53	.035	.048	.048	.040	.055	.055	.071	.098	.098	.071	.099	.099
54	.035	.047	.048	.040	.054	.055	.070	.097	.097	.071	.098	.098
55	.034	.047	.047	.039	.054	.054	.069	.095	.096	.070	.096	.097
56	.034	.046	.047	.039	.053	.053	.068	.094	.095	.069	.095	.096
57	.033	.046	.046	.038	.052	.053	.067	.093	.094	.068	.094	.095
58	.033	.045	.046	.038	.052	.052	.066	.091	.093	.067	.092	.094
59	.033	.045	.045	.038	.051	.052	.066	.090	.092	.066	.091	.093

Table 14. Standard errors of the average remaining lifetime: Louisiana, 1989–91—Con.

Exact age in years	Total			White			All other					
	Both sexes	Male	Female	Both sexes	Male	Female	Total			Black		
							Both sexes	Male	Female	Both sexes	Male	Female
60	.032	.044	.044	.037	.051	.051	.065	.089	.091	.065	.090	.092
61	.032	.043	.044	.037	.050	.050	.064	.088	.090	.065	.089	.091
62	.031	.043	.043	.036	.050	.050	.064	.087	.089	.064	.088	.090
63	.031	.043	.043	.036	.049	.049	.063	.086	.088	.063	.087	.089
64	.031	.042	.042	.036	.049	.048	.062	.085	.087	.063	.086	.088
65	.031	.042	.042	.035	.048	.048	.062	.085	.087	.062	.085	.087
66	.030	.042	.041	.035	.048	.047	.061	.084	.086	.062	.085	.086
67	.030	.041	.041	.035	.048	.047	.061	.084	.085	.062	.084	.086
68	.030	.041	.041	.034	.047	.046	.061	.084	.084	.061	.084	.085
69	.030	.041	.040	.034	.047	.046	.060	.083	.084	.061	.084	.084
70	.029	.041	.040	.034	.047	.045	.060	.083	.083	.060	.084	.084
71	.029	.041	.039	.034	.047	.045	.060	.083	.083	.060	.083	.083
72	.029	.041	.039	.033	.047	.044	.059	.082	.082	.060	.083	.082
73	.029	.041	.038	.033	.047	.044	.059	.082	.081	.059	.083	.082
74	.029	.041	.038	.033	.047	.043	.059	.082	.081	.059	.082	.081
75	.028	.041	.038	.033	.047	.043	.059	.082	.080	.059	.082	.081
76	.028	.041	.037	.032	.047	.043	.059	.082	.080	.059	.083	.081
77	.028	.041	.037	.032	.048	.042	.059	.083	.080	.059	.083	.081
78	.028	.041	.037	.032	.048	.042	.059	.084	.081	.060	.084	.081
79	.028	.042	.037	.033	.049	.042	.060	.085	.081	.060	.085	.081
80	.029	.043	.037	.033	.050	.042	.061	.087	.081	.061	.087	.082
81	.029	.044	.037	.033	.051	.042	.061	.088	.082	.062	.089	.083
82	.029	.045	.037	.033	.052	.042	.063	.091	.083	.063	.091	.084
83	.030	.046	.037	.034	.054	.042	.064	.093	.084	.064	.094	.085
84	.030	.048	.038	.034	.055	.043	.065	.097	.086	.066	.097	.086
85	.031	.049	.038	.035	.058	.043	.067	.100	.088	.068	.101	.088
86	.032	.051	.039	.036	.060	.044	.070	.104	.090	.070	.106	.091
87	.033	.054	.040	.037	.063	.045	.072	.110	.093	.073	.111	.094
88	.034	.057	.041	.039	.067	.047	.076	.116	.097	.077	.117	.098
89	.035	.061	.043	.040	.071	.048	.080	.124	.101	.081	.126	.102
90	.037	.065	.045	.042	.076	.050	.084	.134	.106	.085	.136	.107
91	.039	.070	.047	.045	.083	.053	.090	.146	.111	.091	.148	.112
92	.042	.076	.049	.047	.089	.055	.095	.160	.116	.096	.162	.118
93	.044	.083	.052	.050	.097	.058	.100	.173	.121	.101	.174	.122
94	.046	.089	.054	.053	.105	.061	.104	.182	.125	.105	.183	.127
95	.049	.095	.057	.056	.111	.064	.108	.190	.130	.109	.190	.131
96	.054	.107	.062	.062	.126	.071	.117	.207	.140	.117	.206	.141
97	.060	.122	.069	.070	.144	.079	.126	.228	.151	.127	.228	.151
98	.068	.141	.078	.079	.168	.089	.137	.253	.163	.138	.253	.163
99	.078	.164	.088	.091	.198	.101	.149	.277	.177	.150	.277	.177
100	.090	.193	.102	.106	.236	.117	.164	.307	.193	.164	.309	.193
101	.106	.230	.119	.125	.285	.138	.181	.344	.214	.181	.344	.212
102	.125	.279	.140	.150	.353	.165	.202	.384	.238	.201	.383	.236
103	.150	.341	.167	.183	.444	.200	.225	.429	.265	.223	.427	.262
104	.180	.419	.200	.224	.566	.243	.247	.474	.290	.244	.468	.287
105	.217	.507	.241	.277	.716	.299	.275	.526	.325	.270	.519	.318
106	.267	.614	.296	.350	.924	.377	.311	.578	.371	.304	.555	.364
107	.321	.739	.357	.431	1.110	.465	.358	.705	.420	.351	.679	.414
108	.395	.881	.442	.555	1.490	.594	.402	.720	.486	.394	.707	.474
109	.445	.966	.501	.645	1.808	.685	.438	.744	.540	.428	.745	.521

For a list of reports published by the National Center for Health Statistics contact:

Data Dissemination Branch  
National Center for Health Statistics  
Centers for Disease Control and Prevention  
6525 Belcrest Road, Room 1064  
Hyattsville, MD 20782-2003  
(301) 436-8500  
Internet: [www.cdc.gov/nchswww/](http://www.cdc.gov/nchswww/)



# U.S. Decennial Life Tables, 1989–91

These 55 reports are published once each 10-year period by the National Center for Health Statistics.

## VOLUME I

- Number 1** *United States Life Tables.* This first report contains life tables by single years of age from birth to age 110 for the United States. Tables are included for the total population, the white population, the population other than white, and the black population. Within these large populations are tables showing the race-sex categories of male, female, and both sexes combined. Standard error tables for the probability of dying and of the average remaining lifetime are included.
- Number 2** *Methodology of the National and State Life Tables.* This report describes in detail the methods of construction of the national and State life tables.
- Number 3** *Some Trends and Comparisons of United States Life Table Data: 1900–1991.* This report deals with trends and interpretations related to life expectancy and survivorship.
- Number 4** *United States Life Tables Eliminating Certain Causes of Death.* This report provides life tables analyzed by major groups of causes of death.

## VOLUME II

### Numbers

- 1 through 51** *Alaska through Wyoming, State Life Tables.* Each of these 51 reports contains life tables for a particular State and a table that ranks each State in the order of life expectancy. All States have tables for the total population and the white population by sex. In addition, 40 States have tables for the other than white population and 33 have tables for the black population. Standard error tables for the probability of dying and of the average remaining lifetime are included.

**DEPARTMENT OF  
HEALTH & HUMAN SERVICES**

Centers for Disease Control and Prevention  
National Center for Health Statistics  
6525 Belcrest Road  
Hyattsville, Maryland 20782-2003

---

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE, \$300

STANDARD MAIL (A)  
POSTAGE & FEES PAID  
PHS/NCHS  
PERMIT NO. G-281