

Table 10. Number of deaths from 113 selected causes and Enterocolitis due to *Clostridium difficile*, by age: United States, 2007

[The asterisks (*) preceding the cause-of-death codes indicate that they are not part of the *International Classification of Diseases, Tenth Revision (ICD-10)*, Second Edition; see "Technical Notes"]

| Cause of death (based on ICD-10, 2004) | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Not stated |
|--|-----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|------------|
| All causes | 2,423,712 | 29,138 | 4,703 | 6,147 | 33,982 | 42,572 | 79,606 | 184,686 | 287,110 | 389,238 | 652,682 | 713,647 | 201 |
| Salmonella infections (A01-A02) | 30 | 2 | 2 | - | - | 2 | - | 3 | 2 | 4 | 6 | 9 | - |
| Shigellosis and amebiasis (A03,A06) | 4 | - | - | 2 | - | - | 1 | - | - | - | 1 | - | - |
| Certain other intestinal infections (A04,A07-A09) | 6,758 | 11 | 14 | 5 | 5 | 15 | 36 | 122 | 325 | 915 | 2,446 | 2,864 | - |
| Tuberculosis (A16-A19) | 554 | 2 | - | 1 | 6 | 14 | 32 | 73 | 88 | 97 | 151 | 90 | - |
| Respiratory tuberculosis (A16) | 424 | 2 | - | 1 | 3 | 10 | 27 | 53 | 62 | 73 | 119 | 74 | - |
| Other tuberculosis (A17-A19) | 130 | - | - | - | 3 | 4 | 5 | 20 | 26 | 24 | 32 | 16 | - |
| Whooping cough (A37) | 9 | 8 | - | - | - | - | - | 1 | - | - | - | - | - |
| Scarlet fever and erysipelas (A38,A46) | 3 | - | - | - | - | 1 | - | - | - | - | - | 2 | - |
| Meningococcal infection (A39) | 87 | 11 | 5 | 11 | 21 | 6 | 9 | 8 | 8 | 4 | 1 | 3 | - |
| Septicemia (A40-A41) | 34,828 | 283 | 78 | 74 | 160 | 297 | 910 | 2,431 | 4,231 | 6,345 | 10,403 | 9,614 | 2 |
| Syphilis (A50-A53) | 42 | 5 | - | - | - | - | 4 | 2 | 1 | 8 | 12 | 10 | - |
| Acute poliomyelitis (A80) | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Arthropod-borne viral encephalitis (A83-A84,A85.2) | 3 | - | - | 1 | - | - | - | - | - | 1 | - | 1 | - |
| Measles (B05) | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Viral hepatitis (B15-B19) | 7,407 | 1 | 1 | - | 14 | 72 | 489 | 2,815 | 2,413 | 871 | 570 | 161 | - |
| Human immunodeficiency virus (HIV) disease (B20-B24) | 11,295 | 5 | 4 | 10 | 160 | 1,091 | 3,572 | 4,156 | 1,721 | 448 | 109 | 16 | 3 |
| Malaria (B50-B54) | 5 | - | - | - | - | - | 2 | - | 1 | 1 | - | 1 | - |
| Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99) | 5,825 | 154 | 63 | 51 | 97 | 136 | 229 | 511 | 919 | 1,098 | 1,463 | 1,104 | - |
| Malignant neoplasms (C00-C97) | 562,875 | 72 | 364 | 959 | 1,653 | 3,463 | 13,288 | 50,167 | 103,171 | 138,466 | 163,608 | 87,656 | 8 |
| Malignant neoplasms of lip, oral cavity and pharynx (C00-C14) | 8,067 | - | - | 1 | 18 | 44 | 251 | 1,136 | 2,019 | 1,915 | 1,741 | 942 | - |
| Malignant neoplasm of esophagus (C15) | 13,592 | - | - | - | 5 | 28 | 246 | 1,452 | 3,379 | 3,726 | 3,376 | 1,380 | - |
| Malignant neoplasm of stomach (C16) | 11,388 | 1 | - | - | 14 | 127 | 456 | 1,151 | 1,879 | 2,555 | 3,255 | 1,950 | - |
| Malignant neoplasms of colon, rectum and anus (C18-C21) | 53,586 | - | - | 1 | 35 | 275 | 1,302 | 4,793 | 9,058 | 11,634 | 15,417 | 11,069 | 2 |
| Malignant neoplasms of liver and intrahepatic bile ducts (C22) | 17,146 | 6 | 19 | 25 | 38 | 90 | 368 | 2,503 | 4,181 | 3,884 | 4,266 | 1,766 | - |
| Malignant neoplasm of pancreas (C25) | 34,117 | - | - | 2 | 5 | 52 | 538 | 2,808 | 6,507 | 8,671 | 10,317 | 5,217 | - |
| Malignant neoplasm of larynx (C32) | 3,634 | - | - | - | 2 | 2 | 55 | 450 | 932 | 989 | 871 | 333 | - |
| Malignant neoplasms of trachea, bronchus and lung (C33-C34) | 158,760 | 1 | 1 | 4 | 25 | 135 | 1,852 | 12,480 | 31,216 | 48,157 | 48,358 | 16,528 | 3 |
| Malignant melanoma of skin (C43) | 8,461 | - | 1 | 2 | 31 | 175 | 466 | 1,174 | 1,742 | 1,737 | 2,035 | 1,098 | - |
| Malignant neoplasm of breast (C50) | 40,970 | - | - | - | 15 | 344 | 2,184 | 5,990 | 8,756 | 8,179 | 9,075 | 6,426 | 1 |
| Malignant neoplasm of cervix uteri (C53) | 4,021 | - | - | - | 8 | 183 | 645 | 915 | 892 | 611 | 506 | 261 | - |
| Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55) | 7,456 | - | - | - | 2 | 31 | 168 | 584 | 1,583 | 2,021 | 1,960 | 1,107 | - |
| Malignant neoplasm of ovary (C56) | 14,621 | - | - | - | 28 | 79 | 352 | 1,532 | 2,997 | 3,616 | 3,946 | 2,071 | - |
| Malignant neoplasm of prostate (C61) | 29,093 | - | 1 | - | 1 | 1 | 21 | 428 | 2,271 | 5,716 | 11,257 | 9,397 | - |
| Malignant neoplasms of kidney and renal pelvis (C64-C65) | 12,703 | 2 | 9 | 25 | 34 | 50 | 240 | 1,243 | 2,584 | 3,159 | 3,539 | 1,818 | - |
| Malignant neoplasm of bladder (C67) | 13,843 | 1 | - | - | - | 7 | 93 | 570 | 1,564 | 2,817 | 5,009 | 3,782 | - |

Table 10. Number of deaths from 113 selected causes and Enterocolitis due to *Clostridium difficile*, by age: United States, 2007

[The asterisks (*) preceding the cause-of-death codes indicate that they are not part of the *International Classification of Diseases, Tenth Revision (ICD-10)*, Second Edition; see "Technical Notes"]

| Cause of death (based on ICD-10, 2004) | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Not stated |
|---|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|------------|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | 13,234 | 15 | 109 | 302 | 204 | 369 | 845 | 1,916 | 2,975 | 3,002 | 2,608 | 889 | - |
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | 54,991 | 26 | 111 | 352 | 630 | 771 | 1,464 | 3,606 | 7,694 | 12,223 | 17,884 | 10,228 | 2 |
| Hodgkin's disease (C81) | 1,271 | - | - | 3 | 65 | 120 | 135 | 145 | 176 | 209 | 286 | 132 | - |
| Non-Hodgkin's lymphoma (C82-C85) | 20,528 | 2 | 5 | 33 | 133 | 206 | 516 | 1,392 | 2,922 | 4,476 | 6,868 | 3,975 | - |
| Leukemia (C91-C95) | 21,825 | 21 | 106 | 314 | 428 | 438 | 657 | 1,362 | 2,801 | 4,611 | 6,858 | 4,228 | 1 |
| Multiple myeloma and immunoproliferative neoplasms (C88,C90) | 11,307 | - | - | - | 2 | 7 | 155 | 705 | 1,788 | 2,917 | 3,853 | 1,879 | 1 |
| Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96) | 60 | 3 | - | 2 | 2 | - | 1 | 2 | 7 | 10 | 19 | 14 | - |
| All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97) | 63,192 | 20 | 113 | 245 | 558 | 700 | 1,742 | 5,436 | 10,942 | 13,854 | 18,188 | 11,394 | - |
| In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48) | 14,204 | 59 | 59 | 84 | 81 | 138 | 340 | 699 | 1,416 | 2,402 | 4,717 | 4,209 | - |
| Anemias (D50-D64) | 4,829 | 17 | 17 | 32 | 90 | 136 | 187 | 255 | 322 | 560 | 1,224 | 1,989 | - |
| Diabetes mellitus (E10-E14) | 71,382 | 7 | 5 | 21 | 168 | 610 | 1,984 | 5,753 | 11,304 | 15,112 | 21,189 | 15,227 | 2 |
| Nutritional deficiencies (E40-E64) | 2,852 | 7 | 5 | 3 | 4 | 19 | 36 | 93 | 201 | 333 | 808 | 1,343 | - |
| Malnutrition (E40-E46) | 2,644 | 6 | 2 | 3 | 4 | 18 | 35 | 87 | 188 | 314 | 755 | 1,232 | - |
| Other nutritional deficiencies (E50-E64) | 208 | 1 | 3 | - | - | 1 | 1 | 6 | 13 | 19 | 53 | 111 | - |
| Meningitis (G00,G03) | 655 | 82 | 16 | 25 | 35 | 34 | 66 | 111 | 89 | 72 | 88 | 37 | - |
| Parkinson's disease (G20-G21) | 20,058 | - | - | - | 2 | 2 | 12 | 60 | 396 | 2,310 | 9,363 | 7,911 | 2 |
| Alzheimer's disease (G30) | 74,632 | - | - | - | - | 1 | 8 | 95 | 728 | 3,984 | 23,009 | 46,804 | 3 |
| Major cardiovascular diseases (I00-I78) | 806,156 | 571 | 230 | 338 | 1,369 | 3,950 | 14,867 | 46,280 | 80,797 | 115,623 | 229,050 | 313,044 | 37 |
| Diseases of heart (I00-I09,I11,I13,I20-I51) | 616,067 | 424 | 173 | 241 | 1,084 | 3,223 | 11,839 | 37,434 | 65,527 | 89,589 | 171,257 | 235,249 | 27 |
| Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09) | 3,201 | 2 | 1 | 1 | 12 | 28 | 70 | 177 | 337 | 529 | 1,055 | 989 | - |
| Hypertensive heart disease (I11) | 30,780 | 1 | 1 | - | 44 | 338 | 1,372 | 3,604 | 4,487 | 4,009 | 6,324 | 10,598 | 2 |
| Hypertensive heart and renal disease (I13) | 2,987 | - | - | - | 5 | 32 | 77 | 178 | 293 | 379 | 792 | 1,231 | - |
| Ischemic heart diseases (I20-I25) | 406,351 | 24 | 8 | 21 | 151 | 1,048 | 6,219 | 24,390 | 46,164 | 63,027 | 116,152 | 149,126 | 21 |
| Acute myocardial infarction (I21-I22) | 132,968 | 10 | 4 | 11 | 54 | 400 | 2,402 | 9,467 | 17,835 | 23,441 | 37,629 | 41,711 | 4 |
| Other acute ischemic heart diseases (I24) | 4,092 | 2 | - | - | 3 | 17 | 109 | 376 | 679 | 740 | 1,021 | 1,145 | - |
| Other forms of chronic ischemic heart disease (I20,I25) | 269,291 | 12 | 4 | 10 | 94 | 631 | 3,708 | 14,547 | 27,650 | 38,846 | 77,502 | 106,270 | 17 |
| Atherosclerotic cardiovascular disease, so described (I25.0) | 59,051 | 1 | - | - | 17 | 211 | 1,395 | 5,910 | 10,055 | 9,884 | 14,221 | 17,347 | 10 |
| All other forms of chronic ischemic heart disease (I20,I25.1-I25.9) | 210,240 | 11 | 4 | 10 | 77 | 420 | 2,313 | 8,637 | 17,595 | 28,962 | 63,281 | 88,923 | 7 |
| Other heart diseases (I26-I51) | 172,748 | 397 | 163 | 219 | 872 | 1,777 | 4,101 | 9,085 | 14,246 | 21,645 | 46,934 | 73,305 | 4 |
| Acute and subacute endocarditis (I33) | 1,225 | 3 | 1 | 1 | 9 | 32 | 95 | 198 | 207 | 236 | 308 | 134 | 1 |
| Diseases of pericardium and acute myocarditis (I30-I31,I40) | 867 | 25 | 19 | 24 | 48 | 53 | 87 | 116 | 123 | 119 | 137 | 116 | - |
| Heart failure (I50) | 56,565 | 21 | 11 | 12 | 43 | 87 | 317 | 1,073 | 2,758 | 5,749 | 15,935 | 30,558 | 1 |
| All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51) | 114,091 | 348 | 132 | 182 | 772 | 1,605 | 3,602 | 7,698 | 11,158 | 15,541 | 30,554 | 42,497 | 2 |

Table 10. Number of deaths from 113 selected causes and Enterocolitis due to *Clostridium difficile*, by age: United States, 2007

[The asterisks (*) preceding the cause-of-death codes indicate that they are not part of the *International Classification of Diseases, Tenth Revision (ICD-10)*, Second Edition; see "Technical Notes"]

| Cause of death (based on ICD-10, 2004) | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|------------|
| Essential hypertension and hypertensive renal disease (I10,I12,I15) | 23,965 | 1 | 1 | - | 23 | 85 | 384 | 1,235 | 2,124 | 3,133 | 6,442 | 10,536 | 1 |
| Cerebrovascular diseases (I60-I69) | 135,952 | 132 | 52 | 83 | 195 | 505 | 2,133 | 6,385 | 10,500 | 18,007 | 41,979 | 55,975 | 6 |
| Atherosclerosis (I70) | 8,232 | 1 | - | - | 2 | 1 | 27 | 134 | 350 | 829 | 2,298 | 4,590 | - |
| Other diseases of circulatory system (I71-I78) | 21,940 | 13 | 4 | 14 | 65 | 136 | 484 | 1,092 | 2,296 | 4,065 | 7,074 | 6,694 | 3 |
| Aortic aneurysm and dissection (I71) | 12,986 | 1 | - | 7 | 38 | 99 | 364 | 752 | 1,483 | 2,616 | 4,346 | 3,279 | 1 |
| Other diseases of arteries, arterioles and capillaries (I72-I78) | 8,954 | 12 | 4 | 7 | 27 | 37 | 120 | 340 | 813 | 1,449 | 2,728 | 3,415 | 2 |
| Other disorders of circulatory system (I80-I99) | 4,101 | 53 | 3 | 6 | 40 | 120 | 322 | 570 | 586 | 552 | 888 | 960 | 1 |
| Influenza and pneumonia (J09-J18) ¹ | 52,717 | 222 | 109 | 103 | 163 | 331 | 784 | 1,909 | 3,152 | 5,547 | 14,859 | 25,535 | 3 |
| Influenza (J09-J11) ¹ | 411 | 13 | 19 | 35 | 10 | 9 | 13 | 19 | 37 | 38 | 79 | 139 | - |
| Pneumonia (J12-J18) | 52,306 | 209 | 90 | 68 | 153 | 322 | 771 | 1,890 | 3,115 | 5,509 | 14,780 | 25,396 | 3 |
| Other acute lower respiratory infections (J20-J22,U04) ² | 255 | 46 | 17 | 3 | 2 | 5 | 5 | 14 | 19 | 27 | 36 | 81 | - |
| Acute bronchitis and bronchiolitis (J20-J21) | 213 | 45 | 16 | 3 | 1 | 5 | 5 | 11 | 18 | 22 | 28 | 59 | - |
| Other and unspecified acute lower respiratory infections (J22,U04) ^{2,3} | 42 | 1 | 1 | - | 1 | - | - | 3 | 1 | 5 | 8 | 22 | - |
| Chronic lower respiratory diseases (J40-J47) | 127,924 | 43 | 57 | 118 | 149 | 263 | 796 | 4,153 | 12,777 | 28,664 | 48,041 | 32,857 | 6 |
| Bronchitis, chronic and unspecified (J40-J42) | 667 | 24 | 10 | 2 | 1 | 5 | 14 | 24 | 52 | 88 | 181 | 266 | - |
| Emphysema (J43) | 12,790 | 3 | - | 1 | 1 | 10 | 60 | 486 | 1,590 | 3,294 | 4,835 | 2,509 | 1 |
| Asthma (J45-J46) | 3,447 | 4 | 41 | 107 | 133 | 201 | 320 | 538 | 461 | 412 | 569 | 659 | 2 |
| Other chronic lower respiratory diseases (J44,J47) | 111,020 | 12 | 6 | 8 | 14 | 47 | 402 | 3,105 | 10,674 | 24,870 | 42,456 | 29,423 | 3 |
| Pneumoconioses and chemical effects (J60-J66,J68) | 915 | - | - | - | - | 3 | 2 | 20 | 59 | 175 | 384 | 272 | - |
| Pneumonitis due to solids and liquids (J69) | 16,988 | 10 | 8 | 16 | 47 | 70 | 154 | 436 | 884 | 1,724 | 5,187 | 8,451 | 1 |
| Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98) | 28,508 | 319 | 100 | 66 | 152 | 216 | 493 | 1,376 | 3,038 | 5,556 | 9,535 | 7,657 | - |
| Peptic ulcer (K25-K28) | 3,045 | 2 | - | 2 | 6 | 20 | 78 | 293 | 378 | 487 | 828 | 951 | - |
| Diseases of appendix (K35-K38) | 426 | 1 | 2 | 10 | 16 | 9 | 19 | 40 | 56 | 82 | 110 | 81 | - |
| Hernia (K40-K46) | 1,698 | 35 | 5 | 2 | 2 | 8 | 35 | 98 | 170 | 244 | 474 | 625 | - |
| Chronic liver disease and cirrhosis (K70,K73-K74) | 29,165 | 4 | 4 | - | 30 | 384 | 2,570 | 8,212 | 8,004 | 5,167 | 3,694 | 1,093 | 3 |
| Alcoholic liver disease (K70) | 14,406 | - | - | - | 17 | 293 | 1,834 | 5,126 | 4,309 | 1,959 | 747 | 118 | 3 |
| Other chronic liver disease and cirrhosis (K73-K74) | 14,759 | 4 | 4 | - | 13 | 91 | 736 | 3,086 | 3,695 | 3,208 | 2,947 | 975 | - |
| Cholelithiasis and other disorders of gallbladder (K80-K82) | 3,237 | 1 | 2 | 1 | 7 | 23 | 54 | 132 | 240 | 482 | 1,011 | 1,284 | - |
| Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27) | 46,448 | 144 | 22 | 24 | 86 | 261 | 754 | 2,233 | 4,440 | 7,752 | 14,711 | 16,021 | - |
| Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04) | 206 | 5 | 3 | 3 | 1 | 7 | 6 | 13 | 22 | 35 | 62 | 49 | - |
| Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26) | 2,958 | 1 | 2 | 3 | 8 | 17 | 51 | 126 | 208 | 384 | 928 | 1,230 | - |
| Renal failure (N17-N19) | 43,263 | 138 | 16 | 18 | 77 | 237 | 696 | 2,091 | 4,205 | 7,330 | 13,718 | 14,737 | - |
| Other disorders of kidney (N25,N27) | 21 | - | 1 | - | - | - | 1 | 3 | 5 | 3 | 3 | 5 | - |
| Infections of kidney (N10-N12,N13.6,N15.1) | 628 | 5 | 1 | 1 | 8 | 6 | 30 | 59 | 64 | 91 | 170 | 193 | - |
| Hyperplasia of prostate (N40) | 491 | - | - | - | - | - | 1 | 1 | 12 | 47 | 147 | 283 | - |
| Inflammatory diseases of female pelvic organs (N70-N76) | 116 | 4 | - | - | 1 | 5 | 6 | 14 | 19 | 22 | 21 | 24 | - |

Table 10. Number of deaths from 113 selected causes and Enterocolitis due to *Clostridium difficile*, by age: United States, 2007

[The asterisks (*) preceding the cause-of-death codes indicate that they are not part of the *International Classification of Diseases, Tenth Revision (ICD-10)*, Second Edition; see "Technical Notes"]

| Cause of death (based on ICD-10, 2004) | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|------------|
| Pregnancy, childbirth and the puerperium (O00-O99) | 769 | ... | ... | 1 | 160 | 326 | 220 | 59 | 2 | 1 | - | - | - |
| Pregnancy with abortive outcome (O00-O07) | 31 | ... | ... | - | 7 | 16 | 6 | 2 | - | - | - | - | - |
| Other complications of pregnancy, childbirth and the puerperium (O10-O99) | 738 | ... | ... | 1 | 153 | 310 | 214 | 57 | 2 | 1 | - | - | - |
| Certain conditions originating in the perinatal period (P00-P96) | 14,599 | 14,466 | 70 | 22 | 17 | 3 | 4 | 5 | 3 | 3 | 1 | - | 5 |
| Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99) | 10,421 | 5,785 | 546 | 374 | 402 | 417 | 513 | 685 | 686 | 341 | 406 | 265 | 1 |
| Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99) | 33,500 | 3,617 | 237 | 110 | 575 | 877 | 1,424 | 2,195 | 2,229 | 2,499 | 5,834 | 13,860 | 43 |
| All other diseases (Residual) | 238,192 | 1,337 | 599 | 876 | 1,957 | 3,149 | 7,068 | 16,499 | 22,895 | 28,838 | 61,153 | 93,813 | 8 |
| Accidents (unintentional injuries) (V01-X59, Y85-Y86) | 123,706 | 1,285 | 1,588 | 2,194 | 15,897 | 14,977 | 16,931 | 20,315 | 12,193 | 8,753 | 13,736 | 15,803 | 34 |
| Transport accidents (V01-V99, Y85) | 46,844 | 127 | 581 | 1,374 | 10,928 | 7,452 | 6,829 | 7,199 | 4,838 | 3,194 | 2,983 | 1,326 | 13 |
| Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2) | 43,945 | 124 | 551 | 1,285 | 10,568 | 7,087 | 6,370 | 6,530 | 4,359 | 2,940 | 2,845 | 1,277 | 9 |
| Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9) | 1,083 | 1 | 19 | 53 | 174 | 134 | 181 | 235 | 123 | 81 | 61 | 18 | 3 |
| Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85) | 1,816 | 2 | 11 | 36 | 186 | 231 | 278 | 434 | 356 | 173 | 77 | 31 | 1 |
| Nontransport accidents (W00-X59, Y86) | 76,862 | 1,158 | 1,007 | 820 | 4,969 | 7,525 | 10,102 | 13,116 | 7,355 | 5,559 | 10,753 | 14,477 | 21 |
| Falls (W00-W19) | 22,631 | 24 | 36 | 32 | 233 | 334 | 593 | 1,304 | 1,739 | 2,594 | 6,552 | 9,188 | 2 |
| Accidental discharge of firearms (W32-W34) | 613 | 1 | 18 | 46 | 155 | 94 | 91 | 82 | 57 | 31 | 31 | 7 | - |
| Accidental drowning and submersion (W65-W74) | 3,443 | 57 | 458 | 224 | 630 | 381 | 417 | 481 | 324 | 194 | 184 | 88 | 5 |
| Accidental exposure to smoke, fire and flames (X00-X09) | 3,286 | 38 | 201 | 211 | 194 | 222 | 307 | 488 | 492 | 421 | 436 | 272 | 4 |
| Accidental poisoning and exposure to noxious substances (X40-X49) | 29,846 | 19 | 34 | 81 | 3,159 | 5,700 | 7,575 | 9,006 | 3,120 | 602 | 355 | 192 | 3 |
| Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86) | 17,043 | 1,019 | 260 | 226 | 598 | 794 | 1,119 | 1,755 | 1,623 | 1,717 | 3,195 | 4,730 | 7 |
| Intentional self-harm (suicide) (*U03, X60-X84, Y87.0) | 34,598 | ... | ... | 184 | 4,140 | 5,278 | 6,722 | 7,778 | 5,069 | 2,444 | 2,119 | 858 | 6 |
| Intentional self-harm (suicide) by discharge of firearms (X72-X74) | 17,352 | ... | ... | 53 | 1,900 | 2,306 | 2,879 | 3,531 | 2,786 | 1,700 | 1,589 | 606 | 2 |
| Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03, X60-X71, X75-X84, Y87.0) | 17,246 | ... | ... | 131 | 2,240 | 2,972 | 3,843 | 4,247 | 2,283 | 744 | 530 | 252 | 4 |
| Assault (homicide) (*U01-*U02, X85-Y09, Y87.1) | 18,361 | 352 | 398 | 346 | 5,551 | 4,758 | 3,052 | 2,140 | 980 | 411 | 268 | 80 | 25 |
| Assault (homicide) by discharge of firearms (*U01.4, X93-X95) | 12,632 | 15 | 48 | 201 | 4,669 | 3,751 | 2,038 | 1,159 | 446 | 185 | 88 | 23 | 9 |

Table 10. Number of deaths from 113 selected causes and Enterocolitis due to *Clostridium difficile*, by age: United States, 2007

[The asterisks (*) preceding the cause-of-death codes indicate that they are not part of the *International Classification of Diseases, Tenth Revision (ICD-10)*, Second Edition; see "Technical Notes"]

| Cause of death (based on ICD-10, 2004) | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|------------|
| Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9, *U02,X85-X92,X96-Y09,Y87.1) | 5,729 | 337 | 350 | 145 | 882 | 1,007 | 1,014 | 981 | 534 | 226 | 180 | 57 | 16 |
| Legal intervention (Y35,Y89.0) | 412 | - | - | 1 | 97 | 127 | 96 | 64 | 19 | 5 | 2 | 1 | - |
| Events of undetermined intent (Y10-Y34,Y87.2,Y89.9) | 5,381 | 88 | 49 | 49 | 579 | 872 | 1,251 | 1,501 | 599 | 183 | 132 | 70 | 8 |
| Discharge of firearms, undetermined intent (Y22-Y24) | 276 | - | 3 | 12 | 82 | 44 | 36 | 40 | 35 | 17 | 6 | 1 | - |
| Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9) | 5,105 | 88 | 46 | 37 | 497 | 828 | 1,215 | 1,461 | 564 | 166 | 126 | 69 | 8 |
| Operations of war and their sequelae (Y36,Y89.1) | 21 | - | - | - | 3 | 5 | - | - | 6 | 1 | 5 | 1 | - |
| Complications of medical and surgical care (Y40-Y84,Y88) | 2,597 | 22 | 23 | 21 | 30 | 72 | 150 | 250 | 398 | 486 | 712 | 433 | - |
| Enterocolitis due to <i>Clostridium difficile</i> (A04.7) ⁴ | 6,372 | 4 | 1 | 1 | 4 | 14 | 31 | 107 | 313 | 876 | 2,338 | 2,647 | 36 |

- Quantity zero.

... Category not applicable.

¹New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category in 2007. No deaths occurred from this cause in 2007.

²New ICD-10 code U04 (Severe acute respiratory syndrome [SARS]) was added to the category in 2007. No deaths occurred from this cause in 2007.

³Cause-of-death title was changed in 2007 to reflect the addition of SARS (ICD-10 code U04).

⁴Included in "Certain other intestinal infections (A04,A07-A09)" shown above. Beginning with data year 2006, Enterocolitis due to *Clostridium difficile* (A04.7) is shown separately at the bottom of tables showing 113 selected causes and is included in the list of rankable causes, see "Technical Notes."

NOTE: Complete confirmation of deaths from selected causes of death, considered to be of public health concern, were not provided by the following states--Connecticut, Florida, Indiana, Kentucky, Maryland, North Carolina, Oklahoma, Pennsylvania, Rhode Island, South Carolina, Washington, and West Virginia; see "Technical Notes."