

2012 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 IDN Variables Tuesday, April 23, 2013  
 Unweighted Frequencies

1

**Continuous variables in the frequency  
 report only show the range of valid numbers**

IDN.000\_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
25 Income Imputation	0	0.00
30 Sample Adult	0	0.00
31 Sample Adult Cancer	0	0.00
34 Adult Alternative Medicine	0	0.00
38 Functioning and Disability	0	0.00
39 Adult Disability Questions Test	0	0.00
40 Sample Child	0	0.00
44 Child Alternative Medicine	0	0.00
49 Child Disability Questions Test	0	0.00
60 Family	0	0.00
63 Family Disability Questions Test	0	0.00
65 Paradata	0	0.00
70 Injury/Poisoning Episode	3008	100.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000\_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
Survey Year	3008	100.00

IDN.000\_04.000: Household Number

HHX	Frequency	Percent
Range of Values	3008	100.00

IDN.000\_35.000: Family Number

FMX	Frequency	Percent
01-25 Family number 1 - 25	3008	100.00

IDN.000\_40.000: Person Number (Within family)

FPX	Frequency	Percent
01-25 Person number 1 thru 25	3008	100.00

2012 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 IDN Variables                    Tuesday, April 23, 2013  
 Unweighted Frequencies

IDN.000\_55.000: Injury/Poisoning Episode Number

IPEPNO	Frequency	Percent
01 First injury or poisoning	2809	93.38
02 Second injury or poisoning	165	5.49
03 Third injury or poisoning	24	0.80
04 Fourth injury or poisoning	7	0.23
05 Fifth injury or poisoning	3	0.10
06 Sixth injury or poisoning	0	0.00
07 Seventh injury or poisoning	0	0.00
08 Eighth injury or poisoning	0	0.00
09 Ninth injury or poisoning	0	0.00
10 Tenth injury or poisoning	0	0.00

IDN.000\_70.000: Weight - Final Annual

WTFA	Frequency	Percent
Range of Values	3008	100.00

2012 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables                      Tuesday, April 23, 2013  
 Unweighted Frequencies

FIJ.050\_01.000: Month of injury/poisoning episode

IPDATEM	Frequency	Percent
01 January	230	7.65
02 February	210	6.98
03 March	250	8.31
04 April	257	8.54
05 May	283	9.41
06 June	260	8.64
07 July	235	7.81
08 August	283	9.41
09 September	258	8.58
10 October	252	8.38
11 November	219	7.28
12 December	214	7.11
97 Refused	4	0.13
98 Not ascertained	0	0.00
99 Don't know	53	1.76

FIJ.050\_03.000: Year of injury/poisoning episode

IPDATEY	Frequency	Percent
Year	2945	99.93
9997 Refused	1	0.03
9998 Not ascertained	0	0.00
9999 Don't know	1	0.03

Frequency Missing = 61

FIJ.051\_01.000: Approximate time since injury/poisoning episode: Number of units

IPDATENO	Frequency	Percent
001-096 1-96	35	66.04
997 Refused	0	0.00
998 Not ascertained	0	0.00
999 Don't know	18	33.96

Frequency Missing = 2955

FIJ.051\_02.000: Approximate time since injury/poisoning episode: Time period

IPDATETP	Frequency	Percent
1 Days	0	0.00
2 Weeks	5	9.43
3 Months	29	54.72
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	19	35.85

Frequency Missing = 2955

FIJ.052\_00.000: Approximate point in month of injury/poisoning episode

IPDATEMT	Frequency	Percent
1 Beginning	253	35.63
2 Middle	271	38.17
3 End	137	19.30
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	49	6.90

Frequency Missing = 2298

FIJ.052\_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPCKDMR

-----  
 000-499 0-499 days  
 500 Same month as month the injury/poisoning questions were asked  
 501 Month before the month the injury/poisoning questions were asked  
 502-524 2-24 months before the month the injury/poisoning questions were asked  
 998 Not ascertained

FIJ.052\_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

Frequency	Percent
2235	74.30
35	1.16
208	6.91
473	15.72
57	1.89

FIJ.052\_02.000: Days between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPD	Frequency	Percent
000-999 0-999 days	3008	100.00

FIJ.052\_00.000: Lower boundary of elapsed time interval in days

BIETD

-----  
 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052\_00.000: Lower boundary of elapsed time interval in days

Frequency	Percent
3008	100.00

2012 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables                      Tuesday, April 23, 2013  
 Unweighted Frequencies

FIJ.052\_00.000: Upper boundary of elapsed time interval in days

EIETD

-----  
 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052\_00.000: Upper boundary of elapsed time interval in days

Frequency	Percent
-----	
3008	100.00

FIJ.052\_00.000: Episode date information reported by the respondent

EDIPBR	Frequency	Percent
-----		
1 Month, day, and year	2237	74.37
2 Month, beginning of month, and year	252	8.38
3 Month, middle of month, and year	271	9.01
4 Month, end of month, and year	136	4.52
5 Month and year	49	1.63
6 Elapsed time in days	0	0.00
7 Elapsed time in weeks	5	0.17
8 Elapsed time in months	29	0.96
9 No information	29	0.96

FIJ.052\_00.000: Imputed part of I/P date or elapsed time interval

IMPMETH	Frequency	Percent
-----		
0 No imputation necessary (month, day, and year reported; or elapsed time interval width = 0)	2237	74.37
1 Imputed day based on reported beginning, middle, or end of month	658	21.88
2 Imputed day of the month (no day of month information reported)	49	1.63
3 No imputation necessary (elapsed time reported in days)	0	0.00
4 Imputed time interval based on elapsed time reported in weeks	5	0.17
5 Imputed time interval based on elapsed time reported in months	29	0.96
6 Imputed elapsed time & elapsed time interval using hot deck imputation (no date or valid date information reported)	30	1.00

2012 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables Tuesday, April 23, 2013  
 Unweighted Frequencies

FIJ.052\_00.000: Imputed month

MUMON	Frequency	Percent
01 January	233	7.75
02 February	216	7.18
03 March	255	8.48
04 April	265	8.81
05 May	289	9.61
06 June	265	8.81
07 July	240	7.98
08 August	290	9.64
09 September	263	8.74
10 October	255	8.48
11 November	219	7.28
12 December	218	7.25

FIJ.052\_00.000: Imputed year

MUYEAR	Frequency	Percent
Year	3008	100.00

FIJ.052\_00.000: Elapsed time flag

ETFLG	Frequency	Percent
1 Elapsed time is > 91 days	141	4.69
2 Elapsed time is <= 91 days	2867	95.31

FIJ.052\_00.000: Elapsed time interval boundary flag

BEIFLG

- 
- 1 Only the upper boundary of the interval for elapsed time is > 91 days
  - 2 Upper and lower boundary of the interval for elapsed time is > 91 days
  - 3 Upper and lower boundary of the interval for elapsed time is <= 91 days

FIJ.052\_00.000: Elapsed time interval boundary flag

Frequency	Percent
89	2.96
107	3.56
2812	93.48

2012 National Health Interview Survey (NHIS) 7  
 Episode Public Use File (injpoiep)  
 FIJ Variables Tuesday, April 23, 2013  
 Unweighted Frequencies

FIJ.065\_00.000: Cause of injury episode

ICAUS	Frequency	Percent
01 In a motor vehicle	207	7.03
02 On a bike, scooter, skateboard, skates, skis, horse, etc	98	3.33
03 Pedestrian who was struck by a vehicle such as a car or bicycle	15	0.51
04 In a boat, train, or plane	6	0.20
05 Fall	1016	34.50
06 Burned or scalded by substances such as hot objects or liquids, fire, or chemicals	38	1.29
07 Other	1537	52.19
97 Refused	3	0.10
98 Not ascertained	0	0.00
99 Don't know	25	0.85

Frequency Missing = 63

FIJ.065\_00.000: Cause of injury/poisoning based on E codes

ECAUS	Frequency	Percent
01 Transportation	287	9.54
02 Fire/burn/scald related	44	1.46
03 Fall	1098	36.50
04 Poisoning	57	1.89
05 Overexertion/strenuous movements	360	11.97
06 Struck by object or person	326	10.84
07 Animal or insect bite	111	3.69
08 Cut/pierce	224	7.45
09 Machinery	32	1.06
10 Other	469	15.59
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

2012 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables                      Tuesday, April 23, 2013  
 Unweighted Frequencies

FIJ.070\_01.000: Parts of body hurt: 1st body part

IJBODY1	Frequency	Percent
01 Ankle	321	10.90
02 Back	280	9.51
03 Buttocks	15	0.51
04 Chest	37	1.26
05 Ear	13	0.44
06 Elbow	68	2.31
07 Eye	48	1.63
08 Face	99	3.36
09 Finger/thumb	221	7.50
10 Foot	189	6.42
11 Forearm	93	3.16
12 Groin	15	0.51
13 Hand	166	5.64
14 Head (not face)	210	7.13
15 Hip	64	2.17
16 Jaw	4	0.14
17 Knee	287	9.75
18 Lower leg	115	3.90
19 Mouth	9	0.31
20 Neck	70	2.38
21 Nose	17	0.58
22 Shoulder	152	5.16
23 Stomach	12	0.41
24 Teeth	6	0.20
25 Thigh	31	1.05
26 Toe	65	2.21
27 Upper arm	41	1.39
28 Wrist	139	4.72
29 Other	135	4.58
97 Refused	7	0.24
98 Not ascertained	0	0.00
99 Don't know	16	0.54

Frequency Missing = 63



2012 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables                    Tuesday, April 23, 2013  
 Unweighted Frequencies

FIJ.070\_02.000: Parts of body hurt: 2nd body part

IJBODY2	Frequency	Percent
00 No second response	2510	85.23
01 Ankle	4	0.14
02 Back	39	1.32
03 Buttocks	11	0.37
04 Chest	8	0.27
05 Ear	1	0.03
06 Elbow	10	0.34
07 Eye	1	0.03
08 Face	10	0.34
09 Finger/thumb	8	0.27
10 Foot	17	0.58
11 Forearm	23	0.78
12 Groin	2	0.07
13 Hand	23	0.78
14 Head (not face)	18	0.61
15 Hip	16	0.54
16 Jaw	3	0.10
17 Knee	50	1.70
18 Lower leg	25	0.85
19 Mouth	3	0.10
20 Neck	39	1.32
21 Nose	3	0.10
22 Shoulder	41	1.39
23 Stomach	3	0.10
24 Teeth	1	0.03
25 Thigh	12	0.41
26 Toe	6	0.20
27 Upper arm	16	0.54
28 Wrist	18	0.61
29 Other	24	0.81
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 63

2012 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables                      Tuesday, April 23, 2013  
 Unweighted Frequencies

FIJ.070\_03.000: Parts of body hurt: 3rd body part

IJBODY3	Frequency	Percent
00 No third response	2801	95.11
01 Ankle	3	0.10
02 Back	9	0.31
03 Buttocks	7	0.24
04 Chest	5	0.17
05 Ear	0	0.00
06 Elbow	4	0.14
07 Eye	1	0.03
08 Face	1	0.03
09 Finger/thumb	2	0.07
10 Foot	4	0.14
11 Forearm	5	0.17
12 Groin	1	0.03
13 Hand	6	0.20
14 Head (not face)	6	0.20
15 Hip	11	0.37
16 Jaw	3	0.10
17 Knee	9	0.31
18 Lower leg	9	0.31
19 Mouth	0	0.00
20 Neck	16	0.54
21 Nose	0	0.00
22 Shoulder	14	0.48
23 Stomach	2	0.07
24 Teeth	2	0.07
25 Thigh	6	0.20
26 Toe	1	0.03
27 Upper arm	5	0.17
28 Wrist	3	0.10
29 Other	9	0.31
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 63

2012 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables Tuesday, April 23, 2013  
 Unweighted Frequencies

11

FIJ.070\_04.000: Parts of body hurt: 4th body part

IJBODY4	Frequency	Percent
00 No fourth response	2887	98.03
01 Ankle	1	0.03
02 Back	5	0.17
03 Buttocks	1	0.03
04 Chest	0	0.00
05 Ear	0	0.00
06 Elbow	2	0.07
07 Eye	0	0.00
08 Face	1	0.03
09 Finger/thumb	1	0.03
10 Foot	0	0.00
11 Forearm	3	0.10
12 Groin	0	0.00
13 Hand	4	0.14
14 Head (not face)	2	0.07
15 Hip	2	0.07
16 Jaw	0	0.00
17 Knee	6	0.20
18 Lower leg	7	0.24
19 Mouth	1	0.03
20 Neck	3	0.10
21 Nose	0	0.00
22 Shoulder	5	0.17
23 Stomach	0	0.00
24 Teeth	0	0.00
25 Thigh	1	0.03
26 Toe	0	0.00
27 Upper arm	7	0.24
28 Wrist	3	0.10
29 Other	3	0.10
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 63

2012 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables                      Tuesday, April 23, 2013  
 Unweighted Frequencies

FIJ.072\_01.000: How body part 1 was hurt: First response

IJTYPE1A	Frequency	Percent
01 Broken bone or fracture	504	17.25
02 Sprain, strain, or twist	971	33.23
03 Cut	443	15.16
04 Scrape	84	2.87
05 Bruise	380	13.00
06 Burn	43	1.47
07 Insect bite	71	2.43
08 Animal bite	33	1.13
09 Other	386	13.21
97 Refused	1	0.03
98 Not ascertained	0	0.00
99 Don't know	6	0.21

Frequency Missing = 86

FIJ.072\_02.000: How body part 1 was hurt: Second response

IJTYPE1B	Frequency	Percent
00 No second response	2737	93.67
01 Broken bone or fracture	5	0.17
02 Sprain, strain, or twist	15	0.51
03 Cut	21	0.72
04 Scrape	25	0.86
05 Bruise	81	2.77
06 Burn	1	0.03
07 Insect bite	0	0.00
08 Animal bite	1	0.03
09 Other	36	1.23
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 86

2012 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables                      Tuesday, April 23, 2013  
 Unweighted Frequencies

FIJ.074\_01.000: How body part 2 was hurt: First response

IJTYPE2A	Frequency	Percent
01 Broken bone or fracture	45	10.34
02 Sprain, strain, or twist	160	36.78
03 Cut	24	5.52
04 Scrape	28	6.44
05 Bruise	104	23.91
06 Burn	3	0.69
07 Insect bite	21	4.83
08 Animal bite	3	0.69
09 Other	46	10.57
97 Refused	1	0.23
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2573

FIJ.074\_02.000: How body part 2 was hurt: Second response

IJTYPE2B	Frequency	Percent
00 No second response	396	91.03
01 Broken bone or fracture	1	0.23
02 Sprain, strain, or twist	3	0.69
03 Cut	3	0.69
04 Scrape	5	1.15
05 Bruise	22	5.06
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	5	1.15
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2573

2012 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables                      Tuesday, April 23, 2013  
 Unweighted Frequencies

FIJ.076\_01.000: How body part 3 was hurt: First response

IJTYPE3A	Frequency	Percent
01 Broken bone or fracture	18	12.50
02 Sprain, strain, or twist	50	34.72
03 Cut	4	2.78
04 Scrape	5	3.47
05 Bruise	38	26.39
06 Burn	1	0.69
07 Insect bite	14	9.72
08 Animal bite	0	0.00
09 Other	14	9.72
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2864

FIJ.076\_02.000: How body part 3 was hurt: Second response

IJTYPE3B	Frequency	Percent
00 No second response	134	93.06
01 Broken bone or fracture	1	0.69
02 Sprain, strain, or twist	0	0.00
03 Cut	0	0.00
04 Scrape	2	1.39
05 Bruise	4	2.78
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	3	2.08
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2864

2012 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables                      Tuesday, April 23, 2013  
 Unweighted Frequencies

FIJ.078\_01.000: How body part 4 was hurt: First response

IJTYPE4A	Frequency	Percent
01 Broken bone or fracture	2	3.45
02 Sprain, strain, or twist	23	39.66
03 Cut	1	1.72
04 Scrape	6	10.34
05 Bruise	12	20.69
06 Burn	1	1.72
07 Insect bite	3	5.17
08 Animal bite	0	0.00
09 Other	10	17.24
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2950

FIJ.078\_02.000: How body part 4 was hurt: Second response

IJTYPE4B	Frequency	Percent
00 No second response	54	93.10
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	0	0.00
03 Cut	0	0.00
04 Scrape	1	1.72
05 Bruise	3	5.17
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2950

FIJ.080\_01.000: Where received medical care: Call to PCC

PPCC	Frequency	Percent
1 Yes	18	28.57
2 No	44	69.84
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	1.59

Frequency Missing = 2945

2012 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables Tuesday, April 23, 2013  
 Unweighted Frequencies

FIJ.080\_02.000: Where received medical care: Emergency vehicle

IPEV	Frequency	Percent
1 Yes	536	17.82
2 No	2460	81.78
7 Refused	3	0.10
8 Not ascertained	0	0.00
9 Don't know	9	0.30

FIJ.080\_03.000: Where received medical care: Emergency room

IPER	Frequency	Percent
1 Yes	1515	50.37
2 No	1482	49.27
7 Refused	4	0.13
8 Not ascertained	0	0.00
9 Don't know	7	0.23

FIJ.080\_04.000: Where received medical care: Doctor's office/clinic

IPDO	Frequency	Percent
1 Yes	2161	71.84
2 No	836	27.79
7 Refused	4	0.13
8 Not ascertained	0	0.00
9 Don't know	7	0.23

FIJ.080\_05.000: Where received medical care: Call to medical prof

IPPCHCP	Frequency	Percent
1 Yes	1022	33.98
2 No	1971	65.53
7 Refused	4	0.13
8 Not ascertained	0	0.00
9 Don't know	11	0.37

FIJ.080\_06.000: Where received medical care: Any place else

IPTH	Frequency	Percent
1 Yes	361	12.00
2 No	2636	87.63
7 Refused	4	0.13
8 Not ascertained	0	0.00
9 Don't know	7	0.23



FIJ.090\_00.000: Hospitalized overnight due to injury/poisoning episode

IPHOSP	Frequency	Percent
1 Yes	206	6.85
2 No	2797	92.99
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	5	0.17

FIJ.091\_00.000: Number of nights in the hospital

IPIHNO	Frequency	Percent
01-94 1-94 nights	199	96.60
95 95+ nights	1	0.49
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	6	2.91

Frequency Missing = 2802

FIJ.109\_00.000: Traffic-related injury

IMTRAF	Frequency	Percent
1 Yes	215	67.19
2 No	104	32.50
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.31

Frequency Missing = 2688

FIJ.110\_00.000: Injured as . . .

IMVWHO

- 
- 1 The driver of a motor vehicle
  - 2 A passenger in a motor vehicle
  - 3 A pedestrian
  - 4 A bicycle rider or tricycle rider
  - 5 The rider of a scooter, skateboard, skates, or other non-motorized vehicle
  - 7 Refused
  - 8 Not ascertained
  - 9 Don't know

Frequency Missing = 2688

FIJ.110\_00.000: Injured as . . .

Frequency	Percent
134	41.88

Frequency Missing

FIJ.110\_00.000: Injured as . . .

Frequency	Percent
-----	
77	24.06
16	5.00
47	14.69
40	12.50
1	0.31
0	0.00
5	1.56

Frequency Missing  
 = 2688

FIJ.111\_00.000: Type of vehicle injured person was in

IMVTYP

- 
- 01 Passenger car
  - 02 Passenger truck, such as a pickup truck, van, or SUV
  - 03 Bus
  - 04 Large commercial truck, such as a semi-truck, big rig, or 18 wheeler
  - 05 Motorcycle (including mopeds and minibikes)
  - 06 All terrain vehicle or ski/snow-mobile
  - 07 Farm equipment (such as a tractor)
  - 08 Industrial or construction vehicle
  - 09 Other
  - 97 Refused
  - 98 Not ascertained
  - 99 Don't know

Frequency Missing = 2797

FIJ.111\_00.000: Type of vehicle injured person was in

Frequency	Percent
-----	
124	58.77
52	24.64
9	4.27
1	0.47
14	6.64
7	3.32
0	0.00
1	0.47
3	1.42
0	0.00
0	0.00
0	0.00

Frequency Missing  
 = 2797

2012 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables Tuesday, April 23, 2013  
 Unweighted Frequencies

FIJ.112\_00.000: Restrained at time of accident

ISBELT	Frequency	Percent
1 Yes	137	77.40
2 No	39	22.03
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.56

Frequency Missing = 2831

FIJ.113\_00.000: Wearing a helmet at the time of the accident

IHELMT	Frequency	Percent
1 Yes	39	36.11
2 No	67	62.04
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	1.85

Frequency Missing = 2900

FIJ.130\_01.000: How person fell: First response

IFALL1	Frequency	Percent
01 Stairs, steps, or escalator	141	13.88
02 Floor or level ground	305	30.02
03 Curb (including sidewalk)	59	5.81
04 Ladder or scaffolding	20	1.97
05 Playground equipment	34	3.35
06 Sports field, court, or rink	86	8.46
07 Building or other structure	11	1.08
08 Chair, bed, sofa, or other furniture	79	7.78
09 Bathtub, shower, toilet, or commode	32	3.15
10 Hole or other opening	25	2.46
11 Other	216	21.26
97 Refused	4	0.39
98 Not ascertained	0	0.00
99 Don't know	4	0.39

Frequency Missing = 1992

2012 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables                    Tuesday, April 23, 2013  
 Unweighted Frequencies

FIJ.130\_02.000: How person fell: Second response

IFALL2	Frequency	Percent
00 No second response	1001	98.52
01 Stairs, steps, or escalator	0	0.00
02 Floor or level ground	1	0.10
03 Curb (including sidewalk)	0	0.00
04 Ladder or scaffolding	1	0.10
05 Playground equipment	0	0.00
06 Sports field, court, or rink	1	0.10
07 Building or other structure	3	0.30
08 Chair, bed, sofa, or other furniture	1	0.10
09 Bathtub, shower, toilet, or commode	0	0.00
10 Hole or other opening	0	0.00
11 Other	8	0.79
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1992

FIJ.131\_00.000: Cause of fall

IFALLWHY

1 Slipping or tripping
2 Jumping or diving
3 Bumping into an object or another person
4 Being shoved or pushed by another person
5 Losing balance or having dizziness (becoming faint or having a seizure)
6 Other
7 Refused
8 Not ascertained
9 Don't know

Frequency Missing = 1992

FIJ.131\_00.000: Cause of fall

Frequency	Percent
527	51.87
55	5.41
39	3.84
21	2.07
193	19.00
171	16.83
4	0.39
0	0.00
6	0.59

Frequency Missing  
 = 1992

FIJ.140\_00.000: Cause of poisoning episode

PPOIS	Frequency
1 Swallowing a drug or medical substance mistakenly or in overdose	22
2 Swallowing or touching a harmful solid or liquid substance	4
3 Inhaling harmful gases or vapors	26
4 Eating a poisonous plant or other substance mistaken for food	0
5 Being bitten by a poisonous animal	2
6 Other, please specify	9
7 Refused	0
8 Not ascertained	0
9 Don't know	0

Frequency Missing = 2945

FIJ.140\_00.000: Cause of poisoning episode

PPOIS	Percent
1 Swallowing a drug or medical substance mistakenly or in overdose	34.92
2 Swallowing or touching a harmful solid or liquid substance	6.35
3 Inhaling harmful gases or vapors	41.27
4 Eating a poisonous plant or other substance mistaken for food	0.00
5 Being bitten by a poisonous animal	3.17
6 Other, please specify	14.29
7 Refused	0.00
8 Not ascertained	0.00
9 Don't know	0.00

Frequency Missing = 2945

FIJ.150\_01.000: Activity at time of inj/pois episode: First response

IPWHAT1	Frequency	Percent
01 Driving or riding in a motor vehicle	191	6.35
02 Working at a paid job	380	12.63
03 Working around the house or yard	429	14.26
04 Attending school	86	2.86
05 Unpaid work (such as volunteer work)	15	0.50
06 Sports and exercise	493	16.39
07 Leisure activity (excluding sports)	548	18.22
08 Sleeping, resting, eating, or drinking	131	4.36
09 Cooking	55	1.83
10 Being cared for (hands-on care from other person)	25	0.83
11 Other	622	20.68
97 Refused	7	0.23
98 Not ascertained	0	0.00
99 Don't know	26	0.86

## Episode Public Use File (injpoiep)

FIJ Variables

Tuesday, April 23, 2013

## Unweighted Frequencies

FIJ.150\_02.000: Activity at time of inj/pois episode: Second response

IPWHAT2	Frequency	Percent
00 No second response	2965	98.57
01 Driving or riding in a motor vehicle	0	0.00
02 Working at a paid job	1	0.03
03 Working around the house or yard	2	0.07
04 Attending school	4	0.13
05 Unpaid work (such as volunteer work)	3	0.10
06 Sports and exercise	7	0.23
07 Leisure activity	13	0.43
08 Sleeping, resting, eating, or drinking	1	0.03
09 Cooking	1	0.03
10 Being cared for (hands on care from other person)	0	0.00
11 Other	11	0.37
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.160\_01.000: Location at time of inj/pois episode: First response

IPWHERE1	Frequency	Percent
01 Home (inside)	919	30.55
02 Home (outside)	581	19.32
03 School (not residential)	213	7.08
04 Child care center or preschool	4	0.13
05 Residential institution (exclude hospital)	21	0.70
06 Health care facility (include hospital)	43	1.43
07 Street or highway	221	7.35
08 Sidewalk	79	2.63
09 Parking lot	52	1.73
10 Sport facility, athletic field, or playground	258	8.58
11 Shopping center, restaurant, store, bank, gas station, or other place of business	78	2.59
12 Farm	26	0.86
13 Park or recreation area (include bike or jog path)	97	3.22
14 River, lake, stream, or ocean	33	1.10
15 Industrial or construction area	73	2.43
16 Other public building	96	3.19
17 Other	189	6.28
97 Refused	2	0.07
98 Not ascertained	0	0.00
99 Don't know	23	0.76

## Episode Public Use File (injpoiep)

FIJ Variables

Tuesday, April 23, 2013

Unweighted Frequencies

FIJ.160\_02.000: Location at time of inj/pois episode: Second response

IPWHER2	Frequency	Percent
00 No second response	2960	98.40
01 Home (inside)	2	0.07
02 Home (outside)	6	0.20
03 School (not residential)	5	0.17
04 Child care center or preschool	0	0.00
05 Residential institution (exclude hospital)	0	0.00
06 Health care facility (include hospital)	0	0.00
07 Street or highway	5	0.17
08 Sidewalk	4	0.13
09 Parking lot	2	0.07
10 Sport facility, athletic field, or playground	10	0.33
11 Shopping center, restaurant, store, bank, gas station, or other place of business	1	0.03
12 Farm	0	0.00
13 Park or recreation area (include bike or jog path)	2	0.07
14 River, lake, stream, or ocean	2	0.07
15 Industrial or construction area	0	0.00
16 Other public building	2	0.07
17 Other	7	0.23
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.170\_00.000: Employed at the time of the injury/poisoning episode

IPEMP	Frequency	Percent
1 Full-time	1005	38.55
2 Part-time	243	9.32
3 Not employed	1356	52.01
7 Refused	1	0.04
8 Not ascertained	0	0.00
9 Don't know	2	0.08

Frequency Missing = 401

FIJ.171\_00.000: Days of work missed

IPWKLS	Frequency	Percent
1 None	652	52.24
2 Less than one day	55	4.41
3 One to five days	278	22.28
4 Six or more days	259	20.75
7 Refused	2	0.16
8 Not ascertained	0	0.00
9 Don't know	2	0.16

Frequency Missing = 1760

FIJ.180\_00.000: Student at the time of the injury/poisoning episode

IPSTU	Frequency	Percent
1 Full-time	728	25.21
2 Part-time	63	2.18
3 Not a student	2094	72.51
7 Refused	1	0.03
8 Not ascertained	1	0.03
9 Don't know	1	0.03

Frequency Missing = 120

FIJ.181\_00.000: Days of school missed

IPSCLS	Frequency	Percent
1 None	501	63.34
2 Less than one day	54	6.83
3 One to five days	186	23.51
4 Six or more days	48	6.07
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.25

Frequency Missing = 2217

FIJ.181\_01.000: ICD-9-CM diagnosis code

ICD9_1	Frequency	Percent
ICD-9-CM codes	3008	100.00

FIJ.181\_02.000: ICD-9-CM diagnosis code

ICD9_2	Frequency	Percent
ICD-9-CM codes	794	100.00

Frequency Missing = 2214

FIJ.181\_03.000: ICD-9-CM diagnosis code

ICD9_3	Frequency	Percent
ICD-9-CM codes	280	100.00

Frequency Missing = 2728



Episode Public Use File (injqoiep)

FIJ Variables

Tuesday, April 23, 2013

Unweighted Frequencies

FIJ.181\_04.000: ICD-9-CM diagnosis code

ICD9_4	Frequency	Percent
-----		
ICD-9-CM codes	105	100.00

Frequency Missing = 2903

FIJ.181\_05.000: ICD-9-CM diagnosis code

ICD9_5	Frequency	Percent
-----		
ICD-9-CM codes	34	100.00

Frequency Missing = 2974

FIJ.181\_06.000: ICD-9-CM diagnosis code

ICD9_6	Frequency	Percent
-----		
ICD-9-CM codes	13	100.00

Frequency Missing = 2995

FIJ.181\_07.000: ICD-9-CM diagnosis code

ICD9_7	Frequency	Percent
-----		
ICD-9-CM codes	4	100.00

Frequency Missing = 3004

FIJ.181\_08.000: ICD-9-CM diagnosis code

ICD9_8	Frequency	Percent
-----		

Frequency Missing = 3008

FIJ.181\_10.000: ICD-9-CM external cause code

ECODE_1T	Frequency	Percent
-----		
E800-E999 E codes	3008	100.00

FIJ.181\_20.000: ICD-9-CM external cause code

ECODE_2T	Frequency	Percent
-----		
E800-E999 E codes	70	100.00

Frequency Missing = 2938

FIJ.181\_30.000: ICD-9-CM external cause code

ECODE_3T	Frequency	Percent
-----		
E800-E999 E codes	0	.

Frequency Missing = 3008