

**Continuous variables in the frequency
 report only show the range of valid numbers**

IDN.000_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
25 Income Imputation	0	0.00
30 Sample Adult	0	0.00
38 Functioning and Disability	0	0.00
40 Sample Child	0	0.00
60 Family	0	0.00
63 Family Disability Questions	0	0.00
65 Paradata	0	0.00
70 Injury/Poisoning Episode	3029	100.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
Survey Year	3029	100.00

IDN.000_04.000: Household Number

HHX	Frequency	Percent
Range of Values	3029	100.00

IDN.000_35.000: Family Number

FMX	Frequency	Percent
01-25 Family number 1 - 25	3029	100.00

IDN.000_40.000: Person Number (Within family)

FPX	Frequency	Percent
01-25 Person number 1 thru 25	3029	100.00

2013 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 IDN Variables Thursday, May 1, 2014
 Unweighted Frequencies

IDN.000_55.000: Injury/Poisoning Episode Number

IPEPNO	Frequency	Percent
01 First injury or poisoning	2812	92.84
02 Second injury or poisoning	151	4.99
03 Third injury or poisoning	39	1.29
04 Fourth injury or poisoning	16	0.53
05 Fifth injury or poisoning	11	0.36
06 Sixth injury or poisoning	0	0.00
07 Seventh injury or poisoning	0	0.00
08 Eighth injury or poisoning	0	0.00
09 Ninth injury or poisoning	0	0.00
10 Tenth injury or poisoning	0	0.00

IDN.000_70.000: Weight - Final Annual

WTFA	Frequency	Percent
Range of Values	3029	100.00

2013 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

FIJ.050_01.000: Month of injury/poisoning episode

IPDATEM	Frequency	Percent
01 January	204	6.73
02 February	206	6.80
03 March	244	8.06
04 April	226	7.46
05 May	298	9.84
06 June	267	8.81
07 July	252	8.32
08 August	265	8.75
09 September	267	8.81
10 October	315	10.40
11 November	224	7.40
12 December	202	6.67
97 Refused	13	0.43
98 Not ascertained	0	0.00
99 Don't know	46	1.52

FIJ.050_03.000: Year of injury/poisoning episode

IPDATEY	Frequency	Percent
Year	2966	99.97
9997 Refused	0	0.00
9998 Not ascertained	0	0.00
9999 Don't know	1	0.03

Frequency Missing = 62

FIJ.051_01.000: Approximate time since injury/poisoning episode: Number of units

IPDATENO	Frequency	Percent
001-096 1-96	24	52.17
997 Refused	0	0.00
998 Not ascertained	0	0.00
999 Don't know	22	47.83

Frequency Missing = 2983

FIJ.051_02.000: Approximate time since injury/poisoning episode: Time period

IPDATETP	Frequency	Percent
1 Days	0	0.00
2 Weeks	5	10.87
3 Months	19	41.30
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	22	47.83

Frequency Missing = 2983

2013 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

FIJ.052_00.000: Approximate point in month of injury/poisoning episode

IPDATEMT	Frequency	Percent
1 Beginning	217	32.88
2 Middle	253	38.33
3 End	148	22.42
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	42	6.36

Frequency Missing = 2369

FIJ.052_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPCKDMR

 000-499 0-499 days
 500 Same month as month the injury/poisoning questions were asked
 501 Month before the month the injury/poisoning questions were asked
 502-524 2-24 months before the month the injury/poisoning questions were asked
 998 Not ascertained

FIJ.052_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

Frequency	Percent
2302	76.00
38	1.25
221	7.30
409	13.50
59	1.95

FIJ.052_02.000: Days between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPD	Frequency	Percent
000-999 0-999 days	3029	100.00

FIJ.052_00.000: Lower boundary of elapsed time interval in days

BIETD

 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Lower boundary of elapsed time interval in days

Frequency	Percent
3029	100.00

2013 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

FIJ.052_00.000: Upper boundary of elapsed time interval in days

EIETD

 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Upper boundary of elapsed time interval in days

Frequency	Percent

3029	100.00

FIJ.052_00.000: Episode date information reported by the respondent

EDIPBR	Frequency	Percent

1 Month, day, and year	2307	76.16
2 Month, beginning of month, and year	217	7.16
3 Month, middle of month, and year	253	8.35
4 Month, end of month, and year	147	4.85
5 Month and year	45	1.49
6 Elapsed time in days	0	0.00
7 Elapsed time in weeks	5	0.17
8 Elapsed time in months	19	0.63
9 No information	36	1.19

FIJ.052_00.000: Imputed part of I/P date or elapsed time interval

IMPMETH	Frequency	Percent

0 No imputation necessary (month, day, and year reported; or elapsed time interval width = 0)	2307	76.16
1 Imputed day based on reported beginning, middle, or end of month	617	20.37
2 Imputed day of the month (no day of month information reported)	42	1.39
3 No imputation necessary (elapsed time reported in days)	0	0.00
4 Imputed time interval based on elapsed time reported in weeks	5	0.17
5 Imputed time interval based on elapsed time reported in months	19	0.63
6 Imputed elapsed time & elapsed time interval using hot deck imputation (no date or valid date information reported)	39	1.29

2013 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

FIJ.052_00.000: Imputed month

MUMON	Frequency	Percent
01 January	210	6.93
02 February	209	6.90
03 March	246	8.12
04 April	229	7.56
05 May	304	10.04
06 June	274	9.05
07 July	257	8.48
08 August	271	8.95
09 September	272	8.98
10 October	322	10.63
11 November	230	7.59
12 December	205	6.77

FIJ.052_00.000: Imputed year

MUYEAR	Frequency	Percent
Year	3029	100.00

FIJ.052_00.000: Elapsed time flag

ETFLG	Frequency	Percent
1 Elapsed time is > 91 days	156	5.15
2 Elapsed time is <= 91 days	2873	94.85

FIJ.052_00.000: Elapsed time interval boundary flag

BEIFLG

-
- 1 Only the upper boundary of the interval for elapsed time is > 91 days
 - 2 Upper and lower boundary of the interval for elapsed time is > 91 days
 - 3 Upper and lower boundary of the interval for elapsed time is <= 91 days

FIJ.052_00.000: Elapsed time interval boundary flag

Frequency	Percent
78	2.58
119	3.93
2832	93.50

2013 National Health Interview Survey (NHIS) 7
 Episode Public Use File (injpoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

FIJ.065_00.000: Cause of injury episode

ICAUS	Frequency	Percent
01 In a motor vehicle	221	7.41
02 On a bike, scooter, skateboard, skates, skis, horse, etc	108	3.62
03 Pedestrian who was struck by a vehicle such as a car or bicycle	14	0.47
04 In a boat, train, or plane	10	0.34
05 Fall	1058	35.49
06 Burned or scalded by substances such as hot objects or liquids, fire, or chemicals	27	0.91
07 Other	1496	50.18
97 Refused	13	0.44
98 Not ascertained	0	0.00
99 Don't know	34	1.14

Frequency Missing = 48

FIJ.065_00.000: Cause of injury/poisoning based on E codes

ECAUS	Frequency	Percent
01 Transportation	326	10.76
02 Fire/burn/scald related	26	0.86
03 Fall	1106	36.51
04 Poisoning	45	1.49
05 Overexertion/strenuous movements	359	11.85
06 Struck by object or person	351	11.59
07 Animal or insect bite	86	2.84
08 Cut/pierce	188	6.21
09 Machinery	26	0.86
10 Other	516	17.04
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

2013 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

FIJ.070_01.000: Parts of body hurt: 1st body part

IJBODY1	Frequency	Percent
01 Ankle	293	9.83
02 Back	304	10.20
03 Buttocks	22	0.74
04 Chest	46	1.54
05 Ear	4	0.13
06 Elbow	78	2.62
07 Eye	54	1.81
08 Face	108	3.62
09 Finger/thumb	211	7.08
10 Foot	168	5.64
11 Forearm	117	3.92
12 Groin	12	0.40
13 Hand	137	4.60
14 Head (not face)	219	7.35
15 Hip	60	2.01
16 Jaw	5	0.17
17 Knee	279	9.36
18 Lower leg	116	3.89
19 Mouth	16	0.54
20 Neck	72	2.42
21 Nose	15	0.50
22 Shoulder	159	5.33
23 Stomach	20	0.67
24 Teeth	11	0.37
25 Thigh	35	1.17
26 Toe	64	2.15
27 Upper arm	38	1.27
28 Wrist	142	4.76
29 Other	150	5.03
97 Refused	12	0.40
98 Not ascertained	0	0.00
99 Don't know	14	0.47

Frequency Missing = 48

2013 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

FIJ.070_02.000: Parts of body hurt: 2nd body part

IJBODY2	Frequency	Percent
00 No second response	2504	84.00
01 Ankle	2	0.07
02 Back	37	1.24
03 Buttocks	9	0.30
04 Chest	9	0.30
05 Ear	0	0.00
06 Elbow	20	0.67
07 Eye	5	0.17
08 Face	14	0.47
09 Finger/thumb	5	0.17
10 Foot	23	0.77
11 Forearm	21	0.70
12 Groin	0	0.00
13 Hand	13	0.44
14 Head (not face)	44	1.48
15 Hip	27	0.91
16 Jaw	1	0.03
17 Knee	45	1.51
18 Lower leg	31	1.04
19 Mouth	3	0.10
20 Neck	52	1.74
21 Nose	4	0.13
22 Shoulder	37	1.24
23 Stomach	6	0.20
24 Teeth	5	0.17
25 Thigh	9	0.30
26 Toe	2	0.07
27 Upper arm	13	0.44
28 Wrist	19	0.64
29 Other	21	0.70
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 48

2013 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

FIJ.070_03.000: Parts of body hurt: 3rd body part

IJBODY3	Frequency	Percent
00 No third response	2805	94.10
01 Ankle	1	0.03
02 Back	19	0.64
03 Buttocks	1	0.03
04 Chest	5	0.17
05 Ear	0	0.00
06 Elbow	6	0.20
07 Eye	3	0.10
08 Face	7	0.23
09 Finger/thumb	0	0.00
10 Foot	2	0.07
11 Forearm	12	0.40
12 Groin	1	0.03
13 Hand	3	0.10
14 Head (not face)	12	0.40
15 Hip	11	0.37
16 Jaw	0	0.00
17 Knee	23	0.77
18 Lower leg	15	0.50
19 Mouth	1	0.03
20 Neck	5	0.17
21 Nose	3	0.10
22 Shoulder	18	0.60
23 Stomach	1	0.03
24 Teeth	3	0.10
25 Thigh	5	0.17
26 Toe	0	0.00
27 Upper arm	4	0.13
28 Wrist	5	0.17
29 Other	10	0.34
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 48

2013 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

11

FIJ.070_04.000: Parts of body hurt: 4th body part

IJBODY4	Frequency	Percent
00 No fourth response	2913	97.72
01 Ankle	2	0.07
02 Back	5	0.17
03 Buttocks	0	0.00
04 Chest	3	0.10
05 Ear	1	0.03
06 Elbow	1	0.03
07 Eye	1	0.03
08 Face	0	0.00
09 Finger/thumb	1	0.03
10 Foot	2	0.07
11 Forearm	2	0.07
12 Groin	0	0.00
13 Hand	4	0.13
14 Head (not face)	2	0.07
15 Hip	7	0.23
16 Jaw	0	0.00
17 Knee	7	0.23
18 Lower leg	7	0.23
19 Mouth	2	0.07
20 Neck	3	0.10
21 Nose	1	0.03
22 Shoulder	2	0.07
23 Stomach	3	0.10
24 Teeth	0	0.00
25 Thigh	3	0.10
26 Toe	0	0.00
27 Upper arm	5	0.17
28 Wrist	2	0.07
29 Other	2	0.07
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 48

2013 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

12

FIJ.072_01.000: How body part 1 was hurt: First response

IJTYPE1A	Frequency	Percent
01 Broken bone or fracture	564	19.09
02 Sprain, strain, or twist	991	33.54
03 Cut	438	14.82
04 Scrape	78	2.64
05 Bruise	409	13.84
06 Burn	30	1.02
07 Insect bite	52	1.76
08 Animal bite	30	1.02
09 Other	356	12.05
97 Refused	2	0.07
98 Not ascertained	0	0.00
99 Don't know	5	0.17

Frequency Missing = 74

FIJ.072_02.000: How body part 1 was hurt: Second response

IJTYPE1B	Frequency	Percent
00 No second response	2773	93.84
01 Broken bone or fracture	3	0.10
02 Sprain, strain, or twist	11	0.37
03 Cut	20	0.68
04 Scrape	33	1.12
05 Bruise	73	2.47
06 Burn	3	0.10
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	39	1.32
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 74

2013 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

FIJ.074_01.000: How body part 2 was hurt: First response

IJTYPE2A	Frequency	Percent
01 Broken bone or fracture	49	10.27
02 Sprain, strain, or twist	152	31.87
03 Cut	29	6.08
04 Scrape	26	5.45
05 Bruise	153	32.08
06 Burn	5	1.05
07 Insect bite	2	0.42
08 Animal bite	1	0.21
09 Other	58	12.16
97 Refused	1	0.21
98 Not ascertained	0	0.00
99 Don't know	1	0.21

Frequency Missing = 2552

FIJ.074_02.000: How body part 2 was hurt: Second response

IJTYPE2B	Frequency	Percent
00 No second response	428	89.73
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	5	1.05
03 Cut	4	0.84
04 Scrape	10	2.10
05 Bruise	26	5.45
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	4	0.84
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2552

2013 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

FIJ.076_01.000: How body part 3 was hurt: First response

IJTYPE3A	Frequency	Percent
01 Broken bone or fracture	17	9.66
02 Sprain, strain, or twist	47	26.70
03 Cut	9	5.11
04 Scrape	11	6.25
05 Bruise	68	38.64
06 Burn	1	0.57
07 Insect bite	1	0.57
08 Animal bite	0	0.00
09 Other	22	12.50
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2853

FIJ.076_02.000: How body part 3 was hurt: Second response

IJTYPE3B	Frequency	Percent
00 No second response	153	86.93
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	3	1.70
03 Cut	1	0.57
04 Scrape	7	3.98
05 Bruise	11	6.25
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	1	0.57
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2853

2013 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

FIJ.078_01.000: How body part 4 was hurt: First response

IJTYPE4A	Frequency	Percent
01 Broken bone or fracture	5	7.35
02 Sprain, strain, or twist	18	26.47
03 Cut	8	11.76
04 Scrape	4	5.88
05 Bruise	26	38.24
06 Burn	0	0.00
07 Insect bite	1	1.47
08 Animal bite	0	0.00
09 Other	6	8.82
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2961

FIJ.078_02.000: How body part 4 was hurt: Second response

IJTYPE4B	Frequency	Percent
00 No second response	53	77.94
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	0	0.00
03 Cut	0	0.00
04 Scrape	3	4.41
05 Bruise	10	14.71
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	2	2.94
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2961

FIJ.080_01.000: Where received medical care: Call to PCC

PPCC	Frequency	Percent
1 Yes	16	33.33
2 No	30	62.50
7 Refused	2	4.17
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 2981

2013 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

FIJ.080_02.000: Where received medical care: Emergency vehicle

IPEV	Frequency	Percent
1 Yes	611	20.17
2 No	2395	79.07
7 Refused	9	0.30
8 Not ascertained	2	0.07
9 Don't know	12	0.40

FIJ.080_03.000: Where received medical care: Emergency room

IPER	Frequency	Percent
1 Yes	1373	45.33
2 No	1630	53.81
7 Refused	10	0.33
8 Not ascertained	2	0.07
9 Don't know	14	0.46

FIJ.080_04.000: Where received medical care: Doctor's office/clinic

IPDO	Frequency	Percent
1 Yes	2245	74.12
2 No	762	25.16
7 Refused	11	0.36
8 Not ascertained	2	0.07
9 Don't know	9	0.30

FIJ.080_05.000: Where received medical care: Call to medical prof

IPPCHCP	Frequency	Percent
1 Yes	1083	35.75
2 No	1915	63.22
7 Refused	13	0.43
8 Not ascertained	2	0.07
9 Don't know	16	0.53

FIJ.080_06.000: Where received medical care: Any place else

IPTH	Frequency	Percent
1 Yes	427	14.10
2 No	2577	85.08
7 Refused	13	0.43
8 Not ascertained	2	0.07
9 Don't know	10	0.33

FIJ.090_00.000: Hospitalized overnight due to injury/poisoning episode

IPHOSP	Frequency	Percent
1 Yes	236	7.79
2 No	2773	91.55
7 Refused	11	0.36
8 Not ascertained	0	0.00
9 Don't know	9	0.30

FIJ.091_00.000: Number of nights in the hospital

IPIHNO	Frequency	Percent
01-94 1-94 nights	232	98.31
95 95+ nights	2	0.85
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	2	0.85

Frequency Missing = 2793

FIJ.109_00.000: Traffic-related injury

IMTRAF	Frequency	Percent
1 Yes	232	67.64
2 No	106	30.90
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	5	1.46

Frequency Missing = 2686

FIJ.110_00.000: Injured as . . .

IMVWHO

-
- 1 The driver of a motor vehicle
 - 2 A passenger in a motor vehicle
 - 3 A pedestrian
 - 4 A bicycle rider or tricycle rider
 - 5 The rider of a scooter, skateboard, skates, or other non-motorized vehicle
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know

Frequency Missing = 2686

FIJ.110_00.000: Injured as . . .

Frequency	Percent
173	50.44

Frequency Missing

FIJ.110_00.000: Injured as . . .

Frequency	Percent

57	16.62
16	4.66
47	13.70
44	12.83
1	0.29
0	0.00
5	1.46

Frequency Missing
 = 2686

FIJ.111_00.000: Type of vehicle injured person was in

IMVTYP

-
- 01 Passenger car
 - 02 Passenger truck, such as a pickup truck, van, or SUV
 - 03 Bus
 - 04 Large commercial truck, such as a semi-truck, big rig, or 18 wheeler
 - 05 Motorcycle (including mopeds and minibikes)
 - 06 All terrain vehicle or ski/snow-mobile
 - 07 Farm equipment (such as a tractor)
 - 08 Industrial or construction vehicle
 - 09 Other
 - 97 Refused
 - 98 Not ascertained
 - 99 Don't know

Frequency Missing = 2799

FIJ.111_00.000: Type of vehicle injured person was in

Frequency	Percent

133	57.83
59	25.65
2	0.87
5	2.17
13	5.65
9	3.91
1	0.43
2	0.87
6	2.61
0	0.00
0	0.00
0	0.00

Frequency Missing
 = 2799

2013 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

FIJ.112_00.000: Restrained at time of accident

ISBELT	Frequency	Percent
1 Yes	152	77.16
2 No	43	21.83
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	1.02

Frequency Missing = 2832

FIJ.113_00.000: Wearing a helmet at the time of the accident

IHELMT	Frequency	Percent
1 Yes	52	46.02
2 No	58	51.33
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	2.65

Frequency Missing = 2916

FIJ.130_01.000: How person fell: First response

IFALL1	Frequency	Percent
01 Stairs, steps, or escalator	154	14.56
02 Floor or level ground	347	32.80
03 Curb (including sidewalk)	62	5.86
04 Ladder or scaffolding	23	2.17
05 Playground equipment	39	3.69
06 Sports field, court, or rink	87	8.22
07 Building or other structure	15	1.42
08 Chair, bed, sofa, or other furniture	67	6.33
09 Bathtub, shower, toilet, or commode	28	2.65
10 Hole or other opening	15	1.42
11 Other	214	20.23
97 Refused	3	0.28
98 Not ascertained	0	0.00
99 Don't know	4	0.38

Frequency Missing = 1971

2013 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

FIJ.130_02.000: How person fell: Second response

IFALL2	Frequency	Percent
00 No second response	1030	97.35
01 Stairs, steps, or escalator	1	0.09
02 Floor or level ground	1	0.09
03 Curb (including sidewalk)	0	0.00
04 Ladder or scaffolding	1	0.09
05 Playground equipment	1	0.09
06 Sports field, court, or rink	2	0.19
07 Building or other structure	1	0.09
08 Chair, bed, sofa, or other furniture	4	0.38
09 Bathtub, shower, toilet, or commode	2	0.19
10 Hole or other opening	1	0.09
11 Other	14	1.32
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1971

FIJ.131_00.000: Cause of fall

IFALLWHY

-
- 1 Slipping or tripping
 - 2 Jumping or diving
 - 3 Bumping into an object or another person
 - 4 Being shoved or pushed by another person
 - 5 Losing balance or having dizziness (becoming faint or having a seizure)
 - 6 Other
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know

Frequency Missing = 1971

FIJ.131_00.000: Cause of fall

Frequency	Percent
544	51.42
70	6.62
29	2.74
20	1.89
209	19.75
178	16.82
2	0.19
0	0.00
6	0.57

Frequency Missing
 = 1971

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Frequency
1 Swallowing a drug or medical substance mistakenly or in overdose	16
2 Swallowing or touching a harmful solid or liquid substance	2
3 Inhaling harmful gases or vapors	19
4 Eating a poisonous plant or other substance mistaken for food	1
5 Being bitten by a poisonous animal	2
6 Other, please specify	6
7 Refused	2
8 Not ascertained	0
9 Don't know	0

Frequency Missing = 2981

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Percent
1 Swallowing a drug or medical substance mistakenly or in overdose	33.33
2 Swallowing or touching a harmful solid or liquid substance	4.17
3 Inhaling harmful gases or vapors	39.58
4 Eating a poisonous plant or other substance mistaken for food	2.08
5 Being bitten by a poisonous animal	4.17
6 Other, please specify	12.50
7 Refused	4.17
8 Not ascertained	0.00
9 Don't know	0.00

Frequency Missing = 2981

FIJ.150_01.000: Activity at time of inj/pois episode: First response

IPWHAT1	Frequency	Percent
01 Driving or riding in a motor vehicle	208	6.87
02 Working at a paid job	369	12.18
03 Working around the house or yard	468	15.45
04 Attending school	83	2.74
05 Unpaid work (such as volunteer work)	12	0.40
06 Sports and exercise	477	15.75
07 Leisure activity (excluding sports)	533	17.60
08 Sleeping, resting, eating, or drinking	117	3.86
09 Cooking	48	1.58
10 Being cared for (hands-on care from other person)	21	0.69
11 Other	650	21.46
97 Refused	15	0.50
98 Not ascertained	0	0.00
99 Don't know	28	0.92

2013 National Health Interview Survey (NHIS) 22
 Episode Public Use File (injpoiep)
 FIJ Variables Thursday, May 1, 2014
 Unweighted Frequencies

FIJ.150_02.000: Activity at time of inj/pois episode: Second response

IPWHAT2	Frequency	Percent
00 No second response	2993	98.81
01 Driving or riding in a motor vehicle	1	0.03
02 Working at a paid job	5	0.17
03 Working around the house or yard	1	0.03
04 Attending school	6	0.20
05 Unpaid work (such as volunteer work)	0	0.00
06 Sports and exercise	6	0.20
07 Leisure activity	7	0.23
08 Sleeping, resting, eating, or drinking	3	0.10
09 Cooking	0	0.00
10 Being cared for (hands on care from other person)	1	0.03
11 Other	6	0.20
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.160_01.000: Location at time of inj/pois episode: First response

IPWHER1	Frequency	Percent
01 Home (inside)	911	30.08
02 Home (outside)	541	17.86
03 School (not residential)	202	6.67
04 Child care center or preschool	10	0.33
05 Residential institution (exclude hospital)	13	0.43
06 Health care facility (include hospital)	40	1.32
07 Street or highway	248	8.19
08 Sidewalk	61	2.01
09 Parking lot	62	2.05
10 Sport facility, athletic field, or playground	257	8.48
11 Shopping center, restaurant, store, bank, gas station, or other place of business	82	2.71
12 Farm	26	0.86
13 Park or recreation area (include bike or jog path)	110	3.63
14 River, lake, stream, or ocean	29	0.96
15 Industrial or construction area	74	2.44
16 Other public building	95	3.14
17 Other	218	7.20
97 Refused	17	0.56
98 Not ascertained	0	0.00
99 Don't know	33	1.09

FIJ.160_02.000: Location at time of inj/pois episode: Second response

IPWHER2	Frequency	Percent
00 No second response	2998	98.98
01 Home (inside)	1	0.03
02 Home (outside)	2	0.07
03 School (not residential)	1	0.03
04 Child care center or preschool	0	0.00
05 Residential institution (exclude hospital)	1	0.03
06 Health care facility (include hospital)	1	0.03
07 Street or highway	2	0.07
08 Sidewalk	7	0.23
09 Parking lot	1	0.03
10 Sport facility, athletic field, or playground	7	0.23
11 Shopping center, restaurant, store, bank, gas station, or other place of business	1	0.03
12 Farm	0	0.00
13 Park or recreation area (include bike or jog path)	2	0.07
14 River, lake, stream, or ocean	0	0.00
15 Industrial or construction area	0	0.00
16 Other public building	3	0.10
17 Other	2	0.07
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.170_00.000: Employed at the time of the injury/poisoning episode

IPEMP	Frequency	Percent
1 Full-time	1039	39.36
2 Part-time	243	9.20
3 Not employed	1342	50.83
7 Refused	11	0.42
8 Not ascertained	0	0.00
9 Don't know	5	0.19

Frequency Missing = 389

FIJ.171_00.000: Days of work missed

IPWKLS	Frequency	Percent
1 None	658	51.33
2 Less than one day	64	4.99
3 One to five days	313	24.41
4 Six or more days	243	18.95
7 Refused	1	0.08
8 Not ascertained	0	0.00
9 Don't know	3	0.23

Frequency Missing = 1747

FIJ.180_00.000: Student at the time of the injury/poisoning episode

IPSTU	Frequency	Percent
1 Full-time	637	21.85
2 Part-time	71	2.44
3 Not a student	2192	75.20
7 Refused	11	0.38
8 Not ascertained	0	0.00
9 Don't know	4	0.14

Frequency Missing = 114

FIJ.181_00.000: Days of school missed

IPSCLS	Frequency	Percent
1 None	439	62.01
2 Less than one day	56	7.91
3 One to five days	168	23.73
4 Six or more days	43	6.07
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.28

Frequency Missing = 2321

FIJ.181_01.000: ICD-9-CM diagnosis code

ICD9_1	Frequency	Percent
ICD-9-CM codes	3029	100.00

FIJ.181_02.000: ICD-9-CM diagnosis code

ICD9_2	Frequency	Percent
ICD-9-CM codes	860	100.00

Frequency Missing = 2169

FIJ.181_03.000: ICD-9-CM diagnosis code

ICD9_3	Frequency	Percent
ICD-9-CM codes	316	100.00

Frequency Missing = 2713

FIJ.181_04.000: ICD-9-CM diagnosis code

ICD9_4	Frequency	Percent
ICD-9-CM codes	138	100.00

Frequency Missing = 2891

FIJ.181_05.000: ICD-9-CM diagnosis code

ICD9_5	Frequency	Percent
ICD-9-CM codes	48	100.00

Frequency Missing = 2981

FIJ.181_06.000: ICD-9-CM diagnosis code

ICD9_6	Frequency	Percent
ICD-9-CM codes	20	100.00

Frequency Missing = 3009

FIJ.181_07.000: ICD-9-CM diagnosis code

ICD9_7	Frequency	Percent
ICD-9-CM codes	11	100.00

Frequency Missing = 3018

FIJ.181_08.000: ICD-9-CM diagnosis code

ICD9_8	Frequency	Percent
ICD-9-CM codes	3	100.00

Frequency Missing = 3026

FIJ.181_10.000: ICD-9-CM external cause code

ECODE_1T	Frequency	Percent
E800-E999 E codes	3029	100.00

FIJ.181_20.000: ICD-9-CM external cause code

ECODE_2T	Frequency	Percent
E800-E999 E codes	117	100.00

Frequency Missing = 2912

FIJ.181_30.000: ICD-9-CM external cause code

ECODE_3T	Frequency	Percent
E800-E999 E codes	1	100.00

Frequency Missing = 3028