

Table TOB–2a. Age-adjusted percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and age-adjusted mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Smoking status			Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
		Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹			
Both sexes	100.0	82.0 (0.18)	4.2 (0.08)	13.9 (0.17)	12.2 (0.09)	4.3 (0.08)	14.3 (0.09)
Age							
18–24 years	100.0	82.1 (0.52)	5.4 (0.28)	12.5 (0.46)	9.0 (0.20)	3.5 (0.15)	11.3 (0.23)
25–44 years	100.0	79.1 (0.29)	5.3 (0.13)	15.6 (0.26)	11.3 (0.12)	3.9 (0.10)	13.6 (0.13)
45–64 years	100.0	80.3 (0.28)	3.5 (0.11)	16.2 (0.27)	13.9 (0.14)	4.7 (0.14)	15.8 (0.14)
65–74 years	100.0	88.8 (0.32)	1.9 (0.13)	9.4 (0.31)	14.5 (0.30)	5.5 (0.45)	16.1 (0.31)
75 years and over	100.0	95.1 (0.24)	1.1 (0.11)	3.9 (0.21)	11.8 (0.40)	3.8 (0.42)	13.6 (0.43)
Race							
One race ²	100.0	82.1 (0.18)	4.1 (0.08)	13.8 (0.17)	12.2 (0.09)	4.3 (0.08)	14.3 (0.09)
White	100.0	81.4 (0.21)	4.1 (0.09)	14.5 (0.20)	12.8 (0.10)	4.3 (0.10)	14.9 (0.10)
Black or African American	100.0	82.3 (0.34)	4.9 (0.20)	12.7 (0.29)	9.1 (0.15)	4.4 (0.20)	10.8 (0.16)
American Indian or Alaska Native	100.0	78.3 (1.79)	7.7 (1.03)	14.0 (1.39)	9.6 (0.65)	4.2 (0.56)	12.4 (0.87)
Asian	100.0	90.2 (0.44)	2.8 (0.22)	7.0 (0.39)	8.2 (0.35)	3.5 (0.45)	9.8 (0.40)
Native Hawaiian or Other Pacific Islander	100.0	83.1 (3.17)	*8.3 (2.79)	8.6 (2.00)	6.7 (0.94)	4.0 (0.61)	9.1 (1.43)
Two or more races ³	100.0	75.3 (1.22)	5.4 (0.51)	19.3 (1.11)	12.5 (0.53)	3.9 (0.31)	14.7 (0.58)
Black or African American, white	100.0	78.2 (2.43)	4.7 (1.09)	17.1 (2.26)	10.1 (1.09)	2.9 (0.60)	11.4 (1.15)
American Indian or Alaska Native, white	100.0	67.7 (2.16)	6.3 (0.97)	25.9 (2.03)	14.1 (0.71)	4.4 (0.60)	16.1 (0.77)

Table TOB–2a. Age-adjusted percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and age-adjusted mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Smoking status			Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
		Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹			
Both sexes (continued)							
Hispanic or Latino origin ⁴ and race							
Hispanic or Latino	100.0	88.3 (0.26)	4.8 (0.17)	6.9 (0.21)	7.8 (0.19)	3.3 (0.15)	10.4 (0.24)
Mexican or Mexican American	100.0	88.6 (0.32)	5.1 (0.23)	6.2 (0.24)	6.9 (0.23)	3.0 (0.17)	9.5 (0.30)
Not Hispanic or Latino	100.0	80.7 (0.21)	4.0 (0.08)	15.3 (0.20)	12.7 (0.09)	4.4 (0.09)	14.6 (0.10)
White, single race	100.0	79.7 (0.25)	3.9 (0.10)	16.4 (0.24)	13.4 (0.10)	4.5 (0.11)	15.3 (0.11)
Black or African American, single race	100.0	82.1 (0.35)	4.9 (0.20)	13.0 (0.30)	9.1 (0.15)	4.4 (0.20)	10.8 (0.16)
American Indian or Alaska Native, single race	100.0	72.9 (2.70)	8.3 (1.38)	18.7 (2.20)	10.2 (0.76)	4.4 (0.62)	12.6 (1.01)
Education ⁵							
Less than high school graduate	100.0	73.9 (0.49)	4.8 (0.21)	21.2 (0.47)	13.7 (0.22)	4.4 (0.09)	15.6 (0.23)
GED or equivalent ⁶	100.0	58.1 (1.10)	5.6 (0.46)	36.4 (1.09)	14.6 (0.39)	4.1 (0.20)	16.0 (0.40)
High school graduate	100.0	75.9 (0.39)	4.6 (0.18)	19.5 (0.37)	13.0 (0.17)	4.3 (0.16)	14.9 (0.17)
Some college, no degree	100.0	78.9 (0.38)	4.6 (0.18)	16.5 (0.34)	12.8 (0.19)	4.6 (0.18)	14.8 (0.21)
Associate of arts degree	100.0	82.3 (0.48)	4.2 (0.22)	13.5 (0.45)	12.3 (0.24)	5.0 (0.36)	14.3 (0.24)
Bachelor of arts, science degree	100.0	91.3 (0.23)	3.0 (0.14)	5.7 (0.19)	10.2 (0.25)	4.0 (0.30)	12.9 (0.28)
Master's, professional, or doctoral degree	100.0	94.5 (0.26)	2.1 (0.16)	3.4 (0.20)	9.0 (0.35)	4.5 (0.54)	11.6 (0.43)
Poverty status ⁷							
Less than 100% of the poverty threshold	100.0	72.8 (0.46)	5.7 (0.19)	21.5 (0.43)	12.3 (0.17)	4.7 (0.21)	14.3 (0.18)
100% to less than 200% of the poverty threshold	100.0	76.6 (0.38)	4.8 (0.17)	18.6 (0.36)	12.7 (0.16)	4.2 (0.15)	14.7 (0.16)
200% to less than 400% of the poverty threshold	100.0	81.2 (0.29)	4.3 (0.14)	14.5 (0.28)	12.2 (0.15)	4.0 (0.12)	14.3 (0.16)
400% of the poverty threshold or greater	100.0	88.6 (0.24)	3.2 (0.12)	8.2 (0.21)	11.5 (0.17)	4.3 (0.22)	14.0 (0.19)

Table TOB–2a. Age-adjusted percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and age-adjusted mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Cigarette smoking status			Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
		Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹			
Both sexes (continued)							
Marital status							
Married	100.0	86.2 (0.21)	3.0 (0.10)	10.8 (0.19)	12.5 (0.14)	4.1 (0.15)	14.6 (0.15)
Widowed	100.0	72.4 (2.12)	6.6 (1.44)	21.0 (1.93)	14.1 (0.78)	4.9 (0.48)	16.8 (0.77)
Divorced or separated	100.0	71.9 (0.49)	5.6 (0.23)	22.5 (0.48)	13.0 (0.17)	4.5 (0.16)	15.0 (0.18)
Never married	100.0	80.7 (0.34)	5.2 (0.17)	14.1 (0.30)	11.1 (0.18)	4.9 (0.27)	13.3 (0.19)
Living with a partner	100.0	69.2 (0.73)	6.3 (0.33)	24.5 (0.71)	12.4 (0.28)	3.9 (0.22)	14.3 (0.27)
Region							
Northeast	100.0	83.2 (0.43)	3.9 (0.19)	12.9 (0.40)	11.8 (0.21)	4.1 (0.22)	13.9 (0.23)
Midwest	100.0	79.0 (0.45)	4.1 (0.17)	16.9 (0.42)	13.0 (0.16)	4.2 (0.14)	14.9 (0.17)
South	100.0	80.6 (0.31)	4.4 (0.13)	15.0 (0.29)	12.7 (0.15)	4.5 (0.13)	14.9 (0.15)
West	100.0	86.0 (0.30)	4.0 (0.14)	10.0 (0.26)	10.2 (0.16)	4.1 (0.17)	12.4 (0.18)
Place of residence ⁸							
Large MSA	100.0	84.5 (0.24)	4.2 (0.10)	11.4 (0.22)	11.3 (0.14)	4.0 (0.10)	13.6 (0.14)
Small MSA	100.0	81.0 (0.36)	4.2 (0.14)	14.8 (0.34)	12.4 (0.16)	4.5 (0.14)	14.4 (0.16)
Not in MSA	100.0	74.4 (0.56)	4.1 (0.20)	21.5 (0.56)	13.9 (0.22)	4.7 (0.23)	15.5 (0.23)

Table TOB–2a. Age-adjusted percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and age-adjusted mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Smoking status			Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
		Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹			
Men	100.0	79.7 (0.25)	5.0 (0.12)	15.4 (0.23)	13.0 (0.12)	4.5 (0.14)	15.3 (0.12)
Age							
18–24 years	100.0	79.5 (0.73)	6.6 (0.43)	13.8 (0.64)	9.4 (0.28)	3.7 (0.22)	12.0 (0.32)
25–44 years	100.0	76.0 (0.42)	6.7 (0.22)	17.4 (0.37)	11.6 (0.16)	4.0 (0.14)	14.4 (0.17)
45–64 years	100.0	78.5 (0.39)	3.9 (0.17)	17.6 (0.38)	15.1 (0.20)	4.8 (0.19)	17.1 (0.20)
65–74 years	100.0	87.0 (0.50)	2.1 (0.20)	11.0 (0.47)	15.9 (0.40)	6.7 (0.85)	17.4 (0.41)
75 years and over	100.0	94.7 (0.39)	1.2 (0.19)	4.1 (0.33)	12.7 (0.64)	3.9 (0.88)	14.5 (0.65)
Race							
One race ²	100.0	79.8 (0.25)	5.0 (0.12)	15.3 (0.23)	13.0 (0.12)	4.6 (0.14)	15.3 (0.12)
White	100.0	79.6 (0.29)	4.8 (0.13)	15.6 (0.26)	11.8 (0.13)	4.6 (0.16)	16.1 (0.14)
Black or African American	100.0	78.2 (0.56)	6.2 (0.35)	15.6 (0.48)	8.4 (0.17)	4.7 (0.36)	11.4 (0.23)
American Indian or Alaska Native	100.0	75.8 (2.52)	10.7 (1.70)	13.4 (1.81)	9.5 (0.70)	4.2 (0.74)	14.1 (0.95)
Asian	100.0	85.3 (0.76)	4.2 (0.39)	10.5 (0.68)	8.5 (0.66)	3.7 (0.51)	9.7 (0.43)
Native Hawaiian or Other Pacific Islander	100.0	78.1 (5.30)	*12.9 (5.20)	*9.0 (3.33)	7.8 (1.24)	3.4 (0.29)	9.2 (2.38)
Two or more races ³	100.0	72.5 (1.80)	6.2 (0.90)	21.3 (1.56)	13.7 (0.79)	4.0 (0.47)	16.2 (0.88)
Black or African American, white	100.0	79.0 (3.38)	5.5 (1.43)	15.4 (3.14)	15.6 (0.97)	3.0 (0.61)	17.3 (1.03)
American Indian or Alaska Native, white	100.0	65.6 (3.27)	7.5 (1.83)	26.9 (2.85)	15.5 (1.13)	4.8 (1.09)	17.5 (1.31)

Table TOB–2a. Age-adjusted percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and age-adjusted mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Cigarette smoking status			Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
		Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹			
Men (continued)							
Hispanic or Latino origin ⁴ and race							
Hispanic or Latino	100.0	84.1 (0.43)	6.8 (0.29)	9.1 (0.35)	8.0 (0.25)	3.2 (0.17)	10.9 (0.31)
Mexican or Mexican American	100.0	84.2 (0.54)	7.4 (0.39)	8.4 (0.42)	13.4 (0.12)	3.1 (0.21)	10.1 (0.37)
Not Hispanic or Latino	100.0	78.6 (0.29)	4.6 (0.13)	16.7 (0.27)	13.6 (0.13)	4.9 (0.16)	15.7 (0.13)
White, single race	100.0	78.3 (0.34)	4.3 (0.15)	17.4 (0.31)	14.6 (0.14)	5.0 (0.20)	16.7 (0.15)
Black or African American, single race	100.0	78.0 (0.57)	6.2 (0.35)	15.8 (0.49)	9.6 (0.22)	4.8 (0.37)	11.4 (0.23)
American Indian or Alaska Native, single race	100.0	70.6 (3.70)	10.8 (2.15)	18.5 (2.98)	11.1 (1.06)	4.7 (0.87)	15.0 (0.98)
Education ⁵							
Less than high school graduate	100.0	69.6 (0.71)	6.3 (0.35)	24.0 (0.69)	14.2 (0.27)	4.6 (0.16)	16.3 (0.28)
GED or equivalent ⁶	100.0	55.5 (1.60)	5.7 (0.67)	38.8 (1.61)	15.4 (0.57)	4.2 (0.49)	16.9 (0.56)
High school graduate	100.0	73.1 (0.54)	5.6 (0.28)	21.3 (0.50)	13.9 (0.23)	4.3 (0.23)	16.1 (0.24)
Some college, no degree	100.0	77.6 (0.54)	5.3 (0.29)	17.1 (0.50)	13.7 (0.30)	4.8 (0.27)	16.0 (0.30)
Associate of arts degree	100.0	80.6 (0.75)	4.9 (0.37)	14.5 (0.71)	13.2 (0.34)	5.5 (0.67)	15.4 (0.34)
Bachelor of arts, science degree	100.0	90.2 (0.37)	3.2 (0.21)	6.6 (0.31)	11.2 (0.35)	4.5 (0.54)	13.9 (0.38)
Master's, professional, or doctoral degree	100.0	94.0 (0.38)	2.6 (0.27)	3.4 (0.28)	9.0 (0.51)	4.6 (0.85)	12.1 (0.61)
Poverty status ⁷							
Less than 100% of the poverty threshold	100.0	68.2 (0.75)	7.2 (0.34)	24.6 (0.70)	13.0 (0.26)	5.3 (0.36)	15.1 (0.29)
100% to less than 200% of the poverty threshold	100.0	73.1 (0.58)	6.0 (0.29)	20.9 (0.54)	13.4 (0.22)	4.2 (0.23)	15.8 (0.22)
200% to less than 400% of the poverty threshold	100.0	78.6 (0.42)	5.0 (0.23)	16.4 (0.39)	13.0 (0.21)	4.2 (0.18)	15.2 (0.22)
400% of the poverty threshold or greater	100.0	86.8 (0.34)	3.8 (0.18)	9.4 (0.30)	12.5 (0.24)	4.9 (0.44)	15.1 (0.25)

Table TOB–2a. Age-adjusted percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and age-adjusted mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Cigarette smoking status			Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
		Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹			
Men (continued)							
Marital status							
Married	100.0	84.2 (0.30)	3.8 (0.16)	12.0 (0.27)	13.1 (0.19)	4.4 (0.23)	15.5 (0.20)
Widowed	100.0	63.9 (4.18)	*8.1 (2.69)	28.0 (4.17)	15.0 (1.51)	6.2 (1.23)	17.2 (1.81)
Divorced or separated	100.0	67.4 (0.83)	6.7 (0.42)	25.9 (0.82)	14.2 (0.27)	5.1 (0.25)	16.3 (0.29)
Never married	100.0	77.7 (0.49)	6.1 (0.27)	16.2 (0.44)	12.1 (0.26)	5.1 (0.47)	14.7 (0.27)
Living with a partner	100.0	66.6 (0.98)	7.3 (0.49)	26.1 (0.94)	12.9 (0.36)	3.6 (0.23)	15.1 (0.39)
Region							
Northeast	100.0	81.6 (0.61)	4.4 (0.30)	14.0 (0.59)	12.8 (0.30)	4.7 (0.45)	14.9 (0.31)
Midwest	100.0	77.3 (0.59)	4.8 (0.24)	17.9 (0.53)	14.2 (0.25)	4.2 (0.23)	16.4 (0.24)
South	100.0	77.8 (0.42)	5.3 (0.20)	16.9 (0.39)	13.4 (0.19)	4.7 (0.22)	15.7 (0.19)
West	100.0	83.4 (0.42)	5.1 (0.23)	11.5 (0.35)	10.7 (0.23)	4.4 (0.28)	13.0 (0.28)
Place of residence ⁸							
Large MSA	100.0	82.0 (0.33)	5.0 (0.16)	13.0 (0.30)	11.3 (0.14)	4.2 (0.17)	14.6 (0.19)
Small MSA	100.0	79.1 (0.47)	5.0 (0.21)	15.9 (0.43)	12.4 (0.16)	4.7 (0.24)	15.6 (0.22)
Not in MSA	100.0	71.9 (0.72)	5.0 (0.33)	23.1 (0.71)	13.9 (0.22)	5.1 (0.36)	16.5 (0.29)

Table TOB–2a. Age-adjusted percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and age-adjusted mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Smoking status			Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
		Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹			
Women	100.0	84.2 (0.22)	3.3 (0.09)	12.5 (0.21)	11.3 (0.12)	4.0 (0.10)	13.2 (0.13)
Age							
18–24 years	100.0	84.7 (0.76)	4.1 (0.34)	11.2 (0.69)	8.5 (0.26)	3.2 (0.21)	10.4 (0.31)
25–44 years	100.0	82.0 (0.34)	4.0 (0.15)	13.9 (0.30)	10.8 (0.15)	3.8 (0.15)	12.7 (0.17)
45–64 years	100.0	81.9 (0.35)	3.2 (0.14)	14.8 (0.33)	12.6 (0.18)	4.5 (0.20)	14.3 (0.19)
65–74 years	100.0	90.3 (0.38)	1.7 (0.15)	8.0 (0.37)	12.9 (0.44)	4.3 (0.30)	14.6 (0.48)
75 years and over	100.0	95.3 (0.29)	1.0 (0.14)	3.7 (0.26)	11.1 (0.50)	3.7 (0.41)	12.8 (0.53)
Race							
One race ²	100.0	84.3 (0.22)	3.3 (0.09)	12.4 (0.20)	11.3 (0.12)	4.0 (0.10)	13.2 (0.13)
White	100.0	83.3 (0.26)	3.4 (0.11)	13.4 (0.24)	11.8 (0.13)	4.0 (0.12)	13.6 (0.14)
Black or African American	100.0	85.7 (0.38)	3.9 (0.20)	10.4 (0.33)	8.4 (0.17)	4.1 (0.22)	10.0 (0.19)
American Indian or Alaska Native	100.0	80.6 (2.18)	4.9 (0.99)	14.5 (1.99)	9.5 (0.70)	4.3 (0.67)	11.0 (0.99)
Asian	100.0	94.7 (0.43)	1.5 (0.23)	3.8 (0.38)	8.5 (0.66)	2.5 (0.22)	10.2 (0.72)
Native Hawaiian or Other Pacific Islander	100.0	86.9 (2.81)	*4.9 (1.76)	8.2 (2.22)	7.8 (1.24)	4.6 (1.05)	9.5 (1.86)
Two or more races ³	100.0	77.6 (1.57)	4.7 (0.66)	17.7 (1.50)	11.3 (0.63)	3.6 (0.34)	13.1 (0.68)
Black or African American, white	100.0	77.7 (3.32)	*4.0 (1.46)	18.4 (3.15)	8.4 (0.87)	2.6 (0.69)	9.2 (0.96)
American Indian or Alaska Native, white	100.0	69.0 (2.68)	5.5 (1.13)	25.5 (2.65)	12.9 (0.79)	3.6 (0.42)	14.7 (0.82)

Table TOB–2a. Age-adjusted percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and age-adjusted mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Smoking status			Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
		Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹			
Women (continued)							
Hispanic or Latino origin ⁴ and race							
Hispanic or Latino	100.0	92.5 (0.29)	2.7 (0.18)	4.8 (0.22)	7.5 (0.29)	3.3 (0.26)	9.5 (0.35)
Mexican or Mexican American	100.0	93.2 (0.35)	2.7 (0.22)	4.1 (0.26)	6.2 (0.34)	2.8 (0.21)	8.1 (0.44)
Not Hispanic or Latino	100.0	82.6 (0.25)	3.5 (0.10)	13.9 (0.24)	11.6 (0.12)	4.1 (0.11)	13.4 (0.14)
White, single race	100.0	81.0 (0.31)	3.6 (0.13)	15.4 (0.29)	12.2 (0.14)	4.1 (0.13)	13.9 (0.15)
Black or African American, single race	100.0	85.5 (0.39)	3.8 (0.21)	10.6 (0.34)	8.5 (0.17)	4.1 (0.22)	10.0 (0.20)
American Indian or Alaska Native, single race	100.0	74.9 (3.33)	6.2 (1.55)	18.9 (2.98)	9.1 (0.72)	4.2 (0.71)	10.6 (1.14)
Education ⁵							
Less than high school graduate	100.0	78.3 (0.58)	3.3 (0.24)	18.4 (0.55)	13.0 (0.32)	4.0 (0.26)	14.6 (0.35)
GED or equivalent ⁶	100.0	61.1 (1.41)	5.4 (0.65)	33.5 (1.40)	13.4 (0.49)	3.9 (0.45)	14.8 (0.53)
High school graduate	100.0	79.1 (0.52)	3.4 (0.23)	17.5 (0.48)	12.0 (0.21)	4.4 (0.31)	13.4 (0.22)
Some college, no degree	100.0	80.1 (0.48)	4.0 (0.22)	15.9 (0.44)	11.9 (0.24)	4.4 (0.25)	13.6 (0.27)
Associate of arts degree	100.0	83.7 (0.53)	3.5 (0.24)	12.8 (0.48)	11.4 (0.31)	4.4 (0.32)	13.2 (0.33)
Bachelor of arts, science degree	100.0	92.3 (0.30)	2.8 (0.18)	4.9 (0.24)	9.0 (0.36)	3.4 (0.17)	11.7 (0.44)
Master's, professional, or doctoral degree	100.0	94.9 (0.34)	1.7 (0.18)	3.4 (0.29)	9.0 (0.47)	4.3 (0.46)	11.2 (0.59)
Poverty status ⁷							
Less than 100% of the poverty threshold	100.0	76.1 (0.49)	4.6 (0.21)	19.3 (0.46)	13.0 (0.26)	4.3 (0.22)	13.4 (0.22)
100% to less than 200% of the poverty threshold	100.0	79.5 (0.50)	3.7 (0.20)	16.8 (0.47)	13.4 (0.22)	4.3 (0.23)	13.5 (0.24)
200% to less than 400% of the poverty threshold	100.0	84.0 (0.39)	3.5 (0.18)	12.6 (0.38)	13.0 (0.21)	3.8 (0.17)	13.1 (0.23)
400% of the poverty threshold or greater	100.0	90.5 (0.30)	2.6 (0.16)	6.9 (0.27)	12.5 (0.24)	3.7 (0.20)	12.3 (0.26)

Table TOB–2a. Age-adjusted percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and age-adjusted mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Percent distribution			Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
		Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹			
Women (continued)							
Marital status							
Married	100.0	88.1 (0.27)	2.3 (0.11)	9.6 (0.24)	11.8 (0.22)	3.8 (0.19)	13.5 (0.23)
Widowed	100.0	74.6 (2.40)	6.2 (1.68)	19.1 (2.15)	13.7 (0.90)	4.5 (0.51)	16.5 (0.78)
Divorced or separated	100.0	75.0 (0.56)	4.9 (0.28)	20.1 (0.54)	11.9 (0.20)	4.0 (0.19)	13.6 (0.22)
Never married	100.0	83.9 (0.44)	4.1 (0.21)	12.0 (0.38)	9.8 (0.21)	4.5 (0.27)	11.6 (0.24)
Living with a partner	100.0	71.5 (1.07)	5.3 (0.45)	23.2 (1.02)	11.8 (0.46)	4.2 (0.38)	13.4 (0.48)
Region							
Northeast	100.0	84.8 (0.50)	3.4 (0.23)	11.8 (0.46)	10.8 (0.29)	3.6 (0.22)	12.7 (0.31)
Midwest	100.0	80.6 (0.53)	3.5 (0.21)	15.8 (0.50)	11.8 (0.22)	4.1 (0.19)	13.3 (0.26)
South	100.0	83.3 (0.36)	3.5 (0.15)	13.2 (0.35)	11.9 (0.20)	4.3 (0.18)	13.9 (0.21)
West	100.0	88.7 (0.37)	2.9 (0.16)	8.4 (0.34)	9.6 (0.23)	3.6 (0.19)	11.5 (0.26)
Place of residence ⁸							
Large MSA	100.0	86.9 (0.27)	3.4 (0.12)	9.8 (0.25)	10.3 (0.17)	3.7 (0.12)	12.4 (0.19)
Small MSA	100.0	82.9 (0.42)	3.4 (0.16)	13.7 (0.39)	11.5 (0.23)	4.3 (0.20)	13.2 (0.24)
Not in MSA	100.0	76.6 (0.74)	3.3 (0.24)	20.1 (0.73)	13.1 (0.28)	4.2 (0.25)	14.4 (0.28)

*Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

¹Derived from several source questions: "Have you smoked at least 100 cigarettes in your entire life?", "Do you now smoke cigarettes every day, some days or not at all?", and "On the average, how many cigarettes do you now smoke a day?" Categories are derived from respondents' self-reported responses to a series of questions about current cigarette use. A nonsmoker has never smoked a cigarette or smoked less than 100 cigarettes in their lifetime, or smoked more than 100 cigarettes in their lifetime but are not currently smoking. A nondaily smoker currently smokes cigarettes on some days, regardless of the number of days they smoked. For the calculation of mean number of cigarettes smoked non-daily smokers who did not smoke in the past 30 days are excluded. A daily smoker currently smokes cigarettes every day. Estimates reflect usual cigarette consumption on days smoked and do not reflect average consumption over a period of time such as a week or a month.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over. Estimates are age adjusted to the projected 2000 U.S. population as the standard population using three age groups: 25–44, 45–64, and 65 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Based on family income and family size using the U.S. Census Bureau poverty thresholds for 2010, 2011, 2012, and 2013.

⁸MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about the sample adult. Data came from the Sample Adult file and were weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages, but they were included in the "All adults aged 18 and over" column. Percentages may not add to totals due to rounding. "Both sexes," "male," and "female" include persons of other races and unknown race and ethnicity, unknown education, unknown poverty status and unknown marital status. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using three age groups: 18–44, 45–64, and 65 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Health Behaviors Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Clarke TC, Villarroel MA, Schoenborn CA. Tables of adult health behaviors, tobacco use: National Health Interview Survey, 2011–2014. 2016. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2011–2014.

Table TOB–2b. Frequency distribution (number in thousands) of current cigarette smoking status for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹
Both sexes	235,845	192,681	9,453	32,551
Age				
18–24 years	30,153	24,676	1,617	3,759
25–44 years	81,276	63,958	4,312	12,634
45–64 years	81,945	65,469	2,883	13,194
65–74 years	24,278	21,426	448	2,263
75 years and over	18,194	17,152	193	700
Race				
One race ²	232,068	189,882	9,236	31,804
White	188,610	153,545	7,258	26,896
Black or African American	28,367	23,090	1,421	3,687
American Indian or Alaska Native	1,954	1,507	155	276
Asian	12,745	11,427	365	907
Native Hawaiian or Other Pacific Islander	393	313	*37	36
Two or more races ³	3,776	2,799	216	748
Black or African American, white	753	560	41	148
American Indian or Alaska Native, white	1,557	1,054	95	403
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	34,996	30,645	1,801	2,440
Mexican or Mexican American	21,611	19,037	1,206	1,301
Not Hispanic or Latino	200,849	162,036	7,652	30,111
White, single race	156,720	125,546	5,665	24,699
Black or African American, single race	27,201	22,090	1,352	3,595
American Indian or Alaska Native, single race	1,230	884	101	231
Education ⁵				
Less than high school graduate	27,998	21,082	1,236	5,544
GED or equivalent ⁶	6,018	3,418	340	2,230
High school graduate	46,650	35,860	1,928	8,577
Some college, no degree	35,745	28,107	1,589	5,857
Associate of arts degree	23,771	19,407	995	3,267
Bachelor of arts, science degree	40,524	36,782	1,223	2,349
Master's, professional, or doctoral degree	23,877	22,479	484	821
Poverty status ⁷				
Less than 100% of the poverty threshold	32,666	23,527	1,904	7,081
100% to less than 200% of the poverty threshold	45,025	34,637	2,067	8,084
200% to less than 400% of the poverty threshold	70,656	57,464	2,880	10,055
400% of the poverty threshold or greater	87,498	77,053	2,602	7,331

Table TOB–2b. Frequency distribution (number in thousands) of current cigarette smoking status for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹
Both sexes (continued)				
Marital status				
Married	124,885	107,388	3,487	13,487
Widowed	14,165	12,350	294	1,397
Divorced or separated	26,937	19,440	1,447	5,893
Never married	52,245	41,573	2,984	7,441
Living with a partner	17,226	11,623	1,219	4,288
Region				
Northeast	41,864	34,808	1,557	5,310
Midwest	53,927	42,432	2,161	9,029
South	86,250	69,360	3,619	12,835
West	53,805	46,082	2,116	5,377
Place of residence ⁸				
Large MSA	126,734	106,412	5,198	14,506
Small MSA	72,525	58,634	2,915	10,623
Not in MSA	36,586	27,634	1,340	7,423

Table TOB–2b. Frequency distribution (number in thousands) of current cigarette smoking status for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹
Men	113,760	90,143	5,508	17,514
Age				
18–24 years	15,174	12,021	1,004	2,087
25–44 years	40,089	30,311	2,654	6,931
45–64 years	39,742	31,052	1,529	6,958
65–74 years	11,317	9,774	233	1,232
75 years and over	7,437	6,985	88	305
Race				
One race ²	111,961	88,867	5,386	17,121
White	92,063	73,105	4,181	14,298
Black or African American	12,796	9,871	811	2,035
American Indian or Alaska Native	938	706	104	125
Asian	5,969	5,043	263	644
Native Hawaiian or Other Pacific Islander	195	142	*	*20
Two or more races ³	1,799	1,277	121	392
Black or African American, white	304	212	28	61
American Indian or Alaska Native, white	757	508	50	197
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	17,639	14,673	1,303	1,606
Mexican or Mexican American	11,070	9,254	905	874
Not Hispanic or Latino	96,121	75,470	4,205	15,907
White, single race	75,967	59,688	3,030	12,826
Black or African American, single race	12,261	9,435	771	1,975
American Indian or Alaska Native, single race	549	386	60	101
Education ⁵				
Less than high school graduate	13,693	9,629	810	3,184
GED or equivalent ⁶	3,268	1,765	190	1,289
High school graduate	22,609	16,504	1,199	4,772
Some college, no degree	16,464	12,692	849	2,835
Associate of arts degree	10,637	8,501	527	1,576
Bachelor of arts, science degree	19,491	17,478	618	1,287
Master's, professional, or doctoral degree	11,883	11,142	283	399
Poverty status ⁷				
Less than 100% of the poverty threshold	13,870	9,317	1,038	3,451
100% to less than 200% of the poverty threshold	20,335	14,812	1,215	4,171
200% to less than 400% of the poverty threshold	34,669	27,276	1,689	5,641
400% of the poverty threshold or greater	44,886	38,738	1,567	4,251

Table TOB–2b. Frequency distribution (number in thousands) of current cigarette smoking status for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹
Men (continued)				
Marital status				
Married	63,247	53,362	2,131	7,471
Widowed	3,037	2,526	71	411
Divorced or separated	11,148	7,532	691	2,861
Never married	27,722	21,188	1,906	4,469
Living with a partner	8,467	5,434	696	2,285
Region				
Northeast	20,132	16,404	842	2,799
Midwest	26,300	20,169	1,226	4,732
South	40,974	31,724	2,087	6,934
West	26,354	21,846	1,353	3,049
Place of residence ⁸				
Large MSA	61,372	49,922	3,048	8,096
Small MSA	34,977	27,530	1,683	5,578
Not in MSA	17,411	12,692	776	3,840

Table TOB–2b. Frequency distribution (number in thousands) of current cigarette smoking status for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹
Women	122,085	102,538	3,945	15,038
Age				
18–24 years	14,979	12,655	613	1,672
25–44 years	41,187	33,647	1,658	5,703
45–64 years	42,203	34,416	1,354	6,237
65–74 years	12,960	11,652	215	1,031
75 years and over	10,757	10,167	105	395
Race				
One race ²	120,107	101,016	3,850	14,683
White	96,547	80,440	3,077	12,598
Black or African American	15,570	13,219	610	1,653
American Indian or Alaska Native	1,015	801	51	152
Asian	6,776	6,384	102	263
Native Hawaiian or Other Pacific Islander	198	171	*10	*17
Two or more races ³	1,978	1,522	95	355
Black or African American, white	449	348	13	87
American Indian or Alaska Native, white	800	546	45	206
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	17,357	15,971	498	834
Mexican or Mexican American	10,541	9,784	301	427
Not Hispanic or Latino	104,728	86,567	3,447	14,204
White, single race	80,752	65,859	2,635	11,873
Black or African American, single race	14,940	12,655	580	1,620
American Indian or Alaska Native, single race	681	498	41	130
Education ⁵				
Less than high school graduate	14,305	11,453	425	2,360
GED or equivalent ⁶	2,750	1,653	150	941
High school graduate	24,041	19,356	729	3,805
Some college, no degree	19,281	15,416	740	3,022
Associate of arts degree	13,134	10,906	468	1,691
Bachelor of arts, science degree	21,032	19,304	605	1,062
Master's, professional, or doctoral degree	11,994	11,337	201	422
Poverty status ⁷				
Less than 100% of the poverty threshold	18,796	14,210	866	3,630
100% to less than 200% of the poverty threshold	24,690	19,825	852	3,913
200% to less than 400% of the poverty threshold	35,988	30,188	1,191	4,414
400% of the poverty threshold or greater	42,612	38,315	1,036	3,080
Women (continued)				

Table TOB–2b. Frequency distribution (number in thousands) of current cigarette smoking status for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹
Marital status				
Married	61,638	54,026	1,357	6,016
Widowed	11,128	9,824	223	986
Divorced or separated	15,788	11,908	756	3,032
Never married	24,523	20,385	1,077	2,972
Living with a partner	8,759	6,189	523	2,003
Region				
Northeast	21,732	18,404	715	2,512
Midwest	27,626	22,263	935	4,297
South	45,276	37,636	1,532	5,902
West	27,451	24,235	763	2,328
Place of residence⁸				
Large MSA	65,362	56,490	2,149	6,410
Small MSA	37,548	31,105	1,232	5,045
Not in MSA	19,175	14,942	564	3,583

*Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

¹Derived from several source questions: "Have you smoked at least 100 cigarettes in your entire life?", "Do you now smoke cigarettes every day, some days or not at all?", and "On the average, how many cigarettes do you now smoke a day?" Categories are derived from respondents' self-reported responses to a series of questions about current cigarette use. A nonsmoker has never smoked a cigarette or smoked less than 100 cigarettes in their lifetime, or smoked more than 100 cigarettes in their lifetime but are not currently smoking. A nondaily smoker currently smokes cigarettes on some days, regardless of the number of days they smoked. For the calculation of mean number of cigarettes smoked non-daily smokers who did not smoke in the past 30 days are excluded. A daily smoker currently smokes cigarettes every day. Estimates reflect usual cigarette consumption on days smoked and do not reflect average consumption over a period of time such as a week or a month.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Based on family income and family size using the U.S. Census Bureau poverty thresholds for 2010, 2011, 2012, and 2013.

⁸MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and estimates were weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages, but they were included in the "All adults aged 18 and over" column. Percentages may not add to totals due to rounding. "Both sexes," "men," and "women" include persons of other races and unknown race and ethnicity, unknown education, and unknown marital status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Clarke TC, Villarreal MA, Schoenborn CA. Tables of adult health behaviors, tobacco use: National Health Interview Survey, 2011–2014. 2016. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2011–2014.

Table TOB–2c. Crude percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and crude mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹	Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
Both sexes	100.0	82.1 (0.18)	4.0 (0.07)	13.9 (0.17)	12.2 (0.09)	4.1 (0.07)	14.4 (0.09)
Age							
18–24 years	100.0	82.1 (0.52)	5.4 (0.28)	12.5 (0.46)	9.0 (0.20)	3.5 (0.15)	11.3 (0.23)
25–44 years	100.0	79.1 (0.29)	5.3 (0.13)	15.6 (0.26)	11.3 (0.12)	3.9 (0.10)	13.6 (0.13)
45–64 years	100.0	80.3 (0.28)	3.5 (0.11)	16.2 (0.27)	13.9 (0.14)	4.7 (0.14)	15.8 (0.14)
65–74 years	100.0	88.8 (0.32)	1.9 (0.13)	9.4 (0.31)	14.5 (0.30)	5.5 (0.45)	16.1 (0.31)
75 years and over	100.0	95.1 (0.24)	1.1 (0.11)	3.9 (0.21)	11.8 (0.40)	3.8 (0.42)	13.6 (0.43)
Race							
One race ²	100.0	82.2 (0.18)	4.0 (0.07)	13.8 (0.17)	12.2 (0.09)	4.2 (0.07)	14.4 (0.10)
White	100.0	81.8 (0.21)	3.9 (0.08)	14.3 (0.19)	12.9 (0.10)	4.2 (0.08)	15.1 (0.11)
Black or African American	100.0	81.9 (0.35)	5.0 (0.20)	13.1 (0.30)	9.1 (0.15)	4.2 (0.17)	10.9 (0.17)
American Indian or Alaska Native	100.0	77.7 (1.87)	8.0 (1.09)	14.3 (1.41)	9.7 (0.66)	3.9 (0.60)	12.8 (0.86)
Asian	100.0	90.0 (0.45)	2.9 (0.23)	7.1 (0.40)	8.0 (0.33)	3.1 (0.27)	9.8 (0.40)
Native Hawaiian or Other Pacific Islander	100.0	81.1 (3.87)	*9.5 (3.39)	9.4 (2.31)	6.5 (1.22)	3.4 (0.57)	9.5 (1.85)
Two or more races ³	100.0	74.4 (1.26)	5.8 (0.57)	19.9 (1.13)	11.9 (0.48)	3.7 (0.33)	14.2 (0.54)
Black or African American, white	100.0	74.8 (2.77)	5.4 (1.12)	19.8 (2.59)	9.6 (0.74)	2.9 (0.47)	11.4 (0.91)
American Indian or Alaska Native, white	100.0	67.9 (2.19)	6.1 (0.94)	26.0 (2.03)	13.8 (0.71)	4.3 (0.69)	16.1 (0.76)

Table TOB–2c. Crude percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and crude mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹	Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
Both sexes (continued)							
Hispanic or Latino origin ⁴ and race							
Hispanic or Latino	100.0	87.8 (0.27)	5.2 (0.19)	7.0 (0.21)	7.4 (0.18)	3.3 (0.15)	10.3 (0.24)
Mexican or Mexican American	100.0	88.4 (0.33)	5.6 (0.25)	6.0 (0.23)	6.4 (0.20)	3.0 (0.17)	9.3 (0.29)
Not Hispanic or Latino	100.0	81.1 (0.20)	3.8 (0.08)	15.1 (0.19)	12.7 (0.10)	4.3 (0.08)	14.7 (0.10)
White, single race	100.0	80.5 (0.24)	3.6 (0.09)	15.8 (0.23)	13.5 (0.11)	4.4 (0.10)	15.5 (0.11)
Black or African American, single race	100.0	81.7 (0.36)	5.0 (0.20)	13.3 (0.31)	9.1 (0.15)	4.3 (0.18)	10.9 (0.17)
American Indian or Alaska Native, single race	100.0	72.7 (2.83)	8.3 (1.40)	19.0 (2.22)	10.3 (0.74)	4.1 (0.65)	12.9 (0.96)
Education ⁵							
Less than high school graduate	100.0	75.7 (0.43)	4.4 (0.19)	19.9 (0.42)	13.9 (0.22)	4.3 (0.20)	15.8 (0.23)
GED or equivalent ⁶	100.0	57.1 (1.17)	5.7 (0.47)	37.2 (1.15)	14.5 (0.33)	4.2 (0.35)	16.0 (0.35)
High school graduate	100.0	77.3 (0.37)	4.2 (0.16)	18.5 (0.35)	13.1 (0.16)	4.3 (0.17)	15.0 (0.17)
Some college, no degree	100.0	79.1 (0.37)	4.5 (0.17)	16.5 (0.34)	12.6 (0.18)	4.5 (0.18)	14.6 (0.20)
Associate of arts degree	100.0	82.0 (0.50)	4.2 (0.22)	13.8 (0.48)	12.0 (0.22)	4.7 (0.25)	14.2 (0.23)
Bachelor of arts, science degree	100.0	91.1 (0.24)	3.0 (0.14)	5.8 (0.20)	9.9 (0.23)	3.6 (0.15)	13.0 (0.27)
Masters, doctorate, medical degree	100.0	94.5 (0.26)	2.0 (0.15)	3.5 (0.21)	9.1 (0.36)	3.9 (0.31)	11.9 (0.44)
Poverty status ⁷							
Less than 100% of the poverty threshold	100.0	72.4 (0.50)	5.9 (0.20)	21.8 (0.46)	12.2 (0.16)	4.5 (0.17)	14.2 (0.17)
100% to less than 200% of the poverty threshold	100.0	77.3 (0.37)	4.6 (0.17)	18.1 (0.35)	12.6 (0.16)	4.1 (0.15)	14.7 (0.17)
200% to less than 400% of the poverty threshold	100.0	81.6 (0.28)	4.1 (0.14)	14.3 (0.27)	12.2 (0.15)	4.0 (0.12)	14.4 (0.16)
400% of the poverty threshold or greater	100.0	88.6 (0.23)	3.0 (0.11)	8.4 (0.21)	11.8 (0.17)	4.1 (0.14)	14.3 (0.19)

Table TOB–2c. Crude percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and crude mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹	Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
Both sexes (continued)							
Marital status							
Married	100.0	86.4 (0.21)	2.8 (0.09)	10.8 (0.19)	12.8 (0.15)	4.0 (0.13)	14.9 (0.15)
Widowed	100.0	88.0 (0.38)	2.1 (0.16)	10.0 (0.35)	14.0 (0.33)	4.8 (0.40)	15.9 (0.33)
Divorced or separated	100.0	72.6 (0.42)	5.4 (0.18)	22.0 (0.42)	13.4 (0.17)	4.7 (0.16)	15.4 (0.17)
Never married	100.0	80.0 (0.35)	5.7 (0.18)	14.3 (0.31)	10.4 (0.14)	4.1 (0.12)	12.8 (0.16)
Living with a partner	100.0	67.9 (0.72)	7.1 (0.36)	25.0 (0.68)	11.6 (0.2)	3.7 (0.17)	13.8 (0.21)
Region							
Northeast	100.0	83.5 (0.42)	3.7 (0.18)	12.7 (0.40)	11.9 (0.22)	4.1 (0.18)	14.0 (0.23)
Midwest	100.0	79.1 (0.44)	4.0 (0.16)	16.8 (0.41)	13.0 (0.17)	4.1 (0.14)	15.1 (0.18)
South	100.0	80.8 (0.30)	4.2 (0.12)	15.0 (0.29)	12.7 (0.16)	4.3 (0.12)	15.0 (0.16)
West	100.0	86.0 (0.30)	4.0 (0.14)	10.0 (0.26)	10.0 (0.16)	3.9 (0.14)	12.3 (0.18)
Place of residence ⁸							
Large MSA	100.0	84.4 (0.24)	4.1 (0.10)	11.5 (0.22)	11.2 (0.14)	3.9 (0.09)	13.7 (0.14)
Small MSA	100.0	81.2 (0.35)	4.0 (0.14)	14.7 (0.33)	12.4 (0.16)	4.5 (0.13)	14.5 (0.16)
Not in MSA	100.0	75.9 (0.52)	3.7 (0.17)	20.4 (0.52)	14.1 (0.24)	4.4 (0.18)	15.7 (0.24)

Table TOB–2c. Crude percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and crude mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹	Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
Men	100.0	79.7 (0.25)	4.9 (0.11)	15.5 (0.23)	12.9 (0.12)	4.3 (0.10)	15.4 (0.12)
Age							
18–24 years	100.0	79.5 (0.73)	6.6 (0.43)	13.8 (0.64)	9.4 (0.28)	3.7 (0.22)	12.0 (0.32)
25–44 years	100.0	76.0 (0.42)	6.7 (0.22)	17.4 (0.37)	11.6 (0.16)	4.0 (0.14)	14.4 (0.17)
45–64 years	100.0	78.5 (0.39)	3.9 (0.17)	17.6 (0.38)	15.1 (0.20)	4.8 (0.19)	17.1 (0.20)
65–74 years	100.0	87.0 (0.50)	2.1 (0.20)	11.0 (0.47)	15.9 (0.40)	6.7 (0.85)	17.4 (0.41)
75 years and over	100.0	94.7 (0.39)	1.2 (0.19)	4.1 (0.33)	12.7 (0.64)	3.9 (0.88)	14.5 (0.65)
Race							
One race ²	100.0	79.8 (0.25)	4.8 (0.12)	15.4 (0.23)	12.9 (0.12)	4.3 (0.10)	15.4 (0.13)
White	100.0	79.8 (0.28)	4.6 (0.13)	15.6 (0.26)	13.7 (0.14)	4.4 (0.12)	16.2 (0.14)
Black or African American	100.0	77.6 (0.57)	6.4 (0.36)	16.0 (0.49)	9.5 (0.22)	4.3 (0.26)	11.5 (0.24)
American Indian or Alaska Native	100.0	75.5 (2.61)	11.2 (1.79)	13.3 (1.85)	9.5 (0.98)	3.5 (0.79)	14.4 (1.00)
Asian	100.0	84.8 (0.79)	4.4 (0.41)	10.8 (0.71)	7.8 (0.34)	3.3 (0.35)	9.6 (0.41)
Native Hawaiian or Other Pacific Islander	100.0	75.3 (6.83)	*14.2 (6.39)	*10.5 (3.88)	5.7 (1.52)	3.0 (0.51)	9.3 (2.70)
Two or more races ³	100.0	71.3 (1.91)	6.8 (1.02)	21.9 (1.62)	12.7 (0.71)	3.8 (0.50)	15.5 (0.82)
Black or African American, white	100.0	70.3 (4.36)	9.4 (2.41)	20.3 (3.75)	10.2 (1.04)	3.0 (0.61)	13.4 (1.23)
American Indian or Alaska Native, white	100.0	67.3 (3.32)	6.6 (1.67)	26.1 (2.78)	14.9 (1.14)	4.7 (1.09)	17.5 (1.28)

Table TOB–2c. Crude percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and crude mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹	Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
Men (continued)							
Hispanic or Latino origin ⁴ and race							
Hispanic or Latino	100.0	83.5 (0.45)	7.4 (0.32)	9.1 (0.35)	7.6 (0.23)	3.2 (0.18)	10.8 (0.30)
Mexican or Mexican American	100.0	83.9 (0.55)	8.2 (0.43)	7.9 (0.38)	6.6 (0.26)	4.5 (0.11)	10.0 (0.37)
Not Hispanic or Latino	100.0	79.0 (0.28)	4.4 (0.12)	16.6 (0.26)	13.6 (0.13)	4.6 (0.12)	15.9 (0.13)
White, single race	100.0	79.0 (0.33)	4.0 (0.13)	17.0 (0.30)	14.7 (0.15)	4.8 (0.14)	16.8 (0.15)
Black or African American, single race	100.0	77.5 (0.58)	6.3 (0.36)	16.2 (0.50)	9.6 (0.22)	4.4 (0.27)	11.5 (0.24)
American Indian or Alaska Native, single race	100.0	70.5 (3.78)	10.9 (2.17)	18.5 (3.01)	11.0 (1.12)	3.8 (0.93)	15.2 (1.01)
Education ⁵							
Less than high school graduate	100.0	70.7 (0.68)	5.9 (0.33)	23.4 (0.66)	14.3 (0.29)	4.4 (0.27)	16.6 (0.29)
GED or equivalent ⁶	100.0	54.4 (1.70)	5.9 (0.69)	39.7 (1.70)	15.3 (0.49)	4.3 (0.48)	16.8 (0.50)
High school graduate	100.0	73.4 (0.53)	5.3 (0.27)	21.2 (0.50)	13.9 (0.22)	4.3 (0.21)	16.2 (0.23)
Some college, no degree	100.0	77.5 (0.54)	5.2 (0.28)	17.3 (0.50)	13.4 (0.28)	4.7 (0.25)	15.8 (0.29)
Associate of arts degree	100.0	80.2 (0.81)	5.0 (0.37)	14.9 (0.77)	12.8 (0.35)	4.9 (0.39)	15.3 (0.35)
Bachelor of arts, science degree	100.0	90.2 (0.37)	3.2 (0.21)	6.6 (0.31)	10.8 (0.34)	3.9 (0.27)	13.9 (0.39)
Masters, doctorate, medical degree	100.0	94.2 (0.36)	2.4 (0.24)	3.4 (0.28)	9.0 (0.53)	3.8 (0.44)	12.4 (0.66)
Poverty status ⁷							
Less than 100% of the poverty threshold	100.0	67.5 (0.80)	7.5 (0.37)	25.0 (0.74)	12.8 (0.25)	4.7 (0.25)	15.1 (0.27)
100% to less than 200% of the poverty threshold	100.0	73.3 (0.58)	6.0 (0.30)	20.7 (0.54)	13.3 (0.23)	4.0 (0.22)	15.8 (0.23)
200% to less than 400% of the poverty threshold	100.0	78.8 (0.42)	4.9 (0.22)	16.3 (0.39)	12.8 (0.22)	4.1 (0.18)	15.2 (0.22)
400% of the poverty threshold or greater	100.0	86.9 (0.33)	3.5 (0.16)	9.5 (0.30)	12.7 (0.24)	4.5 (0.20)	15.5 (0.25)

Table TOB–2c. Crude percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and crude mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹	Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
Men (continued)							
Marital status							
Married	100.0	84.8 (0.29)	3.4 (0.13)	11.9 (0.27)	13.4 (0.19)	4.2 (0.18)	15.8 (0.20)
Widowed	100.0	84.0 (0.89)	2.3 (0.32)	13.7 (0.85)	16.8 (0.65)	7.0 (1.38)	18.4 (0.67)
Divorced or separated	100.0	68.0 (0.66)	6.2 (0.31)	25.8 (0.64)	14.9 (0.26)	5.1 (0.24)	17.1 (0.27)
Never married	100.0	76.9 (0.49)	6.9 (0.28)	16.2 (0.43)	11.0 (0.19)	4.3 (0.17)	13.7 (0.21)
Living with a partner	100.0	64.6 (0.98)	8.3 (0.54)	27.2 (0.91)	12.2 (0.3)	3.6 (0.21)	14.6 (0.32)
Region							
Northeast	100.0	81.8 (0.60)	4.2 (0.29)	14.0 (0.58)	12.8 (0.3)	4.4 (0.27)	15.0 (0.31)
Midwest	100.0	77.2 (0.59)	4.7 (0.23)	18.1 (0.54)	14.1 (0.26)	4.2 (0.21)	16.5 (0.25)
South	100.0	77.9 (0.42)	5.1 (0.19)	17.0 (0.39)	13.3 (0.2)	4.3 (0.16)	15.9 (0.19)
West	100.0	83.2 (0.42)	5.2 (0.23)	11.6 (0.35)	10.3 (0.23)	4.2 (0.20)	12.9 (0.27)
Place of residence ⁸							
Large MSA	100.0	81.8 (0.34)	5.0 (0.16)	13.3 (0.30)	11.9 (0.18)	4.0 (0.13)	14.6 (0.19)
Small MSA	100.0	79.1 (0.45)	4.8 (0.20)	16.0 (0.43)	13.2 (0.21)	4.6 (0.19)	15.6 (0.21)
Not in MSA	100.0	73.3 (0.69)	4.5 (0.28)	22.2 (0.68)	14.8 (0.31)	4.6 (0.25)	16.8 (0.30)

Table TOB–2c. Crude percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and crude mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹	Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
Women	100.0	84.4 (0.21)	3.2 (0.09)	12.4 (0.20)	11.4 (0.12)	4.0 (0.10)	13.3 (0.13)
Age							
18–24 years	100.0	84.7 (0.76)	4.1 (0.34)	11.2 (0.69)	8.5 (0.26)	3.2 (0.21)	10.4 (0.31)
25–44 years	100.0	82.0 (0.34)	4.0 (0.15)	13.9 (0.30)	10.8 (0.15)	3.8 (0.15)	12.7 (0.17)
45–64 years	100.0	81.9 (0.35)	3.2 (0.14)	14.8 (0.33)	12.6 (0.18)	4.5 (0.20)	14.3 (0.19)
65–74 years	100.0	90.3 (0.38)	1.7 (0.15)	8.0 (0.37)	12.9 (0.44)	4.3 (0.30)	14.6 (0.48)
75 years and over	100.0	95.3 (0.29)	1.0 (0.14)	3.7 (0.26)	11.1 (0.5)	3.7 (0.41)	12.8 (0.53)
Race							
One race ²	100.0	84.5 (0.21)	3.2 (0.09)	12.3 (0.20)	11.4 (0.12)	4.0 (0.11)	13.3 (0.13)
White	100.0	83.7 (0.25)	3.2 (0.10)	13.1 (0.23)	11.9 (0.13)	4.0 (0.10)	13.8 (0.14)
Black or African American	100.0	85.4 (0.39)	3.9 (0.20)	10.7 (0.34)	8.6 (0.17)	4.2 (0.23)	10.1 (0.20)
American Indian or Alaska Native	100.0	79.8 (2.26)	5.1 (1.05)	15.1 (2.00)	9.9 (0.70)	4.6 (0.75)	11.5 (0.97)
Asian	100.0	94.6 (0.44)	1.5 (0.24)	3.9 (0.38)	8.4 (0.67)	2.3 (0.25)	10.3 (0.76)
Native Hawaiian or Other Pacific Islander	100.0	86.5 (3.15)	*5.1 (1.82)	*8.4 (2.54)	7.8 (1.52)	4.5 (1.23)	9.8 (2.32)
Two or more races ³	100.0	77.2 (1.59)	4.8 (0.67)	18.0 (1.49)	10.9 (0.59)	3.6 (0.41)	12.7 (0.68)
Black or African American, white	100.0	77.8 (3.46)	2.8 (0.83)	19.4 (3.43)	9.1 (0.98)	2.5 (0.66)	9.9 (1.11)
American Indian or Alaska Native, white	100.0	68.4 (2.77)	5.7 (1.17)	25.9 (2.73)	12.8 (0.83)	3.8 (0.75)	14.7 (0.89)

Table TOB–2c. Crude percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and crude mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹	Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
Women (continued)							
Hispanic or Latino origin ⁴ and race							
Hispanic or Latino	100.0	92.3 (0.30)	2.9 (0.19)	4.8 (0.22)	7.2 (0.27)	3.4 (0.27)	9.4 (0.34)
Mexican or Mexican American	100.0	93.1 (0.36)	2.9 (0.23)	4.1 (0.26)	6.0 (0.30)	2.8 (0.18)	8.1 (0.44)
Not Hispanic or Latino	100.0	83.1 (0.24)	3.3 (0.09)	13.6 (0.23)	11.7 (0.12)	4.1 (0.11)	13.5 (0.13)
White, single race	100.0	81.9 (0.29)	3.3 (0.11)	14.8 (0.27)	12.3 (0.14)	4.1 (0.13)	14.0 (0.15)
Black or African American, single race	100.0	85.2 (0.40)	3.9 (0.21)	10.9 (0.34)	8.6 (0.17)	4.2 (0.23)	10.2 (0.20)
American Indian or Alaska Native, single race	100.0	74.5 (3.42)	6.1 (1.52)	19.4 (2.90)	9.7 (0.73)	4.5 (0.84)	11.2 (1.02)
Education ⁵							
Less than high school graduate	100.0	80.4 (0.50)	3.0 (0.21)	16.6 (0.48)	13.2 (0.34)	4.1 (0.31)	14.7 (0.38)
GED or equivalent ⁶	100.0	60.2 (1.51)	5.5 (0.65)	34.3 (1.49)	13.5 (0.41)	4.1 (0.51)	14.9 (0.43)
High school graduate	100.0	81.0 (0.46)	3.1 (0.19)	15.9 (0.42)	12.2 (0.20)	4.4 (0.30)	13.6 (0.22)
Some college, no degree	100.0	80.4 (0.48)	3.9 (0.21)	15.8 (0.44)	11.8 (0.21)	4.3 (0.25)	13.5 (0.24)
Associate of arts degree	100.0	83.5 (0.54)	3.6 (0.25)	12.9 (0.48)	11.3 (0.27)	4.4 (0.34)	13.2 (0.29)
Bachelor of arts, science degree	100.0	92.1 (0.31)	2.9 (0.19)	5.1 (0.25)	8.8 (0.29)	3.4 (0.14)	11.8 (0.35)
Masters, doctorate, medical degree	100.0	94.8 (0.35)	1.7 (0.18)	3.5 (0.30)	9.1 (0.47)	4.0 (0.44)	11.5 (0.58)
Poverty status ⁷							
Less than 100% of the poverty threshold	100.0	76.0 (0.51)	4.6 (0.21)	19.4 (0.48)	11.6 (0.19)	4.3 (0.23)	13.3 (0.20)
100% to less than 200% of the poverty threshold	100.0	80.6 (0.47)	3.5 (0.19)	15.9 (0.44)	11.9 (0.23)	4.2 (0.23)	13.5 (0.25)
200% to less than 400% of the poverty threshold	100.0	84.3 (0.37)	3.3 (0.17)	12.3 (0.36)	11.4 (0.2)	3.8 (0.18)	13.4 (0.24)
400% of the poverty threshold or greater	100.0	90.3 (0.29)	2.4 (0.14)	7.3 (0.25)	10.5 (0.21)	3.7 (0.20)	12.7 (0.24)

Table TOB–2c. Crude percent distribution (with standard errors) of current cigarette smoking status for adults aged 18 and over, and crude mean number (with standard errors) of cigarettes on days smoked for adults aged 18 and over, by sex and selected characteristics: United States, annualized, 2011–2014

Selected characteristic	All adults aged 18 and over	Nonsmoker ¹	Non-daily smoker ¹	Daily smoker ¹	Mean number of cigarettes on days smoked among all current smokers ¹	Mean number of cigarettes on days smoked among non-daily smokers ¹	Mean number of cigarettes on days smoked among daily smokers ¹
Women (continued)							
Marital status							
Married	100.0	88.0 (0.26)	2.2 (0.11)	9.8 (0.24)	12.1 (0.21)	3.8 (0.20)	13.8 (0.22)
Widowed	100.0	89.0 (0.42)	2.0 (0.18)	8.9 (0.38)	12.9 (0.35)	4.2 (0.28)	14.8 (0.35)
Divorced or separated	100.0	75.9 (0.50)	4.8 (0.23)	19.3 (0.48)	11.9 (0.19)	4.3 (0.21)	13.7 (0.20)
Never married	100.0	83.4 (0.47)	4.4 (0.22)	12.2 (0.42)	9.4 (0.19)	3.8 (0.17)	11.4 (0.24)
Living with a partner	100.0	71.0 (1.02)	6.0 (0.47)	23.0 (0.95)	11.0 (0.28)	4.0 (0.29)	12.8 (0.31)
Region							
Northeast	100.0	85.1 (0.48)	3.3 (0.22)	11.6 (0.44)	10.9 (0.28)	3.7 (0.23)	12.8 (0.30)
Midwest	100.0	81.0 (0.52)	3.4 (0.20)	15.6 (0.48)	11.8 (0.21)	4.0 (0.17)	13.5 (0.25)
South	100.0	83.5 (0.36)	3.4 (0.14)	13.1 (0.34)	12.0 (0.21)	4.3 (0.20)	13.9 (0.22)
West	100.0	88.7 (0.37)	2.8 (0.16)	8.5 (0.33)	9.6 (0.21)	3.5 (0.19)	11.6 (0.25)
Place of residence ⁸							
Large MSA	100.0	86.8 (0.27)	3.3 (0.12)	9.9 (0.25)	10.4 (0.17)	3.7 (0.12)	12.5 (0.18)
Small MSA	100.0	83.2 (0.41)	3.3 (0.16)	13.5 (0.38)	11.5 (0.21)	4.3 (0.21)	13.2 (0.23)
Not in MSA	100.0	78.3 (0.66)	3.0 (0.20)	18.8 (0.66)	13.2 (0.29)	4.2 (0.26)	14.6 (0.30)

*Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

¹Derived from several source questions: "Have you smoked at least 100 cigarettes in your entire life?", "Do you now smoke cigarettes every day, some days or not at all?", and "On the average, how many cigarettes do you now smoke a day?" Categories are derived from respondents' self-reported responses to a series of questions about current cigarette use. A nonsmoker has never smoked a cigarette or smoked less than 100 cigarettes in their lifetime, or smoked more than 100 cigarettes in their lifetime but are not currently smoking. A nondaily smoker currently smokes cigarettes on some days, regardless of the number of days they smoked. For the calculation of mean number of cigarettes smoked non-daily smokers who did not smoke in the past 30 days are excluded. A daily smoker currently smokes cigarettes every day. Estimates reflect usual cigarette consumption on days smoked and do not reflect average consumption over a period of time such as a week or a month.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Based on family income and family size using the U.S. Census Bureau poverty thresholds for 2010, 2011, 2012, and 2013.

⁸MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and estimates were weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages, but they were included in the "All adults aged 18 and over" column. Percentages may not add to totals due to rounding. "Both sexes," "men," and "women" include persons of other races and unknown race and ethnicity, unknown education, and unknown marital status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Clarke TC, Villarreal MA, Schoenborn CA. Tables of adult health behaviors, tobacco use: National Health Interview Survey, 2011–2014. 2016.

Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2011–2014.