

**Table P-7a. Age-adjusted annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by activity engaged in at the time of the episode and selected characteristics: United States, 2013**

Selected characteristic	Driving <sup>1</sup>	Working at paid job <sup>1</sup>	Working around house or yard <sup>1</sup>	Attending school <sup>1</sup>	Sports <sup>1</sup>	Leisure activities (excluding sports) <sup>1</sup>	Other <sup>1</sup>
Total	7.69 (1.08)	13.35 (1.35)	20.33 (1.60)	4.61 (0.78)	20.82 (1.75)	24.84 (1.95)	38.01 (2.31)
Sex							
Male	5.74 (1.17)	19.71 (2.39)	19.17 (2.37)	4.91 (1.08)	26.14 (2.77)	25.14 (2.76)	30.50 (3.24)
Female	9.66 (1.78)	7.22 (1.30)	21.19 (2.21)	4.27 (1.12)	15.54 (2.20)	24.66 (2.70)	44.77 (3.58)
Age							
Under 12 years	*	-	*	12.49 (3.10)	20.35 (4.43)	43.72 (6.02)	22.92 (4.35)
12-17 years	*	*	*6.04 (2.98)	22.63 (5.71)	94.41 (12.83)	*16.12 (5.10)	25.54 (6.55)
18-44 years	13.39 (2.37)	21.09 (2.81)	13.72 (2.14)	*	17.79 (2.59)	20.00 (2.89)	31.47 (3.73)
45-64 years	7.58 (1.67)	20.62 (3.22)	35.05 (4.25)	-	6.42 (1.82)	20.86 (3.32)	39.84 (4.73)
65-74 years	*	*	40.16 (8.64)	-	*11.69 (4.44)	25.33 (6.43)	53.24 (12.05)
75 years and over	*	*	63.52 (12.86)	-	-	*29.24 (9.10)	118.01 (17.21)
Race							
One race <sup>2</sup>	7.34 (1.10)	13.08 (1.35)	20.09 (1.63)	4.63 (0.81)	21.12 (1.80)	24.88 (1.98)	38.08 (2.35)
White	6.45 (1.19)	13.91 (1.57)	20.20 (1.82)	5.05 (0.98)	22.66 (2.16)	26.37 (2.31)	41.63 (2.77)
Black or African American	11.60 (3.26)	14.46 (3.92)	16.58 (3.68)	*3.72 (1.50)	11.86 (3.07)	21.23 (4.06)	26.23 (4.77)
American Indian or Alaska Native	*	*	*76.06 (30.35)	-	*	*	*
Asian	*5.58 (2.58)	*	*15.18 (6.00)	*	24.33 (6.88)	*6.34 (2.87)	*16.08 (5.35)
Native Hawaiian or Other Pacific Islander	*	-	-	-	*	-	-
Two or more races <sup>3</sup>	*	*	*43.34 (18.01)	*	*	*	*28.04 (10.68)
Black or African American, white	*	-	-	*	-	*	*
American Indian or Alaska Native, white	*	*	*	*	*	*	*42.80 (19.97)
Hispanic or Latino origin <sup>4</sup> and race							
Hispanic or Latino	6.30 (1.80)	15.31 (3.19)	*10.14 (3.18)	*4.76 (1.56)	12.97 (2.61)	10.52 (2.32)	29.11 (5.28)
Mexican or Mexican American	*7.82 (2.54)	15.75 (3.92)	*10.39 (4.88)	*3.95 (1.74)	10.82 (3.04)	9.53 (2.61)	39.80 (8.68)
Not Hispanic or Latino	7.91 (1.25)	13.15 (1.53)	21.87 (1.79)	4.51 (0.89)	23.01 (2.13)	28.09 (2.35)	40.86 (2.69)
White, single race	6.85 (1.47)	13.56 (1.82)	21.99 (2.08)	4.95 (1.16)	26.19 (2.78)	31.58 (2.95)	46.10 (3.37)
Black or African American, single race	12.13 (3.42)	15.08 (4.09)	16.31 (3.71)	*3.63 (1.57)	11.31 (3.13)	19.60 (3.94)	26.81 (4.92)
Education <sup>5</sup>							
Less than a high school diploma	*7.93 (3.67)	*15.72 (5.20)	25.70 (5.17)	-	*	21.06 (5.55)	42.49 (8.28)
High school diploma or GED <sup>6</sup>	9.82 (2.81)	23.85 (4.69)	23.63 (4.25)	-	*4.76 (1.79)	20.56 (3.87)	42.79 (6.18)
Some college	12.90 (3.25)	24.75 (4.12)	41.01 (5.61)	*	14.37 (3.39)	22.09 (4.43)	67.73 (8.41)
Bachelor's degree or higher	*6.33 (2.05)	9.21 (2.25)	29.05 (5.26)	*	13.87 (2.97)	22.28 (4.32)	32.44 (5.33)
Family income <sup>7</sup>							
Less than \$35,000	9.91 (2.40)	14.82 (2.54)	27.96 (3.53)	5.50 (1.61)	14.83 (2.77)	28.56 (3.51)	51.30 (5.05)
\$35,000 or more	7.48 (1.37)	13.99 (1.78)	17.79 (2.14)	4.57 (0.98)	25.04 (2.50)	25.15 (2.59)	36.10 (3.33)
\$35,000-\$49,999	*6.60 (2.81)	22.32 (4.95)	25.90 (5.58)	*6.16 (2.58)	14.07 (3.61)	23.74 (4.85)	39.30 (6.46)
\$50,000-\$74,999	13.89 (3.75)	12.03 (3.00)	17.67 (3.39)	*6.33 (2.41)	17.80 (4.24)	25.28 (4.81)	45.44 (7.31)
\$75,000-\$99,999	*5.73 (2.56)	*15.69 (4.89)	*11.24 (3.75)	*	30.45 (6.66)	30.60 (6.49)	29.27 (7.14)
\$100,000 or more	*3.55 (1.41)	9.98 (2.43)	18.20 (5.31)	*3.31 (1.32)	34.13 (5.12)	21.92 (4.52)	31.73 (6.56)
Poverty status <sup>8</sup>							
Poor	*10.55 (3.48)	12.37 (3.46)	30.74 (6.40)	*4.66 (1.90)	12.94 (3.32)	38.02 (6.16)	58.94 (8.37)
Near poor	*9.86 (3.10)	19.41 (4.02)	26.43 (4.65)	*7.02 (2.18)	14.74 (3.29)	20.07 (3.77)	49.47 (6.31)
Not poor	7.04 (1.39)	13.67 (1.80)	17.77 (2.07)	4.31 (1.03)	27.45 (2.86)	25.19 (2.69)	35.34 (3.20)

**Table P-7a. Age-adjusted annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by activity engaged in at the time of the episode and selected characteristics: United States, 2013**

Selected characteristic	Driving <sup>1</sup>	Working at paid job <sup>1</sup>	Working around house or yard <sup>1</sup>	Attending school <sup>1</sup>	Sports <sup>1</sup>	Leisure activities (excluding sports) <sup>1</sup>	Other <sup>1</sup>
Health insurance coverage <sup>9</sup>							
Under 65 years:							
Private	5.56 (1.12)	15.20 (1.92)	12.64 (1.67)	5.65 (1.26)	29.53 (3.10)	24.27 (2.82)	27.51 (2.75)
Medicaid	21.79 (6.51)	*	33.66 (6.66)	5.52 (1.52)	16.90 (4.68)	37.47 (7.21)	71.90 (12.12)
Other	*	*	*30.94 (13.21)	*	*43.23 (17.16)	*19.90 (7.22)	63.16 (16.42)
Uninsured	9.31 (2.40)	21.11 (4.07)	17.13 (4.00)	*	*6.27 (2.83)	21.11 (6.01)	16.11 (3.60)
65 years and over:							
Private	*	*	60.45 (11.56)	-	*11.26 (4.57)	40.93 (9.89)	81.91 (14.82)
Medicare and Medicaid	*	-	*	-	-	*	108.35 (32.41)
Medicare only	*	*	*27.88 (9.27)	-	-	*	86.05 (18.58)
Other	*	-	*103.35 (48.78)	-	*	*	*82.71 (35.12)
Uninsured	-	-	-	-	-	-	-
Place of residence <sup>10</sup>							
Large MSA	7.86 (1.48)	11.55 (1.72)	17.36 (2.26)	*3.04 (0.92)	20.61 (2.56)	19.33 (2.34)	37.43 (3.40)
Small MSA	7.04 (1.74)	15.91 (2.55)	19.79 (2.83)	7.79 (1.74)	25.88 (3.13)	33.59 (4.05)	37.93 (4.12)
Not in MSA	*8.70 (3.21)	15.03 (3.84)	31.97 (5.08)	*3.54 (1.74)	10.60 (2.86)	28.06 (5.30)	41.44 (5.07)
Region							
Northeast	*6.47 (2.27)	14.05 (3.49)	16.99 (3.31)	*5.71 (2.39)	18.27 (4.25)	26.11 (4.54)	29.05 (5.19)
Midwest	*5.58 (2.24)	11.05 (2.75)	24.70 (3.67)	*3.56 (1.54)	27.05 (4.59)	30.10 (4.66)	43.53 (5.67)
South	10.00 (1.91)	11.92 (2.05)	18.97 (2.42)	4.72 (1.21)	17.18 (2.50)	23.22 (3.15)	40.08 (3.85)
West	*6.75 (2.12)	17.22 (3.01)	20.46 (3.72)	*4.73 (1.58)	22.78 (3.47)	21.23 (3.57)	37.27 (4.37)

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

<sup>1</sup>Based on the question, "What activity was [person] involved in at the time of the injury/poisoning?" Respondents could indicate up to two activities. "Driving" includes both drivers and passengers. "Other" includes unpaid work such as housework, shopping, volunteer work, sleeping, resting, eating, drinking, cooking, hands-on care from another person, and other unspecified activities. Rates of episodes have been annualized in this table. Estimates from this report should not be compared with estimates from 2003 or earlier.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 25-44, 45-64, 65-74, and 75 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

<sup>8</sup>"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

<sup>9</sup>Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>10</sup>MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and the Injury and Poisoning Episode file and were weighted using the Person weight. Unknowns for the columns were excluded from the denominator when calculating rates. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age adjusted using the projected 2000 U.S. population as the standard population and using six age groups: 0-11, 12-17, 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

**Table P-7b. Annualized frequency (number in thousands) of medically consulted injury and poisoning episodes, by activity engaged in at the time of the episode and by selected characteristics: United States, 2013**

Selected characteristic	Driving <sup>1</sup>	Working at paid job <sup>1</sup>	Working around house or yard <sup>1</sup>	Attending school <sup>1</sup>	Sports <sup>1</sup>	Leisure activities (excluding sports) <sup>1</sup>	Other <sup>1</sup>
Total	2,358	4,215	6,774	1,315	6,131	7,652	12,039
<b>Sex</b>							
Male	866	3,031	3,043	714	3,829	3,772	4,570
Female	1,492	1,184	3,731	601	2,303	3,880	7,469
<b>Age</b>							
Under 12 years	*	-	*	610	993	2,133	1,119
12-17 years	*	*	*149	559	2,330	*398	630
18-44 years	1,495	2,356	1,532	*	1,987	2,234	3,515
45-64 years	624	1,696	2,883	-	528	1,716	3,277
65-74 years	*	*	1,006	-	*293	634	1,333
75 years and over	*	*	1,165	-	-	*536	2,164
<b>Race</b>							
One race <sup>2</sup>	2,194	4,074	6,587	1,268	6,028	7,473	11,855
White	1,526	3,482	5,489	1,080	5,073	6,354	10,543
Black or African American	451	553	638	*154	486	850	960
American Indian or Alaska Native	*	*	*213	-	*	*	*
Asian	*104	*	*246	*	372	*100	*240
Native Hawaiian or Other Pacific Islander	*	-	-	-	*	-	-
Two or more races <sup>3</sup>	*164	*	*187	*	*	*179	*184
Black or African American, white	*	-	-	*	-	*	*
American Indian or Alaska Native, white	*	*	*	*	*	*	*76
<b>Hispanic or Latino origin<sup>4</sup> and race</b>							
Hispanic or Latino	345	777	447	*327	774	613	1,097
Mexican or Mexican American	*284	520	*270	*182	427	363	834
Not Hispanic or Latino	2,013	3,438	6,327	988	5,357	7,038	10,942
White, single race	1,274	2,724	5,073	768	4,372	5,915	9,502
Black or African American, single race	451	553	608	*140	440	739	946
<b>Education<sup>5</sup></b>							
Less than a high school diploma	*183	*359	766	-	*	623	1,330
High school diploma or GED <sup>6</sup>	456	1,235	1,487	-	*248	1,136	2,487
Some college	724	1,442	2,452	*	813	1,227	3,691
Bachelor's degree or higher	*404	611	1,648	*	898	1,378	1,891
<b>Family income<sup>7</sup></b>							
Less than \$35,000	850	1,277	2,679	458	1,218	2,591	4,770
\$35,000 or more	1,400	2,754	3,526	818	4,619	4,646	6,424
\$35,000-\$49,999	*250	858	1,070	*209	511	922	1,554
\$50,000-\$74,999	684	610	987	*286	828	1,234	2,193
\$75,000-\$99,999	*205	*590	*389	*	1,052	1,081	862
\$100,000 or more	*260	695	1,079	*220	2,227	1,408	1,814
<b>Poverty status<sup>8</sup></b>							
Poor	*415	485	1,075	*250	590	1,708	2,259
Near poor	*472	928	1,345	*384	775	1,075	2,454
Not poor	1,258	2,605	3,632	630	4,398	4,362	6,258

**Table P-7b. Annualized frequency (number in thousands) of medically consulted injury and poisoning episodes, by activity engaged in at the time of the episode and by selected characteristics: United States, 2013**

Selected characteristic	Driving <sup>1</sup>	Working at paid job <sup>1</sup>	Working around house or yard <sup>1</sup>	Attending school <sup>1</sup>	Sports <sup>1</sup>	Leisure activities (excluding sports) <sup>1</sup>	Other <sup>1</sup>
Health insurance coverage <sup>9</sup>							
Under 65 years:							
Private	939	2,662	2,324	767	4,402	3,776	4,510
Medicaid	618	*	969	481	850	1,671	2,447
Other	*	*	*426	*	*280	*292	898
Uninsured	535	1,156	884	*	*279	743	687
65 years and over:							
Private	*	*	1,247	-	*264	855	1,702
Medicare and Medicaid	*	-	*	-	-	*	*320
Medicare only	*	*	*403	-	-	*	1,212
Other	*	-	*315	-	*	*	*263
Uninsured	-	-	-	-	-	-	-
Place of residence <sup>10</sup>							
Large MSA	1,335	2,004	3,044	*470	3,313	3,177	6,273
Small MSA	652	1,561	2,049	696	2,345	3,221	3,697
Not in MSA	*371	650	1,681	*150	474	1,253	2,069
Region							
Northeast	*363	789	1,058	*257	853	1,417	1,592
Midwest	*372	768	1,826	*229	1,797	2,057	3,064
South	1,145	1,402	2,371	511	1,903	2,652	4,684
West	*479	1,257	1,519	*317	1,578	1,526	2,699

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

<sup>1</sup>Based on the question, "What activity was [person] involved in at the time of the injury/poisoning?" Respondents could indicate up to two activities. "Driving" includes both drivers and passengers. "Other" includes unpaid work such as housework, shopping, volunteer work, sleeping, resting, eating, drinking, cooking, hands-on care from another person, and other unspecified activities. Counts of episodes have been annualized in this table. Estimates from this report should not be compared with estimates from 2003 or earlier.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for persons aged 25 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

<sup>8</sup>"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

<sup>9</sup>Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>10</sup>MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and the Injury and Poisoning Episode file and were weighted using the Person weight. Unknowns for the columns were excluded from the frequencies. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

**Table P-7c. Crude annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by activity engaged in at the time of the episode and selected characteristics: United States, 2013**

Selected characteristic	Driving <sup>1</sup>	Working at paid job <sup>1</sup>	Working around house or yard <sup>1</sup>	Attending school <sup>1</sup>	Sports <sup>1</sup>	Leisure activities (excluding sports) <sup>1</sup>	Other <sup>1</sup>
Total	7.59 (1.04)	13.56 (1.36)	21.79 (1.72)	4.23 (0.72)	19.73 (1.65)	24.62 (1.91)	38.73 (2.36)
<b>Sex</b>							
Male	5.70 (1.14)	19.96 (2.41)	20.04 (2.48)	4.70 (1.04)	25.21 (2.66)	24.84 (2.71)	30.09 (3.21)
Female	9.39 (1.69)	7.45 (1.32)	23.47 (2.44)	3.78 (1.00)	14.48 (2.04)	24.41 (2.64)	46.98 (3.76)
<b>Age</b>							
Under 12 years	*	-	*	12.49 (3.10)	20.35 (4.43)	43.72 (6.02)	22.92 (4.35)
12-17 years	*	*	*6.04 (2.98)	22.63 (5.71)	94.41 (12.83)	*16.12 (5.10)	25.54 (6.55)
18-44 years	13.39 (2.37)	21.09 (2.81)	13.72 (2.14)	*	17.79 (2.59)	20.00 (2.89)	31.47 (3.73)
45-64 years	7.58 (1.67)	20.62 (3.22)	35.05 (4.25)	-	6.42 (1.82)	20.86 (3.32)	39.84 (4.73)
65-74 years	*	*	40.16 (8.64)	-	*11.69 (4.44)	25.33 (6.43)	53.24 (12.05)
75 years and over	*	*	63.52 (12.86)	-	-	*29.24 (9.10)	118.01 (17.21)
<b>Race</b>							
One race <sup>2</sup>	7.22 (1.05)	13.40 (1.37)	21.67 (1.76)	4.17 (0.73)	19.83 (1.68)	24.58 (1.94)	39.00 (2.41)
White	6.25 (1.12)	14.25 (1.60)	22.47 (2.03)	4.42 (0.86)	20.77 (1.98)	26.01 (2.26)	43.15 (2.87)
Black or African American	11.42 (3.23)	14.02 (3.73)	16.18 (3.57)	*3.91 (1.57)	12.33 (3.24)	21.55 (4.10)	24.33 (4.19)
American Indian or Alaska Native	*	*	*76.76 (30.37)	-	*	*	*
Asian	*6.16 (2.86)	*	*14.61 (5.84)	*	22.08 (6.09)	*5.93 (2.67)	*14.26 (4.67)
Native Hawaiian or Other Pacific Islander	*	-	-	-	*	-	-
Two or more races <sup>3</sup>	*23.98 (11.32)	*	*27.35 (11.52)	*	*	*26.13 (10.84)	*26.95 (8.70)
Black or African American, white	*	-	-	*	-	*	*
American Indian or Alaska Native, white	*	*	*	*	*	*	*38.74 (18.65)
<b>Hispanic or Latino origin<sup>4</sup> and race</b>							
Hispanic or Latino	6.46 (1.89)	14.53 (2.98)	8.35 (2.43)	*6.11 (2.01)	14.48 (2.84)	11.47 (2.40)	20.52 (3.26)
Mexican or Mexican American	*8.21 (2.72)	15.00 (3.63)	*7.78 (3.18)	*5.26 (2.31)	12.33 (3.28)	10.47 (2.72)	24.09 (4.33)
Not Hispanic or Latino	7.82 (1.19)	13.36 (1.53)	24.58 (2.02)	3.84 (0.76)	20.82 (1.90)	27.35 (2.25)	42.51 (2.78)
White, single race	6.51 (1.33)	13.91 (1.82)	25.91 (2.46)	3.92 (0.92)	22.33 (2.35)	30.21 (2.77)	48.53 (3.49)
Black or African American, single race	12.00 (3.40)	14.73 (3.91)	16.18 (3.66)	*3.74 (1.61)	11.70 (3.28)	19.67 (3.90)	25.17 (4.38)
<b>Education<sup>5</sup></b>							
Less than a high school diploma	*6.74 (3.03)	*13.19 (4.24)	28.14 (5.70)	-	*	22.88 (5.91)	48.85 (9.35)
High school diploma or GED <sup>6</sup>	8.33 (2.26)	22.54 (4.31)	27.13 (4.92)	-	*4.53 (1.73)	20.73 (3.83)	45.37 (6.17)
Some college	12.51 (3.03)	24.95 (4.12)	42.41 (5.74)	*	14.07 (3.27)	21.22 (4.14)	63.83 (7.89)
Bachelor's degree or higher	*6.33 (2.02)	9.56 (2.34)	25.81 (4.43)	*	14.06 (3.00)	21.58 (4.07)	29.61 (4.68)
<b>Family income<sup>7</sup></b>							
Less than \$35,000	9.43 (2.27)	14.18 (2.44)	29.74 (3.77)	5.08 (1.49)	13.53 (2.54)	28.76 (3.52)	52.96 (5.08)
\$35,000 or more	7.32 (1.29)	14.40 (1.81)	18.44 (2.11)	4.28 (0.91)	24.15 (2.41)	24.29 (2.43)	33.59 (2.98)
\$35,000-\$49,999	*6.54 (2.75)	22.43 (4.97)	27.97 (6.03)	*5.45 (2.28)	13.36 (3.42)	24.10 (4.93)	40.62 (6.63)
\$50,000-\$74,999	13.57 (3.60)	12.09 (3.02)	19.57 (3.76)	*5.66 (2.18)	16.42 (3.90)	24.46 (4.53)	43.47 (6.74)
\$75,000-\$99,999	*5.81 (2.53)	*16.76 (5.07)	*11.05 (3.65)	*	29.87 (6.51)	30.71 (6.45)	24.48 (5.21)
\$100,000 or more	*3.87 (1.44)	10.33 (2.51)	16.03 (3.61)	*3.26 (1.30)	33.10 (4.95)	20.92 (3.94)	26.95 (5.21)
<b>Poverty status<sup>8</sup></b>							
Poor	*9.63 (3.24)	11.25 (3.17)	24.93 (5.05)	*5.79 (2.37)	13.68 (3.44)	39.62 (6.18)	52.42 (7.36)
Near poor	*9.28 (2.94)	18.25 (3.79)	26.44 (4.72)	*7.56 (2.35)	15.24 (3.47)	21.13 (3.98)	48.25 (6.03)
Not poor	6.97 (1.33)	14.43 (1.87)	20.12 (2.29)	3.49 (0.84)	24.36 (2.51)	24.16 (2.49)	34.67 (3.14)

**Table P-7c. Crude annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by activity engaged in at the time of the episode and selected characteristics: United States, 2013**

Selected characteristic	Driving <sup>1</sup>	Working at paid job <sup>1</sup>	Working around house or yard <sup>1</sup>	Attending school <sup>1</sup>	Sports <sup>1</sup>	Leisure activities (excluding sports) <sup>1</sup>	Other <sup>1</sup>
Health insurance coverage <sup>9</sup>							
Under 65 years:							
Private	5.73 (1.12)	16.26 (2.02)	14.20 (1.86)	4.68 (1.05)	26.89 (2.80)	23.06 (2.64)	27.54 (2.72)
Medicaid	13.25 (3.93)	*	20.77 (3.90)	10.31 (2.85)	18.21 (4.17)	35.81 (5.92)	52.44 (7.91)
Other	*	*	*40.63 (13.34)	*	*26.70 (10.69)	*27.84 (8.97)	85.72 (18.78)
Uninsured	12.12 (3.16)	26.18 (5.05)	20.04 (4.68)	*	*6.31 (2.43)	16.82 (4.21)	15.56 (3.13)
65 years and over:							
Private	*	*	58.37 (11.00)	-	*12.38 (5.03)	40.02 (9.45)	79.69 (14.97)
Medicare and Medicaid	*	-	*	-	-	*	106.60 (31.77)
Medicare only	*	*	*26.52 (8.68)	-	-	*	79.69 (17.09)
Other	*	-	*103.25 (46.73)	-	*	*	*86.22 (37.28)
Uninsured	-	-	-	-	-	-	-
Place of residence <sup>10</sup>							
Large MSA	7.96 (1.47)	11.95 (1.76)	18.15 (2.34)	*2.80 (0.85)	19.75 (2.45)	18.94 (2.27)	37.40 (3.44)
Small MSA	6.77 (1.63)	16.20 (2.59)	21.26 (3.06)	7.22 (1.61)	24.33 (2.89)	33.43 (4.01)	38.37 (4.03)
Not in MSA	*7.93 (2.89)	13.90 (3.56)	35.93 (5.16)	*3.20 (1.56)	10.13 (2.71)	26.79 (5.02)	44.22 (5.11)
Region							
Northeast	*6.78 (2.33)	14.74 (3.60)	19.76 (3.90)	*4.81 (2.02)	15.93 (3.68)	26.46 (4.57)	29.73 (5.11)
Midwest	*5.36 (2.12)	11.06 (2.70)	26.31 (3.92)	*3.30 (1.43)	25.90 (4.40)	29.64 (4.59)	44.16 (5.86)
South	9.82 (1.83)	12.03 (2.08)	20.35 (2.61)	4.39 (1.13)	16.33 (2.36)	22.76 (3.07)	40.20 (3.79)
West	*6.71 (2.09)	17.61 (3.07)	21.28 (3.86)	*4.44 (1.49)	22.11 (3.31)	21.38 (3.55)	37.81 (4.50)

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

<sup>1</sup>Based on the question, "What activity was [person] involved in at the time of the injury/poisoning?" Respondents could indicate up to two activities. "Driving" includes both drivers and passengers. "Other" includes unpaid work such as housework, shopping, volunteer work, sleeping, resting, eating, drinking, cooking, hands-on care from another person, and other unspecified activities. Rates of episodes have been annualized in this table. Estimates from this report should not be compared with estimates from 2003 or earlier.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for persons aged 25 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

<sup>8</sup>"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

<sup>9</sup>Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>10</sup>MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and the Injury and Poisoning Episode file and were weighted using the Person weight. Unknowns for the columns were excluded from the denominator when calculating rates. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.