

Table P-2a. Age-adjusted percent distribution (with standard errors) of limitation in usual activities, and age-adjusted percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2014

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Total	100.0	87.5 (0.15)	12.5 (0.15)	12.2 (0.15)
Sex				
Male	100.0	87.5 (0.20)	12.5 (0.20)	12.2 (0.19)
Female	100.0	87.6 (0.18)	12.4 (0.18)	12.0 (0.18)
Age				
Under 12 years	100.0	92.2 (0.27)	7.8 (0.27)	7.5 (0.27)
12-17 years	100.0	90.7 (0.41)	9.3 (0.41)	9.1 (0.40)
18-44 years	100.0	94.1 (0.16)	5.9 (0.16)	5.7 (0.15)
45-64 years	100.0	83.3 (0.33)	16.7 (0.33)	16.3 (0.32)
65-74 years	100.0	74.4 (0.62)	25.6 (0.62)	25.1 (0.62)
75 years and over	100.0	55.9 (0.94)	44.1 (0.94)	42.9 (0.92)
Race				
One race ²	100.0	87.6 (0.15)	12.4 (0.15)	12.0 (0.15)
White	100.0	87.9 (0.18)	12.1 (0.18)	11.8 (0.18)
Black or African American	100.0	83.5 (0.38)	16.5 (0.38)	16.0 (0.38)
American Indian or Alaska Native	100.0	84.0 (1.45)	16.0 (1.45)	15.4 (1.42)
Asian	100.0	93.2 (0.36)	6.8 (0.36)	6.6 (0.36)
Native Hawaiian or Other Pacific Islander	100.0	82.4 (4.22)	17.6 (4.22)	16.8 (4.13)
Two or more races ³	100.0	79.5 (1.25)	20.5 (1.25)	20.0 (1.23)
Black or African American, white	100.0	80.9 (2.58)	19.1 (2.58)	19.0 (2.58)
American Indian or Alaska Native, white	100.0	72.4 (2.58)	27.6 (2.58)	27.2 (2.55)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	100.0	89.4 (0.28)	10.6 (0.28)	10.4 (0.28)
Mexican or Mexican American	100.0	90.1 (0.37)	9.9 (0.37)	9.7 (0.37)
Not Hispanic or Latino	100.0	87.1 (0.18)	12.9 (0.18)	12.5 (0.17)
White, single race	100.0	87.4 (0.21)	12.6 (0.21)	12.2 (0.21)
Black or African American, single race	100.0	83.5 (0.39)	16.5 (0.39)	16.0 (0.39)
Education ⁵				
Less than a high school diploma	100.0	75.2 (0.55)	24.8 (0.55)	24.3 (0.55)
High school diploma or GED ⁶	100.0	81.9 (0.37)	18.1 (0.37)	17.6 (0.36)
Some college	100.0	84.4 (0.33)	15.6 (0.33)	15.2 (0.33)
Bachelor's degree or higher	100.0	91.1 (0.25)	8.9 (0.25)	8.6 (0.25)

Table P-2a. Age-adjusted percent distribution (with standard errors) of limitation in usual activities, and age-adjusted percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2014

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Family income⁷				
Less than \$35,000	100.0	77.9 (0.33)	22.1 (0.33)	21.7 (0.33)
\$35,000 or more	100.0	91.1 (0.17)	8.9 (0.17)	8.7 (0.17)
\$35,000–\$49,999	100.0	87.4 (0.41)	12.6 (0.41)	12.2 (0.40)
\$50,000–\$74,999	100.0	90.0 (0.33)	10.0 (0.33)	9.8 (0.33)
\$75,000–\$99,999	100.0	91.6 (0.34)	8.4 (0.34)	8.1 (0.34)
\$100,000 or more	100.0	93.1 (0.27)	6.9 (0.27)	6.8 (0.26)
Poverty status⁸				
Poor	100.0	75.1 (0.48)	24.9 (0.48)	24.5 (0.48)
Near poor	100.0	81.5 (0.36)	18.5 (0.36)	18.0 (0.36)
Not poor	100.0	91.0 (0.16)	9.0 (0.16)	8.7 (0.16)
Health insurance coverage⁹				
Under 65:				
Private	100.0	94.5 (0.13)	5.5 (0.13)	5.3 (0.13)
Medicaid	100.0	74.2 (0.49)	25.8 (0.49)	25.3 (0.49)
Other	100.0	74.0 (1.15)	26.0 (1.15)	25.6 (1.18)
Uninsured	100.0	92.5 (0.33)	7.5 (0.33)	7.1 (0.31)
65 and over:				
Private	100.0	70.5 (0.72)	29.5 (0.72)	28.9 (0.72)
Medicare and Medicaid	100.0	38.4 (1.88)	61.6 (1.88)	60.5 (1.91)
Medicare only	100.0	64.9 (0.92)	35.1 (0.92)	34.2 (0.90)
Other	100.0	60.7 (2.05)	39.3 (2.05)	38.6 (2.06)
Uninsured	100.0	69.2 (5.79)	30.8 (5.79)	30.4 (5.79)
Place of residence¹⁰				
Large MSA	100.0	88.7 (0.20)	11.3 (0.20)	11.0 (0.20)
Small MSA	100.0	86.8 (0.29)	13.2 (0.29)	12.8 (0.29)
Not in MSA	100.0	84.5 (0.48)	15.5 (0.48)	15.1 (0.47)
Region				
Northeast	100.0	87.9 (0.35)	12.1 (0.35)	11.6 (0.35)
Midwest	100.0	86.7 (0.34)	13.3 (0.34)	12.9 (0.33)
South	100.0	87.2 (0.27)	12.8 (0.27)	12.5 (0.27)
West	100.0	88.2 (0.29)	11.8 (0.29)	11.4 (0.28)

Table P-2a. Age-adjusted percent distribution (with standard errors) of limitation in usual activities, and age-adjusted percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2014

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	100.0	89.8 (0.36)	10.2 (0.36)	9.9 (0.36)
Hispanic or Latina, female	100.0	89.1 (0.37)	10.9 (0.37)	10.7 (0.36)
Not Hispanic or Latino:				
White, single race, male	100.0	87.1 (0.27)	12.9 (0.27)	12.5 (0.27)
White, single race, female	100.0	87.8 (0.24)	12.2 (0.24)	11.9 (0.24)
Black or African American, single race, male	100.0	83.8 (0.55)	16.2 (0.55)	15.7 (0.54)
Black or African American, single race, female	100.0	83.5 (0.47)	16.5 (0.47)	16.1 (0.47)
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	100.0	83.0 (0.71)	17.0 (0.71)	16.6 (0.71)
Near poor	100.0	88.9 (0.52)	11.1 (0.52)	10.9 (0.52)
Not poor	100.0	92.5 (0.39)	7.5 (0.39)	7.3 (0.39)
Not Hispanic or Latino:				
White, single race:				
Poor	100.0	70.6 (0.82)	29.4 (0.82)	28.8 (0.82)
Near poor	100.0	78.4 (0.54)	21.6 (0.54)	21.1 (0.53)
Not poor	100.0	90.8 (0.21)	9.2 (0.21)	8.9 (0.20)
Black or African American, single race:				
Poor	100.0	73.4 (0.86)	26.6 (0.86)	26.3 (0.86)
Near poor	100.0	79.1 (0.80)	20.9 (0.80)	20.3 (0.81)
Not poor	100.0	89.5 (0.54)	10.5 (0.54)	10.0 (0.52)

¹Based on a series of questions concerning: (a) limitation(s) in a person's ability to engage in work, school, play, or other activities such as needing the help of another person with personal care needs (e.g., eating, bathing, and dressing) or help in handling routine needs (e.g., shopping and household chores) due to a physical, mental, or emotional problem; (b) the specific conditions causing the limitation(s); and (c) the duration of these condition(s). Conditions lasting more than 3 months are classified as chronic; selected conditions (e.g., arthritis, diabetes, cancer, and heart conditions) are considered chronic regardless of duration. "Limited due to one or more chronic conditions" is a subset of the category "Limited."

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 25-44, 45-64, 65-74, and 75 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age adjusted using the projected 2000 U.S. population as the standard population and using six age groups: 0-11, 12-17, 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2014 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>. SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

Table P-2b. Frequency distribution (number in thousands) of limitation in usual activities, and frequency (number in thousands) of limitations due to one or more chronic conditions, by selected characteristics: United States, 2014

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Total	313,090	271,332	41,402	40,105
Sex				
Male	153,025	133,262	19,593	18,991
Female	160,065	138,069	21,809	21,114
Age				
Under 12 years	48,443	44,609	3,767	3,609
12-17 years	24,964	22,613	2,319	2,255
18-44 years	112,146	105,439	6,604	6,325
45-64 years	82,604	68,727	13,784	13,401
65-74 years	26,210	19,488	6,691	6,556
75 years and over	18,724	10,456	8,237	7,960
Race				
One race ²	306,030	265,415	40,287	39,024
White	244,763	212,137	32,367	31,387
Black or African American	40,340	33,945	6,339	6,114
American Indian or Alaska Native	2,992	2,533	452	432
Asian	17,461	16,392	1,064	1,029
Native Hawaiian or Other Pacific Islander	473	408	*65	*61
Two or more races ³	7,060	5,917	1,115	1,081
Black or African American, white	2,311	2,052	246	238
American Indian or Alaska Native, white	2,144	1,542	596	585
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	54,477	49,775	4,660	4,536
Mexican or Mexican American	34,835	32,236	2,578	2,491
Not Hispanic or Latino	258,614	221,557	36,743	35,569
White, single race	195,897	167,445	28,224	27,349
Black or African American, single race	37,961	31,829	6,079	5,862
Education ⁵				
Less than a high school diploma	27,164	19,358	7,797	7,646
High school diploma or GED ⁶	54,688	43,744	10,883	10,577
Some college	57,708	48,513	9,134	8,875
Bachelor's degree or higher	65,986	60,545	5,388	5,203

Table P-2b. Frequency distribution (number in thousands) of limitation in usual activities, and frequency (number in thousands) of limitations due to one or more chronic conditions, by selected characteristics: United States, 2014

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Family income⁷				
Less than \$35,000	85,706	65,385	20,247	19,762
\$35,000 or more	181,936	166,192	15,657	15,199
\$35,000–\$49,999	33,880	29,417	4,455	4,302
\$50,000–\$74,999	44,174	39,648	4,509	4,415
\$75,000–\$99,999	33,775	31,133	2,634	2,544
\$100,000 or more	70,107	65,993	4,059	3,938
Poverty status⁸				
Poor	44,763	35,101	9,619	9,389
Near poor	57,246	46,355	10,855	10,554
Not poor	183,513	165,939	17,450	16,928
Health insurance coverage⁹				
Under 65:				
Private	168,747	158,884	9,726	9,356
Medicaid	50,510	40,295	10,161	9,878
Other	10,519	6,724	3,761	3,692
Uninsured	35,280	32,654	2,611	2,494
65 and over:				
Private	22,018	15,811	6,188	6,053
Medicare and Medicaid	2,943	1,137	1,803	1,756
Medicare only	15,867	10,429	5,403	5,229
Other	3,483	2,134	1,345	1,314
Uninsured	359	271	89	87
Place of residence¹⁰				
Large MSA	170,336	150,533	19,601	18,973
Small MSA	97,572	83,793	13,666	13,206
Not in MSA	45,182	37,005	8,134	7,927
Region				
Northeast	53,046	45,992	6,936	6,668
Midwest	70,709	60,699	9,946	9,647
South	117,720	101,694	15,941	15,515
West	71,615	62,947	8,581	8,275

Table P-2b. Frequency distribution (number in thousands) of limitation in usual activities, and frequency (number in thousands) of limitations due to one or more chronic conditions, by selected characteristics: United States, 2014

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	27,446	25,139	2,289	2,226
Hispanic or Latina, female	27,030	24,636	2,371	2,310
Not Hispanic or Latino:				
White, single race, male	95,978	82,459	13,409	13,023
White, single race, female	99,919	84,986	14,815	14,326
Black or African American, single race, male	17,730	14,966	2,737	2,621
Black or African American, single race, female	20,230	16,863	3,342	3,241
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	13,485	11,753	1,726	1,682
Near poor	15,870	14,528	1,332	1,301
Not poor	20,779	19,508	1,264	1,237
Not Hispanic or Latino:				
White, single race:				
Poor	17,648	12,602	5,017	4,890
Near poor	28,298	21,217	7,062	6,879
Not poor	132,994	119,176	13,726	13,329
Black or African American, single race:				
Poor	10,045	7,833	2,209	2,176
Near poor	9,013	7,182	1,823	1,761
Not poor	15,089	13,581	1,499	1,428

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution.

¹Based on a series of questions concerning: (a) limitation(s) in a person's ability to engage in work, school, play, or other activities such as needing the help of another person with personal care needs (e.g., eating, bathing, and dressing) or help in handling routine needs (e.g., shopping and household chores) due to a physical, mental, or emotional problem; (b) the specific conditions causing the limitation(s); and (c) the duration of these condition(s). Conditions lasting more than 3 months are classified as chronic; selected conditions (e.g., arthritis, diabetes, cancer, and heart conditions) are considered chronic regardless of duration. "Limited due to one or more chronic conditions" is a subset of the category "Limited."

²Refers to persons who indicated only a single race, group including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race, group including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTE: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the frequencies, but they were included in the "All persons" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2014 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

Table P-2c. Crude percent distribution (with standard errors) of limitation in usual activities, and crude percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2014

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Total	100.0	86.8 (0.18)	13.2 (0.18)	12.9 (0.18)
Sex				
Male	100.0	87.2 (0.21)	12.8 (0.21)	12.5 (0.21)
Female	100.0	86.4 (0.22)	13.6 (0.22)	13.2 (0.21)
Age				
Under 12 years	100.0	92.2 (0.27)	7.8 (0.27)	7.5 (0.27)
12-17 years	100.0	90.7 (0.41)	9.3 (0.41)	9.1 (0.40)
18-44 years	100.0	94.1 (0.16)	5.9 (0.16)	5.7 (0.15)
45-64 years	100.0	83.3 (0.33)	16.7 (0.33)	16.3 (0.32)
65-74 years	100.0	74.4 (0.62)	25.6 (0.62)	25.1 (0.62)
75 years and over	100.0	55.9 (0.94)	44.1 (0.94)	42.9 (0.92)
Race				
One race ²	100.0	86.8 (0.18)	13.2 (0.18)	12.8 (0.18)
White	100.0	86.8 (0.21)	13.2 (0.21)	12.9 (0.21)
Black or African American	100.0	84.3 (0.40)	15.7 (0.40)	15.2 (0.39)
American Indian or Alaska Native	100.0	84.9 (1.55)	15.1 (1.55)	14.5 (1.50)
Asian	100.0	93.9 (0.38)	6.1 (0.38)	5.9 (0.37)
Native Hawaiian or Other Pacific Islander	100.0	86.2 (4.23)	*13.8 (4.23)	*13.0 (4.17)
Two or more races ³	100.0	84.1 (1.05)	15.9 (1.05)	15.4 (1.03)
Black or African American, white	100.0	89.3 (1.30)	10.7 (1.30)	10.4 (1.28)
American Indian or Alaska Native, white	100.0	72.1 (2.70)	27.9 (2.70)	27.5 (2.69)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	100.0	91.4 (0.25)	8.6 (0.25)	8.3 (0.25)
Mexican or Mexican American	100.0	92.6 (0.30)	7.4 (0.30)	7.2 (0.29)
Not Hispanic or Latino	100.0	85.8 (0.21)	14.2 (0.21)	13.8 (0.20)
White, single race	100.0	85.6 (0.25)	14.4 (0.25)	14.0 (0.25)
Black or African American, single race	100.0	84.0 (0.41)	16.0 (0.41)	15.5 (0.41)
Education ⁵				
Less than a high school diploma	100.0	71.3 (0.65)	28.7 (0.65)	28.2 (0.64)
High school diploma or GED ⁶	100.0	80.1 (0.42)	19.9 (0.42)	19.4 (0.41)
Some college	100.0	84.2 (0.36)	15.8 (0.36)	15.4 (0.36)
Bachelor's degree or higher	100.0	91.8 (0.25)	8.2 (0.25)	7.9 (0.24)

Table P-2c. Crude percent distribution (with standard errors) of limitation in usual activities, and crude percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2014

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Family income⁷				
Less than \$35,000	100.0	76.4 (0.41)	23.6 (0.41)	23.2 (0.41)
\$35,000 or more	100.0	91.4 (0.17)	8.6 (0.17)	8.4 (0.16)
\$35,000–\$49,999	100.0	86.8 (0.45)	13.2 (0.45)	12.7 (0.44)
\$50,000–\$74,999	100.0	89.8 (0.35)	10.2 (0.35)	10.0 (0.35)
\$75,000–\$99,999	100.0	92.2 (0.35)	7.8 (0.35)	7.5 (0.34)
\$100,000 or more	100.0	94.2 (0.23)	5.8 (0.23)	5.6 (0.23)
Poverty status⁸				
Poor	100.0	78.5 (0.51)	21.5 (0.51)	21.1 (0.51)
Near poor	100.0	81.0 (0.43)	19.0 (0.43)	18.5 (0.42)
Not poor	100.0	90.5 (0.18)	9.5 (0.18)	9.2 (0.18)
Health insurance coverage⁹				
Under 65:				
Private	100.0	94.2 (0.13)	5.8 (0.13)	5.6 (0.13)
Medicaid	100.0	79.9 (0.45)	20.1 (0.45)	19.7 (0.44)
Other	100.0	64.1 (1.50)	35.9 (1.50)	35.4 (1.52)
Uninsured	100.0	92.6 (0.31)	7.4 (0.31)	7.1 (0.30)
65 and over:				
Private	100.0	71.9 (0.72)	28.1 (0.72)	27.6 (0.71)
Medicare and Medicaid	100.0	38.7 (1.88)	61.3 (1.88)	60.3 (1.92)
Medicare only	100.0	65.9 (0.92)	34.1 (0.92)	33.2 (0.89)
Other	100.0	61.3 (1.96)	38.7 (1.96)	37.9 (1.97)
Uninsured	100.0	75.4 (4.79)	24.6 (4.79)	24.1 (4.78)
Place of residence¹⁰				
Large MSA	100.0	88.5 (0.23)	11.5 (0.23)	11.2 (0.22)
Small MSA	100.0	86.0 (0.33)	14.0 (0.33)	13.6 (0.33)
Not in MSA	100.0	82.0 (0.57)	18.0 (0.57)	17.6 (0.56)
Region				
Northeast	100.0	86.9 (0.41)	13.1 (0.41)	12.6 (0.40)
Midwest	100.0	85.9 (0.39)	14.1 (0.39)	13.7 (0.38)
South	100.0	86.4 (0.32)	13.6 (0.32)	13.2 (0.31)
West	100.0	88.0 (0.33)	12.0 (0.33)	11.6 (0.32)

Table P-2c. Crude percent distribution (with standard errors) of limitation in usual activities, and crude percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2014

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	100.0	91.7 (0.30)	8.3 (0.30)	8.1 (0.30)
Hispanic or Latina, female	100.0	91.2 (0.34)	8.8 (0.34)	8.6 (0.33)
Not Hispanic or Latino:				
White, single race, male	100.0	86.0 (0.30)	14.0 (0.30)	13.6 (0.30)
White, single race, female	100.0	85.2 (0.30)	14.8 (0.30)	14.4 (0.30)
Black or African American, single race, male	100.0	84.5 (0.55)	15.5 (0.55)	14.9 (0.54)
Black or African American, single race, female	100.0	83.5 (0.53)	16.5 (0.53)	16.1 (0.52)
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	100.0	87.2 (0.59)	12.8 (0.59)	12.5 (0.59)
Near poor	100.0	91.6 (0.43)	8.4 (0.43)	8.2 (0.43)
Not poor	100.0	93.9 (0.33)	6.1 (0.33)	6.0 (0.33)
Not Hispanic or Latino:				
White, single race:				
Poor	100.0	71.5 (0.94)	28.5 (0.94)	27.9 (0.94)
Near poor	100.0	75.0 (0.68)	25.0 (0.68)	24.4 (0.67)
Not poor	100.0	89.7 (0.23)	10.3 (0.23)	10.0 (0.23)
Black or African American, single race:				
Poor	100.0	78.0 (0.87)	22.0 (0.87)	21.7 (0.87)
Near poor	100.0	79.8 (0.92)	20.2 (0.92)	19.6 (0.92)
Not poor	100.0	90.1 (0.52)	9.9 (0.52)	9.5 (0.52)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution.

¹Based on a series of questions concerning: (a) limitation(s) in a person's ability to engage in work, school, play, or other activities such as needing the help of another person with personal care needs (e.g., eating, bathing, and dressing) or help in handling routine needs (e.g., shopping and household chores) due to a physical, mental, or emotional problem; (b) the specific conditions causing the limitation(s); and (c) the duration of these condition(s). Conditions lasting more than 3 months are classified as chronic; selected conditions (e.g., arthritis, diabetes, cancer, and heart conditions) are considered chronic regardless of duration. "Limited due to one or more chronic conditions" is a subset of the category "Limited."

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2014 National Health Interview Survey. 2015.

Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.