

**VITAL and HEALTH STATISTICS**

DATA FROM THE NATIONAL HEALTH SURVEY

**Acute  
Conditions  
Incidence and  
Associated Disability  
United States, July 1964-June 1965**

PROPERTY OF THE  
PUBLICATIONS BRANCH  
EDITORIAL LIBRARY

Statistics on the incidence of acute conditions and the associated days of restricted activity, bed disability, and time lost from work and school, by age, sex, calendar quarter, residence, and geographic region. Based on data collected in household interviews during the period July 1964-June 1965.

---

Washington, D.C.

December 1965

U.S. DEPARTMENT OF  
HEALTH, EDUCATION, AND WELFARE

John W. Gardner  
Secretary

Public Health Service  
William H. Stewart  
Surgeon General



Public Health Service Publication No. 1000-Series 10, No. 26

For sale by the Superintendent of Documents, U.S. Government Printing Office  
Washington, D.C., 20402 - Price 45 cents

# NATIONAL CENTER FOR HEALTH STATISTICS

FORREST E. LINDER, PH. D., *Director*  
THEODORE D. WOOLSEY, *Deputy Director*  
OSWALD K. SAGEN, PH. D., *Assistant Director*  
WALT R. SIMMONS, M.A., *Statistical Advisor*  
ALICE M. WATERHOUSE, M.D., *Medical Advisor*  
JAMES E. KELLY, D.D.S., *Dental Advisor*  
LOUIS R. STOLCIS, M.A., *Executive Officer*

## DIVISION OF HEALTH INTERVIEW STATISTICS

PHILIP S. LAWRENCE, SC. D., *Chief*  
ELIJAH L. WHITE, *Assistant Chief*  
AUGUSTINE GENTILE, *Chief, Survey Methods Branch*  
GERALDINE A. GLEESON, *Chief, Analysis and Reports Branch*  
ROBERT R. FUCHSBERG, *Assistant for Developmental Studies*

### COOPERATION OF THE BUREAU OF THE CENSUS

Under the legislation establishing the National Health Survey, the Public Health Service is authorized to use, insofar as possible, the services or facilities of other Federal, State, or private agencies.

In accordance with specifications established by the National Health Survey, the Bureau of the Census, under a contractual arrangement, participates in most aspects of survey planning, selects the sample, collects the data, and carries out certain parts of the statistical processing.

# CONTENTS

	Page
Selected Findings-----	1
Source of Data-----	1
Condition Group, Sex, and Age-----	4
Geographic Distribution-----	8
Seasonal Variation: Calendar Quarter-----	11
Detailed Tables-----	12
Appendix I. Technical Notes on Methods-----	48
Background of This Report-----	48
Statistical Design of the Health Interview Survey-----	48
General Qualifications-----	49
Reliability of Estimates-----	49
Appendix II. Definitions of Certain Terms Used in This Report-----	58
Terms Relating to Conditions-----	58
Terms Relating to Disability-----	59
Demographic Terms-----	60

*IN THIS REPORT statistics are presented on the incidence of acute illnesses and injuries and associated disability experienced by the civilian, noninstitutional population of the United States during the period July 1964-June 1965. These estimates are distributed by condition groups and selected demographic characteristics of the population. They are based on data collected in health interviews and will update reports similarly entitled that have been published by the National Health Survey about information collected since July 1957.*

*During the period covered in this report the U.S. population was estimated to have had an average of about 2.1 acute conditions and of about 8.3 days of associated restricted activity. Approximately half of these conditions were classified as respiratory. The incidence rate of common colds—one of the components of the respiratory group—increased from the preceding year, mainly during the January-March quarter. The rate of common childhood diseases, however, declined from an estimated 13.3 cases per person in the preceding year to 8.7 during July 1964-June 1965.*

#### SYMBOLS

Data not available-----	---
Category not applicable-----	...
Quantity zero-----	-
Quantity more than 0 but less than 0.05-----	0.0
Figure does not meet standards of reliability or precision-----	*

# ACUTE CONDITIONS

## INCIDENCE AND ASSOCIATED DISABILITY

Alice J. Alderman, *Division of Health Interview Statistics*

### SELECTED FINDINGS

Persons representative of the civilian, non-institutional population were reported in the Health Interview Survey, National Center for Health Statistics, to have experienced an average of about 2.1 acute illnesses or injuries requiring medical attention or reduced activity during the 12 months ending June 1965. Attributed to these conditions were an estimated 8.3 days of restricted activity per person, of which 3.5 days, or about 42 percent, were spent in bed.

Around 13 percent of the acute conditions were classified as infective and parasitic diseases. One component of this condition group, common childhood diseases, declined from an incidence of 13.3 cases per 100 persons during the preceding year to 8.7 cases during the year ending June 1965.

Respiratory conditions comprised approximately half of the total acute conditions. The incidence rate of common colds increased, mainly during the January-March quarter.

The estimated 56.4 million injuries experienced during the year, or a rate of 29.9 per 100 persons, represent little change from the rate of comparable incidence during the previous year. The rate of open wounds and lacerations among males was about twice that for females.

The incidence rate of all acute conditions decreased with age, especially for the relatively young. The age pattern was not uniform among the various condition groups. The differences between rates for children and those for adults were most pronounced for the infective and parasitic diseases.

Acute conditions caused children aged 6-16 to miss an estimated average of 4.6 days from school during the year. Infective and parasitic diseases and respiratory conditions were the most frequently cited causes.

The incidence of acute conditions among the currently employed population aged 17 years and over was 1.6 conditions per person per year. These conditions caused 3.4 days of time lost from work per currently employed person during the year.

The nonmetropolitan farm population was estimated to have experienced, on the average, less incidence of and disability associated with acute conditions than persons residing elsewhere. The associated disability, however, was not lower to the same degree; thus duration of restricted activity per condition was highest for farm residents.

Regional data indicates that persons living in the West experienced the greatest rate of incidence. The incidence of upper respiratory conditions and influenza contributed largely to this regional pattern. The average duration of disability per condition was greatest in the South.

### SOURCE OF DATA

The information contained in this publication is derived from household interviews conducted by the Health Interview Survey in cooperation with the U.S. Bureau of the Census in a probability sample of the civilian, noninstitutional population of the United States. The sample is designed so that interviews are conducted during every week

of the year. During the 52-week period July 1964-June 1965 the sample was composed of approximately 42,000 households containing about 134,000 persons living at the time of the interview.

A description of the design of the Survey, of the methods used in estimation, and of general qualifications of the data obtained from surveys is presented in Appendix I. Since estimates shown in this report are based on a sample of the population rather than on the entire population, they are subject to sampling error. Therefore, particular attention should be paid to the section entitled "Reliability of Estimates." Sampling errors for most of the estimates are of relatively low magnitude. However, where an estimated number or the numerator or the denominator of a rate or percentage is small, the sampling error may be high.

Certain terms used in this report are defined in Appendix II. Some of the terms have specialized meanings for the purpose of the Survey. For

example, estimates of the incidence of acute conditions include, with certain exceptions, those conditions which had started within 2 weeks prior to the week of interview and which had involved either medical attention or restricted activity. The exceptions, listed in Appendix II, are certain conditions such as heart trouble and diabetes which are always considered chronic, regardless of duration or onset.

Annual estimates of the number of disability days associated with each acute condition are derived from the number of such days experienced during the 2-week period prior to the week of interview and include all those reported, even if the illness causing the disability had its onset prior to the 2-week period. Since any particular day of disability may be associated with more than one condition, the sum of days for all conditions adds to more than the total number of person-days of disability.




Figure 1. Incidence of acute conditions per 100 persons per quarter, by condition group.

The questionnaire used by the Health Interview Survey during July 1964-June 1965 is illustrated in the publication "Current Estimates From the Health Interview Survey, United States, July 1964-June 1965" (*Vital and Health Statistics*, Series 10, Number 25). Each condition reported in response to the "illness-recall" questions(6-12) was entered on a line of table I. Further questions were asked to obtain a better description of the specific conditions and to obtain information about

the actions taken by the person, such as seeking medical attention or restricting usual activities.

The incidence rates of acute conditions per quarter for the 12 quarters from July 1958 to June 1961 (fig. 1) are presented in more detail in *Health Statistics*, Series B, Number 33, and for the period July 1961-June 1964 in *Vital and Health Statistics*, Series 10, Numbers 1, 10, and 15.

Table A. Incidence rates per 100 persons per year by measures of impact of illness and rates of associated disability, by condition group: United States, July 1963-June 1964 and July 1964-June 1965

Condition group and year	Measures of impact of illness				Associated disability	
	Total conditions	Medically attended only	Medically attended and activity restricting	Activity restricting only	Days of restricted activity	Days of bed disability
Number per 100 persons per year						
<u>All acute conditions</u>						
July 1963-June 1964-----	208.5	59.2	75.5	73.8	811.5	345.9
July 1964-June 1965-----	212.7	61.3	81.4	70.1	832.2	349.3
<u>Infective and parasitic diseases</u>						
July 1963-June 1964-----	29.8	3.5	13.7	12.6	128.7	59.8
July 1964-June 1965-----	27.5	3.5	13.9	10.2	115.3	55.2
<u>Respiratory conditions</u>						
July 1963-June 1964-----	110.0	26.0	34.6	49.4	328.5	157.1
July 1963-June 1965-----	116.4	27.4	39.8	49.2	361.3	170.4
<u>Digestive system conditions</u>						
July 1963-June 1964-----	11.1	4.4	3.8	2.9	37.4	19.6
July 1964-June 1965-----	11.2	4.3	4.4	2.5	43.5	17.9
<u>Injuries</u>						
July 1963-June 1964-----	29.7	13.5	12.0	4.2	177.9	51.9
July 1964-June 1965-----	29.9	13.9	12.1	3.9	168.8	44.6
<u>All other acute conditions</u>						
July 1963-June 1964-----	28.0	11.7	11.5	4.8	138.9	57.5
July 1964-June 1965-----	27.7	12.1	11.3	4.3	143.4	61.2



## CONDITION GROUP, SEX, AND AGE

The civilian, noninstitutional population experienced an estimated total of 400.9 million acute illnesses and injuries requiring activity restriction or medical attention during the 12 months ending June 1965 (table 1). The corresponding rate was 212.7 conditions per 100 persons, which was quite similar to that for the preceding year (208.5). There was not much difference in the sex ratios of incidence rates for the 2 years. Neither was there much change in the average (per person) number of disability days, which was about 8.3 in the more recent year, approximately 42 percent

of which were spent in bed (table A). The ratios of female rates to male rates for days of restricted activity and bed disability, evident from tables 2 and 3, were greater than the comparable ratio of incidence rates from table 1.

About 13 percent of the acute conditions experienced during the past year were infective and parasitic diseases. The decline from the preceding year in the estimated rate of these illnesses is within the range of sampling variability (fig. 1). Data indicate, however, that the rate of common childhood diseases did decrease. This was not fully reflected in statistics about the total condition group because of slight increases in rates for other types of infective and parasitic diseases:

Condition group	July 1963-June 1964	July 1964-June 1965
	Number of acute conditions per 100 persons per year	
Infective and parasitic diseases-----	29.8	27.5
Common childhood diseases-----	13.3	8.7
The virus, N.O.S.-----	13.0	14.7
Other infective and parasitic diseases-----	3.5	4.1

This lower incidence of the childhood diseases during the year ending July 1965 reflects a decline from the epidemic incidence of measles and

rubella during the previous year and also a decline in the incidence rate of mumps, as shown below:

Childhood diseases	July 1963-June 1964	July 1964-June 1965
	Incidence in thousands	
Common childhood diseases-----	24,666	16,425
Measles-----	10,020	6,810
Rubella (German measles)-----	4,705	2,370
Whooping cough-----	*	*
Chickenpox-----	5,292	4,110
Mumps-----	4,574	3,026
	Number of conditions per 100 persons per year	
Common childhood diseases-----	13.3	8.7
Measles-----	5.4	3.6
Rubella (German measles)-----	2.5	1.3
Whooping cough-----	*	*
Chickenpox-----	2.8	2.2
Mumps-----	2.5	1.6

"The virus, N.O.S.," is a classification subject to considerable variation in reporting because of nonuniform usage of the term in different areas of the country.

The high ratio of male to female rates of days of restricted activity associated with common childhood diseases differs from the sex ratio for other infective and parasitic diseases (table 2). Another noteworthy point about the impact of infective and parasitic diseases is the relatively low percentage of common childhood diseases which were medically attended (tables B and 4). This may be explained by the common practice of "secondhand" medical attention for conditions in this group (i.e., when more than one child in a household contracts a childhood illness, medical treatment prescribed for the initially ill child may be used for others without additional medical consultation). The percentage of medically attended cases of virus is not too meaningful due to the nebulousness of this category of interview data. The high proportion of medically attended cases of "Other infective and parasitic diseases" is not surprising in view of the severity of most of the

components of this class (e.g., acute venereal diseases, scarlet fever, infectious hepatitis, and malaria).

Approximately half of the acute conditions were classified as respiratory. The influence of this large class upon trends in incidence of total acute conditions is illustrated in figure 1. An increase in the incidence rate of common colds combined with little or no change for other respiratory conditions accounts for the negligible increase from the period July 1963-June 1964 in the rate for all respiratory conditions. The excess in the incidence rate of respiratory conditions experienced by females over the comparable male rate (which reflects such a sex difference in rates of upper respiratory conditions and cases of influenza) was a factor that contributed to the sex pattern of total acute conditions.

Respiratory conditions accounted for a smaller proportion of associated disability days than of total incidence, suggesting the relative mildness of these illnesses (table C). The rates for days of disability associated with these illnesses were essentially similar to those of the previous year,

Table B. Percent distribution of the incidence of acute conditions, by measures of impact of illness according to condition group: United States, July 1964-June 1965

Condition group	Measures of impact of illness		
	Total	Medically attended	Activity restricting only
	Percent distribution		
All acute conditions-----	100.0	67.1	32.9
Infective and parasitic diseases-----	100.0	63.0	37.0
Common childhood diseases-----	100.0	64.2	35.8
The virus, N. O. S.-----	100.0	54.2	45.8
Other infective and parasitic diseases-----	100.0	91.7	*
Respiratory conditions-----	100.0	57.7	42.3
Upper respiratory conditions-----	100.0	59.4	40.6
Common cold-----	100.0	54.8	45.2
Other acute upper respiratory conditions-----	100.0	76.4	23.6
Influenza-----	100.0	48.6	51.4
Other respiratory conditions-----	100.0	94.8	*
Digestive system conditions-----	100.0	77.8	22.2
Injuries-----	100.0	87.1	12.9
All other acute conditions-----	100.0	84.5	15.5

as were the incidence rates. A higher proportion of "Other acute upper respiratory conditions" (e.g., acute sinusitis, pharyngitis, and tonsillitis) than of common colds were medically attended (table B). The proportion of respiratory conditions other than influenza and upper respiratory (including such ills as pneumonia, bronchitis, and pleurisy) that were medically attended was high, as might have been predicted on the basis of their severity.

Digestive system conditions accounted for only about 5 percent of the total acute conditions. Incidence rates for the sexes were similar. A little less than half of the digestive disorders were described as dental conditions. As would be expected, however, dental conditions accounted for a smaller proportion of the total days of disability associated with digestive system conditions, 26.0 percent days of restricted activity and 18.1 percent days of bed disability.

The estimated 56.4 million injuries experienced during the year represent little change from the previous year in the rate of incidence. In contrast to the more common sex pattern of incidence, this rate was higher for males. In fact, the rate of open wounds and lacerations among males was about twice that for females.

Injuries were accompanied by greater duration of restricted activity per condition than were acute illnesses. The extreme of this relationship occurred for fractures and dislocations. Relative to other condition groups, however, a small pro-

portion of the disability days associated with all injuries was estimated to have been spent in bed (tables 2 and 3). While males experienced a greater rate than females of total days of restricted activity associated with injuries, as well as corresponding incidence, the rate for days of bed disability attributed to injuries was similar for the sexes.

About 13 percent of the conditions were classified as "All other acute conditions," a group which occurred at a higher rate for females than for males. In addition to higher rates of headaches and genitourinary disorders among females, deliveries and disorders of pregnancy and the puerperium (the period immediately following childbirth) largely explain the sex differential in the "All other acute conditions" category. The average number (per condition) of disability days associated with conditions related to childbirth was comparatively high.

The incidence rate of acute conditions decreased with increasing age, with the sharpest decline at the younger ages (tables 5 and 11). The rate of associated disability days, however, was relatively level at the middle of the age scale and increased markedly among those aged 65 and over (tables 6 and 12). The age patterns of disability due to acute conditions (fig. 2) differ by sex largely because of the high rate of disability associated with "All other acute conditions" and, to a lesser degree, with respiratory conditions among young women.

Table C. Percent distribution of the incidence of acute conditions and associated disability days, by condition group: United States, July 1964-June 1965

Condition group	Incidence	Days of restricted activity	Days of bed disability
	Percent distribution		
All acute conditions-----	100.0	100.0	100.0
Infective and parasitic diseases-----	12.9	13.8	15.8
Respiratory conditions-----	54.7	43.4	48.8
Digestive system conditions-----	5.3	5.2	5.1
Injuries-----	14.1	20.3	12.8
All other acute conditions-----	13.0	17.2	17.5




Figure 2. Number of days of restricted activity and bed disability associated with acute conditions per 100 persons per year, by age and sex.

The pattern mentioned above for total conditions (that of a greater inverse relationship between incidence rate and age at young ages) reflected such a pattern for respiratory conditions, the largest component of total acute conditions (fig. 3). Incidence rates of infective and parasitic diseases, however, exhibited the most pronounced difference among age groups.




Figure 3. Number of acute conditions per 100 persons per year, by selected condition groups and age.

Similar to the pattern in the rate per person of infective and parasitic diseases, a steep reduction in the rate of associated disability days occurred after the childhood years (tables 6 and 7). In contrast with the gradual decline with age in the rate of injuries, the average length of disability associated with injuries increased.

Children aged 6 through 16 were estimated to have had an average of about 4.6 days of school loss because of acute illnesses, which represented about half of their corresponding days of restricted

activity during the year (a proportion similar to the proportion of days in a year scheduled for school attendance). About 83 percent of these days of school loss were attributed to infective and parasitic diseases and respiratory conditions (table 8).

In conformance with the age pattern of incidence and disability for the total population, currently employed persons aged 45 and over were estimated to have had a lower rate of incidence and a higher rate of days of work loss than the younger segment of this working population (tables 9 and 10). The duration of work loss per injury and per "other respiratory condition" was relatively long, especially for the older persons.

### GEOGRAPHIC DISTRIBUTION

Persons living in nonmetropolitan farm areas experienced a lower rate of acute illness with a somewhat different age pattern than did persons in other areas (table 11, fig. 4). This residential difference in incidence rates was unchanged by adjustment for minor age-sex variations in population structure (table D). Most of the residential variation in both incidence and disability occurred for females.

The average number of disability days per farm resident was also comparatively low, but not quite to the degree as that of corresponding incidence rates (tables 12 and 13). Duration of activity restriction per acute condition increased with decreasing population density, as shown below.

	Restricted-activity	Bed-disability
	Number of days per condition per year	
All areas-	3.9	1.6
All SMSA's-----	3.8	1.6
Outside of SMSA:		
Nonfarm-----	4.1	1.7
Farm-----	4.4	1.7




Figure 4. Incidence of acute conditions per 100 persons per year, by residence and age.

The difference between farm residents and other persons in rates of incidence of all acute conditions and associated restricted activity reflected a similar pattern for acute upper respiratory conditions (tables 14 and 15). Persons living outside metropolitan areas experienced a greater duration of activity restriction per condition in comparison with metropolitan residents for each major type of condition except injuries. Duration of bed disability per injury, however, was greater for farm residents than for others (tables 14 and 16). The residential pattern of

Table D. Unadjusted and age-sex adjusted<sup>1</sup> number of acute conditions and associated disability days per 100 persons per year, by residence: United States, July 1964-June 1965

Residence	Unadjusted	Age-sex adjusted
	Number of acute conditions per 100 persons per year	
All SMSA's-----	217.9	217.8
Outside of SMSA:		
Nonfarm-----	209.3	208.3
Farm-----	175.6	174.7
	Number of days of restricted activity per 100 persons per year	
All SMSA's-----	828.7	829.5
Outside of SMSA:		
Nonfarm-----	853.1	845.9
Farm-----	768.0	759.2
	Number of days of bed disability per 100 persons per year	
All SMSA's-----	351.9	352.4
Outside of SMSA:		
Nonfarm-----	353.2	349.5
Farm-----	302.6	305.3

<sup>1</sup>Adjusted to the age-sex distribution of the total civilian, noninstitutional population of the United States.

bed-disability rates associated with respiratory conditions was reflected in the total pattern, as were the comparable patterns of incidence and general disability.

Persons who were living in the West experienced the highest incidence rate of acute conditions. With age-sex adjustment of the data, the rate for residents of the South was lower than the comparable one for persons living in the Northeast.

Region	Unadjusted	Age-sex adjusted
	Number of acute conditions per 100 persons per year	
Northeast-----	210.2	215.2
North Central-----	212.8	212.8
South-----	201.4	200.1
West-----	237.6	234.1

As implied in a previous report, high rates in the West may reflect a greater chance of medical care for conditions occurring there, and thus a greater chance of their inclusion in the Survey statistics.<sup>1</sup>

Regional variation was estimated to have been greatest for young persons (fig. 5). On the basis of estimates shown in tables 17-19, the average duration of disability per condition was slightly greater in the South Region than in the others.

As shown below and in table 20, upper respiratory conditions and influenza were major contributors to the high rate of acute illness in the West Region, relative to the rates in the other regions.

<sup>1</sup>National Center for Health Statistics: Acute conditions, incidence and associated disability, United States, July 1964-June 1965. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 10-No. 15. Public Health Service. Washington. U.S. Government Printing Office, April 1965.

Condition group	North east	North Central	South	West
Number of acute conditions per 100 persons per year				
All acute conditions-----	210.2	212.8	201.4	237.6
Infective and parasitic diseases-----	38.9	18.4	30.7	20.4
Respiratory conditions-----	109.0	125.1	100.5	142.0
Upper respiratory conditions-----	84.3	76.5	69.4	85.1
Influenza-----	19.9	43.5	26.7	51.9
Other respiratory conditions-----	4.7	5.0	4.5	4.9
Digestive system conditions-----	9.2	9.4	13.3	13.3
Injuries-----	27.9	30.2	29.1	33.8
All other acute conditions-----	25.1	29.7	27.7	28.2




Figure 5. Incidence of acute conditions per 100 persons per year, by geographic region and age.




Figure 6. Incidence of acute conditions per 100 persons per quarter, by selected condition groups.

The pattern of regional variability in rates for influenza is practically the reverse of that indicated for infective and parasitic diseases. Perhaps these patterns partially reflect regional variation in diagnostic terminology of the "virus" or viral respiratory conditions.


The rates of restricted activity and bed disability associated with condition groups for regions followed a pattern similar to that for the incidence, with high rates of disability in the West Region attributable to upper respiratory conditions and influenza. Disability due to most types of acute illness was higher among females than among males (tables 21 and 22).

### SEASONAL VARIATION: CALENDAR QUARTER

Estimates for the four quarters of July 1964-June 1965 are presented in tables 23-30. The near consistency over the past 7 years of seasonal variation in rates of incidence of infective and parasitic diseases and respiratory conditions and injuries is illustrated in figure

1. The seasonal pattern indicated for infective and parasitic diseases is somewhat similar to that for respiratory conditions in that these rates were usually peaked and declined concurrently. This seasonal similarity for the most recent year is illustrated in figure 6. During the past 7 years the rates of injuries were generally at opposite extremes of seasonal fluctuation from the rates of infective and parasitic diseases and respiratory conditions. During the most recent year, quarterly variations in the average incidence of respiratory conditions were slightly greater and in infective and parasitic diseases slightly less than comparable fluctuations during the preceding year. Components of recent changes in incidence of these conditions were mentioned earlier.

Within the past year duration of restricted activity per condition was lowest during the October-December quarter. The rate of disability per person was lowest, as was the corresponding rate of incidence, during the July-September quarter, reflecting the low incidence of infective and parasitic and respiratory conditions during this season of the year.





## DETAILED TABLES

Page

### EXTENDED LIST OF CONDITION GROUPS, BY SEX

Table	1.	Incidence of acute conditions, percent distribution, and number of acute conditions per 100 persons per year, by sex and condition group: United States, July 1964-June 1965-----	15
	2.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by sex and condition group: United States, July 1964-June 1965-----	16
	3.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by sex and condition group: United States, July 1964-June 1965-----	17

### MEASURES OF THE IMPACT OF ILLNESS

	4.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by measures of the impact of illness, sex, and condition group: United States, July 1964-June 1965-----	18
--	----	--	----

### SEX AND AGE

	5.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by age, sex, and condition group: United States, July 1964-June 1965-----	19
	6.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by age, sex, and condition group: United States, July 1964-June 1965-----	20
	7.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by age, sex, and condition group: United States, July 1964-June 1965-----	21

### TIME LOST FROM SCHOOL AND WORK

	8.	Days lost from school associated with acute conditions and days lost from school per 100 children (6-16) per year, by sex and condition group: United States, July 1964-June 1965-----	22
	9.	Incidence of acute conditions among currently employed persons and number of acute conditions per 100 currently employed persons per year, by age, sex, and condition group: United States, July 1964-June 1965-----	23
	10.	Days lost from work associated with acute conditions and days lost from work per 100 currently employed persons per year, by age, sex, and condition group: United States, July 1964-June 1965-----	24

DETAILED TABLES--Continued

Page

RESIDENCE

Table 11.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by residence, sex, and age: United States, July 1964-June 1965-----	25
12.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by residence, sex, and age: United States, July 1964-June 1965-----	26
13.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by residence, sex, and age: United States, July 1964-June 1965-----	27
14.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by residence, sex, and condition group: United States, July 1964-June 1965-----	28
15.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by residence, sex, and condition group: United States, July 1964-June 1965-----	29
16.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by residence, sex, and condition group: United States, July 1964-June 1965-----	30

REGION

17.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by region, sex, and age: United States, July 1964-June 1965-----	31
18.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by region, sex, and age: United States, July 1964-June 1965-----	32
19.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by region, sex, and age: United States, July 1964-June 1965-----	33
20.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by region, sex, and condition group: United States, July 1964-June 1965---	34
21.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by region, sex, and condition group: United States, July 1964-June 1965-----	35
22.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by region, sex, and condition group: United States, July 1964-June 1965-----	36

CALENDAR QUARTER

23.	Incidence of acute conditions per quarter and number of acute conditions per 100 persons per quarter, by sex and age: United States, July 1964-June 1965-----	37
24.	Incidence of acute conditions per quarter and number of acute conditions per 100 persons per quarter, by sex and condition group: United States, July 1964-June 1965-----	38
25.	Days of restricted activity associated with acute conditions per quarter and days of restricted activity per 100 persons per quarter, by sex and age: United States, July 1964-June 1965-----	39
26.	Days of restricted activity associated with acute conditions per quarter and days of restricted activity per 100 persons per quarter, by sex and condition group: United States, July 1964-June 1965-----	40
27.	Days of bed disability associated with acute conditions per quarter and days of bed disability per 100 persons per quarter, by sex and age: United States, July 1964-June 1965-----	41

DETAILED TABLES—Continued

Page

CALENDAR QUARTER—Continued

Table 28.	Days of bed disability associated with acute conditions per quarter and days of bed disability per 100 persons per quarter, by sex and condition group: United States, July 1964-June 1965-----	42
29.	Incidence of acute respiratory conditions and associated disability days per quarter and number of acute respiratory conditions per 100 persons per quarter, by age: United States, July 1964-June 1965-----	43
30.	Incidence of injuries and associated disability days per quarter and number of injuries per 100 persons per quarter, by age: United States, July 1964-June 1965-----	44

POPULATION

31.	Population used in obtaining rates shown in this publication, by residence, region, sex, and age: United States, July 1964-June 1965-----	45
32.	Population of currently employed persons, by sex and age: United States, July 1964-June 1965-----	46
33.	Population used in obtaining rates shown in this publication, by quarter, sex, and age: United States, July 1964-June 1965-----	47

TABLE 1. INCIDENCE OF ACUTE CONDITIONS, PERCENT DISTRIBUTION, AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

CONDITION GROUP	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS			PERCENT DISTRIBUTION			NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR		
ALL ACUTE CONDITIONS-----	400,871	185,242	215,629	100.0	100.0	100.0	212.7	202.9	222.0
INFECTIVE AND PARASITIC DISEASES---	51,886	24,623	27,263	12.9	13.3	12.6	27.5	27.0	28.1
COMMON CHILDHOOD DISEASES-----	16,425	8,869	7,556	4.1	4.8	3.5	8.7	9.7	7.8
THE VIRUS, N.O.S.-----	27,681	12,149	15,533	6.9	6.6	7.2	14.7	13.3	16.0
OTHER INFECTIVE AND PARASITIC DISEASES-----	7,779	3,605	4,174	1.9	1.9	1.9	4.1	3.9	4.3
RESPIRATORY CONDITIONS-----	219,355	98,545	120,809	54.7	53.2	56.0	116.4	107.9	124.4
UPPER RESPIRATORY CONDITIONS-----	146,416	65,533	80,882	36.5	35.4	37.5	77.7	71.8	83.3
COMMON COLD-----	115,132	52,251	62,881	28.7	28.2	29.2	61.1	57.2	64.7
OTHER ACUTE UPPER RESPIRATORY CONDITIONS-----	31,283	13,282	18,001	7.8	7.2	8.3	16.6	14.5	18.5
INFLUENZA-----	63,930	28,614	35,316	15.9	15.4	16.4	33.9	31.3	36.4
INFLUENZA WITH DIGESTIVE MANIFESTATIONS-----	6,118	2,611	3,508	1.5	1.4	1.6	3.2	2.9	3.6
OTHER INFLUENZA-----	57,812	26,004	31,808	14.4	14.0	14.8	30.7	28.5	32.8
OTHER RESPIRATORY CONDITIONS-----	9,009	4,398	4,611	2.2	2.4	2.1	4.8	4.8	4.7
PNEUMONIA-----	2,497	1,320	1,177	0.6	0.7	0.5	1.3	1.4	1.2
BRONCHITIS-----	3,750	1,653	2,097	0.9	0.9	1.0	2.0	1.8	2.2
OTHER ACUTE RESPIRATORY CONDITIONS-----	2,762	1,426	1,337	0.7	0.8	0.6	1.5	1.6	1.4
DIGESTIVE SYSTEM CONDITIONS-----	21,049	9,896	11,152	5.3	5.3	5.2	11.2	10.8	11.5
DENTAL CONDITIONS-----	9,663	4,754	4,909	2.4	2.6	2.3	5.1	5.2	5.1
FUNCTIONAL AND SYMPTOMATIC UPPER GASTROINTESTINAL DISORDERS, N.E.C.-----	4,369	1,917	2,452	1.1	1.0	1.1	2.3	2.1	2.5
OTHER DIGESTIVE SYSTEM CONDITIONS-----	7,016	3,225	3,791	1.8	1.7	1.8	3.7	3.5	3.9
INJURIES-----	56,352	32,738	23,613	14.1	17.7	11.0	29.9	35.9	24.3
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	15,013	7,895	7,118	3.7	4.3	3.3	8.0	8.6	7.3
FRACTURES AND DISLOCATIONS-----	5,588	2,805	2,783	1.4	1.5	1.3	3.0	3.1	2.9
SPRAINS AND STRAINS-----	9,425	5,090	4,335	2.4	2.7	2.0	5.0	5.6	4.5
OPEN WOUNDS AND LACERATIONS-----	15,763	10,885	4,878	3.9	5.9	2.3	8.4	11.9	5.0
CONTUSIONS AND SUPERFICIAL INJURIES-----	11,720	5,842	5,877	2.9	3.2	2.7	6.2	6.4	6.1
OTHER CURRENT INJURIES-----	13,856	8,116	5,740	3.5	4.4	2.7	7.4	8.9	5.9
ALL OTHER ACUTE CONDITIONS-----	52,230	19,439	32,791	13.0	10.5	15.2	27.7	21.3	33.8
DISEASES OF THE EAR-----	11,969	6,312	5,657	3.0	3.4	2.6	6.4	6.9	5.8
HEADACHES-----	4,531	1,317	3,214	1.1	0.7	1.5	2.4	1.4	3.3
GENITOURINARY DISORDERS-----	6,638	900	5,738	1.7	0.5	2.7	3.5	1.0	5.9
DELIVERIES AND DISORDERS OF PREGNANCY AND THE PUERPERIUM-----	4,472	...	4,472	1.1	...	2.1	2.4	...	4.6
DISEASES OF THE SKIN-----	5,398	2,852	2,546	1.3	1.5	1.2	2.9	3.1	2.6
DISEASES OF THE MUSCULOSKELETAL SYSTEM-----	4,325	1,669	2,656	1.1	0.9	1.2	2.3	1.8	2.7
ALL OTHER ACUTE CONDITIONS-----	14,898	6,390	8,508	3.7	3.4	3.9	7.9	7.0	8.8

NOTES: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

N.o.s.—not otherwise specified; n.e.c.—not elsewhere classified.

TABLE 2. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

CONDITION GROUP	BOTH SEXES		MALE	FEMALE	BOTH SEXES		MALE	FEMALE
	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS				DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR			
ALL ACUTE CONDITIONS-----	1,568,179	675,129	893,050	832.2	739.4	919.5		
INFECTIVE AND PARASITIC DISEASES----	217,191	97,938	119,253	115.3	107.3	122.8		
COMMON CHILDHOOD DISEASES-----	91,294	48,119	43,175	48.4	52.7	44.5		
THE VIRUS, N.O.S.-----	79,689	30,345	49,344	42.3	33.2	50.8		
OTHER INFECTIVE AND PARASITIC DISEASES-----	46,208	19,474	26,734	24.5	21.3	27.5		
RESPIRATORY CONDITIONS-----	680,818	305,447	375,372	361.3	334.5	386.5		
UPPER RESPIRATORY CONDITIONS-----	365,070	164,578	200,492	193.7	180.2	206.4		
COMMON COLD-----	271,791	124,374	147,416	144.2	136.2	151.8		
OTHER ACUTE UPPER RESPIRATORY CONDITIONS-----	93,279	40,204	53,075	49.5	44.0	54.6		
INFLUENZA-----	235,878	103,441	132,437	125.2	113.3	136.4		
INFLUENZA WITH DIGESTIVE MANIFESTATIONS-----	14,584	6,375	8,209	7.7	7.0	8.5		
OTHER INFLUENZA-----	221,294	97,065	124,228	117.4	106.3	127.9		
OTHER RESPIRATORY CONDITIONS-----	79,870	37,428	42,443	42.4	41.0	43.7		
PNEUMONIA-----	40,858	21,653	19,205	21.7	23.7	19.8		
BRONCHITIS-----	27,922	9,239	18,683	14.8	10.1	19.2		
OTHER ACUTE RESPIRATORY CONDITIONS-----	11,090	6,536	4,555	5.9	7.2	4.7		
DIGESTIVE SYSTEM CONDITIONS-----	81,879	35,855	46,023	43.5	39.3	47.4		
DENTAL CONDITIONS-----	21,277	9,599	11,678	11.3	10.5	12.0		
FUNCTIONAL AND SYMPTOMATIC UPPER GASTROINTESTINAL DISORDERS, N.E.C.-----	13,708	4,661	9,047	7.3	5.1	9.3		
OTHER DIGESTIVE SYSTEM CONDITIONS-----	46,894	21,596	25,298	24.9	23.7	26.0		
INJURIES-----	318,072	163,018	155,054	168.8	178.5	159.7		
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	169,747	79,367	90,381	90.1	86.9	93.1		
FRACTURES AND DISLOCATIONS-----	106,848	49,988	56,861	56.7	54.7	58.5		
SPRAINS AND STRAINS-----	62,899	29,379	33,520	33.4	32.2	34.5		
OPEN WOUNDS AND LACERATIONS-----	50,306	29,652	20,654	26.7	32.5	21.3		
CONTUSIONS AND SUPERFICIAL INJURIES-----	47,993	25,433	22,560	25.5	27.9	23.2		
OTHER CURRENT INJURIES-----	50,025	28,567	21,458	26.5	31.3	22.1		
ALL OTHER ACUTE CONDITIONS-----	270,219	72,872	197,348	143.4	79.8	203.2		
DISEASES OF THE EAR-----	36,043	17,562	18,481	19.1	19.2	19.0		
HEADACHES-----	6,486	1,768	4,718	3.4	1.9	4.9		
GENITOURINARY DISORDERS-----	43,462	7,631	35,832	23.1	8.4	36.9		
DELIVERIES AND DISORDERS OF PREGNANCY AND THE PUERPERIUM-----	51,578	...	51,578	27.4	...	53.1		
DISEASES OF THE SKIN-----	26,114	13,597	12,518	13.9	14.9	12.9		
DISEASES OF THE MUSCULOSKELETAL SYSTEM-----	36,021	10,957	25,064	19.1	12.0	25.6		
ALL OTHER ACUTE CONDITIONS-----	70,515	21,357	49,158	37.4	23.4	50.6		

NOTE: N.o.s.—not otherwise specified; n.e.c.—not elsewhere classified.

TABLE 3. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

CONDITION GROUP	DAYS OF BED DISABILITY IN THOUSANDS			DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
ALL ACUTE CONDITIONS-----	658,129	273,470	384,659	349.3	299.5	396.1
INFECTIVE AND PARASITIC DISEASES----	104,033	46,860	57,172	55.2	51.3	58.9
COMMON CHILDHOOD DISEASES-----	37,817	19,699	18,118	20.1	21.6	18.7
THE VIRUS, N.O.S.-----	42,305	16,317	25,988	22.5	17.9	26.8
OTHER INFECTIVE AND PARASITIC DISEASES-----	23,911	10,845	13,066	12.7	11.9	13.5
RESPIRATORY CONDITIONS-----	321,129	143,219	177,910	170.4	156.8	183.2
UPPER RESPIRATORY CONDITIONS-----	148,389	68,002	80,387	78.8	74.5	82.8
COMMON COLD-----	101,255	47,080	54,175	53.7	51.6	55.8
OTHER ACUTE UPPER RESPIRATORY CONDITIONS-----	47,134	20,922	26,212	25.0	22.9	27.0
INFLUENZA-----	129,769	55,793	73,976	68.9	61.1	76.2
INFLUENZA WITH DIGESTIVE MANIFESTATIONS-----	6,735	2,757	3,978	3.6	3.0	4.1
OTHER INFLUENZA-----	123,034	53,036	69,998	65.3	58.1	72.1
OTHER RESPIRATORY CONDITIONS-----	42,971	19,424	23,547	22.8	21.3	24.2
PNEUMONIA-----	25,601	11,656	13,946	13.6	12.8	14.4
BRONCHITIS-----	12,897	4,827	8,070	6.8	5.3	8.3
OTHER ACUTE RESPIRATORY CONDITIONS-----	4,473	2,941	1,532	2.4	3.2	1.6
DIGESTIVE SYSTEM CONDITIONS-----	33,646	14,405	19,240	17.9	15.8	19.8
DENTAL CONDITIONS-----	6,095	2,493	3,603	3.2	2.7	3.7
FUNCTIONAL AND SYMPTOMATIC UPPER GASTROINTESTINAL DISORDERS, N.E.C.-----	6,713	2,330	4,383	3.6	2.6	4.5
OTHER DIGESTIVE SYSTEM CONDITIONS-----	20,837	9,582	11,255	11.1	10.5	11.6
INJURIES-----	84,093	40,812	43,281	44.6	44.7	44.6
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	40,185	16,344	23,842	21.3	17.9	24.5
FRACTURES AND DISLOCATIONS-----	25,498	10,630	14,869	13.5	11.6	15.3
SPRAINS AND STRAINS-----	14,687	5,714	8,973	7.8	6.3	9.2
OPEN WOUNDS AND LACERATIONS-----	11,110	6,868	4,242	5.9	7.5	4.4
CONTUSIONS AND SUPERFICIAL INJURIES-----	15,742	8,486	7,256	8.4	9.3	7.5
OTHER CURRENT INJURIES-----	17,056	9,114	7,942	9.1	10.0	8.2
ALL OTHER ACUTE CONDITIONS-----	115,229	28,173	87,056	61.2	30.9	89.6
DISEASES OF THE EAR-----	13,588	5,494	8,094	7.2	6.0	8.3
HEADACHES-----	1,886	#:	1,573	1.0	#:	1.6
GENITOURINARY DISORDERS-----	19,228	4,616	14,613	10.2	5.1	15.0
DELIVERIES AND DISORDERS OF PREGNANCY AND THE PUERPERIUM-----	27,797	...	27,797	14.8	...	28.6
DISEASES OF THE SKIN-----	9,125	5,001	4,124	4.8	5.5	4.2
DISEASES OF THE MUSCULOSKELETAL SYSTEM-----	11,394	2,746	8,648	6.0	3.0	8.9
ALL OTHER ACUTE CONDITIONS-----	32,211	10,003	22,208	17.1	11.0	22.9

NOTE: N.o.s.—not otherwise specified; n.e.c.—not elsewhere classified.

TABLE 4. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY MEASURES OF THE IMPACT OF ILLNESS, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	MEASURES OF THE IMPACT OF ILLNESS							
	TOTAL	MEDICALLY ATTENDED ONLY	MEDICALLY ATTENDED AND ACTIVITY RESTRICTING	ACTIVITY RESTRICTING ONLY (NOT MEDICALLY ATTENDED)	TOTAL	MEDICALLY ATTENDED ONLY	MEDICALLY ATTENDED AND ACTIVITY RESTRICTING	ACTIVITY RESTRICTING ONLY (NOT MEDICALLY ATTENDED)
<b>BOTH SEXES</b>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS				NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR			
ALL ACUTE CONDITIONS--	400,871	115,469	153,380	132,021	212.7	61.3	81.4	70.1
INFECTIVE AND PARASITIC DISEASES-----	51,886	6,553	26,138	19,194	27.5	3.5	13.9	10.2
RESPIRATORY CONDITIONS--	219,355	51,634	74,959	92,762	116.4	27.4	39.8	49.2
UPPER RESPIRATORY CONDITIONS-----	146,416	43,851	43,104	59,461	77.7	23.3	22.9	31.6
INFLUENZA-----	63,930	5,870	25,225	32,835	33.9	3.1	13.4	17.4
OTHER RESPIRATORY CONDITIONS-----	9,009	1,912	6,630	"	4.8	1.0	3.5	"
DIGESTIVE SYSTEM CONDITIONS-----	21,049	8,155	8,228	4,665	11.2	4.3	4.4	2.5
INJURIES-----	56,352	26,260	22,797	7,295	29.9	13.9	12.1	3.9
ALL OTHER ACUTE CONDITIONS-----	52,230	22,868	21,257	8,105	27.7	12.1	11.3	4.3
<b>MALE</b>								
ALL ACUTE CONDITIONS--	185,242	55,324	70,158	59,761	202.9	60.6	76.8	65.4
INFECTIVE AND PARASITIC DISEASES-----	24,623	2,996	12,848	8,779	27.0	3.3	14.1	9.6
RESPIRATORY CONDITIONS--	98,545	23,051	33,777	41,718	107.9	25.2	37.0	45.7
UPPER RESPIRATORY CONDITIONS-----	65,533	19,787	19,108	26,638	71.8	21.7	20.9	29.2
INFLUENZA-----	28,614	2,486	11,297	14,831	31.3	2.7	12.4	16.2
OTHER RESPIRATORY CONDITIONS-----	4,398	778	3,371	"	4.8	0.9	3.7	"
DIGESTIVE SYSTEM CONDITIONS-----	9,896	3,766	4,037	2,093	10.8	4.1	4.4	2.3
INJURIES-----	32,738	16,100	12,824	3,814	35.9	17.6	14.0	4.2
ALL OTHER ACUTE CONDITIONS-----	19,439	9,411	6,672	3,356	21.3	10.3	7.3	3.7
<b>FEMALE</b>								
ALL ACUTE CONDITIONS--	215,629	60,146	83,223	72,261	222.0	61.9	85.7	74.4
INFECTIVE AND PARASITIC DISEASES-----	27,263	3,557	13,291	10,415	28.1	3.7	13.7	10.7
RESPIRATORY CONDITIONS--	120,809	28,583	41,182	51,044	124.4	29.4	42.4	52.6
UPPER RESPIRATORY CONDITIONS-----	80,882	24,064	23,996	32,822	83.3	24.8	24.7	33.8
INFLUENZA-----	35,316	3,384	13,927	18,004	36.4	3.5	14.3	18.5
OTHER RESPIRATORY CONDITIONS-----	4,611	1,135	3,259	"	4.7	1.2	3.4	"
DIGESTIVE SYSTEM CONDITIONS-----	11,152	4,389	4,191	2,572	11.5	4.5	4.3	2.6
INJURIES-----	23,613	10,160	9,973	3,481	24.3	10.5	10.3	3.6
ALL OTHER ACUTE CONDITIONS-----	32,791	13,457	14,585	4,749	33.8	13.9	15.0	4.9

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 5. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY AGE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL AGES	UNDER 6	6-16	17-44	45 & OVER	ALL AGES	UNDER 6	6-16	17-44	45 & OVER
<b>BOTH SEXES</b>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS					NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR				
ALL ACUTE CONDITIONS--	400,871	93,469	107,490	121,290	78,622	212.7	377.1	258.7	182.1	141.7
INFECTIVE AND PARASITIC DISEASES-----	51,886	15,811	18,985	11,053	6,036	27.5	63.8	45.7	16.6	10.9
RESPIRATORY CONDITIONS--	219,355	54,087	58,106	63,313	43,848	116.4	218.2	139.8	95.1	79.0
UPPER RESPIRATORY CONDITIONS-----	146,416	40,212	41,100	38,152	26,952	77.7	162.2	98.9	57.3	48.6
INFLUENZA-----	63,930	10,928	15,605	22,674	14,723	33.9	44.1	37.6	34.0	26.5
OTHER RESPIRATORY CONDITIONS-----	9,009	2,948	1,402	2,487	2,173	4.8	11.9	3.4	3.7	3.9
DIGESTIVE SYSTEM CONDITIONS-----	21,049	3,478	4,824	7,467	5,280	11.2	14.0	11.6	11.2	9.5
INJURIES-----	56,352	9,285	14,958	19,638	12,471	29.9	37.5	36.0	29.5	22.5
ALL OTHER ACUTE CONDITIONS-----	52,230	10,807	10,616	19,819	10,987	27.7	43.6	25.5	29.8	19.8
<b>MALE</b>										
ALL ACUTE CONDITIONS--	185,242	48,936	53,517	48,685	34,103	202.9	386.9	253.9	154.2	131.1
INFECTIVE AND PARASITIC DISEASES-----	24,623	8,687	9,451	4,483	2,003	27.0	68.7	44.6	14.2	7.7
RESPIRATORY CONDITIONS--	98,545	27,337	26,856	24,101	20,252	107.9	216.1	127.4	76.3	77.9
UPPER RESPIRATORY CONDITIONS-----	65,533	20,078	19,043	14,121	12,291	71.8	158.7	90.3	44.7	47.3
INFLUENZA-----	28,614	5,692	7,111	8,725	7,087	31.3	45.0	33.7	27.6	27.2
OTHER RESPIRATORY CONDITIONS-----	4,398	1,567	702	1,255	874	4.8	12.4	3.3	4.0	3.4
DIGESTIVE SYSTEM CONDITIONS-----	9,896	1,959	2,469	2,906	2,562	10.8	15.5	11.7	9.2	9.9
INJURIES-----	32,738	5,167	9,466	12,593	5,512	35.9	40.8	44.9	39.9	21.2
ALL OTHER ACUTE CONDITIONS-----	19,439	5,787	5,275	4,602	3,774	21.3	45.8	25.0	14.6	14.5
<b>FEMALE</b>										
ALL ACUTE CONDITIONS--	215,629	44,532	53,973	72,605	44,519	222.0	366.9	263.5	207.3	151.0
INFECTIVE AND PARASITIC DISEASES-----	27,263	7,125	9,534	6,571	4,033	28.1	58.7	46.6	18.8	13.7
RESPIRATORY CONDITIONS--	120,809	26,751	31,250	39,212	23,596	124.4	220.4	152.6	112.0	80.0
UPPER RESPIRATORY CONDITIONS-----	80,882	20,134	22,056	24,031	14,661	83.3	165.9	107.7	68.6	49.7
INFLUENZA-----	35,316	5,236	8,494	13,949	7,637	36.4	43.1	41.5	39.8	25.9
OTHER RESPIRATORY CONDITIONS-----	4,611	1,381	700	1,232	1,298	4.7	11.4	3.4	3.5	4.4
DIGESTIVE SYSTEM CONDITIONS-----	11,152	1,519	2,355	4,560	2,718	11.5	12.5	11.5	13.0	9.2
INJURIES-----	23,613	4,118	5,492	7,045	6,959	24.3	33.9	26.8	20.1	23.6
ALL OTHER ACUTE CONDITIONS-----	32,791	5,020	5,341	15,217	7,213	33.8	41.4	26.1	43.4	24.5

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.



TABLE 6. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY AGE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL AGES	UNDER 6	6-16	17-44	45 & OVER	ALL AGES	UNDER 6	6-16	17-44	45 & OVER
<u>BOTH SEXES</u>	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS					DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR				
ALL ACUTE CONDITIONS--	1,568,179	247,599	363,755	486,666	470,159	832.2	998.9	875.3	730.8	847.3
INFECTIVE AND PARASITIC DISEASES-----	217,191	57,587	92,431	37,582	29,590	115.3	232.3	222.4	56.4	53.3
RESPIRATORY CONDITIONS--	680,818	137,903	160,218	178,251	204,446	361.3	556.4	385.5	267.7	368.5
UPPER RESPIRATORY CONDITIONS-----	365,070	90,821	102,129	82,560	89,560	193.7	366.4	245.8	124.0	161.4
INFLUENZA-----	235,878	30,361	49,322	73,727	82,468	125.2	122.5	118.7	110.7	148.6
OTHER RESPIRATORY CONDITIONS-----	79,870	16,721	8,767	21,964	32,419	42.4	67.5	21.1	33.0	58.4
DIGESTIVE SYSTEM CONDITIONS-----	81,879	8,565	10,992	29,115	33,206	43.5	34.6	76.5	43.7	59.8
INJURIES-----	318,072	16,197	64,232	118,053	119,590	168.8	65.3	154.6	177.3	215.5
ALL OTHER ACUTE CONDITIONS-----	270,219	27,346	35,882	123,665	83,327	143.4	110.3	86.3	185.7	150.2
<u>MALE</u>										
ALL ACUTE CONDITIONS--	675,129	131,249	186,287	175,942	181,652	739.4	1,037.6	883.8	557.2	698.4
INFECTIVE AND PARASITIC DISEASES-----	97,938	32,835	43,850	12,954	8,299	107.3	259.6	208.0	41.0	31.9
RESPIRATORY CONDITIONS--	305,447	71,120	79,469	66,181	88,676	334.5	562.3	377.0	209.6	346.9
UPPER RESPIRATORY CONDITIONS-----	164,578	46,734	51,407	29,780	36,657	180.2	369.5	243.9	94.3	140.9
INFLUENZA-----	103,441	16,520	24,633	27,004	35,284	113.3	130.6	116.9	85.5	135.7
OTHER RESPIRATORY CONDITIONS-----	37,428	7,867	3,429	9,397	16,734	41.0	62.2	16.3	29.8	64.3
DIGESTIVE SYSTEM CONDITIONS-----	35,855	4,770	5,907	9,589	15,590	39.3	37.7	28.0	30.4	59.9
INJURIES-----	163,018	7,694	40,370	69,278	45,676	178.5	60.8	191.5	219.4	175.6
ALL OTHER ACUTE CONDITIONS-----	72,872	14,830	16,690	17,940	23,411	79.8	117.2	79.2	56.8	90.0
<u>FEMALE</u>										
ALL ACUTE CONDITIONS--	893,050	116,350	177,468	310,724	288,507	919.5	958.6	866.5	887.2	978.7
INFECTIVE AND PARASITIC DISEASES-----	119,253	24,753	48,580	24,628	21,292	122.8	203.9	237.2	70.3	72.2
RESPIRATORY CONDITIONS--	375,372	66,783	80,749	112,070	115,770	386.5	550.2	394.3	320.0	392.7
UPPER RESPIRATORY CONDITIONS-----	200,492	44,088	50,722	52,780	52,902	206.4	363.2	247.7	150.7	179.5
INFLUENZA-----	132,437	13,841	24,689	46,724	47,184	136.4	114.0	120.6	133.4	160.1
OTHER RESPIRATORY CONDITIONS-----	42,443	8,854	5,338	12,566	15,684	43.7	72.9	26.1	35.9	53.2
DIGESTIVE SYSTEM CONDITIONS-----	46,023	3,795	5,085	19,527	17,616	47.4	31.3	24.8	55.8	59.8
INJURIES-----	155,054	8,503	23,862	48,775	73,914	159.7	70.1	116.5	139.3	250.7
ALL OTHER ACUTE CONDITIONS-----	197,348	12,516	19,192	105,725	59,916	203.2	103.1	93.7	301.9	203.3

TABLE 7. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY AGE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL AGES	UNDER 6	6-16	17-44	45 & OVER	ALL AGES	UNDER 6	6-16	17-44	45 & OVER
<b>BOTH SEXES</b>	<b>DAYS OF BED DISABILITY IN THOUSANDS</b>					<b>DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR</b>				
<b>ALL ACUTE CONDITIONS--</b>	<b>658,129</b>	<b>106,608</b>	<b>157,498</b>	<b>209,662</b>	<b>184,361</b>	<b>349.3</b>	<b>430.1</b>	<b>379.0</b>	<b>314.8</b>	<b>332.3</b>
INFECTIVE AND PARASITIC DISEASES-----	104,033	25,055	44,558	21,183	13,236	55.2	101.1	107.2	31.8	23.9
RESPIRATORY CONDITIONS---	321,129	59,908	82,690	88,978	89,552	170.4	241.7	199.0	133.6	161.4
UPPER RESPIRATORY CONDITIONS-----	148,389	31,771	47,087	37,643	31,888	78.8	128.2	113.3	56.5	57.5
INFLUENZA-----	129,769	17,058	31,215	39,890	41,606	68.9	68.8	75.1	59.9	75.0
OTHER RESPIRATORY CONDITIONS-----	42,971	11,079	4,387	11,446	16,059	22.8	44.7	10.6	17.2	28.9
DIGESTIVE SYSTEM CONDITIONS-----	33,646	2,793	4,779	12,811	13,263	17.9	11.3	11.5	19.2	23.9
INJURIES-----	84,093	5,906	13,046	33,651	31,491	44.6	23.8	31.4	50.5	56.8
ALL OTHER ACUTE CONDITIONS-----	115,229	12,947	12,425	53,039	36,818	61.2	52.2	29.9	79.6	66.4
<b>MALE</b>										
<b>ALL ACUTE CONDITIONS--</b>	<b>273,470</b>	<b>56,950</b>	<b>75,020</b>	<b>72,532</b>	<b>68,967</b>	<b>299.5</b>	<b>450.2</b>	<b>355.9</b>	<b>229.7</b>	<b>265.2</b>
INFECTIVE AND PARASITIC DISEASES-----	46,860	14,066	21,070	8,360	3,365	51.3	111.2	100.0	26.5	12.9
RESPIRATORY CONDITIONS---	143,219	32,293	38,656	33,194	39,076	156.8	255.3	183.4	105.1	150.2
UPPER RESPIRATORY CONDITIONS-----	68,002	17,869	22,190	14,673	13,270	74.5	141.3	105.3	46.5	51.0
INFLUENZA-----	55,793	8,736	15,150	14,277	17,629	61.1	69.1	71.9	45.2	67.8
OTHER RESPIRATORY CONDITIONS-----	19,424	5,688	"	4,243	8,176	21.3	45.0	"	13.4	31.4
DIGESTIVE SYSTEM CONDITIONS-----	14,405	2,017	2,571	3,867	5,950	15.8	15.9	12.2	12.2	22.9
INJURIES-----	40,812	2,804	7,872	20,949	9,187	44.7	22.2	37.3	66.3	35.3
ALL OTHER ACUTE CONDITIONS-----	28,173	5,770	4,851	6,162	11,390	30.9	45.6	23.0	19.5	43.8
<b>FEMALE</b>										
<b>ALL ACUTE CONDITIONS--</b>	<b>384,659</b>	<b>49,659</b>	<b>82,477</b>	<b>137,130</b>	<b>115,393</b>	<b>396.1</b>	<b>409.1</b>	<b>402.7</b>	<b>391.5</b>	<b>391.5</b>
INFECTIVE AND PARASITIC DISEASES-----	57,172	10,989	23,488	12,823	9,872	58.9	90.5	114.7	36.6	33.5
RESPIRATORY CONDITIONS---	177,910	27,615	44,033	55,785	50,477	183.2	227.5	215.0	159.3	171.2
UPPER RESPIRATORY CONDITIONS-----	80,387	13,902	24,897	22,970	18,618	82.8	114.5	121.6	65.6	63.2
INFLUENZA-----	73,976	8,322	16,065	25,612	23,977	76.2	68.6	78.4	73.1	81.3
OTHER RESPIRATORY CONDITIONS-----	23,547	5,391	3,071	7,202	7,882	24.2	44.4	15.0	20.6	26.7
DIGESTIVE SYSTEM CONDITIONS-----	19,240	"	2,208	8,944	7,313	19.8	"	10.8	25.5	24.8
INJURIES-----	43,281	3,102	5,174	12,702	22,304	44.6	25.6	25.3	36.3	75.7
ALL OTHER ACUTE CONDITIONS-----	87,056	7,176	7,574	46,877	25,428	89.6	59.1	37.0	133.8	86.3

TABLE 8. DAYS LOST FROM SCHOOL ASSOCIATED WITH ACUTE CONDITIONS AND DAYS LOST FROM SCHOOL PER 100 CHILDREN (6-16) PER YEAR, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

CONDITION GROUP	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
	DAYS LOST FROM SCHOOL IN THOUSANDS			DAYS LOST FROM SCHOOL PER 100 CHILDREN PER YEAR		
ALL ACUTE CONDITIONS-----	189,347	92,013	97,334	455.6	436.6	475.3
INFECTIVE AND PARASITIC DISEASES-----	57,737	27,383	30,354	138.9	129.9	148.2
RESPIRATORY CONDITIONS-----	98,947	48,425	50,522	238.1	229.8	246.7
UPPER RESPIRATORY CONDITIONS-----	61,237	29,533	31,704	147.4	140.1	154.8
INFLUENZA-----	33,506	17,056	16,450	80.6	80.9	80.3
OTHER RESPIRATORY CONDITIONS-----	4,204	1,835	2,369	10.1	8.7	11.6
DIGESTIVE SYSTEM CONDITIONS-----	5,245	2,866	2,378	12.6	13.6	11.6
INJURIES-----	11,825	6,657	5,169	28.5	31.6	25.2
ALL OTHER ACUTE CONDITIONS-----	15,593	6,682	8,911	37.5	31.7	43.5

TABLE 9. INCIDENCE OF ACUTE CONDITIONS AMONG CURRENTLY EMPLOYED PERSONS AND NUMBER OF ACUTE CONDITIONS PER 100 CURRENTLY EMPLOYED PERSONS PER YEAR, BY AGE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL AGES- 17 & OVER	17-44	45 & OVER	ALL AGES 17 & OVER	17-44	45 & OVER
<b>BOTH SEXES</b>	INCIDENCE OF ACUTE CON- DITIONS IN THOUSANDS			NUMBER OF ACUTE CONDITIONS PER 100 CURRENTLY EMPLOYED PERSONS PER YEAR		
ALL ACUTE CONDITIONS-----	110,009	69,478	40,530	156.1	165.6	142.2
INFECTIVE AND PARASITIC DISEASES-----	9,176	6,313	2,864	13.0	15.0	10.0
RESPIRATORY CONDITIONS-----	58,965	35,838	23,127	83.7	85.4	81.1
UPPER RESPIRATORY CONDITIONS-----	35,928	21,437	14,491	51.0	51.1	50.8
INFLUENZA-----	20,429	12,757	7,672	29.0	30.4	26.9
OTHER RESPIRATORY CONDITIONS-----	2,608	1,644	964	3.7	3.9	3.4
DIGESTIVE SYSTEM CONDITIONS-----	6,998	4,242	2,756	9.9	10.1	9.7
INJURIES-----	20,785	14,245	6,541	29.5	34.0	22.9
ALL OTHER ACUTE CONDITIONS-----	14,084	8,841	5,242	20.0	21.1	18.4
<b>MALE</b>						
ALL ACUTE CONDITIONS-----	66,425	41,382	25,043	144.9	150.9	136.0
INFECTIVE AND PARASITIC DISEASES-----	5,544	3,834	1,711	12.1	14.0	9.3
RESPIRATORY CONDITIONS-----	34,395	19,897	14,498	75.0	72.6	78.7
UPPER RESPIRATORY CONDITIONS-----	20,133	11,391	8,742	43.9	41.5	47.5
INFLUENZA-----	12,535	7,345	5,190	27.3	26.8	28.2
OTHER RESPIRATORY CONDITIONS-----	1,727	1,161	"	3.8	4.2	"
DIGESTIVE SYSTEM CONDITIONS-----	4,388	2,531	1,857	9.6	9.2	10.1
INJURIES-----	15,600	11,148	4,451	34.0	40.6	24.2
ALL OTHER ACUTE CONDITIONS-----	6,498	3,972	2,527	14.2	14.5	13.7
<b>FEMALE</b>						
ALL ACUTE CONDITIONS-----	43,583	28,096	15,487	177.0	193.4	153.4
INFECTIVE AND PARASITIC DISEASES-----	3,632	2,479	1,153	14.7	17.1	11.4
RESPIRATORY CONDITIONS-----	24,570	15,941	8,629	99.8	109.7	85.5
UPPER RESPIRATORY CONDITIONS-----	15,795	10,045	5,749	64.1	69.1	56.9
INFLUENZA-----	7,894	5,412	2,482	32.1	37.2	24.6
OTHER RESPIRATORY CONDITIONS-----	881	"	"	3.6	"	"
DIGESTIVE SYSTEM CONDITIONS-----	2,610	1,711	899	10.6	11.8	8.9
INJURIES-----	5,186	3,096	2,090	21.1	21.3	20.7
ALL OTHER ACUTE CONDITIONS-----	7,585	4,870	2,716	30.8	33.5	26.9

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 10. DAYS LOST FROM WORK ASSOCIATED WITH ACUTE CONDITIONS AND DAYS LOST FROM WORK PER 100 CURRENTLY EMPLOYED PERSONS PER YEAR, BY AGE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL AGES- 17 & OVER	17-44	45 & OVER	ALL AGES 17 & OVER	17-44	45 & OVER
<u>BOTH SEXES</u>	DAYS LOST FROM WORK IN THOUSANDS			DAYS LOST FROM WORK PER 100 CURRENTLY EMPLOYED PERSONS PER YEAR		
ALL ACUTE CONDITIONS-----	240,478	136,211	104,267	341.3	324.7	365.7
INFECTIVE AND PARASITIC DISEASES-----	18,061	12,024	6,038	25.6	28.7	21.2
RESPIRATORY CONDITIONS-----	100,860	54,228	46,632	143.1	129.2	163.6
UPPER RESPIRATORY CONDITIONS-----	41,188	22,356	18,831	58.5	53.3	66.1
INFLUENZA-----	44,953	25,164	19,789	63.8	60.0	69.4
OTHER RESPIRATORY CONDITIONS-----	14,720	6,708	8,012	20.9	16.0	28.1
DIGESTIVE SYSTEM CONDITIONS-----	14,664	9,148	5,516	20.8	21.8	19.3
INJURIES-----	74,488	42,466	32,023	105.7	101.2	112.3
ALL OTHER ACUTE CONDITIONS-----	32,403	18,345	14,059	46.0	43.7	49.3
<u>MALE</u>						
ALL ACUTE CONDITIONS-----	147,053	79,558	67,494	320.8	290.1	366.6
INFECTIVE AND PARASITIC DISEASES-----	10,517	6,733	3,784	22.9	24.6	20.6
RESPIRATORY CONDITIONS-----	61,815	31,088	30,727	134.9	113.4	166.9
UPPER RESPIRATORY CONDITIONS-----	25,153	12,861	12,293	54.9	46.9	66.8
INFLUENZA-----	26,881	13,670	13,210	58.6	49.8	71.8
OTHER RESPIRATORY CONDITIONS-----	9,781	4,557	5,224	21.3	16.6	28.4
DIGESTIVE SYSTEM CONDITIONS-----	8,437	4,183	4,254	18.4	15.3	23.1
INJURIES-----	52,055	30,492	21,563	113.6	111.2	117.1
ALL OTHER ACUTE CONDITIONS-----	14,229	7,062	7,166	31.0	25.8	38.9
<u>FEMALE</u>						
ALL ACUTE CONDITIONS-----	93,425	56,653	36,772	379.3	389.9	364.2
INFECTIVE AND PARASITIC DISEASES-----	7,544	5,291	2,254	30.6	36.4	22.3
RESPIRATORY CONDITIONS-----	39,045	23,140	15,905	158.5	159.2	157.5
UPPER RESPIRATORY CONDITIONS-----	16,034	9,496	6,539	65.1	65.3	64.8
INFLUENZA-----	18,072	11,494	6,578	73.4	79.1	65.1
OTHER RESPIRATORY CONDITIONS-----	4,939	2,150	2,788	20.1	14.8	27.6
DIGESTIVE SYSTEM CONDITIONS-----	6,227	4,965	2,254	25.3	34.2	22.3
INJURIES-----	22,434	11,974	10,460	91.1	82.4	103.6
ALL OTHER ACUTE CONDITIONS-----	18,175	11,282	6,892	73.8	77.6	68.3

TABLE 11. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACURE CONDITIONS PER 100 PERSONS PER YEAR, BY RESIDENCE, SEX, AND AGE: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM
<b>BOTH SEXES</b>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS				NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR			
ALL AGES-----	400,871	263,185	117,393	20,293	212.7	217.9	209.3	175.6
UNDER 5 YEARS-----	78,672	50,571	25,002	3,099	381.8	382.2	395.7	293.7
5-14 YEARS-----	106,553	70,814	29,226	6,513	274.5	289.2	251.3	241.3
15-24 YEARS-----	57,977	36,824	18,824	2,329	205.5	206.2	219.1	132.0
25-44 YEARS-----	79,047	55,610	20,539	2,899	174.5	182.7	161.8	133.6
45-64 YEARS-----	55,694	36,029	15,477	4,188	145.8	147.0	140.6	156.7
65 & OVER YEARS-----	22,928	13,337	8,325	1,266	132.6	130.1	142.3	106.1
<b>MALE</b>								
ALL AGES-----	185,242	120,999	53,501	10,742	202.9	207.4	197.8	181.2
UNDER 5 YEARS-----	41,347	26,856	12,785	1,706	393.5	395.5	404.5	305.7
5-14 YEARS-----	54,044	36,370	14,489	3,185	274.2	292.1	245.9	232.5
15-24 YEARS-----	24,106	15,417	7,379	1,310	179.0	182.6	181.2	137.6
25-44 YEARS-----	31,641	21,445	8,641	1,556	146.4	147.8	142.4	149.8
45-64 YEARS-----	24,677	15,618	6,851	2,208	134.1	132.9	130.2	159.2
65 & OVER YEARS-----	9,427	5,293	3,356	777	123.9	120.4	129.6	124.7
<b>FEMALE</b>								
ALL AGES-----	215,629	142,187	63,892	9,551	222.0	227.7	219.9	169.8
UNDER 5 YEARS-----	37,325	23,716	12,217	1,392	369.6	368.1	386.7	280.1
5-14 YEARS-----	52,509	34,444	14,737	3,328	274.8	286.2	256.8	250.4
15-24 YEARS-----	33,870	21,407	11,445	1,019	229.6	227.3	253.2	125.2
25-44 YEARS-----	47,406	34,165	11,899	1,343	200.1	214.5	179.6	118.7
45-64 YEARS-----	31,017	20,411	8,626	1,980	156.7	159.9	150.1	154.1
65 & OVER YEARS-----	13,501	8,044	4,969	::	139.4	137.5	152.4	::

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 12. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY RESIDENCE, SEX, AND AGE: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM
<u>BOTH SEXES</u>	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS				DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR			
ALL AGES-----	1,568,179	1,000,892	478,559	88,729	832.2	828.7	853.1	768.0
UNDER 5 YEARS-----	200,537	125,406	66,278	8,854	973.2	947.7	1,048.9	839.2
5-14 YEARS-----	355,154	239,268	93,476	22,410	914.9	977.1	803.6	830.3
15-24 YEARS-----	200,975	127,078	60,339	13,558	712.2	711.5	702.2	768.2
25-44 YEARS-----	341,353	233,543	95,473	12,338	753.6	767.3	752.2	568.6
45-64 YEARS-----	290,711	183,112	87,906	19,694	761.1	746.9	798.6	737.1
65 & OVER YEARS-----	179,447	92,485	75,087	11,875	1,037.7	902.4	1,283.5	995.4
<u>MALE</u>								
ALL AGES-----	675,129	430,782	201,159	43,188	739.4	738.4	743.8	728.4
UNDER 5 YEARS-----	107,950	66,636	35,904	5,410	1,027.3	981.4	1,135.8	969.5
5-14 YEARS-----	183,472	129,629	44,308	9,535	930.7	1,041.2	751.9	696.0
15-24 YEARS-----	74,747	48,016	21,437	5,294	555.0	568.7	526.4	556.1
25-44 YEARS-----	127,309	82,569	37,964	6,777	589.0	569.2	625.7	652.3
45-64 YEARS-----	116,917	70,374	36,506	10,037	635.4	598.8	693.9	723.6
65 & OVER YEARS-----	64,735	33,559	25,040	6,136	850.7	763.1	967.2	984.9
<u>FEMALE</u>								
ALL AGES-----	893,050	570,109	277,399	45,541	919.5	913.0	954.8	809.5
UNDER 5 YEARS-----	92,588	58,770	30,373	3,444	916.9	912.3	961.5	693.0
5-14 YEARS-----	171,682	109,639	49,168	12,875	898.6	910.8	856.7	968.8
15-24 YEARS-----	126,229	79,062	38,902	8,264	855.7	839.6	860.5	1,015.2
25-44 YEARS-----	214,044	150,974	57,509	5,561	903.7	947.7	868.1	491.7
45-64 YEARS-----	173,795	112,737	51,400	9,657	878.0	883.3	894.5	751.5
65 & OVER YEARS-----	114,712	58,926	50,047	5,739	1,184.7	1,006.9	1,534.7	1,006.8

TABLE 13. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY RESIDENCE, SEX, AND AGE: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM
<u>BOTH SEXES</u>	DAYS OF BED DISABILITY IN THOUSANDS				DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR			
ALL AGES-----	658,129	425,030	198,131	34,968	349.3	351.9	353.2	302.6
UNDER 5 YEARS-----	88,081	55,753	27,804	4,523	427.5	421.3	440.0	428.7
5-14 YEARS-----	152,883	102,223	40,201	10,459	393.8	417.5	345.6	387.5
15-24 YEARS-----	90,070	58,424	26,360	5,287	319.2	327.1	306.8	299.5
25-44 YEARS-----	142,734	98,071	39,065	5,599	315.1	322.2	307.8	258.0
45-64 YEARS-----	108,531	70,473	32,108	5,950	284.1	287.5	291.7	222.7
65 & OVER YEARS-----	75,830	40,086	32,593	3,151	438.5	391.1	557.1	264.1
<u>MALE</u>								
ALL AGES-----	273,470	177,093	79,724	16,653	299.5	303.6	294.8	280.9
UNDER 5 YEARS-----	47,324	29,501	14,942	2,882	450.4	434.5	472.7	516.5
5-14 YEARS-----	75,409	53,092	17,842	4,475	382.5	426.4	302.8	326.6
15-24 YEARS-----	30,060	18,945	9,389	1,726	223.2	224.4	230.6	181.3
25-44 YEARS-----	51,709	32,923	15,671	3,115	239.2	226.9	258.3	299.8
45-64 YEARS-----	41,796	26,111	12,798	2,887	227.1	222.2	243.3	208.1
65 & OVER YEARS-----	27,172	16,521	9,083	1,567	357.1	375.6	350.8	251.5
<u>FEMALE</u>								
ALL AGES-----	384,659	247,937	118,407	18,315	396.1	397.1	407.6	325.5
UNDER 5 YEARS-----	40,756	26,252	12,862	1,642	403.6	407.5	407.2	330.4
5-14 YEARS-----	77,474	49,132	22,359	5,983	405.5	408.2	389.6	450.2
15-24 YEARS-----	60,010	39,479	16,971	3,560	406.8	419.2	375.4	437.3
25-44 YEARS-----	91,026	65,147	23,395	2,484	384.3	409.0	353.1	219.6
45-64 YEARS-----	66,735	44,362	19,310	3,063	337.1	347.6	336.1	238.4
65 & OVER YEARS-----	48,658	23,565	23,510	1,584	502.5	402.7	720.9	277.9



TABLE 14. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY RESIDENCE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM
<b>BOTH SEXES</b>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS				NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR			
ALL ACUTE CONDITIONS-----	400,871	263,185	117,393	20,293	212.7	217.9	209.3	175.6
INFECTIVE AND PARASITIC DISEASES---	51,886	35,310	14,000	2,575	27.5	29.2	25.0	22.3
RESPIRATORY CONDITIONS-----	219,355	143,347	65,641	10,366	116.4	118.7	117.0	89.7
UPPER RESPIRATORY CONDITIONS----	146,416	99,110	41,700	5,606	77.7	82.1	74.3	48.5
INFLUENZA-----	63,930	38,017	21,647	4,267	33.9	31.5	38.6	36.9
OTHER RESPIRATORY CONDITIONS----	9,009	6,221	2,295	"	4.8	5.2	4.1	"
DIGESTIVE SYSTEM CONDITIONS----	21,049	13,406	6,373	1,270	11.2	11.1	11.4	11.0
INJURIES-----	56,352	36,972	15,981	3,398	29.9	30.6	28.5	29.4
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	15,013	9,942	4,296	775	8.0	8.2	7.7	6.7
OPEN WOUNDS AND LACERATIONS----	15,763	9,773	4,750	1,240	8.4	8.1	8.5	10.7
CONTUSIONS AND SUPERFICIAL INJURIES-----	11,720	7,936	3,041	742	6.2	6.6	5.4	6.4
OTHER CURRENT INJURIES-----	13,856	9,321	3,894	"	7.4	7.7	6.9	"
ALL OTHER ACUTE CONDITIONS----	52,230	34,149	15,397	2,684	27.7	28.3	27.4	23.2
<b>MALE</b>								
ALL ACUTE CONDITIONS-----	185,242	120,999	53,501	10,742	202.9	207.4	197.8	181.2
INFECTIVE AND PARASITIC DISEASES---	24,623	16,394	7,054	1,175	27.0	28.1	26.1	19.8
RESPIRATORY CONDITIONS-----	98,545	64,301	28,703	5,541	107.9	110.2	106.1	93.5
UPPER RESPIRATORY CONDITIONS----	65,533	44,275	18,212	3,046	71.8	75.9	67.3	51.4
INFLUENZA-----	28,614	17,639	9,420	2,154	31.3	29.2	34.8	36.3
OTHER RESPIRATORY CONDITIONS----	4,398	2,987	1,070	"	4.8	5.1	4.0	"
DIGESTIVE SYSTEM CONDITIONS----	9,896	5,936	3,246	714	10.8	10.2	12.0	12.0
INJURIES-----	32,738	21,677	8,882	2,180	35.9	37.2	32.8	36.8
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	7,895	5,462	2,128	"	8.6	9.4	7.9	"
OPEN WOUNDS AND LACERATIONS----	10,885	6,779	3,230	876	11.9	11.6	11.9	14.8
CONTUSIONS AND SUPERFICIAL INJURIES-----	5,842	4,083	1,339	"	6.4	7.0	5.0	"
OTHER CURRENT INJURIES-----	8,116	5,353	2,185	"	8.9	9.2	8.1	"
ALL OTHER ACUTE CONDITIONS----	19,439	12,690	5,616	1,133	21.3	21.8	20.8	19.1
<b>FEMALE</b>								
ALL ACUTE CONDITIONS-----	215,629	142,187	63,892	9,551	222.0	227.7	219.9	169.8
INFECTIVE AND PARASITIC DISEASES---	27,263	18,916	6,946	1,400	28.1	30.3	23.9	24.9
RESPIRATORY CONDITIONS-----	120,809	79,046	36,939	4,824	124.4	126.6	127.1	85.7
UPPER RESPIRATORY CONDITIONS----	80,882	54,835	23,487	2,560	83.3	87.8	80.8	45.5
INFLUENZA-----	35,316	20,977	12,226	2,112	36.4	33.6	42.1	37.5
OTHER RESPIRATORY CONDITIONS----	4,611	3,234	1,225	"	4.7	5.2	4.2	"
DIGESTIVE SYSTEM CONDITIONS----	11,152	7,470	3,127	"	11.5	12.0	10.8	"
INJURIES-----	23,613	15,295	7,099	1,219	24.3	24.5	24.4	21.7
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	7,118	4,480	2,168	"	7.3	7.2	7.5	"
OPEN WOUNDS AND LACERATIONS----	4,878	2,994	1,519	"	5.0	4.8	5.2	"
CONTUSIONS AND SUPERFICIAL INJURIES-----	5,877	3,853	1,703	"	6.1	6.2	5.9	"
OTHER CURRENT INJURIES-----	5,740	3,968	1,709	"	5.9	6.4	5.9	"
ALL OTHER ACUTE CONDITIONS----	32,791	21,459	9,781	1,551	33.8	34.4	33.7	27.6

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 15. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY RESIDENCE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definition of terms are given in Appendix II.]

SEX AND CONDITION GROUP	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM
<b>BOTH SEXES</b>	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS				DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR			
ALL ACUTE CONDITIONS-----	1,568,179	1,000,892	478,559	88,729	832.2	828.7	853.1	768.0
INFECTIVE AND PARASITIC DISEASES--	217,191	144,906	60,521	11,763	115.3	120.0	107.9	101.8
RESPIRATORY CONDITIONS-----	680,818	432,542	212,300	35,977	361.3	358.1	378.5	311.4
UPPER RESPIRATORY CONDITIONS----	365,070	246,988	104,483	13,600	193.7	204.5	186.3	117.7
INFLUENZA-----	235,878	135,099	83,007	17,772	125.2	111.9	148.0	153.8
OTHER RESPIRATORY CONDITIONS----	79,870	50,455	24,810	4,605	42.4	41.8	44.2	39.9
DIGESTIVE SYSTEM CONDITIONS----	81,879	46,495	30,602	4,783	43.5	38.5	54.6	41.4
INJURIES-----	318,072	211,622	86,668	19,762	168.8	175.2	154.5	171.2
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	169,747	111,548	46,917	11,282	90.1	92.4	83.6	97.6
OPEN WOUNDS AND LACERATIONS----	50,306	29,038	17,635	3,634	26.7	24.0	31.4	31.5
CONTUSIONS AND SUPERFICIAL INJURIES-----	47,993	34,070	11,337	2,586	25.5	28.2	20.2	22.4
OTHER CURRENT INJURIES-----	50,025	36,966	10,779	2,280	26.5	30.6	19.2	19.7
ALL OTHER ACUTE CONDITIONS----	270,219	165,327	88,469	16,424	143.4	136.9	157.7	142.1
<b>MALE</b>								
ALL ACUTE CONDITIONS-----	675,129	430,782	201,159	43,188	739.4	738.4	743.8	728.4
INFECTIVE AND PARASITIC DISEASES--	97,938	65,691	28,857	3,389	107.3	112.6	106.7	57.2
RESPIRATORY CONDITIONS-----	305,447	192,968	90,839	21,640	334.5	330.8	335.9	365.0
UPPER RESPIRATORY CONDITIONS----	164,578	113,428	43,702	7,448	180.2	194.4	161.6	125.6
INFLUENZA-----	103,441	56,403	36,388	10,650	113.3	96.7	134.6	179.6
OTHER RESPIRATORY CONDITIONS----	37,428	23,137	10,749	3,542	41.0	39.7	39.7	59.7
DIGESTIVE SYSTEM CONDITIONS----	35,855	19,446	14,136	2,273	39.3	33.3	52.3	38.3
INJURIES-----	163,018	107,695	43,445	11,878	178.5	184.6	160.7	200.3
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	79,367	54,788	19,377	5,201	86.9	93.9	71.7	87.7
OPEN WOUNDS AND LACERATIONS----	29,652	16,019	10,960	2,673	32.5	27.5	40.5	45.1
CONTUSIONS AND SUPERFICIAL INJURIES-----	25,433	17,512	5,975	1,946	27.9	30.0	22.1	32.8
OTHER CURRENT INJURIES-----	28,567	19,375	7,134	2,058	31.3	33.2	26.4	34.7
ALL OTHER ACUTE CONDITIONS----	72,872	44,983	23,882	4,007	79.8	77.1	88.3	67.6
<b>FEMALE</b>								
ALL ACUTE CONDITIONS-----	893,050	570,109	277,399	45,541	919.5	913.0	954.8	809.5
INFECTIVE AND PARASITIC DISEASES--	119,253	79,216	31,664	8,374	122.8	126.9	109.0	148.8
RESPIRATORY CONDITIONS-----	375,372	239,574	121,461	14,337	386.5	383.7	418.1	254.8
UPPER RESPIRATORY CONDITIONS----	200,492	133,560	60,781	6,151	206.4	213.9	209.2	109.3
INFLUENZA-----	132,437	78,696	46,619	7,122	136.4	126.0	160.5	126.6
OTHER RESPIRATORY CONDITIONS----	42,443	27,318	14,061	"	43.7	43.8	48.4	"
DIGESTIVE SYSTEM CONDITIONS----	46,023	27,049	16,465	2,509	47.4	43.3	56.7	44.6
INJURIES-----	155,054	103,927	43,223	7,904	159.7	166.4	148.8	140.5
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	90,381	56,760	27,540	6,080	93.1	90.9	94.8	108.1
OPEN WOUNDS AND LACERATIONS----	20,654	13,019	6,675	"	21.3	20.9	23.0	"
CONTUSIONS AND SUPERFICIAL INJURIES-----	22,560	16,557	5,362	"	23.2	26.5	18.5	"
OTHER CURRENT INJURIES-----	21,458	17,591	3,645	"	22.1	28.2	12.5	"
ALL OTHER ACUTE CONDITIONS----	197,348	120,344	64,587	12,417	203.2	192.7	222.3	220.7

TABLE 16. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY RESIDENCE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM
<b>BOTH SEXES</b>	<b>DAYS OF BED DISABILITY IN THOUSANDS</b>				<b>DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR</b>			
ALL ACUTE CONDITIONS-----	658,129	425,030	198,131	34,968	349.3	351.9	353.2	302.6
INFECTIVE AND PARASITIC DISEASES--	104,033	70,047	28,655	5,330	55.2	58.0	51.1	46.1
RESPIRATORY CONDITIONS-----	321,129	209,708	95,212	16,209	170.4	173.6	169.7	140.3
UPPER RESPIRATORY CONDITIONS-----	148,389	103,881	39,313	5,195	78.8	86.0	70.1	45.0
INFLUENZA-----	129,769	77,917	42,913	8,939	68.9	64.5	76.5	77.4
OTHER RESPIRATORY CONDITIONS-----	42,971	27,910	12,985	2,075	22.8	23.1	23.1	18.0
DIGESTIVE SYSTEM CONDITIONS-----	33,646	20,804	11,457	*	17.9	17.2	20.4	*
INJURIES-----	84,093	52,792	24,679	6,623	44.6	43.7	44.0	57.3
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	40,185	25,656	11,488	3,041	21.3	21.2	20.5	26.3
OPEN WOUNDS AND LACERATIONS-----	11,110	4,854	4,510	1,746	5.9	4.0	8.0	15.1
CONTUSIONS AND SUPERFICIAL INJURIES-----	15,742	10,959	3,728	*	8.4	9.1	6.6	*
OTHER CURRENT INJURIES-----	17,056	11,322	4,953	*	9.1	9.4	8.8	*
ALL OTHER ACUTE CONDITIONS-----	115,229	71,679	38,127	5,423	61.2	59.3	68.0	46.9
<b>MALE</b>								
ALL ACUTE CONDITIONS-----	273,470	177,093	79,724	16,653	299.5	303.6	294.8	280.9
INFECTIVE AND PARASITIC DISEASES--	46,860	31,743	13,892	*	51.3	54.4	51.4	*
RESPIRATORY CONDITIONS-----	143,219	93,889	40,133	9,197	156.8	160.9	148.4	155.1
UPPER RESPIRATORY CONDITIONS-----	68,002	49,496	15,651	2,855	74.5	84.8	57.9	48.2
INFLUENZA-----	55,793	32,616	18,130	5,046	61.1	55.9	67.0	85.1
OTHER RESPIRATORY CONDITIONS-----	19,424	11,776	6,352	*	21.3	20.2	23.5	*
DIGESTIVE SYSTEM CONDITIONS-----	14,405	8,803	5,060	*	15.8	15.1	18.7	*
INJURIES-----	40,812	25,344	11,148	4,320	44.7	43.4	41.2	72.9
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	16,344	11,469	3,344	1,531	17.9	19.7	12.4	25.8
OPEN WOUNDS AND LACERATIONS-----	6,868	2,803	2,977	*	7.5	4.8	11.0	*
CONTUSIONS AND SUPERFICIAL INJURIES-----	8,486	5,399	2,136	*	9.3	9.3	7.9	*
OTHER CURRENT INJURIES-----	9,114	5,674	2,691	*	10.0	9.7	10.0	*
ALL OTHER ACUTE CONDITIONS-----	28,173	17,315	9,490	*	30.9	29.7	35.1	*
<b>FEMALE</b>								
ALL ACUTE CONDITIONS-----	384,659	247,937	118,407	18,315	396.1	397.1	407.6	325.5
INFECTIVE AND PARASITIC DISEASES--	57,172	38,305	14,763	4,104	58.9	61.3	50.8	72.9
RESPIRATORY CONDITIONS-----	177,910	115,819	55,079	7,012	183.2	185.5	189.6	124.6
UPPER RESPIRATORY CONDITIONS-----	80,387	54,385	23,662	2,340	82.8	87.1	81.4	41.6
INFLUENZA-----	73,976	45,300	24,783	3,893	76.2	72.5	85.3	69.2
OTHER RESPIRATORY CONDITIONS-----	23,547	16,134	6,634	*	24.2	25.8	22.8	*
DIGESTIVE SYSTEM CONDITIONS-----	19,240	12,001	6,397	*	19.8	19.2	22.0	*
INJURIES-----	43,281	27,448	13,531	2,302	44.6	44.0	46.6	40.9
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	23,842	14,187	8,144	1,510	24.5	22.7	28.0	26.8
OPEN WOUNDS AND LACERATIONS-----	4,242	2,052	1,533	*	4.4	3.3	5.3	*
CONTUSIONS AND SUPERFICIAL INJURIES-----	7,256	5,560	1,593	*	7.5	8.9	5.5	*
OTHER CURRENT INJURIES-----	7,942	5,649	2,262	*	8.2	9.0	7.8	*
ALL OTHER ACUTE CONDITIONS-----	87,056	54,364	28,637	4,054	89.6	87.1	98.6	72.1

TABLE 17. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY REGION, SEX, AND AGE: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST
<b>BOTH SEXES</b>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS					NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR				
ALL AGES-----	400,871	98,133	114,495	115,101	73,141	212.7	210.2	212.8	201.4	237.6
UNDER 5 YEARS-----	78,672	19,053	22,975	23,464	13,180	381.8	416.8	389.3	365.3	355.4
5-14 YEARS-----	106,553	26,959	29,795	28,089	21,710	274.5	297.1	262.1	237.1	332.4
15-24 YEARS-----	57,977	12,503	16,492	17,845	11,136	205.5	185.1	209.1	195.7	249.8
25-44 YEARS-----	79,047	19,382	22,709	21,814	15,142	174.5	166.7	181.3	161.1	199.0
45-64 YEARS-----	55,694	14,713	15,891	16,889	8,201	145.8	144.3	144.8	150.2	141.9
65 & OVER YEARS-----	22,928	5,523	6,633	7,000	3,772	132.6	123.8	128.8	140.3	140.2
<b>MALE</b>										
ALL AGES-----	185,242	44,198	52,729	54,230	34,086	202.9	196.5	200.1	196.8	228.6
UNDER 5 YEARS-----	41,347	9,956	11,090	12,815	7,487	393.5	431.7	373.9	386.3	390.2
5-14 YEARS-----	54,044	14,161	15,008	14,282	10,593	274.2	306.9	257.8	238.9	321.2
15-24 YEARS-----	24,106	4,826	7,067	7,521	4,692	179.0	149.5	182.2	172.5	234.5
25-44 YEARS-----	31,641	7,474	9,458	8,407	6,304	146.4	135.3	156.5	131.1	173.3
45-64 YEARS-----	24,677	5,802	7,459	8,035	3,381	134.1	118.1	139.8	151.2	119.1
65 & OVER YEARS-----	9,427	1,979	2,648	3,171	1,629	123.9	103.4	114.9	145.9	133.7
<b>FEMALE</b>										
ALL AGES-----	215,629	53,936	61,766	60,872	39,055	222.0	223.0	224.9	205.6	246.1
UNDER 5 YEARS-----	37,325	9,097	11,885	10,650	5,693	369.6	401.6	404.8	342.7	318.0
5-14 YEARS-----	52,509	12,798	14,787	13,807	11,117	274.8	287.0	266.6	235.3	343.8
15-24 YEARS-----	33,870	7,678	9,425	10,324	6,444	229.6	217.7	235.2	216.9	262.3
25-44 YEARS-----	47,406	11,908	13,252	13,408	8,839	200.1	195.1	204.4	188.1	222.6
45-64 YEARS-----	31,017	8,911	8,432	8,854	4,820	156.7	168.7	149.5	149.4	163.8
65 & OVER YEARS-----	13,501	3,544	3,985	3,830	2,143	139.4	139.1	140.1	135.9	145.5

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 18. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY REGION, SEX, AND AGE: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST
<b>BOTH SEXES</b>	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS					DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR				
ALL AGES-----	1,568,179	377,126	430,268	480,103	280,682	832.2	807.8	799.6	839.9	912.0
UNDER 5 YEARS-----	200,537	50,366	56,219	58,313	35,638	973.2	1,101.9	952.5	907.7	960.9
5-14 YEARS-----	355,154	91,211	93,504	94,099	76,341	914.9	1,005.2	822.5	794.4	1,168.7
15-24 YEARS-----	200,975	41,808	58,638	63,337	37,192	712.2	618.9	743.5	694.6	834.3
25-44 YEARS-----	341,353	84,650	87,118	109,344	60,242	753.6	728.2	695.5	807.6	791.8
45-64 YEARS-----	290,711	70,754	85,796	97,070	37,092	761.1	693.9	781.7	863.4	641.6
65 & OVER YEARS-----	179,447	38,337	48,993	57,940	34,177	1,037.7	859.4	951.5	1,160.9	1,270.0
<b>MALE</b>										
ALL AGES-----	675,129	166,794	183,694	205,152	119,490	739.4	741.4	697.2	744.5	801.4
UNDER 5 YEARS-----	107,950	25,909	25,707	34,323	22,010	1,027.3	1,123.5	866.7	1,034.8	1,147.0
5-14 YEARS-----	183,472	50,520	45,467	47,619	39,865	930.7	1,094.9	781.0	796.6	1,208.8
15-24 YEARS-----	74,747	17,234	22,784	21,402	13,326	555.0	533.9	587.5	490.9	666.0
25-44 YEARS-----	127,309	32,016	32,020	41,143	22,130	589.0	579.8	529.9	641.8	608.5
45-64 YEARS-----	116,917	26,463	40,613	37,256	12,585	635.4	538.5	761.4	701.1	443.4
65 & OVER YEARS-----	64,735	14,652	17,103	23,407	9,573	850.7	765.5	742.0	1,077.2	786.0
<b>FEMALE</b>										
ALL AGES-----	893,050	210,332	246,574	274,951	161,192	919.5	869.7	898.0	928.6	1,015.9
UNDER 5 YEARS-----	92,588	24,457	30,512	23,990	13,628	916.9	1,079.8	1,039.2	771.9	761.3
5-14 YEARS-----	171,682	40,691	48,036	46,480	36,475	898.6	912.6	866.1	792.2	1,127.9
15-24 YEARS-----	126,229	24,574	35,854	41,934	23,866	855.7	696.7	894.6	881.2	971.3
25-44 YEARS-----	214,044	52,634	55,098	68,201	38,112	903.7	862.4	849.9	956.7	959.8
45-64 YEARS-----	173,795	44,291	45,183	59,813	24,507	878.0	838.5	800.8	1,009.0	833.0
65 & OVER YEARS-----	114,712	23,685	31,891	34,533	24,604	1,184.7	929.6	1,120.9	1,225.4	1,670.3

TABLE 19. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY REGION, SEX, AND AGE: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II

SEX AND AGE	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST
<u>BOTH SEXES</u>	DAYS OF BED DISABILITY IN THOUSANDS					DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR				
ALL AGES-----	658,129	53,792	175,971	208,007	120,358	349.3	329.4	327.0	363.9	391.1
UNDER 5 YEARS-----	88,081	19,513	23,685	27,766	17,117	427.5	426.9	401.3	432.2	461.5
5-14 YEARS-----	152,883	40,791	40,164	41,705	30,222	393.8	449.5	353.3	352.1	462.7
15-24 YEARS-----	90,070	18,542	24,940	30,387	16,201	319.2	274.5	316.2	333.2	363.4
25-44 YEARS-----	142,734	32,471	37,060	47,707	25,496	315.1	279.3	295.9	352.3	335.1
45-64 YEARS-----	108,531	26,362	32,060	36,310	13,799	284.1	258.6	292.1	323.0	238.7
65 & OVER YEARS-----	75,830	16,112	18,061	24,133	17,524	438.5	361.2	350.8	483.5	651.2
<u>MALE</u>										
ALL AGES-----	273,470	67,536	72,744	83,365	49,824	299.5	300.2	276.1	302.6	334.1
UNDER 5 YEARS-----	47,324	9,042	10,042	17,341	10,900	450.4	392.1	338.6	522.8	568.0
5-14 YEARS-----	75,409	22,382	19,439	19,007	14,580	382.5	485.1	333.9	317.9	442.1
15-24 YEARS-----	30,060	6,642	9,165	9,043	5,211	223.2	205.8	236.3	207.4	260.4
25-44 YEARS-----	51,709	13,735	12,977	16,483	8,513	239.2	248.7	214.7	257.1	234.1
45-64 YEARS-----	41,796	8,788	15,182	12,717	5,108	227.1	178.8	284.6	239.3	180.0
65 & OVER YEARS-----	27,172	6,947	5,940	8,773	5,512	357.1	363.0	257.7	403.7	452.5
<u>FEMALE</u>										
ALL AGES-----	384,659	86,256	103,227	124,643	70,534	396.1	356.7	375.9	421.0	444.5
UNDER 5 YEARS-----	40,756	10,471	13,644	10,425	6,217	403.6	462.3	464.7	335.4	347.3
5-14 YEARS-----	77,474	18,409	20,725	22,698	15,642	405.5	412.9	373.7	386.9	483.7
15-24 YEARS-----	60,010	11,901	15,775	21,344	10,990	406.8	337.4	393.6	448.5	447.3
25-44 YEARS-----	91,026	18,736	24,083	31,223	16,983	384.3	307.0	371.5	438.0	427.7
45-64 YEARS-----	66,735	17,574	16,878	23,593	8,690	337.1	332.7	299.1	398.0	295.4
65 & OVER YEARS-----	48,658	9,166	12,121	15,360	12,012	502.5	359.7	426.0	545.1	815.5

TABLE 20. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY REGION, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL REGIONS	NORTH-EAST	NORTH-CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH-EAST	NORTH-CENTRAL	SOUTH	WEST
<b>BOTH SEXES</b>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS					NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR				
ALL ACUTE CONDITIONS-----	400,871	98,133	114,495	115,101	73,141	212.7	210.2	212.8	201.4	237.6
INFECTIVE AND PARASITIC DISEASES-----	51,886	18,181	9,891	17,535	6,279	27.5	38.9	18.4	30.7	20.4
RESPIRATORY CONDITIONS-----	219,355	50,886	67,293	57,475	43,701	116.4	109.0	125.1	100.5	142.0
UPPER RESPIRATORY CONDITIONS-----	146,416	39,371	41,185	39,661	26,199	77.7	84.3	76.5	69.4	85.1
INFLUENZA-----	63,930	9,303	23,404	15,235	15,987	33.9	19.9	43.5	26.7	51.9
OTHER RESPIRATORY CONDITIONS-----	9,009	2,212	2,703	2,579	1,514	4.8	4.7	5.0	4.5	4.9
DIGESTIVE SYSTEM CONDITIONS-----	21,049	4,303	5,081	7,579	4,085	11.2	9.2	9.4	13.3	13.3
INJURIES-----	56,352	13,035	16,253	16,658	10,405	29.9	27.9	30.2	29.1	33.8
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	15,013	3,760	4,259	4,563	2,431	8.0	8.1	7.9	8.0	7.9
OPEN WOUNDS AND LACERATIONS-----	15,763	3,725	4,191	4,734	3,113	8.4	8.0	7.8	8.3	10.1
CONTUSIONS AND SUPERFICIAL INJURIES-----	11,720	2,868	3,628	3,178	2,045	6.2	6.1	6.7	5.6	6.6
OTHER CURRENT INJURIES-----	13,856	2,682	4,175	4,183	2,816	7.4	5.7	7.8	7.3	9.1
ALL OTHER ACUTE CONDITIONS-----	52,230	11,728	15,977	15,853	8,671	27.7	25.1	29.7	27.7	28.2
<b>MALE</b>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS					NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR				
ALL ACUTE CONDITIONS-----	185,242	44,198	52,729	54,230	34,086	202.9	196.5	200.1	196.8	228.6
INFECTIVE AND PARASITIC DISEASES-----	24,623	8,286	4,702	8,484	3,151	27.0	36.8	17.8	30.8	21.1
RESPIRATORY CONDITIONS-----	98,545	22,565	29,665	26,778	19,537	107.9	100.3	112.6	97.2	131.0
UPPER RESPIRATORY CONDITIONS-----	65,533	16,931	18,234	18,442	11,925	71.8	75.3	69.2	66.9	80.0
INFLUENZA-----	28,614	4,429	10,430	7,072	6,684	31.3	19.7	39.6	25.7	44.8
OTHER RESPIRATORY CONDITIONS-----	4,398	1,205	1,001	1,264	928	4.8	5.4	3.8	4.6	6.2
DIGESTIVE SYSTEM CONDITIONS-----	9,896	2,003	2,400	3,697	1,796	10.8	8.9	9.1	13.4	12.0
INJURIES-----	32,738	7,375	9,617	9,515	6,232	35.9	32.8	36.5	34.5	41.8
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	7,895	2,373	2,381	1,996	1,145	8.6	10.5	9.0	7.2	7.7
OPEN WOUNDS AND LACERATIONS-----	10,885	2,500	2,865	3,332	2,188	11.9	11.1	10.9	12.1	14.7
CONTUSIONS AND SUPERFICIAL INJURIES-----	5,842	1,092	1,908	1,625	1,217	6.4	4.9	7.2	5.9	8.2
OTHER CURRENT INJURIES-----	8,116	1,410	2,463	2,562	1,682	8.9	6.3	9.3	9.3	11.3
ALL OTHER ACUTE CONDITIONS-----	19,439	3,968	6,345	5,756	3,371	21.3	17.6	24.1	20.9	22.6
<b>FEMALE</b>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS					NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR				
ALL ACUTE CONDITIONS-----	215,629	53,936	61,766	60,872	39,055	222.0	223.0	224.9	205.6	246.1
INFECTIVE AND PARASITIC DISEASES-----	27,263	9,895	5,188	9,052	3,128	28.1	40.9	18.9	30.6	19.7
RESPIRATORY CONDITIONS-----	120,809	28,320	37,628	30,697	24,164	124.4	117.1	137.0	103.7	152.3
UPPER RESPIRATORY CONDITIONS-----	80,882	22,440	22,950	21,218	14,274	83.3	92.8	83.6	71.7	90.0
INFLUENZA-----	35,316	4,874	12,975	8,164	9,304	36.4	20.2	47.3	27.6	58.6
OTHER RESPIRATORY CONDITIONS-----	4,611	1,007	1,703	1,315	"	4.7	4.2	6.2	4.4	"
DIGESTIVE SYSTEM CONDITIONS-----	11,152	2,300	2,681	3,882	2,289	11.5	9.5	9.8	13.1	14.4
INJURIES-----	23,613	5,660	6,636	7,143	4,174	24.3	23.4	24.2	24.1	26.3
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	7,118	1,387	1,878	2,567	1,286	7.3	5.7	6.8	8.7	8.1
OPEN WOUNDS AND LACERATIONS-----	4,878	1,225	1,325	1,403	925	5.0	5.1	4.8	4.7	5.8
CONTUSIONS AND SUPERFICIAL INJURIES-----	5,877	1,776	1,720	1,553	828	6.1	7.3	6.3	5.2	5.2
OTHER CURRENT INJURIES-----	5,740	1,273	1,712	1,621	1,134	5.9	5.3	6.2	5.5	7.1
ALL OTHER ACUTE CONDITIONS-----	32,791	7,760	9,633	10,098	5,300	33.8	32.1	35.1	34.1	33.4

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 21. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY REGION, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST
<b>BOTH SEXES</b>	<b>DAYS OF RESTRICTED ACTIVITY IN THOUSANDS</b>					<b>DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR</b>				
ALL ACUTE CONDITIONS-----	1,568,179	377,126	430,268	480,103	280,682	832.2	807.8	799.6	839.9	912.0
INFECTIVE AND PARASITIC DISEASES-----	217,191	69,888	47,075	68,866	31,362	115.3	149.7	87.5	120.5	101.9
RESPIRATORY CONDITIONS-----	680,818	161,691	190,175	194,738	134,215	361.3	346.4	353.4	340.7	436.1
UPPER RESPIRATORY CONDITIONS-----	365,070	105,512	95,839	92,580	71,139	193.7	226.0	178.1	162.0	231.1
INFLUENZA-----	235,878	36,256	73,579	74,863	51,180	125.2	77.7	136.7	131.0	166.3
OTHER RESPIRATORY CONDITIONS-----	79,870	19,923	20,756	27,295	11,896	42.4	42.7	38.6	47.8	38.7
DIGESTIVE SYSTEM CONDITIONS-----	81,879	16,698	19,996	32,642	12,542	43.5	35.8	37.2	57.1	40.7
INJURIES-----	318,072	72,414	99,498	89,529	56,630	168.8	155.1	184.9	156.6	184.0
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	169,747	40,588	52,411	49,604	27,144	90.1	86.9	97.4	86.8	88.2
OPEN WOUNDS AND LACERATIONS-----	50,306	12,227	10,769	17,141	10,169	26.7	26.2	20.0	30.0	33.0
CONTUSIONS AND SUPERFICIAL INJURIES-----	47,993	9,577	17,247	12,678	8,492	25.5	20.5	32.1	22.2	27.6
OTHER CURRENT INJURIES-----	50,025	10,022	19,071	10,107	10,825	26.5	21.5	35.4	17.7	35.2
ALL OTHER ACUTE CONDITIONS-----	270,219	56,435	73,525	94,327	45,932	143.4	120.9	136.6	165.0	149.2
<b>MALE</b>										
ALL ACUTE CONDITIONS-----	675,129	166,794	183,694	205,152	119,490	739.4	741.4	697.2	744.5	801.4
INFECTIVE AND PARASITIC DISEASES-----	97,938	31,684	21,247	29,565	15,441	107.3	140.8	80.6	107.3	103.6
RESPIRATORY CONDITIONS-----	305,447	71,881	83,345	91,369	58,850	334.5	319.5	316.3	331.6	394.7
UPPER RESPIRATORY CONDITIONS-----	164,578	47,647	41,826	43,111	31,994	180.2	211.8	158.7	156.5	214.6
INFLUENZA-----	103,441	14,724	32,982	34,807	20,927	113.3	65.4	125.2	126.3	140.3
OTHER RESPIRATORY CONDITIONS-----	37,428	9,510	8,537	13,451	5,930	41.0	42.3	32.4	48.8	39.8
DIGESTIVE SYSTEM CONDITIONS-----	35,855	6,293	10,379	14,866	4,317	39.3	28.0	39.4	54.0	29.0
INJURIES-----	163,018	39,547	48,683	46,728	28,061	178.5	175.8	184.8	169.6	188.2
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	79,367	21,444	24,585	22,349	10,988	86.9	95.3	93.3	81.1	73.7
OPEN WOUNDS AND LACERATIONS-----	29,652	7,671	4,951	10,972	6,058	32.5	34.1	18.8	39.8	40.6
CONTUSIONS AND SUPERFICIAL INJURIES-----	25,433	4,844	9,442	7,051	4,096	27.9	21.5	35.8	25.6	27.5
OTHER CURRENT INJURIES-----	28,567	5,587	9,705	6,356	6,919	31.3	24.8	36.8	23.1	46.4
ALL OTHER ACUTE CONDITIONS-----	72,872	17,389	20,039	22,624	12,820	79.8	77.3	76.1	82.1	86.0
<b>FEMALE</b>										
ALL ACUTE CONDITIONS-----	893,050	210,332	246,574	274,951	161,192	919.5	869.7	898.0	928.6	1,015.9
INFECTIVE AND PARASITIC DISEASES-----	119,253	38,204	25,827	39,302	15,920	122.8	158.0	94.1	132.7	100.3
RESPIRATORY CONDITIONS-----	375,372	89,809	106,829	103,368	75,365	386.5	371.3	389.0	349.1	475.0
UPPER RESPIRATORY CONDITIONS-----	200,492	57,864	54,013	49,469	39,145	206.4	239.3	196.7	167.1	246.7
INFLUENZA-----	132,437	21,532	40,597	40,056	30,253	136.4	89.0	147.8	135.3	190.7
OTHER RESPIRATORY CONDITIONS-----	42,443	10,414	12,219	13,843	5,966	43.7	43.1	44.5	46.8	37.6
DIGESTIVE SYSTEM CONDITIONS-----	46,023	10,404	9,617	17,776	8,226	47.4	43.0	35.0	60.0	51.8
INJURIES-----	155,054	32,868	50,815	42,801	28,569	159.7	135.9	185.1	144.6	180.1
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	90,381	19,144	27,826	27,255	16,156	93.1	79.2	101.3	92.1	101.8
OPEN WOUNDS AND LACERATIONS-----	20,654	4,556	5,818	6,169	4,111	21.3	18.8	21.2	20.8	25.9
CONTUSIONS AND SUPERFICIAL INJURIES-----	22,560	4,733	7,805	5,627	4,396	23.2	19.6	28.4	19.0	27.7
OTHER CURRENT INJURIES-----	21,458	4,435	9,366	3,751	3,906	22.1	18.3	34.1	12.7	24.6
ALL OTHER ACUTE CONDITIONS-----	197,348	39,047	53,486	71,703	33,112	203.2	161.5	194.8	242.2	208.7



TABLE 22. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY REGION, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST
<b>BOTH SEXES</b>	DAYS OF BED DISABILITY IN THOUSANDS					DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR				
ALL ACUTE CONDITIONS-----	658,129	153,792	175,971	208,007	120,358	349.3	329.4	327.0	363.9	391.1
INFECTIVE AND PARASITIC DISEASES-----	104,033	34,157	22,775	33,309	13,791	55.2	73.2	42.3	58.3	44.8
RESPIRATORY CONDITIONS-----	321,129	73,521	87,187	93,639	66,781	170.4	157.5	162.0	163.8	217.0
UPPER RESPIRATORY CONDITIONS-----	148,389	40,825	37,224	38,051	32,289	78.8	87.5	69.2	66.6	104.9
INFLUENZA-----	129,769	22,314	40,230	39,670	27,555	68.9	47.8	74.8	69.4	89.5
OTHER RESPIRATORY CONDITIONS-----	42,971	10,383	9,733	15,918	6,938	22.8	22.2	18.1	27.8	22.5
DIGESTIVE SYSTEM CONDITIONS-----	33,646	6,241	8,690	14,583	4,131	17.9	13.4	16.2	25.5	13.4
INJURIES-----	84,093	16,082	26,759	27,452	13,800	44.6	34.4	49.7	48.0	44.8
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	40,185	9,452	11,272	14,501	4,960	21.3	20.2	20.9	25.4	16.1
OPEN WOUNDS AND LACERATIONS-----	11,110	2,504	2,057	4,571	1,978	5.9	5.4	3.8	8.0	6.4
CONTUSIONS AND SUPERFICIAL INJURIES-----	15,742	*	7,065	4,721	2,732	8.4	#:	13.1	8.3	8.9
OTHER CURRENT INJURIES-----	17,056	2,902	6,366	3,658	4,130	9.1	6.2	11.8	6.4	13.4
ALL OTHER ACUTE CONDITIONS-----	115,229	23,790	30,558	39,024	21,856	61.2	51.0	56.8	68.3	71.0
<b>MALE</b>										
ALL ACUTE CONDITIONS-----	273,470	67,536	72,744	83,365	49,824	299.5	300.2	276.1	302.6	334.1
INFECTIVE AND PARASITIC DISEASES-----	46,860	16,102	10,658	13,582	6,518	51.3	71.6	40.5	49.3	43.7
RESPIRATORY CONDITIONS-----	143,219	32,731	37,396	44,606	28,485	156.8	145.5	141.9	161.9	191.0
UPPER RESPIRATORY CONDITIONS-----	68,002	18,732	16,192	18,767	14,310	74.5	83.3	61.5	68.1	96.0
INFLUENZA-----	55,793	8,856	17,703	18,277	10,957	61.1	39.4	67.2	66.3	73.5
OTHER RESPIRATORY CONDITIONS-----	19,424	5,143	3,502	7,562	3,218	21.3	22.9	13.3	27.4	21.6
DIGESTIVE SYSTEM CONDITIONS-----	14,405	2,899	4,191	5,523	1,793	15.8	12.9	15.9	20.0	12.0
INJURIES-----	40,812	9,358	13,119	11,500	6,834	44.7	41.6	49.8	41.7	45.8
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	16,344	4,458	4,749	5,338	1,799	17.9	19.8	18.0	19.4	12.1
OPEN WOUNDS AND LACERATIONS-----	6,868	2,335	*	2,263	#:	7.5	10.4	#:	8.2	#:
CONTUSIONS AND SUPERFICIAL INJURIES-----	8,486	*	4,066	1,996	1,809	9.3	#:	15.4	7.2	12.1
OTHER CURRENT INJURIES-----	9,114	1,949	2,958	1,903	2,303	10.0	8.7	11.2	6.9	15.4
ALL OTHER ACUTE CONDITIONS-----	28,173	6,446	7,380	8,154	6,193	30.9	28.7	28.0	29.6	41.5
<b>FEMALE</b>										
ALL ACUTE CONDITIONS-----	384,659	86,256	103,227	124,643	70,534	396.1	356.7	375.9	421.0	444.5
INFECTIVE AND PARASITIC DISEASES-----	57,172	18,055	12,117	19,728	7,273	58.9	74.7	44.1	66.6	45.8
RESPIRATORY CONDITIONS-----	177,910	40,791	49,791	49,033	38,296	183.2	168.7	181.3	165.6	241.4
UPPER RESPIRATORY CONDITIONS-----	80,387	22,093	21,032	19,283	17,978	82.8	91.4	76.6	65.1	113.3
INFLUENZA-----	73,976	13,458	22,527	21,393	16,598	76.2	55.6	82.0	72.3	104.6
OTHER RESPIRATORY CONDITIONS-----	23,547	5,239	6,231	8,356	3,720	24.2	21.7	22.7	28.2	23.4
DIGESTIVE SYSTEM CONDITIONS-----	19,240	3,342	4,500	9,060	2,338	19.8	13.8	16.4	30.6	14.7
INJURIES-----	43,281	6,724	13,640	15,951	6,965	44.6	27.8	49.7	53.9	43.9
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	23,842	4,994	6,523	9,163	3,161	24.5	20.6	23.8	30.9	19.9
OPEN WOUNDS AND LACERATIONS-----	4,242	#:	#:	2,308	#:	4.4	#:	#:	7.8	#:
CONTUSIONS AND SUPERFICIAL INJURIES-----	7,256	#:	2,999	2,725	#:	7.5	#:	10.9	9.2	#:
OTHER CURRENT INJURIES-----	7,942	#:	3,408	1,755	1,827	8.2	#:	12.4	5.9	11.5
ALL OTHER ACUTE CONDITIONS-----	87,056	17,344	23,178	30,871	15,662	89.6	71.7	84.4	104.3	98.7

TABLE 23. INCIDENCE OF ACUTE CONDITIONS PER QUARTER AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER QUARTER, BY SEX AND AGE: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
<b>BOTH SEXES</b>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS				NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER QUARTER			
ALL AGES----	66,256	110,147	132,477	91,991	35.4	58.5	70.2	48.6
UNDER 5 YEARS-----	13,378	22,311	23,881	19,102	64.8	108.0	115.9	93.2
5-14 YEARS-----	16,204	30,274	36,525	23,550	42.0	78.2	93.9	60.3
15-24 YEARS-----	9,422	16,301	18,843	13,411	34.0	58.1	66.4	46.7
25-44 YEARS-----	14,241	20,980	25,585	18,242	31.4	46.3	56.5	40.3
45-64 YEARS-----	8,839	14,518	19,579	12,758	23.3	38.1	51.2	33.2
65 & OVER YEARS---	4,172	5,763	8,065	4,928	24.3	33.4	46.5	28.3
<b>MALE</b>								
ALL AGES----	31,383	50,672	59,816	43,371	34.6	55.6	65.4	47.3
UNDER 5 YEARS-----	6,969	11,437	12,511	10,430	66.2	108.5	119.1	99.7
5-14 YEARS-----	8,783	14,948	17,895	12,418	44.8	76.0	90.6	62.6
15-24 YEARS-----	4,207	7,375	7,298	5,227	31.8	55.1	53.9	38.1
25-44 YEARS-----	5,767	8,265	9,972	7,637	26.7	38.2	46.1	35.3
45-64 YEARS-----	3,955	6,419	8,869	5,433	21.6	34.9	48.1	29.4
65 & OVER YEARS---	“	“	3,270	“	“	“	42.9	“
<b>FEMALE</b>								
ALL AGES----	34,872	59,474	72,662	48,621	36.1	61.3	74.7	49.8
UNDER 5 YEARS-----	6,408	10,874	11,370	8,672	63.3	107.4	112.6	86.4
5-14 YEARS-----	7,421	15,326	18,629	11,132	39.1	80.4	97.3	57.9
15-24 YEARS-----	5,215	8,926	11,545	8,184	35.9	60.8	77.9	54.7
25-44 YEARS-----	8,474	12,715	15,612	10,605	35.8	53.7	65.9	44.8
45-64 YEARS-----	4,883	8,099	10,710	7,325	24.8	41.0	54.0	36.8
65 & OVER YEARS---	“	3,534	4,794	2,702	“	36.6	49.4	27.7

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 24. INCIDENCE OF ACUTE CONDITIONS PER QUARTER AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER QUARTER, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
<u>BOTH SEXES</u>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS				NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER QUARTER			
ALL ACUTE CONDITIONS-	66,256	110,147	132,477	91,991	35.4	58.5	70.2	48.6
INFECTIVE AND PARASITIC DISEASES-----	8,138	12,821	16,549	14,378	4.3	6.8	8.8	7.6
RESPIRATORY CONDITIONS---	24,080	65,640	85,371	44,264	12.8	34.9	45.2	23.4
UPPER RESPIRATORY CONDITIONS-----	17,535	43,658	54,545	30,678	9.4	23.2	28.9	16.2
INFLUENZA-----	4,854	19,740	28,098	11,238	2.6	10.5	14.9	5.9
OTHER RESPIRATORY CONDITIONS-----	"	"	2,727	"	"	"	1.4	"
DIGESTIVE SYSTEM CONDITIONS-----	5,231	5,734	5,175	4,908	2.8	3.0	2.7	2.6
INJURIES-----	15,278	14,175	11,930	14,969	8.2	7.5	6.3	7.9
ALL OTHER ACUTE CONDITIONS-----	13,528	11,777	13,453	13,472	7.2	6.3	7.1	7.1
<u>MALE</u>								
ALL ACUTE CONDITIONS-	31,383	50,672	59,816	43,371	34.6	55.6	65.4	47.3
INFECTIVE AND PARASITIC DISEASES-----	4,039	5,393	7,545	7,646	4.4	5.9	8.2	8.3
RESPIRATORY CONDITIONS---	10,654	29,746	38,310	19,835	11.7	32.6	41.9	21.6
UPPER RESPIRATORY CONDITIONS-----	8,175	19,661	24,420	13,277	9.0	21.6	26.7	14.5
INFLUENZA-----	"	8,862	12,652	5,222	"	9.7	13.8	5.7
OTHER RESPIRATORY CONDITIONS-----	"	"	"	"	"	"	"	"
DIGESTIVE SYSTEM CONDITIONS-----	"	2,791	"	2,583	"	3.1	"	2.8
INJURIES-----	9,119	8,307	6,431	8,882	10.0	9.1	7.0	9.7
ALL OTHER ACUTE CONDITIONS-----	5,516	4,434	5,063	4,426	6.1	4.9	5.5	4.8
<u>FEMALE</u>								
ALL ACUTE CONDITIONS-	34,872	59,474	72,662	48,621	36.1	61.3	74.7	49.8
INFECTIVE AND PARASITIC DISEASES-----	4,098	7,428	9,004	6,732	4.2	7.7	9.3	6.9
RESPIRATORY CONDITIONS---	13,426	35,894	47,060	24,429	13.9	37.0	48.4	25.0
UPPER RESPIRATORY CONDITIONS-----	9,360	23,996	30,125	17,401	9.7	24.7	31.0	17.8
INFLUENZA-----	2,976	10,878	15,446	6,016	3.1	11.2	15.9	6.2
OTHER RESPIRATORY CONDITIONS-----	"	"	"	"	"	"	"	"
DIGESTIVE SYSTEM CONDITIONS-----	3,177	2,942	2,708	"	3.3	3.0	2.8	"
INJURIES-----	6,159	5,868	5,499	6,088	6.4	6.1	5.7	6.2
ALL OTHER ACUTE CONDITIONS-----	8,012	7,343	8,390	9,046	8.3	7.6	8.6	9.3

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 25. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS PER QUARTER AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER QUARTER, BY SEX AND AGE: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
<u>BOTH SEXES</u>	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS				DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER QUARTER			
ALL AGES-----	274,444	386,427	524,318	382,991	146.4	205.4	277.8	202.3
UNDER 5 YEARS-----	30,407	49,894	72,629	47,607	147.2	241.4	352.5	232.3
5-14 YEARS-----	50,701	88,416	129,430	86,607	131.5	228.3	332.8	221.7
15-24 YEARS-----	40,410	51,410	63,013	46,142	145.7	183.2	222.1	160.8
25-44 YEARS-----	62,698	83,839	104,579	90,238	138.4	185.1	230.9	199.3
45-64 YEARS-----	49,091	70,356	99,953	71,312	129.3	184.6	261.2	185.7
65 & OVER YEARS---	41,137	42,512	54,714	41,085	239.4	246.2	315.7	236.3
<u>MALE</u>								
ALL AGES-----	110,509	165,728	228,562	170,330	121.7	181.8	249.9	185.7
UNDER 5 YEARS-----	15,821	25,823	40,492	25,813	150.3	245.1	385.4	246.8
5-14 YEARS-----	27,486	44,425	65,321	46,239	140.3	225.9	330.7	233.1
15-24 YEARS-----	15,065	20,336	23,495	15,851	114.0	152.0	173.4	115.6
25-44 YEARS-----	23,371	32,499	36,409	35,030	108.2	150.4	168.4	162.0
45-64 YEARS-----	15,676	29,394	41,748	30,100	85.6	160.0	226.5	162.8
65 & OVER YEARS---	13,090	13,252	21,097	17,297	172.7	174.2	276.9	226.8
<u>FEMALE</u>								
ALL AGES-----	163,934	220,699	295,756	212,661	169.7	227.6	304.0	217.9
UNDER 5 YEARS-----	14,586	24,071	32,137	21,793	144.1	237.7	318.3	217.1
5-14 YEARS-----	23,214	43,991	64,109	40,368	122.3	230.8	334.9	210.0
15-24 YEARS-----	25,345	31,074	39,519	30,292	174.5	211.7	266.6	202.3
25-44 YEARS-----	39,327	51,340	68,170	55,208	166.0	216.7	287.9	233.2
45-64 YEARS-----	33,415	40,962	58,205	41,213	169.9	207.4	293.4	206.9
65 & OVER YEARS---	28,047	29,260	33,617	23,788	292.1	302.9	346.2	243.8

TABLE 26. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS PER QUARTER AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER QUARTER, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1964 - JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
<u>BOTH SEXES</u>	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS				DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER QUARTER			
ALL ACUTE CONDITIONS--	274,444	386,427	524,318	382,991	146.4	205.4	277.8	202.3
INFECTIVE AND PARASITIC DISEASES-----	28,484	49,507	71,745	67,455	15.2	26.3	38.0	35.6
RESPIRATORY CONDITIONS--- UPPER RESPIRATORY CONDITIONS-----	68,664	181,573	293,085	137,496	36.6	96.5	155.3	72.6
INFLUENZA-----	43,583	103,599	146,760	71,127	23.3	55.1	77.7	37.6
OTHER RESPIRATORY CONDITIONS-----	13,323	58,410	118,983	45,162	7.1	31.0	63.0	23.9
DIGESTIVE SYSTEM CONDITIONS-----	11,758	19,563	27,342	21,207	6.3	10.4	14.5	11.2
INJURIES-----	18,718	18,407	21,774	22,980	10.0	9.8	11.5	12.1
ALL OTHER ACUTE CONDITIONS-----	83,213	75,518	71,070	88,271	44.4	40.1	37.7	46.6
	75,365	61,423	66,643	66,788	40.2	32.6	35.3	35.3
<u>MALE</u>								
ALL ACUTE CONDITIONS--	110,509	165,728	228,562	170,330	121.7	181.8	249.9	185.7
INFECTIVE AND PARASITIC DISEASES-----	12,107	19,360	32,350	34,121	13.3	21.2	35.4	37.2
RESPIRATORY CONDITIONS--- UPPER RESPIRATORY CONDITIONS-----	30,887	77,870	133,374	63,316	34.0	85.4	145.8	69.0
INFLUENZA-----	20,739	45,378	66,176	32,285	22.8	49.8	72.3	35.2
OTHER RESPIRATORY CONDITIONS-----	"	24,035	54,175	19,346	"	26.4	59.2	21.1
DIGESTIVE SYSTEM CONDITIONS-----	"	8,457	13,023	11,685	"	9.3	14.2	12.7
INJURIES-----	7,484	8,536	8,643	11,192	8.2	9.4	9.4	12.2
ALL OTHER ACUTE CONDITIONS-----	41,980	41,952	35,330	43,756	46.2	46.0	38.6	47.7
	18,051	18,010	18,866	17,945	19.9	19.8	20.6	19.6
<u>FEMALE</u>								
ALL ACUTE CONDITIONS--	163,934	220,699	295,756	212,661	169.7	227.6	304.0	217.9
INFECTIVE AND PARASITIC DISEASES-----	16,377	30,147	39,395	33,334	17.0	31.1	40.5	34.2
RESPIRATORY CONDITIONS--- UPPER RESPIRATORY CONDITIONS-----	37,777	103,702	159,712	74,181	39.1	106.9	164.2	76.0
INFLUENZA-----	22,844	58,221	80,584	38,843	23.7	60.0	82.8	39.8
OTHER RESPIRATORY CONDITIONS-----	7,438	34,375	64,808	25,816	7.7	35.5	66.6	26.5
DIGESTIVE SYSTEM CONDITIONS-----	7,495	11,106	14,319	9,522	7.8	11.5	14.7	9.8
INJURIES-----	11,234	9,870	13,131	11,788	11.6	10.2	13.5	12.1
ALL OTHER ACUTE CONDITIONS-----	41,233	33,566	35,740	44,514	42.7	34.6	36.7	45.6
	57,314	43,413	47,777	48,843	59.3	44.8	49.1	50.1

TABLE 27. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS PER QUARTER AND DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER, BY SEX AND AGE: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
<u>BOTH SEXES</u>	DAYS OF BED DISABILITY IN THOUSANDS				DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER			
ALL AGES----	106,335	170,849	230,587	150,358	56.7	90.8	122.2	79.4
UNDER 5 YEARS-----	13,704	21,213	32,160	21,003	66.4	102.6	156.1	102.5
5-14 YEARS-----	18,508	41,812	57,902	34,661	48.0	108.0	148.9	88.7
15-24 YEARS-----	15,315	23,760	30,196	20,798	55.2	84.7	106.4	72.5
25-44 YEARS-----	24,701	36,561	47,018	34,456	54.5	80.7	103.8	76.1
45-64 YEARS-----	16,027	28,805	39,397	24,302	42.2	75.6	103.0	63.3
65 & OVER YEARS---	18,080	18,698	23,915	15,137	105.2	108.3	138.0	87.1
<u>MALE</u>								
ALL AGES----	41,809	72,636	92,378	66,646	46.0	79.7	101.0	72.6
UNDER 5 YEARS-----	6,970	10,669	18,501	11,184	66.2	101.3	176.1	107.0
5-14 YEARS-----	9,572	20,695	28,053	17,089	48.9	105.2	142.0	86.1
15-24 YEARS-----	"	8,664	9,429	6,616	"	64.8	69.6	48.2
25-44 YEARS-----	9,981	14,536	13,685	13,507	46.2	67.3	63.3	62.5
45-64 YEARS-----	6,007	11,542	14,417	9,830	32.8	62.8	78.2	53.2
65 & OVER YEARS---	"	6,530	8,294	8,419	"	85.8	108.9	110.4
<u>FEMALE</u>								
ALL AGES----	64,525	98,213	138,209	83,712	66.8	101.3	142.1	85.8
UNDER 5 YEARS-----	6,734	10,544	13,659	9,819	66.5	104.1	135.3	97.8
5-14 YEARS-----	8,937	21,117	29,848	17,572	47.1	110.8	155.9	91.4
15-24 YEARS-----	9,964	15,097	20,768	14,182	68.6	102.9	140.1	94.7
25-44 YEARS-----	14,720	22,024	33,333	20,949	62.1	93.0	140.8	88.5
45-64 YEARS-----	10,020	17,263	24,980	14,472	51.0	87.4	125.9	72.7
65 & OVER YEARS---	14,151	12,168	15,621	6,718	147.4	125.9	160.9	68.9

TABLE 28. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS PER QUARTER AND DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
<u>BOTH SEXES</u>	DAYS OF BED DISABILITY IN THOUSANDS				DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER			
ALL ACUTE CONDITIONS--	106,335	170,849	230,587	150,358	56.7	90.8	122.2	79.4
INFECTIVE AND PARASITIC DISEASES-----	13,631	25,383	34,726	30,293	7.3	13.5	18.4	16.0
RESPIRATORY CONDITIONS---	30,328	85,717	141,949	63,135	16.2	45.6	75.2	33.3
UPPER RESPIRATORY CONDITIONS-----	19,271	40,894	59,966	28,258	10.3	21.7	31.8	14.9
INFLUENZA-----	"	32,768	67,306	23,924	"	17.4	35.7	12.6
OTHER RESPIRATORY CONDITIONS-----	"	12,055	14,677	10,953	"	6.4	7.8	5.8
DIGESTIVE SYSTEM CONDITIONS-----	6,688	9,240	8,529	9,188	3.6	4.9	4.5	4.9
INJURIES-----	21,402	25,304	15,692	21,694	11.4	13.4	8.3	11.5
ALL OTHER ACUTE CONDITIONS-----	34,286	25,204	29,691	26,048	18.3	13.4	15.7	13.8
<u>MALE</u>								
ALL ACUTE CONDITIONS--	41,809	72,636	92,378	66,646	46.0	79.7	101.0	72.6
INFECTIVE AND PARASITIC DISEASES-----	"	11,039	15,945	14,185	"	12.1	17.4	15.5
RESPIRATORY CONDITIONS---	12,826	38,145	61,584	30,664	14.1	41.8	67.3	33.4
UPPER RESPIRATORY CONDITIONS-----	8,866	18,178	27,997	12,961	9.8	19.9	30.6	14.1
INFLUENZA-----	"	14,587	28,613	10,316	"	16.0	31.3	11.2
OTHER RESPIRATORY CONDITIONS-----	"	"	"	7,387	"	"	"	8.1
DIGESTIVE SYSTEM CONDITIONS-----	"	"	"	"	"	"	"	"
INJURIES-----	13,170	12,580	"	10,954	14.5	13.8	"	11.9
ALL OTHER ACUTE CONDITIONS-----	7,574	7,513	7,253	"	8.3	8.2	7.9	"
<u>FEMALE</u>								
ALL ACUTE CONDITIONS--	64,525	98,213	138,209	83,712	66.8	101.3	142.1	85.8
INFECTIVE AND PARASITIC DISEASES-----	7,939	14,344	18,780	16,109	8.2	14.8	19.3	16.5
RESPIRATORY CONDITIONS---	17,502	47,572	80,364	32,471	18.1	49.1	82.6	33.3
UPPER RESPIRATORY CONDITIONS-----	10,405	22,716	31,969	15,297	10.8	23.4	32.9	15.7
INFLUENZA-----	"	18,181	38,693	13,608	"	18.7	39.8	13.9
OTHER RESPIRATORY CONDITIONS-----	"	6,675	9,702	"	"	6.9	10.0	"
DIGESTIVE SYSTEM CONDITIONS-----	"	"	"	"	"	"	"	"
INJURIES-----	8,233	12,724	11,585	10,740	8.5	13.1	11.9	11.0
ALL OTHER ACUTE CONDITIONS-----	26,712	17,691	22,438	20,215	27.7	18.2	23.1	20.7

TABLE 29. INCIDENCE OF ACUTE RESPIRATORY CONDITIONS AND ASSOCIATED DISABILITY DAYS PER QUARTER AND NUMBER OF ACUTE RESPIRATORY CONDITIONS PER 100 PERSONS PER QUARTER BY AGE: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

AGE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
	INCIDENCE OF ACUTE RESPIRATORY CONDITIONS IN THOUSANDS				NUMBER OF ACUTE RESPIRATORY CONDITIONS PER 100 PERSONS PER QUARTER			
ALL AGES----	24,080	65,640	85,371	44,264	12.8	34.9	45.2	23.4
UNDER 5 YEARS-----	5,582	14,126	15,808	9,950	27.0	68.4	76.7	48.5
5-14 YEARS-----	5,825	18,904	23,020	10,557	15.1	48.8	59.2	27.0
15-24 YEARS-----	3,218	9,346	11,372	6,021	11.6	33.3	40.1	21.0
25-44 YEARS-----	5,431	11,962	15,929	8,453	12.0	26.4	35.2	18.7
45-64 YEARS-----	*	8,370	13,400	6,569	*	22.0	35.0	17.1
65 & OVER YEARS---	*	2,932	5,841	2,713	*	17.0	33.7	15.6
	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS				DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER QUARTER			
ALL AGES----	68,664	181,573	293,085	137,496	36.6	96.5	155.3	72.6
UNDER 5 YEARS-----	13,508	30,979	43,624	23,324	65.4	149.9	211.7	113.8
5-14 YEARS-----	14,321	48,650	73,368	29,481	37.1	125.6	188.6	75.5
15-24 YEARS-----	7,257	22,679	30,622	16,415	26.2	80.8	107.9	57.2
25-44 YEARS-----	13,946	31,308	51,532	25,358	30.8	69.1	113.8	56.0
45-64 YEARS-----	7,601	30,729	59,398	24,956	20.0	80.6	155.2	65.0
65 & OVER YEARS---	12,031	17,227	34,542	17,962	70.0	99.8	199.3	103.3
	DAYS OF BED DISABILITY IN THOUSANDS				DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER			
ALL AGES----	30,328	85,717	141,949	63,135	16.2	45.6	75.2	33.3
UNDER 5 YEARS-----	*	12,082	19,758	11,571	*	58.5	95.9	56.5
5-14 YEARS-----	6,759	24,478	36,624	14,222	17.5	63.2	94.2	36.4
15-24 YEARS-----	*	10,980	16,975	8,611	*	39.1	59.8	30.0
25-44 YEARS-----	*	15,582	26,705	12,217	*	34.4	59.0	27.0
45-64 YEARS-----	*	15,629	26,383	9,758	*	41.0	68.9	25.4
65 & OVER YEARS---	*	6,967	15,503	6,757	*	40.3	89.5	38.9

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.



TABLE 30. INCIDENCE OF INJURIES AND ASSOCIATED DISABILITY DAYS PER QUARTER AND NUMBER OF INJURIES PER 100 PERSONS PER QUARTER, BY AGE: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

AGE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
	INCIDENCE OF INJURIES IN THOUSANDS				NUMBER OF INJURIES PER 100 PERSONS PER QUARTER			
ALL AGES----	15,278	14,175	11,930	14,969	8.2	7.5	6.3	7.9
UNDER 15 YEARS----	6,223	5,201	3,762	5,918	10.5	8.8	6.3	9.9
15-44 YEARS-----	5,458	5,505	5,568	6,247	7.5	7.5	7.6	8.4
45 & OVER YEARS---	3,598	3,469	2,600	2,804	6.5	6.3	4.7	5.0
	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS				DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER QUARTER			
ALL AGES----	83,213	75,518	71,070	88,271	44.4	40.1	37.7	46.6
UNDER 15 YEARS----	20,723	13,097	11,306	17,310	35.0	22.1	19.0	29.1
15-44 YEARS-----	34,157	31,836	31,927	38,124	46.8	43.4	43.3	51.5
45 & OVER YEARS---	28,333	30,585	27,836	32,836	51.4	55.2	50.1	58.9
	DAYS OF BED DISABILITY IN THOUSANDS				DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER			
ALL AGES----	21,402	25,304	15,692	21,694	11.4	13.4	8.3	11.5
UNDER 15 YEARS----	*	*	*	*	*	*	*	*
15-44 YEARS-----	9,507	10,076	7,752	9,155	13.0	13.7	10.5	12.4
45 & OVER YEARS---	6,189	10,770	6,454	8,078	11.2	19.4	11.6	14.5

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 31. POPULATION USED IN OBTAINING RATES SHOWN IN THIS PUBLICATION, BY RESIDENCE, REGION, SEX, AND AGE: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	TOTAL	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST
<u>BOTH SEXES</u>		POPULATION IN THOUSANDS						
ALL AGES-----	188,430	120,781	56,095	11,554	46,683	53,808	57,161	30,778
UNDER 5 YEARS-----	20,606	13,232	6,319	1,055	4,571	5,902	6,424	3,709
5-14 YEARS-----	38,818	24,487	11,632	2,699	9,074	11,368	11,845	6,532
15-24 YEARS-----	28,219	17,860	8,593	1,765	6,755	7,887	9,119	4,458
25-44 YEARS-----	45,299	30,437	12,692	2,170	11,625	12,526	13,540	7,608
45 & OVER YEARS-----	55,488	34,765	16,858	3,865	14,658	16,126	16,234	8,472
45-64 YEARS-----	38,196	24,516	11,008	2,672	10,196	10,976	11,243	5,781
65 & OVER YEARS-----	17,292	10,249	5,850	1,193	4,461	5,149	4,991	2,691
UNDER 6 YEARS-----	24,787	15,908	7,578	1,301	5,498	7,142	7,698	4,448
6-16 YEARS-----	41,557	26,025	12,499	3,032	9,815	12,168	12,699	6,876
17-44 YEARS-----	66,598	44,082	19,160	3,356	16,712	18,373	20,531	10,983
<u>MALE</u>								
ALL AGES-----	91,311	58,340	27,043	5,929	22,498	26,348	27,554	14,911
UNDER 5 YEARS-----	10,508	6,790	3,161	558	2,306	2,966	3,317	1,919
5-14 YEARS-----	19,713	12,450	5,893	1,370	4,614	5,822	5,973	3,298
15-24 YEARS-----	13,467	8,443	4,072	952	3,228	3,878	4,360	2,001
25-44 YEARS-----	21,613	14,507	6,067	1,039	5,522	6,043	6,411	3,637
45 & OVER YEARS-----	26,010	16,150	7,850	2,010	6,828	7,639	7,488	4,056
45-64 YEARS-----	18,401	11,753	5,261	1,387	4,914	5,334	5,314	2,838
65 & OVER YEARS-----	7,610	4,398	2,589	623	1,914	2,305	2,173	1,218
UNDER 6 YEARS-----	12,649	8,125	3,841	682	2,775	3,593	3,985	2,296
6-16 YEARS-----	21,077	13,226	6,285	1,566	4,982	6,254	6,396	3,446
17-44 YEARS-----	31,575	20,838	9,067	1,671	7,913	8,863	9,686	5,114
<u>FEMALE</u>								
ALL AGES-----	97,119	62,441	29,052	5,626	24,185	27,459	29,603	15,867
UNDER 5 YEARS-----	10,098	6,442	3,159	497	2,265	2,936	3,108	1,790
5-14 YEARS-----	19,105	12,037	5,739	1,329	4,459	5,546	5,867	3,234
15-24 YEARS-----	14,752	9,417	4,521	814	3,527	4,008	4,759	2,457
25-44 YEARS-----	23,686	15,930	6,625	1,131	6,103	6,483	7,129	3,971
45 & OVER YEARS-----	29,478	18,615	9,007	1,856	7,830	8,487	8,746	4,415
45-64 YEARS-----	19,795	12,763	5,746	1,285	5,282	5,642	5,928	2,942
65 & OVER YEARS-----	9,683	5,852	3,261	570	2,548	2,845	2,818	1,473
UNDER 6 YEARS-----	12,138	7,783	3,737	618	2,723	3,549	3,714	2,152
6-16 YEARS-----	20,480	12,799	6,214	1,466	4,833	5,914	6,303	3,430
17-44 YEARS-----	35,023	23,244	10,094	1,686	8,799	9,510	10,845	5,869

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports, Series P-20, P-25, and P-60.

TABLE 32. POPULATION OF CURRENTLY EMPLOYED PERSONS, BY SEX AND AGE: UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

AGE	BOTH SEXES	MALE	FEMALE
POPULATION IN THOUSANDS			
ALL AGES-17 YEARS & OVER-----	70,465	45,836	24,629
17-44 YEARS-----	41,956	27,425	14,531
45 YEARS AND OVER-----	28,509	18,411	10,098

NOTE: For official population estimates for more general use, see Bureau of Census reports on the civilian population of the United States, in Current Population Reports, Series P-20, P-25, and P-60; and Bureau of Labor Statistics monthly report, Employment and Earnings.

TABLE 33. POPULATION USED IN OBTAINING RATES SHOWN IN THIS PUBLICATION, BY QUARTER, SEX, AND AGE:  
UNITED STATES, JULY 1964-JUNE 1965

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
<u>BOTH SEXES</u>	POPULATION IN THOUSANDS			
ALL AGES-----	187,411	188,140	188,763	189,330
UNDER 5 YEARS-----	20,650	20,666	20,603	20,497
5-14 YEARS-----	38,565	38,731	38,897	39,064
15-24 YEARS-----	27,743	28,057	28,374	28,687
25-44 YEARS-----	45,301	45,296	45,294	45,288
45-64 YEARS-----	37,968	38,122	38,266	38,410
65 & OVER YEARS-----	17,183	17,269	17,329	17,384
<u>MALE</u>				
ALL AGES-----	90,820	91,173	91,474	91,743
UNDER 5 YEARS-----	10,528	10,537	10,507	10,457
5-14 YEARS-----	19,585	19,669	19,753	19,837
15-24 YEARS-----	13,215	13,380	13,550	13,714
25-44 YEARS-----	21,605	21,608	21,615	21,618
45-64 YEARS-----	18,306	18,371	18,430	18,490
65 & OVER YEARS-----	7,581	7,607	7,619	7,628
<u>FEMALE</u>				
ALL AGES-----	96,591	96,967	97,289	97,587
UNDER 5 YEARS-----	10,122	10,128	10,096	10,040
5-14 YEARS-----	18,979	19,062	19,144	19,227
15-24 YEARS-----	14,528	14,677	14,824	14,973
25-44 YEARS-----	23,696	23,688	23,678	23,671
45-64 YEARS-----	19,663	19,751	19,836	19,920
65 & OVER YEARS-----	9,602	9,661	9,710	9,756

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports, Series P-20, P-25, and P-60.

## APPENDIX I

### TECHNICAL NOTES ON METHODS

#### Background of This Report

This report is one of a series of statistical reports prepared by the National Health Survey. It is based on information collected in a continuing nationwide sample of households in the Health Interview Survey, a major part of the program.

The Health Interview Survey utilizes a questionnaire which, in addition to personal and demographic characteristics, obtains information on illnesses, injuries, chronic conditions and impairments, and other health topics. As data relating to each of these various broad topics are tabulated and analyzed, separate reports are issued which cover one or more of the specific topics. The present report is based on the consolidated sample for 52 weeks of interviewing ending June 1965.

The population covered by the sample for the Health Interview Survey is the civilian, noninstitutional population of the United States living at the time of the interview. The sample does not include members of the Armed Forces, U.S. nationals living in foreign countries, or crews of vessels.

#### Statistical Design of the Health Interview Survey

*General plan.*—The sampling plan of the survey follows a multistage probability design which permits a continuous sampling of the civilian population of the United States. The first stage of this design consists of drawing a sample of 357 from about 1,900 geographically defined primary sampling units (PSU's) into which the United States has been divided. A PSU is a county, a group of contiguous counties, or a standard metropolitan statistical area.

With no loss in general understanding, the remaining stages can be combined and treated in this discussion as an ultimate stage. Within PSU's then, ultimate stage units called segments are defined in such a manner that each segment contains an expected nine households. A segment consists of a cluster of neighboring households or addresses. Two general types of segments are used: (1) area segments which are defined geographically, and (2) B segments which are defined from a list of addresses

from the Decennial Census and Survey of Construction. Each week a random sample of about 90 segments is drawn. In the approximately 800 households in these segments, household members are interviewed concerning factors related to health.

Since the household members interviewed each week are a representative sample of the population, samples for successive weeks can be combined into larger samples. Thus the design permits both continuous measurement of characteristics of high incidence or prevalence in the population and, through the larger consolidated samples, more detailed analysis of less common characteristics and smaller categories. The continuous collection has administrative and operational advantages as well as technical assets, since it permits field work to be handled with an experienced, stable staff.

*Sample size and geographic detail.*—The national sample plan for the 12-month period ending June 1965 included about 134,000 persons from 42,000 households in about 4,700 segments.

The overall sample was designed in such a fashion that tabulations could be provided for each of the major geographic regions and for urban and rural sectors of the United States.

*Collection of data.*—Field operations for the household survey are performed by the Bureau of the Census under specifications established by the National Center for Health Statistics. In accordance with these specifications the Bureau of the Census selects the sample, conducts the field interviewing as an agent of the Center, and performs a manual edit and coding of the questionnaires. Health Interview Survey, using Center electronic computers, carries out further editing and tabulates the edited data.

*Estimating methods.*—Each statistic produced by the survey—for example, the number of work-loss days occurring in a specified period—is the result of two stages of ratio estimation. In the first of these, the control factor is the ratio of the 1960 decennial population count to the 1960 estimated population in the National Health Survey's first-stage sample of PSU's. These factors are applied for some 25 color-residence classes.

Later, ratios of sample-produced estimates of the population to official Bureau of the Census figures for current population in about 60 age-sex-color classes are computed, and serve as second-stage factors for ratio estimating.

The effect of the ratio-estimating process is to make the sample more closely representative of the population by age, sex, color, and residence, thus reducing sampling variance.

As noted, each week's sample represents the population living during that week and characteristics of that population. Consolidation of samples over a time period, say a calendar quarter, produces estimates of average characteristics of the U.S. population for that calendar quarter. Similarly, population data for a year are averages of the four quarterly figures.

For statistics measuring the number of occurrences during a specified time period, such as the number of cases of influenza, a similar computational procedure is used, but the statistics have a different interpretation. For these items, the questionnaire asks for the respondent's experience over the 2 calendar weeks prior to the week of interview. In such instances the estimated quarterly total for the statistic is simply 6.5 times the average 2-week estimate produced by the 13 successive samples taken during the period. The annual total is the sum of the four quarters. Thus, the experience of persons *interviewed during a year*—experience which actually occurred for each person in a 2-calendar-week interval prior to week of interview—is treated as though it measured the total of such *experience during the year*. Such interpretation leads to no significant bias.

### General Qualifications

*Nonresponse.*—Data were adjusted for nonresponse by a procedure which imputes to persons in a household which was not interviewed the characteristics of persons in households in the same segment which were interviewed. The total noninterview rate was 5 percent—1 percent was refusal, and the remainder was primarily due to the failure to find any eligible household respondent after repeated trials.

*The interview process.*—The statistics presented in this report are based on replies secured in interviews of persons in the sampled households. Each person 19 years of age and over, available at the time of interview, was interviewed individually. Proxy respondents within the household were employed for children and for adults not available at the time of the interview, provided the respondent was closely related to the person about whom information was being obtained.

There are limitations to the accuracy of diagnostic and other information collected in household

interviews. For diagnostic information, the household respondent can, at best, pass on to the interviewer only the information the physician has given to the family. For conditions not medically attended, diagnostic information is often no more than a description of symptoms. However, other facts, such as the number of disability days caused by the condition, can be obtained more accurately from household members than from any other source, since only the persons concerned are in a position to report this information.

*Rounding of numbers.*—The original tabulations on which the data in this report are based show all estimates to the nearest whole unit. All consolidations were made from the original tabulations using the estimates to the nearest unit. In the final published tables the figures are rounded to the nearest thousand, although these are not necessarily accurate to that detail. Devised statistics such as rates and percent distributions are computed after the estimates on which these are based have been rounded to the nearest thousand.

*Population figures.*—Some of the published tables include population figures for specified categories. Except for certain overall totals by age and sex, which are adjusted to independent estimates, these figures are based on the sample of households in the National Health Survey. These are given primarily to provide denominators for rate computation, and for this purpose are more appropriate for use with the accompanying measures of health characteristics than other population data that may be available. In some instances these will permit users to recombine published data into classes more suitable to their specific needs. With the exception of the overall totals by age and sex, mentioned above, the population figures differ from corresponding figures (which are derived from different sources) published in reports of the Bureau of the Census. For population data for general use, see the official estimates presented in Bureau of the Census reports in the P-20, P-25, and P-60 series.

### Reliability of Estimates

Since the estimates are based on a sample, they will differ somewhat from the figures that would have been obtained if a complete census had been taken using the same schedules, instructions, and interviewing personnel and procedures. As in any survey, the results are also subject to measurement error.

The standard error is primarily a measure of sampling variability, that is, the variations that might occur by chance because only a sample of the population is surveyed. As calculated for this report, the standard error also reflects part of the variation which arises in the measurement process. It does

not include estimates of any biases which might lie in the data. The chances are about 68 out of 100 that an estimate from the sample would differ from a complete census by less than the standard error. The chances are about 95 out of 100 that the difference would be less than twice the standard error and about 99 out of 100 that it would be less than 2½ times as large.

The relative standard error of an estimate is obtained by dividing the standard error of the estimate by the estimate itself, and is expressed as a per-

centage of the estimate. Included in this Appendix are charts from which the relative standard errors can be determined for estimates shown in the report. A description of the classes of statistics used in the Health Interview Survey and general rules for determining relative sampling errors are presented in Appendix I of "Current Estimates" (*Vital and Health Statistics*, Series 10, No. 25).

The following guide indicates the appropriate rules and charts to be used in deriving relative standard errors for estimates shown in this report.

## Guide to Use of Relative Standard Error Charts


The code shown below identifies the appropriate curve to be used in estimating the relative standard error of the statistic described. The four components of each code describe the statistic as follows: (A)=

aggregate, P=percentage; (2) the number of calendar quarters of data collection; (3) the type of the statistic; and (4) the range of the statistic as described in *Vital and Health Statistics*, Series 10, No. 25.

Statistic	Use:		
	Rule	Code	on page
Number of:			
Persons by residence or region-----	1	A4AN	52
Acute conditions:			
Per quarter-----	1	A1BN	53
Per year-----	1	A4BN	52
Disability days:			
Per quarter-----	1	A1BW	54
Per year-----	1	A4BW	52
Persons in the U.S. population or in any age-sex category thereof-----	Not subject to sampling error		
Percentage distribution of:			
Persons by residence or region-----	2	P4AN-M	55
Disability days in a year-----	2	P4BW	56
Acute conditions in a year-----	2	P4BN-M	57
Incidence rates for acute conditions:			
Per 100 total U.S. population or per 100 persons in any age-sex group of the total U.S. population:			
Per quarter-----	4(a)	A1BN	53
Per year-----	4(a)	A4BN	52
Per 100 persons in any other population group per year-----	4(b)	Numer.: } Denom.: }	A4BN A4AN 52 52
Number of disability days:			
Per 100 total U.S. population or per 100 persons in any age-sex group of the total U.S. population:			
Per quarter-----	4(a)	A1BW	54
Per year-----	4(a)	A4BW	52
Per 100 persons in any other population group per year-----	4(b)	Numer.: } Denom.: }	A4BW A4AN 52 52
Per case for acute conditions:			
Per quarter-----	4(b)	Numer.: } Denom.: }	A1BW A1BN 54 53
Per year-----	4(b)	Numer.: } Denom.: }	A4BW A4AN 52 52




Relative standard errors for aggregates based on four quarters of data collection  
for data of all types and ranges




Example of use of chart: An aggregate of 2,000,000 (on scale at bottom of chart) for a Narrow range Type A statistic (code: A4AN) has a relative standard error of 3.6 percent, (read from scale at left side of chart), or a standard error of 72,000 (3.6 percent of 2,000,000). For a Wide range Type B statistic (code: A4BW), an aggregate of 6,000,000 has a relative error of 16.0 percent or a standard error of 960,000 (16 percent of 6,000,000).

Relative standard errors for aggregates based on one quarter of data for type B data,  
narrow range




Example of use of chart: An aggregate of 6,000,000 (on scale at bottom of chart) for a Narrow range Type B statistic has a relative standard error of 19.3 percent, read from scale at left side of chart, or a standard error of 1,158,000 (19.3 percent of 6,000,000).

Relative standard errors for aggregates based on one quarter of data collection for type B data, wide range




Relative standard errors for percentages based on four quarters of data collection  
 for type A data, Narrow and Medium range  
 (Base of percentage shown on curves in millions)



Example of use of chart: An estimate of 20 percent (on scale at bottom of chart) based on an estimate of 10,000,000 has a relative standard error of 3.2 percent (read from the scale at the left side of the chart), the point at which the curve for a base of 10,000,000 intersects the vertical line for 20 percent. The standard error in percentage points is equal to 20 percent X 3.2 percent or 0.64 percentage points.


Relative standard errors for percentages based on four quarters of data collection  
 for type B data, Wide range  
 (Base of percentage shown on curves in millions)



Example of use of chart: An estimate of 20 percent (on scale at bottom of chart) based on an estimate of 10,000,000 has a relative standard error of 24.5 percent (read from scale at the left side of the chart), the point at which the curve for a base of 10,000,000 intersects the vertical line for 20 percent. The standard error in percentage points is equal to 20 percent X 24.5 percent or 4.9 percentage points.

Relative standard errors for percentages based on four quarters of data collection  
for type B data, Narrow and Medium range

(Base of percentage shown on curves in millions)



Example of use of chart: An estimate of 20 percent (on scale at bottom of chart) based on an estimate of 10,000,000 has a relative standard error of 17.0 percent (read from scale at the left side of the chart), the point at which the curve for a base of 10,000,000 intersects the vertical line for 20 percent. The standard error in percentage points is equal to 20 percent X 17.0 percent or 3.4 percentage points.

## APPENDIX II

### DEFINITIONS OF CERTAIN TERMS USED IN THIS REPORT

#### Terms Relating to Conditions

**Condition.**—A morbidity condition, or simply a condition, is any entry on the questionnaire which describes a departure from a state of physical or mental well-being. It results from a positive response to one of a series of "illness-recall" questions. In the coding and tabulating process, conditions are selected or classified according to a number of different criteria, such as, whether they were medically attended; whether they resulted in disability; whether they were acute or chronic; or according to the type of disease, injury, impairment, or symptom reported. For the purposes of each published report or set of tables, only those conditions recorded on the questionnaire which satisfy certain stated criteria are included.

Acute conditions are classified by type according to the International Classification of Diseases, 1955 Revision, with certain modifications adopted to make the code more suitable for a household-interview-type survey.

**Acute condition.**—An acute condition is defined as a condition which has lasted less than 3 months and which has involved either medical attention or restricted activity. Because of the procedures used to estimate incidence, the acute conditions included in this report are the conditions which had their onset during the 2 weeks prior to the interview week and which involved either medical attention or restricted activity during that 2-week period. However, it excludes certain conditions which are always classified as chronic (listed below) even though the onset occurred within 3 months.

Conditions always classified as chronic:

Asthma	Stomach ulcer
Hay fever	Any other chronic stomach trouble
Tuberculosis	Kidney stones or chronic kidney trouble
Chronic bronchitis	Arthritis or rheumatism
Repeated attacks of sinus trouble	Mental illness
Rheumatic fever	Diabetes
Hardening of the arteries	Thyroid trouble or goiter
High blood pressure	Any allergy
Heart trouble	Epilepsy
Stroke	Chronic nervous trouble
Trouble with varicose veins	Cancer

Hemorrhoids or piles	Chronic skin trouble
Tumor, cyst, or growth	Hernia or rupture
Chronic gallbladder or liver trouble	Prostate trouble
Deafness or serious trouble with hearing	Paralysis of any kind
Serious trouble with seeing, even when wearing glasses	Repeated trouble with back or spine
Cleft palate	Club foot
Any speech defect	Permanent stiffness or any deformity of the foot, leg, fingers, arm, or back
Missing fingers, hand, or arm—toes, foot, or leg	Condition present since birth
Palsy	

**Condition groups.**—Conditions are classified according to the International Classification of Diseases, 1955 Revision, with certain modifications adopted to make the code more suitable for a household-interview survey. In this report, all tables which have data classified by type of condition employ a five-category regrouping plus several selected subgroups. The International Classification code numbers included in each category are shown below:

Condition Groups	International Classification Code Number (excluding chronic inclusions)
Infective and parasitic diseases-----	020-138
Common childhood diseases-----	056, 066-087, 088
The virus, n.o.s.-----	...
Other infective and parasitic diseases-----	(20-065, 067-084, 088, 090-138
Respiratory conditions-----	470-501, 511, 517-525, 527, 783
Upper respiratory conditions-----	470-475, 511, 517
Common cold-----	470
Other acute upper respiratory conditions-----	471-475, 511, 517
Influenza-----	480-483
Influenza with digestive manifestations-----	482
Other influenza-----	480, 481, 483
Other respiratory conditions-----	490-501, 518-525, 527, 783
Pneumonia-----	490-493
Bronchitis-----	500, 501
Other acute respiratory conditions-----	518-525, 527, 783
Digestive system conditions-----	530-539, 543-553, 570, 571, 573, 587, 784, 785
Dental conditions-----	530-535
Functional and symptomatic upper gastrointestinal disorders, n.e.c.-----	544, 784
Other digestive system conditions-----	536-539, 545, 545-553, 570, 571, 573-587, 785
Injuries-----	N900-N985, N990-N995, N900-N994, N996-N999
Fractures, dislocations, sprains, and strains-----	N800-N848
Fractures and dislocations-----	N800-N839
Sprains and strains-----	N840-N848
Open wounds and lacerations-----	N970-N985, N990-N995, N900-N908
Contusions and superficial injuries-----	N910-N929
Other current injuries-----	N850-N969, N930-N994, N996-N999
All other acute conditions-----	All other acute code numbers
Diseases of the ear-----	390-396, 781.3
Headaches-----	781
Genitourinary disorders-----	590-637, 786, 789
Deliveries and disorders of pregnancy and the puerperium-----	640-689
Diseases of the skin-----	690-716
Diseases of the musculoskeletal system-----	720-745, 787
All other acute conditions-----	Other acute code numbers

*Onset of condition.*—A condition is considered to have had its onset when it was first noticed. This could be the time the person first felt sick or became injured, or it could be the time when the person or his family was first told by a physician that he had a condition of which he was previously unaware.

*Incidence of conditions.*—The incidence of conditions is the estimated number of conditions having their onset in a specified time period. As previously mentioned, minor acute conditions, involving neither restricted activity nor medical attention are excluded from the statistics. The incidence data shown in some reports are further limited to various subclasses of conditions, such as "incidence of conditions involving bed disability."

*Activity-restricting condition.*—An activity restricting condition is a condition which has caused at least 1 day of restricted activity during the 2-calendar weeks before the interview week. (See definition of "Restricted-activity day.") The incidence of acute activity-restricting conditions is estimated from the number of such conditions reported as having started in the 2-week period, but a condition which did not result in restricted activity until after the end of the 2-week period in which it had its onset is not included.

*Bed-disabling condition.*—A condition involving at least 1 day of bed disability is called a bed-disabling condition. (See definition of "Bed-disability day.") The incidence of acute bed-disabling conditions is defined in a manner analogous to the incidence of acute activity-restricting conditions.

*Medically attended condition.*—A condition is considered to be medically attended if a physician has been consulted about it either at its onset or at any time thereafter. Medical attention includes consultation either in person or by telephone for treatment or advice. Advice from the physician transmitted to the patient through the nurse is counted as well as visits to physicians in clinics or hospitals. If during the course of a single visit the physician is consulted about more than one condition for each of several patients, each condition of each patient is counted as medically attended.

Discussions of a child's condition by the physician and a responsible member of the household are considered as medical attention even if the child was not seen at that time.

For the purpose of this definition, the term "physician" includes doctors of medicine and osteopathic physicians.

## Terms Relating to Disability

*Disability.*—Disability is the general term used to describe any temporary or long-term reduction of a person's activity as a result of an acute or chronic condition.

Disability days are classified according to whether they are days of restricted activity, bed-days, work-loss days, or school-loss days. All days of bed disability are, by definition, days of restricted activity. The converse form of this statement is, of course, not true. Days lost from work and days lost from school are also days of restricted activity for the working and school-age populations. Hence, restricted activity is the most inclusive term used in describing disability days.

*Condition-days of restricted activity, bed disability, etc.*—Condition-days of restricted activity, bed disability, and so forth are days of the various forms of disability associated with any one condition. Since any particular day of disability may be associated with more than one condition, the sum of days for all conditions adds to more than the total number of person-days of disability.

*Restricted-activity day.*—A day of restricted activity is one on which a person substantially reduces the amount of activity normal for that day because of a specific illness or injury. The type of reduction varies with the age and occupation of the individual as well as with the day of the week or season of the year. Restricted activity covers the range from substantial reduction to complete inactivity for the entire day.

*Bed-disability day.*—A day of bed disability is one on which a person stays in bed for all or most of the day because of a specific illness or injury. It is considered to be a day only if the period of bed disability includes more than half of the daylight hours. All hospital days for inpatients are considered to be days of bed disability even if the patient was not actually in bed at the hospital.

*Work-loss day.*—A day lost from work is a normal working day on which a person did not work at his job or business because of a specific illness or injury. If the person's regular work day is less than a whole day and the entire work day was lost, it would be counted as a whole work day lost. The number of days lost from work is determined only for persons 17 years of age or over who reported that at any time during the 2-week period covered by the interview they either worked at, or had a job



or business. (See definition of "Currently employed persons.")

*School-loss day.*—A day lost from school is a normal school day on which a child did not attend school because of a specific illness or injury. The number of days lost from school is determined only for children 6-16 years of age.

### Demographic Terms

*Age.*—The age recorded for each person is the age at last birthday. Age is recorded in single years and grouped in a variety of distributions depending upon the purpose of the table.

*Quarter.*—The quarters used by the National Health Survey are actually 13-week periods rather than 3 calendar months. Since each 13-week period begins on a Monday and ends on a Sunday, the actual dates of the beginning and end of each 13-week period may overlap into another calendar quarter. Therefore, the time periods in the table headings are the approximate rather than the precise periods during which the interviewing was conducted.

*Currently employed persons.*—Currently employed persons are all persons 17 years of age or over who reported that at any time during the 2-week period covered by the interview they either worked at, or had a job or business. Current employment includes paid work as an employee of someone else, self-employment in business, farming, or professional practice, and unpaid work in a family business or farm. Persons who were temporarily absent from their job or business because of a temporary illness, vacation, strike, or bad weather are considered as currently employed if they expected to work as soon as the particular event causing their absence no longer existed.

Free-lance workers are considered as having a job if they had a definite arrangement with one or more employees to work for pay according to a weekly or monthly schedule, either full time or part time. Excluded from the currently employed population are such persons who have no definite employment schedule but who work only when their services are needed.

Also excluded from the currently employed population are (1) persons who were not working, even though having a job or business, but were on layoff or looking for work, (2) persons receiving revenue from an enterprise in whose operation they did not participate, (3) persons doing housework or charity work for which they received no pay, and (4) seasonal workers during the unemployment season.

The number of currently employed persons estimated by the National Health Survey (NHS) will differ from the estimates prepared by the Current

Population Survey (CPS), Bureau of the Census, for several reasons. In addition to sampling variability they include three primary conceptual differences, namely: (1) NHS estimates are for persons 17 years of age or over; CPS estimates are for persons 14 years of age or over. (2) NHS uses a 2-week-reference period while CPS uses a 1-week-reference period. (3) NHS is a continuing survey with separate samples taken weekly, while CPS is a monthly sample taken for the survey week which includes the 12th of the month.

*Residence.*—The place of residence of a member of the civilian, noninstitutional population is classified as inside a standard metropolitan statistical area (SMSA) or outside an SMSA according to farm or nonfarm residence.

*Standard metropolitan statistical areas.*—The definitions and titles of SMSA's are established by the U.S. Bureau of the Budget with the advice of the Federal Committee on Standard Metropolitan Statistical Areas. There were 212 SMSA's, as defined for the 1960 Decennial Census, for which data may be provided for places of residence in the Health Interview Survey.

The definition of an individual SMSA involves two considerations: first, a city or cities of specified population which constitute the central city and identify the county in which it is located as the central county; and, second, economic and social relationships with contiguous counties (except in New England) which are metropolitan in character, so that the periphery of the specific metropolitan area may be determined. SMSA's are not limited by State boundaries.

*Farm and nonfarm residence.*—The population residing outside SMSA's is subdivided into the farm population, which comprises all non-SMSA residents living on farms, and the nonfarm population, which comprises the remaining non-SMSA population. The farm population includes persons living on places of 10 acres or more from which sales of farm products amounted to \$50 or more during the previous 12 months or on places of less than 10 acres from which sales of farm products amounted to \$250 or more during the preceding 12 months. Other persons living in non-SMSA territory were classified as nonfarm if their household paid rent for the house but their rent did not include any land used for farming.

Sales of farm products refer to the gross receipts from the sale of field crops, vegetables, fruits, nuts, livestock and livestock products (milk, wool, etc.), poultry and poultry products, and nursery and forest products produced on the place and sold at any time during the preceding 12 months.

*Region.*—For the purpose of classifying the population by geographic area, the States are grouped into four regions. These regions, which correspond to those used by the Bureau of the Census, are as follows:

<i>Region</i>	<i>States Included</i>
Northeast-----	Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, New York, New Jersey, Pennsylvania
North Central--	Michigan, Ohio, Indiana, Illinois, Wisconsin, Minnesota, Iowa,

	Missouri, North Dakota, South Dakota, Nebraska, Kansas
South-----	Delaware, Maryland, District of Columbia, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida, Kentucky, Tennessee, Alabama, Mississippi, Arkansas, Louisiana, Oklahoma, Texas
West-----	Montana, Idaho, Wyoming, Colorado New Mexico, Arizona, Utah, Nevada, Alaska, Washington, Oregon, California, Hawaii



## OUTLINE OF REPORT SERIES FOR VITAL AND HEALTH STATISTICS

Public Health Service Publication No. 1000

- Series 1. Programs and collection procedures.*—Reports which describe the general programs of the National Center for Health Statistics and its offices and divisions, data collection methods used, definitions, and other material necessary for understanding the data.  
Reports number 1-4
- Series 2. Data evaluation and methods research.*—Studies of new statistical methodology including: experimental tests of new survey methods, studies of vital statistics collection methods, new analytical techniques, objective evaluations of reliability of collected data, contributions to statistical theory.  
Reports number 1-12
- Series 3. Analytical studies.*—Reports presenting analytical or interpretive studies based on vital and health statistics, carrying the analysis further than the expository types of reports in the other series.  
Reports number 1-4
- Series 4. Documents and committee reports.*—Final reports of major committees concerned with vital and health statistics, and documents such as recommended model vital registration laws and revised birth and death certificates.  
Reports number 1 and 2
- Series 10. Data From the Health Interview Survey.*—Statistics on illness, accidental injuries, disability, use of hospital, medical, dental, and other services, and other health-related topics, based on data collected in a continuing national household interview survey.  
Reports number 1-26
- Series 11. Data From the Health Examination Survey.*—Statistics based on the direct examination, testing, and measurement of national samples of the population, including the medically defined prevalence of specific diseases, and distributions of the population with respect to various physical and physiological measurements.  
Reports number 1-12
- Series 12. Data From the Health Records Survey.*—Statistics from records of hospital discharges and statistics relating to the health characteristics of persons in institutions, and on hospital, medical, nursing, and personal care received, based on national samples of establishments providing these services and samples of the residents or patients.  
Reports number 1-3
- Series 20. Data on mortality.*—Various statistics on mortality other than as included in annual or monthly reports—special analyses by cause of death, age, and other demographic variables, also geographic and time series analyses.  
Reports number 1
- Series 21. Data on natality, marriage, and divorce.*—Various statistics on natality, marriage, and divorce other than as included in annual or monthly reports—special analyses by demographic variables, also geographic and time series analyses, studies of fertility.  
Reports number 1-7
- Series 22. Data From the National Natality and Mortality Surveys.*—Statistics on characteristics of births and deaths not available from the vital records, based on sample surveys stemming from these records, including such topics as mortality by socioeconomic class, medical experience in the last year of life, characteristics of pregnancy, etc.  
Reports number 1

For a list of titles of reports published in these series, write to:

National Center for Health Statistics  
U.S. Public Health Service  
Washington, D.C. 20201