UNIVERSITY OF SOUTH FLORIDA IVF TAMPA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11-20).

| 2013 ART CYCLE PROFILE | Data verified by Shayne Plosker, MD |
|------------------------|---------------------------------------|
| | Bata vermed by emayine i locker, in B |

| Type of ART and Procedural Factors ^a | | | | Patient Diagnosis b | | | | | |
|---|------|-----------|-----|----------------------------|-----|----------------|-----|-------------------------|----|
| IVF | 100% | With ICSI | 63% | Tubal factor | 19% | Uterine factor | 12% | Multiple Factors: | |
| Unstimulated | 2% | Used PGD | 6% | Ovulatory dysfunction | 11% | Male factor | 36% | Female factors only | 8% |
| Used gestational carrier | 5% | | | Diminished ovarian reserve | 27% | Other factor | 12% | Female & male factors 1 | 7% |
| | | | | Endometriosis | 6% | Unknown factor | 8% | | |

| 2013 ART SUCCESS RATES ^c | Total number of cycles ^d : 252 (includes 2 cycle[s] using frozen eggs) |
|-------------------------------------|---|
| | Age of Woman |

| 2013 ART 3000E33 RATES Total number of cycles : 252 | (include | es 2 Cycle | | | <i>ys)</i> | | |
|--|----------|----------------------------|--------|--------|-----------------------------|-------|--|
| Type of Cycle | 0.5 | 05.07 | _ | Woman | 40.44 | | |
| | <35 | 35–37 | 38-40 | 41-42 | 43–44 | >44 | |
| Fresh Embryos from Nondonor Eggs | 50 | 00 | 00 | 40 | 0 | | |
| Number of cycles | 59 | 30 | 36 | 13 | 8 | 1 | |
| Percentage of cancellations (%) | 6.8 | 0.0 | 16.7 | 4 / 13 | 4/8 | 0/1 | |
| Average number of embryos transferred | 1.8 | 2.0 | 2.8 | 3.6 | 3.7 | 1.0 | |
| Percentage of embryos transferred resulting in implantation (%) | 45.1 | 23.6 | 17.3 | 4.0 | 1/9 | 0/1 | |
| Percentage of elective single embryo transfers (eSET) (%) | 21.6 | 14.8 | 3.8 | 0/6 | 0/3 | | |
| Outcomes per Cycle Percentage of cycles resulting in term, normal weight & singleton live births ^e (%) | 27.1 | 10.0 | 16.7 | 1 / 13 | 0/8 | 0/1 | |
| Percentage of cycles resulting in term, normal weight a singleton live births (%) | 32.2 | 13.3 | 19.4 | 1 / 13 | 1/8 | 0/1 | |
| Percentage of cycles resulting in twin live births (%) Percentage of cycles resulting in twin live births (%) | 16.9 | 13.3 | 8.3 | 0 / 13 | 0/8 | 0/1 | |
| Percentage of cycles resulting in twin live births (%) Percentage of cycles resulting in live births (%) | 49.2 | 26.7 | 27.8 | 1 / 13 | 1/8 | 0/1 | |
| Percentage of cycles resulting in rive births (70) Percentage of cycles resulting in pregnancies (%) | 50.8 | 36.7 | 30.6 | 1 / 13 | 2/8 | 0/1 | |
| Outcomes per Transfer | 30.6 | 30.7 | 30.0 | 1/13 | 2/0 | 0 / 1 | |
| Number of transfers | 51 | 30 | 28 | 7 | 3 | 1 | |
| Percentage of transfers resulting in term, normal weight & singleton live births (%) | 31.4 | 10.0 | 21.4 | 1/7 | 0/3 | 0/1 | |
| Percentage of transfers resulting in singleton live births (%) | 37.3 | 13.3 | 25.0 | 1/7 | 1/3 | 0/1 | |
| Percentage of transfers resulting in twin live births (%) | 19.6 | 13.3 | 10.7 | 0/7 | 0/3 | 0/1 | |
| Percentage of transfers resulting in live births (%) | 56.9 | 26.7 | 35.7 | 1/7 | 1/3 | 0/1 | |
| Percentage of transfers resulting in pregnancies (%) | 58.8 | 36.7 | 39.3 | 1/7 | 2/3 | 0/1 | |
| | 00.0 | 00.7 | 00.0 | .,, | 2,0 | 071 | |
| Frozen Embryos from Nondonor Eggs | | | | | | | |
| Number of cycles | 29 | 16 | 12 | 8 | 0 | 0 | |
| Number of transfers | 26 | 16 | 11 | 7 | 0 | 0 | |
| Estimated average number of transfers per retrieval | 3.7 | 1.3 | 11.0 | 3.5 | | | |
| Average number of embryos transferred | 2.0 | 1.7 | 1.7 | 1.9 | | | |
| Percentage of embryos transferred resulting in implantation (%) | 49.0 | 51.9 | 4 / 19 | 5/11 | | | |
| Percentage of transfers resulting in term, normal weight & singleton live births ^e (%) | 19.2 | 4 / 16 | 2/11 | 1/7 | | | |
| Percentage of transfers resulting in singleton live births (%) | 30.8 | 4 / 16 | 2/11 | 1/7 | | | |
| Percentage of transfers resulting in twin live births (%) | 23.1 | 5/16 | 1/11 | 2/7 | | | |
| Percentage of transfers resulting in live births (%) | 53.8 | 9/16 | 3/11 | 3/7 | | | |
| Percentage of transfers resulting in pregnancies (%) | 57.7 | 9/16 | 3/11 | 4/7 | | | |
| Number of Egg/Embryo Banking Cycles | 0 | 0 | 0 | 0 | 0 | 0 | |
| Donor Eggs | Fre | Fresh Embryos ^f | | | Frozen Embryos ^f | | |
| Number of cycles | 25 | | | 13 | | | |
| Number of transfers | | 23 | | | 12 | | |
| Average number of embryos transferred | | 1.7 | | | 1.7 | | |
| Percentage of embryos transferred resulting in implantation (%) | | 71.1 | | | 35.0 | | |
| Percentage of transfers resulting in term, normal weight & singleton live births (%) | | 26.1 | | | 7 / 12 | | |
| Percentage of transfers resulting in singleton live births (%) | | 26.1 | | | 7 / 12 | | |
| Percentage of transfers resulting in twin live births (%) | | 30.4 | | | 0/12 | | |
| Percentage of transfers resulting in live births (%) | | 56.5 | | | 7 / 12 | | |
| Percentage of transfers resulting in pregnancies (%) | | 82.6 | | | 7 / 12 | | |

CURRENT SERVICES & PROFILE

Current Name: University of South Florida IVF

| Donor eggs? | Yes | Gestational carriers? | Yes | Single women? | Yes | Verified lab accreditation? | No |
|----------------|-----|--------------------------|-----|---------------|-----|-------------------------------|----|
| Donor embryos? | Yes | Embryo cryopreservation? | Yes | SART member? | Yes | (See Appendix C for details.) | |

a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.