

INVIA FERTILITY SPECIALISTS HOFFMAN ESTATES, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

| 2014 ART CYCLE PROFILE | | | | Data verified by Vishvanath C. Karande, MD | | | | |
|---|------|-----------|-----|--|-----|----------------|-----|--|
| Type of ART and Procedural Factors ^a | | | | Patient Diagnosis ^b | | | | |
| IVF | 100% | With ICSI | 65% | Tubal factor | 7% | Uterine factor | 3% | <i>Multiple Factors:</i> Female factors only 2% Female & male factors 5% |
| Unstimulated | 0% | PGD/PGS | <1% | Ovulatory dysfunction | 17% | Male factor | 18% | |
| Used gestational carrier | 0% | | | Diminished ovarian reserve | 16% | Other factor | 7% | |
| | | | | Endometriosis | 7% | Unknown factor | 33% | |

| 2014 ART SUCCESS RATES ^c | | Total number of cycles ^d : 632 (includes 0 cycle[s] using frozen eggs) | | | | | |
|---|--|---|-------|--------|-----------------------------------|--------|--------|
| Type of Cycle | | Age of Woman | | | | | |
| | | <35 | 35–37 | 38–40 | 41–42 | 43–44 | >44 |
| Fresh Embryos from Nondonor Eggs | | | | | | | |
| Number of cycles | | 176 | 58 | 46 | 23 | 17 | 9 |
| Percentage of cancellations before retrieval (%) | | 9.1 | 8.6 | 6.5 | 13.0 | 1 / 17 | 2 / 9 |
| Average number of embryos transferred | | 1.7 | 1.8 | 2.4 | 2.3 | 3.1 | 2.0 |
| Percentage of embryos transferred resulting in implantation (%) | | 43.8 | 42.6 | 23.8 | 3.6 | 3.6 | 0 / 12 |
| Percentage of elective single embryo transfers (eSET) (%) | | 24.0 | 11.8 | 0.0 | 0 / 7 | 0 / 8 | 0 / 4 |
| Outcomes per Cycle | | | | | | | |
| Percentage of cycles resulting in term, normal weight & singleton live births ^e (%) | | 17.6 | 19.0 | 19.6 | 4.3 | 0 / 17 | 0 / 9 |
| Percentage of cycles resulting in singleton live births (%) | | 21.6 | 20.7 | 21.7 | 4.3 | 0 / 17 | 0 / 9 |
| Percentage of cycles resulting in twin live births (%) | | 9.7 | 8.6 | 4.3 | 0.0 | 0 / 17 | 0 / 9 |
| Percentage of cycles resulting in live births (%) | | 31.3 | 31.0 | 26.1 | 4.3 | 0 / 17 | 0 / 9 |
| Percentage of cycles resulting in pregnancies (%) | | 33.5 | 34.5 | 37.0 | 4.3 | 1 / 17 | 0 / 9 |
| Outcomes per Transfer | | | | | | | |
| Number of transfers | | 105 | 37 | 34 | 12 | 9 | 6 |
| Percentage of transfers resulting in term, normal weight & singleton live births ^e (%) | | 29.5 | 29.7 | 26.5 | 1 / 12 | 0 / 9 | 0 / 6 |
| Percentage of transfers resulting in singleton live births (%) | | 36.2 | 32.4 | 29.4 | 1 / 12 | 0 / 9 | 0 / 6 |
| Percentage of transfers resulting in twin live births (%) | | 16.2 | 13.5 | 5.9 | 0 / 12 | 0 / 9 | 0 / 6 |
| Percentage of transfers resulting in live births (%) | | 52.4 | 48.6 | 35.3 | 1 / 12 | 0 / 9 | 0 / 6 |
| Percentage of transfers resulting in pregnancies (%) | | 56.2 | 54.1 | 50.0 | 1 / 12 | 1 / 9 | 0 / 6 |
| Frozen Embryos from Nondonor Eggs | | | | | | | |
| Number of cycles | | 114 | 37 | 18 | 3 | 2 | 0 |
| Number of transfers | | 112 | 37 | 17 | 3 | 2 | 0 |
| Estimated average number of transfers per retrieval | | 1.4 | 1.3 | 0.8 | 0.5 | 0.2 | 0.0 |
| Average number of embryos transferred | | 1.6 | 1.3 | 1.8 | 1.0 | 4.0 | |
| Percentage of embryos transferred resulting in implantation (%) | | 48.3 | 49.0 | 46.7 | 0 / 3 | 2 / 8 | |
| Percentage of transfers resulting in term, normal weight & singleton live births ^e (%) | | 33.0 | 27.0 | 5 / 17 | 0 / 3 | 1 / 2 | |
| Percentage of transfers resulting in singleton live births (%) | | 34.8 | 32.4 | 6 / 17 | 0 / 3 | 1 / 2 | |
| Percentage of transfers resulting in twin live births (%) | | 16.1 | 8.1 | 1 / 17 | 0 / 3 | 0 / 2 | |
| Percentage of transfers resulting in live births (%) | | 50.9 | 40.5 | 8 / 17 | 0 / 3 | 1 / 2 | |
| Percentage of transfers resulting in pregnancies (%) | | 58.9 | 56.8 | 9 / 17 | 0 / 3 | 2 / 2 | |
| Number of Egg/Embryo Banking Cycles | | | | | | | |
| | | 21 | 14 | 13 | 4 | 9 | 2 |
| Donor Eggs | | Fresh Embryos^f | | | Frozen Embryos^f | | |
| Number of cycles | | 28 | | | 38 | | |
| Number of transfers | | 26 | | | 36 | | |
| Average number of embryos transferred | | 1.7 | | | 1.4 | | |
| Percentage of embryos transferred resulting in implantation (%) | | 56.8 | | | 51.0 | | |
| Percentage of transfers resulting in term, normal weight & singleton live births ^e (%) | | 34.6 | | | 36.1 | | |
| Percentage of transfers resulting in singleton live births (%) | | 38.5 | | | 44.4 | | |
| Percentage of transfers resulting in twin live births (%) | | 23.1 | | | 8.3 | | |
| Percentage of transfers resulting in live births (%) | | 61.5 | | | 52.8 | | |
| Percentage of transfers resulting in pregnancies (%) | | 69.2 | | | 66.7 | | |

| CURRENT SERVICES & PROFILE | | Current Name: InVia Fertility Specialists | | | | | |
|----------------------------|-----|---|-----|---------------|-----|-------------------------------|-----|
| Donor eggs? | Yes | Gestational carriers? | Yes | Single women? | Yes | Verified lab accreditation? | Yes |
| Donor embryos? | Yes | Embryo cryopreservation? | Yes | SART member? | Yes | (See Appendix C for details.) | |

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.